

**Documentation of Environmental Indicator Determination
in accordance with EPA Interim Final Guidance 2/5/99**

**RCRA Corrective Action
Environmental Indicator (EI) RCRA Info Code (CA750)**

Migration of Contaminated Groundwater Under Control

Facility Name: Modine Manufacturing Company
Facility Address: 179 Sunset Drive, Camdenton, Missouri
Facility EPA ID #: MOD 062439351

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

 X If yes - check here and continue with #2 below.

 If no - re-evaluate existing data, or

 If data are not available, skip to #8 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EIs developed to date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EIs are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated

Groundwater Under Control” EI pertains ONLY to the physical migration (i.e., further spread) of contaminated groundwater and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determination status codes should remain in RCRA Info national database ONLY as long as they remain true (i.e., RCRA Info status codes must be changed when the regulatory authorities become aware of contrary information).

2. Is **groundwater** known or reasonably suspected to be “**contaminated**”¹ above appropriately protective “levels” (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria [e.g, Maximum Contaminant Levels (MCLs), the maximum permissible level of a contaminant in water delivered to end users of a public water system under the Safe Drinking Water Act]) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

 X If yes - continue after identifying key contaminants, citing appropriate “levels,” and referencing supporting documentation.

 If no - skip to #8 and enter “YE” status code, after citing appropriate “levels,” and referencing supporting documentation to demonstrate that groundwater is not “contaminated.”

 If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Modine Manufacturing Company (Modine) manufactures heat transfer products at the Camdenton, Missouri facility. Modine entered into a Corrective Action Abatement Order on Consent (Order) with the Department of Natural Resources’ Hazardous Waste Program (HWP) in July 1999. A complete review of previous investigations was conducted at that time to identify all areas of potential concern at the facility. A summary of these areas and the corrective action activities up to the date of the Order are included in the Order and in the *Summary Report of Investigative and Remedial Activities Conducted to Achieve Closure of the Interim TSD Facility, Modine Manufacturing Company, Camdenton, Missouri* (Dames & Moore, 1998).

Pursuant to provisions of the Order, Modine is in the process of conducting their RFI investigation which includes the removal of contaminated soils as an interim measure. Prior to soil excavation, concentrations of TCE, 1,2,-DCE, and vinyl chloride exceeded cleanup levels for leaching to groundwater.

TCE has been detected above the MCL of 5 ppb in both on-site and off-site groundwater monitoring wells. TCE was also detected above the MCL in a nearby municipal water supply well. The rate of migration and extent of groundwater contamination has not been adequately determined at this time. Additional groundwater monitoring wells are planned to be installed as part of the RFI to further assess the migration and extent of groundwater contamination.

Sundstrand is conducting a concurrent investigation of the migration and extent of groundwater contamination from the nearby Hulett Lagoon, through a cooperative agreement with Missouri's Superfund Program. Due to the proximity of the two sites, there is a high probability of commingling plumes.

Modine has a General Storm Water Permit issued by the department's Water Pollution Control Program (Permit Number MO-R203055). The facility storm sewer directs surface runoff to the southern end of the site. Runoff not collected in the storm sewer flows southwest-west to a series of manhole collection points directing runoff to through a lift station to the Camdenton Publicly Owned Treatment Works (*Final Preliminary Assessment Report*, Jacobs Engineering, September, 1992). Sampling of stormwater runoff and a stream and spring downgradient of the site showed no constituents (VOCs) detected in surface water (*Environmental Risk Assessment of Former Drum Storage Areas*, Law Engineering and Environmental, August 16, 1994).

Contaminated subsurface soil is limited to areas on-site to the west of the manufacturing building. Contaminated subsurface and surface soil has been removed to below site-specific C_{leach} concentrations from the site as an interim measure. The excavation area has been backfilled with clean soil, graded, and paved. The possible extent of contaminated soil under the manufacturing building is currently unknown. The site is fenced and access is restricted, limiting potential for trespassers.

No air testing or modeling has been conducted to determine the potential for contaminants to volatilize from groundwater/soil at this time. However, pursuant to the Order, Modine will be proposing air sampling in the near future.

Footnotes:

¹“Contamination” and “contaminated” describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate “levels” (appropriate for the protection of the groundwater resource and its beneficial uses).

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within “existing area of contaminated groundwater”² as defined by the monitoring locations designated at the time of this determination)?

_____ If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical)

dimensions of the “existing area of groundwater contamination”²).

_____ If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the “existing area of groundwater contamination”²) - skip to #8 and enter “NO” status code, after providing an explanation.

X If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Additional information is necessary to determine rate and extent of groundwater contamination.

² “existing area of contaminated groundwater” is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of “contamination” that can and will be sampled/tested in the future to physically verify that all “contaminated” groundwater remains within this area, and that the further migration of “contaminated” groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4. Does “contaminated” groundwater **discharge** into **surface water** bodies?

_____ If yes - continue after identifying potentially affected surface water bodies.

_____ If no - skip to #7 (and enter a “YE” status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater “contamination” does not enter surface water bodies.

_____ If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

5. Is the **discharge** of “contaminated” groundwater into surface water likely to be **“insignificant”** (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times the appropriate groundwater “level,” and there are no other conditions (e.g., the nature or number of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments or eco-systems at these concentrations)?

_____ If yes - skip to #7 (and enter “YE” status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of key contaminants discharged above their groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments or eco-system.

_____ If no - (the discharge of “contaminated” groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration³ of each contaminant discharged above its groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times the appropriate groundwater “levels,” the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

_____ If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6. Can the **discharge** of “contaminated” groundwater into surface water be shown to be “**currently acceptable**” (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

_____ If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site’s surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialist(s), including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment

and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment “levels,” as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

_____ If no - (the discharge of “contaminated” groundwater cannot be shown to be “**currently acceptable**”) - skip to #8 and enter “NO” status code, after documenting the currently unacceptable impacts to the surface water body, sediments and/or eco-systems.

_____ If unknown - skip to 8 and enter “IN” status code.

Rationale and Reference(s): _____

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7. Will groundwater **monitoring**/measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the “existing area of contaminated groundwater?”

_____ If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the “existing area of groundwater contamination.”

_____ If no - enter “NO” status code in #8.

_____ If unknown - enter "IN" status code in #8.

Rationale and Reference(s): _____

8. Check the appropriate RCRA Info status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

_____ YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the _____ facility, EPA ID # _____, located at _____. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater." This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

_____ NO - Unacceptable migration of contaminated groundwater is observed or expected.

X IN - More information is needed to make a determination.

Completed by: Original Signed by Christine Kump-Mitchell, P.E. Date 9/23/02
Environmental Engineer

Supervisor: Original Signed by R. Bruce Stuart, P.E., R.G. Date 9/23/02
Groundwater Unit Chief
MDNR – Hazardous Waste Program

Locations where References may be found:

Department of Natural Resources
1738 East Elm Street, Jefferson City, Missouri
Hazardous Waste Program files:
Modine Manufacturing Company – TSD and GWM Files
Sundstrand – Superfund Files

Contact telephone and e-mail numbers:

Christine Kump-Mitchell, P.E.
573-751-3553
nrkumpc@mail.dnr.state.mo.us

ref: *ca750epa.doc*