List of EPA Certified Wood Stoves

September 8, 2006

EPA Wood Heater Program

Enclosed is the list of wood stoves certified by the United States Environmental Protection Agency. An EPA certified wood stove or wood heating appliance has been independently tested by an accredited laboratory to meet a particulate emissions limit of 7.5* grams per hour for noncatalytic wood stoves and 4.1* grams per hour for catalytic wood stoves. All wood heating appliances subject to the New Source Performance Standard for Residential Wood Heaters under the Clean Air Act offered for sale in the United States are required to meet these emission limits. An EPA certified wood stove can be identified by a temporary paper label attached to front of the wood stove and a permanent metal label affixed to the back or side of the wood stove (See examples below). Please contact John DuPree at 202-564-5950 should you have questions regarding a particular model line or manufacturer.



Manufactured by
COMPANY NAME HERE

Design No. XXXXXXX

US ENVIRONMENTAL PROTECTION AGENCY

Meets EPA particulate matter (Smoke) control requirements for NON-CATALYTIC wood heaters.

SMOKE

Test Model

0 (grams per hour) 8.5

EFFICIENCY

50% 60% 70% 80% 90% 100%

* Not tested for efficiency. Value indicated is for similar non-catalytic wood heaters. Wood heaters with higher efficiencies cost less to operate.

HEAT OUTPUT
10,600 to 26,100 Btu/Hr

Use this to choose the right size appliances for your needs.
ASK DEALER FOR HELP.

This wood heater will achieve low smoke output and high efficiency only if properly operated and maintained. See owner's manual.

S 19581 Rev.0

* ***Temporary Wood Stove Label*** ***Permanent Wood Stove Label***

Wood stoves offered for sale in the state of Washington must meet a particulate emissions limit of 4.5 grams per hour for non catalytic wood stoves and 2.5 grams per hour for catalytic wood stoves.

Certified Wood Heaters

Manufacturer		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Aladdin Hearth Products **1445 North Highway** **Colville WA99114 ,** **USA** **509-684-3745** **http://www.aladdinhearth.com/**					
1890(S30)	Pellet	5.7	78 %	11200-42700	08/31/95
5700 ACT	Noncatalytic	4.2	63 %	11800-45900	4/24/2007
7100FP	Noncatalytic	3.1	63 %	13,800-67,300	04/01/2008
Arrow 14, 20	Noncatalytic	4.0	63 %	14000-36100	06/30/90
Arrow 18	Noncatalytic	7.2	63 %	14500-34400	06/30/90
Arrow 55	Catalytic	3.0	72 %	9900-37500	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Arrow Fireplace Insert 25					
	Catalytic	4.7	72 %	11300-55000	06/30/90
Arrow S12 (Stove) & I12 (Insert)					
	Noncatalytic	3.7	63 %	9900-32100	8/26/2003
Aurora Model 700					
	Noncatalytic	4.3	63 %	11800-30900	11/14/2001
Heat-N-Glo FT-210					
	Noncatalytic	3.9	63 %	9,800-36,600	08/28/2007
Heatilator 11, 12					
	Noncatalytic	5.1	63 %	12400-36100	06/30/90
Heatilator 1190/Arrow 1490(S20)					
	Noncatalytic	6.1	63 %	10500-44500	08/10/95
Heirloom 390					
	Catalytic	2.8	72 %	9100-31800	01/24/96
Horizon 500 CC					
	Catalytic	3.6	72 %	8300-28000	04/18/95
Model 2590					
	Catalytic	3.8	72 %	9900-34300	11/29/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 2700I					
	Noncatalytic	4.2	63 %	11200-35900	6/20/2008
Model 400					
	Noncatalytic	2.9	63 %	8700-2200	11-23-2007
Quadra Fire 2100 Millinnium & 2100 ACT					
	Noncatalytic	2.0	63 %	10900- 37200	2/12/2007
Quadra Fire 4300 ACT					
	Noncatalytic	1.2	63 %	11900-58500	7/23/2007
Quadra-Fire 1800					
	Noncatalytic	5.1	63 %	10600-31300	06-25-97
Quadra-Fire 2000, 2000-I					
	Noncatalytic	6.1	63 %	7400-43700	06/30/90
Quadra-Fire 3000F, 3000 I					
	Noncatalytic	6.5	63 %	9000-44700	06/30/90
Quadra-Fire 4100					
	Noncatalytic	4.0	63 %	11700-50500	1/30/2000
Quadra-Fire 5100-I Fireplace Insert					
	Noncatalytic	2.7	63 %	11800-49900	10/26/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire Cumberland Gap					
	Noncatalytic	3.4	63 %	11,200-44,300	09/08/2008
Quadra-Fire Model 4100I					
	Noncatalytic	3.1	63 %	9,000-41,800	08/28/2007
Quadrafire 1800 I					
	Noncatalytic	4.9	63 %	10000-33200	11-17-97
Quadrafire 1900					
	Noncatalytic	2.2	63 %	11500-32200	05/12/2010
S-22 & S-22I					
	Noncatalytic	4.0	63 %	12000-36900	3/11/2004
S10 and I10					
	Noncatalytic	5.9	63 %	11200-40600	09-18-97
Sunburst II Model 2208					
	Noncatalytic	4.4	63 %	11500-36300	11/16/2003
Yosemite					
	Noncatalytic	2.7	63 %	10900-28600	7/20/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
American Road Equipment Company					
4201 North 26th Street					
Omaha NE68111 ,					
USA					
402-451-2575					
Erik SW II Catalytic Environmentalist SSW-1000					
	Catalytic	1.2	72 %	9800-46900	06/30/88
Appalachian Stove & Fabricators, Inc.					
329 Emma Road					
Asheville NC28806 ,					
USA					
(828) 253-0164					
http://www.appalachianstove.com/					
28 CD					
	Catalytic	4.5	72 %	9500-16300	06/30/90
32-BW-XL-88, Gemini-XLB 1989					
	Catalytic	4.0	72 %	8400-19800	10/24/93
36-BW-1988					
	Catalytic	3.9	72 %	9500-19300	10/06/93
Heritage Classic A, T16, Cast heat & Catskill					
	Noncatalytic	4.4	63 %	10,300-31,200	12/12/2008
Heritage Classic;					
	Noncatalytic	6.8	63 %	11057-31327	10/11/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 30-CD					
	Catalytic	3.7	72 %	8500-21400	07/10/2006
Model 32-BW					
	Catalytic	2.5	72 %	10400-24500	2/22/2008
Model 36 BW					
	Catalytic	3.3	72 %	10600-30200	10/15/2007
Model 360-CR					
	Catalytic	2.8	72 %	10600-29100	08/16/2006
Model 52 WXL 1988					
	Catalytic	4.2	72 %	10500-15400	06/30/90
Trailmaster 4N1-XL					
	Catalytic	4.7	72 %	9600-19600	06/30/90
Trailmaster Model 4N1-XL II					
	Catalytic	3.4	72 %	10100-26900	05/23/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Archgard Industries, Ltd.					
7116 Beatty Dr.					
Mission BCV2V6B4 ,					
Canada					
604-820-8262					
http://www.archgard.com/					
Chalet 1800					
	Noncatalytic	3.6	63 %	10,700-35,500	07/21/2010
Austroflamm Industries Inc.					
1007 International Drive					
Oakdale PA15071-922 ,					
USA					
724-695-2430					
http://www.austroflamm.com/					
Esprit Wood 119.1					
	Noncatalytic	6.3	63 %	11400-43600	12/07/2000
Integra C1121					
	Pellet	2.7	78 %	9300-31100	05/03/99
Irony M					
	Pellet	6.6	63 %	11800-46800	08/09/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Barbeques Galore/Pricotech

45 Princes Road West
Auburn 02144 ,
Australia
+61 363811322

http://www.tasmaniacentral.tas.gov.au/saxon/

Rosewood					
	Noncatalytic	2.7	63 %	11600-36200	01/23/2006

Blaze King Industries

146 A Street
Walla Walla WA99362 ,
USA
509-522-2730

http://www.blazeking.com/

Blaze King KEJ 1107					
	Catalytic	1.8	72 %	9100-39800	07/09/2007
Blaze King Princess Insert Model PI 1010					
	Catalytic	2.8	72 %	9,300-31,200	11/04/2008
Princess Insert Model PI 1010A					
	Catalytic	2.0	72 %	7,200-29,500	02/28/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Blaze King Industries, Inc.					
146 A Street					
Walla Walla WA99362 ,					
USA					
509-522-2730					
http://www.blazeking.com/					
Blaze King, Auto Light PAL-4000					
	Pellet	2.5	78 %	12200-33700	03/29/94
Blaze King KEJ-1102					
	Catalytic	3.9	72 %	7900-42600	08/03/2010
Blaze King, King Catalytic Insert KEI-1300					
	Catalytic	2.2	72 %	10100-34500	06/30/90
Blaze King, King Catalytic KEJ-1101					
	Catalytic	1.9	72 %	9000-35300	06/30/90
Blaze King PEJ 1003					
	Catalytic	3.5	72 %	10300-41600	08/22/2010
Blaze King, Princess Catalytic PEJ-1002					
	Catalytic	3.7	72 %	8400-35400	06/30/90
Blaze King, Royal Guardian RGT-3001					
	Noncatalytic	5.8	63 %	9400-39800	12/20/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Blaze King, Royal Heir RHT-2100					
	Catalytic	3.0	72 %	6800-57100	06/30/90
Blaze King, Royal Heir RHT-2200, 2250					
	Catalytic	2.5	72 %	7700-31100	06/30/90
Briarwood II/90					
	Noncatalytic	3.5	63 %	10600-36000	10/27/2009
Eagle/Pioneer E90, PZ-90, Briarwood XE-90, XEI-90					
	Noncatalytic	5.2	63 %	13500-38000	04/05/2010
Heat Pro C110					
	Catalytic	2.8	72 %	9600-32400	12/20/2008
Heat Pro C210					
	Catalytic	2.1	72 %	10700-43300	08/29/2008
Princess PEJ 1006					
	Catalytic	2.4	72 %	12000-35600	11/07/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Ceramiche Savio di Elio & C. s.n.c.

10010 Torre Canavese ,
Italy

http://www.ceramichesavio.it/uk/default.htm

Catellante di Castellante and Real Castillo di Ague Model CS1					
	Noncatalytic	5.1	63 %	11200-40800	06/25/2007
Real Castelllo di Moncaueri/Castllo Della Venaria					
	Noncatalytic	5.6	63 %	10100-24200	6/27/2007

CFM Corporation

,

Vermont Castings Defiant 1610					
	Noncatalytic	0.8	63 %	10,000-30,000	07/14/2011

CFM Specialty Home Prod./CFM Corp.

Route 107, P.O. Box 501
Bethel VT05032 ,
USA
802-234-2300

http://www.cfmcorp.com/

Aspen 1920 & Plymouth HWS10					
	Noncatalytic	4.3	63 %	9100-18000	8/25/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
CW2500X00, CW2500X02, JW2500X00,CJW2500X02, DW2500 and JW2500X10					
	Noncatalytic	4.7	63 %	9500-57800	03/13/2010
DutchWest Large 2479					
	Noncatalytic	1.3	63 %	11,300-26,500	09/10/2009
DutchWest Medium 2478					
	Noncatalytic	1.5	63 %	10,600-25,300	06/24/2009
DutchWest Small Model					
	Noncatalytic	1.4	63 %	7,800-25,100	09/28/2009
FW247001 to FE247004 and JW1000PF1					
	Noncatalytic	5.0	63 %	11500-18900	03/24/2009
Model EWF 36A					
	Catalytic	2.4	72 %	11,300-75,500	09/03/2008

Consuming Fire, Inc.

12033 Mariposa Road
Wrightwood CA92345 ,
USA
760-949-2077

Perfect Hearth					
	Noncatalytic	3.4	63 %	11,700-38,100	09/24/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Country Flame Technologies, Inc.

900 George Street
Marshfield MO65706 ,
USA
417-466-7161

http://www.countryflame.com/

B-6, B-I	Catalytic	4.6	72 %	9600-48200	06/30/90
B/A	Catalytic	2.0	72 %	10400-55500	05/18/2010
BBF	Catalytic	3.0	72 %	10500-51400	02/15/2010
BBF-6, BBF-I	Catalytic	3.0	72 %	9500-48600	06/30/90
Combo Air	Noncatalytic	7.0	63 %	9300-46400	11-14-96
E-1/90	Catalytic	1.7	72 %	9600-37800	12/12/2005
E-2	Catalytic	3.3	72 %	13000-34400	06/12/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
E1-6, E1-I					
	Catalytic	3.7	72 %	12400-55300	06/30/90
Inglenook INGW-02					
	Noncatalytic	4.4	63 %	11,600-38,000	09/06/2007
NC-6D					
	Noncatalytic	4.7	63 %	11700-54900	07/28/2009
O-2					
	Catalytic	2.5	72 %	8000-30000	06/30/90
O-2/90					
	Catalytic	3.0	72 %	10800-34100	04/11/2006
OV-21					
	Noncatalytic	4.2	63 %	11700-42200	06/16/2008
OV-2100					
	Noncatalytic	4.1	63 %	11700-32700	03/03/2008
OV-2600					
	Noncatalytic	3.5	63 %	11500-33600	03/03/2008
OV-26BF-I					
	Noncatalytic	3.7	63 %	11400-41300	06/16/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
OV-3000					
	Noncatalytic	2.9	63 %	11800-34000	2-11-2008
Patriot					
	Noncatalytic	6.9	63 %	11300-34000	09/25/96
R-6					
	Catalytic	3.3	72 %	13800-50700	06/30/88
R/90					
	Catalytic	1.5	72 %	10600-46800	01/29/2006
S-6, S-I					
	Catalytic	6.5	72 %	13100-48900	06/30/90
SBF/A					
	Catalytic	3.6	72 %	8700-33600	05/18/95

Country Stoves, Inc.

1502 14th Street NW
Auburn WA98071 ,
USA
253-735-1100

http://www.countrystoves.com/

C-240 and E-240					
	Noncatalytic	5.1	63 %	11500-36700	12-20-96

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Converter C-30, C-35					
	Catalytic	4.0	72 %	8000-49200	06/30/90
Converter C310/ST310, Elite E310					
	Noncatalytic	3.5	63 %	11600-38800	06/03/2006
Performer S180, C180, E180					
	Noncatalytic	6.6	63 %	11400-38700	06/23/93
S-210,C-210,E210, SA210,CA210 and EA210					
	Noncatalytic	4.2	63 %	9500-36100	07-14-2007
Starlite C-20, C-21					
	Noncatalytic	9.6	63 %	7700-43500	06/30/90
Striker Model S 160/C 160					
	Noncatalytic	1.6	63 %	12500-41200	11/10/2008
STRIKER S130, C-50L, C130, CA-50, CA-50L, CA-55					
	Noncatalytic	5.6	63 %	9300-43600	08/29/94
T-Top C-40, C-45, C-46					
	Noncatalytic	5.7	63 %	10700-40900	07/25/93
T-Top Model S310					
	Noncatalytic	3.2	63 %	11400-34900	07/07/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
T-TOP S 240					
	Noncatalytic	4.9	63 %	11300-42700	10/21/96
T-TOP S260, CONVERTER C260, and ELITE E260					
	Noncatalytic	4.1	63 %	11800-48000	10/25/2005

CRD Precision Fabricators Inc. (Chippewa)

Route 5, Box 190
Chippewa Falls WI54729 ,
USA
715-723-9667

Energy King Legacy 1600					
	Noncatalytic	7.0	63 %	11700-23100	7/19/98
Energy King Legacy 1650					
	Noncatalytic	3.7	63 %	11400-41300	04/20/98
Energy King Legacy 2100					
	Noncatalytic	3.2	63 %	11000-31100	07/29/93
Energy King Legacy 2150					
	Noncatalytic	2.9	63 %	11800-34000	04/20/98
Energy King Legacy 900					
	Noncatalytic	6.5	63 %	10200-30800	7/19/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Energy King Legacy 950					
	Noncatalytic	4.2	63 %	11700-42200	04/20/98

Dell Point Technologies

3 Rue Montmartre
Blainville QuebecJ7C 2Z6 ,
Canada
514-331-6212

http://www.pelletstove.com/

DC 2000, Europa					
	Pellet	0.6	78 %	10400-24100	02/16/2010

Derco, Inc./Grizzly Stoves

10005 East U.S. 223
P.O. Box 9
Blissfield MI49228 ,
USA

Little Blazer FP-20					
	Catalytic	4.7	72 %	7200-28400	06/30/90
Little Blazer FP-20					
	Catalytic	4.7	72 %	7200-28400	06/30/90
Super Achiever FPI-2-LEX					
	Catalytic	2.4	72 %	9800-34200	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Deville					
Charleville , France					
http://www.flamme-bleue.com/english.php					
Deville 7794 - Comfort					
	Noncatalytic	6.9	63 %	11,300-35,100	11/01/2009
Dovre, Inc.					
401 Hankes Avenue Aurora IL60505 , USA (312) 844-3353					
http://www.aladdinhearth.com/					
Heirloom 300 HC					
	Catalytic	4.5	72 %	11600-45100	06/30/90
Horizon 500 CC					
	Catalytic	2.9	72 %	10300-33800	06/30/88
Drolet Stoves and Fireplaces					
1700 Leonharmel Street Quebec City QuebecG1N 4R9 , Canada 418-527-3060					
http://www.drolet.ca/Engindex2.htm					
Model HT-1200 Std., HT-1200 Deluxe and Ht-1200 Siberian					
	Noncatalytic	6.5	63 %	8300-36000	06/25/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Empire Products, Inc.

5061 Brooks Street
Montclair CA91763 ,
USA
909-399-3355

http://www.empireproductsinc.com/

EF-2100	Noncatalytic	5.7	63 %	11,000-42,900	04/05/2009
Sweet Home AFX-HT, AFI-HT	Noncatalytic	6.4	63 %	11300-28200	06/14/2003

England's Stove Works, Inc.

,

13-NCMH	Noncatalytic	2.4	63 %	11,579-32,017	08/02/2010
22 PIC	Catalytic	5.1	72 %	9000-30200	06/30/90
24 ACD	Catalytic	2.7	72 %	9000-20100	05/01/2007
30-NC	Noncatalytic	1.6	63 %	11,950-28,337	11/03/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Englander 13-NC Summers Heat,50-snc Golden Eagle and 50-TNC Timber Ridge 13-NCI/50-TNC131					
	Noncatalytic	2.6	63 %	10,000-29,200	10/01/2008
Englander 25-PDV, Summers Heat 55SHP22, and Timber Ridge 55TRP22 Pellet					
	Pellet	2.6	78 %	10,700-24,500	09/13/2007
Englander Econo Radiant 18PC					
	Catalytic	3.6	72 %	8500-31000	06/30/88
Englander Fireplace Insert 28JC					
	Catalytic	4.4	72 %	8400-29100	06/30/90
Englander Freestanding Radiant 24FC					
	Catalytic	2.4	72 %	7200-35600	06/30/90
Englander Front Loading Fireplace 28IC					
	Catalytic	2.5	72 %	8200-24400	06/30/90
Englander Front Loading Space Saver 28CC					
	Catalytic	2.7	72 %	7900-25500	06/30/90
Model 18 PC					
	Catalytic	2.2	72 %	8700-26400	05/18/2005
Model 18M-H					
	Catalytic	2.0	72 %	7800-26900	10/04/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 24IC					
	Catalytic	2.6	72 %	10200-27100	07/06/2000
Pellet Fuel Burning Room Heater					
	Noncatalytic	3.1	78 %	8200-22400	04/06/2011
Summers Heat Model 50-SHW20					
	Catalytic	2.1	72 %	7200-28600	06/27/2005
Summers Heat Model 50-SHW22					
	Catalytic	3.8	72 %	9100-25400	05/30/2005
Summers Heat Model 50-SHW25					
	Catalytic	2.4	72 %	5400-17400	10/13/2005

Eureka Heating PTY Limited

459 Dorset Road
Bayswater Victoria 3153 ,
Australia
01161397291422

http://www.eureka-heating.com/

Emerald					
	Noncatalytic	4.4	63 %	11000-35500	06/26/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Evergreen Marketing, Inc.					
Suite 310 **8196 SW Hall Boulevard** **Beaverton OR97229 ,** **USA** **503-598-7667**					
Mohawk 60A					
	Catalytic	3.8	72 %	4700-14300	06/30/90
Evergreen Metal Products Inc.					
910 Sleater-Kinney Road S.E. **Suite 202** **Lacey WA98503 ,** **USA** **206-459-0445**					
Schrader Pelletmiser 905-P					
	Pellet	1.0	78 %	11000-32700	06/15/93
F. Huemer Ges. M.B.H.					
A-4631 Krenglbach **Schmieding 25 ,** **Austria**					
Austroflamm Wega II					
	Pellet	1.3	78 %	8500-42000	8/28/97

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Fireplace Products International Limited

6988 Venture Street
Delta BCV4G 1H4 ,
Canada
604-946-5155

http://www.regency-fire.com/

F1100S Small Freestanding Stove, I1100S Small Fireplace Insert					
	Noncatalytic	3.0	63 %	10600-34700	03/16/2010
F1100S Small Freestanding Stove					
	Noncatalytic	3.8	63 %	09400-38700	11/13/94
F2000M Medium Freestanding Stove					
	Noncatalytic	7.1	63 %	11800-34200	03/29/95
F2100M-Medium Freestanding Stoves, I2100M-Medium Fireplace Insert					
	Noncatalytic	3.8	63 %	11700-38700	12-23-2007
F2100MI					
	Noncatalytic	3.9	63 %	11,300-38,800	04/04/2007
Fireplace Insert R-16					
	Noncatalytic	6.6	63 %	11100-32900	07/18/94
H2100M Hearth Heater Insert					
	Noncatalytic	3.5	63 %	10800-46900	12/12/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Hampton Medium Cast Freestanding Woodstove Model H300					
	Noncatalytic	4.2	63 %	10,600-28,500	06/06/2008
I2000M14					
	Noncatalytic	4.5	63 %	11200-42700	06/30/90
Large Freestanding Stove - F3100L & Large					
	Noncatalytic	4.2	63 %	11900-42900	05/06/2008
Large Freestanding Woodstove R6,RA6,RA8					
	Noncatalytic	3.9	63 %	11500-59000	08/26/93
Medium Freestanding R3, RA3, R9					
	Noncatalytic	4.2	63 %	11200-35500	06/30/90
Model 2400M, I2400M, S3400					
	Noncatalytic	3.4	63 %	12000- 36800	12/13/2007
Regency R14-2					
	Noncatalytic	5.0	63 %	11500-37500	03/29/95
Small Freestanding R7, RA7, R5					
	Noncatalytic	8.3	63 %	5900-33500	06/30/90
Z2500L Zero Clearance Fireplace					
	Noncatalytic	5.2	63 %	10600-39700	02/07/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Foundries du Lion S.A.					
5 Voie Axiale					
Couvin 5660 ,					
Belgium					
+ 32 60 31 01 04					
Efel Harmony 386.75					
	Catalytic	3.8	72 %	7100-51000	08/16/93
Efel Symphony 387.74					
	Catalytic	5.1	72 %	10600-49700	06/30/90
Efel Symphony 390.74					
	Catalytic	1.8	72 %	10700-33000	01/15/96
Harmony I					
	Noncatalytic	4.4	63 %	11800-55000	02/26/2006
Harmony IIIB					
	Noncatalytic	2.7	63 %	11,200-57,300	09/08/2007
Model S-33,S-83,H33,R22,X33					
	Noncatalytic	3.3	63 %	8,600-37,300	11/21/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Foyers Supreme Incorporated

Montreal Quebec ,
Canada

http://www.supremem.com/index.html

Supreme Plus					
	Noncatalytic	7.0	63 %	96,000-16,300	09/02/2009

Frantech, Inc.

900 George Street
Marshfield MO65706 ,
USA
417-466-7161

http://www.countryflame.com/

Seefire 1600 S					
	Noncatalytic	7.0	63 %	11700-23100	7/9/98
Seefire 2100 S					
	Noncatalytic	3.2	63 %	11000-31100	07/29/98
Seefire 900 S					
	Noncatalytic	6.5	63 %	10200-30800	7/9/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Gibraltar Stoves, Inc.					
512-72nd Street					
Holmes Beach FL34217 ,					
USA					
813-779-2217					
LCC, MCC, SCC, CFS, CFI & DDI					
	Catalytic	2.8	72 %	8400-28700	04/17/2000
GLG Australia					
Auburn New ,					
Australia					
Pearl Bay					
	Noncatalytic	3.8	63 %	11,300-35,300	10/18/2007
Glo King/Pierce Engineered Products Inc.					
P.O. Box 10107					
Eugene OR97440 ,					
USA					
400HT					
	Noncatalytic	7.0	63 %	10000-40200	05/26/2004
GK 100 HT					
	Noncatalytic	3.2	63 %	10600-61400	10/17/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
GK-300HT					
	Noncatalytic	7.0	63 %	11000-31000	10/25/2004
GK-500HT					
	Noncatalytic	6.4	63 %	10000-22400	08/04/2004

Godin Imports, Inc.

8 Lahave St.
South Portland ME04106-490 ,
USA
207-773-1920

Nouvelle Epoque 3137					
	Catalytic	3.9	72 %	10500-20700	08/16/93

H.M.F. Forlong and Maisey Ltd.

15 Vickery Street
Private Bag 3126
Te Rapa - Hamilton ,
New Zealand
64-7-849 2212
http://www.forlongmaisey.co.nz/

Merlin "3", M 3000					
	Noncatalytic	6.1	63 %	12300-37000	11/04/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Hajduk					
,					
Prima MR-51					
	Noncatalytic	3.8	63 %	11,636-35,246	06/02/2010
Harman Stove Company					
Box 619					
352 Mountain House Road					
Halifax PA17032 ,					
USA					
(717) 362-9080					
CW30					
	Noncatalytic	3.6	63 %	10000-34000	2-8-98
Invincible RS					
	Pellet	1.5	78 %	6200-32800	04/12/2011
Model Exception TL200					
	Noncatalytic	4.4	63 %	11000-42400	07/28/2010
Oakwood					
	Noncatalytic	2.3	63 %	10,900-30,500	09/09/2007
Treemont TAC-260C,TAC-260CF					
	Catalytic	3.9	72 %	8400-40700	10/21/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Treemont TAC-340C					
	Catalytic	2.8	72 %	7400-33800	10/21/98
Treemont TAC-520C					
	Catalytic	5.2	72 %	12000-37300	06/30/90

Hawke Manufacturing Company, Inc.

19 Warehouse Circle
P.O. Box 507
Marietta SC29661 ,
USA
803-836-8008

HMI 28II					
	Catalytic	2.6	72 %	6100-39600	09/22/2000

Hearth and Home Technologies

1445 North Highway
Colville WA99114 ,
USA
509-684-3745

http://www.hearthnhome.com/

Heat N Glo Number FT-300					
	Noncatalytic	3.3	63 %	10,000-41,000	02/10/2008
Northstar/Constitution					
	Noncatalytic	3.3	63 %	11,300-51,200	03/05/2008
Quadra-Fire 2100, 2100 I					
	Noncatalytic	3.6	63 %	9300-39300	8/04/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire 3100F, 3100 I					
	Noncatalytic	2.1	63 %	11900-43200	09/14/2009
Quadra-fire Cape Cod					
	Noncatalytic	2.2	63 %	11500-43000	8/05/2009
Quadrafire 4300					
	Noncatalytic	2.1	63 %	11900-39900	07/30/2011

Hearth & Home Technologies

1445 North Highway
Colville WA99114 ,
USA
509-684-3745

http://www.aladdinhearth.com/

Quadra-Fire 3100 ACT & 3100I ACT					
	Noncatalytic	1.3	63 %	11400-46900	03/23/2011
Quadra-Fire Isle Royale					
	Noncatalytic	2.9	63 %	10400-46800	09/19/2010

Hearthstone Quality Home Heating Products Inc.

317 Stafford Avenue
Morrisville VT05661 ,
USA
802-888-5232

http://www.hearthstonestoves.com/

Bennington					
	Noncatalytic	3.6	63 %	11900-32600	03/15/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Clydesdale Model 8490					
	Noncatalytic	3.1	63 %	11,900-33,100	12/29/2009
Heritage					
	Noncatalytic	2.3	63 %	10700-29400	09/22/2007
Homestead 8570					
	Noncatalytic	1.9	63 %	10500-33600	07/13/2010
Morgan model 8470					
	Noncatalytic	4.3	63 %	10500-29300	05/12/2008
Phoenix 8612					
	Noncatalytic	2.4	63 %	10500-41500	04/08/2008
Shelburne Model 8370					
	Noncatalytic	2.1	63 %	11,800-32,400	09/05/2011
Starlet					
	Noncatalytic	3.6	63 %	9200-25400	11/6/2005
Tribute Model 8040					
	Noncatalytic	3.0	63 %	10,600-28,300	05/21/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Heat Tech Industries					
P.O. Box 727					
Biggs CA95917 ,					
USA					
916-868-1020					
http://www.heat-techstoves.com/					
No. 26 GM					
	Noncatalytic	4.0	63 %	11300-35800	08/30/96
Heat-N-Glo Fireplace Products, Inc.					
1445 North Highway					
Colville WA99114 ,					
USA					
509-684-3745					
http://www.heatnglo.com/					
CBS-41					
	Noncatalytic	3.9	63 %	10000-30300	01-14-2007
Heatilator, Inc.					
1915 W. Saunders Street					
Mt. Pleasant IA52641 ,					
USA					
319-385-9211					
Heatilator LE					
	Noncatalytic	4.5	63 %	11500-44400	05/02/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Heating Energy Systems, Inc.

14300 SE Industrial Way
P.O. Box 593
Clackamas OR97015 ,
USA
503-786-4004

Trailblazer 1700/1706					
	Noncatalytic	4.6	63 %	11000-32400	10/3/2001
Trailblazer Classic 1300/1306					
	Noncatalytic	3.2	72 %	11300-32400	06/14/2001
Trailblazer Classic 1500/1700					
	Noncatalytic	4.9	63 %	9500-36600	11/29/95
Trailblazer Genesis 1600, Classic 1500					
	Noncatalytic	8.2	63 %	12100-28100	06/30/90
Trailblazer Genesis 1600/1800					
	Noncatalytic	3.0	63 %	11400-36400	11/09/2000
Trailblazer Genesis 2000-C					
	Catalytic	3.1	72 %	10600-37500	09/12/99

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Heritage Stoves Inc.					
352 South Main Street					
Clearfield UT84015 ,					
USA					
801-773-8606					
American 2000C					
	Catalytic	5.5	72 %	13600-33800	06/30/90
Bostonian 2500 C (Insert)					
	Catalytic	3.8	72 %	10600-22300	11/10/98
Bostonian 2500C					
	Catalytic	6.8	72 %	9600-37300	06/30/90
Hi-Teck Stoves					
2985 South, 3600 West					
Salt Lake City UT84119 ,					
USA					
1-800-456-8606					
Hi Teck H 2000C					
	Catalytic	3.6	72 %	12600-41400	12/03/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

High Sierra Stoves, Ltd.

P.O. Box 1247
720 North Mulberry Street
Hildale UT84784 ,
USA

Ambassador 4700TE	Catalytic	2.5	72 %	10100-37600	06/30/90
Cricket 5300	Noncatalytic	6.6	63 %	11000-36400	07/11/2004
Cricket MHCR 5200	Catalytic	3.5	72 %	6800-27600	06/30/90
Diplomat 4300 TE	Catalytic	5.1	72 %	10400-53400	06/30/88
Evolution 7000TE,7000C	Catalytic	4.0	72 %	11200-43000	06/30/90
Evolution 8000TE	Catalytic	2.2	72 %	7900-40500	06/30/90
Evolution Model 7000C	Catalytic	2.8	72 %	7700-29400	09/24/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Sierra Ambassador 4700 TEC					
	Catalytic	3.2	72 %	10800-42600	02/26/2006
Sierra Classic 1500B					
	Noncatalytic	6.9	63 %	8600-34700	9/18/2006
Sierra Classic 1500T					
	Noncatalytic	7.5	63 %	6900-34600	9/30/2006
Sierra Evolution 8000 TEC					
	Catalytic	2.5	72 %	9700-35900	02/13/2006
Sweet Home Catalytic Fir AK-18					
	Catalytic	3.1	72 %	8800-29500	06/30/90
Sweet Home NFX-HT					
	Noncatalytic	7.8	63 %	14500-33200	06/30/90
Sweet Home Solitaire PFA 2000					
	Pellet	4.0	78 %	9700-28200	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

High Valley Construction & Maintenance Corp.

6573 Highway 226S
Spruce Pine NC28777 ,
USA
828-765-4004

http://www.highvalleystoves.com/start.shtml

High Valley 2000, Craft Stove 2000					
	Catalytic	3.3	72 %	10800-43100	12/20/2004
High Valley Bay 2500					
	Catalytic	3.1	72 %	7700-40900	06/16/2008
High Valley Model 1500					
	Catalytic	3.4	72 %	9400-34200	5/2/2009
Model 1600					
	Noncatalytic	2.7	63 %	11800-40400	05/06/2004

Hitzer, Inc.

269 East Main Street
Berne IN46711 ,
USA
(219) 589-8536

http://www.hitzer.com/

Glo King 300HT					
	Noncatalytic	7.0	63 %	11000-31000	10/25/94
Glo King 400HT					
	Noncatalytic	7.0	63 %	10000-40200	05/26/94

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Glo King 500SD					
	Noncatalytic	6.4	63 %	10000-22400	08/04/94

Horizon Research Inc.

Suite #105
17905 Bothell Way Southeast
Bothell WA98012 ,
USA

Eclipse					
	Pellet	1.0	78 %	7800-33100	12/20/94
Model HR-2					
	Pellet	0.9	78 %	10500-33400	11/08/95

Hussong Manufacturing Company, Inc.

204 Industrial Park Drive
Lakefield MN56150 ,
USA
507-662-6641

http://www.kozyheat.com/

Kozy Heat Z 42					
	Noncatalytic	3.3	63 %	11500-35100	08/02/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Hutch Manufacturing Company

200 Commerce Avenue
P.O. Box 350
Loudon TN37774 ,
USA
(800) 251-9232

DWI-42C					
	Catalytic	1.6	72 %	9800-54600	06/30/90
DWI-42C-2 (EPA)					
	Catalytic	1.5	72 %	10700-52800	07/11/2004
HRD-18C					
	Catalytic	4.5	72 %	9300-39100	06/30/90
HRD-27C Catalytic Freestanding					
	Catalytic	2.5	72 %	10300-56200	09/13/2004
HRS-18C Small Freestanding					
	Catalytic	2.9	72 %	10300-38400	09/13/2004

Industrial Chimney Company, Inc.

400 J.F. Kennedy
St Jerome QCJ7Y 4B7 ,
Canada
450-565-6336

HT (Onyx)					
	Noncatalytic	4.5	63 %	11800-35600	04/29/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Opel 2000C					
	Catalytic	3.7	72 %	10600-49700	03/26/2007
Topaz (With Fan)					
	Noncatalytic	5.5	63 %	9500-25800	10/25/2006
Topaz (Without Fan)					
	Noncatalytic	4.0	63 %	11100-25700	10/24/2006

Jacuzzi Leisure Products, Inc.

Route 107, P.O. Box 501
Bethel VT05032 ,
USA
802-234-2300

Cabot Elite S17XE					
	Noncatalytic	4.5	63 %	11300-34400	07/15/98
Campbell Elite S14XE					
	Noncatalytic	5.1	63 %	11000-31100	06/21/95
Campbell/Jacuzzi FW300005-FW300008 & FW300019-FW300027,					
	Noncatalytic	4.4	63 %	12000-55100	08/12/2007
Douglas Elite S131E, S132E; Mini Elite S111E,S112E					
	Noncatalytic	7.1	63 %	10400-22200	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Fraser Elite I, S407E, S408E, S409E					
	Noncatalytic	3.4	63 %	10000-37900	07/15/2003
Gordon Elite S18XE					
	Noncatalytic	3.0	63 %	11300-31200	06/06/96
Model Campbell II Elite S-24X & FW24 Series, CJW1000L02,					
	Noncatalytic	5.3	63 %	10600-26100	7/01/2006
S27X/S28X & FW27 Series, CJW1500L02, JW1500L10 and JW1500P10, FW1500, DW1500					
	Noncatalytic	4.4	63 %	10300-29200	10/07/2007

Jayline Heating Ltd.

106 Henderson Valley Road
Auckland ,
New Zealand
64 9 836 0858

AMZED JAYLINE 1B AND FS					
	Noncatalytic	5.4	63 %	9500-40400	04/05/1999
Amzed Jayline Ukal U-12					
	Noncatalytic	2.9	63 %	9900-28200	03/18/99

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Jotul North America (Jotul U.S.A., Inc.)

400 Riverside Street
Portland ME04104 ,
USA
207-797-5912

http://www.jotulflame.com/

Alpha 350132	Catalytic	3.1	72 %	10100-33000	06/14/93
American Fireplace Stove 3TDC	Catalytic	4.0	72 %	8800-31700	06/30/90
Castine F400	Noncatalytic	3.8	63 %	11300-27800	07/25/2010
F100 Nordic QT	Noncatalytic	3.0	63 %	7,700- 27,400	3/21/2007
F118 CB	Noncatalytic	3.5	63 %	12,000-23,500	8/2/2010
F3CBII	Noncatalytic	3.8	63 %	11400-43500	09/29/2010
F500	Noncatalytic	3.2	63 %	12000-34700	6/13/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Firelight 12					
	Catalytic	2.4	72 %	10500-32100	07/09/2003
Firelight 12CB					
	Noncatalytic	4.4	63 %	13500-45900	05/20/2004
Jotul F600					
	Noncatalytic	4.1	63 %	11,600-32,500	03/31/2009
Jotul Model 602 CB Classic					
	Noncatalytic	5.2	63 %	9700-42100	7/28/2009
Jotul Oslo F-500					
	Noncatalytic	3.0	63 %	10900-35000	04/05/2004
Jotul Petite					
	Noncatalytic	4.5	63 %	10500-39900	11/4/2004
Model 3 CB					
	Noncatalytic	5.8	63 %	11900-58300	03/14/2001
Model 3 TDIC-2					
	Catalytic	3.6	72 %	10900-30600	10/12/2000
Model 8 TDIC					
	Catalytic	3.8	72 %	10900-35100	09/07/94

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model Series 8					
	Catalytic	3.1	72 %	12600-33000	09/11/2001
Tamarack C450					
	Noncatalytic	4.4	63 %	11,900-36,100	09/06/2007

Jydepesan A/S

,

Trendline, Soft Line, Fine Line, Zeus, Athene, Troja, Hera, Avanti					
	Noncatalytic	4.1	63 %	11300- 28100	08/17/2011

Kent Heating Limited

P.O. Box 23-340 Papatoetoe
59 Tidal Road Mangere
Auckland ,
New Zealand
Fax 649-275-7558
http://www.kentheating.com/

Catalytic Tile Fire					
	Catalytic	2.0	72 %	5900-24500	06/30/90
Log Fire 2000					
	Noncatalytic	7.0	63 %	11200-23700	09/15/93
Log Fire LPE					
	Noncatalytic	5.9	63 %	8900-28200	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Sherwood 2000					
	Noncatalytic	8.1	63 %	13000-26600	06/30/89
Sherwood L.E.M. XLE-1					
	Noncatalytic	6.5	63 %	9600-33400	06/30/87
Tile Fire 2000, Ultima 2000					
	Noncatalytic	6.3	63 %	12500-21700	06/30/90
Tile Fire L.E.M. TLE-1					
	Noncatalytic	5.9	63 %	8500-38600	06/30/90
Ultima 2000S					
	Noncatalytic	4.5	63 %	11000-23000	03/08/95

Krog Iversen & Co. A/S

Glasvaenget 3-9
Postboks 60
Vissenbjerg 5492 ,
Denmark
45 64 47 31 31
http://www.warmfurniture.com/

Andersen 8					
	Noncatalytic	2.9	63 %	11900-30100	05/03/2005
Andersen 8.2					
	Noncatalytic	3.5	63 %	7,600-28,800	03/09/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Basic 1 & 3					
	Noncatalytic	2.2	63 %	10032-17906	07/29/2009
Basic 4					
	Noncatalytic	2.2	63 %	10000-22100	05/02/2006
DSA 4					
	Noncatalytic	1.1	63 %	10,500-27,900	05/10/2006
Model Scan 61					
	Noncatalytic	4.5	63 %	10,600-29,300	02/26/2009
Scan 10-A					
	Noncatalytic	4.4	63 %	11,600-37,700	1/12/2009
Scan 20					
	Noncatalytic	5.1	63 %	9900-19000	03/11/2004
Scan 24					
	Noncatalytic	2.9	63 %	11300-22500	06/14/2004
Scan 47.2					
	Noncatalytic	3.1	63 %	10400 - 30900	02/26/2008
Scan 5.2					
	Noncatalytic	4.2	63 %	11800-26500	6/29/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Kuma Stove And Iron Works

450 Old Highway 95
Hayden ID83858 ,
USA
208-762-8002

http://www.kumastoves.com/

Kuma K-300/K-400, K-100B	Catalytic	2.8	72 %	12100-65200	09/29/2004
Kuma Scott HT-1	Noncatalytic	3.5	63 %	11700-29800	10/11/2011
Kuma Wood Classic Model HT-2	Noncatalytic	3.2	63 %	11300-48000	10/21/2009
Model Kuma 100/300/400	Catalytic	2.2	72 %	10100-52100	7/16/2007

Lennox Hearth Products

1110 West Taft Ave.
Orange CA92865 ,
USA
714-921-6100

http://www.lennoxhearthproducts.com/

1000HT, 1100HT, 2000HT, 2200HT	Noncatalytic	8.3	63 %	6600-32200	06/30/88
1003-C	Catalytic	3.7	72 %	11700-36800	5/23/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
2800HT					
	Noncatalytic	4.5	63 %	11500-46700	12/3/2006
Bayview BV400, BV450					
	Catalytic	5.5	72 %	11000-53700	06/30/90
Bayview BV450C/BV400C-2					
	Catalytic	3.0	72 %	11000-48100	04/19/2010
Bayview II, 2000C,BV4000C, BV4000C-2					
	Catalytic	1.9	72 %	6600-40900	04/03/2010
Bayview II BV4000					
	Catalytic	3.1	72 %	9200-42300	06/30/90
Brass Flame KS-1005, KS-2000I					
	Noncatalytic	6.0	63 %	11800-44000	11/01/2000
Brass Flame KS-805					
	Noncatalytic	6.0	63 %	9300-49800	05/31/2005
Brass Flame KS-805					
	Noncatalytic	5.3	63 %	9300-49800	06/30/90
Earth Stove and Ranger 1500HT, 1400HT					
	Noncatalytic	6.6	63 %	11700-37000	6/02/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
KS-1005, SV-14; KS-2000, FI-15					
	Noncatalytic	6.0	63 %	9500-41100	06/30/90
Model T200C					
	Catalytic	3.2	72 %	8500-34900	8-19-2002
Traditions T-100					
	Catalytic	3.8	72 %	8300-43800	06/30/90
Traditions T150C, T100SC					
	Catalytic	4.1	72 %	6500-35300	03/02/2005
Traditions T300HT & T3000HT					
	Noncatalytic	2.6	63 %	10700-37400	07/10/2007
Whitfield Advantage WP-2					
	Pellet	1.3	78 %	10900-35100	08/01/93
Whitfield Fireplace/Hearth Stove					
	Pellet	1.0	78 %	11000-35700	06/30/90
Whitfield WP-1, III T, II-T, II-TC, Advantage Series					
	Pellet	1.0	78 %	9100-37800	07/16/2007
WP-2 III T, II-TC, Advantage Series					
	Pellet	1.0	78 %	9100-37800	7/16/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Les Produits d'Acier Nordic International					
11725 Philippe-Panneton					
Montreal QuebecH1E 4M1 ,					
Canada					
514-494-4522					
Diamant					
	Noncatalytic	7.5	63 %	11,100-26,100	08/22/2007
Olympia					
	Catalytic	4.6	72 %	9,659-26,407	11/01/2009
Long Agribusiness					
111 Fairview Street					
P.O. Box 1139					
Tarboro NC27886 ,					
USA					
252-823-4151					
2062 Catalytic freestanding/insert					
	Catalytic	3.3	72 %	10600-20700	03/09/94
Silent Flame 2058					
	Catalytic	5.3	72 %	9000-27100	06/30/90
Silent Flame Model 2058A					
	Catalytic	2.3	72 %	9600-30600	08/31/2000
Silent Flame Model 2062					
	Catalytic	2.4	72 %	9900-32600	11-05-97

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Luap Associates, Inc.					
2720 Roosevelt Blvd.					
Eugene OR97402 ,					
USA					
503-461-2141					
Eagle 2001					
	Pellet	2.6	78 %	8400-55200	06/30/88
Martin Industries, Inc.					
301 E. Tennessee Str.					
P.O. Box 128					
Florence AL35631 ,					
USA					
256-767-0330					
Ashley					
	Catalytic	3.8	72 %	5700-35300	03/15/94
Ashley APC2,APC2C; King KC2,KC2B; Atlanta AC2,AC2B					
	Catalytic	3.0	72 %	9700-27900	06/30/90
Ashley APS5,APS5B; King KC5,KC5B; Atlanta AC5,AC5B					
	Catalytic	3.8	72 %	9400-35400	06/30/90
Ashley CAHF,CAHFB; King MCF,MCFB; Atlanta ACF,ACFB					
	Catalytic	4.8	72 %	9900-30000	06/30/90
C-92					
	Catalytic	2.4	72 %	7200-29500	06/30/88

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
C-92					
	Catalytic	5.3	72 %	5200-33200	06/30/90
C-92					
	Catalytic	3.0	72 %	13900-35700	08-07-97

Max Blank Gmbh

Lake Bluff IL ,
USA

http://www.maxblank.com/

Florenz K0 2, Volterra, Padua, Atlanta BF					
	Noncatalytic	3.1	63 %	11,842-34,680	03/24/2010
Mega K 03					
	Noncatalytic	5.1	63 %	10,500-33,000	12/08/2010

Metal M.D.R. Inc.

536 Guy Street
Granby QuebecJ2G 7J8 ,
Canada
450-777-6070

Model HE-1400, XE-1400, & XTD-1.5					
	Noncatalytic	4.3	63 %	10800-34000	04/23/2007
XVR-111, XT-4000, XLT-11000					
	Noncatalytic		%	11,700-28,300	

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Morso Jernstaberi					
,					
2B Classic					
	Noncatalytic	3.9	63 %	10900 -23600	1/9/2011
Morso Jernstoberi A/S					
Furvej 6 **DK-7900** **Nykobing Mors ,** **Denmark** **45 96 69 19 00** **http://www.morsoe.com/us/index.html**					
3600 Series					
	Noncatalytic	5.2	63 %	11,400-49,500	09/25/2006
8140, 8142, 8147, 8151 and 8150					
	Noncatalytic	4.6	63 %	10,864-25,370	12/08/2010
Model 2040					
	Noncatalytic	3.8	63 %	11,100-40,100	03/15/2010
Model 4600					
	Noncatalytic	3.2	63 %	11,100-25,600	02/06/2008
Model 4650 (Soapstone)					
	Noncatalytic	3.7	63 %	10,900-25,700	07/03/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 7110					
	Noncatalytic	3.8	63 %	10,700-27,900	05/06/2009
Morso 1710					
	Noncatalytic	4.4	63 %	12,000-39,800	09/01/2011
Owl 3410/3440 & 3450					
	Noncatalytic	3.5	63 %	8400-23600	10/25/2010
Panther 2110					
	Noncatalytic	4.7	63 %	10300-60500	1/9/2006
Panther Model 2110B					
	Noncatalytic	4.3	63 %	8,600-42,100	10/11/2007
Squirrel 1410 and 1420					
	Noncatalytic	3.3	63 %	9600-22000	06/15/2010

National Steelcrafters of Oregon

P.O. Box 24910
P.O. Box 2501
Eugene OR97402 ,
USA
(503) 683-3210
http://www.breckwell.com/

Breckwell W3000FS/W3000I					
	Noncatalytic	2.3	63 %	11600-33700	06/18/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Chateau NC24					
	Noncatalytic	5.4	63 %	14500-51000	06/30/90
Craft CB-4830 Insert					
	Catalytic	3.4	72 %	9100-22400	08/22/95
Craft Stove CB-4426					
	Catalytic	3.9	72 %	12100-35600	06/30/90
Craft Stove CB-4426, CB-26, CAT 44-1					
	Catalytic	3.9	72 %	12100-35600	06/30/88
Craft Stove CB-4830					
	Catalytic	3.1	72 %	11600-41100	06/30/88
Craft Stove CB-4830, CB-300					
	Catalytic	3.1	72 %	11600-41100	06/30/88

Navigator Stove Works, Inc.

68 South First St.
Brooklyn N.Y.11211 ,
USA
718-486-8049

http://www.marinestove.com/

Navigator NSW2					
	Noncatalytic	3.6	63 %	10500-28200	03/08/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
NSW-1 Sardine					
	Noncatalytic	3.5	63 %	11,400-19,400	08/20/2007

New Buck Corporation

,

Model 21					
	Noncatalytic	4.4	63 %	12,000-444,000	

New Buck Corporation (Buck Stove Corp.)

1265 Bakersville Highway
P.O. Box 69
Spruce Spring NC28777 ,
USA
828-765-6144
http://www.buckstovecorp.com/

41BCV, BBay, CD, CS, CV, CBAY, PCV, PCBAY					
	Catalytic	2.6	72 %	6900-27800	08/18/93
50PCV, 50PBay, 50CV, 50CBay, 50CD, 50BCV, 50BBay					
	Catalytic	2.5	72 %	10100-38000	06/02/94
Bay Model 91					
	Catalytic	3.5	72 %	10400-50400	08/20/2006
Big Buck 28000-C					
	Catalytic	4.7	72 %	8500-39100	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Buck Bay Model 91					
	Catalytic	1.2	72 %	8,800-51,200	11/06/2007
Buck Master					
	Catalytic	2.1	72 %	10,800-49,800	08/05/2008
Little Buck 26000-C					
	Catalytic	4.0	72 %	6800-38700	06/30/90
Model 18					
	Noncatalytic	3.1	63 %	10000-22400	07/23/2008
Model 20, catalytic					
	Catalytic	3.2	72 %	10800-37500	09/04/2010
Model 21					
	Noncatalytic	6.2	63 %	11400-41200	09/09/2006
Model 26					
	Noncatalytic	5.4	63 %	11900-42600	10/24/2011
Model 51 Buck Carolina					
	Noncatalytic	6.7	63 %	11800-40900	11/7/2006
Model 70					
	Catalytic	5.0	72 %	9800-31300	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 71 Freestanding/Insert Catalytic					
	Catalytic	3.6	72 %	13100-40200	12/06/94
Model 81					
	Noncatalytic	4.3	63 %	11900-45400	02/14/2007
MODEL XL-80					
	Catalytic	2.7	72 %	9200-40500	8/19/2007
New Buck/Carolina Model 17					
	Catalytic	1.2	72 %	8100-27900	06/20/2001
Regular Buck 27000-C					
	Catalytic	3.8	72 %	14700-25100	06/30/90
Regular Buck 27000-CR					
	Catalytic	4.8	72 %	14700-30800	06/30/90

NHC Inc.

317 Stafford Avenue
Morrisville VT05661 ,
USA
802-888-5232

http://www.hearthstonestoves.com/

Harvest A-HII catalytic					
	Catalytic	2.5	72 %	10500-36400	09-25-97

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Harvest HII					
	Catalytic	3.8	72 %	8800-28900	09/09/93
Heritage I, Model 8021					
	Noncatalytic	2.7	63 %	11,700-32,800	06/26/2007
Mansfield					
	Noncatalytic	3.2	63 %	10200-27900	09/20/2000
Mansfield I					
	Noncatalytic	2.9	63 %	13600-45300	06/01/2009
Model 3-C					
	Noncatalytic	2.0	72 %	7900-15000	06/30/90
Phoenix					
	Noncatalytic	4.9	63 %	10300-43000	03/16/95
Phoenix					
	Noncatalytic	3.4	63 %	10400-35200	04-27-2000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Nordpeis A/S					
Lierskogen , Norway					
http://www.nordpeis.no/					
Saturn A					
	Noncatalytic	6.0	63 %	10,100-25,000	11/10/2007
NU-TEC/Upland Distributors, Inc.					
72 College Street P.O. Box 908 East Greenwich RI 02818 , USA (401) 738-2915 http://www.nutec-castings.com/					
Brenden BR-60					
	Catalytic	1.4	72 %	11000-29400	08/25/98
Townsend Woodstove TN-25					
	Catalytic	2.7	72 %	10200-27500	09/10/95
Upland Amity AM-40					
	Catalytic	2.6	72 %	10600-23600	12/20/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
OK Doke, Ltd.					
1425 Weld County Road 32					
Longmont CO80501-961 ,					
USA					
(303) 776-2300					
Sweethearth Presidential 800/800XL					
	Catalytic	3.6	72 %	9900-20000	07/11/99
Olsberg Hermann Everken, Gmbh					
176 Saunders Road					
Barrie ONL4N 9A4 ,					
Canada					
705-721-1388					
http://www.olsberg.com/					
Bristol OH-L					
	Noncatalytic	2.1	63 %	11,800-32,200	04/04/2010
Bristol OH-M					
	Noncatalytic	2.7	63 %	11,000-33,200	08/16/2007
Oregon Woodstoves, Inc.					
1844 Main St.					
P.O. Box 70107					
Springfield OR97477 ,					
USA					
541-747-8868					
#1, Design 01					
	Catalytic	2.7	72 %	9600-49700	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model OS/1					
	Catalytic	1.4	72 %	7800-40000	02/21/2001

Orley's Manufacturing Company, Inc.

1718 W. Antelope Road
White City OR97503 ,
USA
503-777-5340

Cougar G-225					
	Catalytic	2.7	72 %	9100-36200	06/30/90
Leopard U245,U246,UO245,UO246; Panther F245,F246					
	Catalytic	3.5	72 %	9100-39000	06/30/87

Orrville Products, Inc.

375 East Orr Street
P.O. Box 902
Orrville OH44667-090 ,
USA
800-232-4010
http://www.comfortecgasfireplace.com/

CC 350					
	Catalytic	3.8	72 %	13700-68900	07/23/2005
CC-185I and 165I					
	Noncatalytic	3.8	63 %	11500-48600	08/29/96
CC175 and CC155					
	Noncatalytic	4.4	63 %	10900-39200	09/21/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
CC180					
	Noncatalytic	3.9	63 %	10700-57600	04/05/2006
CC185 and CC165					
	Noncatalytic	5.3	63 %	11300-46100	06/21/96
CC250					
	Catalytic	3.5	72 %	13200-29800	08/31/95
Country Comfort CC100					
	Noncatalytic	8.5	63 %	8700-33400	06/30/90
Country Comfort CC125					
	Noncatalytic	9.5	63 %	12300-27600	06/30/88
Country Comfort CC150, CC1000, CC150H					
	Noncatalytic	7.5	63 %	7200-23900	06/30/90
Country Comfort CC160					
	Noncatalytic	5.3	63 %	11600-36500	08/09/98
COUNTRY COMFORT CC160					
	Noncatalytic	2.9	63 %	11900-47800	08/29/2005
Country Comfort CC325					
	Catalytic	3.5	72 %	18600-60600	09/09/2003

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Country Comfort CC350					
	Catalytic	4.3	72 %	11200-29100	06/30/90

Osburn Manufacturing, Inc.

1700 Leonharmel
Quebec City QuebecG1N 4R9 ,
Canada
418-527-3060

http://www.drolet.ca/Engindex2.htm

1050					
	Noncatalytic	6.9	63 %	10600-42900	10/06/2003
2200					
	Noncatalytic	5.7	63 %	10400-41500	9/14/2004
Imperial 2000					
	Noncatalytic	4.6	63 %	9000-33000	06/30/90
Imperial MKII, MKII Insert, Goldenaire					
	Noncatalytic	7.0	63 %	10700-51600	06/30/90

Pacific Energy Fireplace Products Limited

P.O. Box 1060
Duncan BCV9L 3Y2 ,
Canada
250-748-1184

http://www.pacificenergy.net/

S-27, Spectrum, Standard, Pacific					
	Noncatalytic	6.4	63 %	10600-36400	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Summit Series A, Summit Insert, and Summit Classic					
	Noncatalytic	3.6	63 %	10300-37500	03/12/2008
Super 27 Design D, Spectrum, Standard, Pacific Ins, Spectrum Classic and Fusion					
	Noncatalytic	3.4	63 %	11000-34600	06/02/2009
Vista Series C, Vista Classic and Vista Artisan & Vista Insert					
	Noncatalytic	2.9	63 %	12400-26300	09/10/2008

Panda Wood Stoves

6261 Crater Lake Highway
Medford OR97504 ,
USA
503-826-7804

UMF-400					
	Catalytic	5.0	72 %	7600-38300	06/30/88

Pellefier Inc.

P.O. Box 487
Morton WA98356-048 ,
USA

Venturi PVI-87					
	Pellet	0.5	78 %	9000-31800	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Piazzetta S.p.A.					
31010 Casell d'Asolo					
Treviso ,					
Italy					
904					
	Noncatalytic	7.5	63 %	6700-28300	08/09/98
Model 905					
	Noncatalytic	6.8	63 %	11600-30300	08/09/1998
Polar Fireplaces					
4390 Paletta Court					
Burlington OntarioL7L 5R2 ,					
Canada					
905-632-4710					
Woodchief 300 E					
	Noncatalytic	4.8	63 %	11600-43700	11/18/98
Woodchief 400 E					
	Noncatalytic	5.1	63 %	11500-59000	11/18/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Precision Gas Technologies					
1390 17th Avenue S.E.					
Calgary AlbertaT2G 5J3 ,					
Canada					
403-262-4421					
WS-250					
	Noncatalytic	4.0	63 %	11700-50500	01/30/2000
PSG Distribution Inc.					
798, 8 leme Avenue Est.					
La Guadeloupe QuebecG0M 1G0 ,					
Canada					
1-418-459-6458					
http://www.psg-distribution.com/site.asp					
Caddy (duct furnacea0					
	Noncatalytic	6.6	63 %	12000-52900	3/19/2008
RAIS A/S					
,					
Rondo, Mino II Steel and Mino II SST					
	Noncatalytic	4.3	63 %	11,431-22,561	12/14/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Rais and Wittus

23 Hack Green Road
Pound Ridge NY10576 ,
USA
(914) 764-5679

http://www.raiswittus.com/

Gabo Pina Vola					
	Noncatalytic	2.1	63 %	12,000-26,700	03/24/2009
Malta, Bando and Bora					
	Noncatalytic	4.3	63 %	11400-32900	12/11/2006
Rais 60-A Insert					
	Noncatalytic	7.2	63 %	11600-51300	10/31/2006

Renfyre Stove Co./Maco Enterprises, Inc

RR 2
Drayton OntarioN0G 1P0 ,
Canada
519-638-2746

2800					
	Noncatalytic	3.4	63 %	11900-23700	11/29/2010
5000 Combination Range Design #50001					
	Noncatalytic	5.5	63 %	13600-21600	06/30/90
Fireview 2300					
	Noncatalytic	7.0	63 %	11700-27500	7/11/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Fireview Insert 2700					
	Noncatalytic	3.8	63 %	9400-27500	9/11/2009

Reverso Manufacturing, Ltd.

790 Rowntree Dairy Road
Woodbridge OntarioL4L 5V3 ,
Canada
(416) 748-3064

Challenger MMX					
	Noncatalytic	2.6	63 %	11200-33800	08/22/2000

Riteway-Dominion Manufacturing Company, Inc.

Box 5
1680 Country Club Road
Harrisonburg VA22801 ,
USA
(703) 434-3800

Dominion 005					
	Catalytic	4.5	72 %	7000-29100	06/30/90

RJM Manufacturing, Inc

P.O. Box 27
1210 Lowater Road
Chippewa Falls WI54729 ,
USA
715-720-1794
http://www.energyking.com

Achiever FPI-1-LEX					
	Catalytic	2.0	72 %	7900-26700	10/24/2003

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Energy King 2500C					
	Catalytic	3.0	72 %	16100-39800	01/26/2010
Energy King Bay 2000C					
	Catalytic	2.5	72 %	11400-34600	02/08/2010
FPI-2-LEX/90					
	Catalytic	1.6	72 %	10300-36500	06/29/2005
Model Silhouette 2850C					
	Catalytic	3.2	72 %	8100-34700	06-02-2009

RSF Energy Ltd.

801 St. Nicholas
St. Jerome QCJ7Y 4C7 ,
Canada
450-565-6336

http://www.northweststoves.ca/

Ardent HF 40					
	Noncatalytic	9.9	63 %	6400-30600	06/30/90

Russo Products, Inc.

61 Pleasant Street
Randolph MA02368 ,
USA
781-963-1182

GV-30C					
	Catalytic	3.1	72 %	10300-39400	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
GV-30S					
	Catalytic	2.5	72 %	9500-38700	08/29/2001
Russo Glassview GV-21					
	Catalytic	2.9	72 %	10200-29600	10/21/2003
W-18C					
	Catalytic	6.2	72 %	7900-40900	06/30/90
W-25C					
	Catalytic	2.4	72 %	8400-31300	06/30/90

Salvo Machinery, Inc.

P.O. Box 6145
220 Shove Street
Fall River MA02724 ,
USA
508-678-7507

Citation Classic W45NC/WI45NC					
	Noncatalytic	7.1	63 %	11800-32200	1/27/97
Model Citation					
	Catalytic	2.4	72 %	9600-33500	08/01/94

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Sarratt Agencies Limited					
1/677 Boronia Road **c/o Meridian Heating** **Wantirna 3152 ,** **Australia** **(0061-3) 887-2687**					
Merlin 3 FS-15, IS-15					
	Noncatalytic	6.1	63 %	9800-21100	06/30/90
Saxon Wood Heaters Pty, Ltd.					
45 Princes Road West **Auburn 02144 ,** **Australia** **+61 363811322** **http://www.tasmaniacentral.tas.gov.au/saxon/**					
Rosewood					
	Noncatalytic	2.7	63 %	11600-36200	01/23/2006
Security Chimneys International Ltd.					
2125 Monterey **Laval QuebecH7L 3T6 ,** **Canada** **450-973-9999** **http://www.securitychimneys.com/**					
Bis Design No. 1.2					
	Noncatalytic	5.5	63 %	14200-55800	06/30/90
BIS II					
	Noncatalytic	5.3	63 %	11300-41500	06/15/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
BIS Panorama					
	Catalytic	4.1	72 %	10900-35,600	06/15/2006
BIS Tradition and Montecito Estate					
	Noncatalytic	7.3	63 %	11,500-39-300	11/10/2009
BIS Ultima, Brentwood, BIS Tradition and Montecito Estate					
	Noncatalytic	3.7	63 %	10,442-27,746	03/26/2007
BIS Ultra					
	Noncatalytic	5.1	63 %	11033-46700	10/21/2009

Selkirk Canada Corporation

Hamilton ON ,
Canada

http://www.selkirkcanada.com

Model HE40					
	Noncatalytic	5.7	63 %	11,383-45,459	12/20/2009

Shenandoah Manufacturing Company, Inc.

P.O. Box 839
Harrisonburg VA22801 ,
USA
(703) 434-3838

CH-77, CH-84					
	Catalytic	3.1	72 %	8000-33800	08/03/93

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Sherwood Industries, Ltd.

6782 Oldfield Road
Saanichton BCV8M 2A3 ,
Canada
604-652-6080

http://www.enviro-fire.com/

1200, 1200I					
	Noncatalytic	3.4	63 %	11,500-34,200	1/14/2010
Enviro Fire 1000FS and Vista Flame 1000FS					
	Noncatalytic	4.1	63 %	11700-32700	02/03/2009
Envirofire 1000					
	Noncatalytic	6.5	63 %	10200-30800	07/09/93
Envirofire 1500					
	Noncatalytic	7.0	63 %	11700-23100	7/9/98
Envirofire 1600					
	Noncatalytic	3.5	63 %	11500-33600	02/03/2004
Envirofire 2000					
	Noncatalytic	3.2	63 %	11000-31100	07/29/98
Envirofire 2100					
	Noncatalytic	2.9	63 %	11800-34000	02/03/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 1700A, 1700I, 1700					
	Noncatalytic	4.5	63 %	9,400-31,800	11/01/2009

Stove Builder International Inc.

1700 Leonharmel
Quebec City QuebecG1N 4R9 ,
Canada
418-527-3060

http://www.drolet.ca/Engindex2.htm

1600					
	Noncatalytic	4.4	63 %	11800-42400	08/02/2009
1600 B-I/Ashley 4600/Forester 4700					
	Noncatalytic	4.8	63 %	11900-35500	08/02/2009
2200 Bay/2000					
	Noncatalytic	2.7	63 %	11700-30400	11/27/2005
Apollo/Apollo II					
	Noncatalytic	3.6	63 %	10600-24700	12/11/2006
Emerald 2000					
	Pellet	1.7	78 %	7500-24500	02/26/96
Gemini 1500 (With Blower)					
	Noncatalytic	6.2	63 %	11500-43900	04/17/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Gemini 1500N (Without Blower)					
	Noncatalytic	7.5	63 %	11100-37300	05/03/2011
HT 1600-Standard/HT 1600 Deluxe/HT-1600 Siberian/Ashley 1600					
	Noncatalytic	3.5	63 %	11200-26400	10/04/2010
HT-2000 Standard/HT-2000 Deluxe/HT-2000					
	Noncatalytic	3.9	63 %	11600-60300	11/18/2008
Le Chancelier					
	Noncatalytic	4.5	63 %	11900-29400	06/26/2007
LeBachelier					
	Noncatalytic	4.9	63 %	11800-24500	08/05/2007
New Generation NG 1800					
	Noncatalytic	5.7	63 %	11,500-30,800	05/24/2007
Osburn 1100					
	Noncatalytic	5.7	63 %	11000-35000	08/26/2011
Osburn 1800					
	Noncatalytic	2.7	63 %	9700-36300	08/02/2006
Osburn 2400 B					
	Noncatalytic	3.5	63 %	11900-40900	12/12/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Sahara					
	Noncatalytic	7.5	63 %	11,000-25,700	12/21/2006
XVR-I/XLT-1/XT-1800 Classic EPA					
	Noncatalytic	6.9	63 %	11,400-27,500	08/30/2011
XVR-II, XT-1400 adn XLT-II					
	Noncatalytic	5.9	63 %	11800-27300	5/02/2007

StoveBuilder International, Inc.

536 Guy Street
Granby QuebecJ2G 7J8 ,
Canada
450-777-6070

Model HE-1800, XE-1800 & XTD-1.9					
	Noncatalytic	5.9	63 %	11600-38700	06/13/2007
XTD1.1/XE-1000					
	Noncatalytic	6.0	63 %	9900-47300	08/22/2006

Suburban Manufacturing Company

676 Broadway Street
P.O. Box 399
Dayton TN37321 ,
USA
(615) 775-2131

Woodchief W6-88C, Woodmaster W6-88WC					
	Catalytic	3.4	72 %	9500-42500	09/15/93

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
TEC Enterprises					
Box 23					
Lewiston ID83501 ,					
USA					
(208) 843-7297					
2000 pellet stove					
	Pellet	4.7	78 %	11600-22500	08/01/94
Thelin Company Inc.					
P.O. Box 847					
Nevada City NV95959 ,					
USA					
(916) 273-1976					
http://www.thelinco.com/					
Thelin T-4000					
	Noncatalytic	3.6	63 %	9,900-38400	11/06/2007
Thermic Distribution Europe					
5 Voie Axiale					
Couvin 5660 ,					
Belgium					
+ 32 60 31 01 04					
Efel Harmony 386.75					
	Catalytic	3.8	72 %	7100-51000	08/16/93
Efel Symphony 387.74					
	Catalytic	5.1	72 %	10600-49700	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Efel Symphony 390.74					
	Catalytic	1.8	72 %	10700-33000	01/15/96
Harmony I					
	Noncatalytic	4.4	63 %	11800-55000	02/26/2006
Harmony IIIB					
	Noncatalytic	2.7	63 %	11,200-57,300	09/08/2007
Model S-33,S-83,H33,R22,X33					
	Noncatalytic	3.3	63 %	8,600-37,300	11/21/2008

Thermic, Inc.

P.O. Box 11986
N. 9510 Newport Highway
Spokane WA99211 ,
USA
509-467-4328

Crossfire FS-1					
	Pellet	0.5	78 %	6900-39900	06/30/90

Tianjin Berkeley Furniture Corporation

18400 East Gale Avenue
Berkeley Forge and Foundry
City of Industry CA91748 ,
USA
626-810-0101
http://www.berkeleyforge.com/

TR 001					
	Noncatalytic	4.2	63 %	9200-28300	8/27/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Tolotti Manufacturing, Inc.					
670 Dunn Circle					
Sparks NV89431 ,					
USA					
702-359-5661					
Benchmark, 1800; P,I,ZC					
	Noncatalytic	7.8	63 %	10000-32000	06/30/90
Travis Industries, Inc.					
4800 Harbour Point Blvd. SW					
Mukilteo WA98275 ,					
USA					
425-827-9505					
http://www.travisproducts.com/					
Avalon 1000C2					
	Catalytic	3.5	72 %	7300-47100	06/30/90
Avalon 1196, Lopi 520/96, Flush Bay-96					
	Noncatalytic	7.4	63 %	11300-43600	03/20/95
Avalon 700					
	Noncatalytic	5.9	63 %	9200-39100	06/30/90
Avalon 901					
	Noncatalytic	5.2	63 %	7500-45500	06/30/90
Avalon 996					
	Noncatalytic	5.5	63 %	9500-45600	03/20/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Avalon Cottage/Mission					
	Noncatalytic	2.9	63 %	11600-36500	04/04/2010
Avalon Olympic,Lopi Liberty, Lopi Freedom Bay					
	Noncatalytic	2.6	63 %	12000-45100	04/20/2009
Avalon Pendelton 90/Pendelton 45					
	Noncatalytic	3.0	63 %	8700-44400	04/25/2010
Avalon Rainier 90/Rainier 45					
	Noncatalytic	2.0	63 %	11200-40000	05-02-2009
Fireplace Xtrordinair 44 Elite					
	Catalytic	2.5	72 %	11000-45300	3/27/2008
Fireplace Xtrordinair Elite 36 Z.C. & B.I.					
	Catalytic	2.3	72 %	11900-47100	04/03/2010
Fireplace Xtrordinair Model 36A					
	Catalytic	4.1	72 %	10300-54700	05/21/97
Flex-95 FL, LX, and FS					
	Catalytic	4.1	72 %	10900-55300	10/12/94
Flush Wood A Fireplace Insert					
	Noncatalytic	4.1	63 %	11,300-33,400	11/18/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
LOPI 380-96					
	Noncatalytic	5.2	63 %	9400-52800	03/20/95
LOPI ANSWER/LOPI PATRIOT/LOPI PARLOR/LOPI Republic, Model Number 1250 and Avalon Spokane					
	Noncatalytic	4.4	63 %	11600-38500	10/22/2007
LOPI Answer/Patriot (Formerly Answer-NT)					
	Noncatalytic	3.3	63 %	12000-41000	10/13/98
Lopi Elan E1, E2					
	Noncatalytic	4.3	63 %	11700-26300	06/30/90
Lopi Elan-96					
	Noncatalytic	7.4	63 %	12000-51400	03/20/95
Lopi Endeavor, Lopi Revere (Formerly 380-NT & X-NT)					
	Noncatalytic	1.9	63 %	9300-42200	05/06/2008
Lopi Flawless Performance 380, 440					
	Noncatalytic	7.0	63 %	6900-48700	06/30/90
Lopi Flex FS, FL, LX					
	Catalytic	2.9	72 %	10900-31000	07/19/93
LOPI Freedom					
	Noncatalytic	3.6	63 %	11800-47500	07/18/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Lopi Premiere Answer Series PA1, PA2, PA3, PA4,PA5					
	Noncatalytic	7.0	63 %	8000-31500	06/30/90
Lopi Sheffield					
	Noncatalytic	3.9	63 %	10,300-34,400	09/14/2011
Lopi The Answer					
	Noncatalytic	6.7	63 %	10500-63100	07/26/94
Lopi X Fireplace Insert					
	Noncatalytic	6.0	63 %	13600-29100	06/30/90
Lopi X/96					
	Noncatalytic	7.2	63 %	11600-53900	03/20/95
Model 36 F					
	Catalytic	4.0	72 %	11900-55000	10/26/94
Model 44-A BI and Z.C.					
	Catalytic	2.3	72 %	10700-75700	03/22/2000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Tri-Fab, Inc.					
62880 Peerless Court					
Bend OR97701 ,					
USA					
503-389-0304					
SunRise P-48-H, P-48-L					
	Noncatalytic	5.5	63 %	11700-25800	09/11/94
SunRise P-54 & SunRise PIL-8					
	Noncatalytic	5.0	63 %	10600-26500	10/05/95
SunRise P56					
	Noncatalytic	6.2	63 %	10700-39700	06/30/90
Tulikivi Oyj					
,					
Tulikivi Maxi XV 2					
	Noncatalytic	4.2	63 %	12,058-38,224	09/06/2010
Tulikivi MINI XV 1					
	Noncatalytic	4.5	63 %	12,100-38,200	09/06/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

U.S. Stove Company

227 Industrial Park Drive
South Pittsburg TN37380 ,
USA
(615) 837-2100

http://www.usstove.com/

Ashley AFS24, King K3, cat., freestanding/insert	Catalytic	2.6	72 %	10300-34600	11/11/2000
Ashley AHS2, AHS2B; King KHS2	Catalytic	1.9	72 %	13700-34300	08/02/2000
Ashley C-92	Catalytic	3.0	72 %	11000-36900	3/16/2003
Ashley CAHF-2, Atlanta ACF-2, King MCF-2	Catalytic	1.6	72 %	12800-38900	12/22/99
ASHLEY NCA-1/KING KPS	Noncatalytic	7.2	63 %	6500-23200	8/24/2000
Bay Insert 4500	Catalytic	3.7	72 %	9600-30700	02/16/94
Clayton Mfg Clay 60B, 70	Catalytic	2.7	72 %	12100-54300	04/30/96

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Magnolia Model 2015					
	Noncatalytic	5.7	63 %	11,500-30,800	10/22/2008
Wonder Wood 6000, 2821, Sears 143.8404					
	Catalytic	3.7	72 %	9100-18700	12/13/93
Wonder Wood (Glass Front) 2921, Sears 143.8417					
	Catalytic	3.3	72 %	12500-54600	03/09/94

Vermont Castings, Inc.

Route 107, Box 501
Bethel VT05032 ,
USA
(802) 234-2300

http://www.vermontcastings.com/

2370					
	Catalytic	1.0	72 %	5700-18300	06/30/90
Aspen Model 1920					
	Noncatalytic	6.3	63 %	10100-26400	04/28/2004
C.D. Adirondack Wood Heater FA267CL					
	Catalytic	3.7	72 %	8400-40000	06/30/90
C.D. Extra-Lg. Federal Convection Heater FA288CCL					
	Catalytic	2.6	72 %	8400-38700	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
C.D. Federal "A Plus" FA224ACL					
	Catalytic	3.5	72 %	7200-30000	06/30/90
C.D. Large Federal Box Heater FA209CL					
	Catalytic	4.3	72 %	9000-25600	06/30/90
C.D. Lg. Fed. Convection Heater FA264CCL, FA264CCR					
	Catalytic	1.6	72 %	6600-26700	06/30/90
C.D. Rocky Mountain Heater FA211CL					
	Catalytic	2.9	72 %	6800-27800	06/30/90
C.D. Sequoia FA455					
	Catalytic	3.6	72 %	8700-60300	06/30/90
C.D. Small Federal Box Heater FA207CL					
	Catalytic	4.3	72 %	6200-28000	06/30/90
C.D. Small Federal Convection Heater FA224CCL					
	Catalytic	2.8	72 %	7000-30600	06/30/90
Defiant 1910 & 1945					
	Catalytic	0.8	72 %	10600-44400	4/7/2008
Defiant Encore					
	Catalytic	0.6	72 %	6200-32900	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Defiant Encore 2140					
	Catalytic	1.8	72 %	9000-41300	02/22/95
Defiant Encore 2550 (Formerly 2190)					
	Catalytic	1.6	72 %	8700-41700	09/11/2006
Dutchwest Extra Large Convection 2462					
	Catalytic	1.3	72 %	8300-28000	06-12-2008
Dutchwest Large Convection Heater (Model 2461)					
	Catalytic	1.4	72 %	10700-29500	04/12/2008
Dutchwest Small Convection Heater #2460					
	Catalytic	1.1	72 %	6600-27300	05/11/2008
Encore 1450 N/C					
	Noncatalytic	0.7	63 %	10,600-24050	06/23/2010
EWF36					
		2.7	72 %	11,800-68,600	4/18/2008
FA224					
	Catalytic	3.1	72 %	9100-34800	04/25/95
FA264					
	Catalytic	2.2	72 %	9500-31700	04/25/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
FA288					
	Catalytic	3.1	72 %	7800-29300	04/17/95
FA455					
	Catalytic	1.3	72 %	10400-26500	05/18/95
Intrepid II 1308					
	Catalytic	3.1	72 %	10200-22500	01/29/95
Intrepid II Model 1990					
	Catalytic	2.1	72 %	8300-26700	07/16/2007
Intrepid II Model 2070					
	Catalytic	2.4	72 %	9200-19300	12/22/99
Intrepid Model 1640					
	Noncatalytic	3.3	63 %	8200-19500	08/16/2005
Madison 1650					
	Noncatalytic	5.5	63 %	11400-31000	12/05/2005
Model 2170					
	Catalytic	2.1	72 %	9400-22800	06/06/2001
Resolute Acclaim 0041					
	Catalytic	5.1	72 %	8700-30900	09/23/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Resolute Acclaim (Model Number 2490) & TLWS1					
	Noncatalytic	3.4	63 %	9500-33900	03/18/2008
Seville 1630					
	Noncatalytic	6.3	63 %	12000-27300	10/11/2005
Seville 1635 and 1600 Insert					
	Noncatalytic	4.5	63 %	9,900-30,800	06/04/2006
Seville Insert					
	Noncatalytic	5.5	63 %	10200-27400	02/17/2007
WinterWarm Fireplace Insert Model 1280					
	Catalytic	2.1	72 %	10300-30000	09/15/2008
WinterWarm Small Insert Model 2080					
	Catalytic	2.1	72 %	8700-31100	01/25/2010
WinterWarm Small Insert (model 2370)					
	Catalytic	4.0	72 %	9250-21500	9/30/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Vestal Manufacturing					
P.O. Box 420					
Sweetwater TN37874 ,					
USA					
615-337-6125					
Vestal Fireplace Insert V-200-I, V-200-P, V-200-L					
	Catalytic	2.0	72 %	11700-26500	07/06/2000
Vestal Radiant Heater V-100					
	Catalytic	2.2	72 %	9400-27700	07/06/2000
Vogelzang International Corporation					
18400 East Gale Avenue					
400 West 17th Street					
Holland MI49423 ,					
USA					
616-396-1911					
http://www.berkeleyforge.com/					
Defender					
	Noncatalytic	4.2	63 %	9200-28300	8/27/2006
Highlander, Shiloh Insert					
	Noncatalytic	5.8	63 %	9000-26300	3/8/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date

Wamsler Herd und Ofen GmbH

Landsberger Strasse 372
D-8000 Munchen 21 ,
Germany
89-589-6243

HOK 10					
	Noncatalytic	4.6	63 %	9200-16900	06/30/90

Waterford Stanley Limited

Bilberry Waterfo ,
Ireland
011-353-51-302300

http://www.waterfordstanley.com/

100B 90 32 RV					
	Noncatalytic	3.9	63 %	10600-26500	08/31/2011
100B 90 32 TV					
	Noncatalytic	3.1	63 %	10800-32400	05/25/2010
100B Design 29					
	Noncatalytic	7.5	63 %	7200-27500	06/30/90
104 MK II 31					
	Noncatalytic	2.9	63 %	8800-25900	10/26/2004
Ashling					
	Noncatalytic	4.1	63 %	12000-29800	10/19/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Erin					
	Noncatalytic	7.6	63 %	11800-41500	06/30/90
Erin OA					
	Noncatalytic	4.1	63 %	10400-30300	07/09/2008
Erin/90 TV					
	Noncatalytic	5.7	63 %	10200-39900	01/17/2010
Erin/90 TV					
	Noncatalytic	4.2	63 %	10500-40900	10/17/2010
Model 100B, 100B O.S.A., Leprechaun					
	Noncatalytic	4.3	63 %	9000-26700	07/19/2008
Trinity 35					
	Noncatalytic	7.0	63 %	11800-39300	12/28/97
Trinity OA					
	Noncatalytic	4.0	63 %	11500-43800	02/15/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Webco Industries					
105 East Street					
Woodland CA95695 ,					
USA					
(916) 666-6107					
Marquis 800, 800 XL					
	Catalytic	3.6	72 %	9900-20000	06/02/99
Weitz & Co., Inc.					
1447 E. State St.					
P.O. Box 340					
Boise ID83616 ,					
USA					
208-939-8218					
http://www.blazeking.com/					
Briarwood BB, BBI and BBZC					
	Noncatalytic	4.8	63 %	10600-25300	11-05-2002
Briarwood II 87					
	Noncatalytic	7.3	63 %	9900-45900	06/30/88
Briarwood XE 88					
	Noncatalytic	6.4	63 %	12800-34200	06/30/88
Eagle 88, Pioneer ZC					
	Noncatalytic	6.4	63 %	12800-22800	06/30/88

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Welenco Manufacturing, Inc.					
533 Thain Rd					
Lewiston ID83501-553 ,					
USA					
(208) 743-5525					
P-1000W					
	Pellet	0.7	78 %	9600-23900	06/30/88
Weso-Aurorahautte GmbH					
Pleasant Drive					
Ceramic Radiant Heat					
Lochmere NH03252 ,					
USA					
603-524-9663					
Prestige 125, 225, 325, 425					
	Noncatalytic	7.3	63 %	8900-31200	06/30/90
Renaissance 326					
	Noncatalytic	8.0	63 %	9200-32900	06/30/90
Winrich International					
P.O. Box 51					
Bristol WI53104 ,					
USA					
414-857-7800					
Winrich Pellet Stove					
	Pellet	1.6	78 %	8500-27900	12-23-97

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Winston Stove Company					
13643 Fifth Street					
Chino CA91710 ,					
USA					
909-591-7405					
Model WP-18					
	Pellet	0.6	78 %	10000-21300	08/29/94
Model WP-24					
	Pellet	1.5	78 %	9700-29400	08/29/94
Wolf Steel Ltd.					
9 Napoleon Road					
Barrie ONL4M 4Y8 ,					
Canada					
705-721-1212					
http://www.napoleon.on.ca/					
1600C-1					
	Noncatalytic	7.2	63 %	9,200-33,400	07/15/2009
EPA1600C					
	Noncatalytic	5.4	63 %	12,375-28,127	1/29/2009
Napoleon 1000					
	Noncatalytic	6.5	63 %	10200-30800	06/14/93
Napoleon 1100					
	Noncatalytic	4.1	63 %	11700-32700	04/20/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Napoleon 1400					
	Noncatalytic	3.5	63 %	11500-33600	04/20/2008
Napoleon 1500					
	Noncatalytic	7.0	63 %	11700-23100	06/14/93
Napoleon 1900					
	Noncatalytic	2.9	63 %	11800-34000	04/20/2008
Napoleon 2000					
	Noncatalytic	3.2	63 %	11000-31100	07/29/93
Napoleon Prestige NZ-26					
	Noncatalytic	5.4	63 %	11500-27400	8/30/2009

Wolf's Casual Living

6101 N Blackstone Avenue
Fresno CA93710 ,
USA
559-431-6120

BV					
	Catalytic	3.8	72 %	10800-35400	01/17/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Woodkiln Inc.					
24 Jamestown Street					
Sinclairville NY14782 ,					
USA					
(716) 962-8178					
Woodkiln WK-23					
	Noncatalytic	3.8	63 %	10700-27200	7/15/98
Woodstock Soapstone Company, Inc.					
66 Airpark Road					
West Lebanon NH03784 ,					
USA					
603-298-5955					
http://www.woodstocksoapstone.com/					
Catalytic Fairview Soapstone Stove #201					
	Catalytic	3.5	72 %	13200-40000	7/26/2009
Catalytic Fireview Soapstone Stove #205					
	Catalytic	1.4	72 %	10900-42900	3/6/2011
Paladian Model 202 & Model 204					
	Catalytic	1.9	72 %	8500-35000	8/7/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Yunca Heating					
P.O. Box 932 **38 Bowmont Street** **Invercargill ,** **New Zealand**					
Yunca WEGJ E/481					
	Noncatalytic	5.0	63 %	10700-30300	06-28-98

Total number of certified stoves: 634

Efficiencies shown are default efficiencies. These stoves have not been laboratory tested for efficiency.

The default efficiencies are: noncatalytic wood heaters - 63%, catalytic wood heaters - 72% and pellet stoves - 78%.