

# PCBs: an Integrated Atmospheric Deposition Network (IADN) perspective




Todd Nettesheim

U.S. EPA Great Lakes National Program Office


30 November 2004

# The Integrated Atmospheric Deposition Network

- Annex 15 of GLWQA
- PCBs, PAHs, organochlorine pesticides, metals
- Gas, particulate, precipitation concentrations; weather measurements
- Partnership: U.S. EPA, U.S. grantee (IU), Environment Canada (MSC, EHD)
- Primary goals: Annual atmospheric loadings to lakes, concentration trends




# IADN PCB Suite congeners



4+10	28	70+76	100	156+171+202
5+8	31	74	101	169
6	33+53	77+110	105+132+153	170+190
7+9	37+42	83	114+131	172
12+13	41+64+71	85	118	174
15+17	44	87+81	119	180
16+32	45	89	123+149	194+205
18	47+48	91	126	199
19	49	95+66	128+167	201
22	52	97	135+144	206
26	56+60+84+92	99	138+163	207

# Long-term suite-PCB gas-phase trends



# Recent suite-PCB gas-phase trends





Figure 1. Gas Phase Concentrations of Total PCBs (PCB Suite)

# Total PCBs: Eagle Harbor


Eagle Harbor Half Life 21.6 Years Rsq 0.024



**Half-life = 21.6 years,  $r^2 = 0.024$**


# Total PCBs: Sleeping Bear Dunes

Sleeping Bear Dunes Half Life 8.8 Years Rsq 0.114




Half-life = 8.8 years,  $r^2 = 0.114$

# Suite PCB absorption and volatilization from Lake Erie




## Gas Phase Concentrations of Suite PCBs in 1996, 1998, and 2000




# Total PCBs: Chicago IIT

Chicago IIT Half Life 11.9 Years Rsq 0.052




Half-life = 11.9 years,  $r^2 = 0.052$

# PSCF modeled estimates for PCBs at Sturgeon Point




Source: Hafner and Hites, 2003

## PSCF modeled estimates for PCBs at Eagle Harbor



Source: Hafner and Hites, 2003

## PSCF modeled estimates for PCBs at Chicago IIT



Source: Hafner and Hites, 2003

# Acknowledgements

- IADN Steering Committee
  - Environment Canada
  - U.S. EPA GLNPO
  - Indiana University
- 

**The End**

