

## **WATER QUALITY BIBLIOGRAPHY 2000-2005**

### **Long Term Goal 1 Journal Articles**

- (1) Abdelrhman, M.A. Simplified modeling of flushing and residence times in 42 embayments in New England, USA, with special attention to Greenwich Bay, Rhode Island. *Estuarine Coastal and Shelf Science* 2005; 62(1-2):339-51.
- (2) Alvarez, D.A., Petty, J.D., Huckins, J.N., Jones-Lepp, T.L., Getting, D.T., Goddard, J.P.,and Manahan, S.E. Development of a passive, in situ, integrative sampler for hydrophilic organic contaminants in aquatic environments. *Environmental Toxicology and Chemistry* 2004; 23(7):1640-8.
- (3) Anderson, M.L., Whitlock, J.E.,and Harwood, V.J. Persistence and differential survival of fecal indicator bacteria in subtropical waters and sediments. *Applied and Environmental Microbiology* 2005; 71(6):3041-8.
- (4) Andresen, N.A., Stoermer, E.F.,and Kreis, R.G. New nomenclatural combinations referring to diatom taxa which occur in The Laurentian Great Lakes of North America. *Diatom Research* 2000; 15(2):413-8.
- (5) Angradi, T., Hood, R.,and Tarter, D. Vertical, longitudinal and temporal variation in the macrobenthos of an Appalachian headwater stream system. *American Midland Naturalist* 2001; 146(2):223-42.
- (6) Angradi, T.R., Hagan, S.M.,and Able, K.W. Vegetation type and the intertidal macroinvertebrate fauna of a brackish marsh: Phragmites vs. Spartina. *Wetlands* 2001; 21(1):75-92.
- (7) Bell, H.E., Liber, K., Call, D.J.,and Ankley, G.T. Evaluation of bioaccumulation and photo-induced toxicity of fluoranthene in larval and adult life-stages of Chironomus tentans. *Archives of Environmental Contamination and Toxicology* 2004; 47(3):297-303.
- (8) Bennett RS, Etterson MA. Estimating pesticide effects on fecundity rates of wild birds using current laboratory reproduction tests. Human and Ecological Risk Assessment. In press.
- (9) Bergen, B.J., Nelson, W.G., Quinn, J.G.,and Jayaraman, S. Relationships among total lipid, lipid classes, and polychlorinated biphenyl concentrations in two indigenous populations of ribbed mussels (*Geukensia demissa*) over an annual cycle. *Environmental Toxicology and Chemistry* 2001; 20(3):575-81.
- (10) Berry, W.J., Boothman, W.S., Serbst, J.R.,and Edwards, P.A. Predicting the toxicity of chromium in sediments. *Environmental Toxicology and Chemistry* 2004; 23(12):2981-92.
- (11) Besser, J.M., Wang, N., Dwyer, F.J., Mayer, F.L.,and Ingersoll, C.G. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part II. Chronic toxicity of copper and pentachlorophenol to two endangered species and two surrogate species. *Archives of Environmental Contamination and Toxicology* 2005; 48(2):155-65.

- (12) Blocksom, K.A., Kurtenbach, J.P., Klemm, D.J., Fulk, F.A.,and Cormier, S.M. Development and evaluation of the Lake Macroinvertebrate Integrity Index (LMII) for New Jersey lakes and reservoirs. *Environmental Monitoring and Assessment* 2002; 77(3):311-33.
- (13) Blocksom, K.A. A performance comparison of metric scoring methods for a multimetric index for Mid-Atlantic highlands streams. *Environmental Management* 2003; 31(5):670-82.
- (14) Blocksom, K.A., Flotemersch, J.E. Comparison of macroinvertebrate sampling methods for nonwadeable streams. *Environmental Monitoring and Assessment* 2005; 102(1-3):243-62.
- (15) Boese, B.L., Ozretich, R.J., Lamberson, J.O., Cole, F.A., Swartz, R.C.,and Ferraro, S.P. Phototoxic evaluation of marine sediments collected from a PAH-contaminated site. *Archives of Environmental Contamination and Toxicology* 2000; 38(3):274-82.
- (16) Boese, B.L. Effects of recreational clam harvesting on eelgrass (*Zostera marina*) and associated infaunal invertebrates: in situ manipulative experiments. *Aquatic Botany* 2002; 73(1):63-74.
- (17) Boese, B.L., Alayan, K.E., Gooch, E.F.,and Robbins, B.D. Desiccation index: a measure of damage caused by adverse aerial exposure on intertidal eelgrass (*Zostera marina*) in an Oregon (USA) estuary. *Aquatic Botany* 2003; 76(4):329-37.
- (18) Boese, B.L., Robbins, B.D.,and Thursby, G. Desiccation is a limiting factor for eelgrass (*Zostera marina* L.) distribution in the intertidal zone of a northeastern Pacific (USA) estuary. *Botanica Marina* 2005; 48(4):274-83.
- (19) Boothman, W.S., Hansen, D.J., Berry, W.J., Robson, D.L., Helmstetter, A., Corbin, J.M.,and Pratt, S.D. Biological response to variation of acid-volatile sulfides and metals in field-exposed spiked sediments. *Environmental Toxicology and Chemistry* 2001; 20(2):264-72.
- (20) Booton, G.C., Rogerson, A., Bonilla, T.D., Seal, D.V., Kelly, D.J., Beattie, T.K., Tomlinson, A., Lares-Villa, F., Fuerst, P.A.,and Byers, T.J. Molecular and physiological evaluation of subtropical environmental isolates of *Acanthamoeba* spp., causal agent of *Acanthamoeba* keratitis. *Journal of Eukaryotic Microbiology* 2004; 51(2):192-200.
- (21) Brazner, J.C., Jensen, D.A. Zebra mussel [*Dreissena polymorpha* (Pallas)] colonization of rusty crayfish [*Orconectes rusticus* (Girard)] in Green Bay, Lake Michigan. *American Midland Naturalist* 2000; 143(1):250-6.
- (22) Brazner, J.C., Tanner, D.K.,and Morrice, J.A. Fish-mediated nutrient and energy exchange between a Lake Superior coastal wetland and its adjacent bay. *Journal of Great Lakes Research* 2001; 27(1):98-111.
- (23) Brazner, J.C., Campana, S.E.,and Tanner, D.K. Habitat fingerprints for Lake Superior coastal wetlands derived from elemental analysis of yellow perch otoliths. *Transactions of the American Fisheries Society* 2004; 133(3):692-704.

- (24) Brazner, J.C., Danz, N.P., Niemi, G.J., Regal, R.R., Hanowski, J.M., Johnston, E.D., Reavie, A.S., Trebitz, A.S., Johnson, L.B., and Howe, R.W. Assessing the condition of Great lakes coastal wetlands using multiple taxonomic groups: geographic and geomorphic influences. In review. *Ecological Applications* 2005.
- (25) Breneman, D., Richards, C., and Lozano, S. Environmental influences on benthic community structure in a Great Lakes embayment. *Journal of Great Lakes Research* 2000; 26(3):287-304.
- (26) Brenner, K.P., Rankin, C.C., Sivaganesan, M., and Scarpino, P.V. Comparison of the recoveries of Escherichia coli and total coliforms from drinking water by the MI agar method and the US environmental protection agency-approved membrane filter method. *Applied and Environmental Microbiology* 1996; 62(1):203-8.
- (27) Broderius SJ, Kahl MD, Elonen GE, Hammermeister DE, Hoglund A. A comparison of the lethal and sublethal toxicity of organic chemical mixtures to the fathead minnow *Pimephales promelas*. Environmental Toxicology and Chemistry. In press.
- (28) Buckler, D.R., Mayer, F.L., Ellersieck, M.R., and Asfaw, A. Acute toxicity value extrapolation with fish and aquatic invertebrates. *Archives of Environmental Contamination and Toxicology* 2005; 49(4):546-58.
- (29) Burger, J., Gochfeld, M., Rooney, A.A., Orlando, E.F., Woodward, A.R., and Guillette, L.J. Metals and metalloids in tissues of American alligators in three Florida lakes. *Archives of Environmental Contamination and Toxicology* 2000; 38(4):501-8.
- (30) Burgess, R.M., Ryba, S.A., and Cantwell, M.G. Importance of organic carbon quantity on the variation of Koc in marine sediments. *Toxicological and Environmental Chemistry* 2000; 77(1):9-29.
- (31) Burgess, R.M., Ryba, S.A., Cantwell, M.G., and Gundersen, J.L. Exploratory analysis of the effects of particulate characteristics on the variation in partitioning of nonpolar organic contaminants to marine sediments. *Water Research* 2001; 35(18):4390-404.
- (32) Burgess, R.M., Perron, M.M., Cantwell, M.G., Ho, K.T., Serbst, J.R., and Pelletier, M.C. Use of zeolite for removing ammonia and ammonia-caused toxicity in marine toxicity identification evaluations. *Archives of Environmental Contamination and Toxicology* 2004; 47(4):440-7.
- (33) Burgess, R.M., Lohmann, R. Role of black carbon in the partitioning and bioavailability of organic pollutants. *Environmental Toxicology and Chemistry* 2004; 23(11):2531-3.
- (34) Burgess, R.M., Ryba, S.A., Perron, M.M., Tien, R., Thibodeau, L.M., and Cantwell, M.G. Sorption of 2,4'-dichlorobiphenyl and fluoranthene to a marine sediment amended with different types of black carbon. *Environmental Toxicology and Chemistry* 2004; 23(11):2534-44.
- (35) Call, D.J., Markee, T.P., Geiger, D.L., Brooke, L.T., VandeVenter, F.A., Cox, D.A., Genisot, K.I., Robillard, K.A., Gorsuch, J.W., Parkerton, T.F., Reiley, M.C., Ankley, G.T., and Mount, D.R. An assessment of the toxicity of phthalate esters to freshwater

- benthos. 1. Aqueous exposures. *Environmental Toxicology and Chemistry* 2001; 20(8):1798-804.
- (36) Call, D.J., Cox, D.A., Geiger, D.L., Genisot, K.I., Markee, T.P., Brooke, L.T., Polkinghorne, C.N., VandeVenter, F.A., Gorsuch, J.W., Robillard, K.A., Parkerton, T.F., Reiley, M.C., Ankley, G.T.,and Mount, D.R. An assessment of the toxicity of phthalate esters to freshwater benthos. 2. Sediment exposures. *Environmental Toxicology and Chemistry* 2001; 20(8):1805-15.
- (37) Campbell, J.G., Goodman, L.R. Acute sensitivity of juvenile shortnose sturgeon to low dissolved oxygen concentrations. *Transactions of the American Fisheries Society* 2004; 133(3):772-6.
- (38) Cantu, R., Evans, O., Kawahara, F.K., Shoemaker, J.A.,and Dufour, A.P. An HPLC method with UV detection, pH control, and reductive ascorbic acid for cyanuric acid analysis in water. *Analytical Chemistry* 2000; 72(23):5820-8.
- (39) Cantu, R., Evans, O., Kawahara, F.K., Wymer, L.J.,and Dufour, A.P. HPCL determination of cyanuric acid in swimming pool waters using phenyl and confirmatory porous graphitic carbon columns. *Analytical Chemistry* 2001; 73(14):3358-64.
- (40) Cantwell, M.G., Burgess, R.M. Metal-colloid partitioning in artificial interstitial waters of marine sediments: Influences of salinity, pH, and colloidal organic carbon concentration. *Environmental Toxicology and Chemistry* 2001; 20(11):2420-7.
- (41) Cardoza, L.A., Almeida, V.K., Carr, A., Larive, C.K.,and Graham, D.W. Separations coupled with NMR detection. *Trac-Trends in Analytical Chemistry* 2003; 22(10):766-75.
- (42) Cardoza, L.A., Korir, A.K., Otto, W.H., Wurrey, C.J.,and Larive, C.K. Applications of NMR spectroscopy in environmental science. *Progress in Nuclear Magnetic Resonance Spectroscopy* 2004; 45(3-4):209-38.
- (43) Cardoza, L.A., Cutak, B.J., Ketter, J.,and Larive, C.K. High-performance liquid chromatographic-nuclear magnetic resonance investigation of the isomerization of alachlor-ethanesulfonic acid. *Journal of Chromatography A* 2004; 1022(1-2):131-7.
- (44) Chapman, P.M., Ho, K.T., Munns, W.R., Solomon, K.,and Weinstein, M.P. Issues in sediment toxicity and ecological risk assessment. *Marine Pollution Bulletin* 2002; 44(4):271-8.
- (45) Chintala, M.M., Grassle, J.P. Comparison of recruitment frequency and growth of surfclams, *Spisula solidissima* (Dillwyn, 1817), in different inner-shelf habitats of New Jersey. *Journal of Shellfish Research* 2001; 20(3):1177-86.
- (46) Coiro, L.L., Poucher, S.L.,and Miller, D.C. Hypoxic effects on growth of *Palaemonetes vulgaris* larvae and other species: Using constant exposure data to estimate cyclic exposure response. *Journal of Experimental Marine Biology and Ecology* 2000; 247(2):243-55.

- (47) Cole, F.A., Boese, B.L., Swartz, R.C., Lamberson, J.O.,and Dewitt, T.H. Effects of storage on the toxicity of sediments spiked with fluoranthene to the amphipod, *Rhepoxynius abronius*. *Environmental Toxicology and Chemistry* 2000; 19(3):744-8.
- (48) Cole, M.L., Valiela, I., Kroeger, K.D., Tomasky, G.L., Cebrian, J., Wigand, C., McKinney, R.A., Grady, S.P.,and da Silva, M.H.C. Assessment of a delta N-15 isotopic method to indicate anthropogenic eutrophication in aquatic ecosystems. *Journal of Environmental Quality* 2004; 33(1):124-32.
- (49) Compton, J.E., Church, M.R., Larned, S.T.,and Hogsett, W.E. Nitrogen export from forested watersheds in the Oregon Coast Range: The role of N-2-fixing red alder. *Ecosystems* 2003; 6(8):773-85.
- (50) Cook, P.M., Robbins, J.A., Endicott, D.D., Lodge, K.B., Guiney, P.D., Walker, M.K., Zabel, E.W.,and Peterson, R.E. Effects of aryl hydrocarbon receptor-mediated early life stage toxicity on lake trout populations in Lake Ontario during the 20th century. *Environmental Science & Technology* 2003; 37(17):3864-77.
- (51) Cripe, G.M., Carr, R.S., Foss, S.S., Harris, P.S.,and Stanley, R.S. Effects of whole sediments from Corpus Christi Bay on survival, growth, and reproduction of the mysid, *Americanopsis bahia* (formerly *Mysidopsis bahia*). *Bulletin of Environmental Contamination and Toxicology* 2000; 64(3):426-33.
- (52) Curtis, L.R., Hemmer, M.J.,and Courtney, L.A. Dieldrin induces cytosolic [H-3]7,12-dimethylbenz[a]anthracene binding but not multidrug resistance proteins in rainbow trout liver. *Journal of Toxicology and Environmental Health-Part A* 2000; 60(4):275-89.
- (53) Danz, N.P., Regal, R.R., Niemi, G.J., Brady, V.J., Hollenhorst, T., Johnson, L.B., Host, G.E., Hanowski, J.M., Johnston, C.A., Brown, T., Kingston, J.,and Kelly, J.R. Environmentally stratified sampling design for the development of great lakes environmental indicators. *Environmental Monitoring and Assessment* 2005; 102(1-3):41-65.
- (54) Danz NP, Niemi GJ, Regal RR, Hollenhorst T, Johnson LB, Hanowski JM, Axler RP, Ciborowski JJH, Hrabik T, Brady VJ, Kelly JR, Brazner JC, Howe RW, Host GE. Integrated measures of anthropogenic stress in the U.S. Great Lakes Basin. *Environmental Management*. In press.
- (55) Daughton, C.G., Ternes, T.A. Pharmaceuticals and personal care products in the environment: Agents of subtle change? *Environmental Health Perspectives* 1999; 107:907-38.
- (56) Daughton, C.G. Emerging pollutants, and communicating the science of environmental chemistry and mass spectrometry: Pharmaceuticals in the environment. *Journal of the American Society for Mass Spectrometry* 2001; 12(10):1067-76.
- (57) Daughton, C.G. Environmental stewardship and drugs as pollutants. *Lancet* 2002; 360(9339):1035-6.

- (58) Daughton, C.G. Cradle-to-cradle stewardship of drugs for minimizing their environmental disposition while promoting human health. I. Rationale for and avenues toward a green pharmacy. *Environmental Health Perspectives* 2003; 111(5):757-74.
- (59) Daughton, C.G. Cradle-to-cradle stewardship of drugs for minimizing their environmental disposition while promoting human health. II. Drug disposal, waste reduction, and future directions. *Environmental Health Perspectives* 2003; 111(5):775-85.
- (60) Daughton, C.G. Non-regulated water contaminants: emerging research. *Environmental Impact Assessment Review* 2004; 24(7-8):711-32.
- (61) Daughton, C.G. Ground water recharge and chemical contaminants: Challenges in communicating the connections and collisions of two disparate worlds. *Ground Water Monitoring and Remediation* 2004; 24(2):127-38.
- (62) Davis, J.L., Nowicki, B.,and Wigand, C. Denitrification in fringing salt marshes of Narragansett Bay, Rhode Island, USA. *Wetlands* 2004; 24(4):870-8.
- (63) Dawson, T.D., Jenson, J.J.,and Norberg-King, T.J. Laboratory culture of Chironomus tentans for use in toxicity testing: optimum initial egg-stocking densities. *Hydrobiologia* 2000; 438(1-3):251-6.
- (64) Dawson, T.D., Lott, K.G., Leonard, E.N.,and Mount, D.R. Time course of metal loss in Lumbriculus variegatus following sediment exposure. *Environmental Toxicology and Chemistry* 2003; 22(4):886-9.
- (65) Defoe, D.L., Ankley, G.T. Evaluation of time-to-effects as a basis for quantifying the toxicity of contaminated sediments. *Chemosphere* 2003; 51(1):1-5.
- (66) Denis-Mize, K., Fout, G.S., Dahling, D.R.,and Francy, D.S. Detection of human enteric viruses in stream water with RT-PCR and cell culture. *Journal of Water and Health* 2004; 2(1):37-47.
- (67) Dettmann, E.H. Effect of water residence time on annual export and denitrification of nitrogen in estuaries: A model analysis. *Estuaries* 2001; 24(4):481-90.
- (68) Diamond, S.A., Mount, D.R., Burkhard, L.P., Ankley, G.T., Makynen, E.A.,and Leonard, E.N. Effect of irradiance spectra on the photoinduced toxicity of three polycyclic aromatic hydrocarbons. *Environmental Toxicology and Chemistry* 2000; 19(5):1389-96.
- (69) Diamond, S.A., Milroy, N.J., Mattson, V.R., Heinis, L.J.,and Mount, D.R. Photoactivated toxicity in amphipods collected from polycyclic aromatic hydrocarbon-contaminated sites. *Environmental Toxicology and Chemistry* 2003; 22(11):2752-60.
- (70) Dufour, A.P., Evans, O.M., Behymer, T.D.,and Cantu, R. Water ingestion during swimming activities in a pool: a pilot study. (Accepted for publication). *Journal of Water and Health* 2005.
- (71) Dwyer, F.J., Mayer, F.L., Sappington, L.C., Buckler, D.R., Bridges, C.M., Greer, I.E., Hardesty, D.K., Henke, C.E., Ingersoll, C.G., Kunz, J.L., Whites, D.W., Augspurger, T.,

- Mount, D.R., Hattala, K.,and Neuderfer, G.N. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part I. Acute toxicity of five chemicals. *Archives of Environmental Contamination and Toxicology* 2005; 48(2):143-54.
- (72) Dwyer, F.J., Hardesty, D.K., Henke, C.E., Ingersoll, C.G., Whites, D.W., Augspurger, T., Canfield, T.J., Mount, D.R.,and Mayer, F.L. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part III. Effluent toxicity tests. *Archives of Environmental Contamination and Toxicology* 2005; 48(2):174-83.
- (73) Ebersole, J.L., Liss, W.J.,and Frissell, C.A. Cold water patches in warm streams: Physicochemical characteristics and the influence of shading. *Journal of the American Water Resources Association* 2003; 39(2):355-68.
- (74) Eldridge, P.M., Morse, J.W. A diagenetic model for sediment-seagrass interactions. *Marine Chemistry* 2000; 70(1-3):89-103.
- (75) Eldridge, P.M., Kaldy, J.E.,and Burd, A.B. Stress response model for the tropical seagrass Thalassia testudinum: The interactions of light, temperature, sedimentation, and geochemistry. *Estuaries* 2004; 27(6):923-37.
- (76) Eldridge PM, Kaldy JE, Cifuentes LA. Development of a stable isotope constraint system for estuarine food web models. *Marine Ecology-Progress Series*. In press.
- (77) Emery, E.B., Simon, T.P., McCormick, F.H., Angermeier, P.L., Deshon, J.E., Yoder, C.O., Sanders, R.E., Pearson, W.D., Hickman, G.D., Reash, R.J.,and Thomas, J.A. Development of a multimetric index for assessing the biological condition of the Ohio River. *Transactions of the American Fisheries Society* 2003; 132(4):791-808.
- (78) Erickson RJ, Mckim JM, Lien GJ, Hoffman AD, Batterman SL. Uptake and elimination of ionizable organic chemicals at fish gills. *Environmental Toxicology and Chemistry*. In press.
- (79) Esiobu, N., Mohammed, R., Echeverry, A., Green, M., Bonilla, T., Hartz, A., McCorquodale, D.,and Rogerson, A. The application of peptide nucleic acid probes for rapid detection and enumeration of eubacteria, *Staphylococcus aureus* and *Pseudomonas aeruginosa* in recreational beaches of S. Florida. *Journal of Microbiological Methods* 2004; 57(2):157-62.
- (80) Evans, D.W., Kathman, R.D.,and Walker, W.W. Trophic accumulation and depuration of mercury by blue crabs (*Callinectes sapidus*) and pink shrimp (*Penaeus duorarum*). *Marine Environmental Research* 2000; 49(5):419-34.
- (81) Feist, B.E., Simenstad, C.A. Expansion rates and recruitment frequency of exotic smooth cordgrass, *Spartina alterniflora* (Loisel), colonizing unvegetated littoral flats in Willapa Bay, Washington. *Estuaries* 2000; 23(2):267-74.
- (82) Feldman, K.L., Armstrong, D.A., Dumbauld, B.R., Dewitt, T.H.,and Doty, D.C. Oysters, crabs, and burrowing shrimp: Review of an environmental conflict over aquatic resources and pesticide use in Washington State's (USA) coastal estuaries. *Estuaries* 2000; 23(2):141-76.

- (83) Ferraro, S.P., ` . Book review: Estuarine Science. A Synthetic Approach to Research and Practice edited by John E. Hobbie. *Quarterly Review of Biology* 2001; 76(2):253-4.
- (84) Ferraro, S.P., Cole, F.A. A field validation of two sediment-amphipod toxicity tests. *Environmental Toxicology and Chemistry* 2002; 21(7):1423-37.
- (85) Ferraro, S.P., Cole, F.A. Optimal benthic macrofaunal sampling protocol for detecting differences among four habitats in Willapa Bay, Washington, USA. *Estuaries* 2004; 27(6):1014-25.
- (86) Ferraro SP, Cole FA, Olsen AR. A more cost effective EMAP-Estuarian benthic macrofaunal sampling protocol. *Environmental Monitoring and Assessment*. In press.
- (87) Ferretti, J.A., Calessso, D.F., Lazorchak, J.M., Dolce, T.J., Arnold, J., Goodfellow, W.L., Smith, M.E.,and Serbst, J.R. Interlaboratory comparison of a reduced volume marine sediment toxicity test method using the amphipod *Ampelisca abdita*. *Environmental Toxicology and Chemistry* 2004; 23(3):632-7.
- (88) Fisher, W.S., Oliver, L.M., Winstead, J.T.,and Long, E.R. A survey of oysters *Crassostrea virginica* from Tampa Bay, Florida: associations of internal defense measurements with contaminant burdens. *Aquatic Toxicology* 2000; 51(1):115-38.
- (89) Fisher, W.S., Malone, T.C.,and Giattina, J.D. A pilot project to detect and forecast harmful algal blooms in the northern Gulf of Mexico. *Environmental Monitoring and Assessment* 2003; 81(1-3):373-81.
- (90) Fisher, W.S. Relationship of amebocytes and terrestrial elements to adult shell deposition in eastern oysters. *Journal of Shellfish Research* 2004; 23(2):353-67.
- (91) Fitzsimmons, P.N., Fernandez, J.D., Hoffman, A.D., Butterworth, B.C.,and Nichols, J.W. Branchial elimination of superhydrophobic organic compounds by rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* 2001; 55(1-2):23-34.
- (92) Flaherty, S., Wark, S., Street, G., Farley, J.W.,and Brumley, W.C. Investigation of capillary electrophoresis-laser induced fluorescence as a tool in the characterization of sewage effluent for fluorescent acids: Determination of salicylic acid. *Electrophoresis* 2002; 23(14):2327-32.
- (93) Flemer, D.A., Ruth, B.F.,and Bundrick, C.M. Effects of sediment type on macrobenthic infaunal colonization of laboratory microcosms. *Hydrobiologia* 2002; 485(1-3):83-96.
- (94) Foran, C.M., Bennett, E.R.,and Benson, W.H. Exposure to environmentally relevant concentrations of different nonylphenol formulations in Japanese medaka. *Marine Environmental Research* 2000; 50(1-5):135-9.
- (95) Foran, C.M., Peterson, B.N.,and Benson, W.H. Influence of parental and developmental cadmium exposure on endocrine and reproductive function in Japanese medaka (*Oryzias latipes*). *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology* 2002; 133(3):345-54.

- (96) Ford, C.R., Brooks, J.R. Detecting forest stress and decline in response to increasing river flow in southwest Florida, USA. *Forest Ecology and Management* 2002; 160(1-3):45-64.
- (97) Fournie, J.W., Courtney, L.A. Histopathological evidence of regeneration following hepatotoxic effects of the cyanotoxin microcystin-LR in the hardhead catfish and gulf killifish. *Journal of Aquatic Animal Health* 2002; 14(4):273-80.
- (98) Gensemer, R.W., Naddy, R.B., Stubblefield, W.A., Hockett, J.R., Santore, R.,and Paquin, P. Evaluating the role of ion composition on the toxicity of copper to Ceriodaphnia dubia in very hard waters. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology* 2002; 133(1-2):87-97.
- (99) Glass, G.E., Sorensen, J.A.,and Rapp, R.J.Jr. Methylmercury bioaccumulation dependence on northern pike age and size in 20 Minnesota lakes. *ACS Symposium Series* 2001; 772:150-63.
- (100) Gleason, T.R., Munns, W.R.Jr.,and Nacci, D. Ecological interpretation of short-term bioassay results: development of a population model for *Arbacia*. *Journal of Aquatic Ecosystem Stress and Recovery* 2000; 7:177-85.
- (101) Gleason, T.R., Nacci, D.E. Risks of endocrine-disrupting compounds to wildlife: Extrapolating from effects on individuals to population response. *Human and Ecological Risk Assessment* 2001; 7(5):1027-42.
- (102) Goodfellow, W.L., Ausley, L.W., Burton, D.T., Denton, D.L., Dorn, P.B., Grothe, D.R., Heber, M.A., Norberg-King, T.J.,and Rodgers, J.H. Major ion toxicity in effluents: A review with permitting recommendations. *Environmental Toxicology and Chemistry* 2000; 19(1):175-82.
- (103) Gorski, P.R., Cleckner, L.B., Hurley, J.P., Sierszen, M.E.,and Armstrong, D.E. Factors affecting enhanced mercury bioaccumulation in inland lakes of Isle Royale National Park, USA. *Science of the Total Environment* 2003; 304(1-3):327-48.
- (104) Grange, A.H., Sovocool, G.W., Donnelly, J.R., Genicola, F.A.,and Gurka, D.F. Identification of pollutants in a municipal well using high resolution mass spectrometry. *Rapid Communications in Mass Spectrometry* 1998; 12(17):1161-9.
- (105) Grange, A.H., Sovocool, G.W. Mass peak profiling from selected-ion recording data as a tool for regulatory analyses. *Journal of Aoac International* 1999; 82(6):1443-57.
- (106) Grange, A.H., Osemwengie, L.I., Brilis, G.M.,and Sovocool, G.W. Ion composition elucidation (ICE): an investigative tool for characterization and identification of compounds of regulatory importance. *Environmental Forensics* 2001; 2(1):61-74.
- (107) Grange, A.H., Sovocool, G.W. Identification of unanticipated compounds by high-resolution mass spectrometry. *Spectroscopy* 2003; 18(5):12-+.
- (108) Grange, A.H., Osemwengie, L.I.,and Sovocool, G.W. Identifying compounds despite chromatography limitations: Organophosphates in treated sewage. *Lc Gc North America* 2004;96-103.

- (109) Grange, A.H., Winnik, W., Ferguson, P.L.,and Sovocool, G.W. Using a triple-quadrupole mass spectrometer in accurate mass mode and an ion correlation program to identify compounds. *Rapid Communications in Mass Spectrometry* 2005; 19(18):2699-715.
- (110) Griffith, M.B., Kaufmann, P.R., Herlihy, A.T.,and Hill, B.H. Analysis of macroinvertebrate assemblages in relation to environmental gradients in Rocky Mountain streams. *Ecological Applications* 2001; 11(2):489-505.
- (111) Griffith, M.B., Hill, B.H., Herlihy, A.,and Kaufmann, P.R. Multivariate analysis of periphyton assemblages in relation to environmental gradients in Colorado Rocky Mountain streams. *Journal of Phycology* 2002; 38(1):83-95.
- (112) Griffith, M.B., Husby, P., Hall, R.K., Kaufmann, P.R.,and Hill, B.H. Analysis of macroinvertebrate assemblages in relation to environmental gradients among lotic habitats of California's Central Valley. *Environmental Monitoring and Assessment* 2003; 82(3):281-309.
- (113) Griffith, M.B., Lazorchak, J.M.,and Herlihy, A.T. Relationships among exceedences of metals criteria, the results of ambient bioassays, and community metrics in mining-impacted streams. *Environmental Toxicology and Chemistry* 2004; 23(7):1786-95.
- (114) Griffith, M.B., Hill, B.H., McCormick, F.H., Kaufmann, P.R., Herlihy, A.T.,and Selle, A.R. Comparative application of indices of biotic integrity based on periphyton, macroinvertebrates, and fish to southern Rocky Mountain streams. *Ecological Indicators* 2005; 5(2):117-36.
- (115) Gunderson, J.L. Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column. *Journal of Chromatography A* 2001; 914(1-2):161-6.
- (116) Gunderson, M.P., LeBlanc, G.A.,and Guillette, L.J. Alterations in sexually dimorphic biotransformation of testosterone in juvenile American alligators (*Alligator mississippiensis*) from contaminated lakes. *Environmental Health Perspectives* 2001; 109(12):1257-64.
- (117) Hagy, J.D., Boynton, W.R., Keefe, C.W.,and Wood, K.V. Hypoxia in Chesapeake Bay, 1950-2001: Long-term change in relation to nutrient loading and river flow. *Estuaries* 2004; 27(4):634-58.
- (118) Hari, A.C., Sabatini, D.A.,and Kibbey, T.C.G. Adsorption of pharmaceutical compounds to soils in the presence of amphiphilic molecules. *Abstracts of Papers of the American Chemical Society* 2003; 226:U488.
- (119) Hari, A.C., Hisey, D.M., Paruchuri, R.A., Sabatini, D.A.,and Kibbey, T.C.G. Effects of pH and amphiphilic chemicals on the adsorption and transport of quinolone antibiotics. *Abstracts of Papers of the American Chemical Society* 2004; 228:U641.
- (120) Hari, A.C., Paruchuri, R.A., Sabatini, D.A.,and Kibbey, T.C.G. Effects of pH and cationic and nonionic surfactants on the adsorption of pharmaceuticals to a natural aquifer material. *Environmental Science & Technology* 2005; 39(8):2592-8.

- (121) Haugland, R.A., Siefring, S.C., Wymer, L.J., Brenner, K.P.,and Dufour, A.P. Comparison of Enterococcus measurements in freshwater at two recreational beaches by quantitative polymerase chain reaction and membrane filter culture analysis. *Water Research* 2005; 39(4):559-68.
- (122) Hecht, S., Boese, B.L. Sensitivity of an infaunal amphipod, Eohaustorius estuaricus, to acute waterborne exposures of 4-nonylphenol: Evidence of a toxic hangover. *Environmental Toxicology and Chemistry* 2002; 21(4):816-9.
- (123) Hecht, S.A., Gunnarsson, J.S., Boese, B.L., Lamberson, J.O., Schaffner, C., Giger, W.,and Jepson, P.C. Influences of sedimentary organic matter quality on the bioaccumulation of 4-nonylphenol by estuarine amphipods. *Environmental Toxicology and Chemistry* 2004; 23(4):865-73.
- (124) Heinis, L.J., Highland, T.L.,and Mount, D.R. Method for testing the aquatic toxicity of sediment extracts for use in identifying organic toxicants in sediments. *Environmental Science & Technology* 2004; 38(23):6256-62.
- (125) Henry, T.B., Kwon, J.W., Armbrust, K.L.,and Black, M.C. Acute and chronic toxicity of five selective serotonin reuptake inhibitors in Ceriodaphnia dubia. *Environmental Toxicology and Chemistry* 2004; 23(9):2229-33.
- (126) Henszey, R.J., Pfeiffer, K.,and Keough, J.R. Linking surface- and ground-water levels to riparian grassland species along the platte river in Central Nebraska, USA. *Wetlands* 2004; 24(3):665-87.
- (127) Hewitt, A.E., Crain, D.A., Gunderson, M.P.,and Guillette, L.J. Thyroid status in juvenile alligators (*Alligator mississippiensis*) from contaminated and reference sites on Lake Okeechobee, Florida, USA. *Chemosphere* 2002; 47(10):1129-35.
- (128) Hill, B.H., Hall, R.K., Husby, P., Herlihy, A.T.,and Dunne, M. Interregional comparisons of sediment microbial respiration in streams. *Freshwater Biology* 2000; 44(2):213-22.
- (129) Hill, B.H., Herlihy, A.T.,and Kaufmann, P.R. Benthic microbial respiration in Appalachian Mountain, Piedmont, and Coastal Plains streams of the eastern USA. *Freshwater Biology* 2002; 47(2):185-94.
- (130) Ho, K.T., Kuhn, A., Pelletier, M., Mcgee, F., Burgess, R.M.,and Serbst, J. Sediment toxicity assessment: Comparison of standard and new testing designs. *Archives of Environmental Contamination and Toxicology* 2000; 39(4):462-8.
- (131) Ho, K.T., Burgess, R.M., Pelletier, M.C., Serbst, J.R., Ryba, S.A., Cantwell, M.G., Kuhn, A.,and Raczelowski, P. An overview of toxicant identification in sediments and dredged materials. *Marine Pollution Bulletin* 2002; 44(4):286-93.
- (132) Hollibaugh, J.T., Wong, P.S.,and Murrell, M.C. Similarity of particle-associated and free-living bacterial communities in northern San Francisco Bay, California. *Aquatic Microbial Ecology* 2000; 21(2):103-14.

- (133) Hornung, M.W., Cook, P.M., Flynn, K.M., Lothenbach, D.B., Johnson, R.D., and Nichols, J.W. Use of multi-photon laser-scanning microscopy to describe the distribution of xenobiotic chemicals in fish early life stages. *Aquatic Toxicology* 2004; 67(1):1-11.
- (134) Horowitz, D.B., Haebler, R. Demonstration of Aspergillus sp. in tissues of the common loon, Gavia immer: Incidence, progression, and severity. *Journal of Histotechnology* 2001; 24(2):101-6.
- (135) Ingersoll, C.G., Brunson, E.L., Wang, N., Dwyer, E.J., Ankley, G.T., Mount, D.R., Huckins, J., Petty, J., and Landrum, P.E. Uptake and depuration of nonionic organic contaminants from sediment by the oligochaete, Lumbriculus variegatus. *Environmental Toxicology and Chemistry* 2003; 22(4):872-85.
- (136) Jackson, L.J., Trebitz, A.S., and Cottingham, K.L. An introduction to the practice of ecological modeling. *Bioscience* 2000; 50(8):694-706.
- (137) Jayaraman, S., Pruell, R.J., and McKinney, R. Extraction of organic contaminants from marine sediments and tissues using microwave energy. *Chemosphere* 2001; 44(2):181-91.
- (138) Johnson, T.B., Hoff, M.H., Trebitz, A.S., Bronte, C.R., Corry, T.D., Kitchell, J.F., Lozano, S.J., Mason, D.M., Scharold, J.V., Schram, S.T., and Schreiner, D.R. Spatial patterns in assemblage structures of pelagic forage fish and zooplankton in western Lake Superior. *Journal of Great Lakes Research* 2004; 30:395-406.
- (139) Johnson, T.B., Brown, W.P., Corry, T.D., Hoff, M.H., Scharold, J.V., and Trebitz, A.S. Lake herring (*Coregonus artedi*) and rainbow smelt (*Osmerus mordax*) diets in western Lake Superior. *Journal of Great Lakes Research* 2004; 30:407-13.
- (140) Jones-Lepp, T., Gerlach, C.L., and Cooter, E.J. The power of analytical methods for measuring suspected endocrine disrupting compounds: a pilot field study. *Trac-Trends in Analytical Chemistry* 2000; 19(5):286-91.
- (141) Jones-Lepp, T.L., Varner, K.E., and Hilton, B.A. Speciation and detection of organotins from PVC pipe by micro-liquid chromatography-electrospray-ion trap mass spectrometry. *Applied Organometallic Chemistry* 2001; 15(12):933-8.
- (142) Jones-Lepp, T.L., Alvarez, D.A., Petty, J.D., and Huckins, J.N. Polar organic chemical integrative sampling and liquid chromatography-electrospray/ion-trap mass spectrometry for assessing selected prescription and illicit drugs in treated sewage effluents. *Archives of Environmental Contamination and Toxicology* 2004; 47(4):427-39.
- (143) Jones-Lepp, T.L., Varner, K.E., and Heggem, D. Monitoring dibutyltin and triphenyltin in fresh waters and fish in the United States using micro-liquid chromatography-electrospray/ion trap mass spectrometry. *Archives of Environmental Contamination and Toxicology* 2004; 46(1):90-5.
- (144) Jones-Lepp, T.L., Momplaisir, G.M. New applications of LC-MS and LC-MS2 toward understanding the environmental fate of organometallics. *Trac-Trends in Analytical Chemistry* 2005; 24(7):590-5.

- (145) Juhl, A.R., Trainer, V.L.,and Latz, M.I. Effect of fluid shear and irradiance on population growth and cellular toxin content of the dinoflagellate *Alexandrium fundyense*. *Limnology and Oceanography* 2001; 46(4):758-64.
- (146) Juhl, A.R., Latz, M.I. Mechanisms of fluid shear-induced inhibition of population growth in a red-tide dinoflagellate. *Journal of Phycology* 2002; 38(4):683-94.
- (147) Juhl, A.R., Murrell, M.C. Interactions between nutrients, phytoplankton growth, and microzooplankton grazing in a Gulf of Mexico estuary. *Aquatic Microbial Ecology* 2005; 38(2):147-56.
- (148) Kaldy, J.E., Dunton, K.H., Kowalski, J.L.,and Lee, K.S. Factors controlling seagrass revegetation onto dredged material deposits: A case study in Lower Laguna Madre, Texas. *Journal of Coastal Research* 2004; 20(1):292-300.
- (149) Kaldy JE. Carbon, nitrogen, phosphorus and heavy metal budgets. How large is the eelgrass *Zostera marina L.* sink in a temperate estuary?-. *Marine Pollution Bulletin*. In press.
- (150) Kaldy, J.E., Cifuentes, L.A., Eldridge, P.M.,and Jones, W.B. Utilization of DOC from seagrass rhizomes by sediment bacteria: <sup>13</sup>C tracer experiments and modeling. Accepted. *Marine Ecology-Progress Series* 2005.
- (151) Kemp WM, Boynton WR, Adolf JE, Boesch DF, Boicourt WC, Brush G, Cornwell JC, Fisher TR, Gilbert PM, Hagy JD, Harding LW, Houde ED, Kimmel DG, Miller WD, Newell RIE, Roman MR, Smith EM, Stevenson JC. Eutrophication of Chesapeake Bay: historical trends and ecological interactions. *Marine Ecology-Progress Series*. In press.
- (152) Kentula, M.E., Dewitt, T.H. Abundance of seagrass (*Zostera marina L.*) and macroalgae in relation to the salinity-temperature gradient in Yaquina Bay, Oregon, USA. *Estuaries* 2003; 26(4B):1130-41.
- (153) Klemm, D.J., Blocksom, K.A., Thoeny, W.T., Fulk, F.A., Herlihy, A.T., Kaufmann, P.R.,and Cormier, S.M. Methods development and use of macroinvertebrates as indicators of ecological conditions for streams in the Mid-Atlantic Highlands Region. *Environmental Monitoring and Assessment* 2002; 78(2):169-212.
- (154) Klemm, D.J., Blocksom, K.A., Fulk, F.A., Herlihy, A.T., Hughes, R.M., Kaufmann, P.R., Peck, D.V., Stoddard, J.L., Thoeny, W.T., Griffith, M.B.,and Davis, W.S. Development and evaluation of a Macroinvertebrate Biotic Integrity Index (MBII) for regionally assessing Mid-Atlantic Highlands streams. *Environmental Management* 2003; 31(5):656-69.
- (155) Knapp, C.W., Cardoza, L.A., Hawes, J.N., Wellington, E.M.H., Larive, C.K.,and Graham, D.W. Fate and effects of enrofloxacin in aquatic systems under different light conditions. *Environmental Science & Technology* 2005; 39(23):9140-6.
- (156) Knapp, C.W., Caquet, T., Hanson, M.L., Lagadic, L.,and Graham, D.W. Response of water column microbial communities to sudden exposure to deltamethrin in aquatic mesocosms. *Fems Microbiology Ecology* 2005; 54(1):157-65.

- (157) Knuth, M.L., Heinis, L.J.,and Anderson, L.E. Persistence and distribution of azinphos-methyl following application to littoral enclosure mesocosms. *Ecotoxicology and Environmental Safety* 2000; 47(2):167-77.
- (158) Kuhn, A., Munns, W.R., Poucher, S., Champlin, D.,and Lussier, S. Prediction of population-level response from mysid toxicity test data using population modeling techniques. *Environmental Toxicology and Chemistry* 2000; 19(9):2364-71.
- (159) Kuhn, A., Munns, W.R., Champlin, D., McKinney, R., Tagliabue, M., Serbst, J.,and Gleason, T. Evaluation of the efficacy of extrapolation population modeling to predict the dynamics of *Americamysis bahia* populations in the laboratory. *Environmental Toxicology and Chemistry* 2001; 20(1):213-21.
- (160) Kuhn, A., Munns, W.R., Serbst, J., Edwards, P., Cantwell, M.G., Gleason, T., Pelletier, M.C.,and Berry, W. Evaluating the ecological significance of laboratory response data to predict population-level effects for the estuarine amphipod *Ampelisca abdita*. *Environmental Toxicology and Chemistry* 2002; 21(4):865-74.
- (161) Kurtz, J.C., Jackson, L.E.,and Fisher, W.S. Strategies for evaluating indicators based on guidelines from the Environmental Protection Agency's Office of Research and Development. *Ecological Indicators* 2001; 1(1):49-60.
- (162) Kurtz, J.C., Yates, D.F., Macauley, J.M., Quarles, R.L., Gentner, F.J., Chancy, C.A.,and Devereux, R. Effects of light reduction on growth of the submerged macrophyte *Vallisneria americana* and the community of root-associated heterotrophic bacteria. *Journal of Experimental Marine Biology and Ecology* 2003; 291(2):199-218.
- (163) Kusel, K., Karnholz, A., Trinkwalter, T., Devereux, R., Acker, G.,and Drake, H.L. Physiological ecology of *Clostridium glycolicum* RD-1, an aerotolerant acetogen isolated from sea grass roots. *Applied and Environmental Microbiology* 2001; 67(10):4734-41.
- (164) Kwon, J.W., Armbrust, K.L. Hydrolysis and photolysis of paroxetine, a selective serotonin reuptake inhibitor, in aqueous solutions. *Environmental Toxicology and Chemistry* 2004; 23(6):1394-9.
- (165) Kwon, J.W., Armbrust, K.L. Degradation of citalopram by simulated sunlight. *Environmental Toxicology and Chemistry* 2005; 24(7):1618-23.
- (166) Kwon, J.W., Armbrust, K.L. Photo-isomerization of fluvoxamine in aqueous solutions. *Journal of Pharmaceutical and Biomedical Analysis* 2005; 37(4):643-8.
- (167) Lackey, R.T. Defending reality. *Fisheries* 2001; 26(6):26-7.
- (168) Lackey, R.T. Pacific salmon and the Endangered Species Act: troublesome questions. *Renewable Resources Journal* 2001; 19(2):6-9.
- (169) Lackey, R.T. Book review: Anthony T. Charles, Sustainable Fishery Systems. *Reviews in Fish Biology and Fisheries* 2001; 11(4):363-4.
- (170) Lackey, R.T. Salmon recovery: Learning from successes and failures. *Northwest Science* 2002; 76(4):356-60.

- (171) Lackey, R.T. Restoring wild salmon to the Pacific Northwest: Framing the risk question. *Human and Ecological Risk Assessment* 2002; 8(2):223-32.
- (172) Lackey, R.T. Adding nutrients to enhance salmon runs: Developing a coherent public policy. *Fisheries* 2003; 28(8):34-5.
- (173) Lackey, R.T. Pacific northwest salmon: Forecasting their status in 2100. *Reviews in Fisheries Science* 2003; 11(1):35-88.
- (174) Lackey, R.T. A salmon-centric view of the 21st century in the western United States. *Renewable Resources Journal* 2003; 21(3):11-5.
- (175) Lackey, R.T. Review of book: Searching for sustainability: interdisciplinary essays in the philosophy of conservation biology, by Bryan G. Norton. *Quarterly Review of Biology* 2003; 78(4):499-500.
- (176) Lackey, R.T. Normative science. *Fisheries* 2004; 29(7):38-9.
- (177) Lackey, R.T. Restoration ecology: the challenge of social values and expectations. *Frontiers in Ecology and the Environment* 2004; 2(1):45-6.
- (178) Lackey, R.T. Review of 'Fishes and Forestry': worldwide watershed interaction and management. *Environmental Reviews* 2004; 12(4):219-20.
- (179) Lackey, R.T. Economic growth and salmon recovery: An irreconcilable conflict? *Fisheries* 2005; 30(3):30-2.
- (180) Larned, S.T. Effects of the invasive, nonindigenous seagrass *Zostera japonica* on nutrient fluxes between the water column and benthos in a NE Pacific estuary. *Marine Ecology-Progress Series* 2003; 254:69-80.
- (181) Lazorchak, J.M., McCormick, F.H., Henry, T.R.,and Herlihy, A.T. Contamination of fish in streams of the Mid-Atlantic Region: An approach to regional indicator selection and wildlife assessment. *Environmental Toxicology and Chemistry* 2003; 22(3):545-53.
- (182) Leblond, J.D., Chapman, P.J. Lipid class distribution of highly unsaturated long chain fatty acids in marine dinoflagellates. *Journal of Phycology* 2000; 36(6):1103-8.
- (183) Leblond, J.D., Chapman, P.J. A survey of the sterol composition of the marine dinoflagellates *Karenia brevis*, *Karenia mikimotoi*, and *Karlodinium micrum* distribution of sterols within other members of the class Dinophyceae. *Journal of Phycology* 2002; 38(4):670-82.
- (184) Leblond, J.D., Evens, T.J.,and Chapman, P.J. The biochemistry of dinoflagellate lipids, with particular reference to the fatty acid and sterol composition of a *Karenia brevis* bloom. *Phycologia* 2003; 42(4):324-31.
- (185) Leblond, J.D., Chapman, P.J. Sterols of the heterotrophic dinoflagellate, *Pfiesteria piscicida* (Dinophyceae): Is there a lipid biomarker? *Journal of Phycology* 2004; 40(1):104-11.

- (186) Lebo, J.A., Huckins, J.N., Petty, J.D., Cranor, W.L.,and Ho, K.T. Comparisons of coarse and fine versions of two carbons for reducing the bioavailabilities of sediment-bound hydrophobic organic contaminants. *Chemosphere* 2003; 50(10):1309-17.
- (187) Leibowitz, S.G. Isolated wetlands and their functions: An ecological perspective. *Wetlands* 2003; 23(3):517-31.
- (188) Leibowitz, S.G., Nadeau, T.L. Isolated wetlands: State-of-the-science and future directions. *Wetlands* 2003; 23(3):663-84.
- (189) Lewis, M., Weber, D., Stanley, R.,and Albrecht, B. Treated wastewater as a source of sediment contamination in Gulf of Mexico near-coastal areas: A survey. *Environmental Toxicology and Chemistry* 2000; 19(1):192-203.
- (190) Lewis, M.A., Weber, D.E., Goodman, L.R., Stanley, R.S., Craven, W.G., Patrick, J.M., Quarles, R.L., Roush, T.H.,and Macauley, J.M. Periphyton and sediment bioassessment in north Florida Bay. *Environmental Monitoring and Assessment* 2000; 65(3):503-22.
- (191) Lewis, M.A., Weber, D.E.,and Stanley, R.S. Wetland plant seedlings as indicators of near-coastal sediment quality: interspecific variation. *Marine Environmental Research* 2000; 50(1-5):535-40.
- (192) Lewis, M.A., Foss, S.S. A caridean grass shrimp (*Palaemonetes pugio* Holthius) as an indicator of sediment quality in Florida coastal areas affected by point and nonpoint source contamination. *Environmental Toxicology* 2000; 15(3):234-42.
- (193) Lewis, M.A., Weber, D.E., Stanley, R.S.,and Moore, J.C. Dredging impact on an urbanized Florida bayou: effects on benthos and algal-periphyton. *Environmental Pollution* 2001; 115(2):161-71.
- (194) Lewis, M.A., Foss, S.S., Harris, P.S., Stanley, R.S.,and Moore, J.C. Sediment chemical contamination and toxicity associated with a coastal golf course complex. *Environmental Toxicology and Chemistry* 2001; 20(7):1390-8.
- (195) Lewis, M.A., Moore, J.C., Goodman, L.R., Patrick, J.M., Stanley, R.S., Roush, T.H.,and Quarles, R.L. The effects of urbanization on the chemical quality of three tidal bayous in the Gulf of Mexico. *Water Air and Soil Pollution* 2001; 127(1-4):65-91.
- (196) Lewis, M.A., Weber, D.E., Stanley, R.S.,and Moore, J.C. The relevance of rooted vascular plants as indicators of estuarine sediment quality. *Archives of Environmental Contamination and Toxicology* 2001; 40(1):25-34.
- (197) Lewis, M.A., Boustany, R.G., Dantin, D.D., Quarles, R.L., Moore, J.C.,and Stanley, R.S. Effects of a coastal golf complex on water quality, periphyton, and seagrass. *Ecotoxicology and Environmental Safety* 2002; 53(1):154-62.
- (198) Lewis, M.A., Scott, G.I., Bearden, D.W., Quarles, R.L., Moore, J., Strozier, E.D., Sivertsen, S.K., Dias, A.R.,and Sanders, M. Fish tissue quality in near-coastal areas of the Gulf of Mexico receiving point source discharges. *Science of the Total Environment* 2002; 284(1-3):249-61.

- (199) Lewis, M.A., Weber, D.E. Effects of substrate salinity on early seedling survival and growth of *Scirpus robustus* Pursh and *Spartina alterniflora* Loisel. *Ecotoxicology* 2002; 11(1):19-26.
- (200) Lewis, M.A., Weber, D.E.,and Moore, J.C. Trace metal availability to periphyton colonized below near-coastal wastewater discharges in the Gulf of Mexico. *Dimensions of Pollution* 2002; 1:86-103.
- (201) Lewis, M.A., Dantin, D.D., Walker, C.C., Kurtz, J.C.,and Greene, R.M. Toxicity of clay flocculation of the toxic dinoflagellate, *Karenia brevis*, to estuarine invertebrates and fish. *Harmful Algae* 2003; 2(4):235-46.
- (202) Lien, G.J., Mckim, J.M., Hoffman, A.D.,and Jenson, C.T. A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquatic Toxicology* 2001; 51(3):335-50.
- (203) Lores, E.M., Pasko, E., Patrick, J.M., Quarles, R.L., Campbell, J.,and Macauley, J. Mapping and monitoring of submerged aquatic vegetation in Escambia-Pensacola Bay system, Florida. *Gulf of Mexico Science* 2000; 18(1):1-14.
- (204) Lores, E.M., Specht, D.T. Drought-induced decline of submerged aquatic vegetation in Escambia-Pensacola Bay, Florida. *Gulf of Mexico Science* 2001; 19(2):161-4.
- (205) Lores, E.M., Lewis, M.A.,and Malaeb, Z.A. Spatial and temporal variability in zooplankton community dynamics in three urbanized bayous of the Pensacola Bay system, Florida, USA. *Gulf and Caribbean Research* 2002; 14(1):1-11.
- (206) Lorphensri, O., Intravichit, J., Sabatini, D.A., Kibbey, T.C.G., Osathaphan, K.,and Saiwan, C. Sorption and transport of acetaminophen, nalidixic acid and 17-alpha-ethynylestradiol to silica, alumina and a hydrophobic medium. *Abstracts of Papers of the American Chemical Society* 2004; 228:U642.
- (207) Lozano, S.J., Scharold, J.V.,and Nalepa, T.F. Recent declines in benthic macroinvertebrate densities in Lake Ontario. *Canadian Journal of Fisheries and Aquatic Sciences* 2001; 58(3):518-29.
- (208) Lussier, S.M., Champlin, D., LiVolsi, J., Poucher, S.,and Pruell, R.J. Acute toxicity of para-nonylphenol to saltwater animals. *Environmental Toxicology and Chemistry* 2000; 19(3):617-21.
- (209) McArdle, M., Elskus, A., McElroy, A., Larsen, B., Benson, W.,and Schlenk, D. Estrogenic and CYP1A response of mummichogs and sunshine bass to sewage effluent. *Marine Environmental Research* 2000; 50(1-5):175-9.
- (210) McCormick, F.H., Peck, D.V.,and Larsen, D.P. Comparison of geographic classification schemes for Mid-Atlantic stream fish assemblages. *Journal of the North American Benthological Society* 2000; 19(3):385-404.
- (211) McCormick, F.H., Hughes, R.M., Kaufmann, P.R., Peck, D.V., Stoddard, J.L.,and Herlihy, A.T. Development of an index of biotic integrity for the Mid-Atlantic Highlands region. *Transactions of the American Fisheries Society* 2001; 130(5):857-77.

- (212) McKinney, R.A., Nelson, W.G., Charpentier, M.A.,and Wigand, C. Ribbed mussel nitrogen isotope signatures reflect nitrogen sources in coastal salt marshes. *Ecological Applications* 2001; 11(1):203-14.
- (213) McKinney, R.A., Lake, J.L., Charpentier, M.A.,and Ryba, S. Using mussel isotope ratios to assess anthropogenic nitrogen inputs to freshwater ecosystems. *Environmental Monitoring and Assessment* 2002; 74(2):167-92.
- (214) McKinney, R.A., Glatt, S.M.,and Williams, S.R. Allometric length-weight relationships for benthic prey of aquatic wildlife in coastal marine habitats. *Wildlife Biology* 2004; 10(4):241-9.
- (215) McKinney, R.A. Habitat relationships of waterfowl wintering in Narragansett Bay. *Rhode Island Naturalist* 2004; 11(2):3-6.
- (216) Meengs, C.C., Lackey, R.T. Estimating the size of historical Oregon salmon runs. *Reviews in Fisheries Science* 2005; 13(1):51-66.
- (217) Meng, L., Gray, C., Taplin, B.,and Kupcha, E. Using winter flounder growth rates to assess habitat quality in Rhode Island's coastal lagoons. *Marine Ecology-Progress Series* 2000; 201:287-99.
- (218) Meng, L., Powell, J.C.,and Taplin, B. Using winter flounder growth rates to assess habitat quality across an anthropogenic gradient in Narragansett Bay, Rhode Island. *Estuaries* 2001; 24(4):576-84.
- (219) Meng, L., Matern, S.A. Native and introduced larval fishes of Suisun Marsh, California: The effects of freshwater flow. *Transactions of the American Fisheries Society* 2001; 130(5):750-65.
- (220) Meng, L., Orphanides, C.D.,and Powell, J.C. Use of a fish index to assess habitat quality in Narragansett Bay, Rhode Island. *Transactions of the American Fisheries Society* 2002; 131(4):731-42.
- (221) Meng, L., Cicchetti, G.,and Chintala, M. Nekton habitat quality at shallow water sites in two Rhode island coastal systems. *Estuaries* 2004; 27(4):740-51.
- (222) Meng L, Cicchetti G, Raciti S. Relationships between habitat quality and density of juvenile winter flounder. *Transactions of the American Fisheries Society*. In press.
- (223) Meng L, Taylor D, Powell C, Serbst J. Habitat suitability of Mount Hope Bay for juvenile winter flounder. *Transactions of the American Fisheries Society*. In press.
- (224) Messer, J.W., Dufour, A.P. A rapid, specific membrane filtration procedure for enumeration of enterococci in recreational water. *Applied and Environmental Microbiology* 1998; 64(2):678-80.
- (225) Metcalfe, T.L., Metcalfe, C.D., Kiparissis, Y., Niimi, A.J., Foran, C.M.,and Benson, W.H. Gonadal development and endocrine responses in Japanese medaka (*Oryzias latipes*) exposed to o,p '-DDT in water or through maternal transfer. *Environmental Toxicology and Chemistry* 2000; 19(7):1893-900.

- (226) Meyer, J.N., Nacci, D.E.,and Di Giulio, R.T. Cytochrome P4501A (CYP1A) in killifish (*Fundulus heteroclitus*): Heritability of altered expression and relationship to survival in contaminated sediments. *Toxicological Sciences* 2002; 68(1):69-81.
- (227) Miller, D.C., Poucher, S.L.,and Coiro, L. Determination of lethal dissolved oxygen levels for selected marine and estuarine fishes, crustaceans, and a bivalve. *Marine Biology* 2002; 140(2):287-96.
- (228) Morrice, J.A., Dahm, C.N., Valett, H.M., Unnikrishna, P.V.,and Campana, M.E. Terminal electron accepting processes in the alluvial sediments of a headwater stream. *Journal of the North American Benthological Society* 2000; 19(4):593-608.
- (229) Morrice, J.A., Kelly, J.R., Trebitz, A.S., Cotter, A.M.,and Knuth, M.L. Temporal dynamics of nutrients (N and P) and hydrology in a Lake Superior coastal wetland. *Journal of Great Lakes Research* 2004; 30:82-96.
- (230) Morrice JA, Trebitz AS, Kelly JR, Cotter AM, Knuth ML. Sources of variability in nutrient levels within and among coastal wetlands of the Lake Superior south shore: role of hydrology and landscape. *Aquatic Ecosystems Health and Management*. In press.
- (231) Morrice JA, Trebitz AS, Kelly JR, Cotter AM, Knuth ML. Sources of variability in nutrient levels within and among coastal wetlands of the Lake Superior south shore: role of hydrology and landscape. *Aquatic Ecosystems Health and Management, Special Lake Superior Volume*. In press.
- (232) Morse JW, Eldridge PM. A non-steady-state model for changes in sediment biogeochemistry in response to seasonal hypoxia/anoxic conditions in the "dead zone" of the Louisiana Shelf. *Marine Chemistry*. In press.
- (233) Morton, M.G., Dickson, K.L., Waller, W.T., Acevedo, M.F., Mayer, F.L.,and Ablan, M. Methodology for the evaluation of cumulative episodic exposure to chemical stressors in aquatic risk assessment. *Environmental Toxicology and Chemistry* 2000; 19(4):1213-21.
- (234) Mottaleb, M.A., Brumley, W.C.,and Sovocool, G.W. Nitro musk metabolites bound to carp hemoglobin: Determination by GC with two MS detection modes: EIMS versus electron capture negative ion MS. *International Journal of Environmental Analytical Chemistry* 2004; 84(14-15):1069-78.
- (235) Mottaleb, M.A., Brumley, W.C., Pyle, S.M.,and Sovocool, G.W. Determination of a bound musk xylene metabolite in carp hemoglobin as a biomarker of exposure by gas chromatography-mass spectrometry using selected ion monitoring. *Journal of Analytical Toxicology* 2004; 28(7):581-6.
- (236) Mottaleb, M.A., Zhao, X., Curtis, L.R.,and Sovocool, G.W. Formation of nitro musk adducts of rainbow trout hemoglobin for potential use as biomarkers of exposure. *Aquatic Toxicology* 2004; 67(4):315-24.
- (237) Mottaleb, M.A., Brumley, W.C., Curtis, L.R.,and Sovocool, G.W. Nitro musk adducts of rainbow trout hemoglobin: dose-response and toxicokinetics determination by GC-NICI-MS for a sentinel species. *American Laboratory News* 2005; 23(7):26-9.

- (238) Moy, T.W., Brumley, W.C. Multiresidue determination of acidic pesticides in water by HPLC-DAD with confirmation by GC-MS using conversion to methyl ester with trimethylsilyldiazomethane. *Journal of Chromatographic Science* 2003; 41(7):343-9.
- (239) Murrel, M.C., Lores, E.M. Phytoplankton and zooplankton seasonal dynamics in a subtropical estuary: importance of cyanobacteria. *Journal of Plankton Research* 2004; 26(3):371-82.
- (240) Murrel, M.C., Caffrey, J.M. High cyanobacterial abundance in three northeastern Gulf of Mexico estuaries. *Gulf and Caribbean Research* 2005; 17(March):95-106.
- (241) Murrell, M.C., Hollibaugh, J.T. Distribution and composition of dissolved and particulate organic carbon in northern San Francisco Bay during low flow conditions. *Estuarine Coastal and Shelf Science* 2000; 51(1):75-90.
- (242) Murrell, M.C., Stanley, R.S., Lores, E.M., DiDonato, G.T., Smith, L.M.,and Flemer, D.A. Evidence that phosphorus limits phytoplankton growth in a Gulf of Mexico estuary: Pensacola Bay, Florida, USA. *Bulletin of Marine Science* 2002; 70(1):155-67.
- (243) Murrell, M.C., Stanley, R.S., Lores, E.M., DiDonato, G.T.,and Flemer, D.A. Linkage between microzooplankton grazing and phytoplankton growth in a Gulf of Mexico estuary. *Estuaries* 2002; 25(1):19-29.
- (244) Murrell, M.C. Bacterioplankton dynamics in a subtropical estuary: evidence for substrate limitation. *Aquatic Microbial Ecology* 2003; 32(3):239-50.
- (245) Nacci, D., Serbst, J., Gleason, T.R., Cayula, S., Thursby, G., Munns, W.R.,and Johnson, R.K. Biological responses of the sea urchin, *Arbacia punctulata*, to lead contamination for an estuarine ecological risk assessment. *Journal of Aquatic Ecosystem Stress and Recovery* 2000; 7:187-99.
- (246) Nacci, D., Jayaraman, S.,and Specker, J. Stored retinoids in populations of the estuarine fish *Fundulus heteroclitus* indigenous to PCB-contaminated and reference sites. *Archives of Environmental Contamination and Toxicology* 2001; 40(4):511-8.
- (247) Nacci, D., Pelletier, M., Lake, J., Bennett, R., Nichols, J., Haebler, R., Grear, J., Kuhn, A., Copeland, J., Nicholson, M., Walters, S.,and Munns, W.R. An approach to predict risks to wildlife populations from mercury and other stressors. *Ecotoxicology* 2005; 14(1-2):283-93.
- (248) Nacci, D.E., Champlin, D., Coiro, L., McKinney, R.,and Jayaraman, S. Predicting the occurrence of genetic adaptation to dioxinlike compounds in populations of the estuarine fish *Fundulus heteroclitus*. *Environmental Toxicology and Chemistry* 2002; 21(7):1525-32.
- (249) Nacci, D.E., Kohan, M., Pelletier, M.,and George, E. Effects of benzo[a]pyrene exposure on a fish population resistant to the toxic effects of dioxin-like compounds. *Aquatic Toxicology* 2002; 57(4):203-15.

- (250) Nacci, D.E., Gleason, T.R.,and Munns, W.R. Evolutionary and ecological effects of multi-generational exposures to anthropogenic stressors. *Human and Ecological Risk Assessment* 2002; 8(1):91-7.
- (251) Nadeau, T.L., Leibowitz, S.G. Isolated wetlands: An introduction to the special issue. *Wetlands* 2003; 23(3):471-4.
- (252) Nalepa, T.F., Hartson, D.J., Buchanan, J., Cavaletto, J.F., Lang, G.A.,and Lozano, S.J. Spatial variation in density, mean size and physiological condition of the holarctic amphipod Diporeia spp. in Lake Michigan. *Freshwater Biology* 2000; 43(1):107-19.
- (253) Nates, S.F., McKenney, C.L. Growth, lipid class and fatty acid composition in juvenile mud crabs (*Rhithropanopeus harrisii*) following larval exposure to Fenoxy carb (R), insect juvenile hormone analog. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology* 2000; 127(3):317-25.
- (254) Nichols, J.W., Fitzsimmons, P.N., Whiteman, F.W., Kuehl, D.W., Butterworth, B.C.,and Jenson, C.T. Dietary uptake kinetics of 2,2 ',5,5 '-tetrachlorobiphenyl in rainbow trout. *Drug Metabolism and Disposition* 2001; 29(7):1013-22.
- (255) Nichols, J.W., Fitzsimmons, P.N., Whiteman, F.W., Dawson, T.D., Babeu, L.,and Juenemann, J. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish - I. Feeding studies with 2,2 ',5,5 '-tetrachlorobiphenyl. *Toxicological Sciences* 2004; 77(2):206-18.
- (256) Nichols, J.W., Fitzsimmons, P.N.,and Whiteman, F.W. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish - II. Simulation of chronic exposure scenarios. *Toxicological Sciences* 2004; 77(2):219-29.
- (257) O'Connor, T.P., Paul, J.F. Misfit between sediment toxicity and chemistry. *Marine Pollution Bulletin* 2000; 40(1):59-64.
- (258) Oetter, D.R., Cohen, W.B., Berterretche, M., Maiersperger, T.K.,and Kennedy, R.E. Land cover mapping in an agricultural setting using multiseasonal Thematic Mapper data. *Remote Sensing of Environment* 2001; 76(2):139-55.
- (259) Oliver, L.M., Fisher, W.S., Winstead, J.T., Hemmer, B.L.,and Long, E.R. Relationships between tissue contaminants and defense-related characteristics of oysters (*Crassostrea virginica*) from five Florida bays. *Aquatic Toxicology* 2001; 55(3-4):203-22.
- (260) Osemwengie, L.I., Steinberg, S. On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode. *Journal of Chromatography A* 2001; 932(1-2):107-18.
- (261) Osemwengie, L.I., Steinberg, S. Closed-loop stripping analysis of synthetic musk compounds from fish tissues with measurement by gas chromatography-mass spectrometry with selected-ion monitoring. *Journal of Chromatography A* 2003; 993(1-2):1-15.

- (262) Osemwengie, L.I., Gerstenberger, S.L. Levels of synthetic musk compounds in municipal wastewater for potential estimation of biota exposure in receiving waters. *Journal of Environmental Monitoring* 2004; 6(6):533-9.
- (263) Ozretich, R.J., Ferraro, S.P., Lamberson, J.O.,and Cole, F.A. Test of Sigma polycyclic aromatic hydrocarbon model at a creosote-contaminated site, Elliott Bay, Washington, USA. *Environmental Toxicology and Chemistry* 2000; 19(9):2378-89.
- (264) Palacios, K.C., Ferraro, S.P. Green crab (*Carcinus maenas linnaeus*) consumption rates on and prey preferences among four bivalve prey species. *Journal of Shellfish Research* 2003; 22(3):865-71.
- (265) Palen, W.J., Schindler, D.E., Adams, M.J., Pearl, C.A., Bury, R.B.,and Diamond, S.A. Optical characteristics of natural waters protect amphibians from UV-B in the US Pacific Northwest: reply. *Ecology* 2004; 85(6):1754-9.
- (266) Pan, Y.D., Stevenson, R.J., Hill, B.H.,and Herlihy, A.T. Ecoregions and benthic diatom assemblages in Mid-Atlantic Highlands streams, USA. *Journal of the North American Benthological Society* 2000; 19(3):518-40.
- (267) Parkhurst, D.F., Brenner, K.P., Dufour, A.P.,and Wymer, L.J. Indicator bacteria at five swimming beaches - analysis using random forests. *Water Research* 2005; 39(7):1354-60.
- (268) Parks, L.G., Lambright, C.S., Orlando, E.F., Guillette, L.J., Ankley, G.T.,and Gray, L.E. Masculinization of female mosquitofish in kraft mill effluent-contaminated Fenholloway River water is associated with androgen receptor agonist activity. *Toxicological Sciences* 2001; 62(2):257-67.
- (269) Patterson, D.B., Brumley, W.C., Kelliher, V.,and Ferguson, P.L. Application of US EPA methods to the analysis of pharmaceuticals and personal care products in the environment: Determination of clofibric acid in sewage effluent by GC-MS. *American Laboratory* 2002; 34(14):20-+.
- (270) Pechenik, J.A., Gleason, T., Daniels, D.,and Champlin, D. Influence of larval exposure to salinity and cadmium stress on juvenile performance of two marine invertebrates (*Capitella* sp I and *Crepidula fornicata*). *Journal of Experimental Marine Biology and Ecology* 2001; 264(1):101-14.
- (271) Pechenik, J.A., Berard, R., Daniels, D., Gleason, T.R.,and Champlin, D. Influence of lowered salinity and elevated cadmium on the survival and metamorphosis of trophophores in *Capitella* sp I. *Invertebrate Biology* 2001; 120(2):142-8.
- (272) Pelletier, M.C., Burgess, R.M., Cantwell, M.G., Serbst, J.R., Ho, K.T.,and Ryba, S.A. Importance of maternal transfer of the photoreactive polycyclic aromatic hydrocarbon fluoranthene from benthic adult bivalves to their pelagic larvae. *Environmental Toxicology and Chemistry* 2000; 19(11):2691-8.
- (273) Petty, J.D., Huckins, J.N., Alvarez, D.A., Brumbaugh, W.G., Cranor, W.L., Gale, R.W., Rastall, A.C., Jones-Lepp, T.L., Leiker, T.J., Rostad, C.E.,and Furlong, E.T. A holistic

- passive integrative sampling approach for assessing the presence and potential impacts of waterborne environmental contaminants. *Chemosphere* 2004; 54(6):695-705.
- (274) Phillips DL, Eldridge PM. Estimating the timing of diet shifts using stable isotopes. *Oecologia*. In press.
- (275) Pickford, D.B., Guillette, L.J., Crain, D.A., Rooney, A.A.,and Woodward, A.R. Plasma dihydrotestosterone concentrations and phallus size in juvenile American alligators (*A. mississippiensis*) from contaminated and reference populations. *Journal of Herpetology* 2000; 34(2):233-9.
- (276) Pillard, D.A., DuFresne, D.L., Caudle, D.D., Tietge, J.E.,and Evans, J.M. Predicting the toxicity of major ions in seawater to mysid shrimp (*Mysidopsis bahia*), sheepshead minnow (*Cyprinodon variegatus*), and inland silverside minnow (*Menidia beryllina*). *Environmental Toxicology and Chemistry* 2000; 19(1):183-91.
- (277) Pospelova, V., Chmura, G.L., Boothman, W.S.,and Latimer, J.S. Spatial distribution of modern dinoflagellate cysts in polluted estuarine sediments from Buzzards Bay (Massachusetts, USA) embayments. *Marine Ecology-Progress Series* 2005; 292:23-40.
- (278) Pruell, R.J., Taplin, B.K., McGovern, D.G., McKinney, R.,and Norton, S.B. Organic contaminant distributions in sediments, polychaetes (*Nereis virens*) and American lobster (*Homarus americanus*) from a laboratory food chain experiment. *Marine Environmental Research* 2000; 49(1):19-36.
- (279) Pruell, R.J., Taplin, B.K.,and Cicchelli, K. Stable isotope ratios in archived striped bass scales suggest changes in trophic structure. *Fisheries Management and Ecology* 2003; 10(5):329-36.
- (280) Rakocinski, C.F., Brown, S.S., Gaston, G.R., Heard, R.W., Walker, W.W.,and Summers, J.K. Species-abundance-biomass responses by estuarine macrobenthos to sediment chemical contamination. *Journal of Aquatic Ecosystem Stress and Recovery* 2000; 7(3):201-14.
- (281) Reddy, C.M., Heraty, L.J., Holt, B.D., Sturchio, N.C., Eglington, T.I., Drenzek, N.J., Xu, L., Lake, J.L.,and Maruya, K.A. Stable chlorine isotopic compositions of aroclors and aroclor-contaminated sediments. *Environmental Science & Technology* 2000; 34(13):2866-70.
- (282) Reddy, S., Iden, C.R.,and Brownawell, B.J. Analysis of steroid conjugates in sewage influent and effluent by liquid chromatography-tandem mass spectrometry. *Analytical Chemistry* 2005; 77(21):7032-8.
- (283) Reddy, S., Brownawell, B.J. Analysis of estrogens in sediment from a sewage-impacted urban estuary using high-performance liquid chromatography/time-of-flight mass spectrometry. *Environmental Toxicology and Chemistry* 2005; 24(5):1041-7.
- (284) Roark, S.A., Nacci, D., Coiro, L., Champlin, D.,and Guttman, S.I. Population genetic structure of a nonmigratory estuarine fish (*Fundulus heteroclitus*) across a strong gradient of polychlorinated biphenyl contamination. *Environmental Toxicology and Chemistry* 2005; 24(3):717-25.

- (285) Roark, S.A., Kelble, M.A., Nacci, D., Champlin, D., Coiro, L.,and Guttman, S.I. Population genetic structure and tolerance to dioxin-like compounds of a migratory marine fish (*Menidia menidia*) at polychlorinated biphenyl-contaminated and reference sites. *Environmental Toxicology and Chemistry* 2005; 24(3):726-32.
- (286) Robbins, B.D., Bell, S.S. Dynamics of a subtidal seagrass landscape: Seasonal and annual change in relation to water depth. *Ecology* 2000; 81(5):1193-205.
- (287) Robbins, B.D., Boese, B.L. Macroalgal volume: a surrogate for biomass in some green algae. *Botanica Marina* 2002; 45(6):586-8.
- (288) Rosal, C.G., Momplaisir, G.M.,and Heithmar, E.M. Roxarsone and transformation products in chicken manure: Determination by capillary electrophoresis-inductively coupled plasma-mass spectrometry. *Electrophoresis* 2005; 26(7-8):1606-14.
- (289) Russom, C.L. Mining environmental toxicology information: web resources. *Toxicology* 2002; 173(1-2):75-88.
- (290) Ryba, S.A., Burgess, R.M. Effects of sample preparation on the measurement of organic carbon, hydrogen, nitrogen, sulfur, and oxygen concentrations in marine sediments. *Chemosphere* 2002; 48(1):139-47.
- (291) Salata, G.G., Roelke, L.A.,and Cifuentes, L.A. A rapid and precise method for measuring stable carbon isotope ratios of dissolved inorganic carbon. *Marine Chemistry* 2000; 69(1-2):153-61.
- (292) Sandvik, S.L.H., Bilski, P., Pakulski, J.D., Chignell, C.F.,and Coffin, R.B. Photogeneration of singlet oxygen and free radicals in dissolved organic matter isolated from the Mississippi and Atchafalaya River plumes. *Marine Chemistry* 2000; 69(1-2):139-52.
- (293) Sappington, K., Fairbrother, A., Wentsel, R.,and Wood, W. Development of a framework for metals risk assessment. *Journal of Environmental Monitoring* 2003; 5(6):123N-32N.
- (294) Sappington, K.G. Development of aquatic life criteria for selenium: a regulatory perspective on critical issues and research needs. *Aquatic Toxicology* 2002; 57(1-2):101-13.
- (295) Sappington, L.C., Mayer, F.L., Dwyer, F.J., Buckler, D.R., Jones, J.R.,and Ellersieck, M.R. Contaminant sensitivity of threatened and endangered fishes compared to standard surrogate species. *Environmental Toxicology and Chemistry* 2001; 20(12):2869-76.
- (296) Sarakinos, H.C., Bermingham, N., White, P.A.,and Rasmussen, J.B. Correspondence between whole effluent toxicity and the presence of priority substances in complex industrial effluents. *Environmental Toxicology and Chemistry* 2000; 19(1):63-71.
- (297) Scharold, J.V., Lozano, S.J.,and Corry, T.D. Status of the amphipod *Diporeia* spp. in Lake Superior, 1994-2000. *Journal of Great Lakes Research* 2004; 30:360-8.

- (298) Schoor, W.P., Middaugh, D.P.,and Marcovich, D.T. Effects of aerially applied fenthion on survival and reproduction of the panacea sand fiddler, *Uca panacea*, in laboratory habitats. *Archives of Environmental Contamination and Toxicology* 2000; 38(3):327-33.
- (299) Schubauer-Berigan, M.K., Smith, M., Hopkins, J.,and Cormier, S.M. Using historical biological data to evaluate status and trends in the Big Darby Creek watershed (Ohio, USA). *Environmental Toxicology and Chemistry* 2000; 19(4):1097-105.
- (300) Schweiger, E.W., Leibowitz, S.G., Hyman, J.B., Foster, W.E.,and Downing, M.C. Synoptic assessment of wetland function: a planning tool for protection of wetland species biodiversity. *Biodiversity and Conservation* 2002; 11(3):379-406.
- (301) Scott, D.B., Tobin, R., Williamson, M., Medioli, F.S., Latimer, J.S., Boothman, W.A., Asioli, A.,and Haury, V. Pollution monitoring in two north American estuaries: Historical reconstructions using benthic foraminifera. *Journal of Foraminiferal Research* 2005; 35(1):65-82.
- (302) Serbst, J.R., Burgess, R.M., Kuhn, A., Edwards, P.A., Cantwell, M.G., Pelletier, M.C.,and Berry, W.J. Precision of dialysis (peeper) sampling of cadmium in marine sediment interstitial water. *Archives of Environmental Contamination and Toxicology* 2003; 45(3):297-305.
- (303) Sierszen, M.E., McDonald, M.E.,and Jensen, D.A. Benthos as the basis for arctic lake food webs. *Aquatic Ecology* 2003; 37(4):437-45.
- (304) Sierszen, M.E., Morrice, J.A., Moffett, M.F.,and West, C.W. Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *Journal of Great Lakes Research* 2004; 30(1):31-43.
- (305) Sigleo, A.C., Mordy, C.W., Stabeno, P.,and Frick, W.E. Nitrate variability along the Oregon coast: Estuarine-coastal exchange. *Estuarine Coastal and Shelf Science* 2005; 64(2-3):211-22.
- (306) Smith, A.C., Kostka, J.E., Devereux, R.,and Yates, D.F. Seasonal composition and activity of sulfate-reducing prokaryotic communities in seagrass bed sediments. *Aquatic Microbial Ecology* 2004; 37(2):183-95.
- (307) Stahl, R.G., Orme-Zavaleta, J., Austin, K., Berry, W., Clark, J.R., Cormier, S., Fisher, W., Garber, J., Hoke, R., Jackson, L., Kreamer, G.L., Muska, C.,and Sierszen, M.E. Ecological indicators in risk assessment: Workshop summary. *Human and Ecological Risk Assessment* 2000; 6(4):671-7.
- (308) Steevens, J.A., Benson, W.H. Interactions of chlorpyrifos and methyl mercury: a mechanistic approach to assess chemical mixtures. *Marine Environmental Research* 2000; 50(1-5):113-7.
- (309) Steevens, J.A., Summers, J.K.,and Benson, W.H. Assessing stressors in coastal ecosystems: An approach to the patient. *Human and Ecological Risk Assessment* 2001; 7(5):1447-55.

- (310) Steevens, J.A., Benson, W.H. Toxicokinetic interactions and survival of *Hyalella azteca* exposed to binary mixtures of chlorpyrifos, dieldrin, and methyl mercury. *Aquatic Toxicology* 2001; 51(4):377-88.
- (311) Swackhamer DL, Paerl HW, Eisenreich SJ, Hurley J, Hornbuckle KC, McLachlan M, Mount D, Muir D, Schindler D. Impacts of Atmospheric Pollutants on Aquatic Ecosystems. *Issues in Ecology* [12], 1-24. 2005. Washington, DC, Ecological Society of America.
- (312) Tanner, D.K., Brazner, J.C.,and Brady, V.J. Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland. *Canadian Journal of Fisheries and Aquatic Sciences* 2000; 57(6):1243-51.
- (313) Tanner, D.K., Brazner, J.C., Brady, V.J.,and Regal, R.R. Habitat associations of larval fish in a lake superior coastal wetland. *Journal of Great Lakes Research* 2004; 30(3):349-59.
- (314) Thompson, S., Tilton, F., Schlenk, D.,and Benson, W.H. Comparative vitellogenic responses in three teleost species: extrapolation to in situ field studies. *Marine Environmental Research* 2000; 50(1-5):185-9.
- (315) Thurman, E.M., Ferrer, I., Benotti, M.,and Heine, C.E. Intramolecular isobaric fragmentation: A curiosity of accurate mass analysis of sulfadimethoxine in pond water. *Analytical Chemistry* 2004; 76(5):1228-35.
- (316) Thursby, G.B., Stern, E.A., Scott, K.J.,and Heltshe, J. Survey of toxicity in ambient waters of the Hudson/Raritan Estuary, USA: Importance of small-scale variations. *Environmental Toxicology and Chemistry* 2000; 19(11):2678-82.
- (317) Thursby, G.B., Chintala, M.M., Stetson, D., Wigand, C.,and Champlin, D.M. A rapid, non-destructive method for estimating aboveground biomass of salt marsh grasses. *Wetlands* 2002; 22(3):626-30.
- (318) Thursby, G.B., Abdelrhman, M.A. Growth of the marsh elder *Iva frutescens* in relation to duration of tidal flooding. *Estuaries* 2004; 27(2):217-24.
- (319) Trebitz, A.S., Morrice, J.A.,and Cotter, A.M. Relative role of lake and tributary in hydrology of Lake Superior coastal wetlands. *Journal of Great Lakes Research* 2002; 28(2):212-27.
- (320) Trebitz, A.S., Hill, B.H.,and McCormick, F.H. Sensitivity of indices of biotic integrity to simulated fish assemblage changes. *Environmental Management* 2003; 32(4):499-515.
- (321) Trebitz, A.S., Morrice, J.A., Taylor, D.L., Anderson, R.L., West, C.W.,and Kelly, J.R. Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands* 2005; 25(3):505-19.
- (322) Trebitz AS. Characterizing patterns of seiche and tide-driven daily water level fluctuations in the Great lakes. *Journal of Great Lakes Research*. In press.

- (323) Trebitz AS, Brazner JC, Brady VJ, Axler R, Tanner DK. Turbidity tolerances of Great Lakes wetland fishes. *North American Journal of Fisheries Management*. In press.
- (324) Valett, H.M., Baker, M.A., Morrice, J.A., Crawford, C.S., Molles, M.C., Dahm, C.N., Moyer, D.L., Thibault, J.R., and Ellis, L.M. Biogeochemical and metabolic responses to the flood pulse in a semiarid floodplain. *Ecology* 2005; 86(1):220-34.
- (325) Van Dolah, F.M., Roelke, D., and Greene, R.M. Health and ecological impacts of harmful algal blooms: Risk assessment needs. *Human and Ecological Risk Assessment* 2001; 7(5):1329-45.
- (326) Van Hoewyk, D., Wigand, C., and Groffman, P.M. Endomycorrhizal colonization of *Dasiphora floribunda*, a native plant species of calcareous wetlands in eastern New York State, USA. *Wetlands* 2001; 21(3):431-6.
- (327) Vogelbein, W.K., Lovko, V.J., Shields, J.D., Reece, K.S., Mason, P.L., Haas, L.W., and Walker, C.C. *Pfiesteria shumwayae* kills fish by micropredation not exotoxin secretion. *Nature* 2002; 418(6901):967-70.
- (328) Wade TJ, Calderon RL, Sams E, Beach M, Brenner KP, Williams AH, Dufour AP. Rapidly measured indicators of recreational water quality are predictive of swimming-associated gastrointestinal illness. *Environmental Health Perspectives*. In press.
- (329) Waite, I.R., Herlihy, A.T., Larsen, D.P., and Klemm, D.J. Comparing strengths of geographic and nongeographic classifications of stream benthic macroinvertebrates in the Mid-Atlantic Highlands, USA. *Journal of the North American Benthological Society* 2000; 19(3):429-41.
- (330) Walker, H.A., Latimer, J.S., and Dettmann, E.H. Assessing the effects of natural and anthropogenic stressors in the Potomac Estuary: Implications for long-term monitoring. *Environmental Monitoring and Assessment* 2000; 63(1):237-51.
- (331) Wershaw, R.L., Rutherford, D.W., Rostad, C.E., Garbarino, J.R., Ferrer, I., Kennedy, K.R., Momplaisir, G.M., and Grange, A. Mass spectrometric identification of an azobenzene derivative produced by smectite-catalyzed conversion of 3-amino-4-hydroxyphenylarsonic acid. *Talanta* 2003; 59(6):1219-26.
- (332) Wigand, C., Wehr, J., Limburg, K., Gorham, B., Longergan, S., and Findlay, S. Effect of *Vallisneria americana* (L.) on community structure and ecosystem function in lake mesocosms. *Hydrobiologia* 2000; 418:137-46.
- (333) Wigand, C., Comeleo, R., McKinney, R., Thursby, G., Chintala, M., and Charpentier, M. Outline of a new approach to evaluate ecological integrity of salt marshes. *Human and Ecological Risk Assessment* 2001; 7(5):1541-54.
- (334) Wigand, C., Finn, M., Findlay, S., and Fischer, D. Submersed macrophyte effects on nutrient exchanges in riverine sediments. *Estuaries* 2001; 24(3):398-406.
- (335) Wigand, C., McKinney, R.A., Charpentier, M.A., Chintala, M.M., and Thursby, G.B. Relationships of nitrogen loadings, residential development, and physical characteristics with plant structure in new England salt marshes. *Estuaries* 2003; 26(6):1494-504.

- (336) Wigand, C., Thursby, G.B., McKinney, R.A., and Santos, A.F. Response of *Spartina patens* to dissolved inorganic nutrient additions in the field. *Journal of Coastal Research* 2004;134-49.
- (337) Wigand, C., McKinney, R.A., Chintala, M.M., Charpentier, M.A., and Groffman, P.M. Denitrification enzyme activity of fringe salt marshes in New England (USA). *Journal of Environmental Quality* 2004; 33(3):1144-51.
- (338) Wymer, L.J., Dufour, A.P. A model for estimating the incidence of swimming-related gastrointestinal illness as a function of water quality indicators. *Environmetrics* 2002; 13(5-6):669-78.
- (339) Wymer, L.J., Dufour, A.P., Calderon, R.L., Wade, T.J., and Beach, M. Comment on "Derivation of numerical values for the World Health Organization guidelines for recreational waters". *Water Research* 2005; 39(12):2774-7.
- (340) Yan, Q., Ma, D., Gui, H., Hansen, D.J., and Berry, W.J. Testing acute toxicity of contaminated sediment in JinZhou Bay with marine amphipods. *Oceanologia et Limnologia Sinica* 2000; 30(6):629-33.
- (341) Young, D.R., Ozretich, R.J., Lee, H.Jr., Echols, S., and Frazier, J. Persistence of DDT residues and dieldrin off a pesticide processing plant in San Francisco Bay, California. *ACS Symposium Series* 2001; 772:204-17.
- (342) Zaroogian, G., Jackim, E. In vivo metallothionein and glutathione status in an acute response to cadmium in *Mercenaria mercenaria* brown cells. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology* 2000; 127(3):251-61.

## **Long Term Goal 1** **Books and Book Chapters**

- (1) Adams, W.J., Burgess, R.M., Gold-Bouchot, G., Leblanc, L., Liber, K. Williamson, B. 2003. Porewater chemistry: effects of sampling, storage, handling, and toxicity testing. In: Carr, R.S. and Nipper, M. eds. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations. Chapter 5. SETAC Press, Pensacola, FL. 95-123
- (2) Anderson, J.L., Hilborn, R.W., Lackey, R.T. Ludwig, D. 2003. Watershed restoration: adaptive decision making in the face of uncertainty. In: Bisson, R.C. and Wissmar, P.A. eds. Strategies for Restoring River Ecosystems: Sources of Variability and Uncertainty in Natural and Managed Systems. American Fisheries Society, Bethesda, MD. 203-232
- (3) Ankley, G.T., Burkhard, L.P., Cook, P.M., Diamond, S.A., Erickson, R.J. Mount, D.R. 2003. Assessing risks from photoactivated toxicity of PAHs to aquatic organisms. In: Douben, P.E.T. ed. PAHs: An Ecotoxicological Perspective. Chapter 15. John Wiley & Sons, West Sussex, UK. 275-296
- (4) Baird, D.J., Brock, T.C., DeRuiter, P.C., Boxall, B.A., Culp.J.M., Eldridge, P.M., Hommen, U., Jak, R.G., Kidd, K.A. De Witt, T.H. 2001. The food web approach in the environmental management of toxic substances. In: Baird, D.J. and Burton, G.A.Jr. eds. Ecological Variability: Separating Natural from Anthropogenic Causes of Ecosystem Impairment. SETAC Press, Pensacola, FL. 83-122
- (5) Beliveau, A.F., Pruell, R.J. Taplin, B.K. 2003. Discovery of dioxin contamination in the Woonasquatucket River. A preliminary study of the Centerdale Manor Restoration Project Superfund Site, North Providence, Rhode Island, USA. Dioxin 2003: Proceedings of the 23<sup>rd</sup> International Symposium on Halogenated Organic and Persistent Organic Pollutants. 383-386
- (6) Benotti, M.J., Ferguson, P.L., Rieger, R.A., Iden, C.R., Heine, C.E. Brownawell, B.J. 2003. HPLC TOF-MS: an Alternative to LC/MS/MS for sensitive and selective determination of polar organic contaminants in the aquatic environment. In: Ferrer, I. and Thurman, E.M. eds. Liquid Chromatography/Mass Spectrometry, MS/MS and Time-of-Flight: Analysis of Emerging Contaminants. Chapter 7. American Chemical Society, Washington, DC. 109-127. ACS Symposium Series 850.
- (7) Benson, W.H., Allen, H.E., Connolly, J.P., Delos, C.Jr., Hall, L., Luoma, S.N., Maschwitz, D., Meyer, J., Nichols, J.W. Stubblefield, W.A. 2003. Exposure analysis. In: Reiley, M.C., Stubblefield, W.A., Adams, W.J., DiToro, D.M., Erickson, R.J., Hodson, P.V. and Keating, F.J.Jr. eds. Reevaluation of the State of the Science for Water-Quality Criteria Development. Chapter 2. SETAC Press, Pensacola, FL.
- (8) Brazner, J.C., Sierszen, M.E., Keough, J.R. Tanner, D.K. 2001. Assessing the ecological importance of coastal wetlands in a large lake context. In: Williams, W.D. ed. SIL 27th Congress in Dublin 1998: International Association of Theoretical and Applied Limnology Proceedings. Volume 27, Part 4. 1950-1961
- (9) Burgess, R.M., Ahrens, M.J. Hickey, C.W. 2003. Geochemistry of PAHs in aquatic environments: source, persistence and distribution. In: Douben, P.E.T. ed. PAHs: An Ecotoxicological Perspective. Chapter 3. John Wiley & Sons, West Sussex, UK. 35-45

- (10) Burgess, R.M., Ahrens, M.J., Hickey, C.W., den Besten, P.J., ten Hulscher, D., van Hattum, B., Meador, J.P. Douben, P.E.T. 2003. An overview of the partitioning and bioavailability of PAHs in sediments and soils. In: Douben, P.E.T. ed. PAHs: An Ecotoxicological Perspective. Chapter 7. John Wiley & Sons, West Sussex, UK. 99-126
- (11) Burton, G.A.Jr., Denton, D.L., Ho, K. Ireland, D.S. 2002. Sediment toxicity testing: issues and methods. In: Hoffman, D.J., Rattner, B.A., Burton, G.A.Jr. and Cairns, J. eds. Handbook of Ecotoxicology, 2nd edition. Chapter 5. Lewis Publishers, Boca Raton, FL. 111-150
- (12) Cablk, M.E., White, D. Kiester, A.R. 2002. Assessment of spatial autocorrelation in empirical models in ecology. In: Scott, J.M., Heglund, P.J. and Morrison, M.L. eds. Predicting Species Occurrences: Issues of Accuracy and Scale. Island Press, Washington, DC. 429-440.
- (13) Cardoza, L.A., Williams, T.D., Drake, B. Larive, C.K. 2003. LC/MS/MS and LC/NMR for the structure elucidation of ciprofloxacin transformation products in pond water solution. In: Ferrer, I. and Thurman, E.M. eds. Liquid Chromatography/Mass Spectrometry, MS/MS and Time-of-Flight: Analysis of Emerging Contaminants. Chapter 9. American Chemical Society, Washington, DC. ACS Symposium Series 850.
- (14) Chapman, P.F., Brassfield, S.M., Carlsen, T.M., Elmegaard, N., Lnadis, W.G., Moe, S.J., Nacci, D.E., Spromberg, J.A. Noel, H. 2005. Empirical approaches to population level ecological risk assessment and its relationship to mathematical modeling. In: Population-level ecological risk assessment. In: Barnhouse, L., Munns, W.R.Jr. and Sorensen, M. eds. Population-level ecological risk assessment. SETAC Press, Pensacola, FL. In press.
- (15) Chapman, P.M., Birge, W.J., Burgess, R.M., Clements, W.H., Douglas, W.S., Harrass, M.C., Hogstrand, C., Reible, D.D. Ringwood, A.H. 2005. Role of sediment quality guidelines and other tools in different aquatic habitats. In: Wenning, R.J., Batley, G.E., Ingersoll, C.G. and Moore, D.W. eds. Use of Sediment Quality Guidelines and Related Tools for the Assessment of Contaminated Sediments. SETAC Press, Pensacola, FL. 267-309
- (16) Chotiros, N. and De Witt, T.H. 2000. Acoustic sediment properties and the abundance of burrowing shrimp in marine sediments from reflection measurements. Proceedings of the 5<sup>th</sup> European Conference on Underwater Acoustics. Lyon, France.
- (17) Cichetti, G. and Diaz, R.J. 2000. Types of salt marsh edge and export of trophic energy from marshes to deeper habitats. In: Weinstein, M.P. and Kreeger, D.A. eds. Concepts and Controversies in Tidal Marsh Ecology. Kluwer Academic Publications, New York, NY. 515-541
- (18) Cifuentes, L.A., Eldridge, P.M., Kaldy, J.E. Maffione, R. 2003. Water column data and spectral irradiance model. In: Dunton, K.H., Burd, A., Cifuentes, L.A., Eldridge, P.M. and Morse, J.W. eds. Effects of Dredge Deposits on Seagrasses: an Integrative Model for Laguna Madre. Part IV. Chapter 6. U.S. Army Corps of Engineers, Galveston District, Galveston, TX. 1-54
- (19) Clinton, P.J., Young, D.R., Robbins, B.D. Specht, D.T. 2000. Issues in digital image processing of aerial photography for mapping submersed aquatic vegetation. Sixth

- International Conference on Remote Sensing for Marine and Coastal Environments. Charleston, SC, May 1-3, 2000. Veridian ERIM International, Ann Arbor, MI. Volume 2:292-297.
- (20) De Witt, T.H., D'Andrea, A.F., Brown, C.R., Griffen, B.D. Eldridge, P.M. 2004. Impact of burrowing shrimp populations on nitrogen cycling and water quality in western North American temperate estuaries. In: Tamaki, A. ed. Ecology of Large Bioturbators in Tidal Flats and Shallow Sublittoral Sediments--from Individual Behavior to Their Role as Ecosystem Engineers: Proceedings of the International Symposium. Nagasaki University, Nagasaki, Japan, November 1-2, 2003. 107-118
- (21) Detenbeck, N.E., Moffett, M.F., Pearson, M.S., Simon, T.P. Albert, D. 2005. Flow- and nutrient-based classification of Lake Michigan coastal riverine wetlands of the Laurentian Great Lakes. In: Simon, T.P., Stewart, P.M., Munawar, M. and Edsall, T.A. eds. Coastal Wetlands of the Laurentian Great Lakes: Health, Habitat, and Indicators. CRC Press, Boca Raton, FL. In press.
- (22) Dettmann, E.H. and Mason, L.B. 2004. Relationships between total nitrogen and planktonic chlorophyll in Long Island Sound. In: van Patten, M. ed. 6th Biennial Long Island Sound Research Conference Proceedings. Connecticut Sea Grant, Groton, CT. 23-28
- (23) Dettmann, E.H., Mason, L.B., Latimer, J.S., Cichetti, G., Keith, D., Coiro, L., McKinney, R.A., Rego, S., Abdelrhman, M.A., Bergen, B., Nelson, W., Santos, A., Charpentier, M. Hinchey, E.K. 2005. Load-response relationships for nitrogen and chlorophyll  $\alpha$  in coastal embayments. Proceedings of the Third International Nitrogen Conference, Oct. 12-16, 2004, Nanjing, China. Contribution No. AED-04-137. China Science Press, Chinese Academy of Sciences, Beijing, China. In press.
- (24) Devereux, R. 2005. Seagrass rhizosphere microbial communities. In: Kristensen, E., Haese, R.R. and Kostka, J.E. eds. Interactions Between Macro- and Microorganisms in Marine Sediments. Chapter 10. American Geophysical Union, Washington, DC. 40 pp.
- (25) Diamond, S.A. 2003. Photoactivated toxicity in aquatic environments. In: Hebling, E.W. and Zagarese, H. eds. UV Effects in Aquatic Organisms and Ecosystems. Chapter 7. RSC Publishing, Cambridge, UK.
- (26) Doe, K.G., Burton, G.A.Jr. Ho, K.T. 2003. Porewater toxicity testing: an overview. In: Carr, R.S. and Nipper, M. eds. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations. Chapter 6. SETAC Press, Pensacola, FL. 125-141
- (27) Eldridge, P.M. and Cifuentes, L.A. 2000. A stable isotope model approach to estimating the contribution of organic matter from marshes to estuaries. In: Weinstein, M.P. and Kreeger, D.A. eds. Concepts and Controversies in Tidal Marsh Ecology. Kluwer Academic Publishers, New York, NY. 495-513
- (28) Eldridge, P.M. and Kaldy, J.E. 2003. Carbon and nitrogen allocation model for the seagrass *Thalassia testudinum* in lower Laguna Madre. In: Dunton, K.H., Burd, A., Cifuentes, L.A., Eldridge, P.M. and Morse, J.W. eds. Effects of Dredge Deposits on Seagrasses: an Integrative Model for Laguna Madre. Part II, Chapter 2. U.S. Army Corps of Engineers, Galveston District, Galveston, TX. 1-26

- (29) Eldridge, P.M. and Morse, J.W. 2003. Sediment geochemical model. In: Dunton, K.H., Burd, A., Cifuentes, L.A., Eldridge, P.M. and Morse, J.W. eds. Effects of Dredge Deposits on Seagrasses: an Integrative Model for Laguna Madre. Part II, Chapter 3. U.S. Army Corps of Engineers, Galveston District, Galveston, TX. 1-32
- (30) Engler, R.M., Long, E.R., Swartz, R.C., DiToro, D.M., Ingersoll, C.G., Burgess, R.M., Gries, T., Berry, W.J., Burton, G.A., O'Connor, T., Chapman, P.M., Field, L.J. Porebski, L.M. 2005. Chronology of the development of sediment quality assessment methods in North America. In: Wenning, R.J., Batley, G.E., Ingersoll, C.G. and Moore, D.W. eds. Use of Sediment Quality Guidelines and Related Tools for the Assessment of Contaminated Sediments. SETAC Press, Pensacola, FL. 311-343
- (31) Erickson, R.J., Stephan, C.E. Comment on: Newman et al. 2000: Applying species-sensitivity distributions in ecological risk assessment: assumptions of distribution type and sufficient numbers of species. *SETAC Globe* 2001; 2(3).
- (32) Erickson, R.J., Nichols, J.W., Cook, P.M. Ankley, G.T. 2005. Bioavailability of chemical contaminants in aquatic systems. In: Di Giulio, R.T. and Hinton, D.E. eds. The Toxicology of Fishes. Taylor & Francis Books, Ltd., New York, NY.
- (33) Fernald, A.G., Landers, D.H. Wigington, P.J. 2000. Water quality effects of hyporheic processing in a large river. In: Beschta, P.J. and Wigington, R.L. eds. AWRA Proceedings: International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. Portland, OR. Aug. 28-31, 2000. American Water Resources Association, Middleburg, VA. 167-172
- (34) French, J.B.Jr., Bradbury, S.P., Kreuger, H., McGee, E. Sample, B.E. 2000. Group A discussions of endpoint selection, study design, and extrapolation. In: Albers, P.H., Heinz, G.H. and Ohlendorf, H.M. eds. Environmental Contaminants in Terrestrial Vertebrates: Effects on Populations, Communities, and Ecosystems. Chapter 8. SETAC Press, Pensacola, FL. 189-202
- (35) Frick, W.E., Sigleo, A.C. Specht, D.T. 2004. Estimating nitrogen and tidal exchange in a North Pacific estuary with EPA's visual plumes. MWWD 2004: 3rd International Conference on Marine Wastewater Discharges and the Marine Environment. Catania, Italy. Sept. 27-Oct. 2, 2004.
- (36) Glass GE, Sorensen JA, Rapp RJ. Methylmercury bioaccumulation dependence on northern pike age and size in twenty Minnesota lakes. *American Chemical Society Symposium Series* 772, 150-163. 2001.
- (37) Goodfellow, W.L., Brils, J., Burgess, R.M., Doi, J., Downey, P.J., Mathews, D.L., Norberg-King, T.J. Phillips, B.M. 2005. Wastewater toxicity identification evaluations. In: Norberg-King, T.J., Ausley, L.W., Burton, D.T., Goodfellow, W.L., Miller, J.L. and Waller, W.T. eds. Toxicity Reduction and Toxicity Identification Evaluations for Effluents, Ambient Waters, and Other Aqueous Media. SETAC Press, Pensacola, FL. 59-92
- (38) Grear, J., Nacci, D., Kuhn, A., Copeland, J., and Walters, W. 2005. Methods for developing water quality criteria based on population-level risks of multiple stressors to

- aquatic life and aquatic-dependent wildlife: population modeling and analysis. Report to U.S. EPA Office of Water (APM 567)
- (39) Green, A., Chapman, P.F., Allen, H.E., Caldwell, R., De Schamphelaere, K., Delbecke, K., Mount, D.R. Stubblefield, B. 2005. Toxicity for hazard identification of metals and inorganic substances. Proceedings of the SETAC Pellston Workshop on the Hazard Classification of Metals and Metal Substances. SETAC Press, Pensacola, FL. In press.
- (40) Griffen, B.D., De Witt, T.H. Langdon, C. 2004. Particle removal rates by the mud shrimp *Upogebia pugettensis*, its burrow, and a commensal clam: effects on estuarine phytoplankton abundance. Marine Ecology Progress Series 269:223-236
- (41) Haebler, R.A. 2005. Marine mammal diseases: pathogens and processes. In: Majumdar, S.K., Huffman, J.E., Brenner, F.J. and Panah, A.I. eds. Wildlife Diseases: Landscape Epidemiology, Spatial Distribution and Utilization of Remote Sensing Technology. Chapter 23. Philadelphia Academy of Science, Philadelphia, PA. 330-344
- (42) Hill, B.H. and McCormick, F.H. 2004. Nutrient uptake and community metabolism in streams draining harvested and old-growth watersheds: a preliminary assessment. URL: [http://www.srs.fs.usda.gov/pubs/gtr/gtr\\_srs074/gtr\\_srs074-hill001.pdf](http://www.srs.fs.usda.gov/pubs/gtr/gtr_srs074/gtr_srs074-hill001.pdf). In: Guldin, J.M. ed. Ouachita and Ozark Mountains Symposium: Ecosystem Management Research. Gen. Tech. Rep. SRS-74. U.S.D.A., Forest Service, Southern Research Station, Asheville, SC. 214-220
- (43) Hill, B.H. and Blair, R. 2005. Monitoring the condition of our nation's streams and rivers: From the mountains to the coasts -- Introduction. EMAP Symposium 2002: The Condition of Our Nation's Inland Waters: From the Streams to the Great Rivers, Kansas City, MO. May 5-7, 2002.
- (44) Hill, K., White, D., Maupin, M., Ryder, B., Karr, J.R., Freemark, K., Taylor, R. Schauman, S. 2002. In expectation of relationships: centering theories around ecological understanding. In: Johnson, B. and Hill, K. eds. Ecology and Design: Frameworks for Learning. Island Press, Washington, DC. 271-303
- (45) Ho, K.T. and Burgess, R.M. 2005. Unsuccessful toxicity identification and evaluation manipulations: seawater buffers and sterilization methods. In: Norberg-King, T.J., Ausley, L.W., Burton, D.T., Goodfellow, W.L., Miller, J.L. and Waller, W.T. eds. Toxicity Reduction and Toxicity Identification Evaluations for Effluents, Ambient Waters, and Other Aqueous Media. SETAC Press, Pensacola, FL. 312-318
- (46) Ho, K.T. and Burgess, R.M. 2005. Marine sediment toxicity identification evaluations (TIEs): history, principles, methods, and future research. In: Kassim, T.A. ed. Handbook of Environmental Chemistry and Contaminated Sediments: Characterization, Chemodynamics, Assessment and Remediation. In review. Springer, Heidelberg, Germany.
- (47) Hornung, M.W., Flynn, K.M., Johnson, R.D., Cook, P.M. Nichols, J.W. 2004. Use of multiphoton laser scanning microscopy to image benzo[a]pyrene and metabolites in fish eggs. In: Periasamy, A. and So, P.T. eds. Multiphoton Microscopy in the Biomedical Sciences IV.400-407. Proceedings of SPIE Vol. 5323.

- (48) Hulse, D., Gregory, S. Baker, J. 2005. Willamette River Basin Atlas: Trajectories of Environmental and Ecological Change. Oregon University Press, Corvalis, OR. 192 pp.
- (49) Johnston, R.K., Munns, W.R.Jr. Nacci, D.E. 2001. A probabilistic analysis to determine ecological risk drivers. In: Greenberg, B.M., Hull, R.N., Roberts, M.H.Jr. and Gensemer, R.W. eds. Environmental Toxicology and Risk Assessment: Science, Policy, and Standardization - Implications for Environmental Decisions: Tenth Volume, ASTM STP 1403. ASTM International, West Conshohocken, PA. 68-82
- (50) Kaldy, J.E., Eldridge, P.M. Andersen, C.P. 2004. Using stable isotopes and mechanistic models to examine carbon resource partitioning in *Thalassia testudinum* and *Zostera marina*. (Abstract). In: Calladine, A. and Waycott, M. eds. Proceedings of Seagrass 2004 and the International Seagrass Biology Workshop (ISBW6), Sept. 24-Oct.1 2004. James Cook University, Townsville, Queensland, Australia.
- (51) Kelly, J.R. 2001. Nitrogen effects on coastal marine ecosystems. In: Follett, R.F. and Hatfield, J.L. eds. Nitrogen in the Environment: Sources, Problems and Management. Chapter 9. Elsevier Publishers, The Netherlands.
- (52) Kerfoot, W.C., Harting, S.L., Rossman, R. Robbins, J.A. 2000. Mercury in metal ore deposits: an unrecognized, widespread source to Lake Superior sediments. In: Nriagu, J. ed. 11th International Conference on Heavy Metals in the Environment, August 6-10, 2000, Contribution #1072. University of Michigan, School of Public Health, (CD-ROM), Ann Arbor, MI.
- (53) Klaine, S.J., Lewis, M.A. Knuteson, S.L. 2002. Phytotoxicity. In: Hoffman, D.J., Rattner, B.A., Burton, G.A.Jr. and Cairns, J. eds. Handbook of Ecotoxicology, 2nd edition. Chapter 7. Lewis Publishers, Boca Raton, FL. 191-218
- (54) Kreis, R.G., Haffner, G. Tomczak, M. 2002. Contaminants in water and sediments. In: Read, J., Hartig, J.H. and Murray, P. eds. State of the Strait: Status and Trends of the Detroit River Ecosystem: Proceedings, State of the Strait Conference, March 27, 2001. University of Windsor, Windsor, Ontario. Great Lakes Institute for Environmental Research, Occasional Publication ; No. 3.; 20-22.
- (55) Kuhn, A., Copeland, J., Gear, J., Walters, S., Nicholson, M. Nacci, D. 2005. Report on habitat suitability indices to support population models for projecting relative risk of multiple stressors including toxic chemicals and habitat alteration to common loons. Report to U.S. EPA Office of Water (APM 558).
- (56) Lackey, R.T. 2001. Policy conundrum: restoring wild salmon to the Pacific Northwest. In: Johnston, R.S. ed. International Institute of Fisheries Economics and Trade (IIFET), Corvalis, OR.
- (57) Lackey, R.T. 2001. Restoring wild salmon to the Pacific Northwest: chasing an illusion? In: Koss, P.A. and Katz, M.B. eds. What We Don't Know About Pacific Northwest Fish Runs: An Inquiry into Decision Making Under Uncertainty: Proceedings of the Portland State University Salmon Symposium, July 7-8, 2000. 91-145
- (58) Lackey, R.T. 2003. Overview: Setting goals and objectives in managing for healthy ecosystems. In: Rapport, D.J., Lasley, B.L., Rolston, D.E., Nielsen, N.O., Qualset, C.O.

- and Damania, A.B. eds. Managing for Healthy Ecosystems. Lewis Publishers, Boca Raton, FL. 165-166
- (59) Lackey, R.T. 2003. Nutrient addition to restore salmon runs: considerations for developing environmental protection policies and regulations. In: Stockner, J. ed. Nutrients in Salmonid Ecosystems: Sustaining Production and Biodiversity. American Fisheries Society, Bethesda, MD.
- (60) Lackey, R.T. 2005. Fisheries: history, science, and management. In: Lehr, J.H. and Keeley, J. eds. Water Encyclopedia: Surface and Agricultural Water. Book chapter. Wiley and Sons, Inc., New York, NY.
- (61) Lander, D.H. 2001. Willamette River main corridor restoration - what is important to salmon? In: Mundy, P. ed. Oregon Salmon: Essays on the State of the Fish at the Turn of the Millennium. Oregon Trout, Portland, OR. 96-101
- (62) Latimer, J.S. and Zheng, J. 2003. The sources, transport, and fate of PAHs in the marine environment. In: Douben, P.E.T. ed. PAHs: An Ecotoxicological Perspective. Chapter 2. John Wiley & Sons, West Sussex, UK. 11-33
- (63) Lewis, M.A. 2004. Sediment habitat assessment for targeted near-coastal areas. In: Bortone, S.A. ed. Estuarine Indicators. Chapter 7. CRC Press, Boca Raton, FL. 79-98
- (64) Luoma, S.N., Clements, W., De Witt, T.H., Gerritsen, J., Jepson, P., Hatch, A., Reynoldson, T. Thom, R. 2005. Characterizing environmental variability for environmental assessment and management of natural resources. In: Baird, D.J. and Burton, G.A.Jr. eds. Ecological Variability: Separating Natural from Anthropogenic Causes of Ecosystem Impairment. SETAC Press, Pensacola, FL. 141-178
- (65) Mayer, F.L., Ellersieck, M.R., Krause, G.F., Sun, K., Lee, G. Buckler, D.R. 2001. Time-concentration-effect models in predicting chronic toxicity from acute toxicity data. In: Crane, M., Newman, M.C., Chapman, P.F. and Fenlon, J.S. eds. Risk Assessment with Time to Event Models. Lewis Publishers, Boca Raton, FL. 39-67
- (66) McAllister, L.S., Dwire, K.A. Griffith, S.M. 2000. Vegetation characterization of three contrasting riparian sites, Willamette Valley, OR. In: Beschta, P.J. and Wigington, R.L. eds. AWRA Proceedings: International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. Portland, OR. Aug. 28-31, 2000. American Water Resources Association, Middleburg, VA.
- (67) McKim, J.M. and Lien, G.J. 2001. Toxic responses of the skin. In: Schlenk, D. and Benson, W.H. eds. Target Organ Toxicity in Marine and Freshwater Teleosts, Volume 1 - - Organs. Chapter 3. Taylor & Francis, New York, NY.
- (68) Moser, T.J., Lindeman, D.R., Wigington, P.J., Schuff, M.J. Van Sickle, J. 2000. Methods for multi-spatial scale characterization of riparian corridors. In: Beschta, P.J. and Wigington, R.L. eds. AWRA Proceedings: International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. Portland, OR. Aug. 28-31, 2000. American Water Resources Association, Middleburg, VA. 511-516

- (69) Mount, D.R., Ingersoll, C.G. McGrath, J.A. 2003. Approaches to developing sediment quality guidelines for PAHs. In: Douben, P.E.T. ed. PAHs: An Ecotoxicological Perspective. Chapter 17. John Wiley & Sons, West Sussex, UK. 331-356
- (70) Mount, D.R., Ankley, G.T., Brix, K.V., Clements, W.H., Dixon, D.G., Fairbrother, A., Hickey, C.W., Lanno, R.P., Lee, C.N., Munns, W.R.Jr., Ringer, R.K., Stavely, J.P., Wood, C.N.M., Erickson, R.J. Hodson, P.V. 2003. Effects assessment. In: Reiley, M.C., Stubblefield, W.A., Adams, W.J., DiToro, D.M., Erickson, R.J., Hodson, P.V. and Keating, F.J.Jr. eds. Reevaluation of the State of the Science for Water Quality Criteria Development. Chapter 3. SETAC Press, Pensacola, FL. 53-118
- (71) Munns, W.R.Jr., Gervais, J., Hoffmann, A., Hommen, U., Nacci, D., Nakamau, M., Sibley, R. Topping, C. 2005. Modeling approaches to population level ecological risk assessment and its relationship to mathematical modeling. In: Barnhouse, L., Munns, W.R.Jr. and Sorensen, M. eds. Population-level ecological risk assessment. SETAC Press, Pensacola, FL. In press.
- (72) Nacci, D., Coiro, L., Wasserman, D. Di Giulio, R. 2005. A non-destructive technique to measure Cytochrome P4501A enzyme activity in living embryos of the estuarine fish *Fundulus heteroclitus*. In: Ostrander, G.K. ed. Techniques in Aquatic Toxicology, Volume 2. CRC Press, Boca Raton, FL. 209-225
- (73) Nacci, D., Grear, J. Kuhn, A. 2005. Overview of U.S. Environmental Protection Agency National Health and Environmental Effects Research Laboratory Research Products to support aquatic criteria development. Report to U.S. EPA Office of Water (APG 30).
- (74) Nacci, D. and Hoffmann, A. 2005. Genetic variation in population-level ecological risk assessment. In: Barnhouse, L., Munns, W.R.Jr. and Sorensen, M. eds. Population-level ecological risk assessment. SETAC Press, Pensacola, FL. In press.
- (75) Nacci, D.E., Gleason, T.R., Gutjahr-Gobell, R., Huber, M. Munns, W.R.Jr. 2001. Effects of chronic stress on wildlife populations: a population modeling approach and case study. In: Newman, M.H.Jr. and Hale, R.C. eds. Coastal and Estuarine Risk Assessment. CRC Press, Boca Raton, FL.
- (76) Nichols, J.W. 2002. Modeling the uptake and disposition of hydrophobic organic chemicals in fish using a physiologically based approach. In: Kruse, J., Verhaar, H.J.M. and de Raat, W.K. eds. The Practical Applicability of Toxicokinetic Models in the Risk Assessment of Chemicals. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- (77) Nipper, M., Burton, G.A.Jr., Chapman, D., Doe, K.G., Hamer, M. Ho, K.T. 2003. Issues and recommendations for porewater toxicity testing: methodological uncertainties, confounding factors and toxicity identification evaluation procedures. In: Carr, R.S. and Nipper, M. eds. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations. Chapter 7. SETAC Press, Pensacola, FL. 143-162
- (78) Nipper, M., Carr, R.S., Adams, W.J., Berry, W.J., Burton, G.A.Jr., Ho, K.T., MacDonald, D.D., Scroggins, R. Winger, P.V. 2003. Recommendations for research related to biological, chemical, and ecological aspects of sediment pore water: the way forward. In: Carr, R.S. and Nipper, M. eds. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations. Chapter 13. SETAC Press, Pensacola, FL. 285-292

- (79) Ozretich, R.J., Young, D.R. Chadwick, D.B. 2002. Development and application of equilibrium partitioning sediment guidelines in the assessment of sediment PAH contamination. In: Lipnick, R.L., Mason, R.P., Phillips, M.L. and Pittman, C.U. eds. Chemicals in the Environment: Fate, Impacts, and Remediation. Chapter 14. Oxford University Press, New York, NY. 260-274
- (80) Rossmann, R. 2000. Mercury in and fluxes to Lake Michigan surficial sediments. In: Nriagu, J. ed. 11th International Conference on Heavy Metals in the Environment, August 6-10, 2000, Contribution #1126. University of Michigan, School of Public Health, (CD-ROM), Ann Arbor, MI.
- (81) Santelmann, M., Freemark, K., White, D., Nassauer, J., Clark, M., Danielson, B., Eilers, J., Cruse, R., Galatowitsch, S., Polasky, S., Vache, K. Wu, J. 2001. Applying ecological principles to land-use decision making in agricultural watersheds. In: Dale, V.H. and Haeuber, R.A. eds. Ecological Principles in Land Use Planning. Springer-Verlag, New York, NY. 226-252
- (82) Scroggins, R., Berry, W.J., Hoke, R.A., Milligan, K., Morrisey, D.J. Porebski, L. 2003. Regulatory applications of porewater toxicity testing. In: Carr, R.S. and Nipper, M. eds. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations. Chapter 12. SETAC Press, Pensacola, FL. 263-283
- (83) Sigleo, A.C. and Frick, W.E. 2003. Seasonal variations in river flow and nutrient concentrations in a northwestern USA watershed. In: Renard, K.G., McElroy, S.A., Gburek, W.J., Canfield, H.E. and Scott, R.L. eds. Proceedings, First Interagency Conference Research in the Watersheds, Oct. 27-30, 2003, Benson, AZ. USDA, Agricultural Research Service, 370-376
- (84) Snyder, R.A., Lewis, M.A., Nocker, A. Lepo, J.E. 2004. Microbial biofilms as integrative sensors of environmental quality. In: Bortone, S.A. ed. Estuarine Indicators. Chapter 9. CRC Press, Boca Raton, FL. 111-126
- (85) Specht, D.T., Young, D.R. Clinton, P.J. 2000. Near infrared aerial photo-detection of *Zostera japonica* communities in Pacific Northwest estuarine intertidal habitats. Sixth International Conference on Remote Sensing for Marine and Coastal Environments. Charleston, SC, May 1-3, 2000. Veridian ERIM International, Ann Arbor, MI. Volume 1: 161-167.
- (86) Stephan, C.E. 2001. Use of species sensitivity distributions in the derivation of water quality criteria for aquatic life by the U. S. Environmental Protection Agency. In: Posthuma, L., Suter, G.W.Jr. and Traas, T.P. eds. Species Sensitivity Distributions in Ecotoxicology, Chapter 11. Lewis Publishers., Boca Raton, FL.
- (87) Van Veld.P.A. and Nacci, D. 2005. Chemical tolerance: acclimation and adaptions to chemical stress. In: Di Giulio, R.T. and Hinton, D.E. eds. The Toxicology of Fishes. Taylor & Francis Books, Ltd., New York, NY.
- (88) Volety, A.K., Tolley, S.G. Winstead, J.T. 2003. Effects of seasonal and water quality parameters on oysters (*Crassostrea virginica*) and associated fish populations in the Caloosahatchee River. Final Report C-12412-A1. South Florida Water Management District., West Palm Beach, FL. 59 pp.

- (89) Whitford, F., Mayes, M., Urban, D., Wolt, J., Bennett, R.S., Turco, R., Jones, M., Miller, B.K. Bledsoe, L. 2002. Ecological risk assessments: Evaluating pesticide risks to nontarget species. In: Whitford, F. ed. *The Complete Book of Pesticide Management: Science, Regulation, Stewardship, and Communication*. Chapter 4. John Wiley & Sons, Inc., New York, NY.
- (90) Wilhere, G.F., Schumaker, N.H. Horton, S.P. 2001. Case study. A spatially realistic population model for informing forest management decisions. In: Johnson, D.H. and O'Neil, T.A. eds. *Wildlife-Habitats Relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR. 538-544
- (91) Williamson, B. and Burgess, R.M. 2003. Sediment and porewater chemistry. In: Carr, R.S. and Nipper, M. eds. *Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations*. Chapter 4. SETAC Press, Pensacola, FL. 63-94
- (92) Young, D.R., Cline, S.P., Specht, D.T., Clinton, P.J., Robbins, B.D. Lamberson, J.O. 2000. Mapping spatial/temporal distributions of green macroalgae in a Pacific Northwest coastal estuary via small format color infrared aerial photography. Sixth International Conference on Remote Sensing for Marine and Coastal Environments. Charleston, SC, May 1-3, 2000. Veridian ERIM International, Ann Arbor, MI. Volume 2:285-291.
- (93) Young, D.R., Ozretich, R.J. Chadwick, D.B. 2002. Small volume sampling & GC/MS analysis for PAH concentrations in water above contaminated sediments. In: Lipnick, R.L., Mason, R.P., Phillips, M.L. and Pittman, C.U. eds. *Chemicals in the Environment: Fate, Impacts, and Remediation*. Chapter 15. Oxford University Press, New York, NY. 275-288
- (94) Young, D.R., Specht, D.T. Ozretich, R.J. 2003. A strategy for protecting circulating seawater systems from oil spills. Proceedings of the International Oil Spill Conference, Vancouver, B.C., Canada, June 7-10, 2003. API Publication No. 4710. American Petroleum Institute, Washington, DC. 1-5
- (95) Zhang, X. and Rygwelski, K.R. 2000. A modeling framework for mercury cycling in Lake Michigan. In: Nriagu, J. ed. 11th International Conference on Heavy Metals in the Environment, August 6-10, 2000, Contribution #1127. University of Michigan, School of Public Health, (CD-ROM), Ann Arbor, MI.

## **Long Term Goal 1**

### **EPA Reports**

- (1) Borum, D., Donohue, J.M., Du, J.T., Abernathy, C.O., Jacobs, H., Kahn, H., Sappington, K., Burkhard, L.P., Cook, P.M. Winchester, E.L. 2000. Bioaccumulation. Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health (2000) Final. Chapter 5. EPA/822/B-00/004 URL:  
<http://www.epa.gov/waterscience/criteria/humanhealth/method/complete.pdf>. U.S. EPA, Office of Water, Office of Science and Technology, Washington, DC. 5.1-5.67
- (2) Burgess, R.M., Lewis, M., Chancy, C., Kurtz, M., Campbell, D., Norberg-King, T.J., Detenbeck, N.E., Pelletier, P., Engle, V., Perez, K., Hill, B., Smith, L., Ho, K. Snarski, V. 2004. Classification Framework for Coastal Systems. EPA/600/R-04/061 URL:  
[http://www.epa.gov/medatwrk/Prods\\_Pubs/classification\\_framework.pdf](http://www.epa.gov/medatwrk/Prods_Pubs/classification_framework.pdf). U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Washington, DC. 85 pp.
- (3) Dettmann, E.H. 2001. Appendix C: Additional Information on Flushing in Estuaries. URL:  
<http://www.epa.gov/waterscience/criteria/nutrient/guidance/marine/appendixcdef.pdf>. In: Barrera, J., Cantilli, R., Davis, I., Dettmann, E., Fisher, J., Flemer, D., Gardner, T., Gibson, G., Hart, D., Latimer, J., Libby, S., Smith, G., Siciliano, C. and Word, J. eds. Nutrient Criteria Technical Guidance Manual: Estuarine and Coastal Marine Waters. EPA/822/B-01/003. U.S. EPA, Office of Water, Washington, DC. C1-C4
- (4) U.S.Environmental Protection Agency. 1999. The Effects of Habitat Alteration by Estuarine Stressors on Ecological Resources of Pacific Northwest Estuaries. EPA/600/R-99/043. Boese, B.L., Cole, F., DeWitt, T., Ferraro, S., Lamberson, J., Lee, H.Jr., Nelson, W., Ozretich, B., Power, J., Robbins, B., Sigleo, A., Specht, D. and Young, D. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Corvallis, OR.
- (5) U.S.Environmental Protection Agency. 1999. A Review of Single Species Toxicity Tests: Are the Tests Reliable Predictors of Aquatic Ecosystem Community Responses? EPA/600/R-97/114. de Viaming, V.L. and Norberg-King, T.J. eds. U.S. EPA, Office of Research and Development, Duluth, MN.
- (6) U.S.Environmental Protection Agency. 1999. The Lake Michigan Mass Balance Project: Quality Assurance Plan for Mathematical Modeling URL:  
[http://www.epa.gov/med/grosseile\\_site/qa\\_1mmbp.pdf](http://www.epa.gov/med/grosseile_site/qa_1mmbp.pdf). Richardson, W.L., Endicott, D.D., Kreis, R.G. and Rygwelski, K.R. eds. U.S. EPA, Office of Research and Development, Great Lakes National Program Office, Washington, DC. 244 pp.
- (7) U.S.Environmental Protection Agency. 2001. Aquatic Animal Respiration and Cough Response Applied to Innovative Environmental Biomonitoring: A Bibliography (1928-1998). EPA/600/R-00/080. Carlson, R.W. ed. U.S. EPA, Office of Research and Development, Duluth, MN.
- (8) U.S.Environmental Protection Agency. 2001. Nutrient Criteria Technical Guidance Manual: Estuarine and Coastal Marine Waters. EPA/822/B-01/003 URL:  
<http://www.epa.gov/waterscience/criteria/nutrient/guidance/marine/>. Barrera, J., Cantilli,

- R., Davis, I., Dettmann, E., Fisher, J., Flemer, D., Gardner, T., Gibson, G., Hart, D., Latimer, J., Libby, S., Smith, G., Siciliano, C. and Word, J. eds. U.S. EPA, Office of Water, Washington, DC.
- (9) U.S.Environmental Protection Agency. 2001. Methods for Assessing the Chronic Toxicity of Marine and Sediment-associated Contaminants with the Amphipod *Leptocheirus plumulosus*. EPA/600/R-01/020 URL: [http://cfpub.epa.gov/ncea/raf/recordisplay.cfm?deid=51736](http://nepis.epa.gov/Exe/ZyNET.exe/30002GRK.txt?ZyActionD=ZyDocument&Client=EPA&Index=National%20Environmental%20Publications%20Info&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=pubnum&IntQFieldOp=1&ExtQFieldOp=1&XmlQuery=&File=D%3A%5CZYFILES%5CINDEX%20DATA%5CNEPIS%5CTX%5C0000000B%5C30002GRK.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=10&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x. 1st ed. DeWitt, T.H., Bridges, T.S., Ireland, D.S., Stahl, L.L., Pinza, M.R. and Antrim, L.D. eds. U.S. EPA, Office of Research and Development, Office of Water, Washington, DC. 130 pp.</p><p>(10) U.S.Environmental Protection Agency. 2002. Draft Action Plan for the Development of a Framework for Metals Assessment and Guidance for Characterizing and Ranking Metals (External review draft). U.S. EPA, Risk Assessment Forum. EPA/630/P-02/003A <a href=)
- (11) U.S.Environmental Protection Agency. 2002. Aquatic Stressors: Framework and Implementation Plan for Effects Research. EPA/600/R-02/074 URL: [http://www.epa.gov/nheerl/publications/files/aqstrsfinal\\_121302.pdf#page=1](http://www.epa.gov/nheerl/publications/files/aqstrsfinal_121302.pdf#page=1). Spehar, R.L. and Kelly, J. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Washington, DC. 197 pp.
- (12) U.S.Environmental Protection Agency. 2003. Procedures for the Derivation of Equilibrium Partitioning Sediment Benchmarks (ESBs) for the Protection of Benthic Organisms: Endrin. EPA/600/R-02/009 URL: <http://www.epa.gov/nheerl/publications/files/endrin.pdf>. Berry, W.J., Burgess, R.M., Hansen, D.J., DiToro, D.M., DeRosa, L.D., Bell, H.E., Reiley, M.C., Stancil, F.E.Jr., Zarba, C.S., Mount, D.R. and Spehar, R.L. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Washington, DC. 73 pp.
- (13) U.S.Environmental Protection Agency. 2003. Procedures for the derivation of Equilibrium Partitioning Sediment Benchmarks (ESBs) for the protection of benthic organisms: Dieldrin. EPA/600/R-02/010 URL: <http://www.epa.gov/nheerl/publications/files/dieldrin.pdf>. Berry, W.J., Burgess, R.M., Hansen, D.J., DiToro, D.M., DeRosa, L.D., Bell, H.E., Reiley, M.C., Stancil, F.E.Jr., Zarba, C.S., Mount, D.R. and Spehar, R.L. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Washington, DC. 75 pp.

- (14) U.S.Environmental Protection Agency. 2003. Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health (2000): Technical Support Document, Volume 2: Development of National Bioaccumulation Factors. EPA/822/R-03/030 URL: <http://www.epa.gov/waterscience/criteria/humanhealth/method/tsdvol2.pdf>. Burkhard, L.P., Cook, P.M., Sappington, K. and Winchester, E.L. eds. U.S. EPA. Office of Water, Office of Science and Technology. December 2003, Washington, DC. 210 pp.
- (15) U.S.Environmental Protection Agency. 2003. WV REMAP Final Report: Watershed classification framework for the State of West Virginia. EPA/600/R-03/141. Detenbeck, N.E., Jagger, L., Stark, S.L. and Starry, M. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division Report, Washington, DC.
- (16) U.S.Environmental Protection Agency. 2003. Procedures for the Derivation of Equilibrium Partitioning Sediment Benchmarks (ESBs) for the Protection of Benthic Organisms: PAH Mixtures. EPA/600/R-02/013 URL: <http://www.epa.gov/nheerl/publications/files/PAHESB.pdf>. Hansen, D.J., DiToro, D.M., McGrath, J.A., Swartz, R.C., Mount, D.R., Spehar, R.L., Burgess, R.M., Ozretich, R.J., Bell, H.E., Reiley, M.C. and Linton, T.K. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects National Laboratory, Washington, DC. 175 pp.
- (17) U.S.Environmental Protection Agency. 2003. Landscape and Watershed Influences on Wild Salmon and Fish Assemblages in Oregon Coastal Streams EPA/600/R-03/081 URL: <http://www.cbfwa.org/Committees/CSMEP/Documents/Reports/FHResPlanFinal%20Aug2603.pdf>. Wigington, P.J., Ebersole, J.L., Baker, J.P., Church, M.R., Compton, J.E., Leibowitz, S.G., White, R.D. and Cairns, M.A. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Corvallis, OR. 108 pp.
- (18) U.S.Environmental Protection Agency. 2004. Framework for Inorganic Metals Risk Assessment (Peer review draft). U.S. EPA, Office of Research and Development, Risk Assessment Forum. Washington, DC. November, 2004. (Contributing authors; available at: <http://cfpub.epa.gov/ncea/raf/recorddisplay.cfm?deid=88903>) EPA/630/P-04/068B
- (19) U.S.Environmental Protection Agency. 2004. Review of Rapid Methods for Assessing Wetland Condition. EPA/620/R-04/009 URL: [http://www.wrmp.org/docs/cram/EPA\\_Rapid\\_Method\\_Review.pdf](http://www.wrmp.org/docs/cram/EPA_Rapid_Method_Review.pdf). Fennessy, M.S., Jacobs, A.D. and Kentula, M.E. eds. U.S. EPA, Office of Research and Development, Washington, DC. 82 pp.
- (20) U.S.Environmental Protection Agency. 2004. Results of the Lake Michigan Mass Balance Project: PCBs Modeling Report. EPA/600/R-04/167. Rossmann, R. ed. U.S. EPA, Washington, DC.
- (21) U.S.Environmental Protection Agency. 2005. Science Advisory Board Consultation Document: Tissue-based Criteria for Bioaccumulative Compounds. SAB Consultation on Revision of EPA Aquatic Life Criteria Guidelines. Sept. 21, 2005. 61 pp.

- (22) U.S.Environmental Protection Agency. 2005. Influence of Fresh Water on Eastern Oysters and Oyster Reef Communities in the Gulf of Mexico. In press. Fisher, W.S. and Winstead, J.T. eds. US EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. 49 pp.
- (23) U.S.Environmental Protection Agency. 2005. Fishery Resources and Threatened Coastal Habitats in the Gulf of Mexico. EPA/600/R-05/051. Dantin, D.D., Fisher, W.S., Jordan, S.J. and Winstead, J.T. eds. U.S. EPA, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Breeze, FL. 52 pp.
- (24) U.S.Environmental Protection Agency. 2005. Hydrogeomorphic Wetland Profiling: An Approach to Landscape and Cumulative Impacts Analysis. EPA/620/R-05/001 URL: <http://www.epa.gov/owow/wetlands/pdf/Johnson-HGMProfiling2005.pdf>. Bradley, J.J. ed. U.S. EPA, Office of Research adn Development, National Health and Environmental Effects Research Laboratory., Washington, DC. 106 pp.