



# PUBLIC NOTICE

## US EPA CONDUCTS A FIVE-YEAR REVIEW AS PART OF THE CLEANUP AT THE Shriver's Corner Superfund Site

EPA is conducting the first five-year review for the Shriver's Corner Superfund Site. Under EPA supervision, Westinghouse finished the all studies of the groundwater and soil. These studies identify contamination types, locations, and concentrations. EPA's final cleanup decision involves: 1) building a community well to supply water to affected homes, 2) removing approximately 1,800 cubic yards of soil contaminated with heavy metals, such as lead, 3) capping the excavated area, 4) extracting heavily contaminated groundwater, and 5) removing approximately 220 cubic yards of contaminated sediments. Soil Cleanup was completed in 1999. Groundwater treatment is ongoing.

### **What is the purpose of a five-year review?**

The purpose of a five-year review is to determine if the installed remedy is protecting human health and the environment. The five-year review report documents the methods, findings, conclusions and any recommendations of the review.

### **Why is a five-year review being done for this Site?**

Conducting this five-year review of the remedy is required by statute due to the fact that hazardous substances, pollutants, or contaminants remain at the Shriver's Corner Superfund Site above levels that allow for unlimited use and unrestricted exposure. It is a legal requirement for EPA to conduct reviews of the remedies at such sites, beginning five years following the completion of construction at a site. EPA will continue to conduct reviews and issue a report at least every five years.

### **When will the Five-year Review Report be available?**

The Five-year Review Report will be available online or in the Administrative Record located at the U.S. EPA Regional Office in Philadelphia in October 2007.

#### *For More Information...*

The site's web page, accessible by clicking Pennsylvania under Superfund, then clicking Shriver's Corner, from the following web page on the internet at: <http://www.epa.gov/reg3hwmd> or at:

*U.S. EPA Region III  
Public Reading Room, 6<sup>th</sup> Floor  
1650 Arch Street  
Philadelphia, PA 19103  
Attn: Anna Butch (3HS11)  
(215) 814-3157  
Hours: Mon. - Fri. 8:30 a.m. - 4:30 p.m.*

#### **You may also contact:**

*Bhupi Khona(3HS22)  
Remedial Project Manager  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-3213*

*Larry C. Johnson(3HS52)  
Community Involvement Coordinator  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-3239*