APPENDIX A

Education and Community Outreach Brochures

Have your little bears been tested for high lead yet?
No? Call us at 486-0118

Testing is available at no charge for children 12 to 36 months old, pregnant and nursing women to insure their newborns are not exposed to lead.

Lake County Nursing Service
Blood Lead Program
112 West 5th St.
Leadville, CO. 80461

Lake County Nursing Service 486-0118
Enfermeria de Salud del Condado Lake 486-0118

TOP 12 CANDIES TO AVOID EVITA LOS 12 DULCES ALTO EN PLOMO	HIGHEST RESULT-CANDY(ppm) RESULTADOS ALTOS DULCE (ppm)	HIGHEST RESULTS WRAPPER(ppm) RESULTADOS ALTOS ENVOLTURA(ppm)	HOW MANY TIMES OVER FDA'S candy standard(.2ppm) CUANTAS VECES SE A PASADO DE LAS NORMAS DEL FDA'S (.2PPM)
 Bolirindo by Dulmex	5,800	5,000	29,000times(candy) 29,000veces(dulce) 8.3times(wrapper) 8.3veces(envoltura)
 Rollito de Tamarindo	0.3	3,800	1.25 times(candy) 1.25veces(dulce) 6.3times(wrapper) 6.3veces(envoltura)
 Chaca-Chaca	0.6	1.7	3times(candy) 3veces(dulce)
Lucas Limon	0.7	N/A	3.26 times (candy) 3.26veces(dulce)
 Tablarindo	1.4	11,000	7 times (candy) 7veces(dulces) 18.3times(wrappers) 18.3veces(envoltura)
Serpentinas	0.4	15,000	2times(candy) 2veces(dulce) 25times(wraper) 25veces(envoltura)
Super Rebanaditas	0.5	N/A	2.5times (candy) 2.5veces(dulce)
Tama Roca	1.1	22,000	5.5times (candy) 5.5 veces(dulce) 37times(wrapper) 37veces(envoltura)
Paleton con chile	N/A	7,000	12times(wrapper) 12veces(envoltura)