

7.0 REFERENCES

- Abbruzzese, B. and S. G. Leibowitz. 1997. A synoptic approach for assessing cumulative impacts to wetlands. *Environmental Management* 21:457-475.
- Abbitt, R. J. F., J. M. Scott, and D. S. Wilcove. 2000. The geography of vulnerability: incorporating species geography and human development patterns into conservation planning. *Biological Conservation* 96:169-175.
- Arrhenius, O. 1921. Species and area. *Journal of Ecology* 9:95-99.
- Askins, R. A., M. J. Philbrick, and D. S. Sugeneo. 1987. Relationship between the regional abundance of forest and the composition of forest bird communities. *Biological Conservation* 39:129-152.
- Bailey, R. G. 1985. The factor of scale in ecosystem mapping. *Environmental Management* 9:271-276.
- Bailey, R. G. 1987. Suggested hierarchy of criteria for multi-scale ecosystem mapping. *Landscape and Urban Planning* 14:313-319.
- Bailey, R. 1994. *Bailey Ecoregion Map*. Global View CD-ROM; Global Ecosystems Database, Ecosystem and Global Change Program, National Geophysical Data Center, Boulder, Colorado.
- Bailey, R. G. 1996. Multi-scale ecosystem analysis. *Environmental Monitoring and Assessment* 39:21-24.
- Begon, M., J. L. Harper, and C. R. Townsend. 1986. *Ecology: Individuals, Populations, and Communities*. Sinaur Associates. Sunderland, MA.
- Beier, P. and R. F. Noss. 1998. Do habitat corridors provide connectivity? *Conservation Biology* 12:1241-1252.
- Boughton, D. A., E. R. Smith, and R. V. O'Neill. 1999. Regional vulnerability: a conceptual framework. *Ecosystem Health* 5:312-322.

- Brown, J. H. 1986. Two decades of interaction between the MacArthur-Wilson model and the complexities of mammalian distributions. *Biological Journal of the Linnean Society* 28:231-251.
- Bryce, S. A. and S. E. Clarke. 1996. Landscape-level ecological regions linking state-level ecoregion frameworks with stream habitat classifications. *Environmental Management* 20:297-311.
- Burel, F. 1989. Landscape structure effects on carabid beetles spatial patterns in western France. *Landscape Ecology* 2:215-226.
- Cappuccino, N. and R. B. Root. 1992. The significance of host patch edges to the colonization and development of *Corythucha marmorata* (Hemiptera: Tingidae). *Ecological Entomology* 17:109-113.
- Chiarello, A. G. 1999. Effects of fragmentation of the Atlantic forest on mammal communities in south-eastern Brazil. *Biological Conservation* 89:71-82.
- Clevenger, A. P., J. Wierzchowski, B. Chruszcz, and K. Gunson. 2002. GIS-generated, expert-based models for identifying wildlife habitat linkages and planning mitigation passages. *Conservation Biology* 16:503-514.
- Collinge, S. K. 1996. Ecological consequences of habitat fragmentation: implications for landscape architecture and planning. *Landscape and Urban Planning* 36:55-77.
- Collinge, S. K. 1998. Spatial arrangement of habitat patches and corridors: clues from ecological field experiments. *Landscape and Urban Planning* 42:157-168.
- Collinge, S. K. and R. T. T. Forman. 1998. A conceptual model of land conversion processes: predictions and evidence from a microlandscape experiment with grassland insects. *Oikos* 82:66-84.
- Critical Ecosystems Workshop. 2002. US Environmental Protection Agency, Office of Research and Development. <http://www.epa.gov/osp/regions/criteco.htm>.
- Dale, V. H. and R. A. Haeuber. 2000. Perspectives on Land Use. *Ecological Applications* 10: 671-672.

Dale, V. H., R. V. O'Neill, F. Southworth, and P. Pedlowski, 1994. Modeling effects of land management in the Brazilian Amazonian settlement of Rondonia. *Conservation Biology* 8:196-206.

Diamond, J. M. and R. M. May. 1976. Island biogeography and the design of natural reserves. Pages 163-186 in R. M. May, editor. *Theoretical Ecology*. Saunders College Publishers. Philadelphia, Pennsylvania, USA.

Dickert, T. G. and A. E. Tuttle. 1985. Cumulative impact assessment in environmental planning: a coastal wetland watershed example. *Environmental Impact Assessment Review* 5:37-64.

Donovan, T. M., P. W. Jones, E. M. Annand and F. R. Thompson, III. 1997. Variation in local-scale edge effects: mechanisms and landscape context. *Ecology* 78:2064-2075.

El-Hage, A. and D. W. Moulton. 2000a. *Ecologically Significant River and Stream Segments of Region M, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

El-Hage, A. and D. W. Moulton. 2000b. *Ecologically Significant River and Stream Segments of Region N, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

El-Hage, A. and D. W. Moulton. 2001. *Ecologically Significant River and Stream Segments of Region J, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

EPA. 2002. *Latest Findings on National Air Quality: 2001 Status and Trends*. EPA 454-k-02-001. US EPA Office of Air Quality Planning and Standards, September 2002 Research Triangle Park, NC.

Espejel, I., D. W. Fischer, A. Hinojosa, C. Garcia, and C. Levya. 1999. Land use planning for the Guadalupe Valley, Baja California, Mexico. *Landscape and Urban Planning* 45:219-232.

Foster, J. and M. S. Gaines. 1991. The effects of a successional habitat mosaic on a small mammal community. *Ecology* 72:1358-1373.

Game, M. 1980. What is the best shape for nature reserves? *Nature* 207:630-632.

Geneletti, D. 2003. Biodiversity impact assessment of roads: an approach based on ecosystem rarity. *Environmental Impact Assessment Review* 23:343-365.

Gould, F. W. 1975. *Texas Plants: A Checklist and Ecological Summary*. Texas Agricultural Experiment Station Publication 585.

Griffith, G. E., J. M. Omernik, and A. J. Woods. 1999. Ecoregions, watersheds, basins, and HUCs: How state and federal agencies frame water quality. *Journal of Soil and Water Conservation* 54:666-677.

Groves, C., Valutis, L., Vosick, D., Neely, B., Wheaton, K., Touval, J., Runnels, B. 2000. *Designing a Geography of Hope: A Practitioner's Handbook to Ecoregional Conservation Planning*. The Nature Conservancy, Arlington, VA.

Gustafson, E. J. and R. H. Gardner. 1996. The effect of landscape heterogeneity on the probability of patch colonization. *Ecology* 77:94-107.

Hargis, C. D., J. A. Bissonette, and J. L. David. 1998. The behavior of landscape metrics commonly used in the study of habitat fragmentation. *Landscape Ecology* 13:167-186.

Harris, L. D., T. Hoctor, D. Maehr, and J. Sanderson. 1996. The role of networks and corridors in enhancing the value and protection of parks and equivalent areas. Pages 173-197 in Wright, R. G. and J. Lemons (eds.) *National Parks and Protected Areas: Their Role in Environmental Protection*. Blackwell Science, Inc. Cambridge, MA.

Harrison, J. E., Ebert, D., Wade, T. and Yankee, D. 2000. Using (ATtILA) Analytical Tools Interface for Landscape Assessments to Estimate Landscape Indicators and Target Restoration Needs. [unpublished]

Harte, J., and A. P. Kinzig. 1997. On the implications of species-area relationships for endemism, spatial turnover, and food web patterns. *Oikos* 80:417-427.

H. John Heinz III Center for Science, Economics and the Environment. 2002. *The State of the Nation's Ecosystems: Measuring the Lands, Waters, and Living Resources of the United States*. Heinz Center, Washington, DC.

Herzog, F., A. Lausch, H-H. Thulke, U. Steinhardt, and S. Lehmann. 2001. Landscape metrics for assessment of landscape destruction and rehabilitation. *Environmental Management* 27:91-107.

Hector, T. S., M. H. Carr, and P. D. Zwick. 2000. Identifying a linked reserve system using a regional landscape approach: the Florida Ecological Network. *Conservation Biology* 14:984-1000.

Iverson, L. R., D. L. Szafoni, S. E. Baum, E. A. Cook. 2001. A riparian wildlife habitat evaluation scheme developed using GIS. *Environmental Management* 28:639-654.

Ji, W. and P. Leeberg. 2002. A GIS-based approach for assessing the regional conservation status of genetic diversity: an example from the southern Appalachians. *Environmental Management* 29:531-544.

Johnson, D. W. 1986. Desert buttes: natural experiments for testing theories of island biogeography. *National Geographic Research* 2:152-166.

Jones, K. B., A. C. Neale, M. S. Nash, R. D. Van Remortel, J. D. Wickham, K. H. Riitters, and R. V. O'Neill. 2001. Predicting nutrient and sediment loadings to streams from landscape metrics: a multiple watershed study from the United States Mid-Atlantic Region. *Landscape Ecology* 16:301-312.

Jonsen, I. D. and L. Fahrig. 1997. Response of a generalist and specialist insect herbivores to landscape spatial structure. *Landscape Ecology* 12:185-197.

Karydis, M. 1996. Quantitative assessment of eutrophication: a scoring system for characterizing water quality in coastal marine ecosystems. *Environmental Monitoring and Assessment* 41:233-246.

Kuchler, A. W. 1964. *Manual to Accompany the Map of Potential Vegetation of the Conterminous United States*. Special Publication No. 36. American Geographical Society. New York.

Launer, A. E. and D. D. Murphy. 1994. Umbrella species and the conservation of habitat fragments: a case of a threatened butterfly and a vanishing grassland system. *Biological Conservation* 69:145-153.

Lausch, A. and F. Herzog. 2002. Applicability of landscape metrics for the monitoring of landscape change: issues of scale, resolution, and interpretability. *Ecological Indicators* 2:3-15.

Lee, J. T., S. J. Woddy, and S. Thompson. 2001. Targeting sites for conservation: using a patch based ranking scheme to assess conservation potential. *Journal of Environmental Management* 61:367-380.

Leibowitz, S. G., C. Loehle, B-L. Li, and E. M. Preston. 2000. Modeling landscape functions and effects: a network approach. *Ecological Modelling* 132:77-94.

Lidicker, W. Z., Jr. 1999. Responses of mammals to habitat edges: a review. *Landscape Ecology* 14:333-343.

Lindenmayer, D. B., R. B. Cunningham, and M. L. Pope. 1999. A large-scale "experiment" to examine the effects of landscape context and habitat fragmentation on mammals. *Biological Conservation* 88:387-403.

Lyndon B. Johnson School of Public Affairs. 1978. *Texas Natural Regions*. Natural Heritage Policy Research Project. University of Texas, Austin, TX.

MacArthur, R. H. and E. O. Wilson. 1967. *The Theory of Island Biogeography*. Princeton University Press, Princeton, N.J.

McCollin, D. 1998. Forest edges and habitat selection in birds: a functional approach. *Ecography* 21:247-260.

McGarigal, K. and B. J. Marks. 1994. *FRAGSTATS: Spatial Analysis Program for Quantifying Landscape Structure*. USDA Forest Service, General Technical Report PNW-GTR-351. Corvallis, OR: Oregon State University.

McNab, W. H. and P. E. Avers. 1994. *Ecological Subregions of the United States*. US Forest Service Publication WO-WSA-5. <http://www.fs.fed.us/land/pubs/ecoregions/>

Miller, W., M. Collins, F. Steiner, and E. Cook. 1998. An approach for greenway suitability analysis. *Landscape and Urban Planning* 42:91-105.

Montgomery, D. R., G. E. Grant, and K. Sullivan. 1995. Watershed analysis as a framework for implementing ecosystem management. *Water Resources Bulletin* 31:369-385.

Mysz, A. T., C. G. Maurice, R. F. Beltran, K. A. Cipollini, J. P. Perrecone, K. M. Rodriguez, and M. L. White. 2000. A targeting approach for ecosystem protection. *Environmental Science and Policy* 3:347-35.

Norris, C. W. and G. W. Linum. 1999. *Ecologically Significant River and Stream Segments of Region H, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

Norris, C. W. and G. W. Linum. 2000a. *Ecologically Significant River and Stream Segments of Region C, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

Norris, C. W. and G. W. Linum. 2000b. *Ecologically Significant River and Stream Segments of Region D, Regional Water Planning Area*. Texas Parks and Wildlife Department. Austin, TX.

Noss, R. F. 1996. Protected areas: how much is enough? Pages 91-120 in Wright, R. G. and J. Lemons (eds.) *National Parks and Protected Areas: Their Role in Environmental Protection*. Blackwell Science, Inc. Cambridge, MA.

Noss, R. F. and B. Csuti. 1994. Habitat fragmentation. Pages 237-264 in G. K. Meffe and C. R. Carroll, editors. *Principles of Conservation Biology*. Sinaur and Associates, Sunderland, MA.

Ochoa-Gaona, S. 2001. Traditional land-use systems and patterns of forest fragmentation in the highlands of Chiapas, Mexico. *Environmental Management* 27:571-586.

Omernik, J.M. 1987. Aquatic ecoregions of the coterminous United States. *Annals of the Association of American Geographers* 77:118-125.

Omernik, J. M. 1995. Ecoregions: a spatial framework for environmental management. Pages 49-62 in Davis, W. S. and T. P. Simon (eds.) *Biological Assessment and Criteria: Tools for Water Resource Planning and Decisionmaking*. Lewis Publishing, Boca Raton, FL.

Omernik, J. M. and R. G. Bailey. 1997. Distinguishing Between Watersheds and Ecoregions. *Journal of the American Water Resources Association* 33:935-949.

O'Neill, R. V., K. H. Riitters, J. D. Wickham, and K. B. Jones. 1999. Landscape pattern metrics and regional assessment. *Ecosystem Health* 5:225-233.

Opdam, P. 1991. Metapopulation theory and habitat fragmentation: a review of holarctic breeding bird studies. *Landscape Ecology* 5:93-106.

Ovaskainen, O. 2003. Long-term persistence of species and the SLOSS problem. *Journal of Theoretical Biology* 218:419-433.

Poiani, K. A., J. A. Baumgartner, S. C. Buttrick, S. L. Green, E. Hopkins, G. D. Ivey, K. P. Seaton, and R. D. Sutter. 1998. A scale-independent, site conservation planning framework in The Nature Conservancy. *Landscape and Urban Planning* 43:143-156.

Poiani, K. A., M. D. Merrill, and K. A. Chapman. 2001. Identifying conservation-priority areas in a fragmented Minnesota landscape based on the umbrella species concept and selection of large patches of natural vegetation. *Conservation Biology* 15:513-522.

Poiani, K., and Richter, B. 1999. *Functional Landscapes and the Conservation of Biodiversity*. The Nature Conservancy. Arlington, VA.

Reid, T. A. and D. D. Murphy. 1995. Providing a regional context for conservation action. *BioScience* Supplement S:84-90.

Riitters, K. J., R. V. O'Neill, C. T. Hunsaker, J. D. Wickham, D. H. Yankee, S. P. Timmons, K. B. Jones, and B. L. Jackson. 1995. A factor analysis of landscape pattern and structure metrics. *Landscape Ecology* 10:23-39.

Robinson, G. R., R. D. Holt, M. S. Gaines, S. P. Hamburg, M. L. Johnson, H. S. Fitch, and E. A. Martinko. 1992. Diverse and contrasting effects of habitat fragmentation. *Science* 257:524-526.

Roy, P. S. and S. Tomar. 2000. Biodiversity characterization at landscape level using geospatial modeling techniques. *Biological Conservation* 95:95-109.

Schafer, C. L. 1990. *Nature Reserves: Island Theory and Conservation Practice*. Smithsonian Institution Press, Washington, DC.

Schweiger, E. W., S. G. Leibowitz, J. B. Hyman, W. E. Foster, and M. C. Downing. 2002. Synoptic assessment of wetland function: a planning tool for protection of wetland species. *Biodiversity and Conservation* 11:379-406.

Serveiss, V. B. 2002. Applying ecological risk principles to watershed assessment and management. *Environmental Management* 29:145-154.

Steiner, F., J. Blair, L. McSherry, S. Guhathakurta, J. Marruffo, and M. Holm. 2000a. A watershed at a watershed: the potential for environmentally sensitive area protection in the upper San Pedro Drainage Basin (Mexico and USA). *Landscape and Urban Planning* 49:129-148.

Steiner, F., L. McSherry, and J. Cohen. 2000b. Land suitability analysis for the upper Gila River watershed. *Landscape and Urban Planning* 50:199-214.

Store, R. and J. Kangas. 2001. Integrating spatial multi-criteria evaluation and expert knowledge for GIS-based habitat suitability modeling. *Landscape and Urban Planning* 55:79-93.

Sutherland, M. 1994. *Evaluation of Ecological Impacts from Highway Development*. US EPA-300b-94-006, US EPA, Washington, DC.

Swenson, J. J. and J. Franklin. 2000. The effects of future development on habitat fragmentation in the Santa Monica Mountains. *Landscape Ecology* 15:713-730.

Texas Parks and Wildlife Department. 2002. Land and Water Resources Conservation and Recreation Plan. August 29, 2002. [unpublished]

Theobald, D. M., N. T. Hobbs, T. Bearly, J. A. Zack, T. Shenk, and W. E. Riebsame. 2000. Incorporating biological information in local land-use decision making: designing a system for conservation planning. *Landscape Ecology* 15:35-45.

Thomas, C. D. and S. Harrison. 1992. Spatial dynamics of a patchily distributed butterfly species. *Journal of Animal Ecology* 61:437-446.

Tigas, L. A., D. H. Van Vuren, and R. M. Sauvajot. 2002. Behavioral responses of bobcats and coyotes to habitat fragmentation and corridors in an urban environment. *Biological Conservation* 108:299-306.

- Tinker, D. B., C. A. C. Resor, G. P. Beauvais, K. F. Kipfmüller, C. I. Fernandes, and W. L. Baker. 1998. Watershed analysis of forest fragmentation by clearcuts and roads in a Wyoming forest. *Landscape Ecology* 13:149-165.
- Tran, L. T., C. G. Knight, R. V. O'Neill, E. R. Smith, K. H. Riitters, and J. Wickham. 2002. Fuzzy decision analysis for integrated environmental vulnerability assessment of the Mid-Atlantic Region. *Environmental Management* 29:845-859.
- Treweek, J. and N. Veitch. 1996. The potential application of GIS and remotely sensed data to the ecological assessment of proposed new road schemes. *Global Ecology and Biogeography Letters* 5:249-257.
- Vogelmann, J. E., S. M. Howard, L. Yang, C. R. Larson, B. K. Wylie, and N. van Driel. 2001. Completion of the 1990s national land cover data set for the conterminous United States from Landsat Thematic Mapper data and ancillary data sources. *Photogrammetric Engineering and Remote Sensing* 67:650-662.
- Vogelmann, J. E., T. L. Sohl, P. V. Campbell, and D. M. Shaw. 1998. Regional land cover characterization using LANDSAT Thematic Mapper data and ancillary data sources. *Environmental Monitoring and Assessment* 51: 415-428.
- Vos, C. C. and A. H. P. Stempel. 1995. Comparison of habitat-isolation parameters in relation to fragmented distribution patterns in the tree frog (*Hyla arborea*). *Landscape Ecology* 11:203-214.
- Wahlberg, N., A. Moilanen, and I. Hanski. 1996. Predicting the occurrence of endangered species in a fragmented landscapes. *Science* 273:1536-1538.
- Walters, J. R., H. A. Ford, and C. B. Cooper. 1999. The ecological basis of sensitivity of brown treecreepers to habitat fragmentation a preliminary assessment. *Biological Conservation* 90:13-20.
- Wickham, J. D., K. B. Jones, K. H. Riitters, R. V. O'Neill, R. D. Tankersley, E. R. Smith, A. C. Neale, and D. J. Chaloud. 1999. An integrated environmental assessment of the Mid-Atlantic Region. *Environmental Management* 24:553-560.
- White, M. L., C. G. Maurice, A. T. Mysz, R. F. Beltran, and M. Gentleman. 2003. CrEAM, Getting the Best Ecosystems to Float to the Top. US EPA Region 5, Chicago, IL. [unpublished]

White, P. C., L. G. Saunders, and S. Harris. 1996. Spatio-temporal patterns of home range use by foxes (*Vulpes vulpes*) in urban environments. *Journal of Animal Ecology* 65:121-125.

Wilson, E. O. and E. O. Willis. 1975. Applied biogeography. Pages 522-534 in M. L. Cody and J. M. Diamond, editors. *Ecology and Evolution of Communities*. Belknap Press of Harvard University, Cambridge, Massachusetts, USA.

Xiang, W-N. 2001. Weighting-by-choosing: a weight elicitation method for map overlay. *Landscape and Urban Planning* 56:61-73.

Yahner, R. H. 1988. Changes in wildlife communities near edges. *Conservation Biology* 2:333-339.