United States Environmental Protection Agency

American Society of Civil Engineers

Urban Stormwater BMP Performance Monitoring

A Guidance Manual for Meeting the National Stormwater BMP Database Requirements

April 2002

Urban Stormwater BMP Performance Monitoring

A Guidance Manual for Meeting the National Stormwater BMP Database Requirements

Prepared by

GeoSyntec Consultants
Urban Drainage and Flood Control District

and

Urban Water Resources Research Council (UWRRC) of ASCE

In cooperation with

Office of Water (4303T)
US Environmental Protection Agency
Washington, DC 20460

April 2002

EPA-821-B-02-001

American Society of Civil Engineers

United States Environmental Protection Agency

TABLE OF CONTENTS

List of Tables viii
List of Figures x
Acknowledgements and Disclaimer xi

1 INTRODUCTION 1
1.1 Scope 1
1.1.1 State of the Practice 2
1.1.2 The Need for Guidance 2
1.1.3 National Stormwater Best Management Practices Database 2
1.2 Format and Content of This Document 2

2 BMP MONITORING OVERVIEW 4
2.1 Context of BMP Monitoring in the Regulatory Environment 4
2.2 BMP Monitoring Goals 5
2.3 Physical and Chemical Characteristics of Stormwater Runoff 7
2.4 Stormwater Quality Monitoring Challenges 8
2.5 Complexities Specific to BMP Monitoring 9
2.5.1 Considerations for Evaluating BMP Effectiveness 10
Load Versus Water Quality Status Monitoring 10
Consideration of Parameters for Monitoring 12
2.6 BMP Types and Implications for Calculation of Efficiency 13
2.7 Relationship Between Monitoring Study Objectives and Data Analysis 14
2.8 Physical Layout and Its Effect on Efficiency and Its Measure 15
2.9 Relevant Period of Impact 16
2.9.1 Concentrations, Loads, and Event Mean Concentrations 17
2.9.1.1 Concentrations 17
2.9.1.2 Loads 17
2.9.1.3 Event Mean Concentrations 18
2.9.2 Measures of BMP Efficiency 18
2.9.2.1 Historical Approaches 21
Efficiency Ratio 21
Definition 21
Assumptions 23
Comments 23
Example 24
Summation of Loads 24
Definition 24
Assumptions 24
Comments 25
Example 25
Regression of Loads (ROL) 25
Definition 25

Assumptions 26
Comments....27
Mean Concentration 29
Definition....29
Assumptions 29
Comments....30
Efficiency of Individual Storm Loads 30
Definition....30
Assumptions 31
Comments....31
Summary and Comparison of Historical Methods 32
2.9.2.2 Other Methods and Techniques 32
"Irreducible Concentration" and "Achievable Efficiency" 32
Percent Removal Relative to Water Quality Standards....36
"Lines of Comparative Performance©" 37
Multi-Variate and Non-Linear Models....40
2.9.2.3 Recommended Method 40
Effluent Probability Method....40
2.9.2.4 Reference Watershed Methods 43
2.9.3 BMPs and BMP Systems 44

3 DEVELOPING A BMP MONITORING PROGRAM 45
3.1 Phase I – Determine Objectives and Scope of BMP Water Quality Monitoring Program 46
3.1.1 Monitoring and Literature Review to Assess BMP Performance....47
3.1.2 Monitoring to Assess Compliance with Surface Water quality criteria 49
3.1.3 Criteria for the Protection of Aquatic/Marine Life 49
3.1.4 Human Health 50
3.1.5 Application of Water quality criteria to Stormwater 50
3.1.6 Groundwater and Sediment Standards....51
3.1.7 Scope of Work for BMP Monitoring Program 51
3.1.8 Information Needs to Meet Established Goals of BMP Monitoring 55
3.2 Phase II – Develop BMP Monitoring Plan 56
3.2.1 Recommendation and Discussion of Monitoring Locations....56
Integration of BMP Monitoring into a Municipal Monitoring Program 57
Sampling from a Well Mixed Location....58
3.2.1.1 Upstream 59
3.2.1.2 Downstream 60
3.2.1.3 Intermediate Locations....60
3.2.1.4 Rainfall....61
Site Proximity....61
Number of Gauges....62
3.2.1.5 Groundwater 62
3.2.1.6 Sediment Sampling 63
3.2.1.7 Dry Deposition....63
3.2.1.8 Modeling Methods 64

Estimates of Water Quality Parameters....64
Estimates of Flow....67
Estimates of Rainfall....67
3.2.2 Recommendation and Discussion of Monitoring Frequency....68
3.2.2.1 Statistical Underpinnings of Study Design....68
3.2.2.2 Factors Affecting Study Design....69
Number of Samples....69
Determining the Number of Observations Needed....70
3.2.3 Recommendation and Discussion of Water Quality Parameters and Analytical Methods....76
3.2.3.1 Selecting Parameters....76
3.2.3.2 Dissolved vs. Total Metals....79
3.2.3.3 Measurements of Sediment Concentration....79
3.2.3.4 Analytical Methods....81
3.2.4 Recommendation and Discussion of Monitoring Equipment and Methods....83
3.2.4.1 Equipment....83
Data Loggers....83
Power Requirements....87
Flow....89
Volume-Based Methods....91
Stage-Based Methods....91
Manning's Equation....92
Other Empirical Stage-Flow Relationships....93
Stage Based Method Using Weirs and Flumes....93
Stage-Based Variable Gate Meters....94
Velocity-Based Methods....94
Tracer Dilution Methods....95
Constant Injection Rate Tracer Dilution Studies....95
Total Recovery Tracer Dilution Studies....95
Pump Discharge Method....95
3.2.4.2 Automatic Sampling Techniques....96
Selection of Primary Flow Measurement Device....96
Types of Primary Flow Measurement Devices....96
Weirs....97
Flumes....97
Considerations for Selection of Primary Flow Measurement Device....99
Range of Flows....99
Flow Rate....100
Accuracy....100
Cost....100
Head Loss and Flow Characteristics....101
Sediment and Debris....101
Construction Requirements....101
Selection of Secondary Flow Measurement Device....102
Float Gauge....103
Bubbler Tube....103

Ultrasonic Depth Sensor 104
Pressure Probe.....105
Ultrasonic "Uplooking" 106
Radar/Microwave.....106
Equipment for Measuring Velocity.....107
Methods Suitable for Calibration 107
Tracer Studies 108
Rotating-Element Current Meters.....108
Pressure Sensors.....108
Acoustical Sensors 108
Float-and-Stopwatch Method.....109
Deflection (or Drag-Body) Method 109
Methods Most Suitable for Continuous Velocity Monitoring.....109
Ultrasonic (Doppler) Sensors.....109
Electromagnetic Sensors.....110
Acoustic Path 111
Water Quality Sample Collection Techniques 111
Grab Samples 111
Composite Samples 112
Automatic Sampling.....114
Automatic Sampling Equipment 115
Overland Flow Sampler.....118
In-situ Water Quality Devices, Existing Technology 119
In-situ Water Quality Devices, Future Technologies.....121
Ion-Selective Electrodes 121
On-Line Water Quality Analyzers.....121
Particle Size Analyzers 122
In-situ Filtration and Extraction System 123
Remote Communications with Automatic Equipment.....123
Manual Sampling 124
Manual Grab Sampling Equipment.....125
Manual Composite Sampling Equipment.....125
3.2.4.3 Error Analysis and Measurement Accuracy 126
3.2.5 Recommendation and Discussion of Storm Criteria.....127
3.2.5.1 Storm Characteristics 127
3.2.6 Recommendation and Discussion of QA/QC 129
3.2.6.1 Sampling Methods 132
Contamination/Blanks 133
Reconnaissance and Preparations.....134
Site Visits.....134
Laboratory Coordination.....134
Sample Containers/Preservation/ Holding Times.....135
Recommended Field QA/QC Procedures.....135
Field Blanks.....135
Field Duplicate Samples.....135
Field Sample Volumes 136

Chain of Custody 136
Recommended Laboratory QA/QC Procedures 136
Method Blanks 136
Laboratory Duplicates 136
Matrix Spike and Spike Duplicates 136
External Reference Standards 136
3.2.7 Recommendations for Data Management 137
3.2.7.1 Database Requirements 137
Analysis of Database Links 138
Analysis of Outlying Records 138
Sample Comparisons Between Original Documents and Final Data Set 139
Digital Conversion of Data 139
Double Data Entry and Optical Character Recognition 139
3.3 Phase III - Implementation of Monitoring Plan 139
3.3.1 Training of Personnel 139
3.3.2 Installation of Equipment 140
3.3.3 Testing and Calibrating Equipment 141
3.3.4 Conducting Monitoring 141
3.3.5 Coordinate Laboratory Analysis 143
3.4 Phase IV - Evaluation and Reporting of Results 144
3.4.1 Validate Data 144
3.4.2 Evaluate Results 144
3.4.2.1 Preliminary Data Evaluation 145
3.4.2.2 Definitive Evaluations 145
3.4.3 Report Results 146
3.4.3.1 National Stormwater BMP Database Requirements 147
3.4.3.2 Standard Format Examples 156
General Test Site Information 156
Watershed Information 159
Structural BMP Information 164
Non-Structural BMP Information 166
Detention Basin Design Data 169
Retention Pond Design Data 172
Percolation Trench and Dry Well Design Data 175
Media Filter Design Data 178
Grass Filter Strip Design Data 181
Wetland Channel and Swale Design Data 183
Porous Pavement Design Data 186
Infiltration Basin Design Data 189
Hydrodynamic Device Design Data 192
Wetland Basin Design Data 194
Monitoring Station Information 198
Precipitation Data 201
Flow Data 203
Water Quality Data 205
3.4.3.3 On-line Information 207

References 208
Index 214

APPENDIX A
APPENDIX B
APPENDIX C
APPENDIX D

List of Tables

Page

Table 2.1: Objectives of BMP implementation projects and the ability of comprehensive water quality monitoring studies to provide information useful for determining performance and effectiveness 6
Table 2.2: Examples of water quality parameters and relevant monitoring period 17
Table 2.3: Summary of historical, alternative, and recommended methods for BMP water quality monitoring data analysis.....20
Table 2.4: Example of ER method results for TSS in the Tampa Office Pond 24
Table 2.5: Example of SOL method results for TSS in the Tampa Office Pond.....25
Table 2.6: Example of ROL method results for TSS in the Tampa Office Pond. 27
Table 2.7: Example of Individual Storm Loads Method results for TSS in the Tampa Office Pond.....32
Table 2.8: Comparison of BMP efficiency methods.....32
Table 2.9: "Irreducible concentrations" as reported by Scheuler, 2000. 33
Table 2.10: Example TSS results for typical ER Method.....33
Table 2.11: Example TSS results for demonstration of Relative Efficiency approach. 35
Table 2.12: Example of percent removal relative to receiving water quality limits approach.....36
Table 3.1: Typical urban stormwater runoff constituents and recommended detection limits 79
Table 3.2: Flow measurement methods..... 91
Table 3.3: Equipment for measuring depth of flow 103
Table 3.4: Velocity measurement methods suitable for calibration.....108
Table 3.5: National Stormwater BMP Database requirements for all BMPs 149
Table 3.6: National Stormwater BMP Database requirements for structural BMPs.....150
Table 3.7: National Stormwater BMP Database requirements for Non-structural BMPs 150
Table 3.8: National Stormwater BMP Database requirements for individual structural BMPs 151
Table 3.9: National Stormwater BMP Database requirements for non-structural BMPs and structural BMPs that are based on minimizing directly connected impervious areas 156
Table 3.10: National Stormwater BMP Database requirements for structural BMPs that are based on minimizing directly connected impervious areas 157
Table 3.11: General test site form data element descriptions 158
Table 3.12: Watershed form data elements description.....160
Table 3.13: Structural BMP form data elements description.....165
Table 3.14: Non-structural BMP form data elements description 167
Table 3.15: Detention Basin design form data elements list.....170

Table 3.16: Retention Pond design form data elements list 173
Table 3.17: Percolation trench and dry well design form data elements list 176
Table 3.18: Media filter design form data elements list.....179
Table 3.19: Grass filter strip form data elements list.....182
Table 3.20: Wetland channel and swale form data elements list.....184
Table 3.21: Porous pavement form data elements 187
Table 3.22: Infiltration basin form data elements list..... 190
Table 3.23: Hydrodynamic device form data elements..... 193
Table 3.24: Wetland basin form data elements list..... 195
Table 3.25: Monitoring station form data elements 199
Table 3.26: Precipitation form data elements 202
Table 3.27: Flow form data elements.....204
Table 3.28: Water quality form data elements..... 206
Table A.1: Example of inputs for estimation of errors in flow measurement Devices..... A-5
Table A.2: Summary of examples demonstrating the propagation of errors in flow measurement..... A-7
Table D.1: Relationships of log-normal distributions..... D-1

List of Figures

Page

Figure 2.1 ROL plot for use in calculating efficiency for TSS using the Tampa Office Pond (1990) 28
Figure 2.2 ROL plot for use in calculating efficiency for TSS using the Tampa Office Pond (1993-1994) 28
Figure 2.3 ROL plot for use in calculating efficiency for TSS using the Tampa Office Pond (1994-1995) 29
Figure 2.4 Removal Efficiency (ER Method) of TSS as a function of influent concentration 38
Figure 2.5 Removal Efficiency (ER Method) of total phosphorous as a function of influent concentration 38
Figure 2.6 Removal Efficiency (ER Method) of total zinc as a function of influent concentration 39
Figure 2.7 Percent removal as a function of influent concentration for randomly generated, normally distributed influent and effluent concentrations. 39
Figure 2.8 Probability plot for Suspended Solids 42
Figure 2.9 Probability plot for Total Dissolved Solids 42
Figure 2.10 Probability plot for Chemical Oxygen Demand 42
Figure 3.1 Nomograph relating coefficient of variation of a samples set to the allowable error in the estimate of the population mean 71
Figure 3.2 Number of samples required using a paired sampling approach to observe a statistically significant percent difference in mean concentration as a function of the coefficient of variation (power of 80% and confidence of 95%) 75
Figure 3.3 Data logger with weatherproof housing 84
Figure 3.4 Data logger without housing 85
Figure 3.5 Data logger summary 88
Figure 3.6 Parshall flume 98
Figure 3.7 H-flume 98
Figure 3.8 Bubbler flow meter 104
Figure 3.9 Ultrasonic-depth sensor module 105
Figure 3.10 Pressure transducers 106
Figure 3.11 Area velocity sensors module 110
Figure 3.12 Automatic sampler 116
Figure 3.13 VOC sampler 117
Appendix B Figures: Number of samples required for various powers, confidence intervals, and percent differences B-1

Acknowledgements and Disclaimer

The authors, Eric Strecker, P.E. of GeoSyntec Consultants, Ben Urbonas, P.E. Urban Drainage and Flood Control District, Denver, Marcus Quigley, P.E., Jim Howell, and Todd Hesse of GeoSyntec Consultants would like to thank Jesse Pritts, P.E. and Eric Strassler of the Environmental Protection Agency and Tom McLane and Lorena Diaz of the American Society of Civil Engineers (ASCE) for their support for and participation in the ASCE/EPA National Stormwater Best Management Practices Database Project and the development of this guidance. The authors would also like to thank the following members of ASCE's Urban Water Resources Research Council for their thorough review and contributions to this guidance:

Robert Pitt, P.E., Ph.D. (University of Alabama, Birmingham)
Eugene Driscoll, P.E.
Roger Bannerman, P.E. (Wisconsin Department of Natural Resources)
Shaw Yu, P.E., Ph.D. (University of Virginia)
Betty Rushton (Southwest Florida Water Management District)
Richard Field (EPA), P.E.
Jonathan Jones, P.E. (Wright Water Engineers)
Jane Clary (Wright Water Engineers)
Tom Langan (Wright Water Engineers)

Sections of this manual were developed by the authors concurrently with the Federal Highway Administration's (FHWA) "Guidance Manual For Monitoring Highway Runoff Water Quality." Although the focus of the FHWA manual is on highway runoff monitoring, much of the information on equipment selection, use, and installation is applicable to best management practice monitoring and thus was adapted for this guidance.

In addition, portions of this document were adapted from work originally conducted for the Washington State Department of Ecology's (DOE) November 1995, "Stormwater Monitoring Guidance Manual" by an author of this document (Eric Strecker) and Mike Milne (Brown and Caldwell), Terry Cook (URS Group, Inc.), Gail Boyd (URS Group, Inc.), Krista Reininga (URS Group, Inc.), and Lynn Krasnow. The thoroughness and specific insight provided in the DOE Manual were useful in assembling this guidance.

The authors would also like to thank Joan LeBlanc, and Kathy Staffier (GeoSyntec Consultants) for editorial review and edits of the final document.

Disclaimer:
Mention of trade names or commercial products does not constitute endorsement by EPA or ASCE, or recommendation for use.