STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Upper Colorado River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. Mainstem of the Colorado River, including all tributaries, wetlands, lakes ervoirs, within Rocky Mountain National Park, or which flow into Rocky Mountain Park.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Colorado River, including all tributaries, wetlands, lakes, ervoirs within, or flowing into Arapahoe National Recreation Area, including Grand hadow Mountain Lake and Lake Granby.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. Mainstem of the Colorado River from the outlet of Lake Granby to the ce with Roaring Fork River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. All tributaries to the Colorado River, including all wetlands, from the outlet Granby to the confluence with the Roaring Fork River, which are on National nds, except for those tributaries included in Segments 1 and 2, and specific n Segments 8, 9 and 10.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. All lakes and reservoirs tributary to the Colorado River from the boundary Mountain National Park and Arapahoe National Recreation Area to a point tely below the confluence with the Roaring Fork River which are not on National nds, except for specific listing in Segments 1 and 9.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6a. All tributaries to the Colorado River, including all wetlands, from the y of Rocky Mountain National Park and Arapahoe National Recreation Area toa mediately below the confluence with the Blue River which are not on National nds, except for specific listings in Segments 6b, 6c, 8 and 10.		Aq Life Cold 1 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 NO_2=0.05 B=0.75 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS)	Hg(ch)=0.01(to t Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, o Willow Creek Reservoir Road (Section 8, T2N, R76W).	UP	Aq Life Cold 2 Recreation 2 Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	CN=0.2	S=0.002 B=0.75 NO_2=0.05 NO_3=10	As(ac)=100 Cd(ch)=10 CrIII(ch)=100 CrVI(ch)=100	Cu(ac)=200 Pb(ch)=100 Mn(ch)=200 Ni(ac/ch)=200	Se(ch)=20 Zn(ch)=2000	All metals are Trec unless otherwise noted.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Upper Colorado River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC		METALS			TEMPORARY MODIFICATIONS AND QUALIFIERS
6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence Willow Creek (Sec. 17, T2N, R76W).	UP	Aq Life Cold 2 Recreation 2 Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b and in the Blue River, Eagle River, and Roaring Fork River basins.		Aq Life Cold 1 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7b. Mainstem of Muddy Creek, including all tributaries, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries, from their sources to their confluences with the Colorado River, which are not on National Forest lands.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in segment 9.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS` Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Point of compliance for Fe and Mn at Aspen Canyon Ranch well.
9. All tributaries to the Colorado and Fraser Rivers, including all wetlands, lakes and reservoirs, within the Never Summer, Indian Peaks, Ptarmigan Peak and Flat Tops Wilderness Areas.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. Mainstem of the Fraser River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Blue River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. Mainstem of the Blue River from the source to Dillon Reservoir, except for specific listing in Segment 2.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.	UP	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac/ch)=4 CrIII(ac)=50(Trec) CrIII(ch)=50 CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=$e^{(1.25(\ln(hard)+0.799))}$	
2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac/ch)=1/2$e^{(1.0166(\ln(hard)-3.132))}$ CrIII(ac)=50(Trec) CrIII(ch)=50 CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=$e^{(0.9805(\ln(hard)+1.402))}$	
3. Dillon Reservoir, including all direct tributaries and all tributaries, wetlands, lakes and reservoirs in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2, 5, 6, 10, 11, 12, 13 and 14.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Special standards for Dillon Reservoir only: Total Phosphorus as P=0.0074 mg/l in the top 15 meters of the water column for the months of July, August, September & October.
4. Deleted.									
5. Mainstem of Soda Creek from the source to Dillon Reservoir.		Aq Life Cold 1 Recreation 1a Agriculture Water Supply	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.0-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ch)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 7, 8 and 9.	UP	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modifications: Cd(ch)=2.3 Cu(ch)=17 no Zn(ac) Zn(ch)=654 Effective until 2/28/09.
7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.	UP	Aq Life Cold 1 Recreation 2	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modifications: no Cd(ac) Cd(ch)=5.2 Cu(ch)=79 Pb(ch)=6.7 no Zn(ac) Zn(ch)=1,380 Effective until 2/28/09.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Blue River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
8. Mainstem of Keystone Creek, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Chihuahua Creek including all tributaries, and wetlands from the source to the confluence with Peru Creek. Mainstem of the North Fork of the Snake River, including all tributaries and wetlands from the source to the confluence with the Snake River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Mainstem of Deer Creek, including all tributaries and wetlands from the source to the confluence with the Snake River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. Mainstem of French Gulch including all tributaries and wetlands from the source to a point 1.5 miles below Lincoln.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. Mainstem of French Gulch from a point 1.5 miles below Lincoln to the confluence with the Blue River.	UP	Aq Life Cold 1 Recreation 1b Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	Ac(ch)=100(Trec) Cd(ac/ch)=existing quality CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac)=TVS	Cu(ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=existing quality Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=existin g quality	
12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.	UP	Aq Life Cold 2 Recreation 1b Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary Modification: Zn(ch)=850 Effective until 2/28/09 for Illinois Gulch
13. Mainstem of Tenmile Creek from the Climax Parshall Flume to a point immediately above the confluence of West Tenmile Creek and all tributaries and wetlands from the source of Tenmile Creek to a point immediately above the confluence with West Tenmile Creek, except for the specific listing in Segment 15.		Aq Life Cold 1 Recreation 1b Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS Cr(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. Mainstem of Tenmile Creek, including all tributaries and wetlands from a point immediately above the confluence with West Tenmile Creek to Dillon Reservoir.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. Mainstem of Clinton Creek from the source to the confluence with Tenmile Creek.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Blue River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and	INORGANIC		METALS			TEMPORARY MODIFICATIONS AND QUALIFIERS
16. All tributaries to the Blue River, including all wetlands, lakes and reservoirs, within the Eagles Nest and Ptarmigan Peak Wilderness Areas.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
19. All tributaries to the Blue River, including all wetlands, from the outlet of Green Mountain Reservoir to the confluence with the Colorado River, except for specific listings in Segment 20.		Aq Life Cold 1 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.		Aq Life Cold 1 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Eagle River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries and wetlands to the Eagle River system within the Gore Range - Eagles Nest Wilderness Area and Holy Cross Wilderness Area.	OW[1]	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
	[1] Consistent with the provisions of section 25-8-104 C.R.S. the OW designation shall not apply with respect to the Homestake Water Project of the Cities of Aurora and Colorado Springs.								
2. Mainstem of The Eagle River from the source to the compressor house bridge at Belden.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of Homestake Creek from the confluence of the East Fork to the confluence with the Eagle River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. Mainstem of the Eagle River from the compressor house bridge at Belden to the confluence with Gore Creek.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ch)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=106	Seasonal temporary modifications: December 1 -April 30 Cu(ch)=9 no Zn(ac) Zn(ch) = 740 May 1 - November 30 Cu(ch) = 9 no Zn(ac) Zn(ch) = 240 Effective until 2/28/06.
6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7 and 8.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7. Mainstem of Cross Creek from the source to the confluence with the Eagle River, except for those waters included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ch)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Seasonal temporary modifications: Nov. 1-Apr. 30: no Zn(ac) Zn(ch)=170 Effective until 2/28/06.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Eagle River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Mainstem of the Eagle River from Gore Creek to the confluence with the Colorado River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 11 and 12, and those waters included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. Mainstem of Alkali Creek from the source to the confluence with the Eagle River; mainstem of Milk Creek from the source to the confluence with the Eagle River.	UP	Aq Life Cold 2 Recreation1b Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	CN(ac)=0.2 NO_2(ac)=10 NO_3(ac)=100	B=0.75 Cl=250	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec) Mn(ch)=200(Trec)	Ni(ch)=200(Trec) Se(ac/ch)=TVS Zn(ch)=2000(Trec)	
12. Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Roaring Fork River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries to the Roaring Fork River system, including all wetlands, lakes and reservoirs, within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and the Hunter/Fryingpan Wilderness Areas.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3a. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from a point immediately below the confluence with Hunter Creek, to the confluence with the Colorado River except for those tributaries included in Segment 1 and specific listings in Segments 3b through 10.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.	UP	Aq Life Cold 2 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.1 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of Brush Creek from the source to the confluence with the Roaring Fork River.	UP	Aq Life Cold 1 Recreation 1a Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. Mainstem of the Fryingpan River from the source to the confluence with the North Fork.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. Mainstem of the Fryingpan River from the confluence with the North Fork to the confluence with the Roaring Fork River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7. All tributaries to the Fryingpan River system, including all wetlands, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Crystal River, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River, except for specific listings in Segments 1, 9 and 10.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Roaring Fork River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
9. Mainstem of Coal Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10. Mainstem of Thompson Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: North Platte River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, lakes and reservoirs, within the Mount Zirkel, the Never Summer, and the Platte River Wilderness Areas.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Encampment River, including all tributaries, wetlands, lakes and reservoirs from the source to the Colorado/Wyoming border, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation 1b Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. All tributaries to the North Platte River system, including all wetlands, lakes and reservoirs, except for those tributaries included in Segment 1, and specific listings in Segments 5, 6 and 7.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ch)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5a. Mainstem of the Michigan River from the source to the Colorado State Forest boundary.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5b. Mainstem of the Michigan River from the Colorado State Forest boundary to the confluence with the North Platte River.		Aq Life Cold 1 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ch)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=TVS(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ch)=WS Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.		Aq Life Cold 1 Recreation 2 Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7. Mainstem of Government Creek from the boundary of the Colorado State Forest to the confluence with the Canadian River. Mainstem of Spring Creek from the source to the confluence with Illinois River.	UP	Aq Life Cold 2 Recreation 2 Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Water + Fish organics apply

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Yampa River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
1. All tributaries to the Yampa River, including all wetlands, lakes and reservoirs, which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2a. Mainstem of the Yampa River from the confluence of the Bear River and Wheeler Creek to the confluence with Elkhead Creek, except for segment 2b.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2b. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 1. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 1, 4, 5, 6, 7, 8, 13 and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.	UP	Aq Life Cold 2 Recreation 2 Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	CN=0.005 S=0.002 B=0.75 NO_2=0.05	NO_3=10 Cl=250 SO_4=WS	As(ac)=50 Cd(ac)=5 CrIII(ac)=50 CrVI(ac)=50 Cu(ch)=200	Fe(ch)=WS(dis) Pb(ac)=50 Mn(ch)=WS Mn(ac/ch)=TVS Hg(ac)=2.0	Ni(ch)=100 Se(ch)=20 Ag(ac)=100 Zn(ac/ch)=2000	All metals are Trec unless otherwise noted.
5. Mainstem of Chimney Creek, including all tributaries and wetlands, which are not on National Forest lands, from the source to the confluence with the Yampa River.		Aq Life Cold 1 Recreation 1b Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. Mainstem of Oak Creek, including all tributaries and wetlands, from the source to the point of discharge of the Oak Creek wastewater treatment plant.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7. Mainstem of Oak Creek, including all tributaries and wetlands, from the point of discharge of the Oak Creek wastewater treatment plant to the confluence with the Yampa River.		Aq Life Cold 1 Recreation 1b Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=325/100ml E.Coli=205/100ml	NH_3(ac)=TVS NH_3(ch)=0.05 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Deleted. 10. Deleted 11. Deleted									

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 12 BASIN: Yampa River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			TEMPORARY MODIFICATIONS AND QUALIFIERS
12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 13a, 13b, 13c, 13d and 13e.	UP	Aq Life Cold 2 Recreation 2 Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	CN(ac)=0.2	S=0.002 B=0.75 NO_2=0.05 NO_3=100	As(ac)=100 Cd(ch)=10 CrIII(ch)=100 CrVI(ch)=100 Cu(ac)=200	Pb(ch)=100 Mn(ch)=200 Ni(ch)=200	Se(ch)=20 Zn(ch)=2000	All metals are Trec unless otherwise noted.
13a. Mainstem of Trout Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River, which are not on National Forest lands, except for specific listings in Segments 13b and 13c.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.		Aq Life Cold 1 Recreation 1a Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Fish Creek Fe(ch)=1600(Trec) Foidel Creek and Middle Creek Pb(ac/ch)=TVS	Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13c. Mainstem of Trout Creek from headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to its confluence with Fish Creek. All tributaries to Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to County Road 179 except for specific listings in 13b.		Aq Life Cold 1 Recreation 1a Agriculture **June through February** Water Supply	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 **June through February** NO_3=10 Cl=250 SO_4=WS	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS **June through February** As(ac)=50(Trec) CrIII(ac)=50(Trec)	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) **June through February** Fe(ch)=WS(dis) Mn(ch)=WS	Ni(ac/ch)=TVS Se(ac/ch)=TVS` Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.06 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ac)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary Modification: Se(ac/ch)=60 based on uncertainty. Effective until 2/28/09
13e. Mainstems of Sage Creek and Grassy Creek, including all tributaries and wetlands, from their sources to the confluence with the Yampa River.	UP	Aq Life Warm 2 Recreation 2 Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	NH_3(ac)=TVS NH_3(ch)=0.06 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05	As(ac)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
14. Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to the confluence with the Yampa River.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. Mainstem of the East Fork of the Williams Fork river from the Routt/Rio Blanco county line to the confluence with the South Fork.		SEE LOWER	COLORADO	REGULATION					
16. Mainstem of the South Fork of the Williams Fork River from the Routt/Rio Blanco county line to the confluence with the East Fork.		SEE LOWER	COLORADO	REGULATION					
17. All tributaries to the Williams Fork River system in Routt County, including all wetlands, lakes and reservoirs, which are not on National Forest lands.		SEE LOWER	COLORADO	REGULATION					

REGION: 12 BASIN: Yampa River	Desig	Classifications	NUMERIC STANDARDS			TEMPORARY MODIFICATIONS AND

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Stream Segment Description			PHYSICAL and	INORGANIC		METALS			QUALIFIERS
18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
19. All tributaries to the Little Snake River, including all wetlands, lakes and reservoirs, which are on National Forest lands in Routt County.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH_3(ac)=TVS NH_3(ch)=0.02 Cl_2(ac)=0.019 Cl_2(ch)=0.011 CN=0.005	S=0.002 B=0.75 NO_2=0.05 NO_3=10 Cl=250 SO_4=WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch) Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	