

**Data Validation Checklist
Semivolatile Organic Analyses**

Project: 35TH Avenue Superfund Site
 Laboratory: TestAmerica – Tampa, FL
 Method: SW-846 8270C Low-Level (PAH)
 Matrix: Soil
 Reviewer: Jane Lindsey
 Concurrence¹: Carol Lovett, Sarah Choyke

Project No: 15268508.20000
 Job ID.: 680-88766-1
 Associated Samples: Refer to Attachment A (Sample Summary)
 Date(s) Collected: 03/25/2013
 Date: 04/10/2013
 Date: 04/19/2013

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
1. Were sample storage and preservation requirements met? If temperature >6°C, then J/UJ-flag results.	✓				
2. Were all COC records signed and integrity seals intact, indicating that COC was maintained for all samples?	✓				
3. Were there any problems noted in laboratory data package concerning condition of samples upon receipt?		✓			
4. Do any soil samples contain more than 50% water? If yes, then results are to be reported on a wet-weight basis.		✓			
5. Were holding times met (≤7 and 14 days from collection to extraction for aqueous and solid samples, respectively; ≤40 days from extraction to analysis)? If not, then J/UJ-flag sample results. If grossly (2x) exceeded, then flag J/R.	✓				
6. Were results for all project-specified target analytes reported?	✓				
7. Were project-specified Reporting Limits achieved for undiluted sample analyses?	✓				
8. Were samples with analyte concentrations exceeding the calibration range of the instrument re-analyzed at a higher dilution? If not, then J-flag sample result.			✓		
9. Was a method blank extracted with each batch (i.e., one per 20 samples, per batch, per matrix and per level)?	✓				
10. Were target analytes detected in the method blank?		✓			
11. Were target analytes detected in equipment/rinsate blanks?		✓		PAH were not detected during the analysis of rinsate blank 032613-RB-Shovel (680-88766-23).	
12. Are equipment/rinsate blanks associated with every sample? If	✓			According to the QAPP, a rinsate blank is to be collected after each decontamination event, which	

¹ Independent technical reviewer
 URS Group, Inc.
 Page 1 of 5

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
no, note in DV report.				occurs once per week per the client. A rinsate blank (032613-RB-Shovel) was collected during the week of 03/25/2013. The rinsate blank was analyzed for PAHs under Test America Job ID 680-88766-2.	
13. Were analytes detected in samples below the blank contamination action level? If yes, U-flag positive sample results <5x associated blank concentration (10x for common blank contaminants – phthalates)		✓			
14. Is a field duplicate associated with this Job?	✓			<ul style="list-style-type: none"> CV0613A-CS (680-88766-1) and CV0613A-CSD (680-88766-2) CV0613K-CS (680-88766-12) and CV0613K-CSD (680-88766-13) 	
15. Was precision deemed acceptable as defined by the project plans?		✓		See Attachment B (Field Duplicate Evaluation)	J
16. Were DFTPP ion abundance criteria (i.e., Table 3 of SW-846 8270C) met? If no, professional judgment may be applied to determine to what extent the data may be utilized.	✓			Alternate tuning criteria were used by the laboratory (i.e., EPA Method 525.2). All ion abundance criteria were met per EPA Method 525.2.	
17. Were samples analyzed within 12 hours of the DFTPP tune? If no, professional judgment may be applied to determine to what extent the data may be utilized.	✓				
18. Were initial and continuing calibration standards analyzed at the proper frequency for each instrument? <ul style="list-style-type: none"> Ensure that a minimum of five standards are used for the initial calibration. If no, use professional judgment to determine the effect on the data and note in the reviewer narrative. An initial calibration is to be associated with each sample analysis. A continuing calibration standard is to be analyzed for every 12 hours of sample analysis per instrument. 	✓		<ul style="list-style-type: none"> Initial Calibration: 04/02/2013, instrument BSMC5973 ICV: 04/02/2013 @ 15:34 CCV: 04/02/2013 @ 16:40 CCV: 04/03/2013 @ 11:45 Initial Calibration: 02/22/2013, instrument BSMD5973 ICV: 02/22/2013 @ 14:51 CCV: 04/03/2013 @ 11:55 		
19. Were calibration results within laboratory/project specifications? <ul style="list-style-type: none"> ICAL (Criteria: ≤ 15 mean %RSD with individual CCC %RSD ≤ 30 ($\leq 50\%$ for poor performers), OR $r \geq 0.995$, OR $r^2 \geq 0.99$, and RRF ≥ 0.050 (≥ 0.010 for poor performers)): <ul style="list-style-type: none"> If %RSD > 15 ($> 50\%$ for poor performers), or $r < 0.995$, or $r^2 < 0.995$, then J-flag positive results and UJ-flag non-detects 		✓		ICV of 04/02/2013 @ 15:34, instrument BSMC5973: <ul style="list-style-type: none"> Pyrene @ -21.4%D (Lab: ≤ 35, Project: ≤ 20), 78.5%R Chrysene @ -23.5%D (Lab: ≤ 35, Project: ≤ 20), 76.5%R Benzo(b)fluoranthene @ -21.1%D (Lab: ≤ 35, Project: ≤ 20), 79%R Benzo(a)pyrene @ -24.3%D (Lab: ≤ 35, Project: ≤ 20), 79%R 	J

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
<ul style="list-style-type: none"> ○ If mean RRF <0.050 (<0.010 for poor performers), then J-flag positive results and R-flag non-detects • ICV and CCV (Criteria: $\leq 20\%D$ ($\leq 50\%$ for poor performers) and $RF \geq 0.050$ (≥ 0.010 for poor performers)): <ul style="list-style-type: none"> ○ If $\%D > 20$ ($> 50\%$ for poor performers), then J-flag positive results and UJ-flag non-detects ○ If $RF < 0.050$ (<0.010 for poor performers), then UJ-flag non-detected semivolatile target compounds 				≤ 20), 75.5%R A negative bias is indicated by the ICV percent difference; therefore, J-flag detected pyrene, chrysene benzo(b)fluoranthene, and benzo(a)pyrene results in associated samples ² .	
20. Was a LCS prepared for each batch and matrix?	✓				
21. Were LCS recoveries within lab control limits? If no, J-flag positive results when $\%R > \text{Upper Control Limit (UCL)}$ and J/R-flag results when $\%R < \text{Lower Control Limit (LCL)}$.	✓				
22. Were LCS/LCSD RPD within lab specifications? If no, J-flag positive results and UJ-flag non-detects			✓	LCS only	
23. Was a MS/MSD pair extracted at the proper frequency (one per 20 samples per batch)?	✓			<ul style="list-style-type: none"> • Prep Batch 135924: 680-88632-21 (Batch sample), MS/MSD • Prep Batch 136026: 680-88766-6 (CV0613E-CS), MS/MSD • Prep Batch 136063: 680-88766-21 (Batch sample), MS/MSD 	
24. Is the MS/MSD parent sample a project-specific sample?	✓			See above.	
25. Were MS/MSD recoveries within laboratory/project specifications? <i>Only QC results for project samples that are reported under this Job ID are evaluated.</i> <ul style="list-style-type: none"> • If the native sample concentration > 4x spiking level, then an evaluation of interference is not possible. • If either MS or MSD recovery meets control limits, qualification of data is not warranted. • MS and MSD $\%R < 10$: J and R Flag positive and ND results, respectively • MS and MSD $\%R > 10$ and $< \text{LCL}$: J-Flag positive and UJ-flag non-detect results • MS and MSD $R\% > \text{UCL}$ (or 140): J-Flag positive results 		✓		CV0613E-CS (680-88766-6): <ul style="list-style-type: none"> • Benzo(a)anthracene @ 37 and 18%R (40-130). Flag result with J. • Benzo(a)pyrene @ 35 and 21%R (49-130). Flag result with J. • Benzo(b)fluoranthene @ 20 and -18%R (37-130). Flag result with J. • Chrysene @ 25 and 7%R (41-130). Flag result with J. • Fluoranthene @ 7 and -33%R (40-130). Flag result with J. • Phenanthrene @ 30 and 5%R (42-130). Flag result with J. • Pyrene @ 23 and -17%R (44-130). Flag result with J. 	J

² 680-88766-1 through -5 and -7 through -20

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
26. Were laboratory criteria met for precision during the MS/MSD analysis? <i>Only QC results for project samples that are reported under this Job ID are evaluated.</i> <ul style="list-style-type: none"> • If the native sample concentration > 4x spiking level, then an evaluation of interference is not possible. • If %RPD > UCL, J-flag positive result and UJ-flag non-detect result. 	✓				
27. Were surrogate recoveries within lab/project specifications? <ul style="list-style-type: none"> • If %R <10, then J-flag positive and R-flag non-detect associated sample results • If %R >UCL, then J-flag positive results • %R ≥10%, but <LCL, then J-flag positive results and UJ-flag non-detect results • If 1 %R >UCL and 1 %R ≥10%, but <LCL, then J-flag positive results and UJ-flag non-detect results 	✓				
28. Were internal standard (IS) results within lab/project specifications? <ul style="list-style-type: none"> • If IS area counts are less than 50% of the midpoint calibration standard, then J-flag positive and UJ-flag non-detect associated sample results • If IS area counts are greater than 100% of the midpoint calibration standard, then J-flag positive results • If extremely low area counts are reported or performance exhibits a major abrupt drop-off, then a severe loss of sensitivity is indicated, J-flag positive and R-flag non-detect results • If retention time of sample's internal standard is not within 30 seconds of the associated calibration standard, R-flag associated data. • The chromatographic profile for that sample must be examined to determine if any false positives or negatives exists. For shifts of large magnitude, the reviewer may consider partial or total rejection of the data for that sample fraction. Positive results need not be qualified as R, if mass spectral criteria are met. 	✓				
29. Were lab comments included in report?	✓			Refer to Attachment C (Case Narrative)	

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
<p>Comments: The data validation was conducted in accordance with the <i>Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1</i> (OTIE, October 2012). The data review process was modeled after the <i>USEPA Contract Laboratory Program (CLP) National Functional Guidelines (NFG) for Organic Methods Data Review</i> (EPA, October 1999) and <i>USEPA CLP NFG for Low Concentration Organic Methods Data Review</i> (EPA, June 2001). Sample results have been qualified based on the results of the data review process (Attachment D). Criteria for acceptability of data were based upon available site information, analytical method requirements, guidance documents, and professional judgment.</p>					

DV Flag Definitions:

- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- R The sample results are unusable. The analyte may or may not be present in the sample.
- U The analyte was analyzed for, but was not detected above the associated level; blank contamination may exist.
- UJ The analyte was not detected above the limit, and the limit is approximate and may be inaccurate or imprecise.

ATTACHMENT A
SAMPLE SUMMARY

Sample Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-88766-1	CV0613A-CS	Solid	03/25/13 13:11	03/28/13 09:37
680-88766-2	CV0613A-CSD	Solid	03/25/13 13:15	03/28/13 09:37
680-88766-3	CV0613B-CS	Solid	03/25/13 13:20	03/28/13 09:37
680-88766-4	CV0613C-CS	Solid	03/25/13 13:25	03/28/13 09:37
680-88766-5	CV0613D-CS	Solid	03/25/13 13:30	03/28/13 09:37
680-88766-6	CV0613E-CS	Solid	03/25/13 13:43	03/28/13 09:37
680-88766-7	CV0613F-CS	Solid	03/25/13 13:48	03/28/13 09:37
680-88766-8	CV0613G-CS	Solid	03/25/13 14:00	03/28/13 09:37
680-88766-9	CV0613H-CS	Solid	03/25/13 14:07	03/28/13 09:37
680-88766-10	CV0613I-CS	Solid	03/25/13 14:17	03/28/13 09:37
680-88766-11	CV0613J-CS	Solid	03/25/13 14:25	03/28/13 09:37
680-88766-12	CV0613K-CS	Solid	03/25/13 14:26	03/28/13 09:37
680-88766-13	CV0613K-CSD	Solid	03/25/13 14:28	03/28/13 09:37
680-88766-14	CV0613AB-GS	Solid	03/25/13 13:32	03/28/13 09:37
680-88766-15	CV0613AC-GS	Solid	03/25/13 13:34	03/28/13 09:37
680-88766-16	CV0610A-CS	Solid	03/25/13 14:40	03/28/13 09:37
680-88766-17	CV0610B-CS	Solid	03/25/13 14:42	03/28/13 09:37
680-88766-18	CV0610AB-GS	Solid	03/25/13 14:39	03/28/13 09:37
680-88766-19	CV0506A-CS	Solid	03/25/13 15:06	03/28/13 09:37
680-88766-20	CV0506B-CS	Solid	03/25/13 15:15	03/28/13 09:37

ATTACHMENT B
FIELD DUPLICATE EVALUATION

Evaluation of Field Duplicate Results

Attachment B

Analyte	CV0613A-CS (680-88766-1)	RL	CV0613A-CSD (680-88766-2)	RL	Unit	Avg. RLx5	RPD	Absolute difference	2x Avg RL	Action
Acenaphthene		470	34	120	µg/kg	1475	NA	34	590	None, absolute difference ≤ 2x Avg RL
Acenaphthylene	150	190	75	47	µg/kg	592.5	NA	75	237	None, absolute difference ≤ 2x Avg RL
Anthracene	300	40	150	9.9	µg/kg	124.75	67	NA	NA	J/UJ-flag, RPD > 50%
Benzo(a)anthracene	1100	38	530	9.5	µg/kg	118.75	70	NA	NA	J/UJ-flag, RPD > 50%
Benzo(a)pyrene	950	49	490	12	µg/kg	152.5	64	NA	NA	J/UJ-flag, RPD > 50%
Benzo(b)fluoranthene	1800	58	850	14	µg/kg	180	72	NA	NA	J/UJ-flag, RPD > 50%
Benzo(g,h,i)perylene	790	94	360	24	µg/kg	295	75	NA	NA	J/UJ-flag, RPD > 50%
Benzo(k)fluoranthene	570	38	370	9.5	µg/kg	118.75	43	NA	NA	None, RPD ≤ 50%
Chrysene	1000	42	520	11	µg/kg	132.5	63	NA	NA	J/UJ-flag, RPD > 50%
Dibenzo(a,h)anthracene	280	94	130	24	µg/kg	295	NA	150	118	J/UJ-flag, absolute difference > 2x Avg RL
Fluoranthene	1600	94	860	24	µg/kg	295	60	NA	NA	J/UJ-flag, RPD > 50%
Fluorene	70	94	38	24	µg/kg	295	NA	32	118	None, absolute difference ≤ 2x Avg RL
Indeno(1,2,3-cd)pyrene	660	94	350	24	µg/kg	295	61	NA	NA	J/UJ-flag, RPD > 50%
1-Methylnaphthalene	190	190	65	47	µg/kg	592.5	NA	125	237	None, absolute difference ≤ 2x Avg RL
2-Methylnaphthalene	190	190	96	47	µg/kg	592.5	NA	94	237	None, absolute difference ≤ 2x Avg RL
Naphthalene	180	190	88	47	µg/kg	592.5	NA	92	237	None, absolute difference ≤ 2x Avg RL
Phenanthrene	780	38	400	9.5	µg/kg	118.75	64	NA	NA	J/UJ-flag, RPD > 50%
Pyrene	1400	94	810	24	µg/kg	295	53	NA	NA	J/UJ-flag, RPD > 50%

Note: If the analyte was not detected, then the cell was left blank.

Analyte	CV0613K-CS (680-88766-12)	RL	CV0613K-CSD (680-88766-13)	RL	Unit	Avg. RLx5	RPD	Absolute difference	2x Avg RL	Action
Acenaphthene	50	120	24	120	µg/kg	600	NA	26	240	None, absolute difference ≤ 2x Avg RL
Acenaphthylene	100	48	67	47	µg/kg	237.5	NA	33	95	None, absolute difference ≤ 2x Avg RL
Anthracene	170	10	99	9.8	µg/kg	49.5	53	NA	NA	J/UJ-flag, RPD > 50%
Benzo(a)anthracene	450	9.5	290	9.3	µg/kg	47	43	NA	NA	None, RPD ≤ 50%
Benzo(a)pyrene	460	12	320	12	µg/kg	60	36	NA	NA	None, RPD ≤ 50%
Benzo(b)fluoranthene	850	15	560	14	µg/kg	72.5	41	NA	NA	None, RPD ≤ 50%
Benzo(g,h,i)perylene	390	24	240	23	µg/kg	117.5	48	NA	NA	None, RPD ≤ 50%
Benzo(k)fluoranthene	380	9.5	230	9.3	µg/kg	47	49	NA	NA	None, RPD ≤ 50%
Chrysene	540	11	340	11	µg/kg	55	45	NA	NA	None, RPD ≤ 50%
Dibenzo(a,h)anthracene	130	24	74	23	µg/kg	117.5	NA	56	47	J/UJ-flag, absolute difference > 2x Avg RL
Fluoranthene	750	24	480	23	µg/kg	117.5	44	NA	NA	None, RPD ≤ 50%
Fluorene	47	24	24	23	µg/kg	117.5	NA	23	47	None, absolute difference ≤ 2x Avg RL
Indeno(1,2,3-cd)pyrene	360	24	240	23	µg/kg	117.5	40	NA	NA	None, RPD ≤ 50%
1-Methylnaphthalene	76	48	43	47	µg/kg	237.5	NA	33	95	None, absolute difference ≤ 2x Avg RL
2-Methylnaphthalene	96	48	46	47	µg/kg	237.5	NA	50	95	None, absolute difference ≤ 2x Avg RL
Naphthalene	120	48	54	47	µg/kg	237.5	NA	66	95	None, absolute difference ≤ 2x Avg RL
Phenanthrene	540	9.5	220	9.3	µg/kg	47	84	NA	NA	J/UJ-flag, RPD > 50%
Pyrene	730	24	440	23	µg/kg	117.5	50	NA	NA	None, RPD ≤ 50%

Note: If the analyte was not detected, then the cell was left blank.

- µg/kg - micrograms per kilogram
- J - Estimated value
- NA - Not applicable
- RL - Reporting limit
- RPD - Relative percent difference
- UJ - Not detected and the limit is estimated

Precision is based on either the absolute difference between sample results or RPD. If the sample results are less than or equal to 5x's the RL, then precision is based on the absolute difference between duplicate results. If sample results >5x's RL, then precision is evaluated using RPD. J-Flag sample results whenever the absolute difference is greater than the RL (2x for soils) or the RPD >20% (50% for soil). Table above presents the results for detected analytes only.

ATTACHMENT C
CASE NARRATIVE

Case Narrative

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Job ID: 680-88766-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Oneida Total Integrated Enterprises LLC

Project: 35th Avenue Superfund Site

Report Number: 680-88766-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 03/28/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.4 C.

SEMIVOLATILE ORGANIC COMPOUNDS BY GCMS - LOW LEVEL

Samples CV0613A-CS (680-88766-1), CV0613A-CSD (680-88766-2), CV0613B-CS (680-88766-3), CV0613C-CS (680-88766-4), CV0613D-CS (680-88766-5), CV0613E-CS (680-88766-6), CV0613F-CS (680-88766-7), CV0613G-CS (680-88766-8), CV0613H-CS (680-88766-9), CV0613I-CS (680-88766-10), CV0613J-CS (680-88766-11), CV0613K-CS (680-88766-12), CV0613K-CSD (680-88766-13), CV0613AB-GS (680-88766-14), CV0613AC-GS (680-88766-15), CV0610A-CS (680-88766-16), CV0610B-CS (680-88766-17), CV0610AB-GS (680-88766-18), CV0506A-CS (680-88766-19) and CV0506B-CS (680-88766-20) were analyzed for Semivolatile Organic Compounds by GCMS - Low Level in accordance with EPA SW-846 Method 8270C. The samples were prepared on 03/29/2013, 04/01/2013 and 04/02/2013 and analyzed on 04/02/2013 and 04/03/2013.

Samples CV0613A-CS (680-88766-1)[4X], CV0613B-CS (680-88766-3)[4X], CV0613D-CS (680-88766-5)[4X], CV0613E-CS (680-88766-6)[4X], CV0613H-CS (680-88766-9)[4X], CV0613J-CS (680-88766-11)[4X], CV0613AC-GS (680-88766-15)[4X], CV0610A-CS (680-88766-16)[4X], CV0610B-CS (680-88766-17)[4X], CV0610AB-GS (680-88766-18)[4X] and CV0506A-CS (680-88766-19)[4X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Several analytes recovered outside the recovery criteria low for the MS/MSD of sample CV0613E-CS (680-88766-6) in batch 660-136118.

No other difficulties were encountered during the SVOAs analyses.

All other quality control parameters were within the acceptance limits.

ATTACHMENT D
QUALIFIED SAMPLE RESULTS

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613A-CS

Lab Sample ID: 680-88766-1

Date Collected: 03/25/13 13:11

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 85.4

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	470	U	470	94	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Acenaphthylene	150	J	190	24	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Anthracene	300	J	40	20	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Benzo[a]anthracene	1100	J	38	18	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Benzo[a]pyrene	950	J	49	25	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Benzo[b]fluoranthene	1800	J	58	29	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Benzo[g,h,i]perylene	790	J	94	21	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Benzo[k]fluoranthene	570	J	38	17	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Chrysene	1000	J	42	21	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Dibenz(a,h)anthracene	280	J	94	19	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Fluoranthene	1600	J	94	19	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Fluorene	70	J	94	19	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Indeno[1,2,3-cd]pyrene	660	J	94	33	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
1-Methylnaphthalene	190	J	190	21	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
2-Methylnaphthalene	190	J	190	33	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Naphthalene	180	J	190	21	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Phenanthrene	780	J	38	18	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
Pyrene	1400	J	94	17	ug/Kg	☐	03/29/13 10:19	04/02/13 21:51	4
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	96		30 - 130				03/29/13 10:19	04/02/13 21:51	4

Client Sample ID: CV0613A-CSD

Lab Sample ID: 680-88766-2

Date Collected: 03/25/13 13:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	34	J	120	24	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Acenaphthylene	75	J	47	5.9	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Anthracene	150	J	9.9	5.0	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Benzo[a]anthracene	530	J	9.5	4.6	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Benzo[a]pyrene	490	J	12	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Benzo[b]fluoranthene	850	J	14	7.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Benzo[g,h,i]perylene	360	J	24	5.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Benzo[k]fluoranthene	370	J	9.5	4.3	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Chrysene	520	J	11	5.3	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Dibenz(a,h)anthracene	130	J	24	4.9	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Fluoranthene	860	J	24	4.7	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Fluorene	38	J	24	4.9	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Indeno[1,2,3-cd]pyrene	350	J	24	8.4	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
1-Methylnaphthalene	65	J	47	5.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
2-Methylnaphthalene	96	J	47	8.4	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Naphthalene	88	J	47	5.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Phenanthrene	400	J	9.5	4.6	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
Pyrene	810	J	24	4.4	ug/Kg	☐	03/29/13 10:19	04/02/13 22:09	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	58		30 - 130				03/29/13 10:19	04/02/13 22:09	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613B-CS

Lab Sample ID: 680-88766-3

Date Collected: 03/25/13 13:20

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.9

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	400	J	470	95	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Acenaphthylene	100	J	190	24	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Anthracene	970	J	40	20	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Benzo[a]anthracene	2600	J	38	19	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Benzo[a]pyrene	2300	J	49	25	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Benzo[b]fluoranthene	3800	J	58	29	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Benzo[g,h,i]perylene	1800	J	95	21	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Benzo[k]fluoranthene	1500	J	38	17	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Chrysene	2400	J	43	21	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Dibenz(a,h)anthracene	520	J	95	19	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Fluoranthene	4700	J	95	19	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Fluorene	330	J	95	19	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Indeno[1,2,3-cd]pyrene	1600	J	95	34	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
1-Methylnaphthalene	160	J	190	21	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
2-Methylnaphthalene	210	J	190	34	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Naphthalene	290	J	190	21	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Phenanthrene	3000	J	38	19	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
Pyrene	4100	J	95	18	ug/Kg	☐	03/29/13 10:19	04/02/13 22:27	4
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	95		30 - 130				03/29/13 10:19	04/02/13 22:27	4

Client Sample ID: CV0613C-CS

Lab Sample ID: 680-88766-4

Date Collected: 03/25/13 13:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 71.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	31	J	140	28	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Acenaphthylene	21	J	56	7.0	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Anthracene	68	J	12	5.9	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Benzo[a]anthracene	230	J	11	5.5	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Benzo[a]pyrene	190	J	15	7.3	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Benzo[b]fluoranthene	380	J	17	8.6	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Benzo[g,h,i]perylene	180	J	28	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Benzo[k]fluoranthene	130	J	11	5.1	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Chrysene	230	J	13	6.3	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Dibenz(a,h)anthracene	57	J	28	5.8	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Fluoranthene	420	J	28	5.6	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Fluorene	31	J	28	5.8	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Indeno[1,2,3-cd]pyrene	130	J	28	10	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
1-Methylnaphthalene	63	J	56	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
2-Methylnaphthalene	94	J	56	10	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Naphthalene	92	J	56	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Phenanthrene	260	J	11	5.5	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
Pyrene	340	J	28	5.2	ug/Kg	☐	03/29/13 10:19	04/02/13 22:46	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	54		30 - 130				03/29/13 10:19	04/02/13 22:46	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613D-CS

Lab Sample ID: 680-88766-5

Date Collected: 03/25/13 13:30

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.5

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	490	U	490	97	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Acenaphthylene	48	J	190	24	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Anthracene	120	J	41	20	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Benzo[a]anthracene	390		39	19	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Benzo[a]pyrene	310	J	51	25	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Benzo[b]fluoranthene	720	J	59	30	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Benzo[g,h,i]perylene	260		97	21	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Benzo[k]fluoranthene	230		39	17	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Chrysene	470	J	44	22	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Dibenz(a,h)anthracene	96	J	97	20	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Fluoranthene	550		97	19	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Fluorene	41	J	97	20	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Indeno[1,2,3-cd]pyrene	270		97	34	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
1-Methylnaphthalene	64	J	190	21	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
2-Methylnaphthalene	93	J	190	34	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Naphthalene	82	J	190	21	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Phenanthrene	310		39	19	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Pyrene	530	J	97	18	ug/Kg	*	03/29/13 10:19	04/02/13 23:04	4	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
<i>o</i> -Terphenyl	90		30 - 130				03/29/13 10:19	04/02/13 23:04	4	

Client Sample ID: CV0613E-CS

Lab Sample ID: 680-88766-6

Date Collected: 03/25/13 13:43

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	470	U	470	95	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Acenaphthylene	110	J	190	24	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Anthracene	290		40	20	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Benzo[a]anthracene	910	J	38	18	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Benzo[a]pyrene	830	J	49	25	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Benzo[b]fluoranthene	1500	J	58	29	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Benzo[g,h,i]perylene	760		95	21	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Benzo[k]fluoranthene	530		38	17	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Chrysene	1000	J	43	21	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Dibenz(a,h)anthracene	210		95	19	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Fluoranthene	1500	J	95	19	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Fluorene	77	J	95	19	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Indeno[1,2,3-cd]pyrene	670		95	34	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
1-Methylnaphthalene	110	J	190	21	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
2-Methylnaphthalene	150	J	190	34	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Naphthalene	150	J	190	21	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Phenanthrene	830	J	38	18	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Pyrene	1300	J	95	18	ug/Kg	*	04/01/13 13:16	04/03/13 13:30	4	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
<i>o</i> -Terphenyl	71		30 - 130				04/01/13 13:16	04/03/13 13:30	4	

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613F-CS

Lab Sample ID: 680-88766-7

Date Collected: 03/25/13 13:48

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 68.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	140	U	140	28	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Acenaphthylene	37	J	57	7.1	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Anthracene	68	J	12	6.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Benzo[a]anthracene	210		11	5.5	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Benzo[a]pyrene	150	J	15	7.4	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Benzo[b]fluoranthene	300	J	17	8.7	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Benzo[g,h,i]perylene	120		28	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Benzo[k]fluoranthene	110		11	5.1	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Chrysene	220	J	13	6.4	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Dibenz(a,h)anthracene	43		28	5.8	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Fluoranthene	350		28	5.7	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Fluorene	15	J	28	5.8	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Indeno[1,2,3-cd]pyrene	120		28	10	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
1-Methylnaphthalene	63		57	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
2-Methylnaphthalene	72		57	10	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Naphthalene	54	J	57	6.2	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Phenanthrene	230		11	5.5	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
Pyrene	310	J	28	5.2	ug/Kg	☐	03/29/13 10:19	04/02/13 23:22	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	46		30 - 130				03/29/13 10:19	04/02/13 23:22	1

Client Sample ID: CV0613G-CS

Lab Sample ID: 680-88766-8

Date Collected: 03/25/13 14:00

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 73.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	140	U	140	27	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Acenaphthylene	67		54	6.8	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Anthracene	120	J	11	5.7	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Benzo[a]anthracene	310		11	5.3	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Benzo[a]pyrene	280	J	14	7.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Benzo[b]fluoranthene	570	J	17	8.3	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Benzo[g,h,i]perylene	220		27	6.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Benzo[k]fluoranthene	230		11	4.9	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Chrysene	350	J	12	6.1	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Dibenz(a,h)anthracene	79		27	5.6	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Fluoranthene	410		27	5.4	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Fluorene	19	J	27	5.6	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Indeno[1,2,3-cd]pyrene	200		27	9.6	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
1-Methylnaphthalene	64		54	6.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
2-Methylnaphthalene	84		54	9.6	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Naphthalene	88		54	6.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Phenanthrene	220		11	5.3	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
Pyrene	410	J	27	5.0	ug/Kg	☐	03/29/13 10:19	04/02/13 23:41	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	49		30 - 130				03/29/13 10:19	04/02/13 23:41	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613H-CS

Lab Sample ID: 680-88766-9

Date Collected: 03/25/13 14:07

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	480	U	480	96	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Acenaphthylene	130	J	190	24	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Anthracene	250	J	40	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Benzo[a]anthracene	730		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Benzo[a]pyrene	660	J	50	25	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Benzo[b]fluoranthene	1300	J	59	29	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Benzo[g,h,i]perylene	540		96	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Benzo[k]fluoranthene	450		39	17	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Chrysene	840	J	43	22	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Dibenz(a,h)anthracene	150		96	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Fluoranthene	1400		96	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Fluorene	75	J	96	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Indeno[1,2,3-cd]pyrene	520		96	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
1-Methylnaphthalene	94	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
2-Methylnaphthalene	140	J	190	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Naphthalene	160	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Phenanthrene	680		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
Pyrene	1100	J	96	18	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>o-Terphenyl</i>	97		30 - 130				03/29/13 10:19	04/02/13 23:59	4	

Client Sample ID: CV0613I-CS

Lab Sample ID: 680-88766-10

Date Collected: 03/25/13 14:17

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 76.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	130	U	130	26	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Acenaphthylene	71		52	6.6	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Anthracene	120	J	11	5.5	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Benzo[a]anthracene	340		10	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Benzo[a]pyrene	320	J	14	6.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Benzo[b]fluoranthene	670	J	16	8.0	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Benzo[g,h,i]perylene	260		26	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Benzo[k]fluoranthene	250		10	4.7	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Chrysene	340	J	12	5.9	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Dibenz(a,h)anthracene	87		26	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Fluoranthene	420		26	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Fluorene	22	J	26	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Indeno[1,2,3-cd]pyrene	270		26	9.3	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
1-Methylnaphthalene	59		52	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
2-Methylnaphthalene	76		52	9.3	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Naphthalene	87		52	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Phenanthrene	220		10	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
Pyrene	410	J	26	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>o-Terphenyl</i>	56		30 - 130				03/29/13 10:19	04/03/13 00:17	1	

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613J-CS

Lab Sample ID: 680-88766-11

Date Collected: 03/25/13 14:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 81.5

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	490	U	490	99	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Acenaphthylene	92	J	200	25	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Anthracene	160	J	41	21	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Benzo[a]anthracene	740	J	39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Benzo[a]pyrene	640	J	51	26	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Benzo[b]fluoranthene	1400	J	60	30	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Benzo[g,h,i]perylene	570	J	99	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Benzo[k]fluoranthene	540	J	39	18	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Chrysene	890	J	44	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Dibenz(a,h)anthracene	190	J	99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Fluoranthene	1300	J	99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Fluorene	27	J	99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Indeno[1,2,3-cd]pyrene	380	J	99	35	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
1-Methylnaphthalene	80	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
2-Methylnaphthalene	89	J	200	35	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Naphthalene	110	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Phenanthrene	500	J	39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
Pyrene	1100	J	99	18	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>o-Terphenyl</i>	84		30 - 130				03/29/13 10:19	04/03/13 12:59	4	

Client Sample ID: CV0613K-CS

Lab Sample ID: 680-88766-12

Date Collected: 03/25/13 14:26

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Acenaphthene	50	J	120	24	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Acenaphthylene	100	J	48	6.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Anthracene	170	J	10	5.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Benzo[a]anthracene	450	J	9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Benzo[a]pyrene	460	J	12	6.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Benzo[b]fluoranthene	850	J	15	7.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Benzo[g,h,i]perylene	390	J	24	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Benzo[k]fluoranthene	380	J	9.5	4.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Chrysene	540	J	11	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Dibenz(a,h)anthracene	130	J	24	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Fluoranthene	750	J	24	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Fluorene	47	J	24	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Indeno[1,2,3-cd]pyrene	360	J	24	8.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
1-Methylnaphthalene	76	J	48	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
2-Methylnaphthalene	96	J	48	8.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Naphthalene	120	J	48	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Phenanthrene	540	J	9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
Pyrene	730	J	24	4.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>o-Terphenyl</i>	57		30 - 130				03/29/13 10:19	04/03/13 13:17	1	

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613K-CSD

Lab Sample ID: 680-88766-13

Date Collected: 03/25/13 14:28

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 87.2

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	24	J	120	23	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Acenaphthylene	67		47	5.8	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Anthracene	99	J	9.8	4.9	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Benzo[a]anthracene	290		9.3	4.6	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Benzo[a]pyrene	320	J	12	6.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Benzo[b]fluoranthene	560	J	14	7.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Benzo[g,h,i]perylene	240		23	5.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Benzo[k]fluoranthene	230		9.3	4.2	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Chrysene	340	J	11	5.3	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Dibenz(a,h)anthracene	74	J	23	4.8	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Fluoranthene	480		23	4.7	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Fluorene	24		23	4.8	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Indeno[1,2,3-cd]pyrene	240		23	8.3	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
1-Methylnaphthalene	43	J	47	5.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
2-Methylnaphthalene	46	J	47	8.3	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Naphthalene	54		47	5.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Phenanthrene	220	J	9.3	4.6	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
Pyrene	440	J	23	4.3	ug/Kg	☺	03/29/13 10:19	04/03/13 13:35	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	44		30 - 130				03/29/13 10:19	04/03/13 13:35	1

Client Sample ID: CV0613AB-GS

Lab Sample ID: 680-88766-14

Date Collected: 03/25/13 13:32

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	120	U	120	25	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Acenaphthylene	76		49	6.1	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Anthracene	150	J	10	5.2	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Benzo[a]anthracene	600		9.8	4.8	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Benzo[a]pyrene	510	J	13	6.4	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Benzo[b]fluoranthene	910	J	15	7.5	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Benzo[g,h,i]perylene	350		25	5.4	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Benzo[k]fluoranthene	490		9.8	4.4	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Chrysene	820	J	11	5.5	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Dibenz(a,h)anthracene	120		25	5.0	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Fluoranthene	1400		25	4.9	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Fluorene	35		25	5.0	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Indeno[1,2,3-cd]pyrene	330		25	8.7	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
1-Methylnaphthalene	150		49	5.4	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
2-Methylnaphthalene	220		49	8.7	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Naphthalene	150		49	5.4	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Phenanthrene	380		9.8	4.8	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
Pyrene	1300	J	25	4.6	ug/Kg	☺	03/29/13 10:19	04/03/13 13:54	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	49		30 - 130				03/29/13 10:19	04/03/13 13:54	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613AC-GS

Lab Sample ID: 680-88766-15

Date Collected: 03/25/13 13:34

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	480	U	480	96	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Acenaphthylene	110	J	190	24	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Anthracene	140	J	40	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Benzo[a]anthracene	470	J	39	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Benzo[a]pyrene	550	J	50	25	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Benzo[b]fluoranthene	890	J	59	29	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Benzo[g,h,i]perylene	450	J	96	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Benzo[k]fluoranthene	390	J	39	17	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Chrysene	570	J	43	22	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Dibenz(a,h)anthracene	110	J	96	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Fluoranthene	770	J	96	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Fluorene	38	J	96	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Indeno[1,2,3-cd]pyrene	350	J	96	34	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
1-Methylnaphthalene	74	J	190	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
2-Methylnaphthalene	60	J	190	34	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Naphthalene	110	J	190	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Phenanthrene	360	J	39	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Pyrene	660	J	96	18	ug/Kg	☐	03/29/13 10:19	04/03/13 14:12	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	84		30 - 130				03/29/13 10:19	04/03/13 14:12	4

Client Sample ID: CV0610A-CS

Lab Sample ID: 680-88766-16

Date Collected: 03/25/13 14:40

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.9

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	490	U	490	98	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Acenaphthylene	83	J	200	24	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Anthracene	180	J	41	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Benzo[a]anthracene	690	J	39	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Benzo[a]pyrene	570	J	51	25	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Benzo[b]fluoranthene	1000	J	60	30	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Benzo[g,h,i]perylene	490	J	98	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Benzo[k]fluoranthene	460	J	39	18	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Chrysene	710	J	44	22	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Dibenz(a,h)anthracene	150	J	98	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Fluoranthene	1000	J	98	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Fluorene	46	J	98	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Indeno[1,2,3-cd]pyrene	360	J	98	35	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
1-Methylnaphthalene	100	J	200	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
2-Methylnaphthalene	120	J	200	35	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Naphthalene	160	J	200	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Phenanthrene	550	J	39	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Pyrene	920	J	98	18	ug/Kg	☐	03/29/13 10:19	04/03/13 14:30	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	82		30 - 130				03/29/13 10:19	04/03/13 14:30	4

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0610B-CS

Lab Sample ID: 680-88766-17

Date Collected: 03/25/13 14:42

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 83.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	480	U	480	96	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Acenaphthylene	41	J	190	24	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Anthracene	120	J	40	20	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Benzo[a]anthracene	490		38	19	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Benzo[a]pyrene	380	J	50	25	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Benzo[b]fluoranthene	780	J	58	29	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Benzo[g,h,i]perylene	420		96	21	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Benzo[k]fluoranthene	380		38	17	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Chrysene	560	J	43	22	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Dibenz(a,h)anthracene	120		96	20	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Fluoranthene	670		96	19	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Fluorene	41	J	96	20	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Indeno[1,2,3-cd]pyrene	350		96	34	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
1-Methylnaphthalene	92	J	190	21	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
2-Methylnaphthalene	120	J	190	34	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Naphthalene	150	J	190	21	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Phenanthrene	370		38	19	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Pyrene	600	J	96	18	ug/Kg	☐	04/02/13 11:33	04/03/13 18:00	4
Surrogate									
<i>o</i> -Terphenyl		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
		115		30 - 130			04/02/13 11:33	04/03/13 18:00	4

Client Sample ID: CV0610AB-GS

Lab Sample ID: 680-88766-18

Date Collected: 03/25/13 14:39

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 78.6

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	510	U	510	100	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Acenaphthylene	74	J	200	25	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Anthracene	110	J	43	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Benzo[a]anthracene	450		41	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Benzo[a]pyrene	440	J	53	26	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Benzo[b]fluoranthene	750	J	62	31	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Benzo[g,h,i]perylene	370		100	22	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Benzo[k]fluoranthene	310		41	18	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Chrysene	550	J	46	23	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Dibenz(a,h)anthracene	130		100	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Fluoranthene	730		100	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Fluorene	43	J	100	21	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Indeno[1,2,3-cd]pyrene	280		100	36	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
1-Methylnaphthalene	72	J	200	22	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
2-Methylnaphthalene	96	J	200	36	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Naphthalene	150	J	200	22	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Phenanthrene	380		41	20	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Pyrene	650	J	100	19	ug/Kg	☐	03/29/13 10:19	04/03/13 14:49	4
Surrogate									
<i>o</i> -Terphenyl		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
		88		30 - 130			03/29/13 10:19	04/03/13 14:49	4

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0506A-CS

Lab Sample ID: 680-88766-19

Date Collected: 03/25/13 15:06

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 75.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	530	U	530	110	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Acenaphthylene	34	J	210	27	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Anthracene	51	J	45	22	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Benzo[a]anthracene	280		43	21	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Benzo[a]pyrene	250	J	56	28	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Benzo[b]fluoranthene	460	J	65	33	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Benzo[g,h,i]perylene	250		110	24	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Benzo[k]fluoranthene	190		43	19	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Chrysene	360	J	48	24	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Dibenz(a,h)anthracene	100	J	110	22	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Fluoranthene	310		110	21	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Fluorene	26	J	110	22	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Indeno[1,2,3-cd]pyrene	240		110	38	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
1-Methylnaphthalene	140	J	210	24	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
2-Methylnaphthalene	180	J	210	38	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Naphthalene	190	J	210	24	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Phenanthrene	240		43	21	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
Pyrene	290	J	110	20	ug/Kg	☐	03/29/13 10:19	04/03/13 15:07	4
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	98		30 - 130				03/29/13 10:19	04/03/13 15:07	4

Client Sample ID: CV0506B-CS

Lab Sample ID: 680-88766-20

Date Collected: 03/25/13 15:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 62.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	160	U	160	31	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Acenaphthylene	10	J	63	7.8	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Anthracene	10	J	13	6.6	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Benzo[a]anthracene	120		13	6.1	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Benzo[a]pyrene	100	J	16	8.1	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Benzo[b]fluoranthene	180	J	19	9.5	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Benzo[g,h,i]perylene	83		31	6.9	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Benzo[k]fluoranthene	73		13	5.6	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Chrysene	100	J	14	7.0	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Dibenz(a,h)anthracene	33		31	6.4	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Fluoranthene	110		31	6.3	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Fluorene	9.8	J	31	6.4	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Indeno[1,2,3-cd]pyrene	67		31	11	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
1-Methylnaphthalene	37	J	63	6.9	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
2-Methylnaphthalene	57	J	63	11	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Naphthalene	63		63	6.9	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Phenanthrene	64		13	6.1	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
Pyrene	96	J	31	5.8	ug/Kg	☐	04/02/13 11:33	04/03/13 18:19	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>o-Terphenyl</i>	66		30 - 130				04/02/13 11:33	04/03/13 18:19	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

ANALYTICAL REPORT

Job Number: 680-88766-1

SDG Number: 68088766-1

Job Description: 35th Avenue Superfund Site

For:

Oneida Total Integrated Enterprises LLC
1220 Kennestone Circle
Suite 106
Marietta, GA 30060

Attention: Ms. Limari F Krebs



Approved for release.
Bernard Kirkland
Project Manager I
4/8/2013 9:04 AM

Designee for
Lisa Harvey
Project Manager II
lisa.harvey@testamericainc.com
04/08/2013

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

Savannah Certifications and ID #: A2LA: 0399.01; AL: 41450; ARDEQ: 88-0692; ARDOH; AZ: AZ0741; CA: 03217CA; CO; CT: PH0161; DE; FL: E87052; GA: 803; Guam; HI; IL: 200022; IN: C-GA-02; IA: 353; KS: E-10322; KY EPPC: 90084; KY UST; LA DEQ: 30690; LA DHH: LA080008; ME: 2008022; MD: 250; MA: M-GA006; MI: 9925; MS; NFESC: 249; NV: GA00006; NJ: GA769; NM; NY: 10842; NC DWQ: 269; NC DHHS: 13701; PA: 68-00474; PR: GA00006; RI: LAO00244; SC: 98001001; TN: TN0296; TX: T104704185; USEPA: GA00006; VT: VT-87052; VA: 00302; WA; WV DEP: 094; WV DHHR: 9950 C; WI DNR: 999819810; WY/EPAR8: 8TMS-Q

TestAmerica Laboratories, Inc.

TestAmerica Savannah 5102 LaRoche Avenue, Savannah, GA 31404

Tel (912) 354-7858 Fax (912) 352-0165 www.testamericainc.com



Table of Contents

Cover Title Page	1
Data Summaries	4
Report Narrative	4
Sample Summary	5
Method Summary	6
Method / Analyst Summary	7
Data Qualifiers	8
QC Association Summary	9
Manual Integration Summary	12
Organic Sample Data	25
GC/MS Semi VOA	25
Method 8270C Low Level	25
Method 8270C Low Level QC Summary	26
Method 8270C Low Level Sample Data	55
Standards Data	550
Method 8270C Low Level ICAL Data	550
Method 8270C Low Level CCAL Data	599
Raw QC Data	621
Method 8270C Low Level Tune Data	621
Method 8270C Low Level Blank Data	646
Method 8270C Low Level LCS/LCSD Data	655
Method 8270C Low Level MS/MSD Data	670
Method 8270C Low Level Run Logs	702
Method 8270C Low Level Prep Data	707
Inorganic Sample Data	713
General Chemistry Data	713

Table of Contents

Gen Chem Cover Page	714
Gen Chem MDL	715
Gen Chem Analysis Run Log	719
Gen Chem Prep Data	724
Shipping and Receiving Documents	728
Client Chain of Custody	729
Sample Receipt Checklist	731

CASE NARRATIVE

Client: Oneida Total Integrated Enterprises LLC

Project: 35th Avenue Superfund Site

Report Number: 680-88766-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 03/28/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.4 C.

SEMIVOLATILE ORGANIC COMPOUNDS BY GCMS - LOW LEVEL

Samples CV0613A-CS (680-88766-1), CV0613A-CSD (680-88766-2), CV0613B-CS (680-88766-3), CV0613C-CS (680-88766-4), CV0613D-CS (680-88766-5), CV0613E-CS (680-88766-6), CV0613F-CS (680-88766-7), CV0613G-CS (680-88766-8), CV0613H-CS (680-88766-9), CV0613I-CS (680-88766-10), CV0613J-CS (680-88766-11), CV0613K-CS (680-88766-12), CV0613K-CSD (680-88766-13), CV0613AB-GS (680-88766-14), CV0613AC-GS (680-88766-15), CV0610A-CS (680-88766-16), CV0610B-CS (680-88766-17), CV0610AB-GS (680-88766-18), CV0506A-CS (680-88766-19) and CV0506B-CS (680-88766-20) were analyzed for Semivolatile Organic Compounds by GCMS - Low Level in accordance with EPA SW-846 Method 8270C. The samples were prepared on 03/29/2013, 04/01/2013 and 04/02/2013 and analyzed on 04/02/2013 and 04/03/2013.

Samples CV0613A-CS (680-88766-1)[4X], CV0613B-CS (680-88766-3)[4X], CV0613D-CS (680-88766-5)[4X], CV0613E-CS (680-88766-6)[4X], CV0613H-CS (680-88766-9)[4X], CV0613J-CS (680-88766-11)[4X], CV0613AC-GS (680-88766-15)[4X], CV0610A-CS (680-88766-16)[4X], CV0610B-CS (680-88766-17)[4X], CV0610AB-GS (680-88766-18)[4X] and CV0506A-CS (680-88766-19)[4X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Several analytes recovered outside the recovery criteria low for the MS/MSD of sample CV0613E-CS (680-88766-6) in batch 660-136118.

No other difficulties were encountered during the SVOAs analyses.

All other quality control parameters were within the acceptance limits.

SAMPLE SUMMARY

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
680-88766-1	CV0613A-CS	Solid	03/25/2013 1311	03/28/2013 0937
680-88766-2	CV0613A-CSD	Solid	03/25/2013 1315	03/28/2013 0937
680-88766-3	CV0613B-CS	Solid	03/25/2013 1320	03/28/2013 0937
680-88766-4	CV0613C-CS	Solid	03/25/2013 1325	03/28/2013 0937
680-88766-5	CV0613D-CS	Solid	03/25/2013 1330	03/28/2013 0937
680-88766-6	CV0613E-CS	Solid	03/25/2013 1343	03/28/2013 0937
680-88766-6MS	CV0613E-CS	Solid	03/25/2013 1343	03/28/2013 0937
680-88766-6MSD	CV0613E-CS	Solid	03/25/2013 1343	03/28/2013 0937
680-88766-7	CV0613F-CS	Solid	03/25/2013 1348	03/28/2013 0937
680-88766-8	CV0613G-CS	Solid	03/25/2013 1400	03/28/2013 0937
680-88766-9	CV0613H-CS	Solid	03/25/2013 1407	03/28/2013 0937
680-88766-10	CV0613I-CS	Solid	03/25/2013 1417	03/28/2013 0937
680-88766-11	CV0613J-CS	Solid	03/25/2013 1425	03/28/2013 0937
680-88766-12	CV0613K-CS	Solid	03/25/2013 1426	03/28/2013 0937
680-88766-13	CV0613K-CSD	Solid	03/25/2013 1428	03/28/2013 0937
680-88766-14	CV0613AB-GS	Solid	03/25/2013 1332	03/28/2013 0937
680-88766-15	CV0613AC-GS	Solid	03/25/2013 1334	03/28/2013 0937
680-88766-16	CV0610A-CS	Solid	03/25/2013 1440	03/28/2013 0937
680-88766-17	CV0610B-CS	Solid	03/25/2013 1442	03/28/2013 0937
680-88766-18	CV0610AB-GS	Solid	03/25/2013 1439	03/28/2013 0937
680-88766-19	CV0506A-CS	Solid	03/25/2013 1506	03/28/2013 0937
680-88766-20	CV0506B-CS	Solid	03/25/2013 1515	03/28/2013 0937

METHOD SUMMARY

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1
Sdg Number: 68088766-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Semivolatile Organic Compounds by GCMS - Low Levels	TAL TAM	SW846 8270C LL	
Microwave Extraction	TAL TAM		SW846 3546
Percent Moisture	TAL TAM	EPA Moisture	

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

Method	Analyst	Analyst ID
SW846 8270C LL	Cantin, Stephen C	SCC
EPA Moisture	Galio, Andrew	AG

DATA REPORTING QUALIFIERS

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

Lab Section	Qualifier	Description
GC/MS Semi VOA	U	Indicates the analyte was analyzed for but not detected.
	F	MS or MSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Quality Control Results

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS Semi VOA					
Prep Batch: 660-135924					
LCS 660-135924/2-A	Lab Control Sample	T	Solid	3546	
MB 660-135924/1-A	Method Blank	T	Solid	3546	
680-88632-A-21-B MS	Matrix Spike	T	Solid	3546	
680-88632-A-21-C MSD	Matrix Spike Duplicate	T	Solid	3546	
680-88766-1	CV0613A-CS	T	Solid	3546	
680-88766-2	CV0613A-CSD	T	Solid	3546	
680-88766-3	CV0613B-CS	T	Solid	3546	
680-88766-4	CV0613C-CS	T	Solid	3546	
680-88766-5	CV0613D-CS	T	Solid	3546	
680-88766-7	CV0613F-CS	T	Solid	3546	
680-88766-8	CV0613G-CS	T	Solid	3546	
680-88766-9	CV0613H-CS	T	Solid	3546	
680-88766-10	CV0613I-CS	T	Solid	3546	
680-88766-11	CV0613J-CS	T	Solid	3546	
680-88766-12	CV0613K-CS	T	Solid	3546	
680-88766-13	CV0613K-CSD	T	Solid	3546	
680-88766-14	CV0613AB-GS	T	Solid	3546	
680-88766-15	CV0613AC-GS	T	Solid	3546	
680-88766-16	CV0610A-CS	T	Solid	3546	
680-88766-18	CV0610AB-GS	T	Solid	3546	
680-88766-19	CV0506A-CS	T	Solid	3546	
Prep Batch: 660-136026					
LCS 660-136026/2-A	Lab Control Sample	T	Solid	3546	
MB 660-136026/1-A	Method Blank	T	Solid	3546	
680-88766-6	CV0613E-CS	T	Solid	3546	
680-88766-6MS	Matrix Spike	T	Solid	3546	
680-88766-6MSD	Matrix Spike Duplicate	T	Solid	3546	
Prep Batch: 660-136063					
LCS 660-136063/2-A	Lab Control Sample	T	Solid	3546	
MB 660-136063/1-A	Method Blank	T	Solid	3546	
680-88766-17	CV0610B-CS	T	Solid	3546	
680-88766-20	CV0506B-CS	T	Solid	3546	
680-88766-A-21-E MS	Matrix Spike	T	Solid	3546	
680-88766-A-21-F MSD	Matrix Spike Duplicate	T	Solid	3546	

Quality Control Results

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report		Method	Prep Batch
		Basis	Client Matrix		
GC/MS Semi VOA					
Analysis Batch:660-136079					
LCS 660-135924/2-A	Lab Control Sample	T	Solid	8270C LL	660-135924
MB 660-135924/1-A	Method Blank	T	Solid	8270C LL	660-135924
680-88632-A-21-B MS	Matrix Spike	T	Solid	8270C LL	660-135924
680-88632-A-21-C MSD	Matrix Spike Duplicate	T	Solid	8270C LL	660-135924
680-88766-1	CV0613A-CS	T	Solid	8270C LL	660-135924
680-88766-2	CV0613A-CSD	T	Solid	8270C LL	660-135924
680-88766-3	CV0613B-CS	T	Solid	8270C LL	660-135924
680-88766-4	CV0613C-CS	T	Solid	8270C LL	660-135924
680-88766-5	CV0613D-CS	T	Solid	8270C LL	660-135924
680-88766-7	CV0613F-CS	T	Solid	8270C LL	660-135924
680-88766-8	CV0613G-CS	T	Solid	8270C LL	660-135924
680-88766-9	CV0613H-CS	T	Solid	8270C LL	660-135924
680-88766-10	CV0613I-CS	T	Solid	8270C LL	660-135924
Analysis Batch:660-136081					
LCS 660-136063/2-A	Lab Control Sample	T	Solid	8270C LL	660-136063
MB 660-136063/1-A	Method Blank	T	Solid	8270C LL	660-136063
680-88766-11	CV0613J-CS	T	Solid	8270C LL	660-135924
680-88766-12	CV0613K-CS	T	Solid	8270C LL	660-135924
680-88766-13	CV0613K-CSD	T	Solid	8270C LL	660-135924
680-88766-14	CV0613AB-GS	T	Solid	8270C LL	660-135924
680-88766-15	CV0613AC-GS	T	Solid	8270C LL	660-135924
680-88766-16	CV0610A-CS	T	Solid	8270C LL	660-135924
680-88766-17	CV0610B-CS	T	Solid	8270C LL	660-136063
680-88766-18	CV0610AB-GS	T	Solid	8270C LL	660-135924
680-88766-19	CV0506A-CS	T	Solid	8270C LL	660-135924
680-88766-20	CV0506B-CS	T	Solid	8270C LL	660-136063
680-88766-A-21-E MS	Matrix Spike	T	Solid	8270C LL	660-136063
680-88766-A-21-F MSD	Matrix Spike Duplicate	T	Solid	8270C LL	660-136063
Analysis Batch:660-136118					
LCS 660-136026/2-A	Lab Control Sample	T	Solid	8270C LL	660-136026
MB 660-136026/1-A	Method Blank	T	Solid	8270C LL	660-136026
680-88766-6	CV0613E-CS	T	Solid	8270C LL	660-136026
680-88766-6MS	Matrix Spike	T	Solid	8270C LL	660-136026
680-88766-6MSD	Matrix Spike Duplicate	T	Solid	8270C LL	660-136026

Report Basis

T = Total

Quality Control Results

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

Sdg Number: 68088766-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
General Chemistry					
Analysis Batch:660-135922					
680-88766-6	CV0613E-CS	T	Solid	Moisture	
680-88766-6MS	Matrix Spike	T	Solid	Moisture	
680-88766-6MSD	Matrix Spike Duplicate	T	Solid	Moisture	
Analysis Batch:660-135931					
680-88766-7	CV0613F-CS	T	Solid	Moisture	
680-88766-8	CV0613G-CS	T	Solid	Moisture	
680-88766-9	CV0613H-CS	T	Solid	Moisture	
680-88766-10	CV0613I-CS	T	Solid	Moisture	
680-88766-11	CV0613J-CS	T	Solid	Moisture	
680-88766-12	CV0613K-CS	T	Solid	Moisture	
680-88766-13	CV0613K-CSD	T	Solid	Moisture	
680-88766-14	CV0613AB-GS	T	Solid	Moisture	
680-88766-15	CV0613AC-GS	T	Solid	Moisture	
680-88766-16	CV0610A-CS	T	Solid	Moisture	
680-88766-20	CV0506B-CS	T	Solid	Moisture	
Analysis Batch:660-135936					
LCS 660-135936/1	Lab Control Sample	T	Solid	Moisture	
LCSD 660-135936/21	Lab Control Sample Duplicate	T	Solid	Moisture	
640-42916-A-9 MS	Matrix Spike	T	Solid	Moisture	
640-42916-A-9 MSD	Matrix Spike Duplicate	T	Solid	Moisture	
680-88766-1	CV0613A-CS	T	Solid	Moisture	
680-88766-2	CV0613A-CSD	T	Solid	Moisture	
680-88766-3	CV0613B-CS	T	Solid	Moisture	
680-88766-4	CV0613C-CS	T	Solid	Moisture	
680-88766-5	CV0613D-CS	T	Solid	Moisture	
Analysis Batch:660-135940					
LCS 660-135940/1	Lab Control Sample	T	Solid	Moisture	
LCSD 660-135940/7	Lab Control Sample Duplicate	T	Solid	Moisture	
680-88766-17	CV0610B-CS	T	Solid	Moisture	
680-88766-18	CV0610AB-GS	T	Solid	Moisture	
680-88766-19	CV0506A-CS	T	Solid	Moisture	

Report Basis

T = Total

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136048Lab Sample ID: IC 660-136048/5 Client Sample ID: _____Date Analyzed: 04/02/13 13:26 Lab File ID: 1CD02005.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dibenz(a,h)anthracene	10.09	Baseline Event	cantins	04/02/13 15:44

Lab Sample ID: IC 660-136048/6 Client Sample ID: _____Date Analyzed: 04/02/13 13:44 Lab File ID: 1CD02006.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/02/13 15:45

Lab Sample ID: IC 660-136048/7 Client Sample ID: _____Date Analyzed: 04/02/13 14:02 Lab File ID: 1CD02007.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/02/13 15:48

Lab Sample ID: IC 660-136048/8 Client Sample ID: _____Date Analyzed: 04/02/13 14:20 Lab File ID: 1CD02008.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/02/13 15:49

Lab Sample ID: ICIS 660-136048/9 Client Sample ID: _____Date Analyzed: 04/02/13 14:39 Lab File ID: 1CD02009.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/02/13 15:39

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Instrument ID: BSMC5973 Analysis Batch Number: 136048

Lab Sample ID: IC 660-136048/10 Client Sample ID: _____

Date Analyzed: 04/02/13 14:57 Lab File ID: 1CD02010.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/02/13 15:50

Lab Sample ID: IC 660-136048/11 Client Sample ID: _____

Date Analyzed: 04/02/13 15:15 Lab File ID: 1CD02011.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.02	Split Peak	cantins	04/02/13 15:51

Lab Sample ID: ICV 660-136048/12 Client Sample ID: _____

Date Analyzed: 04/02/13 15:34 Lab File ID: 1CD02012.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/02/13 15:57

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136079Lab Sample ID: CCVIS 660-136079/3 Client Sample ID: _____Date Analyzed: 04/02/13 16:40 Lab File ID: 1CD02015.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.02	Split Peak	cantins	04/02/13 16:55

Lab Sample ID: LCS 660-135924/2-A Client Sample ID: _____Date Analyzed: 04/02/13 20:19 Lab File ID: 1CD02027.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 12:30

Lab Sample ID: 680-88632-A-21-B MS Client Sample ID: _____Date Analyzed: 04/02/13 20:56 Lab File ID: 1CD02029.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 12:34

Lab Sample ID: 680-88632-A-21-C MSD Client Sample ID: _____Date Analyzed: 04/02/13 21:14 Lab File ID: 1CD02030.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 12:35

Lab Sample ID: 680-88766-1 Client Sample ID: CV0613A-CSDate Analyzed: 04/02/13 21:51 Lab File ID: 1CD02032.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 14:55
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 14:55
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 14:55

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136079Lab Sample ID: 680-88766-2 Client Sample ID: CV0613A-CSDDate Analyzed: 04/02/13 22:09 Lab File ID: 1CD02033.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 14:56
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 14:56
Indeno[1,2,3-cd]pyrene	10.02	Split Peak	cantins	04/03/13 14:56

Lab Sample ID: 680-88766-3 Client Sample ID: CV0613B-CSDate Analyzed: 04/02/13 22:27 Lab File ID: 1CD02034.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 14:57
Benzo[k]fluoranthene	8.54	Baseline Event	cantins	04/03/13 14:57
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 14:57

Lab Sample ID: 680-88766-4 Client Sample ID: CV0613C-CSDate Analyzed: 04/02/13 22:46 Lab File ID: 1CD02035.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 14:58
Benzo[k]fluoranthene	8.54	Baseline Event	cantins	04/03/13 14:58
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 14:58

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136079Lab Sample ID: 680-88766-5 Client Sample ID: CV0613D-CSDate Analyzed: 04/02/13 23:04 Lab File ID: 1CD02036.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 15:03
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:03
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 15:05
Benzo[g,h,i]perylene	10.36	Baseline Event	cantins	04/03/13 15:05

Lab Sample ID: 680-88766-7 Client Sample ID: CV0613F-CSDate Analyzed: 04/02/13 23:22 Lab File ID: 1CD02037.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 15:09
Benzo[k]fluoranthene	8.54	Baseline Event	cantins	04/03/13 15:08
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 15:08
Dibenz(a,h)anthracene	10.03	Baseline Event	cantins	04/03/13 15:08
Benzo[g,h,i]perylene	10.36	Baseline Event	cantins	04/03/13 15:07

Lab Sample ID: 680-88766-8 Client Sample ID: CV0613G-CSDate Analyzed: 04/02/13 23:41 Lab File ID: 1CD02038.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 15:09
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:09
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 15:10

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Instrument ID: BSMC5973 Analysis Batch Number: 136079

Lab Sample ID: 680-88766-9 Client Sample ID: CV0613H-CS

Date Analyzed: 04/02/13 23:59 Lab File ID: 1CD02039.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 15:10
Benzo[k]fluoranthene	8.54	Baseline Event	cantins	04/03/13 15:10
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 15:11

Lab Sample ID: 680-88766-10 Client Sample ID: CV0613I-CS

Date Analyzed: 04/03/13 00:17 Lab File ID: 1CD02040.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.52	Split Peak	cantins	04/03/13 15:11
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:12
Indeno[1,2,3-cd]pyrene	10.01	Split Peak	cantins	04/03/13 15:12

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136081Lab Sample ID: CCVIS 660-136081/3 Client Sample ID: _____Date Analyzed: 04/03/13 11:45 Lab File ID: 1CD03003.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 11:59

Lab Sample ID: 680-88766-11 Client Sample ID: CV0613J-CSDate Analyzed: 04/03/13 12:59 Lab File ID: 1CD03007.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.50	Split Peak	cantins	04/03/13 15:16
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:17
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 15:18
Dibenz(a,h)anthracene	10.00	Baseline Event	cantins	04/03/13 15:17

Lab Sample ID: 680-88766-12 Client Sample ID: CV0613K-CSDate Analyzed: 04/03/13 13:17 Lab File ID: 1CD03008.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:19
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/03/13 15:19
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 15:19

Lab Sample ID: 680-88766-13 Client Sample ID: CV0613K-CSDDate Analyzed: 04/03/13 13:35 Lab File ID: 1CD03009.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-Methylnaphthalene	4.15	Baseline Event	cantins	04/03/13 15:27
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:20
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:20
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 15:21

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136081Lab Sample ID: 680-88766-14 Client Sample ID: CV0613AB-GSDate Analyzed: 04/03/13 13:54 Lab File ID: 1CD03010.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:21
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/03/13 15:21
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 15:22

Lab Sample ID: 680-88766-15 Client Sample ID: CV0613AC-GSDate Analyzed: 04/03/13 14:12 Lab File ID: 1CD03011.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:22
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/03/13 15:22
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 15:23
Dibenz(a,h)anthracene	10.01	Baseline Event	cantins	04/03/13 15:23
Benzo[g,h,i]perylene	10.33	Baseline Event	cantins	04/03/13 15:23

Lab Sample ID: 680-88766-16 Client Sample ID: CV0610A-CSDate Analyzed: 04/03/13 14:30 Lab File ID: 1CD03012.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-Methylnaphthalene	4.15	Baseline Event	cantins	04/03/13 15:24
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:24
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/03/13 15:24
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/03/13 15:24

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136081Lab Sample ID: 680-88766-18 Client Sample ID: CV0610AB-GSDate Analyzed: 04/03/13 14:49 Lab File ID: 1CD03013.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:25
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/03/13 15:25
Dibenz(a,h)anthracene	10.00	Baseline Event	cantins	04/03/13 15:25
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 15:26

Lab Sample ID: 680-88766-19 Client Sample ID: CV0506A-CSDate Analyzed: 04/03/13 15:07 Lab File ID: 1CD03014.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/03/13 15:29
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/03/13 15:29
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/03/13 15:29

Lab Sample ID: LCS 660-136063/2-A Client Sample ID: _____Date Analyzed: 04/03/13 15:52 Lab File ID: 1CD03016.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/04/13 15:32

Lab Sample ID: 680-88766-A-21-E MS Client Sample ID: _____Date Analyzed: 04/03/13 16:29 Lab File ID: 1CD03018.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/04/13 15:34
Dibenz(a,h)anthracene	10.01	Baseline Event	cantins	04/04/13 15:34
Benzo[g,h,i]perylene	10.34	Baseline Event	cantins	04/04/13 15:34

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Analysis Batch Number: 136081Lab Sample ID: 680-88766-A-21-F MSD Client Sample ID: _____Date Analyzed: 04/03/13 16:47 Lab File ID: 1CD03019.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	9.99	Baseline Event	cantins	04/04/13 15:35

Lab Sample ID: 680-88766-17 Client Sample ID: CV0610B-CSDate Analyzed: 04/03/13 18:00 Lab File ID: 1CD03023.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/05/13 09:50
Benzo[k]fluoranthene	8.52	Baseline Event	cantins	04/05/13 09:50
Indeno[1,2,3-cd]pyrene	9.99	Split Peak	cantins	04/05/13 09:51
Dibenz(a,h)anthracene	10.01	Baseline Event	cantins	04/05/13 09:51
Benzo[g,h,i]perylene	10.33	Baseline Event	cantins	04/05/13 09:51

Lab Sample ID: 680-88766-20 Client Sample ID: CV0506B-CSDate Analyzed: 04/03/13 18:19 Lab File ID: 1CD03024.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Benzo[b]fluoranthene	8.51	Split Peak	cantins	04/05/13 09:52
Benzo[k]fluoranthene	8.53	Baseline Event	cantins	04/05/13 09:52
Indeno[1,2,3-cd]pyrene	10.00	Split Peak	cantins	04/05/13 09:52
Benzo[g,h,i]perylene	10.34	Baseline Event	cantins	04/05/13 09:52

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMD5973 Analysis Batch Number: 134781Lab Sample ID: IC 660-134781/3 Client Sample ID: _____Date Analyzed: 02/22/13 12:13 Lab File ID: 1DB22003.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Dibenz(a,h)anthracene	14.97	Baseline Event	cantins	02/22/13 14:57
Benzo[g,h,i]perylene	15.38	Baseline Event	cantins	02/22/13 14:57

Lab Sample ID: IC 660-134781/4 Client Sample ID: _____Date Analyzed: 02/22/13 12:35 Lab File ID: 1DB22004.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.93	Split Peak	cantins	02/22/13 14:58

Lab Sample ID: IC 660-134781/5 Client Sample ID: _____Date Analyzed: 02/22/13 12:58 Lab File ID: 1DB22005.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.94	Split Peak	cantins	02/22/13 14:58

Lab Sample ID: IC 660-134781/6 Client Sample ID: _____Date Analyzed: 02/22/13 13:21 Lab File ID: 1DB22006.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.94	Split Peak	cantins	02/22/13 14:59

Lab Sample ID: IC 660-134781/9 Client Sample ID: _____Date Analyzed: 02/22/13 14:28 Lab File ID: 1DB22009.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	15.00	Split Peak	cantins	02/22/13 15:00

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMD5973 Analysis Batch Number: 134781Lab Sample ID: ICV 660-134781/10 Client Sample ID: _____Date Analyzed: 02/22/13 14:51 Lab File ID: 1DB22010.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Carbazole	9.32	Baseline Event	cantins	02/22/13 15:27

GC/MS SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMD5973 Analysis Batch Number: 136118Lab Sample ID: CCVIS 660-136118/3 Client Sample ID: _____Date Analyzed: 04/03/13 11:55 Lab File ID: 1DD03003.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.79	Split Peak	cantins	04/03/13 12:17

Lab Sample ID: LCS 660-136026/2-A Client Sample ID: _____Date Analyzed: 04/03/13 13:07 Lab File ID: 1DD03006.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.78	Split Peak	cantins	04/04/13 11:47

Lab Sample ID: 680-88766-6 Client Sample ID: CV0613E-CSDate Analyzed: 04/03/13 13:30 Lab File ID: 1DD03007.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.78	Split Peak	cantins	04/04/13 11:55

Lab Sample ID: 680-88766-6 MS Client Sample ID: CV0613E-CS MSDate Analyzed: 04/03/13 13:52 Lab File ID: 1DD03008.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.77	Split Peak	cantins	04/04/13 11:56

Lab Sample ID: 680-88766-6 MSD Client Sample ID: CV0613E-CS MSDDate Analyzed: 04/03/13 14:15 Lab File ID: 1DD03009.D GC Column: DB-5MS ID: 250 (um)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Indeno[1,2,3-cd]pyrene	14.78	Split Peak	cantins	04/04/13 11:57

Method 8270C Low Level

Semivolatile Organic Compounds
(GC/MS) Low Level by Method 8270C

FORM II
GC/MS SEMI VOA SURROGATE RECOVERY

Lab Name: TestAmerica Tampa

Job No.: 680-88766-1

SDG No.: 68088766-1

Matrix: Solid

Level: Low

GC Column (1): DB-5MS ID: 250 (um)

Client Sample ID	Lab Sample ID	OTPH #
CV0613A-CS	680-88766-1	96
CV0613A-CSD	680-88766-2	58
CV0613B-CS	680-88766-3	95
CV0613C-CS	680-88766-4	54
CV0613D-CS	680-88766-5	90
CV0613E-CS	680-88766-6	71
CV0613F-CS	680-88766-7	46
CV0613G-CS	680-88766-8	49
CV0613H-CS	680-88766-9	97
CV0613I-CS	680-88766-10	56
CV0613J-CS	680-88766-11	84
CV0613K-CS	680-88766-12	57
CV0613K-CSD	680-88766-13	44
CV0613AB-GS	680-88766-14	49
CV0613AC-GS	680-88766-15	84
CV0610A-CS	680-88766-16	82
CV0610B-CS	680-88766-17	115
CV0610AB-GS	680-88766-18	88
CV0506A-CS	680-88766-19	98
CV0506B-CS	680-88766-20	66
	MB 660-135924/1-A	62
	MB 660-136026/1-A	58
	MB 660-136063/1-A	80
	LCS 660-135924/2-A	66
	LCS 660-136026/2-A	64
	LCS 660-136063/2-A	72
	680-88632-A-21-B MS	62
	680-88766-A-21-E MS	92
CV0613E-CS MS	680-88766-6 MS	69
	680-88632-A-21-C MSD	64

OTPH = o-Terphenyl

QC LIMITS
30-130

Column to be used to flag recovery values

FORM II 8270C LL

FORM II
GC/MS SEMI VOA SURROGATE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Matrix: Solid Level: Low

GC Column (1): DB-5MS ID: 250 (um)

Client Sample ID	Lab Sample ID	OTPH #
	680-88766-A-21-F MSD	97
CV0613E-CS MSD	680-88766-6 MSD	66

OTPH = o-Terphenyl

QC LIMITS
30-130

Column to be used to flag recovery values

FORM II 8270C LL

FORM III
GC/MS SEMI VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1CD02027.D
 Lab ID: LCS 660-135924/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	QC LIMITS REC	#
Acenaphthene	666	412	62	39-130	
Acenaphthylene	666	436	65	38-130	
Anthracene	666	447	67	37-130	
Benzo[a]anthracene	666	479	72	40-130	
Benzo[a]pyrene	666	454	68	49-130	
Benzo[b]fluoranthene	666	456	68	37-130	
Benzo[g,h,i]perylene	666	425	64	32-130	
Benzo[k]fluoranthene	666	469	70	32-130	
Chrysene	666	447	67	41-130	
Dibenz(a,h)anthracene	666	476	71	27-130	
Fluoranthene	666	483	72	40-130	
Fluorene	666	450	68	40-130	
Indeno[1,2,3-cd]pyrene	666	403	60	30-130	
1-Methylnaphthalene	666	509	76	31-130	
2-Methylnaphthalene	666	483	72	33-130	
Naphthalene	666	461	69	36-130	
Phenanthrene	666	439	66	42-130	
Pyrene	666	509	76	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1DD03006.D
 Lab ID: LCS 660-136026/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	QC LIMITS REC	#
Acenaphthene	665	403	61	39-130	
Acenaphthylene	665	409	61	38-130	
Anthracene	665	416	63	37-130	
Benzo[a]anthracene	665	476	72	40-130	
Benzo[a]pyrene	665	412	62	49-130	
Benzo[b]fluoranthene	665	455	68	37-130	
Benzo[g,h,i]perylene	665	416	62	32-130	
Benzo[k]fluoranthene	665	444	67	32-130	
Chrysene	665	416	63	41-130	
Dibenz(a,h)anthracene	665	438	66	27-130	
Fluoranthene	665	427	64	40-130	
Fluorene	665	418	63	40-130	
Indeno[1,2,3-cd]pyrene	665	414	62	30-130	
1-Methylnaphthalene	665	434	65	31-130	
2-Methylnaphthalene	665	428	64	33-130	
Naphthalene	665	418	63	36-130	
Phenanthrene	665	414	62	42-130	
Pyrene	665	444	67	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Matrix: Solid Level: Low Lab File ID: 1CD03016.D

Lab ID: LCS 660-136063/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	QC LIMITS REC	#
Acenaphthene	668	458	69	39-130	
Acenaphthylene	668	488	73	38-130	
Anthracene	668	469	70	37-130	
Benzo[a]anthracene	668	484	72	40-130	
Benzo[a]pyrene	668	444	66	49-130	
Benzo[b]fluoranthene	668	516	77	37-130	
Benzo[g,h,i]perylene	668	418	63	32-130	
Benzo[k]fluoranthene	668	468	70	32-130	
Chrysene	668	462	69	41-130	
Dibenz(a,h)anthracene	668	471	71	27-130	
Fluoranthene	668	487	73	40-130	
Fluorene	668	444	66	40-130	
Indeno[1,2,3-cd]pyrene	668	399	60	30-130	
1-Methylnaphthalene	668	522	78	31-130	
2-Methylnaphthalene	668	458	69	33-130	
Naphthalene	668	484	72	36-130	
Phenanthrene	668	499	75	42-130	
Pyrene	668	516	77	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1CD02029.D
 Lab ID: 680-88632-A-21-B MS Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC	QC LIMITS REC	#
Acenaphthene	817	120 U	449	55	39-130	
Acenaphthylene	817	20 J	445	52	38-130	
Anthracene	817	14	430	51	37-130	
Benzo[a]anthracene	817	94	578	59	40-130	
Benzo[a]pyrene	817	97	499	49	49-130	
Benzo[b]fluoranthene	817	200	613	51	37-130	
Benzo[g,h,i]perylene	817	91	463	46	32-130	
Benzo[k]fluoranthene	817	51	560	62	32-130	
Chrysene	817	140	553	51	41-130	
Dibenz(a,h)anthracene	817	32	479	55	27-130	
Fluoranthene	817	140	598	57	40-130	
Fluorene	817	9.4 J	502	60	40-130	
Indeno[1,2,3-cd]pyrene	817	74	413	42	30-130	
1-Methylnaphthalene	817	33 J	610	71	31-130	
2-Methylnaphthalene	817	51	567	63	33-130	
Naphthalene	817	79	572	60	36-130	
Phenanthrene	817	100	565	57	42-130	
Pyrene	817	110	597	60	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1CD03018.D
 Lab ID: 680-88766-A-21-E MS Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC	QC LIMITS REC	#
Acenaphthene	883	530 U	656	74	39-130	
Acenaphthylene	883	34 J	626	67	38-130	
Anthracene	883	45 U	666	75	37-130	
Benzo[a]anthracene	883	200	833	72	40-130	
Benzo[a]pyrene	883	100	650	62	49-130	
Benzo[b]fluoranthene	883	150	738	66	37-130	
Benzo[g,h,i]perylene	883	130	623	56	32-130	
Benzo[k]fluoranthene	883	79	667	67	32-130	
Chrysene	883	210	780	65	41-130	
Dibenz(a,h)anthracene	883	62 J	622	63	27-130	
Fluoranthene	883	210	697	55	40-130	
Fluorene	883	39 J	639	68	40-130	
Indeno[1,2,3-cd]pyrene	883	76 J	532	52	30-130	
1-Methylnaphthalene	883	120 J	653	60	31-130	
2-Methylnaphthalene	883	130 J	653	59	33-130	
Naphthalene	883	100 J	681	66	36-130	
Phenanthrene	883	200	690	55	42-130	
Pyrene	883	210	750	62	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1DD03008.D
 Lab ID: 680-88766-6 MS Client ID: CV0613E-CS MS

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC	QC LIMITS REC	#
Acenaphthene	787	470 U	547	69	39-130	
Acenaphthylene	787	110 J	605	63	38-130	
Anthracene	787	290	727	56	37-130	
Benzo[a]anthracene	787	910	1210	37	40-130	F
Benzo[a]pyrene	787	830	1100	35	49-130	F
Benzo[b]fluoranthene	787	1500	1640	20	37-130	F
Benzo[g,h,i]perylene	787	760	1190	54	32-130	
Benzo[k]fluoranthene	787	530	941	52	32-130	
Chrysene	787	1000	1200	25	41-130	F
Dibenz(a,h)anthracene	787	210	764	70	27-130	
Fluoranthene	787	1500	1520	7	40-130	F
Fluorene	787	77 J	589	65	40-130	
Indeno[1,2,3-cd]pyrene	787	670	1080	52	30-130	
1-Methylnaphthalene	787	110 J	609	63	31-130	
2-Methylnaphthalene	787	150 J	655	65	33-130	
Naphthalene	787	150 J	634	62	36-130	
Phenanthrene	787	830	1070	30	42-130	F
Pyrene	787	1300	1520	23	44-130	F

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1CD02030.D
 Lab ID: 680-88632-A-21-C MSD Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Acenaphthene	815	487	60	8	40	39-130	
Acenaphthylene	815	546	65	20	40	38-130	
Anthracene	815	560	67	26	40	37-130	
Benzo[a]anthracene	815	708	75	20	40	40-130	
Benzo[a]pyrene	815	651	68	26	40	49-130	
Benzo[b]fluoranthene	815	797	73	26	40	37-130	
Benzo[g,h,i]perylene	815	579	60	22	40	32-130	
Benzo[k]fluoranthene	815	696	79	22	40	32-130	
Chrysene	815	684	67	21	40	41-130	
Dibenz(a,h)anthracene	815	567	66	17	40	27-130	
Fluoranthene	815	765	77	24	40	40-130	
Fluorene	815	538	65	7	40	40-130	
Indeno[1,2,3-cd]pyrene	815	581	62	34	40	30-130	
1-Methylnaphthalene	815	644	75	6	40	31-130	
2-Methylnaphthalene	815	622	70	9	40	33-130	
Naphthalene	815	608	65	6	40	36-130	
Phenanthrene	815	684	71	19	40	42-130	
Pyrene	815	746	78	22	40	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1CD03019.D
 Lab ID: 680-88766-A-21-F MSD Client ID: _____

COMPOUND	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Acenaphthene	927	669	72	2	40	39-130	
Acenaphthylene	927	686	70	9	40	38-130	
Anthracene	927	674	73	1	40	37-130	
Benzo[a]anthracene	927	856	71	3	40	40-130	
Benzo[a]pyrene	927	651	59	0	40	49-130	
Benzo[b]fluoranthene	927	710	60	4	40	37-130	
Benzo[g,h,i]perylene	927	618	53	1	40	32-130	
Benzo[k]fluoranthene	927	822	80	21	40	32-130	
Chrysene	927	739	57	5	40	41-130	
Dibenz(a,h)anthracene	927	713	70	14	40	27-130	
Fluoranthene	927	780	62	11	40	40-130	
Fluorene	927	657	67	3	40	40-130	
Indeno[1,2,3-cd]pyrene	927	659	63	21	40	30-130	
1-Methylnaphthalene	927	709	64	8	40	31-130	
2-Methylnaphthalene	927	671	58	3	40	33-130	
Naphthalene	927	648	59	5	40	36-130	
Phenanthrene	927	758	60	9	40	42-130	
Pyrene	927	878	72	16	40	44-130	

Column to be used to flag recovery and RPD values

FORM III
GC/MS SEMI VOA MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Matrix: Solid Level: Low Lab File ID: 1DD03009.D
 Lab ID: 680-88766-6 MSD Client ID: CV0613E-CS MSD

COMPOUND	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Acenaphthene	784	504	64	8	40	39-130	
Acenaphthylene	784	582	61	4	40	38-130	
Anthracene	784	668	49	8	40	37-130	
Benzo[a]anthracene	784	1050	18	14	40	40-130	F
Benzo[a]pyrene	784	993	21	10	40	49-130	F
Benzo[b]fluoranthene	784	1340	-18	20	40	37-130	F
Benzo[g,h,i]perylene	784	1090	42	9	40	32-130	
Benzo[k]fluoranthene	784	839	39	12	40	32-130	
Chrysene	784	1060	7	13	40	41-130	F
Dibenz(a,h)anthracene	784	735	66	4	40	27-130	
Fluoranthene	784	1210	-33	23	40	40-130	F
Fluorene	784	558	61	6	40	40-130	
Indeno[1,2,3-cd]pyrene	784	978	39	10	40	30-130	
1-Methylnaphthalene	784	581	60	5	40	31-130	
2-Methylnaphthalene	784	603	58	8	40	33-130	
Naphthalene	784	573	54	10	40	36-130	
Phenanthrene	784	872	5	20	40	42-130	F
Pyrene	784	1210	-17	23	40	44-130	F

Column to be used to flag recovery and RPD values

FORM IV
GC/MS SEMI VOA METHOD BLANK SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1CD02026.D Lab Sample ID: MB 660-135924/1-A
 Matrix: Solid Date Extracted: 03/29/2013 10:19
 Instrument ID: BSMC5973 Date Analyzed: 04/02/2013 20:01
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 660-135924/2-A	1CD02027.D	04/02/2013 20:19
	680-88632-A-21-B MS	1CD02029.D	04/02/2013 20:56
	680-88632-A-21-C MSD	1CD02030.D	04/02/2013 21:14
CV0613A-CS	680-88766-1	1CD02032.D	04/02/2013 21:51
CV0613A-CSD	680-88766-2	1CD02033.D	04/02/2013 22:09
CV0613B-CS	680-88766-3	1CD02034.D	04/02/2013 22:27
CV0613C-CS	680-88766-4	1CD02035.D	04/02/2013 22:46
CV0613D-CS	680-88766-5	1CD02036.D	04/02/2013 23:04
CV0613F-CS	680-88766-7	1CD02037.D	04/02/2013 23:22
CV0613G-CS	680-88766-8	1CD02038.D	04/02/2013 23:41
CV0613H-CS	680-88766-9	1CD02039.D	04/02/2013 23:59
CV0613I-CS	680-88766-10	1CD02040.D	04/03/2013 00:17
CV0613J-CS	680-88766-11	1CD03007.D	04/03/2013 12:59
CV0613K-CS	680-88766-12	1CD03008.D	04/03/2013 13:17
CV0613K-CSD	680-88766-13	1CD03009.D	04/03/2013 13:35
CV0613AB-GS	680-88766-14	1CD03010.D	04/03/2013 13:54
CV0613AC-GS	680-88766-15	1CD03011.D	04/03/2013 14:12
CV0610A-CS	680-88766-16	1CD03012.D	04/03/2013 14:30
CV0610AB-GS	680-88766-18	1CD03013.D	04/03/2013 14:49
CV0506A-CS	680-88766-19	1CD03014.D	04/03/2013 15:07

FORM IV
GC/MS SEMI VOA METHOD BLANK SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
SDG No.: 68088766-1
Lab File ID: 1DD03005.D Lab Sample ID: MB 660-136026/1-A
Matrix: Solid Date Extracted: 04/01/2013 13:16
Instrument ID: BSMD5973 Date Analyzed: 04/03/2013 12:45
Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 660-136026/2-A	1DD03006.D	04/03/2013 13:07
CV0613E-CS	680-88766-6	1DD03007.D	04/03/2013 13:30
CV0613E-CS MS	680-88766-6 MS	1DD03008.D	04/03/2013 13:52
CV0613E-CS MSD	680-88766-6 MSD	1DD03009.D	04/03/2013 14:15

FORM IV
GC/MS SEMI VOA METHOD BLANK SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
SDG No.: 68088766-1
Lab File ID: 1CD03015.D Lab Sample ID: MB 660-136063/1-A
Matrix: Solid Date Extracted: 04/02/2013 11:33
Instrument ID: BSMC5973 Date Analyzed: 04/03/2013 15:34
Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 660-136063/2-A	1CD03016.D	04/03/2013 15:52
	680-88766-A-21-E MS	1CD03018.D	04/03/2013 16:29
	680-88766-A-21-F MSD	1CD03019.D	04/03/2013 16:47
CV0610B-CS	680-88766-17	1CD03023.D	04/03/2013 18:00
CV0506B-CS	680-88766-20	1CD03024.D	04/03/2013 18:19

FORM V
GC/MS SEMI VOA INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1CD02002.D DFTPP Injection Date: 04/02/2013
 Instrument ID: BSMC5973 DFTPP Injection Time: 11:31
 Analysis Batch No.: 136048

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0 % of mass 198	34.9
68	Less than 2.0 % of mass 69	0.8 (1.6)1
69	Mass 69 relative abundance	49.9
70	Less than 2.0 % of mass 69	0.4 (0.9)1
127	10.0 - 80.0 % of mass 198	42.2
197	Less than 2.0 % of mass 198	0.4
198	Base Peak, 100% relative abundance	100.0
199	5.0 - 9.0 % of mass 198	7.6
275	10.0 - 60.0 % of mass 198	21.5
365	Greater than 1.0 % of mass 198	3.4
441	Present but less than mass 443	10.2
442	Greater than 50.0 % of mass 198	56.7
443	15.0 - 24.0 % of mass 442	11.0 (19.4)2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	IC 660-136048/5	1CD02005.D	04/02/2013	13:26
	IC 660-136048/6	1CD02006.D	04/02/2013	13:44
	IC 660-136048/7	1CD02007.D	04/02/2013	14:02
	IC 660-136048/8	1CD02008.D	04/02/2013	14:20
	ICIS 660-136048/9	1CD02009.D	04/02/2013	14:39
	IC 660-136048/10	1CD02010.D	04/02/2013	14:57
	IC 660-136048/11	1CD02011.D	04/02/2013	15:15
	ICV 660-136048/12	1CD02012.D	04/02/2013	15:34

FORM V
GC/MS SEMI VOA INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1CD02014.D DFTPP Injection Date: 04/02/2013
 Instrument ID: BSMC5973 DFTPP Injection Time: 16:23
 Analysis Batch No.: 136079

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0 % of mass 198	32.4
68	Less than 2.0 % of mass 69	0.3 (0.6) 1
69	Mass 69 relative abundance	47.7
70	Less than 2.0 % of mass 69	0.3 (0.7) 1
127	10.0 - 80.0 % of mass 198	49.3
197	Less than 2.0 % of mass 198	0.9
198	Base Peak, 100% relative abundance	100.0
199	5.0 - 9.0 % of mass 198	6.6
275	10.0 - 60.0 % of mass 198	24.0
365	Greater than 1.0 % of mass 198	3.6
441	Present but less than mass 443	10.2
442	Greater than 50.0 % of mass 198	86.9
443	15.0 - 24.0 % of mass 442	19.1 (22.0) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	CCVIS 660-136079/3	1CD02015.D	04/02/2013	16:40
	MB 660-135924/1-A	1CD02026.D	04/02/2013	20:01
	LCS 660-135924/2-A	1CD02027.D	04/02/2013	20:19
	680-88632-A-21-B MS	1CD02029.D	04/02/2013	20:56
	680-88632-A-21-C MSD	1CD02030.D	04/02/2013	21:14
CV0613A-CS	680-88766-1	1CD02032.D	04/02/2013	21:51
CV0613A-CSD	680-88766-2	1CD02033.D	04/02/2013	22:09
CV0613B-CS	680-88766-3	1CD02034.D	04/02/2013	22:27
CV0613C-CS	680-88766-4	1CD02035.D	04/02/2013	22:46
CV0613D-CS	680-88766-5	1CD02036.D	04/02/2013	23:04
CV0613F-CS	680-88766-7	1CD02037.D	04/02/2013	23:22
CV0613G-CS	680-88766-8	1CD02038.D	04/02/2013	23:41
CV0613H-CS	680-88766-9	1CD02039.D	04/02/2013	23:59
CV0613I-CS	680-88766-10	1CD02040.D	04/03/2013	00:17

FORM V
GC/MS SEMI VOA INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1CD03002.D DFTPP Injection Date: 04/03/2013
 Instrument ID: BSMC5973 DFTPP Injection Time: 11:28
 Analysis Batch No.: 136081

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0 % of mass 198	42.7
68	Less than 2.0 % of mass 69	0.6 (1.1)1
69	Mass 69 relative abundance	49.7
70	Less than 2.0 % of mass 69	0.0 (0.0)1
127	10.0 - 80.0 % of mass 198	48.1
197	Less than 2.0 % of mass 198	0.0
198	Base Peak, 100% relative abundance	100.0
199	5.0 - 9.0 % of mass 198	6.2
275	10.0 - 60.0 % of mass 198	19.7
365	Greater than 1.0 % of mass 198	2.4
441	Present but less than mass 443	6.9
442	Greater than 50.0 % of mass 198	61.0
443	15.0 - 24.0 % of mass 442	10.2 (16.7)2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	CCVIS 660-136081/3	1CD03003.D	04/03/2013	11:45
CV0613J-CS	680-88766-11	1CD03007.D	04/03/2013	12:59
CV0613K-CS	680-88766-12	1CD03008.D	04/03/2013	13:17
CV0613K-CSD	680-88766-13	1CD03009.D	04/03/2013	13:35
CV0613AB-GS	680-88766-14	1CD03010.D	04/03/2013	13:54
CV0613AC-GS	680-88766-15	1CD03011.D	04/03/2013	14:12
CV0610A-CS	680-88766-16	1CD03012.D	04/03/2013	14:30
CV0610AB-GS	680-88766-18	1CD03013.D	04/03/2013	14:49
CV0506A-CS	680-88766-19	1CD03014.D	04/03/2013	15:07
	MB 660-136063/1-A	1CD03015.D	04/03/2013	15:34
	LCS 660-136063/2-A	1CD03016.D	04/03/2013	15:52
	680-88766-A-21-E MS	1CD03018.D	04/03/2013	16:29
	680-88766-A-21-F MSD	1CD03019.D	04/03/2013	16:47
CV0610B-CS	680-88766-17	1CD03023.D	04/03/2013	18:00
CV0506B-CS	680-88766-20	1CD03024.D	04/03/2013	18:19

FORM V
GC/MS SEMI VOA INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1DB22002.D DFTPP Injection Date: 02/22/2013
 Instrument ID: BSMD5973 DFTPP Injection Time: 11:57
 Analysis Batch No.: 134781

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0 % of mass 198	46.9
68	Less than 2.0 % of mass 69	0.0 (0.0) 1
69	Mass 69 relative abundance	46.6
70	Less than 2.0 % of mass 69	0.0 (0.0) 1
127	10.0 - 80.0 % of mass 198	50.9
197	Less than 2.0 % of mass 198	0.0
198	Base Peak, 100% relative abundance	100.0
199	5.0 - 9.0 % of mass 198	7.9
275	10.0 - 60.0 % of mass 198	25.1
365	Greater than 1.0 % of mass 198	2.9
441	Present but less than mass 443	10.4
442	Greater than 50.0 % of mass 198	64.5
443	15.0 - 24.0 % of mass 442	13.2 (20.5) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	IC 660-134781/3	1DB22003.D	02/22/2013	12:13
	IC 660-134781/4	1DB22004.D	02/22/2013	12:35
	IC 660-134781/5	1DB22005.D	02/22/2013	12:58
	IC 660-134781/6	1DB22006.D	02/22/2013	13:21
	ICIS 660-134781/7	1DB22007.D	02/22/2013	13:43
	IC 660-134781/8	1DB22008.D	02/22/2013	14:06
	IC 660-134781/9	1DB22009.D	02/22/2013	14:28
	ICV 660-134781/10	1DB22010.D	02/22/2013	14:51

FORM V
GC/MS SEMI VOA INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab File ID: 1DD03002.D DFTPP Injection Date: 04/03/2013
 Instrument ID: BSMD5973 DFTPP Injection Time: 11:38
 Analysis Batch No.: 136118

M/E	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0 % of mass 198	42.8
68	Less than 2.0 % of mass 69	0.0 (0.0)1
69	Mass 69 relative abundance	42.7
70	Less than 2.0 % of mass 69	0.3 (0.8)1
127	10.0 - 80.0 % of mass 198	50.6
197	Less than 2.0 % of mass 198	0.0
198	Base Peak, 100% relative abundance	100.0
199	5.0 - 9.0 % of mass 198	6.9
275	10.0 - 60.0 % of mass 198	29.1
365	Greater than 1.0 % of mass 198	3.6
441	Present but less than mass 443	8.4
442	Greater than 50.0 % of mass 198	82.6
443	15.0 - 24.0 % of mass 442	17.3 (20.9)2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
	CCVIS 660-136118/3	1DD03003.D	04/03/2013	11:55
	MB 660-136026/1-A	1DD03005.D	04/03/2013	12:45
	LCS 660-136026/2-A	1DD03006.D	04/03/2013	13:07
CV0613E-CS	680-88766-6	1DD03007.D	04/03/2013	13:30
CV0613E-CS MS	680-88766-6 MS	1DD03008.D	04/03/2013	13:52
CV0613E-CS MSD	680-88766-6 MSD	1DD03009.D	04/03/2013	14:15

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: ICIS 660-136048/9 Date Analyzed: 04/02/2013 14:39
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD02009.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	NPT		ANT		PHN		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
INITIAL CALIBRATION MID-POINT	501011	3.71	361349	4.80	702974	5.75	
UPPER LIMIT	1002022	4.21	722698	5.30	1405948	6.25	
LOWER LIMIT	250506	3.21	180675	4.30	351487	5.25	
LAB SAMPLE ID	CLIENT SAMPLE ID						
ICV 660-136048/12		649122	3.71	500935	4.80	955391	5.75

NPT = Naphthalene-d8
 ANT = Acenaphthene-d10
 PHN = Phenanthrene-d10

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: ICIS 660-136048/9 Date Analyzed: 04/02/2013 14:39
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD02009.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	CRY		PRY		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MID-POINT	875378	7.69	942955	8.86		
UPPER LIMIT	1750756	8.19	1885910	9.36		
LOWER LIMIT	437689	7.19	471478	8.36		
LAB SAMPLE ID	CLIENT SAMPLE ID					
ICV 660-136048/12	1249690	7.69	1306409	8.86		

CRY = Chrysene-d12
 PRY = Perylene-d12

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136079/3 Date Analyzed: 04/02/2013 16:40
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD02015.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	NPT		ANT		PHN		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
12/24 HOUR STD	497056	3.71	363517	4.80	670971	5.75	
UPPER LIMIT	994112	4.21	727034	5.30	1341942	6.25	
LOWER LIMIT	248528	3.21	181759	4.30	335486	5.25	
LAB SAMPLE ID	CLIENT SAMPLE ID						
MB 660-135924/1-A	569471	3.71	504679	4.80	959879	5.75	
LCS 660-135924/2-A	536976	3.71	477938	4.80	982106	5.75	
680-88632-A-21-B MS	583262	3.71	519154	4.80	1060524	5.75	
680-88632-A-21-C MSD	597406	3.71	494548	4.80	988760	5.75	
680-88766-1	CV0613A-CS	598574	3.71	502461	4.80	984124	5.75
680-88766-2	CV0613A-CSD	653277	3.71	571255	4.80	1062199	5.75
680-88766-3	CV0613B-CS	648019	3.71	533957	4.80	1041236	5.75
680-88766-4	CV0613C-CS	606875	3.72	510653	4.80	1016416	5.75
680-88766-5	CV0613D-CS	641712	3.71	558321	4.80	1081859	5.75
680-88766-7	CV0613F-CS	676187	3.71	565606	4.80	1068419	5.75
680-88766-8	CV0613G-CS	678709	3.71	576647	4.80	1090475	5.75
680-88766-9	CV0613H-CS	690836	3.71	572206	4.80	1039750	5.75
680-88766-10	CV0613I-CS	693655	3.72	561980	4.80	1065582	5.75

NPT = Naphthalene-d8

ANT = Acenaphthene-d10

PHN = Phenanthrene-d10

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136079/3 Date Analyzed: 04/02/2013 16:40
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD02015.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	CRY		PRY		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	842326	7.69	926334	8.86		
UPPER LIMIT	1684652	8.19	1852668	9.36		
LOWER LIMIT	421163	7.19	463167	8.36		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 660-135924/1-A		1168702	7.69	1102080	8.86	
LCS 660-135924/2-A		1206373	7.69	1158196	8.86	
680-88632-A-21-B MS		1203389	7.69	1130015	8.86	
680-88632-A-21-C MSD		1197197	7.69	1105114	8.86	
680-88766-1	CV0613A-CS	1091866	7.69	1035527	8.86	
680-88766-2	CV0613A-CSD	1192221	7.69	1107324	8.86	
680-88766-3	CV0613B-CS	1145801	7.69	1084763	8.86	
680-88766-4	CV0613C-CS	1137493	7.69	1059585	8.86	
680-88766-5	CV0613D-CS	1165723	7.69	1077180	8.86	
680-88766-7	CV0613F-CS	1167540	7.69	1101002	8.86	
680-88766-8	CV0613G-CS	1177327	7.69	1088533	8.86	
680-88766-9	CV0613H-CS	1190827	7.69	1123922	8.86	
680-88766-10	CV0613I-CS	1170707	7.69	1107482	8.86	

CRY = Chrysene-d12

PRY = Perylene-d12

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136081/3 Date Analyzed: 04/03/2013 11:45
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD03003.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	NPT		ANT		PHN		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
12/24 HOUR STD	500765	3.70	364027	4.79	687020	5.74	
UPPER LIMIT	1001530	4.20	728054	5.29	1374040	6.24	
LOWER LIMIT	250383	3.20	182014	4.29	343510	5.24	
LAB SAMPLE ID	CLIENT SAMPLE ID						
680-88766-11	CV0613J-CS	652183	3.71	529801	4.79	946645	5.74
680-88766-12	CV0613K-CS	673174	3.71	535006	4.79	973296	5.74
680-88766-13	CV0613K-CSD	677836	3.71	527661	4.79	939614	5.74
680-88766-14	CV0613AB-GS	695851	3.71	550329	4.79	993420	5.74
680-88766-15	CV0613AC-GS	662131	3.71	532208	4.79	977937	5.74
680-88766-16	CV0610A-CS	663830	3.71	524648	4.79	934032	5.74
680-88766-18	CV0610AB-GS	709889	3.71	565667	4.79	1017413	5.74
680-88766-19	CV0506A-CS	763309	3.71	591380	4.79	1087875	5.74
MB 660-136063/1-A		646271	3.71	483289	4.80	879169	5.75
LCS 660-136063/2-A		631468	3.71	487717	4.79	877192	5.74
680-88766-A-21-E MS		604618	3.71	447317	4.79	819020	5.74
680-88766-A-21-F MSD		599290	3.71	437990	4.79	801261	5.74
680-88766-17	CV0610B-CS	543842	3.71	400070	4.79	732588	5.74
680-88766-20	CV0506B-CS	564472	3.71	397520	4.79	747114	5.74

NPT = Naphthalene-d8
 ANT = Acenaphthene-d10
 PHN = Phenanthrene-d10

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136081/3 Date Analyzed: 04/03/2013 11:45
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1CD03003.D Heated Purge: (Y/N) N
 Calibration ID: 2859

	CRY		PRY		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	857573	7.68	866012	8.85		
UPPER LIMIT	1715146	8.18	1732024	9.35		
LOWER LIMIT	428787	7.18	433006	8.35		
LAB SAMPLE ID	CLIENT SAMPLE ID					
680-88766-11	CV0613J-CS	1102110	7.68	1096481	8.85	
680-88766-12	CV0613K-CS	1118813	7.68	1093125	8.85	
680-88766-13	CV0613K-CSD	1092579	7.68	1082251	8.85	
680-88766-14	CV0613AB-GS	1188410	7.68	1183612	8.85	
680-88766-15	CV0613AC-GS	1127698	7.68	1081770	8.85	
680-88766-16	CV0610A-CS	1057713	7.68	1038296	8.85	
680-88766-18	CV0610AB-GS	1170114	7.68	1132670	8.85	
680-88766-19	CV0506A-CS	1222152	7.68	1134770	8.85	
MB 660-136063/1-A		990236	7.68	958431	8.86	
LCS 660-136063/2-A		995572	7.68	964341	8.85	
680-88766-A-21-E MS		882360	7.68	885344	8.85	
680-88766-A-21-F MSD		885431	7.68	855561	8.85	
680-88766-17	CV0610B-CS	822003	7.68	790071	8.85	
680-88766-20	CV0506B-CS	856631	7.68	842436	8.85	

CRY = Chrysene-d12

PRY = Perylene-d12

Area Limit = 50%-200% of internal standard area

RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: ICIS 660-134781/7 Date Analyzed: 02/22/2013 13:43
 Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1DB22007.D Heated Purge: (Y/N) N
 Calibration ID: 2761

	NPT		ANT		PHN		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
INITIAL CALIBRATION MID-POINT	2851402	6.18	1685266	7.86	2758746	9.12	
UPPER LIMIT	5702804	6.68	3370532	8.36	5517492	9.62	
LOWER LIMIT	1425701	5.68	842633	7.36	1379373	8.62	
LAB SAMPLE ID	CLIENT SAMPLE ID						
ICV 660-134781/10		3227519	6.19	1973397	7.86	3226971	9.12

NPT = Naphthalene-d8
 ANT = Acenaphthene-d10
 PHN = Phenanthrene-d10

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: ICIS 660-134781/7 Date Analyzed: 02/22/2013 13:43
 Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1DB22007.D Heated Purge: (Y/N) N
 Calibration ID: 2761

	CRY		PRY		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MID-POINT	2741766	11.46	2903096	13.33		
UPPER LIMIT	5483532	11.96	5806192	13.83		
LOWER LIMIT	1370883	10.96	1451548	12.83		
LAB SAMPLE ID	CLIENT SAMPLE ID					
ICV 660-134781/10	3262056	11.46	3389756	13.34		

CRY = Chrysene-d12
 PRY = Perylene-d12

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136118/3 Date Analyzed: 04/03/2013 11:55
 Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1DD03003.D Heated Purge: (Y/N) N
 Calibration ID: 2761

	NPT		ANT		PHN		
	AREA #	RT #	AREA #	RT #	AREA #	RT #	
12/24 HOUR STD	1684268	6.08	988686	7.76	1568221	9.03	
UPPER LIMIT	3368536	6.58	1977372	8.26	3136442	9.53	
LOWER LIMIT	842134	5.58	494343	7.26	784111	8.53	
LAB SAMPLE ID	CLIENT SAMPLE ID						
MB 660-136026/1-A		1813955	6.09	1106129	7.77	1728057	9.03
LCS 660-136026/2-A		1813073	6.09	1107155	7.77	1710956	9.02
680-88766-6	CV0613E-CS	1597929	6.09	956642	7.77	1514933	9.02
680-88766-6 MS	CV0613E-CS MS	1565428	6.08	933161	7.76	1505973	9.03
680-88766-6 MSD	CV0613E-CS MSD	1565813	6.08	932778	7.76	1465661	9.03

NPT = Naphthalene-d8
 ANT = Acenaphthene-d10
 PHN = Phenanthrene-d10

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
GC/MS SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Sample No.: CCVIS 660-136118/3 Date Analyzed: 04/03/2013 11:55
 Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um)
 Lab File ID (Standard): 1DD03003.D Heated Purge: (Y/N) N
 Calibration ID: 2761

	CRY		PRY		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1495388	11.35	1508189	13.19		
UPPER LIMIT	2990776	11.85	3016378	13.69		
LOWER LIMIT	747694	10.85	754095	12.69		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 660-136026/1-A		1598481	11.34	1561531	13.19	
LCS 660-136026/2-A		1588234	11.34	1505585	13.18	
680-88766-6	CV0613E-CS	1325225	11.34	1351138	13.18	
680-88766-6 MS	CV0613E-CS MS	1367144	11.34	1425874	13.18	
680-88766-6 MSD	CV0613E-CS MSD	1327104	11.34	1449540	13.19	

CRY = Chrysene-d12
 PRY = Perylene-d12

Area Limit = 50%-200% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613A-CS Lab Sample ID: 680-88766-1
 Matrix: Solid Lab File ID: 1CD02032.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:11
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.89(g) Date Analyzed: 04/02/2013 21:51
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 14.6 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	470	U	470	94
208-96-8	Acenaphthylene	150	J	190	24
120-12-7	Anthracene	300		40	20
56-55-3	Benzo[a]anthracene	1100		38	18
50-32-8	Benzo[a]pyrene	950		49	25
205-99-2	Benzo[b]fluoranthene	1800		58	29
191-24-2	Benzo[g,h,i]perylene	790		94	21
207-08-9	Benzo[k]fluoranthene	570		38	17
218-01-9	Chrysene	1000		42	21
53-70-3	Dibenz(a,h)anthracene	280		94	19
206-44-0	Fluoranthene	1600		94	19
86-73-7	Fluorene	70	J	94	19
193-39-5	Indeno[1,2,3-cd]pyrene	660		94	33
90-12-0	1-Methylnaphthalene	190		190	21
91-57-6	2-Methylnaphthalene	190		190	33
91-20-3	Naphthalene	180	J	190	21
85-01-8	Phenanthrene	780		38	18
129-00-0	Pyrene	1400		94	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	96		30-130

TestAmerica Laboratories

Semivolatle 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02032.D
 Lab Smp Id: 680-88766-A-1-A Client Smp ID: CV0613A-CS
 Inj Date : 02-APR-2013 21:51
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-1-a
 Misc Info : 680-88766-A-1-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 31
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.890	Weight Extracted
M	14.559	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	CONCENTRATIONS				
			ON-COLUMN	FINAL	ON-COLUMN	FINAL	
	MASS	RT	EXP RT	REL RT	RESPONSE	(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	598574	40.0000	
* 6 Acenaphthene-d10	164	4.798	4.798	(1.000)	502461	40.0000	
* 10 Phenanthrene-d10	188	5.745	5.745	(1.000)	984124	40.0000	
\$ 14 o-Terphenyl	230	5.998	5.998	(1.044)	27007	2.40667	756.6872
* 18 Chrysene-d12	240	7.686	7.686	(1.000)	1091866	40.0000	
* 23 Perylene-d12	264	8.862	8.862	(1.000)	1035527	40.0000	
2 Naphthalene	128	3.727	3.721	(1.005)	8843	0.57518	180.8447
3 2-Methylnaphthalene	142	4.151	4.151	(1.119)	6235	0.59577	187.3167
4 1-Methylnaphthalene	142	4.216	4.216	(1.136)	5544	0.58873	185.1036
5 Acenaphthylene	152	4.716	4.710	(0.983)	10038	0.48270	151.7662
9 Fluorene	166	5.139	5.139	(1.071)	3807	0.22172	69.7107(Q)
11 Phenanthrene	178	5.763	5.763	(1.003)	71133	2.48176	780.2983
12 Anthracene	178	5.798	5.798	(1.009)	27740	0.95474	300.1813
13 Carbazole	167	5.904	5.904	(1.028)	10299	0.41373	130.0830

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.598	6.598	(1.148)	159649	5.04359	1585.7674
16 Pyrene	202	6.762	6.762	(0.880)	131293	4.34091	1364.8358
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	102470	3.37458	1061.0122
19 Chrysene	228	7.704	7.704	(1.002)	100725	3.23735	1017.8638
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	164692	5.62564	1768.7738(M)
21 Benzo(k)fluoranthene	252	8.533	8.545	(0.963)	51687	1.82547	573.9495(QMH)
22 Benzo(a)pyrene	252	8.804	8.809	(0.993)	82873	3.00679	945.3730
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	54544	2.08353	655.0889(M)
25 Dibenzo(a,h)anthracene	278	10.021	10.027	(1.131)	21190	0.87624	275.5009
26 Benzo(g,h,i)perylene	276	10.350	10.356	(1.168)	67415	2.52317	793.3156

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02032.D


Date: 02-APR-2013 21:51

Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

12 Anthracene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

19 Chrysene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

9 Fluorene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

2 Naphthalene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02032.D

Date: 02-APR-2013 21:51


Client ID: CV0613A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-1-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02032.D
Inj. Date and Time: 02-APR-2013 21:51
Instrument ID: BSMC5973.i
Client ID: CV0613A-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 195707
Amount: 7
Conc: 2102



Manual Integration Results

RT: 8.52
Response: 164692
Amount: 6
Conc: 1769




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:55
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02032.D
Inj. Date and Time: 02-APR-2013 21:51
Instrument ID: BSMC5973.i
Client ID: CV0613A-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.56
Response: 1292
Amount: 0
Conc: 14



Manual Integration Results

RT: 8.53
Response: 51687
Amount: 2
Conc: 574




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:55
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02032.D
Inj. Date and Time: 02-APR-2013 21:51
Instrument ID: BSMC5973.i
Client ID: CV0613A-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 66063
Amount: 3
Conc: 793



Manual Integration Results

RT: 10.01
Response: 54544
Amount: 2
Conc: 655



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:55
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613A-CSD Lab Sample ID: 680-88766-2
 Matrix: Solid Lab File ID: 1CD02033.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:15
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.96(g) Date Analyzed: 04/02/2013 22:09
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 15.3 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	34	J	120	24
208-96-8	Acenaphthylene	75		47	5.9
120-12-7	Anthracene	150		9.9	5.0
56-55-3	Benzo[a]anthracene	530		9.5	4.6
50-32-8	Benzo[a]pyrene	490		12	6.2
205-99-2	Benzo[b]fluoranthene	850		14	7.2
191-24-2	Benzo[g,h,i]perylene	360		24	5.2
207-08-9	Benzo[k]fluoranthene	370		9.5	4.3
218-01-9	Chrysene	520		11	5.3
53-70-3	Dibenz(a,h)anthracene	130		24	4.9
206-44-0	Fluoranthene	860		24	4.7
86-73-7	Fluorene	38		24	4.9
193-39-5	Indeno[1,2,3-cd]pyrene	350		24	8.4
90-12-0	1-Methylnaphthalene	65		47	5.2
91-57-6	2-Methylnaphthalene	96		47	8.4
91-20-3	Naphthalene	88		47	5.2
85-01-8	Phenanthrene	400		9.5	4.6
129-00-0	Pyrene	810		24	4.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	58		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02033.D
 Lab Smp Id: 680-88766-A-2-A Client Smp ID: CV0613A-CSD
 Inj Date : 02-APR-2013 22:09
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-2-a
 Misc Info : 680-88766-A-2-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 32
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.960	Weight Extracted
M	15.310	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	CONCENTRATIONS				
			ON-COLUMN	FINAL	ON-COLUMN	FINAL	
	MASS	RT	EXP RT	REL RT	RESPONSE	(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	653277	40.0000	
* 6 Acenaphthene-d10	164	4.798	4.798	(1.000)	571255	40.0000	
* 10 Phenanthrene-d10	188	5.745	5.745	(1.000)	1062199	40.0000	
\$ 14 o-Terphenyl	230	5.998	5.998	(1.044)	87836	5.79158	457.1236
* 18 Chrysene-d12	240	7.686	7.686	(1.000)	1192221	40.0000	
* 23 Perylene-d12	264	8.862	8.862	(1.000)	1107324	40.0000	
2 Naphthalene	128	3.727	3.721	(1.005)	18695	1.11417	87.9404
3 2-Methylnaphthalene	142	4.151	4.151	(1.119)	13869	1.21424	95.8389
4 1-Methylnaphthalene	142	4.216	4.216	(1.136)	8479	0.82501	65.1168
5 Acenaphthylene	152	4.710	4.710	(0.982)	22572	0.95471	75.3540
7 Acenaphthene	154	4.821	4.821	(1.005)	6293	0.42974	33.9191
9 Fluorene	166	5.139	5.139	(1.071)	9474	0.48531	38.3052
11 Phenanthrene	178	5.763	5.763	(1.003)	158727	5.13079	404.9679
12 Anthracene	178	5.798	5.798	(1.009)	61523	1.96182	154.8442

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.904	5.904	(1.028)	25368	0.94418	74.5233
15 Fluoranthene	202	6.598	6.598	(1.148)	373709	10.9383	863.3505
16 Pyrene	202	6.768	6.762	(0.881)	340547	10.3117	813.8884
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	227224	6.71335	529.8774
19 Chrysene	228	7.704	7.704	(1.002)	225015	6.62333	522.7726
20 Benzo(b)fluoranthene	252	8.521	8.521	(0.962)	336823	10.7594	849.2286(M)
21 Benzo(k)fluoranthene	252	8.533	8.545	(0.963)	142794	4.71617	372.2420(QMH)
22 Benzo(a)pyrene	252	8.809	8.809	(0.994)	182146	6.18011	487.7900
24 Indeno(1,2,3-cd)pyrene	276	10.015	10.015	(1.130)	123961	4.42818	349.5114(M)
25 Dibenzo(a,h)anthracene	278	10.027	10.027	(1.131)	43871	1.69651	133.9037
26 Benzo(g,h,i)perylene	276	10.362	10.356	(1.169)	131183	4.59149	362.4016

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02033.D


Date: 02-APR-2013 22:09

Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

7 Acenaphthene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

12 Anthracene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

19 Chrysene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

9 Fluorene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

2 Naphthalene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02033.D

Date: 02-APR-2013 22:09


Client ID: CV0613A-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-2-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02033.D
Inj. Date and Time: 02-APR-2013 22:09
Instrument ID: BSMC5973.i
Client ID: CV0613A-CSD
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 423287
Amount: 14
Conc: 1067



Manual Integration Results

RT: 8.52
Response: 336823
Amount: 11
Conc: 849




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:56
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02033.D
Inj. Date and Time: 02-APR-2013 22:09
Instrument ID: BSMC5973.i
Client ID: CV0613A-CSD
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.57
Response: 3308
Amount: 0
Conc: 9



Manual Integration Results

RT: 8.53
Response: 142794
Amount: 5
Conc: 372




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:56
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02033.D
Inj. Date and Time: 02-APR-2013 22:09
Instrument ID: BSMC5973.i
Client ID: CV0613A-CSD
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.02
Response: 142599
Amount: 5
Conc: 402



Manual Integration Results

RT: 10.02
Response: 123961
Amount: 4
Conc: 350



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:56
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613B-CS Lab Sample ID: 680-88766-3
 Matrix: Solid Lab File ID: 1CD02034.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:20
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.89(g) Date Analyzed: 04/02/2013 22:27
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 15.1 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	400	J	470	95
208-96-8	Acenaphthylene	100	J	190	24
120-12-7	Anthracene	970		40	20
56-55-3	Benzo[a]anthracene	2600		38	19
50-32-8	Benzo[a]pyrene	2300		49	25
205-99-2	Benzo[b]fluoranthene	3800		58	29
191-24-2	Benzo[g,h,i]perylene	1800		95	21
207-08-9	Benzo[k]fluoranthene	1500		38	17
218-01-9	Chrysene	2400		43	21
53-70-3	Dibenz(a,h)anthracene	520		95	19
206-44-0	Fluoranthene	4700		95	19
86-73-7	Fluorene	330		95	19
193-39-5	Indeno[1,2,3-cd]pyrene	1600		95	34
90-12-0	1-Methylnaphthalene	160	J	190	21
91-57-6	2-Methylnaphthalene	210		190	34
91-20-3	Naphthalene	290		190	21
85-01-8	Phenanthrene	3000		38	19
129-00-0	Pyrene	4100		95	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	95		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02034.D
 Lab Smp Id: 680-88766-A-3-A Client Smp ID: CV0613B-CS
 Inj Date : 02-APR-2013 22:27
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-3-a
 Misc Info : 680-88766-A-3-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 33
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.890	Weight Extracted
M	15.099	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	648019	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	533957	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1041236	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	28223	2.38600	754.9588	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1145801	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1084763	40.0000		
2 Naphthalene	128		3.727	3.721	(1.005)	15368	0.92332	292.1505	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	7490	0.66108	209.1728	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	5122	0.50241	158.9697	
5 Acenaphthylene	152		4.710	4.710	(0.982)	7189	0.32531	102.9308	
7 Acenaphthene	154		4.821	4.821	(1.005)	17214	1.25764	397.9329	
9 Fluorene	166		5.139	5.139	(1.071)	19040	1.04347	330.1662	
11 Phenanthrene	178		5.763	5.763	(1.003)	287124	9.46803	2995.7996	
12 Anthracene	178		5.798	5.798	(1.009)	94613	3.07772	973.8270	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
13 Carbazole	167	5.904	5.904	(1.028)	51129	1.94130	614.2521
15 Fluoranthene	202	6.598	6.598	(1.148)	501231	14.9662	4735.4899
16 Pyrene	202	6.763	6.762	(0.880)	408455	12.8690	4071.8922
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	263430	8.07039	2553.5686
19 Chrysene	228	7.704	7.704	(1.002)	246964	7.56391	2393.3118
20 Benzo(b)fluoranthene	252	8.521	8.521	(0.962)	368600	12.0194	3803.0737(M)
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	139960	4.71871	1493.0555(M)
22 Benzo(a)pyrene	252	8.809	8.809	(0.994)	213426	7.39204	2338.9294
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	136653	4.98309	1576.7109(M)
25 Dibenzo(a,h)anthracene	278	10.015	10.027	(1.130)	41783	1.64937	521.8809
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	162564	5.80818	1837.7798

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02034.D


Date: 02-APR-2013 22:27

Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

7 Acenaphthene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

12 Anthracene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

19 Chrysene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

9 Fluorene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

2 Naphthalene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02034.D

Date: 02-APR-2013 22:27


Client ID: CV0613B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-3-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02034.D
Inj. Date and Time: 02-APR-2013 22:27
Instrument ID: BSMC5973.i
Client ID: CV0613B-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 454860
Amount: 15
Conc: 4693



Manual Integration Results

RT: 8.52
Response: 368600
Amount: 12
Conc: 3803




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:57
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02034.D
Inj. Date and Time: 02-APR-2013 22:27
Instrument ID: BSMC5973.i
Client ID: CV0613B-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 457918
Amount: 15
Conc: 4885



Manual Integration Results

RT: 8.54
Response: 139960
Amount: 5
Conc: 1493




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:57
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02034.D
Inj. Date and Time: 02-APR-2013 22:27
Instrument ID: BSMC5973.i
Client ID: CV0613B-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 167149
Amount: 6
Conc: 1929



Manual Integration Results

RT: 10.01
Response: 136653
Amount: 5
Conc: 1577



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:57
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613C-CS Lab Sample ID: 680-88766-4
 Matrix: Solid Lab File ID: 1CD02035.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:25
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.86(g) Date Analyzed: 04/02/2013 22:46
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 28.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	31	J	140	28
208-96-8	Acenaphthylene	21	J	56	7.0
120-12-7	Anthracene	68		12	5.9
56-55-3	Benzo[a]anthracene	230		11	5.5
50-32-8	Benzo[a]pyrene	190		15	7.3
205-99-2	Benzo[b]fluoranthene	380		17	8.6
191-24-2	Benzo[g,h,i]perylene	180		28	6.2
207-08-9	Benzo[k]fluoranthene	130		11	5.1
218-01-9	Chrysene	230		13	6.3
53-70-3	Dibenz(a,h)anthracene	57		28	5.8
206-44-0	Fluoranthene	420		28	5.6
86-73-7	Fluorene	31		28	5.8
193-39-5	Indeno[1,2,3-cd]pyrene	130		28	10
90-12-0	1-Methylnaphthalene	63		56	6.2
91-57-6	2-Methylnaphthalene	94		56	10
91-20-3	Naphthalene	92		56	6.2
85-01-8	Phenanthrene	260		11	5.5
129-00-0	Pyrene	340		28	5.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	54		30-130

TestAmerica Laboratories

Semivolatle 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02035.D
 Lab Smp Id: 680-88766-A-4-A Client Smp ID: CV0613C-CS
 Inj Date : 02-APR-2013 22:46
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-4-a
 Misc Info : 680-88766-A-4-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 34
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.860	Weight Extracted
M	28.214	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.716	3.710	(1.000)	606875	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	510653	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1016416	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	77382	5.38966	505.2476	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1137493	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1059585	40.0000		
2 Naphthalene	128		3.727	3.721	(1.003)	15337	0.98393	92.2376	
3 2-Methylnaphthalene	142		4.151	4.151	(1.117)	10695	1.00795	94.4893	
4 1-Methylnaphthalene	142		4.215	4.216	(1.135)	6451	0.67567	63.3403	
5 Acenaphthylene	152		4.715	4.710	(0.983)	4623	0.21874	20.5055	
7 Acenaphthene	154		4.821	4.821	(1.005)	4362	0.33323	31.2380	
9 Fluorene	166		5.139	5.139	(1.071)	5699	0.32658	30.6150	
11 Phenanthrene	178		5.762	5.763	(1.003)	83384	2.81676	264.0546	
12 Anthracene	178		5.798	5.798	(1.009)	21678	0.72240	67.7201	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.904	5.904	(1.028)	13074	0.50853	47.6711
15 Fluoranthene	202	6.598	6.598	(1.148)	146804	4.49045	420.9520
16 Pyrene	202	6.762	6.762	(0.880)	113862	3.61358	338.7516
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	76062	2.44342	229.0558
19 Chrysene	228	7.704	7.704	(1.002)	80698	2.48964	233.3882
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	121517	4.05660	380.2818(M)
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	40476	1.39706	130.9660(QMH)
22 Benzo(a)pyrene	252	8.803	8.809	(0.993)	56534	2.00459	187.9181
24 Indeno(1,2,3-cd)pyrene	276	10.003	10.015	(1.129)	38238	1.42749	133.8188(M)
25 Dibenzo(a,h)anthracene	278	10.015	10.027	(1.130)	15097	0.61011	57.1941
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	52339	1.91443	179.4666

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02035.D


Date: 02-APR-2013 22:46

Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

7 Acenaphthene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

12 Anthracene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

19 Chrysene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

9 Fluorene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

2 Naphthalene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02035.D

Date: 02-APR-2013 22:46


Client ID: CV0613C-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-4-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02035.D
Inj. Date and Time: 02-APR-2013 22:46
Instrument ID: BSMC5973.i
Client ID: CV0613C-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 146910
Amount: 5
Conc: 460



Manual Integration Results

RT: 8.52
Response: 121517
Amount: 4
Conc: 380




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:58
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02035.D
Inj. Date and Time: 02-APR-2013 22:46
Instrument ID: BSMC5973.i
Client ID: CV0613C-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.57
Response: 414
Amount: 0
Conc: 1



Manual Integration Results

RT: 8.54
Response: 40476
Amount: 1
Conc: 131




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:58
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02035.D
Inj. Date and Time: 02-APR-2013 22:46
Instrument ID: BSMC5973.i
Client ID: CV0613C-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 51774
Amount: 2
Conc: 181



Manual Integration Results

RT: 10.00
Response: 38238
Amount: 1
Conc: 134



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 14:58
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613D-CS Lab Sample ID: 680-88766-5
 Matrix: Solid Lab File ID: 1CD02036.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:30
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.97(g) Date Analyzed: 04/02/2013 23:04
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 17.5 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	490	U	490	97
208-96-8	Acenaphthylene	48	J	190	24
120-12-7	Anthracene	120		41	20
56-55-3	Benzo[a]anthracene	390		39	19
50-32-8	Benzo[a]pyrene	310		51	25
205-99-2	Benzo[b]fluoranthene	720		59	30
191-24-2	Benzo[g,h,i]perylene	260		97	21
207-08-9	Benzo[k]fluoranthene	230		39	17
218-01-9	Chrysene	470		44	22
53-70-3	Dibenz(a,h)anthracene	96	J	97	20
206-44-0	Fluoranthene	550		97	19
86-73-7	Fluorene	41	J	97	20
193-39-5	Indeno[1,2,3-cd]pyrene	270		97	34
90-12-0	1-Methylnaphthalene	64	J	190	21
91-57-6	2-Methylnaphthalene	93	J	190	34
91-20-3	Naphthalene	82	J	190	21
85-01-8	Phenanthrene	310		39	19
129-00-0	Pyrene	530		97	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	90		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02036.D
 Lab Smp Id: 680-88766-A-5-A Client Smp ID: CV0613D-CS
 Inj Date : 02-APR-2013 23:04
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-5-a
 Misc Info : 680-88766-A-5-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 35
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.970	Weight Extracted
M	17.460	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	641712	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	558321	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1081859	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	27011	2.25501	729.9980	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1165723	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1077180	40.0000		
2 Naphthalene	128		3.722	3.721	(1.003)	4191	0.25427	82.3142(Q)	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	3233	0.28815	93.2818	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	1992	0.19731	63.8752	
5 Acenaphthylene	152		4.716	4.710	(0.983)	3441	0.14891	48.2063	
9 Fluorene	166		5.139	5.139	(1.071)	2416	0.12663	40.9926	
11 Phenanthrene	178		5.763	5.763	(1.003)	29862	0.94774	306.8040	
12 Anthracene	178		5.792	5.798	(1.008)	11880	0.37194	120.4055	
13 Carbazole	167		5.904	5.904	(1.028)	6013	0.21973	71.1327	

Compounds	QUANT SIG						CONCENTRATIONS	
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)	
15 Fluoranthene	202	6.598	6.598	(1.148)	58929	1.69349	548.2202	
16 Pyrene	202	6.763	6.762	(0.880)	53266	1.64954	533.9940	
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	36236	1.20844	391.1990	
19 Chrysene	228	7.704	7.704	(1.002)	48531	1.46098	472.9542	
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	67399	2.21323	716.4731(M)	
21 Benzo(k)fluoranthene	252	8.533	8.545	(0.963)	21044	0.71449	231.2956(QMH)	
22 Benzo(a)pyrene	252	8.804	8.809	(0.993)	27861	0.97176	314.5817	
24 Indeno(1,2,3-cd)pyrene	276	10.004	10.015	(1.129)	22475	0.82533	267.1773(M)	
25 Dibenzo(a,h)anthracene	278	10.021	10.027	(1.131)	7477	0.29723	96.2201	
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	22162	0.79739	258.1339(M)	

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02036.D


Date: 02-APR-2013 23:04

Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

12 Anthracene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

19 Chrysene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

9 Fluorene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

2 Naphthalene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02036.D

Date: 02-APR-2013 23:04


Client ID: CV0613D-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-5-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02036.D
Inj. Date and Time: 02-APR-2013 23:04
Instrument ID: BSMC5973.i
Client ID: CV0613D-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 79530
Amount: 3
Conc: 845



Manual Integration Results

RT: 8.52
Response: 67399
Amount: 2
Conc: 716




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:03
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02036.D
Inj. Date and Time: 02-APR-2013 23:04
Instrument ID: BSMC5973.i
Client ID: CV0613D-CS
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/03/2013


Processing Integration Results

RT: 10.36
Response: 20596
Amount: 1
Conc: 240



Manual Integration Results

RT: 10.36
Response: 22162
Amount: 1
Conc: 258




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:05
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02036.D
Inj. Date and Time: 02-APR-2013 23:04
Instrument ID: BSMC5973.i
Client ID: CV0613D-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.56
Response: 441
Amount: 0
Conc: 5



Manual Integration Results

RT: 8.53
Response: 21044
Amount: 1
Conc: 231




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:03
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02036.D
Inj. Date and Time: 02-APR-2013 23:04
Instrument ID: BSMC5973.i
Client ID: CV0613D-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 25382
Amount: 1
Conc: 302



Manual Integration Results

RT: 10.00
Response: 22475
Amount: 1
Conc: 267



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:05
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613E-CS Lab Sample ID: 680-88766-6
 Matrix: Solid Lab File ID: 1DD03007.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:43
 Extract. Method: 3546 Date Extracted: 04/01/2013 13:16
 Sample wt/vol: 14.95(g) Date Analyzed: 04/03/2013 13:30
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 15.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136118 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	470	U	470	95
208-96-8	Acenaphthylene	110	J	190	24
120-12-7	Anthracene	290		40	20
56-55-3	Benzo[a]anthracene	910	F	38	18
50-32-8	Benzo[a]pyrene	830	F	49	25
205-99-2	Benzo[b]fluoranthene	1500	F	58	29
191-24-2	Benzo[g,h,i]perylene	760		95	21
207-08-9	Benzo[k]fluoranthene	530		38	17
218-01-9	Chrysene	1000	F	43	21
53-70-3	Dibenz(a,h)anthracene	210		95	19
206-44-0	Fluoranthene	1500	F	95	19
86-73-7	Fluorene	77	J	95	19
193-39-5	Indeno[1,2,3-cd]pyrene	670		95	34
90-12-0	1-Methylnaphthalene	110	J	190	21
91-57-6	2-Methylnaphthalene	150	J	190	34
91-20-3	Naphthalene	150	J	190	21
85-01-8	Phenanthrene	830	F	38	18
129-00-0	Pyrene	1300	F	95	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	71		30-130

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03007.D
 Lab Smp Id: 680-88766-A-6-G Client Smp ID: CV0613E-CS
 Inj Date : 03-APR-2013 13:30
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : 680-88766-A-6-G
 Misc Info : 680-88766-A-6-G
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 7
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.950	Weight Extracted
M	15.179	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	CONCENTRATIONS				
			ON-COLUMN	FINAL			
	MASS	RT	EXP RT	REL RT	RESPONSE	(ug/l)	(ug/Kg)
* 1 Naphthalene-d8	136	6.085	6.083	(1.000)	1597929	40.0000	
* 6 Acenaphthene-d10	164	7.766	7.764	(1.000)	956642	40.0000	
* 9 Phenanthrene-d10	188	9.023	9.027	(1.000)	1514933	40.0000	
\$ 13 o-Terphenyl	230	9.335	9.338	(1.035)	41564	1.77420	560
* 17 Chrysene-d12	240	11.344	11.348	(1.000)	1325225	40.0000	
* 22 Perylene-d12	264	13.183	13.187	(1.000)	1351138	40.0000	
2 Naphthalene	128	6.103	6.107	(1.003)	19859	0.46458	150
3 2-Methylnaphthalene	142	6.814	6.812	(1.120)	12519	0.45976	140
4 1-Methylnaphthalene	142	6.902	6.906	(1.134)	9172	0.35971	110
5 Acenaphthylene	152	7.637	7.640	(0.983)	14392	0.34124	110
7 Acenaphthene	154	7.789	7.793	(1.003)	4615	0.17946	57
8 Fluorene	166	8.236	8.234	(1.061)	7316	0.24350	77
10 Phenanthrene	178	9.041	9.045	(1.002)	113737	2.64480	830
11 Anthracene	178	9.082	9.086	(1.007)	39003	0.90649	280

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/l)	FINAL (ug/Kg)
12 Carbazole	167	9.223	9.227	(1.022)	18742	0.48726	150
14 Fluoranthene	202	10.028	10.032	(1.111)	208940	4.65575	1500
15 Pyrene	202	10.216	10.220	(0.901)	174634	4.24825	1300
16 Benzo(a)anthracene	228	11.326	11.330	(0.998)	105125	2.89746	910
18 Chrysene	228	11.367	11.371	(1.002)	119238	3.18332	1000
19 Benzo(b)fluoranthene	252	12.637	12.646	(0.959)	163284	4.69503	1500
20 Benzo(k)fluoranthene	252	12.666	12.682	(0.961)	61435	1.68714	530
21 Benzo(a)pyrene	252	13.089	13.099	(0.993)	90483	2.62912	830
23 Indeno(1,2,3-cd)pyrene	276	14.775	14.791	(1.121)	77993	2.12354	670(M)
24 Dibenzo(a,h)anthracene	278	14.799	14.820	(1.123)	23108	0.68127	210
25 Benzo(g,h,i)perylene	276	15.216	15.232	(1.154)	84622	2.41654	760

QC Flag Legend

M - Compound response manually integrated.

Data File: 1DD03007.D


Date: 03-APR-2013 13:30

Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

5 Acenaphthylene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

11 Anthracene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

16 Benzo(a)anthracene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

21 Benzo(a)pyrene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

19 Benzo (b) fluoranthene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

25 Benzo(g,h,i)perylene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

20 Benzo(k)fluoranthene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

18 Chrysene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

24 Dibenzo (a,h) anthracene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

14 Fluoranthene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

8 Fluorene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

23 Indeno(1,2,3-cd)pyrene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

4 1-Methylnaphthalene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

3 2-Methylnaphthalene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

2 Naphthalene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

10 Phenanthrene



Data File: 1DD03007.D

Date: 03-APR-2013 13:30


Client ID: CV0613E-CS

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-G

Operator: SCC

15 Pyrene




Manual Integration Report

Data File: 1DD03007.D
Inj. Date and Time: 03-APR-2013 13:30
Instrument ID: BSMSD.i
Client ID: CV0613E-CS
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 14.78
Response: 84257
Amount: 2
Conc: 724



Manual Integration Results

RT: 14.78
Response: 77993
Amount: 2
Conc: 670



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 11:55
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613F-CS Lab Sample ID: 680-88766-7
 Matrix: Solid Lab File ID: 1CD02037.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:48
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.37(g) Date Analyzed: 04/02/2013 23:22
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 31.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	140	U	140	28
208-96-8	Acenaphthylene	37	J	57	7.1
120-12-7	Anthracene	68		12	6.0
56-55-3	Benzo[a]anthracene	210		11	5.5
50-32-8	Benzo[a]pyrene	150		15	7.4
205-99-2	Benzo[b]fluoranthene	300		17	8.7
191-24-2	Benzo[g,h,i]perylene	120		28	6.2
207-08-9	Benzo[k]fluoranthene	110		11	5.1
218-01-9	Chrysene	220		13	6.4
53-70-3	Dibenz(a,h)anthracene	43		28	5.8
206-44-0	Fluoranthene	350		28	5.7
86-73-7	Fluorene	15	J	28	5.8
193-39-5	Indeno[1,2,3-cd]pyrene	120		28	10
90-12-0	1-Methylnaphthalene	63		57	6.2
91-57-6	2-Methylnaphthalene	72		57	10
91-20-3	Naphthalene	54	J	57	6.2
85-01-8	Phenanthrene	230		11	5.5
129-00-0	Pyrene	310		28	5.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	46		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02037.D
 Lab Smp Id: 680-88766-A-7-A Client Smp ID: CV0613F-CS
 Inj Date : 02-APR-2013 23:22
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-7-a
 Misc Info : 680-88766-A-7-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 36
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.370	Weight Extracted
M	31.206	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	676187	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	565606	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1068419	40.0000	
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	67051	4.57023	432.2267
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1167540	40.0000	
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1101002	40.0000	
2 Naphthalene	128		3.727	3.721	(1.005)	9905	0.57031	53.9368
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	8979	0.75948	71.8278
4 1-Methylnaphthalene	142		4.215	4.216	(1.136)	7059	0.66357	62.7566
5 Acenaphthylene	152		4.715	4.710	(0.983)	9152	0.39096	36.9747
9 Fluorene	166		5.139	5.139	(1.071)	3149	0.16292	15.4081(Q)
11 Phenanthrene	178		5.762	5.763	(1.003)	75058	2.41210	228.1225
12 Anthracene	178		5.798	5.798	(1.009)	22715	0.72011	68.1038
13 Carbazole	167		5.904	5.904	(1.028)	13480	0.49880	47.1734

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.598	6.598	(1.148)	125469	3.65105	345.2958
16 Pyrene	202	6.762	6.762	(0.880)	105342	3.25715	308.0430
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	71016	2.23487	211.3613
19 Chrysene	228	7.703	7.704	(1.002)	75708	2.27558	215.2113
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	98015	3.14895	297.8098(M)
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	34176	1.13524	107.3644(QMH)
22 Benzo(a)pyrene	252	8.809	8.809	(0.994)	47276	1.61326	152.5729
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	34103	1.22523	115.8757(M)
25 Dibenzo(a,h)anthracene	278	10.027	10.027	(1.131)	11824	0.45986	43.4913(M)
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	36175	1.27342	120.4328(M)

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02037.D


Date: 02-APR-2013 23:22

Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

12 Anthracene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

19 Chrysene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

9 Fluorene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

2 Naphthalene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02037.D

Date: 02-APR-2013 23:22


Client ID: CV0613F-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-7-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02037.D
Inj. Date and Time: 02-APR-2013 23:22
Instrument ID: BSMC5973.i
Client ID: CV0613F-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 119956
Amount: 4
Conc: 364



Manual Integration Results

RT: 8.52
Response: 98015
Amount: 3
Conc: 298




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:09
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02037.D
Inj. Date and Time: 02-APR-2013 23:22
Instrument ID: BSMC5973.i
Client ID: CV0613F-CS
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/03/2013


Processing Integration Results

RT: 10.36
Response: 33912
Amount: 1
Conc: 113



Manual Integration Results

RT: 10.36
Response: 36175
Amount: 1
Conc: 120




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:07
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02037.D
Inj. Date and Time: 02-APR-2013 23:22
Instrument ID: BSMC5973.i
Client ID: CV0613F-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.57
Response: 825
Amount: 0
Conc: 3



Manual Integration Results

RT: 8.54
Response: 34176
Amount: 1
Conc: 107




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:08
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02037.D
Inj. Date and Time: 02-APR-2013 23:22
Instrument ID: BSMC5973.i
Client ID: CV0613F-CS
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/03/2013


Processing Integration Results

RT: 10.03
Response: 5471
Amount: 0
Conc: 20



Manual Integration Results

RT: 10.03
Response: 11824
Amount: 0
Conc: 43




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:08
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02037.D
Inj. Date and Time: 02-APR-2013 23:22
Instrument ID: BSMC5973.i
Client ID: CV0613F-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 37728
Amount: 1
Conc: 128



Manual Integration Results

RT: 10.01
Response: 34103
Amount: 1
Conc: 116



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:08
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613G-CS Lab Sample ID: 680-88766-8
 Matrix: Solid Lab File ID: 1CD02038.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:00
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.18(g) Date Analyzed: 04/02/2013 23:41
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 27.0 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	140	U	140	27
208-96-8	Acenaphthylene	67		54	6.8
120-12-7	Anthracene	120		11	5.7
56-55-3	Benzo[a]anthracene	310		11	5.3
50-32-8	Benzo[a]pyrene	280		14	7.0
205-99-2	Benzo[b]fluoranthene	570		17	8.3
191-24-2	Benzo[g,h,i]perylene	220		27	6.0
207-08-9	Benzo[k]fluoranthene	230		11	4.9
218-01-9	Chrysene	350		12	6.1
53-70-3	Dibenz(a,h)anthracene	79		27	5.6
206-44-0	Fluoranthene	410		27	5.4
86-73-7	Fluorene	19	J	27	5.6
193-39-5	Indeno[1,2,3-cd]pyrene	200		27	9.6
90-12-0	1-Methylnaphthalene	64		54	6.0
91-57-6	2-Methylnaphthalene	84		54	9.6
91-20-3	Naphthalene	88		54	6.0
85-01-8	Phenanthrene	220		11	5.3
129-00-0	Pyrene	410		27	5.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	49		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02038.D
 Lab Smp Id: 680-88766-A-8-A Client Smp ID: CV0613G-CS
 Inj Date : 02-APR-2013 23:41
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-8-a
 Misc Info : 680-88766-A-8-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 37
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.180	Weight Extracted
M	27.015	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	678709	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	576647	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1090475	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	74551	4.91383	443.5233	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1177327	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1088533	40.0000		
2 Naphthalene	128		3.727	3.721	(1.005)	17076	0.97955	88.4143	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	11022	0.92883	83.8360	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	7563	0.70830	63.9316	
5 Acenaphthylene	152		4.716	4.710	(0.983)	17610	0.73787	66.6002	
9 Fluorene	166		5.139	5.139	(1.071)	4177	0.21197	19.1324(Q)	
11 Phenanthrene	178		5.763	5.763	(1.003)	76459	2.40742	217.2943	
12 Anthracene	178		5.798	5.798	(1.009)	44318	1.37655	124.2474	
13 Carbazole	167		5.904	5.904	(1.028)	15672	0.56818	51.2838	

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
15 Fluoranthene	202	6.598	6.598	(1.148)	158981	4.53265	409.1180
16 Pyrene	202	6.763	6.762	(0.880)	148852	4.56421	411.9664
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	110713	3.38111	305.1795
19 Chrysene	228	7.704	7.704	(1.002)	129939	3.87315	349.5910
20 Benzo(b)fluoranthene	252	8.521	8.521	(0.962)	195561	6.35480	573.5852(M)
21 Benzo(k)fluoranthene	252	8.533	8.545	(0.963)	75050	2.52152	227.5930(MH)
22 Benzo(a)pyrene	252	8.804	8.809	(0.993)	88643	3.05953	276.1534
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	60748	2.20752	199.2512(M)
25 Dibenzo(a,h)anthracene	278	10.015	10.027	(1.130)	22181	0.87256	78.7570
26 Benzo(g,h,i)perylene	276	10.351	10.356	(1.168)	68751	2.44787	220.9451

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02038.D


Date: 02-APR-2013 23:41

Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

12 Anthracene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

19 Chrysene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

9 Fluorene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

2 Naphthalene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02038.D

Date: 02-APR-2013 23:41


Client ID: CV0613G-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-8-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02038.D
Inj. Date and Time: 02-APR-2013 23:41
Instrument ID: BSMC5973.i
Client ID: CV0613G-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 240469
Amount: 8
Conc: 705



Manual Integration Results

RT: 8.52
Response: 195561
Amount: 6
Conc: 574




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:09
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02038.D
Inj. Date and Time: 02-APR-2013 23:41
Instrument ID: BSMC5973.i
Client ID: CV0613G-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.56
Response: 297
Amount: 0
Conc: 1



Manual Integration Results

RT: 8.53
Response: 75050
Amount: 3
Conc: 228




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:09
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02038.D
Inj. Date and Time: 02-APR-2013 23:41
Instrument ID: BSMC5973.i
Client ID: CV0613G-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 74775
Amount: 3
Conc: 245



Manual Integration Results

RT: 10.01
Response: 60748
Amount: 2
Conc: 199



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:10
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613H-CS Lab Sample ID: 680-88766-9
 Matrix: Solid Lab File ID: 1CD02039.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:07
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.84(g) Date Analyzed: 04/02/2013 23:59
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 16.0 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	480	U	480	96
208-96-8	Acenaphthylene	130	J	190	24
120-12-7	Anthracene	250		40	20
56-55-3	Benzo[a]anthracene	730		39	19
50-32-8	Benzo[a]pyrene	660		50	25
205-99-2	Benzo[b]fluoranthene	1300		59	29
191-24-2	Benzo[g,h,i]perylene	540		96	21
207-08-9	Benzo[k]fluoranthene	450		39	17
218-01-9	Chrysene	840		43	22
53-70-3	Dibenz(a,h)anthracene	150		96	20
206-44-0	Fluoranthene	1400		96	19
86-73-7	Fluorene	75	J	96	20
193-39-5	Indeno[1,2,3-cd]pyrene	520		96	34
90-12-0	1-Methylnaphthalene	94	J	190	21
91-57-6	2-Methylnaphthalene	140	J	190	34
91-20-3	Naphthalene	160	J	190	21
85-01-8	Phenanthrene	680		39	19
129-00-0	Pyrene	1100		96	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	97		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02039.D
 Lab Smp Id: 680-88766-A-9-A Client Smp ID: CV0613H-CS
 Inj Date : 02-APR-2013 23:59
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-9-a
 Misc Info : 680-88766-A-9-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 38
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.840	Weight Extracted
M	16.006	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	690836	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	572206	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1039750	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	28712	2.41719	775.6902	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1190827	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1123922	40.0000		
2 Naphthalene	128		3.727	3.721	(1.005)	8831	0.49769	159.7119	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	5191	0.42977	137.9152	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	3188	0.29333	94.1307	
5 Acenaphthylene	152		4.710	4.710	(0.982)	9694	0.40934	131.3588	
9 Fluorene	166		5.139	5.139	(1.071)	4550	0.23269	74.6717(Q)	
11 Phenanthrene	178		5.762	5.763	(1.003)	64311	2.12371	681.5128	
12 Anthracene	178		5.798	5.798	(1.009)	24066	0.78397	251.5825	
13 Carbazole	167		5.904	5.904	(1.028)	9651	0.36696	117.7598	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.598	6.598	(1.148)	142258	4.25374	1365.0519
16 Pyrene	202	6.768	6.762	(0.881)	114408	3.46829	1112.9975
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	74250	2.28755	734.0878
19 Chrysene	228	7.704	7.704	(1.002)	88336	2.60322	835.3897
20 Benzo(b)fluoranthene	252	8.521	8.521	(0.962)	126235	3.97287	1274.9206(M)
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	42952	1.39766	448.5174(QMH)
22 Benzo(a)pyrene	252	8.803	8.809	(0.993)	61343	2.05060	658.0497
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	46049	1.62069	520.0882(M)
25 Dibenzo(a,h)anthracene	278	10.021	10.027	(1.131)	12513	0.47674	152.9879
26 Benzo(g,h,i)perylene	276	10.345	10.356	(1.167)	48959	1.68829	541.7832

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02039.D


Date: 02-APR-2013 23:59

Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

12 Anthracene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

19 Chrysene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

9 Fluorene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

2 Naphthalene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02039.D

Date: 02-APR-2013 23:59


Client ID: CV0613H-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-9-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02039.D
Inj. Date and Time: 02-APR-2013 23:59
Instrument ID: BSMC5973.i
Client ID: CV0613H-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 153427
Amount: 5
Conc: 1550



Manual Integration Results

RT: 8.52
Response: 126235
Amount: 4
Conc: 1275




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:10
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02039.D
Inj. Date and Time: 02-APR-2013 23:59
Instrument ID: BSMC5973.i
Client ID: CV0613H-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.57
Response: 1551
Amount: 0
Conc: 16



Manual Integration Results

RT: 8.54
Response: 42952
Amount: 1
Conc: 449




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:10
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02039.D
Inj. Date and Time: 02-APR-2013 23:59
Instrument ID: BSMC5973.i
Client ID: CV0613H-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 51958
Amount: 2
Conc: 587



Manual Integration Results

RT: 10.01
Response: 46049
Amount: 2
Conc: 520



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:11
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613I-CS Lab Sample ID: 680-88766-10
 Matrix: Solid Lab File ID: 1CD02040.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:17
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.05(g) Date Analyzed: 04/03/2013 00:17
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 24.0 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	130	U	130	26
208-96-8	Acenaphthylene	71		52	6.6
120-12-7	Anthracene	120		11	5.5
56-55-3	Benzo[a]anthracene	340		10	5.1
50-32-8	Benzo[a]pyrene	320		14	6.8
205-99-2	Benzo[b]fluoranthene	670		16	8.0
191-24-2	Benzo[g,h,i]perylene	260		26	5.8
207-08-9	Benzo[k]fluoranthene	250		10	4.7
218-01-9	Chrysene	340		12	5.9
53-70-3	Dibenz(a,h)anthracene	87		26	5.4
206-44-0	Fluoranthene	420		26	5.2
86-73-7	Fluorene	22	J	26	5.4
193-39-5	Indeno[1,2,3-cd]pyrene	270		26	9.3
90-12-0	1-Methylnaphthalene	59		52	5.8
91-57-6	2-Methylnaphthalene	76		52	9.3
91-20-3	Naphthalene	87		52	5.8
85-01-8	Phenanthrene	220		10	5.1
129-00-0	Pyrene	410		26	4.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	56		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02040.D
 Lab Smp Id: 680-88766-A-10-A Client Smp ID: CV0613I-CS
 Inj Date : 03-APR-2013 00:17
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-10-a
 Misc Info : 680-88766-A-10-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 39
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.050	Weight Extracted
M	24.000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.715	3.710	(1.000)	693655	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	561980	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1065582	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	85315	5.63055	492.2673	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1170707	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1107482	40.0000		
2 Naphthalene	128		3.727	3.721	(1.003)	17756	0.99661	87.1315	
3 2-Methylnaphthalene	142		4.151	4.151	(1.117)	10518	0.86726	75.8224	
4 1-Methylnaphthalene	142		4.215	4.216	(1.135)	7350	0.67352	58.8848	
5 Acenaphthylene	152		4.715	4.710	(0.983)	19000	0.81689	71.4188	
9 Fluorene	166		5.139	5.139	(1.071)	4812	0.25057	21.9065	
11 Phenanthrene	178		5.762	5.763	(1.003)	76707	2.47165	216.0913	
12 Anthracene	178		5.798	5.798	(1.009)	41953	1.33353	116.5878	
13 Carbazole	167		5.904	5.904	(1.028)	15459	0.57355	50.1441	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.598	6.598	(1.148)	166342	4.85331	424.3146
16 Pyrene	202	6.768	6.762	(0.881)	152224	4.69400	410.3864
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	127486	3.89393	340.4383
19 Chrysene	228	7.703	7.704	(1.002)	128368	3.84796	336.4187
20 Benzo(b)fluoranthene	252	8.521	8.521	(0.962)	239384	7.64574	668.4509(M)
21 Benzo(k)fluoranthene	252	8.533	8.545	(0.963)	87035	2.87416	251.2817(QM)
22 Benzo(a)pyrene	252	8.803	8.809	(0.993)	107721	3.65439	319.4958
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	87404	3.12183	272.9349(M)
25 Dibenzo(a,h)anthracene	278	10.027	10.027	(1.131)	25712	0.99415	86.9165
26 Benzo(g,h,i)perylene	276	10.362	10.356	(1.169)	85006	2.97484	260.0840

QC Flag Legend

Q - Qualifier signal failed the ratio test.
 M - Compound response manually integrated.

Data File: 1CD02040.D


Date: 03-APR-2013 00:17

Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

12 Anthracene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

19 Chrysene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

15 Fluoranthene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

9 Fluorene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

2 Naphthalene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

11 Phenanthrene



Data File: 1CD02040.D

Date: 03-APR-2013 00:17


Client ID: CV0613I-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-10-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD02040.D
Inj. Date and Time: 03-APR-2013 00:17
Instrument ID: BSMC5973.i
Client ID: CV0613I-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 292075
Amount: 9
Conc: 816



Manual Integration Results

RT: 8.52
Response: 239384
Amount: 8
Conc: 668




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:11
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD02040.D
Inj. Date and Time: 03-APR-2013 00:17
Instrument ID: BSMC5973.i
Client ID: CV0613I-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.52
Response: 292937
Amount: 10
Conc: 846



Manual Integration Results

RT: 8.53
Response: 87035
Amount: 3
Conc: 251




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:12
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD02040.D
Inj. Date and Time: 03-APR-2013 00:17
Instrument ID: BSMC5973.i
Client ID: CV0613I-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 95506
Amount: 3
Conc: 298



Manual Integration Results

RT: 10.01
Response: 87404
Amount: 3
Conc: 273



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:12
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613J-CS Lab Sample ID: 680-88766-11
 Matrix: Solid Lab File ID: 1CD03007.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:25
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.92(g) Date Analyzed: 04/03/2013 12:59
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 18.5 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	490	U	490	99
208-96-8	Acenaphthylene	92	J	200	25
120-12-7	Anthracene	160		41	21
56-55-3	Benzo[a]anthracene	740		39	19
50-32-8	Benzo[a]pyrene	640		51	26
205-99-2	Benzo[b]fluoranthene	1400		60	30
191-24-2	Benzo[g,h,i]perylene	570		99	22
207-08-9	Benzo[k]fluoranthene	540		39	18
218-01-9	Chrysene	890		44	22
53-70-3	Dibenz(a,h)anthracene	190		99	20
206-44-0	Fluoranthene	1300		99	20
86-73-7	Fluorene	27	J	99	20
193-39-5	Indeno[1,2,3-cd]pyrene	380		99	35
90-12-0	1-Methylnaphthalene	80	J	200	22
91-57-6	2-Methylnaphthalene	89	J	200	35
91-20-3	Naphthalene	110	J	200	22
85-01-8	Phenanthrene	500		39	19
129-00-0	Pyrene	1100		99	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	84		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03007.D
 Lab Smp Id: 680-88766-A-11-A Client Smp ID: CV0613J-CS
 Inj Date : 03-APR-2013 12:59
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-11-a
 Misc Info : 680-88766-A-11-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 7
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.920	Weight Extracted
M	18.482	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	652183	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	529801	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	946645	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	21332	2.10596	692.6112
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1102110	40.0000	
* 23 Perylene-d12	264		8.850	8.851	(1.000)	1096481	40.0000	
2 Naphthalene	128		3.721	3.722	(1.003)	5496	0.32810	107.9049
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	3082	0.27028	88.8917
4 1-Methylnaphthalene	142		4.204	4.210	(1.133)	2489	0.24259	79.7820
5 Acenaphthylene	152		4.710	4.704	(0.983)	6147	0.28034	92.1978
9 Fluorene	166		5.133	5.133	(1.071)	1467	0.08103	26.6487(Q)
11 Phenanthrene	178		5.757	5.757	(1.003)	41868	1.51857	499.4300
12 Anthracene	178		5.792	5.792	(1.009)	13310	0.47623	156.6239
13 Carbazole	167		5.898	5.898	(1.028)	7421	0.30992	101.9274

Compounds	QUANT SIG						CONCENTRATIONS	
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)	
15 Fluoranthene	202	6.586	6.592	(1.148)	116781	3.83538	1261.3870	
16 Pyrene	202	6.756	6.757	(0.880)	102250	3.34924	1101.5058	
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	67638	2.25371	741.2062	
19 Chrysene	228	7.698	7.698	(1.002)	84767	2.69913	887.6951	
20 Benzo(b)fluoranthene	252	8.503	8.509	(0.961)	130846	4.22105	1388.2279(M)	
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	49173	1.64013	539.4108(MH)	
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	56622	1.94015	638.0811	
24 Indeno(1,2,3-cd)pyrene	276	9.986	9.992	(1.128)	31912	1.15124	378.6237(M)	
25 Dibenzo(a,h)anthracene	278	9.997	10.009	(1.130)	15046	0.58759	193.2474(M)	
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	48926	1.72938	568.7609	

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD03007.D


Date: 03-APR-2013 12:59

Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

12 Anthracene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

19 Chrysene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

9 Fluorene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

2 Naphthalene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03007.D

Date: 03-APR-2013 12:59


Client ID: CV0613J-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-11-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03007.D
Inj. Date and Time: 03-APR-2013 12:59
Instrument ID: BSMC5973.i
Client ID: CV0613J-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.50
Response: 160931
Amount: 5
Conc: 1707



Manual Integration Results

RT: 8.50
Response: 130846
Amount: 4
Conc: 1388




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:16
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03007.D
Inj. Date and Time: 03-APR-2013 12:59
Instrument ID: BSMC5973.i
Client ID: CV0613J-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.56
Response: 1927
Amount: 0
Conc: 21



Manual Integration Results

RT: 8.53
Response: 49173
Amount: 2
Conc: 539




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:17
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03007.D
Inj. Date and Time: 03-APR-2013 12:59
Instrument ID: BSMC5973.i
Client ID: CV0613J-CS
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 12267
Amount: 0
Conc: 158



Manual Integration Results

RT: 10.00
Response: 15046
Amount: 1
Conc: 193




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:17
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03007.D
Inj. Date and Time: 03-APR-2013 12:59
Instrument ID: BSMC5973.i
Client ID: CV0613J-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 48823
Amount: 2
Conc: 579



Manual Integration Results

RT: 9.99
Response: 31912
Amount: 1
Conc: 379



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:18
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613K-CS Lab Sample ID: 680-88766-12
 Matrix: Solid Lab File ID: 1CD03008.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:26
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.88(g) Date Analyzed: 04/03/2013 13:17
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 15.3 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	50	J	120	24
208-96-8	Acenaphthylene	100		48	6.0
120-12-7	Anthracene	170		10	5.0
56-55-3	Benzo[a]anthracene	450		9.5	4.6
50-32-8	Benzo[a]pyrene	460		12	6.2
205-99-2	Benzo[b]fluoranthene	850		15	7.3
191-24-2	Benzo[g,h,i]perylene	390		24	5.2
207-08-9	Benzo[k]fluoranthene	380		9.5	4.3
218-01-9	Chrysene	540		11	5.4
53-70-3	Dibenz(a,h)anthracene	130		24	4.9
206-44-0	Fluoranthene	750		24	4.8
86-73-7	Fluorene	47		24	4.9
193-39-5	Indeno[1,2,3-cd]pyrene	360		24	8.5
90-12-0	1-Methylnaphthalene	76		48	5.2
91-57-6	2-Methylnaphthalene	96		48	8.5
91-20-3	Naphthalene	120		48	5.2
85-01-8	Phenanthrene	540		9.5	4.6
129-00-0	Pyrene	730		24	4.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	57		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03008.D
 Lab Smp Id: 680-88766-A-12-A Client Smp ID: CV0613K-CS
 Inj Date : 03-APR-2013 13:17
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-12-a
 Misc Info : 680-88766-A-12-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 8
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.880	Weight Extracted
M	15.335	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	673174	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	535006	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	973296	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	79283	5.71596	453.7129
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1118813	40.0000	
* 23 Perylene-d12	264		8.851	8.851	(1.000)	1093125	40.0000	
2 Naphthalene	128		3.722	3.722	(1.003)	25678	1.48511	117.8826
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	14177	1.20452	95.6108
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	10098	0.95349	75.6849
5 Acenaphthylene	152		4.710	4.704	(0.983)	28901	1.30522	103.6039
7 Acenaphthene	154		4.816	4.816	(1.005)	8718	0.63568	50.4581
9 Fluorene	166		5.133	5.133	(1.071)	10902	0.59630	47.3323
11 Phenanthrene	178		5.757	5.757	(1.003)	192972	6.80752	540.3568
12 Anthracene	178		5.786	5.792	(1.008)	60875	2.11846	168.1562

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.898	5.898	(1.028)	26336	1.06975	84.9126
15 Fluoranthene	202	6.592	6.592	(1.149)	293922	9.38880	745.2503
16 Pyrene	202	6.757	6.757	(0.880)	285059	9.19783	730.0916
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	178276	5.63500	447.2866
19 Chrysene	228	7.698	7.698	(1.002)	215351	6.75478	536.1707
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	331947	10.7414	852.6132(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	144101	4.82115	382.6863(M)
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	169771	5.83506	463.1665
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	127011	4.59607	364.8195(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	41454	1.62387	128.8968
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	138181	4.89925	388.8851

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03008.D


Date: 03-APR-2013 13:17

Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

7 Acenaphthene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

12 Anthracene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

19 Chrysene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

9 Fluorene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

2 Naphthalene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03008.D

Date: 03-APR-2013 13:17


Client ID: CV0613K-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-12-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03008.D
Inj. Date and Time: 03-APR-2013 13:17
Instrument ID: BSMC5973.i
Client ID: CV0613K-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 422462
Amount: 14
Conc: 1085



Manual Integration Results

RT: 8.51
Response: 331947
Amount: 11
Conc: 853




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:19
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03008.D
Inj. Date and Time: 03-APR-2013 13:17
Instrument ID: BSMC5973.i
Client ID: CV0613K-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 421515
Amount: 14
Conc: 1119



Manual Integration Results

RT: 8.52
Response: 144101
Amount: 5
Conc: 383




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:19
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03008.D
Inj. Date and Time: 03-APR-2013 13:17
Instrument ID: BSMC5973.i
Client ID: CV0613K-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 139582
Amount: 5
Conc: 401



Manual Integration Results

RT: 9.99
Response: 127011
Amount: 5
Conc: 365



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:19
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613K-CSD Lab Sample ID: 680-88766-13
 Matrix: Solid Lab File ID: 1CD03009.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:28
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.74(g) Date Analyzed: 04/03/2013 13:35
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 12.8 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	24	J	120	23
208-96-8	Acenaphthylene	67		47	5.8
120-12-7	Anthracene	99		9.8	4.9
56-55-3	Benzo[a]anthracene	290		9.3	4.6
50-32-8	Benzo[a]pyrene	320		12	6.1
205-99-2	Benzo[b]fluoranthene	560		14	7.1
191-24-2	Benzo[g,h,i]perylene	240		23	5.1
207-08-9	Benzo[k]fluoranthene	230		9.3	4.2
218-01-9	Chrysene	340		11	5.3
53-70-3	Dibenz(a,h)anthracene	74		23	4.8
206-44-0	Fluoranthene	480		23	4.7
86-73-7	Fluorene	24		23	4.8
193-39-5	Indeno[1,2,3-cd]pyrene	240		23	8.3
90-12-0	1-Methylnaphthalene	43	J	47	5.1
91-57-6	2-Methylnaphthalene	46	J	47	8.3
91-20-3	Naphthalene	54		47	5.1
85-01-8	Phenanthrene	220		9.3	4.6
129-00-0	Pyrene	440		23	4.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	44		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03009.D
 Lab Smp Id: 680-88766-A-13-A Client Smp ID: CV0613K-CSD
 Inj Date : 03-APR-2013 13:35
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-13-a
 Misc Info : 680-88766-A-13-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 9
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.740	Weight Extracted
M	12.826	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	677836	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	527661	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	939614	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	56168	4.38769	341.4696
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1092579	40.0000	
* 23 Perylene-d12	264		8.851	8.851	(1.000)	1082251	40.0000	
2 Naphthalene	128		3.721	3.722	(1.003)	12178	0.69948	54.4366(Q)
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	6939	0.58550	45.5665(M)
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	5880	0.55139	42.9119
5 Acenaphthylene	152		4.710	4.704	(0.983)	18713	0.85688	66.6859
7 Acenaphthene	154		4.815	4.816	(1.005)	4139	0.30600	23.8142
9 Fluorene	166		5.133	5.133	(1.071)	5566	0.30868	24.0227
11 Phenanthrene	178		5.757	5.757	(1.003)	78569	2.87105	223.4380
12 Anthracene	178		5.792	5.792	(1.009)	35432	1.27724	99.4006

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
13 Carbazole	167	5.898	5.898	(1.028)	12634	0.53158	41.3697
15 Fluoranthene	202	6.592	6.592	(1.149)	184536	6.10597	475.1937
16 Pyrene	202	6.757	6.757	(0.880)	169627	5.60467	436.1805
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	111851	3.66880	285.5223
19 Chrysene	228	7.698	7.698	(1.002)	135940	4.36633	339.8068
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	219494	7.17391	558.3054(M)
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	86361	2.91839	227.1221(QM)
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	118063	4.09862	318.9725
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	83610	3.05594	237.8268(M)
25 Dibenzo(a,h)anthracene	278	10.003	10.009	(1.130)	24159	0.95588	74.3910
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	86232	3.08810	240.3296

QC Flag Legend

Q - Qualifier signal failed the ratio test.
M - Compound response manually integrated.

Data File: 1CD03009.D


Date: 03-APR-2013 13:35

Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

7 Acenaphthene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

12 Anthracene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

19 Chrysene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

9 Fluorene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

2 Naphthalene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03009.D

Date: 03-APR-2013 13:35


Client ID: CV0613K-CSD

Instrument: BSMC5973.i

Sample Info: 680-88766-a-13-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03009.D
Inj. Date and Time: 03-APR-2013 13:35
Instrument ID: BSMC5973.i
Client ID: CV0613K-CSD
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 277294
Amount: 9
Conc: 705



Manual Integration Results

RT: 8.51
Response: 219494
Amount: 7
Conc: 558




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:20
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03009.D
Inj. Date and Time: 03-APR-2013 13:35
Instrument ID: BSMC5973.i
Client ID: CV0613K-CSD
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 276905
Amount: 9
Conc: 728



Manual Integration Results

RT: 8.53
Response: 86361
Amount: 3
Conc: 227




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:20
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03009.D
Inj. Date and Time: 03-APR-2013 13:35
Instrument ID: BSMC5973.i
Client ID: CV0613K-CSD
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 103041
Amount: 4
Conc: 293



Manual Integration Results

RT: 9.99
Response: 83610
Amount: 3
Conc: 238




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:21
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03009.D
Inj. Date and Time: 03-APR-2013 13:35
Instrument ID: BSMC5973.i
Client ID: CV0613K-CSD
Compound: 3 2-Methylnaphthalene
CAS #: 91-57-6
Report Date: 04/03/2013


Processing Integration Results

RT: 4.15
Response: 6271
Amount: 1
Conc: 41



Manual Integration Results

RT: 4.15
Response: 6939
Amount: 1
Conc: 46



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:27
Manual Integration Reason: Baseline Event

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613AB-GS Lab Sample ID: 680-88766-14
 Matrix: Solid Lab File ID: 1CD03010.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:32
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.87(g) Date Analyzed: 04/03/2013 13:54
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 18.0 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	120	U	120	25
208-96-8	Acenaphthylene	76		49	6.1
120-12-7	Anthracene	150		10	5.2
56-55-3	Benzo[a]anthracene	600		9.8	4.8
50-32-8	Benzo[a]pyrene	510		13	6.4
205-99-2	Benzo[b]fluoranthene	910		15	7.5
191-24-2	Benzo[g,h,i]perylene	350		25	5.4
207-08-9	Benzo[k]fluoranthene	490		9.8	4.4
218-01-9	Chrysene	820		11	5.5
53-70-3	Dibenz(a,h)anthracene	120		25	5.0
206-44-0	Fluoranthene	1400		25	4.9
86-73-7	Fluorene	35		25	5.0
193-39-5	Indeno[1,2,3-cd]pyrene	330		25	8.7
90-12-0	1-Methylnaphthalene	150		49	5.4
91-57-6	2-Methylnaphthalene	220		49	8.7
91-20-3	Naphthalene	150		49	5.4
85-01-8	Phenanthrene	380		9.8	4.8
129-00-0	Pyrene	1300		25	4.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	49		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03010.D
 Lab Smp Id: 680-88766-A-14-A Client Smp ID: CV0613AB-GS
 Inj Date : 03-APR-2013 13:54
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-14-a
 Misc Info : 680-88766-A-14-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 10
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.870	Weight Extracted
M	17.978	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	695851	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	550329	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	993420	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	68112	4.92593	403.8730	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1188410	40.0000		
* 23 Perylene-d12	264		8.850	8.851	(1.000)	1183612	40.0000		
2 Naphthalene	128		3.721	3.722	(1.003)	33408	1.86921	153.2549	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	33259	2.73370	224.1336	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	20310	1.85525	152.1105	
5 Acenaphthylene	152		4.704	4.704	(0.982)	21175	0.92968	76.2232	
9 Fluorene	166		5.133	5.133	(1.071)	7950	0.42273	34.6593	
11 Phenanthrene	178		5.757	5.757	(1.003)	132530	4.58058	375.5578	
12 Anthracene	178		5.792	5.792	(1.009)	52011	1.77333	145.3937	
13 Carbazole	167		5.898	5.898	(1.028)	24332	0.96832	79.3919	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	548821	17.1760	1408.2413
16 Pyrene	202	6.757	6.757	(0.880)	503733	15.3018	1254.5802
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	245413	7.26267	595.4595
19 Chrysene	228	7.698	7.698	(1.002)	337996	9.98084	818.3200
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	373246	11.1544	914.5409(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	194081	5.99691	491.6812(M)
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	197291	6.26253	513.4588
24 Indeno(1,2,3-cd)pyrene	276	9.997	9.992	(1.130)	121793	4.07031	333.7212(M)
25 Dibenzo(a,h)anthracene	278	10.003	10.009	(1.130)	40170	1.45327	119.1522
26 Benzo(g,h,i)perylene	276	10.345	10.339	(1.169)	128670	4.21327	345.4418

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03010.D


Date: 03-APR-2013 13:54

Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

12 Anthracene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

19 Chrysene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

9 Fluorene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

2 Naphthalene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03010.D

Date: 03-APR-2013 13:54


Client ID: CV0613AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-14-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03010.D
Inj. Date and Time: 03-APR-2013 13:54
Instrument ID: BSMC5973.i
Client ID: CV0613AB-GS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 499284
Amount: 15
Conc: 1223



Manual Integration Results

RT: 8.51
Response: 373246
Amount: 11
Conc: 915




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:21
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03010.D
Inj. Date and Time: 03-APR-2013 13:54
Instrument ID: BSMC5973.i
Client ID: CV0613AB-GS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 503274
Amount: 16
Conc: 1275



Manual Integration Results

RT: 8.52
Response: 194081
Amount: 6
Conc: 492




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:21
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03010.D
Inj. Date and Time: 03-APR-2013 13:54
Instrument ID: BSMC5973.i
Client ID: CV0613AB-GS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 143226
Amount: 5
Conc: 392



Manual Integration Results

RT: 10.00
Response: 121793
Amount: 4
Conc: 334



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:22
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613AC-GS Lab Sample ID: 680-88766-15
 Matrix: Solid Lab File ID: 1CD03011.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:34
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.80 (g) Date Analyzed: 04/03/2013 14:12
 Con. Extract Vol.: 1 (mL) Dilution Factor: 4
 Injection Volume: 1 (uL) Level: (low/med) Low
 % Moisture: 15.9 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	480	U	480	96
208-96-8	Acenaphthylene	110	J	190	24
120-12-7	Anthracene	140		40	20
56-55-3	Benzo[a]anthracene	470		39	19
50-32-8	Benzo[a]pyrene	550		50	25
205-99-2	Benzo[b]fluoranthene	890		59	29
191-24-2	Benzo[g,h,i]perylene	450		96	21
207-08-9	Benzo[k]fluoranthene	390		39	17
218-01-9	Chrysene	570		43	22
53-70-3	Dibenz(a,h)anthracene	110		96	20
206-44-0	Fluoranthene	770		96	19
86-73-7	Fluorene	38	J	96	20
193-39-5	Indeno[1,2,3-cd]pyrene	350		96	34
90-12-0	1-Methylnaphthalene	74	J	190	21
91-57-6	2-Methylnaphthalene	60	J	190	34
91-20-3	Naphthalene	110	J	190	21
85-01-8	Phenanthrene	360		39	19
129-00-0	Pyrene	660		96	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	84		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03011.D
 Lab Smp Id: 680-88766-A-15-A Client Smp ID: CV0613AC-GS
 Inj Date : 03-APR-2013 14:12
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-15-a
 Misc Info : 680-88766-A-15-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 11
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.800	Weight Extracted
M	15.899	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	662131	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	532208	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	977937	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	21869	2.09542	673.3900	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1127698	40.0000		
* 23 Perylene-d12	264		8.850	8.851	(1.000)	1081770	40.0000		
2 Naphthalene	128		3.721	3.722	(1.003)	5852	0.34410	110.5807(Q)	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	2174	0.18779	60.3488(Q)	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	2396	0.23001	73.9175	
5 Acenaphthylene	152		4.710	4.704	(0.983)	7224	0.32796	105.3954	
9 Fluorene	166		5.133	5.133	(1.071)	2153	0.11838	38.0431(Q)	
11 Phenanthrene	178		5.757	5.757	(1.003)	32304	1.13419	364.4852	
12 Anthracene	178		5.792	5.792	(1.009)	12863	0.44551	143.1705	
13 Carbazole	167		5.898	5.898	(1.028)	4300	0.17383	55.8635(Q)	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	75083	2.38701	767.0946
16 Pyrene	202	6.756	6.757	(0.880)	63981	2.04817	658.2055
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	43239	1.45894	468.8469
19 Chrysene	228	7.698	7.698	(1.002)	57280	1.78251	572.8317
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	84261	2.75520	885.4173(M)
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	35500	1.20018	385.6935(QM)
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	49401	1.71574	551.3755
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	29906	1.09355	351.4254(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	8894	0.35206	113.1386(M)
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	39344	1.40960	452.9910(M)

QC Flag Legend

Q - Qualifier signal failed the ratio test.
 M - Compound response manually integrated.

Data File: 1CD03011.D


Date: 03-APR-2013 14:12

Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

12 Anthracene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

19 Chrysene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

9 Fluorene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

2 Naphthalene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03011.D

Date: 03-APR-2013 14:12


Client ID: CV0613AC-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-15-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03011.D
Inj. Date and Time: 03-APR-2013 14:12
Instrument ID: BSMC5973.i
Client ID: CV0613AC-GS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 108457
Amount: 4
Conc: 1140



Manual Integration Results

RT: 8.51
Response: 84261
Amount: 3
Conc: 885




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:22
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03011.D
Inj. Date and Time: 03-APR-2013 14:12
Instrument ID: BSMC5973.i
Client ID: CV0613AC-GS
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/03/2013


Processing Integration Results

RT: 10.33
Response: 36149
Amount: 1
Conc: 416



Manual Integration Results

RT: 10.33
Response: 39344
Amount: 1
Conc: 453




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:23
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03011.D
Inj. Date and Time: 03-APR-2013 14:12
Instrument ID: BSMC5973.i
Client ID: CV0613AC-GS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 107722
Amount: 4
Conc: 1170



Manual Integration Results

RT: 8.53
Response: 35500
Amount: 1
Conc: 386




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:22
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03011.D
Inj. Date and Time: 03-APR-2013 14:12
Instrument ID: BSMC5973.i
Client ID: CV0613AC-GS
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 4448
Amount: 0
Conc: 57



Manual Integration Results

RT: 10.01
Response: 8894
Amount: 0
Conc: 113




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:23
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03011.D
Inj. Date and Time: 03-APR-2013 14:12
Instrument ID: BSMC5973.i
Client ID: CV0613AC-GS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 33375
Amount: 1
Conc: 392



Manual Integration Results

RT: 9.99
Response: 29906
Amount: 1
Conc: 351



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:23
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0610A-CS Lab Sample ID: 680-88766-16
 Matrix: Solid Lab File ID: 1CD03012.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:40
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.82(g) Date Analyzed: 04/03/2013 14:30
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 17.1 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	490	U	490	98
208-96-8	Acenaphthylene	83	J	200	24
120-12-7	Anthracene	180		41	21
56-55-3	Benzo[a]anthracene	690		39	19
50-32-8	Benzo[a]pyrene	570		51	25
205-99-2	Benzo[b]fluoranthene	1000		60	30
191-24-2	Benzo[g,h,i]perylene	490		98	21
207-08-9	Benzo[k]fluoranthene	460		39	18
218-01-9	Chrysene	710		44	22
53-70-3	Dibenz(a,h)anthracene	150		98	20
206-44-0	Fluoranthene	1000		98	20
86-73-7	Fluorene	46	J	98	20
193-39-5	Indeno[1,2,3-cd]pyrene	360		98	35
90-12-0	1-Methylnaphthalene	100	J	200	21
91-57-6	2-Methylnaphthalene	120	J	200	35
91-20-3	Naphthalene	160	J	200	21
85-01-8	Phenanthrene	550		39	19
129-00-0	Pyrene	920		98	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	82		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03012.D
 Lab Smp Id: 680-88766-A-16-A Client Smp ID: CV0610A-CS
 Inj Date : 03-APR-2013 14:30
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-16-a
 Misc Info : 680-88766-A-16-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 12
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.820	Weight Extracted
M	17.068	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	663830	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	524648	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	934032	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	20066	2.04156	664.4322
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1057713	40.0000	
* 23 Perylene-d12	264		8.851	8.851	(1.000)	1038296	40.0000	
2 Naphthalene	128		3.722	3.722	(1.003)	8205	0.48122	156.6154(Q)
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	4129	0.35575	115.7803(M)
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	3275	0.31359	102.0593(Q)
5 Acenaphthylene	152		4.704	4.704	(0.982)	5505	0.25352	82.5103
9 Fluorene	166		5.133	5.133	(1.071)	2524	0.14078	45.8172
11 Phenanthrene	178		5.757	5.757	(1.003)	45612	1.67671	545.6893
12 Anthracene	178		5.792	5.792	(1.009)	15220	0.55192	179.6258
13 Carbazole	167		5.898	5.898	(1.028)	5243	0.22192	72.2241

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	95622	3.18287	1035.8762
16 Pyrene	202	6.757	6.757	(0.880)	82838	2.82729	920.1501
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	60938	2.12400	691.2636
19 Chrysene	228	7.698	7.698	(1.002)	65505	2.17334	707.3218
20 Benzo(b)fluoranthene	252	8.510	8.509	(0.961)	93624	3.18953	1038.0444(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	40268	1.41838	461.6166(M)
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	48482	1.75433	570.9520
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	29396	1.11991	364.4772(M)
25 Dibenzo(a,h)anthracene	278	10.004	10.009	(1.130)	11168	0.46058	149.8982
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	39988	1.49265	485.7895

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.

Data File: 1CD03012.D


Date: 03-APR-2013 14:30

Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

12 Anthracene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

19 Chrysene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

9 Fluorene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

2 Naphthalene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03012.D

Date: 03-APR-2013 14:30


Client ID: CV0610A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-16-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03012.D
Inj. Date and Time: 03-APR-2013 14:30
Instrument ID: BSMC5973.i
Client ID: CV0610A-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 120202
Amount: 4
Conc: 1333



Manual Integration Results

RT: 8.51
Response: 93624
Amount: 3
Conc: 1038




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:24
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03012.D
Inj. Date and Time: 03-APR-2013 14:30
Instrument ID: BSMC5973.i
Client ID: CV0610A-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 120160
Amount: 4
Conc: 1377



Manual Integration Results

RT: 8.52
Response: 40268
Amount: 1
Conc: 462




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:24
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03012.D
Inj. Date and Time: 03-APR-2013 14:30
Instrument ID: BSMC5973.i
Client ID: CV0610A-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 36783
Amount: 1
Conc: 456



Manual Integration Results

RT: 9.99
Response: 29396
Amount: 1
Conc: 364




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:24
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03012.D
Inj. Date and Time: 03-APR-2013 14:30
Instrument ID: BSMC5973.i
Client ID: CV0610A-CS
Compound: 3 2-Methylnaphthalene
CAS #: 91-57-6
Report Date: 04/03/2013


Processing Integration Results

RT: 4.15
Response: 3433
Amount: 0
Conc: 96



Manual Integration Results

RT: 4.15
Response: 4129
Amount: 0
Conc: 116



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:24
Manual Integration Reason: Baseline Event

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0610B-CS Lab Sample ID: 680-88766-17
 Matrix: Solid Lab File ID: 1CD03023.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:42
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 14.97(g) Date Analyzed: 04/03/2013 18:00
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 16.3 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	480	U	480	96
208-96-8	Acenaphthylene	41	J	190	24
120-12-7	Anthracene	120		40	20
56-55-3	Benzo[a]anthracene	490		38	19
50-32-8	Benzo[a]pyrene	380		50	25
205-99-2	Benzo[b]fluoranthene	780		58	29
191-24-2	Benzo[g,h,i]perylene	420		96	21
207-08-9	Benzo[k]fluoranthene	380		38	17
218-01-9	Chrysene	560		43	22
53-70-3	Dibenz(a,h)anthracene	120		96	20
206-44-0	Fluoranthene	670		96	19
86-73-7	Fluorene	41	J	96	20
193-39-5	Indeno[1,2,3-cd]pyrene	350		96	34
90-12-0	1-Methylnaphthalene	92	J	190	21
91-57-6	2-Methylnaphthalene	120	J	190	34
91-20-3	Naphthalene	150	J	190	21
85-01-8	Phenanthrene	370		38	19
129-00-0	Pyrene	600		96	18

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	115		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03023.D
 Lab Smp Id: 680-88766-A-17-C Client Smp ID: CV0610B-CS
 Inj Date : 03-APR-2013 18:00
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-17-c
 Misc Info : 680-88766-A-17-C
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 23
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.970	Weight Extracted
M	16.310	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN	FINAL
								(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	543842	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	400070	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	732588	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	25757	2.87941	919.3221	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	822003	40.0000		
* 23 Perylene-d12	264		8.850	8.851	(1.000)	790071	40.0000		
2 Naphthalene	128		3.721	3.722	(1.003)	6771	0.48473	154.7635(Q)	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	3456	0.36346	116.0442	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	2458	0.28729	91.7240	
5 Acenaphthylene	152		4.710	4.704	(0.983)	2132	0.12876	41.1098	
9 Fluorene	166		5.127	5.133	(1.070)	1748	0.12786	40.8214	
11 Phenanthrene	178		5.757	5.757	(1.003)	24836	1.16402	371.6427	
12 Anthracene	178		5.792	5.792	(1.009)	7878	0.36424	116.2914	
13 Carbazole	167		5.898	5.898	(1.028)	4611	0.24883	79.4465	

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	49325	2.09329	668.3360
16 Pyrene	202	6.757	6.757	(0.880)	42439	1.86380	595.0650
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	33538	1.54375	492.8816
19 Chrysene	228	7.698	7.698	(1.002)	41053	1.75264	559.5742
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	54901	2.45796	784.7653(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	25469	1.17896	376.4125(QM)
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	24823	1.18043	376.8809
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	21734	1.08815	347.4183(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	6958	0.37711	120.4027(M)
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	26975	1.32326	422.4844(M)

QC Flag Legend

Q - Qualifier signal failed the ratio test.
 M - Compound response manually integrated.

Data File: 1CD03023.D


Date: 03-APR-2013 18:00

Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

5 Acenaphthylene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

12 Anthracene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

19 Chrysene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

15 Fluoranthene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

9 Fluorene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

2 Naphthalene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

11 Phenanthrene



Data File: 1CD03023.D

Date: 03-APR-2013 18:00


Client ID: CV0610B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-17-c

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03023.D
Inj. Date and Time: 03-APR-2013 18:00
Instrument ID: BSMC5973.i
Client ID: CV0610B-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/05/2013


Processing Integration Results

RT: 8.51
Response: 71048
Amount: 3
Conc: 1016



Manual Integration Results

RT: 8.51
Response: 54901
Amount: 2
Conc: 785




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:50
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03023.D
Inj. Date and Time: 03-APR-2013 18:00
Instrument ID: BSMC5973.i
Client ID: CV0610B-CS
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/05/2013


Processing Integration Results

RT: 10.33
Response: 26234
Amount: 1
Conc: 411



Manual Integration Results

RT: 10.33
Response: 26975
Amount: 1
Conc: 422




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:51
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03023.D
Inj. Date and Time: 03-APR-2013 18:00
Instrument ID: BSMC5973.i
Client ID: CV0610B-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/05/2013


Processing Integration Results

RT: 8.51
Response: 71048
Amount: 3
Conc: 1050



Manual Integration Results

RT: 8.52
Response: 25469
Amount: 1
Conc: 376




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:50
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03023.D
Inj. Date and Time: 03-APR-2013 18:00
Instrument ID: BSMC5973.i
Client ID: CV0610B-CS
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/05/2013


Processing Integration Results

RT: 10.01
Response: 3722
Amount: 0
Conc: 64



Manual Integration Results

RT: 10.01
Response: 6958
Amount: 0
Conc: 120




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:51
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03023.D
Inj. Date and Time: 03-APR-2013 18:00
Instrument ID: BSMC5973.i
Client ID: CV0610B-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/05/2013


Processing Integration Results

RT: 9.99
Response: 24506
Amount: 1
Conc: 392



Manual Integration Results

RT: 9.99
Response: 21734
Amount: 1
Conc: 347



Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:51
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0610AB-GS Lab Sample ID: 680-88766-18
 Matrix: Solid Lab File ID: 1CD03013.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 14:39
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.05(g) Date Analyzed: 04/03/2013 14:49
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 21.4 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	510	U	510	100
208-96-8	Acenaphthylene	74	J	200	25
120-12-7	Anthracene	110		43	21
56-55-3	Benzo[a]anthracene	450		41	20
50-32-8	Benzo[a]pyrene	440		53	26
205-99-2	Benzo[b]fluoranthene	750		62	31
191-24-2	Benzo[g,h,i]perylene	370		100	22
207-08-9	Benzo[k]fluoranthene	310		41	18
218-01-9	Chrysene	550		46	23
53-70-3	Dibenz(a,h)anthracene	130		100	21
206-44-0	Fluoranthene	730		100	20
86-73-7	Fluorene	43	J	100	21
193-39-5	Indeno[1,2,3-cd]pyrene	280		100	36
90-12-0	1-Methylnaphthalene	72	J	200	22
91-57-6	2-Methylnaphthalene	96	J	200	36
91-20-3	Naphthalene	150	J	200	22
85-01-8	Phenanthrene	380		41	20
129-00-0	Pyrene	650		100	19

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	88		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03013.D
 Lab Smp Id: 680-88766-A-18-A Client Smp ID: CV0610AB-GS
 Inj Date : 03-APR-2013 14:49
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-18-a
 Misc Info : 680-88766-A-18-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 13
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.050	Weight Extracted
M	21.447	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	709889	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	565667	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	1017413	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	24400	2.19467	742.5539	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1170114	40.0000		
* 23 Perylene-d12	264		8.851	8.851	(1.000)	1132670	40.0000		
2 Naphthalene	128		3.722	3.722	(1.003)	8063	0.44221	149.6195(Q)	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	3520	0.28360	95.9551	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	2362	0.21149	71.5578(Q)	
5 Acenaphthylene	152		4.710	4.704	(0.983)	5093	0.21754	73.6039	
9 Fluorene	166		5.133	5.133	(1.071)	2448	0.12664	42.8477(Q)	
11 Phenanthrene	178		5.757	5.757	(1.003)	33350	1.12548	380.7992	
12 Anthracene	178		5.786	5.792	(1.008)	9522	0.31700	107.2546	
13 Carbazole	167		5.898	5.898	(1.028)	7511	0.29186	98.7493	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	70601	2.15743	729.9528
16 Pyrene	202	6.757	6.757	(0.880)	62511	1.92857	652.5211
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	40838	1.34015	453.4307
19 Chrysene	228	7.698	7.698	(1.002)	54096	1.62240	548.9298
20 Benzo(b)fluoranthene	252	8.510	8.509	(0.961)	70939	2.21535	749.5507(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	28303	0.91387	309.2011(M)
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	39558	1.31215	443.9567
24 Indeno(1,2,3-cd)pyrene	276	9.998	9.992	(1.130)	23674	0.82677	279.7313(M)
25 Dibenzo(a,h)anthracene	278	9.998	10.009	(1.130)	9836	0.37185	125.8133(M)
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	31751	1.08644	367.5894

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.

Data File: 1CD03013.D


Date: 03-APR-2013 14:49

Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

12 Anthracene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

19 Chrysene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

9 Fluorene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

2 Naphthalene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03013.D

Date: 03-APR-2013 14:49


Client ID: CV0610AB-GS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-18-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03013.D
Inj. Date and Time: 03-APR-2013 14:49
Instrument ID: BSMC5973.i
Client ID: CV0610AB-GS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 89709
Amount: 3
Conc: 948



Manual Integration Results

RT: 8.51
Response: 70939
Amount: 2
Conc: 750




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:25
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03013.D
Inj. Date and Time: 03-APR-2013 14:49
Instrument ID: BSMC5973.i
Client ID: CV0610AB-GS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 89720
Amount: 3
Conc: 980



Manual Integration Results

RT: 8.52
Response: 28303
Amount: 1
Conc: 309




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:25
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03013.D
Inj. Date and Time: 03-APR-2013 14:49
Instrument ID: BSMC5973.i
Client ID: CV0610AB-GS
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 5667
Amount: 0
Conc: 72



Manual Integration Results

RT: 10.00
Response: 9836
Amount: 0
Conc: 126




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:25
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03013.D
Inj. Date and Time: 03-APR-2013 14:49
Instrument ID: BSMC5973.i
Client ID: CV0610AB-GS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 30564
Amount: 1
Conc: 361



Manual Integration Results

RT: 10.00
Response: 23674
Amount: 1
Conc: 280



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:26
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0506A-CS Lab Sample ID: 680-88766-19
 Matrix: Solid Lab File ID: 1CD03014.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 15:06
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 14.81(g) Date Analyzed: 04/03/2013 15:07
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 24.3 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	530	U	530	110
208-96-8	Acenaphthylene	34	J	210	27
120-12-7	Anthracene	51		45	22
56-55-3	Benzo[a]anthracene	280		43	21
50-32-8	Benzo[a]pyrene	250		56	28
205-99-2	Benzo[b]fluoranthene	460		65	33
191-24-2	Benzo[g,h,i]perylene	250		110	24
207-08-9	Benzo[k]fluoranthene	190		43	19
218-01-9	Chrysene	360		48	24
53-70-3	Dibenz(a,h)anthracene	100	J	110	22
206-44-0	Fluoranthene	310		110	21
86-73-7	Fluorene	26	J	110	22
193-39-5	Indeno[1,2,3-cd]pyrene	240		110	38
90-12-0	1-Methylnaphthalene	140	J	210	24
91-57-6	2-Methylnaphthalene	180	J	210	38
91-20-3	Naphthalene	190	J	210	24
85-01-8	Phenanthrene	240		43	21
129-00-0	Pyrene	290		110	20

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	98		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03014.D
 Lab Smp Id: 680-88766-A-19-A Client Smp ID: CV0506A-CS
 Inj Date : 03-APR-2013 15:07
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-19-a
 Misc Info : 680-88766-A-19-A
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 14
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.810	Weight Extracted
M	24.254	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	763309	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	591380	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	1087875	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	30508	2.44349	871.2734	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	1222152	40.0000		
* 23 Perylene-d12	264		8.850	8.851	(1.000)	1134770	40.0000		
2 Naphthalene	128		3.721	3.722	(1.003)	10512	0.53618	191.1847(Q)	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	6862	0.51417	183.3380	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	4658	0.38789	138.3097	
5 Acenaphthylene	152		4.710	4.704	(0.983)	2318	0.09471	33.7692(Q)	
9 Fluorene	166		5.133	5.133	(1.071)	1450	0.07175	25.5837(Q)	
11 Phenanthrene	178		5.757	5.757	(1.003)	21703	0.68498	244.2441	
12 Anthracene	178		5.792	5.792	(1.009)	4617	0.14375	51.2568	
13 Carbazole	167		5.898	5.898	(1.028)	2253	0.08188	29.1945(Q)	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
15 Fluoranthene	202	6.592	6.592	(1.149)	30746	0.87868	313.3118
16 Pyrene	202	6.757	6.757	(0.880)	27108	0.80072	285.5121
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	23085	0.78753	280.8092
19 Chrysene	228	7.698	7.698	(1.002)	35119	1.00841	359.5694
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	41240	1.28550	458.3699(M)
21 Benzo(k)fluoranthene	252	8.521	8.533	(0.963)	16792	0.54119	192.9712(MH)
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	21005	0.69545	247.9765
24 Indeno(1,2,3-cd)pyrene	276	9.997	9.992	(1.130)	19212	0.66970	238.7940(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	7466	0.28173	100.4564(Q)
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	20457	0.69869	249.1317

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD03014.D


Date: 03-APR-2013 15:07

Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

5 Acenaphthylene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

12 Anthracene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

19 Chrysene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

15 Fluoranthene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

9 Fluorene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

2 Naphthalene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

11 Phenanthrene



Data File: 1CD03014.D

Date: 03-APR-2013 15:07


Client ID: CV0506A-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-19-a

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03014.D
Inj. Date and Time: 03-APR-2013 15:07
Instrument ID: BSMC5973.i
Client ID: CV0506A-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/03/2013


Processing Integration Results

RT: 8.51
Response: 51729
Amount: 2
Conc: 575



Manual Integration Results

RT: 8.51
Response: 41240
Amount: 1
Conc: 458




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:29
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03014.D
Inj. Date and Time: 03-APR-2013 15:07
Instrument ID: BSMC5973.i
Client ID: CV0506A-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/03/2013


Processing Integration Results

RT: 8.56
Response: 652
Amount: 0
Conc: 7



Manual Integration Results

RT: 8.52
Response: 16792
Amount: 1
Conc: 193




Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:29
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03014.D
Inj. Date and Time: 03-APR-2013 15:07
Instrument ID: BSMC5973.i
Client ID: CV0506A-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 22336
Amount: 1
Conc: 278



Manual Integration Results

RT: 10.00
Response: 19212
Amount: 1
Conc: 239



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 15:29
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0506B-CS Lab Sample ID: 680-88766-20
 Matrix: Solid Lab File ID: 1CD03024.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 15:15
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 15.28(g) Date Analyzed: 04/03/2013 18:19
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 37.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	160	U	160	31
208-96-8	Acenaphthylene	10	J	63	7.8
120-12-7	Anthracene	10	J	13	6.6
56-55-3	Benzo[a]anthracene	120		13	6.1
50-32-8	Benzo[a]pyrene	100		16	8.1
205-99-2	Benzo[b]fluoranthene	180		19	9.5
191-24-2	Benzo[g,h,i]perylene	83		31	6.9
207-08-9	Benzo[k]fluoranthene	73		13	5.6
218-01-9	Chrysene	100		14	7.0
53-70-3	Dibenz(a,h)anthracene	33		31	6.4
206-44-0	Fluoranthene	110		31	6.3
86-73-7	Fluorene	9.8	J	31	6.4
193-39-5	Indeno[1,2,3-cd]pyrene	67		31	11
90-12-0	1-Methylnaphthalene	37	J	63	6.9
91-57-6	2-Methylnaphthalene	57	J	63	11
91-20-3	Naphthalene	63		63	6.9
85-01-8	Phenanthrene	64		13	6.1
129-00-0	Pyrene	96		31	5.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	66		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03024.D
 Lab Smp Id: 680-88766-A-20-B Client Smp ID: CV0506B-CS
 Inj Date : 03-APR-2013 18:19
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-20-b
 Misc Info : 680-88766-A-20-B
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 24
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.280	Weight Extracted
M	37.209	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	564472	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	397520	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	747114	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	71302	6.57235	685.0178
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	856631	40.0000	
* 23 Perylene-d12	264		8.851	8.851	(1.000)	842436	40.0000	
2 Naphthalene	128		3.722	3.722	(1.003)	8731	0.60221	62.7663
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	5381	0.54523	56.8276
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	3189	0.35911	37.4285
5 Acenaphthylene	152		4.710	4.704	(0.983)	1606	0.09762	10.1741
9 Fluorene	166		5.133	5.133	(1.071)	1282	0.09437	9.8362(Q)
11 Phenanthrene	178		5.757	5.757	(1.003)	13288	0.61068	63.6492
12 Anthracene	178		5.786	5.792	(1.008)	2198	0.09965	10.3860(Q)
13 Carbazole	167		5.898	5.898	(1.028)	1945	0.10292	10.7272(Q)

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
15 Fluoranthene	202	6.592	6.592	(1.149)	25236	1.05016	109.4556
16 Pyrene	202	6.757	6.757	(0.880)	21746	0.91642	95.5157
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	24921	1.13966	118.7840
19 Chrysene	228	7.698	7.698	(1.002)	23575	0.96578	100.6609
20 Benzo(b)fluoranthene	252	8.510	8.509	(0.961)	41310	1.73452	180.7843(M)
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	16091	0.69855	72.8083(QM)
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	22022	0.98214	102.3652
24 Indeno(1,2,3-cd)pyrene	276	9.998	9.992	(1.130)	13675	0.64210	66.9246(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	6256	0.31799	33.1432
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	17337	0.79761	83.1321(M)

QC Flag Legend

Q - Qualifier signal failed the ratio test.
M - Compound response manually integrated.

Data File: 1CD03024.D


Date: 03-APR-2013 18:19

Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

5 Acenaphthylene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

12 Anthracene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

17 Benzo(a)anthracene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

22 Benzo(a)pyrene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

20 Benzo (b) fluoranthene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

26 Benzo(g,h,i)perylene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

21 Benzo(k)fluoranthene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

19 Chrysene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

25 Dibenzo (a,h) anthracene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

15 Fluoranthene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

9 Fluorene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

24 Indeno(1,2,3-cd)pyrene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

4 1-Methylnaphthalene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

3 2-Methylnaphthalene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

2 Naphthalene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

11 Phenanthrene



Data File: 1CD03024.D

Date: 03-APR-2013 18:19


Client ID: CV0506B-CS

Instrument: BSMC5973.i

Sample Info: 680-88766-a-20-b

Operator: SCC

16 Pyrene




Manual Integration Report

Data File: 1CD03024.D
Inj. Date and Time: 03-APR-2013 18:19
Instrument ID: BSMC5973.i
Client ID: CV0506B-CS
Compound: 20 Benzo(b)fluoranthene
CAS #: 205-99-2
Report Date: 04/05/2013


Processing Integration Results

RT: 8.51
Response: 52148
Amount: 2
Conc: 228



Manual Integration Results

RT: 8.51
Response: 41310
Amount: 2
Conc: 181




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:52
Manual Integration Reason: Split Peak

Manual Integration Report

Data File: 1CD03024.D
Inj. Date and Time: 03-APR-2013 18:19
Instrument ID: BSMC5973.i
Client ID: CV0506B-CS
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/05/2013


Processing Integration Results

RT: 10.34
Response: 16302
Amount: 1
Conc: 78



Manual Integration Results

RT: 10.34
Response: 17337
Amount: 1
Conc: 83




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:52
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03024.D
Inj. Date and Time: 03-APR-2013 18:19
Instrument ID: BSMC5973.i
Client ID: CV0506B-CS
Compound: 21 Benzo(k)fluoranthene
CAS #: 207-08-9
Report Date: 04/05/2013


Processing Integration Results

RT: 8.51
Response: 52148
Amount: 2
Conc: 236



Manual Integration Results

RT: 8.53
Response: 16091
Amount: 1
Conc: 73




Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:52
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03024.D
Inj. Date and Time: 03-APR-2013 18:19
Instrument ID: BSMC5973.i
Client ID: CV0506B-CS
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/05/2013


Processing Integration Results

RT: 10.00
Response: 15730
Amount: 1
Conc: 77



Manual Integration Results

RT: 10.00
Response: 13675
Amount: 1
Conc: 67



Manually Integrated By: cantins
Modification Date: 05-Apr-2013 09:52
Manual Integration Reason: Split Peak

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD CURVE EVALUATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 136048

SDG No.: 68088766-1

Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2013 13:26 Calibration End Date: 04/02/2013 15:15 Calibration ID: 2859

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 660-136048/5	1CD02005.D
Level 2	IC 660-136048/6	1CD02006.D
Level 3	IC 660-136048/7	1CD02007.D
Level 4	IC 660-136048/8	1CD02008.D
Level 5	ICIS 660-136048/9	1CD02009.D
Level 6	IC 660-136048/10	1CD02010.D
Level 7	IC 660-136048/11	1CD02011.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
	LVL 6	LVL 7															
Naphthalene	0.9951 1.0462	0.9249 1.0491	1.1511	1.0146	1.0107	Ave		1.0274			0.0000	6.7	15.0				
2-Methylnaphthalene	0.7586 0.6820	0.6817 0.7025	0.6887	0.7485	0.6335	Ave		0.6994			0.0000	6.1	15.0				
1-Methylnaphthalene	0.7248 0.6605	0.4518 0.6576	0.6481	0.6089	0.6533	Ave		0.6293			0.0000	13.6	15.0				
Acenaphthylene	1.4345 1.7430	1.5801 1.7453	1.7015	1.6743	1.7098	Ave		1.6555			0.0000	6.8	15.0				
Acenaphthene	0.8041 1.0063	1.3709 1.0300	0.9518	0.9544	1.0574	Lin		1.0254			0.0000			0.9993		0.9900	
Fluorene	1.2800 1.3623	1.5080 1.3691	1.4076	1.2955	1.3459	Ave		1.3669			0.0000	5.6	15.0				
Phenanthrene	1.2753 1.1465	1.1377 1.2101	1.1311	1.1382	1.1160	Ave		1.1650			0.0000	4.9	15.0				
Anthracene	1.2299 1.2077	1.1082 1.2343	1.1512	1.1740	1.1613	Ave		1.1810			0.0000	3.9	15.0				
Carbazole	0.9389 1.0577	0.8968 1.0652	1.0685	0.9845	1.0709	Ave		1.0118			0.0000	7.1	15.0				
Fluoranthene	1.0844 1.3160	1.1991 1.4023	1.3527	1.3181	1.3335	Ave		1.2866			0.0000	8.4	15.0				
Pyrene	1.0454 1.1504	1.0946 1.1474	1.1166	1.0638	1.1380	Ave		1.1080			0.0000	3.8	15.0				
Benzo[a]anthracene	1.9586 1.1436	1.3015 1.1642	1.1246	1.1267	1.1237	Lin	0.0034	1.1590			0.0000			0.9997		0.9900	
Chrysene	1.0137 1.1434	1.2130 1.1619	1.2029	1.1145	1.1295	Ave		1.1398			0.0000	5.8	15.0				
Benzo[b]fluoranthene	1.4007 1.0698	0.9300 1.1884	1.1544	1.1244	1.0480	Ave		1.1308			0.0000	12.9	15.0				

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD CURVE EVALUATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 136048
 SDG No.: 68088766-1
 Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N
 Calibration Start Date: 04/02/2013 13:26 Calibration End Date: 04/02/2013 15:15 Calibration ID: 2859

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
	LVL 6	LVL 7															
Benzo[k]fluoranthene	0.9952 1.1459	1.0465 1.1495	1.1058	1.1151	1.0979	Ave		1.0937			0.0000	5.1	15.0				
Benzo[a]pyrene	1.2128 1.0446	0.9589 1.1556	1.0227	1.0341	1.0238	Ave		1.0647			0.0000	8.2	15.0				
Indeno[1,2,3-cd]pyrene	1.2338 1.0436	0.9049 1.0226	1.0384	0.9595	0.8756	Ave		1.0112			0.0000	11.7	15.0				
Dibenz(a,h)anthracene	0.9208 0.9567	0.9397 0.9834	0.8833	0.9304	0.9246	Ave		0.9341			0.0000	3.3	15.0				
Benzo[g,h,i]perylene	1.0683 1.0751	0.9692 1.0455	1.0646	1.0048	0.9970	Ave		1.0321			0.0000	4.0	15.0				
o-Terphenyl	0.8162 0.5958	0.5068 0.6604	0.5759	0.6060	0.6022	Lin	0.0181	0.6529			0.0000			0.9966		0.9900	

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 136048

SDG No.: 68088766-1

Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2013 13:26 Calibration End Date: 04/02/2013 15:15 Calibration ID: 2859

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 660-136048/5	1CD02005.D
Level 2	IC 660-136048/6	1CD02006.D
Level 3	IC 660-136048/7	1CD02007.D
Level 4	IC 660-136048/8	1CD02008.D
Level 5	ICIS 660-136048/9	1CD02009.D
Level 6	IC 660-136048/10	1CD02010.D
Level 7	IC 660-136048/11	1CD02011.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/ML)				
			LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5
			LVL 6	LVL 7				LVL 6	LVL 7			
Naphthalene	NPT	Ave	2264 350333	10440 668649	65815	121970	253190	0.200 30.0	1.00 50.0	5.00	10.0	20.0
2-Methylnaphthalene	NPT	Ave	1726 228375	7695 447751	39376	89978	158694	0.200 30.0	1.00 50.0	5.00	10.0	20.0
1-Methylnaphthalene	NPT	Ave	1649 221182	5100 419135	37056	73198	163647	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Acenaphthylene	ANT	Ave	2387 423924	12563 814053	70473	148174	308909	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Acenaphthene	ANT	Lin	1338 244735	10900 480392	39421	84460	191043	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Fluorene	ANT	Ave	2130 331328	11990 638557	58298	114648	243174	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Phenanthrene	PHN	Ave	3900 529536	16838 1077014	88442	194036	392252	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Anthracene	PHN	Ave	3761 557837	16401 1098599	90016	200131	408192	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Carbazole	PHN	Ave	2871 488550	13272 948101	83549	167822	376402	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Fluoranthene	PHN	Ave	3316 607836	17746 1248081	105772	224705	468708	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Pyrene	CRY	Ave	4087 663294	20532 1360548	109963	236267	498076	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[a]anthracene	CRY	Lin	7657 659379	24413 1380443	110756	250220	491852	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Chrysene	CRY	Ave	3963 659226	22752 1377767	118460	247512	494376	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[b]fluoranthene	PRY	Ave	5890 671785	19731 1443812	127315	261073	494109	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[k]fluoranthene	PRY	Ave	4185 719552	22203 1396501	121957	258924	517620	0.200 30.0	1.00 50.0	5.00	10.0	20.0

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 136048

SDG No.: 68088766-1

Instrument ID: BSMC5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2013 13:26 Calibration End Date: 04/02/2013 15:15 Calibration ID: 2859

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/ML)				
			LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5
			LVL 6	LVL 7				LVL 6	LVL 7			
Benzo[a]pyrene	PRY	Ave	5100 655944	20343 1403971	112782	240110	482722	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Indeno[1,2,3-cd]pyrene	PRY	Ave	5188 655344	19198 1242391	114519	222795	412839	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Dibenz(a,h)anthracene	PRY	Ave	3872 600720	19937 1194691	97409	216036	435940	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[g,h,i]perylene	PRY	Ave	4492 675124	20561 1270187	117403	233308	470085	0.200 30.0	1.00 50.0	5.00	10.0	20.0
o-Terphenyl	PHN	Lin	2496 275212	7501 587824	45027	103309	211673	0.200 30.0	1.00 50.0	5.00	10.0	20.0

Curve Type Legend:

Ave = Average ISTD
Lin = Linear ISTD

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02005.D
 Lab Smp Id: IC1
 Inj Date : 02-APR-2013 13:26
 Operator : SCC
 Smp Info : IC1
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 5 Calibration Sample, Level: 1
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/ml)	ON-COL (ug/ml)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	455021	40.0000	
* 6 Acenaphthene-d10	164	4.804	4.804	(1.000)	332800	40.0000	
* 10 Phenanthrene-d10	188	5.757	5.757	(1.000)	611597	40.0000	
\$ 14 o-Terphenyl	230	6.004	6.004	(1.043)	2496	0.20000	0.2618
* 18 Chrysene-d12	240	7.704	7.704	(1.000)	781900	40.0000	
* 23 Perylene-d12	264	8.909	8.909	(1.000)	841000	40.0000	(H)
2 Naphthalene	128	3.727	3.727	(1.005)	2264	0.20000	0.1937
3 2-Methylnaphthalene	142	4.157	4.157	(1.120)	1726	0.20000	0.2169
4 1-Methylnaphthalene	142	4.216	4.216	(1.136)	1649	0.20000	0.2303
5 Acenaphthylene	152	4.716	4.716	(0.982)	2387	0.20000	0.1733
7 Acenaphthene	154	4.821	4.821	(1.004)	1338	0.20000	0.1568(Q)
9 Fluorene	166	5.145	5.145	(1.071)	2130	0.20000	0.1872
11 Phenanthrene	178	5.768	5.768	(1.002)	3900	0.20000	0.2189
12 Anthracene	178	5.804	5.804	(1.008)	3761	0.20000	0.2082
13 Carbazole	167	5.915	5.915	(1.028)	2871	0.20000	0.1855
15 Fluoranthene	202	6.604	6.604	(1.147)	3316	0.20000	0.1685
16 Pyrene	202	6.774	6.774	(0.879)	4087	0.20000	0.1886
17 Benzo(a)anthracene	228	7.698	7.698	(0.999)	7657	0.20000	0.3066
19 Chrysene	228	7.727	7.727	(1.003)	3963	0.20000	0.1778
20 Benzo(b)fluoranthene	252	8.562	8.562	(0.961)	5890	0.20000	0.2477(H)
21 Benzo(k)fluoranthene	252	8.586	8.586	(0.964)	4185	0.20000	0.1819(H)
22 Benzo(a)pyrene	252	8.851	8.851	(0.993)	5100	0.20000	0.2278(H)
24 Indeno(1,2,3-cd)pyrene	276	10.062	10.062	(1.129)	5188	0.20000	0.2440
25 Dibenzo(a,h)anthracene	278	10.086	10.086	(1.132)	3872	0.20000	0.1971(MH)
26 Benzo(g,h,i)perylene	276	10.415	10.415	(1.169)	4492	0.20000	0.2070(H)

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02005.D


Date: 02-APR-2013 13:26

Client ID:

Instrument: BSMC5973.i

Sample Info: IC1

Operator: SCC




Manual Integration Report

Data File: 1CD02005.D
Inj. Date and Time: 02-APR-2013 13:26
Instrument ID: BSMC5973.i
Client ID:
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/02/2013


Processing Integration Results

RT: 9.97
Response: 454
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.09
Response: 3872
Amount: 0
Conc: 0



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:44
Manual Integration Reason: Baseline Event

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02006.D
 Lab Smp Id: IC2
 Inj Date : 02-APR-2013 13:44
 Operator : SCC
 Smp Info : IC2
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 13:26 Cal File: 1CD02005.D
 Als bottle: 6 Calibration Sample, Level: 2
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					
			CAL-AMT	ON-COL	MASS	RT	EXP RT	REL RT
* 1 Naphthalene-d8	136		40.0000		3.710	3.710	(1.000)	451517
* 6 Acenaphthene-d10	164		40.0000		4.798	4.798	(1.000)	318036
* 10 Phenanthrene-d10	188		40.0000		5.745	5.745	(1.000)	591987
\$ 14 o-Terphenyl	230		1.00000	0.8130	5.998	5.998	(1.044)	7501
* 18 Chrysene-d12	240		40.0000	(H)	7.686	7.686	(1.000)	750291
* 23 Perylene-d12	264		40.0000	(H)	8.862	8.862	(1.000)	848618
2 Naphthalene	128		1.00000	0.9002	3.727	3.727	(1.005)	10440
3 2-Methylnaphthalene	142		1.00000	0.9747	4.151	4.151	(1.119)	7695
4 1-Methylnaphthalene	142		1.00000	0.7179(Q)	4.216	4.216	(1.136)	5100
5 Acenaphthylene	152		1.00000	0.9544	4.710	4.710	(0.982)	12563
7 Acenaphthene	154		1.00000	1.3375(Q)	4.821	4.821	(1.005)	10900
9 Fluorene	166		1.00000	1.1032	5.139	5.139	(1.071)	11990
11 Phenanthrene	178		1.00000	0.9766	5.762	5.762	(1.003)	16838
12 Anthracene	178		1.00000	0.9383	5.798	5.798	(1.009)	16401
13 Carbazole	167		1.00000	0.8863	5.904	5.904	(1.028)	13272
15 Fluoranthene	202		1.00000	0.9319	6.598	6.598	(1.148)	17746
16 Pyrene	202		1.00000	0.9878(H)	6.762	6.762	(0.880)	20532
17 Benzo(a)anthracene	228		1.00000	1.0187(H)	7.680	7.680	(0.999)	24413
19 Chrysene	228		1.00000	1.0641	7.704	7.704	(1.002)	22752
20 Benzo(b)fluoranthene	252		1.00000	0.8224(H)	8.521	8.521	(0.962)	19731
21 Benzo(k)fluoranthene	252		1.00000	0.9568(H)	8.539	8.539	(0.963)	22203
22 Benzo(a)pyrene	252		1.00000	0.9006(H)	8.809	8.809	(0.994)	20343
24 Indeno(1,2,3-cd)pyrene	276		1.00000	0.8948(MH)	10.009	10.009	(1.129)	19198
25 Dibenzo(a,h)anthracene	278		1.00000	1.0060(H)	10.027	10.027	(1.131)	19937
26 Benzo(g,h,i)perylene	276		1.00000	0.9390(H)	10.356	10.356	(1.169)	20561

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02006.D


Date: 02-APR-2013 13:44

Client ID:

Instrument: BSMC5973.i

Sample Info: IC2

Operator: SCC




Manual Integration Report

Data File: 1CD02006.D
Inj. Date and Time: 02-APR-2013 13:44
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.04
Response: 3225
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.01
Response: 19198
Amount: 1
Conc: 1



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:45
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02007.D
 Lab Smp Id: IC3
 Inj Date : 02-APR-2013 14:02
 Operator : SCC
 Smp Info : IC3
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 13:44 Cal File: 1CD02006.D
 Als bottle: 7 Calibration Sample, Level: 3
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					
			CAL-AMT	ON-COL	MASS	RT	EXP RT	REL RT
* 1 Naphthalene-d8	136		40.0000		3.710	3.710	(1.000)	457408
* 6 Acenaphthene-d10	164		40.0000		4.798	4.798	(1.000)	331342
* 10 Phenanthrene-d10	188		40.0000		5.745	5.745	(1.000)	625535
\$ 14 o-Terphenyl	230		5.00000	4.6190	5.998	5.998	(1.044)	45027
* 18 Chrysene-d12	240		40.0000		7.686	7.686	(1.000)	787858
* 23 Perylene-d12	264		40.0000	(H)	8.856	8.856	(1.000)	882270
2 Naphthalene	128		5.00000	5.6020	3.727	3.727	(1.005)	65815
3 2-Methylnaphthalene	142		5.00000	4.9236	4.151	4.151	(1.119)	39376
4 1-Methylnaphthalene	142		5.00000	5.1494(Q)	4.216	4.216	(1.136)	37056
5 Acenaphthylene	152		5.00000	5.1389	4.710	4.710	(0.982)	70473
7 Acenaphthene	154		5.00000	4.6430	4.821	4.821	(1.005)	39421
9 Fluorene	166		5.00000	5.1486	5.139	5.139	(1.071)	58298
11 Phenanthrene	178		5.00000	4.8545	5.763	5.763	(1.003)	88442
12 Anthracene	178		5.00000	4.8741	5.792	5.792	(1.008)	90016
13 Carbazole	167		5.00000	5.2803	5.904	5.904	(1.028)	83549
15 Fluoranthene	202		5.00000	5.2570	6.598	6.598	(1.148)	105772
16 Pyrene	202		5.00000	5.0385	6.762	6.762	(0.880)	109963
17 Benzo(a)anthracene	228		5.00000	4.4014	7.674	7.674	(0.998)	110756
19 Chrysene	228		5.00000	5.2764(H)	7.704	7.704	(1.002)	118460
20 Benzo(b)fluoranthene	252		5.00000	5.1043	8.515	8.515	(0.961)	127315
21 Benzo(k)fluoranthene	252		5.00000	5.0554(H)	8.539	8.539	(0.964)	121957
22 Benzo(a)pyrene	252		5.00000	4.8027(H)	8.804	8.804	(0.994)	112782
24 Indeno(1,2,3-cd)pyrene	276		5.00000	5.1344(MH)	10.003	10.003	(1.129)	114519
25 Dibenzo(a,h)anthracene	278		5.00000	4.7277(H)	10.021	10.021	(1.131)	97409
26 Benzo(g,h,i)perylene	276		5.00000	5.1573(H)	10.345	10.345	(1.168)	117403

QC Flag Legend

- Q - Qualifier signal failed the ratio test.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02007.D


Date: 02-APR-2013 14:02

Client ID:

Instrument: BSMC5973.i

Sample Info: IC3

Operator: SCC




Manual Integration Report

Data File: 1CD02007.D
Inj. Date and Time: 02-APR-2013 14:02
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.06
Response: 1809
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.00
Response: 114519
Amount: 5
Conc: 5



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:48
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02008.D
 Lab Smp Id: IC4
 Inj Date : 02-APR-2013 14:20
 Operator : SCC
 Smp Info : IC4
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 14:02 Cal File: 1CD02007.D
 Als bottle: 8 Calibration Sample, Level: 4
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/ml)	ON-COL (ug/ml)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	480844	40.0000	
* 6 Acenaphthene-d10	164	4.798	4.798	(1.000)	353988	40.0000	
* 10 Phenanthrene-d10	188	5.745	5.745	(1.000)	681887	40.0000	
\$ 14 o-Terphenyl	230	5.998	5.998	(1.044)	103309	10.0000	9.7219
* 18 Chrysene-d12	240	7.686	7.686	(1.000)	888354	40.0000	
* 23 Perylene-d12	264	8.856	8.856	(1.000)	928754	40.0000	
2 Naphthalene	128	3.727	3.727	(1.005)	121970	10.0000	9.8758
3 2-Methylnaphthalene	142	4.151	4.151	(1.119)	89978	10.0000	10.7026
4 1-Methylnaphthalene	142	4.215	4.215	(1.136)	73198	10.0000	9.6761
5 Acenaphthylene	152	4.710	4.710	(0.982)	148174	10.0000	10.1137
7 Acenaphthene	154	4.821	4.821	(1.005)	84460	10.0000	9.3113
9 Fluorene	166	5.139	5.139	(1.071)	114648	10.0000	9.4775
11 Phenanthrene	178	5.762	5.762	(1.003)	194036	10.0000	9.7703
12 Anthracene	178	5.792	5.792	(1.008)	200131	10.0000	9.9409
13 Carbazole	167	5.904	5.904	(1.028)	167822	10.0000	9.7299
15 Fluoranthene	202	6.598	6.598	(1.148)	224705	10.0000	10.2452
16 Pyrene	202	6.762	6.762	(0.880)	236267	10.0000	9.6011
17 Benzo(a)anthracene	228	7.674	7.674	(0.998)	250220	10.0000	8.8188
19 Chrysene	228	7.703	7.703	(1.002)	247512	10.0000	9.7775(H)
20 Benzo(b)fluoranthene	252	8.515	8.515	(0.961)	261073	10.0000	9.9431(H)
21 Benzo(k)fluoranthene	252	8.539	8.539	(0.964)	258924	10.0000	10.1958(H)
22 Benzo(a)pyrene	252	8.803	8.803	(0.994)	240110	10.0000	9.7131
24 Indeno(1,2,3-cd)pyrene	276	10.003	10.003	(1.129)	222795	10.0000	9.4889(MH)
25 Dibenzo(a,h)anthracene	278	10.021	10.021	(1.131)	216036	10.0000	9.9604
26 Benzo(g,h,i)perylene	276	10.350	10.350	(1.169)	233308	10.0000	9.7359(H)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1CD02008.D


Date: 02-APR-2013 14:20

Client ID:

Instrument: BSMC5973.i

Sample Info: IC4

Operator: SCC




Manual Integration Report

Data File: 1CD02008.D
Inj. Date and Time: 02-APR-2013 14:20
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.12
Response: 142
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.00
Response: 222795
Amount: 9
Conc: 9



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:49
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02009.D
 Lab Smp Id: IC5
 Inj Date : 02-APR-2013 14:39
 Operator : SCC
 Smp Info : IC5
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 14:20 Cal File: 1CD02008.D
 Als bottle: 9 Calibration Sample, Level: 5
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					ON-COL
			MASS	RT	EXP RT	REL RT	RESPONSE	
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	501011	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	361349	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	702974	40.0000	
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	211673	20.0000	19.3221
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	875378	40.0000	
* 23 Perylene-d12	264		8.862	8.862	(1.000)	942955	40.0000	
2 Naphthalene	128		3.721	3.721	(1.003)	253190	20.0000	19.6753
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	158694	20.0000	18.1163
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	163647	20.0000	20.7620
5 Acenaphthylene	152		4.710	4.710	(0.982)	308909	20.0000	20.6554
7 Acenaphthene	154		4.821	4.821	(1.005)	191043	20.0000	20.6326
9 Fluorene	166		5.139	5.139	(1.071)	243174	20.0000	19.6928
11 Phenanthrene	178		5.762	5.762	(1.003)	392252	20.0000	19.1586
12 Anthracene	178		5.798	5.798	(1.009)	408192	20.0000	19.6676
13 Carbazole	167		5.904	5.904	(1.028)	376402	20.0000	21.1684
15 Fluoranthene	202		6.598	6.598	(1.148)	468708	20.0000	20.7293
16 Pyrene	202		6.762	6.762	(0.880)	498076	20.0000	20.5403
17 Benzo(a)anthracene	228		7.674	7.674	(0.998)	491852	20.0000	17.5920
19 Chrysene	228		7.704	7.704	(1.002)	494376	20.0000	19.8190
20 Benzo(b)fluoranthene	252		8.515	8.515	(0.961)	494109	20.0000	18.5350
21 Benzo(k)fluoranthene	252		8.539	8.539	(0.963)	517620	20.0000	20.0758
22 Benzo(a)pyrene	252		8.803	8.803	(0.993)	482722	20.0000	19.2334
24 Indeno(1,2,3-cd)pyrene	276		10.009	10.009	(1.129)	412839	20.0000	17.3182(M)
25 Dibenzo(a,h)anthracene	278		10.021	10.021	(1.131)	435940	20.0000	19.7965
26 Benzo(g,h,i)perylene	276		10.356	10.356	(1.169)	470085	20.0000	19.3212

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02009.D


Date: 02-APR-2013 14:39

Client ID:

Instrument: BSMC5973.i

Sample Info: IC5

Operator: SCC




Manual Integration Report

Data File: 1CD02009.D
Inj. Date and Time: 02-APR-2013 14:39
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.01
Response: 550558
Amount: 32
Conc: 32



Manual Integration Results

RT: 10.01
Response: 412839
Amount: 17
Conc: 17



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:39
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02010.D
 Lab Smp Id: IC6
 Inj Date : 02-APR-2013 14:57
 Operator : SCC
 Smp Info : IC6
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 14:39 Cal File: 1CD02009.D
 Als bottle: 10 Calibration Sample, Level: 6
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/ml)	ON-COL (ug/ml)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	446499	40.0000	
* 6 Acenaphthene-d10	164	4.798	4.798	(1.000)	324284	40.0000	
* 10 Phenanthrene-d10	188	5.745	5.745	(1.000)	615852	40.0000	
\$ 14 o-Terphenyl	230	5.998	5.998	(1.044)	275212	30.0000	28.6761
* 18 Chrysene-d12	240	7.686	7.686	(1.000)	768745	40.0000	
* 23 Perylene-d12	264	8.857	8.857	(1.000)	837251	40.0000	
2 Naphthalene	128	3.722	3.722	(1.003)	350333	30.0000	30.5481
3 2-Methylnaphthalene	142	4.151	4.151	(1.119)	228375	30.0000	29.2540
4 1-Methylnaphthalene	142	4.216	4.216	(1.136)	221182	30.0000	31.4875
5 Acenaphthylene	152	4.710	4.710	(0.982)	423924	30.0000	31.5858
7 Acenaphthene	154	4.822	4.822	(1.005)	244735	30.0000	29.4523
9 Fluorene	166	5.139	5.139	(1.071)	331328	30.0000	29.8986
11 Phenanthrene	178	5.763	5.763	(1.003)	529536	30.0000	29.5228
12 Anthracene	178	5.792	5.792	(1.008)	557837	30.0000	30.6801
13 Carbazole	167	5.904	5.904	(1.028)	488550	30.0000	31.3623
15 Fluoranthene	202	6.598	6.598	(1.148)	607836	30.0000	30.6854
16 Pyrene	202	6.763	6.763	(0.880)	663294	30.0000	31.1481
17 Benzo(a)anthracene	228	7.674	7.674	(0.998)	659379	30.0000	26.8553
19 Chrysene	228	7.704	7.704	(1.002)	659226	30.0000	30.0935(H)
20 Benzo(b)fluoranthene	252	8.515	8.515	(0.961)	671785	30.0000	28.3815(H)
21 Benzo(k)fluoranthene	252	8.539	8.539	(0.964)	719552	30.0000	31.4311(H)
22 Benzo(a)pyrene	252	8.804	8.804	(0.994)	655944	30.0000	29.4349
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.009	(1.130)	655344	30.0000	30.9619(MH)
25 Dibenzo(a,h)anthracene	278	10.027	10.027	(1.132)	600720	30.0000	30.7234
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	675124	30.0000	31.2520(H)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1CD02010.D


Date: 02-APR-2013 14:57

Client ID:

Instrument: BSMC5973.i

Sample Info: IC6

Operator: SCC




Manual Integration Report

Data File: 1CD02010.D
Inj. Date and Time: 02-APR-2013 14:57
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.11
Response: 1008
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.01
Response: 655344
Amount: 31
Conc: 31



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:50
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02011.D
 Lab Smp Id: IC7
 Inj Date : 02-APR-2013 15:15
 Operator : SCC
 Smp Info : IC7
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:51 BSMC5973.i Quant Type: ISTD
 Cal Date : 02-APR-2013 14:57 Cal File: 1CD02010.D
 Als bottle: 11 Calibration Sample, Level: 7
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					ON-COL
			CAL-AMT	ON-COL	REL RT	RESPONSE	(ug/ml)	
=====	=====	=====	=====	=====	=====	=====	=====	
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	509868	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	373136	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	712035	40.0000	
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	587824	50.0000	52.9755(A)
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	948633	40.0000	
* 23 Perylene-d12	264		8.862	8.862	(1.000)	971909	40.0000	
2 Naphthalene	128		3.727	3.727	(1.005)	668649	50.0000	51.0580(A)
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	447751	50.0000	50.2269(A)
4 1-Methylnaphthalene	142		4.215	4.215	(1.136)	419135	50.0000	52.2523(A)
5 Acenaphthylene	152		4.710	4.710	(0.982)	814053	50.0000	52.7127(A)
7 Acenaphthene	154		4.821	4.821	(1.005)	480392	50.0000	50.2433(A)
9 Fluorene	166		5.139	5.139	(1.071)	638557	50.0000	50.0785(A)
11 Phenanthrene	178		5.762	5.762	(1.003)	1077014	50.0000	51.9349(A)
12 Anthracene	178		5.798	5.798	(1.009)	1098599	50.0000	52.2594(A)
13 Carbazole	167		5.904	5.904	(1.028)	948101	50.0000	52.6415(A)
15 Fluoranthene	202		6.598	6.598	(1.148)	1248081	50.0000	54.4959(A)
16 Pyrene	202		6.762	6.762	(0.880)	1360548	50.0000	51.7754(A)
17 Benzo(a)anthracene	228		7.680	7.680	(0.999)	1380443	50.0000	45.5615
19 Chrysene	228		7.709	7.709	(1.003)	1377767	50.0000	50.9681(AH)
20 Benzo(b)fluoranthene	252		8.521	8.521	(0.962)	1443812	50.0000	52.5467(AH)
21 Benzo(k)fluoranthene	252		8.545	8.545	(0.964)	1396501	50.0000	52.5496(AH)
22 Benzo(a)pyrene	252		8.809	8.809	(0.994)	1403971	50.0000	54.2730(A)
24 Indeno(1,2,3-cd)pyrene	276		10.015	10.015	(1.130)	1242391	50.0000	50.5646(AMH)
25 Dibenzo(a,h)anthracene	278		10.033	10.033	(1.132)	1194691	50.0000	52.6360(A)
26 Benzo(g,h,i)perylene	276		10.362	10.362	(1.169)	1270187	50.0000	50.6515(AH)

QC Flag Legend

- A - Target compound detected but, quantitated amount exceeded maximum amount.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1CD02011.D


Date: 02-APR-2013 15:15

Client ID:

Instrument: BSMC5973.i

Sample Info: IC7

Operator: SCC




Manual Integration Report

Data File: 1CD02011.D
Inj. Date and Time: 02-APR-2013 15:15
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.13
Response: 653
Amount: 0
Conc: 0



Manual Integration Results

RT: 10.02
Response: 1242391
Amount: 51
Conc: 51



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:51
Manual Integration Reason: Split Peak

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD CURVE EVALUATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 134781

SDG No.: 68088766-1

Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N

Calibration Start Date: 02/22/2013 12:13 Calibration End Date: 02/22/2013 14:28 Calibration ID: 2761

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 660-134781/3	1DB22003.D
Level 2	IC 660-134781/4	1DB22004.D
Level 3	IC 660-134781/5	1DB22005.D
Level 4	IC 660-134781/6	1DB22006.D
Level 5	ICIS 660-134781/7	1DB22007.D
Level 6	IC 660-134781/8	1DB22008.D
Level 7	IC 660-134781/9	1DB22009.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R ² OR COD	#	MIN R ² OR COD
	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
	LVL 6	LVL 7															
Naphthalene	1.1280 1.0523	1.0553 1.0405	1.0642	1.0918	1.0581	Ave	1.0700			0.0000	2.8		15.0				
2-Methylnaphthalene	0.7034 0.6669	0.6712 0.6728	0.6797	0.7002	0.6770	Ave	0.6816			0.0000	2.1		15.0				
1-Methylnaphthalene	0.6099 0.6325	0.6631 0.6258	0.6460	0.6514	0.6392	Ave	0.6383			0.0000	2.7		15.0				
Acenaphthylene	1.6661 1.7814	1.7639 1.7689	1.7448	1.8238	1.7955	Ave	1.7635			0.0000	2.8		15.0				
Acenaphthene	1.1402 1.0526	1.0845 1.0396	1.0477	1.1072	1.0550	Ave	1.0753			0.0000	3.5		15.0				
Fluorene	1.2209 1.2661	1.2731 1.2520	1.2478	1.2756	1.2585	Ave	1.2563			0.0000	1.5		15.0				
Phenanthrene	1.2165 1.1039	1.1314 1.0752	1.1449	1.1623	1.1141	Ave	1.1355			0.0000	4.0		15.0				
Anthracene	1.1088 1.1419	1.0967 1.1309	1.1548	1.1738	1.1455	Ave	1.1361			0.0000	2.3		15.0				
Carbazole	0.9989 1.0251	0.9725 1.0106	1.0326	1.0515	1.0179	Ave	1.0156			0.0000	2.5		15.0				
Fluoranthene	1.2255 1.1884	1.1239 1.1523	1.1976	1.2199	1.1869	Ave	1.1849			0.0000	3.0		15.0				
Pyrene	1.1729 1.2433	1.2578 1.2072	1.2525	1.2954	1.2562	Ave	1.2408			0.0000	3.2		15.0				
Benzo[a]anthracene	1.6058 1.1034	1.1616 1.0898	1.1024	1.1235	1.1016	LinF	1.0951			0.0000				0.9999		0.9900	
Chrysene	1.1781 1.1047	1.1583 1.0841	1.1177	1.1544	1.1168	Ave	1.1306			0.0000	3.0		15.0				
Benzo[b]fluoranthene	0.9830 1.0461	1.0325 1.0528	1.0066	1.0593	1.0269	Ave	1.0296			0.0000	2.6		15.0				

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD CURVE EVALUATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 134781
 SDG No.: 68088766-1
 Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N
 Calibration Start Date: 02/22/2013 12:13 Calibration End Date: 02/22/2013 14:28 Calibration ID: 2761

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
	LVL 6	LVL 7															
Benzo[k]fluoranthene	1.0760 1.0603	1.0460 1.0472	1.1052	1.1212	1.0903	Ave		1.0780			0.0000	2.7		15.0			
Benzo[a]pyrene	0.9398 1.0484	0.9776 1.0366	1.0344	1.0539	1.0414	Ave		1.0189			0.0000	4.2		15.0			
Indeno[1,2,3-cd]pyrene	1.0120 1.1423	1.0104 1.1459	1.0416	1.1166	1.1424	Ave		1.0873			0.0000	5.8		15.0			
Dibenz(a,h)anthracene	0.9455 1.0206	0.9830 1.0192	1.0084	1.0295	1.0229	Ave		1.0042			0.0000	3.0		15.0			
Benzo[g,h,i]perylene	1.0182 1.0480	1.0153 1.0408	1.0329	1.0607	1.0410	Ave		1.0367			0.0000	1.6		15.0			
o-Terphenyl	0.6320 0.6161	0.6127 0.5977	0.6203	0.6323	0.6189	Ave		0.6186			0.0000	1.9		15.0			

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Tampa

Job No.: 680-88766-1

Analy Batch No.: 134781

SDG No.: 68088766-1

Instrument ID: BSMD5973

GC Column: DB-5MS

ID: 250 (um)

Heated Purge: (Y/N) N

Calibration Start Date: 02/22/2013 12:13

Calibration End Date: 02/22/2013 14:28

Calibration ID: 2761

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 660-134781/3	1DB22003.D
Level 2	IC 660-134781/4	1DB22004.D
Level 3	IC 660-134781/5	1DB22005.D
Level 4	IC 660-134781/6	1DB22006.D
Level 5	ICIS 660-134781/7	1DB22007.D
Level 6	IC 660-134781/8	1DB22008.D
Level 7	IC 660-134781/9	1DB22009.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/ML)				
			LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5
Naphthalene	NPT	Ave	15953 2298963	74498 3699527	371017	777491	1508569	0.200 30.0	1.00 50.0	5.00	10.0	20.0
2-Methylnaphthalene	NPT	Ave	9948 1457082	47384 2392281	236964	498648	965225	0.200 30.0	1.00 50.0	5.00	10.0	20.0
1-Methylnaphthalene	NPT	Ave	8626 1381962	46812 2225072	225226	463905	911252	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Acenaphthylene	ANT	Ave	14047 2298195	75049 3717778	364710	773248	1512937	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Acenaphthene	ANT	Ave	9613 1357997	46142 2184846	218994	469400	889006	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Fluorene	ANT	Ave	10293 1633465	54168 2631357	260823	540812	1060484	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Phenanthrene	PHN	Ave	16602 2324547	78922 3708574	386527	798454	1536701	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Anthracene	PHN	Ave	15132 2404366	76501 3900989	389851	806411	1580088	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Carbazole	PHN	Ave	13633 2158453	67837 3485796	348596	722383	1404089	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Fluoranthene	PHN	Ave	16725 2502381	78399 3974777	404310	838075	1637186	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Pyrene	CRY	Ave	16387 2630026	86802 4199944	429030	897242	1722041	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[a]anthracene	CRY	LinF	22435 2334008	80159 3791270	377597	778182	1510209	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Chrysene	CRY	Ave	16460 2336752	79936 3771462	382861	799570	1531008	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[b]fluoranthene	PRY	Ave	14372 2331940	74603 3853307	359912	772745	1490545	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[k]fluoranthene	PRY	Ave	15732 2363523	75578 3832862	395166	817887	1582576	0.200 30.0	1.00 50.0	5.00	10.0	20.0

FORM VI
GC/MS SEMI VOA INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Tampa Job No.: 680-88766-1 Analy Batch No.: 134781

SDG No.: 68088766-1

Instrument ID: BSMD5973 GC Column: DB-5MS ID: 250 (um) Heated Purge: (Y/N) N

Calibration Start Date: 02/22/2013 12:13 Calibration End Date: 02/22/2013 14:28 Calibration ID: 2761

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/ML)				
			LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5
			LVL 6	LVL 7				LVL 6	LVL 7			
Benzo[a]pyrene	PRY	Ave	13740 2336988	70635 3794269	369863	768774	1511646	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Indeno[1,2,3-cd]pyrene	PRY	Ave	14796 2546397	73004 4194422	372428	814504	1658275	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Dibenz(a,h)anthracene	PRY	Ave	13824 2275035	71027 3730665	360565	750999	1484721	0.200 30.0	1.00 50.0	5.00	10.0	20.0
Benzo[g,h,i]perylene	PRY	Ave	14886 2336152	73360 3809441	369321	773773	1511031	0.200 30.0	1.00 50.0	5.00	10.0	20.0
o-Terphenyl	PHN	Ave	8625 1297334	42735 2061660	209410	434393	853642	0.200 30.0	1.00 50.0	5.00	10.0	20.0

Curve Type Legend:

Ave = Average ISTD
LinF = Linear ISTD forced zero

TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22003.D
 Lab Smp Id: IC-1512358
 Inj Date : 22-FEB-2013 12:13
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512358
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dfASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 3 Calibration Sample, Level: 1
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.184	6.184	(1.000)	2828471	40.0000	
* 6 Acenaphthene-d10	164	7.858	7.858	(1.000)	1686180	40.0000	
* 9 Phenanthrene-d10	188	9.115	9.115	(1.000)	2729489	40.0000	
\$ 13 o-Terphenyl	230	9.421	9.421	(1.034)	8625	0.20000	0.20
* 17 Chrysene-d12	240	11.454	11.454	(1.000)	2794246	40.0000	
* 22 Perylene-d12	264	13.334	13.334	(1.000)	2924062	40.0000	
2 Naphthalene	128	6.201	6.201	(1.003)	15953	0.20000	0.21
3 2-Methylnaphthalene	142	6.906	6.906	(1.117)	9948	0.20000	0.21
4 1-Methylnaphthalene	142	6.994	6.994	(1.131)	8626	0.20000	0.19
5 Acenaphthylene	152	7.723	7.723	(0.983)	14047	0.20000	0.19
7 Acenaphthene	154	7.882	7.882	(1.003)	9613	0.20000	0.21
8 Fluorene	166	8.322	8.322	(1.059)	10293	0.20000	0.19
10 Phenanthrene	178	9.127	9.127	(1.001)	16602	0.20000	0.21
11 Anthracene	178	9.168	9.168	(1.006)	15132	0.20000	0.20
12 Carbazole	167	9.303	9.303	(1.021)	13633	0.20000	0.20
14 Fluoranthene	202	10.114	10.114	(1.110)	16725	0.20000	0.21
15 Pyrene	202	10.302	10.302	(0.899)	16387	0.20000	0.19
16 Benzo(a)anthracene	228	11.436	11.436	(0.998)	22435	0.20000	0.27
18 Chrysene	228	11.477	11.477	(1.002)	16460	0.20000	0.21
19 Benzo(b)fluoranthene	252	12.764	12.764	(0.957)	14372	0.20000	0.19
20 Benzo(k)fluoranthene	252	12.799	12.799	(0.960)	15732	0.20000	0.20
21 Benzo(a)pyrene	252	13.222	13.222	(0.992)	13740	0.20000	0.18
23 Indeno(1,2,3-cd)pyrene	276	14.932	14.932	(1.120)	14796	0.20000	0.19(H)
24 Dibenzo(a,h)anthracene	278	14.967	14.967	(1.122)	13824	0.20000	0.19(MH)
25 Benzo(g,h,i)perylene	276	15.379	15.379	(1.153)	14886	0.20000	0.20(MH)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1DB22003.D


Date: 22-FEB-2013 12:13

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512358

Operator: SCC




Manual Integration Report

Data File: 1DB22003.D
Inj. Date and Time: 22-FEB-2013 12:13
Instrument ID: BSMSD.i
Client ID:
Compound: 24 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 02/22/2013


Processing Integration Results

RT: 15.02
Response: 262
Amount: 0
Conc: 0



Manual Integration Results

RT: 14.97
Response: 13824
Amount: 0
Conc: 0




Manually Integrated By: cantins
Modification Date: 22-Feb-2013 14:57
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1DB22003.D
Inj. Date and Time: 22-FEB-2013 12:13
Instrument ID: BSMDS.i
Client ID:
Compound: 25 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 02/22/2013


Processing Integration Results

RT: 15.44
Response: 456
Amount: 0
Conc: 0



Manual Integration Results

RT: 15.38
Response: 14886
Amount: 0
Conc: 0



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 14:57
Manual Integration Reason: Baseline Event

TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22004.D
 Lab Smp Id: IC-1512359
 Inj Date : 22-FEB-2013 12:35
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512359
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 12:13 Cal File: 1DB22003.D
 Als bottle: 4 Calibration Sample, Level: 2
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.186	6.186	(1.000)	2823768	40.0000	
* 6 Acenaphthene-d10	164	7.854	7.854	(1.000)	1701879	40.0000	
* 9 Phenanthrene-d10	188	9.112	9.112	(1.000)	2790130	40.0000	
\$ 13 o-Terphenyl	230	9.423	9.423	(1.034)	42735	1.00000	0.99
* 17 Chrysene-d12	240	11.456	11.456	(1.000)	2760384	40.0000	
* 22 Perylene-d12	264	13.330	13.330	(1.000)	2890207	40.0000	
2 Naphthalene	128	6.203	6.203	(1.003)	74498	1.00000	0.99
3 2-Methylnaphthalene	142	6.902	6.902	(1.116)	47384	1.00000	0.98
4 1-Methylnaphthalene	142	6.997	6.997	(1.131)	46812	1.00000	1.0
5 Acenaphthylene	152	7.725	7.725	(0.984)	75049	1.00000	1.0
7 Acenaphthene	154	7.878	7.878	(1.003)	46142	1.00000	1.0
8 Fluorene	166	8.318	8.318	(1.059)	54168	1.00000	1.0
10 Phenanthrene	178	9.129	9.129	(1.002)	78922	1.00000	1.00
11 Anthracene	178	9.170	9.170	(1.006)	76501	1.00000	0.96
12 Carbazole	167	9.306	9.306	(1.021)	67837	1.00000	0.96
14 Fluoranthene	202	10.111	10.111	(1.110)	78399	1.00000	0.95
15 Pyrene	202	10.299	10.299	(0.899)	86802	1.00000	1.0
16 Benzo(a)anthracene	228	11.432	11.432	(0.998)	80159	1.00000	0.98
18 Chrysene	228	11.474	11.474	(1.002)	79936	1.00000	1.0
19 Benzo(b)fluoranthene	252	12.760	12.760	(0.957)	74603	1.00000	1.0
20 Benzo(k)fluoranthene	252	12.796	12.796	(0.960)	75578	1.00000	0.97
21 Benzo(a)pyrene	252	13.219	13.219	(0.992)	70635	1.00000	0.96
23 Indeno(1,2,3-cd)pyrene	276	14.934	14.934	(1.120)	73004	1.00000	0.93(M)
24 Dibenzo(a,h)anthracene	278	14.964	14.964	(1.123)	71027	1.00000	0.98(H)
25 Benzo(g,h,i)perylene	276	15.381	15.381	(1.154)	73360	1.00000	0.98(H)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1DB22004.D


Date: 22-FEB-2013 12:35

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512359

Operator: SCC




Manual Integration Report

Data File: 1DB22004.D
Inj. Date and Time: 22-FEB-2013 12:35
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 02/22/2013


Processing Integration Results

RT: 14.93
Response: 86267
Amount: 1
Conc: 1



Manual Integration Results

RT: 14.93
Response: 73004
Amount: 1
Conc: 1



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 14:58
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22005.D
 Lab Smp Id: IC-1512360
 Inj Date : 22-FEB-2013 12:58
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512360
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 12:35 Cal File: 1DB22004.D
 Als bottle: 5 Calibration Sample, Level: 3
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.184	6.184	(1.000)	2789095	40.0000	
* 6 Acenaphthene-d10	164	7.853	7.853	(1.000)	1672170	40.0000	
* 9 Phenanthrene-d10	188	9.116	9.116	(1.000)	2700824	40.0000	
\$ 13 o-Terphenyl	230	9.421	9.421	(1.034)	209410	5.00000	5.0
* 17 Chrysene-d12	240	11.454	11.454	(1.000)	2740282	40.0000	
* 22 Perylene-d12	264	13.334	13.334	(1.000)	2860502	40.0000	
2 Naphthalene	128	6.202	6.202	(1.003)	371017	5.00000	5.0
3 2-Methylnaphthalene	142	6.901	6.901	(1.116)	236964	5.00000	5.0
4 1-Methylnaphthalene	142	6.995	6.995	(1.131)	225226	5.00000	5.1
5 Acenaphthylene	152	7.723	7.723	(0.984)	364710	5.00000	4.9
7 Acenaphthene	154	7.876	7.876	(1.003)	218994	5.00000	4.9
8 Fluorene	166	8.323	8.323	(1.060)	260823	5.00000	5.0
10 Phenanthrene	178	9.134	9.134	(1.002)	386527	5.00000	5.0
11 Anthracene	178	9.169	9.169	(1.006)	389851	5.00000	5.1
12 Carbazole	167	9.304	9.304	(1.021)	348596	5.00000	5.1
14 Fluoranthene	202	10.115	10.115	(1.110)	404310	5.00000	5.0
15 Pyrene	202	10.303	10.303	(0.899)	429030	5.00000	5.0
16 Benzo(a)anthracene	228	11.437	11.437	(0.998)	377597	5.00000	4.6
18 Chrysene	228	11.478	11.478	(1.002)	382861	5.00000	4.9
19 Benzo(b)fluoranthene	252	12.765	12.765	(0.957)	359912	5.00000	4.9
20 Benzo(k)fluoranthene	252	12.806	12.806	(0.960)	395166	5.00000	5.1
21 Benzo(a)pyrene	252	13.229	13.229	(0.992)	369863	5.00000	5.1
23 Indeno(1,2,3-cd)pyrene	276	14.938	14.938	(1.120)	372428	5.00000	4.8(M)
24 Dibenzo(a,h)anthracene	278	14.974	14.974	(1.123)	360565	5.00000	5.0(H)
25 Benzo(g,h,i)perylene	276	15.391	15.391	(1.154)	369321	5.00000	5.0(H)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1DB22005.D


Date: 22-FEB-2013 12:58

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512360

Operator: SCC




Manual Integration Report

Data File: 1DB22005.D
Inj. Date and Time: 22-FEB-2013 12:58
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 02/22/2013


Processing Integration Results

RT: 14.94
Response: 437022
Amount: 5
Conc: 5



Manual Integration Results

RT: 14.94
Response: 372428
Amount: 5
Conc: 5



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 14:58
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22006.D
 Lab Smp Id: IC-1512361
 Inj Date : 22-FEB-2013 13:21
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512361
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 12:58 Cal File: 1DB22005.D
 Als bottle: 6 Calibration Sample, Level: 4
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.183	6.183	(1.000)	2848559	40.0000	
* 6 Acenaphthene-d10	164	7.858	7.858	(1.000)	1695869	40.0000	
* 9 Phenanthrene-d10	188	9.115	9.115	(1.000)	2747931	40.0000	
\$ 13 o-Terphenyl	230	9.420	9.420	(1.034)	434393	10.0000	10
* 17 Chrysene-d12	240	11.459	11.459	(1.000)	2770572	40.0000	
* 22 Perylene-d12	264	13.333	13.333	(1.000)	2917915	40.0000	
2 Naphthalene	128	6.207	6.207	(1.004)	777491	10.0000	10
3 2-Methylnaphthalene	142	6.906	6.906	(1.117)	498648	10.0000	10
4 1-Methylnaphthalene	142	6.994	6.994	(1.131)	463905	10.0000	10
5 Acenaphthylene	152	7.728	7.728	(0.984)	773248	10.0000	10
7 Acenaphthene	154	7.881	7.881	(1.003)	469400	10.0000	10
8 Fluorene	166	8.322	8.322	(1.059)	540812	10.0000	10
10 Phenanthrene	178	9.132	9.132	(1.002)	798454	10.0000	10
11 Anthracene	178	9.174	9.174	(1.006)	806411	10.0000	10
12 Carbazole	167	9.309	9.309	(1.021)	722383	10.0000	10
14 Fluoranthene	202	10.114	10.114	(1.110)	838075	10.0000	10
15 Pyrene	202	10.302	10.302	(0.899)	897242	10.0000	10
16 Benzo(a)anthracene	228	11.436	11.436	(0.998)	778182	10.0000	9.5
18 Chrysene	228	11.477	11.477	(1.002)	799570	10.0000	10
19 Benzo(b)fluoranthene	252	12.769	12.769	(0.958)	772745	10.0000	10
20 Benzo(k)fluoranthene	252	12.811	12.811	(0.961)	817887	10.0000	10
21 Benzo(a)pyrene	252	13.228	13.228	(0.992)	768774	10.0000	10
23 Indeno(1,2,3-cd)pyrene	276	14.943	14.943	(1.121)	814504	10.0000	10(M)
24 Dibenzo(a,h)anthracene	278	14.979	14.979	(1.123)	750999	10.0000	10(H)
25 Benzo(g,h,i)perylene	276	15.407	15.407	(1.156)	773773	10.0000	10(H)

QC Flag Legend

M - Compound response manually integrated.
 H - Operator selected an alternate compound hit.

Data File: 1DB22006.D


Date: 22-FEB-2013 13:21

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512361

Operator: SCC




Manual Integration Report

Data File: 1DB22006.D
Inj. Date and Time: 22-FEB-2013 13:21
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 02/22/2013


Processing Integration Results

RT: 14.94
Response: 923395
Amount: 11
Conc: 11



Manual Integration Results

RT: 14.94
Response: 814504
Amount: 10
Conc: 10



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 14:59
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsrv\chem\SM\BSMSD.i\1D022213.b\1DB22007.D
 Lab Smp Id: ICIS-1512372
 Inj Date : 22-FEB-2013 13:43
 Operator : SCC
 Smp Info : ICIS-1512372
 Misc Info :
 Comment :
 Method : \\tam-chemsrv\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 13:21 Cal File: 1DB22006.D
 Als bottle: 7 Calibration Sample, Level: 5
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.183	6.183	(1.000)	2851402	40.0000	
* 6 Acenaphthene-d10	164	7.857	7.857	(1.000)	1685266	40.0000	
* 9 Phenanthrene-d10	188	9.115	9.115	(1.000)	2758746	40.0000	
\$ 13 o-Terphenyl	230	9.426	9.426	(1.034)	853642	20.0000	20
* 17 Chrysene-d12	240	11.459	11.459	(1.000)	2741766	40.0000	
* 22 Perylene-d12	264	13.333	13.333	(1.000)	2903096	40.0000	
2 Naphthalene	128	6.206	6.206	(1.004)	1508569	20.0000	20
3 2-Methylnaphthalene	142	6.906	6.906	(1.117)	965225	20.0000	20
4 1-Methylnaphthalene	142	6.994	6.994	(1.131)	911252	20.0000	20
5 Acenaphthylene	152	7.728	7.728	(0.984)	1512937	20.0000	20
7 Acenaphthene	154	7.881	7.881	(1.003)	889006	20.0000	20
8 Fluorene	166	8.321	8.321	(1.059)	1060484	20.0000	20
10 Phenanthrene	178	9.132	9.132	(1.002)	1536701	20.0000	20
11 Anthracene	178	9.173	9.173	(1.006)	1580088	20.0000	20
12 Carbazole	167	9.309	9.309	(1.021)	1404089	20.0000	20
14 Fluoranthene	202	10.114	10.114	(1.110)	1637186	20.0000	20
15 Pyrene	202	10.302	10.302	(0.899)	1722041	20.0000	20
16 Benzo(a)anthracene	228	11.435	11.435	(0.998)	1510209	20.0000	19
18 Chrysene	228	11.482	11.482	(1.002)	1531008	20.0000	20
19 Benzo(b)fluoranthene	252	12.775	12.775	(0.958)	1490545	20.0000	20
20 Benzo(k)fluoranthene	252	12.816	12.816	(0.961)	1582576	20.0000	20
21 Benzo(a)pyrene	252	13.239	13.239	(0.993)	1511646	20.0000	20
23 Indeno(1,2,3-cd)pyrene	276	14.961	14.961	(1.122)	1658275	20.0000	21
24 Dibenzo(a,h)anthracene	278	14.996	14.996	(1.125)	1484721	20.0000	20
25 Benzo(g,h,i)perylene	276	15.425	15.425	(1.157)	1511031	20.0000	20

Data File: 1DB22007.D


Date: 22-FEB-2013 13:43

Client ID:

Instrument: BSMSD.i

Sample Info: ICIS-1512372

Operator: SCC



TestAmerica Laboratories

Semivolatiles 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22008.D
 Lab Smp Id: IC-1512373
 Inj Date : 22-FEB-2013 14:06
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512373
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 13:43 Cal File: 1DB22007.D
 Als bottle: 8 Calibration Sample, Level: 6
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG		AMOUNTS				
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.183	6.183	(1.000)	2913003	40.0000	
* 6 Acenaphthene-d10	164	7.852	7.852	(1.000)	1720184	40.0000	
* 9 Phenanthrene-d10	188	9.115	9.115	(1.000)	2807552	40.0000	
\$ 13 o-Terphenyl	230	9.427	9.427	(1.034)	1297334	30.0000	30
* 17 Chrysene-d12	240	11.460	11.460	(1.000)	2820426	40.0000	
* 22 Perylene-d12	264	13.340	13.340	(1.000)	2972128	40.0000	
2 Naphthalene	128	6.207	6.207	(1.004)	2298963	30.0000	30
3 2-Methylnaphthalene	142	6.906	6.906	(1.117)	1457082	30.0000	29
4 1-Methylnaphthalene	142	7.000	7.000	(1.132)	1381962	30.0000	30
5 Acenaphthylene	152	7.729	7.729	(0.984)	2298195	30.0000	30
7 Acenaphthene	154	7.881	7.881	(1.004)	1357997	30.0000	29
8 Fluorene	166	8.328	8.328	(1.061)	1633465	30.0000	30
10 Phenanthrene	178	9.133	9.133	(1.002)	2324547	30.0000	29
11 Anthracene	178	9.174	9.174	(1.006)	2404366	30.0000	30
12 Carbazole	167	9.309	9.309	(1.021)	2158453	30.0000	30
14 Fluoranthene	202	10.120	10.120	(1.110)	2502381	30.0000	30
15 Pyrene	202	10.308	10.308	(0.900)	2630026	30.0000	30
16 Benzo(a)anthracene	228	11.442	11.442	(0.998)	2334008	30.0000	28
18 Chrysene	228	11.489	11.489	(1.003)	2336752	30.0000	29
19 Benzo(b)fluoranthene	252	12.781	12.781	(0.958)	2331940	30.0000	30
20 Benzo(k)fluoranthene	252	12.828	12.828	(0.962)	2363523	30.0000	30
21 Benzo(a)pyrene	252	13.246	13.246	(0.993)	2336988	30.0000	31
23 Indeno(1,2,3-cd)pyrene	276	14.973	14.973	(1.122)	2546397	30.0000	32
24 Dibenzo(a,h)anthracene	278	15.008	15.008	(1.125)	2275035	30.0000	30(H)
25 Benzo(g,h,i)perylene	276	15.443	15.443	(1.158)	2336152	30.0000	30(H)

QC Flag Legend

H - Operator selected an alternate compound hit.

Data File: 1DB22008.D


Date: 22-FEB-2013 14:06

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512373

Operator: SCC



TestAmerica Laboratories

Semivolatile 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22009.D
 Lab Smp Id: IC-1512374
 Inj Date : 22-FEB-2013 14:28
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : IC-1512374
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:01 BSMSD.i Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:06 Cal File: 1DB22008.D
 Als bottle: 9 Calibration Sample, Level: 7
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					ON-COL
			MASS	RT	EXP RT	REL RT	RESPONSE	
* 1 Naphthalene-d8	136		6.187	6.187	(1.000)	2844424	40.0000	
* 6 Acenaphthene-d10	164		7.856	7.856	(1.000)	1681359	40.0000	
* 9 Phenanthrene-d10	188		9.113	9.113	(1.000)	2759479	40.0000	
\$ 13 o-Terphenyl	230		9.430	9.430	(1.035)	2061660	50.0000	48
* 17 Chrysene-d12	240		11.463	11.463	(1.000)	2783202	40.0000	
* 22 Perylene-d12	264		13.344	13.344	(1.000)	2928183	40.0000	
2 Naphthalene	128		6.205	6.205	(1.003)	3699527	50.0000	49
3 2-Methylnaphthalene	142		6.910	6.910	(1.117)	2392281	50.0000	49
4 1-Methylnaphthalene	142		6.998	6.998	(1.131)	2225072	50.0000	49
5 Acenaphthylene	152		7.732	7.732	(0.984)	3717778	50.0000	50(A)
7 Acenaphthene	154		7.885	7.885	(1.004)	2184846	50.0000	48
8 Fluorene	166		8.326	8.326	(1.060)	2631357	50.0000	50
10 Phenanthrene	178		9.137	9.137	(1.003)	3708574	50.0000	47
11 Anthracene	178		9.184	9.184	(1.008)	3900989	50.0000	50
12 Carbazole	167		9.313	9.313	(1.022)	3485796	50.0000	50
14 Fluoranthene	202		10.124	10.124	(1.111)	3974777	50.0000	49
15 Pyrene	202		10.312	10.312	(0.900)	4199944	50.0000	49
16 Benzo(a)anthracene	228		11.446	11.446	(0.998)	3791270	50.0000	46
18 Chrysene	228		11.499	11.499	(1.003)	3771462	50.0000	48
19 Benzo(b)fluoranthene	252		12.791	12.791	(0.959)	3853307	50.0000	51(A)
20 Benzo(k)fluoranthene	252		12.838	12.838	(0.962)	3832862	50.0000	48
21 Benzo(a)pyrene	252		13.261	13.261	(0.994)	3794269	50.0000	51(A)
23 Indeno(1,2,3-cd)pyrene	276		14.995	14.995	(1.124)	4194422	50.0000	53(AM)
24 Dibenzo(a,h)anthracene	278		15.030	15.030	(1.126)	3730665	50.0000	51(AH)
25 Benzo(g,h,i)perylene	276		15.465	15.465	(1.159)	3809441	50.0000	50(AH)

QC Flag Legend

- A - Target compound detected but, quantitated amount exceeded maximum amount.
- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1DB22009.D


Date: 22-FEB-2013 14:28

Client ID:

Instrument: BSMSD.i

Sample Info: IC-1512374

Operator: SCC




Manual Integration Report

Data File: 1DB22009.D
Inj. Date and Time: 22-FEB-2013 14:28
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 02/22/2013


Processing Integration Results

RT: 15.00
Response: 4559640
Amount: 57
Conc: 57



Manual Integration Results

RT: 15.00
Response: 4194422
Amount: 53
Conc: 53



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 15:00
Manual Integration Reason: Split Peak

FORM VII
GC/MS SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab Sample ID: ICV 660-136048/12 Calibration Date: 04/02/2013 15:34
 Instrument ID: BSMC5973 Calib Start Date: 04/02/2013 13:26
 GC Column: DB-5MS ID: 250.00 (um) Calib End Date: 04/02/2013 15:15
 Lab File ID: 1CD02012.D Conc. Units: ug/Kg

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Naphthalene	Ave	1.027	0.9549	0.0000	18600	20000	-7.1	35.0
2-Methylnaphthalene	Ave	0.6994	0.5884	0.0000	16800	20000	-15.9	35.0
1-Methylnaphthalene	Ave	0.6293	0.5998	0.0000	19100	20000	-4.7	35.0
Acenaphthylene	Ave	1.656	1.493	0.0000	18000	20000	-9.8	35.0
Acenaphthene	Lin	1.025	0.8508	0.0000	16600	20000	-17.0	35.0
Fluorene	Ave	1.367	1.209	0.0000	17700	20000	-11.5	35.0
Phenanthrene	Ave	1.165	0.9563	0.0000	16400	20000	-17.9	35.0
Anthracene	Ave	1.181	0.9425	0.0000	16000	20000	-20.2	35.0
Carbazole	Ave	1.012	0.8775	0.0000	17300	20000	-13.3	35.0
Fluoranthene	Ave	1.287	1.100	0.0000	17100	20000	-14.5	35.0
Pyrene	Ave	1.108	0.8708	0.0000	15700	20000	-21.4	35.0
Benzo[a]anthracene	Lin	1.278	0.9658	0.0000	16800	20000	-16.0	35.0
Chrysene	Ave	1.140	0.8716	0.0000	15300	20000	-23.5	35.0
Benzo[b]fluoranthene	Ave	1.131	0.8920	0.0000	15800	20000	-21.1	35.0
Benzo[k]fluoranthene	Ave	1.094	0.8978	0.0000	16400	20000	-17.9	35.0
Benzo[a]pyrene	Ave	1.065	0.8060	0.0000	15100	20000	-24.3	35.0
Indeno[1,2,3-cd]pyrene	Ave	1.011	0.8744	0.0000	17300	20000	-13.5	35.0
Dibenz(a,h)anthracene	Ave	0.9341	0.8626	0.0000	18500	20000	-7.7	35.0
Benzo[g,h,i]perylene	Ave	1.032	0.8592	0.0000	16600	20000	-16.8	35.0
o-Terphenyl	Lin	0.6233	0.5049	0.0000	16200	20000	-19.0	35.0

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02012.D
 Lab Smp Id: ICV-1448440
 Inj Date : 02-APR-2013 15:34
 Operator : SCC
 Smp Info : ICV-1448440
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 15:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 12 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE
 Target Version: 4.14
 Inst ID: BSMC5973.i
 Compound Sublist: pah.sub

Concentration Formula: Amt * DF * 1/Vi * Vt/Vo * A * B * C * D * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Vo	1000.000	Sample Volume
A	1000.000	uL to mL conversion
B	1000.000	mL to L conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1= if no con
Cpnd Variable		Local Compound Variable

Compounds	QUANT SIG					CONCENTRATIONS	
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/l)
* 1 Naphthalene-d8	136	3.710	3.710	(1.000)	649122	40.0000	
* 6 Acenaphthene-d10	164	4.798	4.798	(1.000)	500935	40.0000	
* 10 Phenanthrene-d10	188	5.745	5.745	(1.000)	955391	40.0000	
\$ 14 o-Terphenyl	230	5.998	5.998	(1.044)	241169	16.1906	16.1906
* 18 Chrysene-d12	240	7.686	7.686	(1.000)	1249690	40.0000	
* 23 Perylene-d12	264	8.856	8.863	(1.000)	1306409	40.0000	
2 Naphthalene	128	3.727	3.728	(1.005)	309919	18.5886	18.5885
3 2-Methylnaphthalene	142	4.151	4.151	(1.119)	190970	16.8266	16.8266
4 1-Methylnaphthalene	142	4.216	4.216	(1.136)	194664	19.0620	19.0620
5 Acenaphthylene	152	4.710	4.710	(0.982)	373939	18.0364	18.0363
7 Acenaphthene	154	4.821	4.822	(1.005)	213089	16.5944	16.5943
9 Fluorene	166	5.139	5.139	(1.071)	302875	17.6930	17.6929
11 Phenanthrene	178	5.763	5.763	(1.003)	456841	16.4181	16.4181
12 Anthracene	178	5.798	5.798	(1.009)	450208	15.9610	15.9609
13 Carbazole	167	5.904	5.904	(1.028)	419186	17.3461	17.3460
15 Fluoranthene	202	6.598	6.598	(1.148)	525545	17.1022	17.1021
16 Pyrene	202	6.763	6.763	(0.880)	544110	15.7178	15.7178
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	603470	16.8016	16.8016

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/l)
-----	----	----	-----	-----	-----	-----	-----
19 Chrysene	228	7.704	7.710	(1.002)	544600	15.2932	15.2931
20 Benzo(b)fluoranthene	252	8.515	8.522	(0.961)	582649	15.7757	15.7757
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.964)	586474	16.4181	16.4181
22 Benzo(a)pyrene	252	8.804	8.810	(0.994)	526495	15.1414	15.1414
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.016	(1.130)	571166	17.2941	17.2940(M)
25 Dibenzo(a,h)anthracene	278	10.021	10.033	(1.131)	563427	18.4677	18.4676
26 Benzo(g,h,i)perylene	276	10.351	10.363	(1.169)	561199	16.6490	16.6490

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02012.D


Date: 02-APR-2013 15:34

Client ID:

Instrument: BSMC5973.i

Sample Info: ICV-1448440

Operator: SCC




Manual Integration Report

Data File: 1CD02012.D
Inj. Date and Time: 02-APR-2013 15:34
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/02/2013


Processing Integration Results

RT: 10.01
Response: 653584
Amount: 20
Conc: 20



Manual Integration Results

RT: 10.01
Response: 571166
Amount: 17
Conc: 17



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 15:57
Manual Integration Reason: Split Peak

FORM VII
GC/MS SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab Sample ID: CCVIS 660-136079/3 Calibration Date: 04/02/2013 16:40
 Instrument ID: BSMC5973 Calib Start Date: 04/02/2013 13:26
 GC Column: DB-5MS ID: 250.00 (um) Calib End Date: 04/02/2013 15:15
 Lab File ID: 1CD02015.D Conc. Units: ug/Kg

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Naphthalene	Ave	1.027	1.074	0.0000	20900	20000	4.5	20.0
2-Methylnaphthalene	Ave	0.6994	0.6951	0.0000	19900	20000	-0.6	20.0
1-Methylnaphthalene	Ave	0.6293	0.6346	0.0000	20200	20000	0.9	20.0
Acenaphthylene	Ave	1.656	1.679	0.0000	20300	20000	1.4	20.0
Acenaphthene	Lin	1.025	1.013	0.0000	19800	20000	-1.2	20.0
Fluorene	Ave	1.367	1.341	0.0000	19600	20000	-1.9	20.0
Phenanthrene	Ave	1.165	1.176	0.0000	20200	20000	1.0	20.0
Anthracene	Ave	1.181	1.208	0.0000	20500	20000	2.3	20.0
Carbazole	Ave	1.012	1.059	0.0000	20900	20000	4.7	20.0
Fluoranthene	Ave	1.287	1.296	0.0000	20100	20000	0.7	20.0
Pyrene	Ave	1.108	1.156	0.0000	20900	20000	4.4	20.0
Benzo[a]anthracene	Lin	1.278	1.098	0.0000	19100	20000	-4.6	20.0
Chrysene	Ave	1.140	1.171	0.0000	20500	20000	2.7	20.0
Benzo[b]fluoranthene	Ave	1.131	1.150	0.0000	20300	20000	1.7	20.0
Benzo[k]fluoranthene	Ave	1.094	1.092	0.0000	20000	20000	-0.2	20.0
Benzo[a]pyrene	Ave	1.065	1.031	0.0000	19400	20000	-3.2	20.0
Indeno[1,2,3-cd]pyrene	Ave	1.011	0.8889	0.0000	17600	20000	-12.1	20.0
Dibenz(a,h)anthracene	Ave	0.9341	0.9786	0.0000	21000	20000	4.8	20.0
Benzo[g,h,i]perylene	Ave	1.032	1.034	0.0000	20000	20000	0.2	20.0
o-Terphenyl	Lin	0.6233	0.6075	0.0000	19300	20000	-3.3	20.0

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02015.D
 Lab Smp Id: CCVIS
 Inj Date : 02-APR-2013 16:40
 Operator : SCC
 Smp Info : CCVIS
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 14 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT	SIG	AMOUNTS					ON-COL
			MASS	RT	EXP RT	REL RT	RESPONSE	
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	497056	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	363517	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	670971	40.0000	
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	203804	20.0000	19.3344
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	842326	40.0000	
* 23 Perylene-d12	264		8.862	8.862	(1.000)	926334	40.0000	
2 Naphthalene	128		3.721	3.721	(1.003)	266870	20.0000	20.9034
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	172748	20.0000	19.8776
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	157727	20.0000	20.1702
5 Acenaphthylene	152		4.710	4.710	(0.982)	305151	20.0000	20.2824
7 Acenaphthene	154		4.821	4.821	(1.005)	184057	20.0000	19.7518
9 Fluorene	166		5.139	5.139	(1.071)	243772	20.0000	19.6235
11 Phenanthrene	178		5.763	5.763	(1.003)	394579	20.0000	20.1915
12 Anthracene	178		5.798	5.798	(1.009)	405120	20.0000	20.4506
13 Carbazole	167		5.904	5.904	(1.028)	355357	20.0000	20.9380
15 Fluoranthene	202		6.598	6.598	(1.148)	434679	20.0000	20.1413
16 Pyrene	202		6.762	6.762	(0.880)	487068	20.0000	20.8745
17 Benzo(a)anthracene	228		7.680	7.680	(0.999)	462241	20.0000	19.0750
19 Chrysene	228		7.704	7.704	(1.002)	493245	20.0000	20.5496
20 Benzo(b)fluoranthene	252		8.521	8.521	(0.962)	532672	20.0000	20.3401
21 Benzo(k)fluoranthene	252		8.545	8.545	(0.964)	505787	20.0000	19.9688
22 Benzo(a)pyrene	252		8.809	8.809	(0.994)	477476	20.0000	19.3658
24 Indeno(1,2,3-cd)pyrene	276		10.015	10.015	(1.130)	411689	20.0000	17.5798(M)
25 Dibenzo(a,h)anthracene	278		10.027	10.027	(1.131)	453269	20.0000	20.9527
26 Benzo(g,h,i)perylene	276		10.356	10.356	(1.169)	478868	20.0000	20.0354

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02015.D


Date: 02-APR-2013 16:40

Client ID:

Instrument: BSMC5973.i

Sample Info: CCVIS

Operator: SCC




Manual Integration Report

Data File: 1CD02015.D
Inj. Date and Time: 02-APR-2013 16:40
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.02
Response: 545228
Amount: 23
Conc: 23



Manual Integration Results

RT: 10.02
Response: 411689
Amount: 18
Conc: 18



Manually Integrated By: cantins
Modification Date: 02-Apr-2013 16:55
Manual Integration Reason: Split Peak

FORM VII
GC/MS SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab Sample ID: CCVIS 660-136081/3 Calibration Date: 04/03/2013 11:45
 Instrument ID: BSMC5973 Calib Start Date: 04/02/2013 13:26
 GC Column: DB-5MS ID: 250.00 (um) Calib End Date: 04/02/2013 15:15
 Lab File ID: 1CD03003.D Conc. Units: ug/Kg

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Naphthalene	Ave	1.027	0.999	0.0000	19400	20000	-2.8	20.0
2-Methylnaphthalene	Ave	0.6994	0.6776	0.0000	19400	20000	-3.1	20.0
1-Methylnaphthalene	Ave	0.6293	0.6430	0.0000	20400	20000	2.2	20.0
Acenaphthylene	Ave	1.656	1.706	0.0000	20600	20000	3.1	20.0
Acenaphthene	Lin	1.025	0.9817	0.0000	19100	20000	-4.3	20.0
Fluorene	Ave	1.367	1.328	0.0000	19400	20000	-2.9	20.0
Phenanthrene	Ave	1.165	1.152	0.0000	19800	20000	-1.1	20.0
Anthracene	Ave	1.181	1.140	0.0000	19300	20000	-3.5	20.0
Carbazole	Ave	1.012	1.032	0.0000	20400	20000	2.0	20.0
Fluoranthene	Ave	1.287	1.311	0.0000	20400	20000	1.9	20.0
Pyrene	Ave	1.108	1.146	0.0000	20700	20000	3.5	20.0
Benzo[a]anthracene	Lin	1.278	1.115	0.0000	19400	20000	-3.1	20.0
Chrysene	Ave	1.140	1.082	0.0000	19000	20000	-5.1	20.0
Benzo[b]fluoranthene	Ave	1.131	1.174	0.0000	20800	20000	3.8	20.0
Benzo[k]fluoranthene	Ave	1.094	1.068	0.0000	19500	20000	-2.4	20.0
Benzo[a]pyrene	Ave	1.065	1.055	0.0000	19800	20000	-0.9	20.0
Indeno[1,2,3-cd]pyrene	Ave	1.011	0.9599	0.0000	19000	20000	-5.1	20.0
Dibenz(a,h)anthracene	Ave	0.9341	0.9411	0.0000	20200	20000	0.8	20.0
Benzo[g,h,i]perylene	Ave	1.032	0.995	0.0000	19300	20000	-3.6	20.0
o-Terphenyl	Lin	0.6233	0.6314	0.0000	20100	20000	0.3	20.0

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsrv\chem\SM\BSMC5973.i\1C040313.b\1CD03003.D
 Lab Smp Id: CCVIS-1531401
 Inj Date : 03-APR-2013 11:45
 Operator : SCC
 Smp Info : CCVIS-1531401
 Misc Info :
 Comment :
 Method : \\tam-chemsrv\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 3 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG		AMOUNTS				
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/ml)	ON-COL (ug/ml)
* 1 Naphthalene-d8	136	3.704	3.704	(1.000)	500765	40.0000	
* 6 Acenaphthene-d10	164	4.792	4.792	(1.000)	364027	40.0000	
* 10 Phenanthrene-d10	188	5.739	5.739	(1.000)	687020	40.0000	
\$ 14 o-Terphenyl	230	5.992	5.992	(1.044)	216882	20.0000	20.0659
* 18 Chrysene-d12	240	7.680	7.680	(1.000)	857573	40.0000	
* 23 Perylene-d12	264	8.851	8.851	(1.000)	866012	40.0000	
2 Naphthalene	128	3.722	3.722	(1.005)	250131	20.0000	19.4472
3 2-Methylnaphthalene	142	4.145	4.145	(1.119)	169659	20.0000	19.3776
4 1-Methylnaphthalene	142	4.210	4.210	(1.137)	161005	20.0000	20.4368
5 Acenaphthylene	152	4.704	4.704	(0.982)	310521	20.0000	20.6104
7 Acenaphthene	154	4.816	4.816	(1.005)	178686	20.0000	19.1486
9 Fluorene	166	5.133	5.133	(1.071)	241638	20.0000	19.4245
11 Phenanthrene	178	5.757	5.757	(1.003)	395730	20.0000	19.7773
12 Anthracene	178	5.792	5.792	(1.009)	391504	20.0000	19.3016
13 Carbazole	167	5.898	5.898	(1.028)	354598	20.0000	20.4052
15 Fluoranthene	202	6.592	6.592	(1.149)	450430	20.0000	20.3836
16 Pyrene	202	6.757	6.757	(0.880)	491523	20.0000	20.6909
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	478063	20.0000	19.3750
19 Chrysene	228	7.698	7.698	(1.002)	463959	20.0000	18.9858
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	508197	20.0000	20.7572
21 Benzo(k)fluoranthene	252	8.533	8.533	(0.964)	462286	20.0000	19.5227
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	456933	20.0000	19.8234
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	415659	20.0000	18.9857(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	407517	20.0000	20.1500
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	431010	20.0000	19.2892

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03003.D


Date: 03-APR-2013 11:45

Client ID:

Instrument: BSMC5973.i

Sample Info: CCVIS-1531401

Operator: SCC




Manual Integration Report

Data File: 1CD03003.D
Inj. Date and Time: 03-APR-2013 11:45
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 9.99
Response: 506304
Amount: 23
Conc: 23



Manual Integration Results

RT: 9.99
Response: 415659
Amount: 19
Conc: 19



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 11:59
Manual Integration Reason: Split Peak

FORM VII
GC/MS SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab Sample ID: ICV 660-134781/10 Calibration Date: 02/22/2013 14:51
 Instrument ID: BSMD5973 Calib Start Date: 02/22/2013 12:13
 GC Column: DB-5MS ID: 250.00 (um) Calib End Date: 02/22/2013 14:28
 Lab File ID: 1DB22010.D Conc. Units: ug/Kg

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Naphthalene	Ave	1.070	0.9509	0.0000	17800	20000	-11.1	35.0
2-Methylnaphthalene	Ave	0.6816	0.6138	0.0000	18000	20000	-9.9	35.0
1-Methylnaphthalene	Ave	0.6383	0.5884	0.0000	18400	20000	-7.8	35.0
Acenaphthylene	Ave	1.764	1.543	0.0000	17500	20000	-12.5	35.0
Acenaphthene	Ave	1.075	0.9046	0.0000	16800	20000	-15.9	35.0
Fluorene	Ave	1.256	1.107	0.0000	17600	20000	-11.9	35.0
Phenanthrene	Ave	1.135	0.9678	0.0000	17000	20000	-14.8	35.0
Anthracene	Ave	1.136	0.9920	0.0000	17500	20000	-12.7	35.0
Carbazole	Ave	1.016	0.8513	0.0000	16800	20000	-16.2	35.0
Fluoranthene	Ave	1.185	1.044	0.0000	17600	20000	-11.9	35.0
Pyrene	Ave	1.241	1.040	0.0000	16800	20000	-16.1	35.0
Benzo[a]anthracene	LinF	1.184	1.006	0.0000	18400	20000	-8.1	35.0
Chrysene	Ave	1.131	0.9327	0.0000	16500	20000	-17.5	35.0
Benzo[b]fluoranthene	Ave	1.030	0.9311	0.0000	18100	20000	-9.6	35.0
Benzo[k]fluoranthene	Ave	1.078	0.9609	0.0000	17800	20000	-10.9	35.0
Benzo[a]pyrene	Ave	1.019	0.8258	0.0000	16200	20000	-19.0	35.0
Indeno[1,2,3-cd]pyrene	Ave	1.087	0.9629	0.0000	17700	20000	-11.4	35.0
Dibenz(a,h)anthracene	Ave	1.004	0.9897	0.0000	19700	20000	-1.4	35.0
Benzo[g,h,i]perylene	Ave	1.037	0.9265	0.0000	17900	20000	-10.6	35.0
o-Terphenyl	Ave	0.6186	0.5223	0.0000	16900	20000	-15.6	35.0

TestAmerica Laboratories

Semivolatiles 8270/8310 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22010.D
 Lab Smp Id: ICV-1448440
 Inj Date : 22-FEB-2013 14:51
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : ICV-1448440
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\dFASTPAHi.m
 Meth Date : 22-Feb-2013 15:03 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 10 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula: Amt * DF * 1/Vi * Vt/Vo * A * B * C * D * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Vo	1000.000	Sample Volume
A	1000.000	uL to mL conversion
B	1000.000	mL to L conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1= if no con
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/l)	FINAL (ug/l)
* 1 Naphthalene-d8			136	6.186	6.188	(1.000)	3227519	40.0000	
* 6 Acenaphthene-d10			164	7.861	7.856	(1.000)	1973397	40.0000	
* 9 Phenanthrene-d10			188	9.118	9.114	(1.000)	3226971	40.0000	
\$ 13 o-Terphenyl			230	9.424	9.431	(1.034)	842705	16.8872	17
* 17 Chrysene-d12			240	11.463	11.464	(1.000)	3262056	40.0000	
* 22 Perylene-d12			264	13.343	13.344	(1.000)	3389756	40.0000	
2 Naphthalene			128	6.204	6.205	(1.003)	1534495	17.7730	18
3 2-Methylnaphthalene			142	6.903	6.910	(1.116)	990529	18.0102	18
4 1-Methylnaphthalene			142	6.997	6.999	(1.131)	949525	18.4366	18
5 Acenaphthylene			152	7.732	7.733	(0.984)	1522763	17.5026	18
7 Acenaphthene			154	7.884	7.886	(1.003)	892518	16.8249	17
8 Fluorene			166	8.325	8.326	(1.059)	1091870	17.6166	18
10 Phenanthrene			178	9.136	9.137	(1.002)	1561459	17.0459	17
11 Anthracene			178	9.177	9.184	(1.006)	1600546	17.4635	17
12 Carbazole			167	9.324	9.313	(1.023)	1373599	16.7651	17(M)
14 Fluoranthene			202	10.117	10.124	(1.110)	1683952	17.6156	18
15 Pyrene			202	10.305	10.312	(0.899)	1697011	16.7712	17

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/l)	FINAL (ug/l)
16 Benzo(a)anthracene	228	11.439	11.446	(0.998)	1641298	18.3780	18
18 Chrysene	228	11.486	11.499	(1.002)	1521333	16.5002	16
19 Benzo(b)fluoranthene	252	12.779	12.792	(0.958)	1578092	18.0867	18
20 Benzo(k)fluoranthene	252	12.820	12.839	(0.961)	1628670	17.8278	18
21 Benzo(a)pyrene	252	13.243	13.262	(0.993)	1399541	16.2092	16
23 Indeno(1,2,3-cd)pyrene	276	14.964	14.995	(1.122)	1631960	17.7111	18(H)
24 Dibenzo(a,h)anthracene	278	15.000	15.030	(1.124)	1677351	19.7111	20
25 Benzo(g,h,i)perylene	276	15.428	15.465	(1.156)	1570269	17.8738	18

QC Flag Legend

- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1DB22010.D


Date: 22-FEB-2013 14:51

Client ID:

Instrument: BSMSD.i

Sample Info: ICV-1448440

Operator: SCC




Manual Integration Report

Data File: 1DB22010.D
Inj. Date and Time: 22-FEB-2013 14:51
Instrument ID: BSMSD.i
Client ID:
Compound: 12 Carbazole
CAS #: 86-74-8
Report Date: 02/22/2013


Processing Integration Results

RT: 9.32
Response: 270307
Amount: 3
Conc: 3



Manual Integration Results

RT: 9.32
Response: 1373599
Amount: 17
Conc: 17



Manually Integrated By: cantins
Modification Date: 22-Feb-2013 15:27
Manual Integration Reason: Baseline Event

FORM VII
GC/MS SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Lab Sample ID: CCVIS 660-136118/3 Calibration Date: 04/03/2013 11:55
 Instrument ID: BSMD5973 Calib Start Date: 02/22/2013 12:13
 GC Column: DB-5MS ID: 250.00 (um) Calib End Date: 02/22/2013 14:28
 Lab File ID: 1DD03003.D Conc. Units: ug/Kg

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Naphthalene	Ave	1.070	1.027	0.0000	19200	20000	-4.0	20.0
2-Methylnaphthalene	Ave	0.6816	0.6473	0.0000	19000	20000	-5.0	20.0
1-Methylnaphthalene	Ave	0.6383	0.6136	0.0000	19200	20000	-3.9	20.0
Acenaphthylene	Ave	1.764	1.702	0.0000	19300	20000	-3.5	20.0
Acenaphthene	Ave	1.075	1.021	0.0000	19000	20000	-5.0	20.0
Fluorene	Ave	1.256	1.202	0.0000	19100	20000	-4.3	20.0
Phenanthrene	Ave	1.135	1.085	0.0000	19100	20000	-4.5	20.0
Anthracene	Ave	1.136	1.084	0.0000	19100	20000	-4.6	20.0
Carbazole	Ave	1.016	0.9645	0.0000	19000	20000	-5.0	20.0
Fluoranthene	Ave	1.185	1.103	0.0000	18600	20000	-6.9	20.0
Pyrene	Ave	1.241	1.244	0.0000	20100	20000	0.3	20.0
Benzo[a]anthracene	LinF	1.184	1.044	0.0000	19100	20000	-4.7	20.0
Chrysene	Ave	1.131	1.036	0.0000	18300	20000	-8.4	20.0
Benzo[b]fluoranthene	Ave	1.030	1.041	0.0000	20200	20000	1.1	20.0
Benzo[k]fluoranthene	Ave	1.078	1.008	0.0000	18700	20000	-6.5	20.0
Benzo[a]pyrene	Ave	1.019	0.998	0.0000	19600	20000	-2.0	20.0
Indeno[1,2,3-cd]pyrene	Ave	1.087	1.041	0.0000	19100	20000	-4.3	20.0
Dibenz(a,h)anthracene	Ave	1.004	0.9802	0.0000	19500	20000	-2.4	20.0
Benzo[g,h,i]perylene	Ave	1.037	1.003	0.0000	19400	20000	-3.2	20.0
o-Terphenyl	Ave	0.6186	0.5880	0.0000	19000	20000	-4.9	20.0

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03003.D
 Lab Smp Id: CCVIS-1512372
 Inj Date : 03-APR-2013 11:55
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : CCVIS-1512372
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 3 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Compounds	QUANT SIG					AMOUNTS	
	MASS	RT	EXP RT	REL RT	RESPONSE	CAL-AMT (ug/l)	ON-COL (ug/l)
* 1 Naphthalene-d8	136	6.083	6.083	(1.000)	1684268	40.0000	(H)
* 6 Acenaphthene-d10	164	7.764	7.764	(1.000)	988686	40.0000	(H)
* 9 Phenanthrene-d10	188	9.027	9.027	(1.000)	1568221	40.0000	(H)
\$ 13 o-Terphenyl	230	9.338	9.338	(1.034)	461038	20.0000	19(H)
* 17 Chrysene-d12	240	11.348	11.348	(1.000)	1495388	40.0000	(H)
* 22 Perylene-d12	264	13.187	13.187	(1.000)	1508189	40.0000	(H)
2 Naphthalene	128	6.107	6.107	(1.004)	864940	20.0000	19(H)
3 2-Methylnaphthalene	142	6.812	6.812	(1.120)	545137	20.0000	19(H)
4 1-Methylnaphthalene	142	6.906	6.906	(1.135)	516748	20.0000	19(H)
5 Acenaphthylene	152	7.640	7.640	(0.984)	841206	20.0000	19(H)
7 Acenaphthene	154	7.793	7.793	(1.004)	504705	20.0000	19(H)
8 Fluorene	166	8.234	8.234	(1.061)	594443	20.0000	19(H)
10 Phenanthrene	178	9.045	9.045	(1.002)	850582	20.0000	19(H)
11 Anthracene	178	9.086	9.086	(1.007)	850148	20.0000	19(H)
12 Carbazole	167	9.227	9.227	(1.022)	756293	20.0000	19(H)
14 Fluoranthene	202	10.032	10.032	(1.111)	865067	20.0000	19(H)
15 Pyrene	202	10.220	10.220	(0.901)	930442	20.0000	20(H)
16 Benzo(a)anthracene	228	11.330	11.330	(0.998)	780639	20.0000	19(H)
18 Chrysene	228	11.371	11.371	(1.002)	774255	20.0000	18(H)
19 Benzo(b)fluoranthene	252	12.646	12.646	(0.959)	784975	20.0000	20(H)
20 Benzo(k)fluoranthene	252	12.682	12.682	(0.962)	760083	20.0000	19(H)
21 Benzo(a)pyrene	252	13.099	13.099	(0.993)	752763	20.0000	20(H)
23 Indeno(1,2,3-cd)pyrene	276	14.791	14.791	(1.122)	784931	20.0000	19(MH)
24 Dibenzo(a,h)anthracene	278	14.820	14.820	(1.124)	739130	20.0000	20(H)
25 Benzo(g,h,i)perylene	276	15.232	15.232	(1.155)	756577	20.0000	19(H)

QC Flag Legend

- M - Compound response manually integrated.
- H - Operator selected an alternate compound hit.

Data File: 1DD03003.D


Date: 03-APR-2013 11:55

Client ID:

Instrument: BSMSD.i

Sample Info: CCVIS-1512372

Operator: SCC




Manual Integration Report

Data File: 1DD03003.D
Inj. Date and Time: 03-APR-2013 11:55
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 14.98
Response: 245
Amount: 0
Conc: 0



Manual Integration Results

RT: 14.79
Response: 784931
Amount: 19
Conc: 19



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 12:17
Manual Integration Reason: Split Peak

TestAmerica Laboratories

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02002.D
 Lab Smp Id: DFTPP Client Smp ID: DFTPP
 Inj Date : 02-APR-2013 11:31
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : DFTPP-1525850
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\c-dftpp198.m
 Meth Date : 04-Feb-2013 16:33 cantins Quant Type: ESTD
 Cal Date : Cal File:
 Als bottle: 2 QC Sample: DFTPP
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: all.sub
 Target Version: 4.14 Sample Matrix: None
 Processing Host: TAM1000

CONCENTRATIONS

RT	EXP RT	DLT RT	MASS	RESPONSE (ug/L)	ON-COL	FINAL	TARGET RANGE	RATIO
=====	=====	=====	=====	=====	=====	=====	=====	=====
1 dftpp			CAS #: 5074-71-5					
7.310	7.469	-0.159	198	70432			50.00- 0.00	100.00
7.310	7.469	-0.159	51	24576			10.00- 80.00	34.89
7.310	7.469	-0.159	68	571			0.00- 2.00	1.62
7.310	7.469	-0.159	69	35176			0.00- 0.00	49.94
7.310	7.469	-0.159	70	308			0.00- 2.00	0.88
7.310	7.469	-0.159	127	29688			10.00- 80.00	42.15
7.310	7.469	-0.159	197	310			0.00- 2.00	0.44
7.310	7.469	-0.159	442	39944			50.00- 0.00	56.71
7.310	7.469	-0.159	199	5383			5.00- 9.00	7.64
7.310	7.469	-0.159	275	15117			10.00- 60.00	21.46
7.310	7.469	-0.159	365	2390			1.00- 0.00	3.39
7.310	7.469	-0.159	441	7169			0.01- 99.99	92.67
7.310	7.469	-0.159	443	7736			15.00- 24.00	19.37

Data File: 1CD02002.D


Date: 02-APR-2013 11:31

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC



Data File: 1CD02002.D

Date: 02-APR-2013 11:31


Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

1 dftpp



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
198	Base Peak, 100% relative abundance	100.00
51	10.00 - 80.00% of mass 198	34.89
68	Less than 2.00% of mass 69	0.81 (1.62)
69	Mass 69 relative abundance	49.94
70	Less than 2.00% of mass 69	0.44 (0.88)
127	10.00 - 80.00% of mass 198	42.15
197	Less than 2.00% of mass 198	0.44
442	Greater than 50.00% of mass 198	56.71
199	5.00 - 9.00% of mass 198	7.64
275	10.00 - 60.00% of mass 198	21.46
365	Greater than 1.00% of mass 198	3.39
441	Present, but less than mass 443	10.18
443	15.00 - 24.00% of mass 442	10.98 (19.37)

Data File: 1CD02002.D

Date: 02-APR-2013 11:31

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

Data File: \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213_PAHIC.b\1CD02002.D

Spectrum: HP ChemStation MS 1CD02002.D, Scan 208: 7.304 min.

Location of Maximum: 198.00

Number of points: 229

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.20	191	113.10	351	185.10	1649	258.00	2060
39.00	2089	115.80	410	186.00	11880	259.00	166
40.10	156	116.20	563	187.00	2755	265.00	700
41.20	672	117.00	8338	188.30	505	273.00	1556
44.00	691	118.00	714	188.80	850	274.00	2191
46.90	264	120.20	251	190.90	451	275.00	15117
48.00	207	122.00	433	192.00	717	276.10	2178
49.10	1329	122.90	1302	192.90	774	276.90	747
50.10	6281	123.80	1270	193.90	161	278.10	714
51.10	24576	125.10	560	195.90	2063	283.20	367
52.10	1487	127.10	29688	196.70	310	285.10	604
55.00	486	128.00	1837	197.10	545	293.00	386
56.10	964	129.10	13517	198.00	70432	296.00	5053
57.00	1965	130.00	1041	199.00	5383	297.00	1014
60.80	304	131.20	273	200.10	567	302.80	285
62.30	156	134.00	480	200.60	270	310.10	151
63.00	1637	134.90	620	201.50	554	313.70	217
65.00	481	136.20	200	203.00	654	315.00	561
68.10	571	137.00	811	204.10	2706	316.00	397
69.00	35176	140.90	765	205.10	5687	321.20	252
69.90	308	142.10	410	206.10	17552	322.00	188
73.00	304	142.70	282	207.10	3108	322.80	1174
74.10	2331	144.30	362	208.00	798	324.00	267
75.00	3676	145.00	189	208.90	282	327.10	153
76.00	1155	145.90	247	210.00	219	328.20	395
77.10	34856	147.10	1448	210.90	584	332.70	292
78.10	2489	148.00	1427	211.50	320	333.90	1034
79.10	1952	149.00	1344	213.00	214	334.60	151
80.10	1105	150.00	235	215.70	551	340.80	534
81.10	2019	151.00	357	217.00	4128	346.10	272
82.00	853	153.00	443	217.90	509	352.10	376
83.00	779	153.90	266	218.80	152	354.20	383
83.80	657	155.00	984	219.60	431	354.90	200
84.90	486	156.00	1110	221.00	5183	359.50	267
86.10	1181	157.80	502	223.10	1793	363.80	168
86.90	260	159.30	205	224.00	8192	365.00	2390
88.00	245	159.90	477	225.20	1759	365.90	597
89.10	155	161.10	679	226.10	240	370.80	193
91.10	583	162.00	441	227.00	3893	372.00	411
92.10	667	165.10	934	227.90	218	401.00	218

93.00	5005	166.00	385	228.70	623	402.10	194
95.00	495	167.00	3405	229.10	783	402.90	407
96.90	195	168.00	2215	230.00	287	403.80	197
98.00	3343	169.20	374	231.10	622	420.70	267
99.00	2408	170.30	186	234.00	423	421.10	211
100.00	162	172.10	634	234.90	390	422.00	318
101.00	782	173.10	602	236.90	598	423.00	1535
102.10	189	173.70	532	239.10	486	424.00	439
103.10	884	175.10	1337	240.10	221	430.30	186
104.00	939	176.00	727	242.00	1442	441.00	7169
105.00	1194	176.60	217	244.10	5072	442.00	39944
106.00	180	177.10	501	245.20	829	443.00	7736
107.00	9612	178.10	387	246.00	1322	444.00	786
108.00	1350	179.00	2811	253.10	269	446.00	182
109.00	183	180.10	2065	254.10	289	503.00	171
110.00	17856	181.00	967	255.00	31424		
111.00	2511	181.80	164	256.00	4972		
112.10	622	183.90	209	256.90	650		

TestAmerica Laboratories

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\1CD02014.D
 Lab Smp Id: DFTPP Client Smp ID: DFTPP
 Inj Date : 02-APR-2013 16:23
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : DFTPP-1525850
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213.b\c-dftpp198.m
 Meth Date : 04-Feb-2013 16:33 cantins Quant Type: ESTD
 Cal Date : Cal File:
 Als bottle: 13 QC Sample: DFTPP
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: all.sub
 Target Version: 4.14 Sample Matrix: None
 Processing Host: TAM1000

CONCENTRATIONS									
ON-COL FINAL									
RT	EXP RT	DLT RT	MASS	RESPONSE	(ug/L)	(ug/L)	TARGET	RANGE	RATIO
====	=====	=====	====	=====	=====	=====	=====	=====	=====
1 dftpp					CAS #: 5074-71-5				
7.310	7.469	-0.159	198	73584			50.00-	0.00	100.00
7.310	7.469	-0.159	51	23816			10.00-	80.00	32.37
7.310	7.469	-0.159	68	194			0.00-	2.00	0.55
7.310	7.469	-0.159	69	35080			0.00-	0.00	47.67
7.310	7.469	-0.159	70	232			0.00-	2.00	0.66
7.310	7.469	-0.159	127	36256			10.00-	80.00	49.27
7.310	7.469	-0.159	197	676			0.00-	2.00	0.92
7.310	7.469	-0.159	442	63944			50.00-	0.00	86.90
7.310	7.469	-0.159	199	4868			5.00-	9.00	6.62
7.310	7.469	-0.159	275	17632			10.00-	60.00	23.96
7.310	7.469	-0.159	365	2684			1.00-	0.00	3.65
7.310	7.469	-0.159	441	7480			0.01-	99.99	53.25
7.310	7.469	-0.159	443	14047			15.00-	24.00	21.97

Data File: 1CD02014.D


Date: 02-APR-2013 16:23

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC



Data File: 1CD02014.D

Date: 02-APR-2013 16:23


Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

1 dftpp



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
198	Base Peak, 100% relative abundance	100.00
51	10.00 - 80.00% of mass 198	32.37
68	Less than 2.00% of mass 69	0.26 (0.55)
69	Mass 69 relative abundance	47.67
70	Less than 2.00% of mass 69	0.32 (0.66)
127	10.00 - 80.00% of mass 198	49.27
197	Less than 2.00% of mass 198	0.92
442	Greater than 50.00% of mass 198	86.90
199	5.00 - 9.00% of mass 198	6.62
275	10.00 - 60.00% of mass 198	23.96
365	Greater than 1.00% of mass 198	3.65
441	Present, but less than mass 442	10.17
443	15.00 - 24.00% of mass 442	19.09 (21.97)

Data File: 1CD02014.D

Date: 02-APR-2013 16:23

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

Data File: \\tam-chemsrv\chem\SM\BSMC5973.i\1C040213B.b\1CD02014.D

Spectrum: HP ChemStation MS 1CD02014.D, Scan 209: 7.310 min.

Location of Maximum: 198.00

Number of points: 245

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	418	114.80	280	187.80	452	272.40	216
37.20	209	117.00	7921	189.00	683	273.00	1060
38.10	232	118.00	624	189.80	153	274.00	2749
39.00	1379	122.10	1319	191.00	201	275.00	17632
40.10	451	122.60	260	192.00	942	275.80	1543
41.10	248	123.10	237	193.10	1178	276.10	1470
42.10	186	124.10	439	193.90	432	277.20	1565
44.10	996	125.00	1125	196.00	2341	278.00	749
47.00	389	126.00	515	197.10	676	282.10	227
48.20	236	127.00	36256	198.00	73584	285.10	155
49.00	1671	128.00	2639	199.00	4868	293.20	275
50.10	6122	129.00	13905	199.90	363	296.00	4818
51.10	23816	130.00	1082	202.00	380	296.90	771
52.10	1372	131.20	548	203.10	500	300.60	162
55.20	424	133.90	259	204.10	4128	302.10	280
56.10	1076	134.30	180	205.00	4848	302.80	762
57.00	1269	135.00	1251	206.10	19608	308.20	203
61.00	505	136.10	493	207.00	2565	310.60	152
61.90	433	136.90	450	208.20	879	313.90	457
63.10	900	140.90	1507	211.10	821	315.00	709
65.10	453	142.00	472	212.00	181	315.90	991
67.00	290	142.90	489	214.10	152	316.70	260
68.00	194	144.10	300	214.80	299	321.20	364
69.00	35080	145.90	252	216.00	456	323.10	1302
70.00	232	147.00	811	216.90	4773	324.10	200
72.70	195	147.90	1618	218.00	720	325.90	190
73.00	247	149.00	619	221.10	3644	327.00	300
74.10	3607	150.50	330	222.00	908	332.90	322
75.00	3736	152.00	180	222.90	1270	334.10	1105
76.10	1179	153.00	608	224.10	12732	335.00	335
77.10	31536	154.10	343	225.00	3149	341.30	251
78.10	4512	155.00	424	225.90	249	342.10	183
79.00	2894	156.10	1318	227.00	5001	345.80	393
80.00	1507	157.10	374	228.00	518	351.90	355
81.00	2096	157.80	757	229.00	1044	353.10	299
82.00	371	159.00	351	230.10	172	354.00	426
83.00	705	159.90	262	231.10	181	365.00	2684
83.80	879	160.90	1143	234.00	172	366.00	281
84.90	459	161.90	345	235.00	526	372.00	645
86.00	1079	165.00	683	236.00	376	373.00	433

86.90	571	165.80	222	237.10	643	374.00	216
88.20	327	166.20	292	237.90	184	382.50	222
91.00	826	167.10	3455	239.10	374	384.00	367
92.00	703	168.00	1506	240.90	321	388.90	177
93.10	5941	169.10	592	242.00	973	391.10	423
94.20	347	170.00	391	242.90	1041	400.60	241
96.00	468	171.10	163	244.10	9004	401.90	710
98.10	3544	172.00	647	244.90	1010	403.00	546
99.00	1620	173.00	191	245.90	1419	404.00	173
100.00	262	174.10	620	246.90	375	421.10	667
100.70	626	175.00	1630	248.80	313	421.90	609
101.10	788	175.80	684	254.10	445	423.00	3224
102.00	226	176.20	796	255.00	39480	424.10	447
102.90	663	176.80	511	256.00	5597	425.10	887
104.00	757	177.10	349	257.10	604	441.00	7480
105.10	1033	179.00	2593	258.00	2943	442.00	63944
107.10	10587	179.90	1715	260.70	281	443.10	14047
108.00	1260	181.00	983	263.70	225	443.90	1249
109.00	393	183.70	311	264.90	627	484.90	150
110.00	18704	185.10	1003	266.10	236		
111.00	2615	186.10	10352	270.10	174		
112.00	450	187.10	2621	271.20	569		

TestAmerica Laboratories

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03002.D
 Lab Smp Id: DFTPP Client Smp ID: DFTPP
 Inj Date : 03-APR-2013 11:28
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : DFTPP-1525850
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\c-dftpp198.m
 Meth Date : 04-Feb-2013 16:33 cantins Quant Type: ESTD
 Cal Date : Cal File:
 Als bottle: 2 QC Sample: DFTPP
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: all.sub
 Target Version: 4.14 Sample Matrix: None
 Processing Host: TAM1000

CONCENTRATIONS									
ON-COL FINAL									
RT	EXP RT	DLT RT	MASS	RESPONSE (ug/L)	(ug/L)	TARGET RANGE	RATIO		
====	=====	=====	====	=====	=====	=====	=====		
1 dftpp					CAS #: 5074-71-5				
7.304	7.469	-0.165	198	75560		50.00- 0.00	100.00		
7.304	7.469	-0.165	51	32256		10.00- 80.00	42.69		
7.304	7.469	-0.165	68	431		0.00- 2.00	1.15		
7.304	7.469	-0.165	69	37536		0.00- 0.00	49.68		
7.304	7.469	-0.165	70	0	0.0	0.0	0.00- 2.00	0.00	
7.304	7.469	-0.165	127	36336		10.00- 80.00	48.09		
7.304	7.469	-0.165	197	0	0.0	0.0	0.00- 2.00	0.00	
7.304	7.469	-0.165	442	46072		50.00- 0.00	60.97		
7.304	7.469	-0.165	199	4654		5.00- 9.00	6.16		
7.304	7.469	-0.165	275	14882		10.00- 60.00	19.70		
7.304	7.469	-0.165	365	1786		1.00- 0.00	2.36		
7.304	7.469	-0.165	441	5248		0.01- 99.99	68.32		
7.304	7.469	-0.165	443	7681		15.00- 24.00	16.67		

Data File: 1CD03002.D


Date: 03-APR-2013 11:28

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC



Data File: 1CD03002.D

Date: 03-APR-2013 11:28


Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

1 dftpp



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
198	Base Peak, 100% relative abundance	100.00
51	10.00 - 80.00% of mass 198	42.69
68	Less than 2.00% of mass 69	0.57 (1.15)
69	Mass 69 relative abundance	49.68
70	Less than 2.00% of mass 69	0.00 (0.00)
127	10.00 - 80.00% of mass 198	48.09
197	Less than 2.00% of mass 198	0.00
442	Greater than 50.00% of mass 198	60.97
199	5.00 - 9.00% of mass 198	6.16
275	10.00 - 60.00% of mass 198	19.70
365	Greater than 1.00% of mass 198	2.36
441	Present, but less than mass 443	6.95
443	15.00 - 24.00% of mass 442	10.17 (16.67)

Data File: 1CD03002.D

Date: 03-APR-2013 11:28

Client ID: DFTPP

Instrument: BSMC5973.i

Sample Info: DFTPP-1525850

Operator: SCC

Data File: \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03002.D

Spectrum: HP ChemStation MS 1CD03002.D, Scan 207: 7.298 min.

Location of Maximum: 198.00

Number of points: 240

m/z	Y	m/z	Y	m/z	Y	m/z	Y
37.30	192	117.10	10764	188.00	493	266.00	218
38.00	283	118.00	527	188.90	513	266.70	201
39.10	2239	120.10	245	191.10	499	267.90	235
40.10	585	122.00	935	192.00	1043	271.10	199
40.90	297	123.10	1247	192.90	1024	272.10	327
44.10	330	123.90	604	194.10	332	273.10	1066
49.00	1129	126.00	335	195.20	727	274.00	2324
50.10	8491	127.10	36336	196.10	3641	275.00	14882
51.10	32256	128.10	3781	198.00	75560	276.00	1830
52.10	1581	129.00	15116	199.00	4654	277.00	1659
53.20	336	130.00	1263	199.90	276	277.70	402
54.10	256	131.20	159	200.60	335	281.00	220
55.30	348	132.00	334	201.20	451	282.80	180
56.20	1156	134.10	331	202.00	580	289.00	293
57.10	2512	135.10	1813	203.20	332	292.70	189
60.90	464	135.90	409	204.10	3436	293.20	284
62.10	453	137.00	852	205.00	4509	296.00	4228
63.00	1830	137.70	212	206.10	19472	297.00	626
64.20	214	140.10	437	207.10	2922	300.80	203
65.00	826	141.00	1569	207.90	382	303.00	545
66.80	196	142.10	863	209.10	415	303.80	201
68.00	431	143.00	262	210.20	312	308.00	262
69.10	37536	144.00	331	211.00	973	313.00	225
73.10	264	145.00	171	214.90	410	314.10	209
74.10	2431	146.00	305	216.00	506	314.90	815
75.10	6014	147.10	1301	217.00	4568	316.30	293
76.10	1227	148.10	2447	218.00	865	321.00	250
77.10	39480	149.00	456	220.20	718	322.20	285
78.00	3407	151.10	166	221.00	4124	323.00	1264
79.10	2246	152.10	368	221.70	1716	324.00	356
80.00	1895	153.00	900	223.10	1261	331.80	174
81.00	2668	154.10	515	224.00	11463	334.00	1232
82.10	879	155.10	863	225.10	2700	334.90	167
83.10	764	156.10	1663	226.00	418	340.90	178
84.00	475	157.00	538	227.00	5402	345.50	200
85.00	238	158.10	315	227.90	949	345.70	201
86.00	1545	159.10	361	229.00	1026	352.00	846
86.80	591	160.10	1033	231.00	287	352.90	228
88.00	244	161.10	710	234.20	305	354.00	283
90.00	555	164.00	222	235.10	301	359.10	153

90.90	1058	165.10	1243	236.10	289	364.90	1786
92.00	991	166.10	702	237.00	410	371.30	185
93.00	3605	167.00	4706	241.10	620	371.90	659
94.10	821	168.10	2729	242.20	454	373.00	302
96.10	182	169.20	408	242.90	481	382.70	163
97.10	261	170.70	259	244.00	6719	400.90	212
98.00	2850	171.80	303	245.00	898	402.00	306
99.10	3237	173.10	799	246.10	1119	403.00	361
100.10	191	174.10	994	247.10	479	420.80	515
101.10	1802	175.10	1080	247.60	278	422.10	230
103.10	791	176.10	603	248.80	422	422.90	2199
104.10	795	177.00	595	250.70	208	424.10	620
105.10	697	177.60	617	252.60	245	441.00	5248
105.70	251	179.10	2842	253.60	315	442.00	46072
107.00	12235	180.10	1998	255.00	44296	443.00	7681
108.10	1536	180.90	1327	256.10	5661	444.00	1055
109.10	670	183.40	224	256.80	459	475.00	248
110.10	17424	184.10	220	258.00	3829		
111.00	3940	185.00	1287	259.10	709		
112.20	440	186.10	9570	260.90	205		
116.20	866	187.10	2436	265.00	1167		

TestAmerica Laboratories

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\1DB22002.D
 Lab Smp Id: DFTPP Client Smp ID: DFTPP
 Inj Date : 22-FEB-2013 11:57
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : DFTPP-1490607
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D022213.b\d-dftpp198.m
 Meth Date : 10-Feb-2013 14:41 cantins Quant Type: ESTD
 Cal Date : Cal File:
 Als bottle: 2 QC Sample: DFTPP
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: all.sub
 Target Version: 4.14 Sample Matrix: None
 Processing Host: TAM1000

CONCENTRATIONS									
ON-COL FINAL									
RT	EXP RT	DLT RT	MASS	RESPONSE	(ug/L)	(ug/L)	TARGET	RANGE	RATIO
====	=====	=====	====	=====	=====	=====	=====	=====	=====
1 dftpp					CAS #: 5074-71-5				
8.477	8.532	-0.055	198	100672			50.00-	0.00	100.00
8.477	8.532	-0.055	51	47200			10.00-	80.00	46.88
8.477	8.532	-0.055	68	0	0.0	0.0	0.00-	2.00	0.00
8.477	8.532	-0.055	69	46864			0.00-	0.00	46.55
8.477	8.532	-0.055	70	0	0.0	0.0	0.00-	2.00	0.00
8.477	8.532	-0.055	127	51248			10.00-	80.00	50.91
8.477	8.532	-0.055	197	0	0.0	0.0	0.00-	2.00	0.00
8.477	8.532	-0.055	442	64976			50.00-	0.00	64.54
8.477	8.532	-0.055	199	7983			5.00-	9.00	7.93
8.477	8.532	-0.055	275	25312			10.00-	60.00	25.14
8.477	8.532	-0.055	365	2913			1.00-	0.00	2.89
8.477	8.532	-0.055	441	10444			0.01-	99.99	78.40
8.477	8.532	-0.055	443	13322			15.00-	24.00	20.50

Data File: 1DB22002.D


Date: 22-FEB-2013 11:57

Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1490607

Operator: SCC



Data File: 1DB22002.D

Date: 22-FEB-2013 11:57


Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1490607

Operator: SCC

1 dftpp



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
198	Base Peak, 100% relative abundance	100.00
51	10.00 - 80.00% of mass 198	46.88
68	Less than 2.00% of mass 69	0.00 (0.00)
69	Mass 69 relative abundance	46.55
70	Less than 2.00% of mass 69	0.00 (0.00)
127	10.00 - 80.00% of mass 198	50.91
197	Less than 2.00% of mass 198	0.00
442	Greater than 50.00% of mass 198	64.54
199	5.00 - 9.00% of mass 198	7.93
275	10.00 - 60.00% of mass 198	25.14
365	Greater than 1.00% of mass 198	2.89
441	Present, but less than mass 443	10.37
443	15.00 - 24.00% of mass 442	13.23 (20.50)

Data File: 1DB22002.D

Date: 22-FEB-2013 11:57

Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1490607

Operator: SCC

Data File: \\tam-chemsvr\chem\SM\BSMSD.i\1D022213_pahIC.b\1DB22002.D

Spectrum: HP ChemStation MS 1DB22002.D, Scan 335: 8.478 min.

Location of Maximum: 197.90

Number of points: 241

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.30	197	115.20	371	178.90	3443	257.00	823
37.00	283	116.10	1643	179.90	2267	257.90	2744
38.10	840	116.90	10345	180.90	1276	259.10	649
39.00	4029	117.90	808	182.10	256	260.60	181
40.10	307	118.90	290	184.90	1563	263.80	188
41.10	246	119.90	325	185.10	1576	264.90	958
43.00	222	120.80	293	186.00	13856	266.30	296
44.00	324	121.90	933	187.00	4060	273.10	1415
45.00	187	123.10	1272	188.00	700	274.00	4623
48.90	792	123.90	596	188.90	880	274.90	25312
50.00	13120	124.90	657	190.00	174	276.00	3568
51.00	47200	127.00	51248	191.10	471	276.90	1899
52.00	2399	128.10	4539	191.80	1499	277.90	482
53.20	206	129.00	21144	193.10	1492	283.10	239
55.10	588	129.90	1625	193.80	298	284.00	158
56.00	1454	130.90	232	194.10	273	285.10	390
57.00	3139	132.00	372	196.00	4461	285.90	196
58.00	280	133.10	193	197.90	100672	292.90	454
61.00	695	134.00	786	198.90	7983	295.90	5925
62.00	830	134.90	1968	199.80	431	296.90	1054
63.00	1811	136.00	819	201.40	803	302.00	199
64.10	190	137.00	946	202.90	742	303.00	877
65.00	1083	139.80	261	204.00	3564	304.10	237
66.80	165	140.90	3120	204.90	6035	314.00	370
69.00	46864	141.90	907	206.00	25272	314.90	811
73.00	834	143.00	599	207.00	3977	316.10	563
74.00	5603	144.10	205	207.80	855	323.00	2019
75.00	7619	146.20	403	209.00	292	324.00	399
77.00	52952	147.10	1400	209.90	465	326.80	356
78.10	3264	147.90	3115	211.10	1207	327.90	285
79.00	3723	149.00	769	211.80	371	333.00	245
80.00	2540	150.00	204	215.00	516	334.00	1434
81.00	3932	151.20	331	216.90	6871	334.90	449
82.00	1066	151.90	245	217.80	933	340.80	236
83.00	1122	152.20	196	221.00	5742	345.80	434
84.00	448	153.10	780	222.90	1718	346.90	155
85.00	839	154.10	760	223.90	12894	352.00	582
85.90	920	154.90	1455	225.00	2847	352.90	693
86.10	903	156.00	2222	225.80	583	354.10	794
86.90	664	156.80	423	226.90	5900	355.00	242

90.90	879	157.30	413	227.90	895	364.90	2913
92.20	1301	158.00	406	229.00	1499	365.90	407
92.90	5556	158.90	453	230.90	530	370.90	239
93.90	654	159.90	786	231.90	178	371.90	1022
95.00	306	160.80	1173	233.00	190	373.00	407
96.00	333	161.90	523	234.00	288	382.90	223
96.80	249	163.80	175	234.80	220	401.00	178
97.90	4532	164.90	1380	235.80	168	401.90	599
99.00	3290	166.10	1007	236.80	623	403.00	796
99.90	302	167.00	4901	239.10	325	403.80	179
100.10	306	167.90	2117	240.00	221	404.00	178
101.00	1934	169.00	519	241.00	419	421.00	483
103.10	838	169.90	270	242.00	691	422.00	527
103.90	1680	170.30	232	244.00	9770	422.90	4204
104.90	1266	170.90	273	245.00	1289	441.00	10444
107.00	14642	171.80	412	245.90	2407	442.00	64976
107.90	2420	172.90	636	246.90	412	443.00	13322
110.00	30136	173.90	999	249.10	305	443.90	1486
111.00	4275	175.00	1902	253.20	215		
112.00	423	176.70	1047	254.90	51056		
112.90	308	177.90	412	255.90	7928		

TestAmerica Laboratories

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03002.D
 Lab Smp Id: DFTPP Client Smp ID: DFTPP
 Inj Date : 03-APR-2013 11:38
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : DFTPP-1525850
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\d-dftpp198.m
 Meth Date : 10-Feb-2013 14:41 cantins Quant Type: ESTD
 Cal Date : Cal File:
 Als bottle: 2 QC Sample: DFTPP
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: all.sub
 Target Version: 4.14 Sample Matrix: None
 Processing Host: TAM1000

CONCENTRATIONS									
ON-COL FINAL									
RT	EXP RT	DLT RT	MASS	RESPONSE	(ug/L)	(ug/L)	TARGET	RANGE	RATIO
====	=====	=====	====	=====	=====	=====	=====	=====	=====
1 dftpp					CAS #: 5074-71-5				
8.386	8.532	-0.146	198	64800			50.00-	0.00	100.00
8.386	8.532	-0.146	51	27760			10.00-	80.00	42.84
8.386	8.532	-0.146	68	0	0.0	0.0	0.00-	2.00	0.00
8.386	8.532	-0.146	69	27696			0.00-	0.00	42.74
8.386	8.532	-0.146	70	219			0.00-	2.00	0.79
8.386	8.532	-0.146	127	32764			10.00-	80.00	50.56
8.386	8.532	-0.146	197	0	0.0	0.0	0.00-	2.00	0.00
8.386	8.532	-0.146	442	53524			50.00-	0.00	82.60
8.386	8.532	-0.146	199	4483			5.00-	9.00	6.92
8.386	8.532	-0.146	275	18852			10.00-	60.00	29.09
8.386	8.532	-0.146	365	2315			1.00-	0.00	3.57
8.386	8.532	-0.146	441	5459			0.01-	99.99	48.77
8.386	8.532	-0.146	443	11194			15.00-	24.00	20.91

Data File: 1DD03002.D


Date: 03-APR-2013 11:38

Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1525850

Operator: SCC



Data File: 1DD03002.D

Date: 03-APR-2013 11:38


Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1525850

Operator: SCC

1 dftpp



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
198	Base Peak, 100% relative abundance	100.00
51	10.00 - 80.00% of mass 198	42.84
68	Less than 2.00% of mass 69	0.00 (0.00)
69	Mass 69 relative abundance	42.74
70	Less than 2.00% of mass 69	0.34 (0.79)
127	10.00 - 80.00% of mass 198	50.56
197	Less than 2.00% of mass 198	0.00
442	Greater than 50.00% of mass 198	82.60
199	5.00 - 9.00% of mass 198	6.92
275	10.00 - 60.00% of mass 198	29.09
365	Greater than 1.00% of mass 198	3.57
441	Present, but less than mass 443	8.42
443	15.00 - 24.00% of mass 442	17.27 (20.91)

Data File: 1DD03002.D

Date: 03-APR-2013 11:38

Client ID: DFTPP

Instrument: BSMSD.i

Sample Info: DFTPP-1525850

Operator: SCC

Data File: \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03002.D

Spectrum: Average Spectrum: 8.381 to 8.387 min.

Location of Maximum: 198.00

Number of points: 248

m/z	Y	m/z	Y	m/z	Y	m/z	Y
37.00	218	119.00	102	188.00	151	272.00	82
38.00	487	122.00	789	189.00	793	273.00	1366
39.00	2270	123.00	1174	190.00	236	274.00	3626
40.00	128	124.00	506	191.00	335	275.00	18848
41.00	394	125.00	563	192.00	965	276.00	2457
43.00	318	126.00	188	193.00	998	277.00	1796
44.00	83	127.00	32760	194.00	226	278.00	144
45.00	79	128.00	2687	195.00	274	281.00	89
50.00	8371	129.00	13326	196.00	3068	282.00	95
51.00	27760	130.00	1132	198.00	64800	283.00	225
52.00	1508	131.00	256	199.00	4483	284.00	98
53.00	111	133.00	99	200.00	491	285.00	215
55.00	382	134.00	513	201.00	405	293.00	407
56.00	858	135.00	1065	202.00	117	294.00	92
57.00	2077	136.00	463	203.00	728	296.00	5252
58.00	94	137.00	651	204.00	2349	297.00	801
61.00	400	138.00	165	205.00	4149	301.00	225
62.00	518	139.00	84	206.00	17368	303.00	657
63.00	1143	140.00	200	207.00	2700	304.00	133
64.00	89	141.00	1716	208.00	498	313.00	100
65.00	732	142.00	689	209.00	399	314.00	316
67.00	121	143.00	527	210.00	474	315.00	500
69.00	27696	146.00	456	211.00	1149	316.00	384
70.00	219	147.00	1085	215.00	244	321.00	87
73.00	603	148.00	1936	216.00	198	323.00	1746
74.00	2939	149.00	545	217.00	4358	324.00	250
75.00	4711	150.00	186	218.00	631	327.00	368
77.00	29168	151.00	281	219.00	114	328.00	181
78.00	2283	152.00	343	221.00	3765	332.00	158
79.00	2482	153.00	577	222.00	426	333.00	206
80.00	1885	154.00	345	223.00	960	334.00	1283
81.00	2051	155.00	1050	224.00	9854	335.00	277
82.00	678	156.00	1549	225.00	2338	340.00	100
83.00	764	157.00	484	227.00	3810	341.00	445
84.00	105	158.00	579	228.00	750	346.00	553
85.00	631	159.00	153	229.00	871	352.00	565
86.00	813	160.00	783	230.00	148	353.00	484
87.00	470	161.00	801	231.00	348	354.00	495
88.00	101	162.00	137	233.00	83	355.00	246
89.00	79	163.00	76	234.00	148	365.00	2315

91.00	607	165.00	816	235.00	255	366.00	311
92.00	679	166.00	296	236.00	79	371.00	80
93.00	3790	167.00	3606	237.00	357	372.00	1149
94.00	380	168.00	1731	239.00	190	373.00	190
95.00	280	169.00	345	240.00	199	383.00	304

96.00	400	170.00	75	241.00	150	390.00	79
98.00	3136	171.00	90	242.00	509	401.00	87
99.00	2350	172.00	376	243.00	288	402.00	355
100.00	142	173.00	505	244.00	7108	403.00	387
101.00	1562	174.00	538	245.00	959	404.00	169

103.00	609	175.00	1172	246.00	1476	421.00	399
104.00	900	176.00	303	247.00	195	422.00	209
105.00	803	177.00	760	249.00	228	423.00	3411
106.00	108	178.00	140	253.00	350	424.00	573
107.00	8809	179.00	2290	255.00	35976	437.00	95

108.00	1876	180.00	1503	256.00	5756	438.00	98
110.00	18024	181.00	798	257.00	185	441.00	5459
111.00	2578	182.00	181	258.00	2340	442.00	53520
112.00	398	183.00	105	259.00	140	443.00	11194
113.00	104	184.00	109	264.00	122		

115.00	265	185.00	1230	265.00	862		
117.00	8306	186.00	8840	266.00	163		
118.00	653	187.00	2356	268.00	100		

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: MB 660-135924/1-A
 Matrix: Solid Lab File ID: 1CD02026.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.12(g) Date Analyzed: 04/02/2013 20:01
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	99	U	99	20
208-96-8	Acenaphthylene	40	U	40	5.0
120-12-7	Anthracene	8.3	U	8.3	4.2
56-55-3	Benzo[a]anthracene	7.9	U	7.9	3.9
50-32-8	Benzo[a]pyrene	10	U	10	5.2
205-99-2	Benzo[b]fluoranthene	12	U	12	6.1
191-24-2	Benzo[g,h,i]perylene	20	U	20	4.4
207-08-9	Benzo[k]fluoranthene	7.9	U	7.9	3.6
218-01-9	Chrysene	8.9	U	8.9	4.5
53-70-3	Dibenz(a,h)anthracene	20	U	20	4.1
206-44-0	Fluoranthene	20	U	20	4.0
86-73-7	Fluorene	20	U	20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	20	U	20	7.0
90-12-0	1-Methylnaphthalene	40	U	40	4.4
91-57-6	2-Methylnaphthalene	40	U	40	7.0
91-20-3	Naphthalene	40	U	40	4.4
85-01-8	Phenanthrene	7.9	U	7.9	3.9
129-00-0	Pyrene	20	U	20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	62		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02026.D
 Lab Smp Id: mb 660-135924/1-a
 Inj Date : 02-APR-2013 20:01
 Operator : SCC
 Smp Info : mb 660-135924/1-a
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 25 QC Sample: BLANK
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.120	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	569471	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	504679	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	959879	40.0000	
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	85443	6.17889	408.6565
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1168702	40.0000	
* 23 Perylene-d12	264		8.857	8.862	(1.000)	1102080	40.0000	

Data File: 1CD02026.D


Date: 02-APR-2013 20:01

Client ID:

Instrument: BSMC5973.i

Sample Info: mb 660-135924/1-a

Operator: SCC



FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: MB 660-136026/1-A
 Matrix: Solid Lab File ID: 1DD03005.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/01/2013 13:16
 Sample wt/vol: 15.12(g) Date Analyzed: 04/03/2013 12:45
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136118 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	99	U	99	20
208-96-8	Acenaphthylene	40	U	40	5.0
120-12-7	Anthracene	8.3	U	8.3	4.2
56-55-3	Benzo[a]anthracene	7.9	U	7.9	3.9
50-32-8	Benzo[a]pyrene	10	U	10	5.2
205-99-2	Benzo[b]fluoranthene	12	U	12	6.1
191-24-2	Benzo[g,h,i]perylene	20	U	20	4.4
207-08-9	Benzo[k]fluoranthene	7.9	U	7.9	3.6
218-01-9	Chrysene	8.9	U	8.9	4.5
53-70-3	Dibenz(a,h)anthracene	20	U	20	4.1
206-44-0	Fluoranthene	20	U	20	4.0
86-73-7	Fluorene	20	U	20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	20	U	20	7.0
90-12-0	1-Methylnaphthalene	40	U	40	4.4
91-57-6	2-Methylnaphthalene	40	U	40	7.0
91-20-3	Naphthalene	40	U	40	4.4
85-01-8	Phenanthrene	7.9	U	7.9	3.9
129-00-0	Pyrene	20	U	20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	58		30-130

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03005.D
 Lab Smp Id: MB 660-136026/1-A
 Inj Date : 03-APR-2013 12:45
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : MB 660-136026/1-A
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 5 QC Sample: BLANK
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.120	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/l)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		6.085	6.083	(1.000)	1813955	40.0000		
* 6 Acenaphthene-d10	164		7.765	7.764	(1.000)	1106129	40.0000		
* 9 Phenanthrene-d10	188		9.028	9.027	(1.000)	1728057	40.0000		
\$ 13 o-Terphenyl	230		9.334	9.338	(1.034)	156017	5.83837	390	
* 17 Chrysene-d12	240		11.343	11.348	(1.000)	1598481	40.0000		
* 22 Perylene-d12	264		13.188	13.187	(1.000)	1561531	40.0000		
10 Phenanthrene	178		9.046	9.045	(1.002)	1886	0.03845	2.5(Q)	

QC Flag Legend

Q - Qualifier signal failed the ratio test.

Data File: 1DD03005.D


Date: 03-APR-2013 12:45

Client ID:

Instrument: BSMSD.i

Sample Info: MB 660-136026/1-A

Operator: SCC



FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: MB 660-136063/1-A
 Matrix: Solid Lab File ID: 1CD03015.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 14.99(g) Date Analyzed: 04/03/2013 15:34
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	100	U	100	20
208-96-8	Acenaphthylene	40	U	40	5.0
120-12-7	Anthracene	8.4	U	8.4	4.2
56-55-3	Benzo[a]anthracene	8.0	U	8.0	3.9
50-32-8	Benzo[a]pyrene	10	U	10	5.2
205-99-2	Benzo[b]fluoranthene	12	U	12	6.1
191-24-2	Benzo[g,h,i]perylene	20	U	20	4.4
207-08-9	Benzo[k]fluoranthene	8.0	U	8.0	3.6
218-01-9	Chrysene	9.0	U	9.0	4.5
53-70-3	Dibenz(a,h)anthracene	20	U	20	4.1
206-44-0	Fluoranthene	20	U	20	4.0
86-73-7	Fluorene	20	U	20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	20	U	20	7.1
90-12-0	1-Methylnaphthalene	40	U	40	4.4
91-57-6	2-Methylnaphthalene	40	U	40	7.1
91-20-3	Naphthalene	40	U	40	4.4
85-01-8	Phenanthrene	8.0	U	8.0	3.9
129-00-0	Pyrene	20	U	20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	80		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03015.D
 Lab Smp Id: mb 660-136063/1-a
 Inj Date : 03-APR-2013 15:34
 Operator : SCC
 Smp Info : mb 660-136063/1-a
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 15 QC Sample: BLANK
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.990	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	646271	40.0000	
* 6 Acenaphthene-d10	164		4.798	4.792	(1.000)	483289	40.0000	
* 10 Phenanthrene-d10	188		5.745	5.739	(1.000)	879169	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.043)	104839	8.03116	535.7676
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	990236	40.0000	
* 23 Perylene-d12	264		8.856	8.851	(1.000)	958431	40.0000	

Data File: 1CD03015.D


Date: 03-APR-2013 15:34

Client ID:

Instrument: BSMC5973.i

Sample Info: mb 660-136063/1-a

Operator: SCC



FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: LCS 660-135924/2-A
 Matrix: Solid Lab File ID: 1CD02027.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.01(g) Date Analyzed: 04/02/2013 20:19
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	412		100	20
208-96-8	Acenaphthylene	436		40	5.0
120-12-7	Anthracene	447		8.4	4.2
56-55-3	Benzo[a]anthracene	479		8.0	3.9
50-32-8	Benzo[a]pyrene	454		10	5.2
205-99-2	Benzo[b]fluoranthene	456		12	6.1
191-24-2	Benzo[g,h,i]perylene	425		20	4.4
207-08-9	Benzo[k]fluoranthene	469		8.0	3.6
218-01-9	Chrysene	447		9.0	4.5
53-70-3	Dibenz(a,h)anthracene	476		20	4.1
206-44-0	Fluoranthene	483		20	4.0
86-73-7	Fluorene	450		20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	403		20	7.1
90-12-0	1-Methylnaphthalene	509		40	4.4
91-57-6	2-Methylnaphthalene	483		40	7.1
91-20-3	Naphthalene	461		40	4.4
85-01-8	Phenanthrene	439		8.0	3.9
129-00-0	Pyrene	509		20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	66		30-130

TestAmerica Laboratories

Semivolatle 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02027.D
 Lab Smp Id: lcs 660-135924/2-a
 Inj Date : 02-APR-2013 20:19
 Operator : SCC
 Smp Info : lcs 660-135924/2-a
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 26 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.010	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	536976	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	477938	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	982106	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	93721	6.57186	437.8320	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1206373	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1158196	40.0000		
2 Naphthalene	128		3.722	3.721	(1.003)	95371	6.91489	460.6857	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	67997	7.24257	482.5165	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	64602	7.64717	509.4716	
5 Acenaphthylene	152		4.710	4.710	(0.982)	129477	6.54563	436.0844	
7 Acenaphthene	154		4.816	4.821	(1.004)	75709	6.17955	411.6958	
9 Fluorene	166		5.139	5.139	(1.071)	110432	6.76149	450.4656	
11 Phenanthrene	178		5.763	5.763	(1.003)	188670	6.59605	439.4435	
12 Anthracene	178		5.792	5.798	(1.008)	194399	6.70444	446.6651	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.904	5.904	(1.028)	184492	7.42668	494.7820
15 Fluoranthene	202	6.598	6.598	(1.148)	228870	7.24525	482.6950
16 Pyrene	202	6.763	6.762	(0.880)	255268	7.63876	508.9114
17 Benzo(a)anthracene	228	7.674	7.680	(0.998)	246415	7.18521	478.6948
19 Chrysene	228	7.704	7.704	(1.002)	230392	6.70205	446.5055
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	224162	6.84607	456.1003
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	223127	7.04570	469.4000
22 Benzo(a)pyrene	252	8.804	8.809	(0.993)	210159	6.81738	454.1891
24 Indeno(1,2,3-cd)pyrene	276	10.004	10.015	(1.129)	176973	6.04421	402.6789(M)
25 Dibenzo(a,h)anthracene	278	10.021	10.027	(1.131)	193346	7.14836	476.2401
26 Benzo(g,h,i)perylene	276	10.351	10.356	(1.168)	190765	6.38363	425.2916

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02027.D


Date: 02-APR-2013 20:19

Client ID:

Instrument: BSMC5973.i

Sample Info: lcs 660-135924/2-a

Operator: SCC




Manual Integration Report

Data File: 1CD02027.D
Inj. Date and Time: 02-APR-2013 20:19
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.00
Response: 222676
Amount: 8
Conc: 507



Manual Integration Results

RT: 10.00
Response: 176973
Amount: 6
Conc: 403



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 12:30
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: LCS 660-136026/2-A
 Matrix: Solid Lab File ID: 1DD03006.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/01/2013 13:16
 Sample wt/vol: 15.03(g) Date Analyzed: 04/03/2013 13:07
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136118 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	403		100	20
208-96-8	Acenaphthylene	409		40	5.0
120-12-7	Anthracene	416		8.4	4.2
56-55-3	Benzo[a]anthracene	476		8.0	3.9
50-32-8	Benzo[a]pyrene	412		10	5.2
205-99-2	Benzo[b]fluoranthene	455		12	6.1
191-24-2	Benzo[g,h,i]perylene	416		20	4.4
207-08-9	Benzo[k]fluoranthene	444		8.0	3.6
218-01-9	Chrysene	416		9.0	4.5
53-70-3	Dibenz(a,h)anthracene	438		20	4.1
206-44-0	Fluoranthene	427		20	4.0
86-73-7	Fluorene	418		20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	414		20	7.1
90-12-0	1-Methylnaphthalene	434		40	4.4
91-57-6	2-Methylnaphthalene	428		40	7.1
91-20-3	Naphthalene	418		40	4.4
85-01-8	Phenanthrene	414		8.0	3.9
129-00-0	Pyrene	444		20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	64		30-130

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03006.D
 Lab Smp Id: LCS 660-136026/2-A
 Inj Date : 03-APR-2013 13:07
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : LCS 660-136026/2-A
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 6 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.030	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/l)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		6.086	6.083	(1.000)	1813073	40.0000		
* 6 Acenaphthene-d10	164		7.766	7.764	(1.000)	1107155	40.0000		
* 9 Phenanthrene-d10	188		9.023	9.027	(1.000)	1710956	40.0000		
\$ 13 o-Terphenyl	230		9.335	9.338	(1.035)	168466	6.36724	420	
* 17 Chrysene-d12	240		11.344	11.348	(1.000)	1588234	40.0000		
* 22 Perylene-d12	264		13.183	13.187	(1.000)	1505585	40.0000		
2 Naphthalene	128		6.103	6.107	(1.003)	304857	6.28559	420	
3 2-Methylnaphthalene	142		6.808	6.812	(1.119)	198648	6.42967	430	
4 1-Methylnaphthalene	142		6.902	6.906	(1.134)	188515	6.51590	430	
5 Acenaphthylene	152		7.637	7.640	(0.983)	300143	6.14899	410	
7 Acenaphthene	154		7.789	7.793	(1.003)	180384	6.06092	400	
8 Fluorene	166		8.236	8.234	(1.061)	218358	6.27954	420	
10 Phenanthrene	178		9.041	9.045	(1.002)	302161	6.22135	410	
11 Anthracene	178		9.082	9.086	(1.007)	303957	6.25506	420	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/l)	FINAL (ug/Kg)
12 Carbazole	167	9.223	9.227	(1.022)	270509	6.22709	410
14 Fluoranthene	202	10.028	10.032	(1.111)	325482	6.42170	430
15 Pyrene	202	10.216	10.220	(0.901)	328481	6.66756	440
16 Benzo(a)anthracene	228	11.326	11.330	(0.998)	311302	7.15927	480
18 Chrysene	228	11.368	11.371	(1.002)	280930	6.25805	420
19 Benzo(b)fluoranthene	252	12.637	12.646	(0.959)	265007	6.83828	450
20 Benzo(k)fluoranthene	252	12.672	12.682	(0.961)	270857	6.67527	440
21 Benzo(a)pyrene	252	13.089	13.099	(0.993)	237261	6.18677	410
23 Indeno(1,2,3-cd)pyrene	276	14.775	14.791	(1.121)	254483	6.21809	410(M)
24 Dibenzo(a,h)anthracene	278	14.805	14.820	(1.123)	249022	6.58853	440
25 Benzo(g,h,i)perylene	276	15.216	15.232	(1.154)	243685	6.24502	420

QC Flag Legend

M - Compound response manually integrated.

Data File: 1DD03006.D


Date: 03-APR-2013 13:07

Client ID:

Instrument: BSMSD.i

Sample Info: LCS 660-136026/2-A

Operator: SCC




Manual Integration Report

Data File: 1DD03006.D
Inj. Date and Time: 03-APR-2013 13:07
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 14.78
Response: 287251
Amount: 7
Conc: 467



Manual Integration Results

RT: 14.78
Response: 254483
Amount: 6
Conc: 414



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 11:47
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: LCS 660-136063/2-A
 Matrix: Solid Lab File ID: 1CD03016.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 14.97(g) Date Analyzed: 04/03/2013 15:52
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	458		100	20
208-96-8	Acenaphthylene	488		40	5.0
120-12-7	Anthracene	469		8.4	4.2
56-55-3	Benzo[a]anthracene	484		8.0	3.9
50-32-8	Benzo[a]pyrene	444		10	5.2
205-99-2	Benzo[b]fluoranthene	516		12	6.1
191-24-2	Benzo[g,h,i]perylene	418		20	4.4
207-08-9	Benzo[k]fluoranthene	468		8.0	3.6
218-01-9	Chrysene	462		9.0	4.5
53-70-3	Dibenz(a,h)anthracene	471		20	4.1
206-44-0	Fluoranthene	487		20	4.0
86-73-7	Fluorene	444		20	4.1
193-39-5	Indeno[1,2,3-cd]pyrene	399		20	7.1
90-12-0	1-Methylnaphthalene	522		40	4.4
91-57-6	2-Methylnaphthalene	458		40	7.1
91-20-3	Naphthalene	484		40	4.4
85-01-8	Phenanthrene	499		8.0	3.9
129-00-0	Pyrene	516		20	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	72		30-130

TestAmerica Laboratories

Semivolatile 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03016.D
 Lab Smp Id: lcs 660-136063/2-a
 Inj Date : 03-APR-2013 15:52
 Operator : SCC
 Smp Info : lcs 660-136063/2-a
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 16 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.970	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	631468	40.0000		
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	487717	40.0000		
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	877192	40.0000		
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	92529	7.18786	480.1508	
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	995572	40.0000		
* 23 Perylene-d12	264		8.851	8.851	(1.000)	964341	40.0000		
2 Naphthalene	128		3.722	3.722	(1.003)	117544	7.24725	484.1181	
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	75697	6.85623	457.9979	
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	77643	7.81557	522.0820	
5 Acenaphthylene	152		4.710	4.704	(0.983)	147518	7.30815	488.1862	
7 Acenaphthene	154		4.816	4.816	(1.005)	85784	6.86151	458.3506	
9 Fluorene	166		5.133	5.133	(1.071)	110785	6.64710	444.0278	
11 Phenanthrene	178		5.757	5.757	(1.003)	190897	7.47212	499.1395	
12 Anthracene	178		5.792	5.792	(1.009)	181998	7.02747	469.4369	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.898	5.898	(1.028)	177248	7.98844	533.6301
15 Fluoranthene	202	6.592	6.592	(1.149)	205854	7.29605	487.3779
16 Pyrene	202	6.757	6.757	(0.880)	212934	7.72112	515.7731
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	204915	7.23923	483.5827
19 Chrysene	228	7.698	7.698	(1.002)	196071	6.91134	461.6795
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	210472	7.72013	515.7070
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	184760	7.00698	468.0684
22 Benzo(a)pyrene	252	8.798	8.798	(0.994)	170578	6.64575	443.9378
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	145625	5.97338	399.0232(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	158866	7.05430	471.2290
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	155744	6.25938	418.1284

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03016.D


Date: 03-APR-2013 15:52

Client ID:

Instrument: BSMC5973.i

Sample Info: lcs 660-136063/2-a

Operator: SCC




Manual Integration Report

Data File: 1CD03016.D
Inj. Date and Time: 03-APR-2013 15:52
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 9.99
Response: 182593
Amount: 7
Conc: 500



Manual Integration Results

RT: 9.99
Response: 145625
Amount: 6
Conc: 399



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 15:32
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: 680-88632-A-21-B MS
 Matrix: Solid Lab File ID: 1CD02029.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.01(g) Date Analyzed: 04/02/2013 20:56
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 18.4 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	449		120	25
208-96-8	Acenaphthylene	445		49	6.1
120-12-7	Anthracene	430		10	5.1
56-55-3	Benzo[a]anthracene	578		9.8	4.8
50-32-8	Benzo[a]pyrene	499		13	6.4
205-99-2	Benzo[b]fluoranthene	613		15	7.5
191-24-2	Benzo[g,h,i]perylene	463		25	5.4
207-08-9	Benzo[k]fluoranthene	560		9.8	4.4
218-01-9	Chrysene	553		11	5.5
53-70-3	Dibenz(a,h)anthracene	479		25	5.0
206-44-0	Fluoranthene	598		25	4.9
86-73-7	Fluorene	502		25	5.0
193-39-5	Indeno[1,2,3-cd]pyrene	413		25	8.7
90-12-0	1-Methylnaphthalene	610		49	5.4
91-57-6	2-Methylnaphthalene	567		49	8.7
91-20-3	Naphthalene	572		49	5.4
85-01-8	Phenanthrene	565		9.8	4.8
129-00-0	Pyrene	597		25	4.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	62		30-130

TestAmerica Laboratories

Semivolatle 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02029.D
 Lab Smp Id: 680-88632-a-21-b ms
 Inj Date : 02-APR-2013 20:56
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88632-a-21-b ms
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 28 QC Sample: MS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.010	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	583262	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	519154	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	1060524	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	94046	6.15833	410.2818	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1203389	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1130015	40.0000		
2 Naphthalene	128		3.721	3.721	(1.003)	104847	6.99868	466.2680	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	70822	6.94484	462.6811	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	68479	7.46283	497.1903	
5 Acenaphthylene	152		4.710	4.710	(0.982)	117067	5.44839	362.9842	
7 Acenaphthene	154		4.821	4.821	(1.005)	73074	5.49096	365.8198	
9 Fluorene	166		5.139	5.139	(1.071)	109114	6.15040	409.7533	
11 Phenanthrene	178		5.762	5.763	(1.003)	213472	6.91130	460.4463	
12 Anthracene	178		5.798	5.798	(1.009)	164837	5.26455	350.7362	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.904	5.904	(1.028)	155965	5.81409	387.3480
15 Fluoranthene	202	6.598	6.598	(1.148)	249886	7.32562	488.0494
16 Pyrene	202	6.762	6.762	(0.880)	243521	7.30531	486.6960
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	242060	7.07779	471.5383
19 Chrysene	228	7.704	7.704	(1.002)	232055	6.76716	450.8436
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	239670	7.50223	499.8157
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	211918	6.85863	456.9374
22 Benzo(a)pyrene	252	8.803	8.809	(0.993)	183801	6.11104	407.1313
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	144499	5.05819	336.9881(M)
25 Dibenzo(a,h)anthracene	278	10.021	10.027	(1.131)	154724	5.86310	390.6126
26 Benzo(g,h,i)perylene	276	10.350	10.356	(1.168)	165119	5.66322	377.2967

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02029.D


Date: 02-APR-2013 20:56

Client ID:

Instrument: BSMC5973.i

Sample Info: 680-88632-a-21-b ms

Operator: SCC




Manual Integration Report

Data File: 1CD02029.D
Inj. Date and Time: 02-APR-2013 20:56
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 188533
Amount: 7
Conc: 440



Manual Integration Results

RT: 10.01
Response: 144499
Amount: 5
Conc: 337



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 12:34
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: 680-88766-A-21-E MS
 Matrix: Solid Lab File ID: 1CD03018.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 15.32 (g) Date Analyzed: 04/03/2013 16:29
 Con. Extract Vol.: 1 (mL) Dilution Factor: 4
 Injection Volume: 1 (uL) Level: (low/med) Low
 % Moisture: 26.1 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	656		530	110
208-96-8	Acenaphthylene	626		210	27
120-12-7	Anthracene	666		45	22
56-55-3	Benzo[a]anthracene	833		42	21
50-32-8	Benzo[a]pyrene	650		55	28
205-99-2	Benzo[b]fluoranthene	738		65	32
191-24-2	Benzo[g,h,i]perylene	623		110	23
207-08-9	Benzo[k]fluoranthene	667		42	19
218-01-9	Chrysene	780		48	24
53-70-3	Dibenz(a,h)anthracene	622		110	22
206-44-0	Fluoranthene	697		110	21
86-73-7	Fluorene	639		110	22
193-39-5	Indeno[1,2,3-cd]pyrene	532		110	38
90-12-0	1-Methylnaphthalene	653		210	23
91-57-6	2-Methylnaphthalene	653		210	38
91-20-3	Naphthalene	681		210	23
85-01-8	Phenanthrene	690		42	21
129-00-0	Pyrene	750		110	20

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	92		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03018.D
 Lab Smp Id: 680-88766-a-21-e ms
 Inj Date : 03-APR-2013 16:29
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-21-e ms
 Misc Info : 4.0
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 18 QC Sample: MS
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.320	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN	FINAL
	MASS						(ug/ml)	(ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	604618	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	447317	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	819020	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	20991	2.29558	599.3677
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	882360	40.0000	
* 23 Perylene-d12	264		8.851	8.851	(1.000)	885344	40.0000	
2 Naphthalene	128		3.721	3.722	(1.003)	29924	1.92692	503.1110
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	19529	1.84738	482.3454
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	17586	1.84882	482.7217
5 Acenaphthylene	152		4.704	4.704	(0.982)	32783	1.77078	462.3434
7 Acenaphthene	154		4.815	4.816	(1.005)	21291	1.85679	484.8005
9 Fluorene	166		5.133	5.133	(1.071)	27627	1.80733	471.8875
11 Phenanthrene	178		5.757	5.757	(1.003)	46547	1.95136	509.4924
12 Anthracene	178		5.792	5.792	(1.009)	45559	1.88411	491.9353

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
13 Carbazole	167	5.898	5.898	(1.028)	41473	2.00192	522.6941
15 Fluoranthene	202	6.592	6.592	(1.149)	51944	1.97180	514.8315
16 Pyrene	202	6.757	6.757	(0.880)	51906	2.12364	554.4739
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	56786	2.35675	615.3405
19 Chrysene	228	7.698	7.698	(1.002)	55519	2.20809	576.5258
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	52279	2.08870	545.3529
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	45683	1.88711	492.7170
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	43357	1.83992	480.3966
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	33696	1.50550	393.0811(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	36413	1.76116	459.8320(M)
26 Benzo(g,h,i)perylene	276	10.339	10.339	(1.168)	40267	1.76274	460.2452(M)

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03018.D


Date: 03-APR-2013 16:29

Client ID:

Instrument: BSMC5973.i

Sample Info: 680-88766-a-21-e ms

Operator: SCC




Manual Integration Report

Data File: 1CD03018.D
Inj. Date and Time: 03-APR-2013 16:29
Instrument ID: BSMC5973.i
Client ID:
Compound: 26 Benzo(g,h,i)perylene
CAS #: 191-24-2
Report Date: 04/04/2013


Processing Integration Results

RT: 10.34
Response: 39429
Amount: 2
Conc: 451



Manual Integration Results

RT: 10.34
Response: 40267
Amount: 2
Conc: 460




Manually Integrated By: cantins
Modification Date: 04-Apr-2013 15:34
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03018.D
Inj. Date and Time: 03-APR-2013 16:29
Instrument ID: BSMC5973.i
Client ID:
Compound: 25 Dibenzo(a,h)anthracene
CAS #: 53-70-3
Report Date: 04/04/2013


Processing Integration Results

RT: 10.01
Response: 35621
Amount: 2
Conc: 450



Manual Integration Results

RT: 10.01
Response: 36413
Amount: 2
Conc: 460




Manually Integrated By: cantins
Modification Date: 04-Apr-2013 15:34
Manual Integration Reason: Baseline Event

Manual Integration Report

Data File: 1CD03018.D
Inj. Date and Time: 03-APR-2013 16:29
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 9.99
Response: 41575
Amount: 2
Conc: 485



Manual Integration Results

RT: 9.99
Response: 33696
Amount: 2
Conc: 393



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 15:34
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613E-CS MS Lab Sample ID: 680-88766-6 MS
 Matrix: Solid Lab File ID: 1DD03008.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:43
 Extract. Method: 3546 Date Extracted: 04/01/2013 13:16
 Sample wt/vol: 14.98(g) Date Analyzed: 04/03/2013 13:52
 Con. Extract Vol.: 1(mL) Dilution Factor: 4
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 15.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136118 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	547		470	94
208-96-8	Acenaphthylene	605		190	24
120-12-7	Anthracene	727		40	20
56-55-3	Benzo[a]anthracene	1210		38	18
50-32-8	Benzo[a]pyrene	1100		49	25
205-99-2	Benzo[b]fluoranthene	1640		58	29
191-24-2	Benzo[g,h,i]perylene	1190		94	21
207-08-9	Benzo[k]fluoranthene	941		38	17
218-01-9	Chrysene	1200		42	21
53-70-3	Dibenz(a,h)anthracene	764		94	19
206-44-0	Fluoranthene	1520		94	19
86-73-7	Fluorene	589		94	19
193-39-5	Indeno[1,2,3-cd]pyrene	1080		94	34
90-12-0	1-Methylnaphthalene	609		190	21
91-57-6	2-Methylnaphthalene	655		190	34
91-20-3	Naphthalene	634		190	21
85-01-8	Phenanthrene	1070		38	18
129-00-0	Pyrene	1520		94	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	69		30-130

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03008.D
 Lab Smp Id: 680-88766-A-6-H MS
 Inj Date : 03-APR-2013 13:52
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : 680-88766-A-6-H MS
 Misc Info : 4.0
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 8 QC Sample: MS
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.980	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN (ug/l)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		6.084	6.083	(1.000)	1565428	40.0000	
* 6 Acenaphthene-d10	164		7.764	7.764	(1.000)	933161	40.0000	
* 9 Phenanthrene-d10	188		9.028	9.027	(1.000)	1505973	40.0000	
\$ 13 o-Terphenyl	230		9.333	9.338	(1.034)	40071	1.72064	460
* 17 Chrysene-d12	240		11.343	11.348	(1.000)	1367144	40.0000	
* 22 Perylene-d12	264		13.182	13.187	(1.000)	1425874	40.0000	
2 Naphthalene	128		6.108	6.107	(1.004)	84279	2.01257	540
3 2-Methylnaphthalene	142		6.813	6.812	(1.120)	55539	2.08202	560
4 1-Methylnaphthalene	142		6.907	6.906	(1.135)	48314	1.93412	520
5 Acenaphthylene	152		7.635	7.640	(0.983)	79075	1.92206	510
7 Acenaphthene	154		7.788	7.793	(1.003)	43579	1.73728	460
8 Fluorene	166		8.234	8.234	(1.061)	54882	1.87258	500
10 Phenanthrene	178		9.045	9.045	(1.002)	145223	3.39706	910(R)
11 Anthracene	178		9.086	9.086	(1.007)	98737	2.30845	620

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/l)	FINAL (ug/Kg)
12 Carbazole	167	9.222	9.227 (1.021)		75367	1.97109	530
14 Fluoranthene	202	10.026	10.032 (1.111)		215509	4.83070	1300(R)
15 Pyrene	202	10.215	10.220 (0.901)		205321	4.84161	1300(R)
16 Benzo(a)anthracene	228	11.331	11.330 (0.999)		143527	3.83461	1000(R)
18 Chrysene	228	11.366	11.371 (1.002)		147787	3.82452	1000(R)
19 Benzo(b)fluoranthene	252	12.635	12.646 (0.959)		191426	5.21572	1400(R)
20 Benzo(k)fluoranthene	252	12.670	12.682 (0.961)		114870	2.98923	800
21 Benzo(a)pyrene	252	13.088	13.099 (0.993)		127172	3.50149	930(R)
23 Indeno(1,2,3-cd)pyrene	276	14.774	14.791 (1.121)		132650	3.42239	910(RM)
24 Dibenzo(a,h)anthracene	278	14.803	14.820 (1.123)		86894	2.42753	650
25 Benzo(g,h,i)perylene	276	15.220	15.232 (1.155)		139813	3.78335	1000(R)

QC Flag Legend

- R - Spike/Surrogate failed recovery limits.
- M - Compound response manually integrated.

Data File: 1DD03008.D


Date: 03-APR-2013 13:52

Client ID:

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-H MS

Operator: SCC




Manual Integration Report

Data File: 1DD03008.D
Inj. Date and Time: 03-APR-2013 13:52
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 14.77
Response: 147032
Amount: 4
Conc: 1013



Manual Integration Results

RT: 14.77
Response: 132650
Amount: 3
Conc: 914



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 11:56
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: 680-88632-A-21-C MSD
 Matrix: Solid Lab File ID: 1CD02030.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 03/29/2013 10:19
 Sample wt/vol: 15.05(g) Date Analyzed: 04/02/2013 21:14
 Con. Extract Vol.: 1(mL) Dilution Factor: 1
 Injection Volume: 1(uL) Level: (low/med) Low
 % Moisture: 18.4 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136079 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	487		120	24
208-96-8	Acenaphthylene	546		49	6.1
120-12-7	Anthracene	560		10	5.1
56-55-3	Benzo[a]anthracene	708		9.8	4.8
50-32-8	Benzo[a]pyrene	651		13	6.4
205-99-2	Benzo[b]fluoranthene	797		15	7.5
191-24-2	Benzo[g,h,i]perylene	579		24	5.4
207-08-9	Benzo[k]fluoranthene	696		9.8	4.4
218-01-9	Chrysene	684		11	5.5
53-70-3	Dibenz(a,h)anthracene	567		24	5.0
206-44-0	Fluoranthene	765		24	4.9
86-73-7	Fluorene	538		24	5.0
193-39-5	Indeno[1,2,3-cd]pyrene	581		24	8.7
90-12-0	1-Methylnaphthalene	644		49	5.4
91-57-6	2-Methylnaphthalene	622		49	8.7
91-20-3	Naphthalene	608		49	5.4
85-01-8	Phenanthrene	684		9.8	4.8
129-00-0	Pyrene	746		24	4.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	64		30-130

TestAmerica Laboratories

Semivolatle 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\1CD02030.D
 Lab Smp Id: 680-88632-a-21-c ms
 Inj Date : 02-APR-2013 21:14
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88632-a-21-c msd
 Misc Info :
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040213B.b\a-bFASTPAHi-m.m
 Meth Date : 02-Apr-2013 16:55 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 29 QC Sample: MSD
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	1.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.050	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
								ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.710	(1.000)	597406	40.0000		
* 6 Acenaphthene-d10	164		4.798	4.798	(1.000)	494548	40.0000		
* 10 Phenanthrene-d10	188		5.745	5.745	(1.000)	988760	40.0000		
\$ 14 o-Terphenyl	230		5.998	5.998	(1.044)	90848	6.35450	422.2257	
* 18 Chrysene-d12	240		7.686	7.686	(1.000)	1197197	40.0000		
* 23 Perylene-d12	264		8.862	8.862	(1.000)	1105114	40.0000		
2 Naphthalene	128		3.727	3.721	(1.005)	114458	7.45934	495.6374	
3 2-Methylnaphthalene	142		4.151	4.151	(1.119)	79708	7.63116	507.0535	
4 1-Methylnaphthalene	142		4.216	4.216	(1.136)	74315	7.90709	525.3878	
5 Acenaphthylene	152		4.710	4.710	(0.982)	137103	6.69836	445.0740	
7 Acenaphthene	154		4.821	4.821	(1.005)	75785	5.97800	397.2094	
9 Fluorene	166		5.139	5.139	(1.071)	111591	6.60298	438.7358	
11 Phenanthrene	178		5.762	5.763	(1.003)	241783	8.39603	557.8760	
12 Anthracene	178		5.798	5.798	(1.009)	200584	6.87120	456.5580	

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
13 Carbazole	167	5.904	5.904	(1.028)	185427	7.41408	492.6301
15 Fluoranthene	202	6.598	6.598	(1.148)	298637	9.39022	623.9349
16 Pyrene	202	6.762	6.762	(0.880)	303582	9.15416	608.2499
17 Benzo(a)anthracene	228	7.680	7.680	(0.999)	296917	8.69510	577.7478
19 Chrysene	228	7.704	7.704	(1.002)	286623	8.40170	558.2524
20 Benzo(b)fluoranthene	252	8.515	8.521	(0.961)	305637	9.78273	650.0152
21 Benzo(k)fluoranthene	252	8.539	8.545	(0.963)	258319	8.54876	568.0238
22 Benzo(a)pyrene	252	8.803	8.809	(0.993)	234959	7.98797	530.7622
24 Indeno(1,2,3-cd)pyrene	276	10.009	10.015	(1.129)	199356	7.13571	474.1332(M)
25 Dibenzo(a,h)anthracene	278	10.027	10.027	(1.131)	179461	6.95371	462.0405
26 Benzo(g,h,i)perylene	276	10.356	10.356	(1.169)	202688	7.10840	472.3189

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD02030.D


Date: 02-APR-2013 21:14

Client ID:

Instrument: BSMC5973.i

Sample Info: 680-88632-a-21-c msd

Operator: SCC




Manual Integration Report

Data File: 1CD02030.D
Inj. Date and Time: 02-APR-2013 21:14
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/03/2013


Processing Integration Results

RT: 10.01
Response: 234569
Amount: 8
Conc: 558



Manual Integration Results

RT: 10.01
Response: 199356
Amount: 7
Conc: 474



Manually Integrated By: cantins
Modification Date: 03-Apr-2013 12:35
Manual Integration Reason: Split Peak

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: _____ Lab Sample ID: 680-88766-A-21-F MSD
 Matrix: Solid Lab File ID: 1CD03019.D
 Analysis Method: 8270C LL Date Collected: _____
 Extract. Method: 3546 Date Extracted: 04/02/2013 11:33
 Sample wt/vol: 14.60 (g) Date Analyzed: 04/03/2013 16:47
 Con. Extract Vol.: 1 (mL) Dilution Factor: 4
 Injection Volume: 1 (uL) Level: (low/med) Low
 % Moisture: 26.1 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136081 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	669		560	110
208-96-8	Acenaphthylene	686		220	28
120-12-7	Anthracene	674		47	23
56-55-3	Benzo[a]anthracene	856		44	22
50-32-8	Benzo[a]pyrene	651		58	29
205-99-2	Benzo[b]fluoranthene	710		68	34
191-24-2	Benzo[g,h,i]perylene	618		110	24
207-08-9	Benzo[k]fluoranthene	822		44	20
218-01-9	Chrysene	739		50	25
53-70-3	Dibenz(a,h)anthracene	713		110	23
206-44-0	Fluoranthene	780		110	22
86-73-7	Fluorene	657		110	23
193-39-5	Indeno[1,2,3-cd]pyrene	659		110	39
90-12-0	1-Methylnaphthalene	709		220	24
91-57-6	2-Methylnaphthalene	671		220	39
91-20-3	Naphthalene	648		220	24
85-01-8	Phenanthrene	758		44	22
129-00-0	Pyrene	878		110	21

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	97		30-130

TestAmerica Laboratories

Semivolatiles 8270C low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\1CD03019.D
 Lab Smp Id: 680-88766-a-21-f ms
 Inj Date : 03-APR-2013 16:47
 Operator : SCC Inst ID: BSMC5973.i
 Smp Info : 680-88766-a-21-f msd
 Misc Info : 4.0
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMC5973.i\1C040313.b\a-bFASTPAHi-m.m
 Meth Date : 03-Apr-2013 11:59 cantins Quant Type: ISTD
 Cal Date : 02-APR-2013 15:15 Cal File: 1CD02011.D
 Als bottle: 19 QC Sample: MSD
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	14.600	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN (ug/ml)	FINAL (ug/Kg)
* 1 Naphthalene-d8	136		3.710	3.704	(1.000)	599290	40.0000	
* 6 Acenaphthene-d10	164		4.792	4.792	(1.000)	437990	40.0000	
* 10 Phenanthrene-d10	188		5.739	5.739	(1.000)	801261	40.0000	
\$ 14 o-Terphenyl	230		5.992	5.992	(1.044)	22282	2.42909	665.5045
* 18 Chrysene-d12	240		7.680	7.680	(1.000)	885431	40.0000	
* 23 Perylene-d12	264		8.850	8.851	(1.000)	855561	40.0000	
2 Naphthalene	128		3.721	3.722	(1.003)	26909	1.74817	478.9516
3 2-Methylnaphthalene	142		4.145	4.145	(1.117)	18972	1.81065	496.0680
4 1-Methylnaphthalene	142		4.210	4.210	(1.135)	18036	1.91299	524.1069
5 Acenaphthylene	152		4.704	4.704	(0.982)	33560	1.85135	507.2185
7 Acenaphthene	154		4.815	4.816	(1.005)	20252	1.80379	494.1878
9 Fluorene	166		5.133	5.133	(1.071)	26513	1.77139	485.3117
11 Phenanthrene	178		5.757	5.757	(1.003)	47684	2.04333	559.8158
12 Anthracene	178		5.792	5.792	(1.009)	43006	1.81795	498.0687

Compounds	QUANT SIG		CONCENTRATIONS				
	MASS	RT	EXP RT	REL RT	RESPONSE	ON-COLUMN (ug/ml)	FINAL (ug/Kg)
-----	----	----	-----	-----	-----	-----	-----
13 Carbazole	167	5.898	5.898	(1.028)	40592	2.00282	548.7177
15 Fluoranthene	202	6.592	6.592	(1.149)	54214	2.10359	576.3252
16 Pyrene	202	6.756	6.757	(0.880)	58049	2.36673	648.4183
17 Benzo(a)anthracene	228	7.668	7.668	(0.998)	55755	2.30886	632.5654
19 Chrysene	228	7.698	7.698	(1.002)	50258	1.99192	545.7319
20 Benzo(b)fluoranthene	252	8.509	8.509	(0.961)	46327	1.91533	524.7488
21 Benzo(k)fluoranthene	252	8.527	8.533	(0.963)	51872	2.21736	607.4953
22 Benzo(a)pyrene	252	8.792	8.798	(0.993)	39958	1.75471	480.7413
24 Indeno(1,2,3-cd)pyrene	276	9.992	9.992	(1.129)	38467	1.77849	487.2581(M)
25 Dibenzo(a,h)anthracene	278	10.009	10.009	(1.131)	38424	1.92311	526.8807
26 Benzo(g,h,i)perylene	276	10.333	10.339	(1.167)	36793	1.66673	456.6381

QC Flag Legend

M - Compound response manually integrated.

Data File: 1CD03019.D


Date: 03-APR-2013 16:47

Client ID:

Instrument: BSMC5973.i

Sample Info: 680-88766-a-21-f msd

Operator: SCC




Manual Integration Report

Data File: 1CD03019.D
Inj. Date and Time: 03-APR-2013 16:47
Instrument ID: BSMC5973.i
Client ID:
Compound: 24 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 9.99
Response: 30001
Amount: 1
Conc: 380



Manual Integration Results

RT: 9.99
Response: 38467
Amount: 2
Conc: 487



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 15:35
Manual Integration Reason: Baseline Event

FORM I
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1
 SDG No.: 68088766-1
 Client Sample ID: CV0613E-CS MSD Lab Sample ID: 680-88766-6 MSD
 Matrix: Solid Lab File ID: 1DD03009.D
 Analysis Method: 8270C LL Date Collected: 03/25/2013 13:43
 Extract. Method: 3546 Date Extracted: 04/01/2013 13:16
 Sample wt/vol: 15.04 (g) Date Analyzed: 04/03/2013 14:15
 Con. Extract Vol.: 1 (mL) Dilution Factor: 4
 Injection Volume: 1 (uL) Level: (low/med) Low
 % Moisture: 15.2 GPC Cleanup: (Y/N) N
 Analysis Batch No.: 136118 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	504		470	94
208-96-8	Acenaphthylene	582		190	24
120-12-7	Anthracene	668		40	20
56-55-3	Benzo[a]anthracene	1050		38	18
50-32-8	Benzo[a]pyrene	993		49	24
205-99-2	Benzo[b]fluoranthene	1340		57	29
191-24-2	Benzo[g,h,i]perylene	1090		94	21
207-08-9	Benzo[k]fluoranthene	839		38	17
218-01-9	Chrysene	1060		42	21
53-70-3	Dibenz(a,h)anthracene	735		94	19
206-44-0	Fluoranthene	1210		94	19
86-73-7	Fluorene	558		94	19
193-39-5	Indeno[1,2,3-cd]pyrene	978		94	33
90-12-0	1-Methylnaphthalene	581		190	21
91-57-6	2-Methylnaphthalene	603		190	33
91-20-3	Naphthalene	573		190	21
85-01-8	Phenanthrene	872		38	18
129-00-0	Pyrene	1210		94	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
84-15-1	o-Terphenyl	66		30-130

TestAmerica Laboratories

Semivolatiles 8270 low level PAH

Data file : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\1DD03009.D
 Lab Smp Id: 680-88766-A-6-I MSD
 Inj Date : 03-APR-2013 14:15
 Operator : SCC Inst ID: BSMSD.i
 Smp Info : 680-88766-A-6-I MSD
 Misc Info : 4.0
 Comment :
 Method : \\tam-chemsvr\chem\SM\BSMSD.i\1D040313.b\dFASTPAHi.m
 Meth Date : 03-Apr-2013 12:14 cantins Quant Type: ISTD
 Cal Date : 22-FEB-2013 14:28 Cal File: 1DB22009.D
 Als bottle: 9 QC Sample: MSD
 Dil Factor: 4.00000
 Integrator: HP RTE Compound Sublist: pah.sub
 Target Version: 4.14
 Processing Host: TAM1000

Concentration Formula:

$$\text{Amt} * \text{DF} * 1/\text{Vi} * \text{Vt}/\text{Ws} * 100/(100 - \text{M}) * \text{A} * \text{B} * \text{C} * \text{D} * \text{GPC} * \text{CpndVariable}$$

Name	Value	Description
DF	4.000	Dilution Factor
Vi	1.000	Injection Volume
Vt	1.000	Final Volume
Ws	15.040	Weight Extracted
M	0.00000	% Moisture
A	1000.000	uL to mL conversion
B	1000.000	g to kg conversion
C	0.00100	ng to ug conversion
D	1.000	ug to mg conversion(value = 1 if no conv)
GPC	1.000	GPC FACTOR
Cpnd Variable		Local Compound Variable

Compounds	QUANT	SIG	CONCENTRATIONS				
			ON-COLUMN	FINAL			
	MASS	RT	EXP RT	REL RT	RESPONSE	(ug/l)	(ug/Kg)
* 1 Naphthalene-d8	136	6.083	6.083	(1.000)	1565813	40.0000	
* 6 Acenaphthene-d10	164	7.763	7.764	(1.000)	932778	40.0000	
* 9 Phenanthrene-d10	188	9.027	9.027	(1.000)	1465661	40.0000	
\$ 13 o-Terphenyl	230	9.332	9.338	(1.034)	37165	1.63975	440
* 17 Chrysene-d12	240	11.342	11.348	(1.000)	1327104	40.0000	
* 22 Perylene-d12	264	13.187	13.187	(1.000)	1449540	40.0000	
2 Naphthalene	128	6.107	6.107	(1.004)	76573	1.82810	490
3 2-Methylnaphthalene	142	6.812	6.812	(1.120)	51318	1.92331	510
4 1-Methylnaphthalene	142	6.906	6.906	(1.135)	46322	1.85392	490
5 Acenaphthylene	152	7.634	7.640	(0.983)	76319	1.85583	490
7 Acenaphthene	154	7.787	7.793	(1.003)	40271	1.60607	430
8 Fluorene	166	8.234	8.234	(1.061)	52129	1.77938	470
10 Phenanthrene	178	9.044	9.045	(1.002)	115644	2.77955	740
11 Anthracene	178	9.085	9.086	(1.007)	88742	2.13184	570

Compounds	QUANT SIG	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS	
						ON-COLUMN (ug/l)	FINAL (ug/Kg)
12 Carbazole	167	9.226	9.227	(1.022)	70636	1.89817	500
14 Fluoranthene	202	10.026	10.032	(1.111)	167104	3.84871	1000(R)
15 Pyrene	202	10.214	10.220	(0.901)	158293	3.84528	1000(R)
16 Benzo(a)anthracene	228	11.330	11.330	(0.999)	122155	3.36208	890(R)
18 Chrysene	228	11.365	11.371	(1.002)	126256	3.36591	900(R)
19 Benzo(b)fluoranthene	252	12.634	12.646	(0.958)	159655	4.27905	1100(R)
20 Benzo(k)fluoranthene	252	12.669	12.682	(0.961)	104479	2.67444	710
21 Benzo(a)pyrene	252	13.087	13.099	(0.992)	116971	3.16804	840
23 Indeno(1,2,3-cd)pyrene	276	14.779	14.791	(1.121)	122853	3.11788	830(M)
24 Dibenzo(a,h)anthracene	278	14.802	14.820	(1.123)	85260	2.34299	620
25 Benzo(g,h,i)perylene	276	15.219	15.232	(1.154)	130562	3.47534	920(R)

QC Flag Legend

- R - Spike/Surrogate failed recovery limits.
- M - Compound response manually integrated.

Data File: 1DD03009.D


Date: 03-APR-2013 14:15

Client ID:

Instrument: BSMSD.i

Sample Info: 680-88766-A-6-I MSD

Operator: SCC




Manual Integration Report

Data File: 1DD03009.D
Inj. Date and Time: 03-APR-2013 14:15
Instrument ID: BSMSD.i
Client ID:
Compound: 23 Indeno(1,2,3-cd)pyrene
CAS #: 193-39-5
Report Date: 04/04/2013


Processing Integration Results

RT: 14.78
Response: 139062
Amount: 4
Conc: 939



Manual Integration Results

RT: 14.78
Response: 122853
Amount: 3
Conc: 829



Manually Integrated By: cantins
Modification Date: 04-Apr-2013 11:57
Manual Integration Reason: Split Peak

GC/MS SEMI VOA ANALYSIS RUN LOG

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973 Start Date: 04/02/2013 10:54Analysis Batch Number: 136048 End Date: 04/02/2013 15:34

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ZZZZZ		04/02/2013 10:54	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 11:13	1		DB-5MS 250 (um)
DFTPP 660-136048/2		04/02/2013 11:31	1	1CD02002.D	DB-5MS 250 (um)
CCVIS 660-136048/3		04/02/2013 11:49	1		DB-5MS 250 (um)
CCVIS 660-136048/4		04/02/2013 12:09	1		DB-5MS 250 (um)
IC 660-136048/5		04/02/2013 13:26	1	1CD02005.D	DB-5MS 250 (um)
IC 660-136048/6		04/02/2013 13:44	1	1CD02006.D	DB-5MS 250 (um)
IC 660-136048/7		04/02/2013 14:02	1	1CD02007.D	DB-5MS 250 (um)
IC 660-136048/8		04/02/2013 14:20	1	1CD02008.D	DB-5MS 250 (um)
ICIS 660-136048/9		04/02/2013 14:39	1	1CD02009.D	DB-5MS 250 (um)
IC 660-136048/10		04/02/2013 14:57	1	1CD02010.D	DB-5MS 250 (um)
IC 660-136048/11		04/02/2013 15:15	1	1CD02011.D	DB-5MS 250 (um)
ICV 660-136048/12		04/02/2013 15:34	1	1CD02012.D	DB-5MS 250 (um)

GC/MS SEMI VOA ANALYSIS RUN LOG

Lab Name: TestAmerica TampaJob No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973Start Date: 04/02/2013 16:01Analysis Batch Number: 136079End Date: 04/03/2013 00:17

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
DFTPP 660-136079/1		04/02/2013 16:01	1		DB-5MS 250 (um)
DFTPP 660-136079/2		04/02/2013 16:23	1	1CD02014.D	DB-5MS 250 (um)
CCVIS 660-136079/3		04/02/2013 16:40	1	1CD02015.D	DB-5MS 250 (um)
ZZZZZ		04/02/2013 16:58	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 17:16	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 17:35	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 17:53	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 18:11	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 18:29	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 18:48	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 19:06	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 19:24	1		DB-5MS 250 (um)
ZZZZZ		04/02/2013 19:42	1		DB-5MS 250 (um)
MB 660-135924/1-A		04/02/2013 20:01	1	1CD02026.D	DB-5MS 250 (um)
LCS 660-135924/2-A		04/02/2013 20:19	1	1CD02027.D	DB-5MS 250 (um)
ZZZZZ		04/02/2013 20:37	1		DB-5MS 250 (um)
680-88632-A-21-B MS		04/02/2013 20:56	1	1CD02029.D	DB-5MS 250 (um)
680-88632-A-21-C MSD		04/02/2013 21:14	1	1CD02030.D	DB-5MS 250 (um)
ZZZZZ		04/02/2013 21:32	1		DB-5MS 250 (um)
680-88766-1	CV0613A-CS	04/02/2013 21:51	4	1CD02032.D	DB-5MS 250 (um)
680-88766-2	CV0613A-CSD	04/02/2013 22:09	1	1CD02033.D	DB-5MS 250 (um)
680-88766-3	CV0613B-CS	04/02/2013 22:27	4	1CD02034.D	DB-5MS 250 (um)
680-88766-4	CV0613C-CS	04/02/2013 22:46	1	1CD02035.D	DB-5MS 250 (um)
680-88766-5	CV0613D-CS	04/02/2013 23:04	4	1CD02036.D	DB-5MS 250 (um)
680-88766-7	CV0613F-CS	04/02/2013 23:22	1	1CD02037.D	DB-5MS 250 (um)
680-88766-8	CV0613G-CS	04/02/2013 23:41	1	1CD02038.D	DB-5MS 250 (um)
680-88766-9	CV0613H-CS	04/02/2013 23:59	4	1CD02039.D	DB-5MS 250 (um)
680-88766-10	CV0613I-CS	04/03/2013 00:17	1	1CD02040.D	DB-5MS 250 (um)

GC/MS SEMI VOA ANALYSIS RUN LOG

Lab Name: TestAmerica TampaJob No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMC5973Start Date: 04/03/2013 10:52Analysis Batch Number: 136081End Date: 04/03/2013 22:35

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ZZZZZ		04/03/2013 10:52	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 11:10	1		DB-5MS 250 (um)
DFTPP 660-136081/2		04/03/2013 11:28	1	1CD03002.D	DB-5MS 250 (um)
CCVIS 660-136081/3		04/03/2013 11:45	1	1CD03003.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 12:04	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 12:22	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 12:40	4		DB-5MS 250 (um)
680-88766-11	CV0613J-CS	04/03/2013 12:59	4	1CD03007.D	DB-5MS 250 (um)
680-88766-12	CV0613K-CS	04/03/2013 13:17	1	1CD03008.D	DB-5MS 250 (um)
680-88766-13	CV0613K-CSD	04/03/2013 13:35	1	1CD03009.D	DB-5MS 250 (um)
680-88766-14	CV0613AB-GS	04/03/2013 13:54	1	1CD03010.D	DB-5MS 250 (um)
680-88766-15	CV0613AC-GS	04/03/2013 14:12	4	1CD03011.D	DB-5MS 250 (um)
680-88766-16	CV0610A-CS	04/03/2013 14:30	4	1CD03012.D	DB-5MS 250 (um)
680-88766-18	CV0610AB-GS	04/03/2013 14:49	4	1CD03013.D	DB-5MS 250 (um)
680-88766-19	CV0506A-CS	04/03/2013 15:07	4	1CD03014.D	DB-5MS 250 (um)
MB 660-136063/1-A		04/03/2013 15:34	1	1CD03015.D	DB-5MS 250 (um)
LCS 660-136063/2-A		04/03/2013 15:52	1	1CD03016.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 16:10	4		DB-5MS 250 (um)
680-88766-A-21-E MS		04/03/2013 16:29	4	1CD03018.D	DB-5MS 250 (um)
680-88766-A-21-F MSD		04/03/2013 16:47	4	1CD03019.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 17:05	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 17:24	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 17:42	1		DB-5MS 250 (um)
680-88766-17	CV0610B-CS	04/03/2013 18:00	4	1CD03023.D	DB-5MS 250 (um)
680-88766-20	CV0506B-CS	04/03/2013 18:19	1	1CD03024.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 18:37	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 18:55	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:13	4		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:32	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:50	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 20:08	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 20:27	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 20:45	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 21:03	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 21:21	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 21:40	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 21:58	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 22:17	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 22:35	1		DB-5MS 250 (um)

GC/MS SEMI VOA ANALYSIS RUN LOG

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMD5973 Start Date: 02/22/2013 11:10Analysis Batch Number: 134781 End Date: 02/22/2013 20:42

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ZZZZZ		02/22/2013 11:10	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 11:33	1		DB-5MS 250 (um)
DFTPP 660-134781/2		02/22/2013 11:57	1	1DB22002.D	DB-5MS 250 (um)
IC 660-134781/3		02/22/2013 12:13	1	1DB22003.D	DB-5MS 250 (um)
IC 660-134781/4		02/22/2013 12:35	1	1DB22004.D	DB-5MS 250 (um)
IC 660-134781/5		02/22/2013 12:58	1	1DB22005.D	DB-5MS 250 (um)
IC 660-134781/6		02/22/2013 13:21	1	1DB22006.D	DB-5MS 250 (um)
ICIS 660-134781/7		02/22/2013 13:43	1	1DB22007.D	DB-5MS 250 (um)
IC 660-134781/8		02/22/2013 14:06	1	1DB22008.D	DB-5MS 250 (um)
IC 660-134781/9		02/22/2013 14:28	1	1DB22009.D	DB-5MS 250 (um)
ICV 660-134781/10		02/22/2013 14:51	1	1DB22010.D	DB-5MS 250 (um)
ZZZZZ		02/22/2013 15:33	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 15:56	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 16:21	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 16:44	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 17:19	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 17:42	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 18:04	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 18:27	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 18:49	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 19:12	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 19:34	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 19:57	4		DB-5MS 250 (um)
ZZZZZ		02/22/2013 20:19	1		DB-5MS 250 (um)
ZZZZZ		02/22/2013 20:42	1		DB-5MS 250 (um)

GC/MS SEMI VOA ANALYSIS RUN LOG

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Instrument ID: BSMD5973 Start Date: 04/03/2013 10:51Analysis Batch Number: 136118 End Date: 04/03/2013 20:38

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ZZZZZ		04/03/2013 10:51	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 11:14	1		DB-5MS 250 (um)
DFTPP 660-136118/2		04/03/2013 11:38	1	1DD03002.D	DB-5MS 250 (um)
CCVIS 660-136118/3		04/03/2013 11:55	1	1DD03003.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 12:20	1		DB-5MS 250 (um)
MB 660-136026/1-A		04/03/2013 12:45	1	1DD03005.D	DB-5MS 250 (um)
LCS 660-136026/2-A		04/03/2013 13:07	1	1DD03006.D	DB-5MS 250 (um)
680-88766-6	CV0613E-CS	04/03/2013 13:30	4	1DD03007.D	DB-5MS 250 (um)
680-88766-6 MS	CV0613E-CS MS	04/03/2013 13:52	4	1DD03008.D	DB-5MS 250 (um)
680-88766-6 MSD	CV0613E-CS MSD	04/03/2013 14:15	4	1DD03009.D	DB-5MS 250 (um)
ZZZZZ		04/03/2013 14:37	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 15:00	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 15:23	4		DB-5MS 250 (um)
ZZZZZ		04/03/2013 15:45	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 16:08	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 16:30	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 16:53	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 17:15	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 17:38	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 18:00	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 18:23	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 18:46	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:08	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:31	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 19:53	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 20:16	1		DB-5MS 250 (um)
ZZZZZ		04/03/2013 20:38	1		DB-5MS 250 (um)

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Batch Number: 135924 Batch Start Date: 03/29/13 10:19 Batch Analyst: Nolan, RyanBatch Method: 3546 Batch End Date: 03/29/13 15:30

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	EX-625LVI SPK 00020	EXLLSURINT 00178		
MB 660-135924/1		3546, 8270C LL		15.12 g	1 mL		1 mL		
LCS 660-135924/2		3546, 8270C LL		15.01 g	1 mL	1 mL	1 mL		
680-88632-A-21 MS		3546, 8270C LL	T	15.01 g	1 mL	1 mL	1 mL		
680-88632-A-21 MSD		3546, 8270C LL	T	15.05 g	1 mL	1 mL	1 mL		
680-88766-A-1	CV0613A-CS	3546, 8270C LL	T	14.89 g	1 mL		1 mL		
680-88766-A-2	CV0613A-CSD	3546, 8270C LL	T	14.96 g	1 mL		1 mL		
680-88766-A-3	CV0613B-CS	3546, 8270C LL	T	14.89 g	1 mL		1 mL		
680-88766-A-4	CV0613C-CS	3546, 8270C LL	T	14.86 g	1 mL		1 mL		
680-88766-A-5	CV0613D-CS	3546, 8270C LL	T	14.97 g	1 mL		1 mL		
680-88766-A-7	CV0613F-CS	3546, 8270C LL	T	15.37 g	1 mL		1 mL		
680-88766-A-8	CV0613G-CS	3546, 8270C LL	T	15.18 g	1 mL		1 mL		
680-88766-A-9	CV0613H-CS	3546, 8270C LL	T	14.84 g	1 mL		1 mL		
680-88766-A-10	CV0613I-CS	3546, 8270C LL	T	15.05 g	1 mL		1 mL		
680-88766-A-11	CV0613J-CS	3546, 8270C LL	T	14.92 g	1 mL		1 mL		
680-88766-A-12	CV0613K-CS	3546, 8270C LL	T	14.88 g	1 mL		1 mL		
680-88766-A-13	CV0613K-CSD	3546, 8270C LL	T	14.74 g	1 mL		1 mL		
680-88766-A-14	CV0613AB-GS	3546, 8270C LL	T	14.87 g	1 mL		1 mL		
680-88766-A-15	CV0613AC-GS	3546, 8270C LL	T	14.80 g	1 mL		1 mL		
680-88766-A-16	CV0610A-CS	3546, 8270C LL	T	14.82 g	1 mL		1 mL		
680-88766-A-18	CV0610AB-GS	3546, 8270C LL	T	15.05 g	1 mL		1 mL		
680-88766-A-19	CV0506A-CS	3546, 8270C LL	T	14.81 g	1 mL		1 mL		

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

8270C LL

Page 1 of 2

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Batch Number: 135924 Batch Start Date: 03/29/13 10:19 Batch Analyst: Nolan, RyanBatch Method: 3546 Batch End Date: 03/29/13 15:30

Batch Notes	
Acetone Lot #	EX-ACETON BOT 51
Balance ID	B001
Batch Comment	NONE
Person's name who did the concentration	RYAN
Exchange Solvent Lot #	EX-MC CYCL 55
Exchange Solvent Name	DCM
Final Concentrator Volume	1 mL
MeCL2 Lot #	EX-MC CYCL 55
MeCl2/Acetone Lot #	EX-DCM/ACETON 53
Microwave Start Time	12:00 3/29/13
Microwave Stop Time	12:30 3/29/13
Na2SO4 Lot Number	EX-NA2S04A 64
Ottawa Sand Lot #	EX-OTTOWA SAND 14
Person's name who did the prep	RN
SOP Number	TP-EX014
Person who witnessed spiking	SC
Surrogate Lot Number	EXLLSURINT 178
Water Bath ID	TURBOVAP2 #1/2/3/4
Water Bath Temperature	40

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Batch Number: 136026 Batch Start Date: 04/01/13 13:16 Batch Analyst: Cerome, SaurelBatch Method: 3546 Batch End Date: 04/02/13 11:00

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	EX-625LVI SPK 00020	EXLLSURINT 00178		
MB 660-136026/1		3546, 8270C LL		15.12 g	1 mL		1 mL		
LCS 660-136026/2		3546, 8270C LL		15.03 g	1 mL	1 mL	1 mL		
680-88766-A-6	CV0613E-CS	3546, 8270C LL	T	14.95 g	1 mL		1 mL		
680-88766-A-6 MS	CV0613E-CS	3546, 8270C LL	T	14.98 g	1 mL	1 mL	1 mL		
680-88766-A-6 MSD	CV0613E-CS	3546, 8270C LL	T	15.04 g	1 mL	1 mL	1 mL		

Batch Notes	
Acetone Lot #	EX-ACETON BOT 51
Balance ID	B001
Batch Comment	RUSH
Person's name who did the concentration	RYAN
Exchange Solvent Lot #	EX-MC CYCL 55
Exchange Solvent Name	DCM
Final Concentrator Volume	1 mL
MeCl2 Lot #	EX-MC CYCL 55
MeCl2/Acetone Lot #	DCM/ACETON 57
Microwave Start Time	14:50 4/1/13
Microwave Stop Time	15:25 4/1/13
Na2SO4 Lot Number	EX-NA2S04A 64
Ottawa Sand Lot #	EX-OTTOWA SAND 14
Person's name who did the prep	RYAN
SOP Number	TP EX014
Person who witnessed spiking	SC
Surrogate Lot Number	EXLLSURINT 178
Water Bath ID	TURBOVAP2 #1-4
Water Bath Temperature	40

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 136026 Batch Start Date: 04/01/13 13:16 Batch Analyst: Cerome, Saurel

Batch Method: 3546 Batch End Date: 04/02/13 11:00

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1SDG No.: 68088766-1Batch Number: 136063 Batch Start Date: 04/02/13 11:33 Batch Analyst: Cerome, SaurelBatch Method: 3546 Batch End Date: 04/03/13 08:20

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	FinalAmount	EX-625LVI SPK 00020	EXLLSURINT 00178		
MB 660-136063/1		3546, 8270C LL		14.99 g	1 mL		1 mL		
LCS 660-136063/2		3546, 8270C LL		14.97 g	1 mL	1 mL	1 mL		
680-88766-A-21 MS		3546, 8270C LL	T	15.32 g	1 mL	1 mL	1 mL		
680-88766-A-21 MSD		3546, 8270C LL	T	14.60 g	1 mL	1 mL	1 mL		
680-88766-A-17	CV0610B-CS	3546, 8270C LL	T	14.97 g	1 mL		1 mL		
680-88766-A-20	CV0506B-CS	3546, 8270C LL	T	15.28 g	1 mL		1 mL		

Batch Notes	
Acetone Lot #	EX-ACETON BOT 51
Balance ID	B001
Batch Comment	RUSH
Person's name who did the concentration	RYAN
Exchange Solvent Lot #	EX-MC CYCL 55
Exchange Solvent Name	DCM
Final Concentrator Volume	1 mL
MeCl2 Lot #	EX-MC CYCL 55
MeCl2/Acetone Lot #	DCM/ACETON 58
Microwave Start Time	12:30 4/2/13
Microwave Stop Time	13:05 4/2/13
Na2SO4 Lot Number	EX-NA2S04A 65
Ottawa Sand Lot #	EX-OTTOWA SAND 14
Person's name who did the prep	RYAN
SOP Number	TP-EX014
Person who witnessed spiking	SC
Surrogate Lot Number	EXLLSURINT 178
Water Bath ID	TURBOVAP2 #1-4
Water Bath Temperature	40

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC/MS SEMI VOA BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 136063 Batch Start Date: 04/02/13 11:33 Batch Analyst: Cerome, Saurel

Batch Method: 3546 Batch End Date: 04/03/13 08:20

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY

COVER PAGE
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa

Job Number: 680-88766-1

SDG No.: 68088766-1

Project: 35th Avenue Superfund Site

Client Sample ID	Lab Sample ID
CV0613A-CS	680-88766-1
CV0613A-CSD	680-88766-2
CV0613B-CS	680-88766-3
CV0613C-CS	680-88766-4
CV0613D-CS	680-88766-5
CV0613E-CS	680-88766-6
CV0613F-CS	680-88766-7
CV0613G-CS	680-88766-8
CV0613H-CS	680-88766-9
CV0613I-CS	680-88766-10
CV0613J-CS	680-88766-11
CV0613K-CS	680-88766-12
CV0613K-CSD	680-88766-13
CV0613AB-GS	680-88766-14
CV0613AC-GS	680-88766-15
CV0610A-CS	680-88766-16
CV0610B-CS	680-88766-17
CV0610AB-GS	680-88766-18
CV0506A-CS	680-88766-19
CV0506B-CS	680-88766-20

Comments:

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job Number: 680-88766-1
SDG Number: 68088766-1
Matrix: Solid Instrument ID: Moisture
Method: Moisture RL Date: 01/01/2004 18:10

Analyte	Wavelength/ Mass	RL (%)	
Percent Moisture		0.1	

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job Number: 680-88766-1
SDG Number: 68088766-1
Matrix: Solid Instrument ID: Moisture
Method: Moisture XRL Date: 04/12/2010 08:14

Analyte	Wavelength/ Mass	XRL (%)	
Percent Moisture		0.1	

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job Number: 680-88766-1
SDG Number: 68088766-1
Matrix: Solid Instrument ID: NOEQUIP
Method: Moisture RL Date: 01/01/2004 18:10

Analyte	Wavelength/ Mass	RL (%)	
Percent Moisture		0.1	

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job Number: 680-88766-1
SDG Number: 68088766-1
Matrix: Solid Instrument ID: NOEQUIP
Method: Moisture XRL Date: 04/12/2010 08:14

Analyte	Wavelength/ Mass	XRL (%)	
Percent Moisture		0.1	

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Instrument ID: Moisture Method: Moisture

Start Date: 03/29/2013 06:29 End Date: 03/29/2013 13:05

Lab Sample ID	D / F	T y p e	Time	Analytes															
				M o i s t															
LCS 660-135936/1	1	T	06:29	X															
LCSD 660-135936/21	1	T	06:31	X															
ZZZZZZ			08:33																
ZZZZZZ			08:39																
ZZZZZZ			10:30																
ZZZZZZ			10:33																
ZZZZZZ			10:58																
ZZZZZZ			11:11																
680-88766-1	1	T	11:42	X															
680-88766-2	1	T	11:52	X															
680-88766-3	1	T	11:55	X															
680-88766-5	1	T	12:08	X															
680-88766-4	1	T	12:20	X															
ZZZZZZ			12:28																
ZZZZZZ			12:29																
ZZZZZZ			12:35																
ZZZZZZ			12:38																
ZZZZZZ			12:46																
640-42916-A-9 MS	1	T	12:52	X															
640-42916-A-9 MSD	1	T	13:04	X															
ZZZZZZ			13:05																

Prep Types
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Instrument ID: Moisture Method: Moisture

Start Date: 03/29/2013 13:14 End Date: 03/29/2013 13:54

Lab Sample ID	D / F	T y p e	Time	Analytes															
				M o i s t															
LCSD 660-135940/7	1	T	13:14	X															
LCS 660-135940/1	1	T	13:17	X															
ZZZZZZ			13:24																
ZZZZZZ			13:25																
680-88766-17	1	T	13:38	X															
680-88766-18	1	T	13:42	X															
680-88766-19	1	T	13:54	X															

Prep Types
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Instrument ID: NOEQUIP Method: Moisture

Start Date: 03/29/2013 12:01 End Date: 03/29/2013 12:01

Lab Sample ID	D / F	T y p e	Time	Analytes															
				M o i s t															
680-88766-7	1	T	12:01	X															
680-88766-12	1	T	12:01	X															
680-88766-8	1	T	12:01	X															
680-88766-13	1	T	12:01	X															
680-88766-14	1	T	12:01	X															
680-88766-16	1	T	12:01	X															
680-88766-15	1	T	12:01	X															
680-88766-10	1	T	12:01	X															
680-88766-11	1	T	12:01	X															
680-88766-20	1	T	12:01	X															
680-88766-9	1	T	12:01	X															
ZZZZZZ			12:01																

Prep Types
T = Total/NA

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 135922 Batch Start Date: 03/29/13 10:07 Batch Analyst: Galio, Andrew

Batch Method: Moisture Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Basis	DISH#	DishWeight	SampleMassWet	SampleMassDry		
680-88766-A-6	CV0613E-CS	Moisture	T	51	0 g	4.48 g	3.80 g		
680-88766-A-6 MS	CV0613E-CS	Moisture	T	51	0 g	4.48 g	3.80 g		
680-88766-A-6 MSD	CV0613E-CS	Moisture	T	51	0 g	4.48 g	3.80 g		

Batch Notes	
Balance ID	2 No Unit
Date samples were placed in the oven	3.29.13
Date samples were removed from oven	3/30/13
Time Samples were removed from oven	8:30

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Moisture

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 135931 Batch Start Date: 03/29/13 12:01 Batch Analyst: Galio, Andrew

Batch Method: Moisture Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Basis	DISH#	DishWeight	SampleMassWet	SampleMassDry		
680-88766-A-7	CV0613F-CS	Moisture	T	1	0 g	4.23 g	2.91 g		
680-88766-A-12	CV0613K-CS	Moisture	T	2	0 g	4.63 g	3.92 g		
680-88766-A-8	CV0613G-CS	Moisture	T	3	0 g	4.59 g	3.35 g		
680-88766-A-13	CV0613K-CSD	Moisture	T	4	0 g	4.60 g	4.01 g		
680-88766-A-14	CV0613AB-GS	Moisture	T	5	0 g	4.45 g	3.65 g		
680-88766-A-16	CV0610A-CS	Moisture	T	6	0 g	4.57 g	3.79 g		
680-88766-A-15	CV0613AC-GS	Moisture	T	7	0 g	4.34 g	3.65 g		
680-88766-A-10	CV0613I-CS	Moisture	T	8	0 g	4.50 g	3.42 g		
680-88766-A-11	CV0613J-CS	Moisture	T	9	0 g	5.14 g	4.19 g		
680-88766-A-20	CV0506B-CS	Moisture	T	10	0 g	6.02 g	3.78 g		
680-88766-A-9	CV0613H-CS	Moisture	T	11	0 g	6.56 g	5.51 g		

Batch Notes	
Balance ID	2 No Unit
Date samples were placed in the oven	3.29.13
Date samples were removed from oven	3.30.13
Time Samples were removed from oven	8:50

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Moisture

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 135936 Batch Start Date: 03/29/13 06:29 Batch Analyst: Galio, Andrew

Batch Method: Moisture Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Basis	DishWeight	SampleMassWet	SampleMassDry			
LCS 660-135936/1		Moisture		0 g	10.009 g	9.002 g			
680-88766-A-2	CV0613A-CSD	Moisture	T	0 g	4.435 g	3.756 g			
680-88766-A-4	CV0613C-CS	Moisture	T	0 g	4.2 g	3.015 g			
640-42916-A-9 MS		Moisture	T	0 g	4.607 g	3.873 g			
640-42916-A-9 MSD		Moisture	T	0 g	4.175 g	3.486 g			
680-88766-A-5	CV0613D-CS	Moisture	T	0 g	4.622 g	3.815 g			
680-88766-A-3	CV0613B-CS	Moisture	T	0 g	4.338 g	3.683 g			
680-88766-A-1	CV0613A-CS	Moisture	T	0 g	4.231 g	3.615 g			
LCSD 660-135936/21		Moisture		0 g	10.014 g	9.014 g			

Batch Notes	
Oven ID	HB43-1, HB43-2

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Moisture

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: TestAmerica Tampa Job No.: 680-88766-1

SDG No.: 68088766-1

Batch Number: 135940 Batch Start Date: 03/29/13 13:14 Batch Analyst: Galio, Andrew

Batch Method: Moisture Batch End Date: _____

Lab Sample ID	Client Sample ID	Method Chain	Basis	DishWeight	SampleMassWet	SampleMassDry			
LCS 660-135940/1		Moisture		0 g	10.028 g	9.033 g			
680-88766-A-17	CV0610B-CS	Moisture	T	0 g	4.439 g	3.715 g			
680-88766-A-19	CV0506A-CS	Moisture	T	0 g	4.523 g	3.426 g			
680-88766-A-18	CV0610AB-GS	Moisture	T	0 g	4.77 g	3.747 g			
LCSD 660-135940/7		Moisture		0 g	10.019 g	9.026 g			

Batch Notes	
Oven ID	HB43-1, HB43-2

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Moisture

Shipping and Receiving Documents

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE 35th Ave Removal	PROJECT NO. 2005148-1356	PROJECT LOCATION (STATE) AL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 1	OF 2
TAL (LAB) PROJECT MANAGER Lisa Harvey	P.O. NUMBER	CONTRACT NO.			STANDARD REPORT DELIVERY <input type="radio"/>	DATE DUE _____
CLIENT NAME	CLIENT E-MAIL	CLIENT FAX			EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/>	DATE DUE _____

(b) (6)
(b) (6)

CLIENT NAME _____
CLIENT E-MAIL _____
CLIENT ADDRESS _____
COMPANY CONTACT _____

(b) (6)

COMPOSITE (C) OR GRAB (G) INDICATE
AQUEOUS (WATER)
SOLID OR SEMISOLID
AIR
NONAQUEOUS LIQUID (OIL, SOLVENT, ...)

LL PAH
PRA & Metals

PRESERVATIVE

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS	
DATE	TIME							1	2	3	4	5	6	7	8	9	10		
3-25-13	1311	CV0613A-CS	C	X			X												
	1315	CV0613A-CSD	C	X			X												
	1320	CV0613B-CS	C	X			X												
	1325	CV0613C-CS	C	X			X												
	1330	CV0613D-CS	C	X			X												
	1343	CV0613E-CS	C	X			X	X											
	1348	CV0613F-CS	C	X			X												
	1400	CV0613G-CS	C	X			X												
	1407	CV0613H-CS	C	X			X												
	1417	CV0613I-CS	C	X			X												
	1425	CV0613J-CS	C	X			X												
	1426	CV0613K-CS	C	X			X	X											

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 3-26-13	TIME 13:30	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

LABORATORY USE ONLY

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 03/26/13	TIME 0937	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 650-88766	LABORATORY REMARKS 1.4°
---	-------------------------	---------------------	---	------------------	-----------------------------------	-----------------------------------

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE <i>35th Ave Removal</i>	PROJECT NO. <i>2005148-135C</i>	PROJECT LOCATION (STATE) <i>AL</i>	MATRIX TYPE	REQUIRED ANALYSIS	PAGE <i>2</i>	OF <i>2</i>
TAL (LAB) PROJECT MANAGER <i>Lisa Harvey</i>	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...) <i>LLPAH</i> <i>RELA 8 Metals</i>	STANDARD REPORT DELIVERY <input type="radio"/> DATE DUE _____ EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/> DATE DUE _____		
CLIENT ADDRESS		ENT FAX			NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	

(b) (6)
(b) (6)

COMPANY CONT# **(b) (6)**

PRESERVATIVE

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS								
DATE	TIME							1	2	3	4	5	6	7	8	9	10		11	12						
3-25-13	1428	CVO613K-CS	C	X				X	X																	
	1332	CVO613AB-GS	G	X				X																		
	1334	CVO613AC-GS	G	X				X																		
	1440	CVO610A-CS	C	X				X																		
	1442	CVO610B-CS	C	X				X																		
	1439	CVO610AB-GS	G	X				X																		
	1506	CVO506A-CS	C	X				X																		
	1515	CVO506B-CS	C	X				X																		
	1518	CVO014AB-GS	G	X				X																		
	1343	CVO613E-CS (sieve)	C	X				X																		
3-26-13	1300	032613-RB-Shovel		X				X	X																	

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 3-26-13	TIME 1330	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

LABORATORY USE ONLY								
RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 03/28/13	TIME 0937	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 680-88766	LABORATORY REMARKS 1.4 ^c		

Login Sample Receipt Checklist

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

SDG Number: 68088766-1

Login Number: 88766
List Number: 1
Creator: Barnett, Eddie T

List Source: TestAmerica Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1
SDG Number: 68088766-1

Login Number: 88766
List Number: 1
Creator: McNulty, Carol

List Source: TestAmerica Tampa
List Creation: 03/29/13 09:17 AM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Savannah

5102 LaRoche Avenue

Savannah, GA 31404

Tel: (912)354-7858

TestAmerica Job ID: 680-88766-1

TestAmerica Sample Delivery Group: 68088766-1

Client Project/Site: 35th Avenue Superfund Site

For:

Oneida Total Integrated Enterprises LLC

1220 Kennestone Circle

Suite 106

Marietta, Georgia 30060

Attn: Ms. Limari F Krebs



Authorized for release by:

4/8/2013 8:57:58 AM

Bernard Kirkland

Project Manager I

bernard.kirkland@testamericainc.com

Designee for

Lisa Harvey


Project Manager II

lisa.harvey@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Job ID: 680-88766-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Oneida Total Integrated Enterprises LLC

Project: 35th Avenue Superfund Site

Report Number: 680-88766-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 03/28/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.4 C.

SEMIVOLATILE ORGANIC COMPOUNDS BY GCMS - LOW LEVEL

Samples CV0613A-CS (680-88766-1), CV0613A-CSD (680-88766-2), CV0613B-CS (680-88766-3), CV0613C-CS (680-88766-4), CV0613D-CS (680-88766-5), CV0613E-CS (680-88766-6), CV0613F-CS (680-88766-7), CV0613G-CS (680-88766-8), CV0613H-CS (680-88766-9), CV0613I-CS (680-88766-10), CV0613J-CS (680-88766-11), CV0613K-CS (680-88766-12), CV0613K-CSD (680-88766-13), CV0613AB-GS (680-88766-14), CV0613AC-GS (680-88766-15), CV0610A-CS (680-88766-16), CV0610B-CS (680-88766-17), CV0610AB-GS (680-88766-18), CV0506A-CS (680-88766-19) and CV0506B-CS (680-88766-20) were analyzed for Semivolatile Organic Compounds by GCMS - Low Level in accordance with EPA SW-846 Method 8270C. The samples were prepared on 03/29/2013, 04/01/2013 and 04/02/2013 and analyzed on 04/02/2013 and 04/03/2013.

Samples CV0613A-CS (680-88766-1)[4X], CV0613B-CS (680-88766-3)[4X], CV0613D-CS (680-88766-5)[4X], CV0613E-CS (680-88766-6)[4X], CV0613H-CS (680-88766-9)[4X], CV0613J-CS (680-88766-11)[4X], CV0613AC-GS (680-88766-15)[4X], CV0610A-CS (680-88766-16)[4X], CV0610B-CS (680-88766-17)[4X], CV0610AB-GS (680-88766-18)[4X] and CV0506A-CS (680-88766-19)[4X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Several analytes recovered outside the recovery criteria low for the MS/MSD of sample CV0613E-CS (680-88766-6) in batch 660-136118.

No other difficulties were encountered during the SVOAs analyses.

All other quality control parameters were within the acceptance limits.

Sample Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-88766-1	CV0613A-CS	Solid	03/25/13 13:11	03/28/13 09:37
680-88766-2	CV0613A-CSD	Solid	03/25/13 13:15	03/28/13 09:37
680-88766-3	CV0613B-CS	Solid	03/25/13 13:20	03/28/13 09:37
680-88766-4	CV0613C-CS	Solid	03/25/13 13:25	03/28/13 09:37
680-88766-5	CV0613D-CS	Solid	03/25/13 13:30	03/28/13 09:37
680-88766-6	CV0613E-CS	Solid	03/25/13 13:43	03/28/13 09:37
680-88766-7	CV0613F-CS	Solid	03/25/13 13:48	03/28/13 09:37
680-88766-8	CV0613G-CS	Solid	03/25/13 14:00	03/28/13 09:37
680-88766-9	CV0613H-CS	Solid	03/25/13 14:07	03/28/13 09:37
680-88766-10	CV0613I-CS	Solid	03/25/13 14:17	03/28/13 09:37
680-88766-11	CV0613J-CS	Solid	03/25/13 14:25	03/28/13 09:37
680-88766-12	CV0613K-CS	Solid	03/25/13 14:26	03/28/13 09:37
680-88766-13	CV0613K-CSD	Solid	03/25/13 14:28	03/28/13 09:37
680-88766-14	CV0613AB-GS	Solid	03/25/13 13:32	03/28/13 09:37
680-88766-15	CV0613AC-GS	Solid	03/25/13 13:34	03/28/13 09:37
680-88766-16	CV0610A-CS	Solid	03/25/13 14:40	03/28/13 09:37
680-88766-17	CV0610B-CS	Solid	03/25/13 14:42	03/28/13 09:37
680-88766-18	CV0610AB-GS	Solid	03/25/13 14:39	03/28/13 09:37
680-88766-19	CV0506A-CS	Solid	03/25/13 15:06	03/28/13 09:37
680-88766-20	CV0506B-CS	Solid	03/25/13 15:15	03/28/13 09:37

Method Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Method	Method Description	Protocol	Laboratory
8270C LL	Semivolatile Organic Compounds by GCMS - Low Levels	SW846	TAL TAM
Moisture	Percent Moisture	EPA	TAL TAM

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

1

2

3

4

5

6

7

8

9

10

11

12

Definitions/Glossary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F	MS or MSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613A-CS

Lab Sample ID: 680-88766-1

Date Collected: 03/25/13 13:11

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 85.4

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	470	U	470	94	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Acenaphthylene	150	J	190	24	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Anthracene	300		40	20	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Benzo[a]anthracene	1100		38	18	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Benzo[a]pyrene	950		49	25	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Benzo[b]fluoranthene	1800		58	29	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Benzo[g,h,i]perylene	790		94	21	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Benzo[k]fluoranthene	570		38	17	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Chrysene	1000		42	21	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Dibenz(a,h)anthracene	280		94	19	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Fluoranthene	1600		94	19	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Fluorene	70	J	94	19	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Indeno[1,2,3-cd]pyrene	660		94	33	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
1-Methylnaphthalene	190		190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
2-Methylnaphthalene	190		190	33	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Naphthalene	180	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Phenanthrene	780		38	18	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4
Pyrene	1400		94	17	ug/Kg	☼	03/29/13 10:19	04/02/13 21:51	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	96		30 - 130	03/29/13 10:19	04/02/13 21:51	4

Client Sample ID: CV0613A-CSD

Lab Sample ID: 680-88766-2

Date Collected: 03/25/13 13:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	34	J	120	24	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Acenaphthylene	75		47	5.9	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Anthracene	150		9.9	5.0	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Benzo[a]anthracene	530		9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Benzo[a]pyrene	490		12	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Benzo[b]fluoranthene	850		14	7.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Benzo[g,h,i]perylene	360		24	5.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Benzo[k]fluoranthene	370		9.5	4.3	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Chrysene	520		11	5.3	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Dibenz(a,h)anthracene	130		24	4.9	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Fluoranthene	860		24	4.7	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Fluorene	38		24	4.9	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Indeno[1,2,3-cd]pyrene	350		24	8.4	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
1-Methylnaphthalene	65		47	5.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
2-Methylnaphthalene	96		47	8.4	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Naphthalene	88		47	5.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Phenanthrene	400		9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1
Pyrene	810		24	4.4	ug/Kg	☼	03/29/13 10:19	04/02/13 22:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	58		30 - 130	03/29/13 10:19	04/02/13 22:09	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613B-CS

Lab Sample ID: 680-88766-3

Date Collected: 03/25/13 13:20

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.9

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	400	J	470	95	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Acenaphthylene	100	J	190	24	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Anthracene	970		40	20	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Benzo[a]anthracene	2600		38	19	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Benzo[a]pyrene	2300		49	25	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Benzo[b]fluoranthene	3800		58	29	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Benzo[g,h,i]perylene	1800		95	21	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Benzo[k]fluoranthene	1500		38	17	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Chrysene	2400		43	21	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Dibenz(a,h)anthracene	520		95	19	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Fluoranthene	4700		95	19	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Fluorene	330		95	19	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Indeno[1,2,3-cd]pyrene	1600		95	34	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
1-Methylnaphthalene	160	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
2-Methylnaphthalene	210		190	34	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Naphthalene	290		190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Phenanthrene	3000		38	19	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Pyrene	4100		95	18	ug/Kg	☼	03/29/13 10:19	04/02/13 22:27	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	95		30 - 130				03/29/13 10:19	04/02/13 22:27	4

Client Sample ID: CV0613C-CS

Lab Sample ID: 680-88766-4

Date Collected: 03/25/13 13:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 71.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	31	J	140	28	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Acenaphthylene	21	J	56	7.0	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Anthracene	68		12	5.9	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Benzo[a]anthracene	230		11	5.5	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Benzo[a]pyrene	190		15	7.3	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Benzo[b]fluoranthene	380		17	8.6	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Benzo[g,h,i]perylene	180		28	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Benzo[k]fluoranthene	130		11	5.1	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Chrysene	230		13	6.3	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Dibenz(a,h)anthracene	57		28	5.8	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Fluoranthene	420		28	5.6	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Fluorene	31		28	5.8	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Indeno[1,2,3-cd]pyrene	130		28	10	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
1-Methylnaphthalene	63		56	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
2-Methylnaphthalene	94		56	10	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Naphthalene	92		56	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Phenanthrene	260		11	5.5	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Pyrene	340		28	5.2	ug/Kg	☼	03/29/13 10:19	04/02/13 22:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	54		30 - 130				03/29/13 10:19	04/02/13 22:46	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613D-CS

Lab Sample ID: 680-88766-5

Date Collected: 03/25/13 13:30

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.5

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	490	U	490	97	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Acenaphthylene	48	J	190	24	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Anthracene	120		41	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Benzo[a]anthracene	390		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Benzo[a]pyrene	310		51	25	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Benzo[b]fluoranthene	720		59	30	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Benzo[g,h,i]perylene	260		97	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Benzo[k]fluoranthene	230		39	17	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Chrysene	470		44	22	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Dibenz(a,h)anthracene	96	J	97	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Fluoranthene	550		97	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Fluorene	41	J	97	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Indeno[1,2,3-cd]pyrene	270		97	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
1-Methylnaphthalene	64	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
2-Methylnaphthalene	93	J	190	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Naphthalene	82	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Phenanthrene	310		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Pyrene	530		97	18	ug/Kg	☼	03/29/13 10:19	04/02/13 23:04	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	90		30 - 130				03/29/13 10:19	04/02/13 23:04	4

Client Sample ID: CV0613E-CS

Lab Sample ID: 680-88766-6

Date Collected: 03/25/13 13:43

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	470	U	470	95	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Acenaphthylene	110	J	190	24	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Anthracene	290		40	20	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Benzo[a]anthracene	910	F	38	18	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Benzo[a]pyrene	830	F	49	25	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Benzo[b]fluoranthene	1500	F	58	29	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Benzo[g,h,i]perylene	760		95	21	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Benzo[k]fluoranthene	530		38	17	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Chrysene	1000	F	43	21	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Dibenz(a,h)anthracene	210		95	19	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Fluoranthene	1500	F	95	19	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Fluorene	77	J	95	19	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Indeno[1,2,3-cd]pyrene	670		95	34	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
1-Methylnaphthalene	110	J	190	21	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
2-Methylnaphthalene	150	J	190	34	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Naphthalene	150	J	190	21	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Phenanthrene	830	F	38	18	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Pyrene	1300	F	95	18	ug/Kg	☼	04/01/13 13:16	04/03/13 13:30	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	71		30 - 130				04/01/13 13:16	04/03/13 13:30	4

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613F-CS

Lab Sample ID: 680-88766-7

Date Collected: 03/25/13 13:48

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 68.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	140	U	140	28	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Acenaphthylene	37	J	57	7.1	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Anthracene	68		12	6.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Benzo[a]anthracene	210		11	5.5	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Benzo[a]pyrene	150		15	7.4	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Benzo[b]fluoranthene	300		17	8.7	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Benzo[g,h,i]perylene	120		28	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Benzo[k]fluoranthene	110		11	5.1	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Chrysene	220		13	6.4	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Dibenz(a,h)anthracene	43		28	5.8	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Fluoranthene	350		28	5.7	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Fluorene	15	J	28	5.8	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Indeno[1,2,3-cd]pyrene	120		28	10	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
1-Methylnaphthalene	63		57	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
2-Methylnaphthalene	72		57	10	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Naphthalene	54	J	57	6.2	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Phenanthrene	230		11	5.5	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Pyrene	310		28	5.2	ug/Kg	☼	03/29/13 10:19	04/02/13 23:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	46		30 - 130				03/29/13 10:19	04/02/13 23:22	1

Client Sample ID: CV0613G-CS

Lab Sample ID: 680-88766-8

Date Collected: 03/25/13 14:00

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 73.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	140	U	140	27	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Acenaphthylene	67		54	6.8	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Anthracene	120		11	5.7	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Benzo[a]anthracene	310		11	5.3	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Benzo[a]pyrene	280		14	7.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Benzo[b]fluoranthene	570		17	8.3	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Benzo[g,h,i]perylene	220		27	6.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Benzo[k]fluoranthene	230		11	4.9	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Chrysene	350		12	6.1	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Dibenz(a,h)anthracene	79		27	5.6	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Fluoranthene	410		27	5.4	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Fluorene	19	J	27	5.6	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Indeno[1,2,3-cd]pyrene	200		27	9.6	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
1-Methylnaphthalene	64		54	6.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
2-Methylnaphthalene	84		54	9.6	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Naphthalene	88		54	6.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Phenanthrene	220		11	5.3	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Pyrene	410		27	5.0	ug/Kg	☼	03/29/13 10:19	04/02/13 23:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	49		30 - 130				03/29/13 10:19	04/02/13 23:41	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613H-CS

Lab Sample ID: 680-88766-9

Date Collected: 03/25/13 14:07

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	480	U	480	96	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Acenaphthylene	130	J	190	24	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Anthracene	250		40	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Benzo[a]anthracene	730		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Benzo[a]pyrene	660		50	25	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Benzo[b]fluoranthene	1300		59	29	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Benzo[g,h,i]perylene	540		96	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Benzo[k]fluoranthene	450		39	17	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Chrysene	840		43	22	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Dibenz(a,h)anthracene	150		96	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Fluoranthene	1400		96	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Fluorene	75	J	96	20	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Indeno[1,2,3-cd]pyrene	520		96	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
1-Methylnaphthalene	94	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
2-Methylnaphthalene	140	J	190	34	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Naphthalene	160	J	190	21	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Phenanthrene	680		39	19	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Pyrene	1100		96	18	ug/Kg	☼	03/29/13 10:19	04/02/13 23:59	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	97		30 - 130				03/29/13 10:19	04/02/13 23:59	4

Client Sample ID: CV0613I-CS

Lab Sample ID: 680-88766-10

Date Collected: 03/25/13 14:17

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 76.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	130	U	130	26	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Acenaphthylene	71		52	6.6	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Anthracene	120		11	5.5	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Benzo[a]anthracene	340		10	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Benzo[a]pyrene	320		14	6.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Benzo[b]fluoranthene	670		16	8.0	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Benzo[g,h,i]perylene	260		26	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Benzo[k]fluoranthene	250		10	4.7	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Chrysene	340		12	5.9	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Dibenz(a,h)anthracene	87		26	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Fluoranthene	420		26	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Fluorene	22	J	26	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Indeno[1,2,3-cd]pyrene	270		26	9.3	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
1-Methylnaphthalene	59		52	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
2-Methylnaphthalene	76		52	9.3	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Naphthalene	87		52	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Phenanthrene	220		10	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Pyrene	410		26	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 00:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	56		30 - 130				03/29/13 10:19	04/03/13 00:17	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613J-CS

Lab Sample ID: 680-88766-11

Date Collected: 03/25/13 14:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 81.5

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	490	U	490	99	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Acenaphthylene	92	J	200	25	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Anthracene	160		41	21	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Benzo[a]anthracene	740		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Benzo[a]pyrene	640		51	26	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Benzo[b]fluoranthene	1400		60	30	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Benzo[g,h,i]perylene	570		99	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Benzo[k]fluoranthene	540		39	18	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Chrysene	890		44	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Dibenz(a,h)anthracene	190		99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Fluoranthene	1300		99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Fluorene	27	J	99	20	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Indeno[1,2,3-cd]pyrene	380		99	35	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
1-Methylnaphthalene	80	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
2-Methylnaphthalene	89	J	200	35	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Naphthalene	110	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Phenanthrene	500		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Pyrene	1100		99	18	ug/Kg	☼	03/29/13 10:19	04/03/13 12:59	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	84		30 - 130				03/29/13 10:19	04/03/13 12:59	4

Client Sample ID: CV0613K-CS

Lab Sample ID: 680-88766-12

Date Collected: 03/25/13 14:26

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	50	J	120	24	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Acenaphthylene	100		48	6.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Anthracene	170		10	5.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Benzo[a]anthracene	450		9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Benzo[a]pyrene	460		12	6.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Benzo[b]fluoranthene	850		15	7.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Benzo[g,h,i]perylene	390		24	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Benzo[k]fluoranthene	380		9.5	4.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Chrysene	540		11	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Dibenz(a,h)anthracene	130		24	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Fluoranthene	750		24	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Fluorene	47		24	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Indeno[1,2,3-cd]pyrene	360		24	8.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
1-Methylnaphthalene	76		48	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
2-Methylnaphthalene	96		48	8.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Naphthalene	120		48	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Phenanthrene	540		9.5	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Pyrene	730		24	4.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	57		30 - 130				03/29/13 10:19	04/03/13 13:17	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613K-CSD

Lab Sample ID: 680-88766-13

Date Collected: 03/25/13 14:28

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 87.2

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	24	J	120	23	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Acenaphthylene	67		47	5.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Anthracene	99		9.8	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Benzo[a]anthracene	290		9.3	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Benzo[a]pyrene	320		12	6.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Benzo[b]fluoranthene	560		14	7.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Benzo[g,h,i]perylene	240		23	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Benzo[k]fluoranthene	230		9.3	4.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Chrysene	340		11	5.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Dibenz(a,h)anthracene	74		23	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Fluoranthene	480		23	4.7	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Fluorene	24		23	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Indeno[1,2,3-cd]pyrene	240		23	8.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
1-Methylnaphthalene	43	J	47	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
2-Methylnaphthalene	46	J	47	8.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Naphthalene	54		47	5.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Phenanthrene	220		9.3	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Pyrene	440		23	4.3	ug/Kg	☼	03/29/13 10:19	04/03/13 13:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	44		30 - 130				03/29/13 10:19	04/03/13 13:35	1

Client Sample ID: CV0613AB-GS

Lab Sample ID: 680-88766-14

Date Collected: 03/25/13 13:32

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	120	U	120	25	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Acenaphthylene	76		49	6.1	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Anthracene	150		10	5.2	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Benzo[a]anthracene	600		9.8	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Benzo[a]pyrene	510		13	6.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Benzo[b]fluoranthene	910		15	7.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Benzo[g,h,i]perylene	350		25	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Benzo[k]fluoranthene	490		9.8	4.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Chrysene	820		11	5.5	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Dibenz(a,h)anthracene	120		25	5.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Fluoranthene	1400		25	4.9	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Fluorene	35		25	5.0	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Indeno[1,2,3-cd]pyrene	330		25	8.7	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
1-Methylnaphthalene	150		49	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
2-Methylnaphthalene	220		49	8.7	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Naphthalene	150		49	5.4	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Phenanthrene	380		9.8	4.8	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Pyrene	1300		25	4.6	ug/Kg	☼	03/29/13 10:19	04/03/13 13:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	49		30 - 130				03/29/13 10:19	04/03/13 13:54	1

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613AC-GS

Lab Sample ID: 680-88766-15

Date Collected: 03/25/13 13:34

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	480	U	480	96	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Acenaphthylene	110	J	190	24	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Anthracene	140		40	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Benzo[a]anthracene	470		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Benzo[a]pyrene	550		50	25	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Benzo[b]fluoranthene	890		59	29	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Benzo[g,h,i]perylene	450		96	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Benzo[k]fluoranthene	390		39	17	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Chrysene	570		43	22	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Dibenz(a,h)anthracene	110		96	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Fluoranthene	770		96	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Fluorene	38	J	96	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Indeno[1,2,3-cd]pyrene	350		96	34	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
1-Methylnaphthalene	74	J	190	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
2-Methylnaphthalene	60	J	190	34	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Naphthalene	110	J	190	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Phenanthrene	360		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Pyrene	660		96	18	ug/Kg	☼	03/29/13 10:19	04/03/13 14:12	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	84		30 - 130				03/29/13 10:19	04/03/13 14:12	4

Client Sample ID: CV0610A-CS

Lab Sample ID: 680-88766-16

Date Collected: 03/25/13 14:40

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.9

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	490	U	490	98	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Acenaphthylene	83	J	200	24	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Anthracene	180		41	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Benzo[a]anthracene	690		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Benzo[a]pyrene	570		51	25	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Benzo[b]fluoranthene	1000		60	30	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Benzo[g,h,i]perylene	490		98	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Benzo[k]fluoranthene	460		39	18	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Chrysene	710		44	22	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Dibenz(a,h)anthracene	150		98	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Fluoranthene	1000		98	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Fluorene	46	J	98	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Indeno[1,2,3-cd]pyrene	360		98	35	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
1-Methylnaphthalene	100	J	200	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
2-Methylnaphthalene	120	J	200	35	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Naphthalene	160	J	200	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Phenanthrene	550		39	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Pyrene	920		98	18	ug/Kg	☼	03/29/13 10:19	04/03/13 14:30	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	82		30 - 130				03/29/13 10:19	04/03/13 14:30	4

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0610B-CS

Lab Sample ID: 680-88766-17

Date Collected: 03/25/13 14:42

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 83.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	480	U	480	96	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Acenaphthylene	41	J	190	24	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Anthracene	120		40	20	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Benzo[a]anthracene	490		38	19	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Benzo[a]pyrene	380		50	25	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Benzo[b]fluoranthene	780		58	29	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Benzo[g,h,i]perylene	420		96	21	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Benzo[k]fluoranthene	380		38	17	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Chrysene	560		43	22	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Dibenz(a,h)anthracene	120		96	20	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Fluoranthene	670		96	19	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Fluorene	41	J	96	20	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Indeno[1,2,3-cd]pyrene	350		96	34	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
1-Methylnaphthalene	92	J	190	21	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
2-Methylnaphthalene	120	J	190	34	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Naphthalene	150	J	190	21	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Phenanthrene	370		38	19	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Pyrene	600		96	18	ug/Kg	☼	04/02/13 11:33	04/03/13 18:00	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	115		30 - 130				04/02/13 11:33	04/03/13 18:00	4

Client Sample ID: CV0610AB-GS

Lab Sample ID: 680-88766-18

Date Collected: 03/25/13 14:39

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 78.6

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	510	U	510	100	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Acenaphthylene	74	J	200	25	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Anthracene	110		43	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Benzo[a]anthracene	450		41	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Benzo[a]pyrene	440		53	26	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Benzo[b]fluoranthene	750		62	31	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Benzo[g,h,i]perylene	370		100	22	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Benzo[k]fluoranthene	310		41	18	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Chrysene	550		46	23	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Dibenz(a,h)anthracene	130		100	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Fluoranthene	730		100	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Fluorene	43	J	100	21	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Indeno[1,2,3-cd]pyrene	280		100	36	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
1-Methylnaphthalene	72	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
2-Methylnaphthalene	96	J	200	36	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Naphthalene	150	J	200	22	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Phenanthrene	380		41	20	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Pyrene	650		100	19	ug/Kg	☼	03/29/13 10:19	04/03/13 14:49	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	88		30 - 130				03/29/13 10:19	04/03/13 14:49	4

TestAmerica Savannah

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0506A-CS

Lab Sample ID: 680-88766-19

Date Collected: 03/25/13 15:06

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 75.7

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	530	U	530	110	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Acenaphthylene	34	J	210	27	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Anthracene	51		45	22	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Benzo[a]anthracene	280		43	21	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Benzo[a]pyrene	250		56	28	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Benzo[b]fluoranthene	460		65	33	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Benzo[g,h,i]perylene	250		110	24	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Benzo[k]fluoranthene	190		43	19	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Chrysene	360		48	24	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Dibenz(a,h)anthracene	100	J	110	22	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Fluoranthene	310		110	21	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Fluorene	26	J	110	22	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Indeno[1,2,3-cd]pyrene	240		110	38	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
1-Methylnaphthalene	140	J	210	24	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
2-Methylnaphthalene	180	J	210	38	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Naphthalene	190	J	210	24	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Phenanthrene	240		43	21	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Pyrene	290		110	20	ug/Kg	☼	03/29/13 10:19	04/03/13 15:07	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	98		30 - 130				03/29/13 10:19	04/03/13 15:07	4

Client Sample ID: CV0506B-CS

Lab Sample ID: 680-88766-20

Date Collected: 03/25/13 15:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 62.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	160	U	160	31	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Acenaphthylene	10	J	63	7.8	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Anthracene	10	J	13	6.6	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Benzo[a]anthracene	120		13	6.1	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Benzo[a]pyrene	100		16	8.1	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Benzo[b]fluoranthene	180		19	9.5	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Benzo[g,h,i]perylene	83		31	6.9	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Benzo[k]fluoranthene	73		13	5.6	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Chrysene	100		14	7.0	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Dibenz(a,h)anthracene	33		31	6.4	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Fluoranthene	110		31	6.3	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Fluorene	9.8	J	31	6.4	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Indeno[1,2,3-cd]pyrene	67		31	11	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
1-Methylnaphthalene	37	J	63	6.9	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
2-Methylnaphthalene	57	J	63	11	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Naphthalene	63		63	6.9	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Phenanthrene	64		13	6.1	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Pyrene	96		31	5.8	ug/Kg	☼	04/02/13 11:33	04/03/13 18:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	66		30 - 130				04/02/13 11:33	04/03/13 18:19	1

TestAmerica Savannah

QC Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Lab Sample ID: MB 660-135924/1-A

Matrix: Solid

Analysis Batch: 136079

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 135924

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	99	U	99	20	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Acenaphthylene	40	U	40	5.0	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Anthracene	8.3	U	8.3	4.2	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Benzo[a]anthracene	7.9	U	7.9	3.9	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Benzo[a]pyrene	10	U	10	5.2	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Benzo[b]fluoranthene	12	U	12	6.1	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Benzo[g,h,i]perylene	20	U	20	4.4	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Benzo[k]fluoranthene	7.9	U	7.9	3.6	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Chrysene	8.9	U	8.9	4.5	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Dibenz(a,h)anthracene	20	U	20	4.1	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Fluoranthene	20	U	20	4.0	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Fluorene	20	U	20	4.1	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Indeno[1,2,3-cd]pyrene	20	U	20	7.0	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
1-Methylnaphthalene	40	U	40	4.4	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
2-Methylnaphthalene	40	U	40	7.0	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Naphthalene	40	U	40	4.4	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Phenanthrene	7.9	U	7.9	3.9	ug/Kg		03/29/13 10:19	04/02/13 20:01	1
Pyrene	20	U	20	3.7	ug/Kg		03/29/13 10:19	04/02/13 20:01	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	62		30 - 130	03/29/13 10:19	04/02/13 20:01	1

Lab Sample ID: LCS 660-135924/2-A

Matrix: Solid

Analysis Batch: 136079

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 135924

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthene	666	412		ug/Kg		62	39 - 130
Acenaphthylene	666	436		ug/Kg		65	38 - 130
Anthracene	666	447		ug/Kg		67	37 - 130
Benzo[a]anthracene	666	479		ug/Kg		72	40 - 130
Benzo[a]pyrene	666	454		ug/Kg		68	49 - 130
Benzo[b]fluoranthene	666	456		ug/Kg		68	37 - 130
Benzo[g,h,i]perylene	666	425		ug/Kg		64	32 - 130
Benzo[k]fluoranthene	666	469		ug/Kg		70	32 - 130
Chrysene	666	447		ug/Kg		67	41 - 130
Dibenz(a,h)anthracene	666	476		ug/Kg		71	27 - 130
Fluoranthene	666	483		ug/Kg		72	40 - 130
Fluorene	666	450		ug/Kg		68	40 - 130
Indeno[1,2,3-cd]pyrene	666	403		ug/Kg		60	30 - 130
1-Methylnaphthalene	666	509		ug/Kg		76	31 - 130
2-Methylnaphthalene	666	483		ug/Kg		72	33 - 130
Naphthalene	666	461		ug/Kg		69	36 - 130
Phenanthrene	666	439		ug/Kg		66	42 - 130
Pyrene	666	509		ug/Kg		76	44 - 130

TestAmerica Savannah

QC Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels (Continued)

Lab Sample ID: LCS 660-135924/2-A
Matrix: Solid
Analysis Batch: 136079

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 135924

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	66		30 - 130

Lab Sample ID: MB 660-136026/1-A
Matrix: Solid
Analysis Batch: 136118

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 136026

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	99	U	99	20	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Acenaphthylene	40	U	40	5.0	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Anthracene	8.3	U	8.3	4.2	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Benzo[a]anthracene	7.9	U	7.9	3.9	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Benzo[a]pyrene	10	U	10	5.2	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Benzo[b]fluoranthene	12	U	12	6.1	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Benzo[g,h,i]perylene	20	U	20	4.4	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Benzo[k]fluoranthene	7.9	U	7.9	3.6	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Chrysene	8.9	U	8.9	4.5	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Dibenz(a,h)anthracene	20	U	20	4.1	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Fluoranthene	20	U	20	4.0	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Fluorene	20	U	20	4.1	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Indeno[1,2,3-cd]pyrene	20	U	20	7.0	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
1-Methylnaphthalene	40	U	40	4.4	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
2-Methylnaphthalene	40	U	40	7.0	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Naphthalene	40	U	40	4.4	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Phenanthrene	7.9	U	7.9	3.9	ug/Kg		04/01/13 13:16	04/03/13 12:45	1
Pyrene	20	U	20	3.7	ug/Kg		04/01/13 13:16	04/03/13 12:45	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
<i>o</i> -Terphenyl	58		30 - 130	04/01/13 13:16	04/03/13 12:45	1

Lab Sample ID: LCS 660-136026/2-A
Matrix: Solid
Analysis Batch: 136118

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 136026

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acenaphthene	665	403		ug/Kg		61	39 - 130
Acenaphthylene	665	409		ug/Kg		61	38 - 130
Anthracene	665	416		ug/Kg		63	37 - 130
Benzo[a]anthracene	665	476		ug/Kg		72	40 - 130
Benzo[a]pyrene	665	412		ug/Kg		62	49 - 130
Benzo[b]fluoranthene	665	455		ug/Kg		68	37 - 130
Benzo[g,h,i]perylene	665	416		ug/Kg		62	32 - 130
Benzo[k]fluoranthene	665	444		ug/Kg		67	32 - 130
Chrysene	665	416		ug/Kg		63	41 - 130
Dibenz(a,h)anthracene	665	438		ug/Kg		66	27 - 130
Fluoranthene	665	427		ug/Kg		64	40 - 130
Fluorene	665	418		ug/Kg		63	40 - 130
Indeno[1,2,3-cd]pyrene	665	414		ug/Kg		62	30 - 130
1-Methylnaphthalene	665	434		ug/Kg		65	31 - 130

TestAmerica Savannah

QC Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels (Continued)

Lab Sample ID: LCS 660-136026/2-A

Matrix: Solid

Analysis Batch: 136118

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 136026

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
2-Methylnaphthalene	665	428		ug/Kg		64	33 - 130	
Naphthalene	665	418		ug/Kg		63	36 - 130	
Phenanthrene	665	414		ug/Kg		62	42 - 130	
Pyrene	665	444		ug/Kg		67	44 - 130	

Surrogate	LCS		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	64		30 - 130

Lab Sample ID: 680-88766-6 MS

Matrix: Solid

Analysis Batch: 136118

Client Sample ID: CV0613E-CS

Prep Type: Total/NA

Prep Batch: 136026

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	
Acenaphthene	470	U	787	547		ug/Kg	☼	69	39 - 130	
Acenaphthylene	110	J	787	605		ug/Kg	☼	63	38 - 130	
Anthracene	290		787	727		ug/Kg	☼	56	37 - 130	
Benzo[a]anthracene	910	F	787	1210	F	ug/Kg	☼	37	40 - 130	
Benzo[a]pyrene	830	F	787	1100	F	ug/Kg	☼	35	49 - 130	
Benzo[b]fluoranthene	1500	F	787	1640	F	ug/Kg	☼	20	37 - 130	
Benzo[g,h,i]perylene	760		787	1190		ug/Kg	☼	54	32 - 130	
Benzo[k]fluoranthene	530		787	941		ug/Kg	☼	52	32 - 130	
Chrysene	1000	F	787	1200	F	ug/Kg	☼	25	41 - 130	
Dibenz(a,h)anthracene	210		787	764		ug/Kg	☼	70	27 - 130	
Fluoranthene	1500	F	787	1520	F	ug/Kg	☼	7	40 - 130	
Fluorene	77	J	787	589		ug/Kg	☼	65	40 - 130	
Indeno[1,2,3-cd]pyrene	670		787	1080		ug/Kg	☼	52	30 - 130	
1-Methylnaphthalene	110	J	787	609		ug/Kg	☼	63	31 - 130	
2-Methylnaphthalene	150	J	787	655		ug/Kg	☼	65	33 - 130	
Naphthalene	150	J	787	634		ug/Kg	☼	62	36 - 130	
Phenanthrene	830	F	787	1070	F	ug/Kg	☼	30	42 - 130	
Pyrene	1300	F	787	1520	F	ug/Kg	☼	23	44 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	69		30 - 130

Lab Sample ID: 680-88766-6 MSD

Matrix: Solid

Analysis Batch: 136118

Client Sample ID: CV0613E-CS

Prep Type: Total/NA

Prep Batch: 136026

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
											RPD	Limit
Acenaphthene	470	U	784	504		ug/Kg	☼	64	39 - 130	8	40	
Acenaphthylene	110	J	784	582		ug/Kg	☼	61	38 - 130	4	40	
Anthracene	290		784	668		ug/Kg	☼	49	37 - 130	8	40	
Benzo[a]anthracene	910	F	784	1050	F	ug/Kg	☼	18	40 - 130	14	40	
Benzo[a]pyrene	830	F	784	993	F	ug/Kg	☼	21	49 - 130	10	40	
Benzo[b]fluoranthene	1500	F	784	1340	F	ug/Kg	☼	-18	37 - 130	20	40	
Benzo[g,h,i]perylene	760		784	1090		ug/Kg	☼	42	32 - 130	9	40	
Benzo[k]fluoranthene	530		784	839		ug/Kg	☼	39	32 - 130	12	40	

TestAmerica Savannah

QC Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels (Continued)

Lab Sample ID: 680-88766-6 MSD

Matrix: Solid

Analysis Batch: 136118

Client Sample ID: CV0613E-CS

Prep Type: Total/NA

Prep Batch: 136026

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Chrysene	1000	F	784	1060	F	ug/Kg	*	7	41 - 130	13	40
Dibenz(a,h)an hracene	210		784	735		ug/Kg	*	66	27 - 130	4	40
Fluoranthene	1500	F	784	1210	F	ug/Kg	*	-33	40 - 130	23	40
Fluorene	77	J	784	558		ug/Kg	*	61	40 - 130	6	40
Indeno[1,2,3-cd]pyrene	670		784	978		ug/Kg	*	39	30 - 130	10	40
1-Methylnaphthalene	110	J	784	581		ug/Kg	*	60	31 - 130	5	40
2-Methylnaphthalene	150	J	784	603		ug/Kg	*	58	33 - 130	8	40
Naphthalene	150	J	784	573		ug/Kg	*	54	36 - 130	10	40
Phenanthrene	830	F	784	872	F	ug/Kg	*	5	42 - 130	20	40
Pyrene	1300	F	784	1210	F	ug/Kg	*	-17	44 - 130	23	40

Surrogate	MSD %Recovery	MSD Qualifier	Limits
<i>o</i> -Terphenyl	66		30 - 130

Lab Sample ID: MB 660-136063/1-A

Matrix: Solid

Analysis Batch: 136081

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 136063

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	100	U	100	20	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Acenaphthylene	40	U	40	5.0	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Anthracene	8.4	U	8.4	4.2	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Benzo[a]anthracene	8.0	U	8.0	3.9	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Benzo[a]pyrene	10	U	10	5.2	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Benzo[b]fluoranthene	12	U	12	6.1	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Benzo[g,h,i]perylene	20	U	20	4.4	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Benzo[k]fluoranthene	8.0	U	8.0	3.6	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Chrysene	9.0	U	9.0	4.5	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Dibenz(a,h)an hracene	20	U	20	4.1	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Fluoranthene	20	U	20	4.0	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Fluorene	20	U	20	4.1	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Indeno[1,2,3-cd]pyrene	20	U	20	7.1	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
1-Methylnaphthalene	40	U	40	4.4	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
2-Methylnaphthalene	40	U	40	7.1	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Naphthalene	40	U	40	4.4	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Phenanthrene	8.0	U	8.0	3.9	ug/Kg		04/02/13 11:33	04/03/13 15:34	1
Pyrene	20	U	20	3.7	ug/Kg		04/02/13 11:33	04/03/13 15:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	80		30 - 130	04/02/13 11:33	04/03/13 15:34	1

Lab Sample ID: LCS 660-136063/2-A

Matrix: Solid

Analysis Batch: 136081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 136063

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Acenaphthene	668	458		ug/Kg		69	39 - 130
Acenaphthylene	668	488		ug/Kg		73	38 - 130

TestAmerica Savannah

QC Sample Results

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels (Continued)

Lab Sample ID: LCS 660-136063/2-A

Matrix: Solid

Analysis Batch: 136081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 136063

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Anthracene	668	469		ug/Kg		70	37 - 130
Benzo[a]anthracene	668	484		ug/Kg		72	40 - 130
Benzo[a]pyrene	668	444		ug/Kg		66	49 - 130
Benzo[b]fluoranthene	668	516		ug/Kg		77	37 - 130
Benzo[g,h,i]perylene	668	418		ug/Kg		63	32 - 130
Benzo[k]fluoranthene	668	468		ug/Kg		70	32 - 130
Chrysene	668	462		ug/Kg		69	41 - 130
Dibenz(a,h)anthracene	668	471		ug/Kg		71	27 - 130
Fluoranthene	668	487		ug/Kg		73	40 - 130
Fluorene	668	444		ug/Kg		66	40 - 130
Indeno[1,2,3-cd]pyrene	668	399		ug/Kg		60	30 - 130
1-Methylnaphthalene	668	522		ug/Kg		78	31 - 130
2-Methylnaphthalene	668	458		ug/Kg		69	33 - 130
Naphthalene	668	484		ug/Kg		72	36 - 130
Phenanthrene	668	499		ug/Kg		75	42 - 130
Pyrene	668	516		ug/Kg		77	44 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
<i>o</i> -Terphenyl	72		30 - 130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

QC Association Summary

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

GC/MS Semi VOA

Prep Batch: 135924

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-1	CV0613A-CS	Total/NA	Solid	3546	
680-88766-2	CV0613A-CSD	Total/NA	Solid	3546	
680-88766-3	CV0613B-CS	Total/NA	Solid	3546	
680-88766-4	CV0613C-CS	Total/NA	Solid	3546	
680-88766-5	CV0613D-CS	Total/NA	Solid	3546	
680-88766-7	CV0613F-CS	Total/NA	Solid	3546	
680-88766-8	CV0613G-CS	Total/NA	Solid	3546	
680-88766-9	CV0613H-CS	Total/NA	Solid	3546	
680-88766-10	CV0613I-CS	Total/NA	Solid	3546	
680-88766-11	CV0613J-CS	Total/NA	Solid	3546	
680-88766-12	CV0613K-CS	Total/NA	Solid	3546	
680-88766-13	CV0613K-CSD	Total/NA	Solid	3546	
680-88766-14	CV0613AB-GS	Total/NA	Solid	3546	
680-88766-15	CV0613AC-GS	Total/NA	Solid	3546	
680-88766-16	CV0610A-CS	Total/NA	Solid	3546	
680-88766-18	CV0610AB-GS	Total/NA	Solid	3546	
680-88766-19	CV0506A-CS	Total/NA	Solid	3546	
LCS 660-135924/2-A	Lab Control Sample	Total/NA	Solid	3546	
MB 660-135924/1-A	Method Blank	Total/NA	Solid	3546	

Prep Batch: 136026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-6	CV0613E-CS	Total/NA	Solid	3546	
680-88766-6 MS	CV0613E-CS	Total/NA	Solid	3546	
680-88766-6 MSD	CV0613E-CS	Total/NA	Solid	3546	
LCS 660-136026/2-A	Lab Control Sample	Total/NA	Solid	3546	
MB 660-136026/1-A	Method Blank	Total/NA	Solid	3546	

Prep Batch: 136063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-17	CV0610B-CS	Total/NA	Solid	3546	
680-88766-20	CV0506B-CS	Total/NA	Solid	3546	
LCS 660-136063/2-A	Lab Control Sample	Total/NA	Solid	3546	
MB 660-136063/1-A	Method Blank	Total/NA	Solid	3546	

Analysis Batch: 136079

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-1	CV0613A-CS	Total/NA	Solid	8270C LL	135924
680-88766-2	CV0613A-CSD	Total/NA	Solid	8270C LL	135924
680-88766-3	CV0613B-CS	Total/NA	Solid	8270C LL	135924
680-88766-4	CV0613C-CS	Total/NA	Solid	8270C LL	135924
680-88766-5	CV0613D-CS	Total/NA	Solid	8270C LL	135924
680-88766-7	CV0613F-CS	Total/NA	Solid	8270C LL	135924
680-88766-8	CV0613G-CS	Total/NA	Solid	8270C LL	135924
680-88766-9	CV0613H-CS	Total/NA	Solid	8270C LL	135924
680-88766-10	CV0613I-CS	Total/NA	Solid	8270C LL	135924
LCS 660-135924/2-A	Lab Control Sample	Total/NA	Solid	8270C LL	135924
MB 660-135924/1-A	Method Blank	Total/NA	Solid	8270C LL	135924

QC Association Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

GC/MS Semi VOA (Continued)

Analysis Batch: 136081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-11	CV0613J-CS	Total/NA	Solid	8270C LL	135924
680-88766-12	CV0613K-CS	Total/NA	Solid	8270C LL	135924
680-88766-13	CV0613K-CSD	Total/NA	Solid	8270C LL	135924
680-88766-14	CV0613AB-GS	Total/NA	Solid	8270C LL	135924
680-88766-15	CV0613AC-GS	Total/NA	Solid	8270C LL	135924
680-88766-16	CV0610A-CS	Total/NA	Solid	8270C LL	135924
680-88766-17	CV0610B-CS	Total/NA	Solid	8270C LL	136063
680-88766-18	CV0610AB-GS	Total/NA	Solid	8270C LL	135924
680-88766-19	CV0506A-CS	Total/NA	Solid	8270C LL	135924
680-88766-20	CV0506B-CS	Total/NA	Solid	8270C LL	136063
LCS 660-136063/2-A	Lab Control Sample	Total/NA	Solid	8270C LL	136063
MB 660-136063/1-A	Method Blank	Total/NA	Solid	8270C LL	136063

Analysis Batch: 136118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-6	CV0613E-CS	Total/NA	Solid	8270C LL	136026
680-88766-6 MS	CV0613E-CS	Total/NA	Solid	8270C LL	136026
680-88766-6 MSD	CV0613E-CS	Total/NA	Solid	8270C LL	136026
LCS 660-136026/2-A	Lab Control Sample	Total/NA	Solid	8270C LL	136026
MB 660-136026/1-A	Method Blank	Total/NA	Solid	8270C LL	136026

General Chemistry

Analysis Batch: 135922

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-6	CV0613E-CS	Total/NA	Solid	Moisture	
680-88766-6 MS	CV0613E-CS	Total/NA	Solid	Moisture	
680-88766-6 MSD	CV0613E-CS	Total/NA	Solid	Moisture	

Analysis Batch: 135931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-7	CV0613F-CS	Total/NA	Solid	Moisture	
680-88766-8	CV0613G-CS	Total/NA	Solid	Moisture	
680-88766-9	CV0613H-CS	Total/NA	Solid	Moisture	
680-88766-10	CV0613I-CS	Total/NA	Solid	Moisture	
680-88766-11	CV0613J-CS	Total/NA	Solid	Moisture	
680-88766-12	CV0613K-CS	Total/NA	Solid	Moisture	
680-88766-13	CV0613K-CSD	Total/NA	Solid	Moisture	
680-88766-14	CV0613AB-GS	Total/NA	Solid	Moisture	
680-88766-15	CV0613AC-GS	Total/NA	Solid	Moisture	
680-88766-16	CV0610A-CS	Total/NA	Solid	Moisture	
680-88766-20	CV0506B-CS	Total/NA	Solid	Moisture	

Analysis Batch: 135936

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-1	CV0613A-CS	Total/NA	Solid	Moisture	
680-88766-2	CV0613A-CSD	Total/NA	Solid	Moisture	
680-88766-3	CV0613B-CS	Total/NA	Solid	Moisture	
680-88766-4	CV0613C-CS	Total/NA	Solid	Moisture	
680-88766-5	CV0613D-CS	Total/NA	Solid	Moisture	

TestAmerica Savannah

QC Association Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

General Chemistry (Continued)

Analysis Batch: 135936 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 660-135936/1	Lab Control Sample	Total/NA	Solid	Moisture	
LCSD 660-135936/21	Lab Control Sample Dup	Total/NA	Solid	Moisture	

Analysis Batch: 135940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-88766-17	CV0610B-CS	Total/NA	Solid	Moisture	
680-88766-18	CV0610AB-GS	Total/NA	Solid	Moisture	
680-88766-19	CV0506A-CS	Total/NA	Solid	Moisture	
LCS 660-135940/1	Lab Control Sample	Total/NA	Solid	Moisture	
LCSD 660-135940/7	Lab Control Sample Dup	Total/NA	Solid	Moisture	

Lab Chronicle

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613A-CS

Lab Sample ID: 680-88766-1

Date Collected: 03/25/13 13:11

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 85.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136079	04/02/13 21:51	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135936	03/29/13 11:42	AG	TAL TAM

Client Sample ID: CV0613A-CSD

Lab Sample ID: 680-88766-2

Date Collected: 03/25/13 13:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136079	04/02/13 22:09	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135936	03/29/13 11:52	AG	TAL TAM

Client Sample ID: CV0613B-CS

Lab Sample ID: 680-88766-3

Date Collected: 03/25/13 13:20

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136079	04/02/13 22:27	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135936	03/29/13 11:55	AG	TAL TAM

Client Sample ID: CV0613C-CS

Lab Sample ID: 680-88766-4

Date Collected: 03/25/13 13:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 71.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136079	04/02/13 22:46	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135936	03/29/13 12:20	AG	TAL TAM

Client Sample ID: CV0613D-CS

Lab Sample ID: 680-88766-5

Date Collected: 03/25/13 13:30

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136079	04/02/13 23:04	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135936	03/29/13 12:08	AG	TAL TAM

Lab Chronicle

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613E-CS

Lab Sample ID: 680-88766-6

Date Collected: 03/25/13 13:43

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			136026	04/01/13 13:16	SC	TAL TAM
Total/NA	Analysis	8270C LL		4	136118	04/03/13 13:30	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135922	03/29/13 10:07	AG	TAL TAM

Client Sample ID: CV0613F-CS

Lab Sample ID: 680-88766-7

Date Collected: 03/25/13 13:48

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 68.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136079	04/02/13 23:22	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613G-CS

Lab Sample ID: 680-88766-8

Date Collected: 03/25/13 14:00

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 73.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136079	04/02/13 23:41	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613H-CS

Lab Sample ID: 680-88766-9

Date Collected: 03/25/13 14:07

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136079	04/02/13 23:59	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613I-CS

Lab Sample ID: 680-88766-10

Date Collected: 03/25/13 14:17

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 76.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136079	04/03/13 00:17	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Lab Chronicle

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0613J-CS

Lab Sample ID: 680-88766-11

Date Collected: 03/25/13 14:25

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 81.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 12:59	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613K-CS

Lab Sample ID: 680-88766-12

Date Collected: 03/25/13 14:26

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136081	04/03/13 13:17	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613K-CSD

Lab Sample ID: 680-88766-13

Date Collected: 03/25/13 14:28

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 87.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136081	04/03/13 13:35	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613AB-GS

Lab Sample ID: 680-88766-14

Date Collected: 03/25/13 13:32

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		1	136081	04/03/13 13:54	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0613AC-GS

Lab Sample ID: 680-88766-15

Date Collected: 03/25/13 13:34

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 84.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 14:12	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Lab Chronicle

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Client Sample ID: CV0610A-CS

Lab Sample ID: 680-88766-16

Date Collected: 03/25/13 14:40

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 82.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 14:30	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Client Sample ID: CV0610B-CS

Lab Sample ID: 680-88766-17

Date Collected: 03/25/13 14:42

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 83.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			136063	04/02/13 11:33	SC	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 18:00	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135940	03/29/13 13:38	AG	TAL TAM

Client Sample ID: CV0610AB-GS

Lab Sample ID: 680-88766-18

Date Collected: 03/25/13 14:39

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 78.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 14:49	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135940	03/29/13 13:42	AG	TAL TAM

Client Sample ID: CV0506A-CS

Lab Sample ID: 680-88766-19

Date Collected: 03/25/13 15:06

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 75.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			135924	03/29/13 10:19	RN	TAL TAM
Total/NA	Analysis	8270C LL		4	136081	04/03/13 15:07	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135940	03/29/13 13:54	AG	TAL TAM

Client Sample ID: CV0506B-CS

Lab Sample ID: 680-88766-20

Date Collected: 03/25/13 15:15

Matrix: Solid

Date Received: 03/28/13 09:37

Percent Solids: 62.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			136063	04/02/13 11:33	SC	TAL TAM
Total/NA	Analysis	8270C LL		1	136081	04/03/13 18:19	SCC	TAL TAM
Total/NA	Analysis	Moisture		1	135931	03/29/13 12:01	AG	TAL TAM

Laboratory References:

TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

TestAmerica Savannah

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE 354th Ave Removal	PROJECT NO. 2005148-1356	PROJECT LOCATION (STATE) AL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 1	OF 2
TAL (LAB) PROJECT MANAGER Lisa Harvey	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	LL PAH REAR Metals	STANDARD REPORT DELIVERY DATE DUE _____	
CLIENT FAX	CLIENT NAME	CLIENT E-MAIL			EXPEDITED REPORT DELIVERY (SURCHARGE) DATE DUE _____	

(b) (6)
(b) (6)
CLIENT ADDRESS (b) (6)
COMPANY CONTACT (b) (6)

PRESERVATIVE

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	REQUIRED ANALYSIS										REMARKS			
DATE	TIME							NUMBER OF CONTAINERS SUBMITTED													
3-25-13	1311	CV0613A-CS	C	X			X														
	1315	CV0613A-CSD	C	X			X														
	1320	CV0613 B-CS	C	X			X														
	1325	CV0613 C-CS	C	X			X														
	1330	CV0613 D-CS	C	X			X														
	1343	CV0613 E-CS	C	X			X	X													
	1348	CV0613 F-CS	C	X			X														
	1400	CV0613 G-CS	C	X			X														
	1407	CV0613 H-CS	C	X			X														
	1417	CV0613 I-CS	C	X			X														
	1425	CV0613 J-CS	C	X			X														
	1426	CV0613 K-CS	C	X			X	X													

Page 28 of 33

4/8/2013

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 3-26-13	TIME 13:30	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>		DATE 03/26/13	TIME 0937	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 650 88766	LABORATORY REMARKS 1.4c
---	--	------------------	--------------	---	------------------	----------------------------------	----------------------------



ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE 35th Ave Removal	PROJECT NO. 2005148-1356	PROJECT LOCATION (STATE) AL	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 2 OF 2
TAL (LAB) PROJECT MANAGER Lisa Harvey	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...) LLPAH PCPA & Metals	STANDARD REPORT DELIVERY <input type="radio"/> DATE DUE _____ EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/> DATE DUE _____	NUMBER OF COOLERS SUBMITTED PER SHIPMENT:
ENT FAX					

(b) (6)
(b) (6)

CLIENT ADDRESS
COMPANY CONT# **(b) (6)**

PRESERVATIVE

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G)	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS		
DATE	TIME							1	2	3	4	5	6	7	8	9	10		11	12
3-25-13	1428	CVO613K-CSD	C	X			X	X												
	1332	CVO613AB-GS	G	X			X													
	1334	CVO613AC-GS	G	X			X													
	1440	CVO610A-CS	C	X			X													
	1442	CVO610B-CS	C	X			X													
	1439	CVO610AB-GS	G	X			X													
	1506	CVO506A-CS	C	X			X													
	1515	CVO506B-CS	C	X			X													
	1518	CVO014AB-GS	G	X			X													
	1343	CVO613E-CS (sieve)	C	X			X													
3-26-13	1300	032613-RB-Shovel		X			X	X												

Page 29 of 33

4/8/2013

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 3-26-13	TIME 1330	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 03/28/13	TIME 0937	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 680-88766	LABORATORY REMARKS 1.4 c
---	------------------	--------------	---	------------------	-------------------------------	-----------------------------



Login Sample Receipt Checklist

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

SDG Number: 68088766-1

Login Number: 88766

List Number: 1

Creator: Barnett, Eddie T

List Source: TestAmerica Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have leg ble labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Oneida Total Integrated Enterprises LLC

Job Number: 680-88766-1

SDG Number: 68088766-1

Login Number: 88766


List Number: 1

Creator: McNulty, Carol

List Source: TestAmerica Tampa

List Creation: 03/29/13 09:17 AM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have leg ble labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	



Certification Summary

Client: Oneida Total Integrated Enterprises LLC
 Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
 SDG: 68088766-1

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		0399-01	05-31-13
Alabama	State Program	4	41450	06-30-13
Alaska (UST)	State Program	10	UST-104	06-19-13
California	NELAP	9	3217CA	07-31-13
Colorado	State Program	8	N/A	12-31-13
Florida	NELAP	4	E87052	06-30-13
GA Dept. of Agriculture	State Program	4	N/A	12-31-13
Georgia	State Program	4	N/A	06-30-13
Georgia	State Program	4	803	06-30-13
Guam	State Program	9	09-005r	04-17-13
Hawaii	State Program	9	N/A	06-30-13
Illinois	NELAP	5	200022	11-30-13
Indiana	State Program	5	N/A	06-30-13
Iowa	State Program	7	353	07-01-13
Kentucky	State Program	4	90084	12-31-12 *
Kentucky (UST)	State Program	4	18	03-31-13 *
Louisiana	NELAP	6	30690	06-30-13
Louisiana	NELAP	6	LA100015	12-31-13
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-13
Massachusetts	State Program	1	M-GA006	06-30-13
Michigan	State Program	5	9925	06-30-13
Mississippi	State Program	4	N/A	06-30-13
Montana	State Program	8	CERT0081	01-01-14
Nebraska	State Program	7	TestAmerica-Savannah	06-30-13
New Jersey	NELAP	2	GA769	06-30-13
New Mexico	State Program	6	N/A	06-30-13
North Carolina DENR	State Program	4	269	12-31-13
North Carolina DHHS	State Program	4	13701	07-31-13
Oklahoma	State Program	6	9984	08-31-13
Pennsylvania	NELAP	3	68-00474	06-30-13
Puerto Rico	State Program	2	GA00006	01-01-14
South Carolina	State Program	4	98001	06-30-13
Tennessee	State Program	4	TN02961	06-30-13
Texas	NELAP	6	T104704185-08-TX	11-30-13
USDA	Federal		SAV 3-04	04-07-14
Virginia	NELAP	3	460161	06-14-13
Washington	State Program	10	C1794	06-10-13
West Virginia	State Program	3	9950C	12-31-13
West Virginia DEP	State Program	3	94	06-30-13
Wisconsin	State Program	5	999819810	08-31-13
Wyoming	State Program	8	8TMS-Q	06-30-13

Laboratory: TestAmerica Tampa

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40610	06-30-13
Florida	NELAP	4	E84282	06-30-13
Georgia	State Program	4	905	06-30-13

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Savannah

Certification Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-88766-1
SDG: 68088766-1

Laboratory: TestAmerica Tampa (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
USDA	Federal		P330-11-00177	04-20-14

1

2

3

4

5

6

7

8

9

10

11

12