



Pesticide Site Use Patterns for Greenhouse Food

May 2014

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
AMARANTH, LEAFY	X		X										04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ANGELICA	X		X						X				19 HERBS AND SPICES GROUP
ARUGULA	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
BALM	X		X						X				19 HERBS AND SPICES GROUP
BALM, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
BALM, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
BASIL	X		X						X		X		19 HERBS AND SPICES GROUP
BASIL, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
BASIL, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
BEAN	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH	X		X	X					X				06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, MOTH, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, SNAP, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
BEET, GARDEN, TOPS	X		X						X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BORAGE	X		X						X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BORAGE, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
BORAGE, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
BRASSICA, HEAD AND STEM, SUBGROUP	X		X						X				05A Brassica, Head and stem, subgroup
BRASSICA, LEAFY GREENS, SUBGROUP	X		X						X				05B Brassica, Leafy greens, subgroup
BROCCOLI	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI RAAB	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI, CHINESE	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BRUSSELS SPROUTS	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, BOK CHOY	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, MUSTARD	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, NAPA	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CAMOMILE	X		X						X		X		19 HERBS AND SPICES GROUP
CATJANG	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
CATJANG, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
CATNIP	X		X						X	X			19 HERBS AND SPICES GROUP
CAULIFLOWER	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CHAYOTE, FRUIT	X		X						X				09 VEGETABLE, CUCURBIT GROUP
CHERVIL	X		X						X				19 HERBS AND SPICES GROUP
CHERVIL, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
CHICKPEA	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
CHICKPEA, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
CHILI, POSTHARVEST	X		X						X				08 VEGETABLES, FRUITING, GROUP
CHIVE	X		X						X		X		19 HERBS AND SPICES GROUP
CHIVE, CHINESE	X		X						X		X		19 HERBS AND SPICES GROUP
CHRYSANTHEMUM, EDIBLE LEAVED	X		X										04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CHRYSANTHEMUM, GARLAND	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CLARY	X		X						X				19 HERBS AND SPICES GROUP
CLARY, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
CLARY, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
COLLARDS	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CORIANDER	X		X						X		X		19 HERBS AND SPICES GROUP
CORIANDER, LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
CORIANDER, SEED	X		X						X		X		19 HERBS AND SPICES GROUP
CORN SALAD	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
COSTMARY	X		X						X				19 HERBS AND SPICES GROUP
COSTMARY, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
COSTMARY, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
COWPEA	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
COWPEA, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP
COWPEA, SUCCULENT	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
CRESS, GARDEN	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, UPLAND	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CUCUMBER	X		X										09 VEGETABLE, CUCURBIT GROUP
CULANTRO	X		X						X				19 HERBS AND SPICES GROUP
CULANTRO, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
CULANTRO, SEED	X		X						X				19 HERBS AND SPICES GROUP
CURRY	X		X						X				19 HERBS AND SPICES GROUP
CURRY, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
CURRY, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
DILL	X		X						X		X		19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
DILL, SEED	X		X						X		X		19 HERBS AND SPICES GROUP
DILLWEED	X		X						X		X		19 HERBS AND SPICES GROUP
DILLWEED, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
DILLWEED, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
DOCK	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
EDIBLE FUNGI	X												21 EDIBLE FUNGI GROUP
EGGPLANT	X		X						X				08 VEGETABLES, FRUITING, GROUP
ENDIVE	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ENDIVE, BELGIUM	X		X										99 NO GROUP NAME
FENNEL	X		X										19 HERBS AND SPICES GROUP
FENNEL, FLORENCE	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, FRESH LEAVES AND STALK	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, SEED	X		X										19 HERBS AND SPICES GROUP
GHERKIN, WEST INDIAN	X		X										09 VEGETABLE, CUCURBIT GROUP
GINGER, WHITE	X		X										99 NO GROUP NAME
GOURD, EDIBLE	X		X						X				09 VEGETABLE, CUCURBIT GROUP
GREENHOUSE FOOD CROPS	X												99 NO GROUP NAME
GREENHOUSE FRUIT GROWN	X												99 NO GROUP NAME
GREENHOUSE VEGETABLE GROWN	X												99 NO GROUP NAME
GROUNDCHERRY	X		X						X				08 VEGETABLES, FRUITING, GROUP
HERBS, DRIED	X		X						X		X		19 HERBS AND SPICES GROUP
HERBS, DRIED, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH	X		X						X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
HOREHOUND	X		X						X		X		19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HOREHOUND, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
HYSSOP	X		X						X				19 HERBS AND SPICES GROUP
HYSSOP, TOPS	X		X						X				19 HERBS AND SPICES GROUP
JACKBEAN	X		X						X				06 VEGETABLE, LEGUME, GROUP
JACKBEAN, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
JAPANESE KNOTWEED	X												99 NO GROUP NAME
KALE	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
KALE, SEA	X		X										04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
KOHLRABI	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
LAVENDER	X		X						X				19 HERBS AND SPICES GROUP
LEEK	X		X						X				03 VEGETABLE, BULB, GROUP
LEMONGRASS	X		X						X				19 HERBS AND SPICES GROUP
LEMONGRASS, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
LETTUCE, HEAD	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LETTUCE, LEAF	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LOVAGE	X		X						X				19 HERBS AND SPICES GROUP
LOVAGE, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
LOVAGE, SEED	X		X										19 HERBS AND SPICES GROUP
MARIGOLD	X	X	X						X				19 HERBS AND SPICES GROUP
MARJORAM	X		X						X		X		19 HERBS AND SPICES GROUP
MELON	X		X						X				09 VEGETABLE, CUCURBIT GROUP
MELON SUBGROUP	X		X										09A Melon subgroup.
MELON, CITRON	X		X										09 VEGETABLE, CUCURBIT GROUP
MUSHROOM	X										X		21 EDIBLE FUNGI GROUP
MUSKMELON	X		X						X				09 VEGETABLE, CUCURBIT GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MUSTARD	X		X										19 HERBS AND SPICES GROUP
MUSTARD GREENS	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD SPINACH	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD, SEED	X		X								X		19 HERBS AND SPICES GROUP
NASTURTIUM	X		X						X				19 HERBS AND SPICES GROUP
NASTURTIUM, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
OKRA	X		X						X				08 VEGETABLES, FRUITING, GROUP
ONION, BULB	X		X						X				03 VEGETABLE, BULB, GROUP
ONION, GREEN	X		X						X				03 VEGETABLE, BULB, GROUP
ORACH	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH, LEAVES	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
PARSLEY, LEAVES	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PEA	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
PEA AND BEAN, DRIED SHELLED, EXCEPT SOYBEAN, SUBGROUP	X		X										06C Pea and bean, dried shelled, except soybean, subgroup
PEA AND BEAN, SUCCULENT SHELLED, SUBGROUP	X		X						X				06B Pea and bean, succulent shelled, subgroup
PEA, BLACKEYED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEA, DWARF	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, DWARF, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD, SEED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
PEA, GARDEN	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, GARDEN, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SHELLED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SEED	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
PEA, UNSHELLED	X		X	X					X				06 VEGETABLE, LEGUME, GROUP
PENNYROYAL	X		X						X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PENNYROYAL, LEAVES	X		X						X				19 HERBS AND SPICES GROUP
PEPINO	X		X						X				08 VEGETABLES, FRUITING, GROUP
PEPPER	X		X						X				08 VEGETABLES, FRUITING, GROUP
PEPPER, BELL	X		X						X				08 VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL	X		X						X				08 VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL, SWEET	X		X						X				08 VEGETABLES, FRUITING, GROUP
PEPPER, WHITE	X		X								X		19 HERBS AND SPICES GROUP
POPPY	X		X		X								19 HERBS AND SPICES GROUP
POPPY, SEED	X		X								X		19 HERBS AND SPICES GROUP
PUMPKIN	X		X						X				09 VEGETABLE, CUCURBIT GROUP
PURSLANE, GARDEN	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, WINTER	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADICCHIO	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADISH	X		X						X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ROOTS	X		X						X				01 VEGETABLE, ROOT AND TUBER, GROUP
RAPE GREENS	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
RHUBARB	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ROSEMARY	X		X						X		X		19 HERBS AND SPICES GROUP
ROSEMARY, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
ROSEMARY, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
RUE	X		X						X				19 HERBS AND SPICES GROUP
RUE, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
RUE, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
SAFFRON	X		X										19 HERBS AND SPICES GROUP
SAFFRON, FLOWER	X		X								X		19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SAGE	X		X								X		19 HERBS AND SPICES GROUP
SAGE, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
SAGE, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
SAVORY, SUMMER	X		X						X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
SAVORY, WINTER	X		X						X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
SOYBEAN, VEGETABLE	X		X						X				06 VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE, SUCCULENT	X		X						X				06 VEGETABLE, LEGUME, GROUP
SPINACH	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, CHINESE	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, NEW ZEALAND	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, VINE	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SQUASH	X		X						X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, SUMMER	X		X						X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, WINTER	X		X						X				09 VEGETABLE, CUCURBIT GROUP
SQUASH/CUCUMBER SUBGROUP	X		X						X				09B Squash/Cucumber subgroup
SWEET BAY	X		X						X		X		19 HERBS AND SPICES GROUP
SWISS CHARD	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TAMPALA	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TANSY	X		X						X				19 HERBS AND SPICES GROUP
TANSY, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TANSY, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
TARRAGON	X		X						X		X		19 HERBS AND SPICES GROUP
TARRAGON, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
TARRAGON, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
THYME	X		X						X		X		19 HERBS AND SPICES GROUP
THYME, DRIED LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
THYME, FRESH LEAVES	X		X						X		X		19 HERBS AND SPICES GROUP
TOMATILLO	X		X						X				08 VEGETABLES, FRUITING, GROUP
TOMATO	X		X						X				08 VEGETABLES, FRUITING, GROUP
TURNIP, TOPS	X		X						X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TURNIP, TOPS	X		X						X				01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, BRASSICA, LEAFY, GROUP	X		X						X				05 VEGETABLE, BRASSICA LEAFY, GROUP
VEGETABLE, BULB, GROUP	X		X						X				03 VEGETABLE, BULB, GROUP
VEGETABLE, CUCURBIT, GROUP	X		X						X				09 VEGETABLE, CUCURBIT GROUP
VEGETABLE, LEAFY	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP	X		X						X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	X		X	X					X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEGUME, EDIBLE PODDED, SUBGROUP	X		X						X				06A Vegetable, legume, edible podded, subgroup
VIOLET	X		X		X				X				99 NO GROUP NAME
VIOLET, FLOWER	X		X		X				X				99 NO GROUP NAME
WAXGOURD, CHINESE	X		X						X				09 VEGETABLE, CUCURBIT GROUP
WINTERGREEN	X		X						X				19 HERBS AND SPICES GROUP
WINTERGREEN, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
WINTERGREEN, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (GREFOO)= Greenhouse food , Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	GRE FOO	GRE NFO	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WOODRUFF	X		X						X				19 HERBS AND SPICES GROUP
WOODRUFF, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
WOODRUFF, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP
WORMWOOD	X		X						X				19 HERBS AND SPICES GROUP
WORMWOOD, DRIED LEAVES	X		X						X				19 HERBS AND SPICES GROUP
WORMWOOD, FRESH LEAVES	X		X						X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; (GREFOO)=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.