



Pesticide Site Use Patterns by Crop Groups

May 2014

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
ARRACACHA	01	X												VEGETABLE, ROOT AND TUBER, GROUP
ARROWROOT	01	X												VEGETABLE, ROOT AND TUBER, GROUP
ARTICHOKE, CHINESE	01	X												VEGETABLE, ROOT AND TUBER, GROUP
ARTICHOKE, JERUSALEM	01	X												VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER	01		X											VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER, ROOTS	01		X											VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR	01		X											VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, DRIED PULP	01	X	X											VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, MOLASSES	01	X												VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, REFINED SUGAR	01	X												VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE	01	X												VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CANNA, EDIBLE	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CARROT	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
CARROT, CULLS	01		X											VEGETABLE, ROOT AND TUBER, GROUP
CARROT, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
CASSAVA	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CASSAVA, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CELERIAC	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
CELERIAC, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
CHAYOTE	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CHAYOTE, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CHERVIL, TURNIP ROOTED	01	X												VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CHERVIL, TURNIP ROOTED, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CHICORY	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CHICORY, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CHUFA	01	X												VEGETABLE, ROOT AND TUBER, GROUP
CILANTRO	01	X												VEGETABLE, ROOT AND TUBER, GROUP
DANDELION, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN	01	X												VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN, CORM	01	X												VEGETABLE, ROOT AND TUBER, GROUP
GINGER, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
GINSENG	01	X												VEGETABLE, ROOT AND TUBER, GROUP
GINSENG, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
HORSERADISH	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
HORSERADISH, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
LEREN	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
PARSLEY, TURNIP ROOTED	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
PARSLEY, TURNIP ROOTED, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
POTATO	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CHIPS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CULLS	01	X	X											VEGETABLE, ROOT AND TUBER, GROUP
POTATO, GRANULES/FLAKES	01	X												VEGETABLE, ROOT AND TUBER, GROUP
POTATO, PROCESSED POTATO WASTE	01		X											VEGETABLE, ROOT AND TUBER, GROUP
POTATO, WET PEEL	01		X											VEGETABLE, ROOT AND TUBER, GROUP
RADISH	01	X					X			X				VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
RADISH, ORIENTAL, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ROOTS	01	X					X			X				VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SKIRRET	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SKIRRET, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SWEET POTATO	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
SWEET POTATO, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
TANIER	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
TANIER, CORM	01	X												VEGETABLE, ROOT AND TUBER, GROUP
TARO	01	X												VEGETABLE, ROOT AND TUBER, GROUP
TARO, CORM	01	X												VEGETABLE, ROOT AND TUBER, GROUP
TURMERIC	01	X												VEGETABLE, ROOT AND TUBER, GROUP
TURMERIC, ROOTS	01	X												VEGETABLE, ROOT AND TUBER, GROUP
TURNIP	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	01	X					X			X				VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT AND TUBER, GROUP	01	X	X							X				VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP	01	X												VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP, EXCEPT CARROT	01	X												VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
YAM BEAN	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
YAM BEAN, ROOTS	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE, TUBER	01	X								X				VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT, SUBGROUP	01A	X	X							X				Vegetable, root, subgroup.
VEGETABLE, ROOT, EXCEPT SUGARBEET, SUBGROUP	01B	X	X							X				Vegetable, root, except sugarbeet, subgroup
VEGETABLE, TUBEROUS AND CORM, SUBGROUP	01C	X	X							X				Vegetable, Tuberos and corm, subgroup
VEGETABLE, TUBEROUS AND CORM, EXCEPT POTATO, SUBGROUP	01D	X								X				Vegetable, Tuberos and corm, except potato, subgroup
BEET, FODDER, TOPS	02		X											VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, GARDEN, TOPS	02	X					X			X				VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, SUGAR, TOPS	02		X											VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, TOPS	02	X								X				VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CARROT, TOPS	02		X											VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CASSAVA, LEAVES	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHEVIL, TURNIP ROOTED, TOPS	02	X								X				VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHICORY, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
DASHEEN, LEAVES	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
PARSNIP, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RADISH, ORIENTAL, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RADISH, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RUTABAGA, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
SALSIFY, BLACK, TOPS	02	X												VEGETABLE, LEAVES OF ROOT AND

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
														TUBER, GROUP
TANIER, LEAVES	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TARO, LEAVES	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TURNIP, TOPS	02	X					X			X				VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	02	X	X				X			X				VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
YAM, TRUE, LEAVES	02	X												VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
DAYLILY	03	X								X				BULB VEGETABLE GROUP
GARLIC, BULB	03	X								X				VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED	03	X								X				VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED, BULB	03	X								X				VEGETABLE, BULB, GROUP
LEEK	03	X					X			X				VEGETABLE, BULB, GROUP
ONION, BULB	03	X					X			X				VEGETABLE, BULB, GROUP
ONION, GREEN	03	X					X			X				VEGETABLE, BULB, GROUP
ONION, POTATO	03	X								X				VEGETABLE, BULB, GROUP
ONION, POTATO, BULB	03	X								X				VEGETABLE, BULB, GROUP
ONION, TREE	03	X								X				VEGETABLE, BULB, GROUP
ONION, TREE, TOPS	03	X								X				VEGETABLE, BULB, GROUP
ONION, WELSH	03	X								X				VEGETABLE, BULB, GROUP
ONION, WELSH, TOPS	03	X								X				VEGETABLE, BULB, GROUP
RAKKYO	03	X									X			VEGETABLE, BULB, GROUP
RAKKYO, BULB	03	X									X			VEGETABLE, BULB, GROUP
SHALLOT	03	X								X				VEGETABLE, BULB, GROUP
SHALLOT, BULB	03	X								X				VEGETABLE, BULB, GROUP
SHALLOT, FRESH LEAVES	03	X								X				VEGETABLE, BULB, GROUP
VEGETABLE, BULB, GROUP	03	X					X			X				VEGETABLE, BULB, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
AMARANTH, LEAFY	04	X					X							VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ARUGULA	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CARDOON	04	X												VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY	04	X												VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY, CHINESE	04	X												VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELTUCE	04	X												VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL	04	X								X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, FRESH LEAVES	04	X								X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHRYSANTHEMUM, EDIBLE LEAVED	04	X					X							VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHRYSANTHEMUM, GARLAND	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CORN SALAD	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, GARDEN	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, UPLAND	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DANDELION, LEAVES	04	X								X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DOCK	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ENDIVE	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, FRESH LEAVES AND STALK	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
KALE, SEA	04	X					X							VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LETTUCE, HEAD	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
LETTUCE, LEAF	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH, LEAVES	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, LEAVES	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, GARDEN	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, WINTER	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADICCHIO	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RHUBARB	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, CHINESE	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, NEW ZEALAND	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, VINE	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SWISS CHARD	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TAMPALA	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP	04	X					X			X				VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
BROCCOLI	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI RAAB	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI, CHINESE	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
BRUSSELS SPROUTS	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CABBAGE	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, BOK CHOY	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, MUSTARD	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, NAPA	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
CAULIFLOWER	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
COLLARDS	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
KALE	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
KOHLRABI	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD GREENS	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD SPINACH	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
RAPE GREENS	05	X									X			VEGETABLE, BRASSICA LEAFY, GROUP
RAPE GREENS	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
VEGETABLE, BRASSICA, LEAFY, GROUP	05	X					X			X				VEGETABLE, BRASSICA LEAFY, GROUP
BRASSICA, HEAD AND STEM, SUBGROUP	05A	X					X			X				Brassica, Head and stem, subgroup
BRASSICA, LEAFY GREENS, SUBGROUP	05B	X					X			X				Brassica, Leafy greens, subgroup
BEAN	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, BROAD	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, DRY	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, DRY, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	06	X	X				X			X				VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BEAN, LABLAB, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, LIMA	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, MOTH	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, MUNG	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, MUNG, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, NAVY	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, PINK	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, PINTO	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, RICE	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, SNAP, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, URD	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, WAX	06	X	X				X			X				VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BEAN, WAX, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
CATJANG	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
CATJANG, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
CHICKPEA	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
CHICKPEA, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
COWPEA	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
COWPEA, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
COWPEA, SUCCULENT	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
GUAR	06	X	X											VEGETABLE, LEGUME, GROUP
GUAR, FORAGE	06		X											VEGETABLE, LEGUME, GROUP
GUAR, SEED	06	X												VEGETABLE, LEGUME, GROUP
GUM, EDIBLE	06	X								X				VEGETABLE, LEGUME, GROUP
JACKBEAN	06	X					X			X				VEGETABLE, LEGUME, GROUP
JACKBEAN, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
LENTIL	06	X												VEGETABLE, LEGUME, GROUP
LENTIL, FORAGE	06		X											VEGETABLE, LEGUME, GROUP
LENTIL, HAY	06		X											VEGETABLE, LEGUME, GROUP
LENTIL, SEED	06	X	X											VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN	06	X	X											VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, GRAIN	06	X	X											VEGETABLE, LEGUME, GROUP
PEA	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
PEA, BLACKKEYED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, BLACKKEYED, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, BLACKKEYED, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PEA, CROWDER	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, CROWDER, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, DRY	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, DRY, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, DWARF	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, DWARF, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, ENGLISH	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, ENGLISH, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, FIELD	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
PEA, FIELD, SEED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
PEA, GARDEN	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, GARDEN, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, GREEN	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, GREEN, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, PIGEON	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SHELLED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SNOW	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SNOW, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SEED	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PEA, SUGAR SNAP	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
PEA, UNSHELLED	06	X	X				X			X				VEGETABLE, LEGUME, GROUP
SOYBEAN	06	X	X											VEGETABLE, LEGUME, GROUP
SOYBEAN, ASPIRATED GRAIN FRACTIONS	06		X											VEGETABLE, LEGUME, GROUP
SOYBEAN, CRUDE OIL	06			X										VEGETABLE, LEGUME, GROUP
SOYBEAN, HULLS	06		X											VEGETABLE, LEGUME, GROUP
SOYBEAN, MEAL	06		X											VEGETABLE, LEGUME, GROUP
SOYBEAN, REFINED OIL	06	X	X											VEGETABLE, LEGUME, GROUP
SOYBEAN, SEED	06	X	X	X										VEGETABLE, LEGUME, GROUP
SOYBEAN, SOAPSTOCK	06			X										VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE	06	X					X			X				VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE, SUCCULENT	06	X					X			X				VEGETABLE, LEGUME, GROUP
SWORDBEAN	06	X								X				VEGETABLE, LEGUME, GROUP
SWORDBEAN, SUCCULENT	06	X								X				VEGETABLE, LEGUME, GROUP
TURTLE, BEAN	06	X								X				VEGETABLE, LEGUME, GROUP
VEGETABLE, LEGUME, GROUP	06	X	X							X				VEGETABLE, LEGUME, GROUP
VEGETABLE, SEED AND POD	06	X	X							X				VEGETABLE, LEGUME, GROUP
VEGETABLE, LEGUME, EDIBLE PODDED, SUBGROUP	06A	X					X			X				Vegetable, legume, edible podded, subgroup
PEA AND BEAN, SUCCULENT SHELLED, SUBGROUP	06B	X					X			X				Pea and bean, succulent shelled, subgroup
PEA AND BEAN, DRIED SHELLED, EXCEPT SOYBEAN, SUBGROUP	06C	X					X							Pea and bean, dried shelled, except soybean, subgroup
BEAN, DRY, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, DRY, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BEAN, LIMA, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, LIMA, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, SNAP, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, STRAW	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEGUME, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEGUME, FORAGE, EXCEPT SOYBEAN AND PEANUT	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, GRAIN, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, GRAIN, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, SILAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, VINES	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, PIGEON, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, SILAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, FOLIAGE OF LEGUME, GROUP	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, FODDER	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, FORAGE	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, HAY	07		X											VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, FOLIAGE OF LEGUME, EXCEPT SOYBEAN, SUBGROUP	07A		X											Vegetable, foliage of legume, except soybean, subgroup
CHILI, POSTHARVEST	08	X					X			X				VEGETABLES, FRUITING, GROUP
EGGPLANT	08	X					X			X				VEGETABLES, FRUITING, GROUP
GROUNDCHERRY	08	X					X			X				VEGETABLES, FRUITING, GROUP
OKRA	08	X					X			X				VEGETABLES, FRUITING, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PEPINO	08	X					X			X				VEGETABLES, FRUITING, GROUP
PEPPER	08	X					X			X				VEGETABLES, FRUITING, GROUP
PEPPER, BELL	08	X					X			X				VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL	08	X					X			X				VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL, SWEET	08	X					X			X				VEGETABLES, FRUITING, GROUP
TOMATILLO	08	X					X			X				VEGETABLES, FRUITING, GROUP
TOMATO	08	X					X			X				VEGETABLES, FRUITING, GROUP
TOMATO, CONCENTRATED PRODUCTS	08	X												VEGETABLES, FRUITING, GROUP
TOMATO, DRIED POMACE	08	X	X											VEGETABLES, FRUITING, GROUP
TOMATO, PASTE	08	X												VEGETABLES, FRUITING, GROUP
TOMATO, PUREE	08	X												VEGETABLES, FRUITING, GROUP
TOMATO, WET POMACE	08	X	X											VEGETABLES, FRUITING, GROUP
VEGETABLE, FRUITING	08	X	X											VEGETABLES, FRUITING, GROUP
VEGETABLE, FRUITING, GROUP	08	X	X							X				VEGETABLES, FRUITING, GROUP
BALSAM APPLE	09	X								X				VEGETABLE, CUCURBIT GROUP
BALSAM PEAR	09	X								X				VEGETABLE, CUCURBIT GROUP
CANTALOUPE	09	X								X				VEGETABLE, CUCURBIT GROUP
CHAYOTE, FRUIT	09	X					X			X				VEGETABLE, CUCURBIT GROUP
CUCUMBER	09	X					X							VEGETABLE, CUCURBIT GROUP
CUCUMBER, CHINESE	09	X												VEGETABLE, CUCURBIT GROUP
CUCURBITS	09	X												VEGETABLE, CUCURBIT GROUP
GHERKIN, WEST INDIAN	09	X					X							VEGETABLE, CUCURBIT GROUP
GOURD, EDIBLE	09	X					X			X				VEGETABLE, CUCURBIT GROUP
MELON	09	X					X			X				VEGETABLE, CUCURBIT GROUP
MELON, CITRON	09	X					X							VEGETABLE, CUCURBIT GROUP
MUSKMELON	09	X					X			X				VEGETABLE, CUCURBIT GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PUMPKIN	09	X					X			X				VEGETABLE, CUCURBIT GROUP
SQUASH	09	X					X			X				VEGETABLE, CUCURBIT GROUP
SQUASH, SUMMER	09	X					X			X				VEGETABLE, CUCURBIT GROUP
SQUASH, WINTER	09	X					X			X				VEGETABLE, CUCURBIT GROUP
VEGETABLE, CUCURBIT, GROUP	09	X					X			X				VEGETABLE, CUCURBIT GROUP
WATERMELON	09	X								X				VEGETABLE, CUCURBIT GROUP
WAXGOURD, CHINESE	09	X					X			X				VEGETABLE, CUCURBIT GROUP
MELON SUBGROUP	09A	X					X							Melon subgroup.
SQUASH/CUCUMBER SUBGROUP	09B	X					X			X				Squash/Cucumber subgroup
CALAMONDIN	10	X												FRUIT, CITRUS, GROUP
CITRON, CITRUS	10	X												FRUIT, CITRUS, GROUP
CITRUS	10	X												FRUIT, CITRUS, GROUP
CITRUS HYBRIDS	10	X												FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, JUICE	10	X												FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, OIL	10	X												FRUIT, CITRUS, GROUP
CITRUS, DRIED PULP	10	X												FRUIT, CITRUS, GROUP
CITRUS, JUICE	10	X												FRUIT, CITRUS, GROUP
CITRUS, MEAL	10		X											FRUIT, CITRUS, GROUP
CITRUS, MOLASSES	10	X												FRUIT, CITRUS, GROUP
CITRUS, OIL	10	X												FRUIT, CITRUS, GROUP
FRUIT, CITRUS	10	X												FRUIT, CITRUS, GROUP
FRUIT, CITRUS, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
FRUIT, CITRUS, EXCEPT MANDARIN	10	X												FRUIT, CITRUS, GROUP
FRUIT, CITRUS, GROUP	10		X											FRUIT, CITRUS, GROUP
FRUIT, CITRUS, POSTHARVEST	10	X												FRUIT, CITRUS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GRAPEFRUIT	10	X								X				FRUIT, CITRUS, GROUP
GRAPEFRUIT, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
GRAPEFRUIT, JUICE	10	X												FRUIT, CITRUS, GROUP
GRAPEFRUIT, OIL	10	X												FRUIT, CITRUS, GROUP
KUMQUAT	10	X												FRUIT, CITRUS, GROUP
LEMON	10	X												FRUIT, CITRUS, GROUP
LEMON, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
LEMON, JUICE	10	X												FRUIT, CITRUS, GROUP
LEMON, OIL	10	X												FRUIT, CITRUS, GROUP
LIME	10	X												FRUIT, CITRUS, GROUP
LIME, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
LIME, JUICE	10	X												FRUIT, CITRUS, GROUP
LIME, OIL	10	X												FRUIT, CITRUS, GROUP
MANDARIN, SATSUMA	10	X												FRUIT, CITRUS, GROUP
ORANGE, SOUR	10	X												FRUIT, CITRUS, GROUP
ORANGE, SOUR, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
ORANGE, SOUR, JUICE	10	X												FRUIT, CITRUS, GROUP
ORANGE, SOUR, OIL	10	X												FRUIT, CITRUS, GROUP
ORANGE, SWEET	10	X								X				FRUIT, CITRUS, GROUP
ORANGE, SWEET, DRIED PULP	10		X											FRUIT, CITRUS, GROUP
ORANGE, SWEET, JUICE	10	X												FRUIT, CITRUS, GROUP
ORANGE, SWEET, OIL	10	X												FRUIT, CITRUS, GROUP
PUMMELO	10	X												FRUIT, CITRUS, GROUP
TANGELO	10	X												FRUIT, CITRUS, GROUP
TANGERINE	10	X												FRUIT, CITRUS, GROUP
APPLE	11	X		X						X				FRUIT, POME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
APPLE, DRIED POMACE	11		X											FRUIT, POME, GROUP
APPLE, JUICE	11	X												FRUIT, POME, GROUP
APPLE, WET POMACE	11		X											FRUIT, POME, GROUP
CRABAPPLE	11	X		X						X				FRUIT, POME, GROUP
FRUIT, POME	11	X	X							X				FRUIT, POME, GROUP
FRUIT, POME, GROUP	11	X	X							X				FRUIT, POME, GROUP
LOQUAT	11	X		X						X				FRUIT, POME, GROUP
MAYHAW	11	X		X						X				FRUIT, POME, GROUP
PEAR	11	X		X						X				FRUIT, POME, GROUP
PEAR, ORIENTAL	11	X		X						X				FRUIT, POME, GROUP
QUINCE	11	X		X						X				FRUIT, POME, GROUP
APRICOT	12	X		X						X				FRUIT, STONE, GROUP
CHERRY, SWEET	12	X		X						X				FRUIT, STONE, GROUP
CHERRY, TART	12	X		X						X				FRUIT, STONE, GROUP
FRUIT, STONE	12	X		X						X				FRUIT, STONE, GROUP
FRUIT, STONE, EXCEPT PLUM, PRUNE, DRIED	12	X		X						X				FRUIT, STONE, GROUP
FRUIT, STONE, GROUP	12	X		X						X				FRUIT, STONE, GROUP
JUJUBE, CHINESE	12	X		X						X				FRUIT, STONE GROUP
NECTARINE	12	X		X						X				FRUIT, STONE, GROUP
PEACH	12	X		X						X				FRUIT, STONE, GROUP
PLUM	12	X		X						X				FRUIT, STONE, GROUP
PLUM, CHICKASAW	12	X		X						X				FRUIT, STONE, GROUP
PLUM, DAMSON	12	X		X						X				FRUIT, STONE, GROUP
PLUM, JAPANESE	12	X		X						X				FRUIT, STONE, GROUP
PLUM, PRUNE	12	X		X						X				FRUIT, STONE, GROUP
PLUM, PRUNE, DRIED	12	X												FRUIT, STONE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PLUM, PRUNE, FRESH	12	X		X						X				FRUIT, STONE, GROUP
ARONIA BERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
BEARBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
BERRY GROUP	13	X								X				BERRY AND SMALL FRUIT CROP GROUP
BILBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
BLACKBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
BLUEBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
CANEBERRY	13	X		X										BERRY AND SMALL FRUIT CROP GROUP
CLOUDBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
CRANBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
CRANBERRY, HIGHBUSH	13	X												BERRY AND SMALL FRUIT CROP GROUP
CURRENT	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
ELDERBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
GOOSEBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
GRAPE	13	X								X				BERRY AND SMALL FRUIT CROP GROUP
GRAPE, JUICE	13											X		BERRY AND SMALL FRUIT CROP GROUP
GRAPE, RAISIN	13	X										X		BERRY AND SMALL FRUIT CROP GROUP
GRAPE, RAISIN, WASTE	13		X											BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WET POMACE	13		X											BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WINE	13	X								X		X		BERRY AND SMALL FRUIT CROP GROUP
HUCKLEBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
JOSTABERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
JUNEBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
KIWIFRUIT	13	X								X				BERRY AND SMALL FRUIT CROP GROUP
LINGONBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
LOGANBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
MULBERRY	13	X								X				BERRY AND SMALL FRUIT CROP GROUP
PARTRIDGEBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
RASPBERRY	13	X		X						X				BERRY AND SMALL FRUIT CROP GROUP
SALAL	13	X												BERRY AND SMALL FRUIT CROP GROUP
SEAGRAPE	13	X												BERRY AND SMALL FRUIT CROP GROUP
SERVICEBERRY	13	X												BERRY AND SMALL FRUIT CROP GROUP
STRAWBERRY	13	X								X				BERRY AND SMALL FRUIT GROUP
CANE BERRY SUBGROUP	13A	X								X				Caneberry subgroup
BUSHBERRY SUBGROUP	13B	X								X				Bushberry subgroup
ALMOND	14	X		X						X				NUT, TREE, GROUP
ALMOND, HULLS	14		X											NUT, TREE, GROUP
ALMOND, TROPICAL	14	X												NUT, TREE, GROUP
BEECHNUT	14	X		X						X				NUT, TREE, GROUP
BUTTERNUT	14	X								X				NUT, TREE, GROUP
CASHEW	14	X		X										NUT, TREE, GROUP
CHESTNUT	14	X		X						X				NUT, TREE, GROUP
CHINQUAPIN	14	X		X						X				NUT, TREE, GROUP
GINGER	14	X												NUT, TREE, GROUP
GINKGO	14	X								X				NUT, TREE, GROUP
HAZELNUT	14	X		X						X				NUT, TREE, GROUP
HEARTNUT	14	X												NUT, TREE, GROUP
NUT, BRAZIL	14	X		X										NUT, TREE, GROUP
NUT, HICKORY	14	X		X						X				NUT, TREE, GROUP
NUT, MACADAMIA	14	X		X						X				NUT, TREE, GROUP
NUT, PILI	14	X												NUT, TREE, GROUP
NUT, PINE	14	X										X		NUT, TREE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
NUT, TREE, GROUP	14	X		X						X				NUT, TREE, GROUP
NUTMEAT, PROCESSED, EXCEPT PEANUT	14	X										X		NUT, TREE, GROUP
NUTS	14	X										X		NUT, TREE, GROUP
OAK	14			X					X	X				NUT, TREE, GROUP
OAK, ACORN	14	X												NUT, TREE, GROUP
PECAN	14	X		X						X				NUT, TREE, GROUP
PISTACHIO	14	X		X						X				NUT, TREE, GROUP
WALNUT	14	X		X						X				NUT, TREE, GROUP
BARLEY	15	X												GRAIN, CEREAL, GROUP
BARLEY, CEREAL	15	X												GRAIN, CEREAL, GROUP
BARLEY, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
BARLEY, GRAIN	15	X	X											GRAIN, CEREAL, GROUP
BARLEY, PEARLED BARLEY	15	X										X		GRAIN, CEREAL, GROUP
BUCKWHEAT	15	X	X											GRAIN, CEREAL, GROUP
BUCKWHEAT, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
BUCKWHEAT, FODDER	15		X											GRAIN, CEREAL, GROUP
BUCKWHEAT, FORAGE	15		X											GRAIN, CEREAL, GROUP
BUCKWHEAT, GRAIN	15	X												GRAIN, CEREAL, GROUP
CEREAL, COOKED	15	X												GRAIN, CEREAL, GROUP
CEREAL, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
CEREAL, FLOUR AND RELATED PRODUCTS	15	X												GRAIN, CEREAL, GROUP
CORN	15	X												GRAIN, CEREAL, GROUP
CORN, CEREAL	15	X												GRAIN, CEREAL, GROUP
CORN, FIELD	15		X											GRAIN, CEREAL, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS	15		X											GRAIN, CEREAL, GROUP
CORN, FIELD, DRY MILLING	15	X												GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CORN, FIELD, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
CORN, FIELD, GRAIN	15	X												GRAIN, CEREAL, GROUP
CORN, FIELD, GRITS	15	X										X		GRAIN, CEREAL, GROUP
CORN, FIELD, MEAL	15	X	X											GRAIN, CEREAL, GROUP
CORN, FIELD, MILLED BYPRODUCTS	15	X	X											GRAIN, CEREAL, GROUP
CORN, FIELD, REFINED OIL	15	X												GRAIN, CEREAL, GROUP
CORN, FIELD, SOAPSTOCK	15		X											GRAIN, CEREAL, GROUP
CORN, FIELD, STARCH	15	X												GRAIN, CEREAL, GROUP
CORN, FIELD, WET MILLING	15	X												GRAIN, CEREAL, GROUP
CORN, POD, GRAIN	15	X												GRAIN, CEREAL, GROUP
CORN, POP	15	X												GRAIN, CEREAL, GROUP
CORN, POP, GRAIN	15	X							X			X		GRAIN, CEREAL, GROUP
CORN, SWEET	15	X												GRAIN, CEREAL, GROUP
CORN, SWEET, KERNEL PLUS COB WITH HUSKS REMOVED	15	X										X		GRAIN, CEREAL, GROUP
GRAIN, ASPIRATED GRAIN FRACTIONS	15		X											GRAIN, CEREAL, GROUP
GRAIN, CEREAL	15	X												GRAIN, CEREAL, GROUP
GRAIN, CEREAL, GROUP	15	X	X											GRAIN, CEREAL, GROUP
GRAIN, CROPS	15	X												GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT CORN, FRESH AND RICE, GRAIN	15	X												GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT WHEAT	15	X												GRAIN, CEREAL, GROUP
GRAIN, FORAGE AND STOVER	15		X											GRAIN, CEREAL, GROUP
MACARONI PRODUCTS	15	X										X		GRAIN, CEREAL, GROUP
MILLET	15	X												GRAIN, CEREAL, GROUP
MILLET, FLOUR	15	X												GRAIN, CEREAL, GROUP
MILLET, GRAIN	15	X	X											GRAIN, CEREAL, GROUP
MILLET, PEARL	15	X	X											GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
MILLET, PEARL, GRAIN	15	X	X											GRAIN, CEREAL, GROUP
MILLET, PROSO	15	X	X											GRAIN, CEREAL, GROUP
MILLET, PROSO, FLOUR	15	X												GRAIN, CEREAL, GROUP
MILLET, PROSO, GRAIN	15	X	X											GRAIN, CEREAL, GROUP
NOODLE PRODUCTS	15	X										X		GRAIN, CEREAL, GROUP
OAT	15	X												GRAIN, CEREAL, GROUP
OAT AND BARLEY ANIMAL FEED MIXTURE, 97% OATS, 3% BARLEY	15		X											GRAIN, CEREAL, GROUP
OAT, BRAN	15	X												GRAIN, CEREAL, GROUP
OAT, CEREAL	15	X												GRAIN, CEREAL, GROUP
OAT, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
OAT, GRAIN	15	X	X											GRAIN, CEREAL, GROUP
OAT, GROATS/ROLLED OATS	15	X										X		GRAIN, CEREAL, GROUP
RICE	15	X												GRAIN, CEREAL, GROUP
RICE, BRAN	15	X	X											GRAIN, CEREAL, GROUP
RICE, CEREAL	15	X												GRAIN, CEREAL, GROUP
RICE, CRACKED	15	X												GRAIN, CEREAL, GROUP
RICE, CRACKED, MALTED BEVERAGE	15	X												GRAIN, CEREAL, GROUP
RICE, FLOUR	15	X												GRAIN, CEREAL, GROUP
RICE, GRAIN	15	X	X									X		GRAIN, CEREAL, GROUP
RICE, HULLS	15		X											GRAIN, CEREAL, GROUP
RICE, POLISHED RICE	15	X										X		GRAIN, CEREAL, GROUP
RICE, WILD	15	X												GRAIN, CEREAL, GROUP
RICE, WILD, GRAIN	15	X										X		GRAIN, CEREAL, GROUP
RYE	15	X												GRAIN, CEREAL, GROUP
RYE, BRAN	15	X												GRAIN, CEREAL, GROUP
RYE, CEREAL	15	X												GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
RYE, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
RYE, GRAIN	15	X												GRAIN, CEREAL, GROUP
SORGHUM, GRAIN	15	X												GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, ASPIRATED GRAIN FRACTIONS	15		X											GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, BRAN	15	X												GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, FLOUR	15	X												GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, GRAIN	15	X												GRAIN, CEREAL, GROUP
SORGHUM, MILLED FRACTIONS, EXCEPT FLOUR	15	X												GRAIN, CEREAL, GROUP
TEOSINTE	15	X												GRAIN, CEREAL, GROUP
TEOSINTE, GRAIN	15	X												GRAIN, CEREAL, GROUP
TRITICALE	15	X	X											GRAIN, CEREAL, GROUP
TRITICALE, GRAIN	15	X	X									X		GRAIN, CEREAL, GROUP
WHEAT	15	X												GRAIN, CEREAL, GROUP
WHEAT, ASPIRATED GRAIN FRACTIONS	15		X											GRAIN, CEREAL, GROUP
WHEAT, BRAN	15	X										X		GRAIN, CEREAL, GROUP
WHEAT, CEREAL	15	X												GRAIN, CEREAL, GROUP
WHEAT, FLOUR	15	X										X		GRAIN, CEREAL, GROUP
WHEAT, GERM	15	X										X		GRAIN, CEREAL, GROUP
WHEAT, GLUTEN, POSTHARVEST IN AUSTRALIA	15	X												GRAIN, CEREAL, GROUP
WHEAT, GRAIN	15	X												GRAIN, CEREAL, GROUP
WHEAT, MIDDINGS	15	X	X											GRAIN, CEREAL, GROUP
WHEAT, MILLED BYPRODUCTS	15	X	X											GRAIN, CEREAL, GROUP
WHEAT, SHORTS	15	X	X											GRAIN, CEREAL, GROUP
WHEAT, VAVILOVI	15	X												GRAIN, CEREAL, GROUP
WHEAT, VAVILOVI, GRAIN	15	X												GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
WHEAT, WILD EINKORN	15	X												GRAIN, CEREAL, GROUP
WHEAT, WILD EINKORN, GRAIN	15	X												GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER	15	X												GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER, GRAIN	15	X												GRAIN, CEREAL, GROUP
BARLEY, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
BARLEY, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POD	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POD, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, CANNERY WASTE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP, FOR FORAGE, EXCEPT SWEET CORN, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, GROUP	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GRASS, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, HULLS	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, WILD	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICEGRASS, INDIAN	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RYE, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
RYE, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, SILAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN	16	X	X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, STOVER	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, FORAGE	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, HAY	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, VAVILOVI, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EINKORN, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EMMER, STRAW	16		X											GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
ALKALI SACATON	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
ALKALIGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BERMUDAGRASS, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BLUESTEM, DIAZ, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BROMEGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, SEED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CANARYGRASS, REED, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CURLY MESQUITE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CURLY MESQUITE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
CURLY MESQUITE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
FOXTAIL, CREEPING	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, HAY	17		X						X					GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE, FODDER AND HAY, GROUP	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GRASS, MUHLY, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SEED SCREENINGS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, STRAW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SEED SCREENINGS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, STRAW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED SCREENINGS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED, STRAW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GRASS, STRAW	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILDRIE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILDRIE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILDRIE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
LIMPOGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
NAPIERGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
OATGRASS, TALL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
PASTURE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
POLARGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RANGELAND	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
RYEGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL	17		X							X				GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SPIKEOAT	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SPIKEOAT, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SPIKEOAT, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
TIMOTHY, ALPINE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, SEED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, SILAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
WHEATGRASS, BLUEBUNCH, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
WHEATGRASS, SLENDER, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, FORAGE	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, HAY	17		X											GRASS, FORAGE, FODDER AND HAY, GROUP
ALFALFA	18		X											ANIMAL FEED, NONGRASS, GROUP
ALFALFA, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
ALFALFA, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
ALFALFA, MEAL	18		X											ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
ALFALFA, SEED	18		X									X		ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SEED SCREENING	18		X											ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
ANIMAL FEED, NONGRASS, GROUP	18		X											ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT	18		X											ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
BURCLOVER	18		X											ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER	18		X							X				ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CLOVER, BALL, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CLOVER, PERSIAN, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEED SCREENINGS	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CLOVER, SUB, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE	18		X							X				ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, SILAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH	18		X											ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
KUDZU	18		X											ANIMAL FEED, NONGRASS, GROUP
KUDZU, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
KUDZU, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA	18		X											ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
LESPEDEZA, SEED	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN	18	X	X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, STRAW	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
SAINFOIN	18		X											ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
TREFOIL	18		X											ANIMAL FEED, NONGRASS, GROUP
TREFOIL, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
TREFOIL, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN	18		X											ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK, FORAGE	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK, HAY	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, SEED	18		X											ANIMAL FEED, NONGRASS, GROUP
VETCH, STRAW	18		X											ANIMAL FEED, NONGRASS, GROUP
ALLSPICE	19	X										X		HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
ANGELICA	19	X					X			X				HERBS AND SPICES GROUP
ANISE HYSSOP	19	X												HERBS AND SPICES GROUP
ANISE, SEED	19	X										X		HERBS AND SPICES GROUP
ANISE, STAR	19	X												HERBS AND SPICES GROUP
ANNATTO	19	X								X				HERBS AND SPICES GROUP
ANNATTO, SEED	19	X								X				HERBS AND SPICES GROUP
BALM	19	X					X			X				HERBS AND SPICES GROUP
BALM, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
BALM, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
BASIL	19	X					X			X		X		HERBS AND SPICES GROUP
BASIL, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
BASIL, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
BORAGE	19	X					X			X				HERBS AND SPICES GROUP
BORAGE, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
BORAGE, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
BURNET	19	X								X				HERBS AND SPICES GROUP
CAMOMILE	19	X					X			X		X		HERBS AND SPICES GROUP
CAPER	19	X										X		HERBS AND SPICES GROUP
CAPER, BUDS	19	X												HERBS AND SPICES GROUP
CARAWAY	19	X												HERBS AND SPICES GROUP
CARAWAY, BLACK	19	X										X		HERBS AND SPICES GROUP
CARAWAY, BLACK, SEED	19	X										X		HERBS AND SPICES GROUP
CARAWAY, SEED	19	X										X		HERBS AND SPICES GROUP
CARDAMOM	19	X										X		HERBS AND SPICES GROUP
CARDAMOM, SEED	19	X										X		HERBS AND SPICES GROUP
CARDAMON AMOMUM	19	X										X		HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CARDAMON AMOMUM, SEED	19	X										X		HERBS AND SPICES GROUP
CASSIA	19	X												HERBS AND SPICES GROUP
CATNIP	19	X					X			X	X			HERBS AND SPICES GROUP
CELERY, SEED	19	X										X		HERBS AND SPICES GROUP
CHERVIL	19	X					X			X				HERBS AND SPICES GROUP
CHERVIL, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CHIVE	19	X					X			X		X		HERBS AND SPICES GROUP
CHIVE, CHINESE	19	X					X			X		X		HERBS AND SPICES GROUP
CINNAMON	19	X										X		HERBS AND SPICES GROUP
CLARY	19	X					X			X				HERBS AND SPICES GROUP
CLARY, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CLARY, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CLOVE	19	X										X		HERBS AND SPICES GROUP
CORIANDER	19	X					X			X		X		HERBS AND SPICES GROUP
CORIANDER, LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
CORIANDER, SEED	19	X					X			X		X		HERBS AND SPICES GROUP
COSTMARY	19	X					X			X				HERBS AND SPICES GROUP
COSTMARY, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
COSTMARY, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CULANTRO	19	X					X			X				HERBS AND SPICES GROUP
CULANTRO, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CULANTRO, SEED	19	X					X			X				HERBS AND SPICES GROUP
CUMIN	19	X										X		HERBS AND SPICES GROUP
CURRY	19	X					X			X				HERBS AND SPICES GROUP
CURRY, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
CURRY, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
DILL	19	X					X			X		X		HERBS AND SPICES GROUP
DILL, SEED	19	X					X			X		X		HERBS AND SPICES GROUP
DILLWEED	19	X					X			X		X		HERBS AND SPICES GROUP
DILLWEED, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
DILLWEED, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
FENNEL	19	X					X							HERBS AND SPICES GROUP
FENNEL, FLORENCE, SEED	19	X					X							HERBS AND SPICES GROUP
FENNEL, SEED	19	X												HERBS AND SPICES GROUP
FENUGREEK	19	X												HERBS AND SPICES GROUP
FENUGREEK, SEED	19	X												HERBS AND SPICES GROUP
GRAINS OF PARADISE	19	X												HERBS AND SPICES GROUP
GRAINS OF PARADISE, SEED	19	X												HERBS AND SPICES GROUP
HERBS AND SPICES GROUP	19	X												HERBS AND SPICES GROUP
HERBS, DRIED	19	X					X			X		X		HERBS AND SPICES GROUP
HERBS, DRIED, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
HERBS, FRESH	19	X					X			X		X		HERBS AND SPICES GROUP
HERBS, FRESH, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
HOREHOUND	19	X					X			X		X		HERBS AND SPICES GROUP
HOREHOUND, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
HYSSOP	19	X					X			X				HERBS AND SPICES GROUP
HYSSOP, TOPS	19	X					X			X				HERBS AND SPICES GROUP
JUNIPER BERRY	19	X												HERBS AND SPICES GROUP
LAVENDER	19	X					X			X				HERBS AND SPICES GROUP
LEMONGRASS	19	X					X			X				HERBS AND SPICES GROUP
LEMONGRASS, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
LOVAGE	19	X					X			X				HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
LOVAGE, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
LOVAGE, SEED	19	X					X							HERBS AND SPICES GROUP
MACE	19	X												HERBS AND SPICES GROUP
MARIGOLD	19	X					X	X		X				HERBS AND SPICES GROUP
MARJORAM	19	X					X			X		X		HERBS AND SPICES GROUP
MUSTARD	19	X					X							HERBS AND SPICES GROUP
MUSTARD, SEED	19	X					X					X		HERBS AND SPICES GROUP
NASTURTIUM	19	X					X			X				HERBS AND SPICES GROUP
NASTURTIUM, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
NUTMEG	19	X										X		HERBS AND SPICES GROUP
PARSLEY, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
PENNYROYAL	19	X					X			X				HERBS AND SPICES GROUP
PENNYROYAL, LEAVES	19	X					X			X				HERBS AND SPICES GROUP
PEPPER, BLACK	19	X										X		HERBS AND SPICES GROUP
PEPPER, WHITE	19	X					X					X		HERBS AND SPICES GROUP
POPPY	19	X		X			X							HERBS AND SPICES GROUP
POPPY, SEED	19	X					X					X		HERBS AND SPICES GROUP
ROSEMARY	19	X					X			X		X		HERBS AND SPICES GROUP
ROSEMARY, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
ROSEMARY, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
RUE	19	X					X			X				HERBS AND SPICES GROUP
RUE, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
RUE, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
SAFFRON	19	X					X							HERBS AND SPICES GROUP
SAFFRON, FLOWER	19	X					X					X		HERBS AND SPICES GROUP
SAGE	19	X					X					X		HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SAGE	19	X										X		HERBS AND SPICES GROUP
SAGE, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
SAGE, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
SAVORY, SUMMER	19	X					X			X				HERBS AND SPICES GROUP
SAVORY, SUMMER, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
SAVORY, SUMMER, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
SAVORY, WINTER	19	X					X			X				HERBS AND SPICES GROUP
SAVORY, WINTER, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
SAVORY, WINTER, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
SPICES	19	X										X		HERBS AND SPICES GROUP
SPICES, POSTHARVEST	19	X												HERBS AND SPICES GROUP
SWEET BAY	19	X					X			X		X		HERBS AND SPICES GROUP
TANSY	19	X					X			X				HERBS AND SPICES GROUP
TANSY, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
TANSY, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
TARRAGON	19	X					X			X		X		HERBS AND SPICES GROUP
TARRAGON, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
TARRAGON, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
THYME	19	X					X			X		X		HERBS AND SPICES GROUP
THYME, DRIED LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
THYME, FRESH LEAVES	19	X					X			X		X		HERBS AND SPICES GROUP
VANILLA	19	X										X		HERBS AND SPICES GROUP
WINTERGREEN	19	X					X			X				HERBS AND SPICES GROUP
WINTERGREEN, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
WINTERGREEN, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
WOODRUFF	19	X					X			X				HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
WOODRUFF, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
WOODRUFF, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
WORMWOOD	19	X					X			X				HERBS AND SPICES GROUP
WORMWOOD, DRIED LEAVES	19	X					X			X				HERBS AND SPICES GROUP
WORMWOOD, FRESH LEAVES	19	X					X			X				HERBS AND SPICES GROUP
HERBS SUBGROUP	19A	X										X		Herbs subgroup
SPICES SUBGROUP	19B	X										X		Spice subgroup
BORAGE, OIL	20	X												OILSEED CROP GROUP
BORAGE, SEED	20	X		X										OILSEED CROP GROUP
CANOLA	20	X	X											OILSEED CROP GROUP
CANOLA, MEAL	20		X											OILSEED CROP GROUP
CANOLA, REFINED OIL	20	X	X									X		OILSEED CROP GROUP
CANOLA, SEED	20	X	X											OILSEED CROP GROUP
CASTORBEAN	20		X	X										OILSEED CROP GROUP
CASTORBEAN, SEED	20	X	X	X										OILSEED CROP GROUP
COTTON	20	X	X											OILSEED CROP GROUP
COTTON, FORAGE	20		X											OILSEED CROP GROUP
COTTON, GIN BYPRODUCTS	20		X											OILSEED CROP GROUP
COTTON, HAY	20		X											OILSEED CROP GROUP
COTTON, HULLS	20		X											OILSEED CROP GROUP
COTTON, MEAL	20		X											OILSEED CROP GROUP
COTTON, REFINED OIL	20	X									X			OILSEED CROP GROUP
COTTON, SEED, SOAPSTOCK	20		X											OILSEED CROP GROUP
COTTON, UNDELINTED SEED	20	X	X											OILSEED CROP GROUP
CRAMBE	20		X	X										OILSEED CROP GROUP
CRAMBE, MEAL	20		X											OILSEED CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CRAMBE, SEED	20			X										OILSEED CROP GROUP
CUPHEA	20			X										OILSEED CROP GROUP
CUPHEA, SEED	20		X	X										OILSEED CROP GROUP
EUPHORBIA	20	X								X				OILSEED CROP GROUP
EUPHORBIA, SEED	20	X												OILSEED CROP GROUP
EVENING PRIMROSE, COMMON	20	X	X							X				OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, ROOTS	20	X		X										OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, SEED	20	X	X											OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, TOPS	20	X		X						X				OILSEED CROP GROUP
FLAX	20	X	X	X										OILSEED CROP GROUP
FLAX, MEAL	20		X											OILSEED CROP GROUP
FLAX, SEED	20	X	X											OILSEED CROP GROUP
FLAX, STRAW	20		X											OILSEED CROP GROUP
JOJOBA	20			X										OILSEED CROP GROUP
JOJOBA	20			X										OILSEED CROP GROUP
JOJOBA, SEED	20		X	X										OILSEED CROP GROUP
LESQUERELLA	20		X	X										OILSEED CROP GROUP
LESQUERELLA, SEED	20		X	X										OILSEED CROP GROUP
MEADOWFOAM	20		X	X										OILSEED CROP GROUP
MEADOWFOAM, SEED	20		X											OILSEED CROP GROUP
NIGER SEED	20	X	X								X			OILSEED CROP GROUP
NIGER SEED, SEED	20	X	X								X			OILSEED CROP GROUP
RAPSEED	20		X	X										OILSEED CROP GROUP
RAPSEED, FORAGE	20		X											OILSEED CROP GROUP
RAPSEED, MEAL	20		X											OILSEED CROP GROUP
RAPSEED, SEED	20	X	X											OILSEED CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SAFFLOWER	20	X	X											OILSEED CROP GROUP
SAFFLOWER, FODDER	20		X											OILSEED CROP GROUP
SAFFLOWER, FORAGE	20		X											OILSEED CROP GROUP
SAFFLOWER, MEAL	20		X											OILSEED CROP GROUP
SAFFLOWER, REFINED OIL	20	X										X		OILSEED CROP GROUP
SAFFLOWER, SEED	20	X	X											OILSEED CROP GROUP
SESAME	20	X												OILSEED CROP GROUP
SESAME, OIL	20	X										X		OILSEED CROP GROUP
SESAME, SEED	20	X	X											OILSEED CROP GROUP
SUNFLOWER	20	X	X											OILSEED CROP GROUP
SUNFLOWER, FORAGE	20		X											OILSEED CROP GROUP
SUNFLOWER, MEAL	20		X											OILSEED CROP GROUP
SUNFLOWER, REFINED OIL	20	X										X		OILSEED CROP GROUP
SUNFLOWER, SEED	20	X										X		OILSEED CROP GROUP
SUNFLOWER, SEED, HULLS	20		X											OILSEED CROP GROUP
SUNFLOWER, SEED, SOAPSTOCK	20		X											OILSEED CROP GROUP
VERNONIA	20	X	X							X				OILSEED CROP GROUP
VERNONIA, SEED	20	X												OILSEED CROP GROUP
EDIBLE FUNGI	21						X							EDIBLE FUNGI GROUP
MUSHROOM	21						X					X		EDIBLE FUNGI GROUP
ABIU	99	X												NO GROUP NAME
ACEROLA	99	X												NO GROUP NAME
AFRICAN HORNED CUCUMBER	99	X												NO GROUP NAME
AGRICULTURAL DRAINAGE SYSTEM	99				X									NO GROUP NAME
AGRIMONY	99	X												NO GROUP NAME
AIRCRAFT	99												X	NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
AIRPOTATO	99	X												NO GROUP NAME
AKEE APPLE	99	X												NO GROUP NAME
AMARANTH, GRAIN	99	X	X											NO GROUP NAME
AMARANTH, GRAIN, GRAIN	99	X	X											NO GROUP NAME
AMARANTH, GRAIN, STOVER	99		X											NO GROUP NAME
AMBARELLA	99	X							X					NO GROUP NAME
ANIMAL FEED	99		X									X		NO GROUP NAME
ANIMAL PRODUCTS	99											X	X	NO GROUP NAME
ANIMAL, FARM	99											X		NO GROUP NAME
APPLEMINT	99	X							X					NO GROUP NAME
APPLEMINT, FRESH LEAVES	99	X							X					NO GROUP NAME
AQUARIUMS	99												X	NO GROUP NAME
ARROWHEAD	99	X												NO GROUP NAME
ARROWHEAD, CORM	99	X												NO GROUP NAME
ARROWROOT, POLYNESIAN	99	X												NO GROUP NAME
ARTICHOKE, GLOBE	99	X												NO GROUP NAME
ASAFETIDA	99	X												NO GROUP NAME
ASPARAGUS	99	X												NO GROUP NAME
ASPIRATED GRAIN FRACTIONS	99		X											GRAIN, CEREAL, GROUP
ATEMOYA	99	X												NO GROUP NAME
AVOCADO	99	X												NO GROUP NAME
BACON, UNCOOKED	99	X										X		NO GROUP NAME
BAMBARA GROUNDNUT	99	X												NO GROUP NAME
BAMBARA GROUNDNUT, SEED	99	X												NO GROUP NAME
BAMBOO	99			X										NO GROUP NAME
BAMBOO, SHOOTS	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BANANA	99	X												NO GROUP NAME
BATHROOM PREMISES	99												X	NO GROUP NAME
BEAN, GOA	99	X								X				NO GROUP NAME
BEAN, GOA, ROOTS	99	X												NO GROUP NAME
BEAN, GOA, SEED	99	X												NO GROUP NAME
BEAN, GOA, SUCCULENT	99	X								X				NO GROUP NAME
BEAN, TONKA	99	X												NO GROUP NAME
BEAN, TONKA, SEED	99	X												NO GROUP NAME
BEEHIVE	99	X												NO GROUP NAME
BEN MORINGA SEED	99	X												NO GROUP NAME
BEN MORINGA SEED, SEED	99	X												NO GROUP NAME
BETELNUT	99	X												NO GROUP NAME
BIRDSEED, MIXTURES, POSTHARVEST	99												X	NO GROUP NAME
BIRIBA	99	X												NO GROUP NAME
BISCUIT MIX	99											X		NO GROUP NAME
BLACK BREAD WEED	99	X												NO GROUP NAME
BLACK BREAD WEED, SEED	99	X												NO GROUP NAME
BLACK WATTLE	99		X											NO GROUP NAME
BLACK WATTLE, FORAGE	99		X											NO GROUP NAME
BLACK WATTLE, HAY	99		X											NO GROUP NAME
BLIMBE	99	X												NO GROUP NAME
BORAGE, INDIAN	99	X												NO GROUP NAME
BORAGE, INDIAN, LEAVES	99	X												NO GROUP NAME
BOTANICAL HERBS	99	X												NO GROUP NAME
BREAD MIX	99											X		NO GROUP NAME
BREADFRUIT	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
BREADING	99											X		NO GROUP NAME
CABBAGE, ABYSSINIAN	99	X												NO GROUP NAME
CABBAGE, SEAKALE	99	X												NO GROUP NAME
CACAO BEAN	99	X												NO GROUP NAME
CACAO BEAN, CHOCOLATE	99											X		NO GROUP NAME
CACAO BEAN, COCOA POWDER	99											X		NO GROUP NAME
CACAO BEAN, DRIED BEAN	99											X		NO GROUP NAME
CACAO BEAN, ROASTED BEAN	99											X		NO GROUP NAME
CACTUS	99	X								X				NO GROUP NAME
CACTUS, FRUIT	99	X												NO GROUP NAME
CACTUS, PADS	99	X												NO GROUP NAME
CAKE MIX	99											X		NO GROUP NAME
CALAMUS ROOT	99	X												NO GROUP NAME
CALOPO	99		X											NO GROUP NAME
CAMWOOD	99		X											NO GROUP NAME
CAMWOOD, FORAGE	99		X											NO GROUP NAME
CAMWOOD, HAY	99		X											NO GROUP NAME
CANISTEL	99	X												NO GROUP NAME
CAROB BEAN	99	X												NO GROUP NAME
CAROB BEAN, BEAN	99											X		NO GROUP NAME
CATFISH	99				X									NO GROUP NAME
CATTLE	99													NO GROUP NAME
CATTLE, FAT	99											X		NO GROUP NAME
CATTLE, FAT - BABYFOOD	99											X		NO GROUP NAME
CATTLE, FEED	99											X		NO GROUP NAME
CATTLE, FEED, CONCENTRATE, NONMEDICATED	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
CATTLE, KIDNEY	99											X		NO GROUP NAME
CATTLE, LIVER	99											X		NO GROUP NAME
CATTLE, LIVER - BABYFOOD	99											X		NO GROUP NAME
CATTLE, MEAT	99											X		NO GROUP NAME
CATTLE, MEAT - BABYFOOD	99											X		NO GROUP NAME
CATTLE, MEAT BYPRODUCTS	99											X		NO GROUP NAME
CATTLE, MEAT BYPRODUCTS - BABYFOOD	99											X		NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
CATTLE, MEAT, EXCEPT KIDNEY	99											X		NO GROUP NAME
CHAMOMILE	99	X												HERBS AND SPICES GROUP
CHAYA	99	X												NO GROUP NAME
CHEESE, PARMESAN	99											X		NO GROUP NAME
CHEESE, ROQUEFORT	99											X		NO GROUP NAME
CHERIMOYA	99	X												NO GROUP NAME
CHERRY, BLACK	99	X												NO GROUP NAME
CHERRY, NANKING	99	X												NO GROUP NAME
CHIA	99	X												NO GROUP NAME
CHIA, SEED	99	X												NO GROUP NAME
CHRISTMAS TREE PLANTATION	99			X										NO GROUP NAME
COCONUT	99	X										X		NUT, TREE, GROUP
COCONUT, COPRA	99		X											NUT, TREE, GROUP
COCONUT, OIL	99	X										X		NUT, TREE, GROUP
COFFEE	99	X										X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
COFFEE, BEAN	99	X										X		NO GROUP NAME
COFFEE, GREEN BEAN	99											X		NO GROUP NAME
COFFEE, INSTANT	99											X		NO GROUP NAME
COFFEE, ROASTED BEAN	99											X		NO GROUP NAME
COLA	99	X												NO GROUP NAME
COLA, SEED	99	X												NO GROUP NAME
COMFREY	99			X										NO GROUP NAME
COMPOST	99			X										NO GROUP NAME
CONIFER RELEASE	99								X					NO GROUP NAME
COOKIE MIX	99											X		NO GROUP NAME
CRAYFISH	99				X									NO GROUP NAME
CROP, IRRIGATED	99				X	X								NO GROUP NAME
CROTALARIA	99	X												NO GROUP NAME
CUCUMBER, WILD	99	X												NO GROUP NAME
CUCURBITS	99	X												NO GROUP NAME
CUSTARD APPLE	99	X												NO GROUP NAME
DAHLIA, GARDEN	99	X								X				NO GROUP NAME
DAHLIA, GARDEN, ROOTS	99	X								X				NO GROUP NAME
DAIRY PRODUCT, MANUFACTURED	99										X	X		NO GROUP NAME
DATE	99	X												NO GROUP NAME
DATE, DRIED FRUIT	99	X										X		NO GROUP NAME
DITCH BANK	99			X										NO GROUP NAME
DOG FOOD	99										X	X		NO GROUP NAME
DOG FOOD, DRY	99										X	X		NO GROUP NAME
DOKUDAMI	99	X												NO GROUP NAME
DRAGON FRUIT	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
DURIAN	99	X												NO GROUP NAME
ECHINACEA	99	X								X				NO GROUP NAME
ECHINACEA, ROOTS	99	X								X				NO GROUP NAME
ECHINACEA, TOPS	99	X								X				NO GROUP NAME
EGG	99										X	X		NO GROUP NAME
EGG, DRIED	99										X	X		NO GROUP NAME
ELECAMPANE	99	X												NO GROUP NAME
ELECAMPANE, ROOTS	99	X												NO GROUP NAME
ENDIVE, BELGIUM	99	X					X							NO GROUP NAME
EPAZOTE	99	X								X				NO GROUP NAME
FALLOW LAND	99			X										NO GROUP NAME
FAMEFLOWER	99			X										NO GROUP NAME
FEED PROCESSING AND STORAGE AREAS	99											X	X	NO GROUP NAME
FEED PROCESSING PLANT	99											X	X	NO GROUP NAME
FEED STORAGE AREA	99											X		NO GROUP NAME
FEIJOA	99	X												NO GROUP NAME
FENCE ROWS	99			X										NO GROUP NAME
FENCEROW	99			X										NO GROUP NAME
FERN, EDIBLE	99	X												NO GROUP NAME
FIELD CONTAINER	99			X				X						NO GROUP NAME
FIG	99	X												NO GROUP NAME
FIG, DRIED FRUIT	99	X										X		NO GROUP NAME
FISH	99				X									NO GROUP NAME
FISH - FRESHWATER FINFISH	99				X									NO GROUP NAME
FISH - FRESHWATER FINFISH, FARM RAISED	99				X									NO GROUP NAME
FISH - SALTWATER FINFISH, OTHER	99				X									NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
FISH - SALTWATER FINFISH, TUNA	99				X									NO GROUP NAME
FISH - SHELLFISH, CRUSTACEAN	99				X									NO GROUP NAME
FISH - SHELLFISH, MOLLUSC	99				X									NO GROUP NAME
FISH HATCHERY	99				X	X							X	NO GROUP NAME
FISH PRODUCTION FACILITIES	99				X									NO GROUP NAME
FLOWER, EDIBLE	99	X								X		X		NO GROUP NAME
FLOWER, EDIBLE, FLOWER	99	X								X		X		NO GROUP NAME
FOOD HANDLING AREA	99											X		NO GROUP NAME
FOOD HANDLING PLANT	99											X	X	NO GROUP NAME
FOOD PROCESSING AND STORAGE AREAS	99											X		NO GROUP NAME
FOOD PROCESSING PLANT	99											X	X	NO GROUP NAME
FOOD, PROCESSED	99											X		NO GROUP NAME
FOREST TREE MANGEMENT	99								X					NO GROUP NAME
FOREST TREE NURSERY	99								X					NO GROUP NAME
FOREST TREES	99								X					NO GROUP NAME
FRUIT, CITRUS	99	X										X		NO GROUP NAME
FRUIT, GLACE	99											X		NO GROUP NAME
FRUIT, POME	99	X												NO GROUP NAME
FRUIT, SMALL	99	X												NO GROUP NAME
FRUIT, SMALL AND BERRY GROUP	99	X												NO GROUP NAME
FRUIT, SMALL AND BERRY, GROUP	99													NO GROUP NAME
FRUIT, STONE	99	X												NO GROUP NAME
FUEL STORAGE AREAS	99			X										NO GROUP NAME
GALANGAL	99	X												NO GROUP NAME
GALANGAL, ROOTS	99	X												NO GROUP NAME
GERANIUM, SCENTED	99	X		X							X			NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GERANIUM, SCENTED, LEAVES	99	X												NO GROUP NAME
GINGER, WHITE	99	X					X							NO GROUP NAME
GINGER, WHITE, FLOWER	99	X	X	X										NO GROUP NAME
GLOBEMALLOW	99	X		X										NO GROUP NAME
GLOBEMALLOW, TOPS	99		X											NO GROUP NAME
GOAT	99											X		NO GROUP NAME
GOAT, FAT	99											X		NO GROUP NAME
GOAT, KIDNEY	99											X		NO GROUP NAME
GOAT, LIVER	99											X		NO GROUP NAME
GOAT, MEAT	99											X		NO GROUP NAME
GOAT, MEAT BYPRODUCTS	99											X		NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
GOLF COURSE TURF	99			X										NO GROUP NAME
GOOD KING HENRY	99	X												NO GROUP NAME
GOOD KING HENRY, LEAVES	99	X												NO GROUP NAME
GOURD, BUFFALO	99	X												NO GROUP NAME
GOURD, BUFFALO, SEED	99	X												NO GROUP NAME
GOVERNOR'S PLUM	99	X		X										NO GROUP NAME
GOW KEE	99	X								X				NO GROUP NAME
GOW KEE, LEAVES	99	X								X				NO GROUP NAME
GRAIN ELEVATOR	99											X		NO GROUP NAME
GRAIN, CEREAL, HAY	99		X											NO GROUP NAME
GRAIN, CEREAL, STOVER	99		X											NO GROUP NAME
GRAIN, CEREAL, STRAW	99		X											NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
GRAIN, CROPS	99	X	X											NO GROUP NAME
GRAIN, CROPS, EXCEPT WHEAT, OATS, GRAIN SORGHUM, BARLEY	99	X	X											NO GROUP NAME
GRAPE, DRIED POMACE	99		X											NO GROUP NAME
GRASS, FORAGE	99		X											NO GROUP NAME
GREENHOUSE FOOD CROPS	99						X							NO GROUP NAME
GREENHOUSE FRUIT GROWN	99						X							NO GROUP NAME
GREENHOUSE ORNAMENTAL	99							X						NO GROUP NAME
GREENHOUSE ORNAMENTAL CROP	99							X						NO GROUP NAME
GREENHOUSE VEGETABLE GROWN	99						X							NO GROUP NAME
GUAJILLO	99		X											NO GROUP NAME
GUAJILLO, FORAGE	99		X											NO GROUP NAME
GUARANA	99	X												NO GROUP NAME
GUARANA, SEED	99	X												NO GROUP NAME
GUAVA	99	X										X		NO GROUP NAME
GUMWEED, CURLYCUP	99	X												NO GROUP NAME
GUMWEED, CURLYCUP, LEAVES	99	X												NO GROUP NAME
GUMWEED, GREAT VALLEY	99		X											NO GROUP NAME
GUMWEED, GREAT VALLEY, LEAVES	99		X											NO GROUP NAME
HAM, UNCOOKED	99											X		NO GROUP NAME
HANOVER SALAD, LEAVES	99	X												NO GROUP NAME
HOG	99											X		NO GROUP NAME
HOG, FAT	99											X		NO GROUP NAME
HOG, FEED	99											X		NO GROUP NAME
HOG, KIDNEY	99											X		NO GROUP NAME
HOG, LIVER	99											X		NO GROUP NAME
HOG, MEAT	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
HOG, MEAT AND HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
HOG, MEAT BYPRODUCTS	99											X		NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
HOG, SKIN	99											X		NO GROUP NAME
HONEWORT	99	X								X				NO GROUP NAME
HONEY	99	X											X	NO GROUP NAME
HONEY WITH HONEYCOMB	99	X												NO GROUP NAME
HONEYCOMB	99	X												NO GROUP NAME
HONEYCOMB WITH HONEY	99	X												NO GROUP NAME
HOP	99	X												NO GROUP NAME
HOP, DRIED CONES	99	X												NO GROUP NAME
HOP, FRESH	99		X											NO GROUP NAME
HOP, SPENT	99		X											NO GROUP NAME
HOP, VINES	99		X											NO GROUP NAME
HORSE	99											X		NO GROUP NAME
HORSE, FAT	99											X		NO GROUP NAME
HORSE, FEED	99											X		NO GROUP NAME
HORSE, KIDNEY	99											X		NO GROUP NAME
HORSE, LIVER	99											X		NO GROUP NAME
HORSE, MEAT	99											X		NO GROUP NAME
HORSE, MEAT BYPRODUCTS	99											X		NO GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
HORSEMINT	99	X								X				NO GROUP NAME
HORSEMINT, FRESH LEAVES	99	X								X				NO GROUP NAME
HOSPITAL FACILITIES	99												X	NO GROUP NAME
HOUSEPLANTS	99												X	NO GROUP NAME
HUCKLEBERRY, GARDEN	99	X								X				NO GROUP NAME
HUISACHE	99		X											NO GROUP NAME
HUISACHE, FORAGE	99		X											NO GROUP NAME
ICEPLANT	99	X								X				NO GROUP NAME
ICEPLANT, FRESH LEAVES	99	X								X				NO GROUP NAME
ILAMA	99	X												NO GROUP NAME
IMBE	99	X												NO GROUP NAME
IMBU	99	X												NO GROUP NAME
INTERIOR PLANT SCAPE	99										X		X	NO GROUP NAME
INTERIOR SCAPE	99										X		X	NO GROUP NAME
IRRIGATION DITCHES	99				X									NO GROUP NAME
JABOTICABA	99	X												NO GROUP NAME
JACKFRUIT	99	X												NO GROUP NAME
JAPANESE HONEWORT	99	X								X				NO GROUP NAME
JAPANESE HONEWORT, TOPS	99	X								X				NO GROUP NAME
JAPANESE KNOTWEED	99						X							NO GROUP NAME
JUJUBE	99	X												NO GROUP NAME
JUJUBE, INDIAN	99	X												NO GROUP NAME
JUTE, NALTA	99	X												NO GROUP NAME
KALE, SEA	99	X												NO GROUP NAME
KAPOK	99	X	X											NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
KAPOK, OIL	99	X												NO GROUP NAME
KENAF	99			X										NO GROUP NAME
KENAF, FORAGE	99		X	X										NO GROUP NAME
KOA	99		X											NO GROUP NAME
KOA, FORAGE	99		X											NO GROUP NAME
KOA, HAY	99		X											NO GROUP NAME
KOCHIA	99		X											NO GROUP NAME
KOCHIA, FORAGE	99		X											NO GROUP NAME
KOCHIA, HAY	99		X											NO GROUP NAME
LAKES/PONDS	99				X	X								NO GROUP NAME
LAUREL, CHERRY	99	X												NO GROUP NAME
LAWN	99			X						X				NO GROUP NAME
LEADPLANT	99		X											NO GROUP NAME
LEADPLANT, FORAGE	99		X											NO GROUP NAME
LEADPLANT, HAY	99		X											NO GROUP NAME
LEGUME, FORAGE	99		X											NO GROUP NAME
LEMON VERBENA	99	X								X				NO GROUP NAME
LEMON VERBENA, LEAVES	99	X								X				NO GROUP NAME
LEUCAENA	99		X											NO GROUP NAME
LEUCAENA, FORAGE	99		X											NO GROUP NAME
LEUCAENA, HAY	99		X											NO GROUP NAME
LICORICE	99	X												NO GROUP NAME
LICORICE, ROOTS	99	X												NO GROUP NAME
LIME BLOSSOM	99	X		X						X				NO GROUP NAME
LIME, SWEET	99	X												FRUIT, CITRUS, GROUP
LONGAN	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
LOTUS ROOT	99				X									NO GROUP NAME
LYCHEE	99	X												NO GROUP NAME
MACA	99	X												NO GROUP NAME
MACA, ROOTS	99	X												NO GROUP NAME
MACA, TOPS	99	X												NO GROUP NAME
MALT BEVERAGE	99											X		NO GROUP NAME
MAMEY APPLE	99	X												NO GROUP NAME
MANGO	99	X										X		NO GROUP NAME
MANGOSTEEN	99	X												NO GROUP NAME
MAPLE, SUGAR	99	X												NO GROUP NAME
MAPLE, SUGAR, SYRUP	99	X										X		NO GROUP NAME
MARMALADEBOX	99	X												NO GROUP NAME
MARSHMARIGOLD	99	X		X										NO GROUP NAME
MARSHMARIGOLD, LEAVES	99	X												NO GROUP NAME
MARTYNTIA	99	X		X										NO GROUP NAME
MARTYNTIA, PODS	99	X		X										NO GROUP NAME
MASHUA	99	X												NO GROUP NAME
MASHUA, LEAVES	99	X												NO GROUP NAME
MASHUA, TUBER	99	X												NO GROUP NAME
MAUKA	99	X												NO GROUP NAME
MAUKA, LEAVES	99	X												NO GROUP NAME
MAUKA, ROOTS	99	X												NO GROUP NAME
MAYPOP	99	X												NO GROUP NAME
MEAT	99											X		NO GROUP NAME
MEDICINAL CROPS	99	X												NO GROUP NAME
MEDLAR	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
MILK	99											X		NO GROUP NAME
MILK HANDLING FACILITY	99											X		NO GROUP NAME
MILK, FAT	99											X		NO GROUP NAME
MILK, FAT, 0.05 PPM IN WHOLE MILK	99											X		NO GROUP NAME
MILK, FAT, 0.08 PPM IN MILK	99											X		NO GROUP NAME
MILK, FAT, 0.1 IN WHOLE MILK	99											X		NO GROUP NAME
MILK, FAT, FROM APPLICATION TO DAIRY COWS	99											X		NO GROUP NAME
MILK, FAT, REFLECTING 0.25 PPM IN WHOLE MILK	99											X		NO GROUP NAME
MILK, FAT, REFLECTING NEGLIGIBLE RESIDUES IN MILK	99											X		NO GROUP NAME
MILK, FAT, REFLECTING NEGLIGIBLE RESIDUES IN WHOLE MILK	99											X		NO GROUP NAME
MINT, LEMON	99	X								X				NO GROUP NAME
MINT, LEMON, FRESH LEAVES	99	X								X				NO GROUP NAME
MIOGA	99	X												NO GROUP NAME
MIOGA, FLOWER	99	X												NO GROUP NAME
MONARDA	99	X	X											NO GROUP NAME
MONARDA, LEAVES	99	X	X											NO GROUP NAME
MONSTERA	99	X	X											NO GROUP NAME
MOUNTAINMINT	99	X												NO GROUP NAME
MOUNTAINMINT, LEAVES	99	X												NO GROUP NAME
MULGA	99		X											NO GROUP NAME
MULGA, FORAGE	99		X											NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE	99	X												NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, ROOTS	99	X												NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, TOPS	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
NARANJILLA	99	X												NO GROUP NAME
NATAL PLUM	99	X												NO GROUP NAME
NURSERY GROWN PLANTS	99			X			X							NO GROUP NAME
NUT	99	X										X		NO GROUP NAME
OCA	99	X												NO GROUP NAME
OCA, TUBER	99	X												NO GROUP NAME
OLIVE	99	X												NO GROUP NAME
OLIVE, OIL	99	X												NO GROUP NAME
ORANGE, TRIFOLIATE	99	X										X		NO GROUP NAME
OREGANO, MEXICAN	99	X							X					NO GROUP NAME
OREGANO, MEXICAN, LEAVES	99	X							X					NO GROUP NAME
ORNAMENTAL PLANTS	99			X										NO GROUP NAME
ORNAMENTAL POND	99					X								NO GROUP NAME
OTAHEITE GOOSEBERRY	99	X		X										NO GROUP NAME
OYSTER	99				X									NO GROUP NAME
PALM	99	X		X										NO GROUP NAME
PALM HEART	99	X												NO GROUP NAME
PALM HEART, LEAVES	99	X												NO GROUP NAME
PALM, OIL	99	X										X		NO GROUP NAME
PAPAYA	99	X										X		NO GROUP NAME
PAPAYA, MOUNTAIN	99	X												NO GROUP NAME
PASSIONFRUIT	99	X												NO GROUP NAME
PAWPAW	99	X	X											NO GROUP NAME
PEA, ROUGH	99		X											NO GROUP NAME
PEA, ROUGH, FORAGE	99		X											NO GROUP NAME
PEA, ROUGH, HAY	99		X											NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PEA, WINGED	99	X												NO GROUP NAME
PEA, WINGED, SUCCULENT	99	X												NO GROUP NAME
PEANUT	99	X												NO GROUP NAME
PEANUT, HAY	99		X											NO GROUP NAME
PEANUT, HULLS	99		X											NO GROUP NAME
PEANUT, MEAL	99		X											NO GROUP NAME
PEANUT, PERENNIAL	99		X											NO GROUP NAME
PEANUT, PERENNIAL, FORAGE	99		X											NO GROUP NAME
PEANUT, PERENNIAL, HAY	99		X											NO GROUP NAME
PEANUT, REFINED OIL	99		X									X		NO GROUP NAME
PEANUT, SOAPSTOCK	99		X											NO GROUP NAME
PENNYROYAL, AMERICAN	99	X												NO GROUP NAME
PENNYROYAL, AMERICAN, LEAVES	99	X												NO GROUP NAME
PEPPER LEAF	99	X												NO GROUP NAME
PEPPER LEAF, FRESH LEAVES	99	X												NO GROUP NAME
PEPPERMINT	99	X								X				NO GROUP NAME
PEPPERMINT, OIL	99											X		NO GROUP NAME
PEPPERMINT, OIL (SEE ALSO SPEARMINT, OIL)	99	X										X		NO GROUP NAME
PEPPERMINT, SPENT HAY	99		X											NO GROUP NAME
PEPPERMINT, TOPS	99	X								X				NO GROUP NAME
PEPPERMINT, TOPS (SEE ALSO SPEARMINT, TOPS)	99	X								X				NO GROUP NAME
PERILLA	99	X												NO GROUP NAME
PERILLA, TOPS	99	X												NO GROUP NAME
PERSIMMON	99	X								X				NO GROUP NAME
PET ANIMAL	99												X	NO GROUP NAME
PIE MIX	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
PINEAPPLE	99	X										X		NO GROUP NAME
PINEAPPLE, BRAN	99		X											NO GROUP NAME
PINEAPPLE, FODDER	99		X											NO GROUP NAME
PINEAPPLE, FOLIAGE	99		X											NO GROUP NAME
PINEAPPLE, FORAGE	99		X									X		NO GROUP NAME
PINEAPPLE, JUICE	99											X		NO GROUP NAME
PINEAPPLE, PROCESS RESIDUE	99		X											NO GROUP NAME
PIPE LINE	99			X										NO GROUP NAME
PLANTAIN	99	X												NO GROUP NAME
PLANTAIN, COMMON, LEAVES	99	X												NO GROUP NAME
POKEWEED	99	X												NO GROUP NAME
POKEWEED, FRESH LEAVES	99	X												NO GROUP NAME
POMEGRANATE	99	X												NO GROUP NAME
POMERAC	99	X												NO GROUP NAME
POULTRY	99											X		NO GROUP NAME
POULTRY FEED, FOR CHICKEN LAYERS	99											X		NO GROUP NAME
POULTRY FEED, FOR CHICKEN LAYERS AND BREEDER HENS	99											X		NO GROUP NAME
POULTRY, FAT	99											X		NO GROUP NAME
POULTRY, FEED	99											X		NO GROUP NAME
POULTRY, KIDNEY	99											X		NO GROUP NAME
POULTRY, LIVER	99											X		NO GROUP NAME
POULTRY, MEAT	99											X		NO GROUP NAME
POULTRY, MEAT BYPRODUCTS	99											X		NO GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
PRAIRIECLOVER, PURPLE	99		X											NO GROUP NAME
PRAIRIECLOVER, PURPLE, FORAGE	99		X											NO GROUP NAME
PRAIRIECLOVER, PURPLE, HAY	99		X											NO GROUP NAME
PRICKLY PEAR	99	X												NO GROUP NAME
PROCESSED FOOD	99											X		NO GROUP NAME
PROCESSED FOOD IN PAPER BAGS, MULTIWALLED	99											X		NO GROUP NAME
PROCESSED FOOD ITEM	99											X		NO GROUP NAME
PROCESSED FOOD, EXCEPT MEAT	99											X		NO GROUP NAME
PROCESSED FOOD, NONPERISHABLE, BAGGED OR PACKAGED	99											X		NO GROUP NAME
PROCESSED FOOD, TWO PLY BAG, CLOTH AND WAX PAPER	99											X		NO GROUP NAME
PROCESSED FRUIT	99											X		NO GROUP NAME
PROCESSED VEGETABLE	99											X		NO GROUP NAME
PSYLLIUM, SEED	99	X												NO GROUP NAME
PULASAN	99	X		X										NO GROUP NAME
QUINOA	99	X	X											NO GROUP NAME
QUINOA, GRAIN	99	X	X											NO GROUP NAME
RAILROAD CAR	99												X	NO GROUP NAME
RAILROAD RIGHTS OF WAY	99			X										FOREST TREES GROUP
RAMBUTAN	99	X												NO GROUP NAME
RAMPION	99	X												NO GROUP NAME
RAMPION, ROOTS	99	X												NO GROUP NAME
RAMPION, TOPS	99	X												NO GROUP NAME
RAW AGRICULTURAL COMMODITIES	99	X										X		NO GROUP NAME
RAW AGRICULTURAL COMMODITIES	99	X										X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
RIGHTS OF WAY	99			X										NO GROUP NAME
ROSE APPLE	99	X												NO GROUP NAME
ROSELLE	99	X												NO GROUP NAME
ROUNDLEAF CASSIA	99		X											NO GROUP NAME
ROUNDLEAF CASSIA, FORAGE	99		X											NO GROUP NAME
ROUNDLEAF CASSIA, HAY	99		X											NO GROUP NAME
SAPODILLA	99	X												NO GROUP NAME
SAPOTE, BLACK	99	X												NO GROUP NAME
SAPOTE, GREEN	99	X												NO GROUP NAME
SAPOTE, MAMEY	99	X												NO GROUP NAME
SAPOTE, WHITE	99	X												NO GROUP NAME
SAUSAGE, UNCOOKED	99											X		NO GROUP NAME
SEASONINGS, PROCESSED NATURAL	99											X		NO GROUP NAME
SEASONINGS, PROCESSED NATURAL, INCLUDING SPICES, EXCEPT SALT MIXTURE	99											X		NO GROUP NAME
SEDGE, THREADLEAF	99		X											NO GROUP NAME
SEDGE, THREADLEAF, FORAGE	99		X											NO GROUP NAME
SEDGE, THREADLEAF, HAY	99		X											NO GROUP NAME
SENTUL	99	X												NO GROUP NAME
SESBANIA	99		X											NO GROUP NAME
SHEA BUTTER TREE	99	X												NO GROUP NAME
SHEA BUTTER TREE, SEED	99	X												NO GROUP NAME
SHEEP	99											X		NO GROUP NAME
SHEEP, FAT	99											X		NO GROUP NAME
SHEEP, FEED	99											X		NO GROUP NAME
SHEEP, KIDNEY	99											X		NO GROUP NAME
SHEEP, LIVER	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SHEEP, MEAT	99											X		NO GROUP NAME
SHEEP, MEAT BYPRODUCTS	99											X		NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT KIDNEY	99											X		NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER	99											X		NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT LIVER	99											X		NO GROUP NAME
SHELLFISH	99				X									NO GROUP NAME
SNAKEGOURD	99	X								X				NO GROUP NAME
SOAPSTOCK	99		X										X	NO GROUP NAME
SOD FARM	99			X										NO GROUP NAME
SORGHUM, SWEET	99	X												NO GROUP NAME
SORGHUM, SWEET, STALK	99		X											NO GROUP NAME
SORGHUM, SWEET, SYRUP	99	X												NO GROUP NAME
SOURSOP	99	X										X		NO GROUP NAME
SOUTHERNWOOD	99	X								X				NO GROUP NAME
SOUTHERNWOOD, TOPS	99	X								X				NO GROUP NAME
SPANISH FENNEL	99	X												NO GROUP NAME
SPANISH FENNEL, DRIED LEAVES	99	X												NO GROUP NAME
SPANISH FENNEL, FRESH LEAVES	99	X												NO GROUP NAME
SPANISH FENNEL, SEED	99	X												NO GROUP NAME
SPANISH LIME	99	X												NO GROUP NAME
SPEARMINT	99	X								X				NO GROUP NAME
SPEARMINT, HAY (SEE ALSO PEPPERMINT, HAY)	99		X											NO GROUP NAME
SPEARMINT, OIL	99	X										X		NO GROUP NAME
SPEARMINT, OIL (SEE ALSO PEPPERMINT, OIL)	99											X		NO GROUP NAME
SPEARMINT, SPENT HAY	99		X											NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SPEARMINT, TOPS	99	X								X				NO GROUP NAME
SPINY HOPSAGE	99		X											NO GROUP NAME
SPINY HOPSAGE, FORAGE	99		X											NO GROUP NAME
SPINY HOPSAGE, HAY	99		X											NO GROUP NAME
STAR APPLE	99	X												NO GROUP NAME
STARFRUIT	99	X										X		NO GROUP NAME
STEVIA	99	X												NO GROUP NAME
STEVIA, DRIED LEAVES	99	X												NO GROUP NAME
STORED FEED, DRIED, 4% FAT OR LESS, FROM COTTON BAGS	99											X		NO GROUP NAME
STORED FEED, DRIED, 4% FAT OR LESS, FROM PAPER BAGS	99											X		NO GROUP NAME
STRAWBERRYPEAR	99	X												NO GROUP NAME
SUGAR APPLE	99	X												NO GROUP NAME
SUGARCANE	99	X												NO GROUP NAME
SUGARCANE, BAGASSE	99		X											NO GROUP NAME
SUGARCANE, CANE	99	X												NO GROUP NAME
SUGARCANE, FODDER	99		X											NO GROUP NAME
SUGARCANE, FORAGE	99		X											NO GROUP NAME
SUGARCANE, MOLASSES	99	X										X		NO GROUP NAME
SUGARCANE, REFINED SUGAR	99	X										X		NO GROUP NAME
SUGARCANE, SEED PIECE TREATMENT	99		X											NO GROUP NAME
SUMAC, SMOOTH	99	X		X										NO GROUP NAME
SUMAC, SMOOTH, LEAVES	99	X		X										NO GROUP NAME
SURINAM CHERRY	99	X												NO GROUP NAME
SWAMP LEAF	99				X									NO GROUP NAME
SWEET CICELY	99	X												NO GROUP NAME
SWEET CICELY, DRIED LEAVES	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
SWEET CICELY, FRESH LEAVES	99	X												NO GROUP NAME
TAMARIND	99	X		X										NO GROUP NAME
TANIER SPINACH	99	X								X				NO GROUP NAME
TAPERTIP HAWKSBEARD	99		X											NO GROUP NAME
TAPERTIP HAWKSBEARD, FORAGE	99		X											NO GROUP NAME
TAPERTIP HAWKSBEARD, HAY	99		X											NO GROUP NAME
TEA	99	X												NO GROUP NAME
TEA, DRIED	99											X		NO GROUP NAME
TEA, INSTANT	99											X		NO GROUP NAME
TEA, PLUCKED LEAVES	99	X												NO GROUP NAME
TEFF	99	X												NO GROUP NAME
TEFF, GRAIN	99	X												NO GROUP NAME
TEFF, HAY	99		X											NO GROUP NAME
TEFF, STRAW	99		X											NO GROUP NAME
THORN MIMOSA	99		X											NO GROUP NAME
THORN MIMOSA, FORAGE	99		X											NO GROUP NAME
THORN MIMOSA, HAY	99	X												NO GROUP NAME
TI	99	X												NO GROUP NAME
TI, LEAVES	99	X												NO GROUP NAME
TI, ROOTS	99	X												NO GROUP NAME
TOBACCO	99			X										NO GROUP NAME
TOMATO, CURRANT	99	X								X				NO GROUP NAME
TOMATO, TREE	99	X										X		NO GROUP NAME
TREE NURSERY	99			X										NO GROUP NAME
TURKEY	99											X		NO GROUP NAME
TURKEY, FAT	99											X		NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(**GN**) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
TURKEY, MEAT	99											X		NO GROUP NAME
TURKEY, MEAT BYPRODUCTS	99													NO GROUP NAME
TYFON	99	X								X				NO GROUP NAME
UDO	99	X												NO GROUP NAME
ULLUCO	99	X												NO GROUP NAME
ULLUCO, LEAVES	99	X												NO GROUP NAME
ULLUCO, TUBER	99	X												NO GROUP NAME
VEGETABLE	99	X								X		X		NO GROUP NAME
VEGETABLE, DRIED	99	X										X		NO GROUP NAME
VEGETABLE, FRUITING	99	X												NO GROUP NAME
VEGETABLE, LEAFY	99	X												NO GROUP NAME
VEGETABLE, POD	99	X												NO GROUP NAME
VEGETABLE, ROOT	99	X												NO GROUP NAME
VEGETABLE, SEED	99	X												NO GROUP NAME
VEGETABLE, SEED AND POD	99	X												NO GROUP NAME
VEGETABLE, SEED AND POD, EXCEPT SOYBEAN	99	X												NO GROUP NAME
VETCH, CHICKLING	99		X	X										NO GROUP NAME
VETCH, CHICKLING, FORAGE	99		X	X										NO GROUP NAME
VETCH, CHICKLING, HAY	99		X	X										NO GROUP NAME
VETCH, KIDNEY	99		X	X										NO GROUP NAME
VETCH, KIDNEY, FORAGE	99		X	X										NO GROUP NAME
VETCH, KIDNEY, HAY	99		X	X										NO GROUP NAME
VIETNAMESE CORIANDER	99	X								X				NO GROUP NAME
VIETNAMESE CORIANDER, DRIED LEAVES	99	X								X				NO GROUP NAME
VIETNAMESE CORIANDER, FRESH LEAVES	99	X								X				NO GROUP NAME
VIOLET	99	X		X			X			X				NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by Crop Group number(GN) and name)

EPA PREFERRED SITE TERM (sorted by Crop Group number/name)	GN	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	CROP GROUP NAME
VIOLET, FLOWER	99	X		X			X			X				NO GROUP NAME
WASABI	99	X												NO GROUP NAME
WASABI, ROOTS	99	X												NO GROUP NAME
WATER BAMBOO	99				X									NO GROUP NAME
WATER BAMBOO, STEMS	99				X									NO GROUP NAME
WATER DROPWORT	99	X												NO GROUP NAME
WATER DROPWORT, TOPS	99	X												NO GROUP NAME
WATER SPINACH	99				X									NO GROUP NAME
WATER SPINACH, TOPS	99				X									NO GROUP NAME
WATER, POTABLE	99				X						X	X		NO GROUP NAME
WATERCHESTNUT	99	X			X									NO GROUP NAME
WATERCHESTNUT, CORM	99	X			X									NO GROUP NAME
WATERCRESS	99	X			X									NO GROUP NAME
WATERLILY	99					X								NO GROUP NAME
WATERMINT	99	X								X				NO GROUP NAME
WATERMINT, FRESH LEAVES	99	X								X				NO GROUP NAME
WAX JAMBU	99	X												NO GROUP NAME
WINE	99			X						X		X		NO GROUP NAME
YACON	99	X												NO GROUP NAME
YACON, TUBER	99	X												NO GROUP NAME
YARROW	99	X								X				NO GROUP NAME
YARROW, DRIED LEAVES	99	X												NO GROUP NAME
YARROW, FRESH LEAVES	99	X												NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.