



# Pesticide Site Use Patterns for Terrestrial Feed

*May 2014*

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ALFALFA	X												18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, MEAL	X												18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SEED	X										X		18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SEED SCREENING	X												18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
ALKALI SACATON	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALMOND, HULLS	X												14 NUT, TREE, GROUP
AMARANTH, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, GRAIN, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, GRAIN, STOVER	X												99 NO GROUP NAME
ANIMAL FEED	X										X		99 NO GROUP NAME
ANIMAL FEED, NONGRASS, GROUP	X												18 ANIMAL FEED, NONGRASS, GROUP
APPLE, DRIED POMACE	X												11 FRUIT, POME, GROUP
APPLE, WET POMACE	X												11 FRUIT, POME, GROUP
ARIZONA COTTONTOP	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
													GROUP
ARROWLEAF BALSAMROOT	X												18 ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
ASPIRATED GRAIN FRACTIONS	X												99 GRAIN, CEREAL, GROUP
BAHIAGRASS	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BARLEY, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
BARLEY, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
BARLEY, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
BEACHGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEAN	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, DRY, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, DRY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, KIDNEY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, LIMA, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, LIMA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, SNAP, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, SNAP, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, STRAW	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEET, FODDER	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, SUGAR	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, DRIED PULP	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BENTGRASS	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BERMUDAGRASS	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLACK WATTLE	X												99 NO GROUP NAME
BLACK WATTLE, FORAGE	X												99 NO GROUP NAME
BLACK WATTLE, HAY	X												99 NO GROUP NAME
BLOWOUTGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BLUESTEM, BIG, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BLUESTEM, YELLOW, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUCKWHEAT	X	X											15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FODDER	X												15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FORAGE	X												15 GRAIN, CEREAL, GROUP
BUFFALOGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BURCLOVER	X												18 ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CALOPO	X												99 NO GROUP NAME
CAMWOOD	X												99 NO GROUP NAME
CAMWOOD, FORAGE	X												99 NO GROUP NAME
CAMWOOD, HAY	X												99 NO GROUP NAME
CANARYGRASS, ANNUAL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, SEED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANOLA	X	X											20 OILSEED CROP GROUP
CANOLA, MEAL	X												20 OILSEED CROP GROUP
CANOLA, REFINED OIL	X	X									X		20 OILSEED CROP GROUP
CANOLA, SEED	X	X											20 OILSEED CROP GROUP
CARIBGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CARPETGRASS, BROADLEAF	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARROT, CULLS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CARROT, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CASTORBEAN	X		X										20 OILSEED CROP GROUP
CASTORBEAN, SEED	X	X	X										20 OILSEED CROP GROUP
CATJANG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CATJANG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CENTIPEDEGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CHICKPEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CHICKPEA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CITRUS HYBRIDS, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
CITRUS, MEAL	X												10 FRUIT, CITRUS, GROUP
CLOVER	X								X				18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, ALYCE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, HOP	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEED SCREENINGS	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, STRAWBERRY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE	X								X				18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, WHITETIP, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, SILAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
COCONUT, COPRA	X												99 NUT, TREE, GROUP
CORDGRASS, MARSHHAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORN, FIELD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, MEAL	X	X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, SOAPSTOCK	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POD	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POD, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, CANNERY WASTE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CORN, SWEET, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
COTTON	X	X											20 OILSEED CROP GROUP
COTTON, FORAGE	X												20 OILSEED CROP GROUP
COTTON, GIN BYPRODUCTS	X												20 OILSEED CROP GROUP
COTTON, HAY	X												20 OILSEED CROP GROUP
COTTON, HULLS	X												20 OILSEED CROP GROUP
COTTON, MEAL	X												20 OILSEED CROP GROUP
COTTON, SEED, SOAPSTOCK	X												20 OILSEED CROP GROUP
COTTON, UNDELINTED SEED	X	X											20 OILSEED CROP GROUP
COWPEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
COWPEA, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CRABGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRAMBE	X		X										20 OILSEED CROP GROUP
CRAMBE, MEAL	X												20 OILSEED CROP GROUP
CROWNVETCH	X												18 ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
CUPHEA, SEED	X		X										20 OILSEED CROP GROUP
CURLY MESQUITE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
CURLY MESQUITE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CURLY MESQUITE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
EVENING PRIMROSE, COMMON	X	X							X				20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, SEED	X	X											20 OILSEED CROP GROUP
FESCUE	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
FLAX	X	X	X										20 OILSEED CROP GROUP
FLAX, MEAL	X												20 OILSEED CROP GROUP
FLAX, SEED	X	X											20 OILSEED CROP GROUP
FLAX, STRAW	X												20 OILSEED CROP GROUP
FOXTAIL, CREEPING	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
FRUIT, CITRUS, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS, GROUP	X												10 FRUIT, CITRUS, GROUP
FRUIT, POME	X	X							X				11 FRUIT, POME, GROUP
FRUIT, POME, GROUP	X	X							X				11 FRUIT, POME, GROUP
GAMAGRASS, EASTERN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, HAY	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
GINGER, WHITE, FLOWER	X	X	X										99 NO GROUP NAME
GLOBEMALLOW, TOPS	X												99 NO GROUP NAME
GRAIN, ASPIRATED GRAIN FRACTIONS	X												15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP, FOR FORAGE, EXCEPT SWEET CORN, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRAIN, CEREAL, GROUP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, GROUP	X	X											15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, HAY	X												99 NO GROUP NAME
GRAIN, CEREAL, STOVER	X												99 NO GROUP NAME
GRAIN, CEREAL, STRAW	X												99 NO GROUP NAME
GRAIN, CROPS	X	X											99 NO GROUP NAME
GRAIN, CROPS, EXCEPT WHEAT, OATS, GRAIN SORGHUM, BARLEY	X	X											99 NO GROUP NAME
GRAIN, FORAGE AND STOVER	X												15 GRAIN, CEREAL, GROUP
GRAPE, DRIED POMACE	X												99 NO GROUP NAME
GRAPE, RAISIN, WASTE	X												13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WET POMACE	X												13 BERRY AND SMALL FRUIT CROP GROUP
GRAPEFRUIT, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
GRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE	X												99 NO GROUP NAME
GRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE, FODDER AND HAY, GROUP	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SEED SCREENINGS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, STRAW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SEED SCREENINGS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, STRAW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED SCREENINGS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED, STRAW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRASS, ST. AUGUSTINE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, STRAW	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILD RYE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILD RYE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILD RYE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
GUAJILLO	X												99 NO GROUP NAME
GUAJILLO, FORAGE	X												99 NO GROUP NAME
GUAR	X	X											06 VEGETABLE, LEGUME, GROUP
GUAR, FORAGE	X												06 VEGETABLE, LEGUME, GROUP
GUMWEED, GREAT VALLEY	X												99 NO GROUP NAME
GUMWEED, GREAT VALLEY, LEAVES	X												99 NO GROUP NAME
HAIRGRASS, TUFTED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
HOP, FRESH	X												99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HOP, SPENT	X												99 NO GROUP NAME
HOP, VINES	X												99 NO GROUP NAME
HUISACHE	X												99 NO GROUP NAME
HUISACHE, FORAGE	X												99 NO GROUP NAME
INDIANGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
JOJOBA, SEED	X		X										20 OILSEED CROP GROUP
JUNEGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
KAPOK	X	X											99 NO GROUP NAME
KENAF, FORAGE	X		X										99 NO GROUP NAME
KOA	X												99 NO GROUP NAME
KOA, FORAGE	X												99 NO GROUP NAME
KOA, HAY	X												99 NO GROUP NAME
KOCHIA	X												99 NO GROUP NAME
KOCHIA, FORAGE	X												99 NO GROUP NAME
KOCHIA, HAY	X												99 NO GROUP NAME
KUDZU	X												18 ANIMAL FEED, NONGRASS, GROUP
KUDZU, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
KUDZU, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
LEADPLANT	X												99 NO GROUP NAME
LEADPLANT, FORAGE	X												99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LEADPLANT, HAY	X												99 NO GROUP NAME
LEGUME, FORAGE	X												99 NO GROUP NAME
LEGUME, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEGUME, FORAGE, EXCEPT SOYBEAN AND PEANUT	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEMON, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
LENTIL, FORAGE	X												06 VEGETABLE, LEGUME, GROUP
LENTIL, HAY	X												06 VEGETABLE, LEGUME, GROUP
LENTIL, SEED	X	X											06 VEGETABLE, LEGUME, GROUP
LESPEDEZA	X												18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, SEED	X												18 ANIMAL FEED, NONGRASS, GROUP
LESQUERELLA	X		X										20 OILSEED CROP GROUP
LESQUERELLA, SEED	X		X										20 OILSEED CROP GROUP
LEUCAENA	X												99 NO GROUP NAME
LEUCAENA, FORAGE	X												99 NO GROUP NAME
LEUCAENA, HAY	X												99 NO GROUP NAME
LIME, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
LIMPOGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LUPIN	X	X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, GRAIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, STRAW	X												18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET	X												18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
MAIDENCANE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MEADOWFOAM	X		X										20 OILSEED CROP GROUP
MEADOWFOAM, SEED	X												20 OILSEED CROP GROUP
MILLET, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, FOXTAIL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MILLET, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, JAPANESE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, PEARL	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MOLASSESGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
MONARDA	X	X											99 NO GROUP NAME
MONARDA, LEAVES	X	X											99 NO GROUP NAME
MONSTERA	X	X											99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MULGA	X												99 NO GROUP NAME
MULGA, FORAGE	X												99 NO GROUP NAME
NAPIERGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
NIGER SEED	X	X								X			20 OILSEED CROP GROUP
NIGER SEED, SEED	X	X								X			20 OILSEED CROP GROUP
OAT	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT AND BARLEY ANIMAL FEED MIXTURE, 97% OATS, 3% BARLEY	X												15 GRAIN, CEREAL, GROUP
OAT, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
OAT, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, SAND	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
OAT, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, WILD	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORANGE, SOUR, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
ORCHARDGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PANGOLAGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASTURE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
PAWPAW	X	X											99 NO GROUP NAME
PEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD, SILAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, VINES	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, PIGEON, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, ROUGH	X												99 NO GROUP NAME
PEA, ROUGH, FORAGE	X												99 NO GROUP NAME
PEA, ROUGH, HAY	X												99 NO GROUP NAME
PEA, UNSHELLED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEANUT, HAY	X												99 NO GROUP NAME
PEANUT, HULLS	X												99 NO GROUP NAME
PEANUT, MEAL	X												99 NO GROUP NAME
PEANUT, PERENNIAL	X												99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEANUT, PERENNIAL, FORAGE	X												99 NO GROUP NAME
PEANUT, PERENNIAL, HAY	X												99 NO GROUP NAME
PEANUT, REFINED OIL	X										X		99 NO GROUP NAME
PEANUT, SOAPSTOCK	X												99 NO GROUP NAME
PEPPERMINT, SPENT HAY	X												99 NO GROUP NAME
PINEAPPLE, BRAN	X												99 NO GROUP NAME
PINEAPPLE, FODDER	X												99 NO GROUP NAME
PINEAPPLE, FOLIAGE	X												99 NO GROUP NAME
PINEAPPLE, FORAGE	X										X		99 NO GROUP NAME
PINEAPPLE, PROCESS RESIDUE	X												99 NO GROUP NAME
POLARGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
POTATO, CULLS	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, PROCESSED POTATO WASTE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, WET PEEL	X												01 VEGETABLE, ROOT AND TUBER, GROUP
PRAIRIECLOVER, PURPLE	X												99 NO GROUP NAME
PRAIRIECLOVER, PURPLE, FORAGE	X												99 NO GROUP NAME
PRAIRIECLOVER, PURPLE, HAY	X												99 NO GROUP NAME
QUACKGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUINOA	X	X											99 NO GROUP NAME
QUINOA, GRAIN	X	X											99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RANGELAND	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RAPESEED	X		X										20 OILSEED CROP GROUP
RAPESEED, FORAGE	X												20 OILSEED CROP GROUP
RAPESEED, MEAL	X												20 OILSEED CROP GROUP
RAPESEED, SEED	X	X											20 OILSEED CROP GROUP
REDTOP	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RICE, BRAN	X	X											15 GRAIN, CEREAL, GROUP
RICE, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
RICE, HULLS	X												15 GRAIN, CEREAL, GROUP
RICE, HULLS	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RICE, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, WILD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICEGRASS, INDIAN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICEGRASS, INDIAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
ROUNDLEAF CASSIA	X												99 NO GROUP NAME
ROUNDLEAF CASSIA, FORAGE	X												99 NO GROUP NAME
ROUNDLEAF CASSIA, HAY	X												99 NO GROUP NAME
RYE, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RYE, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RYEGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL	X								X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SAFFLOWER	X	X											20 OILSEED CROP GROUP
SAFFLOWER, FODDER	X												20 OILSEED CROP GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SAFFLOWER, FORAGE	X												20 OILSEED CROP GROUP
SAFFLOWER, MEAL	X												20 OILSEED CROP GROUP
SAFFLOWER, SEED	X	X											20 OILSEED CROP GROUP
SAINFOIN	X												18 ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
SANDREED, PRAIRIE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SEDGE, THREADLEAF	X												99 NO GROUP NAME
SEDGE, THREADLEAF, FORAGE	X												99 NO GROUP NAME
SEDGE, THREADLEAF, HAY	X												99 NO GROUP NAME
SESAME, SEED	X	X											20 OILSEED CROP GROUP
SESBANIA	X												99 NO GROUP NAME
SIXWEEKS THREEAWN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SOAPSTOCK	X											X	99 NO GROUP NAME
SORGHUM, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, SILAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, ASPIRATED GRAIN FRACTIONS	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, STOVER	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, SWEET, STALK	X												99 NO GROUP NAME
SOYBEAN	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, ASPIRATED GRAIN FRACTIONS	X												06 VEGETABLE, LEGUME, GROUP
SOYBEAN, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, HULLS	X												06 VEGETABLE, LEGUME, GROUP
SOYBEAN, MEAL	X												06 VEGETABLE, LEGUME, GROUP
SOYBEAN, REFINED OIL	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, SEED	X	X	X										06 VEGETABLE, LEGUME, GROUP
SOYBEAN, SILAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SPEARMINT, HAY (SEE ALSO PEPPERMINT, HAY)	X												99 NO GROUP NAME
SPEARMINT, SPENT HAY	X												99 NO GROUP NAME

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SPIKEOAT	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPIKEOAT, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPIKEOAT, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPINY HOPSAGE	X												99 NO GROUP NAME
SPINY HOPSAGE, FORAGE	X												99 NO GROUP NAME
SPINY HOPSAGE, HAY	X												99 NO GROUP NAME
SPRANGLETOP, GREEN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUGARCANE, BAGASSE	X												99 NO GROUP NAME
SUGARCANE, FODDER	X												99 NO GROUP NAME
SUGARCANE, FORAGE	X												99 NO GROUP NAME
SUGARCANE, SEED PIECE TREATMENT	X												99 NO GROUP NAME
SUNFLOWER	X	X											20 OILSEED CROP GROUP
SUNFLOWER, FORAGE	X												20 OILSEED CROP GROUP
SUNFLOWER, MEAL	X												20 OILSEED CROP GROUP
SUNFLOWER, SEED, HULLS	X												20 OILSEED CROP GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SUNFLOWER, SEED, SOAPSTOCK	X												20 OILSEED CROP GROUP
SUNOLGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TAPERTIP HAWKSBEARD	X												99 NO GROUP NAME
TAPERTIP HAWKSBEARD, FORAGE	X												99 NO GROUP NAME
TAPERTIP HAWKSBEARD, HAY	X												99 NO GROUP NAME
TEFF, HAY	X												99 NO GROUP NAME
TEFF, STRAW	X												99 NO GROUP NAME
THORN MIMOSA	X												99 NO GROUP NAME
THORN MIMOSA, FORAGE	X												99 NO GROUP NAME
TIMOTHY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, SEED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, SILAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TOMATO, DRIED POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TOMATO, WET POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TREFOIL	X												18 ANIMAL FEED, NONGRASS, GROUP
TREFOIL, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
TREFOIL, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
TRisetum, SPIKE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRITICALE	X	X											15 GRAIN, CEREAL, GROUP
TRITICALE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
VASEYGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VEGETABLE, FOLIAGE OF LEGUME, EXCEPT SOYBEAN, SUBGROUP	X												07A Vegetable, foliage of legume, except soybean, subgroup
VEGETABLE, FOLIAGE OF LEGUME, GROUP	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, FRUITING	X	X											08 VEGETABLES, FRUITING, GROUP
VEGETABLE, FRUITING, GROUP	X	X							X				08 VEGETABLES, FRUITING, GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	X	X				X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEGUME, GROUP	X	X							X				06 VEGETABLE, LEGUME, GROUP
VEGETABLE, ROOT AND TUBER, GROUP	X	X							X				01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT, EXCEPT SUGARBEET, SUBGROUP	X	X							X				01B Vegetable, root, except sugarbeet, subgroup
VEGETABLE, ROOT, SUBGROUP	X	X							X				01A Vegetable, root, subgroup.
VEGETABLE, SEED AND POD	X	X							X				06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VEGETABLE, SEED AND POD, FODDER	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, FORAGE	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, HAY	X												07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, TUBEROUS AND CORM, SUBGROUP	X	X							X				01C Vegetable, Tuberos and corm, subgroup
VELDTGRASS, PERENNIAL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETBEAN	X												18 ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
VELVETGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
VERNONIA	X	X							X				20 OILSEED CROP GROUP
VETCH	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, CHICKLING	X		X										99 NO GROUP NAME
VETCH, CHICKLING, FORAGE	X		X										99 NO GROUP NAME
VETCH, CHICKLING, HAY	X		X										99 NO GROUP NAME
VETCH, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, KIDNEY	X		X										99 NO GROUP NAME
VETCH, KIDNEY, FORAGE	X		X										99 NO GROUP NAME
VETCH, KIDNEY, HAY	X		X										99 NO GROUP NAME
VETCH, MILK	X												18 ANIMAL FEED, NONGRASS, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VETCH, MILK, FORAGE	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK, HAY	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, SEED	X												18 ANIMAL FEED, NONGRASS, GROUP
VETCH, STRAW	X												18 ANIMAL FEED, NONGRASS, GROUP
WHEAT, ASPIRATED GRAIN FRACTIONS	X												15 GRAIN, CEREAL, GROUP
WHEAT, FORAGE	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, HAY	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, MIDLINGS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, SHORTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, VAVILOVI, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EINKORN, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EMMER, STRAW	X												16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEATGRASS	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WHEATGRASS, FAIRWAY, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns\*: (TERFEE)=Terrestrial feed, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FEE	TER FOO	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WHEATGRASS, TALL, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, FORAGE	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, HAY	X												17 GRASS, FORAGE, FODDER AND HAY, GROUP

\*Pesticide site use patterns: TERFOO=Terrestrial food; (TERFEE)=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.