



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

MEMORANDUM

MAR 17 2014

OFFICE OF
AIR QUALITY PLANNING
AND STANDARDS

SUBJECT: Correction to errors in Appendix 7A and Table 8-1 of the *Health Risk and Exposure Assessment for Ozone, Second External Review Draft*

FROM: Erika N. Sasser, Acting Director *ENS*
Health and Environmental Impacts Division

TO: Holly Stallworth, Designated Federal Officer
Clean Air Scientific Advisory Committee
EPA Science Advisory Board Staff Office

On February 3, 2014, EPA released the *Health Risk and Exposure Assessment for Ozone, Second External Review Draft* (REA), which was completed as part of the current review of the National Ambient Air Quality Standards (NAAQS) for ozone. Public comments received on that document identified the following two errors:

1. Incorrect city-specific effect estimates were provided in Appendix 7A (and based on Smith et al. [2009]). The corrected Appendix 7A table is attached and the corrected values are shaded.
2. An incorrect value was provided in Table 8-1 (REA page 8-7) for ozone-related premature mortality, estimated using the national average short-term exposure effect estimate by Smith et al. (2009) and applied to all gridcells (located on the first row of the right-most column in Table 8-1). The correct value is 15,000 premature deaths rather than 16,000, and both values have the same 95% confidence interval of 7,200-22,000.

Following identification and correction of the above errors, both of which were the result of an error in transferring information from a data sheet to the document, EPA completed additional quality assurance reviews to ensure that the errors were confined to those instances. Specifically, in relation to the first error, EPA reviewed and verified the model input data included in Appendix 7A, including effect estimates (and their associated confidence intervals), baseline incidence rates, and population totals. We also confirmed that the correct effect estimates were used in the risk calculations. We determined that the error identified in Appendix 7A was isolated to that table; it did not affect the risk calculations presented in Chapter 7 and does not have implications for findings or conclusions presented in that chapter.

In relation to the second error, we first verified that both the input data and the estimated values for premature deaths reported in the REA are correct. We also reviewed all national-scale risk estimates presented in Chapter 8 to confirm that no other transfer errors had been made, and this was the case. Because the results based on the national-scale effect estimate applied to all gridcells were presented as a sensitivity study to compare against the core results based on city-specific effect estimates by Smith et al. (2009), Table 8-1 is the only instance in which the results of this calculation appear in the document. The discussion of this result in the REA was limited to the following: “Compared with applying city-specific effect estimates to the gridcells corresponding to each urban area, using the national average effect estimate for all gridcells yields equivalent central estimates. However, applying the national average also results in tighter confidence intervals since the national average effect estimates had higher statistical power and thus tighter confidence bounds compared with the effect estimates for individual cities.” The corrected result continues to support the noted equivalence of the two estimates and does not change the conclusions made regarding this estimate.

Attachment

cc: Susan Anenberg, OAQPS/HEID
Stephen Graham, OAQPS/HEID
Bryan Hubbell, OAQPS/HEID
Zach Pekar, OAQPS/HEID
Susan Stone, OAQPS/HEID

Appendix 7A. Detailed Information on Effect Estimates, Baseline Incidence and Demographic Data Used in the Epidemiological-Based Risk Assessment

Endpoint	Study	Urban study area	Study area template	Study information (C-R function)				Baseline incidence*		Population				
				Air metric	Risk assessment modeling period	Age range	Lag	Additional study details	Statistical Model	Effect estimate (beta)	SE (effect estimate)*	2007	2009	
Mortality, All Cause	Smith et al., 2009	Atlanta, GA	CBSA	DB-hourMax	March-October	0-99	distributed lag 0-6 d	log-linear	0.000241075	0.000191921	24,086	24,565	5,798,520	5,991,005
Mortality, All Cause	Smith et al., 2009	Baltimore, MD	CBSA	DB-hourMax	April-October	0-99	distributed lag 0-6 d	log-linear	0.000419189	0.000329664	22,709	22,630	5,362,979	5,437,691
Mortality, All Cause	Smith et al., 2009	Boston, MA	CBSA	DB-hourMax	April-September	0-99	distributed lag 0-6 d	log-linear	0.000280704	0.000242908	29,168	28,606	7,469,168	7,553,629
Mortality, All Cause	Smith et al., 2009	Cleveland, OH	CBSA	DB-hourMax	April-October	0-99	distributed lag 0-6 d	log-linear	0.000565437	0.000314904	17,651	17,246	3,419,753	3,406,546
Mortality, All Cause	Smith et al., 2009	Denver, CO	CBSA	DB-hourMax	March-September	0-99	distributed lag 0-6 d	log-linear	0.0001672	0.000356513	9,977	10,128	3,585,323	3,744,085
Mortality, All Cause	Smith et al., 2009	Detroit, MI	CBSA	DB-hourMax	April-September	0-99	distributed lag 0-6 d	log-linear	0.000643218	0.000311744	21,796	21,387	5,709,138	5,620,925
Mortality, All Cause	Smith et al., 2009	Houston, TX	CBSA	DB-hourMax	January-December	0-99	distributed lag 0-6 d	log-linear	0.000499872	0.000207509	35,544	36,135	6,145,152	6,437,742
Mortality, All Cause	Smith et al., 2009	Los Angeles, CA	CBSA	DB-hourMax	January-December	0-99	distributed lag 0-6 d	log-linear	0.000217919	0.000157143	121,194	121,736	21,225,780	21,587,310
Mortality, All Cause	Smith et al., 2009	New York, NY	CBSA	DB-hourMax	April-October	0-99	distributed lag 0-6 d	log-linear	0.001011566	0.000207428	67,939	66,688	16,024,400	16,202,260
Mortality, All Cause	Smith et al., 2009	Philadelphia, PA	CBSA	DB-hourMax	April-October	0-99	distributed lag 0-6 d	log-linear	0.00071395	0.000264572	38,076	37,426	7,813,329	7,904,328
Mortality, All Cause	Smith et al., 2009	Sacramento, CA	CBSA	DB-hourMax	January-December	0-99	distributed lag 0-6 d	log-linear	0.000301579	0.00031446	30,170	30,336	4,675,398	4,770,990
Mortality, All Cause	Smith et al., 2009	St. Louis, MO	CBSA	DB-hourMax	April-October	0-99	distributed lag 0-6 d	log-linear	0.000540126	0.000342796	17,256	16,888	3,344,163	3,389,708
Core Risk - long-term exposure-related respiratory mortality														
Mortality, Respiratory	Jerratt et al., 2009	Atlanta, GA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	3,803	3,893	3,283,262	3,419,286
Mortality, Respiratory	Jerratt et al., 2010	Baltimore, MD	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	3,970	3,952	3,195,786	3,255,696
Mortality, Respiratory	Jerratt et al., 2011	Boston, MA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	6,466	6,328	4,562,351	4,631,633
Mortality, Respiratory	Jerratt et al., 2012	Cleveland, OH	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	2,947	2,873	2,105,949	2,107,957
Mortality, Respiratory	Jerratt et al., 2013	Denver, CO	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	2,287	2,324	2,055,105	2,137,319
Mortality, Respiratory	Jerratt et al., 2014	Detroit, MI	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	4,094	4,007	3,382,306	3,373,240
Mortality, Respiratory	Jerratt et al., 2015	Houston, TX	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	3,317	3,370	3,359,712	3,529,238
Mortality, Respiratory	Jerratt et al., 2016	Los Angeles, CA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	12,443	12,529	11,725,570	12,038,790
Mortality, Respiratory	Jerratt et al., 2017	New York, NY	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	10,779	10,600	9,670,019	9,817,407
Mortality, Respiratory	Jerratt et al., 2018	Philadelphia, PA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	6,747	6,520	4,647,403	4,726,359
Mortality, Respiratory	Jerratt et al., 2019	Sacramento, CA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	3,814	3,835	2,695,086	2,765,834
Mortality, Respiratory	Jerratt et al., 2020	St. Louis, MO	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	log-linear	0.003922071	0.001324866	3,143	3,072	1,998,779	2,028,727
Core Risk - short-term exposure-related morbidity														
HA, All Respiratory	Katsouyanni et al., 2009	Detroit, MI	CBSA	D1HourMax	June-August	65-99	average of lag 0 and lag 1	log-linear	0.00056	0.000352041	8,291	8,519	687,389	713,374
HA, All Respiratory	Katsouyanni et al., 2009	Detroit, MI	CBSA	D1HourMax	June-August	65-99	average of lag 0 and lag 1	log-linear	0.00054	0.000357143	8,291	8,519	687,389	713,374
HA, Asthma	Silverman and Ito, 2010	New York, NY	CBSA	DB-hourMax	April-October	6-18	average of lag 0 and lag 1	log-linear	0.007909599	0.0037862	1,463	1,453	2,804,642	2,787,619
HA, Asthma	Silverman and Ito, 2010	New York, NY	CBSA	DB-hourMax	April-October	6-18	average of lag 0 and lag 1	log-linear	0.00555347	0.003692645	1,463	1,453	2,804,642	2,787,619
HA, Chronic Lung Disease	Lin et al. (s), 2008	New York, NY	CBSA	D1HourMax	April-October	0-17	Lag 2 d	log-linear	0.00076087	0.000163043	3,706	3,667	3,623,944	3,786,262
HA, All Respiratory	Lin et al., 2000	Los Angeles, CA	CBSA	D24HourMean	June-August	30-99	Lag 0d	log-linear	0.0006	0.0007	32,087	33,749	11,723,570	12,038,790
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2005	Atlanta, GA	CBSA	DB-hourMean	June-August	65-99	distributed lag 0-1 d	logistic	0.00054	0.00039898	2,646	2,683	505,741	554,674

Endpoint	Study	Urban study area	Study area template	Air metric	Risk assessment modeling period	Age range	Lag	Additional study details	Statistical Model	Effect estimate (beta)	SE (effect estimate)	Baseline incidence ^b			Population
												2007	2009	2009	
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Baltimore, MD	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	2,958	3,085	621,817	654,073
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Boston, MA	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	4,502	4,618	975,770	1,009,556
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Cleveland, OH	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	2,569	2,619	495,715	507,939
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Denver, CO	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	923	987	337,427	365,150
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Detroit, MI	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	3,643	3,740	687,389	713,374
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Houston, TX	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	3,238	3,452	536,446	576,473
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Los Angeles, CA	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	6,741	7,165	2,183,030	2,301,532
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	New York, NY	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	7,850	8,058	2,052,957	2,120,805
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Philadelphia, PA	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	5,173	5,315	1,023,602	1,059,325
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	Sacramento, CA	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	1,385	1,475	536,631	569,298
HA, Chronic Lung Disease (less Asthma)	Medina-Ramon et al., 2006	St. Louis, MO	CBSA	DBHourMean	June-August	65-99	distributed lag 0-1 d	*	logistic	0.00054	0.00019898	2,048	2,099	442,691	456,212
Emergency Room Visits, Respiratory	Strickland et al., 2010	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	15-17	distributed lag 0-7 d	*	log-linear	0.004786588	0.000750164	38,242	39,464	1,105,830	1,141,180
Emergency Room Visits, Respiratory	Strickland et al., 2010	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	15-17	average of lags 0-2	*	log-linear	0.002599013	0.000645456	38,242	39,464	1,105,830	1,141,180
Emergency Room Visits, Respiratory	Tolbert et al., 2007	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	average of lags 0-2	*	log-linear	0.001286007	0.000206235	140,650	145,038	5,798,520	5,991,005
Emergency Room Visits, Respiratory	Tolbert et al., 2007	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	average of lags 0-2	CO	log-linear	0.0011408	0.000228328	140,650	145,038	5,798,520	5,991,005
Emergency Room Visits, Respiratory	Tolbert et al., 2007	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	average of lags 0-2	NO2	log-linear	0.001028713	0.000220551	140,690	145,038	5,798,520	5,991,005
Emergency Room Visits, Respiratory	Tolbert et al., 2007	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	average of lags 0-2	PM10	log-linear	0.000803233	0.000266954	140,690	145,038	5,798,520	5,991,005
Emergency Room Visits, Respiratory	Tolbert et al., 2007	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	average of lags 0-2	PM10, NO2	log-linear	0.000774925	0.000267224	140,690	145,038	5,798,520	5,991,005
Emergency Room Visits, Asthma	Darrow et al., 2011	Atlanta, GA	Atlanta, GA	DBHourMax	March-October (8)	0-99	Lag 1 d	*	log-linear	0.000685212	0.000138467	140,690	145,038	5,798,520	5,991,005
Emergency Room Visits, Asthma	Ito et al., 2007	New York, NY	New York, NY	DBHourMax	April-October (7)	0-99	average of lag 0 and lag 1	*	log-linear	0.005213398	0.00098866	45,290	45,547	16,024,400	16,202,260
Emergency Room Visits, Asthma	Ito et al., 2007	New York, NY	New York, NY	DBHourMax	April-October (7)	0-99	average of lag 0 and lag 1	PM2.5	log-linear	0.00397574	0.000978924	45,290	45,547	16,024,400	16,202,260
Emergency Room Visits, Asthma	Ito et al., 2007	New York, NY	New York, NY	DBHourMax	April-October (7)	0-99	average of lag 0 and lag 1	NO2	log-linear	0.002326689	0.00053558	45,290	45,547	16,024,400	16,202,260
Emergency Room Visits, Asthma	Ito et al., 2007	New York, NY	New York, NY	DBHourMax	April-October (7)	0-99	average of lag 0 and lag 1	CO	log-linear	0.00543699	0.000893945	45,290	45,547	16,024,400	16,202,260
Emergency Room Visits, Asthma	Ito et al., 2007	New York, NY	New York, NY	DBHourMax	April-October (7)	0-99	average of lag 0 and lag 1	SO2	log-linear	0.004114984	0.000922644	45,290	45,547	16,024,400	16,202,260
Asthma Exacerbation, Chest Tightness	Gent et al., 2003	Boston, MA	Boston, MA	DB1HourMax	April-September (6)	0-12	Lag 1 d	*	logistic	0.00076027	0.000200021	235,224	233,053	1,189,925	1,177,644
Asthma Exacerbation, Chest Tightness	Gent et al., 2003	Boston, MA	Boston, MA	DBHourMax	April-September (6)	0-12	Lag 1 d	*	logistic	0.003703579	0.000201676	294,030	291,316	1,189,925	1,177,644
Asthma Exacerbation, Chest Tightness	Gent et al., 2003	Boston, MA	Boston, MA	DB1HourMax	April-September (6)	0-12	Lag 1 d	PM2.5	logistic	0.007705248	0.000226587	235,224	233,053	1,189,925	1,177,644
Asthma Exacerbation, Chest Tightness	Gent et al., 2003	Boston, MA	Boston, MA	DB1HourMax	April-September (6)	0-12	Lag 1 d	PM2.5	logistic	0.007013137	0.000273398	294,030	291,316	1,189,925	1,177,644

Endpoint	Study	Urban study area	Study area template	Air metric	Risk assessment modeling period	Age range	Lag	Study information [C-R function]			Baseline incidence*		Population		
								Additional study details	Statistical Model	Effect estimate (beta)	SE (effect estimate)	2007	2009	2007	2009
Asthma Exacerbation, Shortness of Breath	Gent et al., 2003	Boston, MA	Boston, MA	D1HourMax	April-September (6)	0-12	Lag 0	*	logistic	0.003977017	0.001794699	235,224	233,053	1,177,644	1,189,925
Asthma Exacerbation, Shortness of Breath	Gent et al., 2003	Boston, MA	Boston, MA	D8HourMax	April-September (6)	0-12	Lag 0	*	logistic	0.003247285	0.002130837	235,224	233,053	1,177,644	1,189,925
Asthma Exacerbation, Wheeze	Gent et al., 2003	Boston, MA	Boston, MA	D1HourMax	April-September (6)	0-12	Lag 0	PW2.5	logistic	0.006000928	0.002022527	548,857	543,790	1,177,644	1,189,925
Sensitivity Analysis - short-term exposure-related all-cause mortality															
Mortality, All Cause	Smith et al., 2009	Atlanta, GA	Epi study based	D8HourMax	March-October	0-99	distributed lag 0-6 d	*	log-linear	0.000341075	0.000291921	16,524	16,524	4,452,663	4,452,663
Mortality, All Cause	Smith et al., 2009	Baltimore, MD	Epi study based	D8HourMax	April-October	0-99	distributed lag 0-6 d	*	log-linear	0.000419189	0.000325964	11,941	11,941	1,953,317	1,953,317
Mortality, All Cause	Smith et al., 2009	Boston, MA	Epi study based	D8HourMax	April-September	0-99	distributed lag 0-6 d	*	log-linear	0.000280704	0.000342908	34,399	34,399	3,609,318	3,609,318
Mortality, All Cause	Smith et al., 2009	Cleveland, OH	Epi study based	D8HourMax	April-October	0-99	distributed lag 0-6 d	*	log-linear	0.000565437	0.000314904	15,102	15,102	2,786,348	2,786,348
Mortality, All Cause	Smith et al., 2009	Denver, CO	Epi study based	D8HourMax	March-September	0-99	distributed lag 0-6 d	*	log-linear	0.00016572	0.000356513	9,093	9,093	2,737,299	2,737,299
Mortality, All Cause	Smith et al., 2009	Detroit, MI	Epi study based	D8HourMax	April-September	0-99	distributed lag 0-6 d	*	log-linear	0.000643218	0.000311744	19,846	19,846	4,377,305	4,377,305
Mortality, All Cause	Smith et al., 2009	Houston, TX	Epi study based	D8HourMax	January-December	0-99	distributed lag 0-6 d	*	log-linear	0.000495872	0.000207509	29,179	29,179	5,769,285	5,769,285
Mortality, All Cause	Smith et al., 2009	Los Angeles, CA	Epi study based	D8HourMax	January-December	0-99	distributed lag 0-6 d	*	log-linear	0.00011366	0.000157143	92,186	92,186	16,403,420	16,403,420
Mortality, All Cause	Smith et al., 2009	New York, NY	Epi study based	D8HourMax	April-October	0-99	distributed lag 0-6 d	*	log-linear	0.00071395	0.000284572	27,057	27,057	13,239,830	13,239,830
Mortality, All Cause	Smith et al., 2009	Philadelphia, PA	Epi study based	D8HourMax	April-October	0-99	distributed lag 0-6 d	*	log-linear	0.000301579	0.000314446	29,479	29,479	4,341,150	4,341,150
Mortality, All Cause	Smith et al., 2009	Sacramento, CA	Epi study based	D8HourMax	January-December	0-99	distributed lag 0-6 d	*	log-linear	0.000540126	0.000347396	11,625	11,625	1,855,249	1,855,249
Mortality, All Cause	Smith et al., 2009	St. Louis, MO	Epi study based	D8HourMax	April-October	0-99	distributed lag 0-6 d	*	log-linear	0.000260274	0.000235902	24,565	24,565	5,991,005	5,991,005
Mortality, All Cause	Smith et al., 2009	Atlanta, GA	CBSA	D8HourMax	March-October	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000293983	0.000283919	22,630	22,630	5,437,691	5,437,691
Mortality, All Cause	Smith et al., 2009	Baltimore, MD	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.00082659	0.000300367	28,656	28,656	7,533,629	7,533,629
Mortality, All Cause	Smith et al., 2009	Boston, MA	CBSA	D8HourMax	April-September	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000678956	0.000265728	17,246	17,246	3,404,546	3,404,546
Mortality, All Cause	Smith et al., 2009	Cleveland, OH	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.0002293	0.000350178	10,128	10,128	3,714,085	3,714,085
Mortality, All Cause	Smith et al., 2009	Denver, CO	CBSA	D8HourMax	March-September	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000715864	0.000262244	21,387	21,387	5,620,925	5,620,925
Mortality, All Cause	Smith et al., 2009	Detroit, MI	CBSA	D8HourMax	April-September	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000422972	0.000182484	36,135	36,135	6,437,742	6,437,742
Mortality, All Cause	Smith et al., 2009	Houston, TX	CBSA	D8HourMax	January-December	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000198781	0.000150979	121,736	121,736	21,587,510	21,587,510
Mortality, All Cause	Smith et al., 2009	Los Angeles, CA	CBSA	D8HourMax	January-December	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.001222295	0.000180774	66,898	66,898	16,202,260	16,202,260
Mortality, All Cause	Smith et al., 2009	New York, NY	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.001025996	0.000239469	37,246	37,246	7,904,328	7,904,328
Mortality, All Cause	Smith et al., 2009	Philadelphia, PA	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000107022	0.000323012	30,336	30,336	4,770,990	4,770,990
Mortality, All Cause	Smith et al., 2009	Sacramento, CA	CBSA	D8HourMax	January-December	0-99	distributed lag 0-6 d	Regional Bayes-based	log-linear	0.000675448	0.00028	16,888	16,888	3,569,708	3,569,708
Mortality, All Cause	Smith et al., 2009	St. Louis, MO	CBSA	D8HourMax	March-October	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000118303	0.000545629	24,565	24,565	5,991,005	5,991,005
Mortality, All Cause	Smith et al., 2009	Atlanta, GA	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000472682	0.000550993	22,630	22,630	5,437,691	5,437,691
Mortality, All Cause	Smith et al., 2009	Baltimore, MD	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000159264	0.000575152	28,656	28,656	7,533,629	7,533,629
Mortality, All Cause	Smith et al., 2009	Boston, MA	CBSA	D8HourMax	April-September	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000462588	0.000435505	17,246	17,246	3,404,546	3,404,546
Mortality, All Cause	Smith et al., 2009	Cleveland, OH	CBSA	D8HourMax	April-October	0-99	distributed lag 0-6 d	PW1.0	log-linear	-0.0000383	0.000525263	10,128	10,128	3,714,085	3,714,085
Mortality, All Cause	Smith et al., 2009	Denver, CO	CBSA	D8HourMax	March-September	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000286042	0.000406606	21,387	21,387	5,620,925	5,620,925
Mortality, All Cause	Smith et al., 2009	Detroit, MI	CBSA	D8HourMax	April-September	0-99	distributed lag 0-6 d	PW1.0	log-linear	0.000286042	0.000406606	21,387	21,387	5,620,925	5,620,925

Endpoint	Study	Urban study area	Study area template	All metric	Risk assessment modeling period	Age range	Lag	Additional study details	Statistical Model	Effect estimate (beta)	SE (effect estimate)	Baseline incidence*			Population
												2007	2009	2009 for 2009	
Mortality, All Cause	Smith et al., 2009	Houston, TX	CBSA	DBHourMax	January-December	0-99	distributed lag 0-99	PM10	log-linear	0.000631017	0.000362269	36,135	6,437,742	6,437,742	
Mortality, All Cause	Smith et al., 2009	Los Angeles, CA	CBSA	DBHourMax	January-December	0-99	distributed lag 0-99	PM10	log-linear	0.0000524	0.000347245	121,756	21,587,310	21,587,310	
Mortality, All Cause	Smith et al., 2009	New York, NY	CBSA	DBHourMax	April-October	0-99	distributed lag 0-99	PM10	log-linear	0.000440658	0.000390403	66,898	16,207,260	16,207,260	
Mortality, All Cause	Smith et al., 2009	Philadelphia, PA	CBSA	DBHourMax	April-October	0-99	distributed lag 0-99	PM10	log-linear	0.000544544	0.000518628	37,426	7,904,328	7,904,328	
Mortality, All Cause	Smith et al., 2009	Sacramento, CA	CBSA	DBHourMax	January-December	0-99	distributed lag 0-99	PM10	log-linear	0.000280547	0.000543375	30,336	4,770,990	4,770,990	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Atlanta, GA	CBSA	DBHourMean	April-October	0-99	distributed lag 0-99	PM10	log-linear	0.000360175	0.000812956	16,888	3,569,708	3,569,708	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Baltimore, MD	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000299336	0.000288552	10,119	5,991,005	5,991,005	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Boston, MA	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000515046	0.00031402	10,408	5,437,691	5,437,691	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Cleveland, OH	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000561639	0.000328129	15,160	7,553,629	7,553,629	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Cleveland, OH	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000596249	0.000354552	7,808	3,404,546	3,404,546	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Denver, CO	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000351818	0.000408823	4,953	3,714,085	3,714,085	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Detroit, MI	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.001045932	0.000344122	11,430	5,620,925	5,620,925	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Houston, TX	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000162925	0.000402836	10,132	6,437,742	6,437,742	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Los Angeles, CA	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000275722	0.000213402	32,840	21,587,310	21,587,310	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	New York, NY	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.001092475	0.000235576	30,192	16,207,260	16,207,260	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Philadelphia, PA	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000625582	0.000314555	17,137	7,904,328	7,904,328	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	Sacramento, CA	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000569111	0.000388525	8,295	4,770,990	4,770,990	
Mortality, All Cause	Zanobetti and Schwartz (b), 2008	St. Louis, MO	CBSA	DBHourMean	June-August	0-99	distributed lag 0-99	-	log-linear	0.000544366	0.000333395	7,837	3,569,708	3,569,708	
Sensitivity Analysis - long-term exposure-related respiratory mortality															
Mortality, Respiratory	Jerrett et al., 2009	Atlanta, GA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003192937	0.0027397	3,808	3,285,262	3,419,286	
Mortality, Respiratory	Jerrett et al., 2010	Baltimore, MD	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003853068	0.0027397	3,970	3,195,786	3,256,696	
Mortality, Respiratory	Jerrett et al., 2011	Boston, MA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003853068	0.0027397	6,466	4,562,351	4,631,833	
Mortality, Respiratory	Jerrett et al., 2012	Cleveland, OH	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.004604295	0.0027397	2,947	2,105,849	2,107,957	
Mortality, Respiratory	Jerrett et al., 2013	Denver, CO	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003117797	0.0027397	2,287	2,055,105	2,137,319	
Mortality, Respiratory	Jerrett et al., 2014	Detroit, MI	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.004604295	0.0027397	4,034	3,382,306	3,373,240	
Mortality, Respiratory	Jerrett et al., 2015	Houston, TX	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003192937	0.0027397	3,317	3,370	3,292,238	
Mortality, Respiratory	Jerrett et al., 2016	Los Angeles, CA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.002767363	0.0027397	12,443	11,723,570	12,098,790	
Mortality, Respiratory	Jerrett et al., 2017	New York, NY	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003853068	0.0027397	10,779	10,600	9,817,407	
Mortality, Respiratory	Jerrett et al., 2018	Philadelphia, PA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003853068	0.0027397	6,747	6,620	4,726,359	
Mortality, Respiratory	Jerrett et al., 2019	Sacramento, CA	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.003117797	0.0027397	3,814	3,835	2,765,834	
Mortality, Respiratory	Jerrett et al., 2020	St. Louis, MO	CBSA	Seasonal-avg D1hrMax	April-September	30-99	NA	Regional	log-linear	0.004604295	0.0027397	3,143	3,072	2,028,727	

a-all Beta distributions assumed to be normal
b-Gent et al., 2003 also use the following prevalence rates: 0.028 (wheeze), 0.015 (shortness of breath), 0.012 (chest tightness) (from study)