

# URS OPERATING SERVICES

1099 18TH STREET  
SUITE 710  
DENVER, COLORADO 80202-1908  
TEL: (303) 291-8200  
FAX: (303) 291-8296

December 6, 2011

Ms. Sabrina Forrest  
U.S. Environmental Protection Agency, Region 8  
Mail Code: 8EPR-B  
1595 Wynkoop Street  
Denver, Colorado 80202-1129

**SUBJECT: START 3, EPA Region 8, Contract No. EP-W-05-050, TDD No. 1008-13  
Trip Report-Revision 1-for August 2011 Sampling and Field Activities,  
Upper Animas Mining District, Silverton, San Juan County, Colorado**

Dear Ms. Forrest:

Attached is one copy of the revised draft trip report for sampling and field activities conducted for the Upper Animas Mining District Site Reassessment. Field activities were conducted the week of August 22, 2011 and included source sample collection from the Gold King 7 Level Mine waste pile and calculation of the waste pile volume, evaluation of mineralogy in source mine waste piles, documentation of the surface water pathway from all identified sources, field documentation of fishing along the Animas River south of Silverton, and wetlands delineation and sensitive environment characterization on Cement Creek. The wetlands delineation and sensitive environment report will be submitted as a separate document.

This document is submitted for your review and comments.

If you have any questions, please call me at 303-291-8270.

Sincerely,


URS OPERATING SERVICE



Barry Hayhurst  
Environmental Scientist

12/06/11

cc: Megan Adamczyk, Project  
Charles W. Baker/UOS (w.  
File/UOS

EPA ACTION BLOCK	
<input checked="" type="radio"/>	Approved
<input type="radio"/>	Approved, TDD to follow
<input type="radio"/>	Approved as corrected
<input type="radio"/>	Disapproved
<input type="radio"/>	Review with _____
<input type="radio"/>	Original to _____
<input type="radio"/>	Copy to _____
<input type="radio"/>	Reply envelope enclosed
12/07/11	
Date	By

# URS OPERATING SERVICES

1099 18TH STREET  
SUITE 710  
DENVER, COLORADO 80202-1908  
TEL: (303) 291-8200  
FAX: (303) 291-8296

December 6, 2011

Ms. Sabrina Forrest  
U.S. Environmental Protection Agency, Region 8  
Mail Code: 8EPR-B  
1595 Wynkoop Street  
Denver, Colorado 80202-1129

**SUBJECT: START 3, EPA Region 8, Contract No. EP-W-05-050, TDD No. 1008-13  
Trip Report-Revision 1-for August 2011 Sampling and Field Activities,  
Upper Animas Mining District, Silverton, San Juan County, Colorado**

Dear Ms. Forrest:


Attached is one copy of the revised draft trip report for sampling and field activities conducted for the Upper Animas Mining District Site Reassessment. Field activities were conducted the week of August 22, 2011 and included source sample collection from the Gold King 7 Level Mine waste pile and calculation of the waste pile volume, evaluation of mineralogy in source mine waste piles, documentation of the surface water pathway from all identified sources, field documentation of fishing along the Animas River south of Silverton, and wetlands delineation and sensitive environment characterization on Cement Creek. The wetlands delineation and sensitive environment report will be submitted as a separate document.

This document is submitted for your review and comments.


If you have any questions, please call me at 303-291-8270.

Sincerely,

**URS OPERATING SERVICES, INC.**

  
Barry Hayhurst  
Environmental Scientist

cc: Megan Adamczyk, Project Manager  
Charles W. Baker/UOS (w/o attachment)  
File/UOS

EPA ACTION BLOCK	
<input checked="" type="radio"/>	Approved
<input type="radio"/>	Approved, TDD to follow
<input type="radio"/>	Approved as corrected
<input type="radio"/>	Disapproved
<input type="radio"/>	Review with _____
<input type="radio"/>	Original to _____
<input type="radio"/>	Copy to _____
<input type="radio"/>	Reply envelope enclosed
12/07/11	
Date	By

**TRIP REPORT**  
**Upper Animas Mining District**  
**Silverton, San Juan County, Colorado**

**1.0 INTRODUCTION**

URS Operating Services, Inc. (UOS), was tasked by the Environmental Protection Agency (EPA), under Superfund Technical Assessment and Response Team 3 (START) contract # EP-W-05-050 Technical Direction Document (TDD) No. 1008-13, to conduct a site reassessment (SR) at the Upper Animas Mining District site. Specifically, START was tasked to collect additional samples and surface water pathway documentation in August 2011. These field activities were conducted in accordance with the approved Addendum to the approved Field Sampling Plan (FSP) – Supplemental Sampling (UOS 2011a).

Four source soil samples were collected from the Gold King 7 Level Mine waste pile and submitted for contract laboratory program (CLP) analysis for total target analyte list (TAL) metals. The results are presented in Table 1, and Laboratory Form 1s are presented in Appendix B. Geographic positioning system (GPS) coordinates were collected to estimate a volume for the mine waste pile. In addition, the mineralogy of the mine waste piles at the identified sources at the Grand Mogul Mine, Mogul Mine, Red and Bonita Mine, and Gold King 7 Level Mine was characterized to determine if sufficient mineralogical similarities existed to justify grouping the four sources together.

The surface water pathways from each of the sources at Grand Mogul Mine, Mogul Mine, Red and Bonita Mine, Gold King 7 Level Mine, and American Tunnel were documented. The results for the survey are presented in this report and illustrated in Figure 1 and the Photolog attached in Appendix A.

Fishing along the Animas River downstream of the confluence of Cement Creek with the Animas River was investigated along the 15-mile target distance limit (TDL) as far as Elk Park, and the results are presented in this report and the Photolog attached in Appendix A.

Wetlands delineation and sensitive environment characterization along Cement Creek between the Grand Mogul Mine and Ohio Gulch were conducted by experts, and a report of the results will be presented in a separate Wetlands Delineation and Sensitive Environment Characterization Report.

A copy of the field logbook is included as Appendix C.

## 2.0 BACKGROUND

The site is located in Silverton, San Juan County, Colorado and is made up of publically and privately owned parcels. The investigation focused on the Animas River between U.S. Geological Survey (USGS) gauging stations A72 and A68, Mineral Creek immediately upstream of the Animas River, Cement Creek, and tributaries to Cement Creek (Figure 1) (UOS 2010).

Mines in the Silverton area operated between the years 1874 and 1991. Mining activities in the Upper Animas basin, including Cement Creek, produced the mine waste and mill tailings sources from which contamination spread throughout the surface water pathway. This site reassessment focused on Cement Creek, a major source of metals contamination to the Animas River.

Thirty-three individual sources of mine wastes and mill tailings have been identified in the Cement Creek drainage, totaling approximately 188,000 cubic yards (UOS 2009). Several investigations have been conducted in the Cement Creek basin by the Colorado Department of Public Health and the Environment (CDPHE), but data were not appropriate for evaluating the site based on Hazard Ranking system (HRS) criteria. Several sources of mine and mill waste have been reclaimed to some degree through work carried out by the Bureau of Land Management (BLM), the CDPHE, the Colorado Division of Reclamation Mining and Safety (DRMS), and the Animas River Stakeholders Group (ARSG). The reclaimed waste areas are primarily in gulches that feed into lower Cement Creek. Most of the sources of mine wastes in the Upper Cement Creek basin remain in place. The wastes are rich in arsenic, cadmium, copper, lead, manganese, and zinc.

During the October 2010 sampling event, START collected adit discharge and adit sediment samples from all of the five identified adit sources and waste mine samples from the mine waste piles of three of the identified sources (Grand Mogul, Mogul, and Red and Bonita mines). Environmental samples of surface water and sediment were also collected from Cement Creek and used to characterize the impact of these sources on Cement Creek, and also the impact of Cement Creek on the Animas River.

During the August 2011 field effort, data gaps identified in the Analytical Results Report (ARR) of the 2010 site reassessment were addressed. These activities included the collection of samples of the Gold King 7 Level Mine mine waste pile and collection of GPS data to calculate a volume of the mine waste pile; comparison of mineralogy of the mine waste piles at the four source areas with mine waste piles; documentation of the surface water pathway from each of the five sources to the probable point of entry (PPE) into Cement Creek; delineation of wetlands and characterization of sensitive environments along

Cement Creek; and documentation of fishing and other recreational activity along the Animas River south of Silverton.

The purpose of these supplemental field activities was to assist Region 8 EPA personnel in gathering data to determine whether this site should be considered for National Priority List (NPL) listing.

### **3.0 SITE ACTIVITIES**

START members Barry Hayhurst and Jeff Miller mobilized to Silverton, Colorado on August 21, 2011. Field activities began on Monday, August 22, 2011 and included:

- Wetlands delineation and sensitive environment characterization of Cement Creek between the Grand Mogul Mine and Ohio Gulch;
- Collection of four source samples from the mine waste pile at the Gold King 7 Level Mine;
- Collection of GPS coordinates to calculate a volume for the Gold King 7 Level Mine mine waste pile;
- Characterization of mineralization and documentation of similarity of mineralogy to determine if all identified mine waste pile sources could be combined as a single source;
- Documentation of the surface water pathway from all the sources identified in the 2010 field sampling event; and
- Field documentation of fishing and other recreational activity along the Animas River to the 15-mile TDL downstream of the confluence of Cement Creek with the Animas River;

The Photolog of site activities is provided in Appendix A.

### **3.1 SAMPLING AND ANALYSIS**

Source samples were collected for TAL total metals analysis. All of the source samples were collected in accordance with procedures described in UOS TSOP 4.16, "Surface and Shallow Depth Soil Sampling" (UOS 2005). Dedicated, disposable plastic scoops were used for source sample collection. All source samples were collected as biased grab samples from the 6- to 12-inch depth interval. A sharp shooter shovel was used to accomplish the depth needed for the sample and was decontaminated between samples. Source samples for total metals analysis were placed in 8-ounce high density polyethylene (HDPE) jars. All samples were labeled with the sample identification number and stored in a cooler on ice pending shipping to the laboratory.

Sample descriptions were logged in the field log book. A GPS point and photograph were collected for each sample location.

The Gold King 7 Level Mine mine waste pile was first screened using a Innov-X Systems Model OSD-4000 portable X-ray fluorescence (XRF) instrument (Appendix A, Photo 8). Twelve field readings identified three different types of mine waste:

- a medium-grained orange colored material,
- a fine-grained limonite colored material, and
- a fine-to-coarse grained material with large concentrations of quartz and sulfides.

Four samples of the mine waste pile at the Gold King 7 Level Mine were collected in accordance with the approved FSP. Sample UASO015 was collected from an area that was being actively eroded by the North Fork of Cement Creek, from material that appeared to be similar to the fine-grained limonite colored material (Appendix A, Photo 7). START personnel also collected source samples from each of the three types of mine waste material identified with the field XRF. One Matrix Spike/Matrix Spike Duplicate (MS/MSD) sample was collected with the sample from location UASO018.

Source samples for TAL total metals analysis were shipped via FedEx to Sentinel Inc. in Huntsville, Alabama where they were received in good condition with custody seals intact.

Sample results are shown in Table 1 and sample locations are shown in Figure 1.

**3.2 CALCULATION OF VOLUME OF GOLD KING 7 LEVEL MINE WASTE PILE**

GIS coordinates were collected to calculate the volume of the Gold King 7 Level Mine mine waste pile. The dimensions collected were a flat area on top of the mine waste pile measuring approximately 60 feet by 100 feet, a mine waste pile height of approximately 70 feet with a slope of approximately 32 degrees and, a lower dimension greater than 220 feet with a feather thin layer of mine waste less than 1 foot thick. Converting these dimensions to a slab averaging 30 feet thick, 70 feet wide, and 160 feet long  $[(100 + 220)/2]$  the volume of the mine waste pile is estimated to be a minimum of 12,500 cubic yards.

### 3.3 MINERALOGICAL COMPARISON

The mineralogy of quartz-sulfide ore was found in all the mine waste piles at the Grand Mogul, Mogul, Red and Bonita, and Gold King 7 Level mines. This observation conforms to the geologic description of the ores found in the USGS Professional Paper 1651, *Integrated Investigations of Environmental Effects of Historical Mining in the Animas River Watershed, San Juan County, Colorado*, Chapters E-1 Geologic Framework and E-3 Major Styles of Mineralization and Hydrothermal Alteration and Related Solid- and Aqueous-Phase Geochemical Signatures (USGS 2007).

### 3.4 DOCUMENTATION OF SURFACE WATER PATHWAY

The surface water overland flow pathway from each of the five identified sources was documented in the field by walking the distance from the adit discharge to the PPE. All mine wastes that come into contact with surface water were documented, and Figure 1 was prepared showing all source samples and the PPE to Cement Creek from each source.

- **Grand Mogul Mine:** The overland flow pathway for the Grand Mogul Mine begins at the western toe of the main mine waste pile and continues westward for approximately 300 feet until it enters Cement Creek (Appendix A, Photos 1 & 2). The actual point of exit from the ground is buried by the mine waste. The overland flow path as shown in Photo 1 is heavily stained with iron oxides (that begin to precipitate out of solution when the pH rises above 3.5) as compared to the stream course of Cement Creek on the left center of the photograph.
- **Mogul Mine:** The discharge from the Mogul exits through an adit on the northeast side of the mine waste pile and flows across the top of the mine waste pile in a tarp lined ditch to the access road. Once the adit discharge crosses the road, it flows over a mixture of mine waste and mine trash into a series of wetlands below the mine (Appendix A, Photo 3). The overland flow pathway from the Mogul Mine covers approximately 1,200 feet before the PPE into Cement Creek. It can be observed that iron oxides are precipitating on the side of Cement Creek where discharge water from the Mogul Mine is entering Cement Creek (Appendix A, Photo 4).
- **Red and Bonita Mine:** The discharge from the Red and Bonita Mine exits from an adit on top of the mine waste pile and flows over the mine waste pile to a ditch between the base of the mine waste pile and an access road to the south end of the mine waste pile

where it flows southward, then into a culvert directed westward under the road, and then directly westward across a barren iron oxide stained landscape to Cement Creek (Appendix A, Photo 5). The overland flow path after flowing under the road splits into two streams in the barren area before entering Cement Creek. The more upstream flow path was visually estimated to carry approximately 75 percent of the flow, and the smaller stream enters Cement Creek approximately 50 feet downstream of the larger stream. Photo 6 shows the upper dominant discharge point. Note the iron oxide staining in the Cement Creek streambed on the side of the PPE from the Red and Bonita Mine (Appendix A, Photo 6).

The surface of the Red and Bonita mine waste pile has been covered with an armor of iron oxides that have cemented the surface material together. It is unknown if the armor prevents percolation of water through the mine waste pile.

- **Gold King 7 Level Mine:** There are two adit discharges at the top of the Gold King 7 Level Mine mine waste pile. The main discharge on the east side of the pile is channelized into a segmented plastic channel to flow down to the North Fork of Cement Creek just beyond the east side of the mine waste pile. The smaller western discharge is not provided with any engineering controls and flows westward eventually percolating through the mine waste pile into the North Fork of Cement Creek. The North Fork of Cement Creek is actively eroding the mine waste pile, and evidence of sloughing and erosional rills were observed in the mine waste pile (Appendix A, Photo 7). The North Fork of Cement Creek flows approximately 1,500 feet westward from the toe of the Gold King 7 Level Mine mine waste pile to the PPE with Cement Creek. Iron oxide precipitation in the Cement Creek streambed below the confluence of Cement Creek and the North Fork of Cement Creek is pronounced (Appendix A, Photo 9).
- **American Tunnel:** The discharge point for the American Tunnel is found just upstream of Gladstone where the discharge emerges from the diversion structure and flows approximately 200 feet westward to its PPE with Cement Creek. Strong iron oxide precipitate staining of the discharge and Cement Creek below the PPE was observed in August 2011 (Appendix A, Photo 10).



**3.5 WETLANDS DELINEATION AND SENSITIVE ENVIRONMENT CHARACTERIZATION**

A team of experts delineated streamside wetlands that conformed to the definition of 40 CFR 230.3 along Cement Creek from the Grand Mogul Mine downstream to Ohio Gulch. The expert team also evaluated the stretch of Cement Creek between the Grand Mogul Mine and Ohio Gulch for sensitive environments and threatened and endangered species applicable to the HRS scoring of the site. The team identified four segments of continuous stream side wetlands totaling 0.1 miles or longer and numerous shorter segments. One of the wetlands segments (WL10-1) is located directly below the Mogul Mine and is measured to contain 1,062 feet of streamside wetlands. The total of documented wetlands on Cement Creek between the Grand Mogul Mine and Ohio Gulch is estimated to be greater than one mile. No sensitive environments or threatened and endangered species directly associated with Cement Creek were documented during the field study. The results of the wetlands delineation and sensitive environment investigation will be presented as a separate report.

**3.6 INVESTIGATION OF FISHING AND OTHER RECREATIONAL ACTIVITIES ALONG THE ANIMAS RIVER SOUTH OF SILVERTON, COLORADO**

START investigated the potential fishing activity along the Animas River downstream of the confluence of Cement Creek with the Animas River, south of Silverton, Colorado. Elk Park, an open area in the Animas River Canyon where the State of Colorado performs fish count studies every 5 years, was investigated. A fishing lure was found in a tree along the river bank, but no fishermen were observed during the investigation (Appendix A, Photos 11 and 12). The Colorado Trail passes through Elk Park and the area is also used for camping. No evidence of river rafting was observed during the site reconnaissance.

Frank Cianci, a conductor on the Durango and Silverton Narrow Gauge Railroad for the past 21 years, recounted that once he dropped off a family in Elk Park who planned to fish there. Mr. Cianci also related that he had seen people fishing along the stretch of the Animas River between Silverton and Elk Park five or six times (UOS 2011b [Appendix D]). The Durango and Silverton Narrow Gauge Railroad regularly stops in Elk Park for fishermen and campers.

Ron Dewitz and volunteer with the Forest Service Public Land Center in Silverton related that he occasionally heard of someone catching a fish on the Animas River south of Silverton, but he did

not personally know anyone who had caught a fish in that stretch of the river (UOS 2011b [Appendix D]).

**4.0 LIST OF REFERENCES**

URS Operating Services, Inc. (UOS). 2005. “Technical Standard Operating Procedures for the Superfund Technical Assessment and Response Team (START), EPA Region 8.” September 2005.

URS Operating Services, Inc. (UOS). 2009. “Data Gap Analysis Report for Targeted National Priority Listing: Upper Animas Mining District San Juan County Colorado.” October 13, 2009.

URS Operating Services, Inc. (UOS). 2010. “Field Sampling Plan: Upper Animas Mining District San Juan County Colorado.” October 21, 2010.

URS Operating Services, Inc. (UOS). 2011a. “Addendum to the approved Field Sampling Plan-Supplemental Sampling: Upper Animas Mining District San Juan County Colorado.” August 18, 2011.

URS Operating Services, Inc. (UOS). 2011b. Upper Animas-Cement Creek Field Work-August, 2011. Field notebook by B. Hayhurst. August 2011.

U.S. Geological Survey Professional Paper 1651. 2007. Integrated Investigations of Environmental Effects of Historical Mining in the Animas River Watershed, San Juan County, Colorado. 2007.

**Table 1**  
**Gold King 7 Level Mine Waste Source Samples**


<b>Field Sample ID:</b>			<b>UASO015 MH30H7</b>	<b>UASO016 MH30H8</b>	<b>UASO017 MH30H9</b>	<b>UASO018 MH30J0</b>
<b>Location:</b>	<b>Superfund Chemical Data Matrix (SCDM) Soil Exposure Pathway NCRSC</b>	<b>Superfund Chemical Data Matrix (SCDM) Soil Exposure Pathway CRSC</b>	<b>Gold King 7 Level Mine waste pile being eroded by North Fork Cement Creek</b>	<b>Gold King 7 Level Mine orange limonite-stained mine waste</b>	<b>Gold King 7 Level Mine yellow limonite-stained medium- to fine- grained mine waste</b>	<b>Gold King 7 Level Mine medium- to coarse-grained white quartz and sulfides MS/MSD</b>
<b>Analytes</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>
Aluminum	–	–	1190 J	1970 J	1010 J	1010 J
Antimony	31	–	6 UJ	6 UJ	6 UJ	6 UJ
Arsenic	23	0.43	<b>16.8</b>	<b>18.1</b>	<b>7.5</b>	<b>4.7</b>
Barium	5,500	–	34.1 J	115 J	28.4 J	23.8 J
Beryllium	160	–	0.060 J+	0.077 J+	0.083 J+	0.060 J+
Cadmium	39	–	1 UJ	1.4 J+	1 JU	0.83J+
Calcium	–	–	195 J	126 J	133 J	110 J
Chromium	230	–	0.77	1.8	0.64	0.50
Cobalt	–	–	5 U	5 UJ	5 U	5 U
Copper	–	–	47.5 J	67.2 J	84.2 J	192 J
Iron	–	–	13100 J	32900 J	11300 J	9680 J
Lead	–	–	773 J	1250 J	1500 J	454 J
Magnesium	–	–	500 UJ	500 UJ	500 UJ	500 UJ
Manganese	11,000	–	69.6 J	171 J	91.2 J	49 J
Nickel	1600	–	4 U	4 U	4 UJ	4 U
Potassium	–	–	973 J+	3320 J+	844 J+	810 J+
Selenium	390	–	3.5 U	8.1 J+	3.5 U	3.5 U

**Table 1**  
**Gold King 7 Level Mine Waste Source Samples**

<b>Field Sample ID:</b>			<b>UASO015 MH30H7</b>	<b>UASO016 MH30H8</b>	<b>UASO017 MH30H9</b>	<b>UASO018 MH30J0</b>
<b>Location:</b>	<b>Superfund Chemical Data Matrix (SCDM) Soil Exposure Pathway NCRSC</b>	<b>Superfund Chemical Data Matrix (SCDM) Soil Exposure Pathway CRSC</b>	<b>Gold King 7 Level Mine waste pile being eroded by North Fork Cement Creek</b>	<b>Gold King 7 Level Mine orange limonite-stained mine waste</b>	<b>Gold King 7 Level Mine yellow limonite-stained medium- to fine- grained mine waste</b>	<b>Gold King 7 Level Mine medium- to coarse-grained white quartz and sulfides MS/MSD</b>
<b>Analytes</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>	<b>(mg/kg)</b>
Silver	390	–	6.7 J+	5.8 J+	10.1 J+	7.3 J+
Sodium	–	–	500 U	500 U	500 U	500 U
Thallium	–	–	2.8 UJ	2.8 UJ	2.7 UJ	2.7 UJ
Vanadium	550	–	6.7 J+	11.2 J+	5.6 J+	5 U
Zinc	23,000	–	45 J	399 J	89.3 J	186 J

J The associated numerical value is an estimated quantity because quality control criteria were not met. Presence of the element is reliable.  
 J+ The associated numerical value is a high estimated quantity because quality control criteria were not met. Presence of the element is reliable.  
 U The analyte was not detected at or above the Contract Required Detection Limit (CRDL).  
 NCRSC Non Cancer Risk Screening Concentration  
 CRSC Cancer Risk Screening Concentration  
 mg/kg milligrams per kilograms  
**BOLD** Greater than SCDM benchmark

12



## **APPENDIX A**

**Photo Log  
Cement Creek  
San Juan County, Colorado  
August 2011**



**PHOTO 1**


View to the west of surface water flowing from the toe of the Grand Mogul Mine waste rock dumps toward Cement Creek. Note iron staining of flow path.



**PHOTO 2**

View to the east of the PPE from the Grand Mogul Mine into Cement Creek. Note iron staining of rocks in Cement Creek downstream of flow from Grand Mogul Mine. J. Miller of START at PPE collecting GPS location data.





**PHOTO 3**

View to the southwest showing adit discharge water from the Mogul Mine flowing over mine waste rock into wetlands immediately downstream of Mogul Mine waste rock. Note the mix of scrap lumber and waste rock. Note staining of flow path into wetlands. Cement Creek is at the shallow part of the valley in the background.




**PHOTO 4**

View to the east of the PPE of the discharge from the Mogul Mine into Cement Creek. The surface water pathway from the adit flows down to the road on the other side of the white patch of waste rock and through the wetlands. Note iron staining of Cement Creek on the inflow side of the creek from the PPE where J. Miller of START at PPE collecting GPS location data.



**PHOTO 5**

View to the west of the adit discharge from the Red and Bonita Mine. Note the strong color of iron oxide precipitation and the staining to Cement Creek along valley floor.




**PHOTO 6**

PPE from the adit discharge at the Red and Bonita Mine to Cement Creek. Note iron oxide staining on the same side of the Cement Creek as the PPE discharge point. J. Miller of START at PPE collecting GPS location data.




**PHOTO 7**

Gold King 7 Level Mine waste rock pile being eroded by the North Fork of Cement Creek. Note the erosion rills on the waste rock pile and undercutting by stream. J. Miller of START collects source sample UASO015 GPS coordinates.



**PHOTO 8**

Gold King 7 Level Mine waste rock pile. J. Miller of START collecting field XRF data from sample location UASO019.



**PHOTO 9**

Cement Creek immediately downstream of confluence with N. Fork of Cement Creek draining from Gold King 7 Level Mine. J. Miller of START at PPE collecting GPS coordinates.



**PHOTO 10**

PPE from the American Tunnel outlet entering into Cement Creek. Note strong iron oxide staining downstream of PPE.



**PHOTO 11**

Elk Park is an open area in the Animas River Canyon below Silverton where the State of Colorado conducts electroshocking and passengers from the Durango & Silverton Narrow Gauge Railroad are dropped off to fish the Animas River. Access is also gained from Molas Lake via the Colorado Trail which crosses the Animas River in Elk Park.



**PHOTO 12**

A fishing lure found imbedded on a tree limb along the banks of the Animas River in Elk Park. Lure is bright green on larger limb near the trunk.

## **APPENDIX B**

### **Data Validation Report Laboratory Form I Data Sheets and Chain of Custody Form**

**REGION VIII  
DATA VALIDATION REPORT  
INORGANIC**

Case No. / TDD No.	Site Name		Operable Unit
41730 / 1008-13	Upper Animas Reassessment		
RPM/OSC Name			
Sabrina Forrest			
Contractor Laboratory	Contract No.	SDG No.	Laboratory DPO/Region
Sentinel Inc.	EP-W-09-040	MH30H7	8

Review Assigned Date September 14, 2011  
 Review Completion Date September 27, 2011

Data Validator Kim Ohlson  
 Report Reviewer Kent Alexander

Sample ID	Matrix	Analysis
MH30H7	Soil	CLP – Metals
MH30H8		
MH30H9		
MH30J0		

### DATA QUALITY STATEMENT

- Data are ACCEPTABLE according to EPA Functional guidelines with no qualifiers (flags) added by the reviewer.
- Data are UNACCEPTABLE according to EPA Functional Guidelines.
- Data are acceptable with QUALIFICATIONS noted in review.

Telephone/Communication Logs Enclosed? Yes \_\_\_\_\_ No  X

CLP Project Officer Attention Required? Yes \_\_\_\_\_ No  X  If yes, list the items that require attention:



## INORGANIC DATA VALIDATION REPORT

### REVIEW NARRATIVE SUMMARY

This data package was reviewed according to "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review," January 2010.

Raw data were reviewed for completeness and transcription accuracy onto the summary forms. Approximately 10-20% of the results reported in each of the samples, calibrations, and QC analyses were recalculated and verified. If problems were identified during the recalculation of results, a more thorough calculation check was performed.

The data package, Case No. 41730, SDG No. MH30H7, consisted of 4 soil samples for metals by ICP-AES (ILM05.4). The following table lists the data qualifiers added to the sample analyses. Please see Data Qualifier Definitions, attached to the end of this report.

Sample ID	Elements	Qualifiers	Reason for Qualification	Review Section
All samples	Antimony Cobalt Magnesium Nickel Sodium	U	Laboratory blank contamination	7
MH30H7, MH30H9	Cadmium			
MH30H7, MH30H9, MH30J0	Selenium			
MH30J0	Vanadium			
All samples	Beryllium Potassium Silver	J+	Interference check exceeded criteria, positive interference	8
MH30H8, MH30J0	Cadmium			
MH30H8	Selenium			
MH30H7, MH30H8, MH30H9	Vanadium			
All samples	Antimony Copper Silver Thallium	J/UJ	Matrix spike recovery less than 75% but post digestion recovery within criteria	9
	Manganese Zinc	J	Matrix spike recovery greater than 75% but post digestion recovery within criteria	
All samples	Zinc Cadmium	J/UJ	Duplicate sample RPDs and differences exceeded criteria	11

# UOS

URS Operating Services, Inc.

Data Validation Report

Sample ID	Elements	Qualifiers	Reason for Qualification	Review Section
All samples	Aluminum Antimony Barium Calcium Copper Iron Lead Magnesium Manganese Silver Zinc	J/UJ	Serial dilution criteria not met	14

### 1. DELIVERABLES

All deliverables were present as specified in the Statement of Work.

Yes X      No \_\_\_\_\_

Comments:      None.

### 2. HOLDING TIMES AND PRESERVATION CRITERIA

All technical holding times and preservation criteria were met.

Yes \_\_\_\_\_      No X

Comments:      The samples were analyzed within 180 days for the ICP metals. The sample coolers were received outside of the recommended temperature range of  $4 \pm 2^{\circ}\text{C}$ . The temperature of the samples was  $6.9^{\circ}\text{C}$  at the time of receipt. No qualification is required for the samples because there is no guidance on the temperature effect on soil samples. No shipping or receiving problems were noted. Chain-of-custody, summary forms, and raw data were evaluated.

### 3. INSTRUMENT CALIBRATIONS: STANDARDS AND BLANKS

Initial instrument calibrations were performed according to SOW requirements.

Yes X      No \_\_\_\_\_

Comments:      None.

The instruments were calibrated daily and each time an analysis run was performed.

Yes X      No \_\_\_\_\_

Comments:      None.

The instruments were calibrated using one blank and the appropriate number of standards.

Yes X      No \_\_\_\_\_

Comments:      None.

#### 4. FORM 1 - SAMPLE ANALYSIS RESULTS

Sample analyses were entered correctly on Form Is.

Yes X      No \_\_\_\_\_

Comments:      Various sample results for iron and zinc were reported from dilutions. According to the case narrative, there was not enough sample present in these XRF cups to perform a percent solids. These XRF cups were air dried prior to receipt by the laboratory and are reported as 100% solids.

#### 5. FORM 2A - INITIAL AND CONTINUING CALIBRATION VERIFICATION

The initial and continuing calibration verification standards (ICV and CCV, respectively) met SOW requirements.

Yes X      No \_\_\_\_\_

Comments:      None.

The calibration verification results were within 90-110% recovery for metals, 85-115% for cyanide, and 80-120% for mercury.

Yes X      No \_\_\_\_\_

Comments:      None.

The continuing calibration standards were run at 10% frequency or every two hours.

Yes X      No \_\_\_\_\_

Comments:      None.

#### 6. FORM 2B - CRQL CHECK STANDARD

ICP Analysis: Standards (CRI) were analyzed at the beginning and end of each sample analysis run and every 20 analytical samples, immediately preceding the interferences check sample analyses, but not before ICV analysis.

Yes \_\_\_\_\_      No \_\_\_\_\_      NA X

Comments:      None.

Comments: The following sample results were qualified because the results for iron were greater than the ICSA values and the absolute values of the associated elements were greater than the MDL in the ICSA analysis:

Element	ICSA Result (ug/L)	MDL (ug/L)	Samples Affected	Qualifiers
Cadmium	1.1	0.19	MH30H8, MH30J0	J+
Selenium	9.8	1.8	MH30H8	
Vanadium	1.2	0.58	MH30H7, MH30H8, MH30H9	
Beryllium	0.62	0.060	All samples	
Potassium	137	35		
Silver	8.9	0.37		

### 9. FORM 5A - MATRIX SPIKE SAMPLE ANALYSIS

A matrix spike sample was analyzed with every twenty or fewer samples of a similar matrix, or one per sample delivery group (whichever is more frequent).

Yes X No \_\_\_ NA \_\_\_

Comments: None.

The percent recoveries (%Rs) were calculated correctly.

Yes X No \_\_\_ NA \_\_\_

Comments: None.

Spike recoveries were within the range of 75-125% (an exception is granted where the sample concentration is four times the spike concentration).

Yes \_\_\_ No X

Comments: The following table lists the spike recoveries outside control limits, post digestion spike recoveries, samples affected, and data qualifiers:

Element	Matrix Spike %R	Post-Digestion %R	Samples Affected	Qualifiers
Antimony	46	85	All samples	J/UJ
Copper	7	118		
Manganese	127	111	All samples	J
Silver	67	108		J/UJ
Thallium	70	78		
Zinc	196	116		J

10. FORM 5B - POST DIGEST SPIKE RECOVERY

A post-digest spike was performed for those elements that did not meet the specified criteria (i.e., Pre-digestion/pre-distillation spike recovery falls outside of control limits and sample result is less than four times the spike amount added, exception: Ag, Hg).

Yes X No \_\_\_ NA \_\_\_

Comments: See previous section for post-digestion spike recoveries.

11. FORM 6 - DUPLICATE SAMPLE ANALYSIS

Duplicate sample analysis was performed with every twenty or fewer samples of a similar matrix, or one per sample delivery group (whichever is more frequent).

Yes X No \_\_\_ NA \_\_\_

Comments: None.

The RPDs were calculated correctly.

Yes X No \_\_\_ NA \_\_\_

Comments: None.

### 14. FORM 8 - ICP-AES QC

A serial dilution was performed for ICP analysis with every twenty or fewer samples of a similar matrix, or one per sample delivery group, whichever is more frequent.

Yes X No     

Comments: The laboratory did not assign (E) flags to the serial dilution outliers.

The serial dilution was without interference problems as defined by the SOW.

Yes      No X

Comments: The following serial dilution %Ds were greater than 10% and the original sample result was at least 50\* the MDL:

Element	% Difference	Samples Affected	Qualifiers
Aluminum	24%	All samples	J/UJ
Antimony	26%		
Barium	29%		
Calcium	100%		
Copper	27%		
Iron	29%		
Lead	22%		
Magnesium	27%		
Manganese	25%		
Silver	26%		
Zinc	24%		

### 15. FORM 9 - ANNUAL METHOD DETECTION LIMITS (MDL)

MDLs were provided for all elements on the target analyte list.

Yes X No     

Comments: None.

Reported MDLs met SOW requirements.

Yes X No     

Comments: None.

**16. FORM 10 - INTERELEMENT CORRECTION FACTORS FOR ICP**

Interelement corrections for ICP were reported.

Yes X No     

Comments: None.

**17. FORM 11 - ICP LINEAR RANGES**

ICP linear ranges were reported.

Yes X No     

Comments: None.

**18. FORM 12 - PREPARATION LOG**

Information on the preparation of samples for analysis was reported on Form 12.

Yes X No     

Comments: None.

**19. FORM 13 - ANALYSIS RUN LOG**

A Form 13 with the required information was filled out for each analysis run in the data package.

Yes X No     

Comments: None.

**20. Additional Comments or Problems/Resolutions Not Addressed Above**

Yes      No X

Comments: None.



USEPA - CLP

1A-IN  
INORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO.

MH30H7

Lab Name: Sentinel

Contract: EPW09040

Lab Code: SENTIN Case No.: 41730

Mod. Ref. No.

SDG No.: MH30H7

Matrix: (soil/water) SOIL

Lab Sample ID: 16155

% Solids: 90.0

Date Received: 09/02/2011

Concentration Units (ug/L, ug, or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1190		*E	P
7440-36-0	Antimony	3.8	J	NE	P
7440-38-2	Arsenic	16.8			P
7440-39-3	Barium	34.1		E	P
7440-41-7	Beryllium	0.060	J		P
7440-43-9	Cadmium	0.35	J	*	P
7440-70-2	Calcium	195	J		P
7440-47-3	Chromium	0.77	J		P
7440-48-4	Cobalt	0.35	J		P
7440-50-8	Copper	47.5		N*E	P
7439-89-6	Iron	13100		E	P
7439-92-1	Lead	773		*E	P
7439-95-4	Magnesium	282	J	E	P
7439-96-5	Manganese	69.6		NE	P
7439-97-6	Mercury				NR
7440-02-0	Nickel	0.46	J		P
7440-09-7	Potassium	973		E	P
7782-49-2	Selenium	2.5	J		P
7440-22-4	Silver	6.7		N*E	P
7440-23-5	Sodium	161	J		P
7440-28-0	Thallium	2.8	U	N	P
7440-62-2	Vanadium	6.7			P
7440-66-6	Zinc	45.0		N*E	P
57-12-5	Cyanide				NR

J  
6WJ  
J  
J+  
J  
J  
5U  
J  
J  
J  
500WJ  
J  
4U  
J+  
3.5U  
J+  
500W  
J+  
J+  
J+

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After:

Artifacts:

Comments:

---



---



---

KD 9/27/11

SL 9/7/11

9-923

USEPA - CLP

1A-IN  
INORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO.

MH30H8

Lab Name: Sentinel

Contract: EPW09040

Lab Code: SENTIN Case No.: 41730

Mod. Ref. No.

SDG No.: MH30H7

Matrix: (soil/water) SOIL

Lab Sample ID: 16156

% Solids: 90.7

Date Received: 09/02/2011

Concentration Units (ug/L, ug, or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1970		*E	P
7440-36-0	Antimony	1.6	J	NE	P
7440-38-2	Arsenic	18.1			P
7440-39-3	Barium	115		E	P
7440-41-7	Beryllium	0.077	J		P
7440-43-9	Cadmium	1.4		*	P
7440-70-2	Calcium	126	J		P
7440-47-3	Chromium	1.3			P
7440-48-4	Cobalt	1.0	J		P
7440-50-8	Copper	67.2		N*E	P
7439-89-6	Iron	32900		ED	P
7439-92-1	Lead	1250		*ED	P
7439-95-4	Magnesium	397	J	E	P
7439-96-5	Manganese	171		NE	P
7439-97-6	Mercury				NR
7440-02-0	Nickel	0.76	J		P
7440-09-7	Potassium	3320		E	P
7782-49-2	Selenium	8.1			P
7440-22-4	Silver	5.8		N*E	P
7440-23-5	Sodium	196	J		P
7440-28-0	Thallium	2.8	U	N	P
7440-62-2	Vanadium	11.2			P
7440-66-6	Zinc	399		N*E	P
57-12-5	Cyanide				NR

D  
6WJ  
H  
H  
H  
H  
H  
5H  
5H  
H  
H  
500WJ  
NR  
4U  
H  
H  
H  
H  
H  
H  
H  
H  
H  
H  
H

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After:

Artifacts:

Comments:

---

---

---

---

KO 9/27/11

29/11

10-924

USEPA - CLP

1A-IN  
INORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO.

MH30H9

Lab Name: Sentinel

Contract: EPW09040

Lab Code: SENTIN Case No.: 41730

Mod. Ref. No.

SDG No.: MH30H7

Matrix: (soil/water) SOIL

Lab Sample ID: 16157

% Solids: 92.0

Date Received: 09/02/2011

Concentration Units (ug/L, ug, or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1010		*E	P
7440-36-0	Antimony	3.6	J	NE	P
7440-38-2	Arsenic	7.5			P
7440-39-3	Barium	28.4		E	P
7440-41-7	Beryllium	0.083	J		P
7440-43-9	Cadmium	0.43	J	*	P
7440-70-2	Calcium	133	J		P
7440-47-3	Chromium	0.64	J		P
7440-48-4	Cobalt	1.1	J		P
7440-50-8	Copper	84.2		N*E	P
7439-89-6	Iron	11300		E	P
7439-92-1	Lead	1500		*ED	P
7439-95-4	Magnesium	146	J	E	P
7439-96-5	Manganese	91.2		NE	P
7439-97-6	Mercury				NR
7440-02-0	Nickel	0.80	J		P
7440-09-7	Potassium	844		E	P
7782-49-2	Selenium	1.9	J		P
7440-22-4	Silver	10.1		N*E	P
7440-23-5	Sodium	173	J		P
7440-28-0	Thallium	2.7	U	N	P
7440-62-2	Vanadium	5.6			P
7440-66-6	Zinc	89.3		N*E	P
57-12-5	Cyanide				NR

J  
6UJ  
J  
J+  
1UJ  
J  
5U  
J  
J  
J  
500UJ  
J  
4U  
J+  
35U  
J+  
500U  
J+  
J+  
NR

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After:

Artifacts:

Comments:

---



---



---

KO 9/27/11

8/9/11

11 925

USEPA - CLP

1A-IN  
INORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO.

MH30J0

Lab Name: Sentinel

Contract: EPW09040

Lab Code: SENTIN Case No.: 41730

Mod. Ref. No.

SDG No.: MH30H7

Matrix: (soil/water) SOIL

Lab Sample ID: 16158

% Solids: 93.2

Date Received: 09/02/2011

Concentration Units (ug/L, ug, or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1010		*E	P
7440-36-0	Antimony	3.5	J	NE	P
7440-38-2	Arsenic	4.7			P
7440-39-3	Barium	23.8		E	P
7440-41-7	Beryllium	0.060	J		P
7440-43-9	Cadmium	0.83		*	P
7440-70-2	Calcium	110	J		P
7440-47-3	Chromium	0.50	J		P
7440-48-4	Cobalt	0.29	J		P
7440-50-8	Copper	192		N*E	P
7439-89-6	Iron	9680		E	P
7439-92-1	Lead	454		*E	P
7439-95-4	Magnesium	313	J	E	P
7439-96-5	Manganese	49.0		NE	P
7439-97-6	Mercury				NR
7440-02-0	Nickel	0.25	J		P
7440-09-7	Potassium	810		E	P
7782-49-2	Selenium	2.1	J		P
7440-22-4	Silver	7.3		N*E	P
7440-23-5	Sodium	140	J		P
7440-28-0	Thallium	2.7	U	N	P
7440-62-2	Vanadium	2.9	J		P
7440-66-6	Zinc	186		N*E	P
57-12-5	Cyanide				NR

J  
60  
J  
P  
H  
H  
H  
5  
500  
U  
H  
J  
+  
J  
500  
U  
J  
500  
U  
J  
500  
U  
J

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After:

Artifacts:

Comments:

---



---



---

KD  
9/27/11

9/7/11  
~~12-826~~

USEPA - CLP

COVER PAGE

Lab Name: Sentinel

Contract: EPW09040

Lab Code: SENTIN Case No.: 41730

Mod. Ref. No.

SDG No.: MH30H7

SOW No.: ISM01.2

EPA SAMPLE NO.	Lab Sample ID.
MH30H7	16155
MH30H8	16156
MH30H9	16157
MH30J0	16158
MH30J0D	16158S2
MH30J0S	16158MS

ICP-AES      ICP-MS

Were ICP-AES and ICP-MS interelement corrections applied? (Yes/No) YES

Were ICP-AES and ICP-MS background corrections applied? (Yes/No) YES

If yes-were raw data generated before application of background corrections? (Yes/No) YES

The laboratory did not receive any instructions with this SDG to modify the SOW standard laboratory sample preparation procedures (e.g., subsampling). To aid in the determination of data usability with respect to project decisions, any modifications performed are described below.


Comments:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy Sample Data Package and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:  Name: Barbara K. Gore  
Date: 9/11/11 Title: QA

CASE # 41730  
 START, Denver, CO  
 EPA Contract Number: EP-W-05-050

CHAIN OF CUSTODY RECORD  
 Site #: 36548983  
 Contact Name: Barry Hayhurst  
 Contact Phone: 303-291-8270

No: 085M-09/01/11-0008  
 Lab: Sentinel Inc.  
 Lab Contact: Attn: Beverly Kilgore  
 Lab Phone: 2565349800

Lab #	CLP Sample #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MSD
	MH30H7	UASO015	UASO015	Metals - No Hg	Soil	8/25/2011	17:50	1	8oz Poly	4 C	N
	MH30H8	UASO016	UASO016	Metals - No Hg	Soil	8/25/2011	18:05	1	8oz Poly	4 C	N
	MH30H9	UASO017	UASO017	Metals - No Hg	Soil	8/25/2011	18:15	1	8oz Poly	4 C	N
	MH30J0	UASO018	UASO018	Metals - No Hg	Soil	8/25/2011	18:30	2	8oz Poly	4 C	Y

Special Instructions: Case is Complete

Temp Blank = 6.9°C

SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY # NA

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	<i>[Signature]</i>	8/29/11	Fed Ex								
			<i>[Signature]</i>	9-2-11	0853						

176-1  
 11/16/11

37

**APPENDIX C**  
**Project Field Logbook**

B. Hayhurst

August 22, 2011

- 0700 Meet for orientation meeting.
- 0745 H'S meeting  
B Hayhurst & Jeff Miller - strip-trip-falls-driving-lightening
- 0800 Arrive County Assessor's Office to search property records. Work with Dan Salazar
- 1000 Send list of property/claim owners via FAX to Sabrina Forrest.
- 1020 Arrive Mogul complex. Examine geology and mine containment.  
Quartz-sericite association.  
Iron staining in waters  
wetlands in vicinity.
- 1500 Explain potential issues in wetland delineation to Susan Hall
- 1535 lunch break and return calls to Sabrina Forrest
- 1600 Arrive Molokai Lake campground to get permission to hike to Elk Park. Parking and access OK.
- 1630 Return to cement creek to look at Red & Bonita and Gold King 7 Level Mines
- 1730 Hike up to Gold King 7 Level Mine  
Observe pile, run-on, Run-off controls, Joluma stream, observed release at base of pile.
- 1900 Return to Swerton.

Bm



B. Hayler ✓

August 23, 2011

- 0700 Meet for early am meeting  
B. Hayhurst, J. Miller, S. Hall, Jeff Dawson
- 0705 Answer Sabrina's calls
- 0710 Call office
- 0730 Meet with Susannah and Jeff Dawson  
Give them Sabrina's tele #s in case of emergency
- 0830 Call Sabrina about taking extra samples  
from waste pile at Gold King 7 level waste pile
- 0900 Drive to Molas lake  
Weather clear, cool, no real wind  
Task - hike down to Elk Park to document  
fishery use
- 0900 H:S meeting B. Hayhurst & J. Miller  
slip-trips-falls, sunscreen, water hazard  
aggressive individuals, wildlife, drinking & food.  
Rain gear, first aid training, no cell phone  
avoid cliff edges, be aware of surroundings when  
taking photos.
- 0920 Begin hiking down to Elk Park.
- 1130 Arrive at Elk Park  
Begin searching for fishermen and evidence  
of fishing. Moving southward along east  
bank of river. Flow rapid, islands, but  
no pools to invite fishing. Iron Stewage

S. H. H.

August 23, 2011

on rocks within annual high flow limit.

11:40 Train passes en route to Silverton

11:48 Second train passes en route to Silverton

12:20 Arrive at south end of Elk Park

Talk to four young boys working on railroad as a crew. They say people take the train up to go fishing, but the people usually fish from the south end of Elk Park downstream to Needleton - The water in Elk park is too swift for fishing.

Talk to a camper who also echoes this information.

12:30 Find a fishing lure/hook in a tree - take a photograph

13:00 Retrace steps northward towards Silverton past Colorado Trail bridge - no evidence of fishermen, no evidence of casual fishing.

13:30 Hike from Elk Park to Moses Lake.

16:00 Drive to Silverton

16:20 Check in Outdoor shops for leads to document fishing on Animas River

17:00 Stop for Day

~~Stop~~

B. Hayburn ✓

August 24, 2011

- 0700 Meet with URS delwerton crew  
They have additional properties that they would like access to. We will check at courthouse after 8:00 AM
- 0745 Call Office and Sabrina Forrest.
- 0800 Arrive at Accessors Office  
Talk to Don Salazar  
Claims below Moquel Mine in Wetland are largely owned by San Juan Minerals and Salem minerals. (own Todd Hewitt)  
Rob the Renter, Yngye, Theresa, Gold Point  
Henry M. Teller, Golden Eagle.  
Lucky Jim and Ajax owned by Keer McGee corp  
P.O. Box 268859  
Oklahoma City, OK 73126
- 0900 H: S meeting. B. Hayburn + Jeff Miller  
downy safety / sunscreen / bug / slip trips - falls  
Weather clear partially cloudy
- 0930 Meet with delineators about access issues
- 1000 Arrive at Red: Bonita Mine to define PPE.
- 1100 Take photos of R&B mine - top, flow out, view to west. Photos of PPE into cement creek.  
Flow division clear vs stony. Flow under road into sedgey area. No plant growth

B. Hays

Aug 24, 2011

stream divides, main flow north & 1/3 flow south.

photos of PPE

1200 wait at Silverton train station to interview  
train staff about letting off people at Elk Park

Saw Juan ~~Smith~~ Backcountry  
Land Office

Geologic Atlas — "Economic Geology"

Silverton Folio

1905

upper Potosi volcanic series

flows tufts of qtz, biotite, chlorite

lower Silverton Volcanic series

andesite, Nephelite

1330 Frank Ciamei - Conductor Durango Silverton RR.

21 years - one drop-off (family) - fishing

Seen fisherman 5 or 6 times.

1400 Ron Dewitz - volunteer with Forest Service @ <sup>Public</sup> Land Center

no known tourist fishing activity

occasional hear of someone catching on Animas south of town

"Wyatt" Judge Skinner - Melanie - dispatcher @ sheriff's office

1500 Locate American Tunnel outlet to Cement Creek  
and photograph.

1545 Locate Gold King Level PPE to Cement Creek and photograph

1615 Locate Mogul outlet to Cement Creek (PPE) and photograph

1700 Return to Silverton.

B. Hegner

August 25, 2011

0700 Meet with URS delineation team.

Pick-up GPS unit and pass on information about access at Mogul wetlands and lack of access at Gladstone.

URS anticipates leaving Sunday mid-day.

Call Sabrina about access to sphagnum moss area.

TASKS FOR Thursday: 1) GPS PPE's ~~to~~ to Cement Creek for

- 1) Grand Mogul Mine
- 2) Mogul mine
- 3) Gold King 7 level Mine
- 4) Red & Bonita Mine
- 5) American Tunnel

2) Collect samples from Gold King 7 Level Mine and determine dimensions of waste pile

0800 Weather - cool, clear, with clouds to south.

0900 Talk to Sabrina Forrest about access around Mogul mine and Gladstone. We have access to wetlands below Mogul and along creek at Gladstone - to look for sphagnum moss

0915 Tell URS delineation crew about access.

0930 H's meeting. B. Hegner &amp; J. Miller

Thunder lightning, nails, sunscreen, slip trix falls

R. H. H. H.

August 25, 2011


0935 Leave for Grand Mogul.

1000 Take GPS & PPE of Grand Mogul into creek. Note precipitation of iron at PPE. Area near stream Area vegetated by sedges (golden colored vegetation). Area previously identified as wetland based upon vegetation, however hydrophilic soils not present

1015 Mineralogy noted in mine dump. Quartz-pyrite association - milky quartz with veins and fracture coatings of poorly formed pyrite crystals.

Mineral Assemblage - quartz with pyritic veins. Country rock of volcanic with Fe oxide iron staining. Fine grained material is mineralized and altered quartz, feldspar with limonite staining

Sketch of Drainage from Grand Mogul



B. H. H. H. H.

August 25, 2011

Magul Mine

11:00 Photo of adit with adit discharge. Geotextile fabric for about 50 ft. Some leakage to waste rock pile on eastern (mountain) side (Photo). Geotextile fabric absent from flow path (photos). Flows over mix of waste rock, lumber, and natural colluvium. Flows across surface of road down drainage into wetlands below Magul Mine (photos).

Mineralogy: Quartz (milky) and pyritic veins present, but on smaller scale. Waste rock seems to be more altered with limonite staining.

Photo of PPE from Magul into creek staining of rocks.

11:50 Pile of waste rock (angular fresh quartz-pyritic vein material and freshly broken country rock) dumped off side of road into wetland. Flow of wetland stream along front of waste pile.

12:15 Move to Rod's Bowita PPE's.

PPE-1 most upstream & 2/3 rd flow

PPE-2 downstream & 1/3 flow

The waste rock pile is covered by an armoring patina of ferric oxides scattered pieces of waste rock found about the site.

Proffers

August 25, 2011

include The quartz-pyritic veined material  
1350 Move to Gold King 7 Level Mine PPEs  
into Cement Creek.

PPE01 upstream  $\approx 1/4$

PPE02 downstream  $\approx 3/4$

Photos of PPEs into Cement Creek

1410 Move to American Tunnel PPE.

Photos of PPE.

1430 Break for lunch a telephone message check

1500 Call Sabrina - check in

1600 Arrive at Gold King 7 Level Mine dump.

Innov-X ~~AB~~ Systems

Model OS ~~BD~~ - 4000 # 70047

Standard 316

CPS - 64081

Resolution 148 e/blks


XRF #	Field Pb	In Situ As	shots	Time	Desc
1	734	33	<37	1620	med grain (un 2)
2	977	57	<29	1627	" "
3	2980	168	<29	1631	fine grain yellow
4	2952	166	<30	1635	" " "
6	684	28	<24	1639	mixed
7	4520	175	<26	1640	fine grain yellow
8	458	40	<29	1650	white, med g
9	474	34	<40	1652	" " "



Cham 9/25/11

# Calculations for Volume of Gold King T Level Mine

Jeff take GPS area/line of top of waste pile



- Estimate across top 100 ft.
- Estimate across bottom 220 ft.
- Estimated height 70 ft.
- Estimated (with Brumby) slope 32%

Ch

G. H. H. H.

8/25/11

#	Pb	As	Cd	Tmu	Descr
10	173	68	< 30	1730	poorly sorted Red
11	626	47	< 24	1735	yellow, fg
12	665	50	< 25	1740	Duplicate
1735	Take a presumed background				
1735	1446	51	< 27	1735	Brown, mixed
Complete field XRF					

The ~~teaching~~ <sup>primary</sup> waste rock in the dump can be divided in three rough groupings.

- 1 - a medium to coarse grained, well sorted orange limonite stained material with lead < 1,000 ppm and arsenic < 100 ppm
- 2 - a medium to fine grained limonite stained material with lead between 2,000 and 4,000 ppm and arsenic  $\geq$  100 ppm.
- 3 - a medium to coarse poorly sorted quartz-white with sulphides (pyrite), Pb < 500 ppm, As < 50 ppm

Will collect a sample of each of these three characteristic waste rock types plus a 4<sup>th</sup> sample of the #2 type where it is being actively eroded by the stream.

1750 Collect sample UAS015 from toe of (GK7L501) Gold King 7 Level waste rock dump where the medium to coarse grained limonite stained material is

FKC.CK

H.

32%

C. Huger

August 26/2016

being actively eroded by the N. Fork of  
Cement Creek. See Photos

1805 Collect waste rock sample UAS016 (GK7LS02)

from medium grained material - See Photo

1815 Collect waste rock sample UAS017 (GK7LS03)


from limonite stained material

1830 Collect waste rock sample UAS018 (GK7LS04)

from quartz (white) sulfide material

1915 Leave Gold King 7 Level mine dump

2000 Anne Silverton



B. Hayhurst

Aug 26, 2011

0700 Meet with US delegation - review - review work and schedule - no problems, should be finished by late Saturday

0730 H's Meeting - B. Hayhurst, J. Miller slip trips - fall, weather, driving safety and River awareness while looking for fishermen

0800 Check by Animas River below Silverton for evidence of fishermen or fishing - none observed

1400 Recheck Animas River below Silverton for evidence of fishing activity - none observed

1500 Depart Silverton for Denver.

