

Appendix A

Part 201 Sites of Environmental Contamination (FOIA)

Table 12.—Contamination sites of the Kalamazoo River watershed, by valley segment, 2002. Data from Michigan Department of Environmental Quality, Environmental Response Division. Acronyms: BTEX=benzene, toluene, ethylbenzene, and xylene; DCA=dichloroethane; DCE=dichloroethylene; DDE=dichlorodiphenyldichloroethylene; MTBE=methyl tertiary butyl ether; DDT=Dichlorodiphenyltrichloroethane; PCB=polychlorinated biphenyl; PCE or PERC=perchloroethylene; PNAs=polynuclear aromatic hydrocarbons; TCA=trichloroethane; TCE=trichloroethylene; TPH=total petroleum hydrocarbons; LF=landfill. (Web: <<http://www.deq.state.mi.us/erd1/sites/index.jsp>> [Accessed 2002: July 21]).

Segment and site	Location	Pollutant
Headwaters		
SE Michigan Gas	Albion	BTEX, pnas, Metals
Petco Albion	Calhoun County	Crude oil, btex, chloride
Barnett, Cecil 1	Hillsdale County	Brine, chloride
Industrial Wells	Mosherville	Chlorides
Mosherville Oil Pit Dump	Mosherville	Pnas
Scio Gas Plant	Mosherville	Chromium, phenols, nickel, benzene
Upper		
Airco Rare and Specialty Glass	Albion	Chromium, zinc
Albion-Sheridan Twp Landfill	Albion	Chromium, lead, nickel, cyanide
Brooks Foundry Building	Albion	Methylene, Chloride, pcbs, pnas, Pesticides, Lead, Zinc
Brooks Foundry Lagoon	Albion	Pnas, pcbs, Lead, Zinc, Cadmium
Brown Weld Service	Albion	Toluene
Calhoun Co Rd Comm Albion	Albion	Brine, chloride
Former Albion City Waste Yard	Albion	Tce, lead, phenanthrene
McGraw Edison Corporation	Albion	Tce
Mid Mich Metal Production	Albion	Cadmium, copper, lead, zinc, tce, dce, pce
Union Street Products Plant #1	Albion	Lead, cyanide
Woods, M.B. #1	Calhoun County	Btex, crude oil, brine, chloride
Woods, M.B. #2	Calhoun County	Btex, crude oil, brine, chloride
Keith Fransted Construction	Concord	Gasoline
Quality Production Corporation	Concord	Paint waste
Horton Area GW Contamination	Horton	Btex, isopentane, dce
Bostik Company	Marshall	Perchloroethylene
Calhoun Co Rd Comm Marshall	Marshall	Btex, methylene, chloride, tce, tca, dichloropropane
Clark Oil Apex Oil	Marshall	Lead, benzene, ethylbenzene
Consumers Energy	Marshall	Lead, Cyanide, pnas
Eaton Corporation	Marshall	Tce, pce, vinyl chloride
Marshall City LF	Marshall	Domestic waste
Marshall Iron and Metal	Marshall	Lead, cadmium, copper
Residential Well 23 Mile Road	Marshall	Benzene, toluene, xylene, oil, phenols
Ronan & Kunzl Airport	Marshall	Tce
Ronan & Kunzl Main Building	Marshall	Tce
V and L Industries	Marshall	Aluminum oxide, Curene
Springport Waste Water Treatment Plant	Springport	Chlorides, ammonia
Middle		
Ft. Custer Military Reserve	Augusta	Lead, arsenic
American Fibril	Battle Creek	Heavy manufacturing
Battle Creek Adventist Hospital	Battle Creek	Pnas
Battle Creek Aquatic Center	Battle Creek	Metals, Arsenic, BTEX, pnas

Table 12.–Continued.

Segment and site	Location	Pollutant
Middle – continued		
Calhoun Co Rd Comm BC	Battle Creek	Benzene, toluene, chloride
Cereal City Landfill	Battle Creek	Benzene, ammonia, vinyl chloride, arsenic
Cliff Street Wells	Battle Creek	Chloroform, dca, chlorodibromometha, dichlorobromoetha
East Columbia	Battle Creek	Btex, dca, dce
Farm Bureau Services	Battle Creek	Mercury, benzene, copper, nickel
Fouth Street Area	Battle Creek	Tce, tca, dca, dce, vinylidene, chloride
Global Paint and Ink	Battle Creek	Tca, xylene, tce
Grand Trunk Western Rail Road	Battle Creek	Tca, tce, dca, dce, diesel
Kelloggs Kelpaco	Battle Creek	Benzene, ethylbenzene, toluene, xylene
Kendall Street	Battle Creek	PCE, TCA, DCA, Metals, pnas
Main Street Dump	Battle Creek	Domestic waste
McLeieer Oil	Battle Creek	BTEX, pnas, Metals
Michigan Paperboard Corporation	Battle Creek	Ethylbenzene, xylene, toluene, naphthalene
Morgan Road Ground Water	Battle Creek	Pce, dca, tca
Pink Poodle Cleaners	Battle Creek	Perchloroethylene
Quad L Corp	Battle Creek	Xylene, toluene, ethylbenzene
Raymond Road Landfill	Battle Creek	Dce, toluene, xylene, nickel, zinc
Residential Well 240 Wilson	Battle Creek	Tce, dce
Residential Well Beadle Lake Road	Battle Creek	Vinyl chloride, dce, lead, copper, magnesium, zinc
S&A Industries	Battle Creek	Cutting oil, paint
Shay Motor Company	Battle Creek	Methylene, chloride, tce, chromium, benzene, toluene
United Steel Michner Plating	Battle Creek	Metals, cyanide, halogenated hydrocar, tca, pce
Verona Well Field	Battle Creek	Tce, xylene, pce, dce
West Urbandale Area Wells	Battle Creek	Tce
AE Hoover	Charlotte	Pcb, mercury, lead
Johnson Iron Industries	Charlotte	Pcbs, Lead, Nickel, BTEX
Res Wells Oriole Drive	Charlotte	Chlorides, sodium
5177 Comstock Avenue	Comstock	Lead, chromium, zinc
Hydreco	Comstock	Tce, vinyl chloride, dce
Modern Septic Tank	Comstock	Tce, pce, tca, chloroform, dca
River Street Area	Comstock	Btex, tce, methylene, chloride
D Ave Cooper Twp	Cooper	Pcbs
MSU Kellogg Biological Station	Hickory Corners	Phenanthrene, BTEX
1606 S. Burdick Street	Kalamazoo	Lead, phenanthrene, tce
629 Hoek Court	Kalamazoo	Arsenic
Acme Printing Ink	Kalamazoo	Pce, toluene, lead, chrome
Allen Test Products	Kalamazoo	Arsenic, TCE
Allied Chemical Corporation	Kalamazoo	Pesticides
American Cyanamid	Kalamazoo	Tce, toluene, dce,
APEC Ampersee St Lots	Kalamazoo	Btex
Arcadia Creek	Kalamazoo	Pnas, Metals, Organic Hand Cleaner
Auto Ion Chemicals	Kalamazoo	Cyanide, chromium
Bank Street	Kalamazoo	Pna, tce, dce
Boroughs Corporation	Kalamazoo	Pnas, PCE, TCE, BTEX
Checker Motors Corporation	Kalamazoo	Tce, dce

Table 12.–Continued.

Segment and site	Location	Pollutant
Middle – continued		
Clausing Industrial N. Pitcher	Kalamazoo	Tce, dce
Comstock Land Ltd	Kalamazoo	Benzene, toluene, lead, arsenic, chromium
Conrail Mill Street	Kalamazoo	Diesel fuel
Consumers Energy	Kalamazoo	Arsenic, PCB, Benzo(a)pyrene
D Ave Alamo Twp	Kalamazoo	Dca, naphthalene, btex, mtbe
DeMeyers Country Kitchen	Kalamazoo	Lead, chromium
Drake Road & W Michigan	Kalamazoo	Zinc, tca, arsenic
East Willard	Kalamazoo	Arsenic, Acenaphthene, Benzo(b)fluoranthen
Fairfield Ave Area/Kal-Aero	Kalamazoo	Pce, chloroform, tca, dca
Farm Bureau Services	Kalamazoo	Chordane, nitrogen nitrite, nitrogen ammonia
Former Fisher-Graff Prop	Kalamazoo	Lead, pentachlorophenol, tce
GM BOC	Kalamazoo	Lead, Arsenic, pnas
Griffin Pest Control	Kalamazoo	Chordane, diazinon, chlorpyrifus
Kalamazoo Comm Ed Center	Kalamazoo	Benzo(a)pyrene, Benzene
Kalamazoo Wells Central No 1	Kalamazoo	Pce, tca
Kalamazoo Wells No 11	Kalamazoo	Dca, vinyl chloride
Kalamazoo Wells No 14	Kalamazoo	Tce
KL Ave LF	Kalamazoo	Zinc, BTEX, Acetone, DCE, DCA, 4-methyl 2-pentanone
Lakeside Refining Company	Kalamazoo	Benzene, lead, chromium
Lyons Machine Builders	Kalamazoo	BTEX, pnas, Metals
McLeieer Oil	Kalamazoo	Petroleum
Michigan Disposal Cork Street	Kalamazoo	Arsenic, benzene
N. Pitcher St – BIC	Kalamazoo	Arsenic, phenanthrene, tce
Nazareth College	Kalamazoo	BTEX, pnas
Newport Rd and East Milham	Kalamazoo	Pce, tce
Panelyte	Kalamazoo	Pcbs
Pitcher and Patterson Streets	Kalamazoo	Arsenic, chromium, dce, lead, toluene
Pitcher and Prouty	Kalamazoo	Pce, tce
Plastic Engineering Vanderbilt	Kalamazoo	Tca, pce, tce
Portage and Bishop Street	Kalamazoo	Methylene, Chloride, t-Butanol, DCE, THF, Acetone
Portage and Second Street Area	Kalamazoo	Tce, dca, pce
Portage Creek & Kalamazoo River	Kalamazoo	Pcb, mercury
Production Printing	Kalamazoo	Toluene, zylene, tce
Residential Well Lakeridge Road	Kalamazoo	Benzene, toluene, diatom filter cake
Residential Well Wayne Street	Kalamazoo	Tce
Roto-Finish Co., Incorporated	Kalamazoo	Tce, tca, dce
Savage Rowe Plating Company	Kalamazoo	Chromium, TCE
Schippers Crossing	Kalamazoo	Lead, mercury, chromium
SER	Kalamazoo	Heavy manufacturing
Sinclair Bulk Stor Amer Aggregate	Kalamazoo	Btex
Speare Flex	Kalamazoo	Tce, dce, pcb
Spring Street	Kalamazoo	Petroleum and Coal Products
Strebor	Kalamazoo	Pentachlorophenol
Travis St. Cooper Twp	Kalamazoo	Tca
W. Michigan and 6 th Street	Kalamazoo	TCE, TCA, DCA, vinylidene, Chloride
Waste Oil Storage	Kalamazoo	Chloroform, DCA, TCE, TCA
Waste Oil Storage Hazard St	Kalamazoo	Methylene, chloride, tca, tce, dca
Jefferson Street	Otsego	Tce

Table 12.–Continued.

Segment and site	Location	Pollutant
Middle – continued		
Parker Hannifin Corporation	Otsego	Dca, tca, dce, tce
Calhoun Co Rd Comm Pennfield	Pennfield	Salt
585 10 th Street	Plainwell	Lead, chromium, cadmium
A1 Disposal Landfill	Plainwell	Lead, arsenic, nickel, tca, tce, methylenechlorid
A1 Disposal Plainwell	Plainwell	Lead, arsenic, mercury, tca, pce
Acorn Street Industrial Park	Plainwell	Cyanide
Bloomfield Res Well	Plainwell	Dca, pce, dcb, tca
Church and Allegan	Plainwell	Benzene
Conrail-Plainwell	Plainwell	Phenanthrene, naphthalene, ethylbenzene
Gun Plain Twp Landfill	Plainwell	Zinc, Lead, vocs
Hughes Engraving	Plainwell	Tca, tce, nitrites
Jersey Street	Plainwell	Tce, dce
Kewaunee Sci Equip Company	Plainwell	Tce, chromium, arsenic, nickel, zinc
Neo-Tech	Plainwell	Nickel, chromium
Sec. 25 Gun Plain Twp	Plainwell	Benzene, TCE
3900 Milham	Portage	Sodium, manganese
D&A Auto Body	Portage	Pce
Lovers Lane	Portage	Dca
Portage and Zylman Res Well	Portage	Tce
Portage Steel Fabricating	Portage	Toluene, methylene chloride, ethylbenzene
Romence and Westnedge	Portage	Tca, dca,
Rosedale Subdivision	Portage	Pce, dce, tce, tca
Upjohn Co Milham Road	Portage	Tph
Kavco Landfill	Prairieville Twp	Chromium, dce, nickel, benzene, organics
North 34 th Street Area	Richland	Benzene, tce, pce, tca, chrome, copper, nickel
Production Plated Plastics	Richland	Chromium, copper
Clark Equipment	Springfield	Pce, tca, dce, dca
Dickman Auto Parts	Springfield	Tce, dce, dca, tca, metals
Dickman Landfill	Springfield	Tce, dce, dca, tca, metals, benzene, toluene
Eaton Corp	Springfield	Dce, tca, dca
Martin-Vogt Plating	Springfield	Chromium, nickel, lead, cyanide
Springfield Salt Storage	Springfield	Salt
Springfield Wells Lafayette Area	Springfield	Benzene, metals
Q Ave - Crooked Lake	Texas Corners	Benzene, xylene, toluene
Chief Noonday - Archwood	Wayland	Dichloroethane, toluene, benzene, xylene
Lower		
300 Water Street	Allegan	Phenanthrene, Benzo(a)pyrene, Acenaphthene
Allegan Metal Finishing	Allegan	Cyanide, chromium, zinc
Cappon Oil Transport Loss	Allegan	Benzene, toluene, xylene
City of Allegan	Allegan	Lead, arsenic, phenanthrene
Huitt and Sons	Allegan	Domestic and Industrial Waste
Res Wells Lincoln Road	Allegan	Pce, tce
Rockwell International Corp	Allegan	Lead, pcb, chromium
Water Street	Allegan	BTEX, pnas
Mesick Maude 1	Allegan County	Crude oil, bext, chloride

Table 12.–Continued.

Segment and site	Location	Pollutant
Mouth		
Busk, Augie 3	Allegan County	Btex, crude oil, chloride
Ebert Farm	Allegan County	Pesticides
Sindlinger #1	Allegan County	Btex, brine, chloride, crude oil
Sutter, Frederick Well 1	Allegan County	Crude oil, brine, chloride
Village of Douglas Contamination Site	Douglas	Chromium, nickel, tce, tca, dce
LaGrange Lab Processors, Inc.	Fennville	Chloroform, DCA
MDOT Fennville	Fennville	Chlorides
Michigan Fruit Cannery	Fennville	DDT, Manganese
Res Well 68th Street	Fennville	TCE
Pilgrim Farms Pickle Plant	Hamilton	Chlorides
Exit 41 Landfill	Saugatuck	DCA, DCE
Gleason Property	Saugatuck	Diesel Fuel
136th and 12th	Wayland	Lead
Goodale Facility	Wayland	TCE, Chlorides, Ethylbenzene
Sunrise Landfill	Wayland	TCE, DCE, Vinyl Chloride, Toluene Xylene

Kalamazoo River Assessment

Table 13.–Sites within the Kalamazoo River watershed listed under the Comprehensive Environmental Response, Compensation and Liability Act or CERCLA (Superfund). Acronyms: pre-remedial (DS=discovery, SI=site inspection, NF=final national priority list); removals (RS=removal investigation, RV=removal action); remedial (AR=administrative record, RA=remedial action, RD=remedial design); event lead is the agency directing the site actions (EPA=Environmental Protection Agency; RP=responsible party, State = State of Michigan). (Web: <<http://www.deq.state.mi.us/erd1/sfnpl/index>> [Accessed 2002: July 21]).

Site name	City	Last action	Date	Event lead
Upper				
Albion Ether Site	Albion	DS	10/24/1991	State
Albion-Sheridan Twp Landfill	Albion	RD	09/30/1999	RP
Brooks Foundry Lagoons	Albion	SI	02/10/1993	State
McGraw Edison Corporation	Albion	RA	10/29/1999	State
Union Steel Products Plant 1	Albion	RA	02/05/1997	EPA
Middle				
Orbit Enterprises	Battle Creek	AR	08/18/2000	EPA
Thomas Solvent Company	Battle Creek	AR	02/19/1991	EPA
Verona Well Field	Battle Creek	RA	04/07/1999	RP
Johnson Iron Industries	Charlotte	RA	03/15/1999	EPA
Allied Paper, Incorporated	Kalamazoo	RV	10/22/1999	RP
Auto Ion Chemicals Incorporated	Kalamazoo	RA	09/04/1998	RP
K&L Ave Landfill	Kalamazoo	NF	11/17/1992	EPA
Michigan Disposal Service	Kalamazoo	RD	12/01/1999	RP
Panelyte	Kalamazoo	RA	10/25/1995	EPA
Roto-Finish Company	Kalamazoo	RA	07/31/1998	EPA
SER-Plating Company	Kalamazoo	RV	06/12/1992	EPA
Spearflex Corporation	Kalamazoo	SI	02/06/1997	State
Production Plated Plastics	Richland	SP	09/28/1994	State
Portage Creek/Kalamazoo River	Several	RA	06/01/2001	EPA
Lower				
Rockwell International	Allegan	RS	04/22/1998	RP
Portage Creek/Kalamazoo River	Several	RA	06/01/2001	EPA
Mouth				
Chase Mfg Company	Douglas	SI	10/31/1991	State

Table 16.–State and federal statutes administered by Michigan Department of Environmental Quality, Geological and Land Management and Water divisions that protect the aquatic resource in Michigan. N.R.E.P. Act = Natural Resources and Environmental Protection Act.

State and Federal Acts	Description of Acts
State of Michigan	
Public Health Code (1978 PA 386, as amended)	Aquatic Nuisance Control
Part 13 N.R.E.P. Act (1994 PA 451)	Floodplain Regulatory Authority
Part 31 N.R.E.P. Act (1994 PA 451)	Water Resource Protection
Part 91 N.R.E.P. Act (1994 PA 451)	Soil Erosion and Sedimentation Control
Part 301 N.R.E.P. Act (1994 PA 451)	Inland Lakes and Streams
Part 303 N.R.E.P. Act (1994 PA 451)	Wetland Protection
Part 305 N.R.E.P. Act (1994 PA 451)	Natural Rivers
Part 307 N.R.E.P. Act (1994 PA 451)	Inland Lake Level
Part 309 N.R.E.P. Act (1994 PA 451)	Inland Improvement
Part 315 N.R.E.P. Act (1994 PA 451)	Dam Safety
Part 323 N.R.E.P. Act (1994 PA 451)	Shoreland Protection and Management
Part 325 N.R.E.P. Act (1994 PA 451)	Great Lakes Submerged Lands
Part 341 N.R.E.P. Act (1994 PA 451)	Irrigation
US Federal	
Federal Water Pollution Control Act, Section 314 (PL 92-55)	
Coastal Zone Management Act (PL 92-583, 1972)	
Clean Water Act, Section 404 (PL 95-2117)	
River and Harbor Act, Section 10 (1899)	
Coastal Energy Impact Program (PL 92-538)	

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan

Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
1	Kellogg Foundation 55 Hamblin Street Battle Creek, MI	Closed Part 213 Site	1500 ft N of Area 3	Petroleum compounds	None	No	NW toward Battle Creek River/Kalamazoo River, 15-16 feet bgs	GW samples collected, no impact, site closed. Hydrogeological report available.
2	K-Mart 200 Capital Avenue SW Battle Creek, MI	Closed Part 213 Site	1200 ft NW of Area 3	Lead, BTEX, PNAs	S, S/GW interface	No	GW not encountered during investigation, (>25 feet bgs), soil very moist at 16' bgs	Site Investigation Work Plan, Site Assessment
3	Lakeview Shell 866 Capital Avenue SW Battle Creek, MI	Closed Part 213 Site	0.8 Miles SW of Area 3	BTEX, MTBE	S, GW	No	NE toward Lower Mill Pond, 0.006 ft/ft, 482 ft/yr, 43-46 ft bgs	Phase II Hydrogeological Interim Status Report, FAR, Closure Report, Initial Abatement Report
4	Lassen Pontiac/Cadillac 331 Michigan Avenue W Battle Creek, MI	Closed Part 213 Site	1 Mile N of Area 3	PNAs, BTEX	S, not significant	No	33 ft bgs	Closure Report
5	Leatherman Oil 455 Upton Avenue Battle Creek, MI	Part 213 Site	2 Miles NW of Area 3	BTEX, Pb, fluorene, naphthalene	S, GW	No	N-NE toward Kalamazoo River, 11-12 ft bgs	BEA, FAR
6	Lily Mobile Home Court 15011 W Michigan Avenue Marshall, MI	Closed Part 213 Site	0.75 Mile N of Area 1	Pb	S	No	Approximately 20 ft bgs	Initial site characterization
7	Machine Cartage Ways 12101 17 Mile Road Marshall, MI	Closed Part 213 Site	1.5 Miles SE of Area 1 (upstream)	BTEX, PNAs	S	No	Approximately 14 ft bgs	Closure Report
8	McLeier Oil Bulk Storage 252 Elm Street Battle Creek, MI	Part 213 Site	1 Mile NE of Area 3	BTEX, PNAs	S, GW	Yes (MWS-5)	E, SW, SE away from ASTs, approximately 13 ft bgs	Emergency Spill Response, Site Characterization
9	MDOT-Marshall Maintenance Garage 1242 S Kalamazoo Avenue Marshall, MI	Closed Part 213 Site	9600 ft E of Area 1 (upstream)	BTEX, TCE, TMBs	S, GW	Yes	N-NE, E, shallow 0.04-0.01 ft/day, deep 0.07-0.18 ft/day, 31-33 ft bgs	FAR, GW monitoring reports
10	Medler Electric 212 E Michigan Avenue Battle Creek, MI	Closed Part 213 Site	3000 ft NE of Area 3	BTEX, TMBs, PNAs	S	No	Approximately 20 ft bgs	Closure Report
11	Miller Brothers 864 Capital Avenue SW Battle Creek, MI	Part 213 Site	7000 ft SW of Area 3	BTEX, MTBE, TMBs, naphthalene, 2-methylnaphthalene, Pb	S, GW	No	NE, 0.006 ft/ft, 207 ft/yr, 42-45 ft bgs	FAR, Status/GW reports, BEAs
12	Neighborhoods, Inc. 482 W Van Buren Battle Creek, MI	Closed Part 213 Site	1000 ft NE of Kalamazoo River, 7200 ft N-NW of Area 3	Pb	S	No	SW, 37 ft bgs	Closure Report, IAR
13	P.S. Food Mart 1344 E Columbia Avenue Battle Creek, MI	Part 213 Site	500 ft N of Kalamazoo River, 8000 ft SE of Area 2	BTEX	S, GW	No	NE, 0.01 ft/ft, 37-39 ft bgs	Various site investigations, FAR
14	Scott VanderPloeg 430 N 20th Street Springfield, MI	Part 213 Site	3500 ft SW of Kalamazoo River, 4 Miles SE of Area 4, 2 Miles NW of Area 3	BTEX, heavy metals, PNAs	S	No	NW based on topography - no GW investigation	Phase II ESA
15	Former Sears Roebuck 170 Capital Avenue Battle Creek, MI	Closed Part 213 Site	1000 ft SW of Kalamazoo River, 2000 ft NW of Area 3	BTEX, PNAs	S	No	18 ft bgs	BEA, Site Characterization, Site Investigation
16	Sunny Honda Mazda 1385 W Dickman Road Battle Creek, MI	Closed Part 213 Site	1.5 Miles NW of Area 3, 4000 ft S of Kalamazoo River	Petroleum compounds	S	No	Unknown	Clean Closure Report
17	Terry's Service 334 N 20th Street Springfield, MI	Closed Part 213 Site	4800 ft SW of Kalamazoo River, 1.7 Miles NW of Area 3	BTEX	S, GW	No	N-NE, 0.02 ft/ft, 0.04 ft/day, 10 ft bgs	Hydrogeological work, quarterly reports, Closure Report, NPDES submittals, Site Investigation, Pump Test

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan

Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
18	Neighborhoods, Inc. 482 W Van Buren Battle Creek, MI	Part 213 Site	3000 ft. E of Lower Mill Pond/Area 3	MTBE, BTEX, Pb, TMBs	S, GW	Yes	Generally S but inconsistent, 0.0037 ft/ft, 13 ft/yr, 25-28 ft bgs	IAR, FAR, free product reports, status reports, GW reports
19	Trumbull Service Station 94 North Avenue Battle Creek, MI	Part 213 Site	Approximately 1000 ft NW of Kalamazoo River, 4000 ft N-NE of Area 3	BTEX, PNAs	S, GW	No	S-SW, 28 ft bgs	Site Investigation Reports, UST Removal
20	Battle Creek Enquirer 155 W Van Buren Street Battle Creek, MI	Closed Part 213 Site	400 ft N of Battle Creek River, 3800 ft N of Area 3	TCE, BTEX	S, GW	No	South toward Battle Creek River, 12-27 ft bgs	Closure Reports, Hydrogeological Report, Investigation Reports, UST Removal
21	Union Electric 109 Elm Street Battle Creek, MI	Closed Part 213 Site	Not reviewed - file too small	-	-	-	-	-
22	Battle Creek Federal Center 7225 Tower Road Battle Creek, MI	Part 213 Site	Not reviewed - file too small	-	-	-	-	-
23	Wagner-Flook Builders Inc. 235 Hamblin Avenue Battle Creek, MI	Closed Part 213 Site	Immediately W of Kalamazoo River, 4000 N-NW of Area 3	PNAs	S	No	No information	Closure Report
24	Waldorf Corporation 177 Angel Street Battle Creek, MI	Closed Part 213 Site	Not reviewed - file too small	-	-	-	-	-
25	W.K. Kellogg Institute 2 Hamblin Avenue Battle Creek, MI	Closed Part 213 Site	Approximately 1000 ft NE of Kalamazoo River, 0.5 Miles NE of Area 3	BTEX, MTBE, Pb	S, GW	No	No information	Closure Report, 45-day Report, Soil Investigation
26	United Steel & Wire Company 105 S. Washington Street Battle Creek, MI	Part 201 Site	1 Mile N of Area 3	Cr, Cu, Ni, Pb, Zn, As, Hg, Si, Cd, VOCs, phenanthrene	S, GW, SW	No	Possibly perched GW, W toward Battle Creek River, 0.0008 ft/ft, 2.2 ft/yr	Remedial Investigation Reports
27	Bowers Manufacturing 5177 Comstock Avenue Comstock, MI	Part 201 Site	Downstream of Morrow Lake, >2 Miles NW of Area 8	As	S	No	2-10 ft bgs	Phase II ESA, BEA
28	Comstock Land Ltd Partnership 6900 E Michigan Avenue Comstock, MI	Part 201 Site	Approximately 2 Miles W of Area 8, western edge of Morrow Lake	As, Benzene, Pb, Toluene	GW	Yes	W, 0.004 ft/ft, 2 ft/day	Interim Activities, Hydrogeological Investigation, Geophysical Investigation, BEA, 2005 GW Report
29	Hydreco-General Signal-Benteler 9000 E. Michigan Avenue Galesburg, MI	Part 201 Site	3150 ft N of Morrow Lake, 0.5 Mile N of Area 8	VOCs	S, GW	No	South toward Morrow Lake, 1016 ft/day, GW elevation 783-786 ft amsl	RAP, GW Status Reports, Former Treatment System (Purge Wells)
30	Johnson Controls/American Fibrif 76 Armstrong Battle Creek, MI	Part 201 Site	1.5 Miles South of Area 4, 2 Miles SE of Area 5	Therminol 59 release, PNAs	S, SW	Yes	N-NW toward Kalamazoo River	Tech Memos, Site Assessment
31	Calhoun County Road Commission-Battle Creek Facility 1040 Raymond Road Battle Creek, MI	Active Part 201 Site	2 Miles E-SE of Area 3, 5 Miles NW of Area 2	CL, BTEX	GW	No	N and W toward Kalamazoo River, 0.004 ft/ft	Hydrogeological Study, GW Reports, ongoing monitoring
32	Cliff Street Wells aka General Foods 275 Cliff Street Battle Creek, MI	Active Part 201 Site	1.25 Miles E of Area 3	VOCs	GW	Yes	W toward Lower Mill Pond	Free Product Recovery, quarterly GW sampling

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan

Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
33	E. Columbia Groundwater Contamination Battle Creek, MI	Closed Part 201 Site	Boundary within 1 Mile E of Area 3	VOCs	GW	Yes	Generally NE toward Kalamazoo River	GW sampling, Remedial Investigation Reports, Well Abandonment Report
34	Global Paint & Ink Company 74 Leonard Wood Drive Battle Creek, MI	Part 201 Site	1.5 Miles SE of Area 4	BTEX, TMBs, 1,1,1-TCA	GW	No	Perched water, S-SE	Remedial Investigation Report, Phase I & II ESA
35	Grand Trunk Western Railroad 105 E. Jameson Battle Creek, MI	Active Part 201 Site	1-3 Miles E-NE of Area 3	TCE, PCE, DCE, VC	S, GW	Yes	Shallow aquifer W-SW toward Battle Creek River, deep aquifer SW toward Lower Mill Pond	Active AS/SVE systems and groundwater carbon treatment systems, active NPDES permit, quarterly GW reports
36	Augusta Total 301 E. Michigan Avenue Augusta, MI	Closed Part 213 Site	1.25 Miles SW of Area 5	Petroleum compounds	S, GW	No	E-SE toward Kalamazoo River, 0.001 ft/ft, 32 ft/yr	BEAs, FAR, status reports, Well Decommissioning Report
37	Battle Creek Adventist Hospital 165 N. Washington Avenue Battle Creek, MI	Closed Part 213 Site	2400 ft N of confluence of Battle Creek and Kalamazoo Rivers, 7000 ft N of Area 3	BTEX, PNAs	S, GW	No	W-NW, 50-60 ft bgs, 0.05 ft/ft	Hydrogeological Report
38	Eaton Corp-Springfield 463 N. 20th Street Springfield, MI	Part 201 Site	2.25 Miles NW of Area 3	Cr, Hg, TCE, 1,1,1-TCA	GW	No	NE toward Kalamazoo River, 8-15 ft bgs, 0.0072 ft/ft, 3.2 ft/day	Hydrogeological Reports, purge well groundwater system, biostimulation
39	City of Battle Creek-Kendall Intersection of Kendall and Hamblin Battle Creek, MI	Part 201 Site	500 ft South of Kalamazoo River, 4800 ft NW of Area 3	VOCs	S, GW	No	N-NW toward Kalamazoo River, 11-14 ft bgs	Site Investigation Report, Phase I and II ESAs, BEA
40	West Urbandale Area Wells 2384 W. Michigan Avenue Battle Creek, MI	Closed Part 201 Site	2 Miles E-SE of Area 4	VOCs	GW	No	No information	Well Decommissioning Report, analytical data
41	A.K. Zinn/K&M Salvage 160 S. Kendall Street Battle Creek, MI	Part 201 Site	1 Mile NW of Area 3	VOCs, Cr, Pb, Hg	S, GW	No	N-NE toward Kalamazoo River, 14-17 ft bgs, 0.0033 ft/ft, 0.94 ft/day	Exposure Pahtway Evaluation, Remedial Investigation Report
42	W. Dickman/Kellogg Property Intersection of Brady and W. Dickman Battle Creek, MI	Part 201 Site	3.25 Miles NW of Area 3, 4 Miles SE of Area 4	Metals, PNAs	S, GW	No	Assumed N toward Kalamazoo River, 22-34 ft bgs	Phase I ESA, Geophysical Survey, Remedial Investigation, Feasibility Study
43	Former Springfield Elementary School 383 N 20th Street Springfield, MI	Part 201 Site	2 Miles NW of Area 3	As, Hg, Se, Pb	S	No	No water encountered, assumed to be within 60 ft bgs	Remedial Investigation
44	Clark Equipment Company Plant Springfield, MI	Part 201 Site (Act 307 Site)	0.75 Mile South of Kalamazoo River, 46 ft/day	Chlorinated VOCs	GW	No	NE toward Kalamazoo River, 0.71 ft/day, 10 ft bgs	Hydrogeological Investigation, Groundwater Extraction and Treatment System, Water Quality and Geological Reports
45	Ronan & Kunzl Main Site 500 S. Kalamazoo Marshall, MI	Part 201 Site	500 ft N of Kalamazoo River, upstream of Area 1	TCE, DCE, Ba	GW	No	South toward Kalamazoo River, approximately 10 ft bgs	Tech Memos (groundwater investigations)
46	Former Marshall Manufactured Gas Plant 200 E Spruce Street Marshall, MI	Active Part 201 Site	600 ft N of Rice Creek, 2 Miles E-NE of Area 1 (upstream)	BTEX, PNAs	GW	No	SW toward Rice Creek, 0.010-0.040 ft/ft, 885-895 ft amsl	Groundwater containment and treatment system
47	Former Marshall City Landfill Intersection of Hughes and Marshall Marshall, MI	Part 201 Site	100 ft South of Kalamazoo River, 2 Miles E of Area 1 (upstream)	Unknown	None	No	No information	Screening Site Inspection Report, Environmental Investigation Report

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan

Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
48	Calhoun County Road Commission-Marshall Facility 13300 15 Mile Road Marshall, MI	Active Part 201 Site	0.5 Mile NE of Area 1, upstream	Chlorinated VOCs, Na, Cl	GW	No	SW and SE toward Kalamazoo River, 8-14.5 ft bgs	Groundwater monitoring ongoing, hydrogeological study
49	Equilon Enterprises LLC (Clark), Marshall Terminal 12451 Old US 27 South Marshall, MI	Part 201 Site	4800 ft South of Kalamazoo River, 2 Miles SE of Area 1 (upstream)	BTEX, MTBE, Pb	GW	Yes	Generally N and NW, approximately 15 ft bgs	Groundwater monitoring reports, remediation system installed
50	Bostik 205 West Oliver Drive Marshall, MI	Part 201 Site	6500 ft South of Kalamazoo River, 2 Miles SE of Area 1 (upstream)	PCE	S, GW	No	NW, 0.22 ft/day, 12-14 ft bgs	Hydrogeological investigations, UST removal
51	June Aldrich LUST Site 516-520 Capital Ave Battle Creek, MI	Part 213		BTEX, chlorinated solvents	GW, S	No	NW, 25 ft bgs, 31.34 ft/year, gradient 0.106 ft/ft	Hydrogeological study (copied), 1994 Phase II Hydrogeo study, Initial assessment report.
52	AT&T 216 Spring Street Battle Creek, MI	Part 213	3000 feet south of Kalamazoo River	phenanthrene, fluoranthrene	s	No	No groundwater encountered in soil borings down to 20 feet	file too small and no significant hydrogeo information to copy
53	Baker Oil 1583 West Dickman Road Battle Creek	Part 213	<0.5 mile south of Kalamazoo River	2-methylnaphthalene, BTEX, TMBs, naphthalene	S, GW	Yes	NE, 0-6 feet bgs, 2.85 ft/day, one gw unit indentified	1995 BEA, 1995FAR (portions copied), 2006 well decommissioning report, 2006 Verification of Remediation
54	City of Battle Creek, Equipment Division 350 West Michigan Ave Battle Creek MI	Part 213	500 feet north of Kalamazoo River	BTEX, TMBs	S, GW	Yes	SW, 25-32 ft bgs, gradient 0.006 ft/ft, 15.5 ft/year	2002 FAR (portions copied), 1989 tank reports, Initial Assessment Report, Free Product Status reports (portions copied)
55	City of Battle Creek Police Division 20 North Division Battle Creek, MI	Part 213	1100 north of Kalamazoo River, 400 feet south of Battle Creek River	BTEX	GW, S		N-NW towards Battle Creek River, 9-16 ft bgs, 816-821ft	1989 Hydrogeolocial Report (portions copied), 2000 FAR (Portions copied)
56	169 East State Street Battle Creek, MI	Part 213	1000 feet east of Kalamazoo River, 400 feet south of Battle creek River	Vinyl Chloride, dichlorofluormenthane	GW, surface water samples were ND	No	NW (towards Battle Creek River) 816-817 feet amsl	1995 Hydrogeological Study (portions copied) 1991 45-day Report (portions copied)
57	Battle Creek Gas Com 165 S Monroe Steet Battle Creek, MI	Part 213	<500 feet east of Kalamazoo River	BTEX	GW, S	No	N-NW, 10-12 ft bgs, 38 ft/year, 0.01 ft/ft	1996 FAR, Aquifer performance test (copied), Phase III Site investigation (portions copied) Phase I & II site investigation
58	Clark Service Station 328 Capital Ave	Part 213	1500 feet NE of Kalamazoo River	BTEX, Naphthalene, TMBs	GW, S	No	NE, 16 ft bgs, one hydrogeo unit	1999 FAR (portions copied), IAR, BEA, Supplemental reports (monitoring reports)
59	Columbia Cleaners 859 Capital Ave Battle Creek MI	Part 213		BTEX	S, GW		NE, 42-46 ft bgs	BEAs
60	Classic Crysler 1484 South Michigan Ave Battle Creek, MI	Part 213, closed						
61	General Foods 275 Cliff Street 12/31 Building	Part 213	3500 feet North of Kalamazoo river and south of Battle Creek river	BTEX	GW	Y	two aquifers upper flow direction is North at 852-858 amsl, and lower flow is N-NW at 816.5-817.5 amsl	Groundwater sampling reports, 2009 groundwater sampling and groundwater system decommissioning report 1998 RBCA Evaluation (poritons copied), Free product reports, 1990 preliminary Investigation report (copied)
62	General Foods 275 Cliff Street 10/19 Building	Part 213	3500 feet North of Kalamazoo river and south of Battle Creek river	acetaldeyde	s, gw	No	two aquifers upper flow direction is North at 852-858 amsl, and lower flow is N-NW at 816.5-817.5 amsl	1992 RAP (portions copied - aquifer hydraulic drawdown tests), 1994-2009 Groundwater monitoring reports, 1990 IAR, 1990 Site investigation Work Plan

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan

Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
63	EMRO #6318 390 East Michigan Ave Battle Creek, MI	Part 213	3000 feet north of Kalamazoo river, 2000 feet south of BC River	BTEX, MTBE	S, GW	Y	N, 20 ft bgs	1991, Site Assessment Report, 1993 Expanded Hydrogeological Report, Free Product Recovery Rports (1993-1994) 1996 & 2007 FAR, 1990-2010 Groundwater and Free Product Monitoring Reports
64	FISCA Oil Company 321 Capital Ave Battle Creek, Michigan	Part 213	4000 ft south of Kalamazoo river	Lead, BTEX,	S, GW	No	N, 28-31 ft bgs	1995 Initial Site Assessment, 1998 LUST Closure report, 1994 & 2007 Site Activities Reports, 2008 FAR (portions copied), Several status/monitoring reports (2008-2009)
65	Former Gas Station 170 Capital Ave Battle Creek, Mi	Part 213	200 ft SW of Kalamazoo river, Mill Pond is 1500 SE	PNAs	S		18' bgs, direction unknown	BEA
66	Kellogg Inst/BC Transit 2 Hamblin AVE/75 Beacon Street Battle Creek, MI	part 213	500 feet east of Kalamazoo river	BTEX, TMBs, PNAs	S, GW	No	W-SW, 812-815 amsl	1995 NPDES Permit, 1995 Administrative Agreement, 1994 Site Investigation and Corrective Action Plan (portions copied), O&M Plans for treatment, Performance Monitoring Reports (1996-2010)
67	Wright Brothers 420 East Michigan Battle Creek, MI	Part 213	3400 feet N of Kalamazoo river	BTEX, Lead	S, GW		East, 13.5 ft bgs, 0.008 ft/ft	1994 Hydrogeo Report (portions copied), 1992 Stie Investigation and Free Product Investigation and Hydrogeo Work Plan
68	Canteen Services 110 McCullen Kalamazoo, Mi	Part 201, closed	1500 ft North of Kalamazoo Rier		GW	No	South, 3-9'bgs	2003 Closure report
69	Bell Auto Sales 169 East Michigan Ave Galesburg, MI	closed 201/213	1500 ft North of Kalmazoo river	BTEX, TMBs	GW		South, 8' bgs	2003 Closure report, not much infor in file
70	Roelof Dairy 95 East Michigan Ave Kalamazoo, MI	Part 201	1000 ft north of Kalamazoo River				South, 9' bgs	2008 BEA, 1994 Phase I Hydrogeological Report, 1993 IAR, 1997 FAR (portions copied)
71	Titus Construction Co. 12105 East Michigan Ave Galesburg, MI	Part 201	300 ft South of Kalamazoo River	BTEX	GW, S		N-NW, 23' bgs	2001 LUST Closure Report (copied portions), 1998 FAR, 1994 Phase I Hydrogeological Report, 1995 Phase II Hydrogeological Report
72	Fort Custer Miliary Center Reservation	part 201	0-1 mile S of Kalamazoo River	BTEX, Lead, 111-TCA, Pce, Arsenic	S, GW, SW?		N&west of Kalamazoo River, 9-55' bgs, 4.2 ft/d	1993 Preliminary Assessment, 1996 SAP, 1995 Work Plan, 1995 Work Plan, 1995 Scope of Work/Site Investigation, 1997 Site Investigation Report (portions copied), 2007 final groundwater, surface water, and pore water Sampling Plan, 2007-2009 Groundwater Sampling Reports
73	Fort Custer Small Arms Firing Range	Part 201	0-1 mile S of Kalamazoo River	metals, SVOCs	S		N&west of Kalamazoo River, 9-55' bgs, 4.2 ft/d	1999 Scope of work, 1999 Environmental Site Assessment Work Plan, 2000 Site Investigation Report
74	Michigan Paperboard 79 Fountain Street Battle Creek, MI	Part 201/213	< 500 feet west of Kalamazoo River	BTEX, Isopropanol	S	No	No information	1989 Subsurface Investigation UST Removal Site, 1992 Progress Report and Site Investigation Work Plan
75	Western Michigan Refrigeration Warehouse 1400 South 35th Street Galesburg, Mi	Part 201/213	0.25 south of Kalamazoo River	BTEX, Naphthalene	GW	no	NW	1996 Closure Report, 1996 Environmental Reports - Phase II Subsurface Investigation (portions copied), 1998 Revision to the 1996 Closure Report
76	Texaco 1540 S 35th Street Kalamazoo, MI	Part 201/213	0.25 mile South of Kalamazoo River	BTEX, Naphthalene, TMBs, PNAs	S, GW	yes	N, 10' bgs	1996 Remediation Pilot Test Results, 1999 Groundwater Sampling Report, 1996 IAR, 1997 FAR, 2005 BEA
77	Mikes Tire Service 144 West Michigan Ave Kalamazoo, MI	Part 201	0.25 Mile North of Kalamazoo River	BTEX, PCE, Carbon Tet.	S, GW		W-SW, 0.00148 ft/day	1994 IAR, 1995 IAR/Phase I Hydrogeological Report (portions copied), 2006 BEA

Summary of Environment Sites along the Kalamazoo River

Hydrogeological Investigation

Enbridge Line 6B Release

Marshall, Michigan


Number	Site Name	Status	Proximity to Enbridge Investigative Area	Contaminants of Concern	Impacted Media	NAPL Present	Groundwater Flow Direction and Conditions	Comments
78	Galesburg-Augusta School 600 West Michigan Ave Kalamazoo, Mi	Part 201	900 feet west of Kalamazoo River and	BTEX, Naphthalene	S, SW	yes	N, 5.5-9.5 bgs	2004-2005 Status Reports, 1996 FAR, 1996 Investigation Summary Report, 1995 Investigation Summary Report (portions copied), 1994 Corrective Action Plan, 1993 Summary of Groundwater Investigation,
79	Davis Oil C-Store 6 East Michigan Ave Kalamazoo, MI	Part 201	1000 ft north of Kalamazoo River	BTEX	S, GW		S, 9 ft bgs	1987-89 Hydrogeological Reports (Groundwater Monitoring), 1991 Site Investigation Report, 1992 Interim Response Report, 1992 NPDES Permit, 1993 Site Investigation Report, 1994 Soils Investigation Report, 2000-2006 Status and Monitoring Reports
80	Davis Oil #2 45 West Michigan Ave	Part 201	1000 ft north of Kalamazoo River	BTEX	S, GW	yes	S-SE towards Kalamazoo River	1991 Site Investigation Report, 2002-2009 Free Product Status Reports, 1994 Hydrogeological Report, 1996 FAR
81	Fort Custer Heating Oil Spill	NFRA, Part 201						1996 No Further Remedial Action Letter, 1996 Release Closure Report. No Hydrogeological information in file.
82	Fort Custer State Lead							Mostly correspondence in file, no hydrogeological information
83	60 North 12th Street Springfield Michigan	Part 201	1000 ft South of Kalamazoo River	Arsenic, Lead, Benzo(a)pyrene	S		22' bgs	2003 BEA & Due Care Plan
84	1450 & 1588 West Dickman Road Springfield, MI	Part 201	1 mile South of Kalamazoo River					2005 BEA and Due Care Plan
85	C&F Service Station 3 Spring Street Battle Creek, Mi	Closed Part 213 Site						File not significant to Review
86	Calhoun County Medical Care Facility 1150 East Michigan Battle Creek, Mi	Closed Part 213 Site						File not significant to Review

S Soil
 GW Groundwater
 SW Surface Water
 GWFV Groundwater Flow Velocity
 bgs Below Ground Surface
 ft foot or feet
 N North
 NE Northeast
 NW Northwest
 SE Southeast
 SW Southwest
 amsl Above Mean Sea Level

Appendix B

USGS Hydrographs


USGS 04103500 KALAMAZOO RIVER AT MARSHALL, MI
 Drainage Area: 449 Square Miles, Length of Record: 41 Years



Last updated: 2010-10-29

Explanation - Percentile classes					
					Flow
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	
Much below normal	Below normal	Normal	Above normal	Much above normal	


USGS 04103500 KALAMAZOO RIVER AT MARSHALL, MI
 Drainage Area: 449 Square Miles, Length of Record: 41 Years



Last updated: 2010-10-29

Explanation - Percentile classes					
					—
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	


USGS 04103500 KALAMAZOO RIVER AT MARSHALL, MI
 Drainage Area: 449 Square Miles, Length of Record: 41 Years



Last updated: 2010-10-29

Explanation - Percentile classes					
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	


USGS 04103500 KALAMAZOO RIVER AT MARSHALL, MI
 Drainage Area: 449 Square Miles, Length of Record: 41 Years



Last updated: 2010-10-25

Explanation - Percentile classes					
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	

USGS 04103500 KALAMAZOO RIVER AT MARSHALL, MI
 Drainage Area: 449 Square Miles, Length of Record: 41 Years




Last updated: 2010-10-21

Explanation - Percentile classes					
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	

USGS OBSERVATION LOGS

USGS Station ID	Location	Lat	Long	Depth	Depth to Water Range (feet below LS)	Dates
#421614085270801	Miller Drive at Morrow Lake	42.27059785	-85.45222335	27	6 to 13.5	1987 - 2005
#421616085262801	Galesburgh Rest Area	42.2711534	-85.4411118	47.7	20.8 to 21.6	1987 - 1988
#421713085264601	E. Michigan Avenue, North of Morrow Lake	42.28781959	-85.44527929	29	13.2 to 16	1987 - 2005
#422056085211701	N. 42cnd St. North of Augusta	42.34892908	-85.35472255	34.8	9.8 to 12	1987 - 2005
#422207085175501	Michigan Ave, north of Kalamazoo River, near Area 4.	42.36753978	-85.29861	62.5	1.2 to 3.65	1987 - 2002




EXPLANATION

+ GWSI TAPE-DOWN MEASUREMENTS

NO WATER YEAR SUMMARY FOR TAPE-DOWN ONLY STATIONS

USGS STATION 421616085262801
PERIOD OF RECORD, WATER YEARS 1987 - 1988, PLOT GENERATED 8/4/2005
DEPTH OF WELL IS 47.7 FT, PRIMARY AQUIFER DESIGNATION:
FOR MORE INFORMATION REGARDING THESE DATA, PLEASE CONTACT
USGS MICHIGAN WATER SCIENCE CENTER, <http://mi.water.usgs.gov>
517-887-8903 (TELEPHONE); 517-887-8937 (FAX); hwreeves@usgs.gov (EMAIL)



EXPLANATION

+ GWSI TAPE-DOWN MEASUREMENTS

NO WATER YEAR SUMMARY FOR TAPE-DOWN ONLY STATIONS

USGS STATION 422056085211701
PERIOD OF RECORD, WATER YEARS 1987 - 2005, PLOT GENERATED 8/4/2005
DEPTH OF WELL IS 34.8 FT, PRIMARY AQUIFER DESIGNATION:
FOR MORE INFORMATION REGARDING THESE DATA, PLEASE CONTACT
USGS MICHIGAN WATER SCIENCE CENTER, <http://mi.water.usgs.gov>
517-887-8903(TELEPHONE); 517-887-8937(FAX); hwreeves@usgs.gov (EMAIL)

Appendix C

Potable Wells

Summary of Iron and Nickel Detection Ranges in Townships Along the Kalamazoo River

Townships	Iron Minimum Detected Concentration (mg/L)	Iron Maximum Detected Concentration (mg/L)	Nickel Minimum Detected Concentration (mg/L)*	Nickel Maximum Detected Concentration (mg/L)
Marshall	0.1	6.5	0.003	0.01
Emmett	0.1	5.9	0.002	0.01
Battle creek	0.1	5.08	0.001	0.007
Bedford	0.09	6	0.002	0.01
Ross	0.01	7.2	0.003	0.01
Charleston	0.1	10.3	0.003	0.01
Comstock	0.02	16	0.002	0.008
Enbridge PW Data Set	0.02	6.71	0.005	0.043

* a number of the results were reported as 0.000, these are suspect and not included in the summary for nickel

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**

Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0002C6A	C0002C6	16-305-006-00	105	MARSHALL ST	105 MARSHALL ST	Ceresco	MI	Calhoun	Unattended Permission, Anytime	25-Sep-10		Iron (1)				9/25/2010		10/25/2010	2			10/6/2010			1
C0004F3A	C0004F3	10-026-008-20	10719	D DR N	10719 D DR N	CERESCO	MI	Calhoun	Permit but Call/Schedule Required	12-Sep-10		Iron (2)		8/31/2010	9/12/2010	9/20/2010		10/17/2010	4	10/1/2010	10/1/2010				2
C001311A	C001311	16-468-109-00	117	FRIENDSHIP LN	117 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	06-Sep-10		Iron (1)			9/8/2010			10/27/2010	2			10/4/2010			1
C001899A	C001899	16-341-063-00	12252	15 1/2 MILE RD	12252 15 1/2 MILE RD	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	31-Aug-10				8/31/2010			10/11/2010, 10/12/2010	10/22/2010	4	10/14/2010	10/15/2010				2
C002068A	C002068	16-341-063-01	12260	15 1/2 MILE RD	12260 15 1/2 MILE RD	MARSHALL	MI	Calhoun	Permit but Call/Schedule Required	31-Aug-10				8/31/2010	9/12/2010			10/22/2010	3	10/21/2010	10/15/2010				2
C0021FEA	C0021FE	16-340-021-03	12271	15 1/2 MILE RD	12271 15 1/2 MILE RD	MARSHALL	MI	Calhoun	Permit but Call/Schedule Required	19-Sep-10					9/4/2010	9/19/2010	10/11/2010	10/24/2010	4	10/14/2010	10/4/2010				2
C0023D2WP1	C0023D2	10-200-005-00	123	N Main	123 N Main	Ceresco	MI	Calhoun	Permit but Call/Schedule Required	13-Oct-10															
C002471A	C002471	16-341-051-01	12374	16 MILE RD	12374 16 MILE RD	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (2)		9/1/2010	9/4/2010	9/17/2010	10/13/2010		4	10/5/2010	10/4/2010, 10/13/2010				3
C0027CBA	C0027CB	16-340-021-05	12461	15 1/2 MILE RD	12461 15 1/2 MILE RD	MARSHALL	MI	Calhoun	Unattended Permission - Anytime	31-Aug-10		Iron (3)		8/31/2010	9/12/2010	9/17/2010	10/11/2010	10/21/2010	5	10/14/2010	10/13/2010				2
C0029CCWP1	C0029CC	16-305-009-00	125	MARSHALL ST	125 MARSHALL ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	08-Sep-10															
C0040EE	C0040EE	16-340-081-00	12909	15 MILE RD	12909 15 MILE RD	MARSHALL	MI		Permit but Call/Schedule Required	25-Oct-10								10/25/2010	1						
C0042C2WP1	C0042C2	10-460-015-00	130	RIVER DR.	130 RIVER DR.	BATTLE CREEK			Unattended Permission, Anytime	23-Oct-10															
C00474DA	C00474D	10-460-012-00	134	S RIVER DR	134 S RIVER DR	BATTLE CREEK	MI		Unattended Permission, Anytime	24-Oct-10								10/24/2010	1						
C0048DCA	C0048DC	04-530-074-00	135	QUAIL ST	135 QUAIL ST	Battle Creek	MI	CALHOUN	Unattended Permission, Anytime	23-Sep-10		Iron (2)				9/23/2010	10/7/2010	10/17/2010	3			10/6/2010	10/26/2010		2
C005139A	C005139	04-530-075-00	137	QUAIL ST	137 QUAIL ST	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10		Iron (5)		8/28/2010	9/13/2010	9/21/2010	10/7/2010	10/17/2010	5	10/2/2010	10/4/2010	10/8/2010	10/25/2010		4
C005315A	C005315	16-304-003-00	138	N MAIN ST	138 N MAIN ST	CERESCO	MI		Unattended Permission, Restricted Times	25-Oct-10								10/25/2010	1						
C00589DA	C00589D	04-530-076-00	141	QUAIL ST	141 QUAIL ST	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10		Iron (5)		8/28/2010	9/13/2010	9/21/2010	10/7/2010	10/17/2010	5	10/2/2010	10/4/2010	10/7/2010	10/26/2010		4
C00856DA	C00856D	04-26-365-050	15200	E AUGUSTA DR	15200 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	07-Sep-10		Iron (3)			9/7/2010	9/17/2010	10/8/2010	10/18/2010	4		10/5/2010		10/25/2010		2
C00928FA	C00928F	04-26-384-030	15470	E AUGUSTA DR	15470 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission - Anytime	27-Oct-10				8/31/2010				10/27/2010	2	10/5/2010					1
C0094BAPW1	C0094BA	16-340-021-00	15501	TAU RD	15501 TAU RD	MARSHALL	MI	Calhoun	Permit but Call/Schedule Required	01-Sep-10		Iron (2)			9/11/2010	9/25/2010			2		10/4/2010	10/6/2010			2
C009696A	C009696	16-340-048-00	15516	A DR N	15516 A DR N	MARSHALL	MI		Unattended Permission, Anytime	25-Oct-10								10/25/2010	1						
C0108EFWP1	C0108EF	16-350-030-01	16235	DIVISION DR	16235 DIVISION DR	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	24-Oct-10															
C011485A	C011485	16-301-015-00	173	S MAIN ST	173 S MAIN ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	19-Sep-10		Iron (2)				9/19/2010	10/6/2010	10/16/2010	3				10/19/2010		1
C0118AEA	C0118AE	16-307-009-00	187	WATERS ST	187 WATERS ST	CERESCO	MI	Calhoun	Permit but Call/Schedule Required	28-Aug-10		Iron (3)		8/28/2010	9/11/2010	9/20/2010	10/12/2010	10/22/2010	5	10/14/2010	10/14/2010				2
C0127FCA	C0127FC	16-468-082-00	21	FRIENDSHIP LN	21 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	16-Sep-10				8/31/2010				10/23/2010	2	10/5/2010					1

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**

Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0129FBA	C0129FB	16-468-079-00	215	HEATHER DR	215 HEATHER DR	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	04-Sep-10		Iron (3)			9/4/2010, 9/9/2010	9/24/2010	10/11/2010	10/21/2010	5		10/4/2010, 10/4/2010	10/6/2010			3
C013407A	C013407	16-307-027-00	224	C DR N	224 C DR N	CERESCO	MI	Calhoun	Unattended Permission, Anytime	19-Sep-10		Iron (1)			9/5/2010	9/20/2010	10/6/2010	10/15/2010	4		10/1/2010		10/19/2010		2
C0137BDA	C0137BD	16-463-006-00	237	SQUAW CREEK RD	237 SQUAW CREEK RD	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (5)		9/1/2010	9/11/2010	9/20/2010	10/2/2010	10/16/2010	5	10/5/2010	10/4/2010				2
C0139BAA	C0139BA	16-463-009-00	243	SQUAW CREEK RD	243 SQUAW CREEK RD	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (4)		9/1/2010	9/12/2010	9/19/2010	10/3/2010	10/16/2010	5	10/5/2010	10/4/2010		10/19/2010		3
C0144C0A	C0144C0	16-468-083-00	29	FRIENDSHIP LN	29 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	12-Sep-10		Iron (3)		8/31/2010	9/12/2010	9/19/2010	10/1/2010	10/14/2010	5	10/5/2010	10/4/2010				2
C01477APW1	C01477A	04-029-008-01	340	Stillson	340 Stillson	Battle Creek		Calhoun	Refused Permission	29-Sep-10		Iron (2)													
C01497DA	C01497D	04-520-012-00	3609	KALAMAZOO AVE	3609 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	21-Sep-10		Iron (2)		8/31/2010		9/21/2010	10/10/2010	10/21/2010	4	10/14/2010		10/8/2010			2
C015098PW1	C015098	10-560-139-00	401	S SHORE DR	401 S SHORE DR	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10		Iron (4)		8/28/2010	9/13/2010	9/19/2010	10/10/2010	10/20/2010	5	10/2/2010	10/4/2010, 10/13/2010				3
C015322A	C015322	04-550-025-00	4057	SAN JUAN AVE	4057 SAN JUAN AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	07-Sep-10		Iron (3)			9/13/2010	9/16/2010	9/30/2010	10/14/2010	4		10/6/2010, 10/4/2010	10/6/2010	10/19/2010		4
C015481A	C015481	04-550-024-00	4059	SAN JUAN AVE	4059 SAN JUAN AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	04-Sep-10		Iron (2)			9/4/2010	9/16/2010	9/30/2010	10/14/2010	4		10/4/2010	10/6/2010	10/19/2010		3
C0156ADA	C0156AD	04-550-022-00	4075	SAN JUAN AVE	4075 SAN JUAN AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (4), Nickel (3)		9/1/2010	9/13/2010	9/21/2010	9/30/2010	10/14/2010	5	10/14/2010					1
C01573BA	C01573B	04-550-021-00	4077	SAN JUAN AVE	4077 SAN JUAN AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (4)		9/1/2010	9/13/2010	9/16/2010	9/30/2010	10/14/2010	5		10/4/2010	10/14/2010			2
C016277A	C016277	16-468-080-00	5	FRIENDSHIP LN	5 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	06-Sep-10		Iron (2)			9/8/2010			10/23/2010	2		10/5/2010				1
C0165D4PW1	C0165D4	10-560-116-06	601	S SHORE DR, SUITE 226	601 S SHORE DR, SUITE 226	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	14-Sep-10		Iron (2)		8/28/2010, 8/31/2010	9/14/2010	9/20/2010	10/9/2010	10/19/2010	6	10/4/2010, 10/5/2010	10/5/2010				3
C017595PW1	C017595	10-800-146-00	905	BELTON	905 BELTON	Battle Creek	MI	Calhoun	Unattended Permission, Anytime	24-Oct-10								10/24/2010	1						
C0177B9A	C0177B9	10-800-143-00	917	BELTON AVE	917 BELTON AVE	Battle Creek	MI	Calhoun	Unattended Permission, Anytime	28-Sep-10		Iron (2)				9/28/2010		10/24/2010	2			10/20/2010			1
C0179BEPW1	C0179BE	16-468-106-00	93	FRIENDSHIP LN	93 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	15-Sep-10							10/13/2010	10/23/2010	2						
C0180D5A	C0180D5	10-800-140-00	937	BELTON AVE	937 BELTON AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	31-Aug-10		Iron (4)		8/31/2010	9/14/2010	9/20/2010	10/7/2010	10/17/2010	5	10/5/2010	10/5/2010				2
C01836FA	C01836F	10-800-138-00	945	BELTON AVE	945 BELTON AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	30-Aug-10		Iron (5)		8/30/2010	9/13/2010	9/20/2010	10/7/2010	10/17/2010	5	10/5/2010	10/4/2010, 10/13/2010				3
C01855AA	C01855A	07-26-205-023	9561	MILLER DR	9561 MILLER DR	GALESBURG	MI	KALAMAZOO	Unattended Permission, Anytime	23-Sep-10						9/23/2010	10/5/2010	10/16/2010	3			10/6/2010	10/19/2010	10/28/2010	3
C018776A	C018776	07-26-226-016	9845	MILLER DR	9845 MILLER DR	GALESBURG	MI	KALAMAZOO	Unattended Permission, Anytime	23-Sep-10						9/23/2010	10/5/2010	10/16/2010	3			10/6/2010	10/19/2010		2
C0188E7A	C0188E7	10-200-003-00	107	N MAIN ST	107 N MAIN ST	CERESCO	MI																		
C01932EA	C01932E	08-19-201-030	11530	E MICHIGAN AVE	11530 E MICHIGAN AVE	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	01-Sep-10		Iron (1)		9/1/2010	9/12/2010		10/3/2010	10/16/2010	4	9/2/2010	10/4/2010, 10/18/2010				3
C01948DPW1	C01948D	08-18-451-052	11623	E MICHIGAN AVE	11623 E MICHIGAN AVE	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	06-Sep-10					9/8/2010	9/17/2010	10/8/2010	10/18/2010	4		10/16/2010	10/8/2010	10/25/2010		3
C019930PW1	C019930	08-17-376-021	12421	FORT CUSTER	12421 FORT CUSTER	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	23-Oct-10								10/23/2010	1						
C0208B6A	C0208B6	10-025-002-01	13858	11 MILE RD	13858 11 MILE RD	CERESCO	MI	CALHOUN	Unattended Permission, Anytime	24-Sep-10		Iron (2), Naphthalene (1)				9/24/2010	10/6/2010	10/16/2010	3			10/6/2010			1

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**

Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0218F7PW1	C0218F7	16-340-096-00	15395	A DR N	15395 A DR N	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	01-Sep-10		Iron (2)			9/15/2010	9/22/2010			2		10/4/2010	10/13/2010			2
C0227A5A	C0227A5	04-520-008-01	3588	KALAMAZOO AVE	3588 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10				8/28/2010	9/13/2010	9/21/2010	10/10/2010	10/21/2010	5	10/4/2010	10/14/2010	10/14/2010			3
C0229A2A	C0229A2	6120-00-019-0	391	SOUTH SHORE DR	391 SOUTH SHORE DR	BATTLE CREEK	MI	CALHOUN	Unattended Permission, Anytime	28-Sep-10		Iron (1)				9/28/2010	10/12/2010	10/27/2010	3			10/19/2010, 10/20/2010			2
C023047A	C023047	04-550-027-00	4039	SAN JUAN AVE	4039 SAN JUAN AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	31-Aug-10		Iron (4)		8/31/2010	9/13/2010	9/16/2010	9/30/2010	10/14/2010	5	10/5/2010	10/4/2010	10/7/2010	10/19/2010		4
C0231D1A	C0231D1	04-550-041-00	4060	SAN JUAN AVE	4060 SAN JUAN AVE	BATTLE CREEK	MI	CALHOUN	Unattended Permission, Anytime	23-Sep-10		Iron (3)				9/25/2010	9/30/2010	10/14/2010	3			10/6/2010			1
C02433AWP1	C02433A	10-200-002-00	103	N MAIN ST	103 N MAIN ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	04-Sep-10		Iron (2)			9/4/2010	9/17/2010	10/6/2010	10/15/2010	4		10/13/2010	10/13/2010	10/16/2010		3
C0246B5WP1	C0246B5	08-18-451-030	42	MCCOLLUM	42 MCCOLLUM	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	12-Oct-10															
C024723PW1	C024723	07-24-380-050	10461	MILLER DR	10461 MILLER DR	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	26-Aug-10					9/4/2010	9/17/2010	10/6/2010	10/19/2010	4						
C0248B2PW1	C0248B2	07-24-455-010	10509	MILLER DR	10509 MILLER DR	GALESBURG	MI	Kalamazoo	Permit but Call/Schedule Required	06-Sep-10		Iron (3)			9/8/2010	9/17/2010	10/6/2010	10/16/2010	4		10/13/2010	10/7/2010	10/19/2010		3
C0250C1WP1	C0250C1	07-24-455-020	10571	MILLER DR	10571 MILLER DR	GALESBURG	MI	Kalamazoo																	
C0250C1WP2	C0250C1	07-24-455-020	10571	MILLER DR	10571 MILLER DR	GALESBURG	MI	Kalamazoo										10/23/2010	1						
C0252EDA	C0252ED	07-24-455-030	10629	MILLER DR	10629 MILLER DR	GALESBURG	MI	Kalamazoo	Permit but Call/Schedule Required	06-Sep-10					9/8/2010	9/17/2010	10/6/2010	10/16/2010	4		10/13/2010	10/7/2010	10/19/2010		3
C0254D8	C0254D8	10-026-008-10	10691	D DR N	10691 D DR N	CERESCO	MI	Calhoun	Unattended Permission, Anytime	05-Sep-10		Iron (1)			9/5/2010			10/24/2010	2		10/6/2010				1
C025965WP1	C025965	08-18-451-041	11447	East Michigan Ave	11447 East Michigan Ave	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	09-Oct-10								10/16/2010	1						
C0269A6PW1	C0269A6	08-19-205-070	11531	CLIMAX DR	11531 CLIMAX DR	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	08-Oct-10				8/29/2010	9/11/2010	9/17/2010	10/8/2010	10/18/2010	5	10/13/2010		10/13/2010	10/25/2010		3
C0271D5PW1	C0271D5	08-19-201-050	11584	E MICHIGAN AVE	11584 E MICHIGAN AVE	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	25-Oct-10						9/19/2010		10/25/2010	2			10/14/2010			1
C0273F9WP1	C0273F9	10-025-005-02	11722	E DRIVE NORTH	11722 E DRIVE NORTH	Ceresco	MI	Calhoun	Unattended Permission, Anytime	03-Oct-10	Toluene (1)	Iron (1)					10/3/2010	10/24/2010	2						
C0286B9PW1	C0286B9	16-341-051-03	12224	16 MILE RD	12224 16 MILE RD	MARSHALL	MI	Calhoun	Refused Permission	24-Sep-10															
C0292E1A	C0292E1	16-341-054-00	12350	15 1/2 MILE RD	12350 15 1/2 MILE RD	MARSHALL	MI	Calhoun	Unattended Permission - Anytime	31-Aug-10		Iron (2)		8/31/2010		9/22/2010	10/1/2010	10/14/2010	4	10/13/2010		10/13/2010			2
C0298FFWP1	C0298FF	9070-00-038-0	126	PARRISH ST	126 PARRISH ST	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	06-Oct-10		Iron (1)					10/7/2010	10/17/2010	2						
C0298FFWP2	C0298FF	9070-00-038-0	126	PARRISH ST	126 PARRISH ST	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	06-Oct-10															
C0300B3WP1	C0300B3	08-17-251-022	12651	FORT CUSTER DR	12651 FORT CUSTER DR	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	07-Sep-10		Iron (1)			9/9/2010			10/23/2010	2		10/16/2010				1
C030309WP1	C030309	16-305-012-00	127	MARSHALL ST	127 MARSHALL ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	08-Sep-10				9/10/2010, 9/11/2010	9/20/2010	10/6/2010	10/15/2010	10/13/2010, 10/13/2010	5		10/13/2010, 10/13/2010	10/13/2010	10/19/2010		4
C0304AAPW1	C0304AA	10-460-007-01	127	S RIVER DR	127 S RIVER DR	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	29-Sep-10		Iron (1)			9/4/2010	9/29/2010	10/12/2010	10/23/2010	4		10/13/2010	10/20/2010			2
C030917WP1	C030917	08-17-251-013	12929	FORT CUSTER DR	12929 FORT CUSTER DR	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	07-Sep-10								10/23/2010	1						
C0310F2PW1	C0310F2	16-468-081-00	13	FRIENDSHIP LN	13 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	24-Oct-10		Iron (1)			9/8/2010			10/24/2010	2		10/16/2010				1

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**


Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0314EBWP1	C0314EB	16-306-012-00	134	MARSHALL ST	134 MARSHALL ST	CERESCO	MI	Calhoun	Unattended Permission, Restricted Times	12-Oct-10								10/15/2010	1						
C031751PW1	C031751	16-305-015-00	137	MARSHALL ST	137 MARSHALL ST	CERESCO	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10		Iron (2)		8/28/2010	9/11/2010			10/24/2010	3	10/26/2010					1
C032604WP1	C032604	16-306-018-00	148	C DR N	148 C DR N	CERESCO	MI	Calhoun	Unknown																
C033469WP1	C033469	04-25-390-010	15095	FORT CUSTER DR	15095 FORT CUSTER DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	05-Sep-10		Iron (6)			9/8/2010	9/18/2010	10/8/2010	10/19/2010	4						
C0335FFWP1	C0335FF	04-35-105-010	15098	E AUGUSTA DR	15098 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Permit but Call/Schedule Required	29-Aug-10		Iron (1)				10/3/2010	10/27/2010	2							
C033645WP1	C033645	04-26-365-030	15132	E AUGUSTA DR	15132 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	12-Sep-10		Iron (2)			9/12/2010			10/27/2010	2						
C033645WP1	C033645	04-26-365-030	15132	E AUGUSTA DR	15132 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	12-Sep-10		Iron (2)			9/12/2010			10/27/2010	2						
C0337D3WP1	C0337D3	04-26-365-040	15148	E AUGUSTA DR	15148 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	04-Sep-10		Iron (2)			9/4/2010	9/18/2010	10/8/2010	10/18/2010	4		10/13/2010	10/13/2010	10/25/2010		3
C03429BWP1	C03429B	04-26-380-061	15340	E AUGUSTA DR	15340 E AUGUSTA DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	18-Oct-10		Iron (3)			9/7/2010	9/18/2010	10/9/2010	10/20/2010	4		10/13/2010	10/13/2010	10/26/2010		3
C035755WP1	C035755	04-25-456-010	16757	FORT CUSTER DR	16757 FORT CUSTER DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	05-Sep-10		Iron (3)			9/8/2010	9/18/2010	10/8/2010	10/18/2010	4		10/13/2010	10/8/2010, 10/13/2010	10/25/2010		4
C035755WP2	C035755	04-25-456-010	16757	FORT CUSTER DR	16757 FORT CUSTER DR	AUGUSTA	MI	Kalamazoo	Unattended Permission, Anytime	05-Sep-10					9/8/2010	9/18/2010	10/8/2010	10/18/2010	4		10/13/2010	10/8/2010, 10/13/2010	10/25/2010		4
C0375FBWP1	C0375FB	10-008-006-00	201	RAYMOND RD S	201 RAYMOND RD S	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	04-Sep-10								10/21/2010	1						
C0377D7A	C0377D7	16-306-021-00	208	MARSHALL ST	208 MARSHALL ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	25-Sep-10		Iron (2)		8/28/2010		9/25/2010	10/6/2010	10/20/2010	4	10/1/2010		10/6/2010	10/19/2010		3
C038297	C038297	16-306-024-00	222	C DR N	222 C DR N	CERESCO	MI	Calhoun	Unattended Permission, Anytime	05-Sep-10					9/5/2010			10/24/2010	2		10/6/2010				1
C0384A2WP1	C0384A2	16-306-015-00	226	C DR N	226 C DR N	CERESCO	MI	Calhoun	Unattended Permission, Anytime	05-Sep-10		Iron (3)			9/5/2010	9/21/2010	10/6/2010	10/15/2010	4		10/13/2010	10/13/2010	10/25/2010		3
C03868EWP1	C03868E	16-300-030-00	227	S MAIN ST	227 S MAIN ST	CERESCO	MI	Calhoun	Unattended Permission, Anytime	04-Sep-10					9/4/2010	9/21/2010	10/6/2010	10/15/2010	4		10/13/2010	10/13/2010	10/19/2010		3
C038718WP1	C038718	16-463-003-00	227	SQUAW CREEK RD	227 SQUAW CREEK RD	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	21-Sep-10					9/11/2010	9/21/2010	10/2/2010	10/15/2010	4		10/13/2010	10/13/2010			2
C039759WP1	C039759	16-307-003-00	186	WATER ST	186 WATER ST	CERESCO	MI	Calhoun	Permit but Call/Schedule Required	03-Oct-10							10/12/2010	10/23/2010	2						
C043756WP1	C043756	16-463-012-00	305	SQUAW CREEK RD	305 SQUAW CREEK RD	MARSHALL	MI	Calhoun	Permit but Call/Schedule Required	07-Sep-10		Iron (2)			9/9/2010	9/21/2010	10/12/2010	10/22/2010	4		10/13/2010	10/13/2010			2
C044607PW1	C044607	16-463-015-00	313	SQUAW CREEK RD	313 SQUAW CREEK RD	MARSHALL	MI	Calhoun	Permit but Call/Schedule Required	08-Sep-10		Iron (2)			9/9/2010	9/21/2010	10/12/2010	10/22/2010	4		10/13/2010	10/13/2010			2
C046713WP1	C046713	04-520-006-00	3580	KALAMAZOO AVE	3580 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10															
C046882A	C046882	04-520-010-00	3583	KALAMAZOO AVE	3583 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Permit but Call and Schedule First	26-Aug-10				8/28/2010	9/13/2010	9/21/2010	10/10/2010	10/20/2010	5		10/13/2010				1
C0470F1PW1	C0470F1	04-520-011-00	3595	KALAMAZOO AVE	3595 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	26-Aug-10		Iron (2)			9/4/2010	9/21/2010	10/10/2010	10/21/2010	4		10/13/2010	10/13/2010			2
C04757EWP1	C04757E	04-520-014-00	3613	KALAMAZOO AVE	3613 KALAMAZOO AVE	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	07-Sep-10					9/7/2010	9/21/2010	10/10/2010	10/21/2010	4		10/13/2010	10/13/2010			2
C04879DWP1	C04879D	6120-00-003-0	395	S SHORE DR	395 S SHORE DR	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	28-Sep-10		Iron (1)					9/28/2010	10/12/2010	10/23/2010	3		10/20/2010	10/28/2010		2

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**

Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0491E9PW1	C0491E9	10-560-137-00	405	S SHORE DR	405 S SHORE DR	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Aug-10		Iron (4)		8/28/2010	9/13/2010	9/19/2010	10/10/2010	10/20/2010	5	10/13/2010	10/13/2010	10/13/2010	10/28/2010		4
C052339PW1	C052339	10-560-131-00	519	S SHORE DR	519 S SHORE DR	BATTLE CREEK	MI	Calhoun	Unattended Permission - Anytime	26-Sep-10		Iron (4)		8/28/2010	9/13/2010	9/19/2010	10/9/2010	10/19/2010	5	10/13/2010	10/13/2010	10/13/2010			3
C053154PW1	C053154	10-560-130-00	531	S SHORE DR	531 S SHORE DR	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	04-Sep-10		Iron (1)				10/9/2010	10/20/2010		2						
C05354DA	C05354D	10-560-127-00	545	S SHORE DR	545 S SHORE DR	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	15-Sep-10		Iron (5)		8/28/2010	9/15/2010	9/22/2010	10/9/2010	10/19/2010	5	10/2/2010, 10/15/2010	10/15/2010, 10/4/2010	10/14/2010	10/26/2010		6
C053761WP1	C053761	0134-00-055-0	555	INDUSTRIAL PARK DR	555 INDUSTRIAL PARK DR	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	09-Sep-10		Iron (1)				9/20/2010	10/12/2010	10/25/2010	3			10/13/2010			1
C0555CBA	C0555CB	16-468-087-00	61	FRIENDSHIP LN	61 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	06-Sep-10		Iron (4)		9/8/2010	9/19/2010	10/1/2010	10/14/2010		4		10/5/2010				1
C0568B5PW1	C0568B5	16-468-102-00	69	FRIENDSHIP LN	69 FRIENDSHIP LN	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	06-Sep-10		Iron (3)		9/8/2010	9/19/2010	10/1/2010	10/15/2010		4		10/13/2010	10/13/2010			2
C0572EAWP1	C0572EA	10-560-120-00	703	COLUMBIA AVE E	703 COLUMBIA AVE E	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	04-Sep-10		Iron (2)		9/7/2010	9/20/2010	10/11/2010	10/23/2010		4		10/13/2010	10/13/2010			2
C0574DFWP1	C0574DF	10-560-119-00	709	COLUMBIA AVE E	709 COLUMBIA AVE E	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	14-Sep-10		Iron (1)			9/28/2010	10/12/2010	10/23/2010		3			10/19/2010			1
C0587AAPW1	C0587AA	08-19-210-010	11641	CLIMAX DRIVE	11641 CLIMAX DRIVE	GALESBURG	MI	Kalamazoo	0																
C059451PW1	C059451	10-016-018-00	8375	RIVER RD E	8375 RIVER RD E	BATTLE CREEK	MI	Calhoun	Refused Permission	20-Sep-10				9/4/2010					1		10/13/2010				1
C0601CEWP1	C0601CE	10-016-007-00	8635	G DR N	8635 G DR N	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	11-Oct-10								10/20/2010	1						
C0601CEWP2	C0601CE	10-016-007-00	8635	G DR N	8635 G DR N	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	11-Oct-10								10/20/2010	1						
C0603E2WP1	C0603E2	10-016-021-00	8731	G DR N	8731 G DR N	BATTLE CREEK	MI	Calhoun	Unattended Permission, Anytime	14-Sep-10		Iron (2)	8/30/2010	9/14/2010					2	10/15/2010	10/15/2010				2
C060441WP1	C060441	10-016-006-01	8745	G DR N	8745 G DR N	BATTLE CREEK	MI	Calhoun	On DO NOT CONTACT List	25-Sep-10		Iron (1)		9/4/2010	9/19/2010				2		10/13/2010	10/13/2010			2
C06162CPW1	C06162C	10-018-002-00	97	KENOSHA AVE	97 KENOSHA AVE	BATTLE CREEK	MI	Calhoun	Permit but Call/Schedule Required	20-Sep-10		Iron (2)		9/7/2010	9/20/2010	10/11/2010	10/25/2010		4		10/13/2010	10/13/2010			2
C062360A	C062360	16-304-006-00	120	N MAIN ST	120 N MAIN ST	CERESCO																			
C0668ECA	C0668EC	16-462-030-00	219	SQUAW CREEK RD	219 SQUAW CREEK RD	MARSHALL	MI											10/24/2010	1						
C0678ADA	C0678AD	08-03-105-020	501	S CHURCH ST	501 S CHURCH ST	AUGUSTA	MI	KALAMAZOO	Unattended Permission, Anytime	23-Sep-10						9/23/2010	10/8/2010	10/18/2010	3			10/6/2010	10/26/2010		2
C06827CA	C06827C	10-008-024-00	7601	RIVER RD E	7601 RIVER RD E	BATTLE CREEK																			
C0693ABPW1	C0693AB	10-016-012-02	8264	RIVER RD	8264 RIVER RD	Battle Creek	MI	Calhoun	Permit but Call/Schedule Required	27-Oct-10								10/27/2010	1						
C07198APW1	C07198A	08-19-205-010	11493	CLIMAX DRIVE	11493 CLIMAX DRIVE	GALESBURG	MI	Kalamazoo	Permit but Call/Schedule Required	04-Oct-10		Iron (1)					10/4/2010		1				10/19/2010		1
C0730ACPW1	C0730AC	08-19-256-150	11642	CLIMAX DR.	11642 CLIMAX DR.	GALESBURG	MI	Kalamazoo	Unattended Permission, Anytime	14-Sep-10		Iron (2)	9/1/2010	9/14/2010	9/22/2010	10/9/2010	10/25/2010		5	10/13/2010	10/13/2010		10/25/2010		3
C0755A5PW1	C0755A5	08-17-251-022	12651	FORT CUSTER	12651 FORT CUSTER	Augusta		Kalamazoo	Permit but Call/Schedule Required	03-Oct-10											10/16/2010				1
C07824BPW1	C07824B	04-34-245-020	14962	AUGUSTA DRIVE	14962 AUGUSTA DRIVE	Augusta		Kalamazoo	Unattended Permission, Anytime	29-Aug-10								10/27/2010	1						
C08523BPW1	C08523B	0133-00-018-0	690	W. RIVER RD	690 W. RIVER RD	Battle Creek	MI	Calhoun	Unattended Permission, Anytime	27-Oct-10								10/27/2010	1						
C086970PW1	C086970	04-34-350-020		AUGUSTA WELL #1	AUGUSTA WELL #1	Augusta	MI	Kalamazoo	Permit but Call/Schedule Required	27-Oct-10								10/27/2010	1						
C086970PW2	C086970	04-34-350-020		AUGUSTA WELL #1	AUGUSTA WELL #1	Augusta	MI	Kalamazoo	Permit but Call/Schedule Required	27-Oct-10								10/27/2010	1						

**Residential Well Sampling and Letter Status
Wells Within 200-Foot High Water Mark Buffer
as of October 25, 2010**

Well Number	Property Number	Tax ID	House No	Street	Address	City	State	County	Permission	Permission Date	BTEX, GRO, ORO, DRO Detects	Other Crude Oil Constituent Detects	Period 0 (7/27 - 8/18)	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Sampling Events Count	Period 1 (8/19 - 9/1)	Period 2 (9/2 - 9/15)	Period 3 (9/16 - 9/29)	Period 4 (9/30 - 10/13)	Period 5 (10/14 - 10/27)	Letters Sent Count
C0872B9PW1	C0872B9	04-26-380-010	15320	AUGUSTA DRIVE	15320 AUGUSTA DRIVE	Augusta	MI	Kalamazoo	Unattended Permission, Anytime	29-Aug-10		Iron (3)		8/30/2010		9/18/2010	10/8/2010		3		10/17/2010		10/25/2010		2
C0872B9PW2	C0872B9	04-26-380-010	15320	AUGUSTA DRIVE	15320 AUGUSTA DRIVE	Augusta	MI	Kalamazoo	Unattended Permission, Anytime	29-Aug-10					9/4/2010	9/18/2010	10/8/2010		3		10/17/2010		10/25/2010		2
C0876A0WP1	C0876A0	0134-00-005-0	500	RIVER RD W	500 RIVER RD W	Battle Creek	MI	Calhoun	Permit but Call/Schedule Required	04-Oct-10		Iron (1)					10/5/2010	10/25/2010	2				10/19/2010		1
C087736WP1	C087736	08-19-256-010	364	STREAMSIDE DR	364 STREAMSIDE DR	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	27-Sep-10		Nickel (1)				9/27/2010	10/9/2010	10/19/2010	3				10/25/2010		1
C0878A7WP1	C0878A7	54-050-032-00	283	16TH ST N	283 16TH ST N	Springfield	MI	Calhoun																	
C0881CCWP1	C0881CC	10-025-014-02	176	MAIN ST	176 MAIN ST	Ceresco	MI	Calhoun	Unattended Permission, Anytime	02-Oct-10		Iron (1)					10/4/2010	10/16/2010	2				10/20/2010		1
C088276WP1	C088276	10-025-014-03	170	MAIN ST	170 MAIN ST	Ceresco	MI	Calhoun	Unattended Permission, Anytime	12-Oct-10							10/13/2010	10/22/2010	2						
C0883E0WP1	C0883E0	07-26-206-030	9537	MILLER DR	9537 MILLER DR	Galesburg	MI	Kalamazoo	Permit but Call/Schedule Required	07-Oct-10															
C08901BWP1	C08901B	07-26-130-040	9411	MILLER DR	9411 MILLER DR	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	11-Oct-10							10/12/2010	10/23/2010	2						
C090249WP1	C090249	07-26-205-026	9699	MILLER DR	9699 MILLER DR	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	26-Sep-10							10/4/2010, 10/13/2010	10/23/2010	3						
C091208WP2	C091208	07-22-130-370	8423	PLAZA	8423 PLAZA	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	29-Sep-10												10/20/2010	10/26/2010		2
C091816WP1	C091816	04-530-059-00	128	QUAIL ST	128 QUAIL ST	Battle Creek	MI	Calhoun	Unattended Permission, Anytime	29-Sep-10															
C0928D5WP1	C0928D5	16-340-012-00	15505	A DR N	15505 A DR N	Marshall	MI	Calhoun	Unattended Permission, Anytime	05-Oct-10															
C092943WP1	C092943	16-340-018-00	15515	A DR N	15515 A DR N	Marshall	MI	Calhoun	Unattended Permission, Anytime	02-Oct-10		Iron (2)					10/5/2010		1						
C0947C2WP1	C0947C2	16-340-090-00	15495	A DR N	15495 A DR N	Marshall	MI	Calhoun	Permit but Call/Schedule Required	05-Oct-10															
C0949C5WP1	C0949C5	10-460-005-00	117	RIVER RD S	117 RIVER RD S	Battle Creek	MI	Calhoun	Unattended Permission, Anytime	25-Sep-10		Iron (1)				9/25/2010	10/12/2010	10/23/2010	3			10/13/2010			1
C098474WP1	C098474	07-23-360-012	0	Michigan Ave East	0 Michigan Ave East	Galesbug	MI	Kalamazoo																	
C10619FWP1	C10619F	10-023-005-00	10337	D DRIVE NORTH	10337 D DRIVE NORTH	CERESCO		Calhoun	Unattended Permission, Anytime	09-Oct-10							10/12/2010	10/22/2010	2						
C107264WP1	C107264	10-024-009-01	11766	E DRIVE NORTH	11766 E DRIVE NORTH	CERESCO		Calhoun																	
C1346E7WP1	C1346E7	07-22-126-201	599	SHILLITO	599 SHILLITO	Galesburg	MI	Kalamazoo	Unattended Permission, Anytime	16-Oct-10								10/16/2010	1						
C135093WP1	C135093	11-102-009-00	16722	DIVISION DR	16722 DIVISION DR	MARSHALL	MI	Calhoun	Unattended Permission, Anytime	11-Oct-10							10/11/2010	10/21/2010	2						
C14123EWP1	C14123E	04-260-017-00	155	LYNN DR	155 LYNN DR	BATTLE CREEK			Unattended Permission, Anytime	20-Oct-10								10/24/2010	1						
C1426E4WP1	C1426E4	04-170-039-00	343	STILLSON AVE	343 STILLSON AVE	Battle Creek	MI		Unattended Permission, Anytime	27-Oct-10								10/27/2010	1						



Well ID - C044607PW1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C0218F7PW1
 Sampled - 2
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C092943WP1
 Sampled - 3
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 15

Well ID - C0027CBA
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C043756WP1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C0094BAPW1
 Sampled - 2
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 10

Well ID - C0292E1A
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 22

Well ID - C002068A
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 9

Well ID - C0139BAA
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 28

Well ID - C002471A
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C001311A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C0668ECA
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3

Well ID - C0021FEA
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 6

Well ID - C135093WP1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 2

Well ID - C009696A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 4



Well ID - C009891A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C001899A
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 15

Well ID - C0286B9PW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0



October 2010 Map: 01




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels

Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

**PARCELS AND WELLS
 WITHIN 200 FEET
 OF RIVER INNUNDATION
 AS OF OCTOBER 27, 2010**



Well ID - C0118AEA
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C0144C0A
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 26

Well ID - C0127FCA
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C038718WP1
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 10

Well ID - C0002C6A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C038297
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 2

Well ID - C013407A
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 15

Well ID - C0310F2PW1
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C0137BDA
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 33

Well ID - C0129FBA
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 28

Well ID - C044607PW1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C016277A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 9

Well ID - C0555CBA
 Sampled - 5
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 29

Well ID - C043756WP1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C0568B5PW1
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 21

Well ID - C0139BAA
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 28

Well ID - C0179BEPW1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0



Well ID - C001311A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C0668ECA
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3



October 2010


Map: 02



Legend

- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

**PARCELS AND WELLS
 WITHIN 200 FEET
 OF RIVER INNUNDATION
 AS OF OCTOBER 27, 2010**



Well ID - C10619FWP1
 Sampled - 3
 Letter - 0
 Hydrocarbon - 1
 Detect
 Other Detect - 14

Well ID - C0004F3A
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 11

Well ID - C0208B6A
 Sampled - 5
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C0254D8
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 4

Well ID - C0029ccpw1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C02433AWP1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C088276WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C011485A
 Sampled - 4
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C03868EWP1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 9

Well ID - C0002C6A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C038297
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 2

Well ID - C013407A
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 15

Well ID - C0118AEA
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C039759WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 4

Well ID - C0384A2WP1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 21

Well ID - C031751PW1
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C0377D7A
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C032604WP1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0314EBWP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C006475A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C030309WP1
 Sampled - 5
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C062360A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C0273F9WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 1
 Detect
 Other Detect - 7



Well ID - C005315A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0188E7A
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3



October 2010

Map: 03




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels



Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010



October 2010 Map: 04




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels

Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010



Well ID - C0375FB
 Sampled -
 Letter -
 Hydrocarbon -
 Detect
 Other Detect -

Well ID - C0693ABPW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C06827CA
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 4



Well ID - C059451PW1
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0603E2WP1
 Sampled - 2
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C060441WP1
 Sampled - 2
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 5



October 2010 Map: 05




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels

Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

**PARCELS AND WELLS
 WITHIN 200 FEET
 OF RIVER INNUNDATION
 AS OF OCTOBER 27, 2010**



Well ID - C015098PW1
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C06162CPW1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C015098PW1
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C0491E9PW1
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 25

Well ID - C0572EAWP1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 17

Well ID - C017595PW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0177B9A
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 11

Well ID - C06827CA
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 4

Well ID - C0229A2A
 Sampled - 3
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C04879DWP1
 Sampled - 2
 Letter - 1
 Hydrocarbon - 1
 Detect
 Other Detect - 11

Well ID - C0180D5A
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 31

Well ID - C052339PW1
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 25

Well ID - C01836FA
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 31

Well ID - C053154PW1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 6

Well ID - C00474DA
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C05354DA
 Sampled - 6
 Letter - 6
 Hydrocarbon - 0
 Detect
 Other Detect - 30

Well ID - C0165D4PW1
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 22



Well ID - C0574DFWP1
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 11

Well ID - C0949C5WP1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 10

Well ID - C0304AAPW1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 11



October 2010 Map: 06




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels



Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010




October 2010 Map: 07



- Legend**
- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010



Well ID - C08523BPW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0876A0WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 6

Well ID - C053761WP1
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 19

Well ID - C0878A7WP1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0



Well ID - C0298FFWP1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C0298FFPW2
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 6




October 2010

Map: 08





- Legend**
- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010




October 2010 Map: 09



- Legend**
- New High Water Mark Buffer
 - TargetAreas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

**PARCELS AND WELLS
WITHIN 200 FEET
OF RIVER INNUNDATION
AS OF OCTOBER 27, 2010**



Well ID - C0156ADA
 Sampled - 6
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 36

Well ID - C0231D1A
 Sampled - 4
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 21

Well ID - C0470F1PW1
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C0227A5A
 Sampled - 6
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 20

Well ID - C00589DA
 Sampled - 6
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 24

Well ID - C01573BA
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 24

Well ID - C015481A
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C015322A
 Sampled - 5
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 24

Well ID - C04757EWP1
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 9

Well ID - C00872B9PW2
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 7

Well ID - C03429BWP1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C00928FA
 Sampled - 2
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 4

Well ID - C00856DA
 Sampled - 5
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 18

Well ID - C0337D3WP1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C0335FFWP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C023047A
 Sampled - 6
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 36

Well ID - C01497DA
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C0048DCA
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C0335FFWP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C0872B9PW1
 Sampled - 3
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 18

Well ID - C033645WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C07824BPW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C046882A
 Sampled - 6
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C046713PW1
 Sampled -
 Letter -
 Hydrocarbon -
 Detect
 Other Detect -



Well ID - C005139A
 Sampled - 6
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 25

Well ID - C035755WP1
 Sampled - 4
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C035755WP2
 Sampled - 4
 Letter - 4
 Hydrocarbon - 0
 Detect
 Other Detect - 9



October 2010 Map: 10




Legend

- New High Water Mark Buffer
- TargetAreas
- Previously identified 200 foot parcels
- 200-ft Buffer of Parcels

Well Eligibility Status

- Ineligible
- Unclassified
- Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010



Well ID - C086970PW2
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C086970PW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0678ADA
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 12



Well ID - C07824BPW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C033645WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 12

Well ID - C033469WP1
 Sampled - 8
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 28




October 2010 Map: 11



- Legend**
- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010





Well ID - C0300B3WP1




October 2010

Map: 12



- Legend**
- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

**PARCELS AND WELLS
WITHIN 200 FEET
OF RIVER INNUNDATION
AS OF OCTOBER 27, 2010**



Well ID - C01932EA
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C0271D5PW1
 Sampled - 1
 Letter - 1
 Hydrocarbon - 0
 Detect
 Other Detect - 3

Well ID - C0300B3WP1
 Sampled - 1
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 6

Well ID - C030917WP1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C025965WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 5

Well ID - C01948DPW1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 10

Well ID - C0755A5PW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C07198APW1
 Sampled - 1
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 6

Well ID - C019930PW1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0



Well ID - C0269A6PW1
 Sampled - 5
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 14

Well ID - C087736WP1
 Sampled - 3
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 8

Well ID - C0730ACPW1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 16




October 2010 Map: 13



- Legend**
- New High Water Mark Buffer
 - TargetAreas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

PARCELS AND WELLS WITHIN 200 FEET OF RIVER INNUNDATION AS OF OCTOBER 27, 2010



Well ID - C1346E7WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3

Well ID - C098474WP1
 Sampled - 0
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C0250C1PW1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 0

Well ID - C08901BWP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3

Well ID - C01855AA
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C024723PW1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 9

Well ID - C0252EDA
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 13

Well ID - C090249WP1
 Sampled - 2
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 4



Well ID - C018776A
 Sampled - 4
 Letter - 2
 Hydrocarbon - 0
 Detect
 Other Detect - 16

Well ID - C0248B2PW1
 Sampled - 4
 Letter - 3
 Hydrocarbon - 0
 Detect
 Other Detect - 20



October 2010


Map: 14



Legend

- New High Water Mark Buffer
 - TargetAreas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible



**PARCELS AND WELLS
 WITHIN 200 FEET
 OF RIVER INNUNDATION
 AS OF OCTOBER 27, 2010**



Well ID - C1346E7WP1
 Sampled - 1
 Letter - 0
 Hydrocarbon - 0
 Detect
 Other Detect - 3



October 2010 Map: 15



- Legend**
- New High Water Mark Buffer
 - Target Areas
 - Previously identified 200 foot parcels
 - 200-ft Buffer of Parcels
- Well Eligibility Status**
- Ineligible
 - Unclassified
 - Eligible

**PARCELS AND WELLS
 WITHIN 200 FEET
 OF RIVER INNUNDATION
 AS OF OCTOBER 27, 2010**

Appendix D

Laboratory and Validation Results

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010307		
Analyses/Method	VOCs, PAHs, Metals by SW846 Methods Hardness by Standard Methods TOC by EPA Method		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The sample listed below was collected by AECOM Environment in Marshall, Michigan on October 12, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGA10120950BAW1	Groundwater	VOCs, PAHs, Metals (total), Hardness, TOC
WGA10120950BAW3	Groundwater	VOCs, PAHs, Metals (total), Hardness, TOC
WGA10121400TVF5	Trip blank	VOCs

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total Metals (project-specific list)	SW846 6020
Hardness by calculation	SM 2340B
Total Organic Carbon (TOC)	EPA Method 415.3

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- Data Completeness
- * Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicate results
- * General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes. Qualification of the data was not required.

Data Completeness

Sample WGA10120950BAW3 was logged in by the laboratory as a separate sample and not as the MS/MSD aliquot for sample WGA10120950BAW1 since it was not designated on the COC as the MS/MSD sample. No data validation actions were taken on this basis.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010307	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/23/10
Number of Samples/Matrix:	2 GW, 1 Trip blank	Validator: Paula DiMattei
Analysis (Include Method #):	Select VOCs (SW846 8260)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4°C
Holding Time	Yes	No	Collected 10/12/10 Analyzed 10/13/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Batch QC only	No	MS/MSD analyses were performed on batch QC; Results were not evaluated since the non-project sample used to perform the MS/MSD analyses are not an applicable representative matrix to the samples in this SDG.
Matrix Spike Duplicate ²	Batch QC only	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010307
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 2 GW
Analysis (Include Method #): PAHs (SW846 8270)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4°C
Holding Time	Yes	No	Collected 10/12/10 Extracted 10/13/2010 Analyzed 10/14/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	NA	No	
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Batch QC only	No	MS/MSD analyses were performed on batch QC; Results were not evaluated since the non-project sample used to perform the MS/MSD analyses are not an applicable representative matrix to the samples in this SDG.
Matrix Spike Duplicate ²	Batch QC only	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	2-fluorobiphenyl recovered below QC limits (50-110) in both samples: WGA10120950BAW1 (41.6) and WGA10120950BAW3 (41.9). No action on this basis since only 1 of 3 surrogates not met.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010307 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) **Date:** 10/23/10
(using Level II data package) **Validator:** Paula DiMattei
Number of Samples/Matrix: 2 GW
Analysis (Include Method #): Select metals (beryllium, molybdenum, vanadium, and iron) (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/12/10 Analyzed 10/13/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Mo present in MB at 0.0001589 mg/L; All associated samples were ND.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on sample WGA10120950BAW1. Lab limits reported as 80-120; All analytes met QAPP criteria of 75-125%.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010307
Validation Level: Level II (QC summary report review)
(using Level II data package)
Number of Samples/Matrix: 2 GW
Analysis (Include Method #): Hardness by calculation (SM 2340B)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Method Blanks	Yes	No	All ND

Note: This parameter is determined by calculation; The laboratory reports method blank results as a QC parameter for the hardness results; thus, hardness results were reviewed for data completeness and method blank contamination only.

No Qualifications

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010307	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/23/10
Number of Samples/Matrix:	2 GW	Validator: Paula DiMattei
Analysis (Include Method #):	TOC (EPA 415.3)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/12/10 Analyzed 10/13/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	NA		
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Batch QC only	No	MS/MSD analyses were performed on batch QC; Results were not evaluated since the non-project sample used to perform the MS/MSD analyses are not an applicable representative matrix to the samples in this SDG.
Matrix Spike Duplicate ²	Batch QC only	No	
Laboratory Duplicate ²	NA		
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010353		
Analyses/Method	VOCs, PAHs, Metals, Chloride, and Sulfate by SW846 Methods Alkalinity by Standard Methods		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The samples listed below were collected by AECOM Environment in Marshall, Michigan on October 13, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGC10131220BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10130900BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10131435BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10131600BAW4	Equipment blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10131545BAW5	Trip blank	VOCs
WGC10131605BAW5	Trip blank	VOCs

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total/dissolved Metals (project-specific list)	SW846 6020
Alkalinity (Bicarbonate & carbonate [as CaCO ₃])	SM 2320
Chloride and Sulfate	SW846 9056

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- * Data Completeness
- * Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory duplicate
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicate results
- General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes. Selected data points were qualified as estimated due to non-conformances of certain QC criteria (see discussion below). Minor deviations from method SOPs or quality requirements are also addressed below.

MS/MSD

Dissolved Metals

The MS/MSD analyses were performed on sample WGC10131220BAW1. The relative percent difference (RPD) for nickel exceeded the laboratory's QC limit of <20 (refer to Attachment A). Consequently, the nondetect nickel results in all dissolved groundwater samples were qualified as estimated (UJ). Qualified sample results are shown in Table 1.

General Reporting Issues

It should be noted that the "Reporting Limit" for each analysis is equivalent to the target detection limit (TDL). In cases where dilution analyses were required, the TDL reflects the dilution factor used

in the analysis when the TDL is equivalent to the laboratory's practical quantitation limit (PQL). In cases where the TDL is greater than the laboratory's PQL, the dilution factor is not reflected in the reporting limit.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment C: Reason Codes and Explanations

Table 1 - Data Validation Summary of Qualified Data

Sample ID	Matrix	Compound	Result	QL	Units	Validation Qualifiers	Validation Reason
WGC10130900BAW1	WG	NICKEL		0.020	mg/l	UJ	ld
WGC10131220BAW1	WG	NICKEL		0.020	mg/l	UJ	ld
WGC10131435BAW1	WG	NICKEL		0.020	mg/l	UJ	ld
WGC10131600BAW4	WQ	NICKEL		0.020	mg/l	UJ	ld

Notes:

- Refer to Attachment A for data review summary worksheets.
- Refer to Attachment B for validation qualifier definitions.
- Refer to Attachment C for validation reason code definitions.
- There will be no value under the Result column if the result is nondetect.

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Attachment C

Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
fd	Field duplicate RPDs
h	Holding times
l	LCS recoveries
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
m	Matrix spike recovery
p	Chemical preservation issue
s	Surrogate recovery
t	Temperature preservation issue

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010353
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 3 GW, 1 Equipment blank, 2 Trip blanks
Analysis (Include Method #): Select VOCs (SW846 8260)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.0°C
Holding Time	Yes	No	Collected 10/13/10 Analyzed 10/14/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked for MS/MSD; No DV actions were taken on this basis. MS/MSD performed on WGC10131220BAW1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis. All criteria met.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010353	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/23/10
Number of Samples/Matrix:	3 GW, 1 Equipment blank	Validator: Paula DiMattei
Analysis (Include Method #):	PAHs (SW846 8270)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.0°C
Holding Time	Yes	No	Collected 10/13/10 Extracted 10/14/2010 Analyzed 10/14-15/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGC10131220BAW1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	terphenyl-d ₁₄ recovered below QC limits (50-125%) in samples WGC10131220BAW1 (49.3), WGC10131600BAW4 (45.0). No action on this basis since only 1 of 3 surrogates not met.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010353 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) **Date:** 10/23/10
(using Level II data package) **Validator:** Paula DiMattei
Number of Samples/Matrix: 3 GW, 1 Equipment blank
Analysis (Include Method #): Select total/dissolved metals (Ba, Ni, V, Fe, Na, K, Ca, Mg) (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.0°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/13/10 Analyzed 10/14-15/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	(total) All ND. (dissolved) Mg present in MB at 0.004457 mg/L & Na present in MB at 0.006481 mg/L. All samples >RL and >5x blank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	Yes	MS/MSD performed on samples WGC10131220BAW1 (total/dissolved). Lab limits reported as 80-120%; All analytes met QAPP criteria of 75-125% for total and dissolved. RPD=24 (QC limit <20) for Ni (dissolved) MS/MSD. Estimate (UJ) all dissolved samples.
Matrix Spike Duplicate ²	No	Yes	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010353 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) **Date:** 10/23/10
 (using Level II data package) **Validator:** Paula DiMattei
Number of Samples/Matrix: 3 GW, 1 Equipment blank
Analysis (Include Method #): Bicarbonate and carbonate Alkalinity (Standard Methods 2320)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.0°C
Holding Time	Yes	No	Collected 10/13/10 Analyzed 10/13/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO ₃) & Alkalinity, Carbonate (as CaCO ₃) each present in MB at 2 mg/L. All samples ND or >RL and >5xblank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	NA		
Matrix Spike Duplicate ²	NA		
Laboratory Duplicate ²	Yes	No	Lab duplicate performed on WGC10131220BAW1; All criteria met.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

⁴The MSD result was not calculable (NC) since the native concentration was > the MSD concentration detected.

No Qualifications

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010353	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/23/10
Number of Samples/Matrix:	3 GW, 1 Equipment blank	Validator: Paula DiMattei
Analysis (Include Method #):	Chloride and Sulfate (SW846 9056)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.0°C
Holding Time	Yes	No	Collected 10/13/10 Analyzed 10/14/10
Quantitation Limits	Yes	No	All samples except WGC10131600BAW4 were analyzed on dilution 4x-10x as a result of high concentrations of chloride or sulfate.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND.
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGC10131220BAW1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010389		
Analyses/Method	VOCs, PAHs, Metals, Chloride, and Sulfate by SW846 Methods Alkalinity by Standard Methods		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The samples listed below were collected by AECOM Environment in Marshall, Michigan on October 14, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGE10141015BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WSE10141155BAW1	Surface water	Metals (total), Alkalinity, Chloride, Sulfate
WGE10141445BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10141745TV4	Field blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10141800TVF4	Equipment blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10141730TVF5	Trip blank	VOCs
WGC10141735TV5	Trip blank	VOCs
WGE10141020BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10141200BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10141200BRH2 ¹	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10141505BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10141640BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10141810BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10141810BRH5	Trip blank	VOCs

Client Sample ID	Matrix	Parameters
¹ Field duplicate of WGE10141200BRH1		

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total/dissolved Metals (project-specific list)	SW846 6020
Alkalinity (Bicarbonate & carbonate [as CaCO ₃])	SM 2320
Chloride and Sulfate	SW846 9056

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- * Data Completeness
- Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory duplicate
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- * Field duplicate results
- General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes. Selected data points were qualified as estimated due to non-conformances of certain QC criteria (see discussion below).

Chain-of-Custody (COC)/Sample Integrity

The trip blank identified on the COC as WGC10141730TV5 was incorrectly identified in the data package as WGC10151730TV5.

MS/MSD

VOCs

The MS/MSD analyses were performed on sample WGE10141015BAW1. The relative percent difference (RPD) for naphthalene exceeded the laboratory's QC limit of <30 (refer to Attachment A). Consequently, the nondetect naphthalene result sample WGE10141015BAW1 was qualified as estimated (UJ). Qualified sample results are shown in Table 1.

General Reporting Issues

It should be noted that the "Reporting Limit" for each analysis is equivalent to the target detection limit (TDL). In cases where dilution analyses were required, the TDL reflects the dilution factor used in the analysis when the TDL is equivalent to the laboratory's practical quantitation limit (PQL). In cases where the TDL is greater than the laboratory's PQL, the dilution factor is not reflected in the reporting limit.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment C: Reason Codes and Explanations

Table 1 - Data Validation Summary of Qualified Data

Sample ID	Matrix	Compound	Result	QL	Units	Validation Qualifiers	Validation Reason
WGE10141015BAW1	WG	NAPHTHALENE		5.0	ug/l	UJ	ld

Notes:

- Refer to Attachment A for data review summary worksheets.
- Refer to Attachment B for validation qualifier definitions.
- Refer to Attachment C for validation reason code definitions.
- There will be no value under the Result column if the result is nondetect.

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Attachment C

Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
fd	Field duplicate RPDs
h	Holding times
l	LCS recoveries
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
m	Matrix spike recovery
p	Chemical preservation issue
s	Surrogate recovery
t	Temperature preservation issue

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010389
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Field Blank, 1 Equipment Blank, 3 Trip Blanks
Analysis (Include Method #): Select VOCs (SW846 8260)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	Trip blank sample WGC10141730TVF5 was incorrectly identified by the laboratory as WGC10151730TVF5.
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/14/10 Analyzed 10/15/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	Yes	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked for MS/MSD; No DV actions were taken on this basis. MS/MSD performed on WGE10141015BAW1: Naphthalene 162/ok; RPD=35 (QC limits: 55-140%; <30) and isopropylbenzene ok/126%; (QC limits: 75-125%). All results ND. Estimate Naphthalene (UJ) in native. No other actions required.
Matrix Spike Duplicate ²	No	Yes	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	No	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis. All criteria met except Isopropylbenzene ok/127% (75-125%)[LCS/LCSD Batch R82566]; Isopropylbenzene 129%/ok (75-125%)[LCS/LCSD Batch R82513]. All samples ND; No DV actions on this basis.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010389
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Field Blank, 1 Equipment Blank
Analysis (Include Method #): PAHs (SW846 8270)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/14/10 Extracted 10/15/2010 Analyzed 10/15/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGE10141015BAW1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	terphenyl-d ₁₄ recovered below QC limits (50-125%) in samples WGE10141445BAW1 (44.9), WGE10141800TV4 (37.0), WGE10141200BRH2 (42.3). No action on this basis since only 1 of 3 surrogates not met. Acid surrogate nonconformances are not applicable to the PAH analyses; thus, no DV actions taken on this basis.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010389 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) (using Level II data package) **Date:** 10/23/10
Number of Samples/Matrix: 8 GW, 1 SW, 1 Field Blank, 1 Equipment Blank **Validator:** Paula DiMattei
Analysis (Include Method #): Select total/dissolved metals (Ba, Ni, V, Fe, Na, K, Ca, Mg) (SW846 6020) and
 Select metals (SW metals): Fe, Na, K, Ca, Mg (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/14/10 Analyzed 10/15/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on samples WGE10141015BAW1 (total/dissolved). Lab limits reported as 80-120%; All analytes met QAPP criteria of 75-125%.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010389	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/23/10
Number of Samples/Matrix:	8 GW, 1 SW, 1 Field Blank, 1 Equipment Blank	Validator: Paula DiMattei
Analysis (Include Method #):	Bicarbonate and carbonate Alkalinity (Standard Methods 2320)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/14/10 Analyzed 10/15/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO3) & Alkalinity, Carbonate (as CaCO3) each present in MB at 1 mg/L. All samples ND or >RL and >5xblank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	NA		
Matrix Spike Duplicate ²	NA		
Laboratory Duplicate ²	Yes	No	Lab duplicate performed on WGE10141015BAW1, WGE10141015BAW1(RE), WGC10141640BRH1; All criteria met.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

⁴The MSD result was not calculable (NC) since the native concentration was > the MSD concentration detected.

No Qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010389
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 SW, 1 Field Blank, 1 Equipment Blank
Analysis (Include Method #): Chloride and Sulfate (SW846 9056)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/14/10 Analyzed 10/15/10
Quantitation Limits	Yes	No	Several samples were analyzed on dilution 5x-20x as a result of high concentrations of chloride or sulfate.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Chloride present in MB at 0.3154 mg/L & sulfate present in MB at 0.2956 mg/L. All samples are ND or >RL and >5x blank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGE10141015BAW1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Analyte	RL	5xRL	WGE10141200BRH1	WGE10141200BRH2	RPD	Actions
			(mg/L)	(mg/L)		
Calcium (total)	10	50	50	46.0	8.3	none
Magnesium (total)	1.0	5.0	11	11	0.0	none
Sodium (total)	1.0	5.0	6.6	6.2	6.2	none
Calcium (dissolved)	10	50	46	46	0.0	none
Magnesium (dissolved)	1.0	5.0	11	11	0.0	none
Sodium (dissolved)	1.0	5.0	6.5	6.5	0.0	none
Alkalinity, Bicarbonate (as CaCO ₃)	10	50	160	160	0.0	none
Chloride	10	50	14	13	7.4	none
Sulfate	1.0	5.0	3.5	3.2	9.0	none

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010436		
Analyses/Method	VOCs, PAHs, Metals, Chloride, and Sulfate by SW846 Methods Alkalinity by Standard Methods		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The samples listed below were collected by AECOM Environment in Marshall, Michigan on October 15, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGE10150935BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10151050BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10151050BAW2 ¹	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WSE10151200BAW1	Surface water	Metals (total), Alkalinity, Chloride, Sulfate
WGE10151405BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10151530BAW1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10151600BAW5	Trip blank	VOCs
WGE10151605BAW5	Trip blank	VOCs
WGC10150950DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10151120DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10151310DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WSC10151712DJJ1	Surface water	Metals (total), Alkalinity, Chloride, Sulfate
WSC10151555DJJ1	Surface water	Metals (total), Alkalinity, Chloride, Sulfate
WSC10151448DJJ1	Surface water	Metals (total), Alkalinity, Chloride, Sulfate

Client Sample ID	Matrix	Parameters
WGE10150935DJJ4	Equipment blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10151830DJJ5	Trip blank	VOCs
WGC10151835DJJ5	Trip blank	VOCs
¹ Field duplicate of WGE10151050BAW1		

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total and/or dissolved Metals (project-specific list)	SW846 6020
Alkalinity (Bicarbonate & carbonate [as CaCO ₃])	SM 2320
Chloride and Sulfate	SW846 9056

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- * Data Completeness
- * Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory duplicate
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- * Field duplicate results
- General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes with the following exception. The nondetect results for Alkalinity, carbonate (as CaCO₃) in all samples were qualified as rejected (R) due to very low (<10%) matrix spike and matrix spike duplicate recoveries. These results are not usable for project decisions. Selected other data points were qualified as estimated due to non-conformances of certain QC criteria (see discussion below).

MS/MSD

VOCs

The MS/MSD analyses were performed on sample WGC10151120DJJ1. The percent recovery for isopropyltoluene (cymene) was below the laboratory's lower QC limit of 75%, but greater than the NFG guidance criterion of 20% (refer to Attachment A). Consequently, the nondetect isopropyltoluene result in sample WGC10151120DJJ1 was qualified as estimated (UJ). Qualified sample results are shown in Table 1.

Alkalinity

The MS/MSD analyses were performed on sample WGC10150950DJJ1. The percent recovery for Alkalinity, bicarbonate (as CaCO₃) was below the laboratory's lower QC limit of 40%, and less than the NFG guidance criterion of 30% (refer to Attachment A). Consequently, the positive results for Alkalinity, bicarbonate (as CaCO₃) in all samples were qualified as estimated (J-). The percent recovery for Alkalinity, carbonate (as CaCO₃) was below the laboratory's lower QC limit of 40%, and less than the NFG guidance criterion of 30% (refer to Attachment A). Consequently, the nondetect results for Alkalinity, carbonate (as CaCO₃) in all samples were qualified as rejected (R). The results are not usable for project decisions. Qualified sample results are shown in Table 1.

General Reporting Issues

It should be noted that the "Reporting Limit" for each analysis is equivalent to the target detection limit (TDL). In cases where dilution analyses were required, the TDL reflects the dilution factor used in the analysis when the TDL is equivalent to the laboratory's practical quantitation limit (PQL). In cases where the TDL is greater than the laboratory's PQL, the dilution factor is not reflected in the reporting limit.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment C: Reason Codes and Explanations

Table 1 - Data Validation Summary of Qualified Data

Sample ID	Matrix	Compound	Result	QL	Units	Validation Qualifiers	Validation Reason
WGC10150950DJJ1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	300	10	mg/l	J-	m
WGC10150950DJJ1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGC10151120DJJ1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	260	10	mg/l	J-	m
WGC10151120DJJ1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGC10151310DJJ1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	290	10	mg/l	J-	m
WGC10151310DJJ1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10150935BAW1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	310	10	mg/l	J-	m
WGE10150935BAW1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10150935DJJ4	WQ	ALKALINITY, BICARBONATE (AS CaCO3)	10	10	mg/l	J-	m
WGE10150935DJJ4	WQ	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10151050BAW1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	180	10	mg/l	J-	m
WGE10151050BAW1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10151050BAW2	WG	ALKALINITY, BICARBONATE (AS CaCO3)	190	10	mg/l	J-	m
WGE10151050BAW2	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10151405BAW1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	350	10	mg/l	J-	m
WGE10151405BAW1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGE10151530BAW1	WG	ALKALINITY, BICARBONATE (AS CaCO3)	300	10	mg/l	J-	m
WGE10151530BAW1	WG	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WSC10151448DJJ1	WS	ALKALINITY, BICARBONATE (AS CaCO3)	260	10	mg/l	J-	m
WSC10151448DJJ1	WS	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WSC10151555DJJ1	WS	ALKALINITY, BICARBONATE (AS CaCO3)	290	10	mg/l	J-	m
WSC10151555DJJ1	WS	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WSC10151712DJJ1	WS	ALKALINITY, BICARBONATE (AS CaCO3)	260	10	mg/l	J-	m
WSC10151712DJJ1	WS	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WSE10151200BAW1	WS	ALKALINITY, BICARBONATE (AS CaCO3)	240	10	mg/l	J-	m
WSE10151200BAW1	WS	ALKALINITY, CARBONATE (AS CaCO3)			mg/l	R	m
WGC10151120DJJ1	WG	CYMENE		5.0	ug/l	UJ	m

Notes:

- Refer to Attachment A for data review summary worksheets.
- Refer to Attachment B for validation qualifier definitions.
- Refer to Attachment C for validation reason code definitions.
- There will be no value under the Result column if the result is nondetect.

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Attachment C

Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
fd	Field duplicate RPDs
h	Holding times
l	LCS recoveries
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
m	Matrix spike recovery
p	Chemical preservation issue
s	Surrogate recovery
t	Temperature preservation issue

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010436
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Equipment blank, 4 Trip blanks
Analysis (Include Method #): Select VOCs (SW846 8260)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	3.6°C
Holding Time	Yes	No	Collected 10/15/10 Analyzed 10/16/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	Yes	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked for MS/MSD; No DV actions were taken on this basis. WGC10151120DJJ1 p-isopropyltoluene (72.8/69.8: QC limits 75-130%) Estimate (UJ) in native sample WGC10150950DJJ1 MS/MSD: all criteria met; It should be noted that the initial analysis of this MS/MSD recovered high for most target compounds; thus, the MS/MSD was reanalyzed. No DV actions were taken on the basis of the original analysis of the MS/MSD.
Matrix Spike Duplicate ²	No	Yes	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	No	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis. All met except Isopropylbenzene 129/ok (75-125%) [LCS/LCSD batch R82565: WGC10151120DJJ1, WGC10151310DJJ1, WGE10150935DJJ4] All ND; no DV actions on this basis.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010436
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Equipment blank
Analysis (Include Method #): PAHs (SW846 8270)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	3.6°C
Holding Time	Yes	No	Collected 10/15/10 Extracted 10/15/2010 Analyzed 10/16/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	WGC10150950DJJ1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	2-fluorobiphenyl recovered below QC limits (50-110%) in sample WGE10150935BAW1 (47.1). No action on this basis since only 1 of 3 surrogates not met. Acid surrogate nonconformances are not applicable to the PAH analyses; thus, no DV actions taken on this basis.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010436 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) **Date:** 10/23/10
(using Level II data package) **Validator:** Paula DiMattei
Number of Samples/Matrix: 8 GW, 4 SW, 1 Equipment blank
Analysis (Include Method #): Select total/dissolved metals (Ba, Ni, V, Fe, Na, K, Ca, Mg) (SW846 6020) and
Select metals (SW metals): Fe, Na, K, Ca, Mg (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	3.6°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/15/10 Analyzed 10/15-16/10
Quantitation Limits	Yes	No	WGE10150935BAW1 (dissolved & total) 10x for Na due to high concentration. The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	No	MS/MSD performed on samples WGC10150950DJJ1 (total/dissolved) and WGE10141015BAW1 (in SDG 1010389) (dissolved). Lab limits reported as 80-120%; All analytes met QAPP criteria of 75-125% except Ca in both MS/MSD pairs. However, Ca >4x spike in both native samples; thus, no DV actions on this basis.
Matrix Spike Duplicate ²	No	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010436 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) (using Level II data package) **Date:** 10/23/10
Validator: Paula DiMattei
Number of Samples/Matrix: 8 GW, 4 SW, 1 Equipment blank
Analysis (Include Method #): Bicarbonate and carbonate Alkalinity (Standard Methods 2320)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	3.6°C
Holding Time	Yes	No	Collected 10/15/10 Analyzed 10/16/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO ₃) present in MB at 4 mg/L. All samples >RL and >5xblank concentration;thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO ₃) present in EB at 10 mg/L. All samples >RL and >5xblank concentration;thus, no DV actions on this basis.
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	Yes	MS/MSD performed on sample WGC10150950DJJ1. Alkalinity, bicarbonate (as CaCO₃) 0.975/0.0585 (40-160%); Estimate all samples (J-). Alkalinity, carbonate (as CaCO₃) 0/NC⁴ (40-160%); Reject (R) ND results in all samples.
Matrix Spike Duplicate ²	No	Yes	
Laboratory Duplicate ²	Yes	No	Lab duplicate performed on WGE10150935BAW1; All criteria met.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

⁴The MSD result was not calculable (NC) since the native concentration was > the MSD concentration detected.

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010436
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 4 SW, 1 Equipment blank
Analysis (Include Method #): Chloride and Sulfate (SW846 9056)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/23/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	3.6°C
Holding Time	Yes	No	Collected 10/15/10 Analyzed 10/16/10
Quantitation Limits	Yes	No	All samples except the EB (WGE10150935DJJ4) were analyzed on dilution 2x-10x as a result of high concentrations of chloride or sulfate.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Chloride present in MB at 0.2134 mg/L & sulfate present in MB at 0.1194 mg/L. All samples >RL and >5xblank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes		All ND.
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGC10150950DJJ1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Analyte	RL	5xRL	WGE10151050BAW1	WGE10151050BAW2	RPD	Actions
			(mg/L)	(mg/L)		
Calcium (total)	10	50	77	75.0	2.6	none
Magnesium (total)	1.0	5.0	18	17	5.7	none
Sodium (total)	1.0	5.0	24	24	0.0	none
Calcium (dissolved)	10	50	75	75	0.0	none
Magnesium (dissolved)	1.0	5.0	17	17	0.0	none
Sodium (dissolved)	1.0	5.0	24	23	4.3	none
Alkalinity, Bicarbonate (as CaCO3)	10	50	180	190	5.4	none
Chloride	10	50	70	69	1.4	none
Sulfate	5.0	25	22	20	9.5	none

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010453		
Analyses/Method	VOCs, PAHs, Metals, Chloride, and Sulfate by SW846 Methods Alkalinity by Standard Methods		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The samples listed below were collected by AECOM Environment in Marshall, Michigan on October 16, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGC10160955BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10161000DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10161100DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10161100DJJ2 ¹	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10161345DJJ1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10161405BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10161505BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WSD10161450DJJ1	Surface water	Metals (total), Alkalinity
WSD10161640DJJ1	Surface water	Metals (total), Alkalinity
WGD10161730BRH1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10161405BRH4	Equipment blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGC10161925BRH5	Trip blank	VOCs
WGC10161930BRH5	Trip blank	VOCs
WGC10161935BRH5	Trip blank	VOCs

Client Sample ID	Matrix	Parameters
¹ Field duplicate of WGC10161100DJJ1		

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total and/or dissolved Metals (project-specific list)	SW846 6020
Alkalinity (Bicarbonate & carbonate [as CaCO ₃])	SM 2320
Chloride and Sulfate	SW846 9056

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- * Data Completeness
- * Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- * Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory duplicate
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- Field duplicates
- General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes. Selected data points were qualified as estimated due to non-conformances of certain QC criteria (see discussion below).

Field Duplicates

Dissolved Metals

The following table summarizes the field duplicate results that exceeded the field duplicate relative percent difference (RPD) criterion of <30% (for results >5x the reporting limit) in the field duplicate samples WGC10161100DJJ1 and WGC10161100DJJ2.

Analyte	WGC10161100DJJ1 (mg/L)	WGC10161100DJJ2 (mg/L)	RPD
Iron	1.6	0.66	83

The positive and nondetect iron results in all dissolved groundwater samples were qualified as estimated (J and UJ, respectively) due to the field duplicate imprecision. Qualified sample results are shown in Table 1.

General Reporting Issues

It should be noted that the "Reporting Limit" for each analysis is equivalent to the target detection limit (TDL). In cases where dilution analyses were required, the TDL reflects the dilution factor used in the analysis when the TDL is equivalent to the laboratory's practical quantitation limit (PQL). In cases where the TDL is greater than the laboratory's PQL, the dilution factor is not reflected in the reporting limit.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment C: Reason Codes and Explanation

Table 1 - Data Validation Summary of Qualified Data

Sample ID	Matrix	Compound	Result	QL	Units	Validation Qualifiers	Validation Reason
WGC10160955BRH1	WG	IRON	0.44	0.20	mg/l	J	fd
WGC10161000DJJ1	WG	IRON	1.8	0.20	mg/l	J	fd
WGC10161100DJJ1	WG	IRON	1.6	0.20	mg/l	J	fd
WGC10161100DJJ2	WG	IRON	0.66	0.20	mg/l	J	fd
WGC10161405BRH4	WQ	IRON		0.20	mg/l	UJ	fd
WGD10161345DJJ1	WG	IRON		0.20	mg/l	UJ	fd
WGD10161405BRH1	WG	IRON		0.20	mg/l	UJ	fd
WGD10161505BRH1	WG	IRON	0.66	0.20	mg/l	J	fd
WGD10161730BRH1	WG	IRON		0.20	mg/l	UJ	fd

Notes:

- Refer to Attachment A for data review summary worksheets.
- Refer to Attachment B for validation qualifier definitions.
- Refer to Attachment C for validation reason code definitions.
- There will be no value under the Result column if the result is nondetect.

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Attachment C

Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
fd	Field duplicate RPDs
h	Holding times
l	LCS recoveries
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
m	Matrix spike recovery
p	Chemical preservation issue
s	Surrogate recovery
t	Temperature preservation issue

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010453
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Equipment Blank, 3 Trip Blanks
Analysis (Include Method #): Select VOCs (SW846 8260)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.8°C
Holding Time	Yes	No	Collected 10/16/10 Analyzed 10/17/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked for MS/MSD; No DV actions were taken on this basis. MS/MSD performed on WGD10161505BRH1: All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis. All criteria met.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010453
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Equipment Blank
Analysis (Include Method #): PAHs (SW846 8270)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.8°C
Holding Time	Yes	No	Collected 10/16/10 Extracted 10/16/2010 Analyzed 10/17/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGD10161505BRH1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	terphenyl-d ₁₄ recovered below QC limits (50-125%) in sample WGC10161000DJJ1 (49.2). No action on this basis since only 1 of 3 surrogates not met.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010453 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) (using Level II data package) **Date:** 10/24/10
Number of Samples/Matrix: 8 GW, 2 SW, 1 Equipment Blank **Validator:** Paula DiMattei
Analysis (Include Method #): Select total/dissolved metals (Ba, Ni, V, Fe, Na, K, Ca, Mg) (SW846 6020) and
 Select metals (SW metals): Fe, Na, K, Ca, Mg (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.8°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/16/10 Analyzed 10/17/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	(dissolved) All ND. (total) Ni present in MB at 0.001253 mg/L, K present in MB at 0.0102 mg/L, & Na present in MB at 0.01301 mg/L. All samples ND or >RL and >5x blank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on samples WGD10161505BRH1 (total/dissolved). Lab limits reported as 80-120%; All analytes met QAPP criteria of 75-125%.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Data qualified due to field duplicate imprecision (see field duplicate tab for details)

Laboratory:	ALS Environmental	Client/Site Name: Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No:	1010453	Project Number: 60162778.1
Validation Level:	Level II (QC summary report review) (using Level II data package)	Date: 10/24/10
Number of Samples/Matrix:	8 GW, 2 SW, 1 Equipment Blank	Validator: Paula DiMattei
Analysis (Include Method #):	Bicarbonate and carbonate Alkalinity (Standard Methods 2320)	

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.8°C
Holding Time	Yes	No	Collected 10/16/10 Analyzed 10/17/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO3) & Alkalinity, Carbonate (as CaCO3) each present in MB at 1 mg/L. All samples ND or >RL and >5xblank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	NA		
Matrix Spike Duplicate ²	NA		
Laboratory Duplicate ²	Yes	No	Lab duplicate performed on WGD10161505BRH1, WGD10161505BRH1(RE), WGC10161405BRH4; All criteria met.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

⁴The MSD result was not calculable (NC) since the native concentration was > the MSD concentration detected.

No Qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010453
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 8 GW, 1 Equipment Blank
Analysis (Include Method #): Chloride and Sulfate (SW846 9056)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.8°C
Holding Time	Yes	No	Collected 10/16/10 Analyzed 10/17/10
Quantitation Limits	Yes	No	Several samples were analyzed on dilution 2x or 10x as a result of high concentrations of chloride or sulfate.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGD10161505BRH1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Analyte	RL	5xRL	WGC10161100DJJ1	WGC10161100DJJ2	RPD	Actions
			(mg/L)	(mg/L)		
Barium (total)	0.10	1	0.28	0.3	3.6	none
Calcium (total)	10	50	130	130.0	0.0	none
Iron (total)	0.20	1	23	21.0	9.1	none
Magnesium (total)	1.0	5.0	28	28	0.0	none
Sodium (total)	1.0	5.0	19	19	0.0	none
Barium (dissolved)	0.10	0.5	0.18	0.17	5.7	none
Calcium (dissolved)	10	50	130	120	8.0	none
Iron (dissolved)	0.20	1.0	1.6	0.66	83.2	J/UJ all dissolved
Magnesium (dissolved)	1.0	5.0	28	28	0.0	none
Sodium (dissolved)	1.0	5.0	20	19	5.1	none
Alkalinity, Bicarbonate (as CaCO3)	10	50	490	490	0.0	none
Chloride	10	50	41	39	5.0	none
Sulfate	1.0	5.0	4.1	3.9	5.0	none

Data Validation Report

To	Kris Nolan/AECOM	Page	1
Project	Enbridge Line 6B MP 608 Pipeline Release Hydrogeologic Investigation		
Laboratory	ALS Environmental, Holland, MI		
Laboratory SDG	1010458		
Analyses/Method	VOCs, PAHs, Metals, Chloride, and Sulfate by SW846 Methods Alkalinity by Standard Methods		
Validation Level	Level II (QC summary report review)		
AECOM Project Number	60162778.01		
Prepared by	Paula DiMattei/AECOM	Completed:	October 24, 2010
Reviewed by	Robert Kennedy/AECOM		
CC	Mike Wolf/AECOM		

SUMMARY

The samples listed below were collected by AECOM Environment in Marshall, Michigan on October 17, 2010 and submitted to ALS Environmental in Holland, MI for analysis.

Client Sample ID	Matrix	Parameters
WGE10171041TAS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10171041TAS2 ¹	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10171100RWS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WSE10171136BRH1	Surface water	Metals (total), Alkalinity
WGE10171245RWS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10171240TAS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10171520TAS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10171540RWS1	Groundwater	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGD10171620TAS4	Equipment blank	VOCs, PAHs, Metals (total/dissolved), Alkalinity, Chloride, Sulfate
WGE10171740RWS5	Trip blank	VOCs
WGE10171745RWS5	Trip blank	VOCs
WGE10171750RWS5	Trip blank	VOCs
¹ Field duplicate of WGE10171041TAS1		

The following methods were applicable to the samples in this data set:

Analyte	Primary Method Reference
Volatile Organic Compounds (VOCs) (project-specific list)	SW846 8260
Polynuclear Aromatic Hydrocarbons (PAHs)	SW846 8270
Total and/or dissolved Metals (project-specific list)	SW846 6020
Alkalinity (Bicarbonate & carbonate [as CaCO ₃])	SM 2320
Chloride and Sulfate	SW846 9056

Data validation activities were conducted with reference to the above method along with USEPA National Functional Guidelines for Superfund Organic Methods Data Review (June 2008), USEPA National Functional Guidelines for Inorganic Data Review (October 2004), the Quality Assurance Project Plan, Enbridge Line 6B MP 608, Marshall, Michigan (revised August 15, 2010), the Supplement to the Sampling and Analysis Plan (revised October 7, 2010), and the laboratory specific standard operating procedures (SOPs). In the absence of QAPP-specified criteria, method or laboratory quality assurance limits were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters:

- * Data Completeness
- * Chain-of-custody (COC)/sample integrity
- * Holding times and sample preservation
- * Laboratory method blanks
- * Trip Blanks/equipment blanks
- * Surrogate recoveries (%Rs)
- Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- * Laboratory duplicate
- * Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- Field duplicate results
- General reporting issues

The symbol (*) indicates that all quality control (QC) criteria were met for this parameter. The NA indicates that the parameter was not included as part of this data set, and therefore not reviewed.

The data appear valid as reported and may be used for decision making purposes. Selected data points were qualified as estimated due to non-conformances of certain QC criteria (see discussion below).

MS/MSD

Alkalinity

The MS/MSD analyses were performed on sample WGD10171540RWS. The percent recovery for Alkalinity, bicarbonate (as CaCO₃) was below the laboratory's lower QC limit of 40%, and less than the NFG guidance criterion of 30% (refer to Attachment A). Consequently, the positive results for Alkalinity, bicarbonate (as CaCO₃) in all samples were qualified as estimated (J-). Qualified sample results are shown in Table 1.

Field Duplicates

Dissolved Metals

The following table summarizes the field duplicate results that exceeded the field duplicate relative percent difference (RPD) criterion of <30% (for results >5x the reporting limit) in the field duplicate samples WGE10171041TAS1 and WGE10171041TAS2.

Analyte	WGE10171041TAS1 (mg/L)	WGE10171041TAS2 (mg/L)	RPD
Iron	1.6	0.8	67

The positive and nondetect iron results in all dissolved groundwater samples were qualified as estimated (J and UJ, respectively) due to the field duplicate imprecision. Qualified sample results are shown in Table 1.

General Reporting Issues

It should be noted that the "Reporting Limit" for each analysis is equivalent to the target detection limit (TDL). In cases where dilution analyses were required, the TDL reflects the dilution factor used in the analysis when the TDL is equivalent to the laboratory's practical quantitation limit (PQL). In cases where the TDL is greater than the laboratory's PQL, the dilution factor is not reflected in the reporting limit.

ATTACHMENTS

Attachment A: Data Review Summary Worksheets/Fraction

Attachment B: Validation Qualifier Codes and Explanation

Attachment C: Reason Codes and Explanation

Table 1 - Data Validation Summary of Qualified Data

Sample ID	Matrix	Compound	Result	QL	Units	Validation Qualifiers	Validation Reason
WGD10171520TAS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	230	10	mg/l	J-	m
WGD10171540RWS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	230	10	mg/l	J-	m
WGD10171620TAS4	WQ	ALKALINITY, BICARBONATE (AS CaCO ₃)	20	10	mg/l	J-	m
WGE10171041TAS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	320	10	mg/l	J-	m
WGE10171041TAS2	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	330	10	mg/l	J-	m
WGE10171100RWS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	280	10	mg/l	J-	m
WGE10171240TAS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	330	10	mg/l	J-	m
WGE10171245RWS1	WG	ALKALINITY, BICARBONATE (AS CaCO ₃)	280	10	mg/l	J-	m
WSE10171136BRH1	WS	ALKALINITY, BICARBONATE (AS CaCO ₃)	260	10	mg/l	J-	m
WGD10171520TAS1	WG	IRON	0.42	0.20	mg/l	J	fd
WGD10171540RWS1	WG	IRON		0.20	mg/l	UJ	fd
WGD10171620TAS4	WQ	IRON		0.20	mg/l	UJ	fd
WGE10171041TAS1	WG	IRON	1.6	0.20	mg/l	J	fd
WGE10171041TAS2	WG	IRON	0.80	0.20	mg/l	J	fd
WGE10171100RWS1	WG	IRON	0.72	0.20	mg/l	J	fd
WGE10171240TAS1	WG	IRON	1.8	0.20	mg/l	J	fd
WGE10171245RWS1	WG	IRON	0.37	0.20	mg/l	J	fd

Notes:

- Refer to Attachment A for data review summary worksheets.
- Refer to Attachment B for validation qualifier definitions.
- Refer to Attachment C for validation reason code definitions.
- There will be no value under the Result column if the result is nondetect.

Attachment A

Data Review Summary Worksheets/Fraction

Attachment B

Qualifier Codes and Explanation

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is an estimated quantity with an unknown bias.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential low bias.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity with a potential high bias.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Attachment C

Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
fd	Field duplicate RPDs
h	Holding times
l	LCS recoveries
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
m	Matrix spike recovery
p	Chemical preservation issue
s	Surrogate recovery
t	Temperature preservation issue

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010458
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 7 GW, 1 Equipment blank, 3 Trip blanks
Analysis (Include Method #): Select VOCs (SW846 8260)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/17/10 Analyzed 10/18/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked for MS/MSD; No DV actions were taken on this basis. MS/MSD performed on WGD10171540RWS1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	Yes	No	
Laboratory Control Standards	Yes	No	All targets except 1,2,3-trimethylbenzene and cyclohexane were spiked into LCS/LCSD; No DV actions taken on this basis. All met criteria.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010458
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 7 GW, 1 Equipment blank
Analysis (Include Method #): PAHs (SW846 8270)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/17/10 Extracted 10/17/2010 Analyzed 10/18/10
Quantitation Limits	Yes	No	No dilutions. The SAP target detection limit of 1.0 was not met for naphthalene. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	All ND
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGD10171540RWS1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		
Surrogate Standards ²	No	No	terphenyl-d ₁₄ recovered below QC limits (50-110%) in samples WGE10171041TAS1 (32.3), WGE10171041TAS2 (35.5), WGE10171100RWS1 (47.5), WGE10171245RWS1 (40.0), WGE10171240TAS1 (48.9), WGD10171520TAS1 (43.0), WGD10171540RWS1 (33.5). No action on this basis since only 1 of 3 surrogates not met.
Laboratory Control Standards	Yes	No	All targets were spiked into LCS/LCSD.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No qualifications

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010458 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) (using Level II data package) **Date:** 10/24/10
Number of Samples/Matrix: 7 GW, 1 SW, 1 Equipment blank **Validator:** Paula DiMattei
Analysis (Include Method #): Select total/dissolved metals (Ba, Ni, V, Fe, Na, K, Ca, Mg) (SW846 6020) and
 Select metals (SW metals): Fe, Na, K, Ca, Mg (SW846 6020)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C; Sample receipt notes pH is acceptable.
Holding Time	Yes	No	Collected 10/17/10 Analyzed 10/18/10
Quantitation Limits	Yes	No	The SAP target detection limit of 4 ug/L was not met for vanadium. The lab reported RL=5.0 for this compound.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	(dissolved) All ND. (total) Mg present in MB at 0.002598 mg/L, & K present in MB at 0.007595 mg/L. All samples ND or >RL and >5x blank concentration; thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	All ND
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on samples WGD10171540RWS1 (total/dissolved) and WGD10161505BRH1 (in SDG 1010453) (dissolved). Lab limits reported as 80-120%; All analytes met QAPP criteria of 75-125%.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	All targets spiked.
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Data qualified due to field duplicate imprecision (see field duplicate tab for details)

Laboratory: ALS Environmental **Client/Site Name:** Enbridge/Hydrogeo Investigation
Laboratory SDG/Job No: 1010458 **Project Number:** 60162778.1
Validation Level: Level II (QC summary report review) (using Level II data package) **Date:** 10/24/10
Validator: Paula DiMattei
Number of Samples/Matrix: 7 GW, 1 SW, 1 Equipment blank
Analysis (Include Method #): Bicarbonate and carbonate Alkalinity (Standard Methods 2320)

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/17/10 Analyzed 10/18/10
Quantitation Limits	Yes	No	No dilutions
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO ₃) present in MB at 1 mg/L. All samples >RL and >5x blank concentration;thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes	No	Alkalinity, Bicarbonate (as CaCO ₃) present in EB at 20 mg/L. All samples >RL and >5xblank concentration;thus, no DV actions on this basis.
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	No	Yes	MS/MSD performed on sample WGD10171540RWS. Alkalinity, bicarbonate (as CaCO₃) 27/0k (40-160%); Estimate all samples (J-).
Matrix Spike Duplicate ²	No	Yes	
Laboratory Duplicate ²	Yes	No	Lab duplicate performed on WGD10171520TAS1; All criteria met.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

Laboratory: ALS Environmental
Laboratory SDG/Job No: 1010458
Validation Level: Level II (QC summary report review)
 (using Level II data package)
Number of Samples/Matrix: 7 GW, 1 Equipment blank
Analysis (Include Method #): Chloride and Sulfate (SW846 9056)

Client/Site Name: Enbridge/Hydrogeo Investigation
Project Number: 60162778.1
Date: 10/24/10
Validator: Paula DiMattei

Review Item	Criteria Met? (Yes/No)	Qualification? (Yes/No)	Comments
Chain of Custody	Yes	No	
Sample Preservation	Yes	No	4.2°C
Holding Time	Yes	No	Collected 10/17/10 Analyzed 10/18/10
Quantitation Limits	Yes	No	All samples except the EB (WGD10171620TAS4) were analyzed on dilution 2x or 4x as a result of high concentrations of chloride or sulfate.
Percent Solids (>30%)	NA		Aqueous sample only
Method Blanks	Yes	No	Sulfate present in MB at 0.1248 mg/L. All samples ND or >RL and >5x blank concentration;thus, no DV actions on this basis.
Other Laboratory Blanks ^{1,2}	NA		
Trip/Equipment Blanks	Yes		All ND.
Initial Calibration ³	Not provided in Level II; therefore, not evaluated		
Continuing Calibration Verification ³	Not provided in Level II; therefore, not evaluated		
Matrix Spike	Yes	No	MS/MSD performed on WGD10171540RWS1; All criteria met.
Matrix Spike Duplicate ²	Yes	No	
Laboratory Duplicate ²	NA		MS/MSD performed in lieu of Laboratory duplicate.
Laboratory Control Standards	Yes	No	
Internal Standards ^{2,3}	Not provided in Level II; therefore, not evaluated		
GC/MS Tunes ^{2,3}	Not provided in Level II; therefore, not evaluated		
Interferences ³	Not provided in Level II; therefore, not evaluated		
Calculation Spot Checks ³	Not provided in Level II; therefore, not evaluated		
Transcription Spot Checks ³	Not provided in Level II; therefore, not evaluated		

¹May include reagent blanks, calibration blanks, etc.

²May not be applicable to all analyses.

³Level IV validation only. See full NFG worksheets for details.

No Qualifications

Analyte	RL	5xRL	WGE10171041TAS1	WGE10171041TAS2	RPD	Actions
			(mg/L)	(mg/L)		
Barium (total)	0.10	1	0.13	0.1	0.0	none
Calcium (total)	10	50	85	88.0	3.5	none
Iron (total)	0.20	1	2.1	2.2	4.7	none
Magnesium (total)	1.0	5.0	20	20	0.0	none
Sodium (total)	1.0	5.0	18	18	0.0	none
Barium (dissolved)	0.10	0.5	0.13	0.13	0.0	none
Calcium (dissolved)	10	50	89	89	0.0	none
Iron (dissolved)	0.20	1.0	1.6	0.8	66.7	J/UJ all dissolved
Magnesium (dissolved)	1.0	5.0	21	21	0.0	none
Sodium (dissolved)	1.0	5.0	19	19	0.0	none
Alkalinity, Bicarbonate (as CaCO ₃)	10	50	320	330	3.1	none
Chloride	10	50	28	28	0.0	none
Sulfate	2.0	10	22	22	0.0	none



13-Oct-2010

Kris Nolan
AECOM Enviroment
5555 Glenwood Parkway SE
Grand Rapids, MI 49512

Re: **Marshall Oil Spill Hydrogeo Investigation 10/12/10**

Work Order: **1010303**

Dear Kris,

ALS Group USA, Corp received 1 sample on 12-Oct-2010 for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 8.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon consisting of a stylized green and blue shape.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Investigation 10/12/10
Work Order: 1010303

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1010303-01	WG10121900KJN1	Water		10/12/2010 19:00	10/12/2010	<input type="checkbox"/>

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Investigation 10/12/10
WorkOrder: 1010303

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter

ALS Group USA, Corp

Date: 13-Oct-10

Client: AECOM Environment
Work Order: 1010303
Project: Marshall Oil Spill Hydrogeo Investigation 10/12/10
Lab ID: 1010303-01

Client Sample ID: WG10121900KJN1
Collection Date: 10/12/2010 7:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/13/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/13/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/13/2010
Benzene	ND	1.0	1.0		µg/L	1	10/13/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/13/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/13/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/13/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/13/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/13/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/13/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/13/2010
Toluene	ND	1.0	1.0		µg/L	1	10/13/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/13/2010
Surr: 1,2-Dichloroethane-d4	114	70-120			%REC	1	10/13/2010
Surr: 4-Bromofluorobenzene	95.3	75-120			%REC	1	10/13/2010
Surr: Dibromofluoromethane	107	85-115			%REC	1	10/13/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/13/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: AECOM Environment

QC BATCH REPORT

Work Order: 1010303

Project: Marshall Oil Spill Hydrogeo Investigation 10/12/10

Batch ID: **R82416**

Instrument ID **VMS7**

Method: **SW8260**

MBLK		Sample ID: VBLKW2-101012-R82416			Units: µg/L			Analysis Date: 10/13/2010 02:43 AM		
Client ID:		Run ID: VMS7_101012B			SeqNo: 1448059			Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>113.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>113</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>96.25</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>96.2</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>106.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>104.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>85-120</i>	<i>0</i>			

LCS		Sample ID: VLCSW2-101012-R82416			Units: µg/L			Analysis Date: 10/13/2010 01:21 AM		
Client ID:		Run ID: VMS7_101012B			SeqNo: 1448055			Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	19.96	1.0	20	0	99.8	75-130	0			
1,3,5-Trimethylbenzene	20.56	1.0	20	0	103	75-130	0			
Benzene	20.62	1.0	20	0	103	80-120	0			
Ethylbenzene	21.32	1.0	20	0	107	75-125	0			
Isopropylbenzene	23.83	1.0	20	0	119	75-125	0			
n-Propylbenzene	21.24	1.0	20	0	106	70-130	0			
Naphthalene	21.32	5.0	20	0	107	55-140	0			
p-Isopropyltoluene	19.69	2.0	20	0	98.4	75-130	0			
sec-Butylbenzene	20.09	2.0	20	0	100	70-125	0			
Toluene	20.16	1.0	20	0	101	75-120	0			
Xylenes, Total	63.75	2.0	60	0	106	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>107.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>107</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>99.17</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.2</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>107.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>107</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>103.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010303
 Project: Marshall Oil Spill Hydrogeo Investigation 10/12/10

QC BATCH REPORT

Batch ID: **R82416** Instrument ID **VMS7** Method: **SW8260**

LCSD	Sample ID: VLCS DW2-101012-R82416	Units: µg/L					Analysis Date: 10/13/2010 01:48 AM				
Client ID:	Run ID: VMS7_101012B	SeqNo: 1448056			Prep Date:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	18.6	1.0	20	0	93	75-130	19.96	7.05	30		
1,3,5-Trimethylbenzene	19.19	1.0	20	0	96	75-130	20.56	6.89	30		
Benzene	19.8	1.0	20	0	99	80-120	20.62	4.06	30		
Ethylbenzene	19.99	1.0	20	0	100	75-125	21.32	6.44	30		
Isopropylbenzene	22.19	1.0	20	0	111	75-125	23.83	7.13	30		
n-Propylbenzene	19.38	1.0	20	0	96.9	70-130	21.24	9.16	30		
Naphthalene	20.7	5.0	20	0	104	55-140	21.32	2.95	30		
p-Isopropyltoluene	18.38	2.0	20	0	91.9	75-130	19.69	6.88	30		
sec-Butylbenzene	18.1	2.0	20	0	90.5	70-125	20.09	10.4	30		
Toluene	18.64	1.0	20	0	93.2	75-120	20.16	7.84	30		
Xylenes, Total	60.5	2.0	60	0	101	75-130	63.75	5.23	30		
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>109.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>109</i>	<i>70-120</i>	<i>107.1</i>	<i>2.02</i>	<i>30</i>		
<i>Surr: 4-Bromofluorobenzene</i>	<i>98.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>98.2</i>	<i>75-120</i>	<i>99.17</i>	<i>0.983</i>	<i>30</i>		
<i>Surr: Dibromofluoromethane</i>	<i>106.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>107</i>	<i>85-115</i>	<i>107.2</i>	<i>0.392</i>	<i>30</i>		
<i>Surr: Toluene-d8</i>	<i>102</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>85-120</i>	<i>103.6</i>	<i>1.62</i>	<i>30</i>		

The following samples were analyzed in this batch:

1010303-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 1 of 1

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 10-10303

Customer Information, Project Information, Parameter/Method Request for Analysis

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Refinishing by, Received by, Logged by, Checked by, Cooler ID, Cooler Temp, QC Package

Sample Receipt Checklist

Client Name: **AECOM - GR**

Date/Time Received: **12-Oct-10 00:00**

Work Order: **1010303**

Received by: **AP**

Checklist completed by Ann Preston 12-Oct-10
eSignature Date


Reviewed by: Ann Preston 13-Oct-10
eSignature Date

Matrices: water

Carrier name: ALSHN

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<input type="text" value="4.0°C"/> <input type="text"/>		
Cooler(s)/Kit(s):	<input type="text"/>		
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:	<input type="text"/>		

Login Notes:



Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction:



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 1 of 1

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 10-10303

Customer Information, Project Information, Parameter/Method Request for Analysis

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Refinishing by, Received by, Logged by, Checked by, Cooler ID, Cooler Temp, QC Package

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.
Copyright 2008 by ALS Laboratory Group.



16-Oct-2010

Kris Nolan
AECOM Enviroment
5555 Glenwood Parkway SE
Grand Rapids, MI 49512

Re: **Marshall Oil Spill Hydrogeo Study 10/13/10**

Work Order: **1010353**

Dear Kris,

ALS Group USA, Corp received 6 samples on 13-Oct-2010 04:05 PM for the analyses presented in the following report.

This is a REVISED REPORT. The Case Narrative provides information discussing the reason for issuing a revised report. The total number of pages in this revision is 34.

If you have any questions regarding these test results, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon consisting of a stylized blue triangle with a yellow flame-like shape inside.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Work Order: 1010353

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1010353-01	WGC10131220BAW1	Water		10/13/2010 12:20	10/13/2010 16:05	<input type="checkbox"/>
1010353-02	WGC10130900BAW1	Water		10/13/2010 09:00	10/13/2010 16:05	<input type="checkbox"/>
1010353-03	WGC10131435BAW1	Water		10/13/2010 14:35	10/13/2010 16:05	<input type="checkbox"/>
1010353-04	WGC10131545BAW5	Water		10/13/2010	10/13/2010 16:05	<input type="checkbox"/>
1010353-05	WGC10131600BAW4	Water		10/13/2010 16:00	10/13/2010 16:05	<input type="checkbox"/>
1010353-06	WGC10131605BAW5	Water		10/13/2010	10/13/2010 16:05	<input type="checkbox"/>

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Work Order: 1010353

Case Narrative

This revised report has corrected a laboratory error for dissolved metals. At the client's request, the laboratory filtered the samples for dissolved metals. After the filtration step, the two samples, WGC10131435BAW1 and WGC10131600BAW, were labeled incorrectly, switching one for the other. The client noticed the discrepancy between the total and dissolved metals. Both samples were re-run for both total and dissolved, and it was determined the error was during the labeling after the filtration. A Corrective Action Report has been requested for QA review.

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
WorkOrder: 1010353

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg/L	Milligrams per Liter

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-01

Client Sample ID: WGC10131220BAW1
Collection Date: 10/13/2010 12:20:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/14/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	68	10	10		mg/L	1	10/14/2010
Iron	15	0.20	0.20		mg/L	1	10/14/2010
Magnesium	21	1.0	1.0		mg/L	1	10/14/2010
Nickel	ND	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	32	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.047	0.0040	0.0040		mg/L	1	10/14/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	67	10	10		mg/L	1	10/14/2010
Iron	5.8	0.20	0.20		mg/L	1	10/14/2010
Magnesium	21	1.0	1.0		mg/L	1	10/14/2010
Nickel	ND	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	31	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.023	0.0040	0.0040		mg/L	1	10/14/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/14/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/14/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/14/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/14/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/14/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/14/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/14/2010
Surr: 2,4,6-Tribromophenol	85.6	40-125			%REC	1	10/14/2010
Surr: 2-Fluorobiphenyl	57.3	50-110			%REC	1	10/14/2010
Surr: 2-Fluorophenol	40.3	20-110			%REC	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-01

Client Sample ID: WGC10131220BAW1
Collection Date: 10/13/2010 12:20:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	49.3	50-125		S	%REC	1	10/14/2010
Surr: Nitrobenzene-d5	60.1	40-110			%REC	1	10/14/2010
Surr: Phenol-d6	24.4	20-110			%REC	1	10/14/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	119	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	96.1	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	111	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/14/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: KB
Alkalinity, Bicarbonate (as CaCO3)	240	10	10		mg/L	1	10/13/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/13/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	32	10	10		mg/L	4	10/14/2010
Sulfate	55	4.0	1.0		mg/L	4	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-02

Client Sample ID: WGC10130900BAW1
Collection Date: 10/13/2010 9:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/14/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	77	10	10		mg/L	1	10/14/2010
Iron	10	0.20	0.20		mg/L	1	10/14/2010
Magnesium	19	1.0	1.0		mg/L	1	10/14/2010
Nickel	0.025	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	72	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.034	0.0040	0.0040		mg/L	1	10/14/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	75	10	10		mg/L	1	10/14/2010
Iron	0.49	0.20	0.20		mg/L	1	10/14/2010
Magnesium	18	1.0	1.0		mg/L	1	10/14/2010
Nickel	ND	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	75	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.0062	0.0040	0.0040		mg/L	1	10/14/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	80.6	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	59.1	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	45.1	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-02

Client Sample ID: WGC10130900BAW1
Collection Date: 10/13/2010 9:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	112	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	60.8	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	28.4	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	118	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	95.2	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	110	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	103	85-120			%REC	1	10/14/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: KB
Alkalinity, Bicarbonate (as CaCO3)	240	10	10		mg/L	1	10/13/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/13/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	100	100	10		mg/L	10	10/14/2010
Sulfate	57	10	1.0		mg/L	10	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-03

Client Sample ID: WGC10131435BAW1
Collection Date: 10/13/2010 2:35:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/14/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	77	10	10		mg/L	1	10/14/2010
Iron	2.7	0.20	0.20		mg/L	1	10/14/2010
Magnesium	21	1.0	1.0		mg/L	1	10/14/2010
Nickel	ND	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	17	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.011	0.0040	0.0040		mg/L	1	10/14/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	81	10	10		mg/L	1	10/15/2010
Iron	0.43	0.20	0.20		mg/L	1	10/15/2010
Magnesium	22	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	19	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/14/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/14/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/14/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/14/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/14/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/14/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/14/2010
Surr: 2,4,6-Tribromophenol	76.3	40-125			%REC	1	10/14/2010
Surr: 2-Fluorobiphenyl	52.5	50-110			%REC	1	10/14/2010
Surr: 2-Fluorophenol	34.4	20-110			%REC	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-03

Client Sample ID: WGC10131435BAW1
Collection Date: 10/13/2010 2:35:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	66.9	50-125			%REC	1	10/14/2010
Surr: Nitrobenzene-d5	54.2	40-110			%REC	1	10/14/2010
Surr: Phenol-d6	20.6	20-110			%REC	1	10/14/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	120	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	94.4	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	112	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/14/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: KB
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/13/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/13/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	36	10	10		mg/L	10	10/14/2010
Sulfate	29	10	1.0		mg/L	10	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-04

Client Sample ID: WGC10131545BAW5
Collection Date: 10/13/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	117	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	93.5	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	109	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-05

Client Sample ID: WGC10131600BAW4
Collection Date: 10/13/2010 4:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/14/2010		Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/14/2010
Calcium	ND	10	10		mg/L	1	10/14/2010
Iron	ND	0.20	0.20		mg/L	1	10/14/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/14/2010
Nickel	ND	0.020	0.020		mg/L	1	10/14/2010
Potassium	ND	10	10		mg/L	1	10/14/2010
Sodium	ND	1.0	1.0		mg/L	1	10/14/2010
Vanadium	0.0047	0.0040	0.0040		mg/L	1	10/14/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	ND	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	ND	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/14/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/14/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/14/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/14/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/14/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/14/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/14/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/14/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/14/2010
Surr: 2,4,6-Tribromophenol	92.5	40-125			%REC	1	10/14/2010
Surr: 2-Fluorobiphenyl	59.2	50-110			%REC	1	10/14/2010
Surr: 2-Fluorophenol	41.9	20-110			%REC	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-05

Client Sample ID: WGC10131600BAW4
Collection Date: 10/13/2010 4:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	45.0	50-125		S	%REC	1	10/14/2010
Surr: Nitrobenzene-d5	62.1	40-110			%REC	1	10/14/2010
Surr: Phenol-d6	24.1	20-110			%REC	1	10/14/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	118	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	95.8	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	111	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	103	85-120			%REC	1	10/14/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: KB
Alkalinity, Bicarbonate (as CaCO3)	ND	10	10		mg/L	1	10/13/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/13/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/14/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10
Lab ID: 1010353-06

Client Sample ID: WGC10131605BAW5
Collection Date: 10/13/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Benzene	ND	1.0	1.0		µg/L	1	10/14/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/14/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/14/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/14/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/14/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/14/2010
Toluene	ND	1.0	1.0		µg/L	1	10/14/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/14/2010
Surr: 1,2-Dichloroethane-d4	117	70-120			%REC	1	10/14/2010
Surr: 4-Bromofluorobenzene	95.2	75-120			%REC	1	10/14/2010
Surr: Dibromofluoromethane	110	85-115			%REC	1	10/14/2010
Surr: Toluene-d8	103	85-120			%REC	1	10/14/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: AECOM Enviroment

QC BATCH REPORT

Work Order: 1010353

Project: Marshall Oil Spill Hydrogeo Study 10/13/10

Batch ID: **29958** Instrument ID **ICPMS2** Method: **SW6020A**

MBLK		Sample ID: MBLK-29958-29958			Units: mg/L			Analysis Date: 10/14/2010 02:36 PM		
Client ID:		Run ID: ICPMS2_101014A			SeqNo: 1450776			Prep Date: 10/14/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS		Sample ID: LCS-29958-29958			Units: mg/L			Analysis Date: 10/14/2010 02:41 PM		
Client ID:		Run ID: ICPMS2_101014A			SeqNo: 1450777			Prep Date: 10/14/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.09548	0.0050	0.1	0	95.5	80-120	0			
Calcium	9.661	0.50	10	0	96.6	80-120	0			
Iron	9.756	0.080	10	0	97.6	80-120	0			
Magnesium	9.733	0.20	10	0	97.3	80-120	0			
Nickel	0.09624	0.0050	0.1	0	96.2	80-120	0			
Potassium	9.755	0.20	10	0	97.6	80-120	0			
Sodium	9.634	0.20	10	0	96.3	80-120	0			
Vanadium	0.09707	0.0050	0.1	0	97.1	80-120	0			

LCSD		Sample ID: LCSD-29958-29958			Units: mg/L			Analysis Date: 10/14/2010 02:45 PM		
Client ID:		Run ID: ICPMS2_101014A			SeqNo: 1450778			Prep Date: 10/14/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.09629	0.0050	0.1	0	96.3	80-120	0.09548	0.845	20	
Calcium	9.686	0.50	10	0	96.9	80-120	9.661	0.258	20	
Iron	9.812	0.080	10	0	98.1	80-120	9.756	0.572	20	
Magnesium	9.717	0.20	10	0	97.2	80-120	9.733	0.165	20	
Nickel	0.09713	0.0050	0.1	0	97.1	80-120	0.09624	0.921	20	
Potassium	9.732	0.20	10	0	97.3	80-120	9.755	0.236	20	
Sodium	9.657	0.20	10	0	96.6	80-120	9.634	0.238	20	
Vanadium	0.09729	0.0050	0.1	0	97.3	80-120	0.09707	0.226	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29958 Instrument ID ICPMS2 Method: SW6020A

MS Sample ID: 1010353-01CMS Units: mg/L Analysis Date: 10/14/2010 05:02 PM

Client ID: WGC10131220BAW1 Run ID: ICPMS2_101014A SeqNo: 1450796 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1231	0.0050	0.1	0.02918	93.9	80-120	0			
Calcium	77.7	0.50	10	68.09	96.1	80-120	0			O
Iron	24.75	0.080	10	15.29	94.6	80-120	0			
Magnesium	30.86	0.20	10	21.33	95.3	80-120	0			
Nickel	0.1073	0.0050	0.1	0.01085	96.4	80-120	0			
Potassium	12.21	0.20	10	2.692	95.2	80-120	0			
Sodium	42.11	0.20	10	32.36	97.5	80-120	0			
Vanadium	0.1403	0.0050	0.1	0.04659	93.7	80-120	0			

MSD Sample ID: 1010353-01CMSD Units: mg/L Analysis Date: 10/14/2010 05:07 PM

Client ID: WGC10131220BAW1 Run ID: ICPMS2_101014A SeqNo: 1450797 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1202	0.0050	0.1	0.02918	91	80-120	0.1231	2.38	20	
Calcium	76.42	0.50	10	68.09	83.3	80-120	77.7	1.66	20	O
Iron	24.09	0.080	10	15.29	88	80-120	24.75	2.7	20	
Magnesium	30.27	0.20	10	21.33	89.4	80-120	30.86	1.93	20	
Nickel	0.1103	0.0050	0.1	0.01085	99.4	80-120	0.1073	2.76	20	
Potassium	11.95	0.20	10	2.692	92.6	80-120	12.21	2.15	20	
Sodium	41.33	0.20	10	32.36	89.7	80-120	42.11	1.87	20	
Vanadium	0.1379	0.0050	0.1	0.04659	91.3	80-120	0.1403	1.73	20	

The following samples were analyzed in this batch:

1010353-01C	1010353-02C	1010353-03C
1010353-05C		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82520** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MBLK Sample ID: **MBLK-R82520-R82520** Units: **mg/L** Analysis Date: **10/14/2010 11:58 AM**

Client ID: Run ID: **ICPMS2_101014A** SeqNo: **1451064** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	0.004457	0.20								J
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	0.006481	0.20								J
Vanadium	ND	0.0050								

LCS Sample ID: **LCS-R82520-R82520** Units: **mg/L** Analysis Date: **10/14/2010 11:53 AM**

Client ID: Run ID: **ICPMS2_101014A** SeqNo: **1451063** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.0971	0.0050	0.1	0	97.1	80-120	0			
Calcium	9.81	0.50	10	0	98.1	80-120	0			
Iron	9.87	0.080	10	0	98.7	80-120	0			
Magnesium	10.04	0.20	10	0	100	80-120	0			
Nickel	0.09789	0.0050	0.1	0	97.9	80-120	0			
Potassium	9.957	0.20	10	0	99.6	80-120	0			
Sodium	9.976	0.20	10	0	99.8	80-120	0			
Vanadium	0.1001	0.0050	0.1	0	100	80-120	0			

LCSD Sample ID: **LCSD-R82520-R82520** Units: **mg/L** Analysis Date: **10/14/2010 12:57 PM**

Client ID: Run ID: **ICPMS2_101014A** SeqNo: **1451065** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.0981	0.0050	0.1	0	98.1	80-120	0.0971	1.02	20	
Calcium	9.743	0.50	10	0	97.4	80-120	9.81	0.685	20	
Iron	9.778	0.080	10	0	97.8	80-120	9.87	0.936	20	
Magnesium	10.02	0.20	10	0	100	80-120	10.04	0.199	20	
Nickel	0.09655	0.0050	0.1	0	96.6	80-120	0.09789	1.38	20	
Potassium	9.798	0.20	10	0	98	80-120	9.957	1.61	20	
Sodium	10.01	0.20	10	0	100	80-120	9.976	0.34	20	
Vanadium	0.09922	0.0050	0.1	0	99.2	80-120	0.1001	0.883	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82520** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MS Sample ID: **1010353-01DMS** Units: **mg/L** Analysis Date: **10/14/2010 12:08 PM**

Client ID: **WGC10131220BAW1** Run ID: **ICPMS2_101014A** SeqNo: **1450750** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1091	0.0050	0.1	0.021	88.1	80-120	0			
Calcium	75.22	0.50	10	66.72	85	80-120	0			O
Iron	15.09	0.080	10	5.804	92.9	80-120	0			
Magnesium	29.97	0.20	10	20.9	90.7	80-120	0			
Nickel	0.09174	0.0050	0.1	0.006304	85.4	80-120	0			
Potassium	11.98	0.20	10	2.92	90.6	80-120	0			
Sodium	40.35	0.20	10	31.37	89.8	80-120	0			
Vanadium	0.114	0.0050	0.1	0.02312	90.9	80-120	0			

MSD Sample ID: **1010353-01DMSD** Units: **mg/L** Analysis Date: **10/14/2010 12:13 PM**

Client ID: **WGC10131220BAW1** Run ID: **ICPMS2_101014A** SeqNo: **1450751** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1327	0.0050	0.1	0.021	112	80-120	0.1091	19.5	20	
Calcium	77.58	0.50	10	66.72	109	80-120	75.22	3.09	20	O
Iron	17.3	0.080	10	5.804	115	80-120	15.09	13.6	20	
Magnesium	31.96	0.20	10	20.9	111	80-120	29.97	6.43	20	
Nickel	0.1168	0.0050	0.1	0.006304	110	80-120	0.09174	24	20	R
Potassium	14.43	0.20	10	2.92	115	80-120	11.98	18.6	20	
Sodium	42.38	0.20	10	31.37	110	80-120	40.35	4.91	20	
Vanadium	0.138	0.0050	0.1	0.02312	115	80-120	0.114	19	20	

The following samples were analyzed in this batch:

1010353-01D	1010353-02D	1010353-03D
1010353-05D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **29957** Instrument ID **SVMS4** Method: **SW8270**

MBLK Sample ID: **SBLKW1-29957-29957** Units: **µg/L** Analysis Date: **10/14/2010 02:49 PM**

Client ID: Run ID: **SVMS4_101014A** SeqNo: **1450726** Prep Date: **10/14/2010** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	ND	5.0								
Acenaphthene	ND	5.0								
Acenaphthylene	ND	5.0								
Anthracene	ND	5.0								
Benzo(a)anthracene	ND	5.0								
Benzo(a)pyrene	ND	5.0								
Benzo(b)fluoranthene	ND	5.0								
Benzo(g,h,i)perylene	ND	5.0								
Benzo(k)fluoranthene	ND	5.0								
Chrysene	ND	5.0								
Dibenzo(a,h)anthracene	ND	5.0								
Fluoranthene	ND	5.0								
Fluorene	ND	5.0								
Indeno(1,2,3-cd)pyrene	ND	5.0								
Naphthalene	ND	5.0								
Phenanthrene	ND	5.0								
Pyrene	ND	5.0								
<i>Surr: 2,4,6-Tribromophenol</i>	<i>49.79</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>99.6</i>	<i>40-125</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>32.31</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>64.6</i>	<i>50-110</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>23.59</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>47.2</i>	<i>20-110</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>44.72</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>89.4</i>	<i>50-125</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>33.12</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>66.2</i>	<i>40-110</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>13.74</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>27.5</i>	<i>20-110</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

LCS Sample ID: SLCSW1-29957-29957 Units: µg/L Analysis Date: 10/14/2010 12:13 PM

Client ID: Run ID: SVMS4_101014A SeqNo: 1450722 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	27.46	5.0	40	0	68.6	45-105	0			
Acenaphthene	27.95	5.0	40	0	69.9	45-110	0			
Acenaphthylene	28.15	5.0	40	0	70.4	50-105	0			
Anthracene	27.91	5.0	40	0	69.8	55-110	0			
Benzo(a)anthracene	35.1	5.0	40	0	87.8	55-110	0			
Benzo(a)pyrene	30.37	5.0	40	0	75.9	55-110	0			
Benzo(b)fluoranthene	30.18	5.0	40	0	75.4	45-120	0			
Benzo(g,h,i)perylene	29.12	5.0	40	0	72.8	40-125	0			
Benzo(k)fluoranthene	30.24	5.0	40	0	75.6	45-125	0			
Chrysene	32.33	5.0	40	0	80.8	55-110	0			
Dibenzo(a,h)anthracene	32.09	5.0	40	0	80.2	40-125	0			
Fluoranthene	29.47	5.0	40	0	73.7	55-115	0			
Fluorene	27.76	5.0	40	0	69.4	50-110	0			
Indeno(1,2,3-cd)pyrene	31.24	5.0	40	0	78.1	45-125	0			
Naphthalene	28.07	5.0	40	0	70.2	40-100	0			
Phenanthrene	29.87	5.0	40	0	74.7	50-115	0			
Pyrene	31.81	5.0	40	0	79.5	50-130	0			
Surr: 2,4,6-Tribromophenol	37.04	0	50	0	74.1	40-125	0			
Surr: 2-Fluorobiphenyl	32.12	0	50	0	64.2	50-110	0			
Surr: 2-Fluorophenol	23.87	0	50	0	47.7	20-110	0			
Surr: 4-Terphenyl-d14	36.75	0	50	0	73.5	50-125	0			
Surr: Nitrobenzene-d5	34.12	0	50	0	68.2	40-110	0			
Surr: Phenol-d6	13.45	0	50	0	26.9	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

LCSD	Sample ID: SLCSDW1-29957-29957	Units: µg/L					Analysis Date: 10/14/2010 12:44 PM				
Client ID:	Run ID: SVMS4_101014A	SeqNo: 1450723			Prep Date: 10/14/2010		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
2-Methylnaphthalene	27.43	5.0	40	0	68.6	45-105	27.46	0.109	30		
Acenaphthene	27.72	5.0	40	0	69.3	45-110	27.95	0.826	30		
Acenaphthylene	27.68	5.0	40	0	69.2	50-105	28.15	1.68	30		
Anthracene	28.05	5.0	40	0	70.1	55-110	27.91	0.5	30		
Benzo(a)anthracene	35.13	5.0	40	0	87.8	55-110	35.1	0.0854	30		
Benzo(a)pyrene	31.14	5.0	40	0	77.8	55-110	30.37	2.5	30		
Benzo(b)fluoranthene	30.83	5.0	40	0	77.1	45-120	30.18	2.13	30		
Benzo(g,h,i)perylene	29.5	5.0	40	0	73.8	40-125	29.12	1.3	30		
Benzo(k)fluoranthene	30.9	5.0	40	0	77.2	45-125	30.24	2.16	30		
Chrysene	32.41	5.0	40	0	81	55-110	32.33	0.247	30		
Dibenzo(a,h)anthracene	31.72	5.0	40	0	79.3	40-125	32.09	1.16	30		
Fluoranthene	30.3	5.0	40	0	75.8	55-115	29.47	2.78	30		
Fluorene	27.39	5.0	40	0	68.5	50-110	27.76	1.34	30		
Indeno(1,2,3-cd)pyrene	31.18	5.0	40	0	78	45-125	31.24	0.192	30		
Naphthalene	28.14	5.0	40	0	70.4	40-100	28.07	0.249	30		
Phenanthrene	30.17	5.0	40	0	75.4	50-115	29.87	0.999	30		
Pyrene	32.08	5.0	40	0	80.2	50-130	31.81	0.845	30		
Surr: 2,4,6-Tribromophenol	37.74	0	50	0	75.5	40-125	37.04	1.87	40		
Surr: 2-Fluorobiphenyl	32	0	50	0	64	50-110	32.12	0.374	40		
Surr: 2-Fluorophenol	23.03	0	50	0	46.1	20-110	23.87	3.58	40		
Surr: 4-Terphenyl-d14	33.06	0	50	0	66.1	50-125	36.75	10.6	40		
Surr: Nitrobenzene-d5	34.81	0	50	0	69.6	40-110	34.12	2	40		
Surr: Phenol-d6	13.2	0	50	0	26.4	20-110	13.45	1.88	40		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MS		Sample ID: 1010353-01B MS			Units: µg/L		Analysis Date: 10/14/2010 01:15 PM			
Client ID: WGC10131220BAW1		Run ID: SVMS4_101014A			SeqNo: 1450724		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	263.9	50	400	0	66	45-105	0			
Acenaphthene	270.1	50	400	0	67.5	45-110	0			
Acenaphthylene	271.5	50	400	0	67.9	50-105	0			
Anthracene	259.6	50	400	0	64.9	55-110	0			
Benzo(a)anthracene	324.3	50	400	0	81.1	55-110	0			
Benzo(a)pyrene	280.3	50	400	0	70.1	55-110	0			
Benzo(b)fluoranthene	281.3	50	400	0	70.3	45-120	0			
Benzo(g,h,i)perylene	273.1	50	400	0	68.3	40-125	0			
Benzo(k)fluoranthene	275.9	50	400	0	69	45-125	0			
Chrysene	301.6	50	400	0	75.4	55-110	0			
Dibenzo(a,h)anthracene	296.8	50	400	0	74.2	40-125	0			
Fluoranthene	273.9	50	400	0	68.5	55-115	0			
Fluorene	271.7	50	400	0	67.9	50-110	0			
Indeno(1,2,3-cd)pyrene	292.1	50	400	0	73	45-125	0			
Naphthalene	269.5	50	400	0	67.4	40-100	0			
Phenanthrene	286.5	50	400	0	71.6	50-115	0			
Pyrene	302.3	50	400	0	75.6	50-130	0			
Surr: 2,4,6-Tribromophenol	368	0	500	0	73.6	40-125	0			
Surr: 2-Fluorobiphenyl	310.1	0	500	0	62	50-110	0			
Surr: 2-Fluorophenol	218.4	0	500	0	43.7	20-110	0			
Surr: 4-Terphenyl-d14	346.9	0	500	0	69.4	50-125	0			
Surr: Nitrobenzene-d5	324.1	0	500	0	64.8	40-110	0			
Surr: Phenol-d6	128.2	0	500	0	25.6	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **29957** Instrument ID **SVMS4** Method: **SW8270**

MS		Sample ID: 1010389-01B MS			Units: µg/L		Analysis Date: 10/15/2010 03:13 PM			
Client ID:		Run ID: SVMS4_101015A			SeqNo: 1452084		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	314.8	50	400	0	78.7	45-105	0			
Acenaphthene	313.6	50	400	0	78.4	45-110	0			
Acenaphthylene	315.5	50	400	0	78.9	50-105	0			
Anthracene	316.3	50	400	0	79.1	55-110	0			
Benzo(a)anthracene	394	50	400	0	98.5	55-110	0			
Benzo(a)pyrene	344.7	50	400	0	86.2	55-110	0			
Benzo(b)fluoranthene	338.1	50	400	0	84.5	45-120	0			
Benzo(g,h,i)perylene	293.1	50	400	0	73.3	40-125	0			
Benzo(k)fluoranthene	389.8	50	400	0	97.4	45-125	0			
Chrysene	365.7	50	400	0	91.4	55-110	0			
Dibenzo(a,h)anthracene	297.6	50	400	0	74.4	40-125	0			
Fluoranthene	329.2	50	400	0	82.3	55-115	0			
Fluorene	320.7	50	400	0	80.2	50-110	0			
Indeno(1,2,3-cd)pyrene	294.6	50	400	0	73.6	45-125	0			
Naphthalene	320.3	50	400	0	80.1	40-100	0			
Phenanthrene	336.8	50	400	0	84.2	50-115	0			
Pyrene	374	50	400	0	93.5	50-130	0			
<i>Surr: 2,4,6-Tribromophenol</i>	<i>413.3</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>82.7</i>	<i>40-125</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>382.3</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>76.5</i>	<i>50-110</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>222.2</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>44.4</i>	<i>20-110</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>416.5</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>83.3</i>	<i>50-125</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>417.2</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>83.4</i>	<i>40-110</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>144.5</i>	<i>0</i>	<i>500</i>	<i>0</i>	<i>28.9</i>	<i>20-110</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MSD		Sample ID: 1010353-01B MSD			Units: µg/L			Analysis Date: 10/14/2010 01:46 PM		
Client ID: WGC10131220BAW1		Run ID: SVMS4_101014A			SeqNo: 1450725		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	245.6	50	400	0	61.4	45-105	263.9	7.18	30	
Acenaphthene	248.5	50	400	0	62.1	45-110	270.1	8.33	30	
Acenaphthylene	252.3	50	400	0	63.1	50-105	271.5	7.33	30	
Anthracene	232.7	50	400	0	58.2	55-110	259.6	10.9	30	
Benzo(a)anthracene	282.6	50	400	0	70.6	55-110	324.3	13.7	30	
Benzo(a)pyrene	249.4	50	400	0	62.4	55-110	280.3	11.7	30	
Benzo(b)fluoranthene	242.3	50	400	0	60.6	45-120	281.3	14.9	30	
Benzo(g,h,i)perylene	244.3	50	400	0	61.1	40-125	273.1	11.1	30	
Benzo(k)fluoranthene	248.4	50	400	0	62.1	45-125	275.9	10.5	30	
Chrysene	262.4	50	400	0	65.6	55-110	301.6	13.9	30	
Dibenzo(a,h)anthracene	260.4	50	400	0	65.1	40-125	296.8	13.1	30	
Fluoranthene	243.7	50	400	0	60.9	55-115	273.9	11.7	30	
Fluorene	243.8	50	400	0	61	50-110	271.7	10.8	30	
Indeno(1,2,3-cd)pyrene	257.9	50	400	0	64.5	45-125	292.1	12.4	30	
Naphthalene	257.3	50	400	0	64.3	40-100	269.5	4.63	30	
Phenanthrene	257.4	50	400	0	64.4	50-115	286.5	10.7	30	
Pyrene	266	50	400	0	66.5	50-130	302.3	12.8	30	
Surr: 2,4,6-Tribromophenol	358.1	0	500	0	71.6	40-125	368	2.73	40	
Surr: 2-Fluorobiphenyl	283	0	500	0	56.6	50-110	310.1	9.14	40	
Surr: 2-Fluorophenol	209.7	0	500	0	41.9	20-110	218.4	4.06	40	
Surr: 4-Terphenyl-d14	260.5	0	500	0	52.1	50-125	346.9	28.4	40	
Surr: Nitrobenzene-d5	311.9	0	500	0	62.4	40-110	324.1	3.84	40	
Surr: Phenol-d6	129.2	0	500	0	25.8	20-110	128.2	0.777	40	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MSD Sample ID: 1010389-01B MSD Units: µg/L Analysis Date: 10/15/2010 03:44 PM

Client ID: Run ID: SVMS4_101015A SeqNo: 1452085 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	307.3	50	400	0	76.8	45-105	314.8	2.41	30	
Acenaphthene	308.6	50	400	0	77.2	45-110	313.6	1.61	30	
Acenaphthylene	309.3	50	400	0	77.3	50-105	315.5	1.98	30	
Anthracene	316.5	50	400	0	79.1	55-110	316.3	0.0632	30	
Benzo(a)anthracene	398.9	50	400	0	99.7	55-110	394	1.24	30	
Benzo(a)pyrene	346.5	50	400	0	86.6	55-110	344.7	0.521	30	
Benzo(b)fluoranthene	334	50	400	0	83.5	45-120	338.1	1.22	30	
Benzo(g,h,i)perylene	291.3	50	400	0	72.8	40-125	293.1	0.616	30	
Benzo(k)fluoranthene	393.7	50	400	0	98.4	45-125	389.8	0.996	30	
Chrysene	375.8	50	400	0	94	55-110	365.7	2.72	30	
Dibenzo(a,h)anthracene	298.3	50	400	0	74.6	40-125	297.6	0.235	30	
Fluoranthene	337.3	50	400	0	84.3	55-115	329.2	2.43	30	
Fluorene	314.4	50	400	0	78.6	50-110	320.7	1.98	30	
Indeno(1,2,3-cd)pyrene	295.9	50	400	0	74	45-125	294.6	0.44	30	
Naphthalene	311.6	50	400	0	77.9	40-100	320.3	2.75	30	
Phenanthrene	342.5	50	400	0	85.6	50-115	336.8	1.68	30	
Pyrene	378.9	50	400	0	94.7	50-130	374	1.3	30	
Surr: 2,4,6-Tribromophenol	420.4	0	500	0	84.1	40-125	413.3	1.7	40	
Surr: 2-Fluorobiphenyl	371.4	0	500	0	74.3	50-110	382.3	2.89	40	
Surr: 2-Fluorophenol	239.1	0	500	0	47.8	20-110	222.2	7.33	40	
Surr: 4-Terphenyl-d14	419.8	0	500	0	84	50-125	416.5	0.789	40	
Surr: Nitrobenzene-d5	417.8	0	500	0	83.6	40-110	417.2	0.144	40	
Surr: Phenol-d6	152.9	0	500	0	30.6	20-110	144.5	5.65	40	

The following samples were analyzed in this batch:

1010353-01B	1010353-02B	1010353-03B
1010353-05B		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82464** Instrument ID **VMS7** Method: **SW8260**

MBLK Sample ID: **VBLKW2-101013-R82464** Units: **µg/L** Analysis Date: **10/14/2010 03:27 AM**

Client ID: Run ID: **VMS7_101013B** SeqNo: **1449531** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>115.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>116</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>93.69</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>93.7</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>107.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>108</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>101.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>85-120</i>	<i>0</i>			

LCS Sample ID: **VLCSW2-101013-R82464** Units: **µg/L** Analysis Date: **10/14/2010 02:05 AM**

Client ID: Run ID: **VMS7_101013B** SeqNo: **1449249** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	19.3	1.0	20	0	96.5	75-130	0			
1,3,5-Trimethylbenzene	20.21	1.0	20	0	101	75-130	0			
Benzene	21.03	1.0	20	0	105	80-120	0			
Ethylbenzene	21.65	1.0	20	0	108	75-125	0			
Isopropylbenzene	23.86	1.0	20	0	119	75-125	0			
n-Propylbenzene	20.82	1.0	20	0	104	70-130	0			
Naphthalene	21.45	5.0	20	0	107	55-140	0			
p-Isopropyltoluene	20	2.0	20	0	100	75-130	0			
sec-Butylbenzene	19.55	2.0	20	0	97.8	70-125	0			
Toluene	20.61	1.0	20	0	103	75-120	0			
Xylenes, Total	64.38	2.0	60	0	107	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>110.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>111</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>97.04</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>97</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>109.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>109</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>105.7</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82464** Instrument ID **VMS7** Method: **SW8260**

LCSD		Sample ID: VLCS DW2-101013-R82464				Units: µg/L		Analysis Date: 10/14/2010 02:32 AM			
Client ID:		Run ID: VMS7_101013B				SeqNo: 1449250		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	18.82	1.0	20	0	94.1	75-130	19.3	2.52	30		
1,3,5-Trimethylbenzene	19.68	1.0	20	0	98.4	75-130	20.21	2.66	30		
Benzene	20.41	1.0	20	0	102	80-120	21.03	2.99	30		
Ethylbenzene	20.88	1.0	20	0	104	75-125	21.65	3.62	30		
Isopropylbenzene	22.91	1.0	20	0	115	75-125	23.86	4.06	30		
n-Propylbenzene	20.07	1.0	20	0	100	70-130	20.82	3.67	30		
Naphthalene	20.02	5.0	20	0	100	55-140	21.45	6.9	30		
p-Isopropyltoluene	18.72	2.0	20	0	93.6	75-130	20	6.61	30		
sec-Butylbenzene	18.54	2.0	20	0	92.7	70-125	19.55	5.3	30		
Toluene	19.89	1.0	20	0	99.4	75-120	20.61	3.56	30		
Xylenes, Total	62.42	2.0	60	0	104	75-130	64.38	3.09	30		
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>110.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>111</i>	<i>70-120</i>	<i>110.5</i>	<i>0.262</i>	<i>30</i>		
<i>Surr: 4-Bromofluorobenzene</i>	<i>97.55</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>97.6</i>	<i>75-120</i>	<i>97.04</i>	<i>0.524</i>	<i>30</i>		
<i>Surr: Dibromofluoromethane</i>	<i>110.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>110</i>	<i>85-115</i>	<i>109.2</i>	<i>1.08</i>	<i>30</i>		
<i>Surr: Toluene-d8</i>	<i>106.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>85-120</i>	<i>105.7</i>	<i>0.519</i>	<i>30</i>		

MS		Sample ID: 1010222-05A MS				Units: µg/Kg		Analysis Date: 10/14/2010 11:38 AM			
Client ID:		Run ID: VMS7_101013B				SeqNo: 1449926		Prep Date:		DF: 100	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	2120	100	2000	0	106	65-135	0				
1,3,5-Trimethylbenzene	2201	100	2000	0	110	65-135	0				
Benzene	2302	100	2000	30	114	75-125	0				
Ethylbenzene	2249	200	2000	0	112	75-125	0				
Isopropylbenzene	2525	100	2000	0	126	75-130	0				
n-Propylbenzene	2248	200	2000	0	112	65-135	0				
Naphthalene	1855	200	2000	0	92.8	40-140	0				
p-Isopropyltoluene	1997	950	2000	0	99.8	75-135	0				
sec-Butylbenzene	2087	100	2000	0	104	65-130	0				
Toluene	2123	150	2000	0	106	70-125	0				
Xylenes, Total	6774	300	6000	0	113	75-125	0				
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>11490</i>	<i>0</i>	<i>10000</i>	<i>0</i>	<i>115</i>	<i>70-120</i>	<i>0</i>				
<i>Surr: 4-Bromofluorobenzene</i>	<i>10380</i>	<i>0</i>	<i>10000</i>	<i>0</i>	<i>104</i>	<i>75-120</i>	<i>0</i>				
<i>Surr: Dibromofluoromethane</i>	<i>11090</i>	<i>0</i>	<i>10000</i>	<i>0</i>	<i>111</i>	<i>85-115</i>	<i>0</i>				
<i>Surr: Toluene-d8</i>	<i>10460</i>	<i>0</i>	<i>10000</i>	<i>0</i>	<i>105</i>	<i>85-115</i>	<i>0</i>				

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82464** Instrument ID **VMS7** Method: **SW8260**

MS Sample ID: **1010353-01A MS** Units: **µg/L** Analysis Date: **10/14/2010 12:32 PM**

Client ID: **WGC10131220BAW1** Run ID: **VMS7_101013B** SeqNo: **1449929** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.54	1.0	20	0	103	75-130	0			
1,3,5-Trimethylbenzene	20.98	1.0	20	0	105	75-130	0			
Benzene	22.33	1.0	20	0	112	80-120	0			
Ethylbenzene	22.03	1.0	20	0	110	75-125	0			
Isopropylbenzene	24.34	1.0	20	0	122	75-125	0			
n-Propylbenzene	21.65	1.0	20	0	108	70-130	0			
Naphthalene	20.66	5.0	20	0	103	55-140	0			
p-Isopropyltoluene	19.37	2.0	20	0	96.8	75-130	0			
sec-Butylbenzene	20.41	2.0	20	0	102	70-125	0			
Toluene	21.62	1.0	20	0	108	75-120	0			
Xylenes, Total	66.57	2.0	60	0	111	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	112.6	0	100	0	113	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	101.7	0	100	0	102	75-120	0			
<i>Surr: Dibromofluoromethane</i>	110.9	0	100	0	111	85-115	0			
<i>Surr: Toluene-d8</i>	107.7	0	100	0	108	85-120	0			

MSD Sample ID: **1010222-05A MSD** Units: **µg/Kg** Analysis Date: **10/14/2010 12:05 PM**

Client ID: Run ID: **VMS7_101013B** SeqNo: **1449927** Prep Date: DF: **100**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	2007	100	2000	0	100	65-135	2120	5.48	30	
1,3,5-Trimethylbenzene	2111	100	2000	0	106	65-135	2201	4.17	30	
Benzene	2237	100	2000	30	110	75-125	2302	2.86	30	
Ethylbenzene	2175	200	2000	0	109	75-125	2249	3.35	30	
Isopropylbenzene	2424	100	2000	0	121	75-130	2525	4.08	30	
n-Propylbenzene	2148	200	2000	0	107	65-135	2248	4.55	30	
Naphthalene	1948	200	2000	0	97.4	40-140	1855	4.89	30	
p-Isopropyltoluene	1974	950	2000	0	98.7	75-135	1997	1.16	30	
sec-Butylbenzene	2004	100	2000	0	100	65-130	2087	4.06	30	
Toluene	2042	150	2000	0	102	70-125	2123	3.89	30	
Xylenes, Total	6481	300	6000	0	108	75-125	6774	4.42	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	11290	0	10000	0	113	70-120	11490	1.77	30	
<i>Surr: 4-Bromofluorobenzene</i>	9990	0	10000	0	99.9	75-120	10380	3.88	30	
<i>Surr: Dibromofluoromethane</i>	11110	0	10000	0	111	85-115	11090	0.198	30	
<i>Surr: Toluene-d8</i>	10330	0	10000	0	103	85-115	10460	1.25	30	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82464** Instrument ID **VMS7** Method: **SW8260**

MSD		Sample ID: 1010353-01A MSD			Units: µg/L			Analysis Date: 10/14/2010 12:59 PM		
Client ID: WGC10131220BAW1		Run ID: VMS7_101013B			SeqNo: 1449930		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.6	1.0	20	0	103	75-130	20.54	0.292	30	
1,3,5-Trimethylbenzene	21.05	1.0	20	0	105	75-130	20.98	0.333	30	
Benzene	21.86	1.0	20	0	109	80-120	22.33	2.13	30	
Ethylbenzene	22.11	1.0	20	0	111	75-125	22.03	0.362	30	
Isopropylbenzene	23.97	1.0	20	0	120	75-125	24.34	1.53	30	
n-Propylbenzene	21.42	1.0	20	0	107	70-130	21.65	1.07	30	
Naphthalene	20.3	5.0	20	0	102	55-140	20.66	1.76	30	
p-Isopropyltoluene	19.01	2.0	20	0	95	75-130	19.37	1.88	30	
sec-Butylbenzene	20.31	2.0	20	0	102	70-125	20.41	0.491	30	
Toluene	21.27	1.0	20	0	106	75-120	21.62	1.63	30	
Xylenes, Total	65.61	2.0	60	0	109	75-130	66.57	1.45	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>112.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>113</i>	<i>70-120</i>	<i>112.6</i>	<i>0</i>	<i>30</i>	
<i>Surr: 4-Bromofluorobenzene</i>	<i>102.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>75-120</i>	<i>101.7</i>	<i>0.598</i>	<i>30</i>	
<i>Surr: Dibromofluoromethane</i>	<i>111.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>112</i>	<i>85-115</i>	<i>110.9</i>	<i>0.754</i>	<i>30</i>	
<i>Surr: Toluene-d8</i>	<i>107.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>108</i>	<i>85-120</i>	<i>107.7</i>	<i>0.167</i>	<i>30</i>	

The following samples were analyzed in this batch:

1010353-01A	1010353-02A	1010353-03A
1010353-04A	1010353-05A	1010353-06A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82517** Instrument ID **WETCHEM** Method: **A2320 B**

MBLK		Sample ID: WBLKW1-101013-R82517				Units: mg/L		Analysis Date: 10/13/2010 05:00 PM		
Client ID:		Run ID: WETCHEM_101013I				SeqNo: 1450706		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	2	10								J
Alkalinity, Carbonate (as CaCO3)	2	10								J

LCS		Sample ID: WLCSW1-101013-R82517				Units: mg/L		Analysis Date: 10/13/2010 05:00 PM		
Client ID:		Run ID: WETCHEM_101013I				SeqNo: 1450707		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	860	10	1000	0	86	80-120	0			
Alkalinity, Carbonate (as CaCO3)	860	10	1000	0	86	80-120	0			

LCSD		Sample ID: WLCSDW1-101013-R82517				Units: mg/L		Analysis Date: 10/13/2010 05:00 PM		
Client ID:		Run ID: WETCHEM_101013I				SeqNo: 1450713		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	860	10	1000	0	86	80-120	860	0	20	
Alkalinity, Carbonate (as CaCO3)	860	10	1000	0	86	80-120	860	0	20	

DUP		Sample ID: 1010353-01D DUP				Units: mg/L		Analysis Date: 10/13/2010 05:00 PM		
Client ID: WGC10131220BAW1		Run ID: WETCHEM_101013I				SeqNo: 1450709		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	237.8	10	0	0	0		239.8	0.838	20	
Alkalinity, Carbonate (as CaCO3)	1.2	10	0	0	0		1.2	0	20	J

The following samples were analyzed in this batch:

1010353-01D	1010353-02D	1010353-03D
1010353-05D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010353
 Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82522** Instrument ID **IC3** Method: **SW9056**

MBLK		Sample ID: CCB/MBLK-R82522			Units: mg/L			Analysis Date: 10/14/2010 05:24 AM		
Client ID:		Run ID: IC3_101014A			SeqNo: 1450917			Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	ND	1.0								
Sulfate	ND	1.0								

LCS		Sample ID: CCV/LCS-R82522			Units: mg/L			Analysis Date: 10/14/2010 04:44 AM		
Client ID:		Run ID: IC3_101014A			SeqNo: 1450915			Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.91	1.0	10	0	99.1	80-120	0			
Sulfate	9.868	1.0	10	0	98.7	80-120	0			

LCSD		Sample ID: CCV/LCSD-R82522			Units: mg/L			Analysis Date: 10/14/2010 05:04 AM		
Client ID:		Run ID: IC3_101014A			SeqNo: 1450916			Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	10.14	1.0	10	0	101	80-120	9.91	2.3	20	
Sulfate	10.18	1.0	10	0	102	80-120	9.868	3.12	20	

MS		Sample ID: 1010305-13A MS			Units: mg/L			Analysis Date: 10/14/2010 10:22 AM		
Client ID:		Run ID: IC3_101014A			SeqNo: 1450932			Prep Date:		DF: 2
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	14.76	2.0	10	5.238	95.2	75-125	0			
Sulfate	31.77	2.0	10	21.97	97.9	75-125	0			

MS		Sample ID: 1010353-01D MS			Units: mg/L			Analysis Date: 10/14/2010 12:00 PM		
Client ID: WGC10131220BAW1		Run ID: IC3_101014A			SeqNo: 1450937			Prep Date:		DF: 4
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	40.3	4.0	10	31.13	91.7	75-125	0			
Sulfate	61.01	4.0	10	51.83	91.8	75-125	0			O

MSD		Sample ID: 1010305-13A MSD			Units: mg/L			Analysis Date: 10/14/2010 10:42 AM		
Client ID:		Run ID: IC3_101014A			SeqNo: 1450933			Prep Date:		DF: 2
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	14.72	2.0	10	5.238	94.8	75-125	14.76	0.271	20	
Sulfate	30.7	2.0	10	21.97	87.2	75-125	31.77	3.43	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Enviroment
Work Order: 1010353
Project: Marshall Oil Spill Hydrogeo Study 10/13/10

QC BATCH REPORT

Batch ID: **R82522** Instrument ID **IC3** Method: **SW9056**

MSD		Sample ID: 1010353-01D MSD			Units: mg/L		Analysis Date: 10/14/2010 12:20 PM			
Client ID: WGC10131220BAW1		Run ID: IC3_101014A			SeqNo: 1450938		Prep Date:		DF: 4	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	40.82	4.0	10	31.13	96.9	75-125	40.3	1.28	20	
Sulfate	62.32	4.0	10	51.83	105	75-125	61.01	2.12	20	O

The following samples were analyzed in this batch:

1010353-01D	1010353-02D	1010353-03D
1010353-05D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010353

Customer Information, Project Information, Parameter/Method Request for Analysis. Includes fields for Purchase Order, Work Order, Company Name, Address, City/State/Zip, Phone, Fax, e-Mail Address, Project Name, Project Number, Bill To Company, Invoice Attn, Address, City/State/Zip, Phone, Fax, e-Mail Address, and analysis parameters A through J.

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 7 rows of sample data.

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Relinquished by, Date, Time, Received by, Received by (Laboratory), Checked by (Laboratory), Cooler ID, Cooler Temp, QC Package (Check One Box Below), Preservative Key.

Sample Receipt Checklist

Client Name: **AECOM - GR**

Date/Time Received: **13-Oct-10 16:05**

Work Order: **1010353**

Received by: **MA**

Checklist completed by Bill Carey 14-Oct-10
eSignature Date

Reviewed by: Ann Preston 14-Oct-10
eSignature Date

Matrices: Water

Carrier name: ALSHN

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):

Cooler(s)/Kit(s):

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

Page 1 of 1

ALS Project Manager:

ALS Work Order #: 1010353

Customer Information		Project Information		Parameter/Method Request for Analysis												
Purchase Order		Project Name	Enbridge Line 6B, MP608-Marshall,M	A	Volatiles by EPA 8260-Groundwater List provided											
Work Order		Project Number	Hydrogeo Study	B	PAHs by EPA 8270											
Company Name	AECOM Environment	Bill To Company	Enbridge Energy	C	Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020											
Send Report To	Jim Tolbert	Invoice Attn	Accounts Payable	D	Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020 (Lab Filter)											
Address	5555 Glenwood Parkway SE	Address	1100 Louisiana Suite 1100	E	Cl, SO4 by EPA 9056											
				F	Bicarbonate and Carbonate Alkalinity by SM 2320											
City/State/Zip	Grand Rapids, MI 49512	City/State/Zip	Houston, TX 77002	G	SW Metals: Fe, Na, K, Ca, Mg by EPA 6020											
Phone	(616) 942-9600	Phone		H												
Fax		Fax		I												
e-Mail Address	james.tolbert@aecom.com	e-Mail Address		J												

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WGC10131220BAW1 2	10/13/10	1220	W	-	7	x	x	x	x	x	x	MWKR0580L03				
2	WGC10131220BAW3 (ms/msd)	10/13/10	1220	W	-	7	x	x	x	x	x	x	MWKR0580L03				
3	WGC10130900BAW1 -2	10/13/10	0900	W	-	7	x	x	x	x	x	x	MWKR0570R03				
4	WGC10131435BAW1 -3	10/13/10	1435	W	-	7	x	x	x	x	x	x	MWKR0580L02				
5	WGC10131545BAW5 -4	10/13/10				1	x										
6	WGC10131600BAW4 -5	10/13/10	1600	W	-	7	x	x	x	x	x	x					
7	WGC10131605BAW5 -6	10/13/10				1	x										
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Bridget Walsh</i> <i>Bridget Walsh</i>		Shipment Method		Required Turnaround Time: (Check Box) <input type="checkbox"/> Other _____ <input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input checked="" type="checkbox"/> 24 Hour				Results Due Date:				
Relinquished by: <i>Bridget Walsh</i>	Date: 10/13/10	Time: 1605	Received by: <i>[Signature]</i>		Notes:							
Relinquished by: <i>[Signature]</i>	Date: 10/13/10	Time:	Received by (Laboratory):		Cooler ID	Cooler Temp	QC Package: (Check One Box Below)					
Logged by (Laboratory): <i>[Signature]</i>	Date: 10/14/10	Time: 0749	Checked by (Laboratory): <i>[Signature]</i>				<input type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist				
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035								<input type="checkbox"/> Level III Std QC/Raw Date	<input type="checkbox"/> TRRP Level IV			
								<input type="checkbox"/> Level IV SW846/CLP				
								<input type="checkbox"/> Other _____				

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.



16-Oct-2010

Jim Tolbert
AECOM Enviroment
5555 Glenwood Parkway SE
Grand Rapids, MI 49512

Re: **Marshall Oil Spill Hydrogeo Study 10/14/10**

Work Order: **1010389**

Dear Jim,

ALS Group USA, Corp received 14 samples on 14-Oct-2010 08:05 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 50.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Work Order: 1010389

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1010389-01	WGE10141015BAW1	Water		10/14/2010 10:15	10/14/2010 20:05	<input type="checkbox"/>
1010389-02	WSE10141155BAW1	Water		10/14/2010 11:55	10/14/2010 20:05	<input type="checkbox"/>
1010389-03	WGE10141445BAW1	Water		10/14/2010 14:45	10/14/2010 20:05	<input type="checkbox"/>
1010389-04	WGE10141745TVF4	Water		10/14/2010 17:45	10/14/2010 20:05	<input type="checkbox"/>
1010389-05	WGE10141800TVF4	Water		10/14/2010 18:00	10/14/2010 20:05	<input type="checkbox"/>
1010389-06	WGC10151730TVF5	Water		10/14/2010	10/14/2010 20:05	<input type="checkbox"/>
1010389-07	WGC10141735TVF5	Water		10/14/2010	10/14/2010 20:05	<input type="checkbox"/>
1010389-08	WGE10141020BRH1	Water		10/14/2010 10:20	10/14/2010 20:05	<input type="checkbox"/>
1010389-09	WGE10141200BRH1	Water		10/14/2010 12:00	10/14/2010 20:05	<input type="checkbox"/>
1010389-10	WGE10141200BRH2	Water		10/14/2010 12:00	10/14/2010 20:05	<input type="checkbox"/>
1010389-11	WGC10141505BRH1	Water		10/14/2010 15:05	10/14/2010 20:05	<input type="checkbox"/>
1010389-12	WGC10141640BRH1	Water		10/14/2010 16:40	10/14/2010 20:05	<input type="checkbox"/>
1010389-13	WGC10141810BRH1	Water		10/14/2010 18:10	10/14/2010 20:05	<input type="checkbox"/>
1010389-14	WGC10141810BRH5	Water		10/14/2010 18:10	10/14/2010 20:05	<input type="checkbox"/>

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Work Order: 1010389

Case Narrative

Batch R8251 LCS recovery for Isopropylbenzene was above control limits, but all samples in this quality control batch were ND for this compound. Sample WGE10141015BAW1 MS recovery for Naphthalene was above control limits. The MSD recovery for Isopropylbenzene was above control limits, but the parent sample was ND for both compounds.

Batch R82566 LCSD recovery for Isopropylbenzene was above control limits, but all samples in this quality control batch were ND for this compound.

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
WorkOrder: 1010389

**QUALIFIERS,
 ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg/L	Milligrams per Liter

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-01

Client Sample ID: WGE10141015BAW1
Collection Date: 10/14/2010 10:15:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	74	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	15	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	2.4	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	69	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	14	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	1.7	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	82.8	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	67.2	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	40.1	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-01

Client Sample ID: WGE10141015BAW1
Collection Date: 10/14/2010 10:15:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	71.3	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	70.9	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	25.7	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	118	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.1	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	110	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	240	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/15/2010
Sulfate	5.8	1.0	1.0		mg/L	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-02

Client Sample ID: WSE10141155BAW1
Collection Date: 10/14/2010 11:55:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Calcium	86	10	10		mg/L	1	10/15/2010
Iron	0.23	0.20	0.20		mg/L	1	10/15/2010
Magnesium	25	1.0	1.0		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	23	1.0	1.0		mg/L	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	270	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	45	10	10		mg/L	5	10/15/2010
Sulfate	34	5.0	1.0		mg/L	5	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-03

Client Sample ID: WGE10141445BAW1
Collection Date: 10/14/2010 2:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.15	0.10	0.10		mg/L	1	10/15/2010
Calcium	130	10	10		mg/L	1	10/15/2010
Iron	2.1	0.20	0.20		mg/L	1	10/15/2010
Magnesium	30	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	49	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	0.13	0.10	0.10		mg/L	1	10/15/2010
Calcium	110	10	10		mg/L	1	10/15/2010
Iron	0.36	0.20	0.20		mg/L	1	10/15/2010
Magnesium	27	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	45	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	81.7	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	71.9	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	40.2	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-03

Client Sample ID: WGE10141445BAW1
Collection Date: 10/14/2010 2:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	44.9	50-125		S	%REC	1	10/15/2010
Surr: Nitrobenzene-d5	72.6	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	26.1	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	119	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.1	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	112	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	140	10	10		mg/L	10	10/15/2010
Sulfate	58	10	1.0		mg/L	10	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-04

Client Sample ID: WGE10141745TVF4
Collection Date: 10/14/2010 5:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	ND	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	ND	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	ND	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	ND	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/14/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	82.6	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	73.1	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	46.5	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-04

Client Sample ID: WGE10141745TVF4
Collection Date: 10/14/2010 5:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	52.0	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	73.5	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	28.7	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	120	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	98.0	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	113	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	99.1	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/15/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-05

Client Sample ID: WGE10141800TVF4
Collection Date: 10/14/2010 6:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	ND	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	ND	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	ND	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	ND	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	74.6	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	62.3	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	37.6	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-05

Client Sample ID: WGE10141800TVF4
Collection Date: 10/14/2010 6:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	37.0	50-125		S	%REC	1	10/15/2010
Surr: Nitrobenzene-d5	63.6	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	23.1	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	120	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	97.8	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	113	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	99.8	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/15/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-06

Client Sample ID: WGC10151730TVF5
Collection Date: 10/14/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	117	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.0	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	109	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	99.6	85-120			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-07

Client Sample ID: WGC10141735TVF5
Collection Date: 10/14/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	119	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.4	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	111	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-08

Client Sample ID: WGE10141020BRH1
Collection Date: 10/14/2010 10:20:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	64	10	10		mg/L	1	10/15/2010
Iron	0.30	0.20	0.20		mg/L	1	10/15/2010
Magnesium	14	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	29	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	61	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	14	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	29	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/14/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	52.7	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	47.9	50-110		S	%REC	1	10/15/2010
Surr: 2-Fluorophenol	29.0	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-08

Client Sample ID: WGE10141020BRH1
Collection Date: 10/14/2010 10:20:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	53.6	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	47.8	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	19.6	20-110		S	%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	119	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	92.4	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	111	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	99.3	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	190	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	48	10	10		mg/L	5	10/15/2010
Sulfate	9.4	5.0	1.0		mg/L	5	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-09

Client Sample ID: WGE10141200BRH1
Collection Date: 10/14/2010 12:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	50	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	11	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	6.6	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	46	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	11	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	6.5	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	56.9	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	54.3	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	30.6	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-09

Client Sample ID: WGE10141200BRH1
Collection Date: 10/14/2010 12:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	65.0	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	54.0	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	19.4	20-110		S	%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	120	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.8	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	113	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	160	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	14	10	10		mg/L	1	10/15/2010
Sulfate	3.5	1.0	1.0		mg/L	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-10

Client Sample ID: WGE10141200BRH2
Collection Date: 10/14/2010 12:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	46	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	11	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	6.2	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	46	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	11	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	6.5	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/14/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	49.1	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	50.3	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	26.8	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-10

Client Sample ID: WGE10141200BRH2
Collection Date: 10/14/2010 12:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	42.3	50-125		S	%REC	1	10/15/2010
Surr: Nitrobenzene-d5	50.0	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	17.4	20-110		S	%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	120	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	95.4	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	113	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	100	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	160	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	13	10	10		mg/L	1	10/15/2010
Sulfate	3.2	1.0	1.0		mg/L	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-11

Client Sample ID: WGC10141505BRH1
Collection Date: 10/14/2010 3:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.11	0.10	0.10		mg/L	1	10/15/2010
Calcium	110	10	10		mg/L	1	10/15/2010
Iron	0.41	0.20	0.20		mg/L	1	10/15/2010
Magnesium	28	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	62	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	110	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	27	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	59	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	76.9	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	66.3	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	36.9	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-11

Client Sample ID: WGC10141505BRH1
Collection Date: 10/14/2010 3:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	51.8	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	61.7	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	23.7	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	103	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	97.6	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	100	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	99.9	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	340	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	97	10	10		mg/L	10	10/15/2010
Sulfate	62	10	1.0		mg/L	10	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-12

Client Sample ID: WGC10141640BRH1
Collection Date: 10/14/2010 4:40:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.20	0.10	0.10		mg/L	1	10/15/2010
Calcium	78	10	10		mg/L	1	10/15/2010
Iron	1.9	0.20	0.20		mg/L	1	10/15/2010
Magnesium	22	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	30	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	0.18	0.10	0.10		mg/L	1	10/15/2010
Calcium	74	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	22	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	30	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	63.9	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	56.9	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	31.7	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-12

Client Sample ID: WGC10141640BRH1
Collection Date: 10/14/2010 4:40:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	54.5	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	55.3	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	20.7	20-110			%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	119	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.7	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	112	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	250	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	46	10	10		mg/L	5	10/15/2010
Sulfate	37	5.0	1.0		mg/L	5	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-13

Client Sample ID: WGC10141810BRH1
Collection Date: 10/14/2010 6:10:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.12	0.10	0.10		mg/L	1	10/15/2010
Calcium	140	10	10		mg/L	1	10/15/2010
Iron	0.37	0.20	0.20		mg/L	1	10/15/2010
Magnesium	32	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	120	2.0	1.0		mg/L	10	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	0.11	0.10	0.10		mg/L	1	10/15/2010
Calcium	130	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	32	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	110	2.0	1.0		mg/L	10	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/14/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/15/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/15/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/15/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/15/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/15/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/15/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/15/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/15/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/15/2010
Surr: 2,4,6-Tribromophenol	66.9	40-125			%REC	1	10/15/2010
Surr: 2-Fluorobiphenyl	57.0	50-110			%REC	1	10/15/2010
Surr: 2-Fluorophenol	31.8	20-110			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-13

Client Sample ID: WGC10141810BRH1
Collection Date: 10/14/2010 6:10:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	58.9	50-125			%REC	1	10/15/2010
Surr: Nitrobenzene-d5	56.0	40-110			%REC	1	10/15/2010
Surr: Phenol-d6	19.8	20-110		S	%REC	1	10/15/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	105	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	97.7	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	102	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/15/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	380	10	10		mg/L	1	10/15/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/15/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	180	20	10		mg/L	20	10/15/2010
Sulfate	75	20	1.0		mg/L	20	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 16-Oct-10

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10
Lab ID: 1010389-14

Client Sample ID: WGC10141810BRH5
Collection Date: 10/14/2010 6:10:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Benzene	ND	1.0	1.0		µg/L	1	10/15/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/15/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/15/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/15/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/15/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/15/2010
Toluene	ND	1.0	1.0		µg/L	1	10/15/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/15/2010
Surr: 1,2-Dichloroethane-d4	118	70-120			%REC	1	10/15/2010
Surr: 4-Bromofluorobenzene	94.8	75-120			%REC	1	10/15/2010
Surr: Dibromofluoromethane	110	85-115			%REC	1	10/15/2010
Surr: Toluene-d8	102	85-120			%REC	1	10/15/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: AECOM Environment

QC BATCH REPORT

Work Order: 1010389

Project: Marshall Oil Spill Hydrogeo Study 10/14/10

Batch ID: **29984** Instrument ID **ICPMS2** Method: **SW6020A**

MBLK		Sample ID: MBLK-29984-29984			Units: mg/L			Analysis Date: 10/15/2010 02:27 PM		
Client ID:		Run ID: ICPMS2_101015A			SeqNo: 1451626			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS		Sample ID: LCS-29984-29984			Units: mg/L			Analysis Date: 10/15/2010 02:31 PM		
Client ID:		Run ID: ICPMS2_101015A			SeqNo: 1451627			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1005	0.0050	0.1	0	100	80-120	0			
Calcium	10.24	0.50	10	0	102	80-120	0			
Iron	10.49	0.080	10	0	105	80-120	0			
Magnesium	10.34	0.20	10	0	103	80-120	0			
Nickel	0.09442	0.0050	0.1	0	94.4	80-120	0			
Potassium	10.4	0.20	10	0	104	80-120	0			
Sodium	10.19	0.20	10	0	102	80-120	0			
Vanadium	0.1024	0.0050	0.1	0	102	80-120	0			

LCSD		Sample ID: LCSD-29984-29984			Units: mg/L			Analysis Date: 10/15/2010 02:36 PM		
Client ID:		Run ID: ICPMS2_101015A			SeqNo: 1451628			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1019	0.0050	0.1	0	102	80-120	0.1005	1.38	20	
Calcium	10.4	0.50	10	0	104	80-120	10.24	1.55	20	
Iron	10.64	0.080	10	0	106	80-120	10.49	1.42	20	
Magnesium	10.61	0.20	10	0	106	80-120	10.34	2.58	20	
Nickel	0.0952	0.0050	0.1	0	95.2	80-120	0.09442	0.823	20	
Potassium	10.56	0.20	10	0	106	80-120	10.4	1.53	20	
Sodium	10.31	0.20	10	0	103	80-120	10.19	1.17	20	
Vanadium	0.1031	0.0050	0.1	0	103	80-120	0.1024	0.681	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29984 Instrument ID ICPMS2 Method: SW6020A

MS Sample ID: 1010389-01CMS Units: mg/L Analysis Date: 10/15/2010 03:00 PM

Client ID: WGE10141015BAW1 Run ID: ICPMS2_101015A SeqNo: 1451718 Prep Date: 10/15/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1268	0.0050	0.1	0.02535	101	80-120	0			
Calcium	82.2	0.50	10	73.67	85.3	80-120	0			O
Iron	10.39	0.080	10	0.03879	104	80-120	0			
Magnesium	24.81	0.20	10	15.04	97.7	80-120	0			
Nickel	0.09202	0.0050	0.1	0.001613	90.4	80-120	0			
Potassium	11.02	0.20	10	0.7019	103	80-120	0			
Sodium	11.81	0.20	10	2.419	93.9	80-120	0			
Vanadium	0.1016	0.0050	0.1	0.0001752	101	80-120	0			

MSD Sample ID: 1010389-01CMSD Units: mg/L Analysis Date: 10/15/2010 03:05 PM

Client ID: WGE10141015BAW1 Run ID: ICPMS2_101015A SeqNo: 1451719 Prep Date: 10/15/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.12	0.0050	0.1	0.02535	94.6	80-120	0.1268	5.51	20	
Calcium	82.97	0.50	10	73.67	93	80-120	82.2	0.932	20	O
Iron	10.07	0.080	10	0.03879	100	80-120	10.39	3.13	20	
Magnesium	24.6	0.20	10	15.04	95.6	80-120	24.81	0.85	20	
Nickel	0.08965	0.0050	0.1	0.001613	88	80-120	0.09202	2.61	20	
Potassium	10.8	0.20	10	0.7019	101	80-120	11.02	2.02	20	
Sodium	11.5	0.20	10	2.419	90.8	80-120	11.81	2.66	20	
Vanadium	0.09989	0.0050	0.1	0.0001752	99.7	80-120	0.1016	1.7	20	

The following samples were analyzed in this batch:

1010389-01C	1010389-02B	1010389-03C
1010389-04C	1010389-05C	1010389-08C
1010389-09C	1010389-10C	1010389-11C
1010389-12C	1010389-13C	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82544** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MBLK Sample ID: **MBLK-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 01:18 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451992** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS Sample ID: **LCS-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 01:13 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451991** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1062	0.0050	0.1	0	106	80-120	0			
Calcium	10.46	0.50	10	0	105	80-120	0			
Iron	10.75	0.080	10	0	108	80-120	0			
Magnesium	10.72	0.20	10	0	107	80-120	0			
Nickel	0.101	0.0050	0.1	0	101	80-120	0			
Potassium	10.68	0.20	10	0	107	80-120	0			
Sodium	10.58	0.20	10	0	106	80-120	0			
Vanadium	0.1062	0.0050	0.1	0	106	80-120	0			

LCSD Sample ID: **LCSD-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 02:17 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451993** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1038	0.0050	0.1	0	104	80-120	0			
Calcium	10.29	0.50	10	0	103	80-120	0			
Iron	10.44	0.080	10	0	104	80-120	0			
Magnesium	10.32	0.20	10	0	103	80-120	0			
Nickel	0.09575	0.0050	0.1	0	95.8	80-120	0			
Potassium	10.37	0.20	10	0	104	80-120	0			
Sodium	10.2	0.20	10	0	102	80-120	0			
Vanadium	0.1025	0.0050	0.1	0	102	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82544** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MS Sample ID: **1010389-01DMS** Units: **mg/L** Analysis Date: **10/15/2010 01:28 PM**

Client ID: **WGE10141015BAW1** Run ID: **ICPMS2_101015A** SeqNo: **1451615** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1173	0.0050	0.1	0.02219	95.1	80-120	0			
Calcium	77.81	0.50	10	69.33	84.8	80-120	0			O
Iron	9.787	0.080	10	0.02091	97.7	80-120	0			
Magnesium	23.7	0.20	10	14.5	92	80-120	0			
Nickel	0.08795	0.0050	0.1	0.002004	85.9	80-120	0			
Potassium	10.75	0.20	10	1.007	97.4	80-120	0			
Sodium	11.28	0.20	10	1.741	95.4	80-120	0			
Vanadium	0.09632	0.0050	0.1	0.0003998	95.9	80-120	0			

MSD Sample ID: **1010389-01DMSD** Units: **mg/L** Analysis Date: **10/15/2010 01:33 PM**

Client ID: **WGE10141015BAW1** Run ID: **ICPMS2_101015A** SeqNo: **1451616** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1167	0.0050	0.1	0.02219	94.5	80-120	0.1173	0.513	20	
Calcium	77.99	0.50	10	69.33	86.6	80-120	77.81	0.231	20	O
Iron	9.775	0.080	10	0.02091	97.5	80-120	9.787	0.123	20	
Magnesium	23.55	0.20	10	14.5	90.5	80-120	23.7	0.635	20	
Nickel	0.08816	0.0050	0.1	0.002004	86.2	80-120	0.08795	0.238	20	
Potassium	10.68	0.20	10	1.007	96.7	80-120	10.75	0.653	20	
Sodium	11.28	0.20	10	1.741	95.4	80-120	11.28	0	20	
Vanadium	0.09592	0.0050	0.1	0.0003998	95.5	80-120	0.09632	0.416	20	

The following samples were analyzed in this batch:

1010389-01D	1010389-03D	1010389-04D
1010389-05D	1010389-08D	1010389-09D
1010389-10D	1010389-11D	1010389-12D
1010389-13D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **29957** Instrument ID **SVMS4** Method: **SW8270**

MBLK Sample ID: **SBLKW1-29957-29957** Units: **µg/L** Analysis Date: **10/14/2010 02:49 PM**

Client ID: Run ID: **SVMS4_101014A** SeqNo: **1450726** Prep Date: **10/14/2010** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	ND	5.0								
Acenaphthene	ND	5.0								
Acenaphthylene	ND	5.0								
Anthracene	ND	5.0								
Benzo(a)anthracene	ND	5.0								
Benzo(a)pyrene	ND	5.0								
Benzo(b)fluoranthene	ND	5.0								
Benzo(g,h,i)perylene	ND	5.0								
Benzo(k)fluoranthene	ND	5.0								
Chrysene	ND	5.0								
Dibenzo(a,h)anthracene	ND	5.0								
Fluoranthene	ND	5.0								
Fluorene	ND	5.0								
Indeno(1,2,3-cd)pyrene	ND	5.0								
Naphthalene	ND	5.0								
Phenanthrene	ND	5.0								
Pyrene	ND	5.0								
<i>Surr: 2,4,6-Tribromophenol</i>	<i>49.79</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>99.6</i>	<i>40-125</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>32.31</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>64.6</i>	<i>50-110</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>23.59</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>47.2</i>	<i>20-110</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>44.72</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>89.4</i>	<i>50-125</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>33.12</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>66.2</i>	<i>40-110</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>13.74</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>27.5</i>	<i>20-110</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

LCS Sample ID: SLCSW1-29957-29957 Units: µg/L Analysis Date: 10/14/2010 12:13 PM

Client ID: Run ID: SVMS4_101014A SeqNo: 1450722 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	27.46	5.0	40	0	68.6	45-105	0			
Acenaphthene	27.95	5.0	40	0	69.9	45-110	0			
Acenaphthylene	28.15	5.0	40	0	70.4	50-105	0			
Anthracene	27.91	5.0	40	0	69.8	55-110	0			
Benzo(a)anthracene	35.1	5.0	40	0	87.8	55-110	0			
Benzo(a)pyrene	30.37	5.0	40	0	75.9	55-110	0			
Benzo(b)fluoranthene	30.18	5.0	40	0	75.4	45-120	0			
Benzo(g,h,i)perylene	29.12	5.0	40	0	72.8	40-125	0			
Benzo(k)fluoranthene	30.24	5.0	40	0	75.6	45-125	0			
Chrysene	32.33	5.0	40	0	80.8	55-110	0			
Dibenzo(a,h)anthracene	32.09	5.0	40	0	80.2	40-125	0			
Fluoranthene	29.47	5.0	40	0	73.7	55-115	0			
Fluorene	27.76	5.0	40	0	69.4	50-110	0			
Indeno(1,2,3-cd)pyrene	31.24	5.0	40	0	78.1	45-125	0			
Naphthalene	28.07	5.0	40	0	70.2	40-100	0			
Phenanthrene	29.87	5.0	40	0	74.7	50-115	0			
Pyrene	31.81	5.0	40	0	79.5	50-130	0			
Surr: 2,4,6-Tribromophenol	37.04	0	50	0	74.1	40-125	0			
Surr: 2-Fluorobiphenyl	32.12	0	50	0	64.2	50-110	0			
Surr: 2-Fluorophenol	23.87	0	50	0	47.7	20-110	0			
Surr: 4-Terphenyl-d14	36.75	0	50	0	73.5	50-125	0			
Surr: Nitrobenzene-d5	34.12	0	50	0	68.2	40-110	0			
Surr: Phenol-d6	13.45	0	50	0	26.9	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

LCSD Sample ID: SLCSDW1-29957-29957 Units: µg/L Analysis Date: 10/14/2010 12:44 PM

Client ID: Run ID: SVMS4_101014A SeqNo: 1450723 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	27.43	5.0	40	0	68.6	45-105	27.46	0.109	30	
Acenaphthene	27.72	5.0	40	0	69.3	45-110	27.95	0.826	30	
Acenaphthylene	27.68	5.0	40	0	69.2	50-105	28.15	1.68	30	
Anthracene	28.05	5.0	40	0	70.1	55-110	27.91	0.5	30	
Benzo(a)anthracene	35.13	5.0	40	0	87.8	55-110	35.1	0.0854	30	
Benzo(a)pyrene	31.14	5.0	40	0	77.8	55-110	30.37	2.5	30	
Benzo(b)fluoranthene	30.83	5.0	40	0	77.1	45-120	30.18	2.13	30	
Benzo(g,h,i)perylene	29.5	5.0	40	0	73.8	40-125	29.12	1.3	30	
Benzo(k)fluoranthene	30.9	5.0	40	0	77.2	45-125	30.24	2.16	30	
Chrysene	32.41	5.0	40	0	81	55-110	32.33	0.247	30	
Dibenzo(a,h)anthracene	31.72	5.0	40	0	79.3	40-125	32.09	1.16	30	
Fluoranthene	30.3	5.0	40	0	75.8	55-115	29.47	2.78	30	
Fluorene	27.39	5.0	40	0	68.5	50-110	27.76	1.34	30	
Indeno(1,2,3-cd)pyrene	31.18	5.0	40	0	78	45-125	31.24	0.192	30	
Naphthalene	28.14	5.0	40	0	70.4	40-100	28.07	0.249	30	
Phenanthrene	30.17	5.0	40	0	75.4	50-115	29.87	0.999	30	
Pyrene	32.08	5.0	40	0	80.2	50-130	31.81	0.845	30	
Surr: 2,4,6-Tribromophenol	37.74	0	50	0	75.5	40-125	37.04	1.87	40	
Surr: 2-Fluorobiphenyl	32	0	50	0	64	50-110	32.12	0.374	40	
Surr: 2-Fluorophenol	23.03	0	50	0	46.1	20-110	23.87	3.58	40	
Surr: 4-Terphenyl-d14	33.06	0	50	0	66.1	50-125	36.75	10.6	40	
Surr: Nitrobenzene-d5	34.81	0	50	0	69.6	40-110	34.12	2	40	
Surr: Phenol-d6	13.2	0	50	0	26.4	20-110	13.45	1.88	40	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MS		Sample ID: 1010353-01B MS			Units: µg/L		Analysis Date: 10/14/2010 01:15 PM			
Client ID:		Run ID: SVMS4_101014A			SeqNo: 1450724		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	263.9	50	400	0	66	45-105	0			
Acenaphthene	270.1	50	400	0	67.5	45-110	0			
Acenaphthylene	271.5	50	400	0	67.9	50-105	0			
Anthracene	259.6	50	400	0	64.9	55-110	0			
Benzo(a)anthracene	324.3	50	400	0	81.1	55-110	0			
Benzo(a)pyrene	280.3	50	400	0	70.1	55-110	0			
Benzo(b)fluoranthene	281.3	50	400	0	70.3	45-120	0			
Benzo(g,h,i)perylene	273.1	50	400	0	68.3	40-125	0			
Benzo(k)fluoranthene	275.9	50	400	0	69	45-125	0			
Chrysene	301.6	50	400	0	75.4	55-110	0			
Dibenzo(a,h)anthracene	296.8	50	400	0	74.2	40-125	0			
Fluoranthene	273.9	50	400	0	68.5	55-115	0			
Fluorene	271.7	50	400	0	67.9	50-110	0			
Indeno(1,2,3-cd)pyrene	292.1	50	400	0	73	45-125	0			
Naphthalene	269.5	50	400	0	67.4	40-100	0			
Phenanthrene	286.5	50	400	0	71.6	50-115	0			
Pyrene	302.3	50	400	0	75.6	50-130	0			
Surr: 2,4,6-Tribromophenol	368	0	500	0	73.6	40-125	0			
Surr: 2-Fluorobiphenyl	310.1	0	500	0	62	50-110	0			
Surr: 2-Fluorophenol	218.4	0	500	0	43.7	20-110	0			
Surr: 4-Terphenyl-d14	346.9	0	500	0	69.4	50-125	0			
Surr: Nitrobenzene-d5	324.1	0	500	0	64.8	40-110	0			
Surr: Phenol-d6	128.2	0	500	0	25.6	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MS		Sample ID: 1010389-01B MS			Units: µg/L		Analysis Date: 10/15/2010 03:13 PM			
Client ID: WGE10141015BAW1		Run ID: SVMS4_101015A			SeqNo: 1452084		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	314.8	50	400	0	78.7	45-105	0			
Acenaphthene	313.6	50	400	0	78.4	45-110	0			
Acenaphthylene	315.5	50	400	0	78.9	50-105	0			
Anthracene	316.3	50	400	0	79.1	55-110	0			
Benzo(a)anthracene	394	50	400	0	98.5	55-110	0			
Benzo(a)pyrene	344.7	50	400	0	86.2	55-110	0			
Benzo(b)fluoranthene	338.1	50	400	0	84.5	45-120	0			
Benzo(g,h,i)perylene	293.1	50	400	0	73.3	40-125	0			
Benzo(k)fluoranthene	389.8	50	400	0	97.4	45-125	0			
Chrysene	365.7	50	400	0	91.4	55-110	0			
Dibenzo(a,h)anthracene	297.6	50	400	0	74.4	40-125	0			
Fluoranthene	329.2	50	400	0	82.3	55-115	0			
Fluorene	320.7	50	400	0	80.2	50-110	0			
Indeno(1,2,3-cd)pyrene	294.6	50	400	0	73.6	45-125	0			
Naphthalene	320.3	50	400	0	80.1	40-100	0			
Phenanthrene	336.8	50	400	0	84.2	50-115	0			
Pyrene	374	50	400	0	93.5	50-130	0			
Surr: 2,4,6-Tribromophenol	413.3	0	500	0	82.7	40-125	0			
Surr: 2-Fluorobiphenyl	382.3	0	500	0	76.5	50-110	0			
Surr: 2-Fluorophenol	222.2	0	500	0	44.4	20-110	0			
Surr: 4-Terphenyl-d14	416.5	0	500	0	83.3	50-125	0			
Surr: Nitrobenzene-d5	417.2	0	500	0	83.4	40-110	0			
Surr: Phenol-d6	144.5	0	500	0	28.9	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MSD		Sample ID: 1010353-01B MSD			Units: µg/L			Analysis Date: 10/14/2010 01:46 PM		
Client ID:		Run ID: SVMS4_101014A			SeqNo: 1450725		Prep Date: 10/14/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	245.6	50	400	0	61.4	45-105	263.9	7.18	30	
Acenaphthene	248.5	50	400	0	62.1	45-110	270.1	8.33	30	
Acenaphthylene	252.3	50	400	0	63.1	50-105	271.5	7.33	30	
Anthracene	232.7	50	400	0	58.2	55-110	259.6	10.9	30	
Benzo(a)anthracene	282.6	50	400	0	70.6	55-110	324.3	13.7	30	
Benzo(a)pyrene	249.4	50	400	0	62.4	55-110	280.3	11.7	30	
Benzo(b)fluoranthene	242.3	50	400	0	60.6	45-120	281.3	14.9	30	
Benzo(g,h,i)perylene	244.3	50	400	0	61.1	40-125	273.1	11.1	30	
Benzo(k)fluoranthene	248.4	50	400	0	62.1	45-125	275.9	10.5	30	
Chrysene	262.4	50	400	0	65.6	55-110	301.6	13.9	30	
Dibenzo(a,h)anthracene	260.4	50	400	0	65.1	40-125	296.8	13.1	30	
Fluoranthene	243.7	50	400	0	60.9	55-115	273.9	11.7	30	
Fluorene	243.8	50	400	0	61	50-110	271.7	10.8	30	
Indeno(1,2,3-cd)pyrene	257.9	50	400	0	64.5	45-125	292.1	12.4	30	
Naphthalene	257.3	50	400	0	64.3	40-100	269.5	4.63	30	
Phenanthrene	257.4	50	400	0	64.4	50-115	286.5	10.7	30	
Pyrene	266	50	400	0	66.5	50-130	302.3	12.8	30	
Surr: 2,4,6-Tribromophenol	358.1	0	500	0	71.6	40-125	368	2.73	40	
Surr: 2-Fluorobiphenyl	283	0	500	0	56.6	50-110	310.1	9.14	40	
Surr: 2-Fluorophenol	209.7	0	500	0	41.9	20-110	218.4	4.06	40	
Surr: 4-Terphenyl-d14	260.5	0	500	0	52.1	50-125	346.9	28.4	40	
Surr: Nitrobenzene-d5	311.9	0	500	0	62.4	40-110	324.1	3.84	40	
Surr: Phenol-d6	129.2	0	500	0	25.8	20-110	128.2	0.777	40	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: 29957 Instrument ID SVMS4 Method: SW8270

MSD Sample ID: 1010389-01B MSD Units: µg/L Analysis Date: 10/15/2010 03:44 PM

Client ID: WGE10141015BAW1 Run ID: SVMS4_101015A SeqNo: 1452085 Prep Date: 10/14/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	307.3	50	400	0	76.8	45-105	314.8	2.41	30	
Acenaphthene	308.6	50	400	0	77.2	45-110	313.6	1.61	30	
Acenaphthylene	309.3	50	400	0	77.3	50-105	315.5	1.98	30	
Anthracene	316.5	50	400	0	79.1	55-110	316.3	0.0632	30	
Benzo(a)anthracene	398.9	50	400	0	99.7	55-110	394	1.24	30	
Benzo(a)pyrene	346.5	50	400	0	86.6	55-110	344.7	0.521	30	
Benzo(b)fluoranthene	334	50	400	0	83.5	45-120	338.1	1.22	30	
Benzo(g,h,i)perylene	291.3	50	400	0	72.8	40-125	293.1	0.616	30	
Benzo(k)fluoranthene	393.7	50	400	0	98.4	45-125	389.8	0.996	30	
Chrysene	375.8	50	400	0	94	55-110	365.7	2.72	30	
Dibenzo(a,h)anthracene	298.3	50	400	0	74.6	40-125	297.6	0.235	30	
Fluoranthene	337.3	50	400	0	84.3	55-115	329.2	2.43	30	
Fluorene	314.4	50	400	0	78.6	50-110	320.7	1.98	30	
Indeno(1,2,3-cd)pyrene	295.9	50	400	0	74	45-125	294.6	0.44	30	
Naphthalene	311.6	50	400	0	77.9	40-100	320.3	2.75	30	
Phenanthrene	342.5	50	400	0	85.6	50-115	336.8	1.68	30	
Pyrene	378.9	50	400	0	94.7	50-130	374	1.3	30	
Surr: 2,4,6-Tribromophenol	420.4	0	500	0	84.1	40-125	413.3	1.7	40	
Surr: 2-Fluorobiphenyl	371.4	0	500	0	74.3	50-110	382.3	2.89	40	
Surr: 2-Fluorophenol	239.1	0	500	0	47.8	20-110	222.2	7.33	40	
Surr: 4-Terphenyl-d14	419.8	0	500	0	84	50-125	416.5	0.789	40	
Surr: Nitrobenzene-d5	417.8	0	500	0	83.6	40-110	417.2	0.144	40	
Surr: Phenol-d6	152.9	0	500	0	30.6	20-110	144.5	5.65	40	

The following samples were analyzed in this batch:

1010389-01B	1010389-03B	1010389-04B
1010389-05B	1010389-08B	1010389-09B
1010389-10B	1010389-11B	1010389-12B
1010389-13B		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82513** Instrument ID **VMS7** Method: **SW8260**

MBLK Sample ID: **VBLKW2-101014-R82513** Units: **µg/L** Analysis Date: **10/15/2010 03:39 AM**

Client ID: Run ID: **VMS7_101014B** SeqNo: **1450904** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	115.5	0	100	0	115	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	95.41	0	100	0	95.4	75-120	0			
<i>Surr: Dibromofluoromethane</i>	106.2	0	100	0	106	85-115	0			
<i>Surr: Toluene-d8</i>	100.7	0	100	0	101	85-120	0			

LCS Sample ID: **VLCSW2-101014-R82513** Units: **µg/L** Analysis Date: **10/15/2010 02:17 AM**

Client ID: Run ID: **VMS7_101014B** SeqNo: **1450600** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	21.63	1.0	20	0	108	75-130	0			
1,3,5-Trimethylbenzene	22.45	1.0	20	0	112	75-130	0			
Benzene	22.79	1.0	20	0	114	80-120	0			
Ethylbenzene	23.17	1.0	20	0	116	75-125	0			
Isopropylbenzene	25.74	1.0	20	0	129	75-125	0			S
n-Propylbenzene	22.88	1.0	20	0	114	70-130	0			
Naphthalene	22.12	5.0	20	0	111	55-140	0			
p-Isopropyltoluene	21.56	2.0	20	0	108	75-130	0			
sec-Butylbenzene	21.84	2.0	20	0	109	70-125	0			
Toluene	22.21	1.0	20	0	111	75-120	0			
Xylenes, Total	69.46	2.0	60	0	116	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	109.5	0	100	0	110	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	100.2	0	100	0	100	75-120	0			
<i>Surr: Dibromofluoromethane</i>	108.4	0	100	0	108	85-115	0			
<i>Surr: Toluene-d8</i>	106	0	100	0	106	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82513** Instrument ID **VMS7** Method: **SW8260**

LCSD Sample ID: **VLCSDW2-101014-R82513** Units: **µg/L** Analysis Date: **10/15/2010 02:44 AM**

Client ID: Run ID: **VMS7_101014B** SeqNo: **1450601** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.35	1.0	20	0	102	75-130	21.63	6.1	30	
1,3,5-Trimethylbenzene	20.9	1.0	20	0	104	75-130	22.45	7.15	30	
Benzene	21.91	1.0	20	0	110	80-120	22.79	3.94	30	
Ethylbenzene	22.06	1.0	20	0	110	75-125	23.17	4.91	30	
Isopropylbenzene	24.26	1.0	20	0	121	75-125	25.74	5.92	30	
n-Propylbenzene	21.52	1.0	20	0	108	70-130	22.88	6.13	30	
Naphthalene	21.07	5.0	20	0	105	55-140	22.12	4.86	30	
p-Isopropyltoluene	20.32	2.0	20	0	102	75-130	21.56	5.92	30	
sec-Butylbenzene	19.99	2.0	20	0	100	70-125	21.84	8.85	30	
Toluene	21.09	1.0	20	0	105	75-120	22.21	5.17	30	
Xylenes, Total	66.34	2.0	60	0	111	75-130	69.46	4.59	30	
Surr: 1,2-Dichloroethane-d4	110.4	0	100	0	110	70-120	109.5	0.782	30	
Surr: 4-Bromofluorobenzene	99.81	0	100	0	99.8	75-120	100.2	0.42	30	
Surr: Dibromofluoromethane	109.1	0	100	0	109	85-115	108.4	0.717	30	
Surr: Toluene-d8	104.4	0	100	0	104	85-120	106	1.54	30	

MS Sample ID: **1010389-01A MS** Units: **µg/L** Analysis Date: **10/15/2010 12:44 PM**

Client ID: **WGE10141015BAW1** Run ID: **VMS7_101014B** SeqNo: **1451313** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	25.17	1.0	20	0	126	75-130	0			
1,3,5-Trimethylbenzene	20.91	1.0	20	0	105	75-130	0			
Benzene	21.89	1.0	20	0	109	80-120	0			
Ethylbenzene	22.16	1.0	20	0	111	75-125	0			
Isopropylbenzene	23.32	1.0	20	0	117	75-125	0			
n-Propylbenzene	21.22	1.0	20	0	106	70-130	0			
Naphthalene	32.37	5.0	20	0	162	55-140	0			S
p-Isopropyltoluene	18.43	2.0	20	0	92.2	75-130	0			
sec-Butylbenzene	19.47	2.0	20	0	97.4	70-125	0			
Toluene	20.67	1.0	20	0	103	75-120	0			
Xylenes, Total	65.35	2.0	60	0	109	75-130	0			
Surr: 1,2-Dichloroethane-d4	115.6	0	100	0	116	70-120	0			
Surr: 4-Bromofluorobenzene	104.2	0	100	0	104	75-120	0			
Surr: Dibromofluoromethane	112.5	0	100	0	112	85-115	0			
Surr: Toluene-d8	105.6	0	100	0	106	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82513** Instrument ID **VMS7** Method: **SW8260**

MSD		Sample ID: 1010389-01A MSD			Units: µg/L			Analysis Date: 10/15/2010 01:11 PM		
Client ID: WGE10141015BAW1		Run ID: VMS7_101014B			SeqNo: 1451356		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	21.89	1.0	20	0	109	75-130	25.17	13.9	30	
1,3,5-Trimethylbenzene	21.7	1.0	20	0	108	75-130	20.91	3.71	30	
Benzene	23.61	1.0	20	0	118	80-120	21.89	7.56	30	
Ethylbenzene	23.67	1.0	20	0	118	75-125	22.16	6.59	30	
Isopropylbenzene	25.23	1.0	20	0	126	75-125	23.32	7.87	30	S
n-Propylbenzene	22.36	1.0	20	0	112	70-130	21.22	5.23	30	
Naphthalene	22.62	5.0	20	0	113	55-140	32.37	35.5	30	R
p-Isopropyltoluene	19.92	2.0	20	0	99.6	75-130	18.43	7.77	30	
sec-Butylbenzene	20.94	2.0	20	0	105	70-125	19.47	7.28	30	
Toluene	22.36	1.0	20	0	112	75-120	20.67	7.85	30	
Xylenes, Total	69.48	2.0	60	0	116	75-130	65.35	6.13	30	
Surr: 1,2-Dichloroethane-d4	117.8	0	100	0	118	70-120	115.6	1.91	30	
Surr: 4-Bromofluorobenzene	104	0	100	0	104	75-120	104.2	0.173	30	
Surr: Dibromofluoromethane	113.8	0	100	0	114	85-115	112.5	1.15	30	
Surr: Toluene-d8	106.7	0	100	0	107	85-120	105.6	1.01	30	

The following samples were analyzed in this batch:

1010389-01A	1010389-03A	1010389-04A
1010389-05A	1010389-06A	1010389-07A
1010389-08A	1010389-09A	1010389-10A
1010389-11A	1010389-12A	1010389-13A
1010389-14A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82566** Instrument ID **VMS7** Method: **SW8260**

MBLK Sample ID: **VBLKW1-101015-R82566** Units: **µg/L** Analysis Date: **10/15/2010 09:42 PM**

Client ID: Run ID: **VMS7_101015A** SeqNo: **1452021** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>103.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>99.11</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.1</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>99.89</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.9</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>100.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>100</i>	<i>85-120</i>	<i>0</i>			

LCS Sample ID: **VLCSW1-101015-R82566** Units: **µg/L** Analysis Date: **10/15/2010 08:20 PM**

Client ID: Run ID: **VMS7_101015A** SeqNo: **1451901** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	18.93	1.0	20	0	94.6	75-130	0			
1,3,5-Trimethylbenzene	19.55	1.0	20	0	97.8	75-130	0			
Benzene	19.27	1.0	20	0	96.4	80-120	0			
Ethylbenzene	20.36	1.0	20	0	102	75-125	0			
Isopropylbenzene	22.66	1.0	20	0	113	75-125	0			
n-Propylbenzene	20.13	1.0	20	0	101	70-130	0			
Naphthalene	20.33	5.0	20	0	102	55-140	0			
p-Isopropyltoluene	19.01	2.0	20	0	95	75-130	0			
sec-Butylbenzene	19.05	2.0	20	0	95.2	70-125	0			
Toluene	19.39	1.0	20	0	97	75-120	0			
Xylenes, Total	61.12	2.0	60	0	102	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>109.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>109</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>96.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>96.1</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>106.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>107</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>104.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>105</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82566** Instrument ID **VMS7** Method: **SW8260**

LCSD	Sample ID: VLCS DW1-101015-R82566	Units: µg/L					Analysis Date: 10/15/2010 08:48 PM				
Client ID:	Run ID: VMS7_101015A	SeqNo: 1451902			Prep Date:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	21.8	1.0	20	0	109	75-130	18.93	14.1	30		
1,3,5-Trimethylbenzene	22.14	1.0	20	0	111	75-130	19.55	12.4	30		
Benzene	19.65	1.0	20	0	98.2	80-120	19.27	1.95	30		
Ethylbenzene	20.51	1.0	20	0	103	75-125	20.36	0.734	30		
Isopropylbenzene	25.48	1.0	20	0	127	75-125	22.66	11.7	30	S	
n-Propylbenzene	21.33	1.0	20	0	107	70-130	20.13	5.79	30		
Naphthalene	19.72	5.0	20	0	98.6	55-140	20.33	3.05	30		
p-Isopropyltoluene	22.59	2.0	20	0	113	75-130	19.01	17.2	30		
sec-Butylbenzene	22.52	2.0	20	0	113	70-125	19.05	16.7	30		
Toluene	19.49	1.0	20	0	97.4	75-120	19.39	0.514	30		
Xylenes, Total	64.58	2.0	60	0	108	75-130	61.12	5.51	30		
<i>Surr: 1,2-Dichloroethane-d4</i>	98.93	0	100	0	98.9	70-120	109.4	10.1	30		
<i>Surr: 4-Bromofluorobenzene</i>	102.4	0	100	0	102	75-120	96.1	6.34	30		
<i>Surr: Dibromofluoromethane</i>	100.7	0	100	0	101	85-115	106.9	5.99	30		
<i>Surr: Toluene-d8</i>	100.2	0	100	0	100	85-120	104.8	4.57	30		

The following samples were analyzed in this batch:

1010389-11A	1010389-13A
-------------	-------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82551** Instrument ID **WETCHEM** Method: **A2320 B**

MBLK		Sample ID: WBLKW1-101015-R82551				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID:		Run ID: WETCHEM_101015E				SeqNo: 1451671		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	1	10								J
Alkalinity, Carbonate (as CaCO3)	1	10								J

LCS		Sample ID: WLCSW1-101015-R82551				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID:		Run ID: WETCHEM_101015E				SeqNo: 1451672		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	990	10	1000	0	99	80-120	0			
Alkalinity, Carbonate (as CaCO3)	990	10	1000	0	99	80-120	0			

LCSD		Sample ID: WLCSDW1-101015-R82551				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID:		Run ID: WETCHEM_101015E				SeqNo: 1451687		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	990	10	1000	0	99	80-120	990	0	20	
Alkalinity, Carbonate (as CaCO3)	990	10	1000	0	99	80-120	990	0	20	

DUP		Sample ID: 1010389-01D DUP1				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID: WGE10141015BAW1		Run ID: WETCHEM_101015E				SeqNo: 1451674		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	237.3	10	0	0	0		235.5	0.761	20	
Alkalinity, Carbonate (as CaCO3)	1.6	10	0	0	0		1.4	0	20	J

DUP		Sample ID: 1010389-01D DUP2				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID: WGE10141015BAW1		Run ID: WETCHEM_101015E				SeqNo: 1451675		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	236.4	10	0	0	0		235.5	0.381	20	
Alkalinity, Carbonate (as CaCO3)	1.5	10	0	0	0		1.4	0	20	J

DUP		Sample ID: 1010389-12D DUP				Units: mg/L		Analysis Date: 10/15/2010 12:05 PM		
Client ID: WGC10141640BRH1		Run ID: WETCHEM_101015E				SeqNo: 1451685		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	246.8	10	0	0	0		246.8	0	20	
Alkalinity, Carbonate (as CaCO3)	1.2	10	0	0	0		1.2	0	20	J

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Enviroment
Work Order: 1010389
Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82551** Instrument ID **WETCHEM** Method: **A2320 B**

The following samples were analyzed in this batch:

1010389-01D	1010389-02A	1010389-03D
1010389-04D	1010389-05D	1010389-08D
1010389-09D	1010389-10D	1010389-11D
1010389-12D	1010389-13D	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010389
 Project: Marshall Oil Spill Hydrogeo Study 10/14/10

QC BATCH REPORT

Batch ID: **R82567** Instrument ID **IC3** Method: **SW9056**

MBLK		Sample ID: CCB/MBLK-R82567			Units: mg/L			Analysis Date: 10/15/2010 09:17 AM		
Client ID:		Run ID: IC3_101015A			SeqNo: 1451994		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	0.3154	1.0								J
Sulfate	0.2956	1.0								J

LCS		Sample ID: CCV/LCS-R82567			Units: mg/L			Analysis Date: 10/15/2010 09:37 AM		
Client ID:		Run ID: IC3_101015A			SeqNo: 1451995		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.652	1.0	10	0	96.5	80-120	0			
Sulfate	9.618	1.0	10	0	96.2	80-120	0			

LCSD		Sample ID: CCV/LCSD-R82567			Units: mg/L			Analysis Date: 10/15/2010 09:56 AM		
Client ID:		Run ID: IC3_101015A			SeqNo: 1451996		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.646	1.0	10	0	96.5	80-120	9.652	0.0611	20	
Sulfate	9.562	1.0	10	0	95.6	80-120	9.618	0.588	20	

MS		Sample ID: 1010389-01D MS			Units: mg/L			Analysis Date: 10/15/2010 10:50 AM		
Client ID: WGE10141015BAW1		Run ID: IC3_101015A			SeqNo: 1451998		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	11.44	1.0	10	1.384	101	75-125	0			
Sulfate	15.59	1.0	10	5.803	97.8	75-125	0			

MSD		Sample ID: 1010389-01D MSD			Units: mg/L			Analysis Date: 10/15/2010 11:10 AM		
Client ID: WGE10141015BAW1		Run ID: IC3_101015A			SeqNo: 1451999		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	10.89	1.0	10	1.384	95	75-125	11.44	5	20	
Sulfate	14.88	1.0	10	5.803	90.8	75-125	15.59	4.65	20	

The following samples were analyzed in this batch:

1010389-01D	1010389-02A	1010389-03D
1010389-04D	1010389-05D	1010389-08D
1010389-09D	1010389-10D	1010389-11D
1010389-12D	1010389-13D	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Laboratory Group
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group
 3352 128th Ave.
 Holland, MI 49424-9263
 Tel: +1 616 399 6070
 Fax: +1 616 399 6185

Page 1 of 2

ALS Project Manager:

ALS Work Order #: 1010389

Customer Information		Project Information		Parameter/Method Request for Analysis			
Purchase Order		Project Name	Enbridge Line 6B, MP608-Marshall, M	A	Volatiles by EPA 8260-Groundwater List provided		
Work Order		Project Number	Hydrogeo Study	B	PAHs by EPA 8270		
Company Name	AECOM Environment	Bill To Company	Enbridge Energy	C	Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020		
Send Report To	Jim Tolbert	Invoice Attn	Accounts Payable	D	Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020		
Address	5555 Glenwood Parkway SE	Address	1100 Louisiana Suite 1100	E	Cl, SO4 by EPA 9056		
				F	Bicarbonate and Carbonate Alkalinity by SM 2320		
City/State/Zip	Grand Rapids, MI 49512	City/State/Zip	Houston, TX 77002	G	SW Metals: Fe, Na, K, Ca, Mg by EPA 6020		
Phone	(616) 942-9600	Phone		H			
Fax		Fax		I			
e-Mail Address	james.tolbert@aecom.com	e-Mail Address		J			

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WGE10141015BAW1 > 01	10/14/10	1015	W	-	7	x	x	x	x	x	x	W				MWKR3680L03
2	WGE10141015BAW3	10/14/10	1015	W	-	7	x	x	x	x	x	x	W				MWKR3680L03 (MS/MSD)
3	WSE10141155BAW1 02	10/14/10	1155	W	-	2					x	x	x				SWKR3690L01
4	WGE10141445BAW1 03	10/14/10	1445	W	-	7	x	x	x	x	x	x					MWKR3620L01
5	WGE10141745TVF4 04	10/14/10	1745	W		7	x	x	x	x	x	x					Field Blank
6	WGE10141800TVF4 05	10/14/10	1800	W		7	x	x	x	x	x	x					Equip Blank
7	WGC10141730TVF5 06					1	x										Trip Blank
8	WGC10141735TVF5 07					1	x										Trip Blank
9																	
10																	

Sampler(s) Please Print & Sign <i>Bridget Walsh</i> <i>Bridget Walsh</i>		Shipment Method		Required Turnaround Time: (Check Box) <input type="checkbox"/> Other _____		Results Due Date:	
				<input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input checked="" type="checkbox"/> 24 Hour			
Relinquished by: <i>Bridget Walsh</i>	Date: 10/14/10	Time:	Received by:	Notes:			
Relinquished by: <i>[Signature]</i>	Date: 10/14/10	Time: 2005	Received by (Laboratory):	Cooler ID	Cooler Temp	QC Package: (Check One Box Below)	
Logged by (Laboratory): <i>[Signature]</i>	Date: 10/14/10	Time: 10:15pm	Checked by (Laboratory):			<input type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP Checklist <input type="checkbox"/> Level III Std QC/Raw Date <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SW846/CLP <input type="checkbox"/> Other _____	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035							

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2008 by ALS Laboratory Group.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 2 of 2

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager: ALS Work Order #: 1010389
Customer Information: Purchase Order, Work Order, Company Name (AECOM Environment), Send Report To (Jim Tolbert), Address (5555 Glenwood Hills Pkwy), City/State/Zip (Grand Rapids, MI 49512), Phone (616-942-9600), Fax, e-Mail Address (james.tolbert@aecom.com)
Project Information: Project Name (Enbridge Line 6B, MP 608-Marshall), Project Number (Hydrogeo study), Bill To Company (Enbridge Energy), Invoice Attn (Accounts Payable), Address (1100 Louisiana Suite 1100), City/State/Zip (Houston, TX 77002), Phone, Fax, e-Mail Address
Parameter/Method Request for Analysis: VOC's by EPA 8260 - groundwater list provided, PAH's by EPA 8270, Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020, Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020 (Lab filtered), Cl, SO4 by EPA 9056, Bicarbonate and carbonate Alkalinity by SM 2-320, SW metals Fe, Na, K, Ca, Mg by EPA 6020

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 7 rows of sample data.

Sampler(s) Please Print & Sign: Brad Hoare, Shipment Method: Courier, Required Turnaround Time: 24 Hour, Results Due Date:
Relinquished by: Brad Hoare, Date: 10/14/10, Time: 7:00 pm, Received by:
Relinquished by: [Signature], Date: 10/14/10, Time: 2:05, Received by (Laboratory):
Logged by (Laboratory): [Signature], Date: 10/14/10, Time: 10:15 pm, Checked by (Laboratory):
Preservative Key: 1-HCl, 2-HNO3, 3-H2SO4, 4-NaOH, 5-Na2S2O3, 6-NaHSO4, 7-Other, 8-4°C, 9-5035
QC Package: (Check One Box Below)
[] Level II Std QC [] TRRP Checklist
[] Level III Std QC/Raw Date [] TRRP Level IV
[] Level IV SW846/CLP
[] Other

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.
Copyright 2008 by ALS Laboratory Group.

Sample Receipt Checklist

Client Name: **AECOM - GR**

Date/Time Received: **14-Oct-10 20:05**

Work Order: **1010389**

Received by: **AP**

Checklist completed by Ann Preston 14-Oct-10
eSignature Date

Reviewed by: Ann Preston 14-Oct-10
eSignature Date

Matrices: water

Carrier name: ALSHN

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No
- Temperature(s)/Thermometer(s):
- Cooler(s)/Kit(s):
- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No N/A
- pH adjusted? Yes No N/A
- pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:



ALS Laboratory Group
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group
 3352 128th Ave.
 Holland, MI 49424-9263
 Tel: +1 616 399 6070
 Fax: +1 616 399 6185

Page 1 of 2

ALS Project Manager:

ALS Work Order #: 1010389

Customer Information		Project Information		Parameter/Method Request for Analysis			
Purchase Order		Project Name	Enbridge Line 6B, MP608-Marshall, M	A	Volatiles by EPA 8260-Groundwater List provided		
Work Order		Project Number	Hydrogeo Study	B	PAHs by EPA 8270		
Company Name	AECOM Environment	Bill To Company	Enbridge Energy	C	Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020		
Send Report To	Jim Tolbert	Invoice Attn	Accounts Payable	D	Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020		
Address	5555 Glenwood Parkway SE	Address	1100 Louisiana Suite 1100	E	Cl, SO4 by EPA 9056		
				F	Bicarbonate and Carbonate Alkalinity by SM 2320		
City/State/Zip	Grand Rapids, MI 49512	City/State/Zip	Houston, TX 77002	G	SW Metals: Fe, Na, K, Ca, Mg by EPA 6020		
Phone	(616) 942-9600	Phone		H			
Fax		Fax		I			
e-Mail Address	james.tolbert@aecom.com	e-Mail Address		J			

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WGE10141015BAW1 > 01	10/14/10	1015	W	-	7	x	x	x	x	x	x	W				MWKR3680L03
2	WGE10141015BAW3	10/14/10	1015	W	-	7	x	x	x	x	x	x	W				MWKR3680L03 (MS/MSD)
3	WSE10141155BAW1 02	10/14/10	1155	W	-	2					x	x	x				SWKR3690L01
4	WGE10141445BAW1 03	10/14/10	1445	W	-	7	x	x	x	x	x	x					MWKR3620L01
5	WGE10141745TVF4 04	10/14/10	1745	W		7	x	x	x	x	x	x					Field Blank
6	WGE10141800TVF4 05	10/14/10	1800	W		7	x	x	x	x	x	x					Equip Blank
7	WGC10141730TVF5 06	↓				1	x										Trip Blank
8	WGC10141735TVF5 07	↓				1	x										Trip Blank
9																	
10																	

Sampler(s) Please Print & Sign <i>Bridget Walsh</i> <i>Bridget Walsh</i>		Shipment Method		Required Turnaround Time: (Check Box) <input type="checkbox"/> Other _____ <input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input checked="" type="checkbox"/> 24 Hour		Results Due Date:	
Relinquished by: <i>Bridget Walsh</i>	Date: 10/14/10	Time:	Received by:	Notes:			
Relinquished by: <i>[Signature]</i>	Date: 10/14/10	Time: 2005	Received by (Laboratory):	Cooler ID	Cooler Temp	QC Package: (Check One Box Below)	
Logged by (Laboratory): <i>[Signature]</i>	Date: 10/14/10	Time: 10:15pm	Checked by (Laboratory):			<input type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP Checklist <input type="checkbox"/> Level III Std QC/Raw Date <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SW846/CLP <input type="checkbox"/> Other _____	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035							



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 2 of 2

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager: ALS Work Order #: 1010389
Customer Information: Purchase Order, Work Order, Company Name (AECOM Environment), Send Report To (Jim Tolbert), Address (5555 Glenwood Hills Pkwy), City/State/Zip (Grand Rapids, MI 49512), Phone (616-942-9600), Fax, e-Mail Address (james.tolbert@aecom.com)
Project Information: Project Name (Enbridge Line 6B, MP 608-Marshall), Project Number (Hydrogeo study), Bill To Company (Enbridge Energy), Invoice Attn (Accounts Payable), Address (1100 Louisiana Suite 1100), City/State/Zip (Houston, TX 77002), Phone, Fax, e-Mail Address
Parameter/Method Request for Analysis: VOC's by EPA 8260 - groundwater list provided, PAH's by EPA 8270, Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020, Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020 (Lab filtered), Cl, SO4 by EPA 9056, Bicarbonate and carbonate Alkalinity by SM 2-320, SW metals Fe, Na, K, Ca, Mg by EPA 6020

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 7 rows of sample data.

Sampler(s) Please Print & Sign: Brad Hoare, Brody Hoare, Shipment Method: Courier, Required Turnaround Time: (Check Box) 24 Hour, Results Due Date:
Relinquished by: Brody Hoare, Date: 10/14/10, Time: 7:00 pm, Received by:
Relinquished by: [Signature], Date: 10/14/10, Time: 2:05, Received by (Laboratory):
Logged by (Laboratory): [Signature], Date: 10/14/10, Time: 10:15 pm, Checked by (Laboratory):
Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-Na2S2O3 6-NaHSO4 7-Other 8-4°C 9-5035
QC Package: (Check One Box Below)
[] Level II Std QC [] TRRP Checklist
[] Level III Std QC/Raw Date [] TRRP Level IV
[] Level IV SW846/CLP
[] Other

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.
Copyright 2008 by ALS Laboratory Group.



17-Oct-2010

Kris Nolan
AECOM Enviroment
5555 Glenwood Parkway SE
Grand Rapids, MI 49512

Re: **Marshall Oil Spill Hydrogeo Study 10/15/10**

Work Order: **1010436**

Dear Kris,

ALS Group USA, Corp received 17 samples on 15-Oct-2010 08:00 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 54.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon consisting of a stylized blue triangle with a yellow flame-like shape inside.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Work Order: 1010436

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1010436-01	WGE10150935BAW1	Water		10/15/2010 09:35	10/13/2010 20:00	<input type="checkbox"/>
1010436-02	WGE10151050BAW1	Water		10/15/2010 10:50	10/13/2010 20:00	<input type="checkbox"/>
1010436-03	WGE10151050BAW2	Water		10/15/2010 10:50	10/13/2010 20:00	<input type="checkbox"/>
1010436-04	WSE10151200BAW1	Water		10/15/2010 12:00	10/13/2010 20:00	<input type="checkbox"/>
1010436-05	WGE10151405BAW1	Water		10/15/2010 14:05	10/13/2010 20:00	<input type="checkbox"/>
1010436-06	WGE10151530BAW1	Water		10/15/2010 15:30	10/13/2010 20:00	<input type="checkbox"/>
1010436-07	WGE10151600BAW5	Water		10/15/2010	10/13/2010 20:00	<input type="checkbox"/>
1010436-08	WGE10151605BAW5	Water		10/15/2010	10/13/2010 20:00	<input type="checkbox"/>
1010436-09	WGC10150950DJJ1	Water		10/15/2010 09:50	10/13/2010 20:00	<input type="checkbox"/>
1010436-10	WGC10151120DJJ1	Water		10/15/2010 11:20	10/13/2010 20:00	<input type="checkbox"/>
1010436-11	WGC10151310DJJ1	Water		10/15/2010 13:10	10/13/2010 20:00	<input type="checkbox"/>
1010436-12	WSC10151712DJJ1	Water		10/15/2010 17:12	10/13/2010 20:00	<input type="checkbox"/>
1010436-13	WSC10151555DJJ1	Water		10/15/2010 15:55	10/13/2010 20:00	<input type="checkbox"/>
1010436-14	WSC10151448DJJ1	Water		10/15/2010 14:48	10/13/2010 20:00	<input type="checkbox"/>
1010436-15	WGE10150935DJJ4	Water		10/15/2010 09:35	10/13/2010 20:00	<input type="checkbox"/>
1010436-16	WGC10151830DJJ5	Water		10/15/2010	10/13/2010 20:00	<input type="checkbox"/>
1010436-17	WGC10151835DJJ5	Water		10/15/2010	10/13/2010 20:00	<input type="checkbox"/>

Client: AECOM Environment
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Work Order: 1010436

Case Narrative

Batch 30000 sample WGC10150950DJJ1 MS recovery for Calcium is above control limits, but the amount of Calcium in the parent sample was greater than 4 times the amount spiked.

Batch 29999 LCS/LCSD Semi-Volatile surrogate, Phenol-d6, was below control limits. The other surrogates met quality control criteria.

Batch R82565 LCS recovery for Isopropylbenzene was above control limits, but all samples in this quality control batch were ND for this compound. Sample WGC10151120DJJ1 MS/MSD recoveries for p-Isopropyltoluene were below control limits due to matrix interference.. The reporting limit for this compound in the unspiked parent sample may be biased low due to this interference.

Batch R82566 LCSD recovery for Isopropylbenzene was above control limits, but all samples in this quality control batch were ND for this compound. The MS/MSD data for Volatiles is not related to this project's samples.

Batch 8584 LCS/LCSD recoveries for Bicarbonate and Carbonate Alkalinity were below control limits. Sample WGC050950DJJ1 MS/MSD recoveries for Bicarbonate and Carbonate Alkalinity were below control limits due to matrix interference.

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
WorkOrder: 1010436

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg/L	Milligrams per Liter

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-01

Client Sample ID: WGE10150935BAW1
Collection Date: 10/15/2010 9:35:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	76	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	14	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	110	2.0	1.0		mg/L	10	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	75	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	14	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	110	2.0	1.0		mg/L	10	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	47.9	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	47.1	50-110		S	%REC	1	10/16/2010
Surr: 2-Fluorophenol	29.5	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-01

Client Sample ID: WGE10150935BAW1
Collection Date: 10/15/2010 9:35:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	98.6	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	52.4	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	19.5	20-110		S	%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	97.3	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	106	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.9	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	97.0	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	310	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	100	10	10		mg/L	10	10/16/2010
Sulfate	24	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-02

Client Sample ID: WGE10151050BAW1
Collection Date: 10/15/2010 10:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	77	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	18	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	24	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	75	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	17	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	24	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/15/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	53.0	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	57.4	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	33.5	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-02

Client Sample ID: WGE10151050BAW1
Collection Date: 10/15/2010 10:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	99.6	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	63.7	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	22.8	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	98.4	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	107	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.1	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	98.8	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	180	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	70	10	10		mg/L	5	10/16/2010
Sulfate	22	5.0	1.0		mg/L	5	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-03

Client Sample ID: WGE10151050BAW2
Collection Date: 10/15/2010 10:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	75	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	17	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	24	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: RH	
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	75	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	17	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	23	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	64.5	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	66.3	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	37.6	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-03

Client Sample ID: WGE10151050BAW2
Collection Date: 10/15/2010 10:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	96.7	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	71.7	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	24.5	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	96.8	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	105	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.5	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	99.1	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	190	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	69	10	10		mg/L	5	10/16/2010
Sulfate	20	5.0	1.0		mg/L	5	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-04

Client Sample ID: WSE10151200BAW1
Collection Date: 10/15/2010 12:00:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Calcium	83	10	10		mg/L	1	10/16/2010
Iron	0.22	0.20	0.20		mg/L	1	10/16/2010
Magnesium	24	1.0	1.0		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	23	1.0	1.0		mg/L	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	240	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	44	10	10		mg/L	5	10/16/2010
Sulfate	35	5.0	1.0		mg/L	5	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-05

Client Sample ID: WGE10151405BAW1
Collection Date: 10/15/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.19	0.10	0.10		mg/L	1	10/16/2010
Calcium	120	10	10		mg/L	1	10/16/2010
Iron	5.0	0.20	0.20		mg/L	1	10/16/2010
Magnesium	20	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	23	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	0.18	0.10	0.10		mg/L	1	10/15/2010
Calcium	120	10	10		mg/L	1	10/15/2010
Iron	3.8	0.20	0.20		mg/L	1	10/15/2010
Magnesium	20	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	23	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	54.1	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	54.6	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	35.4	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-05

Client Sample ID: WGE10151405BAW1
Collection Date: 10/15/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	68.8	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	57.4	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	22.7	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	96.7	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	104	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.9	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	98.5	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	350	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	26	10	10		mg/L	2	10/16/2010
Sulfate	20	2.0	1.0		mg/L	2	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-06

Client Sample ID: WGE10151530BAW1
Collection Date: 10/15/2010 3:30:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010	Analyst: RH	
Barium	0.17	0.10	0.10		mg/L	1	10/16/2010
Calcium	91	10	10		mg/L	1	10/16/2010
Iron	0.96	0.20	0.20		mg/L	1	10/16/2010
Magnesium	23	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	12	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	0.16	0.10	0.10		mg/L	1	10/15/2010
Calcium	90	10	10		mg/L	1	10/15/2010
Iron	0.75	0.20	0.20		mg/L	1	10/15/2010
Magnesium	23	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	12	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	62.4	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	64.9	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	36.1	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-06

Client Sample ID: WGE10151530BAW1
Collection Date: 10/15/2010 3:30:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	97.5	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	66.6	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	23.6	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	96.7	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	103	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	94.0	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	97.4	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	300	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	22	10	10		mg/L	2	10/16/2010
Sulfate	20	2.0	1.0		mg/L	2	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-07

Client Sample ID: WGE10151600BAW5
Collection Date: 10/15/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	98.9	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	108	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.7	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	98.2	85-120			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-08

Client Sample ID: WGE10151605BAW5
Collection Date: 10/15/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	98.3	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	106	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	93.6	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	96.1	85-120			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-09

Client Sample ID: WGC10150950DJJ1
Collection Date: 10/15/2010 9:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	95	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	28	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	11	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/15/2010
Calcium	91	10	10		mg/L	1	10/15/2010
Iron	ND	0.20	0.20		mg/L	1	10/15/2010
Magnesium	27	1.0	1.0		mg/L	1	10/15/2010
Nickel	ND	0.020	0.020		mg/L	1	10/15/2010
Potassium	ND	10	10		mg/L	1	10/15/2010
Sodium	11	1.0	1.0		mg/L	1	10/15/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/15/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/15/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	47.7	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	43.3	50-110		S	%REC	1	10/16/2010
Surr: 2-Fluorophenol	30.1	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-09

Client Sample ID: WGC10150950DJJ1
Collection Date: 10/15/2010 9:50:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	97.3	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	51.7	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	18.7	20-110		S	%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: AK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	98.9	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	102	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	95.4	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	97.5	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	300	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	18	10	10		mg/L	4	10/16/2010
Sulfate	35	4.0	1.0		mg/L	4	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-10

Client Sample ID: WGC10151120DJJ1
Collection Date: 10/15/2010 11:20:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A			Prep Date: 10/15/2010	Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	80	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	23	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	11	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	77	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	22	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	10	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			Prep Date: 10/15/2010	Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	57.8	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	61.8	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	32.2	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-10

Client Sample ID: WGC10151120DJJ1
Collection Date: 10/15/2010 11:20:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	89.5	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	61.9	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	19.7	20-110		S	%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	89.5	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	98.4	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	11	10	10		mg/L	10	10/16/2010
Sulfate	25	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-11

Client Sample ID: WGC10151310DJJ1
Collection Date: 10/15/2010 1:10:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	93	10	10		mg/L	1	10/16/2010
Iron	0.30	0.20	0.20		mg/L	1	10/16/2010
Magnesium	26	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	12	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	91	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	26	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	11	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	52.5	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	51.9	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	32.0	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-11

Client Sample ID: WGC10151310DJJ1
Collection Date: 10/15/2010 1:10:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	96.8	50-125			%REC	1	10/16/2010
Surr: Nitrobenzene-d5	55.0	40-110			%REC	1	10/16/2010
Surr: Phenol-d6	20.7	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	104	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	90.1	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	96.1	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	101	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	290	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	33	10	10		mg/L	10	10/16/2010
Sulfate	33	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-12

Client Sample ID: WSC10151712DJJ1
Collection Date: 10/15/2010 5:12:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Calcium	85	10	10		mg/L	1	10/16/2010
Iron	0.84	0.20	0.20		mg/L	1	10/16/2010
Magnesium	24	1.0	1.0		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	17	1.0	1.0		mg/L	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	37	10	10		mg/L	10	10/16/2010
Sulfate	35	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-13

Client Sample ID: WSC10151555DJJ1
Collection Date: 10/15/2010 3:55:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Calcium	81	10	10		mg/L	1	10/16/2010
Iron	0.23	0.20	0.20		mg/L	1	10/16/2010
Magnesium	24	1.0	1.0		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	16	1.0	1.0		mg/L	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	290	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	37	10	10		mg/L	10	10/16/2010
Sulfate	37	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-14

Client Sample ID: WSC10151448DJJ1
Collection Date: 10/15/2010 2:48:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Calcium	88	10	10		mg/L	1	10/16/2010
Iron	0.28	0.20	0.20		mg/L	1	10/16/2010
Magnesium	26	1.0	1.0		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	17	1.0	1.0		mg/L	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	36	10	10		mg/L	10	10/16/2010
Sulfate	37	10	1.0		mg/L	10	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-15

Client Sample ID: WGE10150935DJJ4
Collection Date: 10/15/2010 9:35:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/15/2010		Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	ND	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	ND	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: RH
Barium	ND	0.10	0.10		mg/L	1	10/16/2010
Calcium	ND	10	10		mg/L	1	10/16/2010
Iron	ND	0.20	0.20		mg/L	1	10/16/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/16/2010
Nickel	ND	0.020	0.020		mg/L	1	10/16/2010
Potassium	ND	10	10		mg/L	1	10/16/2010
Sodium	ND	1.0	1.0		mg/L	1	10/16/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/16/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/15/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/16/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/16/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/16/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/16/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/16/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/16/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/16/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/16/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/16/2010
Surr: 2,4,6-Tribromophenol	80.1	40-125			%REC	1	10/16/2010
Surr: 2-Fluorobiphenyl	77.1	50-110			%REC	1	10/16/2010
Surr: 2-Fluorophenol	46.0	20-110			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-15

Client Sample ID: WGE10150935DJJ4
Collection Date: 10/15/2010 9:35:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
<i>Surr: 4-Terphenyl-d14</i>	95.7	50-125			%REC	1	10/16/2010
<i>Surr: Nitrobenzene-d5</i>	76.3	40-110			%REC	1	10/16/2010
<i>Surr: Phenol-d6</i>	28.4	20-110			%REC	1	10/16/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
<i>Surr: 1,2-Dichloroethane-d4</i>	106	70-120			%REC	1	10/16/2010
<i>Surr: 4-Bromofluorobenzene</i>	90.5	75-120			%REC	1	10/16/2010
<i>Surr: Dibromofluoromethane</i>	98.7	85-115			%REC	1	10/16/2010
<i>Surr: Toluene-d8</i>	100	85-120			%REC	1	10/16/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: NZ
Alkalinity, Bicarbonate (as CaCO3)	10	10	10		mg/L	1	10/16/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/16/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/16/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-16

Client Sample ID: WGC10151830DJJ5
Collection Date: 10/15/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	98.7	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	106	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	92.8	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	95.9	85-120			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 17-Oct-10

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10
Lab ID: 1010436-17

Client Sample ID: WGC10151835DJJ5
Collection Date: 10/15/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: CW
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Benzene	ND	1.0	1.0		µg/L	1	10/16/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/16/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/16/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/16/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/16/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/16/2010
Toluene	ND	1.0	1.0		µg/L	1	10/16/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/16/2010
Surr: 1,2-Dichloroethane-d4	97.6	70-120			%REC	1	10/16/2010
Surr: 4-Bromofluorobenzene	107	75-120			%REC	1	10/16/2010
Surr: Dibromofluoromethane	94.4	85-115			%REC	1	10/16/2010
Surr: Toluene-d8	96.0	85-120			%REC	1	10/16/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: AECOM Environment

QC BATCH REPORT

Work Order: 1010436

Project: Marshall Oil Spill Hydrogeo Study 10/15/10

Batch ID: **30000** Instrument ID **ICPMS2** Method: **SW6020A**

MBLK		Sample ID: MBLK-30000-30000			Units: mg/L			Analysis Date: 10/16/2010 02:22 AM		
Client ID:		Run ID: ICPMS2_101016A			SeqNo: 1452375			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS		Sample ID: LCS-30000-30000			Units: mg/L			Analysis Date: 10/16/2010 02:36 AM		
Client ID:		Run ID: ICPMS2_101016A			SeqNo: 1452378			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1061	0.0050	0.1	0	106	80-120	0			
Calcium	11.21	0.50	10	0	112	80-120	0			
Iron	11.11	0.080	10	0	111	80-120	0			
Magnesium	11.17	0.20	10	0	112	80-120	0			
Nickel	0.1032	0.0050	0.1	0	103	80-120	0			
Potassium	11.13	0.20	10	0	111	80-120	0			
Sodium	11.1	0.20	10	0	111	80-120	0			
Vanadium	0.1089	0.0050	0.1	0	109	80-120	0			

LCSD		Sample ID: LCSD-30000-30000			Units: mg/L			Analysis Date: 10/16/2010 02:41 AM		
Client ID:		Run ID: ICPMS2_101016A			SeqNo: 1452379			Prep Date: 10/15/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1037	0.0050	0.1	0	104	80-120	0.1061	2.29	20	
Calcium	11.06	0.50	10	0	111	80-120	11.21	1.35	20	
Iron	11	0.080	10	0	110	80-120	11.11	0.995	20	
Magnesium	10.95	0.20	10	0	110	80-120	11.17	1.99	20	
Nickel	0.1011	0.0050	0.1	0	101	80-120	0.1032	2.06	20	
Potassium	10.93	0.20	10	0	109	80-120	11.13	1.81	20	
Sodium	10.87	0.20	10	0	109	80-120	11.1	2.09	20	
Vanadium	0.1065	0.0050	0.1	0	106	80-120	0.1089	2.23	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: 30000 Instrument ID ICPMS2 Method: SW6020A

MS Sample ID: 1010436-09CMS Units: mg/L Analysis Date: 10/16/2010 03:39 AM

Client ID: WGC10150950DJJ1 Run ID: ICPMS2_101016A SeqNo: 1452390 Prep Date: 10/15/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1374	0.0050	0.1	0.03465	103	80-120	0			
Calcium	107.6	0.50	10	94.89	127	80-120	0			SO
Iron	10.68	0.080	10	0.05955	106	80-120	0			
Magnesium	39.44	0.20	10	28.25	112	80-120	0			
Nickel	0.09775	0.0050	0.1	0.0022	95.6	80-120	0			
Potassium	12.28	0.20	10	1.444	108	80-120	0			
Sodium	22.04	0.20	10	10.91	111	80-120	0			
Vanadium	0.1062	0.0050	0.1	0.000341	106	80-120	0			

MSD Sample ID: 1010436-09CMSD Units: mg/L Analysis Date: 10/16/2010 03:44 AM

Client ID: WGC10150950DJJ1 Run ID: ICPMS2_101016A SeqNo: 1452391 Prep Date: 10/15/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1373	0.0050	0.1	0.03465	103	80-120	0.1374	0.0728	20	
Calcium	103.3	0.50	10	94.89	84.1	80-120	107.6	4.08	20	O
Iron	10.76	0.080	10	0.05955	107	80-120	10.68	0.746	20	
Magnesium	38.14	0.20	10	28.25	98.9	80-120	39.44	3.35	20	
Nickel	0.09844	0.0050	0.1	0.0022	96.2	80-120	0.09775	0.703	20	
Potassium	12.35	0.20	10	1.444	109	80-120	12.28	0.568	20	
Sodium	21.45	0.20	10	10.91	105	80-120	22.04	2.71	20	
Vanadium	0.1071	0.0050	0.1	0.000341	107	80-120	0.1062	0.844	20	

The following samples were analyzed in this batch:

1010436-01C	1010436-02C	1010436-03C
1010436-04A	1010436-05C	1010436-06C
1010436-09C	1010436-10C	1010436-11C
1010436-12A	1010436-13A	1010436-14A
1010436-15C		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82544** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MBLK Sample ID: **MBLK-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 01:18 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451992** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS Sample ID: **LCS-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 01:13 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451991** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1062	0.0050	0.1	0	106	80-120	0			
Calcium	10.46	0.50	10	0	105	80-120	0			
Iron	10.75	0.080	10	0	108	80-120	0			
Magnesium	10.72	0.20	10	0	107	80-120	0			
Nickel	0.101	0.0050	0.1	0	101	80-120	0			
Potassium	10.68	0.20	10	0	107	80-120	0			
Sodium	10.58	0.20	10	0	106	80-120	0			
Vanadium	0.1062	0.0050	0.1	0	106	80-120	0			

LCSD Sample ID: **LCSD-R82544-R82544** Units: **mg/L** Analysis Date: **10/15/2010 02:17 PM**

Client ID: Run ID: **ICPMS2_101015A** SeqNo: **1451993** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1038	0.0050	0.1	0	104	80-120	0			
Calcium	10.29	0.50	10	0	103	80-120	0			
Iron	10.44	0.080	10	0	104	80-120	0			
Magnesium	10.32	0.20	10	0	103	80-120	0			
Nickel	0.09575	0.0050	0.1	0	95.8	80-120	0			
Potassium	10.37	0.20	10	0	104	80-120	0			
Sodium	10.2	0.20	10	0	102	80-120	0			
Vanadium	0.1025	0.0050	0.1	0	102	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82544** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MS		Sample ID: 1010389-01DMS			Units: mg/L			Analysis Date: 10/15/2010 01:28 PM		
Client ID:		Run ID: ICPMS2_101015A			SeqNo: 1451615		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1173	0.0050	0.1	0.02219	95.1	80-120	0			
Calcium	77.81	0.50	10	69.33	84.8	80-120	0			O
Iron	9.787	0.080	10	0.02091	97.7	80-120	0			
Magnesium	23.7	0.20	10	14.5	92	80-120	0			
Nickel	0.08795	0.0050	0.1	0.002004	85.9	80-120	0			
Potassium	10.75	0.20	10	1.007	97.4	80-120	0			
Sodium	11.28	0.20	10	1.741	95.4	80-120	0			
Vanadium	0.09632	0.0050	0.1	0.0003998	95.9	80-120	0			

MS		Sample ID: 1010436-09DMS			Units: mg/L			Analysis Date: 10/16/2010 01:52 AM		
Client ID: WGC10150950DJJ1		Run ID: ICPMS2_101016A			SeqNo: 1452369		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1291	0.0050	0.1	0.03311	96	80-120	0			
Calcium	98.86	0.50	10	90.69	81.7	80-120	0			O
Iron	9.875	0.080	10	0.04648	98.3	80-120	0			
Magnesium	36.52	0.20	10	27.13	93.9	80-120	0			
Nickel	0.09005	0.0050	0.1	0.002419	87.6	80-120	0			
Potassium	11.7	0.20	10	1.909	97.9	80-120	0			
Sodium	20.34	0.20	10	10.51	98.3	80-120	0			
Vanadium	0.09973	0.0050	0.1	0.0007271	99	80-120	0			

MSD		Sample ID: 1010389-01DMSD			Units: mg/L			Analysis Date: 10/15/2010 01:33 PM		
Client ID:		Run ID: ICPMS2_101015A			SeqNo: 1451616		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1167	0.0050	0.1	0.02219	94.5	80-120	0.1173	0.513	20	
Calcium	77.99	0.50	10	69.33	86.6	80-120	77.81	0.231	20	O
Iron	9.775	0.080	10	0.02091	97.5	80-120	9.787	0.123	20	
Magnesium	23.55	0.20	10	14.5	90.5	80-120	23.7	0.635	20	
Nickel	0.08816	0.0050	0.1	0.002004	86.2	80-120	0.08795	0.238	20	
Potassium	10.68	0.20	10	1.007	96.7	80-120	10.75	0.653	20	
Sodium	11.28	0.20	10	1.741	95.4	80-120	11.28	0	20	
Vanadium	0.09592	0.0050	0.1	0.0003998	95.5	80-120	0.09632	0.416	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Enviroment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82544** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MSD Sample ID: **1010436-09DMSD** Units: **mg/L** Analysis Date: **10/16/2010 01:57 AM**

Client ID: **WGC10150950DJJ1** Run ID: **ICPMS2_101016A** SeqNo: **1452370** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1299	0.0050	0.1	0.03311	96.8	80-120	0.1291	0.618	20	
Calcium	100.2	0.50	10	90.69	95.1	80-120	98.86	1.35	20	O
Iron	10.06	0.080	10	0.04648	100	80-120	9.875	1.86	20	
Magnesium	36.63	0.20	10	27.13	95	80-120	36.52	0.301	20	
Nickel	0.09134	0.0050	0.1	0.002419	88.9	80-120	0.09005	1.42	20	
Potassium	11.93	0.20	10	1.909	100	80-120	11.7	1.95	20	
Sodium	20.53	0.20	10	10.51	100	80-120	20.34	0.93	20	
Vanadium	0.1015	0.0050	0.1	0.0007271	101	80-120	0.09973	1.76	20	

The following samples were analyzed in this batch:

1010436-01D	1010436-02D	1010436-03D
1010436-05D	1010436-06D	1010436-09D
1010436-10D	1010436-11D	1010436-15D

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **29999** Instrument ID **SVMS5** Method: **SW8270**

MBLK Sample ID: **SBLKW1-29999-29999** Units: **µg/L** Analysis Date: **10/16/2010 01:39 PM**

Client ID: Run ID: **SVMS5_101016A** SeqNo: **1452587** Prep Date: **10/15/2010** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	ND	5.0								
Acenaphthene	ND	5.0								
Acenaphthylene	ND	5.0								
Anthracene	ND	5.0								
Benzo(a)anthracene	ND	5.0								
Benzo(a)pyrene	ND	5.0								
Benzo(b)fluoranthene	ND	5.0								
Benzo(g,h,i)perylene	ND	5.0								
Benzo(k)fluoranthene	ND	5.0								
Chrysene	ND	5.0								
Dibenzo(a,h)anthracene	ND	5.0								
Fluoranthene	ND	5.0								
Fluorene	ND	5.0								
Indeno(1,2,3-cd)pyrene	ND	5.0								
Naphthalene	ND	5.0								
Phenanthrene	ND	5.0								
Pyrene	ND	5.0								
<i>Surr: 2,4,6-Tribromophenol</i>	<i>46.4</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>92.8</i>	<i>40-125</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>37.82</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>75.6</i>	<i>50-110</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>29.18</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>58.4</i>	<i>20-110</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>49.37</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>98.7</i>	<i>50-125</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>40.42</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>80.8</i>	<i>40-110</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>16.21</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>32.4</i>	<i>20-110</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: 29999 Instrument ID SVMS5 Method: SW8270

LCS		Sample ID: SLCSW1-29999-29999			Units: µg/L		Analysis Date: 10/16/2010 11:13 AM			
Client ID:		Run ID: SVMS5_101016A			SeqNo: 1452583		Prep Date: 10/15/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	34.12	5.0	40	0	85.3	45-105	0			
Acenaphthene	33.09	5.0	40	0	82.7	45-110	0			
Acenaphthylene	35.97	5.0	40	0	89.9	50-105	0			
Anthracene	39.05	5.0	40	0	97.6	55-110	0			
Benzo(a)anthracene	38.49	5.0	40	0	96.2	55-110	0			
Benzo(a)pyrene	39.7	5.0	40	0	99.2	55-110	0			
Benzo(b)fluoranthene	36.93	5.0	40	0	92.3	45-120	0			
Benzo(g,h,i)perylene	41.22	5.0	40	0	103	40-125	0			
Benzo(k)fluoranthene	36.73	5.0	40	0	91.8	45-125	0			
Chrysene	36.81	5.0	40	0	92	55-110	0			
Dibenzo(a,h)anthracene	41.43	5.0	40	0	104	40-125	0			
Fluoranthene	39.05	5.0	40	0	97.6	55-115	0			
Fluorene	36.04	5.0	40	0	90.1	50-110	0			
Indeno(1,2,3-cd)pyrene	41.69	5.0	40	0	104	45-125	0			
Naphthalene	33.81	5.0	40	0	84.5	40-100	0			
Phenanthrene	38.12	5.0	40	0	95.3	50-115	0			
Pyrene	40.88	5.0	40	0	102	50-130	0			
Surr: 2,4,6-Tribromophenol	43.8	0	50	0	87.6	40-125	0			
Surr: 2-Fluorobiphenyl	35.46	0	50	0	70.9	50-110	0			
Surr: 2-Fluorophenol	12.98	0	50	0	26	20-110	0			
Surr: 4-Terphenyl-d14	45.67	0	50	0	91.3	50-125	0			
Surr: Nitrobenzene-d5	36.65	0	50	0	73.3	40-110	0			
Surr: Phenol-d6	4.89	0	50	0	9.78	20-110	0			S

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: 29999 Instrument ID SVMS5 Method: SW8270

LCSD	Sample ID: SLCS DW1-29999-29999	Units: µg/L					Analysis Date: 10/16/2010 11:49 AM				
Client ID:	Run ID: SVMS5_101016A	SeqNo: 1452584			Prep Date: 10/15/2010		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
2-Methylnaphthalene	35.26	5.0	40	0	88.2	45-105	34.12	3.29	30		
Acenaphthene	34.46	5.0	40	0	86.2	45-110	33.09	4.06	30		
Acenaphthylene	37.1	5.0	40	0	92.8	50-105	35.97	3.09	30		
Anthracene	40.25	5.0	40	0	101	55-110	39.05	3.03	30		
Benzo(a)anthracene	38.87	5.0	40	0	97.2	55-110	38.49	0.982	30		
Benzo(a)pyrene	40.61	5.0	40	0	102	55-110	39.7	2.27	30		
Benzo(b)fluoranthene	41.43	5.0	40	0	104	45-120	36.93	11.5	30		
Benzo(g,h,i)perylene	41.99	5.0	40	0	105	40-125	41.22	1.85	30		
Benzo(k)fluoranthene	32.41	5.0	40	0	81	45-125	36.73	12.5	30		
Chrysene	37.29	5.0	40	0	93.2	55-110	36.81	1.3	30		
Dibenzo(a,h)anthracene	42.07	5.0	40	0	105	40-125	41.43	1.53	30		
Fluoranthene	39.4	5.0	40	0	98.5	55-115	39.05	0.892	30		
Fluorene	37.22	5.0	40	0	93	50-110	36.04	3.22	30		
Indeno(1,2,3-cd)pyrene	42.12	5.0	40	0	105	45-125	41.69	1.03	30		
Naphthalene	35.18	5.0	40	0	88	40-100	33.81	3.97	30		
Phenanthrene	39.06	5.0	40	0	97.6	50-115	38.12	2.44	30		
Pyrene	41.57	5.0	40	0	104	50-130	40.88	1.67	30		
Surr: 2,4,6-Tribromophenol	37.62	0	50	0	75.2	40-125	43.8	15.2	40		
Surr: 2-Fluorobiphenyl	32.67	0	50	0	65.3	50-110	35.46	8.19	40		
Surr: 2-Fluorophenol	11.69	0	50	0	23.4	20-110	12.98	10.5	40		
Surr: 4-Terphenyl-d14	40.11	0	50	0	80.2	50-125	45.67	13	40		
Surr: Nitrobenzene-d5	33.32	0	50	0	66.6	40-110	36.65	9.52	40		
Surr: Phenol-d6	4.38	0	50	0	8.76	20-110	4.89	11	40	S	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: 29999 Instrument ID SVMS5 Method: SW8270

MS		Sample ID: 1010436-09B MS			Units: µg/L			Analysis Date: 10/16/2010 12:26 PM		
Client ID: WGC10150950DJJ1		Run ID: SVMS5_101016A			SeqNo: 1452585		Prep Date: 10/15/2010		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	228.3	50	400	0	57.1	45-105	0			
Acenaphthene	252.9	50	400	0	63.2	45-110	0			
Acenaphthylene	284.1	50	400	0	71	50-105	0			
Anthracene	310.6	50	400	0	77.6	55-110	0			
Benzo(a)anthracene	303.6	50	400	0	75.9	55-110	0			
Benzo(a)pyrene	320.4	50	400	0	80.1	55-110	0			
Benzo(b)fluoranthene	332.5	50	400	0	83.1	45-120	0			
Benzo(g,h,i)perylene	341.2	50	400	0	85.3	40-125	0			
Benzo(k)fluoranthene	301.3	50	400	0	75.3	45-125	0			
Chrysene	313.1	50	400	0	78.3	55-110	0			
Dibenzo(a,h)anthracene	336.8	50	400	0	84.2	40-125	0			
Fluoranthene	314.6	50	400	0	78.6	55-115	0			
Fluorene	290.2	50	400	0	72.6	50-110	0			
Indeno(1,2,3-cd)pyrene	340.1	50	400	0	85	45-125	0			
Naphthalene	238.3	50	400	0	59.6	40-100	0			
Phenanthrene	308.5	50	400	0	77.1	50-115	0			
Pyrene	332.5	50	400	0	83.1	50-130	0			
Surr: 2,4,6-Tribromophenol	327.7	0	500	0	65.5	40-125	0			
Surr: 2-Fluorobiphenyl	273.4	0	500	0	54.7	50-110	0			
Surr: 2-Fluorophenol	191.1	0	500	0	38.2	20-110	0			
Surr: 4-Terphenyl-d14	361.7	0	500	0	72.3	50-125	0			
Surr: Nitrobenzene-d5	309.4	0	500	0	61.9	40-110	0			
Surr: Phenol-d6	127.2	0	500	0	25.4	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: 29999 Instrument ID SVMS5 Method: SW8270

MSD Sample ID: 1010436-09B MSD Units: µg/L Analysis Date: 10/16/2010 01:02 PM

Client ID: WGC10150950DJJ1 Run ID: SVMS5_101016A SeqNo: 1452586 Prep Date: 10/15/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	298.4	50	400	0	74.6	45-105	228.3	26.6	30	
Acenaphthene	327.8	50	400	0	82	45-110	252.9	25.8	30	
Acenaphthylene	359.7	50	400	0	89.9	50-105	284.1	23.5	30	
Anthracene	396.6	50	400	0	99.2	55-110	310.6	24.3	30	
Benzo(a)anthracene	375.9	50	400	0	94	55-110	303.6	21.3	30	
Benzo(a)pyrene	396.8	50	400	0	99.2	55-110	320.4	21.3	30	
Benzo(b)fluoranthene	392.6	50	400	0	98.2	45-120	332.5	16.6	30	
Benzo(g,h,i)perylene	412	50	400	0	103	40-125	341.2	18.8	30	
Benzo(k)fluoranthene	344.4	50	400	0	86.1	45-125	301.3	13.3	30	
Chrysene	380.1	50	400	0	95	55-110	313.1	19.3	30	
Dibenzo(a,h)anthracene	416.3	50	400	0	104	40-125	336.8	21.1	30	
Fluoranthene	392	50	400	0	98	55-115	314.6	21.9	30	
Fluorene	367	50	400	0	91.8	50-110	290.2	23.4	30	
Indeno(1,2,3-cd)pyrene	419.7	50	400	0	105	45-125	340.1	21	30	
Naphthalene	305.3	50	400	0	76.3	40-100	238.3	24.7	30	
Phenanthrene	381.5	50	400	0	95.4	50-115	308.5	21.2	30	
Pyrene	412.3	50	400	0	103	50-130	332.5	21.4	30	
Surr: 2,4,6-Tribromophenol	411.5	0	500	0	82.3	40-125	327.7	22.7	40	
Surr: 2-Fluorobiphenyl	368.5	0	500	0	73.7	50-110	273.4	29.6	40	
Surr: 2-Fluorophenol	230.8	0	500	0	46.2	20-110	191.1	18.8	40	
Surr: 4-Terphenyl-d14	445.5	0	500	0	89.1	50-125	361.7	20.8	40	
Surr: Nitrobenzene-d5	393	0	500	0	78.6	40-110	309.4	23.8	40	
Surr: Phenol-d6	150	0	500	0	30	20-110	127.2	16.5	40	

The following samples were analyzed in this batch:

1010436-01B	1010436-02B	1010436-03B
1010436-05B	1010436-06B	1010436-09B
1010436-10B	1010436-11B	1010436-15B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82565** Instrument ID **VMS5** Method: **SW8260**

MBLK		Sample ID: VBLKW1-101015-R82565			Units: µg/L		Analysis Date: 10/15/2010 09:22 PM			
Client ID:		Run ID: VMS5_101015A			SeqNo: 1452110		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>102.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>93.94</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>93.9</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>94.91</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>94.9</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>100.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-120</i>	<i>0</i>			

LCS		Sample ID: VLCSW1-101015-R82565			Units: µg/L		Analysis Date: 10/15/2010 08:00 PM			
Client ID:		Run ID: VMS5_101015A			SeqNo: 1452107		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	22.5	1.0	20	0	112	75-130	0			
1,3,5-Trimethylbenzene	22.77	1.0	20	0	114	75-130	0			
Benzene	22.44	1.0	20	0	112	80-120	0			
Ethylbenzene	22.84	1.0	20	0	114	75-125	0			
Isopropylbenzene	25.74	1.0	20	0	129	75-125	0			S
n-Propylbenzene	20.02	1.0	20	0	100	70-130	0			
Naphthalene	23.03	5.0	20	0	115	55-140	0			
p-Isopropyltoluene	19.27	2.0	20	0	96.4	75-130	0			
sec-Butylbenzene	19.89	2.0	20	0	99.4	70-125	0			
Toluene	23.07	1.0	20	0	115	75-120	0			
Xylenes, Total	63.19	2.0	60	0	105	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>99.54</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.5</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>102.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>101</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>100.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82565** Instrument ID **VMS5** Method: **SW8260**

LCSD Sample ID: **VLCSDW1-101015-R82565** Units: **µg/L** Analysis Date: **10/15/2010 08:27 PM**

Client ID: Run ID: **VMS5_101015A** SeqNo: **1452108** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	21.49	1.0	20	0	107	75-130	22.5	4.59	30	
1,3,5-Trimethylbenzene	21.8	1.0	20	0	109	75-130	22.77	4.35	30	
Benzene	21.72	1.0	20	0	109	80-120	22.44	3.26	30	
Ethylbenzene	21.9	1.0	20	0	110	75-125	22.84	4.2	30	
Isopropylbenzene	24.56	1.0	20	0	123	75-125	25.74	4.69	30	
n-Propylbenzene	18.8	1.0	20	0	94	70-130	20.02	6.29	30	
Naphthalene	22.27	5.0	20	0	111	55-140	23.03	3.36	30	
p-Isopropyltoluene	18.16	2.0	20	0	90.8	75-130	19.27	5.93	30	
sec-Butylbenzene	18.64	2.0	20	0	93.2	70-125	19.89	6.49	30	
Toluene	22.06	1.0	20	0	110	75-120	23.07	4.48	30	
Xylenes, Total	60.81	2.0	60	0	101	75-130	63.19	3.84	30	
Surr: 1,2-Dichloroethane-d4	100	0	100	0	100	70-120	99.54	0.471	30	
Surr: 4-Bromofluorobenzene	102.7	0	100	0	103	75-120	102.8	0.107	30	
Surr: Dibromofluoromethane	101.4	0	100	0	101	85-115	101	0.385	30	
Surr: Toluene-d8	100.2	0	100	0	100	85-120	100.6	0.369	30	

MS Sample ID: **1010436-10A MS** Units: **µg/L** Analysis Date: **10/16/2010 05:38 AM**

Client ID: **WGC10151120DJJ1** Run ID: **VMS5_101015A** SeqNo: **1452126** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	19.03	1.0	20	0	95.2	75-130	0			
1,3,5-Trimethylbenzene	19.33	1.0	20	0	96.6	75-130	0			
Benzene	20.52	1.0	20	0	103	80-120	0			
Ethylbenzene	19.27	1.0	20	0	96.4	75-125	0			
Isopropylbenzene	21.1	1.0	20	0	106	75-125	0			
n-Propylbenzene	16.34	1.0	20	0	81.7	70-130	0			
Naphthalene	19.24	5.0	20	0	96.2	55-140	0			
p-Isopropyltoluene	14.55	2.0	20	0	72.8	75-130	0			S
sec-Butylbenzene	15.72	2.0	20	0	78.6	70-125	0			
Toluene	20.04	1.0	20	0	100	75-120	0			
Xylenes, Total	53.29	2.0	60	0	88.8	75-130	0			
Surr: 1,2-Dichloroethane-d4	102.3	0	100	0	102	70-120	0			
Surr: 4-Bromofluorobenzene	101.2	0	100	0	101	75-120	0			
Surr: Dibromofluoromethane	103.9	0	100	0	104	85-115	0			
Surr: Toluene-d8	101	0	100	0	101	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82565** Instrument ID **VMS5** Method: **SW8260**

MSD		Sample ID: 1010436-10A MSD			Units: µg/L			Analysis Date: 10/16/2010 06:05 AM		
Client ID: WGC10151120DJJ1		Run ID: VMS5_101015A			SeqNo: 1452127		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	18.42	1.0	20	0	92.1	75-130	19.03	3.26	30	
1,3,5-Trimethylbenzene	18.57	1.0	20	0	92.8	75-130	19.33	4.01	30	
Benzene	19.49	1.0	20	0	97.4	80-120	20.52	5.15	30	
Ethylbenzene	18.46	1.0	20	0	92.3	75-125	19.27	4.29	30	
Isopropylbenzene	20.09	1.0	20	0	100	75-125	21.1	4.9	30	
n-Propylbenzene	15.54	1.0	20	0	77.7	70-130	16.34	5.02	30	
Naphthalene	19.65	5.0	20	0	98.2	55-140	19.24	2.11	30	
p-Isopropyltoluene	13.95	2.0	20	0	69.8	75-130	14.55	4.21	30	S
sec-Butylbenzene	15.03	2.0	20	0	75.2	70-125	15.72	4.49	30	
Toluene	19.1	1.0	20	0	95.5	75-120	20.04	4.8	30	
Xylenes, Total	50.83	2.0	60	0	84.7	75-130	53.29	4.73	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>100.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>100</i>	<i>70-120</i>	<i>102.3</i>	<i>1.84</i>	<i>30</i>	
<i>Surr: 4-Bromofluorobenzene</i>	<i>102.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>75-120</i>	<i>101.2</i>	<i>1.05</i>	<i>30</i>	
<i>Surr: Dibromofluoromethane</i>	<i>102.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>85-115</i>	<i>103.9</i>	<i>1.65</i>	<i>30</i>	
<i>Surr: Toluene-d8</i>	<i>100.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>100</i>	<i>85-120</i>	<i>101</i>	<i>0.886</i>	<i>30</i>	

The following samples were analyzed in this batch:

1010436-10A	1010436-11A	1010436-15A
-------------	-------------	-------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82566** Instrument ID **VMS7** Method: **SW8260**

MBLK Sample ID: **VBLKW1-101015-R82566** Units: **µg/L** Analysis Date: **10/15/2010 09:42 PM**

Client ID: Run ID: **VMS7_101015A** SeqNo: **1452229** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>103.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>99.11</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.1</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>99.89</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.9</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>100.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>100</i>	<i>85-120</i>	<i>0</i>			

LCS Sample ID: **VLCSW1-101015-R82566** Units: **µg/L** Analysis Date: **10/15/2010 08:20 PM**

Client ID: Run ID: **VMS7_101015A** SeqNo: **1452211** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.94	1.0	20	0	105	75-130	0			
1,3,5-Trimethylbenzene	21.21	1.0	20	0	106	75-130	0			
Benzene	18.84	1.0	20	0	94.2	80-120	0			
Ethylbenzene	19.8	1.0	20	0	99	75-125	0			
Isopropylbenzene	24.16	1.0	20	0	121	75-125	0			
n-Propylbenzene	20.38	1.0	20	0	102	70-130	0			
Naphthalene	20.13	5.0	20	0	101	55-140	0			
p-Isopropyltoluene	21.68	2.0	20	0	108	75-130	0			
sec-Butylbenzene	21.75	2.0	20	0	109	70-125	0			
Toluene	19.08	1.0	20	0	95.4	75-120	0			
Xylenes, Total	61.57	2.0	60	0	103	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>97.65</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>97.6</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>101.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>99.74</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.7</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>101</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82566** Instrument ID **VMS7** Method: **SW8260**

LCSD		Sample ID: VLCS DW1-101015-R82566			Units: µg/L			Analysis Date: 10/15/2010 08:48 PM		
Client ID:		Run ID: VMS7_101015A			SeqNo: 1452212		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	21.8	1.0	20	0	109	75-130	20.94	4.02	30	
1,3,5-Trimethylbenzene	22.14	1.0	20	0	111	75-130	21.21	4.29	30	
Benzene	19.9	1.0	20	0	99.5	80-120	18.84	5.47	30	
Ethylbenzene	20.51	1.0	20	0	103	75-125	19.8	3.52	30	
Isopropylbenzene	25.48	1.0	20	0	127	75-125	24.16	5.32	30	S
n-Propylbenzene	21.33	1.0	20	0	107	70-130	20.38	4.56	30	
Naphthalene	19.72	5.0	20	0	98.6	55-140	20.13	2.06	30	
p-Isopropyltoluene	22.59	2.0	20	0	113	75-130	21.68	4.11	30	
sec-Butylbenzene	22.52	2.0	20	0	113	70-125	21.75	3.48	30	
Toluene	19.89	1.0	20	0	99.4	75-120	19.08	4.16	30	
Xylenes, Total	64.58	2.0	60	0	108	75-130	61.57	4.77	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	98.93	0	100	0	98.9	70-120	97.65	1.3	30	
<i>Surr: 4-Bromofluorobenzene</i>	102.4	0	100	0	102	75-120	101.2	1.18	30	
<i>Surr: Dibromofluoromethane</i>	100.7	0	100	0	101	85-115	99.74	0.918	30	
<i>Surr: Toluene-d8</i>	100.2	0	100	0	100	85-120	101	0.875	30	

MS		Sample ID: 1010436-09 MS			Units: µg/L			Analysis Date: 10/16/2010 06:29 AM		
Client ID:		Run ID: VMS7_101015A			SeqNo: 1452244		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	28.46	1.0	20	0	142	75-130	0			S
1,3,5-Trimethylbenzene	28.53	1.0	20	0	143	75-130	0			S
Benzene	25.21	1.0	20	0	126	80-120	0			S
Ethylbenzene	26.96	1.0	20	0	135	75-125	0			S
Isopropylbenzene	33.04	1.0	20	0	165	75-125	0			S
n-Propylbenzene	27.75	1.0	20	0	139	70-130	0			S
Naphthalene	24.59	5.0	20	0	123	55-140	0			
p-Isopropyltoluene	29.69	2.0	20	0	148	75-130	0			S
sec-Butylbenzene	29.28	2.0	20	0	146	70-125	0			S
Toluene	25.51	1.0	20	0	128	75-120	0			S
Xylenes, Total	82.75	2.0	60	0	138	75-130	0			S
<i>Surr: 1,2-Dichloroethane-d4</i>	95.49	0	100	0	95.5	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	105.1	0	100	0	105	75-120	0			
<i>Surr: Dibromofluoromethane</i>	98.1	0	100	0	98.1	85-115	0			
<i>Surr: Toluene-d8</i>	100.1	0	100	0	100	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82566** Instrument ID **VMS7** Method: **SW8260**

MSD		Sample ID: 1010436-09 MSD			Units: µg/L			Analysis Date: 10/16/2010 06:56 AM			
Client ID:		Run ID: VMS7_101015A			SeqNo: 1452245		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	18.67	1.0	20	0	93.4	75-130	28.46	41.5	30	R	
1,3,5-Trimethylbenzene	19.03	1.0	20	0	95.2	75-130	28.53	39.9	30	R	
Benzene	16.79	1.0	20	0	84	80-120	25.21	40.1	30	R	
Ethylbenzene	17.59	1.0	20	0	88	75-125	26.96	42.1	30	R	
Isopropylbenzene	21.89	1.0	20	0	109	75-125	33.04	40.6	30	R	
n-Propylbenzene	18.35	1.0	20	0	91.8	70-130	27.75	40.8	30	R	
Naphthalene	17.43	5.0	20	0	87.2	55-140	24.59	34.1	30	R	
p-Isopropyltoluene	20.37	2.0	20	0	102	75-130	29.69	37.2	30	R	
sec-Butylbenzene	19.87	2.0	20	0	99.4	70-125	29.28	38.3	30	R	
Toluene	16.97	1.0	20	0	84.8	75-120	25.51	40.2	30	R	
Xylenes, Total	54.63	2.0	60	0	91	75-130	82.75	40.9	30	R	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>94.96</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>95</i>	<i>70-120</i>	<i>95.49</i>	<i>0.557</i>	<i>30</i>		
<i>Surr: 4-Bromofluorobenzene</i>	<i>103.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>75-120</i>	<i>105.1</i>	<i>1.26</i>	<i>30</i>		
<i>Surr: Dibromofluoromethane</i>	<i>96.84</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>96.8</i>	<i>85-115</i>	<i>98.1</i>	<i>1.29</i>	<i>30</i>		
<i>Surr: Toluene-d8</i>	<i>99.47</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.5</i>	<i>85-120</i>	<i>100.1</i>	<i>0.591</i>	<i>30</i>		

The following samples were analyzed in this batch:

1010436-01A	1010436-02A	1010436-03A
1010436-05A	1010436-06A	1010436-07A
1010436-08A	1010436-09A	1010436-16A
1010436-17A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82577** Instrument ID **VMS7** Method: **SW8260**

MBLK		Sample ID: VBLKW1-101016-R82577			Units: µg/L			Analysis Date: 10/16/2010 12:43 PM		
Client ID:		Run ID: VMS7_101016A			SeqNo: 1452571		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	98	0	100	0	98	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	102.6	0	100	0	103	75-120	0			
<i>Surr: Dibromofluoromethane</i>	95.29	0	100	0	95.3	85-115	0			
<i>Surr: Toluene-d8</i>	98.32	0	100	0	98.3	85-120	0			

LCS		Sample ID: VLCSW1-101016-R82577			Units: µg/L			Analysis Date: 10/16/2010 11:21 AM		
Client ID:		Run ID: VMS7_101016A			SeqNo: 1452281		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	21.27	1.0	20	0	106	75-130	0			
1,3,5-Trimethylbenzene	21.7	1.0	20	0	108	75-130	0			
Benzene	21.32	1.0	20	0	107	80-120	0			
Ethylbenzene	22.17	1.0	20	0	111	75-125	0			
Isopropylbenzene	24.18	1.0	20	0	121	75-125	0			
n-Propylbenzene	23.01	1.0	20	0	115	70-130	0			
Naphthalene	22.67	5.0	20	0	113	55-140	0			
p-Isopropyltoluene	23.1	2.0	20	0	116	75-130	0			
sec-Butylbenzene	22.56	2.0	20	0	113	70-125	0			
Toluene	21.28	1.0	20	0	106	75-120	0			
Xylenes, Total	68.8	2.0	60	0	115	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	95.38	0	100	0	95.4	70-120	0			
<i>Surr: 4-Bromofluorobenzene</i>	102.5	0	100	0	103	75-120	0			
<i>Surr: Dibromofluoromethane</i>	96.9	0	100	0	96.9	85-115	0			
<i>Surr: Toluene-d8</i>	100.2	0	100	0	100	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82577** Instrument ID **VMS7** Method: **SW8260**

LCSD		Sample ID: VLCSDW1-101016-R82577				Units: µg/L		Analysis Date: 10/16/2010 11:49 AM			
Client ID:		Run ID: VMS7_101016A				SeqNo: 1452282		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	20.56	1.0	20	0	103	75-130	21.27	3.39	30		
1,3,5-Trimethylbenzene	20.75	1.0	20	0	104	75-130	21.7	4.48	30		
Benzene	20.47	1.0	20	0	102	80-120	21.32	4.07	30		
Ethylbenzene	21.44	1.0	20	0	107	75-125	22.17	3.35	30		
Isopropylbenzene	23.31	1.0	20	0	117	75-125	24.18	3.66	30		
n-Propylbenzene	22.14	1.0	20	0	111	70-130	23.01	3.85	30		
Naphthalene	22.29	5.0	20	0	111	55-140	22.67	1.69	30		
p-Isopropyltoluene	21.56	2.0	20	0	108	75-130	23.1	6.9	30		
sec-Butylbenzene	21.09	2.0	20	0	105	70-125	22.56	6.74	30		
Toluene	20.94	1.0	20	0	105	75-120	21.28	1.61	30		
Xylenes, Total	67.18	2.0	60	0	112	75-130	68.8	2.38	30		
<i>Surr: 1,2-Dichloroethane-d4</i>	97.62	0	100	0	97.6	70-120	95.38	2.32	30		
<i>Surr: 4-Bromofluorobenzene</i>	102.8	0	100	0	103	75-120	102.5	0.273	30		
<i>Surr: Dibromofluoromethane</i>	97.49	0	100	0	97.5	85-115	96.9	0.607	30		
<i>Surr: Toluene-d8</i>	101.4	0	100	0	101	85-120	100.2	1.24	30		

MS		Sample ID: 1010436-09 MS				Units: µg/L		Analysis Date: 10/16/2010 09:23 PM			
Client ID:		Run ID: VMS7_101016A				SeqNo: 1452695		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Benzene	20	1.0	20	0	100	70-130	0				
Toluene	19.92	1.0	20	0	99.6	70-130	0				
Xylenes, Total	63.75	3.0	60	0	106	70-130	0				
<i>Surr: 1,2-Dichloroethane-d4</i>	101.9	0	100	0	102	70-130	0				
<i>Surr: 4-Bromofluorobenzene</i>	109.3	0	100	0	109	70-130	0				
<i>Surr: Dibromofluoromethane</i>	103.1	0	100	0	103	70-130	0				
<i>Surr: Toluene-d8</i>	103.1	0	100	0	103	70-130	0				

MSD		Sample ID: 1010436-09 MSD				Units: µg/L		Analysis Date: 10/16/2010 09:50 PM			
Client ID:		Run ID: VMS7_101016A				SeqNo: 1452696		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Benzene	19.69	1.0	20	0	98.4	70-130	20	1.56	30		
Toluene	19.76	1.0	20	0	98.8	70-130	19.92	0.806	30		
Xylenes, Total	62.79	3.0	60	0	105	70-130	63.75	1.52	30		
<i>Surr: 1,2-Dichloroethane-d4</i>	100.9	0	100	0	101	70-130	101.9	0.957	30		
<i>Surr: 4-Bromofluorobenzene</i>	108.5	0	100	0	108	70-130	109.3	0.799	30		
<i>Surr: Dibromofluoromethane</i>	102.1	0	100	0	102	70-130	103.1	0.926	30		
<i>Surr: Toluene-d8</i>	103.2	0	100	0	103	70-130	103.1	0.0485	30		

The following samples were analyzed in this batch: 1010436-09A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82584** Instrument ID **WETCHEM** Method: **A2320 B**

MBLK		Sample ID: WBLKW1-101016-R82584				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID:		Run ID: WETCHEM_101016B				SeqNo: 1452548		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	4	10								J
Alkalinity, Carbonate (as CaCO3)	ND	10								

LCS		Sample ID: WLCSW1-101016-R82584				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID:		Run ID: WETCHEM_101016B				SeqNo: 1452549		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	340.5	10	1000	0	34	80-120	0			S
Alkalinity, Carbonate (as CaCO3)	531.2	10	1000	0	53.1	80-120	0			S

LCSD		Sample ID: WLCSDW1-101016-R82584				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID:		Run ID: WETCHEM_101016B				SeqNo: 1452565		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	345.4	10	1000	0	34.5	80-120	340.5	1.43	20	S
Alkalinity, Carbonate (as CaCO3)	526.5	10	1000	0	52.6	80-120	531.2	0.889	20	S

MS		Sample ID: 1010436-09DMS				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID: WGC10150950DJJ1		Run ID: WETCHEM_101016B				SeqNo: 1452557		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	306.1	10	1000	301.1	0.5	75-125	0			S
Alkalinity, Carbonate (as CaCO3)	3.8	10	1000	3.8	0	75-125	0			JS

MSD		Sample ID: 1010436-09DMSD				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID: WGC10150950DJJ1		Run ID: WETCHEM_101016B				SeqNo: 1452558		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	301.4	10	1000	301.1	0.03	75-125	306.1	1.55	35	S
Alkalinity, Carbonate (as CaCO3)	3.6	10	1000	3.8	-0.02	75-125	3.8	0	35	JS

DUP		Sample ID: 1010436-01D DUP				Units: mg/L		Analysis Date: 10/16/2010 01:00 PM		
Client ID: WGE10150935BAW1		Run ID: WETCHEM_101016B				SeqNo: 1452570		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	315.5	10	0	0	0		314.1	0.445	20	
Alkalinity, Carbonate (as CaCO3)	4.4	10	0	0	0		3.8	0	20	J

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Enviroment
Work Order: 1010436
Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82584** Instrument ID **WETCHEM** Method: **A2320 B**

The following samples were analyzed in this batch:

1010436-01D	1010436-02D	1010436-03D
1010436-04B	1010436-05D	1010436-06D
1010436-09D	1010436-10D	1010436-11D
1010436-12B	1010436-13B	1010436-14B
1010436-15D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010436
 Project: Marshall Oil Spill Hydrogeo Study 10/15/10

QC BATCH REPORT

Batch ID: **R82591** Instrument ID **IC3** Method: **SW9056**

MBLK		Sample ID: CCB/MBLK-R82591			Units: mg/L			Analysis Date: 10/16/2010 11:20 AM		
Client ID:		Run ID: IC3_101016B			SeqNo: 1452697		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	0.2134	1.0								J
Sulfate	0.1194	1.0								J

LCS		Sample ID: CCV/LCS-R82591			Units: mg/L			Analysis Date: 10/16/2010 11:40 AM		
Client ID:		Run ID: IC3_101016B			SeqNo: 1452698		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.946	1.0	10	0	99.5	80-120	0			
Sulfate	9.914	1.0	10	0	99.1	80-120	0			

LCSD		Sample ID: CCV/LCSD-R82591			Units: mg/L			Analysis Date: 10/16/2010 11:59 AM		
Client ID:		Run ID: IC3_101016B			SeqNo: 1452699		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.618	1.0	10	0	96.2	80-120	9.946	3.35	20	
Sulfate	9.622	1.0	10	0	96.2	80-120	9.914	2.99	20	

MS		Sample ID: 1010436-09D MS			Units: mg/L			Analysis Date: 10/16/2010 02:40 PM		
Client ID: WGC10150950DJJ1		Run ID: IC3_101016B			SeqNo: 1452707		Prep Date:		DF: 4	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	26.67	4.0	10	18.27	84	75-125	0			
Sulfate	44.2	4.0	10	35.01	91.9	75-125	0			

MSD		Sample ID: 1010436-09D MSD			Units: mg/L			Analysis Date: 10/16/2010 03:00 PM		
Client ID: WGC10150950DJJ1		Run ID: IC3_101016B			SeqNo: 1452708		Prep Date:		DF: 4	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	27.02	4.0	10	18.27	87.6	75-125	26.67	1.32	20	
Sulfate	44.72	4.0	10	35.01	97	75-125	44.2	1.15	20	

The following samples were analyzed in this batch:

1010436-01D	1010436-02D	1010436-03D
1010436-04B	1010436-05D	1010436-06D
1010436-09D	1010436-10D	1010436-11D
1010436-12B	1010436-13B	1010436-14B
1010436-15D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 1 of 2

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010436

Customer Information, Project Information, Parameter/Method Request for Analysis

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Relinquished by, Date, Time, Received by, Notes, Cooler ID, Cooler Temp, QC Package, Logged by, Preservative Key

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group. Copyright 2008 by ALS Laboratory Group.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010436

Table with 3 main columns: Customer Information, Project Information, and Parameter/Method Request for Analysis. Includes fields for Purchase Order, Work Order, Company Name, Address, City/State/Zip, Phone, Fax, e-Mail Address, Project Name, Project Number, Bill To Company, Invoice Attn, Address, City/State/Zip, Phone, Fax, e-Mail Address, and analysis parameters A through J.

Table with 19 columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 10 rows of sample data with handwritten entries for sample numbers, descriptions, dates, times, matrices, and analysis results.

Sampler(s) Please Print & Sign: DON JOHNSON. Shipment Method: Courier. Required Turnaround Time: (Check Box) 24 Hour. Results Due Date:

Relinquished by: [Signature], Date: 10/15/2010, Time: 1835. Received by: [Signature], Date: 10/15/10, Time: 2000. Logged by: [Signature], Date: 10/15/10, Time: 2130. Checked By: [Signature]. Notes: Cooler ID, Cooler Temp: 3.6 C. QC Package: (Check One Box Below) Level II Std QC, Level III Std QC/Raw Date, Level IV SW846/CLP, Other.

Sample Receipt Checklist

Client Name: **AECOM - GR**

Date/Time Received: **15-Oct-10 20:00**

Work Order: **1010436**

Received by: **MA**

Checklist completed by Joseph Ribar 15-Oct-10
eSignature Date

Reviewed by: Ann Preston 16-Oct-10
eSignature Date

Matrices: **WATER**

Carrier name: **ALSHN**

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<input type="text" value="3.6 c"/> <input type="text"/>		
Cooler(s)/Kit(s):	<input type="text"/>		
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted by:	<input type="text"/>		

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page 1 of 2

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010436

Customer Information, Project Information, Parameter/Method Request for Analysis

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Relinquished by, Date, Time, Received by, Notes, Cooler ID, Cooler Temp, QC Package, Logged by, Preservative Key

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group. Copyright 2008 by ALS Laboratory Group.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010436

Table with 3 main columns: Customer Information, Project Information, and Parameter/Method Request for Analysis. Includes fields for Purchase Order, Work Order, Company Name, Address, City/State/Zip, Phone, Fax, e-Mail Address, Project Name, Project Number, Bill To Company, Invoice Attn, Address, City/State/Zip, and various analysis parameters (A-J).

Table with 19 columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 10 rows of sample data with handwritten entries.

Sampler(s) Please Print & Sign: DON JOHNSON. Shipment Method: Courier. Required Turnaround Time: [X] 24 Hour. Results Due Date:

Relinquished by: [Signature], Date: 10/15/2010, Time: 1835. Received by: [Signature], Date: 10/15/10, Time: 2000. Logged by: [Signature], Date: 10/15/10, Time: 2130. Checked By: [Signature]. Notes: Cooler ID, Cooler Temp: 3.6 C. QC Package: [X] Level II Std QC, [X] Level III Std QC/Raw Date, [X] Level IV SW846/CLP, [X] Other.



18-Oct-2010

Kris Nolan
AECOM Enviroment
5555 Glenwood Parkway SE
Grand Rapids, MI 49512

Re: **Marshall Oil Spill Hydrogeo Study 10/16/10**

Work Order: **1010453**

Dear Kris,

ALS Group USA, Corp received 14 samples on 16-Oct-2010 07:55 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 44.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon consisting of a stylized flame inside a triangle.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Work Order: 1010453

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1010453-01	WGC10160955BRH1	Water		10/16/2010 09:55	10/16/2010 19:55	<input type="checkbox"/>
1010453-02	WGC10161000DJJ1	Water		10/16/2010 10:00	10/16/2010 19:55	<input type="checkbox"/>
1010453-03	WGC10161100DJJ1	Water		10/16/2010 11:00	10/16/2010 19:55	<input type="checkbox"/>
1010453-04	WGC10161100DJJ2	Water		10/16/2010 11:00	10/16/2010 19:55	<input type="checkbox"/>
1010453-05	WGD10161345DJJ1	Water		10/16/2010 13:45	10/16/2010 19:55	<input type="checkbox"/>
1010453-06	WGD10161405BRH1	Water		10/16/2010 14:05	10/16/2010 19:55	<input type="checkbox"/>
1010453-07	WGD10161505BRH1	Water		10/16/2010 15:05	10/16/2010 19:55	<input type="checkbox"/>
1010453-08	WSD10161450DJJ1	Water		10/16/2010 14:50	10/16/2010 19:55	<input type="checkbox"/>
1010453-09	WSD10161640DJJ1	Water		10/16/2010 16:40	10/16/2010 19:55	<input type="checkbox"/>
1010453-10	WGD10161730BRH1	Water		10/16/2010 17:30	10/16/2010 19:55	<input type="checkbox"/>
1010453-11	WGC10161405BRH4	Water		10/16/2010 14:05	10/16/2010 19:55	<input type="checkbox"/>
1010453-12	WGC10161925BRH5	Water		10/16/2010	10/16/2010 19:55	<input type="checkbox"/>
1010453-13	WGC10161930BRH5	Water		10/16/2010	10/16/2010 19:55	<input type="checkbox"/>
1010453-14	WGC10161935BRH5	Water		10/16/2010	10/16/2010 19:55	<input type="checkbox"/>

Client: AECOM Enviroment
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
WorkOrder: 1010453

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg/L	Milligrams per Liter

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-01

Client Sample ID: WGC10160955BRH1
Collection Date: 10/16/2010 9:55:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	0.16	0.10	0.10		mg/L	1	10/17/2010
Calcium	110	10	10		mg/L	1	10/17/2010
Iron	15	0.20	0.20		mg/L	1	10/17/2010
Magnesium	20	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	44	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: CES	
Barium	0.11	0.10	0.10		mg/L	1	10/17/2010
Calcium	100	10	10		mg/L	1	10/17/2010
Iron	0.44	0.20	0.20		mg/L	1	10/17/2010
Magnesium	19	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	42	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	58.7	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	56.7	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	37.1	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-01

Client Sample ID: WGC10160955BRH1
Collection Date: 10/16/2010 9:55:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	70.2	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	57.0	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	21.7	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	107	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	93.6	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	103	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	99.4	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	360	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	82	10	10		mg/L	10	10/17/2010
Sulfate	3.7	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-02

Client Sample ID: WGC10161000DJJ1
Collection Date: 10/16/2010 10:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	0.51	0.10	0.10		mg/L	1	10/17/2010
Calcium	130	10	10		mg/L	1	10/17/2010
Iron	26	0.20	0.20		mg/L	1	10/17/2010
Magnesium	30	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	16	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: CES	
Barium	0.28	0.10	0.10		mg/L	1	10/17/2010
Calcium	120	10	10		mg/L	1	10/17/2010
Iron	1.8	0.20	0.20		mg/L	1	10/17/2010
Magnesium	30	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	16	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	63.8	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	71.1	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	44.6	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-02

Client Sample ID: WGC10161000DJJ1
Collection Date: 10/16/2010 10:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	49.2	50-125		S	%REC	1	10/17/2010
Surr: Nitrobenzene-d5	70.9	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	26.2	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	98.8	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	104	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	98.5	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	480	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	33	10	10		mg/L	10	10/17/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-03

Client Sample ID: WGC10161100DJJ1
Collection Date: 10/16/2010 11:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	0.28	0.10	0.10		mg/L	1	10/17/2010
Calcium	130	10	10		mg/L	1	10/17/2010
Iron	23	0.20	0.20		mg/L	1	10/17/2010
Magnesium	28	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	19	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: CES
Barium	0.18	0.10	0.10		mg/L	1	10/17/2010
Calcium	130	10	10		mg/L	1	10/17/2010
Iron	1.6	0.20	0.20		mg/L	1	10/17/2010
Magnesium	28	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	20	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	67.3	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	63.0	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	42.1	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-03

Client Sample ID: WGC10161100DJJ1
Collection Date: 10/16/2010 11:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	60.1	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	64.4	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	24.2	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	98.6	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	104	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.3	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	490	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	41	10	10		mg/L	10	10/17/2010
Sulfate	4.1	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-04

Client Sample ID: WGC10161100DJJ2
Collection Date: 10/16/2010 11:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	0.27	0.10	0.10		mg/L	1	10/17/2010
Calcium	130	10	10		mg/L	1	10/17/2010
Iron	21	0.20	0.20		mg/L	1	10/17/2010
Magnesium	28	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	19	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: CES	
Barium	0.17	0.10	0.10		mg/L	1	10/17/2010
Calcium	120	10	10		mg/L	1	10/17/2010
Iron	0.66	0.20	0.20		mg/L	1	10/17/2010
Magnesium	28	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	19	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	68.3	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	65.5	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	37.0	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-04

Client Sample ID: WGC10161100DJJ2
Collection Date: 10/16/2010 11:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	66.3	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	65.0	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	21.2	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	107	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	96.5	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	105	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.2	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	490	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	39	10	10		mg/L	10	10/17/2010
Sulfate	3.9	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-05

Client Sample ID: WGD10161345DJJ1
Collection Date: 10/16/2010 1:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010		Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	110	10	10		mg/L	1	10/17/2010
Iron	4.4	0.20	0.20		mg/L	1	10/17/2010
Magnesium	14	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	9.2	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	100	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	13	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	8.7	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	65.7	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	66.0	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	40.3	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-05

Client Sample ID: WGD10161345DJJ1
Collection Date: 10/16/2010 1:45:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	76.1	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	66.3	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	24.2	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	108	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	98.0	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	105	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.3	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	320	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	19	10	10		mg/L	1	10/17/2010
Sulfate	13	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-06

Client Sample ID: WGD10161405BRH1
Collection Date: 10/16/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	0.18	0.10	0.10		mg/L	1	10/17/2010
Calcium	77	10	10		mg/L	1	10/17/2010
Iron	1.2	0.20	0.20		mg/L	1	10/17/2010
Magnesium	21	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	11	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A			Analyst: CES	
Barium	0.17	0.10	0.10		mg/L	1	10/17/2010
Calcium	73	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	21	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	10	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	53.4	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	58.8	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	36.9	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-06

Client Sample ID: WGD10161405BRH1
Collection Date: 10/16/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	72.6	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	60.0	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	22.7	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	96.4	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	104	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	98.7	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	23	10	10		mg/L	10	10/17/2010
Sulfate	36	10	1.0		mg/L	10	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-07

Client Sample ID: WGD10161505BRH1
Collection Date: 10/16/2010 3:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010		Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	65	10	10		mg/L	1	10/17/2010
Iron	1.1	0.20	0.20		mg/L	1	10/17/2010
Magnesium	13	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	12	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	62	10	10		mg/L	1	10/17/2010
Iron	0.66	0.20	0.20		mg/L	1	10/17/2010
Magnesium	12	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	11	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	59.0	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	55.4	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	33.6	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-07

Client Sample ID: WGD10161505BRH1
Collection Date: 10/16/2010 3:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	97.1	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	54.5	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	21.5	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	96.0	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	105	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.0	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	210	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	22	10	10		mg/L	2	10/17/2010
Sulfate	8.0	2.0	1.0		mg/L	2	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-08

Client Sample ID: WSD10161450DJJ1
Collection Date: 10/16/2010 2:50:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010		Analyst: CES
Calcium	78	10	10		mg/L	1	10/17/2010
Iron	0.23	0.20	0.20		mg/L	1	10/17/2010
Magnesium	23	1.0	1.0		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	22	1.0	1.0		mg/L	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	50	10	10		mg/L	10	10/17/2010
Sulfate	38	10	1.0		mg/L	10	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-09

Client Sample ID: WSD10161640DJJ1
Collection Date: 10/16/2010 4:40:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010		Analyst: CES
Calcium	74	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	21	1.0	1.0		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	22	1.0	1.0		mg/L	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	260	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	46	10	10		mg/L	10	10/17/2010
Sulfate	35	10	1.0		mg/L	10	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-10

Client Sample ID: WGD10161730BRH1
Collection Date: 10/16/2010 5:30:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010	Analyst: CES	
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	74	10	10		mg/L	1	10/17/2010
Iron	32	0.20	0.20		mg/L	1	10/17/2010
Magnesium	20	1.0	1.0		mg/L	1	10/17/2010
Nickel	0.025	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	34	1.0	1.0		mg/L	1	10/17/2010
Vanadium	0.11	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	69	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	16	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	35	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010	Analyst: HL	
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	63.7	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	63.8	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	37.5	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-10

Client Sample ID: WGD10161730BRH1
Collection Date: 10/16/2010 5:30:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	62.4	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	65.5	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	23.9	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	99.1	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	104	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.4	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	230	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	55	10	10		mg/L	10	10/17/2010
Sulfate	48	10	1.0		mg/L	10	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-11

Client Sample ID: WGC10161405BRH4
Collection Date: 10/16/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
METALS BY ICP-MS			SW6020A		Prep Date: 10/16/2010		Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	ND	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	ND	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
METALS BY ICP-MS (DISSOLVED)			SW6020A				Analyst: CES
Barium	ND	0.10	0.10		mg/L	1	10/17/2010
Calcium	ND	10	10		mg/L	1	10/17/2010
Iron	ND	0.20	0.20		mg/L	1	10/17/2010
Magnesium	ND	1.0	1.0		mg/L	1	10/17/2010
Nickel	ND	0.020	0.020		mg/L	1	10/17/2010
Potassium	ND	10	10		mg/L	1	10/17/2010
Sodium	ND	1.0	1.0		mg/L	1	10/17/2010
Vanadium	ND	0.0040	0.0040		mg/L	1	10/17/2010
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270		Prep Date: 10/16/2010		Analyst: HL
2-Methylnaphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthene	ND	5.0	5.0		µg/L	1	10/17/2010
Acenaphthylene	ND	5.0	5.0		µg/L	1	10/17/2010
Anthracene	ND	5.0	5.0		µg/L	1	10/17/2010
Benzo(a)anthracene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(a)pyrene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(b)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(g,h,i)perylene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzo(k)fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Chrysene	ND	1.0	1.0		µg/L	1	10/17/2010
Dibenzo(a,h)anthracene	ND	2.0	2.0		µg/L	1	10/17/2010
Fluoranthene	ND	1.0	1.0		µg/L	1	10/17/2010
Fluorene	ND	5.0	5.0		µg/L	1	10/17/2010
Indeno(1,2,3-cd)pyrene	ND	2.0	2.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
Phenanthrene	ND	2.0	2.0		µg/L	1	10/17/2010
Pyrene	ND	5.0	5.0		µg/L	1	10/17/2010
Surr: 2,4,6-Tribromophenol	77.0	40-125			%REC	1	10/17/2010
Surr: 2-Fluorobiphenyl	79.7	50-110			%REC	1	10/17/2010
Surr: 2-Fluorophenol	50.6	20-110			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-11

Client Sample ID: WGC10161405BRH4
Collection Date: 10/16/2010 2:05:00 PM
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
Surr: 4-Terphenyl-d14	81.5	50-125			%REC	1	10/17/2010
Surr: Nitrobenzene-d5	80.3	40-110			%REC	1	10/17/2010
Surr: Phenol-d6	30.1	20-110			%REC	1	10/17/2010
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	98.0	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	105	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.8	85-120			%REC	1	10/17/2010
ALKALINITY (AS CaCO3)			A2320 B				Analyst: JJG
Alkalinity, Bicarbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
Alkalinity, Carbonate (as CaCO3)	ND	10	10		mg/L	1	10/17/2010
ANIONS BY ION CHROMATOGRAPHY			SW9056				Analyst: ED
Chloride	ND	10	10		mg/L	1	10/17/2010
Sulfate	ND	1.0	1.0		mg/L	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-12

Client Sample ID: WGC10161925BRH5
Collection Date: 10/16/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	97.2	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	100	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	97.6	85-120			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-13

Client Sample ID: WGC10161930BRH5
Collection Date: 10/16/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	107	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	97.0	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	103	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	98.0	85-120			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 18-Oct-10

Client: AECOM Environment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10
Lab ID: 1010453-14

Client Sample ID: WGC10161935BRH5
Collection Date: 10/16/2010
Matrix: WATER

Analyses	Result	Report Limit	MDEQ OP Memo 2 TDL	Qual	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			SW8260				Analyst: MK
1,2,3-Trimethylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
1,2,4-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
1,3,5-Trimethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Benzene	ND	1.0	1.0		µg/L	1	10/17/2010
Cyclohexane	ND	5.0	5.0		µg/L	1	10/17/2010
Ethylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Isopropylbenzene	ND	5.0	5.0		µg/L	1	10/17/2010
n-Propylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Naphthalene	ND	5.0	5.0		µg/L	1	10/17/2010
p-Isopropyltoluene	ND	5.0	5.0		µg/L	1	10/17/2010
sec-Butylbenzene	ND	1.0	1.0		µg/L	1	10/17/2010
Toluene	ND	1.0	1.0		µg/L	1	10/17/2010
Xylenes, Total	ND	3.0	3.0		µg/L	1	10/17/2010
Surr: 1,2-Dichloroethane-d4	106	70-120			%REC	1	10/17/2010
Surr: 4-Bromofluorobenzene	97.4	75-120			%REC	1	10/17/2010
Surr: Dibromofluoromethane	102	85-115			%REC	1	10/17/2010
Surr: Toluene-d8	98.6	85-120			%REC	1	10/17/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: AECOM Environment

QC BATCH REPORT

Work Order: 1010453

Project: Marshall Oil Spill Hydrogeo Study 10/16/10

Batch ID: **30017** Instrument ID **ICPMS2** Method: **SW6020A**

MBLK		Sample ID: MBLK-30017-30017			Units: mg/L			Analysis Date: 10/17/2010 07:42 PM		
Client ID:		Run ID: ICPMS2_101017A			SeqNo: 1453319			Prep Date: 10/16/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	0.001253	0.0050								J
Potassium	0.0102	0.20								J
Sodium	0.01301	0.20								J
Vanadium	ND	0.0050								

LCS		Sample ID: LCS-30017-30017			Units: mg/L			Analysis Date: 10/17/2010 07:47 PM		
Client ID:		Run ID: ICPMS2_101017A			SeqNo: 1453320			Prep Date: 10/16/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1001	0.0050	0.1	0	100	80-120	0			
Calcium	10.12	0.50	10	0	101	80-120	0			
Iron	10.35	0.080	10	0	104	80-120	0			
Magnesium	10.5	0.20	10	0	105	80-120	0			
Nickel	0.09912	0.0050	0.1	0	99.1	80-120	0			
Potassium	10.15	0.20	10	0	102	80-120	0			
Sodium	10.44	0.20	10	0	104	80-120	0			
Vanadium	0.1002	0.0050	0.1	0	100	80-120	0			

LCSD		Sample ID: LCSD-30017-30017			Units: mg/L			Analysis Date: 10/17/2010 07:52 PM		
Client ID:		Run ID: ICPMS2_101017A			SeqNo: 1453321			Prep Date: 10/16/2010		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1011	0.0050	0.1	0	101	80-120	0.1001	0.994	20	
Calcium	10.41	0.50	10	0	104	80-120	10.12	2.83	20	
Iron	10.46	0.080	10	0	105	80-120	10.35	1.06	20	
Magnesium	10.61	0.20	10	0	106	80-120	10.5	1.04	20	
Nickel	0.1006	0.0050	0.1	0	101	80-120	0.09912	1.48	20	
Potassium	10.32	0.20	10	0	103	80-120	10.15	1.66	20	
Sodium	10.52	0.20	10	0	105	80-120	10.44	0.763	20	
Vanadium	0.1027	0.0050	0.1	0	103	80-120	0.1002	2.46	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: 30017 Instrument ID ICPMS2 Method: SW6020A

MS Sample ID: 1010453-07CMS Units: mg/L Analysis Date: 10/17/2010 09:55 PM

Client ID: WGD10161505BRH1 Run ID: ICPMS2_101017A SeqNo: 1453348 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1813	0.0050	0.1	0.08368	97.6	80-120	0			
Calcium	72.7	0.50	10	64.51	81.9	80-120	0			O
Iron	11.03	0.080	10	1.082	99.5	80-120	0			
Magnesium	22.19	0.20	10	12.6	95.9	80-120	0			
Nickel	0.09637	0.0050	0.1	0.001364	95	80-120	0			
Potassium	12.14	0.20	10	2.246	98.9	80-120	0			
Sodium	21.2	0.20	10	11.68	95.2	80-120	0			
Vanadium	0.09954	0.0050	0.1	0.0002333	99.3	80-120	0			

MSD Sample ID: 1010453-07CMSD Units: mg/L Analysis Date: 10/17/2010 10:00 PM

Client ID: WGD10161505BRH1 Run ID: ICPMS2_101017A SeqNo: 1453349 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1841	0.0050	0.1	0.08368	100	80-120	0.1813	1.53	20	
Calcium	73.19	0.50	10	64.51	86.8	80-120	72.7	0.672	20	O
Iron	11.09	0.080	10	1.082	100	80-120	11.03	0.542	20	
Magnesium	22.35	0.20	10	12.6	97.5	80-120	22.19	0.718	20	
Nickel	0.097	0.0050	0.1	0.001364	95.6	80-120	0.09637	0.652	20	
Potassium	12.29	0.20	10	2.246	100	80-120	12.14	1.23	20	
Sodium	21.58	0.20	10	11.68	99	80-120	21.2	1.78	20	
Vanadium	0.1007	0.0050	0.1	0.0002333	100	80-120	0.09954	1.16	20	

The following samples were analyzed in this batch:

1010453-01C	1010453-02C	1010453-03C
1010453-04C	1010453-05C	1010453-06C
1010453-07C	1010453-08B	1010453-09B
1010453-10C	1010453-11C	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82605** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MBLK Sample ID: **MBLK-R82605-R82605** Units: **mg/L** Analysis Date: **10/17/2010 07:37 PM**

Client ID: Run ID: **ICPMS2_101017A** SeqNo: **1453335** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	ND	0.0050								
Calcium	ND	0.50								
Iron	ND	0.080								
Magnesium	ND	0.20								
Nickel	ND	0.0050								
Potassium	ND	0.20								
Sodium	ND	0.20								
Vanadium	ND	0.0050								

LCS Sample ID: **LCS-R82605-R82605** Units: **mg/L** Analysis Date: **10/17/2010 07:33 PM**

Client ID: Run ID: **ICPMS2_101017A** SeqNo: **1453336** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1011	0.0050	0.1	0	101	80-120	0			
Calcium	9.943	0.50	10	0	99.4	80-120	0			
Iron	10.03	0.080	10	0	100	80-120	0			
Magnesium	10.14	0.20	10	0	101	80-120	0			
Nickel	0.09861	0.0050	0.1	0	98.6	80-120	0			
Potassium	9.958	0.20	10	0	99.6	80-120	0			
Sodium	10.21	0.20	10	0	102	80-120	0			
Vanadium	0.0991	0.0050	0.1	0	99.1	80-120	0			

LCSD Sample ID: **LCSD-R82605-R82605** Units: **mg/L** Analysis Date: **10/17/2010 08:37 PM**

Client ID: Run ID: **ICPMS2_101017A** SeqNo: **1453338** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1014	0.0050	0.1	0	101	80-120	0.1011	0.296	20	
Calcium	9.799	0.50	10	0	98	80-120	9.943	1.46	20	
Iron	9.894	0.080	10	0	98.9	80-120	10.03	1.37	20	
Magnesium	10.1	0.20	10	0	101	80-120	10.14	0.395	20	
Nickel	0.09686	0.0050	0.1	0	96.9	80-120	0.09861	1.79	20	
Potassium	9.868	0.20	10	0	98.7	80-120	9.958	0.908	20	
Sodium	10.11	0.20	10	0	101	80-120	10.21	0.984	20	
Vanadium	0.09863	0.0050	0.1	0	98.6	80-120	0.0991	0.475	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82605** Instrument ID **ICPMS2** Method: **SW6020A (Dissolve)**

MS Sample ID: **1010453-07DMS** Units: **mg/L** Analysis Date: **10/17/2010 08:47 PM**

Client ID: **WGD10161505BRH1** Run ID: **ICPMS2_101017A** SeqNo: **1453331** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.181	0.0050	0.1	0.07861	102	80-120	0			
Calcium	71.19	0.50	10	61.53	96.6	80-120	0			O
Iron	11.32	0.080	10	0.6641	107	80-120	0			
Magnesium	22.6	0.20	10	12.02	106	80-120	0			
Nickel	0.1006	0.0050	0.1	0.003245	97.4	80-120	0			
Potassium	13.03	0.20	10	2.585	104	80-120	0			
Sodium	21.73	0.20	10	11.15	106	80-120	0			
Vanadium	0.1059	0.0050	0.1	0.0006031	105	80-120	0			

MSD Sample ID: **1010453-07DMSD** Units: **mg/L** Analysis Date: **10/17/2010 08:51 PM**

Client ID: **WGD10161505BRH1** Run ID: **ICPMS2_101017A** SeqNo: **1453332** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	0.1736	0.0050	0.1	0.07861	95	80-120	0.181	4.17	20	
Calcium	69.73	0.50	10	61.53	82	80-120	71.19	2.07	20	O
Iron	10.59	0.080	10	0.6641	99.3	80-120	11.32	6.66	20	
Magnesium	21.8	0.20	10	12.02	97.8	80-120	22.6	3.6	20	
Nickel	0.09358	0.0050	0.1	0.003245	90.3	80-120	0.1006	7.23	20	
Potassium	12.39	0.20	10	2.585	98	80-120	13.03	5.04	20	
Sodium	20.83	0.20	10	11.15	96.8	80-120	21.73	4.23	20	
Vanadium	0.09921	0.0050	0.1	0.0006031	98.6	80-120	0.1059	6.52	20	

The following samples were analyzed in this batch:

1010453-01D	1010453-02D	1010453-03D
1010453-04D	1010453-05D	1010453-06D
1010453-07D	1010453-10D	1010453-11D

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **30015** Instrument ID **SVMS5** Method: **SW8270**

MBLK Sample ID: **SBLKW1-30015-30015** Units: **µg/L** Analysis Date: **10/17/2010 06:22 PM**

Client ID: Run ID: **SVMS5_101017A** SeqNo: **1453428** Prep Date: **10/16/2010** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	ND	5.0								
Acenaphthene	ND	5.0								
Acenaphthylene	ND	5.0								
Anthracene	ND	5.0								
Benzo(a)anthracene	ND	5.0								
Benzo(a)pyrene	ND	5.0								
Benzo(b)fluoranthene	ND	5.0								
Benzo(g,h,i)perylene	ND	5.0								
Benzo(k)fluoranthene	ND	5.0								
Chrysene	ND	5.0								
Dibenzo(a,h)anthracene	ND	5.0								
Fluoranthene	ND	5.0								
Fluorene	ND	5.0								
Indeno(1,2,3-cd)pyrene	ND	5.0								
Naphthalene	ND	5.0								
Phenanthrene	ND	5.0								
Pyrene	ND	5.0								
<i>Surr: 2,4,6-Tribromophenol</i>	39.65	0	50	0	79.3	40-125	0			
<i>Surr: 2-Fluorobiphenyl</i>	38.86	0	50	0	77.7	50-110	0			
<i>Surr: 2-Fluorophenol</i>	29.98	0	50	0	60	20-110	0			
<i>Surr: 4-Terphenyl-d14</i>	42.14	0	50	0	84.3	50-125	0			
<i>Surr: Nitrobenzene-d5</i>	38.31	0	50	0	76.6	40-110	0			
<i>Surr: Phenol-d6</i>	17.49	0	50	0	35	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: 30015 Instrument ID SVMS5 Method: SW8270

LCS Sample ID: SLCSW1-30015-30015 Units: µg/L Analysis Date: 10/17/2010 03:57 PM

Client ID: Run ID: SVMS5_101017A SeqNo: 1453424 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	31.68	5.0	40	0	79.2	45-105	0			
Acenaphthene	32.71	5.0	40	0	81.8	45-110	0			
Acenaphthylene	35.82	5.0	40	0	89.6	50-105	0			
Anthracene	40.32	5.0	40	0	101	55-110	0			
Benzo(a)anthracene	38.87	5.0	40	0	97.2	55-110	0			
Benzo(a)pyrene	40.12	5.0	40	0	100	55-110	0			
Benzo(b)fluoranthene	39.41	5.0	40	0	98.5	45-120	0			
Benzo(g,h,i)perylene	46.25	5.0	40	0	116	40-125	0			
Benzo(k)fluoranthene	39.03	5.0	40	0	97.6	45-125	0			
Chrysene	36.28	5.0	40	0	90.7	55-110	0			
Dibenzo(a,h)anthracene	43.99	5.0	40	0	110	40-125	0			
Fluoranthene	41.44	5.0	40	0	104	55-115	0			
Fluorene	35.25	5.0	40	0	88.1	50-110	0			
Indeno(1,2,3-cd)pyrene	44.6	5.0	40	0	112	45-125	0			
Naphthalene	31.81	5.0	40	0	79.5	40-100	0			
Phenanthrene	38.96	5.0	40	0	97.4	50-115	0			
Pyrene	41.92	5.0	40	0	105	50-130	0			
Surr: 2,4,6-Tribromophenol	43.56	0	50	0	87.1	40-125	0			
Surr: 2-Fluorobiphenyl	37.39	0	50	0	74.8	50-110	0			
Surr: 2-Fluorophenol	25.53	0	50	0	51.1	20-110	0			
Surr: 4-Terphenyl-d14	39.4	0	50	0	78.8	50-125	0			
Surr: Nitrobenzene-d5	35.64	0	50	0	71.3	40-110	0			
Surr: Phenol-d6	14.85	0	50	0	29.7	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: 30015 Instrument ID SVMS5 Method: SW8270

LCSD Sample ID: SLCS DW1-30015-30015 Units: µg/L Analysis Date: 10/17/2010 04:33 PM

Client ID: Run ID: SVMS5_101017A SeqNo: 1453425 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	31.61	5.0	40	0	79	45-105	31.68	0.221	30	
Acenaphthene	33.1	5.0	40	0	82.8	45-110	32.71	1.19	30	
Acenaphthylene	35.97	5.0	40	0	89.9	50-105	35.82	0.418	30	
Anthracene	39	5.0	40	0	97.5	55-110	40.32	3.33	30	
Benzo(a)anthracene	38.47	5.0	40	0	96.2	55-110	38.87	1.03	30	
Benzo(a)pyrene	39.17	5.0	40	0	97.9	55-110	40.12	2.4	30	
Benzo(b)fluoranthene	38.71	5.0	40	0	96.8	45-120	39.41	1.79	30	
Benzo(g,h,i)perylene	45.44	5.0	40	0	114	40-125	46.25	1.77	30	
Benzo(k)fluoranthene	37.54	5.0	40	0	93.8	45-125	39.03	3.89	30	
Chrysene	35.77	5.0	40	0	89.4	55-110	36.28	1.42	30	
Dibenzo(a,h)anthracene	42.97	5.0	40	0	107	40-125	43.99	2.35	30	
Fluoranthene	39.88	5.0	40	0	99.7	55-115	41.44	3.84	30	
Fluorene	35.7	5.0	40	0	89.2	50-110	35.25	1.27	30	
Indeno(1,2,3-cd)pyrene	43.45	5.0	40	0	109	45-125	44.6	2.61	30	
Naphthalene	32.05	5.0	40	0	80.1	40-100	31.81	0.752	30	
Phenanthrene	37.97	5.0	40	0	94.9	50-115	38.96	2.57	30	
Pyrene	41.18	5.0	40	0	103	50-130	41.92	1.78	30	
Surr: 2,4,6-Tribromophenol	43	0	50	0	86	40-125	43.56	1.29	40	
Surr: 2-Fluorobiphenyl	39.13	0	50	0	78.3	50-110	37.39	4.55	40	
Surr: 2-Fluorophenol	26.66	0	50	0	53.3	20-110	25.53	4.33	40	
Surr: 4-Terphenyl-d14	39.48	0	50	0	79	50-125	39.4	0.203	40	
Surr: Nitrobenzene-d5	36.77	0	50	0	73.5	40-110	35.64	3.12	40	
Surr: Phenol-d6	16.04	0	50	0	32.1	20-110	14.85	7.7	40	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: 30015 Instrument ID SVMS5 Method: SW8270

MS Sample ID: 1010453-07B MS Units: µg/L Analysis Date: 10/17/2010 05:09 PM

Client ID: WGD10161505BRH1 Run ID: SVMS5_101017A SeqNo: 1453426 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	311.6	50	400	0	77.9	45-105	0			
Acenaphthene	321.5	50	400	0	80.4	45-110	0			
Acenaphthylene	353.7	50	400	0	88.4	50-105	0			
Anthracene	380.8	50	400	0	95.2	55-110	0			
Benzo(a)anthracene	371.5	50	400	0	92.9	55-110	0			
Benzo(a)pyrene	374.9	50	400	0	93.7	55-110	0			
Benzo(b)fluoranthene	348.2	50	400	0	87	45-120	0			
Benzo(g,h,i)perylene	428.5	50	400	0	107	40-125	0			
Benzo(k)fluoranthene	387.2	50	400	0	96.8	45-125	0			
Chrysene	333.6	50	400	0	83.4	55-110	0			
Dibenzo(a,h)anthracene	407.8	50	400	0	102	40-125	0			
Fluoranthene	381.1	50	400	0	95.3	55-115	0			
Fluorene	351.4	50	400	0	87.8	50-110	0			
Indeno(1,2,3-cd)pyrene	412.6	50	400	0	103	45-125	0			
Naphthalene	321.5	50	400	0	80.4	40-100	0			
Phenanthrene	360.1	50	400	0	90	50-115	0			
Pyrene	391.3	50	400	0	97.8	50-130	0			
Surr: 2,4,6-Tribromophenol	406.3	0	500	0	81.3	40-125	0			
Surr: 2-Fluorobiphenyl	385.1	0	500	0	77	50-110	0			
Surr: 2-Fluorophenol	231.3	0	500	0	46.3	20-110	0			
Surr: 4-Terphenyl-d14	392.2	0	500	0	78.4	50-125	0			
Surr: Nitrobenzene-d5	365.2	0	500	0	73	40-110	0			
Surr: Phenol-d6	147.5	0	500	0	29.5	20-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: 30015 Instrument ID SVMS5 Method: SW8270

MSD Sample ID: 1010453-07B MSD Units: µg/L Analysis Date: 10/17/2010 05:45 PM

Client ID: WGD10161505BRH1 Run ID: SVMS5_101017A SeqNo: 1453427 Prep Date: 10/16/2010 DF: 1

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	336.6	50	400	0	84.2	45-105	311.6	7.71	30	
Acenaphthene	343.4	50	400	0	85.8	45-110	321.5	6.59	30	
Acenaphthylene	376.5	50	400	0	94.1	50-105	353.7	6.24	30	
Anthracene	402	50	400	0	100	55-110	380.8	5.42	30	
Benzo(a)anthracene	385.7	50	400	0	96.4	55-110	371.5	3.75	30	
Benzo(a)pyrene	395.2	50	400	0	98.8	55-110	374.9	5.27	30	
Benzo(b)fluoranthene	398.6	50	400	0	99.6	45-120	348.2	13.5	30	
Benzo(g,h,i)perylene	447.3	50	400	0	112	40-125	428.5	4.29	30	
Benzo(k)fluoranthene	372.6	50	400	0	93.2	45-125	387.2	3.84	30	
Chrysene	353	50	400	0	88.2	55-110	333.6	5.65	30	
Dibenzo(a,h)anthracene	427.2	50	400	0	107	40-125	407.8	4.65	30	
Fluoranthene	401.2	50	400	0	100	55-115	381.1	5.14	30	
Fluorene	370.8	50	400	0	92.7	50-110	351.4	5.37	30	
Indeno(1,2,3-cd)pyrene	431.8	50	400	0	108	45-125	412.6	4.55	30	
Naphthalene	350.4	50	400	0	87.6	40-100	321.5	8.6	30	
Phenanthrene	382.5	50	400	0	95.6	50-115	360.1	6.03	30	
Pyrene	406.8	50	400	0	102	50-130	391.3	3.88	30	
Surr: 2,4,6-Tribromophenol	433.5	0	500	0	86.7	40-125	406.3	6.48	40	
Surr: 2-Fluorobiphenyl	407.3	0	500	0	81.5	50-110	385.1	5.6	40	
Surr: 2-Fluorophenol	265.1	0	500	0	53	20-110	231.3	13.6	40	
Surr: 4-Terphenyl-d14	411.2	0	500	0	82.2	50-125	392.2	4.73	40	
Surr: Nitrobenzene-d5	399.8	0	500	0	80	40-110	365.2	9.05	40	
Surr: Phenol-d6	173	0	500	0	34.6	20-110	147.5	15.9	40	

The following samples were analyzed in this batch:

1010453-01B	1010453-02B	1010453-03B
1010453-04B	1010453-05B	1010453-06B
1010453-07B	1010453-10B	1010453-11B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82587** Instrument ID **VMS7** Method: **SW8260**

MBLK Sample ID: **VBLKW2-101016-R82587** Units: **µg/L** Analysis Date: **10/17/2010 01:40 AM**

Client ID: Run ID: **VMS7_101016B** SeqNo: **1452889** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,3-Trimethylbenzene	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
Benzene	ND	1.0								
Cyclohexane	ND	5.0								
Ethylbenzene	ND	1.0								
Isopropylbenzene	ND	1.0								
n-Propylbenzene	ND	1.0								
Naphthalene	ND	5.0								
p-Isopropyltoluene	ND	2.0								
sec-Butylbenzene	ND	2.0								
Toluene	ND	1.0								
Xylenes, Total	ND	2.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>104.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>97.45</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>97.4</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>99.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.5</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>97.54</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>97.5</i>	<i>85-120</i>	<i>0</i>			

LCS Sample ID: **VLCSW3-101016-R82587** Units: **µg/L** Analysis Date: **10/17/2010 12:46 PM**

Client ID: Run ID: **VMS7_101016B** SeqNo: **1452627** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.98	1.0	20	0	105	75-130	0			
1,3,5-Trimethylbenzene	20.53	1.0	20	0	103	75-130	0			
Benzene	19.93	1.0	20	0	99.6	80-120	0			
Ethylbenzene	20.6	1.0	20	0	103	75-125	0			
Isopropylbenzene	22.01	1.0	20	0	110	75-125	0			
n-Propylbenzene	21.73	1.0	20	0	109	70-130	0			
Naphthalene	19.58	5.0	20	0	97.9	55-140	0			
p-Isopropyltoluene	19.92	2.0	20	0	99.6	75-130	0			
sec-Butylbenzene	20.35	2.0	20	0	102	70-125	0			
Toluene	19.94	1.0	20	0	99.7	75-120	0			
Xylenes, Total	64.15	2.0	60	0	107	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>99.26</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>99.3</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>107.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>107</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>101.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>103.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82587** Instrument ID **VMS7** Method: **SW8260**

LCSD		Sample ID: VLCSDW2-101016-R82587				Units: µg/L		Analysis Date: 10/16/2010 11:52 PM		
Client ID:		Run ID: VMS7_101016B				SeqNo: 1452604		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	19.66	1.0	20	0	98.3	75-130	20.98	6.5	30	
1,3,5-Trimethylbenzene	19.33	1.0	20	0	96.6	75-130	20.53	6.02	30	
Benzene	19.1	1.0	20	0	95.5	80-120	19.93	4.25	30	
Ethylbenzene	19.35	1.0	20	0	96.8	75-125	20.6	6.26	30	
Isopropylbenzene	20.84	1.0	20	0	104	75-125	22.01	5.46	30	
n-Propylbenzene	20.32	1.0	20	0	102	70-130	21.73	6.71	30	
Naphthalene	20.12	5.0	20	0	101	55-140	19.58	2.72	30	
p-Isopropyltoluene	18.77	2.0	20	0	93.8	75-130	19.92	5.94	30	
sec-Butylbenzene	19.36	2.0	20	0	96.8	70-125	20.35	4.99	30	
Toluene	19.02	1.0	20	0	95.1	75-120	19.94	4.72	30	
Xylenes, Total	60.76	2.0	60	0	101	75-130	64.15	5.43	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>100.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>100</i>	<i>70-120</i>	<i>99.26</i>	<i>1.2</i>	<i>30</i>	
<i>Surr: 4-Bromofluorobenzene</i>	<i>106.3</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>75-120</i>	<i>107.3</i>	<i>0.927</i>	<i>30</i>	
<i>Surr: Dibromofluoromethane</i>	<i>100.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-115</i>	<i>101.9</i>	<i>1.3</i>	<i>30</i>	
<i>Surr: Toluene-d8</i>	<i>102.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>85-120</i>	<i>103.1</i>	<i>0.515</i>	<i>30</i>	

MS		Sample ID: 1010453-07A MS				Units: µg/L		Analysis Date: 10/17/2010 09:23 AM		
Client ID: WGD10161505BRH1		Run ID: VMS7_101016B				SeqNo: 1452904		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.77	1.0	20	0	104	75-130	0			
1,3,5-Trimethylbenzene	20.97	1.0	20	0	105	75-130	0			
Benzene	22.05	1.0	20	0	110	80-120	0			
Ethylbenzene	21.76	1.0	20	0	109	75-125	0			
Isopropylbenzene	23.05	1.0	20	0	115	75-125	0			
n-Propylbenzene	22.44	1.0	20	0	112	70-130	0			
Naphthalene	18.45	5.0	20	0	92.2	55-140	0			
p-Isopropyltoluene	19.83	2.0	20	0	99.2	75-130	0			
sec-Butylbenzene	20.59	2.0	20	0	103	70-125	0			
Toluene	20.97	1.0	20	0	105	75-120	0			
Xylenes, Total	67.37	2.0	60	0	112	75-130	0			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>106</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>70-120</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>103.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>75-120</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>108.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>109</i>	<i>85-115</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>101.7</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>102</i>	<i>85-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82587** Instrument ID **VMS7** Method: **SW8260**

MSD Sample ID: **1010453-07A MSD** Units: **µg/L** Analysis Date: **10/17/2010 09:50 AM**

Client ID: **WGD10161505BRH1** Run ID: **VMS7_101016B** SeqNo: **1452907** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	20.48	1.0	20	0	102	75-130	20.77	1.41	30	
1,3,5-Trimethylbenzene	20.84	1.0	20	0	104	75-130	20.97	0.622	30	
Benzene	21.16	1.0	20	0	106	80-120	22.05	4.12	30	
Ethylbenzene	21.32	1.0	20	0	107	75-125	21.76	2.04	30	
Isopropylbenzene	23	1.0	20	0	115	75-125	23.05	0.217	30	
n-Propylbenzene	22.18	1.0	20	0	111	70-130	22.44	1.17	30	
Naphthalene	19.28	5.0	20	0	96.4	55-140	18.45	4.4	30	
p-Isopropyltoluene	20.2	2.0	20	0	101	75-130	19.83	1.85	30	
sec-Butylbenzene	20.65	2.0	20	0	103	70-125	20.59	0.291	30	
Toluene	20.15	1.0	20	0	101	75-120	20.97	3.99	30	
Xylenes, Total	66.46	2.0	60	0	111	75-130	67.37	1.36	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>104.1</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>104</i>	<i>70-120</i>	<i>106</i>	<i>1.79</i>	<i>30</i>	
<i>Surr: 4-Bromofluorobenzene</i>	<i>103.4</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>75-120</i>	<i>103.5</i>	<i>0.145</i>	<i>30</i>	
<i>Surr: Dibromofluoromethane</i>	<i>105.2</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>105</i>	<i>85-115</i>	<i>108.6</i>	<i>3.22</i>	<i>30</i>	
<i>Surr: Toluene-d8</i>	<i>100.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>85-120</i>	<i>101.7</i>	<i>0.789</i>	<i>30</i>	

The following samples were analyzed in this batch:

1010453-01A	1010453-02A	1010453-03A
1010453-04A	1010453-05A	1010453-06A
1010453-07A	1010453-10A	1010453-11A
1010453-12A	1010453-13A	1010453-14A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82604** Instrument ID **IC3** Method: **SW9056**

MBLK		Sample ID: CCB/MBLK-R82604			Units: mg/L			Analysis Date: 10/17/2010 07:23 AM		
Client ID:		Run ID: IC3_101017A			SeqNo: 1453261		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	ND	1.0								
Sulfate	ND	1.0								

LCS		Sample ID: CCV/LCS-R82604			Units: mg/L			Analysis Date: 10/17/2010 07:43 AM		
Client ID:		Run ID: IC3_101017A			SeqNo: 1453262		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.666	1.0	10	0	96.7	80-120	0			
Sulfate	9.756	1.0	10	0	97.6	80-120	0			

LCSD		Sample ID: CCV/LCSD-R82604			Units: mg/L			Analysis Date: 10/17/2010 08:03 AM		
Client ID:		Run ID: IC3_101017A			SeqNo: 1453263		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.705	1.0	10	0	97	80-120	9.666	0.399	20	
Sulfate	9.872	1.0	10	0	98.7	80-120	9.756	1.19	20	

MS		Sample ID: 1010453-07D MS			Units: mg/L			Analysis Date: 10/17/2010 09:06 AM		
Client ID: WGD10161505BRH1		Run ID: IC3_101017A			SeqNo: 1453266		Prep Date:		DF: 2	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	31.52	2.0	10	21.7	98.1	75-125	0			
Sulfate	17.68	2.0	10	7.956	97.3	75-125	0			

MSD		Sample ID: 1010453-07D MSD			Units: mg/L			Analysis Date: 10/17/2010 09:25 AM		
Client ID: WGD10161505BRH1		Run ID: IC3_101017A			SeqNo: 1453267		Prep Date:		DF: 2	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	31.14	2.0	10	21.7	94.3	75-125	31.52	1.21	20	
Sulfate	17.6	2.0	10	7.956	96.5	75-125	17.68	0.453	20	

The following samples were analyzed in this batch:

1010453-01D	1010453-02D	1010453-03D
1010453-04D	1010453-05D	1010453-06D
1010453-07D	1010453-08A	1010453-09A
1010453-10D	1010453-11D	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Environment
 Work Order: 1010453
 Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82606** Instrument ID **WETCHEM** Method: **A2320 B**

MBLK		Sample ID: WBLKW1-101017-R82606				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID:		Run ID: WETCHEM_101017A				SeqNo: 1453358		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	1	10								J
Alkalinity, Carbonate (as CaCO3)	1	10								J

LCS		Sample ID: WLCSW1-101017-R82606				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID:		Run ID: WETCHEM_101017A				SeqNo: 1453359		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	900	10	1000	0	90	80-120	0			
Alkalinity, Carbonate (as CaCO3)	900	10	1000	0	90	80-120	0			

LCSD		Sample ID: WLCSDW1-101017-R82606				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID:		Run ID: WETCHEM_101017A				SeqNo: 1453374		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	980	10	1000	0	98	80-120	900	8.51	20	
Alkalinity, Carbonate (as CaCO3)	980	10	1000	0	98	80-120	900	8.51	20	

DUP		Sample ID: 1010453-07DDUP1				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID: WGD10161505BRH1		Run ID: WETCHEM_101017A				SeqNo: 1453367		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	214.9	10	0	0	0		212.8	0.982	20	
Alkalinity, Carbonate (as CaCO3)	3	10	0	0	0		3.1	0	20	J

DUP		Sample ID: 1010453-07DDUP2				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID: WGD10161505BRH1		Run ID: WETCHEM_101017A				SeqNo: 1453368		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	213	10	0	0	0		212.8	0.0939	20	
Alkalinity, Carbonate (as CaCO3)	3	10	0	0	0		3.1	0	20	J

DUP		Sample ID: 1010453-11D DUP				Units: mg/L		Analysis Date: 10/17/2010 09:50 PM		
Client ID: WGC10161405BRH4		Run ID: WETCHEM_101017A				SeqNo: 1453373		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	6	10	0	0	0		6	0	20	J
Alkalinity, Carbonate (as CaCO3)	ND	10	0	0	0		0	0	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: AECOM Enviroment
Work Order: 1010453
Project: Marshall Oil Spill Hydrogeo Study 10/16/10

QC BATCH REPORT

Batch ID: **R82606** Instrument ID **WETCHEM** Method: **A2320 B**

The following samples were analyzed in this batch:

1010453-01D	1010453-02D	1010453-03D
1010453-04D	1010453-05D	1010453-06D
1010453-07D	1010453-08A	1010453-09A
1010453-10D	1010453-11D	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010453

Table with 3 main columns: Customer Information, Project Information, and Parameter/Method Request for Analysis. Includes fields for Purchase Order, Work Order, Company Name, Address, City/State/Zip, Phone, Fax, e-Mail Address, Project Name, Project Number, Bill To Company, Invoice Attn, Address, City/State/Zip, Phone, Fax, e-Mail Address, and various analysis parameters (A-J).

Table with 19 columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 10 rows of sample data with handwritten entries for sample numbers, descriptions, dates, times, matrices, and analysis results.

Administrative section including Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time (Check Box), Results Due Date, Relinquished by, Date, Time, Received by, Received by (Laboratory), Logged by (Laboratory), Date, Time, Checked by (Laboratory), Preservative Key, Cooler ID, Cooler Temp, and QC Package (Check One Box Below).

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.
Copyright 2008 by ALS Laboratory Group.



ALS Laboratory Group

10450 Standcliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010453

Customer Information		Project Information		Parameter/Method Request for Analysis												
Purchase Order		Project Name	Enbridge Line 6B, MP608-Marshall, M	A	Volatiles by EPA 826D-Groundwater List provided											
Work Order		Project Number	Hydrogeo study	B	PAHs by EPA 8270											
Company Name	AECOM Environment	Bill To Company	Enbridge Energy	C	Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020											
Send Report To	Jim Tolbert	Invoice Attn	Accounts Payable	D	Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020 (Lab Filter)											
Address	5555 Glenwood Parkway SE	Address	1100 Louisiana Suite 1100	E	Cl, SO4 by EPA 9056											
				F	Bicarbonate and Carbonate Alkalinity by SM 2320											
City/State/Zip	Grand Rapids, MI 49512	City/State/Zip	Houston, TX 77002	G	SW Metals: Fe, Na, K, Ca, Mg by EPA 6020											
Phone	(616) 942-9600	Phone		H												
Fax		Fax		I												
e-Mail Address	james.tolbert@aecom.com	e-Mail Address		J												

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold	
1	W6D10161730BRH1	10/16/10	1730	W	-	7	X	X	X	X	X	X						muck 2275RØ1
2	W6C10161405BRH4	10/16/10	1405	W	-	7	X	X	X	X	X	X						equipped vial
3	W6C10161925BRH5	10/16/10		W	-	1	X											trip blank
4	W6C10161930BRH5	10/16/10		W	-	1	X											trip blank
5	W6C10161935BRH5	10/16/10		W	-	1	X											trip blank
6																		
7																		
8																		
9																		
10																		

Sampler(s) Please Print & Sign <i>Brad Hoare</i>		Shipment Method <i>Carrier</i>		Required Turnaround Time: (Check Box) <input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input checked="" type="checkbox"/> 24 Hour				Results Due Date:			
Relinquished by: <i>Brad Hoare</i>	Date: 10/16/10	Time: 1955	Received by: <i>[Signature]</i>	Notes:							
Relinquished by:	Date:	Time:	Received by (Laboratory):	Cooler ID	Cooler Temp	QC Package: (Check One Box Below)					
Logged by (Laboratory): <i>JR</i>	Date: 10/16/10	Time: 2100	Checked by (Laboratory): <i>[Signature]</i>		4.8c	<input type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist	<input type="checkbox"/> Level III Std QC/Raw Date	<input type="checkbox"/> TRRP Level IV	<input type="checkbox"/> Level IV SW846/CLP	<input type="checkbox"/> Other
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035											

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Sample Receipt Checklist

Client Name: **AECOM - GR**

Date/Time Received: **16-Oct-10 19:55**

Work Order: **1010453**

Received by: **MA**

Checklist completed by Joseph Ribar 16-Oct-10
eSignature Date

Reviewed by: Ann Preston 17-Oct-10
eSignature Date

Matrices: **WATER**

Carrier name: **ALSHN**

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<input type="text" value="4.8 °C"/> <input type="text"/>		
Cooler(s)/Kit(s):	<input type="text"/>		
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted by:	<input type="text"/>		

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction:

Ann Preston

From: Nolan, Kris [Kris.Nolan@aecom.com]
Sent: Wednesday, October 20, 2010 8:03 PM
To: Ann Preston
Cc: Wolf, Michael G.; Herberich, Jim; Kennedy, Robert; Vanderkam, Lori A.; Harding, Barry; Wait, James; Hoare, Brad; Nolan, Kris
Subject: Modification of Data Report: Invalid Well IDs

Ann,
When the groundwater samples were being collected during the HydroGeo investigation, two of the well IDs were switched, and subsequently the laboratory data is switched. While in the field, the sampler was issued a well ID table with an error on it. The sampler did not know this was an error, and subsequently switched the manholes and lables on the wells.

Target Area #3

Sample ID: Well ID
WGC10161100DJJ1: MWKR1525R01
WGC10161100DJJ2: MWKR1525R01
WGC10161000DJJ1: MWKR1525R02

The correct is as follows:
WGC10161100DJJ1: MWKR1525R02
WGC10161100DJJ2: MWKR1525R02
WGC10161000DJJ1: MWKR1525R01

Please make the above adjustment. This error only effects the groundwater analytical data and the static water level data collected for these two wells (SWL collection Date 10/18/2010).

v/r
Kris

Click [here](#) to report this email as spam.

10/20/2010



ALS Laboratory Group

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

ALS Project Manager:

ALS Work Order #: 1010453

Customer Information, Project Information, Parameter/Method Request for Analysis. Includes fields for Purchase Order, Work Order, Company Name, Address, City/State/Zip, Phone, Fax, e-Mail Address, Project Name, Project Number, Bill To Company, Invoice Attn, Address, City/State/Zip, Phone, Fax, e-Mail Address, and analysis parameters A through J.

Table with 19 columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, A, B, C, D, E, F, G, H, I, J, Hold. Contains 10 rows of sample data with handwritten entries.

Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time, Results Due Date, Relinquished by, Date, Time, Received by, Received by (Laboratory), Logged by (Laboratory), Date, Time, Checked by (Laboratory), Preservative Key, Cooler ID, Cooler Temp, QC Package (Check One Box Below).



ALS Laboratory Group

10450 Standcliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

ALS Laboratory Group

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

Page 2 of 2

ALS Project Manager:

ALS Work Order #: 1010453

Customer Information		Project Information		Parameter/Method Request for Analysis				
Purchase Order		Project Name	Enbridge Line 6B, MP608-Marshall, M	A	Volatiles by EPA 826D-Groundwater List provided			
Work Order		Project Number	<u>Hydrogeo study</u>	B	PAHs by EPA 8270			
Company Name	AECOM Environment	Bill To Company	Enbridge Energy	C	Total Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020			
Send Report To	Jim Tolbert	Invoice Attn	Accounts Payable	D	Dissolved Ba, Ni, V, Fe, Na, K, Ca, Mg by EPA 6020 <u>(Lab Filter)</u>			
Address	5555 Glenwood Parkway SE	Address	1100 Louisiana Suite 1100	E	Cl, SO4 by EPA 9056			
				F	Bicarbonate and Carbonate Alkalinity by SM 2320			
City/State/Zip	Grand Rapids, MI 49512	City/State/Zip	Houston, TX 77002	G	SW Metals: Fe, Na, K, Ca, Mg by EPA 6020			
Phone	(616) 942-9600	Phone		H				
Fax		Fax		I				
e-Mail Address	james.tolbert@aecom.com	e-Mail Address		J				

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	W6D10161730BRH1	10/16/10	1730	W	-	7	X	X	X	X	X	X					muskr 2275RØ1
2	W6C10161405BRH4	10/16/10	1405	W	-	7	X	X	X	X	X	X					equipped vial
3	W6C10161925BRH5	10/16/10		W	-	1	X										trip blank
4	W6C10161930BRH5	10/16/10		W	-	1	X										trip blank
5	W6C10161935BRH5	10/16/10		W	-	1	X										trip blank
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign <u>Brad Hoare</u> <u>Brady Hoare</u>		Shipment Method <u>Carrier</u>		Required Turnaround Time: (Check Box) <input type="checkbox"/> Other <input type="checkbox"/> <input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input checked="" type="checkbox"/> 24 Hour				Results Due Date:			
Relinquished by: <u>Brady Hoare</u>	Date: <u>10/16/10</u>	Time: <u>1955</u>	Received by: <u>[Signature]</u>	Notes:							
Relinquished by:	Date:	Time:	Received by (Laboratory):	Cooler ID	Cooler Temp	QC Package: (Check One Box Below)					
Logged by (Laboratory): <u>JR</u>	Date: <u>10/16/10</u>	Time: <u>2100</u>	Checked by (Laboratory): <u>[Signature]</u>		<u>4.8c</u>	<input type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist				
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035				<input type="checkbox"/> Level III Std QC/Raw Date				<input type="checkbox"/> TRRP Level IV			
				<input type="checkbox"/> Level IV SW846/CLP				<input type="checkbox"/> Other			

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Laboratory Group are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2008 by ALS Laboratory Group.

Ann Preston

From: Nolan, Kris [Kris.Nolan@aecom.com]
Sent: Wednesday, October 20, 2010 8:03 PM
To: Ann Preston
Cc: Wolf, Michael G.; Herberich, Jim; Kennedy, Robert; Vanderkam, Lori A.; Harding, Barry; Wait, James; Hoare, Brad; Nolan, Kris
Subject: Modification of Data Report: Invalid Well IDs

Ann,
When the groundwater samples were being collected during the HydroGeo investigation, two of the well IDs were switched, and subsequently the laboratory data is switched. While in the field, the sampler was issued a well ID table with an error on it. The sampler did not know this was an error, and subsequently switched the manholes and lables on the wells.

Target Area #3

Sample ID: Well ID
WGC10161100DJJ1: MWKR1525R01
WGC10161100DJJ2: MWKR1525R01
WGC10161000DJJ1: MWKR1525R02

The correct is as follows:

WGC10161100DJJ1: MWKR1525R02
WGC10161100DJJ2: MWKR1525R02
WGC10161000DJJ1: MWKR1525R01

Please make the above adjustment. This error only effects the groundwater analytical data and the static water level data collected for these two wells (SWL collection Date 10/18/2010).

v/r
Kris

[Click here](#) to report this email as spam.

10/20/2010

Appendix E

Production and Municipal Wells

MUNICIPAL WELL SUMMARY (MARSHALL TO MORROW LAKE)
Enbridge Pipeline 6B Release Marshall, Michigan

System Name	Well ID	Well Diameter (in)	Well Depth (ft)	Casing Diameter (in)	Casing Depth (in)	LAT	LONG	Capacity (GPM)
MARSHALL	WELL 2 GREEN ST (CENTER)	12	100	12	95	42.270624	-84.9471	1285
MARSHALL	WELL 3 GREEN ST (SOUTH)	12	100	12	32	42.270311	-84.94711	1201
MARSHALL	WELL 1 GREEN ST (NORTH)	12	100	12	41	42.270813	-84.9471	1201
MARSHALL	WELL 4 GREEN ST (EAST)	12	100	12	30	42.270546	-84.94689	1153
						System PumpingCapacity		4840
PENNFIELD TOWNSHIP	WELL 96-6	16	240	16	75	42.359944	-85.15533	1200
PENNFIELD TOWNSHIP	WELL 96-3	16	220	16	66	42.359694	-85.15317	1200
						System PumpingCapacity		2400
BATTLE CREEK - VERONA SYSTEM	WELL 53	16	147	16	102	42.351695	-85.13378	1180
BATTLE CREEK - VERONA SYSTEM	WELL 52	16	145	16	102	42.349926	-85.13469	1180
BATTLE CREEK - VERONA SYSTEM	WELL 51	16	148	16	95	42.34847	-85.13591	1180
BATTLE CREEK - VERONA SYSTEM	WELL 50	16	154	16	53	42.347251	-85.13742	1389
BATTLE CREEK - VERONA SYSTEM	WELL 49	16	158	16	64	42.346041	-85.13927	1389
BATTLE CREEK - VERONA SYSTEM	WELL 48	16	151	16	56	42.346198	-85.13927	1389
BATTLE CREEK - VERONA SYSTEM	WELL 47	16	148	16	56	42.346182	-85.14084	1389
BATTLE CREEK - VERONA SYSTEM	WELL 40	16	148	16	42	42.34502	-85.13711	1000
BATTLE CREEK - VERONA SYSTEM	WELL 41	16	148	16	44	42.345239	-85.13919	1000
BATTLE CREEK - VERONA SYSTEM	WELL 42	16	150	16	21	42.345071	-85.14122	1000
BATTLE CREEK - VERONA SYSTEM	WELL 43	16	148	16	26	42.345059	-85.14324	1000
BATTLE CREEK - VERONA SYSTEM	WELL 39	16	145	16	37	42.34386	-85.13788	1000
BATTLE CREEK - VERONA SYSTEM	WELL 38	16	152	16	60	42.3441	-85.13975	1000
BATTLE CREEK - VERONA SYSTEM	WELL 36	16	147	16	60	42.343961	-85.14174	1000
BATTLE CREEK - VERONA SYSTEM	WELL 13	12	127	12	18	42.343463	-85.14311	750
BATTLE CREEK - VERONA SYSTEM	WELL 37	16	145	16	44	42.343791	-85.1444	1000
BATTLE CREEK - VERONA SYSTEM	WELL 30	8	151	8	60	42.343213	-85.14571	299
BATTLE CREEK - VERONA SYSTEM	WELL 17	12	133	12	52	42.342389	-85.14802	749
BATTLE CREEK - VERONA SYSTEM	WELL 15	12	141	12	42	42.342402	-85.15183	750
BATTLE CREEK - VERONA SYSTEM	WELL 14	12	129	12	55	42.342511	-85.1542	750
						System PumpingCapacity		20394
BEDFORD HILLS	WELL 3	6	195			42.36135	-85.22845	1762
BEDFORD HILLS	WELL 1	4	180			42.36135	-85.22845	1763
BEDFORD HILLS	WELL 2	Not Available	Not Available			42.36135	-85.22845	1764
						System PumpingCapacity		5289
AUGUSTA	WELL 2	12	110	12	85	42.337485	-85.34548	340
AUGUSTA	WELL 1	12	108	12	83	42.336742	-85.34641	750
						System PumpingCapacity		1090
GALESBURG	WELL 2	12	66	12	46	42.2926	-85.4185	750
GALESBURG	WELL 1	12	63.5	12	39	42.292284	-85.41851	750
						System PumpingCapacity		1500
KALAMAZOO	PUMP STATION 39, WELL 1	108	58	108	Not Available	42.272012	-85.45453	2600
						System PumpingCapacity		2600

Enbridge Energy, Limited Partnership
77 East Michigan Avenue
Commerce Pointe Building
Battle Creek, MI 49017-7041



October 21, 2010

Mr. Glen Davis
Village of Augusta
108 Chestnut St
Augusta, MI 49012

Dear Mr. Davis,

Per your request, please find enclosed a copy of the results from water well sampling performed at the following locations: Augusta PW-01 and Augusta PW-02. Enbridge retained the Center for Toxicology and Environmental Health, L.L.C. (CTEH) to conduct the sample collection. Below is a summary of the attached results from the water well.

- NO hydrocarbons (most common compounds in oil) were detected in the sample collected at the above locations.

We apologize for the delay in sending these results out to you. Each sample was subjected to an independent quality control review before being sent to you.

If you have any further questions or concerns, please contact the Enbridge Call Center Hotline at 1-800-306-6837. This toll-free number will be available 24 hours, seven days a week.

We thank you for your patience and understanding in this matter.

Respectfully,
Todd Romaine, MCIP, SR/WA

A handwritten signature in black ink that reads 'Todd Romaine'.

Manager, Lands & Right of Way

cc: County Health Department



October 21, 2010

PROPERTY OWNER

108 Chestnut St., Augusta, MI 49012

On July 30, 2010, two well water samples were obtained from your residence for water quality testing. The samples contained no detectable crude oil-related chemical. The samples were collected by representatives from Superior Environmental Corp and/or Center for Toxicology and Environmental Health, L.L.C. (CTEH), acting on behalf of Enbridge Energy, Limited Partnership. The water samples from your well were sent to an outside laboratory for analysis, and to a third-party data validation organization, eDATApro. The water was tested for organic chemicals, some of which may be associated with crude oil, total petroleum hydrocarbons (TPH) found in gasoline (TPH-GRO) and diesel fuel (TPH-DRO), and for naturally-occurring metals (nickel and vanadium) that may also be found in crude oil. Attached to this letter are the validated results received from eDATApro. Data validation is a process developed by the United States Environmental Protection Agency to ensure that the testing of environmental samples such as your well water has been performed according to established guidelines. The results of your testing are also being forwarded to your county Health Department.

Since you may not be familiar with laboratory reports, I want to direct your attention to the pages titled "Form 1 Data Sheet." The next-to-last column on these pages ("Ver.Qual") indicates whether the chemical was detected or not. If any chemical has a "U" or a "UJ" in that column, this means it was not detected in your sample. If it is blank or has a "J" in that column, this means it was detected, at the concentration indicated by the number in the column just to the left, titled "Verified Result." If it is has a "B" in that column, this means it was detected, at the concentration indicated by the number in the column just to the left, titled "Verified Result," but that it was also present in a "blank" (i.e., clean) sample of water tested by the lab for quality assurance purposes.

No crude oil-related chemicals were detected in your well samples. You should continue to follow the direction of your county Health Department as we continue to assess the risk to the area water wells.

Regards,

Phillip T. Goad, Ph.D.
Partner and Principal Toxicologist
Center for Toxicology and Environmental Health, L.L.C.

DATA REVIEW FINDINGS SUMMARY

I. General Package:

The data package was complete and no resubmissions were requested.

II. Volatile Organic Compounds – SW8260

No qualifications.

III. Semi-volatile Organic Compounds – SW8270

No qualifications.

IV. Diesel Range Organics – SW8015M

No qualifications.

V. Gasoline Range Organics – SW8015

No qualifications.

VI. Metals - Nickel, Vanadium & Hardness (calculation) – SW6020A

Please note that the level 2 laboratory report does not contain any information to confirm the calculation for Hardness.

No qualifications.

Form 1 Data Sheet - Volatiles

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301100RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
 Location ID: **NA** Sample Date: **7/30/2010 11:00:00 AM** Lab: **ALS Environmental**
 Sample Type: **Site Sample** Analysis Date: **7/31/2010 5:20:00 AM**
 Lab Sample ID: **1007670-06B**
 Method: **SW8260**

CAS	Parameter Name	DF	RL	Lab Result	LabQual	Verified Result	Ver.Qual	Units
95-63-6	1,2,4-Trimethylbenzene	1	1	1	U	1	U	ug/L
108-67-8	1,3,5-Trimethylbenzene	1	1	1	U	1	U	ug/L
91-57-6	2-Methylnaphthalene	1	5	5	U	5	U	ug/L
71-43-2	Benzene	1	1	1	U	1	U	ug/L
100-41-4	Ethylbenzene	1	1	1	U	1	U	ug/L
M/PXYL-EN-E	m,p-Xylene	1	1	1	U	1	U	ug/L
95-47-6	o-Xylene	1	1	1	U	1	U	ug/L
108-88-3	Toluene	1	1	1	U	1	U	ug/L
1330-20-7	Xylenes, Total	1	3	3	U	3	U	ug/L

DF = Dilution Factor
 RL = Reporting Limit
 U = Non-Detect
 J = Estimated
 R = Rejected
 N = Presumptive evidence
 * = Modified by Validation



Form 1 Data Sheet - Semivolatiles

Enbridge Energy

SDG: 1007670

Sample Name: WS07301100RTV1	Sample Matrix Code: W	Total/Dissolved: T
Location ID: NA	Sample Date: 7/30/2010 11:00:00 AM	Lab Code: ALSHN
Sample Type: Site Sample	Analysis Date: 7/31/2010 4:59:00 PM	
Lab Sample ID: 1007670-06C		
Method: SW8270		

CAS	Parameter Name	DF	RL	Lab Result	LabQual	Verified Result	Ver.Qual	Units
91-58-7	2-Chloronaphthalene	1	5	5	U	5	U	ug/L
91-57-6	2-Methylnaphthalene	1	5	5	U	5	U	ug/L
83-32-9	Acenaphthene	1	5	5	U	5	U	ug/L
208-96-8	Acenaphthylene	1	5	5	U	5	U	ug/L
120-12-7	Anthracene	1	5	5	U	5	U	ug/L
56-55-3	Benzo(a)anthracene	1	1	1	U	1	U	ug/L
50-32-8	Benzo(a)pyrene	1	1	1	U	1	U	ug/L
205-99-2	Benzo(b)fluoranthene	1	1	1	U	1	U	ug/L
191-24-2	Benzo(g,h,i)perylene	1	1	1	U	1	U	ug/L
207-08-9	Benzo(k)fluoranthene	1	1	1	U	1	U	ug/L
218-01-9	Chrysene	1	1	1	U	1	U	ug/L
53-70-3	Dibenzo(a,h)anthracene	1	2	2	U	2	U	ug/L
206-44-0	Fluoranthene	1	1	1	U	1	U	ug/L
86-73-7	Fluorene	1	5	5	U	5	U	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1	2	2	U	2	U	ug/L
91-20-3	Naphthalene	1	5	5	U	5	U	ug/L
85-01-8	Phenanthrene	1	2	2	U	2	U	ug/L
129-00-0	Pyrene	1	5	5	U	5	U	ug/L

DF = Dilution Factor

RL = Reporting Limit

U = Non-Detect

J = Estimated

R = Rejected

* = Modified by Validation



Form 1 Data Sheet - TPH

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301100RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
Location ID: **NA** Sample Date: **7/30/2010 11:00:00 AM** Lab Code: **ALSHN**
Sample Type: **Site Sample** Analysis Date: **7/31/2010**
Lab Sample ID: **1007670-06C**

CAS	Parameter Name	Method	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
DROC10-C3-8	DRO (C10-C38)	SW8015M	1	0.1	0.1	U	0.1	U	mg/L

DF = Dilution Factor
RL = Reporting Limit
U = Non-Detect
J = Estimated
R = Rejected
* = Modified by Validation



Form 1 Data Sheet - TPH

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301100RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
Location ID: **NA** Sample Date: **7/30/2010 11:00:00 AM** Lab Code: **ALSHN**
Sample Type: **Site Sample** Analysis Date: **7/31/2010**
Lab Sample ID: **1007670-06B**

CAS	Parameter Name	Method	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
GROC5-C1-0	GRO (C5-C10)	SW8015	1	200	200	U	200	U	ug/L

DF = Dilution Factor
RL = Reporting Limit
U = Non-Detect
J = Estimated
R = Rejected
* = Modified by Validation



Form 1 Data Sheet - Metals

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301100RTV1** Sample Matrix Code: **W**
 Location ID: **NA** Total/Dissolved: **T**
 Sample Type: **Site Sample** Lab Code: **ALSHN**
 Lab Sample ID: **1007670-06A**

CAS	Parameter Name	Method	Sample Date	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
000011-02-9	Hardness (Calculation)	SW6020A	7/30/2010 11:00:00 AM	1	0	250		250		mg/L
7440-02-0	Nickel	SW6020A	7/30/2010 11:00:00 AM	1	0.02	0.02	U	0.02	U	mg/L
7440-62-2	Vanadium	SW6020A	7/30/2010 11:00:00 AM	1	0.004	0.004	U	0.004	U	mg/L

DF = Dilution Factor
 RL = Reporting Limit
 U = Non-Detect
 J = Estimated
 R = Rejected
 B = Analyte detected in method blank (lab Qualifier)
 * = Modified by Validation



Form 1 Data Sheet - Volatiles

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301110RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
 Location ID: **NA** Sample Date: **7/30/2010 11:10:00 AM** Lab: **ALS Environmental**
 Sample Type: **Site Sample** Analysis Date: **7/31/2010 5:48:00 AM**
 Lab Sample ID: **1007670-07B**
 Method: **SW8260**

CAS	Parameter Name	DF	RL	Lab Result	LabQual	Verified Result	Ver.Qual	Units
95-63-6	1,2,4-Trimethylbenzene	1	1	1	U	1	U	ug/L
108-67-8	1,3,5-Trimethylbenzene	1	1	1	U	1	U	ug/L
91-57-6	2-Methylnaphthalene	1	5	5	U	5	U	ug/L
71-43-2	Benzene	1	1	1	U	1	U	ug/L
100-41-4	Ethylbenzene	1	1	1	U	1	U	ug/L
M/PXYL-EN-E	m,p-Xylene	1	1	1	U	1	U	ug/L
95-47-6	o-Xylene	1	1	1	U	1	U	ug/L
108-88-3	Toluene	1	1	1	U	1	U	ug/L
1330-20-7	Xylenes, Total	1	1	1	U	1	U	ug/L

DF = Dilution Factor
 RL = Reporting Limit
 U = Non-Detect
 J = Estimated
 R = Rejected
 N = Presumptive evidence
 * = Modified by Validation



Form 1 Data Sheet - Semivolatiles

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301110RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
 Location ID: **NA** Sample Date: **7/30/2010 11:10:00 AM** Lab Code: **ALSHN**
 Sample Type: **Site Sample** Analysis Date: **7/31/2010 5:36:00 PM**
 Lab Sample ID: **1007670-07C**
 Method: **SW8270**

CAS	Parameter Name	DF	RL	Lab Result	LabQual	Verified Result	Ver.Qual	Units
91-58-7	2-Chloronaphthalene	1	5	5	U	5	U	ug/L
91-57-6	2-Methylnaphthalene	1	5	5	U	5	U	ug/L
83-32-9	Acenaphthene	1	5	5	U	5	U	ug/L
208-96-8	Acenaphthylene	1	5	5	U	5	U	ug/L
120-12-7	Anthracene	1	5	5	U	5	U	ug/L
56-55-3	Benzo(a)anthracene	1	1	1	U	1	U	ug/L
50-32-8	Benzo(a)pyrene	1	1	1	U	1	U	ug/L
205-99-2	Benzo(b)fluoranthene	1	1	1	U	1	U	ug/L
191-24-2	Benzo(g,h,i)perylene	1	1	1	U	1	U	ug/L
207-08-9	Benzo(k)fluoranthene	1	1	1	U	1	U	ug/L
218-01-9	Chrysene	1	1	1	U	1	U	ug/L
53-70-3	Dibenzo(a,h)anthracene	1	2	2	U	2	U	ug/L
206-44-0	Fluoranthene	1	1	1	U	1	U	ug/L
86-73-7	Fluorene	1	5	5	U	5	U	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1	2	2	U	2	U	ug/L
91-20-3	Naphthalene	1	5	5	U	5	U	ug/L
85-01-8	Phenanthrene	1	2	2	U	2	U	ug/L
129-00-0	Pyrene	1	5	5	U	5	U	ug/L

DF = Dilution Factor
 RL = Reporting Limit
 U = Non-Detect
 J = Estimated
 R = Rejected
 * = Modified by Validation



Form 1 Data Sheet - TPH

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301110RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
Location ID: **NA** Sample Date: **7/30/2010 11:10:00 AM** Lab Code: **ALSHN**
Sample Type: **Site Sample** Analysis Date: **7/31/2010**
Lab Sample ID: **1007670-07C**

CAS	Parameter Name	Method	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
DROC10-C3-8	DRO (C10-C38)	SW8015M	1	0.1	0.1	U	0.1	U	mg/L

DF = Dilution Factor
RL = Reporting Limit
U = Non-Detect
J = Estimated
R = Rejected
* = Modified by Validation



Form 1 Data Sheet - TPH

Enbridge Energy

SDG: 1007670

Sample Name: **WS07301110RTV1** Sample Matrix Code: **W** Total/Dissolved: **T**
Location ID: **NA** Sample Date: **7/30/2010 11:10:00 AM** Lab Code: **ALSHN**
Sample Type: **Site Sample** Analysis Date: **7/31/2010**
Lab Sample ID: **1007670-07B**

CAS	Parameter Name	Method	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
GROC5-C1-0	GRO (C5-C10)	SW8015	1	200	200	U	200	U	ug/L

DF = Dilution Factor
RL = Reporting Limit
U = Non-Detect
J = Estimated
R = Rejected
* = Modified by Validation



Form 1 Data Sheet - Metals

Enbridge Energy


SDG: 1007670

Sample Name: **WS07301110RTV1** Sample Matrix Code: **W**
 Location ID: **NA** Total/Dissolved: **T**
 Sample Type: **Site Sample** Lab Code: **ALSHN**
 Lab Sample ID: **1007670-07A**

CAS	Parameter Name	Method	Sample Date	DF	RL	Lab Result	LabQual	VerifiedResult	Ver.Qual	Units
000011-02-9	Hardness (Calculation)	SW6020A	7/30/2010 11:10:00 AM	1	0	250		250		mg/L
7440-02-0	Nickel	SW6020A	7/30/2010 11:10:00 AM	1	0.02	0.02	U	0.02	U	mg/L
7440-62-2	Vanadium	SW6020A	7/30/2010 11:10:00 AM	1	0.004	0.004	U	0.004	U	mg/L


DF = Dilution Factor
 RL = Reporting Limit
 U = Non-Detect
 J = Estimated
 R = Rejected
 B = Analyte detected in method blank (lab Qualifier)
 * = Modified by Validation





AECOM

October 2010



Legend

- Municipal Well Location
- Wellhead Protection Areas
- High Water Mark Buffer

MUNICIPAL WELL LOCATIONS AND WELLHEAD PROTECTION AREAS ALONG THE KALAMAZOO RIVER

Appendix F

Soil Boring and Well Construction Logs



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0250L01

WELL ID: MWKR0250L01

TOTAL DEPTH: 110'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
AECOM Staff Onsite: R. Staron Address: 6215 Lehman Drive
TOC Elevation: 891.50 Flint, MI, 48507
Ground Elevation: 891.83 Crew Chief: Doug Oakley
X Coordinate: 12951049.10 Equipment: Rotosonic T300
Y Coordinate: 276724.80 Drilling Method: 6" Sonicore

Well Development Information

Date: 10/11/10
Time Started: 13:26
Method: Vac truck
Volume Purged: 399 gallons

Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Time Started: 1400 Date Started: 10/4/10
Time Finished: 1700 Date Finished: 10/5/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
100									
101			Gray platy, sandy silt, some clay; firm; 31 moist; N6 to N4 color						
102									
103									
104									
105									
106									
107									
108									
109									
110									



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0250L02

WELL ID: MWKR0250L02

TOTAL DEPTH: 30'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Staron Address: 6215 Lehman Drive
 TOC Elevation: 891.24 Flint, MI, 48507
 Ground Elevation: 891.60 Crew Chief: Doug Oakley
 X Coordinate: 12951039.50 Equipment: Rotosonic T300
 Y Coordinate: 276721.40 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: -
 Bolted: Yes


Well Development Information

Date: 10/10/10
 Time Started: 17:55
 Method: Vac truck
 Volume Purged: 70 gallons

Time Started: 1700 Date Started: 10/5/10
 Time Finished: 1000 Date Finished: 10/6/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 ☒ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0250L03

WELL ID: MWKR0250L03

TOTAL DEPTH: 45'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778


Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Staron Address: 6215 Lehman Drive
 TOC Elevation: 895.94 Flint, MI, 48507
 Ground Elevation: 896.30 Crew Chief: Doug Oakley
 X Coordinate: 12951051.80 Equipment: Rotasonic T300
 Y Coordinate: 276492.50 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1000 Date Started: 10/6/10
 Bolted: Yes Time Finished: 1400 Date Finished: 10/6/10

Well Development Information

Date: 10/10/10
 Time Started: 16:20
 Method: Vac truck
 Volume Purged: 199 gallons

⊘ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ⊘ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG


BOREHOLE ID: **MWKR0250L03**
WELL ID: **MWKR0250L03**
TOTAL DEPTH: **45'**

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Staron	Address: 6215 Lehman Drive	Date: 10/10/10	
TOC Elevation: 895.94	Flint, MI, 48507	Time Started: 16:20	
Ground Elevation: 896.30	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12951051.80	Equipment: Rotasonic T300	Volume Purged: 199 gallons	
Y Coordinate: 276492.50	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1000	Date Started: 10/6/10	
Bolted: Yes	Time Finished: 1400	Date Finished: 10/6/10	

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0570R01

WELL ID: MWKR0570R01

TOTAL DEPTH: 35'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778


Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Staron Address: 6215 Lehman Drive
 TOC Elevation: 875.34 Flint, MI, 48507
 Ground Elevation: 875.62 Crew Chief: Doug Oakley
 X Coordinate: 12936148.10 Equipment: Rotasonic T300
 Y Coordinate: 281319.40 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1500 Date Started: 10/6/10
 Bolted: Yes Time Finished: 0845 Date Finished: 10/7/10

Well Development Information

Date: 10/11/10
 Time Started: 16:00
 Method: Vac truck
 Volume Purged: 261 gallons

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



							☒		



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: **MWKR0570R01**


WELL ID: **MWKR0570R01**

TOTAL DEPTH: **35'**

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Staron	Address: 6215 Lehman Drive		Date: 10/11/10
TOC Elevation: 875.34	Flint, MI, 48507		Time Started: 16:00
Ground Elevation: 875.62	Crew Chief: Doug Oakley		Method: Vac truck
X Coordinate: 12936148.10	Equipment: Rotosonic T300		Volume Purged: 261 gallons
Y Coordinate: 281319.40	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1500	Date Started: 10/6/10	
Bolted: Yes	Time Finished: 0845	Date Finished: 10/7/10	

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0570R02

WELL ID: MWKR0570R02

TOTAL DEPTH: 18.5'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site)

Contractor: Boart Longyear

Well Development Information

AECOM Staff Onsite: Richard Staron

Address: 6215 Lehman Drive

Date: 10/11/10

TOC Elevation: 874.93

Flint, MI, 48507

Time Started: 17:00

Ground Elevation: 875.32

Crew Chief: Doug Oakley

Method: Vac truck

X Coordinate: 12936140.20

Equipment: Rotasonic T300

Volume Purged: 176 gallons

Y Coordinate: 281326.40

Drilling Method: 6" Sonicore

Protective Casing Material: Steel

Type: Flush mount

Time Started: 0845

Date Started: 10/7/10

Lock #: -

Time Finished: 0945

Date Finished: 10/7/10

Bolted: Yes



- ☒ Water level during drilling
- ☒ Water level in completed well

NC Not Collected

OilScreenSoil (OSS) Results:
+ = Product Detected
- = No Product Detected

Sample Key: collected for analysis of-
VOC = Volatile Organic Compounds
PAH = Polynuclear Aromatics
Metals
Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0570R03

WELL ID: MWKR0570R03

TOTAL DEPTH: 20'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site)
AECOM Staff Onsite: R. Staron
TOC Elevation: 881.97
Ground Elevation: 882.40
X Coordinate: 12936213.60
Y Coordinate: 281478.80
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore



Well Development Information

Date: 10/8/10
Time Started: 15:30
Method: Grundfos
Volume Purged: 4 gallons

Time Started: 1000 Date Started: 10/7/10
Time Finished: 1200 Date Finished: 10/7/10

⊘ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of
+ = Product Detected VOC = Volatile Organic Compounds Metals
⊘ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580L01

WELL ID: MWKR0580L01


TOTAL DEPTH: 47'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear **Well Development Information**
 AECOM Staff Onsite: Richard Staron Address: 6215 Lehman Drive Date: 10/11/10
 TOC Elevation: 883.35 Flint, MI, 48507 Time Started: 15:15
 Ground Elevation: 883.97 Crew Chief: Doug Oakley Method: Vac truck
 X Coordinate: 12935474.80 Equipment: Rotasonic T300 Volume Purged: 250 gallons
 Y Coordinate: 281086.70 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1500 Date Started: 10/7/10
 Bolted: Yes Time Finished: - Date Finished: 10/8/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580L01

WELL ID: MWKR0580L01

TOTAL DEPTH: 47'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
AECOM Staff Onsite: Richard Staron Address: 6215 Lehman Drive
TOC Elevation: 883.35 Flint, MI, 48507
Ground Elevation: 883.97 Crew Chief: Doug Oakley
X Coordinate: 12935474.80 Equipment: Rotasonic T300
Y Coordinate: 281086.70 Drilling Method: 6" Sonicore
Protective Casing Material: Steel
Type: Flush mount
Lock #: - Time Started: 1500 Date Started: 10/7/10
Bolted: Yes Time Finished: - Date Finished: 10/8/10

Well Development Information

Date: 10/11/10
Time Started: 15:15
Method: Vac truck
Volume Purged: 250 gallons

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
24		BR							
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580L02

WELL ID: MWKR0580L02

TOTAL DEPTH: 26'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)
AECOM Staff Onsite: -
TOC Elevation: 883.16
Ground Elevation: 883.77
X Coordinate: 12935471.50
Y Coordinate: 281081.20
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotosonic T300
Drilling Method: 6" Sonicore



Well Development Information

Date: 10/9/10
Time Started: -
Method: -
Volume Purged: 0

Time Started: 0915 Date Started: 10/8/10
Time Finished: 1100 Date Finished: 10/8/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580L03

WELL ID: MWKR0580L03

TOTAL DEPTH: 30'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site)
 AECOM Staff Onsite: Richard Staron
 TOC Elevation: 883.78
 Ground Elevation: 884.18
 X Coordinate: 12935464.80
 Y Coordinate: 281038.10
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: -
 Bolted: Yes

Contractor: Boart Longyear
 Address: 6215 Lehman Drive
 Flint, MI, 48507
 Crew Chief: Doug Oakley
 Equipment: Rotasonic T300
 Drilling Method: 6" Sonicore



Well Development Information

Date: 10/9/10
 Time Started: -
 Method: -
 Volume Purged: 0

Time Started: 1100 Date Started: 10/8/10
 Time Finished: 1600 Date Finished: 10/8/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580R01

WELL ID: MWKR0580R01


TOTAL DEPTH: 20'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

			<i>Well Development Information</i>		
Project Name:	Enbridge (Marshall Site)	Contractor:	Boart Longyear	Date:	10/11/10
AECOM Staff Onsite:	Richard Staron	Address:	6215 Lehman Drive Flint, MI, 48507	Time Started:	17:45
TOC Elevation:	885.32	Crew Chief:	Doug Oakley	Method:	Vac truck
Ground Elevation:	885.65	Equipment:	Rotosonic T300	Volume Purged:	Purged dry
X Coordinate:	12935894.30	Drilling Method:	6" Sonicore		
Y Coordinate:	281433.50				
Protective Casing Material:	Steel				
Type:	Flush mount				
Lock #:	-	Time Started:	1100	Date Started:	10/9/10
Bolted:	Yes	Time Finished:	1400	Date Finished:	10/9/10

☒	Water level during drilling	NC	Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
☒	Water level in completed well			+ = Product Detected	VOC = Volatile Organic Compounds Metals
				- = No Product Detected	PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580R02

WELL ID: MWKR0580R02


TOTAL DEPTH: 20'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)		Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: Richard Staron		Address: 6215 Lehman Drive	Date: 10/11/10	
TOC Elevation: 887.50		Flint, MI, 48507	Time Started: 18:15	
Ground Elevation: 887.82		Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12935892.80		Equipment: Rotosonic T300	Volume Purged: Purged dry	
Y Coordinate: 281534.70		Drilling Method: 6" Sonicore		
Protective Casing Material: Steel				
Type: Flush mount				
Lock #: -				
Bolted: Yes				
		Time Started: 1430	Date Started: 10/9/10	
		Time Finished: 1730	Date Finished: 10/9/10	

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR0580R03

WELL ID: MWKR0580R03

TOTAL DEPTH: 30'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: Richard Staron Address: 6215 Lehman Drive
 TOC Elevation: 892.62 Flint, MI, 48507
 Ground Elevation: 892.95 Crew Chief: Doug Oakley
 X Coordinate: 12935847.60 Equipment: Rotasonic T300
 Y Coordinate: 281706.90 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: - Date Started: 10/9/10
 Bolted: Yes Time Finished: - Date Finished: 10/9/10


Well Development Information

Date: 10/11/10
 Time Started: 18:45
 Method: Vac truck
 Volume Purged: Purged dry

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----

0			2.5 YR medium-coarse sand, some silt; dry; loose						
1		SP							
2			5 YR 3/4 reddish brown fine-medium sand, some silt, trace clay, some fine-coarse gravel; moist						
3		SP							
4									
5			10 YR 5/1 grayish brown, silty fine-medium sand, trace clay, some fine gravel; firm; slightly moist						
6		SP							
7									
8									
9									
10			10 YR 3/6 reddish brown fine-medium sand, some silt, some coarse gravel; moist; loose. In basal 6", 5 B 7/1 sandstone						
11		SP							
12									
13									
14			2.5 Y 6/2 grayish brown sandy fine-coarse gravel, some silt; moist						
15		GW							
16									
17			10 YR 5/3 gravelly, silty clay, some sand; saturated						
18		ML-CL							
19									
20		SP	10 YR 5/4 silty fine-medium sand, some gravel; firm; dry						
21			2.5 Y 6/2 tannish gray weathered sandstone interspersed with portions of very heavily weathered bedrock silt and clays						
22									
23									
24									
25									
26		wBr							
27									
28									
29									
30									





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR1525R01

WELL ID: MWKR1525R01



TOTAL DEPTH: 87'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive		Date: 10/12/10
TOC Elevation: 831.38	Flint, MI, 48507		Time Started: 18:05
Ground Elevation: 831.60	Crew Chief: Doug Oakley		Method: Vac truck
X Coordinate: 12901627.40	Equipment: Rotasonic T300		Volume Purged: 628 gallons
Y Coordinate: 295799.80	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1200	Date Started: 10/11/10	
Bolted: Yes	Time Finished: 1500	Date Finished: 10/11/10	

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR1525R01

WELL ID: MWKR1525R01

TOTAL DEPTH: 87'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site)

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore

Well Development Information

Date: 10/12/10
Time Started: 18:05
Method: Vac truck
Volume Purged: 628 gallons

AECOM Staff Onsite: R. Mottl
TOC Elevation: 831.38
Ground Elevation: 831.60
X Coordinate: 12901627.40
Y Coordinate: 295799.80
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Time Started: 1200 Date Started: 10/11/10
Time Finished: 1500 Date Finished: 10/11/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72		ML							
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83		ML							
84									
85									
86									
87									

Light to dark gray; sandy silt, little to some fine-coarse sand, trace to little fine-medium subrounded gravel, trace clay; wet; soft; glacial till; 1" sandstone cobbles 76'-77'

Dark gray; sandy silt, trace fine-medium gravel, trace to little clay; dry; till; sandstone 1"-3" cobbles at 81'



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR1525R02

WELL ID: MWKR1525R02


TOTAL DEPTH: 14'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) **Contractor:** Boart Longyear **Well Development Information**
AECOM Staff Onsite: R. Mottl **Address:** 6215 Lehman Drive **Date:** 10/12/10
TOC Elevation: 831.31 **Flint, MI, 48507** **Time Started:** 18:40
Ground Elevation: 831.66 **Crew Chief:** Doug Oakley **Method:** Vac truck
X Coordinate: 12901625.60 **Equipment:** Rotasonic T300 **Volume Purged:** 106 gallons
Y Coordinate: 295798.20 **Drilling Method:** 6" Sonicore
Protective Casing Material: Steel
Type: Flush mount
Lock #: - **Time Started:** 1200 **Date Started:** 10/11/10
Bolted: Yes **Time Finished:** - **Date Finished:** 10/11/10

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
+ = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR1525R03

WELL ID: MWKR1525R03


TOTAL DEPTH: 17'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/12/10	
TOC Elevation: 831.01	Flint, MI, 48507	Time Started: 17:02	
Ground Elevation: 831.43	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12901730.60	Equipment: Rotasonic T300	Volume Purged: 119 gallons	
Y Coordinate: 295791.80	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1730	Date Started: 10/11/10	
Bolted: Yes	Time Finished: 1830	Date Finished: 10/11/10	

☒ Water level during drilling	NC Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
		+ = Product Detected	VOC = Volatile Organic Compounds
		- = No Product Detected	Metals
☒ Water level in completed well			PAH = Polynuclear Aromatics
			Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2260R01

WELL ID: MWKR2260R01

TOTAL DEPTH: 60'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778


Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: Richard Staron Address: 6215 Lehman Drive
 TOC Elevation: 809.96 Flint, MI, 48507
 Ground Elevation: 810.32 Crew Chief: Doug Oakley
 X Coordinate: 12873865.10 Equipment: Rotasonic T300
 Y Coordinate: 314746.90 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1500 Date Started: 10/11/10
 Bolted: Yes Time Finished: 0900 Date Finished: 10/12/10

Well Development Information

Date: 10/13/10
 Time Started: 17:22
 Method: Vac truck
 Volume Purged: 237 gallons

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2260R01

WELL ID: MWKR2260R01

TOTAL DEPTH: 60'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)
AECOM Staff Onsite: Richard Staron
TOC Elevation: 809.96
Ground Elevation: 810.32
X Coordinate: 12873865.10
Y Coordinate: 314746.90
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore

Well Development Information

Date: 10/13/10
Time Started: 17:22
Method: Vac truck
Volume Purged: 237 gallons

Time Started: 1500 Date Started: 10/11/10
Time Finished: 0900 Date Finished: 10/12/10

⊖ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
+ = Product Detected VOC = Volatile Organic Compounds Metals
⊖ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
30-32	SP-ML		N7 gray; silt and fine sand, trace fine gravel; firm; slightly moist						
32-36	SP-ML		7.5 YR 6/1 grayish-brown; silt and fine sand, some fine gravel; slightly moist; firm						
36-50	wBR		Weathered sandstone; 5 B 7/1 blue-gray color						
50-60	BR		5 B 7/1 blue-gray; sandstone; some fractures observed						



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2260R02

WELL ID: MWKR2260R02

TOTAL DEPTH: 27'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site)
AECOM Staff Onsite: Richard Staron
TOC Elevation: 809.63
Ground Elevation: 810.02
X Coordinate: 12873867.30
Y Coordinate: 314743.60
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore



Well Development Information

Date: 10/13/10
Time Started: 18:03
Method: Vac truck
Volume Purged: 294 gallons

Time Started: 1000 Date Started: 10/12/10
Time Finished: 1200 Date Finished: 10/12/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2275R01

WELL ID: MWKR2275R01

TOTAL DEPTH: 28'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore

Well Development Information


Date: 10/13/10
Time Started: 15:55
Method: Vac truck
Volume Purged: 59 gallons

AECOM Staff Onsite: R. Staron
TOC Elevation: 814.72
Ground Elevation: 815.19
X Coordinate: 12873707.90
Y Coordinate: 314922.70
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Time Started: 1300 Date Started: 10/12/10
Time Finished: 1430 Date Finished: 10/12/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
+ = Product Detected VOC = Volatile Organic Compounds Metals
☒ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: **MWKR2680R01**

WELL ID: **MWKR2680R01**

TOTAL DEPTH: **12'**

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778



Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
 TOC Elevation: 791.26 Flint, MI, 48507
 Ground Elevation: 791.59 Crew Chief: Doug Oakley
 X Coordinate: 12862834.70 Equipment: Rotasonic T300
 Y Coordinate: 310490.60 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1715 Date Started: 10/8/10
 Bolted: Yes Time Finished: - Date Finished: 10/8/10

Well Development Information

Date: 10/12/10
 Time Started: 15:28
 Method: Vac truck
 Volume Purged: 60 gallons

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2700R01

WELL ID: MWKR2700R01

TOTAL DEPTH: 37'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
 TOC Elevation: 790.65 Flint, MI, 48507
 Ground Elevation: 790.98 Crew Chief: Doug Oakley
 X Coordinate: 12862693.40 Equipment: Rotasonic T300
 Y Coordinate: 310364.20 Drilling Method: 6" Sonicore

Well Development Information

Date: 10/12/10
 Time Started: 14:45
 Method: Vac truck
 Volume Purged: 694 gallons

Protective Casing Material: Steel

Type: Flush mount


Lock #: -

Bolted: Yes

Time Started: 1145 Date Started: 10/8/10
 Time Finished: 1500 Date Finished: 10/8/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



ML-CL


ML

wBr

Dark greenish-gray 5 GY 6/1 clayey silt; hard; trace to little fine-coarse, sub-angular gravel; moist to dry

Dark greenish-gray 56 Y 6/1 sandy weathered sandstone with silt; dry; Marshall

Weathered sandstone continues with 1"-2" pieces of sandstone inter-layered in clayey, silt matrix; dry to 34'; wet 34'-37'





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR2700R02

WELL ID: MWKR2700R02


TOTAL DEPTH: 12'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/12/10
TOC Elevation: 790.64	Flint, MI, 48507	Time Started: 15:05
Ground Elevation: 790.93	Crew Chief: Doug Oakley	Method: Vac truck
X Coordinate: 12862695.20	Equipment: Rotasonic T300	Volume Purged: 411 gallons
Y Coordinate: 310360.90	Drilling Method: 6" Sonicore	
Protective Casing Material: Steel		
Type: Flush mount		
Lock #: -	Time Started: 1200	Date Started: 10/8/10
Bolted: Yes	Time Finished: 1645	Date Finished: 10/8/10

☒ Water level during drilling	NC Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
☑ Water level in completed well		+ = Product Detected	VOC = Volatile Organic Compounds
		- = No Product Detected	PAH = Polynuclear Aromatics
			Metals Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L01

WELL ID: MWKR3450L01


TOTAL DEPTH: 147'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)		Contractor: Boart Longyear	<i>Well Development Information</i>	
AECOM Staff Onsite: R. Mottl		Address: 6215 Lehman Drive	Date: 10/12/10	
TOC Elevation: 782.64		Flint, MI, 48507	Time Started: 12:30	
Ground Elevation: 783.02		Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12842415.70		Equipment: Rotasonic T300	Volume Purged: 530 gallons	
Y Coordinate: 288548.00		Drilling Method: 6" Sonicore		
Protective Casing Material: Steel				
Type: Flush mount		Time Started: 1200	Date Started: 10/4/10	
Lock #: -		Time Finished: 1100	Date Finished: 10/5/10	
Bolted: Yes				

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



--	--	--	--	--	--	--	--	--	--	--	--



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L01

WELL ID: MWKR3450L01


TOTAL DEPTH: 147'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) AECOM Staff Onsite: R. Mottl TOC Elevation: 782.64 Ground Elevation: 783.02 X Coordinate: 12842415.70 Y Coordinate: 288548.00 Protective Casing Material: Steel Type: Flush mount Lock #: - Bolted: Yes	Contractor: Boart Longyear Address: 6215 Lehman Drive Flint, MI, 48507 Crew Chief: Doug Oakley Equipment: Rotosonic T300 Drilling Method: 6" Sonicore	Well Development Information Date: 10/12/10 Time Started: 12:30 Method: Vac truck Volume Purged: 530 gallons
Time Started: 1200 Time Finished: 1100	Date Started: 10/4/10 Date Finished: 10/5/10	

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L01

WELL ID: MWKR3450L01


TOTAL DEPTH: 147'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/12/10
TOC Elevation: 782.64	Flint, MI, 48507	Time Started: 12:30
Ground Elevation: 783.02	Crew Chief: Doug Oakley	Method: Vac truck
X Coordinate: 12842415.70	Equipment: Rotasonic T300	Volume Purged: 530 gallons
Y Coordinate: 288548.00	Drilling Method: 6" Sonicore	
Protective Casing Material: Steel		
Type: Flush mount	Time Started: 1200	Date Started: 10/4/10
Lock #: -	Time Finished: 1100	Date Finished: 10/5/10
Bolted: Yes		

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L01

WELL ID: MWKR3450L01

TOTAL DEPTH: 147'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778


Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
 TOC Elevation: 782.64 Flint, MI, 48507
 Ground Elevation: 783.02 Crew Chief: Doug Oakley
 X Coordinate: 12842415.70 Equipment: Rotosonic T300
 Y Coordinate: 288548.00 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1200 Date Started: 10/4/10
 Bolted: Yes Time Finished: 1100 Date Finished: 10/5/10

Well Development Information

Date: 10/12/10
 Time Started: 12:30
 Method: Vac truck
 Volume Purged: 530 gallons

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L02

WELL ID: MWKR3450L02


TOTAL DEPTH: 12'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/11/10
TOC Elevation: 782.68	Flint, MI, 48507	Time Started: 17:02
Ground Elevation: 782.99	Crew Chief: Doug Oakley	Method: Vac truck
X Coordinate: 12842419.90	Equipment: Rotasonic T300	Volume Purged: 54 gallons
Y Coordinate: 288543.50	Drilling Method: 6" Sonicore	
Protective Casing Material: Steel		
Type: Flush mount		
Lock #: -	Time Started: 1230	Date Started: 10/4/10
Bolted: Yes	Time Finished: -	Date Finished: 10/5/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters


Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



Fill - dark brown to black sand and gravel, trace topsoil, wet at 4'

Dark gray, sandy silt; wet; little to some very fine sand

Light gray to light brown fine to medium well-sorted sand, trace silt; wet





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L03

WELL ID: MWKR3450L03


TOTAL DEPTH: 97'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/13/10	
TOC Elevation: 782.65	Flint, MI, 48507	Time Started: 12:10	
Ground Elevation: 783.05	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12842413.10	Equipment: Rotasonic T300	Volume Purged: 683 gallons	
Y Coordinate: 288551.00	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1400	Date Started: 10/12/10	
Bolted: Yes	Time Finished: 1800	Date Finished: 10/12/10	

☒ Water level during drilling	NC Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
☒ Water level in completed well		+ = Product Detected	VOC = Volatile Organic Compounds
		- = No Product Detected	PAH = Polynuclear Aromatics
			Metals
			Field Parameters


Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



Fill - dark brown to black sand and gravel, trace topsoil; wet at 4'

Dark gray fine-coarse sand, trace silt, little to some fine-coarse gravel, rounded; swamp odor; wet; moderately sorted

Grades to light brown fine-medium sand, trace to little fine-medium gravel, trace silt; wet



☒



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L03

WELL ID: MWKR3450L03


TOTAL DEPTH: 97'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/13/10	
TOC Elevation: 782.65	Flint, MI, 48507	Time Started: 12:10	
Ground Elevation: 783.05	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12842413.10	Equipment: Rotasonic T300	Volume Purged: 683 gallons	
Y Coordinate: 288551.00	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1400	Date Started: 10/12/10	
Bolted: Yes	Time Finished: 1800	Date Finished: 10/12/10	

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L03

WELL ID: MWKR3450L03

TOTAL DEPTH: 97'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
TOC Elevation: 782.65 Flint, MI, 48507
Ground Elevation: 783.05 Crew Chief: Doug Oakley
X Coordinate: 12842413.10 Equipment: Rotasonic T300
Y Coordinate: 288551.00 Drilling Method: 6" Sonicore

Well Development Information

Date: 10/13/10
Time Started: 12:10
Method: Vac truck
Volume Purged: 683 gallons

Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Time Started: 1400 Date Started: 10/12/10
Time Finished: 1800 Date Finished: 10/12/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
66	[Yellow dotted pattern]					[Green solid]			
67	[Yellow dotted pattern]					[Green solid]			
68	[Yellow dotted pattern]					[Green solid]			
69	[Yellow dotted pattern]					[Green solid]			
70	[Yellow dotted pattern]					[Green solid]			
71	[Yellow dotted pattern]					[Green solid]			
72	[Yellow dotted pattern]					[Green solid]			
73	[Yellow dotted pattern]					[Green solid]			
74	[Yellow dotted pattern]					[Green solid]			
75	[Yellow dotted pattern]					[Green solid]			
76	[Yellow dotted pattern]					[Green solid]			
77	[Yellow dotted pattern]					[Green solid]			
78	[Yellow dotted pattern]		Dark gray 5 Y 6/2; silty fine sand/sandy silt; wet			[Green solid]			
79	[Yellow dotted pattern]	SM-ML				[Green solid]			
80	[Yellow dotted pattern]					[Green solid]			
81	[Yellow dotted pattern]					[Green solid]			
82	[Yellow dotted pattern]		Dark gray silt, trace sand, trace fine gravel; dry			[Green solid]			
83	[Yellow dotted pattern]					[Green solid]			
84	[Yellow dotted pattern]					[Green solid]			
85	[Yellow dotted pattern]					[Green solid]			
86	[Yellow dotted pattern]					[Green solid]			
87	[Yellow dotted pattern]	ML				[Green solid]			
88	[Yellow dotted pattern]					[Green solid]			
89	[Yellow dotted pattern]					[Green solid]			
90	[Yellow dotted pattern]					[Green solid]			
91	[Yellow dotted pattern]					[Green solid]			
92	[Yellow dotted pattern]					[Green solid]			
93	[Yellow dotted pattern]					[Green solid]			
94	[Yellow dotted pattern]					[Green solid]			
95	[Yellow dotted pattern]		Sand content increases; wet; glacial till			[Green solid]			
96	[Yellow dotted pattern]	SM				[Green solid]			
97	[Yellow dotted pattern]					[Green solid]			



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3450L04

WELL ID: MWKR3450L04

TOTAL DEPTH: 12'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
TOC Elevation: 782.57 Flint, MI, 48507
Ground Elevation: 783.07 Crew Chief: Doug Oakley
X Coordinate: 12842425.10 Equipment: Rotasonic T300
Y Coordinate: 288538.30 Drilling Method: 6" Sonicore
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes


Well Development Information

Date: 10/13/10
Time Started: 14:04
Method: Vac truck
Volume Purged: 922 gallons

Time Started: 1400 Date Started: 10/12/10
Time Finished: 1600 Date Finished: 10/12/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
+ = Product Detected VOC = Volatile Organic Compounds Metals
☒ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3460L01

WELL ID: MWKR3460L01


TOTAL DEPTH: 12'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/11/10	
TOC Elevation: 783.31	Flint, MI, 48507	Time Started: 17:23	
Ground Elevation: 783.67	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12842307.10	Equipment: Rotasonic T300	Volume Purged: 55 gallons	
Y Coordinate: 288685.00	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1230	Date Started: 10/4/10	
Bolted: Yes	Time Finished: -	Date Finished: 10/5/10	

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3460L02

WELL ID: MWKR3460L02

TOTAL DEPTH: 12'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)
AECOM Staff Onsite: R. Mottl
TOC Elevation: 783.19
Ground Elevation: 783.70
X Coordinate: 12842309.60
Y Coordinate: 288681.00
Protective Casing Material: Steel
Type: Flush mount
Lock #: -
Bolted: Yes

Contractor: Boart Longyear
Address: 6215 Lehman Drive
Flint, MI, 48507
Crew Chief: Doug Oakley
Equipment: Rotasonic T300
Drilling Method: 6" Sonicore


Well Development Information

Date: 10/13/10
Time Started: 14:35
Method: Vac truck
Volume Purged: 177 gallons

Time Started: 1130 Date Started: 10/12/10
Time Finished: 1340 Date Finished: 10/12/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
- = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



Fill - dark brown to black sand and gravel with topsoil; wet at 4' while hand augering

Dark gray to greenish-gray sandy silt, little to some fine-medium gravel; wet

Dark gray to dark green fine-coarse sand, little to some 1" rounded gravel, trace silt; wet; trace shells



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3620L01

WELL ID: MWKR3620L01


TOTAL DEPTH: 67'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/11/10	
TOC Elevation: 786.97	Flint, MI, 48507	Time Started: 12:40	
Ground Elevation: 787.41	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12836877.80	Equipment: Rotosonic T300	Volume Purged: 235 gallons	
Y Coordinate: 284792.50	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1000	Date Started: 10/6/10	
Bolted: Yes	Time Finished: 1300	Date Finished: 10/6/10	

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3620L01

WELL ID: MWKR3620L01

TOTAL DEPTH: 67'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/11/10	
TOC Elevation: 786.97	Flint, MI, 48507	Time Started: 12:40	
Ground Elevation: 787.41	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12836877.80	Equipment: Rotasonic T300	Volume Purged: 235 gallons	
Y Coordinate: 284792.50	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush mount			
Lock #: -	Time Started: 1000	Date Started: 10/6/10	
Bolted: Yes	Time Finished: 1300	Date Finished: 10/6/10	

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
46-51	[Yellow dotted pattern]								
51-55	[Yellow dotted pattern]	SM	Light brown to light gray silty fine-coarse sand, moderately graded; wet						
55-57	[Yellow dotted pattern]	SW	Medium-coarse sand and medium gravel, some light brown mottling; wet						
57-67	[Green diagonal hatched pattern]	ML-CL	Dark gray 5 B 61 silty clay to clayey silt, little to some fine-medium sand, some fine-medium rounded gravel; moist to dry; glacial till						



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3620L02

WELL ID: MWKR3620L02

TOTAL DEPTH: 17'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778


Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
 TOC Elevation: 786.97 Flint, MI, 48507
 Ground Elevation: 787.42 Crew Chief: Doug Oakley
 X Coordinate: 12836874.60 Equipment: Rotosonic T300
 Y Coordinate: 284793.90 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush mount
 Lock #: - Time Started: 1030 Date Started: 10/6/10
 Bolted: Yes Time Finished: 1530 Date Finished: 10/6/10

Well Development Information

Date: 10/11/10
 Time Started: 14:27
 Method: Vac truck
 Volume Purged: 101 gallons

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 ☒ Water level in completed well + = Product Detected VOC = Volatile Organic Compounds Metals
 - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3620L03

WELL ID: MWKR3620L03


TOTAL DEPTH: 17'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/11/10	
TOC Elevation: 786.84	Flint, MI 48507	Time Started: 15:50	
Ground Elevation: 787.23	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12836831.20	Equipment: Rotasonic T300	Volume Purged: 103 gallons	
Y Coordinate: 284673.80	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush Mount			
Lock #: -	Time Started: 1600	Date Started: 10/8/10	
Bolted: Yes	Time Finished: -	Date Finished: 10/8/10	

☒ Water level during drilling	NC Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
☒ Water level in completed well		+ = Product Detected	VOC = Volatile Organic Compounds
		- = No Product Detected	PAH = Polynuclear Aromatics
			Metals
			Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3680L01

WELL ID: MWKR3680L01


TOTAL DEPTH: 97'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) **Contractor:** Boart Longyear **Well Development Information**
AECOM Staff Onsite: R. Mottl **Address:** 6215 Lehman Drive **Date:** 10/10/10
TOC Elevation: 781.30 **Flint, MI 48507** **Time Started:** 17:05
Ground Elevation: 781.68 **Crew Chief:** Doug Oakley **Method:** Vac truck
X Coordinate: 12834380.50 **Equipment:** Rotasonic T300 **Volume Purged:** 270 gallons
Y Coordinate: 284322.80 **Drilling Method:** 6" Sonicore
Protective Casing Material: Steel
Type: Flush Mount
Lock #: - **Time Started:** 1045 **Date Started:** 10/7/10
Bolted: Yes **Time Finished:** - **Date Finished:** 10/7/10

Water level during drilling **NC** Not Collected **OilScreenSoil (OSS) Results:** **Sample Key:** collected for analysis of-
 Water level in completed well **+ = Product Detected** **VOC = Volatile Organic Compounds** **Metals**
- = No Product Detected **PAH = Polynuclear Aromatics** **Field Parameters**

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: **MWKR3680L01**

WELL ID: **MWKR3680L01**

TOTAL DEPTH: **97'**

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
TOC Elevation: 781.30 Flint, MI 48507
Ground Elevation: 781.68 Crew Chief: Doug Oakley
X Coordinate: 12834380.50 Equipment: Rotasonic T300
Y Coordinate: 284322.80 Drilling Method: 6" Sonicore


Well Development Information

Date: 10/10/10
Time Started: 17:05
Method: Vac truck
Volume Purged: 270 gallons

Protective Casing Material: Steel
Type: Flush Mount
Lock #: - Time Started: 1045 Date Started: 10/7/10
Bolted: Yes Time Finished: - Date Finished: 10/7/10

Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
+ = Product Detected VOC = Volatile Organic Compounds Metals
 Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: **MWKR3680L01**

WELL ID: **MWKR3680L01**

TOTAL DEPTH: **97'**

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site)	Contractor: Boart Longyear	Well Development Information	
AECOM Staff Onsite: R. Mottl	Address: 6215 Lehman Drive	Date: 10/10/10	
TOC Elevation: 781.30	Flint, MI 48507	Time Started: 17:05	
Ground Elevation: 781.68	Crew Chief: Doug Oakley	Method: Vac truck	
X Coordinate: 12834380.50	Equipment: Rotosonic T300	Volume Purged: 270 gallons	
Y Coordinate: 284322.80	Drilling Method: 6" Sonicore		
Protective Casing Material: Steel			
Type: Flush Mount			
Lock #: -	Time Started: 1045	Date Started: 10/7/10	
Bolted: Yes	Time Finished: -	Date Finished: 10/7/10	

☞ Water level during drilling	NC Not Collected	OilScreenSoil (OSS) Results:	Sample Key: collected for analysis of-
☟ Water level in completed well		+ = Product Detected	VOC = Volatile Organic Compounds
		- = No Product Detected	Metals
			Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
58									
59									
60									
61									
62		SW	Brown medium-coarse sand with gravel, trace silt; well sorted; 2" cobble; wet						
63									
64									
65									
66									
67									
68		SW	Brown medium-coarse sand/sand-gravel; moderately well sorted; 1"-2" gravel; wet						
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82		GP	Brown coarse sand and gravel, trace of fine gravel; well sorted subangular gravel, trace silt; wet						
83									
84									
85									
86									
87									



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3680L01

WELL ID: MWKR3680L01

TOTAL DEPTH: 97'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear **Well Development Information**
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive Date: 10/10/10
 TOC Elevation: 781.30 Flint, MI 48507 Time Started: 17:05
 Ground Elevation: 781.68 Crew Chief: Doug Oakley Method: Vac truck
 X Coordinate: 12834380.50 Equipment: Rotasonic T300 Volume Purged: 270 gallons
 Y Coordinate: 284322.80 Drilling Method: 6" Sonicore
 Protective Casing Material: Steel
 Type: Flush Mount
 Lock #: - Time Started: 1045 Date Started: 10/7/10
 Bolted: Yes Time Finished: - Date Finished: 10/7/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 ☒ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
87-93		SM	Sand grades back to brown; fine, silty sand, trace of fine gravel; well sorted; wet						
93-97		ML	Gray silt, little very fine sand; glacial till; wet						



5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG

BOREHOLE ID: MWKR3680L02

WELL ID: MWKR3680L02

TOTAL DEPTH: 13'

State: MI County: Calhoun Township / City: Marshall

Client: Enbridge

Project Number: 60162778

Project Name: Enbridge (Marshall Site) Contractor: Boart Longyear
 AECOM Staff Onsite: R. Mottl Address: 6215 Lehman Drive
 TOC Elevation: 781.47 Flint, MI, 48507
 Ground Elevation: 781.82 Crew Chief: Doug Oakley
 X Coordinate: 12834381.30 Equipment: Rotasonic T300
 Y Coordinate: 284318.70 Drilling Method: 6" Sonicore

Well Development Information


Date: 10/10/10
 Time Started: 17:25
 Method: Vac truck
 Volume Purged: 96 gallons

Protective Casing Material: Steel
 Type: Flush mount
 Lock #: -
 Bolted: Yes

Time Started: 1045 Date Started: 10/7/10
 Time Finished: 1600 Date Finished: 10/7/10

☒ Water level during drilling NC Not Collected OilScreenSoil (OSS) Results: Sample Key: collected for analysis of-
 + = Product Detected VOC = Volatile Organic Compounds Metals
 ☒ Water level in completed well - = No Product Detected PAH = Polynuclear Aromatics Field Parameters

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----





5555 Glenwood Hills Parkway SE
Grand Rapids, MI 49512

BOREHOLE / WELL LOG


BOREHOLE ID: MWKR3680L03
WELL ID: MWKR3680L03
TOTAL DEPTH: 15'

State: MI County: Calhoun Township / City: Marshall Client: Enbridge Project Number: 60162778

Project Name: Enbridge (Marshall Site) AECOM Staff Onsite: R. Mottl TOC Elevation: 781.92 Ground Elevation: 782.30 X Coordinate: 12834384.40 Y Coordinate: 284184.40 Protective Casing Material: Steel Type: Flush mount Lock #: - Bolted: Yes	Contractor: Boart Longyear Address: 6215 Lehman Drive Flint, MI, 48507 Crew Chief: Doug Oakley Equipment: Rotasonic T300 Drilling Method: 6" Sonicore	Well Development Information Date: 10/10/10 Time Started: 17:50 Method: Vac truck Volume Purged: 198 gallons
Time Started: 1600 Date Started: 10/7/10 Time Finished: - Date Finished: 10/7/10		

☒ Water level during drilling ☑ Water level in completed well	NC Not Collected	OilScreenSoil (OSS) Results: + = Product Detected - = No Product Detected	Sample Key: collected for analysis of- VOC = Volatile Organic Compounds Metals PAH = Polynuclear Aromatics Field Parameters
--	------------------	---	---

Depth (feet)	Soil Symbols	USCS	Soil Description	PID (ppm)	PID Curve (250 ppm)	Boring/Well Completion	WL	Sample	OSS
--------------	--------------	------	------------------	-----------	---------------------	------------------------	----	--------	-----



Appendix G

Slug Test Summary

Slug Test Results
Enbridge Line 6B MP 608 Pipeline Release
Marshall Michigan


<u>Monitoring Well ID</u>	<u>Type of Test</u>	<u>Hydraulic Conductivity</u> <u>(cm/sec)</u>	<u>Hydraulic Conductivity</u> <u>(ft/day)</u>	<u>Screen Type</u>	<u>Screen Interval</u> <u>(bgs)</u>	<u>Soil Type Around Screen</u> <u>(USCS)</u>
Target Area 1						
MWKR0250L01	Falling	1.33E-02	33.89	2" PVC	74.4 - 79.5 ft	SP
MWKR0250L01	Falling	4.79E-03	12.17	2" PVC	74.4 - 79.5 ft	SP
MWKR0250L01	Rising	4.81E-03	12.21	2" PVC	74.4 - 79.5 ft	SP
MWKR0250L01	Rising	4.51E-03	11.46	2" PVC	74.4 - 79.5 ft	SP
MWKR0250L02	Rising	4.97E-03	12.62	2" PVC	14 - 24 ft	SP, CL
MWKR0250L02	Rising	6.23E-03	15.81	2" PVC	14 - 24 ft	SP, CL
Average		5.92E-03	15.03			
Target Area 2						
MWKR0570R01	Falling	1.21E-01	343.90	2" PVC	29 - 34 ft	Sand stone
MWKR0570R01	Falling	7.82E-02	221.80	2" PVC	29 - 34 ft	Sand stone
MWKR0570R01	Rising	1.05E-01	296.30	2" PVC	29 - 34 ft	Sand stone
MWKR0570R01	Rising	1.17E-01	331.40	2" PVC	29 - 34 ft	Sand stone
Average		1.04E-01	2.94E+02			
MWKR0570R02	Rising	3.48E-02	98.61	2" PVC	4 - 14 ft	SP/GW
MWKR0570R02	Rising	3.48E-02	98.61	2" PVC	4 - 14 ft	SP/GW
Average		6.19E-02	9.86E+01			
Target Area 3						
MWKR1525R01	Falling	7.82E-02	221.80	2" PVC	30 - 35 ft	SM
MWKR1525R01	Falling	1.26E-01	356.20	2" PVC	30 - 35 ft	SM
MWKR1525R01	Rising	7.32E-02	207.50	2" PVC	30 - 35 ft	SM
MWKR1525R01	Rising	1.21E-01	344.20	2" PVC	30 - 35 ft	SM
Average		9.67E-02	2.74E+02			
MWKR1525R02	Rising	1.17E-02	33.27	2" PVC	4 - 14 ft	SM
MWKR1525R02	Rising	1.60E-02	45.32	2" PVC	4 - 14 ft	SM
Average		1.37E-02	3.88E+01			

Slug Test Results
Enbridge Line 6B MP 608 Pipeline Release
Marshall Michigan

<u>Monitoring Well ID</u>	<u>Type of Test</u>	<u>Hydraulic Conductivity (cm/sec)</u>	<u>Hydraulic Conductivity (ft/day)</u>	<u>Screen Type</u>	<u>Screen Interval (bgs)</u>	<u>Soil Type Around Screen (USCS)</u>
Target Area 4						
MWKR2260R01	Rising	6.17E-03	17.49	2" PVC	55 - 60 ft	Sandstone
MWKR2260R02	Falling	4.16E-03	11.79	2" PVC	22 - 27 ft	SP
MWKR2260R02	Rising	5.32E-03	15.08	2" PVC	22 - 27 ft	SP
Average		4.70E-03	1.33E+01			
Target Area 5						
MWKR2700R01	Falling	1.26E-01	358.20	2" PVC	32 - 37 ft	Sandstone
MWKR2700R01	Falling	8.03E-02	227.70	2" PVC	33 - 37 ft	Sandstone
MWKR2700R01	Rising	1.91E-01	541.70	2" PVC	34 - 37 ft	Sandstone
MWKR2700R01	Rising	1.12E-01	316.80	2" PVC	35 - 37 ft	Sandstone
Average		1.21E-01	3.44E+02			
MWKR2700R02	Rising	8.18E-03	23.20	2" PVC	2 - 12 ft	SM
MWKR2700R02	Rising	6.22E-03	17.63	2" PVC	2 - 12 ft	SM
Average		7.13E-03	2.02E+01			
Target Area 6						
MWKR3450L03	Falling	4.54E-03	12.87	2" PVC	72 - 77 ft	SM
MWKR3450L03	Rising	4.35E-03	12.32	2" PVC	72 - 77 ft	SM
MWKR3450L04	Rising	9.27E-03	26.28	2" PVC	2 - 12 ft	SP
Average		5.68E-03	1.61E+01			
Target Area 7						
MWKR3620L01	Falling	2.49E-02	70.50	2" PVC	35 - 40 ft	SP
MWKR3620L01	Rising	4.75E-02	134.80	2" PVC	35 - 40 ft	SP
Average		3.44E-02	9.75E+01			
MWKR3620L02	Rising	4.80E-03	13.62	2" PVC	11 - 16 ft	SM
MWKR3620L02	Rising	4.27E-03	12.11	2" PVC	11 - 16 ft	SM
Average		4.53E-03	1.28E+01			

Slug Test Results
Enbridge Line 6B MP 608 Pipeline Release
Marshall Michigan

<u>Monitoring Well ID</u>	<u>Type of Test</u>	<u>Hydraulic Conductivity (cm/sec)</u>	<u>Hydraulic Conductivity (ft/day)</u>	<u>Screen Type</u>	<u>Screen Interval (bgs)</u>	<u>Soil Type Around Screen (USCS)</u>
Target Area 8						
MWKR3680L01	Falling	5.06E-02	143.40	2" PVC	30 - 35 ft	SP
MWKR3680L01	Rising	8.81E-02	249.70	2" PVC	30 - 35 ft	SP
Average		6.67E-02	1.89E+02			
MWKR3680L02	Rising	8.69E-03	24.65	2" PVC	3 - 13 ft	SM
MWKR3680L02	Rising	1.03E-02	29.20	2" PVC	3 - 13 ft	SM
Average		9.46E-03	2.68E+01			



MWKR0250L01 FALLING HEAD 1

Data Set: \\...\MWKR0250L01Falling01_2010-10-19_09-51-31-765.aqt
 Date: 10/24/10 Time: 13:25:56

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L01)

Initial Displacement: 5.64 ft Static Water Column Height: 62.89 ft
 Total Well Penetration Depth: 62.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 33.89 ft/day y0 = 8.583 ft



MWKR0250L01 FALLING HEAD 2

Data Set: \...\MWKR0250L01Falling02_2010-10-19_10-18-21-687.aqt
 Date: 10/24/10 Time: 13:31:10

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L01)

Initial Displacement: 2.72 ft Static Water Column Height: 62.89 ft
 Total Well Penetration Depth: 62.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.17 ft/day y0 = 2.738 ft



MWKR0250L01 RISING HEAD 1

Data Set: \\...\MWKR0250L01Rising01_2010-10-19_10-07-00-093.aqt
 Date: 10/24/10 Time: 13:31:40

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L01)

Initial Displacement: 2.85 ft Static Water Column Height: 62.89 ft
 Total Well Penetration Depth: 62.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.21 ft/day y0 = 2.619 ft



MWKR0250L01 RISING HEAD 2

Data Set: \\...\MWKR0250L01Rising02_2010-10-19_10-28-33-812.aqt
 Date: 10/24/10 Time: 13:32:18

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L01)

Initial Displacement: 7.94 ft Static Water Column Height: 62.89 ft
 Total Well Penetration Depth: 62.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 11.46 ft/day y0 = 4.13 ft



MWKR0250L02 RISING HEAD 1

Data Set: \\...\MWKR0250L02Rising01_2010-10-19_10-48-00-625.aqt
 Date: 10/26/10 Time: 19:43:03

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L02)

Initial Displacement: 1.97 ft Static Water Column Height: 5.37 ft
 Total Well Penetration Depth: 5.37 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.62 ft/day y0 = 1.866 ft



MWKR0250L02 RISING HEAD 2

Data Set: \\...\MWKR0250L02Rising02_2010-10-19_11-11-58-171.aqt
 Date: 10/26/10 Time: 19:44:27

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 1
 Test Well: MWKR0250L02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0250L02)

Initial Displacement: 2.04 ft Static Water Column Height: 5.37 ft
 Total Well Penetration Depth: 5.37 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 15.81 ft/day y0 = 2.441 ft



MWKR0570R01 FALLING HEAD 1

Data Set: \\...\MWKR0570R01Falling01_2010-10-19_11-58-19-390.aqt
 Date: 10/26/10 Time: 19:40:06

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R01)

Initial Displacement: 1.19 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.5 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 343.9 ft/day C(D) = 0.4575



MWKR0570R01 FALLING HEAD 2

Data Set: \...\MWKR0570R01Falling02_2010-10-19_12-10-52-640.aqt
 Date: 10/26/10 Time: 19:37:25

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R01)

Initial Displacement: 1.16 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.5 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 221.8 ft/day C(D) = 0.4879



MWKR0570R01 RISING HEAD 1

Data Set: \...\MWKR0570R01Rising01_2010-10-19_12-05-48-109.aqt
 Date: 10/26/10 Time: 19:36:20

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R01)

Initial Displacement: 0.96 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.5 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 296.3 ft/day C(D) = 0.422



MWKR0570R01 RISING HEAD 2

Data Set: \...\MWKR0570R01Rising02_2010-10-19_12-17-00-562.aqt
 Date: 10/26/10 Time: 19:34:11

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R01)

Initial Displacement: 1.05 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.5 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 331.4 ft/day C(D) = 0.392



MWKR0570R02 RISING HEAD 1

Data Set: \\...\MWKR0570R02Rising01_2010-10-19_12-39-20-562.aqt
 Date: 10/26/10 Time: 19:32:52

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R02)

Initial Displacement: 1.16 ft Static Water Column Height: 6.99 ft
 Total Well Penetration Depth: 6.99 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 98.61 ft/day y0 = 3.052 ft



MWKR0570R02 RISING HEAD 2

Data Set: \\...\MWKR0570R02Rising02_2010-10-19_12-54-06-781.aqt
 Date: 10/26/10 Time: 19:31:22

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 2
 Test Well: MWKR0570R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR0570R02)

Initial Displacement: 0.53 ft Static Water Column Height: 6.99 ft
 Total Well Penetration Depth: 6.99 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 98.61 ft/day y0 = 3.052 ft



MWKR1525R01 FALLING HEAD 1

Data Set: \\...\MWKR1525R01Falling01_2010-10-19_13-52-14-140.aqt
 Date: 10/26/10 Time: 19:48:10

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R01)

Initial Displacement: 1.09 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.78 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 221.8 ft/day C(D) = 0.473



MWKR1525R01 FALLING HEAD 2

Data Set: \...\MWKR1525R01Falling02_2010-10-19_14-05-02-890.aqt
 Date: 10/26/10 Time: 19:49:33

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R01)

Initial Displacement: 1.09 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.78 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 356.2 ft/day C(D) = 0.4174



MWKR1525R01 RISING HEAD 1

Data Set: \...\MWKR1525R01Rising01_2010-10-19_13-58-23-468.aqt
 Date: 10/26/10 Time: 19:50:43

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R01)

Initial Displacement: 0.58 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.78 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 207.5 ft/day C(D) = 0.4533



MWKR1525R01 RISING HEAD 2

Data Set: \...\MWKR1525R01Rising02_2010-10-19_14-08-59-062.aqt
 Date: 10/26/10 Time: 19:52:03

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R01)

Initial Displacement: 0.6 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 26.78 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 344.2 ft/day C(D) = 0.3761



MWKR1525R02 RISING HEAD 1

Data Set: \\...\MWKR1525R02Rising01_2010-10-19_14-26-51-343.aqt
 Date: 10/26/10 Time: 19:53:29

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R02)

Initial Displacement: 1.992 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 5.86 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 33.27 ft/day y0 = 2.148 ft



MWKR1525R02 RISING HEAD 2

Data Set: \\...\MWKR1525R02Rising02_2010-10-19_14-40-58-812.aqt
 Date: 10/26/10 Time: 19:55:00

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 3
 Test Well: MWKR1525R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 58. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR1525R02)

Initial Displacement: 1.45 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 5.86 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 45.32 ft/day y0 = 1.878 ft



MWKR2260R01 RISING HEAD 1

Data Set: \\...\MWKR2260R01Rising01_2010-10-19_15-39-27-062.aqt
 Date: 10/26/10 Time: 20:03:52

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 4
 Test Well: MWKR2260R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 50. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 3.94 ft Static Water Column Height: 26.5 ft
 Total Well Penetration Depth: 48.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 17.49 ft/day y0 = 4.017 ft



MWKR2260R02 FALLING HEAD 1

Data Set: \\...\MWKR2260R02Falling01_2010-10-19_16-08-45-203.aqt
 Date: 10/26/10 Time: 20:03:07

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 4
 Test Well: MWKR2260R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 50. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 5.31 ft Static Water Column Height: 15.89 ft
 Total Well Penetration Depth: 15.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 11.79 ft/day y0 = 2.861 ft



MWKR2260R02 RISING HEAD 1

Data Set: \\...\MWKR2260R02Rising01_2010-10-19_16-21-09-828.aqt
 Date: 10/26/10 Time: 20:05:08

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 4
 Test Well: MWKR2260R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 50. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 3.14 ft Static Water Column Height: 15.89 ft
 Total Well Penetration Depth: 15.89 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 15.08 ft/day y0 = 2.95 ft



MWKR2700R01 FALLING HEAD 1

Data Set: \...\MWKR2700R01Falling01_2010-10-19_16-55-48-796.aqt
 Date: 10/26/10 Time: 20:08:43

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 0.814 ft Static Water Column Height: 33.65 ft
 Total Well Penetration Depth: 33.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 358.2 ft/day C(D) = 0.3515



MWKR2700R01 FALLING HEAD 2

Data Set: \...\MWKR2700R01Falling02_2010-10-19_17-10-53-515.aqt
 Date: 10/26/10 Time: 20:10:01

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 0.619 ft Static Water Column Height: 33.65 ft
 Total Well Penetration Depth: 33.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 227.7 ft/day C(D) = 0.4338



MWKR2700R01 RISING HEAD 1

Data Set: \...\MWKR2700R01Rising01_2010-10-19_17-04-39-468.aqt
 Date: 10/26/10 Time: 20:11:19

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 0.506 ft Static Water Column Height: 33.65 ft
 Total Well Penetration Depth: 33.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 541.7 ft/day C(D) = 0.2159



MWKR2700R01 RISING HEAD 2

Data Set: \...\MWKR2700R01Rising02_2010-10-19_17-20-42-937.aqt
 Date: 10/26/10 Time: 20:12:40

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R01)

Initial Displacement: 0.394 ft Static Water Column Height: 33.65 ft
 Total Well Penetration Depth: 33.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Confined Solution Method: Butler
 K = 316.8 ft/day C(D) = 0.2461



MWKR2700R02 RISING HEAD 1

Data Set: \...\MWKR2700R02Rising01_2010-10-19_17-37-52-500.aqt
 Date: 10/26/10 Time: 20:14:05

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R02)

Initial Displacement: 2.152 ft Static Water Column Height: 8.61 ft
 Total Well Penetration Depth: 8.61 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 23.2 ft/day y0 = 5.927 ft



MWKR2700R02 RISING HEAD 2

Data Set: \\...\MWKR2700R02Rising02_2010-10-19_17-48-59-031.aqt
 Date: 10/26/10 Time: 20:16:21

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 5
 Test Well: MWKR2700R02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR2660R02)

Initial Displacement: 2.152 ft Static Water Column Height: 8.61 ft
 Total Well Penetration Depth: 8.61 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 17.63 ft/day y0 = 2.668 ft



MWKR3450L03 RISING HEAD 1

Data Set: \\...\MWKR3450L03Rising01_2010-10-20_10-32-00-031.aqt
 Date: 10/26/10 Time: 20:19:19

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 6
 Test Well: MWKR3450L03
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 80. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3450L03)

Initial Displacement: 3.84 ft Static Water Column Height: 73.76 ft
 Total Well Penetration Depth: 73.76 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.32 ft/day y0 = 3.487 ft



MWKR3450L04 RISING HEAD 1

Data Set: \...\MWKR3450L04Rising01_2010-10-20_09-28-35-546.aqt
 Date: 10/26/10 Time: 20:21:49

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 6
 Test Well: MWKR3450L04
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 80. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3450L04)

Initial Displacement: 1.671 ft Static Water Column Height: 8.76 ft
 Total Well Penetration Depth: 8.76 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 26.28 ft/day y0 = 1.758 ft



MWKR3450L03 FALLING HEAD 1

Data Set: \\...\MWKR3450R03Falling01_2010-10-20_10-14-21-921.aqt
 Date: 10/26/10 Time: 20:23:51

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 6
 Test Well: MWKR3450L03
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 80. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3450L03)

Initial Displacement: 4.14 ft Static Water Column Height: 73.76 ft
 Total Well Penetration Depth: 73.76 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.87 ft/day y0 = 2.758 ft



MWKR3620L01 FALLING HEAD 1

Data Set: \...\MWKR3620L01Falling01_2010-10-20_11-06-58-984.aqt
 Date: 10/26/10 Time: 20:27:01

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 7
 Test Well: MWKR3620L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 46. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3620L01)

Initial Displacement: 2.12 ft Static Water Column Height: 28.75 ft
 Total Well Penetration Depth: 28.75 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 70.5 ft/day y0 = 0.8915 ft



MWKR3620L01 RISING HEAD 1

Data Set: \\...\MWKR3620L01Rising01_2010-10-20_11-20-34-343.aqt
 Date: 10/26/10 Time: 20:28:17

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 7
 Test Well: MWKR3620L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 46. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3620L01)

Initial Displacement: 2.47 ft Static Water Column Height: 28.75 ft
 Total Well Penetration Depth: 28.75 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 134.8 ft/day y0 = 4.749 ft



MWKR3620L02 RISING HEAD 1

Data Set: \\...\MWKR3620L02Rising01_2010-10-20_12-05-47-406.aqt
 Date: 10/26/10 Time: 20:30:16

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 7
 Test Well: MWKR3620L02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 46. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3620L02)

Initial Displacement: 1.67 ft Static Water Column Height: 4.7 ft
 Total Well Penetration Depth: 4.7 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 13.62 ft/day y0 = 1.789 ft



MWKR3620L02 RISING HEAD 2

Data Set: \\...\MWKR3620L02Rising02_2010-10-20_12-21-47-609.aqt
 Date: 10/26/10 Time: 20:31:43

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 7
 Test Well: MWKR3620L02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 46. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3620L02)

Initial Displacement: 1.61 ft Static Water Column Height: 4.7 ft
 Total Well Penetration Depth: 4.7 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 12.11 ft/day y0 = 1.509 ft



MWKR3680L01 FALLING HEAD 1

Data Set: \\...\MWKR3680L01Falling01_2010-10-20_12-51-38-968.aqt
 Date: 10/26/10 Time: 20:33:42

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 8
 Test Well: MWKR3680L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 88. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3680L01)

Initial Displacement: 2.034 ft Static Water Column Height: 29.65 ft
 Total Well Penetration Depth: 29.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 143.4 ft/day y0 = 0.6467 ft



MWKR3680L01 FALLING HEAD 1

Data Set: \\...\MWKR3680L01Falling01_2010-10-20_12-51-38-968.aqt
 Date: 10/26/10 Time: 20:39:26

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 8
 Test Well: MWKR3680L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 88. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3680L01)

Initial Displacement: 2.034 ft Static Water Column Height: 29.65 ft
 Total Well Penetration Depth: 29.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 143.4 ft/day y0 = 0.6467 ft



MWKR3680L01 RISING HEAD 1

Data Set: \\...\MWKR3680L01Rising01_2010-10-20_12-58-39-625.aqt
 Date: 10/26/10 Time: 20:40:54

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 8
 Test Well: MWKR3680L01
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 88. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3680L01)

Initial Displacement: 2.11 ft Static Water Column Height: 29.65 ft
 Total Well Penetration Depth: 29.65 ft Screen Length: 5. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 249.7 ft/day y0 = 8.151 ft



MWKR3680L02 RISING HEAD 1

Data Set: \\...\MWKR3680L02Rising01_2010-10-20_13-26-24-328.aqt
 Date: 10/26/10 Time: 20:42:15

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 8
 Test Well: MWKR3680L02
 Test Date: 10/19/10

AQUIFER DATA


Saturated Thickness: 88. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3680L02)

Initial Displacement: 2.96 ft Static Water Column Height: 7.48 ft
 Total Well Penetration Depth: 7.48 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 24.65 ft/day y0 = 3.003 ft



MWKR3680L02 RISING HEAD 2

Data Set: \...\MWKR3680L02Rising02_2010-10-20_13-46-54-156.aqt
 Date: 10/26/10 Time: 20:43:28

PROJECT INFORMATION

Company: AECOM
 Location: Target Area 8
 Test Well: MWKR3680L02
 Test Date: 10/19/10

AQUIFER DATA

Saturated Thickness: 88. ft Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MWKR3680L02)

Initial Displacement: 2.96 ft Static Water Column Height: 7.48 ft
 Total Well Penetration Depth: 7.48 ft Screen Length: 10. ft
 Casing Radius: 0.08333 ft Wellbore Radius: 0.25 ft



SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice
 K = 29.2 ft/day y0 = 5.748 ft


Appendix H

Stiff and Piper Diagrams



All Surface Water Samples (8 Areas)





AREA 1




AREA 2 PIPER




AREA 3




Area 4 Piper




AREA 5




Area 6 Piper



AREA 7 PIPER




AREA 8 PIPER




STIFF DIAGRAMS – AREA 1




AREA 1 - MW...L01




AREA 1 - MW...L02



AREA 1 - MW...L03




AREA 1 - SW...L01




Key
Blue = Groundwater sampled on south side of river
Groundwater from wells screened in glacial material
Magenta = Surface Water

STIFF DIAGRAMS – AREA 2


AREA 2 - MW...L01




AREA 2 - MW...L02




AREA 2 - MW...L03




AREA 2 - MW...R01




AREA 2 - MW...R02



AREA 2 - MW...R03



AREA 2 - SW...R01




Key
Blue = Groundwater sampled on south side of river
Green = Groundwater sampled on north side of river
Groundwater from wells screened in bedrock, except MW...R02
screened in glacial material and MW...R03 screened partially
in glacial material and partially in bedrock.
Magenta = Surface Water


STIFF DIAGRAMS – AREA 3




AREA 3 - MW...R01




AREA 3 - MW...R02



AREA 3 - MW...R03



AREA 3 - SW...R01




Key
Blue = Groundwater sampled on east side of river
Groundwater from wells screened in glacial material
Magenta = Surface Water


STIFF DIAGRAMS – AREA 4




Area 4 - MW...R01




Area 4 - MW...R02



Area 4 - MW...R01(east)



Area 4 - SW...R01




Key
 Blue = Groundwater sampled on north side of river
 Groundwater from wells screened in glacial material except
 Well MW...R01 screened in bedrock
 MW...R01(east) refers to well MWKR2275R01
 Magenta = Surface Water


STIFF DIAGRAMS – AREA 5




AREA 5 - MW...R01(2700)




AREA 5 - MW...R01



AREA 5 - MW...R02




AREA 5 - SW...R01




Key
Blue = Groundwater sampled on north side of river
Groundwater from wells screened in glacial material except
Well MW...R01 (2700) screened in bedrock
Magenta = Surface Water

STIFF DIAGRAMS – AREA 6


Area 6 - MWKR3450L01




Area 6 - MWKR3450L02




Area 6 - MWKR3450L03




Area 6 - MWKR3450L04




Area 6 - MWKR3460L01



Area 6 - MWKR3460L02



Area 6 - SW...L01




Key
 Blue and green = Groundwater sampled on south side of river
 Groundwater from wells screened in glacial material
 Magenta = Surface Water


STIFF DIAGRAMS – AREA 7




Area 7 - MW...L01




Area 7 - MW...L02



Area 7 - MW...L03



Area 7 - SW...L01




Key
 Blue = Groundwater sampled on south side of river
 Groundwater from wells screened in glacial material
 Magenta = Surface Water


STIFF DIAGRAMS – AREA 8




Area 8 - MW...L01




Area 8 - MW...L02



Area 8 - MW...L03



Area 8 - SW...L01



Key
Blue = Groundwater sampled on south side of river
Groundwater from wells screened in glacial material
Magenta = Surface Water