Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

Mine Name: C-3
Mine ID: 516

Navajo AUM North Central Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

20074.063.039.0020

April 2012

Part I **Site Identification, Location and Status** Site Names and ID numbers as applicable **Mine ID:** 516 Map ID: NC13 **CERCLIS:** NNN000909301 Navajo Abandoned Mine Land Reclamation Program: NA-0211 **Local name / Aliases:** C-3 Mine Chapter and local area: Oljato **County:** San Juan State: UT Lat/Long: 37.0448995831 N / -110.345203414 W **Nearby road and highway:** Piaute Farms Road **Local Post Office:** Oljato, AZ Surface Land Status: check one or more and provide ownership and contact information below **Tribal Trust Land Public lands Private Tribal Fee Land Bureau of Land Mgmt** Allotment State Fee land

Subsurface Mineral Rights:

No information on subsurface mineral rights ownership was found in the EPA/AUM Database.

Claim and operator information:

Historical documents identified the operator of the mine in 1954 as Cecil Parrish, Jr. and Tom Holliday, from 1955 to 1957 as Coppery Canyon Mining Company, Inc., from 1958 to 1960 as Capital Uranium Corporation / Capital-Seaboard Corporation, from 1961 to 1962 as Dumont Development Company, in 1962 and 1965 as Cecil Parrish, Jr. and Tom Holliday, in 1963 as A & B Mining Company, from 1963 to 1964 as Shumway Brothers Mining Company and Kay P. Johnsonand from as Vanadium Corporation of America. No additional historical ownership / lease information was identified in the EPA / AUM database.

Number of residential structures within 200 feet of mine: None

Part II Summary of Radiological Readings

Mine ID: 516

Highest gamma radiation measurement: 494,991 counts per minute (cpm)


Background Average: 9,239 cpm **Two Times Background:** 18,478 cpm

Describe any other radiological measurements:

A total of 4,878 gamma radiation measurements were collected from the mine site, ranging from 4,575 cpm to 494,991 cpm. Maximum levels of approximately 500,000 cpm were found in the vicinity of the waste rock. The measurements are represented in Figures 1 and 2.

Distribution Chart and Statistics:

Site Gamma Radiation	Statistics
Number of Readings	4,878
Minimum (cpm)	4,575
Maximum (cpm)	494,991
Mean (cpm)	43,217
Median (cpm)	14,377
Standard Deviation	71,608



Part III Status of Reclamation and Mine Waste

Mine ID: 516

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: Yes

NAMLRP Project Number: NA-0211

NAMLRP Mine features: 1 Portal

The following information was obtained from field observations collected during the 2011 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed reclamation work and status:

Adits:

2 possible adits - voids along top of the waste rock, pushed against the ledge

Waste Piles:

Waste rock is pushed against adits and forms 200' to 300' sheets below the adit level, waste rock covers much of the hillside, and some scattered float at the base

Pits:

None Observed

Shafts:

None Observed

Other Debris and Mine Features:

Erosional berm above the site

Part IV Site Observations and Environs

Observed Residential Structures (number and human habitation status of structures at the following distances from the mine site):

0 to 200 feet: None Observed

200 feet to 0.25 mile: None Observed

Observed Public or Commercial Structures (schools, clinics, Chapter Houses, places of business and any other structures used by members of the community at the following distances from the mine site):

0 to 200 feet: None observed

200 feet to 0.25 mile: None observed

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed Water Sources (number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine site):

```
0 to 0.25 miles: 750 ft SW - Pond (516)
```

0.25 miles to 4 miles: 0.5 mi W - Livestock Well (261); 2 mi SE - Reservoir (Oljato); 2.5 mi SE - Water Tank (225); 4 mi SE - Water Tank (224)

Sensitive Environments (all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation):

None observed

Known Site History (information from interviews with Chapter officials and residents and database review, includes: mine ownership, type of mining operation, period of operation, known amount of production, and any other information provided):

The C-3 mine claim consists of an area of 24,676 m². The mine was identified as being operational from 1957 to 1965. While operational, the mine had a total reported production volume of 5,410 tons. No additional historical ownership / lease information was identified in the EPA / AUM database.

Part V Response Action Summary

Summary of Evaluation Factors:

Accessibility:

Was the mine easily accessible to potential human activity?

Yes

Radiological Measurements:

Were any gamma radiation measurements collected at the mine greater than two times the site-specific background levels?

Yes

Waste Piles:

Were any unreclaimed waste piles observed at the mine with gamma radiation measurements greater than two times the site-specific background levels? Yes

Structures:

Were any structures observed within 200 feet of the mine?

No

Potential Drinking Water Sources:


Were any potential drinking water sources observed within 4 miles of the mine? Yes


Reclamation:


Was the mine reported to be previously reclaimed, or did the mine appear to be reclaimed?

Yes

Part VI Photos





























Part VII Contact Reports and Information


Name:	Eugene Esplain	
Title or official role (if any):	Navajo EPA Superfund Program	
Telephone number:	(928) 871-7331	
Address:	PO Box 2946, Window Rock, AZ 86515	
Information provided:	Lead Regulatory Agency	
Name:		
Title or official role (if any):		
Telephone number:		
Address:	,	
Information provided:		
Name:		
Title or official role (if any):		
Telephone number:		
Address:		
Information provided:		

Figure 1 - Gamma Radiation Measurements, Above Two Times Background C-3 (516) Oljato Chapter, Navajo Nation



Measured as counts per minute (cpm)

Average background 9,239 cpm




Observed Structure

Observed Adit



Figure 2 - Gamma Radiation Measurements C-3 (516) Oljato Chapter, Navajo Nation



Gamma Radiation Measurements

- 0 10,000 cpm
- 10,000 25,000 cpm
- 25,000 50,000 cpm
- 50,000 100,000 cpm
- 100,000 250,000 cpm
- 250,000 500,000 cpm

● 500,000 - 1,000,000 cpm

Average background 9,239 cpm

Mine Site Boundary

General Slope Direction

Observed Reclamation Feature

Observed Waste Rock

Observed Structure

Observed Adit

Measured as counts per minute (cpm)

