

# Methylene Chloride (DCM) (CASRN: 75-09-2) Bibliography: Supplemental File for the TSCA Scope Document

## TABLE OF CONTENTS

---

Peer Reviewed Literature Search Results .....	2
Fate Literature Search Results.....	2
On Topic .....	2
Off Topic .....	5
Engineering Literature Search Results .....	193
On Topic .....	193
Off Topic .....	199
Exposure Literature Search Results.....	388
On Topic .....	388
Off Topic .....	393
Environmental Hazard Literature Search Results.....	582
On Topic .....	582
Off Topic .....	588
Human Health Hazard Literature Search Results .....	753
On Topic .....	753
Off Topic .....	767
OPPT Risk Assessment, Problem Formulation or Scope Document .....	983
On Topic .....	983
Gray Literature Search Results .....	993

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the “Scope of the Risk Evaluation for Methylene Chloride” may not be reflected in the “OPPT Risk Assessment, Problem Formulation or Scope Document” section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

## PEER REVIEWED LITERATURE SEARCH RESULTS

---

The peer reviewed literature search results include studies cited in the 2011 IRIS Toxicological Review for dichloromethane and results from the comprehensive searches of bibliographic databases. The combined results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in *the Strategy for Conducting Literature Searches for Methylene Chloride (DCM): Supplemental File for the TSCA Scope Document*.

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

### Fate Literature Search Results

#### *On Topic*

- Adachi, A; Sawada, R; Shida, K; Nakamura, E; Kobayashi, T. (1996). Dichloromethane levels in wastewater discharged from chemical laboratories and its removal efficiency using activated carbon adsorption. *JTTHE* 42: 268-271.
- Arquiaga, MC; Canter, LW; Robertson, JM. (1995). MICROBIOLOGICAL CHARACTERIZATION OF THE BIOLOGICAL TREATMENT OF AIRCRAFT PAINT STRIPPING WASTE-WATER. *Environ Pollut* 89: 189-195.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Bin Babar, Z; Shareefdeen, Z. (2014). Management and control of air emissions from electronic industries. *Clean Tech Environ Pol* 16: 69-77. <http://dx.doi.org/10.1007/s10098-013-0594-6>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Bravo-Linares, CM; Mudge, SM. (2009). Temporal trends and identification of the sources of volatile organic compounds in coastal seawater. *J Environ Monit* 11: 628-641. <http://dx.doi.org/10.1039/b814260m>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng* 124: 1054-1060.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol* 38: 287-294.

## Fate Literature Search Results

### On Topic

- Chou, MS; Chang, HY. (2005). Bio-oxidation of airborne volatile organic compounds in an activated sludge aeration tank. *J Air Waste Manag Assoc* 55: 604-611.
- Clapp, LW; Talarczyk, MR; Park, JK; Boyle, WC. (1994). PERFORMANCE COMPARISON BETWEEN ACTIVATED-SLUDGE AND FIXED-FILM PROCESSES FOR PRIORITY POLLUTANT REMOVALS. *Water Environ Res* 66: 153-160.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; McIlwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem* 18: 503-525. Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem* 10: 463-474.
- Deipser, A; Stegmann, R. (1994). THE ORIGIN AND FATE OF VOLATILE TRACE COMPONENTS IN MUNICIPAL SOLID WASTE LANDFILLS. *Waste Manag Res* 12: 129-139.
- Drago, S; Petrosius, SC; Grunewald, GC; Brendley, WH. (1994). DEEP OXIDATION OF CHLORINATED HYDROCARBONS. *ACS Symp Ser Am Chem Soc* 552: 340-352.
- Duclos, Y; Blanchard, M; Chesterikoff, A; Chevreuil, M. (2000). Impact of paris waste upon the chlorinated solvent concentrations of the river Seine (France). *Water Air Soil Pollut* 117: 273-288.
- Hardie, DWF. (1964). Kirk-Othmer encyclopedia of chemical technology Methylene chloride (2nd ed.). New York, NY: John Wiley & Sons.
- Hekmat, D; Vortmeyer, D. (2000). Biodegradation of poorly water-soluble volatile aromatic compounds from waste air. *Chem Eng Tech* 23: 315-+.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Jang, YC; Townsend, TG. (2001). Occurrence of organic pollutants in recovered soil fines from construction and demolition waste. *Waste Manag* 21: 703-715.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Katsoyiannis, A; Samara, C. (2007). Comparison of active and passive sampling for the determination of persistent organic pollutants (POPs) in sewage treatment plants. *Chemosphere* 67: 1375-1382. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.035>.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol* 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.
- Khan, MA; Kim, SW; Rao, RA; Abou-Shanab, RA; Bhatnagar, A; Song, H; Jeon, BH. (2010). Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. *J Hazard Mater* 178: 963-972. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.032>.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res* 67: 1044-1051.
- Kim, SJ; Cho, SY; Kim, TY. (2002). Adsorption of chlorinated volatile organic compounds in a fixed bed of activated carbon. *Korean J Chem Eng* 19: 61-67.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng* 126: 934-942.
- Kohler, H; Halbartschlager, J. (1986). SEPARATION OF CHLORINATED HYDROCARBONS FROM WASTE AIR WITH THE ACID OF ADSORPTION ON ACTIVATED CARBON - EXPERIENCES FROM CONTINUOUS OPERATIONS WITH DICHLORMETHAN (METHYLENCHLORIDE). *Staub, Reinhaltung der Luft* 46: 50-55.
- Koo, JK; Ahn, DW; Yoon, SP; Kim, DH. (1990). EFFECTS OF WATER-CONTENT AND TEMPERATURE ON EQUILIBRIUM DISTRIBUTION OF ORGANIC POLLUTANTS IN UNSATURATED SOIL. *Water Air Soil Pollut* 53: 267-277.
- Krausova, VI; Robb, FT; Gonzalez, JM. (2006). Biodegradation of dichloromethane in an estuarine environment. *Hydrobiologia* 559: 77-83. <http://dx.doi.org/10.1007/s10750-004-0571-5>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Lichtin, NN; Avudaithai, M. (1996). TiO<sub>2</sub>-photocatalyzed oxidative degradation of CH<sub>3</sub>CN, CH<sub>3</sub>OH, C<sub>2</sub>HCl<sub>3</sub>, and CH<sub>2</sub>Cl<sub>2</sub> supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol* 30: 2014-2020.
- Lipczynska-Kochany, E; Kochany, J. (2008). Effect of humic substances on the Fenton treatment of wastewater at acidic and neutral pH. *Chemosphere* 73: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.02>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng* 119: 300-320.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordonez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater* 97: 281-294.

## Fate Literature Search Results

### On Topic

- Lopez, S; Topalian, JH; Mitra, SK; Montague, DC. (1989). ABSORPTION AND DESORPTION OF DICHLOROMETHANE VAPOR BY WATER DROPS IN AIR - AN EXPERIMENTAL TEST OF SCAVENGING THEORY. *J Atmos Chem* 8: 175-188.
- Marrone, PA; Gschwend, PM; Swallow, KC; Peters, WA; Tester, JW. (1998). Product distribution and reaction pathways for methylene chloride hydrolysis and oxidation under hydrothermal conditions. *Journal of Supercritical Fluids* 12: 239-254.
- Moore, RM; Geen, CE; Tait, VK. (1995). DETERMINATION OF HENRY LAW CONSTANTS FOR A SUITE OF NATURALLY-OCCURRING HALOGENATED METHANES IN SEAWATER. *Chemosphere* 30: 1183-1191.
- Moura, SC; Jorge, RF; Duque, A; Boaventura, R; Castro, PML. (2007). Aerobic biological treatment of waste-waters containing dichloromethane. *J Chem Tech Biotechnol* 82: 864-869. <http://dx.doi.org/10.1002/jctb.1758>.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ* 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okochi, H; Sugimoto, D; Igawa, M. (2004). The enhanced dissolution of some chlorinated hydrocarbons and monocyclic aromatic hydrocarbons in rainwater collected in Yokohama, Japan. *Atmos Environ* 38: 4403-4414. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.053>.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Oliveira, MLN; Malagoni, RA; Fehr, M; Franco Junior, MR. (2008). Obtaining solubility data from a liquid-liquid equilibrium cell. *Chemical Engineering Communications* 195: 1076-1084. <http://dx.doi.org/10.1080/00986440801907490>.
- Oshima, Y; Bijanto, B; Koda, S. (2001). Kinetics of methylene chloride hydrolysis and the salt effect under hydrothermal conditions. *Ind Eng Chem Res* 40: 1026-1031.
- Osuna, MB; Sipma, J; Emanuelsson, MA; Carvalho, MF; Castro, PM. (2008). Biodegradation of 2-fluorobenzoate and dichloromethane under simultaneous and sequential alternating pollutant feeding. *Water Res* 42: 3857-3869. <http://dx.doi.org/10.1016/j.watres.2008.05.011>.
- Pan, H; Tian, M, in; Zhang, H, ui; Zhang, Y, u; Lin, Q. (2013). Adsorption and Desorption Performance of Dichloromethane over Activated Carbons Modified by Metal Ions. *Journal of Chemical and Engineering Data* 58: 2449-2454. <http://dx.doi.org/10.1021/jc4003493>.
- Papadopoulos, A; Paton, GI; Reid, BJ; Semple, KT. (2007). Prediction of PAH biodegradation in field contaminated soils using a cyclodextrin extraction technique. *J Environ Monit* 9: 516-522. <http://dx.doi.org/10.1039/b700720e>.
- Papenmeier, DM; Rossin, JA. (1994). CATALYTIC-OXIDATION OF DICHLOROMETHANE, CHLOROFORM, AND THEIR BINARY-MIXTURES OVER A PLATINUM ALUMINA CATALYST. *Ind Eng Chem Res* 33: 3094-3103.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data* 47: 980-983. <http://dx.doi.org/10.1021/jc020020b>.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water* 32: 805-820.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries (pp. 12-16). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/98/19165). Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H.
- Poddar, TK; Sirkar, KK. (1996). Henry's law constant for selected volatile organic compounds in high-boiling oils. *Journal of Chemical and Engineering Data* 41: 1329-1332.
- Priya, VS; Philip, L. (2015). Treatment of volatile organic compounds in pharmaceutical wastewater using submerged aerated biological filter. *Chem Eng J* 266: 309-319. <http://dx.doi.org/10.1016/j.cej.2014.12.048>.
- Radeke, KH; Noack, M; Jung, R; Themm, G; Altmann, H; Bunnig, R. (1990). ADSORPTION OF DICHLOROMETHANE ON ACTIVATED CARBONS AND POLYMERIC ADSORBENTS. *Chem Tech (Leipzig)* 42: 23-27.
- Ravi, R; Philip, L; Swaminathan, T. (2013). Growth kinetics of an indigenous mixed microbial consortium during methylene chloride degradation in a batch reactor. *Korean J Chem Eng* 30: 1770-1774. <http://dx.doi.org/10.1007/s11814-013-0099-3>.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol* 21: 147-156.
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox. *Water Res* 38: 2103-2110. <http://dx.doi.org/10.1016/j.watres.2004.01.020>.
- Rice, SF; Steeper, RR. (1998). Oxidation rates of common organic compounds in supercritical water. *J Hazard Mater* 59: 261-278.
- Rodriguez-Arnaiz, R. (1998). Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. *Environ Mol Mutagen* 31: 390-401. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)31:4<390::AID-EM12>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)31:4<390::AID-EM12>3.0.CO;2-7).
- Roizard, D; Lapique, F; Favre, E; Roizard, C. (2009). Potentials of pervaporation to assist VOCs' recovery by liquid absorption. *Chem Eng Sci* 64: 1927-1935. <http://dx.doi.org/10.1016/j.ces.2009.01.014>.
- Ross, B; Lu, N. (1999). Dynamics of DNAPL penetration into fractured porous media. *Ground Water* 37: 140-147.
- Rowe, RK; Hrapovic, L; Kosaric, N; Cullimore. (1997). Anaerobic degradation of DCM diffusing through clay. *Journal of Geotechnical and Geoenvironmental Engineering* 123: 1085-1095.



## Fate Literature Search Results

### On Topic

- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc* 55: 878-885.
- Scholz-muramatsu, H; Schneider, V; Gaiser, S; Bardtke, D. (1988). BIOLOGICAL ELIMINATION OF DICHLOROMETHANE FROM CONTAMINATED GROUNDWATER - INTERFERENCE BY COMPONENTS OF THE GROUNDWATER. *Water Sci Technol* 20: 393-397.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere* 29: 1743-1753.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.
- Scire, S; Liotta, LF. (2012). Supported gold catalysts for the total oxidation of volatile organic compounds. *Appl Catal B-Environ* 125 (Aug 21): 222-246. <http://dx.doi.org/10.1016/j.apcatb.2012.05.047>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Sgro, LA; Koshland, CP; Lucas, D; Sawyer, RF. (2000). Postflame reaction chemistry of dichloromethane: Variations in equivalence ratio and temperature. *Combust Flame* 120: 492-503.
- Shestakova, M; Sillanpää, M. (2013). Removal of dichloromethane from ground and wastewater: a review [Review]. *Chemosphere* 93: 1258-1267. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.022>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc* 837: 51-72.
- Shonnard, DR; Bell, RL; Jackman, AP. (1993). Effects of nonlinear sorption on the diffusion of benzene and dichloromethane from two air-dry soils. *Environ Sci Technol* 27: 457-466.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech* 5: 353-360.
- Sugasawa, M; Annadurai, G; Futamura, S. (2009). Reaction Behavior of Toluene-Dichloromethane Mixture in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 45: 1499-1505. <http://dx.doi.org/10.1109/TIA.2009.2023570>.
- Sumi, I; Picaud, S; Jedlovsky, P, al. (2015). Adsorption of Methylene Fluoride and Methylene Chloride at the Surface of Ice under Tropospheric Conditions: A Grand Canonical Monte Carlo Simulation Study. *J Phys Chem C* 119: 17243-17252. <http://dx.doi.org/10.1021/acs.jpcc.5b05018>.
- Tanguay, JF; Suib, SL; Coughlin, RW. (1989). DICHLOROMETHANE PHOTODEGRADATION USING TITANIUM CATALYSTS. *J Catal* 117: 335-347.
- Thiébaud, H; Merlin, G; Capovilla, MP; Blake, G. (1994). Fate of a volatile chlorinated solvent in indoor aquatic microcosms: sublethal and static exposure to [14C]dichloromethane. *Groupe pour l'Etude du Devenir de Xénobiotiques dans l'Environnement (GEDEXE). Ecotoxicol Environ Saf* 28: 71-81.
- Tobajas, M; Verdugo, V; Polo, AM; Rodriguez, JJ; Mohedano, AF. (2016). Assessment of toxicity and biodegradability on activated sludge of priority and emerging pollutants. *Environ Technol* 37: 713-721. <http://dx.doi.org/10.1080/09593330.2015.1079264>.
- Trevors, JT. (1985). EFFECT OF METHYLENE-CHLORIDE ON RESPIRATION AND ELECTRON-TRANSPORT SYSTEM (ETS) ACTIVITY IN FRESH-WATER SEDIMENT. *Bull Environ Contam Toxicol* 34: 239-245.
- U.S. Coast Guard. (1999). Dichloromethane. CHRIS: Hazardous chemical data. Washington, DC.
- Van Der Vorst, G; Swart, P; Aelterman, W, im; Van Brecht, A; Graauwmans, E; Van Langenhove, H; Dewulf, J, o. (2010). Resource consumption of pharmaceutical waste solvent valorization alternatives. *Resour Conservat Recycl* 54: 1386-1392. <http://dx.doi.org/10.1016/j.resconrec.2010.05.014>.
- Van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. *Indoor Air* 12: 92-97.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol* 7: 141-163.
- Wu, X; Huan, Y; Zhao, Q, i; Yu, X; Zhang, W. (2016). Fate and transport of DBPs in a deep confined aquifer during artificial recharge process. *Environ Earth Sci* 75: 7-7. <http://dx.doi.org/10.1007/s12665-015-4774-z>.
- Yu, CH, o; Zhu, X; Fan, Z. (2014). Spatial/Temporal Variations and Source Apportionment of VOCs Monitored at Community Scale in an Urban Area. *PLoS ONE* 9: e95734. <http://dx.doi.org/10.1371/journal.pone.0095734>.
- Yu, J; Cai, W; Chen, J; Feng, L, i; Jiang, Y; Cheng, Z. (2012). Conversion characteristics and mechanism analysis of gaseous dichloromethane degraded by a VUV light in different reaction media. *J Environ Sci* 24: 1777-1784. [http://dx.doi.org/10.1016/S1001-0742\(11\)61021-8](http://dx.doi.org/10.1016/S1001-0742(11)61021-8).
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc* 47: 1259-1267.

## Fate Literature Search Results

### Off Topic

- A. Esteve-Turrillas, F; Perez-Cabero, M; de La C. Garcia, T; Zahedi, S; Pastor, A; Martinez, R. (2007). Polyfurfuryl alcohol composite as adsorbent of polychlorinated biphenyls and pyrethroid insecticides. *Polym Test* 26: 587-594. <http://dx.doi.org/10.1016/j.polymertesting.2007.02.006>.

## Fate Literature Search Results

### Off Topic

- Abatzoglou, N; Barker, N; Hasler, P; Knoef, H. (2000). The development of a draft protocol for the sampling and analysis of particulate and organic contaminants in the gas from small biomass gasifiers. *Biomass and Bioenergy* 18: 5-17.
- Abbasian, M; Massomi, B; Rashidzadeh, B; Bahrami, H. (2015). Versatile method for synthesis of electrically conductive polypyrrole-polystyrene clay nanocomposites using ATRP and chemical polymerisation methods. *Journal of Experimental Nanoscience* 10: 844-858. <http://dx.doi.org/10.1080/17458080.2014.910617>.
- Abd Allah, Z; Whitehead, JC; Martin, P. (2014). Remediation of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) using non-thermal, atmospheric pressure plasma generated in a packed-bed reactor. *Environ Sci Technol* 48: 558-565. <http://dx.doi.org/10.1021/es402953z>.
- Abda, A; Benouareth, DE; Tabet, M; Liman, R; Konuk, M; Khallef, M; Taher, A. (2015). Mutagenicity and genotoxicity of drinking water in Guelma region, Algeria. *Environ Monit Assess* 187: 21. <http://dx.doi.org/10.1007/s10661-014-4223-6>.
- Abdal-Hay, A; Dewidar, M; Lim, J, aeK. (2012). Biocorrosion behavior and cell viability of adhesive polymer coated magnesium based alloys for medical implants. *Appl Surf Sci* 261: 536-546. <http://dx.doi.org/10.1016/j.apsusc.2012.08.051>.
- Abdallah, DJ; Lu, LD; Weiss, RG. (1999). Thermoreversible organogels from alkane gelators with one heteroatom. *Chem Mater* 11: 2907-2911.
- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech* 27: 1719-1729. <http://dx.doi.org/10.1016/j.appt.2016.06.003>.
- Abdelalail, SAM; Abdel-Razeek, N; Soliman, SA. (2009). Herbicidal Activity of Three Sesquiterpene Lactones on Wild Oat (*Avena fatua*) and Their Possible Mode of Action. *Weed Sci* 57: 6-9. <http://dx.doi.org/10.1614/WS-08-093.1>.
- Abdelfattah, TM; Davies, G; Romanovsky, BV; Shakhnovskaya, OL; Larin, AN; Jansen, SA; Palmieri, MJ. (1997). Molecular catalyst design. Synthesis, characterization and properties of zeolite NaY catalysts made with a tetranuclear copper(II) complex. *Catalysis Today* 33: 313-322.
- Abd-Elrahman, MI; Ahmed, MO; Abdel-Aleem, JA. (2013). Optical properties of cellulose derivatives blend film carrying a chalcogenide material. *Materials Science in Semiconductor Processing* 16: 1052-1056. <http://dx.doi.org/10.1016/j.mssp.2013.02.014>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater* 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abdullah, HA; Hauser, A; Ali, FA; Al-Adwani, A. (2006). Optimal conditions for coke extraction of spent catalyst by accelerated solvent extraction compared to soxhlet. *Energy Fuels* 20: 320-323. <http://dx.doi.org/10.1021/ef0502271>.
- Abe, A; Urano, K. (1994). INTERACTIONS OF SEDIMENT CONTAMINANTS IN THE TESTING OF MUTAGENICITY. *Water Sci Technol* 30: 139-144.
- Abe, Y; Akutagawa, T; Hasegawa, T; Nakamura, T; Sugiura, K; Sakata, Y; Inabe, T; Christensen, CA; Becher, J. (1999). Structure and electronic properties of TTF bisannulated 24-crown-8 charge transfer complexes. *Synthetic Metals* 102: 1599-1600.
- Abe, Z; Ljungquist, PO; Desousa, F; Kringstad, KP. (1994). THE FORMATION OF CHLORINATED DIOXINS AND FURANS DURING CHLORINE BLEACHING .4. IDENTIFICATION OF POLYCHLORINATED DIBENZOFURANS AND DIBENZO-P-DIOXINS PRECURSORS IN PINE KRAFT BLACK LIQUOR. 40: 298-301.
- Abed, D; Brossut, R; Farine, JP. (1993). EVIDENCE FOR SEX-PHEROMONES PRODUCED BY MALES AND FEMALES IN *BLATTA-ORIENTALIS* (DIPTERA, BLATTIDAE). *J Chem Ecol* 19: 2831-2853.
- Abidin, L; Mujeeb, M; Mir, SR; Khan, SA; Ahmad, A. (2014). Comparative assessment of extraction methods and quantitative estimation of luteolin in the leaves of *Vitex negundo* Linn. by HPLC. *Asian Pacific Journal of Tropical Medicine* 7S1: S289-S293. [http://dx.doi.org/10.1016/S1995-7645\(14\)60248-0](http://dx.doi.org/10.1016/S1995-7645(14)60248-0).
- Abou-Elwafa Abdallah, M; Drage, D; Harrad, S. (2013). A one-step extraction/clean-up method for determination of PCBs, PBDEs and HBCDs in environmental solid matrices. *Environ Sci Process Impacts* 15: 2279-2287. <http://dx.doi.org/10.1039/c3em00395g>.
- Abrantes, M; Valente, A; Pillinger, M; Goncalves, IS; Rocha, J; Romao, CC. (2002). Organotin-oxometalate coordination polymers as catalysts for the epoxidation of olefins. *J Catal* 209: 237-244. <http://dx.doi.org/10.1006/jcat.2002.3619>.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Nazmara, S; Saeedi, R. (2014). Removal of dichloromethane from waste gas streams using a hybrid bubble column/biofilter bioreactor. 12: 22. <http://dx.doi.org/10.1186/2052-336X-12-22>.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Saeedi, R; Nazmara, S. (2013). Dichloromethane emissions from automotive manufacturing industry in Iran: case study of the SAIPA automotive manufacturing company. *Toxicol Environ Chem* 95: 757-764. <http://dx.doi.org/10.1080/02772248.2013.821126>.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica* 17: 1-14.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1991). VAPOR-LIQUID-EQUILIBRIUM FOR THE 2-PROPANOL METHYL ACETATE DICHLOROMETHANE SYSTEM AT 298.15-K. *Journal of Chemical and Engineering Data* 36: 137-140.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE N-PENTANE PLUS METHYL ACETATE PLUS DICHLOROMETHANE SYSTEM. *Fluid Phase Equilibria* 74: 145-155.
- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices Dichloromethane. Cincinnati, OH.
- Achi, SS. (1996). Analysis of Nigerian house paints using thin layer chromatography. *Surf Coat Int* (1991-2000) 79: 492-&.
- Aci, F; Nebioglu, M; Arslan, M; Imamoglu, M; Zengin, M; Kuecukislamoglu, M. (2008). Preparation of activated carbon from sugar beet molasses and adsorption of methylene blue. *Fresen Environ Bull* 17: 997-1001.
- Acikbas, Y. (2016). Swelling behaviour of quartz crystal microbalance sensors coated with graphene Langmuir-Blodgett films. *J Optoelect Adv Mater* 18: 220-225.

## Fate Literature Search Results

### Off Topic

- Acikyildiz, M; Gurses, A; Karaca, S. (2014). Preparation and characterization of activated carbon from plant wastes with chemical activation. *Microporous and Mesoporous Materials* 198: 45-49. <http://dx.doi.org/10.1016/j.micromeso.2014.07.018>.
- Adachi, A; Hamamoto, H; Okano, T. (2004). Determination of spherosomes from lees materials. *J Agric Food Chem* 52: 7768-7770. <http://dx.doi.org/10.1021/jf0403134>.
- Adachi, A; Hamamoto, H; Okano, T. (2005). Use of lees materials as an adsorbent for removal of organochlorine compounds or benzene from wastewater. *Chemosphere* 58: 817-822. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.077>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem* 49: 1309-1314.
- Adachi, A; Komiya, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adamiak, W; Jedraszko, J; Krysiak, O; Nogala, W; Hidalgo-Acosta, JC; Girault, HH; Opallo, M. (2014). Hydrogen and Hydrogen Peroxide Formation in Trifluorotoluene Water Biphasic Systems. *J Phys Chem C* 118: 23154-23161. <http://dx.doi.org/10.1021/jp507310d>.
- Adamopoulos, S; Voulgaridis, E; Passialis, C. (2005). Variation of certain chemical properties within the stemwood of black locust (*Robinia pseudoacacia* L.). *Holz als Roh- und Werkstoff* 63: 327-333. <http://dx.doi.org/10.1007/s00107-005-0018-3>.
- Adekunle, IM. (2011). Bioremediation of Soils Contaminated with Nigerian Petroleum Products Using Composted Municipal Wastes. *Bioremediat J* 15: 230-241. <http://dx.doi.org/10.1080/10889868.2011.624137>.
- Adeosun, SO; Akpan, EI; Gbenedor, OP; Peter, AA; Olaleye, S. (2016). Mechanical Behavior of Electrospun Palmfruit Bunch Reinforced Polylactide Composite Fibers. *J O M* 68: 265-270. <http://dx.doi.org/10.1007/s11837-015-1565-7>.
- Adhikari, R; Postma, A; Li, J, uoHao; Hirai, T; Bown, M; Ueno, K. (2013). Thermally cross-linkable copolymer and its evaluation as a hole transport layer in organic light-emitting diode devices. *Society for Information Display Journal* 21: 151-158. <http://dx.doi.org/10.1002/jsid.159>.
- Adhikari, RM; Duan, L; Hou, L; Qiu, Y; Neckers, DC; Shah, BK. (2009). Ethynylphenyl-Linked Carbazoles as a Single-Emitting Component for White Organic Light-Emitting Diodes. *Chem Mater* 21: 4638-4644. <http://dx.doi.org/10.1021/cm9017503>.
- Ado, MA; Abas, F; Ismail, IS; Ghazali, HM; Shaari, K. (2015). Chemical profile and antiacetylcholinesterase, antityrosinase, antioxidant and  $\alpha$ -glucosidase inhibitory activity of *Cynometra cauliflora* L. leaves. *J Sci Food Agric* 95: 635-642. <http://dx.doi.org/10.1002/jsfa.6832>.
- Aerts, CA; Verraedt, E; Is; Mellaerts, R; Depla, A; Augustijns, P; Van Humbeeck, J, an; Van Den Mooter, G, uy; Martens, JA. (2007). Tunability of pore diameter and particle size of amorphous microporous silica for diffusive controlled release of drug compounds. *J Phys Chem C* 111: 13404-13409. <http://dx.doi.org/10.1021/jp0735076>.
- Afifi, M; Golestani, HA; Sharifi, S; Kiani, S. (2014). Wastewater treatment of raisins processing factory using micellar-enhanced ultrafiltration. *Desalination and Water Treatment* 52: 57-64. <http://dx.doi.org/10.1080/19443994.2013.782254>.
- Afonso, ML; Silva, RA; Matos, M; Viana, AS; Montemor, MF; Almeida, M. (2012). Studies on the electrochemical growth of (Per)<sub>2</sub>[Au(mnt)<sub>2</sub>]. *Langmuir* 28: 4883-4888. <http://dx.doi.org/10.1021/la204713s>.
- Agabekov, V; Golubovich, V; Pesetskii, S. (2012). Effect of Nanodisperse Carbon Fillers and Isocyanate Chain Extender on Structure and Properties of Poly(ethylene terephthalate). *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/870307>.
- Agarwal, C; Pandey, AK; Das, S; Sharma, MK; Pattyn, D; Ares, P; Goswami, A. (2012). Neck-size distributions of through-pores in polymer membranes. *J Memb Sci* 415: 608-615. <http://dx.doi.org/10.1016/j.memsci.2012.05.055>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aghatabay, N; Bayat, C. (1995). SYNTHESIS AND CHARACTERIZATION OF MODEL METAL-METAL COMPLEXES OF DIACETYLENES .2. *Turkish Journal of Chemistry* 19: 142-145.
- Agirtas, MS. (2008). Highly soluble phthalocyanines with hexadeca tert-butyl substituents. *Dyes and Pigments* 79: 247-251. <http://dx.doi.org/10.1016/j.dyepig.2008.03.004>.
- Agnihotri, N; Mehta, JR. (2004). Extractive spectrophotometric determination of tungsten(VI) using 3-hydroxy-2-(2'-thienyl)-4-oxo-4H-1-benzopyran. *Ann Chim* 94: 341-346.
- Agrawal, YK. (2006). Selective supercritical fluid extraction of uranium(VI) using N-phenyl-(1,2-methano-fullerene C-60)61-formohydroxamic acid and simultaneous on-line determination by inductively-coupled plasma-mass spectrometry (ICP-MS). *Fullerenes, Nanotubes, and Carbon Nanostructures* 14: 621-639. <http://dx.doi.org/10.1080/15363830600812365>.
- Agrawal, YK; Menon, SK; Sudhakar, S. (2001). Solvent extraction and separation of yttrium with dibenzo-18-crown-6. *Separation and Purification Technology* 24: 197-203.
- Agrawal, YK; Sudhakar, S. (2002). Extraction, separation and preconcentration of zirconium. *Separation and Purification Technology* 27: 111-119.
- Aguiar-Villarreal, IA; Hernandez-Montoya, V; Ramirez-Lopez, EM; Bonilla-Petriciolet, A; Montes-Moran, MA. (2016). Effect of surface chemistry of carbons from pine sawdust for the adsorption of acid, basic and reactive dyes and their bioregeneration using *Pseudomonas putida*. *Ecol Eng* 95: 112-118. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.056>.
- Agueda, VI; Crittenden, BD; Delgado, JA; Tennison, SR. (2011). Effect of channel geometry, degree of activation, relative humidity and temperature on the performance of binderless activated carbon monoliths in the removal of dichloromethane from air. *Separation and Purification Technology* 78: 154-163. <http://dx.doi.org/10.1016/j.seppur.2011.01.036>.
- Ahad, K; Anwar, T; Ahmad, I; Mohammad, A; Tahir, S; Aziz, S; Baloch, UK. (2000). Determination of insecticide residues in groundwater of Mardan Division, NWFP Pakistan: A case study. *Water SA* 26: 409-412.

## Fate Literature Search Results

### Off Topic

- Ahangar, AG; Smernik, RJ; Kookana, RS; Chittleborough, DJ. (2009). The effect of solvent-conditioning on soil organic matter sorption affinity for diuron and phenanthrene. *Chemosphere* 76: 1062-1066. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.027>.
- Ahlert, RC; Enzinger, JD. (1992). ANAEROBIC PROCESSES FOR THE DECHLORINATION OF 1,1,1-TRICHLOROETHANE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology* 27: 1675-1699.
- Ahmad, A; Othman, MR; Latif, MT. (2009). Early study of Surfactants in Indoor Dust and Their Connection With Street Dust. *International Journal of Environmental Research* 3: 403-410.
- Ahmad, IK; Wallis, AE; Whitehead, JC. (2003). The plasma destruction of odorous molecules: Organosulphur compounds. *High Temperature Material Processes* 7: 487-499.
- Ahmad, J; Hagg, M, ayB. (2013). Development of matrimid/zeolite 4A mixed matrix membranes using low boiling point solvent. *Separation and Purification Technology* 115: 190-197. <http://dx.doi.org/10.1016/j.seppur.2013.04.049>.
- Ahmad, J; Hagg, M, ayB. (2013). Effect of zeolite preheat treatment and membrane post heat treatment on the performance of polyvinyl acetate/zeolite 4A mixed matrix membrane. *Separation and Purification Technology* 115: 163-171. <http://dx.doi.org/10.1016/j.seppur.2013.04.050>.
- Ahmad, J; Hagg, M. (2013). Preparation and characterization of polyvinyl acetate/zeolite 4A mixed matrix membrane for gas separation. *J Memb Sci* 427: 73-84. <http://dx.doi.org/10.1016/j.memsci.2012.09.036>.
- Ahmad, N; Fazal, H; Abbasi, BH; Iqbal, M. (2011). In vitro larvicidal potential against *Anopheles stephensi* and antioxidative enzyme activities of *Ginkgo biloba*, *Stevia rebaudiana* and *Parthenium hysterophorus*. *Asian Pacific Journal of Tropical Medicine* 4: 169-175. [http://dx.doi.org/10.1016/S1995-7645\(11\)60063-1](http://dx.doi.org/10.1016/S1995-7645(11)60063-1).
- Ahmed, A; Forster, M; Clowes, R, ob; Bradshaw, D; Myers, P; Zhang, H. (2013). Silica SOS@HKUST-1 composite microspheres as easily packed stationary phases for fast separation. 1: 3276-3286. <http://dx.doi.org/10.1039/c2ta01125e>.
- Ahmed, M; George, SC. (2004). Changes in the molecular composition of crude oils during their preparation for GC and GC-MS analyses. *Organic Geochemistry* 35: 137-155. <http://dx.doi.org/10.1016/j.orggeochem.2003.10.002>.
- Ahmed, M; Laing, MD; Nsahlai, IV. (2013). In vitro anthelmintic activity of crude extracts of selected medicinal plants against *Haemonchus contortus* from sheep. *J Helminthol* 87: 174-179. <http://dx.doi.org/10.1017/S0022149X1200020X>.
- Ahmed, MJ; Dhedan, SK. (2012). Equilibrium isotherms and kinetics modeling of methylene blue adsorption on agricultural wastes-based activated carbons. *Fluid Phase Equilibria* 317: 9-14. <http://dx.doi.org/10.1016/j.fluid.2011.12.026>.
- Ahmed, MJ; Theydan, SK. (2012). Physical and chemical characteristics of activated carbon prepared by pyrolysis of chemically treated date stones and its ability to adsorb organics. *Powder Technology* 229: 237-245. <http://dx.doi.org/10.1016/j.powtec.2012.06.043>.
- Ahmed, N; Michelin-Jamois, M; Fessi, H; Elaissari, A. (2012). Modified double emulsion process as a new route to prepare submicron biodegradable magnetic/polycaprolactone particles for in vivo theranostics. *Soft Matter* 8: 2554-2564. <http://dx.doi.org/10.1039/c2sm06872a>.
- Ahn, H; Lee, Y. (2006). Pervaporation of dichlorinated organic compounds through silicalite-1 zeolite membrane. *J Memb Sci* 279: 459-465. <http://dx.doi.org/10.1016/j.memsci.2005.12.060>.
- Ahrens, MJ; Depree, CV. (2010). A source mixing model to apportion PAHs from coal tar and asphalt binders in street pavements and urban aquatic sediments. *Chemosphere* 81: 1526-1535. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.030>.
- Aizpuru, A; Malhautier, L; Roux, JC; Fanlo, JL. (2001). Biofiltration of a mixture of volatile organic emissions. *Journal of the Air and Waste Management Association* 51: 1662-1670.
- Ajwa, HA; Tabatabai, MA. (1993). COMPARISON OF SOME METHODS FOR DETERMINATION OF SULFATE IN SOILS. *Commun Soil Sci Plant Anal* 24: 1817-1832.
- Aker, S; Boke, O; Dundar, C; Peksen, Y. (2007). The effects of temperament and character on the choice of contraceptive methods. *Eur J Contracept Reprod Health Care* 12: 378-384. <http://dx.doi.org/10.1080/13625180701393561>.
- Akhil, AV; Raj, DDD; Raj, MK; Bhat, SR, SR; Akshay, V; Bhowmik, S; Ramanathan, S; Ahmed, S. (2016). Vaporized solvent bonding of polymethyl methacrylate. *J Adhes Sci Tech* 30: 826-841. <http://dx.doi.org/10.1080/01694243.2015.1125721>.
- Akin, I; Erdemir, S; Yilmaz, M; Ersoz, M. (2012). Calix[4]arene derivative bearing imidazole groups as carrier for the transport of palladium by using bulk liquid membrane. *J Hazard Mater* 223-224: 24-30. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.043>.
- Akinci, A; Malagnini, L; Herrmann, RB; Gok, R; Sorensen, MB. (2006). Ground motion scaling in the Marmara region, Turkey. *Geophysical Journal International* 166: 635-651. <http://dx.doi.org/10.1111/j.1365-246X.2006.02971.x>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, Y; Valsaraj, KT; Wetzel, DM; Harrison, DP. (1996). On the performance of a cascade crossflow air stripping column. *Ind Eng Chem Res* 35: 3597-3606.
- Akram, M; Saleh, A, liT; Ibrahim, W, anAWan; Awan, AS; Hussain, R. (2016). Continuous microwave flow synthesis (CMFS) of nano-sized tin oxide: Effect of precursor concentration. *Ceramics International* 42: 8613-8619. <http://dx.doi.org/10.1016/j.ceramint.2016.02.092>.
- Akrout, H; Boussemlil, L. (2012). Chloride ions as an agent promoting the oxidation of synthetic dyestuff on BDD electrode. *Desalination and Water Treatment* 46: 171-181. <http://dx.doi.org/10.1080/19443994.2012.677528>.
- Akyüz, M; Ata, Ş. (2013). Seasonal variations of particle-associated nitrosamines by gas chromatography-mass spectrometry in the atmospheric environment of Zonguldak, Turkey. *Environ Sci Pollut Res Int* 20: 7398-7412. <http://dx.doi.org/10.1007/s11356-013-1758-y>.
- Alaei, M; Mahjoub, A, liR; Rashidi, A. (2012). Preparation of Different WO<sub>3</sub> Nanostructures and Comparison of Their Ability for Congo Red Photo Degradation. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 31: 31-36.

## Fate Literature Search Results

### Off Topic

- Alam, M; Ahmad, S; Malik, A. (2009). Genotoxic and mutagenic potential of agricultural soil irrigated with tannery effluents at Jajmau (Kanpur), India. *Arch Environ Contam Toxicol* 57: 463-476. <http://dx.doi.org/10.1007/s00244-009-9284-0>.
- Alam, MS; West, CE; Scarlett, AG; Rowland, SJ; Harrison, R. (2013). Application of 2D-GCMS reveals many industrial chemicals in airborne particulate matter. *Atmos Environ* 65: 101-111. <http://dx.doi.org/10.1016/j.atmosenv.2012.10.014>.
- Alameh, R; Borensztein, Y. (1992). OPTICAL STUDY OF OXYGEN AND SILVER ADSORBED ON SI(111) SURFACES. *Appl Surf Sci* 56-8: 535-539.
- Alarcos, N; Angel Organero, J; Sanchez, F; Douhal, A. (2014). Exploring the Photobehavior of Nanocaged Monomers and H- and J-Aggregates of a Proton-Transfer Dye within NaX and NaY Zeolites. *J Phys Chem C* 118: 8217-8226. <http://dx.doi.org/10.1021/jp412544y>.
- Alawi, M; Rasheed, M; Ali-Masri, MG. (2007). Organochlorine pesticides in sea water and sediment samples from the AQABA gulf. *Fresen Environ Bull* 16: 1131-1136.
- Alaya, MN; Hourieh, MA; Youssef, AM; El-Sejarah, F. (2000). Adsorption properties of activated carbons prepared from olive stones by chemical and physical activation. *AST* 18: 27-42.
- Alayo, MA; Femi-Oyewo, MN; Bakre, LG; Fashina, AO. (2015). LARVICIDAL POTENTIAL AND MOSQUITO REPELLENT ACTIVITY OF CASSIA MIMOSOIDES EXTRACTS. *Southeast Asian J Trop Med Public Health* 46: 596-601.
- Alberici, RM; Canela, MC; Eberlin, MN; Jardim, WF. (2001). Catalyst deactivation in the gas phase destruction of nitrogen-containing organic compounds using TiO<sub>2</sub>/UV-VIS. *Appl Catal B-Environ* 30: 389-397.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ* 14: 55-68.
- Alberts, AC; Sharp, TR; Werner, DI; Weldon, PJ. (1992). SEASONAL-VARIATION OF LIPIDS IN FEMORAL GLAND SECRETIONS OF MALE GREEN IGUANAS (IGUANA-IGUANA). *J Chem Ecol* 18: 703-712.
- Al-Bishri, HM; El-Hallag, IS; El-Mossalamy, EH. (2011). Electrochemical Properties of Closo-2,3-dicarbundecaborane in Dichloromethane at a Glassy Carbon Electrode using Potentiostatic, Galvanostatic and Digital Simulation Methods. *Journal of New Materials for Electrochemical Systems* 14: 51-57.
- Albunia, AR; Graf, R. (2011). The Effect of Inclusion of Dichloromethane in the -Clathrate Phase of Syndiotactic Polystyrene. *Soft Materials* 9: 183-198. <http://dx.doi.org/10.1080/1539445X.2011.552362>.
- Alcantara-Rodriguez, M; Olivera-Pastor, P; Rodriguez-Castellon, E; Jimenez-Lopez, A; Lenarda, M; Storaro, L; Ganzerla, R. (1998). Acidic properties of porous Ga/Cr mixed oxides intercalated in alpha zirconium phosphate. *J Mater Chem* 8: 1625-1630.
- Aldib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aldred, MP; Li, C; Zhang, G, uoF; Gong, W, enL; Li, ADQ; Dai, Y; Ma, D; Zhu, MQ. (2012). Fluorescence quenching and enhancement of vitrifiable oligofluorenes end-capped with tetraphenylethene. *J Mater Chem* 22: 7515-7528. <http://dx.doi.org/10.1039/c2jm30261f>.
- Alexander, BM; Baxter, CS. (2016). Flame-retardant contamination of firefighter personal protective clothing - A potential health risk for firefighters. *J Occup Environ Hyg* 13: D148-D155. <http://dx.doi.org/10.1080/15459624.2016.1183016>.
- Alexeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. *Carbon* 46: 2059-2066. <http://dx.doi.org/10.1016/j.carbon.2008.08.019>.
- Alhassan, S; Robinson, TN. (2008). Objectively measured physical activity and cardiovascular disease risk factors in African American girls. *Ethn Dis* 18: 421-426.
- Al-Hossainy, AF. (2016). Synthesis, spectral, thermal, optical dispersion and dielectric properties of nanocrystalline dimer complex (PEPyr-diCd) thin films as novel organic semiconductor. *Bulletin of Materials Science* 39: 209-222. <http://dx.doi.org/10.1007/s12034-015-1111-9>.
- Ali, A; Barman, SK; Mukherjee, R. (2015). Palladium(II) Complex of a Redox-Active Amidophenolate-Based O,N,S,N Ligand: Its Monocation and Dication and Reactivity with PPh<sub>3</sub>. *Inorg Chem* 54: 5182-5194. <http://dx.doi.org/10.1021/ic503103e>.
- Ali, FA; Hauser, A; Abdullah, HA; Al-Adwani, A. (2006). Accelerated solvent extraction of spent hydrotreating catalysts: A study on oil and coke fractions. *Energy Fuels* 20: 45-53. <http://dx.doi.org/10.1021/ef0501905>.
- Ali, MA; Baugh, PJ. (2003). Pyrethroid soil extraction, properties of mixed solvents and time profiles using GC/MS-NICI analysis. *Int J Environ Anal Chem* 83: 909-922. <http://dx.doi.org/10.1080/03067310310001608768>.
- Ali, MC; Suzuki, T; Tachibana, Y, u; Sasaki, Y; Ikeda, Y. (2012). Selective extraction of perrhenate anion in nitric acid solution using 2,2'-(imino)bis(N,N'-diethylacetamide) as an extractant. *Separation and Purification Technology* 92: 77-82. <http://dx.doi.org/10.1016/j.seppur.2012.03.021>.
- Ali, W; Sultana, P; Joshi, M; Rajendran, S. (2016). A solvent induced crystallisation method to imbue bioactive ingredients of neem oil into the compact structure of poly (ethylene terephthalate) polyester. *Mater Sci Eng C* 64: 399-406. <http://dx.doi.org/10.1016/j.msec.2016.04.002>.
- Alimpic, A, na; Pljevljakusic, D; Savikin, K; Knezevic, A; Curcic, M; Velickovic, D; Stevic, T; Petrovic, G; Matevski, V; Vukojevic, J; Markovic, S; Marin, PD; Duletic-Lausevic, S. (2015). Composition and biological effects of Salvia ringens (Lamiaceae) essential oil and extracts. *Ind Crop Prod* 76: 702-709. <http://dx.doi.org/10.1016/j.indcrop.2015.07.053>.
- Alino, PM; Coll, JC; Sammarco, PW. (1992). TOXIC PREY DISCRIMINATION IN A HIGHLY SPECIALIZED PREDATOR CHAETODON-MELANNOTUS (BLOCK ET SCHNEIDER) - VISUAL VS CHEMICAL CUES. *Exp Mar Bio Ecol* 164: 209-220.
- Alizadeh, N; Mahjoub, M. (2015). A comparison between determination of trace amounts of sulfide in the presence and absence of micelle particles in natural waters (Qazvin, Iran): a kinetic spectrophotometric approach. *Environ Monit Assess* 187: 248. <http://dx.doi.org/10.1007/s10661-015-4478-6>.
- Alkire, R; Araujo, O. (1992). PROCESS STUDIES ON INDIRECT ELECTROSYNTHESIS OF 1,4-NAPHTHOQUINONE. *J Electrochem Soc* 139: 737-744.

## Fate Literature Search Results

### Off Topic

- Allcock, NR; Sunderland, NJ; Primrose, AP; Rheingold, AL; Guzei, IA; Parvez, M. (1999). A new host for polymer and small-molecule clathration. *Chem Mater* 11: 2478-2485.
- Allen, J; Kligerman, A; Campbell, J; Westbrook-Collins, B; Erexson, G; Kari, F; Zeiger, E. (1990). Cytogenetic analyses of mice exposed to dichloromethane. *Environ Mol Mutagen* 15: 221-228. <http://dx.doi.org/10.1002/em.2850150409>.
- Allen, LH; Lapointe, CL. (2003). Temperature and pH: Important variables for deresination in kraft brownstock washing. *Pulp and Paper Canada* 104: 59-62.
- Al-Lihaibi, SS. (2003). Photo-oxidation products of petroleum hydrocarbons in the Eastern Red Sea coastal waters. *Environ Int* 28: 573-579.
- Almendros, G; Guadalix, ME; Gonzalez-Vila, FJ; Martin, F. (1998). Distribution of structural units in humic substances as revealed by multi-step selective degradations and C-13-NMR of successive residues. *Soil Biol Biochem* 30: 755-765.
- Al-Merey, R; Al-Hameish, M. (2003). New procedure for the formation of the V(2)O(3)I(4) chelate in organic medium and its use in selective spectrophotometric determination of vanadium in commercial phosphoric acid. 10: 1-11.
- Almodóvar, J; Kipper, MJ. (2011). Coating electrospun chitosan nanofibers with polyelectrolyte multilayers using the polysaccharides heparin and N,N,N-trimethyl chitosan. *Macromol Biosci* 11: 72-76. <http://dx.doi.org/10.1002/mabi.201000261>.
- Almqvist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen* 214: 259-271.
- Al-Mutlaq, K; Rushdi, AI; Simoneit, BRT. (2007). Organic compound tracers of fine soil and sand particles during summer in the metropolitan area of Riyadh, Saudi Arabia. *Environ Geol* 52: 559-571. <http://dx.doi.org/10.1007/s00254-006-0487-7>.
- Alonso, C; Zhu, XQ; Suidan, MT; Kim, BR; Kim, BJ. (2000). Parameter estimation in biofilter systems. *Environ Sci Technol* 34: 2318-2323.
- Alonsoamelot, ME; Perezmena, M; Calcagno, MP; Jaimesespiñoza, R; Castillo, U. (1992). ONTOGENIC VARIATION OF BIOLOGICALLY-ACTIVE METABOLITES OF PTERIDIUM-AQUILINUM (L-KUHN), PTEROSIN-A AND PTEROSIN-B, AND PTAQUILOSIDE IN A BRACKEN POPULATION OF THE TROPICAL ANDES. *J Chem Ecol* 18: 1405-1420.
- Al-Rasbi, NK; Adams, H; Suliman, FO. (2014). Synthesis, structure and tunable white-light emission of dinuclear Eu(III) Schiff base complex. *Dyes and Pigments* 104: 83-88. <http://dx.doi.org/10.1016/j.dyepig.2013.12.030>.
- Alshahateet, SF; Bishop, R; Craig, DC; Scudder, ML. (2004). Role of double C-H center dot center dot center dot N weak hydrogen bonding motifs in N-heteroaromatic inclusion chemistry. *Cryst Growth Des* 4: 837-844. <http://dx.doi.org/10.1021/cg049927r>.
- Alsop, D; Hewitt, M; Kohli, M; Brown, S; Van Der Kraak, G. (2003). Constituents within pulp mill effluent deplete retinoid stores in white sucker and bind to rainbow trout retinoic acid receptors and retinoid X receptors. *Environ Toxicol Chem* 22: 2969-2976.
- Alther, G. (2002). Using organoclays to enhance carbon filtration. *Waste Manag* 22: 507-513.
- Altintig, E; Kirkil, S. (2016). Preparation and properties of Ag-coated activated carbon nanocomposites produced from wild chestnut shell by ZnCl<sub>2</sub> activation. *Taiwan Institute of Chemical Engineers Journal* 63: 180-188. <http://dx.doi.org/10.1016/j.jtice.2016.02.032>.
- Altun, G; Osgouei, A, liE. (2014). Investigation and remediation of active-clay contaminated sepiolite drilling muds. *Appl Clay Sci* 102: 238-245. <http://dx.doi.org/10.1016/j.clay.2014.10.002>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Juan-Juan, J; Linares-Solano, A; Rodriguez, JJ. (2010). Gas-phase hydrodechlorination of dichloromethane with activated carbon-supported metallic catalysts. *Chem Eng J* 162: 599-608. <http://dx.doi.org/10.1016/j.cej.2010.06.002>.
- Álvarez-Montero, MA; Gómez-Sainero, LM; Martín-Martínez, M; Heras, F; Rodríguez, JJ. (2010). Hydrodechlorination of chloromethanes with Pd on activated carbon catalysts for the treatment of residual gas streams. *Appl Catal B-Environ* 96: 148-156. <http://dx.doi.org/10.1016/j.apcatb.2010.02.012>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Mayoral, A; Diaz, I; Baker, RT; Rodriguez, JJ. (2011). Hydrodechlorination of chloromethanes with a highly stable Pt on activated carbon catalyst. *J Catal* 279: 389-396. <http://dx.doi.org/10.1016/j.jcat.2011.02.009>.
- Alver, E; Metin, AU. (2012). Anionic dye removal from aqueous solutions using modified zeolite: Adsorption kinetics and isotherm studies. *Chem Eng J* 200: 59-67. <http://dx.doi.org/10.1016/j.cej.2012.06.038>.
- Alves, C; Carvalho, A; Pio, C. (2002). Mass balance of organic carbon fractions in atmospheric aerosols. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD000616>.
- Alves, C; Pio, C; Carvalho, A; Santos, C. (2006). Atmospheric carbonaceous aerosols over grasslands of central Europe and a Boreal forest. *Chemosphere* 63: 153-164. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.004>.
- Alves, CA; Vicente, ED; Rocha, S; Vicente, A, naM. (2017). Organic tracers in aerosols from the residential combustion of pellets and agro-fuels. *Air Qual Atmos Health* 10: 37-45. <http://dx.doi.org/10.1007/s11869-016-0406-3>.
- Alves, DS; Morejon, RC; Teixeira Machado, AR; Carvalho, GA; Pina, O; Oliveira, DF. (2015). Acaricidal activity of Annonaceae fractions against *Tetranychus tumidus* and *Tetranychus urticae* (Acari: Tetranychidae) and the metabolite profile of *Duguetia lanceolata* (Annonaceae) using GC-MS. 36: 4119-4132. <http://dx.doi.org/10.5433/1679-0359.2015v36n6Supl2p4119>.
- Alves, LC; Miyamaru Seo, ES. (2014). Solid waste characterization from galvanic process for an environmental economic evaluation. *Engenharia Sanitaria e Ambiental* 19: 423-434. <http://dx.doi.org/10.1590/S1413-41522014019000000637>.
- Alves, R; Preto, M; Vasconcelos, V; Oliveira, RS; Martins, R. (2015). Cytotoxicity Induced by Extracts of *Pisolithus tinctorius* Spores on Human Cancer and Normal Cell Lines-Evaluation of the Anticancer Potential. *J Toxicol Environ Health A* 78: 840-847. <http://dx.doi.org/10.1080/15287394.2015.1051176>.
- Alzaga, R; Maldonado, C; Bayona, JM. (1998). Intercomparison among SFE, ASE, Soxhlet and sonication for the trialkylamine determination in sediment and sludge. *Int J Environ Anal Chem* 72: 99-111.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1577-1590.

## Fate Literature Search Results

### Off Topic

- Amanullah, FM; Al-Mobarak, MS; Al-Dhafiri, AM; Al-Shibani, KM. (1999). Development of spray technique for the preparation of thin films and characterization of tin oxide transparent conductors. *Mater Chem Phys* 59: 247-253.
- Amarillo, AC; Tavera Busso, I; Carreras, H. (2014). Exposure to polycyclic aromatic hydrocarbons in urban environments: Health risk assessment by age groups. *Environ Pollut* 195: 157-162. <http://dx.doi.org/10.1016/j.envpol.2014.08.027>.
- Ambrus, A; Füzési, I; Susán, M; Dobi, D; Lantos, J; Zakar, F; Korsós, I; Oláh, J; Beke, BB; Katavics, L. (2005). A cost-effective screening method for pesticide residue analysis in fruits, vegetables, and cereal grains. *J Environ Sci Health B* 40: 297-339. <http://dx.doi.org/10.1081/PFC-200045554>.
- Amedee, T; Despeyroux, S. (1995). ATP ACTIVATES CATIONIC AND ANIONIC CONDUCTANCES IN SCHWANN-CELLS CULTURED FROM DORSAL-ROOT GANGLIA OF THE MOUSE. *Proc Biol Sci* 259: 277-284.
- Ameen, S; Akhtar, MS; Seo, HK, ee; Shin, HS. (2014). Distinctive polypyrrole nanobelts as prospective electrode for the direct detection of aliphatic alcohols: Electrocatalytic properties. *Appl Catal B-Environ* 144: 665-673. <http://dx.doi.org/10.1016/j.apcatb.2013.07.053>.
- Amendola, G; Pelosi, P; Dommarco, R. (2011). Solid-phase extraction for multi-residue analysis of pesticides in honey. *J Environ Sci Health B* 46: 24-34. <http://dx.doi.org/10.1080/03601234.2010.515170>.
- Ameur, ZO; Husein, MM. (2013). Electrochemical Behavior of Potassium Ferricyanide in Aqueous and (w/o) Microemulsion Systems in the Presence of Dispersed Nickel Nanoparticles. *Separation Science and Technology* 48: 681-689. <http://dx.doi.org/10.1080/01496395.2012.712594>.
- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data* 43: 1096-1101.
- Amine, MS; Mahmoud, AA; Badr, SK; Gouda, AS. (2012). Fatty Acids in Heterocyclic Synthesis Part XII: Synthesis of Surfactants from Pyrazole, Isoxazole, Pyrimidine and Triazine, Incorporating the 1,3,4-Thiadiazole Moiety Having Dyeing and Antimicrobial Activities. *Journal of Surfactants and Detergents* 15: 179-190. <http://dx.doi.org/10.1007/s11743-011-1301-4>.
- Amjad, MW; Amin, MC; Katas, H; Butt, AM. (2012). Doxorubicin-loaded cholic acid-polyethyleneimine micelles for targeted delivery of antitumor drugs: synthesis, characterization, and evaluation of their in vitro cytotoxicity. *Nanoscale Res Lett* 7: 687. <http://dx.doi.org/10.1186/1556-276X-7-687>.
- Amsel, J; Soden, KJ; Sielken, RL; Valdez-Flora, C. (2001). Observed versus predicted carboxyhemoglobin levels in cellulose triacetate workers exposed to methylene chloride. *Am J Ind Med* 40: 180-191.
- Amusant, N; Moretti, C; Richard, B; Prost, E; Nuzillard, JM; Thevenon, MF. (2007). Chemical compounds from *Eperua falcata* and *Eperua grandiflora* heartwood and their biological activities against wood destroying fungus (*Coriolus versicolor*). *Holz als Roh- und Werkstoff* 65: 23-28. <http://dx.doi.org/10.1007/s00107-006-0120-1>.
- An, JM; Franceschetti, A; Zunger, A. (2007). The excitonic exchange splitting and radiative lifetime in PbSe quantum dots. *Nano Lett* 7: 2129-2135. <http://dx.doi.org/10.1021/nl071219f>.
- Anarjan, N; Tan, CP; Ling, TC; Lye, KL; Malmiri, HJ; Nehdi, IA; Cheah, YK; Mirhosseini, H; Baharin, BS. (2011). Effect of organic-phase solvents on physicochemical properties and cellular uptake of astaxanthin nanodispersions. *J Agric Food Chem* 59: 8733-8741. <http://dx.doi.org/10.1021/jf201314u>.
- Anaya, AL; Hernandez-Bautista, BE; Jimenez-Estrada, M; Velasco-Ibarra, L. (1992). Phenylacetic acid as a phytotoxic compound of corn pollen. *J Chem Ecol* 18: 897-905.
- Anbalagan, C; Lafayette, I; Antoniou-Kourounioti, M; Gutierrez, C; Martin, JR; Chowdhuri, DK; De Pomerai, DI. (2013). Use of transgenic GFP reporter strains of the nematode *Caenorhabditis elegans* to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. *Ecotoxicology* 22: 72-85. <http://dx.doi.org/10.1007/s10646-012-1004-2>.
- Andersen, ME. (1991). Physiological modelling of organic compounds. *Ann Occup Hyg* 35: 309-321. <http://dx.doi.org/10.1093/annhyg/35.3.309>.
- Andersen, ME; Clewell, H; Krishnan, K. (1995). Tissue dosimetry, pharmacokinetic modeling, and interspecies scaling factors [Review]. *Risk Anal* 15: 533-537.
- Andersen, ME; Conolly, RB; Faustman, EM; Kavlock, RJ; Portier, CJ; Sheehan, DM; Wier, PJ; Ziese, L. (1999). Quantitative mechanistically based dose-response modeling with endocrine-active compounds. *Environ Health Perspect* 107 Suppl 4: 631-638.
- Andersen, ME; Dennison, JE. (2001). Mode of action and tissue dosimetry in current and future risk assessments [Review]. *Sci Total Environ* 274: 3-14. [http://dx.doi.org/10.1016/S0048-9697\(01\)00744-6](http://dx.doi.org/10.1016/S0048-9697(01)00744-6).
- Andersen, ME; Dennison, JE. (2002). Toxicokinetic models: Where we've been and where we need to go! *Hum Ecol Risk Assess* 8: 1375-1395.
- Andersen, ME; Krishnan, K. (1994). Physiologically based pharmacokinetics and cancer risk assessment. *Environ Health Perspect* 102: 103-108.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Clark, SB; Madson, MR; Gieseker, CA; Miller, RA; Rummel, NG; Reimschuessel, R. (2008). Determination and confirmation of melamine residues in catfish, trout, tilapia, salmon, and shrimp by liquid chromatography with tandem mass spectrometry. *J Agric Food Chem* 56: 4340-4347. <http://dx.doi.org/10.1021/jf800295z>.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Evans, E; Hasbrouck, N; Mayer, TD; Gieseker, CM; Nochetto, C; Stine, CB; Reimschuessel, R. (2011). Bioaccumulation of melamine in catfish muscle following continuous, low-dose, oral administration. *J Agric Food Chem* 59: 3111-3117. <http://dx.doi.org/10.1021/jf104385d>.
- Andersen, WC; Turnipseed, SB; Roybal, JE. (2006). Quantitative and confirmatory analyses of malachite green and leucomalachite green residues in fish and shrimp. *J Agric Food Chem* 54: 4517-4523. <http://dx.doi.org/10.1021/jf0532258>.
- Anderson, JA; Hardgrove, E; Cavitt, TB; Reeves, PC. (2007). Photoinitiation of multifunctional acrylates via ferrocene-alkyl chloride charge transfer complexes. *JCT Research* 4: 43-49. <http://dx.doi.org/10.1007/s11998-007-9008-1>.

## Fate Literature Search Results

### Off Topic

- Anderson, JW; Jones, JM; Steinert, S; Sanders, B; Means, J; Mcmillin, D; Vu, T; Tukey, R. (1999). Correlation of CYP1A1 induction, as measured by the P450 RGS biomarker assay, with high molecular weight PAHs in mussels deployed at various sites in San Diego Bay in 1993 and 1995. *Mar Environ Res* 48: 4-5.
- Anderson, JW; Rossi, SS; Tukey, RH; Vu, T; Quattrochi, LC. (1995). A biomarker, P450 RGS, for assessing the induction potential of environmental samples. *Environ Toxicol Chem* 14: 1159-1169. <http://dx.doi.org/10.1002/etc.5620140706>.
- Anderson, KB; Collins, MJ; Franich, RA; Kroese, HW. (1992). FORMATION OF 7-KETODEHYDROABIETIC ACID AT THE RADIATA PINE WOOD SURFACE, AND ITS EFFECT ON WOOD YELLOWING. *Journal of Wood Chemistry and Technology* 12: 323-333.
- Anderson, MT; Martin, JE; Odinek, JG; Newcomer, PP. (1998). Surfactant-templated silica mesophases formed in water : cosolvent mixtures. *Chem Mater* 10: 311-321.
- Ando, T; Toia, RF; Casida, JE. (1991). EPOXY AND HYDROXY DERIVATIVES OF (S)-BIOALLETHRIN AND PYRETHRINS-I AND PYRETHRINS-II - SYNTHESIS AND METABOLISM. *J Agric Food Chem* 39: 606-611.
- Andres, Y; Dumont, E; Le Cloirec, P; Ramirez-Lopez, E. (2006). Wood bark as packing material in a biofilter used for air treatment. *Environ Technol* 27: 1297-1301.
- Anfossi, L; Calderara, M; Baggiani, C; Giovannoli, C; Arletti, E; Giraudi, G. (2008). Development and application of solvent-free extraction for the detection of aflatoxin M1 in dairy products by enzyme immunoassay. *J Agric Food Chem* 56: 1852-1857. <http://dx.doi.org/10.1021/jf073133d>.
- Angin, D; Altintig, E; Köse, TE. (2013). Influence of process parameters on the surface and chemical properties of activated carbon obtained from biochar by chemical activation. *Bioresour Technol* 148: 542-549. <http://dx.doi.org/10.1016/j.biortech.2013.08.164>.
- Anicai, L; Petica, A; Patroi, D; Marinescu, V; Prioteasa, P; Costovici, S. (2015). Electrochemical synthesis of nanosized TiO<sub>2</sub> nanopowder involving choline chloride based ionic liquids. *Mater Sci Eng B* 199: 87-95. <http://dx.doi.org/10.1016/j.mseb.2015.05.005>.
- Anikeev, V; Tsang, W; Manion, JA. (2006). Density effects in the reaction of 2-propanol in supercritical water. *Combust Sci Tech* 178: 417-441. <http://dx.doi.org/10.1080/00102200500287266>.
- Anirudhan, TS; Ramachandran, M. (2015). Adsorptive removal of basic dyes from aqueous solutions by surfactant modified bentonite clay (organoclay): Kinetic and competitive adsorption isotherm. *Process Saf Environ Protect* 95: 215-225. <http://dx.doi.org/10.1016/j.psep.2015.03.003>.
- Anis, SM; Hosny, MM; Abdellatef, HE; El-Balkiny, MN. (2011). SPECTROPHOTOMETRIC, ATOMIC ABSORPTION AND CONDUCTOMETRIC ANALYSIS OF TRAMADOL HYDROCHLORIDE. *Chemical Industry and Chemical Engineering Quarterly* 17: 269-282. <http://dx.doi.org/10.2298/CICEQ101206012A>.
- Annan, KO; Scherf, U; Mullen, K. (1999). Visible-emitting poly[(3',4'-dialkoxy-carbonyl-2'-hydroxy-1,1':5',1''-terphenyl-4,4''-ylene)]. *Synthetic Metals* 99: 9-16.
- Anon. (1974). Degreasing at Bridgeport-Brass with methylene chloride. *Industrial Finishing* 50: 72-73.
- Anon. (1995). Paint Strippers- methylene chloride hard to beat. *Chem Eng News* 73: 45-47.
- Anouar, B, enS; Guinot, C; Ruiz, JC; Charton, F; Dole, P; Joly, C; Yvan, C. (2015). Purification of post-consumer polyolefins via supercritical CO<sub>2</sub> extraction for the recycling in food contact applications. *Journal of Supercritical Fluids* 98: 25-32. <http://dx.doi.org/10.1016/j.supflu.2014.12.022>.
- Anozie, AN; Okuhon, EE; Osuolale, FN; Adewole, JK. (2010). Dehydration of Ethanol-Water Mixture Using Activated Carbons from Sawdust and Palm Kernel Shells. *Separation Science and Technology* 45: 1482-1489. <http://dx.doi.org/10.1080/01496391003775998>.
- Ansorena, D; Astiasaran, I; Bello, J. (2000). Influence of the simultaneous addition of the protease flavourzyme and the lipase novozym 677BG on dry fermented sausage compounds extracted by SDE and analyzed by GC-MS. *J Agric Food Chem* 48: 2395-2400.
- Antoine, C; Irvoas, J; Schwarzenberger, K; Eckert, K; Wodlei, F; Pimienta, V. (2016). Self-Pinning on a Liquid Surface. *Journal of Physical Chemistry Letters* 7: 520-524. <http://dx.doi.org/10.1021/acs.jpcllett.5b02724>.
- Antoine, C; Pimienta, V. (2013). Mass-spring model of a self-pulsating drop. *Langmuir* 29: 14935-14946. <http://dx.doi.org/10.1021/la403678r>.
- Antonelli, A; Fabbri, C; Giorgioni, ME; Bazzocchi, R. (1997). Characterization of 24 old garden roses from their volatile compositions. *J Agric Food Chem* 45: 4435-4439.
- Antonello, S; Hesari, M; Polo, F; Maran, F. (2012). Electron transfer catalysis with monolayer protected Au<sub>25</sub> clusters. *Nanoscale* 4: 5333-5342. <http://dx.doi.org/10.1039/c2nr31066j>.
- Antonov, L; Kawachi, S; Satoh, M; Komiyama, J. (1999). Ab initio modeling of the solvent influence on the azo-hydrazone tautomerism. *Dyes and Pigments* 40: 163-170.
- Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. *Int Arch Occup Environ Health* 65: 247-251. <http://dx.doi.org/10.1007/BF00381198>.
- Apak, R; Güçlü, K; Ozyürek, M; Karademir, SE. (2004). Novel total antioxidant capacity index for dietary polyphenols and vitamins C and E, using their cupric ion reducing capability in the presence of neocuproine: CUPRAC method. *J Agric Food Chem* 52: 7970-7981. <http://dx.doi.org/10.1021/jf048741x>.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc* 837: 154-164.
- Apelblat, A; Wisniak, J; Tamir, A. (1981). VAPOR-LIQUID-EQUILIBRIA IN THE DICHLOROMETHANE-CHLOROBROMOMETHANE-DIBROMOMETHANE SYSTEM AND ITS BINARIES. *Journal of Chemical and Engineering Data* 26: 144-147.
- Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. *Energy Fuels* 17: 565-570. <http://dx.doi.org/10.1021/ef020149r>.



## Fate Literature Search Results

### Off Topic

- Apicella, B; Ciajolo, A; Suelves, I; Morgan, TJ; Herod, AA; Kandiyoti, R. (2002). Structural characterization of products from fuel-rich combustion: an approach based on size exclusion chromatography. *Combust Sci Tech* 174: 345-359.  
<http://dx.doi.org/10.1080/00102200290021713>.
- Arabpour, N; Nezamzadeh-Ejhih, A. (2015). Modification of clinoptilolite nano-particles with iron oxide: Increased composite catalytic activity for photodegradation of cotrimaxazole in aqueous suspension. *Materials Science in Semiconductor Processing* 31: 684-692.  
<http://dx.doi.org/10.1016/j.mssp.2014.12.067>.
- Aragon, DM; Rosas, JE; Martinez, F. (2014). EFFECT OF THE IBUPROFEN SOLUBILITY IN ACETONE AND DICHLOROMETHANE ON THE DRUG RELEASE PROFILES FROM PLGA MICROSPHERES. *Lat Am Appl Res* 44: 87-87.
- Aranda, A, nal; Achelle, S; Hammerer, F; Mahuteau-Betzer, F; Teulade-Fichou, MP. (2012). Vinyl-diazine triphenylamines and their N-methylated derivatives: Synthesis, photophysical properties and application for staining DNA. *Dyes and Pigments* 95: 400-407.  
<http://dx.doi.org/10.1016/j.dyepig.2012.04.009>.
- Aranyos, V; Grennberg, H; Tingry, S; Lindquist, SE; Hagfeldt, A. (2000). Electrochemical and photoelectrochemical investigation of new carboxylatobipyridine (bis-bipyridine)ruthenium(II) complexes for dye-sensitized TiO<sub>2</sub> electrodes. *Solar Energy Materials and Solar Cells* 64: 97-114.
- Aranzabal, A; Gonzalez-Marcos, JA; Ayastuy, JL; Gonzalez-Velasco, JR. (2006). Kinetics of Pd/alumina catalysed 1,2-dichloroethane gas-phase oxidation. *Chem Eng Sci* 61: 3564-3576. <http://dx.doi.org/10.1016/j.ces.2005.12.031>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol* 91: 318-326.  
<http://dx.doi.org/10.1002/jctb.4585>.
- Araujo, PLB; Araujo, ES; Santos, RFS; Pacheco, APL. (2005). Synthesis and morphological characterization of PMMA/polyaniline nanofiber composites. *Microelectronics Journal* 36: 1055-1057. <http://dx.doi.org/10.1016/j.mejo.2005.04.024>.
- Araya-Hermosilla, R; Araya-Hermosilla, E; Torres-Gallegos, C; Alarcon-Alarcon, C; Moreno-Villoslada, I. (2013). Sensing Cu<sup>2+</sup> by controlling the aggregation properties of the fluorescent dye rhodamine 6G with the aid of polyelectrolytes bearing different linear aromatic density. *React Funct Polym* 73: 1455-1463. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.07.013>.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res* 30: 1885-1893.
- Arcus-Arth, A; Blaisdell, RJ. (2007). Statistical distributions of daily breathing rates for narrow age groups of infants and children. *Risk Anal* 27: 97-110. <http://dx.doi.org/10.1111/j.1539-6924.2006.00862.x>.
- Areias, AC; Gomez-Tejedor, JA; Sencadas, V; Alio, J; Gomez Ribelles, JL; Lanceros-Mendez, S. (2012). Assessment of parameters influencing fiber characteristics of chitosan nanofiber membrane to optimize fiber mat production. *Polymer Engineering and Science* 52: 1293-1300.  
<http://dx.doi.org/10.1002/pen.23070>.
- Arevalo-Bastante, A; Alvarez-Montero, MA; Bedia, J; Gomez-Sainero, LM; Rodriguez, JJ. (2015). Gas-phase hydrodechlorination of mixtures of chloromethanes with activated carbon-supported platinum catalysts. *Appl Catal B-Environ* 179: 551-557.  
<http://dx.doi.org/10.1016/j.apcatb.2015.05.058>.
- Ariadna Alvarez-Montero, M; Jose Rodriguez, J; Maria Gomez-Sainero, L. (2016). Platinum Nanoparticles Supported on Activated Carbon Catalysts for the Gas-phase Hydrodechlorination of Dichloromethane: Influence of Catalyst Composition and Operating Conditions. 6. <http://dx.doi.org/10.5772/62593>.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res* 54: 2023-2029.  
<http://dx.doi.org/10.1021/ie5042484>.
- Ariff, FTM; Yunus, N; Baig, MR. (2011). The effect of mechanical roughening and chemical treatment on shear bond strength of urethane dimethacrylate denture base resin. *International Journal of Adhesion and Adhesives* 31: 112-118.  
<http://dx.doi.org/10.1016/j.ijadhadh.2010.11.011>.
- Aristizabal, BH; Montes de Correa, C; Serykh, AI; Hetrick, CE; Amiridis, MD. (2008). In situ FTIR study of the adsorption and reaction of ortho-dichlorobenzene over Pd-promoted Co-HMOR. *Microporous and Mesoporous Materials* 112: 432-440.  
<http://dx.doi.org/10.1016/j.micromeso.2007.10.020>.
- Arivoli, S; Narendran, T; Ignacimuthu, S. (2000). Larvicidal activity of some botanicals against *Culex quinquefasciatus* say. *Journal of Advanced Zoology* 21: 19-23.
- Ariyama, T; Nakayama, T. (1994). THERMAL-BEHAVIOR OF HYDROSTATICALLY EXTRUDED POLYCARBONATE AND HIGH-IMPACT POLYSTYRENE. *Polymer Engineering and Science* 34: 1269-1274.
- Armstrong, AQ; Hodson, RE; Hwang, HM; Lewis, DL. (1991). ENVIRONMENTAL-FACTORS AFFECTING TOLUENE DEGRADATION IN GROUND-WATER AT A HAZARDOUS-WASTE SITE. *Environ Toxicol Chem* 10: 147-158.
- Arnaud, P; Boue, C; Chaumeil, JC. (1996). Cellulose acetate butyrate microparticles for controlled release of carbamazepine. *J Microencapsul* 13: 407-417.
- Arnaud-Neu, F; Barbosa, S; Fanni, S; Schwing-Weill, MJ; Mckee, V; Mckervey, MA. (2000). Alkali and alkaline earth ion complexation and X-ray crystal structure of p-tert-butylcalix[4]arene tetraethylamide. *Ind Eng Chem Res* 39: 3489-3492.
- Arora, A; Singh, B; Sud, D; Srivastava, T; Arora, CL. (2003). Inhibition of nitrification in soil by metal diethyldithiocarbamates. *J Environ Sci* 15: 607-610.
- Arregui, FJ; Claus, RO; Cooper, KL; Fernandez-Valdivielso, C; Matias, IR. (2001). Optical fiber gas sensor based on self-assembled gratings. *Journal of Lightwave Technology* 19: 1932-1937.

## Fate Literature Search Results

### Off Topic

- Arregui, FJ; Matias, IR; Claus, RO. (2003). Optical fiber gas sensors based on hydrophobic alumina thin films formed by the electrostatic self-assembly monolayer process. *IEEE Sens J* 3: 56-61. <http://dx.doi.org/10.1109/JSEN.2003.810109>.
- Arrhenius, K; Podien, D; Yaghooby, H; Smajovic, N. (2015). Optimization of an Analytical Method for the Measurement of Oil Carryover from a Compressor in Compressed Natural Gas Refueling Stations. *Energy Fuels* 29: 2416-2421. <http://dx.doi.org/10.1021/ef5027423>.
- Arrieta, DE; Ontiveros, CC; Li, WW; Garcia, JH; Denison, MS; McDonald, JD; Burchiel, SW; Washburn, BS. (2003). Aryl hydrocarbon receptor-mediated activity of particulate organic matter from the Paso del Norte airshed along the US-Mexico border. *Environ Health Perspect* 111: 1299-1305. <http://dx.doi.org/10.1289/ehp.6058>.
- Arrigo, A; Mazzaro, R; Romano, F; Bergamini, G; Ceroni, P. (2016). Photoinduced Electron-Transfer Quenching of Luminescent Silicon Nanocrystals as a Way To Estimate the Position of the Conduction and Valence Bands by Marcus Theory. *Chem Mater* 28: 6664-6671. <http://dx.doi.org/10.1021/acs.chemmater.6b02880>.
- Arshanita, A; Krumina, L; Telysheva, G; Dizhbite, T. (2016). Exploring the application potential of incompletely soluble organosolv lignin as a macromonomer for polyurethane synthesis. *Ind Crop Prod* 92: 1-12. <http://dx.doi.org/10.1016/j.indcrop.2016.07.050>.
- Asadullah, M; Kabir, MS; Ahmed, MB; Razak, NA; Rasid, NSA; Aezzira, A. (2013). Role of microporosity and surface functionality of activated carbon in methylene blue dye removal from water. *Korean J Chem Eng* 30: 2228-2234. <http://dx.doi.org/10.1007/s11814-013-0172-y>.
- Asakawa, Y; Takahashi, H; Kobayashi, M; Iwasaki, N. (2013). Effect of components and surface treatments of fiber-reinforced composite posts on bond strength to composite resin. *Journal of the Mechanical Behavior of Biomedical Materials* 26: 23-33. <http://dx.doi.org/10.1016/j.jmbbm.2013.05.022>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Ashmore, J; Bishop, R; Craig, DC; Scudder, ML. (2007). Chlorine-influenced changes in the molecular inclusion and packing properties of a diquinoline host. *Cryst Growth Des* 7: 47-55. <http://dx.doi.org/10.1021/cg060338q>.
- Aski, SN; Lo, AYH; Brotin, T; Dutasta, JP; Eden, M; Kowalewski, J. (2008). Studies of inclusion complexes of dichloromethane in cryptophanes by exchange kinetics and C-13 NMR in solution and the solid state. *J Phys Chem C* 112: 13873-13881. <http://dx.doi.org/10.1021/jp8039498>.
- Asl, MH; Moosavi, F; Sargolzaei, J. (2016). Molecular dynamics simulation study: The reactivation of NaX zeolite contaminated by bi and tri aromatics using supercritical fluid extraction. *Journal of Supercritical Fluids* 112: 103-113. <http://dx.doi.org/10.1016/j.supflu.2016.01.003>.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe<sup>2+</sup>, S<sup>2-</sup>, and FeS with vitamin B-12 as organic amendment. *J Environ Eng* 128: 94-99.
- Assempour, H; Koenig, MF; Huang, SJ. (1994). SYNTHESIS AND CHARACTERIZATION OF DODECENYL SUCCINATE DERIVATIVES OF SACCHARIDES. *ACS Symp Ser Am Chem Soc* 575: 69-81.
- Assimopoulou, AN; Papageorgiou, VP; Kiparissides, C. (2003). Synthesis and release studies of shikonin-containing microcapsules prepared by the solvent evaporation method. *J Microencapsul* 20: 581-596. <http://dx.doi.org/10.1080/0265204031000148031>.
- Assmann, C; von Elert, E. (2009). The Impact of Fungal Extracts on Leaf Litter on the Food Preference of *Gammarus roeselii*. *Int Rev Hydrobiol* 94: 484-496. <http://dx.doi.org/10.1002/iroh.200811160>.
- Assmuth, TW; Strandberg, T. (1993). Ground water contamination at Finnish landfills. *Water Air Soil Pollut* 69: 179-199.
- Atanassova, I; Doerr, SH; Bryant, R. (2012). Changes in organic compound composition in soil following heating to maximum soil water repellency under anoxic conditions. *Environ Chem* 9: 369-378. <http://dx.doi.org/10.1071/EN11122>.
- Ates, M; Osken, I; Ozturk, T. (2012). Poly(3,5-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene-co-Ethylenedioxythiophene)/Glassy Carbon Electrode Formation and Electrochemical Impedance Spectroscopic Study. *J Electrochem Soc* 159: E115-E121. <http://dx.doi.org/10.1149/2.041206jes>.
- Ates, M; Sarac, AS; Turhan, CM; Ayaz, NE, ce. (2009). Polycarbazole modified carbon fiber microelectrode: Surface characterization and dopamine sensor. *Fibers and Polymers* 10: 46-52. <http://dx.doi.org/10.1007/s12221-009-0046-4>.
- Atia, AA. (2006). Synthesis of a quaternary amine anion exchange resin and study [of] its adsorption behaviour for chromate oxyanions. *J Hazard Mater* 137: 1049-1055. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.041>.
- Atik, Z; Ahlers, J; Lohmann, J; Gmehling, J. (2001). Binary solid-liquid equilibria of N,N-dimethylacetamide with 1,2-dichloroethane, dichloromethane, and 1-propanol. *Journal of Chemical and Engineering Data* 46: 1190-1192.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data* 1: 1-246.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res* 98: 16933-16947.
- Atta, AM; Al-Lohedan, HA; Alothman, ZA; Abdel-Khalek, AA; Tawfeek, AM. (2015). Characterization of reactive amphiphilic montmorillonite nanogels and its application for removal of toxic cationic dye and heavy metals water pollutants. *J Ind Eng Chem* 31: 374-384. <http://dx.doi.org/10.1016/j.jiec.2015.07.012>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. *J Ind Eng Chem* 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.

## Fate Literature Search Results

### Off Topic

- Attia, AA; El-Hendawy, ANA; Khedr, SA; El-Nabarawy, T. (2004). Textural properties and adsorption of dyes onto carbons derived from cotton stalks. *AST* 22: 411-426.
- Attia, YA. (2016). Ag/ZnO/graphene-tert-butyldimethylsilyl chloride hybrid nanocomposite as highly efficient catalyst for hydrogen production. 6: 211-219. <http://dx.doi.org/10.1166/mex.2016.1297>.
- Atun, G; Tuncay, M; Hisarli, G; Talman, RY; Hosgormez, H. (2009). Adsorption equilibria between dye and surfactant in single and binary systems onto geological materials. *Appl Clay Sci* 45: 254-261. <http://dx.doi.org/10.1016/j.clay.2009.06.003>.
- Aubert, C; Bourger, N. (2004). Investigation of volatiles in Charentais cantaloupe melons (*Cucumis melo* Var. cantalupensis). Characterization of aroma constituents in some cultivars. *J Agric Food Chem* 52: 4522-4528. <http://dx.doi.org/10.1021/jf049777s>.
- Audebert, P; Hapiot, P. (1995). Fast electrochemical studies of the polymerization mechanisms of pyrroles and thiophenes. Identification of the first steps. Existence of pi-dimers in solution. *Synthetic Metals* 75: 95-102.
- Augusta, P; Kalaichelvi, P. (2016). Investigation on microwave and ultrasound-assisted cornhusk for the removal of emulsified engine oil from water. *Desalination and Water Treatment* 57: 13120-13131. <http://dx.doi.org/10.1080/19443994.2015.1055807>.
- Aumann, J; Hashem, M. (1993). STUDIES ON SUBSTANCES WITH SEX-PHEROMONE ACTIVITY PRODUCED BY HETERODERA-SCHACHTII FEMALES. 16: 43-46.
- Aumelas, A; Serrero, A; Durand, A; Dellacherie, E; Leonard, M. (2007). Nanoparticles of hydrophobically modified dextrans as potential drug carrier systems. *Colloids Surf B Biointerfaces* 59: 74-80. <http://dx.doi.org/10.1016/j.colsurfb.2007.04.021>.
- Aurilia, M; Sorrentino, L; Sanguigno, L; Iannace, S. (2010). Nanofilled Polyethersulfone as Matrix for Continuous Glass Fibers Composites: Mechanical Properties and Solvent Resistance. *Advances in Polymer Technology* 29: 146-160. <http://dx.doi.org/10.1002/adv.20187>.
- Auta, M; Hameed, BH. (2014). Chitosan-clay composite as highly effective and low-cost adsorbent for batch and fixed-bed adsorption of methylene blue. *Chem Eng J* 237: 352-361. <http://dx.doi.org/10.1016/j.cej.2013.09.066>.
- Autay, R; Elleuch, K; Zribi, K; Feller, JF. (2011). Conductive eco-polymer composites: wear behaviour of recycled polycarbonate/crushed rubber microparticles. *Plastics, Rubber and Composites* 40: 139-145. <http://dx.doi.org/10.1179/1743289811X12988633927952>.
- Autio, WR; Robinson, TL; Black, B; Bradshaw, T; Cline, JA; Crassweller, RM; Embree, CG; Hoover, EE; Hoying, SA; Iungerman, KA; Johnson, RS; Lang, G; Parker, ML; Perry, RL; Reighard, GL; Stasiak, M; Warmund, M; Wolfe, D. (2011). Performance of 'Fuji' and 'McIntosh' Apple Trees after 10 Years as Affected by Several Semidwarf Rootstocks in the 1999 NC-140 Apple Rootstock Trial. *Journal of the American Pomological Society* 65: 21-38.
- Auwal, IA; Baykal, A; Guner, S; Sertkol, M; Sozeri, H. (2016). Magneto-optical properties BaBixLaxFe12-2xO19 (0.0 ≤ x ≤ 0.5) hexaferrites. *Journal of Magnetism and Magnetic Materials* 409: 92-98. <http://dx.doi.org/10.1016/j.jmmm.2016.02.093>.
- Avelar, FF; Bianchi, ML; Goncalves, M; da Mota, EG. (2010). The use of piassava fibers (*Attalea funifera*) in the preparation of activated carbon. *Bioresour Technol* 101: 4639-4645. <http://dx.doi.org/10.1016/j.biortech.2010.01.103>.
- Aydin, GO; Sonmez, HB. (2015). Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. *Mar Pollut Bull* 96: 155-164. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.033>.
- Aydin, K; Daisley, SEA. (2002). Relationships between rainfall rate and 35-GHz attenuation and differential attenuation: Modeling the effects of raindrop size distribution, canting, and oscillation. *IEEE Trans Geosci Remote Sens* 40: 2343-2352. <http://dx.doi.org/10.1109/TGRS.2002.805073>.
- Aydogmus, Z; Cetin, SM; Tosunoglu, S. (2002). Spectrophotometric determination of mexiletine hydrochloride in capsules using bromothymol blue. *Turkish Journal of Chemistry* 26: 839-842.
- Aysu, T; Kucuk, MM. (2015). Removal of crystal violet and methylene blue from aqueous solutions by activated carbon prepared from *Ferula orientalis*. *Int J Environ Sci Tech* 12: 2273-2284. <http://dx.doi.org/10.1007/s13762-014-0623-y>.
- Ayzner, AL; Tassone, CJ; Tolbert, SH; Schwartz, BJ. (2009). Reappraising the Need for Bulk Heterojunctions in Polymer-Fullerene Photovoltaics: The Role of Carrier Transport in All-Solution-Processed P3HT/PCBM Bilayer Solar Cells. *J Phys Chem C* 113: 20050-20060. <http://dx.doi.org/10.1021/jp9050897>.
- Azarian, A; Iraj Zad, A; Dolati, A; Ghorbani, M. (2008). Surface plasmon resonance of two-segmented Au-Cu nanorods. *Nanotechnology* 19: 415705. <http://dx.doi.org/10.1088/0957-4484/19/41/415705>.
- Azehara, H; Mizutani, W; Suzuki, Y; Ishida, T; Nagawa, Y; Tokumoto, H; Hiratani, K. (2003). Fixation and systematic dilution of rotaxane molecules on self-assembled monolayers. *Langmuir* 19: 2115-2123. <http://dx.doi.org/10.1021/la025924+>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Baba, S, o; Akedo, J, un. (2009). Fiber laser annealing of nanocrystalline PZT thick film prepared by aerosol deposition. *Appl Surf Sci* 255: 9791-9795. <http://dx.doi.org/10.1016/j.apsusc.2009.04.071>.
- Babak, VG; Baros, F; Boulanouar, O; Boury, F; Fromm, M; Kildeeva, NR; Ubrich, N; Maincent, P. (2007). Impact of bulk and surface properties of some biocompatible hydrophobic polymers on the stability of methylene chloride-in-water mini-emulsions used to prepare nanoparticles by emulsification-solvent evaporation. *Colloids Surf B Biointerfaces* 59: 194-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.05.010>.
- Babak, VG; Baros, F; Boury, F; Desbrieres, J. (2008). Dilational viscoelasticity and relaxation properties of interfacial electrostatic complexes between oppositely charged hydrophobic and hydrophilic polyelectrolytes. *Colloids Surf B Biointerfaces* 65: 43-49. <http://dx.doi.org/10.1016/j.colsurfb.2008.02.019>.
- Babel, A; Wind, JD; Jenekhe, SA. (2004). Ambipolar charge transport in air-stable polymer blend thin-film transistors. *Adv Funct Mater* 14: 891-898. <http://dx.doi.org/10.1002/adfm.200305180>.

## Fate Literature Search Results

### Off Topic

- Bacaloglu, R; Blasko, A; Bunton, CA; Cerichelli, G; Shirazi, A. (1991). SEGMENTAL MOTIONS OF FREE AND MICELLIZED CATIONIC SURFACTANTS - C-13 SPIN-LATTICE RELAXATION. *Langmuir* 7: 1107-1111.
- Bacchi, A; Bourne, S; Cantoni, G; Cavallone, SAM; Mazza, S; Mehla, G; Pelagatti, P; Righi, L. (2015). Reversible Guest Removal and Selective Guest Exchange with a Covalent Dinuclear Wheel-and-Axle Metallorganic Host Constituted by Half-Sandwich Ru(II) Wheels Connected by a Linear Diphosphine Axle. *Cryst Growth Des* 15: 1876-1888. <http://dx.doi.org/10.1021/acs.cgd.5b00059>.
- Bachman, RE; Zuccherro, AJ; Robinson, JL. (2012). General approach to low-molecular-weight metallogelators via the coordination-induced gelation of an L-glutamate-based lipid. *Langmuir* 28: 27-30. <http://dx.doi.org/10.1021/la203569y>.
- Back, CL; Holomuzki, JR; Klarer, DM; Whyte, RS. (2012). Herbiciding invasive reed: indirect effects on habitat conditions and snail-algal assemblages one year post-application. *Wetlands Ecology and Management* 20: 419-431. <http://dx.doi.org/10.1007/s11273-012-9265-3>.
- Badens, E; Boutin, O; Charbit, G. (2005). Laminar jet dispersion and jet atomization in pressurized carbon dioxide. *Journal of Supercritical Fluids* 36: 81-90. <http://dx.doi.org/10.1016/j.supflu.2005.03.007>.
- Bader, S; Czerny, M; Eisner, P; Buettner, A. (2009). Characterisation of odour-active compounds in lupin flour. *J Sci Food Agric* 89: 2421-2427. <http://dx.doi.org/10.1002/jsfa.3739>.
- Badin, AL; Faure, P; Bedell, JP; Delolme, C. (2008). Distribution of organic pollutants and natural organic matter in urban storm water sediments as a function of grain size. *Sci Total Environ* 403: 178-187. <http://dx.doi.org/10.1016/j.scitotenv.2008.05.022>.
- Badkoubi, A; Stevens, DK; Murarka, IP. (1996). Quantification of pentachlorophenol transformation product distribution in the presence of *Phanerochaete chrysosporium*. *Arch Environ Contam Toxicol* 30: 1-8.
- Bae, J, inHan; Jang, J, ooRi; Lim, S, unY. (2014). Production of Glutathione and Reactive Oxygen Species in Cell Line HT-1080 Treated with Chub Mackerel (*Scomber japonicus*) Extract. 97: 180-184.
- Bae, SY; Jeon, IY; Yang, J; Park, N; Shin, HS; Park, S; Ruoff, RS; Dai, L; Baek, JB. (2011). Large-area graphene films by simple solution casting of edge-selectively functionalized graphite. *ACS Nano* 5: 4974-4980. <http://dx.doi.org/10.1021/nn201072m>.
- Bae, Y; Myung, N; Bard, AJ. (2004). Electrochemistry and electrogenerated chemiluminescence of CdTe nanoparticles. *Nano Lett* 4: 1153-1161. <http://dx.doi.org/10.1021/nl049516x>.
- Baek, W, ooil; Nirmala, R; Barakat, NAM; El-Newehy, MH; Al-Deyab, SS; Kim, H, aKY. (2011). Electrospun cross linked rosin fibers. *Appl Surf Sci* 258: 1385-1389. <http://dx.doi.org/10.1016/j.apsusc.2011.09.082>.
- Bag, PP; Reddy, CM. (2012). Screening and Selective Preparation of Polymorphs by Fast Evaporation Method: A Case Study of Aspirin, Anthranilic Acid, and Niflumic Acid. *Cryst Growth Des* 12: 2740-2743. <http://dx.doi.org/10.1021/cg300404r>.
- Bagci, S; Ceyhan, AA. (2016). ADSORPTION OF METHYLENE BLUE ONTO ACTIVATED CARBON PREPARED FROM *Lupinus albus*. *Chemical Industry and Chemical Engineering Quarterly* 22: 155-165. <http://dx.doi.org/10.2298/CICEQ150522030B>.
- Bagherifam, S; Griffiths, GW; Mælandsmo, GM; Nyström, B; Hasirci, V; Hasirci, N. (2015). Poly(sebacic anhydride) nanocapsules as carriers: effects of preparation parameters on properties and release of doxorubicin. *J Microencapsul* 32: 166-174. <http://dx.doi.org/10.3109/02652048.2014.973073>.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res* 34: 171-178.
- Bahrami, A; Kochaksaraie, A. (2012). MORPHOLOGICAL, MECHANICAL AND BIOLOGICAL PROPERTIES OF NOVEL PCL-Cs/PVA MULTI LAYER NANOFIBROUS SCAFFOLDS. *Digest Journal of Nanomaterials and Biostructures* 7: 1437-1445.
- Bailey, BM; Fei, R; Munoz-Pinto, D; Hahn, MS; Grunlan, MA. (2012). PDMS(star)-PEG hydrogels prepared via solvent-induced phase separation (SIPS) and their potential utility as tissue engineering scaffolds. *Acta Biomater* 8: 4324-4333. <http://dx.doi.org/10.1016/j.actbio.2012.07.034>.
- Bailey, BM; Hui, V; Fei, R; Grunlan, MA. (2011). Tuning PEG-DA hydrogel properties via solvent-induced phase separation (SIPS)(). *J Mater Chem* 21: 18776-18782. <http://dx.doi.org/10.1039/C1JM13943F>.
- Bailey, VL; McGill, WB. (2001). Carbon transformations by indigenous microbes in four hydrocarbon-contaminated soils under static remediation conditions. *Can J Soil Sci* 81: 193-204.
- Bailey, VL; McGill, WB. (2002). Fate of C-14-labeled pyrene in a creosote- and octadecane in an oil-contaminated soil. *Soil Biol Biochem* 34: 423-433.
- Bailón, L; Nikolaus, M; Kästner, M; Veiga, MC; Kennes, C. (2009). Removal of dichloromethane from waste gases in one- and two-liquid-phase stirred tank bioreactors and biotrickling filters. *Water Res* 43: 11-20. <http://dx.doi.org/10.1016/j.watres.2008.09.031>.
- Bain, DF; Munday, DL; Smith, A. (1999). Solvent influence on spray-dried biodegradable microspheres. *J Microencapsul* 16: 453-474. <http://dx.doi.org/10.1080/026520499288915>.
- Bainard, LD; Brown, PD; Upadhyaya, MK. (2009). Inhibitory Effect of Tall Hedge Mustard (*Sisymbrium loeselii*) Allelochemicals on Rangeland Plants and Arbuscular Mycorrhizal Fungi. *Weed Sci* 57: 386-393. <http://dx.doi.org/10.1614/WS-08-151.1>.
- Baj, S; Chrobok, A; Siewniak, A. (2011). New and efficient technique for the synthesis of epsilon-caprolactone using KHSO<sub>5</sub> as an oxidising agent in the presence of a phase transfer catalyst. *Appl Catal A-Gen* 395: 49-52. <http://dx.doi.org/10.1016/j.apcata.2011.01.022>.
- Bajaj, B; Kim, B, in; Yoon, S; Lee, J; Park, B. (2014). One-Step Continuous Coating of Silver Nanoparticles on Well Aligned Fibers of PAI/PTACM. *Fibers and Polymers* 15: 47-56. <http://dx.doi.org/10.1007/s12221-014-0047-9>.
- Bajaj, B; Lee, S; Yoon, S; Park, B; Kim, B, in; Park, B; Lee, J. (2012). Effect of new poly(amide-co-imide)/poly(trimellitic anhydride chloride-co-4,4'-methylenedianiline) blends on nanofiber web formation. *J Mater Chem* 22: 2975-2981. <http://dx.doi.org/10.1039/c2jm15807h>.
- Bajaj, B; Yoon, SJ; Park, B; Lee, J. (2012). Coiled Fibers of Poly (Amide-Co-Imide) PAI and Poly (Trimellitic Anhydride Chloride-Co-4, 4'-Methylene Dianiline) (PTACM) By Using Mechano-Electrospinning. *Journal of Engineered Fabrics and Fibers* 7: 37-41.

## Fate Literature Search Results

### Off Topic

- Baker, RJ; Gibs, J; Meng, AK; Suffet, IH. (1987). EVALUATION OF A TEFLON HELIX LIQUID LIQUID EXTRACTOR FOR CONCENTRATING OF TRACE ORGANICS FROM WATER INTO METHYLENE-CHLORIDE. *Water Res* 21: 179-190.
- Bakhabkhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Formation of biodegradable polymeric fine particles by supercritical antisolvent precipitation process. *Polymer Engineering and Science* 53: 564-570. <http://dx.doi.org/10.1002/pen.23301>.
- Bakhabkhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Supercritical antisolvent synthesis of fine griseofulvin particles. *Adv Powder Tech* 24: 1006-1012. <http://dx.doi.org/10.1016/j.appt.2013.02.004>.
- Balakos, MW; Chuang, SSC; Krishnamurthy, R; Srinivas, G; Johnston, P; Blackmond, DG; Jackson, SD; Joyner, RW. (1993). THE SELECTIVE SYNTHESIS OF C2+ OXYGENATES FROM SYNGAS RELATED REACTIONS OVER NI-BASED AND RH-BASED CATALYSTS. *Stud Surf Sci Catal* 75: 1467-1478.
- Balashov, K; Bois, A; Proust, JE; Ivanova, T; Petkov, I; Masuda, S; Panaiotov, I. (1997). Comparative study of polyacryloylacetone monolayers at dichloromethane-water and air-water interfaces. *Langmuir* 13: 5362-5367.
- Balasubramaniam, E; Ramachandraiah, G; Natarajan, P; Biedcharreton, C; Devynck, J; Bedioui, F. (1995). ELECTROCHEMICAL PREPARATION OF ANTHRAQUINONE AND ZINC PORPHYRIN COATED ELECTRODES - REDOX ACTIVITY AND FILM STABILITY. *J Mater Chem* 5: 625-629.
- Baldwin, CM; Liu, HB; Mccarty, LB; Bauerle, WL; Toler, JE. (2006). Effects of trinexapac-ethyl on the salinity tolerance of two ultradwarf bermudagrass cultivars. *HortScience* 41: 808-814.
- Baldwin, JA; Vlckova, B; Andrews, MP; Butler, IS. (1997). Surface-enhanced Raman scattering of mercaptopyrindines and pyrazinamide incorporated in silver colloid adsorbate films. *Langmuir* 13: 3744-3751.
- Baleta, FN; Laureta, LV; Apines-Amar, MJS; Padilla, PIP; Qunitio, GF. (2011). Biological Activity of Extracts of *Sargassum oligocystum* (Magnaye) against Aquaculture Pathogenic Bacteria. *Israeli Journal of Aquaculture - Bamidgah* 63: 667.
- Balic, T; Markovic, B; Jazwinski, J; Matkovic-Calogovic, D. (2016). Synthesis and structural characterization of microporous N4O4-donor Schiff base macrocycle: Study of host-guest interactions and iodine sorption. *Microporous and Mesoporous Materials* 226: 53-60. <http://dx.doi.org/10.1016/j.micromeso.2015.12.038>.
- Balijapalli, U; Iyer, SK. (2015). CuO-CuAl2O4 and D-glucose catalyzed synthesis of a family of excited state intramolecular proton transfer imidazo[1,2-a]pyridine analogues and their optical properties. *Dyes and Pigments* 121: 88-98. <http://dx.doi.org/10.1016/j.dyepig.2015.05.014>.
- Balkan, IA; Taskin, T; Dogan, HT; Deniz, I; Akaydin, G; Yesilada, E. (2017). A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of *Daphne oleoides* Schreb. subsp. *oleoides*. *Ind Crop Prod* 95: 695-703. <http://dx.doi.org/10.1016/j.indcrop.2016.11.038>.
- Balkis, N; Aksu, A; Erşan, MS. (2012). Petroleum hydrocarbon contamination of the Southern Black Sea Shelf, Turkey. *Environ Sci Pollut Res Int* 19: 592-599. <http://dx.doi.org/10.1007/s11356-011-0583-4>.
- Balkose, D; Ulutan, S; Ozkan, F; Ulku, S; Kokturk, U. (1996). Flexible poly(vinyl chloride)-zeolite composites for dye adsorption from aqueous solutions. *Separation Science and Technology* 31: 1279-1289.
- Ball, JC. (2000). Comparison of organic solvent extracts and the fatty acid composition of nonpolar lipids of shed skins from male and female corn snakes (*Elaphe guttata guttata*). *J Herpetol* 34: 266-273.
- Ball, JC. (2004). The first shed skin of neonate Corn Snakes is chemically different from adult shed skins. *J Herpetol* 38: 124-127.
- Ball, JC; Young, WC. (1992). EVIDENCE FOR A NEW CLASS OF MUTAGENS IN DIESEL PARTICULATE EXTRACTS. *Environ Sci Technol* 26: 2181-2186.
- Ballinas-Casarrubias, L; Saucedo-Acosta, T; Macdonald-Pizana, K; Ruiz-Cuilty, K; Virginia Nevarez-Moorillon, G; Gutierrez-Mendez, N; Torras-Font, C; Chavez-Flores, D; Gonzalez-Sanchez, G. (2015). Organosolv pretreatment for cellulose recovery from sawdust for its ulterior use in membrane synthesis and operation. *Desalination and Water Treatment* 56: 3626-3639. <http://dx.doi.org/10.1080/19443994.2014.995720>.
- Balmer, MF; Smith, FA; Leach, LJ; Yuile, CL. (1976). Effects in the liver of methylene chloride inhaled alone and with ethyl alcohol. *Am Ind Hyg Assoc J* 37: 345-352.
- Balogun, AO; Lasode, OA; Mcdonald, AG. (2014). Thermo-Analytical and Physico-Chemical Characterization of Woody and Non-Woody Biomass from an Agro-ecological Zone in Nigeria. *BioResources* 9: 5099-5113.
- Baluch, AS; Guisinger, NP; Basu, R; Foley, ET; Hersam, MC. (2004). Atomic-level robustness of the Si(100)-2X1 : H surface following liquid phase chemical treatments in atmospheric pressure environments. *Journal of Vacuum Science and Technology A* 22: L1-L5. <http://dx.doi.org/10.1116/1.1722203>.
- Baluja, S; Bhalodia, R; Bhatt, M; Vekariya, N; Gajera, R. (2008). Solubility of Enrofloxacin Sodium in Various Solvents at Various Temperatures. *Journal of Chemical and Engineering Data* 53: 2897-2899. <http://dx.doi.org/10.1021/jc8005826>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data* 55: 956-958. <http://dx.doi.org/10.1021/jc900540d>.
- Ban, S; Yuda, A; Izumi, Y; Kanie, T; Arikawa, H; Fujii, K. (2004). Composite mesh consisting of titanium, apatite and biodegradable copolymer. *Key Eng Mater* 254-2: 517-520.
- Banerjee, DK; Gray, MR. (1997). Analysis of hydrocarbon-contaminated soil by thermal extract-gas chromatography. *Environ Sci Technol* 31: 646-650.
- Banger, KK; Foster, JR; Lock, EA; Reed, CJ. (1994). Immunohistochemical localisation of six glutathione S-transferases within the nasal cavity of the rat. *Arch Toxicol* 69: 91-98.
- Bankhead, M; Watson, GW; Hutchings, GJ; Scott, J; Willock, DJ. (2000). Calculation of the energy profile for the fluorination of dichloromethane over an alpha-alumina catalyst. *Appl Catal A-Gen* 200: 263-274.

## Fate Literature Search Results

### Off Topic

- Bankowski, K. (2006). A solid-phase synthesis of a biologically active analog of the GH-RH hormone, a potential drug for growth hormone deficiency. *Przemysł Chemiczny* 85: 330-332.
- Banks, WM; Pethrick, RA; Armstrong, GS; Crane, RL; Hayward, D. (2004). Dielectric and mechanical studies of the durability of adhesively bonded CFRP structures subjected to aging in various solvents. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati* 218: 273-281.
- Bansemir, A; Blume, M; Schroder, S; Lindequist, U. (2006). Screening of cultivated seaweeds for antibacterial activity against fish pathogenic bacteria. *Aquaculture* 252: 79-84. <http://dx.doi.org/10.1016/j.aquaculture.2005.11.051>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol* 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Bao, L; Yang, S; Luo, X, in; Lei, J; Cao, Q; Wang, J. (2015). Fabrication and characterization of a novel hydrophobic CaCO<sub>3</sub> grafted by hydroxylated poly(vinyl chloride) chains. *Appl Surf Sci* 357: 564-572. <http://dx.doi.org/10.1016/j.apsusc.2015.08.249>.
- Bao, TQ; Hiep, N; Kim, Y; Yang, H; Lee, BT. (2011). Fabrication and characterization of porous poly(lactic-co-glycolic acid) (PLGA) microspheres for use as a drug delivery system. *Journal of Materials Science* 46: 2510-2517. <http://dx.doi.org/10.1007/s10853-010-5101-4>.
- Bao, YX; Yan, H; Liu, LQ; Xu, QQ. (2010). Efficient Extraction of Lycopene from *Rhodospseudomonas palustris* with n-Hexane and Methanol after Alkaline Wash. *Chem Eng Tech* 33: 1665-1671. <http://dx.doi.org/10.1002/ceat.201000033>.
- Barakat, SA. (2002). Flow injection extraction - Spectrophotometric determination of bismuth with di-(hydrogenated tallow alkyl) dimethylammonium chloride. *Turkish Journal of Chemistry* 26: 345-349.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol* 30: 2143-2147.
- Baran, S; Oleszczuk, P. (2002). Chromatographic determination of polycyclic aromatic hydrocarbons (PAH) in sewage sludge, soil, and sewage sludge-amended soils. *Pol J Environ Stud* 11: 609-615.
- Baratelli, T, deG; Candido Gomes, AC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125. <http://dx.doi.org/10.1016/j.bse.2011.12.008>.
- Barbosa, JM; Ré-Poppi, N; Santiago-Silva, M. (2006). Polycyclic aromatic hydrocarbons from wood pyrolysis in charcoal production furnaces. *Environ Res* 101: 304-311. <http://dx.doi.org/10.1016/j.envres.2006.01.005>.
- Barbosa, LCA; Maltha, CRA; Vilas Boas, LA; Pinheiro, PF; Colodette, JL. (2008). Profiles of extractives across the ZD(HT)(PO)D and D-HT(PO)D bleaching sequences for a Eucalyptus kraft pulp. *Appita* 61: 64-70.
- Barcellona, MN; Johnson, N; Bernards, MT. (2015). Characterizing Drug Release from Nonfouling Polyampholyte Hydrogels. *Langmuir* 31: 13402-13409. <http://dx.doi.org/10.1021/acs.langmuir.5b03597>.
- Bardajee, GR; Li, AY; Haley, JC; Winnik, MA. (2008). The synthesis and spectroscopic properties fluorescent naphthalimide of novel, functional dyes. *Dyes and Pigments* 79: 24-32. <http://dx.doi.org/10.1016/j.dyepig.2007.12.012>.
- Barenbaum, E; Smith, T. (2016). Social support as a protective factor for children impacted by HIV/AIDS across varying living environments in southern Africa. *AIDS Care* 28 Suppl 2: 92-99. <http://dx.doi.org/10.1080/09540121.2016.1176683>.
- Barnavetro, I; Solti, L; Teren, J; Gyongyosi, A; Szabo, E; Wolfling, A. (1996). Sensitive ELISA test for determination of ochratoxin A. *J Agric Food Chem* 44: 4071-4074.
- Barra, G; D'Aniello, C; Guadagno, L; Vittoria, V. (1999). Transport properties of dichloromethane in polymeric blends - Part I - Low density polyethylene-isotactic polypropylene. *Journal of Materials Science* 34: 4601-4606.
- Barrera-Ventura, C; Salvatierra, D; Giralt, F; Giralt, J. (2013). Hydrolysis of imidazole and 2-chloropyridine under subcritical and supercritical water conditions. *Can J Chem Eng* 91: 1131-1139. <http://dx.doi.org/10.1002/cjce.21742>.
- Barroso-Bujans, F; Cervený, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegría, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon* 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Barrowcliff, DF; Knell, AJ. (1979). Cerebral damage due to endogenous chronic carbon monoxide poisoning caused by exposure to methylene chloride. *Occup Med (Lond)* 29: 12-14.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartocci, S; Sabate, F; Bosque, R; Keymeulen, F; Bartik, K; Rodriguez, L; Dalla Cort, A. (2016). Colorimetric and fluorescence "turn-on" recognition of fluoride by a maleonitrile-based uranyl salen-complex. *Dyes and Pigments* 135: 94-101. <http://dx.doi.org/10.1016/j.dyepig.2016.06.006>.
- Barton, HA; Andersen, ME; Clewell, HJ. (1998). Harmonization: Developing consistent guidelines for applying mode of action and dosimetry information to cancer and noncancer risk assessment. *Hum Ecol Risk Assess* 4: 75-115.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci* 159: 123-131.
- Baše, T; Bastl, Z; Havránek, V; Macháček, J; Langecker, J; Malina, V. (2012). Carboranedithiols: building blocks for self-assembled monolayers on copper surfaces. *Langmuir* 28: 12518-12526. <http://dx.doi.org/10.1021/la302334x>.
- Bastos, CJ; de Oliveira Rigitano, RL; de Lima, JM; Amaral Castro, NR. (2005). Leaching of the fungicide triadimenol in macrolysimeters of two latosols from Lavras-MG. *Ciencia e Agrotecnologia* 29: 767-774.
- Bastos, PM; Haglund, P. (2012). The use of comprehensive two-dimensional gas chromatography and structure-activity modeling for screening and preliminary risk assessment of organic contaminants in soil, sediment, and surface water. *Journal of Soils and Sediments* 12: 1079-1088. <http://dx.doi.org/10.1007/s11368-012-0533-x>.

## Fate Literature Search Results

### Off Topic

- Basu, J; Rohatgimukherjee, KK. (1991). PHOTOELECTROCHEMICAL CHARACTERIZATION OF PORPHYRIN-COATED ELECTRODES. 21: 317-325.
- Basu, M; Sinha, AK; Pradhan, M; Sarkar, S; Negishi, Y; Pal, T. (2010). Evolution of hierarchical hexagonal stacked plates of CuS from liquid-liquid interface and its photocatalytic application for oxidative degradation of different dyes under indoor lighting. *Environ Sci Technol* 44: 6313-6318. <http://dx.doi.org/10.1021/es101323w>.
- Bates, JR; Kathirgamanathan, P; Miles, RW. (1997). The influence of the electrodeposition parameters on the morphology of organo-transition metal complexes for thin film gas sensor applications. *Thin Solid Films* 299: 18-24.
- Batista, D; Carvalho, A, naP; Costa, R; Coutinho, R; Dobretsov, S. (2014). Extracts of macroalgae from the Brazilian coast inhibit bacterial quorum sensing. *Botanica Marina* 57: 441-447. <http://dx.doi.org/10.1515/bot-2014-0031>.
- Batzias, FA; Sidiras, DK. (2004). Dye adsorption by calcium chloride treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 114: 167-174. <http://dx.doi.org/10.1016/j.jhazmat.2004.08.014>.
- Batzias, FA; Sidiras, DK. (2007). Simulation of methylene blue adsorption by salts-treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 149: 8-17. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.043>.
- Bauserman, J, oyW; Mushrush, GW; Hardy, DR. (2008). Organic nitrogen compounds and fuel instability in middle distillate fuels. *Ind Eng Chem Res* 47: 2867-2875. <http://dx.doi.org/10.1021/ie071321n>.
- Bauserman, JW; Castelly, H; Mushrush, GW. (2014). Analysis of Nitrogen Abundance in Treated Fuels by GC/MS. *Petroleum Science and Technology* 32: 1824-1832. <http://dx.doi.org/10.1080/10916466.2011.635740>.
- Bauserman, JW; Nguyen, KM; Mushrush, GW. (2004). Nitrogen compound determination and distribution in three source fuels by GC/MS. *Petroleum Science and Technology* 22: 1491-1505. <http://dx.doi.org/10.1081/LPET-200027799>.
- Bayona, JM; Casellas, M; Fernandez, P; Solanas, AM; Albaiges, J. (1994). Sources and seasonal variability of mutagenic agents in the Barcelona City aerosol. *Chemosphere* 29: 441-450. [http://dx.doi.org/10.1016/0045-6535\(94\)90432-4](http://dx.doi.org/10.1016/0045-6535(94)90432-4).
- Bayram, C, em; Denkbaz, EB; Kilicay, E; Hazer, B; Cakmak, HB; Noda, I. (2008). Preparation and characterization of triamcinolone acetonide-loaded poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBHx) microspheres. *J Bioact Compat Polymer* 23: 334-347. <http://dx.doi.org/10.1177/0883911508092790>.
- Baysal, BM; Karadag, C. (2013). Quasielastic light scattering studies of polypeptides : evidence for chain extension in a solution. *Turkish Journal of Chemistry* 37: 480-491. <http://dx.doi.org/10.3906/kim-1301-11>.
- Bazes, A; Silkina, A; Douzenel, P; Fay, F; Kervarec, N; Morin, D; Berge, JP; Bourgougnon, N. (2009). Investigation of the antifouling constituents from the brown alga *Sargassum muticum* (Yendo) Fensholt. *J Appl Phycol* 21: 395-403. <http://dx.doi.org/10.1007/s10811-008-9382-9>.
- Bazzaoui, M; Bazzaoui, EA; Martins, JI; Martins, L. (2004). Electrochemical synthesis of polythiophene coatings on zinc and a zinc alloy in organic media. *Materials Science Forum* 455-456: 484-488.
- Bean, K; Lincoln, B; Clapp, W; Vicente, S; Loza, M; Church, B. (1990). METHYLENE-CHLORIDE EXTRACTION. *Chem Eng News* 68: 4-4.
- Beaucham, CC; Fent, K; Wiegand, D; Seaton, M. (2016). Hazard Evaluation Report: HHE-2012-0238-3257, August 2016. Evaluation of Forensic Crime Lab Employees' Chemical Exposures, Job Stress, and Work-Related Health Concerns.
- Beauchet, R; Mijoin, J; Batonneau-Gener, I; Magnoux, P. (2010). Catalytic oxidation of VOCs on NaX zeolite: Mixture effect with isopropanol and o-xylene. *Appl Catal B-Environ* 100: 91-96. <http://dx.doi.org/10.1016/j.apcatb.2010.07.017>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ* 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.
- Bebia, Z; Buch, SC; Wilson, JW; Frye, RF; Romkes, M; Cecchetti, A; Chaves-Gnecco, D; Branch, RA. (2004). Bioequivalence revisited: Influence of age and sex on CYP enzymes. *Clin Pharmacol Ther* 76: 618-627. <http://dx.doi.org/10.1016/j.clpt.2004.08.021>.
- Becalski, A; Lau, BP; Lewis, D; Seaman, SW. (2003). Acrylamide in foods: occurrence, sources, and modeling. *J Agric Food Chem* 51: 802-808. <http://dx.doi.org/10.1021/jf020889y>.
- Becerro, MA; Goetz, G; Paul, VJ; Scheuer, PJ. (2001). Chemical defenses of the sacoglossan mollusk *Elysia rufescens* and its host *Alga bryopsis* sp. *J Chem Ecol* 27: 2287-2299.
- Becerro, MA; Turon, X; Uriz, MJ. (1997). Multiple functions for secondary metabolites in encrusting marine invertebrates. *J Chem Ecol* 23: 1527-1547.
- Bechelany, M; Elias, J; Brodard, P; Michler, J; Philippe, L. (2012). Electrodeposition of amorphous silicon in non-oxygenated organic solvent. *Thin Solid Films* 520: 1895-1901. <http://dx.doi.org/10.1016/j.tsf.2011.09.026>.
- Becker, AG; da Cunha, MA; Garcia, L; Zeppenfeld, CC; Parodi, T; Maldaner, G; Morel, AF; Baldisserotto, B. (2013). Efficacy of eugenol and the methanolic extract of *Condalia buxifolia* during the transport of the silver catfish *Rhamdia quelen*. *Neotropical Ichthyology* 11: 675-681.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol* 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.
- Becker, L; Forster, H. (1997). Investigations of coke deposits formed during deep oxidation of benzene over Pd and Cu exchanged Y-type zeolites. *Appl Catal A-Gen* 153: 31-41.
- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal* 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begishev, IR; Belikov, AK; Nechitailo, VG. (1991). PHOTOTHERMAL IGNITION OF DICHLOROMETHANE AND CHLORINE GAS-MIXTURES. *Combustion, Explosion, and Shock Waves* 27: 149-153.
- Begum, M; Sen, PK. (2007). TK/TD dose-response modeling of toxicity. *Environmetrics* 18: 515-525. <http://dx.doi.org/10.1002/env.821>.

## Fate Literature Search Results

### Off Topic

- Begum, NA; Mondal, S; Basu, S; Laskar, RA; Mandal, D. (2009). Biogenic synthesis of Au and Ag nanoparticles using aqueous solutions of Black Tea leaf extracts. *Colloids Surf B Biointerfaces* 71: 113-118. <http://dx.doi.org/10.1016/j.colsurfb.2009.01.012>.
- Behar, F; Lorant, F; Lewan, M. (2008). Role of NSO compounds during primary cracking of a Type II kerogen and a Type III lignite. *Organic Geochemistry* 39: 1-22. <http://dx.doi.org/10.1016/j.orggeochem.2007.10.007>.
- Behera, A; Sahoo, SK. (2012). DEVELOPMENT AND IN VITRO, IN VIVO EVALUATION OF CONTROLLED RELEASE, BIOCOMPATIBLE NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures* 7: 217-225.
- Bel, MC; Coulon, J; Sreng, L; Allaine, D; Bagneres, AG; Clement, JL. (1999). Social signals involved in scent-marking behavior by cheek-rubbing in Alpine marmots (Marmota marmota). *J Chem Ecol* 25: 2267-2283.
- Belcik, M; Trusz-Zdybek, A; Galas, E, wa; Piekarska, K. (2014). Mutagenicity of organic pollutants adsorbed on suspended particulate matter in the center of Wroclaw (Poland). *Atmos Environ* 95: 620-628. <http://dx.doi.org/10.1016/j.atmosenv.2014.05.022>.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research* 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1990). METHYLENE-CHLORIDE EXPOSURE AND BIRTH-WEIGHT IN MONROE COUNTY, NEW-YORK. *Am J Epidemiol* 132: 810-810.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1991). Methylene chloride exposure and birthweight in Monroe County, New York. *Environ Res* 55: 31-39. [http://dx.doi.org/10.1016/S0013-9351\(05\)80138-0](http://dx.doi.org/10.1016/S0013-9351(05)80138-0).
- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull* 6: 469-474.
- Belloch, GP; Sanchez, MS; Ribelles, JLG; Pradas, MM; Dueñas, JMM; Pissis, P. (1999). Conformational motions in immiscible blends of polycarbonate and styrene-acrylonitrile copolymers. *Polymer Engineering and Science* 39: 688-698. <http://dx.doi.org/10.1002/pen.11457>.
- Bello-Huitle, V; Atenco-Fernandez, P; Reyes-Mazzoco, R. (2010). ADSORPTION STUDIES OF METHYLENE BLUE AND PHENOL ONTO PECAN AND CASTILE NUTSHELLS PREPARED BY CHEMICAL ACTIVATION. *Revista Mexicana de Ingenieria Quimica* 9: 313-322.
- Belmont, JA; Lopez, AP; Molina, E; Serrano, L; Coballase, E; Cardenas, N; Medina, P; Montero, R. (2011). Co-Exposure to Chloroform, Dichloromethane and Toluene Induced Oxidative Stress and Xenobiotic Metabolism Changes but Not Genotoxic Damage. *Environ Mol Mutagen* 52: S79-S79.
- Belmont, JA; Serrano, L; Fanjul, ML; Prieto, J; Montero, RD. (2008). Study of genotoxicity and oxidative stress biomarkers in rats exposed to toluene, chloroform, methylene chloride and a mixture of them [Abstract]. *Environ Mol Mutagen* 49: 571.
- Beltran, J; Hernandez, F; Lopez, FJ; Morell, I. (1995). STUDY OF SORPTION PROCESSES OF SELECTED PESTICIDES ON SOILS AND CERAMIC POROUS CUPS USED FOR SOIL SOLUTION SAMPLING. *Int J Environ Anal Chem* 58: 287-303.
- Bempelou, ED; Liapis, KS. (2006). Validation of a multi-residue method for the determination of pesticide residues in apples by gas chromatography. *Int J Environ Anal Chem* 86: 63-68. <http://dx.doi.org/10.1080/03067310500248320>.
- Ben Chaabane, R; Guermazi, R; Clavier, G; Audebert, P; Hedhli, A. (2014). Synthesis and characterization of new fluorinated tetrazines displaying a high fluorescence yield. *Dyes and Pigments* 108: 64-69. <http://dx.doi.org/10.1016/j.dyepig.2014.03.031>.
- Ben Jannet, H; H-Skhiri, F; Mighri, Z; Simmonds, MSJ; Blaney, WM. (2001). Antifeedant activity of plant extracts and of new natural diglyceride compounds isolated from *Ajuga pseudoiva* leaves against *Spodoptera littoralis* larvae. *Ind Crop Prod* 14: 213-222.
- Benavides, R; Oenning, LW; Paula, MMS; Da Silva, L; Kotzian, C. (2013). Use of a Tri-functional Crosslinking Agent in Styrene/Acrylic Acid Copolymers to Enhance Mechanical Properties for use as Membranes in Fuel Cells. *Journal of New Materials for Electrochemical Systems* 16: 157-162.
- Benbow, TJ; Frew, RD; Hayman, AR. (2008). Validation of a rapid and simple method for the preparation of aqueous organic compounds prior to compound specific isotope analysis. *Organic Geochemistry* 39: 1690-1702. <http://dx.doi.org/10.1016/j.orggeochem.2008.08.008>.
- Bending, GD; Lincoln, SD. (1999). Characterisation of volatile sulphur-containing compounds produced during decomposition of Brassica juncea tissues in soil. *Soil Biol Biochem* 31: 395-703.
- Benn, SM; Peppard, TL. (1996). Characterization of tequila flavor by instrumental and sensory analysis. *J Agric Food Chem* 44: 557-566.
- Benowitz, NL; Peng, M; Jacob, P. (2003). Effects of cigarette smoking and carbon monoxide on chlorzoxazone and caffeine metabolism. *Clin Pharmacol Ther* 74: 468-474. <http://dx.doi.org/10.1016/j.clpt.2003.07.001>.
- Benson, LO; Teta, MJ. (1993). Mortality due to pancreatic and lymphopietic cancers in chlorohydrin production workers. *Br J Ind Med* 50: 710-716. <http://dx.doi.org/10.1136/oem.50.8.710>.
- Bentham, RH; McClure, NC. (2003). A novel laboratory microcosm for cocomposting of pentachlorophenol contaminated soil. *Compost Science and Utilization* 11: 311-320.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Benzekri, R; Bouslama, L; Papetti, A; Snoussi, M; Benslimene, I; Hamami, M; Limam, F. (2016). Isolation and identification of an antibacterial compound from *Diplotaxis harra* (Forssk.) Boiss. *Ind Crop Prod* 80: 228-234. <http://dx.doi.org/10.1016/j.indcrop.2015.11.059>.
- Bera, PK; Maity, NC, h; Abdi, SHR; Khan, N, ulH; Kureshy, RI; Bajaj, HC. (2013). Macrocyclic Mn(III) salen complexes as recyclable catalyst for oxidative kinetic resolution of secondary alcohols. *Appl Catal A-Gen* 467: 542-551. <http://dx.doi.org/10.1016/j.apcata.2013.07.055>.
- Berchane, NS; Jebraïl, FF; Carson, KH; Rice-Ficht, AC; Andrews, MJ. (2006). About mean diameter and size distributions of poly(lactide-co-glycolide) (PLG) microspheres. *J Microencapsul* 23: 539-552. <http://dx.doi.org/10.1080/02652040600776440>.



## Fate Literature Search Results

### Off Topic

- Bergdolt, A; Clasen, H; Houben, D; Muller, G; Walburg, R; Zibinski, E. (1973). PROCESS FOR THERMAL CHLORINATION OF MONOCHLOROMETHANE TO DICHLOROMETHANE IN A TUBULAR REACTOR. *Chem Ing Tech* 45: 1059-1063.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health* 5 Suppl 1: 1-263.
- Beristain, CI; Diaz, R; Garcia, HS; Azuara, E. (1994). THERMODYNAMIC BEHAVIOR OF GREEN WHOLE AND DECAFFEINATED COFFEE BEANS DURING ADSORPTION. *Drying Technology* 12: 1221-1233.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernardo, M; Lapa, N; Gonãšalves, M; Barbosa, R; Mendes, B; Pinto, F; Gulyurtlu, I. (2010). Toxicity of char residues produced in the co-pyrolysis of different wastes. *Waste Manag In Press, Corrected Proof*: 628-635. <http://dx.doi.org/10.1016/j.wasman.2009.10.015>.
- Bernardo, MS; Lapa, N; Barbosa, R; Goncalves, M; Mendes, B; Pinto, F; Gulyurtlu, I. (2009). Chemical and ecotoxicological characterization of solid residues produced during the co-pyrolysis of plastics and pine biomass. *J Hazard Mater* 166: 309-317. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.031>.
- Bernauer, U; Vieth, B; Ellrich, R; Heinrich-Hirsch, B; Janig, GR; Gundert-Remy, U. (2000). CYP2E1 expression in bone marrow and its intra- and interspecies variability: Approaches for a more reliable extrapolation from one species to another in the risk assessment of chemicals. *Arch Toxicol* 73: 618-624.
- Bernet, N; Sanchez, O; Dabert, P; Olaizola, A; Godon, JJ; Delgenes, JP. (2004). Effect of solid hold-up on nitrite accumulation in a biofilm reactor - molecular characterization of nitrifying communities. *Water Sci Technol* 49: 123-130.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect* 108: 883-893.
- Bers, AV; D'Souza, F; Klijnstra, JW; Willemsen, PR; Wahl, M. (2006). Chemical defence in mussels: antifouling effect of crude extracts of the periostracum of the blue mussel *Mytilus edulis*. *Biofouling* 22: 251-259. <http://dx.doi.org/10.1080/08927010600901112>.
- Bertin, C; Paul, RN; Duke, SO; Weston, LA. (2003). Laboratory assessment of the allelopathic effects of fine leaf fescues. *J Chem Ecol* 29: 1919-1937.
- Bertoldo, M; Coltelli, MB; Messina, T; Bronco, S; Castelvetro, V. (2016). Emulsion Blending Approach for the Preparation of Gelatin/Poly(butylene succinate-co-adipate) Films. 2: 677-686. <http://dx.doi.org/10.1021/acsbiomaterials.6b00050>.
- Bertolini, A; Carelli, G; Ioli, N; Massa, CA; Moraes, JCS; Moretti, A; Strumia, F. (1997). Optically pumped submillimeter laser lines from CD<sub>2</sub>Cl<sub>2</sub> using a large tunability CW CO<sub>2</sub> laser. *Int J Infrared Millimeter Waves* 18: 779-783.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2000). New FIR laser lines from fully deuterated dichloromethane: Completion of perpendicular/parallel emission pairs. *I E E E Journal of Quantum Electronics* 36: 1232-1236.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2001). Assignment of fir laser lines of fully deuterated dichloromethane. *Int J Infrared Millimeter Waves* 22: 1421-1431.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth* 195: 624-629.
- Bertoni, G; Rotatori, M; Canepari, S; Fratarcangeli, R. (1990). DETERMINATION OF DICHLOROMETHANE IN INDUSTRIAL ATMOSPHERES AND EMISSIONS BY TRAPPING ON LIGHT ADSORBENTS AND THERMAL-DESORPTION. *Ann Chim* 80: 357-367.
- Beschkov, V; Sapundzhiev, T, s; Torz, M; Wietzes, P; Janssen, DB. (2008). Modeling of 1,2-Dichloroethane Biodegradation by *Xanthobacter autotrophicus* GJ10 under Shock Loading of Other Halogenated Compounds in Continuous Stirred Tank Bioreactor. *Chemical and Biochemical Engineering Quarterly* 22: 339-348.
- Bestani, B; Benderdouche, N; Benstaali, B; Belhakem, M; Addou, A. (2008). Methylene blue and iodine adsorption onto an activated desert plant. *Bioresour Technol* 99: 8441-8444. <http://dx.doi.org/10.1016/j.biortech.2008.02.053>.
- Bester-Rogac, M; Hunger, J; Stoppa, A; Buchner, R. (2011). 1-Ethyl-3-methylimidazolium Ethylsulfate in Water, Acetonitrile, and Dichloromethane: Molar Conductivities and Association Constants. *Journal of Chemical and Engineering Data* 56: 1261-1267. <http://dx.doi.org/10.1021/jc101130e>.
- Bethune, DN; Farvolden, RN; Ryan, MC; Guzman, AL. (1996). Industrial contamination of a municipal water-supply lake by induced reversal of ground-water flow, Managua, Nicaragua. *Ground Water* 34: 699-708.
- Beyler-Cigil, A; Cakmakci, E; Kahraman, MV. (2016). Thermal Properties of Phosphorylated Nanodiamond Reinforced Polyimides. *Polymer Composites* 37: 2285-2292. <http://dx.doi.org/10.1002/pc.23406>.
- Bezerra Da Cruz-Silva, SC; Matias, R; Bono, JAM; Santos, KS; Ludwig, J. (2016). ANTIFUNGAL POTENTIAL OF EXTRACTS AND FRACTIONS OF *Randia nitida* LEAVES ON SOYBEAN PATHOGENS AND THEIR PHYTOCHEMISTRY. 29: 594-602.
- Bhagawan, D; Poodari, S; Kumar, GR; Golla, S; Anand, C, h; Banda, KS; Himabindu, V; Vidyavathi, S. (2015). Reactivation and recycling of spent carbon using solvent desorption followed by thermal treatment (TR). *Journal of Material Cycles and Waste Management* 17: 185-193. <http://dx.doi.org/10.1007/s10163-014-0237-y>.
- Bhalla, V; Singh, H; Kumar, M; Prasad, SK. (2011). Triazole-modified triphenylene derivative: self-assembly and sensing applications. *Langmuir* 27: 15275-15281. <http://dx.doi.org/10.1021/la203774p>.
- Bhandari, A; Novak, JT; Burgos, WD; Berry, DF. (1997). Irreversible binding of chlorophenols to soil and its impact on bioavailability. *J Environ Eng* 123: 506-513.
- Bhargava, A; Khanna, RN; Bhargava, SK; Kumar, S. (2004). Exposure risk to carcinogenic PAHs in indoor-air during biomass combustion whilst cooking in rural India. *Atmos Environ* 38: 4761-4767. <http://dx.doi.org/10.1016/j.atmosenv.2004.05.012>.

## Fate Literature Search Results

### Off Topic

- Bhat, IU, IHaq, Khalil, HPS, A; Shuib, N, orS; Noor, AM. (2010). ANTIFUNGAL ACTIVITY OF HEARTWOOD EXTRACTS AND THEIR CONSTITUENS FROM CULTIVATED TECTONA GRANDIS AGAINST PHANEROCHAETE CHRYSOSPORIUM. 55: 59-66.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, SK; Todd, JC; Law, VJ; Uberoi, V. (1994). AN INTEGRATED MODELING OF STOICHIOMETRY AND BIOKINETICS OF ANAEROBIC PROCESSES. *Environ Software* 9: 33-45.
- Bhattacharyya, A; Kawi, S; Ray, MB. (2004). Photocatalytic degradation of orange II by TiO<sub>2</sub> catalysts supported on adsorbents. *Catalysis Today* 98: 431-439. <http://dx.doi.org/10.1016/j.cattod.2004.08.010>.
- Bhattacharyya, S; Sen, U; Bhattacharyya, SP; Mukherjee, D. (2002). High performance liquid chromatographic separation of steroids from ovarian follicles of fresh water perch *Anabas testudineus*: identification and characterization of the maturation-inducing hormone. *J Exp Zool* 292: 565-572. <http://dx.doi.org/10.1002/jez.10078>.
- Bhaumik, D; Majumdar, S; Sirkar, KK. (2000). Pilot-plant and laboratory studies on vapor permeation removal of VOCs from waste gas using silicone-coated hollow fibers. *J Memb Sci* 167: 107-122.
- Bhowmik, PK; Han, HS; Ndedeltchev, IK; Cebe, JJ; Kang, SW; Kumar, S. (2006). Synthesis and characterization of ionic liquids: viologen bis{tetrakis[3,5-bis(trifluoromethyl)phenyl]borate} salts. *Liquid Crystals* 33: 891-906. <http://dx.doi.org/10.1080/02678290600871598>.
- Bhuin, RG; Methikkalam, RR; Bag, S; Pradeep, T. (2016). Diffusion and Crystallization of Dichloromethane within the Pores of Amorphous Solid Water. *J Phys Chem C* 120: 13474-13484. <http://dx.doi.org/10.1021/acs.jpcc.6b00436>.
- Bhuyan, J; Sarkar, S. (2011). Self-Assembly of Magnesium and Zinc Trimethoxyphenylporphyrin Polymer as Nanospheres and Nanorods. *Cryst Growth Des* 11: 5410-5414. <http://dx.doi.org/10.1021/cg2010002>.
- Bi, D; El-Zohry, AM; Hagfeldt, A; Boschloo, G. (2014). Improved morphology control using a modified two-step method for efficient perovskite solar cells. 6: 18751-18757. <http://dx.doi.org/10.1021/am504320h>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bian, H; Colarco, PR; Chin, M; Chen, G; Rodriguez, JM; Liang, Q; Blake, D; Chu, DA; da Silva, A; Darmanov, AS; Diskin, G; Fuelberg, HE; Huey, G; Kondo, Y; Nielsen, JE; Pan, X; Wisthaler, A. (2013). Source attributions of pollution to the Western Arctic during the NASA ARCTAS field campaign. *Atmos Chem Phys* 13: 4707-4721. <http://dx.doi.org/10.5194/acp-13-4707-2013>.
- Bian, X; Feng, L; Li, G, ao; Chen, Z; Chen, X. (2016). Quantification of residual monomer in polylactide by gas chromatographic internal standard method. *Polym Test* 50: 79-82. <http://dx.doi.org/10.1016/j.polymertesting.2015.11.022>.
- Bianchi, E; Lessing, G; Brina, KR; Angeli, L; Andriguetti, NB; Peruzzo, J. R.; Do Nascimento, CA; Spilki, FR; Ziulkoski, AL; da Silva, LB. (2017). Monitoring the Genotoxic and Cytotoxic Potential and the Presence of Pesticides and Hydrocarbons in Water of the Sinos River Basin, Southern Brazil. *Arch Environ Contam Toxicol*. <http://dx.doi.org/10.1007/s00244-016-0334-0>.
- Bianco, EM; Rogers, R; Teixeira, VL; Pereira, RC. (2009). Antifoulant diterpenes produced by the brown seaweed *Canistrocarpus cervicornis*. *J Appl Phycol* 21: 341-346. <http://dx.doi.org/10.1007/s10811-008-9374-9>.
- Bianco, EM; Teixeira, VL; Pereira, RC. (2010). CHEMICAL DEFENSES OF THE TROPICAL MARINE SEAWEED *Canistrocarpus cervicornis* AGAINST HERBIVORY BY SEA URCHIN. 58: 213-218.
- Biard, PF; Coudon, A; Couvert, A; Giraudet, S. (2016). A simple and timesaving method for the mass-transfer assessment of solvents used in physical absorption. *Chem Eng J* 290: 302-311. <http://dx.doi.org/10.1016/j.cej.2016.01.046>.
- Bibeau, L; Kiared, K; Leroux, A; Brzezinski, R; Viel, G; Heitz, M. (1997). Biological purification of exhaust air containing toluene vapor in a filter-bed reactor. *Can J Chem Eng* 75: 921-929.
- Bicchi, C; Cordero, C; Rubiolo, P; Ocelli, A. (2001). Determination of daminozide residues in apple pulp using HPLC-DAD-UV. *J Agric Food Chem* 49: 3548-3552.
- Bicking, M; Wilson, R. (1991). High performance size exclusion chromatography in environmental method development. 1. The effect of mobile phase and temperature on the retention of dioxins, furans, and polychlorinated biphenyls. *Chemosphere* 22: 421-435. [http://dx.doi.org/10.1016/0045-6535\(91\)90055-l](http://dx.doi.org/10.1016/0045-6535(91)90055-l).
- Bid, A; Bora, A; Raychaudhuri, AK. (2007). Debye temperature of metallic nanowires - An experimental determination from the resistance of metallic nanowires in the temperature range 4.2 K-300K. *J Nanosci Nanotechnol* 7: 1867-1870. <http://dx.doi.org/10.1166/jnn.2007.732>.
- Bilati, U; Allémann, E; Doelker, E. (2005). Poly(D,L-lactide-co-glycolide) protein-loaded nanoparticles prepared by the double emulsion method--processing and formulation issues for enhanced entrapment efficiency. *J Microencapsul* 22: 205-214. <http://dx.doi.org/10.1080/02652040400026442>.
- Bildik, F; Turan, GT; Barim, G; Senkal, BF. (2014). Removal of Acidic and Basic Dyes from Water using Crosslinked Polystyrene Based Quaternary Ethyl Piperazine Resin. *Separation Science and Technology* 49: 1700-1705. <http://dx.doi.org/10.1080/01496395.2014.906462>.
- Billedeau, SM; Heinze, TM; Siitonen, PH. (2003). Liquid chromatography analysis of erythromycin A in salmon tissue by electrochemical detection with confirmation by electrospray ionization mass spectrometry. *J Agric Food Chem* 51: 1534-1538. <http://dx.doi.org/10.1021/jf0209138>.
- Billig, E. (2001). Butyl alcohols. In RE Kirk; DF Othmer (Eds.), (4th, Online ed., pp. 393-402). New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.0221202502091212.a01.pub2>.
- Bin Abas, MR; Omar, N; Maah, MJ. (2004). An assessment of the concentrations of particulate polycyclic aromatic hydrocarbons (PAHs) in the aftermath of a chemical store fire incident. *J Environ Sci* 16: 751-754.

## Fate Literature Search Results

### Off Topic

- Binder, BF; Robbins, JC; Wilson, RL. (1995). CHEMICALLY MEDIATED OVIPOSITIONAL BEHAVIORS OF THE EUROPEAN CORN-BORER, *OSTRINIA-NUBILALIS* (LEPIDOPTERA, PYRALIDAE). *J Chem Ecol* 21: 1315-1327.
- Biran, C; Toppare, L; Tincer, T; Yagci, Y; Harabagiu, V. (2003). The effect of long-term ambient aging on the mechanical properties of conducting polysiloxane-polypyrrole graft copolymers. *Chemical Engineering Communications* 190: 823-830. <http://dx.doi.org/10.1080/00986440390207422>.
- Birnbaum, DT; Kosmala, JD; Brannon-Peppas, L. (2000). Optimization of preparation techniques for poly(lactic acid-co-glycolic acid) nanoparticles. *J Nanopart Res* 2: 173-181.
- Biruk, LN; Moretton, J; Fabrizio de Iorio, A; Weigandt, C; Etcheverry, J; Filippetto, J; Magdaleno, A. (2017). Toxicity and genotoxicity assessment in sediments from the Matanza-Riachuelo river basin (Argentina) under the influence of heavy metals and organic contaminants. *Ecotoxicol Environ Saf* 135: 302-311. <http://dx.doi.org/10.1016/j.ecoenv.2016.09.024>.
- Biryukov, DM; Pisarenko, YA; Mikhailov, VA; Kochurkov, AA. (2011). Developing a Unit for the Separation of the Reaction Mixture of Methylene Chloride Synthesis. *Theoretical Foundations of Chemical Engineering* 45: 747-752. <http://dx.doi.org/10.1134/S0040579511050034>.
- Bitlisli, BO; Karacaki, E. (2006). Utilisation of leather industry solid wastes in the production of porous clay brick. *Journal of the Society of Leather Technologists and Chemists* 90: 19-22.
- Bittner, M; Janosek, J; Hilscherová, K; Giesy, J; Holoubek, I; Bláha, L. (2006). Activation of Ah receptor by pure humic acids. *Environ Toxicol* 21: 338-342. <http://dx.doi.org/10.1002/tox.20185>.
- Bittner, M; Lorenz, W; Bahadir, M. (1994). RECYCLING OF SOLVENT WASTES CONTAMINATED WITH ORGANOSULFUR COMPOUNDS EXEMPLIFIED WITH THIOETHERS. *Fresen Environ Bull* 3: 633-638.
- Bizek, V; Horacek, J; Kousova, M. (1993). AMINE EXTRACTION OF CITRIC-ACID - EFFECT OF DILUENT. *Chem Eng Sci* 48: 1447-1457.
- Biziuk, M; Czerwinski, J; Kozłowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem* 50: 109-115.
- Bjostad, LB; Hibbard, BE. (1992). 6-METHOXY-2-BENZOXAZOLINONE - A SEMIOCHEMICAL FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 18: 931-944.
- Blackman, AJ; Davies, NW; Ralph, CE. (1992). VOLATILE AND ODOROUS COMPOUNDS FROM THE BRYOZOAN *BIFLUSTRA-PERFRAGILIS*. *Biochemical Systematics and Ecology* 20: 339-342.
- Blaga, AC; Galaction, AI; Cascaval, D, an. (2007). Extraction and transport of basic amino acids through liquid membranes. *Rev Chim* 58: 1080-1084.
- Blaga, AC; Malutan, T. (2012). Selective Separation of Vitamin C by Reactive Extraction. *Journal of Chemical and Engineering Data* 57: 431-435. <http://dx.doi.org/10.1021/je2010193>.
- Blake, D; Hinwood, AL; Horwitz, P. (2009). Peat fires and air quality: volatile organic compounds and particulates. *Chemosphere* 76: 419-423. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.047>.
- Blaney, BJ; Maryam, R; Murray, SA; Ryley, MJ. (2003). Alkaloids of the sorghum ergot pathogen (*Claviceps africana*): assay methods for grain and feed and variation between sclerotia/sphacelia. *Aust J Agr Res* 54: 167-175. <http://dx.doi.org/10.1071/AR02095>.
- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere* 28: 183-196.
- Blasco, M; Domeno, C; Bentayeb, K; Nerin, C. (2007). Solid-phase extraction clean-up procedure for the analysis of PAHs in lichens. *Int J Environ Anal Chem* 87: 833-846. <http://dx.doi.org/10.1080/03067310701381615>.
- Blencowe, A; Blencowe, C; Cosstick, K; Hayes, W. (2008). A carbene insertion approach to functionalised poly(ethylene oxide)-based gels. *React Funct Polym* 68: 868-875. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.12.009>.
- Blocki, FA; Logan, MS; Baoli, C; Wackett, LP. (1994). Reaction of rat liver glutathione S-transferases and bacterial dichloromethane dehalogenase with dihalomethanes. *J Biol Chem* 269: 8826-8830.
- Bodmeier, R; Chen, H; Tyle, P; Jarosz, P. (1991). SPONTANEOUS FORMATION OF DRUG-CONTAINING ACRYLIC NANOPARTICLES. *J Microencapsul* 8: 161-170.
- Boege, M; Heck, J. (2015). One-Step Preparation and Crystallization of Almost Insoluble Palladium(II) and Platinum(II/IV) Complexes from a Biphasic Solvent System. *Cryst Growth Des* 15: 5280-5287. <http://dx.doi.org/10.1021/acs.cgd.5b00797>.
- Boehning, M; Goering, H; Hao, N; Mach, R; Oleszak, F; Schoenhals, A. (2003). MOLECULAR MOBILITY AND GAS TRANSPORT PROPERTIES OF POLYCARBONATE-BASED NANOCOMPOSITES. *Reviews on Advanced Materials Science* 5: 155-159.
- Bogaerts, P; Senaud, J; Bohatier, J. (1998). Bioassay technique using nonspecific esterase activities of *Tetrahymena pyriformis* for screening and assessing cytotoxicity of xenobiotics. *Environ Toxicol Chem* 17: 1600-1605.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Boguslavsky, L; Margel, S. (2005). Poly(acrylonitrile) microspheres with a narrow size distribution: Synthesis by single-step swelling and properties. *Glass Physics and Chemistry* 31: 102-114.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci* 895: 317-337.
- Boligon, AA; Brum, TF; Zadra, M; Piana, M; Alves, CF; Fausto, VP; Júnior, V; Vaucher, R; Santos, RC; Athayde, ML. (2013). Antimicrobial activity of *Scutia buxifolia* against the honeybee pathogen *Paenibacillus* larvae. *J Invertebr Pathol* 112: 105-107. <http://dx.doi.org/10.1016/j.jip.2012.11.009>.
- Bollin, PM; Viamajala, S. (2012). Reactive Extraction of Triglycerides as Fatty Acid Methyl Esters using Lewis Acidic Chloroaluminate Ionic Liquids. *Energy Fuels* 26: 6411-6418. <http://dx.doi.org/10.1021/ef301101d>.

## Fate Literature Search Results

### Off Topic

- Bombardier, M; Bermingham, N; Legault, R; Fouquet, A. (2001). Evaluation of an SOS-Chromotest-based approach for the isolation and detection of sediment-associated genotoxins. *Chemosphere* 42: 931-944.
- Bombick, BR; Avalos, JT; Nelson, PR; Conrad, FW; Doolittle, DJ. (1998). Comparative studies of the mutagenicity of environmental tobacco smoke from cigarettes that burn or primarily heat tobacco. *Environ Mol Mutagen* 31: 169-175.
- Bonarowska, M; Malinowski, A; Karpinski, Z. (1999). Hydrogenolysis of C-C and C-Cl bonds by Pd-Re/Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal A-Gen* 188: 145-154.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen* 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bonfiglioli, R; Carnevali, L; Di Lello, M; Violante, FS. (2014). Bilateral hearing loss after dichloromethane poisoning: a case report. *Am J Ind Med* 57: 254-257. <http://dx.doi.org/10.1002/ajim.22257>.
- Bongers, GD; Jackson, WR; Woskoboenko, F. (1998). Pressurised steam drying of Australian low-rank coals - Part 1. Equilibrium moisture contents. *Fuel Process Tech* 57: 41-54.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci* 40: 1391-1409.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res* 34: 4437-4445.
- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of chromatography purified marigold lutein using hexane and ethyl acetate solvent mixture. *Journal of Supercritical Fluids* 80: 15-22. <http://dx.doi.org/10.1016/j.supflu.2013.03.033>.
- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of marigold-derived lutein dissolved in dichloromethane and ethanol. *Journal of Supercritical Fluids* 77: 103-109. <http://dx.doi.org/10.1016/j.supflu.2013.02.026>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol* 84: 69-73.
- Borba da Cunha, A, naC; Sabedot, S; Sampaio, CH; Ramos, CG; da Silva, AR. (2012). *Salix rubens* and *Salix triandra* Species as Phytoremediators of Soil Contaminated with Petroleum-Derived Hydrocarbons. *Water Air Soil Pollut* 223: 4723-4731. <http://dx.doi.org/10.1007/s11270-012-1228-z>.
- Borkar, C; Tomar, D; Gumma, S. (2010). Adsorption of Dichloromethane on Activated Carbon. *Journal of Chemical and Engineering Data* 55: 1640-1644. <http://dx.doi.org/10.1021/je900706h>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Stein, T; Gaisin, VZ; Cohen, R; Gendelman, OV. (2005). Mesoscopic Patterning in thin polymer films formed under the fast dip-coating process. *Macromolecular Materials & Engineering* 290: 114-121. <http://dx.doi.org/10.1002/mame.200400217>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Tamir, S; Cohen, R; Nunberg, M; Gaisin, VZ; Gorelik, M; Gendelman, OV. (2005). Mesoscopic and submicroscopic patterning in thin polymer films: Impact of the solvent. *Mater Lett* 59: 2461-2464. <http://dx.doi.org/10.1016/j.matlet.2005.03.015>.
- Borodina, TN; Grigoriev, DO; Andreeva, DV; Mohwald, H; Shchukin, DG. (2009). Polyelectrolyte multilayered nanofilms as a novel approach for the protection of hydrogen storage materials. *ACS Applied Materials & Interfaces* 1: 996-1001. <http://dx.doi.org/10.1021/am8002236>.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol* 32: 2614-2622.
- Boryczka, S; Elothmani, D; Do, QT; Simonet, J; Leguillanton, G. (1996). A new preparation of alpha-oxo-thioesters by electro-oxidation of diaryl disulfides in the presence of alkynes. *J Electrochem Soc* 143: 4027-4032.
- Bos, AR; Gumanao, GS; van Katwijk, MM; Mueller, B; Saceda, MM; Tejada, RL. (2011). Ontogenetic habitat shift, population growth, and burrowing behavior of the Indo-Pacific beach star, *Archaster typicus* (Echinodermata; Asteroidea). *Mar Biol* 158: 639-648. <http://dx.doi.org/10.1007/s00227-010-1588-0>.
- Bos, PM; Zeilmaker, MJ; van Eijkeren, JC. (2006). Application of physiologically based pharmacokinetic modeling in setting acute exposure guideline levels for methylene chloride. *Toxicol Sci* 91: 576-585. <http://dx.doi.org/10.1093/toxsci/kfj176>.
- Boschetto, DL; Aranha, EM; Ulson de Souza, AA; Souza, S; Ferreira, SRS; Priamo, WL; Oliveira, JV. (2014). Encapsulation of bixin in PHBV using SEDS technique and in vitro release evaluation. *Ind Crop Prod* 60: 22-29. <http://dx.doi.org/10.1016/j.indcrop.2014.05.050>.
- Boschetto, DL; Dalmolin, I; de Cesaro, AM; Rigo, AA; Ferreira, SRS; Meireles, MAA; Batista, EAC; Vladimir Oliveira, J. (2013). Phase behavior and process parameters effect on grape seed extract encapsulation by SEDS technique. *Ind Crop Prod* 50: 352-360. <http://dx.doi.org/10.1016/j.indcrop.2013.07.044>.
- Boucard, TK; Bardgett, RD; Jones, KC; Semple, KT. (2005). Influence of plants on the chemical extractability and biodegradability of 2,4-dichlorophenol in soil. *Environ Pollut* 133: 53-62. <http://dx.doi.org/10.1016/j.envpol.2004.04.014>.
- Bouchemal, N; Addoun, F. (2009). Adsorption of dyes from aqueous solution onto activated carbons prepared from date pits: The effect of adsorbents pore size distribution. *Desalination and Water Treatment* 7: 242-250.
- Bouchemal, N; Azoudj, Y; Merzougui, Z; Addoun, F. (2012). Adsorption modeling of Orange G dye on mesoporous activated carbon prepared from Algerian date pits using experimental designs. *Desalination and Water Treatment* 45: 284-290. <http://dx.doi.org/10.5004/dwt.2012.3324>.
- Boucher, AA; Edeoga, C; Ebenibo, S; Wan, J; Dagogo-Jack, S. (2012). Leukocyte count and cardiometabolic risk among healthy participants with parental type 2 diabetes: the Pathobiology of Prediabetes in a Biracial Cohort study. *Ethn Dis* 22: 445-450.

## Fate Literature Search Results

### Off Topic

- Boucher, RJ; Standen, G; Eglinton, G. (1991). MOLECULAR CHARACTERIZATION OF KEROGENS BY MILD SELECTIVE CHEMICAL DEGRADATION - RUTHENIUM TETROXIDE OXIDATION. *Fuel* 70: 695-702.
- Boucher, RJ; Standen, G; Patience, RL; Eglinton, G. (1990). MOLECULAR CHARACTERIZATION OF KEROGEN FROM THE KIMMERIDGE CLAY FORMATION BY MILD SELECTIVE CHEMICAL DEGRADATION AND SOLID-STATE C-13-NMR. *Organic Geochemistry* 16: 951-958.
- Bouguettoucha, A; Reffas, A; Chebli, D; Mekhalif, T; Amrane, A. (2016). Novel activated carbon prepared from an agricultural waste, *Stipa tenacissima*, based on ZnCl<sub>2</sub> activation characterization and application to the removal of methylene blue. *Desalination and Water Treatment* 57: 24056-24069. <http://dx.doi.org/10.1080/19443994.2015.1137231>.
- Bouhdadi, R; Benhadi, S; Molina, S; George, B; El Moussaouiti, M; Merlin, A. (2011). CHEMICAL MODIFICATION OF CELLULOSE BY ACYLATION: APPLICATION TO ADSORPTION OF METHYLENE BLUE. *Maderas* 13: 105-116. <http://dx.doi.org/10.4067/S0718-221X2011000100009>.
- Bouhdadi, R; El Moussouiti, M; Benhadi, S; George, B; Molina, S; Merlin, A. (2011). KINETIC AND ISOTHERM MODELING OF METHYLENE BLUE SORPTION ONTO KRAFT PULP MODIFIED BY ACYLATION. 56: 349-361.
- Boulenouar, N; Marouf, A; Cheriti, A; Belboukhari, N. (2012). Medicinal Plants Extracts as Source of Antifungal Agents against *Fusarium oxysporum* f. sp. *albendinis*. *Journal of Agricultural Science and Technology* 14: 659-669.
- Boulinguez, B; Le Cloirec, P. (2009). Biogas pre-upgrading by adsorption of trace compounds onto granular activated carbons and an activated carbon fiber-cloth. *Water Sci Technol* 59: 935-944. <http://dx.doi.org/10.2166/wst.2009.070>.
- Bouri, M; Salghi, R; Bazzi, L; Zarrouk, A; Rios, A; Zougagh, M. (2012). Pesticide residue levels in green beans cultivated in Souss Masa valley (Morocco) after multiple applications of bifenthrin and  $\lambda$ -cyhalothrin. *Bull Environ Contam Toxicol* 89: 638-643. <http://dx.doi.org/10.1007/s00128-012-0722-8>.
- Boury, F; Ivanova, T; Panaiotov, I; Proust, JE; Bois, A; Richou, J. (1995). DILATATIONAL PROPERTIES OF ADSORBED POLY(D,L-LACTIDE) AND BOVINE SERUM-ALBUMIN MONOLAYERS AT THE DICHLOROMETHANE/WATER INTERFACE. *Langmuir* 11: 1636-1644.
- Bouseta, A; Collin, S. (1995). OPTIMIZED LIKENS-NICKERSON METHODOLOGY FOR QUANTIFYING HONEY FLAVORS. *J Agric Food Chem* 43: 1890-1897.
- Boutin, O; Badens, E; Carretier, E; Charbit, G. (2004). Co-precipitation of a herbicide and biodegradable materials by the supercritical anti-solvent technique. *Journal of Supercritical Fluids* 31: 89-99. <http://dx.doi.org/10.1016/j.supflu.2003.09.013>.
- Boxall, ABA; Maltby, L. (1995). THE CHARACTERIZATION AND TOXICITY OF SEDIMENT CONTAMINATED WITH ROAD RUNOFF. *Water Res* 29: 2043-2050.
- Boysen, RB; Schabron, JF. (2013). The Automated Asphaltene Determinator Coupled with Saturates, Aromatics, and Resins Separation for Petroleum Residua Characterization. *Energy Fuels* 27: 4654-4661. <http://dx.doi.org/10.1021/ef400952b>.
- Bozorgnia, Y; Niazi, M. (1993). DISTANCE SCALING OF VERTICAL AND HORIZONTAL RESPONSE SPECTRA OF THE LOMA-PRIETA EARTHQUAKE. *Earthquake Engineering & Structural Dynamics* 22: 695-707.
- Braddock, JF; Lindstrom, JE; Prince, RC. (2003). Weathering of a subarctic oil spill over 25 years: the Caribou-Poker Creeks Research Watershed experiment. *Cold Regions Sci Tech* 36: 11-23. [http://dx.doi.org/10.1016/S0165-232X\(02\)00076-9](http://dx.doi.org/10.1016/S0165-232X(02)00076-9).
- Brandenberger, S; Mohr, M; Grob, K; Neukom, HP. (2005). Contribution of unburned lubricating oil and diesel fuel to particulate emission from passenger cars. *Atmos Environ* 39: 6985-6994. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.042>.
- Bras, J; Vaca-Garcia, C; Borredon, ME; Glasser, W. (2007). Oxygen and water vapor permeability of fully substituted long chain cellulose esters (LCCE). *Cellulose* 14: 367-374. <http://dx.doi.org/10.1007/s10570-007-9123-2>.
- Braud, C; Devarieux, R; Garreau, H; Vert, M. (1996). Capillary electrophoresis to analyze water-soluble oligo(hydroxyacids) issued from degraded or biodegraded aliphatic polyesters. *Journal of Environmental Polymer Degradation* 4: 135-148.
- Braus-Stromeier, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol* 27: 1577-1579.
- Breman, BB; Beenackers, A; Bouma, MJ. (1995). FLOW REGIMES, GAS HOLD-UP AND AXIAL GAS MIXING IN THE GAS-LIQUID MULTISTAGE AGITATED CONTACTOR. *Chem Eng Sci* 50: 2963-2982.
- Bremerstein, T; Rudolph, M; Peuker, U, rsA. (2014). Effect of solvent exchange on the stability of sterically functionalized magnetite nanoparticles in poly(methyl methacrylate) solutions and resulting spray dried composites. *Chem Eng Res Des* 92: 2523-2533. <http://dx.doi.org/10.1016/j.cherd.2014.02.015>.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria* 165: 87-97.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brenizer, JS; Hosticka, B; Berger, H; Gillies, GT. (1999). The use of contrast agents to enhance crack detection via neutron radiography. *N D T & E International* 32: 37-42.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Scientific Publications. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Bressler, E; Braun, S. (1999). Separation mechanisms of citric and itaconic acids by water-immiscible amines. *J Chem Tech Biotechnol* 74: 891-896.
- Breuer, D; Friedrich, C; Hennig, M; Moritz, A; Schneider, W; Werner, S. (2010). Determination of volatile organic compounds (VOCs) indoors: Validation of the measuring process. *Gefährst Reinhalt Luft* 70: 423-429.
- Briceno, K; Silvestre-Albero, J; Silvestre-Albero, A; Calvo, JI; Montane, D; Garcia-Valls, R; Hernandez, A; Rodriguez-Reinoso, F. (2013). Characterization of Carbon Molecular Sieve Membranes Supported on Ceramic Tubes. *AST* 31: 233-247.

## Fate Literature Search Results

### Off Topic

- Brichka, SY; Prikhod'ko, GP; Sementsov, YI; Brichka, AV; Dovbeshko, GI; Paschuk, OP. (2004). Synthesis of carbon nanotubes from a chlorine-containing precursor and their properties. *Carbon* 42: 2581-2587. <http://dx.doi.org/10.1016/j.carbon.2004.05.040>.
- Brieno-Enriquez, KM; Ledesma-Garcia, J; Perez-Bueno, JJ; Godinez, LA; Terrones, H; Angeles-Chavez, C. (2009). Bonding titanium on multi-walled carbon nanotubes for hydrogen storage: An electrochemical approach. *Mater Chem Phys* 115: 521-525. <http://dx.doi.org/10.1016/j.matchemphys.2009.02.004>.
- Briggs, AM; Johal, MS; Davies, PB. (1999). Structure and thermal stability of dichain sugar surfactants at the solid/water interface studied by sum-frequency vibrational spectroscopy. *Langmuir* 15: 1817-1828.
- Brito e Abreu, S; Avelino, HMN, T; Caetano, FJP; Fareleira, JMN, A. (2010). Density of Diisodecyl Phthalate at Temperatures from (283.15 to 363.15) K and Pressures from (0.1 to 65) MPa. *Journal of Chemical and Engineering Data* 55: 3525-3531. <http://dx.doi.org/10.1021/jc1001413>.
- Brockmeyer, B; Kraus, UR; Theobald, N. (2015). Accelerated solvent extraction (ASE) for purification and extraction of silicone passive samplers used for the monitoring of organic pollutants. *Environ Sci Pollut Res Int* 22: 19887-19895. <http://dx.doi.org/10.1007/s11356-015-5192-1>.
- Brod, M; Valensi, P; Shaban, JA; Bushnell, DM; Christensen, TL. (2010). Patient treatment satisfaction after switching to NovoMix® 30 (BIAsp 30) in the IMPROVE™ study: an analysis of the influence of prior and current treatment factors. *19*: 1285-1293. <http://dx.doi.org/10.1007/s11136-010-9699-0>.
- Brodeur, JC; Poliserpi, MB; D'Andrea, MF; Sanchez, M. (2014). Synergy between glyphosate- and cypermethrin-based pesticides during acute exposures in tadpoles of the common South American Toad *Rhinella arenarum*. *Chemosphere* 112: 70-76. <http://dx.doi.org/10.1016/j.chemosphere.2014.02.065>.
- Bronze-Uhle, ES; Borin, JF; Batagin-Neto, A; Alves, MCO; Graeff, CFO. (2012). MEH-PPV hypsochromic shifts in halogenated solvents induced by gamma-rays. *Mater Chem Phys* 132: 846-851. <http://dx.doi.org/10.1016/j.matchemphys.2011.12.022>.
- Brooks, JS; Williams, EH; Feeny, P. (1996). Quantification of contact oviposition stimulants for black swallowtail butterfly, *Papilio polyxenes*, on the leaf surfaces of wild carrot, *Daucus carota*. *J Chem Ecol* 22: 2341-2357.
- Brooks, LR; Hughes, TJ; Claxton, LD; Austern, B; Brenner, R; Kremer, F. (1998). Bioassay-directed fractionation and chemical identification of mutagens in bioremediated soils. *Environ Health Perspect* 106 Suppl 6: 1435-1440.
- Brooks, SPJ; Ratnayake, WMN; Lampi, BJ; Hollywood, R. (1998). Measuring total lipid content in rat carcasses: A comparison of commonly employed extraction methods. *J Agric Food Chem* 46: 4214-4217.
- Brown, JL; Kersey, DC; Freeman, EW; Wagener, T. (2010). Assessment of diurnal urinary cortisol excretion in Asian and African elephants using different endocrine methods. *Zoo Biology* 29: 274-283. <http://dx.doi.org/10.1002/zoo.20268>.
- Brown, JL; Wemmer, CM; Lehnhardt, J. (1995). Urinary cortisol analysis for monitoring adrenal activity in elephants. *Zoo Biology* 14: 533-542.
- Brown, KW; Thomas, JC; Donnelly, KC. (1991). BACTERIAL MUTAGENICITY OF MUNICIPAL SEWAGE SLUDGES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology* 26: 395-413.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, SL; Schwab, B. (1994). REVIEW OF MATHEMATICAL-MODELS FOR HEALTH RISK ASSESSMENT .8. DOSE-RESPONSE RELATIONSHIPS. *Environ Software* 9: 161-174.
- Brownlee, B; Macinnis, G; Charlton, M; Watson, S; Hamilton-Browne, S; Milne, J. (2004). An analytical method for shipboard extraction of the odour compounds, 2-methylisoborneol and geosmin. *Water Sci Technol* 49: 121-127.
- Broza, G; Piszczek, K; Schulte, K; Sterzynski, T. (2007). Nanocomposites of poly(vinyl chloride) with carbon nanotubes (CNT). *Compos Sci Tech* 67: 890-894. <http://dx.doi.org/10.1016/j.compscitech.2006.01.033>.
- Brozek, V; Hrabovsky, M; Kopecky, V. (1999). Decomposition of polyhalogenide hydrocarbons in plasma jet generated by water stabilized plasma torch. *High Temperature Material Processes* 3: 375-384.
- Bruce, EN; Bruce, MC; Erupaka, K. (2008). Prediction of the rate of uptake of carbon monoxide from blood by extravascular tissues. *Respir Physiol Neurobiol* 161: 142-159.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents* 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Bruhn, C; Brockmüller, J; Kerb, R; Roots, I; Borchert, HH. (1998). Concordance between enzyme activity and genotype of glutathione S-transferase theta (GSTT1). *Biochem Pharmacol* 56: 1189-1193.
- Brujes, L; Legrand, J; Carnelle, G. (2003). Characterization of liquid-liquid dispersion in batch and continuous toroidal minimixer. *J Chem Eng Jpn* 36: 1-6.
- Bruk, R; Barat, R; Mitra, S. (2006). The Effect of Waste Concentration on Destruction Efficiency During Incineration. *Environ Eng Sci* 23: 383-392.
- Bruk, R; Mitra, S; Barat, R. (2004). Pathways to methylene chloride destruction at low and high concentrations. *Combust Sci Tech* 176: 531-555. <http://dx.doi.org/10.1080/00102200490276755>.
- Brunner, AR; Bujalski, DR; Moyer, ES; Su, K; Sneddon, LG. (2000). Synthesis and ceramic conversion reactions of pinacolborane- and diethylborazine-modified poly(vinylsiloxane)s. The development of a processable single-source polymeric precursor to boron-modified silicon carbide. *Chem Mater* 12: 2770-2780.
- Bryce, MR; Moore, AJ; Tanner, BK; Whitehead, R; Clegg, W; Gerson, F; Lamprecht, A; Pfenninger, S. (1996). Vinylous tetrathiafulvalene (TTF) pi-electron donors and derived radical cations: ESR spectroscopic, magnetic, and X-ray structural studies. *Chem Mater* 8: 1182-1188.

## Fate Literature Search Results

### Off Topic

- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289: 1648-1653.
- Buchanansmith, HM; Anderson, DA; Ryan, CW. (1993). RESPONSES OF COTTON-TOP TAMARINS (*SAGUINUS-OEDIPUS*) TO FECAL SCENTS OF PREDATORS AND NON-PREDATORS. *Animal Welfare* 2: 17-32.
- Buddhadasa, SC; Barone, S; Bigger, SW; Orbell, JD. (2003). A comparison between extractant solvents in the quantitative analysis of total petroleum hydrocarbons in soil samples. *J Jpn Petrol Inst* 46: 28-34.
- Budenberg, WJ; Ndiege, IO; Karago, FW. (1993). EVIDENCE FOR VOLATILE MALE-PRODUCED PHEROMONE IN BANANA WEEVIL COSMOPOLITES-SORDIDUS. *J Chem Ecol* 19: 1905-1916.
- Bueno, C; Cabral, VF; Cardozo-Filho, L; Dias, ML; Antunes, OAC. (2009). Cationic polymerization of styrene in scCO<sub>2</sub> and [bmim][PF<sub>6</sub>]. *Journal of Supercritical Fluids* 48: 183-187. <http://dx.doi.org/10.1016/j.supflu.2008.09.023>.
- Buggy, M; Farragher, L; Madden, W. (1995). Recycling of composite materials. *J Mater Process Tech* 55: 448-456.
- Bui, VT; Ahad, E; Rheume, D; Whitehead, R. (1997). Evaluation of branched glycidyl azide polymer purified by solvent extraction. *Ind Eng Chem Res* 36: 2219-2224.
- Bukowski, JA; Sargent, EV; Pena, BM. (1992). Evaluation of the Utility of a Standard History Questionnaire in Assessing the Neurological Effects of Solvents. *Am J Ind Med* 22: 337-345.
- Bukowski, JA; Schnatter, AR; Korn, L. (2001). Using epidemiological studies to check the consistency of the cancer risks predicted by high-dose animal experiments: a methodological review [Review]. *Risk Anal* 21: 601-611.
- Bull, J, oe. (2012). Loads of green washing-can behavioural economics increase willingness-to-pay for efficient washing machines in the UK? *Energy Policy* 50: 242-252. <http://dx.doi.org/10.1016/j.enpol.2012.07.001>.
- Bumbac, M; Serban, B; Luca, C; Nechifor, G; Voicu, S. (2006). Studies regarding the synergistic effect in the extraction of alkaline metals Na<sup>+</sup> and K<sup>+</sup> cations in the presence of p-tertbutylcalix[4] arene-ethers crown. *Rev Chim* 57: 927-930.
- Buonomenna, MG; Golemme, G; Choi, SH; Jansen, JC; De Santo, MP; Drioli, E. (2011). Surface skin layer formation and molecular separation properties of asymmetric PEEKWC membranes. *Separation and Purification Technology* 77: 104-111. <http://dx.doi.org/10.1016/j.seppur.2010.11.027>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen* 96: 289-303.
- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal* 75: 1079-1092.
- Burg, P; Fydrych, P; Bimer, J; Salbut, PD; Jankowska, A. (2002). Comparison of three active carbons using LSER modeling: prediction of their selectivity towards pairs of volatile organic compounds (VOCs). *Carbon* 40: 73-80.
- Burger, J; Lord, CG; Yurkow, EJ; Mcgrath, L; Gaines, KF; Brisbin, IL; Gochfeld, M. (2000). Metals and metallothionein in the liver of raccoons: utility for environmental assessment and monitoring. *J Toxicol Environ Health A* 60: 243-261.
- Burgess, CM; Yao, N, an; Bocarsly, AB. (2009). Stabilizing cyanosols: amorphous cyanide bridged transition metal polymer nanoparticles. *J Mater Chem* 19: 8846-8855. <http://dx.doi.org/10.1039/b911682f>.
- Burness, JH; Dillard, JG. (1994). AN INVESTIGATION OF THE SURFACE-PROPERTIES OF ANODIZED ALUMINUM BY INVERSE GAS-CHROMATOGRAPHY. *Langmuir* 10: 1894-1897.
- Bushway, RJ; Brandon, DL; Bates, AH; Li, L; Larkin, KA; Young, BS. (1995). QUANTITATIVE-DETERMINATION OF THIABENDAZOLE IN FRUIT JUICES AND BULK JUICE CONCENTRATES USING A THIABENDAZOLE MONOCLONAL-ANTIBODY. *J Agric Food Chem* 43: 1407-1412.
- Bushway, RJ; Fan, TS; Young, BES; Paradis, LR; Perkins, LB. (1994). DETERMINATION OF METHYL 2-BENZIMIDAZOLECARBAMATE IN SOIL BY COMPETITIVE-INHIBITION ENZYME-IMMUNOASSAY. *J Agric Food Chem* 42: 1138-1142.
- Butler, E; Whelan, MJ; Ritz, K; Sakrabani, R; van Egmond, R. (2011). Solvent-based washing removes lipophilic contaminant interference with phospholipid fatty acid analysis of soil communities. *Soil Biol Biochem* 43: 2208-2212. <http://dx.doi.org/10.1016/j.soilbio.2011.06.010>.
- Butler, FE; Coppedge, EA; Suggs, JC; Knoll, JE; Midgett, MR; Sykes, AL; Hartman, MW; Steger, JL. (1988). DEVELOPMENT OF A METHOD FOR DETERMINATION OF METHYLENE-CHLORIDE EMISSIONS AT STATIONARY SOURCES. *J Air Pollut Control Assoc* 38: 272-277.
- Buzitis, J; Ylitalo, GM; Krahn, MM. (2006). Rapid method for determination of dioxin-like polychlorinated biphenyls and other congeners in marine sediments using sonic extraction and photodiode array detection. *Arch Environ Contam Toxicol* 51: 337-346. <http://dx.doi.org/10.1007/s00244-005-0162-0>.
- Byrne, RJ; Stitzel, SE; Diamond, D. (2006). Photo-regenerable surface with potential for optical sensing. *J Mater Chem* 16: 1332-1337. <http://dx.doi.org/10.1039/b516400a>.
- Byun, H, unSoo; Lee, H, aY. (2006). Cloud-point measurement of the biodegradable poly(d,l-lactide-co-glycolide) solution in supercritical fluid solvents. *Korean J Chem Eng* 23: 1003-1008.
- Caamal-Fuentes, E; Chale-Dzul, J; Moo-Puc, R; Freile-Pelegrin, Y; Robledo, D. (2014). Bioprospecting of brown seaweed (Ochrophyta) from the Yucatan Peninsula: cytotoxic, antiproliferative, and antiprotozoal activities. *J Appl Phycol* 26: 1009-1017. <http://dx.doi.org/10.1007/s10811-013-0129-x>.
- Cabbar, C; Dogu, G; Dogu, T; McCoy, BJ. (1996). Single-pellet dynamics for the soil organic matter effect on dichloromethane sorption. *AIChE J* 42: 2090-2093.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater* 82: 313-322.
- Cabbar, HC; Varol, N; McCoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J* 44: 1351-1355.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria* 62: 163-172.

## Fate Literature Search Results

### Off Topic

- Çabuk, H; Kılıç, MŞ; Ören, M. (2014). Biomonitoring of polycyclic aromatic hydrocarbons in urban and industrial environments of the Western Black Sea Region, Turkey. *Environ Monit Assess* 186: 1515-1524. <http://dx.doi.org/10.1007/s10661-013-3470-2>.
- Caeiro, G; Magnoux, P; Lopes, JM; Ribeiro, FR. (2005). Deactivating effect of quinoline during the methylcyclohexane transformation over H-USY zeolite. *Appl Catal A-Gen* 292: 189-199. <http://dx.doi.org/10.1016/j.apcata.2005.06.016>.
- Cagianò, R; Ancona, D; Cassano, T; Tattoli, M; Trabace, L; Cuomo, V. (1998). Effects of prenatal exposure to low concentrations of carbon monoxide on sexual behaviour and mesolimbic dopaminergic function in rat offspring. *Br J Pharmacol* 125: 909-915. <http://dx.doi.org/10.1038/sj.bjp.0702143>.
- Cai, SF, ei; Wang, L, iS; Hu, F, uH. (2009). Solubilities of MoO<sub>2</sub>X<sub>2</sub>L<sub>2</sub> (X = Cl, Br; L = OPPh<sub>3</sub>, OPMePh<sub>2</sub>) in Dichloromethane and H<sub>2</sub>O<sub>2</sub> (30 % (By Weight)) + H<sub>2</sub>O Solution. *Journal of Chemical and Engineering Data* 54: 2235-2238. <http://dx.doi.org/10.1021/jc800988w>.
- Cai, X; Zhu, L, an; Bao, S; Luo, Q. (2015). Photochromic dithienylethene-branched triptycene hybrids. *Dyes and Pigments* 121: 227-234. <http://dx.doi.org/10.1016/j.dyepig.2015.05.023>.
- Cai, Y; Tang, G; Jaffe, R; Jones, R. (1997). Evaluation of some isolation methods for organomercury determination in soil and fish samples by capillary gas chromatography - Atomic fluorescence spectrometry. *Int J Environ Anal Chem* 68: 331-345.
- Cakar, F; Yazici, O; Sakar, D; Cankurtaran, O; Karaman, F. (2011). Surface analysis of poly(ether imide) by inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 5: 821-826.
- Calamai, L; Pantani, OL; Ravelli, A; Fusi, P. (1995). CHLORSULFURON EXTRACTION AND PURIFICATION FROM A COMMERCIAL FORMULATION (GLEAN 75DF). *Fresen Environ Bull* 4: 25-30.
- Caldwell, N; Jamieson, C; Simpson, I; Watson, AJB. (2013). Development of a Sustainable Catalytic Ester Amidation Process. 1: 1339-1344. <http://dx.doi.org/10.1021/sc400204g>.
- Callison, J; Betzler, F; de Cuba, K; van Der Borden, W; van Der Velde, K; Carr, RH; Senn, HM; Farrugia, LJ; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in a Polyurethane Production Chain. Part 2: A Route to the Formation of Colored Impurities. *Ind Eng Chem Res* 51: 11021-11030. <http://dx.doi.org/10.1021/ie300987v>.
- Callison, J; Edge, R; de Cuba, KR; Carr, RH; Mcdouall, JJW; Collison, D; Mcinnes, EJJ; van Der Borden, W; van Der Velde, K; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in the Polyurethane Production Chain. 1. Conditions for Chlorine Transfer from an Aryl Isocyanide Dichloride Byproduct. *Ind Eng Chem Res* 51: 2515-2523. <http://dx.doi.org/10.1021/ie2013136>.
- Calvert, CA; Suib, SL. (2007). An initial study into the use of microwave remediation of hexachlorobenzene treated soil using selected oxidants and coated graphite rods. *Journal of Soils and Sediments* 7: 147-152. <http://dx.doi.org/10.1065/jss2007.05.227>.
- Calvey, EM; Matusik, JE; White, KD; Betz, JM; Block, E; Littlejohn, MH; Naganathan, S; Putman, D. (1994). OFF-LINE SUPERCRITICAL-FLUID EXTRACTION OF THIOSULFINATES FROM GARLIC AND ONION. *J Agric Food Chem* 42: 1335-1341.
- Câmara, JS; Marques, JC; Alves, MA; Silva Ferreira, AC. (2004). 3-Hydroxy-4,5-dimethyl-2(5H)-furanone levels in fortified Madeira wines: relationship to sugar content. *J Agric Food Chem* 52: 6765-6769. <http://dx.doi.org/10.1021/jf049547d>.
- Cameron, NR; Sherrington, DC; Ando, I; Kurosu, H. (1996). Chemical modification of monolithic poly(styrene-divinylbenzene) PolyHIPE(R) materials. *J Mater Chem* 6: 719-726.
- Campbell, M; Bitton, G; Koopman, B; Delfino, JJ. (1992). PRELIMINARY COMPARISON OF SEDIMENT EXTRACTION PROCEDURES AND EXCHANGE SOLVENTS FOR HYDROPHOBIC COMPOUNDS BASED ON INHIBITION OF BIOLUMINESCENCE. *Environ Toxicol Water Qual* 7: 329-338.
- Camurlu, P; Gultekin, C. (2012). Utilization of novel bithiazole based conducting polymers in electrochromic applications. *Smart Materials and Structures* 21. <http://dx.doi.org/10.1088/0964-1726/21/2/025019>.
- Canaple, L; Rehor, A; Hunkeler, D. (2002). Improving cell encapsulation through size control. *J Biomater Sci Polym Ed* 13: 783-796.
- Canbay, HS; Ogut, S; Yilmazer, M. (2014). Pesticide residues analysis in lake water and sediment samples from the Golcuk National Park. *Water Resources* 41: 97-104. <http://dx.doi.org/10.1134/S0097807814010059>.
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media* 38: 43-56.
- Candir, E; Ozdemir, AE; Kamiloglu, U; Soylu, EM; Dilbaz, R; Ustun, D. (2012). Modified atmosphere packaging and ethanol vapor to control decay of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 63: 98-106. <http://dx.doi.org/10.1016/j.postharvbio.2011.09.008>.
- Canet, R; Birnstingl, JG; Malcolm, DG; Lopez-Real, JM; Beck, AJ. (2001). Biodegradation of polycyclic aromatic hydrocarbons (PAHs) by native microflora and combinations of white-rot fungi in a coal-tar contaminated soil. *Bioresour Technol* 76: 113-117.
- Cañizares, P; Louhichi, B; Gadri, A; Nasr, B; Paz, R; Rodrigo, MA; Saez, C. (2007). Electrochemical treatment of the pollutants generated in an ink-manufacturing process. *J Hazard Mater* 146: 552-557. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.085>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Cantrell, CL; Duke, SO; Fronczek, FR; Osbrink, WL; Mamonov, LK; Vassilyev, JI; Wedge, DE; Dayan, FE. (2007). Phytotoxic Eremophilanes from *Ligularia macrophylla*. *J Agric Food Chem* 55: 10656-10663. <http://dx.doi.org/10.1021/jf072548w>.
- Cao, D; Zhao, GL; Yan, WD. (2007). Solubilities of betulin in fourteen organic solvents at different temperatures. *Journal of Chemical and Engineering Data* 52: 1366-1368. <http://dx.doi.org/10.1021/je700069g>.
- Cao, H; Shan, G; Yin, YM; Sun, H; Wu, Y; Xie, W; Su, Z. (2015). Modification of iridium(III) complexes for fabrication of high-performance non-doped organic light-emitting diode. *Dyes and Pigments* 112: 8-16. <http://dx.doi.org/10.1016/j.dyepig.2014.06.014>.
- Cao, S; Shi, M; Wang, H; Yu, F; Weng, X; Liu, Y, ue; Wu, Z. (2016). A two-stage Ce/TiO<sub>2</sub>-Cu/CeO<sub>2</sub> catalyst with separated catalytic functions for deep catalytic combustion of CH<sub>2</sub>Cl<sub>2</sub>. *Chem Eng J* 290: 147-153. <http://dx.doi.org/10.1016/j.cej.2015.12.107>.
- Cao, W; Suzuki, T; Elsayed-Ali, HE; Abdel-Fattah, TM. (2015). Synthesis of Cerium-Doped Titania Nanoparticles and Nanotubes. *J Nanosci Nanotechnol* 15: 2508-2513. <http://dx.doi.org/10.1166/jnn.2015.10299>.



## Fate Literature Search Results

### Off Topic

- Cao, XL; Zhu, J. (2001). Monitoring method for airborne glymes and its application in fuel exhaust emission measurement. *Chemosphere* 45: 911-917.
- Cao, Y, an; Li, H; Zhang, J, un. (2011). Homogeneous Synthesis and Characterization of Cellulose Acetate Butyrate (CAB) in 1-Allyl-3-Methylimidazolium Chloride (AmimCl) Ionic Liquid. *Ind Eng Chem Res* 50: 7808-7814. <http://dx.doi.org/10.1021/ie2004362>.
- Cao, Y; Pawlowski, A; Zhang, J, in. (2010). PREPARATION OF ACTIVATED CARBONS WITH ENHANCED ADSORPTION OF CATIONIC AND ANIONIC DYES FROM CHINESE HICKORY HUSK USING THE TAGUCHI METHOD. *Environ Protect Eng* 36: 69-86.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater* 17: 456-461.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C* 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cape, JN; Leith, ID; Binnie, J; Content, J; Donkin, M; Skewes, M; Price, DN; Brown, AR; Sharpe, AD. (2003). Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ Pollut* 124: 341-353. [http://dx.doi.org/10.1016/S0269-7491\(02\)00464-5](http://dx.doi.org/10.1016/S0269-7491(02)00464-5).
- Capone, DG; Weston, DP; Miller, V; Shoemaker, C. (1996). Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture. *Aquaculture* 145: 55-75.
- Cara, M; Vorpsi, V; Harizaj, F; Merkuri, J; Vladi, V. (2011). DEGRADATION OF THE INSECTICIDE ACETAMIPRID IN GREENHOUSE CUCUMBERS AND AN ESTIMATION OF THE LEVEL OF RESIDUES. *J Environ Prot Ecol* 12: 74-81.
- Caratto, V; Locardi, F; Alberti, S; Villa, S; Sanguineti, E; Martinelli, A; Balbi, T; Canesi, L; Ferretti, M. (2016). Different sol-gel preparations of iron-doped TiO<sub>2</sub> nanoparticles: characterization, photocatalytic activity and cytotoxicity. *Journal of Sol-Gel Science and Technology* 80: 152-159. <http://dx.doi.org/10.1007/s10971-016-4057-5>.
- Carberry, J; Irvin, JA; Glatzhofer, DT; Nicholas, KM; Neef, CJ. (2013). High molecular weight copolymers of vinylferrocene and 3-phenyl[5]ferrocenophane-1,5-dimethylene with various N-substituted maleimides. *React Funct Polym* 73: 730-736. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.002>.
- Cardoso, FAR; Almeida, RA; Rezende, RVP; Meier, HF; Noriler, D; Guerra, HP; Cabral, VF; Cardozo-Filho, L. (2016). Evaluation of changes in physicochemical properties in a supercritical antisolvent (SAS) process using 3D turbulent CFD approach. *Journal of Supercritical Fluids* 107: 349-357. <http://dx.doi.org/10.1016/j.supflu.2015.10.002>.
- Carero, ADP; Hoet, PHM; Verschaeve, L; Schoeters, G; Nemery, B. (2001). Genotoxic effects of carbon black particles, diesel exhaust particles, and urban air particulates and their extracts on a human alveolar epithelial cell line (A549) and a human monocytic cell line (THP-1). *Environ Mol Mutagen* 37: 155-163.
- Caricchia, AM; Chiavarini, S; Cremisini, C; Morabito, R; Ubaldi, C. (1993). ANALYTICAL METHODS FOR THE DETERMINATION OF ORGANOTINS IN THE MARINE-ENVIRONMENT. *Int J Environ Anal Chem* 53: 37-52.
- Carlescu, A; Postaru, M; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM Propionibacterium acidipropionici BROTHS BY REACTIVE EXTRACTION 2. EXTRACTION FROM SIMULATED BROTHS. *Environmental Engineering and Management Journal* 11: 1029-1036.
- Carletti, E; Endogan, T; Hasirci, N; Hasirci, V; Maniglio, D; Motta, A; Migliaresi, C. (2011). Microfabrication of PDLLA scaffolds. *J Tissue Eng Regen Med* 5: 569-577. <http://dx.doi.org/10.1002/term.349>.
- Carlson, PJ; Pretzer, LA; Boyd, JE. (2007). Solvent deposition of titanium dioxide on acrylic for photocatalytic application. *Ind Eng Chem Res* 46: 7970-7976. <http://dx.doi.org/10.1021/ie070825i>.
- Carmalt, CJ; O'Neill, SA; Parkin, IP; Peters, ES. (2004). Titanium sulfide thin films from the aerosol-assisted chemical vapour deposition of [Ti(SBut)(4)]. *J Mater Chem* 14: 830-834. <http://dx.doi.org/10.1039/b311265a>.
- Carrara, VS; Vieira, SC; de Paula, RG; Rodrigues, V; Magalhães, LG; Cortez, DA; Da Silva Filho, AA. (2014). In vitro schistosomicidal effects of aqueous and dichloromethane fractions from leaves and stems of Piper species and the isolation of an active amide from P. amalago L. (Piperaceae). *J Helminthol* 88: 321-326. <http://dx.doi.org/10.1017/S0022149X13000205>.
- Carretier, E; Badens, E; Guichardon, P; Boutin, O; Charbit, G. (2003). Hydrodynamics of supercritical antisolvent precipitation: Characterization and influence on particle morphology. *Ind Eng Chem Res* 42: 331-338. <http://dx.doi.org/10.1021/ie020439v>.
- Carrillo-Lopez, LM; Soto-Hernandez, RM; Zavaleta-Mancera, HA; Vilchis-Nestor, AR. (2016). Study of the Performance of the Organic Extracts of *Chenopodium ambrosioides* for Ag Nanoparticle Synthesis. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2016/4714162>.
- Carrott, PJM; Cansado, IPP; Carrott, MML, R. (2006). On the L- $\sigma$  range of the TVFM. *AST* 24: 205-213.
- Carrott, PJM; Carrott, MML, R; Cansado, IPP. (2001). Reference data for the adsorption of dichloromethane on carbon materials. *Carbon* 39: 465-472.
- Carter, JT; Emmerson, GT; Lo Faro, C; Mcgrail, PT; Moore, DR. (2003). The development of a low temperature cure modified epoxy resin system for aerospace composites. *Composites Part A: Applied Science and Manufacturing* 34: 83-91.
- Carvalho, A; Pio, C; Santos, C. (2003). Water-soluble hydroxylated organic compounds in German and Finnish aerosols. *Atmos Environ* 37: 1775-1783. [http://dx.doi.org/10.1016/S1352-2310\(03\)00066-9](http://dx.doi.org/10.1016/S1352-2310(03)00066-9).
- Carvalho, JCB; Almeida, H, dosS; Revoredo Lobo, JF; Pinto Ferreira, JL; Oliveira, AP; Rocha, L. (2013). Pyrrolizidine alkaloids in two endemic capeverdean *Echium* species. *Biochemical Systematics and Ecology* 50: 1-6. <http://dx.doi.org/10.1016/j.bse.2013.03.026>.
- Casado, AG; Hernandez, EJA; Vilchez, JL. (1998). Determination of fatty acids (C-8-C-22) in urban wastewater by GC-MS. *Water Res* 32: 3168-3172.
- Casal, V; Schmidt, H. (1998). SUWOX - a facility for the destruction of chlorinated hydrocarbons. *Journal of Supercritical Fluids* 13: 269-276.
- Cascaval, D; Galaction, AI; Nicuta, N. (2010). Comparative Studies of Free and Facilitated Pertraction of Erythromycin from *Streptomyces erythreus* Broths. *Chemical and Biochemical Engineering Quarterly* 24: 177-185.

## Fate Literature Search Results

### Off Topic

- Cascaval, D; Galaction, AI; Nicuta, N; Blaga, AC. (2007). Selective separation of gentamicins from the biosynthetic mixture by reactive extraction. *Separation and Purification Technology* 57: 264-269. <http://dx.doi.org/10.1016/j.seppur.2007.04.003>.
- Cascaval, D, an; Kloetzer, L; Galaction, AI. (2011). Influence of Organic Phase Polarity on Interfacial Mechanism and Efficiency of Reactive Extraction of Acetic Acid with Tri-n-octylamine. *Journal of Chemical and Engineering Data* 56: 2521-2526. <http://dx.doi.org/10.1021/jc200044y>.
- Cascaval, D; Kloetzer, L; Galaction, AI; Vlysidis, A; Webb, C. (2013). Fractionation of Carboxylic Acids Mixture Obtained by Succinic Fermentation using Reactive Extraction. *Separation Science and Technology* 48: 634-643. <http://dx.doi.org/10.1080/01496395.2012.691593>.
- Castaneda, R; Yakovenko, AA; Draguta, S; Fonari, MS; Antipin, MY, u; Timofeeva, TV. (2015). Structural Diversity in the Complexes of Trimeric Perfluoro-o-phenylene Mercury with Tetrathia- and Tetramethyltetraselenafulvalene. *Cryst Growth Des* 15: 1022-1026. <http://dx.doi.org/10.1021/cg501594t>.
- Castanedaacosta, J; Cain, AW; Fischer, NH; Knopf, FC. (1995). EXTRACTION OF BIOACTIVE SESQUITERPENE LACTONES FROM MAGNOLIA-GRANDIFLORA USING SUPERCRITICAL CARBON-DIOXIDE AND NEAR-CRITICAL PROPANE. *J Agric Food Chem* 43: 63-68.
- Castell, MR; Muggelberg, C; Dudarev, SI; Sutton, AP; Briggs, GAD; Goddard, DT. (1998). Imaging insulating oxides by elevated-temperature STM. *Applied Physics A: Materials Science and Processing* 66: S963-S967.
- Castellan, A; Ruggiero, R; Frollini, E; Ramos, LA; Chirat, C. (2007). Studies on fluorescence of cellulose. *Holzforschung* 61: 504-508. <http://dx.doi.org/10.1515/HF.2007.090>.
- Castellarnau, M; Ramón-Azcón, J; Gonzalez-Quinteiro, Y; López, JF; Grimalt, JO; Marco, MP; Nieuwenhuijsen, M; Picado, A. (2017). Assessment of analytical methods to determine pyrethroids content of bednets. *Trop Med Int Health* 22: 41-51. <http://dx.doi.org/10.1111/tmi.12794>.
- Castola, V; Bighelli, A; Rezzi, S; Melloni, G; Gladiali, S; Desjobert, JM; Casanova, J. (2002). Composition and chemical variability of the triterpene fraction of dichloromethane extracts of cork (*Quercus suber* L.). *Ind Crop Prod* 15: 15-22.
- Castola, V; Marongiu, B; Bighelli, A; Floris, C; Lai, A; Casanova, J. (2005). Extractives of cork (*Quercus suber* L.): chemical composition of dichloromethane and supercritical CO<sub>2</sub> extracts. *Ind Crop Prod* 21: 65-69. <http://dx.doi.org/10.1016/j.indcrop.2003.12.007>.
- Castriciano, MA; Leone, N; Cardiano, P; Manickam, S; Scolaro, LM; Lo Schiavo, S. (2013). A new supramolecular polyhedral oligomeric silsesquioxanes (POSS)-porphyrin nanohybrid: synthesis and spectroscopic characterization. *1*: 4746-4753. <http://dx.doi.org/10.1039/c3tc30532e>.
- Castro, CE; O Shea, SK; Wang, W; Bartnicki, EW. (1996). Biodehalogenation: Oxidative and hydrolytic pathways in the transformations of acetonitrile, chloroacetonitrile, chloroacetic acid, and chloroacetamide by *Methylosinus trichosporium* OB-3b. *Environ Sci Technol* 30: 1180-1184.
- Castro, RR; Massa, M; Augliera, P; Pacor, F. (2008). Body-wave attenuation in the region of Garda, Italy. *Pure Appl Geophys* 165: 1351-1366. <http://dx.doi.org/10.1007/s00024-008-0365-1>.
- Cathey, CG; Huang, ZG; Sarr, AB; Clement, BA; Phillips, TD. (1994). DEVELOPMENT AND EVALUATION OF A MINICOLUMN ASSAY FOR THE DETECTION OF AFLATOXIN-M(1) IN MILK. *J Dairy Sci* 77: 1223-1231.
- Cavalcanti, DN; Vasconcelos Gomes, MA; Pinto, AC; de Rezende, CM; Pereira, RC; Teixeira, VL. (2008). Effects of storage and solvent type in a lipophylic chemical profile of the seaweed *Dictyota menstrualis*. *56*: 51-57.
- Cedrati, N; Bonneaux, F; Labrude, P; Maincent, P. (1997). Structure and stability of human hemoglobin microparticles prepared with a double emulsion technique. *Artificial Cells, Blood Substitutes, and Biotechnology* 25: 457-462.
- Cedrati, N; Maincent, P; Thomas, F; Labrude, P; Vigneron, C. (1994). PREPARATION AND CHARACTERIZATION OF POLY(LACTIC ACID) HEMOGLOBIN MICROSPHERES. *Artificial Cells, Blood Substitutes, and Biotechnology* 22: 867-873.
- Cehak, A; Burmester, M; Geburek, F; Feige, K; Breves, G. (2009). Electrophysiological characterization of electrolyte and nutrient transport across the small intestine in horses. *Journal of Animal Physiology and Animal Nutrition (Online)* 93: 287-294. <http://dx.doi.org/10.1111/j.1439-0396.2008.00882.x>.
- Celebioglu, A; Uyar, T. (2011). Electrospun porous cellulose acetate fibers from volatile solvent mixture. *Mater Lett* 65: 2291-2294. <http://dx.doi.org/10.1016/j.matlet.2011.04.039>.
- Celi, L; Negre, M; Gennari, M. (1993). HPLC DETERMINATION OF FENOXAPROP AND FENOXAPROP-ETHYL IN DIFFERENT SOILS. *Pestic Sci* 38: 43-47.
- Celia, E; de Givenchy, ET; Amigoni, S; Guittard, F. (2011). Three steps to organic-inorganic hybrid films showing superhydrophilic properties. *Soft Matter* 7: 10057-10062. <http://dx.doi.org/10.1039/c1sm05864a>.
- Celik, B; Celik, I; Dolas, H; Gocay, H; Sahin, Y; Sarac, AS; Pekmez, K. (2014). Electrochemical synthesis, characterization and capacitive properties of novel thiophene based conjugated polymer. *React Funct Polym* 83: 107-112. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.07.014>.
- Celik, E; Keskin, I; Kayatekin, I; Azem, FA, k; Ozkan, E. (2007). Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate by sol-gel technique. *Materials Characterization* 58: 349-357. <http://dx.doi.org/10.1016/j.matchar.2006.05.015>.
- Celik, E; Yildiz, AY; Azem, NFA; Tanoglu, M; Toparli, M; Emrullahoglu, OF; Ozdemir, I. (2006). Preparation and characterization of Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate for photocatalytic applications. *Mater Sci Eng B* 129: 193-199. <http://dx.doi.org/10.1016/j.mseb.2006.01.013>.
- Celik, SE; Ozyurek, M; Guclu, K; Apak, R. (2007). CUPRAC total antioxidant capacity assay of lipophilic antioxidants in combination with hydrophilic antioxidants using the macrocyclic oligosaccharide methyl beta-cyclodextrin as the solubility enhancer. *React Funct Polym* 67: 1548-1560. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.045>.
- Celikkaya, E; Denkbaz, EB; Piskin, E. (1996). Rifampicin carrying poly(D,L-lactide)/poly(ethylene glycol) microspheres: Loading and release. *Artif Organs* 20: 743-751.

## Fate Literature Search Results

### Off Topic

- Ceolin, R; Tamarit, JL; Barrio, M; Lopez, DO; Toscani, S; Allouchi, H; Agafonov, V; Szwarc, H. (2001). Solid-state studies on a cubic 1 : 1 solvate of C-60 grown from dichloromethane and leading to another hexagonal C-60 polymorph. *Chem Mater* 13: 1349-1355. <http://dx.doi.org/10.1021/cm001212y>.
- Cequier-Sánchez, E; Rodríguez, C; Ravelo, AG; Zárate, R. (2008). Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples of different natures. *J Agric Food Chem* 56: 4297-4303. <http://dx.doi.org/10.1021/jf073471e>.
- Cerdeira, AL; Cantrell, CL; Dayan, FE; Byrd, JD; Duke, SO. (2012). Tabanone, a New Phytotoxic Constituent of Cogongrass (*Imperata cylindrica*). *Weed Sci* 60: 212-218. <http://dx.doi.org/10.1614/WS-D-11-00160.1>.
- Cesario, MT; Beeftink, HH; Trampler, J. (1995). FEASIBILITY OF USING WATER-IMMISCIBLE ORGANIC-SOLVENTS IN BIOLOGICAL WASTE-GAS TREATMENT. 12: 55-63.
- Cespedes, CL; Calderon, JS; King-Diaz, B; Lotina-Hennsen, B. (1998). Phytochemical and biochemical characterization of epimeric photogedunin derivatives. Their different sites of interaction on the redox electron transport carrier of *Spinacea oleracea* L. chloroplasts. *J Agric Food Chem* 46: 2810-2816.
- Cespedes, CL; Calderon, JS; Lina, L; Aranda, E. (2000). Growth inhibitory effects on fall armyworm *Spodoptera frugiperda* of some limonoids isolated from *Cedrela* spp. (*Meliaceae*). *J Agric Food Chem* 48: 1903-1908.
- Cesur, S; Alp, B; Kucukgoksel, Y; Kahraman, T; Balkose, D. (2015). Crystallization Kinetics and Affecting Parameters on Polycaprolactone Composites With Inorganic and Organic Additives. *Journal of Vinyl and Additive Technology* 21: 174-182. <http://dx.doi.org/10.1002/vnl.21399>.
- Cesur, S; Kahraman, T. (2016). Printing properties of polycaprolactone composite films. *Progr Org Coating* 98: 10-13. <http://dx.doi.org/10.1016/j.porgcoat.2016.04.022>.
- Cha, CY; Wallace, S; George, AH; Rogers, S. (2004). Microwave technology for treatment of fume hood exhaust. *J Environ Eng* 130: 338-348. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(338\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(338)).
- Cha, JS; Malik, V; Bhaumik, D; Li, R; Sirkar, KK. (1997). Removal of VOCs from waste gas streams by permeation in a hollow fiber permeator. *J Memb Sci* 128: 195-211.
- Chaban, VV. (2016). Vapor-liquid interface properties of diethyl sulfoxide-water and ethyl methyl sulfoxide-water mixtures: Molecular dynamics simulations and quantum-chemical calculations. *Fluid Phase Equilibria* 427: 180-186. <http://dx.doi.org/10.1016/j.fluid.2016.07.011>.
- Chakraborty, S; Kumar, M; Suresh, K; Pugazhenth, G. (2014). Influence of organically modified Ni-Al layered double hydroxide (LDH) loading on the rheological properties of poly (methyl methacrylate) (PMMA)/LDH blend solution. *Powder Technology* 256: 196-203. <http://dx.doi.org/10.1016/j.powtec.2014.02.035>.
- Chambel, J; Costa, R; Gomes, M; Mendes, S; Baptista, T; Pedrosa, R, ui. (2014). Hydrogen peroxide, iodine solution and methylene solution highly enhance the hatching rate of freshwater ornamental fish species. *Aquaculture International* 22: 1743-1751. <http://dx.doi.org/10.1007/s10499-014-9779-1>.
- Chan, C; Lee, SC; Chan, W; Ho, K; Tian, L; Lai, S; Li, Y; Huang, Y, u. (2011). Characterisation of Volatile Organic Compounds at Hotels in Southern China. *Indoor Built Environ* 20: 420-429. <http://dx.doi.org/10.1177/1420326X11409458>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by *Dehalobacter* Cultures. *Environ Sci Technol* 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, MH; Chen, HH; Lin, YR. (2002). Aliphatic chlorinated hydrocarbons alter the contractile responses of tracheal smooth muscle in piglet. *J Toxicol Environ Health A* 65: 293-304. <http://dx.doi.org/10.1080/15287390252800873>.
- Chandy, T; Das, GS; Rao, GHR. (2000). 5-fluorouracil-loaded chitosan coated polylactic acid microspheres as biodegradable drug carriers for cerebral tumours. *J Microencapsul* 17: 625-638.
- Chandy, T; Wilson, RF; Rao, GH; Das, GS. (2002). Changes in cisplatin delivery due to surface-coated poly (lactic acid)-poly(epsilon-caprolactone) microspheres. *J Biomater Appl* 16: 275-291. <http://dx.doi.org/10.1106/088532802024246>.
- Chang, B; Guan, D; Tian, Y; Yang, Z; Dong, X. (2013). Convenient synthesis of porous carbon nanospheres with tunable pore structure and excellent adsorption capacity. *J Hazard Mater* 262: 256-264. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.054>.
- Chang, C, heWei; Tsai, HY; Chen, K, ewYu. (2014). Green Perylene Bisimide Dyes: Synthesis, Photophysical and Electrochemical Properties. *Materials* 7: 5488-5506. <http://dx.doi.org/10.3390/ma7085488>.
- Chang, CP, in; Yuan, CL. (2009). The fabrication of a MWNTs-polymer composite chemoresistive sensor array to discriminate between chemical toxic agents. *Journal of Materials Science* 44: 5485-5493. <http://dx.doi.org/10.1007/s10853-009-3766-3>.
- Chang, FH; Lin, TC; Chao, HR; Chao, MR. (2001). A study on losses of pahs, during sample concentration for chromatographic analysis: Evaporation with a stream of nitrogen. *Int J Environ Anal Chem* 80: 13-26.
- Chang, H, aoM; Prasannan, A; Tsai, HC; Jhu, JJ, un. (2014). Ex vivo evaluation of biodegradable poly(epsilon-caprolactone) films in digestive fluids. *Appl Surf Sci* 313: 828-833. <http://dx.doi.org/10.1016/j.apsusc.2014.06.082>.
- Chang, HW; Sung, Y; Kim, KH; Nam, YD; Roh, SW; Kim, MS; Jeon, CO; Bae, JW. (2008). Development of microbial genome-probing microarrays using digital multiple displacement amplification of uncultivated microbial single cells. *Environ Sci Technol* 42: 6058-6064. <http://dx.doi.org/10.1021/es8006029>.
- Chang, M. (1996). Detergent water use eliminates VOC concerns - Switch from methylene chloride-based solvent saves \$99,000 per year in cleaning-related costs. *Chemical Processing* 59: 44-&.
- Chang, S, anC; Wang, Y, aFen; You, SJ, ie; Kuo, Y, iM; Tsai, CH; Wang, L, inChi; Hsu, P, oYen. (2013). Toxicity Evaluation of Fly Ash by Microtox((R)). *Aerosol Air Qual Res* 13: 1002-1008. <http://dx.doi.org/10.4209/aaqr.2012.10.0267>.

## Fate Literature Search Results

### Off Topic

- Chang, SH; Chung, KB; Slone, RV; Hupp, JT. (2001). Crown ether functionalization of a porphyrin-based "molecular square": induction of fluorescence sensitivity to alkali metal cations. *Synthetic Metals* 117: 215-217.
- Chanzu, HA; Onyari, JM; Shiundu, PM. (2012). Biosorption of Malachite Green from Aqueous Solutions onto Polylactide/Spent Brewery Grains Films: Kinetic and Equilibrium Studies. *Journal of Polymers and the Environment* 20: 665-672. <http://dx.doi.org/10.1007/s10924-012-0479-5>.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ* 35: 5895-5913. [http://dx.doi.org/10.1016/s1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/s1352-2310(01)00410-1).
- Chao, K, ehP; Wang, V, enS; Hong, G, inM. (2012). Development of an in-cell SPME method to determine the chemical resistance of polymeric membranes to permeation by organic solvents. *Polym Test* 31: 1-6. <http://dx.doi.org/10.1016/j.polymertesting.2011.09.009>.
- Chao, LK; Hua, KF; Hsu, HY; Su, YC; Chang, ST. (2006). Bioactivity assay of extracts from *Calocedrus macrolepis* var. *formosana* bark. *Bioresour Technol* 97: 2462-2465. <http://dx.doi.org/10.1016/j.biortech.2005.10.028>.
- Chaouche, TM; Haddouchi, F; Atik-Bekara, F; Ksouri, R; Azzi, R; Boucherit, Z; Tefiani, C; Larbat, R. (2015). Antioxidant, haemolytic activities and HPLC-DAD-ESI-MSn characterization of phenolic compounds from root bark of *Juniperus oxycedrus* subsp *oxycedrus*. *Ind Crop Prod* 64: 182-187. <http://dx.doi.org/10.1016/j.indcrop.2014.10.051>.
- Charles, M; Martin, B; Ginies, C; Etievant, P; Coste, G; Guichard, E. (2000). Potent aroma compounds of two red wine vinegars. *J Agric Food Chem* 48: 70-77.
- Charlton, A; Kalaji, M; Murphy, PJ; Salmaso, S; Underhill, AE; Williams, G; Hursthouse, MB; Malik, KMA. (1998). Synthesis, electrochemical properties and electropolymerization studies on 3-thienyl substituted tetrathiafulvalenes. Single-crystal X-ray structure of 4,4',5,5'-tetrakis-(3-thienyl)-tetrathiafulvalene. *Synthetic Metals* 95: 75-78.
- Charmas, B; Lebeda, R; Gerard, G; Villieras, F. (2002). Effects of oxidation on surface heterogeneity of carbosils. *Appl Surf Sci* 196: 126-137.
- Charoenchaitrakool, M; Polchiangdee, C; Srinophakun, P. (2009). Production of theophylline and polyethylene glycol 4000 composites using Gas Anti-Solvent (GAS) process. *Mater Lett* 63: 136-138. <http://dx.doi.org/10.1016/j.matlet.2008.09.041>.
- Charrois, JWA; McGill, WB; Froese, KL. (2001). Acute ecotoxicity of creosote-contaminated soils to *Eisenia fetida*: A survival-based approach. *Environ Toxicol Chem* 20: 2594-2603.
- Charron, KA; Puskar, MA; Levine, SP. (1998). Field validation of passive monitors for the determination of employee exposures to methylene chloride in pharmaceutical production facilities. *Am Ind Hyg Assoc J* 59: 353-358.
- Chary, NS; Fernandez-Alba, AR. (2012). Determination of volatile organic compounds in drinking and environmental waters. *Trends Analyt Chem* 32: 60-75. <http://dx.doi.org/10.1016/j.trac.2011.08.011>.
- Chatonnet, P; Labadie, D; Boutou, S. (2003). Simultaneous assay of chlorophenols and chloroanisoles in wines and corks or cork-based stoppers - Application in determining the origin of pollution in bottled wines. *Journal International des Sciences de la Vigne et du Vin* 37: 181-193.
- Chatterjee, M; Dwivedi, VK; Khandekar, K; Tandon, SK. (2004). Chelation in metal intoxication XLVI: synthesis of some alpha-mercapto-beta-substituted aryl acrylic acids and their in vitro cadmium chelating ability. *Biomed Environ Sci* 17: 27-32.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today* 11: 569-596.
- Chattopadhyay, DP; Singh, RK; Patra, TN; Samanta, AK. (1998). Effect of pretreatment with solvents and solvent mixtures on the structure/properties and dye uniformity of textured polyester yarn. *Indian Journal of Fibre & Textile Research* 23: 267-276.
- Chattopadhyay, P; Gupta, RB. (2002). Supercritical CO<sub>2</sub> based production of magnetically responsive micro- and nanoparticles for drug targeting. *Ind Eng Chem Res* 41: 6049-6058. <http://dx.doi.org/10.1021/ie020205b>.
- Chaturapanich, G; Jones, RC; Clulow, J. (1992). PROTEIN-SYNTHESIS AND SECRETION BY THE EPIDIDYMI OF THE TAMMAR WALLABY, *MACROPUS-EUGENII* (MACROPODIDAE, MARSUPIALIA). *Reprod Fertil Dev* 4: 533-545.
- Chavez-Valdez, A; Arizmendi-Morquecho, A; Moreno, KJ; Roether, JA; Kaschta, J; Boccaccini, AR. (2014). TiO<sub>2</sub>-PLLA nanocomposite coatings and free-standing films by a combined electrophoretic deposition-dip coating process. *Composites Part B: Engineering* 67: 256-261. <http://dx.doi.org/10.1016/j.compositesb.2014.07.001>.
- Checot, F; Brulet, A; Oberdisse, J; Gnanou, Y; Mondain-Monval, O; Lecommandoux, S. (2005). Structure of polypeptide-based diblock copolymers in solution: Stimuli-responsive vesicles and micelles. *Langmuir* 21: 4308-4315. <http://dx.doi.org/10.1021/la0468500>.
- Chen; Ho. (1998). Thermal Degradation of Allyl Isothiocyanate in Aqueous Solution. *J Agric Food Chem* 46: 220-223.
- Chen, A, iZ; Li, Y, i; Chau, F, ooTim; Lau, TY, an; Hu, J, unYan; Zhao, Z; Mok, DK, amwah. (2009). Application of organic nonsolvent in the process of solution-enhanced dispersion by supercritical CO<sub>2</sub> to prepare puerarin fine particles. *Journal of Supercritical Fluids* 49: 394-402. <http://dx.doi.org/10.1016/j.supflu.2009.02.004>.
- Chen, AZ; Pu, XM; Kang, YQ; Liao, L; Yao, YD; Yin, GF. (2007). Study of poly(L-lactide) microparticles based on supercritical CO<sub>2</sub>. *J Mater Sci Mater Med* 18: 2339-2345. <http://dx.doi.org/10.1007/s10856-007-3173-8>.
- Chen, AZ; Yang, YM; Wang, SB; Wang, GY; Liu, YG; Sun, QQ. (2013). Preparation of methotrexate-loaded, large, highly-porous PLLA microspheres by a high-voltage electrostatic antisolvent process. *J Mater Sci Mater Med* 24: 1917-1925. <http://dx.doi.org/10.1007/s10856-013-4942-1>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today* 30: 15-20.

## Fate Literature Search Results

### Off Topic

- Chen, C; Hu, R; Mai, K; Ren, Z; Wang, H, ua; Qian, G; Wang, Z. (2011). Shape Evolution of Highly Crystalline Anatase TiO<sub>2</sub> Nanobipyramids. *Cryst Growth Des* 11: 5221-5226. <http://dx.doi.org/10.1021/cg200457g>.
- Chen, C; Zhang, H; Zhang, XX; Wang, XC. (2010). Antibacterial and absorbent acrylonitrile-vinylidene chloride copolymer fibres. *J Text Inst* 101: 128-134. <http://dx.doi.org/10.1080/00405000802306234>.
- Chen, CC; Chueh, JY; Tseng, H; Huang, HM; Lee, SY. (2003). Preparation and characterization of biodegradable PLA polymeric blends. *Biomaterials* 24: 1167-1173.
- Chen, CY; Wen, TY; Wang, GS; Cheng, HW; Lin, YH; Lien, GW. (2007). Determining estrogenic steroids in Taipei waters and removal in drinking water treatment using high-flow solid-phase extraction and liquid chromatography/tandem mass spectrometry. *Sci Total Environ* 378: 352-365. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.038>.
- Chen, D; Cui, P; Cao, H; Yang, J. (2015). A 1-dodecanethiol-based phase transfer protocol for the highly efficient extraction of noble metal ions from aqueous phase. *J Environ Sci* 29: 146-150. <http://dx.doi.org/10.1016/j.jes.2014.07.028>.
- Chen, D; Ouyang, D, uJ; Liu, H; Chen, J; Zhuang, QF; Chen, JM. (2014). Effective utilization of dichloromethane by a newly isolated strain *Methylobacterium rhodesianum* H13. *Environ Sci Pollut Res Int* 21: 1010-1019. <http://dx.doi.org/10.1007/s11356-013-1972-7>.
- Chen, D; Wang, S; Xiao, M, in; Meng, Y. (2010). Synthesis and characterization of novel sulfonated poly(arylene thioether) ionomers for vanadium redox flow battery applications. *Energ Environ Sci* 3: 622-628. <http://dx.doi.org/10.1039/b917117g>.
- Chen, EQ; Xia, Y; Graham, MJ; Foster, MD; Mi, YL; Wu, WL; Cheng, SZD. (2003). Glass transition behavior of polystyrene blocks in the cores of collapsed dry micelles tethered by poly(dimethylsiloxane) coronae in a PS-b-PDMS diblock copolymer. *Chem Mater* 15: 2129-2135. <http://dx.doi.org/10.1021/cm021010x>.
- Chen, F; Du, X; Zu, Y; Yang, L, ei; Wang, F, ei. (2016). Microwave-assisted method for distillation and dual extraction in obtaining essential oil, proanthocyanidins and polysaccharides by one-pot process from Cinnamomi Cortex. *Separation and Purification Technology* 164: 1-11. <http://dx.doi.org/10.1016/j.seppur.2016.03.018>.
- Chen, H, ui; Muthuraman, H; Stokes, P; Zou, J; Liu, X; Wang, J; Huo, Q, un; Khondaker, SI; Zhai, L, ei. (2007). Dispersion of carbon nanotubes and polymer nanocomposite fabrication using trifluoroacetic acid as a co-solvent. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/41/415606>.
- Chen, HF; Cui, YM, ei; Guo, JG; Lin, H, aiXia. (2012). Synthesis and optical properties of 6,10-dihydrofluoreno[2,3-d:6,7-d']diimidazole derivatives. *Dyes and Pigments* 94: 583-591. <http://dx.doi.org/10.1016/j.dyepig.2012.03.004>.
- Chen, J; Chen, SH; Lai, G. (2012). Preparation and characterization of biomimetic silk fibroin/chitosan composite nanofibers by electrospinning for osteoblasts culture. *Nanoscale Res Lett* 7: 1-11. <http://dx.doi.org/10.1186/1556-276X-7-170>.
- Chen, J; Su, M; Zhang, X; Chen, R; Hong, J; Yang, L; Yang, Z. (2014). The role of cations in homogeneous succinylation of mulberry wood cellulose in salt-containing solvents under mild conditions. *Cellulose* 21: 4081-4091. <http://dx.doi.org/10.1007/s10570-014-0429-6>.
- Chen, J; Su, QF; Pan, H; Wei, JW; Zhang, XM; Shi, Y. (2009). Influence of balance gas mixture on decomposition of dimethyl sulfide in a wire-cylinder pulse corona reactor. *Chemosphere* 75: 261-265. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.010>.
- Chen, J; Wang, J; Ulrich, J; Yin, Q; Xue, L. (2008). Effect of solvent on the crystal structure and habit of hydrocortisone. *Cryst Growth Des* 8: 1490-1494. <http://dx.doi.org/10.1021/cg0703947>.
- Chen, J; Wang, S; Peng, J; Li, J; Zhai, M. (2014). New lipophilic polyelectrolyte gels containing quaternary ammonium salt with superabsorbent capacity for organic solvents. *6*: 14894-14902. <http://dx.doi.org/10.1021/am504102r>.
- Chen, JG; Wei, HY, u; Ho, K, uoC. (2007). Using modified poly(3,4-ethylene dioxythiophene): Poly(styrene sulfonate) film as a counter electrode in dye-sensitized solar cells. *Solar Energy Materials and Solar Cells* 91: 1472-1477. <http://dx.doi.org/10.1016/j.solmat.2007.03.024>.
- Chen, JJ; Jin, MX; Zhu, SL; Li, F; Xing, Y. (2014). The Synthesis and characteristic study of transferrin-conjugated liposomes carrying brain-derived neurotrophic factor. *Biomed Mater Eng* 24: 2089-2099. <http://dx.doi.org/10.3233/BME-141019>.
- Chen, JL; Chiang, CH; Yeh, MK. (2002). The mechanism of PLA microparticle formation by water-in-oil-in-water solvent evaporation method. *J Microencapsul* 19: 333-346. <http://dx.doi.org/10.1080/02652040110105373>.
- Chen, JL; Yeh, MK; Chiang, CH. (2004). The mechanism of surface-indented protein-loaded PLGA microparticle formation: the effects of salt (NaCl) on the solidification process. *J Microencapsul* 21: 877-888. <http://dx.doi.org/10.1080/02652040400015387>.
- Chen, JY, u; Chen, XB, o; Li, JL; Tang, B, in; Birbilis, N; Wang, X. (2014). Electrospayed PLGA smart containers for active anti-corrosion coating on magnesium alloy AMLite. *2*: 5738-5743. <http://dx.doi.org/10.1039/c3ta14999d>.
- Chen, K, ewYu; Chang, C, heWei. (2014). 1,7-Bis-(N,N-dialkylamino)perylene Bisimides: Facile Synthesis and Characterization as Near-Infrared Fluorescent Dyes. *Materials* 7: 7548-7565. <http://dx.doi.org/10.3390/ma7117548>.
- Chen, K, ewYu; Chang, C, heWei; Tsai, HY. (2015). 1,6- and 1,7-Regioisomers of Highly Soluble Amino-Substituted Perylene Tetracarboxylic Dianhydrides: Synthesis, Optical and Electrochemical Properties. *Materials* 8: 4943-4960. <http://dx.doi.org/10.3390/ma8084943>.
- Chen, K, ewYu; Fang, T, zuC; Chang, MJ, en. (2012). Synthesis, photophysical and electrochemical properties of 1-aminoperylene bisimides. *Dyes and Pigments* 92: 517-523. <http://dx.doi.org/10.1016/j.dyepig.2011.06.023>.
- Chen, L; Wang, P; Chen, Y. (2013). High efficiency of poly(3-hexylthiophene)/[6,6]-phenyl C61 butyric acid methyl ester bulk heterojunction solar cells through precrystallining of poly(3-hexylthiophene) based layer. *5*: 5986-5993. <http://dx.doi.org/10.1021/am401863r>.
- Chen, LC; Huang, CM; Hsiao, MC; Tsai, F. (2010). Mixture design optimization of the composition of S, C, SnO<sub>2</sub>-codoped TiO<sub>2</sub> for degradation of phenol under visible light. *Chem Eng J* 165: 482-489. <http://dx.doi.org/10.1016/j.cej.2010.09.044>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere* 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, PH; Vanausdale, WA; Keeran, WS; Roberts, DF. (1993). GC MS IDENTIFICATION OF ARTIFACTS FORMED DURING SAMPLE PREPARATION USING USEPA METHODS 625 AND 8270. *Chemosphere* 26: 1743-1749.

## Fate Literature Search Results

### Off Topic

- Chen, PH; Vanausdale, WA; Roberts, DF. (1991). OXIDATION OF PHENOLIC-ACID SURROGATES AND TARGET ANALYTES DURING ACID-EXTRACTION OF NATURAL-WATER SAMPLES FOR ANALYSIS BY GC/MS USING EPA METHOD-625. *Environ Sci Technol* 25: 540-546.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal B-Environ* 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, SK; Chang, CP; Liu, HS. (1991). ASPECTS OF EROSIONAL WEAR BEHAVIOR DURING TUMBLING OF BaTiO<sub>3</sub> DIELECTRIC CERAMICS. *Wear* 147: 345-353.
- Chen, SX; Zeng, HM. (2003). Improvement of the reduction capacity of activated carbon fiber. *Carbon* 41: 1265-1271. [http://dx.doi.org/10.1016/S0008-6223\(03\)00077-0](http://dx.doi.org/10.1016/S0008-6223(03)00077-0).
- Chen, SY; Lan, BC; Taso, CS. (2002). Effect of titanium substitution on film structure and ferroelectric properties of Sr-deficient Sr<sub>0.75</sub>Bi<sub>2.35</sub>Ta<sub>2</sub>O<sub>9</sub> thin films. *Thin Solid Films* 422: 186-192.
- Chen, T; Delgado, AG; Yavuz, BM; Maldonado, J; Zuo, Y; Kamath, R; Westerhoff, P; Krajmalnik-Brown, R; Rittmann, BE. (2017). Interpreting Interactions between Ozone and Residual Petroleum Hydrocarbons in Soil. *Environ Sci Technol* 51: 506-513. <http://dx.doi.org/10.1021/acs.est.6b04534>.
- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen* 219: 25-31.
- Chen, X; Wang, Q; Wang, L; Guo, H; Yang, Y; Li, F; Gao, F. (2015). Construction of a Novel Colitoxin DNA Biosensor Based on Cross-Linker-Free Fixation of Probe Fragments on the Interface of Rugby-Ball-Shaped Co<sub>2</sub>S Submicroparticles and Poly(2-thiophenesulfonyl chloride) Composite Film. *Ind Eng Chem Res* 54: 1520-1528. <http://dx.doi.org/10.1021/ie503831k>.
- Chen, XG; Lee, CM; Park, HJ. (2003). O/W emulsification for the self-aggregation and nanoparticle formation of linoleic acid-modified chitosan in the aqueous system. *J Agric Food Chem* 51: 3135-3139. <http://dx.doi.org/10.1021/jf0208482>.
- Chen, XL; Jenekhe, SA. (1999). Solubilization and encapsulation of fullerenes by amphiphilic block copolymers. *Langmuir* 15: 8007-8017.
- Chen, XM; Dai, Y; Kitts, DD. (2016). Detection of Maillard Reaction Product [5-(5,6-Dihydro-4H-pyridin-3-ylidene)methyl]furan-2-yl]methanol (F3-A) in Breads and Demonstration of Bioavailability in Caco-2 Intestinal Cells. *J Agric Food Chem* 64: 9072-9077. <http://dx.doi.org/10.1021/acs.jafc.6b04367>.
- Chen, Y; Tan, R; Zhang, Y; Zhao, G; Zheng, W; Luo, R; Yin, D. (2015). Reusable chiral salen Mn(III) complexes with phase transfer capability efficiently catalyze the asymmetric epoxidation of unfunctionalized olefins with NaClO. *Appl Catal A-Gen* 491: 106-115. <http://dx.doi.org/10.1016/j.apcata.2014.11.043>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res* 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, YC; Wu, CH; Hu, HY. (2000). Numerical simulation of gas emission in a sanitary landfill equipped with a passive venting system. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1735-1747.
- Chen, Z; Feng, L; Zhang, C; Bie, H; Lei, G; Bai, F. (2007). The light-emitting device consisting of organic white-light components. *Current Opinion in Solid State & Materials Science* 11: 28-32. <http://dx.doi.org/10.1016/j.cossms.2008.04.001>.
- Chen, Z, hiJun; Wang, L, iMin; Zou, G; Zhang, L; Zhang, GJ, un; Cai, XF, ei; Teng, MS. (2012). Colorimetric and ratiometric fluorescent chemosensor for fluoride ion based on perylene diimide derivatives. *Dyes and Pigments* 94: 410-415. <http://dx.doi.org/10.1016/j.dyepig.2012.01.024>.
- Cheng; Tsai. (2000). Quantitative analysis of enantioselective enzymatic hydrolysis with non-enantioselective removal of chiral products. *Biochem Eng J* 5: 243-248.
- Cheng, W; Hsu, SK; Chou, MS. (2008). Volatile organic compound emissions from wastewater treatment plants in Taiwan: Legal regulations and costs of control. *J Environ Manage* 88: 1485-1494. <http://dx.doi.org/10.1016/j.jenvman.2007.07.022>.
- Cheng, W; Lai, CH; Tzeng, W; Her, C; Hsu, Y. (2015). Gaseous Products of Incense Coil Combustion Extracted by Passive Solid Phase Microextraction Samplers. *Atmosphere (Basel)* 6: 822-833. <http://dx.doi.org/10.3390/atmos6060822>.
- Cheng, W, enHsi; Tsai, DY; Lu, J, iaYu; Lee, J, enWei. (2016). Extracting Emissions from Air Fresheners Using Solid Phase Microextraction Devices. *Aerosol Air Qual Res* 16: 2362-2367. <http://dx.doi.org/10.4209/aaqr.2016.01.0011>.
- Cheng, WH; Jiang, JR; Lin, C; Liou, JJ; Wu, ZH; Hsu, YH; Yang, ZY. (2014). Preparation of needle trap samplers to extract air compounds from indoor electric-vaporizing sources. *Journal of the Air and Waste Management Association* 64: 488-493. <http://dx.doi.org/10.1080/10962247.2013.870941>.
- Cheng, Y; Duan, F, kui; He, K, ebin; Du, Z, yu; Zheng, M, ei; Ma, YL. (2012). Intercomparison of thermal-optical method with different temperature protocols: Implications from source samples and solvent extraction. *Atmos Environ* 61: 453-462. <http://dx.doi.org/10.1016/j.atmosenv.2012.07.066>.
- Cheng, Y; He, K, ebin; Duan, F, kui; Du, Z, yu; Zheng, M, ei; Ma, YL. (2012). Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. *Atmos Environ* 59: 551-558. <http://dx.doi.org/10.1016/j.atmosenv.2012.05.010>.
- Cheng, Y; Li, SM. (2005). Nonderivatization analytical method of fatty acids and cis pinonic acid and its application in ambient PM<sub>2.5</sub> aerosols in the greater Vancouver area in Canada. *Environ Sci Technol* 39: 2239-2246. <http://dx.doi.org/10.1021/es030634g>.
- Cheng, YA; Zheng, B; Chuang, PH; Hsieh, S. (2010). Solvent effects on molecular packing and tribological properties of octadecyltrichlorosilane films on silicon. *Langmuir* 26: 8256-8261. <http://dx.doi.org/10.1021/la904656y>.
- Cheng, YJ; Zhang, M; Liang, QL; Hu, P; Wang, YM; Jun, FW; Luo, GA. (2011). Two-step preparation of ginsenoside-Re, Rb-1, Rc and Rb-2 from the root of Panax ginseng by high-performance counter-current chromatography. *Separation and Purification Technology* 77: 347-354. <http://dx.doi.org/10.1016/j.seppur.2011.01.003>.

## Fate Literature Search Results

### Off Topic

- Cheng, Z; Liu, S; Beines, PW; Ding, N; Jakubowicz, P; Knoll, W. (2008). Rapid and Highly Efficient Preparation of Water-Soluble Luminescent Quantum Dots via Encapsulation by Thermo- and Redox-Responsive Hydrogels. *Chem Mater* 20: 7215-7219. <http://dx.doi.org/10.1021/cm800733y>.
- Chenu, M; Bouzaza, A; Wolbert, D; Laplanche, A. (1998). Adsorption of volatile organic compounds (VOC) mixtures onto activated carbon. Experimental study and simulation of multicomponent adsorption. *Environ Technol* 19: 1029-1038.
- Cheraghi, S; Naghash, HJ; Younesi, M. (2015). Synthesis and characterization of two novel heterocyclic monomers bearing allylic function and their applications in the epoxy-acrylic-amine waterborne coatings. *Progr Org Coating* 88: 116-126. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.023>.
- Chernysheva, YV; Kil'deeva, NR; Babak, VG. (2001). Study of emulsions of solutions of film-forming polymers in methylene chloride related to the problem of microencapsulation of proteins. *Fibre Chemistry* 33: 428-432.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater* 32: 275-278.
- Cherry, N; Venables, H; Waldron, HA; Wells, GG. (1981). Some observations on workers exposed to methylene chloride. *Br J Ind Med* 38: 351-355.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater* 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chicati, ML; Nanni, MR; Cezar, E. (2012). Chemical contamination of water in irrigated rice on Parana State, Brazil. *33*: 1455-1462. <http://dx.doi.org/10.5433/1679-0359.2012v33n4p1455>.
- Chienthavorn, O; Subprasert, P; Insuan, W. (2014). Nitrosamines Extraction from Frankfurter Sausages by using Superheated Water. *Separation Science and Technology* 49: 838-846. <http://dx.doi.org/10.1080/01496395.2013.863338>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal* 154: 1991-1998.
- Chiou, BH; Tsai, YT; Wang, CM. (2014). Phenothiazine-modified electrodes: a useful platform for protein adsorption study. *Langmuir* 30: 1550-1556. <http://dx.doi.org/10.1021/la4039057>.
- Chiron, S; Alba, AF; Barcelo, D. (1993). COMPARISON OF ONLINE SOLID-PHASE DISK EXTRACTION TO LIQUID-LIQUID-EXTRACTION FOR MONITORING SELECTED PESTICIDES IN ENVIRONMENTAL WATERS. *Environ Sci Technol* 27: 2352-2359.
- Chitsazi, MR; Korbekandi, H; Asghari, G; Bahri Najafi, R; Badii, A; Iravani, S. (2016). Synthesis of silver nanoparticles using methanol and dichloromethane extracts of *Pulicaria gnaphalodes* (Vent.) Boiss. aerial parts. *44*: 328-333. <http://dx.doi.org/10.3109/21691401.2014.949726>.
- Cho, AK; Di Stefano, E; You, Y; Rodriguez, CE; Schmitz, DA; Kumagai, Y; Miguel, AH; Eiguren-Fernandez, A; Kobayashi, T; Avol, E; Froines, JR. (2004). Determination of four quinones in diesel exhaust particles, SRM 1649a, and atmospheric PM25. *Aerosol Sci Technol* 38: 68-81. <http://dx.doi.org/10.1080/02786820390229471>.
- Cho, B, umHwi; Ko, WB, ae. (2013). Preparation of Graphene-ZrO2 Nanocomposites by Heat Treatment and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 13: 7625-7630. <http://dx.doi.org/10.1166/jnn.2013.7819>.
- Cho, BH; Chino, H; Tsuji, H; Kunito, T; Nagaoka, K; Otsuka, S; Yamashita, K; Matsumoto, S; Oyaizu, H. (1997). Laboratory-scale bioremediation of oil-contaminated soil of Kuwait with soil amendment materials. *Chemosphere* 35: 1599-1611.
- Cho, BU, k; Ryu, JY; Song, BK. (2009). Modeling and simulation of separation process in flotation system. *J Ind Eng Chem* 15: 196-201. <http://dx.doi.org/10.1016/j.jiec.2008.08.017>.
- Cho, CS; McLean, AJ; Rivory, LP; Gatenby, PA; Hardman, DT; Le Couteur, DG. (2001). Carbon monoxide wash-in method to determine gas transfer in vascular beds: application to rat hindlimb. *Am J Physiol Heart Circ Physiol* 280: H1802-H1806.
- Cho, E, unJu; Choi, J, iM; Kim, H, yeMin; Choi, K; Ku, J; Park, KW, oo; Kim, J; Lee, S. (2013). Antibacterial activity and protective effect against gastric cancer by *Anthriscus sylvestris* fractions. *Horticulture, Environment and Biotechnology* 54: 326-330. <http://dx.doi.org/10.1007/s13580-013-0170-3>.
- Cho, J, aeY; Choi, HM, in; Oh, KW, ha. (2016). Rapid hydrophilic modification of poly(ethylene terephthalate) surface by using deep eutectic solvent and microwave irradiation. *Text Res J* 86: 1318-1327. <http://dx.doi.org/10.1177/0040517515612362>.
- Cho, S; Lee, S; Kang, M; Ye, J; Choi, Y; Hong, SW; Lee, J; Choi, YW. (2009). Enhanced Immune Response after Subcutaneous Injection of Diphtheria Toxoid-Loaded Bioerodible Microspheres. *6*: 1166-1171.
- Cho, SY; Choi, DK. (1996). Langmuir parameters for adsorption of two halogenated chemicals on an activated carbon pellet. *Korean J Chem Eng* 13: 409-411.
- Cho, SY; Kim, SJ. (1996). Adsorption equilibria of two halogenated carbons on a carbon fiber. *Korean J Chem Eng* 13: 225-229.
- Cho, W; Yoon, J; Sarada, G; Giridhar, T; Liu, Y; Jiang, Z, uoQ; Son, YH; Kang, BY; Kwon, JH; Jin, SH, o. (2015). An exploration of N-heterocyclic carbene-based Ir(III) complexes for phosphorescent organic light-emitting diode applications. *Dyes and Pigments* 123: 132-138. <http://dx.doi.org/10.1016/j.dyepig.2015.07.038>.
- Choe, J; Kim, I, nWOn; Kim, S, inY; Song, KH, o. (2008). Liquid-liquid equilibria for the ternary systems water plus n-pentanoic acid with n-heptane or dichloromethane at 298.2 K. *Journal of Chemical and Engineering Data* 53: 1199-1202. <http://dx.doi.org/10.1021/je7007389>.
- Choemunng, A; Na-Bangchang, K. (2010). An alternative liquid chromatography-mass spectrometric method for the determination of azithromycin in human plasma and its application to pharmacokinetic study of patients with malaria. *Southeast Asian J Trop Med Public Health* 41: 1048-1058.

## Fate Literature Search Results

### Off Topic

- Choffat, F; Wolfer, P; Smith, P; Caseri, W. (2010). Light-Stability of Poly(dialkylstannane)s. *Macromolecular Materials & Engineering* 295: 210-221. <http://dx.doi.org/10.1002/mame.200900196>.
- Choi, HM, in; Cho, J, aeY. (2016). Microwave-mediated Rapid Tailoring of PET Fabric Surface by Using Environmentally-benign, Biodegradable Urea-Choline Chloride Deep Eutectic Solvent. *Fibers and Polymers* 17: 847-856. <http://dx.doi.org/10.1007/s12221-016-5334-1>.
- Choi, JHK; Gray, MR. (1991). IDENTIFICATION OF NITROGEN-COMPOUNDS AND AMIDES FROM SPENT HYDROPROCESSING CATALYST. *Fuel Process Tech* 28: 77-93.
- Choi, S; Lee, K; Kwon, S; Kim, H. (2006). Preparation of fine particles of poly(N-vinyl-2-pyrrolidone-co-2-methylene-1,3-dioxepane) using supercritical antisolvent. *Journal of Supercritical Fluids* 37: 287-291. <http://dx.doi.org/10.1016/j.supflu.2005.11.023>.
- Choi, SH; Lee, JH; Choi, SM; Park, TG. (2006). Thermally reversible pluronic/heparin nanocapsules exhibiting 1000-fold volume transition. *Langmuir* 22: 1758-1762. <http://dx.doi.org/10.1021/la052549n>.
- Choi, SS; Jang, JH. (2011). Analysis of UV absorbers and stabilizers in polypropylene by liquid chromatography/atmospheric pressure chemical ionization-mass spectrometry. *Polym Test* 30: 673-677. <http://dx.doi.org/10.1016/j.polymertesting.2011.05.011>.
- Chong, EK; Stevens, MG; Nissen, KE. (2003). Effect of surface roughness on the adhesion of electrolessly plated platinum to poly(ethylene terephthalate) films. *Journal of Adhesion* 79: 667-681. <http://dx.doi.org/10.1080/00218460390219546>.
- Choppawa, T; Sukwattanasinitt, M; Sahasithiwat, S; Ruangpornvisuti, V; Rashatasakhon, P. (2014). Substituent effect on quantum efficiency in 4-aryloxy-N-(2',6'-diisopropylphenyl)-1,8-naphthalimides: Experimental and computational investigations. *Dyes and Pigments* 109: 175-180. <http://dx.doi.org/10.1016/j.dyepig.2014.05.007>.
- Chopra, I; Kumari, B. (2009). Dissipation of fipronil in water under laboratory conditions. *Bull Environ Contam Toxicol* 83: 828-831. <http://dx.doi.org/10.1007/s00128-009-9790-9>.
- Chorazewski, M; Troncoso, J; Jacquemin, J. (2015). Thermodynamic Properties of Dichloromethane, Bromochloromethane, and Dibromomethane under Elevated Pressure: Experimental Results and SAFT-VR Mie Predictions. *Ind Eng Chem Res* 54: 720-730. <http://dx.doi.org/10.1021/ie5038903>.
- Chortyk, OT; Yates, IE; Reilly, CC. (1995). CHANGES IN CUTICULAR COMPOUNDS OF DEVELOPING PECAN LEAVES. *J Am Soc Hortic Sci* 120: 329-335.
- Chou, H, siL; Chang, Y, iT; Liao, Y, iFen; Lin, CH. (2013). Biodegradation of decabromodiphenyl ether (BDE-209) by bacterial mixed cultures in a soil/water system. *Int Biodeterior Biodegradation* 85: 671-682. <http://dx.doi.org/10.1016/j.ibiod.2013.05.006>.
- Chou, MS; Huang, JJ. (1997). Treatment of methylethylketone in air stream by biotrickling filters. *J Environ Eng* 123: 569-576.
- Chou, MS; Huang, YS. (1999). Treatment of ethylether in air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 533-543.
- Chou, MS; Wu, FL. (1999). Treatment of toluene in an air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 386-398.
- Christodouloupoulou, L; Tsoukatou, M; Tziveleka, LA; Vagias, C; Petrakis, PV; Roussis, V. (2005). Piperidinyl amides with insecticidal activity from the maritime plant *Otanthus maritimus*. *J Agric Food Chem* 53: 1435-1439. <http://dx.doi.org/10.1021/jf0481857>.
- Christoffersen, TS; Hjorth, J; Horie, O; Jensen, NR; Kotzias, D; Molander, LL; Neeb, P; Ruppert, L; Winterhalter, R; Virkkula, A; Wirtz, K; Larsen, BR. (1998). cis-Pinic acid, a possible precursor for organic aerosol formation from ozonolysis of "alpha"-pinene. *Atmos Environ* 32: 1657-1661.
- Chrobok, A; Baj, S; Pudlo, W; Jarzebski, A. (2009). Supported hydrogensulfate ionic liquid catalysis in Baeyer-Villiger reaction. *Appl Catal A-Gen* 366: 22-28. <http://dx.doi.org/10.1016/j.apcata.2009.06.040>.
- Chuan, XY. (2000). Micro-structures of the CuCl<sub>2</sub>-GICs on TEM. *Wuji Cailiao Xuebao* 15: 79-87.
- Chuang, CH, ao; Lin, Y, unYue; Tseng, Y, unH; Chu, TH; Lin, CC; Su, W, eiF; Chen, CW, ei. (2010). Nanoscale Morphology Control of Polymer/TiO<sub>2</sub> Nanocrystal Hybrids: Photophysics, Charge Generation, Charge Transport, and Photovoltaic Properties. *J Phys Chem C* 114: 18717-18724. <http://dx.doi.org/10.1021/jp1075516>.
- Chuang, JC; Holdren, MW; Wilson, NK. (1990). The presence of dichloromethane on cleaned XAD-2 resin: a potential problem and solutions. *Environ Sci Technol* 24: 815-818.
- Chuang, JC; Van Emon, JM; Schrock, ME. (2009). High-throughput screening of dioxins in sediment and soil using selective pressurized liquid extraction with immunochemical detection. *Chemosphere* 77: 1217-1223. <http://dx.doi.org/10.1016/j.chemosphere.2009.09.010>.
- Chuang, JC; Van Emon, JM; Tefft, ME; Wilson, NK. (2010). Application of a permethrin immunosorbent assay method to residential soil and dust samples. *J Environ Sci Health B* 45: 516-523. <http://dx.doi.org/10.1080/03601234.2010.493479>.
- Chuang, JC; Wilson, NK. (2011). Multiresidue analysis of organophosphate and pyrethroid pesticides in duplicate-diet solid food by pressurized liquid extraction. *J Environ Sci Health B* 46: 41-50. <http://dx.doi.org/10.1080/03601234.2010.515505>.
- Chuang, P, iKai; Wang, L, iC; Kuo, CT, zu. (2013). Development of a high performance integrated sensor chip with a multi-walled carbon nanotube assisted sensing array. *Thin Solid Films* 529: 205-208. <http://dx.doi.org/10.1016/j.tsf.2012.09.024>.
- Chuche, J; Xuéreb, A; Thiéry, D. (2006). Attraction of *Dibrachys cavus* (Hymenoptera: Pteromalidae) to its host frass volatiles. *J Chem Ecol* 32: 2721-2731. <http://dx.doi.org/10.1007/s10886-006-9195-8>.
- Chun, MK; Shin, HW; Lee, H. (1996). Supercritical fluid extraction of paclitaxel and baccatin III from needles of *Taxus cuspidata*. *Journal of Supercritical Fluids* 9: 192-198.
- Chung, CV; Buu, NQ; Chau, NH. (2005). Influence of surface charge and solution pH on the performance characteristics of a nanofiltration membrane. *Science and Technology of Advanced Materials* 6: 246-250. <http://dx.doi.org/10.1016/j.stam.2005.02.025>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.



## Fate Literature Search Results

### Off Topic

- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol* 33: 3666-3671.
- Chung, HY; Cadwallader, KR. (1994). AROMA EXTRACT DILUTION ANALYSIS OF BLUE-CRAB CLAW MEAT VOLATILES. *J Agric Food Chem* 42: 2867-2870.
- Chung, KH, o; Hong, YK. (2009). Weathering Properties of Elastic Rubber Concrete Comprising Waste Tire Solution. *Polymer Engineering and Science* 49: 794-798. <http://dx.doi.org/10.1002/pen.21312>.
- Chung, YS; Ichikawa, K; Utsumi, H. (1997). Application of micronucleus in vitro assay to micropollutants in river water. *Water Sci Technol* 35: 9-13.
- Cid, AP; del Mundo, FR; Espino, MPB. (2006). A modified analytical procedure for the determination of carbaryl, Carbofuran and methomyl residues in agricultural soil and river water samples from La Trinidad, Benguet and Aurora, Isabela, Philippines. 89: 71-84.
- Ciesielczuk, T; Karwaczynska, U; Rosik-Dulewska, C. (2011). Possibilities of Application of Compost from Waste for Removal of C-6-C-9 Aliphatic Hydrocarbons from Solution. *Rocznik Ochrona Srodowiska* 13: 1301-1313.
- Cieslak, A; Machmueller, A; Szumacher-Strabel, M; Scheeder, MRL. (2009). A note on comparison of two extraction methods used to quantify C18 fatty acids in feed and digesta of ruminants. *J Anim Feed Sci* 18: 362-367.
- Ciombor, DM; Jaklenec, A; Liu, AZ; Thanos, C; Rahman, N; Weston, P; Aaron, R; Mathiowitz, E. (2006). Encapsulation of BSA using a modified W/O/O emulsion solvent removal method. *J Microencapsul* 23: 183-194. <http://dx.doi.org/10.1080/0265204050043287>.
- Cirpan, A; Alkan, S; Toppare, L; Cianga, I; Yagci, Y. (2002). Synthesis and characterization of conducting copolymers of thiophene-3-yl acetic acid cholesteryl ester with pyrrole. *Journal of Materials Science* 37: 1767-1775.
- Cirpan, A; Guner, Y; Toppare, L. (2004). Conducting polymers of decanedioic acid bis-(4-pyrrol-1-yl-phenyl) ester. *Mater Chem Phys* 85: 222-226. <http://dx.doi.org/10.1016/j.matchemphys.2004.01.014>.
- Ciuciu, AI; Firmansyah, D; Hugues, V; Blanchard-Desce, M; Gryko, DT; Flamigni, L. (2014). Non-classical donor-acceptor-donor chromophores. A strategy for high two-photon brightness. 2: 4552-4565. <http://dx.doi.org/10.1039/c4tc00234b>.
- Claassens, L; Terwee, CB; Deeg, DJ; Broese van Groenou, MI; Widdershoven, GA; Huisman, M. (2016). Development and validation of a questionnaire assessing the perceived control in health care among older adults with care needs in the Netherlands. 25: 859-870. <http://dx.doi.org/10.1007/s11136-015-1124-2>.
- Clark, AE; Yoon, S; Sheesley, RJ; Usenko, S. (2015). Pressurized liquid extraction technique for the analysis of pesticides, PCBs, PBDEs, OPES, PAHs, alkanes, hopanes, and steranes in atmospheric particulate matter. *Chemosphere* 137: 33-44. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.051>.
- Clark, EW. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL. *J Text Inst* 82: 108-108.
- Claudino, MM; Souza Domingos, TF; da Silva, GA; Fonseca, RR; Cavalcanti, DN; Sanchez, EF; Teixeira, VL; Fuly, AL. (2014). Inhibitory effect of the red seaweed *Plocamium brasiliense* against the toxic effects of *Lachesis muta* snake venom. *J Appl Phycol* 26: 2047-2054. <http://dx.doi.org/10.1007/s10811-014-0266-x>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials* 25: 169-177.
- Clayton, LM; Sikder, AK; Kumar, A; Cinke, M; Meyyappan, M; Gerasimov, TG; Harmon, JP. (2005). Transparent poly(methyl methacrylate)/single-walled carbon nanotube (PMMA/SWNT) composite films with increased dielectric constants. *Adv Funct Mater* 15: 101-106. <http://dx.doi.org/10.1002/adfm.200305106>.
- Cleall, PJ; Li, Y, uC. (2011). Analytical Solution for Diffusion of VOCs through Composite Landfill Liners. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 850-854. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000506](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000506).
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health* 10: 1-24.
- Clewell, HJ, III; Andersen, ME; Barton, HA. (2002). A consistent approach for the application of pharmacokinetic modeling in cancer and noncancer risk assessment. *Environ Health Perspect* 110: 85-93.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect* 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere* 31: 2561-2578.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (2001). Comparison of cancer risk estimates for vinyl chloride using animal and human data with a PBPK model. *Sci Total Environ* 274: 37-66.
- Clewell, HJ; Lee, TS; Carpenter, RL. (1994). Sensitivity of physiologically based pharmacokinetic models to variation in model parameters: methylene chloride. *Risk Anal* 14: 521-531.
- Clifford, DJ; Hatcher, PG. (1995). ACS SYMPOSIUM SERIES Maturation of Class Ib (polylabdanoid) resinates.

## Fate Literature Search Results

### Off Topic

- Clifford, DJ; Hatcher, PG; Botto, RE; Muntean, JV; Michels, B; Anderson, KB. (1997). The nature and fate of natural resins in the geosphere - VIII. NMR and Py-GC-MS characterization of soluble labdanoid polymers, isolated from Holocene class I resins. *Organic Geochemistry* 27: 449-464.
- Clulow, AJ; Tao, C; Lee, KH; Velusamy, M; Mcewan, JA; Shaw, PE; Yamada, NL; James, M; Burn, PL; Gentle, IR; Meredith, P. (2014). Time-resolved neutron reflectometry and photovoltaic device studies on sequentially deposited PCDTBT-fullerene layers. *Langmuir* 30: 11474-11484. <http://dx.doi.org/10.1021/la5020779>.
- CMR (Chemical Marketing Reporter). (1973). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1979). Chemical profile on methylene chloride (pp. 9).
- CMR (Chemical Marketing Reporter). (1982). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1997). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (2000). Chemical profile on methylene chloride. New York, NY: ICIS.
- Cocco, P; Heineman, EF; Dosemeci, M. (1999). Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am J Ind Med* 36: 70-74. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<70::AID-AJIM10>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<70::AID-AJIM10>3.0.CO;2-5).
- Cocero, MJ; Ferrero, S. (2002). Crystallization of beta-carotene by a GAS process in batch - Effect of operating conditions. *Journal of Supercritical Fluids* 22: 237-245.
- Cochran, RE; Kubatova, A. (2015). Pressurised fluid extraction of polycyclic aromatic hydrocarbons and their polar oxidation products from atmospheric particles. *Int J Environ Anal Chem* 95: 434-452. <http://dx.doi.org/10.1080/03067319.2015.1025225>.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cogal, S; Kiristi, M; Ocakoglu, K; Oksuz, L; Oksuz, AU. (2015). Electrochromic properties of electrochemically synthesized porphyrin/3-substituted polythiophene copolymers. *Materials Science in Semiconductor Processing* 31: 551-560. <http://dx.doi.org/10.1016/j.mssp.2014.12.036>.
- Cohen, H; Charrier, C; Sarfaty, J. (1991). Extraction and identification of a plasticizer, Di-(2-ethylhexyl)phthalate, from a plastic bag containing contaminated corn. *Arch Environ Contam Toxicol* 20: 437-440.
- Colborn, T; Schultz, K; Herrick, L; Kwiatkowski, C. (2014). An exploratory study of air quality near natural gas operations. *Hum Ecol Risk Assess* 20: 86-105. <http://dx.doi.org/10.1080/10807039.2012.749447>.
- Coleman, J; Lowman, A. (2012). Biodegradable Nanoparticles for Protein Delivery: Analysis of Preparation Conditions on Particle Morphology and Protein Loading, Activity and Sustained Release Properties. *J Biomater Sci Polym Ed* 23: 1129-1151. <http://dx.doi.org/10.1163/092050611X576648>.
- Coleman, MD; Coleman, NA. (1996). Drug-induced methaemoglobinemia. Treatment issues [Review]. *Drug Saf* 14: 394-405.
- Coleman, WM; Dube, MF; Gerardi, AR; Ashraf-Khorassani, M; Taylor, LT. (2012). Enhancement of volatile aglycone recovery facilitated by acid hydrolysis of glucosides from Nicotiana flower species. *J Agric Food Chem* 60: 11483-11490. <http://dx.doi.org/10.1021/jf302508v>.
- Colibaba, LC; Cotea, VV; Niculaua, M; Schmarr, HG. (2012). VOLATILE COMPOUNDS CAPTURED IN EXHAUST CO2 FLOW DURING THE FERMENTATION OF BUSUIOACA DE BOHOTIN WINE. *Environmental Engineering and Management Journal* 11: 1895-1900.
- Coll Araoz, MV; Ines Mercado, M; Grau, A; Catalan, CAN. (2010). Ent-kaurane derivatives from the root cortex of yacon and other three Smallanthus species (Heliantheae, Asteraceae). *Biochemical Systematics and Ecology* 38: 1042-1048. <http://dx.doi.org/10.1016/j.bse.2010.10.009>.
- Coll, C; Ros-Lis, JV; Martinez-Manez, R; Dolores Marcos, M; Sancenon, F; Soto, J. (2010). A new approach for the selective and sensitive colorimetric detection of ionic surfactants in water. *J Mater Chem* 20: 1442-1451. <http://dx.doi.org/10.1039/b910659f>.
- Coll, JC; Bowden, BF; Meehan, GV; Konig, GM; Carroll, AR; Tapiolas, DM; Alino, PM; Heaton, A; Denys, R; Leone, PA; Maida, M; Aceret, TL; Willis, RH; Babcock, RC; Willis, BL; Florian, Z; Clayton, MN; Miller, RL. (1994). CHEMICAL ASPECTS OF MASS SPAWNING IN CORALS. 1. SPERM-ATTRACTANT MOLECULES IN THE EGGS OF THE SCLERACTINIAN CORAL MONTIPORA-DIGITATA. *Mar Biol* 118: 177-182.
- Collignon, A; Martin, G; Martin, N; Laplanche, A. (1994). BULKING REDUCED WITH THE USE OF OZONE - STUDY OF THE MECHANISM OF ACTION VERSUS BACTERIA. *Ozone: Science and Engineering* 16: 385-402.
- Collins, AS; Sumner, SCJ; Borghoff, SJ; Medinsky, MA. (1999). A physiological model for tert-amyl methyl ether and tert-amyl alcohol: Hypothesis testing of model structures. *Toxicol Sci* 49: 15-28. <http://dx.doi.org/10.1093/toxsci/49.1.15>.
- Collymore, C; Porelli, G; Lieggi, C; Lipman, NS. (2014). Evaluation of 5 cleaning and disinfection methods for nets used to collect zebrafish (Danio rerio). *J Am Assoc Lab Anim Sci* 53: 657-660.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colomer, MT; Guzmãin, J; Moreno, R. (2010). Peptization of Nanoparticulate Titania Sols Prepared Under Different WaterâAlkoxide Molar Ratios. *Journal of the American Ceramic Society* 93: 59-64. <http://dx.doi.org/10.1111/j.1551-2916.2009.03294.x>.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data* 40: 1184-1187.
- Comstock, RJ; Li, KP; Wagoner, RH. (2001). Simulation of axisymmetric sheet forming tests. *J Mater Process Tech* 117: 153-168.

## Fate Literature Search Results

### Off Topic

- Conceicao, DS; Ferreira, DP; Prostota, Y; Santos, PF; Ferreira, LfV. (2016). Photochemical behaviour of a new 1,2,3,4-tetrahydroxanthylum fluorescent dye with "rhodamine-like" structure in liquid media and adsorbed onto a TiO<sub>2</sub> photo-responsive substrate. *Dyes and Pigments* 128: 279-288. <http://dx.doi.org/10.1016/j.dyepig.2016.01.030>.
- Constandache, T; Cerempei, A; Muresan, El; Popescu, V; Droboata, M; Sandu, I, on. (2014). Modified Organic Pigments Used in Polypropylene Coloration. *Rev Chim* 65: 892-896.
- Cook, CA; Cundy, VA; Sterling, AM; Lu, C; Montestruc, AN; Leger, CB; Jakway, AL. (1992). ESTIMATING DICHLOROMETHANE EVOLUTION RATES FROM A SORBENT BED IN A FIELD-SCALE ROTARY KILN INCINERATOR. *Combust Sci Tech* 85: 217-241.
- Coombes, AGA; Scholes, PD; Davies, MC; Illum, L; Davis, SS. (1994). RESORBABLE POLYMERIC MICROSPHERES FOR DRUG-DELIVERY - PRODUCTION AND SIMULTANEOUS SURFACE MODIFICATION USING PEO-PPO SURFACTANTS. *Biomaterials* 15: 673-680.
- Coombes, AGA; Verderio, E; Shaw, B; Li, X; Griffin, M; Downes, S. (2002). Biocomposites of non-crosslinked natural and synthetic polymers. *Biomaterials* 23: 2113-2118.
- Cooper, CE; Withers, PC. (2004). Ventilatory physiology of the numbat (*Myrmecobius fasciatus*). *J Comp Physiol [B]* 174: 107-111. <http://dx.doi.org/10.1007/s00360-003-0394-0>.
- Cooper, GS; Scott, CS; Bale, AS. (2011). Insights from epidemiology into dichloromethane and cancer risk [Review]. *Int J Environ Res Public Health* 8: 3380-3398. <http://dx.doi.org/10.3390/ijerph8083380>.
- Corazza, ML; Filho, LC; Antunes, OAC; Dariva, C. (2003). High pressure phase equilibria of the related substances in the limonene oxidation in supercritical CO<sub>2</sub>. *Journal of Chemical and Engineering Data* 48: 354-358. <http://dx.doi.org/10.1021/je020150k>.
- Cordeiro, N; Belgacem, MN; Gandini, A; Neto, CP. (1999). Urethanes and polyurethanes from suberin 2: synthesis and characterization. *Ind Crop Prod* 10: 1-10.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF PHASE-TRANSFER-CATALYST INFLUENCE IN CAO-SIO<sub>2</sub> GEL PREPARATION. *Journal of Materials Science* 29: 4325-4330.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF THE ROLE OF PHASE-TRANSFER CATALYST IN OBTAINING GELS IN HETEROGENEOUS ENVIRONMENTS. *Journal of Non-Crystalline Solids* 171: 105-114.
- Cordova, R; Gomez, H; Schrebler, R; Cury, P; Orellana, M; Grez, P; Leinen, D; Ramos-Barrado, JR; Del Rio, R. (2002). Electroynthesis and electrochemical characterization of a thin phase of CuxS (x > 2) on ITO electrode. *Langmuir* 18: 8647-8654. <http://dx.doi.org/10.1021/la025711k>.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ* 27: 243-256.
- Cormos, CC; Agachi, SP. (2005). The modelling and the simulation of pantolactone extraction using ChemCAD software. *Rev Chim* 56: 750-756.
- Cornejo, J, ayJM; Sakurai, D; Daiguji, H; Takemura, F. (2016). Effect of Dissolved Poly(lactic acid) on the Solubility of CO<sub>2</sub>, N<sub>2</sub>, and He Gases in Dichloromethane. *Journal of Chemical and Engineering Data* 61: 94-101. <http://dx.doi.org/10.1021/acs.jced.5b00268>.
- Corno, JA; Stout, J; Yang, R; Golet, JL. (2008). Diffusion-controlled self-assembly and dendrite formation in silver-seeded anatase titania nanospheres. *J Phys Chem C* 112: 5439-5446. <http://dx.doi.org/10.1021/jp711443v>.
- Coronas, MV; Pereira, TS; Rocha, JA; Lemos, AT; Fachel, JM; Salvadori, DM; Vargas, VM. (2009). Genetic biomonitoring of an urban population exposed to mutagenic airborne pollutants. *Environ Int* 35: 1023-1029. <http://dx.doi.org/10.1016/j.envint.2009.05.001>.
- Corrales, F; Vilaseca, F; Llop, M; Gironès, J; Méndez, JA; Mutjè, P. (2007). Chemical modification of jute fibers for the production of green-composites. *J Hazard Mater* 144: 730-735. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.103>.
- Corrêa, AX; Cotellet, S; Millet, M; Somensi, CA; Wagner, TM; Radetski, CM. (2016). Genotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles using the in vivo *Vicia faba* L. micronucleus test. *Ecotoxicol Environ Saf* 127: 199-204. <http://dx.doi.org/10.1016/j.ecoenv.2016.01.026>.
- Correa, SM; Arbilla, G. (2006). Aromatic hydrocarbons emissions in diesel and biodiesel exhaust. *Atmos Environ* 40: 6821-6826. <http://dx.doi.org/10.1016/j.atmosenv.2006.05.068>.
- Correa, SM; Arbilla, G; Marques, MRC; Oliveira, KMP, G. (2012). The impact of BTEX emissions from gas stations into the atmosphere. *Atmos Pollut Res* 3: 163-169. <http://dx.doi.org/10.5094/APR.2012.016>.
- Correa, T; Tiab, D; Restrepo, DP. (2009). EVALUATION OF SOLVENTS EFFICIENCY IN CONDENSATE BANKING REMOVAL. *Dyna* 76: 163-171.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.
- Costa Sacchetin, PS; Morales, A, naR; Moraes, AM; Vieira e Rosa, P, deT. (2013). Formation of PLA particles incorporating 17 alpha-methyltestosterone by supercritical fluid technology. *Journal of Supercritical Fluids* 77: 52-62. <http://dx.doi.org/10.1016/j.supflu.2013.02.029>.
- Cosut, B. (2014). Highly efficient energy transfer in BODIPY-pyrene decorated cyclotriphosphazene. *Dyes and Pigments* 100: 11-16. <http://dx.doi.org/10.1016/j.dyepig.2013.07.022>.
- Cothern, CR. (1992). SOME SCIENTIFIC JUDGMENTS IN THE ASSESSMENT OF THE RISK OF ENVIRONMENTAL CONTAMINANTS. 2: 223-235.
- Coulbaly, K; Jeon, IJ. (1992). SOLID-PHASE EXTRACTION OF LESS VOLATILE FLAVOR COMPOUNDS FROM ULTRAHIGH-TEMPERATURE PROCESSED MILK. *J Agric Food Chem* 40: 612-616.
- Covaci, A; Tutdaki, M; Tsatsakis, AM; Schepens, P. (2002). Hair analysis: another approach for the assessment of human exposure to selected persistent organochlorine pollutants. *Chemosphere* 46: 413-418.
- Cox, ML; Fraser, PJ; Sturrock, GA; Siems, ST; Porter, LW. (2004). Terrestrial Sources and Sinks of Halomethanes near Cape Grim, Tasmania. *Atmos Environ* 38: 3839. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.050>.

## Fate Literature Search Results

### Off Topic

- Cox, ML; Sturrock, GA; Fraser, PJ; Siems, ST; Krummel, PB; O'Doherty, S. (2003). Regional Sources of Methyl Chloride, Chloroform and Dichloromethane Identified from AGAGE Observations at Cape Grim, Tasmania, 1998-2000. *J Atmos Chem* 45: 79-99.
- Cox, SK; Vanmanen, RT; Oliver, JW. (1992). DETERMINATION OF ERGONOVINE IN BOVINE PLASMA SAMPLES. *J Agric Food Chem* 40: 2164-2166.
- Coyle, GT; Harmon, TC; Suffet, IH. (1997). Aqueous solubility depression for hydrophobic organic chemicals in the presence of partially miscible organic solvents. *Environ Sci Technol* 31: 384-389.
- Crawford, DS. (1992). BEHAVIOR OF WASTEPAPER STICKIES IN RECYCLING MILLS. *Appita* 45: 257-259.
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Crespo, MOP; Yusty, MAL. (2004). Determination of aliphatic hydrocarbons in the alga *Himantalia elongata*. *Ecotoxicol Environ Saf* 57: 226-230. <http://dx.doi.org/10.1016/j.ecoenv.2003.09.013>.
- Creusot, N; Dévier, MH; Budzinski, H; Ait-Aïssa, S. (2016). Evaluation of an extraction method for a mixture of endocrine disrupters in sediment using chemical and in vitro biological analyses. *Environ Sci Pollut Res Int* 23: 10349-10360. <http://dx.doi.org/10.1007/s11356-016-6062-1>.
- Criddle, CS; Mccarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol* 25: 973-978.
- Crittenden, BD; Camus, O; Perera, SP; Mays, TJ; Sanchez-Liarte, F; Tennison, SR, SR; Crezee, E. (2011). Nonuniform Channels in Adsorbent Monoliths. *AIChE J* 57: 1163-1172. <http://dx.doi.org/10.1002/aic.12335>.
- Croitoru, C; Patachia, S; Porzolt, A; Friedrich, C. (2011). Effect of alkylimidazolium based ionic liquids on the structure of UV-irradiated cellulose. *Cellulose* 18: 1469-1479. <http://dx.doi.org/10.1007/s10570-011-9586-z>.
- Croker, DM; Foreman, ME; Hogan, BN; Maguire, NM; Elcoate, CJ; Hodnett, BK; Maguire, AR; Rasmuson, A, keC; Lawrence, SE. (2012). Understanding the p-Toluenesulfonamide/Triphenylphosphine Oxide Crystal Chemistry: A New 1:1 Cocrystal and Ternary Phase Diagram. *Cryst Growth Des* 12: 869-875. <http://dx.doi.org/10.1021/cg201300e>.
- Croll, SG. (2010). Application of the Flory-Rehner equation and the Griffith fracture criterion to paint stripping. *JCT Research* 7: 49-55. <http://dx.doi.org/10.1007/s11998-009-9166-4>.
- Cronin, G; Lindquist, N; Hay, ME; Fenical, W. (1995). EFFECTS OF STORAGE AND EXTRACTION PROCEDURES ON YIELDS OF LIPOPHILIC METABOLITES FROM THE BROWN SEAWEEDS *DICTYOTA-CILIOLATA* AND *D-MENSTRUUALIS*. *Mar Ecol Prog Ser* 119: 265-273.
- Crosman, A; Gelbard, G; Poncelet, G; Parvulescu, VI. (2004). Epoxidation of cyclohexene and indene with hydrogen peroxide in the presence of WO<sub>5</sub> onto hydroxyapatite as catalyst. *Appl Catal A-Gen* 264: 23-32. <http://dx.doi.org/10.1016/j.apcata.2003.12.021>.
- Crosman, A; Hoelderich, WF. (2004). Enantioselective hydrogenation over immobilised transition metal complex catalysts. *Stud Surf Sci Catal* 154: 2839-2846.
- Crosman, A; Hoelderich, WF. (2007). Enantioselective hydrogenation over immobilized rhodium diphosphine complexes on mesostructured materials. *Catalysis Today* 121: 130-139. <http://dx.doi.org/10.1016/j.cattod.2006.11.023>.
- Cruceru, I; Iancu, V; Petre, J; Badea, IA; Vladescu, L. (2012). HPLC-FLD determination of 4-nonylphenol and 4-tert-octylphenol in surface water samples. *Environ Monit Assess* 184: 2783-2795. <http://dx.doi.org/10.1007/s10661-011-2151-2>.
- Cruz, GJF; Matejova, L; Pirilae, M; Ainassaari, K; Canepa, CA; Solis, J; Cruz, JF; Solcova, O; Keiski, RL. (2015). A Comparative Study on Activated Carbons Derived from a Broad Range of Agro-industrial Wastes in Removal of Large-Molecular-Size Organic Pollutants in Aqueous Phase. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2474-7>.
- Cudzilo, S; Dyjak, S; Trzcinski, WA. (2012). Preparation and Characterization of Monolithic Nitrocellulose-Cellulose Composites. *Central European Journal of Energetic Materials* 9: 139-146.
- Cui, L; Ding, Y, an; Li, X, ue; Wang, Z, he; Han, Y. (2006). Solvent and polymer concentration effects on the surface morphology evolution of immiscible polystyrene/poly(methyl methacrylate) blends. *Thin Solid Films* 515: 2038-2048. <http://dx.doi.org/10.1016/j.tsf.2006.04.045>.
- Cundy, VA; Lu, C; Cook, CA; Sterling, AM; Leger, CB; Jakway, AL; Montestruc, AN; Conway, R; Lester, TW. (1991). ROTARY KILN INCINERATION OF DICHLOROMETHANE AND XYLENE - A COMPARISON OF INCINERABILITY CHARACTERISTICS UNDER VARIOUS OPERATING-CONDITIONS. *J Air Waste Manag Assoc* 41: 1084-1094.
- Cusido, JA; Cremades, LV; Soriano, C; Devant, M. (2015). Incorporation of paper sludge in clay brick formulation: Ten years of industrial experience. *Appl Clay Sci* 108: 191-198. <http://dx.doi.org/10.1016/j.clay.2015.02.027>.
- Custódio, D; Guimarães, CS; Varandas, L; Arbilla, G. (2010). Pattern of volatile aldehydes and aromatic hydrocarbons in the largest urban rainforest in the Americas. *Chemosphere* 79: 1064-1069. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.028>.
- Cvetkovic, I; Milic, J; Ionescu, M; Petrovic, ZS. (2008). PREPARATION OF 9-HYDROXYNONANOIC ACID METHYL ESTER BY OZONOLYSIS OF VEGETABLE OILS AND ITS POLYCONDENSATION. *Hemijiska Industrija* 62: 319-328. <http://dx.doi.org/10.2298/HEMIND0806319C>.
- Czauderna, M; Kowalczyk, J; Marounek, M; Michalski, JP; Rozbicka-Wieczorek, AJ; Krajewska, KA. (2011). A new internal standard for HPLC assay of conjugated linoleic acid in animal tissues and milk. *Czech J Anim Sci* 56: 23-29.
- Czauderna, M; Kowalczyk, J; Wasowska, I; Niedzwiedzka, KM. (2003). Determination of conjugated linoleic acid isomers by liquid chromatography and photodiode array detection. *J Anim Feed Sci* 12: 369-382.
- Czernych, R; Halkiewicz, JJ, an; Kot-Wasik, A; Namiesnik, J. (2014). Development and Validation of SPE-HPLC-MS/MS Method for Determining Cyclophosphamide in Surface Waters. *Pol J Environ Stud* 23: 1537-1545.
- Czerwinski, J; Zygumnt, B; Namiesnik, J. (1996). Application of solid phase microextraction for determination of volatile halogenated hydrocarbons in air and water of an indoor swimming pool. *Fresen Environ Bull* 5: 55-60.

## Fate Literature Search Results

### Off Topic

- Czimerova, A; Bujdak, J; Dohrmann, R. (2006). Traditional and novel methods for estimating the layer charge of smectites. *Appl Clay Sci* 34: 2-13. <http://dx.doi.org/10.1016/j.clay.2006.02.008>.
- da Cunha, US; Vendramim, JD; Rocha, WC; Vieira, PC. (2006). Fractions of *Trichilia pallens* with insecticidal activity against *Tuta absoluta*. *Pesqui Agropecu Bras* 41: 1579-1585.
- da Silva, GA; Domingos, TF; Fonseca, RR; Sanchez, EF; Teixeira, VL; Fuly, AL. (2015). The red seaweed *Plocamium brasiliense* shows anti-snake venom toxic effects. *Journal of Venomous Animals and Toxins including Tropical Diseases* 21: 2. <http://dx.doi.org/10.1186/s40409-015-0002-2>.
- Da Silva, LB; Marinelli, AL; Ruvolo, A; Bretas, RES. (2002). Blends of a bottle-grade polyethylene terephthalate copolymer with a liquid crystalline polymer. Part II: Thermal and transport properties. *Polymer Engineering and Science* 42: 1694-1709.
- da Silva Maciel, GP; Machado, ME; Barbara, JA; Dal Molin, D; Caramao, EB; Jacques, RA. (2016). GC x GC/TOFMS analysis concerning the identification of organic compounds extracted from the aqueous phase of sugarcane straw fast pyrolysis oil. *Biomass and Bioenergy* 85: 198-206. <http://dx.doi.org/10.1016/j.biombioe.2015.11.009>.
- Dacome, AS; da Silva, CC; da Costa, CEM; Fontana, JD; Adelman, J; da Costa, SC. (2005). Sweet diterpenic glycosides balance of a new cultivar of *Stevia rebaudiana* (Bert.) Bertonii: Isolation and quantitative distribution by chromatographic, spectroscopic, and electrophoretic methods. *Process Biochemistry* 40: 3587-3594. <http://dx.doi.org/10.1016/j.procbio.2005.03.035>.
- Daglia, M; Papetti, A; Gregotti, C; Berte, F; Gazzani, G. (2000). In vitro antioxidant and ex vivo protective activities of green and roasted coffee. *J Agric Food Chem* 48: 1449-1454.
- Dai, H; Huang, H. (2017). Synthesis, characterization and properties of pineapple peel cellulose-g-acrylic acid hydrogel loaded with kaolin and sepia ink. *Cellulose* 24: 69-84. <http://dx.doi.org/10.1007/s10570-016-1101-0>.
- Dai, H; Jing, S; Wang, H; Ma, Y; Li, L; Song, W; Kan, H. (2017). VOC characteristics and inhalation health risks in newly renovated residences in Shanghai, China. *Sci Total Environ* 577: 73-83. <http://dx.doi.org/10.1016/j.scitotenv.2016.10.071>.
- Dai, JM; Yaylayan, VA; Raghavan, GSV; Pare, JR. (1999). Extraction and colorimetric determination of azadirachtin-related limonoids in neem seed kernel. *J Agric Food Chem* 47: 3738-3742.
- D'Aleo, A; Felouat, A; Heresanu, V; Ranguis, A; Chaudanson, D; Karapetyan, A; Giorgi, M; Fages, F. (2014). Two-photon excited fluorescence of BF<sub>2</sub> complexes of curcumin analogues: toward NIR-to-NIR fluorescent organic nanoparticles. 2: 5208-5215. <http://dx.doi.org/10.1039/c4tc00543k>.
- Dalla Villa, R; de Carvalho Dores, EF; Carbo, L; Cunha, ML. (2006). Dissipation of DDT in a heavily contaminated soil in Mato Grosso, Brazil. *Chemosphere* 64: 549-554. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.019>.
- Dallarosa, JB; Monego, JG; Teixeira, EC; Stefens, JL; Wiegand, F. (2005). Polycyclic aromatic hydrocarbons in atmospheric particles in the metropolitan area of Porto Alegre, Brazil. *Atmos Environ* 39: 1609-1625.
- Dallarosa, JB; Teixeira, EC; Pires, M; Fachel, J. (2005). Study of the profile of polycyclic aromatic hydrocarbons in atmospheric particles (PM<sub>10</sub>) using multivariate methods. *Atmos Environ* 39: 6587-6596. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.034>.
- Dalmasso, PR; Taccone, RA; Nieto, JD; Teruel, MA; Lane, SI. (2006). CH<sub>3</sub>OCHF<sub>2</sub>CHFCl and CHF<sub>2</sub>OCHF<sub>2</sub>CHFCl: Reaction with Cl atoms, atmospheric lifetimes, ozone depletion and global warming potentials. *Atmos Environ* 40: 7298-7307. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.031>.
- Dalmoro, V; Aleman, C; Ferreira, CA; dos Santos, JHZ; Azambuja, DS; Armelin, E. (2015). The influence of organophosphonic acid and conducting polymer on the adhesion and protection of epoxy coating on aluminium alloy. *Progr Org Coating* 88: 181-190. <http://dx.doi.org/10.1016/j.porgcoat.2015.07.004>.
- Dammer, O; Vlckova, B; Prochazka, M; Bondarev, D; Vohlidal, J; Pflieger, J. (2009). Effect of preparation procedure on the structure, morphology, and optical properties of nanocomposites of poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] with gold nanoparticles. *Mater Chem Phys* 115: 352-360. <http://dx.doi.org/10.1016/j.matchemphys.2008.12.021>.
- Daneshvar, E; Vazirzadeh, A; Niazi, A, li; Sillanpaa, M; Bhatnagar, A. (2017). A comparative study of methylene blue biosorption using different modified brown, red and green macroalgae - Effect of pretreatment. *Chem Eng J* 307: 435-446. <http://dx.doi.org/10.1016/j.cej.2016.08.093>.
- Dang, G; Yang, W; Chen, C; Zhao, X; Wang, C; Zhang, W; Wu, Z. (2003). Single-crystal X-ray structure of a special designed nanoscale rigid organic macrocycle. *Synthetic Metals* 137: 975-976. [http://dx.doi.org/10.1016/S0379-6779\(02\)00969-4](http://dx.doi.org/10.1016/S0379-6779(02)00969-4).
- Dang, LX; Schenter, GK; Chang, TM, ei; Kathmann, SM; Autrey, T, om. (2012). Role of Solvents on the Thermodynamics and Kinetics of Forming Frustrated Lewis Pairs. *Journal of Physical Chemistry Letters* 3: 3312-3319. <http://dx.doi.org/10.1021/jz301533a>.
- Dang, QQ; Zhan, YF; Wang, XM; Zhang, XM. (2015). Heptazine-Based Porous Framework for Selective CO<sub>2</sub> Sorption and Organocatalytic Performances. 7: 28452-28458. <http://dx.doi.org/10.1021/acsami.5b09441>.
- Danielski, L; Campos, LMA, S; Bresciani, LFV; Hense, H; Yunes, RA; Ferreira, SRS. (2007). Marigold (*Calendula officinalis* L.) oleoresin: Solubility in SC-CO<sub>2</sub> and composition profile. *Chemical Engineering and Processing: Process Intensification* 46: 99-106. <http://dx.doi.org/10.1016/j.cep.2006.05.004>.
- D'Anna, A; Alfe, A; Apicella, B; Tregrossi, A; Ciajolo, A. (2007). Effect of Fuel/Air ratio and aromaticity on sooting behavior of premixed heptane flames. *Energy Fuels* 21: 2655-2662. <http://dx.doi.org/10.1021/ef070159y>.
- Danov, KD; Kralchevsky, PA; Ananthapadmanabhan, KP; Lips, A. (2006). Particle-interface interaction across a nonpolar medium in relation to the production of particle-stabilized emulsions. *Langmuir* 22: 106-115. <http://dx.doi.org/10.1021/la052273j>.
- Danumah, C; Beingessner, RL; Haque, A; Ban, F; Richards, JP; Kovalenko, A; Fenniri, H. (2009). Synthesis, properties, and mechanistic insight into the self-assembly of a lamellar fibrous superstructure from a synthetically simple discotic molecule. *Langmuir* 25: 11857-11861. <http://dx.doi.org/10.1021/la901511v>.

## Fate Literature Search Results

### Off Topic

- Darjazi, BB; Rustaiyan, A; Talaei, A; Khalighi, A; Larijani, K; Golein, B; Hayatbakhsh, E; Taghizad, R. (2009). The Effects of Rootstock on the Volatile Flavour Components of Page Mandarin [(C.Reticulata var dancy x C.Paradisi var danca) x C.Clemantina] Juice and Peel. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 99-111.
- Darko, SA; Maxwell, E; Park, S. (2010). Photocatalytic activity of TiO<sub>2</sub> nanofilms deposited onto polyvinyl chloride and glass substrates. *Thin Solid Films* 519: 174-177. <http://dx.doi.org/10.1016/j.tsf.2010.07.096>.
- Darowicki, K; Slepski, P; Szocinski, M. (2005). Application of the dynamic EIS to investigation of transport within organic coatings. *Progr Org Coating* 52: 306-310.
- Das, A; Gupta, M; Rajagopalan, S; Tyagi, AK. (2013). Selective Capacitive Sensor for Ammonia Hydroxide at Room Temperature. *IEEE Sens J* 13: 2757-2762. <http://dx.doi.org/10.1109/JSEN.2013.2259959>.
- Das, GS; Rao GHR, GS; Wilson, RF; Chandy, T. (2001). Controlled delivery of taxol from poly(ethylene glycol)-coated poly(lactic acid) microspheres. *J Biomed Mater Res* 55: 96-103.
- Das, MT; Budhraj, V; Mishra, M; Thakur, IS. (2012). Toxicological evaluation of paper mill sewage sediment treated by indigenous dibenzofuran-degrading *Pseudomonas* sp. *Bioresour Technol* 110: 71-78. <http://dx.doi.org/10.1016/j.biortech.2012.01.078>.
- Das, SC; Larson, I; Morton, DA; Stewart, PJ. (2011). Determination of the polar and total surface energy distributions of particulates by inverse gas chromatography. *Langmuir* 27: 521-523. <http://dx.doi.org/10.1021/la104135z>.
- Datta, D; Kumar, S. (2011). Reactive Extraction of 2-Methylidenebutanedioic Acid with N,N-Dioctyloctan-1-amine Dissolved in Six Different Diluents: Experimental and Theoretical Equilibrium Studies at (298 +/- 1) K. *Journal of Chemical and Engineering Data* 56: 2574-2582. <http://dx.doi.org/10.1021/je200094b>.
- Datta, D; Kumar, S. (2011). Reactive Extraction of Glycolic Acid Using Tri-n-Butyl Phosphate and Tri-n-Octylamine in Six Different Diluents: Experimental Data and Theoretical Predictions. *Ind Eng Chem Res* 50: 3041-3048. <http://dx.doi.org/10.1021/ie102024u>.
- Datta, D; Kumar, S. (2015). Reactive Extraction of Picolinic Acid Using Tri-n-octylamine Dissolved in Different Diluents: Effect of Solvent Polarity. *Journal of Chemical and Engineering Data* 60: 2709-2716. <http://dx.doi.org/10.1021/acs.jced.5b00387>.
- Datta, D; Marti, ME; Pal, D; Kumar, S. (2017). Equilibrium Study on the Extraction of Levulinic Acid from Aqueous Solution with Aliquat 336 Dissolved in Different Diluents: Solvent's Polarity Effect and Column Design. *Journal of Chemical and Engineering Data* 62: 3-10. <http://dx.doi.org/10.1021/acs.jced.6b00164>.
- Daws, CA; Exstrom, CL; Sowa, JR; Mann, KR. (1997). "Vapochromic" compounds as environmental sensors .2. Synthesis and near-infrared and infrared spectroscopy studies of [Pt(arylisocyanide)(4)][Pt(CN)(4)] upon exposure to volatile organic compound vapors. *Chem Mater* 9: 363-368.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- de Almeida Rego, FC; Francozo, MC; Ludovico, A; de Lima, LD; Lopes, FG; Belan, L; dos Santos, MD; Zundt, M; Coelho Cunha Filho, LF; Constantino, C. (2015). Development, economic viability and attributes of lamb carcass from confined animals fed on different amounts of crude glycerin. 36: 3445-3454. <http://dx.doi.org/10.5433/1679-0359.2015v36n5p3445>.
- de Aquino, LA; Puiatti, M; Abaurre, MEO; Cecon, PR; Pereira, PRG; Pereira, FHF; Castro, MRS. (2007). Yield, accumulation of nitrate, content and export of nutrients of lettuce cultivated under shade. *Horticultura Brasileira* 25: 381-386.
- de Araujo, GLB; Zeller, M; Smith, D; Nie, H; Byrn, SR. (2016). Unexpected Single Crystal Growth Induced by a Wire and New Crystalline Structures of Lapatinib. *Cryst Growth Des* 16: 6122-6130. <http://dx.doi.org/10.1021/acs.cgd.6b01271>.
- de Araujo Neto, SE; Felix Ferreira, RL; The Pontes, FS. (2009). Profitability of lettuce cultivars organic production in greenhouse and field with different tillage soil. *Ciencia Rural* 39: 1362-1368.
- de Avila, SG; Silva, LCC; Matos, JR. (2016). Optimisation of SBA-15 properties using Soxhlet solvent extraction for template removal. *Microporous and Mesoporous Materials* 234: 277-286. <http://dx.doi.org/10.1016/j.micromeso.2016.07.027>.
- de Beer, MM; Keurentjes, J, osTF; Schouten, JC; van Der Schaaf, J. (2016). Convective Condensation in a Stator-Rotor-Stator Spinning Disc Reactor. *AIChE J* 62: 3784-3796. <http://dx.doi.org/10.1002/aic.15275>.
- De Best, JH; Ultee, J; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (2000). Dichloromethane utilization in a packed-bed reactor in the presence of various electron acceptors. *Water Res* 34: 566-574.
- de Campos, LM; Leimann, FV; Pedrosa, RC; Ferreira, SR. (2008). Free radical scavenging of grape pomace extracts from Cabernet sauvignon (*Vitis vinifera*). *Bioresour Technol* 99: 8413-8420. <http://dx.doi.org/10.1016/j.biortech.2008.02.058>.
- de Diego, YP; Wubbolts, FE; Jansens, PJ. (2006). Modelling mass transfer in the PCA process using the Maxwell-Stefan approach. *Journal of Supercritical Fluids* 37: 53-62. <http://dx.doi.org/10.1016/j.supflu.2005.07.002>.
- de Los Rios, AP; Hernandez-Fernandez, FJ; Rubio, M; Gomez, D; Villora, G. (2007). Stabilization of native penicillin G acylase by ionic liquids. *J Chem Tech Biotechnol* 82: 190-195. <http://dx.doi.org/10.1002/jctb.1654>.
- De Martinis, BS; Okamoto, RA; Kado, NY; Gundel, LA; Carvalho, LRF. (2002). Polycyclic aromatic hydrocarbons in a bioassay-fractionated extract of PM10 collected in Sao Paulo, Brazil. *Atmos Environ* 36: 307-314.
- de Melo, MMR; Oliveira, ELG; Silvestre, AJD; Silva, CM. (2012). Supercritical fluid extraction of triterpenic acids from *Eucalyptus globulus* bark. *Journal of Supercritical Fluids* 70: 137-145. <http://dx.doi.org/10.1016/j.supflu.2012.06.017>.
- de Melo, MMR; Silva, R, uIP; Silvestre, AJD; Silva, CM. (2016). Valorization of water hyacinth through supercritical CO<sub>2</sub> extraction of stigmaterol. *Ind Crop Prod* 80: 177-185. <http://dx.doi.org/10.1016/j.indcrop.2015.11.036>.
- de Miguel, M; Alvaro, M; Garcia, H. (2012). Graphene as a quencher of electronic excited states of photochemical probes. *Langmuir* 28: 2849-2857. <http://dx.doi.org/10.1021/la204023w>.

## Fate Literature Search Results

### Off Topic

- de Moura, MR; Aouada, FA; Favaro, SL; Radovanovic, E; Rubira, AF; Muniz, EC. (2009). Release of BSA from porous matrices constituted of alginate-Ca<sup>2+</sup> and PNIPAAm-interpenetrated networks. *Mater Sci Eng C* 29: 2319-2325. <http://dx.doi.org/10.1016/j.msec.2009.05.022>.
- De Nicola, F; Maisto, G; Prati, MV; Alfani, A. (2005). Temporal variations in PAH concentrations in *Quercus ilex* L. (holm oak) leaves in an urban area. *Chemosphere* 61: 432-440. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.082>.
- De Nicola, GR; Montaut, S; Rollin, P; Nyegue, M; Menut, C; Iori, R; Tatibouët, A. (2013). Stability of benzylic-type isothiocyanates in hydrodistillation-mimicking conditions. *J Agric Food Chem* 61: 137-142. <http://dx.doi.org/10.1021/jf3041534>.
- De Pedro, ZM; Casas, JA; Gomez-Sainero, LM; Rodriguez, JJ. (2010). Hydrodechlorination of dichloromethane with a Pd/AC catalyst: Reaction pathway and kinetics. *Appl Catal B-Environ* 98: 79-85. <http://dx.doi.org/10.1016/j.apcatb.2010.05.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.
- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere* 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.
- de Rivas, B; Lopez-Fonseca, R; Jimenez-Gonzalez, C; Gutierrez-Ortiz, JI. (2011). Synthesis, characterisation and catalytic performance of nanocrystalline Co<sub>3</sub>O<sub>4</sub> for gas-phase chlorinated VOC abatement. *J Catal* 281: 88-97. <http://dx.doi.org/10.1016/j.jcat.2011.04.005>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO<sub>2</sub>/H-ZSM5 catalysts. *Appl Catal A-Gen* 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 39-56.
- De Rooij, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). Dichloromethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 3-22.
- De Salvia, MA; Cagiano, R; Carratu, MR; Di Giovanni, V; Trabace, L; Cuomo, V. (1995). Irreversible impairment of active avoidance behavior in rats prenatally exposed to mild concentrations of carbon monoxide. *Psychopharmacology* 122: 66-71.
- de Silva, JP; Poulos, AS; Pansu, B; Davidson, P; Kismi, B; Petermann, D; Asnacios, S; Meneau, F; Impéror, M. (2011). Rheological behaviour of polyoxometalate-doped lyotropic lamellar phases. *Eur Phys J E Soft Matter* 34: 4. <http://dx.doi.org/10.1140/epje/i2011-11004-1>.
- de Sio, F; Laratta, B; Giovane, A; Quagliuolo, L; Castaldo, D; Servillo, L. (2000). Analysis of free and esterified ergosterol in tomato products. *J Agric Food Chem* 48: 780-784.
- De Zordi, N; Kikic, I; Moneghini, M; Solinas, D. (2010). Piroxicam solid state studies after processing with SAS technique. *Journal of Supercritical Fluids* 55: 340-347. <http://dx.doi.org/10.1016/j.supflu.2010.06.013>.
- Dearfield, KL; Moore, MM. (2005). Use of genetic toxicology information for risk assessment. *Environ Mol Mutagen* 46: 236-245. <http://dx.doi.org/10.1002/em.20176>.
- Debertrand, N; Durand, G; Barcelo, D. (1991). EXTRACTION, CLEANUP AND LIQUID CHROMATOGRAPHIC-DIODE ARRAY DETERMINATION OF CARBAMATE PESTICIDES IN SOIL SAMPLES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 26: 575-597.
- Debonsi, HM; Miranda, JE; Murata, AT; de Bortoli, SA; Kato, MJ; Bolzani, VS; Furlan, M. (2009). Isobutyl amides--potent compounds for controlling *Diatraea saccharalis*. *Pest Manag Sci* 65: 47-51. <http://dx.doi.org/10.1002/ps.1643>.
- Dec, J; Haider, K; Benesi, A; Rangaswamy, V; Schaffer, A; Plucken, U; Bollag, JM. (1997). Analysis of soil-bound residues of C-13-labeled fungicide cyprodinil by NMR spectroscopy. *Environ Sci Technol* 31: 1128-1135.
- Decaro, D; Bradley, JS. (1997). Surface spectroscopic study of carbon monoxide adsorption on nanoscale nickel colloids prepared from a zerovalent organometallic precursor. *Langmuir* 13: 3067-3069.
- Dechaine, GP; Maham, Y; Tan, X; Gray, MR. (2011). Regular Solution Theories Are Not Appropriate for Model Compounds for Petroleum Asphaltenes. *Energy Fuels* 25: 737-746. <http://dx.doi.org/10.1021/ef101405t>.
- Degen, T; Poppy, G; Stadler, E. (1999). Extracting oviposition stimulants for carrot fly from host-plant leaves. *J Chem Ecol* 25: 89-104.
- Degen, T; Staedler, E. (1998). Oviposition of carrot fly (*Psila rosae*) in response to foliage and leaf surface extracts of host plants. *Chemoecology* 8: 39-+.
- Deghrigue, M; Festa, C; Ghribi, L; D'Auria, MV; De Marino, S; Ben Jannet, H; Bouraoui, A. (2015). Anti-inflammatory and analgesic activities with gastroprotective effect of semi-purified fractions and isolation of pure compounds from Mediterranean gorgonian *Eunicella singularis*. *Asian Pacific Journal of Tropical Medicine* 8: 606-611. <http://dx.doi.org/10.1016/j.apjtm.2015.07.019>.
- Dehelean, CA; Peev, C; Cinta-Pinzaru, S; Soica, C; Kaicsa, A. (2006). FT-IR, FT-RAMAN and TLC densitometry analysis of some plane tree extracts concerning their content in betulinic acid and betulin. *Rev Chim* 57: 1105-1107.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir* 14: 4143-4147.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Del Bubba, M; Zanieri, L; Galvan, P; Donzelli, GP; Checchini, L; Lepri, L. (2005). Determination of polycyclic aromatic hydrocarbons (PAHs) and total fats in human milk. *Ann Chim* 95: 629-641.
- Del Valle, MA; Diaz, FR; Tagle, LH; Brovelli, F; Bernede, JC. (2003). Electro-oxidation of 2,2'-dithienylketone. *Journal of Materials Science* 38: 2439-2446.
- Delatorre, AI; Fernandez, C; Tarazona, JV; Munoz, MJ. (1995). DETECTION OF AROCLOR, DDT, MALATHION AND HCB USING SEMIPERMEABLE MEMBRANES AS CONCENTRATION METHOD. *Chemosphere* 31: 2727-2737.

## Fate Literature Search Results

### Off Topic

- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>.
- Delhomenie, MC; Heitz, M. (2003). Elimination of chlorobenzene vapors from air in a compost-based biofilter. *J Chem Tech Biotechnol* 78: 588-595. <http://dx.doi.org/10.1002/jctb.822>.
- Dell, LD; Mundt, KA; McDonald, M; Tritschler, JP; Mundt, DJ. (1999). Critical review of the epidemiology literature on the potential cancer risks of methylene chloride [Review]. *Int Arch Occup Environ Health* 72: 429-442. <http://dx.doi.org/10.1007/s004200050396>.
- Dellai, A; Laajili, S; Le Morvan, V; Robert, J; Bouraoui, A. (2013). Antiproliferative activity and phenolics of the Mediterranean seaweed *Laurencia obusta*. *Ind Crop Prod* 47: 252-255. <http://dx.doi.org/10.1016/j.indcrop.2013.03.014>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste* 43: 203-207.
- Delnobile, MA; Mensitieri, G; Netti, PA; Nicolais, L. (1994). ANOMALOUS DIFFUSION IN POLY-ETHER-ETHER-KETONE. *Chem Eng Sci* 49: 633-644.
- Demarini, DM; Brooks, LR; Warren, SH; Kobayashi, T; Gilmour, MI; Singh, P. (2004). Bioassay-directed fractionation and *Salmonella* mutagenicity of automobile and forklift diesel exhaust particles. *Environ Health Perspect* 112: 814-819.
- Demarini, DM; Houk, VS; Kornel, A; Rogers, CJ. (1992). EFFECT OF A BASE-CATALYZED DECHLORINATION PROCESS ON THE GENOTOXICITY OF PCB-CONTAMINATED SOIL. *Chemosphere* 24: 1713-1720.
- Demarini, DM; Houk, VS; Lewtas, J; Williams, RW; Nishioka, MG; Srivastava, RK; Ryan, JV; Mccorley, JA; Hall, RE; Linak, WP. (1991). MEASUREMENT OF MUTAGENIC EMISSIONS FROM THE INCINERATION OF THE PESTICIDE DINOSEB DURING APPLICATION OF COMBUSTION MODIFICATIONS. *Environ Sci Technol* 25: 910-913.
- Demarini, DM; Lemieux, PM; Ryan, JV; Brooks, LR; Williams, RW. (1994). Mutagenicity and chemical analysis of emissions from the open burning of scrap rubber tires. *Environ Sci Technol* 28: 136-141.
- Demarini, DM; Shelton, ML; Bell, DA. (1994). MUTATION SPECTRA IN *SALMONELLA* OF COMPLEX-MIXTURES - COMPARISON OF URBAN AIR TO BENZO[A]PYRENE. *Environ Mol Mutagen* 24: 262-275.
- Demarini, DM; Shelton, ML; Warren, SH; Ross, TM; Shim, JY; Richard, AM; Pegram, RA. (1997). Glutathione S-transferase-mediated induction of GC->AT transitions by halomethanes in *Salmonella*. *Environ Mol Mutagen* 30: 440-447. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)30:4<440::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)30:4<440::AID-EM9>3.0.CO;2-M).
- Demarini, DM; Williams, RW; Brooks, LR; Taylor, MS. (1992). USE OF CYANOPROPYL-BONDED HPLC COLUMN FOR BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC EXTRACTS FROM INCINERATOR EMISSIONS. *Int J Environ Anal Chem* 48: 187-199.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech* 85: 437-453.
- Demir, S; Saral, A; Kuzu, SL. (2012). ASSESSMENT OF LEVELS AND ASSOCIATED RISKS OF EXPOSURE TO VOCs RELEASED FROM MSW LANDFILL SITES. *Fresen Environ Bull* 21: 781-788.
- Demiral, H; Gündüzoğlu, G. (2010). Removal of nitrate from aqueous solutions by activated carbon prepared from sugar beet bagasse. *Bioresour Technol* 101: 1675-1680. <http://dx.doi.org/10.1016/j.biortech.2009.09.087>.
- Demou, E; Hellweg, S; Hungerbuehler, K. (2011). An occupational chemical priority list for future life cycle assessments. *J Clean Prod* 19: 1339-1346. <http://dx.doi.org/10.1016/j.jclepro.2011.03.011>.
- Deng, A; Lin, Q; Yan, Y; Li, H; Ren, J; Liu, C; Sun, R. (2016). A feasible process for furfural production from the pre-hydrolysis liquor of corncob via biochar catalysts in a new biphasic system. *Bioresour Technol* 216: 754-760. <http://dx.doi.org/10.1016/j.biortech.2016.06.002>.
- Deng, H; Yang, L; Tao, G; Dai, J. (2009). Preparation and characterization of activated carbon from cotton stalk by microwave assisted chemical activation--application in methylene blue adsorption from aqueous solution. *J Hazard Mater* 166: 1514-1521. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.080>.
- Deng, M; Nair, LS; Nukavarapu, SP; Kumbar, SG; Jiang, T; Krogman, NR; Singh, A; Allcock, HR; Laurencin, CT. (2008). Miscibility and in vitro osteocompatibility of biodegradable blends of poly[(ethyl alanato) (p-phenyl phenoxy) phosphazene] and poly(lactic acid-glycolic acid). *Biomaterials* 29: 337-349. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.029>.
- Dengiz, C; Balci, M. (2013). New synthetic methodology for construction of the 3,4-dihydroquinolin-2-one skeleton. *Turkish Journal of Chemistry* 37: 220-227. <http://dx.doi.org/10.3906/kim-1207-35>.
- Deniz, S; Baran, N; Akgun, M; Akgun, NA; Dincer, S. (2004). Synthesis and characterization of block copolymers using polysiloxane based macroazoinitiator. *Turkish Journal of Chemistry* 28: 645-657.
- Denkbas, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed* 6: 815-825.
- Deoliveira, W; Glasser, WG. (1994). NOVEL CELLULOSE DERIVATIVES .2. SYNTHESIS AND CHARACTERISTICS OF MONO-FUNCTIONAL CELLULOSE PROPIONATE SEGMENTS. *Cellulose* 1: 77-86.
- Desando, MA; Ripmeester, JA. (2002). Chemical derivatization of Athabasca oil sand asphaltene for analysis of hydroxyl and carboxyl groups via nuclear magnetic resonance spectroscopy. *Fuel* 81: 1305-1319. [http://dx.doi.org/10.1016/S0016-2361\(02\)00040-6](http://dx.doi.org/10.1016/S0016-2361(02)00040-6).
- Desantis, G; Dicasa, M; Fabbrizzi, L; Licchelli, M; Pallavicini, P. (1991). SELECTIVE TRANSPORT OF ANIONS ACROSS LIQUID MEMBRANES USING THE FERROCENIUM FERROXENE REDOX COUPLE. *Adv Mater Deerfield* 3: 611-613.
- Desgrouas, C; Baghdikian, B; Mabrouki, F; Bory, S; Taudon, N; Parzy, D; Ollivier, E. (2014). Rapid and green extraction, assisted by microwave and ultrasound of cepharanthine from *Stephania rotunda* Lour. *Separation and Purification Technology* 123: 9-14. <http://dx.doi.org/10.1016/j.seppur.2013.12.016>.



## Fate Literature Search Results

### Off Topic

- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res* 40: 3855-3860.
- Dethlefs, F; Stan, HJ. (1996). Analysis of pulp mill EOP bleaching process effluent by thin-layer chromatography with automated multiple development (AMD-HPTLC). *Acta Hydrochim Hydrobiol* 24: 77-84.
- Dettmer, FT; Wichmann, H; Bahadir, M. (1998). Optimization of dioxin clean-up by using lignite coke-silica gel columns and solvent substitutions. *Fresen Environ Bull* 7: 216-223.
- Dettmer, K; Beck, J; Goetz, U; Will, R; Stieglitz, L. (1993). Automatic evaporation in PCDD- and chlorobenzene-routine analysis. *Chemosphere* 27: 2111-2116.
- Devai, I; Delaune, RD; Patrick, WH; Gambrell, RP. (2001). Changes in methylmercury concentration during storage: effect of temperature. *Organic Geochemistry* 32: 755-758. [http://dx.doi.org/10.1016/S0146-6380\(01\)00039-0](http://dx.doi.org/10.1016/S0146-6380(01)00039-0).
- Devrim, B; Bozkir, A; Canefe, K. (2011). Preparation and evaluation of PLGA microparticles as carrier for the pulmonary delivery of rHL-2 : I. Effects of some formulation parameters on microparticle characteristics. *J Microencapsul* 28: 582-594. <http://dx.doi.org/10.3109/02652048.2011.599438>.
- Dew, NM; Paton, GI; Semple, KT. (2005). Prediction of [3-(14)C]phenyldodecane biodegradation in cable insulating oil-spiked soil using selected extraction techniques. *Environ Pollut* 138: 316-323. <http://dx.doi.org/10.1016/j.envpol.2005.03.009>.
- Dewailly, E; Ayotte, P; Bruneau, S; Lebel, G; Levallois, P; Weber, JP. (2001). Exposure of the Inuit population of Nunavik (Arctic Quebec) to lead and mercury. *Arch Environ Health* 56: 350-357. <http://dx.doi.org/10.1080/00039890109604467>.
- Dey, R; Samantaray, MK; Callens, E; Hamieh, A, li; Emwas, AHM; Abou-Hamad, E, dy; Kavitate, S; Basset, JM. (2016). Cationic Tungsten(VI) Penta-Methyl Complex: Synthesis, Characterization and its Application in Olefin Metathesis Reaction. *Oil & Gas Science & Technology* 71. <http://dx.doi.org/10.2516/ogst/2016002>.
- Dhar, P; Kumar, A; Katiyar, V. (2015). Fabrication of cellulose nanocrystal supported stable Fe(0) nanoparticles: a sustainable catalyst for dye reduction, organic conversion and chemo-magnetic propulsion. *Cellulose* 22: 3755-3771. <http://dx.doi.org/10.1007/s10570-015-0759-z>.
- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal* 167: 118-126.
- Dhillon, A; Gupta, JK; Khanna, S. (2000). Enhanced production, purification and characterisation of a novel cellulase-poor thermostable, alkali-tolerant xylanase from *Bacillus circulans* AB 16. *Process Biochemistry* 35: 849-856.
- Dhingra, OD; Muchovej, JJ. (1980). DICHLOROMETHANE, TRICHLOROMETHANE AND CARBONTETRACHLORIDE AS SOLVENTS FOR BEAN SEED TREATMENT WITH SYSTEMIC FUNGICIDES. *Seed Science and Technology* 8: 77-83.
- Di Bella, G; Saitta, M; Lo Curto, S; Salvo, F; Licandro, G; Dugo, G. (2001). Production process contamination of citrus essential oils by plastic materials. *J Agric Food Chem* 49: 3705-3708. <http://dx.doi.org/10.1021/jf0100043>.
- Di Profio, P; Germani, R; Onori, G; Santucci, A; Savelli, G; Bunton, CA. (1998). Relation between the infrared spectrum of water and decarboxylation kinetics in cetyltrimethylammonium bromide in dichloromethane. *Langmuir* 14: 768-772.
- Di Vaio, P; Cocozziello, B; Corvino, A; Fiorino, F; Frecentese, F; Magli, E; Onorati, G; Saccone, I; Santagada, V; Settimo, G; Severino, B; Perissutti, E. (2016). Level, potential sources of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM10) in Naples. *Atmos Environ* 129: 186-196. <http://dx.doi.org/10.1016/j.atmosenv.2016.01.020>.
- Di Vona, ML; Traversa, E; Licocchia, S. (2000). Non-hydrolytic routes for the synthesis of NASICON. *Journal of Sol-Gel Science and Technology* 19: 463-467.
- Diallo, AK; Metri, N; Brunel, F; Sallenave, X; Goubard, F; Margeat, O; Ackermann, J; Vidélot-Ackermann, C. (2013). A star-shaped molecule as hole transporting material in solution-processed thin-film transistors. *Synthetic Metals* 184: 35-40. <http://dx.doi.org/10.1016/j.synthmet.2013.09.029>.
- Diaz, AF; Baier, M; Wallraff, GM; Miller, RD; Nelson, J; Pietro, W. (1991). ELECTROOXIDATION OF SOME SOLUBLE ALKYL AND ARYL SUBSTITUTED POLYSILANE HOMOPOLYMERS. *J Electrochem Soc* 138: 742-747.
- Díaz-Ayala, R; Fachini, ER; Raptis, R; Cabrera, CR. (2006). Palladium nanostructures and nanoparticles from molecular precursors on highly ordered pyrolytic graphite. *Langmuir* 22: 10185-10195. <http://dx.doi.org/10.1021/la0605900>.
- Diaz-Mendez, FM; Rodriguez-Ariza, A; Usero-Garcia, J; Pueyo, C; Lopez-Barea, J. (1998). Mutagenic activation of aromatic amines by molluscs as a biomarker of marine pollution. *Environ Mol Mutagen* 31: 282-291.
- Dietzel, M; Tang, J; Leis, A; Koehler, SJ. (2009). Oxygen isotopic fractionation during inorganic calcite precipitation - Effects of temperature, precipitation rate and pH. *Chem Geol* 268: 107-115. <http://dx.doi.org/10.1016/j.chemgeo.2009.07.015>.
- Difranco, MJ; Sheppard, HW; Hunter, DJ; Tosteson, TD; Ascher, MS. (1996). The lack of association of marijuana and other recreational drugs with progression to AIDS in the San Francisco Men's Health Study. *Ann Epidemiol* 6: 283-289.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .1. 6: 93-99.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .2. 6: 131-140.
- Dill, DC; Murphy, PG; Mayes, MA. (1987). TOXICITY OF METHYLENE-CHLORIDE TO LIFE STAGES OF THE FATHEAD MINNOW, PIMEPHALES-PROMELAS RAFINESQUE. *Bull Environ Contam Toxicol* 39: 869-876.
- Dillon, D; Edwards, I; Combes, R; Mcconville, M; Zeiger, E. (1992). The role of glutathione in the bacterial mutagenicity of vapour phase dichloromethane. *Environ Mol Mutagen* 20: 211-217. <http://dx.doi.org/10.1002/em.2850200310>.
- Dimitrov, DV; Kil'deeva, NR; Gal'braikh, LS; Shul'chishin, VA. (1998). Modeling of the properties of enzyme-containing dispersions. *Fibre Chemistry* 30: 150-153.

## Fate Literature Search Results

### Off Topic

- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ* 35: 1171-1182.
- Din, IU, d; Rashid, A; Mahmood, T; Khalid, A. (2013). Effect of land use activities on PAH contamination in urban soils of Rawalpindi and Islamabad, Pakistan. *Environ Monit Assess* 185: 8685-8694. <http://dx.doi.org/10.1007/s10661-013-3204-5>.
- Dinaro, JL; Tester, JW; Howard, JB; Swallow, KC. (2000). Experimental measurements of benzene oxidation in supercritical water. *AIChE J* 46: 2274-2284.
- Ding, C; Xu, S; Wang, J; Liu, Y; Chen, P; Feng, S. (2012). Controlled loading and release of methylene blue in layer-by-layer assembled polyelectrolyte films. *Mater Sci Eng C* 32: 670-673. <http://dx.doi.org/10.1016/j.msec.2012.01.005>.
- Ding, J; Hua, W; Zhang, H; Lou, Y. (2013). The development and application of two chlorine recycling technologies in polyurethane industry. *J Clean Prod* 41: 97-104. <http://dx.doi.org/10.1016/j.jclepro.2012.09.020>.
- Ding, Y, i; He, S; da Silva, JAT; Li, G; Tanaka, M. (2010). Effects of a new light source (cold cathode fluorescent lamps) on the growth of tree peony plantlets in vitro. *Sci Hortic (Amsterdam)* 125: 167-169. <http://dx.doi.org/10.1016/j.scienta.2010.03.019>.
- Dinh, HT; Mushrush, GW; Beal, EJ. (1999). Determination of nitrogen compound distribution from three source fuels. *Petroleum Science and Technology* 17: 383-427.
- Dinse, GE; Lagakos, SW. (1982). Nonparametric estimation of lifetime and disease onset distributions from incomplete observations. *Biometrics* 38: 921-932.
- Distasio, S; Massoli, P. (1997). Morphology, monomer size and concentration of agglomerates constituted by Rayleigh particles as retrieved from scattering/extinction measurements. *Combust Sci Tech* 124: 219-247.
- DIVINCEN.GD; Yanno, FJ; Astill, BD. (1971). HUMAN AND CANINE EXPOSURES TO METHYLENE CHLORIDE VAPOR. *Am Ind Hyg Assoc J* 32: 27-&.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1971). The gas chromatographic analysis of methylene chloride in breath, blood, and urine. *Am Ind Hyg Assoc J* 32: 387-391. <http://dx.doi.org/10.1080/0002889718506478>.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1972). Human and canine exposures to methylene chloride vapor. *Am Ind Hyg Assoc J* 33: 125-135. <http://dx.doi.org/10.1080/0002889728506622>.
- Dixit, R; Riviere, J; Krishnan, K; Andersen, ME. (2003). Toxicokinetics and physiologically based toxicokinetics in toxicology and risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 6: 1-40. <http://dx.doi.org/10.1080/10937400306479>.
- Dixon, D; Meenan, BJ; Manson, J. (2014). PEG Functionalized Gold Nanoparticle loaded PLGA Films for Drug Delivery. *Journal of Nano Research* 27: 83-94. <http://dx.doi.org/10.4028/www.scientific.net/JNanoR.27.83>.
- Djilani, C; Zaghdoudi, R; Modarressi, A, li; Rogalski, M; Djazi, F; Lallam, A. (2012). Elimination of organic micropollutants by adsorption on activated carbon prepared from agricultural waste. *Chem Eng J* 189: 203-212. <http://dx.doi.org/10.1016/j.cej.2012.02.059>.
- Dmochowski, D; Dmochowska, A; Biedugnis, S. (2015). Chromatographic Analysis of Chemical Compounds in the Leachate from Municipal Landfill, Undergoing Electrooxidation. *Rocznik Ochrona Srodowiska* 17: 1196-1206.
- Do, L, an; Lundstedt, S; Haglund, P. (2013). Optimization of selective pressurized liquid extraction for extraction and in-cell clean-up of PCDD/Fs in soils and sediments. *Chemosphere* 90: 2414-2419. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.070>.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol* 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.
- Dobretsov, S; Dahms, HU; Tsoi, MY; Qian, PY. (2005). Chemical control of epibiosis by Hong Kong sponges: the effect of sponge extracts on micro- and macrofouling communities. *Mar Ecol Prog Ser* 297: 119-129.
- Dodda, JM; Remis, T; Tomas, M; Novotny, P. (2016). Effect of alternation of polyamide selective layers in the formation and performance of thin-film composite membranes. *Desalination and Water Treatment* 57: 8720-8729. <http://dx.doi.org/10.1080/19443994.2015.1026279>.
- Dodson, RE; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2008). Influence of basements, garages, and common hallways on indoor residential volatile organic compound concentrations. *Atmos Environ* 42: 1569-1581. <http://dx.doi.org/10.1016/j.atmosenv.2007.10.088>.
- Doerger, JU; Meier, J. R.; Dobbs, RA; Johnson, RD; Ankley, GT. (1992). TOXICITY REDUCTION EVALUATION AT A MUNICIPAL WASTE-WATER TREATMENT-PLANT USING MUTAGENICITY AS AN END-POINT. *Arch Environ Contam Toxicol* 22: 384-388.
- Dogan, A; Korkmaz, T; Dogan, OM; Keskin, S; Demir, H. (2009). Tensile Bond Strength of a Highly Cross-Linked Denture Tooth to the Compression-Molded and Injection-Molded Denture Base Polymers. *Journal of Adhesion* 85: 953-970. <http://dx.doi.org/10.1080/00218460903310070>.
- Doherty, WOS; Mousavioun, P; Fellows, CM. (2011). Value-adding to cellulosic ethanol: Lignin polymers. *Ind Crop Prod* 33: 259-276. <http://dx.doi.org/10.1016/j.indcrop.2010.10.022>.
- Doick, KJ; Lee, PH; Semple, KT. (2003). Assessment of spiking procedures for the introduction of a phenanthrene-LNAPL mixture into field-wet soil. *Environ Pollut* 126: 399-406. [http://dx.doi.org/10.1016/S0269-7491\(03\)00230-6](http://dx.doi.org/10.1016/S0269-7491(03)00230-6).
- Doke, SM; Yadav, GD. (2014). Novelty of combustion synthesized titania ultrafiltration membrane in efficient removal of methylene blue dye from aqueous effluent. *Chemosphere* 117: 760-765. <http://dx.doi.org/10.1016/j.chemosphere.2014.10.029>.
- Dolas, H; Sezer, E; Sarac, AS. (2016). Synthesis, Characterization and Electrochemical Polymerization of a Comonomer Bearing Thiophene and Imidazole: The Comparison of Impedance Behavior on Different Surfaces. 5: P211-P217. <http://dx.doi.org/10.1149/2.0041605jss>.
- Dolejs, D; Wagner, T. (2008). Thermodynamic modeling of non-ideal mineral-fluid equilibria in the system Si-Al-Fe-Mg-Ca-Na-K-H-O-Cl at elevated temperatures and pressures: Implications for hydrothermal mass transfer in granitic rocks. *Geochim Cosmo Acta* 72: 526-553. <http://dx.doi.org/10.1016/j.gca.2007.10.022>.
- Domanska, U; Pobudkowska, A. (2004). Solubility of imidazoles, benzimidazoles, and phenylimidazoles in dichloromethane, 1-chlorobutane, toluene, and 2-nitrotoluene. *Journal of Chemical and Engineering Data* 49: 1082-1090. <http://dx.doi.org/10.1021/jc049907t>.

## Fate Literature Search Results

### Off Topic

- Dombrowski, KD; Lehmann, CMB; Sullivan, PD; Ramirez, D; Rood, MJ; Hay, KJ. (2004). Organic vapor recovery and energy efficiency during electric regeneration of an activated carbon fiber cloth adsorber. *J Environ Eng* 130: 268-275. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(268\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(268)).
- Domene, X; Alcañiz, JM; Andrés, P. (2008). Comparison of solid-phase and eluate assays to gauge the ecotoxicological risk of organic wastes on soil organisms. *Environ Pollut* 151: 549-558. <http://dx.doi.org/10.1016/j.envpol.2007.04.007>.
- Domínguez, M; Nieto, A; Marin, JC; Keck, AS; Jeffery, E; Céspedes, CL. (2005). Antioxidant activities of extracts from *Barkleyanthus salicifolius* (Asteraceae) and *Penstemon gentianoides* (Scrophulariaceae). *J Agric Food Chem* 53: 5889-5895. <http://dx.doi.org/10.1021/jf0504972>.
- Donaldson, JD; Grimes, SM; Yasri, NG; Wheals, B; Parrick, J; Errington, WE. (2002). Anodic oxidation of the dye materials methylene blue, acid blue 25, reactive blue 2 and reactive blue 15 and the characterisation of novel intermediate compounds in the anodic oxidation of methylene blue. *J Chem Tech Biotechnol* 77: 756-760. <http://dx.doi.org/10.1002/jctb.642>.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 243: 80-85. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.073>.
- Dong, MH; Draper, WM; Papanek, PJ; Ross, JH; Woloshin, KA; Stephens, RD. (1994). ESTIMATING MALATHION DOSES IN CALIFORNIA MEDFLY ERADICATION CAMPAIGN USING A PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL. *Drug Metab Rev* 241: 189-208.
- Dong, T; Chen, X; Wang, M; Huang, YH; Yi, GJ. (2014). Comparison of volatile aroma compounds in Dwarf Cavendish banana (*Musa* spp. AAA) grown under organic or traditional cultivation. *Journal of Horticultural Science and Biotechnology* 89: 441-447.
- Dong, X; Dong, Y, an; Jiang, M, an; Wang, L; Tong, J, in; Zhou, J. (2013). Modification of microcrystalline cellulose by using soybean oil for surface hydrophobization. *Ind Crop Prod* 46: 301-303. <http://dx.doi.org/10.1016/j.indcrop.2013.02.010>.
- Donnelly, KC; Anderson, CS; Thomas, JC; Brown, KW; Manek, DJ; Safe, SH. (1992). BACTERIAL MUTAGENICITY OF SOIL EXTRACTS FROM A BIOREMEDIATION FACILITY TREATING WOOD-PRESERVING WASTE. *J Hazard Mater* 30: 71-81.
- Donnelly, KC; Brown, KW; Anderson, CS; Thomas, JC. (1991). BACTERIAL MUTAGENICITY AND ACUTE TOXICITY OF SOLVENT AND AQUEOUS EXTRACTS OF SOIL SAMPLES FROM AN ABANDONED CHEMICAL MANUFACTURING SITE. *Environ Toxicol Chem* 10: 1123-1131.
- Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS. (1993). The use of short-term bioassays to evaluate the health and environmental risk posed by an abandoned coal gasification site (pp. 59-70). (ISSN 0882-5696; BIOSIS/93/19255). Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS.
- Donnelly, KC; Huebner, HJ; Claxton, LD; Calvin, JA; Vos, GA; Cizmas, L; He, LY. (2005). Biodegradation of simple chemical mixtures in soil. *Environ Toxicol Chem* 24: 2839-2845.
- Donnelly, KC; Safe, SH; Randerath, K; Randerath, E. (1995). Bioassay-based risk assessment of complex mixtures. *J Hazard Mater* 41: 341-350.
- Donnelly, KC; Thomas, JC; Anderson, CS; Brown, KW. (1990). THE INFLUENCE OF APPLICATION RATE ON THE BACTERIAL MUTAGENICITY OF SOIL AMENDED WITH MUNICIPAL SEWAGE-SLUDGE. *Environ Pollut* 68: 147-159.
- Donnelly, KC; Thomas, JC; Brown, KW. (1995). MUTAGENIC POTENTIAL OF ENVIRONMENTAL-SAMPLES BEFORE AND AFTER REMEDIATION OF A SOLVENT-CONTAMINATED SITE. *Environ Toxicol Chem* 14: 1281-1286.
- Dorado, AD; Dumont, E; Munoz, R; Quijano, G. (2015). A novel mathematical approach for the understanding and optimization of two-phase partitioning bioreactors devoted to air pollution control. *Chem Eng J* 263: 239-248. <http://dx.doi.org/10.1016/j.cej.2014.11.014>.
- Dorego, AMB; Pereira, LP; Reis, MJ; Oliveira, AS; Ferreira, LFV. (1997). X-ray photoelectron, UV-vis absorption, and luminescence spectroscopic studies of 2,2'-cyanines adsorbed onto microcrystalline cellulose. *Langmuir* 13: 6787-6794.
- dos Reis, GS; Wilhelm, M; de Almeida Silva, TC; Rezwan, K; Sampaio, CH; Lima, EC; Guelli Ulson de Souza, SMA. (2016). The use of design of experiments for the evaluation of the production of surface rich activated carbon from sewage sludge via microwave and conventional pyrolysis. *Applied Thermal Engineering* 93: 590-597. <http://dx.doi.org/10.1016/j.applthermaleng.2015.09.035>.
- dos Santos Garcia, VA; Cabral, VF; Zanoelo, EF; da Silva, C; Cardozo Filho, L. (2012). Extraction of *Mucuna* seed oil using supercritical carbon dioxide to increase the concentration of L-Dopa in the defatted meal. *Journal of Supercritical Fluids* 69: 75-81. <http://dx.doi.org/10.1016/j.supflu.2012.05.007>.
- dos Santos, LMF; Lo Biundo, G. (1999). Treatment of pharmaceutical industry process wastewater using the extractive membrane bioreactor. *Environmental Progress* 18: 34-39.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology* 5: 124-127.
- Douhal, A; Alarcos, N; Cohen, B. (2014). Photodynamics of a Proton-Transfer Dye in Solutions and Confined Within NaX and NaY Zeolites. *J Phys Chem B*. <http://dx.doi.org/10.1021/jp505591k>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2004). Oil core-polymer shell microcapsules prepared by internal phase separation from emulsion droplets. I. Characterization and release rates for microcapsules with polystyrene shells. *Langmuir* 20: 11374-11379. <http://dx.doi.org/10.1021/la048561h>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2005). Oil core/polymer shell microcapsules by internal phase separation from emulsion droplets. II: controlling the release profile of active molecules. *Langmuir* 21: 5278-5284. <http://dx.doi.org/10.1021/la0470838>.
- Dray, AE; Wittmann, F; Friend, RH; Donald, AM; Khan, MS; Lewis, J; Johnson, BFG. (1991). STRUCTURE AND ELECTRONIC-STRUCTURE OF TRANSITION METAL-CONTAINING POLY-YNES. *Synthetic Metals* 41: 871-874.
- Drouillard, KG; Hagen, H; Haffner, GD. (2004). Evaluation of chloroform/methanol and dichloromethane/hexane extractable lipids as surrogate measures of sample partition capacity for organochlorines in fish tissues. *Chemosphere* 55: 395-400. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.010>.

## Fate Literature Search Results

### Off Topic

- Du, L, ei; Xu, H; Zhang, Y; Zou, F. (2016). Electrospinning of Polycaprolactone Nanofibers with DMF Additive: The Effect of Solution Properties on Jet Perturbation and Fiber Morphologies. *Fibers and Polymers* 17: 751-759. <http://dx.doi.org/10.1007/s12221-016-6045-3>.
- Duan, H; Liu, X; Yan, M; Wu, Y; Liu, Z. (2016). Characteristics of carbonyls and volatile organic compounds (VOCs) in residences in Beijing, China. *10: 73-84*. <http://dx.doi.org/10.1007/s11783-014-0743-0>.
- Duan, J; Wang, L, is; Jiang, K, an; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in 1-octyl-3-methylimidazolium nitrate using gas-liquid chromatography. *Fluid Phase Equilibria* 328: 1-8. <http://dx.doi.org/10.1016/j.fluid.2012.05.006>.
- Duan, L; Naidu, R; Liu, Y; Palanisami, T; Dong, Z; Mallavarapu, M; Semple, KT. (2015). Effect of ageing on benzo[a]pyrene extractability in contrasting soils. *J Hazard Mater* 296: 175-184. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.050>.
- Duan, L; Palanisami, T; Liu, Y; Dong, Z; Mallavarapu, M; Kuchel, T; Semple, KT; Naidu, R. (2014). Effects of ageing and soil properties on the oral bioavailability of benzo[a]pyrene using a swine model. *Environ Int* 70: 192-202. <http://dx.doi.org/10.1016/j.envint.2014.05.017>.
- Duarte, A, naRC; Mano, JF; Reis, R, uiL. (2009). Preparation of starch-based scaffolds for tissue engineering by supercritical immersion precipitation. *Journal of Supercritical Fluids* 49: 279-285. <http://dx.doi.org/10.1016/j.supflu.2008.12.008>.
- Dubey, RK; Bansal, RK; Puri, BK. (1997). Differential pulse polarographic determination of copper and bismuth in various real samples after adsorption of their morpholine-4-carbodithioates on to a microcrystalline naphthalene or a morpholine-4-dithiocarbamatecetyltrimethyl-ammonium bromide-naphthalene adsorbent. *Ann Chim* 87: 405-414.
- Dubey, RK; Puri, BK. (1995). DIFFERENTIAL PULSE POLAROGRAPHIC DETERMINATION OF THALLIUM IN VARIOUS ENVIRONMENTAL SAMPLES AFTER ADSORPTION OF ITS MORPHOLINE-4-CARBODITHIOATE ONTO MICROCRYSTALLINE NAPHTHALENE. *Ann Chim* 85: 1-2.
- Dulfer, K; Duppen, N; Kuipers, IM; Schokking, M; van Domburg, RT; Verhulst, FC; Helbing, WA; Utens, EM. (2014). Aerobic exercise influences quality of life of children and youngsters with congenital heart disease: a randomized controlled trial. *55: 65-72*. <http://dx.doi.org/10.1016/j.jadohealth.2013.12.010>.
- Duman, G; Onalt, Y; Okutucu, C; Onenc, S; Yanik, J. (2009). Production of Activated Carbon from Pine Cone and Evaluation of Its Physical, Chemical, and Adsorption Properties. *Energy Fuels* 23: 2197-2204. <http://dx.doi.org/10.1021/ef800510m>.
- Dumitrascu, F; Alecu, M; Badoiu, A; Vuluga, D. (2003). Primary cycloadduct of phtalazinium 4-chlorophenacylide with DMAD. *Rev Chim* 54: 974-977.
- Dumitrascu, F; Draghici, C; Albulescu, A; Dumitrescu, D. (2006). New pyrrolo[1,2-b]pyridazine by 1,3-dipolar cycloaddition reactions. *Rev Chim* 57: 866-869.
- Dundar, P; Oskan, I; Sahin, O; Ozturk, T. (2012). Synthesis and electrochromic properties of 3,5-diphenyl-2,6-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene. *Synthetic Metals* 162: 1010-1015. <http://dx.doi.org/10.1016/j.synthmet.2012.04.016>.
- Dunderdale, GJ; England, MW; Urata, C; Hozumi, A. (2015). Polymer Brush Surfaces Showing Superhydrophobicity and Air-Bubble Repellency in a Variety of Organic Liquids. *7: 12220-12229*. <http://dx.doi.org/10.1021/acsami.5b02634>.
- Dun-ming, X; Yu, Z; Li-yi, L; Zhi-gang, Z; Jin, Z; Sheng-yu, L; Fang, Y; Peng-ying, H. (2010). Determination of Rotenone Residues in Foodstuffs by Solid-Phase Extraction (SPE) and Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS). *Agricultural Sciences in China* 9: 1299-1308. [http://dx.doi.org/10.1016/S1671-2927\(09\)60220-0](http://dx.doi.org/10.1016/S1671-2927(09)60220-0).
- Duplaine, C; Jacquet, F; Fontana, L. (2011). Inventory of chemical substances classified as carcinogenic, mutagen, toxic to reproduction in 40 companies. *Arch Mal Prof Environ* 72: 451-457. <http://dx.doi.org/10.1016/j.admp.2011.09.001>.
- Dural, MU; Cavas, L; Papageorgiou, SK; Katsaros, FK. (2011). Methylene blue adsorption on activated carbon prepared from *Posidonia oceanica* (L.) dead leaves: Kinetics and equilibrium studies. *Chem Eng J* 168: 77-85. <http://dx.doi.org/10.1016/j.cej.2010.12.038>.
- Durant, AA; Fente, CA; Franco, CM; Vazquez, BI; Cepeda, A. (2002). Gas chromatography-tandem mass spectrometry determination of 17 alpha-ethinylestradiol residue in the hair of cattle. Application to treated animals. *J Agric Food Chem* 50: 436-440. <http://dx.doi.org/10.1021/jf010834g>.
- Durant, JL; Hemond, HF; Thilly, WG. (1992). DETERMINATION OF MUTAGENICITY IN SEDIMENTS OF THE ABERJONA WATERSHED USING HUMAN LYMPHOBLAST AND SALMONELLA-TYPHIMURIUM MUTATION ASSAYS. *Environ Sci Technol* 26: 599-608.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ* 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.
- Dureja, P; Walia, S. (1993). CHEMICAL AND PHOTOCHEMICAL TRANSFORMATION OF CHLOROTHALONIL. *Toxicol Environ Chem* 37: 215-220.
- D'Urzo, L; Bozzini, B. (2009). Corrosion of electrodeposited copper by exposure to volatile organic compounds. *Journal of Materials Science: Materials in Electronics* 20: 666-670. <http://dx.doi.org/10.1007/s10854-008-9783-1>.
- Dutta, D; Dubey, R; Yadav, J; Shami, TC; Rao, KUB. (2011). Preparation of spongy microspheres consisting of functionalized multiwalled carbon nanotubes. *New Carbon Materials (English Edition) (Online)* 26: 98-102. [http://dx.doi.org/10.1016/s1872-5805\(11\)60069-3](http://dx.doi.org/10.1016/s1872-5805(11)60069-3).
- Dutta, TK; Rao, SBN; Sahoo, PK; Singh, N. (2007). Evaluation of arhar (*Cajanus cajan*) straw based pelleted feeds and prediction of in vitro gas production. *Animal Nutrition and Feed Technology* 7: 161-168.
- Dvininov, E; Ignat, M; Barvinschi, P; Smithers, MA; Popovici, E. (2010). New SnO<sub>2</sub>/MgAl-layered double hydroxide composites as photocatalysts for cationic dyes bleaching. *J Hazard Mater* 177: 150-158. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.011>.
- Dziadek, M; Zagrajczuk, B; Ziabka, M; Dziadek, K; Cholewa-Kowalska, K. (2016). The role of solvent type, size and chemical composition of bioactive glass particles in modulating material properties of poly(epsilon-caprolactone) based composites. *Composites Part A: Applied Science and Manufacturing* 90: 90-99. <http://dx.doi.org/10.1016/j.compositesa.2016.07.001>.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.

## Fate Literature Search Results

### Off Topic

- Eberhardt, TL; Elder, T; Labbe, N. (2007). Analysis of ethanol-soluble extractives in southern pine wood by low-field proton NMR. *Journal of Wood Chemistry and Technology* 27: 35-47. <http://dx.doi.org/10.1080/02773810701285622>.
- Eberspacher, TA; Collman, JP; Chidsey, CED; Donohue, DL; Van Ryswyk, H. (2003). Modular assembly and air-stable electrochemistry of ruthenium porphyrin monolayers. *Langmuir* 19: 3814-3821. <http://dx.doi.org/10.1021/la026948j>.
- Eberstein, M; Schiller, WA. (2003). Development of high-permittivity glasses for microwave LTCC tapes. 76: 8-16.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids* 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.
- Ecik, ET; Ozcan, E; Kandemir, H; Sengul, IF; Cosut, B. (2017). Light harvesting systems composed of carbazole based subphthalocyanine-BODIPY enhanced with intramolecular fluorescence resonance energy transfer (FRET). *Dyes and Pigments* 136: 441-449. <http://dx.doi.org/10.1016/j.dyepig.2016.09.003>.
- Edokpayi, JN; Odiyo, JO; Popoola, OE; Msagati, TA. (2016). Determination and Distribution of Polycyclic Aromatic Hydrocarbons in Rivers, Sediments and Wastewater Effluents in Vhembe District, South Africa. *Int J Environ Res Public Health* 13: 387. <http://dx.doi.org/10.3390/ijerph13040387>.
- Edrissi, M; Soleymani, M. (2012). Stearoyl Piperidinium Chloride and Palmitoyl Piperidinium Chloride Surfactants: Synthesis, Characterization and Application as Capping Agent in the Microemulsion Synthesis of MnS Nanoparticles. *Tenside Surfactants Detergents* 49: 335-339.
- Edusi, C; Sankar, G; Parkin, IP. (2012). The Effect of Solvent on the Phase of Titanium Dioxide Deposited by Aerosol-assisted CVD. *Chemical Vapor Deposition* 18: 126-132. <http://dx.doi.org/10.1002/cvde.201106961>.
- Edwards, B; Poggi, V; Faeh, D. (2011). A Predictive Equation for the Vertical-to-Horizontal Ratio of Ground Motion at Rock Sites Based on Shear-Wave Velocity Profiles from Japan and Switzerland. *Seismological Society of America Bulletin* 101: 2998-3019. <http://dx.doi.org/10.1785/0120110023>.
- Edye, LA; Richards, GN. (1991). ANALYSIS OF CONDENSATES FROM WOOD SMOKE - COMPONENTS DERIVED FROM POLYSACCHARIDES AND LIGNINS. *Environ Sci Technol* 25: 1133-1137.
- Effiong, IA; Basse, FI; Iwegbue, CM; Ekpa, OD; Williams, SA; Oguntunde, FC; Osabor, VN; Martincigh, BS. (2016). Polycyclic aromatic hydrocarbons in three commercially available fish species from the Bonny and Cross River estuaries in the Niger Delta, Nigeria. *Environ Monit Assess* 188: 508. <http://dx.doi.org/10.1007/s10661-016-5479-9>.
- Egbuchunam, TO; Okieimen, FE. (2003). Carboxymethylation of wood residues: Effect of etherification process variables. *Indian J Chem Tech* 10: 619-622.
- Egelhaaf, HJ; Holder, E; Herman, P; Mayer, HA; Oelkrug, D; Lindner, E. (2001). Synthesis, characterisation, and fluorescence spectroscopic mobility studies of fluorene labeled inorganic-organic hybrid polymers. *J Mater Chem* 11: 2445-2452.
- Ehrlich, R. (1980). Interaction between environmental pollutants and respiratory infections. *Environ Health Perspect* 35: 89-99.
- Eide, I; Johnsen, HG. (1998). Mixture design and multivariate analysis in mixture research. *Environ Health Perspect* 106 Suppl 6: 1373-1376.
- Eide, I; Zahlens, K. (2005). A novel method for chemical fingerprinting of oil and petroleum products based on electrospray mass spectrometry and chemometrics. *Energy Fuels* 19: 964-967. <http://dx.doi.org/10.1021/ef049743m>.
- Eigenbrode, SD; Espelie, KE; Shelton, AM. (1991). BEHAVIOR OF NEONATE DIAMONDBACK MOTH LARVAE [PLUTELLA-XYLOSTELLA (L)] ON LEAVES AND ON EXTRACTED LEAF WAXES OF RESISTANT AND SUSCEPTIBLE CABBAGES. *J Chem Ecol* 17: 1691-1704.
- Eiserich, JP; Macku, C; Shibamoto, T. (1992). VOLATILE ANTIOXIDANTS FORMED FROM AN L-CYSTEINE D-GLUCOSE MAILLARD MODEL SYSTEM. *J Agric Food Chem* 40: 1982-1988.
- Eissmann, RN; Levan, MD. (1993). COADSORPTION OF ORGANIC-COMPOUNDS AND WATER-VAPOR ON BPL ACTIVATED CARBON .2. 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE AND DICHLOROMETHANE. *Ind Eng Chem Res* 32: 2752-2757.
- Ekanem, EE; Nabavi, SA; Vladislavjević, GT; Gu, S. (2015). Structured Biodegradable Polymeric Microparticles for Drug Delivery Produced Using Flow Focusing Glass Microfluidic Devices. 7: 23132-23143. <http://dx.doi.org/10.1021/acsami.5b06943>.
- Ekklesia, E; Shanahan, P; Chua, LH; Eikaas, HS. (2015). Associations of chemical tracers and faecal indicator bacteria in a tropical urban catchment. *Water Res* 75: 270-281. <http://dx.doi.org/10.1016/j.watres.2015.02.037>.
- El Hamaoui, B; Zhi, L; Wu, J; Li, J; Lucas, NT; Tomovic, Z; Kolb, U, te; Muellen, K. (2007). Solid-state pyrolysis of polyphenylene-metal complexes: A facile approach toward carbon nanoparticles. *Adv Funct Mater* 17: 1179-1187. <http://dx.doi.org/10.1002/adfm.200600826>.
- El Nemr, A; El Said, GF; Khaled, A; El Sikaily, A; Moneer, AA; Abd-El-Khalek, DE. (2014). Differences in the corrosion inhibition of water extracts of *Cassia fistula* L. pods and o-phenanthroline on steel in acidic solutions in the presence and absence of chloride ions. *Desalination and Water Treatment* 52: 5187-5198. <http://dx.doi.org/10.1080/19443994.2013.807473>.
- El Sheikh, R; Esmail, NS; Gouda, AA; Basset, WA. (2012). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF SOME alpha-ADRENERGIC-ANTAGONISTS IN PURE FORMS AND IN PHARMACEUTICAL FORMULATIONS. *Chemical Industry and Chemical Engineering Quarterly* 18: 179-191. <http://dx.doi.org/10.2298/CICEQ110917060E>.
- Elabd, YA; Barbari, TA. (2001). Separating solvation from molecular diffusion in polymers. *AIChE J* 47: 1255-1262.
- Elbachiri, A; Hagege, A; Burgard, M. (1996). Recovery of silver nitrate by transport across a liquid membrane containing dicyclohexano 18 crown 6 as a carrier. *J Memb Sci* 121: 159-168.
- Eldin, MSM; Soliman, EA, li; Elzatahry, AAF; Elaassar, MR; Elkady, MF; Rahman, AMA; Yossef, ME; Eweida, BY. (2012). Preparation and characterization of imino diacetic acid functionalized alginate beads for removal of contaminants from waste water: I. methylene blue cationic dye model. *Desalination and Water Treatment* 40: 15-23. <http://dx.doi.org/10.5004/dwt.2012.2179>.
- Elghawi, UM; Mayouf, A; Tsolakis, A; Wyszynski, ML. (2010). Vapour-phase and particulate-bound PAHs profile generated by a (SI/HCCI) engine from a winter grade commercial gasoline fuel. *Fuel* 89: 2019-2025. <http://dx.doi.org/10.1016/j.fuel.2010.01.002>.

## Fate Literature Search Results

### Off Topic

- El-Ghorab, A; El-Massry, KF; Shibamoto, T. (2007). Chemical composition of the volatile extract and antioxidant activities of the volatile and nonvolatile extracts of Egyptian corn silk (*Zea mays* L.). *J Agric Food Chem* 55: 9124-9127. <http://dx.doi.org/10.1021/jf071646e>.
- El-Ghorab, A; Shaaban, HA; El-Massry, KF; Shibamoto, T. (2008). Chemical composition of volatile extract and biological activities of volatile and less-volatile extracts of juniper berry (*Juniperus drupacea* L.) fruit. *J Agric Food Chem* 56: 5021-5025. <http://dx.doi.org/10.1021/jf8001747>.
- Elhadidy, O; Shakib, S; Krenek, K; Palermo, S; Entesari, K. (2015). A Wide-Band Fully-Integrated CMOS Ring-Oscillator PLL-Based Complex Dielectric Spectroscopy System. *I E E Transactions on Circuits and Systems Part 1: Regular Papers* 62: 1940-1949. <http://dx.doi.org/10.1109/TCSI.2015.2426960>.
- Elhamifar, D; Shojaeipoor, F; Roosta, M. (2016). Self-assembled ionic-liquid based organosilica (SAILBO) as a novel and powerful adsorbent for removal of malachite green from aqueous solution. *Taiwan Institute of Chemical Engineers Journal* 59: 267-274. <http://dx.doi.org/10.1016/j.jtice.2015.07.036>.
- Elias, M, dS; Wood, A, bK; Hashim, Z; Hamzah, MS; Abd Rahman, S; Salim, NAA. (2009). IDENTIFICATION SOURCES OF POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN SEDIMENTS FROM THE STRAITS OF MALACCA. *Fresen Environ Bull* 18: 843-847.
- El-Massry, KF; El-Ghorab, AH; Shaaban, HA; Shibamoto, T. (2009). Chemical compositions and antioxidant/antimicrobial activities of various samples prepared from *Schinus terebinthifolius* leaves cultivated in Egypt. *J Agric Food Chem* 57: 5265-5270. <http://dx.doi.org/10.1021/jf900638c>.
- El nabarawy, T; Mostafa, MR; Youssef, AM. (1997). Activated carbons tailored to remove different pollutants from gas streams and from solution. *AST* 15: 59-68.
- El-Rayes, BF; Ali, S; Heilbrun, LK; Lababidi, S; Bouwman, D; Visscher, D; Philip, PA. (2003). Cytochrome p450 and glutathione transferase expression in human breast cancer. *Clin Cancer Res* 9: 1705-1709.
- Elsaka, SE. (2013). Influence of chemical surface treatments on adhesion of fiber posts to composite resin core materials. *Dent Mater* 29: 550-558. <http://dx.doi.org/10.1016/j.dental.2013.03.004>.
- Elsaka, SE; Swain, MV. (2011). Effect of surface treatments on adhesion of low-fusing porcelain to titanium as determined by strain energy release rate. *Dent Mater* 27: 1213-1220. <http://dx.doi.org/10.1016/j.dental.2011.08.002>.
- El-Sheikh, AH; Newman, AP; Said, AJ; Alzawahreh, AM; Abu-Helal, MM. (2013). Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. *J Environ Manage* 118: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2013.01.009>.
- Elvassore, N; Bertuccio, A; Caliceti, P. (2001). Production of protein-loaded polymeric microcapsules by compressed CO<sub>2</sub> in a mixed solvent. *Ind Eng Chem Res* 40: 795-800. <http://dx.doi.org/10.1021/ie0004904>.
- Elvidge, ECL; Oram, DE; Laube, JC; Baker, AK; Montzka, SA; Humphrey, S; O'Sullivan, DA; Brenninkmeijer, CAM. (2015). Increasing concentrations of dichloromethane, CH<sub>2</sub>Cl<sub>2</sub>, inferred from CARIBIC air samples collected 1998-2012. *Atmos Chem Phys* 15: 1939-1958. <http://dx.doi.org/10.5194/acp-15-1939-2015>.
- El-Zanan, HS; Lowenthal, DH; Zielinska, B; Chow, JC; Kumar, N. (2005). Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples. *Chemosphere* 60: 485-496. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.005>.
- El-Zanan, HS; Zielinska, B; Mazzoleni, LR; Hansen, DA. (2009). Analytical Determination of the Aerosol Organic Mass-to-Organic Carbon Ratio. *J Air Waste Manag Assoc* 59: 58-69. <http://dx.doi.org/10.3155/1047-3289.59.1.58>.
- El-Zein, A; Mccarroll, I; Touze-Foltz, N. (2012). Three-dimensional finite-element analyses of seepage and contaminant transport through composite geosynthetic clay liners with multiple defects. *Geotextiles and Geomembranes* 33: 34-42. <http://dx.doi.org/10.1016/j.geotexmem.2012.02.004>.
- El-Zein, A; Rowe, RK. (2008). Impact on groundwater of concurrent leakage and diffusion of dichloromethane through geomembranes in landfill liners. *Geosynthetics International* 15: 55-71. <http://dx.doi.org/10.1680/gein.2008.15.1.55>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage* 57: 155-164.
- Enander, RT; Cohen, HJ; Gute, DM; Brown, LC; Desmaris, AM; Missaghian, R. (2004). Lead and methylene chloride exposures among automotive repair technicians. *J Occup Environ Hyg* 1: 119-125. <http://dx.doi.org/10.1080/15459620490275911>.
- Enander, RT; Gute, DM; Cohen, HJ. (2003). The concordance of pollution prevention and occupational health and safety: a perspective on U.S. policy. *Am J Ind Med* 44: 312-320. <http://dx.doi.org/10.1002/ajim.10261>.
- Enander, RT; Gute, DM; Cohen, HJ; Brown, LC; Desmaris, AM; Missaghian, R. (2002). Chemical characterization of sanding dust and methylene chloride usage in automotive refinishing: implications for occupational and environmental health. *AIHA J* 63: 741-749.
- Endo, T; Sanda, F. (1997). A novel approach for the chemical 'recycling' of polymeric materials - Equilibrium polymerization system of spiro orthoesters. *React Funct Polym* 33: 241-245.
- Engström, J; Bjurström, R. (1977). Exposure to methylene chloride: Content in subcutaneous adipose tissue. *Scand J Work Environ Health* 3: 215-224.
- Engwicht, A; Girreser, U; Muller, BW. (2000). Characterization of co-polymers of lactic and glycolic acid for supercritical fluid processing. *Biomaterials* 21: 1587-1593.
- Enriquez, EP; Gray, KH; Guarisco, VF; Linton, RW; Mar, KD; Samulski, ET. (1992). BEHAVIOR OF RIGID MACROMOLECULES IN SELF-ASSEMBLY AT AN INTERFACE. *Journal of Vacuum Science and Technology A* 10: 2775-2782.
- Ensafi, AA; Nasr-Esfahani, P; Heydari-Bafrooei, E; Rezaei, B. (2014). Redox targeting of DNA anchored to MWCNTs and TiO<sub>2</sub> nanoparticles dispersed in poly dialyldimethylammonium chloride and chitosan. *Colloids Surf B Biointerfaces* 121: 99-105. <http://dx.doi.org/10.1016/j.colsurfb.2014.05.040>.

## Fate Literature Search Results

### Off Topic

- Ercetin, T; Senol, FS; Orhan, IE; Toker, G. (2012). Comparative assessment of antioxidant and cholinesterase inhibitory properties of the marigold extracts from *Calendula arvensis* L. and *Calendula officinalis* L. *Ind Crop Prod* 36: 203-208. <http://dx.doi.org/10.1016/j.indcrop.2011.09.007>.
- Erdem, A; Kerman, K; Meric, B; Ozkan, D; Kara, P; Ozsoz, M. (2002). DNA biosensor for *Microcystis* spp. sequence detection by using methylene blue and ruthenium complex as electrochemical hybridization labels. *Turkish Journal of Chemistry* 26: 851-862.
- Erdem, O; Guzel, B. (2014). Synthesis of new perfluorinated binaphthyl Mn(III) complexes and epoxidation of styrene in supercritical carbon dioxide. *Journal of Supercritical Fluids* 85: 6-10. <http://dx.doi.org/10.1016/j.supflu.2013.10.009>.
- Erez, Y; Simkovitch, R, on; Akulov, K; Gepshtein, R; Schwartz, T, al; Huppert, D, an. (2014). Two Roads Converged in a Yellow Dye: Unusual Spectral Broadening in the Emission of Auramine-O Possibly Caused by Low-Friction Intramolecular Rotation. *J Phys Chem C* 118: 27063-27073. <http://dx.doi.org/10.1021/jp5070903>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res* 67: 816-821.
- Ergas, SJ; Veir, J; Kinney, K. (1996). Control of dichloromethane emissions using biofiltration. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 31: 1741-1754.
- Ergun, EL; Ercan, MT; Selek, H; Kas, HS; Ruacan, S; Unsal, IS; Mutlu, M. (2000). Evaluation of Tc-99m labelled poly lactic acid microspheres for diagnostic radioembolization. *J Microencapsul* 17: 509-518.
- Erickson, B. (2014). TOXICS EPA assessment of methylene chloride in paint strippers identifies health risks. *Chem Eng News* 92: 7-7.
- Ericsson, J; Berggren, E; Lindqvist, C; Hansson, KA; Qvarnstrom, K; Lundh, L; Moen, G. (1996). Synthesis of hydrophilic poly(vinyl ether)s and their application for separation media design. *React Funct Polym* 30: 327-340.
- Ersoz, A; Arca, M; Pekmez, K; Yildiz, A. (2001). Electrochemical polymerization of benzene in the presence of Ag<sup>+</sup>, Pb<sup>2+</sup> and Cu<sup>+</sup> ions. *Mater Res Innovat* 4: 126-130.
- Ertas, M; Cirpan, A; Toppare, L. (2004). Synthesis and characterization of conducting copolymers of succinic acid bis-(4-pyrrol-1-yl-phenyl) ester and their electrochromic properties. *Synthetic Metals* 143: 49-58. <http://dx.doi.org/10.1016/j.synthmet.2003.10.018>.
- Eser, H; Tihminlioglu, F. (2005). Solubility and diffusivity of solvents and nonsolvents in poly(methyl methacrylate co butyl methacrylate). *Fluid Phase Equilibria* 237: 68-76. <http://dx.doi.org/10.1016/j.fluid.2005.08.016>.
- Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Molecular structures of the constituents of pyrene pitches. *Fuel* 124: 133-140. <http://dx.doi.org/10.1016/j.fuel.2014.01.093>.
- Esmer, EN; Tarkuc, S; Udum, YA; Toppare, L. (2011). Near infrared electrochromic polymers based on phenazine moieties. *Mater Chem Phys* 131: 519-524. <http://dx.doi.org/10.1016/j.matchemphys.2011.10.014>.
- Essumang, DK; Asare, EA; Doodoo, DK. (2013). Pesticides residues in okra (non-target crop) grown close to a watermelon farm in Ghana. *Environ Monit Assess* 185: 7617-7625. <http://dx.doi.org/10.1007/s10661-013-3123-5>.
- Essumang, DK; Kowalski, K; Sogaard, EG. (2011). Levels, distribution and source characterization of polycyclic aromatic hydrocarbons (PAHs) in topsoils and roadside soils in Esbjerg, Denmark. *Bull Environ Contam Toxicol* 86: 438-443. <http://dx.doi.org/10.1007/s00128-011-0232-0>.
- Esteves, B; Graca, J; Pereira, H. (2008). Extractive composition and summative chemical analysis of thermally treated eucalypt wood. *Holzforchung* 62: 344-351. <http://dx.doi.org/10.1515/HF.2008.057>.
- Esteves, B; Velez Marques, A; Domingos, I; Pereira, H. (2013). CHEMICAL CHANGES OF HEAT TREATED PINE AND EUCALYPT WOOD MONITORED BY FTIR. 15: 245-258. <http://dx.doi.org/10.4067/S0718-221X2013005000020>.
- Estill, CF; Spencer, AB. (1996). Case study: Control of methylene chloride exposures during furniture stripping. *Am Ind Hyg Assoc J* 57: 43-49. <http://dx.doi.org/10.1080/15428119691015205>.
- Estill, CF; Watkins, DS; Shulman, SA; Kurimo, RW; Kovein, RJ. (2002). Engineering controls for furniture strippers to meet the OSHA methylene chloride PEL. *AIHAJ* 63: 326-333.
- Estrada, P; Baroto, W; Castillon, MP; Acebal, C; Arche, R. (1993). TEMPERATURE EFFECTS ON POLYPHENOL OXIDASE ACTIVITY IN ORGANIC-SOLVENTS WITH LOW WATER-CONTENT. *J Chem Tech Biotechnol* 56: 59-65.
- Ettamarna, M. (2006). New boron nitride spray coating eliminates methylene chloride. *Advanced Materials and Processes* 164: 57-57.
- Evans, RD; Mcdonald, F. (1995). Effect of corrosion products (neodymium iron boron) on oral fibroblast proliferation. 6: 199-202.
- Eyupoglu, V; Polat, E. (2015). Evaluation of Cd(II) transport with imidazolium bromides bearing butyl and isobutyl groups as extractants from acidic iodide solutions by liquid-liquid solvent extraction. *Fluid Phase Equilibria* 394: 46-60. <http://dx.doi.org/10.1016/j.fluid.2015.03.003>.
- Fabiańska, M; Kozielska, B; Bielaczyc, P; Woodburn, J; Koniecznyński, J. (2016). Geochemical markers and polycyclic aromatic hydrocarbons in solvent extracts from diesel engine particulate matter. *Environ Sci Pollut Res Int* 23: 6999-7011. <http://dx.doi.org/10.1007/s11356-015-5996-z>.
- Fabińska, MJ; Smolka-Danielowska, D. (2012). Biomarker compounds in ash from coal combustion in domestic furnaces (Upper Silesia Coal Basin, Poland). *Fuel* 102: 333-344. <http://dx.doi.org/10.1016/j.fuel.2012.07.012>.
- Faboro, EO; Wei, L; Liang, S; Mcdonald, AG; Obafemi, CA. (2016). Characterization of dichloromethane and methanol extracts from the leaves of a medicinal plant: *Globimetula oreophila*. *Ind Crop Prod* 83: 391-399. <http://dx.doi.org/10.1016/j.indcrop.2016.01.008>.
- Fachini, ER; Cabrera, CR. (1999). Adsorption and decomposition of Ru-3(CO)(9)(CH3CN)(3) at platinum surfaces: An X-ray photoelectron spectroscopy and Fourier transform-infrared spectroscopy study. *Langmuir* 15: 717-721.
- Fadda, AA; El-Mekawy, RE. (2015). Some studies in cyanine dyes incorporating pyridine rings endowed with pharmaceutical potency. *Dyes and Pigments* 118: 45-52. <http://dx.doi.org/10.1016/j.dyepig.2015.02.018>.

## Fate Literature Search Results

### Off Topic

- Fahma, F; Takemura, A; Saito, Y. (2014). Acetylation and stepwise solvent-exchange to modify hydrophilic cellulose whiskers to polychloroprene-compatible nanofiller. *Cellulose* 21: 2519-2527. <http://dx.doi.org/10.1007/s10570-014-0294-3>.
- Faisal, M; Khan, SB; Rahman, MM; Jamal, A; Abdullah, MM. (2012). Fabrication of ZnO nanoparticles based sensitive methanol sensor and efficient photocatalyst. *Appl Surf Sci* 258: 7515-7522. <http://dx.doi.org/10.1016/j.apsusc.2012.04.075>.
- Fakhfakh, M; Turki, H; Fery-Forgues, S; El Gharbi, R. (2010). The synthesis and optical properties of novel fluorescent iminocoumarins and bis-iminocoumarins: Investigations in the series of urea derivatives. *Dyes and Pigments* 84: 108-113. <http://dx.doi.org/10.1016/j.dyepig.2009.07.003>.
- Fakis, M; Hrobarik, P; Stathatos, E; Giannetas, V; Persephonis, P. (2013). A time resolved fluorescence and quantum chemical study of the solar cell sensitizer D149. *Dyes and Pigments* 96: 304-312. <http://dx.doi.org/10.1016/j.dyepig.2012.07.025>.
- Falach, L; Cojocar, M; Shani, A. (2003). Evidence for a short-range sex pheromone in female *Maladera matrida* beetle. *J Chem Ecol* 29: 603-613.
- Fan, J, ieP; Xie, Y, anL; Tian, Z, eYou; Xu, R, ui; Qin, Y, u; Li, L, ie; Zhu, JH; Zhang, X, ueH. (2013). Solubilities of Rutaecarpine in Twelve Organic Solvents from (283.2 to 323.2) K. *Journal of Chemical and Engineering Data* 58: 1969-1973. <http://dx.doi.org/10.1021/jc4001334>.
- Fan, X; Liu, ZT; Liu, ZW. (2010). Preparation and application of cellulose triacetate microspheres. *J Hazard Mater* 177: 452-457. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.054>.
- Fan, X; Liu, ZW, en; Lu, J; Liu, ZT, ie. (2009). Cellulose Triacetate Optical Film Preparation from Ramie Fiber. *Ind Eng Chem Res* 48: 6212-6215. <http://dx.doi.org/10.1021/ie801703x>.
- Fan, X; Zhang, Q; Zhang, H; Zhang, B; Li, C; Li, X; Lei, X. (2013). Synthesis of PS/Ag asymmetric hybrid particles via phase separation and self-assembly. *Particuology* 11: 768-775. <http://dx.doi.org/10.1016/j.partic.2012.09.012>.
- Fang, D, aWei; Sun, YC; Wang, ZW, ei. (2008). Solution enthalpies of ionic liquid 1-hexyl-3-methylimidazolium chloride. *Journal of Chemical and Engineering Data* 53: 259-261. <http://dx.doi.org/10.1021/jc700187z>.
- Fang, G; Gao, J; Liu, C, un; Dionysiou, DD; Wang, Y, u; Zhou, D. (2014). Key Role of Persistent Free Radicals in Hydrogen Peroxide Activation by Biochar: Implications to Organic Contaminant Degradation. *Environ Sci Technol* 48: 1902-1910. <http://dx.doi.org/10.1021/es4048126>.
- Fang, GC; Chang, CN; Wu, YS; Fu, PP; Yang, IL; Chen, MH. (2004). Characterization, identification of ambient air and road dust polycyclic aromatic hydrocarbons in central Taiwan, Taichung. *Sci Total Environ* 327: 135-146. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.016>.
- Fang, GC; Wu, YS; Chang, CN; Ho, TT. (2006). A study of polycyclic aromatic hydrocarbons concentrations and source identifications by methods of diagnostic ratio and principal component analysis at Taichung chemical Harbor near Taiwan Strait. *Chemosphere* 64: 1233-1242. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.031>.
- Fang, GC; Wu, YS; Chen, JC; Chang, CN; Ho, TT. (2006). Characteristic of polycyclic aromatic hydrocarbon concentrations and source identification for fine and coarse particulates at Taichung Harbor near Taiwan Strait during 2004-2005. *Sci Total Environ* 366: 729-738. <http://dx.doi.org/10.1016/j.scitotenv.2005.09.075>.
- Fang, GC; Wu, YS; Chen, JC; Fu, PP; Chang, CN; Ho, TT; Chen, MH. (2005). Characteristic study of polycyclic aromatic hydrocarbons for fine and coarse particulates at Pastureland near Industrial Park sampling site of central Taiwan. *Chemosphere* 60: 427-433. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.034>.
- Fanghanel, E; Luthge, T; Marx, J; Richter, AM. (2000). Synthesis and characterization of long wave length absorbing mono azo dyes based on a green sensitive diazonium salt and triazolium couplers. *Journal of Information Recording* 25: 511-518.
- Farcasiu, M; Petrosius, SC; Eldredge, PA; Anderson, RR; Ladner, EP. (1994). MODELING COAL-LIQUEFACTION .3. CATALYTIC REACTIONS OF POLYFUNCTIONAL COMPOUNDS. *Energy Fuels* 8: 920-924.
- Farine, JP; Lequere, JL; Duffy, J; Everaerts, C; Brossut, R. (1994). MALE SEX-PHEROMONE OF COCKROACH EURYCOTIS-FLORIDANA (WALKER) (BLATTIDAE, POLYZOSTERINAE) - ROLE AND COMPOSITION OF TERGITE-2 AND TERGITE-8 SECRETIONS. *J Chem Ecol* 20: 2291-2306.
- Farncomb, RE; Naufflett, GW. (1997). Innovative polymer processing in carbon dioxide. *Waste Manag* 17: 123-127.
- Farrokhi, M; Hosseini, SC; Yang, J, aeKyu; Shirzad-Siboni, M. (2014). Application of ZnO-Fe<sub>3</sub>O<sub>4</sub> Nanocomposite on the Removal of Azo Dye from Aqueous Solutions: Kinetics and Equilibrium Studies. *Water Air Soil Pollut* 225. <http://dx.doi.org/10.1007/s11270-014-2113-8>.
- Fathi, SAM; Parinejad, M; Yafthian, MR. (2008). Multidentate nitrogen/oxygen donor ionophores; their use as selective extracting and mobile-carrier agents for copper(II) ions. *Separation and Purification Technology* 64: 1-7. <http://dx.doi.org/10.1016/j.seppur.2008.09.003>.
- Fatoki, OS; Noma, A. (2002). Solid phase extraction method for selective determination of phthalate esters in the aquatic environment. *Water Air Soil Pollut* 140: 85-98.
- Favre, E; Morliere, N; Roizard, D. (2002). Experimental evidence and implications of an imperfect upstream pressure step for the time-lag technique. *J Memb Sci* 207: 59-72.
- Fayad, NM. (1988). GAS CHROMATOGRAPHY/MASS SPECTROSCOPY IDENTIFICATION OF ARTIFACTS FORMED IN METHYLENE-CHLORIDE EXTRACTS OF SALINE WATER. *Environ Sci Technol* 22: 1347-1348.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet* 51: 559-574.
- Feakin, SJ; Blackburn, E; Burns, RG. (1994). BIODEGRADATION OF S-TRIAZINE HERBICIDES AT LOW CONCENTRATIONS IN SURFACE WATERS. *Water Res* 28: 2289-2296.
- Feas, X; Fente, CA; Hosseini, SV; Seijas, JA; Vazquez, BI; Franco, CM; Cepeda, A. (2009). Use of acrylic acid in the synthesis of molecularly imprinted polymers for the analysis of cyproheptadine. *Mater Sci Eng C* 29: 398-404. <http://dx.doi.org/10.1016/j.msec.2008.08.011>.
- Fechter, LD. (1987). Neurotoxicity of prenatal carbon monoxide exposure (pp. 3-22). (ISSN 1041-5505; Report no. 12). Cambridge, MA: Health Effects Institute. <http://pubs.healtheffects.org/view.php?id=246>.
- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Influence of process conditions on the mean size of PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 846-853. <http://dx.doi.org/10.1016/j.cep.2011.05.006>.



## Fate Literature Search Results

### Off Topic

- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Optimization of protein encapsulation in PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 757-765. <http://dx.doi.org/10.1016/j.cep.2011.06.008>.
- Fei, Y; Chen, Y, an; Wang, H; Gao, W; Yang, R; Wan, Y. (2011). Preparation, Characterization of Antibacterial PLA/TP Nanofibers. *Fibers and Polymers* 12: 340-344. <http://dx.doi.org/10.1007/s12221-011-0340-9>.
- Feitz, AJ; Guan, J; Chattopadhyay, G; Waite, TD. (2002). Photo-Fenton degradation of dichloromethane for gas phase treatment. *Chemosphere* 48: 401-406.
- Feldheim, DL; Hendrickson, SM; Krejci, M; Elliott, CM. (1995). CHARGE TRAPPING IN POLY(3,4-DIPHENYLPYRROLE) AND RELEASE BY TRACE HALOCARBONS IN WATER. *Chem Mater* 7: 1124-1131.
- Fendinger, NJ; Adams, DD; Glotfelty, DE. (1992). THE ROLE OF GAS EBULLITION IN THE TRANSPORT OF ORGANIC CONTAMINANTS FROM SEDIMENTS. *Sci Total Environ* 112: 189-201.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere* 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.
- Feng, M; You, W; Wu, Z; Chen, Q; Zhan, H. (2013). Mildly alkaline preparation and methylene blue adsorption capacity of hierarchical flower-like sodium titanate. *5: 12654-12662*. <http://dx.doi.org/10.1021/am404011k>.
- Feng, Y; Dai, H; Gao, W; Huang, Y; Tang, W; Zhang, C; Luo, H, ao; Yuan, Y; Chen, L; Li, Y. (2015). Measurement and Correlation of Solubility of Tetraphenyl Piperazine-1,4-diylidiphosphonate in Mixed Solvents. *Journal of Chemical and Engineering Data* 60: 561-567. <http://dx.doi.org/10.1021/je500678z>.
- Fenoll, J; Hellin, P; Flores, P; Sotomayor, JA; Nicolas, MI. (2008). Determination of oxadiazon and oxyfluorfen in thyme by gas chromatography with electron-capture detection and gas chromatography/mass spectrometry. *Int J Environ Anal Chem* 88: 663-670. <http://dx.doi.org/10.1080/03067310802030699>.
- Fenoll, J; Hellin, P; Marín, C; Martínez, CM; Flores, P. (2005). Multiresidue analysis of pesticides in soil by gas chromatography with nitrogen-phosphorus detection and gas chromatography mass spectrometry. *J Agric Food Chem* 53: 7661-7666. <http://dx.doi.org/10.1021/jf051327s>.
- Ferguson, LJ; Lebetkin, EH; Lih, FB; Tomer, KB; Parkinson, HD; Borghoff, SJ; Burka, LT. (2007). 14C-labeled pulegone and metabolites binding to alpha2u-globulin in kidneys of male F-344 rats. *J Toxicol Environ Health A* 70: 1416-1423. <http://dx.doi.org/10.1080/15287390701382720>.
- Fernandez, E; Centeno, TA; Stoeckli, F. (2001). Chars and activated carbons prepared from Asturian apple pulp. *AST* 19: 645-653.
- Fernandez, R; Galarraga, F. (2001). Lead concentration and composition of organic compounds in settled particles in road tunnels from the Caracas Valley-Venezuela. *Environ Geochem Health* 23: 17-25.
- Fernando, WGD; Ramarathnam, R; Krishnamoorthy, AS; Savchuk, SC. (2005). Identification and use of potential bacterial organic antifungal volatiles in biocontrol. *Soil Biol Biochem* 37: 955-964. <http://dx.doi.org/10.1016/j.soilbio.2004.10.021>.
- Ferrari, S; Belevi, H; Baccini, P. (2002). Chemical speciation of carbon in municipal solid waste incinerator residues. *Waste Manag* 22: 303-314.
- Ferrari, S; Mandel, F; Berset, JD. (2002). Quantitative determination of 1-hydroxypyrene in bovine urine samples using high-performance liquid chromatography with fluorescence and mass spectrometric detection. *Chemosphere* 47: 173-182. [http://dx.doi.org/10.1016/S0045-6535\(01\)00302-2](http://dx.doi.org/10.1016/S0045-6535(01)00302-2).
- Ferraris, M; Chiesara, E; Radice, S; Giovara, A; Frigerio, S; Fumagalli, R; Marabini, L. (2005). Study of potential toxic effects on rainbow trout hepatocytes of surface water treated with chlorine or alternative disinfectants. *Chemosphere* 60: 65-73. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.034>.
- Ferreira, DP; Conceicao, DS; Prostota, Y; Santos, PF; Ferreira, LJV. (2015). Fluorescent "rhodamine-like" hemicyanines derived from the 6-(N,N-diethylamino)-1,2,3,4-tetrahydroxanthylum system. *Dyes and Pigments* 112: 73-80. <http://dx.doi.org/10.1016/j.dyepig.2014.06.021>.
- Ferreira, J; Miranda, I; Sen, U; Pereira, H. (2016). Chemical and cellular features of virgin and reproduction cork from *Quercus variabilis*. *Ind Crop Prod* 94: 638-648. <http://dx.doi.org/10.1016/j.indcrop.2016.09.038>.
- Ferreira, LJV; Nettoferreira, JC; Khmelinskii, IV; Garcia, AR; Costa, SMB. (1995). PHOTOCHEMISTRY ON SURFACES - MATRIX-ISOLATION MECHANISMS STUDY OF INTERACTIONS OF BENZOPHENONE ADSORBED ON MICROCRYSTALLINE CELLULOSE INVESTIGATED BY DIFFUSE-REFLECTANCE AND LUMINESCENCE TECHNIQUES. *Langmuir* 11: 231-236.
- Ferreira, V; Fernandez, P; Gracia, JP; Cacho, JF. (1995). IDENTIFICATION OF VOLATILE CONSTITUENTS IN WINES FROM VITIS-VINIFERA VAR VIDADILLO AND SENSORY CONTRIBUTION OF THE DIFFERENT WINE FLAVOR FRACTIONS. *J Sci Food Agric* 69: 299-310.
- Ferrence, GM; Henderson, JI; Kurth, DG; Morgenstern, DA; Bein, T; Kubiak, CP. (1996). Covalent attachment of nickel clusters to gold electrode surfaces. Formation of rectifying molecular layers. *Langmuir* 12: 3075-3081.
- Fialho, PS; de Castro, CAN. (2001). Use of universal correlations to predict some thermophysical properties of alternative refrigerants. *High Temperatures - High Pressures* 33: 611-625.
- Fiedler, DA; Koppenol, M; Bond, AM. (1995). AN ESR-ELECTROCHEMICAL CELL WHICH CAN BE USED IN HIGH AND LOW DIELECTRIC SOLVENTS OVER WIDE RANGES OF TEMPERATURE AND TIME-DOMAIN. *J Electrochem Soc* 142: 862-867.
- Figueiredo, H; Neves, IC; Quintelas, C; Tavares, T; Taralunga, A; Mijoin, J; Magnoux, P. (2006). Oxidation catalysts prepared from biosorbents supported on zeolites. *Appl Catal B-Environ* 66: 274-280. <http://dx.doi.org/10.1016/j.apcatb.2006.04.002>.
- Filigenzi, MS; Poppenga, RH; Tiwary, AK; Puschner, B. (2007). Determination of alpha-amanitin in serum and liver by multistage linear ion trap mass spectrometry. *J Agric Food Chem* 55: 2784-2790. <http://dx.doi.org/10.1021/jf063194w>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage* 21: 635-642.

## Fate Literature Search Results

### Off Topic

- Fiolka, C; Richter, M; Pantenburg, I; Mudring, AV; Meyer, G. (2011). (B15c5) Bil3(I-2): Molecular Benzo-15-Crown-5-Bil3 Complexes Bridged by Iodine Molecules to Chains. 1: 220-228. <http://dx.doi.org/10.3390/cryst1040220>.
- Fiorentini, C; Taverna, M; Griffiths, T. (1994). LATEST MANUFACTURING SOLUTIONS FOR SLABSTOCK FOAMS. *Cell Polym* 13: 361-370.
- Fisher, JA; Scarlett, MJ; Stott, AD. (1997). Accelerated solvent extraction: An evaluation for screening of soils for selected US EPA semivolatile organic priority pollutants. *Environ Sci Technol* 31: 1120-1127.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fitahia, EM; Raheiniaina, CE; Bazin, MA; Huvelin, JM; Loge, C; Ranaivoson, E; Nazih, H. (2015). Anti-proliferative and Pro-apoptotic Effect of Dichloromethane Extract of Octopus vulgaris By-Products on Human Breast Cancer Cell Lines. *Waste Biomass Valorization* 6: 237-242. <http://dx.doi.org/10.1007/s12649-014-9344-1>.
- Fitzgerald, TD; Gallagher, EM. (1976). A CHEMICAL TRAIL FACTOR FROM THE SILK OF THE EASTERN TENT CATERPILLAR *Malacosoma americanum* (LEPIDOPTERA: LASIOPAMPIDAE). *J Chem Ecol* 2: 187-193.
- Flanagan, WP. (1998). Biodegradation of dichloromethane in a granular activated carbon fluidized bed reactor. *Water Environ Res* 70: 60-66.
- Flathman, PE; Jerger, DE; Woodhull, PM. (1992). REMEDIATION OF DICHLOROMETHANE (DCM)-CONTAMINATED GROUND-WATER. *Environmental Progress* 11: 202-209.
- Flatman-Fairs, DP; Harrison, G. (1999). Suitability of UK bituminous and Spanish lignitous coals, and their blends for two stage liquefaction. *Fuel* 78: 1711-1717.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fletouris, DJ; Botsoglou, NA; Psomas, IE; Mantis, AI. (1996). Trace multiresidue analysis of fenbendazole and its sulfoxide, sulfone, and p-hydroxylated metabolites in milk by liquid chromatography. *J Agric Food Chem* 44: 3882-3886.
- Fletouris, DJ; Papapanagiotou, EP; Nakos, DS; Psomas, IE. (2005). Highly sensitive ion pair liquid chromatographic determination of albendazole marker residue in animal tissues. *J Agric Food Chem* 53: 893-898. <http://dx.doi.org/10.1021/jf048459q>.
- Fletouris, DJ; Psomas, JE; Mantis, AJ. (1992). DETERMINATION OF SOME MONOBASIC PENICILLINS IN MILK BY ION-PAIR LIQUID-CHROMATOGRAPHY. *J Agric Food Chem* 40: 617-621.
- Fodor, GG; Prajsnar, D; Schlipkoter, HW. (1973). Endogenous CO formation by incorporated halogenated hydrocarbons of the methane series. *Gefahrst Reinhalt Luft* 33: 260-261.
- Fokialakis, N; Cantrell, CL; Duke, SO; Skaltsounis, AL; Wedge, DE. (2006). Antifungal activity of thiophenes from *Echinops ritro*. *J Agric Food Chem* 54: 1651-1655. <http://dx.doi.org/10.1021/jf052702j>.
- Foo, KY; Hameed, BH. (2011). Microwave-assisted preparation of oil palm fiber activated carbon for methylene blue adsorption. *Chem Eng J* 166: 792-795. <http://dx.doi.org/10.1016/j.cej.2010.11.019>.
- Foo, KY; Hameed, BH. (2011). Preparation of activated carbon from date stones by microwave induced chemical activation: Application for methylene blue adsorption. *Chem Eng J* 170: 338-341. <http://dx.doi.org/10.1016/j.cej.2011.02.068>.
- Foreman, WT; Zaugg, SD; Faires, LM; Werner, MG; Leiker, TJ; Rogerson, PF. (1992). ANALYTICAL INTERFERENCES OF MERCURIC-CHLORIDE PRESERVATIVE IN ENVIRONMENTAL WATER SAMPLES - DETERMINATION OF ORGANIC-COMPOUNDS ISOLATED BY CONTINUOUS LIQUID-LIQUID-EXTRACTION OR CLOSED-LOOP STRIPPING. *Environ Sci Technol* 26: 1307-1312.
- Fosso-Kankeu, E; Mittal, H; Waanders, F; Ntwampe, IO; Ray, SS. (2016). Preparation and characterization of gum karaya hydrogel nanocomposite flocculant for metal ions removal from mine effluents. *Int J Environ Sci Tech* 13: 711-724. <http://dx.doi.org/10.1007/s13762-015-0915-x>.
- Foster, SP; Howard, AJ. (1998). Influence of stimuli from *camellia japonica* on ovipositional behavior of generalist herbivore *Epiphyas postvittana*. *J Chem Ecol* 24: 1251-1275.
- Fotidis, IA; Laranjeiro, TFV, C; Angelidaki, I. (2016). Alternative co-digestion scenarios for efficient fixed-dome reactor biomethanation processes. *J Clean Prod* 127: 610-617. <http://dx.doi.org/10.1016/j.jclepro.2016.04.008>.
- Foureman, P; Mason, JM; Valencia, R; Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen* 23: 208-227. <http://dx.doi.org/10.1002/em.2850230310>.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater* 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fournel, L; Mocho, P; Fanlo, JL; Le Cloirec, P. (2005). External capillary condensation and adsorption of VOCs onto activated carbon fiber cloth and felt. *Environ Technol* 26: 1277-1287. <http://dx.doi.org/10.1080/09593332608618598>.
- Fox, SL; Bala, GA. (2000). Production of surfactant from *Bacillus subtilis* ATCC 21332 using potato substrates. *Bioresour Technol* 75: 235-240.
- Fragala, ME; Malandrino, G; Puglisi, O; Benelli, C. (2000). Synthesis, x-ray structure, and characterization of Ag(hfa)center dot tetraglyme [hfa = hexafluoroacetylacetonate]: A novel adduct for the fabrication of metallic silver based films via in situ self reduction. *Chem Mater* 12: 290-+.
- Franceschi, E; De Cesaro, AM; Feiten, M; Ferreira, SRS; Dariva, C; Kunita, MH; Rubira, AF; Muniz, EC; Corazza, ML; Oliveira, JV. (2008). Precipitation of beta-carotene and PHBV and co-precipitation from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 47: 259-269. <http://dx.doi.org/10.1016/j.supflu.2008.08.002>.

## Fate Literature Search Results

### Off Topic

- Franceschi, E; De Cesaro, AM; Ferreira, SRS; Oliveira, JV. (2009). Precipitation of beta-carotene microparticles from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Food Engineering* 95: 656-663. <http://dx.doi.org/10.1016/j.jfoodeng.2009.06.034>.
- Franceschi, E; Kunita, MH; Tres, MV; Rubira, AF; Muniz, EC; Corazza, ML; Dariva, C; Ferreira, SRS; Oliveira, JV. (2008). Phase behavior and process parameters effects on the characteristics of precipitated theophylline using carbon dioxide as antisolvent. *Journal of Supercritical Fluids* 44: 8-20. <http://dx.doi.org/10.1016/j.supflu.2007.09.031>.
- Franke, S; Sagajdakow, A; Wolska, L; Namiesnik, J. (2009). INTEGRATED APPROACH - THE EFFECTIVE TOOL FOR POLLUTION LEVEL CONTROL OF SEDIMENTS FROM LAKE TURAWSKIE. 16: 313-321.
- Freedman, DL; Smith, CR; Noguera, DR. (1997). Dichloromethane biodegradation under nitrate-reducing conditions. *Water Environ Res* 69: 115-122.
- Freeman, DH; Saintmartin, DC; Falvey, DE. (1992). SOLVENT QUALITY ASSURANCE IN PORPHYRIN RESEARCH. *Energy Fuels* 6: 532-534.
- Freire, CSR; Silvestre, AJD; Neto, CP. (2002). Identification of new hydroxy fatty acids and ferulic acid esters in the wood of *Eucalyptus globulus*. *Holzforschung* 56: 143-149.
- Freire, CSR; Silvestre, AJD; Neto, CP; Cavaleiro, JAS. (2002). Lipophilic extractives of the inner and outer barks of *Eucalyptus globulus*. *Holzforschung* 56: 372-379.
- Freire Pereira, FH; da Silva Sa, FV; Puiatti, M; Finger, FL; Cecon, PR. (2015). Growth of plant, partition of assimilates and fruit yield of melon yellow shaded by different meshes. *Ciencia Rural* 45: 1774-1781. <http://dx.doi.org/10.1590/0103-8478cr20141134>.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol* 13: 437-447.
- Freise, R; Konig, J; Cammann, K. (1991). INVESTIGATION OF FILLERS WITH REGARD TO THEIR NITROSAMINE CONTENT AND THEIR NITROSATING POTENTIAL. *Kautschuk Gummi Kunststoffe* 44: 429-434.
- Freitas, L, dosS; Dariva, C; Jacques, RA; Caramao, EB. (2013). Effect of experimental parameters in the pressurized liquid extraction of brazilian grape seed oil. *Separation and Purification Technology* 116: 313-318. <http://dx.doi.org/10.1016/j.seppur.2013.06.002>.
- French, PR; Mannhardt, K; Debree, N; Shaw, JC. (1995). ASSESSMENT OF SOLVENT-EXTRACTION EFFICIENCY IN SANDSTONES USING BET SPECIFIC SURFACE-AREA MEASUREMENTS. *Journal of Canadian Petroleum Technology* 34: 27-33.
- Friedlander, BR; Hearne, T; Hall, S. (1978). Epidemiologic investigation of employees chronically exposed to methylene chloride: Mortality analysis. *J Occup Environ Med* 20: 657-666.
- Friesen, KJ; Fairchild, WL; Loewen, MD; Lawrence, SG; Holoka, MH; Muir, DCG. (1993). EVIDENCE FOR PARTICLE-MEDIATED TRANSPORT OF 2,3,7,8-TETRACHLORODIBENZOFURAN DURING GAS SPARGING OF NATURAL-WATER. *Environ Toxicol Chem* 12: 2037-2044.
- Friess, K; Jansen, JC; Pozivil, J; Hanta, V; Hynek, V; Vopicka, O; Zgazar, M; Bernardo, P; Izak, P; Drioli, E. (2013). Anomalous Phenomena Occurring during Permeation and Sorption of C-1-C-6 Alcohol Vapors in Teflon AF 2400. *Ind Eng Chem Res* 52: 10406-10417. <http://dx.doi.org/10.1021/ie303013y>.
- Friggeri, A; Schonherr, H; van Manen, HJ; Huisman, BH; Vancso, GJ; Huskens, J; van Veggel, FCJ, M; Reinhoudt, DN. (2000). Insertion of individual dendrimer molecules into self-assembled monolayers on gold: A mechanistic study. *Langmuir* 16: 7757-7763.
- Frka, S; Kozarac, Z; Cosovic, B. (2009). Characterization and seasonal variations of surface active substances in the natural sea surface microlayers of the coastal Middle Adriatic stations. *Estuar Coast Shelf Sci* 85: 555-564. <http://dx.doi.org/10.1016/j.ecss.2009.09.023>.
- Frka, S; Nelson, A; Kozarac, Z. (2006). Use of electrochemical impedance spectroscopy to characterise the physical properties of ex situ reconstructed sea surface microlayer. *Int J Environ Anal Chem* 86: 325-335. <http://dx.doi.org/10.1080/03067310500227852>.
- Frysz, CA; Shui, XP; Chung, DDL. (1997). Electrochemical behavior of porous carbons. *Carbon* 35: 893-916.
- Fu, J, ie; Chen, YJ, un; Ju, J, unYi; Li, QS; An, S, huQ; Zhu, H, ail. (2011). Treating Dye Wastewater of Reactive Brilliant Red K-2BP by Cetyltrimethylammonium Chloride-Modified Bentonite with Polyacrylamide Flocculant. *Pol J Environ Stud* 20: 61-66.
- Fu, S; Wang, Y; Jia, Y; Qian, C; Tao, M; Lv, X; Chen, X. (2013). Solubilities of 4-Amino-4'-nitrodiphenyl Sulfide in Six Organic Solvents from 287.45 K to 365.55 K. *Journal of Chemical and Engineering Data* 58: 1675-1678. <http://dx.doi.org/10.1021/je4000982>.
- Fu, Y, wuJ; Chen, JT; Chen, CC; Liao, K, uoS; Hu, CC; Lee, KR; Lai, JY, ih. (2013). Characterization of morphology and gas separation performance of dry-cast polycarbonate membranes. *Polymer Engineering and Science* 53: 1623-1630. <http://dx.doi.org/10.1002/pen.23422>.
- Fu, YJ; Shyu, SS; Su, FH; Yu, PC. (2002). Development of biodegradable co-poly(D,L-lactic/glycolic acid) microspheres for the controlled release of 5-FU by the spray drying method. *Colloids Surf B Biointerfaces* 25: 269-279.
- Fujii, S; Okada, M; Sawa, H; Furuzono, T; Nakamura, Y. (2009). Hydroxyapatite nanoparticles as particulate emulsifier: fabrication of hydroxyapatite-coated biodegradable microspheres. *Langmuir* 25: 9759-9766. <http://dx.doi.org/10.1021/la901100z>.
- Fujioka, K; Shibamoto, T. (2006). Quantitation of volatiles and nonvolatile acids in an extract from coffee beverages: correlation with antioxidant activity. *J Agric Food Chem* 54: 6054-6058. <http://dx.doi.org/10.1021/jf060460x>.
- Furlan, M; Kluge, J; Mazzotti, M; Lattuada, M. (2010). Preparation of biocompatible magnetite-PLGA composite nanoparticles using supercritical fluid extraction of emulsions. *Journal of Supercritical Fluids* 54: 348-356. <http://dx.doi.org/10.1016/j.supflu.2010.05.010>.
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International* 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furmann, A; Schimmelmann, A; Brassell, SC; Mastalerz, M; Picardal, F. (2013). Chemical compound classes supporting microbial methanogenesis in coal. *Chem Geol* 339: 226-241. <http://dx.doi.org/10.1016/j.chemgeo.2012.08.010>.
- Furtula, V; Derksen, G; Colodey, A. (2006). Application of automated mass spectrometry deconvolution and identification software for pesticide analysis in surface waters. *J Environ Sci Health B* 41: 1259-1271. <http://dx.doi.org/10.1080/03601230600962211>.
- Furtula, V; Kuo, JN. (2004). Analysis of herbicide Krovar I by liquid chromatography with atmospheric pressure chemical ionization mass spectrometry. *J Environ Sci Health B* 39: 249-261. <http://dx.doi.org/10.1081/PFC-120030239>.

## Fate Literature Search Results

### Off Topic

- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn* 43: 537-543.
- Futamura, S; Sugawara, M. (2008). Additive effect on energy efficiency and byproduct distribution in VOC decomposition with nonthermal plasma. *IEEE Transactions on Industry Applications* 44: 40-45. <http://dx.doi.org/10.1109/TIA.2007.912760>.
- Gabel, B; Thiery, D. (1996). Oviposition response of *Lobesia botrana* females to long-chain free fatty acids and esters from its eggs. *J Chem Ecol* 22: 161-171.
- Gabrielli, M; Fracassetti, D; Tirelli, A. (2014). UHPLC quantification of sotolon in white wine. *J Agric Food Chem* 62: 4878-4883. <http://dx.doi.org/10.1021/jf500508m>.
- Gackowska, A; Przybyłek, M; Studziński, W; Gaca, J. (2016). Formation of chlorinated breakdown products during degradation of sunscreen agent, 2-ethylhexyl-4-methoxycinnamate in the presence of sodium hypochlorite. *Environ Sci Pollut Res Int* 23: 1886-1897. <http://dx.doi.org/10.1007/s11356-015-5444-0>.
- Gagne, F; Pardos, M; Blaise, C; Turcotte, P; Quemerais, B; Fouquet, A. (1999). Toxicity evaluation of organic sediment extracts resolved by size exclusion chromatography using rainbow trout hepatocytes. *Chemosphere* 39: 1545-1570.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2016). Reaction of dichloromethane under non-oxidative conditions in a dielectric barrier discharge reactor and characterisation of the resultant polymer. *Chem Eng J* 290: 499-506. <http://dx.doi.org/10.1016/j.cej.2015.12.105>.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2007). Selective separation of cinnamic and p-methoxycinnamic acids by facilitated pertraction. *Separation Science and Technology* 42: 3727-3740. <http://dx.doi.org/10.1080/01496390701626628>.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). Recovery of p-hydroxybenzoic acid from wastewaters by reactive extraction - 1. Extraction mechanism and influencing factors. *Environmental Engineering and Management Journal* 7: 89-96.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). SEPARATION OF p-AMINO BENZOIC ACID BY REACTIVE EXTRACTION 1. MECHANISM AND INFLUENCING FACTORS. *Chemical Industry and Chemical Engineering Quarterly* 14: 159-165.
- Galaction, AI; Carlescu, A; Turnea, M; Cascaval, D, an. (2012). Direct Extraction of Propionic Acid from *Propionibacterium acidipropionici* Broths with Tri-n-octylamine. *Chem Eng Tech* 35: 1657-1663. <http://dx.doi.org/10.1002/ceat.201200066>.
- Galaction, AI; Cascaval, D; Nicuta, N. (2008). Selective removal of Gentamicin C(1) from biosynthetic Gentamicins by facilitated pertraction for increasing antibiotic activity. *Biochem Eng J* 42: 28-33. <http://dx.doi.org/10.1016/j.bej.2008.05.005>.
- Galaction, AI; Kloetzer, L; Cascaval, D. (2010). Separation of p-Aminobenzoic Acid by Reactive Extraction in the Presence of 1-Octanol as Phase Modifier. *Chemical and Biochemical Engineering Quarterly* 24: 149-157.
- Galaction, AI; Kloetzer, L; Cascaval, D, an. (2011). Influence of Solvent Polarity on the Mechanism and Efficiency of Formic Acid Reactive Extraction with Tri-n-Octylamine from Aqueous Solutions. *Chem Eng Tech* 34: 1341-1346. <http://dx.doi.org/10.1002/ceat.201100028>.
- Galaction, AI; Postaru, M; Kloetzer, L; Blaga, AC; Cascaval, D, an. (2015). Separation of rosmarinic acid by facilitated pertraction. *Food Bioprod Process* 94: 621-628. <http://dx.doi.org/10.1016/j.fbp.2014.08.006>.
- Galanihe, LD; Harris, MO. (1997). Plant volatiles mediate host-finding behavior of the apple leafcurling midge. *J Chem Ecol* 23: 2639-2655.
- Galbarra, D; Arregui, FJ; Matias, IR; Claus, RO. (2005). Ammonia optical fiber sensor based on self-assembled zirconia thin films. *Smart Materials and Structures* 14: 739-744. <http://dx.doi.org/10.1088/0964-1726/14/4/032>.
- Gallegos, P; Lutz, J; Markwiese, J; Rytli, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Galli, R; Leisinger, T. (1985). SPECIALIZED BACTERIAL STRAINS FOR THE REMOVAL OF DICHLOROMETHANE FROM INDUSTRIAL-WASTE. 8: 91-100.
- Galovic, O; Samardzic, M; Petrusic, S; Sak-Bosnar, M. (2015). Application of a New Potentiometric Sensor for Determination of Anionic Surfactants in Wastewater. *Chemical and Biochemical Engineering Quarterly* 29: 307-313.
- Galperin, A; Margel, D; Margel, S. (2006). Synthesis and characterization of uniform radiopaque polystyrene microspheres for X-ray imaging by a single-step swelling process. *J Biomed Mater Res A* 79: 544-551. <http://dx.doi.org/10.1002/jbm.a.30863>.
- Gan, J; Papiernik, SK; Koskinen, WC; Yates, SR. (1999). Evaluation of accelerated solvent extraction (ASE) for analysis of pesticide residues in soil. *Environ Sci Technol* 33: 3249-3253.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul* 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, PJ; Murthy, ZVP. (2010). Solubility and Crystal Size of Sirolimus in Different Organic Solvents. *Journal of Chemical and Engineering Data* 55: 5050-5054. <http://dx.doi.org/10.1021/jc100626x>.
- Gandhimathi, R; Seghal Kiran, G; Hema, TA; Selvin, J; Rajeetha Raviji, T; Shanmughapriya, S. (2009). Production and characterization of lipopeptide biosurfactant by a sponge-associated marine actinomycetes *Nocardioopsis alba* MSA10. *Bioprocess Biosyst Eng* 32: 825-835. <http://dx.doi.org/10.1007/s00449-009-0309-x>.
- Gandolfi, S; Ottolina, G; Riva, S; Fantoni, GP; Patel, I. (2013). Complete Chemical Analysis of Carmagnola Hemp Hurds and Structural Features of Its Components. *BioResources* 8: 2641-2656.
- Ganesan, P; Kumar, CS; Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresour Technol* 99: 2717-2723. <http://dx.doi.org/10.1016/j.biortech.2007.07.005>.
- Gangawane, KM; Bharti, R, amP; Kumar, S. (2015). Lattice Boltzmann analysis of natural convection in a partially heated open ended enclosure for different fluids. *Taiwan Institute of Chemical Engineers Journal* 49: 27-39. <http://dx.doi.org/10.1016/j.tjce.2014.11.020>.
- Gangrade, N; Price, JC. (1991). Poly(hydroxybutyrate-hydroxyvalerate) microspheres containing progesterone: preparation, morphology and release properties. *J Microencapsul* 8: 185-202.

## Fate Literature Search Results

### Off Topic

- Ganjezadeh Rohani, F; Mahdavi, V; Aminaie, MM. (2014). Investigation on diazinon and oxydemeton-methyl residues in cucumbers grown in Kerman greenhouses. *Environ Monit Assess* 186: 3995-3999. <http://dx.doi.org/10.1007/s10661-014-3674-0>.
- Gao, B; Wang, X; Zhao, J; Sheng, G. (2001). Sorption and cosorption of organic contaminant on surfactant-modified soils. *Chemosphere* 43: 1095-1102.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters* 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters* 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International* 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, H; Xing, J; Xiong, X; Li, Y; Li, W; Liu, Q; Wu, Y; Liu, H. (2008). Immobilization of ionic liquid [BMIM][PF6] by spraying suspension dispersion method. *Ind Eng Chem Res* 47: 4414-4417. <http://dx.doi.org/10.1021/ie701702n>.
- Gao, H; Zhao, S; Cheng, X; Wang, X; Zheng, L. (2013). Removal of anionic azo dyes from aqueous solution using magnetic polymer multi-wall carbon nanotube nanocomposite as adsorbent. *Chem Eng J* 223: 84-90. <http://dx.doi.org/10.1016/j.cej.2013.03.004>.
- Gao, J; Kong, D; Wang, Y; Wu, J; Sun, S; Xu, P. (2013). Production of Mesoporous Activated Carbon from Tea Fruit Peel Residues and Its Evaluation of Methylene Blue Removal from Aqueous Solutions. *BioResources* 8: 2145-2160.
- Gao, M; Zhang, D; Pu, X; Li, M; Yu, YM; Shim, J, aeJ; Cai, P; Kim, S, unll; Seo, H, yoJin. (2015). Combustion Synthesis of BiOCl with Tunable Percentage of Exposed {001} Facets and Enhanced Photocatalytic Properties. *Journal of the American Ceramic Society* 98: 1515-1519. <http://dx.doi.org/10.1111/jace.13493>.
- Gao, N, an; Cai, K, ai; Guo, X; Zhang, Y; Yang, S; Hu, D. (2014). Analysis of MCPA and TCP in water by liquid chromatography-ion trap-electrospray tandem mass spectrometry. *Int J Environ Anal Chem* 94: 594-605. <http://dx.doi.org/10.1080/03067319.2013.831411>.
- Gao, Q; Haglund, P; Pommer, L; Jansson, S. (2015). Evaluation of solvent for pressurized liquid extraction of PCDD, PCDF, PCN, PCBz, PCPh and PAH in torrefied woody biomass. *Fuel* 154: 52-58. <http://dx.doi.org/10.1016/j.fuel.2015.03.068>.
- Gao, X; Chen, S; Long, A. (2008). Composition and sources of organic matter and its solvent extractable components in surface sediments of a bay under serious anthropogenic influences: Daya Bay, China. *Mar Pollut Bull* 56: 1066-1075. <http://dx.doi.org/10.1016/j.marpolbul.2008.03.036>.
- Gao, X, u; Xue, W, eiLan; Zeng, Z, uoX; Fan, X, inran. (2015). Determination and Correlation of Solubility of N-tert-Butylacrylamide in Seven Different Solvents at Temperatures between (279.15 and 353.15) K. *Journal of Chemical and Engineering Data* 60: 2273-2279. <http://dx.doi.org/10.1021/acs.jced.5b00135>.
- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.
- Gao, XL; Chen, SY. (2008). Petroleum pollution in surface sediments of Daya Bay, South China, revealed by chemical fingerprinting of aliphatic and alicyclic hydrocarbons. *Estuar Coast Shelf Sci* 80: 95-102. <http://dx.doi.org/10.1016/j.ecss.2008.07.010>.
- Gao, Y; Zeng, Y; Shen, Q; Ling, W; Han, J. (2009). Fractionation of polycyclic aromatic hydrocarbon residues in soils. *J Hazard Mater* 172: 897-903. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.084>.
- Gao, ZQ; Bobacka, J; Lewenstam, A; Ivaska, A. (1994). ELECTROCHEMICAL PROPERTIES OF POLYPYRROLE FILMS POLYMERIZED IN THE PRESENCE OF METHYLENE-BLUE. *Synthetic Metals* 62: 117-123.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- Garcia, J; Lopez, ER; Legido, JL; Fernandez, J. (1995). ANALYSIS OF THE INTRAMOLECULAR PROXIMITY EFFECT ON DICHLOROALKANE PLUS ALKANE MIXTURES USING NITTA-CHAO MODEL. *Fluid Phase Equilibria* 110: 31-51.
- Garcia, SS; Ake, C; Clement, B; Huebner, HJ; Donnelly, KC; Shalat, SL. (2001). Initial results of environmental monitoring in the Texas Rio Grande Valley. *Environ Int* 26: 465-474.
- Garcia, V; Landaburu-Aguirre, J; Pongracz, E, va; Peramaki, P; Keiski, RL. (2009). Dehydration of water/dichloromethane/n-butanol mixtures by pervaporation; optimisation and modelling by response surface methodology. *J Memb Sci* 338: 111-118. <http://dx.doi.org/10.1016/j.memsci.2009.04.040>.
- Garcia, V; Pongracz, E, va; Muurinen, E, sa; Keiski, RL. (2009). Pervaporation of dichloromethane from multicomponent aqueous systems containing n-butanol and sodium chloride. *J Memb Sci* 326: 92-102. <http://dx.doi.org/10.1016/j.memsci.2008.09.027>.
- Garcia, V; Pongracz, E, va; Phillips, PS; Keiski, RL. (2013). From waste treatment to resource efficiency in the chemical industry: recovery of organic solvents from waters containing electrolytes by pervaporation. *J Clean Prod* 39 (Jan 1): 146-153. <http://dx.doi.org/10.1016/j.jclepro.2012.08.020>.
- Garcia, VAS; Lemos, COT; Mantovani, D; Corazza, ML; Zanoelo, EF; Da Silva, C; Cardozo-Filho, L. (2015). EFFECT OF OIL EXTRACTION WITH SUPERCRITICAL CO2 AND ORGANIC SOLVENTS ON ANTIOXIDANT CAPACITY AND TOTAL PHENOLIC CONTENT OF Mucuna MEAL. *Lat Am Appl Res* 45: 125-131.
- García-Alonso, S; Pérez-Pastor, RM; Sevillano-Castaño, ML. (1999). Measurements of selected PCBs in open urban ambient air of Madrid (Spain): First results. *Environ Sci Pollut Res Int* 6: 147-150. <http://dx.doi.org/10.1007/BF02987618>.
- Garcia-Bueno, N; Dumay, J; Guerin, T; Turpin, V; Paillard, C; Stiger-Pouvreau, V; Pouchus, YF; Aitor Marin-Atucha, A; Decottignies, P; Fleurence, J. (2015). Seasonal variation in the antivibrio activity of two organic extracts from two red seaweed: *Palmaria palmata* and the introduced *Grateloupia turuturu* against the abalone pathogen *Vibrio harveyi*. *Aquatic Living Resources* 28: 81-87. <http://dx.doi.org/10.1051/alr/2016003>.

## Fate Literature Search Results

### Off Topic

- Garcia-Delgado, C; Yunta, F; Eymar, E. (2013). Methodology for Polycyclic Aromatic Hydrocarbons Extraction from Either Fresh or Dry Spent Mushroom Compost and Quantification by High-Performance Liquid Chromatography-Photodiode Array Detection. *Commun Soil Sci Plant Anal* 44: 817-825. <http://dx.doi.org/10.1080/00103624.2013.749439>.
- Garcia-Mateos, M, aR; Sanchez, EE; Espinosa-Robles, P; Alvarez-Sanchez, M, aE. (2007). Toxicity of *Petiveria alliacea* L. on greenhouse whitefly (*Trialeurodes vaporariorum* WEST.). *Interciencia* 32: 121-124.
- Gardiner, JB; Morra, MJ; Eberlein, CV; Brown, PD; Borek, V. (1999). Allelochemicals released in soil following incorporation of rapeseed (*Brassica napus*) green manures. *J Agric Food Chem* 47: 3837-3842.
- Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemical paint-remover hazards. *Arch Mal Prof Environ* 71: 30-37. <http://dx.doi.org/10.1016/j.admp.2009.12.009>.
- Garoli, D; Natali, M; Rigato, V; Romanato, F. (2012). Optical and structural properties of low thickness lead zirconate titanate films on sapphire substrates prepared via sol-gel method. *Journal of Vacuum Science and Technology A* 30. <http://dx.doi.org/10.1116/1.4746405>.
- Garrote, G; Falqué, E; Domínguez, H; Parajó, JC. (2007). Autohydrolysis of agricultural residues: study of reaction byproducts. *Bioresour Technol* 98: 1951-1957. <http://dx.doi.org/10.1016/j.biortech.2006.07.049>.
- Garrote, G; Kabel, MA; Schols, HA; Falqué, E; Domínguez, H; Parajó, JC. (2007). Effects of *Eucalyptus globulus* wood autohydrolysis conditions on the reaction products. *J Agric Food Chem* 55: 9006-9013. <http://dx.doi.org/10.1021/jf0719510>.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev* 10: 1239-1248.
- Gaspardo, A; Cruz, AB; Wagner, TM; Bonomini, TJ; Correa, R; Malheiros, A. (2017). Seasonal variation in the chemical composition, antimicrobial and mutagenic potential of essential oils from *Piper cernuum*. *Ind Crop Prod* 95: 256-263. <http://dx.doi.org/10.1016/j.indcrop.2016.10.030>.
- Gasparini, G; Kosvintsev, SR; Stillwell, MT; Holdich, RG. (2008). Preparation and characterization of PLGA particles for subcutaneous controlled drug release by membrane emulsification. *Colloids Surf B Biointerfaces* 61: 199-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.08.011>.
- Gautam, P; Misra, R; Koukaras, EN; Sharma, A; Sharma, GD. (2015). Donor-acceptor-acceptor-donor small molecules for solution processed bulk heterojunction solar cells. *Organic Electronics* 27: 72-83. <http://dx.doi.org/10.1016/j.orgel.2015.09.006>.
- Gautam, P; Misra, R; Siddiqui, SA; Sharma, GD. (2015). Donor-acceptor-pi-acceptor based charge transfer chromophore as electron donors for solution processed small molecule organic bulk heterojunction solar cells. *Organic Electronics* 19: 76-82. <http://dx.doi.org/10.1016/j.orgel.2015.01.032>.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gayubo, AG; Arandes, JM; Aguayo, AT; Olazar, M; Bilbao, J. (1993). DEACTIVATION AND ACIDITY DETERIORATION OF A SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> CATALYST IN THE ISOMERIZATION OF CIS-BUTENE. *Ind Eng Chem Res* 32: 588-593.
- Ge, Y, anQ; Jia, J; Yang, H, e; Tao, X, uT; Wang, JW, u. (2011). The synthesis, characterization and optical properties of novel pyrido[1,2-a]benzimidazole derivatives. *Dyes and Pigments* 88: 344-349. <http://dx.doi.org/10.1016/j.dyepig.2010.08.005>.
- Gearhart, JM; Jepson, GW; Clewell, HJ; Andersen, ME; Conolly, RB. (1994). Physiologically based pharmacokinetic model for the inhibition of acetylcholinesterase by organophosphate esters. *Environ Health Perspect* 102: 51-60.
- Gecgel, U; Kocabiyik, B; Uner, O. (2015). Adsorptive Removal of Methylene Blue from Aqueous Solution by the Activated Carbon Obtained from the Fruit of *Catalpa bignonioides*. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2513-4>.
- Geens, J; De Witte, B; Van der Bruggen, B. (2007). Removal of API's (Active pharmaceutical ingredients) from organic solvents by nanofiltration. *Separation Science and Technology* 42: 2435-2449. <http://dx.doi.org/10.1080/01496390701477063>.
- Geering, ADW; Thomas, JE. (1996). A comparison of four serological tests for the detection of banana bunchy top virus in banana. *Aust J Agr Res* 47: 403-412.
- Geiselhardt, S; Otte, T; Hilker, M. (2009). The Role of Cuticular Hydrocarbons in Male Mating Behavior of the Mustard Leaf Beetle, *Phaedon cochleariae* (F.). *J Chem Ecol* 35: 1162-1171. <http://dx.doi.org/10.1007/s10886-009-9704-7>.
- Gelover, S; Bandala, ER; Leal-Ascencio, T; Perez, S; Martinez, E. (2000). GC-MS determination of volatile organic compounds in drinking water supplies in Mexico. *Environ Toxicol* 15: 131-139.
- Genovese, A; Dimaggio, R; Lisanti, MT; Piombino, P; Moio, L. (2005). Aroma composition of red wines by different extraction methods and Gas Chromatography-SIM/MASS spectrometry analysis. *Ann Chim* 95: 383-394.
- Genthner, FJ; Chancy, CA; Couch, JA; Foss, SS; Middaugh, DP; George, SE; Warren, MA; Bantle, JA. (1998). Toxicity and pathogenicity testing of the insect pest control fungus *Metarhizium anisopliae*. *Arch Environ Contam Toxicol* 35: 317-324.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Georgakopoulos, A; Iordanidis, A; Kapina, V. (2003). Study of low rank Greek coals using FTIR spectroscopy. *Energy Sources* 25: 995-1005. <http://dx.doi.org/10.1080/00908310390232442>.
- George, AL; White, GF. (1999). Optimization of the methylene blue assay for anionic surfactants added to estuarine and marine water. *Environ Toxicol Chem* 18: 2232-2236.

## Fate Literature Search Results

### Off Topic

- George, S; Sebastian, MT. (2009). Effect of lithium-based glass addition on the microwave dielectric properties of Ca[(Li<sub>1/3</sub>Nb<sub>2/3</sub>)(1-x)Ti-x]O<sub>3</sub>-delta ceramics for LTCC applications. *J Alloy Comp* 473: 336-340. <http://dx.doi.org/10.1016/j.jallcom.2008.05.080>.
- Georgiou, PP; Liapis, KS; Miliadis, GE; Siskos, PA. (2006). Solid-phase extraction cleanup of tomato samples for the determination of pesticide residues by gas chromatography-electron capture detection. *Int J Environ Anal Chem* 86: 69-76. <http://dx.doi.org/10.1080/03067310500248353>.
- Geotti-Bianchini, F; Preo, M. (1999). Analysis of polyethylene-based cold end coatings on glass containers with contact angle and IR spectroscopy. 72: 341-351.
- Gercel, O. (2015). ADSORPTION PROPERTIES OF ACTIVATED CARBON FROM WILD PLANT PREPARED BY CHEMICAL ACTIVATION. *Environmental Engineering and Management Journal* 14: 129-137.
- Gerogiannaki-Christopoulou, M. (2009). DEVELOPMENT FOR A PROCEDURE FOR THE DETERMINATION OF 2-PHENYLETHANOL IN HELLENIC WINE DISTILLATES (VITIS VINIFERA L.) AND THEIR CHANGES DURING DISTILLATION. *Journal International des Sciences de la Vigne et du Vin* 43: 171-178.
- Gevao, B; Mordaunt, C; Semple, KT; Pearce, TG; Jones, KC. (2001). Bioavailability of nonextractable (bound) pesticide residues to earthworms. *Environ Sci Technol* 35: 501-507.
- Ghasemi, H; Sundararaj, U. (2012). Electrical properties of in situ polymerized polystyrene/polyaniline composites: The effect of feeding ratio. *Synthetic Metals* 162: 1177-1183. <http://dx.doi.org/10.1016/j.synthmet.2012.04.037>.
- Ghasemi, J; Nikrahi, A; Niazi, A. (2005). Extraction-spectrophotometric determination of trace amounts of barium and strontium by 18-crown-6 and rose bengal using partial least squares. *Turkish Journal of Chemistry* 29: 669-678.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull* 14: 1058-1065.
- Gheorghe, CG; Pantea, O; Matei, V; Bombos, D; Borcea, AF. (2011). Testing the Behaviour of Pure Bacterial Suspension (*Bacillus Subtilis*, *Pseudomonas Aeruginosa* and *Micrococcus Luteus*) in Case of Hydrocarbons Contaminators. *Rev Chim* 62: 926-929.
- Gherman, S; Zavastin, D; Spac, A; Dorneanu, V. (2013). Spectrophotometric Determination of Enalapril Using Tropeolin 00. *Rev Chim* 64: 1224-1228.
- Ghezzar, MR; Abdelmalek, F; Belhadj, M; Benderdouche, N; Addou, A. (2009). Enhancement of the bleaching and degradation of textile wastewaters by Gliding arc discharge plasma in the presence of TiO<sub>2</sub> catalyst. *J Hazard Mater* 164: 1266-1274. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.060>.
- Ghittori, S; Marraccini, P; Franco, G; Imbriani, M. (1993). Methylene chloride exposure in industrial workers. *AIHA J* 54: 27-31. [http://dx.doi.org/10.1202/0002-8894\(1993\)054<0027:MCEIHW>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1993)054<0027:MCEIHW>2.0.CO;2).
- Ghorbani-Choghamarani, A; Cheraghi-Fathabad, N. (2010). Chemoselective and Catalytic Trimethylsilylation of Alcohols and Phenols by 1,1,1,3,3,3-Hexamethyldisilazane and Catalytic Amounts of PhMe<sub>3</sub>N+Br<sup>3-</sup>. *Chinese journal of catalysis* 31: 1103-1106. [http://dx.doi.org/10.1016/S1872-2067\(10\)60107-6](http://dx.doi.org/10.1016/S1872-2067(10)60107-6).
- Ghosh, A; Bera, D; Wang, D, eYi; Komber, H; Mohanty, AK; Banerjee, S; Voit, B. (2012). Synthesis, Characterization and Properties of New Semifluorinated Poly(arylene ether phosphine oxide)s. *Macromolecular Materials & Engineering* 297: 145-154. <http://dx.doi.org/10.1002/mame.201100139>.
- Ghosh, S; Das Mahapatra, R; Dey, J. (2014). Thermoreversible as well as thermoirreversible organogel formation by L-cysteine-based amphiphiles with poly(ethylene glycol) tail. *Langmuir* 30: 1677-1685. <http://dx.doi.org/10.1021/la404258v>.
- Gi, US; Min, B; Lee, JH; Kim, JH. (2004). Preparation and characterization of paclitaxel from plant cell culture. *Korean J Chem Eng* 21: 816-820.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere* 33: 1531-1542.
- Gibbs, GW; Amsel, J; Soden, K. (1996). A cohort mortality study of cellulose triacetate-fiber workers exposed to methylene chloride. *J Occup Environ Med* 38: 693-697.
- Gidron, Y; Magen, R; Ariad, S. (2001). The relation between hopelessness and psychological and serological outcomes in Israeli women with breast-cancer. 16: 289-296. <http://dx.doi.org/10.1080/08870440108405507>.
- Gierak, A; Czechowski, F; Lebeda, R. (1994). IMPROVEMENT OF CARBON SILICA SORBENT (CARBOSIL) SURFACE-PROPERTIES UPON STEAM ACTIVATION AT 1073-K. *Mater Chem Phys* 36: 264-270.
- Gil, M; Martin, C; Douhal, A. (2011). Femtosecond Dynamics and Photoconversion of a H-Bonded Dye within Mesoporous Silicate Materials. *J Phys Chem C* 115: 14687-14697. <http://dx.doi.org/10.1021/jp111380b>.
- Gil, M; Ziolek, M; Angel Organero, J; Douhal, A. (2010). Confined Fast and Ultrafast Dynamics of a Photochromic Proton-Transfer Dye within a Zeolite Nanocage. *J Phys Chem C* 114: 9554-9562. <http://dx.doi.org/10.1021/jp9101042>.
- Giles, NF; Wilson, LC; Wilson, GM; Wilding, WV. (1997). Phase equilibria on eight binary mixtures. *Journal of Chemical and Engineering Data* 42: 1067-1074.
- Gillham, RW; O'Hannesin, SF. (1994). Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron. *Ground Water* 32: 958-967.
- Gillman, JH; Dirr, MA; Braman, SK. (1999). Gradients in susceptibility and resistance mechanisms of *Buddleia L. taxa* to the two-spotted spider mite (*Tetranychus urticae* Koch). *J Am Soc Hortic Sci* 124: 114-121.
- Girardet, JM; Mati, A; Sanogo, T; Ettenne, L; Linden, G. (1991). FAST PROTEIN LIQUID-CHROMATOGRAPHY PURIFICATION OF HYDROPHOBIC FRACTION OF BOVINE-MILK PROTEASE-PEPTONE AND CHARACTERIZATION BY BIDIMENSIONAL ELECTROPHORESIS. *J Dairy Res* 58: 85-98.

## Fate Literature Search Results

### Off Topic

- Giraudet, S; Boulinguez, B; Le Cloirec, P. (2014). Adsorption and Electrothermal Desorption of Volatile Organic Compounds and Siloxanes onto an Activated Carbon Fiber Cloth for Biogas Purification. *Energy Fuels* 28: 3924-3932. <http://dx.doi.org/10.1021/ef500600b>.
- Giraudet, S; Pre, P; Le Cloirec, P. (2010). Modeling the Temperature Dependence of Adsorption Equilibriums of VOC(s) onto Activated Carbons. *J Environ Eng* 136: 103-111. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000131](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000131).
- Giraudet, S; Pré, P; Le Cloirec, P. (2009). Modeling the heat and mass transfers in temperature-swing adsorption of volatile organic compounds onto activated carbons. *Environ Sci Technol* 43: 1173-1179. <http://dx.doi.org/10.1021/es801494a>.
- Giridhar, P; Rajasekaran, T; Ravishankar, GA. (2005). Production of a root-specific flavour compound, 2-hydroxy-4-methoxy benzaldehyde by normal root cultures of *Decalepis hamiltonii* Wight and Arn (Asclepiadaceae). *J Sci Food Agric* 85: 61-64. <http://dx.doi.org/10.1002/jsfa.1939>.
- Girotti, S; Maiolini, E; Bolelli, L; Ferri, E; Piccolo, M; Camanzi, L; Pompei, A. (2011). Bioremediation of hydrocarbons contaminated waters and soils: monitoring by luminescent bacteria test. *Int J Environ Anal Chem* 91: 900-909. <http://dx.doi.org/10.1080/03067310903411004>.
- Giudice, JH; Fieberg, JR; Lenarz, MS. (2012). Spending degrees of freedom in a poor economy: A case study of building a sightability model for moose in northeastern minnesota. *J Wildl Manag* 76: 75-87. <http://dx.doi.org/10.1002/jwmg.213>.
- Giufrida, WM; Pinto, LF; Zanette, AF; Voll, FAP; Kunita, MH; Cabral, VF; Cardozo-Filho, L. (2014). Liquid-vapor equilibrium data of CO<sub>2</sub> + dichloromethane plus medroxyprogesterone system. *Fluid Phase Equilibria* 362: 307-312. <http://dx.doi.org/10.1016/j.fluid.2013.10.037>.
- Giumanini, AG; Geatti, P; Verardo, G. (2002). Nitration of diphenylmethane and the isomeric nitrodiphenylmethanes in dichloromethane. *Ind Eng Chem Res* 41: 1929-1934. <http://dx.doi.org/10.1021/ie0109298>.
- Giustino, A; Cagiano, R; Carratu, MR; Cassano, T; Tattoli, M; Cuomo, V. (1999). Prenatal exposure to low concentrations of carbon monoxide alters habituation and non-spatial working memory in rat offspring. *Brain Res* 844: 201-205. [http://dx.doi.org/10.1016/S0006-8993\(99\)01832-6](http://dx.doi.org/10.1016/S0006-8993(99)01832-6).
- Glaser, R; Kurimo, R; Neumeister, C; Shulman, S. (2005). Data supporting ASTM method D 7049-04, for determination of metalworking fluids. *Journal of Testing and Evaluation* 33: 323-330.
- Glaser, R; Kurimo, R; Shulman, S. (2007). Performance testing of NIOSH Method 5524/ASTM Method D-7049-04, for determination of metalworking fluids. *J Occup Environ Hyg* 4: 583-595. <http://dx.doi.org/10.1080/15459620701473281>.
- Glaser, R; Pretty, J; Brown, K; Arnold, J; Lunsford, RA; Park, SH. (2003). Analytical method research for metalworking fluids at the National Institute for Occupational Safety and Health (NIOSH). *Gefährst Reinhalt Luft* 63: 237-240.
- Glaser, RA. (1999). Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, part I: A solvent blend with wide-ranging ability to dissolve metalworking fluids. *Journal of Testing and Evaluation* 27: 171-174.
- Glaser, RA; Shulman, S; Klinger, P. (1999). Data supporting a provisional American society for testing and materials (ASTM) method for metalworking fluids, part 2. Preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97). *Journal of Testing and Evaluation* 27: 131-136.
- Glaser, RA; Shulman, S; Kurimo, R; Piacitelli, G. (2002). Data supporting a provisional ASTM method for metalworking fluids part 3. Evaluation of an ASTM method for metalworking fluids in a survey of metalworking facilities. *Journal of Testing and Evaluation* 30: 439-451.
- Glavin, DP; Freissinet, C; Miller, KE; Eigenbrode, JL; Brunner, AE; Buch, A; Sutter, B; Archer, PD, Jr; Atreya, SK; Brinckerhoff, WB; Cabane, M; Coll, P; Conrad, PG; Coscia, D; Dworkin, JP; Franz, HB; Grotzinger, JP; Leshin, LA; Martin, MG; Mckay, C; Ming, DW; Navarro-Gonzalez, R; Pavlov, A; Steele, A; Summons, RE; Szopa, C; Teinturier, S; Mahaffy, PR. (2013). Evidence for perchlorates and the origin of chlorinated hydrocarbons detected by SAM at the Rocknest aeolian deposit in Gale Crater. 118: 1955-1973. <http://dx.doi.org/10.1002/jgre.20144>.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos* 106: 17831-17840.
- Godbee, J; Scott, E; Pattamunuch, P; Chen, S; Mathiowitz, E. (2004). Role of solvent/non-solvent ratio on microsphere formation using the solvent removal method. *J Microencapsul* 21: 151-160. <http://dx.doi.org/10.1080/02652040310001637875>.
- Goggin, KD; Hammen, PD; Knutson, KL; Lambert, JF; Walinsky, SW; Watson, HA. (1994). COMMERCIAL SYNTHESIS OF ALPHA-D-CELLOBIOSYL BROMIDE HEPTAACETATE. *J Chem Tech Biotechnol* 60: 253-256.
- Gok, HZ; Demir, H. (2015). Complexation and Adsorption Studies of 27-Membered Dioxadiazapentathia Macrocycles with Some Transition Metals. *Separation Science and Technology* 50: 1593-1601. <http://dx.doi.org/10.1080/01496395.2014.983247>.
- Gok, HZ; Gok, Y; Eker, E. (2015). Synthesis, characterization, and metal extraction studies of a new macrobicyclic ligand. *Turkish Journal of Chemistry* 39: 426-437. <http://dx.doi.org/10.3906/kim-1412-27>.
- Gok, Y; Akkoc, S; Ozeroglu Celikal, O; Ozdemir, I; Gunal, S; Sayin, E. (2013). N-functionalized benzimidazol-2-ylidene silver complexes: synthesis, characterization, and antimicrobial studies. *Turkish Journal of Chemistry* 37: 1007-1013. <http://dx.doi.org/10.3906/kim-1304-72>.
- Gokhale, A; Khusid, B; Dave, RN; Pfeffer, R. (2007). Effect of solvent strength and operating pressure on the formation of submicrometer polymer particles in supercritical microjets. *Journal of Supercritical Fluids* 43: 341-356. <http://dx.doi.org/10.1016/j.supflu.2007.05.012>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldberg, MS; Thériault, G. (1994). Retrospective cohort study of workers of a synthetic textiles plant in Quebec. I. General mortality. *Am J Ind Med* 25: 889-907.
- Golden, TC; Kumar, R. (1993). ADSORPTION EQUILIBRIUM AND KINETICS FOR MULTIPLE TRACE IMPURITIES IN VARIOUS GAS STREAMS ON ACTIVATED CARBON. *Ind Eng Chem Res* 32: 159-165.



## Fate Literature Search Results

### Off Topic

- Goldenberg, LM; Aeiyaich, S; Lacaze, PC. (1992). ELECTROCHEMICAL SYNTHESIS OF COMPOSITE POLY(P-PHENYLENE) MATERIALS. *Synthetic Metals* 51: 339-342.
- Golebiowski, M; Boguś, MI; Paszkiewicz, M; Stepnowski, P. (2010). The composition of the free fatty acids from *Dendrolimus pini* exuviae. *J Insect Physiol* 56: 391-397. <http://dx.doi.org/10.1016/j.jinsphys.2009.11.009>.
- Goljer, I; Brezny, R; Pranda, J; Vodny, S. (1991). THE APT PULSE SEQUENCE IN C-13 NMR-STUDIES OF LIGNIN STRUCTURE. *Holzforschung* 45: 29-33.
- Golomb, D; Ryan, D; Underhill, J; Wade, T; Zembar, S. (1997). Atmospheric deposition of toxics onto Massachusetts Bay--II. Polycyclic aromatic hydrocarbons. *Atmos Environ* 31: 1361-1368. [http://dx.doi.org/10.1016/S1352-2310\(96\)00277-4](http://dx.doi.org/10.1016/S1352-2310(96)00277-4).
- Golsteijn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Gomaa, NH; Abdelgawad, HR. (2012). Phytotoxic effects of *Echinochloa colona* (L.) Link. (Poaceae) extracts on the germination and seedling growth of weeds. *10: 492-501*. <http://dx.doi.org/10.5424/sjar/2012102-194-11>.
- Gomes, ACC; Gomes, AKC; Magalhaes, D, ePD; Buss, DF; Simas, NK; Kuster, RM. (2016). In vitro phytotoxic activity of *Saccharum officinarum* leaves on lettuce and weed *Calopogonium mucunoides*. *Allelopathy Journal* 39: 177-189.
- Gómez, MR. (1996). Exposure determinants needed to improve the assessment of exposure [Letter]. *Am J Ind Med* 29: 569-570. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<569::AID-AJIM18>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<569::AID-AJIM18>3.0.CO;2-Z).
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gomez, MR; Heineman, E; Dosemeci, M; Cocco, P. (1996). Matrix is a reasonable method to assess exposures. *Am J Ind Med* 30: 508-509.
- Gomez, RSG; Pandiyan, T; Iris, VEA; Luna-Pabello, V; De Bazua, CD. (2004). Spectroscopic determination of poly-aromatic compounds in petroleum contaminated soils. *Water Air Soil Pollut* 158: 137-151.
- Gomez-Ariza, JL; Giraldez, I; Morales, E. (2000). Problems associated with an environmental assessment of organotins: Application to the organic polluted Saladillo Harbor (southern Spain). *Environ Toxicol Chem* 19: 1597-1606.
- Gomez-Ariza, JL; Morales, E; Giraldez, I; Beltran, R. (1997). Acid leaching solvent extraction treatment of sediment samples for organotin speciation. *Int J Environ Anal Chem* 66: 1-13.
- Gómez-Canela, C; Lacorte, S. (2016). Comprehensive characterization of anticoagulant rodenticides in sludge by liquid chromatography-tandem mass spectrometry. *Environ Sci Pollut Res Int* 23: 15739-15748. <http://dx.doi.org/10.1007/s11356-016-6743-9>.
- Gómez-González, S; Ruiz-Jiménez, J; Priego-Capote, F; Luque de Castro, MD. (2010). Qualitative and Quantitative Sugar Profiling in Olive Fruits, Leaves, and Stems by Gas Chromatography-Tandem Mass Spectrometry (GC-MS/MS) after Ultrasound-Assisted Leaching. *J Agric Food Chem* 58: 12292-12299. <http://dx.doi.org/10.1021/jf102350s>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ* 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gominho, J; Lourenco, A, na; Miranda, I; Pereira, H. (2015). Radial and Axial Variation of Heartwood Properties and Extractives in Mature Trees of *Eucalyptus globulus*. *BioResources* 10: 721-731.
- Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. *Synthetic Metals* 90: 5-11.
- Goncalves, EJ; Muchovej, JJ; Muchovej, RMC. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS *GLOMUS-MACROCARPUM* AND BY THE PATHOGENIC FUNGUS *FUSARIUM-SOLANI* .1. FUNGAL AND PLANT-PARAMETERS. *Plant Soil* 132: 41-46.
- Goncalves, R, uiA; Aragao, C; Frias, PA; Sykes, AV. (2012). The use of different anaesthetics as welfare promoters during short-term human manipulation of European cuttlefish (*Sepia officinalis*) juveniles. *Aquaculture* 370: 130-135. <http://dx.doi.org/10.1016/j.aquaculture.2012.10.014>.
- Goncalves, VC; Nunes, BM; Balogh, DT; Olivati, CA. (2010). Detection of volatile organic compounds using a polythiophene derivative. *Physica Status Solidi A: Applications and Materials Science (Print)* 207: 1756-1759. <http://dx.doi.org/10.1002/pssa.200983723>.
- Gondek, K; Tabak, M; Kopec, M. (2014). EFFECT OF SOIL POLLUTION WITH POLYCYCLIC AROMATIC HYDROCARBONS ON MAIZE BIOMASS YIELD AND ACCUMULATION OF SELECTED TRACE ELEMENTS. *Journal of Elementology* 19: 989-999. <http://dx.doi.org/10.5601/jelem.2014.19.3.581>.
- Gong, J; Ma, X; Wang, S. (2007). Phosgene-free approaches to catalytic synthesis of diphenyl carbonate and its intermediates. *Appl Catal A-Gen* 316: 1-21. <http://dx.doi.org/10.1016/j.apcata.2006.09.006>.
- Gong, J; Xu, L; Yang, Y; Chen, DY; Ran, Y. (2011). Sequential ASE extraction of alkylphenols from sediments: Occurrence and environmental implications. *J Hazard Mater* 192: 643-650. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.071>.
- Gong, J; Yao, K, un; Liu, J, ie; Wen, X, in; Chen, X; Jiang, Z; Mijowska, E, wa; Tang, T, ao. (2013). Catalytic conversion of linear low density polyethylene into carbon nanomaterials under the combined catalysis of Ni2O3 and poly(vinyl chloride). *Chem Eng J* 215: 339-347. <http://dx.doi.org/10.1016/j.cej.2012.11.037>.
- Gong, R; Keener, TC. (1993). A QUALITATIVE-ANALYSIS OF THE EFFECTS OF WATER-VAPOR ON MULTICOMPONENT VAPOR-PHASE CARBON ADSORPTION. *J Air Waste Manag Assoc* 43: 864-872.
- Gong, SH; Penzkofer, A. (1999). Two-photon absorption and two-photon-induced absorption of some organic liquids at 347.15 nm. *Optical and Quantum Electronics* 31: 269-290.

## Fate Literature Search Results

### Off Topic

- Gong, W, enL; Xiong, Z, uJ; Xin, B, o; Yin, H; Duan, J, iaS; Yan, J, ie; Chen, T, ao; Hua, QX, in; Hu, B, in; Huang, ZL, i; Zhu, MQ. (2016). Twofold photoswitching of NIR fluorescence and EPR based on the PMI-N-HABI for optical nanoimaging of electrospun polymer nanowires. 4: 2498-2505. <http://dx.doi.org/10.1039/c6tc00542j>.
- Gongora-Orozco, N; Zare-Behtash, H; Kontis, K. (2010). Global unsteady pressure-sensitive paint measurements of a moving shock wave using thin-layer chromatography. *Measurement* 43: 152-155. <http://dx.doi.org/10.1016/j.measurement.2009.06.011>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO<sub>2</sub>-Washcoated Minimonoliths. *Ind Eng Chem Res* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, L; Baoguang, M; Li, L, i; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Encapsulated PDMS Microspheres with Reactive Handles. *Macromolecular Materials & Engineering* 299: 729-738. <http://dx.doi.org/10.1002/mame.201300319>.
- Gonzalez, L; Kostrzewska, M; Baoguang, M; Li, L; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Preparation and Characterization of Silicone Liquid Core/Polymer Shell Microcapsules via Internal Phase Separation. *Macromolecular Materials & Engineering* 299: 1259-1267. <http://dx.doi.org/10.1002/mame.201400020>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today* 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Arjona, D; Lopez-Perez, G; Gonzalez-Gallero, V; Gonzalez, AG. (2006). Supervised pattern recognition procedures for discrimination of whiskeys from gas chromatography/mass spectrometry congener analysis. *J Agric Food Chem* 54: 1982-1989. <http://dx.doi.org/10.1021/jf0517389>.
- Gonzalez-Perez, JA; Gonzalez-Vila, FJ; Arias, ME; Rodriguez, J; de la Rosa, JM; Maranon, T; Clemente, L. (2011). Geochemical and ecological significance of soil lipids under *Rhododendron ponticum* stands. *Environ Chem Lett* 9: 453-464. <http://dx.doi.org/10.1007/s10311-010-0300-4>.
- Gonzalez-Prior, J; Lopez-Fonseca, R; Gutierrez-Ortiz, JI; de Rivas, B. (2016). Oxidation of 1,2-dichloroethane over nanocube-shaped Co<sub>3</sub>O<sub>4</sub> catalysts. *Appl Catal B-Environ* 199: 384-393. <http://dx.doi.org/10.1016/j.apcatb.2016.06.046>.
- Good Kitzberger, CS; Smania, A, Jr; Pedrosa, RC; Salvador Ferreira, SR. (2007). Antioxidant and antimicrobial activities of shiitake (*Lentinula edodes*) extracts obtained by organic solvents and supercritical fluids. *Journal of Food Engineering* 80: 631-638. <http://dx.doi.org/10.1016/j.jfoodeng.2006.06.013>.
- Goodman, DG; Maronpot, RR; Newberne, PM; Popp, JA; Squire, RA. (1994). Proliferative and selected other lesions in the liver of rats. Washington, DC: Society of Toxicologic Pathologists. <http://www.toxpath.org/ssdnc/LiverProliferativeRat.pdf>.
- Gopikrishna, P; Das, D; Iyer, PK. (2015). Synthesis and characterization of color tunable, highly electroluminescent copolymers of polyfluorene by incorporating the N-phenyl-1,8-naphthalimide moiety into the main chain. 3: 9318-9326. <http://dx.doi.org/10.1039/c5tc01899d>.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology* 1: 277-284.
- Gotoh, Y; Niimi, S; Hayakawa, T; Miyashita, T. (2004). Preparation of lactose-silk fibroin conjugates and their application as a scaffold for hepatocyte attachment. *Biomaterials* 25: 1131-1140. [http://dx.doi.org/10.1016/S0142-9612\(03\)00633-1](http://dx.doi.org/10.1016/S0142-9612(03)00633-1).
- Gottwald, U; Monkhouse, P; Bonn, B. (2001). Dependence of alkali emissions in PFB combustion on coal composition. *Fuel* 80: 1893-1899.
- Goufo, P; Fontem, DA; Ngnokam, D. (2010). Evaluation of plant extracts for tomato late blight control in Cameroon. *N Z Journal Crop Hort Sci* 38: 171-176. <http://dx.doi.org/10.1080/01140671.2010.495374>.
- Goulet, PJ; Bourret, GR; Lennox, RB. (2012). Facile phase transfer of large, water-soluble metal nanoparticles to nonpolar solvents. *Langmuir* 28: 2909-2913. <http://dx.doi.org/10.1021/la2038894>.
- Gouveia, S; Goncalves, J; Castilho, PC. (2013). Characterization of phenolic compounds and antioxidant activity of ethanolic extracts from flowers of *Andryala glandulosa* ssp *varia* (Lowe ex DC.) R.Fern., an endemic species of Macaronesia region. *Ind Crop Prod* 42: 573-582. <http://dx.doi.org/10.1016/j.indcrop.2012.06.040>.
- Göz, E; Karakeçili, A. (2016). Effect of emulsification-diffusion parameters on the formation of poly (3-hydroxybutyrate-co-3-hydroxyvalerate) particles. 44: 226-234. <http://dx.doi.org/10.3109/21691401.2014.937869>.
- Graham, MC; Allan, R; Fallick, AE; Farmer, JG. (2006). Investigation of extraction and clean-up procedures used in the quantification and stable isotopic characterisation of PAHs in contaminated urban soils. *Sci Total Environ* 360: 81-89. <http://dx.doi.org/10.1016/j.scitotenv.2005.08.026>.
- Grant, A; Briggs, AD. (2002). Toxicity of sediments from around a North Sea oil platform: are metals or hydrocarbons responsible for ecological impacts? *Mar Environ Res* 53: 95-116.
- Grant, JT; Dunwoody, N; Jakubek, V; Lees, AJ. (1998). Photoluminescent organometallic complexes as spectroscopic probes of aromatic cyanate ester polymerization. *Polymers and Polymer Composites* 6: 47-50.
- Grasso, P. (2002). *Essentials of pathology for toxicologists*. London: Taylor and Francis.
- Graves, RA; Freeman, T; Pamajula, S; Praetorius, N; Moiseyev, R; Mandal, TK. (2006). Effect of co-solvents on the characteristics of enkephalin microcapsules. *J Biomater Sci Polym Ed* 17: 709-720.
- Gray, MR; Zhao, YX; Mcknight, CM; Komar, DA; Carruthers, JD. (1999). Coking of hydroprocessing catalyst by residue fractions of bitumen. *Energy Fuels* 13: 1037-1045.
- Greathouse, JA; Cygan, RT. (2007). Computational and spectroscopic studies of dichlorofluoroethane hydrate structure and stability. *J Phys Chem C* 111: 16787-16795. <http://dx.doi.org/10.1021/jp072968o>.
- Greathouse, JA; Geatches, DL; Pike, DQ; Greenwell, HC; Johnston, CT; Wilcox, J; Cygan, RT. (2015). METHYLENE BLUE ADSORPTION ON THE BASAL SURFACES OF KAOLINITE: STRUCTURE AND THERMODYNAMICS FROM QUANTUM AND CLASSICAL MOLECULAR SIMULATION. *Clays and Clay Minerals* 63: 185-198. <http://dx.doi.org/10.1346/CCMN.2015.0630303>.

## Fate Literature Search Results

### Off Topic

- Green, J; Trageser, M; Six, S; Unden, G; Guest, J. R. (1991). CHARACTERIZATION OF THE FNR PROTEIN OF ESCHERICHIA-COLI, AN IRON-BINDING TRANSCRIPTIONAL REGULATOR. *Proc Biol Sci* 244: 137-144.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect* 108: 261-264.
- Greenberg, A; Lwo, JH; Atherholt, TB; Rosen, R; Hartman, T; Butler, J; Louis, J. (1993). BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC-COMPOUNDS ASSOCIATED WITH AIRBORNE PARTICULATE MATTER - AN INTERSEASONAL STUDY. *Atmos Environ* (1967) 27: 1609-1626.
- Greenberg, RS; Mandel, JS; Pastides, H; Britton, NL; Rudenko, L; Starr, TB. (2001). A meta-analysis of cohort studies describing mortality and cancer incidence among chemical workers in the United States and western Europe. *Epidemiology* 12: 727-740. <http://dx.doi.org/10.1097/00001648-200111000-00023>.
- Gregorova, A; Sedlarik, V. (2016). Characterization of structural and physical properties of dichloromethane= and methanol-fractionated Kraft lignin and its adsorption capacity of Cu (II) and Ni (II) ions. *Desalination and Water Treatment* 57: 10655-10663. <http://dx.doi.org/10.1080/19443994.2015.1036364>.
- Gregory, AG; Toshitaka, U; Fumihiko, T; Daisuke, H. (2008). Effect of vapors from fractionated samples of propolis on microbial and oxidation damage of rice during storage. *Journal of Food Engineering* 88: 341-352. <http://dx.doi.org/10.1016/j.jfoodeng.2008.02.019>.
- Grevenkamp, A; Safety, O; Administration, H. (2007). Overexposure and control of methylene chloride in a furniture stripping operation. *J Occup Environ Hyg* 4: D39-D41. <http://dx.doi.org/10.1080/15459620701246372>.
- Grevsen, K; Frette, XC; Christensen, LP. (2009). Content and Composition of Volatile Terpenes, Flavonoids and Phenolic Acids in Greek Oregano (*Origanum vulgare* L. ssp *hirtum*) at different Development Stages during Cultivation in Cool Temperate Climate. *European Journal of Horticultural Science* 74: 193-203.
- Griffini, G; Levi, M; Turri, S. (2012). Process Study of the Formation of Biodegradable Polymer Microspheres for Tissue Engineering. *Chem Eng Tech* 35: 2045-2050. <http://dx.doi.org/10.1002/ceat.201200216>.
- Griffiths, J; Lee, WJ. (2003). Synthesis, light absorption and fluorescence properties of new thiazole analogues of the xanthene dyes. *Dyes and Pigments* 57: 107-114. [http://dx.doi.org/10.1016/S0143-7208\(02\)00118-3](http://dx.doi.org/10.1016/S0143-7208(02)00118-3).
- Griffiths, J; Li, Z. (1993). AZACYANINE DYES WITH ACRIDINIUM TERMINAL GROUPS - A NEW SERIES OF NEAR-IR ABSORBING DYES. *Dyes and Pigments* 21: 205-216.
- Griffiths, J; Schofield, J; Wainwright, M; Brown, SB. (1997). Some observations on the synthesis of polysubstituted zinc phthalocyanine sensitizers for photodynamic therapy. *Dyes and Pigments* 33: 65-78.
- Grigorev, VI; Olman, VY; MALYAROV.LK. (1971). OPTIMIZATION OF CHROMATOGRAPHIC SEPARATION OF A METHYLENE-DICHLORETHANE CHLORIDE MIXTURES USING METHODS OF EXPERIMENT PLANNING. *Industrial Laboratory* 37: 98-&.
- Grijalva-Monteverde, H; Arellano-Tanori, OV; Valdez, MA. (2005). Zeta potential and Langmuir films of asphaltene polar fractions. *Energy Fuels* 19: 2416-2422. <http://dx.doi.org/10.1021/ef050120y>.
- Griswold, GA; Evans, S; Spielman, L; Fishman, B. (2005). Coping strategies of HIV patients with peripheral neuropathy. *AIDS Care* 17: 711-720. <http://dx.doi.org/10.1080/09540120412331336715>.
- Grombone-Guaratini, MT; Silva-Brandao, KL; Solferini, VN; Semir, J; Trigo, JR. (2005). Sesquiterpene and polyacetylene profile of the *Bidens pilosa* complex (Asteraceae : Heliantheae) from Southeast of Brazil. *Biochemical Systematics and Ecology* 33: 479-486. <http://dx.doi.org/10.1016/j.bse.2004.11.005>.
- Gron, T; Tomaszewicz, E; Kukula, Z; Pawlus, S; Sawicki, B. (2014). Dielectric permittivity of some novel copper/cobalt and rare-earth metal tungstates. *Mater Sci Eng B* 184: 14-17. <http://dx.doi.org/10.1016/j.mseb.2014.01.006>.
- Grotjahn, R; Lai, SS. (1991). NONLINEAR IMPACTS UPON FRONTAL CYCLONES FROM DIPOLE SURFACE-TEMPERATURE ANOMALIES. *Meteorol Atmos Phys* 45: 159-180.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. *J Environ Monit* 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.
- Grozdanov, A; Errico, ME; Avella, M; Bogoeva-Gaceva, G. (2004). PEI/PTFE nanocomposites as a matrix for glass fibre-reinforced composites. *Advanced Composites Letters* 13: 145-150.
- Gu, P, eiY; Ma, Y; He, JH, ui; Long, G; Wang, C; Chen, W; Liu, Y, i; Xu, QF; Lu, JM, ei; Zhang, Q. (2015). The substituent group effect on the morphology and memory performance of phenazine derivatives. 3: 3167-3172. <http://dx.doi.org/10.1039/c5tc00003c>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res* 50: 11029-11036. <http://dx.doi.org/10.1021/le201059x>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Guay, J; Kasai, P; Diaz, A; Wu, RL; Tour, JM; Dao, LH. (1992). CHAIN-LENGTH DEPENDENCE OF ELECTROCHEMICAL AND ELECTRONIC-PROPERTIES OF NEUTRAL AND OXIDIZED SOLUBLE ALPHA,ALPHA-COUPLED THIOPHENE OLIGOMERS. *Chem Mater* 4: 1097-1105.
- Gudruman, AD; Bibire, N; Tantarau, G; Apostu, M; Vieriu, M; Dorneanu, V. (2013). Validation of a New Spectrophotometric Method for the Assay of Bisoprolol Fumarate using Tropaeolin 00. *Rev Chim* 64: 393-396.
- Guelbakan, B; Uzun, C; Celikbicak, O; Gueven, G, un; Salih, B. (2008). Solid phase extraction of organochlorine pesticides with modified poly (styrene-divinylbenzene) microbeads using home-made solid phase extraction syringes. *React Funct Polym* 68: 580-593. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.014>.
- Guengerich, FP. (1997). Mechanisms of mutagenicity of DNA adducts derived from alkyl and vinyl halides. *JTTE* 43: 69-82.

## Fate Literature Search Results

### Off Topic

- Guenther, J; Wright, AD; Burns, K; De Nys, R. (2009). Chemical antifouling defences of sea stars: effects of the natural products hexadecanoic acid, cholesterol, lathosterol and sitosterol. *Mar Ecol Prog Ser* 385 (Jun 2009): 137-149. <http://dx.doi.org/10.3354/meps08034>.
- Guerin, TF. (1999). The extraction of aged polycyclic aromatic hydrocarbon (PAH) residues from a clay soil using sonication and a Soxhlet procedure: a comparative study. *J Environ Monit* 1: 63-67.
- Guerreiro, O; Alves, SP; Costa, M; Cabo, A; Duarte, MF; Jeronimo, E; Bessa, R, uiJB. (2016). Effects of extracts obtained from *Cistus ladanifer* L. on in vitro rumen biohydrogenation. *Anim Feed Sci Technol* 219: 304-312. <http://dx.doi.org/10.1016/j.anifeedsci.2016.06.024>.
- Guignard, C; Pedron, V; Richard, F; Jacquot, R; Spagnol, M; Coustard, JM; Perot, G. (2002). Acylation of veratrole by acetic anhydride over H beta and HY zeolites - Possible role of di- and triketone by-products in the deactivation process. *Appl Catal A-Gen* 234: 79-90.
- Guiliano, M; Boukir, A; Doumenq, P; Mille, G; Crampon, C; Badens, E; Charbit, G. (2000). Supercritical fluid extraction of BAL 150 crude oil asphaltenes. *Energy Fuels* 14: 89-94.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillen, MD; Ibargoitia, ML. (1996). Volatile components of aqueous liquid smokes *Vitis vinifera* L shoots and *Fagus sylvatica* L wood. *J Sci Food Agric* 72: 104-110.
- Guillen, MD; Manzanos, MJ. (1999). Extractable components of the aerial parts of *Salvia lavandulifolia* and composition of the liquid smoke flavoring obtained from them. *J Agric Food Chem* 47: 3016-3027.
- Guillen, MD; Manzanos, MJ. (1999). Smoke and liquid smoke. Study of an aqueous smoke flavouring from the aromatic plant *Thymus vulgaris* L. *J Sci Food Agric* 79: 1267-1274.
- Guillen, MD; Manzanos, MJ; Ibargoitia, ML. (2001). Carbohydrate and nitrogenated compounds in liquid smoke flavorings. *J Agric Food Chem* 49: 2395-2403. <http://dx.doi.org/10.1021/jf000760t>.
- Guillen, MD; Manzanos, MJ; Zabala, L. (1995). STUDY OF A COMMERCIAL LIQUID SMOKE FLAVORING BY MEANS OF GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND FOURIER-TRANSFORM INFRARED-SPECTROSCOPY. *J Agric Food Chem* 43: 463-468.
- Gulyas, H; Reich, M. (1995). ORGANIC COMPOUNDS AT DIFFERENT STAGES OF A REFINERY WASTEWATER TREATMENT PLANT. *Water Sci Technol* 32: 119-126.
- Gulyas, H; Reich, M. (2000). Organic constituents of oil reclaiming wastewater. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 435-464.
- Gulyas, H; Reich, M; Otterpohl, R. (2011). Organic micropollutants in raw and treated greywater: a preliminary investigation. *Urban Water Journal* 8: 29-39. <http://dx.doi.org/10.1080/1573062X.2010.528435>.
- Gungor, O; Memon, S; Yilmaz, M; Roundhill, DM. (2005). Synthesis of alkyl nitrile and alkyl benzonitrile derivatives of calix[4]arene and their polymer supported analogues: A comparative study in two-phase extraction systems. *React Funct Polym* 63: 1-9. <http://dx.doi.org/10.1016/j.reactfunctpolym.2005.02.004>.
- Gun'ko, VM; Bogatyrov, VM; Turov, VV; Leboda, R; Skubiszewska-Zieba, J; Urubkov, IV. (2013). Structural features of resorcinol-formaldehyde resin chars and interfacial behavior of water co-adsorbed with low-molecular weight organics. *Appl Surf Sci* 283: 683-693. <http://dx.doi.org/10.1016/j.apsusc.2013.06.165>.
- Gun'ko, VM; Seledets, O; Skubiszewska-Zieba, J; Zarko, VI; Leboda, R; Janusz, W; Chibowski, S. (2005). Phosphorus-containing carbon deposits on silica gel Si-100. Microporous and Mesoporous Materials 87: 133-145. <http://dx.doi.org/10.1016/j.micromeso.2005.06.044>.
- Gun'ko, VM; Skubiszewska-Zieba, J; Leboda, R; Zarko, VI. (2000). Fumed silica modified due to pyrolysis of methylene chloride. *Langmuir* 16: 374-382.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci* 47: 1525-1532.
- Guo, D; Shi, Q; He, B; Yuan, X. (2011). Different solvents for the regeneration of the exhausted activated carbon used in the treatment of coking wastewater. *J Hazard Mater* 186: 1788-1793. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.068>.
- Guo, F, en; Ye, K, e; Cheng, K, ui; Wang, G; Cao, D. (2015). Preparation of nickel nanowire arrays electrode for urea electrooxidation in alkaline medium. *J Power Sources* 278: 562-568. <http://dx.doi.org/10.1016/j.jpowsour.2014.12.125>.
- Guo, H; Chen, Y; Ping, H; Wang, L; Peng, DL. (2012). One-pot synthesis of hexagonal and triangular nickel-copper alloy nanoplates and their magnetic and catalytic properties. *J Mater Chem* 22: 8336-8344. <http://dx.doi.org/10.1039/c2jm16095a>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, N, anNan; Zhang, Q, iuGen; Li, HM, ei; Wu, X, inMei; Liu, QL, in; Zhu, A, iMei. (2014). Facile Fabrication, Structure, and Applications of Polyvinyl Chloride Mesoporous Membranes. *Ind Eng Chem Res* 53: 20068-20073. <http://dx.doi.org/10.1021/ie503986h>.
- Guo, X; Zhou, Z; Ma, G; Wang, S; Zhao, S; Zhang, Q. (2012). Effect of process on the integrity of pore-gradient Al<sub>2</sub>O<sub>3</sub> ceramic foams by gelcasting. *Ceramics International* 38: 713-719. <http://dx.doi.org/10.1016/j.ceramint.2011.07.062>.
- Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-butyl-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. *Progr Org Coating* 76: 768-777. <http://dx.doi.org/10.1016/j.porgcoat.2013.01.006>.
- Guoneng, L; Zhihua, X; Youqu, Z; Wenwen, G; Cong, D. (2016). Experimental study on convective heat transfer from a rectangular flat plate by multiple impinging jets in laminar cross flows. *International Journal of Thermal Sciences* 108: 123-131. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.05.006>.

## Fate Literature Search Results

### Off Topic

- Gupta, B; Chauhan, DS; Prakash, R. (2010). Controlled morphology of conducting polymers: Formation of nanorods and microspheres of polyindole. *Mater Chem Phys* 120: 625-630. <http://dx.doi.org/10.1016/j.matchemphys.2009.12.026>.
- Gupta, M; Gupta, A; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .2. Sulfate reduction. *Water Res* 30: 1387-1394.
- Gupta, M; Sharma, D; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .1. Methanogenesis. *Water Res* 30: 1377-1385.
- Gupta, S; Purwar, M; Chakrabarti, SK; Singh, S. (2012). Influence of drying of biosludge on organochlorine compounds from pulp and paper industry. *J Environ Biol* 33: 85-88.
- Gupta, VK; Agarwal, S; Tyagi, I; Sohrabi, M; Fakhri, A, I; Rashidi, S; Sadeghi, N. (2016). Microwave-assisted hydrothermal synthesis and adsorption properties of carbon nanofibers for methamphetamine removal from aqueous solution using a response surface methodology. *J Ind Eng Chem* 41: 158-164. <http://dx.doi.org/10.1016/j.jiec.2016.07.018>.
- Gurevich, AB; Teplyakov, AV; Yang, MX; Bent, BE. (1998). Synthesis, bonding, and reactions of pi-bonded allyl groups on Cu(100): Allyl radical ejection. *Langmuir* 14: 1419-1427.
- Gürses, A; Dođar, C; Karaca, S; Açıkyıldız, M; Bayrak, R. (2006). Production of granular activated carbon from waste *Rosa canina* sp. seeds and its adsorption characteristics for dye. *J Hazard Mater* 131: 254-259. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.014>.
- Gusev, AA; Gordeev, EI; Guseva, EM; Petukhin, AG; Chebrov, VN. (1997). The first version of the A(max)(M(W),R) relationship for Kamchatka. *Pure Appl Geophys* 149: 299-312.
- Gute, DM; Enander, RT; Cohen, HJ; Missaghian, R. (1999). Metal particulate and methylene chloride exposure among technicians in automotive refinishing. *Epidemiology* 10: S42-S42.
- Gutierrez-Castillo, ME; Roubicek, DA; Cebrian-Garcia, ME; De Vizcaya-Ruiz, A; Sordo-Cedeno, M; Ostrosky-Wegman, P. (2006). Effect of chemical composition on the induction of DNA damage by urban airborne particulate matter. *Environ Mol Mutagen* 47: 199-211. <http://dx.doi.org/10.1002/em.20186>.
- Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Aurrekoetxea, U; Gonzalez-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal* 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).
- Gutschmidt, K; Kettrup, A. (1992). A Diffusive Sampling Technique for the Determination of Volatile Substances in the Air at the Workplace. *Fresen Environ Bull* 1: 388-393.
- Guy, DW; Crawford, RJ; Mainwaring, DE. (1996). The wetting behaviour of several organic liquids in water on coal surfaces. *Fuel* 75: 238-242.
- Guyot; Bouseta; Scheirman, V; Collin, V. (1998). Floral Origin Markers of Chestnut and Lime Tree Honeys. *J Agric Food Chem* 46: 625-633.
- Guzman-Gutierrez, MT; Zolotukhin, MG; Fritsch, D; Ruiz-Trevino, FA; Cedillo, G; Fregoso-Israel, E; Ortiz-Estrada, C; Chavez, J; Kudla, C. (2008). Synthesis and gas transport properties of new aromatic 3F polymers. *J Memb Sci* 323: 379-385. <http://dx.doi.org/10.1016/j.memsci.2008.06.041>.
- Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2014). Phase Behavior of Poly(D-lactic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems at High Pressure. *Journal of Chemical and Engineering Data* 59: 2144-2149. <http://dx.doi.org/10.1021/jc400715b>.
- Haber, J; Machej, T; Derewinski, M; Janik, R; Krysiak, J; Sadowska, H; Janas, J. (1999). Catalytic oxidation of CH<sub>2</sub>Cl<sub>2</sub> on sodium doped Al<sub>2</sub>O<sub>3</sub>. *Catalysis Today* 54: 47-55.
- Haberlein, H; Tschiersch, KP. (1998). On the occurrence of methylated and methoxylated flavonoids in *Leptospermum scoparium*. *Biochemical Systematics and Ecology* 26: 97-103.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddon, WF; Binder, RG; Wong, RY; Harden, LA; Wilson, RE; Benson, M; Stevens, KL. (1996). Potent bacterial mutagens produced by chlorination of simulated poultry chiller water. *J Agric Food Chem* 44: 256-263.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification* 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Hadoun, H; Sadaoui, Z; Souami, N; Sahel, D; Toumert, I. (2013). Characterization of mesoporous carbon prepared from date stems by H<sub>3</sub>PO<sub>4</sub> chemical activation. *Appl Surf Sci* 280: 1-7. <http://dx.doi.org/10.1016/j.apsusc.2013.04.054>.
- Haefs, R; Schmitz-Eiberger, M; Mohr, HD; Noga, G. (2002). Improvement of Mg uptake of grapevine by use of rapeseed oil ethoxylates for foliar application of Mg. *Vitis* 41: 7-10.
- Hägele; Simpson. (2000). The influence of mechanical, visual and contact chemical stimulation on the behavioural phase state of solitary desert locusts (*Schistocerca gregaria*). *J Insect Physiol* 46: 1295-1301.
- Hager, RL. (2006). Television viewing and physical activity in children. 39: 656-661. <http://dx.doi.org/10.1016/j.jadohealth.2006.04.020>.
- Hagimori, M; Mizuyama, N; Yokota, K; Nishimura, Y; Suzuta, M; Tai, CK; Wang, BC; Wang, SL; Shih, TL; Wu, KD; Huang, ZS; Tseng, SC; Chen, CY; Lu, JW; Wei, HH; Kawashima, K; Kawashima, S; Tominaga, Y. (2012). Synthesis of 6-(4-diethylamino)phenyl-2-oxo-2H-pyran-3-carbonitrore derivatives and their fluorescence in solid state and in solutions. *Dyes and Pigments* 92: 1069-1074. <http://dx.doi.org/10.1016/j.dyepig.2011.05.014>.
- Hagimori, M; Shigemitsu, Y; Murakami, R, yo; Yokota, K; Nishimura, Y; Mizuyama, N; Wang, B, oC; Tai, CK; Wang, S, anL; Shih, TL; Wu, KD, a; Huang, Z, hiS; Tseng, SC; Lu, JW, ei; Wei, H, oH; Nagaoka, J; Mukai, T; Kawashima, S; Kawashima, K; Tominaga, Y. (2016). 2-Pyridone-

## Fate Literature Search Results

### Off Topic

- based fluorophores containing 4-dialkylamino-phenyl group: Synthesis and fluorescence properties in solutions and in solid state. *Dyes and Pigments* 124: 196-202. <http://dx.doi.org/10.1016/j.dyepig.2015.09.017>.
- Hahm, HC; Veriansyah, B; Kim, J; Kim, W, anJoo; Kim, J, aeD; Oh, SG; Lee, YW, oo. (2008). A new correlation to predict the stability of liquid jet in dense carbon dioxide. *J Ind Eng Chem* 14: 824-829. <http://dx.doi.org/10.1016/j.jiec.2008.04.002>.
- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2)((3)P(J))), WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame* 93: 327-335.
- Hajji, M; Jarraya, R; Lassoued, I; Masmoudi, O; Damak, M; Nasri, M. (2010). GC/MS and LC/MS analysis, and antioxidant and antimicrobial activities of various solvent extracts from *Mirabilis jalapa* tubers. *Process Biochemistry* 45: 1486-1493. <http://dx.doi.org/10.1016/j.procbio.2010.05.027>.
- Hakala, SH; Heinonen, IM. (1994). CHROMATOGRAPHIC PURIFICATION OF NATURAL LYCOPENE. *J Agric Food Chem* 42: 1314-1316.
- Hall, AH; Rumack, BH. (1990). Methylene chloride exposure in furniture-stripping shops: Ventilation and respirator use practices. *J Occup Med* 32: 33-37.
- Halldorsson, JA; Little, SJ; Diamond, D; Spinks, G; Wallace, G. (2009). Controlled transport of droplets using conducting polymers. *Langmuir* 25: 11137-11141. <http://dx.doi.org/10.1021/la900835w>.
- Halldorsson, JA; Wu, Y; Brown, HR; Spinks, GM; Wallace, GG. (2011). Surfactant-controlled shape change of organic droplets using polypyrrole. *Thin Solid Films* 519: 6486-6491. <http://dx.doi.org/10.1016/j.tsf.2011.04.226>.
- Halloin, JM; Minton, EB; Petersen, HD. (1978). FUNGICIDE APPLICATION TO COTTONSEED USING METHYLENE-CHLORIDE CARRIER. *Crop Sci* 18: 909-910.
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TIO(2) WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells* 26: 1-16.
- Hamad, S; Podagatlapalli, GK; Mounika, R; Rao, SVS, N; Pathak, AP; Rao, SV. (2015). Studies on linear, nonlinear optical and excited state dynamics of silicon nanoparticles prepared by picosecond laser ablation. 5. <http://dx.doi.org/10.1063/1.4939017>.
- Hameed, NM; El Eter, A, li; Grosjean, T; Baida, FI. (2014). Stand-Alone Three-Dimensional Optical Tweezers Based on Fibred Bowtie Nanoaperture. *I E E E Photonics Journal* 6. <http://dx.doi.org/10.1109/JPHOT.2014.2341011>.
- Hamidi, R; Kazemi, P. (2015). Kinetics and mechanism of sorption of chloride ion from sodium carbonate manufacturing wastewater by Mg-Al oxide. *Desalination and Water Treatment* 54: 332-341. <http://dx.doi.org/10.1080/19443994.2014.880658>.
- Han, DH; Hong, WH. (1996). Reactive extraction of lactic acid with triethylamine/methylene chloride/n-hexane. *Separation Science and Technology* 31: 1123-1135.
- Han, J, aeHo; Yoon, SM, in. (2012). Dichloromethane Detection Based on Near-Infrared Absorptive Sensing. *I E E E Journal on Selected Topics in Quantum Electronics* 18: 1547-1552. <http://dx.doi.org/10.1109/JSTQE.2011.2180367>.
- Han, J, ie; Zhang, M; Wang, F; Geng, Q. (2010). Non-symmetric liquid crystal dimers based on 1,3,4-oxadiazole derivatives: synthesis, photoluminescence and liquid crystal behaviour. *Liquid Crystals* 37: 1471-1478. <http://dx.doi.org/10.1080/02678292.2010.527382>.
- Han, L, ei; Wang, P; Zhu, C; Zhai, Y; Dong, S. (2011). Facile solvothermal synthesis of cube-like Ag@AgCl: a highly efficient visible light photocatalyst. *Nanoscale* 3: 2931-2935. <http://dx.doi.org/10.1039/c1nr10247h>.
- Han, MJ; Lee, KW; Seo, BK. (2003). Preparation and characterization of a double-layered porous film to assay for surface radioactive contamination. *J Memb Sci* 223: 59-67. [http://dx.doi.org/10.1016/S0376-7388\(03\)00308-9](http://dx.doi.org/10.1016/S0376-7388(03)00308-9).
- Han, Q; Chen, J; Yang, X; Lu, L; Wang, X, in. (2007). Preparation of uniform Bi2S3 nanorods using xanthate complexes of bismuth(III). *J Phys Chem C* 111: 14072-14077. <http://dx.doi.org/10.1021/jp0742766>.
- Han, S; Zhao, Y; Yu, T; Craik, S. (2014). Challenge Studies of the Hach GuardianBlue Early Warning System. *J Environ Eng* 140. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000776](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000776).
- Han, SO; Son, WK; Youk, JH; Lee, TS; Park, WH. (2005). Ultrafine porous fibers electrospun from cellulose triacetate. *Mater Lett* 59: 2998-3001. <http://dx.doi.org/10.1016/j.matlet.2005.05.003>.
- Han, W; Wang, S; Huang, H; Luo, L; Zhang, S. (2013). Simultaneous determination of brominated phenols in soils. *J Environ Sci* 25: 2306-2312. [http://dx.doi.org/10.1016/S1001-0742\(12\)60298-8](http://dx.doi.org/10.1016/S1001-0742(12)60298-8).
- Han, Z; Li, S; Chu, J; Chen, Y. (2013). Electrospun Pd-doped ZnO nanofibers for enhanced photocatalytic degradation of methylene blue. *Journal of Sol-Gel Science and Technology* 66: 139-144. <http://dx.doi.org/10.1007/s10971-013-2978-9>.
- Hanks, T; Glish, L; Singh, S; Johnson, D; Wright, L. (2005). Conducting polymers as substrates for surface-mounted molecular devices. *Synthetic Metals* 153: 177-180. <http://dx.doi.org/10.1016/j.synthmet.2005.07.230>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, D; Volland, G; Krause, G; Zoltzer, D. (2001). Determination and occurrence of phosphororganic compounds (POV) in dust and indoor air. *Staub, Reinhaltung der Luft* 61: 13-17.
- Hansen, LG; O'Keefe, PW. (1996). Polychlorinated dibenzofurans and dibenzo-p-dioxins in subsurface soil, superficial dust, and air extracts from a contaminated landfill. *Arch Environ Contam Toxicol* 31: 271-276.
- Hanson, D. (1991). OSHA TO CUT METHYLENE-CHLORIDE EXPOSURE LIMITS. *Chem Eng News* 69: 8-8.
- Hanson, D. (1997). Methylene chloride exposure sharply limited. *Chem Eng News* 75: 7-7.

## Fate Literature Search Results

### Off Topic

- Hantal, G; Terleczyk, P; Horvai, G; Nyulaszi, L; Jedlovszky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C* 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, E; Fabre, B; Fronczek, FR; Vicente, MGH. (2007). Syntheses and electropolymerization of carboranyl-functionalized pyrroles and thiophenes. *Chem Mater* 19: 6195-6205. <http://dx.doi.org/10.1021/cm701935n>.
- Hao, X; Bai, C; Huang, Y, ue; Bi, J; Zhang, C; Cai, H; Zhang, X; Du, L. (2010). Preparation of cis-1,4-Polyisoprene Electrospun Microfibers. *Macromolecular Materials & Engineering* 295: 305-309. <http://dx.doi.org/10.1002/mame.200900284>.
- Hao, X; Zhang, X. (2007). Syndiotactic 1,2-polybutadiene fibers produced by electrospinning. *Mater Lett* 61: 1319-1322. <http://dx.doi.org/10.1016/j.matlet.2006.07.022>.
- Hapiot, P; Gaillon, L; Audebert, P; Moreau, JJE; Lerepote, JP; Man, MWC. (1995). SOLVENT EFFECTS ON THE POLYMERIZATION KINETICS OF SOME ALPHA-SILYLATED THIOPHENE OLIGOMERS - SPECIAL INFLUENCE OF THE ALPHA-SILYL GROUP. *Synthetic Metals* 72: 129-134.
- Harada, K; Miyasaki, T; Kawashima, S; Shiota, H. (1996). Studies on the feeding attractants for fishes and shellfishes .26. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*. *Aquaculture* 140: 99-108.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1994). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN AIR. *Atmos Environ* 28: 1319-1325.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1995). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN PRECIPITATION. *Atmos Environ* 29: 247-253.
- Haribal, M; Feeny, P. (2003). Combined roles of contact stimulant and deterrents in assessment of host-plant quality by ovipositing zebra swallowtail butterflies. *J Chem Ecol* 29: 653-670.
- Harnish, B; Robinson, JT; Pei, ZC; Ramstrom, O; Yan, MD. (2005). UV-cross-linked poly(vinylpyridine) thin films as reversibly responsive surfaces. *Chem Mater* 17: 4092-4096. <http://dx.doi.org/10.1021/cm050144i>.
- Harris, LA; Goff, JD; Carmichael, AY; Riffle, JS; Harburn, JJ; St Pierre, TG; Saunders, M. (2003). Magnetite nanoparticle dispersions stabilized with triblock copolymers. *Chem Mater* 15: 1367-1377. <http://dx.doi.org/10.1021/cm020994n>.
- Harris, MO; Sandanayake, M; Foster, SP. (1999). Chemical stimuli from apple influence the behavior of neonate caterpillars of the generalist herbivore, *Epiphyas postvittana*. *J Chem Ecol* 25: 1717-1738.
- Harrison, HF; Wechter, WP; Kousik, CS. (2012). Inhibition of Bacterial, Fungal, and Plant Growth by Testae Extracts of *Citrullus* Genotypes. *HortScience* 47: 448-451.
- Harshiny, M; Iswarya, CN; Matheswaran, M. (2015). Biogenic synthesis of iron nanoparticles using *Amaranthus dubius* leaf extract as a reducing agent. *Powder Technology* 286: 744-749. <http://dx.doi.org/10.1016/j.powtec.2015.09.021>.
- Hartmans, S; Tramper, J. (1991). DICHLOROMETHANE REMOVAL FROM WASTE GASES WITH A TRICKLE-BED BIOREACTOR. 6: 83-92.
- Hasan, DB; Azizl, ARA; Daud, W, anMAWan. (2012). Oxidative mineralisation of petroleum refinery effluent using Fenton-like process. *Chem Eng Res Des* 90: 298-307. <http://dx.doi.org/10.1016/j.cherd.2011.06.010>.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol* 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hasik, M; Wojcik-Bania, M; Nyczuk, A; Gumula, T. (2013). Polysiloxane-POSS systems as precursors to SiCO ceramics. *React Funct Polym* 73: 779-788. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.006>.
- Hasirci, V; Litman, AE; Trantolo, DJ; Gresser, JD; Wise, DL; Margolis, HC. (2002). PLGA bone plates reinforced with crosslinked PPF. *J Mater Sci Mater Med* 13: 159-167.
- Hassan, AF; Youssef, AM. (2014). Preparation and characterization of microporous NaOH-activated carbons from hydrofluoric acid leached rice husk and its application for lead(II) adsorption. 15: 57-66. <http://dx.doi.org/10.5714/CL.2014.15.1.057>.
- Hassanien, MM; Abou-El-Sherbini, KS; Al-Muaiikel, NS. (2010). Immobilization of methylene blue onto bentonite and its application in the extraction of mercury (II). *J Hazard Mater* 178: 94-100. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.048>.
- Hata, H; Saeki, S; Kimura, T; Sugahara, Y; Kuroda, K. (1999). Adsorption of taxol into ordered mesoporous silicas with various pore diameters. *Chem Mater* 11: 1110-1119.
- Hatano, R; Booltink, HWG. (1994). A MORPHOLOGICAL APPROACH TO DESCRIBE SOLUTE MOVEMENT INFLUENCED BY BYPASS FLOW IN A STRUCTURED CLAY SOIL. *Soil Sci Plant Nutr* 40: 573-580.
- Hatano, R; Kawamura, N; Ikeda, J; Sakuma, T. (1992). EVALUATION OF THE EFFECT OF MORPHOLOGICAL FEATURES OF FLOW PATHS ON SOLUTE TRANSPORT BY USING FRACTAL DIMENSIONS OF METHYLENE-BLUE STAINING PATTERN. *Geoderma* 53: 31-44.
- Haufroid, V; Ligoocka, D; Buyschaert, M; Horsmans, Y; Lison, D. (2003). Cytochrome P4502E1 (CYP2E1) expression in peripheral blood lymphocytes: Evaluation in hepatitis C and diabetes. *Eur J Clin Pharmacol* 59: 29-33. <http://dx.doi.org/10.1007/s00228-003-0566-6>.
- Hawthorne, SB; Miller, DJ. (2003). Evidence for very tight sequestration of BTEX compounds in manufactured gas plant soils based on selective supercritical fluid extraction and soil/water partitioning. *Environ Sci Technol* 37: 3587-3594. <http://dx.doi.org/10.1021/es020899f>.
- Hayashi, M; Hirata, Y. (2002). Transesterification mechanism in pharmaceutical intermediate (SLT-methylester) synthetic process using potassium carbonate as catalyst. *Kagaku Kogaku Ronbunshu* 28: 733-738.
- Hayes, AW. (2001). Principles and methods of toxicology (4 ed.). Philadelphia, PA: Taylor and Francis.
- Hayyan, M; Abo-Hamad, A; Alsaadi, MA; Hashim, MA. (2015). Functionalization of graphene using deep eutectic solvents. *Nanoscale Res Lett* 10: 1004. <http://dx.doi.org/10.1186/s11671-015-1004-2>.
- He, B; Chang, Z; Jiang, Y; Xu, X; Lu, P; Kwok, H, oiS; Zhou, J; Qiu, H; Zhao, Z; Tang, B, enZ. (2014). Piezochromic luminescent and electroluminescent materials comprised of tetraphenylethene plus spirobifluorene or 9, 9-diphenylfluorene. *Dyes and Pigments* 106: 87-93. <http://dx.doi.org/10.1016/j.dyepig.2014.02.026>.

## Fate Literature Search Results

### Off Topic

- He, C; Jin, X; Ma, PX. (2014). Calcium phosphate deposition rate, structure and osteoconductivity on electrospun poly(l-lactic acid) matrix using electrodeposition or simulated body fluid incubation. *Acta Biomater* 10: 419-427. <http://dx.doi.org/10.1016/j.actbio.2013.08.041>.
- He, H; Zhang, X; Sheng, Y. (2014). Enteric-coated capsule containing  $\beta$ -galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484. <http://dx.doi.org/10.1017/S0022029914000491>.
- He, J; Zielinska, B; Balasubramanian, R. (2010). Composition of semi-volatile organic compounds in the urban atmosphere of Singapore: influence of biomass burning. *Atmos Chem Phys* 10: 11401-11413. <http://dx.doi.org/10.5194/acp-10-11401-2010>.
- He, K; Wang, X; Yu, J; Jiang, H; Xie, G; Tan, H, ua; Liu, Y, u; Ma, D; Wang, Y; Zhu, W. (2014). Synthesis and optoelectronic properties of novel fluorene-bridged dinuclear cyclometalated iridium (III) complex with A-D-A framework in the single-emissive-layer WOLEDs. *Organic Electronics* 15: 2942-2949. <http://dx.doi.org/10.1016/j.orgel.2014.08.014>.
- He, L; Lou, S; Lin, X; Qian, X; Xie, S; Wang, Z. (2016). Isolation and identification of the marine diatom *Entomoneis* sp MMOGRB 0374S (Bacillariophyta): a strain with high arachidonic acid composition. *Botanica Marina* 59: 463-471. <http://dx.doi.org/10.1515/bot-2016-0024>.
- He, P; Tang, J; Zhang, D; Zeng, Y; Shao, L. (2010). Release of volatile organic compounds during bio-drying of municipal solid waste. *J Environ Sci* 22: 752-759. [http://dx.doi.org/10.1016/S1001-0742\(09\)60173-X](http://dx.doi.org/10.1016/S1001-0742(09)60173-X).
- He, WZ; Suo, QL; Hong, HL; Li, GM; Zhao, XH; Li, CP; A, S. (2006). Supercritical antisolvent micronization of natural carotene by the SEDS process through prefilming atomization. *Ind Eng Chem Res* 45: 2108-2115. <http://dx.doi.org/10.1021/ie050993f>.
- He, YJ. (2005). Interfacial synthesis and characterization of polyaniline nanofibers. *Mater Sci Eng B* 122: 76-79. <http://dx.doi.org/10.1016/j.mseb.2005.04.014>.
- Headley, JV; Barrow, MP; Peru, KM; Derrick, PJ. (2011). Salting-out effects on the characterization of naphthenic acids from Athabasca oil sands using electrospray ionization. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 844-854. <http://dx.doi.org/10.1080/10934529.2011.579857>.
- Hearne, FT; Grose, F; Pifer, JW; Friedlander, BR; Raleigh, RL. (1987). Methylene chloride mortality study: Dose-response characterization and animal model comparison. *J Occup Med* 29: 217-228.
- Hearne, FT; Pifer, JW. (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. *J Occup Environ Med* 41: 1154-1169.
- Hearne, FT; Pifer, JW; Grose, F. (1990). Absence of adverse mortality effects in workers exposed to methylene chloride: An update. *J Occup Med* 32: 234-240. <http://dx.doi.org/10.1097/00043764-199003000-00010>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Hedouin-Langlet, C; Loizeau, M; Mercier, JL; Thiery, R. (2015). Paint strippers and prevention of occupational risks during building facelift: Where do we stand? *Arch Mal Prof Environ* 76: 337-344. <http://dx.doi.org/10.1016/j.admp.2014.12.011>.
- Heemken, OP; Reincke, H; Stachel, B; Theobald, N. (2001). The occurrence of xenoestrogens in the Elbe river and the North Sea. *Chemosphere* 45: 245-259.
- Heffner, C; Silwal, I; Peckenham, JM; Solouki, T. (2007). Emerging technologies for identification of disinfection byproducts: GC/FT-ICR MS characterization of solvent artifacts. *Environ Sci Technol* 41: 5419-5425. <http://dx.doi.org/10.1021/es062441+>.
- Hegedus, L; Mathe, T. (2005). Selective heterogeneous catalytic hydrogenation of nitriles to primary amines in liquid phase Part I. Hydrogenation of benzonitrile over palladium. *Appl Catal A-Gen* 296: 209-215. <http://dx.doi.org/10.1016/j.apcata.2005.08.024>.
- Hei, EC; Liu, HL; Shen, JG; Sun, JL; Hu, Y. (1995). DETERMINATION OF THE SOLUBILITIES OF 2,4-DICHLOROBENZALDEHYDE IN ORGANIC-SOLVENTS. *Chinese Journal of Chemical Engineering* 3: 155-162.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heineman, EF; Gomez, MR; Dosemeci, M; Cocco, P. (1996). Methylene chloride and brain cancer: Interpreting a new study in light of existing literature [Letter]. *Am J Ind Med* 30: 506-507. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<506::AID-AJIM20>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<506::AID-AJIM20>3.0.CO;2-7).
- Heininger, MW; Meloan, CE. (1992). A selective reagent for the removal and recovery of chromate, molybdate, tungstate, and vanadate from aqueous solution (pp. 663-669). (ISSN 0149-6395; EISSN 1520-5754; BIOSIS/92/18756). Heininger, MW; Meloan, CE.
- Hekmat, D; Feuchtinger, A; Stephan, M; Vortmeyer, D. (2004). Microbial composition and structure of a multispecies biofilm from a trickle-bed reactor used for the removal of volatile aromatic hydrocarbons from a waste gas. *J Chem Tech Biotechnol* 79: 13-21. <http://dx.doi.org/10.1002/jctb.927>.
- Hekmat, D; Vortmeyer, D. (1994). MODELING OF BIODEGRADATION PROCESSES IN TRICKLE-BED BIOREACTORS. *Chem Eng Sci* 49: 4327-4345.
- Hekmat, M; Latawiec, A; Smith, R. (1994). DETERMINATION OF COAL-TAR PITCH VOLATILE MATERIALS ON AIR SAMPLING FILTERS - COMPARISON OF GRAVIMETRIC AND SPECTROSCOPIC METHODS. *Am Ind Hyg Assoc J* 55: 942-945.
- Hekmatara, T; Gelperina, S; Vogel, V; Yang, SR; Kreuter, J. (2009). Encapsulation of water-insoluble drugs in poly(butyl cyanoacrylate) nanoparticles. *J Nanosci Nanotechnol* 9: 5091-5098. <http://dx.doi.org/10.1166/jnn.2009.GR05>.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater* 41: 205-216.



## Fate Literature Search Results

### Off Topic

- Hellberg, U; Ivarsson, JP; Johansson, BL. (1996). Characteristics of Superdex(R) prep grade media for gel filtration chromatography of proteins and peptides. *Process Biochemistry* 31: 163-172.
- Hellio, C; Berge, JP; Beaupoil, C; Le Gal, Y; Bourgougnon, N. (2002). Screening of marine algal extracts for anti-settlement activities against microalgae and macroalgae. *Biofouling* 18: 205-215. <http://dx.doi.org/10.1080/08927010290010137>.
- Hellio, C; De La Broise, D; Dufosse, L; Le Gal, Y; Bourgougnon, N. (2001). Inhibition of marine bacteria by extracts of macroalgae: potential use for environmentally friendly antifouling paints. *Mar Environ Res* 52: 231-247.
- Hellio, C; Marechal, JP; Véron, B; Bremer, G; Clare, AS; Le Gal, Y. (2004). Seasonal variation of antifouling activities of marine algae from the Brittany coast (France). *Mar Biotechnol* 6: 67-82. <http://dx.doi.org/10.1007/s10126-003-0020-x>.
- Hellmold, H; Rylander, T; Magnusson, M; Reihner, E; Warner, M; Gustafsson, JA. (1998). Characterization of cytochrome P450 enzymes in human breast tissue from reduction mammoplasties. *J Clin Endocrinol Metab* 83: 886-895. <http://dx.doi.org/10.1210/jc.83.3.886>.
- Hellsten, S; Qu, HY; Louhi-Kultanen, M. (2011). Screening of Binary Solvent Mixtures and Solvate Formation of Indomethacin. *Chem Eng Tech* 34: 1667-1674. <http://dx.doi.org/10.1002/ceat.201100072>.
- Hemida, AT; Birot, M; Pillot, JP; Dunogues, J; Pailler, R; Naslain, R. (1997). Synthesis and characterization of new precursors to nearly stoichiometric SiC ceramics .2. A homopolymer route. *Journal of Materials Science* 32: 3485-3490.
- Henics, T; Wheatley, DN. (1999). Cytoplasmic vacuolation, adaptation and cell death: a view on new perspectives and features [Review]. *Biol Cell* 91: 485-498. [http://dx.doi.org/10.1016/S0248-4900\(00\)88205-2](http://dx.doi.org/10.1016/S0248-4900(00)88205-2).
- Henrique, MC; Saraiva Nunomura, R, deC; Nunomura, SM; Silva, SG. (2014). Chemical constituents isolated from twigs and barks of amapazeiro (Parahancornia amapa, Apocynaceae). *Acta Amazonica* 44: 533-537. <http://dx.doi.org/10.1590/1809-4392201305233>.
- Henriques, CA; Monteiro, JLF; Magnoux, P; Guisnet, M. (1997). Characterization of the coke formed during o-xylene isomerization over mordenites at various temperatures. *J Catal* 172: 436-445.
- Heraty, LJ; Fuller, ME; Huang, L; Abrajano, T; Sturchio, NC. (1999). Isotopic fractionation of carbon and chlorine by microbial degradation of dichloromethane. *Organic Geochemistry* 30: 793-799.
- Herbst, B; Wiesmann, U. (1996). Kinetics and reaction engineering aspects of the biodegradation of dichloromethane and dichloroethane. *Water Res* 30: 1069-1076.
- Herman, H; Wigglesworth, M. (1982). FAR INFRARED STIMULATED EMISSIONS FROM CO<sub>2</sub>-LASER EXCITED DICHLOROMETHANE. *Int J Infrared Millimeter Waves* 3: 395-400.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation* 25: 92-107.
- Herrero, JL; Lozano, J; Santos, JP; Suárez, JI. (2016). On-line classification of pollutants in water using wireless portable electronic noses. *Chemosphere* 152: 107-116. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.106>.
- Hertz-Picciotto, I; Neutra, RR. (1994). Resolving discrepancies among studies: the influence of dose on effect size. *Epidemiology* 5: 156-163.
- Herwig, RP; Gray, JP. (1997). Microbial response to antibacterial treatment in marine microcosms. *Aquaculture* 152: 139-154.
- Herwig, RP; Gray, JP; Weston, DP. (1997). Antibacterial resistant bacteria in surficial sediments near salmon net-cage farms in Puget Sound, Washington. *Aquaculture* 149: 263-283.
- Hesari, M; Workentin, MS. (2014). Facile synthesis of Au-23(SC(CH<sub>3</sub>)(3))(16) clusters. 2: 3631-3638. <http://dx.doi.org/10.1039/c4tc00059e>.
- Hesas, RH; Arami-Niya, A; Daud, W, anMAWan; Sahu, JN. (2013). Preparation of granular activated carbon from oil palm shell by microwave-induced chemical activation: Optimisation using surface response methodology. *Chem Eng Res Des* 91: 2447-2456. <http://dx.doi.org/10.1016/j.cherd.2013.06.004>.
- Heuertz, M. (1972). METHYLENE CHLORIDE FOR VAPOR DEGREASING. 48: 38-&.
- Hibbard, BE; Bernklau, EJ; Bjostad, LB. (1994). LONG-CHAIN FREE FATTY-ACIDS - SEMIOCHEMICALS FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 20: 3335-3344.
- Hibbard, BE; Bjostad, LB. (1990). ISOLATION OF CORN SEMIOCHEMICALS ATTRACTIVE AND REPELLENT TO WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 16: 3425-3439.
- Hibino, M; Matsuda, H; Sato, T; Ose, Y; Nagase, H; Kito, H. (1992). Generation of mutagenicity by ozonation of humic substances' components. *Sci Total Environ* 116: 1-13. [http://dx.doi.org/10.1016/0048-9697\(92\)90361-U](http://dx.doi.org/10.1016/0048-9697(92)90361-U).
- Hickey, T; Kreutzer, D; Burgess, DJ; Moussy, F. (2002). Dexamethasone/PLGA microspheres for continuous delivery of an anti-inflammatory drug for implantable medical devices. *Biomaterials* 23: 1649-1656.
- Hierrezuelo, J; Romero, V; Benavente, J; Rico, R; López-Romero, JM. (2014). Membrane surface functionalization via theophylline derivative coating and streptavidin immobilization. *Colloids Surf B Biointerfaces* 113: 176-181. <http://dx.doi.org/10.1016/j.colsurfb.2013.09.007>.
- Hierro, MTG; Najera, AI; Santamaria, G. (1992). ANALYSIS OF TRIGLYCERIDES BY REVERSED-PHASE HPLC WITH GRADIENT ELUTION USING A LIGHT-SCATTERING DETECTOR. 32: 635-651.
- Higa, KM; Guilhen, A; Vieira, LCS; Carvalho, RM; Poppi, RJ; Baptista, M; Gobbi, AL; Lima, RS; Hantao, LW. (2016). Simple Solid-Phase Extraction Method for High Efficiency and Low Cost Crude Oil emulsification. *Energy Fuels* 30: 4667-4675. <http://dx.doi.org/10.1021/acs.energyfuels.6b00553>.
- Hildenbrand, ZL; Carlton, DD; Fontenot, BE; Meik, JM; Walton, JL; Thacker, JB; Korlie, S; Shelor, CP; Kadjo, AF; Clark, A; Usenko, S; Hamilton, JS; Mach, PM; Verbeck, GF; Hudak, P; Schug, KA. (2016). Temporal variation in groundwater quality in the Permian Basin of Texas, a region of increasing unconventional oil and gas development. *Sci Total Environ* 562: 906-913. <http://dx.doi.org/10.1016/j.scitotenv.2016.04.144>.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu* 29: 653-659.

## Fate Literature Search Results

### Off Topic

- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng* 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hindsgaul, C; Schramm, J; Gratz, L; Henriksen, U; Bentzen, JD. (2000). Physical and chemical characterization of particles in producer gas from wood chips. *Bioresour Technol* 73: 147-155.
- Hines, RN. (2007). Ontogeny of human hepatic cytochromes P450 [Review]. *J Biochem Mol Toxicol* 21: 169-175. <http://dx.doi.org/10.1002/jbt.20179>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng* 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hirade, T; Okui, Y; Han, M. (2013). A design strategy for stable light-sensitive palladium complexes. 1: 2672-2679. <http://dx.doi.org/10.1039/c3tc00779k>.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans* 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirano, H; Kadota, J; Agari, Y; Harada, T; Tanaka, M; Hasegawa, K. (2007). Linear polymers with sulfur in the main chain. IV. Synthesis of thermotropic liquid-crystalline polythioesters based on 4,4'-biphenyldithiol with excellent adhesive properties. *Polymer Engineering and Science* 47: 262-269. <http://dx.doi.org/10.1002/pen.20702>.
- Hirota, M; Shimpo, H; Ohkubo, C; Umegaki, T; Toyama, T; Hayakawa, T. (2015). Bone Adaptation of Fibronectin-Immobilized Titanium Implants Using a Tresyl Chloride-Activated Method. 24: 341-345.
- Hirsjärvi, S; Peltonen, L; Hirvonen, J. (2006). Layer-by-layer polyelectrolyte coating of low molecular weight poly(lactic acid) nanoparticles. *Colloids Surf B Biointerfaces* 49: 93-99. <http://dx.doi.org/10.1016/j.colsurfb.2006.03.009>.
- Hisaeda, Y; Masuko, T; Hanashima, E; Hayashi, T. (2006). Organic/inorganic hybrid nanomaterials with vitamin B-12 functions. *Science and Technology of Advanced Materials* 7: 655-661. <http://dx.doi.org/10.1016/j.stam.2006.08.003>.
- Hiserodt, RD; Franzblau, SG; Rosen, RT. (1998). Isolation of 6-, 8-, and 10-gingerol from ginger rhizome by HPLC and preliminary evaluation of inhibition of *Mycobacterium avium* and *Mycobacterium tuberculosis*. *J Agric Food Chem* 46: 2504-2508.
- Ho, WP; Barat, RB; Bozzelli, JW. (1992). THERMAL-REACTIONS OF CH<sub>2</sub>CL<sub>2</sub> IN H-2/O-2 MIXTURES - IMPLICATIONS FOR CHLORINE INHIBITION OF CO CONVERSION TO CO-2. *Combust Flame* 88: 265-295.
- Hoang, L, am; Joo, G, ilJae; Kim, W, onC; Yang, E, unJu; Kim, SI, n; Lee, SM, an; Shin, J, aeHo; Rhee, I, nKoo; Song, KS, ik. (2009). Growth Inhibitors of Lettuce Seedlings from *Curvibacter* sp GA75-1. *Kor J of Hort Sci Tech* 27: 319-324.
- Hodson, PV; Maj, MK; Efler, S; Burnison, BK; Vanheiningen, ARP; Girard, R; Carey, JH. (1997). MFO induction in fish by spent cooking liquors from kraft pulp mills. *Environ Toxicol Chem* 16: 908-916.
- Hofman, J; Rhodes, A; Semple, KT. (2008). Fate and behaviour of phenanthrene in the natural and artificial soils. *Environ Pollut* 152: 468-475. <http://dx.doi.org/10.1016/j.envpol.2007.05.034>.
- Hofmann, T; Schieberle, P; Grosch, W. (1996). Model studies on the oxidative stability of odor-active thiols occurring in food flavors. *J Agric Food Chem* 44: 251-255.
- Holbrook, MT. (2003). Methylene chloride. In RE Kirk; DF Othmer (Eds.), (4th, online ed., pp. 371-380). New York, NY: Wiley. <http://dx.doi.org/10.1002/0471238961.1305200808151202.a02.pub2>.
- Holden, AA; Mayer, KU; Ulrich, AC. (2012). Evaluating methods for quantifying cation exchange in mildly calcareous sediments in Northern Alberta. *Appl Geochem* 27: 2511-2523. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.026>.
- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria* 95: 299-312.
- Hollender, J; Koch, B; Lutermann, C; Dott, W. (2003). Efficiency of different methods and solvents for the extraction of polycyclic aromatic hydrocarbons from soils. *Int J Environ Anal Chem* 83: 21-32. <http://dx.doi.org/10.1080/0306731021000050723>.
- Hollert, H; Durr, M; Erdinger, L; Braunbeck, T. (2000). Cytotoxicity of settling particulate matter and sediments of the Neckar River (Germany) during a winter flood. *Environ Toxicol Chem* 19: 528-534.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere* 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holst, J; Martens, B; Gulyas, H; Greiser, N; Sekoulov, I. (1991). AEROBIC BIOLOGICAL REGENERATION OF DICHLOROMETHANE-LOADED ACTIVATED CARBON. *J Environ Eng* 117: 194-208.
- Holstege, DM; Francis, T; Puschner, B; Booth, MC; Galey, FD. (2000). Multiresidue screen for cardiotoxins by two-dimensional thin-layer chromatography. *J Agric Food Chem* 48: 60-64.
- Holt, MJ; Seville, N. (1992). PRECISION-MEASUREMENTS IN THE DETERMINATION OF CHROME AND SUBSTANCES SOLUBLE IN DICHLOROMETHANE. *Journal of the Society of Leather Technologists and Chemists* 76: 6-10.
- Honeycutt, ME; Mcfarland, VA; Mccant, DD. (1995). COMPARISON OF 3 LIPID EXTRACTION METHODS FOR FISH. *Bull Environ Contam Toxicol* 55: 469-472.
- Hong, G; Ma, CM. (2012). Photocatalytic Degradation of Indoor Air Pollutants by Pt-TiO<sub>2</sub>. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/405361>.

## Fate Literature Search Results

### Off Topic

- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan* 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, H, aiL; Suo, QL; Han, L, iMin; Li, CP. (2009). Study on Precipitation of Astaxanthin in Supercritical Fluid. *Powder Technology* 191: 294-298. <http://dx.doi.org/10.1016/j.powtec.2008.10.022>.
- Hong, H, aiL; Suo, QL; He, W, enZhi; Li, CP. (2007). Formation of carotene/proanthocyanidin composite microparticles via the Solution-Enhanced Dispersion by supercritical Fluids (SEDS) process through prefilming atomization. *Ind Eng Chem Res* 46: 6630-6634. <http://dx.doi.org/10.1021/ie070590a>.
- Hong, MS; He, LY; Dale, BE; Donnelly, KC. (1995). GENOTOXICITY PROFILES AND REACTION CHARACTERISTICS OF POTASSIUM POLYETHYLENE-GLYCOL DEHALOGENATION OF WOOD PRESERVING WASTE. *Environ Sci Technol* 29: 702-708. <http://dx.doi.org/10.1021/es00003a018>.
- Hong, SK; Kim, J, inC. (2014). Ethylcellulose Microparticles Containing Photo Cross-Linked Poly(vinyl alcohol)-Coumarin Conjugate. *Int J Polym Mater* 63: 11-16. <http://dx.doi.org/10.1080/00914037.2013.769242>.
- Hong, YJ, i; Lee, HY; Kim, J, inC. (2009). Preparations and temperature-dependent release properties of Pluronic F127-containing microcapsules prepared by a double emulsion technique. *J Ind Eng Chem* 15: 758-762. <http://dx.doi.org/10.1016/j.jiec.2009.09.059>.
- Hongjun, J; Xiaoheng, L; Xin, W; Xiayi, Y. (2011). Self-assembly and photocatalytic property of amorphous cubic-like TiO<sub>2</sub>-ZnO hybrid film. *Rare Metals* 30: 225-228. <http://dx.doi.org/10.1007/s12598-011-0274-9>.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health* 35: 519-531.
- Hoor, A; Rowe, RK. (2012). Application of tire chips to reduce the temperature of secondary geomembranes in municipal solid waste landfills. *Waste Manag* 32: 901-911. <http://dx.doi.org/10.1016/j.wasman.2011.12.026>.
- Hore, DK; Walker, DS; Mackinnon, L; Richmond, GL. (2007). Molecular structure of the chloroform - Water and dichloromethane - Water interfaces. *J Phys Chem C* 111: 8832-8842. <http://dx.doi.org/10.1021/jp067176t>.
- Horhold, HH; Bleyer, A; Birkner, E; Heinze, S; Leonhardt, F. (1995). A NOVEL-APPROACH TO LIGHT-EMITTING POLYARYLENES - CYCLIZATION OF POLY(ARYLENE VINYLENES). *Synthetic Metals* 69: 525-528.
- Hori, H; Ishidao, T; Ishimatsu, S. (2010). Thermal reconditioning characteristics of a respirator cartridge for organic vapors using humid air as the desorption gas. *J Occup Health* 52: 125-131.
- Hosaini, PN; Khan, M, dF; Mustaffa, N, urliH; Amil, N; Mohamad, N; Jaafar, SA; Nadzir, MSM; Latif, MT. (2017). Concentration and source apportionment of volatile organic compounds (VOCs) in the ambient air of Kuala Lumpur, Malaysia. *Natural Hazards* 85: 437-452. <http://dx.doi.org/10.1007/s11069-016-2575-7>.
- Hoshino, K; Kuchii, R; Ogawa, T. (2008). Dinitrogen photofixation properties of different titanium oxides in conducting polymer/titanium oxide hybrid systems. *Appl Catal B-Environ* 79: 81-88. <http://dx.doi.org/10.1016/j.apcatb.2007.10.007>.
- Hosny, WM; Mohamed, GG. (2001). Thermodynamic and multinuclear magnetic resonance study of dimethyltin (IV) complexes with some imidazoles in aqueous solutions. *Ann Chim* 91: 81-92.
- Hossain, MA; Kabir, MJ; Salehuddin, SM. (2010). Determination of Toxic Toluene, Xylene and Cumene in Different Lake Waters. *International Journal of Environmental Research* 4: 341-346.
- Hou, C; Wang, Y; Zhu, H, ao; Wei, H, ua. (2016). Preparation of mesoporous Fe<sub>3</sub>O<sub>4</sub> nanoparticle with template reagent: Tannic acid and the catalytic performance. *Taiwan Institute of Chemical Engineers Journal* 60: 438-444. <http://dx.doi.org/10.1016/j.jtice.2015.11.005>.
- Hou, G; Yin, Q; Yang, Y, u; Hu, Y; Zhang, M; Wang, J. (2008). Solubilities of adefovir dipivoxil in different binary solvents at 298.15 K. *Journal of Chemical and Engineering Data* 53: 1021-1023. <http://dx.doi.org/10.1021/je700664g>.
- Hou, KY; Rehman, A; Zeng, X. (2011). Study of ionic liquid immobilization on polyvinyl ferrocene substrates for gas sensor arrays. *Langmuir* 27: 5136-5146. <http://dx.doi.org/10.1021/la104191n>.
- Hou, SJ; Man, KYK; Chan, WK. (2003). Nanosized micelles formed by the self-assembly of amphiphilic block copolymers with luminescent rhenium complexes. *Langmuir* 19: 2485-2490. <http://dx.doi.org/10.1021/la020773w>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houk, VS; Early, G; Claxton, LD. (1991). Use of the spiral Salmonella assay to detect the mutagenicity of complex environmental mixtures. *Environ Mol Mutagen* 17: 112-121.
- Hourieh, MA; Alaya, MN; Youssef, AM. (1997). Carbon dioxide adsorption and decolourizing power of activated carbons prepared from Pistacia shells. *AST* 15: 419-427.
- Houtman, CJ; Leonards, PE; Kapiteijn, W; Bakker, JF; Brouwer, A; Lamoree, MH; Legler, J; Klamer, HJ. (2007). Sample preparation method for the ER-CALUX bioassay screening of (xeno-)estrogenic activity in sediment extracts. *Sci Total Environ* 386: 134-144. <http://dx.doi.org/10.1016/j.scitotenv.2007.06.002>.
- Hribsek, MF; Ristic, SS; Radojkovic, BM; Filipovic, ZL, j; Ristic, OR. (2013). Modelling of chemical surface acoustic wave sensors and comparative analysis of new sensing materials. *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields* 26: 263-274. <http://dx.doi.org/10.1002/jnm.1870>.
- Hrubec, J; Denengelsman, G; Degroot, AC; Denhartog, RS. (1995). BEHAVIOR OF ORGANIC MICROPOLLUTANTS DURING GROUNDWATER RECHARGE. *Int J Environ Anal Chem* 58: 185-198.
- HSDB (Hazardous Substances Data Bank). (2003). Dichloromethane [Database]. Bethesda, MD: National Library of Medicine.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH<sub>2</sub>CL<sub>2</sub>), CHLOROFORM (CHCL<sub>3</sub>), AND CARBON-TETRACHLORIDE (CCL<sub>4</sub>) WITH ILLUMINATED TIO<sub>2</sub> PHOTOCATALYST. *J Catal* 82: 418-423.

## Fate Literature Search Results

### Off Topic

- Hsiao, DH; Phan, V, uTA. (2014). Effects of silt contents on the static and dynamic properties of sand-silt mixtures. *Geomechanics and Engineering* 7: 297-316.
- Hsu, B, aoC; Chen, SS; Su, C; Liu, Y, uT. (2007). Preparation and characterization of nitrogen-doped titanium dioxide. *J Nanosci Nanotechnol* 7: 3104-3110. <http://dx.doi.org/10.1166/jnn.2007.663>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hu, G; Li, J; Hou, H. (2015). A combination of solvent extraction and freeze thaw for oil recovery from petroleum refinery wastewater treatment pond sludge. *J Hazard Mater* 283: 832-840. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.028>.
- Hu, J, un; Zhang, L; Chen, J; Luo, Y; Sun, B; Chu, G. (2016). Performance and microbial analysis of a biotrickling filter inoculated by a specific bacteria consortium for removal of a simulated mixture of pharmaceutical volatile organic compounds. *Chem Eng J* 304: 757-765. <http://dx.doi.org/10.1016/j.cej.2016.06.078>.
- Hu, JW, ei; Wu, YH; Tsai, HY; Chen, K, ewYu. (2016). Synthesis, X-ray Structure, Optical, and Electrochemical Properties of a White-Light-Emitting Molecule. *Materials* 9. <http://dx.doi.org/10.3390/ma9010048>.
- Hu, K, un; Xu, Y; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and characterisation of benzoxazole-based liquid crystals possessing 3,5-difluorophenyl unit. *Liquid Crystals* 41: 1455-1464. <http://dx.doi.org/10.1080/02678292.2014.925592>.
- Hu, M, in; Kang, W; Li, Z; Jie, S, hi; Zhao, Y; Li, L, ei; Cheng, B. (2016). Zinc(II)porphyrin-poly(lactic acid) nanoporous fiber membrane for ammonia gas detection. *Journal of Porous Materials* 23: 911-917. <http://dx.doi.org/10.1007/s10934-016-0148-5>.
- Hu, QH; Qiao, SZ; Haghseresht, F; Wilson, MA; Lu, GQ. (2006). Adsorption study for removal of basic red dye using bentonite. *Ind Eng Chem Res* 45: 733-738. <http://dx.doi.org/10.1021/ie050889y>.
- Hu, TQ; Leary, G; Wong, D. (1999). A new approach towards the yellowing inhibition of mechanical pulps. Part I: Selective removal of alpha-hydroxyl and alpha-carbonyl groups in lignin model compounds. *Holzforschung* 53: 43-48.
- Hu, Y; Cai, J; Zhu, X; Gao, Y, un; Su, Q. (2006). Two-step simultaneous distillation and solvent extraction for isolation both free and bound aroma in tobacco. *Ann Chim* 96: 309-316.
- Hu, Y; Gao, H; Du, Z; Liu, Y; Yang, Y, u; Wang, C. (2015). Pickering high internal phase emulsion-based hydroxyapatite-poly(epsilon-caprolactone) nanocomposite scaffolds. 3: 3848-3857. <http://dx.doi.org/10.1039/c5tb00093a>.
- Hu, Y; Gu, X; Chen, W; Zou, S; Wang, C. (2014). Macroporous Nanocomposite Materials Prepared by Solvent Evaporation from Pickering Emulsion Templates. *Macromolecular Materials & Engineering* 299: 1070-1080. <http://dx.doi.org/10.1002/mame.201300449>.
- Hu, Y; Liu, HL; Prausnitz, JM. (1994). A MODEL-FREE METHOD FOR CALCULATING VAPOR-LIQUID-EQUILIBRIA FOR MULTICOMPONENT SYSTEMS FROM TOTAL-PRESSURE OR BOILING-POINT DATA. *Fluid Phase Equilibria* 95: 73-92.
- Hu, Z; Song, C; Shao, Q; Li, J, un; Huang, Y. (2016). One-step functionalization of graphene by cycloaddition of diarylcarbene and its application as reinforcement in epoxy composites. *Compos Sci Tech* 135: 21-27. <http://dx.doi.org/10.1016/j.compscitech.2016.09.008>.
- Hu, Z; Wang, Y; Shi, D; Tan, H, ua; Li, X; Wang, L, ei; Zhu, W; Cao, Y. (2010). Highly-efficiency red-emitting platinum (II) complexes containing 4'-diarylamino-1-phenylisoquinoline ligands in polymer light-emitting diodes: Synthesis, structure, photoelectron and electroluminescence. *Dyes and Pigments* 86: 166-173. <http://dx.doi.org/10.1016/j.dyepig.2009.12.014>.
- Hu, ZH; Srinivasan, MP. (2001). Mesoporous high-surface-area activated carbon. *Microporous and Mesoporous Materials* 43: 267-275.
- Hua, KF; Hsu, HY; Su, YC; Lin, IF; Yang, SS; Chen, YM; Chao, LK. (2006). Study on the antiinflammatory activity of methanol extract from seagrass *Zostera japonica*. *J Agric Food Chem* 54: 306-311. <http://dx.doi.org/10.1021/jf0509658>.
- Huang, CC; Horng, JC; Charng, JJ. (2008). Seismic stability of reinforced slopes: failure mechanisms and displacements. *Geosynthetics International* 15: 333-349. <http://dx.doi.org/10.1680/gein.2008.15.5.333>.
- Huang, CC; Lin, YC; Lu, FC. (1999). Dynamic adsorption of organic solvent vapors onto a packed bed of activated carbon cloth. *Separation Science and Technology* 34: 555-570.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J* 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J* 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J* 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CY; Song, M; Gu, ZY; Wang, HF; Yan, XP. (2011). Probing the adsorption characteristic of metal-organic framework MIL-101 for volatile organic compounds by quartz crystal microbalance. *Environ Sci Technol* 45: 4490-4496. <http://dx.doi.org/10.1021/es200256q>.
- Huang, F, uC; Lee, CK; Han, Y, inL; Chao, W, enC; Chao, HP. (2014). Preparation of activated carbon using micro-nano carbon spheres through chemical activation. *Taiwan Institute of Chemical Engineers Journal* 45: 2805-2812. <http://dx.doi.org/10.1016/j.jtice.2014.08.004>.
- Huang, J; Liu, Y; Jin, Q; Wang, X; Yang, J. (2007). Adsorption studies of a water soluble dye, Reactive Red MF-3B, using sonication-surfactant-modified attapulgite clay. *J Hazard Mater* 143: 541-548. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.088>.
- Huang, J, inHui; Xiong, Y, aLan; Zeng, GM; Guo, SH, ui; Xie, GX, in; Zhang, DM, ei; Tang, XJ; Liu, Z, hiF. (2012). Separation of phenol from various micellar solutions using MEUF. *Separation and Purification Technology* 98: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.06.037>.
- Huang, J, inHui; Zhou, SF, ei; Zeng, GM; Li, X, ue; Niu, J; Huang, H, uaJun; Shi, LJ; He, SB, ao. (2010). Micellar-enhanced ultrafiltration of methylene blue from dye wastewater via a polysulfone hollow fiber membrane. *J Memb Sci* 365: 138-144. <http://dx.doi.org/10.1016/j.memsci.2010.08.052>.
- Huang, JH; Zhao, Y; Zeng, GM; Peng, L; Li, X; Liu, LX; Li, F; Shi, LX; Yuan, F. (2015). Micellar-enhanced ultrafiltration for the solubilization of various phenolic compounds with different surfactants. *Water Sci Technol* 72: 623-631. <http://dx.doi.org/10.2166/wst.2015.257>.

## Fate Literature Search Results

### Off Topic

- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)(2) absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, L; Nakajo, K; Ozawa, S; Matsuda, H. (2001). Decomposition of dichloromethane in a wire-in-tube pulsed corona reactor. *Environ Sci Technol* 35: 1276-1281. <http://dx.doi.org/10.1021/es0011414>.
- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry* 30: 777-785.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr2O3-CeO2 and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Mcphedran, KN; Gamal El-Din, M. (2015). Ultra Performance Liquid Chromatography Ion Mobility Time-of-Flight Mass Spectrometry Characterization of Naphthenic Acids Species from Oil Sands Process-Affected Water. *Environ Sci Technol* 49: 11737-11745. <http://dx.doi.org/10.1021/acs.est.5b03178>.
- Huang, R; Mcphedran, KN; Sun, N; Chelme-Ayala, P; Gamal El-Din, M. (2016). Investigation of the impact of organic solvent type and solution pH on the extraction efficiency of naphthenic acids from oil sands process-affected water. *Chemosphere* 146: 472-477. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.054>.
- Huang, X; Kim, S; Heo, MS; Kim, JE; Suh, H; Kim, I. (2013). Easy synthesis of hierarchical carbon spheres with superior capacitive performance in supercapacitors. *Langmuir* 29: 12266-12274. <http://dx.doi.org/10.1021/la4026969>.
- Huang, X; Peng, K; Feng, Y; Liu, J; Lu, L. (2013). Separation and characterization of effective demulsifying substances from surface of *Alcaligenes* sp. S-XJ-1 and its application in water-in-kerosene emulsion. *Bioresour Technol* 139: 257-264. <http://dx.doi.org/10.1016/j.biortech.2013.04.043>.
- Huang, X; Shi, B; Li, B, in; Li, L; Zhang, X; Zhao, S, hu. (2006). Surface characterization of nylon 66 by inverse gas chromatography and contact angle. *Polym Test* 25: 970-974. <http://dx.doi.org/10.1016/j.polymertesting.2006.06.004>.
- Huang, Y; Ge, Z; Zhao, C; Dong, J; Shitian, M; Ma, W; Wang, G; Qian, X. (2015). Solvothermal recovery of carbon fibers from thermoset polymer-based carbon fiber reinforced polymers. *Journal of Reinforced Plastics and Composites* 34: 1673-1683. <http://dx.doi.org/10.1177/0731684415595720>.
- Huang, Y; Qiu, S, hi; Oduro, IN; Guo, X; Fang, Y. (2016). Production of High-Yield Bio-oil with a High Effective Hydrogen/Carbon Molar Ratio through Acidolysis and In Situ Hydrogenation. *Energy Fuels* 30: 9524-9531. <http://dx.doi.org/10.1021/acs.energyfuels.6b02250>.
- Huang, YY; Chung, TW. (2001). Microencapsulation of gentamicin in biodegradable PLA and/or PLA/PEG copolymer. *J Microencapsul* 18: 457-465.
- Huang, Z; Zheng, B; Zhu, S; Yao, Y; Ye, Y; Lu, W; Chen, W. (2014). Photocatalytic activity of phthalocyanine-sensitized TiO2-SiO2 microparticles irradiated by visible light. *Materials Science in Semiconductor Processing* 25: 148-152. <http://dx.doi.org/10.1016/j.mssp.2013.10.014>.
- Huemer, H; Wortl, K; Moser, F. (1983). A NEW APPARATUS FOR MEASUREMENT OF LIQUID LIQUID EQUILIBRIUM DATA, AND RESULTS FOR THE WATER-METHANOL-DICHLOROMETHANE SYSTEM AT 20-DEGREES-C AND 60-DEGREES-C. *Fluid Phase Equilibria* 11: 311-323.
- Huezo, L; Crumer, C; Soto, C; Tysoe, WT. (1994). GROWTH-KINETICS AND STRUCTURE OF FILMS FORMED BY THE THERMAL-DECOMPOSITION OF METHYLENE-CHLORIDE ON IRON. *Langmuir* 10: 3571-3576.
- Huezo, LA; Kotvis, PV; Crumer, C; Soto, C; Tysoe, WT. (1994). SURFACE-CHEMISTRY AND EXTREME-PRESSURE LUBRICANT ADDITIVE PROPERTIES OF CHLOROFORM ON IRON. *Appl Surf Sci* 78: 113-122.
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci* 982: 208-230.
- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health* 8: 249-270.
- Hughes, DL; Ritter, DJ; Wilson, RD. (2001). Determination of 2,4-dichlorophenoxyacetic acid (2,4-D) in human urine with mass selective detection. *J Environ Sci Health B* 36: 755-764.
- Hughes, JB; Parkin, GF. (1992). THE EFFECT OF MIXTURES OF XENOBIOTICS AND PRIMARY ELECTRON-DONOR ON THE ANAEROBIC BIOTRANSFORMATION OF HIGH-CONCENTRATIONS OF CHLORINATED ALIPHATICS. *Water Sci Technol* 26: 117-126.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng* 122: 99-106.
- Hughes, TJ; Claxton, LD; Brooks, L; Warren, S; Brenner, R; Kremer, F. (1998). Genotoxicity of bioremediated soils from the Reilly Tar site, St. Louis Park, Minnesota. *Environ Health Perspect* 106: 1427-1433.
- Hugi-Clearly, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon* 38: 1309-1313.
- Hulston, CKJ; Redlich, PJ; Jackson, WR; Larkins, FP; Marshall, M. (1996). Nickel molybdate-catalysed hydrogenation of brown coal without solvent or added sulfur. *Fuel* 75: 1387-1392.
- Hulubei, C. (2008). Maleimide-containing Polyamides. *Materiale Plastice* 45: 228-231.
- Hung, SL; Pfefferle, LD. (1989). Methyl Chloride and Methylene Chloride Incineration in a Catalytically Stabilized Thermal Combustor. *Environ Sci Technol* 23: 1085.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO2 prepared by the sol-gel method. *Chemosphere* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.

## Fate Literature Search Results

### Off Topic

- Husein, MM; Alkhalidi, SJ. (2014). In Situ Preparation of Alumina Nanoparticles in Heavy Oil and Their Thermal Cracking Performance. *Energy Fuels* 28: 6563-6569. <http://dx.doi.org/10.1021/ef5012963>.
- Hussain, A, li; Rahman, JU, r; Maqbool, A; Kim, M, inSu; Song, T, aeK; Kim, W, onJ; Kim, MH, o. (2014). Structural and electromechanical properties of lead-free Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-BaZrO<sub>3</sub> ceramics. *Physica Status Solidi A: Applications and Materials Science (Print)* 211: 1704-1708. <http://dx.doi.org/10.1002/pssa.201330472>.
- Hussain, J; Ruan, Z; Nascimento, IA; Liu, Y; Liao, W. (2014). Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods. *Bioresour Technol* 169: 768-772. <http://dx.doi.org/10.1016/j.biortech.2014.06.074>.
- Huynh, L; Wang, ZU; Yang, J; Stoeva, V; Lough, A; Manners, I; Winnik, MA. (2005). Evaluation of phosphorescent rhenium and iridium complexes in polythionylphosphazene films for oxygen sensor applications. *Chem Mater* 17: 4765-4773. <http://dx.doi.org/10.1021/cm047794r>.
- Hwang, GW; Wu, KY; Hua, MY; Lee, HT; Chen, SA. (1998). Structures and properties of the soluble polyanilines, N-alkylated emeraldine bases. *Synthetic Metals* 92: 39-46.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere* 48: 1019-1027.
- Hwang, J; Son, JI, k; Shim, YB, o. (2010). Electrochromic and electrochemical properties of 3-pyridinyl and 1,10-phenanthroline bearing poly(2,5-di(2-thienyl)-1H-pyrrole) derivatives. *Solar Energy Materials and Solar Cells* 94: 1286-1292. <http://dx.doi.org/10.1016/j.solmat.2010.03.027>.
- Hwang, JS; Al-Turabi, MOH; El-Sayed, L; Al-Gwidi, HAM. (2000). EPR and spectroscopic studies of S-methyl-N-salicylidenehydrazinecarbothioatophenanthroline-oxovanadium (IV) as model compound for vanadium bound to nitrogen and sulfur heteroatoms. *Energy Fuels* 14: 179-183.
- Hwang, KS; Choi, DK; Gong, SY; Cho, SY. (1997). Adsorption and thermal regeneration of methylene chloride vapor on an activated carbon bed. *Chem Eng Sci* 52: 1111-1123.
- Hwang, KW; Bang, WS; Jo, HW; Moon, JK. (2015). Dissipation and Removal of the Etofenprox Residue during Processing in Spring Onion. *J Agric Food Chem* 63: 6675-6680. <http://dx.doi.org/10.1021/acs.jafc.5b02345>.
- Hyder, M; Genberg, J; Sandahl, M; Swietlicki, E; Jonsson, J. (2012). Yearly trend of dicarboxylic acids in organic aerosols from south of Sweden and source attribution. *Atmos Environ* 57 (Sep 2012): 197-204. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.027>.
- Iafisco, M; Palazzo, B; Ito, T; Otsuka, M; Senna, M; Delgado-Lopez, JM; Gomez-Morales, J; Tampieri, A; Prat, M; Rimondini, L. (2012). Preparation of core-shell poly(L-lactic) acid-nanocrystalline apatite hollow microspheres for bone repairing applications. *J Mater Sci Mater Med* 23: 2659-2669. <http://dx.doi.org/10.1007/s10856-012-4732-1>.
- Iavicoli, I; Carelli, G; Bergamaschi, A. (2006). Exposure evaluation to airborne polycyclic aromatic hydrocarbons in an Italian airport. *J Occup Environ Med* 48: 815-822. <http://dx.doi.org/10.1097/01.jom.0000218692.37154.0b>.
- Ibanez, E; Bernhard, RA. (1996). Solid-phase microextraction (SPME) of pyrazines in model reaction systems. *J Sci Food Agric* 72: 91-96.
- Ibarra, A; Veloso, A; Bilbao, J; Arandes, JM, a; Castano, P. (2016). Dual coke deactivation pathways during the catalytic cracking of raw bio-oil and vacuum gasoil in FCC conditions. *Appl Catal B-Environ* 182: 336-346. <http://dx.doi.org/10.1016/j.apcatb.2015.09.044>.
- Ibarra Estrada, E; Pacheco Sanchez, M; Garcia Mateos, R; San Miguel Chavez, R; Ramirez Valverde, G; Soto Hernandez, RM. (2011). ANTIOXIDANT ACTIVITY OF *Erythrina americana* Miller ALKALOIDS. *Revista Fitotecnia Mexicana* 34: 241-246.
- Ibrahim, W, anAWan; Keyon, ASA; Prastomo, N; Matsuda, A. (2011). Synthesis and characterization of polydimethylsiloxane-cyanopropyltriethoxysilane-derived hybrid coating for stir bar sorptive extraction. *Journal of Sol-Gel Science and Technology* 59: 128-134. <http://dx.doi.org/10.1007/s10971-011-2470-3>.
- Ichikawa, T; Wako, T; Nemoto, N. (2016). Synthesis of polysiloxane-based quaternized imidazolium salts with a hydroxy group at the end of alkyl groups. *React Funct Polym* 99: 1-8. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.11.009>.
- Icli, M; Pamuk, M; Algi, F; Onal, AM; Cihaner, A. (2010). A new soluble neutral state black electrochromic copolymer via a donor-acceptor approach. *Organic Electronics* 11: 1255-1260. <http://dx.doi.org/10.1016/j.orgel.2010.05.001>.
- Iero, A; Manente, S; Perin, G; Bragadin, M. (2003). Frozen mitochondria as rapid water quality bioassay. *Chemosphere* 52: 1115-1123. [http://dx.doi.org/10.1016/S0045-6535\(02\)00843-3](http://dx.doi.org/10.1016/S0045-6535(02)00843-3).
- Iglesiasilva, GA; Miller, RC; Ceballos, AD; Hall, KR; Holste, JC. (1995). ACCURATE VAPOR-PRESSURE EQUATION FOR REFRIGERANTS. *Fluid Phase Equilibria* 111: 203-212.
- Iguchi, S; Hasegawa, Y; Teramura, K; Hosokawa, S; Tanaka, T. (2016). Preparation of transition metal-containing layered double hydroxides and application to the photocatalytic conversion of CO<sub>2</sub> in water. *15: 6-14*. <http://dx.doi.org/10.1016/j.jcou.2016.04.001>.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management* 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Ikarashi, Y; Kaniwa, M; Tsuchiya, T. (2005). Monitoring of polycyclic aromatic hydrocarbons and water-extractable phenols in creosotes and creosote-treated woods made and procurable in Japan. *Chemosphere* 60: 1279-1287. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.054>.
- Ikeya, K; Ishida, Y; Ohtani, H; Yamamoto, S; Watanabe, A. (2007). Analysis of polynuclear aromatic and aliphatic components in soil humic acids using ruthenium tetroxide oxidation. *Eur J Soil Sci* 58: 1050-1061. <http://dx.doi.org/10.1111/j.1365-2389.2006.00884.x>.
- Ilharco, LM; Garcia, AR; Dasilva, JL; Lemos, MJ; Ferreira, LFV. (1997). Ultraviolet-visible and Fourier transform infrared diffuse reflectance studies of benzophenone and fluorenone adsorbed onto microcrystalline cellulose. *Langmuir* 13: 3787-3793.

## Fate Literature Search Results

### Off Topic

- Im, T; Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(L-lactic acid), Trichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2172-2177. <http://dx.doi.org/10.1021/acs.jced.5b00319>.
- Imae, I; Moriwaki, K; Nawa, K; Noma, N; Shiota, Y. (1995). SYNTHESIS AND ELECTRICAL-PROPERTIES OF NOVEL ELECTROCHEMICALLY-DOPED VINYL-POLYMERS CONTAINING END-CAPPED QUATERTHIOPHENE AND QUINQUETHIOPHENE AS PENDANT GROUPS. *Synthetic Metals* 69: 285-286.
- Imbriani, M; Ghittori, S. (2005). Gases and organic solvents in urine as biomarkers of occupational exposure: a review [Review]. *Int Arch Occup Environ Health* 78: 1-19. <http://dx.doi.org/10.1007/s00420-004-0544-z>.
- Imfeld, G; Kopinke, FD; Fischer, A; Richnow, HH. (2014). Carbon and hydrogen isotope fractionation of benzene and toluene during hydrophobic sorption in multistep batch experiments. *Chemosphere* 107: 454-461. <http://dx.doi.org/10.1016/j.chemosphere.2014.01.063>.
- Inaba, M; Ogumi, Z; Takehara, ZI. (1994). APPLICATION OF THE SOLID POLYMER ELECTROLYTE METHOD TO ORGANIC ELECTROCHEMISTRY .17. INDIRECT ELECTROCHEMICAL DEBROMINATION USING VIOLOGENS AS MICROSCOPIC PHASE-TRANSFER MEDIATORS. *J Electrochem Soc* 141: 2579-2586.
- Inacio, M, deF; de Carvalho, MG. (2012). INSECTICIDAL ACTIVITY OF DICHLOROMETHANE AND METHANOLIC EXTRACTS OF *Azadirachta indica* (A. JUSS), *Melia azedarach* (L.) AND *Carapa guianenses* (AUBL.) (Meliaceae) ON THE SUBTERRANEAN TERMITES *Coptotermes gestroi* (WASMANN) (Isoptera, Rhinotermitidae). 28: 676-U371.
- Inam, E, dul; Etim, UJ; Akpabio, EG; Umoren, SA. (2016). Simultaneous adsorption of lead (II) and 3,7-Bis(dimethylamino)-phenothiazin-5-ium chloride from aqueous solution by activated carbon prepared from plantain peels. *Desalination and Water Treatment* 57: 6540-6553. <http://dx.doi.org/10.1080/19443994.2015.1010236>.
- Inaoka, S; Collard, DM. (1999). Synthesis, polymerization and characterization of substituted dithieno[3,4-b : 3',4'-d]thiophenes. *J Mater Chem* 9: 1719-1725.
- Incarnato, L; Scarfato, P; Gorrasi, G; Vittoria, V; Acierno, D. (1999). Structural modifications induced by recycling of polypropylene. *Polymer Engineering and Science* 39: 1661-1666.
- Ingelman-Sundberg, M. (2004). Human drug metabolising cytochrome P450 enzymes: Properties and polymorphisms [Review]. *Naunyn Schmiedebergs Arch Pharmacol* 369: 89-104. <http://dx.doi.org/10.1007/s00210-003-0819-z>.
- Inoue, S; Nakanishi, H; Takimiya, K; Aso, Y; Otsubo, T. (1997). Electrochemical and spectroscopic properties of oligoselenophenes. *Synthetic Metals* 84: 341-342.
- Intriago, L; Diaz, E; Ordonez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials* 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.
- Iooss, P; Le Ray, AM; Grimandi, G; Daculsi, G; Merle, C. (2001). A new injectable bone substitute combining poly(epsilon-caprolactone) microparticles with biphasic calcium phosphate granules. *Biomaterials* 22: 2785-2794.
- Iqbal, M; Man, Z; Mukhtar, H; Dutta, BK. (2008). Solvent effect on morphology and CO<sub>2</sub>/CH<sub>4</sub> separation performance of asymmetric polycarbonate membranes. *J Memb Sci* 318: 167-175. <http://dx.doi.org/10.1016/j.memsci.2008.02.040>.
- Iqbal, T; Hussain, AI; Chatha, SA; Naqvi, SA; Bokhari, TH. (2013). Antioxidant Activity and Volatile and Phenolic Profiles of Essential Oil and Different Extracts of Wild Mint (*Mentha longifolia*) from the Pakistani Flora. 2013: 536490. <http://dx.doi.org/10.1155/2013/536490>.
- Iseida, K; Ohta, M; Ono, T; Sada, K. (2011). High swelling ability of polystyrene-based polyelectrolyte gels at low temperature. *Soft Matter* 7: 5938-5940. <http://dx.doi.org/10.1039/c1sm05542a>.
- Ishchenko, AA; Kramarenko, FG; Maydannic, AG; Sereda, SV; Vasilenko, NP. (1991). STRUCTURE AND ASSOCIATION OF CARBOCYANINES OF THE BENZ(C,D)INDOLE SERIES IN BINARY-MIXTURES OF SOLVENTS. 19: 207-219.
- Ishida, T; Mizutani, W; Azebara, H; Sato, F; Choi, N; Akiba, U; Fujihira, M; Tokumoto, H. (2001). Adsorption processes of self-assembled monolayers made from terphenyl thiols. *Langmuir* 17: 7459-7463.
- Ishihara, A; Rahman, FB; Leelawatwattana, L; Prapunpoj, P; Yamauchi, K. (2009). In vitro thyroid hormone-disrupting activity in effluents and surface waters in Thailand. *Environ Toxicol Chem* 28: 586-594. <http://dx.doi.org/10.1897/08-120.1>.
- Islam, Z; Shinozuka, J; Harkema, JR; Pestka, JJ. (2009). Purification and comparative neurotoxicity of the trichothecenes satratoxin G and roridin L2 from *Stachybotrys chartarum*. *J Toxicol Environ Health A* 72: 1242-1251. <http://dx.doi.org/10.1080/15287390903129234>.
- Islas-Flores, CA; Buenrostro-Gonzalez, E; Lira-Galeana, C. (2005). Comparisons between open column chromatography and HPLC SARA fractionations in petroleum. *Energy Fuels* 19: 2080-2088. <http://dx.doi.org/10.1021/ef050148+>.
- Isogai, H; Tadano, K; Yano, S. (2008). Liquid crystallinity in polythioethers of 1,4-bis(mercaptomethyl)benzene (MB) and 4,4'-bis(mercaptomethyl)biphenyl (MBP) with alpha,omega-dibromo-n-alkanes and polythioesters of MB and MBP with n-alkanedioyl dichlorides. *Liquid Crystals* 35: 689-694. <http://dx.doi.org/10.1080/02678290802080386>.
- Isola, C; Sieverding, HL; Raghunathan, R; Sibi, MP; Webster, DC; Sivaguru, J; Stone, JJ. (2017). Life cycle assessment of photodegradable polymeric material derived from renewable bioresources. *J Clean Prod* 142: 2935-2944. <http://dx.doi.org/10.1016/j.jclepro.2016.10.177>.
- Issam, AM; Shilla, MN; Khalil, HPS, A. (2011). Effect of Methylene Spacers of Unsaturated Polyester Resins on the Properties of Composites Based on Oil Palm Empty Fruit Bunches and Fiberglass. *Advanced Composite Materials* 20: 1-12. <http://dx.doi.org/10.1163/092430410X504170>.
- Ito, F; Honnami, H; Kawakami, H; Kanamura, K; Makino, K. (2008). Preparation and properties of PLGA microspheres containing hydrophilic drugs by the SPG (shirasu porous glass) membrane emulsification technique. *Colloids Surf B Biointerfaces* 67: 20-25. <http://dx.doi.org/10.1016/j.colsurfb.2008.07.008>.

## Fate Literature Search Results

### Off Topic

- Ito, K; Asakawa, M; Beppu, R; Takayama, H; Miyazawa, K. (2004). PSP-toxicification of the carnivorous gastropod *Rapana venosa* inhabiting the estuary of Nikoh River, Hiroshima Bay, Hiroshima Prefecture, Japan. *Mar Pollut Bull* 48: 1116-1121. <http://dx.doi.org/10.1016/j.marpolbul.2003.12.020>.
- Ito, T; Watanabe, J; Takai, M; Konno, T; Iwasaki, Y; Ishihara, K. (2006). Dual mode bioreactions on polymer nanoparticles covered with phosphorylcholine group. *Colloids Surf B Biointerfaces* 50: 55-60. <http://dx.doi.org/10.1016/j.colsurf.2006.04.006>.
- Ito, Y; Nakaya, T; Ioka, A; Nakayama, T; Tsukuma, H; Uehara, S; Kogawa Sato, K; Endo, G; Hayashi, T. (2016). Investigation of Spatial Clustering of Biliary Tract Cancer Incidence in Osaka, Japan: Neighborhood Effect of a Printing Factory. *J Epidemiol* 26: 459-463. <http://dx.doi.org/10.2188/jea.JE20150116>.
- Itoh, T; Ban, S; Watanabe, T; Tsuruta, S; Kawai, T; Nakamura, H. (2004). Preparation of a composite membrane containing biologically active materials. *Key Eng Mater* 254-2: 1115-1118.
- Iturriaga, H; Maspoch, S; Canals, T; Rey, D. (2007). Analytical control of leather fat by near infrared reflectance spectroscopy. *Journal of the Society of Leather Technologists and Chemists* 91: 47-51.
- Iwamoto, M; Tanaka, Y; Hirosumi, J; Kita, N; Triwahyono, S. (2001). Enantioselective oxidation of sulfide to sulfoxide on Ti-containing mesoporous silica prepared by a template-ion exchange method. *Microporous and Mesoporous Materials* 48: 271-277.
- Iwaoka, W; Hagi, Y; Umano, K; Shibamoto, T. (1994). VOLATILE CHEMICALS IDENTIFIED IN FRESH AND COOKED BREADFRUIT. *J Agric Food Chem* 42: 975-976.
- Iwegbue, CMA; Obi, G. (2016). Distribution, sources, and health risk assessment of polycyclic aromatic hydrocarbons in dust from urban environment in the Niger Delta, Nigeria. *Hum Ecol Risk Assess* 22: 623-638. <http://dx.doi.org/10.1080/10807039.2015.1100157>.
- Iwegbue, CMA; Onyonyewoma, UA; Basse, FI; Nwajeri, GE; Martincigh, BS. (2015). Concentrations and Health Risk of Polycyclic Aromatic Hydrocarbons in Some Brands of Biscuits in the Nigerian Market. *Hum Ecol Risk Assess* 21: 338-357. <http://dx.doi.org/10.1080/10807039.2014.916542>.
- Iwegbue, CMA; Overah, LC; Tesi, GO; Basse, FI; Martincigh, BS. (2015). Polycyclic Aromatic Hydrocarbon Profiles of Some Brands of Canned Fish in the Nigerian Market. *Hum Ecol Risk Assess* 21: 157-168. <http://dx.doi.org/10.1080/10807039.2014.892364>.
- Iyapparaj, P; Revathi, P; Ramasubburayan, R; Prakash, S; Palavesam, A; Immanuel, G; Anantharaman, P; Sautreau, A; Hellio, C. (2014). Antifouling and toxic properties of the bioactive metabolites from the seagrasses *Syringodium isoetifolium* and *Cymodocea serrulata*. *Ecotoxicol Environ Saf* 103: 54-60. <http://dx.doi.org/10.1016/j.ecoenv.2014.02.009>.
- Jabbari, E. (2001). Morphology and structure of microcapsules prepared by interfacial polycondensation of methylene bis( phenyl isocyanate) with hexamethylene diamine. *J Microencapsul* 18: 801-809.
- Jabli, M; Touati, R; Kacem, Y; Ben Hassine, B. (2012). New chitosan microspheres supported [bis(2-methylallyl)](1,5-cyclooctadiene)ruthenium(III) as efficient catalysts for colour degradation in the presence of hydrogen peroxide. *J Text Inst* 103: 434-450. <http://dx.doi.org/10.1080/00405000.2011.581797>.
- Jablonski, JE; Schlessler, JE; Mariappagoudar, P. (2006). HPLC-UV method for nicotine, strychnine, and aconitine in dairy products. *J Agric Food Chem* 54: 7460-7465. <http://dx.doi.org/10.1021/jf061115a>.
- Jacobs, V; Patanaik, A; Anandjiwala, RD; Maaza, M. (2011). Optimization of Electrospinning Parameters for Chitosan Nanofibres. *Current Nanoscience* 7: 396-401.
- Jacobson, D; Monforte, AR; Silva Ferreira, AC. (2013). Untangling the chemistry of port wine aging with the use of GC-FID, multivariate statistics, and network reconstruction. *J Agric Food Chem* 61: 2513-2521. <http://dx.doi.org/10.1021/jf3046544>.
- Jacques, RA; Santos, JG; Dariva, C; Oliveira, JV; Caramao, EB. (2007). GC/MS characterization of mate tea leaves extracts obtained from high-pressure CO<sub>2</sub> extraction. *Journal of Supercritical Fluids* 40: 354-359. <http://dx.doi.org/10.1016/j.supflu.2006.07.023>.
- Jacobovich, RM; Landau, D; Bar Dayan, Y; Zilberberg, M; Goldstein, L. (2005). Facial nerve palsy after acute exposure to dichloromethane. *Am J Ind Med* 48: 389-392. <http://dx.doi.org/10.1002/ajim.20215>.
- Jad, YE; Acosta, GA; Govender, T; Kruger, HG; El-Faham, A; de La Torre, BG; Albericio, F. (2016). Green Solid-Phase Peptide Synthesis 2.2-Methyltetrahydrofuran and Ethyl Acetate for Solid-Phase Peptide Synthesis under Green Conditions. 4: 6809-6814. <http://dx.doi.org/10.1021/acssuschemeng.6b01765>.
- Jadav, GL; Aswal, VK; Singh, PS. (2013). Preparation of bifunctional poly(dimethylsiloxane) membrane by dual X-linking. 1: 4893-4903. <http://dx.doi.org/10.1039/c3ta10358g>.
- Jadczyk, P; Kolwzan, B. (2013). Genotoxicity of Soil Pollutants Extracted with Different Solvents. *Pol J Environ Stud* 22: 141-147.
- Jafari, S; Yaftian, MR; Parinejad, M. (2009). Facilitated transport of cadmium as anionic iodo-complexes through bulk liquid membrane containing hexadecyltrimethylammonium bromide. *Separation and Purification Technology* 70: 118-122. <http://dx.doi.org/10.1016/j.seppur.2009.09.003>.
- Jagadish, K; Srikantaswamy, S; Byrappa, K; Shruthi, L; Abhilash, MR. (2015). Dispersion of Multiwall Carbon Nanotubes in Organic Solvents through Hydrothermal Supercritical Condition. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/381275>.
- Jahan, MS; Chowdhury, DA; Islam, MK. (2006). Characterization and evaluation of golpata fronds as pulping raw materials. *Bioresour Technol* 97: 401-406. <http://dx.doi.org/10.1016/j.biortech.2005.04.003>.
- Jahanbani, AR; Behzad, T; Borhani, S; Darvanjooghi, MHK. (2016). Electrospinning of Cellulose Nanofibers Mat for Laminated Epoxy Composite Production. *Fibers and Polymers* 17: 1438-1448. <http://dx.doi.org/10.1007/s12221-016-6424-9>.
- Jain, A; Jayaraman, S; Balasubramanian, R; Srinivasan, MP. (2014). Hydrothermal pre-treatment for mesoporous carbon synthesis: enhancement of chemical activation. 2: 520-528. <http://dx.doi.org/10.1039/c3ta12648j>.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF-beta 1 from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525. <http://dx.doi.org/10.1016/j.biomaterials.2007.12.004>.



## Fate Literature Search Results

### Off Topic

- Jaklenc, A; Wan, E; Murray, ME; Mathiowitz, E. (2008). Novel scaffolds fabricated from protein-loaded microspheres for tissue engineering. *Biomaterials* 29: 185-192. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.017>.
- Jalochowski, M; Stozak, M; Zdyb, R. (1997). Gold-induced one-dimensional ordering on vicinal Si(111). *Vacuum* 48: 273-275.
- Jamal, A; Rahman, MM; Khan, SB; Faisal, M; Akhtar, K; Rub, MA; Asiri, AM; Al-Youbi, AO. (2012). Cobalt doped antimony oxide nano-particles based chemical sensor and photo-catalyst for environmental pollutants. *Appl Surf Sci* 261: 52-58. <http://dx.doi.org/10.1016/j.apsusc.2012.07.066>.
- Jameela, SR; Suma, N; Jayakrishnan, A. (1997). Protein release from poly(epsilon-caprolactone) microspheres prepared by melt encapsulation and solvent evaporation techniques: A comparative study. *J Biomater Sci Polym Ed* 8: 457-466.
- James, PJ; Warren, GH. (1979). EFFECT OF METHYLENE DICHLORIDE AND PETROLEUM ETHER AS WAX SOLVENTS ON THE MEASURED VALUE OF WAX AND SUINT CONTENT OF WOOL. 27: 33-34.
- Jamhari, AA; Sahani, M; Latif, MT; Chan, K, okM; Tan, HS; Khan, M, dF; Tahir, NM. (2014). Concentration and source identification of polycyclic aromatic hydrocarbons (PAHs) in PM10 of urban, industrial and semi-urban areas in Malaysia. *Atmos Environ* 86: 16-27. <http://dx.doi.org/10.1016/j.atmosenv.2013.12.019>.
- Jamshidi, M; Ghaedi, M; Dashtian, K; Montazerzohori, M; Hajati, S. (2015). Schiff Base Impregnated Plasticized Polyvinyl Chloride Optical Sensor for Selective and Efficient Detection of Copper (II) Ion: Central Composite Design. *IEEE Sens J* 15: 6604-6610. <http://dx.doi.org/10.1109/JSEN.2015.2463688>.
- Jan, R; Bhat, MA; Islam, N; Khan, B. (2015). Micellar Effect of Ammonium Based Cationic Surfactants on Kinetics of Methylene Blue-Assisted Ru (III) and Cu (II) Catalyzed Cysteine/Cystine Transformation in Acidic Aqueous Media. *Journal of Surfactants and Detergents* 18: 855-862. <http://dx.doi.org/10.1007/s11743-015-1713-7>.
- Janas, J; Janik, R; Machej, T; Serwicka, EM; Bielanska, E; Bastardo-Gonzalez, E; Jones, W. (2000). Cr-doped Zr, Si-mesoporous molecular sieves as catalysts of CH<sub>2</sub>Cl<sub>2</sub> oxidation. *Catalysis Today* 59: 241-248.
- Jancso, G; Marko, L; Rebelo, LPN; Toth, K; Jakli, G. (1990). EFFECT OF DEUTERIUM SUBSTITUTION ON THE VAPOR-PRESSURE OF DICHLOROMETHANE. *Fluid Phase Equilibria* 55: 147-158.
- Jancy, B; Asha, SK. (2008). Hydrogen-bonding-induced conformational change from J to H aggregate in novel highly fluorescent liquid-crystalline perylenebisimides. *Chem Mater* 20: 169-181.
- Jandl, G; Leinweber, P; Schulten, HR. (2007). Origin and fate of soil lipids in a Phaeozem under rye and maize monoculture in Central Germany. *Biol Fertl Soils* 43: 321-332. <http://dx.doi.org/10.1007/s00374-006-0109-2>.
- Jandl, G; Schulten, HR; Leinweber, P. (2002). Quantification of long-chain fatty acids in dissolved organic matter and soils. 165: 133-139.
- Jang, BH; Lee, SS; Yeon, TH; Yie, JE. (1998). Effects of base metal promoters in VOC catalysts for chlorocarbons and n-hexane oxidation. *Korean J Chem Eng* 15: 516-521.
- Jang, EB; Carvalho, LA; Stark, JD. (1997). Attraction of female oriental fruit fly, *Bactrocera dorsalis*, to volatile semiochemicals from leaves and extracts of a nonhost plant, panax (*Polyscias guilfoylei*) in laboratory and olfactometer assays. *J Chem Ecol* 23: 1389-1401.
- Jang, HJ; Seo, SY; Yang, YS. (2006). Buckling behavior of stainless steel square hollow columns under eccentric loadings. *Structural Engineering and Mechanics* 23: 563-577.
- Jang, HW; Moon, JK; Shibamoto, T. (2015). Analysis and Antioxidant Activity of Extracts from Broccoli (*Brassica oleracea* L.) Sprouts. *J Agric Food Chem* 63: 1169-1174. <http://dx.doi.org/10.1021/jf504929m>.
- Jang, J, aeHo; Kim, H, eeUn; Lee, SB, ee; Lee, J; Hwang, D, oH. (2015). Blue-green phosphorescent imidazole-based iridium(III) complex with a broad full width at half maximum for solution-processed organic light-emitting diodes. *Synthetic Metals* 203: 180-186. <http://dx.doi.org/10.1016/j.synthmet.2015.02.029>.
- Jang, J; Nam, S; Im, K; Hur, J; Cha, SN, am; Kim, J; Son, HB, in; Suh, H; Loth, MA; Anthony, JE; Park, JJ, in; Park, CE, on; Kim, JM, in; Kim, K. (2012). Highly Crystalline Soluble Acene Crystal Arrays for Organic Transistors: Mechanism of Crystal Growth During Dip-Coating. *Adv Funct Mater* 22: 1005-1014. <http://dx.doi.org/10.1002/adfm.201102284>.
- Jang, J; Sah, H. (2011). Nonhalogenated solvent-based solvent evaporation process useful in preparation of PLGA microspheres. *J Microencapsul* 28: 490-498. <http://dx.doi.org/10.3109/02652048.2011.586066>.
- Jansen, JC; Friess, K; Drioli, E. (2011). Organic vapour transport in glassy perfluoropolymer membranes: A simple semi-quantitative approach to analyze clustering phenomena by time lag measurements. *J Memb Sci* 367: 141-151. <http://dx.doi.org/10.1016/j.memsci.2010.10.063>.
- Jansen, JC; Macchione, M; Drioli, E. (2005). High flux asymmetric gas separation membranes of modified poly(ether ether ketone) prepared by the dry phase inversion technique. *J Memb Sci* 255: 167-180. <http://dx.doi.org/10.1016/j.memsci.2005.01.032>.
- Janssen, DB; Dekoning, W. (1995). DEVELOPMENT AND APPLICATION OF BACTERIAL CULTURES FOR THE REMOVAL OF CHLORINATED ALIPHATICS. *Water Sci Technol* 31: 237-247.
- Janssen, JM; Senser, DW. (1991). INCIPIENT SOOT FORMATION IN DICHLOROMETHANE-METHANE-AIR PREMIXED FLAMES. *Combust Flame* 84: 265-276.
- Janvier, F; Tuduri, L; Cossement, D; Drolet, D; Lara, J. (2015). Micropore characterization of activated carbons of respirator cartridges with argon, carbon dioxide, and organic vapors of different vapor pressures. *Carbon* 94: 781-791. <http://dx.doi.org/10.1016/j.carbon.2015.07.065>.
- Jarne, C; Cebolla, VL; Membrado, L; Le Mapihan, K; Giusti, P. (2011). High-Performance Thin-Layer Chromatography Using Automated Multiple Development for the Separation of Heavy Petroleum Products According to Their Number of Aromatic Rings. *Energy Fuels* 25: 4586-4594. <http://dx.doi.org/10.1021/ef200940g>.
- Jaschke, SC; Neurath, G; Franke, S; Pfau, W. (2003). Cytotoxicity of isomeric bis(dichloropropyl) ethers. *Fresen Environ Bull* 12: 613-618.
- Jaser, SS; Linsky, R; Grey, M. (2014). Coping and psychological distress in mothers of adolescents with type 1 diabetes. *Matern Child Health J* 18: 101-108. <http://dx.doi.org/10.1007/s10995-013-1239-4>.

## Fate Literature Search Results

### Off Topic

- Jayatilaka, NK; Angela Montesano, M; Whitehead, RD; Schloth, SJ; Needham, LL; Barr, DB. (2011). High-throughput sample preparation for the quantitation of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea, and propylenethiourea in human urine using 96-well-plate automated extraction and high-performance liquid chromatography-tandem mass spectrometry. *Arch Environ Contam Toxicol* 61: 59-67. <http://dx.doi.org/10.1007/s00244-010-9593-3>.
- Jeffreys, MF; Nunez, CV. (2016). Triterpenes of leaves from *Piranhea trifoliata* (Picrodendraceae). *Acta Amazonica* 46: 189-194. <http://dx.doi.org/10.1590/1809-4392201504572>.
- Jella; Rouseff; Goodner; Widmer. (1998). Determination of Key Flavor Components in Methylene Chloride Extracts from Processed Grapefruit Juice. *J Agric Food Chem* 46: 242-247.
- Jendrzejewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem* 16: 1021-1031.
- Jenkins, SWD; Koester, CJ; Taguchi, VY; Wang, DT; Palmentier, JPF, P; Hong, K, imP. (1995). N-Nitrosodimethylamine in Drinking Water Using a Rapid, Solid-Phase Extraction Method. *Environ Sci Pollut Res Int* 2: 207-210.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Methanes. *J Environ Eng* 137: 416-432. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000343](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000343).
- Jensen, PK; Wujcik, CE; Mcguire, MK; Mcguire, MA. (2016). Validation of reliable and selective methods for direct determination of glyphosate and aminomethylphosphonic acid in milk and urine using LC-MS/MS. *J Environ Sci Health B* 51: 254-259. <http://dx.doi.org/10.1080/03601234.2015.1120619>.
- Jeon, HS; Choi, CH; Kang, SM; Kwon, HK; Kim, BI. (2015). Chlorhexidine-releasing orthodontic elastomers. *Dent Mater J* 34: 321-326. <http://dx.doi.org/10.4012/dmj.2014-216>.
- Jeon, JM, in; Choi, H, eeWon; Yoo, GC; Choi, YK; Choi, KY; Park, HY; Park, SH, ee; Kim, Y, unGon; Kim, HJ, oo; Lee, SH; Lee, Y, ooK; Yang, YH, un. (2013). New mixture composition of organic solvents for efficient extraction of lipids from *Chlorella vulgaris*. *Biomass and Bioenergy* 59: 279-284. <http://dx.doi.org/10.1016/j.biombioe.2013.09.009>.
- Jeong, D; Oh, J; Yum, I, na; Lee, Y. (2010). Removal of VOCs from their aqueous solution by pervaporation with PDMS-zeolite composite membrane. *Desalination and Water Treatment* 17: 242-247. <http://dx.doi.org/10.5004/dwt.2010.1724>.
- Jeong, H, yeWon; Choi, SY, o; Hong, SH, ui; Lim, SK; Han, DS, uk; Abdel-Wahab, A; Park, H. (2014). Shape-Dependent Charge Transfers in Crystalline ZnO Photocatalysts: Rods versus Plates. *J Phys Chem C* 118: 21331-21338. <http://dx.doi.org/10.1021/jp506032f>.
- Jeong, H; Roh, HG; Lee, J; Park, J. (2016). Low-temperature Pyrolysis on Jute Fibers as A Thermochemical Modification Method. *Fibers and Polymers* 17: 540-552. <http://dx.doi.org/10.1007/s12221-016-5879-z>.
- Jeong, HH, o; Yoo, K, iP; Lim, JS. (2008). Preparation of Polystyrene submicron particles using ASES process in supercritical carbon dioxide. *J Ind Eng Chem* 14: 77-83. <http://dx.doi.org/10.1016/j.jiec.2007.08.002>.
- Jeong, K, iY; Lee, J, iSun; Paik, DH; Jung, W, onKyo; Choi, SW. (2016). Fabrication of cell-penetrable microfibrillar matrices with a highly porous structure using a simple fluidic device for tissue engineering. *Mater Lett* 168: 116-120. <http://dx.doi.org/10.1016/j.matlet.2016.01.045>.
- Jermakowicz-Bartkowiak, D. (2005). Preparation, characterisation and sorptive properties towards noble metals of the resins from poly(vinylbenzyl chloride) copolymers. *React Funct Polym* 62: 115-128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.10.002>.
- Jeun, JP; Lim, YM; Nho, YC. (2005). Study on morphology of electrospun poly(caprolactone) nanofiber. *J Ind Eng Chem* 11: 573-578.
- Jewett, DK; Bjostad, LB. (1996). Dichloromethane attracts dipterocid larvae in a laboratory behavioral bioassay. *J Chem Ecol* 22: 1331-1344.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 97: 109-125.
- Ji, WC; Sikdar, SK; Hwang, ST. (1994). MODELING OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 93: 1-19.
- Ji, X; Yang, W; Wang, T; Mao, C; Guo, L; Xiao, J; He, N. (2013). Coaxially electrospun core/shell structured poly(L-lactide) acid/chitosan nanofibers for potential drug carrier in tissue engineering. *Journal of Biomedical Nanotechnology* 9: 1672-1678. <http://dx.doi.org/10.1166/jbn.2013.1665>.
- Jia, L; Ma, J; Shi, Q; Long, C. (2017). Prediction of Adsorption Equilibrium of VOCs onto Hyper-Cross-Linked Polymeric Resin at Environmentally Relevant Temperatures and Concentrations Using Inverse Gas Chromatography. *Environ Sci Technol* 51: 522-530. <http://dx.doi.org/10.1021/acs.est.6b05039>.
- Jia, Y; Zhang, Y; Wang, R; Yi, J; Feng, X, u; Xu, Q. (2012). Mesoporous Zirconium Phosphonate Hybrid Material as Adsorbent to Heavy Metal Ions. *Ind Eng Chem Res* 51: 12266-12273. <http://dx.doi.org/10.1021/ie300253z>.
- Jiang, B, in; Kuang, B, inYu; Liang, Y; Zhang, J; Huang, XHH; Xu, C; Yu, JZ; Shi, Q. (2016). Molecular composition of urban organic aerosols on clear and hazy days in Beijing: a comparative study using FT-ICR MS. *Environ Chem* 13: 888-901. <http://dx.doi.org/10.1071/EN15230>.
- Jiang, B, in; Wei, T; Zou, TT; Rempel, GL; Pan, Q, inM. (2015). A Novel Approach for Degradation of Polybutadiene and Synthesis of Diene-Based Telechelic Oligomers via Olefin Cross Metathesis. *Macromolecular Reaction Engineering* 9: 480-489. <http://dx.doi.org/10.1002/mren.201500004>.
- Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2009). Isocyanate-modified TiO<sub>2</sub> visible-light-activated photocatalyst. *Appl Catal B-Environ* 88: 165-172. <http://dx.doi.org/10.1016/j.apcatb.2008.09.021>.
- Jiang, HH; Kamdem, DP. (2004). Development of poly(vinyl chloride)/DP composites. A literature review. *Journal of Vinyl and Additive Technology* 10: 59-69. <http://dx.doi.org/10.1002/vnl.20009>.
- Jiang, XZ; Zhang, LQ; Wu, XH; Zheng, L. (1996). Catalytic decomposition of methylene chloride by sulfated oxide catalysts. *Appl Catal B-Environ* 9: 229-237.

## Fate Literature Search Results

### Off Topic

- Jiang, Y; Lei, C; Niu, C; Fang, Y; Xiao, C; Zhang, Z. (2002). Semiochemicals from ovaries of gravid females attract ovipositing female houseflies, *Musca domestica*. *J Insect Physiol* 48: 945-950.
- Jiang, Y; Liu, M, in; Sun, W; Li, L; Qian, Y, u. (2010). Phase Behavior of Poly(lactic acid)/Poly(ethylene glycol)/Poly(lactic acid) (PLA-PEG-PLA) in Different Supercritical Systems of CO<sub>2</sub> + Dichloromethane and CO<sub>2</sub> + C<sub>2</sub>H<sub>5</sub>OH + Dichloromethane. *Journal of Chemical and Engineering Data* 55: 4844-4848. <http://dx.doi.org/10.1021/je1004406>.
- Jiang, Y; Sun, W; Wang, W, ei. (2012). Recrystallization and Micronization of 10-Hydroxycamptothecin by Supercritical Antisolvent Process. *Ind Eng Chem Res* 51: 2596-2602. <http://dx.doi.org/10.1021/ie2020334>.
- Jian-ming, Y; Jian-meng, C; Jia-de, W. (2006). Removal of dichloromethane from waste gases by a biotrickling filter. *J Environ Sci* 18: 1073-1076.
- Jianming, Y; Wei, L; Zhuowei, C; Yifeng, J; Wenji, C; Jianmeng, C. (2014). Dichloromethane removal and microbial variations in a combination of UV pretreatment and biotrickling filtration. *J Hazard Mater* 268: 14-22. <http://dx.doi.org/10.1016/j.jhazmat.2013.12.068>.
- Jianming, Y; Wenji, C; Shiliang, Z; Yan, W; Jianmeng, C. (2013). Aerobic Biodegradation of Chlorinated Hydrocarbons by *Bacillus circulans* WZ-12 CCTCC M 207006 under Saline Conditions. *Chinese Journal of Chemical Engineering* 21: 781-786. [http://dx.doi.org/10.1016/S1004-9541\(13\)60536-4](http://dx.doi.org/10.1016/S1004-9541(13)60536-4).
- Jiliang, W; Kaimin, N; Bo, T; Liqun, S. (2012). Effect of methylene blue (MB)-value of manufactured sand on the durability of concretes. *Journal of Wuhan University of Technology--Materials Science Edition* 27: 1160-1164. <http://dx.doi.org/10.1007/s11595-012-0622-0>.
- Jimenez, MV; Algarra, M; Jimenez, JJ; Lamotte, M. (2004). Evaluation of new surfactant expanded zirconium and titanium phosphates for polycyclic aromatic hydrocarbons extraction from waters. *Chemosphere* 57: 179-186. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.009>.
- Jimenez, PC; Wilke, DV; Takeara, R; Lotufo, TM; Pessoa, C; de Moraes, MO; Lopes, NP; Costa-Lotufo, LV. (2008). Cytotoxic activity of a dichloromethane extract and fractions obtained from *Eudistoma vancouveri* (Tunicata: Ascidiacea). *Comp Biochem Physiol A Mol Integr Physiol* 151: 391-398. <http://dx.doi.org/10.1016/j.cbpa.2007.02.018>.
- Jin, F; Hu, J; Liu, J; Yang, M; Wang, F; Wang, H. (2008). Sequestration of nonylphenol in sediment from Bohai Bay, North China. *Environ Sci Technol* 42: 746-751. <http://dx.doi.org/10.1021/es071522i>.
- Jin, L; Dai, B, in. (2012). TiO<sub>2</sub> activation using acid-treated vermiculite as a support: Characteristics and photoreactivity. *Appl Surf Sci* 258: 3386-3392. <http://dx.doi.org/10.1016/j.apsusc.2011.11.017>.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res* 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, LY; Mah, S. (2002). PET fabric supported fixed site carrier membrane for selective metal ion transport. *Fibers and Polymers* 3: 14-17.
- Jin, X; Jiang, G; Huang, G; Liu, J; Zhou, Q. (2004). Determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in surface waters from the Haihe River in Tianjin by gas chromatography-mass spectrometry with selected ion monitoring. *Chemosphere* 56: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.052>.
- Jin, XL; Huang, GL; Jiang, GB; Zhou, QF; Liu, JF. (2004). Simultaneous determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in Guanting Reservoir using gas chromatography-mass spectrometry with selected ion monitoring. *J Environ Sci* 16: 825-828.
- Jin, Y; Veiga, MC; Kennes, C. (2007). Co-treatment of hydrogen sulfide and methanol in a single-stage biotrickling filter under acidic conditions. *Chemosphere* 68: 1186-1193. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.069>.
- Jin, Y; Wang, MF; Rosen, RT; Ho, CT. (1999). Thermal degradation of sulfuraphane in aqueous solution. *J Agric Food Chem* 47: 3121-3123.
- Jin, YM; Veiga, MC; Kennes, C. (2005). Autotrophic deodorization of hydrogen sulfide in a biotrickling filter. *J Chem Tech Biotechnol* 80: 998-1004. <http://dx.doi.org/10.1002/jctb.1275>.
- Jing, P; Fang, X; Yan, J; Guo, J, ie; Fang, Y, u. (2013). Ultra-low density porous polystyrene monolith: facile preparation and superior application. 1: 10135-10141. <http://dx.doi.org/10.1039/c3ta11761h>.
- Jing, S; Zheng, C; Pu, S; Fan, C; Liu, G. (2014). A highly selective ratiometric fluorescent chemosensor for Hg<sup>2+</sup> based on a new diarylethene with a stilbene-linked terpyridine unit. *Dyes and Pigments* 107: 38-44. <http://dx.doi.org/10.1016/j.dyepig.2014.03.023>.
- Jo, JW; Jung, JW; Lee, JU; Jo, WH. (2010). Fabrication of highly conductive and transparent thin films from single-walled carbon nanotubes using a new non-ionic surfactant via spin coating. *ACS Nano* 4: 5382-5388. <http://dx.doi.org/10.1021/nn1009837>.
- Jo, M, iY; Park, S; Kim, J. (2012). Synthesis, optical and electrochemical properties of in-situ thermally cross-linkable oligo(10H-alkylphenothiazine). *Synthetic Metals* 162: 70-78. <http://dx.doi.org/10.1016/j.synthmet.2011.11.012>.
- Johnson, C; Ottiger, S; Pini, R; Gorman, EA; Nguyen, JG; Munson, EJ; Mazzotti, M; Borovik, AS; Subramaniam, B. (2009). Near-Stoichiometric O-2 Binding on Metal Centers In Co(salen) Nanoparticles. *AIChE J* 55: 1040-1045. <http://dx.doi.org/10.1002/aic.11740>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress* 19: 157-166.
- Johnson, PJ; Skornia, SL; Stabenfeldt, SE; Willits, RK. (2008). Maintaining bioactivity of NGF for controlled release from PLGA using PEG. *J Biomed Mater Res A* 86: 420-427. <http://dx.doi.org/10.1002/jbm.a.31635>.
- Johnson, TB; Long, ER. (1998). Rapid toxicity assessment of sediments from estuarine ecosystems: A new tandem in vitro testing approach. *Environ Toxicol Chem* 17: 1099-1106.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Jonassaint, CR; Boyle, SH; Kuhn, CM; Siegler, IC; Copeland, WE; Williams, R. (2010). Personality and inflammation: the protective effect of openness to experience. *Ethn Dis* 20: 11-14.
- Jonasson, A; Persson, O; Rasmussen, P; Astrath, DU. (2000). Vapor-liquid equilibria of systems containing dichloromethane and gaseous components. *Journal of Chemical and Engineering Data* 45: 642-646.

## Fate Literature Search Results

### Off Topic

- Jones, CL; Higgins, SJ. (1999). Symmetrical alkyl-substituted oligothiophenes as ligands: complexation of the  $[(\eta\text{-C}_5\text{H}_4)\text{Ru}](+)$  moiety by hexyl-substituted ter-, quater- and quinque-thiophenes. *J Mater Chem* 9: 865-874.
- Jones, CM; Donnelly, PE; Schwartz, J. (2010). A nanoscale interface improves attachment of cast polymers to glass [Letter]. *ACS Applied Materials & Interfaces* 2: 2185-2188. <http://dx.doi.org/10.1021/am1004893>.
- Jones, DS; McCoy, CP; Andrews, GP. (2011). Physicochemical and drug diffusion analysis of rifampicin containing polyethylene glycol-poly(epsilon-caprolactone) networks designed for medical device applications. *Chem Eng J* 172: 1088-1095. <http://dx.doi.org/10.1016/j.cej.2011.05.024>.
- Jones, KC; Green, NJL; Bernardo, FJG. (2006). A contribution to the determination of polychlorobenzenes in sediments. *Soil Sediment Contam* 15: 315-326. <http://dx.doi.org/10.1080/15320380600646381>.
- Jones, RD; Jacobson, ME; Jaffe, R; Westthomas, J; Arfstrom, C; Alli, A. (1995). METHOD DEVELOPMENT AND SAMPLE PROCESSING OF WATER, SOIL, AND TISSUE FOR THE ANALYSIS OF TOTAL AND ORGANIC MERCURY BY COLD VAPOR ATOMIC FLUORESCENCE SPECTROMETRY. *Water Air Soil Pollut* 80: 1285-1294.
- Jonker, MTO; Koelmans, AA. (2002). Extraction of polycyclic aromatic hydrocarbons from soot and sediment: Solvent evaluation and implications for sorption mechanism. *Environ Sci Technol* 36: 4107-4113. <http://dx.doi.org/10.1021/es0103290>.
- Jonnalagadda, SB; Shezi, MN. (2009). Kinetics and mechanism of the oxidation of methylene violet by bromate at acidic pH and the dual role of bromide ion. *J Phys Chem A* 113: 5540-5549. <http://dx.doi.org/10.1021/jp810015p>.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software [Review]. *Toxicol Lett* 138: 143-150. [http://dx.doi.org/10.1016/S0378-4274\(02\)00369-7](http://dx.doi.org/10.1016/S0378-4274(02)00369-7).
- Jop, KM; Kendall, TZ; Askew, AM; Foster, RB. (1991). USE OF FRACTIONATION PROCEDURES AND EXTENSIVE CHEMICAL-ANALYSIS FOR TOXICITY IDENTIFICATION OF A CHEMICAL-PLANT EFFLUENT. *Environ Toxicol Chem* 10: 981-990.
- Jorge, RMF; Livingston, AG. (2000). Biological treatment of an alternating source of organic compounds in a single tube extractive membrane bioreactor. *J Chem Tech Biotechnol* 75: 1174-1182.
- Jorge, VG; Ángel, JR; Adrián, TS; Francisco, AC; Anuar, SG; Samuel, ES; Ángel, SO; Emmanuel, HN. (2013). Vasorelaxant activity of extracts obtained from *Apium graveolens*: possible source for vasorelaxant molecules isolation with potential antihypertensive effect. 3: 776-779. [http://dx.doi.org/10.1016/S2221-1691\(13\)60154-9](http://dx.doi.org/10.1016/S2221-1691(13)60154-9).
- Joshi, L; Prakash, R. (2012). Polyindole-Au nanocomposite produced at the liquid/liquid interface. *Mater Lett* 66: 250-253. <http://dx.doi.org/10.1016/j.matlet.2011.08.087>.
- Joshi, MP; Raj Mohan, S; Dhami, TS; Jain, B; Singh, MK; Ghosh, H; Shripathi, T; Deshpande, UP. (2008). Enhanced optoelectronic properties of UV-light-induced photodegraded TPD. *Applied Physics A: Materials Science and Processing* 90: 351-358. <http://dx.doi.org/10.1007/s00339-007-4283-3>.
- Jovancicevic, B; Antic, MP; Solevic, TM; Vrvic, MV; Kronimus, A; Schwarzbauer, J. (2005). Investigation of interactions between surface water and petroleum-type pollutants. *Environ Sci Pollut Res Int* 12: 205-212. <http://dx.doi.org/10.1065/espr2004.12.229>.
- Jovic, S; Keurentjes, JTF; Schouten, JC; van Der Schaaf, J. (2016). A new hydrate based process for drying liquids. *Chem Eng Res Des* 115: 423-432. <http://dx.doi.org/10.1016/j.cherd.2016.09.015>.
- Ju, G; Cheng, M; Shi, F. (2014). A pH-responsive smart surface for the continuous separation of oil/water/oil ternary mixtures. 6. <http://dx.doi.org/10.1038/am.2014.44>.
- Ju, Z; Wang, T; Wang, L; Xing, Z; Xu, L; Qian, Y. (2010). A simple pyrolysis route to synthesize leaf-like carbon sheets. *Carbon* 48: 3420-3426. <http://dx.doi.org/10.1016/j.carbon.2010.05.037>.
- Juan, Y; Ke-qiang, Q. (2012). Preparation of activated carbons by  $\text{ZnCl}_2$  activation from herb residues under vacuum. *Xinxiang Tancailliao* 27: 294-300.
- Juca, TL; Ramos, MV; Mendes Batista Moreno, FB; Viana de Matos, MP; Barreto Marinho-Filho, JD; Moreira, RA; de Oliveira Monteiro-Moreira, A. (2013). Insights on the Phytochemical Profile (Cyclopeptides) and Biological Activities of *Calotropis procera* Latex Organic Fractions. *ScientificWorldJournal* 2013: 615454. <http://dx.doi.org/10.1155/2013/615454>.
- Jucoski Bier, MC; Pedroni Medeiros, AB; de Oliveira, JS; Cocco, LC; Costa, J, daLuz; de Carvalho, JC; Soccol, CR. (2016). Liquefied gas extraction: A new method for the recovery of terpenoids from agroindustrial and forest wastes. *Journal of Supercritical Fluids* 110: 97-102. <http://dx.doi.org/10.1016/j.supflu.2015.12.016>.
- Judd, RL; Simjanov, A. (2004). Bubble nucleation in response to a step change in heat flux. *Int J Heat Mass Tran* 47: 2149-2159. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2003.12.007>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, HA; Jin, SE; Ahn, BR; Lee, CM; Choi, JS. (2013). Anti-inflammatory activity of edible brown alga *Eisenia bicyclis* and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages. *Food Chem Toxicol* 59: 199-206. <http://dx.doi.org/10.1016/j.fct.2013.05.061>.
- Jung, HA; Karki, S; Kim, JH; Choi, JS. (2014). BACE1 and cholinesterase inhibitory activities of *Nelumbo nucifera* embryos. *Arch Pharm Res* 38: 1178-1187. <http://dx.doi.org/10.1007/s12272-014-0492-4>.
- Jung, J, inY; Cho, S; Lee, YS. (2014). Hollow shaped nanofibers with (Ti, Sn)O-2 solid-solutions: Synthesis, characterization, and photocatalytic application. *J Alloy Comp* 614: 310-316. <http://dx.doi.org/10.1016/j.jallcom.2014.06.097>.
- Jung, KW, on; Hwang, M, inJin; Jeong, T, aeUn; Chau, D, aoM; Kim, K; Ahn, K, yuH. (2016). Entrapment of powdered drinking water treatment residues in calcium-alginate beads for fluoride removal from actual industrial wastewater. *J Ind Eng Chem* 39: 101-111. <http://dx.doi.org/10.1016/j.jiec.2016.05.017>.

## Fate Literature Search Results

### Off Topic

- Jung, S; Kim, D; Kim, H. (2016). Improving the Chromatographic Analysis of N-Nitrosamines in Drinking Water by Completely Drying the Solid Sorbent Using Dry Air. *Pol J Environ Stud* 25: 2689-2693. <http://dx.doi.org/10.15244/pjoes/64311>.
- Junyaprasert, VB; Pornsuwannapha, S. (2008). Floating properties and release characteristics of hollow microspheres of acyclovir. *Drug Deliv* 15: 331-341. <http://dx.doi.org/10.1080/10717540802035335>.
- Juronen, E; Tasa, G; Uusküla, M; Pooga, M; Mikelsaar, AV. (1996). Purification, characterization and tissue distribution of human class theta glutathione S-transferase T1-1. *Biochem Mol Biol Int* 39: 21-29. <http://dx.doi.org/10.1080/15216549600201021>.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Juuti, J; Teirikangas, M; Sonoda, K; Jantunen, H. (2010). Thermoplastic 0-3 Ceramic-Polymer Composites With Adjustable Magnetic and Dielectric Characteristics for Radio Frequency Applications. *International Journal of Applied Ceramic Technology* 7: 452-460. <http://dx.doi.org/10.1111/j.1744-7402.2010.02493.x>.
- Kabouche, A; Boultif, A; Abidi, A; Gherraf, N. (2012). Interaction parameter estimation in liquid-liquid phase equilibrium modeling using stochastic and hybrid algorithms. *Fluid Phase Equilibria* 336: 113-121. <http://dx.doi.org/10.1016/j.fluid.2012.09.002>.
- Kachasakul, P; Assabumrungrat, S; Praserttham, P; Pancharoen, U. (2003). Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone((R)) system. *Chem Eng J* 92: 131-139.
- Kadirova, ZC; Katsumata, K, enl; Isobe, T; Matsushita, N; Nakajima, A; Okada, K. (2013). Adsorption and photodegradation of methylene blue by iron oxide impregnated on granular activated carbons in an oxalate solution. *Appl Surf Sci* 284: 72-79. <http://dx.doi.org/10.1016/j.apsusc.2013.07.014>.
- Kadnikova, EN; Kostic, NM. (2001). Sol-gel glass is not necessarily an inert matrix for enzyme encapsulation. Catalysis of sulfoxidation by silica. *Journal of Non-Crystalline Solids* 283: 63-68.
- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health* 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kaefferlein, HU; Ruehl, R; Bruening, T. (2011). Dichloromethane and paint stripping. *Gefahrst Reinhalt Luft* 71: 255-263.
- Kafarov, VV; Sabanin, VR; Meshalkin, VP; Radun, DV. (1984). MATHEMATIC MODEL FOR THE METHYLENE-CHLORIDE AND CHLOROFORM PRODUCTION ADAPTIVE-CONTROL. 75-77.
- Kagan, M; Chlenov, M; Melnikov, S; Greenfield, A; Gross, J; Bernotas, RC. (2008). Optimization of normal-phase chromatographic separation of compounds with primary, secondary and tertiary amino groups. *J Chromatogr A* 1194: 80-89. <http://dx.doi.org/10.1016/j.chroma.2008.04.052>.
- Kageyama, A; Fujino, T; Taki, Y; Kato, Y; Nozawa, Y; Ito, Y; Yamada, S. (2008). Alteration of muscarinic and purinergic receptors in urinary bladder of rats with cyclophosphamide-induced interstitial cystitis. *Neurosci Lett* 436: 81-84. <http://dx.doi.org/10.1016/j.neulet.2008.02.065>.
- Kahle, I; Spange, S. (2010). Internal and External Acidity of Faujasites As Measured by a Solvatochromic Spiropyran. *J Phys Chem C* 114: 15448-15453. <http://dx.doi.org/10.1021/jp1048106>.
- Kailappan, R; Gothandapani, L; Viswanathan, R. (2000). Production of activated carbon from prosopis (*Prosopis juliflora*). *Bioresour Technol* 75: 241-243.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem* 14: 2107-2113.
- Kajiwara, N; Sueoka, M; Ohiwa, T; Takigami, H. (2009). Determination of flame-retardant hexabromocyclododecane diastereomers in textiles. *Chemosphere* 74: 1485-1489. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.046>.
- Kakhki, RMZ; Rounaghi, G. (2011). Competitive Bulk Liquid Membrane Transport of Heavy Metal Cations Using the 18-Crown-6 Ligand as an Ionophore. *Journal of Chemical and Engineering Data* 56: 3169-3174. <http://dx.doi.org/10.1021/jc200220d>.
- Kalachandra, S; Lin, DM; Offenbacher, S. (2002). Controlled drug release for oral condition by a novel device based on ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 13: 53-58.
- Kalachandra, S; Lin, DM; Stejskal, EO; Prakki, A; Offenbacher, S. (2005). Drug release from cast films of ethylene vinyl acetate (EVA) copolymer: Stability of drugs by <sup>1</sup>H NMR and solid state <sup>13</sup>C CP/MAS NMR. *J Mater Sci Mater Med* 16: 597-605.
- Kalachandra, S; Takamata, T; Lin, DM; Snyder, EA; Webster-Cyriaque, J. (2006). Stability and release of antiviral drugs from ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 17: 1227-1236. <http://dx.doi.org/10.1007/s10856-006-0596-6>.
- Kaleji, BK; Alijani, M; Aghaei, A. (2016). Sn/Ce co-doping of TiO<sub>2</sub> nanoparticles: influence of dopants concentration on optical and structural characteristics. *Journal of Materials Science: Materials in Electronics* 27: 8524-8531. <http://dx.doi.org/10.1007/s10854-016-4869-7>.
- Kales, SN. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk [letter] [Letter]. *J Occup Environ Med* 39: 11-12.
- Kalkbrenner, AE; Daniels, JL; Chen, JC; Poole, C; Emch, M; Morrissey, J. (2010). Perinatal exposure to hazardous air pollutants and autism spectrum disorders at age 8. *Epidemiology* 21: 631-641. <http://dx.doi.org/10.1097/EDE.0b013e3181e65d76>.
- Kallenbach, LR; Lewismichl, EL; Melius, JM; Ju, CL. (1995). PANCREATIC-CANCER AMONG WOMEN IN AN AREA WITH POTENTIAL EXPOSURE TO METHYLENE-CHLORIDE (DICHLOROMETHANE). *Am J Epidemiol* 141: S60-S60.
- Kalogiannis, CG; Michailof, CM; Panayiotou, CG. (2006). Microencapsulation of Amoxicillin in poly(L-lactic acid) by supercritical antisolvent precipitation. *Ind Eng Chem Res* 45: 8738-8743. <http://dx.doi.org/10.1021/ie060529q>.
- Kalogiannis, CG; Panayiotou, CG. (2005). Bubble and cloud points of the system poly(L-lactic acid) plus carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 50: 1442-1447. <http://dx.doi.org/10.1021/jc050100q>.
- Kalogiannis, CG; Panayiotou, CG. (2006). Bubble and cloud points of the systems poly(epsilon-caprolactone) plus carbon dioxide plus dichloromethane or chloroform. *Journal of Chemical and Engineering Data* 51: 107-111. <http://dx.doi.org/10.1021/jc0502602>.

## Fate Literature Search Results

### Off Topic

- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters* 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters* 10: 45-50.
- Kamal, A; Syed, JH; Li, J, un; Zhang, G, an; Mahmood, A; Malik, RN. (2016). Profile of Atmospheric PAHs in Rawalpindi, Lahore and Gujranwala Districts of Punjab Province (Pakistan). *Aerosol Air Qual Res* 16: 1010-1021. <http://dx.doi.org/10.4209/aaqr.2015.01.0016>.
- Kaminsky, A; Willner, I; Mandler, D. (1993). A REFERENCE ELECTRODE FOR ORGANIC-SOLVENTS BASED ON MODIFIED POLYETHYLENIMINE LOADED WITH FE(CN)<sub>6</sub>-3-/4. *J Electrochem Soc* 140: L25-L27.
- Kamiya, Y; Ikemori, F; Ohura, T. (2015). Optimisation of pre-treatment and ionisation for GC/MS analysis for the determination of chlorinated PAHs in atmospheric particulate samples. *Int J Environ Anal Chem* 95: 1157-1168. <http://dx.doi.org/10.1080/03067319.2015.1048439>.
- Kamura, M; Kuzumoto, Y; Aomori, S; Houjou, H; Kitamura, M; Arakawa, Y. (2010). Synthesis and investigation of pi-conjugated azomethine self-assembled multilayers by layer-by-layer growth. *Thin Solid Films* 518: 5115-5120. <http://dx.doi.org/10.1016/j.tsf.2010.03.006>.
- Kan, CW; Yuen, CWM. (2010). Effect of Nature of Gas on Some Surface Physico-Chemical Properties of Plasma-Treated Wool Fiber. *J Adhes Sci Tech* 24: 99-111. <http://dx.doi.org/10.1163/016942409X12538865056079>.
- Kanai, H; Goo, R; Inouye, V; Yazawa, L; Chun, C. (1993). RECOVERY STUDIES ON DICHLOROMETHANE AQUEOUS PARTITIONING OF PHENOL AND SOME OF ITS ALKYL DERIVATIVES. *Int J Environ Anal Chem* 53: 151-156.
- Kanani, AG; Bahrami, SH. (2011). Effect of Changing Solvents on Poly(epsilon-Caprolactone) Nanofibrous Webs Morphology. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/724153>.
- Kanaya, N; Matsuhashi, S; Katsuta, S. (2015). Extraction Properties of p-Methyloxacalix[3]arene Methyl Ether for Alkali Metal Ions. 22: 17-24.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kandil, F; Al Zoubi, W; Chebani, MK. (2012). The Synthesis and Characterization of New Schiff Bases and Investigating them in Solvent Extraction of Chromium and Copper. *Separation Science and Technology* 47: 1754-1761. <http://dx.doi.org/10.1080/01496395.2012.660554>.
- Kanehashi, S; Nakagawa, T; Nagai, K; Duthie, X; Kentish, S; Stevens, G. (2007). Effects of carbon dioxide-induced plasticization on the gas transport properties of glassy polyimide membranes. *J Memb Sci* 298: 147-155. <http://dx.doi.org/10.1016/j.memsci.2007.04.012>.
- Kang, M; Bae, YS; Lee, CH. (2005). Effect of heat treatment of activated carbon supports on the loading and activity of Pt catalyst. *Carbon* 43: 1512-1516. <http://dx.doi.org/10.1016/j.carbon.2005.01.035>.
- Kang, M, iK; Dai, J; Kim, J, inC. (2012). Ethylcellulose microparticles containing chitosan and gelatin: pH-dependent release caused by complex coacervation. *J Ind Eng Chem* 18: 355-359. <http://dx.doi.org/10.1016/j.jiec.2011.11.099>.
- Kang, M; Lee, CH. (2004). Methylene chloride oxidation on oxidative carbon-supported chromium oxide catalyst. *Appl Catal A-Gen* 266: 163-172. <http://dx.doi.org/10.1016/j.apcata.2004.02.041>.
- Kang, S; Yu, J. (2015). Hydrophobic organic compounds from hydrothermal liquefaction of bacterial biomass. *Biomass and Bioenergy* 74: 92-95. <http://dx.doi.org/10.1016/j.biombioe.2015.01.008>.
- Kania-Korwel, I; Parkin, S; Robertson, LW; Lehmler, HJ. (2004). Synthesis of polychlorinated biphenyls and their metabolites with a modified Suzuki-coupling. *Chemosphere* 56: 735-744. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.035>.
- Kania-Korwel, I; Zhao, H; Norstrom, K; Li, X; Hornbuckle, KC; Lehmler, HJ. (2008). Simultaneous extraction and clean-up of polychlorinated biphenyls and their metabolites from small tissue samples using pressurized liquid extraction. *J Chromatogr A* 1214: 37-46. <http://dx.doi.org/10.1016/j.chroma.2008.10.089>.
- Kaniwa, MA; Isama, K; Kojima, S; Nakamura, A; Arisu, K; Hayakawa, R. (1991). CHEMICAL APPROACH TO CONTACT-DERMATITIS CAUSED BY HOUSEHOLD PRODUCTS .8. UV ABSORBER TINUVIN-P IN POLYURETHANE ELASTOMERS FOR FABRIC PRODUCTS. 37: 218-228.
- Kanno, J; Foley, JF; Kari, F; Anderson, MW; Maronpot, RR. (1993). Effect of methylene chloride inhalation on replicative DNA synthesis in the lungs of female B6C3F1 mice. *Environ Health Perspect* 101: 271-276.
- Kansara, AM; Jadav, GL; Chaudhri, SG; Singh, PS. (2014). Preparation of Poly(dimethylsiloxane)-Polysulfone Composite Membrane by Sequential Absorption-Reaction-Evaporation Process and its Application in Treatment of Aqueous Solution Containing Volatile Organics. *Separation Science and Technology* 49: 2834-2846. <http://dx.doi.org/10.1080/01496395.2014.944619>.
- Kantarli, IC; Yanik, J. (2010). Activated carbon from leather shaving wastes and its application in removal of toxic materials. *J Hazard Mater* 179: 348-356. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.012>.
- Kao, TH; Chen, CJ; Chen, BH. (2011). Carotenoid composition in *Rhinacanthus nasutus* (L.) Kurz as determined by HPLC-MS and affected by freeze-drying and hot-air-drying. *Analyst* 136: 3194-3202. <http://dx.doi.org/10.1039/c1an15090a>.
- Karadag, K; Yati, I; Bulbul Sonmez, H. (2016). Effective clean-up of organic liquid contaminants including BTEX, fuels, and organic solvents from the environment by poly(alkoxysilane) sorbents. *J Environ Manage* 174: 45-54. <http://dx.doi.org/10.1016/j.jenvman.2016.01.043>.
- Karageorgi, S; Prescott, J; Wong, JY; Lee, IM; Buring, JE; De Vivo, I. (2011). GSTM1 and GSTT1 copy number variation in population-based studies of endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev* 20: 1447-1452. <http://dx.doi.org/10.1158/1055-9965.EPI-11-0190>.
- Karakas, FP; Turker, AU. (2013). An efficient in vitro regeneration system for *Bellis perennis* L. and comparison of phenolic contents of field-grown and in vitro-grown leaves by LC-MS/MS. *Ind Crop Prod* 48: 162-170. <http://dx.doi.org/10.1016/j.indcrop.2013.04.008>.
- Karim, HM; Costa de Freitas, JE; de Carvalho Lima, TP; Nascimento, M, dosS; Hayd, L, deA. (2015). ECONOMIC VIABILITY OF PRODUCTION OF THE FRESHWATER PRAWN OF PANTANAL (Macrobrachium pantanalense). 41: 103-112.
- Karimi, M; Eshraghi, MJ. (2017). One-pot and green synthesis of Mn<sub>3</sub>O<sub>4</sub> nanoparticles using an all-in-one system (solvent, reactant and template) based on ethaline deep eutectic solvent. *J Alloy Comp* 696: 171-176. <http://dx.doi.org/10.1016/j.jallcom.2016.11.259>.

## Fate Literature Search Results

### Off Topic

- Karimi-Jaberi, Z; Pooladian, B; Moradi, M; Ghasemi, E. (2012). 1,3,5-Tris(hydrogensulfato) Benzene: A New and Efficient Catalyst for Synthesis of 4,4'-(arylmethylene)bis(1H-pyrazol-5-ol) Derivatives. *Chinese journal of catalysis* 33: 1945-1949. [http://dx.doi.org/10.1016/S1872-2067\(11\)60477-4](http://dx.doi.org/10.1016/S1872-2067(11)60477-4).
- Karimi-Lotfabad, S; Pickard, MA; Gray, MR. (1996). Reactions of polynuclear aromatic hydrocarbons on soil. *Environ Sci Technol* 30: 1145-1151.
- Karsten, AH; Turner, JW. (2003). Fecal corticosterone assessment in the epaulette shark, *Hemiscyllium ocellatum*. *Journal of Experimental Zoology Part A: Comparative Experimental Biology* 299: 188-196. <http://dx.doi.org/10.1002/jez.a.10300>.
- Karthikeyan, D; Karthikeyan, M. (2010). Development of a new single dose extended release formulation of cefpodoxime proxetil. *Asian Pacific Journal of Tropical Medicine* 3: 117-120.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res* 34: 4161-4168.
- Kashyap, L; Sharma, DC; Anil, DC. (2015). Dissipation behaviour of spinosad in polyhouse grown tomato under mid-hill conditions of Himachal Pradesh, India. *Environ Monit Assess* 187: 75. <http://dx.doi.org/10.1007/s10661-014-4210-y>.
- Kassab, AC; Piskin, E; Bilgic, S; Denkbaz, EB; Xu, K. (1999). Embolization with polyhydroxybutyrate (PHB) microspheres: In-vivo studies. *J Bioact Compat Polymer* 14: 291-303.
- Kassab, AC; Xu, K; Denkbaz, EB; Dou, Y; Zhao, S; Piskin, E. (1997). Rifampicin carrying polyhydroxybutyrate microspheres as a potential chemoembolization agent. *J Biomater Sci Polym Ed* 8: 947-961.
- Kasture, PP; Sonawane, YA; Rajule, RN; Shankarling, GS. (2010). Synthesis and characterisation of benzothiazole-based solid-state fluorescent azo dyes. *Color Technol* 126: 348-352. <http://dx.doi.org/10.1111/j.1478-4408.2010.00268.x>.
- Kasuga, T; Fujikawa, H; Abe, Y. (1999). Preparation of polylactic acid composites containing beta-Ca(PO<sub>3</sub>)(<sub>2</sub>) fibers. *J Mater Res* 14: 418-424.
- Kasuga, T; Maeda, H; Kato, K; Nogami, M; Hata, K; Ueda, M. (2003). Preparation of poly(lactic acid) composites containing calcium carbonate (vaterite). *Biomaterials* 24: 3247-3253. [http://dx.doi.org/10.1016/S0142-9612\(03\)00190-X](http://dx.doi.org/10.1016/S0142-9612(03)00190-X).
- Kasuga, T; Ota, Y; Nogami, M; Abe, Y. (2001). Preparation and mechanical properties of polylactic acid composites containing hydroxyapatite fibers. *Biomaterials* 22: 19-23.
- Katata, L; Tshweu, L; Naidoo, S; Kalombo, L; Swai, H. (2012). Design and formulation of nano-sized spray dried efavirenz-part I: influence of formulation parameters. *J Nanopart Res* 14. <http://dx.doi.org/10.1007/s11051-012-1247-0>.
- Katsuta, S; Imai, K; Kudo, Y; Takeda, Y; Seki, H; Nakakoshi, M. (2008). Ion pair formation of alkylimidazolium ionic liquids in dichloromethane. *Journal of Chemical and Engineering Data* 53: 1528-1532. <http://dx.doi.org/10.1021/jc800152d>.
- Katsuta, S; Shiozawa, Y; Imai, K; Kudo, Y; Takeda, Y. (2010). Stability of Ion Pairs of Bis(trifluoromethanesulfonyl)amide-Based Ionic Liquids in Dichloromethane. *Journal of Chemical and Engineering Data* 55: 1588-1593. <http://dx.doi.org/10.1021/jc900694m>.
- Kattnig, DR; Mladenova, B; Grampp, G; Kaiser, C; Heckmann, A; Lambert, C. (2009). Electron Paramagnetic Resonance Spectroscopy of Bis(triarylamine) Paracyclophanes as Model Compounds for the Intermolecular Charge-Transfer in Solid State Materials for Optoelectronic Applications. *J Phys Chem C* 113: 2983-2995. <http://dx.doi.org/10.1021/jp8107705>.
- Kaufman, CM; Overcash, MR. (1993). Green biomass materials in polyurethane foams. *Journal of the Air and Waste Management Association* 43: 1253-1259.
- Kaufman, CM; Overcash, MR. (1993). WASTE MINIMIZATION IN THE MANUFACTURE OF FLEXIBLE POLYURETHANE FOAMS - QUANTIFICATION OF AUXILIARY BLOWING AGENT VOLATILIZATION. *J Air Waste Manag Assoc* 43: 736-744.
- Kaur, I; Mathur, RP; Tandon, SN; Dureja, P. (1998). Persistence of endosulfan (technical) in water and soil. *Environ Technol* 19: 115-119.
- Kaur, J; Singh, S; Kanjilal, D; Chakarvarti, SK. (2013). Template-Based Synthesis of Nano/Micro Structures on a Semiconducting Substrate. *Int J Polym Mater* 62: 91-94. <http://dx.doi.org/10.1080/00914037.2012.670817>.
- Kavanoz, M; Gulce, H; Yildiz, A. (2004). Anodic stripping voltammetric determination of gold on a polyvinylferrocene coated glassy carbon electrode. *Turkish Journal of Chemistry* 28: 287-297.
- Kavouras, IG; Dubois, DW; Nikolich, G; Etyemezian, V, ic. (2015). Monitoring, Source Identification and Health Risks of Air Toxics in Albuquerque, New Mexico, USA. *Aerosol Air Qual Res* 15: 556-571. <http://dx.doi.org/10.4209/aaqr.2014.04.0075>.
- Kawagoshi, Y; Fujita, Y; Kishi, I; Fukunaga, I. (2003). Estrogenic chemicals and estrogenic activity in leachate from municipal waste landfill determined by yeast two-hybrid assay. *J Environ Monit* 5: 269-274. <http://dx.doi.org/10.1039/b210962j>.
- Kawai, S; Ohashi, H. (1993). DEGRADATION OF LIGNIN SUBSTRUCTURE MODEL COMPOUNDS BY COPPER(II)-AMINE COMPLEX AS A MODEL CATALYST OF FUNGAL LACCASE. *Holzforschung* 47: 97-102.
- Kawai, T; Yasugi, T; Mizunuma, K; Horiguchi, S; Uchida, Y; Iwami, O; Iguchi, H; Ikeda, M. (1991). 2-ACETYLURAN, A CONFUNDER IN URINALYSIS FOR 2,5-HEXANEDIONE AS AN NORMAL-HEXANE EXPOSURE INDICATOR. *Int Arch Occup Environ Health* 63: 213-219.
- Kawakami, M; Ganguly, SN; Banerjee, J; Kobayashi, A. (1995). AROMA COMPOSITION OF OOLONG TEA AND BLACK TEA BY BREWED EXTRACTION METHOD AND CHARACTERIZING COMPOUNDS OF DARJEELING TEA AROMA. *J Agric Food Chem* 43: 200-207.
- Kawakami, M; Kobayashi, A; Kator, K. (1993). VOLATILE CONSTITUENTS OF ROOIBOS TEA (ASPALATHUS-LINEARIS) AS AFFECTED BY EXTRACTION PROCESS. *J Agric Food Chem* 41: 633-636.
- Kawamoto, H; Tanaka, N; Nakatsubo, F; Murakami, K. (1993). STEREOSELECTIVE SYNTHESIS OF A CONDENSED TANNIN USING NEIGHBORING GROUP PARTICIPATION. 39: 820-824.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.

## Fate Literature Search Results

### Off Topic

- Kawamura, M; Kikura-Hanajiri, R; Goda, Y. (2011). Simple and Rapid Screening for Methamphetamine and 3,4-Methylenedioxymethamphetamine (MDMA) and Their Metabolites in Urine Using Direct Analysis in Real Time (DART)-TOFMS. *Yakugaku Zasshi* 131: 827-833.
- Kawano, F; Hirazawa, N; Gravningen, K; Berntsen, J, anO. (2012). Antiparasitic effect of dietary Romet (R) 30 (SDMX-OMP) against ciliate *Cryptocaryon irritans* infection in the red sea bream *Pagrus major* and tiger puffer *Takifugu rubripes*. *Aquaculture* 344: 35-39. <http://dx.doi.org/10.1016/j.aquaculture.2012.02.028>.
- Kawasaki, Y; Tsuboi, C; Yagi, K; Morizane, M; Masaoka, Y; Esumi, S; Kitamura, Y; Sendo, T. (2014). Photoinitiators enhanced 1,2-dichloropropane-induced cytotoxicity in human normal embryonic lung fibroblasts cells in vitro. *Environ Sci Pollut Res Int* 22: 4763-4770. <http://dx.doi.org/10.1007/s11356-014-3939-8>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today* 44: 101-109.
- Kazmer, GW; Canfield, RW; Bean, B. (1992). CHARACTERISTICS OF SOMATOTROPIN AND PROLACTIN PROFILES IN YOUNG DAIRY SIREs BEFORE AND AFTER A 72-HOUR FAST DURING DIFFERENT SEASONS. *J Anim Sci* 70: 503-507.
- Ke, H; Zhao, L; Guo, Y; Tang, J. (2012). Syntheses, structures, and magnetic analyses of a family of heterometallic hexanuclear [Ni<sub>4</sub>M<sub>2</sub>] (M = Gd, Dy, Y) compounds: observation of slow magnetic relaxation in the Dy(III) derivative. *Inorg Chem* 51: 2699-2705. <http://dx.doi.org/10.1021/ic202699k>.
- Ke, JC; Wang, YH, er; Chen, K, anLin; Huang, CJ. (2015). Effect of open-circuit voltage in organic solar cells based on various electron donor materials by inserting molybdenum trioxide anode buffer layer. *Solar Energy Materials and Solar Cells* 133: 248-254. <http://dx.doi.org/10.1016/j.solmat.2014.10.033>.
- Kecseti, IM; Simon, M; Csunderlik, C. (2010). Synthesis of a New Chiral Carbamate: 2-nitrophenyl(1R,2S)-(1,2-diphenyl-2-hydroxyethyl)carbamate. *Rev Chim* 61: 759-761.
- Keeling, AA; Mullett, JAJ; Paton, IK. (1994). GC MASS-SPECTROMETRY OF REFUSE-DERIVED COMPOSTS. *Soil Biol Biochem* 26: 773-776.
- Keil, C; Forchert, A; Fastner, J; Szewzyk, U; Rotard, W; Chorus, I; Kratke, R. (2002). Toxicity and microcystin content of extracts from a *Planktothrix* bloom and two laboratory strains. *Water Res* 36: 2133-2139.
- Keil, C; Murphy, R. (2006). An application of exposure modeling in exposure assessments for a university chemistry teaching laboratory. *J Occup Environ Hyg* 3: 99-106. <http://dx.doi.org/10.1080/15459620500498109>.
- Kempe, M; Kempe, H; Snowball, I; Wallén, R; Arza, CR; Götzberg, M; Olsson, T. (2010). The use of magnetite nanoparticles for implant-assisted magnetic drug targeting in thrombolytic therapy. *Biomaterials* 31: 9499-9510. <http://dx.doi.org/10.1016/j.biomaterials.2010.07.107>.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc* 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kermiche, M; Djerad, S. (2011). Facilitated transport of copper through bulk liquid membrane containing di-2ethylhexyl phosphoric acid. *Desalination and Water Treatment* 36: 261-269. <http://dx.doi.org/10.5004/dwt.2011.2535>.
- Kern, ME; Watson, DF. (2012). Influence of Solvation and the Persistence of Adsorbed Linkers on the Attachment of CdSe Quantum Dots to TiO<sub>2</sub> via Linker-Assisted Assembly. *Langmuir* 28: 15598-15605. <http://dx.doi.org/10.1021/la303504u>.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerscher, R; Grosch, W. (1998). Quantification of 2-methyl-3-furanthiol, 2-furfurylthiol, 3-mercapto-2-pentanone, and 2-mercapto-3-pentanone in heated meat. *J Agric Food Chem* 46: 1954-1958.
- Kersemaekers, WM; Roeleveld, N; Zielhuis, GA. (1995). Reproductive disorders due to chemical exposure among hairdressers [Review]. *Scand J Work Environ Health* 21: 325-334.
- Kershaw, J. R.; Black, KJT; Jaeger, HK; Willing, RI; Hanna, JV. (1995). A COMPARISON OF MESOPHASE FORMATION UNDER SPARGING AND VACUUM. *Carbon* 33: 633-643.
- Kesen, S; Kelebek, H; Selli, S. (2014). Characterization of the key aroma compounds in Turkish olive oils from different geographic origins by application of aroma extract dilution analysis (AEDA). *J Agric Food Chem* 62: 391-401. <http://dx.doi.org/10.1021/jf4045167>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin* 200: 5-6.
- Kfir, R; Grabow, OK; Hilner, CA. (1982). AMES SALMONELLA MUTAGENICITY ASSAYS ON WATER DI CHLORO METHANE EXTRACTS VS. PREPARATION OF GROWTH MEDIA WITH TEST SAMPLES. *Bull Environ Contam Toxicol* 28: 641-646.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere* 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaled, M. (2015). Directed Hierarchical Patterning of Polycarbonate Bisphenol A Glass Surface along Predictable Sites. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/734375>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8333-8346.
- Khan, I; White, JM. (2012). Simple and Efficient One-Pot Synthesis, Spectroscopic Characterization and Crystal Structure of Methyl 5-(4-Chlorobenzoyloxy)-1-phenyl-1H-pyrazole-3-carboxylate. 2: 967-973. <http://dx.doi.org/10.3390/cryst2030967>.
- Khan, M, dF; Latif, MT; Lim, CH, ou; Amil, N; Jaafar, SA; Dominick, D; Nadzir, MSM; Sahani, M; Tahir, NM. (2015). Seasonal effect and source apportionment of polycyclic aromatic hydrocarbons in PM<sub>2.5</sub>. *Atmos Environ* 106: 178-190. <http://dx.doi.org/10.1016/j.atmosenv.2015.01.077>.



## Fate Literature Search Results

### Off Topic

- Khan, SB; Khan, MTH; Jang, E; Akhtar, K; Seo, J; Han, H. (2010). Tyrosinase inhibitory effect of benzoic acid derivatives and their structure-activity relationships. *J Enzyme Inhib Med Chem* 25: 812-817. <http://dx.doi.org/10.3109/14756366.2010.482529>.
- Khanal, R; Furumai, H; Nakajima, F. (2015). Characterization of toxicants in urban road dust by Toxicity Identification Evaluation using ostracod *Heterocypris incongruens* direct contact test. *Sci Total Environ* 530: 96-102. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.090>.
- Khande, P; Thakur, M; Deb, MK. (2005). Extraction of chloroplatinatate(II)-2-[(5-bromo-2-pyridylazo)-5-diethylaminophenol-(TX-100)-N-hydroxy-N,N'-diphenylbenzamidine complex. *Journal of Sci Ind Res* 64: 138-143.
- Khanna, PK; Jun, KW; Hong, KB; Baeg, JO; Chikate, RC; Das, BK. (2005). Colloidal synthesis of indium nanoparticles by sodium reduction method. *Mater Lett* 59: 1032-1036. <http://dx.doi.org/10.1016/j.matlet.2004.11.050>.
- Khatri, CA; Stansbury, JW; Schultheisz, CR; Antonucci, JM. (2003). Synthesis, characterization and evaluation of urethane derivatives of Bis-GMA. *Dent Mater* 19: 584-588. [http://dx.doi.org/10.1016/S0109-5641\(02\)00108-2](http://dx.doi.org/10.1016/S0109-5641(02)00108-2).
- Khatua, S; Manna, P; Chang, W, eiS; Tcherniak, A; Friedlander, E; Zubarev, ER; Link, S. (2010). Plasmonic Nanoparticles-Liquid Crystal Composites. *J Phys Chem C* 114: 7251-7257. <http://dx.doi.org/10.1021/jp907923v>.
- Khedher, I; Ghorbel, A. (2010). The oxidation of sulfide to sulfoxide on Ti-complex/MCM-41 catalyst. *Journal of Porous Materials* 17: 501-507. <http://dx.doi.org/10.1007/s10934-009-9313-4>.
- Khelifi, A; Almazán-Almazán, MC; Pérez-Mendoza, M; Domingo-García, M; López-Domingo, FJ; Temdrara, L; López-Garzón, FJ; Addoun, A. (2010). Influence of nitric acid concentration on the characteristics of active carbons obtained from a mineral coal. *Fuel Process Tech* 91: 1338-1344. <http://dx.doi.org/10.1016/j.fuproc.2010.05.004>.
- Khenniche, L; Aissani, F. (2009). Characterization and utilization of activated carbons prepared from coffee residue for adsorptive removal of salicylic acid and phenol: Kinetic and isotherm study. *Desalination and Water Treatment* 11: 192-203. <http://dx.doi.org/10.5004/dwt.2009.801>.
- Khlifi, D; Hayouni, E, IA; Valentin, A; Cazaux, S; Moukarzel, B; Hamdi, M; Bouajila, J. (2013). LC-MS analysis, anticancer, antioxidant and antimalarial activities of *Cynodon dactylon* L. extracts. *Ind Crop Prod* 45: 240-247. <http://dx.doi.org/10.1016/j.indcrop.2012.12.030>.
- Khoshkhoo, N; Hedin, PA; Mccarty, JC. (1993). EFFECTS OF BIOREGULATORS ON THE TERPENOID ALDEHYDES IN ROOT-KNOT NEMATODE INFECTED COTTON PLANTS. *J Agric Food Chem* 41: 2442-2446.
- Khulbe, KC; Mann, RS; Lamarche, AM; Lamarche, G; Macphee, JA. (1994). CATALYTIC EFFECT OF ATHABASCA TAR SAND MATRIX ON THERMAL-DECOMPOSITION OF BITUMEN, HEXENE AND HEXANE. *Fuel Process Tech* 41: 1-11.
- Khurma, J. R.; Muthu, O; Munjal, S; Smith, BD. (1983). TOTAL-PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH PENTANE, ACETONE, ETHYL-ACETATE, METHANOL, AND ACETONITRILE. *Journal of Chemical and Engineering Data* 28: 412-419.
- Kidwai, M; Jahan, A; Mishra, NK. (2012). Gold(III) chloride (HAuCl<sub>4</sub> center dot 3H<sub>2</sub>O) in PEG: A new and efficient catalytic system for the synthesis of functionalized spirochromenes. *Appl Catal A-Gen* 425: 35-43. <http://dx.doi.org/10.1016/j.apcata.2012.02.043>.
- Kielbasa, A; Buszewski, B. (2015). PAH Analytics in New Polish Reference Material. *Pol J Environ Stud* 24: 2021-2028. <http://dx.doi.org/10.15244/pjoes/41596>.
- Kientz, B; Thabard, M; Cragg, SM; Pope, J; Hellio, C. (2011). A new method for removing microflora from macroalgal surfaces: an important step for natural product discovery. *Botanica Marina* 54: 457-469. <http://dx.doi.org/10.1515/BOT.2011.053>.
- Kiessling, D; Schneider, R; Kraak, P; Haftendorn, M; Wendt, G. (1998). Perovskite-Type Oxides-Catalysts for the Total Oxidation of Chlorinated Hydrocarbons. *Appl Catal B-Environ* 19: 143.
- Kijima, T. (1999). New low temperature preparation of ferroelectric Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> thin films by MOCVD method. *Integrated Ferroelectrics* 26: 795-803.
- Kiko, R; Werner, I; Wittmann, A. (2009). Osmotic and ionic regulation in response to salinity variations and cold resistance in the Arctic under-ice amphipod *Apherusa glacialis*. *Polar Biology* 32: 393-398. <http://dx.doi.org/10.1007/s00300-008-0531-z>.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kilbane, JJ. (1998). Extractability and subsequent biodegradation of PAHs from contaminated soil. *Water Air Soil Pollut* 104: 285-304.
- Kil'deeva, NR; Gal'braikh, LS. (2000). Cross-linking in spinning solutions in the presence of a liquid disperse phase. *Fibre Chemistry* 32: 414-418.
- Kildeeva, NR; Virnik, AD. (1995). Rheological properties of highly filled, protein-containing spinning compositions. *Fibre Chemistry* 27: 320-327.
- Kilic, A; Niemz, P. (2012). Extractives in some tropical woods. *Holz als Roh- und Werkstoff* 70: 79-83. <http://dx.doi.org/10.1007/s00107-010-0489-8>.
- Kilic, N; Ballantine, JA. (2000). Magnitudes of back diffusion during long-term diffusive sampling of volatile organic compounds using Carbotrap and Chromosorb 106. *Turkish Journal of Chemistry* 24: 131-139.
- Kim, B; Gwon, J; Im, T; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(lactic-co-glycolic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2146-2151. <http://dx.doi.org/10.1021/acs.jced.5b00304>.
- Kim, B; Kim, J. (2008). Purification of homoharringtonine and removal of residual solvents by spray drying. *Korean J Chem Eng* 25: 108-111.
- Kim, BJ; Kim, SJ; Park, SY. (1998). Thermally stable nonlinear optical polymer from rosin derivative. *J Ind Eng Chem* 4: 238-243.
- Kim, BK; Hwang, SJ; Park, JB; Park, HJ. (2002). Preparation and characterization of drug-loaded polymethacrylate microspheres by an emulsion solvent evaporation method. *J Microencapsul* 19: 811-822. <http://dx.doi.org/10.1080/0265204021000022770>.
- Kim, BM; Yang, HS; Kim, CG. (1995). OZONOLYSIS OF CYCLODODECENE. *Korean J Chem Eng* 12: 61-65.
- Kim, BS, ik; Kim, J, inH. (2009). Characterization of solvent induced crystalline and amorphous homoharringtonine. *Korean J Chem Eng* 26: 1090-1093. <http://dx.doi.org/10.2478/s11814-009-0181-z>.

## Fate Literature Search Results

### Off Topic

- Kim, CG; Hong, WP; Griesbaum, K. (1992). PYRIDINE-CATALYZED OZONOLYSIS OF CYCLOOLEFINS - A SHORT-PATH ACCESS TO TERMINALLY DIFUNCTIONAL MOLECULES. 45: 344-348.
- Kim, DJ; Lee, KT. (2012). Determination of monomers and oligomers in polyethylene terephthalate trays and bottles for food use by using high performance liquid chromatography-electrospray ionization-mass spectrometry. *Polym Test* 31: 490-499. <http://dx.doi.org/10.1016/j.polymertesting.2012.02.001>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC. (2005). Effect of water content on kinetics of volatile organic compounds mass transfer between gas and aqueous phases during gas transport in unsaturated sand. *Soil Sci* 170: 680-691. <http://dx.doi.org/10.1097/01.ss.0000185905.80341.e7>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Gaseous tracer technique for estimating air-water interfacial areas and interface mobility. *Soil Sci Soc Am J* 63: 1554-1560.
- Kim, H; Urban, NW. (1996). Microwave plasma reactions of imidazole in polyurethane elastomer surfaces: A spectroscopic study. *Langmuir* 12: 1051-1055.
- Kim, HG, on; Kim, KM, in; Kim, YH, o; Lee, SH, ak; Kim, G, yuMan. (2013). Preparation of Monodisperse ENX-Loaded PLGA Microspheres Using a Microfluidic Flow-Focusing Device. *Journal of Biobased Materials and Bioenergy* 7: 108-114. <http://dx.doi.org/10.1166/jbmb.2013.1263>.
- Kim, HH; Kim, M, inJin; Ryu, S, uJ; Ki, CS; Park, YH. (2016). Effect of fiber diameter on surface morphology, mechanical property, and cell behavior of electrospun poly(epsilon-caprolactone) mat. *Fibers and Polymers* 17: 1033-1042. <http://dx.doi.org/10.1007/s12221-016-6350-x>.
- Kim, HU; Park, JB; Hwang, DH. (2016). Dibenzothiophene-Substituted Fullerene Derivative as Electron Acceptor for Polymer Solar Cells. *J Nanosci Nanotechnol* 16: 5017-5023. <http://dx.doi.org/10.1166/jnn.2016.12222>.
- Kim, HY; Lee, J; Lee, MJ; Yu, SH; Kim, SD, on. (2012). The application of hollow fibre-liquid phase micro-extraction on the bioassay experiment of oestrogen chemicals. *Int J Environ Anal Chem* 92: 255-267. <http://dx.doi.org/10.1080/03067319.2010.484889>.
- Kim, J; Han, M; Yoo, S; Kim, K; Cho, J, aeH. (2015). Improvement of Beam-Quality Evaluation Method for Medical Linear Accelerator Using Magnetic Field. 20: 120-128. <http://dx.doi.org/10.4283/JMAG.2015.20.2.120>.
- Kim, JH. (1995). PREPARATION OF FINE AMMONIUM-PERCHLORATE CRYSTALS BY A SALTING-OUT PROCESS. *J Chem Eng Jpn* 28: 429-433.
- Kim, JH; Seo, YC; Pudasainee, D; Lee, SH; Cho, SJ; Jang, HN; Park, JM; Song, GJ; Park, KS. (2009). Efforts to develop regulations in Korea similar to the US maximum achievable control technology (MACT) regulations for hazardous waste incinerators. *Journal of Material Cycles and Waste Management* 11: 183-190. <http://dx.doi.org/10.1007/s10163-008-0247-8>.
- Kim, JY; Choi, DS; Jung, MY. (2003). Antiphotoxidative activity of sesamol in methylene blue- and chlorophyll-sensitized photo-oxidation of oil. *J Agric Food Chem* 51: 3460-3465. <http://dx.doi.org/10.1021/jf026056p>.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng* 123: 827-835.
- Kim, KH; Susaya, JP; Park, CG; Uhm, JH; Hur, J. (2013). Comprehensive monitoring of drinking well water quality in Seoul metropolitan city, Korea. *Environ Monit Assess* 185: 6353-6378. <http://dx.doi.org/10.1007/s10661-012-3030-1>.
- Kim, KT; Kim, CI. (2004). The effect of orientation on structure and ferroelectric properties of Bi<sub>3</sub>.25La<sub>0.75</sub>Ti<sub>3</sub>O<sub>12</sub> thin films. *Surf Coating Tech* 177: 770-773. <http://dx.doi.org/10.1016/j.surfcoat.2003.08.020>.
- Kim, KW; Lee, KH; Lee, BS; Ho, YS; Oh, SJ; Kim, HY. (2005). Effects of blend ratio and heat treatment on the properties of the electrospun poly(ethylene terephthalate) nonwovens. *Fibers and Polymers* 6: 121-126.
- Kim, M; Chen, YF; Liu, YC; Peng, XG. (2005). Super-stable, high-quality Fe<sub>3</sub>O<sub>4</sub> dendron-nanocrystals dispersible in both organic and aqueous solutions. *Adv Mater Deerfield* 17: 1429-+. <http://dx.doi.org/10.1002/adma.200401991>.
- Kim, M, iY; Yoo, K, iP; Lim, JS. (2007). Preparation of poly(L-lactic acid) submicron particles in aerosol solvent extraction system using supercritical carbon dioxide. *Korean J Chem Eng* 24: 860-865.
- Kim, MK; Jeong, CS; Shin, YK; Park, KH; Lee, WJ; Lee, EJ; Paek, KY. (2010). Effects of Extraction Condition on Extraction Efficiency of Rubiadin in Adventitious Roots of Noni (*Morinda citrifolia*). *Kor J of Hort Sci Tech* 28: 685-690.
- Kim, MY; Lee, YW; Byun, HS; Lim, JS. (2006). Recrystallization of poly(L-lactic acid) into submicrometer particles in supercritical carbon dioxide. *Ind Eng Chem Res* 45: 3388-3392. <http://dx.doi.org/10.1021/ie050711b>.
- Kim, PH; Kwon, JD; Kim, JS. (2004). The impregnated synthesis of polypyrrole into carbon aerogel and its applications to photovoltaic materials. *Synthetic Metals* 142: 153-160. <http://dx.doi.org/10.1016/j.synthmet.2003.08.006>.
- Kim, RB; O'Shea, D. (1995). Interindividual variability of chlorzoxazone 6-hydroxylation in men and women and its relationship to CYP2E1 genetic polymorphisms. *Clin Pharmacol Ther* 57: 645-655. [http://dx.doi.org/10.1016/0009-9236\(95\)90227-9](http://dx.doi.org/10.1016/0009-9236(95)90227-9).
- Kim, S; Pal, S; Ajayan, PM; Borca-Tasciuc, T; Koratkar, N. (2008). Electrical breakdown gas detector featuring carbon nanotube array electrodes. *J Nanosci Nanotechnol* 8: 416-419. <http://dx.doi.org/10.1166/jnn.2008.187>.
- Kim, SK; Kim, YC. (1996). Effect of a single administration of benzene, toluene or m-xylene on carboxyhaemoglobin elevation and metabolism of dichloromethane in rats. *J Appl Toxicol* 16: 437-444. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199609\)16:5<437::AID-JAT371>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1099-1263(199609)16:5<437::AID-JAT371>3.0.CO;2-2).
- Kim, TH; Kwon, NY; Son, JH; Yang, C; Lee, M; Lee, TS. (2010). Self-assembly of supramolecular metallogelator containing 2-(2'-hydroxyphenyl) benzoxazole/Zn(II) chelate. *J Nanosci Nanotechnol* 10: 6929-6933. <http://dx.doi.org/10.1166/jnn.2010.2972>.
- Kim, TH; Sture, S. (2004). Effect of moisture on attraction force in beach sand. *Marine Georesources and Geotechnology* 22: 33-47. <http://dx.doi.org/10.1080/10641190490467071>.

## Fate Literature Search Results

### Off Topic

- Kim, WB; Joshi, UA; Lee, JS. (2004). Making polycarbonates without employing phosgene: An overview on catalytic chemistry of intermediate and precursor syntheses for polycarbonate. *Ind Eng Chem Res* 43: 1897-1914.
- Kim, YD, ae; Kim, J, unHo. (2008). Synthesis of polypyrrole-SBS composites and the particle size effect on the electrorheological properties of their suspensions. *Synthetic Metals* 158: 479-483. <http://dx.doi.org/10.1016/j.synthmet.2008.03.012>.
- Kim, YD; Kim, JH; Sim, SJ; Woo, K; Choi, GJ; Cho, YS. (1998). Lewis acid catalysts and solvents effects on the alkylation of naphthalene. *J Ind Eng Chem* 4: 329-333.
- Kim, YD; Klungenberg, DJ. (1997). The nonlinear behavior of surfactant-activated electrorheological suspensions. *Korean J Chem Eng* 14: 23-29.
- Kim, YH, a; Kim, I, IKug; Kim, T, aeGon; Lee, J, unHo; Lim, YK; Kim, YJ; Choi, S, ikY. (2013). Sustained drug release system using porous structured poly(L-lactic acid) fabricated by solvent dispersion method. *Journal of Porous Materials* 20: 303-308. <http://dx.doi.org/10.1007/s10934-012-9599-5>.
- Kimura, T. (2005). Synthesis of mesostructured and mesoporous aluminum organophosphonates prepared by using diphosphonic acids with alkylene groups. *Chem Mater* 17: 337-344. <http://dx.doi.org/10.1021/cm0490672>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kirkland, D; Speit, G. (2008). Evaluation of the ability of a battery of three in vitro genotoxicity tests to discriminate rodent carcinogens and non-carcinogens III. Appropriate follow-up testing in vivo. *Mutat Res Genet Toxicol Environ Mutagen* 654: 114-132. <http://dx.doi.org/10.1016/j.mrgentox.2008.05.002>.
- Kiszkiel, I; Starczewska, B; Karpinska, J. (2012). New extraction procedures for isolation of famotidine from aqueous samples. *Int J Environ Anal Chem* 92: 714-728. <http://dx.doi.org/10.1080/03067311003782690>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research* 7: 109-116.
- Kizilcan, N; Hocaoglu, B; Ustamehmetoglu, B. (2011). Polymerization of cyclohexanone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 143-153. <http://dx.doi.org/10.1108/03699421111130405>.
- Kjeller, LO; Kulp, SE; Jonsson, B; Rappe, C. (1993). METHODOLOGY FOR THE DETERMINATION OF POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS IN SEDIMENT SAMPLES. *Toxicol Environ Chem* 39: 1-12.
- Klamerth, N; Moreira, J; Li, C; Singh, A; Mcphedran, KN; Chelme-Ayala, P; Belosevic, M; Gamal El-Din, M. (2015). Effect of ozonation on the naphthenic acids' speciation and toxicity of pH-dependent organic extracts of oil sands process-affected water. *Sci Total Environ* 506-507: 66-75. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.103>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress* 15: 93-107.
- Klee, N; Gustavsson, L; Kosmehl, T; Engwall, M; Erdinger, L; Braunbeck, T; Hollert, H. (2004). Changes in toxicity and genotoxicity of industrial sewage sludge samples containing nitro- and amino-aromatic compounds following treatment in bioreactors with different oxygen regimes. *Environ Sci Pollut Res Int* 11: 313-320. <http://dx.doi.org/10.1065/espr2004.03.189>.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos* 105: 28875-28893.
- Kleinegris, DM; van Es, MA; Janssen, M; Brandenburg, WA; Wijffels, RH. (2011). Phase toxicity of dodecane on the microalga *Dunaliella salina*. *J Appl Phycol* 23: 949-958. <http://dx.doi.org/10.1007/s10811-010-9615-6>.
- Kleinheinz, GT; John, WPS. (1997). Sampling of air streams and incorporation of samples in the Microtox(TM) toxicity testing system. *Environ Toxicol Chem* 16: 2064-2066.
- Klimakow, M; Leiterer, J; Kneipp, J; Rössler, E; Panne, U; Rademann, K; Emmerling, F. (2010). Combined synchrotron XRD/Raman measurements: in situ identification of polymorphic transitions during crystallization processes. *Langmuir* 26: 11233-11237. <http://dx.doi.org/10.1021/la100540q>.
- Klimkowicz-Pawlas, A; Smreczak, B; Maliszewska-Kordybach, B. (2009). Ecotoxicological effect of the mixture of cadmium, zinc and lead in freshly contaminated soils as influenced by the presence of PAHS. *Fresen Environ Bull* 18: 1103-1109.
- Kloetzer, L; Cascaval, D, an; Galaction, AI. (2013). INFLUENCE OF SOLVENT POLARITY ON INTERFACIAL MECHANISM AND EFFICIENCY OF SUCCINIC ACID REACTIVE EXTRACTION WITH TRI-n-OCTYLAMINE. *Chemical Engineering Communications* 200: 701-717. <http://dx.doi.org/10.1080/00986445.2012.717319>.
- Kloetzer, L; Galaction, AI; Cascaval, D, an. (2010). Facilitated Pertraction of p-Aminobenzoic Acid with Amberlite LA-2 in Presence of 1-Octanol. *Separation Science and Technology* 45: 1440-1447. <http://dx.doi.org/10.1080/01496391003698109>.
- Kloetzer, L; Postaru, M; Galaction, AI; Blaga, AC; Cascaval, D, an. (2013). Comparative Study on Rosmarinic Acid Separation by Reactive Extraction with Amberlite LA-2 and D2EHPA. 1. Interfacial Reaction Mechanism and Influencing Factors. *Ind Eng Chem Res* 52: 13785-13794. <http://dx.doi.org/10.1021/ie4023513>.
- Knight, RA. (2000). Experience with raw gas analysis from pressurized gasification of biomass. *Biomass and Bioenergy* 18: 67-77.
- Knowles, KE; Tagliazucchi, M; Malicki, M; Swenson, NK; Weiss, EA. (2013). Electron Transfer as a Probe of the Permeability of Organic Monolayers on the Surfaces of Colloidal PbS Quantum Dots. *J Phys Chem C* 117: 15849-15857. <http://dx.doi.org/10.1021/jp406485y>.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Kobune, M; Matsuura, O; Matsuzaki, T; Sawada, T; Mineshige, A; Fujii, S. (2001). Crystallization of amorphous (Pb, La) (Zr, Ti) O-3 thin film and its electrical properties. *Ceramic Society of Japan Journal* 109: 631-636. [http://dx.doi.org/10.2109/jcersj.109.1271\\_631](http://dx.doi.org/10.2109/jcersj.109.1271_631).

## Fate Literature Search Results

### Off Topic

- Kobyas, A; Aydiner, C; Demirbas, E. (2005). Non-steady-state kinetic analysis of coupled transport of thiocyanate ions through binary liquid membranes. *Desalination* 175: 237-246. <http://dx.doi.org/10.1016/j.desal.2004.10.011>.
- Kodama, G; Annunziaccao, WF; Sanches, EG; de Araujo Miranda Gomes, CH; Tsuzuki, MY. (2011). ECONOMIC FEASIBILITY OF CLOWN FISH, *Amphiprion ocellaris*, IN RECIRCULATION SYSTEM. 37: 61-72.
- Koehler, EP; Fowler, DW. (2008). Dust-of-fracture aggregate microfines in self-consolidating concrete. *ACI Mater J* 105: 165-173.
- Kofujita, H; Fujino, Y; Sasaki, T; Hasebe, M; Ota, M; Suzuki, K. (2001). Antifungal activity of the bark of *Cryptomeria japonica* and its relevant components. 47: 479-486.
- Koganti, A; Singh, R; Ma, BL; Weyand, EH. (2001). Comparative analysis of PAH : DNA adducts formed in lung of mice exposed to neat coal tar and soils contaminated with coal tar. *Environ Sci Technol* 35: 2704-2709. <http://dx.doi.org/10.1021/es001532i>.
- Koistinen, J; Lehtonen, M; Tukia, K; Soimasuo, M; Lahtipera, M; Okari, A. (1998). Identification of lipophilic pollutants discharged from a Finnish pulp and paper mill. *Chemosphere* 37: 219-235.
- Koistinen, J; Soimasuo, M; Tukia, K; Oikari, A; Blankenship, A; Giesy, JP. (1998). Induction of EROD activity in HEPA-1 mouse hepatoma cells and estrogenicity in MCF-7 human breast cancer cells by extracts of pulp mill effluents, sludge, and sediment exposed to effluents. *Environ Toxicol Chem* 17: 1499-1507.
- Koivisto, J; Salorinne, K; Mustalahti, S; Lahtinen, T; Malola, S; Häkkinen, H; Pettersson, M. (2014). Vibrational Perturbations and Ligand-Layer Coupling in a Single Crystal of Au<sub>144</sub>(SC<sub>2</sub>H<sub>4</sub>Ph)<sub>60</sub> Nanocluster. *Journal of Physical Chemistry Letters* 5: 387-392. <http://dx.doi.org/10.1021/jz4026003>.
- Kolak, JJ; Burruss, RC. (2014). The use of solvent extractions and solubility theory to discern hydrocarbon associations in coal, with application to the coal-supercritical CO<sub>2</sub> system. *Organic Geochemistry* 73: 56-69. <http://dx.doi.org/10.1016/j.orggeochem.2014.05.002>.
- Kolak, JJ; Hackley, PC; Ruppert, LF; Warwick, PD; Burruss, RC. (2015). Using Ground and Intact Coal Samples To Evaluate Hydrocarbon Fate during Supercritical CO<sub>2</sub> Injection into Coal Beds: Effects of Particle Size and Coal Moisture. *Energy Fuels* 29: 5187-5203. <http://dx.doi.org/10.1021/ef502611d>.
- Kolbe, N; Andersson, JT. (2006). Simple and sensitive determination of o-phenylphenol in citrus fruits using gas chromatography with atomic emission or mass spectrometric detection. *J Agric Food Chem* 54: 5736-5741. <http://dx.doi.org/10.1021/jf060753q>.
- Koljonen, K; Stenius, P. (2005). Surface characterisation of single fibres from mechanical pulps by contact angle measurements. *Nordic Pulp & Paper Research Journal* 20: 107-113.
- Kolthoff, IM; Chantooni, MK. (1997). Crown ether complexed alkali metal picrate ion pairs in water-saturated dichloromethane as studied by electrolytic conductance and by partitioning into water. Effect of lithium chloride on partitioning. *Journal of Chemical and Engineering Data* 42: 49-53.
- Kolwzan, B. (2009). EFFECT OF BIOREMEDIATION ON GENOTOXICITY OF SOIL CONTAMINATED WITH DIESEL OIL. *Environ Protect Eng* 35: 95-103.
- Koncsag, CI; Kirwan, K. (2012). A membrane screening for the separation/concentration of dilignols and trilignols from solvent extracts. *Separation and Purification Technology* 94: 54-60. <http://dx.doi.org/10.1016/j.seppur.2012.04.009>.
- Konezny, SJ; Doherty, MD; Luca, OR; Crabtree, RH; Soloveichik, GL; Batista, VS. (2012). Reduction of Systematic Uncertainty in DFT Redox Potentials of Transition-Metal Complexes. *J Phys Chem C* 116: 6349-6356. <http://dx.doi.org/10.1021/jp300485t>.
- Kong, DH; Ende, DJA; Brenek, SJ; Weston, NP. (2003). Determination of flash point in air and pure oxygen using an equilibrium closed bomb apparatus. *J Hazard Mater* 102: 155-165. [http://dx.doi.org/10.1016/S0304-3894\(03\)00212-7](http://dx.doi.org/10.1016/S0304-3894(03)00212-7).
- Kong, H; Sinha, J; Hoeft, D; Kirschner, SB; Reich, DH; Katz, HE. (2013). Solution processable organic p-n junction bilayer vertical photodiodes. *Organic Electronics* 14: 703-710. <http://dx.doi.org/10.1016/j.orgel.2012.12.008>.
- Kong, M; iZhi; Shi, XH, ua; Cao, Y, uC; Zhou, C, aiR. (2008). Solubility of imidacloprid in different solvents. *Journal of Chemical and Engineering Data* 53: 615-618. <http://dx.doi.org/10.1021/je7004038>.
- Kong, M; Zhang, J; Guo, B; Han, K. (2016). Measurements of grease emission and heat generation rates of electric countertop appliances (RP-1631, part 1). 22: 845-865. <http://dx.doi.org/10.1080/23744731.2016.1197749>.
- Koninti, RK; Palvai, S; Satpathi, S; Basu, S; Hazra, P. (2016). Loading of an anti-cancer drug into mesoporous silica nano-channels and its subsequent release to DNA. *Nanoscale* 8: 18436-18445. <http://dx.doi.org/10.1039/c6nr06285g>.
- Kontou, S; Tsipi, D; Oreopoulou, V; Tzia, C. (2001). Determination of ETU in tomatoes and tomato products by HPLC-PDA. Evaluation of cleanup procedures. *J Agric Food Chem* 49: 1090-1097.
- Konys, J; Fodi, S; Hausselt, J; Schmidt, H; Casal, V. (1999). Corrosion of high-temperature alloys in chloride-containing supercritical water oxidation systems. *Corrosion* 55: 45-51.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos* 98: 20517-20526.
- Kora, AJ; Rastogi, L. (2016). Catalytic degradation of anthropogenic dye pollutants using palladium nanoparticles synthesized by gum olibanum, a glucuronoarabinogalactan biopolymer. *Ind Crop Prod* 81: 1-10. <http://dx.doi.org/10.1016/j.indcrop.2015.11.055>.
- Korsunova, LP; Khegai, VV. (2005). Seismo-ionospheric effects of the strong crustal earthquakes in the Pacific region. *Geomagnetism and Aeronomy* 45: 665-670.
- Korth, W; Ellis, J; Bowmer, K. (1992). THE STABILITY OF GEOSMIN AND MIB AND THEIR DEUTERATED ANALOGS IN SURFACE WATERS AND ORGANIC-SOLVENTS. *Water Sci Technol* 25: 115-122.
- Korzekwa, KR; Krishnamachary, N; Shou, M; Ogai, A; Parise, RA; Rettie, AE; Gonzalez, FJ; Tracy, TS. (1998). Evaluation of atypical cytochrome P450 kinetics with two-substrate models: Evidence that multiple substrates can simultaneously bind to cytochrome P450 active sites. *Biochemistry* 37: 4137-4147. <http://dx.doi.org/10.1021/bi9715627>.

## Fate Literature Search Results

### Off Topic

- Kose, GT; Kenar, H; Hasirci, N; Hasirci, V. (2003). Macroporous poly(3-hydroxybutyrate-co-3-hydroxyvalerate) matrices for bone tissue engineering. *Biomaterials* 24: 1949-1958. [http://dx.doi.org/10.1016/S0142-9612\(02\)00613-0](http://dx.doi.org/10.1016/S0142-9612(02)00613-0).
- Köse, GT; Korkusuz, F; Korkusuz, P; Purali, N; Ozkul, A; Hasirci, V. (2003). Bone generation on PHBV matrices: an in vitro study. *Biomaterials* 24: 4999-5007. [http://dx.doi.org/10.1016/S0142-9612\(03\)00417-4](http://dx.doi.org/10.1016/S0142-9612(03)00417-4).
- Koseoglu, E, da; Akmil-Basar, C. (2015). Preparation, structural evaluation and adsorptive properties of activated carbon from agricultural waste biomass. *Adv Powder Tech* 26: 811-818. <http://dx.doi.org/10.1016/j.apt.2015.02.006>.
- Koshland, CP; Fisher, EM; Lucas, D. (1992). THERMAL-DESTRUCTION OF SOME CHLORINATED C-1 AND C-2 HYDROCARBONS. *Combust Sci Tech* 82: 49-65.
- Kosobrodova, E; Kondyurin, A; Chrzanowski, W; Mckenzie, DR; Bilek, MMM. (2016). Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. *Materials & Design* 97: 381-391. <http://dx.doi.org/10.1016/j.matdes.2016.02.124>.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTIG REACTION. 100: 332-336.
- Kotseridis, Y; Baumes, R. (2000). Identification of impact odorants in Bordeaux red grape juice, in the commercial yeast used for its fermentation, and in the produced wine. *J Agric Food Chem* 48: 400-406.
- Kotvis, PV; Huezo, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear* 201: 10-14.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ* 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kowalska, J; Jeżewska, A. (2016). [Method for determining 1,2:3,4-Diepoxybutane in workplace air]. *Med Pr* 67: 645-652. <http://dx.doi.org/10.13075/mp.5893.00415>.
- Koyuncu, S; Wang, HW, ei; Liu, F; Toga, KB; Gu, W; Russell, TP. (2014). A novel complementary absorbing donor-acceptor pair in block copolymers based on single material organic photovoltaics. 2: 2993-2998. <http://dx.doi.org/10.1039/c3ta14902a>.
- Koziej, D; Fischer, F; Kränzlin, N; Caseri, WR; Niederberger, M. (2009). Nonaqueous TiO<sub>2</sub> nanoparticle synthesis: a versatile basis for the fabrication of self-supporting, transparent, and UV-absorbing composite films. *ACS Applied Materials & Interfaces* 1: 1097-1104. <http://dx.doi.org/10.1021/am9000584>.
- Kozlowski, M. (2001). Two-stage reduction and reductive alkylation of coal using deuterium-labelled modifying agents. *Fuel* 80: 937-943.
- Kozlowski, M; Wachowska, H. (1998). Reduction and reductive alkylation of coals using deuterium containing compounds. *Fuel* 77: 591-599.
- Kozlowski, M; Wachowska, H. (1999). The effect of sulphur present in coal on the course of its reduction in the potassium/liquid ammonia system. *Fuel* 78: 1875-1880.
- Kozlowski, M; Wachowska, H; Adriaensens, P; Gelan, J. (1999). IR and NMR characterisation of extraction products of reductively deuteromethylated coals. *Fuel* 78: 1881-1884.
- Kozlowski, M; Wachowska, H; Yperman, J; Franco, DV; Mullens, J; Van Poucke, LC. (1998). Atmospheric-pressure temperature-programmed reduction study of high-sulfur coals reduced in a potassium liquid ammonia system. *Energy Fuels* 12: 1142-1147.
- Krahn, MM; Ylitalo, GM; Buzitis, J; Sloan, CA; Boyd, DT; Chan, SL; Varanasi, U. (1994). SCREENING FOR PLANAR CHLOROBIPHENYL CONGERS IN TISSUES OF MARINE BIOTA BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY WITH PHOTODIODE-ARRAY DETECTION. *Chemosphere* 29: 117-139. [http://dx.doi.org/10.1016/0045-6535\(94\)90095-7](http://dx.doi.org/10.1016/0045-6535(94)90095-7).
- Krajian, H; Odeh, A. (2013). Polycyclic aromatic hydrocarbons in medicinal plants from Syria. *Toxicol Environ Chem* 95: 942-953. <http://dx.doi.org/10.1080/02772248.2013.840375>.
- Kramer, BA; Lee, M; Chen, CC; Volakis, JL. (2005). Design and performance of an ultrawide-band ceramic-loaded slot spiral. *IEEE Transactions on Antennas and Propagation* 53: 2193-2199. <http://dx.doi.org/10.1109/TAP.2005.850715>.
- Kramers, PGN; Mout, HCA; Bissumbar, B; Mulder, CR. (1991). Inhalation exposure in Drosophila mutagenesis assays: Experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. *Mutat Res* 252: 17-33. [http://dx.doi.org/10.1016/0165-1161\(91\)90248-7](http://dx.doi.org/10.1016/0165-1161(91)90248-7).
- Krasnoff, SB; Gupta, S. (1991). IDENTIFICATION AND DIRECTED BIOSYNTHESIS OF EFRAPEPTINS IN THE FUNGUS TOLYPOCLADIUM-GEODES GAMS (DEUTEROMYCOTINA, HYPHOMYCETES). *J Chem Ecol* 17: 1953-1962.
- Krasnoff, SB; Gupta, S. (1994). Identification of the antibiotic phomalactone from the entomopathogenic fungus *Hirsutella thompsonii* var. *synnematos*. *J Chem Ecol* 20: 293-302.
- Kreissig, F; Schaefer, C; Ulrich, J. (2014). Prevention of Solvent-Mediated Isomer Transfer of Carotenoids. *Chem Eng Tech* 37: 1358-1362. <http://dx.doi.org/10.1002/ceat.201400021>.
- Kreiton, KL; Evans, J; Schmonstasik, R; Patel, D. (1993). RESULTS OF A METHOD VERIFICATION STUDY FOR ANALYSES OF PCP IN SOIL. *J Air Waste Manag Assoc* 43: 1408-1411.
- Krekieln, NR; Müller, M; Jung, U; Ulrich, S; Herges, R; Magnussen, OM. (2015). UV/Vis Spectroscopy Studies of the Photoisomerization Kinetics in Self-Assembled Azobenzene-Containing Adlayers. *Langmuir* 31: 8362-8370. <http://dx.doi.org/10.1021/acs.langmuir.5b01645>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect* 102: 37-50.
- Krishnamoorthy, S; Amiridis, MD. (1999). Kinetic and in situ FTIR studies of the catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today* 51: 203-214.
- Krishnamoorthy, S; Baker, JP; Amiridis, MD. (1998). Catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub>-based catalysts. *Catalysis Today* 40: 39-46.

## Fate Literature Search Results

### Off Topic

- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect* 110: 989-994.
- Krishnan, K; Haddad, S; Pelekis, M. (1995). A simple index for representing the discrepancy between simulations of physiological pharmacokinetic models and experimental data. *Toxicol Ind Health* 11: 413-422. <http://dx.doi.org/10.1177/074823379501100404>.
- Krishnan, P; Advani, SG; Prasad, AK. (2011). Synthesis and evaluation of polythiocyanogen (SCN)(x) as a rechargeable lithium-ion battery electrode material. *J Power Sources* 196: 7755-7759. <http://dx.doi.org/10.1016/j.jpowsour.2011.04.048>.
- Krone, CA; Stein, JE; Varanasi, U. (1992). ESTIMATION OF LEVELS OF METABOLITES OF AROMATIC-HYDROCARBONS IN FISH-TISSUES BY HPLC/FLUORESCENCE ANALYSIS. *Chemosphere* 24: 497-510.
- Kronholm, DF; Howard, JB. (2000). Analysis of soot surface growth pathways using published plug-flow reactor data with new particle size distribution measurements and published premixed flame data. *Proc Combust Inst* 28: 2555-2561.
- Krucinska, I; Bogun, M; Chrzanowska, O; Chrzanowski, M; Krol, P. (2013). RESEARCH CONCERNING FABRICATION OF FIBROUS OSTEOCONDUCTIVE PLGA/HAP NANOCOMPOSITE MATERIAL USING THE METHOD OF ELECTROSPINNING FROM POLYMER SOLUTION. 13: 57-66. <http://dx.doi.org/10.2478/v10304-012-0027-3>.
- Krueger, A; Boedeker, T. (2008). Deagglomeration and functionalisation of detonation nanodiamond with long alkyl chains. *Diam Relat Mater* 17: 1367-1370. <http://dx.doi.org/10.1016/j.diamond.2008.01.033>.
- Krueger, MB; Selle, C; Heller, D; Baumann, W. (2012). Determination of Gas Concentrations in Liquids by Nuclear Magnetic Resonance: Hydrogen in Organic Solvents. *Journal of Chemical and Engineering Data* 57: 1737-1744. <http://dx.doi.org/10.1021/je2013582>.
- Kruzel, EL; Lafleur, AL; Braun, AG; Longwell, JP; Thilly, WG; Peters, WA. (1991). A high-yield sampler for toxicological characterization of complex mixtures in combustion effluents. *Environ Health Perspect* 90: 305-314.
- Kryuchkov, MA; Qi, YH, ua; Perepichka, II; Pelletier, C; Regnaud, A; Song, Z; Varshney, SK. (2015). Challenging activated monomer ring-opening polymerization for direct synthesis of thiol end-functionalized polyesters. *React Funct Polym* 90: 1-6. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.03.005>.
- Krzemien-Konieczka, I; Buszewski, B. (2015). Determining Polychlorinated Biphenyls in Soil Using Accelerated Solvent Extraction (ASE). *Pol J Environ Stud* 24: 2029-2033. <http://dx.doi.org/10.15244/pjoes/41589>.
- Ktari, L; Guyot, M. (1999). A cytotoxic oxysterol from the marine alga *Padina pavonica* (L.) Thivy. *J Appl Phycol* 11: 511-513.
- Ktari, L; Ismail-Ben Ali, A; Ben Redjem, Y; Langar, H; El Bour, M. (2010). Antifouling activity and chemical investigation of the brown alga *Dictyota fasciola* (Dictyotales) from Tunisian coast. *Cahiers de Biologie Marine* 51: 109-115.
- Ku, Y; Chiu, PC; Chou, YC. (2010). Decomposition of aniline in aqueous solution by UV/TiO<sub>2</sub> process with applying bias potential. *J Hazard Mater* 183: 16-21. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.035>.
- Kubatova, A; Vermeylen, R; Claeys, M; Cafmeyer, J; Maenhaut, W; Roberts, G; Artaxo, P. (2000). Carbonaceous aerosol characterization in the Amazon basin, Brazil: novel dicarboxylic acids and related compounds. *Atmos Environ* 34: 5037-5051.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kucharska, A; Covaci, A; Vanermen, G; Voorspoels, S. (2014). Non-invasive biomonitoring for PFRs and PBDEs: New insights in analysis of human hair externally exposed to selected flame retardants. *Sci Total Environ* 505C: 1062-1071. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.043>.
- Kuehn, S; Kerndorff, H; Oster, H; Struppe, T. (2009). CFCs as transport tracers of landfill emissions in groundwater. *Grundwasser* 14: 113-125. <http://dx.doi.org/10.1007/s00767-009-0104-2>.
- Kuenen, LP; Siegel, JP. (2015). Measure your septa release ratios: pheromone release ratio variability affected by rubber septa and solvent. *J Chem Ecol* 41: 303-310. <http://dx.doi.org/10.1007/s10886-015-0557-y>.
- Kuivinen, J; Johnsson, H. (1999). Determination of trihalomethanes and some chlorinated solvents in drinking water by headspace technique with capillary column gas-chromatography. *Water Res* 33: 1201-1208.
- Kukkar, D; Kaur, I; Singh, J; Bharadwaj, LM. (2015). Plasticizers Induced Formation of Microcapsules From Freeze Dried Polystyrene Microreactors. *Int J Polym Mater* 64: 385-391. <http://dx.doi.org/10.1080/00914037.2014.958825>.
- Kukula-Koch, W; Koch, W; Stasiak, N; Glowniak, K; Asakawa, Y. (2015). Quantitative standarization and CPC-based recovery of pharmacologically active components from *Polygonum tinctorium* Ait. leaf extracts. *Ind Crop Prod* 69: 324-328. <http://dx.doi.org/10.1016/j.indcrop.2015.02.048>.
- Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEGylation of chitosan via "click chemistry" reactions. *React Funct Polym* 69: 771-778. <http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health* 56: 164-168.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2013). Cholangiocarcinoma among offset colour proof-printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *Occup Environ Med* 70: 508-510. <http://dx.doi.org/10.1136/oemed-2012-101246>.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2014). Time course of blood parameters in printing workers with cholangiocarcinoma. *J Occup Health* 56: 279-284. <http://dx.doi.org/10.1539/joh.13-0263-OA>.
- Kumagai, S; Sobue, T; Makiuchi, T; Kubo, S; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2016). Relationship between cumulative exposure to 1,2-dichloropropane and incidence risk of cholangiocarcinoma among offset printing workers. *Occup Environ Med* 73: 545-552. <http://dx.doi.org/10.1136/oemed-2015-103427>.

## Fate Literature Search Results

### Off Topic

- Kumar, A; Jena, HM. (2015). High surface area microporous activated carbons prepared from Fox nut (*Euryale ferox*) shell by zinc chloride activation. *Appl Surf Sci* 356: 753-761. <http://dx.doi.org/10.1016/j.apsusc.2015.08.074>.
- Kumar, A; Jena, HM. (2016). Preparation and characterization of high surface area activated carbon from Fox nut (*Euryale ferox*) shell by chemical activation with H<sub>3</sub>PO<sub>4</sub>. 6: 651-658. <http://dx.doi.org/10.1016/j.rinp.2016.09.012>.
- Kumar, A; Jena, HM. (2016). Removal of methylene blue and phenol onto prepared activated carbon from Fox nutshell by chemical activation in batch and fixed-bed column. *J Clean Prod* 137: 1246-1259. <http://dx.doi.org/10.1016/j.jclepro.2016.07.177>.
- Kumar, A; Madasu, R; Manocha, A. (1996). Health risk assessment for toxic emissions from a manufacturing facility. *Environ Monit Assess* 42: 211-228. <http://dx.doi.org/10.1007/BF00414369>.
- Kumar, D; Shastri, NR. (2014). Designed Isomorphism of Nifedipine: A Joint Experimental and Molecular Simulation Study with Screened Solvents and Antisolvents. *Cryst Growth Des* 14: 326-338. <http://dx.doi.org/10.1021/cg401612z>.
- Kumar, DA; Palanichamy, V; Roopan, SM. (2015). One step production of AgCl nanoparticles and its antioxidant and photo catalytic activity. *Mater Lett* 144: 62-64. <http://dx.doi.org/10.1016/j.matlet.2015.01.002>.
- Kumar, P; Singh, SP; Madhukar, D; Kotresh, AM. (2009). DETERMINATION OF ENDOSULFAN RESIDUES IN BUFFALO MEAT USING HIGH PERFORMANCE LIQUID CHROMATOGRAPHY. 28: 188-197.
- Kumar, R; Jain, SK; Misra, RK; Kachchwaha, M; Khatri, PK. (2012). Aqueous heavy metals removal by adsorption on beta-diketone-functionalized styrene-divinylbenzene copolymeric resin. *Int J Environ Sci Tech* 9: 79-84. <http://dx.doi.org/10.1007/s13762-011-0019-1>.
- Kumar, R, ajR; Tiku, PK; Prakash, V. (2009). Preferential extractability of gamma-oryzanol from dried soapstock using different solvents. *J Sci Food Agric* 89: 195-200. <http://dx.doi.org/10.1002/jsfa.3448>.
- Kumar, S. (2014). A solvent free approach for Knoevenagel condensation: facile synthesis of 3-cyano and 3-carbethoxycoumarins. 3: 223-227. <http://dx.doi.org/10.1515/gps-2013-0114>.
- Kumar, S; Agrawal, KM. (2014). The Deep Deoiling of Microcrystalline Waxes by Solvent Percolation. *Petroleum Science and Technology* 32: 261-266. <http://dx.doi.org/10.1080/10916466.2011.574175>.
- Kumar, S; Babu, BV. (2009). Extraction of Pyridine-3-carboxylic Acid Using 1-Diethylphosphoryloctane (TOPO) with Different Diluents: Equilibrium Studies. *Journal of Chemical and Engineering Data* 54: 2669-2677. <http://dx.doi.org/10.1021/je900205h>.
- Kumar, S; Uslu, H; Datta, D; Rarotra, S; Rajput, K. (2015). Investigation of Extraction of 4-Oxopentanoic Acid by N,N-Diethyloctan-1-amine in Six Different Diluents: Equilibrium Study. *Journal of Chemical and Engineering Data* 60: 1447-1453. <http://dx.doi.org/10.1021/je501154g>.
- Kumar, V; Kothiyal, NC. (2011). Distribution behavior of polycyclic aromatic hydrocarbons in roadside soil at traffic intercepts within developing cities. *Int J Environ Sci Tech* 8: 63-72.
- Kumar, V; Kothiyal, NC. (2012). Distribution behavior and carcinogenic level of some polycyclic aromatic hydrocarbons in roadside soil at major traffic intercepts within a developing city of India. *Environ Monit Assess* 184: 6239-6252. <http://dx.doi.org/10.1007/s10661-011-2416-9>.
- Kumar, V; Yang, D. (2002). Oxidized cellulose esters: I. Preparation and characterization of oxidized cellulose acetates - a new class of biodegradable polymers. *J Biomater Sci Polym Ed* 13: 273-286.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech* 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kung, KHS; Hayes, KF. (1993). FOURIER-TRANSFORM INFRARED SPECTROSCOPIC STUDY OF THE ADSORPTION OF CETYLTRIMETHYLAMMONIUM BROMIDE AND CETYLPYRIDINIUM CHLORIDE ON SILICA. *Langmuir* 9: 263-267.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology* 26: 1077-1091.
- Kupczewska-Dobecka, M; Soćko, R. (2008). [Admissible concentration in biological material: an index of exposure to dichloromethane] [Review]. *Med Pr* 59: 187-195.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res* 67: 910-920.
- Kurimoto, Y; Takeda, M; Koizumi, A; Yamauchi, S; Doi, S; Tamura, Y. (2000). Mechanical properties of polyurethane films prepared from liquefied wood with polymeric MDI. *Bioresour Technol* 74: 151-157.
- Kurppa, K; Kivisto, H; Vainio, H. (1981). Dichloromethane and carbon monoxide inhalation: carboxyhemoglobin addition, and drug metabolizing enzymes in rat. *Int Arch Occup Environ Health* 49: 83-87.
- Kuzniarska-Biernacka, I; Pereira, C; Carvalho, A, naP; Pires, J; Freire, C. (2011). Epoxidation of olefins catalyzed by manganese(III) salen complexes grafted to porous heterostructured clays. *Appl Clay Sci* 53: 195-203. <http://dx.doi.org/10.1016/j.clay.2010.12.017>.
- Kwak, F; Bae, SY. (2006). Recrystallization of L-PLA fine particles by supercritical anti-solvent (SAS) process. *J Ind Eng Chem* 12: 387-394.
- Kwon, CH; Lee, YD; Im, MH. (2011). Simultaneous determination of oryzastrubin and its isomers in rice using HPLC-UV and LC-MS/MS. *J Agric Food Chem* 59: 10826-10830. <http://dx.doi.org/10.1021/jf202228p>.
- Kwon, IK; Kidoaki, S; Matsuda, T. (2005). Electrospun nano- to microfiber fabrics made of biodegradable copolyesters: structural characteristics, mechanical properties and cell adhesion potential. *Biomaterials* 26: 3929-3939. <http://dx.doi.org/10.1016/j.biomaterials.2004.10.007>.
- Kwon, JH; Lee, HK; Kwon, JW; Kim, K; Park, E; Kang, MH; Kim, YH. (2008). Mutagenic activity of river water from a river near textile industrial complex in Korea. *Environ Monit Assess* 142: 289-296. <http://dx.doi.org/10.1007/s10661-007-9928-3>.
- Kwon, S; Chun, H; Mah, S. (2004). Photo-induced living cationic polymerization of isobutyl vinyl ether in the presence of various combinations of halides of diphenyliodonium and zinc salts in methylene chloride. *Fibers and Polymers* 5: 253-258.
- Laabs, V; Amelung, W; Zech, W. (1999). Multi-residue analysis of corn and soybean pesticides in Brazilian oxisols using gas chromatography and mass selective detection. *J Environ Qual* 28: 1778-1786.

## Fate Literature Search Results

### Off Topic

- Lababidi, S; Panda, SK; Andersson, J, anT; Schrader, W. (2013). Deep Well Deposits: Effects of Extraction on Mass Spectrometric Results. *Energy Fuels* 27: 1236-1245. <http://dx.doi.org/10.1021/ef301593r>.
- Labbé, C; Faini, F; Villagrán, C; Coll, J; Rycroft, DS. (2005). Antifungal and insect antifeedant 2-phenylethanol esters from the liverwort *Balanitopsis cancellata* from Chile. *J Agric Food Chem* 53: 247-249. <http://dx.doi.org/10.1021/jf048935c>.
- Laborde-Castérot, H; Rosenberg, N; Dupont, P; Garnier, R. (2014). Is the incidence of aliphatic amine-induced occupational rhinitis and asthma underestimated? *Am J Ind Med* 57: 1303-1310. <http://dx.doi.org/10.1002/ajim.22373>.
- Lacey, S; Alexander, BM; Baxter, CS. (2014). Plasticizer contamination of firefighter personal protective clothing - a potential factor in increased health risks in firefighters. *J Occup Environ Hyg* 11: D43-D48. <http://dx.doi.org/10.1080/15459624.2013.877142>.
- Lacík, I; Brissová, M; Anilkumar, AV; Powers, AC; Wang, T. (1998). New capsule with tailored properties for the encapsulation of living cells. *J Biomed Mater Res* 39: 52-60.
- Lafleur, AL; Sarofim, AF; Wornat, MJ. (1993). A SIMPLE MULTIMODE SIZE-EXCLUSION CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF THE DEGREE OF THERMAL-TREATMENT OF FOSSIL-FUEL PYROLYSIS PRODUCTS. *Energy Fuels* 7: 357-361.
- Lages, BG; Fleury, BG; Rezende, CM; Pinto, AC; Creed, JC. (2010). CHEMICAL COMPOSITION AND RELEASE IN SITU DUE TO INJURY OF THE INVASIVE CORAL *Tubastraea* (CNIDARIA, SCLERACTINIA). 58: 47-56.
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, KY; Chu, TM; Hong, FCN; Elangovan, A; Kao, KM; Yang, SW; Ho, TI. (2006). Excimer emission from a novel ethyne-based fluorescent dye in organic light-emitting devices. *Surf Coating Tech* 200: 3283-3288. <http://dx.doi.org/10.1016/j.surfcoat.2005.07.029>.
- Lai, MK; Tsiang, RC. (2004). Encapsulating acetaminophen into poly(L-lactide) microcapsules by solvent-evaporation technique in an O/W emulsion. *J Microencapsul* 21: 307-316. <http://dx.doi.org/10.1080/02652040410001673928>.
- Laiadi, D; Hasseinea, A; Merzougui, A. (2012). Homotopy method to predict liquid-liquid equilibria for ternary mixtures of (water plus carboxylic acid plus organic solvent). *Fluid Phase Equilibria* 313: 114-120. <http://dx.doi.org/10.1016/j.fluid.2011.09.034>.
- Laine, J; Stenius, P; Carlsson, G; Strom, G. (1994). SURFACE CHARACTERIZATION OF UNBLEACHED KRAFT PULPS BY MEANS OF ESCA. *Cellulose* 1: 145-160.
- Laird, RM; Pandit, S. (1995). SOLID-PHASE ACYLATING REAGENTS .3. THE REACTIONS OF A MACRORETICULAR ACETYL POLYSTYRENESULFONATE WITH ANILINE IN AQUEOUS, DICHLOROMETHANE, DIMETHYLFORMAMIDE, DIOXAN AND ETHYL-ACETATE SOLUTIONS AND WITH ACETONE IN AQUEOUS-SOLUTIONS. *J Chem Tech Biotechnol* 63: 345-352.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakshminarayana, R; Raju, M; Krishnakantha, TP; Baskaran, V. (2005). Determination of major carotenoids in a few Indian leafy vegetables by high-performance liquid chromatography. *J Agric Food Chem* 53: 2838-2842. <http://dx.doi.org/10.1021/jf0481711>.
- Lall, RK; Proctor, A; Jain, VP; Lay, JO. (2009). Conjugated linoleic acid-rich soy oil triacylglycerol identification. *J Agric Food Chem* 57: 1727-1734. <http://dx.doi.org/10.1021/jf803111e>.
- Lam, C; Grage, A; Schulz, D; Schulte, A; Harder, T. (2008). Extracts of North Sea macroalgae reveal specific activity patterns against attachment and proliferation of benthic diatoms: a laboratory study. *Biofouling* 24: 59-66. <http://dx.doi.org/10.1080/08927010701827646>.
- Lamb, JD; Morris, CA; West, JN; Morris, KT; Harrison, RG. (2008). Cation effect on anion separations by aza-crown ligands in liquid membranes. *J Memb Sci* 321: 15-21. <http://dx.doi.org/10.1016/j.memsci.2008.02.003>.
- Lamb, JD; West, JN; Shaha, DP; Johnson, JC. (2010). An evaluation of polymer inclusion membrane performance in facilitated transport with sequential membrane reconstitution. *J Memb Sci* 365: 256-259. <http://dx.doi.org/10.1016/j.memsci.2010.09.019>.
- Lambert, RH; Owens, JA. (1997). Utilization of a portable microchip gas chromatograph to identify and reduce fugitive emissions at a pharmaceutical manufacturing plant. *Field Analytical Chemistry and Technology* 1: 367-374.
- Lammer, EJ; Shaw, GM; Iovannisci, DM; Finnell, RH. (2005). Maternal smoking, genetic variation of glutathione s-transferases, and risk for orofacial clefts. *Epidemiology* 16: 698-701.
- Lanchote, VL; Bonato, PS; Cerdeira, AL; Santos, NAG; de Carvalho, D; Gomes, MA. (2000). HPLC screening and GC-MS confirmation of triazine herbicides residues in drinking water from sugar cane area in Brazil. *Water Air Soil Pollut* 118: 329-337.
- Landau, I; Belfer, AJ; Locke, DC. (1991). MEASUREMENT OF LIMITING ACTIVITY-COEFFICIENTS USING NON-STEADY-STATE GAS-CHROMATOGRAPHY. *Ind Eng Chem Res* 30: 1900-1906.
- Landolsi, T; Hassan, MS; Elrefaie, A, lyF; Hamid, S. (2015). Performance evaluation of optically-preamplified hybrid QPSK M-ary PPM systems with finite extinction ratios. 25: 33-38. <http://dx.doi.org/10.1016/j.yofte.2015.07.011>.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lanes, SF; Rothman, KJ; Dreyer, NA; Soden, KJ. (1993). Mortality update of cellulose fiber production workers. *Scand J Work Environ Health* 19: 426-428.
- Lang, P; Modla, G. (2006). Generalised method for the determination of heterogeneous batch distillation regions. *Chem Eng Sci* 61: 4262-4270. <http://dx.doi.org/10.1016/j.ces.2006.02.004>.
- Lang, ZM; Hong, HL; Han, LM; Zhu, N; Suo, QL. (2012). Preparation of Emodin-Polyethylene Glycol Composite Microparticles Using a Supercritical Antisolvent Process. *Chem Eng Tech* 35: 362-368. <http://dx.doi.org/10.1002/ceat.201100188>.
- Langevin, R; Rasmussen, JB; Sloterdijk, H; Blaise, C. (1992). Genotoxicity in water and sediment extracts from the St Lawrence River system, using the SOS chromotest. *Water Res* 26: 419-429.



## Fate Literature Search Results

### Off Topic

- Langone, F; Lora, S; Veronese, FM; Caliceti, P; Parnigotto, PP; Valenti, F; Palma, G. (1995). PERIPHERAL-NERVE REPAIR USING A POLY(ORGANO)PHOSPHAZENE TUBULAR PROSTHESIS. *Biomaterials* 16: 347-353.
- Lanzi, M; Bizzarri, PC; Dellacasa, C. (1997). Solvatochromic properties of poly[3-(6-methoxyhexyl)-2,5-thienylene] in different solvent mixtures. *Synthetic Metals* 89: 181-186.
- Lara, J; Molero, H; Ramirezcuesta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl<sub>4</sub> on iron surfaces. *Langmuir* 12: 2488-2494.
- Lara, J; Tysoe, WT. (1998). Interaction of effusive beams of methylene chloride and chloroform with clean iron: Tribochemical reactions explored in ultrahigh vacuum. *Langmuir* 14: 307-312.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters* 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films* 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Larsen, JW; Flores, CI. (2008). Kerogen chemistry - 5. Anhydride formation in, solvent swelling of, and loss of organics on demineralization of Kimmeridge shales. *Fuel Process Tech* 89: 314-321. <http://dx.doi.org/10.1016/j.fuproc.2007.11.019>.
- Lash, AA; Becker, CE; So, Y; Shore, M. (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? *Occup Environ Med* 48: 418-426.
- Latha, MS; Jayakrishnan, A. (1995). A new method for the synthesis of smooth, round, hydrophilic protein microspheres using low concentrations of polymeric dispersing agents. *J Microencapsul* 12: 7-12.
- Latimer, JG; Severson, RF. (1997). Effect of mechanical and moisture-stress conditioning on growth and cuticle composition of broccoli transplants. *J Am Soc Hortic Sci* 122: 788-791.
- Laus, G; Bentivoglio, G; Kahlenberg, V; Wurst, K; Nauer, G; Schottenberger, H; Tanaka, M; Siehl, HU. (2012). Conformational Flexibility and Cation-Anion Interactions in 1-Butyl-2,3-dimethylimidazolium Salts. *Cryst Growth Des* 12: 1838-1846. <http://dx.doi.org/10.1021/cg201424m>.
- Lavoie, JM; Stevanovic, T. (2006). Yield and composition of lipophylic extracts of yellow birch (*Betula alleghaniensis* Britton) as a function of wood age and aging under industrial conditions. *Holzforschung* 60: 184-189. <http://dx.doi.org/10.1515/HF.2006.030>.
- Law, K, en; Daneault, C; Song, X. (2006). Effect of dichloromethane extraction on properties of chemical fibers. *Cellulose Chemistry and Technology* 40: 439-443.
- Lazar, R; Edwards, RC; Metcalfe, CD; Metcalfe, T; Gobas, F; Haffner, GD. (1992). A SIMPLE, NOVEL METHOD FOR THE QUANTITATIVE-ANALYSIS OF COPLANAR (NONORTHOSUBSTITUTED) POLYCHLORINATED-BIPHENYLS IN ENVIRONMENTAL-SAMPLES. *Chemosphere* 25: 493-504.
- Lazzari, L; Sperti, L; Salizzato, M; Pavoni, B. (1999). Gas chromatographic determination of organic micropollutants in samples of sewage sludge and compost: Behaviour of PCB and PAH during composting. *Chemosphere* 38: 1925-1935.
- Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilibria of some carbon dioxide plus organic binary systems. *Journal of Chemical and Engineering Data* 50: 60-65. <http://dx.doi.org/10.1021/je0498560>.
- Le Cloirec, P. (2012). Adsorption onto Activated Carbon Fiber Cloth and Electrothermal Desorption of Volatile Organic Compound (VOCs): A Specific Review. *Chinese Journal of Chemical Engineering* 20: 461-468.
- Le, QT; Avendano, FM; Forsythe, EW; Yan, L; Gao, YL; Tang, CW. (1999). X-ray photoelectron spectroscopy and atomic force microscopy investigation of stability mechanism of tris-(8-hydroxyquinoline) aluminum-based light-emitting devices. *Journal of Vacuum Science and Technology A* 17: 2314-2317.
- Le, TT; Miocinovic, J; Nguyen, TM; Rombaut, R; van Camp, J; Dewettinck, K. (2011). Improved solvent extraction procedure and high-performance liquid chromatography-evaporative light-scattering detector method for analysis of polar lipids from dairy materials. *J Agric Food Chem* 59: 10407-10413. <http://dx.doi.org/10.1021/jf200202d>.
- Leal, WS; Yadava, CPS; Vijayvergia, JN. (1996). Aggregation of the scarab beetle *Holotrichia consanguinea* in response to female-released pheromone suggests secondary function hypothesis for semiochemical. *J Chem Ecol* 22: 1557-1566.
- Leboda, R. (1992). CARBON-MINERAL ADSORBENTS - NEW TYPE OF SORBENTS .1. THE METHODS OF PREPARATION. *Mater Chem Phys* 31: 243-255.
- Leboda, R. (1993). CARBON MINERAL ADSORBENTS - NEW-TYPE OF SORBENTS .2. SURFACE-PROPERTIES AND METHODS OF THEIR MODIFICATION. *Mater Chem Phys* 34: 123-141.
- Leboda, R; Gierak, A; Hubicki, Z; Lodyga, A. (1991). EFFECT OF ZIRCONIUM ON PREPARATION AND SORPTION PROPERTIES OF COMPLEX CARBON MINERAL ADSORBENTS. *Mater Chem Phys* 30: 83-91.
- Leboda, R; Sidorchuk, VV; Skubiszewskazieba, J. (1994). EFFECT OF HYDROTHERMAL TREATMENTS ON ADSORPTION PROPERTIES AND STRUCTURAL CHARACTERISTICS OF CARBON SILICA ADSORBENTS (CARBOSILS). *Mater Chem Phys* 39: 136-141.
- Leboda, R; Skubiszewskazieba, J; Sidorchuk, VV; Tertykh, VA; Zarko, VI. (1995). PREPARATION AND SOME PHYSICOCHEMICAL PROPERTIES OF CARBOAEROSILS. *Journal of Non-Crystalline Solids* 189: 265-269.
- Lebouf, RF; Stefaniak, AB; Virji, MA. (2012). Validation of evacuated canisters for sampling volatile organic compounds in healthcare settings. *J Environ Monit* 14: 977-983. <http://dx.doi.org/10.1039/c2em10896h>.
- Leboulair, S; Bauduret, JC; Andre, F. (1997). Veterinary drug residues survey in meat: An HPLC method with a matrix solid phase dispersion extraction. *J Agric Food Chem* 45: 2134-2142.
- Ledauphin, J; Saint-Clair, JF; Lablanquie, O; Guichard, H; Founier, N; Guichard, E; Barillier, D. (2004). Identification of trace volatile compounds in freshly distilled Calvados and Cognac using preparative separations coupled with gas chromatography-mass spectrometry. *J Agric Food Chem* 52: 5124-5134. <http://dx.doi.org/10.1021/jf040052y>.

## Fate Literature Search Results

### Off Topic

- Lee, BC; Kuk, YM. (2002). Phase behavior of poly(L-lactide) in supercritical mixtures of dichloromethane and carbon dioxide. *Journal of Chemical and Engineering Data* 47: 367-370. <http://dx.doi.org/10.1021/je010270c>.
- Lee, BK; Dong, TT. (2010). Effects of road characteristics on distribution and toxicity of polycyclic aromatic hydrocarbons in urban road dust of Ulsan, Korea. *J Hazard Mater* 175: 540-550. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.039>.
- Lee, BN; Ying, WT; Shen, YT. (2007). Microwave-induced combustion of volatile organic compounds in an industrial flue gas over the magnetite fixed-bed. *Chemosphere* 69: 1821-1826. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.030>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lee, CG, i; Kim, J, inH. (2015). Improved drying method for removal of residual solvents from paclitaxel by pre-treatment with ethanol and water. *Process Biochemistry* 50: 1031-1036. <http://dx.doi.org/10.1016/j.procbio.2015.02.018>.
- Lee, CH, ao; Ho, K, inMan; Harris, FW; Cheng, SZD; Li, P, ei. (2009). Formation of nanostructured materials using inexpensive hollow particles of amphiphilic graft copolymers as building blocks: 1. insight into the mechanism of nanotube formation. *Soft Matter* 5: 4914-4921. <http://dx.doi.org/10.1039/b915626g>.
- Lee, CH; Wong, CH; Ouhab, D; Borsali, R; Li, P. (2013). Synthesis and characterization of solvent-invertible amphiphilic hollow particles. *Langmuir* 29: 7583-7590. <http://dx.doi.org/10.1021/la401399m>.
- Lee, D, uKD; Choi, N, akJin; Song, K, apDuk. (2006). Micro gas sensor array for monitoring highly toxic gases. 35: 9-12.
- Lee, DH; Cody, RD; Kim, DJ. (2002). Surfactant recycling by solvent extraction in surfactant-aided remediation. *Separation and Purification Technology* 27: 77-82.
- Lee, EG; Harper, M; Bowen, RB; Slaven, J. (2009). Evaluation of COSHH essentials: methylene chloride, isopropanol, and acetone exposures in a small printing plant. *Ann Occup Hyg* 53: 463-474. <http://dx.doi.org/10.1093/annhyg/mep023>.
- Lee, EJ; Yoo, C; Cho, YB. (2003). The analysis of methyl isocyanate using secondary amines by GC-FID. *Int J Environ Anal Chem* 83: 261-268. <http://dx.doi.org/10.1080/0306731021000048573>.
- Lee, ES; Kwon, MJ; Na, K; Bae, JH. (2007). Protein release behavior from porous microparticle with lysozyme/hyaluronate ionic complex. *Colloids Surf B Biointerfaces* 55: 125-130. <http://dx.doi.org/10.1016/j.colsurfb.2006.11.024>.
- Lee, H; Kim, E; Lee, JH; Sung, JH; Choi, H; Kim, JH. (2014). Analysis of cyazofamid and its metabolite in the environmental and crop samples using LC-MS/MS. *Bull Environ Contam Toxicol* 93: 586-590. <http://dx.doi.org/10.1007/s00128-014-1369-4>.
- Lee, H, oS; Kim, JE, un; Kim, T; Suh, KS. (2015). Ionic liquid-assisted synthesis of highly branched Ag:AgCl hybrids and their photocatalytic activity. *J Alloy Comp* 621: 378-382. <http://dx.doi.org/10.1016/j.jallcom.2014.09.222>.
- Lee, H; Paik, DH; Jeong, K, iY; Gang, R, aeH; Lee, J; Choi, SW. (2015). Fabrication of poly(methyl methacrylate) and TiO<sub>2</sub> composite microspheres with controlled morphologies and porous structures by electrospraying. *Journal of Materials Science* 50: 6531-6538. <http://dx.doi.org/10.1007/s10853-015-9216-5>.
- Lee, H, yeY; Won, JE, un; Shin, US; Kim, H, aeWon. (2011). Using hydrophilic ionic liquids as a facile route to prepare porous-structured biopolymer scaffolds. *Mater Lett* 65: 2114-2117. <http://dx.doi.org/10.1016/j.matlet.2011.04.007>.
- Lee, HJ, ae; Choi, HW, oo; Kim, KJ, a; Lee, SC. (2006). Modification of hydroxyapatite nanosurfaces for enhanced colloidal stability and improved interfacial adhesion in nanocomposites. *Chem Mater* 18: 5111-5118. <http://dx.doi.org/10.1021/cm061139x>.
- Lee, HJ; Cui, SY; Park, SM. (2001). Electrochemistry of conductive polymers - XXV. Electrochemical preparation and characterization of poly(p-phenylenes) from biphenyl and p-terphenyl. *J Electrochem Soc* 148: D139-D145.
- Lee, IC; Cheng, LP; Young, TH. (2006). Role of phase diagram of membrane formation system in controlling the crystallinity and degradation rate of PLLA membranes. *J Biomed Mater Res A* 76: 842-850. <http://dx.doi.org/10.1002/jbm.a.30596>.
- Lee, J, iY; Kim, J, inH. (2013). Microwave-assisted drying of paclitaxel for removal of residual solvents. *Process Biochemistry* 48: 545-550. <http://dx.doi.org/10.1016/j.procbio.2013.01.015>.
- Lee, J, iY; Kim, J, inH. (2013). Removal of residual methylene chloride from homoharringtonine by pre-treatment with ethanol. *Process Biochemistry* 48: 1809-1813. <http://dx.doi.org/10.1016/j.procbio.2013.08.002>.
- Lee, J; Kim, H; Bae, YM, in; Lee, KH, ee; Cho, HJ. (2013). Effect of thermal treatment on the chemical resistance of polydimethylsiloxane for microfluidic devices. *Journal of Micromechanics and Microengineering* 23. <http://dx.doi.org/10.1088/0960-1317/23/3/035007>.
- Lee, JH; Joo, BS; Huh, JS; Lee, DD. (2006). Fabrication of SAW sensor for detecting chemical agent. 35: 433-435.
- Lee, JH; Leu, I, ngChi; Chung, Y, iWen; Hon, M, inH. (2008). Morphology-Controlled 2D Ordered Microstructure Arrays by Surface Modification of Colloidal Template. *J Nanosci Nanotechnol* 8: 4436-4440. <http://dx.doi.org/10.1166/jnn.2008.265>.
- Lee, JH; Park, TG; Choi, HK. (1999). Development of oral drug delivery system using floating microspheres. *J Microencapsul* 16: 715-729. <http://dx.doi.org/10.1080/026520499288663>.
- Lee, JH; Park, TG; Lee, YB; Shin, SC; Choi, HK. (2001). Effect of adding non-volatile oil as a core material for the floating microspheres prepared by emulsion solvent diffusion method. *J Microencapsul* 18: 65-75. <http://dx.doi.org/10.1080/026520401750038610>.
- Lee, JS; Huang, KC; Wang, WJ; Wang, JL. (1995). PREPARATION, STRUCTURE AND PHYSICAL-PROPERTIES OF 1/1 1,3,6,8-TETRAKIS(ETHYLTHIO)PYRENE-DDQ COMPLEX. *Synthetic Metals* 70: 1227-1228.
- Lee, JW; Jung, HJ; Kwak, DH; Chung, PG. (2005). Adsorption of dichloromethane from water onto a hydrophobic polymer resin XAD-1600. *Water Res* 39: 617-629. <http://dx.doi.org/10.1016/j.watres.2004.10.001>.
- Lee, JY; Bae, KH; Kim, JS; Nam, YS; Park, TG. (2011). Intracellular delivery of paclitaxel using oil-free, shell cross-linked HSA--multi-armed PEG nanocapsules. *Biomaterials* 32: 8635-8644. <http://dx.doi.org/10.1016/j.biomaterials.2011.07.063>.

## Fate Literature Search Results

### Off Topic

- Lee, JY; Heon Nam, D; Oh, MH; Kim, Y; Choi, HS; Jeon, DY; Park, CB; Nam, YS. (2014). Serum-stable quantum dot-protein hybrid nanocapsules for optical bio-imaging. *Nanotechnology* 25: 175702. <http://dx.doi.org/10.1088/0957-4484/25/17/175702>.
- Lee, JY; Kim, DY; Kim, CY. (1995). SYNTHESIS OF SOLUBLE POLYPYRROLE OF THE DOPED STATE IN ORGANIC-SOLVENTS. *Synthetic Metals* 74: 103-106.
- Lee, JY; Kim, JH. (2011). Effect of water content of organic solvent on microwave-assisted extraction efficiency of paclitaxel from plant cell culture. *Korean J Chem Eng* 28: 1561-1565. <http://dx.doi.org/10.1007/s11814-011-0012-x>.
- Lee, KJ; Dabrowski, K; Sandoval, M; Miller, MJS. (2005). Activity-guided fractionation of phytochemicals of maca meal, their antioxidant activities and effects on growth, feed utilization, and survival in rainbow trout (*Oncorhynchus mykiss*) juveniles. *Aquaculture* 244: 293-301. <http://dx.doi.org/10.1016/j.aquaculture.2004.12.006>.
- Lee, KJ; Song, NY; Oh, YC; Cho, WK; Ma, JY. (2014). Isolation and Bioactivity Analysis of Ethyl Acetate Extract from *Acer tegmentosum* Using In Vitro Assay and On-Line Screening HPLC-ABTS(+) System. 2014: 150509. <http://dx.doi.org/10.1155/2014/150509>.
- Lee, L, aiY; Lim, LK; Hua, J; Wang, C, hiHwa. (2008). Jet breakup and droplet formation in near-critical regime of carbon dioxide-dichloromethane system. *Chem Eng Sci* 63: 3366-3378. <http://dx.doi.org/10.1016/j.ces.2008.04.015>.
- Lee, M; Wells, E; Wong, YK; Koenig, J; Adrian, L; Richnow, HH; Manefield, M. (2015). Relative contributions of *Dehalobacter* and zerovalent iron in the degradation of chlorinated methanes. *Environ Sci Technol* 49: 4481-4489. <http://dx.doi.org/10.1021/es5052364>.
- Lee, S, hun; Heber, AJ. (2010). Ethylene removal using biotrickling filters: part II. Parameter estimation and mathematical simulation. *Chem Eng J* 158: 89-99. <http://dx.doi.org/10.1016/j.cej.2009.12.034>.
- Lee, S, unHee; Lee, I; Kim, M, inH; Go, J, iSu; Lee, SH, o; Hwang, H, yeJin; Hyun, SK; Kang, KH, wa; Kim, BW, oo; Kim, CM, in; Chung, KT, ae; Lee, JH. (2016). An extract of *Ulmus macrocarpa* improves cellular immunity in immuno-suppressed models. *Animal Cells and Systems* 20: 353-362. <http://dx.doi.org/10.1080/19768354.2016.1230556>.
- Lee, SC; Li, WM; Chan, LY. (2001). Indoor air quality at restaurants with different styles of cooking in metropolitan Hong Kong. *Sci Total Environ* 279: 181-193.
- Lee, SC; Wang, B. (2004). Characteristics of emissions of air pollutants from burning of incense in a large environmental chamber. *Atmos Environ* 38: 941-951. <http://dx.doi.org/10.1016/j.atmosenv.2003.11.002>.
- Lee, SH; Sung, K; Chung, TM; Lee, SG; Min, KD; Koo, S; Kim, CG. (2008). Preparation of silver nanoparticles and antibiotic test of its polycarbonate films composite. *J Nanosci Nanotechnol* 8: 4734-4737. <http://dx.doi.org/10.1166/jnn.2008.IC55>.
- Lee, SJ; Park, YJ; Park, SN; Lee, YM; Seol, YJ; Ku, Y; Chung, CP. (2001). Molded porous poly (L-lactide) membranes for guided bone regeneration with enhanced effects by controlled growth factor release. *J Biomed Mater Res* 55: 295-303.
- Lee, TY; Shim, YB; Shin, SC. (2002). Simple preparation of terthiophene-3'-carboxylic acid and characterization of its polymer. *Synthetic Metals* 126: 105-110.
- Lee, VA; Cardenas, HL; Rawls, HR. (2010). Rubber-toughening of dimethacrylate dental composite resin. *J Biomed Mater Res B Appl Biomater* 94: 447-454. <http://dx.doi.org/10.1002/jbm.b.31674>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YC; Chiang, CS, u; Huang, Y, enLin. (2010). Microwave dielectric properties and microstructures of Nb<sub>2</sub>O<sub>5</sub>-Zn<sub>0.95</sub>Mg<sub>0.05</sub>TiO<sub>3</sub>+0.25TiO<sub>2</sub> ceramics with Bi<sub>2</sub>O<sub>3</sub> addition. *J Eur Ceram Soc* 30: 963-970. <http://dx.doi.org/10.1016/j.jeurceramsoc.2009.09.028>.
- Lee, YS; Yeh, MY; Shih, YP. (1995). PHASE-TRANSFER CATALYTIC KINETICS OF THE SYNTHESIS OF PHENYL BENZOATE. *Ind Eng Chem Res* 34: 1572-1580.
- Leeder, JD; Treloar, IM; Tsatsaronis, M. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL - REPLY. *J Text Inst* 82: 108-109.
- Leepipatpiboon, N; Pancharoen, U, ra; Ramakul, P. (2013). Separation of Co(II) and Ni(II) from thiocyanate media by hollow fiber supported liquid membrane containing Alamine300 as carrier - investigation on polarity of diluent and membrane stability. *Korean J Chem Eng* 30: 194-200. <http://dx.doi.org/10.1007/s11814-012-0111-3>.
- Lega, R; Ladwig, G; Meresz, O; Clement, RE; Crawford, G; Salemi, R; Jones, Y. (1997). Quantitative determination of organic priority pollutants in sewage sludge by GC/MS. *Chemosphere* 34: 1705-1712.
- Leger, CB; Cundy, VA; Sterling, AM; Montestruc, AN; Jakway, AL; Owens, WD. (1993). FIELD-SCALE ROTARY KILN INCINERATION OF BATCH LOADED TOLUENE SORBENT .1. DATA-ANALYSIS AND BED MOTION CONSIDERATIONS. *J Hazard Mater* 34: 1-29.
- Legrand, J; Brujes, L; Garnelle, G; Phalip, P. (1995). STUDY OF A MICROENCAPSULATION PROCESS OF A VIRUCIDE AGENT BY A SOLVENT EVAPORATION TECHNIQUE. *J Microencapsul* 12: 639-649.
- Legrand, MF; Costentin, E; Bruchet, A. (1991). OCCURRENCE OF 38 PESTICIDES IN VARIOUS FRENCH SURFACE AND GROUND WATERS. *Environ Technol* 12: 985-996.
- Lehmann, J; Rausch, MH; Leipertz, A; Froba, AP. (2010). Densities and Excess Molar Volumes for Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Ethylsulfate with Solvents. *Journal of Chemical and Engineering Data* 55: 4068-4074. <http://dx.doi.org/10.1021/je1002237>.
- Lehmann, L; Wagner, J. (2008). Gene expression of 17beta-estradiol-metabolizing isozymes: Comparison of normal human mammary gland to normal human liver and to cultured human breast adenocarcinoma cells. *Adv Exp Med Biol* 617: 617-624. [http://dx.doi.org/10.1007/978-0-387-69080-3\\_64](http://dx.doi.org/10.1007/978-0-387-69080-3_64).
- Lei, Y; Liu, Y; Guo, Y; Chen, J; Huang, X; Gao, W; Qian, L; Wu, H; Liu, M; Cheng, Y. (2015). Multi-Stimulus-Responsive Fluorescent Properties of Donor-pi-Acceptor Indene-1,3-dionemethylene-1,4-dihydropyridine Derivatives. *J Phys Chem C* 119: 23138-23148. <http://dx.doi.org/10.1021/acs.jpcc.5b06432>.

## Fate Literature Search Results

### Off Topic

- Leininger, JP; Lorant, F; Minot, C; Behar, F. (2006). Mechanisms of 1-methylnaphthalene pyrolysis in a batch reactor. *Energy Fuels* 20: 2518-2530. <http://dx.doi.org/10.1021/ef0600964>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect* 103 Suppl 5: 33-36.
- Leitao, MM; White, P; Cracchiolo, B. (2008). Cervical cancer in patients infected with the human immunodeficiency virus. *Cancer* 112: 2683-2689. <http://dx.doi.org/10.1002/cncr.23504>.
- Leitz, T. (1993). BIOCHEMICAL AND CYTOLOGICAL BASES OF METAMORPHOSIS IN HYDRACTINIA-ECHINATA. *Mar Biol* 116: 559-564.
- Lekkas, TD; Nikolaou, AD. (2006). Determination of bromopropylate in grapes by gas chromatography: evaluation of two analytical methods. *Int J Environ Anal Chem* 86: 25-32. <http://dx.doi.org/10.1080/03067310500246530>.
- Leliebre-Lara, V; Garcia, M; Nogueiras, C; Monzote, L. (2015). Qualitative analysis of an ethanolic extract from *Trametes versicolor* and biological screening against *Leishmania amazonensis*. *J Eukaryot Microbiol* 27: 592-595. <http://dx.doi.org/10.9755/ejfa.2015.05.194>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag* 18: 361-370.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc* 46: 309-316.
- Lemma, B; Nilsson, I; Kleja, D; Olsson, M; Knicker, H. (2007). Decomposition and substrate quality of leaf litters and fine roots from three exotic plantations and a native forest in the southwestern highlands of Ethiopia. *Soil Biol Biochem* 39: 2317-2328. <http://dx.doi.org/10.1016/j.soilbio.2007.03.032>.
- Lemmer, H; Stieger, N; Liebenberg, W; Caira, MR. (2012). Solvatomorphism of the Antibacterial Dapsone: X-ray Structures and Thermal Desolvation Kinetics. *Cryst Growth Des* 12: 1683-1692. <http://dx.doi.org/10.1021/cg300019f>.
- Lemmouchi, Y; Schacht, E. (1997). In vitro evaluation of poly(epsilon-caprolactone-co-L-lactide) implants containing trypanocidal drugs. *J Bioact Compat Polym* 12: 175-185.
- Lemus, J; Martin-Martinez, M; Palomar, J; Gomez-Sainero, L; Angel Gilarranz, M; Rodriguez, JJ. (2012). Removal of chlorinated organic volatile compounds by gas phase adsorption with activated carbon. *Chem Eng J* 211: 246-254. <http://dx.doi.org/10.1016/j.cej.2012.09.021>.
- Lenarcik, B; Kierzkowska, A. (2004). The influence of alkyl chain length and steric effect on stability constants and extractability of Zn(II) complexes with 1-alkyl-4(5)-methylimidazoles. *Separation Science and Technology* 39: 3485-3508. <http://dx.doi.org/10.1081/SS-200033148>.
- Lenarcik, B; Ojczenasz, P. (2004). Investigation of the stability of Co(II) complexes with a homologous series of 1-alkylimidazoles in aqueous solution by using a partition method with several solvents. *Separation Science and Technology* 39: 199-226. <http://dx.doi.org/10.1081/SS-120027409>.
- Lenarcik, B; Rauckyte, T. (2004). The influence of alkyl chain length on extraction equilibria of Ni(II) complexes with 1-alkylimidazoles in aqueous solution/organic solvent systems. *Separation Science and Technology* 39: 3353-3372. <http://dx.doi.org/10.1081/SS-200028915>.
- Lenicek, J; Sekyra, M; Bednarkova, K; Benes, I; Sipek, F. (2000). Fractionation and chemical analysis of urban air particulate extracts. *Int J Environ Anal Chem* 77: 269-288.
- Lenz, K; Beste, YA; Arlt, W. (2002). Comparison of static and dynamic measurements of adsorption isotherms. *Separation Science and Technology* 37: 1611-1629.
- Leon, J; Jose Aponte, J; Cuadra, D; Galindo, N; Jaramillo, L; Vallejo, M; Marguet, E. (2016). Extracellular enzymes production and pathogen inhibitory activity of actinomycetes isolated from *Argopecten purpuratus*. *Revista de biologia marina y oceanografia* 51: 69-80. <http://dx.doi.org/10.4067/S0718-19572016000100007>.
- Leonard, RC; Kreckmann, KH; Lineker, GA; Marsh, G; Buchanich, J; Youk, A. (2007). Comparison of standardized mortality ratios (SMRs) obtained from use of reference populations based on company-wide registry cohort to SMRs calculated against local and national rates. *Chem Biol Interact* 166: 317-322. <http://dx.doi.org/10.1016/j.cbi.2006.09.001>.
- Leonetti, JC; Camacho, AG; Postigo, MA. (1999). Isobaric vapor-liquid equilibrium of benzene with dichloromethane at 86.65, 93.32 and 99.99 kPa. *Lat Am Appl Res* 29: 77-81.
- Leong, J; Tey, BT, i; Tan, CP; Chan, E. (2015). Nozzleless Fabrication of Oil-Core Biopolymeric Microcapsules by the Interfacial Gelation of Pickering Emulsion Templates. *ACS Applied Materials & Interfaces* 7: 16169-16176. <http://dx.doi.org/10.1021/acsami.5b04486>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Electron transport properties of some newly synthesized nonsymmetrical bisindolizines in thin films. *Synthetic Metals* 160: 2526-2533. <http://dx.doi.org/10.1016/j.synthmet.2010.09.039>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Newly synthesized fused heterocyclic compounds in thin films with semiconductor properties. *Synthetic Metals* 160: 1273-1279. <http://dx.doi.org/10.1016/j.synthmet.2010.03.022>.
- Lerch, TZ; Dignac, MF; Nunan, N; Bardoux, G; Barriuso, E; Mariotti, A. (2009). Dynamics of soil microbial populations involved in 2,4-D biodegradation revealed by FAME-based Stable Isotope Probing. *Soil Biol Biochem* 41: 77-85. <http://dx.doi.org/10.1016/j.soilbio.2008.09.020>.
- Lerche, D; Sorensen, PB; Larsen, HS; Carlsen, L; Nielsen, OJ. (2002). Comparison of the combined monitoring-based and modelling-based priority setting scheme with partial order theory and random linear extensions for ranking of chemical substances. *Chemosphere* 49: 637-649.
- Lerum, MF; Chen, W. (2009). Acute degradation of surface-bound unsaturated polyolefins in common solvents under ambient conditions. *Langmuir* 25: 11250-11254. <http://dx.doi.org/10.1021/la902340z>.
- Leskey, TC; Prokopy, RJ. (2000). Sources of apple odor attractive to adult plum curculios. *J Chem Ecol* 26: 639-653.
- Leung, BO; Hitchcock, AP; Brash, JL; Scholl, A; Doran, A. (2010). An X-ray spectromicroscopy study of protein adsorption to polystyrene-poly(ethylene oxide) blends. *Langmuir* 26: 14759-14765. <http://dx.doi.org/10.1021/la102432g>.

## Fate Literature Search Results

### Off Topic

- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health* 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J* 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Levsen, K; Mussmann, P; Bergerpreiss, E; Preiss, A; Volmer, D; Wunsch, G. (1993). ANALYSIS OF NITROAROMATICS AND NITRAMINES IN AMMUNITION WASTE-WATER AND IN AQUEOUS SAMPLES FROM FORMER AMMUNITION PLANTS AND OTHER MILITARY SITES. *Acta Hydrochim Hydrobiol* 21: 153-166. <http://dx.doi.org/10.1002/ahch.19930210304>.
- Lewis, CW; Klouda, GA; Ellenson, WD. (2004). Radiocarbon measurement of the biogenic contribution to summertime PM-2.5 ambient aerosol in Nashville, TN. *Atmos Environ* 38: 6053-6061. <http://dx.doi.org/10.1016/j.atmosenv.2004.06.011>.
- Lewis, RJ. (1997). *Hawley's condensed chemical dictionary* (13 ed.). New York, NY: John Wiley & Sons, Inc.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual* 24: 56-61.
- Leylegian, JC; Zhu, DL; Law, CK; Wang, H. (1998). Experiments and numerical simulation on the laminar flame speeds of dichloromethane and trichloromethane. *Combust Flame* 114: 285-293.
- Lhullier, C; Donnangelo, A; Caro, M; Palermo, JA; Horta, PA; Falkenberg, M; Schenkel, EP. (2009). Isolation of elatol from *Laurencia microcladia* and its palatability to the sea urchin *Echinometra lucunter*. *Biochemical Systematics and Ecology* 37: 254-259. <http://dx.doi.org/10.1016/j.bse.2009.04.004>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol* 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O<sub>2</sub>/Ar in the cold plasma environment. *Chem Eng J* 92: 177-184.
- Li, CZ; Nelson, PF. (1996). Fate of aromatic ring systems during thermal cracking of tars in a fluidized-bed reactor. *Energy Fuels* 10: 1083-1090.
- Li, DF; Yang, K, e; Wang, X, qin; Ma, Y, aLi; Huang, G, uiF; Huang, W, eiQ. (2015). Enhancement of photocatalytic activity of combustion-synthesized CeO<sub>2</sub>/C<sub>3</sub>N<sub>4</sub> nanoparticles. *Applied Physics A: Materials Science and Processing* 120: 1205-1209. <http://dx.doi.org/10.1007/s00339-015-9305-y>.
- Li, FB; Gu, GB; Huang, GF; Gu, YL; Wan, HF. (2001). TiO<sub>2</sub>-assisted photo-catalysis degradation process of dye chemicals. *J Environ Sci* 13: 64-68.
- Li, GY; An, TC; Nie, XP; Sheng, GY; Zeng, XY; Fu, JM; Lin, Z; Zeng, EY. (2007). Mutagenicity assessment of produced water during photoelectrocatalytic degradation. *Environ Toxicol Chem* 26: 416-423.
- Li, H; Xiao, J; Gao, YQ; Tang, JJ; Zhang, AL; Gao, JM. (2014). Chaetoglobosins from *Chaetomium globosum*, an endophytic fungus in *Ginkgo biloba*, and their phytotoxic and cytotoxic activities. *J Agric Food Chem* 62: 3734-3741. <http://dx.doi.org/10.1021/jf500390h>.
- Li, H; Xue, F; Bai, J; Chu, C. (2015). Effect of sodium stearate on the surface properties of beta-calcium phosphate. *Mater Lett* 161: 455-458. <http://dx.doi.org/10.1016/j.matlet.2015.09.015>.
- Li, HB; Jiang, Y; Chen, F. (2002). Isolation and purification of lutein from the microalga *Chlorella vulgaris* by extraction after saponification. *J Agric Food Chem* 50: 1070-1072. <http://dx.doi.org/10.1021/jf010220b>.
- Li, J; Lam, AT; Toh, JP; Reuveny, S; Oh, SK; Birch, WR. (2015). Fabrication of uniform-sized poly-ε-caprolactone microspheres and their applications in human embryonic stem cell culture. *Biomed Microdevices* 17: 105. <http://dx.doi.org/10.1007/s10544-015-0010-6>.
- Li, J; Li, K; Zhang, T; Wang, S, hu; Jiang, Y; Bao, Y, u; Tie, M. (2016). Development of Activated Carbon from Windmill Palm Sheath Fiber by KOH Activation. *Fibers and Polymers* 17: 880-887. <http://dx.doi.org/10.1007/s12221-016-6328-8>.
- Li, J, in; Liu, X. (2013). Preparation and characterization of alpha-MoO<sub>3</sub> nanobelt and its application in supercapacitor. *Mater Lett* 112: 39-42. <http://dx.doi.org/10.1016/j.matlet.2013.08.094>.
- Li, J; Zhou, S; Li, Y; Ma, Y, u; Yang, Y; Li, C. (2016). Effect of organic matter on pore structure of mature lacustrine organic-rich shale: A case study of the Triassic Yanchang shale, Ordos Basin, China. *Fuel* 185: 421-431. <http://dx.doi.org/10.1016/j.fuel.2016.07.100>.
- Li, K; Santilli, A; Goldthorp, M; Whitarcar, S; Lambert, P; Fingas, M. (2001). Solvent vapour monitoring in work space by solid phase micro extraction. *J Hazard Mater* 83: 83-91.
- Li, L; Wang, X, ia; Li, Y; Dong, Q. (2015). Synthesis and application of fluorinated epoxy compounds. 4: 102-107. <http://dx.doi.org/10.1680/emr.14.00035>.
- Li, M; Li, Y; Zeng, Y, i; Chen, J; Li, Y, i. (2009). Intramolecular Exciplex Formation Induced by the Folding-Back Conformation of Poly(aryl ether) Dendrimers. *J Phys Chem C* 113: 11554-11559. <http://dx.doi.org/10.1021/jp9004554>.
- Li, P; Arman, HD; Wang, H; Weng, L; Alfooty, K; Angawi, RF; Chen, B. (2015). Solvent Dependent Structures of Melamine: Porous or Nonporous? *Cryst Growth Des* 15: 1871-1875. <http://dx.doi.org/10.1021/acs.cgd.5b00039>.
- Li, Q; Li, G; Ma, F; Zhang, Z; Zheng, B; Feng, Y, an. (2011). Highly efficient ring-opening polymerization of epsilon-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481. <http://dx.doi.org/10.1016/j.procbio.2010.09.020>.
- Li, S; Wang, Y, an; Wei, Y; Zeng, J; Shi, W; Wang, Y. (2016). Preparation and adsorption performance of palm fiber-based nanoporous carbon materials with high specific surface area. *Journal of Porous Materials* 23: 1059-1064. <http://dx.doi.org/10.1007/s10934-016-0163-6>.
- Li, W; Wamser, CC. (1995). SYNTHESIS AND CHARACTERIZATION OF INTERFACIALLY POLYMERIZED FILMS OF TETRAPHENYLPORPHYRIN DERIVATIVES. *Langmuir* 11: 4061-4071.
- Li, W; Yu, K; Yuan, X; Liu, B. (2015). A Reynolds mass flux model for gas separation process simulation: II. Application to adsorption on activated carbon in a packed column. *Chinese Journal of Chemical Engineering* 23: 1245-1255. <http://dx.doi.org/10.1016/j.cjche.2015.01.012>.

## Fate Literature Search Results

### Off Topic

- Li, WB; Liu, BT; Yu, KT; Yuan, XG. (2011). Rigorous Model for the Simulation of Gas Adsorption and Its Verification. *Ind Eng Chem Res* 50: 8361-8370. <http://dx.doi.org/10.1021/ie200360d>.
- Li, X; Kong, X; Shi, S; Wang, X; Gu, Y; Guo, G; Mao, Y; Luo, F; Zhao, X, ia; Wei, Y; Qian, Z. (2010). Preparation, Characterization, and Self-assembly Behavior of a Novel MPEG/PCL-g-Chitosan Copolymer. *Soft Materials* 8: 320-337. <http://dx.doi.org/10.1080/1539445X.2010.497083>.
- Li, X; Son, YA. (2014). Efficient luminescence from easily prepared fluorine-boron core complexes based on benzothiazole and benzoxazole. *Dyes and Pigments* 107: 182-187. <http://dx.doi.org/10.1016/j.dyepig.2014.04.001>.
- Li, X; Teng, K; Shi, J, ie; Wang, W, ei; Xu, Z; Deng, H, ui; Lv, H; Li, F. (2016). Electrospun preparation of polylactic acid nanoporous fiber membranes via thermal-nonsolvent induced phase separation. *Taiwan Institute of Chemical Engineers Journal* 60: 636-642. <http://dx.doi.org/10.1016/j.jtice.2015.11.012>.
- Li, XG; Huang, MR; Lin, G. (1996). Temperature dependence and stability of oxygen enrichment through liquid crystalline triheptyl cellulose-containing membranes cast from three solvents. *J Memb Sci* 116: 143-148.
- Li, XG; Huang, MR; Lin, G; Yang, PC. (1994). SOLVENT AND PRESSURE INFLUENCES ON AIR SEPARATION OF LIQUID-CRYSTALLINE TRIHEPTYL CELLULOSE COMPOSITE ETHYL CELLULOSE MEMBRANES. *Separation Science and Technology* 29: 671-677.
- Li, XN, a; Feng, J, iK; Ren, A, iMin; Li, L, eiHao. (2007). Theoretical studies of spectra properties of cyclometalated platinum(II) complexes with 8-hydroxyquinolines and quinolino-8-thiol ligand. *Synthetic Metals* 157: 1046-1053. <http://dx.doi.org/10.1016/j.synthmet.2007.10.012>.
- Li, XQ, i; Lei, JD, u; Su, Z, hiGuo; Ma, GH, ui. (2007). Comparison of bioactivities of monopegylated rhG-CSF with branched and linear mPEG. *Process Biochemistry* 42: 1625-1631. <http://dx.doi.org/10.1016/j.procbio.2007.09.005>.
- Li, Y; Du, Q; Liu, T; Qi, Y, an; Zhang, P, an; Wang, Z; Xia, Y. (2011). Preparation of activated carbon from *Enteromorpha prolifera* and its use on cationic red X-GRL removal. *Appl Surf Sci* 257: 10621-10627. <http://dx.doi.org/10.1016/j.apsusc.2011.07.060>.
- Li, Y; Du, X; Wang, Y; Tai, H; Qiu, D; Lin, Q; Jiang, Y. (2014). High-separation efficiency micro-fabricated multi-capillary gas chromatographic columns for simulants of the nerve agents and blister agents. *Nanoscale Res Lett* 9: 224. <http://dx.doi.org/10.1186/1556-276X-9-224>.
- Li, Y; Li, Y; Li, L; Shi, X; Wang, Z. (2016). Preparation and analysis of activated carbon from sewage sludge and corn stalk. *Adv Powder Tech* 27: 684-691. <http://dx.doi.org/10.1016/j.apt.2016.02.029>.
- Li, Y; Wang, LS; Zhang, Y. (2010). Activity Coefficients at Infinite Dilution of Polar Solutes in 1-(2-Hydroxyethyl)-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography. *Journal of Chemical and Engineering Data* 55: 1732-1734. <http://dx.doi.org/10.1021/jc900704b>.
- Li, YH; Qiu, FX; Yang, DY; Sun, P; Li, XH. (2012). Transesterification of soybean oil and analysis of bioproduct. *Food Bioprod Process* 90: 135-140. <http://dx.doi.org/10.1016/j.fbp.2011.02.004>.
- Li, Z; Chen, W; Wang, H; Ding, Q, i; Hou, H; Zhang, J; Mi, L; Zheng, Z, hi. (2011). Large-scale synthesis and catalysis properties of micro-structured snowflake Cu<sub>2</sub>S from a single source Cu(II) coordination complex. *Mater Lett* 65: 1785-1787. <http://dx.doi.org/10.1016/j.matlet.2011.03.067>.
- Li, Z; Gao, F; Xiao, Z; Ao, G; Wu, X; Fang, Y, u; Nie, Z; Wei, T, aiH; Yang, J; Wang, Y; Zhang, X; Zuo, J; Song, Y. (2015). Synthesis and third-order nonlinear optical properties of a sandwich-type mixed (phthalocyaninato)(schiff-base) triple-decker complexes. *Dyes and Pigments* 119: 70-74. <http://dx.doi.org/10.1016/j.dyepig.2015.03.025>.
- Li, Z; Sun, Y. (2013). Silver chlorobromide nanoparticles with highly pure phases: synthesis and characterization. 1: 6786-6793. <http://dx.doi.org/10.1039/c3ta00020f>.
- Li, Z; Wang, B; Ge, S; Yan, L; Liu, Y; Li, Z; Ren, A. (2016). A simultaneous analysis method of polycyclic aromatic hydrocarbons, nicotine, cotinine and metals in human hair. *Environ Pollut* 219: 66-71. <http://dx.doi.org/10.1016/j.envpol.2016.09.045>.
- Liang, A; Li, Y; Zhu, W; Wang, Y; Huang, F, ei; Wu, H; Cao, Y. (2013). Novel cyclometalated platinum (II) complex containing carrier-transporting groups: Synthesis, luminescence and application in single dopant white PLEDs. *Dyes and Pigments* 96: 732-737. <http://dx.doi.org/10.1016/j.dyepig.2012.11.006>.
- Liang, D, i; Fu, X; Liao, M; Yuan, W; Su, J. (2013). Development of dextran microparticles loaded with IL-1Ra of high-encapsulation efficiency and high-bioactivity by a novel method without exposing IL-1Ra to water-oil interfaces. *Powder Technology* 235: 299-302. <http://dx.doi.org/10.1016/j.powtec.2012.10.036>.
- Liang, DQ; Guo, KH; Wang, RH; Fan, SS. (2001). Hydrate equilibrium data of 1, 1, 1,2-tetrafluoroethane (HFC-134a), 1,1-dichloro-1-fluoroethane (HCFC-141b) and 1,1-difluoroethane (HFC-152a). *Fluid Phase Equilibria* 187: 61-70.
- Liang, J; Ma, Y; Sims, S; Wu, L. (2015). A patterned porous polymer film for localized capture of insulin and glucose-responsive release. 3: 1281-1288. <http://dx.doi.org/10.1039/c4tb01537a>.
- Liang, X; Liu, J, un; Fu, Y, an; Chang, J, ie. (2016). Influence of anti-solvents on lignin fractionation of eucalyptus globulus via green solvent system pretreatment. *Separation and Purification Technology* 163: 258-266. <http://dx.doi.org/10.1016/j.seppur.2016.03.006>.
- Liang, Y; Kuo, DTF; Allen, HE; Di Toro, DM. (2016). Experimental determination of solvent-water partition coefficients and Abraham parameters for munition constituents. *Chemosphere* 161: 429-437. <http://dx.doi.org/10.1016/j.chemosphere.2016.07.028>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; III, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, Q; Tian, X; Chen, R; Zhu, X. (2008). Mathematical model for gas-liquid two-phase flow and biodegradation of a low concentration volatile organic compound (VOC) in a trickling biofilter. *Int J Heat Mass Tran* 51: 1780-1792. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2007.07.007>.

## Fate Literature Search Results

### Off Topic

- Liao, W; Ghabour, M; Draper, WM; Chandrasena, E. (2016). Lowering detection limits for 1,2,3-trichloropropane in water using solid phase extraction coupled to purge and trap sample introduction in an isotope dilution GC-MS method. *Chemosphere* 158: 171-176. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.061>.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al<sub>2</sub>O<sub>3</sub>. *Environ Technol* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci* 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere* 49: 371-378.
- Lijuan, X; Liuyun, J; Lixin, J; Chengdong, X. (2013). Synthesis of Mg-substituted hydroxyapatite nanopowders: Effect of two different magnesium sources. *Mater Lett* 106: 246-249. <http://dx.doi.org/10.1016/j.matlet.2013.05.032>.
- Likas, DT; Tsiropoulos, NG. (2009). Residue screening in apple, grape and wine food samples for seven new pesticides using HPLC with UV detection. An application to trifloxystrobin dissipation in grape and wine. *Int J Environ Anal Chem* 89: 857-869. <http://dx.doi.org/10.1080/03067310902756615>.
- Lim, JM; Kwon, JY; Xu, F; Kim, HU; Hwang, DH. (2013). Pure red phosphorescent organic light-emitting diodes made of iridium(III) complex with thiophene-quinoline ligand. *J Nanosci Nanotechnol* 13: 8007-8010. <http://dx.doi.org/10.1166/jnn.2013.8152>.
- Lim, JS; Lee, YW; Lee, YY. (1997). Vapor-liquid equilibria for difluoromethane plus dichloromethane at 305.2 and 313.2 K and 1,1-difluoroethane plus vinyl chloride at 303.2 and 323.2 K. *Journal of Chemical and Engineering Data* 42: 566-569.
- Lim, S, unY. (2014). Effects of Drying Methods on the Proximate Composition and Antiproliferative and Antioxidant Properties of Extracts from the Sea Cucumber *Stichopus japonicus*. 97: 280-286.
- Lim, SK; Kim, JW; Chin, I; Kwon, YK; Choi, HJ. (2002). Preparation and interaction characteristics of organically modified montmorillonite nanocomposite with miscible polymer blend of poly(ethylene oxide) and poly(methyl methacrylate). *Chem Mater* 14: 1989-1994. <http://dx.doi.org/10.1021/cm010498j>.
- Lim, SN; Cheung, PCK; Ooi, VEC; Ang, PO. (2002). Evaluation of antioxidative activity of extracts from a brown seaweed, *Sargassum siliquastrum*. *J Agric Food Chem* 50: 3862-3866. <http://dx.doi.org/10.1021/jf020096b>.
- Lim, YJ; Kim, TK; Cho, KH. (2001). Reactive dyeing of cotton in water-organic solvent mixture. *Sen'i Gakkaishi* 57: 21-24.
- Lin, DM; Kalachandra, S; Valiyaparambi, J; Offenbacher, S. (2003). A polymeric device for delivery of anti-microbial and anti-fungal drugs in the oral environment: effect of temperature and medium on the rate of drug release. *Dent Mater* 19: 589-596. [http://dx.doi.org/10.1016/S0109-5641\(02\)00109-4](http://dx.doi.org/10.1016/S0109-5641(02)00109-4).
- Lin, L, iC; Shu, Y, aoChi; Yang, J, enC; Shie, H, anS; Lee, SY; Chen, CC. (2014). Nano-porous Poly-L-lactic Acid Microtube Array Membranes. *Current Nanoscience* 10: 227-234.
- Lin, LJ; Peiser, G; Ying, BP; Mathias, K; Karasina, F; Wang, Z; Itatani, J; Green, L; Hwang, YS. (1995). IDENTIFICATION OF PLANT-GROWTH INHIBITORY PRINCIPLES IN AILANTHUS-ALTISSIMA AND CASTELA-TORTUOSA. *J Agric Food Chem* 43: 1708-1711.
- Lin, SY; Chen, KS; Teng, HS. (1999). Protective colloids and polylactic acid co-affecting the polymorphic crystal forms and crystallinity of indomethacin encapsulated in microspheres. *J Microencapsul* 16: 769-776.
- Lin, SY; Chen, KS; Teng, HS. (1999). Effect of protective colloids on the induction of polymorphic changes in indomethacin agglomerates after solvent evaporation from o/w emulsions. *J Microencapsul* 16: 39-47.
- Lin, WC; Chien, JT; Chen, BH. (2005). Determination of carotenoids in spear shrimp shells (*Parapenaeopsis hardwickii*) by liquid chromatography. *J Agric Food Chem* 53: 5144-5149. <http://dx.doi.org/10.1021/jf050664y>.
- Lin, YH; Chiu, TC; Hsueh, HT; Chu, H. (2011). N-doped TiO<sub>2</sub> photo-catalyst for the degradation of 1,2-dichloroethane under fluorescent light. *Appl Surf Sci* 258: 1581-1586. <http://dx.doi.org/10.1016/j.apsusc.2011.09.138>.
- Lin, YH; Vasavada, RC. (2000). Studies on microencapsulation of 5-fluorouracil with poly(ortho ester) polymers. *J Microencapsul* 17: 1-11.
- Lin, ZY; Xiao, J; Yan, JH; Liu, P; Li, LH; Yang, GW. (2015). Ag/AgCl plasmonic cubes with ultrahigh activity as advanced visible-light photocatalysts for photodegrading dyes. 3: 7649-7658. <http://dx.doi.org/10.1039/c5ta00942a>.
- Lindahl, S; Gundersen, CB; Lundanes, E. (2014). A review of available analytical technologies for qualitative and quantitative determination of nitramines [Review]. *Environ Sci Process Impacts* 16: 1825-1840. <http://dx.doi.org/10.1039/c4em00095a>.
- Lindhardt, B; Holst, H; Christensen, TH. (1994). COMPARISON OF SOXHLET AND SHAKE EXTRACTION OF POLYCYCLIC AROMATIC-HYDROCARBONS FROM COAL-TAR POLLUTED SOILS SAMPLED IN THE FIELD. *Int J Environ Anal Chem* 57: 9-19.
- Lindner, G; Dalmolin, LF; Khalil, NM; Mainardes, RM. (2015). Influence of the Formulation Parameters on the Particle Size and Encapsulation Efficiency of Resveratrol in PLA and PLA-PEG Blend Nanoparticles: A Factorial Design. *J Nanosci Nanotechnol* 15: 10173-10182. <http://dx.doi.org/10.1166/jnn.2015.11687>.
- Lindstedt, SL; Schaeffer, PJ. (2002). Use of allometry in predicting anatomical and physiological parameters of mammals. *Lab Anim* 36: 1-19. <http://dx.doi.org/10.1258/0023677021911731>.
- Lindstrom, AB; Proffitt, D; Fortune, CR. (1995). Effects of modified residential construction on indoor air quality. *Indoor Air* 5: 258-269.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull* 32: 807-816.
- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res* 69: 305-310.
- Linz, AJ; Greenham, RK; Fallon, LF. (2006). Methemoglobinemia: an industrial outbreak among rubber molding workers. *J Occup Environ Med* 48: 523-528. <http://dx.doi.org/10.1097/01.jom.0000201815.32098.99>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.

## Fate Literature Search Results

### Off Topic

- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Liras, M; Gonzalez-Bejar, M; Peinado, E; Frances-Soriano, L; Perez-Prieto, J; Quijada-Garrido, I; Garcia, O. (2014). Thin Amphiphilic Polymer-Capped Upconversion Nanoparticles: Enhanced Emission and Thermoresponsive Properties. *Chem Mater* 26: 4014-4022. <http://dx.doi.org/10.1021/cm501663n>.
- Liss, GM; House, RA; Wills, MC. (2006). Cranial neuropathy associated with chlorinated solvents. Re: Facial nerve palsy after acute exposure to dichloromethane [Letter]. *Am J Ind Med* 49: 310. <http://dx.doi.org/10.1002/ajim.20285>.
- Litterst, CL; Mimnaugh, EG; Reagan, RL; Gram, TE. (1975). Comparison of in vitro drug metabolism by lung, liver, and kidney of several common laboratory species. *Drug Metab Dispos* 3: 259-265.
- Liu, A; Che, H; Jiang, R. (2013). Hexagonal mesoporous fluorescent hybrid materials with electron acceptor viologen units in the framework. *Journal of Porous Materials* 20: 579-586. <http://dx.doi.org/10.1007/s10934-012-9630-x>.
- Liu, A; Han, S; Che, H; Hua, L. (2010). Fluorescent hybrid with electron acceptor methylene viologen units inside the pore walls of mesoporous MCM-48 silica. *Langmuir* 26: 3555-3561. <http://dx.doi.org/10.1021/la904052k>.
- Liu, BL; Wang, M, awL. (2008). Kinetic study of S-Alkylation of 2-mercaptobenzimidazole with allyl bromide in a two-phase medium. *Ind Eng Chem Res* 47: 1784-1792. <http://dx.doi.org/10.1021/ie0709537>.
- Liu, C; Pujol, D; Olivella, MA; de La Torre, F; Fiol, N; Poch, J; Villaescusa, I. (2015). The Role of Exhausted Coffee Compounds on Metal Ions Sorption. *Water Air Soil Pollut* 226: 289-289. <http://dx.doi.org/10.1007/s11270-015-2568-2>.
- Liu, C; Ren, Y; Wang, Y. (2014). Reply to "Comments on 'Liquid-Liquid Equilibria for the Quaternary System H3PO4-NaCl-H2O-TBP at 298.15 K'". *Journal of Chemical and Engineering Data* 59: 2695-2697. <http://dx.doi.org/10.1021/je500401p>.
- Liu, F, u; Ma, B, iR; Zhou, D; Zhu, L, iJ; Fu, Y, iNY; Xue, L, iXN. (2015). Positively charged loose nanofiltration membrane grafted by diallyl dimethyl ammonium chloride (DADMAC) via UV for salt and dye removal. *React Funct Polym* 86: 191-198. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.003>.
- Liu, FDM; Mojica, ERE; Deocarís, CC. (2008). Angiogenic property of tobacco (*Nicotiana tabacum*) leaves. 33: 97-102.
- Liu, FPP; Rials, TG; Simonsen, J. (1998). Relationship of wood surface energy to surface composition. *Langmuir* 14: 536-541.
- Liu, H; Gu, L. (2012). Phlorotannins from brown algae (*Fucus vesiculosus*) inhibited the formation of advanced glycation endproducts by scavenging reactive carbonyls. *J Agric Food Chem* 60: 1326-1334. <http://dx.doi.org/10.1021/jf204112f>.
- Liu, H; Song, J; Zhang, S; Qu, L; Zhao, Y; Wu, Y; Liu, H. (2005). Analysis of residues of imidacloprid in tobacco by high-performance liquid chromatography with liquid-liquid partition cleanup. *Pest Manag Sci* 61: 511-514. <http://dx.doi.org/10.1002/ps.987>.
- Liu, H; Wang, C; Zou, S; Wei, Z; Tong, Z. (2012). Simple, reversible emulsion system switched by pH on the basis of chitosan without any hydrophobic modification. *Langmuir* 28: 11017-11024. <http://dx.doi.org/10.1021/la3021113>.
- Liu, H; Yao, F; Zhou, Y; Yao, K; Mei, D; Cui, L; Cao, Y. (2005). Porous poly (DL-lactic acid) modified chitosan-gelatin scaffolds for tissue engineering. *J Biomater Appl* 19: 303-322. <http://dx.doi.org/10.1177/0885328205048590>.
- Liu, HC; Lee, IC; Wang, JH; Yang, SH; Young, TH. (2004). Preparation of PLLA membranes with different morphologies for culture of MG-63 Cells. *Biomaterials* 25: 4047-4056. <http://dx.doi.org/10.1016/j.biomaterials.2003.10.098>.
- Liu, HH; Chen, Y, i. (2011). Construction of multi-level fluorescent switch using photochromic diarylethene and fluorescent dye. *Dyes and Pigments* 89: 212-216. <http://dx.doi.org/10.1016/j.dyepig.2010.03.001>.
- Liu, J, iNQ; Cao, X, iNX; Ji, B; Zhao, B. (2013). Measurement and Correlation of Solubilities of Indole-2-carboxylic Acid in Ten Different Pure Solvents from (278.15 to 360.15) K. *Journal of Chemical and Engineering Data* 58: 3309-3313. <http://dx.doi.org/10.1021/je400813d>.
- Liu, J, iNQ; Chen, S, iYU; Ji, B. (2014). Solubility and Thermodynamic Functions of Isatin in Pure Solvents. *Journal of Chemical and Engineering Data* 59: 3407-3414. <http://dx.doi.org/10.1021/je500396b>.
- Liu, J, iNQ; Li, Y, aoYao; Wang, A, iYan; Hong, DF; Zhang, L, iYue; Wu, S, ha; Bai, QY, un; Chen, S, iYu. (2014). 4-Amino-3,6-dichloropyridazine Solubility Measurement and Correlation in Seven Pure Organic Solvents from (278.15 to 333.15) K. *Journal of Chemical and Engineering Data* 59: 3947-3952. <http://dx.doi.org/10.1021/je500286x>.
- Liu, J; Liu, C, an; Rong, Y; Huang, G; Rong, L. (2012). Extraction of Limonin from Orange (*Citrus reticulata* Blanco) Seeds by the Flash Extraction Method. 19: 137-145.
- Liu, J, un; Shen, Z; Lee, SH, o; Marquez, M; Mchugh, MA. (2010). Electrospinning in compressed carbon dioxide: Hollow or open-cell fiber formation with a single nozzle configuration. *Journal of Supercritical Fluids* 53: 142-150. <http://dx.doi.org/10.1016/j.supflu.2010.02.016>.
- Liu, J; Wang, S; Zhou, Z; Qu, Y; Zhang, M. (2011). Solubilities of (alpha,Z)-2-Amino-alpha-(methoxyimino)-4-thiazoleethanethioic Acid S-2-Benzothiazolyl Ester in Different Pure Solvents and Binary Mixtures of Tetrahydrofuran plus Dichloromethane or 1,2-Dichloroethane. *Journal of Chemical and Engineering Data* 56: 164-166. <http://dx.doi.org/10.1021/je100890f>.
- Liu, JC; Wang, W; Wang, ZW; Li, GZ; Han, BX. (2002). Complexation-supercritical carbon dioxide extraction of copper ions from solid matrices with thenoyltrifluoroacetone and modifiers. *Separation Science and Technology* 37: 2691-2700.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr2O4 spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci* 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, KL; Han, WJ; Pan, WP; Riley, JT. (2001). Polycyclic aromatic hydrocarbon (PAH) emissions from a coal-fired pilot FBC system. *J Hazard Mater* 84: 175-188.



## Fate Literature Search Results

### Off Topic

- Liu, M; Yang, H, ui; Liu, H; Han, P, o; Wang, X, ie; Zhang, S; Wu, Y. (2008). Development of high-performance liquid chromatography and non-aqueous capillary electrophoresis methods for the determination of fenoxycarb residues in wheat samples. *J Sci Food Agric* 88: 62-67. <http://dx.doi.org/10.1002/jsfa.2990>.
- Liu, P; Guo, Y; Xu, Q; Wang, F; Li, Y; Shao, K. (2014). Enhanced photocatalytic performance of ZnO/multi-walled carbon nanotube nanocomposites for dye degradation. *Ceramics International* 40: 5629-5633. <http://dx.doi.org/10.1016/j.ceramint.2013.10.157>.
- Liu, P; Zhong, Y, i; Luo, Y, an. (2014). Preparation of monodisperse biodegradable magnetic microspheres using a T-shaped microchannel reactor. *Mater Lett* 117: 37-40. <http://dx.doi.org/10.1016/j.matlet.2013.11.095>.
- Liu, R; Huang, SS; Wan, YH; Ma, GH; Su, ZG. (2006). Preparation of insulin-loaded PLA/PLGA microcapsules by a novel membrane emulsification method and its release in vitro. *Colloids Surf B Biointerfaces* 51: 30-38. <http://dx.doi.org/10.1016/j.colsurfb.2006.05.014>.
- Liu, R; Ma, GH; Wan, YH; Su, ZG. (2005). Influence of process parameters on the size distribution of PLA microcapsules prepared by combining membrane emulsification technique and double emulsion-solvent evaporation method. *Colloids Surf B Biointerfaces* 45: 144-153. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.004>.
- Liu, R, ui; Xiao, Q, i; Li, Y; Chen, H; Yan, Z; Zhu, H. (2012). Phenylene ethynylene azobenzenes with symmetrical peripheral chromophores: Synthesis, optical properties and photoisomerization behaviors study. *Dyes and Pigments* 92: 626-632. <http://dx.doi.org/10.1016/j.dyepig.2011.06.006>.
- Liu, T; Ozisik, R; Siegel, RW. (2007). Phase separation and surface morphology of spin-coated films of polyetherimide/polycaprolactone immiscible polymer blends. *Thin Solid Films* 515: 2965-2973. <http://dx.doi.org/10.1016/j.tsf.2006.08.049>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Liu, W; Huang, C; Jin, X. (2015). Electrospinning of Grooved Polystyrene Fibers: Effect of Solvent Systems. *Nanoscale Res Lett* 10: 949. <http://dx.doi.org/10.1186/s11671-015-0949-5>.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co-ε-caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828. <http://dx.doi.org/10.1016/j.actbio.2010.08.023>.
- Liu, XH, u; Jing-Bai; Qing-Xu; Ren, JR; Zhao, H, eP; Gao, HW, en. (2008). Spectrophotometric determination of sodium dodecylbenzene sulphonate using congo red. *Indian J Chem Tech* 15: 488-492.
- Liu, Y; Crittenden, JC; Wang, L; Liu, P. (2016). Dechlorination and decomposition of chloroform induced by glow discharge plasma in an aqueous solution. *J Hazard Mater* 308: 84-90. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.013>.
- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, Y; Shi, Q; Zhang, Y; He, Y; Chung, KH; Zhao, S; Xu, C. (2012). Characterization of Red Pine Pyrolysis Bio-oil by Gas Chromatography-Mass Spectrometry and Negative-Ion Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. *Energy Fuels* 26: 4532-4539. <http://dx.doi.org/10.1021/ef300501t>.
- Liu, Y, an; Wang, J; Wang, X; Liu, P; Pang, F, ei. (2009). Solubility of Valsartan in Different Organic Solvents and Ethanol plus Water Binary Mixtures from (278.15 to 313.15) K. *Journal of Chemical and Engineering Data* 54: 986-988. <http://dx.doi.org/10.1021/je8007815>.
- Liu, Y, u; Wang, J; Wang, Y; Zhang, Z; Zhu, M; Lei, G; Zhu, W. (2012). Bipolar-transporting dinuclear europium(III) complexes involving carbazole and oxadiazole units: Synthesis, photophysical and electroluminescent properties. *Dyes and Pigments* 95: 322-329. <http://dx.doi.org/10.1016/j.dyepig.2012.05.015>.
- Liu, Y; Wang, L; Han, X. (2013). Self-assembly fabrication of ordered microporous films from a soluble polyimide modified by methyl groups based on Breath Figures. *Desalination and Water Treatment* 51: 5107-5112. <http://dx.doi.org/10.1080/19443994.2013.768382>.
- Liu, Y, enC; Wang, M, awL. (2009). KINETIC STUDY OF S-ALKYLATION OF 2-MERCAPTOBENZIMIDAZOLE CATALYZED BY TETRABUTYLAMMONIUM BROMIDE. *Chemical Engineering Communications* 196: 530-548. <http://dx.doi.org/10.1080/00986440802484515>.
- Liu, Y; Zhao, X; Cai, B; Pei, T; Tong, Y; Tang, Q; Liu, Y. (2014). Controllable fabrication of oriented micro/nanowire arrays of dibenzo-tetrathiafulvalene by a multiple drop-casting method. *Nanoscale* 6: 1323-1328. <http://dx.doi.org/10.1039/c3nr05680e>.
- Liu, Z; Huang, Y; Zhao, G. (2016). Preparation and Characterization of Activated Carbon Fibers from Liquefied Wood by ZnCl<sub>2</sub> Activation. *BioResources* 11: 3178-3190.
- Liu, Z, hiL; Wang, M, eiX; Liu, C; Jia, J, inF; Vogt, P; Quaresima, C; Ottaviani, C; Olivieri, B; De Padova, P; Le Lay, G, uy. (2014). The fate of the 2 root 3 x 2 root 3 R(30 degrees) silicene phase on Ag(111). 2. <http://dx.doi.org/10.1063/L4894871>.
- Llewellyn-Thomas, HA; Arshinoff, R; Bell, M; Williams, JI; Naylor, CD. (2002). Healthy-year equivalents in major joint replacement - Can patients provide meaningful responses? *Int J Technol Assess Health Care* 18: 467-484.
- Lloyd, JA; Horne, CW; Reid, ML. (1997). Solids, resin and element mass balances in a thermomechanical pulp mill. *Appita* 50: 217-222.
- Loebick, CZ; Majewska, M; Ren, F; Haller, GL; Pfefferle, LD. (2010). Fabrication of Discrete Nanosized Cobalt Particles Encapsulated Inside Single-Walled Carbon Nanotubes. *J Phys Chem C* 114: 11092-11097. <http://dx.doi.org/10.1021/jp1026515>.
- Long, G; Meek, ME; Caldwell, I; Bartlett, S; Savard, S. (1994). DICHLOROMETHANE - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 12: 305-318.
- Loos, R; Hanke, G; Eisenreich, SJ. (2003). Multi-component analysis of polar water pollutants using sequential solid-phase extraction followed by LC-ESI-MS. *J Environ Monit* 5: 384-394. <http://dx.doi.org/10.1039/b300440f>.
- Lopes, JC; Mauri, J; Ferreira, A; Alexandre, RS; de Freitas, AR. (2012). Broccoli production depending on the seed production system and organic and mineral fertilizer. *Horticultura Brasileira* 30: 143-150.

## Fate Literature Search Results

### Off Topic

- Lopes, MA; dos Santos, G; Amado, GB. (2008). The financial impact of the traceability in production systems of bovines in the State of Minas Gerais. *Ciencia e Agrotecnologia* 32: 288-294.
- López Soto-Yarritu, P; Amigo, L; Taborda, G; Martínez-Castro, I; Gómez-Ruiz, JA. (2007). Short communication: Identification of the aroma compounds responsible for the floral/rose flavor in water-soluble fractions of Manchego cheese. *J Dairy Sci* 90: 5001-5003. <http://dx.doi.org/10.3168/jds.2007-0277>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Uriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ* 30: 303-313.
- Lopez-Fonseca, R; Aranzabal, A; Steltenpohl, P; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2000). Performance of zeolites and product selectivity in the gas-phase oxidation of 1,2-dichloroethane. *Catalysis Today* 62: 367-377.
- Lopez-Fonseca, R; Cibrian, S; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Oxidative destruction of dichloromethane over protonic zeolites. *AIChE J* 49: 496-504.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ* 41: 31-42.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today* 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Periago, A, naM; Fraile, J; Garcia-Gonzalez, CA; Domingo, C. (2009). Impregnation of a triphenylpyrylium cation into zeolite cavities using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 50: 305-312. <http://dx.doi.org/10.1016/j.supflu.2009.06.016>.
- Lorenz, J; Glatt, HR; Fleischmann, R; Ferlinz, R; Oesch, F. (1984). Drug metabolism in man and its relationship to that in three rodent species: Monooxygenase, epoxide hydrolase, and glutathione S-transferase activities in subcellular fractions of lung and liver. *Biochem Med* 32: 43-56. [http://dx.doi.org/10.1016/0006-2944\(84\)90007-3](http://dx.doi.org/10.1016/0006-2944(84)90007-3).
- Lorret, O; Francova, D; Waldner, G; Stelzer, N. (2009). W-doped titania nanoparticles for UV and visible-light photocatalytic reactions. *Appl Catal B-Environ* 91: 39-46. <http://dx.doi.org/10.1016/j.apcatb.2009.05.005>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association* 54: 727-740.
- Love, GD; Mcaulay, A; Snape, CE; Bishop, AN. (1997). Effect of process variables in catalytic hydrolysis on the release of covalently bound aliphatic hydrocarbons from sedimentary organic matter. *Energy Fuels* 11: 522-531.
- Love, GD; Snape, CE; Carr, AD; Houghton, RC. (1995). Release of covalently-bound alkane biomarkers in high yields from kerogen via catalytic hydrolysis. *Organic Geochemistry* 23: 981-986.
- Lowenfels, AB; Maisonneuve, P. (2005). Risk factors for pancreatic cancer [Review]. *J Cell Biochem* 95: 649-656. <http://dx.doi.org/10.1002/jcb.20461>.
- Lowenthal, D; Zielinska, B; Mason, B; Samy, S; Samburova, V; Collins, D, on; Spencer, C; Taylor, N; Allen, J; Kumar, N. (2009). Aerosol characterization studies at Great Smoky Mountains National Park, summer 2006. *J Geophys Res Atmos* 114. <http://dx.doi.org/10.1029/2008JD011274>.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Loyola-Sepulveda, R; Mudge, SM; Bravo-Linares, C. (2013). Seasonal Variation of Disinfection By-products in Drinking Water in Central Chile. *Water Qual Expo Health* 5: 1-9. <http://dx.doi.org/10.1007/s12403-012-0082-y>.
- Lu, H; Kan, A, myT; Zhang, P; Yu, J, ie; Fan, C; Work, S; Tomson, MB. (2012). Phase Stability and Inhibition of Calcium Sulfate in the System NaCl/Monoethylene Glycol/H<sub>2</sub>O. *S P E Journal* 17: 187-197.
- Lu, J; Kong, D; Zhao, L, i; Zhou, Q. (2014). Analysis of oestrogenic hormones in chicken litter by HPLC with fluorescence detection. *Int J Environ Anal Chem* 94: 783-790. <http://dx.doi.org/10.1080/03067319.2014.891108>.
- Lu, J, ie; Li, Y, iP; Wang, J; Ren, G; Rohani, S; Ching, C. (2012). Crystallization of an active pharmaceutical ingredient that oils out. *Separation and Purification Technology* 96: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.05.015>.
- Lu, JL. (2012). Pesticide Residues in Eggplant During Dry and Wet Seasons in Sta. Maria, Pangasinan. 37: 93-98.
- Lu, L; Jiang, C; Xiufang, W; Pihui, P; Zhuoru, Y. (2006). Synthesis and characterization of suspension polymerized styrene-divinylbenzene porous microspheres using as slow-release-active carrier. *Chinese Journal of Chemical Engineering* 14: 471-477.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol* 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.
- Lu, M; Zhang, Z; Qiao, W; Guan, Y; Xiao, M; Peng, C. (2010). Removal of residual contaminants in petroleum-contaminated soil by Fenton-like oxidation. *J Hazard Mater* 179: 604-611. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.046>.

## Fate Literature Search Results

### Off Topic

- Lu, M; Zhang, Z; Qiao, W; Wei, X; Guan, Y; Ma, Q; Guan, Y. (2010). Remediation of petroleum-contaminated soil after composting by sequential treatment with Fenton-like oxidation and biodegradation. *Bioresour Technol* 101: 2106-2113. <http://dx.doi.org/10.1016/j.biortech.2009.11.002>.
- Lu, XB; Zhang, WH; Xiu, JH; He, R; Chen, LG; Li, X. (2003). Removal of the template molecules from MCM-41 with supercritical fluid in a flow apparatus. *Ind Eng Chem Res* 42: 653-656. <http://dx.doi.org/10.1021/ie020422c>.
- Lu, Y; Pignatello, JJ. (2002). Demonstration of the "conditioning effect" in soil organic matter in support of a pore deformation mechanism for sorption hysteresis. *Environ Sci Technol* 36: 4553-4561. <http://dx.doi.org/10.1021/es020554x>.
- Luca, OR; Mccrory, CCL; Dalleska, NF; Koval, CA. (2015). The Selective Electrochemical Conversion of Preactivated CO<sub>2</sub> to Methane. *J Electrochem Soc* 162: H473-H476. <http://dx.doi.org/10.1149/2.0371507jes>.
- Lucas, D; Ferrara, R; Gonzalez, E; Bodenez, P; Albores, A; Manno, M; Berthou, F. (1999). Chlorzoxazone, a selective probe for phenotyping CYP2E1 in humans. *Pharmacogenetics* 9: 377-388.
- Lucchesi, C; Ferreira, BM; Duek, EA; Santos, AR; Joazeiro, PP. (2008). Increased response of Vero cells to PHBV matrices treated by plasma. *J Mater Sci Mater Med* 19: 635-643. <http://dx.doi.org/10.1007/s10856-007-0169-3>.
- Luchita, G; Bondar, MV; Yao, S; Mikhailov, IA; Yanez, CO; Przhonska, OV; Masunov, AE; Belfield, KD. (2011). Efficient photochromic transformation of a new fluorenyl diarylethene: one- and two-photon absorption spectroscopy. 3: 3559-3567. <http://dx.doi.org/10.1021/am200783c>.
- Lugmair, CG; Tilley, TD; Rheingold, AL. (1997). Zinc di(tert-butyl)phosphate complexes as precursors to zinc phosphates. Manipulation of zincophosphate structures. *Chem Mater* 9: 339-348.
- Lugo, L; Comunas, MJP; Lopez, ER; Fernandez, J. (2001). (p, V-m, T, x) measurements of dimethyl carbonate plus octane binary mixtures I. Experimental results, isothermal compressibilities, isobaric expansivities and internal pressures. *Fluid Phase Equilibria* 186: 235-255.
- Lukes, V; Danko, M; Andicsova, A; Hrdlovic, P; Vegh, D. (2013). The synthesis and examination of spectral properties of some 2,2'-bithienyl derivatives with carbonyl-containing substituents. *Synthetic Metals* 165: 17-26. <http://dx.doi.org/10.1016/j.synthmet.2012.12.021>.
- Lukes, V; Eckstein, AA; Vegh, D; Weiter, M; Krajcovic, J. (2015). Electronic structure and spectroscopic properties of (2S,3S)-2,3-diphenyl-5,6-diheteroaryl-2,3-dihydropyrazines and their model oligomers. *Synthetic Metals* 199: 319-328. <http://dx.doi.org/10.1016/j.synthmet.2014.11.035>.
- Lundegard, PD; Sweeney, RE; Corona, V. (2003). Supercritical fluid extraction for forensic analysis of hydrocarbons in soil. *Environ Forensics* 4: 313-317.
- Lungwitz, R; Spange, S. (2008). Structure and Polarity of the Phase Boundary of N-Methylimidazolium Chloride/Silica. *J Phys Chem C* 112: 19443-19448. <http://dx.doi.org/10.1021/jp806422g>.
- Luo, ZH; Shi, H; Zhu, HJ; Song, GL; Liu, YY. (2012). A new blue light-emitting terphenyl-bridged bisbenzimidazolium salts: Synthesis, crystal structure, and photophysical properties. *Dyes and Pigments* 92: 596-602. <http://dx.doi.org/10.1016/j.dyepig.2011.06.030>.
- Luo, ZK; Song, LX; Cai, HH; Liu, JH; Hong, WL; Huang, JS. (2006). Photo-catalytic de-chlorination of chlorinated methane by titanium oxide sol. *Wuji Cailiao Xuebao* 21: 145-150.
- Luong, BX; Petre, AL; Hoelderich, W; Commarieu, A; Laffitte, JA; Espeillac, M; Souchet, JC. (2004). Use of methanesulfonic acid as catalyst for the production of linear alkylbenzenes. *J Catal* 226: 301-307. <http://dx.doi.org/10.1016/j.jcat.2004.05.025>.
- Luong-Van, E; Grøndahl, L; Chua, KN; Leong, KW; Nurcombe, V; Cool, SM. (2006). Controlled release of heparin from poly(ε-caprolactone) electrospun fibers. *Biomaterials* 27: 2042-2050. <http://dx.doi.org/10.1016/j.biomaterials.2005.10.028>.
- Luong-Van, E; Grøndahl, L; Nurcombe, V; Cool, S. (2007). In vitro biocompatibility and bioactivity of microencapsulated heparan sulfate. *Biomaterials* 28: 2127-2136. <http://dx.doi.org/10.1016/j.biomaterials.2007.01.002>.
- Luque, NB; Vélez, P; Pötting, K; Santos, E. (2012). Ab initio studies of the electronic structure of L-cysteine adsorbed on Ag(111). *Langmuir* 28: 8084-8099. <http://dx.doi.org/10.1021/la301107k>.
- Lutz-Roder, A; Jezussek, M; Winterhalter, P. (1999). Nickel peroxide induced oxidation of canthaxanthin. *J Agric Food Chem* 47: 1887-1891.
- Luu, HMD; Biles, J; White, KD. (1994). CHARACTERIZATION OF POLYESTERURETHANE DEGRADATION PRODUCTS. 5: 1-7.
- Luvsanjamba, M; Sercu, B; Keteszi, S; Van Langenhove, H. (2007). Thermophilic biotrickling filtration of a mixture of isobutyraldehyde and 2-pentanone. *J Chem Tech Biotechnol* 82: 74-80. <http://dx.doi.org/10.1002/jctb.1639>.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry* 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.
- Lv, B; Xiao, J; Zhou, J; Zhang, X; Duan, J; Su, W; Zhao, J. (2016). Synthesis, Crystal Analyses, Physical Properties, and Electroluminescent Behavior of Unsymmetrical Heterotwistacenes. 8: 18998-19003. <http://dx.doi.org/10.1021/acsami.6b07304>.
- Lv, HS; Zhao, B; aoX; Li, J, iKun; Xia, Y; Lian, S; Liu, W, eiY; Gong, ZL. (2010). The synthesis, characterization and optical properties of novel, substituted, pyrazoly 1,3,4-oxadiazole derivatives. *Dyes and Pigments* 86: 25-31. <http://dx.doi.org/10.1016/j.dyepig.2009.11.003>.
- Lv, Q, iuNan; Li, XS, en; Chen, ZY; Feng, JC. (2013). Phase Equilibrium and Dissociation Enthalpies for Hydrates of Various Water-Insoluble Organic Promoters with Methane. *Journal of Chemical and Engineering Data* 58: 3249-3253. <http://dx.doi.org/10.1021/je4007025>.
- Lv, X, in; Wang, Z; Chen, XM. (2011). Structure and dielectric characteristics of Ca(Fe<sub>1/2</sub>Ta<sub>1/2</sub>)O<sub>3</sub> complex perovskite ceramics. *Ceramics International* 37: 1033-1037. <http://dx.doi.org/10.1016/j.ceramint.2010.11.036>.
- Lyddiard, JRA; Bartlett, A; Gray, B; Whitfield, PJ. (1998). The use of video-imaging to assess the sub-lethal impact of plant secondary compounds on *Schistosoma mansoni* miracidia. *J Helminthol* 72: 237-241.
- Lyddiard, JRA; Whitfield, PJ. (2001). Inhibition of Site I mitochondrial electron transport by an extract of the seeds of *Milletia thonningii*: a potential mechanism for the plant's molluscicidal and schistosome larvicidal activity. *J Helminthol* 75: 259-265.

## Fate Literature Search Results

### Off Topic

- Lydon, J; Teasdale, JR; Chen, PK. (1997). Allelopathic activity of annual wormwood (*Artemisia annua*) and the role of artemisinin. *Weed Sci* 45: 807-811.
- Lynge, E. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 56: 215-215.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyubimov, SE; Said-Galiev, EE; Khokhlov, AR; Loim, NM; Popova, LN; Petrovskii, PV; Davankov, VA. (2008). The use of monodentate phosphites and phosphoramidites as effective ligands for Rh-catalyzed asymmetric hydrogenation in supercritical carbon dioxide. *Journal of Supercritical Fluids* 45: 70-73. <http://dx.doi.org/10.1016/j.supflu.2007.12.003>.
- Ma, B; Agblevor, F. (2016). Separation and Hydroprocessing of HZSM-5 Catalytic Olive Mill Waste Sludge Bio-oil. *Energy Fuels* 30: 10524-10533. <http://dx.doi.org/10.1021/acs.energyfuels.6b02194>.
- Ma, B; Chen, HH; He, Y; Wang, HZ; Xu, JM. (2010). Evaluation of toxicity risk of polycyclic aromatic hydrocarbons (PAHs) in crops rhizosphere of contaminated field with sequential extraction. *Journal of Soils and Sediments* 10: 955-963. <http://dx.doi.org/10.1007/s11368-010-0212-8>.
- Ma, C; Du, G; Cao, Y; Yu, S; Cheng, C; Jiang, W; Chang, Y; Wang, X, u; Cong, F; Yu, H. (2007). Synthesis and electrochemistry of a substituted phthalocyaninatozinc. *Dyes and Pigments* 72: 267-270. <http://dx.doi.org/10.1016/j.dyepig.2005.08.024>.
- Ma, CCM; Lee, CL; Tai, NH. (1992). CHEMICAL-RESISTANCE OF CARBON FIBER-REINFORCED POLY(ETHER ETHER KETONE) AND POLY(PHENYLENE SULFIDE) COMPOSITES. *Polymer Composites* 13: 435-440.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci* 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al<sub>2</sub>O<sub>3</sub> catalysts for dichloromethane oxidation. *Catalysis Today* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, R, ui; Zhu, J; Wu, B; Li, X. (2016). Adsorptive removal of organic chloride from model jet fuel by Na-LSX zeolite: Kinetic, equilibrium and thermodynamic studies. *Chem Eng Res Des* 114: 321-330. <http://dx.doi.org/10.1016/j.cherd.2016.08.028>.
- Ma, TY, i; Li, H, ui; Tang, A; Yuan, ZY. (2011). Ordered, Mesoporous Metal Phosphonate Materials with Microporous Crystalline Walls for Selective Separation Techniques. *Small* 7: 1827-1837. <http://dx.doi.org/10.1002/sml.201100389>.
- Ma, X; Green, SA. (2008). Fractionation and Spectroscopic Properties of Fulvic Acid and its Extract. *Chemosphere* 72: 1425. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.029>.
- Ma, X; Niu, H; Wen, H; Wang, S; Lian, Y; Jiang, X; Wang, C; Bai, X; Wang, W, en. (2015). Synthesis, electrochromic, halochromic and electro-optical properties of polyazomethines with a carbazole core and triarylamine units serving as functional groups. 3: 3482-3493. <http://dx.doi.org/10.1039/c4tc02400a>.
- Ma, X; Ran, Y; Gong, J; Chen, D. (2010). Sequential accelerated solvent extraction of polycyclic aromatic hydrocarbons with different solvents: performance and implication. *J Environ Qual* 39: 2072-2079. <http://dx.doi.org/10.2134/jeq2010.0163>.
- Ma, XM; Zhang, MX; Min, FF. (2015). A Study of Organic Sulfur Analysis in Coal Using Non-destructive Techniques. *Energ Source Part A* 37: 2716-2723. <http://dx.doi.org/10.1080/15567036.2012.736916>.
- Ma, Y; Wang, Q; Wang, X; Sun, X; Wang, X. (2015). A comprehensive study on activated carbon prepared from spent shiitake substrate via pyrolysis with ZnCl<sub>2</sub>. *Journal of Porous Materials* 22: 157-169. <http://dx.doi.org/10.1007/s10934-014-9882-8>.
- Ma, Z; Li, Q; Yue, Q; Gao, B; Li, W; Xu, X; Zhong, Q. (2011). Adsorption removal of ammonium and phosphate from water by fertilizer controlled release agent prepared from wheat straw. *Chem Eng J* 171: 1209-1217. <http://dx.doi.org/10.1016/j.cej.2011.05.027>.
- Machado, FRS, Jr; Reis, DF; Boschetto, DL; Burkert, JFM; Ferreira, SRS; Oliveira, JV; Burkert, CAV. (2014). Encapsulation of astaxanthin from *Haematococcus pluvialis* in PHBV by means of SEDS technique using supercritical CO<sub>2</sub>. *Ind Crop Prod* 54: 17-21. <http://dx.doi.org/10.1016/j.indcrop.2014.01.007>.
- Machado, L; Magnusson, M; Paul, NA; Kinley, R; de Nys, R; Tomkins, N. (2016). Identification of bioactives from the red seaweed *Asparagopsis taxiformis* that promote antimethanogenic activity in vitro. *J Appl Phycol* 28: 3117-3126. <http://dx.doi.org/10.1007/s10811-016-0830-7>.
- Macharia, PW; Yillia, PT; Muia, WA; Byamukama, D; Kreuzinger, N. (2015). Microbial quality of domestic water: following the contamination chain in a rural township in Kenya. *J Water Sanit Hyg Dev* 5: 39-49. <http://dx.doi.org/10.2166/washdev.2014.070>.
- Macherzynski, B; Wlodarczyk-Makula, M; Nowacka, A. (2012). SIMPLIFICATION OF THE PROCEDURE OF PREPARING SAMPLES FOR PAHs AND PCBs DETERMINATION. *Arch Environ Prot* 38: 23-33. <http://dx.doi.org/10.2478/v10265-012-0037-1>.
- Macisaac, J; Harrison, R; Krishnaswami, J; McNary, J; Suchard, J; Boysen-Osborn, M; Cierpich, H; Styles, L; Shusterman, D. (2013). Fatalities due to dichloromethane in paint strippers: a continuing problem. *Am J Ind Med* 56: 907-910. <http://dx.doi.org/10.1002/ajim.22167>.
- Macit, M; Bati, B; Ozdemir, M. (1995). SYNTHESIS OF N-(2,6-DIMETHYLPHENYL)AMINOGLYOXIME AND ITS USE FOR SPECTROPHOTOMETRIC DETERMINATION OF NICKEL(II) AND COPPER(II). *Turkish Journal of Chemistry* 19: 127-134.
- Mackenzie, K; Frenzel, H; Kopinke, FD. (2006). Hydrodehalogenation of halogenated hydrocarbons in water with Pd catalysts: Reaction rates and surface competition. *Appl Catal B-Environ* 63: 161-167. <http://dx.doi.org/10.1016/j.apcatb.2005.10.004>.
- MacLennan, MS; Tie, C; Kovalchik, K; Peru, KM; Zhang, X; Headley, JV; Chen, DD. (2016). Potential of capillary electrophoresis mass spectrometry for the characterization and monitoring of amine-derivatized naphthenic acids from oil sands process-affected water. *J Environ Sci* 49: 203-212. <http://dx.doi.org/10.1016/j.jes.2016.06.019>.
- Macleod, CJA; Semple, KT. (2000). Influence of contact time on extractability and degradation of pyrene in soils. *Environ Sci Technol* 34: 4952-4957. <http://dx.doi.org/10.1021/es000061x>.

## Fate Literature Search Results

### Off Topic

- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maddalena, RL; Mckone, TE; Kado, NY. (1998). Simple and rapid extraction of polycyclic aromatic hydrocarbons collected on polyurethane foam adsorbent. *Atmos Environ* 32: 2497-2503.
- Madhuri, UD; Rao, VK; Hariprasad, E; Radhakrishnan, TP. (2016). In situ fabricated platinum-poly(vinyl alcohol) nanocomposite thin film: a highly reusable 'dip catalyst' for hydrogenation. 3. <http://dx.doi.org/10.1088/2053-1591/3/4/045018>.
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Maeda, H; Okada, M; Fujii, S; Nakamura, Y; Furuzono, T. (2010). Pickering-type water-in-oil-in-water multiple emulsions toward multihollow nanocomposite microspheres. *Langmuir* 26: 13727-13731. <http://dx.doi.org/10.1021/la102529d>.
- Magbanua, BS; Mitchell, DR; Fehniger, SM; Bowyer, RL; Grady, CPL. (2000). Quantification of synthetic organic chemicals in biological treatment process effluent using solid-phase microextraction and gas chromatography. *Water Environ Res* 72: 98-104.
- Maguire, RJ; Comba, ME; Cannon, CM. (2002). Concentrations of some lipophilic chemicals in fresh water may be underestimated by conventional dichloromethane extraction. *Water Qual Res J Can* 37: 587-598.
- Maguire, RJ; Tkacz, RJ; Batchelor, SP. (1993). Extraction efficiencies of hydrocarbons from Niagara River water. *Environ Toxicol Chem* 12: 805-811.
- Mahdaoui, F; Reisberg, L; Michels, R; Hauteville, Y; Poirier, Y; Girard, JP. (2013). Effect of the progressive precipitation of petroleum asphaltene on the Re-Os radioisotope system. *Chem Geol* 358: 90-100. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.038>.
- Mahdavi, H; Razmi, F; Shahalizade, T. (2016). Polyurethane TFC nanofiltration membranes based on interfacial polymerization of poly(bis-MPA) and MDI on the polyethersulfone support. *Separation and Purification Technology* 162: 37-44. <http://dx.doi.org/10.1016/j.seppur.2016.02.018>.
- Mahieux, J; Sanselme, M; Harthong, S; Melan, C; Aronica, C; Guy, L; Coquerel, G. (2013). Preparative Resolution of (+/-)-Bis-tetralone by Means of Autoseeded Preferential Crystallization Induced by Solvent Evaporation (ASPreCISE). *Cryst Growth Des* 13: 3621-3631. <http://dx.doi.org/10.1021/cg400589u>.
- Mahima, S; Chaki, NK; Sharma, J; Kakade, BA; Pasricha, R; Rao, AM; Vijayamohan, K. (2006). Electrochemical organization of monolayer protected gold nanoclusters on single-walled carbon nanotubes: Significantly enhanced double layer capacitance. *J Nanosci Nanotechnol* 6: 1387-1391. <http://dx.doi.org/10.1166/jnn.2006.323>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahlo, SM; Mcgaw, LJ; Eloff, JN. (2010). Antifungal activity of leaf extracts from South African trees against plant pathogens. *Crop Protection* 29: 1529-1533. <http://dx.doi.org/10.1016/j.cropro.2010.08.015>.
- Mahmood, I. (2005). Interspecies pharmacokinetic scaling: Principles and application of allometric scaling. Rockville, MD: Pine House Publishers.
- Mahmoodi, NM. (2014). Binary Catalyst System Dye Degradation Using Photocatalysis. *Fibers and Polymers* 15: 273-280. <http://dx.doi.org/10.1007/s12221-014-0273-1>.
- Mahmoodi, NM; Arami, M; Zhang, J. (2011). Preparation and photocatalytic activity of immobilized composite photocatalyst (titania nanoparticle/activated carbon). *J Alloy Comp* 509: 4754-4764. <http://dx.doi.org/10.1016/j.jallcom.2011.01.146>.
- Mahmoud, SS. (2009). Electroless deposition of nickel and copper on titanium substrates: Characterization and application. *J Alloy Comp* 472: 595-601. <http://dx.doi.org/10.1016/j.jallcom.2008.05.079>.
- Mahmud, M; Kales, SN. (1999). Methylene chloride poisoning in a cabinet worker. *Environ Health Perspect* 107: 769-772.
- Maier, A; Fakhrebavi, H; Rabindranath, AR; Tieke, B. (2011). Supramolecular assembly of electrochromic films of terpyridine-functionalized polyiminocarbazolyene metal complexes. *J Mater Chem* 21: 5795-5804. <http://dx.doi.org/10.1039/c0jm03580g>.
- Mainardes, RM; Evangelista, RC. (2005). Praziquantel-loaded PLGA nanoparticles: preparation and characterization. *J Microencapsul* 22: 13-24. <http://dx.doi.org/10.1080/02652040400026285>.
- Maiti, S; Purakayastha, S; Ghosh, B. (2008). Production of low-cost carbon adsorbents from agricultural wastes and their impact on dye adsorption. *Chemical Engineering Communications* 195: 386-403. <http://dx.doi.org/10.1080/00986440701707917>.
- Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. *Journal of Supercritical Fluids* 40: 101-110. <http://dx.doi.org/10.1016/j.supflu.2006.03.027>.
- Major, D; Zhang, Q; Wang, G; Wang, H, e. (2012). Oil-dispersant mixtures: understanding chemical composition and its relation to human toxicity. *Toxicol Environ Chem* 94: 1832-1845. <http://dx.doi.org/10.1080/02772248.2012.730202>.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res* 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Makarewicz, E; Michalik, A. (2011). Rheological studies of poly(vinyl chloride) plastisol dyed with inorganic pigments. *Przemysł Chemiczny* 90: 122-127.
- Makha, M; Evans, CW; Sobolev, AN; Raston, CL. (2008). Linear arrays of interlocking calixarenes in controlling the interplay of fullerene C-60 molecules. *Cryst Growth Des* 8: 2929-2932. <http://dx.doi.org/10.1021/cg800045u>.
- Makhoukhi, B; Didi, MA; Moulessehouli, H; Azzouz, A; Villemin, D. (2010). Diphosphonium ion-exchanged montmorillonite for Telon dye removal from aqueous media. *Appl Clay Sci* 50: 354-361. <http://dx.doi.org/10.1016/j.clay.2010.08.026>.

## Fate Literature Search Results

### Off Topic

- Makhoukhi, B; Didi, MA; Villemin, D. (2008). Modification of bentonite with diphosphonium salts: Synthesis and characterization. *Mater Lett* 62: 2493-2496. <http://dx.doi.org/10.1016/j.matlet.2007.12.026>.
- Makireddi, S, ai; Shivaprasad, S; Kosuri, G; Varghese, FV; Balasubramaniam, K. (2015). Electro-elastic and piezoresistive behavior of flexible MWCNT/PMMA nanocomposite films prepared by solvent casting method for structural health monitoring applications. *Compos Sci Tech* 118: 101-107. <http://dx.doi.org/10.1016/j.compscitech.2015.08.014>.
- Malachova, K. (1999). Using short-term mutagenicity tests for the evaluation of genotoxicity of contaminated soils. *Journal of Soil Contamination* 8: 667-680.
- Malachova, K; Kukutschova, J; Rybkova, Z; Sezimova, H; Placha, D; Cabanova, K; Filip, P. (2016). Toxicity and mutagenicity of low-metallic automotive brake pad materials. *Ecotoxicol Environ Saf* 131: 37-44. <http://dx.doi.org/10.1016/j.ecoenv.2016.05.003>.
- Malagnini, L; Mayeda, K; Uhrhammer, R; Akinci, A; Herrmann, RB. (2007). A regional ground-motion excitation/attenuation model for the San Francisco region. *Seismological Society of America Bulletin* 97: 843-862. <http://dx.doi.org/10.1785/0120060101>.
- Malagoni, RA; Franco, MR, Jr. (2007). A simple apparatus for data solubility determination. *Fluid Phase Equilibria* 255: 93-97. <http://dx.doi.org/10.1016/j.fluid.2007.03.032>.
- Malakootian, M; Fatehizadeh, A. (2010). COLOR REMOVAL FROM WATER BY COAGULATION/CAUSTIC SODA AND LIME. *Iranian Journal of Environmental Health Science and Engineering* 7: 267-272.
- Maldas, D; Kokta, BV. (1991). STUDIES ON THE PREPARATION AND PROPERTIES OF PARTICLE BOARDS MADE FROM BAGASSE AND PVC .2. INFLUENCE OF THE ADDITION OF COUPLING AGENTS. *Bioresour Technol* 35: 251-261.
- Maleki, H; Gharehaghaji, AA; Moroni, L; Dijkstra, PJ. (2013). Influence of the solvent type on the morphology and mechanical properties of electrospun PLLA yarns. *Biofabrication* 5: 035014. <http://dx.doi.org/10.1088/1758-5082/5/3/035014>.
- Maliakal, S; Cheney, DP; Rorrer, GL. (2001). Halogenated monoterpene production in regenerated plantlet cultures of *Ochtodes secundiramea* (Rhodophyta, Cryptonemiales). *J Phycol* 37: 1010-1019.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH<sub>2</sub>Cl<sub>2</sub> over Pd/gamma-Al<sub>2</sub>O<sub>3</sub>. Correlation with the hydrodechlorination of CCl<sub>2</sub>F<sub>2</sub> (CFC-12). *Appl Catal B-Environ* 19: L79-L86.
- Malkoc, S; Banar, M; Tuylu, BA; Korkmaz, S; Can, OD. (2006). An evaluation of the bottom ashes from healthcare waste in a laboratory scale incinerator: Microbiology, mutagenicity and toxicity. *Fresen Environ Bull* 15: 229-238.
- Mallakpour, S; Rafiemanzelat, F. (2005). Synthesis and characterization of new optically active poly(amide-imide-urethane) thermoplastic elastomers, derived from bis(p-amido benzoic acid)-N-trimellitylimido-L-leucine and polyoxyethylene-MDI. *React Funct Polym* 62: 153-167. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.11.005>.
- Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. *React Funct Polym* 68: 1459-1466. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004>.
- Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing L-Tyrosine Moiety Under Green Media. *Journal of Polymers and the Environment* 18: 685-695. <http://dx.doi.org/10.1007/s10924-010-0234-8>.
- Mallard, C; Coudane, J; Rault, I; Vert, M. (2000). In vitro delivery of a sparingly water soluble compound from PLA50 microparticles. *J Microencapsul* 17: 13-28.
- Mallinson, P; Claridge, JB; Iddles, D; Price, T; Ibberson, RM; Allix, M; Rosseinsky, MJ. (2006). New 10-layer hexagonal perovskites: Relationship between cation and vacancy ordering and microwave dielectric loss. *Chem Mater* 18: 6227-6238. <http://dx.doi.org/10.1021/cm0616477>.
- Mallouchos, A; Skandamis, P; Loukatos, P; Komaitis, M; Koutinas, A; Kanellaki, M. (2003). Volatile compounds of wines produced by cells immobilized on grape skins. *J Agric Food Chem* 51: 3060-3066. <http://dx.doi.org/10.1021/jf026177p>.
- Maltha, CRA; Barbosa, LCA; Azevedo, MAB; Colodette, JL. (2011). Behavior of Eucalyptus Kraft Pulp Extractives Components across ECF Bleaching and Their Impact on Brightness Reversion. *Journal of Wood Chemistry and Technology* 31: 103-120. <http://dx.doi.org/10.1080/02773813.2010.502283>.
- Malwade, CR; Qu, H; Rong, B, enG; Christensen, LP. (2014). Chemometrics for Analytical Data Mining in Separation Process Design for Recovery of Artemisinin from *Artemisia annua*. *Ind Eng Chem Res* 53: 5582-5589. <http://dx.doi.org/10.1021/ie404233z>.
- Malzert, A; Boury, F; Saulnier, P; Benoit, JP; Proust, JE. (2002). Rheological study of lysozyme and PEG2000 at the air-water and dichloromethane-water interfaces under ramp type or sinusoidal perturbations. *Langmuir* 18: 10248-10254. <http://dx.doi.org/10.1021/la0206231>.
- Mamaliga, I; Negoescu, C. (2012). SOME ASPECTS OF TWO STAGE DIFFUSION IN POLYMER FILMS AND MEMBRANES. *Environmental Engineering and Management Journal* 11: 2091-2099.
- Mamaliga, I; Schabel, W. (2008). DIFFUSION CLOSE TO GLASS TRANSITION TEMPERATURE OF DICHLOROMETHANE IN CELLULOSE TRIACETATE FILMS. *Cellulose Chemistry and Technology* 42: 345-351.
- Manafi, S; Nadali, H; Irani, HR. (2008). Low temperature synthesis of multi-walled carbon nanotubes via a sonochemical/hydrothermal method. *Mater Lett* 62: 4175-4176. <http://dx.doi.org/10.1016/j.matlet.2008.05.072>.
- Mancilla, Y; Mendoza, A; Fraser, MP; Herckes, P. (2016). Organic composition and source apportionment of fine aerosol at Monterrey, Mexico, based on organic markers. *Atmos Chem Phys* 16: 953-970. <http://dx.doi.org/10.5194/acp-16-953-2016>.
- Mandal, AK; Das, RK; Maity, A; Sahoo, GR. (2016). Gastrin peptide isolation in broiler chicken. *Indian Journal of Animal Research* 50: 140-141.
- Mandal, S; Alam, S. (2013). Studies on gamma radiation resistance polyethersulphone films reinforced by lead oxide. *Mater Res Innovat* 17: 373-376. <http://dx.doi.org/10.1179/1433075X12Y.0000000056>.
- Mandal, TK. (1999). Effect of solvent on the characteristics of pentamidine loaded microcapsule. *J Biomater Sci Polym Ed* 10: 1-17.

## Fate Literature Search Results

### Off Topic

- Mandieh, ZM; Mottaghitalab, V; Piri, N; Haghi, AK. (2012). Conductive chitosan/multi walled carbon nanotubes electrospun nanofiber feasibility. *Korean J Chem Eng* 29: 111-119. <http://dx.doi.org/10.1007/s11814-011-0129-y>.
- Mandoli, C; Pagliari, F; Pagliari, S; Forte, G; Di Nardo, P; Licocchia, S; Traversa, E. (2010). Stem Cell Aligned Growth Induced by CeO<sub>2</sub> Nanoparticles in PLGA Scaffolds with Improved Bioactivity for Regenerative Medicine. *Adv Funct Mater* 20: 1617-1624. <http://dx.doi.org/10.1002/adfm.200902363>.
- Mangas, E; Vaquero, MT; Comellas, L; Broto-Puig, F. (1998). Analysis and fate of aliphatic hydrocarbons, linear alkylbenzenes, polychlorinated biphenyls and polycyclic aromatic hydrocarbons in sewage sludge-amended soils. *Chemosphere* 36: 61-72.
- Manilal, A; Selvin, J; Sugathan, S; Panikkar, MVN. (2012). EVALUATION OF THERAPEUTIC EFFICACY OF INDIAN GREEN ALGA, *Acrosiphonia orientalis* (J. AGARDH) IN THE TREATMENT OF VIBRIOSIS IN *Penaeus monodon*. *Thalassas* 28: 33-46.
- Manilal, A; Sujith, S; Kiran, GS; Selvin, J; Shakir, C; Gandhimathi, R; Panikkar, MVN. (2009). BIOPOTENTIALS OF SEAWEEDES COLLECTED FROM SOUTHWEST COAST OF INDIA. *Journal of Marine Science and Technology* 17: 67-73.
- Manji, A; Karagiannis, J; Salgar, S; Constant, J. (2005). Pitch reduction in a kraft aspen integrated mill pulping fresh chips. *Tappi Journal* 4: 3-8.
- Mannistu, KD; Yarranton, HW; Masliyah, JH. (1997). Solubility modeling of asphaltenes in organic solvents. *Energy Fuels* 11: 615-622.
- Manoj, K; Gonnade, RG; Bhadbhade, MM; Shashidhar, MS. (2006). Subtle crossover from C-H center dot center dot center dot O to S=O center dot center dot center dot C=O short contacts in the association of diastereomers of 2,4(6)-di-O-benzoyl-6(4)-O-[(1S)-10-camphorsulfonyl]-myo-inositol 1,3,5-orthoformate upon formation of pseudopolymorphs. *Cryst Growth Des* 6: 1485-1492. <http://dx.doi.org/10.1021/cg0601271>.
- Manshina, AA; Povolotskiy, AV; Povolotskaya, AV; Ivanova, TY, u; Koshevoy, IO; Tunik, SP; Suvanto, M; Pakkanen, TA. (2012). Laser-induced heterometallic phase deposition from solutions of supramolecular complexes. *Surf Coating Tech* 206: 3454-3458. <http://dx.doi.org/10.1016/j.surfcoat.2012.02.010>.
- Manson, J; Dixon, D. (2012). The influence of solvent processing on polyester bioabsorbable polymers. *J Biomater Appl* 26: 623-634. <http://dx.doi.org/10.1177/0885328210376997>.
- Manson, J; Kumar, D; Meenan, BJ; Dixon, D. (2011). Polyethylene glycol functionalized gold nanoparticles: the influence of capping density on stability in various media. *Gold Bulletin* 44: 99-105. <http://dx.doi.org/10.1007/s13404-011-0015-8>.
- Manu, R; Jayakrishnan, S. (2012). Effect of organic dye on copper metallization of high aspect ratio through hole for interconnect application. *Mater Chem Phys* 135: 425-432. <http://dx.doi.org/10.1016/j.matchemphys.2012.05.003>.
- Manyin, T; Rowe, CL. (2010). Reproductive and life stage-specific effects of aqueous copper on the grass shrimp, *Palaemonetes pugio*. *Mar Environ Res* 69: 152-157. <http://dx.doi.org/10.1016/j.marenvres.2009.09.006>.
- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of  $\beta$ -carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400. <http://dx.doi.org/10.1016/j.biortech.2013.02.019>.
- Marcomini, A; Cecchi, F; Sfriso, A. (1991). ANALYTICAL EXTRACTION AND ENVIRONMENTAL REMOVAL OF ALKYL BENZENE SULFONATES, NONYLPHENOL AND NONYLPHENOL MONOETHOXYLATE FROM DATED SLUDGE-ONLY LANDFILLS. *Environ Technol* 12: 1047-1054.
- Margon, A; Fornasier, F. (2008). Determining soil enzyme location and related kinetics using rapid fumigation and high-yield extraction. *Soil Biol Biochem* 40: 2178-2181. <http://dx.doi.org/10.1016/j.soilbio.2008.02.006>.
- Mari, A; Imperatori, P; Marchegiani, G; Pilloni, L; Mezzi, A; Kaciulis, S; Cannas, C; Meneghini, C; Mobilio, S; Suber, L. (2010). High yield synthesis of pure alkanethiolate-capped silver nanoparticles. *Langmuir* 26: 15561-15566. <http://dx.doi.org/10.1021/la102062p>.
- Marimuthu, M; Kim, S; An, J. (2010). Amphiphilic triblock copolymer and a microfluidic device for porous microfiber fabrication. *Soft Matter* 6: 2200-2207. <http://dx.doi.org/10.1039/b924704a>.
- Marinari, S; Liburdi, K; Corradini, D; Grego, S. (2010). Reversed-phase high performance liquid chromatographic profile of organic fractions extracted by solvents with different polarity as a tool to evaluate the hydrophobic character of soil under different management. *Soil Till Res* 109: 36-40. <http://dx.doi.org/10.1016/j.still.2010.04.004>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng* 120: 1207-1231.
- Marino, DJ. (2012). AGE-SPECIFIC ABSOLUTE AND RELATIVE ORGAN WEIGHT DISTRIBUTIONS FOR B6C3F1 MICE. *J Toxicol Environ Health A* 75: 76-99. <http://dx.doi.org/10.1080/15287394.2011.625548>.
- Marin-Sanchez, M; Ocon, P; Conde, A; Garcia, I. (2014). Electrodeposition of Zn-Mn coatings on steel from 1-ethyl-3-methylimidazolium bis (trifluoromethanesulfonyl) imide ionic liquid. *Surf Coating Tech* 258: 871-877. <http://dx.doi.org/10.1016/j.surfcoat.2014.07.064>.
- Mariscal, R; Pena, MA; Fierro, JLG. (1995). PROMOTER EFFECTS OF DICHLOROMETHANE ON THE OXIDATIVE COUPLING OF METHANE OVER MNMGO CATALYSTS. *Appl Catal A-Gen* 131: 243-261.
- Markiewicz, KV; Howie, LE; Safe, SH; Donnelly, KC. (1996). Mutagenic potential of binary and complex mixtures using different enzyme induction systems. *J Toxicol Environ Health* 47: 443-451. <http://dx.doi.org/10.1080/009841096161591>.
- Marklevitz, SAC; Almeida, E; Flemming, J; Hellou, J. (2008). Determining the bioavailability of contaminants and assessing the quality of sediments. *Journal of Soils and Sediments* 8: 86-91. <http://dx.doi.org/10.1065/jss2008.02.275.1>.
- Marotovaler, MM; Love, GD; Snape, CE. (1997). Close correspondence between carbon skeletal parameters of kerogens and their hydrolysis oils. *Energy Fuels* 11: 539-545.
- Marquez-Herrera, A; Ovando-Medina, VM; Castillo-Reyes, BE; Melendez-Lira, M; Zapata-Torres, M; Saldana, N. (2014). A novel synthesis of SrCO<sub>3</sub>-SrTiO<sub>3</sub> nanocomposites with high photocatalytic activity. *J Nanopart Res* 16. <http://dx.doi.org/10.1007/s11051-014-2804-5>.
- Marquis, O; Millery, A; Guittonneau, S; Miaud, C. (2006). Solvent toxicity to amphibian embryos and larvae. *Chemosphere* 63: 889-892. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.063>.
- Marriott, HM; Dockrell, DH. (2007). The role of the macrophage in lung disease mediated by bacteria [Review]. *Exp Lung Res* 33: 493-505. <http://dx.doi.org/10.1080/01902140701756562>.

## Fate Literature Search Results

### Off Topic

- Marrone, PA; Lachance, RP; Dinero, JL; Phenix, BD; Meyer, JC; Tester, JW; Peters, WA; Swallow, KC. (1995). ACS SYMPOSIUM SERIES Methylene chloride oxidation and hydrolysis in supercritical water.
- Marrouchi, R; Dziri, F; Belayouni, N; Hamza, A; Benoit, E; Molgó, J; Kharrat, R. (2010). Quantitative determination of gymnodimine-A by high performance liquid chromatography in contaminated clams from Tunisia coastline. *Mar Biotechnol* 12: 579-585. <http://dx.doi.org/10.1007/s10126-009-9245-7>.
- Marsal, A; Bautista, E; Cuadros, S; Reyes, M, a; Rius, A; Font, J. (2009). RECOVERY OF ORGANIC NITROGEN FROM BEAMHOUSE WASTEWATER IN A HAIR RECOVERY PROCESS. *Journal of the Society of Leather Technologists and Chemists* 93: 176-182.
- Marsaro, AL; Souza, R; Della Lucia, TM; Fernandes, JB; Silva, MF; Vieira, PC. (2004). Behavioral changes in workers of the leaf-cutting ant *Atta sexdens rubropilosa* induced by chemical components of *Eucalyptus maculata* leaves. *J Chem Ecol* 30: 1771-1780.
- Marsch, GA; Mundkowsky, RG; Morris, BJ; Manier, ML; Hartman, MK; Guengerich, FP. (2001). Characterization of nucleoside and DNA adducts formed by S-(1-acetoxymethyl)glutathione and implications for dihalomethane-glutathione conjugates. *Chem Res Toxicol* 14: 600-608. <http://dx.doi.org/10.1021/tx010006h>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr* 45: 516-519.
- Marsili, M; Stracquadanio, M; Trombini, C; Vassura, I. (2001). The epicuticular wax of *Laurus nobilis* leaves as a passive sampler of polycyclic aromatic hydrocarbons in ambient air. *Fresen Environ Bull* 10: 26-30.
- Martin, C; Piatkowski, P; Cohen, B; Gil, M; Teresa Navarro, M; Coma, A; Douhal, A. (2015). Ultrafast Dynamics of Nile Red Interacting with Metal Doped Mesoporous Materials. *J Phys Chem C* 119: 13283-13296. <http://dx.doi.org/10.1021/acs.jpcc.5b02296>.
- Martin, C; Ziolek, M; Marchena, M; Douhal, A. (2011). Interfacial Electron Transfer Dynamics in a Solar Cell Organic Dye Anchored to Semiconductor Particle and Aluminum-Doped Mesoporous Materials. *J Phys Chem C* 115: 23183-23191. <http://dx.doi.org/10.1021/jp203489u>.
- Martin, JH; Siebert, AJ; Loehr, RC. (1991). ESTIMATING OIL AND GREASE CONTENT OF PETROLEUM-CONTAMINATED SOIL. *J Environ Eng* 117: 291-299.
- Martin, MC; Cocero, MJ; Mato, F. (1992). VAPOR-LIQUID-EQUILIBRIUM DATA, AT 298.15-K, FOR 6 BINARY-SYSTEMS CONTAINING METHYL ACETATE OR METHANOL, WITH ACETONITRILE, NITROMETHANE OR NITROETHANE. *Fluid Phase Equilibria* 74: 243-252.
- Martin, N; Burkus, Z; Mceachern, P; Yu, T. (2014). Naphthenic acids quantification in organic solvents using fluorescence spectroscopy. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 294-306. <http://dx.doi.org/10.1080/10934529.2014.846631>.
- Martinez Galera, M; Gil Garcia, MD; Rodriguez Lallena, JA; Lopez Lopez, T; Martinez Vidal, JL. (2003). Dissipation of pyrethroid residues in peppers, zucchinis, and green beans exposed to field treatments in greenhouses: evaluation by decline curves. *J Agric Food Chem* 51: 5745-5751. <http://dx.doi.org/10.1021/jf0300893>.
- Martinez, LM; de Correa, CM; Odriozola, JA; Centeno, MA. (2005). Synthesis and characterization of sol-gel zirconia supported Pd and Ni catalysts. *Catalysis Today* 107-08: 800-808. <http://dx.doi.org/10.1016/j.cattod.2005.07.012>.
- Martinez-Klimov, ME; Hernandez-Hipolito, P; Klimova, TE; Solis-Casados, DA; Martinez-Garcia, M. (2016). Development of reusable palladium catalysts supported on hydrogen titanate nanotubes for the Heck reaction. *J Catal* 342: 138-150. <http://dx.doi.org/10.1016/j.jcat.2016.07.019>.
- Martin-Gonzalez, MA; Susial, P; Perez-Pena, J; Dona-Rodriguez, JM. (2013). PREPARATION OF ACTIVATED CARBONS FROM BANANA LEAVES BY CHEMICAL ACTIVATION WITH PHOSPHORIC ACID. ADSORPTION OF METHYLENE BLUE. *Revista Mexicana de Ingenieria Quimica* 12: 595-608.
- Martin-Martinez, M; Alvarez-Montero, A; Gomez-Sainero, LM; Baker, RT; Palomar, J; Omar, S; Eser, S; Rodriguez, JJ. (2015). Deactivation behavior of Pd/C and Pt/C catalysts in the gas-phase hydrodechlorination of chloromethanes: Structure-reactivity relationship. *Appl Catal B-Environ* 162: 532-543. <http://dx.doi.org/10.1016/j.apcatb.2014.07.017>.
- Martin-Martinez, M; Gomez-Sainero, LM; Alvarez-Montero, MA; Bedia, J; Rodriguez, JJ. (2013). Comparison of different precious metals in activated carbon-supported catalysts for the gas-phase hydrodechlorination of chloromethanes. *Appl Catal B-Environ* 132-133 (Mar 27): 256-265. <http://dx.doi.org/10.1016/j.apcatb.2012.11.041>.
- Martin-Martinez, M; Gomez-Sainero, LM; Bedia, J; Arevalo-Bastante, A; Rodriguez, JJ. (2016). Enhanced activity of carbon-supported Pd-Pt catalysts in the hydrodechlorination of dichloromethane. *Appl Catal B-Environ* 184: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2015.11.016>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ* 20: 301-307.
- Martins, CM; Vasconcellos, MAD; Rossetto, CAV; de Carvalho, MG. (2010). Phytochemical screening of the arils of yellow passion fruits seeds and influence on the seed germination. *Ciencia Rural* 40: 1934-1940.
- Martins, L; Bonagamba, TJ; de Azevedo, ER; Bargiela, P; Cardoso, D. (2006). Surfactant containing Si-MCM-41: An efficient basic catalyst for the Knoevenagel condensation. *Appl Catal A-Gen* 312: 77-85. <http://dx.doi.org/10.1016/j.apcata.2006.06.035>.
- Martins, S; Amorim, ELC; Peixoto Sobrinho, TJS; Saraiva, AM; Pisciotto, MNC; Aguiar, CN; Teixeira, JA; Mussatto, SI. (2013). Antibacterial activity of crude methanolic extract and fractions obtained from *Larrea tridentata* leaves. *Ind Crop Prod* 41: 306-311. <http://dx.doi.org/10.1016/j.indcrop.2012.04.037>.
- Marugán, J; van Grieken, R; Pablos, C. (2010). Kinetics and influence of water composition on photocatalytic disinfection and photocatalytic oxidation of pollutants. *Environ Technol* 31: 1435-1440. <http://dx.doi.org/10.1080/09593331003646653>.
- Marugán, J; van Grieken, R; Pablos, C; Sordo, C. (2010). Analogies and differences between photocatalytic oxidation of chemicals and photocatalytic inactivation of microorganisms. *Water Res* 44: 789-796. <http://dx.doi.org/10.1016/j.watres.2009.10.022>.



## Fate Literature Search Results

### Off Topic

- Maruo, Y; Irie, M; Nishigawa, G; Oka, M; Minagi, S; Suzuki, K. (2005). Modified direct relining method produces an accurate adaptation denture. *Dent Mater J* 24: 311-314.
- Masi, F; Lepri, L; Del Bubba, M; Sacco, C; Lo Nostro, A; Comodo, N. (1999). Organic chemicals and microbial facies of liquid aerosols from a wastewater treatment plant. *Ann Chim* 89: 231-248.
- Masih, A; Saini, R; Singhvi, R; Taneja, A. (2010). Concentrations, sources, and exposure profiles of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM(10)) in the north central part of India. *Environ Monit Assess* 163: 421-431. <http://dx.doi.org/10.1007/s10661-009-0846-4>.
- Mason, H; Wilson, K. (1999). Biological monitoring: the role of toxicokinetics and physiologically based pharmacokinetic modeling [Review]. *Am Ind Hyg Assoc J* 60: 237-242. <http://dx.doi.org/10.1080/00028899908984442>.
- Mason, JR; Neal, J; Oliver, JE; Lusby, WR. (1991). Bird-Repellent Properties of Secretions from Nymphs of the Azalea Lace Bug. *Ecol Appl* 1: 226-230.
- Masood, F; Malik, A. (2013). Cytotoxic and genotoxic potential of tannery waste contaminated soils. *Sci Total Environ* 444: 153-160. <http://dx.doi.org/10.1016/j.scitotenv.2012.11.049>.
- Masood, F; Malik, A. (2013). Mutagenicity and genotoxicity assessment of industrial wastewaters. *Environ Sci Pollut Res Int* 20: 7386-7397. <http://dx.doi.org/10.1007/s11356-013-1756-0>.
- Massey, PM; Boansi, RK; Gipson, JD; Adams, RM; Riess, H; Dieng, T; Prelip, ML; Glik, DC. (2017). Human papillomavirus (HPV) awareness and vaccine receptivity among Senegalese adolescents. *Trop Med Int Health* 22: 113-121. <http://dx.doi.org/10.1111/tmi.12798>.
- Massoumi, B; Omid, H; Vessally, E; Entezami, A, liA. (2014). Nanostructured Poly (2,2 '-bithiophene)-co-(3-dodecylthiophene): Preparation, Investigation of the Electroactivity, Conductivity, and Morphology. *Int J Polym Mater* 63: 323-329. <http://dx.doi.org/10.1080/00914037.2013.845186>.
- Masten, SV; Peck, RC. (2004). Problem driver remediation: a meta-analysis of the driver improvement literature [Review]. *J Safety Res* 35: 403-425. <http://dx.doi.org/10.1016/j.jsr.2004.06.002>.
- Matejova, L; Topka, P; Jiratova, K; Solcova, O. (2012). Total oxidation of model volatile organic compounds over some commercial catalysts. *Appl Catal A-Gen* 443: 40-49. <http://dx.doi.org/10.1016/j.apcata.2012.07.018>.
- Matejova, L; Topka, P; Kaluza, L; Pitkaaho, S; Ojala, S; Gaalova, J; Keiski, RL. (2013). Total oxidation of dichloromethane and ethanol over ceria-zirconia mixed oxide supported platinum and gold catalysts. *Appl Catal B-Environ* 142: 54-64. <http://dx.doi.org/10.1016/j.apcatb.2013.04.069>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol* 28: 2045-2053.
- Matheswaran, M; Raju, T. (2010). Destruction of methylene blue by mediated electrolysis using two-phase system. *Process Saf Environ Protect* 88: 350-355. <http://dx.doi.org/10.1016/j.psep.2010.05.003>.
- Mathew, S; Zakaria, ZA; Musa, N. (2015). Antioxidant property and chemical profile of pyrolygneous acid from pineapple plant waste biomass. *Process Biochemistry* 50: 1985-1992. <http://dx.doi.org/10.1016/j.procbio.2015.07.007>.
- Mathews, JM; Raymer, JH; Etheridge, AS; Velez, GR; Bucher, JR. (1997). Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo. *Toxicol Appl Pharmacol* 146: 255-260. <http://dx.doi.org/10.1006/taap.1997.8257>.
- Matienzo, LJ; Emmi, F; Vanhart, DC; Lo, JC. (1991). ABSORPTION AND INTERACTION OF METHYLENE-CHLORIDE WITH METALLIZED POLYIMIDE FILMS. *Journal of Vacuum Science and Technology A* 9: 1278-1282.
- Matloka, K; Gelis, A; Regalbuto, M; Vandegrift, G; Scott, MJ. (2006). C-3-symmetric tripodal thio/diglycolamide-based ligands for trivalent f-element separations. *Separation Science and Technology* 41: 2129-2146. <http://dx.doi.org/10.1080/01496390600745727>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data* 36: 259-262.
- Matos, J; Laine, J; Herrmann, JM. (2001). Effect of the type of activated carbons on the photocatalytic degradation of aqueous organic pollutants by UV-irradiated titania. *J Catal* 200: 10-20. <http://dx.doi.org/10.1006/jcat.2001.3191>.
- Matsuda, H; Hibino, M; Sato, T; Ose, Y; Nagase, H; Kito, H. (1993). Mutagenicity of ozonated and chlorinated humic substances. *J Environ Sci Health, Part A: Environ Sci Eng* 28: 821-837.
- Matsumoto, F; Moriwaki, K; Takao, Y; Ohno, T. (2010). Investigation of novel PCBM analogs containing thienyl groups for organic photovoltaic devices. *Synthetic Metals* 160: 961-966. <http://dx.doi.org/10.1016/j.synthmet.2010.02.008>.
- Matsumura, H; Saka, S. (1992). CELLULOSE TRIACETATE PREPARED FROM LOW-GRADE WOOD PULP .2. REMEDIES FOR REDUCING THE INSOLUBLE RESIDUE IN ACETYLATION SOLUTION. 38: 862-868.
- Matsumura, Y. (1996). Selection of desorbing solvents for organic compounds from active carbon tubes. *Ind Health* 34: 167-176.
- Mattea, F; Martin, A; Schulz, C; Jaeger, P; Eggers, R; Jose Cocero, M. (2010). Behavior of an Organic Solvent Drop During the Supercritical Extraction of Emulsions. *AIChE J* 56: 1184-1195. <http://dx.doi.org/10.1002/aic.12061>.
- Mattei, F; Guida, F; Matrat, M; Cené, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Matthaus, B; Fiebig, HJ. (1996). Simultaneous determination of isothiocyanates, indoles, and oxazolidinethiones in myrosinase digests of rapeseeds and rapeseed meal by HPLC. *J Agric Food Chem* 44: 3894-3899.
- Mattina, MJ; Pignatello, JJ; Swihart, RK. (1991). IDENTIFICATION OF VOLATILE COMPONENTS OF BOBCAT (LYNX-RUFUS) URINE. *J Chem Ecol* 17: 451-462.
- Mattos, BD; Lourencon, TV; Serrano, L; Labidi, J; Gatto, DA. (2015). Chemical modification of fast-growing eucalyptus wood. *Wood Science and Technology* 49: 273-288. <http://dx.doi.org/10.1007/s00226-014-0690-8>.

## Fate Literature Search Results

### Off Topic

- Mattoso, LHC; Mello, SV; Riul, A; Oliveira, ON; Faria, RM. (1994). SYNTHESIS AND CHARACTERIZATION OF POLY(O-PHENETIDINE) FOR THE FABRICATION OF LANGMUIR AND LANGMUIR-BLODGETT-FILMS. *Thin Solid Films* 244: 714-717.
- Matusheski, NV; Wallig, MA; Juvik, JA; Klein, BP; Kushad, MM; Jeffery, EH. (2001). Preparative HPLC method for the purification of sulforaphane and sulforaphane nitrile from Brassica oleracea. *J Agric Food Chem* 49: 1867-1872.
- Matyas, R; Selesovsky, J; Jalovy, Z; Rohacova, J. (2011). Synthesis and Characterization of Polyethylene Glycol Dinitrates. *Central European Journal of Energetic Materials* 8: 145-155.
- Maule, HG; Andrews, M; Morton, JD; Jones, AV; Daly, GT. (1995). SUN SHADE ACCLIMATION AND NITROGEN NUTRITION OF TRADESCANTIA FLUMINENSIS, A PROBLEM WEED IN NEW-ZEALAND NATIVE FOREST REMNANTS. *New Zealand Journal of Ecology* 19: 35-46.
- Maupin, I; Mijoin, J; Barbier, J, Jr; Bion, N; Belin, T; Magnoux, P. (2011). Improved oxygen storage capacity on CeO<sub>2</sub>/zeolite hybrid catalysts. Application to VOCs catalytic combustion. *Catalysis Today* 176: 103-109. <http://dx.doi.org/10.1016/j.cattod.2011.02.003>.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al<sub>2</sub>O<sub>3</sub>: CH<sub>2</sub>Cl<sub>2</sub> disproportionation over alumina and oxidation over platinum. *J Catal* 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- Mawn, MP; Kurtz, K; Stahl, D; Chalfant, RL; Koban, ME; Dawson, BJ. (2013). Analytical method validation for the determination of 2,3,3,3-tetrafluoropropene in air samples using gas chromatography with flame ionization detection. *J Occup Environ Hyg* 10: 583-589. <http://dx.doi.org/10.1080/15459624.2013.818226>.
- Mazeas, L; Budzinski, H. (2002). Improved accuracy of GC-MS quantification of aliphatic and aromatic hydrocarbons in marine sediments and petroleum. Validation on reference matrices and application to the Erika oil spill. *Int J Environ Anal Chem* 82: 157-173.
- Mburu, F; Sirmah, P; Muisu, F; Dumarcay, S; Gerardin, P. (2013). Selected Wood Properties of Prunus Africana (Hook) Grown in Kenya as Possible Reasons for its High Natural Durability. *Drvna Industrija* 64: 19-24. <http://dx.doi.org/10.5552/drind.2013.1238>.
- Mccallum, J; Porter, N; Searle, B; Shaw, M; Bettjeman, B; Mcmanus, M. (2005). Sulfur and nitrogen fertility affects flavour of field-grown onions. *Plant Soil* 269: 151-158. <http://dx.doi.org/10.1007/s11104-004-0402-5>.
- Mccarron, PA; Donnelly, RF; Marouf, W. (2006). Celecoxib-loaded poly(D,L-lactide-co-glycolide) nanoparticles prepared using a novel and controllable combination of diffusion and emulsification steps as part of the salting-out procedure. *J Microencapsul* 23: 480-498. <http://dx.doi.org/10.1080/02652040600682390>.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ* 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccaoulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation* 19: 78-86.
- Mcclain, R, ay; Rada, V; Nomland, A; Przybyciel, M; Kohler, D; Schlake, R; Nantermet, P; Welch, CJ. (2016). Greening Flash Chromatography. 4: 4905-4912. <http://dx.doi.org/10.1021/acssuschemeng.6b01219>.
- Mcclintock, JB; Baker, BJ; Amsler, CD; Barlow, TL. (2000). Chemotactic tube-foot responses of the spongivorous sea star *Perknaster fuscus* to organic extracts of sponges from McMurdo Sound, Antarctica. *Antarct Sci* 12: 41-46.
- Mcclintock, JB; Baker, BJ; Baumiller, TK; Messing, CG. (1999). Lack of chemical defense in two species of stalked crinoids: support for the predation hypothesis for mesozoic bathymetric restriction. *Exp Mar Bio Ecol* 232: 1-7.
- Mcclintock, JB; Mahon, AR; Peters, KJ; Amsler, CD; Baker, BJ. (2003). Chemical defences in embryos and juveniles of two common Antarctic sea stars and an isopod. *Antarct Sci* 15: 339-344. <http://dx.doi.org/10.1017/S0954102003001354>.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8417-8427.
- Mcculloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Mcdaniel, LH; Ashraf-Khorassani, M; Taylor, LT. (2001). Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry. *Journal of Supercritical Fluids* 19: 275-286.
- Mcdaniels, AE; Reyes, AL; Wymer, LJ; Rankin, CC; Stelma, GN. (1993). Genotoxic activity detected in soils from a hazardous waste site by the Ames test and an SOS colorimetric test. *Environ Mol Mutagen* 22: 115-122.
- Mcfarland, MJ; Qiu, XJ; Sims, JL; Randolph, ME; Sims, RC. (1992). REMEDIATION OF PETROLEUM IMPACTED SOILS IN FUNGAL COMPOST BIOREACTORS. *Water Sci Technol* 25: 197-206.
- McGawley, EC; Overstreet, C; Pontif, MJ. (2011). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF ROTYLENCHULUS RENIFORMIS ON SOYBEAN. *Nematropica* 41: 12-22.
- McGawley, EC; Pontif, MJ; Overstreet, C. (2010). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF ROTYLENCHULUS RENIFORMIS ON COTTON. *Nematropica* 40: 275-288.
- Mcginley, EL; Fleming, GJ; Moran, GP. (2011). Development of a discriminatory biocompatibility testing model for non-precious dental casting alloys. *Dent Mater* 27: 1295-1306. <http://dx.doi.org/10.1016/j.dental.2011.09.013>.
- Mchedlov-Petrosyan, NO; Roshchyna, KV; Shekhovtsov, SV; Eltsov, SV; Zozulia, OS; Omelchenko, IV; Shishkin, OV. (2015). Revisiting tetranitrophenolsulfonephthalein. *Color Technol* 131: 236-244. <http://dx.doi.org/10.1111/cote.12145>.
- Mckenzie, LM; Hao, WM; Richards, GN; Ward, DE. (1994). QUANTIFICATION OF MAJOR COMPONENTS EMITTED FROM SMOLDERING COMBUSTION OF WOOD. *Atmos Environ* 28: 3285-3292.
- Mckinnon, JT; Meyer, E; Howard, JB. (1996). Infrared analysis of flame-generated PAH samples. *Combust Flame* 105: 161-166.
- Mckinnon, SDJ; Gilroy, J, oeb; Mcdonald, R; Patrick, BO; Hicks, RG. (2011). Magnetostructural studies of palladium(II) and platinum(II) complexes of verdazyl radicals. *J Mater Chem* 21: 1523-1530. <http://dx.doi.org/10.1039/c0jm02560g>.

## Fate Literature Search Results

### Off Topic

- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- Mcwhinney, RD; Badali, K; Liggio, J; Li, SM; Abbatt, JP. (2013). Filterable redox cycling activity: a comparison between diesel exhaust particles and secondary organic aerosol constituents. *Environ Sci Technol* 47: 3362-3369. <http://dx.doi.org/10.1021/es304676x>.
- Medeiros, PM; Fernandes, MF; Dick, RP; Simoneit, BR. (2006). Seasonal variations in sugar contents and microbial community in a ryegrass soil. *Chemosphere* 65: 832-839. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.025>.
- Medeiros, PM; Simoneit, BR. (2008). Source profiles of organic compounds emitted upon combustion of green vegetation from temperate climate forests. *Environ Sci Technol* 42: 8310-8316. <http://dx.doi.org/10.1021/es801533b>.
- Meechaisue, C; Dubin, R; Supaphol, P; Hoven, VP; Kohn, J. (2006). Electrospun mat of tyrosine-derived polycarbonate fibers for potential use as tissue scaffolding material. *J Biomater Sci Polym Ed* 17: 1039-1056.
- Meek, MD. (1998). Ah receptor and estrogen receptor-dependent modulation of gene expression by extracts of diesel exhaust particles. *Environ Res* 79: 114-121. <http://dx.doi.org/10.1006/enrs.1998.3870>.
- Meepagala, KM; Sturtz, G; Wedge, DE; Schrader, KK; Duke, SO. (2005). Phytotoxic and antifungal compounds from two Apiaceae species, *Lomatium californicum* and *Ligusticum hultenii*, rich sources of Z-ligustilide and apiol, respectively. *J Chem Ecol* 31: 1567-1578. <http://dx.doi.org/10.1007/s10886-005-5798-8>.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol* 33: 141-146.
- Mehrsheikh, A; Bleeke, M; Brosillon, S; Laplanche, A; Roche, P. (2006). Investigation of the mechanism of chlorination of glyphosate and glycine in water. *Water Res* 40: 3003-3014. <http://dx.doi.org/10.1016/j.watres.2006.06.027>.
- Mehta, RH; Madsen, DA; Kalika, DS. (1995). MICROPOROUS MEMBRANES BASED ON POLY(ETHER ETHER KETONE) VIA THERMALLY-INDUCED PHASE-SEPARATION. *J Memb Sci* 107: 93-106.
- Mei, J; Zhao, S; Huang, W; Qu, Z; Yan, N. (2016). Mn-Promoted Co<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> as an efficient catalyst for catalytic oxidation of dibromomethane (CH<sub>2</sub>Br<sub>2</sub>). *J Hazard Mater* 318: 1-8. <http://dx.doi.org/10.1016/j.jhazmat.2016.06.010>.
- Meinelt, T; Playle, R; Schreckenbach, K; Pietrock, M. (2001). The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium. *Aquaculture Research* 32: 405-410.
- Meinert, C; Brack, W. (2010). Optimisation of trapping parameters in preparative capillary gas chromatography for the application in effect-directed analysis. *Chemosphere* 78: 416-422. <http://dx.doi.org/10.1016/j.chemosphere.2009.10.061>.
- Meireles, C, daS; Rodrigues Filho, G; Nascimento de Assuncao, RM; Cerqueira, DA; Zeni, M; Mello, K; Lorenzi, S. (2008). Production and characterization of membranes of recycled waste materials: Cellulose acetate, obtained from sugarcane bagasse with polystyrene from plastics cups. *Polymer Engineering and Science* 48: 1443-1448. <http://dx.doi.org/10.1002/pen.21072>.
- Mele, A; Lentz, H; Mele, A; Feizlmayr, E; Abazi, S; Bauer, R. (2013). Extraction of rotundifuran and casticin from chaste tree fruits by near critical liquid carbon dioxide. *Journal of Supercritical Fluids* 79: 123-126. <http://dx.doi.org/10.1016/j.supflu.2013.02.008>.
- Melendez-Martinez, AJ; Vicario, IM; Heredia, FJ. (2003). A routine high-performance liquid chromatography method for carotenoid determination in ultrafrozen orange juices. *J Agric Food Chem* 51: 4219-4224. <http://dx.doi.org/10.1021/jf0342977>.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation* 38: 9-18.
- Mellaerts, R; Jammaer, JA; Van Speybroeck, M; Chen, H; Van Humbeeck, J; Augustijns, P; Van den Mooter, G; Martens, JA. (2008). Physical state of poorly water soluble therapeutic molecules loaded into SBA-15 ordered mesoporous silica carriers: a case study with itraconazole and ibuprofen. *Langmuir* 24: 8651-8659. <http://dx.doi.org/10.1021/la801161g>.
- Melliou, E; Chinou, I. (2005). Chemistry and bioactivity of royal jelly from Greece. *J Agric Food Chem* 53: 8987-8992. <http://dx.doi.org/10.1021/jf051550p>.
- Melliou, E; Magiatis, P; Skaltsounis, AL. (2003). Alkylresorcinol derivatives and sesquiterpene lactones from *Cichorium spinosum*. *J Agric Food Chem* 51: 1289-1292. <http://dx.doi.org/10.1021/jf025848g>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Memon, S; Yilmaz, M. (2000). Synthesis and complexation studies of 1,3-dialkylated p-tert-butylcalix[4]arene telomers. *React Funct Polym* 44: 227-233.
- Men, J; Wang, R; Li, H; Li, X; Yang, S; Liu, H; Gao, B. (2017). Preparation of crosslinked poly (acryloyloxyethyltrimethyl ammonium chloride) microsphere and its adsorption and mechanism towards shikimic acid. *Mater Sci Eng C* 71: 167-175. <http://dx.doi.org/10.1016/j.msec.2016.09.076>.
- Mendes, JAS; Prozil, SO; Evtuguin, DV; Cruz Lopes, LP. (2013). Towards comprehensive utilization of winemaking residues: Characterization of grape skins from red grape pomaces of variety Touriga Nacional. *Ind Crop Prod* 43: 25-32. <http://dx.doi.org/10.1016/j.indcrop.2012.06.047>.
- Mendoza-Cantú, A; Castorena-Torres, F; Bermudez, M; Martínez-Hernández, R; Ortega, A; Salinas, JE; Albores, A. (2004). Genotype and allele frequencies of polymorphic cytochromes P450 CYP1A2 and CYP2E1 in Mexicans. *Cell Biochem Funct* 22: 29-34. <http://dx.doi.org/10.1002/cbf.1049>.

## Fate Literature Search Results

### Off Topic

- Meng, FT; Ma, GH; Liu, YD; Qiu, W; Su, ZG. (2004). Microencapsulation of bovine hemoglobin with high bio-activity and high entrapment efficiency using a W/O/W double emulsion technique. *Colloids Surf B Biointerfaces* 33: 177-183. <http://dx.doi.org/10.1016/j.colsurfb.2003.10.003>.
- Meng, X; Luo, N, an; Cao, S; Zhang, S; Yang, M; Hu, X. (2009). In-situ growth of titania nanoparticles in electrospun polymer nanofibers at low temperature. *Mater Lett* 63: 1401-1403. <http://dx.doi.org/10.1016/j.matlet.2009.03.023>.
- Meng, Y; Sun, S; Li, J; Nan, K; Lan, B; Jin, Y; Chen, H; Cheng, L. (2014). Sustained release of triamcinolone acetonide from an episcleral plaque of multilayered poly- $\epsilon$ -caprolactone matrix. *Acta Biomater* 10: 126-133. <http://dx.doi.org/10.1016/j.actbio.2013.09.022>.
- Mensitieri, G; Apicella, A; Delnobile, MA; Nicolais, L. (1993). EXTREME ENVIRONMENTAL RESISTANCE OF PEEK MATRIX. *Journal of Reinforced Plastics and Composites* 12: 1138-1149.
- Ment, D; Gindin, G; Soroker, V; Glazer, I; Rot, A; Samish, M. (2010). *Metarhizium anisopliae* conidial responses to lipids from tick cuticle and tick mammalian host surface. *J Invertebr Pathol* 103: 132-139. <http://dx.doi.org/10.1016/j.jip.2009.12.010>.
- Merdy, P; Achard, R; Samaali, I; Lucas, Y. (2014). Selective extraction of PAHs from a sediment with structural preservation of Natural Organic Matter. *Chemosphere* 107: 476-479. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.055>.
- Merk, O; Speit, G. (1998). Significance of formaldehyde-induced DNA-protein crosslinks for mutagenesis. *Environ Mol Mutagen* 32: 260-268. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)32:3<260::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)32:3<260::AID-EM9>3.0.CO;2-M).
- Merlin, G; Thiebaut, H; Blake, G; Sembiring, S; Alary, J. (1992). MESOCOSMS AND MICROCOSMS UTILIZATION FOR ECOTOXICITY EVALUATION OF DICHLOROMETHANE, A CHLORINATED SOLVENT. *Chemosphere* 24: 37-50.
- Merzougui, A; Hasseine, A; Kabouche, A; Korichi, M. (2011). LLE for the extraction of alcohol from aqueous solutions with diethyl ether and dichloromethane at 293.15 K, parameter estimation using a hybrid genetic based approach. *Fluid Phase Equilibria* 309: 161-167. <http://dx.doi.org/10.1016/j.fluid.2011.07.011>.
- Mesia, GK; Tona, GL; Penge, O; Lusakibanza, M; Nanga, TM; Cimanga, RK; Apers, S; Van Miert, S; Totte, J; Pieters, L; Vlietinck, AJ. (2005). Antimalarial activities and toxicities of three plants used as traditional remedies for malaria in the Democratic Republic of Congo: *Croton mubango*, *Nauclea pobeguini* and *Pyrenacantha staudtii*. *Ann Trop Med Parasitol* 99: 345-357. <http://dx.doi.org/10.1179/136485905X36325>.
- Meyer, W; Seiler, TB; Schwarzbauer, J, an; Puettmann, W; Hollert, H; Achten, C. (2014). Polar polycyclic aromatic compounds from different coal types show varying mutagenic potential, EROD induction and bioavailability depending on coal rank. *Sci Total Environ* 494: 320-328. <http://dx.doi.org/10.1016/j.scitotenv.2014.06.140>.
- Mho, S; Ortiz, B; Doddapaneni, N; Park, SM. (1995). ELECTROCHEMICAL AND SPECTROELECTROCHEMICAL STUDIES ON METALLOPHTHALOCYANINE-OXYGEN INTERACTIONS IN NONAQUEOUS SOLUTIONS. *J Electrochem Soc* 142: 1047-1053.
- Mi, BX; Gao, ZQ; Lee, CS; Kwong, HL; Wang, NB; Lee, ST. (2001). Efficient green electroluminescence of pure chromaticity from a polycyclic aromatic hydrocarbon. *J Mater Chem* 11: 2244-2247.
- Miceli, GC; Beggato, G; Daolio, S; Favaretto, L; Geri, A; Giro, G; Pietropaolo, D. (1991). ELECTROCHEMICAL POLYMERIZATION OF 10,10-DIMETHYL-PHENOTHIASILINE. *Ann Chim* 81: 95-106.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Wlodarczyk, W; Gawel, A; Matusik, J; Bahranowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ* 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michalowicz, J. (2005). The occurrence of chlorophenols, chlorocatechols and chlorinated methoxyphenols in drinking water of the largest cities in Poland. *Pol J Environ Stud* 14: 327-333.
- Michałowicz, J; Bukowska, B; Duda, W. (2008). The differences in phenolic content in rivers exposed and non-exposed to anthropogenic contamination. *Chemosphere* 71: 735-741. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.017>.
- Michielin, EM; Salvador, AA; Riehl, CA; Smânia, A; Smânia, EF; Ferreira, SR. (2009). Chemical composition and antibacterial activity of *Cordia verbenacea* extracts obtained by different methods. *Bioresour Technol* 100: 6615-6623. <http://dx.doi.org/10.1016/j.biortech.2009.07.061>.
- Michielin, EMZ; Bresciani, LFV; Danielski, L; Yunes, RA; Ferreira, SRS. (2005). Composition profile of horsetail (*Equisetum giganteum* L.) oleoresin: comparing SFE and organic solvents extraction. *Journal of Supercritical Fluids* 33: 131-138. <http://dx.doi.org/10.1016/j.supflu.2004.07.004>.
- Miguel, F; Martin, A; Gamse, T; Cocero, MJ. (2006). Supercritical anti solvent precipitation of lycopene - Effect of the operating parameters. *Journal of Supercritical Fluids* 36: 225-235. <http://dx.doi.org/10.1016/j.supflu.2005.06.009>.
- Mihajilov-Krstev, TM; Denić, MS; Zlatković, BK; Stankov-Jovanović, VP; Mitić, VD; Stojanović, GS; Radulović, NS. (2015). Inferring the origin of rare fruit distillates from compositional data using multivariate statistical analyses and the identification of new flavour constituents. *J Sci Food Agric* 95: 1217-1235. <http://dx.doi.org/10.1002/jsfa.6810>.
- Miki, S; Koyama, J; Uno, S. (2010). OPTIMIZATION OF PRESSURIZED LIQUID EXTRACTION FOR SIMULTANEOUS ANALYSIS OF POLYCYCLIC AROMATIC HYDROCARBONS AND ALKYLATED POLYCYCLIC AROMATIC HYDROCARBONS IN SEDIMENTS. *Fresen Environ Bull* 19: 1544-1551.
- Mikroyannidis, JA; Kabanakis, AN; Sharma, SS; Sharma, GD. (2011). Low band-gap phenylenevinylene and fluorenevinylene small molecules containing triphenylamine segments: Synthesis and application in bulk heterojunction solar cells. *Organic Electronics* 12: 774-784. <http://dx.doi.org/10.1016/j.orgel.2011.02.008>.
- Mikroyannidis, JA; Roy, MS; Sharma, GD. (2010). Synthesis of new low band gap dyes with BF<sub>2</sub>-azopyrrole complex and their use for dye-sensitized solar cells. *J Power Sources* 195: 5391-5398. <http://dx.doi.org/10.1016/j.jpowsour.2010.03.031>.

## Fate Literature Search Results

### Off Topic

- Mikroyannidis, JA; Tsai, L, inRen; Chen, Y, un. (2009). Synthesis, photophysics and electroluminescence of dendronized styryl-substituted fluorene with triphenylamine units. *Synthetic Metals* 159: 78-84. <http://dx.doi.org/10.1016/j.synthmet.2008.07.020>.
- Miksys, S; Tyndale, RF. (2004). The unique regulation of brain cytochrome P450 2 (CYP2) family enzymes by drugs and genetics [Review]. *Drug Metab Rev* 36: 313-333. <http://dx.doi.org/10.1081/DMR-120034149>.
- Milano, CJ; Bailey, LC. (1999). Evaluation of current compendial physicochemical test procedures for pharmaceutical elastomeric closures and development of an improved HPLC procedure. *PDA J Pharm Sci Technol* 53: 202-210.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemysł Chemiczny* 82: 924-926.
- Milichovsky, M; Potucek, F; Cesek, B. (2004). Determination of pitch in washing filtrates. *Cellulose Chemistry and Technology* 38: 39-43.
- Millar, RW; Arber, AW; Endsor, RM; Hamid, J; Colclough, ME. (2011). Clean Manufacture of 2,4,6-Trinitrotoluene (TNT) via Improved Regioselectivity in the Nitration of Toluene. *Journal of Energetic Materials* 29: 88-114. <http://dx.doi.org/10.1080/07370652.2010.484411>.
- Miller, GP; Cundy, VA; Lester, TW; Bozzelli, JW. (1994). THE COMPUTATIONAL SIMULATION OF A STOICHIOMETRIC CH<sub>2</sub>CL<sub>2</sub>/CH<sub>4</sub>/AIR FLAT FLAME. *Combust Sci Tech* 98: 123-136.
- Miller, JL; Sardo, MA; Thompson, TL; Miller, RM. (1997). Effect of application solvents on heterotrophic and nitrifying populations in soil microcosms. *Environ Toxicol Chem* 16: 447-451. <http://dx.doi.org/10.1002/etc.5620160309>.
- Miller, JS; Pokhodnya, KI. (2007). Formation of Ni[C-4(CN)(8)] from the reaction of Ni(COD)(2) (COD=1,5cyclooctadiene) with TCNE in THF. *J Mater Chem* 17: 3585-3587. <http://dx.doi.org/10.1039/b708675j>.
- Miller, RJ; Byford, RL; Smith, GS; Craig, ME; Vanleeuwen, D. (1995). INFLUENCE OF SNAKEWEED FOLIAGE ON ENGORGEMENT, FECUNDITY AND ATTACHMENT OF THE LONE STAR TICK (ACARI, IXODIDAE). *J Agr Entomol* 12: 137-143.
- Mills, MA; Mcdonald, TJ; Bonner, JS; Simon, MA; Autenrieth, RL. (1999). Method for quantifying the fate of petroleum in the environment. *Chemosphere* 39: 2563-2582.
- Mills, WB; Cheng, JJ; Droppo, JG; Faillace, ER; Gnanapragasam, EK; Johns, RA; Laniak, GF; Lew, CS; Strenge, DL; Sutherland, JF; Whelan, G; Yu, C. (1997). Multimedia benchmarking analysis for three risk assessment models: RESRAD, MMSOILS, and MEPAS. *Risk Anal* 17: 187-201.
- Mills, WB; Lew, CS; Hung, CY. (1999). Sensitivity of concentration and risk predictions in the PRESTO and MMSOILS multimedia models: regression technique assessment. *Risk Anal* 19: 511-525.
- Mimura, K; Toyama, S. (2005). Behavior of polycyclic aromatic hydrocarbons at impact shock: Its implication for survival of organic materials delivered to the early Earth. *Geochim Cosmo Acta* 69: 201-209. <http://dx.doi.org/10.1016/j.gca.2004.06.020>.
- Minato, K; Ohkawa, K; Yamamoto, H. (2006). Chain conformations of poly(gamma-benzyl-L-glutamate) pre and post an electrospinning process. *Macromol Biosci* 6: 487-495. <http://dx.doi.org/10.1002/mabi.200600066>.
- Minero, C; Pellizzari, P; Maurino, V; Pelizzetti, E; Vione, D. (2008). Enhancement of dye sonochemical degradation by some inorganic anions present in natural waters. *Appl Catal B-Environ* 77: 308-316. <http://dx.doi.org/10.1016/j.apcatb.2007.08.001>.
- Minhas, FT; Qureshi, I; Memon, S; Bhangar, MI. (2011). Calix[4]arene Derivative as Copper(II) Carrier in a Bulk Liquid Membrane: A Kinetic Study. *Separation Science and Technology* 46: 2400-2408. <http://dx.doi.org/10.1080/01496395.2011.597817>.
- Minomo, K; Ohtsuka, N; Nojiri, K; Kurata, Y; Karaushi, M; Isobe, Y. (2009). Characteristics of azaarenes and dioxins in gases emitted from waste incinerators. *Journal of Material Cycles and Waste Management* 11: 73-81. <http://dx.doi.org/10.1007/s10163-008-0221-5>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Díez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda, I; Gominho, J; Mirra, I; Pereira, H. (2013). Fractioning and chemical characterization of barks of *Betula pendula* and *Eucalyptus globulus*. *Ind Crop Prod* 41: 299-305. <http://dx.doi.org/10.1016/j.indcrop.2012.04.024>.
- Miranda, I; Gominho, J; Pereira, H. (2013). Cellular structure and chemical composition of cork from the Chinese cork oak (*Quercus variabilis*). *J Wood Sci* 59: 1-9. <http://dx.doi.org/10.1007/s10086-012-1300-8>.
- Miranda, M; Da Costa, A; Castro, J; Sagasetta, C. (2015). Influence of gravel density in the behaviour of soft soils improved with stone columns. *Canadian Geotechnical Journal* 52: 1968-1980. <http://dx.doi.org/10.1139/cgj-2014-0487>.
- Miranda, MA; Dhandapani, P; Kalavathy, MH; Miranda, LR. (2010). Chemically activated *Ipomoea carnea* as an adsorbent for the copper sorption from synthetic solutions. *Adsorption* 16: 75-84. <http://dx.doi.org/10.1007/s10450-010-9209-2>.
- Miranda, NR; Willits, JT; Freeman, BD; Hopfenberg, HB. (1994). ORGANIC VAPOR SORPTION AND TRANSPORT IN A THERMOTROPIC LIQUID-CRYSTALLINE POLYESTER. *J Memb Sci* 94: 67-83.
- Miranda, PO; Lizandara-Pueyo, C; Pericas, MA. (2013). Potassium fluoride: A convenient, non-covalent support for the immobilization of organocatalysts through strong hydrogen bonds. *J Catal* 305: 169-178. <http://dx.doi.org/10.1016/j.jcat.2013.05.010>.
- Miranda, R; Balea, A, na; de La Blanca, ES; Carrillo, I; Blanco, A. (2008). Identification of recalcitrant stickies and their sources in newsprint production. *Ind Eng Chem Res* 47: 6239-6250. <http://dx.doi.org/10.1021/ie701718u>.
- Miranda, R; Blanco, A; Negro, C; Tijero, J. (2006). Stickies removal in a deinking line of a newsprint mill: Efficiency of the different process stages. *Cellulose Chemistry and Technology* 40: 775-782.
- Mirer, FE. (2003). Distortions of the "mis-read" book: Adding procedural botox to paralysis by analysis. *Hum Ecol Risk Assess* 9: 1129-1143. <http://dx.doi.org/10.1080/10807030390240337>.
- Mishra, A; Haram, NS. (2004). New push-pull type dendritic stilbazolium dyes: synthesis, photophysical and electrochemical investigation. *Dyes and Pigments* 63: 191-202. <http://dx.doi.org/10.1016/j.dyepig.2004.02.011>.

## Fate Literature Search Results

### Off Topic

- Mishra, A; Periasamy, N; Patankar, MP; Narasimhan, KL. (2005). Synthesis and characterisation of soluble aluminium complex dyes based on 5-substituted-8-hydroxyquinoline derivatives for OLED applications. *Dyes and Pigments* 66: 89-97.  
<http://dx.doi.org/10.1016/j.dyepig.2004.09.004>.
- Mitchell, ER; Tingle, FC; Heath, RR. (1991). FLIGHT ACTIVITY OF HELIOTHIS-VIRESCENS (F.) FEMALES (LEPIDOPTERA, NOCTUIDAE) WITH REFERENCE TO HOST-PLANT VOLATILES. *J Chem Ecol* 17: 259-266.
- Mitchell-Koch, JT; Borovik, AS. (2003). Immobilization of a europium salen complex within porous organic hosts: Modulation of luminescence properties in different chemical environments. *Chem Mater* 15: 3490-3495. <http://dx.doi.org/10.1021/cm030062z>.
- Mitrita, M; Cruceru, I; Petre, J; Vasile, G. (2007). Results of collaborative interlaboratory study to estimate the performance characteristics of the gas chromatographic method for some alkyl phenols from water. *J Environ Prot Ecol* 8: 249-256.
- Miyake, T; Shibamoto, T. (1993). QUANTITATIVE-ANALYSIS OF ACETALDEHYDE IN FOODS AND BEVERAGES. *J Agric Food Chem* 41: 1968-1970.
- Miyake, Y; Kobayashi, T; Inaba, K; Watabe, I; Kasuya, N; Kameya, T. (2010). Comparison of observed and estimated concentrations of volatile organic compounds using a Gaussian dispersion model in the vicinity of factories: an estimation approach to determine annual average concentrations and human health risks. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 45: 527-533.  
<http://dx.doi.org/10.1080/10934521003594954>.
- Miyamoto, F; Saeki, M; Kamijo, M; Kanda, H; Nakaoka, T; Nishijima, M; Ito, Y; Takeshita, R. (1991). SYSTEMATIC SEPARATION OF ARTIFICIAL AND NATURAL DYES IN FOODS AND THEIR QUALITATIVE DETERMINATION BY THIN-LAYER CHROMATOGRAPHY. *JTHE* 37: 542-551.
- Miyasaka, E; Hamaguchi, T; Yatsushashi, T. (2016). Graphitization of Chlorohydrocarbons in Laser-Induced Plasma Filaments. *Electronics and Communications in Japan* 99: 51-57. <http://dx.doi.org/10.1002/ecj.11873>.
- Miyazawa, M; Fukuyama, M; Yoshio, K; Kato, T; Ishikawa, Y. (1999). Biologically active components against *Drosophila melanogaster* from *Podophyllum hexandrum*. *J Agric Food Chem* 47: 5108-5110.
- Miyazawa, M; Hisama, M. (2001). Suppression of chemical mutagen-induced SOS response by alkylphenols from clove (*Syzygium aromaticum*) in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 49: 4019-4025.
- Miyazawa, M; Okuno, Y; Fukuyama, M; Nakamura, S; Kosaka, H. (1999). Antimutagenic activity of polymethoxyflavonoids from *Citrus aurantium*. *J Agric Food Chem* 47: 5239-5244.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kameoka, H. (1998). Suppression of SOS-inducing activity of chemical mutagens by cinnamic acid derivatives from *Scrophulia ningpoensis* in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 46: 904-910.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kosaka, H. (2000). Antimutagenic activity of flavonoids from *Pogostemon cablin*. *J Agric Food Chem* 48: 642-647.
- Miyazawa, M; Sakano, K; Nakamura, S; Kosaka, H. (2001). Antimutagenic activity of isoflavone from *Pueraria lobata*. *J Agric Food Chem* 49: 336-341.
- Miyazawa, M; Shimamura, H; Bhuva, RC; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of faltarindiol from *Peucedanum praeruptorum*. *J Agric Food Chem* 44: 3444-3448.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). Antimutagenic activity of (+)-polyalthic acid from *Vitex rotundifolia*. *J Agric Food Chem* 43: 3012-3015.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). ANTIMUTAGENIC ACTIVITY OF ISOFRAXINELLONE FROM *DICTAMNUS-DASYCARPUS*. *J Agric Food Chem* 43: 1428-1431.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of (+)-beta-eudesmol and paeonol from *Dioscorea japonica*. *J Agric Food Chem* 44: 1647-1650.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1997). Antimutagenic activity of gigantol from *Dendrobium nobile*. *J Agric Food Chem* 45: 2849-2853.
- Mkhize, NT; Msagati, TAM; Mamba, BB; Momba, M. (2014). Determination of volatile fatty acids in wastewater by solvent extraction and gas chromatography. *Phys Chem Earth* 67-69: 86-92. <http://dx.doi.org/10.1016/j.pce.2013.10.008>.
- Mo, Z; Shao, M, in; Lu, S; Qu, H; Zhou, M; Sun, J, in; Gou, B, in. (2015). Process-specific emission characteristics of volatile organic compounds (VOCs) from petrochemical facilities in the Yangtze River Delta, China. *Sci Total Environ* 533: 422-431.  
<http://dx.doi.org/10.1016/j.scitotenv.2015.06.089>.
- Moats, WA. (2000). Determination of tetracycline antibiotics in beef and pork tissues using ion-paired liquid chromatography. *J Agric Food Chem* 48: 2244-2248.
- Moats, WA; Harikkhan, R. (1995). RAPID HPLC DETERMINATION OF TETRACYCLINE ANTIBIOTICS IN MILK. *J Agric Food Chem* 43: 931-934.
- Moats, WA; Harikkhan, R. (1996). Rapid determination of tetracycline antibiotics in milk and tissues using ion-pairing high-performance liquid chromatography. *ACS Symp Ser Am Chem Soc* 636: 85-95.
- Modla, G; Lang, P; Kotai, B; Molnar, K. (2003). Batch heteroazeotropic rectification of a low alpha mixture under continuous entrainer feeding. *AIChE J* 49: 2533-2552.
- Mogi, T; Ohtake, N; Yoshida, M; Chimura, R; Kamaga, Y; Ando, S; Tsukamoto, T; Nakajima, T; Uenodan, H; Otsuka, M; Matsuda, Y; Ohshima, H; Makino, K. (2000). Sustained release of 17 beta-estradiol from poly (lactide-co-glycolide) microspheres in vitro and in vivo. *Colloids Surf B Biointerfaces* 17: 153-165.
- Mohamed, MF; Kang, D; Aneja, VP. (2002). Volatile organic compounds in some urban locations in the United States. *Chemosphere* 47: 863-882.  
[http://dx.doi.org/10.1016/S0045-6535\(02\)00107-8](http://dx.doi.org/10.1016/S0045-6535(02)00107-8).
- Mohan, DJ; Kullova, L. (2013). A study on the relationship between preparation condition and properties/performance of polyamide TFC membrane by IR, DSC, TGA, and SEM techniques. *Desalination and Water Treatment* 51: 586-596.  
<http://dx.doi.org/10.1080/19443994.2012.693655>.

## Fate Literature Search Results

### Off Topic

- Mohan, SR, aj; Joshi, MP; Tiwari, SK; Dixit, VK; Dhama, TS. (2007). Electrical and optical characterization of photooxidized TPD. *J Mater Chem* 17: 343-348. <http://dx.doi.org/10.1039/b611199h>.
- Mohanty, K; Naidu, JT; Meikap, BC; Biswas, MN. (2006). Removal of crystal violet from wastewater by activated carbons prepared from rice husk. *Ind Eng Chem Res* 45: 5165-5171. <http://dx.doi.org/10.1021/ie060257r>.
- Mohapatra, S; Ajithakumar, R. (2014). Persistence of trifloxystrobin and tebuconazole in banana tissues and soil under the semi-arid climatic conditions of Karnataka, India. *Int J Environ Anal Chem* 94: 506-518. <http://dx.doi.org/10.1080/03067319.2013.831413>.
- Mohr, S; Gochfeld, M; Pransky, G. (1999). Genetically and medically susceptible workers. *Occup Med: State of the Art Rev* 14: 595-611.
- Moio, L; Rillo, L; Ledda, A; Addeo, F. (1996). Odorous constituents of ovine milk in relationship to diet. *J Dairy Sci* 79: 1322-1331.
- Molina-Guerrero, JA; Botello-Alvarez, JE; Estrada-Baltazar, A; Navarrete-Bolanos, JL; Jimenez-Islas, H; Cardenas-Manriquez, M; Rico-Martinez, R. (2007). Volatile components in mezcal. *Revista Mexicana de Ingenieria Quimica* 6: 41-50.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon* 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molis, M; Koerner, J; Ko, YW; Kim, JH, a. (2008). Specificity of inducible seaweed anti-herbivory defences depends on identity of macroalgae and herbivores. *Mar Ecol Prog Ser* 354: 97-105. <http://dx.doi.org/10.3354/meps07255>.
- Molnar, M; Szekeley, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids* 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Molto, JC; Lejeune, B; Prognon, P; Pradeau, D. (1994). GC-MS DETERMINATION OF ORGANOCHLORINE PESTICIDES IN 5 MEDICINAL-PLANTS. *Int J Environ Anal Chem* 54: 81-91.
- Momo, CE; Oben, JE; Tazoo, D; Dongo, E. (2006). Antidiabetic and hypolipidaemic effects of a methanol/methylene-chloride extract of *Laportea ovalifolia* (Urticaceae), measured in rats with alloxan-induced diabetes. *Ann Trop Med Parasitol* 100: 69-74. <http://dx.doi.org/10.1179/136485906X78517>.
- Mondal, A; Mukherjee, D; Adhikary, B; Ahmed, M, dA. (2016). Cobalt nanoparticles as recyclable catalyst for aerobic oxidation of alcohols in liquid phase. *J Nanopart Res* 18. <http://dx.doi.org/10.1007/s11051-016-3422-1>.
- Mondal, DB; Pandey, NN. (2000). Dosage regimen of methylene blue and its comparative therapeutic efficacy with tolonium chloride and ascorbic acid in induced acute nitrate toxicity in goats. *Indian J Anim Sci* 70: 572-575.
- Mondal, S; Konda, M; Kauffmann, B; Manna, MK; Das, AK. (2015). Effects of Donor and Acceptor Units Attached with Benzoselenadiazole: Optoelectronic and Self-Assembling Patterns. *Cryst Growth Des* 15: 5548-5554. <http://dx.doi.org/10.1021/acs.cgd.5b01179>.
- Mondragon, I; Bucknall, CB. (1994). EFFECTS OF RESIDUAL DICHLOROMETHANE SOLVENT ON THE CURE OF EPOXY-RESIN. 21: 275-281.
- Money, DM; Harrison, G. (1999). Liquefaction of scrap automobile tyres in different solvents and solvent mixes. *Fuel* 78: 1729-1736.
- Mongkol, R; Chavasiri, W. (2016). Antimicrobial, herbicidal and antifeedant activities of mansonone E from the heartwoods of *Mansonia gagei* Drumm. 15: 2795-2802. [http://dx.doi.org/10.1016/S2095-3119\(16\)61444-2](http://dx.doi.org/10.1016/S2095-3119(16)61444-2).
- Montazeri, M; Eckelman, MJ. (2016). Life Cycle Assessment of Catechols from Lignin Depolymerization. 4: 708-718. <http://dx.doi.org/10.1021/acssuschemeng.5b00550>.
- Monteiro, FM; Ferreira, MM; Potiens, JR; Eberhardt, BG; Trinca, LA; Barros, CM. (2010). Influence of superovulatory protocols on in vitro production of Nelore (*Bos indicus*) embryos. *Reproduction in Domestic Animals* 45: 860-864. <http://dx.doi.org/10.1111/j.1439-0531.2009.01399.x>.
- Montes, A; Baldauf, E; Gordillo, MD; Pereyra, CM; Martinez de la Ossa, EJ. (2014). Polymer encapsulation of amoxicillin microparticles by SAS process. *J Microencapsul* 31: 16-22. <http://dx.doi.org/10.3109/02652048.2013.799242>.
- Montes, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2011). Co-precipitation of amoxicillin and ethyl cellulose microparticles by supercritical antisolvent process. *Journal of Supercritical Fluids* 60: 75-80. <http://dx.doi.org/10.1016/j.supflu.2011.05.002>.
- Montes, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2013). Supercritical CO2 precipitation of poly(L-lactic acid) in a wide range miscibility. *Journal of Supercritical Fluids* 81: 236-244. <http://dx.doi.org/10.1016/j.supflu.2013.06.008>.
- Montes, A; Gordillo, MD; Schindhelm, S; Pereyra, C; Martinez De La Ossa, EJ. (2012). Supercritical Antisolvent Precipitation of Ethyl Cellulose. *Part Sci Technol* 30: 424-430. <http://dx.doi.org/10.1080/02726351.2011.594867>.
- Montes, A; Nunes, A, na; Dolores Gordillo, M; Pereyra, C; Duarte, CMM; Martinez de la Ossa, EJ. (2013). Amoxicillin and Ethyl Cellulose Precipitation by Two Supercritical Antisolvent Processes. *Chem Eng Tech* 36: 665-672. <http://dx.doi.org/10.1002/ceat.201200429>.
- Montesano, MA; Olsson, AO; Kuklennyik, P; Needham, LL; Bradman, AS; Barr, DB. (2007). Method for determination of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea and propylenethiourea in human urine using high-performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry. *J Expo Sci Environ Epidemiol* 17: 321-330. <http://dx.doi.org/10.1038/sj.jes.7500550>.
- Moon, JK; Shibamoto, T. (2009). Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans. *J Agric Food Chem* 57: 5823-5831. <http://dx.doi.org/10.1021/jf901136e>.
- Moore, AD; Lynn, PA; Feiveson, AH. (2015). The First 10 Years of Aerobic Exercise Responses to Long-Duration ISS Flights. 86: A78-A86. <http://dx.doi.org/10.3357/AMHP.EC10.2015>.
- Moradi, O; Gupta, VK; Agarwal, S; Tyagi, I; Asif, M; Makhlof, ASH; Sadegh, H; Shahyari-Ghoshekandi, R. (2015). Characteristics and electrical conductivity of graphene and graphene oxide for adsorption of cationic dyes from liquids: Kinetic and thermodynamic study. *J Ind Eng Chem* 28: 294-301. <http://dx.doi.org/10.1016/j.jiec.2015.03.005>.
- Moraes, SL; Rezende, MO; Nakagawa, LE; Luchini, LC. (2003). Multi-residue screening methods for the determination of pesticides in tomatoes. *J Environ Sci Health B* 38: 605-615. <http://dx.doi.org/10.1081/PFC-120023518>.

## Fate Literature Search Results

### Off Topic

- Morais, MC; Pereira, H. (2012). Variation of extractives content in heartwood and sapwood of Eucalyptus globulus trees. *Wood Science and Technology* 46: 709-719. <http://dx.doi.org/10.1007/s00226-011-0438-7>.
- Morales, A; Birkholz, DA; Hrudehy, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH BILE FATTY AND RESIN ACIDS. *Water Environ Res* 64: 660-668.
- Morales, A; Birkholz, DA; Hrudehy, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH MUSCLE CHLOROPHENOLS AND RELATED-COMPOUNDS. *Water Environ Res* 64: 669-681.
- Moran, J; Bekker, H; Latchford, G. (2008). Everyday use of patient-centred, motivational techniques in routine consultations between doctors and patients with diabetes. *Patient Educ Couns* 73: 224-231. <http://dx.doi.org/10.1016/j.pec.2008.07.006>.
- Moran, RE; Sun, Y; Geng, F; Zhang, D; Fazio, G. (2011). Cold Temperature Tolerance of Trunk and Root Tissues in One- or Two-year-old Apple Rootstocks. *HortScience* 46: 1460-1464.
- Mordadpour, A; Ribault, M; Auban-Senzier, P. (2000). Overlayer-mediated superconductivity of bechgaard-salt single crystals. *Adv Mater Deerfield* 12: 719-+.
- Mordaunt, CJ; Gevao, B; Jones, KC; Semple, KT. (2005). Formation of non-extractable pesticide residues: observations on compound differences, measurement and regulatory issues. *Environ Pollut* 133: 25-34. <http://dx.doi.org/10.1016/j.envpol.2004.04.018>.
- Moreira, PL; Lopez, P; Martin, J. (2008). Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (*Lacerta monticola*). *Acta Ethologica* 11: 26-33. <http://dx.doi.org/10.1007/s10211-007-0038-6>.
- Morel, G. (1996). Method development and quality assurance for the analysis of hydrocarbons in environmental samples. *Int J Environ Anal Chem* 63: 269-288.
- Morello, AP; Burrill, R; Mathiowitz, E. (2007). Preparation and characterization of poly(methyl methacrylate) - iron (III) oxide microparticles using a modified solvent evaporation method. *J Microencapsul* 24: 476-491. <http://dx.doi.org/10.1080/02652040701352513>.
- Moretton, C; Crétier, G; Nigay, H; Rocca, JL. (2011). Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). *J Agric Food Chem* 59: 3544-3550. <http://dx.doi.org/10.1021/jf104464f>.
- Morgado, J; Santos, IC; Veiros, LF; Henriques, RT; Duarte, MT; Almeida, M; Alcacer, L. (1997). Perylene derivative charge transfer salts: synthesis, crystal structure and characterisation of (pet)(3)[Ni(mnt)(2)](2). *J Mater Chem* 7: 2387-2392.
- Morgado, J; Santos, IC; Veiros, LF; Rodrigues, U; Henriques, RT; Duarte, MT; Alcacer, L; Almeida, M. (2001). Preparation, structural, electrical and magnetic properties of tetrathiafulvalene-Au(pdS)(2) salts (pds = pyrazine-2,3-diselenolate). *J Mater Chem* 11: 2108-2117.
- Morgan, B; Hansgen, R; Hawthorne, W; Miller, SL. (2015). Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *Journal of the Air and Waste Management Association* 65: 1127-1140. <http://dx.doi.org/10.1080/10962247.2015.1064833>.
- Morillo, E; Romero, AS; Madrid, L; Villaverde, J; Maqueda, C. (2008). Characterization and sources of PAHs and potentially toxic metals in urban environments of sevilla (Southern Spain). *Water Air Soil Pollut* 187: 41-51. <http://dx.doi.org/10.1007/s11270-007-9495-9>.
- Morishima, K; Kawashima, Y; Kawashima, Y; Takeuchi, H; Niwa, T; Hino, T. (1993). MICROMERIC CHARACTERISTICS AND AGGLOMERATION MECHANISMS IN THE SPHERICAL CRYSTALLIZATION OF BUCILLAMINE BY THE SPHERICAL AGGLOMERATION AND THE EMULSION SOLVENT DIFFUSION METHODS. *Powder Technology* 76: 57-64.
- Morriere, N; Vallieres, C; Perrin, L; Roizard, D. (2006). Impact of thermal ageing on sorption and diffusion properties of PTMSP. *J Memb Sci* 270: 123-131. <http://dx.doi.org/10.1016/j.memsci.2005.06.048>.
- Morrice, P; Giordano, A; Seccia, S; Ungaro, F; Ventriglia, M. (2001). Degradation of imazosulfuron in soil. *Pest Manag Sci* 57: 360-365.
- Morris, BD; Foster, SP; Harris, MO. (2000). Identification of 1-octacosanal and 6-methoxy-2-benzoxazolinone from wheat as ovipositional stimulants for Hessian fly, *Mayetiola destructor*. *J Chem Ecol* 26: 859-873.
- Morse, GE; Helander, MG; Maka, JF; Lu, ZH; Bender, TP. (2010). Fluorinated Phenoxy Boron Subphthalocyanines in Organic Light-Emitting Diodes. *ACS Applied Materials & Interfaces* 2: 1934-1944. <http://dx.doi.org/10.1021/am1002603>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health* 45: 173-210.
- Moshfeghian, A; Tillman, J; Madihally, SV. (2006). Characterization of emulsified chitosan-PLGA matrices formed using controlled-rate freezing and lyophilization technique. *J Biomed Mater Res A* 79: 418-430. <http://dx.doi.org/10.1002/jbm.a.30849>.
- Mostafa; E., GA. (2008). PVC matrix membrane sensor for potentiometric determination of dodecylsulfate. *Int J Environ Anal Chem* 88: 435-446. <http://dx.doi.org/10.1080/03067310701717735>.
- Mota, GS; Sartori, CJ; Ferreira, J; Miranda, I; Quilho, T; Mori, FA; Pereira, H. (2016). Cellular structure and chemical composition of cork from *Plathymenia reticulata* occurring in the Brazilian Cerrado. *Ind Crop Prod* 90: 65-75. <http://dx.doi.org/10.1016/j.indcrop.2016.06.014>.
- Mothershead, RF; Hale, RC; Greaves, J. (1991). XENOBIOTIC COMPOUNDS IN BLUE CRABS FROM A HIGHLY CONTAMINATED URBAN SUBESTUARY. *Environ Toxicol Chem* 10: 1341-1349.
- Motta, LB; Furlan, CM; Santos, DYA, C; Salatino, MLF; Negri, G; de Carvalho, JE; Monteiro, PA; Ruiz, A, naLTG; Caruzo, MB; Salatino, A. (2013). Antiproliferative activity and constituents of leaf extracts of *Croton sphaerogynus* Baill. (Euphorbiaceae). *Ind Crop Prod* 50: 661-665. <http://dx.doi.org/10.1016/j.indcrop.2013.08.008>.
- Mottaleb, MA; Abedin, MZ; Islam, MS. (2004). Determination of volatile organic compounds in river water by solid phase extraction and gas chromatography. *J Environ Sci* 16: 497-501.
- Moya, R; Tenorio, C. (2013). Fuelwood characteristics and its relation with extractives and chemical properties of ten fast-growth species in Costa Rica. *Biomass and Bioenergy* 56: 14-21. <http://dx.doi.org/10.1016/j.biombio.2013.04.013>.



## Fate Literature Search Results

### Off Topic

- Mrutyunjaya, R, aoR; Venkateswarlu, Y. (2011). Isolation of Three Compounds from the Roots of Piper Officinatum. *Res Journal Chem Environ* 15: 705-708.
- Msayib, KJ; Mckeown, NB. (2016). Inexpensive polyphenylene network polymers with enhanced microporosity. 4: 10110-10113. <http://dx.doi.org/10.1039/c6ta03257e>.
- Muangrat, W; Yordsri, V; Maolanon, R; Pratontep, S; Porntheeraphat, S; Wongwiriyapan, W. (2016). Hybrid gas sensor based on platinum nanoparticles/poly(methyl methacrylate)-coated single-walled carbon nanotubes for dichloromethane detection with a high response magnitude. *Diam Relat Mater* 65: 183-190. <http://dx.doi.org/10.1016/j.diamond.2016.03.016>.
- Mubarak, NM; Kundu, A; Sahu, JN; Abdullah, EC; Jayakumar, NS. (2014). Synthesis of palm oil empty fruit bunch magnetic pyrolytic char impregnating with FeCl<sub>3</sub> by microwave heating technique. *Biomass and Bioenergy* 61: 265-275. <http://dx.doi.org/10.1016/j.biombioe.2013.12.021>.
- Mubiru, E; Shrestha, K; Papastergiadis, A; De Meulenaer, B. (2014). Development and validation of a gas chromatography-flame ionization detection method for the determination of epoxy fatty acids in food matrices. *J Agric Food Chem* 62: 2982-2988. <http://dx.doi.org/10.1021/jf405664c>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Muchovej, JJ; Muchovej, RMC; Goncalves, EJ. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS GLOMUS-MACROCARPUM AND BY THE PATHOGENIC FUNGUS FUSARIUM-SOLANI .2. TEMPORAL-SPATIAL RELATIONSHIPS. *Plant Soil* 132: 47-51.
- Mueller, E; Philp, RP. (1998). Extraction of high molecular weight hydrocarbons from source rocks: an example from the Green River Formation, Uinta Basin, Utah. *Organic Geochemistry* 28: 625-631.
- Mueller, M, ax; Scharfer, P; Kind, M; Schabel, W. (2010). Determination of Diffusion Coefficients of Non-volatile Additives in Polymeric Coatings by Means of Inverse Micro Raman Spectroscopy. *Chem Ing Tech* 82: 2097-2102. <http://dx.doi.org/10.1002/cite.201000085>.
- Mueller, M; Scharfer, P; Kind, M; Schabel, W. (2011). Influence of non-volatile additives on the diffusion of solvents in polymeric coatings. *Chemical Engineering and Processing: Process Intensification* 50: 551-554. <http://dx.doi.org/10.1016/j.cep.2010.10.001>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res* 29: 2434-2439.
- Mukaratirwa-Muchanyereyi, N; Kugara, J; Zaranyika, MF. (2016). Adsorption of volatile polar organic solvents on water hyacinth (*Eichhornia crassipes*) root biomass: thermodynamic parameters and mechanism. *Int J Environ Sci Tech* 13: 1941-1950. <http://dx.doi.org/10.1007/s13762-016-1016-1>.
- Mulani, K; Momin, M; Ganjave, N; Chavan, N. (2015). Thermotropic liquid crystalline polyesters derived from bis-(4-hydroxybenzoyloxy)-2-methyl-1,4-benzene and aliphatic dicarboxylic acid chlorides. *Bulletin of Materials Science* 38: 1301-1308.
- Mulla, K; Zhao, Y. (2013). When dithiafulvenyl functionalized pi-conjugated oligomers meet fullerenes and single-walled carbon nanotubes. 1: 5116-5127. <http://dx.doi.org/10.1039/c3tc30626g>.
- Mullassery, MD; Fernandez, NB; Anirudhan, TS. (2015). Adsorptive removal of acid red from aqueous solutions by cationic surfactant-modified bentonite clay. *Desalination and Water Treatment* 56: 1929-1939. <http://dx.doi.org/10.1080/19443994.2014.958110>.
- Muller, B; Jusko, O; Pietsch, GJ; Kohler, U. (1992). STRAIN-INDUCED DIMER ADATOM STACKING-FAULT STRUCTURES OF GERMANIUM ON SI(111)-(SQUARE-ROOT-3 X SQUARE-ROOT-3)R30-DEGREES-B OBSERVED BY SCANNING TUNNELING MICROSCOPY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 10: 16-18.
- Muller, R; Heinze, J. (1998). Direct electrochemical detection of C-60 in solution by steady-state voltammetry at microelectrodes. *J Electrochem Soc* 145: 1227-1232.
- Mumford, JL; Lewtas, J; Williams, K; Tucker, WG; Traynor, GW. (1992). Mutagenicity of organic emissions from unvented kerosene heaters in a chamber study. *J Toxicol Environ Health* 36: 151-159.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng* 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Mun, SP; Jahan, MS; Al-Maruf, A; Chowdhury, DAN. (2011). Chemical characterization of six mangrove species in Bangladesh. *Wood Science and Technology* 45: 281-288. <http://dx.doi.org/10.1007/s00226-010-0333-7>.
- Muraguchi, K; Suzuki, S; Minami, H; Tanaka, T. (2004). In vitro evaluation of bond strength and surface roughness of a resin-paint material. *Dent Mater J* 23: 406-411.
- Murali, KR. (2008). Characteristics of sol-gel dip coated Ceria films. *Journal of Materials Science: Materials in Electronics* 19: 369-371. <http://dx.doi.org/10.1007/s10854-007-9345-y>.
- Muraza, O, ki; Rebrov, EV; Khirnyak, T; Johnson, BFG; Kooyman, PJ; Lafont, U, go; De Croon, MHJ, M; Schouten, JC. (2008). Mesoporous silica films as catalyst support for microstructured reactors: Preparation and characterization. *Chem Eng J* 135: S99-S103. <http://dx.doi.org/10.1016/j.cej.2007.07.023>.
- Murphy, CD; Moore, RM; White, RL. (2000). An isotopic labeling method for determining production of volatile organohalogen by marine microalgae. *Limnol Oceanogr* 45: 1868-1871.
- Murphy, TJ; Sweet, CW. (1994). CONTAMINATION OF TEFLON SURFACES BY PCBS IN THE ATMOSPHERE. *Atmos Environ* 28: 361-364.
- Murray, DR; Larkum, AWD. (1991). SEED PROTEINS OF THE SEAGRASS ZOSTERA-CAPRICORNII. *Aquat Bot* 40: 101-108.

## Fate Literature Search Results

### Off Topic

- Murray, IP; Love, GD; Snape, CE; Bailey, NJL. (1998). Comparison of covalently-bound aliphatic biomarkers released via hydrolysis with their solvent-extractable counterparts for a suite of Kimmeridge clays. *Organic Geochemistry* 29: 1487-1505.
- Murray, WA; Lunardini, RC; Ullio, FJ; Davidson, ME. (2000). Site 5 air sparging pilot test, Naval Air Station Cecil Field, Jacksonville, Florida. *J Hazard Mater* 72: 121-145.
- Murthy, TEG, K; Kishore, VS, ai. (2008). Effect of casting solvent on permeability of antihypertensive drugs through ethyl cellulose films. *Journal of Sci Ind Res* 67: 147-150.
- Murugan, E; Gopinath, P. (2007). Synthesis and characterization of novel bead-shaped insoluble polymer-supported tri-site phase transfer catalyst and its efficiency in N-alkylation of pyrrole. *Appl Catal A-Gen* 319: 72-80.
- Murzyn, P; Garcia-Deniz, AZ; Fox, AM; Wells, JPR; Whittaker, DM; Skolnick, MS; Krauss, TF; Roberts, JS. (2005). Ultrafast nonlinear response of AlGaAs/InAlGaAs MQW photonic crystal waveguides. *Physica Status Solidi A: Applications and Materials Science (Print)* 202: 2653-2656. <http://dx.doi.org/10.1002/pssa.200562022>.
- Mushrush, GW; Quintana, MA; Bauserman, JW; Willauer, HD. (2011). Post-refining removal of organic nitrogen compounds from diesel fuels to improve environmental quality. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 176-180. <http://dx.doi.org/10.1080/10934529.2011.532433>.
- Mussmann, P; Eisert, R; Levsen, K; Wuensch, G. (1995). Determination of nitrophenols, diaminotoluenes, and chloroaromatics in ammunition wastewater. *Acta Hydrochim Hydrobiol* 23: 13-19. <http://dx.doi.org/10.1002/ahch.19950230104>.
- Mustafa, H. (2003). Development of new type of gas absorber, industrial applications. *Process Saf Environ Protect* 81: 210-216.
- Muthukumar, H; Matheswaran, M. (2015). *Amaranthus spinosus* Leaf Extract Mediated FeO Nanoparticles: Physicochemical Traits, Photocatalytic and Antioxidant Activity. 3: 3149-3156. <http://dx.doi.org/10.1021/acs.suschemeng.5b00722>.
- Muthukumar, P; Kim, H, akSoo; Ku, K, yoSun; Park, JH, o; Son, YA. (2016). Synthesis, Characterization and Aggregation and Fluorescence Properties of Novel Highly Soluble Zinc Phthalocyanines Bearing Tetrakis-4-(3-(Piperidin-1-yl)phenoxy) with Tetra and Dodecachloro Substituents. *Fibers and Polymers* 17: 553-559. <http://dx.doi.org/10.1007/s12221-016-5812-5>.
- Muthumbi, W; De Boever, P; D'Haese, I; D'Hooge, W; Top, EM; Pieters, JG; Comhaire, F; Verstraete, W. (2002). Assessment of the estrogenic activity of flue gases from burning processes by means of the yeast based human estrogen receptor (hER) bioassay. *Environ Technol* 23: 287-291.
- Muthuraman, G; Ibrahim, M. (2013). Use of bulk liquid membrane for the removal of Cibacron Red FN-R from aqueous solution using TBAB as a carrier. *J Ind Eng Chem* 19: 444-449. <http://dx.doi.org/10.1016/j.jiec.2012.08.025>.
- Muthuraman, G; Palanivelu, K. (2005). Selective extraction and separation of textile anionic dyes from aqueous solution by tetrabutyl ammonium bromide. *Dyes and Pigments* 64: 251-257. <http://dx.doi.org/10.1016/j.dyepig.2004.05.014>.
- Muthuraman, G; Palanivelu, K. (2005). Transport of textile anionic dyes using cationic carrier by bulk liquid membrane. *Journal of Sci Ind Res* 64: 529-533.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination* 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Muthusubramanian, L; Rao, VSS; Mitra, RB. (2003). Convenient synthesis of methylene bithiocyanate as microbicide. *J Clean Prod* 11: 695-697. [http://dx.doi.org/10.1016/S0959-6526\(02\)00100-2](http://dx.doi.org/10.1016/S0959-6526(02)00100-2).
- Muzart, J; Druzhinina, AN; Shulpin, GB. (1993). PHOTOINITIATED REACTIONS OF ORGANIC-COMPOUNDS WITH METAL-COMPLEXES .26. PHOTOXYGENATION OF CYCLOHEXANE BY ATMOSPHERIC OXYGEN IN METHYLENE-CHLORIDE, CATALYZED BY A CR(IV) OXOCOMPLEX. *Petroleum Chemistry* 33: 113-115.
- Na, G; Liu, C; Wang, Z; Ge, L; Ma, X; Yao, Z. (2011). Distribution and characteristic of PAHs in snow of Fildes Peninsula. *J Environ Sci* 23: 1445-1451. [http://dx.doi.org/10.1016/S1001-0742\(10\)60605-5](http://dx.doi.org/10.1016/S1001-0742(10)60605-5).
- Nacer, A; Merza, J; Kabouche, Z; Rhouati, S; Boustie, J; Richomme, P. (2012). Sesquiterpene lactones from *Centaurea tougourensis*. *Biochemical Systematics and Ecology* 43: 163-165. <http://dx.doi.org/10.1016/j.bse.2011.08.013>.
- Nada, AAM, A; Ayoub, MMH. (1997). Impregnation of paper sheets in vinyl acetate vinyl chloride copolymer solution. *J elastomers plast* 29: 111-123.
- Nadim, F; Liu, SL; Hoag, GE; Chen, JP; Carley, RJ; Zack, P. (2002). A comparison of spectrophotometric and gas chromatographic measurements of heavy petroleum products in soil samples. *Water Air Soil Pollut* 134: 97-109.
- Naeem, S; Baheti, V; Militky, J; Wiener, J; Behera, P; Ashraf, A. (2016). Sorption Properties of Iron Impregnated Activated Carbon Web for Removal of Methylene Blue from Aqueous Media. *Fibers and Polymers* 17: 1245-1255. <http://dx.doi.org/10.1007/s12221-016-6423-x>.
- Nafissi-Varcheh, N; Erfan, M; Aboofazeli, R. (2008). An approach to the design of a particulate system for oral protein delivery. I. In vitro stability of various poly (alpha-hydroxy acids)-microspheres in simulated gastrointestinal fluids. *J Microencapsul* 25: 584-592. <http://dx.doi.org/10.1080/02652040802485485>.
- Nagappan, S; Park, SS, oo; Yu, E, unJ; Cho, H, unJ; Park, J, inJoo; Lee, W, onKi; Ha, CS, ik. (2013). A highly transparent, amphiphobic, stable and multi-purpose poly(vinyl chloride) metallopolymer for anti-fouling and anti-staining coatings. 1: 12144-12153. <http://dx.doi.org/10.1039/c3ta11887h>.
- Nagase, Y, u; Ando, T; Yun, CM, in. (2007). Syntheses of siloxane-grafted aromatic polymers and the application to pervaporation membrane. *React Funct Polym* 67: 1252-1263. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.057>.
- Nagata, F; Miyajima, T; Teraoka, K; Yokogawa, Y. (2005). Preparation of porous poly(lactic acid)/hydroxyapatite microspheres intended for injectable bone substitutes. *Key Eng Mater* 284-286: 819-822.
- Nagata, F; Teraoka, K; Yokogawa, Y; Miyajima, T. (2006). Double layered microshells composed of calcium phosphate and poly (lactic acid). *Key Eng Mater* 309-311: 915-918.

## Fate Literature Search Results

### Off Topic

- Nagata, M; Hizakae, S. (2003). Synthesis and characterization of photocrosslinkable biodegradable polymers derived from 4-hydroxycinnamic acid. *Macromol Biosci* 3: 412-419. <http://dx.doi.org/10.1002/mabi.200350011>.
- Nagawa, CB; Boehmdorfer, S; Rosenau, T. (2015). Chemical composition of volatiles extracted from indigenous tree species of Uganda: composition of bark extracts from *Psorospermum febrifugum* and *Milicia excelsa*. *Holzforschung* 69: 815-821. <http://dx.doi.org/10.1515/hf-2014-0283>.
- Naghavi, MR; Motamedi, E; Nasiri, J; Alizadeh, H; Moghadam, MRF; Mashouf, A. (2015). Evaluation of magnetic- and carbon-based nano-adsorbents application in pre-purification of paclitaxel from needles of *Taxus baccata*. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-014-2830-3>.
- Nagstrup, J; Keller, S; Almdal, K; Boisen, A. (2011). 3D microstructuring of biodegradable polymers. *Microelectron Eng* 88: 2342-2344. <http://dx.doi.org/10.1016/j.mee.2010.12.014>.
- Naidoo, K; Rolfes, H; Easton, K, im; Moolman, S; Chetty, A; Richter, W, im; Nilen, R. (2008). An emulsion preparation for novel micro-porous polymeric hemi-shells. *Mater Lett* 62: 252-254. <http://dx.doi.org/10.1016/j.matlet.2007.05.012>.
- Naidu, RR; Raju, RVP. (1995). SPECTROPHOTOMETRIC DETERMINATION OF FENVALERATE IN A COMMERCIAL FORMULATION AND AS RESIDUES IN WATER AND SOIL. *Pestic Sci* 44: 163-166.
- Najdanovic-Visak, V; Rodriguez, A, na; Visak, ZP; Rosa, JN; Afonso, CAM; Nunes da Ponte, M; Rebelo, LPN. (2007). Co-solvent effects in LLE of 1-hydroxyethyl-3-methylimidazolium based ionic liquids plus 2-propanol plus dichloromethane or 1,2-dichloroethane. *Fluid Phase Equilibria* 254: 35-41. <http://dx.doi.org/10.1016/j.fluid.2007.02.020>.
- Nakagawa, Y; Molina-Sabio, M; Rodriguez-Reinoso, F. (2007). Modification of the porous structure along the preparation of activated carbon monoliths with H<sub>3</sub>PO<sub>4</sub> and ZnCl<sub>2</sub>. *Microporous and Mesoporous Materials* 103: 29-34. <http://dx.doi.org/10.1016/j.micromeso.2007.01.029>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE* 38: 240-246.
- Nakahama, T; Inouye, Y. (1998). Application of polyamide column to the concentration and fractional analysis of some organic compounds responsible for environmental water pollution. *JTTHE* 44: 92-98.
- Nakamura, A; Endo, H; Yamashita, T; Kawai, T. (2014). Sodium Dodecylsulfate Bilayer Formation Under a Cationic Surfactant Langmuir Monolayer at the Air-Water Interface. *J Nanosci Nanotechnol* 14: 2198-2203. <http://dx.doi.org/10.1166/jnn.2014.8522>.
- Nakano, H; Schrader, KK; Mamonov, LK; Kustova, TS; Mursaliyeva, VK; Cantrell, CL. (2012). Isolation and identification of *Flavobacterium columnare* and *Streptococcus iniae* antibacterial compounds from the terrestrial plant *Atraphaxis laetevirens*. *J Agric Food Chem* 60: 10415-10419. <http://dx.doi.org/10.1021/jf304155n>.
- Nam, YS; Park, TG. (1999). Protein loaded biodegradable microspheres based on PLGA-protein bioconjugates. *J Microencapsul* 16: 625-637.
- Namvari, M; Namazi, H. (2015). Preparation of efficient magnetic biosorbents by clicking carbohydrates onto graphene oxide. *Journal of Materials Science* 50: 5348-5361. <http://dx.doi.org/10.1007/s10853-015-9082-1>.
- Nan, W, ei; Shende, AR; Shannon, J; Shende, RV. (2016). Insight into Catalytic Hydrothermal Liquefaction of Cardboard for Biofuels Production. *Energy Fuels* 30: 4933-4944. <http://dx.doi.org/10.1021/acs.energyfuels.6b00479>.
- Nan, X; Huang, Y, i; Fan, Q; Shao, J. (2015). Efficient visible photoinitiator containing linked dye-cocoinitiator and iodonium salt for free radical polymerization. *Progr Org Coating* 81: 11-18. <http://dx.doi.org/10.1016/j.porgcoat.2014.12.013>.
- Nangrejo, MR; Bao, X; Edirisinghe, MJ. (2001). Processing of ceramic foams from polymeric precursor-alumina suspensions. *Cell Polym* 20: 17-35.
- Nangrejo, MR; Edirisinghe, MJ. (2002). Porosity and strength of silicon carbide foams prepared using preceramic polymers. *Journal of Porous Materials* 9: 131-140.
- Napo, K; Chand, S; Bernede, JC; Safoula, G; Alimi, K. (1992). GROWTH AND CHARACTERIZATION OF VACUUM-DEPOSITED POLYVINYL CARBAZOLE (PVK) FILMS. *Journal of Materials Science* 27: 6219-6222.
- Napolitano, GE; Richmond, JE; Stewart, AJ. (1998). Characterization of petroleum-contaminated soils by thin-layer chromatography with flame ionization detection. *Journal of Soil Contamination* 7: 709-724.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res* 67: 46-56.
- Narendranath, AD; Hermanson, JC; Kolkka, RW; Struthers, AA; Allen, JS. (2014). The Effect of Gravity on the Stability of an Evaporating Liquid Film. *Microgravity Science and Technology* 26: 189-199. <http://dx.doi.org/10.1007/s12217-014-9395-8>.
- Narimissa, E; Gupta, RK; Kao, N; Choi, HJ, in; Bhattacharya, SN. (2015). The comparison between the effects of solvent casting and melt intercalation mixing processes on different characteristics of polylactide-nanographite platelets composites. *Polymer Engineering and Science* 55: 1560-1570. <http://dx.doi.org/10.1002/pen.23996>.
- Narita, H; Ando, N; Kuga, S. (2013). Simple Identification of Weathered Wood of *Chamaecyparis obtusa* var. *formosana*. 59: 203-210.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Narula, CK; Allard, LF. (1998). Novel zirconium nitride precursor: synthesis, decomposition pathway, and pyrolysis of [(CH<sub>3</sub>)<sub>3</sub>Si]<sub>2</sub>NH center dot ZrCl<sub>4</sub>. *J Mater Chem* 8: 1881-1884.

## Fate Literature Search Results

### Off Topic

- Narula, CK; Demczyk, BG; Czubarow, P; Seyferth, D. (1995). PREPARATION OF SILICON NITRIDE-TITANIUM NITRIDE AND TITANIUM-TITANIUM NITRIDE COMPOSITES FROM (CH<sub>3</sub>)<sub>3</sub>SINHTICL<sub>3</sub>-COATED Si<sub>3</sub>N<sub>4</sub> AND TI PARTICLES. *Journal of the American Ceramic Society* 78: 1247-1251.
- Nascente, PAP; Vanhove, MA; Somorjai, GA. (1992). ORDERING OF ETHYLIDYNE ON CLEAN AND ADSORBATE COVERED Pd(111) - INFLUENCE OF THE COADSORPTION OF OXYGEN. *Journal of Vacuum Science and Technology A* 10: 2342-2346.
- Nascimento, EA; Terrones, MGH; Morais, SAL; Chang, R; Andrade, GA; Santos, DQ; Pereira, BHA. (2009). Allelopathic activity of *Cenchrus echinatus* L. extracts on weeds and crops. *Allelopathy Journal* 24: 363-372.
- Nasef, MM; Saidi, H. (2006). Single radiation-induced grafting method for the preparation of two proton- and lithium ion-conducting membranes. *Macromolecular Materials & Engineering* 291: 972-983. <http://dx.doi.org/10.1002/mame.200600131>.
- Nassar, NN. (2010). Kinetics, Mechanistic, Equilibrium, and Thermodynamic Studies on the Adsorption of Acid Red Dye from Wastewater by-Fe<sub>2</sub>O<sub>3</sub> Nanoadsorbents. *Separation Science and Technology* 45: 1092-1103. <http://dx.doi.org/10.1080/01496391003696921>.
- Natale, R; Russo, R; Vittoria, V. (1992). CRYSTALLINITY OF ISOTACTIC POLYPROPYLENE FILMS ANNEALED FROM THE QUENCHED STATE. *Journal of Materials Science* 27: 4350-4354.
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria* 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria* 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria* 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data* 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria* 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria* 145: 89-97.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data* 42: 128-131.
- Nath, J; Pandey, JG. (1997). Excess molar volumes and refractive indexes of heptanol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane. *Journal of Chemical and Engineering Data* 42: 514-516.
- Nath, J; Pandey, JG. (1997). Excess molar volumes of heptan-1-ol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane at T=293.15 K. *Journal of Chemical and Engineering Data* 42: 1137-1139.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at T = 298.15 K. *Journal of Chemical and Engineering Data* 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 50: 297-303.
- Naufal, Z; Zhou, GD; Mcdonald, T; Li, Z; Li, Z; Donnelly, KC. (2007). Genotoxicity of organic extracts of house dust from Shanxi, China. *J Toxicol Environ Health A* 70: 2080-2088. <http://dx.doi.org/10.1080/15287390701601376>.
- Navarro, AE; Cuizano, NA; Lazo, JC; Sun-Kou, MR; Llanos, BP. (2009). Comparative study of the removal of phenolic compounds by biological and non-biological adsorbents. *J Hazard Mater* 164: 1439-1446. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.07>.
- Navarro, C; Fernandezcobar, R; Benlloch, M. (1992). A LOW-PRESSURE, TRUNK-INJECTION METHOD FOR INTRODUCING CHEMICAL FORMULATIONS INTO OLIVE TREES. *J Am Soc Hortic Sci* 117: 357-360.
- Navarro-Gonzalez, R; Vargas, E; de La Rosa, J; Raga, AC; Mckay, CP. (2010). Reanalysis of the Viking results suggests perchlorate and organics at midlatitudes on Mars. *J Geophys Res* 115. <http://dx.doi.org/10.1029/2010JE003599>.
- Naves, JL; Prado, MP; Rangel, M; De Sanctis, B; Machado-Santelli, G; Freitas, JC. (2006). Cytotoxicity in the marine dinoflagellate *Prorocentrum mexicanum* from Brazil. *Comp Biochem Physiol C Toxicol Pharmacol* 143: 73-77. <http://dx.doi.org/10.1016/j.cpcb.2005.12.002>.

## Fate Literature Search Results

### Off Topic

- Nawi, MA; Zain, SM, d. (2012). Enhancing the surface properties of the immobilized Degussa P-25 TiO<sub>2</sub> for the efficient photocatalytic removal of methylene blue from aqueous solution. *Appl Surf Sci* 258: 6148-6157. <http://dx.doi.org/10.1016/j.apsusc.2012.03.024>.
- Nazari, G; Abolghasemi, H; Esmaili, M; Assar, M. (2016). Theoretical and experimental study of cephalixin batch adsorption dynamics using walnut shell-based activated carbon. *Desalination and Water Treatment* 57: 27339-27348. <http://dx.doi.org/10.1080/19443994.2016.1172029>.
- Ncibi, MC; Mahjoub, B; Gourdon, R. (2007). Effects of aging on the extractability of naphthalene and phenanthrene from Mediterranean soils. *J Hazard Mater* 146: 378-384. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.032>.
- Ncube, P; Krause, R, uiWM; Mamba, BB. (2014). Detection of chloroform in water using an azo dye-modified beta-cyclodextrin - Epichlorohydrin copolymer as a fluorescent probe. *Phys Chem Earth* 67-69: 79-85. <http://dx.doi.org/10.1016/j.pce.2013.10.009>.
- Necib, S; Linard, Y; Crusset, D; Michau, N; Daumas, S; Burger, E; Romaine, A; Schlegel, ML. (2016). Corrosion at the carbon steel-clay borehole water and gas interfaces at 85 degrees C under anoxic and transient acidic conditions. *Corrosion Sci* 111: 242-258. <http://dx.doi.org/10.1016/j.corsci.2016.04.039>.
- Nedungadi, PAK; Kunju, T; Kumar, K; Mathur, S; Peter, T; Dhas, A; Zutshi, K. (1991). ELECTROINITIATED POLYMERIZATION OF MDI (METHYLENE 4,4'-DIPHENYL DIISOCYANATE) WITH POLYOXY PROPYLENEGLYCOL POLYURETHANE SYNTHESIS. *Bulletin of Materials Science* 14: 1353-1362.
- Nekouei, F; Kargarzadeh, H; Nekouei, S; Keshtpour, F; Makhlof, ASH. (2016). Novel, facile, and fast technique for synthesis of AgCl nanorods loaded on activated carbon for removal of methylene blue dye. *Process Saf Environ Protect* 103: 212-226. <http://dx.doi.org/10.1016/j.psep.2016.07.010>.
- Nekouei, S; Nekouei, F; Tyagi, I; Agarwal, S; Gupta, VK. (2016). Mixed cloud point/solid phase extraction of lead(II) and cadmium(II) in water samples using modified ZnO nanopowders. *Process Saf Environ Protect* 99: 175-185. <http://dx.doi.org/10.1016/j.psep.2015.11.005>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis* 16: 1243-1245.
- Nerenberg, R; Rittmann, BE. (2004). Hydrogen-based, hollow-fiber membrane biofilm reactor for reduction of perchlorate and other oxidized contaminants. *Water Sci Technol* 49: 223-230.
- Nerin, C; Fernandez, C; Domeno, C; Salafranca, J. (2003). Determination of potential migrants in polycarbonate containers used for microwave ovens by high-performance liquid chromatography with ultraviolet and fluorescence detection. *J Agric Food Chem* 51: 5647-5653. <http://dx.doi.org/10.1021/jf034330p>.
- Nerome, H; Machmudah, S; Wahyudiono; Fukuzato, R; Higashiura, T; Kanda, H; Goto, M. (2016). Effect of Solvent on Nanoparticle Production of beta-Carotene by a Supercritical Antisolvent Process. *Chem Eng Tech* 39: 1771-1777. <http://dx.doi.org/10.1002/ceat.201500519>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Newman, JW; Vedder, JM; Jarman, WM; Chang, RR. (1994). A method for the determination of environmental contaminants in living marine mammals using microscale samples of blubber and blood. *Chemosphere* 29: 671-681.
- Nezhadali, A; Mohammadi, R; Akbarpour, M; Ebrahimi, J. (2016). Selective transport of Cu(II) ions from a mixture of Mn(II), Co(II), Ni(II), Cu(II), Zn(II), and Pb(II) cations through a bulk liquid membrane using benzyl bis (thiosemicarbazone) as carrier. *Desalination and Water Treatment* 57: 13818-13828. <http://dx.doi.org/10.1080/19443994.2015.1072841>.
- Ng, KC; Poi, G; Puah, CM; Decastro, V; Rogers, PL. (1997). Monitoring of phenol in wastewater bioremediation by HPLC. *Environ Monit Assess* 44: 433-436.
- Ngai, JHL; Leung, LM; So, SK; Lee, HKH. (2016). Organic soluble indigoids derived from 3-hydroxybenzaldehyde for N-type organic field-effect transistor (OFET) applications. *Organic Electronics* 32: 258-266. <http://dx.doi.org/10.1016/j.orgel.2016.02.035>.
- Ngbilo, E; Chevrot, C. (1993). CHEMICAL DOPING OF POLY (N-BUTYL-3,6-CARBAZOLYLEN) IN SOLUTION. *Synthetic Metals* 55: 861-866.
- Nguyen, DK; Bruchet, A; Arpino, P. (1995). DETERMINATION OF STEROLS IN SEWAGE-SLUDGE BY COMBINED IN-SITU TRIMETHYLSILYLATION/SUPERCritical FLUID EXTRACTION AND GC/MS. *Environ Sci Technol* 29: 1686-1690.
- Nguyen, MT; Diaz, AF; Dementev, VV; Pannell, KH. (1993). HIGH-MOLECULAR-WEIGHT POLY(FERROCENEDIYL SILANES) - SYNTHESIS AND ELECTROCHEMISTRY OF [-(C<sub>5</sub>H<sub>4</sub>)FE(C<sub>5</sub>H<sub>4</sub>)SIR<sub>2</sub>]-<sub>n</sub>, R = ME, ET, N-BU, N-HEX. *Chem Mater* 5: 1389-1394.
- Nguyen, TMD; Chang, S; Condon, B; Slopek, R. (2012). Synthesis of a novel flame retardant containing phosphorus-nitrogen and its comparison for cotton fabric. *Fibers and Polymers* 13: 963-970. <http://dx.doi.org/10.1007/s12221-012-0963-5>.
- Ni, H; Hsu, CS; Lee, P; Wright, J; Chen, R, ui; Xu, C; Shi, Q. (2015). Supercritical carbon dioxide extraction of petroleum on kieselguhr. *Fuel* 141: 74-81. <http://dx.doi.org/10.1016/j.fuel.2014.09.126>.
- Nicho, ME; Garcia-Escobar, CH; Hernandez-Martinez, D; Linzaga-Elizalde, I; Cadenas-Pliego, G. (2012). Microwave-assisted synthesis of poly(3-hexylthiophene) via direct oxidation with FeCl<sub>3</sub>. *Mater Sci Eng B* 177: 1441-1445. <http://dx.doi.org/10.1016/j.mseb.2012.02.017>.
- Nielsen, KF; Hansen, MO; Larsen, TO; Thrane, U. (1998). Production of trichothecene mycotoxins on water damaged gypsum boards in Danish buildings. *Int Biodeterior Biodegradation* 42: 1-7.
- Nielsen, P. (2016). 1DV structure of turbulent wave boundary layers. *Coastal Engineering* 112: 1-8. <http://dx.doi.org/10.1016/j.coastaleng.2016.02.001>.
- Nielsen, P; Petersen, SO. (2000). Ester-linked polar lipid fatty acid profiles of soil microbial communities: a comparison of extraction methods and evaluation of interference from humic acids. *Soil Biol Biochem* 32: 1241-1249.
- Nielsen, PA; Grove, A; Olsen, H. (1992). The emission of PAH mutagenic activity from small wood stoves is greatly influenced by the quality of the wood. *Chemosphere* 24: 1317-1330. [http://dx.doi.org/10.1016/0045-6535\(92\)90056-W](http://dx.doi.org/10.1016/0045-6535(92)90056-W).

## Fate Literature Search Results

### Off Topic

- Nierengarten, JF; Guttierrez-Nava, M; Zhang, S; Masson, P; Oswald, L; Bourgogne, C; Rio, Y; Accorsi, G; Armaroli, N; Setayesh, S. (2004). Fullerene-containing macromolecules for materials science applications. *Carbon* 42: 1077-1083. <http://dx.doi.org/10.1016/j.carbon.2003.12.003>.
- Nieto-Gligorovski, LI; Net, S; Gligorovski, S; Wortham, H; Grothe, H; Zetzsch, C. (2010). Spectroscopic study of organic coatings on fine particles, exposed to ozone and simulated sunlight. *Atmos Environ* 44: 5451-5459. <http://dx.doi.org/10.1016/j.atmosenv.2009.10.043>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ* 61: 539-543.
- Nijem, K; Kristensen, P; Al-Khatib, A; Takkori, F; Bjertness, E. (2001). Prevalence of neuropsychiatric and mucous membrane irritation complaints among Palestinian shoe factory workers exposed to organic solvents and plastic compounds. *Am J Ind Med* 40: 192-198.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDOECANAMIDE. *Journal of Chemical and Engineering Data* 39: 618-620.
- Nikoobakht, B; El-Sayed, MA. (2001). Evidence for bilayer assembly of cationic surfactants on the surface of gold nanorods. *Langmuir* 17: 6368-6374. <http://dx.doi.org/10.1021/la010530o>.
- Nikoorazm, M. (2013). A new method for the oxidation of 1, 4-dihydropyridine derivatives by guanidinium nitrate in the presence of silica sulfuric acid under mild, heterogeneous and metal-free conditions. *Scientia Iranica* 20: 603-606. <http://dx.doi.org/10.1016/j.scient.2012.11.008>.
- Nikooyeh, K; Shaw, JM. (2012). On the Applicability of the Regular Solution Theory to Asphaltene plus Diluent Mixtures. *Energy Fuels* 26: 576-585. <http://dx.doi.org/10.1021/ef201437t>.
- Nilsen, MH; Svelle, S; Aravinthan, S; Olsbye, U. (2009). The conversion of chloromethane to light olefins over SAPO-34: The influence of dichloromethane addition. *Appl Catal A-Gen* 367: 23-31. <http://dx.doi.org/10.1016/j.apcata.2009.07.047>.
- Nin, L; Yingmei, L; Yanbin, J. (2011). Solubility of Paclitaxel in Mixtures of Dichloromethane and Supercritical Carbon Dioxide. *Chinese Journal of Chemical Engineering* 19: 558-564.
- Nishibori, S; Bernhard, RA. (1993). MODEL SYSTEM FOR COOKIES - VOLATILE COMPONENTS FORMED FROM THE REACTION OF SUGAR AND BETA-ALANINE. *J Agric Food Chem* 41: 2374-2377.
- Nishikawa, M; Tatsuno, M; Katagi, M; Tsuchihashi, H. (1995). DETERMINATION OF TRIAZOLAM AND ITS METABOLITES IN HUMAN URINE BY EMIT, GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND THERMOSPRAY LIQUID-CHROMATOGRAPHY MASS-SPECTROMETRY. *JTTHE* 41: 59-66.
- Nishikawa, M; Tatsuno, M; Tsuchihashi, H; Igarashi, K; Kasuya, F; Fukui, M. (1994). The analysis of quaternary ammonium compounds in human urine by thermospray liquid chromatography-mass spectrometry. *JTTHE* 40: 534-541.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). NEW PHOTORESPONSIVE POLYMERS BEARING NORBORNADIENE MOIETY - SYNTHESIS BY SELECTIVE CATIONIC POLYMERIZATION OF 2-(3-PHENYL-2,5-NORBORNADIENE-2-CARBONYLOXY)ETHYL VINYL ETHER AND PHOTOCHEMICAL-REACTION OF THE POLYMERS. *ACS Symp Ser Am Chem Soc* 537: 356-369.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). SYNTHESIS AND PHOTOCHEMICAL PROPERTIES OF INSOLUBLE POLY(STYRENE) BEADS CONTAINING PENDANT NORBORNADIENE MOIETIES. *24: 65-72*.
- Nishimura, M; Yaguti, H; Yoshitsugu, H; Naito, S; Satoh, T. (2003). Tissue distribution of mRNA expression of human cytochrome P450 isoforms assessed by high-sensitivity real-time reverse transcription PCR. *Yakugaku Zasshi* 123: 369-375.
- Nita, LE; Chiriac, AP; Nistor, MT; Tartau, L. (2014). Upon some multi-membrane hydrogels based on poly(N,N-dimethyl-acrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro (5.5) undecane): preparation, characterization and in vivo tests. *J Mater Sci Mater Med* 25: 1757-1768. <http://dx.doi.org/10.1007/s10856-014-5205-5>.
- Nithya, R; Senthilkumar, K. (2014). Charge transport and optical properties of cross-conjugated organic molecules: A theoretical study. *Organic Electronics* 15: 1607-1623. <http://dx.doi.org/10.1016/j.orgel.2014.04.025>.
- Niu, Z; Zhang, H; Xu, Y; Liao, X; Xu, L; Chen, J. (2012). Pollution characteristics of volatile organic compounds in the atmosphere of Haicang District in Xiamen City, Southeast China. *J Environ Monit* 14: 1145-1152. <http://dx.doi.org/10.1039/c2em10884d>.
- Niu, ZG; Xu, SY; Gong, QC. (2014). Health risk assessment of odors emitted from urban wastewater pump stations in Tianjin, China. *Environ Sci Pollut Res Int* 21: 10349-10360. <http://dx.doi.org/10.1007/s11356-014-2984-7>.
- Njagi, PGN; Torto, B. (2002). Evidence for a compound in Comstock-Kellogg glands modulating premating behavior in male desert locust, *Schistocerca gregaria*. *J Chem Ecol* 28: 1065-1074.
- Noimark, S; Dunnill, CW; Kay, CWM; Perni, S; Prokopovich, P; Ismail, S; Wilson, M; Parkin, IP. (2012). Incorporation of methylene blue and nanogold into polyvinyl chloride catheters; a new approach for light-activated disinfection of surfaces. *J Mater Chem* 22: 15388-15396. <http://dx.doi.org/10.1039/c2jm31987j>.
- Nolan, JA; Mcevoy, JP; Koenig, HG; Hooten, EG; Whetten, K; Pieper, CF. (2012). Religious coping and quality of life among individuals living with schizophrenia. *Psychiatric Services* 63: 1051-1054. <http://dx.doi.org/10.1176/appi.ps.201000208>.
- Nørgaard, AW; Nørgaard, JK; Larsen, K; Spørring, S; Wilkins, CK; Clausen, PA; Wolkoff, P. (2006). Secondary limonene endo-ozonide: A major product from gas-phase ozonolysis of (-)-limonene at ambient temperature. *Atmos Environ* 40: 3460-3466. <http://dx.doi.org/10.1016/j.atmosenv.2006.02.007>.
- Norman, WC, III; Boggs, P. (1996). Flawed estimates of methylene chloride exposures [Letter]. *Am J Ind Med* 30: 504-509. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<504::AID-AJIM19>3.0.CO;2-8](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<504::AID-AJIM19>3.0.CO;2-8).
- Northcott, GL; Jones, KC. (2001). Partitioning, extractability, and formation of nonextractable PAH residues in soil. 1. Compound differences in aging and sequestration. *Environ Sci Technol* 35: 1103-1110. <http://dx.doi.org/10.1021/es000071y>.

## Fate Literature Search Results

### Off Topic

- Northcott, GL; Jones, KC. (2003). Validation of procedures to quantify nonextractable polycyclic aromatic hydrocarbon residues in soil. *J Environ Qual* 32: 571-582.
- Noufou, O; Wamtinga, SR; André, T; Christine, B; Marius, L; Emmanuelle, HA; Jean, K; Marie-Geneviève, D; Pierre, GI. (2012). Pharmacological properties and related constituents of stem bark of *Pterocarpus erinaceus* Poir. (Fabaceae). *Asian Pacific Journal of Tropical Medicine* 5: 46-51. [http://dx.doi.org/10.1016/S1995-7645\(11\)60244-7](http://dx.doi.org/10.1016/S1995-7645(11)60244-7).
- Novoa, S; Paquette, JA; Barbon, SM; Maar, RR; Gilroy, J, oeB. (2016). Side-chain boron difluoride formazanate polymers via ring-opening metathesis polymerization. 4: 3987-3994. <http://dx.doi.org/10.1039/c5tc03287c>.
- Novotna, P; Boon, JJ; van der Horst, J; Pacakova, V. (2003). Photodegradation of indigo in dichloromethane solution. *Color Technol* 119: 121-127.
- Nozdryn, T; Clemenceau, D; Cousseau, J; Morisson, V; Gorgues, A; Orduna, J; Uriel, S; Garin, J. (1993). SELECTIVE REDUCTION OF THE ESTER GROUP IN THE 1,3-DITHIOL-2-(THI)ONE AND TETRATHIAFULVALENE SERIES - ACCESS TO THE RELATED PHOSPHONIUM SALTS AND THEIR WITTIG REACTIONS. *Synthetic Metals* 56: 1768-1771.
- NRC (National Research Council). (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC (National Research Council). (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- Nsimba, RY; Mullen, CA; West, NM; Boateng, AA. (2013). Structure-Property Characteristics of Pyrolytic Lignins Derived from Fast Pyrolysis of a Lignin Rich Biomass Extract. 1: 260-267. <http://dx.doi.org/10.1021/sc300119s>.
- Nubbe, ME; Adams, VD; Moore, WM. (1995). THE DIRECT AND SENSITIZED PHOTOOXIDATION OF HEXACHLOROCYCLOPENTADIENE. *Water Res* 29: 1287-1293.
- Nuhu, AA; Basheer, C; Shaikh, AA; Al-Arfaj, AR. (2012). Determination of Polycyclic Aromatic Hydrocarbons in Water Using Nanoporous Material Prepared from Waste Avian Egg Shell. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/305691>.
- Nunes, CD; Valente, AA; Pillinger, M; Fernandes, AC; Romao, CC; Rocha, J; Goncalves, IS. (2002). MCM-41 functionalized with bipyridyl groups and its use as a support for oxomolybdenum(VI) catalysts. *J Mater Chem* 12: 1735-1742. <http://dx.doi.org/10.1039/b109678h>.
- Nyholm, N. (1990). Biodegradability testing of poorly soluble compounds by means of manometric respirometry. *Chemosphere* 21: 1477-1488.
- Obata, A; Tokuda, S; Kasuga, T. (2009). Enhanced in vitro cell activity on silicon-doped vaterite/poly(lactic acid) composites. *Acta Biomater* 5: 57-62. <http://dx.doi.org/10.1016/j.actbio.2008.08.004>.
- Obrzut, DL; Bell, PW; Roberts, CB; Duke, SR. (2007). Effect of process conditions on the spray characteristics of a PLA plus methylene chloride solution in the supercritical antisolvent precipitation process. *Journal of Supercritical Fluids* 42: 299-309. <http://dx.doi.org/10.1016/j.supflu.2007.02.003>.
- Obuekwe, IS; Semple, KT. (2013). Impact of Zn, Cu, Al and Fe on the partitioning and bioaccessibility of (14)C-phenanthrene in soil. *Environ Pollut* 180: 180-189. <http://dx.doi.org/10.1016/j.envpol.2013.05.020>.
- Obuskovic, G; Poddar, TK; Sirkar, KK. (1998). Flow swing membrane absorption-permeation. *Ind Eng Chem Res* 37: 212-220.
- Ocak, U; Alp, H; Gokce, P; Ocak, M. (2006). The synthesis of new N2S2-macrocyclic schiff base ligands and investigation of their ion extraction capability from aqueous media. *Separation Science and Technology* 41: 391-401. <http://dx.doi.org/10.1080/01496390500496942>.
- Ocak, Ü; Gök, Y; Şentürk, HB. (2009). Evaluation of Mononuclear Ni(II) Complex of a Tetra-cryptanded Vic-dioxime and its Model Compound 14-Membered N 2 O 2 S 2 -Macrobicyclic Ligand as Pb 2+, Cd 2+, and Hg 2+ Extractants. *Separation Science and Technology* 44: 1240-1249. <http://dx.doi.org/10.1080/01496390902729098>.
- Ochoa, NA; Illanes, C; Marchese, J; Basualto, C; Valenzuela, F. (2006). Preparation and characterization of polymeric microspheres for Cr(VI) extraction. *Separation and Purification Technology* 52: 39-45. <http://dx.doi.org/10.1016/j.seppur.2006.03.012>.
- Ockeloen, HF; Overcamp, TJ; Grady jr., CPL. (1996). Engineering Model for Fixed-Film Bioscrubbers. *J Environ Eng* 122: 191. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(1996\)122:3\(191\)](http://dx.doi.org/10.1061/(asce)0733-9372(1996)122:3(191)).
- O'Connell, A; Smyth, T; Hodnett, BK. (1998). In-situ epoxidation using dioxiranes: Evaluation of reactivity and selectivity. *J Chem Tech Biotechnol* 72: 60-66.
- Odabas, Z; Orman, E, feB; Durmus, M; Dumladag, F; Ozkaya, A, liR; Bulut, M. (2012). Novel alpha-7-oxy-4-(4-methoxyphenyl)-8-methylcoumarin substituted metal-free, Co(II) and Zn(II) phthalocyanines: Photochemistry, photophysics, conductance and electrochemistry. *Dyes and Pigments* 95: 540-552. <http://dx.doi.org/10.1016/j.dyepig.2012.05.021>.
- Oesch, P; Leppamaki, E; Stahlberg, P. (1996). Sampling and characterization of high-molecular-weight polyaromatic tar compounds formed in the pressurized fluidized-bed gasification of biomass. *Fuel* 75: 1406-1412.
- Ogawa, H; Katsura, E; Kanetoshi, A; Kaneshima, H. (1991). DETERMINATION OF OXINE-COPPER IN WATER BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY. *JTTHE* 37: 246-250.
- Ogawa, K; Yao, JC; Yonehara, H; Pac, C. (1996). Chemical behaviour of ocotitanium (IV) phthalocyanine (OTiPc) solutions associated with the preparation of OTiPc monolayers and multilayers. *J Mater Chem* 6: 143-147.
- Ogawa, K; Yonehara, H; Pac, CJ. (1994). MONOLAYERS AND MULTILAYERS OF UNSUBSTITUTED COPPER PHTHALOCYANINE. *Langmuir* 10: 2068-2070.
- Ogawa, M; Ishikawa, H; Kikuchi, T. (1998). Preparation of transparent mesoporous silica films by a rapid solvent evaporation method. *J Mater Chem* 8: 1783-1786.
- Ogletree, DF; Hwang, RQ; Zeglinski, DM; Vazquezdeparaga, AL; Somorjai, GA; Salmeron, M. (1991). SCANNING TUNNELING MICROSCOPY STUDIES OF SULFUR OVERLAYERS ON THE RE(0001) SURFACE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 886-890.

## Fate Literature Search Results

### Off Topic

- Ogdenovski, VM; Marder, W; Somers, EC; Johnston, CM; Farrehi, JG; Selvaggi, SM; McCune, WJ. (2004). Increased incidence of cervical intraepithelial neoplasia in women with systemic lupus erythematosus treated with intravenous cyclophosphamide. *J Rheumatol* 31: 1763-1767.
- Ogner, G. (1993). No general ozone-specific indicator among the hexane- and dichloromethane-soluble components of *Picea abies* needles exposed to ozone in open-top chambers. *Environ Pollut* 82: 223-229. [http://dx.doi.org/10.1016/0269-7491\(93\)90123-6](http://dx.doi.org/10.1016/0269-7491(93)90123-6).
- Oguzie, EE; Njoku, VO; Enenebeaku, CK; Akalezi, CO; Obi, C. (2008). Effect of hexamethylpararosaniline chloride (crystal violet) on mild steel corrosion in acidic media. *Corrosion Sci* 50: 3480-3486. <http://dx.doi.org/10.1016/j.corsci.2008.09.017>.
- Oh, DJ; Lee, BC; Hwang, SJ, oo. (2007). Solubility of simvastatin and lovastatin in mixtures of dichloromethane and supercritical carbon dioxide. *Journal of Chemical and Engineering Data* 52: 1273-1279. <http://dx.doi.org/10.1021/je700019h>.
- Oh, EJ; Jang, KS. (2001). Synthesis and characterization of high molecular weight, highly soluble polypyrrole in organic solvents. *Synthetic Metals* 119: 109-110.
- Oh, NM; Oh, KT; Youn, YS; Lee, ES. (2012). Poly(L-aspartic acid) derivative soluble in a volatile organic solvent for biomedical application. *Colloids Surf B Biointerfaces* 97: 190-195. <http://dx.doi.org/10.1016/j.colsurfb.2012.03.024>.
- Oh, SM; Choung, SY; Sheen, YY; Chung, KH. (2000). Quantitative assessment of estrogenic activity in the water environment of Korea by the E-SCREEN assay. *Sci Total Environ* 263: 161-169.
- Ohira, T; Edashige, Y; Matsui, N; Yatagai, M. (2011). Extraction and decomposition of hiba wood into valuable chemicals using stepwise temperature supercritical carbon dioxide treatment. *J Wood Sci* 57: 226-233. <http://dx.doi.org/10.1007/s10086-010-1156-8>.
- Ohira, T; Yatagai, M. (1994). EXTRACTIVES FROM THE BARK OF ABIES-SACHALINENSIS .1. THE EFFICIENT EXTRACTION OF CIS-ABIENOL USING SUPERCRITICAL CARBON-DIOXIDE. 40: 751-757.
- Ohno, T; Ito, Y; Mikami, E; Ikai, Y; Oka, H; Hayakawa, J; Nakagawa, T. (1996). Identification of coal tar dyes in cosmetics and foods using reversed phase TLC scanning densitometry. *JTTHE* 42: 53-59.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen* 93: 141-161.
- Ohta, H; Seto, Y; Tsunoda, N. (1993). DETERMINATION OF TRANS-10-HYDROXYDECENOIC ACID IN ROYAL JELLY BY CAPILLARY GAS-CHROMATOGRAPHY. *JTTHE* 39: 155-160.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Ok, YS; Usman, AR; Lee, SS; Abd El-Azeem, SA; Choi, B; Hashimoto, Y; Yang, JE. (2011). Effects of rapeseed residue on lead and cadmium availability and uptake by rice plants in heavy metal contaminated paddy soil. *Chemosphere* 85: 677-682. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.073>.
- Okada, M; Maeda, H; Fujii, S; Nakamura, Y; Furuzono, T. (2012). Formation of Pickering emulsions stabilized via interaction between nanoparticles dispersed in aqueous phase and polymer end groups dissolved in oil phase. *Langmuir* 28: 9405-9412. <http://dx.doi.org/10.1021/la3015964>.
- Okano, K; Asano, J; Ishii, G. (1990). A RAPID METHOD FOR DETERMINING THE PUNGENT PRINCIPLE IN ROOT OF JAPANESE RADISH (RAPHANUS-SATIVUS L). *Japanese Society for Horticultural Science Journal* 59: 545-550.
- Okano, LT; Quina, FH; El Seoud, OA. (2000). Fluorescence and light-scattering studies of the aggregation of cationic surfactants in aqueous solution: Effects of headgroup structure. *Langmuir* 16: 3119-3123.
- Okkerse, WJH; Ottengraf, SPP; Diks, RMM; Osinga-Kuipers, B; Jacobs, P. (1999). Long term performance of biotrickling filters removing a mixture of volatile organic compounds from an artificial waste gas: dichloromethane and methylmethacrylate. 20: 49-57.
- Okolie, C; Chenia, HY. (2013). Assessment of Aquatic Aeromonas spp. Isolates' Susceptibility to Cinnamaldehyde, Vanillin, and Crude *Kigelia africana* Fruit Extracts. *J World Aquacult Soc* 44: 486-498. <http://dx.doi.org/10.1111/jwas.12059>.
- Okonkwo, JO; Sibali, LL; Mccrindle, R, ob; Senwo, ZN. (2007). An improved activated carbon method to quantify dichlorodiphenyltrichloroethane (DDT) in surface water. *Environ Chem Lett* 5: 121-123. <http://dx.doi.org/10.1007/s10311-006-0089-3>.
- Okoye, TC; Akah, PA; Ezike, AC; Okoye, MO; Onyeto, CA; Ndukwu, F; Ohaegbulam, E; Ikele, L. (2012). Evaluation of the acute and sub acute toxicity of *Annona senegalensis* root bark extracts. *Asian Pacific Journal of Tropical Medicine* 5: 277-282. [http://dx.doi.org/10.1016/S1995-7645\(12\)60039-X](http://dx.doi.org/10.1016/S1995-7645(12)60039-X).
- Olajire, AA; Ayodele, ET; Imeokparia, FE. (1999). Characterization of organic compounds in compost-amended soil. *Environ Monit Assess* 57: 183-194.
- Olaru, N; Olaru, L; Leanca, M. (1995). On thermal degradation of cellulose acetate phthalate. *Cellulose Chemistry and Technology* 29: 253-260.
- Olejniczak, A; Kucinska, A; Cyganiuk, AW; Lukaszewicz, JP. (2012). Effect of *Salix viminalis* Pyrolysis Derived Antioxidants on Oxidative Stability of Diesters and Diester-Poly-alpha-olefin Mixtures. *Ind Eng Chem Res* 51: 5117-5123. <http://dx.doi.org/10.1021/ie2007054>.
- Oleszczuk, P. (2008). Application of hydroxypropyl[beta]cyclodextrin to evaluation of polycyclic aromatic hydrocarbon losses during sewage sludges composting. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 10-17. <http://dx.doi.org/10.1080/10934520701750355>.
- Oleszek, W; Junkuszew, M; Stochmal, A. (1999). Determination and toxicity of saponins from *Amaranthus cruentus* seeds. *J Agric Food Chem* 47: 3685-3687.



## Fate Literature Search Results

### Off Topic

- Olexa, TJ; Gentry, TJ; Hartel, PG; Wolf, DC; Fuhrmann, JJ; Reynolds, CM. (2000). Mycorrhizal Colonization and Microbial Community Structure in the Rhizosphere of Annual Ryegrass Grown in Pyrene-Amended Soils. *Int J Phytoremediation* 2: 213-231. <http://dx.doi.org/10.1080/15226510009359033>.
- Olie, JD; Bessesms, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Olivares, JM; Drummond, WR; Peppas, NA. (1992). EQUILIBRIUM PENETRANT SWELLING IN THIN COAL SECTIONS. 45: 397-400.
- Oliveira, J; Bricchi, GS; Marconcini, JM; Capparelli Mattoso, LH; Glenn, GM; Medeiros, ES. (2014). Effect of Solvent on The Physical and Morphological Properties of Poly(Lactic Acid) Nanofibers Obtained by Solution Blow Spinning. *Journal of Engineered Fabrics and Fibers* 9: 117-125.
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2005). Steryl glucosides from banana plant *Musa acuminata* Colla var cavendish. *Ind Crop Prod* 22: 187-192. <http://dx.doi.org/10.1016/j.indcrop.2004.10.001>.
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2006). Lipophilic extractives from different morphological parts of banana plant "Dwarf Cavendish". *Ind Crop Prod* 23: 201-211. <http://dx.doi.org/10.1016/j.indcrop.2005.06.003>.
- Oliveira, LC; Pereira, E; Guimaraes, IR; Vallone, A; Pereira, M; Mesquita, JP; Sapag, K. (2009). Preparation of activated carbons from coffee husks utilizing FeCl<sub>3</sub> and ZnCl<sub>2</sub> as activating agents. *J Hazard Mater* 165: 87-94. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.064>.
- Oliveira, M; Sales Junior, PA; Rodrigues, MJ; Dellagrecia, M; Barreira, L; Murta, SM; Romanha, AJ; Custódio, L. (2016). Unlocking the in vitro anti-Trypanosoma cruzi activity of halophyte plants from the southern Portugal. *Asian Pacific Journal of Tropical Medicine* 9: 735-741. <http://dx.doi.org/10.1016/j.apjtm.2016.06.015>.
- Olivella, MÀ; Jové, P; Bianchi, A; Bazzicalupi, C; Cano, L. (2013). An integrated approach to understanding the sorption mechanism of phenanthrene by cork. *Chemosphere* 90: 1939-1944. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.035>.
- Olivier, MG; Fedel, M; Sciamanna, V; Vandermiers, C; Mottec, C; Poelman, M; Deflorian, F. (2011). Study of the effect of nanoclay incorporation on the rheological properties and corrosion protection by a silane layer. *Progr Org Coating* 72: 15-20. <http://dx.doi.org/10.1016/j.porgcoat.2010.11.022>.
- Ollolqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- Olukunle, OI; Okonkwo, OJ; Kefeni, KK; Lupankwa, M. (2012). Determination of brominated flame retardants in Jukskei River catchment area in Gauteng, South Africa. *Water Sci Technol* 65: 743-749. <http://dx.doi.org/10.2166/wst.2012.894>.
- Oluseyi, T; Olayinka, K; Alo, B; Smith, RM. (2011). Improved Analytical Extraction and Clean-up Techniques for the Determination of PAHs in Contaminated Soil Samples. *International Journal of Environmental Research* 5: 681-690.
- Olvera, A; Albores, A; Vega, L. (2007). Genotoxic effect of dichloromethane on human lymphocytes is associated with the activity of GSTT1. *Environ Mol Mutagen* 48: 625-625.
- Olvera, N; Derijk, WG. (1994). EFFECT OF SURFACE TREATMENTS ON THE REPAIR STRENGTH OF A LIGHT-ACTIVATED DENTURE REPAIR RESIN USING CENSORED-DATA. *Dent Mater* 10: 122-127.
- Omar, N; Abas, M; Rahman, NA; Tahir, NM; Rushdi, AI; Simoneit, BRT. (2007). Levels and distributions of organic source tracers in air and roadside dust particles of Kuala Lumpur, Malaysia. *Environ Geol* 52: 1485-1500. <http://dx.doi.org/10.1007/s00254-006-0593-6>.
- Omar, N; Bin Abas, MR; Ketuly, KA; Tahir, NM. (2002). Concentrations of PAHs in atmospheric particles (PM-10) and roadside soil particles collected in Kuala Lumpur, Malaysia. *Atmos Environ* 36: 247-254.
- Omar, S; Palomar, J; Gomez-Sainero, LM; Alvarez-Montero, MA; Martin-Martinez, M; Rodriguez, JJ. (2011). Density Functional Theory Analysis of Dichloromethane and Hydrogen Interaction with Pd Clusters: First Step to Simulate Catalytic Hydrodechlorination. *J Phys Chem C* 115: 14180-14192. <http://dx.doi.org/10.1021/jp200329j>.
- Onaran, IA; Ozaydin, F; Akbas, M; Gültepe, M; Tunçkale, A; Ulutin, T. (2000). Are individuals with glutathione S-transferase GSTT1 null genotype more susceptible to invitro oxidative damage? *J Toxicol Environ Health A* 59: 15-26.
- Ondaral, S; Usta, M; Wagberg, L; Gumusderelioglu, M; Ondaral, M. (2008). FIXATION OF DISSOLVED AND COLLOIDAL SUBSTANCES ON FIBERS AND SILICON OXIDE SURFACES USING WATER SOLUBLE CROSSLINKED CATIONIC POLYMERS. *Cellulose Chemistry and Technology* 42: 61-69.
- Önder, FC; Ay, M; Sarker, SD. (2013). Comparative study of antioxidant properties and total phenolic content of the extracts of *Humulus lupulus* L. and quantification of bioactive components by LC-MS/MS and GC-MS. *J Agric Food Chem* 61: 10498-10506. <http://dx.doi.org/10.1021/jf4031508>.
- Ondo, JP; Lekana-Douki, JB; Bongui, JB; Zang Edou, ES; Zatra, R; Toure-Ndouo, FS; Elomri, A; Lebibi, J; Seguin, E. (In Press) In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of *Vitex madiensis*, medicinal plant of Gabon. *Trop Med Int Health*. <http://dx.doi.org/10.1111/j.1365-3156.2011.02922.x>.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR, Jr; Gallipeau, JAR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed., pp. 305-306). Whitehouse Station, NJ: Merck & Co., Inc. <http://dx.doi.org/10.1021/ci700022n>.
- Oneill, KM; Evans, HE; Bjostad, LB. (1991). TERRITORIAL BEHAVIOR IN MALES OF 3 NORTH-AMERICAN SPECIES OF BUMBLEBEES (HYMENOPTERA, APIDAE, BOMBUS). *Can J Zool* 69: 604-613.

## Fate Literature Search Results

### Off Topic

- Ono, T; Sada, K. (2012). Toward the design of superabsorbent materials for non-polar organic solvents and oils: ionic content dependent swelling behaviour of cross-linked poly(octadecyl acrylate)-based lipophilic polyelectrolytes. *J Mater Chem* 22: 20962-20967. <http://dx.doi.org/10.1039/c2jm32747c>.
- Onuska, FI; Terry, KA; Maguire, RJ. (2000). Analysis of aromatic amines in industrial wastewater by capillary gas chromatography-mass spectrometry. *Water Qual Res J Can* 35: 245-261.
- Ooi, BS; Sum, JY; Lai, SO. (2012). Investigation on membrane morphological and chemical properties changes at different reaction times and its effect on dye removal. *Desalination and Water Treatment* 45: 250-255. <http://dx.doi.org/10.5004/dwt.2012.3307>.
- Oporto, GS; Gardner, DJ; Kiziltas, A; Neivandt, DJ. (2011). Understanding the Affinity between Components of Wood-Plastic Composites from a Surface Energy Perspective. *J Adhes Sci Tech* 25: 1785-1801. <http://dx.doi.org/10.1163/016942410X525759>.
- Oprea, O; Ghitulica, CD; Voicu, G; Vasile, BS; Oprea, A. (2013). SYNTHESIS AND PHOTOCATALYTIC PROPERTIES OF Fe(III) - DOPED TiO<sub>2</sub> PREPARED BY SOL-GEL METHOD. 43: 408-416.
- Orblin, E; Fardim, P. (2011). INTERACTIONS BETWEEN CATIONIC POLYELECTROLYTE AND PULP FINES. *BioResources* 6: 2340-2355.
- Ordenez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ* 25: 49-58.
- Orecchio, S; Gianguzza, A; Culotta, L. (2008). Absorption of polycyclic aromatic hydrocarbons by Pinus bark: Analytical method and use for environmental pollution monitoring in the Palermo area (Sicily, Italy). *Environ Res* 107: 371-379. <http://dx.doi.org/10.1016/j.envres.2008.02.010>.
- Orglmeister, E; Mallat, T; Baiker, A. (2005). Quaternary ammonium derivatives of cinchonidine as new chiral modifiers for platinum. *J Catal* 233: 333-341. <http://dx.doi.org/10.1016/j.jcat.2005.04.034>.
- Orhan, DD; Senol, FS; Hosbas, S; Orhan, IE. (2014). Assessment of cholinesterase and tyrosinase inhibitory and antioxidant properties of *Viscum album* L. samples collected from different host plants and its two principal substances. *Ind Crop Prod* 62: 341-349. <http://dx.doi.org/10.1016/j.indcrop.2014.08.044>.
- Orhan, IE; Senol, FS; Ercetin, T; Kahraman, A; Celep, F; Akaydin, G; Sener, B; Dogan, M. (2013). Assessment of anticholinesterase and antioxidant properties of selected sage (*Salvia*) species with their total phenol and flavonoid contents. *Ind Crop Prod* 41: 21-30. <http://dx.doi.org/10.1016/j.indcrop.2012.04.002>.
- Orman, E, feB; Altun, S; Odabas, Z; Altindal, A; Ozkaya, A, liR. (2015). Electrochemical, Electrocatalytic Dioxygen Reducing and Dielectric Relaxation Properties of Non-Peripheral Tetra-2,3-dihydro-1H-inden-5-yloxy Substituted Phthalocyanines. *J Electrochem Soc* 162: H825-H840. <http://dx.doi.org/10.1149/2.0061512jes>.
- Oros, DR; Abas, M; Omar, N; Rahman, NA; Simoneit, BRT. (2006). Identification and Emission Factors of Molecular Tracers in Organic Aerosols from Biomass Burning: Part 3. Grasses. *Appl Geochem* 21: 919. <http://dx.doi.org/10.1016/j.apgeochem.2006.01.008>.
- Oros, DR; Simoneit, BRT. (1999). Identification of molecular tracers in organic aerosols from temperate climate vegetation subjected to biomass burning. *Aerosol Sci Technol* 31: 433-445.
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 1. Temperate climate conifers. *Appl Geochem* 16: 1513-1544. [http://dx.doi.org/10.1016/s0883-2927\(01\)00021-x](http://dx.doi.org/10.1016/s0883-2927(01)00021-x).
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 2. Deciduous trees. *Appl Geochem* 16: 1545-1565. [http://dx.doi.org/10.1016/s0883-2927\(01\)00022-1](http://dx.doi.org/10.1016/s0883-2927(01)00022-1).
- OSHA. (1997). Occupational exposure to methylene chloride. *Fed Reg* 62: 1493-1619.
- Oskouie, A, liK; Lordi, DT; Granato, TC; Kollias, L. (2008). Plant-specific correlations to predict the total VOC emissions from wastewater treatment plants. *Atmos Environ* 42: 4530-4539. <http://dx.doi.org/10.1016/j.atmosenv.2008.01.062>.
- Osman, B; Ozer, ET; Besirli, N; Gucer, S. (2013). Development and application of a solid phase extraction method for the determination of phthalates in artificial saliva using new synthesised microspheres. *Polym Test* 32: 810-818. <http://dx.doi.org/10.1016/j.polymertesting.2013.03.017>.
- Osman, NB; Mcdonald, AG; Laborie, MPG. (2012). Analysis of DCM extractable components from hot-pressed hybrid poplar. *Holzforschung* 66: 927-934. <http://dx.doi.org/10.1515/hf-2012-0011>.
- Osorio, C; Alarcon, M; Moreno, C; Bonilla, A; Barrios, J; Garzon, C; Duque, C. (2006). Characterization of odor-active volatiles in champa (*Campomanesia lineatifolia* R. and P.). *J Agric Food Chem* 54: 509-516. <http://dx.doi.org/10.1021/jf052098c>.
- Ostendorf, DW; Leach, LE; Hinlein, ES; Xie, YF. (1991). FIELD SAMPLING OF RESIDUAL AVIATION GASOLINE IN SANDY SOIL. *Ground Water Monitoring and Remediation* 11: 107-120.
- Osterman-Golkar, S; Hussain, S; Walles, S; Anderstam, B; Sigvardsson, K. (1983). Chemical reactivity and mutagenicity of some dihalomethanes. *Chem Biol Interact* 46: 121-130. [http://dx.doi.org/10.1016/0009-2797\(83\)90011-X](http://dx.doi.org/10.1016/0009-2797(83)90011-X).
- Osvoll, PO; Woldbaek, T. (1999). Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry. *Ann Occup Hyg* 43: 421-428.
- Ota, M; Takahashi, K; Kofujita, H. (1998). Role of caffeic glucoside esters in defense-repair processing of trees - II: Synthesis of 2-(3,4-dihydrolophenyl)-ethyl 3-O-alpha-L-rhamnopyranosyl-beta-D-glucopyranoside. *J Wood Sci* 44: 320-326.
- Otaka, H; Ogawa, S; Minato, I; Utsugi, H; Amagai, T. (2006). Extractability of dioxins from suspended substances in distributed water. *Int J Environ Anal Chem* 86: 583-599. <http://dx.doi.org/10.1080/03067310500291429>.
- Oter, O; Ertekin, K; Kilincarslan, R; Ulusoy, M; Cetinkaya, B. (2007). Photocharacterization of a novel fluorescent Schiff Base and investigation of its utility as an optical Fe<sup>3+</sup> sensor in PVC matrix. *Dyes and Pigments* 74: 730-735. <http://dx.doi.org/10.1016/j.dyepig.2006.05.006>.
- Otson, R; Williams, DT; Bothwell, PD. (1981). DICHLOROMETHANE LEVELS IN AIR AFTER APPLICATION OF PAINT REMOVERS. *Am Ind Hyg Assoc J* 42: 56-60.

## Fate Literature Search Results

### Off Topic

- Ott, MG; Skory, LK; Holder, BB; Bronson, JM; Williams, PR. (1983). Health evaluation of employees occupationally exposed to methylene chloride. *Scand J Work Environ Health* 9: 1-38.
- Ouchi, M; Kojima, M; Ootoshi, Y; Yoshida, H; Yokohara, T; Shibata, H. (2006). Solvent extraction of metal picrates with benzo-21-crown-7 and benzo-24-crown-8 ethers. 13: 155-160.
- Ouchi, T; Saito, T; Kontani, T; Ohya, Y. (2004). Encapsulation and/or release behavior of bovine serum albumin within and from polylactide-grafted dextran microspheres. *Macromol Biosci* 4: 458-463. <http://dx.doi.org/10.1002/mabi.200300106>.
- Ovalles, C; Rogel, E; Moir, M; Thomas, L; Pradhan, A. (2012). Characterization of Heavy Crude Oils, Their Fractions, and Hydrovisbroken Products by the Asphaltene Solubility Fraction Method. *Energy Fuels* 26: 549-556. <http://dx.doi.org/10.1021/ef201499f>.
- Overcamp, TJ; Chang, HC; Grady, CPL. (1993). AN INTEGRATED THEORY FOR SUSPENDED-GROWTH BIOSCRUBBERS. *J Air Waste Manag Assoc* 43: 753-759.
- Ozaki, J; Nishizawa, S; Nishiyama, Y. (1997). Electronic properties of model compounds simulating carbons prepared at low temperatures. *Carbon* 35: 45-52.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozalp, Y; Ozdemir, N; Hasirci, V. (2002). Vancomycin release from poly(D,L-lactide) and poly(lactide-co-glycolide) disks. *J Microencapsul* 19: 83-94.
- Ozcan, B; Esen, M; Coleri, A; Yolcu, H; Caliskan, M. (2009). IN VITRO ANTIMICROBIAL AND ANTIOXIDANT ACTIVITIES OF VARIOUS EXTRACTS OF SALVIA MICROSTEGIA (BOISS.) ET. BAL. FROM ANTAKYA, TURKEY. *Fresen Environ Bull* 18: 658-662.
- Ozcesmeci, I. (2013). Synthesis and fluorescence properties of phthalocyanines with dibromo- and tribromo-phenoxy functionalities. *Synthetic Metals* 176: 128-133. <http://dx.doi.org/10.1016/j.synthmet.2013.05.031>.
- Ozcesmeci, I; Ozcesmeci, M; Gul, A; Hamuryudan, E. (2016). Synthesis and spectroscopic investigation of boronic esters of metal-free fluorinated and non-fluorinated phthalocyanines. *Synthetic Metals* 222: 344-350. <http://dx.doi.org/10.1016/j.synthmet.2016.11.022>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research* 28: 689-698.
- Ozdemir, D; Ozturk, B. (2004). Genetic multivariate calibration methods for near infrared (NIR) spectroscopic determination of complex mixtures. *Turkish Journal of Chemistry* 28: 497-514.
- Ozgen, U; Coskun, M; Kazaz, C; Secen, H. (2004). Naphthoquinones from the roots of *Onosma argentatum* Hub.-Mor. (Boraginaceae). *Turkish Journal of Chemistry* 28: 451-454.
- Oztetik, E; Iscan, M. (2013). CHARACTERIZATION OF GLUTATHIONE S-TRANSFERASES FROM NEEDLES OF *Pinus brutia* Ten. TREES. *Fresen Environ Bull* 22: 516-523.
- Ozturk, G; Alp, S; Ertekin, K. (2007). Fluorescence emission studies of 4-(2-furylmethylene)-2-phenyl-5-oxazolone embedded in polymer thin film and detection of Fe<sup>3+</sup> ion. *Dyes and Pigments* 72: 150-156. <http://dx.doi.org/10.1016/j.dyepig.2005.08.012>.
- Ozyurt, F; Gunbas, EG; Durmus, A; Toppare, L. (2008). Processable and multichromic polymer of bis-3-hexylthiophene substituted 4-tert-butylphenyl quinoxaline. *Organic Electronics* 9: 296-302. <http://dx.doi.org/10.1016/j.orgel.2007.11.006>.
- Paasikallio, V; Agblevor, F; Oasmaa, A; Lehto, J; Lehtonen, J. (2013). Catalytic Pyrolysis of Forest Thinnings with ZSM-5 Catalysts: Effect of Reaction Temperature on Bio-oil Physical Properties and Chemical Composition. *Energy Fuels* 27: 7587-7601. <http://dx.doi.org/10.1021/ef401947f>.
- Padhi, SK; Gokhale, S. (2016). Benzene control from waste gas streams with a sponge-medium based rotating biological contactor. *Int Biodeterior Biodegradation* 109: 96-103. <http://dx.doi.org/10.1016/j.ibiod.2016.01.007>.
- Padilla, AM; Corella, J; Toledo, JM. (1999). Total oxidation of some chlorinated hydrocarbons with commercial chromia based catalysts. *Appl Catal B-Environ* 22: 107-121.
- Padlo, DM; Subramanian, RB; Kugler, EL. (1996). Hydrocarbon class analysis of coal-derived liquids using high performance liquid chromatography. *Fuel Process Tech* 49: 247-258.
- Pahr, DH; Boehm, HJ. (2008). Assessment of Mixed Uniform Boundary Conditions for Predicting the Mechanical Behavior of Elastic and Inelastic Discontinuously Reinforced Composites. *Computer Modeling in Engineering & Sciences* 34: 117-136.
- Paiphansiri, U; Tangboriboonrat, P; Landfester, K. (2006). Polymeric nanocapsules containing an antiseptic agent obtained by controlled nanoprecipitation onto water-in-oil miniemulsion droplets. *Macromol Biosci* 6: 33-40. <http://dx.doi.org/10.1002/mabi.200500178>.
- Pakdel, H; Murwanashyaka, JN; Roy, C. (2002). Extraction of betulin by vacuum pyrolysis of birch bark. *Journal of Wood Chemistry and Technology* 22: 147-155. <http://dx.doi.org/10.1081/WCT-120013359>.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria* 143: 241-251.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria* 129: 211-221.
- Palamoor, M; Jablonski, MM. (2014). Comparative study on diffusion and evaporation emulsion methods used to load hydrophilic drugs in poly(ortho ester) nanoparticle emulsions. *Powder Technology* 253: 53-62. <http://dx.doi.org/10.1016/j.powtec.2013.11.014>.
- Paletta, J; Erffmeier, K; Theisen, C; Hussain, D; Wendorff, JH; Greiner, A; Fuchs-Winkelmann, S; Schofer, MD. (2009). Influence of poly-(L-lactic acid) nanofiber functionalization on maximum load, Young's modulus, and strain of nanofiber scaffolds before and after cultivation of osteoblasts: an in vitro study. *ScientificWorldJournal* 9: 1382-1393. <http://dx.doi.org/10.1100/tsw.2009.149>.
- Palmentier, JPF, P; Taguchi, VY; Jenkins, SWD; Wang, DT; Ngo, KP; Robinson, D. (1998). The determination of geosmin and 2-methylisoborneol in water using isotope dilution high resolution mass spectrometry. *Water Res* 32: 287-294.

## Fate Literature Search Results

### Off Topic

- Palmer, JC; Brennan, JK; Hurley, MM; Balboa, A; Gubbins, KE. (2009). Detailed structural models for activated carbons from molecular simulation. *Carbon* 47: 2904-2913. <http://dx.doi.org/10.1016/j.carbon.2009.06.037>.
- Pan, S; Pu, Y; Foston, M; Ragauskas, AJ. (2013). Compositional Characterization and Pyrolysis of Loblolly Pine and Douglas-fir Bark. *BioEnergy Res* 6: 24-34. <http://dx.doi.org/10.1007/s12155-012-9223-1>.
- Pan, T, ao; Ren, S; Guo, J, un; Xu, M; Sun, G. (2013). Biosorption and biotransformation of crystal violet by *Aeromonas hydrophila* DN322p. 7: 185-190. <http://dx.doi.org/10.1007/s11783-012-0435-6>.
- Pan, T; Xu, M; Chen, X; Sun, G; Guo, J. (2013). Cloud Point Extraction of Four Triphenylmethane Dyes by Triton X-114 as Nonionic Surfactant. *Separation Science and Technology* 48: 1040-1048. <http://dx.doi.org/10.1080/01496395.2012.726308>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ* 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Pana, A; Ilis, M; Staicu, T; Pasuk, I; Circu, V. (2016). Columnar bis(pyridinium) ionic liquid crystals derived from 4-hydroxypyridine: synthesis, mesomorphism and emission properties. *Liquid Crystals* 43: 381-392. <http://dx.doi.org/10.1080/02678292.2015.1116630>.
- Pandey, PC; Prakash, R. (1998). Characterization of electropolymerized polyindole - Application in the construction of a solid-state, ion-selective electrode. *J Electrochem Soc* 145: 4103-4107.
- Pandey, PC; Prakash, R. (1998). Electrochemical synthesis of polyindole and its evaluation for rechargeable battery applications. *J Electrochem Soc* 145: 999-1003.
- Pandey, PC; Singh, G. (2002). Electrochemical polymerization of aniline in proton-free nonaqueous media - Dependence of microstructure and electrochemical properties of polyaniline on solvent and dopant. *J Electrochem Soc* 149: D51-D56. <http://dx.doi.org/10.1149/1.1455649>.
- Pandit, P; Basu, S. (2004). Removal of ionic dyes from water by solvent extraction using reverse micelles. *Environ Sci Technol* 38: 2435-2442. <http://dx.doi.org/10.1021/es030573m>.
- Panizza, M; Barbucci, A; Ricotti, R; Cerisola, G. (2007). Electrochemical degradation of methylene blue. *Separation and Purification Technology* 54: 382-387. <http://dx.doi.org/10.1016/j.seppur.2006.10.010>.
- Panzella, L; Eidenberger, T; Napolitano, A; D'Ischia, M. (2012). Black sesame pigment: DPPH assay-guided purification, antioxidant/antinitrosating properties, and identification of a degradative structural marker. *J Agric Food Chem* 60: 8895-8901. <http://dx.doi.org/10.1021/jf2053096>.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem* 44: 55-64.
- Papadopoulos, N; Karayianni, CS; Tsakiridis, P; Sarantopoulou, E; Hristoforou, E. (2011). Effects of MOCVD Thin Cobalt Films' Structure and Surface Characteristics on their Magnetic Behavior. *Chemical Vapor Deposition* 17: 211-220. <http://dx.doi.org/10.1002/cvde.201106907>.
- Papadopoulos, ES; Karpouzas, DG; Menkissoglu-Spiroudi, U. (2011). Extraction parameters significantly influence the quantity and the profile of PLFAs extracted from soils. *Microb Ecol* 62: 704-714. <http://dx.doi.org/10.1007/s00248-011-9863-2>.
- Papoulias, DM; Buckler, DR; Tillitt, DE. (1996). Optimization of the Ames/Salmonella mutagenicity assay for use with extracts of aquatic sediments. *J Great Lakes Res* 22: 584-590.
- Pardillo-Fontdevila, E; Acosta-Esquivarosa, J; Nuevas-Paz, L; Gago-Alvarez, A; Jauregui-Haza, U. (1998). Solubility of cefotaxime sodium salt in seven solvents used in the pharmaceutical industry. *Journal of Chemical and Engineering Data* 43: 49-50.
- Parejo, I; Viladomat, F; Bastida, J; Rosas-Romero, A; Flerlage, N; Burillo, J; Codina, C. (2002). Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled Mediterranean herbs and aromatic plants. *J Agric Food Chem* 50: 6882-6890. <http://dx.doi.org/10.1021/jf020540a>.
- Parikh, BV; Upadrashta, SM; Neau, SH; Nuessle, NO. (1993). ESTRONE LOADED POLY(L-LACTIC ACID) MICROSPHERES - PREPARATION, EVALUATION AND INVITRO RELEASE KINETICS. *J Microencapsul* 10: 141-153.
- Parinejad, M; Yaftian, MR. (2007). A study on the removal of chromium(VI) oxanions from acid solutions by using oxonium ion-crown ether complexes as mobile carrier agents. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 26: 19-27.
- Parinejad, M; Yaftian, MR. (2009). Mobile Carrier Properties of N(2)O(2)- and N(3)O(2)-Type Schiff Base Molecules Towards Coer(II) Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 85-90.
- Park, C; Choi, H, aeW; Lee, CH; Lannutti, JJ; Farson, DF. (2014). Optical scattering in electrospun poly(epsilon-caprolactone) tissue scaffolds. *Journal of Laser Applications* 26. <http://dx.doi.org/10.2351/1.4870675>.
- Park, CH; Chung, MY; Unnithan, AR; Kim, CS. (2015). Creation of a functional graded nanobiomembrane using a new electrospinning system for drug release control and an in vitro validation of drug release behavior of the coating membrane. *Mater Sci Eng C* 50: 133-140. <http://dx.doi.org/10.1016/j.msec.2015.02.001>.
- Park, H; Ko, W. (2015). Preparation of C-60 Nanowhiskers-SnO2 Nanocomposites and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 15: 8125-8132. <http://dx.doi.org/10.1166/jnn.2015.11249>.
- Park, J; Yoon, C; Byun, H; Kim, Y; Park, D; Ha, K; Lee, SM, an; Park, S; Chung, E. (2012). Evaluation of Workers Exposed to Ethylene Glycol Monomethyl Ether and Ethylene Glycol Monomethyl Ether Acetate. *J Occup Health* 54: 141-146.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res* 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng* 122: 800-806.

## Fate Literature Search Results

### Off Topic

- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem* 9: 381-390.
- Park, O; Kim, H; Kim, J, iH; Park, JB; Kwak, J; Shin, W; Yoon, SC; Hwang, D, oH. (2013). Tetrafluorene-9,9'-bifluorenylidene as a non-fullerene type electron acceptor for P3HT-based bulk-heterojunction polymer solar cells. *Solar Energy Materials and Solar Cells* 116: 275-282. <http://dx.doi.org/10.1016/j.solmat.2013.05.008>.
- Park, S; Yeo, SD, o. (2008). Recrystallization of caffeine using gas antisolvent process. *Journal of Supercritical Fluids* 47: 85-92. <http://dx.doi.org/10.1016/j.supflu.2008.05.010>.
- Park, SE, un; Park, J, iW; Hwang, J. (2014). Morphology characterization of phenyl-C61-butyrac acid methyl ester films via an electrohydrodynamic spraying route. *Thin Solid Films* 550: 395-403. <http://dx.doi.org/10.1016/j.tsf.2013.11.009>.
- Park, SH; Chung, EK; Yi, GY; Chung, KJ; Shin, JA; Lee, IS. (2010). A study for health hazard evaluation of methylene chloride evaporated from the tear gas mixture. *Saf Health Work* 1: 98-101. <http://dx.doi.org/10.5491/SHAW.2010.1.1.98>.
- Park, SK; Lee, MY. (2014). Profiling of the dichloromethane-induced proteome expression changes. *J Environ Biol* 35: 377-382.
- Park, SS; Kim, YJ; Kang, CH. (2002). Atmospheric polycyclic aromatic hydrocarbons in Seoul, Korea. *Atmos Environ* 36: 2917-2924.
- Park, YD, on; Lee, SG, oo; Lee, H, waS; Kwak, D; Lee, D, aeHo; Cho, K. (2011). Solubility-driven polythiophene nanowires and their electrical characteristics. *J Mater Chem* 21: 2338-2343. <http://dx.doi.org/10.1039/c0jm03114c>.
- Park, YH; Kim, YS, ik. (2007). New red electrophosphor based on Ir(III) complex of 2,3,4-triphenylquinoline. *Curr Appl Phys* 7: 500-503. <http://dx.doi.org/10.1016/j.cap.2006.10.005>.
- Park, YH; Park, SB. (2002). Preparation and electroactivity of poly (methacrylate-co-pyrrolylmethylstyrene)-g-polypyrrole. *Synthetic Metals* 128: 229-234.
- Park, YH, o; Song, H, yeK; Lee, CS; Jee, JG, i. (2008). Fabrication and its characteristics of metal-loaded TiO<sub>2</sub>/SnO<sub>2</sub> thick-film gas sensor for detecting dichloromethane. *J Ind Eng Chem* 14: 818-823. <http://dx.doi.org/10.1016/j.jiec.2008.06.009>.
- Park, YI; Yeom, CK; Kim, BS; Suh, JK; Hong, JS; Lee, JM; Joo, HJ. (2008). Quantitative evaluation of concentration polarization in the permeation of VOCs/water mixtures through PDMS membrane using model equation. *Desalination* 233: 303-309. <http://dx.doi.org/10.1016/j.desal.2007.09.055>.
- Park, YJ; Lee, YM; Park, SN; Lee, JY; Ku, Y; Chung, CP; Lee, SJ. (2000). Enhanced guided bone regeneration by controlled tetracycline release from poly(L-lactide) barrier membranes. *J Biomed Mater Res* 51: 391-397.
- Park, YK; Row, KH; Chung, ST. (2000). Adsorption characteristics and separation of taxol from yew tree by NP-HPLC. *Separation and Purification Technology* 19: 27-37.
- Parker, MA; Mushrush, GW. (2006). Nitrogen compound distribution of refined middle distillate fuels. *Petroleum Science and Technology* 24: 1291-1299. <http://dx.doi.org/10.1081/LFT-200063033>.
- Parrondo, A; Allen, NS; Edge, M; Liauw, CM; Fontan, E. (2002). Additive interactions in the stabilization of film grade high-density polyethylene. Part II: Stabilization during long-term service. *Journal of Vinyl and Additive Technology* 8: 90-102.
- Parrott, JL; van den Heuvel, MR; Hewitt, LM; Baker, MA; Munkittrick, KR. (2000). Isolation of MFO inducers from tissues of white suckers caged in bleached kraft mill effluent. *Chemosphere* 41: 1083-1089.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Partanen, T; Chaves, J; Wesseling, C; Chaverri, F; Monge, P; Ruedert, C; Aragón, A; Kogevinas, M; Hogstedt, C; Kauppinen, T. (2003). Workplace carcinogen and pesticide exposures in Costa Rica. *Int J Occup Environ Health* 9: 104-111. <http://dx.doi.org/10.1179/oeh.2003.9.2.104>.
- Pasquale, AJ; Bauserman, JM; Mushrush, GW. (2009). Nitrogen Compound Distribution in Refined Middle Distillate Fuels. *Petroleum Science and Technology* 27: 2192-2199. <http://dx.doi.org/10.1080/10916460802686749>.
- Passialis, C; Voulgaridis, E; Adamopoulos, S; Matsouka, M. (2008). Extractives, acidity, buffering capacity, ash and inorganic elements of black locust wood and bark of different clones and origin. *Holz als Roh- und Werkstoff* 66: 395-400. <http://dx.doi.org/10.1007/s00107-008-0254-4>.
- Passialis, CN; Grigoriou, AH. (1999). Technical properties of branch-wood of apple, peach, pear, apricot and cherry fruit trees. *Holz als Roh- und Werkstoff* 57: 41-44.
- Passieux, R; Guthrie, L; Rad, SH; Lévesque, M; Therriault, D; Gosselin, FP. (2015). Instability-Assisted Direct Writing of Microstructured Fibers Featuring Sacrificial Bonds. *Adv Mater Deerfield* 27: 3676-3680. <http://dx.doi.org/10.1002/adma.201500603>.
- Pastino, GM; Conolly, RB. (2000). Application of a physiologically based pharmacokinetic model to estimate the bioavailability of ethanol in male rats: distinction between gastric and hepatic pathways of metabolic clearance. *Toxicol Sci* 55: 256-265. <http://dx.doi.org/10.1093/toxsci/55.2.256>.
- Patel, SH; Gonsalves, KE; Stivala, SS; Reich, L; Trivedi, DH. (1993). ALTERNATIVE PROCEDURES FOR THE RECYCLING OF SHEET MOLDING COMPOUNDS. *Advances in Polymer Technology* 12: 35-45.
- Pater, EM; Bruckenstein, S; Hillman, AR. (1998). Kinetic manipulation of the composition of electroprecipitated poly(vinylferrocene) films. *J Mater Res* 13: 3293-3298.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data* 49: 510-513.
- Patlolla, A; Collins, G; Arinze, TL. (2010). Solvent-dependent properties of electrospun fibrous composites for bone tissue regeneration. *Acta Biomater* 6: 90-101. <http://dx.doi.org/10.1016/j.actbio.2009.07.028>.

## Fate Literature Search Results

### Off Topic

- Patra, MK; Kumar, H; Meur, SK; Mahmood, S; Yadav, MC. (2010). Comparative thin layer chromatographic profiles of bovine urine and cervico-vaginal mucus. *Indian J Anim Sci* 80: 516-518.
- Patrick, BN; Chakravarti, R; Devine, TM. (2016). Palladium Hydride as a Reference Electrode in Aprotic Solutions. *J Electrochem Soc* 163: H171-H179. <http://dx.doi.org/10.1149/2.0421603jes>.
- Paull, RE; Tang, CS; Gross, K; Uruu, G. (1999). The nature of the taro acidity factor. *Postharvest Biol Technol* 16: 71-78.
- Pauporte, T; Rathousky, J. (2009). Growth mechanism and photocatalytic properties for dye degradation of hydrophobic mesoporous ZnO/SDS films prepared by electrodeposition. *Microporous and Mesoporous Materials* 117: 380-385. <http://dx.doi.org/10.1016/j.micromeso.2008.07.016>.
- Paustenbach, DJ; Jernigan, JD; Finley, BL; Ripple, SR; Keenan, RE. (1990). The current practice of health risk assessment: potential impact on standards for toxic air contaminants [Review]. *J Air Waste Manag Assoc* 40: 1620-1630.
- Pauwels, AN; Schepens, PJC. (1998). Simultaneous separation and determination of polychlorinated biphenyl congeners and other chlorinated hydrocarbon residues in human matrices using gel permeation or adsorption chromatographic clean-up and GC-MS quantification. *Int J Environ Anal Chem* 71: 105-118.
- Pavasupree, S; Dubas, ST; Rangkupan, R. (2015). Surface modification of polypropylene non-woven fibers with TiO<sub>2</sub> nanoparticles via layer-by-layer self assembly method: Preparation and photocatalytic activity. *J Environ Sci* 37: 59-66. <http://dx.doi.org/10.1016/j.jes.2015.04.020>.
- Pavlic, B; Vidovic, S; Vladic, J; Radosavljevic, R; Zekovic, Z. (2015). Isolation of coriander (*Coriandrum sativum* L.) essential oil by green extractions versus traditional techniques. *Journal of Supercritical Fluids* 99: 23-28. <http://dx.doi.org/10.1016/j.supflu.2015.01.029>.
- Pavoni, B; Drusian, D; Giacometti, A; Zanette, M. (2006). Assessment of organic chlorinated compound removal from aqueous matrices by adsorption on activated carbon. *Water Res* 40: 3571-3579. <http://dx.doi.org/10.1016/j.watres.2006.05.027>.
- Pawar, RC; Choi, D, aH; Lee, J, aiS; Lee, CS. (2015). Formation of polar surfaces in microstructured ZnO by doping with Cu and applications in photocatalysis using visible light. *Mater Chem Phys* 151: 167-180. <http://dx.doi.org/10.1016/j.matchemphys.2014.11.051>.
- Pawlik, J. R.; Fenical, W. (1992). CHEMICAL DEFENSE OF PTEROGORGIA-ANCEPS, A CARIBBEAN GORGONIAN CORAL. *Mar Ecol Prog Ser* 87: 183-188.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of fenoxycarb and pyriproxyfen in fresh and canned peach. *J Environ Sci Health B* 42: 767-773. <http://dx.doi.org/10.1080/03601230701550899>.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of insect growth regulators in fresh and canned fruits. *Int J Environ Anal Chem* 87: 971-983. <http://dx.doi.org/10.1080/03067310701419712>.
- Payet, B; Shum Cheong Sing, A; Smadja, J. (2005). Assessment of antioxidant activity of cane brown sugars by ABTS and DPPH radical scavenging assays: determination of their polyphenolic and volatile constituents. *J Agric Food Chem* 53: 10074-10079. <http://dx.doi.org/10.1021/jf0517703>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A* 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Peesan, M; Rujiravanit, R; Supaphol, P. (2006). Electrospinning of hexanoyl chitosan/polylactide blends. *J Biomater Sci Polym Ed* 17: 547-565.
- Pegram, RA; Andersen, ME; Warren, SH; Ross, TM; Claxton, LD. (1997). Glutathione S-transferase-mediated mutagenicity of trihalomethanes in *Salmonella typhimurium*: contrasting results with bromodichloromethane off chloroform. *Toxicol Appl Pharmacol* 144: 183-188. <http://dx.doi.org/10.1006/taap.1997.8123>.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E. (2015). Abundance and characteristics of lignin liquid intermediates in wood (*Pinus ponderosa* Dougl. ex Laws.) during hot water extraction. *Biomass and Bioenergy* 81: 117-128. <http://dx.doi.org/10.1016/j.biombioe.2015.06.012>.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E; Zhu, R, ui; Englund, K. (2016). Interrelationship between lignin-rich dichloromethane extracts of hot water-treated wood fibers and high-density polyethylene (HDPE) in wood plastic composite (WPC) production. *Holzforschung* 70: 31-38. <http://dx.doi.org/10.1515/hf-2014-0309>.
- Pelekis, M; Nicolich, MJ; Gauthier, JS. (2003). Probabilistic framework for the estimation of the adult and child toxicokinetic intraspecies uncertainty factors. *Risk Anal* 23: 1239-1255.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health* 11: 511-522.
- Pelletier, E; Siron, R. (1999). Silicone-based polymers as oil spill treatment agents. *Environ Toxicol Chem* 18: 813-818.
- Pelliccia, L; Cacciamani, F; Tomassoni, C; Sorrentino, R. (2014). Ultra-compact high-performance filters based on TM dual-mode dielectric-loaded cavities. *International Journal of Microwave and Wireless Technologies* 6: 151-159. <http://dx.doi.org/10.1017/S1759078713001001>.
- Pelto, JM; Virtanen, S; Munter, T; Larismaa, J; Jämsä, S; Nikkola, J. (2014). Encapsulation of 3-iodo-2-propynyl N-butylcarbamate (IPBC) in polystyrene-polycaprolactone (PS/PCL) blends. *J Microencapsul* 31: 415-421. <http://dx.doi.org/10.3109/02652048.2013.843599>.
- Peltre, C; Dignac, MF; Derenne, S; Houot, S. (2010). Change of the chemical composition and biodegradability of the Van Soest soluble fraction during composting: a study using a novel extraction method. *Waste Manag* 30: 2448-2460. <http://dx.doi.org/10.1016/j.wasman.2010.06.021>.
- Peng, J; Qian, Z; Wang, B; Fu, S; Guo, G; Luo, F; Li, R; Wu, D. (2011). Preparation and release characteristic of quercetin loaded poly(lactic acid) ultrafine fibers. *J Nanosci Nanotechnol* 11: 3659-3668. <http://dx.doi.org/10.1166/jnn.2011.3807>.
- Peng, Q; Fu, G; Su, D. (2010). Synthesis and light-emitting properties of fluorene-based copolymers. *Synthetic Metals* 160: 1672-1678. <http://dx.doi.org/10.1016/j.synthmet.2010.05.039>.

## Fate Literature Search Results

### Off Topic

- Peng, X; Ma, X; Lin, Y. (2016). Investigation on Characteristics of Liquefied Products from Solvolysis Liquefaction of *Chlorella pyrenoidosa* in Ethanol-Water Systems. *Energy Fuels* 30: 6475-6485. <http://dx.doi.org/10.1021/acs.energyfuels.6b01103>.
- Pennarun, PY; Saillard, P; Feigenbaum, A; Dole, P. (2005). Experimental direct evaluation of functional barriers in PET recycled bottles: Comparison of migration behaviour of mono- and multilayers. *Packaging Technology and Science* 18: 107-123. <http://dx.doi.org/10.1002/pts.680>.
- Peppard, TL. (1992). VOLATILE FLAVOR CONSTITUENTS OF MONSTERA-DELICIOSA. *J Agric Food Chem* 40: 257-262.
- Perbellini, L; Brugnone, F; Grigolini, L; Cunegatti, P; Tacconi, A. (1977). ALVEOLAR AIR AND BLOOD DICHLOROMETHANE CONCENTRATION IN SHOE SOLE FACTORY-WORKERS. *Int Arch Occup Environ Health* 40: 241-247.
- Pereira, CA; Costa, AC; Carreira, CM; Junqueira, JC; Jorge, AO. (2013). Photodynamic inactivation of *Streptococcus mutans* and *Streptococcus sanguinis* biofilms in vitro. *Lasers Med Sci* 28: 859-864. <http://dx.doi.org/10.1007/s10103-012-1175-3>.
- Pereira, CA; Romeiro, RL; Costa, AC; Machado, AK; Junqueira, JC; Jorge, AO. (2011). Susceptibility of *Candida albicans*, *Staphylococcus aureus*, and *Streptococcus mutans* biofilms to photodynamic inactivation: an in vitro study. *Lasers Med Sci* 26: 341-348. <http://dx.doi.org/10.1007/s10103-010-0852-3>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci* 138: 227-235.
- Pereira de Melo, FM; Fiore, MF; Beraldo de Moraes, LA; Silva-Stenico, ME; Scramin, S; Teixeira, M, deA; de Melo, IS. (2009). ANTIFUNGAL COMPOUND PRODUCED BY THE CASSAVA ENDOPHYTE *Bacillus pumilus* MAIIM4A. *Scientia Agricola* 66: 583-592.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR. (2011). Growth, assimilate partition and yield of melon charenthais under different shading screens. *Horticultura Brasileira* 29: 91-97.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR; de Aquino, LA. (2010). Yield and quality of yellow and "charentais" melon fruits cultivated in shaded environments. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi* 14: 944-950.
- Pereira, H. (2013). Variability of the Chemical Composition of Cork. *BioResources* 8: 2246-2256.
- Pereira, IHL; Ayres, E; Averous, L, uc; Schlatter, G, uy; Hebraud, A; Mendes, STO, L; Orefice, RL. (2014). Elaboration and Characterization of Coaxial Electrospun Poly(epsilon-Caprolactone)/Gelatin Nanofibers for Biomedical Applications. *Advances in Polymer Technology* 33. <http://dx.doi.org/10.1002/adv.21475>.
- Pereira Netto, AD; Barreto, RP; Moreira, JC; Arbilla, G. (2007). Spatial distribution of polycyclic aromatic hydrocarbons in *Terminalia catappa* L. (Combretaceae) bark from a selected heavy road traffic area of Rio de Janeiro City, Brazil. *J Hazard Mater* 142: 389-396. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.034>.
- Pereira Netto, AD; Krauss, TM; Cunha, IF; Rego, ECP. (2006). PAHs in SD : Polycyclic aromatic hydrocarbons levels in street dust in the Central area of Niteroi City, RJ, Brazil. *Water Air Soil Pollut* 176: 57-67. <http://dx.doi.org/10.1007/s11270-006-9145-7>.
- Pereira, V; Dias, C; Vasconcelos, MC; Rosa, E; Saavedra, MJ. (2014). Antibacterial activity and synergistic effects between *Eucalyptus globulus* leaf residues (essential oils and extracts) and antibiotics against several isolates of respiratory tract infections (*Pseudomonas aeruginosa*). *Ind Crop Prod* 52: 1-7. <http://dx.doi.org/10.1016/j.indcrop.2013.09.032>.
- Perera, DM; Pandey, B; Ito, T. (2011). Electrochemical impedance spectroscopy studies of organic-solvent-induced permeability changes in nanoporous films derived from a cylinder-forming diblock copolymer. *Langmuir* 27: 11111-11117. <http://dx.doi.org/10.1021/la202005n>.
- Perez, S; Reifferscheid, G; Eichhorn, P; Barcelo, D. (2003). Assessment of the mutagenic potency of sewage sludges contaminated with polycyclic aromatic hydrocarbons by an ames fluctuation assay. *Environ Toxicol Chem* 22: 2576-2584.
- Perez-Hernandez, R; Mendoza-Anaya, D; Mondragon-Galicia, G; Espinosa, ME; Rodriguez-Lugo, V; Lozada, M; Arenas-Alatorre, J. (2003). Microstructural study of asphaltene precipitated with methylene chloride and n-hexane. *Fuel* 82: 977-982.
- Pérez-Ortuño, R; Martínez-Sánchez, JM; Fu, M; Ballbè, M; Quirós, N; Fernández, E; Pascual, JA. (2016). Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. *Environ Res* 151: 635-641. <http://dx.doi.org/10.1016/j.envres.2016.08.036>.
- Perez-Prieto, LJ; Lopez-Roca, JM; Martinez-Cutillas, A; Minguez, FP; Gomez-Plaza, E. (2002). Maturing wines in oak barrels. Effects of origin, volume, and age of the barrel on the wine volatile composition. *J Agric Food Chem* 50: 3272-3276. <http://dx.doi.org/10.1021/jf011505r>.
- Pergal, MM; Tesic, ZL, j; Popovic, AR. (2013). Polycyclic Aromatic Hydrocarbons: Temperature Driven Formation and Behavior during Coal Combustion in a Coal-Fired Power Plant. *Energy Fuels* 27: 6273-6278. <http://dx.doi.org/10.1021/ef401467z>.
- Periago, JF; Cardona, A; Marhuenda, D; Roel, J; Villanueva, M; Marti, J; Luna, A. (1993). Biological monitoring of occupational exposure to n-hexane by exhaled air analysis and urinalysis. *Int Arch Occup Environ Health* 65: 275-278.
- Perkgoz, NK; Toru, RS; Unal, E; Sefunc, MA; Tek, S; Mutlugun, E; Soganci, IM; Celiker, H; Celiker, G; Demir, HV. (2011). Photocatalytic hybrid nanocomposites of metal oxide nanoparticles enhanced towards the visible spectral range. *Appl Catal B-Environ* 105: 77-85. <http://dx.doi.org/10.1016/j.apcatb.2011.03.037>.
- Perlmutter, BA. (1997). New techniques for solvent recovery and elimination of wastewater emissions during vacuum process operations. *Environmental Progress* 16: 132-136.
- Permpool, T; Sirivat, A; Aussawasathien, D; Wannatong, L. (2013). Polydiphenylamine/Zelite Y Composites and Electrical Conductivity Responses toward Halogenated Hydrocarbons. *Mater Res* 16: 1020-1029. <http://dx.doi.org/10.1590/S1516-14392013005000092>.
- Pernikis, R; Lazdina, B. (1996). Photosensitive derivatives of cellulose and its ethers. *Cellulose Chemistry and Technology* 30: 187-196.
- Pertig, D, an; Schaefer, C; Ulrich, J. (2012). Stabilization of Carotenoids. *Chem Eng Tech* 35: 1045-1050. <http://dx.doi.org/10.1002/ceat.201200052>.

## Fate Literature Search Results

### Off Topic

- Perugini, P; Genta, I; Pavanetto, F; Modena, T; Maculotti, K; Conti, B. (2002). Evaluation of enzyme stability during preparation of polylactide-co-glycolide microspheres. *J Microencapsul* 19: 591-602. <http://dx.doi.org/10.1080/02652040210144252>.
- Perveen, S; Yousaf, M; Zahoor, AF; Rasool, N; Jabber, A. (2014). Extraction, isolation, and identification of various environment friendly components from cock's comb (*Celosia argentea*) leaves for allelopathic potential. *Toxicol Environ Chem* 96: 1523-1534. <http://dx.doi.org/10.1080/02772248.2015.1031457>.
- Pestana, M; Rodrigues, M; Teixeira, L; Abrantes, I; Gouveia, M; Cordeiro, N. (2014). In vitro evaluation of nematicidal properties of *Solanum sisymbriifolium* and *S. nigrum* extracts on *Pratylenchus goodeyi*. *Nematology* 16: 41-51. <http://dx.doi.org/10.1163/15685411-00002743>.
- Peterson, ES; Stone, ML; Cummings, DG; McCaffrey, RR. (1993). SEPARATIONS OF HAZARDOUS ORGANICS FROM GAS AND LIQUID FEEDSTREAMS USING PHOSPHAZENE POLYMER MEMBRANES. *Separation Science and Technology* 28: 271-281.
- Peterson, ES; Stone, ML; Orme, CJ; Reavill, DA. (1995). CHEMICAL SEPARATIONS USING SHELL-AND-TUBE COMPOSITE POLYPHOSPHAZENE MEMBRANES. *Separation Science and Technology* 30: 1573-1587.
- Peterson, JE. (1978). Modeling the uptake, metabolism and excretion of dichloromethane by man. *Am Ind Hyg Assoc J* 39: 41-47. <http://dx.doi.org/10.1080/0002889778507711>.
- Peterson, JK; Snook, ME; Harrison, HF; Mason, PF. (1998). Isolation and structural identification of sucrose esters from corn spurrey (*Spergula arvensis*); Inhibition of seed germination. *J Chem Ecol* 24: 1803-1816.
- Petreas, M; Gill, R; Takaku-Pugh, S; Lytle, E; Parry, E; Wang, M; Quinn, J; Park, JS, oo. (2016). Rapid methodology to screen flame retardants in upholstered furniture for compliance with new California labeling law (SB 1019). *Chemosphere* 152: 353-359. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.102>.
- Petrović, J; Glamočlija, J; Stojković, DS; Ćirić, A; Nikolić, M; Bukvički, D; Guerzoni, ME; Soković, MD. (2013). *Laetiporus sulphureus*, edible mushroom from Serbia: investigation on volatile compounds, in vitro antimicrobial activity and in situ control of *Aspergillus flavus* in tomato paste. *Food Chem Toxicol* 59: 297-302. <http://dx.doi.org/10.1016/j.fct.2013.06.021>.
- Petukhin, AG; Gusev, AA; Guseva, EM; Gordeev, EI; Chebrov, VN. (1999). Preliminary model for scaling of Fourier spectra of strong ground motion recorded on Kamchatka. *Pure Appl Geophys* 156: 445-468.
- Pezoti, O, Jr; Cazetta, AL; Souza, IPA, F; Bedin, KC; Martins, AC; Silva, TL; Almeida, VC. (2014). Adsorption studies of methylene blue onto ZnCl<sub>2</sub>-activated carbon produced from buriti shells (*Mauritia flexuosa* L.). *J Ind Eng Chem* 20: 4401-4407. <http://dx.doi.org/10.1016/j.jiec.2014.02.007>.
- Pfrunder, MC; Micallef, AS; Rintoul, L; Arnold, DP; Davy, KJP; Mcmurtrie, J. (2012). Exploitation of the Menshutkin Reaction for the Controlled Assembly of Halogen Bonded Architectures Incorporating 1,2-Diiodotetrafluorobenzene and 1,3,5-Triiodotrifluorobenzene. *Cryst Growth Des* 12: 714-724. <http://dx.doi.org/10.1021/cg201017r>.
- Phaechamud, T; Chitrattha, S. (2016). Pore formation mechanism of porous poly(DL-lactic acid) matrix membrane. *Mater Sci Eng C* 61: 744-752. <http://dx.doi.org/10.1016/j.msec.2016.01.014>.
- Phenix, BD; Dinero, JL; Tester, JW; Howard, JB; Smith, KA. (2002). The effects of mixing and oxidant choice on laboratory-scale measurements of supercritical water oxidation kinetics. *Ind Eng Chem Res* 41: 624-+. <http://dx.doi.org/10.1021/ie010473u>.
- Philip, B; Abraham, JK; Chandrasekhar, A; Varadan, VK. (2003). Carbon nanotube/PMMA composite thin films for gas-sensing applications. *Smart Materials and Structures* 12: 935-939.
- Philip Jacob, P; Madhumitha, G; Mary Saral, A. (2011). Free radical scavenging and reducing power of *Lawsonia inermis* L. seeds. *Asian Pacific Journal of Tropical Medicine* 4: 457-461. [http://dx.doi.org/10.1016/S1995-7645\(11\)60125-9](http://dx.doi.org/10.1016/S1995-7645(11)60125-9).
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol* 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Piccardi, R; Frosini, A; Tredici, MR; Margheri, MC. (2000). Bioactivity in Free-Living and Symbiotic Cyanobacteria of the Genus *Nostoc*. *J Appl Phycol* 12: 543.
- Pickard, S; Becker, I; Merz, KH; Richling, E. (2013). Determination of the alkylypyrazine composition of coffee using stable isotope dilution-gas chromatography-mass spectrometry (SIDA-GC-MS). *J Agric Food Chem* 61: 6274-6281. <http://dx.doi.org/10.1021/jf401223w>.
- Piekarska, K. (2009). MUTAGENIC EFFECT OF MAIN GROUPS OF ORGANIC POLLUTANTS ADSORBED ON SUSPENDED PARTICULATE MATTER (PM<sub>10</sub> AND PM<sub>2.5</sub>) COLLECTED WITHIN WROCLAW URBAN AREA. *Environ Protect Eng* 35: 23-35.
- Piekarska, K. (2010). Mutagenicity of Airborne Particulates Assessed by Salmonella Assay and the SOS Chromotest in Wroclaw, Poland. *J Air Waste Manag Assoc* 60: 993-1001. <http://dx.doi.org/10.3155/1047-3289.60.8.993>.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2009). MUTAGENIC AND CYTOTOXIC PROPERTIES OF EXTRACTS OF SUSPENDED PARTICULATE MATTER COLLECTED IN WROCLAW CITY AREA. *Environ Protect Eng* 35: 37-48.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2011). APPLICATION OF SHORT-TERM TESTS IN ASSESSMENT OF ATMOSPHERIC AIR POLLUTION. *Environ Protect Eng* 37: 85-98.
- Piggott, J. R.; Conner, JM; Clyne, J; Paterson, A. (1992). THE INFLUENCE OF NONVOLATILE CONSTITUENTS ON THE EXTRACTION OF ETHYL-ESTERS FROM BRANDIES. *J Sci Food Agric* 59: 477-482.
- Pilawa, B; Wieckowski, AB; Wachowska, H; Kozłowski, M. (1998). Epr searches of correlations between paramagnetic centre behaviour and chemical structure of reductively alkylated flame coal. *Fuel* 77: 1561-1567.
- Pilissao, C; Carvalho, P; Nascimento, M. (2009). Enantioselective acylation of (RS)-phenylethylamine catalysed by lipases. *Process Biochemistry* 44: 1352-1357. <http://dx.doi.org/10.1016/j.procbio.2009.07.012>.



## Fate Literature Search Results

### Off Topic

- Pilon, G; Lavoie, JM. (2011). CHARACTERIZATION OF SWITCHGRASS CHAR PRODUCED IN TORREFACTION AND PYROLYSIS CONDITIONS. *BioResources* 6: 4824-4839.
- Pinard, L; Magnoux, P; Ayrault, P; Guisnet, M. (2004). Oxidation of chlorinated hydrocarbons over zeolite catalysts - 2. Comparative study of dichloromethane transformation over NaX and NaY zeolites. *J Catal* 221: 662-665. <http://dx.doi.org/10.1016/j.jcat.2003.10.009>.
- Pinard, L; Mijoin, J; Ayrault, P; Canaff, C; Magnoux, P. (2004). On the mechanism of the catalytic destruction of dichloromethane over Pt zeolite catalysts. *Appl Catal B-Environ* 51: 1-8. <http://dx.doi.org/10.1016/j.apcatb.2004.01.002>.
- Pinard, L; Mijoin, J; Magnoux, P; Guisnet, M. (2003). Oxidation of chlorinated hydrocarbons over Pt zeolite catalysts 1-mechanism of dichloromethane transformation over PtNaY catalysts. *J Catal* 215: 234-244. [http://dx.doi.org/10.1016/S0021-9517\(02\)00189-6](http://dx.doi.org/10.1016/S0021-9517(02)00189-6).
- Pineider, F; Mannini, M; Danieli, C; Armelao, L; Piras, FM; Magnani, A; Cornia, A; Sessoli, R. (2010). Deposition of intact tetrairon(III) single molecule magnet monolayers on gold: an STM, XPS, and ToF-SIMS investigation. *J Mater Chem* 20: 187-194. <http://dx.doi.org/10.1039/b916895h>.
- Pineider, F; Mannini, M; Sessoli, R; Caneschi, A; Barreca, D; Armelao, L; Cornia, A; Tondello, E; Gatteschi, D. (2007). Solvent effects on the adsorption and self-organization of Mn12 on Au(111). *Langmuir* 23: 11836-11843. <http://dx.doi.org/10.1021/la7016837>.
- Pinet, C; Jaupart, C; Mareschal, JC; Gariépy, C; Bienfait, G; Lapointe, R. (1991). HEAT-FLOW AND STRUCTURE OF THE LITHOSPHERE IN THE EASTERN CANADIAN SHIELD. *J Geophys Res* 96: 19941-19963.
- Ping, L, an; Brosse, N; Sannigrahi, P; Ragauskas, A. (2011). Evaluation of grape stalks as a bioresource. *Ind Crop Prod* 33: 200-204. <http://dx.doi.org/10.1016/j.indcrop.2010.10.009>.
- Pintado-Herrera, MG; González-Mazo, E; Lara-Martín, PA. (2014). Determining the distribution of triclosan and methyl triclosan in estuarine settings. *Chemosphere* 95: 478-485. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.101>.
- Pinto, A; Leite, JPG; Brito Ramos, CJ; da Fonseca, RR; Teixeira, VL; Paixo, I. (2014). Anti-herpesvirus bovine type 5 activities of extracts obtained from *Plocamium brasiliense*. *J Appl Phycol* 26: 2021-2027. <http://dx.doi.org/10.1007/s10811-014-0319-1>.
- Pires, EL; Magalhaes, JC; Schuchardt, U. (2000). Effects of oxidant and solvent on the liquid-phase cyclohexane oxidation catalyzed by Ce-exchanged zeolite Y. *Appl Catal A-Gen* 203: 231-237.
- Pires, LR; Guarino, V; Oliveira, MJ; Ribeiro, CC; Barbosa, MA; Ambrosio, L; Pêgo, AP. (2016). Ibuprofen-loaded poly(trimethylene carbonate-co-ε-caprolactone) electrospun fibres for nerve regeneration. *J Tissue Eng Regen Med* 10: E154-E166. <http://dx.doi.org/10.1002/term.1792>.
- Pirhashemi, M; Habibi-Yangjeh, A. (2014). Preparation of AgCl-ZnO nanocomposites as highly efficient visible- light photocatalysts in water by one-pot refluxing method. *J Alloy Comp* 601: 1-8. <http://dx.doi.org/10.1016/j.jallcom.2014.02.111>.
- Pirilahunkanen, PL; Ruostesuo, PA. (1987). THERMODYNAMIC AND SPECTROSCOPIC PROPERTIES OF 2-PYRROLIDINONES .1. EXCESS MOLAR VOLUMES OF 2-PYRROLIDINONE + DICHLOROMETHANE, + DIMETHYLSULFOXIDE, + ACETONE, + 2-PROPANOL, AND + WATER. *Journal of Chemical and Engineering Data* 32: 303-306.
- Piroozmand, M; Safari, N; Samadi, AA. (2006). Catalyzed oxidation of cyclohexene and cyclooctene with first row transition metallophthalocyanines. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 25: 85-89.
- Piszczek, K; Sterzynski, T; Lukaszewicz, E. (2003). Visualization of gelation inhomogeneity of PVC. *Polym Test* 22: 115-119.
- Pitcher, A; Hopmans, EC; Schouten, S; Damste, JSS. (2009). Separation of core and intact polar archaeal tetraether lipids using silica columns: Insights into living and fossil biomass contributions. *Organic Geochemistry* 40: 12-19. <http://dx.doi.org/10.1016/j.orggeochem.2008.09.008>.
- Pitipanapong, J; Chitprasert, S; Goto, M; Jiratchariyakul, W; Sasaki, M; Shotipruk, A. (2007). New approach for extraction of charantin from *Momordica charantia* with pressurized liquid extraction. *Separation and Purification Technology* 52: 416-422. <http://dx.doi.org/10.1016/j.seppur.2005.11.037>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ* 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ* 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittet, A; Royer, D. (2002). Rapid, low cost thin-layer chromatographic screening method for the detection of ochratoxin A in green coffee at a control level of 10 µg/kg. *J Agric Food Chem* 50: 243-247. <http://dx.doi.org/10.1021/jf010867w>.
- Pittman, CU; Xu, XM; Wang, LC; Toghiani, H. (2000). Mechanical and viscoelastic properties of semi-interpenetrating polymer networks of poly(vinyl chloride)/thermosetting resin blends. *Polymer Engineering and Science* 40: 1405-1413.
- Piumetti, M; Bonelli, B; Armandi, M; Gaberova, L; Casale, S; Massiani, P; Garrone, E. (2010). Vanadium-containing SBA-15 systems prepared by direct synthesis: Physico-chemical and catalytic properties in the decomposition of dichloromethane. *Microporous and Mesoporous Materials* 133: 36-44. <http://dx.doi.org/10.1016/j.micromeso.2010.04.011>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Armandi, M; Thomas, C; Garrone, E. (2012). Effect of vanadium dispersion and of support properties on the catalytic activity of V-containing silicas. *Catalysis Today* 179: 140-148. <http://dx.doi.org/10.1016/j.cattod.2011.06.028>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Effect of vanadium dispersion and support properties on the catalytic activity of V-SBA-15 and V-MCF mesoporous materials prepared by direct synthesis. *Catalysis Today* 176: 458-464. <http://dx.doi.org/10.1016/j.cattod.2010.10.066>.

## Fate Literature Search Results

### Off Topic

- Piumetti, M; Bonelli, B; Massiani, P; Millot, Y; Dzwigaj, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Novel vanadium-containing mesocellular foams (V-MCF) obtained by direct synthesis. *Microporous and Mesoporous Materials* 142: 45-54. <http://dx.doi.org/10.1016/j.micromeso.2010.11.010>.
- Pizzio, LR. (2006). Synthesis and characterization of trifluoromethanesulfonic acid supported on mesoporous titania. *Mater Lett* 60: 3931-3935. <http://dx.doi.org/10.1016/j.matlet.2006.07.190>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol* 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plata, DL; Gschwend, PM; Reddy, CM. (2008). Industrially synthesized single-walled carbon nanotubes: compositional data for users, environmental risk assessments, and source apportionment. *Nanotechnology* 19. <http://dx.doi.org/10.1088/0957-4484/19/18/185706>.
- Platonova, I; Branchi, A; Lessi, M; Ruggeri, G; Bellina, F; Pucci, A. (2014). Zn(II)-bisthienylethynylbipyridine complex: Preparation, characterization and vapochromic behaviour in polymer films. *Dyes and Pigments* 110: 249-255. <http://dx.doi.org/10.1016/j.dyepig.2014.03.022>.
- Pliego, JR; Schiavon, MA. (2008). Jacobsen's catalyst interaction with polydimethylsiloxane/tetraethoxysilane network and solvent molecules: Theoretical design of a new polymeric membrane. *J Phys Chem C* 112: 14830-14834. <http://dx.doi.org/10.1021/jp804245f>.
- Plodpai, P; Chuenchitt, S; Petcharat, V; Chakthong, S; Voravuthikunchai, SP. (2013). Anti-Rhizoctonia solani activity by Desmos chinensis extracts and its mechanism of action. *Crop Protection* 43: 65-71. <http://dx.doi.org/10.1016/j.cropro.2012.09.004>.
- Plodpai, P; Petcharat, V; Chuenchit, S; Chakthong, S; Joycharat, N; Voravuthikunchai, SP. (2013). Desmos chinensis: A new candidate as natural antifungicide to control rice diseases. *Ind Crop Prod* 42: 324-331. <http://dx.doi.org/10.1016/j.indcrop.2012.05.038>.
- Plouguerne, E; Hellio, C; Cesconetto, C; Thabard, M; Mason, K; Veron, B; Pereira, RC; da Gama, BAP. (2010). Antifouling activity as a function of population variation in Sargassum vulgare from the littoral of Rio de Janeiro (Brazil). *J Appl Phycol* 22: 717-724. <http://dx.doi.org/10.1007/s10811-010-9511-0>.
- Plouguerne, E; Hellio, C; Deslandes, E; Veron, B; Stiger-Pouvreau, V. (2008). Anti-microfouling activities in extracts of two invasive algae: Grateloupia turuturu and Sargassum muticum. *Botanica Marina* 51: 202-208. <http://dx.doi.org/10.1515/bot.2008.026>.
- Pluempunapat, S; Kumrungsee, N; Pluempunapat, W; Ngamkitpinyo, K; Chavasiri, W; Bullangpoti, V; Koul, O. (2013). Laboratory evaluation of Dalbergia oliveri (Fabaceae: Fabales) extracts and isolated isoflavonoids on Aedes aegypti (Diptera: Culicidae) mosquitoes. *Ind Crop Prod* 44: 653-658. <http://dx.doi.org/10.1016/j.indcrop.2012.09.006>.
- Poddar, TK; Majumdar, S; Sirkar, KK. (1996). Membrane-based absorption of VOCs from a gas stream. *AIChE J* 42: 3267-3282.
- Poddar, TK; Sirkar, KK. (1997). A hybrid of vapor permeation and membrane-based absorption-stripping for VOC removal and recovery from gaseous emissions. *J Memb Sci* 132: 229-233.
- Pokhodnya, KI; Burtman, V; Epstein, AJ; Raebiger, JW; Miller, JS. (2003). Control of coercivity in organic-based solid solution VxCo1-x[TCNE]2 center dot zCH(2)Cl(2) room temperature magnets. *Adv Mater Deerfield* 15: 1211-+. <http://dx.doi.org/10.1002/adma.200304984>.
- Pokrifchak, M; Turner, T; Pilgrim, I, an; Johnston, MR; Hips, KW. (2007). Scanning tunneling microscopy and orbital-mediated tunneling spectroscopy study of 1,5-di(octyloxy)anthracene adsorbed on highly ordered pyrolytic graphite from various solvents and in different environments. *J Phys Chem C* 111: 7735-7740. <http://dx.doi.org/10.1021/jp0704968>.
- Polidori, A; Turpin, BJ; Davidson, CI; Rodenburg, LA; Maimone, F. (2008). Organic PM2.5: Fractionation by Polarity, FTIR Spectroscopy, and OM/OC Ratio for the Pittsburgh Aerosol. *Aerosol Sci Technol* 42: 233-246. <http://dx.doi.org/10.1080/02786820801958767>.
- Pollacknelson, C. (1995). ANALYSIS OF METHYLENE-CHLORIDE PRODUCT LABELING. *Ergonomics* 38: 2176-2187.
- Pollard, SJ; Farmer, JG; Knight, DM; Young, PJ. (2002). Matrix effects in applying mono- and polyclonal ELISA systems to the analysis of weathered oils in contaminated soil. *Environ Pollut* 117: 5-8.
- Poltue, T; Rangkupan, R; Dubas, ST; Dubas, L. (2011). Nickel (II) ions sensing properties of dimethylglyoxime/poly(caprolactone) electrospun fibers. *Mater Lett* 65: 2231-2234. <http://dx.doi.org/10.1016/j.matlet.2011.04.012>.
- Polyakova, OV; Mazur, DM; Artaev, VB; Lebedev, AT. (2016). Rapid liquid-liquid extraction for the reliable GC/MS analysis of volatile priority pollutants. *Environ Chem Lett* 14: 251-257. <http://dx.doi.org/10.1007/s10311-015-0544-0>.
- Polyakova, OV; Mazur, DM; Lebedev, AT. (2014). Improved sample preparation and GC-MS analysis of priority organic pollutants. *Environ Chem Lett* 12: 419-427. <http://dx.doi.org/10.1007/s10311-014-0464-4>.
- Ponomarenko, J; Dizhbite, T; Lauberts, M; Viksna, A; Dobeles, G; Bikovens, O; Telysheva, G. (2014). Characterization of Softwood and Hardwood LignoBoost Kraft Lignins with Emphasis on their Antioxidant Activity. *BioResources* 9: 2051-2068.
- Poonsri, W; Pluempunapat, W; Chitchirachan, P; Bullangpoti, V; Koul, O. (2015). Insecticidal alkanes from Bauhinia scandens var. horsfieldii against Plutella xylostella L. (Lepidoptera: Plutellidae). *Ind Crop Prod* 65: 170-174. <http://dx.doi.org/10.1016/j.indcrop.2014.11.040>.
- Popa, A; Ilia, G; Iliescu, S; Pascariu, A; Maranescu, B. (2005). Wittig Horner reactions on styrene-divinylbenzene type supports during the catalysis by interphase transfer. 2 The utilization of functionalized phosphonates. *Materiale Plastice* 42: 226-228.
- Popova, EA; Abiev, RS, h; Lappalainen, LA; Svetlov, SD; Andreeva, TV; Trifonov, RE; Ostrovskii, VA. (2014). Synthesis of 5-phenyltetrazole and its N-methyl Derivatives in a Microreactor. *Chemical and Biochemical Engineering Quarterly* 28: 241-246.
- Porter, E. (2006). OSHA compliance issues - Evaluation of worker exposure to TDI, MOCA, and methylene chloride. *J Occup Environ Hyg* 3: D50-D53. <http://dx.doi.org/10.1080/15459620600671688>.
- Portier, CJ; Kopp-Schneider, A. (1991). A multistage model of carcinogenesis incorporating DNA damage and repair. *Risk Anal* 11: 535-543.
- Portier, K; Tolson, JK; Roberts, SM. (2007). Body weight distributions for risk assessment. *Risk Anal* 27: 11-26. <http://dx.doi.org/10.1111/j.1539-6924.2006.00856.x>.

## Fate Literature Search Results

### Off Topic

- Portolés, T; Ibáñez, M; Sancho, JV; López, FJ; Hernández, F. (2009). Combined use of GC-TOF MS and UHPLC-(Q)TOF MS to investigate the presence of nontarget pollutants and their metabolites in a case of honeybee poisoning. *J Agric Food Chem* 57: 4079-4090. <http://dx.doi.org/10.1021/jf900099u>.
- Postaru, M; Bompa, AS; Galaction, AI; Blaga, AC; Cascaval, D. (2016). Comparative Study on Pantothenic Acid Separation by Reactive Extraction with Tri-n-octylamine and Di-(2-ethylhexyl) Phosphoric Acid. *Chemical and Biochemical Engineering Quarterly* 30: 81-92.
- Postaru, M; Carlescu, A; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM Propionibacterium acidipropionici BROTHS BY REACTIVE EXTRACTION 1. INTERFACIAL MECHANISM AND INFLUENCING FACTORS. *Environmental Engineering and Management Journal* 11: 709-716.
- Postaru, M; Kloetzer, L; Galaction, AI; Blaga, AC; Cascaval, D, an. (2014). COMPARATIVE STUDY ON ROSMARINIC ACID SEPARATION BY REACTIVE EXTRACTION WITH AMBERLITE LA-2 AND D2EHPA 2. KINETICS OF THE INTERFACIAL REACTIONS. *Environmental Engineering and Management Journal* 13: 1473-1482.
- Potyrailo, RA; Ding, Z; Butts, MD; Genovese, SE; Deng, T, ao. (2008). Selective chemical sensing using structurally colored core-shell colloidal crystal films. *IEEE Sens J* 8: 815-822. <http://dx.doi.org/10.1109/JSEN.2008.923191>.
- Poulton, TJ. (1997). Organic solvents and exacerbation of M.S. *Aviat Space Environ Med* 68: 1160-1160.
- Pouretedal, HR; Semnani, A; Keshavarz, MH; Firooz, AR. (2005). Spectrophotometric study of the interaction between aza-15-crown-5 and some pi-acceptors in chloroform solution. *Turkish Journal of Chemistry* 29: 647-658.
- Pourmortazavi, SM; Sefidkon, F; Hosseini, SG. (2003). Supercritical carbon dioxide extraction of essential oils from *Perovskia atriplicifolia* Benth. *J Agric Food Chem* 51: 5414-5419. <http://dx.doi.org/10.1021/jf0341619>.
- Pournaghi-Azar, MH; Bahar, S. (2001). Selective determination of trace-bismuth by extraction-differential pulse polarography in non-aqueous media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 20: 59-65.
- Pouteau, C; Cathala, B; Dole, P; Kurek, B; Monties, B. (2005). Structural modification of Kraft lignin after acid treatment: characterisation of the apolar extracts and influence on the antioxidant properties in polypropylene. *Ind Crop Prod* 21: 101-108. <http://dx.doi.org/10.1016/j.indcrop.2004.01.003>.
- Prabhakaran, MP; Zamani, M; Felice, B; Ramakrishna, S. (2015). Electro spraying technique for the fabrication of metronidazole contained PLGA particles and their release profile. *Mater Sci Eng C* 56: 66-73. <http://dx.doi.org/10.1016/j.msec.2015.06.018>.
- Pradhan, VR; Herrick, DE; Tierney, JW; Wender, I. (1991). FINELY DISPERSED IRON, IRON MOLYBDENUM, AND SULFATED IRON-OXIDES AS CATALYSTS FOR COPROCESSING REACTIONS. *Energy Fuels* 5: 712-720.
- Pradhan, VR; Tierney, JW; Wender, I; Huffman, GP. (1991). CATALYSIS IN DIRECT COAL-LIQUEFACTION BY SULFATED METAL-OXIDES. *Energy Fuels* 5: 497-507.
- Pradines, V; Tadmouri, R; Lavabre, D; Micheau, JC; Pimienta, V. (2007). Association, partition, and surface activity in biphasic systems displaying relaxation oscillations. *Langmuir* 23: 11664-11672. <http://dx.doi.org/10.1021/la7018154>.
- Prajapati, P; Agrawal, YK. (2014). SFC-MS/MS for identification and simultaneous estimation of the isoniazid and pyrazinamide in its dosage form. *Journal of Supercritical Fluids* 95: 597-602. <http://dx.doi.org/10.1016/j.supflu.2014.09.012>.
- Prajapati, SK; Tripathi, BD. (2008). Biomonitoring seasonal variation of urban air polycyclic aromatic hydrocarbons (PAHs) using *Ficus benghalensis* leaves. *Environ Pollut* 151: 543-548. <http://dx.doi.org/10.1016/j.envpol.2007.04.013>.
- Prakash, T; Ramasamy, S. (2012). Dye Sensitized Solar Cells Using Nanocrystalline CuAlO<sub>2</sub>/beta-CuSCN Embedded Poly(vinyl carbazole) Composites as Solid Hole-Transporter. 4: 29-34. <http://dx.doi.org/10.1166/sam.2012.1247>.
- Pranda, J; Brezny, R; Kosik, M; Micko, MM. (1991). STRUCTURE AND PERFORMANCE OF KRAFT LIGNIN FRACTIONS AS COMPONENTS IN RESOL ADHESIVES. *Tappi Journal* 74: 176-182.
- Prasad, GK; Singh, B. (2004). Reactions of sulphur mustard on impregnated carbons. *J Hazard Mater* 116: 213-217. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.003>.
- Prasad, GK; Singh, B. (2005). Impregnated carbon for degradation of diethyl sulphide. *J Hazard Mater* 126: 195-197. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.005>.
- Prasad, GK; Singh, B; Saradhi, UVR; Suryanarayana, MVS; Pandey, D. (2002). Adsorption and reaction of diethyl sulfide on active carbons with and without impregnants under static conditions. *Langmuir* 18: 4300-4306. <http://dx.doi.org/10.1021/la010636j>.
- Prasad, MR; Madhavi, G; Rao, AR; Kulkarni, SJ; Raghavan, KV. (2006). Synthesis, characterization of high Ti-containing Ti-MCM-41 catalysts and their activity evaluation in oxidation of cyclohexene and epoxidation of higher olefins. *Journal of Porous Materials* 13: 81-94. <http://dx.doi.org/10.1007/s10934-006-5493-3>.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Praveen, P; Loh, K, aiC. (2014). Solvent less extraction/stripping of phenol using trioctylphosphine oxide impregnated hollow fiber membranes - Experimental & modeling analysis. *Chem Eng J* 255: 641-649. <http://dx.doi.org/10.1016/j.cej.2014.06.097>.
- Preftakes, CJ; Schleier, JJ; Peterson, RK. (2011). Bystander exposure to ultra-low-volume insecticide applications used for adult mosquito management. *Int J Environ Res Public Health* 8: 2142-2152. <http://dx.doi.org/10.3390/ijerph8062142>.
- Preidecker, BLB. (1980). COMPARATIVE EXTRACTION OF HOUSTON AIR PARTICULATES WITH CYCLOHEXANE OR A MIXTURE OF BENZENE, METHANOL, AND DICHLOROMETHANE .2. *Environ Mutagen* 2: 85-88. <http://dx.doi.org/10.1002/em.2860020112>.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl<sub>4</sub>, CHCl<sub>3</sub> and CH<sub>2</sub>Cl<sub>2</sub> over metallic Fe. *Environ Chem Lett* 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.

## Fate Literature Search Results

### Off Topic

- Preisser, AM; Budnik, LT; Hampel, E; Baur, X. (2011). Surprises perilous: toxic health hazards for employees unloading fumigated shipping containers. *Sci Total Environ* 409: 3106-3113. <http://dx.doi.org/10.1016/j.scitotenv.2011.04.053>.
- Preslan, JE; Hatrel, BB; Emerson, M; White, L; George, WJ. (1993). An improved method for analysis of 2,4,6-trinitrotoluene and its metabolites from compost and contaminated soils. *J Hazard Mater* 33: 329-337.
- Presti, C; Alauzun, JG; Laurencin, D; Mutin, PH. (2013). Improvement of the Oxidative Stability of Nanodiamonds by Surface Phosphorylation. *Chem Mater* 25: 2051-2055. <http://dx.doi.org/10.1021/cm400066c>.
- Priamo, WL; de Cezaro, AM; Ferreira, SRS; Vladimir Oliveira, J. (2010). Precipitation and encapsulation of beta-carotene in PHBV using carbon dioxide as anti-solvent. *Journal of Supercritical Fluids* 54: 103-109. <http://dx.doi.org/10.1016/j.supflu.2010.02.013>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Prida, A; Heymann, H; Balanuta, A; Puechd, JL. (2009). Relation between chemical composition of oak wood used in cooperage and sensory perception of model extracts. *J Sci Food Agric* 89: 765-773. <http://dx.doi.org/10.1002/jsfa.3510>.
- Priser, C; Etievant, PX; Nicklaus, S; Brun, O. (1997). Representative champagne wine extracts for gas chromatography olfactometry analysis. *J Agric Food Chem* 45: 3511-3514.
- Pritchard, G; Randles, SJ. (1995). THE INTERACTION OF LIQUIDS WITH POLYARYL ETHER ETHER KETONE COMPOSITES. 24: 175-180.
- Pritchard, G; Randles, SJ. (1996). Stress, holes and chemicals: Environmental effects on carbon fibre reinforced PEEK laminates. *Polymers and Polymer Composites* 4: 353-360.
- Procentese, A; Raganati, F; Olivieri, G; Russo, ME; Salatino, P; Marzocchella, A. (2015). Continuous xylose fermentation by *Clostridium acetobutylicum*—Assessment of solventogenic kinetics. *Bioresour Technol* 192: 142-148. <http://dx.doi.org/10.1016/j.biortech.2015.05.041>.
- Prokopuk, N; Shriver, DF. (1999). Clusters on surfaces: Adsorption of  $\{M_6Cl_{12}\}_{n+}$  ( $M = Nb, Ta$ ) to gold and silver surfaces via thiocyanate bridges. *Chem Mater* 11: 1230-1236.
- Prokopy, RJ; Phillips, TW; Vargas, RI; Jang, EB. (1997). Defining sources of coffee plant odor attractive to *Ceratitis capitata* flies. *J Chem Ecol* 23: 1577-1587.
- Promarak, V; Ichikawa, M; Sudyoadsuk, T; Saengsuwan, S; Keawin, T. (2007). Synthesis and properties of hole-transporting fluorene linked bistrphenylamine. *Optical Materials* 30: 364-369. <http://dx.doi.org/10.1016/j.optmat.2006.11.059>.
- Prososki, RA; Etzel, MR; Rankin, SA. (2007). Solvent type affects the number, distribution, and relative quantities of volatile compounds found in sweet whey powder. *J Dairy Sci* 90: 523-531.
- Prus, W; Fabiańska, MJ; Łabno, R. (2015). Geochemical markers of soil anthropogenic contaminants in polar scientific stations nearby (Antarctica, King George Island). *Sci Total Environ* 518-519: 266-279. <http://dx.doi.org/10.1016/j.scitotenv.2015.02.096>.
- Prycek, J; Ciganek, M; Simek, Z. (2006). Pressurized solvent extraction of nitrated derivatives of polycyclic aromatic hydrocarbons from roadside dust. *Int J Environ Anal Chem* 86: 313-324. <http://dx.doi.org/10.1080/03067310500227902>.
- Pulido, P. (1999). Development of a low-temperature methylene chloride-free paint stripper safe for aluminum surfaces. *Plat Surf Finish* 86: 61-63.
- Purnama, P; Jung, Y; Kim, S, ooH. (2013). An Advanced Class of Bio-Hybrid Materials: Bionanocomposites of Inorganic Clays and Organic Stereocomplex Poly(lactides). *Macromolecular Materials & Engineering* 298: 263-269. <http://dx.doi.org/10.1002/mame.201200073>.
- Pyda, M; Guiochon, G. (1997). Surface properties of silica-based adsorbents measured by inverse gas-solid chromatography at finite concentration. *Langmuir* 13: 1020-1025.
- Pyda, M; Stanley, BJ; Xie, M; Guiochon, G. (1994). ANALYSIS OF THE SURFACE HETEROGENEITY OF UNMODIFIED AND MODIFIED SILICA BY CAPILLARY INVERSE GAS-SOLID CHROMATOGRAPHY AT FINITE DILUTION. *Langmuir* 10: 1573-1579.
- Pyo, SH; Choi, HJ. (2011). An improved high-performance liquid chromatography process for the large-scale production of paclitaxel. *Separation and Purification Technology* 76: 378-384. <http://dx.doi.org/10.1016/j.seppur.2010.11.009>.
- Pyo, SH; Kim, MS; Cho, JS; Song, BK; Han, BH; Choi, HJ. (2004). Efficient purification and morphology characterization of paclitaxel from cell cultures of *Taxus chinensis*. *J Chem Tech Biotechnol* 79: 1162-1168. <http://dx.doi.org/10.1002/jctb.1111>.
- Qasem, SM; Haimour, NM; Sayed, SA; Akash, BA. (2004). Salt-catalyzed activation of olive-seed waste residue using fluidized-bed reactor. *Energy Sources* 26: 751-760. <http://dx.doi.org/10.1080/00908310490445580>.
- Qi, C; Chen, Y; Huang, JH; Jin, QZ; Wang, XG. (2012). Preparation and characterization of catalase-loaded solid lipid nanoparticles based on soybean phosphatidylcholine. *J Sci Food Agric* 92: 787-793. <http://dx.doi.org/10.1002/jsfa.4646>.
- Qi, Z; Yu, H, ao; Chen, Y; Zhu, M. (2009). Highly porous fibers prepared by electrospinning a ternary system of nonsolvent/solvent/poly(L-lactic acid). *Mater Lett* 63: 415-418. <http://dx.doi.org/10.1016/j.matlet.2008.10.059>.
- Qian, PY; Dobretsov, S; Dahms, HU; Pawlik, J. (2006). Antifouling activity and microbial diversity of two congeneric sponges *Callyspongia* spp. from Hong Kong and the Bahamas. *Mar Ecol Prog Ser* 324: 151-165.
- Qibin, L; Yonggui, Z. (2007). Iridium-catalyzed asymmetric hydrogenation of (2H-chromen-3-yl) methanols. *Chinese journal of catalysis* 28: 847-849.
- Qin, H; Ma, J; Qing, W; Liu, H; Chi, M; Bai, J; Zhang, L. (2015). SHALE OIL RECOVERY FROM OIL SHALE SLUDGE USING SOLVENT EXTRACTION AND SURFACTANT WASHING. *Oil Shale* 32: 269-287. <http://dx.doi.org/10.3176/oil.2015.3.06>.
- Qin, S; Gan, J. (2007). Abiotic enantiomerization of permethrin and cypermethrin: effects of organic solvents. *J Agric Food Chem* 55: 5734-5739. <http://dx.doi.org/10.1021/jf0708894>.

## Fate Literature Search Results

### Off Topic

- Qingshan, K; Chunxiang, G; Yuling, S; Haijuan, W; Quan, J; Yanzhi, X. (2011). Photocatalytic degradation of methylene blue using ZnO made by thermal degradation of Zn-alginate fibers. *Rare Metals* 30: 213-216. <http://dx.doi.org/10.1007/s12598-011-0271-z>.
- Qiu, L; Li, Y; Wang, Z, he; Xue, M, in; Xu, Z; Meng, Z; Ma, X; Yi, D, a; Lin, Z. (2016). Investigation of the Solubility of 3,4-Diaminofurazan (DAF) and 3,3-Diamino-4,4-azoxyfurazan (DAAF) at Temperatures Between 293.15K and 313.15K. *Propellants, Explosives, Pyrotechnics* 41: 883-887. <http://dx.doi.org/10.1002/prep.201500242>.
- Qiu, LG; Xie, AJ; Shen, YH. (2005). A novel triazole-based cationic gemini surfactant: synthesis and effect on corrosion inhibition of carbon steel in hydrochloric acid. *Mater Chem Phys* 91: 269-273. <http://dx.doi.org/10.1016/j.matchemphys.2004.11.022>.
- Qiu, S; Sun, L; Chu, H; Zou, Y; Xu, F, en; Matsuda, N. (2009). Study of adsorption behaviors of meso-tetrakis (4-N-Methylpyridyl) porphine p-Toluenesulfonate at indium-tin-oxide electrode/solution interface by in-situ internal reflection spectroscopy and cyclic voltammetry. *Thin Solid Films* 517: 2905-2911. <http://dx.doi.org/10.1016/j.tsf.2008.11.135>.
- Qu, X; Cao, Y; Chen, C; Die, X; Kang, Q. (2015). A poly(lactide-co-glycolide) film loaded with abundant bone morphogenetic protein-2: A substrate-promoting osteoblast attachment, proliferation, and differentiation in bone tissue engineering. *J Biomed Mater Res A* 103: 2786-2796. <http://dx.doi.org/10.1002/jbm.a.35379>.
- Quaresima, C; Cricenti, A; Ottaviani, C; Perfetti, P; Le Lay, G. (2001). Unambiguous identification of the Si 2p surface core-level shifts in Sb and Ag terminated silicon surfaces studied with high energy resolution photoemission. *J Alloy Comp* 328: 187-192.
- Queiroz, SC; Cantrell, CL; Duke, SO; Wedge, DE; Nandula, VK; Moraes, RM; Cerdeira, AL. (2012). Bioassay-directed isolation and identification of phytotoxic and fungitoxic acetylenes from *Conyza canadensis*. *J Agric Food Chem* 60: 5893-5898. <http://dx.doi.org/10.1021/jf3010367>.
- Quideau, S; Ralph, J. (1994). A BIOMIMETIC ROUTE TO LIGNIN MODEL COMPOUNDS VIA SILVER(I) OXIDE OXIDATION .1. SYNTHESIS OF DILIGNOLS AND NONCYCLIC BENZYL ARYL ETHERS. *Holzforschung* 48: 12-22.
- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Quiterio, SL; Arbilla, G; Bauerfeldt, GF; Moreira, JC. (2007). Polycyclic aromatic hydrocarbons and their molecular diagnostic ratios in airborne particles (PM10) collected in Rio de Janeiro, Brazil. *Water Air Soil Pollut* 179: 79-92. <http://dx.doi.org/10.1007/s11270-006-9215-x>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Raabe, F; Brandl, A; Strobl, J; Dautzenberg, D; Lierse, C; Wichmann, G; Mucke, W. (1999). To the genotoxicity of stack gas condensates of Bavarian waste incineration plants - I. Stack gas condensate - Techniques of sample collection. *Zentralblatt fuer Hygiene und Umweltmedizin* 201: 473-485.
- Rabago-Castro, JL; Sanchez, JG; Perez-Castaneda, R; Gonzalez-Gonzalez, A. (2006). Effects of the prophylactic use of Romet (R)-30 and copper sulfate on growth, condition and feeding indices in Channel catfish (*Ictalurus punctatus*). *Aquaculture* 253: 343-349. <http://dx.doi.org/10.1016/j.aquaculture.2005.06.017>.
- Rada, OP; Crespo, SR; Miranda, FT. (1997). Analysis of climate scenarios for Bolivia. *Clim Res* 9: 115-120.
- Radzimska-Lenarcik, E. (2007). Effect of alkyl chain length on the extraction of copper(II) complexes with 1-alkyl-2-methylimidazoles. *Separation Science and Technology* 42: 2661-2675. <http://dx.doi.org/10.1080/01496390701515003>.
- Radzimska-Lenarcik, E. (2008). Influence of the Steric Hindrance, Ligand Hydrophobicity, and DN of solvents on Structure and Extraction of Cu(II) Complexes of 1-Alkyl-2-Ethylimidazoles. *Separation Science and Technology* 43: 794-814. <http://dx.doi.org/10.1080/01496390701870655>.
- Radzimska-Lenarcik, E; Witt, K. (2015). The Influence of Alkyl Chain Length and Steric Effect on the Stability Constants and Extractability of Co(II) Complexes with 1-Alkyl-2-Methylimidazoles. *Separation Science and Technology* 50: 676-682. <http://dx.doi.org/10.1080/01496395.2014.959600>.
- Raetano, CG; Debatista, GC. (1995). RESIDUE DETERMINATION OF PHENTHOATE IN TOMATO FRUITS. *Pesqui Agropecu Bras* 30: 31-36.
- Rafecas, M; Mosler, B; Dietz, M; Pogl, M; Stamatakis, A; Mcelroy, DP; Ziegler, SI. (2004). Use of a Monte Carlo-based probability matrix for 3-D iterative reconstruction of MADPET-II data. *IEEE Trans Nucl Sci* 51: 2597-2605. <http://dx.doi.org/10.1109/TNS.2004.834827>.
- Rafi, M; Singh, SM; Kanchan, V; Anish, CK; Panda, AK. (2010). Controlled release of bioactive recombinant human growth hormone from PLGA microparticles. *J Microencapsul* 27: 552-560. <http://dx.doi.org/10.3109/02652048.2010.489974>.
- Rafighi, P; Yaftian, MR; Noshiranzadeh, N. (2010). Solvent extraction of cobalt(II) ions; cooperation of oximes and neutral donors. *Separation and Purification Technology* 75: 32-38. <http://dx.doi.org/10.1016/j.seppur.2010.07.006>.
- Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO2 separation from natural gas. *J Memb Sci* 378: 444-452. <http://dx.doi.org/10.1016/j.memsci.2011.05.025>.
- Raga, DD; Alimboyoguen, AB; Shen, CC; Herrera, AA; Ragasa, CY. (2011). Triterpenoids and an Anti-Angiogenic Sterol from *Ardisia pyramidalis* (Cav.) Pers. 94: 132-139.
- Ragunath, S; Mitra, S. (2015). Carbon Nanotube Immobilized Composite Hollow Fiber Membranes for Extraction of Volatile Organics from Air. *J Phys Chem C* 119: 13231-13237. <http://dx.doi.org/10.1021/acs.jpcc.5b01213>.
- Raguse, B; Barton, CS; Mueller, KH; Chow, E; Wieczorek, L. (2009). Gold Nanoparticle Chemiresistor Sensors in Aqueous Solution: Comparison of Hydrophobic and Hydrophilic Nanoparticle Films. *J Phys Chem C* 113: 15390-15397. <http://dx.doi.org/10.1021/jp9034453>.
- Rahimi, PM; Gentzsis, T. (2003). Thermal hydrocracking of Cold Lake vacuum bottoms asphaltenes and their subcomponents. *Fuel Process Tech* 80: 69-79.
- Raiendran, S; Mishra, SP. (2007). Chemical, structural and thermal changes in PET caused by solvent induced polymer crystallisation. *Polymers and Polymer Composites* 15: 103-110.

## Fate Literature Search Results

### Off Topic

- Rajmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raimondi, S; Paracchini, V; Autrup, H; Barros-Dios, JM; Benhamou, S; Boffetta, P; Cote, ML; Dialyna, IA; Dolzan, V; Filiberti, R; Garte, S; Hirvonen, A; Husgafvel-Pursiainen, K; Imyanitov, EN; Kalina, I; Kang, D; Kiyohara, C; Kohno, T; Kremers, P; Lan, Q; London, S; Povey, AC; Rannug, A; Reszka, E; Risch, A; Romkes, M; Schneider, J; Seow, A; Shields, PG; Sobti, RC; Sørensen, M; Spinola, M; Spitz, MR; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Tokudome, S; Yang, P; Yuan, JM; Warholm, M; Taioli, E. (2006). Meta- and pooled analysis of GSTT1 and lung cancer: a HuGE-GSEC review. *Am J Epidemiol* 164: 1027-1042. <http://dx.doi.org/10.1093/aje/kwj321>.
- Raimundo, JM; Lecomte, S; Edelman, MJ; Concilio, S; Biaggio, I; Bosshard, C; Gunter, P; Diederich, F. (2004). Synthesis and properties of a ROMP backbone polymer with efficient, laterally appended nonlinear optical chromophores. *J Mater Chem* 14: 292-295. <http://dx.doi.org/10.1039/b314789d>.
- Rajbongshi, BK; Nair, NN; Nethaji, M; Ramanathan, G. (2012). Segregation into Chiral Enantiomeric Conformations of an Achiral Molecule by Concomitant Polymorphism. *Cryst Growth Des* 12: 1823-1829. <http://dx.doi.org/10.1021/cg201313g>.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Abrasion resistance of modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 276-279.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Mechanical properties of solvent-induced modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 179-183.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). Influence of solvent pretreatment on dyeing performance of polyester yarns. *Indian Journal of Fibre & Textile Research* 22: 44-52.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). A study on some physical properties of modified cotton yarn. *Indian Journal of Fibre & Textile Research* 22: 154-162.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1998). Effect of solvent treatment on mechanical, structural and dyeing properties of regenerated cellulosic yams. *Indian Journal of Fibre & Textile Research* 23: 170-176.
- Rajendraprasad, N; Basavaiah, K; Vinay, KB. (2011). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF QUETIAPINE FUMARATE IN PHARMACEUTICALS AND HUMAN URINE USING CALMAGITE AS AN ION-PAIR REAGENT. *Chemical Industry and Chemical Engineering Quarterly* 17: 259-267. <http://dx.doi.org/10.2298/CICEQ101124010R>.
- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater* 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, S; Murthy, ZVP. (2016). PSU/PET copolymer-based asymmetric polymeric membranes: influence of antioxidant. *Desalination and Water Treatment* 57: 26820-26829. <http://dx.doi.org/10.1080/19443994.2015.1120688>.
- Rajput, N; Lakhani, A. (2009). Measurements of polycyclic aromatic hydrocarbons at an industrial site in India. *Environ Monit Assess* 150: 273-284. <http://dx.doi.org/10.1007/s10661-008-0229-2>.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ* 8: 157-182.
- Ramachandran, R; Khan, ZR. (1991). Mechanisms of resistance in wild rice *Oryza brachyantha* to rice leaf folder *Cnaphalocrocis medinalis* (Guenée) (Lepidoptera: Pyralidae). *J Chem Ecol* 17: 41-65.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater* 261: 362-371. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.048>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Different families of volatile organic compounds pollution control by microporous carbons in temperature swing adsorption processes. *J Hazard Mater* 221-222: 242-247. <http://dx.doi.org/10.1016/j.jhazmat.2012.04.037>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Recovery comparisons--hot nitrogen Vs steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 205-206: 222-228. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.062>.
- Ramalingam, SG; Saussac, J; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Nicolas, S; Baudouin, O; Déchelotte, S; Medevielle, A. (2011). Hazardous dichloromethane recovery in combined temperature and vacuum pressure swing adsorption process. *J Hazard Mater* 198: 95-102. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.019>.
- Ramanujam, BTS; Mahale, RY; Radhakrishnan, S. (2010). Polyethersulfone-expanded graphite nanocomposites: Charge transport and impedance characteristics. *Compos Sci Tech* 70: 2111-2116. <http://dx.doi.org/10.1016/j.compscitech.2010.08.008>.
- Ramanujam, BTS; Radhakrishnan, S. (2015). Solution-blended polyethersulfone-graphite hybrid composites: Formation of nanographite and electrical characterization. *Journal of Thermoplastic Composite Materials* 28: 835-848. <http://dx.doi.org/10.1177/0892705713518784>.
- Ramasamy; Murugan, A. (2005). Potential antimicrobial activity of marine molluscs from Tuticorin, southeast coast of India against 40 biofilm bacteria. *J Shellfish Res* 24: 243-251.
- Ramesh, PJ; Basavaiah, K; Devi, OZ; Vinay, KB. (2010). SIMPLE AND SENSITIVE SPECTROPHOTOMETRIC ASSAY OF OFLOXACIN IN PHARMACEUTICALS BASED ON ION-PAIR REACTION. *Chemical Industry and Chemical Engineering Quarterly* 16: 353-362. <http://dx.doi.org/10.2298/CICEQ100328037R>.
- Ramirez, AA; Benard, S; Giroir-Fendler, A; Jones, JP; Heitz, M. (2008). Treatment of methanol vapours in biofilters packed with inert materials. *J Chem Tech Biotechnol* 83: 1288-1297. <http://dx.doi.org/10.1002/jctb.1944>.
- Ramirez, WA; Domene, X; Andrés, P; Alcañiz, JM. (2008). Phytotoxic effects of sewage sludge extracts on the germination of three plant species. *Ecotoxicology* 17: 834-844. <http://dx.doi.org/10.1007/s10646-008-0246-5>.

## Fate Literature Search Results

### Off Topic

- Ramos Chagas, G; Darmanin, T; Guittard, F. (2016). One-Step and Templateless Electropolymerization Process Using Thienothiophene Derivatives To Develop Arrays of Nanotubes and Tree-like Structures with High Water Adhesion. 8: 22732-22743. <http://dx.doi.org/10.1021/acsami.6b08536>.
- Ramos da Silva, JM; Nascimento, M, daG. (2012). Chemoenzymatic epoxidation of citronellol catalyzed by lipases. *Process Biochemistry* 47: 517-522. <http://dx.doi.org/10.1016/j.procbio.2011.12.019>.
- Rampon, DS; Rodembusch, FS; Schneider, JMF, M; Bechtold, IH; Goncalves, PFB; Merlo, AA; Schneider, PH. (2010). Novel selenoesters fluorescent liquid crystalline exhibiting a rich phase polymorphism. *J Mater Chem* 20: 715-722. <http://dx.doi.org/10.1039/b917366h>.
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen* 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Ranby, KW; Lewis, MA; Toll, BA; Rohrbaugh, MJ; Lipkus, IM. (2013). Perceptions of smoking-related risk and worry among dual-smoker couples. 15: 734-738. <http://dx.doi.org/10.1093/ntr/nts210>.
- Randerath, K; Randerath, E; Zhou, GD; Supunpong, N; He, LY; McDonald, TJ; Donnelly, KC. (1999). Genotoxicity of complex PAH mixtures recovered from contaminated lake sediments as assessed by three different methods. *Environ Mol Mutagen* 33: 303-312.
- Ranieri, G; Hallett, JP; Welton, T, om. (2008). Nucleophilic reactions at cationic centers in ionic liquids and molecular solvents. *Ind Eng Chem Res* 47: 638-644. <http://dx.doi.org/10.1021/ie070632v>.
- Rantakyla, M; Jantti, M; Aaltonen, O; Hurme, M. (2002). The effect of initial drop size on particle size in the supercritical antisolvent precipitation (SAS) technique. *Journal of Supercritical Fluids* 24: 251-263.
- Rao, CM; Sudarsan, V; Ningthoujam, RS; Gautam, UK; Vatsa, RK; Vinu, A; Tyagi, AK. (2008). Luminescence studies on low temperature synthesized ZnGa2O4:Ln3+ (Ln = Tb and Eu) nanoparticles. *J Nanosci Nanotechnol* 8: 5776-5780. <http://dx.doi.org/10.1166/jnn.2008.246>.
- Rashed, K; Ciric, A, na; Glamoclija, J; Calhelha, RC; Ferreira, ICF, R; Sokovic, M. (2014). Antimicrobial and cytotoxic activities of *Alnus rugosa* L. aerial parts and identification of the bioactive components. *Ind Crop Prod* 59: 189-196. <http://dx.doi.org/10.1016/j.indcrop.2014.05.017>.
- Rastogi, SC. (1994). Regulation of dichloromethane and 1,1,1-trichloroethane in cosmetic products. *Sci Total Environ* 156: 23-25. [http://dx.doi.org/10.1016/0048-9697\(94\)90417-0](http://dx.doi.org/10.1016/0048-9697(94)90417-0).
- Ravandi, SAH; Chegoonian, P; Basiri, F; Fiez, M. (2013). Nanofibrous Membrane of Sulfonated Poly(ethylene terephthalate) for Removal of Metal Ions. *Current Nanoscience* 9: 648-653.
- Ravi, R; Philip, L; Swaminathan, T. (2010). Comparison of biological reactors (biofilter, biotrickling filter and modified RBC) for treating dichloromethane vapors. *J Chem Tech Biotechnol* 85: 634-639. <http://dx.doi.org/10.1002/jctb.2344>.
- Ravi, R; Philip, L; Swaminathan, T. (2014). Modified rotating biological contactor for removal of dichloromethane vapours. *Environ Technol* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.953553>.
- Ravikumara, NR; Bharadwaj, M; Madhusudhan, B. (2016). Tamoxifen citrate-loaded poly(D,L) lactic acid nanoparticles: Evaluation for their anticancer activity in vitro and in vivo. *J Biomater Appl* 31: 755-772. <http://dx.doi.org/10.1177/0885328216670561>.
- Rawi, SM; Al-Hazmi, MA; Torkey, HM; Kamel, AK. (2016). Importance of plant extract formulations in managing desert locust *Schistocerca gregaria*. *J Environ Biol* 37: 453-462.
- Rayburn, JR; Aladdin, RK. (2003). Developmental toxicity of copper, chromium, and aluminum using the shrimp embryo teratogenesis assay: Palaemonid with artificial seawater. *Bull Environ Contam Toxicol* 71: 481-488. <http://dx.doi.org/10.1007/s00128-003-8741-0>.
- Rayburn, JR; Fisher, WS. (1999). Developmental toxicity of copper chloride, methylene chloride, and 6-aminonicotinamide to embryos of the grass shrimp *Palaemonetes pugio*. *Environ Toxicol Chem* 18: 950-957.
- Razote, EB; Maghirang, RG; Seitz, LM; Jeon, IJ. (2004). Characterization of volatile organic compounds on airborne dust in a swine finishing barn. *Trans ASAE* 47: 1231-1238.
- Ré, N; Kataoka, VM; Cardoso, CA; Alcantara, GB; de Souza, JB. (2015). Polycyclic aromatic hydrocarbon concentrations in gas and particle phases and source determination in atmospheric samples from a semiurban area of Dourados, Brazil. *Arch Environ Contam Toxicol* 69: 69-80. <http://dx.doi.org/10.1007/s00244-015-0153-8>.
- Reaves, JT; Griffith, AT; Roberts, CB. (1998). Critical properties of dilute carbon dioxide plus entrainer and ethane plus entrainer mixtures. *Journal of Chemical and Engineering Data* 43: 683-686.
- Rebeck, TR; Walker, AH; Jaffe, JM; White, DL; Wein, AJ; Malkowicz, SB. (1999). Glutathione S-transferase-mu (GSTM1) and -theta (GSTT1) genotypes in the etiology of prostate cancer. *Cancer Epidemiol Biomarkers Prev* 8: 283-287.
- Reber, N; Kuchel, A; Spohr, R; Wolf, A; Yoshida, M. (2001). Transport properties of thermo-responsive ion track membranes. *J Memb Sci* 193: 49-58.
- Recelj, P; Gorenssek, M. (2006). The influence of stabilization under various conditions and subsequent treatment of polyester fabric on the quantity and composition of extracted oligomers. *Text Res J* 76: 322-327. <http://dx.doi.org/10.1177/0040517506062454>.
- Recelj, P; Gorenssek, M; Zigon, M. (2002). The influence of treatment conditions on the quantity and composition of oligomers extracted from polyester fabric. *Text Res J* 72: 447-453.
- Reddy, CM; Quinn, JG. (1999). GC-MS analysis of total petroleum hydrocarbons and polycyclic aromatic hydrocarbons in seawater samples after the North Cape oil spill. *Mar Pollut Bull* 38: 126-135.
- Regisrolle, SD; Bauville, GM. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF CARBENDAZIM RESIDUES IN CROPS, GRAINS, AND WINES WITH FLUORESCENT DETECTION. *Pestic Sci* 37: 273-282.
- Rehor, A; Canaple, L; Zhang, ZB; Hunkeler, D. (2001). The compressive deformation of multicomponent microcapsules: Influence of size, membrane thickness, and compression speed. *J Biomater Sci Polym Ed* 12: 157-170.

## Fate Literature Search Results

### Off Topic

- Reid, BJ; Jones, KC; Semple, KT. (2000). Bioavailability of persistent organic pollutants in soils and sediments - a perspective on mechanisms, consequences and assessment. *Environ Pollut* 108: 103-112. [http://dx.doi.org/10.1016/S0269-7491\(99\)00206-7](http://dx.doi.org/10.1016/S0269-7491(99)00206-7).
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2000). Nonexhaustive cyclodextrin-based extraction technique for the evaluation of PAH bioavailability. *Environ Sci Technol* 34: 3174-3179. <http://dx.doi.org/10.1021/es990946c>.
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2004). Influence of hydroxypropyl-beta-cyclodextrin on the extraction and biodegradation of phenanthrene in soil. *Environ Toxicol Chem* 23: 550-556.
- Reilly, SA; Krick, T; Dass, A. (2010). Surfactant-free Synthesis of Ultrasmall Gold Nanoclusters. *J Phys Chem C* 114: 741-745. <http://dx.doi.org/10.1021/jp9067944>.
- Reimer, GJ; Noot, D; Suarez, A. (1995). SUPERCRITICAL-FLUID EXTRACTION OF ORGANOCHLORINE PESTICIDES FROM SOIL. *Int J Environ Anal Chem* 59: 91-96.
- Ren, L; Dong, Z; Jiang, M, an; Tong, J, in; Zhou, J. (2014). Hydrophobization of starch nanocrystals through esterification in green media. *Ind Crop Prod* 59: 115-118. <http://dx.doi.org/10.1016/j.indcrop.2014.05.014>.
- Ren, X; Zhang, X; Zhang, L; Han, R. (2013). Biosorption of methylene blue by natural and chemical modified wheat straw in fixed-bed column. *Desalination and Water Treatment* 51: 4514-4523. <http://dx.doi.org/10.1080/19443994.2012.741776>.
- Repoppi, N; Santiagosilva, M. (2005). Polycyclic aromatic hydrocarbons and other selected organic compounds in ambient air of Campo Grande City, Brazil. *Atmos Environ* 39: 2839-2850. <http://dx.doi.org/10.1016/j.atmosenv.2004.10.006>.
- Repussard, C; Tardieu, D; Alberich, M; Guerre, P. (2014). A new method for the determination of lolitrem B in plant materials. *Anim Feed Sci Technol* 193: 141-147. <http://dx.doi.org/10.1016/j.anifeedsci.2014.04.004>.
- Retamal, M; Costa, C; Suarez, JM; Richter, P. (2013). Multi-determination of organic pollutants in water by gas chromatography coupled to triple quadrupole mass spectrometry. *Int J Environ Anal Chem* 93: 93-107. <http://dx.doi.org/10.1080/03067319.2011.637195>.
- Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. *Powder Technology* 106: 23-29.
- Reverchon, E; Della Porta, G; De Rosa, I; Subra, P; Letourneur, D. (2000). Supercritical antisolvent micronization of some biopolymers. *Journal of Supercritical Fluids* 18: 239-245.
- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data* 44: 1139-1145.
- Rey, A; Blanc, N; Cannot, JC; Berthod, A. (2011). DETERMINATION OF SHORT POLYCHLORINATED ALKANES IN LEATHER USING GAS CHROMATOGRAPHY-ELECTRON CAPTURE NEGATIVE CHEMICAL IONIZATION MASS SPECTROMETRY. *American Leather Chemists Association Journal* 106: 294-302.
- Reyes-Chilpa, R; Gomez-Garibay, F; Moreno-Torres, G; Jimenez-Estrada, M; Quiroz-Vasquez, RI. (1998). Flavonoids and isoflavonoids with antifungal properties from *Platymiscium yucatanum* heartwood. *Holzforschung* 52: 459-462.
- Reza, MS; Whateley, TL. (1998). Iodo-2'-deoxyuridine (IUdR) and 125IUdR loaded biodegradable microspheres for controlled delivery to the brain. *J Microencapsul* 15: 789-801.
- Rezaeian, S; Saadatmand, S; Sattari, TN; Mirshamsi, A. (2015). Antioxidant potency of Iranian newly cultivated wild mushrooms of *Agaricus* and *Pleurotus* species. *Biomedical Research* 26: 534-542.
- Rezayati-Charani, P; Mohammadi-Rovshandeh, J; Hashemi, SJ; Kazemi-Najafi, S. (2006). Influence of dimethyl formamide pulping of bagasse on pulp properties. *Bioresour Technol* 97: 2435-2442. <http://dx.doi.org/10.1016/j.biortech.2005.08.026>.
- Rezvanpour, A; Attia, ABE; Wang, C, hiHwa. (2010). Enhancement of Particle Collection Efficiency in Electrohydrodynamic Atomization Process for Pharmaceutical Particle Fabrication. *Ind Eng Chem Res* 49: 12620-12631. <http://dx.doi.org/10.1021/ie1009662>.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect* 108: 343-358.
- Rial, D; Vázquez, JA; Mendiña, A; García, AM; González, MP; Mirón, J; Murado, MA. (2013). Toxicity of binary mixtures of oil fractions to sea urchin embryos. *J Hazard Mater* 263 Pt 2: 431-440. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.059>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Richter, H; Risoul, V; Lafleur, AL; Plummer, EF; Howard, JB; Peters, WA. (2000). Chemical characterization and bioactivity of polycyclic aromatic hydrocarbons from non-oxidative thermal treatment of pyrene-contaminated soil at 250-1.000 degrees C. *Environ Health Perspect* 108: 709-717. <http://dx.doi.org/10.1289/ehp.00108709>.
- Riddick, L; Gentry, EL; Mcdaniel, M; Brumley, WC. (2006). Evaluation of N-methyl-N-tert-butyl-dimethylsilyl trifluoroacetamide for environmental analysis under both EIMS and electron capture NICIMS conditions and comparison to trimethylsilyl reagents under EIMS. *Int J Environ Anal Chem* 86: 299-312. <http://dx.doi.org/10.1080/03067310500211294>.
- Riddle, B; Baker-Jarvis, J; Krupka, J. (2003). Complex permittivity measurements of common plastics over variable temperatures. *I E E E Transactions on Microwave Theory and Techniques* 51: 727-733. <http://dx.doi.org/10.1109/TMTT.2003.808730>.
- Riente, P; Mendoza, C; Pericas, MA. (2011). Functionalization of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles for organocatalytic Michael reactions. *J Mater Chem* 21: 7350-7355. <http://dx.doi.org/10.1039/c1jm10535c>.
- Riley, DM; Small, MJ; Fischhoff, B. (2000). Modeling methylene chloride exposure-reduction options for home paint-stripper users. *J Expo Anal Environ Epidemiol* 10: 240-250.
- Rimbach, G; Brandt, K; Weigand, E. (1998). Gaschromatographic determination of trimethylamine in urine. *Agribiol Res* 51: 213-218.



## Fate Literature Search Results

### Off Topic

- Rindone, B; Saliu, F; Bertoa, RS. (2008). Functionalization of the unactivated carbon-hydrogen bond via ozonation. *Ozone: Science and Engineering* 30: 165-171. <http://dx.doi.org/10.1080/01919510701864221>.
- Rindone, B; Saliu, F; Suarez-Bertoa, R. (2010). The Synthesis of Phthalic Anhydride via Ozonation of Naphthalene. *Ozone: Science and Engineering* 32: 161-165. <http://dx.doi.org/10.1080/01919511003788001>.
- Ringardlefevre, C; Baszkin, A. (1994). BEHAVIOR OF POLY(D,L-LACTIC ACID) MONOLAYERS AT THE AIR-WATER-INTERFACE - EFFECT OF SPREADING SOLVENTS. *Langmuir* 10: 2376-2381.
- Rios, P; Cabral, V; Santos, S; Mori, F; Graca, J. (2014). The chemistry of Kiehmeyera coriacea outer bark: a potential source for cork. *Holz als Roh- und Werkstoff* 72: 509-519. <http://dx.doi.org/10.1007/s00107-014-0811-y>.
- Risoul, V; Richter, H; Lafleur, AL; Plummer, EF; Gilot, P; Howard, JB; Peters, WA. (2005). Effects of temperature and soil components on emissions from pyrolysis of pyrene-contaminated soil. *J Hazard Mater* 126: 128-140. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.019>.
- Robbins, SL; Angell, M. (1976). *Basic Pathology Disease at the cellular level* (2 ed.). Toronto: Saunders Company.
- Roberts, AL; Lyall, K; Hart, JE; Laden, F; Just, AC; Bobb, JF; Koenen, KC; Ascherio, A; Weisskopf, MG. (2013). Perinatal Air Pollutant Exposures and Autism Spectrum Disorder in the Children of Nurses' Health Study II Participants. *Environ Health Perspect* 121: 978-984. <http://dx.doi.org/10.1289/ehp.1206187>.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol* 26: 2263-2274.
- Roberts, MF; Jenekhe, SA. (1993). LEWIS-ACID COORDINATION-COMPLEXES OF POLYMERS .1. BCL<sub>3</sub>, ALCL<sub>3</sub>, AND GACL<sub>3</sub> COMPLEXES OF POLY(P-PHENYLENEBENZOBISTHIAZOLE). *Chem Mater* 5: 1744-1754.
- Robertson, GW; Griffiths, DW; Birch, ANE; Jones, AT; Mcnicol, JW; Hall, JE. (1991). FURTHER EVIDENCE THAT RESISTANCE IN RASPBERRY TO THE VIRUS VECTOR APHID, AMPHOROPHORA-IDAEI, IS RELATED TO THE CHEMICAL-COMPOSITION OF THE LEAF SURFACE. *Ann Appl Biol* 119: 443-449.
- Robin; Arora, S; Vig, A. (2015). Inhibition of DNA oxidative damage and antimutagenic activity by dichloromethane extract of Brassica rapa var. rapa L. seeds. *Ind Crop Prod* 74: 585-591. <http://dx.doi.org/10.1016/j.indcrop.2015.05.038>.
- Robinson, SC; Hinsch, E; Weber, G; Freitas, S. (2014). Method of extraction and resolubilisation of pigments from Chlorociboria aeruginosa and Scytalidium cuboideum, two prolific spalting fungi. *Color Technol* 130: 221-225. <http://dx.doi.org/10.1111/cote.12080>.
- Robinson, SC; Hinsch, E; Weber, G; Leipus, K; Cerney, D. (2014). Wood Colorization through Pressure Treating: The Potential of Extracted Colorants from Spalting Fungi as a Replacement for Woodworkers' Aniline Dyes. *Materials* 7: 5427-5437. <http://dx.doi.org/10.3390/ma7085427>.
- Robu, T; Leonte, C; Gile, E; Vatavu, R; Robu, B. (2010). IMPACT OF CHEMICALS ON DERIVATIVES WITH IMPORTANT THERAPEUTIC ACTIVITY IN CALENDULA OFFICINALIS L. FLORES. *Environmental Engineering and Management Journal* 9: 33-37.
- Rocha, SM; Coutinho, P; Delgadillo, I; Cardoso, AD; Coimbra, MA. (2005). Effect of enzymatic aroma release on the volatile compounds of white wines presenting different aroma potentials. *J Sci Food Agric* 85: 199-205. <http://dx.doi.org/10.1002/jsfa.1937>.
- Roche, V; Vacandio, F; Bertin, D; Massiani, Y. (2006). Corrosion performance of lamellae nanostructured fluorinated organic coating applied on steel. *Journal of Electroceramics* 16: 41-47. <http://dx.doi.org/10.1007/s10832-006-2366-8>.
- Rochester, CW; Mauger, SA; Moule, AJ. (2012). Investigating the Morphology of Polymer/Fullerene Layers Coated Using Orthogonal Solvents. *J Phys Chem C* 116: 7287-7292. <http://dx.doi.org/10.1021/jp212341a>.
- Rochford, J; Galoppini, E. (2008). Zinc(II) tetraarylporphyrins anchored to TiO<sub>2</sub>, ZnO, and ZrO<sub>2</sub> nanoparticle films through rigid-rod linkers. *Langmuir* 24: 5366-5374. <http://dx.doi.org/10.1021/la703845u>.
- Rodigast, M; Mutzel, A; Iinuma, Y; Haferkorn, S; Herrmann, H. (2015). Characterisation and optimisation of a sample preparation method for the detection and quantification of atmospherically relevant carbonyl compounds in aqueous medium. *Atmos Meas Tech* 8: 2409-2416. <http://dx.doi.org/10.5194/amt-8-2409-2015>.
- Rodrigues Filho, G; Ribeiro, SD; Meireles, C, daS; da Silva, LG; Ruggiero, R; Ferreira Junior, MF; Cerqueira, DA; Nascimento de Assuncao, RM; Zeni, M; Polleto, P. (2011). Release of doxycycline through cellulose acetate symmetric and asymmetric membranes produced from recycled agroindustrial residue: Sugarcane bagasse. *Ind Crop Prod* 33: 566-571. <http://dx.doi.org/10.1016/j.indcrop.2010.10.037>.
- Rodriguez Arana, JM; Mazzoco, RR. (2010). Adsorption studies of methylene blue and phenol onto black stone cherries prepared by chemical activation. *J Hazard Mater* 180: 656-661. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.08>.
- Rodríguez, SM; Gálvez, JB; Rubio, MI; Ibáñez, PF; Gernjak, W; Alberola, IO. (2005). Treatment of chlorinated solvents by TiO<sub>2</sub> photocatalysis and photo-Fenton: influence of operating conditions in a solar pilot plant. *Chemosphere* 58: 391-398. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.043>.
- Rodríguez-Cabo, B; Rodríguez-Palmeiro, I; Corchero, R; Rodil, R; Rodil, E; Arce, A; Soto, A. (2017). Photocatalytic degradation of methyl orange, methylene blue and rhodamine B with AgCl nanocatalyst synthesised from its bulk material in the ionic liquid [P6 6 6 14]Cl. *Water Sci Technol* 75: 128-140. <http://dx.doi.org/10.2166/wst.2016.499>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Entrainer. *Ind Eng Chem Res* 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Molina, B; Ochoa, M, aE; Romero, M; Khan, SI; Farfan, N; Santillan, R; Garcia-Garibay, MA. (2013). Conformational Polymorphism and Isomorphism of Molecular Rotors with Fluoroaromatic Rotators and Mestranol Stators. *Cryst Growth Des* 13: 5107-5115. <http://dx.doi.org/10.1021/cg4012873>.

## Fate Literature Search Results

### Off Topic

- Rodriguez-Reinoso, F; Nakagawa, Y; Silvestre-Albero, J; Juarez-Galan, JM; Molina-Sabio, M. (2008). Correlation of methane uptake with microporosity and surface area of chemically activated carbons. *Microporous and Mesoporous Materials* 115: 603-608. <http://dx.doi.org/10.1016/j.micromeso.2008.03.002>.
- Roeker, S; Diederichs, S; Stark, Y; Boehm, S; Ochoa, I; Sanz, JA; Garcia-Aznar, JM; Doblare, M; van Griensven, M; Scheper, T; Kasper, C. (2009). Novel 3D biomaterials for tissue engineering based on collagen and macroporous ceramics. *Materwiss Werksttech* 40: 54-60. <http://dx.doi.org/10.1002/mawe.200800413>.
- Roge, TP; Thibaudau, F; Mathiez, P; Dumas, P; Salvan, F. (1994). EARLY STAGES OF CU GROWTH ON BORON SEGREGATED SI(111) SURFACES - A SCANNING-TUNNELING-MICROSCOPY STUDY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 12: 2040-2043.
- Rogers, V; Mackinnon, M; Brownlee, B. (2007). Analytical approaches to characterising fish tainting potential of oil sands process waters. *Water Sci Technol* 55: 311-318. <http://dx.doi.org/10.2166/wst.2007.193>.
- Roh, IJ. (2002). Influence of rupture strength of interfacially polymerized thin-film structure on the performance of polyamide composite membranes. *J Memb Sci* 198: 63-74.
- Rohan, D; Canaff, C; Fromentin, E; Guisnet, M. (1998). Acetylation of anisole by acetic anhydride over a HBEA zeolite - Origin of deactivation of the catalyst. *J Catal* 177: 296-305.
- Roizard, D; Teplyakov, V; Favre, E; Fefilatiev, L; Lagunstsov, N; Khotimsky, V. (2004). VOC's removal from water with a hybrid system coupling a PTMSP membrane module with a stripper. *Desalination* 162: 41-46.
- Rojas, NY; Milquez, HA; Sarmiento, H. (2011). Characterizing priority polycyclic aromatic hydrocarbons (PAH) in particulate matter from diesel and palm oil-based biodiesel B15 combustion. *Atmos Environ* 45: 6158-6162. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.016>.
- Romanski, FS; Winkler, JS; Riccobene, RC; Tomassone, MS. (2012). Production and characterization of anisotropic particles from biodegradable materials. *Langmuir* 28: 3756-3765. <http://dx.doi.org/10.1021/la2044834>.
- Rombi, E; Monaci, R; Solinas, V. (1999). Kinetics of catalyst deactivation. An example: methylnaphthalene transformation. *Catalysis Today* 52: 321-330.
- Romero Ale, E; Babay, P; Magallanes, J; Becquart, E; Polla, G; Gautier, E. (2009). Performance of different extraction media for the ultrasonic-assisted extraction of nonylphenol and nonylphenol mono- and diethoxylates from sediments. *Int J Environ Anal Chem* 89: 1005-1021. <http://dx.doi.org/10.1080/03067310903006960>.
- Romero, R; Sienra, R; Richter, P. (2002). Efficient screening method for determination of polycyclic aromatic hydrocarbons (PAHs) in airborne particles. Application in real samples of Santiago-Chile metropolitan urban area. *Atmos Environ* 36: 2375-2381.
- Ronottrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater* 7: 383-393.
- Ronsten, G. (1992). STATIC PRESSURE MEASUREMENTS ON A ROTATING AND A NONROTATING 2.375M WIND TURBINE BLADE - COMPARISON WITH 2D-CALCULATIONS. *J Wind Eng Ind Aerod* 39: 105-118.
- Rosengren, LE; Kjellstrand, P; Aurell, A; Haglid, KG. (1986). Irreversible effects of dichloromethane on the brain after long term exposure: A quantitative study of DNA and the glial cell marker proteins S-100 and GFA. *Br J Ind Med* 43: 291-299.
- Rosilio, V; Benoit, JP; Deyme, M; Thies, C; Madelmont, G. (1991). A PHYSICOCHEMICAL STUDY OF THE MORPHOLOGY OF PROGESTERONE-LOADED MICROSPHERES FABRICATED FROM POLY(D,L-LACTIDE-CO-GLYCOLIDE). *J Biomed Mater Res* 25: 667-682.
- Ros-Lis, JV; Martinez-Manez, R; Soto, J; Villaescusa, LA; Rurack, K. (2011). Squaraine "ships" in the Y zeolite "bottle": a chromogenic sensing material for the detection of volatile amines and thiols. *J Mater Chem* 21: 5004-5010. <http://dx.doi.org/10.1039/c0jm03780j>.
- Rossi, D; Schreiner, WH; Durrant, SF. (2016). Characterization of amorphous hydrogenated chlorinated plasma polymers. *Surf Coating Tech* 289: 118-123. <http://dx.doi.org/10.1016/j.surfcoat.2016.01.053>.
- Rotchell, JM; Ulnal, E; Van Beneden, RJ; Ostrander, GK. (2001). Retinoblastoma gene mutations in chemically induced liver tumor samples of Japanese medaka (*Oryzias latipes*). *Mar Biotechnol* 3: S44-S49.
- Roth, JD; Weaver, MJ. (1992). ROLE OF THE DOUBLE-LAYER CATION ON THE POTENTIAL-DEPENDENT STRETCHING FREQUENCIES AND BINDING GEOMETRIES OF CARBON-MONOXIDE AT PLATINUM NONAQUEOUS INTERFACES. *Langmuir* 8: 1451-1458.
- Rothman, KJ; Greenland, S. (1998). Precision and validity in epidemiologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 115-134). Philadelphia, PA: Lippincott Williams & Wilkins.
- Rountree, SM; Lagunas, MC; Hardacre, C; Davey, PN. (2011). Dimerisation of cyclooctene using Grubbs' catalysts. *Appl Catal A-Gen* 408: 54-62. <http://dx.doi.org/10.1016/j.apcata.2011.09.005>.
- Rowe, RK; Brachman, RWI. (2004). Assessment of equivalence of composite liners. *Geosynthetics International* 11: 273-286.
- Roy, C; Pakdel, H; Zhang, HG; Elliott, DC. (1994). CHARACTERIZATION AND CATALYTIC GASIFICATION OF THE AQUEOUS BY-PRODUCT FROM VACUUM PYROLYSIS OF BIOMASS. *Can J Chem Eng* 72: 98-105.
- Roy, C; Vrel, D; Vega-Gonzalez, A; Jestin, P; Laugier, S; Subra-Paternault, P. (2011). Effect of CO<sub>2</sub>-antisolvent techniques on size distribution and crystal lattice of theophylline. *Journal of Supercritical Fluids* 57: 267-277. <http://dx.doi.org/10.1016/j.supflu.2011.03.002>.
- Roy, JL; McGill, WB; Lowen, HA; Johnson, RL. (2003). Relationship between water repellency and native and petroleum-derived organic carbon in soils. *J Environ Qual* 32: 583-590.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol* 59: 163-186.
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a *Trichodesmium* bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci* 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.

## Fate Literature Search Results

### Off Topic

- Roy, S; Conway, WS; Buta, JG; Watada, AE; Sams, CE; Wergin, WP. (1996). Surfactants affect calcium uptake from postharvest treatment of 'golden delicious' apples. *J Am Soc Hortic Sci* 121: 1179-1184.
- Roy, SG; Haldar, U; De, P. (2014). Remarkable Swelling Capability of Amino Acid Based Cross-Linked Polymer Networks in Organic and Aqueous Medium. *ACS Applied Materials & Interfaces* 6: 4233-4241. <http://dx.doi.org/10.1021/am405932f>.
- Rubach, M; Lang, R; Skupin, C; Hofmann, T; Somoza, V. (2010). Activity-guided fractionation to characterize a coffee beverage that effectively down-regulates mechanisms of gastric acid secretion as compared to regular coffee. *J Agric Food Chem* 58: 4153-4161. <http://dx.doi.org/10.1021/jf904493f>.
- Ruckenstein, E; Hong, L. (1992). BINDING CATALYTIC SITES TO THE SURFACE OF POROUS POLYMERS AND SOME CATALYTIC APPLICATIONS. *Chem Mater* 4: 122-127.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem* 22: 67-80.
- Rugutt, JK; Rugutt, JK; Irani, RJ; Fischer, NH; Berner, DK; Mccarley, TD. (1996). GC/MS evaluation of compounds in dry and conditioned *Striga* species seeds. *J Agric Food Chem* 44: 3977-3982.
- Ruhl, R; Hober, D; Bredendiek-Kamper, S. (2004). European measurements confirm high exposure during paint stripping. *Staub, Reinhaltung der Luft* 64: 467-470.
- Ruiz, F; Gomis, V; Botella, RF. (1988). EXTRACTION OF ETHANOL FROM AQUEOUS-SOLUTION .2. A SOLVENT MORE VOLATILE THAN ETHANOL - DICHLOROMETHANE. *Ind Eng Chem Res* 27: 648-650.
- Rushdi, Al; Al-Mutlaq, K; Simoneit, BR. (2005). Sources of organic compounds in fine soil and sand particles during winter in the metropolitan area of Riyadh, Saudi Arabia. *Arch Environ Contam Toxicol* 49: 457-470. <http://dx.doi.org/10.1007/s00244-004-0002-7>.
- Rushdi, Al; Al-Mutlaq, KF; El-Mubarak, AH; Al-Saleh, MA; El-Otaibi, MT; Ibrahim, SMM; Simoneit, BRT. (2016). Occurrence and sources of natural and anthropogenic lipid tracers in surface soils from arid urban areas of Saudi Arabia. *Environ Pollut* 208: 696-703. <http://dx.doi.org/10.1016/j.envpol.2015.10.049>.
- Rushdi, Al; Al-Zarban, S; Simoneit, BR. (2006). Chemical compositions and sources of organic matter in fine particles of soils and sands from the vicinity of Kuwait city. *Environ Monit Assess* 120: 537-557. <http://dx.doi.org/10.1007/s10661-005-9102-8>.
- Rushdi, Al; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq. I: aliphatic lipids. *Environ Geol* 50: 857-866. <http://dx.doi.org/10.1007/s00254-006-0257-6>.
- Rushdi, Al; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq: II. Polar compounds. *Environ Geol* 50: 1171-1181. <http://dx.doi.org/10.1007/s00254-006-0289-y>.
- Rushdi, Al; Kassim, TAT, A; Simoneit, BRT. (2009). Organic tracers in sediments from the coastal zone of Ras Abu el-Darag, Gulf of Suez. *Environ Geol* 58: 1675-1687. <http://dx.doi.org/10.1007/s00254-008-1668-3>.
- Rusina, TP; Smedes, F; Klanova, J; Booij, K; Holoubek, I. (2007). Polymer selection for passive sampling: a comparison of critical properties. *Chemosphere* 68: 1344-1351. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.025>.
- Russo, C; Stanzione, F; Alfe, M; Ciajolo, A; Tregrossi, A. (2012). SPECTRAL ANALYSIS IN THE UV-VISIBLE RANGE FOR REVEALING THE MOLECULAR FORM OF COMBUSTION-GENERATED CARBONACEOUS SPECIES. *Combust Sci Tech* 184: 1219-1231. <http://dx.doi.org/10.1080/00102202.2012.664315>.
- Russo, C; Stanzione, F; Ciajolo, A; Tregrossi, A. (2013). Study on the contribution of different molecular weight species to the absorption UV-Visible spectra of flame-formed carbon species. *Proc Combust Inst* 34: 3661-3668. <http://dx.doi.org/10.1016/j.proci.2012.06.097>.
- Rutherford, PM; Banerjee, DK; Luther, SM; Gray, MR; Dudas, MJ; McGill, WB; Pickard, MA; Salloun, MJ. (1998). Slurry-phase bioremediation of creosote and petroleum-contaminated soils. *Environ Technol* 19: 683-696.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health* 49: 126-132.
- Ryan, TJ. (2002). Survey of waste comminglers' VOC exposures. *J Air Waste Manag Assoc* 52: 1298-1306.
- Ryan, TJ; Hart, EM; Kappler, LL. (2002). VOC exposures in a mixed-use university art building. *AIHA J* 63: 703-708. [http://dx.doi.org/10.1202/0002-8894\(2002\)063<0703:VEIAMU>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2002)063<0703:VEIAMU>2.0.CO;2).
- Ryckebosch, E; Cuellar Bermudez, SP; Termote-Verhalle, R; Bruneel, C; Muylaert, K; Parra-Saldivar, R; Foubert, I. (2014). Influence of extraction solvent system on the extractability of lipid components from the biomass of *Nannochloropsis gaditana*. *J Appl Phycol* 26: 1501-1510. <http://dx.doi.org/10.1007/s10811-013-0189-y>.
- Rynö, M; Rantanen, L; Papaioannou, E; Konstandopoulos, AG; Koskentalo, T; Savela, K. (2006). Comparison of pressurized fluid extraction, Soxhlet extraction and sonication for the determination of polycyclic aromatic hydrocarbons in urban air and diesel exhaust particulate matter. *J Environ Monit* 8: 488-493. <http://dx.doi.org/10.1039/b515882f>.
- Ryu, GY; Lee, SG; Shin, SE; Park, JJ; Park, S; Shin, DM. (2010). Substituent effect on color tuning of red light emission in photoluminescence and electroluminescence of red fluorophore. *J Nanosci Nanotechnol* 10: 6805-6810. <http://dx.doi.org/10.1166/jnn.2010.2962>.
- Rzeszutek, K; Chow, A. (2001). Extraction of metal-dye ion-association complexes by thin ether-type polyurethane membranes. *J Memb Sci* 181: 265-277.

## Fate Literature Search Results

### Off Topic

- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Sadilek, J, an; Spalovska, P; Vrana, B; Vavrova, M; Marsalek, B; Simek, Z. (2016). Comparison of extraction techniques for isolation of steroid oestrogens in environmentally relevant concentrations from sediment. *Int J Environ Anal Chem* 96: 1022-1037. <http://dx.doi.org/10.1080/03067319.2016.1232718>.
- Saeed, A; Arshad, I; Floerke, U. (2012). One-Pot Synthesis and Crystal Structure of Methyl 5-Hydroxy-1-phenyl-1H-pyrazole-3-carboxylate. 2: 1248-1252. <http://dx.doi.org/10.3390/cryst2031248>.
- Saepurahman; Singaravel, GP; Hashaikeh, R. (2016). Fabrication of electrospun LTL zeolite fibers and their application for dye removal. *Journal of Materials Science* 51: 1133-1141. <http://dx.doi.org/10.1007/s10853-015-9444-8>.
- Safaei-Ghomi, J; Ghadami, M; Batooli, H. (2012). BIOACTIVITY OF EUCALYPTUS OLEOSA VAR. OBTUSE LEAVES AND FLOWERS. *Digest Journal of Nanomaterials and Biostructures* 7: 657-660.
- Safarbalı, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbomoyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Saftic, S; Fedorak, PM; Andersson, JT. (1993). Transformations of methyl dibenzothiophenes by three *Pseudomonas* isolates. *Environ Sci Technol* 27: 2577-2584.
- Sah, H. (1999). Protein instability toward organic solvent/water emulsification: Implications for protein microencapsulation into microspheres. *PDA J Pharm Sci Technol* 53: 3-10.
- Saha, S; Singh, SB; Kulshrestha, G. (2003). High performance liquid chromatographic method for residue determination of sulfosulfuron. *J Environ Sci Health B* 38: 337-347. <http://dx.doi.org/10.1081/PFC-120019900>.
- Sahani, MK; Singhal, D; Singh, AK; Jain, AK; Singh, UP; Narang, S. (2016). Potentiometric sensor for the nanoscale monitoring of Ni<sup>2+</sup> ion in environmental samples by the fabrication of coated pyrolytic graphite electrode based on a novel C-C-coupled compound. *Int J Environ Anal Chem* 93: 1170-1187. <http://dx.doi.org/10.1080/03067319.2016.1244671>.
- Sahin, O; Saka, C; Ceyhan, AA; Baytar, O. (2016). The pyrolysis process of biomass by two-stage chemical activation with different methodology and iodine adsorption. *Energy Source Part A* 38: 1756-1762. <http://dx.doi.org/10.1080/15567036.2014.956195>.
- Sahiner, N; Yildiz, S; Al-Lohedan, H. (2015). The resourcefulness of p(4-VP) cryogels as template for in situ nanoparticle preparation of various metals and their use in H<sub>2</sub> production, nitro compound reduction and dye degradation. *Appl Catal B-Environ* 166: 145-154. <http://dx.doi.org/10.1016/j.apcatb.2014.11.027>.
- Sahmoune, A; Mitiche, L. (2004). Extraction and transport of chromium(VI) through a bulk liquid membrane containing triphenylphosphine. *Ann Chim* 94: 929-938. <http://dx.doi.org/10.1002/adic.200490115>.
- Sahoo, C; Gupta, AK. (2015). Characterization and photocatalytic performance evaluation of various metal ion-doped microstructured TiO<sub>2</sub> under UV and visible light. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 50: 659-668. <http://dx.doi.org/10.1080/10934529.2015.1011958>.
- Sahoo, SK; Ray, SS; Singh, ID. (2004). Structural characterization of coke on spent hydroprocessing catalysts used for processing of vacuum gas oils. *Appl Catal A-Gen* 278: 83-91. <http://dx.doi.org/10.1016/j.apcata.2004.09.028>.
- Sai, JO; Anderson, DC. (1992). BARRIER WALL MATERIALS FOR CONTAINMENT OF DENSE NONAQUEOUS PHASE LIQUID (DNAPL). *Hazardous Waste and Hazardous Materials* 9: 317-330.
- Saito, I; Shibata, E; Huang, J; Hisanaga, N; Ono, Y; Takeuchi, Y. (1991). DETERMINATION OF URINARY 2,5-HEXANEDIONE CONCENTRATION BY AN IMPROVED ANALYTICAL METHOD AS AN INDEX OF EXPOSURE TO NORMAL-HEXANE. *Br J Ind Med* 48: 568-574.
- Saito, K; Ogawa, M; Takekuma, M; Ohmura, A; Kawaguchi, M; Ito, R; Inoue, K; Matsuki, Y; Nakazawa, H. (2005). Systematic analysis and overall toxicity evaluation of dioxins and hexachlorobenzene in human milk. *Chemosphere* 61: 1215-1220. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.035>.
- Saiyasitpanich, P; Keener, TC; Lu, MM; Liang, FY; Khang, SJ. (2008). Control of Diesel Gaseous and Particulate Emissions with a Tube-Type Wet Electrostatic Precipitator. *Journal of the Air and Waste Management Association* 58: 1311-1317. <http://dx.doi.org/10.3155/1047-3289.58.10.1311>.
- Saka, E, ceT; Kobak, RZU; Alp, H; Sarki, G; Koca, A; Kantekin, H. (2016). Electrochemical and spectroelectrochemical properties of new metal free, nickel(II), lead(II) and zinc(II) phthalocyanines. *Synthetic Metals* 217: 295-303. <http://dx.doi.org/10.1016/j.synthmet.2016.04.004>.
- Sakai, K; Ohno, K; Nomura, K; Endo, T; Sakamoto, K; Sakai, H; Abe, M. (2014).  $\alpha$ -Gel formation by amino acid-based gemini surfactants. *Langmuir* 30: 7654-7659. <http://dx.doi.org/10.1021/la501186h>.
- Sakai, T; Morita, Y; Roh, J; Kim, H; Kim, Y. (2005). Improvement in the GC-MS method for determining urinary toluene-diamine and its application to the biological monitoring of workers exposed to toluene-diisocyanate. *Int Arch Occup Environ Health* 78: 459-466. <http://dx.doi.org/10.1007/s00420-004-0571-9>.
- Sala, G. (2000). Composite degradation due to fluid absorption. *Composites Part B: Engineering* 31: 357-373.
- Salazar, C; Lach, J; R ckerl, F; Baumann, D; Schimmel, S; Knupfer, M; Kersting, B; B chner, B; Hess, C. (2016). STM Study of Au(111) Surface-Grafted Paramagnetic Macrocyclic Complexes [Ni<sub>2</sub>L(Hmba)]<sup>+</sup> via Ambidentate Coligands. *Langmuir* 32: 4464-4471. <http://dx.doi.org/10.1021/acs.langmuir.6b00772>.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal* 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.

## Fate Literature Search Results

### Off Topic

- Saleh, TA; Muhammad, AM; Tawabini, B; Ali, SA. (2016). Aminomethylphosphonate Chelating Ligand and Octadecyl Alkyl Chain in a Resin for Simultaneous Removal of Co(II) Ions and Organic Contaminants. *Journal of Chemical and Engineering Data* 61: 3377-3385. <http://dx.doi.org/10.1021/acs.jced.6b00475>.
- Salem, IA; El-Maazawi, MS. (2000). Kinetics and mechanism of color removal of methylene blue with hydrogen peroxide catalyzed by some supported alumina surfaces. *Chemosphere* 41: 1173-1180.
- Salem, MZM; Zayed, MZ; Ali, HM; Abd El-Kareem, MSM. (2016). Chemical composition, antioxidant and antibacterial activities of extracts from *Schinus molle* wood branch growing in Egypt. *J Wood Sci* 62: 548-561. <http://dx.doi.org/10.1007/s10086-016-1583-2>.
- Salhi, F; Cheuk, KKL; Sun, QH; Lam, JWY; Cha, JAK; Li, G; Li, BS; Luo, JD; Chen, JW; Tang, BZ. (2001). Rapid fabrication of three-dimensional porous films with biomimetic patterns by natural evaporation of amphiphilic polyacetylene solutions under ambient conditions. *J Nanosci Nanotechnol* 1: 137-141. <http://dx.doi.org/10.1166/jnn.2001.022>.
- Salihi, G; Goswami, P; Russell, S. (2012). Hybrid electrospun nonwovens from chitosan/cellulose acetate. *Cellulose* 19: 739-749. <http://dx.doi.org/10.1007/s10570-012-9666-8>.
- Salima, A; Ounissa, KS; Fadila, H; Mohamed, B. (2016). Equilibrium and kinetic modeling of acid dye removal from aqueous solution by polymer inclusion membrane (PIMs). *Desalination and Water Treatment* 57: 3708-3719. <http://dx.doi.org/10.1080/19443994.2014.984634>.
- Salinas-Hernandez, C; Diaz-Nava, MC; Solache-Rios, M. (2012). Sorption and Desorption of Red 5 and Yellow 6 by a Fe-Zeolitic Tuff. *Water Air Soil Pollut* 223: 4959-4968. <http://dx.doi.org/10.1007/s11270-012-1250-1>.
- Sallmén, M; Neto, M; Mayan, ON. (2008). Reduced fertility among shoe manufacturing workers. *Occup Environ Med* 65: 518-524. <http://dx.doi.org/10.1136/oem.2007.032839>.
- Sallo, A; Crasmareanu, C; Lascu, A. (2009). Contributions to the Study of Dinitrotoluene Adducts with Sulfite Ion by Visible Spectrophotometry. *Rev Chim* 60: 491-493.
- Salmon, AG; Roth, LA. (2010). Cancer risk based on an individual tumor type or summing of tumors. In CH Hsu; T Stedeford (Eds.), (pp. 29.21-29.25). Hoboken, NJ: John Wiley & Sons.
- Salmon, E; Behar, F; Hatcher, PG. (2011). Molecular characterization of Type I kerogen from the Green River Formation using advanced NMR techniques in combination with electrospray ionization/ultrahigh resolution mass spectrometry. *Organic Geochemistry* 42: 301-315. <http://dx.doi.org/10.1016/j.orggeochem.2010.12.007>.
- Salvado, V; Alcaide, A; Carandell, N; Hidalgo, M. (2001). Evaluation of extraction procedures of organochlorine pesticides from natural waters and sediments. *Int J Environ Anal Chem* 81: 243-256.
- Salvatierra, D; Taylor, JD; Marrone, PA; Tester, JW. (1999). Kinetic study of hydrolysis of methylene chloride from 100 to 500 degrees C. *Ind Eng Chem Res* 38: 4169-4174.
- Samburova, V; Connolly, J; Gyawali, M; Yatavelli, RL; Watts, AC; Chakrabarty, RK; Zielinska, B; Moosmüller, H; Khlystov, A. (2016). Polycyclic aromatic hydrocarbons in biomass-burning emissions and their contribution to light absorption and aerosol toxicity. *Sci Total Environ* 568: 391-401. <http://dx.doi.org/10.1016/j.scitotenv.2016.06.026>.
- Sampaio, KL; Biasoto, AC; Da Silva, MA. (2015). Comparison of techniques for the isolation of volatiles from cashew apple juice. *J Sci Food Agric* 95: 299-312. <http://dx.doi.org/10.1002/jsfa.6718>.
- Sampaio, KL; Garruti, DS; Franco, MR; Janzantti, NS; Da Silva, MA. (2011). Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *J Sci Food Agric* 91: 1801-1809. <http://dx.doi.org/10.1002/jsfa.4385>.
- Sanchez, PS; Coimbra, CA; Coelho, MCL; Valent, GU; Sato, MIZ; Martins, MT. (1992). ASSESSMENT OF MUTAGENIC ACTIVITY IN DRINKING-WATER FROM SAO-PAULO CITY, BRAZIL. *Environ Toxicol Water Qual* 7: 141-155.
- Sanchezbrunete, C; Martinez, L; Tadeo, JL. (1994). DETERMINATION OF CORN HERBICIDES BY GC-MS AND GC-NPD IN ENVIRONMENTAL-SAMPLES. *J Agric Food Chem* 42: 2210-2214.
- Sanchez-Fortun, S; Sanz, F; Santa-Maria, A; Ros, JM; De Vicente, ML; Encinas, MT; Vinagre, E; Barahona, MV. (1997). Acute sensitivity of three age classes of *Artemia salina* larvae to seven chlorinated solvents. *Bull Environ Contam Toxicol* 59: 445-451. <http://dx.doi.org/10.1007/s001289900498>.
- Sánchez-Recillas, A; Mantecón-Reyes, P; Castillo-España, P; Villalobos-Molina, R; Ibarra-Barajas, M; Estrada-Soto, S. (2014). Tracheal relaxation of five medicinal plants used in Mexico for the treatment of several diseases. *Asian Pacific Journal of Tropical Medicine* 7: 179-183. [http://dx.doi.org/10.1016/S1995-7645\(14\)60017-1](http://dx.doi.org/10.1016/S1995-7645(14)60017-1).
- Sander, EA; Alb, AM; Nauman, EA; Reed, WF; Dee, KC. (2004). Solvent effects on the microstructure and properties of 75/25 poly(D,L-lactide-co-glycolide) tissue scaffolds. *J Biomed Mater Res A* 70: 506-513. <http://dx.doi.org/10.1002/jbm.a.30109>.
- Sandhu, AK; Mandal, K; Singh, B. (2015). Estimation and Validation of Propanil Residues in Rice and Soil Samples by Gas Liquid Chromatography with Electron Capture Detector. *Bull Environ Contam Toxicol* 95: 368-372. <http://dx.doi.org/10.1007/s00128-015-1610-9>.
- Sandoval, MV; Henaó, JA; Romero Bohorquez, AR; Kouznetsov, VV. (2012). Synthesis and X-ray diffraction data of 5-acryloyloxy-trans-2-(4-methoxyphenyl)-3-methyl-2,3-dihydrobenzo[b]furan. *Powder Diffraction* 27: 211-214. <http://dx.doi.org/10.1017/S085715612000504>.
- Sandoval-Mojica, AF; Capinera, JL. (2011). Antifeedant effect of commercial chemicals and plant extracts against *Schistocerca americana* (Orthoptera: Acrididae) and *Diaprepes abbreviatus* (Coleoptera: Curculionidae). *Pest Manag Sci* 67: 860-868. <http://dx.doi.org/10.1002/ps.2125>.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes* 19: 329-357.
- Sanin, FD; Knappe, DRU; Barlaz, MA. (2000). The fate of toluene, acetone and 1,2-dichloroethane in a laboratory-scale simulated landfill. *Water Res* 34: 3063-3074.

## Fate Literature Search Results

### Off Topic

- Sanjini, NS; Dhanalakshmi, R; Velmathi, S. (2014). Photocatalytic Application of Wide Band Gap CuO Nanoparticles Synthesized by Microwave Assisted Quick Precipitation. 6: 1399-1405. <http://dx.doi.org/10.1166/sam.2014.1823>.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy* 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Santiago, S; Thomas, RL; Larbaigt, G; Rossel, D; Echeverria, MA; Tarradellas, J; Loizeau, JL; Mccarthy, L; Mayfield, CI; Corvi, C. (1993). COMPARATIVE ECOTOXICITY OF SUSPENDED SEDIMENT IN THE LOWER RHONE RIVER USING ALGAL FRACTIONATION, MICROTOX(R) AND DAPHNIA-MAGNA BIOASSAYS. *Hydrobiologia* 252: 231-244.
- Santos, KA; Bariccatti, RA; Cardozo-Filho, L; Schneider, R; Palu, F; da Silva, EA. (2015). Extraction of crambe seed oil using subcritical propane: Kinetics, characterization and modeling. *Journal of Supercritical Fluids* 104: 54-61. <http://dx.doi.org/10.1016/j.supflu.2015.05.026>.
- Santos, SAO; Oliveira, CSD; Trindade, SS; Abreu, MH; Rocha, SSM; Silvestre, AJD. (2016). Bioprospecting for lipophilic-like components of five Phaeophyta macroalgae from the Portuguese coast. *J Appl Phycol* 28: 3151-3158. <http://dx.doi.org/10.1007/s10811-016-0855-y>.
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2004). Rheological properties of PLGA film-based implants: correlation with polymer degradation and SPf66 antimalaric synthetic peptide release. *Biomaterials* 25: 925-931. [http://dx.doi.org/10.1016/S0142-9612\(03\)00592-1](http://dx.doi.org/10.1016/S0142-9612(03)00592-1).
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2005). Structural properties of biodegradable polyesters and rheological behaviour of their dispersions and films. *J Biomater Sci Polym Ed* 16: 629-641.
- Sanyal, D; Rani, A; Alam, S. (2009). A multi-residue method for the analysis of organophosphorus residues in cooked and polished rice using accelerated solvent extraction and dispersive-solid phase extraction (D-SPE) technique and uncertainty measurement. *J Environ Sci Health B* 44: 706-716. <http://dx.doi.org/10.1080/03601230903163830>.
- Sapozhnikova, Y; Pennington, P; Wirth, E; Fulton, M. (2009). Fate and transport of Irgarol 1051 in a modular estuarine mesocosm. *J Environ Monit* 11: 808-814. <http://dx.doi.org/10.1039/b818273f>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, CM. (2008). Electrochemical impedance spectroscopy and morphological analyses of pyrrole, phenylpyrrole and methoxyphenylpyrrole on carbon fiber microelectrodes. *Surf Coating Tech* 202: 3997-4005. <http://dx.doi.org/10.1016/j.surfcoat.2008.02.007>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, MC. (2009). Monomer Concentration Effect on Electrochemically Modified Carbon Fiber with Poly[1-(4-Methoxyphenyl)-1H-Pyrrole] as Microcapacitor Electrode. *Advances in Polymer Technology* 28: 120-130. <http://dx.doi.org/10.1002/adv.20152>.
- Saragih Turnip, S; Sörbom, D; Hauff, E. (2016). Predicting positive mental health in internally displaced persons in Indonesia: the roles of economic improvement and exposure to violent conflict. *Psychol Health Med* 21: 286-294. <http://dx.doi.org/10.1080/13548506.2015.1051554>.
- Saranya, J; Ranjith, KS; Saravanan, P; Mangalaraj, D; Kumar, RTR. (2014). Cobalt-doped cerium oxide nanoparticles: Enhanced photocatalytic activity under UV and visible light irradiation. *Materials Science in Semiconductor Processing* 26: 218-224. <http://dx.doi.org/10.1016/j.mssp.2014.03.054>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers* 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Sarkar, N; Karmakar, A; Barik, A. (2016). Volatiles of *Solenia amplexicaulis* (Lam.) Gandhi Leaves Influencing Attraction of Two Generalist Insect Herbivores. *J Chem Ecol* 42: 1004-1015. <http://dx.doi.org/10.1007/s10886-016-0757-0>.
- Sarkar, SK; Jha, A; Chattopadhyay, KK. (2015). Thionyl chloride assisted functionalization of amorphous carbon nanotubes: A better field emitter and stable nanofluid with better thermal conductivity. *Materials Research Bulletin* 66: 1-8. <http://dx.doi.org/10.1016/j.materresbull.2015.01.048>.
- Sarlauskas, J; Krikstopaitis, K; Miliukiene, V; Cenas, N; Anusevicius, Z; Saikunas, A. (2011). Investigation on the Electrochemistry and Cytotoxicity of Organic Nitrates and Nitroamines. *Central European Journal of Energetic Materials* 8: 15-24.
- Sarmah, AK; Northcott, GL; Scherr, FF. (2008). Retention of estrogenic steroid hormones by selected New Zealand soils. *Environ Int* 34: 749-755. <http://dx.doi.org/10.1016/j.envint.2007.12.017>.
- Sarveswaran, K; Hu, W; Huber, PW; Bernstein, GH; Lieberman, M. (2006). Deposition of DNA rafts on cationic SAMs on silicon [100]. *Langmuir* 22: 11279-11283. <http://dx.doi.org/10.1021/la0615948>.
- Sasaki, T; Maki, H; Ishihara, M; Harayama, S. (1998). Vanadium as an internal marker to evaluate microbial degradation of crude oil. *Environ Sci Technol* 32: 3618-3621.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photosynthesis reactor. *J Environ Eng* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, M. (1996). Extraction of morphine in blood and urine by dehydrating with anhydrous sodium sulfate. *JTHE* 42: 167-171.
- Sato, M; Hiroi, M. (1995). CATION RADICALS AND TRICATION RADICALS OF HEXYL-SUBSTITUTED SEXITHIOPHENE IN SOLUTION. *Synthetic Metals* 69: 307-308.
- Sato, MI; Valent, GU; Coimbrao, CA; Coelho, MC; Sanchez Sanchez, P; Alonso, CD; Martins, MT. (1995). Mutagenicity of airborne particulate organic material from urban and industrial areas of São Paulo, Brazil. *Mutat Res* 335: 317-330.
- Sato, S; Matsumura, A; Urushigawa, Y; Metwally, M; Al-Muzaini, S. (1998). Type analysis and mutagenicity of petroleum oil extracted from sediment and soil samples in Kuwait. *Environ Int* 24: 67-76.
- Sato, S; Takanoashi, T. (2012). Separation of Asphaltene Using Columns Packed with Teflon Beads. *J Jpn Petrol Inst* 55: 142-147.

## Fate Literature Search Results

### Off Topic

- Saulnier, P; Boury, F; Malzert, A; Heurtault, B; Ivanova, T; Cagna, A; Panaiotov, I; Proust, JE. (2001). Rheological model for the study of dilational properties of monolayers. Comportment of dipalmitoylphosphatidylcholine (DPPC) at the dichloromethane (DCM)/water interface under ramp type or sinusoidal perturbations. *Langmuir* 17: 8104-8111. <http://dx.doi.org/10.1021/la001634m>.
- Sawalha, H; Fan, YX; Schroen, K; Boom, R. (2008). Preparation of hollow polylactide microcapsules through premix membrane emulsification- Effects of nonsolvent properties. *J Memb Sci* 325: 665-671. <http://dx.doi.org/10.1016/j.memsci.2008.08.039>.
- Sawalha, H; Purwanti, N; Rinzema, A; Schroen, K; Boom, R. (2008). Polylactide microspheres prepared by premix membrane emulsification - Effects of solvent removal rate. *J Memb Sci* 310: 484-493. <http://dx.doi.org/10.1016/j.memsci.2007.11.029>.
- Sawalha, H; Schroen, K; Boom, R. (2009). Hollow Polylactide Microcapsules with Controlled Morphology and Thermal and Mechanical Properties. *AIChE J* 55: 2827-2834. <http://dx.doi.org/10.1002/aic.11895>.
- Sawitowski, T; Franzka, S; Beyer, N; Levering, M; Schmid, G. (2001). Nanostructured surfaces. *Adv Funct Mater* 11: 169-173.
- Saygili, H; Guzel, F. (2016). High surface area mesoporous activated carbon from tomato processing solid waste by zinc chloride activation: process optimization, characterization and dyes adsorption. *J Clean Prod* 113: 995-1004. <http://dx.doi.org/10.1016/j.jclepro.2015.12.055>.
- Saygili, H; Guzel, F; Onal, Y. (2015). Conversion of grape industrial processing waste to activated carbon sorbent and its performance in cationic and anionic dyes adsorption. *J Clean Prod* 93: 84-93. <http://dx.doi.org/10.1016/j.jclepro.2015.01.009>.
- Sbai, H; Saad, I; Ghezal, N; Della Greca, M; Haouala, R. (2016). Bioactive compounds isolated from *Petroselinum crispum* L. leaves using bioguided fractionation. *Ind Crop Prod* 89: 207-214. <http://dx.doi.org/10.1016/j.indcrop.2016.05.020>.
- Scarpa, MV; Araujo, PS; Schreier, S; Sesso, A; Oliveira, AG; Chaimovich, H; Cuccovia, IM. (2000). Effect of vesicles of dimethyldioctadecylammonium chloride and phospholipids on the rate of decarboxylation of 6-nitrobenzoxazole-3-carboxylate. *Langmuir* 16: 993-999.
- Scarpello, JT; Nair, D; dos Santos, LMF; White, LS; Livingston, AG. (2002). The separation of homogeneous organometallic catalysts using solvent resistant nanofiltration. *J Memb Sci* 203: 71-85.
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr* 44: 703-707.
- Schabron, JF; Rovani, JF; Sanderson, MM. (2010). Asphaltene Determinator Method for Automated On-Column Precipitation and Redissolution of Pericondensed Aromatic Asphaltene Components. *Energy Fuels* 24: 5984-5996. <http://dx.doi.org/10.1021/ef100822f>.
- Schabron, JF; Rovani, JF; Sanderson, MM; Loveridge, JL; Nyadong, L; Mckenna, AM; Marshall, AG. (2012). Waxphaltene Determinator Method for Automated Precipitation and Redissolution of Wax and Asphaltene Components. *Energy Fuels* 26: 2256-2268. <http://dx.doi.org/10.1021/ef300184s>.
- Schabron, JF; Rovani Jr, JF. (2008). On-column precipitation and re-dissolution of asphaltenes in petroleum residua. *Fuel* 87: 165-176. <http://dx.doi.org/10.1016/j.fuel.2007.04.024>.
- Schaut, A; Autru, S; De Rop, A; Eeckhoudt, S. (2012). Effects of Irgamet (R) 30 as Additive in Transformer Oil. *I E E E Transactions on Dielectrics and Electrical Insulation* 19: 175-180.
- Scheeren, HA; Lelieveld, J; de Gouw, JA; van der Veen, C; Fischer, H. (2002). Methyl chloride and other chlorocarbons in polluted air during INDOEX. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD001121>.
- Scherer, R; Lemos, MF; Lemos, MF; Martinelli, GC; Lopes Martins, JD; da Silva, A. (2013). Antioxidant and antibacterial activities and composition of Brazilian spearmint (*Mentha spicata* L.). *Ind Crop Prod* 50: 408-413. <http://dx.doi.org/10.1016/j.indcrop.2013.07.007>.
- Schermerhorn, PG; Chu, PS; Kijak, PJ. (1995). DETERMINATION OF SPECTINOMYCIN RESIDUES IN BOVINE-MILK USING LIQUID-CHROMATOGRAPHY WITH ELECTROCHEMICAL DETECTION. *J Agric Food Chem* 43: 2122-2125.
- Scheyer, A; Graeff, C; Morville, S; Mirabel, P; Millet, M. (2005). Analysis of some organochlorine pesticides in an urban atmosphere (Strasbourg, east of France). *Chemosphere* 58: 1517-1524. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.013>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schlick-Hasper, E, va; Bethke, J; Jahnke, W; Drousch, B; Goedecke, T; Kraume, M. (2015). Maximum Gauge Pressure in Dangerous Goods Packagings Under Normal Conditions of Carriage - Comparison of Direct Measurement and Calculation. *Packaging Technology and Science* 28: 437-460. <http://dx.doi.org/10.1002/pts.2111>.
- Schlosser, EG; Rossberg, M; Lendle, W. (1970). KINETICS OF FORMATION OF METHYLENE CHLORIDE FROM METHANOL AND HYDROGEN CHLORIDE OVER ALUMINIUM OXIDE. *Chem Ing Tech* 42: 1215-+.
- Schlosser, PM; Bale, AS; Gibbons, CF; Wilkins, A; Cooper, GS. (2015). Human Health Effects of Dichloromethane: Key Findings and Scientific Issues [Review]. *Environ Health Perspect* 123: 114-119. <http://dx.doi.org/10.1289/ehp.1308030>.
- Schlotzhauer, WS; Pair, SD; Horvat, RJ. (1996). Volatile constituents from the flowers of Japanese honeysuckle (*Lonicera japonica*). *J Agric Food Chem* 44: 206-209.
- Schmage, P; Ozcan, M; McMullan-Vogel, C; Nergiz, I. (2005). The fit of tapered posts in root canals luted with zinc phosphate cement: a histological study. *Dent Mater* 21: 787-793. <http://dx.doi.org/10.1016/j.dental.2005.01.012>.
- Schmid, G; Witke, E; Schlick, U; Knecht, S; Hanack, M. (1995). SUBSTITUENT EFFECTS IN SOLUBLE PHTHALOCYANINATOIRON(II) COMPLEXES. *J Mater Chem* 5: 855-859.
- Schmidt, G; Segschneider, HJ; Russow, R. (1998). Determination of N-15 with nonrandom-distribution of N-2 and N2O in the soil atmosphere by GC-R-IRMS coupling. *Isotopes Environ Health Stud* 34: 235-243.

## Fate Literature Search Results

### Off Topic

- Schmidt, NE; Santiago, LM; Eason, HD; Dafford, KA; Grooms, CA; Link, TE; Manning, DT; Cooper, SD; Keith, RC; Chance, WO; Walla, MD; Cotham, WE. (1996). Rapid extraction method of quantitating the lachrymatory factor of onion using gas chromatography. *J Agric Food Chem* 44: 2690-2693.
- Schmidt, O; Dittberner, D; Faix, O. (1991). ON THE REACTION OF SOME BACTERIA AND FUNGI ON COAL-TAR CREOSOTE. *Mater Org* 26: 13-30.
- Schmitt, H; Mendiola, J; Carmona, F; Alemany, C; Jimenez, B. (1995). Sputtering of ferroelectric (PbCa)TiO<sub>3</sub> films. *Microelectron Eng* 29: 181-184.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging* 18: 837-851.
- Schneider, R; Baumes, R; Bayonove, C; Razungles, A. (1998). Volatile compounds involved in the aroma of sweet fortified wines (Vins Doux Naturels) from Grenache noir. *J Agric Food Chem* 46: 3230-3237.
- Schneider, R; Kiessling, D; Kraak, P; Haftendorn, M; Wendt, G. (1995). TOTAL OXIDATION OF CHLORINATED HYDROCARBONS ON PEROVSKITE-TYPE CATALYSTS. *Chem Tech (Leipzig)* 47: 199-204.
- Schneider, RP; Morano, SC; Gigena, MAC; Missawa, SK; Rocha, RCS; Da Silva, LR; Ellert, N; Kataoka, S; Katsuragi, C; Rosa, CD; De Oliveira, LC. (2006). Contamination levels and preliminary assessment of the technical feasibility of employing natural attenuation in 5 priority areas of Presidente Bernardes Refinery in Cubatao, Sao Paulo, Brazil. *Environ Monit Assess* 116: 21-52. <http://dx.doi.org/10.1007/s10661-006-7243-z>.
- Schoen, DJ; Brownstein, JS; White, PA. (2002). Mutation load in natural populations of the sensitive fern *Onoclea sensibilis* exposed to soil mutagens. *Ecol Appl* 12: 124-137.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int Special issue no. 1*: 38-45.
- Schroeder, ED; Eweis, JB; Chang, DPY; Veir, JK. (2000). <no title available>. *Water Air Soil Pollut* 123: 133-146. <http://dx.doi.org/10.1023/a:1005226229320>.
- Schroer, C; Konys, J; Novotny, J; Hausselt, J. (2006). Aspects of the corrosion kinetics for binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances. *Corrosion* 62: 444-459.
- Schruben, DL; Kumble, D. (1996). Air bubble migration through a cast solution of poly(methyl methacrylate). *Polymer Engineering and Science* 36: 2494-2501.
- Schulz, HM. (1997). Coal mine workers' pneumoconiosis (CWP): In vitro study of the release of organic compounds from coal mine dust in the presence of physiological fluids. *Environ Res* 74: 74-83.
- Schulz, HM; Hagemann, HW; Wolf, M; Brammertz, A; Einbrodt, HJ. (1997). Coal mine workers' pneumoconiosis. *Environ Geol* 30: 72-80.
- Schuster, H; Hoelderich, WF. (2008). The acylation of 2-methoxynaphthalene with acetic anhydride over Nafion/silica composites and BEA zeolites containing Lewis acid sites. *Appl Catal A-Gen* 350: 1-5. <http://dx.doi.org/10.1016/j.apcata.2008.07.026>.
- Schuur, B; Kraai, GN; Winkelman, JGM; Heeres, HJ. (2012). Hydrodynamic features of centrifugal contactor separators: Experimental studies on liquid hold-up, residence time distribution, phase behavior and drop size distributions. *Chemical Engineering and Processing: Process Intensification* 55: 8-19. <http://dx.doi.org/10.1016/j.cep.2012.02.008>.
- Schwab, AP; Su, J; Wetzel, S; Pekarek, S; Banks, MK. (1999). Extraction of petroleum hydrocarbons from soil by mechanical shaking. *Environ Sci Technol* 33: 1940-1945.
- Schwanninger, M; Hinterstoisser, B. (2002). Comparison of the classical wood extraction method using a Soxhlet apparatus with an advanced extraction method. *Holz als Roh- und Werkstoff* 60: 343-346. <http://dx.doi.org/10.1007/s00107-002-0312-2>.
- Schwartz, E; Trinh, SV; Scow, KM. (2002). Impact of methylene chloride on microorganisms and phenanthrene mineralization in soil. *J Environ Qual* 31: 144-149.
- Schwartz, H; Harel, Y; Efrima, S. (2001). Surface behavior and buckling of silver interfacial colloid films. *Langmuir* 17: 3884-3892. <http://dx.doi.org/10.1021/la0100690>.
- Sears, WM; Mackinnon, CD; Kraft, TM. (2011). The effect of chain length on the dielectric and optical properties of oligothiophenes. *Synthetic Metals* 161: 1566-1574. <http://dx.doi.org/10.1016/j.synthmet.2011.05.020>.
- Sehati, N; Shiri-Yekta, Z; Zamani, A; Yaftian, MR; Noshiranzadeh, N. (2012). Solvent Extraction of Th(IV) and Eu(III) Ions by 3,5-di-tert-butyl-2-Hydroxy-Benzaldehyde Oxime from Aqueous Chloride Media. *Separation Science and Technology* 47: 670-676. <http://dx.doi.org/10.1080/01496395.2011.629399>.
- Seifi, L; Torabian, A; Kazemian, H; Bidhendi, GN; Azimi, AA; Charkhi, A. (2010). Adsorption of Petroleum Monoaromatics from Aqueous Solutions Using Granulated Surface Modified Natural Nanozeolites: Systematic Study of Equilibrium Isotherms. *Water Air Soil Pollut* 217: 611-625. <http://dx.doi.org/10.1007/s11270-010-0614-7>.
- Seifried, B; Temelli, F. (2010). Density of Carbon Dioxide Expanded Ethanol at (313.2, 328.2, and 343.2) K. *Journal of Chemical and Engineering Data* 55: 2410-2415. <http://dx.doi.org/10.1021/jc900830s>.
- Sek, S. (2009). EC-STM study of potential-controlled adsorption of substituted pyrimidinethiol on Au(111). *Langmuir* 25: 13488-13492. <http://dx.doi.org/10.1021/la901984v>.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films* 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Seledets, O; Skubiszewska-Zieba, J; Lebeda, R; Gun'ko, VM. (2003). Surface properties of fumed silica/pyrocarbon prepared by pyrolysis of methylene chloride. *Mater Chem Phys* 82: 199-205. [http://dx.doi.org/10.1016/S0254-0584\(03\)00208-6](http://dx.doi.org/10.1016/S0254-0584(03)00208-6).
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A* 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.



## Fate Literature Search Results

### Off Topic

- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol* 7: 350-356. <http://dx.doi.org/10.3109/1547691X.2010.520139>.
- SELIVERS.VM; BARABANO.NN; ALEKSAND.YA. (1972). AUTOMATIC MONITORING OF CONCENTRATION OF ACETIC-ANHYDRIDE IN ACETIC-METHYLENE CHLORIDE SOLUTIONS OF ACETYLCCELLULOSE, WITH PLANNING OF EXPERIMENT. *Industrial Laboratory* 37: 1671-&.
- Selli, S; Canbas, A; Varlet, V; Kelebek, H; Prost, C; Serot, T. (2008). Characterization of the most odor-active volatiles of orange wine made from a Turkish cv. Kozan (*Citrus sinensis* L. Osbeck). *J Agric Food Chem* 56: 227-234. <http://dx.doi.org/10.1021/jf072231w>.
- Selli, S; Gubbuk, H; Kafkas, E; Gunes, E. (2012). Comparison of aroma compounds in Dwarf Cavendish banana (*Musa* spp. AAA) grown from open-field and protected cultivation area. *Sci Hortic (Amsterdam)* 141: 76-82. <http://dx.doi.org/10.1016/j.scienta.2012.04.008>.
- Selli, S; Kelebek, H. (2011). Aromatic profile and odour-activity value of blood orange juices obtained from Moro and Sanguinello (*Citrus sinensis* L. Osbeck). *Ind Crop Prod* 33: 727-733. <http://dx.doi.org/10.1016/j.indcrop.2011.01.016>.
- Selvaraju, N; Pushpavanam, S. (2009). Adsorption characteristics on sand and brick beds. *Chem Eng J* 147: 130-138. <http://dx.doi.org/10.1016/j.cej.2008.06.040>.
- Semnani, A; Shareghi, B; Pouretedal, HR. (2004). Spectrophotometric study of the complexation of iodine and bromine with tetrabutylammonium halides and cryptand 222 in dichloromethane solution. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 23: 1-6.
- Sen, A, li; de Melo, MMR; Silvestre, AJD; Pereira, H; Silva, CM. (2015). Prospective pathway for a green and enhanced friedelin production through supercritical fluid extraction of *Quercus cerris* cork. *Journal of Supercritical Fluids* 97: 247-255. <http://dx.doi.org/10.1016/j.supflu.2014.12.008>.
- Sen, A, li; Miranda, I; Santos, S; Graca, J; Pereira, H. (2010). The chemical composition of cork and phloem in the rhytidome of *Quercus cerris* bark. *Ind Crop Prod* 31: 417-422. <http://dx.doi.org/10.1016/j.indcrop.2010.01.002>.
- Sen, D; Kalipcilar, H; Yilmaz, L. (2007). Development of polycarbonate based zeolite 4A filled mixed matrix gas separation membranes. *J Memb Sci* 303: 194-203. <http://dx.doi.org/10.1016/j.memsci.2007.07.010>.
- Sen Gupta, S; Chakraborty, I; Maliyekkal, SM; Mark, TA; Pandey, DK; Das, SK; Pradeep, T. (2015). Simultaneous Dehalogenation and Removal of Persistent Halocarbon Pesticides from Water Using Graphene Nanocomposites: A Case Study of Lindane. 3: 1155-1163. <http://dx.doi.org/10.1021/acssuschemeng.5b00080>.
- Sen Teker, M; Tamer, U; Pekmez, NO. (2012). Fabrication and characterization of poly(vinylferrocenium) perchlorate/poly(3,4-ethylenedioxythiophene) composite-coated electrode in methylene chloride. *Synthetic Metals* 162: 924-930. <http://dx.doi.org/10.1016/j.synthmet.2012.04.017>.
- Senapati, S; Srivastava, SK; Singh, SB. (2012). Synthesis, characterization and photocatalytic activity of magnetically separable hexagonal Ni/ZnO nanostructure. *Nanoscale* 4: 6604-6612. <http://dx.doi.org/10.1039/c2nr31831h>.
- Senden, RJ; De Jean, P; McAuley, KB; Schreiner, LJ. (2006). Polymer gel dosimeters with reduced toxicity: a preliminary investigation of the NMR and optical dose-response using different monomers. *Phys Med Biol* 51: 3301-3314. <http://dx.doi.org/10.1088/0031-9155/51/14/001>.
- Sengul, IF; Okutan, E; Kandemir, H; Astarci, E; Cosut, B. (2015). Carbazole substituted BODIPY dyes: Synthesis, photophysical properties and antitumor activity. *Dyes and Pigments* 123: 32-38. <http://dx.doi.org/10.1016/j.dyepig.2015.07.025>.
- Senila, L; Gog, A; Senila, M; Roman, C; Silaghi-Dumitrescu, L. (2012). Development of a GC-MS Method for 5-hydroxymethylfurfural Determination in Wood after Steam-explosion Pretreatment. *Rev Chim* 63: 557-561.
- Senkevich, JJ; Mitchell, CJ; Vijayaraghavan, A; Barnat, EV; McDonald, JF; Lu, TM. (2002). Unique structure/properties of chemical vapor deposited parylene E. *Journal of Vacuum Science and Technology A* 20: 1445-1449. <http://dx.doi.org/10.1116/1.1487870>.
- Senser, DW; Cundy, VA; Morse, JS. (1987). CHEMICAL-SPECIES AND TEMPERATURE PROFILES OF LAMINAR DICHLOROMETHANE-METHANE-AIR FLAMES .1. VARIATION OF CHLORINE HYDROGEN LOADING. *Combust Sci Tech* 51: 209-233.
- Senser, DW; Morse, JS; Cundy, VA. (1985). PICS - A CONSEQUENCE OF STABLE INTERMEDIATE FORMATION DURING HAZARDOUS-WASTE INCINERATION (DICHLOROMETHANE). *Hazardous Waste and Hazardous Materials* 2: 473-486.
- Seo, J; Lee, S; Nam, S; Park, S; Jeong, J; Kim, J; Kim, H; Kim, Y. (2013). Thickness Effect of Electron-Donating Polymer Layers in Bilayer-Type All-Polymer Solar Cells. *Journal of Nanoelectronics and Optoelectronics* 8: 514-518. <http://dx.doi.org/10.1166/jno.2013.1515>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol* 35: 3386-3390.
- Serban, EA; Diaconu, I; Mirea, CM; Ruse, E; Nechifor, G. (2016). Partition of Indole-3-acetic Acid in Biphasic Systems. *Rev Chim* 67: 634-638.
- Sergent, A; Zucchi, G; Pansu, RB; Chaigneau, M; Geffroy, B; Tondelier, D; Ephritikhine, M. (2013). Synthesis, characterization, morphological behaviour, and photo- and electroluminescence of highly blue-emitting fluorene-carbazole copolymers with alkyl side-chains of different lengths. 1: 3207-3216. <http://dx.doi.org/10.1039/c3tc00060e>.
- Serhatli, IE; Serhatli, M. (1998). Synthesis and characterization of amorphous liquid crystalline poly(vinyl ether) block copolymers. *Turkish Journal of Chemistry* 22: 279-287.
- Sérino, S; Gomez, L; Costagliola, G; Gautier, H. (2009). HPLC assay of tomato carotenoids: validation of a rapid microextraction technique. *J Agric Food Chem* 57: 8753-8760. <http://dx.doi.org/10.1021/jf902113n>.
- Services, TDoSH. (2009). Letter Health Consultation. Review of Vapor Intrusion Sampling Data. Bandera Road Groundwater Plume, Leon Valley, Bexar County, Texas. EPA Facility ID: TXN000606565. GRA and I: 16.
- Sesigur, F; Dasdan, DS; Yazici, O; Cakar, F; Cankurtaran, O; Karaman, F. (2016). Thermodynamical characterization of poly (ethylene glycol) and tosylate functionalized poly(ethylene glycol) interaction with some nonpolar and polar solvents via inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 10: 97-101.

## Fate Literature Search Results

### Off Topic

- Severin, I; Poulain, M; El Abdi, R. (2007). Mechanical and chemical damage of optical fiber polymer coating. *J Optoelect Adv Mater* 9: 2110-2115.
- Severson, RF; Chorlyk, OT; Stephenson, MG; Akey, DH; Neal, JW; Pittarelli, GW; Jackson, DM; Sisson, VA. (1994). CHARACTERIZATION OF NATURAL PESTICIDE FROM NICOTIANA-GOSSEI. *ACS Symp Ser Am Chem Soc* 557: 109-121.
- Severson, RF; Rogers, CE; Marti, OG; Gueldner, RC; Arrendale, RF. (1991). VENTRAL EVERSIABLE GLAND VOLATILES FROM LARVAE OF THE FALL ARMYWORM, SPODOPTERA-FRUGIPERDA (SMITH, J.E.) (LEPIDOPTERA, NOCTUIDAE). *Agric Biol Chem* 55: 2527-2530.
- Seymour, MJ; Lucas, MF. (1993). Evaluation of Sampling and Analytical Methods for the Determination of Chlorodifluoromethane in Air. *Am Ind Hyg Assoc J* 54: 253-259.
- Sgro, LA; Minutolo, P; Basile, G; D'Alessio, A. (2001). UV-visible spectroscopy of organic carbon particulate sampled from ethylene/air flames. *Chemosphere* 42: 671-680.
- Shah, J; Jan, MR; Muhammad, M; Shehzad, F, unN. (2011). Development of a complex-based flow injection spectrophotometric method for determination of the herbicide pinoxaden in environmental samples. *Toxicol Environ Chem* 93: 1547-1556. <http://dx.doi.org/10.1080/02772248.2011.604323>.
- Shahmoradi, B; Negahdary, M; Maleki, A. (2012). Hydrothermal Synthesis of Surface-Modified, Manganese-Doped TiO<sub>2</sub> Nanoparticles for Photodegradation of Methylene Blue. *Environ Eng Sci* 29: 1032-1037. <http://dx.doi.org/10.1089/ees.2011.0519>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res* 40: 283-285.
- Shankar, H; Rajasudha, G; Karthikeyan, A; Narayanan, V; Stephen, A. (2008). Synthesis, characterization and photocatalytic activity of nanotitania loaded W-MCM-41. *Nanotechnology* 19: 315711. <http://dx.doi.org/10.1088/0957-4484/19/31/315711>.
- Shanker, A; Sood, C; Kumar, V; Ravindranath, SD. (2001). A modified extraction and clean-up procedure for the detection and determination of parathion-methyl and chlorpyrifos residues in tea. *Pest Manag Sci* 57: 458-462.
- Shanmugam, M; Jayavel, R. (2015). Synthesis of Graphene-Tin Oxide Nanocomposite and Its Photocatalytic Properties for the Degradation of Organic Pollutants Under Visible Light. *J Nanosci Nanotechnol* 15: 7195-7201. <http://dx.doi.org/10.1166/jnn.2015.10562>.
- Shanmugaraju, S; Joshi, SA; Mukherjee, PS. (2011). Fluorescence and visual sensing of nitroaromatic explosives using electron rich discrete fluorophores. *J Mater Chem* 21: 9130-9138. <http://dx.doi.org/10.1039/c1jm10406c>.
- Shao, J; Chen, J; Xie, Q; Wang, Y; Li, X; Hao, C. (2010). Electron-accepting potential of solvents determines photolysis rates of polycyclic aromatic hydrocarbons: experimental and density functional theory study. *J Hazard Mater* 179: 173-177. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.075>.
- Shao, L, u; Liu, L, i; Cheng, S, iXue; Huang, Y, uD; Ma, J, un. (2008). Comparison of diamino cross-linking in different polyimide solutions and membranes by precipitation observation and gas transport. *J Memb Sci* 312: 174-185. <http://dx.doi.org/10.1016/j.memsci.2007.12.060>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shao, Y; Xu, F; Li, W, ei; Zhang, K, un; Zhang, C; Li, R; Qiu, Y. (2016). Interfacial strength and debonding mechanism between aerogel-spun carbon nanotube yarn and polyphenylene sulfide. *Composites Part A: Applied Science and Manufacturing* 88: 98-105. <http://dx.doi.org/10.1016/j.compositesa.2016.05.025>.
- Sharif, R; Ahmad, SW; Anjum, H; Ramzan, N; Malik, SR. (2014). EFFECT OF INFUSION TIME AND TEMPERATURE ON DECAFFEINATION OF TEA USING LIQUID-LIQUID EXTRACTION TECHNIQUE. *Journal of Food Process Engineering* 37: 46-52. <http://dx.doi.org/10.1111/jfpe.12058>.
- Sharifi, S; Shafieyan, Y; Mirzadeh, H; Bagheri-Khoulenjani, S; Rabiee, SM; Imani, M; Atai, M; Shokrgozar, MA; Hatampoor, A. (2011). Hydroxyapatite scaffolds infiltrated with thermally crosslinked polycaprolactone fumarate and polycaprolactone itaconate. *J Biomed Mater Res A* 98: 257-267. <http://dx.doi.org/10.1002/jbm.a.33108>.
- Sharifimehr, MR; Ayoubi, K; Mohajerani, E. (2015). Third order optical nonlinearities characteristics of Disperse Red1 organic dye molecules inside of polymeric nanocapsules. *Optical Materials* 49: 147-151. <http://dx.doi.org/10.1016/j.optmat.2015.09.009>.
- Sharifimehr, MR; Ghanbari, K; Ayoubi, K; Mohajerani, E. (2015). Preparation and spectral characterization of polymeric nanocapsules containing DR1 organic dye. *Optical Materials* 45: 87-90. <http://dx.doi.org/10.1016/j.optmat.2015.02.036>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, BK; Sarowha, SLS; Bhagat, SD; Tiwari, RK; Gupta, SK; Venkataramani, PS. (1999). Analysis of insolubles of petroleum vacuum residues using TLC-FID. *Petroleum Science and Technology* 17: 319-332.
- Sharma, D; Singh, SB. (2012). Persistence of bifenthrin in sandy loam soil as affected by microbial community. *Bull Environ Contam Toxicol* 88: 906-908. <http://dx.doi.org/10.1007/s00128-012-0618-7>.
- Sharma, HS; Park, SM. (2004). Electrochemistry of conductive polymers - XXIX. Polyfluorene growth in dichloromethane and acetonitrile: A comparative study. *J Electrochem Soc* 151: E61-E68. <http://dx.doi.org/10.1149/1.1639021>.
- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res* 34: 4310-4317.
- Sharvelle, S; Arabi, M; Mclamore, E; Banks, MK. (2008). Model development for biotrickling filter treatment of graywater simulant and waste gas. I. *J Environ Eng* 134: 813-825. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:10\(813\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:10(813)).
- Shavaleev, NM; Scopelliti, R; Graetzel, M; Nazeeruddin, MK; Pertegas, A; Roldan-Carmona, C; Tordera, D; Bolink, HJ. (2013). Pulsed-current versus constant-voltage light-emitting electrochemical cells with trifluoromethyl-substituted cationic iridium(III) complexes. 1: 2241-2248. <http://dx.doi.org/10.1039/c3tc00808h>.

## Fate Literature Search Results

### Off Topic

- Shaver, TN; Lingren, PD; Marshall, HF. (1997). Nighttime variation in volatile content of flowers of the night blooming plant *Gaura drummondii*. *J Chem Ecol* 23: 2673-2682.
- Shaw, AL; Macklin, KS; Blake, JP. (2010). Effects of Vitamin U on Intestinal Morphology in Broilers Undergoing a Salmonellosis Challenge. *Journal of Applied Animal Research* 37: 145-151.
- Sheean, PD; Hodges, LD; Kalafatis, N; Wright, PFA; Wynne, PM; Whitehouse, MW; Macrides, TA. (2007). Bioactivity of extracts from gonadal tissue of the edible Australian purple sea urchin *Heliocidaris erythrogramma*. *J Sci Food Agric* 87: 694-701. <http://dx.doi.org/10.1002/jsfa.2771>.
- Sheehan, D; Casey, JP. (1993). Microbial glutathione S-transferases [Review]. *Comp Biochem Physiol B Comp Biochem* 104: 1-6.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Barman, MA; Geis, SW; Tortorelli, JJ. (2004). Toxicity of ambient atmospheric particulate matter from the Lake Michigan (USA) airshed to aquatic organisms. *Environ Toxicol Chem* 23: 133-140. <http://dx.doi.org/10.1897/02-636>.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Geis, S; Barman, MA. (2005). Seasonal and spatial relationship of chemistry and toxicity in atmospheric particulate matter using aquatic bioassays. *Environ Sci Technol* 39: 999-1010. <http://dx.doi.org/10.1021/es049873+>.
- Sheikhi-Kouhsar, M; Bagheri, H; Raeissi, S. (2015). Modeling of ionic liquid plus polar solvent mixture molar volumes using a generalized volume translation on the Peng-Robinson equation of state. *Fluid Phase Equilibria* 395: 51-57. <http://dx.doi.org/10.1016/j.fluid.2015.03.005>.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicylamidine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data* 55: 5927-5931. <http://dx.doi.org/10.1021/je100369a>.
- Shen, G; Hu, X; Hu, Y. (2009). Kinetic study of the degradation of the insecticide pymetrozine in a vegetable-field ecosystem. *J Hazard Mater* 164: 497-501. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.020>.
- Shen, GH; Chen, JC; Chen, LJ. (1999). The structures and variation of vacancy ordering in epitaxial DySi<sub>2</sub>-x thin films on (111)Si. *Appl Surf Sci* 142: 300-304.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O<sub>3</sub> process. *Chemosphere* 38: 1855-1866.
- Shen, Z; Chen, J, ue; Li, X, in; Li, X; Zhou, Y; Yu, Y; Ding, H; Li, J; Zhu, L; Hua, J. (2016). Synthesis and Photovoltaic Properties of Powerful Electron-Donating Indeno[1, 2-b]thiophene-Based Green D-A-π-A Sensitizers for Dye-Sensitized Solar Cells. 4: 3518-3525. <http://dx.doi.org/10.1021/acssuschemeng.6b00574>.
- Sher, P; Ingavle, G; Ponrathnam, S; Pawar, AP. (2007). Low density porous carrier based conceptual drug delivery system. *Microporous and Mesoporous Materials* 102: 290-298. <http://dx.doi.org/10.1016/j.micromeso.2007.01.001>.
- Sherman, C; Portier, C. (1997). The two-stage model of carcinogenesis: overcoming the nonidentifiability dilemma. *Risk Anal* 17: 367-374.
- Sherry, JP; Carron, J; Leger, D; Kohli, J; Wilkinson, R. (1993). An MSD-based method for the detection of chlorinated dibenzo-P-dioxins and chlorinated dibenzofurans in fish. *Chemosphere* 27: 651-664.
- Sherwood, NM; Kyle, AL; Kreiberg, H; Warby, CM; Magnus, TH; Carolsfeld, J; Price, WS. (1991). PARTIAL CHARACTERIZATION OF A SPAWNING PHEROMONE IN THE HERRING CLUPEA-HARENGUS-PALLASI. *Can J Zool* 69: 91-103.
- Shi, F, aN; Trindade, T; Rocha, J; Paz, FAA. (2008). Hydro-Ionothermal Synthesis of Lanthanide-Organic Frameworks with 1,4-Phenylenebis(methylene)diphosphonate. *Cryst Growth Des* 8: 3917-3920. <http://dx.doi.org/10.1021/cg800639x>.
- Shi, M; Christensen, K; Weinberg, CR; Romitti, P; Bathum, L; Lozada, A; Morris, RW; Lovett, M; Murray, JC. (2007). Orofacial cleft risk is increased with maternal smoking and specific detoxification-gene variants. *Am J Hum Genet* 80: 76-90. <http://dx.doi.org/10.1086/510518>.
- Shi, Y, unL; Qian, C; Chen, X, inZhi. (2016). Solubility Measurement and Correlation of (+)-Biotin Intermediate Lactone in Different Organic Solvents from 287.15 to 323.75 K. *Journal of Chemical and Engineering Data* 61: 1509-1516. <http://dx.doi.org/10.1021/acs.jced.5b00857>.
- Shie, RH; Chan, CC. (2013). Tracking hazardous air pollutants from a refinery fire by applying on-line and off-line air monitoring and back trajectory modeling. *J Hazard Mater* 261: 72-82. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.017>.
- Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. *Ind Eng Chem Res* 38: 2650-2658.
- Shigehiro, T; Chen, Q; Yagi, S; Maeda, T; Nakazumi, H; Sakurai, Y. (2016). Substituent effect on photo- and electroluminescence properties of heteroleptic cyclometalated platinum(II) complexes based on a 2-(dibenzo[b,d]furan-4-yl)pyridine ligand. *Dyes and Pigments* 124: 165-173. <http://dx.doi.org/10.1016/j.dyepig.2015.09.015>.
- Shih, TS; Chou, JS; Chen, CY; Smith, TJ. (1999). Improved method to measure urinary alkoxyacetic acids. *Occup Environ Med* 56: 460-467.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci* 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shim, IK; Jung, MR; Kim, KH; Seol, YJ; Park, YJ; Park, WH; Lee, SJ. (2010). Novel three-dimensional scaffolds of poly(L-lactic acid) microfibers using electrospinning and mechanical expansion: Fabrication and bone regeneration. *J Biomed Mater Res B Appl Biomater* 95: 150-160. <http://dx.doi.org/10.1002/jbm.b.31695>.
- Shim, IK; Lee, SY; Park, YJ; Lee, MC; Lee, SH; Lee, JY; Lee, SJ. (2008). Homogeneous chitosan-PLGA composite fibrous scaffolds for tissue regeneration. *J Biomed Mater Res A* 84: 247-255. <http://dx.doi.org/10.1002/jbm.a.31464>.
- Shim, JS; Jung, JT; Sofer, S; Lakhwala, F. (1995). OXIDATION OF ETHANOL VAPORS IN A SPIRAL BIOREACTOR. *J Chem Tech Biotechnol* 64: 49-54.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther* 270: 414-423.
- Shimazaki, Y; Mitsuishi, M; Ito, S; Yamamoto, M. (1997). Preparation of the layer-by-layer deposited ultrathin film based on the charge-transfer interaction. *Langmuir* 13: 1385-1387.
- Shimizu, H; Takahashi, Y. (2012). Review of adhesive techniques used in removable prosthodontic practice [Review]. *J Oral Sci* 54: 205-211.

## Fate Literature Search Results

### Off Topic

- Shimizu, S; El Seoud, OA. (2003). Synthesis and aggregation of benzyl(2-acylaminoethyl)dimethylammonium chloride surfactants. *Langmuir* 19: 238-243. <http://dx.doi.org/10.1021/la026286y>.
- Shimizu, Y; Matsui, S; Harada, J. (2003). Evaluation of micro-organic pollution in lake sediments: Application to Akanoi Bay, Lake Biwa, Japan. *Environ Technol* 24: 889-896.
- Shin, DM; Choi, KH; Park, JS; Choi, JS; Kang, DY. (1996). Characterization of octadecylviologen-TCNQ Langmuir-Blodgett films. *Thin Solid Films* 284: 523-525.
- Shin, JH, wa; Ahn, Y, unG. (2007). Analysis of polychlorinated dibenzo-p-dioxins and dibenzo-furans in sanitary products of women. *Text Res J* 77: 597-603. <http://dx.doi.org/10.1177/0040517507078786>.
- Shin, MS, am; Lee, J, uHo; Kim, H. (2008). Phase behavior of the poly(vinyl pyrrolidone) plus dichloromethane plus supercritical carbon dioxide system. *Fluid Phase Equilibria* 272: 42-46. <http://dx.doi.org/10.1016/j.fluid.2008.07.016>.
- Shin, WS. (2008). Competitive sorption of anionic and cationic dyes onto cetylpyridinium-modified montmorillonite. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 1459-1470. <http://dx.doi.org/10.1080/10934520802232337>.
- Shin, YC; Yi, GY; Kim, Y; Paik, NW. (2002). Development of a sampling and analytical method for 2,2-dichloro-1,1,1-trifluoroethane in workplace air. *AIHA J* 63: 715-720.
- Shinbo, K; Iwasaki, M; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F. (2011). Humidity Detection by Using a Hybrid Sensor Employing Optical Waveguide Spectroscopy and Quartz Crystal Microbalance. *I E I C E Transactions on Electronics* E94C: 1851-1854. <http://dx.doi.org/10.1587/transele.E94.C.1851>.
- Shinbo, K; Otuki, S; Kanbayashi, Y; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F; Miyadera, N. (2009). A hybrid humidity sensor using optical waveguides on a quartz crystal microbalance. *Thin Solid Films* 518: 629-633. <http://dx.doi.org/10.1016/j.tsf.2009.07.059>.
- Shinyashiki, M; Eiguren-Fernandez, A; Schmitz, DA; Di Stefano, E; Li, N; Linak, WP; Cho, SH; Froines, JR; Cho, AK. (2009). Electrophilic and redox properties of diesel exhaust particles. *Environ Res* 109: 239-244. <http://dx.doi.org/10.1016/j.envres.2008.12.008>.
- Shiraishi, Y; Tachibana, K; Hirai, T; Komasa, I. (2003). Photochemical production of biphenyls from oxidized sulfur compounds obtained by oxidative desulfurization of light oils. *Energy Fuels* 17: 95-100. <http://dx.doi.org/10.1021/ef020139q>.
- Shiri-Yekta, Z; Yaftian, MR. (2010). Anion Control Selectivity of Neutral N-4-Type Schiff Base Extractants Towards Transition Metal Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 29: 11-17.
- Shirley, WA. (1997). OSHA slashes methylene chloride exposure limits. *Chemical Engineering Progress* 93: 38-&.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO<sub>2</sub>, O<sub>2</sub>, Ar, N<sub>2</sub>, H<sub>2</sub>, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data* 53: 1867-1871. <http://dx.doi.org/10.1021/jc800200j>.
- Shoulaifar, TK; Demartini, N; Zevenhoven, M; Verhoeff, F; Kiel, J; Hupa, M. (2013). Ash-Forming Matter in Torrefied Birch Wood: Changes in Chemical Association. *Energy Fuels* 27: 5684-5690. <http://dx.doi.org/10.1021/ef4005175>.
- Shpaysman, N; Margel, S. (2006). Synthesis and characterization of air-stable iron nanocrystalline particles based on a single-step swelling process of uniform polystyrene template microspheres. *Chem Mater* 18: 396-402. <http://dx.doi.org/10.1021/cm0519232>.
- Shpaysman, N; Margel, S. (2008). Anomalous polymer particles of narrow size distribution prepared by insertion and evaporation of Fe(CO)<sub>5</sub> from uniform polystyrene template microspheres. *Chem Mater* 20: 1719-1724. <http://dx.doi.org/10.1021/cm7032383>.
- Shrestha, NK; Kohn, H; Imamura, M; Irie, K; Ogihara, H; Saji, T. (2010). Electrophoretic deposition of phthalocyanine in organic solutions containing trifluoroacetic acid. *Langmuir* 26: 17024-17027. <http://dx.doi.org/10.1021/la102172t>.
- Shu, Y; Li, C; Chen, B; Bai, W; Shen, Y. (2015). Process optimization and characterization of activated carbons from *Amygdalus pedunculata* shell by zinc chloride activation. *J Optoelect Adv Mater* 17: 182-191.
- Shu, YY; Lai, TL; Lin, HS; Yang, TC; Chang, CP. (2003). Study of factors affecting on the extraction efficiency of polycyclic aromatic hydrocarbons from soils using open-vessel focused microwave-assisted extraction. *Chemosphere* 52: 1667-1676. [http://dx.doi.org/10.1016/S0045-6535\(03\)00372-2](http://dx.doi.org/10.1016/S0045-6535(03)00372-2).
- Shuai, Q; Yang, X; Luo, Y; Tang, H, ao; Luo, X; Tan, Y; Ma, M. (2015). A superhydrophobic poly(dimethylsiloxane)-TiO<sub>2</sub> coated polyurethane sponge for selective absorption of oil from water. *Mater Chem Phys* 162: 94-99. <http://dx.doi.org/10.1016/j.matchemphys.2015.05.011>.
- Shuangfei, C; Lisheng, W; Guoqing, Y; Yi, L. (2010). Solubilities of 1-Methyl-3-(3-sulfopropyl)-imidazolium Hydrogen Sulfate in Selected Solvents. *Chinese Journal of Chemical Engineering* 18: 1008-1012.
- Shui, XP; Frysz, CA; Chung, DDL. (1995). Solvent cleansing of the surface of carbon filaments and its benefit to the electrochemical behavior. *Carbon* 33: 1681-1698.
- Shukla, NB; Rattan, S; Madras, G. (2012). Swelling and Dye-Adsorption Characteristics of an Amphoteric Superabsorbent Polymer. *Ind Eng Chem Res* 51: 14941-14948. <http://dx.doi.org/10.1021/ie301839z>.
- Shukla, S; Seal, S. (2003). PHASE STABILIZATION IN NANOCRYSTALLINE ZIRCONIA. *Reviews on Advanced Materials Science* 5: 117-120.
- Shusterman, D; Quinlan, P; Lowengart, R; Cone, J. (1990). Methylene chloride intoxication in a furniture refinisher: A comparison of exposure estimates utilizing workplace air sampling and blood carboxyhemoglobin measurements. *J Occup Environ Med* 32: 451-454.
- Sibali, LL; Okonkwo, JO; Zvinowanda, C. (2009). Determination of DDT and Metabolites in Surface Water and Sediment Using LLE, SPE, ACE and SE. *Bull Environ Contam Toxicol* 83: 885-891. <http://dx.doi.org/10.1007/s00128-009-9851-0>.
- Sibali, LL; Okwonkwo, JO; Mccrindle, R, obl. (2008). Determination of selected organochlorine pesticide (OCP) compounds from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 34: 611-621.
- Sibali, LL; Okwonkwo, JO; Mccrindle, RI. (2010). Levels of selected alkylphenol ethoxylates (APEs) in water and sediment samples from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 36: 229-238.

## Fate Literature Search Results

### Off Topic

- Sibiya, P; Chimuka, L; Cukrowska, E; Tutu, H. (2013). Development and application of microwave assisted extraction (MAE) for the extraction of five polycyclic aromatic hydrocarbons in sediment samples in Johannesburg area, South Africa. *Environ Monit Assess* 185: 5537-5550. <http://dx.doi.org/10.1007/s10661-012-2965-6>.
- Sicard, L; Navarathne, D; Skalski, T; Skene, WG. (2013). On-Substrate Preparation of an Electroactive Conjugated Polyazomethine from Solution-Processable Monomers and its Application in Electrochromic Devices. *Adv Funct Mater* 23: 3549-3559. <http://dx.doi.org/10.1002/adfm.201203657>.
- Siddique, H; Rundquist, E; Bhole, Y; Peeva, LG; Livingston, AG. (2014). Mixed matrix membranes for organic solvent nanofiltration. *J Memb Sci* 452: 354-366. <http://dx.doi.org/10.1016/j.memsci.2013.10.012>.
- Siddiqui, S; Adams, WA. (2002). The fate of diesel hydrocarbons in soils and their effect on the germination of perennial ryegrass. *Environ Toxicol* 17: 49-62.
- Siddiqui, S; Adams, WA; Schollion, J. (2001). The phytotoxicity and degradation of diesel hydrocarbons in soil. 164: 631-635.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health* 56: 13-16.
- Sidhu, S; Kasti, N; Edwards, P; Dellinger, B. (2001). Hazardous air pollutants formation from reactions of raw meal organics in cement kilns. *Chemosphere* 42: 499-506.
- Sievers, U; Eggers, R. (1996). Heat recovery in supercritical fluid extraction process with separation at subcritical pressure. *Chemical Engineering and Processing: Process Intensification* 35: 239-246.
- Siewierski, LM; Brittain, WJ; Petrash, S; Foster, MD. (1996). Photoresponsive monolayers containing in-chain azobenzene. *Langmuir* 12: 5838-5844.
- Sikorska-Sobiegraj, E; Zielinski, S. (2005). Adsorption of heavy metals on activated carbon in the presence of selected organic compounds. *Przemysł Chemiczny* 84: 254-256.
- Silkina, A; Bazes, A; Mouget, JL; Bourgougnon, N. (2012). Comparative efficiency of macroalgal extracts and booster biocides as antifouling agents to control growth of three diatom species. *Mar Pollut Bull* 64: 2039-2046. <http://dx.doi.org/10.1016/j.marpolbul.2012.06.028>.
- Silkowski, MA; Smith, SR; Plewa, MJ. (1992). Analysis of the genotoxicity of municipal solid waste incinerator ash. *Sci Total Environ* 111: 109-124.
- Sills, RC; Hailey, JR; Neal, J; Boorman, GA; Haseman, JK; Melnick, RL. (1999). Examination of low-incidence brain tumor responses in F344 rats following chemical exposures in National Toxicology Program carcinogenicity studies. *Toxicol Pathol* 27: 589-599. <http://dx.doi.org/10.1177/019262339902700513>.
- Silva, AR; Budarin, V; Clark, JH; de Castro, B; Freire, C. (2005). Chiral manganese(III) Schiff base complexes anchored onto activated carbon as enantio selective heterogeneous catalysts for alkene epoxidation. *Carbon* 43: 2096-2105. <http://dx.doi.org/10.1016/j.carbon.2005.03.024>.
- Silva, FM; Donega, MA; Cerdeira, AL; Corniani, N; Velini, ED; Cantrell, CL; Dayan, FE; Coelho, MN; Shea, K; Duke, SO. (2014). Roots of the invasive species *Carduus nutans* L. and *C. acanthoides* L. produce large amounts of aplotaxene, a possible allelochemical. *J Chem Ecol* 40: 276-284. <http://dx.doi.org/10.1007/s10886-014-0390-8>.
- Silva, MA; Dias Bezerra-Silva, GC; Vendramim, JD; Mastrangelo, T. (2013). SUBLETHAL EFFECT OF NEEM EXTRACT ON MEDITERRANEAN FRUIT FLY ADULTS. *Revista Brasileira de Fruticultura* 35: 93-101.
- Silverio, FO; Barbosa, LCA; Maltha, CRA; Silvestre, AJD; Pilo-Veloso, D; Gomide, JL. (2007). CHARACTERIZATION OF LIPOPHILIC WOOD EXTRACTIVES FROM CLONES OF *Eucalyptus urograndis* CULTIVATED IN BRAZIL. *BioResources* 2: 157-168.
- Silvestre-Albero, A, na; Rico-Frances, S; Rodriguez-Reinoso, F; Kern, AM; Klumpp, M; Etzold, BJM; Silvestre-Albero, J. (2013). High selectivity of TIC-CDC for CO<sub>2</sub>/N<sub>2</sub> separation. *Carbon* 59: 221-228. <http://dx.doi.org/10.1016/j.carbon.2013.03.012>.
- Sim, JH; Ogino, K; Sato, H. (1995). SYNTHESIS AND CHARACTERIZATION OF POLYMERS HAVING FLUORENONE DERIVATIVES. *Synthetic Metals* 69: 575-576.
- Sime, KR. (2002). Experimental studies of the host-finding behavior of *Trogus pennator*, a parasitoid of swallowtail butterflies. *J Chem Ecol* 28: 1377-1392.
- Simell, P; Stahlberg, P; Kurkela, E; Albrecht, J; Deutsch, S; Sjoström, K. (2000). Provisional protocol for the sampling and analysis of tar and particulates in the gas from large-scale biomass gasifiers. Version 1998. *Biomass and Bioenergy* 18: 19-38.
- Simion, G; Carlescu, I; Lisa, G; Scutaru, D, an. (2012). Synthesis and Characterization of Some Liquid Crystalline Compounds based on a 2,7-dihydroxynaphthalene Core. *Rev Chim* 63: 407-411.
- Simmonds, PG; Manning, AJ; Cunnold, DM; McCulloch, A; O'Doherty, S; Derwent, RG; Krümmel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simon, M; Csunderlik, C; Tirnaveanu, A. (2001). A study on the bis(mononitrophenyl) carbonates formation reaction. Starting from triphosgene and nitrophenols. *Rev Chim* 52: 371-376.
- Simon, M; Micle, A; Armeanu, I; Medeleanu, M; Csunderlik, C. (2006). Study of the obtaining reaction for N,N'-diphthalimidylcarbonate starting from triphosgene and N-hydroxyphthalimide in the presence of triethylamine. *Rev Chim* 57: 1115-1118.
- Simon, M; Turoczi, CM; Badea, V; Pop, M; Zaharia, V; Csunderlik, C. (2010). Synthesis of Symmetrically N,N'-di-substituted Aliphatic Ureas by Reaction of bis(o-nitrophenyl) Carbonate with Primary Amines. *Rev Chim* 61: 380-382.
- Simoncic, B; Span, J; Vesnaver, G. (1994). A STUDY OF THE SELF-ASSOCIATION OF SIMPLE AZO DYES USING THE POTENTIOMETRIC METHOD. *Dyes and Pigments* 26: 257-276.

## Fate Literature Search Results

### Off Topic

- Simpson, J. R.; Mcpherson, EG. (1997). The effects of roof albedo modification on cooling loads of scale model residences in Tucson, Arizona. *Energy and Buildings* 25: 127-137.
- Simpson, CD; Cullen, WR; Quinlan, KB; Reimer, KJ. (1995). Methodology for the determination of priority pollutant polycyclic aromatic hydrocarbons in marine sediments. *Chemosphere* 31: 4143-4155.
- Simpson, IJ; Akagi, SK; Barletta, B; Blake, NJ; Choi, Y; Diskin, GS; Fried, A; Fuelberg, HE; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Wennberg, PO; Wiebring, P; Wisthaler, A; Yang, M; Yokelson, RJ; Blake, DR. (2011). Boreal forest fire emissions in fresh Canadian smoke plumes: C-1-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CO, NO<sub>2</sub>, NO, HCN and CH<sub>3</sub>CN. *Atmos Chem Phys* 11: 6445-6463. <http://dx.doi.org/10.5194/acp-11-6445-2011>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Sindam, B; Raju, KCJ. (2015). Influence of sintering temperature on microwave dielectric properties, structure and lattice modes of Ba(Zn<sub>1/3</sub>Ta<sub>2/3</sub>)O-3 resonators. *Journal of Materials Science: Materials in Electronics* 26: 3997-4004. <http://dx.doi.org/10.1007/s10854-015-2936-0>.
- Siner, A; Ahmad, FB; Davis, TM; Singh, B; Cox-Singh, J. (2008). IN VITRO ACTIVITY OF A DICHLOROMETHANE FRACTION OF LANSIUM DOMESTICUM LEAVES AGAINST PLASMODIUM FALCIPARUM CLONE 3D7. *Am J Trop Med Hyg* 79: 278-278.
- Singh, B; Prasad, GK; Suryanarayana, MVS; Banerjee, S. (2001). The reaction of thiodiglycol on metal-impregnated carbon. *Carbon* 39: 2131-2142.
- Singh, P; Suman, A; Shrivastava, AK. (2003). Isolation and identification of allelochemicals from sugarcane leaves. *Allelopathy Journal* 12: 71-79.
- Singh, S; Battu, RS. (2012). Dissipation kinetics of spinosad in cabbage (*Brassica oleracea* L.var. capitata). *Toxicol Environ Chem* 94: 319-326. <http://dx.doi.org/10.1080/02772248.2011.639774>.
- Singmaster, JA. (1991). CONTAMINANTS IN AGED PESTICIDE GRADE DICHLOROMETHANE INTERFERING IN HERBICIDE RESIDUE ANALYSIS AND A METHOD FOR THEIR REMOVAL. *University of Puerto Rico Journal of Agriculture* 75: 329-344.
- Sinha, W; Deibel, N; Garai, A; Schweinfurth, D; Anwar, S; Purohit, CS; Sarkar, B; Kar, S. (2014). In-situ spectroelectrochemistry (EPR, UV-visible) and aggregation behavior of H-2 BDCP and Zn(II)BDCP [BDCP = {5,10,15,20-tetrakis[3,4-(1,4-dioxan)phenyl]porphyrin}{2-}]. *Dyes and Pigments* 107: 29-37. <http://dx.doi.org/10.1016/j.dyepig.2014.03.019>.
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere* 30: 2343-2352.
- Sinquin, G; Petit, C; Hindermann, JP; Kiennemann, A. (2001). Study of the formation of LaMO<sub>3</sub> (M = Co, Mn) perovskites by propionates precursors: application to the catalytic destruction of chlorinated VOCs. *Catalysis Today* 70: 183-196.
- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ* 27: 105-115.
- Sirtl, T; Lischka, M; Eichhorn, J; Rastgoo-Lahrood, A; Strunskus, T; Heckl, WM; Lackinger, M. (2014). From Benzenetrihiolate Self-Assembly to Copper Sulfide Adlayers on Cu(111): Temperature-Induced Irreversible and Reversible Phase Transitions. *J Phys Chem C* 118: 3590-3598. <http://dx.doi.org/10.1021/jp411084k>.
- Sivakumaran, S; Rajendran, S. (1988). ANALYSIS OF POLYESTER SILK AND POLYESTER WOOL USING TRICHLOROACETIC-ACID AND METHYLENE-CHLORIDE. *Text Chem Color* 20: 25-26.
- Skolucka-Szary, K; Ramięga, A; Piaskowska, W; Janicki, B; Grala, M; Rieske, P; Stoczyńska-Fidelus, E; Piaskowski, S. (2015). Chitin dipentanoate as the new technologically usable biomaterial. *Mater Sci Eng C* 55: 50-60. <http://dx.doi.org/10.1016/j.msec.2015.05.051>.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess* 3: 635-653.
- Skrdla, PJ; Lindemann, C. (2003). Dehydration of 2-butanol by a sulfated zirconia/gamma-alumina mixed metal oxide catalyst inside a gas chromatograph injection port. *Appl Catal A-Gen* 246: 227-235. [http://dx.doi.org/10.1016/S0926-860X\(03\)00022-X](http://dx.doi.org/10.1016/S0926-860X(03)00022-X).
- Skubiszewska-Zieba, J; Charnas, B; Lebeda, R; Staszczuk, P; Kowalczyk, P; Oleszczuk, P. (2003). Effect of hydrothermal modification on the porous structure and thermal properties of carbon-silica adsorbents (carbosils). *Mater Chem Phys* 78: 486-494.
- Slipszenko, JA; Griffiths, SP; Johnston, P; Simons, KE; Vermeer, WAH; Wells, PB. (1998). Enantioselective hydrogenation - V. Hydrogenation of butane-2,3-dione and of 3-hydroxybutan-2-one catalysed by cinchona-modified platinum. *J Catal* 179: 267-276.
- Słowik-Borowiec, M; Szyrka, E; Walorczyk, S. (2012). Analysis of pesticide residues in fresh peppermint, *Mentha piperita* L., using the quick easy cheap effective rugged and safe method (QuEChERS) followed by gas chromatography with electron capture and nitrogen phosphorus detection. *Bull Environ Contam Toxicol* 89: 633-637. <http://dx.doi.org/10.1007/s00128-012-0717-5>.
- Smith, IH; Budd, TC; Sills, J; Casida, JE. (1993). INSECTICIDAL 1-(ALKYNYLALKYL)-3-CYANO-2,6,7-TRIOXABICYCLO[2.2.2]OCTANES. *J Agric Food Chem* 41: 1114-1117.
- Smith, MF; Kemper, CN; Smith, GW; Goetz, TL; Jarrell, VL. (1994). PRODUCTION OF TISSUE INHIBITOR OF METALLOPROTEINASES-1 BY PORCINE FOLLICULAR AND LUTEAL CELLS. *J Anim Sci* 72: 1004-1012.
- Smith, PA; Bowerbank, CR; Lee, ML; Solberg, M; Drown, DB; Alexander, W; Still, KR. (2000). Airborne aldehydes from heating rosin core solder and liquid rosin flux to soldering temperatures. *Am Ind Hyg Assoc J* 61: 95-101.
- Snyder, SA; Keith, TL; Pierens, SL; Snyder, EM; Giesy, JP. (2001). Bioconcentration of nonylphenol in fathead minnows (*Pimephales promelas*). *Chemosphere* 44: 1697-1702.
- So, HS; Shin, HC; Kim, BS; Yoo, YS. (2006). Controlled release of active substance from biodegradable copolymer matrix. *Materials Science Forum* 510-511: 798-801.

## Fate Literature Search Results

### Off Topic

- Soares, AT; da Costa, DC; Silva, BF; Lopes, RG; Derner, RB; Antoniosi Filho, NR. (2014). Comparative Analysis of the Fatty Acid Composition of Microalgae Obtained by Different Oil Extraction Methods and Direct Biomass Transesterification. *BioEnergy Res* 7: 1035-1044. <http://dx.doi.org/10.1007/s12155-014-9446-4>.
- Sobczyk-Guzenda, A; Szymanowski, H; Jakubowski, W; Blasinska, A; Kowalski, J; Gazicki-Lipman, M. (2013). Morphology, photocleaning and water wetting properties of cotton fabrics, modified with titanium dioxide coatings synthesized with plasma enhanced chemical vapor deposition technique. *Surf Coating Tech* 217: 51-57. <http://dx.doi.org/10.1016/j.surfcoat.2012.11.071>.
- Sobue, T; Utada, M; Makiuchi, T; Ohno, Y; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2015). Risk of bile duct cancer among printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *J Occup Health* 57: 230-236. <http://dx.doi.org/10.1539/joh.14-0116-OA>.
- Soden, KJ. (1993). An evaluation of chronic methylene chloride exposure. *J Occup Med* 35: 282-286.
- Soden, KJ; Amsel, J. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk - Reply. *J Occup Environ Med* 39: 12-12.
- Soden, KJ; Marras, G; Amsel, J. (1996). Carboxyhemoglobin levels in methylene chloride-exposed employees. *J Occup Environ Med* 38: 367-371.
- Sofuoglu, SC; Lebowitz, MD; O'Rourke, MK; Robertson, GL; Dellarco, M; Moschandreas, DJ. (2003). Exposure and risk estimates for Arizona drinking water. *J Am Water Works Assoc* 95: 67-79.
- Soganci, T; Soyleyici, HC, an; Ak, M; Cetisli, H. (2016). An Amide Substituted Dithienylpyrrole Based Copolymer: Its Electrochromic Properties. *J Electrochem Soc* 163: H59-H66. <http://dx.doi.org/10.1149/2.0631602jes>.
- Sohofi, N; Tavanai, H; Morshed, M; Abdolmaleki, A. (2014). Electrospinning of 100% Carboxymethyl Chitosan Nanofibers. *Journal of Engineered Fabrics and Fibers* 9: 87-92.
- Sohrabnezhad, S, h; Sadeghi, A. (2015). Matrix effect of montmorillonite and MCM-41 matrices on the antibacterial activity of Ag<sub>2</sub>CO<sub>3</sub> nanoparticles. *Appl Clay Sci* 105: 217-224. <http://dx.doi.org/10.1016/j.clay.2014.12.034>.
- Soldatov, DV; Grachev, EV; Ripmeester, JA. (2002). The first "organic zeolite" with isomerizing building blocks: Single-crystal-to-single-crystal desolvation and structure of the empty matrix. *Cryst Growth Des* 2: 401-408. <http://dx.doi.org/10.1021/cg020016w>.
- Soldera, S; Sebastianutto, N; Bortolomeazzi, R. (2008). Composition of phenolic compounds and antioxidant activity of commercial aqueous smoke flavorings. *J Agric Food Chem* 56: 2727-2734. <http://dx.doi.org/10.1021/jf072117d>.
- Soleas, GJ; Yan, J; Goldberg, DM. (2001). Assay of ochratoxin A in wine and beer by high-pressure liquid chromatography photodiode array and gas chromatography mass selective detection. *J Agric Food Chem* 49: 2733-2740. <http://dx.doi.org/10.1021/jf0100651>.
- Solis-Casados, D; Viguera-Santiago, E; Hernandez-Lopez, S; Camacho-Lopez, AA. (2009). Characterization and Photocatalytic Performance of Tin Oxide. *Ind Eng Chem Res* 48: 1249-1252. <http://dx.doi.org/10.1021/ie800604u>.
- Solla-Gullon, J; Gomez, E; Valles, E; Aldaz, A; Feliu, JM. (2010). Synthesis and structural, magnetic and electrochemical characterization of PtCo nanoparticles prepared by water-in-oil microemulsion. *J Nanopart Res* 12: 1149-1159. <http://dx.doi.org/10.1007/s11051-009-9680-4>.
- Soltanian, H; Rezaeian, S; Shakeri, A; Janpoor, J; Pourianfar, HR. (2016). Antibacterial activity of crude extracts and fractions from Iranian wild-grown and cultivated *Agaricus* spp. *Biomedical Research* 27: 56-59.
- Solum, MS; Mayne, CL; Orendt, AM; Pugmire, RJ; Adams, J; Fletcher, TH. (2014). Characterization of Macromolecular Structure Elements from a Green River Oil Shale, I. Extracts. *Energy Fuels* 28: 453-465. <http://dx.doi.org/10.1021/ef401918u>.
- Solum, MS; Veranth, JM; Jiang, YJ; Orendt, AM; Sarofim, AF; Pugmire, RJ. (2003). Study of anthracene aerosols by solid-state NMR and ESR. *Energy Fuels* 17: 738-743. <http://dx.doi.org/10.1021/ef020216h>.
- Son, KC; Severson, RF; Kays, SJ. (1991). A RAPID METHOD FOR SCREENING SWEET-POTATO GENOTYPES FOR OVIPOSITION STIMULANTS TO THE SWEET-POTATO WEEVIL. *HortScience* 26: 409-410.
- Sonawane, S; Chaudhari, P; Ghodke, S; Phadtare, S; Meshram, S. (2009). Ultrasound assisted adsorption of basic dye onto organically modified bentonite (nanoclay). *Journal of Sci Ind Res* 68: 162-167.
- Sone, R; Takemura, I; Oyaizu, K; Nishide, H. (2009). Chiral alkylated poly(m-phenylene)s: Optical activity and thermal stability of helical structures. *Synthetic Metals* 159: 925-930. <http://dx.doi.org/10.1016/j.synthmet.2009.01.057>.
- Song, C; Li, C; Yin, Y; Xiao, J; Zhang, X; Song, M; Dong, W, ei. (2015). Preparation and gas sensing properties of partially broken WO<sub>3</sub> nanotubes. *Vacuum* 114: 13-16. <http://dx.doi.org/10.1016/j.vacuum.2014.12.019>.
- Song, KH; Lee, CH; Lim, JS; Lee, YW. (2002). Preparation of L-PLA submicron particles by a continuous supercritical antisolvent precipitation process. *Korean J Chem Eng* 19: 139-145.
- Song, P; Chan, CY; Geng, F; Yu, Q; Guo, Y; Yu, L. (2012). Elevated mixing ratios and sources of methyl chloride: Results from a survey in the Yangtze River Delta region of China. *Atmos Res* 104-105: 172-181. <http://dx.doi.org/10.1016/j.atmosres.2011.10.003>.
- Song, P; Geng, FH; Sang, XF; Chan, CY; Chan, LY; Yu, Q. (2012). Characteristics and sources of non-methane hydrocarbons and halocarbons in wintertime urban atmosphere of Shanghai, China. *Environ Monit Assess* 184: 5957-5970. <http://dx.doi.org/10.1007/s10661-011-2393-z>.
- Song, QS; Yang, DR; Zhang, GM; Yang, CR. (2001). Volatiles from *Ficus hispida* and their attractiveness to fig wasps. *J Chem Ecol* 27: 1929-1942.
- Song, Y; Harper, AS; Murray, RW. (2005). Ligand heterogeneity on monolayer-protected gold clusters. *Langmuir* 21: 5492-5500. <http://dx.doi.org/10.1021/la0503606>.
- Song, YF; Jing, X; Fleischmann, S; Wilke, BM. (2002). Comparative study of extraction methods for the determination of PAHs from contaminated soils and sediments. *Chemosphere* 48: 993-1001.
- Song, Z; Qu, Y; Wang, S. (2010). Solubilities of (alpha,Z)-2-Amino-alpha-(methoxyimino)-4-thiazole-ethanethioic Acid S-2-Benzothiazolyl Ester in Pure Solvents and a Mixture of Acetonitrile and Dichloromethane. *Journal of Chemical and Engineering Data* 55: 2343-2344. <http://dx.doi.org/10.1021/jc900784v>.

## Fate Literature Search Results

### Off Topic

- Sonmez, E; Sonmez, F; Kumbasar, RA, Ii; Eyupoglu, V. (2012). Synergistic and selective extraction of Cd<sup>2+</sup> from acidic solution containing Cd<sup>2+</sup>, Co<sup>2+</sup>, Ni<sup>2+</sup> by triisooctylamine (TIOA) and tributyl phosphate (TBP). *J Ind Eng Chem* 18: 1286-1292. <http://dx.doi.org/10.1016/j.jiec.2012.01.025>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res* 6: 1-8.
- Soppimath, KS; Kulkarni, AR; Aminabhavi, TM; Bhaskar, C. (2001). Cellulose acetate microspheres prepared by o/w emulsification and solvent evaporation method. *J Microencapsul* 18: 811-817.
- Soreide, JE; Tamelander, T; Hop, H; Hobson, KA; Johansen, I. (2006). Sample preparation effects on stable C and N isotope values: a comparison of methods in Arctic marine food web studies. *Mar Ecol Prog Ser* 328: 17-28.
- Sorial, GA; Smith, FL; Suidan, MT; Biswas, P; Brenner, RC. (1995). EVALUATION OF TRICKLE-BED BIOFILTER MEDIA FOR TOLUENE REMOVAL. *J Air Waste Manag Assoc* 45: 801-810.
- Sousa, AF; Pinto, PC; Silvestre, AJ; Pascoal Neto, C. (2006). Triterpenic and other lipophilic components from industrial cork byproducts. *J Agric Food Chem* 54: 6888-6893. <http://dx.doi.org/10.1021/jf060987+>.
- Souza, MLR; Hoch, AL; Gasparino, E; Scapinello, C; Dourado, MD; Da Silva, CSC; Lala, B. (2016). COMPOSITIONAL ANALYSIS AND PHYSICO-CHEMICAL AND MECHANICAL TESTING OF TANNED RABBIT SKINS. *World Rabbit Science* 24: 233-238. <http://dx.doi.org/10.4995/wrs.2016.4037>.
- Soylemez, S; Hacıoglu, SO; Uzun, SD; Toppare, L. (2015). A Low Band Gap Benzimidazole Derivative and Its Copolymer with 3,4-Ethylenedioxythiophene for Electrochemical Studies. *J Electrochem Soc* 162: H6-H14. <http://dx.doi.org/10.1149/2.0311501jes>.
- Spada, RM; Cepeda-Plaza, M; Gomez, ML; Guenther, G; Jaque, P; Pizarro, N; Palacios, RE; Vega, A. (2015). Clean Singlet Oxygen Production by a Re-I Complex Embedded in a Flexible Self-Standing Polymeric Silsesquioxane Film. *J Phys Chem C* 119: 10148-10159. <http://dx.doi.org/10.1021/acs.jpcc.5b01990>.
- Spear, RC; Bois, FY; Woodruff, T; Auslander, D; Parker, J; Selvin, S. (1991). Modeling benzene pharmacokinetics across three sets of animal data: Parametric sensitivity and risk implications. *Risk Anal* 11: 641-654. <http://dx.doi.org/10.1111/j.1539-6924.1991.tb00653.x>.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.
- Sperling, S; Kühbandner, S; Engel, KC; Steiger, S; Stökl, J; Ruther, J. (2015). Size Exclusion High Performance Liquid Chromatography: Re-Discovery of a Rapid and Versatile Method for Clean-Up and Fractionation in Chemical Ecology. *J Chem Ecol* 41: 574-583. <http://dx.doi.org/10.1007/s10886-015-0584-8>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponberg, AL; Becks, PM. (2000). Organic contamination in soils associated with cemeteries. *Journal of Soil Contamination* 9: 87-97.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria* 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sreng, L; Cloarec, A; Rivault, C. (1998). Cuticular extracts inducing aggregation in the German cockroach, *Blattella germanica* (L.). *J Insect Physiol* 44: 909-918.
- Sriamornsak, P; Burapapadh, K. (2015). Particle design of itraconazole by evaporative recrystallization for dissolution improvement. *Chem Eng Res Des* 100: 444-451. <http://dx.doi.org/10.1016/j.cherd.2015.04.028>.
- Srihanam, P; Srisuwan, Y; Imsombut, T; Baimark, Y. (2011). Silk fibroin microspheres prepared by the water-in-oil emulsion solvent diffusion method for protein delivery. *Korean J Chem Eng* 28: 293-297. <http://dx.doi.org/10.1007/s11814-010-0322-4>.
- Srinivasan, P; Sarmah, AK; Manley-Harris, M; Wilkins, AL. (2012). Development of an HPLC method to analyze four veterinary antibiotics in soils and aqueous media and validation through fate studies. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47: 2120-2132. <http://dx.doi.org/10.1080/10934529.2012.696005>.
- Srivastava, R; Smith, BD. (1985). TOTAL PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH BENZENE, TOLUENE, NITROMETHANE, AND CHLOROBENZENE. *Journal of Chemical and Engineering Data* 30: 313-318.
- Srouf, H; Doan, T, huH; Da Silva, E; Whitby, RJ; Witulski, B. (2016). Synthesis and molecular properties of methoxy-substituted diindolo[3,2-b:2',3'-h]carbazoles for organic electronics obtained by a consecutive twofold Suzuki and twofold Cadogan reaction. *4*: 6270-6279. <http://dx.doi.org/10.1039/c6tc02009g>.
- Staccioli, G; Mcmillan, NJ; Meli, A; Bartolini, G. (2002). Chemical characterisation of a 45 million year bark from geodetic hills fossil forest, Axel Heiberg Island, Canada. *Wood Science and Technology* 36: 419-427. <http://dx.doi.org/10.1007/S00226-002-0144-6>.
- Staccioli, G; Meli, A; Bartolini, G. (2001). Evidence of carboxyl ester groups of polyoses breaking owing to ball milling of a poplar wood. *Cellulose Chemistry and Technology* 35: 355-360.
- Staccioli, G; Meli, A; Fratini, F. (2002). Investigation on fossil barks from an Arctic Canadian site constituted by a multiple level tertiary fossil forest 45 million years old. *Holzforschung* 56: 20-24.
- Staccioli, G; Sturaro, A; Parvoli, G. (1997). GC/MS investigation on the dichloromethane extract from a subfossil larch. *Holzforschung* 51: 107-110.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). General and specific biomarkers in some tertiary fossil woods from Canadian Arctic. *Holzforschung* 52: 225-228.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). Investigation on the DCM extractives of Canadian Arctic fossil woods: the Resolute sample. *Wood Science and Technology* 32: 375-380.



## Fate Literature Search Results

### Off Topic

- Staccioli, G; Sturaro, A; Parvoli, G; Menchi, G; Matteoli, U. (1999). The lipophilic extractives of an interglacial fossil *Picea abies* from Zeifen (Germany). *Holzforschung* 53: 391-396.
- Staccioli, G; Ucar, G; Bartolini, G; Coppi, C; Mochi, M. (1998). Investigation an a fossil *Sequoia* bark from Turkey. *Holz als Roh- und Werkstoff* 56: 426-429.
- Stahl, DC; Tilotta, DC. (2001). Screening method for nitroaromatic compounds in water based on solid-phase microextraction and infrared spectroscopy. *Environ Sci Technol* 35: 3507-3512.
- Ståhlbom, B; Järnberg, J; Söderkvist, P; Lindmark, D. (1997). Determination of dimethylhippuric acid isomers in urine by high-performance liquid chromatography. *Int Arch Occup Environ Health* 69: 147-150.
- St-Amand, AD; Girard, L. (2004). Determination of acephate and its degradation product methamidophos in soil and water by solid-phase extraction (SPE) and GC-MS. *Int J Environ Anal Chem* 84: 739-748. <http://dx.doi.org/10.1080/03067310410001729600>.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Analysis of the kinetics of vapor absorption/desorption in/from silicone rubber and cellulose acetate membranes in the presence of stagnant boundary layers. *J Memb Sci* 125: 165-175.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Optical vs. direct sorption and swelling measurements for the study of stiff-chain polymer-penetrant interactions. *J Memb Sci* 130: 75-83.
- Stanetzek, I; Giese, U; Schuster, RH; Wunsch, G. (1996). Chromatographic characterization of adsorbents for selective sampling of organic air pollutants. *Am Ind Hyg Assoc J* 57: 128-133.
- Stankovic, V; Outarra, L; Zonneville, F; Comninellis, C. (2008). Solvent extraction of silver from nitric acid solutions by calix[4]arene amide derivatives. *Separation and Purification Technology* 61: 366-374. <http://dx.doi.org/10.1016/j.seppur.2007.11.011>.
- Stanley, TJ; Alger, MM. (1989). METHYLENE-CHLORIDE MIGRATION IN POLYCARBONATE PACKAGES - EFFECT OF INITIAL CONCENTRATION PROFILE. *Ind Eng Chem Res* 28: 865-867.
- Stanley, TJ; Ward, WJ; Alger, MM. (1989). METHYLENE-CHLORIDE PERMEATION IN POLYCARBONATE USING A C-14 TRACER. *Ind Eng Chem Res* 28: 1494-1497.
- Stark, T; Hofmann, T. (2005). Structures, sensory activity, and dose/response functions of 2,5-diketopiperazines in roasted cocoa nibs (*Theobroma cacao*). *J Agric Food Chem* 53: 7222-7231. <http://dx.doi.org/10.1021/jf051313m>.
- Starnes, WH; Chung, H; Wojciechowski, BJ; Skillicorn, DE; Benedikt, GM. (1996). Auxiliary mechanism for transfer to monomer during vinyl chloride polymerization - Implications for thermal stability of poly(vinyl chloride). *Advances in Chemistry Series* 249: 3-18.
- Starr, BJ; Tarabara, VV; Herrera-Robledo, M; Zhou, M; Roualdes, S; Ayril, A. (2016). Coating porous membranes with a photocatalyst: Comparison of LbL self-assembly and plasma-enhanced CVD techniques. *J Memb Sci* 514: 340-349. <http://dx.doi.org/10.1016/j.memsci.2016.04.050>.
- Stayner, LT; Bailer, AJ. (1993). Comparing Toxicologic and Epidemiologic Studies: Methylene Chloride A Case Study. *Risk Anal* 13: 667-673.
- Steele, HL; Hardy, JK. (2009). Permeation sampling of phthalate esters in water. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 340-345. <http://dx.doi.org/10.1080/10934520802659661>.
- Stefanescu, EA. (2010). Influence of key parameters on the morphology of ethylcellulose microcapsules prepared via room-temperature spray drying. *Cellulose* 17: 617-626. <http://dx.doi.org/10.1007/s10570-010-9399-5>.
- Stefanescu, EA; Stefanescu, C; Negulescu, II. (2011). Biodegradable polymeric capsules obtained via room temperature spray drying: preparation and characterization. *J Biomater Appl* 25: 825-849. <http://dx.doi.org/10.1177/0885328210366489>.
- Stefanel, MM; Vuano, BM; Mayer, CE. (2001). Corrosion inhibition of pure aluminum by morpholine-methylene-phosphonic acid in neutral chloride solution. *Corrosion* 57: 898-904.
- Steidle, JLM; Ruther, J. (2000). Chemicals used for host recognition by the granary weevil parasitoid *Lariophagus distinguendus*. *J Chem Ecol* 26: 2665-2675.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual* 10: 283-285.
- Stein, TE; Duffy, SJ; Wickstrom, S. (1990). DIFFERENCES IN PRODUCTION VALUES BETWEEN HIGH-PRODUCTIVITY AND LOW-PRODUCTIVITY SWINE BREEDING HERDS. *J Anim Sci* 68: 3972-3979.
- Stenzel, MH; Davis, TP; Fane, AG. (2003). Honeycomb structured porous films prepared from carbohydrate based polymers synthesized via the RAFT process. *J Mater Chem* 13: 2090-2097. <http://dx.doi.org/10.1039/b304204a>.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech* 25: 565-571.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2004). Total oxidation of methane and chlorinated hydrocarbons on zirconia supported A(1-x)Sr(x)MnO(3) catalysts. *Chem Eng Tech* 27: 687-693. <http://dx.doi.org/10.1002/ceat.20040042>.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics* 4: 185-192.
- Stepnowski, P; Siedlecka, EM; Behrend, P; Jastorff, B. (2002). Enhanced photo-degradation of contaminants in petroleum refinery wastewater. *Water Res* 36: 2167-2172. [http://dx.doi.org/10.1016/S0043-1354\(01\)00450-X](http://dx.doi.org/10.1016/S0043-1354(01)00450-X).
- Stevens, RJ; Laughlin, RJ. (2001). Lowering the detection limit for dinitrogen using the enrichment of nitrous oxide. *Soil Biol Biochem* 33: 1287-1289.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med* 48: 531-537.
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Experimental human exposure to methylene chloride. *Arch Environ Occup Health* 25: 342-348.

## Fate Literature Search Results

### Off Topic

- Sthel, M; Rieumont, J; Martinez, R. (1999). Testing a furfuryl alcohol resin as a negative photoresist. *Polym Test* 18: 47-50.
- Stievano, M; Elvassore, N. (2005). High-pressure density and vapor-liquid equilibrium for the binary systems carbon dioxide-ethanol, carbon dioxide-acetone and carbon dioxide-dichloromethane. *Journal of Supercritical Fluids* 33: 7-14. <http://dx.doi.org/10.1016/j.supflu.2004.04.003>.
- Stivaktakis, PD; Kavvalakis, MP; Tzatzarakis, MN; Alegakis, AK; Panagiotakis, MN; Fragkiadaki, P; Vakonaki, E; Ozcagli, E; Hayes, WA; Rakitskii, VN; Tsatsakis, AM. (2016). Long-term exposure of rabbits to imidacloprid as quantified in blood induces genotoxic effect. *Chemosphere* 149: 108-113. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.040>.
- Stokes, JD; Wilkinson, A; Reid, BJ; Jones, KC; Semple, KT. (2005). Prediction of polycyclic aromatic hydrocarbon biodegradation in contaminated soils using an aqueous hydroxypropyl-beta-cyclodextrin extraction technique. *Environ Toxicol Chem* 24: 1325-1330.
- Stone, EA; Snyder, DC; Sheesley, RJ; Sullivan, AP; Weber, RJ; Schauer, JJ. (2008). Source apportionment of fine organic aerosol in Mexico City during the MILAGRO experiment 2006. *Atmos Chem Phys* 8: 1249-1259. <http://dx.doi.org/10.5194/acp-8-1249-2008>.
- Stoppa, A; Hunger, J; Buchner, R. (2009). Conductivities of Binary Mixtures of Ionic Liquids with Polar Solvents. *Journal of Chemical and Engineering Data* 54: 472-479. <http://dx.doi.org/10.1021/je800468h>.
- Stotter, J; Show, Y; Wang, SH; Swain, G. (2005). Comparison of the electrical, optical, and electrochemical properties of diamond and indium tin oxide thin-film electrodes. *Chem Mater* 17: 4880-4888. <http://dx.doi.org/10.1021/cm050762z>.
- Stoupalova, M; Beklova, M; Vavrova, M; Stilarikova, E; Bednarova, I. (2012). INFLUENCE OF POLYCYCLIC AROMATIC HYDROCARBONS ON EARTHWORMS EISENIA FETIDA. *Fresen Environ Bull* 21: 748-754.
- Stout, SA; Emsbo-Mattingly, SD. (2008). Concentration and character of PAHs and other hydrocarbons in coals of varying rank - Implications for environmental studies of soils and sediments containing particulate coal. *Organic Geochemistry* 39: 801-819. <http://dx.doi.org/10.1016/j.orggeochem.2008.04.017>.
- Strange, R; Howie, A; Hume, R; Matharoo, B; Bell, J; Hiley, C; Jones, P; Beckett, G. (1989). The development expression of alpha-, mu- and pi-class glutathione S-transferases in human liver. *Biochim Biophys Acta* 993: 186-190.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg* 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.
- Strnad, M; Sanka, M; Bohacek, Z; Borkovcova, I; Vondra, J. (1994). SOIL POLLUTION BY HEAVY-METALS AND POLYCYCLIC AROMATIC-HYDROCARBONS IN THE TOWN OF BRNO (CZECH-REPUBLIC). *Int J Environ Anal Chem* 54: 233-248.
- Strum, M; Scheffe, R. (2015). National review of ambient air toxics observations. *Journal of the Air and Waste Management Association* 66: 120-133. <http://dx.doi.org/10.1080/10962247.2015.1076538>.
- Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. *AIHA J* 63: 62-71.
- Sturaro, A; Parvoli, G; Doretto, L; Staccioli, G. (1998). Unusual occurrence of phthalic acid esters in fossil Larix wood. *Ann Chim* 88: 471-481.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C* 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, J; Sun, X; Gahungu, G; Qu, X; Liu, Y; Wu, Z. (2012). Theoretical study on photophysical properties of cyclometalated cationic iridium(III) complexes containing dipyrido[3,2-f:2',3'-h]quinoxaline ligand. *Synthetic Metals* 162: 1392-1399. <http://dx.doi.org/10.1016/j.synthmet.2012.06.005>.
- Su, Y; Zhao, B; Xiao, W; Han, R. (2013). Adsorption behavior of light green anionic dye using cationic surfactant-modified wheat straw in batch and column mode. *Environ Sci Pollut Res Int* 20: 5558-5568. <http://dx.doi.org/10.1007/s11356-013-1571-7>.
- Subagyono, DJN; Marshall, M; Fei, Y, i; Jackson, WR, oy; Chaffee, AL. (2015). Thermo-chemical reactions of algae, grape marc and wood chips using a semi-continuous/flow-through system. *Fuel* 158: 927-936. <http://dx.doi.org/10.1016/j.fuel.2015.06.026>.
- Subagyono, DJN; Marshall, M; Jackson, W; Chaffee, AL. (2015). Pressurized thermal and hydrothermal decomposition of algae, wood chip residue, and grape marc: A comparative study. *Biomass and Bioenergy* 76: 141-157. <http://dx.doi.org/10.1016/j.biombioe.2014.08.020>.
- Subagyono, DJN; Marshall, M; Jackson, WR, oy; Chaffee, AL. (2015). Improvement in liquid fuel product quality from reactions of grape marc with CO/H<sub>2</sub>O. *Fuel* 159: 234-240. <http://dx.doi.org/10.1016/j.fuel.2015.06.042>.
- Subhaga, CS; Ravi, KG; Sunny, MC; Jayakrishnan, A. (1995). EVALUATION OF AN ALIPHATIC POLYURETHANE AS A MICROSPHERE MATRIX FOR SUSTAINED THEOPHYLLINE DELIVERY. *J Microencapsul* 12: 617-625.
- Subra, P; Berroy, P; Vega, A; Domingo, C. (2004). Process performances and characteristics of powders produced using supercritical CO<sub>2</sub> as solvent and antisolvent. *Powder Technology* 142: 13-22. <http://dx.doi.org/10.1016/j.powtec.2004.03.004>.
- Subra, P; Laudani, CG; Vega-Gonzalez, A; Reverchon, E. (2005). Precipitation and phase behavior of theophylline in solvent-supercritical CO<sub>2</sub> mixtures. *Journal of Supercritical Fluids* 35: 95-105. <http://dx.doi.org/10.1016/j.supflu.2004.12.010>.
- Subramonian, S. (1996). Anion-exchange resins from vinylbenzyl chloride: Control of hydrolysis during polymerization. *React Funct Polym* 29: 129-133.
- Subramonian, W; Wu, T, aY. (2014). Effect of Enhancers and Inhibitors on Photocatalytic Sunlight Treatment of Methylene Blue. *Water Air Soil Pollut* 225: 1-15. <http://dx.doi.org/10.1007/s11270-014-1922-0>.
- Subrenat, AS; Le Cloirec, PA. (2006). Volatile organic compound (VOC) removal by adsorption onto activated carbon fiber cloth and electrothermal desorption: An industrial application. *Chemical Engineering Communications* 193: 478-486. <http://dx.doi.org/10.1080/00986440500191768>.

## Fate Literature Search Results

### Off Topic

- Sugano, M; Mashimo, K; Wainai, T. (1998). Upgrading reactions of coal liquefaction residue with basic coal liquid related model compounds. *Fuel* 77: 447-451.
- Suganya, T; Renganathan, S. (2012). Optimization and kinetic studies on algal oil extraction from marine macroalgae *Ulva lactuca*. *Bioresour Technol* 107: 319-326. <http://dx.doi.org/10.1016/j.biortech.2011.12.045>.
- Sugasawa, M; Terasawa, T; Futamura, S. (2010). Additive Effect of Water on the Decomposition of VOCs in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 46: 1692-1698. <http://dx.doi.org/10.1109/TIA.2010.2057390>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res* 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ* 20: 57-66.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels* 8: 463-469.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen* 103: 55-67.
- Sui, B; Fu, X. (2009). The copper(II) iodide accelerated synthesis of mono- and bisbenzyl substituted 1-and 2-aminoanthraquinones. *Dyes and Pigments* 83: 1-6. <http://dx.doi.org/10.1016/j.dyepig.2009.01.004>.
- Sui, YL; Qian, JX; Zhang, J; Zhou, XH; Gu, ZN; Wu, Y; Fu, H; Wang, JZ. (1996). Direct and catalytic hydrogenation of buckminsterfullerene C-60. *Fullerene Sci Technol* 4: 813-818.
- Sulej-Suchomska, AM; Polkowska, Z; Przyjazny, A; Kokot, ZJ; Namiesnik, J. (2016). Determination of fuel combustion product in airport runoff water samples using liquid-liquid extraction with gas chromatography-spectrometry. *Int J Environ Sci Tech* 13: 1475-1488. <http://dx.doi.org/10.1007/s13762-016-0988-1>.
- Sultana, T; Porter, NG; Savage, GP; Mcneil, DL. (2003). Comparison of isothiocyanate yield from wasabi rhizome tissues grown in soil or water. *J Agric Food Chem* 51: 3586-3591. <http://dx.doi.org/10.1021/jf021116c>.
- Suman, M; La Tegola, S; Catellani, D; Bersellini, U. (2005). Liquid chromatography-electrospray ionization-tandem mass spectrometry method for the determination of epoxidized soybean oil in food products. *J Agric Food Chem* 53: 9879-9884. <http://dx.doi.org/10.1021/jf052151x>.
- Sumi, K; Kimura, M; Kokufuta, E; Nakamura, I. (1994). SELECTIVE UPHILL TRANSPORT OF CYANIDE ION-MEDIATED BY TETRAPHENYLPORPHINATOMANGANESE (III) COMPLEX THROUGH BULK AND POLYMER-SUPPORTED LIQUID MEMBRANES. *J Memb Sci* 86: 155-169.
- Sun, G; Liu, Z; Chen, G. (2010). DISPERSION OF PRISTINE MULTI-WALLED CARBON NANOTUBES IN COMMON ORGANIC SOLVENTS. *NANO* 5: 103-109. <http://dx.doi.org/10.1142/S1793292010001986>.
- Sun, G; Zhang, D, an; An, X; Jahan, M, dS; Zhou, J; Ni, Y. (2016). A case study for integrated forest biorefinery: Recovery of manool from evaporator condensate of a kraft pulp mill. *Separation and Purification Technology* 165: 27-31. <http://dx.doi.org/10.1016/j.seppur.2016.03.043>.
- Sun, H; Dong, X; Liu, S; Zhao, Q; Mou, X, in; Yang, H, uiY; Huang, W, ei. (2011). Excellent BODIPY Dye Containing Dimesitylboryl Groups as PeT-Based Fluorescent Probes for Fluoride. *J Phys Chem C* 115: 19947-19954. <http://dx.doi.org/10.1021/jp206396v>.
- Sun, J; Li, Y; Liu, T; Du, Q; Xia, Y; Xia, L; Wang, Z; Wang, K; Zhu, H; Wu, D. (2014). EQUILIBRIUM, KINETIC AND THERMODYNAMIC STUDIES OF CATIONIC RED X-GRL ADSORPTION ON GRAPHENE OXIDE. *Environmental Engineering and Management Journal* 13: 2551-2559.
- Sun, JB; Severson, RF; Kays, SJ. (1993). QUANTITATIVE TECHNIQUE FOR MEASURING VOLATILE COMPONENTS OF BAKED SWEET-POTATOES. *HortScience* 28: 1110-1113.
- Sun, JB; Severson, RF; Schlotzhauer, WS; Kays, SJ. (1995). IDENTIFYING CRITICAL VOLATILES IN THE FLAVOR OF BAKED JEWEL SWEET-POTATOES [IPOMOEAE-BATATAS (L) LAM]. *J Am Soc Hortic Sci* 120: 468-474.
- Sun, M; Downes, S. (2009). Physicochemical characterisation of novel ultra-thin biodegradable scaffolds for peripheral nerve repair. *J Mater Sci Mater Med* 20: 1181-1192. <http://dx.doi.org/10.1007/s10856-008-3671-3>.
- Sun, P; Weavers, LK. (2006). Sonolytic reactions of phenanthrene in organic extraction solutions. *Chemosphere* 65: 2268-2274. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.029>.
- Sun, P; Weavers, LK; Taerakul, P; Walker, HW. (2006). Characterization of polycyclic aromatic hydrocarbons (PAHs) on lime spray dryer (LSD) ash using different extraction methods. *Chemosphere* 62: 265-274. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.014>.
- Sun, P; Yu, DH, ua; Hu, Y, i; Tang, ZC; Xia, JJ; Li, H; Huang, H, e. (2011). H3PW12O40/SiO2 for sorbitol dehydration to isosorbide: High efficient and reusable solid acid catalyst. *Korean J Chem Eng* 28: 99-105. <http://dx.doi.org/10.1007/s1184-010-0324-2>.
- Sun, RC; Sun, XF. (2001). Separation and characterization of lipophilic extracts from barley straw. *Separation Science and Technology* 36: 3027-3048.
- Sun, RC; Sun, XF; Xiao, B. (2002). Extraction and characterization of lipophilic extractives from rice straw. II. Spectroscopic and thermal analysis. *Journal of Wood Chemistry and Technology* 22: 1-9.
- Sun, RC; Tomkinson, J. (2002). Comparative study of organic solvent-soluble and water-soluble lipophilic extractives from wheat straw 2: spectroscopic and thermal analysis. *J Wood Sci* 48: 222-226.
- Sun, RC; Tomkinson, J. (2003). Comparative study of organic solvent and water-soluble lipophilic extractives from wheat straw I: yield and chemical composition. *J Wood Sci* 49: 47-52.
- Sun, Y; Yue, Q; Gao, B; Wang, Y, an; Gao, Y; Li, Q. (2013). Preparation of highly developed mesoporous activated carbon by H4P2O7 activation and its adsorption behavior for oxytetracycline. *Powder Technology* 249: 54-62. <http://dx.doi.org/10.1016/j.powtec.2013.07.029>.

## Fate Literature Search Results

### Off Topic

- Sundaram, KMS; Curry, J. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE ANALYSIS OF AZADIRACHTIN IN 3 COMMERCIAL FORMULATIONS AND NEEM OIL. *J Environ Sci Health B* 28: 221-241.
- Sundarram, SS; Jiang, W, ei; Li, W, ei. (2014). Fabrication of Small Pore-Size Nickel Foams Using Electroless Plating of Solid-State Foamed Immiscible Polymer Blends. *Journal of Manufacturing Science and Engineering* 136. <http://dx.doi.org/10.1115/1.4025418>.
- Sundell, BJ; Jang, E, uis; Cook, JR; Freeman, BD; Riffle, JS; Mcgrath, JE. (2016). Cross-Linked Disulfonated Poly(arylene ether sulfone) Telechelic Oligomers. 2. Elevated Transport Performance with Increasing Hydrophilicity. *Ind Eng Chem Res* 55: 1419-1426. <http://dx.doi.org/10.1021/acs.iecr.5b04050>.
- Sundell, MJ; Ekman, KB; Svarfvar, BL; Nasman, JH. (1995). PREPARATION OF POLY[ETHYLENE-G-(VINYL BENZYL CHLORIDE)] AND FUNCTIONALIZATION WITH BIS(PHOSPHONIC ACID) DERIVATIVES. 25: 1-16.
- Sunder, MS; Prasad, DHL. (2003). Phase equilibria of water plus furfural and dichloromethane plus n-hexane. *Journal of Chemical and Engineering Data* 48: 221-223. <http://dx.doi.org/10.1021/jc020053r>.
- Sunsandee, N; Ramakul, P; Pancharoen, U, ra; Leepipatpiboon, N. (2013). Enantioseparation of (S)-amlodipine from pharmaceutical industry wastewater by stripping phase recovery via HFSLM: Polarity of diluent and membrane stability investigation. *Separation and Purification Technology* 116: 405-414. <http://dx.doi.org/10.1016/j.seppur.2013.06.014>.
- Sunthornvarabhas, J; Chatakanonda, P; Piyachomkwan, K; Sriroth, K. (2011). Electrospun polylactic acid and cassava starch fiber by conjugated solvent technique. *Mater Lett* 65: 985-987. <http://dx.doi.org/10.1016/j.matlet.2010.12.038>.
- Suo, QL; He, WZ; Huang, YC; Li, CP; Hong, HL; Li, YX; Zhu, MD. (2005). Micronization of the natural pigment-bixin by the SEDS process through prefilming atomization. *Powder Technology* 154: 110-115. <http://dx.doi.org/10.1016/j.powtec.2005.05.001>.
- Supsakulchai, A; Ma, GH; Nagai, M; Omi, S. (2003). Performance of titanium dioxide microcapsules as a photooxidation catalyst for decolorization of methylene blue. *J Microencapsul* 20: 19-33. <http://dx.doi.org/10.1080/0265204021000022806>.
- Suqi, L; Cáceres, LA; Cáceres, L; Schieck, K; Mcgarvey, BD; Booker, CJ; Mcgarvey, BM; Yeung, KK; Pariente, S; Briens, C; Berruti, F; Scott, IM. (2014). Insecticidal activity of bio-oil from the pyrolysis of straw from *Brassica* spp. *J Agric Food Chem* 62: 3610-3618. <http://dx.doi.org/10.1021/jf500048t>.
- Suresh, VM; Bonakala, S; Atreya, HS; Balasubramanian, S; Maji, TK. (2014). Amide functionalized microporous organic polymer (Am-MOP) for selective CO<sub>2</sub> sorption and catalysis. *ACS Applied Materials & Interfaces* 6: 4630-4637. <http://dx.doi.org/10.1021/am500057z>.
- Suri, A; Chakraborty, AK; Coleman, KS. (2008). A facile, solvent-free, noncovalent, and nondisruptive route to functionalize single-wall carbon nanotubes using tertiary phosphines. *Chem Mater* 20: 1705-1709. <http://dx.doi.org/10.1021/cm071573e>.
- Suslov, AN; Durilin, DA; Ovchar, OV; Belous, AG; Jancar, B; Spreitzer, M. (2014). Synthesis and dielectric and nonlinear properties of BaTi<sub>1-x</sub>Zr (x) O-3 ceramics. *Inorg Mater* 50: 1125-1130. <http://dx.doi.org/10.1134/S0020168514110193>.
- Suwanchawalit, C; Wongnawa, S. (2010). Triblock copolymer-templated synthesis of porous TiO<sub>2</sub> and its photocatalytic activity. *J Nanopart Res* 12: 2895-2906. <http://dx.doi.org/10.1007/s11051-010-9880-y>.
- Suwannahong, K; Liengcharensit, W; Sanongraj, W; Krueate, J. (2012). Application of Nano-TiO<sub>2</sub>/LDPE composite film on photocatalytic oxidation degradation of dichloromethane. *J Environ Biol* 33: 955-959.
- Suzuki, S; Suzuki, T; Suematsu, H; Jiang, WH; Yatsui, K. (2004). Structural analysis of Ti-Fe thin films prepared by pulsed laser deposition. *Thin Solid Films* 457: 139-142. <http://dx.doi.org/10.1016/j.tsf.2003.12.028>.
- Suzuki, S; Whittaker, MR; Wentrup-Byrne, E; Monteiro, MJ; Grøndahl, L. (2008). Adsorption of well-defined fluorine-containing polymers onto poly(tetrafluoroethylene). *Langmuir* 24: 13075-13083. <http://dx.doi.org/10.1021/la802300q>.
- Suzuki, T; Yanagiba, Y; Suda, M; Wang, RS. (2014). Assessment of the genotoxicity of 1,2-dichloropropane and dichloromethane after individual and co-exposure by inhalation in mice. *J Occup Health* 56: 205-214.
- Svensson, BA; Rundlof, M; Hoglund, H. (2006). Sliding friction between wood and steel in a saturated steam environment. *Journal of Pulp & Paper Science* 32: 38-43.
- Swan, HB; Crough, RW; Vaattovaara, P; Jones, GB; Deschaseaux, ESM; Eyre, BD; Miljevic, B; Ristovski, ZD. (2016). Dimethyl sulfide and other biogenic volatile organic compound emissions from branching coral and reef seawater: potential sources of secondary aerosol over the Great Barrier Reef. *J Atmos Chem* 73: 303-328. <http://dx.doi.org/10.1007/s10874-016-9327-7>.
- Swarts, JC; Langner, EHG; Krokeide-Hove, N; Cook, MJ. (2001). Synthesis and electrochemical characterisation of some long chain 1,4,8,11,15,18,22,25-octa-alkylated metal-free and zinc phthalocyanines possessing discotic liquid crystalline properties. *J Mater Chem* 11: 434-443.
- Swartz, E; Stockburger, L; Gundel, LA. (2003). Recovery of semivolatile organic compounds during sample preparation: Implications for characterization of airborne particulate matter. *Environ Sci Technol* 37: 597-605. <http://dx.doi.org/10.1021/es011128z>.
- Swiss, KI; Beri, R; Shord, SS. (2008). Encephalopathy after high-dose ifosfamide: a retrospective cohort study and review of the literature [Review]. *Drug Saf* 31: 989-996.
- Swihart, RK; Pignatello, JJ; Mattina, MJ. (1991). AVERSIVE RESPONSES OF WHITE-TAILED DEER, ODOCOILEUS-VIRGINIANUS, TO PREDATOR URINES. *J Chem Ecol* 17: 767-777.
- Synak, A; Gil, M; Angel Organero, J; Sanchez, F; Iglesias, M; Douhal, A. (2009). Fast to Ultrafast Dynamics of Palladium Phthalocyanine Covalently Bonded to MCM-41 Mesoporous Material. *J Phys Chem C* 113: 19199-19207. <http://dx.doi.org/10.1021/jp9021129>.
- Szekely, G; Bandarra, J; Heggie, W; Sellergren, B; Ferreira, FC. (2012). A hybrid approach to reach stringent low genotoxic impurity contents in active pharmaceutical ingredients: Combining molecularly imprinted polymers and organic solvent nanofiltration for removal of 1,3-diisopropylurea. *Separation and Purification Technology* 86: 79-87. <http://dx.doi.org/10.1016/j.seppur.2011.10.023>.
- Szeto, SY; Price, PM. (1991). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY METHOD FOR THE DETERMINATION OF DINOSEB - APPLICATION TO THE ANALYSIS OF RESIDUES IN RASPBERRIES. *J Agric Food Chem* 39: 1614-1617.

## Fate Literature Search Results

### Off Topic

- Szmigielska, AM; Schoenau, JJ. (1999). Analysis of imazethapyr in agricultural soils by ion exchange membranes and a Canola bioassay. *Commun Soil Sci Plant Anal* 30: 1831-1846.
- Szmigielska, AM; Schoenau, JJ; Greer, K. (1998). Comparison of chemical extraction and bioassay for measurement of metsulfuron in soil. *Weed Sci* 46: 487-493.
- Szori, K; Balazsik, K; Cserenyi, S; Szollosi, G; Bartok, M. (2009). Inversion of enantioselectivity in the 2,2,2-trifluoroacetophenone hydrogenation over Pt-alumina catalyst modified by cinchona alkaloids. *Appl Catal A-Gen* 362: 178-184. <http://dx.doi.org/10.1016/j.apcata.2009.04.040>.
- Tachibana, Y; Kikuzaki, H; Lajis, NH; Nakatani, N. (2001). Antioxidative activity of carbazoles from *Murraya koenigii* leaves. *J Agric Food Chem* 49: 5589-5594. <http://dx.doi.org/10.1021/jf010621r>.
- Tagne, RS; Telefo, BP; Nyemb, JN; Yemele, DM; Njina, SN; Goka, SM; Lienou, LL; Nwabo Kamdje, AH; Moundipa, PF; Farooq, AD. (2014). Anticancer and antioxidant activities of methanol extracts and fractions of some Cameroonian medicinal plants. *Asian Pacific Journal of Tropical Medicine* 7S1: S442-S447. [http://dx.doi.org/10.1016/S1995-7645\(14\)60272-8](http://dx.doi.org/10.1016/S1995-7645(14)60272-8).
- Taher, MA; Puri, BK. (1999). Simultaneous determination of traces of lead and cadmium in various samples by differential pulse polarography after adsorbing their 1-(2-pyridylazo)-2-naphthol onto microcrystalline naphthalene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 18: 6-11.
- Taher, MA; Puri, BK. (2000). Differential pulse polarographic determination of copper in alloys and biological samples after preconcentration with 2-nitroso-1-naphthol-4-sulphonic acid-tetradecyldimethylbenzylammonium-naphthalene adsorbent. *Indian J Chem Tech* 7: 168-171.
- Taheri, A. (2016). Antioxidant activity in some Iranian seaweed species from Chabahar. 15: 802-817.
- Tahir, A; Ehsan, M; Mazhar, M; Wijayantha, KGU; Zeller, M; Hunter, AD. (2010). Photoelectrochemical and Photoresponsive Properties of Bi<sub>2</sub>S<sub>3</sub> Nanotube and Nanoparticle Thin Films. *Chem Mater* 22: 5084-5092. <http://dx.doi.org/10.1021/cm101642b>.
- Tahir, SF; Koh, CA. (1999). Catalytic destruction of volatile organic compound emissions by platinum based catalyst. *Chemosphere* 38: 2109-2116.
- Tai, CY; Chen, BH. (2000). Analysis and stability of carotenoids in the flowers of daylily (*Hemerocallis disticha*) as affected by various treatments. *J Agric Food Chem* 48: 5962-5968. <http://dx.doi.org/10.1021/jf000956t>.
- Takahashi, M; Shibamoto, T. (2008). Chemical compositions and antioxidant/anti-inflammatory activities of steam distillate from freeze-dried onion (*Allium cepa* L.) sprout. *J Agric Food Chem* 56: 10462-10467. <http://dx.doi.org/10.1021/jf801220b>.
- Takahashi, T; Tsuchiya, Y; Tamanoue, Y; Mori, T; Kawashima, S; Takahashi, K. (1992). OCCURRENCE OF A NOVEL 350-KDA SERINE PROTEINASE IN THE FLUID OF PORCINE OVARIAN FOLLICLES AND ITS INCREASE DURING THEIR MATURATION. *Zool Sci* 9: 343-347.
- Takei, T; Kishihara, N; Ijima, H; Kawakami, K. (2012). Fabrication of capillary-like network in a matrix of water-soluble polymer using poly(methyl methacrylate) microfibers. *Artificial Cells, Blood Substitutes, and Biotechnology* 40: 66-69. <http://dx.doi.org/10.3109/10731199.2011.592492>.
- Takekoh, R, Yu; Russell, TP. (2014). Multi- Length Scale Porous Polymers. *Adv Funct Mater* 24: 1483-1489. <http://dx.doi.org/10.1002/adfm.201301693>.
- Takemoto, Y; Arizono, I. (2005). A study of multivariate ((X)over-bar, S) control chart based on Kullback-Leibler information. *International Journal of Advanced Manufacturing Technology* 25: 1205-1210. <http://dx.doi.org/10.1007/s00170-003-1947-9>.
- Taki, S; Badens, E; Charbit, G. (2001). Controlled release system formed by supercritical anti-solvent coprecipitation of a herbicide and a biodegradable polymer. *Journal of Supercritical Fluids* 21: 61-70.
- Talawar, MB; Sivabalan, R; Polke, BG; Nair, UR; Gore, GM; Asthana, SN. (2005). Establishment of process technology for the manufacture of dinitrogen pentoxide and its utility for the synthesis of most powerful explosive of today--CL-20 [Review]. *J Hazard Mater* 124: 153-164. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.021>.
- Talbott, EO; Marshall, LP; Rager, JR; Arena, VC; Sharma, RK; Stacy, SL. (2015). Air toxics and the risk of autism spectrum disorder: the results of a population based case-control study in southwestern Pennsylvania. *Environ Health* 14: 80. <http://dx.doi.org/10.1186/s12940-015-0064-1>.
- Taldeddin, K; Khimiyak, YZ; Fabian, L. (2016). Prediction of Hydrate and Solvate Formation Using Statistical Models. *Cryst Growth Des* 16: 70-81. <http://dx.doi.org/10.1021/acs.cgd.5b00966>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science* 27: 6807-6810.
- Talipov, SA; Tadjimukhamedov, FK; Hulliger, J; Ibragimov, BT; Yuldashev, A. (2003). Crystalline inclusion complexes on the basis of the mixed "gossypol-pyrazine" host. 6: 137-144. <http://dx.doi.org/10.1016/j.cryseng.2004.05.001>.
- Tallury, P; Alimohammadi, N; Kalachandra, S. (2007). Poly(ethylene-co-vinyl acetate) copolymer matrix for delivery of chlorhexidine and acyclovir drugs for use in the oral environment: effect of drug combination, copolymer composition and coating on the drug release rate. *Dent Mater* 23: 404-409. <http://dx.doi.org/10.1016/j.dental.2006.02.011>.
- Tallury, P; Randall, MK; Thaw, KL; Preisser, JS; Kalachandra, S. (2007). Effects of solubilizing surfactants and loading of antiviral, antimicrobial, and antifungal drugs on their release rates from ethylene vinyl acetate copolymer. *Dent Mater* 23: 977-982. <http://dx.doi.org/10.1016/j.dental.2006.08.005>.
- Tan, LK; Liem, AJ. (1996). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .1. Chlorophenols. *Environ Sci Technol* 30: 1053-1060.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .2. Polycyclic aromatic hydrocarbons. *Environ Sci Technol* 31: 58-66.

## Fate Literature Search Results

### Off Topic

- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatile organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol* 31: 1785-1793.
- Tan, S; Williams, CT. (2013). An In Situ Spectroscopic Study of Prochiral Reactant-Chiral Modifier Interactions on Palladium Catalyst: Case of Alkenoic Acid and Cinchonidine in Various Solvents. *J Phys Chem C* 117: 18043-18052. <http://dx.doi.org/10.1021/jp403273c>.
- Tan, XF; Liu, YG; Gu, YL; Liu, SB; Zeng, GM; Cai, X; Hu, XJ; Wang, H; Liu, SM; Jiang, LH. (2016). Biochar pyrolyzed from MgAl-layered double hydroxides pre-coated ramie biomass (*Boehmeria nivea* (L.) Gaud.): Characterization and application for crystal violet removal. *J Environ Manage* 184: 85-93. <http://dx.doi.org/10.1016/j.jenvman.2016.08.070>.
- Tan, YL; Kong, A; Y-O, C. (1993). Sample preparation for analyzing polycyclic aromatic hydrocarbons and polychlorinated dibenzo-p-dioxins and dibenzofurans in sediments by gas chromatography/mass spectrometry. *Estuaries* 16: 427-432.
- Tan, Z; Li, F; Xu, X; Xing, J. (2012). Simultaneous extraction and purification of aloe polysaccharides and proteins using ionic liquid based aqueous two-phase system coupled with dialysis membrane. *Desalination* 286: 389-393. <http://dx.doi.org/10.1016/j.desal.2011.11.053>.
- Tanaka, A, ki; Horiuchi, M; Umano, K; Shibamoto, T. (2008). Antioxidant and anti-inflammatory activities of water distillate and its dichloromethane extract from licorice root (*Glycyrrhiza uralensis*) and chemical composition of dichloromethane extract. *J Sci Food Agric* 88: 1158-1165. <http://dx.doi.org/10.1002/jsfa.3191>.
- Tanaka, A; Kim, H, yoj; Oda, S; Shimizu, K; Kondo, R. (2011). Antibacterial activity of moso bamboo shoot skin (*Phyllostachys pubescens*) against *Staphylococcus aureus*. *J Wood Sci* 57: 542-544. <http://dx.doi.org/10.1007/s10086-011-1207-9>.
- Tanaka, A; Shimizu, K; Kondo, R. (2013). Antibacterial compounds from shoot skins of moso bamboo (*Phyllostachys pubescens*). *J Wood Sci* 59: 155-159. <http://dx.doi.org/10.1007/s10086-012-1310-6>.
- Tanaka, M; Taguchi, Y; Iguchi, Y. (1998). Preparation of composite particles composed of waste polymer and solid powder using semi-chemical recycle method. *Kagaku Kogaku Ronbunshu* 24: 509-511.
- Tanaka, S; Haneda, M; Tanaka, M; Kimura, K; Seki, T. (1996). Breakthrough Times for Vapors of Organic Solvents with Low Boiling Points in Steady-State and Pulsating Flows on Respirator Cartridges. *Ind Health* 34: 125-131.
- Tanaka, S; Kumei, M. (1999). Soluble conjugated copolymers constituted of pyridine and phenylene units. *Synthetic Metals* 102: 1524-1525.
- Tanaka, T; Ishitobi, M; Aoyama, T; Matsumoto, S. (2016). Highly Oriented J-Aggregates of Nitroazo Dye and Its Surface-Induced Chromism. *Langmuir* 32: 4710-4718. <http://dx.doi.org/10.1021/acs.langmuir.6b00289>.
- Tanaka, T; Teshima, R; Ikebuchi, H; Sawada, J; Ichinoe, M. (1995). SENSITIVE ENZYME-LINKED-IMMUNOSORBENT-ASSAY FOR THE MYCOTOXIN ZEARALENONE IN BARLEY AND JOBS-TEARS. *J Agric Food Chem* 43: 946-950.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol* 28: 973-979.
- Tang, B, in; Guo, X, ia; Yu, SQ; Fang, Z, iX; Zhang, S, huren. (2015). The shrinking process and microwave dielectric properties of BaCu(B2O5)-added 0.85BaTi(4)O(9)-0.15BaZn(2)Ti(4)O(11) ceramics. *Materials Research Bulletin* 66: 163-168. <http://dx.doi.org/10.1016/j.materresbull.2015.02.023>.
- Tang, EL; Rajarajeswaran, J; Fung, S; Kanthimathi, MS. (2015). Petroselinum crispum has antioxidant properties, protects against DNA damage and inhibits proliferation and migration of cancer cells. *J Sci Food Agric* 95: 2763-2771. <http://dx.doi.org/10.1002/jsfa.7078>.
- Tang, H; Mayersohn, M. (2005). A novel model for prediction of human drug clearance by allometric scaling. *Drug Metab Dispos* 33: 1297-1303. <http://dx.doi.org/10.1124/dmd.105.004143>.
- Tang, JS; Harker, B. (1991). INTERWELL TRACER TEST TO DETERMINE RESIDUAL OIL SATURATION IN A GAS-SATURATED RESERVOIR .2. FIELD APPLICATIONS. *Journal of Canadian Petroleum Technology* 30: 34-42.
- Tang, P; Deng, C; Tang, X; Si, S; Xiao, K, e. (2012). Degradation of p-nitrophenol by interior microelectrolysis of zero-valent iron/copper-coated magnetic carbon galvanic couples in the intermittent magnetic field. *Chem Eng J* 210: 203-211. <http://dx.doi.org/10.1016/j.cej.2012.08.089>.
- Tanongkankit, Y; Sablani, SS; Chiewchan, N; Devahastin, S. (2013). Microwave-assisted extraction of sulforaphane from white cabbages: Effects of extraction condition, solvent and sample pretreatment. *Journal of Food Engineering* 117: 151-157. <http://dx.doi.org/10.1016/j.jfoodeng.2013.02.011>.
- Tanoue, K. (1998). Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires. *Metallurgical and Materials Transactions A* 29: 519-526.
- Tao, CJ; Hu, JY; Li, JZ; Zheng, SS; Liu, W; Li, CJ. (2009). Multi-residue determination of pesticides in vegetables by gas chromatography/ion trap mass spectrometry. *Bull Environ Contam Toxicol* 82: 111-115. <http://dx.doi.org/10.1007/s00128-008-9528-0>.
- Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. *J Memb Sci* 269: 66-74. <http://dx.doi.org/10.1016/j.memsci.2005.06.019>.
- Tao, S; Cui, YH; Cao, J; Xu, FL; Dawson, R; Li, BG. (2002). Determination of PAHs in wastewater irrigated agricultural soil using accelerated solvent extraction. *J Environ Sci Health B* 37: 141-150.
- Tao, S; Xu, FL; Liu, WX; Cui, YH; Coveney, RM. (2006). A chemical extraction method for mimicking bioavailability of polycyclic aromatic hydrocarbons to wheat grown in soils containing various amounts of organic matter. *Environ Sci Technol* 40: 2219-2224. <http://dx.doi.org/10.1021/es051967b>.
- Tao, Y, unMei; Li, HY, an; Xu, Q, iuLei; Zhu, Y, uC; Kang, LC; Zheng, Y, ouX; Zuo, JL, in; You, XZ. (2011). Synthesis and characterization of efficient luminescent materials based on 2,1,3-benzothiadiazole with carbazole moieties. *Synthetic Metals* 161: 718-723. <http://dx.doi.org/10.1016/j.synthmet.2011.01.020>.
- Tar, A; Luca, C. (2006). Extraction-spectrometric determination of trace amounts of lead (II) by 18-crown-6 and metanil yellow. *Rev Chim* 57: 119-121.

## Fate Literature Search Results

### Off Topic

- Taralunga, M; Mijoin, J; Magnoux, P. (2005). Catalytic destruction of chlorinated POPs—Catalytic oxidation of chlorobenzene over PtHFAU catalysts. *Appl Catal B-Environ* 60: 163-171. <http://dx.doi.org/10.1016/j.apcatb.2005.02.024>.
- Tarameshlou, M; Jafari, SH; Khonakdar, HA; Farmahini-Farahani, M; Ahmadian, S. (2007). Synthesis of exfoliated polyamide 6,6/organically modified montmorillonite nanocomposites by in situ interfacial polymerization. *Polymer Composites* 28: 733-738. <http://dx.doi.org/10.1002/pc.20360>.
- Tarvin, KA; Garvin, MC; Jawor, JM; Dayer, KA. (1998). A field evaluation of techniques used to estimate density of Blue Jays. *Journal of Field Ornithology* 69: 209-222.
- Taskin, AT; Balan, A; Udum, YA; Toppare, L. (2010). Improving electrochromic properties via copolymerization. *Smart Materials and Structures* 19. <http://dx.doi.org/10.1088/0964-1726/19/6/065005>.
- Taskinen, H; Lindbohm, ML; Hemminki, K. (1986). Spontaneous abortions among women working in the pharmaceutical industry. *Br J Ind Med* 43: 199-205.
- Tates, AD; Grummt, T; Van Dam, FJ; De Zwart, F; Kasper, FJ; Rothe, R; Stirn, H; Zwinderman, AH; Natarajan, AT. (1994). Measurement of frequencies of HPRT mutants, chromosomal aberrations, micronuclei, sister-chromatid exchanges and cells with high frequencies of SCEs in styrene/dichloromethane-exposed workers. *DNA Repair* 313: 249-262.
- Tatsuka, K; Suekane, S; Sakai, Y; Sumitani, H. (1990). VOLATILE CONSTITUENTS OF KIWIFRUIT FLOWERS - SIMULTANEOUS DISTILLATION AND EXTRACTION VERSUS HEADSPACE SAMPLING. *J Agric Food Chem* 38: 2176-2180.
- Tatsumi, T; Zhang, WB; Kida, T; Nakatsuji, Y; Ono, D; Takeda, T; Ikeda, I. (2000). Novel hydrolyzable and biodegradable cationic gemini surfactants: 1,3-bis[(acyloxyalkyl)dimethylammonio]-2-hydroxypropane dichloride. *Journal of Surfactants and Detergents* 3: 167-172.
- Tavakoli, B; Pezeshk, S. (2005). Empirical-stochastic ground-motion prediction for eastern North America. *Seismological Society of America Bulletin* 95: 2283-2296.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech* 101: 135-152.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications* 119: 135-150.
- Tavendale, MH; Hannus, IM; Wilkins, AL; Langdon, AG; Mackie, KL; Mcfarlane, PN. (1996). Bile analyses of goldfish (*Crassius auratus*) resident in a New Zealand hydrolake receiving a bleached kraft mill discharge. *Chemosphere* 33: 2273-2289.
- Tay, SCH; Ouchi, MD; Cramer, FB. (1996). High intensity mechanical pretreatment and high compression screw pressing for deresination of aspen kraft pulps. *Tappi Journal* 79: 265-275.
- Taylor, PN; Lester, JN. (1996). Rapid extraction of isoproturon and diuron from granular activated carbon. *Chemosphere* 33: 1227-1240.
- Taylor, SW; Lange, CR; Lesold, EA. (1997). Biofouling of contaminated ground-water recovery wells: Characterization of microorganisms. *Ground Water* 35: 973-980.
- Taylor, WG; Hall, TW; Vedres, DD. (1998). Synthesis and larvicidal properties of some cyclopropylcarboxamides related to cis-permethrin. *J Agric Food Chem* 46: 1572-1576.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.
- Teixeira, EC; Agudelo-Castaneda, DM; Guimaraes Fachel, JM; Leal, KA; Garcia, K, deO; Wiegand, F. (2012). Source identification and seasonal variation of polycyclic aromatic hydrocarbons associated with atmospheric fine and coarse particles in the Metropolitan Area of Porto Alegre, RS, Brazil. *Atmos Res* 118: 390-403. <http://dx.doi.org/10.1016/j.atmosres.2012.07.004>.
- Teixeira, JC; de Oliveira, GS; Viali, A, deM; Muniz, SS. (2014). Study of the impact of deficiencies of sanitation on public health in Brazil from 2001 to 2009. *Engenharia Sanitaria e Ambiental* 19: 87-96.
- Teixeira, S; Conlan, RS; Guy, OJ; Sales, MGF. (2014). Label-free human chorionic gonadotropin detection at picogram levels using oriented antibodies bound to graphene screen-printed electrodes. 2: 1852-1865. <http://dx.doi.org/10.1039/c3tb21235a>.
- Tejeda-Sartorius, O; Rodriguez-Gonzalez, MT. (2008). Weed and vegetable germination and growth inhibitors in amaranth (*Amaranthus hypochondriacus* L.) residues. *Agrociencia* 42: 415-423.
- Tekel, J; Daeseleire, E; Heeremans, A; van Peteghem, C. (1999). Development of a simple method for the determination of genistein, daidzein, biochanin A, and formononetin (Biochanin B) in human urine. *J Agric Food Chem* 47: 3489-3494.
- Tekes, AT; Sinag, A; Misirhologlu, Z; Canel, M. (2002). Determination of swelling properties of Soma-Isiklar lignite (Turkey). *Energy Fuels* 16: 1309-1313. <http://dx.doi.org/10.1021/ef020079o>.
- Teli, MD; Chavan, PP. (2017). Synthesis of reactive dye to impart mosquito repellency to nylon. *J Text Inst* 108: 226-232. <http://dx.doi.org/10.1080/00405000.2016.1161695>.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists* 77: 174-178.
- Teng, N, aiYu; Dallmeyer, I, an; Kadla, JF. (2013). Effect of Softwood Kraft Lignin Fractionation on the Dispersion of Multiwalled Carbon Nanotubes. *Ind Eng Chem Res* 52: 6311-6317. <http://dx.doi.org/10.1021/ie303261z>.
- Teng, S, huHua; Wang, P; Kim, HE, e. (2009). Blend fibers of chitosan-agarose by electrospinning. *Mater Lett* 63: 2510-2512. <http://dx.doi.org/10.1016/j.matlet.2009.08.051>.
- Tepe, B; Daferera, D; Sokmen, M; Polissiou, M; Sokmen, A. (2004). The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of *Origanum syriacum* L var *bevanii*. *J Sci Food Agric* 84: 1389-1396. <http://dx.doi.org/10.1002/jsfa.1758>.
- Teplyakova, V; Roizard, D; Favre, E; Khotimsky, VS. (2003). Investigations on the peculiar permeation properties of volatile organic compounds and permanent gases through PTMSP. *J Memb Sci* 220: 165-175. [http://dx.doi.org/10.1016/S0376-7388\(03\)00229-1](http://dx.doi.org/10.1016/S0376-7388(03)00229-1).

## Fate Literature Search Results

### Off Topic

- Tepong-Tsinde, R; Phukan, M; Nassi, A; Noubactep, C; Ruppert, H. (2015). Validating the efficiency of the MB discoloration method for the characterization of Fe-O/H<sub>2</sub>O systems using accelerated corrosion by chloride ions. *Chem Eng J* 279: 353-362. <http://dx.doi.org/10.1016/j.cej.2015.04.129>.
- Teri, G; Luo, L; Savage, PE. (2014). Hydrothermal Treatment of Protein, Polysaccharide, and Lipids Alone and in Mixtures. *Energy Fuels* 28: 7501-7509. <http://dx.doi.org/10.1021/ef501760d>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Tester, JW; Marrone, PA; Dipippo, MM; Sako, K; Reagan, MT; Arias, T; Peters, WA. (1998). Chemical reactions and phase equilibria of model halocarbons and salts in sub- and supercritical water (200-300 bar, 100-600 degrees C). *Journal of Supercritical Fluids* 13: 225-240.
- Than, L, eD; Luong, N, goSy; Ngo, V, uD; Tien, NM; Dung, T, aN; Nghia, NM; Loc, NT; Thu, V, uThi; Lam, TD, ai. (2017). Highly Visible Light Activity of Nitrogen Doped TiO<sub>2</sub> Prepared by Sol-Gel Approach. *Journal of Electronic Materials* 46: 158-166. <http://dx.doi.org/10.1007/s11664-016-4894-6>.
- Thani, W; Vallisuta, O; Siripong, P; Ruangwises, N. (2010). Anti-proliferative and antioxidative activities of Thai noni/Yor (*Morinda citrifolia* Linn.) leaf extract. *Southeast Asian J Trop Med Public Health* 41: 482-489.
- Thanigaivel, S; Hindu, SV; Vijayakumar, S; Mukherjee, A; Chandrasekaran, N; Thomas, J. (2015). Differential solvent extraction of two seaweeds and their efficacy in controlling *Aeromonas salmonicida* infection in *Oreochromis mossambicus*: A novel therapeutic approach. *Aquaculture* 443: 56-64. <http://dx.doi.org/10.1016/j.aquaculture.2015.03.010>.
- Tharasawatpipat, C; Suwannahong, K; Kruenate, J; Kreetachat, T. (2015). Removal of VOCs by photocatalytic oxidation using nano-TiO<sub>2</sub>/PLA biocomposite. *J Environ Biol* 36: 617-621.
- Theuerkorn, K; Horsfield, B; Wilkes, H; di Primio, R; Lehne, E. (2008). A reproducible and linear method for separating asphaltenes from crude oil. *Organic Geochemistry* 39: 929-934. <http://dx.doi.org/10.1016/j.orggeochem.2008.02.009>.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol* 26: 1159-1164.
- Thier, R; Delbanco, EH; Wiebel, FA; Hallier, E; Bolt, HM. (1998). Determination of glutathione transferase (GSTT1-1) activities in different tissues based on formation of radioactive metabolites using 35S-glutathione. *Arch Toxicol* 72: 811-815. <http://dx.doi.org/10.1007/s002040050578>.
- Thier, R; Taylor, JB; Pemble, SE; Humphreys, WG; Persmark, M; Ketterer, B; Guengerich, FP. (1993). Expression of mammalian glutathione S-transferase 5-5 in *Salmonella typhimurium* TA1535 leads to base-pair mutations upon exposure to dihalomethanes. *Proc Natl Acad Sci USA* 90: 8576-8580.
- Thierry, D; Gabel, B; Farkas, P; Jarry, M. (1995). Egg dispersion in codling moth: Influence of egg extract and of its fatty acid constituents. *J Chem Ecol* 21: 2015-2026.
- Thilagar, AK; Back, AM; Kirby, PE; Kumaroo, PV; Pant, KJ; Clarke, JJ; Knight, R; Haworth, SR. (1984). Evaluation of dichloromethane in short term in vitro genetic toxicity assays [Abstract]. *Environ Mutagen* 6: 418-419.
- Thoelen, C; De Bruyn, M; Theunissen, E; Kondo, Y; Vankelecom, IFJ; Grobet, P; Yoshikawa, M; Jacobs, PA. (2001). Membranes based on poly(gamma-methyl-L-glutamate): synthesis, characterization and use in chiral separations. *J Memb Sci* 186: 153-163.
- Thomas, KRJ; Lin, JT; Tao, YT; Chuen, CH. (2002). Electroluminescent bipolar compounds containing quinoxaline or pyridopyrazine and triarylamine segments. *J Mater Chem* 12: 3516-3522. <http://dx.doi.org/10.1039/b206126k>.
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J* 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thomas, RS; Yang, RS; Morgan, DG; Moorman, MP; Kermani, HR; Sloane, RA; O'Connor, RW; Adkins, B; Gargas, ML; Andersen, ME. (1996). PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure. *Environ Health Perspect* 104: 858-865.
- Thompson, CM; Sonawane, B; Barton, HA; Dewoskin, RS; Lipscomb, JC; Schlosser, P; Chiu, WA; Krishnan, K. (2008). Approaches for applications of physiologically based pharmacokinetic models in risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 11: 519-547. <http://dx.doi.org/10.1080/10937400701724337>.
- Thompson, D; Hermes, JP; Quinn, AJ; Mayor, M. (2012). Scanning the potential energy surface for synthesis of dendrimer-wrapped gold clusters: design rules for true single-molecule nanostructures. *ACS Nano* 6: 3007-3017. <http://dx.doi.org/10.1021/nn204470g>.
- Thompson, LC; Berry, S. (2001). Structure and emission spectrum of the o-phenanthroline adduct of tris(6-methyl-2,4-heptanedionato)europium(III). *J Alloy Comp* 323: 177-180.
- Thorell, B; Boren, H; Grimvall, A; Nystrom, A; Savenhed, R. (1992). CHARACTERIZATION AND IDENTIFICATION OF ODOROUS COMPOUNDS IN OZONATED WATERS. *Water Sci Technol* 25: 139-146.
- Thrall, KD; Callahan, PJ; Weitz, KK; Edwards, JA; Brinkman, MC; Kenny, DV. (2001). Design and evaluation of a breath-analysis system for biological monitoring of volatile compound. *AIHAJ* 62: 28-35.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A* 60: 531-548.
- Thring, RW. (1994). ALKALINE-DEGRADATION OF ALCELL(R) LIGNIN. *Biomass and Bioenergy* 7: 125-130.
- Thring, RW; Breau, J. (1996). Hydrocracking of solvolysis lignin in a batch reactor. *Fuel* 75: 795-800.
- Tian, D; Zhang, X; Lu, C; Yuan, G; Zhang, W, ei; Zhou, Z. (2014). Solvent-free synthesis of carboxylate-functionalized cellulose from waste cotton fabrics for the removal of cationic dyes from aqueous solutions. *Cellulose* 21: 473-484. <http://dx.doi.org/10.1007/s10570-013-0112-3>.



## Fate Literature Search Results

### Off Topic

- Tian, H; Yang, X; Cong, J; Chen, R; Teng, C; Liu, J; Hao, Y, an; Wang, L, ei; Sun, L. (2010). Effect of different electron donating groups on the performance of dye-sensitized solar cells. *Dyes and Pigments* 84: 62-68. <http://dx.doi.org/10.1016/j.dyepig.2009.06.014>.
- Tian, J; Ren, S; Fang, G; Ma, Y; Ai, Q. (2014). Preparation and Performance of Dimethyl-Acetoxy-(2-Carboxymethyl Ether)-Lignin Ammonium Chloride Amphoteric Surfactant. *BioResources* 9: 6290-6303.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst* 28: 1495-1502.
- Tiedeman, GT; Isaacson, RL; Sellers, T. (1994). TOTAL PHENOLIC-COMPOUNDS AND FREE PHENOL IN SOFTWOOD STRUCTURAL PLYWOOD. *For Prod J* 44: 73-75.
- Tieman, DM; Goodwin, AE. (2001). Treatments for ich infestations in channel catfish evaluated under static and flow-through water conditions. *North American Journal of Aquaculture* 63: 293-299.
- Timur, S; Kantarli, IC, em; Ikizoglu, E; Yanik, J. (2006). Preparation of activated carbons from *Oreganum* stalks by chemical activation. *Energy Fuels* 20: 2636-2641. <http://dx.doi.org/10.1021/ef060219k>.
- Ting, M; Yue-Si, W; Jie, J; Fang-Kun, W; Mingxing, W. (2008). The vertical distributions of VOCs in the atmosphere of Beijing in autumn. *Sci Total Environ* 390: 97-108. <http://dx.doi.org/10.1016/j.scitotenv.2007.08.035>.
- Tingle, FC; Mitchell, ER. (1992). ATTRACTION OF HELIOTHIS-VIRESCENS (F) (LEPIDOPTERA, NOCTUIDAE) TO VOLATILES FROM EXTRACTS OF COTTON FLOWERS. *J Chem Ecol* 18: 907-914.
- Tingming, F; Liwei, G; Kang, L; Tianyao, W; Jin, L. (2010). Template occluded SBA-15: An effective dissolution enhancer for poorly water-soluble drug. *Appl Surf Sci* 256: 6963-6968. <http://dx.doi.org/10.1016/j.apsusc.2010.05.007>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tocque, E; Behar, F; Budzinski, H; Lorant, F. (2005). Carbon isotopic balance of kerogen pyrolysis effluents in a closed system. *Organic Geochemistry* 36: 893-905. <http://dx.doi.org/10.1016/j.orggeochem.2005.01.007>.
- Todaro, L; Dichicco, P; Moretti, N; D'Auria, M. (2013). Effect of Combined Steam and Heat Treatments on Extractives and Lignin in Sapwood and Heartwood of Turkey Oak (*Quercus cerris* L.) Wood. *BioResources* 8: 1718-1730.
- Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. *J Memb Sci* 301: 3-10. <http://dx.doi.org/10.1016/j.memsci.2007.06.034>.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress* 20: 167-174.
- Tolis, EI; Amarantidis, S; Missia, DA; Saraga, DE; Koziakis, NE; Bartzis, JG. (2008). PRELIMINARY RESULTS ON PM1 AND PARTICLE - BOUND POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN KOZANI, GREECE. *Fresen Environ Bull* 17: 1634-1639.
- Tomasik, P; Schilling, CH; Jankowiak, R; Kim, JC. (2003). The role of organic dispersants in aqueous alumina suspensions. *J Eur Ceram Soc* 23: 913-919.
- Tomaszewska, M; Mozia, S. (2002). Removal of selected organic contaminants from water solutions by coagulation aided with adsorption on a powdered activated carbon. *Przemysł Chemiczny* 81: 36-41.
- Tomenson, JA. (2011). Update of a cohort mortality study of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Int Arch Occup Environ Health* 84: 889-897. <http://dx.doi.org/10.1007/s00420-011-0621-z>.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1997). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 54: 470-476.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base - Reply. *Occup Environ Med* 56: 215-215.
- Tominaga, T; Murat, ML; Dubourdieu, D. (1998). Development of a method for analyzing the volatile thiols involved in the characteristic aroma of wines made from *Vitis vinifera* L. cv. Sauvignon Blanc. *J Agric Food Chem* 46: 1044-1048.
- Tomoi, M; Kimura, Y; Tokuyama, S. (1991). PHOSPHOLIPID-SYNTHESIS USING POLYMER-SUPPORTED PROTECTIVE GROUPS. 15: 63-69.
- Tona, L; Mesia, K; Ngimbi, NP; Chrimwami, B; Okond'Ahoka; Cimanga, K; de Bruyne, T; Apers, S; Hermans, N; Totte, J; Pieters, L; Vlietinck, AJ. (2001). In-vivo antimalarial activity of *Cassia occidentalis*, *Morinda morindoides* and *Phyllanthus niruri*. *Ann Trop Med Parasitol* 95: 47-57.
- Toncelli, C; Pablo Pino-Pinto, J; Sano, N; Picchioni, F; Broekhuis, AA; Nishide, H; Moreno-Villoslada, I. (2013). Controlling the aggregation of 5,10,15,20-tetrakis-(4-sulfonatophenyl)-porphyrin by the use of polycations derived from polyketones bearing charged aromatic groups. *Dyes and Pigments* 98: 51-63. <http://dx.doi.org/10.1016/j.dyepig.2013.01.008>.
- Tong, L; Liao, X; Chen, J; Xiao, H; Xu, L; Zhang, F; Niu, Z; Yu, J. (2013). Pollution characteristics of ambient volatile organic compounds (VOCs) in the southeast coastal cities of China. *Environ Sci Pollut Res Int* 20: 2603-2615. <http://dx.doi.org/10.1007/s11356-012-1187-3>.
- Tong, X; Xu, J, ie; Miao, H; Gao, J, in; Sun, Z; Zhang, W, ei. (2009). Highly efficient and organic nitrogen-containing cation-promoted aerobic oxidation of alkylaromatics in the presence of N-hydroxyphthalimide. *J Chem Tech Biotechnol* 84: 1762-1766. <http://dx.doi.org/10.1002/jctb.2241>.
- Tong, X, in; Zhang, Z; Chen, X; Shen, W. (2015). Analysis of Volatile Organic Compounds in the Ambient Air of a Paper Mill- A Case Study. *BioResources* 10: 8487-8497.
- Tongpoothorn, W; Chanthai, S; Sriuttha, M; Saosang, K; Ruangviriyachai, C. (2012). Bioactive properties and chemical constituents of methanolic extract and its fractions from *Jatropha curcas* oil. *Ind Crop Prod* 36: 437-444. <http://dx.doi.org/10.1016/j.indcrop.2011.10.011>.

## Fate Literature Search Results

### Off Topic

- Tongpoothorn, W; Sriuttha, M; Homchan, P; Chanthai, S; Ruangviriyachai, C. (2011). Preparation of activated carbon derived from *Jatropha curcas* fruit shell by simple thermo-chemical activation and characterization of their physico-chemical properties. *Chem Eng Res Des* 89: 335-340. <http://dx.doi.org/10.1016/j.cherd.2010.06.012>.
- Topcu, G; Ozturk, M; Kusman, T; Barla Demirkoz, AA; Kolak, U; Ulubelen, A. (2013). Terpenoids, essential oil composition and fatty acids profile, and biological activities of Anatolian *Salvia fruticosa* Mill. *Turkish Journal of Chemistry* 37: 619-632. <http://dx.doi.org/10.3906/kim-1303-25>.
- Topka, P; Delaigle, R; Kaluza, L; Gaigneaux, EM. (2015). Performance of platinum and gold catalysts supported on ceria-zirconia mixed oxide in the oxidation of chlorobenzene. *Catalysis Today* 253: 172-177. <http://dx.doi.org/10.1016/j.cattod.2015.02.032>.
- Tor, ER; Filigenzi, MS; Puschner, B. (2005). Determination of oleandrin in tissues and biological fluids by liquid chromatography-electrospray tandem mass spectrometry. *J Agric Food Chem* 53: 4322-4325. <http://dx.doi.org/10.1021/jf050201s>.
- Tor, ER; Holstege, DM; Galey, FD. (1996). Determination of oleander glycosides in biological matrices by high-performance liquid chromatography. *J Agric Food Chem* 44: 2716-2719.
- Torres, AI; Boisdron-Celle, M; Benoit, JP. (1996). Formulation of BCNU-loaded microspheres: influence of drug stability and solubility on the design of the microencapsulation procedure. *J Microencapsul* 13: 41-51.
- Torres, MEH; Gonzalez, FJE; Cano, MLC; Frias, MM; Vidal, JLM. (2002). Residues of methamidofos, malathion, and methiocarb in greenhouse crops. *J Agric Food Chem* 50: 1172-1177. <http://dx.doi.org/10.1021/jf0108112>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria* 200: 1-10.
- Tortora, M; Vittoria, V; Galli, G; Ritrovati, S; Chiellini, E. (2002). Transport properties of modified montmorillonite-poly (epsilon-caprolactone) nanocomposites. *Macromolecular Materials & Engineering* 287: 243-249.
- Totaro, P; Poggini, L; Favre, A; Mannini, M; Sainctavit, P; Cornia, A; Magnani, A; Sessoli, R. (2014). Tetrairon(III) single-molecule magnet monolayers on gold: insights from ToF-SIMS and isotopic labeling. *Langmuir* 30: 8645-8649. <http://dx.doi.org/10.1021/la500846a>.
- Toth, J; Nemeth, B; Gyenis, J. (2015). Formation of Microcapsulated Aluminium Potassium Sulfate Dodecahydrate by Phase Separation Method. *Periodica Polytechnica Chemical Engineering* 59: 201-205. <http://dx.doi.org/10.3311/PPch.7589>.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering* 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Toukoniitty, E; Maki-Arvela, P; Kuzma, M; Villela, A; Neyestanaki, AK; Salmi, T; Sjöholm, R; Leino, R; Laine, E; Murzin, DY. (2001). Enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *J Catal* 204: 281-291. <http://dx.doi.org/10.1006/jcat.2001.3406>.
- Toukoniitty, E; Maki-Arvela, P; Villela, AN; Neyestanaki, AK; Salmi, T; Leino, R; Sjöholm, R; Laine, E; Vayrynen, J; Ollonqvist, T; Kooyman, PJ. (2000). The effect of oxygen and the reduction temperature of the Pt/Al<sub>2</sub>O<sub>3</sub> catalyst in enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *Catalysis Today* 60: 175-184.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of 14C-phenanthrene and 14C-benzo[a] pyrene in soil. *Environ Pollut* 159: 706-715. <http://dx.doi.org/10.1016/j.envpol.2010.11.040>.
- Towey, JP; Waterhouse, AL. (1996). The extraction of volatile compounds from French and American oak barrels in Chardonnay during three successive vintages. *American Journal of Enology and Viticulture* 47: 163-172.
- Tows, I; Albers, G; Gulyas, H; H-P, E; Reich, M; Sekoulov, I. (1994). IDENTIFICATION OF TRACE ORGANICS IN A TREATED LUBRICATING OIL REFINERY WASTEWATER. *Water Sci Technol* 29: 187-194.
- Traiphol, R; Charoenthai, N; Sriksirin, T; Perahia, D. (2010). Self-assembling into interconnected nanoribbons in thin films of hairy rod poly(9,9-di(2-ethylhexyl)fluorene): Effects of concentration, substrate and solvent. *Synthetic Metals* 160: 1318-1324. <http://dx.doi.org/10.1016/j.synthmet.2010.04.008>.
- Tran, AT; Hyne, RV; Doble, P. (2007). Determination of commonly used polar herbicides in agricultural drainage waters in Australia by HPLC. *Chemosphere* 67: 944-953. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.002>.
- Trapp, S; Brüggemann, R; Münzer, B. (1990). Estimation of releases into rivers with the steady-state surface water model EXWAT using dichloromethane. *Ecotoxicol Environ Saf* 19: 72-80.
- Travaini, ML; Sosa, GM; Ceccarelli, EA; Walter, H; Cantrell, CL; Carrillo, NJ; Dayan, FE; Meepagala, KM; Duke, SO. (2016). Khellin and Visnagin, Furanochromones from *Ammi visnaga* (L.) Lam., as Potential Bioherbicides. *J Agric Food Chem* 64: 9475-9487. <http://dx.doi.org/10.1021/acs.jafc.6b02462>.
- Travi, BL; Martinez, JE; Zea, A. (1993). ANTIMONIAL TREATMENT OF HAMSTERS INFECTED WITH LEISHMANIA (VIANNIA) PANAMENSIS - ASSESSMENT OF PARASITOLOGICAL CURE WITH DIFFERENT THERAPEUTIC SCHEDULES. *Trans Roy Soc Trop Med Hyg* 87: 567-569.
- Treiner, C; Makayssi, A. (1992). STRUCTURAL MICELLAR TRANSITION FOR DILUTE-SOLUTIONS OF LONG-CHAIN BINARY CATIONIC SURFACTANT SYSTEMS - A CONDUCTANCE INVESTIGATION. *Langmuir* 8: 794-800.
- Trejooreilly, JA; Cavaille, JY; Gandini, A. (1997). Cationic copolymerization of styrenes with an isocyanate-bearing homologue. *React Funct Polym* 32: 9-19.
- Treluyer, JM; Cheron, G; Sonnier, M; Cresteil, T. (1996). Cytochrome P-450 expression in sudden infant death syndrome. *Biochem Pharmacol* 52: 497-504. [http://dx.doi.org/10.1016/0006-2952\(96\)00253-5](http://dx.doi.org/10.1016/0006-2952(96)00253-5).
- Tremblay, RT; , RD; Zika, RG. (2007). Organic composition of PM<sub>2.5</sub> and size-segregated aerosols and their sources during the 2002 Bay Regional Atmospheric Chemistry Experiment (BRACE), Florida, USA. *Atmos Environ* 41: 4323-4335. <http://dx.doi.org/10.1016/j.atmosenv.2006.11.061>.

## Fate Literature Search Results

### Off Topic

- Tripathi, BK; Pandey, P. (2014). Breath figure templating for fabrication of polysulfone microporous membranes with highly ordered monodispersed porosity. *J Memb Sci* 471: 201-210. <http://dx.doi.org/10.1016/j.memsci.2014.08.004>.
- Troitskaya, NN; Klochkova, EO; Bochkarev, VN. (1997). Gas-chromatographic determination of methylene chloride in the reaction products of direct synthesis of methylchlorosilanes. *Industrial Laboratory* 63: 711-713.
- Tronczynski, J; Munsch, C; Durand, G; Barcelo, D. (1993). MONITORING OF TRACE-LEVELS OF HERBICIDES AND THEIR DEGRADATION PRODUCTS IN THE RIVER RHONE, FRANCE, BY GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Sci Total Environ* 132: 327-337.
- Trudinger, CM; Etheridge, DM; Sturrock, GA; Fraser, PJ; Krummel, PB; Mcculloch, A. (2004). Atmospheric histories of halocarbons from analysis of Antarctic firm air: Methyl bromide, methyl chloride, chloroform, and dichloromethane. *J Geophys Res* 109. <http://dx.doi.org/10.1029/2004JD004932>.
- Trueman, RW; Ashby, J. (1987). Lack of UDS activity in the livers of mice and rats exposed to dichloromethane. *Environ Mol Mutagen* 10: 189-195. <http://dx.doi.org/10.1002/em.2850100209>.
- Truong, H; Lomnicki, S; Dellinger, B. (2010). Potential for Misidentification of Environmentally Persistent Free Radicals as Molecular Pollutants in Particulate Matter. *Environ Sci Technol* 44: 1933-1939. <http://dx.doi.org/10.1021/es902648t>.
- Tsai, HY; Chen, K, ewYu. (2013). 1,7-Diaminoperylene bisimides: Synthesis, optical and electrochemical properties. *Dyes and Pigments* 96: 319-327. <http://dx.doi.org/10.1016/j.dyepig.2012.09.003>.
- Tsai, WT; Chang, CY. (1994). ADSORPTION OF METHYLENE-CHLORIDE VAPOR ON ACTIVATED CARBONS. *J Chem Tech Biotechnol* 61: 145-151.
- Tsai, WT; Chang, CY. (1994). SURFACE-CHEMISTRY OF ACTIVATED CARBONS AND ITS RELEVANCE FOR EFFECTS OF RELATIVE-HUMIDITY ON ADSORPTION OF CHLORINATED ORGANIC VAPORS. *Chemosphere* 29: 2507-2515.
- Tsai, WT; Chang, CY. (1995). SURFACE CHARACTERIZATION AND THERMODYNAMICS OF ADSORPTION OF METHYLENE-CHLORIDE ON ACTIVATED CARBONS. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 30: 525-535.
- Tsai, YL; Jong, CC; Chen, H. (2001). Preparation of double-encapsulated microcapsules for mitigating drug loss and extending release. *J Microencapsul* 18: 701-711.
- Tsai, YL; Tien, HT; Chen, H. (2000). The preparation and drug-release behaviour of CTA/EC and PMS/EC composite microcapsules. *J Microencapsul* 17: 413-424.
- Tsai, YT; Choi, CH; Gao, N; Yang, EH. (2011). Tunable wetting mechanism of polypyrrole surfaces and low-voltage droplet manipulation via redox. *Langmuir* 27: 4249-4256. <http://dx.doi.org/10.1021/la104403w>.
- Tse, H; Comba, M; Alae, M. (2004). Method for the determination of organophosphate insecticides in water, sediment and biota. *Chemosphere* 54: 41-47. [http://dx.doi.org/10.1016/S0045-6535\(03\)00659-3](http://dx.doi.org/10.1016/S0045-6535(03)00659-3).
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In<sub>2</sub>O<sub>3</sub> hollow particles. *Ceramics International* 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tshweu, L; Katata, L; Kalombo, L; Swai, H. (2013). Nanoencapsulation of water-soluble drug, lamivudine, using a double emulsion spray-drying technique for improving HIV treatment. *J Nanopart Res* 15. <http://dx.doi.org/10.1007/s11051-013-2040-4>.
- Tsierkezos, NG; Philippopoulos, AI. (2009). Studies of ion solvation and ion association of n-tetrabutylammonium hexafluorophosphate and n-tetrabutylammonium tetrphenylborate in various solvents. *Fluid Phase Equilibria* 277: 20-28. <http://dx.doi.org/10.1016/j.fluid.2008.11.004>.
- Tsigouri, AD; Menkissoglu-Spiroudi, U; Thrasyvoulou, A. (2001). Study of tau-fluvalinate persistence in honey. *Pest Manag Sci* 57: 467-471.
- Tsiropoulos, NG; Miliadis, GE; Likas, DT; Liapis, K. (2005). Residues of spiroxamine in grapes following field application and their fate from vine to wine. *J Agric Food Chem* 53: 10091-10096. <http://dx.doi.org/10.1021/jf052162q>.
- Tsvintzelis, I; Missopolinou, D; Kalogiannis, K; Panayiotou, C. (2004). Phase compositions and saturated densities for the binary systems of carbon dioxide with ethanol and dichloromethane. *Fluid Phase Equilibria* 224: 89-96. <http://dx.doi.org/10.1016/j.fluid.2004.06.046>.
- Tsou, J; Magnoux, P; Guisnet, M; Orfao, JJM; Figueiredo, JL. (2004). Catalytic oxidation of methyl-isobutyl-ketone over basic zeolites. *Appl Catal B-Environ* 51: 129-133. <http://dx.doi.org/10.1016/j.apcatb.2004.02.010>.
- Tsukahara, T; Miyauchi, H; Kuwada, D; Kikuchi, T; Tsuda, Y; Yanagiba, Y; Arito, H; Nomiyama, T. (2016). Control banding assessment of exposure of offset printing workers to organic solvents. *J Occup Health* 58: 314-319. <http://dx.doi.org/10.1539/joh.15-0324-BR>.
- Tsuneda, S; Ishihara, Y; Hamachi, M; Hirata, A. (2002). Inhibition effect of chlorine ion on hydroxyl radical generation in UV-H<sub>2</sub>O<sub>2</sub> process. *Water Sci Technol* 46: 33-38.
- Tsurumi, T; Teranishi, T; Wada, S; Kakemoto, H; Fukunaga, O; Nakada, M; Akedo, J, un. (2006). Ultra wide range dielectric spectroscopy of strontium titanate-strontium zirconate solid solution. *Ceramic Society of Japan Journal* 114: 774-781.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tsyurupa, MP; Blinnikova, ZK; Davidovich, Y, uA; Lyubimov, SE; Naumkin, AV; Davankov, VA. (2012). On the nature of "functional groups" in non-functionalized hypercrosslinked polystyrenes. *React Funct Polym* 72: 973-982. <http://dx.doi.org/10.1016/j.reactfunctpolym.2011.03.002>.
- Tu, SP; Yen, TF. (2000). The feasibility studies for radical-induced decomposition and demetalation of metalloporphyrins by ultrasonication. *Energy Fuels* 14: 1168-1175. <http://dx.doi.org/10.1021/ef000044t>.
- Tubajika, KM; Harrison, SA; Russin, JS; Mascagni, HJ. (2001). Effect of planting date, cultivar, and seed treatment on leaf rust severity of wheat along the Gulf Coast. *Cereal Research Communications* 29: 109-114.
- Tucker, DJ; Wallis, IR; Bolton, JM; Marsh, KJ; Rosser, AA; Brereton, IM; Nicolle, D; Foley, WJ. (2010). A metabolomic approach to identifying chemical mediators of mammal-plant interactions. *J Chem Ecol* 36: 727-735. <http://dx.doi.org/10.1007/s10886-010-9803-5>.

## Fate Literature Search Results

### Off Topic

- Tuetun, B; Choochote, W; Rattanachanpichai, E; Chaithong, U; Jitpakdi, A; Tippawangkosol, P; Riyong, D; Pitasawat, B. (2004). Mosquito repellency of the seeds of celery (*Apium graveolens* L.). *Ann Trop Med Parasitol* 98: 407-417. <http://dx.doi.org/10.1179/000349804225003334>.
- Tungprapa, S; Puangparn, T; Weerasombut, M; Jangchud, I; Fakum, P; Semongkhon, S; Meechaisue, C; Supaphol, P. (2007). Electrospun cellulose acetate fibers: effect of solvent system on morphology and fiber diameter. *Cellulose* 14: 563-575. <http://dx.doi.org/10.1007/s10570-007-9113-4>.
- Turki, T; Ben Hamouda, S; Hamdi, R; Ben Amor, M. (2012). Nitrates removal on PUROLITE A 520E resin: kinetic and thermodynamic studies. *Desalination and Water Treatment* 41: 1-8. <http://dx.doi.org/10.1080/19443994.2012.664615>.
- Tuusa, SM; Puska, MA; Lassila, LV; Vallittu, PK. (2005). Residual monomers released from glass-fibre-reinforced composite photopolymerised in contact with bone and blood. *J Mater Sci Mater Med* 16: 15-20.
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters* 1: 39-46.
- Tzhayik, O; Sawant, P; Efrima, S; Kovalev, E; Klug, JT. (2002). Xanthate capping of silver, copper, and gold colloids. *Langmuir* 18: 3364-3369. <http://dx.doi.org/10.1021/la015653n>.
- Tzovolou, DN; Theodoropoulou, MA; Blanchet, D; Haeseler, F; Jeczalik, M; Kasela, T; Slack, W; Tsakiroglou, CD. (2015). In situ bioventing of the vadose zone of multi-scale heterogeneous soils. *Environ Earth Sci* 74: 4907-4925. <http://dx.doi.org/10.1007/s12665-015-4501-9>.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=22567>.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).

## Fate Literature Search Results

### Off Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- Uang, SN; Shih, TS; Chang, CH; Chang, SM; Tsai, CJ; Deshpande, CG. (2006). Exposure assessment of organic solvents for aircraft paint stripping and spraying workers. *Sci Total Environ* 356: 38-44. <http://dx.doi.org/10.1016/j.scitotenv.2005.02.029>.
- Ueda, M; Iwara, A; Kreuter, J. (1998). Influence of the preparation methods on the drug release behaviour of loperamide-loaded nanoparticles. *J Microencapsul* 15: 361-372.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). One continuous process of agglomeration and microencapsulation for enoxacin. Preparation method and mechanism of microencapsulation. *J Microencapsul* 10: 25-34.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). PREPARATION AND CHARACTERISTICS OF MICROCAPSULES CONTAINING ENOXACIN BY ONE CONTINUOUS PROCESS OF AGGLOMERATION AND MICROENCAPSULATION. *J Microencapsul* 10: 171-180.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health* 70: 385-392.
- Ukai, H; Okamoto, S; Takada, S; Inui, S; Kawai, T; Higashikawa, K; Ikeda, M. (1998). Monitoring of occupational exposure to dichloromethane by diffusive vapor sampling and urinalysis. *Int Arch Occup Environ Health* 71: 397-404.
- Ukkonen, K. (1982). NON-VOLATILE DICHLOROMETHANE EXTRACTIVES OF GMELINA-ARBOREA. 65: 71-71.
- Ukrainczyk, L; McBride, MB. (1993). Oxidation and dechlorination of chlorophenols in dilute aqueous suspensions of manganese oxides: Reaction products. *Environ Toxicol Chem* 12: 2015-2022.
- Ullah, M, dA; Kim, K, iH; Szulejko, J, anE. (2015). The effect of solvent selection in the gas chromatographic analysis of carbonyls in air samples after derivatization with pentafluorophenyl hydrazine. *Atmos Res* 166: 101-109. <http://dx.doi.org/10.1016/j.atmosres.2015.06.020>.
- Ulutan, S; Yetgin, S; Balkose, D. (2013). Flexible PVC-Silica Composites as an Adsorptive Material for Water Soluble Dyes. *Polymers and Polymer Composites* 21: 177-181.
- Uma; Banerjee, S; Sharma, YC. (2013). Equilibrium and kinetic studies for removal of malachite green from aqueous solution by a low cost activated carbon. *J Ind Eng Chem* 19: 1099-1105. <http://dx.doi.org/10.1016/j.jiec.2012.11.030>.
- Uma, B; Sandhya, S. (1998). Kinetics of pyridine degradation along with toluene and methylene chloride with *Bacillus* sp. in packed bed reactor. 18: 303-305.
- Umano, K; Hagi, Y; Nakahara, K; Shoji, A; Shibamoto, T. (2000). Volatile chemicals identified in extracts from leaves of Japanese mugwort (*Artemisia princeps* Pamp.). *J Agric Food Chem* 48: 3463-3469.
- Umano, K; Hagi, Y; Shibamoto, T. (2002). Volatile chemicals identified in extracts from newly hybrid citrus, dekopon (Shiranuhi mandarin Suppl. J.). *J Agric Food Chem* 50: 5355-5359. <http://dx.doi.org/10.1021/jf0203951>.
- Umano, K; Nakahara, K; Shoji, A; Shibamoto, T. (1999). Aroma chemicals isolated and identified from leaves of *Aloe arborescens* Mill. var. *natalensis* Berger. *J Agric Food Chem* 47: 3702-3705.
- Umar, A; Abaker, M; Faisal, M; Hwang, SW; Baskoutas, S; Al-Sayari, SA. (2011). High-yield synthesis of well-crystalline alpha-Fe<sub>2</sub>O<sub>3</sub> nanoparticles: structural, optical and photocatalytic properties. *J Nanosci Nanotechnol* 11: 3474-3480. <http://dx.doi.org/10.1166/jnn.2011.4148>.
- Umeda, N; Nibe, H; Hara, T; Hirazawa, N. (2006). Effects of various treatments on hatching of eggs and viability of oncomiracidia of the monogenean *Pseudodactylogyrus anguillae* and *Pseudodactylogyrus bini*. *Aquaculture* 253: 148-153. <http://dx.doi.org/10.1016/j.aquaculture.2005.08.009>.
- Umlauf, G; Hauk, H; Reissinger, M. (1994). THE DISTRIBUTION OF SEMIVOLATILE ORGANIC-COMPOUNDS IN CONIFER NEEDLES FOLLOWING GAS-PHASE CONTAMINATION. *Chemosphere* 28: 1689-1699.
- Uner, O; Gecgel, U; Bayrak, Y. (2016). Adsorption of Methylene Blue by an Efficient Activated Carbon Prepared from *Citrullus lanatus* Rind: Kinetic, Isotherm, Thermodynamic, and Mechanism Analysis. *Water Air Soil Pollut* 227. <http://dx.doi.org/10.1007/s11270-016-2949-1>.
- Unur, E; Toppare, L; Yagci, Y; Yilmaz, F. (2005). Synthesis and characterization of thiophene-capped polytetrahydrofuran conducting copolymers. *Mater Chem Phys* 91: 261-268. <http://dx.doi.org/10.1016/j.matchemphys.2004.10.051>.
- Urbano, BF; Paredes, J; Rivas, BL; Kusku, O; Kabay, N; Bryjak, M. (2014). Water-Insoluble Copolymer Based on N-Methyl-D-glucamine and Quaternary Ammonium Groups with Capability to Remove Arsenic. *Environ Prog Sustain Energy* 33: 1187-1193. <http://dx.doi.org/10.1002/ep.11905>.
- Urbano, BF; Rivas, BL; Martinez, F; Alexandratos, SD. (2012). Water-insoluble polymer-clay nanocomposite ion exchange resin based on N-methyl-D-glucamine ligand groups for arsenic removal. *React Funct Polym* 72: 642-649. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.008>.
- Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbeloej, J. (1995). Permeability of commercial solvents through living human skin. *Am Ind Hyg Assoc J* 56: 651-660. <http://dx.doi.org/10.1080/15428119591016665>.
- Urriaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J* 48: 572-581.
- Ushamani, M; Leenadeenja, NG; Sreekumar, K; Kartha, CS; Joseph, R. (2003). Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly(vinyl chloride) films. *Bulletin of Materials Science* 26: 343-348.
- Ustamehmetoglu, B; Yazici, P; Kizilcan, N. (2011). Polymerisation of methyl ethyl ketone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 211-221. <http://dx.doi.org/10.1108/03699421111147272>.
- Ustun, D; Candir, E; Ozdemir, AE; Kamiloglu, O; Soyulu, EM; Dilbaz, R. (2012). Effects of modified atmosphere packaging and ethanol vapor treatment on the chemical composition of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 68: 8-15. <http://dx.doi.org/10.1016/j.postharvbio.2012.01.006>.

## Fate Literature Search Results

### Off Topic

- Utsunomiya, H; Doi, S; Hara, K, enl; Sakai, T; Yanagi, S. (2009). Deformation of oxide scale on steel surface during hot rolling. *CIRP Annals - Manufacturing Technology* 58: 271-274. <http://dx.doi.org/10.1016/j.cirp.2009.03.050>.
- Utsunomiya, Y; Toyoda, A; Kajiwaru, T; Nishiyama, T; Nagayama, K; Kubota, S; Yamada, Y; Mitarai, Y. (2008). Preparation of reactive thin film consisting of diazodinitrophenol particles and its reaction characteristics ignited by pulse laser ablation. *Science and Technology of Energetic Materials* 69: 29-38.
- Uzun, M; Govarthanam, KK; Rajendran, S; Sancak, E. (2015). Interaction of a non-aqueous solvent system on bamboo, cotton, polyester and their blends: the effect on abrasive wear resistance. *Wear* 322: 10-16. <http://dx.doi.org/10.1016/j.wear.2014.10.006>.
- Vachon, MG; Nairn, JG. (1995). Physico-chemical evaluation of acetylsalicylic acid-Eudragit RS100 microspheres prepared using a solvent-partition method. *J Microencapsul* 12: 287-305.
- Vagi, MC; Petsas, AS; Kostopoulou, MN; Karamanoli, MK; Lekkas, TD. (2007). Determination of organochlorine pesticides in marine sediments samples using ultrasonic solvent extraction followed by GC/ECD. *Desalination* 210: 146-156. <http://dx.doi.org/10.1016/j.desal.2006.06.020>.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J* 48: 646-651.
- Vahdat, N; Swearingen, PM; Johnson, JS; Priante, S; Mathews, K; Neidhardt, A. (1995). Adsorption Capacity and Thermal Desorption Efficiency of Selected Adsorbents. *Am Ind Hyg Assoc J* 56: 32-38.
- Vajdi, M. (1994). STUDIES ON THE EXTRACTABILITY OF GANGLIOSIDES WITH VARIOUS SOLVENTS. *Separation Science and Technology* 29: 2067-2072.
- Valcke, M; Haddad, S. (2015). Assessing human variability in kinetics for exposures to multiple environmental chemicals: a physiologically based pharmacokinetic modeling case study with dichloromethane, benzene, toluene, ethylbenzene, and m-xylene. *J Toxicol Environ Health A* 78: 409-431. <http://dx.doi.org/10.1080/15287394.2014.971477>.
- Valdez, PJ; Dickinson, JG; Savage, PE. (2011). Characterization of Product Fractions from Hydrothermal Liquefaction of *Nannochloropsis* sp and the Influence of Solvents. *Energy Fuels* 25: 3235-3243. <http://dx.doi.org/10.1021/ef2004046>.
- Valencia-Diaz, S; Flores-Palacios, A; Rodriguez-Lopez, V; Jimenez-Aparicio, AR. (2013). Inhibitory effects of bark chemicals of host *Ipomoea murucoides* on seed germination of epiphyte *Tillandsia recurvata*. *Allelopathy Journal* 32: 91-100.
- Valent, GU; Sato, MIZ; Cristina, M; Coelho, LS; Coimbra, CA; Sanchez, PS; Martins, MT; Bonatelli, R. (1993). MONITORING SAO-PAULO STATE RIVERS IN BRAZIL FOR MUTAGENIC ACTIVITY USING THE AMES TEST. *Environ Toxicol Water Qual* 8: 371-381.
- Valiyari, S; Jahanban-Esfahlan, R; Shahneh, FZ; Yaripour, S; Baradaran, B; Delazar, A. (2013). Cytotoxic and apoptotic activity of *Scrophularia oxysipala* in MCF-7 human breast cancer cells. *Toxicol Environ Chem* 95: 1208-1220. <http://dx.doi.org/10.1080/02772248.2013.854362>.
- Valli, VLK; Alper, H. (1995). ORGANORHODIUM COMPLEX ON SMECTITE CLAY - PREPARATION, CHARACTERIZATION, AND CATALYTIC ACTIVITY FOR THE HYDROFORMYLATION OF VINYLILANES. *Chem Mater* 7: 359-362.
- Valov, PM; Gracheva, LV; Leiman, VI. (1997). Melting and crystallization of CuCl nanocrystals incorporated into the ultradisperse eutectic system in a glass. *Glass Physics and Chemistry* 23: 130-138.
- van den Brink, RW; Mulder, P; Louw, R; Sinquin, G; Petit, C; Hindermann, JP. (1998). Catalytic oxidation of dichloromethane on gamma-Al<sub>2</sub>O<sub>3</sub>: A combined flow and infrared spectroscopic study. *J Catal* 180: 153-160.
- van den Broeke, LJP; de Bruijn, VG; Heijnen, JHM; Keurentjes, JTF. (2001). Micellar catalysis for epoxidation reactions. *Ind Eng Chem Res* 40: 5240-5245.
- Van der Bruggen, B; Geens, J; Vandecasteele, C. (2002). Influence of organic solvents on the performance of polymeric nanofiltration membranes. *Separation Science and Technology* 37: 783-797.
- van Duffel, B; Verbiest, T; Van Elshocht, S; Persoons, A; De Schryver, FC; Schoonheydt, RA. (2001). Fuzzy assembly and second harmonic generation of clay/polymer/dye monolayer films. *Langmuir* 17: 1243-1249.
- Van Dyk, S; Mcglasson, WB; Williams, M; Gair, C. (2010). Influence of curing procedures on sensory quality of vanilla beans. *Fruits* 65: 387-399. <http://dx.doi.org/10.1051/fruits/2010033>.
- Van Emon, JM; Chuang, JC; Bronshtein, A; Altstein, M. (2013). Determination of polychlorinated biphenyls in soil and sediment by selective pressurized liquid extraction with immunochemical detection. *Sci Total Environ* 463-464: 326-333. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.020>.
- van Grieken, R; Melero, JA; Morales, G. (2005). Fries rearrangement of phenyl acetate over sulfonic modified mesostructured SBA-15 materials. *Appl Catal A-Gen* 289: 143-152. <http://dx.doi.org/10.1016/j.apcata.2005.04.059>.
- van Netten, C. (2002). Analysis and implications of aircraft disinsectants. *Sci Total Environ* 293: 257-262.
- van Pée, KH; Unversucht, S. (2003). Biological dehalogenation and halogenation reactions [Review]. *Chemosphere* 52: 299-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00204-2](http://dx.doi.org/10.1016/S0045-6535(03)00204-2).
- van Rooij, IA; Wegerif, MJ; Roelofs, HM; Peters, WH; Kuijpers-Jagtman, AM; Zielhuis, GA; Merkus, HM; Steegers-Theunissen, RP. (2001). Smoking, genetic polymorphisms in biotransformation enzymes, and nonsyndromic oral clefting: A gene-environment interaction. *Epidemiology* 12: 502-507.
- Vandenabeele, C; Bulou, S; Maurau, R; Siffer, F; Belmonte, T; Choquet, P. (2015). Organo-Chlorinated Thin Films Deposited by Atmospheric Pressure Plasma-Enhanced Chemical Vapor Deposition for Adhesion Enhancement between Rubber and Zinc-Plated Steel Monofilaments. *7*: 14317-14327. <http://dx.doi.org/10.1021/acsami.5b02887>.
- Vandoorn, J; Moulijn, JA. (1993). A MODEL OF COKE ON HYDROTREATING CATALYSTS UNDER REACTION CONDITIONS. *Fuel Process Tech* 35: 275-287.

## Fate Literature Search Results

### Off Topic

- Vanni, A; Gennaro, MC; Fedele, A; Piccone, G; Petronio, BM; Petruzzelli, G; Liberatori, A. (1994). Leachability of heavy metals in municipal sewage sludge particulate. *Environ Technol* 15: 71-78.
- Vannier, V; Schenk, M; Kohse-Hoeinghaus, K; Bahlawane, N. (2012). Preparation and characterisation of chromium-doped cobalt oxide spinel thin films. *Journal of Materials Science* 47: 1348-1353. <http://dx.doi.org/10.1007/s10853-011-5909-6>.
- Vaquero-Fernandez, L; Saenz-Hernaez, A, na; Sanz-Asensio, J; Fernandez-Zurbano, P; Sainz-Ramirez, M; Pons-Jubera, B; Lopez-Alonso, M; Epifanio-Fernandez, SI; Martinez-Soria, MT. (2008). Determination of cyprodinil and fludioxonil in the fermentative process of must by high-performance liquid chromatography-diode array detection. *J Sci Food Agric* 88: 1943-1948. <http://dx.doi.org/10.1002/jsfa.3301>.
- Vardulakis, G; Withington, S; Goldie, DJ; Glowacka, DM. (2008). Superconducting kinetic inductance detectors for astrophysics. *Meas Sci Technol* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015509>.
- Varshosaz, J; Dehkordi, AJ; Golafshan, S. (2006). Colon-specific delivery of mesalazine chitosan microspheres. *J Microencapsul* 23: 329-339. <http://dx.doi.org/10.1080/0265040600612405>.
- Vasilev, AA; De Mey, K; Asselberghs, I; Clays, K; Champagne, B; Angelova, SE; Spassova, MI; Li, C; Muellen, K. (2012). Enhanced Intramolecular Charge Transfer in New Type Donor-Acceptor Substituted Perylenes. *J Phys Chem C* 116: 22711-22719. <http://dx.doi.org/10.1021/jp306848f>.
- Vasiliev, BV; Ratnikov, EN; Zhegalova, NN; Mironov, DP; Domkin, VS; Zatsepin, AG; Naimark, NI. (1992). CELLULOSE AND CELLULOSE TRIACETATE MODERN STRUCTURAL MODIFICATIONS AND PROPERTIES OF CELLULOSE ACETATES OBTAINED BY DIRECT CELLULOSE ACETYLATION IN SOLUTION. *Cellulose Chemistry and Technology* 26: 177-189.
- Vasilii, G; Boscencu, R; Socoteanu, R; Nacea, V. (2014). Complex Combinations of Some Transition Metals with New Unsymmetrical Porphirins. *Rev Chim* 65: 998-1001.
- Vasques, AR; de Souza, SMG, U; Valle, JAB; Ulson de Souza, AA. (2009). Application of ecological adsorbent in the removal of reactive dyes from textile effluents. *J Chem Tech Biotechnol* 84: 1146-1155. <http://dx.doi.org/10.1002/jctb.2147>.
- Vatassery, R; Hinke, JA; Sanchez-Diaz, A; Hue, R; Mann, KR; Blank, DA; Gladfelter, WL. (2013). Excited-State Quenching Mechanism of a Terthiophene Acid Dye Bound to Monodisperse CdS Nanocrystals: Electron Transfer versus Concentration Quenching. *J Phys Chem C* 117: 10708-10715. <http://dx.doi.org/10.1021/jp312272p>.
- Vaughn, SF; Berhow, MA. (1999). Allelochemicals isolated from tissues of the invasive weed garlic mustard (*Alliaria petiolata*). *J Chem Ecol* 25: 2495-2504.
- Vecino Mantilla, S; Mancilla Manrique, A; Gauthier-Maradei, P. (2015). Methodology for Extraction of Phenolic Compounds of Bio-oil from Agricultural Biomass Wastes. *Waste Biomass Valorization* 6: 371-383. <http://dx.doi.org/10.1007/s12649-015-9361-8>.
- Vecitis, CD; Gao, GD; Liu, H. (2011). Electrochemical Carbon Nanotube Filter for Adsorption, Desorption, and Oxidation of Aqueous Dyes and Anions. *J Phys Chem C* 115: 3621-3629. <http://dx.doi.org/10.1021/jp111844>.
- Veerender, P; Koiry, SP; Jha, P; Saxena, V; Chauhan, AK; Bhattacharya, S; Tewari, R; Aswal, DK; Gupta, SK. (2012). An Electrochemical Approach for Deposition of Polyfullerene Films on ITO Substrates. *J Electrochem Soc* 159: D13-D18. <http://dx.doi.org/10.1149/2.021201jes>.
- Vega-Gonzalez, A; Tufeu, R; Subra, P. (2002). High-pressure vapor-liquid equilibrium for the binary systems carbon dioxide plus dimethyl sulfoxide and carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 47: 492-495. <http://dx.doi.org/10.1021/je010202q>.
- Vega-Vila, JC; Harris, JW; Gounder, R. (2016). Controlled insertion of tin atoms into zeolite framework vacancies and consequences for glucose isomerization catalysis. *J Catal* 344: 108-120. <http://dx.doi.org/10.1016/j.jcat.2016.09.011>.
- Velayudham, S; Lee, CH; Xie, M; Blair, D; Bauman, N; Yap, YK; Green, SA; Liu, H. (2010). Noncovalent functionalization of boron nitride nanotubes with poly(p-phenylene-ethynylene)s and polythiophene. *ACS Applied Materials & Interfaces* 2: 104-110. <http://dx.doi.org/10.1021/am900613j>.
- Velickovic, MM; Radivojevic, DD; Oparnica, CD; Nikicevic, NJ; Zivkovic, MB; Dordevic, NO; Vajs, VE; Tegevic, VV. (2013). Volatile compounds in Medlar fruit (*Mespilus germanica* L.) at two ripening stages. *Hemijaska Industrija* 67: 437-441. <http://dx.doi.org/10.2298/HEMIND120611085V>.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Vellis, PD; Ye, S; Mikroyannidis, JA; Liu, Y. (2008). New divinylene trimers with triphenylpyridine segments: Synthesis, photophysics, electrochemical and electroluminescent properties. *Synthetic Metals* 158: 854-860. <http://dx.doi.org/10.1016/j.synthmet.2008.06.002>.
- Vembris, A; Zarins, E; Jubels, J; Kokars, V; Muzikante, I; Miasojedovas, A; Jursenas, S. (2012). Thermal and optical properties of red luminescent glass forming symmetric and non symmetric styryl-4H-pyran-4-ylidene fragment containing derivatives. *Optical Materials* 34: 1501-1506. <http://dx.doi.org/10.1016/j.optmat.2012.02.051>.
- Venkateswaran, P; Palanivelu, K. (2004). Solvent extraction of hexavalent chromium with tetrabutyl ammonium bromide from aqueous solution. *Separation and Purification Technology* 40: 279-284. <http://dx.doi.org/10.1016/j.seppur.2004.03.005>.
- Venning, AJ; Hill, B; Brindha, S; Healy, BJ; Baldock, C. (2005). Investigation of the PAGAT polymer gel dosimeter using magnetic resonance imaging. *Phys Med Biol* 50: 3875-3888. <http://dx.doi.org/10.1088/0031-9155/50/16/015>.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verevkin, SP; Emel'yanenko, VN; Bayardon, J; Schaeffner, B; Baumann, W; Boerner, A. (2012). Asymmetric Hydrogenation of Nonfunctionalized Olefins in Propylene Carbonate-Kinetic or Thermodynamic Control? *Ind Eng Chem Res* 51: 126-132. <http://dx.doi.org/10.1021/ie200269q>.

## Fate Literature Search Results

### Off Topic

- Verma, D; Deb, MK. (2012). Determination of vanadium (V) employing a new combined single drop micro-extraction and diffuse reflectance Fourier transform infrared spectroscopy technique. *Int J Environ Anal Chem* 92: 59-75. <http://dx.doi.org/10.1080/03067310903410998>.
- Verma, V; Wang, Y; El-Afifi, R; Fang, T; Rowland, J; Russell, AG; Weber, RJ. (2015). Fractionating ambient humic-like substances (HULIS) for their reactive oxygen species activity - Assessing the importance of quinones and atmospheric aging. *Atmos Environ* 120: 351-359. <http://dx.doi.org/10.1016/j.atmosenv.2015.09.010>.
- Vervoort, HC; Pawlik, JR; Fenical, W. (1998). Chemical defense of the Caribbean ascidian *Didemnum conchyliatum*. *Mar Ecol Prog Ser* 164: 221-228.
- Vesović, N; Ćurčić, S; Vujisić, L; Nenadić, M; Krstić, G; Perić-Mataruga, V; Milosavljević, S; Antić, D; Mandić, B; Petković, M; Vučković, I; Marković, Đ; Vrbica, M; Ćurčić, B; Makarov, S. (2015). Molecular Diversity of Compounds from Pygidial Gland Secretions of Cave-Dwelling Ground Beetles: The First Evidence. *J Chem Ecol* 41: 533-539. <http://dx.doi.org/10.1007/s10886-015-0593-7>.
- Vessigaud, S; Perrin-Ganier, C; Belkessam, L; Denys, S; Schiavon, M. (2007). Direct link between fluoranthene biodegradation and the mobility and sequestration of its residues during aging. *J Environ Qual* 36: 1412-1419. <http://dx.doi.org/10.2134/jeq2006.0473>.
- Vethanayagam, JGG; Meyer, HJ; Carey, DR. (1997). Evaluation of a low-input on-farm disposal system for trifluralin, cyfluthrin, and mancozeb. *J Agr Entomol* 14: 29-43.
- Vidal, JLM; Gonzalez, FJE; Galera, MM; Cano, MLC. (1998). Diminution of chlorpyrifos and chlorpyrifos oxon in tomatoes and green beans grown in greenhouses. *J Agric Food Chem* 46: 1440-1444.
- Vidal, SA; Samico, IC; Frias, PG; Hartz, ZM. (2011). An exploratory study of the costs and consequences of prenatal care in the Family Health Program. *Rev Saude Publica* 45: 467-474.
- Vidhyasekaran, P. (1980). THE USE OF DICHLOROMETHANE TO INCORPORATE FUNGICIDES INTO RICE SEEDS FOR CONTROL OF DRECHSLERA-ORYZAE. *Seed Science and Technology* 8: 357-362.
- Vigneron, F; Piquet, A; Baaziz, W; Ronot, P; Boos, A; Janowska, I; Pham-Huu, C; Petit, C; Caps, V. (2014). Hydrophobic gold catalysts: From synthesis on passivated silica to synthesis on few-layer graphene. *Catalysis Today* 235: 90-97. <http://dx.doi.org/10.1016/j.cattod.2014.04.016>.
- Vij, JK. (1989). POWER ABSORPTION-COEFFICIENT CONSTANTS FOR WATER, ACETONITRILE, AND METHYLENE-CHLORIDE AT FAR INFRARED WAVELENGTHS. *Int J Infrared Millimeter Waves* 10: 847-867.
- Viladeri, CV; Piscopou, TD; Siskos, PA. (2007). Chemistry and air-conditioning: Sampling and analysis of particles collected from filters of air conditioning equipment in Athens. *Indoor Built Environ* 16: 563-568. <http://dx.doi.org/10.1177/1420326X07085072>.
- Vilela, SMF; Ananias, D; Gomes, A, naC; Valente, AA; Carlos, LD; Cavaleiro, JAS; Rocha, J; Tome, JPC; Almeida Paz, FA. (2012). Multi-functional metal-organic frameworks assembled from a tripodal organic linker. *J Mater Chem* 22: 18354-18371. <http://dx.doi.org/10.1039/c2jm32501b>.
- Vilela, SMF; Mendes, RF; Silva, P; Fernandes, JA; Tome, JPC; Almeida Paz, FA. (2013). Structural Diversity of Lanthanum-Organic Frameworks Based on 1,4-Phenylenebis(methylene)diphosphonic Acid. *Cryst Growth Des* 13: 543-560. <http://dx.doi.org/10.1021/cg301112k>.
- Villar-Rodil, S; Denoyel, R; Rouquerol, J; Martinez-Alonso, A; Tascon, JMD. (2002). Fibrous carbon molecular sieves by chemical vapor deposition of benzene. Gas separation ability. *Chem Mater* 14: 4328-4333. <http://dx.doi.org/10.1021/cm021193n>.
- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinia, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials* 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Villar-Rodil, S; Navarrete, R; Denoyel, R; Albinia, A; Paredes, JI; Martinez-Alonso, A; Tascon, JMD. (2005). Carbon molecular sieve cloths prepared by chemical vapour deposition of methane for separation of gas mixtures. *Microporous and Mesoporous Materials* 77: 109-118. <http://dx.doi.org/10.1016/j.micromeso.2004.08.017>.
- Villieras, F; Lebeda, R; Charmas, B; Bardot, F; Gerard, G; Rudzinski, W. (1998). High resolution argon and nitrogen adsorption assessment of the surface heterogeneity of carboxylic acid modified carbons. *Carbon* 36: 1501-1510.
- Viñas, P; López-García, I; Merino-Meroño, B; Campillo, N; Hernández-Córdoba, M. (2004). Liquid chromatography-hydride generation-atomic absorption spectrometry for the speciation of tin in seafoods. *J Environ Monit* 6: 262-266. <http://dx.doi.org/10.1039/b312778h>.
- Vincent, R; Poirot, P; Subra, I; Rieger, B; Cicolella, A. (1994). Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. *Int Arch Occup Environ Health* 65: 377-380. <http://dx.doi.org/10.1007/BF00383247>.
- Vinha Zanuncio, AJ; Carvalho, AG; de Souza, MT; Jardim, CM; Oliveira Carneiro, A, deC; Colodette, JL. (2015). EFFECT OF EXTRACTIVES ON WOOD COLOR OF HEAT TREATED *Pinus radiata* AND *Eucalyptus pellita*. 17: 857-864. <http://dx.doi.org/10.4067/S0718-221X2015005000074>.
- Viteckova, H; Vavrova, M; Mravcova, L; Vydrova, L. (2008). ASSESSMENT OF SULFATHIAZOLE IN WASTEWATER. *Fresen Environ Bull* 17: 1846-1851.
- Vitovec, W; Koshland, CP; Lucas, D; Sawyer, RF. (1996). The destruction of methylene chloride in lean post-flame conditions. *Combust Sci Tech* 116: 153-166.
- Vittoria, V. (1995). INFLUENCE OF THE CRYSTALLINITY ON THE TRANSPORT-PROPERTIES OF POLYETHYLENE. *Journal of Materials Science* 30: 3954-3958.
- Vivas, MG; De Boni, L; Cooper, TM; Mendonca, CR. (2014). Interpreting Strong Two-Photon Absorption of PE3 Platinum Acetylide Complex: Double Resonance and Excited State Absorption. 1: 106-113. <http://dx.doi.org/10.1021/ph4000357>.
- Vivas, N; Pianet, I; Bourgeois, G; Vitry, C; Servens, C; Glories, Y. (1998). Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. *American Journal of Enology and Viticulture* 49: 49-55.



## Fate Literature Search Results

### Off Topic

- Vivekanandan, MV; Sreenivasan, S. (2012). Dynamic Transportation of Water Vapor through Cotton and Polyester-Cotton Blended Fabrics Part I: Indices Characterizing Moisture Buffering and their Interrelationships. *Journal of Engineered Fabrics and Fibers* 7: 70-80.
- Vlad, S. (2005). Polyurethane coatings for corrosive protection. *Materiale Plastice* 42: 293-296.
- Vladislavljević, GT; Duncanson, WJ; Shum, HC; Weitz, DA. (2012). Emulsion templating of poly(lactic acid) particles: droplet formation behavior. *Langmuir* 28: 12948-12954. <http://dx.doi.org/10.1021/la302092f>.
- Vlase, C; Diaconu, E; Ostapovici, E; Turculeț, A; Moisuc, L; Bulgaru, L. (1995). A STUDY ON CARBENICILLIN PURIFICATION BY LIQUID-LIQUID-EXTRACTION. *Rev Chim* 46: 722-724.
- Vickova, B; Barnett, SM; Kanigan, T; Butler, IS. (1993). SURFACE-ENHANCED RAMAN-SCATTERING AND SURFACE-PLASMON ABSORPTION OF GLASS-DEPOSITED SILVER-2,2'-BIPYRIDINE FILMS FORMED FROM INTERFACIAL SILVER METAL LIQUID-LIKE FILMS. *Langmuir* 9: 3234-3238.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere* 39: 2479-2488.
- Vrbka, P; Dohnal, V. (2016). Limiting activity coefficient measurements in binary mixtures of dichloromethane and 1-alkanols (C1-C4). *Fluid Phase Equilibria* 411: 59-65. <http://dx.doi.org/10.1016/j.fluid.2015.11.037>.
- Vrchotova, N; Sera, B; Krejčová, J. (2011). Allelopathic activity of extracts from *Impatiens* species. *Plant Soil Environ* 57: 57-60.
- Vrdoljak, V; Prugovečki, B; Matković-Calogović, D; Hrenar, T; Dreos, R; Siega, P. (2013). Three Polymorphic Forms of a Monomeric Mo(VI) Complex: Building Blocks for Two Metal-Organic Supramolecular Isomers. *Intermolecular Interactions and Ligand Substituent Effects. Cryst Growth Des* 13: 3773-3784. <http://dx.doi.org/10.1021/cg400782c>.
- Vu, VT; Lee, BK; Kim, JT; Lee, CH; Kim, IH. (2011). Assessment of carcinogenic risk due to inhalation of polycyclic aromatic hydrocarbons in PM10 from an industrial city: a Korean case-study. *J Hazard Mater* 189: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.043>.
- Vuorinen, AM; Dyer, SR; Lassila, LVJ; Vallittu, PK. (2011). Bonding of BisGMA-TEGDMA-Resin to Bulk Poly(Paraphenylene) Based Rigid Rod Polymer. *Composite Interfaces* 18: 387-398. <http://dx.doi.org/10.1163/156855411X595807>.
- Wachowska, H; Kozłowski, M. (1993). MULTISTAGE BUTYLATION OF COALS IN A POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 72: 435-442.
- Wachowska, H; Kozłowski, M. (1994). REDUCTIVE ALKYLATION OF COALS IN ETHER SOLVENTS. *Fuel* 73: 880-885.
- Wachowska, H; Kozłowski, M. (1995). MULTISTAGE REDUCTION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 74: 1398-1403.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .1. THE INFLUENCE OF DEMINERALIZATION ON THE COURSE OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS. *Fuel* 74: 1319-1327.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .2. CHARACTERIZATION OF COAL EXTRACTS. *Fuel* 74: 1328-1332.
- Wachowska, H; Kozłowski, M. (1996). The influence of extraction with organic solvents on coking properties of raw and reduced coals. *Fuel* 75: 517-521.
- Wada, K; Shibamoto, T. (1997). Isolation and identification of volatile compounds from a wine using solid phase extraction, gas chromatography, and gas chromatography mass spectrometry. *J Agric Food Chem* 45: 4362-4366.
- Wade, HF; York, AC; Morey, AE; Padmore, JM; Rudo, KM. (1998). The impact of pesticide use on groundwater in North Carolina. *J Environ Qual* 27: 1018-1026.
- Wagdare, NA; Baggerman, J; Marcelis, ATM; Boom, RM; van Rijn, CJM. (2011). Polymer microspheres with structured surfaces. *Chem Eng J* 175: 561-568. <http://dx.doi.org/10.1016/j.cej.2011.08.064>.
- Wagdare, NA; Marcelis, AT; Boom, RM; van Rijn, CJ. (2011). Microcapsules with a pH responsive polymer: influence of the encapsulated oil on the capsule morphology. *Colloids Surf B Biointerfaces* 88: 175-180. <http://dx.doi.org/10.1016/j.colsurfb.2011.06.028>.
- Wagemann, R; Trebacz, E; Hunt, R; Boila, G. (1997). Percent methylmercury and organic mercury in tissues of marine mammals and fish using different experimental and calculation methods. *Environ Toxicol Chem* 16: 1859-1866.
- Wagner, HH; Hausmann, H; Holderich, WF. (2001). Immobilization of rhodium diphosphine complexes on mesoporous Al-MCM-41 materials: Catalysts for enantioselective hydrogenation. *J Catal* 203: 150-156.
- Wahl, A; Kowalzik, A; Pilchowski, K. (1998). Adsorption of dichloromethane and 1,1,1-trichloroethane from synthetic wastewaters with polymeric adsorbents and activated carbons. *Acta Hydrochim Hydrobiol* 26: 36-39.
- Wahl, J, onH; Colburn, HA. (2010). Extraction of chemical impurities for forensic investigations: A case study for indoor releases of a sarin surrogate. *Build Environ* 45: 1339-1345. <http://dx.doi.org/10.1016/j.buildenv.2009.10.020>.
- Wahyudiono; Machmudah, S; Kanda, H; Okubayashi, S; Goto, M. (2014). Formation of PVP hollow fibers by electrospinning in one-step process at sub and supercritical CO<sub>2</sub>. *Chemical Engineering and Processing: Process Intensification* 77: 1-6. <http://dx.doi.org/10.1016/j.cep.2013.12.007>.
- Wahyudiono; Okamoto, K; Machmudah, S; Kanda, H; Goto, M. (2016). Generation of multihollow structured poly(methyl methacrylate) fibers by electrospinning under pressurized CO<sub>2</sub>. *Polymer Engineering and Science* 56: 752-759. <http://dx.doi.org/10.1002/pen.24302>.
- Wainman, BC; Lean, DRS. (1994). METHODOLOGICAL CONCERNS IN MEASURING THE LIPID FRACTION OF CARBON FIXATION. *Hydrobiologia* 273: 111-120.
- Wainwright, M; Amaral, L. (2005). The phenothiazinium chromophore and the evolution of antimalarial drugs. *Trop Med Int Health* 10: 501-511.
- Waite, DT; Cessna, AJ; Grover, R; Woodsworth, EJ. (2000). Duplicate sampling of surface films and associated pond water for herbicides. *J Environ Qual* 29: 901-906.
- Walgraeve, C; Chantara, S; Sopajaree, K; De Wispelaere, P; Demeestere, K; Van Langenhove, H. (2015). Quantification of PAHs and oxy-PAHs on airborne particulate matter in Chiang Mai, Thailand, using gas chromatography high resolution mass spectrometry. *Atmos Environ* 107: 262-272. <http://dx.doi.org/10.1016/j.atmosenv.2015.02.051>.

## Fate Literature Search Results

### Off Topic

- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C* 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.
- Walkup, LL; Weerasinghe, KC; Tao, M; Zhou, X; Zhang, M; Liu, D; Wang, L. (2010). Importance of Dynamics in Electron Excitation and Transfer of Organic Dyes. *J Phys Chem C* 114: 19521-19528. <http://dx.doi.org/10.1021/jp107032d>.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95: 7-13.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure air streams using plasma-assisted catalysis. *Appl Catal B-Environ* 72: 282-288. <http://dx.doi.org/10.1016/j.apcatb.2006.11.003>.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure nitrogen gas streams using plasma-assisted catalysis. *Appl Catal B-Environ* 74: 111-116. <http://dx.doi.org/10.1016/j.apcatb.2006.11.020>.
- Wallis, AFA; Wearne, RH. (1997). Characterization of resin in radiata pine woods, bisulfite pulps and mill pitch samples. *Appita* 50: 409-414.
- Wallis, AFA; Wearne, RH. (1999). Analysis of resin in eucalypt woods and pulps. *Appita* 52: 295-299.
- Walls, CL; Beal, EJ; Mushrush, GW. (1999). Nitrogen compound distribution in a heating oil (pp. 31-51). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/99/12731). Walls, CL; Beal, EJ; Mushrush, GW.
- Walter, FG; Chan, JT; Winegard, B; Chase, PB; Shirazi, F; Chow, YY; de Boer, M; Denninghoff, K. (2008). Hazmat disaster preparedness in Hong Kong: what are the hazardous materials on Lantau, Lamma, and Hong Kong Islands? *Am J Disaster Med* 3: 213-233.
- Walter, MG; Wamser, CC. (2010). Synthesis and Characterization of Electropolymerized Nanostructured Aminophenylporphyrin Films. *J Phys Chem C* 114: 7563-7574. <http://dx.doi.org/10.1021/jp910016h>.
- Wandrey, C; Espinosa, D; Rehor, A; Hunkeler, D. (2003). Influence of alginate characteristics on the properties of multi-component microcapsules. *J Microencapsul* 20: 597-611. <http://dx.doi.org/10.1080/0265204031000148022>.
- Wang, A; Cai, X; Chi, J, ie. (2012). Determination of Trace Phthalic Acid Monoesters in Sediments and Soils by GC-MS. *Soil Sediment Contam* 21: 996-1005. <http://dx.doi.org/10.1080/15320383.2012.712072>.
- Wang, A; Gan, Y; Yu, H; Liu, Y; Zhang, M; Cheng, B; Wang, F; Wang, H; Yan, J. (2012). Improvement of the cytocompatibility of electrospun poly[(R)-3-hydroxybutyrate-co-(R)-3-hydroxyvalerate] mats by Ecoflex. *J Biomed Mater Res A* 100: 1505-1511. <http://dx.doi.org/10.1002/jbm.a.34034>.
- Wang, B; Hu, Y; Su, Z. (2008). Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni<sup>2+</sup> ion in aqueous solution. *React Funct Polym* 68: 1137-1143. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.03.005>.
- Wang, B; Wu, WZ; Chen, JW; Han, BX; Zhang, ZF; Shen, D; Zhang, R. (2005). Phase behavior, densities, and isothermal compressibility of the CO<sub>2</sub> + ethanol plus dichloromethane ternary system in different phase regions. *Journal of Chemical and Engineering Data* 50: 1153-1156. <http://dx.doi.org/10.1021/je049616k>.
- Wang, B, in; Zhao, J; Liu, R; Liu, J; He, Q. (2011). Electrotheses, characterizations and electrochromic properties of a copolymer based on 4,4'-di(N-carbazoyl)biphenyl and 2,2'-bithiophene. *Solar Energy Materials and Solar Cells* 95: 1867-1874. <http://dx.doi.org/10.1016/j.solmat.2011.02.009>.
- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. *Mater Chem Phys* 143: 773-778. <http://dx.doi.org/10.1016/j.matchemphys.2013.10.012>.
- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. *Mater Chem Phys* 144: 553-559. <http://dx.doi.org/10.1016/j.matchemphys.2014.01.039>.
- Wang, C; Liu, X. (2015). Determination and correlation of liquid-liquid equilibrium data for the dichloromethane plus water plus N,N-dimethylacetamide plus NaCl system. *Fluid Phase Equilibria* 392: 43-48. <http://dx.doi.org/10.1016/j.fluid.2015.02.022>.
- Wang, C; Liu, X; Wang, P; Yang, P. (2014). Determination and Correlation of Liquid-Liquid Equilibrium Data for the Ternary Dichloromethane plus Water plus N,N-Dimethylacetamide System. *Journal of Chemical and Engineering Data* 59: 1733-1736. <http://dx.doi.org/10.1021/je401001z>.
- Wang, CS; Bryce, MR; Batsanov, AS; Goldenberg, LM; Howard, JAK. (1997). Synthesis and electrochemistry of new tetrathiafulvalene (TTF) dendrimers: X-ray crystal structure of a tetrafunctionalised TTF core unit. *J Mater Chem* 7: 1189-1197.
- Wang, CY. (2005). Synthesis of multiblock copolymers of poly(2-vinylpyridine) and polyoxyethylene and their application as compatibilizers for epichlorohydrin rubber/poly(vinyl chloride) blends. *Polymers and Polymer Composites* 13: 191-198.
- Wang, CZ; Zhang, DJ; Zhang, J; Ji, TW; Tang, ZQ; Zhao, YY. (2015). Allelopathic effects of volatile compounds from *Eucalyptus grandis* on *Vigna radiata*, *Raphanus sativus* and *Lactuca sativa*. *Allelopathy Journal* 36: 273-282.
- Wang, D, aWei; Cao, M, aoS; Yuan, J, ie; Zhao, QL; Li, HB, o; Zhang, D, eQ; Agathopoulos, S. (2011). Enhanced Piezoelectric and Ferroelectric Properties of Nb<sub>2</sub>O<sub>5</sub> Modified Lead Zirconate Titanate-Based Composites. *Journal of the American Ceramic Society* 94: 647-650. <http://dx.doi.org/10.1111/j.1551-2916.2010.04309.x>.
- Wang, D; Miao, X; Li, Q. (2008). Analysis of Organochlorine Pesticides in Coral (*Porites evermanni*) Samples Using Accelerated Solvent Extraction and Gas Chromatography/Ion Trap Mass Spectrometry. *Arch Environ Contam Toxicol* 54: 211-218. <http://dx.doi.org/10.1007/s00244-007-9016-2>.
- Wang, F; Li, C; Yu, JC. (2012). Hexagonal tungsten trioxide nanorods as a rapid adsorbent for methylene blue. *Separation and Purification Technology* 91: 103-107. <http://dx.doi.org/10.1016/j.seppur.2011.12.001>.
- Wang, H; Chen, Y, u; Ye, W; Xu, J; Liu, D; Yang, J; Kong, L, in; Zhou, H; Tian, Y; Tao, X. (2013). A facile and highly efficient green synthesis of carbazole derivatives containing a six-membered ring. *Dyes and Pigments* 96: 738-747. <http://dx.doi.org/10.1016/j.dyepig.2012.11.009>.
- Wang, H; Cui, X; Li, C; Fang, J. (2013). Separation of Ethyl Acetate-Dichloromethane-Ethanol by Extractive Distillation: Simulation and Optimization. *Chem Eng Tech* 36: 627-634. <http://dx.doi.org/10.1002/ceat.201200310>.

## Fate Literature Search Results

### Off Topic

- Wang, H; Tian, H, ua; Hao, Z. (2012). Study of DDT and its derivatives DDD, DDE adsorption and degradation over Fe-SBA-15 at low temperature. *J Environ Sci* 24: 536-540. [http://dx.doi.org/10.1016/S1001-0742\(11\)60800-0](http://dx.doi.org/10.1016/S1001-0742(11)60800-0).
- Wang, H; Wang, J; Luo, J, un; Kong, L. (2013). Isolation of Ingenol-Type Diterpenoids from *Euphorbia kansui* by Offline Coupling of HPLC-ESI-MSn and HSCCC. *Separation Science and Technology* 48: 1745-1751. <http://dx.doi.org/10.1080/01496395.2012.753632>.
- Wang, H; Wang, L; George, JE; Ward, GK; Thoma, J; Harrison, RO; Young, BS. (1997). ACS SYMPOSIUM SERIES Rapid determination of dioxins in drinking water by enzyme immunoassay.
- Wang, H; Yang, X; Zi, J; Zhou, M; Ye, Z; Li, J; Guan, Q; Lv, P; Huo, P; Yan, Y. (2016). High photocatalytic degradation of tetracycline under visible light with Ag/AgCl/activated carbon composite plasmonic photocatalyst. *J Ind Eng Chem* 35: 83-92. <http://dx.doi.org/10.1016/j.jiec.2015.12.023>.
- Wang, HY; He, G; Chen, XL; Liu, TH; Ding, LP; Fang, Y. (2012). Cholesterol modified OPE functionalized film: fabrication, fluorescence behavior and sensing performance. *J Mater Chem* 22: 7529-7536. <http://dx.doi.org/10.1039/c2jm16637b>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Chen, J. (2006). Removal of dichloromethane from waste gases with a bio-contact oxidation reactor. *Chem Eng J* 123: 103-107. <http://dx.doi.org/10.1016/j.cej.2006.06.023>.
- Wang, J; Chen, Y; Wang, Y. (2006). Preparation and characterization of novel organic montmorillonite-reinforced blocked polyurethane nanocomposites. *Polymers and Polymer Composites* 14: 591-601.
- Wang, J; Jia, CR; Wong, CK; Wong, PK. (2000). Characterization of polycyclic aromatic hydrocarbons created in lubricating oils. *Water Air Soil Pollut* 120: 381-396.
- Wang, J; Li, Z. (2013). Measurement and Modeling of Vapor-Liquid Equilibria for Systems Containing Alcohols, Water, and Imidazolium-Based Phosphate Ionic Liquids. *Journal of Chemical and Engineering Data* 58: 1641-1649. <http://dx.doi.org/10.1021/je301374c>.
- Wang, J; Yoon, RH. (2008). AFM forces measured between gold surfaces coated with self-assembled monolayers of 1-hexadecanethiol. *Langmuir* 24: 7889-7896. <http://dx.doi.org/10.1021/la800276r>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol* 34: 2243-2248.
- Wang, K, un; Lin, X; Jiang, G; Liu, JZ, he; Jiang, L, ei; Doherty, CM; Hill, AJ; Xu, T; Wang, H. (2014). Slow hydrophobic hydration induced polymer ultrafiltration membranes with high water flux. *J Memb Sci* 471: 27-34. <http://dx.doi.org/10.1016/j.memsci.2014.07.073>.
- Wang, K, e; Ma, Q; Wang, S, huD; Liu, H, ua; Zhang, SZ; Bao, W, ei; Zhang, K, eQin; Ling, LZ. (2016). Electrospinning of silver nanoparticles loaded highly porous cellulose acetate nanofibrous membrane for treatment of dye wastewater. *Applied Physics A: Materials Science and Processing* 122. <http://dx.doi.org/10.1007/s00339-015-9566-5>.
- Wang, L; Du, C; Wang, X; Zeng, H; Yao, J, un; Chen, B. (2015). Solubilities of Phosphoramidic Acid, N-(phenylmethyl)-, Diphenyl Ester in Selected Solvents. *Journal of Chemical and Engineering Data* 60: 1814-1822. <http://dx.doi.org/10.1021/acs.jced.5b00007>.
- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing* 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, iS; Liu, Y; Wang, R, an. (2006). Solubilities of some phosphaspirocyclic compounds in selected solvents. *Journal of Chemical and Engineering Data* 51: 1686-1689. <http://dx.doi.org/10.1021/je060138i>.
- Wang, L; Sakurai, M; Kameyama, H. (2008). Catalytic oxidation of dichloromethane and toluene over platinum alumite catalyst. *J Hazard Mater* 154: 390-395. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.036>.
- Wang, L, iC; Tang, K, eaT; Kuo, CT, zu; Ho, CL; Lin, SR, ay; Sung, Y, uh; Chang, CP. (2010). Portable electronic nose system with chemiresistor sensors to detect and distinguish chemical warfare agents. *Journal of Micro/Nanolithography, M E M S, and M O E M S* 9. <http://dx.doi.org/10.1117/1.3466797>.
- Wang, L; Xu, X. (2015). Semiconducting properties of In<sub>2</sub>O<sub>3</sub> nanoparticle thin films in air and nitrogen. *Ceramics International* 41: 7687-7692. <http://dx.doi.org/10.1016/j.ceramint.2015.02.097>.
- Wang, L; Yin, Q; Zhang, M; Wang, J. (2007). Solubility of acephate in different solvents from (292.90 to 327.60) K. *Journal of Chemical and Engineering Data* 52: 426-428. <http://dx.doi.org/10.1021/je0603630>.
- Wang, LF; Guo, Y; Tsuji, H; Sakurai, M; Kameyama, H. (2006). Catalytic oxidation of dichloromethane over anodized aluminum film. *J Chem Eng Jpn* 39: 173-180.
- Wang, LG; Jiang, X; Mao, YM; Zhao, ZH; Bian, YR. (2005). Organophosphorus Pesticide Extraction and Cleanup from Soils and Measurement Using GC-NPD. *Pedosphere* 15: 386-394.
- Wang, LG; Jiang, X; Wang, F; Bian, YR; Forster, S; Martens, D. (2004). Separation of chlorinated hydrocarbons and organophosphorus, pyrethroid pesticides by silicagel fractionation chromatography and their simultaneous determination by GC-MS. *J Environ Sci* 16: 268-271.
- Wang, LG; Jiang, X; Yan, DY; Forster, S; Martens, D. (2004). Comparison of two procedures for extraction and clean-up of organophosphorus and pyrethroid pesticides in sediment. *Pedosphere* 14: 229-234.
- Wang, LG; Yan, GB. (2011). Adsorptive removal of direct yellow 161 dye from aqueous solution using bamboo charcoals activated with different chemicals. *Desalination* 274: 81-90. <http://dx.doi.org/10.1016/j.desal.2011.01.082>.
- Wang, LL; Sun, YW; Gao, YZ; Guo, DM. (2016). Preparation of durable underwater superoleophobic Ti6Al4V surfaces by electrochemical etching. *Surf Eng* 32: 85-94. <http://dx.doi.org/10.1080/02670844.2015.1108073>.
- Wang, LQ; Liu, J; Exarhos, GJ; Bunker, BC. (1996). Investigation of the structure and dynamics of surfactant molecules in mesophase silicates using solid-state C-13 NMR. *Langmuir* 12: 2663-2669.

## Fate Literature Search Results

### Off Topic

- Wang, M, awL; Huang, TH. (2007). Kinetic study of benzyl alcohol oxidation under phase transfer catalysis conditions. *Chemical Engineering Communications* 194: 618-634. <http://dx.doi.org/10.1080/00986440600992685>.
- Wang, M, awL; Liu, Y, enC. (2008). Kinetic study of S-alkylation of 2-mercaptobenzimidazole by allyl bromide in the presence of potassium hydroxide. *Journal of the Chinese Institute of Chemical Engineers* 39: 587-595. <http://dx.doi.org/10.1016/j.jcice.2008.05.013>.
- Wang, M; Zhang, X; Zhou, L, in; Chen, Y. (2016). Activated MIL-53(Al) for Efficient Adsorption of Dichloromethane and Trichloromethane. *Aerosol Air Qual Res* 16: 2003-2010. <http://dx.doi.org/10.4209/aaqr.2015.11.0651>.
- Wang, MF; Wudl, F. (2010). Solution-processable conjugated polymers containing alternating 1-alkyl-1,2,4-triazole and N=S=N links. *J Mater Chem* 20: 5659-5663. <http://dx.doi.org/10.1039/c0jm00254b>.
- Wang, ML; Ou, CC; Jwo, JJ. (2000). Study of the reaction of glycine and benzoyl chloride under inverse phase transfer catalysis. *Chemical Engineering Communications* 179: 233-252.
- Wang, N; Fu, Y; Lim, LT. (2011). Feasibility study on chemometric discrimination of roasted Arabica coffees by solvent extraction and Fourier transform infrared spectroscopy. *J Agric Food Chem* 59: 3220-3226. <http://dx.doi.org/10.1021/jf104980d>.
- Wang, Q; Hauser, PJ. (2009). New characterization of layer-by-layer self-assembly deposition of polyelectrolytes on cotton fabric. *Cellulose* 16: 1123-1131. <http://dx.doi.org/10.1007/s10570-009-9330-0>.
- Wang, S; Wang, Y; Leng, F; Chen, J; Qiu, K; Zhou, J. (2016). Separation and Enrichment of Catechol and Sugars from Bio-oil Aqueous Phase. *BioResources* 11: 1707-1720.
- Wang, S, ai; Xu, S; Liu, C; Chen, F; Wang, D; Liu, S; Chen, Z; Wu, Z. (2016). Characterization and adsorption behaviors of a novel synthesized mesoporous silica coated carbon composite. *Chinese Journal of Chemical Engineering* 24: 190-195. <http://dx.doi.org/10.1016/j.cjche.2015.07.014>.
- Wang, SF; Ridsdill-Smith, TJ; Ghisalberti, EL. (2005). Chemical defenses of *Trifolium glanduliferum* against redlegged earth mite *Halotydeus destructor*. *J Agric Food Chem* 53: 6240-6245. <http://dx.doi.org/10.1021/jf0502202>.
- Wang, SL; Wang, P; Fan, CQ. (2009). Determination of particulate and gaseous phthalic acid esters in ambient air by large-volume injection-gas chromatography-mass spectrometry. *J Environ Monit* 11: 882-886. <http://dx.doi.org/10.1039/b816880f>.
- Wang, T; Hsu, CL, in; Huang, CH; Hsieh, Y, iK; Tan, CS; Wang, C, huF. (2016). Environmental impact of CO<sub>2</sub>-expanded fluid extraction technique in microalgae oil acquisition. *J Clean Prod* 137: 813-820. <http://dx.doi.org/10.1016/j.jclepro.2016.07.179>.
- Wang, W, ei; Liu, G; Wu, J; Jiang, Y. (2013). Co-precipitation of 10-hydroxycamptothecin and poly(L-lactic acid) by supercritical CO<sub>2</sub> anti-solvent process using dichloromethane/ethanol co-solvent. *Journal of Supercritical Fluids* 74: 137-144. <http://dx.doi.org/10.1016/j.supflu.2012.11.022>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data* 53: 2241-2243. <http://dx.doi.org/10.1021/jc800369k>.
- Wang, W; Murray, RW. (2005). Reaction of triphenylphosphine with phenylethanethiolate-protected Au<sub>38</sub> nanoparticles. *Langmuir* 21: 7015-7022. <http://dx.doi.org/10.1021/la0508700>.
- Wang, W, ei; Song, X, iuKai; Ru, SG, uo. (2007). Studies on the factors affecting the growth and hemolytic activity of *Anabaena variabilis*. *J Appl Phycol* 19: 365-371. <http://dx.doi.org/10.1007/s10811-006-9143-6>.
- Wang, W; Zhu, T, uo; Chen, G; Li, C; Di, H; Ren, C; Ding, Y. (2008). Synthesis, characterization and photoluminescence of poly(VK-(ppy)(2)Ir(N-phMA)). *Synthetic Metals* 158: 1022-1027. <http://dx.doi.org/10.1016/j.synthmet.2008.07.011>.
- Wang, WL; Gardner, DJ. (1999). Investigation of volatile organic compound press emissions during particleboard production. Part 1. UF-bonded southern pine. *For Prod J* 49: 65-72.
- Wang, WL; Gardner, DJ; Baumann, MGD. (2003). Factors affecting volatile organic compound emissions during hot-pressing of southern pine particleboard. *For Prod J* 53: 65-72.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res* 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Daniels, R; Baker, RW. (2001). Recovery of VOCs from high-volume, low-VOC-concentration air streams. *AIChE J* 47: 1094-1100.
- Wang, X; Tilley, RD; Watkins, JJ. (2014). Simple ligand exchange reactions enabling excellent dispersibility and stability of magnetic nanoparticles in polar organic, aromatic, and protic solvents. *Langmuir* 30: 1514-1521. <http://dx.doi.org/10.1021/la404757q>.
- Wang, XQ; Lu, BH; Zhou, XX; Li, W. (2013). Evaluation of o-xylene and other volatile organic compounds removal using a xylene-acclimated biotrickling filter. *Environ Technol* 34: 2691-2699. <http://dx.doi.org/10.1080/09593330.2013.786136>.
- Wang, Y; Easteal, AJ. (1999). Preparation, characterisation and gas transport properties of trifluoroacetylated ethyl cellulose. *J Memb Sci* 157: 53-61.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr<sub>2</sub>O<sub>4</sub> catalysts for dichloromethane oxidation. *Appl Catal B-Environ* 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y, u; Li, X; Hu, H; Liu, G; Rabnawaz, M. (2014). Hydrophilically patterned superhydrophobic cotton fabrics and their use in ink printing. 2: 8094-8102. <http://dx.doi.org/10.1039/c4ta00714j>.
- Wang, Y, iJia; Li, Z; Tong, J; Shen, XY; Qin, A; Sun, JZ, hi; Tang, B, enZ. (2015). The fluorescence properties and aggregation behavior of tetraphenylethene-perylenebisimide dyads. 3: 3559-3568. <http://dx.doi.org/10.1039/c4tc02550d>.
- Wang, Y, u; Liu, HH; Wang, S, huY; Luo, MF, ei; Lu, J, iQ. (2014). Remarkable enhancement of dichloromethane oxidation over potassium-promoted Pt/Al<sub>2</sub>O<sub>3</sub> catalysts. *J Catal* 311: 314-324. <http://dx.doi.org/10.1016/j.jcat.2013.12.018>.

## Fate Literature Search Results

### Off Topic

- Wang, Y; Liu, Y, u; Li, X; Qi, H; Zhu, M; Wang, L, ei; Lei, G; Wei, Q; Zhu, W; Peng, J; Cao, Y. (2010). Novel cyclometalated platinum (II) complex containing alkyl-trifluorene picolinic acid as emitter for single-layer white PLEDs. *Organic Electronics* 11: 1954-1959. <http://dx.doi.org/10.1016/j.orgel.2010.09.012>.
- Wang, Y; Liu, Y, u; Zhang, Z; Luo, J; Shi, D; Tan, H, ua; Lei, G; Zhu, M; Zhu, W; Cao, Y. (2011). Single-layer white polymer light-emitting diodes based on an iridium (III) complex containing alkyltrifluorene picolinic acid. *Dyes and Pigments* 91: 495-500. <http://dx.doi.org/10.1016/j.dyepig.2011.04.013>.
- Wang, Y; Luo, J; Liu, Y, u; Zhang, Z; Tan, H, ua; Yu, J; Lei, G; Zhu, M; Zhu, W. (2012). Dinuclear cyclometalated platinum (II) complexes: Synthesis, photophysics, and monomolecular electroluminescence. *Organic Electronics* 13: 1646-1653. <http://dx.doi.org/10.1016/j.orgel.2012.05.011>.
- Wang, Y; Spencer, P; Yao, X; Ye, Q. (2006). Effect of coinitiator and water on the photoreactivity and photopolymerization of HEMA/camphoquinone-based reactant mixtures. *J Biomed Mater Res A* 78: 721-728. <http://dx.doi.org/10.1002/jbm.a.30733>.
- Wang, Y; Wang, M, ei; Wang, Y, u; Wang, X; Wang, L, in; Sun, L. (2010). Highly enantioselective sulfoxidation with vanadium catalysts of Schiff bases derived from bromo- and iodo-functionalized hydroxynaphthaldehydes. *J Catal* 273: 177-181. <http://dx.doi.org/10.1016/j.jcat.2010.05.013>.
- Wang, Y; Wang, Z; Ma, M; Wang, C; Mo, Z. (2001). Monitoring priority pollutants in a sewage treatment process by dichloromethane extraction and triolein-semipermeable membrane device (SPMD). *Chemosphere* 43: 339-346.
- Wang, Y; Wang, ZJ; Liu, J; Ma, M; Belzile, N. (1999). Monitoring priority pollutants in the Yanghe River by dichloromethane extraction and semipermeable membrane device (SPMD). *Chemosphere* 39: 113-131.
- Wang, YL; Wang, YP; Yang, J; Pfeffer, R; Dave, R; Michniak, B. (2006). The application of a supercritical antisolvent process for sustained drug delivery. *Powder Technology* 164: 94-102. <http://dx.doi.org/10.1016/j.powtec.2006.03.004>.
- Wang, Z; Chen, L, ei. (2015). Adsorption characteristics of dibutyl phthalate from aqueous solution using ginkgo leaves-activated carbon by chemical activation with zinc chloride. *Desalination and Water Treatment* 54: 1969-1980. <http://dx.doi.org/10.1080/19443994.2014.893207>.
- Wang, Z; Li, G; He, S; Teixeira da Silva, JA; Tanaka, M. (2011). Effect of cold cathode fluorescent lamps on growth of *Gerbera jamesonii* plantlets in vitro. *Sci Hortic (Amsterdam)* 130: 482-484. <http://dx.doi.org/10.1016/j.scienta.2011.05.022>.
- Wang, Z; Lin, W; Song, W; Li, Z. (2013). Study on the Effect of Packing Material and Solvent System on Column Chromatographic Fractionation of Wood-tar. *Energy Source Part A* 35: 1508-1515. <http://dx.doi.org/10.1080/15567036.2010.529566>.
- Wang, Z; Liu, B, o; Xie, Z; Li, Y; Shen, ZY. (2016). Preparation and photocatalytic properties of RuO<sub>2</sub>/TiO<sub>2</sub> composite nanotube arrays. *Ceramics International* 42: 13664-13669. <http://dx.doi.org/10.1016/j.ceramint.2016.05.164>.
- Wang, Z; Yu, Q; Liu, Y; Zhao, J; Lu, Z; Sun, J. (2012). Solubilities of Bis(2,4,6-trimethylbenzoyl)phenylphosphine Oxide in Different Organic Solvents at Several Temperatures. *Journal of Chemical and Engineering Data* 57: 3340-3343. <http://dx.doi.org/10.1021/jc300343y>.
- Warbrick, EV; Kilgour, JD; Dearman, RJ; Kimber, I; Dugard, PH. (2003). Inhalation exposure to methylene chloride does not induce systemic immunotoxicity in rats. *J Toxicol Environ Health A* 66: 1207-1219. <http://dx.doi.org/10.1080/15287390306410>.
- Ward, DB; Tizaoui, C; Slater, MJ. (2005). Continuous extraction and destruction of chloro-organics in wastewater using ozone-loaded Volasiltrade mark245 solvent. *J Hazard Mater* 125: 65-79. <http://dx.doi.org/10.1016/j.jhazmat.2005.01.00>.
- Warezak, T; Wlodarczyk-Makula, M; Sadecka, Z. (2016). Accumulation of PAHs in plants from vertical flow-constructed wetland. *Desalination and Water Treatment* 57: 1273-1285. <http://dx.doi.org/10.1080/19443994.2015.1017332>.
- Warton, B; Alexander, R; Kagi, RI. (1999). Characterisation of the ruthenium tetroxide oxidation products from the aromatic unresolved complex mixture of a biodegraded crude oil. *Organic Geochemistry* 30: 1255-1272.
- Watanabe, T; Ban, S; Ito, T; Tsuruta, S; Kawai, T; Nakamura, H. (2003). Oriented needle-like apatite and biodegradable copolymer composite membranes. *Key Eng Mater* 240-2: 191-194.
- Watson, H; Kaunisto, MH; Rosenholm, JB. (2002). Ureidosilanes on E-glass fibres: deposition and surface characteristics. *J Adhes Sci Tech* 16: 429-448.
- Wauters, E; Lenelle, I. (1999). PAH measurements in Belgium: Experience and concentration levels. *Fresen Environ Bull* 8: 629-637.
- Way, TD; Tsai, SJ; Wang, CM; Ho, CT; Chou, CH. (2014). Chemical constituents of *Rhododendron formosanum* show pronounced growth inhibitory effect on non-small-cell lung carcinoma cells. *J Agric Food Chem* 62: 875-884. <http://dx.doi.org/10.1021/jf404243p>.
- Weatherley, LR; Campbell, I; Kirton, D; Slaughter, JC. (1990). ELECTRICALLY ENHANCED EXTRACTION OF PENICILLIN-G INTO DICHLOROMETHANE. *J Chem Tech Biotechnol* 48: 427-438.
- Weathers, LJ; Parkin, GF. (2000). Toxicity of chloroform biotransformation to methanogenic bacteria. *Environ Sci Technol* 34: 2764-2767.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol* 31: 880-885.
- Weaver, MA; Rhodes, G; Cyr, MJ. (2003). Synthesis of novel polymeric colorants. *Color Technol* 119: 48-56.
- Webber, ME; Wang, J; Sanders, ST; Baer, DS; Hanson, RK. (2000). In situ combustion measurements of CO, CO<sub>2</sub>, H<sub>2</sub>O and temperature using diode laser absorption sensors. *Proc Combust Inst* 28: 407-413.
- Weber Brun, G; Martin, A; Cassel, E; Figueiro Vargas, RM; Jose Cocero, M. (2012). Crystallization of Caffeine by Supercritical Antisolvent (SAS) Process: Analysis of Process Parameters and Control of Polymorphism. *Cryst Growth Des* 12: 1943-1951. <http://dx.doi.org/10.1021/cg2016758>.
- Weber, G; Chen, HL; Hirsch, E; Freitas, S; Robinson, S. (2014). Pigments extracted from the wood-staining fungi *Chlorociboria aeruginosa*, *Scytalidium cuboideum*, and *S. ganodermorphothorum* show potential for use as textile dyes. *Color Technol* 130: 445-452. <http://dx.doi.org/10.1111/cote.12110>.

## Fate Literature Search Results

### Off Topic

- Wegener, R; Schulz, S; Meiners, T; Hadwich, K; Hilker, M. (2001). Analysis of volatiles induced by oviposition of elm leaf beetle *Xanthogaleruca luteola* on *Ulmus minor*. *J Chem Ecol* 27: 499-515.
- Wegermann, CA; Ribeiro, RR; Ucoski, GM; Nakagaki, S; Nunes, FS; Drechsel, SM. (2014). Study of the catalytic activity of non-heme manganese complexes toward oxidation of cyclooctene and cyclohexene. *Appl Catal A-Gen* 471: 56-62. <http://dx.doi.org/10.1016/j.apcata.2013.11.033>.
- Wei, G; Lunt, RR; Sun, K; Wang, S; Thompson, ME; Forrest, SR. (2010). Efficient, ordered bulk heterojunction nanocrystalline solar cells by annealing of ultrathin squaraine thin films. *Nano Lett* 10: 3555-3559. <http://dx.doi.org/10.1021/nl1018194>.
- Wei, H; Yan, X; Li, Y; Gu, H; Wu, S; Ding, K; Wei, S; Guo, Z. (2012). Electrochromic Poly(DNTD)/WO<sub>3</sub> Nanocomposite Films via Electropolymerization. *J Phys Chem C* 116: 16286-16293. <http://dx.doi.org/10.1021/jp304127z>.
- Wei, S; Shao, Y; Shi, X; Lu, X; Li, K, e; Zhao, Z; Guo, C; Zhu, H; Guo, W. (2016). Heteroleptic Cu(I) complexes integrating functionalized chromophores for dye-sensitized solar cells: An in-depth analysis of electronic structure, spectrum, excitation, and intramolecular electron transfer. *Organic Electronics* 29: 142-150. <http://dx.doi.org/10.1016/j.orgel.2015.12.004>.
- Wei, S; Shi, X; Lu, X; Shao, Y; Jin, D; Deng, Z; Zhao, Z; Li, K, e; Guo, W. (2015). Cu(I)-Based Sensitizers Featuring 6,6'-Dimethyl-4,4'-Dicarboxylate-2,2'-Bipyridine with Functionalized 2,9-Dimethyl-1, 10-Phenanthroline Ligands: A Structural, Electronic and Spectral Investigation. 7: 1361-1367. <http://dx.doi.org/10.1166/sam.2015.2052>.
- Wei, W; Haikui, Z; Guangwen, C; Yang, X; Han, P; Jianfeng, C. (2014). Effects of Assistant Solvents and Mixing Intensity on the Bromination Process of Butyl Rubber. *Chinese Journal of Chemical Engineering* 22: 398-404. [http://dx.doi.org/10.1016/S1004-9541\(14\)60052-5](http://dx.doi.org/10.1016/S1004-9541(14)60052-5).
- Wei, YL; Lee, JH. (1999). Manganese sulfate effect on PAH formation from polystyrene pyrolysis. *Sci Total Environ* 228: 59-66.
- Wei, Z; Li, J; Wang, C; Cao, J; Yao, Y; Lu, H; Li, Y; He, X. (2017). Thermally stable hydrophobicity in electrospun silica/polydimethylsiloxane hybrid fibers. *Appl Surf Sci* 392: 260-267. <http://dx.doi.org/10.1016/j.apsusc.2016.09.057>.
- Wei, Z; Wang, C; Liu, H; Zou, S; Tong, Z. (2012). Facile fabrication of biocompatible PLGA drug-carrying microspheres by O/W pickering emulsions. *Colloids Surf B Biointerfaces* 91: 97-105. <http://dx.doi.org/10.1016/j.colsurfb.2011.10.044>.
- Weidenauer, U; Bodmer, D; Kissel, T. (2003). Microencapsulation of hydrophilic drug substances using biodegradable polyesters. Part I: evaluation of different techniques for the encapsulation of pamidronate di-sodium salt. *J Microencapsul* 20: 509-524. <http://dx.doi.org/10.1080/0265204031000093050>.
- Wei-Li, D, ai; Bi, J, in; Sheng-Lian, L, uo; Xu-Biao, L, uo; Xin-Man, T, u; Chak-Tong, A, u. (2014). Functionalized phosphonium-based ionic liquids as efficient catalysts for the synthesis of cyclic carbonate from epoxides and carbon dioxide. *Appl Catal A-Gen* 470: 183-188. <http://dx.doi.org/10.1016/j.apcata.2013.10.060>.
- Weinhold, T, deS; Bresciani, LFV; Tridapalli, CW; Yunes, RA; Hense, H; Ferreira, SRS. (2008). Polygalactaric acid: Comparing CO<sub>2</sub> and classical organic solvent extractions. *Chemical Engineering and Processing: Process Intensification* 47: 109-117. <http://dx.doi.org/10.1016/j.cep.2007.08.007>.
- Weinstein, RD; Richards, J; Thai, SD; Omiatsek, DM; Bessel, CA; Faulkner, CJ; Othman, S; Jennings, GK. (2007). Characterization of self-assembled monolayers from lithium dialkylthiocarbamate salts. *Langmuir* 23: 2887-2891. <http://dx.doi.org/10.1021/la062905h>.
- Weisenhorn, AL; Henriksen, PN; Chu, HT; Ramsier, RD; Reneker, DH. (1991). ATOMICALLY RESOLVED IMAGES OF BISMUTH-FILMS ON MICA WITH AN ATOMIC FORCE MICROSCOPE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 1333-1335.
- Welten, KC; Nishizumi, K; Masarik, J; Caffee, MW; Jull, AJT; Klandrud, SE; Wieler, R. (2001). Cosmic-ray exposure history of two Frontier Mountain H-chondrite showers from spallation and neutron-capture products. *Meteoritics and Planetary Science* 36: 301-317.
- Wen, Q, i; Pan, X; Hu, Q, iX; Zhao, S, hijie; Hou, Z, hiF; Yu, QZ. (2013). Structure-property relationship of dodecylbenzenesulfonic acid doped polypyrrole. *Synthetic Metals* 164: 27-31. <http://dx.doi.org/10.1016/j.synthmet.2012.12.036>.
- Wen, YL; Yeh, MY; Lee, YS; Shih, YP. (1996). Kinetics of the synthesis of phenyl benzoate with pyridine N-oxides under the inverse phase-transfer catalysis. *Journal of the Chinese Institute of Chemical Engineers* 27: 427-436.
- Wenfang, L; Zhiping, Z; Lei, S; Mingzhen, W. (2010). Formation of Polyethersulfone Film with Regular Microporous Structure by Water Vapor Induced Phase Separation. *Chinese Journal of Chemical Engineering* 18: 529-532.
- Wenfeng, L; Guijin, L; Lixian, L; Juan, W; Yangxiao, L; Yanbin, J. (2012). Effect of Process Parameters on Co-precipitation of Paclitaxel and Poly(L-lactic Acid) by Supercritical Antisolvent Process. *Chinese Journal of Chemical Engineering* 20: 803-813.
- Wenhai, C; Tengfei, C; Erdeng, D; Deng, Y; Yingqing, G; Naiyun, G. (2016). Increased formation of halomethanes during chlorination of chloramphenicol in drinking water by UV irradiation, persulfate oxidation, and combined UV/persulfate pre-treatments. *Ecotoxicol Environ Saf* 124: 147-154. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.016>.
- Wentrup-Byrne, E; Suzuki, S; Suwanasilp, JJ; Grøndahl, L. (2010). Novel phosphate-grafted ePTFE copolymers for optimum in vitro mineralization. *Biomed Mater* 5: 045010. <http://dx.doi.org/10.1088/1748-6041/5/4/045010>.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci* 19: 792-799.
- West, R; Josowicz, M; Janata, J; Minet, I; Hevesi, L. (2009). Controlled Electropolymerization of 1-Pyrrolyl-10-decanephosphonic Acid: An Anion Barrier Layer. *J Electrochem Soc* 156: F55-F59. <http://dx.doi.org/10.1149/1.3068439>.
- West, SD. (1996). Determination of the naturally derived insect control agent spinosad in cottonseed and processed commodities by high-performance liquid chromatography with ultraviolet detection. *J Agric Food Chem* 44: 3170-3177.
- Westin, JB. (1990). Ingestion of carcinogenic N-nitrosamines by infants and children. *Arch Environ Health* 45: 359-363.
- Wetzel, A; Werner, D. (1995). Ecotoxicological evaluation of contaminated soil using the legume root nodule symbiosis as effect parameter. *Environ Toxicol Water Qual* 10: 127-133.

## Fate Literature Search Results

### Off Topic

- Whitaker, DA; Fortmann, RC; Lindstrom, AB. (1995). Development and Testing of a Whole-Air Sampler for Measurement of Personal Exposure to Volatile Organic Compounds. *J Expo Anal Environ Epidemiol* 5: 89-100.
- Whitaker, G; Kincaid, BJ; Van Hoof, N; Regan, F; Smyth, MR; Leonard, RG. (2007). An investigation into the sample preparation procedure and analysis of cyanoacrylate adhesives using capillary electrophoresis. *International Journal of Adhesion and Adhesives* 27: 604-609. <http://dx.doi.org/10.1016/j.ijadhadh.2006.11.001>.
- White, CM; Rohar, PC; Shaw, LJ; Collins, LW. (1996). Formation of dimethyl polysulfides via reaction of methanol and elemental sulfur. *Energy Fuels* 10: 1187-1188.
- White, PA; Rasmussen, JB; Blaise, C. (1995). Genotoxicity of snow in the Montreal metropolitan area. *Water Air Soil Pollut* 83: 315-334.
- White, PA; Rasmussen, JB; Blaise, C. (1996). Comparing the presence, potency, and potential hazard of genotoxins extracted from a broad range of industrial effluents. *Environ Mol Mutagen* 27: 116-139. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:2<116::AID-EM7>3.0.CO;2-E](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:2<116::AID-EM7>3.0.CO;2-E).
- White, PA; Rasmussen, JB; Blaise, C. (1996). Sorption of organic genotoxins to particulate matter in industrial effluents. *Environ Mol Mutagen* 27: 140-151.
- White, RF; Proctor, SP; Echeverria, D; Schweikert, J; Feldman, RG. (1995). Neurobehavioral effects of acute and chronic mixed-solvent exposure in the screen printing industry. *Am J Ind Med* 28: 221-231.
- Whittle, CL; Bowyer, RT; Clausen, TP; Duffy, LK. (2000). Putative pheromones in urine of rutting male moose (*Alces alces*): Evolution of honest advertisement? *J Chem Ecol* 26: 2747-2762.
- Wibawa, G; Khoiroh, I; Afrizal, D; Suki, G. (2010). Solubilities of Dichloromethane, Diethyl Ether, Ethyl Acetate, and Nitrobenzene in Three Polymers Using the Piezoelectric Quartz Sorption Method. *Journal of Chemical and Engineering Data* 55: 5581-5586. <http://dx.doi.org/10.1021/jc100389d>.
- Wibulswas, R. (2004). Batch and fixed bed sorption of methylene blue on precursor and QACs modified montmorillonite. *Separation and Purification Technology* 39: 3-12. <http://dx.doi.org/10.1016/j.seppur.2003.12.018>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech* 71: 568-579.
- Wiester, MJ; Winsett, DW; Richards, JH; Doerfler, DL; DL, C. (2002). Partitioning of benzene in blood: Influence of hemoglobin type in humans and animals. *Environ Health Perspect* 110: 255-261.
- Wilcosky, TC; Simonsen, NR. (1991). Solvent exposure and cardiovascular disease [Review]. *Am J Ind Med* 19: 569-586.
- Wills, CE; Holmes-Rovner, M; Rovner, D; Lillie, J; Kelly-Blake, K; Bonham, V; Williams, G. (2006). Treatment preference patterns during a videotape decision aid for benign prostatic hyperplasia (BPH). *Patient Educ Couns* 61: 16-22. <http://dx.doi.org/10.1016/j.pec.2005.01.013>.
- Wilson, EA; Adler, D; Bar-Yoseph, P. (2000). Thrust-vectoring a single impinging jet in a crossflow. *International Journal of Turbo and Jet Engines* 17: 219-226.
- Wilson, FD; Smith, CR. (1992). PINK-BOLLWORM (LEPIDOPTERA, GELECHIIDAE) PENETRATION INTO AND SURVIVAL IN BOLLS OF RESISTANT AND SUSCEPTIBLE COTTON LINES. *J Agr Entomol* 9: 165-173.
- Wilson, JH; Bradbury, R, oy; Annable, T, om; Yeates, SG. (2012). Inkjet printable aqueous composite dye-polymer nanoparticles. *Dyes and Pigments* 95: 201-205. <http://dx.doi.org/10.1016/j.dyepig.2012.04.005>.
- Wilsonyang, KM; Power, JP; Chisholm, EA; Hallett, DJ. (1991). THE CONGENER SPECIFIC DETERMINATION OF PCBS - CARBON COLUMN CHROMATOGRAPHY OF POTENTIALLY TOXIC CONGENERS. *Chemosphere* 23: 1139-1143.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig)* 48: 249-257.
- Wirawan, R; Sapuan, SM; Yunus, R; Abdan, K. (2011). Properties of sugarcane bagasse/poly(vinyl chloride) composites after various treatments. *Journal of Composite Materials* 45: 1667-1674. <http://dx.doi.org/10.1177/0021998310385030>.
- Wisniewska, E. (2008). Effect of chemical stabilisation of sewage sludge on the fate of PAHs. *Arch Environ Prot* 34: 249-257.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol* 3: 313-332.
- Witter, AE; Jones, AD. (1999). Chemical characterization of organic constituents from sulfide-rich produced water using gas chromatography/mass spectrometry. *Environ Toxicol Chem* 18: 1920-1926.
- Włodarczyk-Makula, M. (2010). Comparison of Biotic and Abiotic Changes of PAHs in Soil Fertilized with Sewage Sludge. *Rocznik Ochrona Srodowiska* 12: 559-573.
- Włodarczyk-Makula, M. (2011). Changes of PAHs Content in Wastewater During Oxidation Process. *Rocznik Ochrona Srodowiska* 13: 1093-1104.
- Włodarczyk-Makula, M; Wisniewska, E, wa; Turek, A; Obstoj, A. (2016). Removal of PAHs from coking wastewater during photodegradation process. *Desalination and Water Treatment* 57: 1262-1272. <http://dx.doi.org/10.1080/19443994.2014.996012>.
- Wolosiak, A; Lewandowski, G. (2010). Epoxidation of 1,5,9-cyclododecatriene with H<sub>2</sub>O<sub>2</sub> in the presence of tungstophosphoric acid (H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub>). *Polish Journal of Chemical Technology* 12: 40-44. <http://dx.doi.org/10.2478/v10026-010-0032-z>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem* 13: 400-405.
- Wong, F; Bidleman, TF. (2010). Hydroxypropyl-beta-cyclodextrin as non-exhaustive extractant for organochlorine pesticides and polychlorinated biphenyls in muck soil. *Environ Pollut* 158: 1303-1310. <http://dx.doi.org/10.1016/j.envpol.2010.01.016>.
- Wong, F; Kurt-Karakus, P; Bidleman, TF. (2012). Fate of brominated flame retardants and organochlorine pesticides in urban soil: volatility and degradation. *Environ Sci Technol* 46: 2668-2674. <http://dx.doi.org/10.1021/es203287x>.

## Fate Literature Search Results

### Off Topic

- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2011). Sorption of Benzene, Dichloromethane, n-Propyl Acetate, and 2-Butanone by Poly(methyl methacrylate), Poly(ethyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 56: 4772-4777. <http://dx.doi.org/10.1021/je200741j>.
- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2016). Sorption of Benzene, Dichloromethane, and 2-Butanone by Poly(methyl methacrylate), Poly(butyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 61: 3877-3882. <http://dx.doi.org/10.1021/acs.jced.6b00612>.
- Wong, HM; Yeung, KW; Lam, KO; Tam, V; Chu, PK; Luk, KD; Cheung, KM. (2010). A biodegradable polymer-based coating to control the performance of magnesium alloy orthopaedic implants. *Biomaterials* 31: 2084-2096. <http://dx.doi.org/10.1016/j.biomaterials.2009.11.111>.
- Wood, WF. (2005). A comparison of mandibular gland volatiles from ants of the bull horn acacia, *Acacia collinsii*. *Biochemical Systematics and Ecology* 33: 651-658. <http://dx.doi.org/10.1016/j.bse.2004.12.009>.
- Wood, WF; Palmer, TM; Stanton, ML. (2002). A comparison of volatiles in mandibular glands from three *Crematogaster* ant symbionts of the whistling thorn acacia. *Biochemical Systematics and Ecology* 30: 217-222.
- Wood, WF; Terwilliger, MN; Copeland, JP. (2005). Volatile compounds from anal glands of the wolverine, *Gulo gulo*. *J Chem Ecol* 31: 2111-2117. <http://dx.doi.org/10.1007/s10886-005-6080-9>.
- Wood, WF; Weldon, PJ. (2002). The scent of the reticulated giraffe (*Giraffa camelopardalis reticulata*). *Biochemical Systematics and Ecology* 30: 913-917.
- Woodruff, TJ; Bois, FY; Auslander, D; Spear, RC. (1992). Structure and parameterization of pharmacokinetic models: their impact on model predictions. *Risk Anal* 12: 189-201.
- Woolcott, CG; Dishman, RK; Motl, RW; Matthai, CH; Nigg, CR. (2013). Physical activity and fruit and vegetable intake: correlations between and within adults in a longitudinal multiethnic cohort. 28: 71-79. <http://dx.doi.org/10.4278/ajhp.100917-QUAN-312>.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol* 31: 2292-2297.
- Wormer, L; Carrasco, D; Cires, S; Quesada, A. (2009). Advances in solid phase extraction of the cyanobacterial toxin cylindrospermopsin. *Limnology and Oceanography: Methods* 7: 568-575.
- Wornat, MJ; Ledesma, EB; Sandrowitz, AK; Roth, MJ; Dawsey, SM; Qiao, YL; Chen, W. (2001). Polycyclic aromatic hydrocarbons identified in soot extracts from domestic coal burning stoves of Henan Province, China. *Environ Sci Technol* 35: 1943-1952.
- Wrammerfors, A; Andersson, B. (1994). CHARACTERIZATION OF THE CARBONACEOUS RESIDUES ON A USED NI/SIO<sub>2</sub> HYDROGENATION CATALYST BY TEMPERATURE-PROGRAMMED DESORPTION METHODS. *J Catal* 147: 82-87.
- Wright, A; Papendorf, O; König, G; A, O. (2006). Effects of cyanobacterium *Fischerella ambigua* isolates and cell free culture media on zebrafish (*Danio rerio*) embryo development. *Chemosphere* 65: 604-608. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.004>.
- Wroblewska, EK; Gasiorowska, M; Soroka, JA. (2010). 5-(3-Bromo-4-hydroxy-5-methoxyphenyl)-7,7-dimethyl-7H-indolo[1,2-a]quinolinium Perchlorate as a New Indicator for Anionic Surface Active Agents Determination. *Tenside Surfactants Detergents* 47: 119-122.
- Wu, CH. (2004). Comparison of azo dye degradation efficiency using UV/single semiconductor and UV/coupled semiconductor systems. *Chemosphere* 57: 601-608. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.008>.
- Wu, DQ; Chu, CC; Chen, FA. (2008). Cationic poly(VCL-AETA) hydrogels and ovalbumin (OVA) release in vitro. *J Mater Sci Mater Med* 19: 3593-3601. <http://dx.doi.org/10.1007/s10856-008-3523-1>.
- Wu, H. (2001). Catalytic Activity of Quaternary Ammonium Poly(methylstyrene-co-styrene) Resin in an Organic Solvent/Alkaline Solution. *J Catal* 199: 217-223. <http://dx.doi.org/10.1006/jcat.2001.3162>.
- Wu, HF; Wang, Y; Lu, YH; Feng, YP; He, PM. (2013). Substitutional adsorption mechanism and controllable magnetic properties of Mn on PbTe(111) surface. *Appl Surf Sci* 265: 120-123. <http://dx.doi.org/10.1016/j.apsusc.2012.10.147>.
- Wu, HS; Fang, TR; Meng, SS; Hu, KH. (1998). Equilibrium and extraction of quaternary salts in an organic solvent/water system. *Journal of the Chinese Institute of Chemical Engineers* 29: 99-108.
- Wu, HS; Jou, SH. (1995). KINETICS OF FORMATION OF DIPHENOXYMETHANE FROM PHENOL AND DICHLOROMETHANE USING PHASE-TRANSFER CATALYSIS. *J Chem Tech Biotechnol* 64: 325-330.
- Wu, HS; Ke, DY. (1996). Kinetics and characterization of copolymerization of (2-allylphenoxy)pentachlorocyclotriposphazene with styrene, methyl methacrylate, and vinylbenzyl chloride. *Ind Eng Chem Res* 35: 4291-4295.
- Wu, HS; Lai, JJ. (1995). PHENOXYDE ALLYLATION IN A PHASE-TRANSFER CATALYTIC EXTRACTION SYSTEM. *Ind Eng Chem Res* 34: 1536-1538.
- Wu, HS; Liu, CB. (1998). Kinetics and extraction of phenol in phase-transfer catalyzed reaction. *Can J Chem Eng* 76: 771-777.
- Wu, J; Chen, T; Luo, X; Han, D; Wang, Z; Wu, J. (2014). TG/FTIR analysis on co-pyrolysis behavior of PE, PVC and PS. *Waste Manag* 34: 676-682. <http://dx.doi.org/10.1016/j.wasman.2013.12.005>.
- Wu, JC; Su, SG; Shyu, SS; Chen, H. (1994). Effect of the solvent-non-solvent pairs on the surface morphology and release behaviour of ethylcellulose microcapsules prepared by non-solvent-addition phase separation method. *J Microencapsul* 11: 297-308.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST* 20: 169-177.
- Wu, JF; Stromqvist, ME; Claesson, O; Fangmark, IE; Hammarstrom, LG. (2002). A systematic approach for modelling the affinity coefficient in the Dubinin-Radushkevich equation. *Carbon* 40: 2587-2596.
- Wu, JH; Wang, JK; Mang, MJ. (2005). Solubility of cefazolin sodium pentahydrate in different solvents between 275 K and 310 K. *Journal of Chemical and Engineering Data* 50: 2026-2027. <http://dx.doi.org/10.1021/je050242k>.



## Fate Literature Search Results

### Off Topic

- Wu, L; Sun, J. (2015). An improved process for polyvinylidene fluoride membrane preparation by using a water soluble diluent via thermally induced phase separation technique. *Materials & Design* 86: 204-214. <http://dx.doi.org/10.1016/j.matdes.2015.07.053>.
- Wu, Q; Chen, X; Xu, Y; Han, L. (2010). Dissipation and residues of nicosulfuron in corn and soil under field conditions. *Bull Environ Contam Toxicol* 85: 79-82. <http://dx.doi.org/10.1007/s00128-010-0041-x>.
- Wu, S; Zhang, H; Yu, X; Qiu, L. (2014). Toxicological Responses of *Chlorella vulgaris* to Dichloromethane and Dichloroethane. *Environ Eng Sci* 31: 9-17. <http://dx.doi.org/10.1089/ees.2013.0038>.
- Wu, W, eiB; Gu, J, un; Jing, Y, i; Zhou, XF, an; Dai, HQ, i. (2012). PREPARATION AND RETENTION PERFORMANCE OF CROSSLINKED AND HYDROPHOBICALLY ASSOCIATING CATIONIC POLYACRYLAMIDE. *BioResources* 7: 4926-4937.
- Wu, XH; Jiang, XZ; Zhang, LQ. (2002). Catalytic decomposition of methylene chloride by sulfated titania catalysts. *Journal of Wuhan University of Technology--Materials Science Edition* 17: 39-42.
- Wu, Y; Liu, X; Huang, X; Xing, S; Ma, Z; Feng, L, i. (2015). Interface synthesis of MnO<sub>2</sub> materials with various structures and morphologies and their application in catalytic oxidation of o-xylene. *Mater Lett* 139: 157-160. <http://dx.doi.org/10.1016/j.matlet.2014.10.059>.
- Wu, YH; Kerr, PG; Li, YD; Yang, LZ. (2008). Isolation and identification of compounds from biofilms in eutrophic water and their allelopathic effects on cyanobacterial growth. *Allelopathy Journal* 22: 417-427.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame* 122: 312-326.
- Wyrwa, D; Beyer, N; Schmid, G. (2002). One-dimensional arrangements of metal nanoclusters. *Nano Lett* 2: 419-421. <http://dx.doi.org/10.1021/nl0157086>.
- Wysocka, M; Winkler, K; Stork, JR; Balch, AL. (2004). Electrochemical oxidation of (Ph<sub>4</sub>As)[IrCl<sub>2</sub>(CO)<sub>2</sub>] in the presence of tetra(alkyl) ammonium salts. Electrocrystallization of different forms of iridium-based linear chain complexes. *Chem Mater* 16: 771-780. <http://dx.doi.org/10.1021/cm035029r>.
- Xeidakis, GS. (1996). Stabilization of swelling clays by Mg(OH)<sub>2</sub>. Factors affecting hydroxy-Mg-interlayering in swelling clays. *Eng Geol* 44: 93-106.
- Xia, A, o; Tan, G; Ren, H. (2016). Effect of Fe substitution on microstructure and properties of bismuth titanate thin films. *Ceramics International* 42: 1267-1271. <http://dx.doi.org/10.1016/j.ceramint.2015.09.061>.
- Xia, N; Yang, J; Wu, Z. (2015). Fast, high-yield synthesis of amphiphilic Ag nanoclusters and the sensing of Hg(2+) in environmental samples. *Nanoscale* 7: 10013-10020. <http://dx.doi.org/10.1039/c5nr00705d>.
- Xia, Q; Li, Z; Xiao, L; Zhang, Z; Xi, H. (2010). Effects of loading different metal ions on an activated carbon on the desorption activation energy of dichloromethane/trichloromethane. *J Hazard Mater* 179: 790-794. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.073>.
- Xia, QY; Ying, SJ; Luo, YX. (2014). Solvent cast blends of PMMA microspheres in bisphenol-A-polycarbonate. *Plastics, Rubber and Composites* 43: 284-289. <http://dx.doi.org/10.1179/1743289814Y.0000000102>.
- Xia, X, in; Li, S; Wang, X, in; Liu, J; Wei, Q; Zhang, X. (2013). Structures and properties of SnO<sub>2</sub> nanofibers derived from two different polymer intermediates. *Journal of Materials Science* 48: 3378-3385. <http://dx.doi.org/10.1007/s10853-012-7122-7>.
- Xiao, B; Sun, XF; Sun, RC. (2001). Extraction and characterization of lipophilic extractives from rice straw. I. Chemical composition. *Journal of Wood Chemistry and Technology* 21: 397-411.
- Xiao, D; Zhang, D; Chen, B; Xie, D; Xiang, Y; Li, X; Jin, W. (2015). Size-selective recognition by a tubular assembly of phenylene-pyrimidinylene alternated macrocycle through hydrogen-bonding interactions. *Langmuir* 31: 10649-10655. <http://dx.doi.org/10.1021/acs.langmuir.5b02273>.
- Xiao, J; Shi, C; Zheng, H; Shi, Z; Jiang, D; Li, Y; Huang, Q. (2016). Kafirin Protein Based Electrospun Fibers with Tunable Mechanical Property, Wettability, and Release Profile. *J Agric Food Chem* 64: 3226-3233. <http://dx.doi.org/10.1021/acs.jafc.6b00388>.
- Xiao, J; Song, C; Dong, W, ei; Li, C; Yin, Y; Zhang, X; Song, M. (2015). Synthesis, Characterization, and Gas Sensing Applications of WO<sub>3</sub> Nanobricks. *Journal of Materials Engineering and Performance* 24: 3026-3031. <http://dx.doi.org/10.1007/s11665-015-1565-3>.
- Xiao, J; Song, C; Song, M; Dong, W; Li, C; Yin, Y. (2016). Preparation and Gas Sensing Properties of Hollow ZnS Microspheres. *J Nanosci Nanotechnol* 16: 3026-3029. <http://dx.doi.org/10.1166/jnn.2016.10765>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng* 125: 647-652.
- Xiao, W; Hu, D; Peng, C; Chen, GZ. (2011). Interfacial synthesis: amphiphilic monomers assisted ultrarefining of mesoporous manganese oxide nanoparticles and the electrochemical implications. *ACS Applied Materials & Interfaces* 3: 3120-3129. <http://dx.doi.org/10.1021/am200625p>.
- Xiao, Y, an; Lang, S; Wang, Y, an; Lang, M. (2014). Effect of Surface Grafted Hydroxyapatite on the Improved Performance of Hydroxyapatite/Poly(epsilon-caprolactone) Scaffold. *Current Nanoscience* 10: 855-862.
- Xiao, Y; Lu, X; Zhang, X; He, C. (2010). Synthesis and optical characteristics of organic light-emitting dot based on well-defined octa-functionalized silsesquioxane. *J Nanopart Res* 12: 2787-2798. <http://dx.doi.org/10.1007/s11051-010-9857-x>.
- Xiao, Y; Zhou, S; Su, Y; Wang, H, an; Ye, L, ei; Tsang, S, aiW; Xie, F; Xu, J. (2014). Enhanced efficiency of organic solar cells by mixed orthogonal solvents. *Organic Electronics* 15: 2007-2013. <http://dx.doi.org/10.1016/j.orgel.2014.05.011>.
- Xiaohua, S; Cairong, Z; Yuguo, G; Xinzhi, C. (2006). Measurement and correlation for solubility of (S)-(+)-2,2-dimethylcyclopropane carbox amide in different solvents. *Chinese Journal of Chemical Engineering* 14: 547-550.
- Xiaomin, L; Feifei, Y; Jianyuan, F; Hwei, M. (2013). Determination of Free Fatty Acids in Leather. *Journal of the Society of Leather Technologists and Chemists* 97: 251-255.
- Xie, L; Shao, Z; Wang, W; Wang, F. (2012). Superhydrophobicity of CMCAB Fibrous Mats Produced by Electrospinning. *Integrated Ferroelectrics* 135: 55-61. <http://dx.doi.org/10.1080/10584587.2012.685384>.

## Fate Literature Search Results

### Off Topic

- Xie, Q; Chen, J; Shao, J; Chen, C; Zhao, H; Hao, C. (2009). Important role of reaction field in photodegradation of deca-bromodiphenyl ether: theoretical and experimental investigations of solvent effects. *Chemosphere* 76: 1486-1490. <http://dx.doi.org/10.1016/j.chemosphere.2009.06.054>.
- Xie, Y; Li, S; Liu, G; Wang, J, un; Wu, K, e. (2012). Equilibrium, kinetic and thermodynamic studies on perchlorate adsorption by cross-linked quaternary chitosan. *Chem Eng J* 192: 269-275. <http://dx.doi.org/10.1016/j.cej.2012.04.014>.
- Xie, YJ; He, ZF; Zhang, E; Li, HJ. (2016). TECHNICAL NOTE: CHARACTERIZATION OF KEY VOLATILE ODORANTS IN RABBIT MEAT USING GAS CHROMATOGRAPHY MASS SPECTROMETRY WITH SIMULTANEOUS DISTILLATION EXTRACTION. *World Rabbit Science* 24: 313-320. <http://dx.doi.org/10.4995/wrs.2016.4464>.
- Xing, L; Fu, TM; Cao, JJ; Lee, SC; Wang, GH; Ho, KF; Cheng, MC; You, CF; Wang, TJ. (2013). Seasonal and spatial variability of the OM/OC mass ratios and high regional correlation between oxalic acid and zinc in Chinese urban organic aerosols. *Atmos Chem Phys* 13: 4307-4318. <http://dx.doi.org/10.5194/acp-13-4307-2013>.
- Xing, M; Zhang, J; Chen, F. (2009). Photocatalytic Performance of N-Doped TiO<sub>2</sub> Adsorbed with Fe<sup>3+</sup> Ions under Visible Light by a Redox Treatment. *J Phys Chem C* 113: 12848-12853. <http://dx.doi.org/10.1021/jp9034166>.
- Xing, T; Kai, H, u; Chen, G. (2012). Study of adsorption and desorption performance of acid dyes on anion exchange membrane. *Color Technol* 128: 295-299. <http://dx.doi.org/10.1111/j.1478-4408.2012.00378.x>.
- Xing, Y; Li-hui, Z; Cui-ping, S; Yan, S; Jin-lin, Z; Jian-min, H; Jin-gao, D. (2014). The Extraction, Isolation and Identification of Exudates from the Roots of *Flaveria bidentis*. 13: 105-114. [http://dx.doi.org/10.1016/S2095-3119\(13\)60495-5](http://dx.doi.org/10.1016/S2095-3119(13)60495-5).
- Xinyu, W; Zhi, W; Jun, X; Jixiao, W; Shichang, W. (2013). Surface Modification of Commercial Aromatic Polyamide Reverse Osmosis Membranes by Crosslinking Treatments. *Chinese Journal of Chemical Engineering* 21: 473-484. [http://dx.doi.org/10.1016/S1004-9541\(13\)60507-8](http://dx.doi.org/10.1016/S1004-9541(13)60507-8).
- Xiong, J; Jiao, C; Li, C; Zhang, D; Lin, H; Chen, Y. (2014). A versatile amphiprotic cotton fiber for the removal of dyes and metal ions. *Cellulose* 21: 3073-3087. <http://dx.doi.org/10.1007/s10570-014-0318-z>.
- Xiong, J; Tao, J, in; Guo, K, un; Jiao, C; Zhang, D; Lin, H; Chen, Y. (2015). A rational modification route to an amphiprotic cotton fiber as adsorbent for dyes. *Fibers and Polymers* 16: 1512-1518. <http://dx.doi.org/10.1007/s12221-015-4738-7>.
- Xiong, QH; Wang, JG; Reese, O; Voon, LCL, Y; Eklund, PC. (2004). Raman scattering from surface phonons in rectangular cross-sectional w-ZnS nanowires. *Nano Lett* 4: 1991-1996. <http://dx.doi.org/10.1021/nl048720h>.
- Xiu-mei, Z; Rong-jia, L; Chuang, Z; Jie, Z; Cheng-hua, H; Ya-ting, Z; Wen-da, W; Hai-bin, Z. (2016). Separation and purification of deoxynivalenol (DON) mycotoxin from wheat culture using a simple two-step silica gel column chromatography. 15: 694-701. [http://dx.doi.org/10.1016/S2095-3119\(15\)61098-X](http://dx.doi.org/10.1016/S2095-3119(15)61098-X).
- Xu, B, in; Li, Q; Zhuang, L; Wang, Q; Li, C; Wang, G; Xie, F; Halley, PJ. (2016). Dissolution and Regeneration Behavior of Chitosan in 3-methyl-1-(ethylacetyl)imidazolium Chloride. *Fibers and Polymers* 17: 1741-1748. <http://dx.doi.org/10.1007/s12221-016-6747-6>.
- Xu, C; Wu, T; Mei, Y; Drain, CM; Batteas, JD; Beers, KL. (2005). Synthesis and characterization of tapered copolymer brushes via surface-initiated atom transfer radical copolymerization. *Langmuir* 21: 11136-11140. <http://dx.doi.org/10.1021/la051853d>.
- Xu, F; Cui, FZ; Jiao, YP; Meng, QY; Wang, XP; Cui, XY. (2009). Improvement of cytocompatibility of electrospinning PLLA microfibers by blending PVP. *J Mater Sci Mater Med* 20: 1331-1338. <http://dx.doi.org/10.1007/s10856-008-3686-9>.
- Xu, F, ei; Kim, J, iH; Kim, H, eeUn; Mi, D; Cho, YJ, oo; Lee, J, unY; Yoon, U, ngC; Hwang, D, oH. (2013). Phosphorescent organic light-emitting diodes fabricated using iridium complexes with carbazole-based benzothiazole ligands. *Synthetic Metals* 178: 10-17. <http://dx.doi.org/10.1016/j.synthmet.2013.06.023>.
- Xu, FN; Innocent, C; Pourcelly, G. (2005). Electrodialysis with ion exchange membranes in organic media. *Separation and Purification Technology* 43: 17-24. <http://dx.doi.org/10.1016/j.seppur.2004.09.009>.
- Xu, G; Gao, Y; Shiu, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO<sub>2</sub> Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters* 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, G; Wei, D; Wang, J; Jiang, B, o; Wang, M; Xue, X; Zhou, S; Wu, B; Jiang, M. (2014). Crystal structure, optical properties and biological imaging of two curcumin derivatives. *Dyes and Pigments* 101: 312-317. <http://dx.doi.org/10.1016/j.dyepig.2013.09.034>.
- Xu, J, unRui; Cui, J, unJia; Lin, Q; Li, Y; Li, CF. (2015). Magnetic pulse forming of AZ31 magnesium alloy shell by uniform pressure coil at room temperature. *International Journal of Advanced Manufacturing Technology* 77: 289-304. <http://dx.doi.org/10.1007/s00170-014-6417-z>.
- Xu, J; Garton, A. (1994). THE CHEMICAL-COMPOSITION OF WATER TREES IN EPR CABLE INSULATION. *I E E E Transactions on Dielectrics and Electrical Insulation* 1: 18-24.
- Xu, J, aHui; Zhou, Y, u; Wen, JJ, ia; Wu, ZY; Zhou, CF; Zhu, JH, ua. (2008). Microwave-induced degradation of nitrosamines trapped in zeolites. *Asia-Pacific Journal of Chemical Engineering* 3: 481-488. <http://dx.doi.org/10.1002/apj.176>.
- Xu, L, i; Miao, X; Zha, B, ao; Deng, W. (2012). Self-Assembly Polymorphism: Solvent-Responsive Two-Dimensional Morphologies of 2,7-Ditridecyloxy-9-fluorenone by Scanning Tunneling Microscopy. *J Phys Chem C* 116: 16014-16022. <http://dx.doi.org/10.1021/jp302422a>.
- Xu, L, i; Miao, X; Zha, B, ao; Miao, K, ai; Deng, W. (2013). Dipole-Controlled Self-Assembly of 2,7-Bis(n-alkoxy)-9-fluorenone: Odd-Even and Chain-Length Effects. *J Phys Chem C* 117: 12707-12714. <http://dx.doi.org/10.1021/jp403881t>.
- Xu, ML; Wang, L; Xu, GF; Hu, JH; Wang, MH. (2010). Antioxidant and Anti-proliferative Activities of Different Solvent Fractions from Methanol Extracts of *Sparganium stoloniferum*. *Horticulture, Environment and Biotechnology* 51: 539-544.

## Fate Literature Search Results

### Off Topic

- Xu, T; Jacobsen, CM; Cho, IK; Hara, AH; Li, QX. (2006). Application of an enzyme-linked immunosorbent assay for the analysis of imidacloprid in wiliwili tree, *Erythrina sandwicensis* O. Deg, for control of the wasp *Quadrastichus erythrinae*. *J Agric Food Chem* 54: 8444-8449. <http://dx.doi.org/10.1021/jf062004e>.
- Xu, T; Lv, Y; Cheng, T; Li, X. (2014). Using comprehensive GC × GC to study PAHs and n-alkanes associated with PM2.5 in urban atmosphere. *Environ Sci Pollut Res Int* 22: 5253-5262. <http://dx.doi.org/10.1007/s11356-014-3695-9>.
- Xu, W; Xu, J; Li, X; Tian, Y; Choi, CH; Yang, EH. (2016). Lateral actuation of an organic droplet on conjugated polymer electrodes via imbalanced interfacial tensions. *Soft Matter* 12: 6902-6909. <http://dx.doi.org/10.1039/c6sm01223j>.
- Xu, W; Zhang, DQ; Li, HX; Zhu, DB. (1999). New electron donors: BEDT-TTF derivatives bearing a pyridine group; synthesis, crystal structure, electrochemical studies and the formation of charge transfer complexes. *J Mater Chem* 9: 1245-1249.
- Xu, X; Zhou, Z; Hei, Y; Zhang, B; Bao, J; Chen, X. (2014). Improving compression-after-impact performance of carbon-fiber composites by CNTs/thermoplastic hybrid film interlayer. *Compos Sci Tech* 95: 75-81. <http://dx.doi.org/10.1016/j.compscitech.2014.01.023>.
- Xu, Y; Chen, X; Zhao, F; Fan, X; Chen, P, ei; An, Z. (2013). Synthesis and properties of substituted benzoxazole-terminated liquid crystals. *Liquid Crystals* 40: 197-215. <http://dx.doi.org/10.1080/02678292.2012.735709>.
- Xu, Y; Han, Y. (2014). Effects of natural oxidation on the photoluminescence properties of Si nanocrystals prepared by pulsed laser ablation. *Applied Physics A: Materials Science and Processing* 117: 1557-1562. <http://dx.doi.org/10.1007/s00339-014-8593-y>.
- Xu, Y; Hu, K, un; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and properties of mesogenic laterally fluorinated compounds containing benzoxazole unit. *Liquid Crystals* 41: 1042-1056. <http://dx.doi.org/10.1080/02678292.2014.898344>.
- Xu, Y; Skotak, M; Hanna, M. (2006). Electro spray encapsulation of water-soluble protein with polylactide. I. Effects of formulations and process on morphology and particle size. *J Microencapsul* 23: 69-78. <http://dx.doi.org/10.1080/02652040500435048>.
- Xu, Y; Zou, L; Lu, H; Wei, Y; Hua, J; Chen, S. (2016). Preparation and characterization of electrospun PHBV/PEO mats: The role of solvent and PEO component. *Journal of Materials Science* 51: 5695-5711. <http://dx.doi.org/10.1007/s10853-016-9872-0>.
- Xu, YM; Hepler, LG. (1990). HENRY LAW CONSTANTS AND THERMODYNAMIC PROPERTIES OF GASES AND VAPORS IN BITUMENS. *Can J Chem Eng* 68: 1024-1032.
- Xu, YX; Shang, TG; Chen, CX; Li, JD. (2006). Dynamic sorption and anomalous diffusion of small molecules in dense polyimide membranes. *Journal of Chemical and Engineering Data* 51: 2016-2021. <http://dx.doi.org/10.1021/je060027j>.
- Xu, Z; Li, Y; Zhang, B; Purkait, T; Alb, A; Mitchell, BS; Grayson, SM; Fink, MJ. (2015). Water-soluble PEGylated silicon nanoparticles and their assembly into swellable nanoparticle aggregates. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-015-2869-9>.
- Xu, ZR; Wang, ZM; Xu, MZ; He, HF. (2013). [Health risk assessment and ozone formation potentials of volatile organic compounds from pharmaceutical industry in Zhejiang Province]. *Huanjing Kexue* 34: 1864-1870.
- Xue, C; Chen, Z; Wen, Y; Luo, FT; Chen, J; Liu, H. (2005). Synthesis of ferrocene-grafted poly(p-phenylene-ethynyls) and control of electrochemical behaviors of their thin films. *Langmuir* 21: 7860-7865. <http://dx.doi.org/10.1021/la050674t>.
- Xue, P; Lu, R; Zhao, L; Xu, D; Zhang, X; Li, K; Song, Z; Yang, X; Takafuji, M; Ihara, H. (2010). Hybrid self-assembly of a pi gelator and fullerene derivative with photoinduced electron transfer for photocurrent generation. *Langmuir* 26: 6669-6675. <http://dx.doi.org/10.1021/la903990m>.
- Xue, QB; Kimura, T; Fukuda, T; Shimada, S; Matsuda, H. (2004). Synthesis and lyotropic liquid crystal properties of chiral helical polycarbodiimides. *Liquid Crystals* 31: 137-143. <http://dx.doi.org/10.1080/02678290410001637185>.
- Yaacob, NS; Hamzah, N; Nik Mohamed Kamal, NN; Zainal Abidin, SA; Lai, CS; Navaratnam, V; Norazmi, MN. (2010). Anticancer activity of a sub-fraction of dichloromethane extract of *Strobilanthes crispus* on human breast and prostate cancer cells in vitro. *BMC Complement Altern Med* 10: 42. <http://dx.doi.org/10.1186/1472-6882-10-42>.
- Yafang, L; Ting, J; Xiaozhou, S. (2012). CHEMICAL COMPOSITION OF CORK FROM QUERCUS VARIABLIS. *Wood and Fiber Science* 44: 214-219.
- Yaftian, MR; Eshraghi, ME; Hassanzadeh, L. (2003). Extractive properties of tri-n-octylphosphine oxide towards thorium (IV) and europium (III) ions in aqueous nitrate media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 22: 71-76.
- Yaftian, MR; Hassanzadeh, L; Eshraghi, ME; Matt, D. (2003). Solvent extraction of thorium (IV) and europium (III) ions by diphenyl-N,N-dimethylcarbamoylmethylphosphine oxide from aqueous nitrate media. *Separation and Purification Technology* 31: 261-268.
- Yaftian, MR; Zamani, AA; Parinejad, M. (2005). Facilitated transport of cadmium ions from hydrochloric acid solutions through a liquid membrane containing dicyclohexyl-18-crown-6 as extractant-carrier. *Separation Science and Technology* 40: 2709-2719. <http://dx.doi.org/10.1080/01496390500285329>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology* 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.
- Yahiaoui, A; Belbachir, M; Soutif, JC; Fontaine, L. (2005). Synthesis and structural analyses of poly(1,2-cyclohexene oxide) over solid acid catalyst. *Mater Lett* 59: 759-767. <http://dx.doi.org/10.1016/j.matlet.2004.11.017>.
- Yakuphanoglu, F; Arslan, M. (2004). The fundamental absorption edge and optical constants of some charge transfer compounds. *Optical Materials* 27: 29-37. <http://dx.doi.org/10.1016/j.optmat.2004.01.017>.
- Yamada, K; Kumagai, S; Endo, G. (2015). Chemical exposure levels in printing workers with cholangiocarcinoma (second report). *J Occup Health* 57: 245-252. <http://dx.doi.org/10.1539/joh.14-0239-OA>.
- Yamada, K; Kumagai, S; Kubo, S; Endo, G. (2015). Chemical exposure levels in printing and coating workers with cholangiocarcinoma (third report). *J Occup Health* 57: 565-571. <http://dx.doi.org/10.1539/joh.15-0170-OA>.
- Yamada, K; Kumagai, S; Nagoya, T; Endo, G. (2014). Chemical exposure levels in printing workers with cholangiocarcinoma. *J Occup Health* 56: 332-338. <http://dx.doi.org/10.1539/joh.14-0073-OA>.

## Fate Literature Search Results

### Off Topic

- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci* 194: 217-228.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut* 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Izumi, T; Arai, Y. (1989). MUTUAL DIFFUSION-COEFFICIENT OF THE POLYCARBONATE-METHYLENE CHLORIDE SYSTEM AT 140-DEGREES-C. *Kagaku Kogaku Ronbunshu* 15: 1038-1041.
- Yamamoto, K; Tsuchida, E; Nishide, H; Yoshida, S; Park, YS. (1992). ANODIC-OXIDATION OF DIPHENYL DISULFIDES FOR PREPARATION OF OLIGO(P-PHENYLENE SULFIDE)S IN ACIDIC MEDIA. *J Electrochem Soc* 139: 2401-2406.
- Yamamoto, T; Ramanathan, K; Lawless, PA; Ensor, DS; Newsome, J. R.; Plaks, N; Ramsey, GH. (1992). CONTROL OF VOLATILE ORGANIC-COMPOUNDS BY AN AC ENERGIZED FERROELECTRIC PELLET REACTOR AND A PULSED CORONA REACTOR. *I E E Transactions on Industry Applications* 28: 528-534.
- Yamamoto, T; Yasuhara, A. (2002). Chlorination of bisphenol A in aqueous media: formation of chlorinated bisphenol A congeners and degradation to chlorinated phenolic compounds. *Chemosphere* 46: 1215-1223.
- Yamamoto, Y; Tamiaki, H. (2015). Synthesis, optical properties and protonation of chlorophyll derivatives appending a pyridyl group in the C3-substituent. *Dyes and Pigments* 118: 159-165. <http://dx.doi.org/10.1016/j.dyepig.2015.03.006>.
- Yamane, K; Matsuyama, S; Igarashi, K; Kuwabara, T. (2013). Pyrolytic Generation of Petroleum Crude Oils from the Marine Phytomicroalgal Coccolithophore *Emiliania huxleyi* (Haptophyta) and Preparation of n-Alkane-Rich Biofuel. *Energy Fuels* 27: 7470-7479. <http://dx.doi.org/10.1021/ef401618t>.
- Yamasaki, N; Yokosawa, K; Korablov, S; Toht, K. (2006). Synthesis of diamond particles under alkaline hydrothermal conditions. *Solid State Phenomena* 114: 271-276.
- Yamasaki, Y; Yamasaki, N; Enomoto, H. (2004). Dechlorination of concentrated monochloroalkanes under various hydrothermal conditions. *J Chem Eng Jpn* 37: 1252-1258.
- Yan, H; Wang, Y; Zhang, M. (2015). [Determination of dichloromethane in urine by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 478-480.
- Yan, J, un; Liang, Q; Liu, K; Miao, J; Chen, H, ui; Liu, S, ha; He, Z; Wu, H; Wang, J; Cao, Y. (2017). Optimized Phase Separation and Reduced Geminate Recombination in High Fill Factor Small-Molecule Organic Solar Cells. 2: 14-21. <http://dx.doi.org/10.1021/acscenergylett.6b00556>.
- Yan, L; Wang, JD; Huang, ZH; Xu, HQ; Zhou, XT. (2002). Monitoring leaking gases by OP-FTIR remote sensing. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 37: 1453-1462. <http://dx.doi.org/10.1081/ESE-1200013269>.
- Yan, QL; Li, XJ; Wang, Y; Zhang, WH; Zhao, FQ. (2009). Combustion mechanism of double-base propellant containing nitrogen heterocyclic nitroamines (I): The effect of heat and mass transfer to the burning characteristics. *Combust Flame* 156: 633-641. <http://dx.doi.org/10.1016/j.combustflame.2008.12.004>.
- Yan, R; Chen, H; Lee, DH; Yang, H; Liang, DT; Shao, J. (2008). Emission Characteristics of Heavy Metals and Organic Pollutants from the Combustion of Sewage Sludge in a Fluidized Bed Combustor. *Energy Fuels* 22: 2278-2283. <http://dx.doi.org/10.1021/ef800002y>.
- Yan, W, eiH; Duan, P, eiGao; Wang, F; Xu, Y, uP. (2016). Composition of the bio-oil from the hydrothermal liquefaction of duckweed and the influence of the extraction solvents. *Fuel* 185: 229-235. <http://dx.doi.org/10.1016/j.fuel.2016.07.117>.
- Yan, W, eiGuo; Ying, C, uiF; Kong, XT; Li, Z, uBin; Tian, JG, uo. (2013). Fabrication and Optical Properties of Inclined Au Nanocup Arrays. *Plasmonics* 8: 1607-1611. <http://dx.doi.org/10.1007/s11468-013-9577-z>.
- Yan, Y, unNan; Pan, W, enL; Song, H, uaCan. (2010). The synthesis and optical properties of novel 1,3,4-oxadiazole derivatives containing an imidazole unit. *Dyes and Pigments* 86: 249-258. <http://dx.doi.org/10.1016/j.dyepig.2010.01.011>.
- Yan, ZN; Wang, JJ; Kong, W; Lu, JS. (2004). Effect of temperature on volumetric and viscosity properties of some alpha-amino acids in aqueous calcium chloride solutions. *Fluid Phase Equilibria* 215: 143-150. <http://dx.doi.org/10.1016/j.fluid.2003.07.001>.
- Yanagida, H; Okada, M; Masuda, M; Narama, I; Nakano, S; Kitao, S; Takakuda, K; Furuzono, T. (2011). Preparation and in vitro/in vivo evaluations of dimpled poly(L-lactic acid) fibers mixed/coated with hydroxyapatite nanocrystals. *J Artif Organs* 14: 331-341. <http://dx.doi.org/10.1007/s10047-011-0594-4>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2003). Antioxidative activities of volatile extracts from green tea, oolong tea, and black tea. *J Agric Food Chem* 51: 7396-7401. <http://dx.doi.org/10.1021/jf030127i>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2004). Antioxidative activities of fractions obtained from brewed coffee. *J Agric Food Chem* 52: 592-596. <http://dx.doi.org/10.1021/jf030317t>.
- Yang, B; Zhang, Y; Meng, J; Gan, J; Shu, J. (2010). Heterogeneous reactivity of suspended pirimiphos-methyl particles with ozone. *Environ Sci Technol* 44: 3311-3316. <http://dx.doi.org/10.1021/es9029599>.
- Yang, CY; Tsay, SY; Tsiang, RCC. (2000). An enhanced process for encapsulating aspirin in ethyl cellulose microcapsules by solvent evaporation in an O/W emulsion. *J Microencapsul* 17: 269-277.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, F; Zhai, Y; Chen, L, in; Li, C; Zeng, G; He, Y; Fu, Z; Peng, W. (2010). The seasonal changes and spatial trends of particle-associated polycyclic aromatic hydrocarbons in the summer and autumn in Changsha city. *Atmos Res* 96: 122-130. <http://dx.doi.org/10.1016/j.atmosres.2009.12.004>.
- Yang, F; Zhang, J; Chu, W; Yin, D; Templeton, MR. (2014). Haloactamides versus halomethanes formation and toxicity in chloraminated drinking water. *J Hazard Mater* 274: 156-163. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.008>.

## Fate Literature Search Results

### Off Topic

- Yang, H, e; Mu, J; Chen, X, ia; Feng, L, ei; Jia, J; Wang, J. (2011). Synthesis, X-ray crystal structure and optical properties of novel 2,5-diaryl-1, 3,4-oxadiazole derivatives containing substituted pyrazolo[1,5-a]pyridine units. *Dyes and Pigments* 91: 446-453. <http://dx.doi.org/10.1016/j.dyepig.2011.03.035>.
- Yang, H; Pettigrew, JE; Johnston, LJ; Shurson, GC; Wheaten, JE; White, ME; Koketsu, Y; Sower, AF; Rathmacher, JA. (2000). Effects of dietary lysine intake during lactation on blood metabolites, hormones, and reproductive performance in primiparous sows. *J Anim Sci* 78: 1001-1009.
- Yang, HC; Shin, TJ; Yang, L; Cho, K; Ryu, CY; Bao, ZN. (2005). Effect of mesoscale crystalline structure on the field-effect mobility of regioregular poly(3-hexyl thiophene) in thin-film transistors. *Adv Funct Mater* 15: 671-676. <http://dx.doi.org/10.1002/adfm.200400297>.
- Yang, J; Hao, DX, ia; Bi, C, aiXia; Su, Z, hiGuo; Wang, LY, an; Ma, GH, ui. (2010). Rapid Synthesis of Uniform Magnetic Microspheres by Combing Premix Membrane Emulsification and in Situ Formation Techniques. *Ind Eng Chem Res* 49: 6047-6053. <http://dx.doi.org/10.1021/ie902053u>.
- Yang, J; Qiu, K. (2010). Preparation of activated carbons from walnut shells via vacuum chemical activation and their application for methylene blue removal. *Chem Eng J* 165: 209-217. <http://dx.doi.org/10.1016/j.cej.2010.09.019>.
- Yang, J; Qiu, K. (2011). Experimental Design To Optimize the Preparation of Activated Carbons from Herb Residues by Vacuum and Traditional ZnCl<sub>2</sub> Chemical Activation. *Ind Eng Chem Res* 50: 4057-4064. <http://dx.doi.org/10.1021/ie101531p>.
- Yang, J; Yang, J; Zhou, Y, u; Wei, F; Lin, W; Zhu, J. (2010). Hierarchical functionalized MCM-22 zeolite for trapping tobacco specific nitrosamines (TSNAs) in solution. *J Hazard Mater* 179: 1031-1036. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.108>.
- Yang, KZ; Batts, BD; Wilson, MA; Gorbaty, ML; Maa, PS; Long, MA; He, SXJ; Attalla, MI. (1997). Reaction of methane with coal. *Fuel* 76: 1105-1115.
- Yang, L; Li, H; Zeng, F; Liu, Y; Li, R; Chen, H; Zhao, Y; Miao, H; Wu, Y. (2012). Determination of 49 organophosphorus pesticide residues and their metabolites in fish, egg, and milk by dual gas chromatography-dual pulse flame photometric detection with gel permeation chromatography cleanup. *J Agric Food Chem* 60: 1906-1913. <http://dx.doi.org/10.1021/jf2043828>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrO<sub>x</sub> catalysts for chlorinated VOCs elimination. *Chem Eng Sci* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J* 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, SY; Chen, YX; Lou, LP; Wu, XN. (2005). Involvement of chloride anion in photocatalytic process. *J Environ Sci* 17: 761-765.
- Yang, W; He, N; Fu, J; Li, Z; Ji, X. (2015). Preparation of Porous Core-Shell Poly L-Lactic Acid/Polyethylene Glycol Superfine Fibres Containing Drug. *J Nanosci Nanotechnol* 15: 9911-9917. <http://dx.doi.org/10.1166/jnn.2015.10884>.
- Yang, X; Cui, C; Tong, Z; Sabanayagam, CR; Jia, X. (2013). Poly( $\epsilon$ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. *Acta Biomater* 9: 8232-8244. <http://dx.doi.org/10.1016/j.actbio.2013.06.005>.
- Yang, X; Lyu, H; Chen, K; Zhu, X; Zhang, S; Chen, J. (2014). Selective Extraction of Bio-oil from Hydrothermal Liquefaction of *Salix psammophila* by Organic Solvents with Different Polarities through Multistep Extraction Separation. *BioResources* 9: 5219-5233.
- Yang, Y; Jin, D; Wang, G; Liu, D; Jia, X; Zhao, Y. (2011). Biosorption of Acid Blue 25 by unmodified and CPC-modified biomass of *Penicillium YW01*: kinetic study, equilibrium isotherm and FTIR analysis. *Colloids Surf B Biointerfaces* 88: 521-526. <http://dx.doi.org/10.1016/j.colsurfb.2011.07.047>.
- Yang, Y; Schulz, D; Steiner, CA. (1999). Physical gelation of hydrophobically modified polyelectrolytes. 1. Homogeneous gelation of alkylated poly[acrylamide-co-sodium acrylate]. *Langmuir* 15: 4335-4343.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yanyuan, W; Hanming, D. (2011). Preparation and Photocatalytic Activity of Ag@AgCl Modified Anatase TiO<sub>2</sub> Nanotubes. *Chinese journal of catalysis* 32: 36-45. [http://dx.doi.org/10.1016/S1872-2067\(10\)60157-X](http://dx.doi.org/10.1016/S1872-2067(10)60157-X).
- Yao, JH, ua; Wei, XY; Xiao, L, ei; Ji, HM, in; Zong, Z, hiMin; Liu, FJ. (2015). Fractional Extraction and Biodepolymerization of Shengli Lignite. *Energy Fuels* 29: 2014-2021. <http://dx.doi.org/10.1021/ef501928d>.
- Yasuda, M; Shizuka, M; Yoneda, H; Ogino, H; Ishikawa, H. (2001). Synthesis and radical polymerization kinetics of amphiphilic methacrylic monomers having 2-[p-(1,1,3,3-tetramethyl-butyl)phenoxy-polyethoxy]ethyl group. *J Chem Eng Jpn* 34: 388-395.
- Yasugi, T; Endo, G; Monna, T; Odachi, T; Yamaoka, K; Kawai, T; Horiguchi, S; Ikeda, M. (1998). Types of organic solvents used in workplaces and work environment conditions with special references to reproducibility of work environment classification. *Ind Health* 36: 223-233.
- Yati, I; Ozan Aydin, G; Bulbul Sonmez, H. (2016). Cross-linked poly(tetrahydrofuran) as promising sorbent for organic solvent/oil spill. *J Hazard Mater* 309: 210-218. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.014>.
- Yavuz, E; Bayramoglu, G; Arica, MY; Senkal, BF. (2011). Preparation of poly (acrylic acid) containing core-shell type resin for removal of basic dyes. *J Chem Tech Biotechnol* 86: 699-705. <http://dx.doi.org/10.1002/jctb.2571>.
- Yazici, M; Acemioglu, B; Akbas, M; Kuvvet, M. (2016). Determination of the ground- and excited-state dipole moments of 4'-(hexyloxy)-4-biphenylcarbonitrile and 4-isothiocyanatophenyl 4-pentylbicyclo [2,2,2] octane-1-carboxylate nematic liquid crystals and their mixtures. *Liquid Crystals* 43: 671-679. <http://dx.doi.org/10.1080/02678292.2016.1139197>.
- Yazici, O; Ocak, H; Yasa-Sahin, O; Sakar, D; Cankurtaran, O; Karaman, F; Bilgin-Eran, B. (2012). Investigation of acid-base and surface characteristics of a thermotropic semifluorinated salicylaldimine liquid crystal by inverse gas chromatography. *Liquid Crystals* 39: 1421-1426. <http://dx.doi.org/10.1080/02678292.2012.719647>.

## Fate Literature Search Results

### Off Topic

- Ye, B; Krafft, T; Yang, L; Li, Y; Li, H; Wang, W; Pilot, E, va. (2015). The Characterization and Sources of Polycyclic Aromatic Hydrocarbons in PM10 in Rural, China. *Pol J Environ Stud* 24: 909-915.
- Ye, L; Ou, Z; Meng, D; Yuan, M; Fang, Y; Kadish, KM. (2014). Electrochemistry of Fe(IV) and Mn(IV) corroles containing meso-dichlorophenyl substituents and the use of these compounds as catalysts for the electroreduction of dioxygen in acid media. *Turkish Journal of Chemistry* 38: 994-1005. <http://dx.doi.org/10.3906/kim-1407-26>.
- Yeh, MK. (2000). The stability of insulin in biodegradable microparticles based on blends of lactide polymers and polyethylene glycol. *J Microencapsul* 17: 743-756.
- Yeh, MK; Chen, JL; Chiang, CH. (2002). Vibrio cholerae-loaded poly(DL lactide co-glycolide) microparticles. *J Microencapsul* 19: 203-212.
- Yeh, MK; Tung, SM; Lu, DW; Chen, JL; Chiang, CH. (2001). Formulation factors for preparing ocular biodegradable delivery system of 5-fluorouracil microparticles. *J Microencapsul* 18: 507-519.
- Yen, JH; Tsai, CC; Wang, YS. (2003). Separation and toxicity of enantiomers of organophosphorus insecticide leptophos. *Ecotoxicol Environ Saf* 55: 236-242. [http://dx.doi.org/10.1016/S0147-6513\(02\)00066-0](http://dx.doi.org/10.1016/S0147-6513(02)00066-0).
- Yencho, GC; Renwick, JA; Steffens, JC; Tingey, WM. (1994). Leaf surface extracts of *Solanum berthaultii* hawkes deter colorado potato beetle feeding. *J Chem Ecol* 20: 991-1007.
- Yeom, CK; Lee, SH; Lee, JM; Song, HY. (2002). Modeling and evaluation of boundary layer resistance at feed in the permeation of VOC/N-2 mixtures through PDMS membrane. *J Memb Sci* 204: 303-322.
- Yeom, CK; Lee, SH; Song, HY; Lee, JM. (2002). Vapor permeations of a series of VOCs/N-2 mixtures through PDMS membrane. *J Memb Sci* 198: 129-143.
- Yerro, O; Radojevic, V; Radovic, I; Petrovic, M; Uskokovic, PS; Stojanovic, DB; Aleksic, R. (2016). Thermoplastic acrylic resin with self-healing properties. *Polymer Engineering and Science* 56: 251-257. <http://dx.doi.org/10.1002/pen.24244>.
- Yesil-Celiktas, O; Otto, F; Gruener, S; Parlar, H. (2009). Determination of extractability of pine bark using supercritical CO(2) extraction and different solvents: optimization and prediction. *J Agric Food Chem* 57: 341-347. <http://dx.doi.org/10.1021/jf8026414>.
- Yetgin, S; Ulutun, S; Balkose, D. (2015). Methylene Blue Adsorption From Aqueous Solutions to Flexible Poly(vinyl chloride) Silica Composites. *Journal of Vinyl and Additive Technology* 21: 42-50. <http://dx.doi.org/10.1002/vnl.21379>.
- Yeung, E; Chaw, CS. (2009). Ciclosporin-loaded poly(lactide) microparticles: effect of TPGS. *J Microencapsul* 26: 9-17. <http://dx.doi.org/10.1080/02652040802094402>.
- Yin, DY; Liu, JF; Zhang, Y; Gao, Q; Yin, DL. (2005). Immobilization of Mn(salen) complex on aluminum-containing mesoporous materials by microwave heating for epoxidation of styrene. *Stud Surf Sci Catal* 156: 851-858.
- Yin, H; Yu, S, hi; Casey, PS; Chow, G, anM. (2010). Synthesis and properties of poly(D,L-lactide) drug carrier with maghemite nanoparticles. *Mater Sci Eng C* 30: 618-623. <http://dx.doi.org/10.1016/j.msec.2010.02.013>.
- Yin, Q; Sun, Z; Shi, S; Jiang, X; Tian, C; Bao, M. (2013). Structure and electrical properties of K0.5Na0.5NbO3-SrTiO3 lead-free piezoelectric ceramics with LiSbO3 doping. *Journal of Materials Science: Materials in Electronics* 24: 4258-4262. <http://dx.doi.org/10.1007/s10854-013-1394-9>.
- Yin, Q; Sun, Z; Zhang, M; He, G; Chen, Y; Wang, Q; Yan, M. (2015). Structure and electrical properties of K0.5Na0.5Nb0.94-xSb0.06SnxO3 lead-free piezoelectric ceramics. *J Alloy Comp* 622: 132-136. <http://dx.doi.org/10.1016/j.jallcom.2014.10.045>.
- Yokohama, N; Otaka, H; Nakata, M. (2007). Validation of methods for measuring polychlorinated dibenzo-p-dioxins and furans, and dioxin-like polychlorinated biphenyls in flue gas. *Int J Environ Anal Chem* 87: 177-194. <http://dx.doi.org/10.1080/03067310600929258>.
- Yongtang, J; Fengchun, D; Jianfeng, D. (2010). Preparation and Characterization of Biodegradable Tercopolymers and Their Nano-Structured Fibers via Electrospinning. *AATCC Rev* 10: 48-52.
- Yoo, H; Washington, JW; Jenkins, TM; Ellington, JJ. (2011). Quantitative determination of perfluorochemicals and fluorotelomer alcohols in plants from biosolid-amended fields using LC/MS/MS and GC/MS. *Environ Sci Technol* 45: 7985-7990. <http://dx.doi.org/10.1021/es102972m>.
- Yoo, HS. (2006). Preparation of biodegradable polymeric hollow microspheres using O/O/W emulsion stabilized by Labrafil. *Colloids Surf B Biointerfaces* 52: 47-51. <http://dx.doi.org/10.1016/j.colsurfb.2006.07.005>.
- Yoon, H; Na, SH; Choi, J, aeY; Latthe, SS; Swihart, MT; Al-Deyab, SS; Yoon, S, amS. (2014). Gravity-Driven Hybrid Membrane for Oleophobic-Superhydrophilic Oil Water Separation and Water Purification by Graphene. *Langmuir* 30: 11761-11769. <http://dx.doi.org/10.1021/1a50315261>.
- Yoon, H; Xie, JN; Abraham, JK; Varadan, VK; Ruffin, PB. (2006). Passive wireless sensors using electrical transition of carbon nanotube junctions in polymer matrix. *Smart Materials and Structures* 15: S14-S20. <http://dx.doi.org/10.1088/0964-1726/15/1/004>.
- Yoon, JW; Kim, JH. (2011). Establishment of a solvent map for formation of crystalline and amorphous paclitaxel by solvent evaporation process. *Korean J Chem Eng* 28: 1918-1923. <http://dx.doi.org/10.1007/s11814-011-0060-2>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, Y; Kumagai, Y; Mizuno, M; Isomura, K; Nakamura, Y; Kishida, H; Saito, G. (2015). Improved Dynamic Properties of Charge-Transfer-Type Supramolecular Rotor Composed of Coronene and F(4)TCNQ. *Cryst Growth Des* 15: 5513-5518. <http://dx.doi.org/10.1021/acs.cgd.5b01138>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2016). Enhancement and Biological Characteristics Related to Aerobic Biodegradation of Toluene with Co-Existence of Benzene. *Water Air Soil Pollut* 227: 340-340. <http://dx.doi.org/10.1007/s11270-016-3050-5>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.

## Fate Literature Search Results

### Off Topic

- Yoshikura, T; Kitano, M; Nishio, T; Fukunaga, I; Masumoto, K; Inoue, S; Kuroda, K; Inoue, Z. (1992). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF ORGANIC-SUBSTANCES IN WATER-PURIFICATION POND AT SEA-BASED SOLID-WASTE DISPOSAL SITE. *Water Sci Technol* 25: 425-432.
- Yoshimoto, S; Ono, Y; Kuwahara, Y; Nishiyama, K; Taniguchi, I. (2016). Structural Changes of 4,4'-(Dithiodibutylene)dipyridine SAM on a Au(111) Electrode with Applied Potential and Solution pH and Influence of Alkyl Chain Length of Pyridine-Terminated Thiolate SAMs on Cytochrome c Electrochemistry. *J Phys Chem C* 120: 15803-15813. <http://dx.doi.org/10.1021/acs.jpcc.5b11666>.
- Yoshizawa, K; Ito, A; Tanaka, K; Yamabe, T. (1994). ELECTROCHEMICAL OXIDATION OF 1,3,5-TRIS(DIPHENYLAMINO)BENZENE (TDAB) FOR POLYRADICAL MATERIAL. *Synthetic Metals* 66: 81-83.
- You, J; Weston, DP; Lydy, MJ. (2004). A sonication extraction method for the analysis of pyrethroid, organophosphate, and organochlorine pesticides from sediment by gas chromatography with electron-capture detection. *Arch Environ Contam Toxicol* 47: 141-147. <http://dx.doi.org/10.1007/s00244-003-3165-8>.
- Young, CN; Clayton, CR; Wynne, JH; Yesinowski, JP; Daniels, GC. (2015). Physicochemical investigation of chemical paint removers. II: Role and mechanism of phenol in the removal of polyurethane coatings. *Progr Org Coating* 88: 212-219. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.014>.
- Young, CN; Clayton, CR; Yesinowski, JP; Wynne, JH; Watson, KE. (2014). Physicochemical investigation of chemical paint removers: Interactions of methylene chloride with polyurethane coatings. *Progr Org Coating* 77: 232-241. <http://dx.doi.org/10.1016/j.porgcoat.2013.09.005>.
- Youngster, I; Arcavi, L; Schechmaster, R; Akayzen, Y; Popliski, H; Shimonov, J; Beig, S; Berkovitch, M. (2010). Medications and glucose-6-phosphate dehydrogenase deficiency: an evidence-based review [Review]. *Drug Saf* 33: 713-726. <http://dx.doi.org/10.2165/11536520-000000000-00000>.
- Youssef, AM; Elwakil, AM; Elsharkawy, EA; Farag, AB; Tollan, K. (1996). Adsorption of heavy metals on coal-based activated carbons. *AST* 13: 115-125.
- Yrieix, C; Gonzalez, C; Deroux, JM; Lacoste, C; Leybros, J. (1996). Countercurrent liquid/liquid extraction for analysis of organic water pollutants by GC./POISONING. *Water Res* 30: 1791-1800.
- Yu, H; Yang, L; Xu, M; Fang, C; Yu, W. (2015). Feasibility of micro-extraction and subsequent HPLC analysis for evaluating the extractable formaldehyde content of medium-density fiber board. *Holz als Roh- und Werkstoff* 73: 801-806. <http://dx.doi.org/10.1007/s00107-015-0945-6>.
- Yu, J; Cai, W; Cheng, Z; Chen, J. (2014). Degradation of dichloromethane by an isolated strain *Pandoraea pnomenus* and its performance in a biotrickling filter. *J Environ Sci* 26: 1108-1117. [http://dx.doi.org/10.1016/S1001-0742\(13\)60538-0](http://dx.doi.org/10.1016/S1001-0742(13)60538-0).
- Yu, J, inP; Guan, Y, iXin; Yao, SJ; Zhu, Z, iQ. (2011). Preparation of Roxithromycin-Loaded Poly(L-lactic Acid) Films with Supercritical Solution Impregnation. *Ind Eng Chem Res* 50: 13813-13818. <http://dx.doi.org/10.1021/ie201294u>.
- Yu, J; He, K; Li, Y; Tan, H, ua; Zhu, M; Wang, Y; Liu, Y, u; Zhu, W; Wu, H. (2014). A novel near-infrared-emitting cyclometalated platinum (II) complex with donor-acceptor-acceptor chromophores. *Dyes and Pigments* 107: 146-152. <http://dx.doi.org/10.1016/j.dyepig.2014.03.040>.
- Yu, J; Tan, H, ua; Meng, F; Lv, K, un; Zhu, W; Su, S. (2016). Benzotriazole-containing donor-acceptor-acceptor type cyclometalated iridium(III) complex for solution-processed near-infrared polymer light emitting diodes. *Dyes and Pigments* 131: 231-238. <http://dx.doi.org/10.1016/j.dyepig.2016.04.021>.
- Yu, L, ei; Tu, C; Luo, Y. (2015). Fabrication, characterization and evaluation of mesoporous activated carbons from agricultural waste: Jerusalem artichoke stalk as an example. *9*: 206-215. <http://dx.doi.org/10.1007/s11783-014-0631-7>.
- Yu, MX, in; Chang, LC; Lin, CH; Duan, JP, ey; Wu, FI, y; Chen, IC; Cheng, CH. (2007). Luminescence properties of aminobenzanthrones and their application as host emitters in organic light-emitting devices. *Adv Funct Mater* 17: 369-378. <http://dx.doi.org/10.1002/adfm.200600730>.
- Yu, TH; Ho, CT. (1995). VOLATILE COMPOUNDS GENERATED FROM THERMAL-REACTION OF METHIONINE AND METHIONINE SULFOXIDE WITH OR WITHOUT GLUCOSE. *J Agric Food Chem* 43: 1641-1646.
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, Y, ue; Li, H; Jiang, Y, an. (2014). Separation and Preparation of Five Cycloamine Analogs from Rhizomes of *Veratrum oxysepalum* Turcz. by Two-Step High-Speed Counter-Current Chromatography. *Separation Science and Technology* 49: 2748-2755. <http://dx.doi.org/10.1080/01496395.2014.942744>.
- Yu, YJ; Chan, HLW; Wang, FP; Zhao, LC. (2003). Effects of rare earth Eu doping on ferroelectric properties of PbZr<sub>0.52</sub>Ti<sub>0.48</sub>O<sub>3</sub> thin films by sol-gel methods. *Microelectron Eng* 66: 726-732. [http://dx.doi.org/10.1016/S0167-9317\(02\)00991-7](http://dx.doi.org/10.1016/S0167-9317(02)00991-7).
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res* 31: 1879-1886.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem* 19: 2212-2217.
- Yuan, JP; Cheng, F. (1999). Isomerization of trans-astaxanthin to cis-isomers in organic solvents. *J Agric Food Chem* 47: 3656-3660.
- Yuan, W; Wu, F, ei; Geng, Y, an; Xu, S; Jin, T, uo. (2007). An effective approach to prepare uniform protein-Zn<sup>2+</sup> nanoparticles under mild conditions. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/14/145601>.
- Yue, W; Randorn, C; Attidekou, PS; Su, Z; Irvine, JTS; Zhou, W. (2009). Syntheses, Li Insertion, and Photoactivity of Mesoporous Crystalline TiO<sub>2</sub>. *Adv Funct Mater* 19: 2826-2833. <http://dx.doi.org/10.1002/adfm.200900658>.

## Fate Literature Search Results

### Off Topic

- Yufit, DS; Shishkin, OV; Zubatyuk, RI; Howard, JAK. (2014). Trimethyltrioxane (Paraldehyde) and Its Halomethanes Complexes: Crystallization, Structures, and Analysis of Packing Motifs. *Cryst Growth Des* 14: 4303-4309. <http://dx.doi.org/10.1021/cg500354t>.
- Yujing, N; Junquan, S; Zhengzai, C; Lincai, W. (2008). Ethylene Polymerization by a Novel Dinuclear Heteroligated Titanium Complex with the Ligand of (Salicylaidiminato) (beta-enaminoketonato). *Journal of Wuhan University of Technology--Materials Science Edition* 23: 821-824. <http://dx.doi.org/10.1007/s11595-007-6821-4>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res* 37: 1422-1427.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption of organic solvent vapors on hydrophobic Y-type zeolite. *AIChE J* 44: 1344-1350.
- Yun, KH; Yun, KY; Cha, GY; Lee, BH; Kim, JC; Lee, DD; Huh, JS. (2005). Gas sensing characteristics of ZnO-doped SnO<sub>2</sub> sensors for simulants of the chemical agents. *Materials Science Forum* 486-487: 9-12.
- Yun, MS; Lee, W, ooll. (2008). Analysis of bubble nucleation and growth in the pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 202-208. <http://dx.doi.org/10.1016/j.compscitech.2007.05.010>.
- Yun, MS; Lee, W, ooll. (2008). Analysis of pulling force during pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 140-146. <http://dx.doi.org/10.1016/j.compscitech.2007.05.032>.
- Yun, SH; Kannan, K. (2011). Distribution of mono- through hexa-chlorobenzenes in floodplain soils and sediments of the Tittabawassee and Saginaw Rivers, Michigan. *Environ Sci Pollut Res Int* 18: 897-907. <http://dx.doi.org/10.1007/s11356-010-0437-5>.
- Yun-long, Y; Jia-lun, W; Matthias, S; Wilfried, P. (2007). Residual dynamics of thiacloprid in medical herbs marjoram, thyme, and camomile in soil. *J Environ Sci* 19: 205-209.
- Yurdakoc, M; Hosgoren, H. (1998). Solvent extraction of La<sup>3+</sup> with ethylenediamine-N,N'-ditetradecyl-N,N'-diacetic acid (EDDAT) in dichloromethane. *Turkish Journal of Chemistry* 22: 373-377.
- Zablotowicz, RM; Hoagland, RE; Locke, MA. (1994). GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RHIZOSPHERE BACTERIA AND THE POTENTIAL FOR HERBICIDE DETOXIFICATION. *ACS Symp Ser Am Chem Soc* 563: 184-198.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vilchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res* 37: 735-742.
- Zahari, A; Ablat, A; Sivasothy, Y; Mohamad, J; Choudhary, MI; Awang, K. (2016). In vitro antiplasmodial and antioxidant activities of bisbenzylisoquinoline alkaloids from *Alseodaphne corneri* Kosterm. *Asian Pacific Journal of Tropical Medicine* 9: 328-332. <http://dx.doi.org/10.1016/j.apjtm.2016.03.008>.
- Zaini, MAA; Alias, N; Yunus, MAC, he. (2016). Bio-polishing sludgeadsorbents for dye removal. *Polish Journal of Chemical Technology* 18: 15-21. <http://dx.doi.org/10.1515/pjct-2016-0065>.
- Zaman, MB; Smith, MD; zur Loye, HC. (2001). Organizing chain and square-grid architectures by employing coordination bonds between inorganic and organic components. New coordination polymers formed from Cd(II), Co(II), and Cu(II) nitrate salts and 1,4-bis(4-pyridyl)butadiyne. *Chem Mater* 13: 3534-3541.
- Zanetti, F; Stampi, S; Deluca, G; Varoli, O; Tonelli, E. (1996). Comparative disinfection of secondary-treated sewage with chlorine dioxide and bromine chloride. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 567-579.
- Zappoli, S; Andracchio, A; Morselli, L. (1997). Dissolved organic matter and pH affect the extraction efficiency of PCBs from aqueous samples. *Chemosphere* 35: 1729-1736.
- Zareyee, D; Asghari, R; Khalilzadeh, MA. (2011). Silylation of Alcohols and Phenols with Hexamethyldisilazane over Highly Reusable Propyl Sulfonic Acid Functionalized Nanostructured SBA-15. *Chinese journal of catalysis* 32: 1864-1868. [http://dx.doi.org/10.1016/S1872-2067\(10\)60300-2](http://dx.doi.org/10.1016/S1872-2067(10)60300-2).
- Zazza, C; Mancini, G; Brancato, G; Barone, V. (2013). In Silico Study of Molecular-Engineered Nanodevices: A Lockable Light-Driven Motor in Dichloromethane Solution. *Journal of Physical Chemistry Letters* 4: 3885-3890. <http://dx.doi.org/10.1021/jz4019404>.
- Zdrahal, Z; Oliveira, J; Vermeylen, R; Claeys, M; Maenhaut, W. (2002). Improved method for quantifying levoglucosan and related monosaccharide anhydrides in atmospheric aerosols and application to samples from urban and tropical locations. *Environ Sci Technol* 36: 747-753. <http://dx.doi.org/10.1021/es015619v>.
- Zeinali, F; Ghoreyshi, AA; Najafpour, G. (2012). Removal of Toluene and Dichloromethane from Aqueous Phase by Granular Activated Carbon (GAC). *Chemical Engineering Communications* 199: 203-220. <http://dx.doi.org/10.1080/00986445.2011.584354>.
- Zeiri, L; Efrima, S; Deutsch, M. (1997). AC-driven interfacial electrodeposition of silver. *Langmuir* 13: 4722-4728.
- Zeljezic, D; Mladinic, M; Kopjar, N; Radulovic, AH. (2016). Evaluation of genome damage in subjects occupationally exposed to possible carcinogens. *Toxicol Ind Health* 32: 1570-1580. <http://dx.doi.org/10.1177/0748233714568478>.
- Zeller, A; Rychlik, M. (2006). Character impact odorants of fennel fruits and fennel tea. *J Agric Food Chem* 54: 3686-3692. <http://dx.doi.org/10.1021/jf052944j>.
- Zeng, F; Cui, KY; Fu, JM; Sheng, GY; Yang, HF. (2002). Biodegradability of di(2-ethylhexyl) phthalate by *Pseudomonas fluorescens* FS1. *Water Air Soil Pollut* 140: 297-305.
- Zengin, M; Sonmez, F; Arslan, M; Kucukislamoglu, M. (2012). CERIC AMMONIUM NITRATE AND MANGANESE(III) ACETATE MEDIATED RADICAL OXIDATION AND ADDITION REACTIONS OF ANTHRACENE AND 9-SUBSTITUTED ANTHRACENES. *Macedonian Journal of Chemistry and Chemical Engineering* 31: 55-63.
- Zgheib, S; Moilleron, R; Saad, M; Chebbo, G. (2011). Partition of pollution between dissolved and particulate phases: what about emerging substances in urban stormwater catchments? *Water Res* 45: 913-925. <http://dx.doi.org/10.1016/j.watres.2010.09.032>.



## Fate Literature Search Results

### Off Topic

- Zhai, Y; Li, P; Zhu, Y, un; Xu, B; Chen, H; Zeng, G. (2016). Effects of Solvent and Time on Extraction Efficiency of Ultrasonic Extraction for Polycyclic Aromatic Hydrocarbons from Atmospheric Particulate Matter. *Environ Eng Sci* 33: 591-600. <http://dx.doi.org/10.1089/ees.2015.0583>.
- Zhan, J; Zhang, H, ui; Zhu, G. (2014). Magnetic photocatalysts of cenospheres coated with Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> core/shell nanoparticles decorated with Ag nanopartilces. *Ceramics International* 40: 8547-8559. <http://dx.doi.org/10.1016/j.ceramint.2014.01.069>.
- Zhan, S; Cui, L; Zhao, Q; Wang, J; Chen, S; Ding, S. (2014). Formation of PLLA-PEG-PLLA Microparticles by Supercritical Antisolvent Process. *Part Sci Technol* 32: 61-69. <http://dx.doi.org/10.1080/02726351.2013.804014>.
- Zhan'ao, L; Mingkai, Z; Beixing, L. (2016). Relationships between Modified Methylene Blue Value of Microfines in Manufactured Sand and Concrete Properties. *Journal of Wuhan University of Technology--Materials Science Edition* 31: 574-581. <http://dx.doi.org/10.1007/s11595-016-1412-x>.
- Zhang, B; Li, JB; Sun, JJ; Zhang, SX; Zhai, HZ; Du, ZW. (2002). Nanometer silicon carbide powder synthesis and its dielectric behavior in the GHz range. *J Eur Ceram Soc* 22: 93-99.
- Zhang, C, ail; Feng, LF; Gu, X; Hoppe, S; Hu, G, uoHua. (2007). Determination of the molar mass of polyamide block/graft copolymers by size-exclusion chromatography at room temperature. *Polym Test* 26: 793-802. <http://dx.doi.org/10.1016/j.polymertesting.2007.04.011>.
- Zhang, C; Yang, J; Xue, Y; Li, Y. (2008). Group type analysis of asphalt by column liquid chromatography. *Petroleum Science and Technology* 26: 665-673. <http://dx.doi.org/10.1080/10916460701205070>.
- Zhang, C; Zhang, X; Zhang, X; Ou, X; Zhang, W; Jie, J; Chang, JC; Lee, CS; Lee, ST. (2009). Facile One-Step Fabrication of Ordered Organic Nanowire Films. *Adv Mater Deerfield* 21: 4172-+. <http://dx.doi.org/10.1002/adma.200802793>.
- Zhang, CP; He, HM; Yu, JZ; Hu, XQ; Zhu, YH; Wang, Q. (2016). Residues of carbofuran and its metabolites carbofuran and 3-hydroxy carbofuran in rice field ecosystem in China. *J Environ Sci Health B* 51: 351-357. <http://dx.doi.org/10.1080/03601234.2015.1120606>.
- Zhang, D; Gao, Y; Dong, J; Sun, Q; Liu, W, ei; Xue, S; Yang, W. (2015). Two-photon absorption and piezofluorochromism of aggregation-enhanced emission 2,6-bis(p-dibutylaminostyryl)-9,10-bis(4-pyridylvinyl-2)anthracene. *Dyes and Pigments* 113: 307-311. <http://dx.doi.org/10.1016/j.dyepig.2014.08.025>.
- Zhang, F; Liu, YJ; Liu, QH; Li, Q; Li, H; Cai, XY; Wang, YD. (2013). Synthesis and characterisation of Ni(OH)<sub>2</sub> and NiO nanosheets and their removal properties of azo dyes from aqueous solution. *Materials Technology* 28: 310-315. <http://dx.doi.org/10.1179/1753555712Y.0000000052>.
- Zhang, G; Wang, C. (2016). Pickering Emulsion-Based Marbles for Cellular Capsules. *Materials* 9. <http://dx.doi.org/10.3390/ma9070572>.
- Zhang, G, uoF; Wang, H; Aldred, MP; Chen, T, ao; Chen, Z, eQ; Meng, X; Zhu, MQ. (2014). General Synthetic Approach toward Geminal-Substituted Tetraarylethene Fluorophores with Tunable Emission Properties: X-ray Crystallography, Aggregation-Induced Emission and Piezofluorochromism. *Chem Mater* 26: 4433-4446. <http://dx.doi.org/10.1021/cm501414b>.
- Zhang, G, uoHua; Wang, L, iJun; Chou, K, uoC. (2010). A comparison of different geometrical models in calculating physicochemical properties of quaternary systems. *CALPHAD* 34: 504-509. <http://dx.doi.org/10.1016/j.calphad.2010.10.004>.
- Zhang, G; Yi, L; Deng, H, ui; Sun, P. (2014). Dyes adsorption using a synthetic carboxymethyl cellulose-acrylic acid adsorbent. *J Environ Sci* 26: 1203-1211. [http://dx.doi.org/10.1016/S1001-0742\(13\)60513-6](http://dx.doi.org/10.1016/S1001-0742(13)60513-6).
- Zhang, GL; Ma, JB; Li, YH; Wang, YN. (2003). Synthesis and characterization of poly(L-alanine)-block-poly(ethylene glycol) monomethyl ether as amphiphilic biodegradable co-polymers. *J Biomater Sci Polym Ed* 14: 1389-1400.
- Zhang, H; Kosinski, J; Xie, Y; Turner, J. (2013). Drive-level dependence of doubly rotated langasite resonators with different configurations. *IEEE Trans Ultrason Ferroelectr Freq Control* 60: 963-969. <http://dx.doi.org/10.1109/TUFFC.2013.2653>.
- Zhang, H, ao; Ren, Z; Zhang, Y; Yuan, Q; Yang, XJ, in. (2016). Comparison Between Polydimethylsiloxane and Polyimide-Based Solvent-Resistant Nanofiltration Membranes. *Chemical Engineering Communications* 203: 870-879. <http://dx.doi.org/10.1080/00986445.2014.990632>.
- Zhang, H; Xie, L; Xu, P; Jiang, S. (2008). Dissipation of the plant growth regulator hexanoic acid 2-(diethylamino) ethyl ester in pakchoi and soil. *Int J Environ Anal Chem* 88: 561-569. <http://dx.doi.org/10.1080/03067310802002490>.
- Zhang, H; Yan, Y; Yang, L. (2010). Preparation of activated carbon from sawdust by zinc chloride activation. *Adsorption* 16: 161-166. <http://dx.doi.org/10.1007/s10450-010-9214-5>.
- Zhang, H, ui; Yang, Z; Zhang, X; Mao, N. (2014). Photocatalytic effects of wool fibers modified with solely TiO<sub>2</sub> nanoparticles and N-doped TiO<sub>2</sub> nanoparticles by using hydrothermal method. *Chem Eng J* 254: 106-114. <http://dx.doi.org/10.1016/j.cej.2014.05.097>.
- Zhang, H; Zhu, X; Wu, Y; Song, H; Ba, X. (2015). High-efficiency grafting of halloysite nanotubes by using p-conjugated polyfluorenes via "click" chemistry. *Journal of Materials Science* 50: 4387-4395. <http://dx.doi.org/10.1007/s10853-015-8993-1>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data* 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria* 140: 233-244.
- Zhang, J; Hai, Y; Zuo, Y, i; Jiang, Q; Shi, C; Li, W, ei. (2015). Novel diamine-modified composite nanofiltration membranes with chlorine resistance using monomers of 1,2,4,5-benzene tetracarbonyl chloride and m-phenylenediamine. 3: 8816-8824. <http://dx.doi.org/10.1039/c4ta07159j>.
- Zhang, J; Yang, H; Jiang, J; Jiang, X. (2014). Research on Physical and Chemical Properties of Blended Bio-Oil Based on Fractionation. *BioResources* 9: 7542-7553.
- Zhang, J; Zuo, R. (2016). A novel self-composite property-tunable LaTiNbO<sub>6</sub> microwave dielectric ceramic. *Materials Research Bulletin* 83: 568-572. <http://dx.doi.org/10.1016/j.materresbull.2016.07.004>.

## Fate Literature Search Results

### Off Topic

- Zhang, JX; Liu, D; Sun, L; Wei, R; Zhang, G; Wu, H; Zhang, H; Zhao, C. (2008). Potential chemosignals in the anogenital gland secretion of giant pandas, *Ailuropoda melanoleuca*, associated with sex and individual identity. *J Chem Ecol* 34: 398-407. <http://dx.doi.org/10.1007/s10886-008-9441-3>.
- Zhang, K. (2010). Characterization and Uncertainty Analysis of VOCs Emissions from Industrial Wastewater Treatment Plants. *Environ Prog Sustain Energy* 29: 265-271. <http://dx.doi.org/10.1002/ep.10377>.
- Zhang, K, ai; Wang, X; Jing, D; Yang, Y, in; Zhu, M. (2009). Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. *Biomed Mater* 4: 035004. <http://dx.doi.org/10.1088/1748-6041/4/3/035004>.
- Zhang, L; Dong, L; Ren, L; Shi, S; Zhou, L; Zhang, T; Huang, Y. (2012). Concentration and source identification of polycyclic aromatic hydrocarbons and phthalic acid esters in the surface water of the Yangtze River Delta, China. *J Environ Sci* 24: 335-342. [http://dx.doi.org/10.1016/S1001-0742\(11\)60782-1](http://dx.doi.org/10.1016/S1001-0742(11)60782-1).
- Zhang, L, ei; Li, X, in; Yang, L, ijun; Li, Y; Chang, HC; Chu, X, jun; Zhang, J; Wang, X, in; An, S. (2012). A Rapid and Selective Isolation of Rhodium from Aqueous Solution Using Nano-Al<sub>2</sub>O<sub>3</sub>. *Journal of Chemical and Engineering Data* 57: 2647-2653. <http://dx.doi.org/10.1021/je300365p>.
- Zhang, L; Waterhouse, GIN; Zhang, L. (2011). Coaxially Aligned Polyaniline Nanofibers Doped with 3-Thiopheneacetic Acid through Interfacial Polymerization. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/467170>.
- Zhang, L, ij; Ying, G; Chen, F; Zhao, JL; Wang, L, i; Fang, Y, ix. (2012). Development and application of whole-sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386. <http://dx.doi.org/10.1002/etc.734>.
- Zhang, L; Zhang, G; Wang, S; Peng, J; Cui, W, ei. (2016). Cation-functionalized silica nanoparticle as an adsorbent to selectively adsorb anionic dye from aqueous solutions. *Environ Prog Sustain Energy* 35: 1070-1077. <http://dx.doi.org/10.1002/ep.12333>.
- Zhang, L; Zong, C; Ichihara, S; Naito, H; Toyokuni, S; Kumagai, S; Ichihara, G. (2015). A trial to find appropriate animal models of dichloropropane-induced cholangiocarcinoma based on the hepatic distribution of glutathione S-transferases. *J Occup Health* 57: 548-554. <http://dx.doi.org/10.1539/joh.15-0085-OA>.
- Zhang, M; Wang, AJ; Li, JM; Song, N; Song, Y; He, R. (2017). Factors influencing the stability and type of hydroxyapatite stabilized Pickering emulsion. *Mater Sci Eng C* 70: 396-404. <http://dx.doi.org/10.1016/j.msec.2016.09.007>.
- Zhang, O; Zhang, C; Wu, L; Sun, W; Hu, L. (2012). Study on Morphology and Mechanical Properties of PVC with Ultrafine CaCO<sub>3</sub> Surface-modified by Acrylate Macromolecular Modifiers. *Polymers and Polymer Composites* 20: 191-195.
- Zhang, P; Shen, D; Fan, C; Kan, A, myT; Tomson, MB. (2010). Surfactant-Assisted Synthesis of Metal-Phosphonate Inhibitor Nanoparticles and Transport in Porous Media. *S P E Journal* 15: 610-617.
- Zhang, P; Xue, W; Liu, P, ei; Can, L. (2011). Optical properties and electronic structure of terminal group-perturbed ethynyl-linked dendrimers. *Synthetic Metals* 161: 2289-2294. <http://dx.doi.org/10.1016/j.synthmet.2011.08.036>.
- Zhang, Q; An, Q; Luan, X; Huang, H; Li, X; Meng, Z; Tong, W; Chen, X; Chu, PK; Zhang, Y. (2015). Achieving significantly enhanced visible-light photocatalytic efficiency using a polyelectrolyte: the composites of exfoliated titania nanosheets, graphene, and poly(diallyl-dimethylammonium chloride). *Nanoscale* 7: 14002-14009. <http://dx.doi.org/10.1039/c5nr03256c>.
- Zhang, Q, i; Luan, H; Li, T, ao; Wu, Y; Ni, Y. (2016). Study on Pt-structured anodic alumina catalysts for catalytic combustion of toluene: Effects of competitive adsorbents and competitive impregnation methods. *Appl Surf Sci* 360: 1066-1074. <http://dx.doi.org/10.1016/j.apsusc.2015.11.149>.
- Zhang, R; Li, Q; Zhang, J; Li, J; Ma, G; Su, Z. (2012). Preparation of poly (ethylene glycol) acrylate grafted polystyrene resin for solid-phase peptide synthesis. *React Funct Polym* 72: 773-780. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.014>.
- Zhang, R; Mallon, PE; Chen, H; Huang, CM; Zhang, J; Li, Y; Wu, Y; Sandreczki, TC; Jean, YC. (2001). Characterization of photodegradation of a polyurethane coating by positron annihilation spectroscopy: correlation with cross-link density. *Progr Org Coating* 42: 244-252.
- Zhang, RG; Ling, LX; Li, Z; Wang, BJ. (2011). Solvent effects on Cu<sub>2</sub>O(111) surface properties and CO adsorption on Cu<sub>2</sub>O(111) surface: A DFT study. *Appl Catal A-Gen* 400: 142-147. <http://dx.doi.org/10.1016/j.apcata.2011.04.025>.
- Zhang, RG; Ling, LX; Wang, BJ; Huang, W. (2010). Solvent effects on adsorption of CO over CuCl(111) surface: A density functional theory study. *Appl Surf Sci* 256: 6717-6722. <http://dx.doi.org/10.1016/j.apsusc.2010.04.079>.
- Zhang, S; Zhang, Q; Darisaw, S; Ehie, O; Wang, G. (2007). Simultaneous quantification of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), and pharmaceuticals and personal care products (PPCPs) in Mississippi river water, in New Orleans, Louisiana, USA. *Chemosphere* 66: 1057-1069. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.067>.
- Zhang, W; Abdel-Rahman, FH; Saleh, MA. (2011). Natural resistance of rose petals to microbial attack. *J Environ Sci Health B* 46: 381-393. <http://dx.doi.org/10.1080/03601234.2011.572502>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, X; Chi, Z; Yang, Z; Chen, M; Xu, B; Zhou, L, in; Wang, C; Zhang, Y, i; Liu, S; Xu, J. (2009). Synthesis of carbazole derivatives with high quantum yield and high glass transition temperature. *Optical Materials* 32: 94-98. <http://dx.doi.org/10.1016/j.optmat.2009.06.009>.
- Zhang, X; Li, H; Cao, M; Shi, L; Chen, C. (2015). Adsorption of Basic Dyes on beta-Cyclodextrin Functionalized Poly (Styrene-Alt-Maleic Anhydride). *Separation Science and Technology* 50: 947-957. <http://dx.doi.org/10.1080/01496395.2014.978461>.
- Zhang, X; Wu, Y; Li, J; Li, F, an; Li, M, in. (2008). Synthesis and characterization of perylene tetracarboxylic bisester monoimide derivatives. *Dyes and Pigments* 76: 810-816. <http://dx.doi.org/10.1016/j.dyepig.2007.02.006>.
- Zhang, XP; Mei, J, inF; Lai, JC; Li, CH, ui; You, XZ. (2015). Mechano-induced luminescent and chiroptical switching in chiral cyclometalated platinum(II) complexes. *3*: 2350-2357. <http://dx.doi.org/10.1039/c4tc02800g>.

## Fate Literature Search Results

### Off Topic

- Zhang, XP; Wu, T, ao; Liu, J; Zhang, JX; Li, CH, ui; You, XZ. (2014). Vapor-induced chiroptical switching in chiral cyclometalated platinum(II) complexes with pinene functionalized (CNN)-N-boolean AND-N-boolean AND ligands. 2: 184-194. <http://dx.doi.org/10.1039/c3tc31997k>.
- Zhang, Y, anZhi; Liao, XM; Yin, GF, u; Yuan, P; Huang, ZB; Gu, JW, en; Yao, Y, aD; Chen, XC. (2012). Preparation of water soluble drugs-loaded microparticles using modified solution enhanced dispersion by supercritical CO<sub>2</sub>. Powder Technology 221: 343-350. <http://dx.doi.org/10.1016/j.powtec.2012.01.023>.
- Zhang, Y; Yin, DH; Fu, ZH; Li, CZ; Yin, DL. (2003). Preparation of Mn (salen)/Al-MCM-41 catalyst under microwave irradiation and its catalytic performance in epoxidation of styrene. Chinese journal of catalysis 24: 942-946.
- Zhang, Z, he; Luo, X; Liu, Y; Zhou, P; Ma, G; Lei, Z; Lei, L, ei. (2015). A low cost and highly efficient adsorbent (activated carbon) prepared from waste potato residue. Taiwan Institute of Chemical Engineers Journal 49: 206-211. <http://dx.doi.org/10.1016/j.jtice.2014.11.024>.
- Zhang, Z; Wu, Z, hu; Sun, J; Yao, B; Xue, P; Lu, R, an. (2016). beta-Iminoenolate boron complex with terminal triphenylamine exhibiting polymorphism and mechanofluorochromism. 4: 2854-2861. <http://dx.doi.org/10.1039/c5tc02386f>.
- Zhang, Z; Zhang, X, in; Zhan, C; Lu, Z; Ding, X; He, S; Yao, J. (2013). The leverage effect of the relative strength of molecular solvophobicity vs. solvophilicity on fine-tuning nanomorphologies of perylene diimide bolaamphiphiles. Soft Matter 9: 3089-3097. <http://dx.doi.org/10.1039/c2sm27674g>.
- Zhao, C; He, X, in; Li, C; Yang, L, ei; Fu, Y; Wang, K; Zhang, Y; Ni, Y. (2016). A Microwave-Assisted Simultaneous Distillation and Extraction Method for the Separation of Polysaccharides and Essential Oil from the Leaves of *Taxus chinensis* Var. *mairei*. 6. <http://dx.doi.org/10.3390/app6020019>.
- Zhao, J; Liu, CS; Yuan, Y; Tao, XY; Shan, XQ; Sheng, Y; Wu, F. (2007). Preparation of hemoglobin-loaded nano-sized particles with porous structure as oxygen carriers. Biomaterials 28: 1414-1422. <http://dx.doi.org/10.1016/j.biomaterials.2006.10.012>.
- Zhao, JS; Park, DY; Seo, MJ; Hwang, CS; Han, YK; Yang, CH; Oh, KY. (2004). Metallorganic CVD of high-quality PZT thin films at low temperature with new Zr and Ti precursors having MMP ligands. J Electrochem Soc 151: C283-C291. <http://dx.doi.org/10.1149/1.1676711>.
- Zhao, Q; Li, P; Stagnitti, F; Ye, J; Dong, D; Zhang, Y; Li, P. (2009). Effects of aging and freeze-thawing on extractability of pyrene in soil. Chemosphere 76: 447-452. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.068>.
- Zhao, Q; Weise, L; Li, P; Yang, K; Zhang, Y; Dong, D; Li, P; Li, X. (2010). Ageing behavior of phenanthrene and pyrene in soils: a study using sodium dodecylbenzenesulfonate extraction. J Hazard Mater 183: 881-887. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.111>.
- Zhao, Q; Zhang, S; Liu, Y, i; Mei, J, u; Chen, S; Lu, P; Qin, A; Ma, Y; Sun, JZ, hi; Tang, B, enZ. (2012). Tetraphenylethynyl-modified perylene bisimide: aggregation-induced red emission, electrochemical properties and ordered microstructures. J Mater Chem 22: 7387-7394. <http://dx.doi.org/10.1039/c2jm16613e>.
- Zhao, QS; Huang, Y, anF; Li, Y; Zhang, J, iMei; Wang, HY, i. (2014). Functionalized Magnetic Microparticles for Fast and Efficient Removal of Textile Dyes from Aqueous Solution. Water Air Soil Pollut 225. <http://dx.doi.org/10.1007/s11270-014-1950-9>.
- Zhao, T; Kang, Z. (2016). Simultaneously Fabricating Multifunctional Superhydrophobic/Superoleophilic Coatings by One-Step Electrodeposition Method on Cathodic and Anodic Magnesium Surfaces. J Electrochem Soc 163: D628-D635. <http://dx.doi.org/10.1149/2.1231610jes>.
- Zhao, X; Lui, YS; Toh, P, eiWenJ; Loo, S, ayCJ. (2014). Sustained Release of Hydrophilic L-ascorbic acid 2-phosphate Magnesium from Electrospun Polycaprolactone Scaffold-A Study across Blend, Coaxial, and Emulsion Electrospinning Techniques. Materials 7: 7398-7408. <http://dx.doi.org/10.3390/ma7117398>.
- Zhao, XQ; Wang, YJ; Wang, SF; Yang, HJ; Zhang, JY. (2002). Synthesis of MDI from dimethyl carbonate over solid catalysts. Ind Eng Chem Res 41: 5139-5144. <http://dx.doi.org/10.1021/ie020084f>.
- Zhao, YQ; Martens, SR; Puskar, MA; Lee, KL. (2000). Stability of methylene chloride spiked passive samplers: An international shipping and transportation study. Am Ind Hyg Assoc J 61: 394-397.
- Zhao, Z; Cheng, S; Qin, Z, he; Ma, K, e; Jin, X; Liang, S, huX. (2016). Evaluation of microtoxicity and biodegradability of residual organic solvents in pharmaceutical wastewater by combined prediction-test system. Desalination and Water Treatment 57: 28187-28194. <http://dx.doi.org/10.1080/19443994.2016.1180264>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. Environ Monit Assess 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zhao, ZB; Liu, K; Xie, W; Pan, WP; Riley, JT. (2000). Soluble polycyclic aromatic hydrocarbons in raw coals. J Hazard Mater 73: 77-85.
- Zhaoyang, L; Haojun, F; Yan, L; Bi, S. (2008). Fluorine-containing aqueous copolymer emulsion for waterproof leather. Journal of the Society of Leather Technologists and Chemists 92: 107-113.
- Zheng, H; Uhing, MC; Cospers, DR. (2002). A new method of analyzing pitch deposits in pulp and paper processes. Journal of Pulp & Paper Science 28: 204-210.
- Zheng, L; Ho, LY; Khan, SA. (2016). Weaving colloidal webs around droplets: spontaneous assembly of extended colloidal networks encasing microfluidic droplet ensembles. Soft Matter 12: 8654-8660. <http://dx.doi.org/10.1039/c6sm01318j>.
- Zheng, Q; Niu, Y; Li, H. (2016). Synthesis and characterization of imidacloprid microspheres for controlled drug release study. React Funct Polym 106: 99-104. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.07.006>.
- Zheng, S; Guo, H; Yang, F; Hong, B. (2016). Novel organic dye sorbent: synthesis and adsorption properties of multi-walled carbon nanotubes modified with gallic amide units. Desalination and Water Treatment 57: 12264-12273. <http://dx.doi.org/10.1080/19443994.2015.1048533>.
- Zhong, L; Cantrell, K; Mitroshkov, A; Shewell, J. (2014). Mobilization and transport of organic compounds from reservoir rock and caprock in geological carbon sequestration sites. Environ Earth Sci 71: 4261-4272. <http://dx.doi.org/10.1007/s12665-013-2823-z>.

## Fate Literature Search Results

### Off Topic

- Zhong, S; Jiang, W, ei; Han, M, ei; Liu, G; Zhang, N, a; Lu, Y, ue. (2015). Graphene supported silver@silver chloride & ferromagnetic oxide hybrid, a magnetically separable photocatalyst with high performance under visible light irradiation. *Appl Surf Sci* 347: 242-249. <http://dx.doi.org/10.1016/j.apsusc.2015.04.080>.
- Zhou, D; Zhang, L; Zhang, S; Fu, H; Chen, J. (2010). Hydrothermal Liquefaction of Macroalgae *Enteromorpha prolifera* to Bio-oil. *Energy Fuels* 24: 4054-4061. <http://dx.doi.org/10.1021/ef100151h>.
- Zhou, K, un; Li, J, un; Ren, YS. (2008). Solubility of rifapentine in different organic solvents. *Journal of Chemical and Engineering Data* 53: 998-999. <http://dx.doi.org/10.1021/jc7007457>.
- Zhou, L; Gao, C; Xu, WJ. (2009). Amphibious polymer-functionalized CdTe quantum dots: Synthesis, thermo-responsive self-assembly, and photoluminescent properties. *J Mater Chem* 19: 5655-5664. <http://dx.doi.org/10.1039/b905966k>.
- Zhou, L; He, B; Huang, J. (2013). One-step synthesis of robust amine- and vinyl-capped magnetic iron oxide nanoparticles for polymer grafting, dye adsorption, and catalysis. *5: 8678-8685*. <http://dx.doi.org/10.1021/am402334f>.
- Zhou, M; Gu, Y; Huang, J. (2013). Hierarchical nanotubular clay materials derived from natural cellulose substance. *Materials Research Bulletin* 48: 3223-3231. <http://dx.doi.org/10.1016/j.materresbull.2013.04.094>.
- Zhou, Q; Zhang, L; Chen, J; Xu, B; Chu, G; Chen, J. (2016). Performance and microbial analysis of two different inocula for the removal of chlorobenzene in biotrickling filters. *Chem Eng J* 284: 174-181. <http://dx.doi.org/10.1016/j.cej.2015.08.130>.
- Zhou, XS; Dong, ZR; Zhang, HM; Yan, JW; Gao, JX; Mao, BW. (2007). Self-assembly of a Rh(I) complex on Au(111) surfaces and its electrocatalytic activity toward the hydrogen evolution reaction. *Langmuir* 23: 6819-6826. <http://dx.doi.org/10.1021/la062949q>.
- Zhu, D; Herbert, BE; Schlautman, MA. (2003). Molecular-level investigation of monoaromatic compound sorption to suspended soil particles by deuterium nuclear magnetic resonance. *J Environ Qual* 32: 232-239.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER. (2004). Characterization of cation-pi interactions in aqueous solution using deuterium nuclear magnetic resonance spectroscopy. *J Environ Qual* 33: 276-284.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER; Hur, J. (2004). Cation-pi bonding: A new perspective on the sorption of polycyclic aromatic hydrocarbons to mineral surfaces. *J Environ Qual* 33: 1322-1330.
- Zhu, H; Ai, S; He, Q; Cui, Y, ue; Li, J. (2007). Fabrication of polystyrene/gold nanotubes and nanostructure-controlled growth of aluminate. *J Nanosci Nanotechnol* 7: 2361-2365. <http://dx.doi.org/10.1166/jnn.2007.435>.
- Zhu, JH; Yan, D; Xai, JR; Ma, LL; Shen, B. (2001). Attempt to adsorb N-nitrosamines in solution by use of zeolites. *Chemosphere* 44: 949-956.
- Zhu, N; Li, X, in; Wang, Y; Ma, X. (2016). Photo-responsive chiral cyclic molecular switches based on stiff stilbene. *Dyes and Pigments* 125: 259-265. <http://dx.doi.org/10.1016/j.dyepig.2015.10.033>.
- Zhu, QZ; Degelmann, P; Niessner, R; Knopp, D. (2002). Selective trace analysis of sulfonylurea herbicides in water and soil samples based on solid-phase extraction using a molecularly imprinted polymer. *Environ Sci Technol* 36: 5411-5420. <http://dx.doi.org/10.1021/es0207908>.
- Zhu, SH; Jiang, HL; Zhao, JW; Li, ZT. (2005). Reaction of 1,1,3,3-tetraoxa-2,2-dibromo-4,4,5,5,6,6-hexafluoro-1,3-dithiacyclohexane with pyrazine and hexamethylphosphoramide: Unexpected cocrystals through halogen bonding. *Cryst Growth Des* 5: 1675-1677. <http://dx.doi.org/10.1021/cg0501579>.
- Zhu, T; Li, J; Wu, Q. (2011). Construction of TiO<sub>2</sub> hierarchical nanostructures from nanocrystals and their photocatalytic properties. *3: 3448-3453*. <http://dx.doi.org/10.1021/am2006838>.
- Zhu, X; Liu, M. (2011). Self-assembly and morphology control of new L-glutamic acid-based amphiphilic random copolymers: giant vesicles, vesicles, spheres, and honeycomb film. *Langmuir* 27: 12844-12850. <http://dx.doi.org/10.1021/la202680j>.
- Zhu, X; Qian, F; Liu, Y; Matera, D; Wu, G; Zhang, S; Chen, J. (2016). Controllable synthesis of magnetic carbon composites with high porosity and strong acid resistance from hydrochar for efficient removal of organic pollutants: An overlooked influence. *Carbon* 99: 338-347. <http://dx.doi.org/10.1016/j.carbon.2015.12.044>.
- Zhu, X; Suidan, MT; Alonso, C; Yu, T; Kim, BJ; Kim, BR. (2001). Biofilm structure and mass transfer in a gas phase trickle-bed biofilter. *Water Sci Technol* 43: 285-293.
- Zhu, X; Wang, S; Liu, Q; Xu, Q; Xu, S; Chen, H. (2009). Determination of residues of cyromazine and its metabolite, melamine, in animal-derived food by gas chromatography-mass spectrometry with derivatization. *J Agric Food Chem* 57: 11075-11080. <http://dx.doi.org/10.1021/jf902771q>.
- Zhu, XQ; Alonso, C; Suidan, MT; Cao, HW; Kim, BJ; Kim, BR. (1998). The effect of liquid phase on VOC removal in trickle-bed biofilters. *Water Sci Technol* 38: 315-322.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. *66: 930-940*. <http://dx.doi.org/10.1080/10962247.2016.1188865>.
- Zhuang, X, in; Wan, Y; Feng, C; Shen, Y; Zhao, D. (2009). Highly Efficient Adsorption of Bulky Dye Molecules in Wastewater on Ordered Mesoporous Carbons. *Chem Mater* 21: 706-716. <http://dx.doi.org/10.1021/cm8028577>.
- Zhuang, XD; Chen, Y, u; Liu, G; Zhang, B, in; Neoh, KG, ee; Kang, E, nT; Zhu, CX; Li, YX, i; Niu, L, iJ. (2010). Preparation and Memory Performance of a Nanoaggregated Dispersed Red 1-Functionalized Poly (N-vinylcarbazole) Film via Solution-Phase Self-Assembly. *Adv Funct Mater* 20: 2916-2922. <http://dx.doi.org/10.1002/adfm.201000258>.
- Zia-ur-Rehman; Salariya, AM; Habib, F. (2003). Antioxidant activity of ginger extract in sunflower oil. *J Sci Food Agric* 83: 624-629. <http://dx.doi.org/10.1002/jsfa.1318>.
- Zidorn, C; Jöhner, K; Ganzera, M; Schubert, B; Sigmund, EM; Mader, J; Greil, R; Ellmerer, EP; Stuppner, H. (2005). Polyacetylenes from the Apiaceae vegetables carrot, celery, fennel, parsley, and parsnip and their cytotoxic activities. *J Agric Food Chem* 53: 2518-2523. <http://dx.doi.org/10.1021/jf048041s>.

## Fate Literature Search Results

### Off Topic

- Zielinski, R; Wajda, A; Wybieralska, K. (2010). Use of cationic surfactants in surface modification of magnetic nanoparticles for adsorption of organic dyes from aqueous solutions. *Przemysł Chemiczny* 89: 1559-1563.
- Ziemons, E; Goffin, E; Lejeune, R; da Cunha, AP; Angenot, L; Thunus, L. (2005). Supercritical carbon dioxide extraction of tagitinin C from *Tithonia diversifolia*. *Journal of Supercritical Fluids* 33: 53-59. <http://dx.doi.org/10.1016/j.supflu.2004.04.001>.
- Zinger, B; Mann, KR; Hill, MG; Miller, LL. (1992). PHOTOCHEMICAL FORMATION OF OLIGOTHIOPHENE CATION RADICALS IN ACIDIC SOLUTION AND NAFION. *Chem Mater* 4: 1113-1118.
- Ziolek, M; Martin, C; Teresa Navarro, M; Garcia, H; Douhal, A. (2011). Confined Photodynamics of an Organic Dye for Solar Cells Encapsulated in Titanium-Doped Mesoporous Molecular Materials. *J Phys Chem C* 115: 8858-8867. <http://dx.doi.org/10.1021/jp201627t>.
- Zitko, V. (1999). Qualitative determination of 10,10'-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (2001). Analytical chemistry in monitoring the effects of aquaculture: one laboratory's perspective. *ICES J Mar Sci* 58: 486-491.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol* 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zotti, G; Zecchin, S; Schiavon, G; Vercelli, B; Groenendaal, L. (2003). Mono- and multilayers of oligoethylene oxide-modified poly(3,4-ethylenedioxythiophene) on ITO and glass surfaces. *Chem Mater* 15: 2222-2228. <http://dx.doi.org/10.1021/cm030151b>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol* 34: 1751-1757.
- Zou, W, enS; Ji, Y, aJun; Shao, Q, un; Xuan, H, an; Wang, X, iuF; Wang, Y, aQin. (2016). Crystalline nanoparticles for self-protective room-temperature phosphorescence based on synergism of multi-weak interactions in suspension solution. *Mater Chem Phys* 176: 121-128. <http://dx.doi.org/10.1016/j.matchemphys.2016.03.041>.
- Zribi, K; Elleuch, K; Feller, JF; Bourmaud, A; Elleuch, B. (2007). Eco-plastics: Morphological and mechanical properties of recycled poly(carbonate)-crushed rubber (rPC-CR) blends. *Polymer Engineering and Science* 47: 1768-1776. <http://dx.doi.org/10.1002/pen.20870>.
- Zubair Alam, M; Ahmad, S; Malik, A; Ahmad, M. (2010). Mutagenicity and genotoxicity of tannery effluents used for irrigation at Kanpur, India. *Ecotoxicol Environ Saf* 73: 1620-1628. <http://dx.doi.org/10.1016/j.ecoenv.2010.07.009>.
- Zuber, L; Dunn, IJ; Deshusses, MA. (1997). Comparative scale-up and cost estimation of a biological trickling filter and a three-phase airlift bioreactor for the removal of methylene chloride from polluted air. *J Air Waste Manag Assoc* 47: 969-975.
- Zubieta, CE; Soltero-Martinez, JFA; Luengo, CV; Schulz, PC. (2011). Preparation, characterization and photoactivity of TiO<sub>2</sub> obtained by a reverse microemulsion route. *Powder Technology* 212: 410-417. <http://dx.doi.org/10.1016/j.powtec.2011.06.017>.
- Zubkova, V; Czaplicka, M. (2012). Changes in the structure of plasticized coals caused by extraction with dichloromethane. *Fuel* 96: 298-305. <http://dx.doi.org/10.1016/j.fuel.2011.12.067>.
- Zubkova, V; Czaplicka, M; Puchala, A. (2016). The influence of addition of coal tar pitch (CTP) and expired pharmaceuticals (EP) on properties and composition of pyrolysis products for lower and higher rank coals. *Fuel* 170: 197-209. <http://dx.doi.org/10.1016/j.fuel.2015.12.032>.
- Zulfiqar, S; Sarwar, MI. (2014). Probing the potential of polyester for CO<sub>2</sub> capture. *J Environ Sci* 26: 1423-1427. <http://dx.doi.org/10.1016/j.jes.2014.05.007>.
- Zuloaga, O; Fitzpatrick, LJ; Etxebarria, N; Dean, JR. (2000). Influence of solvent and soil type on the pressurised fluid extraction of PAHs. *J Environ Monit* 2: 634-638. <http://dx.doi.org/10.1039/b006178f>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater* 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, JK; Wendelken, JF. (1991). DEFECT AND IMPURITY EFFECTS ON THE INITIAL GROWTH OF AG ON SI(111). *Journal of Vacuum Science and Technology A* 9: 1539-1544.
- Zurita, JL; Desoria, MLG; Postigo, MA; Katz, M. (1986). VAPOR-LIQUID-EQUILIBRIUM FOR THE NORMAL-PENTANE DICHLOROMETHANE SYSTEM AT 298.15 K. *Journal of Chemical and Engineering Data* 31: 389-390.
- Zurita, R; Puiggali, J; Rodríguez-Galán, A. (2006). Loading and release of ibuprofen in multi- and monofilament surgical sutures. *Macromol Biosci* 6: 767-775. <http://dx.doi.org/10.1002/mabi.200600084>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Saeedi, R; Nazmara, S. (2013). Dichloromethane emissions from automotive manufacturing industry in Iran: case study of the SAIPA automotive manufacturing company. *Toxicol Environ Chem* 95: 757-764. <http://dx.doi.org/10.1080/02772248.2013.821126>.
- Adachi, A; Sawada, R; Shida, K; Nakamura, E; Kobayashi, T. (1996). Dichloromethane levels in wastewater discharged from chemical laboratories and its removal efficiency using activated carbon adsorption. *JTTE* 42: 268-271.
- Amsel, J; Soden, KJ; Sielken, RL; Valdez-Flora, C. (2001). Observed versus predicted carboxyhemoglobin levels in cellulose triacetate workers exposed to methylene chloride. *Am J Ind Med* 40: 180-191.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Anon. (1974). Degreasing at Bridgeport-Brass with methylene chloride. *Industrial Finishing* 50: 72-73.
- Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. *Int Arch Occup Environ Health* 65: 247-251. <http://dx.doi.org/10.1007/BF00381198>.
- Armstrong, AQ; Hodson, RE; Hwang, HM; Lewis, DL. (1991). ENVIRONMENTAL-FACTORS AFFECTING TOLUENE DEGRADATION IN GROUND-WATER AT A HAZARDOUS-WASTE SITE. *Environ Toxicol Chem* 10: 147-158.
- Arquiaga, MC; Canter, LW; Robertson, JM. (1995). MICROBIOLOGICAL CHARACTERIZATION OF THE BIOLOGICAL TREATMENT OF AIRCRAFT PAINT STRIPPING WASTE-WATER. *Environ Pollut* 89: 189-195.
- Assmuth, TW; Strandberg, T. (1993). Ground water contamination at Finnish landfills. *Water Air Soil Pollut* 69: 179-199.
- Beaucham, CC; Fent, K; Wiegand, D; Seaton, M. (2016). Hazard Evaluation Report: HHE-2012-0238-3257, August 2016. Evaluation of Forensic Crime Lab Employees' Chemical Exposures, Job Stress, and Work-Related Health Concerns.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1990). METHYLENE-CHLORIDE EXPOSURE AND BIRTH-WEIGHT IN MONROE COUNTY, NEW-YORK. *Am J Epidemiol* 132: 810-810.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1991). Methylene chloride exposure and birthweight in Monroe County, New York. *Environ Res* 55: 31-39. [http://dx.doi.org/10.1016/S0013-9351\(05\)80138-0](http://dx.doi.org/10.1016/S0013-9351(05)80138-0).
- Bertoni, G; Rotatori, M; Canepari, S; Fratarcangeli, R. (1990). DETERMINATION OF DICHLOROMETHANE IN INDUSTRIAL ATMOSPHERES AND EMISSIONS BY TRAPPING ON LIGHT ADSORBENTS AND THERMAL-DESORPTION. *Ann Chim* 80: 357-367.
- Bin Babar, Z; Shareefdeen, Z. (2014). Management and control of air emissions from electronic industries. *Clean Tech Environ Pol* 16: 69-77. <http://dx.doi.org/10.1007/s10098-013-0594-6>.
- Butler, FE; Coppedge, EA; Suggs, JC; Knoll, JE; Midgett, MR; Sykes, AL; Hartman, MW; Steger, JL. (1988). DEVELOPMENT OF A METHOD FOR DETERMINATION OF METHYLENE-CHLORIDE EMISSIONS AT STATIONARY SOURCES. *J Air Pollut Control Assoc* 38: 272-277.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Chan, C; Lee, SC; Chan, W; Ho, K; Tian, L; Lai, S; Li, Y; Huang, Y, u. (2011). Characterisation of Volatile Organic Compounds at Hotels in Southern China. *Indoor Built Environ* 20: 420-429. <http://dx.doi.org/10.1177/1420326X11409458>.
- Charron, KA; Puskar, MA; Levine, SP. (1998). Field validation of passive monitors for the determination of employee exposures to methylene chloride in pharmaceutical production facilities. *Am Ind Hyg Assoc J* 59: 353-358.
- Cheng, W; Hsu, SK; Chou, MS. (2008). Volatile organic compound emissions from wastewater treatment plants in Taiwan: Legal regulations and costs of control. *J Environ Manage* 88: 1485-1494. <http://dx.doi.org/10.1016/j.jenvman.2007.07.022>.
- Cherry, N; Venables, H; Waldron, HA; Wells, GG. (1981). Some observations on workers exposed to methylene chloride. *Br J Ind Med* 38: 351-355.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater* 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol* 38: 287-294.
- Clapp, LW; Talarczyk, MR; Park, JK; Boyle, WC. (1994). PERFORMANCE COMPARISON BETWEEN ACTIVATED-SLUDGE AND FIXED-FILM PROCESSES FOR PRIORITY POLLUTANT REMOVALS. *Water Environ Res* 66: 153-160.
- CMR (Chemical Marketing Reporter). (1973). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1979). Chemical profile on methylene chloride (pp. 9).
- CMR (Chemical Marketing Reporter). (1982). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1997). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (2000). Chemical profile on methylene chloride. New York, NY: ICIS.
- Cocco, P; Heineman, EF; Dosemeci, M. (1999). Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am J Ind Med* 36: 70-74. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<70::AID-AJIM10>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<70::AID-AJIM10>3.0.CO;2-5).
- Colborn, T; Schultz, K; Herrick, L; Kwiatkowski, C. (2014). An exploratory study of air quality near natural gas operations. *Hum Ecol Risk Assess* 20: 86-105. <http://dx.doi.org/10.1080/10807039.2012.749447>.
- Cusido, JA; Cremades, LV; Soriano, C; Devant, M. (2015). Incorporation of paper sludge in clay brick formulation: Ten years of industrial experience. *Appl Clay Sci* 108: 191-198. <http://dx.doi.org/10.1016/j.clay.2015.02.027>.
- Dell, LD; Mundt, KA; McDonald, M; Tritschler, JP; Mundt, DJ. (1999). Critical review of the epidemiology literature on the potential cancer risks of methylene chloride [Review]. *Int Arch Occup Environ Health* 72: 429-442. <http://dx.doi.org/10.1007/s004200050396>.
- Demir, S; Saral, A; Kuzu, SL. (2012). ASSESSMENT OF LEVELS AND ASSOCIATED RISKS OF EXPOSURE TO VOCs RELEASED FROM MSW LANDFILL SITES. *Fresen Environ Bull* 21: 781-788.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol* 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.
- Elvidge, ECL; Oram, DE; Laube, JC; Baker, AK; Montzka, SA; Humphrey, S; O'Sullivan, DA; Brenninkmeijer, CAM. (2015). Increasing concentrations of dichloromethane, CH<sub>2</sub>Cl<sub>2</sub>, inferred from CARIBIC air samples collected 1998-2012. *Atmos Chem Phys* 15: 1939-1958. <http://dx.doi.org/10.5194/acp-15-1939-2015>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- El-Zein, A; Rowe, RK. (2008). Impact on groundwater of concurrent leakage and diffusion of dichloromethane through geomembranes in landfill liners. *Geosynthetics International* 15: 55-71. <http://dx.doi.org/10.1680/gein.2008.15.1.55>.
- Enander, RT; Cohen, HJ; Gute, DM; Brown, LC; Desmaris, AM; Missaghian, R. (2004). Lead and methylene chloride exposures among automotive repair technicians. *J Occup Environ Hyg* 1: 119-125. <http://dx.doi.org/10.1080/15459620490275911>.
- Enander, RT; Gute, DM; Cohen, HJ; Brown, LC; Desmaris, AM; Missaghian, R. (2002). Chemical characterization of sanding dust and methylene chloride usage in automotive refinishing: implications for occupational and environmental health. *AIHA J* 63: 741-749.
- Estill, CF; Spencer, AB. (1996). Case study: Control of methylene chloride exposures during furniture stripping. *Am Ind Hyg Assoc J* 57: 43-49. <http://dx.doi.org/10.1080/15428119691015205>.
- Estill, CF; Watkins, DS; Shulman, SA; Kurimo, RW; Kovein, RJ. (2002). Engineering controls for furniture strippers to meet the OSHA methylene chloride PEL. *AIHAJ* 63: 326-333.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage* 21: 635-642.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Friedlander, BR; Hearne, T; Hall, S. (1978). Epidemiologic investigation of employees chronically exposed to methylene chloride: Mortality analysis. *J Occup Environ Med* 20: 657-666.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Ghittori, S; Marraccini, P; Franco, G; Imbriani, M. (1993). Methylene chloride exposure in industrial workers. *AIHA J* 54: 27-31. [http://dx.doi.org/10.1202/0002-8894\(1993\)054<0027:MCEIHW>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1993)054<0027:MCEIHW>2.0.CO;2).
- Gibbs, GW; Amsel, J; Soden, K. (1996). A cohort mortality study of cellulose triacetate-fiber workers exposed to methylene chloride. *J Occup Environ Med* 38: 693-697.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Golsteijn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Grevenkamp, A; Safety, O; Administration, H. (2007). Overexposure and control of methylene chloride in a furniture stripping operation. *J Occup Environ Hyg* 4: D39-D41. <http://dx.doi.org/10.1080/15459620701246372>.
- Hall, AH; Rumack, BH. (1990). Methylene chloride exposure in furniture-stripping shops: Ventilation and respirator use practices. *J Occup Med* 32: 33-37.
- Hardie, DWF. (1964). Kirk-Othmer encyclopedia of chemical technology Methylene chloride (2nd ed.). New York, NY: John Wiley & Sons.
- He, P; Tang, J; Zhang, D; Zeng, Y; Shao, L. (2010). Release of volatile organic compounds during bio-drying of municipal solid waste. *J Environ Sci* 22: 752-759. [http://dx.doi.org/10.1016/S1001-0742\(09\)60173-X](http://dx.doi.org/10.1016/S1001-0742(09)60173-X).
- Hearne, FT; Grose, F; Pifer, JW; Friedlander, BR; Raleigh, RL. (1987). Methylene chloride mortality study: Dose-response characterization and animal model comparison. *J Occup Med* 29: 217-228.
- Hearne, FT; Pifer, JW. (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. *J Occup Environ Med* 41: 1154-1169.
- Hearne, FT; Pifer, JW; Grose, F. (1990). Absence of adverse mortality effects in workers exposed to methylene chloride: An update. *J Occup Med* 32: 234-240. <http://dx.doi.org/10.1097/00043764-199003000-00010>.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Hosaini, PN; Khan, M, dF; Mustaffa, N, urllIH; Amil, N; Mohamad, N; Jaafar, SA; Nadzir, MSM; Latif, MT. (2017). Concentration and source apportionment of volatile organic compounds (VOCs) in the ambient air of Kuala Lumpur, Malaysia. *Natural Hazards* 85: 437-452. <http://dx.doi.org/10.1007/s11069-016-2575-7>.
- Imbriani, M; Ghittori, S. (2005). Gases and organic solvents in urine as biomarkers of occupational exposure: a review [Review]. *Int Arch Occup Environ Health* 78: 1-19. <http://dx.doi.org/10.1007/s00420-004-0544-z>.
- Jacobovich, RM; Landau, D; Bar Dayan, Y; Zilberberg, M; Goldstein, L. (2005). Facial nerve palsy after acute exposure to dichloromethane. *Am J Ind Med* 48: 389-392. <http://dx.doi.org/10.1002/ajim.20215>.
- Kaefferlein, HU; Ruehl, R; Bruening, T. (2011). Dichloromethane and paint stripping. *Gefahrst Reinhalt Luft* 71: 255-263.
- Kaufman, CM; Overcash, MR. (1993). Green biomass materials in polyurethane foams. *Journal of the Air and Waste Management Association* 43: 1253-1259.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Kaufman, CM; Overcash, MR. (1993). WASTE MINIMIZATION IN THE MANUFACTURE OF FLEXIBLE POLYURETHANE FOAMS - QUANTIFICATION OF AUXILIARY BLOWING AGENT VOLATILIZATION. *J Air Waste Manag Assoc* 43: 736-744.
- Kavouras, IG; Dubois, DW; Nikolich, G; Etyemezian, V, ic. (2015). Monitoring, Source Identification and Health Risks of Air Toxics in Albuquerque, New Mexico, USA. *Aerosol Air Qual Res* 15: 556-571. <http://dx.doi.org/10.4209/aaqr.2014.04.0075>.
- Keeling, AA; Mullett, JAJ; Paton, IK. (1994). GC MASS-SPECTROMETRY OF REFUSE-DERIVED COMPOSTS. *Soil Biol Biochem* 26: 773-776.
- Keil, C; Murphy, R. (2006). An application of exposure modeling in exposure assessments for a university chemistry teaching laboratory. *J Occup Environ Hyg* 3: 99-106. <http://dx.doi.org/10.1080/15459620500498109>.
- Kersemaekers, WM; Roeleveld, N; Zielhuis, GA. (1995). Reproductive disorders due to chemical exposure among hairdressers [Review]. *Scand J Work Environ Health* 21: 325-334.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8333-8346.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kim, JH; Seo, YC; Pudasainee, D; Lee, SH; Cho, SJ; Jang, HN; Park, JM; Song, GJ; Park, KS. (2009). Efforts to develop regulations in Korea similar to the US maximum achievable control technology (MACT) regulations for hazardous waste incinerators. *Journal of Material Cycles and Waste Management* 11: 183-190. <http://dx.doi.org/10.1007/s10163-008-0247-8>.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res* 67: 1044-1051.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ* 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kuehn, S; Kerndorff, H; Oster, H; Struppe, T. (2009). CFCs as transport tracers of landfill emissions in groundwater. *Grundwasser* 14: 113-125. <http://dx.doi.org/10.1007/s00767-009-0104-2>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health* 56: 164-168.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2013). Cholangiocarcinoma among offset colour proof-printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *Occup Environ Med* 70: 508-510. <http://dx.doi.org/10.1136/oemed-2012-101246>.
- Kumar, A; Madasu, R; Manocha, A. (1996). Health risk assessment for toxic emissions from a manufacturing facility. *Environ Monit Assess* 42: 211-228. <http://dx.doi.org/10.1007/BF00414369>.
- Kupczewska-Dobecka, M; Soćko, R. (2008). [Admissible concentration in biological material: an index of exposure to dichloromethane] [Review]. *Med Pr* 59: 187-195.
- Lambert, RH; Owens, JA. (1997). Utilization of a portable microchip gas chromatograph to identify and reduce fugitive emissions at a pharmaceutical manufacturing plant. *Field Analytical Chemistry and Technology* 1: 367-374.
- Lanes, SF; Rothman, KJ; Dreyer, NA; Soden, KJ. (1993). Mortality update of cellulose fiber production workers. *Scand J Work Environ Health* 19: 426-428.
- Lash, AA; Becker, CE; So, Y; Shore, M. (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? *Occup Environ Med* 48: 418-426.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lee, EG; Harper, M; Bowen, RB; Slaven, J. (2009). Evaluation of COSHH essentials: methylene chloride, isopropanol, and acetone exposures in a small printing plant. *Ann Occup Hyg* 53: 463-474. <http://dx.doi.org/10.1093/annhyg/mep023>.
- Lee, SC; Li, WM; Chan, LY. (2001). Indoor air quality at restaurants with different styles of cooking in metropolitan Hong Kong. *Sci Total Environ* 279: 181-193.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J* 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Lewis, RJ. (1997). *Hawley's condensed chemical dictionary* (13 ed.). New York, NY: John Wiley & Sons, Inc.
- Lindstrom, AB; Proffitt, D; Fortune, CR. (1995). Effects of modified residential construction on indoor air quality. *Indoor Air* 5: 258-269.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull* 32: 807-816.
- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res* 69: 305-310.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Lynge, E. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 56: 215-215.
- Macisaac, J; Harrison, R; Krishnaswami, J; McNary, J; Suchard, J; Boysen-Osborn, M; Cierpich, H; Styles, L; Shusterman, D. (2013). Fatalities due to dichloromethane in paint strippers: a continuing problem. *Am J Ind Med* 56: 907-910. <http://dx.doi.org/10.1002/ajim.22167>.
- Mahmud, M; Kales, SN. (1999). Methylene chloride poisoning in a cabinet worker. *Environ Health Perspect* 107: 769-772.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.



## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8417-8427.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988–1992. *Atmos Environ* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Mo, Z; Shao, M, in; Lu, S; Qu, H; Zhou, M; Sun, J, in; Gou, B, in. (2015). Process-specific emission characteristics of volatile organic compounds (VOCs) from petrochemical facilities in the Yangtze River Delta, China. *Sci Total Environ* 533: 422-431. <http://dx.doi.org/10.1016/j.scitotenv.2015.06.089>.
- Mohr, S; Gochfeld, M; Pransky, G. (1999). Genetically and medically susceptible workers. *Occup Med: State of the Art Rev* 14: 595-611.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Nijem, K; Kristensen, P; Al-Khatib, A; Takrori, F; Bjertness, E. (2001). Prevalence of neuropsychiatric and mucous membrane irritation complaints among Palestinian shoe factory workers exposed to organic solvents and plastic compounds. *Am J Ind Med* 40: 192-198.
- Niu, ZG; Xu, SY; Gong, QC. (2014). Health risk assessment of odors emitted from urban wastewater pump stations in Tianjin, China. *Environ Sci Pollut Res Int* 21: 10349-10360. <http://dx.doi.org/10.1007/s11356-014-2984-7>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- OSHA. (1997). Occupational exposure to methylene chloride. *Fed Reg* 62: 1493-1619.
- Oskouie, A, Iik; Lordi, DT; Granato, TC; Kollias, L. (2008). Plant-specific correlations to predict the total VOC emissions from wastewater treatment plants. *Atmos Environ* 42: 4530-4539. <http://dx.doi.org/10.1016/j.atmosenv.2008.01.062>.
- Osvoll, PO; Woldbaek, T. (1999). Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry. *Ann Occup Hyg* 43: 421-428.
- Otson, R; Williams, DT; Bothwell, PD. (1981). DICHLOROMETHANE LEVELS IN AIR AFTER APPLICATION OF PAINT REMOVERS. *Am Ind Hyg Assoc J* 42: 56-60.
- Ott, MG; Skory, LK; Holder, BB; Bronson, JM; Williams, PR. (1983). Health evaluation of employees occupationally exposed to methylene chloride. *Scand J Work Environ Health* 9: 1-38.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ* 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Park, SH; Chung, EK; Yi, GY; Chung, KJ; Shin, JA; Lee, IS. (2010). A study for health hazard evaluation of methylene chloride evaporated from the tear gas mixture. *Saf Health Work* 1: 98-101. <http://dx.doi.org/10.5491/SHAW.2010.1.1.98>.
- Partanen, T; Chaves, J; Wesseling, C; Chaverri, F; Monge, P; Ruedert, C; Aragón, A; Kogevinas, M; Hogstedt, C; Kauppinen, T. (2003). Workplace carcinogen and pesticide exposures in Costa Rica. *Int J Occup Environ Health* 9: 104-111. <http://dx.doi.org/10.1179/oeh.2003.9.2.104>.
- Perbellini, L; Brugnone, F; Grigolini, L; Cunegatti, P; Tacconi, A. (1977). ALVEOLAR AIR AND BLOOD DICHLOROMETHANE CONCENTRATION IN SHOE SOLE FACTORY-WORKERS. *Int Arch Occup Environ Health* 40: 241-247.
- Periago, JF; Cardona, A; Marhuenda, D; Roel, J; Villanueva, M; Marti, J; Luna, A. (1993). Biological monitoring of occupational exposure to n-hexane by exhaled air analysis and urinalysis. *Int Arch Occup Environ Health* 65: 275-278.
- Perlmutter, BA. (1997). New techniques for solvent recovery and elimination of wastewater emissions during vacuum process operations. *Environmental Progress* 16: 132-136.
- Porter, E. (2006). OSHA compliance issues - Evaluation of worker exposure to TDI, MOCA, and methylene chloride. *J Occup Environ Hyg* 3: D50-D53. <http://dx.doi.org/10.1080/15459620600671688>.
- Preisser, AM; Budnik, LT; Hampel, E; Baur, X. (2011). Surprises perilous: toxic health hazards for employees unloading fumigated shipping containers. *Sci Total Environ* 409: 3106-3113. <http://dx.doi.org/10.1016/j.scitotenv.2011.04.053>.
- Priya, VS; Philip, L. (2015). Treatment of volatile organic compounds in pharmaceutical wastewater using submerged aerated biological filter. *Chem Eng J* 266: 309-319. <http://dx.doi.org/10.1016/j.cej.2014.12.048>.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem* 22: 67-80.
- Ruhl, R; Hober, D; Bredendiek-Kamper, S. (2004). European measurements confirm high exposure during paint stripping. *Staub, Reinhaltung der Luft* 64: 467-470.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health* 49: 126-132.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Ryan, TJ. (2002). Survey of waste comminglers' VOC exposures. *J Air Waste Manag Assoc* 52: 1298-1306.
- Scheeren, HA; Lelieveld, J; de Gouw, JA; van der Veen, C; Fischer, H. (2002). Methyl chloride and other chlorocarbons in polluted air during INDOEX. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD001121>.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.
- Schulz, HM. (1997). Coal mine workers' pneumoconiosis (CWP): In vitro study of the release of organic compounds from coal mine dust in the presence of physiological fluids. *Environ Res* 74: 74-83.
- Senser, DW; Cundy, VA; Morse, JS. (1987). CHEMICAL-SPECIES AND TEMPERATURE PROFILES OF LAMINAR DICHLOROMETHANE-METHANE-AIR FLAMES. 1. VARIATION OF CHLORINE HYDROGEN LOADING. *Combust Sci Tech* 51: 209-233.
- Senser, DW; Morse, JS; Cundy, VA. (1985). PICS - A CONSEQUENCE OF STABLE INTERMEDIATE FORMATION DURING HAZARDOUS-WASTE INCINERATION (DICHLOROMETHANE). *Hazardous Waste and Hazardous Materials* 2: 473-486.
- Services, TDoSH. (2009). Letter Health Consultation. Review of Vapor Intrusion Sampling Data. Bandera Road Groundwater Plume, Leon Valley, Bexar County, Texas. EPA Facility ID: TXN000606565. GRA and I: 16.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shie, RH; Chan, CC. (2013). Tracking hazardous air pollutants from a refinery fire by applying on-line and off-line air monitoring and back trajectory modeling. *J Hazard Mater* 261: 72-82. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.017>.
- Shusterman, D; Quinlan, P; Lowengart, R; Cone, J. (1990). Methylene chloride intoxication in a furniture refinisher: A comparison of exposure estimates utilizing workplace air sampling and blood carboxyhemoglobin measurements. *J Occup Environ Med* 32: 451-454.
- Sidhu, S; Kastl, N; Edwards, P; Dellinger, B. (2001). Hazardous air pollutants formation from reactions of raw meal organics in cement kilns. *Chemosphere* 42: 499-506.
- Sobue, T; Utada, M; Makiuchi, T; Ohno, Y; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2015). Risk of bile duct cancer among printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *J Occup Health* 57: 230-236. <http://dx.doi.org/10.1539/joh.14-0116-OA>.
- Soden, KJ. (1993). An evaluation of chronic methylene chloride exposure. *J Occup Med* 35: 282-286.
- Soden, KJ; Marras, G; Amsel, J. (1996). Carboxyhemoglobin levels in methylene chloride-exposed employees. *J Occup Environ Med* 38: 367-371.
- Song, P; Chan, CY; Geng, F; Yu, Q; Guo, Y; Yu, L. (2012). Elevated mixing ratios and sources of methyl chloride: Results from a survey in the Yangtze River Delta region of China. *Atmos Res* 104-105: 172-181. <http://dx.doi.org/10.1016/j.atmosres.2011.10.003>.
- Song, P; Geng, FH; Sang, XF; Chan, CY; Chan, LY; Yu, Q. (2012). Characteristics and sources of non-methane hydrocarbons and halocarbons in wintertime urban atmosphere of Shanghai, China. *Environ Monit Assess* 184: 5957-5970. <http://dx.doi.org/10.1007/s10661-011-2393-z>.
- Stayner, LT; Bailer, AJ. (1993). Comparing Toxicologic and Epidemiologic Studies: Methylene Chloride A Case Study. *Risk Anal* 13: 667-673.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med* 48: 531-537.
- Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. *AIHA J* 63: 62-71.
- Taskinen, H; Lindbohm, ML; Hemminki, K. (1986). Spontaneous abortions among women working in the pharmaceutical industry. *Br J Ind Med* 43: 199-205.
- Tates, AD; Grummt, T; Van Dam, FJ; De Zwart, F; Kasper, FJ; Rothe, R; Stirn, H; Zwinderman, AH; Natarajan, AT. (1994). Measurement of frequencies of HPRT mutants, chromosomal aberrations, micronuclei, sister-chromatid exchanges and cells with high frequencies of SCEs in styrene/dichloromethane-exposed workers. *DNA Repair* 313: 249-262.
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J* 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thrall, KD; Callahan, PJ; Weitz, KK; Edwards, JA; Brinkman, MC; Kenny, DV. (2001). Design and evaluation of a breath-analysis system for biological monitoring of volatile compound. *AIHAJ* 62: 28-35.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tomenson, JA. (2011). Update of a cohort mortality study of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Int Arch Occup Environ Health* 84: 889-897. <http://dx.doi.org/10.1007/s00420-011-0621-z>.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1997). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 54: 470-476.
- Tong, L; Liao, X; Chen, J; Xiao, H; Xu, L; Zhang, F; Niu, Z; Yu, J. (2013). Pollution characteristics of ambient volatile organic compounds (VOCs) in the southeast coastal cities of China. *Environ Sci Pollut Res Int* 20: 2603-2615. <http://dx.doi.org/10.1007/s11356-012-1187-3>.
- Tsukahara, T; Miyachi, H; Kuwada, D; Kikuchi, T; Tsuda, Y; Yanagiba, Y; Arito, H; Nomiya, T. (2016). Control banding assessment of exposure of offset printing workers to organic solvents. *J Occup Health* 58: 314-319. <http://dx.doi.org/10.1539/joh.15-0324-BR>.
- Uang, SN; Shih, TS; Chang, CH; Chang, SM; Tsai, CJ; Deshpande, CG. (2006). Exposure assessment of organic solvents for aircraft paint stripping and spraying workers. *Sci Total Environ* 356: 38-44. <http://dx.doi.org/10.1016/j.scitotenv.2005.02.029>.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health* 70: 385-392.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Ukai, H; Okamoto, S; Takada, S; Inui, S; Kawai, T; Higashikawa, K; Ikeda, M. (1998). Monitoring of occupational exposure to dichloromethane by diffusive vapor sampling and urinalysis. *Int Arch Occup Environ Health* 71: 397-404.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J* 48: 646-651.
- Vincent, R; Poirot, P; Subra, I; Rieger, B; Cicoella, A. (1994). Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. *Int Arch Occup Environ Health* 65: 377-380. <http://dx.doi.org/10.1007/BF00383247>.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95: 7-13.
- White, RF; Proctor, SP; Echeverria, D; Schweikert, J; Feldman, RG. (1995). Neurobehavioral effects of acute and chronic mixed-solvent exposure in the screen printing industry. *Am J Ind Med* 28: 221-231.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Wu, X; Huan, Y; Zhao, Q, i; Yu, X; Zhang, W. (2016). Fate and transport of DBPs in a deep confined aquifer during artificial recharge process. *Environ Earth Sci* 75: 7-7. <http://dx.doi.org/10.1007/s12665-015-4774-z>.
- Xu, ZR; Wang, ZM; Xu, MZ; He, HF. (2013). [Health risk assessment and ozone formation potentials of volatile organic compounds from pharmaceutical industry in Zhejiang Province]. *Huanjing Kexue* 34: 1864-1870.
- Yamada, K; Kumagai, S; Endo, G. (2015). Chemical exposure levels in printing workers with cholangiocarcinoma (second report). *J Occup Health* 57: 245-252. <http://dx.doi.org/10.1539/joh.14-0239-OA>.
- Yamada, K; Kumagai, S; Kubo, S; Endo, G. (2015). Chemical exposure levels in printing and coating workers with cholangiocarcinoma (third report). *J Occup Health* 57: 565-571. <http://dx.doi.org/10.1539/joh.15-0170-OA>.
- Yamada, K; Kumagai, S; Nagoya, T; Endo, G. (2014). Chemical exposure levels in printing workers with cholangiocarcinoma. *J Occup Health* 56: 332-338. <http://dx.doi.org/10.1539/joh.14-0073-OA>.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut* 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yasugi, T; Endo, G; Monna, T; Odachi, T; Yamaoka, K; Kawai, T; Horiguchi, S; Ikeda, M. (1998). Types of organic solvents used in workplaces and work environment conditions with special references to reproducibility of work environment classification. *Ind Health* 36: 223-233.
- Yu, CH, o; Zhu, X; Fan, Z. (2014). Spatial/Temporal Variations and Source Apportionment of VOCs Monitored at Community Scale in an Urban Area. *PLoS ONE* 9: e95734. <http://dx.doi.org/10.1371/journal.pone.0095734>.
- Zeljezic, D; Mladinic, M; Kopjar, N; Radulovic, AH. (2016). Evaluation of genome damage in subjects occupationally exposed to possible carcinogens. *Toxicol Ind Health* 32: 1570-1580. <http://dx.doi.org/10.1177/0748233714568478>.
- Zgheib, S; Moilleron, R; Saad, M; Chebbo, G. (2011). Partition of pollution between dissolved and particulate phases: what about emerging substances in urban stormwater catchments? *Water Res* 45: 913-925. <http://dx.doi.org/10.1016/j.watres.2010.09.032>.
- Zhang, K. (2010). Characterization and Uncertainty Analysis of VOCs Emissions from Industrial Wastewater Treatment Plants. *Environ Prog Sustain Energy* 29: 265-271. <http://dx.doi.org/10.1002/ep.10377>.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc* 47: 1259-1267.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. *66: 930-940*. <http://dx.doi.org/10.1080/10962247.2016.1188865>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- A. Esteve-Turrillas, F; Perez-Cabero, M; de La C. Garcia, T; Zahedi, S; Pastor, A; Martinez, R. (2007). Polyfurfuryl alcohol composite as adsorbent of polychlorinated biphenyls and pyrethroid insecticides. *Polym Test* 26: 587-594. <http://dx.doi.org/10.1016/j.polymertesting.2007.02.006>.
- Abatzoglou, N; Barker, N; Hasler, P; Knoef, H. (2000). The development of a draft protocol for the sampling and analysis of particulate and organic contaminants in the gas from small biomass gasifiers. *Biomass and Bioenergy* 18: 5-17.
- Abbasian, M; Massomi, B; Rashidzadeh, B; Bahrami, H. (2015). Versatile method for synthesis of electrically conductive polypyrrole-polystyrene clay nanocomposites using ATRP and chemical polymerisation methods. *Journal of Experimental Nanoscience* 10: 844-858. <http://dx.doi.org/10.1080/17458080.2014.910617>.
- Abd Allah, Z; Whitehead, JC; Martin, P. (2014). Remediation of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) using non-thermal, atmospheric pressure plasma generated in a packed-bed reactor. *Environ Sci Technol* 48: 558-565. <http://dx.doi.org/10.1021/es402953z>.
- Abda, A; Benouareth, DE; Tabet, M; Liman, R; Konuk, M; Khallef, M; Taher, A. (2015). Mutagenicity and genotoxicity of drinking water in Guelma region, Algeria. *Environ Monit Assess* 187: 21. <http://dx.doi.org/10.1007/s10661-014-4223-6>.
- Abdal-Hay, A; Dewidar, M; Lim, J, aEK. (2012). Biocorrosion behavior and cell viability of adhesive polymer coated magnesium based alloys for medical implants. *Appl Surf Sci* 261: 536-546. <http://dx.doi.org/10.1016/j.apsusc.2012.08.051>.
- Abdallah, DJ; Lu, LD; Weiss, RG. (1999). Thermoreversible organogels from alkane gelators with one heteroatom. *Chem Mater* 11: 2907-2911.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech* 27: 1719-1729. <http://dx.doi.org/10.1016/j.apt.2016.06.003>.
- Abdelalerei, SAM; Abdel-Razeek, N; Soliman, SA. (2009). Herbicidal Activity of Three Sesquiterpene Lactones on Wild Oat (*Avena fatua*) and Their Possible Mode of Action. *Weed Sci* 57: 6-9. <http://dx.doi.org/10.1614/WS-08-093.1>.
- Abdelfattah, TM; Davies, G; Romanovsky, BV; Shakhanovskaya, OL; Larin, AN; Jansen, SA; Palmieri, MJ. (1997). Molecular catalyst design. Synthesis, characterization and properties of zeolite NaY catalysts made with a tetranuclear copper(II) complex. *Catalysis Today* 33: 313-322.
- Abd-Elrahman, MI; Ahmed, MO; Abdel-Aleem, JA. (2013). Optical properties of cellulose derivatives blend film carrying a chalcogenide material. *Materials Science in Semiconductor Processing* 16: 1052-1056. <http://dx.doi.org/10.1016/j.mssp.2013.02.014>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater* 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abdullah, HA; Hauser, A; Ali, FA; Al-Adwani, A. (2006). Optimal conditions for coke extraction of spent catalyst by accelerated solvent extraction compared to soxhlet. *Energy Fuels* 20: 320-323. <http://dx.doi.org/10.1021/ef0502271>.
- Abe, A; Urano, K. (1994). INTERACTIONS OF SEDIMENT CONTAMINANTS IN THE TESTING OF MUTAGENICITY. *Water Sci Technol* 30: 139-144.
- Abe, Y; Akutagawa, T; Hasegawa, T; Nakamura, T; Sugiura, K; Sakata, Y; Inabe, T; Christensen, CA; Becher, J. (1999). Structure and electronic properties of TTF bisannulated 24-crown-8 charge transfer complexes. *Synthetic Metals* 102: 1599-1600.
- Abe, Z; Jungquist, PO; Desousa, F; Kringstad, KP. (1994). THE FORMATION OF CHLORINATED DIOXINS AND FURANS DURING CHLORINE BLEACHING .4. IDENTIFICATION OF POLYCHLORINATED DIBENZOFURANS AND DIBENZO-P-DIOXINS PRECURSORS IN PINE KRAFT BLACK LIQUOR. 40: 298-301.
- Abed, D; Brossut, R; Farine, JP. (1993). EVIDENCE FOR SEX-PHEROMONES PRODUCED BY MALES AND FEMALES IN *BLATTA-ORIENTALIS* (DICTYOPTERA, BLATTIDAE). *J Chem Ecol* 19: 2831-2853.
- Abidin, L; Mujeeb, M; Mir, SR; Khan, SA; Ahmad, A. (2014). Comparative assessment of extraction methods and quantitative estimation of luteolin in the leaves of *Vitex negundo* Linn. by HPLC. *Asian Pacific Journal of Tropical Medicine* 7S1: S289-S293. [http://dx.doi.org/10.1016/S1995-7645\(14\)60248-0](http://dx.doi.org/10.1016/S1995-7645(14)60248-0).
- Abou-Elwafa Abdallah, M; Drage, D; Harrad, S. (2013). A one-step extraction/clean-up method for determination of PCBs, PBDEs and HBCDs in environmental solid matrices. *Environ Sci Process Impacts* 15: 2279-2287. <http://dx.doi.org/10.1039/c3em00395g>.
- Abrantes, M; Valente, A; Pillinger, M; Goncalves, IS; Rocha, J; Romao, CC. (2002). Organotin-oxometalate coordination polymers as catalysts for the epoxidation of olefins. *J Catal* 209: 237-244. <http://dx.doi.org/10.1006/jcat.2002.3619>.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Nazmara, S; Saeedi, R. (2014). Removal of dichloromethane from waste gas streams using a hybrid bubble column/biofilter bioreactor. 12: 22. <http://dx.doi.org/10.1186/2052-336X-12-22>.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica* 17: 1-14.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1991). VAPOR-LIQUID-EQUILIBRIUM FOR THE 2-PROPANOL METHYL ACETATE DICHLOROMETHANE SYSTEM AT 298.15-K. *Journal of Chemical and Engineering Data* 36: 137-140.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE N-PENTANE PLUS METHYL ACETATE PLUS DICHLOROMETHANE SYSTEM. *Fluid Phase Equilibria* 74: 145-155.
- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices Dichloromethane. Cincinnati, OH.
- Achi, SS. (1996). Analysis of Nigerian house paints using thin layer chromatography. *Surf Coat Int* (1991-2000) 79: 492-&.
- Aci, F; Nebioglu, M; Arslan, M; Imamoglu, M; Zengin, M; Kuecukislamoglu, M. (2008). Preparation of activated carbon from sugar beet molasses and adsorption of methylene blue. *Fresen Environ Bull* 17: 997-1001.
- Acikbas, Y. (2016). Swelling behaviour of quartz crystal microbalance sensors coated with graphene Langmuir-Blodgett films. *J Optoelect Adv Mater* 18: 220-225.
- Acikyildiz, M; Gurses, A; Karaca, S. (2014). Preparation and characterization of activated carbon from plant wastes with chemical activation. Microporous and Mesoporous Materials 198: 45-49. <http://dx.doi.org/10.1016/j.micromeso.2014.07.018>.
- Adachi, A; Hamamoto, H; Okano, T. (2004). Determination of spherosomes from lees materials. *J Agric Food Chem* 52: 7768-7770. <http://dx.doi.org/10.1021/jf0403134>.
- Adachi, A; Hamamoto, H; Okano, T. (2005). Use of lees materials as an adsorbent for removal of organochlorine compounds or benzene from wastewater. *Chemosphere* 58: 817-822. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.077>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem* 49: 1309-1314.
- Adachi, A; Komiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adamiak, W; Jedraszko, J; Krysiak, O; Nogala, W; Hidalgo-Acosta, JC; Girault, HH; Opallo, M. (2014). Hydrogen and Hydrogen Peroxide Formation in Trifluorotoluene Water Biphasic Systems. *J Phys Chem C* 118: 23154-23161. <http://dx.doi.org/10.1021/jp507310d>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Adamopoulos, S; Voulgaridis, E; Passialis, C. (2005). Variation of certain chemical properties within the stemwood of black locust (*Robinia pseudoacacia* L.). *Holz als Roh- und Werkstoff* 63: 327-333. <http://dx.doi.org/10.1007/s00107-005-0018-3>.
- Adekunle, IM. (2011). Bioremediation of Soils Contaminated with Nigerian Petroleum Products Using Composted Municipal Wastes. *Bioremediat J* 15: 230-241. <http://dx.doi.org/10.1080/10889868.2011.624137>.
- Adeosun, SO; Akpan, EI; Gbenedor, OP; Peter, AA; Olaleye, S. (2016). Mechanical Behavior of Electrospun Palmfruit Bunch Reinforced Poly lactide Composite Fibers. *J O M* 68: 265-270. <http://dx.doi.org/10.1007/s11837-015-1565-7>.
- Adhikari, R; Postma, A; Li, J, uoHao; Hirai, T; Bown, M; Ueno, K. (2013). Thermally cross-linkable copolymer and its evaluation as a hole transport layer in organic light-emitting diode devices. *Society for Information Display Journal* 21: 151-158. <http://dx.doi.org/10.1002/jsid.159>.
- Adhikari, RM; Duan, L; Hou, L; Qiu, Y; Neckers, DC; Shah, BK. (2009). Ethynylphenyl-Linked Carbazoles as a Single-Emitting Component for White Organic Light-Emitting Diodes. *Chem Mater* 21: 4638-4644. <http://dx.doi.org/10.1021/cm9017503>.
- Ado, MA; Abas, F; Ismail, IS; Ghazali, HM; Shaari, K. (2015). Chemical profile and antiacetylcholinesterase, antityrosinase, antioxidant and  $\alpha$ -glucosidase inhibitory activity of *Cynometra cauliflora* L. leaves. *J Sci Food Agric* 95: 635-642. <http://dx.doi.org/10.1002/jsfa.6832>.
- Aerts, CA; Verraedt, E, Is; Mellaerts, R; Depla, A; Augustijns, P; Van Humbeeck, J, an; Van Den Mooter, G, uy; Martens, JA. (2007). Tunability of pore diameter and particle size of amorphous microporous silica for diffusive controlled release of drug compounds. *J Phys Chem C* 111: 13404-13409. <http://dx.doi.org/10.1021/jp0735076>.
- Afifi, M; Golestani, HA; Sharifi, S; Kiani, S. (2014). Wastewater treatment of raisins processing factory using micellar-enhanced ultrafiltration. *Desalination and Water Treatment* 52: 57-64. <http://dx.doi.org/10.1080/19443994.2013.782254>.
- Afonso, ML; Silva, RA; Matos, M; Viana, AS; Montemor, MF; Almeida, M. (2012). Studies on the electrochemical growth of (Per)<sub>2</sub>[Au(mnt)<sub>2</sub>]. *Langmuir* 28: 4883-4888. <http://dx.doi.org/10.1021/la204713s>.
- Agabekov, V; Golubovich, V; Pesetskii, S. (2012). Effect of Nanodisperse Carbon Fillers and Isocyanate Chain Extender on Structure and Properties of Poly(ethylene terephthalate). *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/870307>.
- Agarwal, C; Pandey, AK; Das, S; Sharma, MK; Pattyn, D; Ares, P; Goswami, A. (2012). Neck-size distributions of through-pores in polymer membranes. *J Memb Sci* 415: 608-615. <http://dx.doi.org/10.1016/j.memsci.2012.05.055>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aghatabay, N; Bayat, C. (1995). SYNTHESIS AND CHARACTERIZATION OF MODEL METAL-METAL COMPLEXES OF DIACETYLENES .2. *Turkish Journal of Chemistry* 19: 142-145.
- Agirtas, MS. (2008). Highly soluble phthalocyanines with hexadeca tert-butyl substituents. *Dyes and Pigments* 79: 247-251. <http://dx.doi.org/10.1016/j.dyepig.2008.03.004>.
- Agnihotri, N; Mehta, JR. (2004). Extractive spectrophotometric determination of tungsten(VI) using 3-hydroxy-2-(2'-thienyl)-4-oxo-4H-1-benzopyran. *Ann Chim* 94: 341-346.
- Agrawal, YK. (2006). Selective supercritical fluid extraction of uranium(VI) using N-phenyl-(1,2-methano-fullerene C-60)61-formohydroxamic acid and simultaneous on-line determination by inductively-coupled plasma-mass spectrometry (ICP-MS). *Fullerenes, Nanotubes, and Carbon Nanostructures* 14: 621-639. <http://dx.doi.org/10.1080/15363830600812365>.
- Agrawal, YK; Menon, SK; Sudhakar, S. (2001). Solvent extraction and separation of yttrium with dibenzo-18-crown-6. *Separation and Purification Technology* 24: 197-203.
- Agrawal, YK; Sudhakar, S. (2002). Extraction, separation and preconcentration of zirconium. *Separation and Purification Technology* 27: 111-119.
- Aguayo-Villarreal, IA; Hernandez-Montoya, V; Ramirez-Lopez, EM; Bonilla-Petriciolet, A; Montes-Moran, MA. (2016). Effect of surface chemistry of carbons from pine sawdust for the adsorption of acid, basic and reactive dyes and their bioregeneration using *Pseudomona putida*. *Ecol Eng* 95: 112-118. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.056>.
- Agueda, VI; Crittenden, BD; Delgado, JA; Tennison, SR. (2011). Effect of channel geometry, degree of activation, relative humidity and temperature on the performance of binderless activated carbon monoliths in the removal of dichloromethane from air. *Separation and Purification Technology* 78: 154-163. <http://dx.doi.org/10.1016/j.seppur.2011.01.036>.
- Ahad, K; Anwar, T; Ahmad, I; Mohammad, A; Tahir, S; Aziz, S; Baloch, UK. (2000). Determination of insecticide residues in groundwater of Mardan Division, NWFP Pakistan: A case study. *Water SA* 26: 409-412.
- Ahangar, AG; Smernik, RJ; Kookana, RS; Chittleborough, DJ. (2009). The effect of solvent-conditioning on soil organic matter sorption affinity for diuron and phenanthrene. *Chemosphere* 76: 1062-1066. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.027>.
- Ahlert, RC; Enzminger, JD. (1992). ANAEROBIC PROCESSES FOR THE DECHLORINATION OF 1,1,1-TRICHLOROETHANE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* A27: 1675-1699.
- Ahmad, A; Othman, MR; Latif, MT. (2009). Early study of Surfactants in Indoor Dust and Their Connection With Street Dust. *International Journal of Environmental Research* 3: 403-410.
- Ahmad, IK; Wallis, AE; Whitehead, JC. (2003). The plasma destruction of odorous molecules: Organosulphur compounds. *High Temperature Material Processes* 7: 487-499.
- Ahmad, J; Hagg, M, ayB. (2013). Development of matrimid/zeolite 4A mixed matrix membranes using low boiling point solvent. *Separation and Purification Technology* 115: 190-197. <http://dx.doi.org/10.1016/j.seppur.2013.04.049>.
- Ahmad, J; Hagg, M, ayB. (2013). Effect of zeolite preheat treatment and membrane post heat treatment on the performance of polyvinyl acetate/zeolite 4A mixed matrix membrane. *Separation and Purification Technology* 115: 163-171. <http://dx.doi.org/10.1016/j.seppur.2013.04.050>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ahmad, J; Hagg, M. (2013). Preparation and characterization of polyvinyl acetate/zeolite 4A mixed matrix membrane for gas separation. *J Memb Sci* 427: 73-84. <http://dx.doi.org/10.1016/j.memsci.2012.09.036>.
- Ahmad, N; Fazal, H; Abbasi, BH; Iqbal, M. (2011). In vitro larvicidal potential against *Anopheles stephensi* and antioxidative enzyme activities of *Ginkgo biloba*, *Stevia rebaudiana* and *Parthenium hysterophorus*. *Asian Pacific Journal of Tropical Medicine* 4: 169-175. [http://dx.doi.org/10.1016/S1995-7645\(11\)60063-1](http://dx.doi.org/10.1016/S1995-7645(11)60063-1).
- Ahmed, A; Forster, M; Clowes, R, ob; Bradshaw, D; Myers, P; Zhang, H. (2013). Silica SOS@HKUST-1 composite microspheres as easily packed stationary phases for fast separation. 1: 3276-3286. <http://dx.doi.org/10.1039/c2ta01125e>.
- Ahmed, M; George, SC. (2004). Changes in the molecular composition of crude oils during their preparation for GC and GC-MS analyses. *Organic Geochemistry* 35: 137-155. <http://dx.doi.org/10.1016/j.orggeochem.2003.10.002>.
- Ahmed, M; Laing, MD; Nsahlai, IV. (2013). In vitro anthelmintic activity of crude extracts of selected medicinal plants against *Haemonchus contortus* from sheep. *J Helminthol* 87: 174-179. <http://dx.doi.org/10.1017/S0022149X1200020X>.
- Ahmed, MJ; Dhedan, SK. (2012). Equilibrium isotherms and kinetics modeling of methylene blue adsorption on agricultural wastes-based activated carbons. *Fluid Phase Equilibria* 317: 9-14. <http://dx.doi.org/10.1016/j.fluid.2011.12.026>.
- Ahmed, MJ; Theydan, SK. (2012). Physical and chemical characteristics of activated carbon prepared by pyrolysis of chemically treated date stones and its ability to adsorb organics. *Powder Technology* 229: 237-245. <http://dx.doi.org/10.1016/j.powtec.2012.06.043>.
- Ahmed, N; Michelin-Jamois, M; Fessi, H; Elaissari, A. (2012). Modified double emulsion process as a new route to prepare submicron biodegradable magnetic/polycaprolactone particles for in vivo theranostics. *Soft Matter* 8: 2554-2564. <http://dx.doi.org/10.1039/c2sm06872a>.
- Ahn, H; Lee, Y. (2006). Pervaporation of dichlorinated organic compounds through silicalite-1 zeolite membrane. *J Memb Sci* 279: 459-465. <http://dx.doi.org/10.1016/j.memsci.2005.12.060>.
- Ahrens, MJ; Depree, CV. (2010). A source mixing model to apportion PAHs from coal tar and asphalt binders in street pavements and urban aquatic sediments. *Chemosphere* 81: 1526-1535. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.030>.
- Aizpuru, A; Malhautier, L; Roux, JC; Fanlo, JL. (2001). Biofiltration of a mixture of volatile organic emissions. *Journal of the Air and Waste Management Association* 51: 1662-1670.
- Ajwa, HA; Tabatabai, MA. (1993). COMPARISON OF SOME METHODS FOR DETERMINATION OF SULFATE IN SOILS. *Commun Soil Sci Plant Anal* 24: 1817-1832.
- Aker, S; Boke, O; Dundar, C; Peksen, Y. (2007). The effects of temperament and character on the choice of contraceptive methods. *Eur J Contracept Reprod Health Care* 12: 378-384. <http://dx.doi.org/10.1080/13625180701393561>.
- Akhil, AV; Raj, DDD; Raj, MK; Bhat, SR, SR; Akshay, V; Bhowmik, S; Ramanathan, S; Ahmed, S. (2016). Vaporized solvent bonding of polymethyl methacrylate. *J Adhes Sci Tech* 30: 826-841. <http://dx.doi.org/10.1080/01694243.2015.1125721>.
- Akin, I; Erdemir, S; Yilmaz, M; Ersoz, M. (2012). Calix[4]arene derivative bearing imidazole groups as carrier for the transport of palladium by using bulk liquid membrane. *J Hazard Mater* 223-224: 24-30. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.043>.
- Akinci, A; Malagnini, L; Herrmann, RB; Gok, R; Sorensen, MB. (2006). Ground motion scaling in the Marmara region, Turkey. *Geophysical Journal International* 166: 635-651. <http://dx.doi.org/10.1111/j.1365-246X.2006.02971.x>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, Y; Valsaraj, KT; Wetzel, DM; Harrison, DP. (1996). On the performance of a cascade crossflow air stripping column. *Ind Eng Chem Res* 35: 3597-3606.
- Akram, M; Saleh, A, liT; Ibrahim, W, anAWan; Awan, AS; Hussain, R. (2016). Continuous microwave flow synthesis (CMFS) of nano-sized tin oxide: Effect of precursor concentration. *Ceramics International* 42: 8613-8619. <http://dx.doi.org/10.1016/j.ceramint.2016.02.092>.
- Akrout, H; Bousselmi, L. (2012). Chloride ions as an agent promoting the oxidation of synthetic dyestuff on BDD electrode. *Desalination and Water Treatment* 46: 171-181. <http://dx.doi.org/10.1080/19443994.2012.677528>.
- Akyüz, M; Ata, Ş. (2013). Seasonal variations of particle-associated nitrosamines by gas chromatography-mass spectrometry in the atmospheric environment of Zonguldak, Turkey. *Environ Sci Pollut Res Int* 20: 7398-7412. <http://dx.doi.org/10.1007/s11356-013-1758-y>.
- Alaei, M; Mahjoub, A, liR; Rashidi, A. (2012). Preparation of Different WO<sub>3</sub> Nanostructures and Comparison of Their Ability for Congo Red Photo Degradation. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 31: 31-36.
- Alam, M; Ahmad, S; Malik, A. (2009). Genotoxic and mutagenic potential of agricultural soil irrigated with tannery effluents at Jajmau (Kanpur), India. *Arch Environ Contam Toxicol* 57: 463-476. <http://dx.doi.org/10.1007/s00244-009-9284-0>.
- Alam, MS; West, CE; Scarlett, AG; Rowland, SJ; Harrison, R. (2013). Application of 2D-GCMS reveals many industrial chemicals in airborne particulate matter. *Atmos Environ* 65: 101-111. <http://dx.doi.org/10.1016/j.atmosenv.2012.10.014>.
- Alameh, R; Borensztein, Y. (1992). OPTICAL STUDY OF OXYGEN AND SILVER ADSORBED ON SI(111) SURFACES. *Appl Surf Sci* 56-8: 535-539.
- Alarcos, N; Angel Organero, J; Sanchez, F; Douhal, A. (2014). Exploring the Photobehavior of Nanocaged Monomers and H- and J-Aggregates of a Proton-Transfer Dye within NaX and NaY Zeolites. *J Phys Chem C* 118: 8217-8226. <http://dx.doi.org/10.1021/jp412544y>.
- Alawi, M; Rasheed, M; All-Masri, MG. (2007). Organochlorine pesticides in sea water and sediment samples from the AQABA gulf. *Fresen Environ Bull* 16: 1131-1136.
- Alaya, MN; Hourieh, MA; Youssef, AM; El-Sejarah, F. (2000). Adsorption properties of activated carbons prepared from olive stones by chemical and physical activation. *AST* 18: 27-42.
- Alayo, MA; Femi-Oyewo, MN; Bakre, LG; Fashina, AO. (2015). LARVICIDAL POTENTIAL AND MOSQUITO REPELLENT ACTIVITY OF CASSIA MIMOSOIDES EXTRACTS. *Southeast Asian J Trop Med Public Health* 46: 596-601.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Alberici, RM; Canela, MC; Eberlin, MN; Jardim, WF. (2001). Catalyst deactivation in the gas phase destruction of nitrogen-containing organic compounds using TiO<sub>2</sub>/UV-VIS. *Appl Catal B-Environ* 30: 389-397.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ* 14: 55-68.
- Alberts, AC; Sharp, TR; Werner, DI; Weldon, PJ. (1992). SEASONAL-VARIATION OF LIPIDS IN FEMORAL GLAND SECRETIONS OF MALE GREEN IGUANAS (IGUANA-IGUANA). *J Chem Ecol* 18: 703-712.
- Al-Bishri, HM; El-Hallag, IS; El-Mossalamy, EH. (2011). Electrochemical Properties of Closo-2,3-dicarbaundecaborane in Dichloromethane at a Glassy Carbon Electrode using Potentiostatic, Galvanostatic and Digital Simulation Methods. *Journal of New Materials for Electrochemical Systems* 14: 51-57.
- Albunia, AR; Graf, R. (2011). The Effect of Inclusion of Dichloromethane in the -Clathrate Phase of Syndiotactic Polystyrene. *Soft Materials* 9: 183-198. <http://dx.doi.org/10.1080/1539445X.2011.552362>.
- Alcantara-Rodriguez, M; Olivera-Pastor, P; Rodriguez-Castellon, E; Jimenez-Lopez, A; Lenarda, M; Storaro, L; Ganzerla, R. (1998). Acidic properties of porous Ga/Cr mixed oxides intercalated in alpha zirconium phosphate. *J Mater Chem* 8: 1625-1630.
- Alidib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aldred, MP; Li, C; Zhang, G, uoF; Gong, W, enL; Li, ADQ; Dai, Y; Ma, D; Zhu, MQ. (2012). Fluorescence quenching and enhancement of vitrifiable oligofluorenes end-capped with tetraphenylethene. *J Mater Chem* 22: 7515-7528. <http://dx.doi.org/10.1039/c2jm30261f>.
- Alexander, BM; Baxter, CS. (2016). Flame-retardant contamination of firefighter personal protective clothing - A potential health risk for firefighters. *J Occup Environ Hyg* 13: D148-D155. <http://dx.doi.org/10.1080/15459624.2016.1183016>.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. *Carbon* 46: 2059-2066. <http://dx.doi.org/10.1016/j.carbon.2008.08.019>.
- Alhassan, S; Robinson, TN. (2008). Objectively measured physical activity and cardiovascular disease risk factors in African American girls. *Ethn Dis* 18: 421-426.
- Al-Hossainy, AF. (2016). Synthesis, spectral, thermal, optical dispersion and dielectric properties of nanocrystalline dimer complex (PEPyr-diCd) thin films as novel organic semiconductor. *Bulletin of Materials Science* 39: 209-222. <http://dx.doi.org/10.1007/s12034-015-1111-9>.
- Ali, A; Barman, SK; Mukherjee, R. (2015). Palladium(II) Complex of a Redox-Active Amidophenolate-Based O,N,S,N Ligand: Its Monocation and Dication and Reactivity with PPh<sub>3</sub>. *Inorg Chem* 54: 5182-5194. <http://dx.doi.org/10.1021/ic503103e>.
- Ali, FA; Hauser, A; Abdullah, HA; Al-Adwani, A. (2006). Accelerated solvent extraction of spent hydrotreating catalysts: A study on oil and coke fractions. *Energy Fuels* 20: 45-53. <http://dx.doi.org/10.1021/ef0501905>.
- Ali, MA; Baugh, PJ. (2003). Pyrethroid soil extraction, properties of mixed solvents and time profiles using GC/MS-NICI analysis. *Int J Environ Anal Chem* 83: 909-922. <http://dx.doi.org/10.1080/03067310310001608768>.
- Ali, MC; Suzuki, T; Tachibana, Y, u; Sasaki, Y; Ikeda, Y. (2012). Selective extraction of perrhenate anion in nitric acid solution using 2,2'-(imino)bis(N,N'-diethylacetamide) as an extractant. *Separation and Purification Technology* 92: 77-82. <http://dx.doi.org/10.1016/j.seppur.2012.03.021>.
- Ali, W; Sultana, P; Joshi, M; Rajendran, S. (2016). A solvent induced crystallisation method to imbue bioactive ingredients of neem oil into the compact structure of poly (ethylene terephthalate) polyester. *Mater Sci Eng C* 64: 399-406. <http://dx.doi.org/10.1016/j.msec.2016.04.002>.
- Alimpic, A, na; Pljevljakusic, D; Savikin, K; Knezevic, A; Curcic, M; Velickovic, D; Stevic, T; Petrovic, G; Matevski, V; Vukojevic, J; Markovic, S; Marin, PD; Duletic-Lausevic, S. (2015). Composition and biological effects of *Salvia ringens* (Lamiaceae) essential oil and extracts. *Ind Crop Prod* 76: 702-709. <http://dx.doi.org/10.1016/j.indcrop.2015.07.053>.
- Alino, PM; Coll, JC; Sammarco, PW. (1992). TOXIC PREY DISCRIMINATION IN A HIGHLY SPECIALIZED PREDATOR CHAETODON-MELANNOTUS (BLOCK ET SCHNEIDER) - VISUAL VS CHEMICAL CUES. *Exp Mar Bio Ecol* 164: 209-220.
- Alizadeh, N; Mahjoub, M. (2015). A comparison between determination of trace amounts of sulfide in the presence and absence of micelle particles in natural waters (Qazvin, Iran): a kinetic spectrophotometric approach. *Environ Monit Assess* 187: 248. <http://dx.doi.org/10.1007/s10661-015-4478-6>.
- Alkire, R; Araujo, O. (1992). PROCESS STUDIES ON INDIRECT ELECTROSYNTHESIS OF 1,4-NAPHTHOQUINONE. *J Electrochem Soc* 139: 737-744.
- Allcock, NR; Sunderland, NJ; Primrose, AP; Rheingold, AL; Guzei, IA; Parvez, M. (1999). A new host for polymer and small-molecule clathration. *Chem Mater* 11: 2478-2485.
- Allen, J; Kligerman, A; Campbell, J; Westbrook-Collins, B; Erexson, G; Kari, F; Zeiger, E. (1990). Cytogenetic analyses of mice exposed to dichloromethane. *Environ Mol Mutagen* 15: 221-228. <http://dx.doi.org/10.1002/em.2850150409>.
- Allen, LH; Lapointe, CL. (2003). Temperature and pH: Important variables for deresination in kraft brownstock washing. *Pulp and Paper Canada* 104: 59-62.
- Al-Lihaibi, SS. (2003). Photo-oxidation products of petroleum hydrocarbons in the Eastern Red Sea coastal waters. *Environ Int* 28: 573-579.
- Almendros, G; Guadalix, ME; Gonzalez-Vila, FJ; Martin, F. (1998). Distribution of structural units in humic substances as revealed by multi-step selective degradations and C-13-NMR of successive residues. *Soil Biol Biochem* 30: 755-765.
- Al-Merey, R; Al-Hameish, M. (2003). New procedure for the formation of the V(2)o(3)(4) chelate in organic medium and its use in selective spectrophotometric determination of vanadium in commercial phosphoric acid. 10: 1-11.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Almodóvar, J; Kipper, MJ. (2011). Coating electrospun chitosan nanofibers with polyelectrolyte multilayers using the polysaccharides heparin and N,N,N-trimethyl chitosan. *Macromol Biosci* 11: 72-76. <http://dx.doi.org/10.1002/mabi.201000261>.
- Almquist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen* 214: 259-271.
- Al-Mutlaq, K; Rushdi, AI; Simoneit, BRT. (2007). Organic compound tracers of fine soil and sand particles during summer in the metropolitan area of Riyadh, Saudi Arabia. *Environ Geol* 52: 559-571. <http://dx.doi.org/10.1007/s00254-006-0487-7>.
- Alonso, C; Zhu, XQ; Suidan, MT; Kim, BR; Kim, BJ. (2000). Parameter estimation in biofilter systems. *Environ Sci Technol* 34: 2318-2323.
- Alonsoamelot, ME; Perezmena, M; Calcagno, MP; Jaimesespinoza, R; Castillo, U. (1992). ONTOGENIC VARIATION OF BIOLOGICALLY-ACTIVE METABOLITES OF PTERIDIUM-AQUILINUM (L-KUHN), PTEROSIN-A AND PTEROSIN-B, AND PTAQUILOSIDE IN A BRACKEN POPULATION OF THE TROPICAL ANDES. *J Chem Ecol* 18: 1405-1420.
- Al-Rasbi, NK; Adams, H; Suliman, FO. (2014). Synthesis, structure and tunable white-light emission of dinuclear Eu(III) Schiff base complex. *Dyes and Pigments* 104: 83-88. <http://dx.doi.org/10.1016/j.dyepig.2013.12.030>.
- Alshahateet, SF; Bishop, R; Craig, DC; Scudder, ML. (2004). Role of double C-H center dot center dot center dot N weak hydrogen bonding motifs in N-heteroaromatic inclusion chemistry. *Cryst Growth Des* 4: 837-844. <http://dx.doi.org/10.1021/cg049927r>.
- Alsop, D; Hewitt, M; Kohli, M; Brown, S; Van Der Kraak, G. (2003). Constituents within pulp mill effluent deplete retinoid stores in white sucker and bind to rainbow trout retinoic acid receptors and retinoid X receptors. *Environ Toxicol Chem* 22: 2969-2976.
- Alther, G. (2002). Using organoclays to enhance carbon filtration. *Waste Manag* 22: 507-513.
- Altintig, E; Kirkil, S. (2016). Preparation and properties of Ag-coated activated carbon nanocomposites produced from wild chestnut shell by ZnCl<sub>2</sub> activation. *Taiwan Institute of Chemical Engineers Journal* 63: 180-188. <http://dx.doi.org/10.1016/j.tjice.2016.02.032>.
- Altun, G; Osgouei, A, liE. (2014). Investigation and remediation of active-clay contaminated sepiolite drilling muds. *Appl Clay Sci* 102: 238-245. <http://dx.doi.org/10.1016/j.clay.2014.10.002>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Juan-Juan, J; Linares-Solano, A; Rodriguez, JJ. (2010). Gas-phase hydrodechlorination of dichloromethane with activated carbon-supported metallic catalysts. *Chem Eng J* 162: 599-608. <http://dx.doi.org/10.1016/j.cej.2010.06.002>.
- Álvarez-Montero, MA; Gómez-Sainero, LM; Martín-Martínez, M; Heras, F; Rodriguez, JJ. (2010). Hydrodechlorination of chloromethanes with Pd on activated carbon catalysts for the treatment of residual gas streams. *Appl Catal B-Environ* 96: 148-156. <http://dx.doi.org/10.1016/j.apcatb.2010.02.012>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Mayoral, A; Diaz, I; Baker, RT; Rodriguez, JJ. (2011). Hydrodechlorination of chloromethanes with a highly stable Pt on activated carbon catalyst. *J Catal* 279: 389-396. <http://dx.doi.org/10.1016/j.jcat.2011.02.009>.
- Alver, E; Metin, AU. (2012). Anionic dye removal from aqueous solutions using modified zeolite: Adsorption kinetics and isotherm studies. *Chem Eng J* 200: 59-67. <http://dx.doi.org/10.1016/j.cej.2012.06.038>.
- Alves, C; Carvalho, A; Pio, C. (2002). Mass balance of organic carbon fractions in atmospheric aerosols. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD000616>.
- Alves, C; Pio, C; Carvalho, A; Santos, C. (2006). Atmospheric carbonaceous aerosols over grasslands of central Europe and a Boreal forest. *Chemosphere* 63: 153-164. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.004>.
- Alves, CA; Vicente, ED; Rocha, S; Vicente, A, naM. (2017). Organic tracers in aerosols from the residential combustion of pellets and agro-fuels. *Air Qual Atmos Health* 10: 37-45. <http://dx.doi.org/10.1007/s11869-016-0406-3>.
- Alves, DS; Morejon, RC; Teixeira Machado, AR; Carvalho, GA; Pina, O; Oliveira, DF. (2015). Acaricidal activity of Annonaceae fractions against *Tetranychus tumidus* and *Tetranychus urticae* (Acari: Tetranychidae) and the metabolite profile of *Duguetia lanceolata* (Annonaceae) using GC-MS. 36: 4119-4132. <http://dx.doi.org/10.5433/1679-0359.2015v36n6Supl2p4119>.
- Alves, LC; Miyamaru Seo, ES. (2014). Solid waste characterization from galvanic process for an environmental economic evaluation. *Engenharia Sanitaria e Ambiental* 19: 423-434. <http://dx.doi.org/10.1590/S1413-41522014019000000637>.
- Alves, R; Preto, M; Vasconcelos, V; Oliveira, RS; Martins, R. (2015). Cytotoxicity Induced by Extracts of *Pisolithus tinctorius* Spores on Human Cancer and Normal Cell Lines-Evaluation of the Anticancer Potential. *J Toxicol Environ Health A* 78: 840-847. <http://dx.doi.org/10.1080/15287394.2015.1051176>.
- Alzaga, R; Maldonado, C; Bayona, JM. (1998). Intercomparison among SFE, ASE, Soxhlet and sonication for the trialkylamine determination in sediment and sludge. *Int J Environ Anal Chem* 72: 99-111.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1577-1590.
- Amanullah, FM; Al-Mobarak, MS; Al-Dhafiri, AM; Al-Shibani, KM. (1999). Development of spray technique for the preparation of thin films and characterization of tin oxide transparent conductors. *Mater Chem Phys* 59: 247-253.
- Amarillo, AC; Tavera Busso, I; Carreras, H. (2014). Exposure to polycyclic aromatic hydrocarbons in urban environments: Health risk assessment by age groups. *Environ Pollut* 195: 157-162. <http://dx.doi.org/10.1016/j.envpol.2014.08.027>.
- Ambrus, A; Füzesi, I; Susán, M; Dobi, D; Lantos, J; Zakar, F; Korsós, I; Oláh, J; Beke, BB; Katavics, L. (2005). A cost-effective screening method for pesticide residue analysis in fruits, vegetables, and cereal grains. *J Environ Sci Health B* 40: 297-339. <http://dx.doi.org/10.1081/PFC-200045554>.
- Amedee, T; Despeyroux, S. (1995). ATP ACTIVATES CATIONIC AND ANIONIC CONDUCTANCES IN SCHWANN-CELLS CULTURED FROM DORSAL-ROOT GANGLIA OF THE MOUSE. *Proc Biol Sci* 259: 277-284.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ameen, S; Akhtar, MS; Seo, HK, ee; Shin, HS. (2014). Distinctive polypyrrole nanobelts as prospective electrode for the direct detection of aliphatic alcohols: Electrocatalytic properties. *Appl Catal B-Environ* 144: 665-673. <http://dx.doi.org/10.1016/j.apcatb.2013.07.053>.
- Amendola, G; Pelosi, P; Dommarco, R. (2011). Solid-phase extraction for multi-residue analysis of pesticides in honey. *J Environ Sci Health B* 46: 24-34. <http://dx.doi.org/10.1080/03601234.2010.515170>.
- Ameur, ZO; Husein, MM. (2013). Electrochemical Behavior of Potassium Ferricyanide in Aqueous and (w/o) Microemulsion Systems in the Presence of Dispersed Nickel Nanoparticles. *Separation Science and Technology* 48: 681-689. <http://dx.doi.org/10.1080/01496395.2012.712594>.
- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data* 43: 1096-1101.
- Amine, MS; Mahmoud, AA; Badr, SK; Gouda, AS. (2012). Fatty Acids in Heterocyclic Synthesis Part XII: Synthesis of Surfactants from Pyrazole, Isoxazole, Pyrimidine and Triazine, Incorporating the 1,3,4-Thiadiazole Moiety Having Dyeing and Antimicrobial Activities. *Journal of Surfactants and Detergents* 15: 179-190. <http://dx.doi.org/10.1007/s11743-011-1301-4>.
- Amjad, MW; Amin, MC; Katas, H; Butt, AM. (2012). Doxorubicin-loaded cholic acid-polyethyleneimine micelles for targeted delivery of antitumor drugs: synthesis, characterization, and evaluation of their in vitro cytotoxicity. *Nanoscale Res Lett* 7: 687. <http://dx.doi.org/10.1186/1556-276X-7-687>.
- Amusant, N; Moretti, C; Richard, B; Prost, E; Nuzillard, JM; Thevenon, MF. (2007). Chemical compounds from *Eperua falcata* and *Eperua grandiflora* heartwood and their biological activities against wood destroying fungus (*Coriolus versicolor*). *Holz als Roh- und Werkstoff* 65: 23-28. <http://dx.doi.org/10.1007/s00107-006-0120-1>.
- An, JM; Franceschetti, A; Zunger, A. (2007). The excitonic exchange splitting and radiative lifetime in PbSe quantum dots. *Nano Lett* 7: 2129-2135. <http://dx.doi.org/10.1021/nl071219f>.
- Anarjan, N; Tan, CP; Ling, TC; Lye, KL; Malmiri, HJ; Nehdi, IA; Cheah, YK; Mirhosseini, H; Baharin, BS. (2011). Effect of organic-phase solvents on physicochemical properties and cellular uptake of astaxanthin nanodispersions. *J Agric Food Chem* 59: 8733-8741. <http://dx.doi.org/10.1021/jf201314u>.
- Anaya, AL; Hernandez-Bautista, BE; Jimenez-Estrada, M; Velasco-Ibarra, L. (1992). Phenylacetic acid as a phytotoxic compound of corn pollen. *J Chem Ecol* 18: 897-905.
- Anbalagan, C; Lafayette, I; Antoniou-Kourounioti, M; Gutierrez, C; Martin, JR; Chowdhuri, DK; De Pomerai, DI. (2013). Use of transgenic GFP reporter strains of the nematode *Caenorhabditis elegans* to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. *Ecotoxicology* 22: 72-85. <http://dx.doi.org/10.1007/s10646-012-1004-2>.
- Andersen, ME. (1991). Physiological modelling of organic compounds. *Ann Occup Hyg* 35: 309-321. <http://dx.doi.org/10.1093/annhyg/35.3.309>.
- Andersen, ME; Clewell, H; Krishnan, K. (1995). Tissue dosimetry, pharmacokinetic modeling, and interspecies scaling factors [Review]. *Risk Anal* 15: 533-537.
- Andersen, ME; Conolly, RB; Faustman, EM; Kavlock, RJ; Portier, CJ; Sheehan, DM; Wier, PJ; Ziese, L. (1999). Quantitative mechanistically based dose-response modeling with endocrine-active compounds. *Environ Health Perspect* 107 Suppl 4: 631-638.
- Andersen, ME; Dennison, JE. (2001). Mode of action and tissue dosimetry in current and future risk assessments [Review]. *Sci Total Environ* 274: 3-14. [http://dx.doi.org/10.1016/S0048-9697\(01\)00744-6](http://dx.doi.org/10.1016/S0048-9697(01)00744-6).
- Andersen, ME; Dennison, JE. (2002). Toxicokinetic models: Where we've been and where we need to go! *Hum Ecol Risk Assess* 8: 1375-1395.
- Andersen, ME; Krishnan, K. (1994). Physiologically based pharmacokinetics and cancer risk assessment. *Environ Health Perspect* 102: 103-108.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Clark, SB; Madson, MR; Gieseker, CA; Miller, RA; Rummel, NG; Reimschuessel, R. (2008). Determination and confirmation of melamine residues in catfish, trout, tilapia, salmon, and shrimp by liquid chromatography with tandem mass spectrometry. *J Agric Food Chem* 56: 4340-4347. <http://dx.doi.org/10.1021/jf800295z>.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Evans, E; Hasbrouck, N; Mayer, TD; Gieseker, CM; Nochetto, C; Stine, CB; Reimschuessel, R. (2011). Bioaccumulation of melamine in catfish muscle following continuous, low-dose, oral administration. *J Agric Food Chem* 59: 3111-3117. <http://dx.doi.org/10.1021/jf104385d>.
- Andersen, WC; Turnipseed, SB; Roybal, JE. (2006). Quantitative and confirmatory analyses of malachite green and leucomalachite green residues in fish and shrimp. *J Agric Food Chem* 54: 4517-4523. <http://dx.doi.org/10.1021/jf0532258>.
- Anderson, JA; Hardgrove, E; Cavitt, TB; Reeves, PC. (2007). Photoinitiation of multifunctional acrylates via ferrocene-alkyl chloride charge transfer complexes. *JCT Research* 4: 43-49. <http://dx.doi.org/10.1007/s11998-007-9008-1>.
- Anderson, JW; Jones, JM; Steinert, S; Sanders, B; Means, J; Mcmillin, D; Vu, T; Tukey, R. (1999). Correlation of CYP1A1 induction, as measured by the P450 RGS biomarker assay, with high molecular weight PAHs in mussels deployed at various sites in San Diego Bay in 1993 and 1995. *Mar Environ Res* 48: 4-5.
- Anderson, JW; Rossi, SS; Tukey, RH; Vu, T; Quattrochi, LC. (1995). A biomarker, P450 RGS, for assessing the induction potential of environmental samples. *Environ Toxicol Chem* 14: 1159-1169. <http://dx.doi.org/10.1002/etc.5620140706>.
- Anderson, KB; Collins, MJ; Franich, RA; Kroese, HW. (1992). FORMATION OF 7-KETODEHYDROABIETIC ACID AT THE RADIATA PINE WOOD SURFACE, AND ITS EFFECT ON WOOD YELLOWING. *Journal of Wood Chemistry and Technology* 12: 323-333.
- Anderson, MT; Martin, JE; Odinek, JG; Newcomer, PP. (1998). Surfactant-templated silica mesophases formed in water : cosolvent mixtures. *Chem Mater* 10: 311-321.
- Ando, T; Toia, RF; Casida, JE. (1991). EPOXY AND HYDROXY DERIVATIVES OF (S)-BIOALLETHRIN AND PYRETHRINS-I AND PYRETHRINS-II - SYNTHESIS AND METABOLISM. *J Agric Food Chem* 39: 606-611.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Andres, Y; Dumont, E; Le Cloirec, P; Ramirez-Lopez, E. (2006). Wood bark as packing material in a biofilter used for air treatment. *Environ Technol* 27: 1297-1301.
- Anfossi, L; Calderara, M; Baggiani, C; Giovannoli, C; Arletti, E; Giraudi, G. (2008). Development and application of solvent-free extraction for the detection of aflatoxin M1 in dairy products by enzyme immunoassay. *J Agric Food Chem* 56: 1852-1857. <http://dx.doi.org/10.1021/jf073133d>.
- Angin, D; Altintig, E; Köse, TE. (2013). Influence of process parameters on the surface and chemical properties of activated carbon obtained from biochar by chemical activation. *Bioresour Technol* 148: 542-549. <http://dx.doi.org/10.1016/j.biortech.2013.08.164>.
- Anicai, L; Petica, A; Patroi, D; Marinescu, V; Prioteasa, P; Costovici, S. (2015). Electrochemical synthesis of nanosized TiO<sub>2</sub> nanopowder involving choline chloride based ionic liquids. *Mater Sci Eng B* 199: 87-95. <http://dx.doi.org/10.1016/j.mseb.2015.05.005>.
- Anikeev, V; Tsang, W; Manion, JA. (2006). Density effects in the reaction of 2-propanol in supercritical water. *Combust Sci Tech* 178: 417-441. <http://dx.doi.org/10.1080/00102200500287266>.
- Anirudhan, TS; Ramachandran, M. (2015). Adsorptive removal of basic dyes from aqueous solutions by surfactant modified bentonite clay (organoclay): Kinetic and competitive adsorption isotherm. *Process Saf Environ Protect* 95: 215-225. <http://dx.doi.org/10.1016/j.psep.2015.03.003>.
- Anis, SM; Hosny, MM; Abdellatef, HE; El-Balkiny, MN. (2011). SPECTROPHOTOMETRIC, ATOMIC ABSORPTION AND CONDUCTOMETRIC ANALYSIS OF TRAMADOL HYDROCHLORIDE. *Chemical Industry and Chemical Engineering Quarterly* 17: 269-282. <http://dx.doi.org/10.2298/CICEQ101206012A>.
- Annan, KO; Scherf, U; Mullen, K. (1999). Visible-emitting poly[(3',4'-dialkoxy-carbonyl-2'-hydroxy-1,1':5',1''-terphenyl-4,4''-ylene)]. *Synthetic Metals* 99: 9-16.
- Anon. (1995). Paint Strippers- methylene chloride hard to beat. *Chem Eng News* 73: 45-47.
- Anouar, B, enS; Guinot, C; Ruiz, JC; Charton, F; Dole, P; Joly, C; Yvan, C. (2015). Purification of post-consumer polyolefins via supercritical CO<sub>2</sub> extraction for the recycling in food contact applications. *Journal of Supercritical Fluids* 98: 25-32. <http://dx.doi.org/10.1016/j.supflu.2014.12.022>.
- Anozie, AN; Okuhon, EE; Osuolale, FN; Adewole, JK. (2010). Dehydration of Ethanol-Water Mixture Using Activated Carbons from Sawdust and Palm Kernel Shells. *Separation Science and Technology* 45: 1482-1489. <http://dx.doi.org/10.1080/01496391003775998>.
- Ansorena, D; Astiasaran, I; Bello, J. (2000). Influence of the simultaneous addition of the protease flavourzyme and the lipase novozym 677BG on dry fermented sausage compounds extracted by SDE and analyzed by GC-MS. *J Agric Food Chem* 48: 2395-2400.
- Antoine, C; Irvoas, J; Schwarzenberger, K; Eckert, K; Wodlei, F; Pimienta, V. (2016). Self-Pinning on a Liquid Surface. *Journal of Physical Chemistry Letters* 7: 520-524. <http://dx.doi.org/10.1021/acs.jpcllett.5b02724>.
- Antoine, C; Pimienta, V. (2013). Mass-spring model of a self-pulsating drop. *Langmuir* 29: 14935-14946. <http://dx.doi.org/10.1021/la403678r>.
- Antonelli, A; Fabbri, C; Giorgioni, ME; Bazzocchi, R. (1997). Characterization of 24 old garden roses from their volatile compositions. *J Agric Food Chem* 45: 4435-4439.
- Antonello, S; Hesari, M; Polo, F; Maran, F. (2012). Electron transfer catalysis with monolayer protected Au<sub>25</sub> clusters. *Nanoscale* 4: 5333-5342. <http://dx.doi.org/10.1039/c2nr31066j>.
- Antonov, L; Kawachi, S; Satoh, M; Komiyama, J. (1999). Ab initio modeling of the solvent influence on the azo-hydrazone tautomerism. *Dyes and Pigments* 40: 163-170.
- Apak, R; Güçlü, K; Ozyürek, M; Karademir, SE. (2004). Novel total antioxidant capacity index for dietary polyphenols and vitamins C and E, using their cupric ion reducing capability in the presence of neocuproine: CUPRAC method. *J Agric Food Chem* 52: 7970-7981. <http://dx.doi.org/10.1021/jf048741x>.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc* 837: 154-164.
- Apelblat, A; Wisniak, J; Tamir, A. (1981). VAPOR-LIQUID-EQUILIBRIA IN THE DICHLOROMETHANE-CHLOROBROMOMETHANE-DIBROMOMETHANE SYSTEM AND ITS BINARIES. *Journal of Chemical and Engineering Data* 26: 144-147.
- Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. *Energy Fuels* 17: 565-570. <http://dx.doi.org/10.1021/ef020149r>.
- Apicella, B; Ciajolo, A; Suelves, I; Morgan, TJ; Herod, AA; Kandiyoti, R. (2002). Structural characterization of products from fuel-rich combustion: an approach based on size exclusion chromatography. *Combust Sci Tech* 174: 345-359. <http://dx.doi.org/10.1080/00102200290021713>.
- Arabpour, N; Nezamzadeh-Ejhieh, A. (2015). Modification of clinoptilolite nano-particles with iron oxide: Increased composite catalytic activity for photodegradation of cotrimaxazole in aqueous suspension. *Materials Science in Semiconductor Processing* 31: 684-692. <http://dx.doi.org/10.1016/j.mssp.2014.12.067>.
- Aragon, DM; Rosas, JE; Martinez, F. (2014). EFFECT OF THE IBUPROFEN SOLUBILITY IN ACETONE AND DICHLOROMETHANE ON THE DRUG RELEASE PROFILES FROM PLGA MICROSPHERES. *Lat Am Appl Res* 44: 87-87.
- Aranda, A, naI; Achelle, S; Hammerer, F; Mahuteau-Betzer, F; Teulade-Fichou, MP. (2012). Vinyl-diazine triphenylamines and their N-methylated derivatives: Synthesis, photophysical properties and application for staining DNA. *Dyes and Pigments* 95: 400-407. <http://dx.doi.org/10.1016/j.dyepig.2012.04.009>.
- Aranyos, V; Grennberg, H; Tingry, S; Lindquist, SE; Hagfeldt, A. (2000). Electrochemical and photoelectrochemical investigation of new carboxylatobipyridine (bis-bipyridine)ruthenium(II) complexes for dye-sensitized TiO<sub>2</sub> electrodes. *Solar Energy Materials and Solar Cells* 64: 97-114.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Aranzabal, A; Gonzalez-Marcos, JA; Ayastuy, JL; Gonzalez-Velasco, JR. (2006). Kinetics of Pd/alumina catalysed 1,2-dichloroethane gas-phase oxidation. *Chem Eng Sci* 61: 3564-3576. <http://dx.doi.org/10.1016/j.ces.2005.12.031>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Araujo, PLB; Araujo, ES; Santos, RFS; Pacheco, APL. (2005). Synthesis and morphological characterization of PMMA/polyaniline nanofiber composites. *Microelectronics Journal* 36: 1055-1057. <http://dx.doi.org/10.1016/j.mejo.2005.04.024>.
- Araya-Hermosilla, R; Araya-Hermosilla, E; Torres-Gallegos, C; Alarcon-Alarcon, C; Moreno-Villoslada, I. (2013). Sensing Cu<sup>2+</sup> by controlling the aggregation properties of the fluorescent dye rhodamine 6G with the aid of polyelectrolytes bearing different linear aromatic density. *React Funct Polym* 73: 1455-1463. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.07.013>.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res* 30: 1885-1893.
- Arcus-Arth, A; Blaisdell, RJ. (2007). Statistical distributions of daily breathing rates for narrow age groups of infants and children. *Risk Anal* 27: 97-110. <http://dx.doi.org/10.1111/j.1539-6924.2006.00862.x>.
- Areias, AC; Gomez-Tejedor, JA; Sencadas, V; Alio, J; Gomez Ribelles, JL; Lanceros-Mendez, S. (2012). Assessment of parameters influencing fiber characteristics of chitosan nanofiber membrane to optimize fiber mat production. *Polymer Engineering and Science* 52: 1293-1300. <http://dx.doi.org/10.1002/pen.23070>.
- Arevalo-Bastante, A; Alvarez-Montero, MA; Bedia, J; Gomez-Sainero, LM; Rodriguez, JJ. (2015). Gas-phase hydrodechlorination of mixtures of chloromethanes with activated carbon-supported platinum catalysts. *Appl Catal B-Environ* 179: 551-557. <http://dx.doi.org/10.1016/j.apcatb.2015.05.058>.
- Ariadna Alvarez-Montero, M; Jose Rodriguez, J; Maria Gomez-Sainero, L. (2016). Platinum Nanoparticles Supported on Activated Carbon Catalysts for the Gas-phase Hydrodechlorination of Dichloromethane: Influence of Catalyst Composition and Operating Conditions. 6. <http://dx.doi.org/10.5772/62593>.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res* 54: 2023-2029. <http://dx.doi.org/10.1021/ie5042484>.
- Ariff, FTM; Yunus, N; Baig, MR. (2011). The effect of mechanical roughening and chemical treatment on shear bond strength of urethane dimethacrylate denture base resin. *International Journal of Adhesion and Adhesives* 31: 112-118. <http://dx.doi.org/10.1016/j.ijadhadh.2010.11.011>.
- Aristizabal, BH; Montes de Correa, C; Serykh, AI; Hetrick, CE; Amiridis, MD. (2008). In situ FTIR study of the adsorption and reaction of ortho-dichlorobenzene over Pd-promoted Co-HMOR. *Microporous and Mesoporous Materials* 112: 432-440. <http://dx.doi.org/10.1016/j.micromeso.2007.10.020>.
- Arivoli, S; Narendran, T; Ignacimuthu, S. (2000). Larvicidal activity of some botanicals against *Culex quinquefasciatus* say. *Journal of Advanced Zoology* 21: 19-23.
- Ariyama, T; Nakayama, T. (1994). THERMAL-BEHAVIOR OF HYDROSTATICALLY EXTRUDED POLYCARBONATE AND HIGH-IMPACT POLYSTYRENE. *Polymer Engineering and Science* 34: 1269-1274.
- Arnaud, P; Boue, C; Chaumeil, JC. (1996). Cellulose acetate butyrate microparticles for controlled release of carbamazepine. *J Microencapsul* 13: 407-417.
- Arnaud-Neu, F; Barbosa, S; Fanni, S; Schwing-Weill, MJ; Mckee, V; Mckervey, MA. (2000). Alkali and alkaline earth ion complexation and X-ray crystal structure of p-tert-butylcalix[4]arene tetraethylamide. *Ind Eng Chem Res* 39: 3489-3492.
- Arora, A; Singh, B; Sud, D; Srivastava, T; Arora, CL. (2003). Inhibition of nitrification in soil by metal diethyldithiocarbamates. *J Environ Sci* 15: 607-610.
- Arregui, FJ; Claus, RO; Cooper, KL; Fernandez-Valdivielso, C; Matias, IR. (2001). Optical fiber gas sensor based on self-assembled gratings. *Journal of Lightwave Technology* 19: 1932-1937.
- Arregui, FJ; Matias, IR; Claus, RO. (2003). Optical fiber gas sensors based on hydrophobic alumina thin films formed by the electrostatic self-assembly monolayer process. *IEEE Sens J* 3: 56-61. <http://dx.doi.org/10.1109/JSEN.2003.810109>.
- Arrhenius, K; Podien, D; Yaghooby, H; Smajovic, N. (2015). Optimization of an Analytical Method for the Measurement of Oil Carryover from a Compressor in Compressed Natural Gas Refueling Stations. *Energy Fuels* 29: 2416-2421. <http://dx.doi.org/10.1021/ef5027423>.
- Arrieta, DE; Ontiveros, CC; Li, WW; Garcia, JH; Denison, MS; McDonald, JD; Burchiel, SW; Washburn, BS. (2003). Aryl hydrocarbon receptor-mediated activity of particulate organic matter from the Paso del Norte airshed along the US-Mexico border. *Environ Health Perspect* 111: 1299-1305. <http://dx.doi.org/10.1289/ehp.6058>.
- Arrigo, A; Mazzaro, R; Romano, F; Bergamini, G; Ceroni, P. (2016). Photoinduced Electron-Transfer Quenching of Luminescent Silicon Nanocrystals as a Way To Estimate the Position of the Conduction and Valence Bands by Marcus Theory. *Chem Mater* 28: 6664-6671. <http://dx.doi.org/10.1021/acs.chemmater.6b02880>.
- Arshanitsa, A; Krumina, L; Telysheva, G; Dzhbite, T. (2016). Exploring the application potential of incompletely soluble organosolv lignin as a macromonomer for polyurethane synthesis. *Ind Crop Prod* 92: 1-12. <http://dx.doi.org/10.1016/j.indcrop.2016.07.050>.
- Asadullah, M; Kabir, MS; Ahmed, MB; Razak, NA; Rasid, NSA; Aezzira, A. (2013). Role of microporosity and surface functionality of activated carbon in methylene blue dye removal from water. *Korean J Chem Eng* 30: 2228-2234. <http://dx.doi.org/10.1007/s11814-013-0172-y>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Asakawa, Y; Takahashi, H; Kobayashi, M; Iwasaki, N. (2013). Effect of components and surface treatments of fiber-reinforced composite posts on bond strength to composite resin. *Journal of the Mechanical Behavior of Biomedical Materials* 26: 23-33. <http://dx.doi.org/10.1016/j.jmbbm.2013.05.022>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Ashmore, J; Bishop, R; Craig, DC; Scudder, ML. (2007). Chlorine-influenced changes in the molecular inclusion and packing properties of a diquinoline host. *Cryst Growth Des* 7: 47-55. <http://dx.doi.org/10.1021/cg060338q>.
- Aski, SN; Lo, AYH; Brotin, T; Dutasta, JP; Eden, M; Kowalewski, J. (2008). Studies of inclusion complexes of dichloromethane in cryptophanes by exchange kinetics and C-13 NMR in solution and the solid state. *J Phys Chem C* 112: 13873-13881. <http://dx.doi.org/10.1021/jp8039498>.
- Asl, MH; Moosavi, F; Sargolzaei, J. (2016). Molecular dynamics simulation study: The reactivation of NaX zeolite contaminated by bi and tri aromatics using supercritical fluid extraction. *Journal of Supercritical Fluids* 112: 103-113. <http://dx.doi.org/10.1016/j.supflu.2016.01.003>.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe<sup>2+</sup>, S<sup>2-</sup>, and FeS with vitamin B-12 as organic amendment. *J Environ Eng* 128: 94-99.
- Assempour, H; Koenig, MF; Huang, SJ. (1994). SYNTHESIS AND CHARACTERIZATION OF DODECENYL SUCCINATE DERIVATIVES OF SACCHARIDES. *ACS Symp Ser Am Chem Soc* 575: 69-81.
- Assimopoulou, AN; Papageorgiou, VP; Kiparissides, C. (2003). Synthesis and release studies of shikonin-containing microcapsules prepared by the solvent evaporation method. *J Microencapsul* 20: 581-596. <http://dx.doi.org/10.1080/0265204031000148031>.
- Assmann, C; von Elert, E. (2009). The Impact of Fungal Extracts on Leaf Litter on the Food Preference of *Gammarus roeselii*. *Int Rev Hydrobiol* 94: 484-496. <http://dx.doi.org/10.1002/iroh.200811160>.
- Atanassova, I; Doerr, SH; Bryant, R. (2012). Changes in organic compound composition in soil following heating to maximum soil water repellency under anoxic conditions. *Environ Chem* 9: 369-378. <http://dx.doi.org/10.1071/EN11122>.
- Ates, M; Osken, I; Ozturk, T. (2012). Poly(3,5-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene-co-Ethylenedioxythiophene)/Glassy Carbon Electrode Formation and Electrochemical Impedance Spectroscopic Study. *J Electrochem Soc* 159: E115-E121. <http://dx.doi.org/10.1149/2.041206jes>.
- Ates, M; Sarac, AS; Turhan, CM; Ayaz, NE, ce. (2009). Polycarbazole modified carbon fiber microelectrode: Surface characterization and dopamine sensor. *Fibers and Polymers* 10: 46-52. <http://dx.doi.org/10.1007/s12221-009-0046-4>.
- Atia, AA. (2006). Synthesis of a quaternary amine anion exchange resin and study [of] its adsorption behaviour for chromate oxyanions. *J Hazard Mater* 137: 1049-1055. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.041>.
- Atik, Z; Ahlers, J; Lohmann, J; Gmehling, J. (2001). Binary solid-liquid equilibria of N,N-dimethylacetamide with 1,2-dichloroethane, dichloromethane, and 1-propanol. *Journal of Chemical and Engineering Data* 46: 1190-1192.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data* 1: 1-246.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res* 98: 16933-16947.
- Atta, AM; Al-Lohedan, HA; Alothman, ZA; Abdel-Khalek, AA; Tawfeek, AM. (2015). Characterization of reactive amphiphilic montmorillonite nanogels and its application for removal of toxic cationic dye and heavy metals water pollutants. *J Ind Eng Chem* 31: 374-384. <http://dx.doi.org/10.1016/j.jiec.2015.07.012>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attia, AA; El-Hendawy, ANA; Khedr, SA; El-Nabarawy, T. (2004). Textural properties and adsorption of dyes onto carbons derived from cotton stalks. *AST* 22: 411-426.
- Attia, YA. (2016). Ag/ZnO/graphene-tert-butyldimethylsilyl chloride hybrid nanocomposite as highly efficient catalyst for hydrogen production. 6: 211-219. <http://dx.doi.org/10.1166/mex.2016.1297>.
- Atun, G; Tuncay, M; Hisarli, G; Talman, RY; Hosgormez, H. (2009). Adsorption equilibria between dye and surfactant in single and binary systems onto geological materials. *Appl Clay Sci* 45: 254-261. <http://dx.doi.org/10.1016/j.clay.2009.06.003>.
- Aubert, C; Bourger, N. (2004). Investigation of volatiles in Charentais cantaloupe melons (*Cucumis melo* Var. *cantalupensis*). Characterization of aroma constituents in some cultivars. *J Agric Food Chem* 52: 4522-4528. <http://dx.doi.org/10.1021/jf049777s>.
- Audebert, P; Hapiot, P. (1995). Fast electrochemical studies of the polymerization mechanisms of pyrroles and thiophenes. Identification of the first steps. Existence of pi-dimers in solution. *Synthetic Metals* 75: 95-102.
- Augusta, P; Kalaichelvi, P. (2016). Investigation on microwave and ultrasound-assisted cornhusk for the removal of emulsified engine oil from water. *Desalination and Water Treatment* 57: 13120-13131. <http://dx.doi.org/10.1080/19443994.2015.1055807>.
- Aumann, J; Hashem, M. (1993). STUDIES ON SUBSTANCES WITH SEX-PHEROMONE ACTIVITY PRODUCED BY HETERODERA-SCHACHTII FEMALES. 16: 43-46.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Aumelas, A; Serrero, A; Durand, A; Dellacherie, E; Leonard, M. (2007). Nanoparticles of hydrophobically modified dextrans as potential drug carrier systems. *Colloids Surf B Biointerfaces* 59: 74-80. <http://dx.doi.org/10.1016/j.colsurfb.2007.04.021>.
- Aurilia, M; Sorrentino, L; Sanguigno, L; Iannace, S. (2010). Nanofilled Polyethersulfone as Matrix for Continuous Glass Fibers Composites: Mechanical Properties and Solvent Resistance. *Advances in Polymer Technology* 29: 146-160. <http://dx.doi.org/10.1002/adv.20187>.
- Auta, M; Hameed, BH. (2014). Chitosan-clay composite as highly effective and low-cost adsorbent for batch and fixed-bed adsorption of methylene blue. *Chem Eng J* 237: 352-361. <http://dx.doi.org/10.1016/j.cej.2013.09.066>.
- Autay, R; Elleuch, K; Zribi, K; Feller, JF. (2011). Conductive eco-polymer composites: wear behaviour of recycled polycarbonate/crushed rubber microparticles. *Plastics, Rubber and Composites* 40: 139-145. <http://dx.doi.org/10.1179/1743289811X12988633927952>.
- Autio, WR; Robinson, TL; Black, B; Bradshaw, T; Cline, JA; Crassweller, RM; Embree, CG; Hoover, EE; Hoying, SA; Iungerman, KA; Johnson, RS; Lang, G; Parker, ML; Perry, RL; Reighard, GL; Stasiak, M; Warmund, M; Wolfe, D. (2011). Performance of 'Fuji' and 'McIntosh' Apple Trees after 10 Years as Affected by Several Semidwarf Rootstocks in the 1999 NC-140 Apple Rootstock Trial. *Journal of the American Pomological Society* 65: 21-38.
- Auwal, IA; Baykal, A; Guner, S; Sertkol, M; Sozeri, H. (2016). Magneto-optical properties BaBixLaxFe12-2xO19 (0.0 ≤ x ≤ 0.5) hexaferrites. *Journal of Magnetism and Magnetic Materials* 409: 92-98. <http://dx.doi.org/10.1016/j.jmmm.2016.02.093>.
- Avelar, FF; Bianchi, ML; Goncalves, M; da Mota, EG. (2010). The use of piassava fibers (*Attalea funifera*) in the preparation of activated carbon. *Bioresour Technol* 101: 4639-4645. <http://dx.doi.org/10.1016/j.biortech.2010.01.103>.
- Aydin, GO; Sonmez, HB. (2015). Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. *Mar Pollut Bull* 96: 155-164. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.033>.
- Aydin, K; Daisley, SEA. (2002). Relationships between rainfall rate and 35-GHz attenuation and differential attenuation: Modeling the effects of raindrop size distribution, canting, and oscillation. *IEEE Trans Geosci Remote Sens* 40: 2343-2352. <http://dx.doi.org/10.1109/TGRS.2002.805073>.
- Aydogmus, Z; Cetin, SM; Tosunoglu, S. (2002). Spectrophotometric determination of mexiletine hydrochloride in capsules using bromothymol blue. *Turkish Journal of Chemistry* 26: 839-842.
- Aysu, T; Kucuk, MM. (2015). Removal of crystal violet and methylene blue from aqueous solutions by activated carbon prepared from *Ferula orientalis*. *Int J Environ Sci Tech* 12: 2273-2284. <http://dx.doi.org/10.1007/s13762-014-0623-y>.
- Ayzner, AL; Tassone, CJ; Tolbert, SH; Schwartz, BJ. (2009). Reappraising the Need for Bulk Heterojunctions in Polymer-Fullerene Photovoltaics: The Role of Carrier Transport in All-Solution-Processed P3HT/PCBM Bilayer Solar Cells. *J Phys Chem C* 113: 20050-20060. <http://dx.doi.org/10.1021/jp9050897>.
- Azarian, A; Iraj Zad, A; Dolati, A; Ghorbani, M. (2008). Surface plasmon resonance of two-segmented Au-Cu nanorods. *Nanotechnology* 19: 415705. <http://dx.doi.org/10.1088/0957-4484/19/41/415705>.
- Azehara, H; Mizutani, W; Suzuki, Y; Ishida, T; Nagawa, Y; Tokumoto, H; Hiratani, K. (2003). Fixation and systematic dilution of rotaxane molecules on self-assembled monolayers. *Langmuir* 19: 2115-2123. <http://dx.doi.org/10.1021/la025924+>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Baba, S; o; Akedo, J, un. (2009). Fiber laser annealing of nanocrystalline PZT thick film prepared by aerosol deposition. *Appl Surf Sci* 255: 9791-9795. <http://dx.doi.org/10.1016/j.apsusc.2009.04.071>.
- Babak, VG; Baros, F; Boulanouar, O; Boury, F; Fromm, M; Kildeeva, NR; Ubrich, N; Maincent, P. (2007). Impact of bulk and surface properties of some biocompatible hydrophobic polymers on the stability of methylene chloride-in-water mini-emulsions used to prepare nanoparticles by emulsification-solvent evaporation. *Colloids Surf B Biointerfaces* 59: 194-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.05.010>.
- Babak, VG; Baros, F; Boury, F; Desbrieres, J. (2008). Dilational viscoelasticity and relaxation properties of interfacial electrostatic complexes between oppositely charged hydrophobic and hydrophilic polyelectrolytes. *Colloids Surf B Biointerfaces* 65: 43-49. <http://dx.doi.org/10.1016/j.colsurfb.2008.02.019>.
- Babel, A; Wind, JD; Jenekhe, SA. (2004). Ambipolar charge transport in air-stable polymer blend thin-film transistors. *Adv Funct Mater* 14: 891-898. <http://dx.doi.org/10.1002/adfm.200305180>.
- Bacaloglu, R; Blasko, A; Bunton, CA; Cerichelli, G; Shirazi, A. (1991). SEGMENTAL MOTIONS OF FREE AND MICELLIZED CATIONIC SURFACTANTS - C-13 SPIN-LATTICE RELAXATION. *Langmuir* 7: 1107-1111.
- Bacchi, A; Bourne, S; Cantoni, G; Cavallone, SAM; Mazza, S; Mehlana, G; Pelagatti, P; Righi, L. (2015). Reversible Guest Removal and Selective Guest Exchange with a Covalent Dinuclear Wheel-and-Axle Metallorganic Host Constituted by Half-Sandwich Ru(II) Wheels Connected by a Linear Diphosphine Axle. *Cryst Growth Des* 15: 1876-1888. <http://dx.doi.org/10.1021/acs.cgd.5b00059>.
- Bachman, RE; Zuccherro, AJ; Robinson, JL. (2012). General approach to low-molecular-weight metallogelators via the coordination-induced gelation of an L-glutamate-based lipid. *Langmuir* 28: 27-30. <http://dx.doi.org/10.1021/la203569y>.
- Back, CL; Holomuzki, JR; Klarer, DM; Whyte, RS. (2012). Herbiciding invasive reed: indirect effects on habitat conditions and snail-algal assemblages one year post-application. *Wetlands Ecology and Management* 20: 419-431. <http://dx.doi.org/10.1007/s11273-012-9265-3>.
- Badens, E; Boutin, O; Charbit, G. (2005). Laminar jet dispersion and jet atomization in pressurized carbon dioxide. *Journal of Supercritical Fluids* 36: 81-90. <http://dx.doi.org/10.1016/j.supflu.2005.03.007>.
- Bader, S; Czerny, M; Eisner, P; Buettner, A. (2009). Characterisation of odour-active compounds in lupin flour. *J Sci Food Agric* 89: 2421-2427. <http://dx.doi.org/10.1002/jsfa.3739>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Badin, AL; Faure, P; Bedell, JP; Delolme, C. (2008). Distribution of organic pollutants and natural organic matter in urban storm water sediments as a function of grain size. *Sci Total Environ* 403: 178-187. <http://dx.doi.org/10.1016/j.scitotenv.2008.05.022>.
- Badkoubi, A; Stevens, DK; Murarka, IP. (1996). Quantification of pentachlorophenol transformation product distribution in the presence of *Phanerochaete chrysosporium*. *Arch Environ Contam Toxicol* 30: 1-8.
- Bae, J, inHan; Jang, J, ooRi; Lim, S, unY. (2014). Production of Glutathione and Reactive Oxygen Species in Cell Line HT-1080 Treated with Chub Mackerel (*Scomber japonicus*) Extract. 97: 180-184.
- Bae, SY; Jeon, IY; Yang, J; Park, N; Shin, HS; Park, S; Ruoff, RS; Dai, L; Baek, JB. (2011). Large-area graphene films by simple solution casting of edge-selectively functionalized graphite. *ACS Nano* 5: 4974-4980. <http://dx.doi.org/10.1021/nn201072m>.
- Bae, Y; Myung, N; Bard, AJ. (2004). Electrochemistry and electrogenerated chemiluminescence of CdTe nanoparticles. *Nano Lett* 4: 1153-1161. <http://dx.doi.org/10.1021/nl049516x>.
- Baek, W, ooil; Nirmala, R; Barakat, NAM; El-Newehy, MH; Al-Deyab, SS; Kim, H, akY. (2011). Electrospun cross linked rosin fibers. *Appl Surf Sci* 258: 1385-1389. <http://dx.doi.org/10.1016/j.apsusc.2011.09.082>.
- Bag, PP; Reddy, CM. (2012). Screening and Selective Preparation of Polymorphs by Fast Evaporation Method: A Case Study of Aspirin, Anthranilic Acid, and Niflumic Acid. *Cryst Growth Des* 12: 2740-2743. <http://dx.doi.org/10.1021/cg300404r>.
- Bagci, S; Ceyhan, AA. (2016). ADSORPTION OF METHYLENE BLUE ONTO ACTIVATED CARBON PREPARED FROM *Lupinus albus*. *Chemical Industry and Chemical Engineering Quarterly* 22: 155-165. <http://dx.doi.org/10.2298/CICEQ150522030B>.
- Bagherifam, S; Griffiths, GW; Mælandsmo, GM; Nyström, B; Hasirci, V; Hasirci, N. (2015). Poly(sebacic anhydride) nanocapsules as carriers: effects of preparation parameters on properties and release of doxorubicin. *J Microencapsul* 32: 166-174. <http://dx.doi.org/10.3109/02652048.2014.973073>.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res* 34: 171-178.
- Bahrami, A; Kochaksaraie, A. (2012). MORPHOLOGICAL, MECHANICAL AND BIOLOGICAL PROPERTIES OF NOVEL PCL-Cs/PVA MULTI LAYER NANOFIBROUS SCAFFOLDS. *Digest Journal of Nanomaterials and Biostructures* 7: 1437-1445.
- Bailey, BM; Fei, R; Munoz-Pinto, D; Hahn, MS; Grunlan, MA. (2012). PDMS(star)-PEG hydrogels prepared via solvent-induced phase separation (SIPS) and their potential utility as tissue engineering scaffolds. *Acta Biomater* 8: 4324-4333. <http://dx.doi.org/10.1016/j.actbio.2012.07.034>.
- Bailey, BM; Hui, V; Fei, R; Grunlan, MA. (2011). Tuning PEG-DA hydrogel properties via solvent-induced phase separation (SIPS)(). *J Mater Chem* 21: 18776-18782. <http://dx.doi.org/10.1039/C1JM13943F>.
- Bailey, VL; McGill, WB. (2001). Carbon transformations by indigenous microbes in four hydrocarbon-contaminated soils under static remediation conditions. *Can J Soil Sci* 81: 193-204.
- Bailey, VL; McGill, WB. (2002). Fate of C-14-labeled pyrene in a creosote- and octadecane in an oil-contaminated soil. *Soil Biol Biochem* 34: 423-433.
- Bailón, L; Nikolausz, M; Kästner, M; Veiga, MC; Kennes, C. (2009). Removal of dichloromethane from waste gases in one- and two-liquid-phase stirred tank bioreactors and biotrickling filters. *Water Res* 43: 11-20. <http://dx.doi.org/10.1016/j.watres.2008.09.031>.
- Bain, DF; Munday, DL; Smith, A. (1999). Solvent influence on spray-dried biodegradable microspheres. *J Microencapsul* 16: 453-474. <http://dx.doi.org/10.1080/026520499288915>.
- Bainard, LD; Brown, PD; Upadhyaya, MK. (2009). Inhibitory Effect of Tall Hedge Mustard (*Sisymbrium loeselii*) Allelochemicals on Rangeland Plants and Arbuscular Mycorrhizal Fungi. *Weed Sci* 57: 386-393. <http://dx.doi.org/10.1614/WS-08-151.1>.
- Baj, S; Chrobok, A; Siewniak, A. (2011). New and efficient technique for the synthesis of epsilon-caprolactone using KHSO<sub>5</sub> as an oxidising agent in the presence of a phase transfer catalyst. *Appl Catal A-Gen* 395: 49-52. <http://dx.doi.org/10.1016/j.apcata.2011.01.022>.
- Bajaj, B; Kim, B, in; Yoon, S; Lee, J; Park, B. (2014). One-Step Continuous Coating of Silver Nanoparticles on Well Aligned Fibers of PAI/PTACM. *Fibers and Polymers* 15: 47-56. <http://dx.doi.org/10.1007/s12221-014-0047-9>.
- Bajaj, B; Lee, S; Yoon, S; Park, B; Kim, B, in; Park, B; Lee, J. (2012). Effect of new poly(amide-co-imide)/poly(trimellitic anhydride chloride-co-4,4'-methylenedianiline) blends on nanofiber web formation. *J Mater Chem* 22: 2975-2981. <http://dx.doi.org/10.1039/c2jm15807h>.
- Bajaj, B; Yoon, SJ; Park, B; Lee, J. (2012). Coiled Fibers of Poly (Amide-Co-Imide) PAI and Poly (Trimellitic Anhydride Chloride-Co-4, 4'-Methylene Dianiline) (PTACM) By Using Mechano-Electrospinning. *Journal of Engineered Fabrics and Fibers* 7: 37-41.
- Baker, RJ; Gibs, J; Meng, AK; Suffet, IH. (1987). EVALUATION OF A TEFLON HELIX LIQUID LIQUID EXTRACTOR FOR CONCENTRATING OF TRACE ORGANICS FROM WATER INTO METHYLENE-CHLORIDE. *Water Res* 21: 179-190.
- Bakhabkhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Formation of biodegradable polymeric fine particles by supercritical antisolvent precipitation process. *Polymer Engineering and Science* 53: 564-570. <http://dx.doi.org/10.1002/pen.23301>.
- Bakhabkhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Supercritical antisolvent synthesis of fine griseofulvin particles. *Adv Powder Tech* 24: 1006-1012. <http://dx.doi.org/10.1016/j.apt.2013.02.004>.
- Balakos, MW; Chuang, SSC; Krishnamurthy, R; Srinivas, G; Johnston, P; Blackmond, DG; Jackson, SD; Joyner, RW. (1993). THE SELECTIVE SYNTHESIS OF C<sub>2</sub>+ OXYGENATES FROM SYNGAS RELATED REACTIONS OVER NI-BASED AND RH-BASED CATALYSTS. *Stud Surf Sci Catal* 75: 1467-1478.
- Balashev, K; Bois, A; Proust, JE; Ivanova, T; Petkov, I; Masuda, S; Panaiotov, I. (1997). Comparative study of polyacryloylacetone monolayers at dichloromethane-water and air-water interfaces. *Langmuir* 13: 5362-5367.
- Balasubramaniam, E; Ramachandriah, G; Natarajan, P; Biedcharreton, C; Devynck, J; Bedioui, F. (1995). ELECTROCHEMICAL PREPARATION OF ANTHRAQUINONE AND ZINC PORPHYRIN COATED ELECTRODES - REDOX ACTIVITY AND FILM STABILITY. *J Mater Chem* 5: 625-629.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Baldwin, CM; Liu, HB; Mccarty, LB; Bauerle, WL; Toler, JE. (2006). Effects of trinexapac-ethyl on the salinity tolerance of two ultradwarf bermudagrass cultivars. *HortScience* 41: 808-814.
- Baldwin, JA; Vlckova, B; Andrews, MP; Butler, IS. (1997). Surface-enhanced Raman scattering of mercaptopyrindines and pyrazinamide incorporated in silver colloid adsorbate films. *Langmuir* 13: 3744-3751.
- Baleta, FN; Laureta, LV; Apines-Amar, MJS; Padilla, PIP; Qunitio, GF. (2011). Biological Activity of Extracts of *Sargassum oligocystum* (Magnaye) against Aquaculture Pathogenic Bacteria. *Israeli Journal of Aquaculture - Bamidgeh* 63: 667.
- Balic, T; Markovic, B; Jazwinski, J; Matkovic-Calogovic, D. (2016). Synthesis and structural characterization of microporous N4O4-donor Schiff base macrocycle: Study of host-guest interactions and iodine sorption. *Microporous and Mesoporous Materials* 226: 53-60. <http://dx.doi.org/10.1016/j.micromeso.2015.12.038>.
- Balijapalli, U; Iyer, SK. (2015). CuO-CuAl2O4 and D-glucose catalyzed synthesis of a family of excited state intramolecular proton transfer imidazo[1,2-a]pyridine analogues and their optical properties. *Dyes and Pigments* 121: 88-98. <http://dx.doi.org/10.1016/j.dyepig.2015.05.014>.
- Balkan, IA; Taskin, T; Dogan, HT; Deniz, I; Akaydin, G; Yesilada, E. (2017). A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of *Daphne oleoides* Schreb. subsp. *oleoides*. *Ind Crop Prod* 95: 695-703. <http://dx.doi.org/10.1016/j.indcrop.2016.11.038>.
- Balkis, N; Aksu, A; Erşan, MS. (2012). Petroleum hydrocarbon contamination of the Southern Black Sea Shelf, Turkey. *Environ Sci Pollut Res Int* 19: 592-599. <http://dx.doi.org/10.1007/s11356-011-0583-4>.
- Balkose, D; Ulutan, S; Ozkan, F; Ulku, S; Kokturk, U. (1996). Flexible poly(vinyl chloride)-zeolite composites for dye adsorption from aqueous solutions. *Separation Science and Technology* 31: 1279-1289.
- Ball, JC. (2000). Comparison of organic solvent extracts and the fatty acid composition of nonpolar lipids of shed skins from male and female corn snakes (*Elaphe guttata guttata*). *J Herpetol* 34: 266-273.
- Ball, JC. (2004). The first shed skin of neonate Corn Snakes is chemically different from adult shed skins. *J Herpetol* 38: 124-127.
- Ball, JC; Young, WC. (1992). EVIDENCE FOR A NEW CLASS OF MUTAGENS IN DIESEL PARTICULATE EXTRACTS. *Environ Sci Technol* 26: 2181-2186.
- Ballinas-Casarrubias, L; Saucedo-Acosta, T; Macdonald-Pizana, K; Ruiz-Cuilty, K; Virginia Nevarez-Moorillon, G; Gutierrez-Mendez, N; Torras-Font, C; Chavez-Flores, D; Gonzalez-Sanchez, G. (2015). Organosolv pretreatment for cellulose recovery from sawdust for its ulterior use in membrane synthesis and operation. *Desalination and Water Treatment* 56: 3626-3639. <http://dx.doi.org/10.1080/19443994.2014.995720>.
- Balmer, MF; Smith, FA; Leach, LJ; Yuile, CL. (1976). Effects in the liver of methylene chloride inhaled alone and with ethyl alcohol. *Am Ind Hyg Assoc J* 37: 345-352.
- Balogun, AO; Lasode, OA; Mcdonald, AG. (2014). Thermo-Analytical and Physico-Chemical Characterization of Woody and Non-Woody Biomass from an Agro-ecological Zone in Nigeria. *BioResources* 9: 5099-5113.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Baluch, AS; Guisinger, NP; Basu, R; Foley, ET; Hersam, MC. (2004). Atomic-level robustness of the Si(100)-2X1 : H surface following liquid phase chemical treatments in atmospheric pressure environments. *Journal of Vacuum Science and Technology A* 22: L1-L5. <http://dx.doi.org/10.1116/1.1722203>.
- Baluja, S; Bhalodia, R; Bhatt, M; Vekariya, N; Gajera, R. (2008). Solubility of Enrofloxacin Sodium in Various Solvents at Various Temperatures. *Journal of Chemical and Engineering Data* 53: 2897-2899. <http://dx.doi.org/10.1021/je8005826>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data* 55: 956-958. <http://dx.doi.org/10.1021/je900540d>.
- Ban, S; Yuda, A; Izumi, Y; Kanie, T; Arikawa, H; Fujii, K. (2004). Composite mesh consisting of titanium, apatite and biodegradable copolymer. *Key Eng Mater* 254-2: 517-520.
- Banerjee, DK; Gray, MR. (1997). Analysis of hydrocarbon-contaminated soil by thermal extract-gas chromatography. *Environ Sci Technol* 31: 646-650.
- Banger, KK; Foster, JR; Lock, EA; Reed, CJ. (1994). Immunohistochemical localisation of six glutathione S-transferases within the nasal cavity of the rat. *Arch Toxicol* 69: 91-98.
- Bankhead, M; Watson, GW; Hutchings, GJ; Scott, J; Willock, DJ. (2000). Calculation of the energy profile for the fluorination of dichloromethane over an alpha-alumina catalyst. *Appl Catal A-Gen* 200: 263-274.
- Bankowski, K. (2006). A solid-phase synthesis of a biologically active analog of the GH-RH hormone, a potential drug for growth hormone deficiency. *Przemysł Chemiczny* 85: 330-332.
- Banks, WM; Pethrick, RA; Armstrong, GS; Crane, RL; Hayward, D. (2004). Dielectric and mechanical studies of the durability of adhesively bonded CFRP structures subjected to aging in various solvents. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati* 218: 273-281.
- Bansemir, A; Blume, M; Schroder, S; Lindequist, U. (2006). Screening of cultivated seaweeds for antibacterial activity against fish pathogenic bacteria. *Aquaculture* 252: 79-84. <http://dx.doi.org/10.1016/j.aquaculture.2005.11.051>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol* 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Bao, L; Yang, S; Luo, X, in; Lei, J; Cao, Q; Wang, J. (2015). Fabrication and characterization of a novel hydrophobic CaCO3 grafted by hydroxylated poly(vinyl chloride) chains. *Appl Surf Sci* 357: 564-572. <http://dx.doi.org/10.1016/j.apsusc.2015.08.249>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bao, TQ; Hiep, N; Kim, Y; Yang, H; Lee, BT. (2011). Fabrication and characterization of porous poly(lactic-co-glycolic acid) (PLGA) microspheres for use as a drug delivery system. *Journal of Materials Science* 46: 2510-2517. <http://dx.doi.org/10.1007/s10853-010-5101-4>.
- Bao, YX; Yan, H; Liu, LQ; Xu, QQ. (2010). Efficient Extraction of Lycopene from *Rhodospseudomonas palustris* with n-Hexane and Methanol after Alkaline Wash. *Chem Eng Tech* 33: 1665-1671. <http://dx.doi.org/10.1002/ceat.201000033>.
- Barakat, SA. (2002). Flow injection extraction - Spectrophotometric determination of bismuth with di-(hydrogenated tallow alkyl) dimethylammonium chloride. *Turkish Journal of Chemistry* 26: 345-349.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol* 30: 2143-2147.
- Baran, S; Oleszczuk, P. (2002). Chromatographic determination of polycyclic aromatic hydrocarbons (PAH) in sewage sludge, soil, and sewage sludge-amended soils. *Pol J Environ Stud* 11: 609-615.
- Baratelli, T, deG; Candido Gomes, AC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125. <http://dx.doi.org/10.1016/j.bse.2011.12.008>.
- Barbosa, JM; Ré-Poppi, N; Santiago-Silva, M. (2006). Polycyclic aromatic hydrocarbons from wood pyrolysis in charcoal production furnaces. *Environ Res* 101: 304-311. <http://dx.doi.org/10.1016/j.envres.2006.01.005>.
- Barbosa, LCA; Maltha, CRA; Vilas Boas, LA; Pinheiro, PF; Colodette, JL. (2008). Profiles of extractives across the ZD(HT)(PO)D and D-HT(PO)D bleaching sequences for a *Eucalyptus* kraft pulp. *Appita* 61: 64-70.
- Barcellona, MN; Johnson, N; Bernards, MT. (2015). Characterizing Drug Release from Nonfouling Polyampholyte Hydrogels. *Langmuir* 31: 13402-13409. <http://dx.doi.org/10.1021/acs.langmuir.5b03597>.
- Bardajee, GR; Li, AY; Haley, JC; Winnik, MA. (2008). The synthesis and spectroscopic properties fluorescent naphthalimide of novel, functional dyes. *Dyes and Pigments* 79: 24-32. <http://dx.doi.org/10.1016/j.dyepig.2007.12.012>.
- Barenbaum, E; Smith, T. (2016). Social support as a protective factor for children impacted by HIV/AIDS across varying living environments in southern Africa. *AIDS Care* 28 Suppl 2: 92-99. <http://dx.doi.org/10.1080/09540121.2016.1176683>.
- Barnavetro, I; Solti, L; Teren, J; Gyongyosi, A; Szabo, E; Wolfling, A. (1996). Sensitive ELISA test for determination of ochratoxin A. *J Agric Food Chem* 44: 4071-4074.
- Barra, G; D'Aniello, C; Guadagno, L; Vittoria, V. (1999). Transport properties of dichloromethane in polymeric blends - Part I - Low density polyethylene-isotactic polypropylene. *Journal of Materials Science* 34: 4601-4606.
- Barrera-Ventura, C; Salvatierra, D; Giralt, F; Giralt, J. (2013). Hydrolysis of imidazole and 2-chloropyridine under subcritical and supercritical water conditions. *Can J Chem Eng* 91: 1131-1139. <http://dx.doi.org/10.1002/cjce.21742>.
- Barroso-Bujans, F; Cervený, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegría, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon* 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Barrowcliff, DF; Knell, AJ. (1979). Cerebral damage due to endogenous chronic carbon monoxide poisoning caused by exposure to methylene chloride. *Occup Med (Lond)* 29: 12-14.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartocci, S; Sabate, F; Bosque, R; Keymeulen, F; Bartik, K; Rodriguez, L; Dalla Cort, A. (2016). Colorimetric and fluorescence "turn-on" recognition of fluoride by a maleonitrile-based uranyl salen-complex. *Dyes and Pigments* 135: 94-101. <http://dx.doi.org/10.1016/j.dyepig.2016.06.006>.
- Barton, HA; Andersen, ME; Clewell, HJ. (1998). Harmonization: Developing consistent guidelines for applying mode of action and dosimetry information to cancer and noncancer risk assessment. *Hum Ecol Risk Assess* 4: 75-115.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci* 159: 123-131.
- Baše, T; Bastl, Z; Havránek, V; Macháček, J; Langecker, J; Malina, V. (2012). Carboranedithiols: building blocks for self-assembled monolayers on copper surfaces. *Langmuir* 28: 12518-12526. <http://dx.doi.org/10.1021/la302334x>.
- Bastos, CJ; de Oliveira Rigitano, RL; de Lima, JM; Amaral Castro, NR. (2005). Leaching of the fungicide triadimenol in macrolysimeters of two latosols from Lavras-MG. *Ciencia e Agrotecnologia* 29: 767-774.
- Bastos, PM; Haglund, P. (2012). The use of comprehensive two-dimensional gas chromatography and structure-activity modeling for screening and preliminary risk assessment of organic contaminants in soil, sediment, and surface water. *Journal of Soils and Sediments* 12: 1079-1088. <http://dx.doi.org/10.1007/s11368-012-0533-x>.
- Basu, J; Rohatgimukherjee, KK. (1991). PHOTOELECTROCHEMICAL CHARACTERIZATION OF PORPHYRIN-COATED ELECTRODES. 21: 317-325.
- Basu, M; Sinha, AK; Pradhan, M; Sarkar, S; Negishi, Y; Pal, T. (2010). Evolution of hierarchical hexagonal stacked plates of CuS from liquid-liquid interface and its photocatalytic application for oxidative degradation of different dyes under indoor lighting. *Environ Sci Technol* 44: 6313-6318. <http://dx.doi.org/10.1021/es101323w>.
- Bates, JR; Kathirgamanathan, P; Miles, RW. (1997). The influence of the electrodeposition parameters on the morphology of organo-transition metal complexes for thin film gas sensor applications. *Thin Solid Films* 299: 18-24.
- Batista, D; Carvalho, A, naP; Costa, R; Coutinho, R; Dobretsov, S. (2014). Extracts of macroalgae from the Brazilian coast inhibit bacterial quorum sensing. *Botanica Marina* 57: 441-447. <http://dx.doi.org/10.1515/bot-2014-0031>.
- Batzias, FA; Sidiras, DK. (2004). Dye adsorption by calcium chloride treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 114: 167-174. <http://dx.doi.org/10.1016/j.jhazmat.2004.08.014>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Batzias, FA; Sidiras, DK. (2007). Simulation of methylene blue adsorption by salts-treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 149: 8-17. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.043>.
- Bauserman, J, oyW; Mushrush, GW; Hardy, DR. (2008). Organic nitrogen compounds and fuel instability in middle distillate fuels. *Ind Eng Chem Res* 47: 2867-2875. <http://dx.doi.org/10.1021/ie071321n>.
- Bauserman, JW; Castelly, H; Mushrush, GW. (2014). Analysis of Nitrogen Abundance in Treated Fuels by GC/MS. *Petroleum Science and Technology* 32: 1824-1832. <http://dx.doi.org/10.1080/10916466.2011.635740>.
- Bauserman, JW; Nguyen, KM; Mushrush, GW. (2004). Nitrogen compound determination and distribution in three source fuels by GC/MS. *Petroleum Science and Technology* 22: 1491-1505. <http://dx.doi.org/10.1081/LPET-200027799>.
- Bayona, JM; Casellas, M; Fernandez, P; Solanas, AM; Albaiges, J. (1994). Sources and seasonal variability of mutagenic agents in the Barcelona City aerosol. *Chemosphere* 29: 441-450. [http://dx.doi.org/10.1016/0045-6535\(94\)90432-4](http://dx.doi.org/10.1016/0045-6535(94)90432-4).
- Bayram, C, em; Denkbaz, EB; Kilicay, E; Hazer, B; Cakmak, HB; Noda, I. (2008). Preparation and characterization of triamcinolone acetonide-loaded poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBHx) microspheres. *J Bioact Compat Polymer* 23: 334-347. <http://dx.doi.org/10.1177/0883911508092790>.
- Baysal, BM; Karadag, C. (2013). Quasielastic light scattering studies of polypeptides : evidence for chain extension in a solution. *Turkish Journal of Chemistry* 37: 480-491. <http://dx.doi.org/10.3906/kim-1301-11>.
- Bazes, A; Silkina, A; Douzenel, P; Fay, F; Kervarec, N; Morin, D; Berge, JP; Bourgougnon, N. (2009). Investigation of the antifouling constituents from the brown alga *Sargassum muticum* (Yendo) Fensholt. *J Appl Phycol* 21: 395-403. <http://dx.doi.org/10.1007/s10811-008-9382-9>.
- Bazzaoui, M; Bazzaoui, EA; Martins, JI; Martins, L. (2004). Electrochemical synthesis of polythiophene coatings on zinc and a zinc alloy in organic media. *Materials Science Forum* 455-456: 484-488.
- Bean, K; Lincoln, B; Clapp, W; Vicente, S; Loza, M; Church, B. (1990). METHYLENE-CHLORIDE EXTRACTION. *Chem Eng News* 68: 4-4.
- Beauchet, R; Mijoin, J; Batonneau-Gener, I; Magnoux, P. (2010). Catalytic oxidation of VOCs on NaX zeolite: Mixture effect with isopropanol and o-xylene. *Appl Catal B-Environ* 100: 91-96. <http://dx.doi.org/10.1016/j.apcatb.2010.07.017>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ* 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.
- Bebia, Z; Buch, SC; Wilson, JW; Frye, RF; Romkes, M; Cecchetti, A; Chaves-Gnecco, D; Branch, RA. (2004). Bioequivalence revisited: Influence of age and sex on CYP enzymes. *Clin Pharmacol Ther* 76: 618-627. <http://dx.doi.org/10.1016/j.clpt.2004.08.021>.
- Becalski, A; Lau, BP; Lewis, D; Seaman, SW. (2003). Acrylamide in foods: occurrence, sources, and modeling. *J Agric Food Chem* 51: 802-808. <http://dx.doi.org/10.1021/jf020889y>.
- Becerro, MA; Goetz, G; Paul, VJ; Scheuer, PJ. (2001). Chemical defenses of the sacoglossan mollusk *Elysia rufescens* and its host *Alga bryopsis* sp. *J Chem Ecol* 27: 2287-2299.
- Becerro, MA; Turon, X; Uriz, MJ. (1997). Multiple functions for secondary metabolites in encrusting marine invertebrates. *J Chem Ecol* 23: 1527-1547.
- Bechelany, M; Elias, J; Brodard, P; Michler, J; Philippe, L. (2012). Electrodeposition of amorphous silicon in non-oxygenated organic solvent. *Thin Solid Films* 520: 1895-1901. <http://dx.doi.org/10.1016/j.tsf.2011.09.026>.
- Becker, AG; da Cunha, MA; Garcia, L; Zeppenfeld, CC; Parodi, T; Maldaner, G; Morel, AF; Baldisserotto, B. (2013). Efficacy of eugenol and the methanolic extract of *Condalia buxifolia* during the transport of the silver catfish *Rhamdia quelen*. *Neotropical Ichthyology* 11: 675-681.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol* 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.
- Becker, L; Forster, H. (1997). Investigations of coke deposits formed during deep oxidation of benzene over Pd and Cu exchanged Y-type zeolites. *Appl Catal A-Gen* 153: 31-41.
- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal* 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begishev, IR; Belikov, AK; Nechitailo, VG. (1991). PHOTOTHERMAL IGNITION OF DICHLOROMETHANE AND CHLORINE GAS-MIXTURES. *Combustion, Explosion, and Shock Waves* 27: 149-153.
- Begum, M; Sen, PK. (2007). TK/TD dose-response modeling of toxicity. *Environmetrics* 18: 515-525. <http://dx.doi.org/10.1002/env.821>.
- Begum, NA; Mondal, S; Basu, S; Laskar, RA; Mandal, D. (2009). Biogenic synthesis of Au and Ag nanoparticles using aqueous solutions of Black Tea leaf extracts. *Colloids Surf B Biointerfaces* 71: 113-118. <http://dx.doi.org/10.1016/j.colsurfb.2009.01.012>.
- Behar, F; Lorant, F; Lewan, M. (2008). Role of NSO compounds during primary cracking of a Type II kerogen and a Type III lignite. *Organic Geochemistry* 39: 1-22. <http://dx.doi.org/10.1016/j.orggeochem.2007.10.007>.
- Behera, A; Sahoo, SK. (2012). DEVELOPMENT AND IN VITRO, IN VIVO EVALUATION OF CONTROLLED RELEASE, BIOCOMPATIBLE NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures* 7: 217-225.
- Bel, MC; Coulon, J; Sreng, L; Allaine, D; Bagneres, AG; Clement, JL. (1999). Social signals involved in scent-marking behavior by cheek-rubbing in Alpine marmots (*Marmota marmota*). *J Chem Ecol* 25: 2267-2283.
- Belcik, M; Trusz-Zdybek, A; Galas, E, wa; Piekarska, K. (2014). Mutagenicity of organic pollutants adsorbed on suspended particulate matter in the center of Wroclaw (Poland). *Atmos Environ* 95: 620-628. <http://dx.doi.org/10.1016/j.atmosenv.2014.05.022>.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research* 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull* 6: 469-474.
- Belloch, GP; Sanchez, MS; Ribelles, JLG; Pradas, MM; Dueñas, JMM; Pissis, P. (1999). Conformational motions in immiscible blends of polycarbonate and styrene-acrylonitrile copolymers. *Polymer Engineering and Science* 39: 688-698. <http://dx.doi.org/10.1002/pen.11457>.
- Bello-Huitle, V; Atenco-Fernandez, P; Reyes-Mazzoco, R. (2010). ADSORPTION STUDIES OF METHYLENE BLUE AND PHENOL ONTO PECAN AND CASTILE NUTSHELLS PREPARED BY CHEMICAL ACTIVATION. *Revista Mexicana de Ingenieria Quimica* 9: 313-322.
- Belmont, JA; Lopez, AP; Molina, E; Serrano, L; Coballase, E; Cardenas, N; Medina, P; Montero, R. (2011). Co-Exposure to Chloroform, Dichloromethane and Toluene Induced Oxidative Stress and Xenobiotic Metabolism Changes but Not Genotoxic Damage. *Environ Mol Mutagen* 52: S79-S79.
- Belmont, JA; Serrano, L; Fanjul, ML; Prieto, J; Montero, RD. (2008). Study of genotoxicity and oxidative stress biomarkers in rats exposed to toluene, chloroform, methylene chloride and a mixture of them [Abstract]. *Environ Mol Mutagen* 49: 571.
- Beltran, J; Hernandez, F; Lopez, FJ; Morell, I. (1995). STUDY OF SORPTION PROCESSES OF SELECTED PESTICIDES ON SOILS AND CERAMIC POROUS CUPS USED FOR SOIL SOLUTION SAMPLING. *Int J Environ Anal Chem* 58: 287-303.
- Bempelou, ED; Liapis, KS. (2006). Validation of a multi-residue method for the determination of pesticide residues in apples by gas chromatography. *Int J Environ Anal Chem* 86: 63-68. <http://dx.doi.org/10.1080/03067310500248320>.
- Ben Chaabane, R; Guerhazi, R; Clavier, G; Audebert, P; Hedhli, A. (2014). Synthesis and characterization of new fluorinated tetrazines displaying a high fluorescence yield. *Dyes and Pigments* 108: 64-69. <http://dx.doi.org/10.1016/j.dyepig.2014.03.031>.
- Ben Jannet, H; H-Skhiri, F; Mighri, Z; Simmonds, MSJ; Blaney, WM. (2001). Antifeedant activity of plant extracts and of new natural diglyceride compounds isolated from *Ajuga pseudoiva* leaves against *Spodoptera littoralis* larvae. *Ind Crop Prod* 14: 213-222.
- Benavides, R; Oenning, LW; Paula, MMS; Da Silva, L; Kotzian, C. (2013). Use of a Tri-functional Crosslinking Agent in Styrene/Acrylic Acid Copolymers to Enhance Mechanical Properties for use as Membranes in Fuel Cells. *Journal of New Materials for Electrochemical Systems* 16: 157-162.
- Benbow, TJ; Frew, RD; Hayman, AR. (2008). Validation of a rapid and simple method for the preparation of aqueous organic compounds prior to compound specific isotope analysis. *Organic Geochemistry* 39: 1690-1702. <http://dx.doi.org/10.1016/j.orggeochem.2008.08.008>.
- Bending, GD; Lincoln, SD. (1999). Characterisation of volatile sulphur-containing compounds produced during decomposition of *Brassica juncea* tissues in soil. *Soil Biol Biochem* 31: 395-703.
- Benn, SM; Peppard, TL. (1996). Characterization of tequila flavor by instrumental and sensory analysis. *J Agric Food Chem* 44: 557-566.
- Benowitz, NL; Peng, M; Jacob, P. (2003). Effects of cigarette smoking and carbon monoxide on chlorzoxazone and caffeine metabolism. *Clin Pharmacol Ther* 74: 468-474. <http://dx.doi.org/10.1016/j.clpt.2003.07.001>.
- Benson, LO; Teta, MJ. (1993). Mortality due to pancreatic and lymphopietic cancers in chlorohydrin production workers. *Br J Ind Med* 50: 710-716. <http://dx.doi.org/10.1136/oem.50.8.710>.
- Bentham, RH; McClure, NC. (2003). A novel laboratory microcosm for cocomposting of pentachlorophenol contaminated soil. *Compost Science and Utilization* 11: 311-320.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Benzekri, R; Bouslama, L; Papetti, A; Snoussi, M; Benslimene, I; Hamami, M; Limam, F. (2016). Isolation and identification of an antibacterial compound from *Diplotaxis harra* (Forssk.) Boiss. *Ind Crop Prod* 80: 228-234. <http://dx.doi.org/10.1016/j.indcrop.2015.11.059>.
- Bera, PK; Maity, NC, h; Abdi, SHR; Khan, N, ulH; Kureshy, RI; Bajaj, HC. (2013). Macrocyclic Mn(III) salen complexes as recyclable catalyst for oxidative kinetic resolution of secondary alcohols. *Appl Catal A-Gen* 467: 542-551. <http://dx.doi.org/10.1016/j.apcata.2013.07.055>.
- Berchane, NS; Jebraïl, FF; Carson, KH; Rice-Ficht, AC; Andrews, MJ. (2006). About mean diameter and size distributions of poly(lactide-co-glycolide) (PLG) microspheres. *J Microencapsul* 23: 539-552. <http://dx.doi.org/10.1080/02652040600776440>.
- Bergdolt, A; Clasen, H; Houben, D; Muller, G; Walburg, R; Zibinski, E. (1973). PROCESS FOR THERMAL CHLORINATION OF MONOCHLOROMETHANE TO DICHLOROMETHANE IN A TUBULAR REACTOR. *Chem Ing Tech* 45: 1059-1063.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health* 5 Suppl 1: 1-263.
- Beristain, CI; Diaz, R; Garcia, HS; Azuara, E. (1994). THERMODYNAMIC BEHAVIOR OF GREEN WHOLE AND DECAFFEINATED COFFEE BEANS DURING ADSORPTION. *Drying Technology* 12: 1221-1233.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernardo, M; Lapa, N; Gonçálves, M; Barbosa, R; Mendes, B; Pinto, F; Gulyurtlu, I. (2010). Toxicity of char residues produced in the co-pyrolysis of different wastes. *Waste Manag In Press, Corrected Proof*: 628-635. <http://dx.doi.org/10.1016/j.wasman.2009.10.015>.
- Bernardo, MS; Lapa, N; Barbosa, R; Goncalves, M; Mendes, B; Pinto, F; Gulyurtlu, I. (2009). Chemical and ecotoxicological characterization of solid residues produced during the co-pyrolysis of plastics and pine biomass. *J Hazard Mater* 166: 309-317. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.031>.
- Bernauer, U; Vieth, B; Ellrich, R; Heinrich-Hirsch, B; Janig, GR; Gundert-Remy, U. (2000). CYP2E1 expression in bone marrow and its intra- and interspecies variability: Approaches for a more reliable extrapolation from one species to another in the risk assessment of chemicals. *Arch Toxicol* 73: 618-624.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bernet, N; Sanchez, O; Dabert, P; Olaizola, A; Godon, JJ; Delgenes, JP. (2004). Effect of solid hold-up on nitrite accumulation in a biofilm reactor - molecular characterization of nitrifying communities. *Water Sci Technol* 49: 123-130.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect* 108: 883-893.
- Bers, AV; D'Souza, F; Klijnsma, JW; Willemsen, PR; Wahl, M. (2006). Chemical defence in mussels: antifouling effect of crude extracts of the periostracum of the blue mussel *Mytilus edulis*. *Biofouling* 22: 251-259. <http://dx.doi.org/10.1080/08927010600901112>.
- Bertin, C; Paul, RN; Duke, SO; Weston, LA. (2003). Laboratory assessment of the allelopathic effects of fine leaf fescues. *J Chem Ecol* 29: 1919-1937.
- Bertoldo, M; Coltelli, MB; Messina, T; Bronco, S; Castelvetro, V. (2016). Emulsion Blending Approach for the Preparation of Gelatin/Poly(butylene succinate-co-adipate) Films. 2: 677-686. <http://dx.doi.org/10.1021/acsbiomaterials.6b00050>.
- Bertolini, A; Carelli, G; Ioli, N; Massa, CA; Moraes, JCS; Moretti, A; Strumia, F. (1997). Optically pumped submillimeter laser lines from CD2Cl2 using a large tunability CW CO2 laser. *Int J Infrared Millimeter Waves* 18: 779-783.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2000). New FIR laser lines from fully deuterated dichloromethane: Completion of perpendicular/parallel emission pairs. *I E E E Journal of Quantum Electronics* 36: 1232-1236.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2001). Assignment of fir laser lines of fully deuterated dichloromethane. *Int J Infrared Millimeter Waves* 22: 1421-1431.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth* 195: 624-629.
- Beschkov, V; Sapundzhiev, T, s; Torz, M; Wietzes, P; Janssen, DB. (2008). Modeling of 1,2-Dichloroethane Biodegradation by *Xanthobacter autotrophicus* GJ10 under Shock Loading of Other Halogenated Compounds in Continuous Stirred Tank Bioreactor. *Chemical and Biochemical Engineering Quarterly* 22: 339-348.
- Bestani, B; Benderdouche, N; Benstaali, B; Belhakem, M; Addou, A. (2008). Methylene blue and iodine adsorption onto an activated desert plant. *Bioresour Technol* 99: 8441-8444. <http://dx.doi.org/10.1016/j.biortech.2008.02.053>.
- Bester-Rogac, M; Hunger, J; Stoppa, A; Buchner, R. (2011). 1-Ethyl-3-methylimidazolium Ethylsulfate in Water, Acetonitrile, and Dichloromethane: Molar Conductivities and Association Constants. *Journal of Chemical and Engineering Data* 56: 1261-1267. <http://dx.doi.org/10.1021/jc101130e>.
- Bethune, DN; Farvolden, RN; Ryan, MC; Guzman, AL. (1996). Industrial contamination of a municipal water-supply lake by induced reversal of ground-water flow, Managua, Nicaragua. *Ground Water* 34: 699-708.
- Beyler-Cigil, A; Cakmakci, E; Kahraman, MV. (2016). Thermal Properties of Phosphorylated Nanodiamond Reinforced Polyimides. *Polymer Composites* 37: 2285-2292. <http://dx.doi.org/10.1002/pc.23406>.
- Bezerra Da Cruz-Silva, SC; Matias, R; Bono, JAM; Santos, KS; Ludwig, J. (2016). ANTIFUNGAL POTENTIAL OF EXTRACTS AND FRACTIONS OF *Randia nitida* LEAVES ON SOYBEAN PATHOGENS AND THEIR PHYTOCHEMISTRY. 29: 594-602.
- Bhagawan, D; Poodari, S; Kumar, GR; Golla, S; Anand, C, h; Banda, KS; Himabindu, V; Vidyavathi, S. (2015). Reactivation and recycling of spent carbon using solvent desorption followed by thermal treatment (TR). *Journal of Material Cycles and Waste Management* 17: 185-193. <http://dx.doi.org/10.1007/s10163-014-0237-y>.
- Bhalla, V; Singh, H; Kumar, M; Prasad, SK. (2011). Triazole-modified triphenylene derivative: self-assembly and sensing applications. *Langmuir* 27: 15275-15281. <http://dx.doi.org/10.1021/la203774p>.
- Bhandari, A; Novak, JT; Burgos, WD; Berry, DF. (1997). Irreversible binding of chlorophenols to soil and its impact on bioavailability. *J Environ Eng* 123: 506-513.
- Bhargava, A; Khanna, RN; Bhargava, SK; Kumar, S. (2004). Exposure risk to carcinogenic PAHs in indoor-air during biomass combustion whilst cooking in rural India. *Atmos Environ* 38: 4761-4767. <http://dx.doi.org/10.1016/j.atmosenv.2004.05.012>.
- Bhat, IU, IHaq; Khalil, HPS, A; Shuib, N, orS; Noor, AM. (2010). ANTIFUNGAL ACTIVITY OF HEARTWOOD EXTRACTS AND THEIR CONSTITUENS FROM CULTIVATED *TECTONA GRANDIS* AGAINST *PHANEROCHAETE CHRYSOSPORIUM*. 55: 59-66.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, SK; Todd, JC; Law, VJ; Uberoi, V. (1994). AN INTEGRATED MODELING OF STOICHIOMETRY AND BIOKINETICS OF ANAEROBIC PROCESSES. *Environ Software* 9: 33-45.
- Bhattacharyya, A; Kawi, S; Ray, MB. (2004). Photocatalytic degradation of orange II by TiO2 catalysts supported on adsorbents. *Catalysis Today* 98: 431-439. <http://dx.doi.org/10.1016/j.cattod.2004.08.010>.
- Bhattacharyya, S; Sen, U; Bhattacharyya, SP; Mukherjee, D. (2002). High performance liquid chromatographic separation of steroids from ovarian follicles of fresh water perch *Anabas testudineus*: identification and characterization of the maturation-inducing hormone. *J Exp Zool* 292: 565-572. <http://dx.doi.org/10.1002/jez.10078>.
- Bhaumik, D; Majumdar, S; Sirkar, KK. (2000). Pilot-plant and laboratory studies on vapor permeation removal of VOCs from waste gas using silicone-coated hollow fibers. *J Memb Sci* 167: 107-122.
- Bhowmik, PK; Han, HS; Ndedeltchev, IK; Cebe, JJ; Kang, SW; Kumar, S. (2006). Synthesis and characterization of ionic liquids: viologen bis[tetrakis[3,5-bis(trifluoromethyl)phenyl]borate} salts. *Liquid Crystals* 33: 891-906. <http://dx.doi.org/10.1080/02678290600871598>.
- Bhuin, RG; Methikkalam, RRJ; Bag, S; Pradeep, T. (2016). Diffusion and Crystallization of Dichloromethane within the Pores of Amorphous Solid Water. *J Phys Chem C* 120: 13474-13484. <http://dx.doi.org/10.1021/acs.jpcc.6b00436>.
- Bhuyan, J; Sarkar, S. (2011). Self-Assembly of Magnesium and Zinc Trimethoxyphenylporphyrin Polymer as Nanospheres and Nanorods. *Cryst Growth Des* 11: 5410-5414. <http://dx.doi.org/10.1021/cg2010002>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bi, D; El-Zohry, AM; Hagfeldt, A; Boschloo, G. (2014). Improved morphology control using a modified two-step method for efficient perovskite solar cells. 6: 18751-18757. <http://dx.doi.org/10.1021/am504320h>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bian, H; Colarco, PR; Chin, M; Chen, G; Rodriguez, JM; Liang, Q; Blake, D; Chu, DA; da Silva, A; Darmanov, AS; Diskin, G; Fuelberg, HE; Huey, G; Kondo, Y; Nielsen, JE; Pan, X; Wisthaler, A. (2013). Source attributions of pollution to the Western Arctic during the NASA ARCTAS field campaign. *Atmos Chem Phys* 13: 4707-4721. <http://dx.doi.org/10.5194/acp-13-4707-2013>.
- Bian, X; Feng, L; Li, G, ao; Chen, Z; Chen, X. (2016). Quantification of residual monomer in polylactide by gas chromatographic internal standard method. *Polym Test* 50: 79-82. <http://dx.doi.org/10.1016/j.polymertesting.2015.11.022>.
- Bianchi, E; Lessing, G; Brina, KR; Angeli, L; Andriguetti, NB; Peruzzo, J. R.; Do Nascimento, CA; Spilki, FR; Ziulkoski, AL; da Silva, LB. (2017). Monitoring the Genotoxic and Cytotoxic Potential and the Presence of Pesticides and Hydrocarbons in Water of the Sinos River Basin, Southern Brazil. *Arch Environ Contam Toxicol*. <http://dx.doi.org/10.1007/s00244-016-0334-0>.
- Bianco, EM; Rogers, R; Teixeira, VL; Pereira, RC. (2009). Antifoulant diterpenes produced by the brown seaweed *Canistrocarpus cervicornis*. *J Appl Phycol* 21: 341-346. <http://dx.doi.org/10.1007/s10811-008-9374-9>.
- Bianco, EM; Teixeira, VL; Pereira, RC. (2010). CHEMICAL DEFENSES OF THE TROPICAL MARINE SEAWEED *Canistrocarpus cervicornis* AGAINST HERBIVORY BY SEA URCHIN. 58: 213-218.
- Biard, PF; Coudon, A; Couvert, A; Giraudet, S. (2016). A simple and timesaving method for the mass-transfer assessment of solvents used in physical absorption. *Chem Eng J* 290: 302-311. <http://dx.doi.org/10.1016/j.cej.2016.01.046>.
- Bibeau, L; Kiared, K; Leroux, A; Brzezinski, R; Viel, G; Heitz, M. (1997). Biological purification of exhaust air containing toluene vapor in a filter-bed reactor. *Can J Chem Eng* 75: 921-929.
- Bicchi, C; Cordero, C; Rubiolo, P; Occelli, A. (2001). Determination of daminozide residues in apple pulp using HPLC-DAD-UV. *J Agric Food Chem* 49: 3548-3552.
- Bicking, M; Wilson, R. (1991). High performance size exclusion chromatography in environmental method development. 1. The effect of mobile phase and temperature on the retention of dioxins, furans, and polychlorinated biphenyls. *Chemosphere* 22: 421-435. [http://dx.doi.org/10.1016/0045-6535\(91\)90055-I](http://dx.doi.org/10.1016/0045-6535(91)90055-I).
- Bid, A; Bora, A; Raychaudhuri, AK. (2007). Debye temperature of metallic nanowires - An experimental determination from the resistance of metallic nanowires in the temperature range 4.2 K-300K. *J Nanosci Nanotechnol* 7: 1867-1870. <http://dx.doi.org/10.1166/jnn.2007.732>.
- Bilati, U; Allémann, E; Doelker, E. (2005). Poly(D,L-lactide-co-glycolide) protein-loaded nanoparticles prepared by the double emulsion method-- processing and formulation issues for enhanced entrapment efficiency. *J Microencapsul* 22: 205-214. <http://dx.doi.org/10.1080/02652040400026442>.
- Bildik, F; Turan, GT; Barim, G; Senkal, BF. (2014). Removal of Acidic and Basic Dyes from Water using Crosslinked Polystyrene Based Quaternary Ethyl Piperazine Resin. *Separation Science and Technology* 49: 1700-1705. <http://dx.doi.org/10.1080/01496395.2014.906462>.
- Billedeau, SM; Heinze, TM; Siitonen, PH. (2003). Liquid chromatography analysis of erythromycin A in salmon tissue by electrochemical detection with confirmation by electrospray ionization mass spectrometry. *J Agric Food Chem* 51: 1534-1538. <http://dx.doi.org/10.1021/jf0209138>.
- Billig, E. (2001). Butyl alcohols. In RE Kirk; DF Othmer (Eds.), (4th, Online ed., pp. 393-402). New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.0221202502091212.a01.pub2>.
- Bin Abas, MR; Omar, N; Maah, MJ. (2004). An assessment of the concentrations of particulate polycyclic aromatic hydrocarbons (PAHs) in the aftermath of a chemical store fire incident. *J Environ Sci* 16: 751-754.
- Binder, BF; Robbins, JC; Wilson, RL. (1995). CHEMICALLY MEDIATED OVIPOSITIONAL BEHAVIORS OF THE EUROPEAN CORN-BORER, *OSTRINIA-NUBILALIS* (LEPIDOPTERA, PYRALIDAE). *J Chem Ecol* 21: 1315-1327.
- Biran, C; Toppare, L; Tincer, T; Yagci, Y; Harabagiu, V. (2003). The effect of long-term ambient aging on the mechanical properties of conducting polysiloxane-polypyrrole graft copolymers. *Chemical Engineering Communications* 190: 823-830. <http://dx.doi.org/10.1080/00986440390207422>.
- Birnbaum, DT; Kosmala, JD; Brannon-Peppas, L. (2000). Optimization of preparation techniques for poly(lactic acid-co-glycolic acid) nanoparticles. *J Nanopart Res* 2: 173-181.
- Biruk, LN; Moretton, J; Fabrizio de Iorio, A; Weigandt, C; Etcheverry, J; Filippetto, J; Magdaleno, A. (2017). Toxicity and genotoxicity assessment in sediments from the Matanza-Riachuelo river basin (Argentina) under the influence of heavy metals and organic contaminants. *Ecotoxicol Environ Saf* 135: 302-311. <http://dx.doi.org/10.1016/j.ecoenv.2016.09.024>.
- Biryukov, DM; Pisarenko, YA; Mikhailov, VA; Kruglyakov, BS; Kochurkov, AA. (2011). Developing a Unit for the Separation of the Reaction Mixture of Methylene Chloride Synthesis. *Theoretical Foundations of Chemical Engineering* 45: 747-752. <http://dx.doi.org/10.1134/S0040579511050034>.
- Bitlisli, BO; Karacaki, E. (2006). Utilisation of leather industry solid wastes in the production of porous clay brick. *Journal of the Society of Leather Technologists and Chemists* 90: 19-22.
- Bittner, M; Janosek, J; Hilscherová, K; Giesy, J; Holoubek, I; Bláha, L. (2006). Activation of Ah receptor by pure humic acids. *Environ Toxicol* 21: 338-342. <http://dx.doi.org/10.1002/tox.20185>.
- Bittner, M; Lorenz, W; Bahadir, M. (1994). RECYCLING OF SOLVENT WASTES CONTAMINATED WITH ORGANOSULFUR COMPOUNDS EXEMPLIFIED WITH THIOETHERS. *Fresen Environ Bull* 3: 633-638.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bizek, V; Horacek, J; Kousova, M. (1993). AMINE EXTRACTION OF CITRIC-ACID - EFFECT OF DILUENT. *Chem Eng Sci* 48: 1447-1457.
- Biziuk, M; Czerwinski, J; Kozlowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem* 50: 109-115.
- Bjostad, LB; Hibbard, BE. (1992). 6-METHOXY-2-BENZOXAZOLINONE - A SEMIOCHEMICAL FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 18: 931-944.
- Blackman, AJ; Davies, NW; Ralph, CE. (1992). VOLATILE AND ODOROUS COMPOUNDS FROM THE BRYOZOAN BIFLUSTRA-PERFRAGILIS. *Biochemical Systematics and Ecology* 20: 339-342.
- Blaga, AC; Galaction, AI; Cascaval, D, an. (2007). Extraction and transport of basic amino acids through liquid membranes. *Rev Chim* 58: 1080-1084.
- Blaga, AC; Malutan, T. (2012). Selective Separation of Vitamin C by Reactive Extraction. *Journal of Chemical and Engineering Data* 57: 431-435. <http://dx.doi.org/10.1021/je2010193>.
- Blake, D; Hinwood, AL; Horwitz, P. (2009). Peat fires and air quality: volatile organic compounds and particulates. *Chemosphere* 76: 419-423. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.047>.
- Blaney, BJ; Maryam, R; Murray, SA; Ryley, MJ. (2003). Alkaloids of the sorghum ergot pathogen (*Claviceps africana*): assay methods for grain and feed and variation between sclerotia/sphacelia. *Aust J Agr Res* 54: 167-175. <http://dx.doi.org/10.1071/AR02095>.
- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere* 28: 183-196.
- Blasco, M; Domeno, C; Bentayeb, K; Nerin, C. (2007). Solid-phase extraction clean-up procedure for the analysis of PAHs in lichens. *Int J Environ Anal Chem* 87: 833-846. <http://dx.doi.org/10.1080/03067310701381615>.
- Blencowe, A; Blencowe, C; Cosstick, K; Hayes, W. (2008). A carbene insertion approach to functionalised poly(ethylene oxide)-based gels. *React Funct Polym* 68: 868-875. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.12.009>.
- Blocki, FA; Logan, MS; Baoli, C; Wackett, LP. (1994). Reaction of rat liver glutathione S-transferases and bacterial dichloromethane dehalogenase with dihalomethanes. *J Biol Chem* 269: 8826-8830.
- Bodmeier, R; Chen, H; Tyle, P; Jarosz, P. (1991). SPONTANEOUS FORMATION OF DRUG-CONTAINING ACRYLIC NANOPARTICLES. *J Microencapsul* 8: 161-170.
- Boege, M; Heck, J. (2015). One-Step Preparation and Crystallization of Almost Insoluble Palladium(II) and Platinum(II/IV) Complexes from a Biphasic Solvent System. *Cryst Growth Des* 15: 5280-5287. <http://dx.doi.org/10.1021/acs.cgd.5b00797>.
- Boehning, M; Goering, H; Hao, N; Mach, R; Oleszak, F; Schoenhals, A. (2003). MOLECULAR MOBILITY AND GAS TRANSPORT PROPERTIES OF POLYCARBONATE-BASED NANOCOMPOSITES. *Reviews on Advanced Materials Science* 5: 155-159.
- Bogaerts, P; Senaud, J; Bohatier, J. (1998). Bioassay technique using nonspecific esterase activities of *Tetrahymena pyriformis* for screening and assessing cytotoxicity of xenobiotics. *Environ Toxicol Chem* 17: 1600-1605.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Boguslavsky, L; Margel, S. (2005). Poly(acrylonitrile) microspheres with a narrow size distribution: Synthesis by single-step swelling and properties. *Glass Physics and Chemistry* 31: 102-114.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci* 895: 317-337.
- Boligon, AA; Brum, TF; Zadra, M; Piana, M; Alves, CF; Fausto, VP; Júnior, V; Vaucher, R; Santos, RC; Athayde, ML. (2013). Antimicrobial activity of *Scutia buxifolia* against the honeybee pathogen *Paenibacillus* larvae. *J Invertebr Pathol* 112: 105-107. <http://dx.doi.org/10.1016/j.jip.2012.11.009>.
- Bollin, PM; Viamajala, S. (2012). Reactive Extraction of Triglycerides as Fatty Acid Methyl Esters using Lewis Acidic Chloroaluminate Ionic Liquids. *Energy Fuels* 26: 6411-6418. <http://dx.doi.org/10.1021/ef301101d>.
- Bombardier, M; Bermingham, N; Legault, R; Fouquet, A. (2001). Evaluation of an SOS-Chromotest-based approach for the isolation and detection of sediment-associated genotoxins. *Chemosphere* 42: 931-944.
- Bombick, BR; Avalos, JT; Nelson, PR; Conrad, FW; Doolittle, DJ. (1998). Comparative studies of the mutagenicity of environmental tobacco smoke from cigarettes that burn or primarily heat tobacco. *Environ Mol Mutagen* 31: 169-175.
- Bonarowska, M; Malinowski, A; Karpinski, Z. (1999). Hydrogenolysis of C-C and C-Cl bonds by Pd-Re/Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal A-Gen* 188: 145-154.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen* 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bonfiglioli, R; Carnevali, L; Di Lello, M; Violante, FS. (2014). Bilateral hearing loss after dichloromethane poisoning: a case report. *Am J Ind Med* 57: 254-257. <http://dx.doi.org/10.1002/ajim.22257>.
- Bongers, GD; Jackson, WR; Woskoboenko, F. (1998). Pressurised steam drying of Australian low-rank coals - Part 1. Equilibrium moisture contents. *Fuel Process Tech* 57: 41-54.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci* 40: 1391-1409.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res* 34: 4437-4445.
- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of chromatography purified marigold lutein using hexane and ethyl acetate solvent mixture. *Journal of Supercritical Fluids* 80: 15-22. <http://dx.doi.org/10.1016/j.supflu.2013.03.033>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of marigold-derived lutein dissolved in dichloromethane and ethanol. *Journal of Supercritical Fluids* 77: 103-109. <http://dx.doi.org/10.1016/j.supflu.2013.02.026>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol* 84: 69-73.
- Borba da Cunha, A, naC; Sabedot, S; Sampaio, CH; Ramos, CG; da Silva, AR. (2012). *Salix rubens* and *Salix triandra* Species as Phytoremediators of Soil Contaminated with Petroleum-Derived Hydrocarbons. *Water Air Soil Pollut* 223: 4723-4731. <http://dx.doi.org/10.1007/s11270-012-1228-z>.
- Borkar, C; Tomar, D; Gumma, S. (2010). Adsorption of Dichloromethane on Activated Carbon. *Journal of Chemical and Engineering Data* 55: 1640-1644. <http://dx.doi.org/10.1021/je900706h>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Stein, T; Gaisin, VZ; Cohen, R; Gendelman, OV. (2005). Mesoscopic Patterning in thin polymer films formed under the fast dip-coating process. *Macromolecular Materials & Engineering* 290: 114-121. <http://dx.doi.org/10.1002/mame.200400217>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Tamir, S; Cohen, R; Nunberg, M; Gaisin, VZ; Gorelik, M; Gendelman, OV. (2005). Mesoscopic and submicroscopic patterning in thin polymer films: Impact of the solvent. *Mater Lett* 59: 2461-2464. <http://dx.doi.org/10.1016/j.matlet.2005.03.015>.
- Borodina, TN; Grigoriev, DO; Andreeva, DV; Möhwald, H; Shchukin, DG. (2009). Polyelectrolyte multilayered nanofilms as a novel approach for the protection of hydrogen storage materials. *ACS Applied Materials & Interfaces* 1: 996-1001. <http://dx.doi.org/10.1021/am8002236>.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol* 32: 2614-2622.
- Boryczka, S; Elothmani, D; Do, QT; Simonet, J; Leguillanton, G. (1996). A new preparation of alpha-oxo-thioesters by electro-oxidation of diaryl disulfides in the presence of alkynes. *J Electrochem Soc* 143: 4027-4032.
- Bos, AR; Gumanao, GS; van Katwijk, MM; Mueller, B; Saceda, MM; Tejada, RL. (2011). Ontogenetic habitat shift, population growth, and burrowing behavior of the Indo-Pacific beach star, *Archaster typicus* (Echinodermata; Asteroidea). *Mar Biol* 158: 639-648. <http://dx.doi.org/10.1007/s00227-010-1588-0>.
- Bos, PM; Zeilmaker, MJ; van Eijkeren, JC. (2006). Application of physiologically based pharmacokinetic modeling in setting acute exposure guideline levels for methylene chloride. *Toxicol Sci* 91: 576-585. <http://dx.doi.org/10.1093/toxsci/kfj176>.
- Boschetto, DL; Aranha, EM; Ulson de Souza, AA; Souza, S; Ferreira, SRS; Priamo, WL; Oliveira, JV. (2014). Encapsulation of bixin in PHBV using SEDS technique and in vitro release evaluation. *Ind Crop Prod* 60: 22-29. <http://dx.doi.org/10.1016/j.indcrop.2014.05.050>.
- Boschetto, DL; Dalmolin, I; de Cesaro, AM; Rigo, AA; Ferreira, SRS; Meireles, MAA; Batista, EAC; Vladimir Oliveira, J. (2013). Phase behavior and process parameters effect on grape seed extract encapsulation by SEDS technique. *Ind Crop Prod* 50: 352-360. <http://dx.doi.org/10.1016/j.indcrop.2013.07.044>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Boucard, TK; Bardgett, RD; Jones, KC; Semple, KT. (2005). Influence of plants on the chemical extractability and biodegradability of 2,4-dichlorophenol in soil. *Environ Pollut* 133: 53-62. <http://dx.doi.org/10.1016/j.envpol.2004.04.014>.
- Bouchemal, N; Addoun, F. (2009). Adsorption of dyes from aqueous solution onto activated carbons prepared from date pits: The effect of adsorbents pore size distribution. *Desalination and Water Treatment* 7: 242-250.
- Bouchemal, N; Azoudj, Y; Merzougui, Z; Addoun, F. (2012). Adsorption modeling of Orange G dye on mesoporous activated carbon prepared from Algerian date pits using experimental designs. *Desalination and Water Treatment* 45: 284-290. <http://dx.doi.org/10.5004/dwt.2012.3324>.
- Boucher, AA; Edeoga, C; Ebenibo, S; Wan, J; Dagogo-Jack, S. (2012). Leukocyte count and cardiometabolic risk among healthy participants with parental type 2 diabetes: the Pathobiology of Prediabetes in a Biracial Cohort study. *Ethn Dis* 22: 445-450.
- Boucher, RJ; Standen, G; Eglinton, G. (1991). MOLECULAR CHARACTERIZATION OF KEROGENS BY MILD SELECTIVE CHEMICAL DEGRADATION - RUTHENIUM TETROXIDE OXIDATION. *Fuel* 70: 695-702.
- Boucher, RJ; Standen, G; Patience, RL; Eglinton, G. (1990). MOLECULAR CHARACTERIZATION OF KEROGEN FROM THE KIMMERIDGE CLAY FORMATION BY MILD SELECTIVE CHEMICAL DEGRADATION AND SOLID-STATE C-13-NMR. *Organic Geochemistry* 16: 951-958.
- Bouguettoucha, A; Reffas, A; Chebli, D; Mekhalif, T; Amrane, A. (2016). Novel activated carbon prepared from an agricultural waste, *Stipa tenacissima*, based on ZnCl<sub>2</sub> activation characterization and application to the removal of methylene blue. *Desalination and Water Treatment* 57: 24056-24069. <http://dx.doi.org/10.1080/19443994.2015.1137231>.
- Bouhdadi, R; Benhadi, S; Molina, S; George, B; El Moussaoui, M; Merlin, A. (2011). CHEMICAL MODIFICATION OF CELLULOSE BY ACYLATION: APPLICATION TO ADSORPTION OF METHYLENE BLUE. *Maderas* 13: 105-116. <http://dx.doi.org/10.4067/S0718-221X2011000100009>.
- Bouhdadi, R; El Moussaoui, M; Benhadi, S; George, B; Molina, S; Merlin, A. (2011). KINETIC AND ISOTHERM MODELING OF METHYLENE BLUE ADSORPTION ONTO KRAFT PULP MODIFIED BY ACYLATION. 56: 349-361.
- Boulououar, N; Marouf, A; Cheriti, A; Belboukhari, N. (2012). Medicinal Plants Extracts as Source of Antifungal Agents against *Fusarium oxysporum* f. sp. *albedinis*. *Journal of Agricultural Science and Technology* 14: 659-669.
- Boulinguez, B; Le Cloirec, P. (2009). Biogas pre-upgrading by adsorption of trace compounds onto granular activated carbons and an activated carbon fiber-cloth. *Water Sci Technol* 59: 935-944. <http://dx.doi.org/10.2166/wst.2009.070>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bouri, M; Salghi, R; Bazzi, L; Zarrouk, A; Rios, A; Zougagh, M. (2012). Pesticide residue levels in green beans cultivated in Souss Masa valley (Morocco) after multiple applications of bifenthrin and  $\lambda$ -cyhalothrin. *Bull Environ Contam Toxicol* 89: 638-643. <http://dx.doi.org/10.1007/s00128-012-0722-8>.
- Boury, F; Ivanova, T; Panaiotov, I; Proust, JE; Bois, A; Richou, J. (1995). DILATATIONAL PROPERTIES OF ADSORBED POLY(D,L-LACTIDE) AND BOVINE SERUM-ALBUMIN MONOLAYERS AT THE DICHLOROMETHANE/WATER INTERFACE. *Langmuir* 11: 1636-1644.
- Bouseta, A; Collin, S. (1995). OPTIMIZED LIKENS-NICKERSON METHODOLOGY FOR QUANTIFYING HONEY FLAVORS. *J Agric Food Chem* 43: 1890-1897.
- Boutin, O; Badens, E; Carretier, E; Charbit, G. (2004). Co-precipitation of a herbicide and biodegradable materials by the supercritical anti-solvent technique. *Journal of Supercritical Fluids* 31: 89-99. <http://dx.doi.org/10.1016/j.supflu.2003.09.013>.
- Boxall, ABA; Maltby, L. (1995). THE CHARACTERIZATION AND TOXICITY OF SEDIMENT CONTAMINATED WITH ROAD RUNOFF. *Water Res* 29: 2043-2050.
- Boysen, RB; Schabron, JF. (2013). The Automated Asphaltene Determinator Coupled with Saturates, Aromatics, and Resins Separation for Petroleum Residua Characterization. *Energy Fuels* 27: 4654-4661. <http://dx.doi.org/10.1021/ef400952b>.
- Bozorgnia, Y; Niazi, M. (1993). DISTANCE SCALING OF VERTICAL AND HORIZONTAL RESPONSE SPECTRA OF THE LOMA-PRIETA EARTHQUAKE. *Earthquake Engineering & Structural Dynamics* 22: 695-707.
- Braddock, JF; Lindstrom, JE; Prince, RC. (2003). Weathering of a subarctic oil spill over 25 years: the Caribou-Poker Creeks Research Watershed experiment. *Cold Regions Sci Tech* 36: 11-23. [http://dx.doi.org/10.1016/S0165-232X\(02\)00076-9](http://dx.doi.org/10.1016/S0165-232X(02)00076-9).
- Brandenberger, S; Mohr, M; Grob, K; Neukom, HP. (2005). Contribution of unburned lubricating oil and diesel fuel to particulate emission from passenger cars. *Atmos Environ* 39: 6985-6994. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.042>.
- Bras, J; Vaca-Garcia, C; Borredon, ME; Glasser, W. (2007). Oxygen and water vapor permeability of fully substituted long chain cellulose esters (LCCE). *Cellulose* 14: 367-374. <http://dx.doi.org/10.1007/s10570-007-9123-2>.
- Braud, C; Devarieux, R; Garreau, H; Vert, M. (1996). Capillary electrophoresis to analyze water-soluble oligo(hydroxyacids) issued from degraded or biodegraded aliphatic polyesters. *Journal of Environmental Polymer Degradation* 4: 135-148.
- Braus-Stromeier, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol* 27: 1577-1579.
- Bravo-Linares, CM; Mudge, SM. (2009). Temporal trends and identification of the sources of volatile organic compounds in coastal seawater. *J Environ Monit* 11: 628-641. <http://dx.doi.org/10.1039/b814260m>.
- Breman, BB; Beenackers, A; Bouma, MJ. (1995). FLOW REGIMES, GAS HOLD-UP AND AXIAL GAS MIXING IN THE GAS-LIQUID MULTISTAGE AGITATED CONTACTOR. *Chem Eng Sci* 50: 2963-2982.
- Bremerstein, T; Rudolph, M; Peuker, U, rsA. (2014). Effect of solvent exchange on the stability of sterically functionalized magnetite nanoparticles in poly(methyl methacrylate) solutions and resulting spray dried composites. *Chem Eng Res Des* 92: 2523-2533. <http://dx.doi.org/10.1016/j.cherd.2014.02.015>.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria* 165: 87-97.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brenizer, JS; Hosticka, B; Berger, H; Gillies, GT. (1999). The use of contrast agents to enhance crack detection via neutron radiography. *N D T & E International* 32: 37-42.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Scientific Publications. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Bressler, E; Braun, S. (1999). Separation mechanisms of citric and itaconic acids by water-immiscible amines. *J Chem Tech Biotechnol* 74: 891-896.
- Breuer, D; Friedrich, C; Hennig, M; Moritz, A; Schneider, W; Werner, S. (2010). Determination of volatile organic compounds (VOCs) indoors: Validation of the measuring process. *Gefahrst Reinhalt Luft* 70: 423-429.
- Briceno, K; Silvestre-Albero, J; Silvestre-Albero, A; Calvo, JI; Montane, D; Garcia-Valls, R; Hernandez, A; Rodriguez-Reinoso, F. (2013). Characterization of Carbon Molecular Sieve Membranes Supported on Ceramic Tubes. *AST* 31: 233-247.
- Brichka, SY; Prikhod'ko, GP; Sementsov, YI; Brichka, AV; Dovbeshko, GI; Paschuk, OP. (2004). Synthesis of carbon nanotubes from a chlorine-containing precursor and their properties. *Carbon* 42: 2581-2587. <http://dx.doi.org/10.1016/j.carbon.2004.05.040>.
- Brieno-Enriquez, KM; Ledesma-Garcia, J; Perez-Bueno, JJ; Godinez, LA; Terrones, H; Angeles-Chavez, C. (2009). Bonding titanium on multi-walled carbon nanotubes for hydrogen storage: An electrochemical approach. *Mater Chem Phys* 115: 521-525. <http://dx.doi.org/10.1016/j.matchemphys.2009.02.004>.
- Briggs, AM; Johal, MS; Davies, PB. (1999). Structure and thermal stability of dichain sugar surfactants at the solid/water interface studied by sum-frequency vibrational spectroscopy. *Langmuir* 15: 1817-1828.
- Brito e Abreu, S; Avelino, HMN, T; Caetano, FJP; Fareleira, JMN, A. (2010). Density of Diisodecyl Phthalate at Temperatures from (283.15 to 363.15) K and Pressures from (0.1 to 65) MPa. *Journal of Chemical and Engineering Data* 55: 3525-3531. <http://dx.doi.org/10.1021/jc1001413>.
- Brockmeyer, B; Kraus, UR; Theobald, N. (2015). Accelerated solvent extraction (ASE) for purification and extraction of silicone passive samplers used for the monitoring of organic pollutants. *Environ Sci Pollut Res Int* 22: 19887-19895. <http://dx.doi.org/10.1007/s11356-015-5192-1>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Brod, M; Valensi, P; Shaban, JA; Bushnell, DM; Christensen, TL. (2010). Patient treatment satisfaction after switching to NovoMix® 30 (BIAsp 30) in the IMPROVE™ study: an analysis of the influence of prior and current treatment factors. 19: 1285-1293. <http://dx.doi.org/10.1007/s11136-010-9699-0>.
- Brodeur, JC; Poliserpi, MB; D'Andrea, MF; Sanchez, M. (2014). Synergy between glyphosate- and cypermethrin-based pesticides during acute exposures in tadpoles of the common South American Toad *Rhinella arenarum*. *Chemosphere* 112: 70-76. <http://dx.doi.org/10.1016/j.chemosphere.2014.02.065>.
- Bronze-Uhle, ES; Borin, JF; Batagin-Neto, A; Alves, MCO; Graeff, CFO. (2012). MEH-PPV hypsochromic shifts in halogenated solvents induced by gamma-rays. *Mater Chem Phys* 132: 846-851. <http://dx.doi.org/10.1016/j.matchemphys.2011.12.022>.
- Brooks, JS; Williams, EH; Feeny, P. (1996). Quantification of contact oviposition stimulants for black swallowtail butterfly, *Papilio polyxenes*, on the leaf surfaces of wild carrot, *Daucus carota*. *J Chem Ecol* 22: 2341-2357.
- Brooks, LR; Hughes, TJ; Claxton, LD; Austern, B; Brenner, R; Kremer, F. (1998). Bioassay-directed fractionation and chemical identification of mutagens in bioremediated soils. *Environ Health Perspect* 106 Suppl 6: 1435-1440.
- Brooks, SPJ; Ratnayake, WMN; Lampi, BJ; Hollywood, R. (1998). Measuring total lipid content in rat carcasses: A comparison of commonly employed extraction methods. *J Agric Food Chem* 46: 4214-4217.
- Brown, JL; Kersey, DC; Freeman, EW; Wagener, T. (2010). Assessment of diurnal urinary cortisol excretion in Asian and African elephants using different endocrine methods. *Zoo Biology* 29: 274-283. <http://dx.doi.org/10.1002/zoo.20268>.
- Brown, JL; Wemmer, CM; Lehnhardt, J. (1995). Urinary cortisol analysis for monitoring adrenal activity in elephants. *Zoo Biology* 14: 533-542.
- Brown, KW; Thomas, JC; Donnelly, KC. (1991). BACTERIAL MUTAGENICITY OF MUNICIPAL SEWAGE SLUDGES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology* 26: 395-413.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, SL; Schwab, B. (1994). REVIEW OF MATHEMATICAL-MODELS FOR HEALTH RISK ASSESSMENT .8. DOSE-RESPONSE RELATIONSHIPS. *Environ Software* 9: 161-174.
- Brownlee, B; Macinnis, G; Charlton, M; Watson, S; Hamilton-Browne, S; Milne, J. (2004). An analytical method for shipboard extraction of the odour compounds, 2-methylisoborneol and geosmin. *Water Sci Technol* 49: 121-127.
- Broza, G; Piszczek, K; Schulte, K; Sterzynski, T. (2007). Nanocomposites of poly(vinyl chloride) with carbon nanotubes (CNT). *Compos Sci Tech* 67: 890-894. <http://dx.doi.org/10.1016/j.compscitech.2006.01.033>.
- Brozek, V; Hrabovsky, M; Kopecky, V. (1999). Decomposition of polyhalogenide hydrocarbons in plasma jet generated by water stabilized plasma torch. *High Temperature Material Processes* 3: 375-384.
- Bruce, EN; Bruce, MC; Erupaka, K. (2008). Prediction of the rate of uptake of carbon monoxide from blood by extravascular tissues. *Respir Physiol Neurobiol* 161: 142-159.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents* 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Bruhn, C; Brockmüller, J; Kerb, R; Roots, I; Borchert, HH. (1998). Concordance between enzyme activity and genotype of glutathione S-transferase theta (GSTT1). *Biochem Pharmacol* 56: 1189-1193.
- Brujes, L; Legrand, J; Carnelle, G. (2003). Characterization of liquid-liquid dispersion in batch and continuous toroidal minimixer. *J Chem Eng Jpn* 36: 1-6.
- Bruk, R; Barat, R; Mitra, S. (2006). The Effect of Waste Concentration on Destruction Efficiency During Incineration. *Environ Eng Sci* 23: 383-392.
- Bruk, R; Mitra, S; Barat, R. (2004). Pathways to methylene chloride destruction at low and high concentrations. *Combust Sci Tech* 176: 531-555. <http://dx.doi.org/10.1080/00102200490276755>.
- Brunner, AR; Bujalski, DR; Moyer, ES; Su, K; Sneddon, LG. (2000). Synthesis and ceramic conversion reactions of pinacolborane- and diethylborazine-modified poly(vinylsiloxane)s. The development of a processable single-source polymeric precursor to boron-modified silicon carbide. *Chem Mater* 12: 2770-2780.
- Bryce, MR; Moore, AJ; Tanner, BK; Whitehead, R; Clegg, W; Gerson, F; Lamprecht, A; Pfenninger, S. (1996). Vinyllogous tetrathiafulvalene (TTF) pi-electron donors and derived radical cations: ESR spectroscopic, magnetic, and X-ray structural studies. *Chem Mater* 8: 1182-1188.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289: 1648-1653.
- Buchanansmith, HM; Anderson, DA; Ryan, CW. (1993). RESPONSES OF COTTON-TOP TAMARINS (*SAGUINUS-OEDIPUS*) TO FECAL SCENTS OF PREDATORS AND NON-PREDATORS. *Animal Welfare* 2: 17-32.
- Buddhadasa, SC; Barone, S; Bigger, SW; Orbell, JD. (2003). A comparison between extractant solvents in the quantitative analysis of total petroleum hydrocarbons in soil samples. *J Jpn Petrol Inst* 46: 28-34.
- Budenberg, WJ; Ndiege, IO; Karago, FW. (1993). EVIDENCE FOR VOLATILE MALE-PRODUCED PHEROMONE IN BANANA WEEVIL *COSMOPOLITES-SORDIDUS*. *J Chem Ecol* 19: 1905-1916.
- Bueno, C; Cabral, VF; Cardozo-Filho, L; Dias, ML; Antunes, OAC. (2009). Cationic polymerization of styrene in scCO<sub>2</sub> and [bmim][PF<sub>6</sub>]. *Journal of Supercritical Fluids* 48: 183-187. <http://dx.doi.org/10.1016/j.supflu.2008.09.023>.
- Buggy, M; Farragher, L; Madden, W. (1995). Recycling of composite materials. *J Mater Process Tech* 55: 448-456.
- Bui, VT; Ahad, E; Rheaume, D; Whitehead, R. (1997). Evaluation of branched glycidyl azide polymer purified by solvent extraction. *Ind Eng Chem Res* 36: 2219-2224.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bukowski, JA; Sargent, EV; Pena, BM. (1992). Evaluation of the Utility of a Standard History Questionnaire in Assessing the Neurological Effects of Solvents. *Am J Ind Med* 22: 337-345.
- Bukowski, JA; Schnatter, AR; Korn, L. (2001). Using epidemiological studies to check the consistency of the cancer risks predicted by high-dose animal experiments: a methodological review [Review]. *Risk Anal* 21: 601-611.
- Bull, J, oe. (2012). Loads of green washing-can behavioural economics increase willingness-to-pay for efficient washing machines in the UK? *Energy Policy* 50: 242-252. <http://dx.doi.org/10.1016/j.enpol.2012.07.001>.
- Bumbac, M; Serban, B; Luca, C; Nechifor, G; Voicu, S. (2006). Studies regarding the synergistic effect in the extraction of alkaline metals Na<sup>+</sup> and K<sup>+</sup> cations in the presence of a mixture of p-tertbutylcalix[4] arene-ethers crown. *Rev Chim* 57: 927-930.
- Buonomenna, MG; Golemme, G; Choi, SH; Jansen, JC; De Santo, MP; Drioli, E. (2011). Surface skin layer formation and molecular separation properties of asymmetric PEEKWC membranes. *Separation and Purification Technology* 77: 104-111. <http://dx.doi.org/10.1016/j.seppur.2010.11.027>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen* 96: 289-303.
- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal* 75: 1079-1092.
- Burg, P; Fydrych, P; Bimer, J; Salbut, PD; Jankowska, A. (2002). Comparison of three active carbons using LSER modeling: prediction of their selectivity towards pairs of volatile organic compounds (VOCs). *Carbon* 40: 73-80.
- Burger, J; Lord, CG; Yurkow, EJ; Mcgrath, L; Gaines, KF; Brisbin, IL; Gochfeld, M. (2000). Metals and metallothionein in the liver of raccoons: utility for environmental assessment and monitoring. *J Toxicol Environ Health A* 60: 243-261.
- Burgess, CM; Yao, N, an; Bocarsly, AB. (2009). Stabilizing cyanosols: amorphous cyanide bridged transition metal polymer nanoparticles. *J Mater Chem* 19: 8846-8855. <http://dx.doi.org/10.1039/b911682f>.
- Burness, JH; Dillard, JG. (1994). AN INVESTIGATION OF THE SURFACE-PROPERTIES OF ANODIZED ALUMINUM BY INVERSE GAS-CHROMATOGRAPHY. *Langmuir* 10: 1894-1897.
- Bushway, RJ; Brandon, DL; Bates, AH; Li, L; Larkin, KA; Young, BS. (1995). QUANTITATIVE-DETERMINATION OF THIABENDAZOLE IN FRUIT JUICES AND BULK JUICE CONCENTRATES USING A THIABENDAZOLE MONOCLONAL-ANTIBODY. *J Agric Food Chem* 43: 1407-1412.
- Bushway, RJ; Fan, TS; Young, BES; Paradis, LR; Perkins, LB. (1994). DETERMINATION OF METHYL 2-BENZIMIDAZOLECARBAMATE IN SOIL BY COMPETITIVE-INHIBITION ENZYME-IMMUNOASSAY. *J Agric Food Chem* 42: 1138-1142.
- Butler, E; Whelan, MJ; Ritz, K; Sakrabani, R; van Egmond, R. (2011). Solvent-based washing removes lipophilic contaminant interference with phospholipid fatty acid analysis of soil communities. *Soil Biol Biochem* 43: 2208-2212. <http://dx.doi.org/10.1016/j.soilbio.2011.06.010>.
- Buzitis, J; Ylitalo, GM; Krahn, MM. (2006). Rapid method for determination of dioxin-like polychlorinated biphenyls and other congeners in marine sediments using sonic extraction and photodiode array detection. *Arch Environ Contam Toxicol* 51: 337-346. <http://dx.doi.org/10.1007/s00244-005-0162-0>.
- Byrne, RJ; Stitzel, SE; Diamond, D. (2006). Photo-regenerable surface with potential for optical sensing. *J Mater Chem* 16: 1332-1337. <http://dx.doi.org/10.1039/b516400a>.
- Byun, H, unSoo; Lee, H, aY. (2006). Cloud-point measurement of the biodegradable poly(d,l-lactide-co-glycolide) solution in supercritical fluid solvents. *Korean J Chem Eng* 23: 1003-1008.
- Caamal-Fuentes, E; Chale-Dzul, J; Moo-Puc, R; Freile-Pelegrin, Y; Robledo, D. (2014). Bioprospecting of brown seaweed (Ochrophyta) from the Yucatan Peninsula: cytotoxic, antiproliferative, and antiprotozoal activities. *J Appl Phycol* 26: 1009-1017. <http://dx.doi.org/10.1007/s10811-013-0129-x>.
- Cabbar, C; Dogu, G; Dogu, T; Mccoy, BJ. (1996). Single-pellet dynamics for the soil organic matter effect on dichloromethane sorption. *AIChE J* 42: 2090-2093.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater* 82: 313-322.
- Cabbar, HC; Varol, N; Mccoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J* 44: 1351-1355.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria* 62: 163-172.
- Çabuk, H; Kılıç, MS; Ören, M. (2014). Biomonitoring of polycyclic aromatic hydrocarbons in urban and industrial environments of the Western Black Sea Region, Turkey. *Environ Monit Assess* 186: 1515-1524. <http://dx.doi.org/10.1007/s10661-013-3470-2>.
- Caeiro, G; Magnoux, P; Lopes, JM; Ribeiro, FR. (2005). Deactivating effect of quinoline during the methylcyclohexane transformation over H-USY zeolite. *Appl Catal A-Gen* 292: 189-199. <http://dx.doi.org/10.1016/j.apcata.2005.06.016>.
- Cagiano, R; Ancona, D; Cassano, T; Tattoli, M; Trabace, L; Cuomo, V. (1998). Effects of prenatal exposure to low concentrations of carbon monoxide on sexual behaviour and mesolimbic dopaminergic function in rat offspring. *Br J Pharmacol* 125: 909-915. <http://dx.doi.org/10.1038/sj.bjp.0702143>.
- Cai, SF, ei; Wang, L, iS; Hu, F, uH. (2009). Solubilities of MoO<sub>2</sub>X<sub>2</sub>L<sub>2</sub> (X = Cl, Br; L = OPPh<sub>3</sub>, OPMePh<sub>2</sub>) in Dichloromethane and H<sub>2</sub>O<sub>2</sub> (30 % (By Weight)) + H<sub>2</sub>O Solution. *Journal of Chemical and Engineering Data* 54: 2235-2238. <http://dx.doi.org/10.1021/jc800988w>.
- Cai, X; Zhu, L, an; Bao, S; Luo, Q. (2015). Photochromic dithienylethene-branched triptycene hybrids. *Dyes and Pigments* 121: 227-234. <http://dx.doi.org/10.1016/j.dyepig.2015.05.023>.
- Cai, Y; Tang, G; Jaffe, R; Jones, R. (1997). Evaluation of some isolation methods for organomercury determination in soil and fish samples by capillary gas chromatography - Atomic fluorescence spectrometry. *Int J Environ Anal Chem* 68: 331-345.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cakar, F; Yazici, O; Sakar, D; Cankurtaran, O; Karaman, F. (2011). Surface analysis of poly(ether imide) by inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 5: 821-826.
- Calamai, L; Pantani, OL; Ravelli, A; Fusi, P. (1995). CHLORSULFURON EXTRACTION AND PURIFICATION FROM A COMMERCIAL FORMULATION (GLEAN 75DF). *Fresen Environ Bull* 4: 25-30.
- Caldwell, N; Jamieson, C; Simpson, I; Watson, AJB. (2013). Development of a Sustainable Catalytic Ester Amidation Process. 1: 1339-1344. <http://dx.doi.org/10.1021/sc400204g>.
- Callison, J; Betzler, F; de Cuba, K; van Der Borden, W; van Der Velde, K; Carr, RH; Senn, HM; Farrugia, LJ; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in a Polyurethane Production Chain. Part 2: A Route to the Formation of Colored Impurities. *Ind Eng Chem Res* 51: 11021-11030. <http://dx.doi.org/10.1021/ie300987v>.
- Callison, J; Edge, R; de Cuba, KR; Carr, RH; Mcdouall, JJW; Collison, D; Mcinnes, EJJ; van Der Borden, W; van Der Velde, K; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in the Polyurethane Production Chain. 1. Conditions for Chlorine Transfer from an Aryl Isocyanide Dichloride Byproduct. *Ind Eng Chem Res* 51: 2515-2523. <http://dx.doi.org/10.1021/ie2013136>.
- Calvert, CA; Suib, SL. (2007). An initial study into the use of microwave remediation of hexachlorobenzene treated soil using selected oxidants and coated graphite rods. *Journal of Soils and Sediments* 7: 147-152. <http://dx.doi.org/10.1065/jss2007.05.227>.
- Calvey, EM; Matusik, JE; White, KD; Betz, JM; Block, E; Littlejohn, MH; Naganathan, S; Putman, D. (1994). OFF-LINE SUPERCRITICAL-FLUID EXTRACTION OF THIOSULFINATES FROM GARLIC AND ONION. *J Agric Food Chem* 42: 1335-1341.
- Câmara, JS; Marques, JC; Alves, MA; Silva Ferreira, AC. (2004). 3-Hydroxy-4,5-dimethyl-2(5H)-furanone levels in fortified Madeira wines: relationship to sugar content. *J Agric Food Chem* 52: 6765-6769. <http://dx.doi.org/10.1021/jf049547d>.
- Cameron, NR; Sherrington, DC; Ando, I; Kurosu, H. (1996). Chemical modification of monolithic poly(styrene-divinylbenzene) PolyHIPE(R) materials. *J Mater Chem* 6: 719-726.
- Campbell, M; Bitton, G; Koopman, B; Delfino, JJ. (1992). PRELIMINARY COMPARISON OF SEDIMENT EXTRACTION PROCEDURES AND EXCHANGE SOLVENTS FOR HYDROPHOBIC COMPOUNDS BASED ON INHIBITION OF BIOLUMINESCENCE. *Environ Toxicol Water Qual* 7: 329-338.
- Camurlu, P; Gultekin, C. (2012). Utilization of novel bithiazole based conducting polymers in electrochromic applications. *Smart Materials and Structures* 21. <http://dx.doi.org/10.1088/0964-1726/21/2/025019>.
- Canaple, L; Rehor, A; Hunkeler, D. (2002). Improving cell encapsulation through size control. *J Biomater Sci Polym Ed* 13: 783-796.
- Canbay, HS; Ogut, S; Yilmazer, M. (2014). Pesticide residues analysis in lake water and sediment samples from the Golcuk National Park. *Water Resources* 41: 97-104. <http://dx.doi.org/10.1134/S0097807814010059>.
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media* 38: 43-56.
- Candir, E; Ozdemir, AE; Kamiloglu, U; Soyulu, EM; Dilbaz, R; Ustun, D. (2012). Modified atmosphere packaging and ethanol vapor to control decay of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 63: 98-106. <http://dx.doi.org/10.1016/j.postharvbio.2011.09.008>.
- Canet, R; Birnstingl, JG; Malcolm, DG; Lopez-Real, JM; Beck, AJ. (2001). Biodegradation of polycyclic aromatic hydrocarbons (PAHs) by native microflora and combinations of white-rot fungi in a coal-tar contaminated soil. *Bioresour Technol* 76: 113-117.
- Cañizares, P; Louhichi, B; Gadi, A; Nasr, B; Paz, R; Rodrigo, MA; Saez, C. (2007). Electrochemical treatment of the pollutants generated in an ink-manufacturing process. *J Hazard Mater* 146: 552-557. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.085>.
- Cantrell, CL; Duke, SO; Fronczek, FR; Osbrink, WL; Mamonov, LK; Vassilyev, JI; Wedge, DE; Dayan, FE. (2007). Phytotoxic Eremophilanes from *Ligularia macrophylla*. *J Agric Food Chem* 55: 10656-10663. <http://dx.doi.org/10.1021/jf072548w>.
- Cao, D; Zhao, GL; Yan, WD. (2007). Solubilities of betulin in fourteen organic solvents at different temperatures. *Journal of Chemical and Engineering Data* 52: 1366-1368. <http://dx.doi.org/10.1021/je700069g>.
- Cao, H; Shan, G; Yin, YM; Sun, H; Wu, Y; Xie, W; Su, Z. (2015). Modification of iridium(III) complexes for fabrication of high-performance non-doped organic light-emitting diode. *Dyes and Pigments* 112: 8-16. <http://dx.doi.org/10.1016/j.dyepig.2014.06.014>.
- Cao, S; Shi, M; Wang, H; Yu, F; Weng, X; Liu, Y, ue; Wu, Z. (2016). A two-stage Ce/TiO<sub>2</sub>-Cu/CeO<sub>2</sub> catalyst with separated catalytic functions for deep catalytic combustion of CH<sub>2</sub>Cl<sub>2</sub>. *Chem Eng J* 290: 147-153. <http://dx.doi.org/10.1016/j.cej.2015.12.107>.
- Cao, W; Suzuki, T; Elsayed-Ali, HE; Abdel-Fattah, TM. (2015). Synthesis of Cerium-Doped Titania Nanoparticles and Nanotubes. *J Nanosci Nanotechnol* 15: 2508-2513. <http://dx.doi.org/10.1166/jnn.2015.10299>.
- Cao, XL; Zhu, J. (2001). Monitoring method for airborne glymes and its application in fuel exhaust emission measurement. *Chemosphere* 45: 911-917.
- Cao, Y, an; Li, H; Zhang, J, un. (2011). Homogeneous Synthesis and Characterization of Cellulose Acetate Butyrate (CAB) in 1-Allyl-3-Methylimidazolium Chloride (AmimCl) Ionic Liquid. *Ind Eng Chem Res* 50: 7808-7814. <http://dx.doi.org/10.1021/ie2004362>.
- Cao, Y; Pawlowski, A; Zhang, J, in. (2010). PREPARATION OF ACTIVATED CARBONS WITH ENHANCED ADSORPTION OF CATIONIC AND ANIONIC DYES FROM CHINESE HICKORY HUSK USING THE TAGUCHI METHOD. *Environ Protect Eng* 36: 69-86.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater* 17: 456-461.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C* 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cape, JN; Leith, ID; Binnie, J; Content, J; Donkin, M; Skewes, M; Price, DN; Brown, AR; Sharpe, AD. (2003). Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ Pollut* 124: 341-353. [http://dx.doi.org/10.1016/S0269-7491\(02\)00464-5](http://dx.doi.org/10.1016/S0269-7491(02)00464-5).
- Capone, DG; Weston, DP; Miller, V; Shoemaker, C. (1996). Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture. *Aquaculture* 145: 55-75.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cara, M; Vorpsi, V; Harizaj, F; Merkuri, J; Vladi, V. (2011). DEGRADATION OF THE INSECTICIDE ACETAMIPRID IN GREENHOUSE CUCUMBERS AND AN ESTIMATION OF THE LEVEL OF RESIDUES. *J Environ Prot Ecol* 12: 74-81.
- Caratto, V; Locardi, F; Alberti, S; Villa, S; Sanguineti, E; Martinelli, A; Balbi, T; Canesi, L; Ferretti, M. (2016). Different sol-gel preparations of iron-doped TiO<sub>2</sub> nanoparticles: characterization, photocatalytic activity and cytotoxicity. *Journal of Sol-Gel Science and Technology* 80: 152-159. <http://dx.doi.org/10.1007/s10971-016-4057-5>.
- Carberry, J; Irvin, JA; Glatzhofer, DT; Nicholas, KM; Neef, CJ. (2013). High molecular weight copolymers of vinylferrocene and 3-phenyl[5]ferrocenophane-1,5-dimethylene with various N-substituted maleimides. *React Funct Polym* 73: 730-736. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.002>.
- Cardoso, FAR; Almeida, RA; Rezende, RVP; Meier, HF; Noriler, D; Guerra, HP; Cabral, VF; Cardozo-Filho, L. (2016). Evaluation of changes in physicochemical properties in a supercritical antisolvent (SAS) process using 3D turbulent CFD approach. *Journal of Supercritical Fluids* 107: 349-357. <http://dx.doi.org/10.1016/j.supflu.2015.10.002>.
- Carero, ADP; Hoet, PHM; Verschaeve, L; Schoeters, G; Nemery, B. (2001). Genotoxic effects of carbon black particles, diesel exhaust particles, and urban air particulates and their extracts on a human alveolar epithelial cell line (A549) and a human monocytic cell line (THP-1). *Environ Mol Mutagen* 37: 155-163.
- Caricchia, AM; Chiavarini, S; Cremisini, C; Morabito, R; Ubaldi, C. (1993). ANALYTICAL METHODS FOR THE DETERMINATION OF ORGANOTINS IN THE MARINE-ENVIRONMENT. *Int J Environ Anal Chem* 53: 37-52.
- Carlescu, A; Postaru, M; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM *Propionibacterium acidipropionici* BROTHS BY REACTIVE EXTRACTION 2. EXTRACTION FROM SIMULATED BROTHS. *Environmental Engineering and Management Journal* 11: 1029-1036.
- Carletti, E; Endogan, T; Hasirci, N; Hasirci, V; Maniglio, D; Motta, A; Migliaresi, C. (2011). Microfabrication of PDLLA scaffolds. *J Tissue Eng Regen Med* 5: 569-577. <http://dx.doi.org/10.1002/term.349>.
- Carlson, PJ; Pretzer, LA; Boyd, JE. (2007). Solvent deposition of titanium dioxide on acrylic for photocatalytic application. *Ind Eng Chem Res* 46: 7970-7976. <http://dx.doi.org/10.1021/ie070825i>.
- Carmalt, CJ; O'Neill, SA; Parkin, IP; Peters, ES. (2004). Titanium sulfide thin films from the aerosol-assisted chemical vapour deposition of [Ti(SBut)(4)]. *J Mater Chem* 14: 830-834. <http://dx.doi.org/10.1039/b311265a>.
- Carrara, VS; Vieira, SC; de Paula, RG; Rodrigues, V; Magalhães, LG; Cortez, DA; Da Silva Filho, AA. (2014). In vitro schistosomicidal effects of aqueous and dichloromethane fractions from leaves and stems of Piper species and the isolation of an active amide from *P. amalago* L. (Piperaceae). *J Helminthol* 88: 321-326. <http://dx.doi.org/10.1017/S0022149X13000205>.
- Carretier, E; Badens, E; Guichardon, P; Boutin, O; Charbit, G. (2003). Hydrodynamics of supercritical antisolvent precipitation: Characterization and influence on particle morphology. *Ind Eng Chem Res* 42: 331-338. <http://dx.doi.org/10.1021/ie020439v>.
- Carrillo-Lopez, LM; Soto-Hernandez, RM; Zavaleta-Mancera, HA; Vilchis-Nestor, AR. (2016). Study of the Performance of the Organic Extracts of *Chenopodium ambrosioides* for Ag Nanoparticle Synthesis. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2016/4714162>.
- Carrott, PJM; Cansado, IPP; Carrott, MML, R. (2006). On the L- $\sigma$  range of the TVFM. *AST* 24: 205-213.
- Carrott, PJM; Carrott, MML, R; Cansado, IPP. (2001). Reference data for the adsorption of dichloromethane on carbon materials. *Carbon* 39: 465-472.
- Carter, JT; Emmerson, GT; Lo Faro, C; Mcgrail, PT; Moore, DR. (2003). The development of a low temperature cure modified epoxy resin system for aerospace composites. *Composites Part A: Applied Science and Manufacturing* 34: 83-91.
- Carvalho, A; Pio, C; Santos, C. (2003). Water-soluble hydroxylated organic compounds in German and Finnish aerosols. *Atmos Environ* 37: 1775-1783. [http://dx.doi.org/10.1016/S1352-2310\(03\)00066-9](http://dx.doi.org/10.1016/S1352-2310(03)00066-9).
- Carvalho, JCB; Almeida, H, dosS; Revoredo Lobo, JF; Pinto Ferreira, JL; Oliveira, AP; Rocha, L. (2013). Pyrrolizidine alkaloids in two endemic capeverdian *Echium* species. *Biochemical Systematics and Ecology* 50: 1-6. <http://dx.doi.org/10.1016/j.bse.2013.03.026>.
- Casado, AG; Hernandez, EJA; Vilchez, JL. (1998). Determination of fatty acids (C-8-C-22) in urban wastewater by GC-MS. *Water Res* 32: 3168-3172.
- Casal, V; Schmidt, H. (1998). SUWOX - a facility for the destruction of chlorinated hydrocarbons. *Journal of Supercritical Fluids* 13: 269-276.
- Cascaval, D; Galaction, AI; Nicuta, N. (2010). Comparative Studies of Free and Facilitated Pertraction of Erythromycin from *Streptomyces erythreus* Broths. *Chemical and Biochemical Engineering Quarterly* 24: 177-185.
- Cascaval, D; Galaction, AI; Nicuta, N; Blaga, AC. (2007). Selective separation of gentamicins from the biosynthetic mixture by reactive extraction. *Separation and Purification Technology* 57: 264-269. <http://dx.doi.org/10.1016/j.seppur.2007.04.003>.
- Cascaval, D, an; Kloetzer, L; Galaction, AI. (2011). Influence of Organic Phase Polarity on Interfacial Mechanism and Efficiency of Reactive Extraction of Acetic Acid with Tri-n-octylamine. *Journal of Chemical and Engineering Data* 56: 2521-2526. <http://dx.doi.org/10.1021/jc200044y>.
- Cascaval, D; Kloetzer, L; Galaction, AI; Vlysidis, A; Webb, C. (2013). Fractionation of Carboxylic Acids Mixture Obtained by Succinic Fermentation using Reactive Extraction. *Separation Science and Technology* 48: 634-643. <http://dx.doi.org/10.1080/01496395.2012.691593>.
- Castaneda, R; Yakovenko, AA; Draguta, S; Fonari, MS; Antipin, MY, u; Timofeeva, TV. (2015). Structural Diversity in the Complexes of Trimeric Perfluoro-o-phenylene Mercury with Tetrathia- and Tetramethyltetraselenafulvalene. *Cryst Growth Des* 15: 1022-1026. <http://dx.doi.org/10.1021/cg501594t>.
- Castanedaacosta, J; Cain, AW; Fischer, NH; Knopf, FC. (1995). EXTRACTION OF BIOACTIVE SESQUITERPENE LACTONES FROM MAGNOLIA-GRANDIFLORA USING SUPERCRITICAL CARBON-DIOXIDE AND NEAR-CRITICAL PROPANE. *J Agric Food Chem* 43: 63-68.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Castell, MR; Muggelberg, C; Dudarev, SL; Sutton, AP; Briggs, GAD; Goddard, DT. (1998). Imaging insulating oxides by elevated-temperature STM. *Applied Physics A: Materials Science and Processing* 66: S963-S967.
- Castellan, A; Ruggiero, R; Frollini, E; Ramos, LA; Chirat, C. (2007). Studies on fluorescence of cellulose. *Holzforschung* 61: 504-508. <http://dx.doi.org/10.1515/HF.2007.090>.
- Castellarnau, M; Ramón-Azcón, J; Gonzalez-Quinteiro, Y; López, JF; Grimalt, JO; Marco, MP; Nieuwenhuijsen, M; Picado, A. (2017). Assessment of analytical methods to determine pyrethroids content of bednets. *Trop Med Int Health* 22: 41-51. <http://dx.doi.org/10.1111/tmi.12794>.
- Castola, V; Bighelli, A; Rezzi, S; Melloni, G; Gladioli, S; Desjobert, JM; Casanova, J. (2002). Composition and chemical variability of the triterpene fraction of dichloromethane extracts of cork (*Quercus suber* L.). *Ind Crop Prod* 15: 15-22.
- Castola, V; Marongiu, B; Bighelli, A; Floris, C; Lai, A; Casanova, J. (2005). Extractives of cork (*Quercus suber* L.): chemical composition of dichloromethane and supercritical CO<sub>2</sub> extracts. *Ind Crop Prod* 21: 65-69. <http://dx.doi.org/10.1016/j.indcrop.2003.12.007>.
- Castriciano, MA; Leone, N; Cardiano, P; Manickam, S; Scolaro, LM; Lo Schiavo, S. (2013). A new supramolecular polyhedral oligomeric silsesquioxanes (POSS)-porphyrin nanohybrid: synthesis and spectroscopic characterization. 1: 4746-4753. <http://dx.doi.org/10.1039/c3tc30532e>.
- Castro, CE; O Shea, SK; Wang, W; Bartnicki, EW. (1996). Biodehalogenation: Oxidative and hydrolytic pathways in the transformations of acetonitrile, chloroacetonitrile, chloroacetic acid, and chloroacetamide by *Methylosinus trichosporium* OB-3b. *Environ Sci Technol* 30: 1180-1184.
- Castro, RR; Massa, M; Augliera, P; Pacor, F. (2008). Body-wave attenuation in the region of Garda, Italy. *Pure Appl Geophys* 165: 1351-1366. <http://dx.doi.org/10.1007/s00024-008-0365-1>.
- Cathey, CG; Huang, ZG; Sarr, AB; Clement, BA; Phillips, TD. (1994). DEVELOPMENT AND EVALUATION OF A MINICOLUMN ASSAY FOR THE DETECTION OF AFLATOXIN-M(1) IN MILK. *J Dairy Sci* 77: 1223-1231.
- Cavalcanti, DN; Vasconcelos Gomes, MA; Pinto, AC; de Rezende, CM; Pereira, RC; Teixeira, VL. (2008). Effects of storage and solvent type in a lipophilic chemical profile of the seaweed *Dictyota menstrualis*. 56: 51-57.
- Cedrati, N; Bonneaux, F; Labrude, P; Maincent, P. (1997). Structure and stability of human hemoglobin microparticles prepared with a double emulsion technique. *Artificial Cells, Blood Substitutes, and Biotechnology* 25: 457-462.
- Cedrati, N; Maincent, P; Thomas, F; Labrude, P; Vigneron, C. (1994). PREPARATION AND CHARACTERIZATION OF POLY(LACTIC ACID) HEMOGLOBIN MICROSPHERES. *Artificial Cells, Blood Substitutes, and Biotechnology* 22: 867-873.
- Cehak, A; Burmester, M; Geburek, F; Feige, K; Breves, G. (2009). Electrophysiological characterization of electrolyte and nutrient transport across the small intestine in horses. *Journal of Animal Physiology and Animal Nutrition (Online)* 93: 287-294. <http://dx.doi.org/10.1111/j.1439-0396.2008.00882.x>.
- Celebioglu, A; Uyar, T. (2011). Electrospun porous cellulose acetate fibers from volatile solvent mixture. *Mater Lett* 65: 2291-2294. <http://dx.doi.org/10.1016/j.matlet.2011.04.039>.
- Celi, L; Negre, M; Gennari, M. (1993). HPLC DETERMINATION OF FENOXAPROP AND FENOXAPROP-ETHYL IN DIFFERENT SOILS. *Pestic Sci* 38: 43-47.
- Celia, E; de Givenchy, ET; Amigoni, S; Guittard, F. (2011). Three steps to organic-inorganic hybrid films showing superhydrophilic properties. *Soft Matter* 7: 10057-10062. <http://dx.doi.org/10.1039/c1sm05864a>.
- Celik, B; Celik, I; Dolas, H; Gorcay, H; Sahin, Y; Sarac, AS; Pekmez, K. (2014). Electrochemical synthesis, characterization and capacitive properties of novel thiophene based conjugated polymer. *React Funct Polym* 83: 107-112. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.07.014>.
- Celik, E; Keskin, I; Kayatekin, I; Azem, FA, k; Ozkan, E. (2007). Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate by sol-gel technique. *Materials Characterization* 58: 349-357. <http://dx.doi.org/10.1016/j.matchar.2006.05.015>.
- Celik, E; Yildiz, AY; Azem, NFA; Tanoglu, M; Toparli, M; Emrullahoglu, OF; Ozdemir, I. (2006). Preparation and characterization of Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate for photocatalytic applications. *Mater Sci Eng B* 129: 193-199. <http://dx.doi.org/10.1016/j.mseb.2006.01.013>.
- Celik, SE; Ozyurek, M; Guclu, K; Apak, R. (2007). CUPRAC total antioxidant capacity assay of lipophilic antioxidants in combination with hydrophilic antioxidants using the macrocyclic oligosaccharide methyl beta-cyclodextrin as the solubility enhancer. *React Funct Polym* 67: 1548-1560. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.045>.
- Celikkaya, E; Denkbaz, EB; Piskin, E. (1996). Rifampicin carrying poly(D,L-lactide)/poly(ethylene glycol) microspheres: Loading and release. *Artif Organs* 20: 743-751.
- Ceolin, R; Tamarit, JL; Barrio, M; Lopez, DO; Toscani, S; Allouchi, H; Agafonov, V; Szwarc, H. (2001). Solid-state studies on a cubic 1 : 1 solvate of C-60 grown from dichloromethane and leading to another hexagonal C-60 polymorph. *Chem Mater* 13: 1349-1355. <http://dx.doi.org/10.1021/cm001212y>.
- Cequier-Sánchez, E; Rodríguez, C; Ravelo, AG; Zárate, R. (2008). Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples of different natures. *J Agric Food Chem* 56: 4297-4303. <http://dx.doi.org/10.1021/jf073471e>.
- Cerdeira, AL; Cantrell, CL; Dayan, FE; Byrd, JD; Duke, SO. (2012). Tabanone, a New Phytotoxic Constituent of Cogongrass (*Imperata cylindrica*). *Weed Sci* 60: 212-218. <http://dx.doi.org/10.1614/WS-D-11-00160.1>.
- Cesario, MT; Beefink, HH; Tramper, J. (1995). FEASIBILITY OF USING WATER-IMMISCIBLE ORGANIC-SOLVENTS IN BIOLOGICAL WASTE-GAS TREATMENT. 12: 55-63.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cespedes, CL; Calderon, JS; King-Diaz, B; Lotina-Hennsen, B. (1998). Phytochemical and biochemical characterization of epimeric photogedunin derivatives. Their different sites of interaction on the redox electron transport carrier of Spinacea oleracea L. chloroplasts. *J Agric Food Chem* 46: 2810-2816.
- Cespedes, CL; Calderon, JS; Lina, L; Aranda, E. (2000). Growth inhibitory effects on fall armyworm Spodoptera frugiperda of some limonoids isolated from Cedrela spp. (Meliaceae). *J Agric Food Chem* 48: 1903-1908.
- Cesur, S; Alp, B; Kucukgoksel, Y; Kahraman, T; Balkose, D. (2015). Crystallization Kinetics and Affecting Parameters on Polycaprolactone Composites With Inorganic and Organic Additives. *Journal of Vinyl and Additive Technology* 21: 174-182. <http://dx.doi.org/10.1002/vnl.21399>.
- Cesur, S; Kahraman, T. (2016). Printing properties of polycaprolactone composite films. *Progr Org Coating* 98: 10-13. <http://dx.doi.org/10.1016/j.porgcoat.2016.04.022>.
- Cha, CY; Wallace, S; George, AH; Rogers, S. (2004). Microwave technology for treatment of fume hood exhaust. *J Environ Eng* 130: 338-348. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(338\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(338)).
- Cha, JS; Malik, V; Bhaumik, D; Li, R; Sirkar, KK. (1997). Removal of VOCs from waste gas streams by permeation in a hollow fiber permeator. *J Memb Sci* 128: 195-211.
- Chaban, VV. (2016). Vapor-liquid interface properties of diethyl sulfoxide-water and ethyl methyl sulfoxide-water mixtures: Molecular dynamics simulations and quantum-chemical calculations. *Fluid Phase Equilibria* 427: 180-186. <http://dx.doi.org/10.1016/j.fluid.2016.07.011>.
- Chakraborty, S; Kumar, M; Suresh, K; Pugazhenth, G. (2014). Influence of organically modified Ni-Al layered double hydroxide (LDH) loading on the rheological properties of poly (methyl methacrylate) (PMMA)/LDH blend solution. *Powder Technology* 256: 196-203. <http://dx.doi.org/10.1016/j.powtec.2014.02.035>.
- Chambel, J; Costa, R; Gomes, M; Mendes, S; Baptista, T; Pedrosa, R, ui. (2014). Hydrogen peroxide, iodine solution and methylene solution highly enhance the hatching rate of freshwater ornamental fish species. *Aquaculture International* 22: 1743-1751. <http://dx.doi.org/10.1007/s10499-014-9779-1>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environ Sci Technol* 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, MH; Chen, HH; Lin, YR. (2002). Aliphatic chlorinated hydrocarbons alter the contractile responses of tracheal smooth muscle in piglet. *J Toxicol Environ Health A* 65: 293-304. <http://dx.doi.org/10.1080/15287390252800873>.
- Chandy, T; Das, GS; Rao, GHR. (2000). 5-fluorouracil-loaded chitosan coated polylactic acid microspheres as biodegradable drug carriers for cerebral tumours. *J Microencapsul* 17: 625-638.
- Chandy, T; Wilson, RF; Rao, GH; Das, GS. (2002). Changes in cisplatin delivery due to surface-coated poly (lactic acid)-poly(epsilon-caprolactone) microspheres. *J Biomater Appl* 16: 275-291. <http://dx.doi.org/10.1106/088532802024246>.
- Chang, B; Guan, D; Tian, Y; Yang, Z; Dong, X. (2013). Convenient synthesis of porous carbon nanospheres with tunable pore structure and excellent adsorption capacity. *J Hazard Mater* 262: 256-264. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.054>.
- Chang, C, heWei; Tsai, HY; Chen, K, ewYu. (2014). Green Perylene Bisimide Dyes: Synthesis, Photophysical and Electrochemical Properties. *Materials* 7: 5488-5506. <http://dx.doi.org/10.3390/ma7085488>.
- Chang, CP, in; Yuan, CL. (2009). The fabrication of a MWNTs-polymer composite chemoresistive sensor array to discriminate between chemical toxic agents. *Journal of Materials Science* 44: 5485-5493. <http://dx.doi.org/10.1007/s10853-009-3766-3>.
- Chang, FH; Lin, TC; Chao, HR; Chao, MR. (2001). A study on losses of pahs, during sample concentration for chromatographic analysis: Evaporation with a stream of nitrogen. *Int J Environ Anal Chem* 80: 13-26.
- Chang, H, aoM; Prasannan, A; Tsai, HC; Jhu, JJ, un. (2014). Ex vivo evaluation of biodegradable poly(epsilon-caprolactone) films in digestive fluids. *Appl Surf Sci* 313: 828-833. <http://dx.doi.org/10.1016/j.apsusc.2014.06.082>.
- Chang, HW; Sung, Y; Kim, KH; Nam, YD; Roh, SW; Kim, MS; Jeon, CO; Bae, JW. (2008). Development of microbial genome-probing microarrays using digital multiple displacement amplification of uncultivated microbial single cells. *Environ Sci Technol* 42: 6058-6064. <http://dx.doi.org/10.1021/es8006029>.
- Chang, M. (1996). Detergent water use eliminates VOC concerns - Switch from methylene chloride-based solvent saves \$99,000 per year in cleaning-related costs. *Chemical Processing* 59: 44-&.
- Chang, S, anC; Wang, Y, aFen; You, SJ, ie; Kuo, Y, iM; Tsai, CH; Wang, L, inChi; Hsu, P, oYen. (2013). Toxicity Evaluation of Fly Ash by Microtox((R)). *Aerosol Air Qual Res* 13: 1002-1008. <http://dx.doi.org/10.4209/aaqr.2012.10.0267>.
- Chang, SH; Chung, KB; Slone, RV; Hupp, JT. (2001). Crown ether functionalization of a porphyrin-based "molecular square": induction of fluorescence sensitivity to alkali metal cations. *Synthetic Metals* 117: 215-217.
- Chanzu, HA; Onyari, JM; Shiundu, PM. (2012). Biosorption of Malachite Green from Aqueous Solutions onto Polylactide/Spent Brewery Grains Films: Kinetic and Equilibrium Studies. *Journal of Polymers and the Environment* 20: 665-672. <http://dx.doi.org/10.1007/s10924-012-0479-5>.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ* 35: 5895-5913. [http://dx.doi.org/10.1016/s1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/s1352-2310(01)00410-1).
- Chao, K, ehP; Wang, V, enS; Hong, G, inM. (2012). Development of an in-cell SPME method to determine the chemical resistance of polymeric membranes to permeation by organic solvents. *Polym Test* 31: 1-6. <http://dx.doi.org/10.1016/j.polymertesting.2011.09.009>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng* 124: 1054-1060.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chao, LK; Hua, KF; Hsu, HY; Su, YC; Chang, ST. (2006). Bioactivity assay of extracts from *Calocedrus macrolepis* var. *formosana* bark. *Bioresour Technol* 97: 2462-2465. <http://dx.doi.org/10.1016/j.biortech.2005.10.028>.
- Chaouche, TM; Haddouchi, F; Atik-Bekara, F; Ksouri, R; Azzi, R; Boucherit, Z; Tefiani, C; Larbat, R. (2015). Antioxidant, haemolytic activities and HPLC-DAD-ESI-MSn characterization of phenolic compounds from root bark of *Juniperus oxycedrus* subsp *oxycedrus*. *Ind Crop Prod* 64: 182-187. <http://dx.doi.org/10.1016/j.indcrop.2014.10.051>.
- Charles, M; Martin, B; Ginies, C; Etievant, P; Coste, G; Guichard, E. (2000). Potent aroma compounds of two red wine vinegars. *J Agric Food Chem* 48: 70-77.
- Charlton, A; Kalaji, M; Murphy, PJ; Salmaso, S; Underhill, AE; Williams, G; Hursthouse, MB; Malik, KMA. (1998). Synthesis, electrochemical properties and electropolymerization studies on 3-thienyl substituted tetrathiafulvalenes. Single-crystal X-ray structure of 4,4',5,5'-tetrakis-(3-thienyl)-tetrathiafulvalene. *Synthetic Metals* 95: 75-78.
- Charmas, B; Lebeda, R; Gerard, G; Villieras, F. (2002). Effects of oxidation on surface heterogeneity of carbosils. *Appl Surf Sci* 196: 126-137.
- Charoenchaitrakool, M; Polchiangdee, C; Srinophakun, P. (2009). Production of theophylline and polyethylene glycol 4000 composites using Gas Anti-Solvent (GAS) process. *Mater Lett* 63: 136-138. <http://dx.doi.org/10.1016/j.matlet.2008.09.041>.
- Charrois, JWA; McGill, WB; Froese, KL. (2001). Acute ecotoxicity of creosote-contaminated soils to *Eisenia fetida*: A survival-based approach. *Environ Toxicol Chem* 20: 2594-2603.
- Chary, NS; Fernandez-Alba, AR. (2012). Determination of volatile organic compounds in drinking and environmental waters. *Trends Analyt Chem* 32: 60-75. <http://dx.doi.org/10.1016/j.trac.2011.08.011>.
- Chatonnet, P; Labadie, D; Boutou, S. (2003). Simultaneous assay of chlorophenols and chloroanisoles in wines and corks or cork-based stoppers - Application in determining the origin of pollution in bottled wines. *Journal International des Sciences de la Vigne et du Vin* 37: 181-193.
- Chatterjee, M; Dwivedi, VK; Khandekar, K; Tandon, SK. (2004). Chelation in metal intoxication XLVI: synthesis of some alpha-mercapto-beta-substituted aryl acrylic acids and their in vitro cadmium chelating ability. *Biomed Environ Sci* 17: 27-32.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today* 11: 569-596.
- Chattopadhyay, DP; Singh, RK; Patra, TN; Samanta, AK. (1998). Effect of pretreatment with solvents and solvent mixtures on the structure/properties and dye uniformity of textured polyester yarn. *Indian Journal of Fibre & Textile Research* 23: 267-276.
- Chattopadhyay, P; Gupta, RB. (2002). Supercritical CO<sub>2</sub> based production of magnetically responsive micro- and nanoparticles for drug targeting. *Ind Eng Chem Res* 41: 6049-6058. <http://dx.doi.org/10.1021/ie020205b>.
- Chaturapanich, G; Jones, RC; Clulow, J. (1992). PROTEIN-SYNTHESIS AND SECRETION BY THE EPIDIDYMI OF THE TAMMAR WALLABY, *MACROPUS-EUGENII* (MACROPODIDAE, MARSUPIALIA). *Reprod Fertil Dev* 4: 533-545.
- Chavez-Valdez, A; Arizmendi-Morquecho, A; Moreno, KJ; Roether, JA; Kaschta, J; Boccaccini, AR. (2014). TiO<sub>2</sub>-PLLA nanocomposite coatings and free-standing films by a combined electrophoretic deposition-dip coating process. *Composites Part B: Engineering* 67: 256-261. <http://dx.doi.org/10.1016/j.compositesb.2014.07.001>.
- Checot, F; Brulet, A; Oberdisse, J; Gnanou, Y; Mondain-Monval, O; Lecommandoux, S. (2005). Structure of polypeptide-based diblock copolymers in solution: Stimuli-responsive vesicles and micelles. *Langmuir* 21: 4308-4315. <http://dx.doi.org/10.1021/la0468500>.
- Chen; Ho. (1998). Thermal Degradation of Allyl Isothiocyanate in Aqueous Solution. *J Agric Food Chem* 46: 220-223.
- Chen, A, iZ; Li, Y, i; Chau, F, ooTim; Lau, TY, an; Hu, J, unYan; Zhao, Z; Mok, DK, amwah. (2009). Application of organic nonsolvent in the process of solution-enhanced dispersion by supercritical CO<sub>2</sub> to prepare puerarin fine particles. *Journal of Supercritical Fluids* 49: 394-402. <http://dx.doi.org/10.1016/j.supflu.2009.02.004>.
- Chen, AZ; Pu, XM; Kang, YQ; Liao, L; Yao, YD; Yin, GF. (2007). Study of poly(L-lactide) microparticles based on supercritical CO<sub>2</sub>. *J Mater Sci Mater Med* 18: 2339-2345. <http://dx.doi.org/10.1007/s10856-007-3173-8>.
- Chen, AZ; Yang, YM; Wang, SB; Wang, GY; Liu, YG; Sun, QQ. (2013). Preparation of methotrexate-loaded, large, highly-porous PLLA microspheres by a high-voltage electrostatic antisolvent process. *J Mater Sci Mater Med* 24: 1917-1925. <http://dx.doi.org/10.1007/s10856-013-4942-1>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today* 30: 15-20.
- Chen, C; Hu, R; Mai, K; Ren, Z; Wang, H, ua; Qian, G; Wang, Z. (2011). Shape Evolution of Highly Crystalline Anatase TiO<sub>2</sub> Nanobipyramids. *Cryst Growth Des* 11: 5221-5226. <http://dx.doi.org/10.1021/cg200457g>.
- Chen, C; Zhang, H; Zhang, XX; Wang, XC. (2010). Antibacterial and absorbent acrylonitrile-vinylidene chloride copolymer fibres. *J Text Inst* 101: 128-134. <http://dx.doi.org/10.1080/00405000802306234>.
- Chen, CC; Chueh, JY; Tseng, H; Huang, HM; Lee, SY. (2003). Preparation and characterization of biodegradable PLA polymeric blends. *Biomaterials* 24: 1167-1173.
- Chen, CY; Wen, TY; Wang, GS; Cheng, HW; Lin, YH; Lien, GW. (2007). Determining estrogenic steroids in Taipei waters and removal in drinking water treatment using high-flow solid-phase extraction and liquid chromatography/tandem mass spectrometry. *Sci Total Environ* 378: 352-365. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.038>.
- Chen, D; Cui, P; Cao, H; Yang, J. (2015). A 1-dodecanethiol-based phase transfer protocol for the highly efficient extraction of noble metal ions from aqueous phase. *J Environ Sci* 29: 146-150. <http://dx.doi.org/10.1016/j.jes.2014.07.028>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chen, D; Ouyang, D, uJ; Liu, H; Chen, J; Zhuang, QF; Chen, JM. (2014). Effective utilization of dichloromethane by a newly isolated strain *Methylobacterium rhodesianum* H13. *Environ Sci Pollut Res Int* 21: 1010-1019. <http://dx.doi.org/10.1007/s11356-013-1972-7>.
- Chen, D; Wang, S; Xiao, M, in; Meng, Y. (2010). Synthesis and characterization of novel sulfonated poly(arylene thioether) ionomers for vanadium redox flow battery applications. *Energy Environ Sci* 3: 622-628. <http://dx.doi.org/10.1039/b917117g>.
- Chen, EQ; Xia, Y; Graham, MJ; Foster, MD; Mi, YL; Wu, WL; Cheng, SZD. (2003). Glass transition behavior of polystyrene blocks in the cores of collapsed dry micelles tethered by poly(dimethylsiloxane) coronae in a PS-b-PDMS diblock copolymer. *Chem Mater* 15: 2129-2135. <http://dx.doi.org/10.1021/cm021010x>.
- Chen, F; Du, X; Zu, Y; Yang, L, ei; Wang, F, ei. (2016). Microwave-assisted method for distillation and dual extraction in obtaining essential oil, proanthocyanidins and polysaccharides by one-pot process from *Cinnamomi Cortex*. *Separation and Purification Technology* 164: 1-11. <http://dx.doi.org/10.1016/j.seppur.2016.03.018>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, H, ui; Muthuraman, H; Stokes, P; Zou, J; Liu, X; Wang, J; Huo, Q, un; Khondaker, SI; Zhai, L, ei. (2007). Dispersion of carbon nanotubes and polymer nanocomposite fabrication using trifluoroacetic acid as a co-solvent. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/41/415606>.
- Chen, HF; Cui, YM, ei; Guo, JG; Lin, H, aiXia. (2012). Synthesis and optical properties of 6,10-dihydrofluoreno[2,3-d:6,7-d']diimidazole derivatives. *Dyes and Pigments* 94: 583-591. <http://dx.doi.org/10.1016/j.dyepig.2012.03.004>.
- Chen, J; Chen, SH; Lai, G. (2012). Preparation and characterization of biomimetic silk fibroin/chitosan composite nanofibers by electrospinning for osteoblasts culture. *Nanoscale Res Lett* 7: 1-11. <http://dx.doi.org/10.1186/1556-276X-7-170>.
- Chen, J; Su, M; Zhang, X; Chen, R; Hong, J; Yang, L; Yang, Z. (2014). The role of cations in homogeneous succinylation of mulberry wood cellulose in salt-containing solvents under mild conditions. *Cellulose* 21: 4081-4091. <http://dx.doi.org/10.1007/s10570-014-0429-6>.
- Chen, J; Su, QF; Pan, H; Wei, JW; Zhang, XM; Shi, Y. (2009). Influence of balance gas mixture on decomposition of dimethyl sulfide in a wire-cylinder pulse corona reactor. *Chemosphere* 75: 261-265. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.010>.
- Chen, J; Wang, J; Ulrich, J; Yin, Q; Xue, L. (2008). Effect of solvent on the crystal structure and habit of hydrocortisone. *Cryst Growth Des* 8: 1490-1494. <http://dx.doi.org/10.1021/cg0703947>.
- Chen, J; Wang, S; Peng, J; Li, J; Zhai, M. (2014). New lipophilic polyelectrolyte gels containing quaternary ammonium salt with superabsorbent capacity for organic solvents. *6: 14894-14902*. <http://dx.doi.org/10.1021/am504102r>.
- Chen, JG; Wei, HY, u; Ho, K, uoC. (2007). Using modified poly(3,4-ethylene dioxothiophene): Poly(styrene sulfonate) film as a counter electrode in dye-sensitized solar cells. *Solar Energy Materials and Solar Cells* 91: 1472-1477. <http://dx.doi.org/10.1016/j.solmat.2007.03.024>.
- Chen, JJ; Jin, MX; Zhu, SL; Li, F; Xing, Y. (2014). The Synthesis and characteristic study of transferrin-conjugated liposomes carrying brain-derived neurotrophic factor. *Biomed Mater Eng* 24: 2089-2099. <http://dx.doi.org/10.3233/BME-141019>.
- Chen, JL; Chiang, CH; Yeh, MK. (2002). The mechanism of PLA microparticle formation by water-in-oil-in-water solvent evaporation method. *J Microencapsul* 19: 333-346. <http://dx.doi.org/10.1080/02652040110105373>.
- Chen, JL; Yeh, MK; Chiang, CH. (2004). The mechanism of surface-indented protein-loaded PLGA microparticle formation: the effects of salt (NaCl) on the solidification process. *J Microencapsul* 21: 877-888. <http://dx.doi.org/10.1080/02652040400015387>.
- Chen, JY, u; Chen, XB, o; Li, JL; Tang, B, in; Biribilis, N; Wang, X. (2014). Electrospayed PLGA smart containers for active anti-corrosion coating on magnesium alloy AMLite. *2: 5738-5743*. <http://dx.doi.org/10.1039/c3ta14999d>.
- Chen, K, ewYu; Chang, C, heWei. (2014). 1,7-Bis-(N,N-dialkylamino)perylene Bisimides: Facile Synthesis and Characterization as Near-Infrared Fluorescent Dyes. *Materials* 7: 7548-7565. <http://dx.doi.org/10.3390/ma7117548>.
- Chen, K, ewYu; Chang, C, heWei; Tsai, HY. (2015). 1,6-and 1,7-Regioisomers of Highly Soluble Amino-Substituted Perylene Tetracarboxylic Dianhydrides: Synthesis, Optical and Electrochemical Properties. *Materials* 8: 4943-4960. <http://dx.doi.org/10.3390/ma8084943>.
- Chen, K, ewYu; Fang, T, zuC; Chang, MJ, en. (2012). Synthesis, photophysical and electrochemical properties of 1-aminoperylene bisimides. *Dyes and Pigments* 92: 517-523. <http://dx.doi.org/10.1016/j.dyepig.2011.06.023>.
- Chen, L; Wang, P; Chen, Y. (2013). High efficiency of poly(3-hexylthiophene)/[6,6]-phenyl C61 butyric acid methyl ester bulk heterojunction solar cells through precrystallization of poly(3-hexylthiophene) based layer. *5: 5986-5993*. <http://dx.doi.org/10.1021/am401863r>.
- Chen, LC; Huang, CM; Hsiao, MC; Tsai, F. (2010). Mixture design optimization of the composition of S, C, SnO<sub>2</sub>-codoped TiO<sub>2</sub> for degradation of phenol under visible light. *Chem Eng J* 165: 482-489. <http://dx.doi.org/10.1016/j.cej.2010.09.044>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere* 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, PH; Vanausdale, WA; Keeran, WS; Roberts, DF. (1993). GC MS IDENTIFICATION OF ARTIFACTS FORMED DURING SAMPLE PREPARATION USING USEPA METHODS 625 AND 8270. *Chemosphere* 26: 1743-1749.
- Chen, PH; Vanausdale, WA; Roberts, DF. (1991). OXIDATION OF PHENOLIC-ACID SURROGATES AND TARGET ANALYTES DURING ACID-EXTRACTION OF NATURAL-WATER SAMPLES FOR ANALYSIS BY GC/MS USING EPA METHOD-625. *Environ Sci Technol* 25: 540-546.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal B-Environ* 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, SK; Chang, CP; Liu, HS. (1991). ASPECTS OF EROSIONAL WEAR BEHAVIOR DURING TUMBLING OF BATIO<sub>3</sub> DIELECTRIC CERAMICS. *Wear* 147: 345-353.
- Chen, SX; Zeng, HM. (2003). Improvement of the reduction capacity of activated carbon fiber. *Carbon* 41: 1265-1271. [http://dx.doi.org/10.1016/S0008-6223\(03\)00077-0](http://dx.doi.org/10.1016/S0008-6223(03)00077-0).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chen, SY; Lan, BC; Taso, CS. (2002). Effect of titanium substitution on film structure and ferroelectric properties of Sr-deficient Sr<sub>0.75</sub>Bi<sub>2.25</sub>Ta<sub>2</sub>O<sub>9</sub> thin films. *Thin Solid Films* 422: 186-192.
- Chen, T; Delgado, AG; Yavuz, BM; Maldonado, J; Zuo, Y; Kamath, R; Westerhoff, P; Krajmalnik-Brown, R; Rittmann, BE. (2017). Interpreting Interactions between Ozone and Residual Petroleum Hydrocarbons in Soil. *Environ Sci Technol* 51: 506-513. <http://dx.doi.org/10.1021/acs.est.6b04534>.
- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen* 219: 25-31.
- Chen, X; Wang, Q; Wang, L; Guo, H; Yang, Y; Li, F; Gao, F. (2015). Construction of a Novel Colitoxin DNA Biosensor Based on Cross-Linker-Free Fixation of Probe Fragments on the Interface of Rugby-Ball-Shaped Co<sub>2</sub> Submicroparticles and Poly(2-thiophenesulfonyl chloride) Composite Film. *Ind Eng Chem Res* 54: 1520-1528. <http://dx.doi.org/10.1021/ie503831k>.
- Chen, XG; Lee, CM; Park, HJ. (2003). O/W emulsification for the self-aggregation and nanoparticle formation of linoleic acid-modified chitosan in the aqueous system. *J Agric Food Chem* 51: 3135-3139. <http://dx.doi.org/10.1021/jf0208482>.
- Chen, XL; Jenekhe, SA. (1999). Solubilization and encapsulation of fullerenes by amphiphilic block copolymers. *Langmuir* 15: 8007-8017.
- Chen, XM; Dai, Y; Kitts, DD. (2016). Detection of Maillard Reaction Product [5-(5,6-Dihydro-4H-pyridin-3-ylidenemethyl)furan-2-yl]methanol (F3-A) in Breads and Demonstration of Bioavailability in Caco-2 Intestinal Cells. *J Agric Food Chem* 64: 9072-9077. <http://dx.doi.org/10.1021/acs.jafc.6b04367>.
- Chen, Y; Tan, R; Zhang, Y; Zhao, G; Zheng, W; Luo, R; Yin, D. (2015). Reusable chiral salen Mn(III) complexes with phase transfer capability efficiently catalyze the asymmetric epoxidation of unfunctionalized olefins with NaClO. *Appl Catal A-Gen* 491: 106-115. <http://dx.doi.org/10.1016/j.apcata.2014.11.043>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res* 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, YC; Wu, CH; Hu, HY. (2000). Numerical simulation of gas emission in a sanitary landfill equipped with a passive venting system. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1735-1747.
- Chen, Z; Feng, L; Zhang, C; Bie, H; Lei, G; Bai, F. (2007). The light-emitting device consisting of organic white-light components. *Current Opinion in Solid State & Materials Science* 11: 28-32. <http://dx.doi.org/10.1016/j.cossms.2008.04.001>.
- Chen, Z, hiJun; Wang, L, iMin; Zou, G; Zhang, L; Zhang, GJ, un; Cai, XF, ei; Teng, MS. (2012). Colorimetric and ratiometric fluorescent chemosensor for fluoride ion based on perylene diimide derivatives. *Dyes and Pigments* 94: 410-415. <http://dx.doi.org/10.1016/j.dyepig.2012.01.024>.
- Cheng; Tsai. (2000). Quantitative analysis of enantioselective enzymatic hydrolysis with non-enantioselective removal of chiral products. *Biochem Eng J* 5: 243-248.
- Cheng, W; Lai, CH; Tzeng, W; Her, C; Hsu, Y. (2015). Gaseous Products of Incense Coil Combustion Extracted by Passive Solid Phase Microextraction Samplers. *Atmosphere (Basel)* 6: 822-833. <http://dx.doi.org/10.3390/atmos6060822>.
- Cheng, W, enHsi; Tsai, DY; Lu, J, iaYu; Lee, J, enWei. (2016). Extracting Emissions from Air Fresheners Using Solid Phase Microextraction Devices. *Aerosol Air Qual Res* 16: 2362-2367. <http://dx.doi.org/10.4209/aaqr.2016.01.0011>.
- Cheng, WH; Jiang, JR; Lin, C; Liou, JJ; Wu, ZH; Hsu, YH; Yang, ZY. (2014). Preparation of needle trap samplers to extract air compounds from indoor electric-vaporizing sources. *Journal of the Air and Waste Management Association* 64: 488-493. <http://dx.doi.org/10.1080/10962247.2013.870941>.
- Cheng, Y; Duan, F, kui; He, K, ebin; Du, Z, yu; Zheng, M, ei; Ma, YL. (2012). Intercomparison of thermal-optical method with different temperature protocols: Implications from source samples and solvent extraction. *Atmos Environ* 61: 453-462. <http://dx.doi.org/10.1016/j.atmosenv.2012.07.066>.
- Cheng, Y; He, K, ebin; Duan, F, kui; Du, Z, yu; Zheng, M, ei; Ma, YL. (2012). Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. *Atmos Environ* 59: 551-558. <http://dx.doi.org/10.1016/j.atmosenv.2012.05.010>.
- Cheng, Y; Li, SM. (2005). Nonderivatization analytical method of fatty acids and cis pinonic acid and its application in ambient PM<sub>2.5</sub> aerosols in the greater Vancouver area in Canada. *Environ Sci Technol* 39: 2239-2246. <http://dx.doi.org/10.1021/es030634g>.
- Cheng, YA; Zheng, B; Chuang, PH; Hsieh, S. (2010). Solvent effects on molecular packing and tribological properties of octadecyltrichlorosilane films on silicon. *Langmuir* 26: 8256-8261. <http://dx.doi.org/10.1021/la904656y>.
- Cheng, YJ; Zhang, M; Liang, QL; Hu, P; Wang, YM; Jun, FW; Luo, GA. (2011). Two-step preparation of ginsenoside-Re, Rb-1, Rc and Rb-2 from the root of Panax ginseng by high-performance counter-current chromatography. *Separation and Purification Technology* 77: 347-354. <http://dx.doi.org/10.1016/j.seppur.2011.01.003>.
- Cheng, Z; Liu, S; Beines, PW; Ding, N; Jakubowicz, P; Knoll, W. (2008). Rapid and Highly Efficient Preparation of Water-Soluble Luminescent Quantum Dots via Encapsulation by Thermo- and Redox-Responsive Hydrogels. *Chem Mater* 20: 7215-7219. <http://dx.doi.org/10.1021/cm800733y>.
- Chenu, M; Bouzaza, A; Wolbert, D; Laplanche, A. (1998). Adsorption of volatile organic compounds (VOC) mixtures onto activated carbon. Experimental study and simulation of multicomponent adsorption. *Environ Technol* 19: 1029-1038.
- Cheraghi, S; Naghsh, HJ; Younesi, M. (2015). Synthesis and characterization of two novel heterocyclic monomers bearing allylic function and their applications in the epoxy-acrylic-amine waterborne coatings. *Progr Org Coating* 88: 116-126. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.023>.
- Chernysheva, YV; Kil'deeva, NR; Babak, VG. (2001). Study of emulsions of solutions of film-forming polymers in methylene chloride related to the problem of microencapsulation of proteins. *Fibre Chemistry* 33: 428-432.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater* 32: 275-278.
- Chicati, ML; Nanni, MR; Cezar, E. (2012). Chemical contamination of water in irrigated rice on Parana State, Brazil. 33: 1455-1462. <http://dx.doi.org/10.5433/1679-0359.2012v33n4p1455>.
- Chienthavorn, O; Subprasert, P; Insuan, W. (2014). Nitrosamines Extraction from Frankfurter Sausages by using Superheated Water. *Separation Science and Technology* 49: 838-846. <http://dx.doi.org/10.1080/01496395.2013.863338>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal* 154: 1991-1998.
- Chiou, BH; Tsai, YT; Wang, CM. (2014). Phenothiazine-modified electrodes: a useful platform for protein adsorption study. *Langmuir* 30: 1550-1556. <http://dx.doi.org/10.1021/la4039057>.
- Chiron, S; Alba, AF; Barcelo, D. (1993). COMPARISON OF ONLINE SOLID-PHASE DISK EXTRACTION TO LIQUID-LIQUID-EXTRACTION FOR MONITORING SELECTED PESTICIDES IN ENVIRONMENTAL WATERS. *Environ Sci Technol* 27: 2352-2359.
- Chitsazi, MR; Korbekandi, H; Asghari, G; Bahri Najafi, R; Badii, A; Iravani, S. (2016). Synthesis of silver nanoparticles using methanol and dichloromethane extracts of *Pulicaria gnaphalodes* (Vent.) Boiss. aerial parts. 44: 328-333. <http://dx.doi.org/10.3109/21691401.2014.949726>.
- Cho, AK; Di Stefano, E; You, Y; Rodriguez, CE; Schmitz, DA; Kumagai, Y; Miguel, AH; Eiguren-Fernandez, A; Kobayashi, T; Avol, E; Froines, JR. (2004). Determination of four quinones in diesel exhaust particles, SRM 1649a, and atmospheric PM2.5. *Aerosol Sci Technol* 38: 68-81. <http://dx.doi.org/10.1080/02786820390229471>.
- Cho, B, umHwi; Ko, WB, ae. (2013). Preparation of Graphene-ZrO<sub>2</sub> Nanocomposites by Heat Treatment and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 13: 7625-7630. <http://dx.doi.org/10.1166/jnn.2013.7819>.
- Cho, BH; Chino, H; Tsuji, H; Kunito, T; Nagaoka, K; Otsuka, S; Yamashita, K; Matsumoto, S; Oyaizu, H. (1997). Laboratory-scale bioremediation of oil-contaminated soil of Kuwait with soil amendment materials. *Chemosphere* 35: 1599-1611.
- Cho, BU, k; Ryu, JY; Song, BK. (2009). Modeling and simulation of separation process in flotation system. *J Ind Eng Chem* 15: 196-201. <http://dx.doi.org/10.1016/j.jiec.2008.08.017>.
- Cho, CS; McLean, AJ; Rivory, LP; Gatenby, PA; Hardman, DT; Le Couteur, DG. (2001). Carbon monoxide wash-in method to determine gas transfer in vascular beds: application to rat hindlimb. *Am J Physiol Heart Circ Physiol* 280: H1802-H1806.
- Cho, E, unJu; Choi, J, iM; Kim, H, yeMin; Choi, K; Ku, J; Park, KW, oo; Kim, J; Lee, S. (2013). Antibacterial activity and protective effect against gastric cancer by *Anthriscus sylvestris* fractions. *Horticulture, Environment and Biotechnology* 54: 326-330. <http://dx.doi.org/10.1007/s13580-013-0170-3>.
- Cho, J, aeY; Choi, HM, in; Oh, KW, ha. (2016). Rapid hydrophilic modification of poly(ethylene terephthalate) surface by using deep eutectic solvent and microwave irradiation. *Text Res J* 86: 1318-1327. <http://dx.doi.org/10.1177/0040517515612362>.
- Cho, S; Lee, S; Kang, M; Ye, J; Choi, Y; Hong, SW; Lee, J; Choi, YW. (2009). Enhanced Immune Response after Subcutaneous Injection of Diphtheria Toxoid-Loaded Bioerodible Microspheres. 6: 1166-1171.
- Cho, SY; Choi, DK. (1996). Langmuir parameters for adsorption of two halogenated chemicals on an activated carbon pellet. *Korean J Chem Eng* 13: 409-411.
- Cho, SY; Kim, SJ. (1996). Adsorption equilibria of two halogenated carbons on a carbon fiber. *Korean J Chem Eng* 13: 225-229.
- Cho, W; Yoon, J; Sarada, G; Giridhar, T; Liu, Y; Jiang, Z, uoQ; Son, YH; Kang, BY; Kwon, JH; Jin, SH, o. (2015). An exploration of N-heterocyclic carbene-based Ir(III) complexes for phosphorescent organic light-emitting diode applications. *Dyes and Pigments* 123: 132-138. <http://dx.doi.org/10.1016/j.dyepig.2015.07.038>.
- Choe, J; Kim, I, nWon; Kim, S, inY; Song, KH, o. (2008). Liquid-liquid equilibria for the ternary systems water plus n-pentanoic acid with n-heptane or dichloromethane at 298.2 K. *Journal of Chemical and Engineering Data* 53: 1199-1202. <http://dx.doi.org/10.1021/jc7007389>.
- Choemunng, A; Na-Bangchang, K. (2010). An alternative liquid chromatography-mass spectrometric method for the determination of azithromycin in human plasma and its application to pharmacokinetic study of patients with malaria. *Southeast Asian J Trop Med Public Health* 41: 1048-1058.
- Choffat, F; Wolfer, P; Smith, P; Caseri, W. (2010). Light-Stability of Poly(dialkylstannane)s. *Macromolecular Materials & Engineering* 295: 210-221. <http://dx.doi.org/10.1002/mame.200900196>.
- Choi, HM, in; Cho, J, aeY. (2016). Microwave-mediated Rapid Tailoring of PET Fabric Surface by Using Environmentally-benign, Biodegradable Urea-Choline Chloride Deep Eutectic Solvent. *Fibers and Polymers* 17: 847-856. <http://dx.doi.org/10.1007/s12221-016-5334-1>.
- Choi, JHK; Gray, MR. (1991). IDENTIFICATION OF NITROGEN-COMPOUNDS AND AMIDES FROM SPENT HYDROPROCESSING CATALYST. *Fuel Process Tech* 28: 77-93.
- Choi, S; Lee, K; Kwon, S; Kim, H. (2006). Preparation of fine particles of poly(N-vinyl-2-pyrrolidone-co-2-methylene-1,3-dioxepane) using supercritical antisolvent. *Journal of Supercritical Fluids* 37: 287-291. <http://dx.doi.org/10.1016/j.supflu.2005.11.023>.
- Choi, SH; Lee, JH; Choi, SM; Park, TG. (2006). Thermally reversible pluronic/heparin nanocapsules exhibiting 1000-fold volume transition. *Langmuir* 22: 1758-1762. <http://dx.doi.org/10.1021/la052549n>.
- Choi, SS; Jang, JH. (2011). Analysis of UV absorbers and stabilizers in polypropylene by liquid chromatography/atmospheric pressure chemical ionization-mass spectrometry. *Polym Test* 30: 673-677. <http://dx.doi.org/10.1016/j.polymertesting.2011.05.011>.
- Chong, EK; Stevens, MG; Nissen, KE. (2003). Effect of surface roughness on the adhesion of electrolessly plated platinum to poly(ethylene terephthalate) films. *Journal of Adhesion* 79: 667-681. <http://dx.doi.org/10.1080/00218460390219546>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Choppawa, T; Sukwattanasinitt, M; Sahasithiwat, S; Ruangpornvisuti, V; Rashatasakhon, P. (2014). Substituent effect on quantum efficiency in 4-aryloxy-N-(2',6'-diisopropylphenyl)-1,8-naphthalimides: Experimental and computational investigations. *Dyes and Pigments* 109: 175-180. <http://dx.doi.org/10.1016/j.dyepig.2014.05.007>.
- Chopra, I; Kumari, B. (2009). Dissipation of fipronil in water under laboratory conditions. *Bull Environ Contam Toxicol* 83: 828-831. <http://dx.doi.org/10.1007/s00128-009-9790-9>.
- Chorzewski, M; Troncoso, J; Jacquemin, J. (2015). Thermodynamic Properties of Dichloromethane, Bromochloromethane, and Dibromomethane under Elevated Pressure: Experimental Results and SAFT-VR Mie Predictions. *Ind Eng Chem Res* 54: 720-730. <http://dx.doi.org/10.1021/ie5038903>.
- Chortyk, OT; Yates, IE; Reilly, CC. (1995). CHANGES IN CUTICULAR COMPOUNDS OF DEVELOPING PECAN LEAVES. *J Am Soc Hortic Sci* 120: 329-335.
- Chou, H, siL; Chang, Y, iT; Liao, Y, iFen; Lin, CH. (2013). Biodegradation of decabromodiphenyl ether (BDE-209) by bacterial mixed cultures in a soil/water system. *Int Biodeterior Biodegradation* 85: 671-682. <http://dx.doi.org/10.1016/j.ibiod.2013.05.006>.
- Chou, MS; Chang, HY. (2005). Bio-oxidation of airborne volatile organic compounds in an activated sludge aeration tank. *J Air Waste Manag Assoc* 55: 604-611.
- Chou, MS; Huang, JJ. (1997). Treatment of methylethylketone in air stream by biotrickling filters. *J Environ Eng* 123: 569-576.
- Chou, MS; Huang, YS. (1999). Treatment of ethylether in air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 533-543.
- Chou, MS; Wu, FL. (1999). Treatment of toluene in an air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 386-398.
- Christodouloupoulou, L; Tsoukatou, M; Tziveleka, LA; Vagias, C; Petrakis, PV; Roussis, V. (2005). Piperidinyl amides with insecticidal activity from the maritime plant *Otanthus maritimus*. *J Agric Food Chem* 53: 1435-1439. <http://dx.doi.org/10.1021/jf0481857>.
- Christoffersen, TS; Hjorth, J; Horie, O; Jensen, NR; Kotzias, D; Molander, LL; Neeb, P; Ruppert, L; Winterhalter, R; Virkkula, A; Wirtz, K; Larsen, BR. (1998). cis-Pinic acid, a possible precursor for organic aerosol formation from ozonolysis of "alpha"-pinene. *Atmos Environ* 32: 1657-1661.
- Chrobok, A; Baj, S; Pudlo, W; Jarzebski, A. (2009). Supported hydrogensulfate ionic liquid catalysis in Baeyer-Villiger reaction. *Appl Catal A-Gen* 366: 22-28. <http://dx.doi.org/10.1016/j.apcata.2009.06.040>.
- Chuan, XY. (2000). Micro-structures of the CuCl<sub>2</sub>-GICs on TEM. *Wuji Cailiao Xuebao* 15: 79-87.
- Chuang, CH, ao; Lin, Y, unYue; Tseng, Y, unH; Chu, TH; Lin, CC; Su, W, eiF; Chen, CW, ei. (2010). Nanoscale Morphology Control of Polymer/TiO<sub>2</sub> Nanocrystal Hybrids: Photophysics, Charge Generation, Charge Transport, and Photovoltaic Properties. *J Phys Chem C* 114: 18717-18724. <http://dx.doi.org/10.1021/jp1075516>.
- Chuang, JC; Holdren, MW; Wilson, NK. (1990). The presence of dichloromethane on cleaned XAD-2 resin: a potential problem and solutions. *Environ Sci Technol* 24: 815-818.
- Chuang, JC; Van Emon, JM; Schrock, ME. (2009). High-throughput screening of dioxins in sediment and soil using selective pressurized liquid extraction with immunochemical detection. *Chemosphere* 77: 1217-1223. <http://dx.doi.org/10.1016/j.chemosphere.2009.09.010>.
- Chuang, JC; Van Emon, JM; Tefft, ME; Wilson, NK. (2010). Application of a permethrin immunosorbent assay method to residential soil and dust samples. *J Environ Sci Health B* 45: 516-523. <http://dx.doi.org/10.1080/03601234.2010.493479>.
- Chuang, JC; Wilson, NK. (2011). Multi-residue analysis of organophosphate and pyrethroid pesticides in duplicate-diet solid food by pressurized liquid extraction. *J Environ Sci Health B* 46: 41-50. <http://dx.doi.org/10.1080/03601234.2010.515505>.
- Chuang, P, iKai; Wang, L, iC; Kuo, CT, zu. (2013). Development of a high performance integrated sensor chip with a multi-walled carbon nanotube assisted sensing array. *Thin Solid Films* 529: 205-208. <http://dx.doi.org/10.1016/j.tsf.2012.09.024>.
- Chuche, J; Xuéreb, A; Thiéry, D. (2006). Attraction of *Dibrachys cavus* (Hymenoptera: Pteromalidae) to its host frass volatiles. *J Chem Ecol* 32: 2721-2731. <http://dx.doi.org/10.1007/s10886-006-9195-8>.
- Chun, MK; Shin, HW; Lee, H. (1996). Supercritical fluid extraction of paclitaxel and baccatin III from needles of *Taxus cuspidata*. *Journal of Supercritical Fluids* 9: 192-198.
- Chung, CV; Buu, NQ; Chau, NH. (2005). Influence of surface charge and solution pH on the performance characteristics of a nanofiltration membrane. *Science and Technology of Advanced Materials* 6: 246-250. <http://dx.doi.org/10.1016/j.stam.2005.02.025>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol* 33: 3666-3671.
- Chung, HY; Cadwallader, KR. (1994). AROMA EXTRACT DILUTION ANALYSIS OF BLUE-CRAB CLAW MEAT VOLATILES. *J Agric Food Chem* 42: 2867-2870.
- Chung, KH, o; Hong, YK. (2009). Weathering Properties of Elastic Rubber Concrete Comprising Waste Tire Solution. *Polymer Engineering and Science* 49: 794-798. <http://dx.doi.org/10.1002/pen.21312>.
- Chung, YS; Ichikawa, K; Utsumi, H. (1997). Application of micronucleus in vitro assay to micropollutants in river water. *Water Sci Technol* 35: 9-13.
- Cid, AP; del Mundo, FR; Espino, MPB. (2006). A modified analytical procedure for the determination of carbaryl, Carbofuran and methomyl residues in agricultural soil and river water samples from La Trinidad, Benguet and Aurora, Isabela, Philippines. *99: 71-84*.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ciesielczuk, T; Karwaczynska, U; Rosik-Dulewska, C. (2011). Possibilities of Application of Compost from Waste for Removal of C-6-C-9 Aliphatic Hydrocarbons from Solution. *Rocznik Ochrona Srodowiska* 13: 1301-1313.
- Cieslak, A; Machmueller, A; Szumacher-Strabel, M; Scheeder, MRL. (2009). A note on comparison of two extraction methods used to quantify C18 fatty acids in feed and digesta of ruminants. *J Anim Feed Sci* 18: 362-367.
- Ciombor, DM; Jaklenec, A; Liu, AZ; Thanos, C; Rahman, N; Weston, P; Aaron, R; Mathiowitz, E. (2006). Encapsulation of BSA using a modified W/O/O emulsion solvent removal method. *J Microencapsul* 23: 183-194. <http://dx.doi.org/10.1080/0265204050043287>.
- Cirpan, A; Alkan, S; Toppare, L; Cianga, I; Yagci, Y. (2002). Synthesis and characterization of conducting copolymers of thiophene-3-yl acetic acid cholesteryl ester with pyrrole. *Journal of Materials Science* 37: 1767-1775.
- Cirpan, A; Guner, Y; Toppare, L. (2004). Conducting polymers of decanedioic acid bis-(4-pyrrol-1-yl-phenyl) ester. *Mater Chem Phys* 85: 222-226. <http://dx.doi.org/10.1016/j.matchemphys.2004.01.014>.
- Ciuciu, AI; Firmansyah, D; Hugues, V; Blanchard-Desce, M; Gryko, DT; Flamigni, L. (2014). Non-classical donor-acceptor-donor chromophores. A strategy for high two-photon brightness. 2: 4552-4565. <http://dx.doi.org/10.1039/c4tc00234b>.
- Claassens, L; Terwee, CB; Deeg, DJ; Broese van Groenou, MI; Widdershoven, GA; Huisman, M. (2016). Development and validation of a questionnaire assessing the perceived control in health care among older adults with care needs in the Netherlands. 25: 859-870. <http://dx.doi.org/10.1007/s11136-015-1124-2>.
- Clark, AE; Yoon, S; Sheesley, RJ; Usenko, S. (2015). Pressurized liquid extraction technique for the analysis of pesticides, PCBs, PBDEs, OPES, PAHs, alkanes, hopanes, and steranes in atmospheric particulate matter. *Chemosphere* 137: 33-44. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.051>.
- Clark, EW. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL. *J Text Inst* 82: 108-108.
- Claudino, MM; Souza Domingos, TF; da Silva, GA; Fonseca, RR; Cavalcanti, DN; Sanchez, EF; Teixeira, VL; Fuly, AL. (2014). Inhibitory effect of the red seaweed *Plocamium brasiliense* against the toxic effects of *Lachesis muta* snake venom. *J Appl Phycol* 26: 2047-2054. <http://dx.doi.org/10.1007/s10811-014-0266-x>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials* 25: 169-177.
- Clayton, LM; Sikder, AK; Kumar, A; Cinke, M; Meyyappan, M; Gerasimov, TG; Harmon, JP. (2005). Transparent poly(methyl methacrylate)/single-walled carbon nanotube (PMMA/SWNT) composite films with increased dielectric constants. *Adv Funct Mater* 15: 101-106. <http://dx.doi.org/10.1002/adfm.200305106>.
- Cleall, PJ; Li, Y, uC. (2011). Analytical Solution for Diffusion of VOCs through Composite Landfill Liners. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 850-854. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000506](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000506).
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health* 10: 1-24.
- Clewell, HJ, III; Andersen, ME; Barton, HA. (2002). A consistent approach for the application of pharmacokinetic modeling in cancer and noncancer risk assessment. *Environ Health Perspect* 110: 85-93.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect* 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere* 31: 2561-2578.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (2001). Comparison of cancer risk estimates for vinyl chloride using animal and human data with a PBPK model. *Sci Total Environ* 274: 37-66.
- Clewell, HJ; Lee, TS; Carpenter, RL. (1994). Sensitivity of physiologically based pharmacokinetic models to variation in model parameters: methylene chloride. *Risk Anal* 14: 521-531.
- Clifford, DJ; Hatcher, PG. (1995). ACS SYMPOSIUM SERIES Maturation of Class Ib (polylabdanoid) resinates.
- Clifford, DJ; Hatcher, PG; Botto, RE; Muntean, JV; Michels, B; Anderson, KB. (1997). The nature and fate of natural resins in the geosphere - VIII. NMR and Py-GC-MS characterization of soluble labdanoid polymers, isolated from Holocene class I resins. *Organic Geochemistry* 27: 449-464.
- Clulow, AJ; Tao, C; Lee, KH; Velusamy, M; Mcewan, JA; Shaw, PE; Yamada, NL; James, M; Burn, PL; Gentle, IR; Meredith, P. (2014). Time-resolved neutron reflectometry and photovoltaic device studies on sequentially deposited PCDTBT-fullerene layers. *Langmuir* 30: 11474-11484. <http://dx.doi.org/10.1021/la5020779>.
- Cocero, MJ; Ferrero, S. (2002). Crystallization of beta-carotene by a GAS process in batch - Effect of operating conditions. *Journal of Supercritical Fluids* 22: 237-245.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cochran, RE; Kubatova, A. (2015). Pressurised fluid extraction of polycyclic aromatic hydrocarbons and their polar oxidation products from atmospheric particles. *Int J Environ Anal Chem* 95: 434-452. <http://dx.doi.org/10.1080/03067319.2015.1025225>.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cogal, S; Kiristi, M; Ocakoglu, K; Oksuz, L; Oksuz, AU. (2015). Electrochromic properties of electrochemically synthesized porphyrin/3-substituted polythiophene copolymers. *Materials Science in Semiconductor Processing* 31: 551-560. <http://dx.doi.org/10.1016/j.mssp.2014.12.036>.
- Cohen, H; Charrier, C; Sarfaty, J. (1991). Extraction and identification of a plasticizer, Di-(2-ethylhexyl)phthalate, from a plastic bag containing contaminated corn. *Arch Environ Contam Toxicol* 20: 437-440.
- Coleman, J; Lowman, A. (2012). Biodegradable Nanoparticles for Protein Delivery: Analysis of Preparation Conditions on Particle Morphology and Protein Loading, Activity and Sustained Release Properties. *J Biomater Sci Polym Ed* 23: 1129-1151. <http://dx.doi.org/10.1163/092050611X576648>.
- Coleman, MD; Coleman, NA. (1996). Drug-induced methaemoglobinaemia. Treatment issues [Review]. *Drug Saf* 14: 394-405.
- Coleman, WM; Dube, MF; Gerardi, AR; Ashraf-Khorassani, M; Taylor, LT. (2012). Enhancement of volatile aglycone recovery facilitated by acid hydrolysis of glucosides from *Nicotiana* flower species. *J Agric Food Chem* 60: 11483-11490. <http://dx.doi.org/10.1021/jf302508v>.
- Colibaba, LC; Cotea, VV; Niculaua, M; Schmarr, HG. (2012). VOLATILE COMPOUNDS CAPTURED IN EXHAUST CO<sub>2</sub> FLOW DURING THE FERMENTATION OF BUSUIOACA DE BOHOTIN WINE. *Environmental Engineering and Management Journal* 11: 1895-1900.
- Coll Araoz, MV; Ines Mercado, M; Grau, A; Catalan, CAN. (2010). Ent-kaurane derivatives from the root cortex of yacon and other three *Smallanthus* species (Heliantheae, Asteraceae). *Biochemical Systematics and Ecology* 38: 1042-1048. <http://dx.doi.org/10.1016/j.bse.2010.10.009>.
- Coll, C; Ros-Lis, JV; Martinez-Manez, R; Dolores Marcos, M; Sancenon, F; Soto, J. (2010). A new approach for the selective and sensitive colorimetric detection of ionic surfactants in water. *J Mater Chem* 20: 1442-1451. <http://dx.doi.org/10.1039/b910659f>.
- Coll, JC; Bowden, BF; Meehan, GV; Konig, GM; Carroll, AR; Tapiolas, DM; Alino, PM; Heaton, A; Denys, R; Leone, PA; Maida, M; Aceret, TL; Willis, RH; Babcock, RC; Willis, BL; Florian, Z; Clayton, MN; Miller, RL. (1994). CHEMICAL ASPECTS OF MASS SPAWNING IN CORALS .1. SPERM-ATTRACTANT MOLECULES IN THE EGGS OF THE SCLERACTINIAN CORAL MONTIPORA-DIGITATA. *Mar Biol* 118: 177-182.
- Collignon, A; Martin, G; Martin, N; Laplanche, A. (1994). BULKING REDUCED WITH THE USE OF OZONE - STUDY OF THE MECHANISM OF ACTION VERSUS BACTERIA. *Ozone: Science and Engineering* 16: 385-402.
- Collins, AS; Sumner, SCJ; Borghoff, SJ; Medinsky, MA. (1999). A physiological model for tert-amyl methyl ether and tert-amyl alcohol: Hypothesis testing of model structures. *Toxicol Sci* 49: 15-28. <http://dx.doi.org/10.1093/toxsci/49.1.15>.
- Collymore, C; Porelli, G; Lieggi, C; Lipman, NS. (2014). Evaluation of 5 cleaning and disinfection methods for nets used to collect zebrafish (*Danio rerio*). *J Am Assoc Lab Anim Sci* 53: 657-660.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colomer, MT; Guzmãjn, J; Moreno, R. (2010). Peptization of Nanoparticulate Titania Sols Prepared Under Different Waterâ "Alkoxide Molar Ratios. *Journal of the American Ceramic Society* 93: 59-64. <http://dx.doi.org/10.1111/j.1551-2916.2009.03294.x>.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data* 40: 1184-1187.
- Comstock, RJ; Li, KP; Wagoner, RH. (2001). Simulation of axisymmetric sheet forming tests. *J Mater Process Tech* 117: 153-168.
- Conceicao, DS; Ferreira, DP; Prostota, Y; Santos, PF; Ferreira, LFV. (2016). Photochemical behaviour of a new 1,2,3,4-tetrahydroxanthylum fluorescent dye with "rhodamine-like" structure in liquid media and adsorbed onto a TiO<sub>2</sub> photo-responsive substrate. *Dyes and Pigments* 128: 279-288. <http://dx.doi.org/10.1016/j.dyepig.2016.01.030>.
- Constandache, T; Cerempei, A; Muresan, EI; Popescu, V; Drobot, M; Sandu, I, on. (2014). Modified Organic Pigments Used in Polypropylene Coloration. *Rev Chim* 65: 892-896.
- Cook, CA; Cundy, VA; Sterling, AM; Lu, C; Montestruc, AN; Leger, CB; Jakway, AL. (1992). ESTIMATING DICHLOROMETHANE EVOLUTION RATES FROM A SORBENT BED IN A FIELD-SCALE ROTARY KILN INCINERATOR. *Combust Sci Tech* 85: 217-241.
- Coombes, AGA; Scholes, PD; Davies, MC; Illum, L; Davis, SS. (1994). RESORBABLE POLYMERIC MICROSPHERES FOR DRUG-DELIVERY - PRODUCTION AND SIMULTANEOUS SURFACE MODIFICATION USING PEO-PPO SURFACTANTS. *Biomaterials* 15: 673-680.
- Coombes, AGA; Verderio, E; Shaw, B; Li, X; Griffin, M; Downes, S. (2002). Biocomposites of non-crosslinked natural and synthetic polymers. *Biomaterials* 23: 2113-2118.
- Cooper, CE; Withers, PC. (2004). Ventilatory physiology of the numbat (*Myrmecobius fasciatus*). *J Comp Physiol [B]* 174: 107-111. <http://dx.doi.org/10.1007/s00360-003-0394-0>.
- Cooper, GS; Scott, CS; Bale, AS. (2011). Insights from epidemiology into dichloromethane and cancer risk [Review]. *Int J Environ Res Public Health* 8: 3380-3398. <http://dx.doi.org/10.3390/ijerph8083380>.
- Corazza, ML; Filho, LC; Antunes, OAC; Dariva, C. (2003). High pressure phase equilibria of the related substances in the limonene oxidation in supercritical CO<sub>2</sub>. *Journal of Chemical and Engineering Data* 48: 354-358. <http://dx.doi.org/10.1021/je020150k>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cordeiro, N; Belgacem, MN; Gandini, A; Neto, CP. (1999). Urethanes and polyurethanes from suberin 2: synthesis and characterization. *Ind Crop Prod* 10: 1-10.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF PHASE-TRANSFER-CATALYST INFLUENCE IN CAO-SIO2 GEL PREPARATION. *Journal of Materials Science* 29: 4325-4330.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF THE ROLE OF PHASE-TRANSFER CATALYST IN OBTAINING GELS IN HETEROGENEOUS ENVIRONMENTS. *Journal of Non-Crystalline Solids* 171: 105-114.
- Cordova, R; Gomez, H; Schrebler, R; Cury, P; Orellana, M; Grez, P; Leinen, D; Ramos-Barrado, JR; Del Rio, R. (2002). Electrosynthesis and electrochemical characterization of a thin phase of  $Cu_xS$  ( $x \rightarrow 2$ ) on ITO electrode. *Langmuir* 18: 8647-8654. <http://dx.doi.org/10.1021/la025711k>.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ* 27: 243-256.
- Cormos, CC; Agachi, SP. (2005). The modelling and the simulation of pantolactone extraction using ChemCAD software. *Rev Chim* 56: 750-756.
- Cornejo, J, ayJM; Sakurai, D; Daiguji, H; Takemura, F. (2016). Effect of Dissolved Poly(lactic acid) on the Solubility of CO<sub>2</sub>, N<sub>2</sub>, and He Gases in Dichloromethane. *Journal of Chemical and Engineering Data* 61: 94-101. <http://dx.doi.org/10.1021/acs.jced.5b00268>.
- Corno, JA; Stout, J; Yang, R; Golet, JL. (2008). Diffusion-controlled self-assembly and dendrite formation in silver-seeded anatase titania nanospheres. *J Phys Chem C* 112: 5439-5446. <http://dx.doi.org/10.1021/jp711443v>.
- Coronas, MV; Pereira, TS; Rocha, JA; Lemos, AT; Fachel, JM; Salvadori, DM; Vargas, VM. (2009). Genetic biomonitoring of an urban population exposed to mutagenic airborne pollutants. *Environ Int* 35: 1023-1029. <http://dx.doi.org/10.1016/j.envint.2009.05.001>.
- Corrales, F; Vilaseca, F; Llop, M; Gironès, J; Méndez, JA; Mutjè, P. (2007). Chemical modification of jute fibers for the production of green-composites. *J Hazard Mater* 144: 730-735. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.103>.
- Corrêa, AX; Cotellet, S; Millet, M; Somensi, CA; Wagner, TM; Radetski, CM. (2016). Genotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles using the in vivo Vicia faba L. micronucleus test. *Ecotoxicol Environ Saf* 127: 199-204. <http://dx.doi.org/10.1016/j.ecoenv.2016.01.026>.
- Correa, SM; Arbilla, G. (2006). Aromatic hydrocarbons emissions in diesel and biodiesel exhaust. *Atmos Environ* 40: 6821-6826. <http://dx.doi.org/10.1016/j.atmosenv.2006.05.068>.
- Correa, SM; Arbilla, G; Marques, MRC; Oliveira, KMP, G. (2012). The impact of BTEX emissions from gas stations into the atmosphere. *Atmos Pollut Res* 3: 163-169. <http://dx.doi.org/10.5094/APR.2012.016>.
- Correa, T; Tiab, D; Restrepo, DP. (2009). EVALUATION OF SOLVENTS EFFICIENCY IN CONDENSATE BANKING REMOVAL. *Dyna* 76: 163-171.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.
- Costa Sacchetin, PS; Morales, A, naR; Moraes, AM; Vieira e Rosa, P, deT. (2013). Formation of PLA particles incorporating 17 alpha-methyltestosterone by supercritical fluid technology. *Journal of Supercritical Fluids* 77: 52-62. <http://dx.doi.org/10.1016/j.supflu.2013.02.029>.
- Cosut, B. (2014). Highly efficient energy transfer in BODIPY-pyrene decorated cyclotriphosphazene. *Dyes and Pigments* 100: 11-16. <http://dx.doi.org/10.1016/j.dyepig.2013.07.022>.
- Cothorn, CR. (1992). SOME SCIENTIFIC JUDGMENTS IN THE ASSESSMENT OF THE RISK OF ENVIRONMENTAL CONTAMINANTS. 2: 223-235.
- Coulbaly, K; Jeon, IJ. (1992). SOLID-PHASE EXTRACTION OF LESS VOLATILE FLAVOR COMPOUNDS FROM ULTRAHIGH-TEMPERATURE PROCESSED MILK. *J Agric Food Chem* 40: 612-616.
- Covaci, A; Tutdaki, M; Tsatsakis, AM; Schepens, P. (2002). Hair analysis: another approach for the assessment of human exposure to selected persistent organochlorine pollutants. *Chemosphere* 46: 413-418.
- Cox, ML; Fraser, PJ; Sturrock, GA; Siems, ST; Porter, LW. (2004). Terrestrial Sources and Sinks of Halomethanes near Cape Grim, Tasmania. *Atmos Environ* 38: 3839. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.050>.
- Cox, ML; Sturrock, GA; Fraser, PJ; Siems, ST; Krummel, PB; O'Doherty, S. (2003). Regional Sources of Methyl Chloride, Chloroform and Dichloromethane Identified from AGAGE Observations at Cape Grim, Tasmania, 1998-2000. *J Atmos Chem* 45: 79-99.
- Cox, SK; Vanmanen, RT; Oliver, JW. (1992). DETERMINATION OF ERGONOVINE IN BOVINE PLASMA SAMPLES. *J Agric Food Chem* 40: 2164-2166.
- Coyle, GT; Harmon, TC; Suffet, IH. (1997). Aqueous solubility depression for hydrophobic organic chemicals in the presence of partially miscible organic solvents. *Environ Sci Technol* 31: 384-389.
- Crawford, DS. (1992). BEHAVIOR OF WASTEPAPER STICKIES IN RECYCLING MILLS. *Appita* 45: 257-259.
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Crespo, MOP; Yusty, MAL. (2004). Determination of aliphatic hydrocarbons in the alga *Himantalia elongata*. *Ecotoxicol Environ Saf* 57: 226-230. <http://dx.doi.org/10.1016/j.ecoenv.2003.09.013>.
- Creusot, N; Dévier, MH; Budzinski, H; Ait-Aïssa, S. (2016). Evaluation of an extraction method for a mixture of endocrine disrupters in sediment using chemical and in vitro biological analyses. *Environ Sci Pollut Res Int* 23: 10349-10360. <http://dx.doi.org/10.1007/s11356-016-6062-1>.
- Criddle, CS; Mccarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol* 25: 973-978.
- Crittenden, BD; Camus, O; Perera, SP; Mays, TJ; Sanchez-Liarte, F; Tennison, SR, SR; Crezee, E. (2011). Nonuniform Channels in Adsorbent Monoliths. *AIChE J* 57: 1163-1172. <http://dx.doi.org/10.1002/aic.12335>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Croitoru, C; Patachia, S; Porzolt, A; Friedrich, C. (2011). Effect of alkylimidazolium based ionic liquids on the structure of UV-irradiated cellulose. *Cellulose* 18: 1469-1479. <http://dx.doi.org/10.1007/s10570-011-9586-z>.
- Croker, DM; Foreman, ME; Hogan, BN; Maguire, NM; Elcoate, CJ; Hodnett, BK; Maguire, AR; Rasmuson, A, keC; Lawrence, SE. (2012). Understanding the p-Toluenesulfonamide/Triphenylphosphine Oxide Crystal Chemistry: A New 1:1 Cocrystal and Ternary Phase Diagram. *Cryst Growth Des* 12: 869-875. <http://dx.doi.org/10.1021/cg201300e>.
- Croll, SG. (2010). Application of the Flory-Rehner equation and the Griffith fracture criterion to paint stripping. *JCT Research* 7: 49-55. <http://dx.doi.org/10.1007/s11998-009-9166-4>.
- Cronin, G; Lindquist, N; Hay, ME; Fenical, W. (1995). EFFECTS OF STORAGE AND EXTRACTION PROCEDURES ON YIELDS OF LIPOPHILIC METABOLITES FROM THE BROWN SEAWEEDS DICTYOTA-CILIOLATA AND D-MENSTRUUALIS. *Mar Ecol Prog Ser* 119: 265-273.
- Crosman, A; Gelbard, G; Poncelet, G; Parvulescu, VI. (2004). Epoxidation of cyclohexene and indene with hydrogen peroxide in the presence of WO5 onto hydroxyapatite as catalyst. *Appl Catal A-Gen* 264: 23-32. <http://dx.doi.org/10.1016/j.apcata.2003.12.021>.
- Crosman, A; Hoelderich, WF. (2004). Enantioselective hydrogenation over immobilised transition metal complex catalysts. *Stud Surf Sci Catal* 154: 2839-2846.
- Crosman, A; Hoelderich, WF. (2007). Enantioselective hydrogenation over immobilized rhodium diphosphine complexes on mesostructured materials. *Catalysis Today* 121: 130-139. <http://dx.doi.org/10.1016/j.cattod.2006.11.023>.
- Cruceru, I; Iancu, V; Petre, J; Badea, IA; Vladescu, L. (2012). HPLC-FLD determination of 4-nonylphenol and 4-tert-octylphenol in surface water samples. *Environ Monit Assess* 184: 2783-2795. <http://dx.doi.org/10.1007/s10661-011-2151-2>.
- Cruz, GJF; Matejova, L; Pirilae, M; Ainassaari, K; Canepa, CA; Solis, J; Cruz, JF; Solcova, O; Keiski, RL. (2015). A Comparative Study on Activated Carbons Derived from a Broad Range of Agro-industrial Wastes in Removal of Large-Molecular-Size Organic Pollutants in Aqueous Phase. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2474-7>.
- Cudzilo, S; Dyjak, S; Trzcinski, WA. (2012). Preparation and Characterization of Monolithic Nitrocellulose-Cellulose Composites. *Central European Journal of Energetic Materials* 9: 139-146.
- Cui, L; Ding, Y, an; Li, X, ue; Wang, Z, he; Han, Y. (2006). Solvent and polymer concentration effects on the surface morphology evolution of immiscible polystyrene/poly(methyl methacrylate) blends. *Thin Solid Films* 515: 2038-2048. <http://dx.doi.org/10.1016/j.tsf.2006.04.045>.
- Cundy, VA; Lu, C; Cook, CA; Sterling, AM; Leger, CB; Jakway, AL; Montestruc, AN; Conway, R; Lester, TW. (1991). ROTARY KILN INCINERATION OF DICHLOROMETHANE AND XYLENE - A COMPARISON OF INCINERABILITY CHARACTERISTICS UNDER VARIOUS OPERATING-CONDITIONS. *J Air Waste Manag Assoc* 41: 1084-1094.
- Custódio, D; Guimarães, CS; Varandas, L; Arbilla, G. (2010). Pattern of volatile aldehydes and aromatic hydrocarbons in the largest urban rainforest in the Americas. *Chemosphere* 79: 1064-1069. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.028>.
- Cvetkovic, I; Milic, J; Ionescu, M; Petrovic, ZS. (2008). PREPARATION OF 9-HYDROXYNONANOIC ACID METHYL ESTER BY OZONOLYSIS OF VEGETABLE OILS AND ITS POLYCONDENSATION. *Hemijaska Industrija* 62: 319-328. <http://dx.doi.org/10.2298/HEMIND0806319C>.
- Czauderna, M; Kowalczyk, J; Marounek, M; Michalski, JP; Rozbicka-Wieczorek, AJ; Krajewska, KA. (2011). A new internal standard for HPLC assay of conjugated linoleic acid in animal tissues and milk. *Czech J Anim Sci* 56: 23-29.
- Czauderna, M; Kowalczyk, J; Wasowska, I; Niedzwiedzka, KM. (2003). Determination of conjugated linoleic acid isomers by liquid chromatography and photodiode array detection. *J Anim Feed Sci* 12: 369-382.
- Czernych, R; Halkiewicz, JJ, an; Kot-Wasik, A; Namiesnik, J. (2014). Development and Validation of SPE-HPLC-MS/MS Method for Determining Cyclophosphamide in Surface Waters. *Pol J Environ Stud* 23: 1537-1545.
- Czerwinski, J; Zygmunt, B; Namiesnik, J. (1996). Application of solid phase microextraction for determination of volatile halogenated hydrocarbons in air and water of an indoor swimming pool. *Fresen Environ Bull* 5: 55-60.
- Czimerova, A; Bujdak, J; Dohrmann, R. (2006). Traditional and novel methods for estimating the layer charge of smectites. *Appl Clay Sci* 34: 2-13. <http://dx.doi.org/10.1016/j.clay.2006.02.008>.
- da Cunha, US; Vendramim, JD; Rocha, WC; Vieira, PC. (2006). Fractions of *Trichilia pallens* with insecticidal activity against *Tuta absoluta*. *Pesqui Agropecu Bras* 41: 1579-1585.
- da Silva, GA; Domingos, TF; Fonseca, RR; Sanchez, EF; Teixeira, VL; Fuly, AL. (2015). The red seaweed *Plocamium brasiliense* shows anti-snake venom toxic effects. *Journal of Venomous Animals and Toxins including Tropical Diseases* 21: 2. <http://dx.doi.org/10.1186/s40409-015-0002-2>.
- Da Silva, LB; Marinelli, AL; Ruvolo, A; Bretas, RES. (2002). Blends of a bottle-grade polyethylene terephthalate copolymer with a liquid crystalline polymer. Part II: Thermal and transport properties. *Polymer Engineering and Science* 42: 1694-1709.
- da Silva Maciel, GP; Machado, ME; Barbara, JA; Dal Molin, D; Caramao, EB; Jacques, RA. (2016). GC x GC/TOFMS analysis concerning the identification of organic compounds extracted from the aqueous phase of sugarcane straw fast pyrolysis oil. *Biomass and Bioenergy* 85: 198-206. <http://dx.doi.org/10.1016/j.biombioe.2015.11.009>.
- Dacome, AS; da Silva, CC; da Costa, CEM; Fontana, JD; Adelman, J; da Costa, SC. (2005). Sweet diterpenic glycosides balance of a new cultivar of *Stevia rebaudiana* (Bert.) Bertoni: Isolation and quantitative distribution by chromatographic, spectroscopic, and electrophoretic methods. *Process Biochemistry* 40: 3587-3594. <http://dx.doi.org/10.1016/j.procbio.2005.03.035>.
- Daglia, M; Papetti, A; Gregotti, C; Berte, F; Gazzani, G. (2000). In vitro antioxidant and ex vivo protective activities of green and roasted coffee. *J Agric Food Chem* 48: 1449-1454.
- Dai, H; Huang, H. (2017). Synthesis, characterization and properties of pineapple peel cellulose-g-acrylic acid hydrogel loaded with kaolin and sepia ink. *Cellulose* 24: 69-84. <http://dx.doi.org/10.1007/s10570-016-1101-0>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dai, H; Jing, S; Wang, H; Ma, Y; Li, L; Song, W; Kan, H. (2017). VOC characteristics and inhalation health risks in newly renovated residences in Shanghai, China. *Sci Total Environ* 577: 73-83. <http://dx.doi.org/10.1016/j.scitotenv.2016.10.071>.
- Dai, JM; Yaylayan, VA; Raghavan, GSV; Pare, JR. (1999). Extraction and colorimetric determination of azadirachtin-related limonoids in neem seed kernel. *J Agric Food Chem* 47: 3738-3742.
- D'Aleo, A; Felouat, A; Heresanu, V; Ranguis, A; Chaudanson, D; Karapetyan, A; Giorgi, M; Fages, F. (2014). Two-photon excited fluorescence of BF<sub>2</sub> complexes of curcumin analogues: toward NIR-to-NIR fluorescent organic nanoparticles. 2: 5208-5215. <http://dx.doi.org/10.1039/c4tc00543k>.
- Dalla Villa, R; de Carvalho Dores, EF; Carbo, L; Cunha, ML. (2006). Dissipation of DDT in a heavily contaminated soil in Mato Grosso, Brazil. *Chemosphere* 64: 549-554. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.019>.
- Dallarosa, JB; Monego, JG; Teixeira, EC; Stefens, JL; Wiegand, F. (2005). Polycyclic aromatic hydrocarbons in atmospheric particles in the metropolitan area of Porto Alegre, Brazil. *Atmos Environ* 39: 1609-1625.
- Dallarosa, JB; Teixeira, EC; Pires, M; Fachel, J. (2005). Study of the profile of polycyclic aromatic hydrocarbons in atmospheric particles (PM<sub>10</sub>) using multivariate methods. *Atmos Environ* 39: 6587-6596. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.034>.
- Dalmasso, PR; Taccone, RA; Nieto, JD; Teruel, MA; Lane, SI. (2006). CH<sub>3</sub>OCF<sub>2</sub>CHFCI and CHF<sub>2</sub>OCF<sub>2</sub>CHFCI: Reaction with Cl atoms, atmospheric lifetimes, ozone depletion and global warming potentials. *Atmos Environ* 40: 7298-7307. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.031>.
- Dalmoro, V; Aleman, C; Ferreira, CA; dos Santos, JHZ; Azambuja, DS; Armelin, E. (2015). The influence of organophosphonic acid and conducting polymer on the adhesion and protection of epoxy coating on aluminium alloy. *Progr Org Coating* 88: 181-190. <http://dx.doi.org/10.1016/j.porgcoat.2015.07.004>.
- Dammer, O; Vlckova, B; Prochazka, M; Bondarev, D; Vohlidal, J; Pflieger, J. (2009). Effect of preparation procedure on the structure, morphology, and optical properties of nanocomposites of poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] with gold nanoparticles. *Mater Chem Phys* 115: 352-360. <http://dx.doi.org/10.1016/j.matchemphys.2008.12.021>.
- Daneshvar, E; Vazirzadeh, A; Niazi, A; Sillanpaa, M; Bhatnagar, A. (2017). A comparative study of methylene blue biosorption using different modified brown, red and green macroalgae - Effect of pretreatment. *Chem Eng J* 307: 435-446. <http://dx.doi.org/10.1016/j.cej.2016.08.093>.
- Dang, G; Yang, W; Chen, C; Zhao, X; Wang, C; Zhang, W; Wu, Z. (2003). Single-crystal X-ray structure of a special designed nanoscale rigid organic macrocycle. *Synthetic Metals* 137: 975-976. [http://dx.doi.org/10.1016/S0379-6779\(02\)00969-4](http://dx.doi.org/10.1016/S0379-6779(02)00969-4).
- Dang, LX; Schenter, GK; Chang, TM, ei; Kathmann, SM; Autrey, T, om. (2012). Role of Solvents on the Thermodynamics and Kinetics of Forming Frustrated Lewis Pairs. *Journal of Physical Chemistry Letters* 3: 3312-3319. <http://dx.doi.org/10.1021/jz301533a>.
- Dang, QQ; Zhan, YF; Wang, XM; Zhang, XM. (2015). Heptazine-Based Porous Framework for Selective CO<sub>2</sub> Sorption and Organocatalytic Performances. 7: 28452-28458. <http://dx.doi.org/10.1021/acsami.5b09441>.
- Danielski, L; Campos, LMA, S; Bresciani, LFV; Hense, H; Yunes, RA; Ferreira, SRS. (2007). Marigold (*Calendula officinalis* L.) oleoresin: Solubility in SC-CO<sub>2</sub> and composition profile. *Chemical Engineering and Processing: Process Intensification* 46: 99-106. <http://dx.doi.org/10.1016/j.cep.2006.05.004>.
- D'Anna, A; Alfe, A; Apicella, B; Tregrossi, A; Ciajolo, A. (2007). Effect of Fuel/Air ratio and aromaticity on sooting behavior of premixed heptane flames. *Energy Fuels* 21: 2655-2662. <http://dx.doi.org/10.1021/ef070159y>.
- Danov, KD; Kralchevsky, PA; Ananthapadmanabhan, KP; Lips, A. (2006). Particle-interface interaction across a nonpolar medium in relation to the production of particle-stabilized emulsions. *Langmuir* 22: 106-115. <http://dx.doi.org/10.1021/la052273j>.
- Danumah, C; Beingessner, RL; Haque, A; Ban, F; Richards, JP; Kovalenko, A; Fenniri, H. (2009). Synthesis, properties, and mechanistic insight into the self-assembly of a lamellar fibrous superstructure from a synthetically simple discotic molecule. *Langmuir* 25: 11857-11861. <http://dx.doi.org/10.1021/la901511v>.
- Darjazi, BB; Rustaiyan, A; Talaei, A; Khalighi, A; Larjani, K; Golein, B; Hayatbakhsh, E; Taghizad, R. (2009). The Effects of Rootstock on the Volatile Flavour Components of Page Mandarin [(*C.Reticulata* var dancy x *C.Paradisi* var dancan) x *C.Clemantina*] Juice and Peel. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 99-111.
- Darko, SA; Maxwell, E; Park, S. (2010). Photocatalytic activity of TiO<sub>2</sub> nanofilms deposited onto polyvinyl chloride and glass substrates. *Thin Solid Films* 519: 174-177. <http://dx.doi.org/10.1016/j.tsf.2010.07.096>.
- Darowicki, K; Slepski, P; Szocinski, M. (2005). Application of the dynamic EIS to investigation of transport within organic coatings. *Progr Org Coating* 52: 306-310.
- Das, A; Gupta, M; Rajagopalan, S; Tyagi, AK. (2013). Selective Capacitive Sensor for Ammonia Hydroxide at Room Temperature. *IEEE Sens J* 13: 2757-2762. <http://dx.doi.org/10.1109/JSEN.2013.2259959>.
- Das, GS; Rao GHR, GS; Wilson, RF; Chandy, T. (2001). Controlled delivery of taxol from poly(ethylene glycol)-coated poly(lactic acid) microspheres. *J Biomed Mater Res* 55: 96-103.
- Das, MT; Budhraj, V; Mishra, M; Thakur, IS. (2012). Toxicological evaluation of paper mill sewage sediment treated by indigenous dibenzofuran-degrading *Pseudomonas* sp. *Bioresour Technol* 110: 71-78. <http://dx.doi.org/10.1016/j.biortech.2012.01.078>.
- Das, SC; Larson, I; Morton, DA; Stewart, PJ. (2011). Determination of the polar and total surface energy distributions of particulates by inverse gas chromatography. *Langmuir* 27: 521-523. <http://dx.doi.org/10.1021/la104135z>.
- Datta, D; Kumar, S. (2011). Reactive Extraction of 2-Methylidenebutanedioic Acid with N,N-Dioctyl octan-1-amine Dissolved in Six Different Diluents: Experimental and Theoretical Equilibrium Studies at (298 +/- 1) K. *Journal of Chemical and Engineering Data* 56: 2574-2582. <http://dx.doi.org/10.1021/jc200094b>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Datta, D; Kumar, S. (2011). Reactive Extraction of Glycolic Acid Using Tri-n-Butyl Phosphate and Tri-n-Octylamine in Six Different Diluents: Experimental Data and Theoretical Predictions. *Ind Eng Chem Res* 50: 3041-3048. <http://dx.doi.org/10.1021/ie102024u>.
- Datta, D; Kumar, S. (2015). Reactive Extraction of Picolinic Acid Using Tri-n-octylamine Dissolved in Different Diluents: Effect of Solvent Polarity. *Journal of Chemical and Engineering Data* 60: 2709-2716. <http://dx.doi.org/10.1021/acs.jced.5b00387>.
- Datta, D; Marti, ME; Pal, D; Kumar, S. (2017). Equilibrium Study on the Extraction of Levulinic Acid from Aqueous Solution with Aliquat 336 Dissolved in Different Diluents: Solvent's Polarity Effect and Column Design. *Journal of Chemical and Engineering Data* 62: 3-10. <http://dx.doi.org/10.1021/acs.jced.6b00164>.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; Mcilwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem* 18: 503-525.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem* 10: 463-474.
- Daws, CA; Exstrom, CL; Sowa, JR; Mann, KR. (1997). "Vapochromic" compounds as environmental sensors .2. Synthesis and near-infrared and infrared spectroscopy studies of [Pt(arylisocyanide)(4)][Pt(CN)(4)] upon exposure to volatile organic compound vapors. *Chem Mater* 9: 363-368.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- de Almeida Rego, FC; Francozo, MC; Ludovico, A; de Lima, LD; Lopes, FG; Belan, L; dos Santos, MD; Zundt, M; Coelho Cunha Filho, LF; Constantino, C. (2015). Development, economic viability and attributes of lamb carcass from confined animals fed on different amounts of crude glycerin. 36: 3445-3454. <http://dx.doi.org/10.5433/1679-0359.2015v36n5p3445>.
- de Aquino, LA; Puiatti, M; Abaurre, MEO; Cecon, PR; Pereira, PRG; Pereira, FHF; Castro, MRS. (2007). Yield, accumulation of nitrate, content and export of nutrients of lettuce cultivated under shade. *Horticultura Brasileira* 25: 381-386.
- de Araujo, GLB; Zeller, M; Smith, D; Nie, H; Byrn, SR. (2016). Unexpected Single Crystal Growth Induced by a Wire and New Crystalline Structures of Lapatinib. *Cryst Growth Des* 16: 6122-6130. <http://dx.doi.org/10.1021/acs.cgd.6b01271>.
- de Araujo Neto, SE; Felix Ferreira, RL; The Pontes, FS. (2009). Profitability of lettuce cultivars organic production in greenhouse and field with different tillage soil. *Ciencia Rural* 39: 1362-1368.
- de Avila, SG; Silva, LCC; Matos, JR. (2016). Optimisation of SBA-15 properties using Soxhlet solvent extraction for template removal. *Microporous and Mesoporous Materials* 234: 277-286. <http://dx.doi.org/10.1016/j.micromeso.2016.07.027>.
- de Beer, MM; Keurentjes, J; osTF; Schouten, JC; van Der Schaaf, J. (2016). Convective Condensation in a Stator-Rotor-Stator Spinning Disc Reactor. *AIChE J* 62: 3784-3796. <http://dx.doi.org/10.1002/aic.15275>.
- De Best, JH; Ultee, J; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (2000). Dichloromethane utilization in a packed-bed reactor in the presence of various electron acceptors. *Water Res* 34: 566-574.
- de Campos, LM; Leimann, FV; Pedrosa, RC; Ferreira, SR. (2008). Free radical scavenging of grape pomace extracts from Cabernet sauvignon (*Vitis vinifera*). *Bioresour Technol* 99: 8413-8420. <http://dx.doi.org/10.1016/j.biortech.2008.02.058>.
- de Diego, YP; Wubbolts, FE; Jansens, PJ. (2006). Modelling mass transfer in the PCA process using the Maxwell-Stefan approach. *Journal of Supercritical Fluids* 37: 53-62. <http://dx.doi.org/10.1016/j.supflu.2005.07.002>.
- de Los Rios, AP; Hernandez-Fernandez, FJ; Rubio, M; Gomez, D; Villora, G. (2007). Stabilization of native penicillin G acylase by ionic liquids. *J Chem Tech Biotechnol* 82: 190-195. <http://dx.doi.org/10.1002/jctb.1654>.
- De Martinis, BS; Okamoto, RA; Kado, NY; Gundel, LA; Carvalho, LRF. (2002). Polycyclic aromatic hydrocarbons in a bioassay-fractionated extract of PM10 collected in Sao Paulo, Brazil. *Atmos Environ* 36: 307-314.
- de Melo, MMR; Oliveira, ELG; Silvestre, AJD; Silva, CM. (2012). Supercritical fluid extraction of triterpenic acids from *Eucalyptus globulus* bark. *Journal of Supercritical Fluids* 70: 137-145. <http://dx.doi.org/10.1016/j.supflu.2012.06.017>.
- de Melo, MMR; Silva, R, uiP; Silvestre, AJD; Silva, CM. (2016). Valorization of water hyacinth through supercritical CO2 extraction of stigmasterol. *Ind Crop Prod* 80: 177-185. <http://dx.doi.org/10.1016/j.indcrop.2015.11.036>.
- de Miguel, M; Alvaro, M; García, H. (2012). Graphene as a quencher of electronic excited states of photochemical probes. *Langmuir* 28: 2849-2857. <http://dx.doi.org/10.1021/la204023w>.
- de Moura, MR; Aouada, FA; Favaro, SL; Radovanovic, E; Rubira, AF; Muniz, EC. (2009). Release of BSA from porous matrices constituted of alginate-Ca2+ and PNIPAAm-interpenetrated networks. *Mater Sci Eng C* 29: 2319-2325. <http://dx.doi.org/10.1016/j.msec.2009.05.022>.
- De Nicola, F; Maisto, G; Prati, MV; Alfani, A. (2005). Temporal variations in PAH concentrations in *Quercus ilex* L. (holm oak) leaves in an urban area. *Chemosphere* 61: 432-440. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.082>.
- De Nicola, GR; Montaut, S; Rollin, P; Nyegue, M; Menut, C; Iori, R; Tatibouët, A. (2013). Stability of benzylic-type isothiocyanates in hydrodistillation-mimicking conditions. *J Agric Food Chem* 61: 137-142. <http://dx.doi.org/10.1021/jf3041534>.
- De Pedro, ZM; Casas, JA; Gomez-Sainero, LM; Rodriguez, JJ. (2010). Hydrodechlorination of dichloromethane with a Pd/AC catalyst: Reaction pathway and kinetics. *Appl Catal B-Environ* 98: 79-85. <http://dx.doi.org/10.1016/j.apcatb.2010.05.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.
- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere* 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- de Rivas, B; Lopez-Fonseca, R; Jimenez-Gonzalez, C; Gutierrez-Ortiz, JI. (2011). Synthesis, characterisation and catalytic performance of nanocrystalline Co<sub>3</sub>O<sub>4</sub> for gas-phase chlorinated VOC abatement. *J Catal* 281: 88-97. <http://dx.doi.org/10.1016/j.jcat.2011.04.005>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO<sub>2</sub>/H-ZSM5 catalysts. *Appl Catal A-Gen* 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 39-56.
- De Rooij, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). Dichloromethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 3-22.
- De Salvia, MA; Cagiano, R; Carratu, MR; Di Giovanni, V; Trabace, L; Cuomo, V. (1995). Irreversible impairment of active avoidance behavior in rats prenatally exposed to mild concentrations of carbon monoxide. *Psychopharmacology* 122: 66-71.
- de Silva, JP; Poulos, AS; Pansu, B; Davidson, P; Kasmi, B; Petermann, D; Asnacios, S; Meneau, F; Impéror, M. (2011). Rheological behaviour of polyoxometalate-doped lyotropic lamellar phases. *Eur Phys J E Soft Matter* 34: 4. <http://dx.doi.org/10.1140/epje/i2011-11004-1>.
- de Sio, F; Laratta, B; Giovane, A; Quagliuolo, L; Castaldo, D; Servillo, L. (2000). Analysis of free and esterified ergosterol in tomato products. *J Agric Food Chem* 48: 780-784.
- De Zordi, N; Kikic, I; Moneghini, M; Solinas, D. (2010). Piroxicam solid state studies after processing with SAS technique. *Journal of Supercritical Fluids* 55: 340-347. <http://dx.doi.org/10.1016/j.supflu.2010.06.013>.
- Dearfield, KL; Moore, MM. (2005). Use of genetic toxicology information for risk assessment. *Environ Mol Mutagen* 46: 236-245. <http://dx.doi.org/10.1002/em.20176>.
- Debertrand, N; Durand, G; Barcelo, D. (1991). EXTRACTION, CLEANUP AND LIQUID CHROMATOGRAPHIC-DIODE ARRAY DETERMINATION OF CARBAMATE PESTICIDES IN SOIL SAMPLES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 26: 575-597.
- Debonsi, HM; Miranda, JE; Murata, AT; de Bortoli, SA; Kato, MJ; Bolzani, VS; Furlan, M. (2009). Isobutyl amides--potent compounds for controlling *Diatraea saccharalis*. *Pest Manag Sci* 65: 47-51. <http://dx.doi.org/10.1002/ps.1643>.
- Dec, J; Haider, K; Benesi, A; Rangaswamy, V; Schaffer, A; Plucken, U; Bollag, JM. (1997). Analysis of soil-bound residues of C-13-labeled fungicide cyprodinil by NMR spectroscopy. *Environ Sci Technol* 31: 1128-1135.
- Decaro, D; Bradley, JS. (1997). Surface spectroscopic study of carbon monoxide adsorption on nanoscale nickel colloids prepared from a zerovalent organometallic precursor. *Langmuir* 13: 3067-3069.
- Dechaine, GP; Maham, Y; Tan, X; Gray, MR. (2011). Regular Solution Theories Are Not Appropriate for Model Compounds for Petroleum Asphaltene. *Energy Fuels* 25: 737-746. <http://dx.doi.org/10.1021/ef101405t>.
- Degen, T; Poppy, G; Stadler, E. (1999). Extracting oviposition stimulants for carrot fly from host-plant leaves. *J Chem Ecol* 25: 89-104.
- Degen, T; Staedler, E. (1998). Oviposition of carrot fly (*Psila rosae*) in response to foliage and leaf surface extracts of host plants. *Chemoecology* 8: 39-+.
- Deghrigue, M; Festa, C; Ghribi, L; D'Auria, MV; De Marino, S; Ben Jannet, H; Bouraoui, A. (2015). Anti-inflammatory and analgesic activities with gastroprotective effect of semi-purified fractions and isolation of pure compounds from Mediterranean gorgonian *Eunicella singularis*. *Asian Pacific Journal of Tropical Medicine* 8: 606-611. <http://dx.doi.org/10.1016/j.apjtm.2015.07.019>.
- Dehelean, CA; Peev, C; Cinta-Pinzaru, S; Soica, C; Kaicsa, A. (2006). FT-IR, FT-RAMAN and TLC densitometry analysis of some plane tree extracts concerning their content in betulinic acid and betulin. *Rev Chim* 57: 1105-1107.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir* 14: 4143-4147.
- Deipser, A; Stegmann, R. (1994). THE ORIGIN AND FATE OF VOLATILE TRACE COMPONENTS IN MUNICIPAL SOLID WASTE LANDFILLS. *Waste Manag Res* 12: 129-139.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Del Bubba, M; Zanieri, L; Galvan, P; Donzelli, GP; Checchini, L; Lepri, L. (2005). Determination of polycyclic aromatic hydrocarbons (PAHs) and total fats in human milk. *Ann Chim* 95: 629-641.
- Del Valle, MA; Diaz, FR; Tagle, LH; Brovelli, F; Bernede, JC. (2003). Electro-oxidation of 2,2'-dithienylketone. *Journal of Materials Science* 38: 2439-2446.
- Delatorre, AI; Fernandez, C; Tarazona, JV; Munoz, MJ. (1995). DETECTION OF AROCLOR, DDT, MALATHION AND HCB USING SEMIPERMEABLE MEMBRANES AS CONCENTRATION METHOD. *Chemosphere* 31: 2727-2737.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>.
- Delhomenie, MC; Heitz, M. (2003). Elimination of chlorobenzene vapors from air in a compost-based biofilter. *J Chem Tech Biotechnol* 78: 588-595. <http://dx.doi.org/10.1002/jctb.822>.
- Dellai, A; Laajili, S; Le Morvan, V; Robert, J; Bouraoui, A. (2013). Antiproliferative activity and phenolics of the Mediterranean seaweed *Laurencia obusta*. *Ind Crop Prod* 47: 252-255. <http://dx.doi.org/10.1016/j.indcrop.2013.03.014>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste* 43: 203-207.
- Delnobile, MA; Mensitieri, G; Netti, PA; Nicolais, L. (1994). ANOMALOUS DIFFUSION IN POLY-ETHER-ETHER-KETONE. *Chem Eng Sci* 49: 633-644.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Demarini, DM; Brooks, LR; Warren, SH; Kobayashi, T; Gilmour, MI; Singh, P. (2004). Bioassay-directed fractionation and Salmonella mutagenicity of automobile and forklift diesel exhaust particles. *Environ Health Perspect* 112: 814-819.
- Demarini, DM; Houk, VS; Kornel, A; Rogers, CJ. (1992). EFFECT OF A BASE-CATALYZED DECHLORINATION PROCESS ON THE GENOTOXICITY OF PCB-CONTAMINATED SOIL. *Chemosphere* 24: 1713-1720.
- Demarini, DM; Houk, VS; Lewtas, J; Williams, RW; Nishioka, MG; Srivastava, RK; Ryan, JV; Mccorley, JA; Hall, RE; Linak, WP. (1991). MEASUREMENT OF MUTAGENIC EMISSIONS FROM THE INCINERATION OF THE PESTICIDE DINOSEB DURING APPLICATION OF COMBUSTION MODIFICATIONS. *Environ Sci Technol* 25: 910-913.
- Demarini, DM; Lemieux, PM; Ryan, JV; Brooks, LR; Williams, RW. (1994). Mutagenicity and chemical analysis of emissions from the open burning of scrap rubber tires. *Environ Sci Technol* 28: 136-141.
- Demarini, DM; Shelton, ML; Bell, DA. (1994). MUTATION SPECTRA IN SALMONELLA OF COMPLEX-MIXTURES - COMPARISON OF URBAN AIR TO BENZO[A]PYRENE. *Environ Mol Mutagen* 24: 262-275.
- Demarini, DM; Shelton, ML; Warren, SH; Ross, TM; Shim, JY; Richard, AM; Pegram, RA. (1997). Glutathione S-transferase-mediated induction of GC->AT transitions by halomethanes in Salmonella. *Environ Mol Mutagen* 30: 440-447. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)30:4<440::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)30:4<440::AID-EM9>3.0.CO;2-M).
- Demarini, DM; Williams, RW; Brooks, LR; Taylor, MS. (1992). USE OF CYANOPROPYL-BONDED HPLC COLUMN FOR BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC EXTRACTS FROM INCINERATOR EMISSIONS. *Int J Environ Anal Chem* 48: 187-199.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech* 85: 437-453.
- Demiral, H; Gündüzoğlu, G. (2010). Removal of nitrate from aqueous solutions by activated carbon prepared from sugar beet bagasse. *Bioresour Technol* 101: 1675-1680. <http://dx.doi.org/10.1016/j.biortech.2009.09.087>.
- Demou, E; Hellweg, S; Hungerbuehler, K. (2011). An occupational chemical priority list for future life cycle assessments. *J Clean Prod* 19: 1339-1346. <http://dx.doi.org/10.1016/j.jclepro.2011.03.011>.
- Deng, A; Lin, Q; Yan, Y; Li, H; Ren, J; Liu, C; Sun, R. (2016). A feasible process for furfural production from the pre-hydrolysis liquor of corncob via biochar catalysts in a new biphasic system. *Bioresour Technol* 216: 754-760. <http://dx.doi.org/10.1016/j.biortech.2016.06.002>.
- Deng, H; Yang, L; Tao, G; Dai, J. (2009). Preparation and characterization of activated carbon from cotton stalk by microwave assisted chemical activation--application in methylene blue adsorption from aqueous solution. *J Hazard Mater* 166: 1514-1521. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.080>.
- Deng, M; Nair, LS; Nukavarapu, SP; Kumbar, SG; Jiang, T; Krogman, NR; Singh, A; Allcock, HR; Laurencin, CT. (2008). Miscibility and in vitro osteocompatibility of biodegradable blends of poly[(ethyl alanato) (p-phenyl phenoxy) phosphazene] and poly(lactic acid-glycolic acid). *Biomaterials* 29: 337-349. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.029>.
- Dengiz, C; Balci, M. (2013). New synthetic methodology for construction of the 3,4-dihydroquinolin-2-one skeleton. *Turkish Journal of Chemistry* 37: 220-227. <http://dx.doi.org/10.3906/kim-1207-35>.
- Deniz, S; Baran, N; Akgun, M; Akgun, NA; Dincer, S. (2004). Synthesis and characterization of block copolymers using polysiloxane based macroazoinitiator. *Turkish Journal of Chemistry* 28: 645-657.
- Denkbaz, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed* 6: 815-825.
- Deoliveira, W; Glasser, WG. (1994). NOVEL CELLULOSE DERIVATIVES .2. SYNTHESIS AND CHARACTERISTICS OF MONO-FUNCTIONAL CELLULOSE PROPIONATE SEGMENTS. *Cellulose* 1: 77-86.
- Desando, MA; Ripmeester, JA. (2002). Chemical derivatization of Athabasca oil sand asphaltene for analysis of hydroxyl and carboxyl groups via nuclear magnetic resonance spectroscopy. *Fuel* 81: 1305-1319. [http://dx.doi.org/10.1016/S0016-2361\(02\)00040-6](http://dx.doi.org/10.1016/S0016-2361(02)00040-6).
- Desantis, G; Dicasa, M; Fabbri, L; Licchelli, M; Pallavicini, P. (1991). SELECTIVE TRANSPORT OF ANIONS ACROSS LIQUID MEMBRANES USING THE FERROCENIUM FERROCENE REDOX COUPLE. *Adv Mater Deerfield* 3: 611-613.
- Desgrouas, C; Baghdikian, B; Mabrouki, F; Bory, S; Taudon, N; Parzy, D; Ollivier, E. (2014). Rapid and green extraction, assisted by microwave and ultrasound of cepharanthine from *Stephania rotunda* Lour. *Separation and Purification Technology* 123: 9-14. <http://dx.doi.org/10.1016/j.seppur.2013.12.016>.
- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res* 40: 3855-3860.
- Dethlefs, F; Stan, HJ. (1996). Analysis of pulp mill EOP bleaching process effluent by thin-layer chromatography with automated multiple development (AMD-HPTLC). *Acta Hydrochim Hydrobiol* 24: 77-84.
- Dettmer, FT; Wichmann, H; Bahadir, M. (1998). Optimization of dioxin clean-up by using lignite coke-silica gel columns and solvent substitutions. *Fresen Environ Bull* 7: 216-223.
- Dettmer, K; Beck, J; Goetz, U; Will, R; Stieglitz, L. (1993). Automatic evaporation in PCDD- and chlorobenzene-routine analysis. *Chemosphere* 27: 2111-2116.
- Devai, I; Delaune, RD; Patrick, WH; Gambrell, RP. (2001). Changes in methylmercury concentration during storage: effect of temperature. *Organic Geochemistry* 32: 755-758. [http://dx.doi.org/10.1016/S0146-6380\(01\)00039-0](http://dx.doi.org/10.1016/S0146-6380(01)00039-0).
- Devrim, B; Bozkir, A; Canefe, K. (2011). Preparation and evaluation of PLGA microparticles as carrier for the pulmonary delivery of rhlh-2 : I. Effects of some formulation parameters on microparticle characteristics. *J Microencapsul* 28: 582-594. <http://dx.doi.org/10.3109/02652048.2011.599438>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dew, NM; Paton, GI; Semple, KT. (2005). Prediction of [3-(14)C]phenyldodecane biodegradation in cable insulating oil-spiked soil using selected extraction techniques. *Environ Pollut* 138: 316-323. <http://dx.doi.org/10.1016/j.envpol.2005.03.009>.
- Dewailly, E; Ayotte, P; Bruneau, S; Lebel, G; Levallois, P; Weber, JP. (2001). Exposure of the Inuit population of Nunavik (Arctic Quebec) to lead and mercury. *Arch Environ Health* 56: 350-357. <http://dx.doi.org/10.1080/00039890109604467>.
- Dey, R; Samantaray, MK; Callens, E; Hamieh, A, li; Emwas, AHM; Abou-Hamad, E, dy; Kavitate, S; Basset, JM. (2016). Cationic Tungsten(VI) Penta-Methyl Complex: Synthesis, Characterization and its Application in Olefin Metathesis Reaction. *Oil & Gas Science & Technology* 71. <http://dx.doi.org/10.2516/ogst/2016002>.
- Dhar, P; Kumar, A; Katiyar, V. (2015). Fabrication of cellulose nanocrystal supported stable Fe(0) nanoparticles: a sustainable catalyst for dye reduction, organic conversion and chemo-magnetic propulsion. *Cellulose* 22: 3755-3771. <http://dx.doi.org/10.1007/s10570-015-0759-z>.
- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal* 167: 118-126.
- Dhillon, A; Gupta, JK; Khanna, S. (2000). Enhanced production, purification and characterisation of a novel cellulase-poor thermostable, alkalitolerant xylanase from *Bacillus circulans* AB 16. *Process Biochemistry* 35: 849-856.
- Dhingra, OD; Muchovej, JJ. (1980). DICHLOROMETHANE, TRICHLOROMETHANE AND CARBONTETRACHLORIDE AS SOLVENTS FOR BEAN SEED TREATMENT WITH SYSTEMIC FUNGICIDES. *Seed Science and Technology* 8: 77-83.
- Di Bella, G; Saitta, M; Lo Curto, S; Salvo, F; Licandro, G; Dugo, G. (2001). Production process contamination of citrus essential oils by plastic materials. *J Agric Food Chem* 49: 3705-3708. <http://dx.doi.org/10.1021/jf0100043>.
- Di Profio, P; Germani, R; Onori, G; Santucci, A; Savelli, G; Bunton, CA. (1998). Relation between the infrared spectrum of water and decarboxylation kinetics in cetyltrimethylammonium bromide in dichloromethane. *Langmuir* 14: 768-772.
- Di Vaio, P; Coccoziello, B; Corvino, A; Fiorino, F; Frecentese, F; Magli, E; Onorati, G; Saccone, I; Santagada, V; Settimo, G; Severino, B; Perissutti, E. (2016). Level, potential sources of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM10) in Naples. *Atmos Environ* 129: 186-196. <http://dx.doi.org/10.1016/j.atmosenv.2016.01.020>.
- Di Vona, ML; Traversa, E; Licoccia, S. (2000). Non-hydrolytic routes for the synthesis of NASICON. *Journal of Sol-Gel Science and Technology* 19: 463-467.
- Diallo, AK; Metri, N; Brunel, F; Sallenave, X; Goubard, F; Margeat, O; Ackermann, J; Vidolot-Ackermann, C. (2013). A star-shaped molecule as hole transporting material in solution-processed thin-film transistors. *Synthetic Metals* 184: 35-40. <http://dx.doi.org/10.1016/j.synthmet.2013.09.029>.
- Diaz, AF; Baier, M; Wallraff, GM; Miller, RD; Nelson, J; Pietro, W. (1991). ELECTROOXIDATION OF SOME SOLUBLE ALKYL AND ARYL SUBSTITUTED POLYSILANE HOMOPOLYMERS. *J Electrochem Soc* 138: 742-747.
- Díaz-Ayala, R; Fachini, ER; Raptis, R; Cabrera, CR. (2006). Palladium nanostructures and nanoparticles from molecular precursors on highly ordered pyrolytic graphite. *Langmuir* 22: 10185-10195. <http://dx.doi.org/10.1021/la0605900>.
- Diaz-Mendez, FM; Rodriguez-Ariza, A; Usero-Garcia, J; Pueyo, C; Lopez-Barea, J. (1998). Mutagenic activation of aromatic amines by molluscs as a biomarker of marine pollution. *Environ Mol Mutagen* 31: 282-291.
- Dietzel, M; Tang, J; Leis, A; Koehler, SJ. (2009). Oxygen isotopic fractionation during inorganic calcite precipitation - Effects of temperature, precipitation rate and pH. *Chem Geol* 268: 107-115. <http://dx.doi.org/10.1016/j.chemgeo.2009.07.015>.
- Difranco, MJ; Sheppard, HW; Hunter, DJ; Tosteson, TD; Ascher, MS. (1996). The lack of association of marijuana and other recreational drugs with progression to AIDS in the San Francisco Men's Health Study. *Ann Epidemiol* 6: 283-289.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .1. 6: 93-99.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .2. 6: 131-140.
- Dill, DC; Murphy, PG; Mayes, MA. (1987). TOXICITY OF METHYLENE-CHLORIDE TO LIFE STAGES OF THE FATHEAD MINNOW, *PIMEPHALES-PROMELAS RAFINESQUE*. *Bull Environ Contam Toxicol* 39: 869-876.
- Dillon, D; Edwards, I; Combes, R; Mcconville, M; Zeiger, E. (1992). The role of glutathione in the bacterial mutagenicity of vapour phase dichloromethane. *Environ Mol Mutagen* 20: 211-217. <http://dx.doi.org/10.1002/em.2850200310>.
- Dimitrov, DV; Kil'deeva, NR; Gal'braikh, LS; Shul'chishin, VA. (1998). Modeling of the properties of enzyme-containing dispersions. *Fibre Chemistry* 30: 150-153.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ* 35: 1171-1182.
- Din, IU, d; Rashid, A; Mahmood, T; Khalid, A. (2013). Effect of land use activities on PAH contamination in urban soils of Rawalpindi and Islamabad, Pakistan. *Environ Monit Assess* 185: 8685-8694. <http://dx.doi.org/10.1007/s10661-013-3204-5>.
- Dinaro, JL; Tester, JW; Howard, JB; Swallow, KC. (2000). Experimental measurements of benzene oxidation in supercritical water. *AIChE J* 46: 2274-2284.
- Ding, C; Xu, S; Wang, J; Liu, Y; Chen, P; Feng, S. (2012). Controlled loading and release of methylene blue in layer-by-layer assembled polyelectrolyte films. *Mater Sci Eng C* 32: 670-673. <http://dx.doi.org/10.1016/j.msec.2012.01.005>.
- Ding, J; Hua, W; Zhang, H; Lou, Y. (2013). The development and application of two chlorine recycling technologies in polyurethane industry. *J Clean Prod* 41: 97-104. <http://dx.doi.org/10.1016/j.jclepro.2012.09.020>.
- Ding, Y, i; He, S; da Silva, JAT; Li, G; Tanaka, M. (2010). Effects of a new light source (cold cathode fluorescent lamps) on the growth of tree peony plantlets in vitro. *Sci Hortic (Amsterdam)* 125: 167-169. <http://dx.doi.org/10.1016/j.scienta.2010.03.019>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dinh, HT; Mushrush, GW; Beal, EJ. (1999). Determination of nitrogen compound distribution from three source fuels. *Petroleum Science and Technology* 17: 383-427.
- Dinse, GE; Lagakos, SW. (1982). Nonparametric estimation of lifetime and disease onset distributions from incomplete observations. *Biometrics* 38: 921-932.
- Distasio, S; Massoli, P. (1997). Morphology, monomer size and concentration of agglomerates constituted by Rayleigh particles as retrieved from scattering/extinction measurements. *Combust Sci Tech* 124: 219-247.
- DIVINCEN, GD; Yanno, FJ; Astill, BD. (1971). HUMAN AND CANINE EXPOSURES TO METHYLENE CHLORIDE VAPOR. *Am Ind Hyg Assoc J* 32: 27-&.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1971). The gas chromatographic analysis of methylene chloride in breath, blood, and urine. *Am Ind Hyg Assoc J* 32: 387-391. <http://dx.doi.org/10.1080/0002889718506478>.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1972). Human and canine exposures to methylene chloride vapor. *Am Ind Hyg Assoc J* 33: 125-135. <http://dx.doi.org/10.1080/0002889728506622>.
- Dixit, R; Riviere, J; Krishnan, K; Andersen, ME. (2003). Toxicokinetics and physiologically based toxicokinetics in toxicology and risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 6: 1-40. <http://dx.doi.org/10.1080/10937400306479>.
- Dixon, D; Meenan, BJ; Manson, J. (2014). PEG Functionalized Gold Nanoparticle loaded PLGA Films for Drug Delivery. *Journal of Nano Research* 27: 83-94. <http://dx.doi.org/10.4028/www.scientific.net/JNanoR.27.83>.
- Djilani, C; Zaghdoudi, R; Modarressi, A, li; Rogalski, M; Djazi, F; Lallam, A. (2012). Elimination of organic micropollutants by adsorption on activated carbon prepared from agricultural waste. *Chem Eng J* 189: 203-212. <http://dx.doi.org/10.1016/j.cej.2012.02.059>.
- Dmochowski, D; Dmochowska, A; Biedugnis, S. (2015). Chromatographic Analysis of Chemical Compounds in the Leachate from Municipal Landfill, Undergoing Electrooxidation. *Rocznik Ochrona Srodowiska* 17: 1196-1206.
- Do, L, an; Lundstedt, S; Haglund, P. (2013). Optimization of selective pressurized liquid extraction for extraction and in-cell clean-up of PCDD/Fs in soils and sediments. *Chemosphere* 90: 2414-2419. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.070>.
- Dobretsov, S; Dahms, HU; Tsoi, MY; Qian, PY. (2005). Chemical control of epibiosis by Hong Kong sponges: the effect of sponge extracts on micro- and macrofouling communities. *Mar Ecol Prog Ser* 297: 119-129.
- Dodda, JM; Remis, T; Tomas, M; Novotny, P. (2016). Effect of alternation of polyamide selective layers in the formation and performance of thin-film composite membranes. *Desalination and Water Treatment* 57: 8720-8729. <http://dx.doi.org/10.1080/19443994.2015.1026279>.
- Dodson, RE; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2008). Influence of basements, garages, and common hallways on indoor residential volatile organic compound concentrations. *Atmos Environ* 42: 1569-1581. <http://dx.doi.org/10.1016/j.atmosenv.2007.10.088>.
- Doerger, JU; Meier, J. R.; Dobbs, RA; Johnson, RD; Ankley, GT. (1992). TOXICITY REDUCTION EVALUATION AT A MUNICIPAL WASTE-WATER TREATMENT-PLANT USING MUTAGENICITY AS AN END-POINT. *Arch Environ Contam Toxicol* 22: 384-388.
- Dogan, A; Korkmaz, T; Dogan, OM; Keskin, S; Demir, H. (2009). Tensile Bond Strength of a Highly Cross-Linked Denture Tooth to the Compression-Molded and Injection-Molded Denture Base Polymers. *Journal of Adhesion* 85: 953-970. <http://dx.doi.org/10.1080/00218460903310070>.
- Doherty, WOS; Mousavioun, P; Fellows, CM. (2011). Value-adding to cellulosic ethanol: Lignin polymers. *Ind Crop Prod* 33: 259-276. <http://dx.doi.org/10.1016/j.indcrop.2010.10.022>.
- Doick, KJ; Lee, PH; Semple, KT. (2003). Assessment of spiking procedures for the introduction of a phenanthrene-LNAPL mixture into field-wet soil. *Environ Pollut* 126: 399-406. [http://dx.doi.org/10.1016/S0269-7491\(03\)00230-6](http://dx.doi.org/10.1016/S0269-7491(03)00230-6).
- Doke, SM; Yadav, GD. (2014). Novelty of combustion synthesized titania ultrafiltration membrane in efficient removal of methylene blue dye from aqueous effluent. *Chemosphere* 117: 760-765. <http://dx.doi.org/10.1016/j.chemosphere.2014.10.029>.
- Dolas, H; Sezer, E; Sarac, AS. (2016). Synthesis, Characterization and Electrochemical Polymerization of a Comonomer Bearing Thiophene and Imidazole: The Comparison of Impedance Behavior on Different Surfaces. 5: P211-P217. <http://dx.doi.org/10.1149/2.0041605jss>.
- Dolejs, D; Wagner, T. (2008). Thermodynamic modeling of non-ideal mineral-fluid equilibria in the system Si-Al-Fe-Mg-Ca-Na-K-H-O-Cl at elevated temperatures and pressures: Implications for hydrothermal mass transfer in granitic rocks. *Geochim Cosmo Acta* 72: 526-553. <http://dx.doi.org/10.1016/j.gca.2007.10.022>.
- Domanska, U; Pobudkowska, A. (2004). Solubility of imidazoles, benzimidazoles, and phenylimidazoles in dichloromethane, 1-chlorobutane, toluene, and 2-nitrotoluene. *Journal of Chemical and Engineering Data* 49: 1082-1090. <http://dx.doi.org/10.1021/je049907t>.
- Dombrowski, KD; Lehmann, CMB; Sullivan, PD; Ramirez, D; Rood, MJ; Hay, KJ. (2004). Organic vapor recovery and energy efficiency during electric regeneration of an activated carbon fiber cloth adsorber. *J Environ Eng* 130: 268-275. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(268\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(268)).
- Domene, X; Alcañiz, JM; Andrés, P. (2008). Comparison of solid-phase and eluate assays to gauge the ecotoxicological risk of organic wastes on soil organisms. *Environ Pollut* 151: 549-558. <http://dx.doi.org/10.1016/j.envpol.2007.04.007>.
- Domínguez, M; Nieto, A; Marin, JC; Keck, AS; Jeffery, E; Céspedes, CL. (2005). Antioxidant activities of extracts from *Barkleyanthus salicifolius* (Asteraceae) and *Penstemon gentianoides* (Scrophulariaceae). *J Agric Food Chem* 53: 5889-5895. <http://dx.doi.org/10.1021/jf0504972>.
- Donaldson, JD; Grimes, SM; Yasri, NG; Wheals, B; Parrick, J; Errington, WE. (2002). Anodic oxidation of the dye materials methylene blue, acid blue 25, reactive blue 2 and reactive blue 15 and the characterisation of novel intermediate compounds in the anodic oxidation of methylene blue. *J Chem Tech Biotechnol* 77: 756-760. <http://dx.doi.org/10.1002/jctb.642>.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 243: 80-85. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.073>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dong, MH; Draper, WM; Papanek, PJ; Ross, JH; Woloshin, KA; Stephens, RD. (1994). ESTIMATING MALATHION DOSES IN CALIFORNIA MEDFLY ERADICATION CAMPAIGN USING A PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL. *Drug Metab Rev* 241: 189-208.
- Dong, T; Chen, XJ; Wang, M; Huang, YH; Yi, GJ. (2014). Comparison of volatile aroma compounds in Dwarf Cavendish banana (*Musa spp.* AAA) grown under organic or traditional cultivation. *Journal of Horticultural Science and Biotechnology* 89: 441-447.
- Dong, X; Dong, Y, an; Jiang, M, an; Wang, L; Tong, J, in; Zhou, J. (2013). Modification of microcrystalline cellulose by using soybean oil for surface hydrophobization. *Ind Crop Prod* 46: 301-303. <http://dx.doi.org/10.1016/j.indcrop.2013.02.010>.
- Donnelly, KC; Anderson, CS; Thomas, JC; Brown, KW; Manek, DJ; Safe, SH. (1992). BACTERIAL MUTAGENICITY OF SOIL EXTRACTS FROM A BIOREMEDIATION FACILITY TREATING WOOD-PRESERVING WASTE. *J Hazard Mater* 30: 71-81.
- Donnelly, KC; Brown, KW; Anderson, CS; Thomas, JC. (1991). BACTERIAL MUTAGENICITY AND ACUTE TOXICITY OF SOLVENT AND AQUEOUS EXTRACTS OF SOIL SAMPLES FROM AN ABANDONED CHEMICAL MANUFACTURING SITE. *Environ Toxicol Chem* 10: 1123-1131.
- Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS. (1993). The use of short-term bioassays to evaluate the health and environmental risk posed by an abandoned coal gasification site (pp. 59-70). (ISSN 0882-5696; BIOSIS/93/19255). Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS.
- Donnelly, KC; Huebner, HJ; Claxton, LD; Calvin, JA; Vos, GA; Cizmas, L; He, LY. (2005). Biodegradation of simple chemical mixtures in soil. *Environ Toxicol Chem* 24: 2839-2845.
- Donnelly, KC; Safe, SH; Randerath, K; Randerath, E. (1995). Bioassay-based risk assessment of complex mixtures. *J Hazard Mater* 41: 341-350.
- Donnelly, KC; Thomas, JC; Anderson, CS; Brown, KW. (1990). THE INFLUENCE OF APPLICATION RATE ON THE BACTERIAL MUTAGENICITY OF SOIL AMENDED WITH MUNICIPAL SEWAGE-SLUDGE. *Environ Pollut* 68: 147-159.
- Donnelly, KC; Thomas, JC; Brown, KW. (1995). MUTAGENIC POTENTIAL OF ENVIRONMENTAL-SAMPLES BEFORE AND AFTER REMEDIATION OF A SOLVENT-CONTAMINATED SITE. *Environ Toxicol Chem* 14: 1281-1286.
- Dorado, AD; Dumont, E; Munoz, R; Quijano, G. (2015). A novel mathematical approach for the understanding and optimization of two-phase partitioning bioreactors devoted to air pollution control. *Chem Eng J* 263: 239-248. <http://dx.doi.org/10.1016/j.cej.2014.11.014>.
- Dorego, AMB; Pereira, LP; Reis, MJ; Oliveira, AS; Ferreira, LFV. (1997). X-ray photoelectron, UV-vis absorption, and luminescence spectroscopic studies of 2,2'-cyanines adsorbed onto microcrystalline cellulose. *Langmuir* 13: 6787-6794.
- dos Reis, GS; Wilhelm, M; de Almeida Silva, TC; Rezwan, K; Sampaio, CH; Lima, EC; Guelli Ulson de Souza, SMA. (2016). The use of design of experiments for the evaluation of the production of surface rich activated carbon from sewage sludge via microwave and conventional pyrolysis. *Applied Thermal Engineering* 93: 590-597. <http://dx.doi.org/10.1016/j.applthermaleng.2015.09.035>.
- dos Santos Garcia, VA; Cabral, VF; Zanoelo, EF; da Silva, C; Cardozo Filho, L. (2012). Extraction of *Mucuna* seed oil using supercritical carbon dioxide to increase the concentration of L-Dopa in the defatted meal. *Journal of Supercritical Fluids* 69: 75-81. <http://dx.doi.org/10.1016/j.supflu.2012.05.007>.
- dos Santos, LMF; Lo Biundo, G. (1999). Treatment of pharmaceutical industry process wastewater using the extractive membrane bioreactor. *Environmental Progress* 18: 34-39.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology* 5: 124-127.
- Douhal, A; Alarcos, N; Cohen, B. (2014). Photodynamics of a Proton-Transfer Dye in Solutions and Confined Within NaX and NaY Zeolites. *J Phys Chem B*. <http://dx.doi.org/10.1021/jp505591k>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2004). Oil core-polymer shell microcapsules prepared by internal phase separation from emulsion droplets. I. Characterization and release rates for microcapsules with polystyrene shells. *Langmuir* 20: 11374-11379. <http://dx.doi.org/10.1021/la048561h>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2005). Oil core/polymer shell microcapsules by internal phase separation from emulsion droplets. II: controlling the release profile of active molecules. *Langmuir* 21: 5278-5284. <http://dx.doi.org/10.1021/la0470838>.
- Drago, S; Petrosius, SC; Grunewald, GC; Brendley, WH. (1994). DEEP OXIDATION OF CHLORINATED HYDROCARBONS. *ACS Symp Ser Am Chem Soc* 552: 340-352.
- Dray, AE; Wittmann, F; Friend, RH; Donald, AM; Khan, MS; Lewis, J; Johnson, BFG. (1991). STRUCTURE AND ELECTRONIC-STRUCTURE OF TRANSITION METAL-CONTAINING POLY-YNES. *Synthetic Metals* 41: 871-874.
- Drouillard, KG; Hagen, H; Haffner, GD. (2004). Evaluation of chloroform/methanol and dichloromethane/hexane extractable lipids as surrogate measures of sample partition capacity for organochlorines in fish tissues. *Chemosphere* 55: 395-400. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.010>.
- Du, L, ei; Xu, H; Zhang, Y; Zou, F. (2016). Electrospinning of Polycaprolactone Nanofibers with DMF Additive: The Effect of Solution Proprieties on Jet Perturbation and Fiber Morphologies. *Fibers and Polymers* 17: 751-759. <http://dx.doi.org/10.1007/s12221-016-6045-3>.
- Duan, H; Liu, X; Yan, M; Wu, Y; Liu, Z. (2016). Characteristics of carbonyls and volatile organic compounds (VOCs) in residences in Beijing, China. 10: 73-84. <http://dx.doi.org/10.1007/s11783-014-0743-0>.
- Duan, J; Wang, L, iS; Jiang, K, an; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in 1-octyl-3-methylimidazolium nitrate using gas-liquid chromatography. *Fluid Phase Equilibria* 328: 1-8. <http://dx.doi.org/10.1016/j.fluid.2012.05.006>.
- Duan, L; Naidu, R; Liu, Y; Palanisami, T; Dong, Z; Mallavarapu, M; Semple, KT. (2015). Effect of ageing on benzo[a]pyrene extractability in contrasting soils. *J Hazard Mater* 296: 175-184. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.050>.
- Duan, L; Palanisami, T; Liu, Y; Dong, Z; Mallavarapu, M; Kuchel, T; Semple, KT; Naidu, R. (2014). Effects of ageing and soil properties on the oral bioavailability of benzo[a]pyrene using a swine model. *Environ Int* 70: 192-202. <http://dx.doi.org/10.1016/j.envint.2014.05.017>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Duarte, A, naRC; Mano, JF; Reis, R, uIL. (2009). Preparation of starch-based scaffolds for tissue engineering by supercritical immersion precipitation. *Journal of Supercritical Fluids* 49: 279-285. <http://dx.doi.org/10.1016/j.supflu.2008.12.008>.
- Dubey, RK; Bansal, RK; Puri, BK. (1997). Differential pulse polarographic determination of copper and bismuth in various real samples after adsorption of their morpholine-4-carbodithioates on to a microcrystalline naphthalene or a morpholine-4-dithiocarbamate-cetyltrimethyl-ammonium bromide-naphthalene adsorbent. *Ann Chim* 87: 405-414.
- Dubey, RK; Puri, BK. (1995). DIFFERENTIAL PULSE POLAROGRAPHIC DETERMINATION OF THALLIUM IN VARIOUS ENVIRONMENTAL SAMPLES AFTER ADSORPTION OF ITS MORPHOLINE-4-CARBODITHIOATE ONTO MICROCRYSTALLINE NAPHTHALENE. *Ann Chim* 85: 1-2.
- Duclos, Y; Blanchard, M; Chesterikoff, A; Chevreuil, M. (2000). Impact of paris waste upon the chlorinated solvent concentrations of the river Seine (France). *Water Air Soil Pollut* 117: 273-288.
- Dulfer, K; Duppen, N; Kuipers, IM; Schokking, M; van Domburg, RT; Verhulst, FC; Helbing, WA; Utens, EM. (2014). Aerobic exercise influences quality of life of children and youngsters with congenital heart disease: a randomized controlled trial. 55: 65-72. <http://dx.doi.org/10.1016/j.jadohealth.2013.12.010>.
- Duman, G; Onalt, Y; Okutucu, C; Onenc, S; Yanik, J. (2009). Production of Activated Carbon from Pine Cone and Evaluation of Its Physical, Chemical, and Adsorption Properties. *Energy Fuels* 23: 2197-2204. <http://dx.doi.org/10.1021/ef800510m>.
- Dumitrascu, F; Alecu, M; Badoiu, A; Vuluga, D. (2003). Primary cycloadduct of phtalazinium 4-chlorophenacylide with DMAD. *Rev Chim* 54: 974-977.
- Dumitrascu, F; Draghici, C; Albulescu, A; Dumitrescu, D. (2006). New pyrrolo[1,2-b]pyridazine by 1,3-dipolar cycloaddition reactions. *Rev Chim* 57: 866-869.
- Dundar, P; Osken, I; Sahin, O; Ozturk, T. (2012). Synthesis and electrochromic properties of 3,5-diphenyl-2,6-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene. *Synthetic Metals* 162: 1010-1015. <http://dx.doi.org/10.1016/j.synthmet.2012.04.016>.
- Dunderdale, GJ; England, MW; Urata, C; Hozumi, A. (2015). Polymer Brush Surfaces Showing Superhydrophobicity and Air-Bubble Repellency in a Variety of Organic Liquids. 7: 12220-12229. <http://dx.doi.org/10.1021/acsami.5b02634>.
- Dun-ming, X; Yu, Z; Li-yi, L; Zhi-gang, Z; Jin, Z; Sheng-yu, L; Fang, Y; Peng-ying, H. (2010). Determination of Rotenone Residues in Foodstuffs by Solid-Phase Extraction (SPE) and Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS). *Agricultural Sciences in China* 9: 1299-1308. [http://dx.doi.org/10.1016/S1671-2927\(09\)60220-0](http://dx.doi.org/10.1016/S1671-2927(09)60220-0).
- Duplaine, C; Jacquet, F; Fontana, L. (2011). Inventory of chemical substances classified as carcinogenic, mutagen, toxic to reproduction in 40 companies. *Arch Mal Prof Environ* 72: 451-457. <http://dx.doi.org/10.1016/j.admp.2011.09.001>.
- Dural, MU; Cavas, L; Papageorgiou, SK; Katsaros, FK. (2011). Methylene blue adsorption on activated carbon prepared from *Posidonia oceanica* (L.) dead leaves: Kinetics and equilibrium studies. *Chem Eng J* 168: 77-85. <http://dx.doi.org/10.1016/j.cej.2010.12.038>.
- Durant, AA; Fente, CA; Franco, CM; Vazquez, BI; Cepeda, A. (2002). Gas chromatography-tandem mass spectrometry determination of 17 alpha-ethinylestradiol residue in the hair of cattle. Application to treated animals. *J Agric Food Chem* 50: 436-440. <http://dx.doi.org/10.1021/jf010834g>.
- Durant, JL; Hemond, HF; Thilly, WG. (1992). DETERMINATION OF MUTAGENICITY IN SEDIMENTS OF THE ABERJONA WATERSHED USING HUMAN LYMPHOBLAST AND SALMONELLA-TYPHIMURIUM MUTATION ASSAYS. *Environ Sci Technol* 26: 599-608.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ* 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.
- Dureja, P; Walia, S. (1993). CHEMICAL AND PHOTOCHEMICAL TRANSFORMATION OF CHLOROTHALONIL. *Toxicol Environ Chem* 37: 215-220.
- D'Urzo, L; Bozzini, B. (2009). Corrosion of electrodeposited copper by exposure to volatile organic compounds. *Journal of Materials Science: Materials in Electronics* 20: 666-670. <http://dx.doi.org/10.1007/s10854-008-9783-1>.
- Dutta, D; Dubey, R; Yadav, J; Shami, TC; Rao, KUB. (2011). Preparation of spongy microspheres consisting of functionalized multiwalled carbon nanotubes. *New Carbon Materials (English Edition) (Online)* 26: 98-102. [http://dx.doi.org/10.1016/s1872-5805\(11\)60069-3](http://dx.doi.org/10.1016/s1872-5805(11)60069-3).
- Dutta, TK; Rao, SBN; Sahoo, PK; Singh, N. (2007). Evaluation of arhar (*Cajanus cajan*) straw based pelleted feeds and prediction of in vitro gas production. *Animal Nutrition and Feed Technology* 7: 161-168.
- Dvininov, E; Ignat, M; Barvinschi, P; Smithers, MA; Popovici, E. (2010). New SnO<sub>2</sub>/MgAl-layered double hydroxide composites as photocatalysts for cationic dyes bleaching. *J Hazard Mater* 177: 150-158. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.011>.
- Dziadek, M; Zagrajczuk, B; Ziabka, M; Dziadek, K; Cholewa-Kowalska, K. (2016). The role of solvent type, size and chemical composition of bioactive glass particles in modulating material properties of poly(epsilon-caprolactone) based composites. *Composites Part A: Applied Science and Manufacturing* 90: 90-99. <http://dx.doi.org/10.1016/j.compositesa.2016.07.001>.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis* 24: 341-349. <http://dx.doi.org/10.1093/mutage/gep014>.
- Eberhardt, TL; Elder, T; Labbe, N. (2007). Analysis of ethanol-soluble extractives in southern pine wood by low-field proton NMR. *Journal of Wood Chemistry and Technology* 27: 35-47. <http://dx.doi.org/10.1080/02773810701285622>.
- Eberspacher, TA; Collman, JP; Chidsey, CED; Donohue, DL; Van Ryswyk, H. (2003). Modular assembly and air-stable electrochemistry of ruthenium porphyrin monolayers. *Langmuir* 19: 3814-3821. <http://dx.doi.org/10.1021/la026948j>.
- Eberstein, M; Schiller, WA. (2003). Development of high-permittivity glasses for microwave LTCC tapes. 76: 8-16.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids* 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ecik, ET; Ozcan, E; Kandemir, H; Sengul, IF; Cosut, B. (2017). Light harvesting systems composed of carbazole based subphthalocyanine-BODIPY enhanced with intramolecular fluorescence resonance energy transfer (FRET). *Dyes and Pigments* 136: 441-449. <http://dx.doi.org/10.1016/j.dyepig.2016.09.003>.
- Edokpayi, JN; Odiyo, JO; Popoola, OE; Msagati, TA. (2016). Determination and Distribution of Polycyclic Aromatic Hydrocarbons in Rivers, Sediments and Wastewater Effluents in Vhembe District, South Africa. *Int J Environ Res Public Health* 13: 387. <http://dx.doi.org/10.3390/ijerph13040387>.
- Edrissi, M; Soleymani, M. (2012). Stearoyl Piperidinium Chloride and Palmitoyl Piperidinium Chloride Surfactants: Synthesis, Characterization and Application as Capping Agent in the Microemulsion Synthesis of MnS Nanoparticles. *Tenside Surfactants Detergents* 49: 335-339.
- Edusi, C; Sankar, G; Parkin, IP. (2012). The Effect of Solvent on the Phase of Titanium Dioxide Deposited by Aerosol-assisted CVD. *Chemical Vapor Deposition* 18: 126-132. <http://dx.doi.org/10.1002/cvde.201106961>.
- Edwards, B; Poggi, V; Faeh, D. (2011). A Predictive Equation for the Vertical-to-Horizontal Ratio of Ground Motion at Rock Sites Based on Shear-Wave Velocity Profiles from Japan and Switzerland. *Seismological Society of America Bulletin* 101: 2998-3019. <http://dx.doi.org/10.1785/0120110023>.
- Edye, LA; Richards, GN. (1991). ANALYSIS OF CONDENSATES FROM WOOD SMOKE - COMPONENTS DERIVED FROM POLYSACCHARIDES AND LIGNINS. *Environ Sci Technol* 25: 1133-1137.
- Effiong, IA; Basse, FI; Iwegbue, CM; Ekpa, OD; Williams, SA; Oguntunde, FC; Osabor, VN; Martincigh, BS. (2016). Polycyclic aromatic hydrocarbons in three commercially available fish species from the Bonny and Cross River estuaries in the Niger Delta, Nigeria. *Environ Monit Assess* 188: 508. <http://dx.doi.org/10.1007/s10661-016-5479-9>.
- Egbuchunam, TO; Okieimen, FE. (2003). Carboxymethylation of wood residues: Effect of etherification process variables. *Indian J Chem Tech* 10: 619-622.
- Egelhaaf, HJ; Holder, E; Herman, P; Mayer, HA; Oelkrug, D; Lindner, E. (2001). Synthesis, characterisation, and fluorescence spectroscopic mobility studies of fluorene labeled inorganic-organic hybrid polymers. *J Mater Chem* 11: 2445-2452.
- Ehrlich, R. (1980). Interaction between environmental pollutants and respiratory infections. *Environ Health Perspect* 35: 89-99.
- Eide, I; Johnsen, HG. (1998). Mixture design and multivariate analysis in mixture research. *Environ Health Perspect* 106 Suppl 6: 1373-1376.
- Eide, I; Zahlsten, K. (2005). A novel method for chemical fingerprinting of oil and petroleum products based on electrospray mass spectrometry and chemometrics. *Energy Fuels* 19: 964-967. <http://dx.doi.org/10.1021/ef049743m>.
- Eigenbrode, SD; Espelie, KE; Shelton, AM. (1991). BEHAVIOR OF NEONATE DIAMONDBACK MOTH LARVAE [PLUTELLA-XYLOSTELLA (L)] ON LEAVES AND ON EXTRACTED LEAF WAXES OF RESISTANT AND SUSCEPTIBLE CABBAGES. *J Chem Ecol* 17: 1691-1704.
- Eiserich, JP; Macku, C; Shibamoto, T. (1992). VOLATILE ANTIOXIDANTS FORMED FROM AN L-CYSTEINE D-GLUCOSE MAILLARD MODEL SYSTEM. *J Agric Food Chem* 40: 1982-1988.
- Eissmann, RN; Levan, MD. (1993). COADSORPTION OF ORGANIC-COMPOUNDS AND WATER-VAPOR ON BPL ACTIVATED CARBON .2. 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE AND DICHLOROMETHANE. *Ind Eng Chem Res* 32: 2752-2757.
- Ekanem, EE; Nabavi, SA; Vladislavjević, GT; Gu, S. (2015). Structured Biodegradable Polymeric Microparticles for Drug Delivery Produced Using Flow Focusing Glass Microfluidic Devices. *7: 23132-23143*. <http://dx.doi.org/10.1021/acsami.5b06943>.
- Ekklesia, E; Shanahan, P; Chua, LH; Eikaas, HS. (2015). Associations of chemical tracers and faecal indicator bacteria in a tropical urban catchment. *Water Res* 75: 270-281. <http://dx.doi.org/10.1016/j.watres.2015.02.037>.
- El Hamaoui, B; Zhi, L; Wu, J; Li, J; Lucas, NT; Tomovic, Z; Kolb, U, te; Muellen, K. (2007). Solid-state pyrolysis of polyphenylene-metal complexes: A facile approach toward carbon nanoparticles. *Adv Funct Mater* 17: 1179-1187. <http://dx.doi.org/10.1002/adfm.200600826>.
- El Nemr, A; El Said, GF; Khaled, A; El Sikaily, A; Moneer, AA; Abd-El-Khalek, DE. (2014). Differences in the corrosion inhibition of water extracts of *Cassia fistula* L. pods and o-phenanthroline on steel in acidic solutions in the presence and absence of chloride ions. *Desalination and Water Treatment* 52: 5187-5198. <http://dx.doi.org/10.1080/19443994.2013.807473>.
- El Sheikh, R; Esmail, NS; Gouda, AA; Basset, WA. (2012). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF SOME alpha-ADRENERGIC-ANTAGONISTS IN PURE FORMS AND IN PHARMACEUTICAL FORMULATIONS. *Chemical Industry and Chemical Engineering Quarterly* 18: 179-191. <http://dx.doi.org/10.2298/CICEQ110917060E>.
- Elabd, YA; Barbari, TA. (2001). Separating solvation from molecular diffusion in polymers. *AIChE J* 47: 1255-1262.
- Elbachiri, A; Hagege, A; Burgard, M. (1996). Recovery of silver nitrate by transport across a liquid membrane containing dicyclohexano 18 crown 6 as a carrier. *J Memb Sci* 121: 159-168.
- Eldin, MSM; Soliman, EA, li; Elzatahry, AAF; Elaassar, MR; Elkady, MF; Rahman, AMA; Yossef, ME; Eweida, BY. (2012). Preparation and characterization of imino diacetic acid functionalized alginate beads for removal of contaminants from waste water: I. methylene blue cationic dye model. *Desalination and Water Treatment* 40: 15-23. <http://dx.doi.org/10.5004/dwt.2012.2179>.
- Elghawi, UM; Mayouf, A; Tsolakis, A; Wyszynski, ML. (2010). Vapour-phase and particulate-bound PAHs profile generated by a (SI/HCCI) engine from a winter grade commercial gasoline fuel. *Fuel* 89: 2019-2025. <http://dx.doi.org/10.1016/j.fuel.2010.01.002>.
- El-Ghorab, A; El-Massry, KF; Shibamoto, T. (2007). Chemical composition of the volatile extract and antioxidant activities of the volatile and nonvolatile extracts of Egyptian corn silk (*Zea mays* L.). *J Agric Food Chem* 55: 9124-9127. <http://dx.doi.org/10.1021/jf071646e>.
- El-Ghorab, A; Shaaban, HA; El-Massry, KF; Shibamoto, T. (2008). Chemical composition of volatile extract and biological activities of volatile and less-volatile extracts of juniper berry (*Juniperus drupacea* L.) fruit. *J Agric Food Chem* 56: 5021-5025. <http://dx.doi.org/10.1021/jf8001747>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Elhadidy, O; Shakib, S; Krenek, K; Palermo, S; Entesari, K. (2015). A Wide-Band Fully-Integrated CMOS Ring-Oscillator PLL-Based Complex Dielectric Spectroscopy System. *I E E Transactions on Circuits and Systems Part 1: Regular Papers* 62: 1940-1949. <http://dx.doi.org/10.1109/TCSI.2015.2426960>.
- Elhamifar, D; Shojaeipoor, F; Roosta, M. (2016). Self-assembled ionic-liquid based organosilica (SAILBO) as a novel and powerful adsorbent for removal of malachite green from aqueous solution. *Taiwan Institute of Chemical Engineers Journal* 59: 267-274. <http://dx.doi.org/10.1016/j.jtice.2015.07.036>.
- Elias, M, dS; Wood, A, bK; Hashim, Z; Hamzah, MS; Abd Rahman, S; Salim, NAA. (2009). IDENTIFICATION SOURCES OF POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN SEDIMENTS FROM THE STRAITS OF MALACCA. *Fresen Environ Bull* 18: 843-847.
- El-Massry, KF; El-Ghorab, AH; Shaaban, HA; Shibamoto, T. (2009). Chemical compositions and antioxidant/antimicrobial activities of various samples prepared from *Schinus terebinthifolius* leaves cultivated in Egypt. *J Agric Food Chem* 57: 5265-5270. <http://dx.doi.org/10.1021/jf900638c>.
- Elnabarawy, T; Mostafa, MR; Youssef, AM. (1997). Activated carbons tailored to remove different pollutants from gas streams and from solution. *AST* 15: 59-68.
- El-Rayes, BF; Ali, S; Heilbrun, LK; Lababidi, S; Bouwman, D; Visscher, D; Philip, PA. (2003). Cytochrome p450 and glutathione transferase expression in human breast cancer. *Clin Cancer Res* 9: 1705-1709.
- Elsaka, SE. (2013). Influence of chemical surface treatments on adhesion of fiber posts to composite resin core materials. *Dent Mater* 29: 550-558. <http://dx.doi.org/10.1016/j.dental.2013.03.004>.
- Elsaka, SE; Swain, MV. (2011). Effect of surface treatments on adhesion of low-fusing porcelain to titanium as determined by strain energy release rate. *Dent Mater* 27: 1213-1220. <http://dx.doi.org/10.1016/j.dental.2011.08.002>.
- El-Sheikh, AH; Newman, AP; Said, AJ; Alzawahreh, AM; Abu-Helal, MM. (2013). Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. *J Environ Manage* 118: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2013.01.009>.
- Elvassore, N; Bertuccio, A; Caliceti, P. (2001). Production of protein-loaded polymeric microcapsules by compressed CO<sub>2</sub> in a mixed solvent. *Ind Eng Chem Res* 40: 795-800. <http://dx.doi.org/10.1021/ie0004904>.
- El-Zanan, HS; Lowenthal, DH; Zielinska, B; Chow, JC; Kumar, N. (2005). Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples. *Chemosphere* 60: 485-496. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.005>.
- El-Zanan, HS; Zielinska, B; Mazzoleni, LR; Hansen, DA. (2009). Analytical Determination of the Aerosol Organic Mass-to-Organic Carbon Ratio. *J Air Waste Manag Assoc* 59: 58-69. <http://dx.doi.org/10.3155/1047-3289.59.1.58>.
- El-Zein, A; Mccarroll, I; Touze-Foltz, N. (2012). Three-dimensional finite-element analyses of seepage and contaminant transport through composite geosynthetic clay liners with multiple defects. *Geotextiles and Geomembranes* 33: 34-42. <http://dx.doi.org/10.1016/j.geotextmem.2012.02.004>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage* 57: 155-164.
- Enander, RT; Gute, DM; Cohen, HJ. (2003). The concordance of pollution prevention and occupational health and safety: a perspective on U.S. policy. *Am J Ind Med* 44: 312-320. <http://dx.doi.org/10.1002/ajim.10261>.
- Endo, T; Sanda, F. (1997). A novel approach for the chemical 'recycling' of polymeric materials - Equilibrium polymerization system of spiro orthoesters. *React Funct Polym* 33: 241-245.
- Engström, J; Bjurström, R. (1977). Exposure to methylene chloride: Content in subcutaneous adipose tissue. *Scand J Work Environ Health* 3: 215-224.
- Engwicht, A; Girreser, U; Muller, BW. (2000). Characterization of co-polymers of lactic and glycolic acid for supercritical fluid processing. *Biomaterials* 21: 1587-1593.
- Enriquez, EP; Gray, KH; Guarisco, VF; Linton, RW; Mar, KD; Samulski, ET. (1992). BEHAVIOR OF RIGID MACROMOLECULES IN SELF-ASSEMBLY AT AN INTERFACE. *Journal of Vacuum Science and Technology A* 10: 2775-2782.
- Ensafi, AA; Nasr-Esfahani, P; Heydari-Bafrooei, E; Rezaei, B. (2014). Redox targeting of DNA anchored to MWCNTs and TiO<sub>2</sub> nanoparticles dispersed in poly dialyldimethylammonium chloride and chitosan. *Colloids Surf B Biointerfaces* 121: 99-105. <http://dx.doi.org/10.1016/j.colsurfb.2014.05.040>.
- Ercetin, T; Senol, FS; Orhan, IE; Toker, G. (2012). Comparative assessment of antioxidant and cholinesterase inhibitory properties of the marigold extracts from *Calendula arvensis* L. and *Calendula officinalis* L. *Ind Crop Prod* 36: 203-208. <http://dx.doi.org/10.1016/j.indcrop.2011.09.007>.
- Erdem, A; Kerman, K; Meric, B; Ozkan, D; Kara, P; Ozsoz, M. (2002). DNA biosensor for *Microcystis* spp. sequence detection by using methylene blue and ruthenium complex as electrochemical hybridization labels. *Turkish Journal of Chemistry* 26: 851-862.
- Erdem, O; Guzel, B. (2014). Synthesis of new perfluorinated binaphthyl Mn(III) complexes and epoxidation of styrene in supercritical carbon dioxide. *Journal of Supercritical Fluids* 85: 6-10. <http://dx.doi.org/10.1016/j.supflu.2013.10.009>.
- Erez, Y; Simkovitch, R, on; Akulov, K; Gepshtein, R; Schwartz, T, al; Huppert, D, an. (2014). Two Roads Converged in a Yellow Dye: Unusual Spectral Broadening in the Emission of Auramine-O Possibly Caused by Low-Friction Intramolecular Rotation. *J Phys Chem C* 118: 27063-27073. <http://dx.doi.org/10.1021/jp5070903>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res* 67: 816-821.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ergas, SJ; Veir, J; Kinney, K. (1996). Control of dichloromethane emissions using biofiltration. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 31: 1741-1754.
- Ergun, EL; Ercan, MT; Selek, H; Kas, HS; Ruacan, S; Unsal, IS; Mutlu, M. (2000). Evaluation of Tc-99m labelled poly lactic acid microspheres for diagnostic radioembolization. *J Microencapsul* 17: 509-518.
- Erickson, B. (2014). TOXICS EPA assessment of methylene chloride in paint strippers identifies health risks. *Chem Eng News* 92: 7-7.
- Ericsson, J; Berggren, E; Lindqvist, C; Hansson, KA; Qvarnstrom, K; Lundh, L; Moen, G. (1996). Synthesis of hydrophilic poly(vinyl ether)s and their application for separation media design. *React Funct Polym* 30: 327-340.
- Ersoz, A; Arca, M; Pekmez, K; Yildiz, A. (2001). Electrochemical polymerization of benzene in the presence of Ag<sup>+</sup>, Pb<sup>2+</sup> and Cu<sup>+</sup> ions. *Mater Res Innovat* 4: 126-130.
- Ertas, M; Cirpan, A; Toppare, L. (2004). Synthesis and characterization of conducting copolymers of succinic acid bis-(4-pyrrol-1-yl-phenyl) ester and their electrochromic properties. *Synthetic Metals* 143: 49-58. <http://dx.doi.org/10.1016/j.synthmet.2003.10.018>.
- Eser, H; Tihminlioglu, F. (2005). Solubility and diffusivity of solvents and nonsolvents in poly(methyl methacrylate co butyl methacrylate). *Fluid Phase Equilibria* 237: 68-76. <http://dx.doi.org/10.1016/j.fluid.2005.08.016>.
- Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Molecular structures of the constituents of pyrene pitches. *Fuel* 124: 133-140. <http://dx.doi.org/10.1016/j.fuel.2014.01.093>.
- Esmer, EN; Tarkuc, S; Udum, YA; Toppare, L. (2011). Near infrared electrochromic polymers based on phenazine moieties. *Mater Chem Phys* 131: 519-524. <http://dx.doi.org/10.1016/j.matchemphys.2011.10.014>.
- Essumang, DK; Asare, EA; Doodoo, DK. (2013). Pesticides residues in okra (non-target crop) grown close to a watermelon farm in Ghana. *Environ Monit Assess* 185: 7617-7625. <http://dx.doi.org/10.1007/s10661-013-3123-5>.
- Essumang, DK; Kowalski, K; Sogaard, EG. (2011). Levels, distribution and source characterization of polycyclic aromatic hydrocarbons (PAHs) in topsoils and roadside soils in Esbjerg, Denmark. *Bull Environ Contam Toxicol* 86: 438-443. <http://dx.doi.org/10.1007/s00128-011-0232-0>.
- Esteves, B; Graca, J; Pereira, H. (2008). Extractive composition and summative chemical analysis of thermally treated eucalypt wood. *Holzforschung* 62: 344-351. <http://dx.doi.org/10.1515/HF.2008.057>.
- Esteves, B; Velez Marques, A; Domingos, I; Pereira, H. (2013). CHEMICAL CHANGES OF HEAT TREATED PINE AND EUCALYPT WOOD MONITORED BY FTIR. 15: 245-258. <http://dx.doi.org/10.4067/S0718-221X2013005000020>.
- Estrada, P; Baroto, W; Castillon, MP; Acebal, C; Arche, R. (1993). TEMPERATURE EFFECTS ON POLYPHENOL OXIDASE ACTIVITY IN ORGANIC-SOLVENTS WITH LOW WATER-CONTENT. *J Chem Tech Biotechnol* 56: 59-65.
- Ettamarna, M. (2006). New boron nitride spray coating eliminates methylene chloride. *Advanced Materials and Processes* 164: 57-57.
- Evans, RD; Mcdonald, F. (1995). Effect of corrosion products (neodymium iron boron) on oral fibroblast proliferation. 6: 199-202.
- Eyupoglu, V; Polat, E. (2015). Evaluation of Cd(II) transport with imidazolium bromides bearing butyl and isobutyl groups as extractants from acidic iodide solutions by liquid-liquid solvent extraction. *Fluid Phase Equilibria* 394: 46-60. <http://dx.doi.org/10.1016/j.fluid.2015.03.003>.
- Fabiańska, M; Kozielska, B; Bielaczyc, P; Woodburn, J; Koniecznyński, J. (2016). Geochemical markers and polycyclic aromatic hydrocarbons in solvent extracts from diesel engine particulate matter. *Environ Sci Pollut Res Int* 23: 6999-7011. <http://dx.doi.org/10.1007/s11356-015-5996-z>.
- Fabińska, MJ; Smolka-Danielowska, D. (2012). Biomarker compounds in ash from coal combustion in domestic furnaces (Upper Silesia Coal Basin, Poland). *Fuel* 102: 333-344. <http://dx.doi.org/10.1016/j.fuel.2012.07.012>.
- Faboro, EO; Wei, L; Liang, S; Mcdonald, AG; Obafemi, CA. (2016). Characterization of dichloromethane and methanol extracts from the leaves of a medicinal plant: *Globimetula oreophila*. *Ind Crop Prod* 83: 391-399. <http://dx.doi.org/10.1016/j.indcrop.2016.01.008>.
- Fachini, ER; Cabrera, CR. (1999). Adsorption and decomposition of Ru-3(CO)(9)(CH3CN)(3) at platinum surfaces: An X-ray photoelectron spectroscopy and Fourier transform-infrared spectroscopy study. *Langmuir* 15: 717-721.
- Fadda, AA; El-Mekawy, RE. (2015). Some studies in cyanine dyes incorporating pyridine rings endowed with pharmaceutical potency. *Dyes and Pigments* 118: 45-52. <http://dx.doi.org/10.1016/j.dyepig.2015.02.018>.
- Fahma, F; Takemura, A; Saito, Y. (2014). Acetylation and stepwise solvent-exchange to modify hydrophilic cellulose whiskers to polychloroprene-compatible nanofiller. *Cellulose* 21: 2519-2527. <http://dx.doi.org/10.1007/s10570-014-0294-3>.
- Faisal, M; Khan, SB; Rahman, MM; Jamal, A; Abdullah, MM. (2012). Fabrication of ZnO nanoparticles based sensitive methanol sensor and efficient photocatalyst. *Appl Surf Sci* 258: 7515-7522. <http://dx.doi.org/10.1016/j.apsusc.2012.04.075>.
- Fakhfakh, M; Turki, H; Fery-Forgues, S; El Gharbi, R. (2010). The synthesis and optical properties of novel fluorescent iminocoumarins and bis-iminocoumarins: Investigations in the series of urea derivatives. *Dyes and Pigments* 84: 108-113. <http://dx.doi.org/10.1016/j.dyepig.2009.07.003>.
- Fakis, M; Hrobarik, P; Stathatos, E; Giannetas, V; Persephonis, P. (2013). A time resolved fluorescence and quantum chemical study of the solar cell sensitizer D149. *Dyes and Pigments* 96: 304-312. <http://dx.doi.org/10.1016/j.dyepig.2012.07.025>.
- Falach, L; Cojocar, M; Shani, A. (2003). Evidence for a short-range sex pheromone in female *Maladera matrida* beetle. *J Chem Ecol* 29: 603-613.
- Fan, J, ieP; Xie, Y, anL; Tian, Z, eYou; Xu, R, ui; Qin, Y, u; Li, L, ie; Zhu, JH; Zhang, X, ueH. (2013). Solubilities of Rutaecarpine in Twelve Organic Solvents from (283.2 to 323.2) K. *Journal of Chemical and Engineering Data* 58: 1969-1973. <http://dx.doi.org/10.1021/je4001334>.
- Fan, X; Liu, ZT; Liu, ZW. (2010). Preparation and application of cellulose triacetate microspheres. *J Hazard Mater* 177: 452-457. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.054>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Fan, X; Liu, ZW, en; Lu, J; Liu, ZT, ie. (2009). Cellulose Triacetate Optical Film Preparation from Ramie Fiber. *Ind Eng Chem Res* 48: 6212-6215. <http://dx.doi.org/10.1021/ie801703x>.
- Fan, X; Zhang, Q; Zhang, H; Zhang, B; Li, C; Li, X; Lei, X. (2013). Synthesis of PS/Ag asymmetric hybrid particles via phase separation and self-assembly. *Particuology* 11: 768-775. <http://dx.doi.org/10.1016/j.partic.2012.09.012>.
- Fang, D, aWei; Sun, YC; Wang, ZW, ei. (2008). Solution enthalpies of ionic liquid 1-hexyl-3-methylimidazolium chloride. *Journal of Chemical and Engineering Data* 53: 259-261. <http://dx.doi.org/10.1021/je700187z>.
- Fang, G; Gao, J; Liu, C, un; Dionysiou, DD; Wang, Y, u; Zhou, D. (2014). Key Role of Persistent Free Radicals in Hydrogen Peroxide Activation by Biochar: Implications to Organic Contaminant Degradation. *Environ Sci Technol* 48: 1902-1910. <http://dx.doi.org/10.1021/es4048126>.
- Fang, GC; Chang, CN; Wu, YS; Fu, PP; Yang, IL; Chen, MH. (2004). Characterization, identification of ambient air and road dust polycyclic aromatic hydrocarbons in central Taiwan, Taichung. *Sci Total Environ* 327: 135-146. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.016>.
- Fang, GC; Wu, YS; Chang, CN; Ho, TT. (2006). A study of polycyclic aromatic hydrocarbons concentrations and source identifications by methods of diagnostic ratio and principal component analysis at Taichung chemical Harbor near Taiwan Strait. *Chemosphere* 64: 1233-1242. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.031>.
- Fang, GC; Wu, YS; Chen, JC; Chang, CN; Ho, TT. (2006). Characteristic of polycyclic aromatic hydrocarbon concentrations and source identification for fine and coarse particulates at Taichung Harbor near Taiwan Strait during 2004-2005. *Sci Total Environ* 366: 729-738. <http://dx.doi.org/10.1016/j.scitotenv.2005.09.075>.
- Fang, GC; Wu, YS; Chen, JC; Fu, PP; Chang, CN; Ho, TT; Chen, MH. (2005). Characteristic study of polycyclic aromatic hydrocarbons for fine and coarse particulates at Pastureland near Industrial Park sampling site of central Taiwan. *Chemosphere* 60: 427-433. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.034>.
- Fanghanel, E; Luthge, T; Marx, J; Richter, AM. (2000). Synthesis and characterization of long wave length absorbing mono azo dyes based on a green sensitive diazonium salt and triazolium couplers. *Journal of Information Recording* 25: 511-518.
- Farcasiu, M; Petrosius, SC; Eldredge, PA; Anderson, RR; Ladner, EP. (1994). MODELING COAL-LIQUEFACTION .3. CATALYTIC REACTIONS OF POLYFUNCTIONAL COMPOUNDS. *Energy Fuels* 8: 920-924.
- Farine, JP; Lequere, JL; Duffy, J; Everaerts, C; Brossut, R. (1994). MALE SEX-PHEROMONE OF COCKROACH EURYCOTIS-FLORIDANA (WALKER) (BLATTIDAE, POLYZOSTERIIDAE) - ROLE AND COMPOSITION OF TERGITE-2 AND TERGITE-8 SECRETIONS. *J Chem Ecol* 20: 2291-2306.
- Farncomb, RE; Naufflett, GW. (1997). Innovative polymer processing in carbon dioxide. *Waste Manag* 17: 123-127.
- Farrokhi, M; Hosseini, SC; Yang, J, aeKyu; Shirzad-Siboni, M. (2014). Application of ZnO-Fe<sub>3</sub>O<sub>4</sub> Nanocomposite on the Removal of Azo Dye from Aqueous Solutions: Kinetics and Equilibrium Studies. *Water Air Soil Pollut* 225. <http://dx.doi.org/10.1007/s11270-014-2113-8>.
- Fathi, SAM; Parinejad, M; Yafthian, MR. (2008). Multidentate nitrogen/oxygen donor ionophores; their use as selective extracting and mobile-carrier agents for copper(II) ions. *Separation and Purification Technology* 64: 1-7. <http://dx.doi.org/10.1016/j.seppur.2008.09.003>.
- Fatoki, OS; Noma, A. (2002). Solid phase extraction method for selective determination of phthalate esters in the aquatic environment. *Water Air Soil Pollut* 140: 85-98.
- Favre, E; Morliere, N; Roizard, D. (2002). Experimental evidence and implications of an imperfect upstream pressure step for the time-lag technique. *J Memb Sci* 207: 59-72.
- Fayad, NM. (1988). GAS CHROMATOGRAPHY/MASS SPECTROSCOPY IDENTIFICATION OF ARTIFACTS FORMED IN METHYLENE-CHLORIDE EXTRACTS OF SALINE WATER. *Environ Sci Technol* 22: 1347-1348.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet* 51: 559-574.
- Feakin, SJ; Blackburn, E; Burns, RG. (1994). BIODEGRADATION OF S-TRIAZINE HERBICIDES AT LOW CONCENTRATIONS IN SURFACE WATERS. *Water Res* 28: 2289-2296.
- Feas, X; Fente, CA; Hosseini, SV; Seijas, JA; Vazquez, BI; Franco, CM; Cepeda, A. (2009). Use of acrylic acid in the synthesis of molecularly imprinted polymers for the analysis of cyproheptadine. *Mater Sci Eng C* 29: 398-404. <http://dx.doi.org/10.1016/j.msec.2008.08.011>.
- Fechter, LD. (1987). Neurotoxicity of prenatal carbon monoxide exposure (pp. 3-22). (ISSN 1041-5505; Report no. 12). Cambridge, MA: Health Effects Institute. <http://pubs.healtheffects.org/view.php?id=246>.
- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Influence of process conditions on the mean size of PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 846-853. <http://dx.doi.org/10.1016/j.cep.2011.05.006>.
- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Optimization of protein encapsulation in PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 757-765. <http://dx.doi.org/10.1016/j.cep.2011.06.008>.
- Fei, Y; Chen, Y, an; Wang, H; Gao, W; Yang, R; Wan, Y. (2011). Preparation, Characterization of Antibacterial PLA/TP Nanofibers. *Fibers and Polymers* 12: 340-344. <http://dx.doi.org/10.1007/s12221-011-0340-9>.
- Feitz, AJ; Guan, J; Chattopadhyay, G; Waite, TD. (2002). Photo-Fenton degradation of dichloromethane for gas phase treatment. *Chemosphere* 48: 401-406.
- Feldheim, DL; Hendrickson, SM; Krejci, M; Elliott, CM. (1995). CHARGE TRAPPING IN POLY(3,4-DIPHENYLPYRROLE) AND RELEASE BY TRACE HALOCARBONS IN WATER. *Chem Mater* 7: 1124-1131.
- Fendinger, NJ; Adams, DD; Glotfelty, DE. (1992). THE ROLE OF GAS EBULLITION IN THE TRANSPORT OF ORGANIC CONTAMINANTS FROM SEDIMENTS. *Sci Total Environ* 112: 189-201.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere* 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Feng, M; You, W; Wu, Z; Chen, Q; Zhan, H. (2013). Mildly alkaline preparation and methylene blue adsorption capacity of hierarchical flower-like sodium titanate. 5: 12654-12662. <http://dx.doi.org/10.1021/am404011k>.
- Feng, Y; Dai, H; Gao, W; Huang, Y; Tang, W; Zhang, C; Luo, H, ao; Yuan, Y; Chen, L; Li, Y. (2015). Measurement and Correlation of Solubility of Tetraphenyl Piperazine-1,4-diylidiphosphonate in Mixed Solvents. *Journal of Chemical and Engineering Data* 60: 561-567. <http://dx.doi.org/10.1021/je500678z>.
- Fenoll, J; Hellin, P; Flores, P; Sotomayor, JA; Nicolas, MI. (2008). Determination of oxadiazon and oxyfluorfen in thyme by gas chromatography with electron-capture detection and gas chromatography/mass spectrometry. *Int J Environ Anal Chem* 88: 663-670. <http://dx.doi.org/10.1080/03067310802030699>.
- Fenoll, J; Hellin, P; Marín, C; Martínez, CM; Flores, P. (2005). Multiresidue analysis of pesticides in soil by gas chromatography with nitrogen-phosphorus detection and gas chromatography mass spectrometry. *J Agric Food Chem* 53: 7661-7666. <http://dx.doi.org/10.1021/jf051327s>.
- Ferguson, LJ; Lebetkin, EH; Lih, FB; Tomer, KB; Parkinson, HD; Borghoff, SJ; Burka, LT. (2007). 14C-labeled pulegone and metabolites binding to alpha2u-globulin in kidneys of male F-344 rats. *J Toxicol Environ Health A* 70: 1416-1423. <http://dx.doi.org/10.1080/15287390701382720>.
- Fernandez, E; Centeno, TA; Stoeckli, F. (2001). Chars and activated carbons prepared from Asturian apple pulp. *AST* 19: 645-653.
- Fernandez, R; Galarraga, F. (2001). Lead concentration and composition of organic compounds in settled particles in road tunnels from the Caracas Valley-Venezuela. *Environ Geochem Health* 23: 17-25.
- Fernando, WGD; Ramarathnam, R; Krishnamoorthy, AS; Savchuk, SC. (2005). Identification and use of potential bacterial organic antifungal volatiles in biocontrol. *Soil Biol Biochem* 37: 955-964. <http://dx.doi.org/10.1016/j.soilbio.2004.10.021>.
- Ferrari, S; Belevi, H; Baccini, P. (2002). Chemical speciation of carbon in municipal solid waste incinerator residues. *Waste Manag* 22: 303-314.
- Ferrari, S; Mandel, F; Berset, JD. (2002). Quantitative determination of 1-hydroxypyrene in bovine urine samples using high-performance liquid chromatography with fluorescence and mass spectrometric detection. *Chemosphere* 47: 173-182. [http://dx.doi.org/10.1016/S0045-6535\(01\)00302-2](http://dx.doi.org/10.1016/S0045-6535(01)00302-2).
- Ferraris, M; Chiesara, E; Radice, S; Giovara, A; Frigerio, S; Fumagalli, R; Marabini, L. (2005). Study of potential toxic effects on rainbow trout hepatocytes of surface water treated with chlorine or alternative disinfectants. *Chemosphere* 60: 65-73. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.034>.
- Ferreira, DP; Conceicao, DS; Prostota, Y; Santos, PF; Ferreira, LJV. (2015). Fluorescent "rhodamine-like" hemicyanines derived from the 6-(N,N-diethylamino)-1,2,3,4-tetrahydroxanthylum system. *Dyes and Pigments* 112: 73-80. <http://dx.doi.org/10.1016/j.dyepig.2014.06.021>.
- Ferreira, J; Miranda, I; Sen, U; Pereira, H. (2016). Chemical and cellular features of virgin and reproduction cork from *Quercus variabilis*. *Ind Crop Prod* 94: 638-648. <http://dx.doi.org/10.1016/j.indcrop.2016.09.038>.
- Ferreira, LJV; Nettoferreira, JC; Khmelinskii, IV; Garcia, AR; Costa, SMB. (1995). PHOTOCHEMISTRY ON SURFACES - MATRIX-ISOLATION MECHANISMS STUDY OF INTERACTIONS OF BENZOPHENONE ADSORBED ON MICROCRYSTALLINE CELLULOSE INVESTIGATED BY DIFFUSE-REFLECTANCE AND LUMINESCENCE TECHNIQUES. *Langmuir* 11: 231-236.
- Ferreira, V; Fernandez, P; Gracia, JP; Cacho, JF. (1995). IDENTIFICATION OF VOLATILE CONSTITUENTS IN WINES FROM VITIS-VINIFERA VAR VIDADILLO AND SENSORY CONTRIBUTION OF THE DIFFERENT WINE FLAVOR FRACTIONS. *J Sci Food Agric* 69: 299-310.
- Ferrence, GM; Henderson, JI; Kurth, DG; Morgenstern, DA; Bein, T; Kubiak, CP. (1996). Covalent attachment of nickel clusters to gold electrode surfaces. Formation of rectifying molecular layers. *Langmuir* 12: 3075-3081.
- Fialho, PS; de Castro, CAN. (2001). Use of universal correlations to predict some thermophysical properties of alternative refrigerants. *High Temperatures - High Pressures* 33: 611-625.
- Fiedler, DA; Koppenol, M; Bond, AM. (1995). AN ESR-ELECTROCHEMICAL CELL WHICH CAN BE USED IN HIGH AND LOW DIELECTRIC SOLVENTS OVER WIDE RANGES OF TEMPERATURE AND TIME-DOMAIN. *J Electrochem Soc* 142: 862-867.
- Figueiredo, H; Neves, IC; Quintelas, C; Tavares, T; Taralunga, A; Mijoin, J; Magnoux, P. (2006). Oxidation catalysts prepared from biosorbents supported on zeolites. *Appl Catal B-Environ* 66: 274-280. <http://dx.doi.org/10.1016/j.apcatb.2006.04.002>.
- Filigenzi, MS; Poppenga, RH; Tiwary, AK; Puschner, B. (2007). Determination of alpha-amanitin in serum and liver by multistage linear ion trap mass spectrometry. *J Agric Food Chem* 55: 2784-2790. <http://dx.doi.org/10.1021/jf063194w>.
- Fiolka, C; Richter, M; Pantenburg, I; Mudring, AV; Meyer, G. (2011). (B15c5) BiI3(l-2): Molecular Benzo-15-Crown-5-BiI3 Complexes Bridged by Iodine Molecules to Chains. 1: 220-228. <http://dx.doi.org/10.3390/cryst1040220>.
- Fiorentini, C; Taverna, M; Griffiths, T. (1994). LATEST MANUFACTURING SOLUTIONS FOR SLABSTOCK FOAMS. *Cell Polym* 13: 361-370.
- Fisher, JA; Scarlett, MJ; Stott, AD. (1997). Accelerated solvent extraction: An evaluation for screening of soils for selected US EPA semivolatile organic priority pollutants. *Environ Sci Technol* 31: 1120-1127.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fitahia, EM; Raheriniaina, CE; Bazin, MA; Huvelin, JM; Loge, C; Ranaivoson, E; Nazih, H. (2015). Anti-proliferative and Pro-apoptotic Effect of Dichloromethane Extract of *Octopus vulgaris* By-Products on Human Breast Cancer Cell Lines. *Waste Biomass Valorization* 6: 237-242. <http://dx.doi.org/10.1007/s12649-014-9344-1>.
- Fitzgerald, TD; Gallagher, EM. (1976). A CHEMICAL TRAIL FACTOR FROM THE SILK OF THE EASTERN TENT CATERPILLAR *Malacosoma americanum* (LEPIDOPTERA: LASIODEPTERA). *J Chem Ecol* 2: 187-193.
- Flanagan, WP. (1998). Biodegradation of dichloromethane in a granular activated carbon fluidized bed reactor. *Water Environ Res* 70: 60-66.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Flathman, PE; Jerger, DE; Woodhull, PM. (1992). REMEDIATION OF DICHLOROMETHANE (DCM)-CONTAMINATED GROUND-WATER. *Environmental Progress* 11: 202-209.
- Flatman-Fairs, DP; Harrison, G. (1999). Suitability of UK bituminous and Spanish lignitous coals, and their blends for two stage liquefaction. *Fuel* 78: 1711-1717.
- Fletouris, DJ; Botsoglou, NA; Psomas, IE; Mantis, AI. (1996). Trace multiresidue analysis of fenbendazole and its sulfoxide, sulfone, and p-hydroxylated metabolites in milk by liquid chromatography. *J Agric Food Chem* 44: 3882-3886.
- Fletouris, DJ; Papapanagiotou, EP; Nakos, DS; Psomas, IE. (2005). Highly sensitive ion pair liquid chromatographic determination of albendazole marker residue in animal tissues. *J Agric Food Chem* 53: 893-898. <http://dx.doi.org/10.1021/jf048459q>.
- Fletouris, DJ; Psomas, JE; Mantis, AJ. (1992). DETERMINATION OF SOME MONOBASIC PENICILLINS IN MILK BY ION-PAIR LIQUID-CHROMATOGRAPHY. *J Agric Food Chem* 40: 617-621.
- Fodor, GG; Prajsnar, D; Schlipkoter, HW. (1973). Endogenous CO formation by incorporated halogenated hydrocarbons of the methane series. *Gefahrst Reinhalt Luft* 33: 260-261.
- Fokialakis, N; Cantrell, CL; Duke, SO; Skaltsounis, AL; Wedge, DE. (2006). Antifungal activity of thiophenes from *Echinops ritro*. *J Agric Food Chem* 54: 1651-1655. <http://dx.doi.org/10.1021/jf052702j>.
- Foo, KY; Hameed, BH. (2011). Microwave-assisted preparation of oil palm fiber activated carbon for methylene blue adsorption. *Chem Eng J* 166: 792-795. <http://dx.doi.org/10.1016/j.cej.2010.11.019>.
- Foo, KY; Hameed, BH. (2011). Preparation of activated carbon from date stones by microwave induced chemical activation: Application for methylene blue adsorption. *Chem Eng J* 170: 338-341. <http://dx.doi.org/10.1016/j.cej.2011.02.068>.
- Foreman, WT; Zaugg, SD; Faires, LM; Werner, MG; Leiker, TJ; Rogerson, PF. (1992). ANALYTICAL INTERFERENCES OF MERCURIC-CHLORIDE PRESERVATIVE IN ENVIRONMENTAL WATER SAMPLES - DETERMINATION OF ORGANIC-COMPOUNDS ISOLATED BY CONTINUOUS LIQUID-LIQUID-EXTRACTION OR CLOSED-LOOP STRIPPING. *Environ Sci Technol* 26: 1307-1312.
- Fosso-Kankeu, E; Mittal, H; Waanders, F; Ntwampe, IO; Ray, SS. (2016). Preparation and characterization of gum karaya hydrogel nanocomposite flocculant for metal ions removal from mine effluents. *Int J Environ Sci Tech* 13: 711-724. <http://dx.doi.org/10.1007/s13762-015-0915-x>.
- Foster, SP; Howard, AJ. (1998). Influence of stimuli from *camellia japonica* on ovipositional behavior of generalist herbivore *Epiphyas postvittana*. *J Chem Ecol* 24: 1251-1275.
- Fotidis, IA; Laranjeiro, TFV, C; Angelidaki, I. (2016). Alternative co-digestion scenarios for efficient fixed-dome reactor biomethanation processes. *J Clean Prod* 127: 610-617. <http://dx.doi.org/10.1016/j.jclepro.2016.04.008>.
- Fouremant, P; Mason, JM; Valencia, R; Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen* 23: 208-227. <http://dx.doi.org/10.1002/em.2850230310>.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater* 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fournel, L; Mocho, P; Fanlo, JL; Le Cloirec, P. (2005). External capillary condensation and adsorption of VOCs onto activated carbon fiber cloth and felt. *Environ Technol* 26: 1277-1287. <http://dx.doi.org/10.1080/09593332608618598>.
- Fox, SL; Bala, GA. (2000). Production of surfactant from *Bacillus subtilis* ATCC 21332 using potato substrates. *Bioresour Technol* 75: 235-240.
- Fragala, ME; Malandrino, G; Puglisi, O; Benelli, C. (2000). Synthesis, x-ray structure, and characterization of Ag(hfa)center dot tetraglyme [hfa = hexafluoroacetylacetonate]: A novel adduct for the fabrication of metallic silver based films via in situ self reduction. *Chem Mater* 12: 290-+.
- Franceschi, E; De Cesaro, AM; Feiten, M; Ferreira, SRS; Dariva, C; Kunita, MH; Rubira, AF; Muniz, EC; Corazza, ML; Oliveira, JV. (2008). Precipitation of beta-carotene and PHBV and co-precipitation from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 47: 259-269. <http://dx.doi.org/10.1016/j.supflu.2008.08.002>.
- Franceschi, E; De Cesaro, AM; Ferreira, SRS; Oliveira, JV. (2009). Precipitation of beta-carotene microparticles from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Food Engineering* 95: 656-663. <http://dx.doi.org/10.1016/j.jfoodeng.2009.06.034>.
- Franceschi, E; Kunita, MH; Tres, MV; Rubira, AF; Muniz, EC; Corazza, ML; Dariva, C; Ferreira, SRS; Oliveira, JV. (2008). Phase behavior and process parameters effects on the characteristics of precipitated theophylline using carbon dioxide as antisolvent. *Journal of Supercritical Fluids* 44: 8-20. <http://dx.doi.org/10.1016/j.supflu.2007.09.031>.
- Franke, S; Sagajdakow, A; Wolska, L; Namiesnik, J. (2009). INTEGRATED APPROACH - THE EFFECTIVE TOOL FOR POLLUTION LEVEL CONTROL OF SEDIMENTS FROM LAKE TURAWSKIE. 16: 313-321.
- Freedman, DL; Smith, CR; Noguera, DR. (1997). Dichloromethane biodegradation under nitrate-reducing conditions. *Water Environ Res* 69: 115-122.
- Freeman, DH; Saintmartin, DC; Falvey, DE. (1992). SOLVENT QUALITY ASSURANCE IN PORPHYRIN RESEARCH. *Energy Fuels* 6: 532-534.
- Freire, CSR; Silvestre, AJD; Neto, CP. (2002). Identification of new hydroxy fatty acids and ferulic acid esters in the wood of *Eucalyptus globulus*. *Holzforschung* 56: 143-149.
- Freire, CSR; Silvestre, AJD; Neto, CP; Cavaleiro, JAS. (2002). Lipophilic extractives of the inner and outer barks of *Eucalyptus globulus*. *Holzforschung* 56: 372-379.
- Freire Pereira, FH; da Silva Sa, FV; Puiatti, M; Finger, FL; Cecon, PR. (2015). Growth of plant, partition of assimilates and fruit yield of melon yellow shaded by different meshes. *Ciencia Rural* 45: 1774-1781. <http://dx.doi.org/10.1590/0103-8478cr20141134>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol* 13: 437-447.
- Freise, R; Konig, J; Cammann, K. (1991). INVESTIGATION OF FILLERS WITH REGARD TO THEIR NITROSAMINE CONTENT AND THEIR NITROSATING POTENTIAL. *Kautschuk Gummi Kunststoffe* 44: 429-434.
- Freitas, L, dosS; Dariva, C; Jacques, RA; Caramao, EB. (2013). Effect of experimental parameters in the pressurized liquid extraction of brazilian grape seed oil. *Separation and Purification Technology* 116: 313-318. <http://dx.doi.org/10.1016/j.seppur.2013.06.002>.
- French, PR; Mannhardt, K; Debree, N; Shaw, JC. (1995). ASSESSMENT OF SOLVENT-EXTRACTION EFFICIENCY IN SANDSTONES USING BET SPECIFIC SURFACE-AREA MEASUREMENTS. *Journal of Canadian Petroleum Technology* 34: 27-33.
- Friesen, KJ; Fairchild, WL; Loewen, MD; Lawrence, SG; Holoka, MH; Muir, DCG. (1993). EVIDENCE FOR PARTICLE-MEDIATED TRANSPORT OF 2,3,7,8-TETRACHLORODIBENZOFURAN DURING GAS SPARGING OF NATURAL-WATER. *Environ Toxicol Chem* 12: 2037-2044.
- Friess, K; Jansen, JC; Pozivil, J; Hanta, V; Hynek, V; Vopicka, O; Zgazar, M; Bernardo, P; Izak, P; Drioli, E. (2013). Anomalous Phenomena Occurring during Permeation and Sorption of C-1-C-6 Alcohol Vapors in Teflon AF 2400. *Ind Eng Chem Res* 52: 10406-10417. <http://dx.doi.org/10.1021/ie303013y>.
- Friggeri, A; Schonherr, H; van Manen, HJ; Huisman, BH; Vancso, GJ; Huskens, J; van Veggel, FCJ, M; Reinhoudt, DN. (2000). Insertion of individual dendrimer molecules into self-assembled monolayers on gold: A mechanistic study. *Langmuir* 16: 7757-7763.
- Frka, S; Kozarac, Z; Cosovic, B. (2009). Characterization and seasonal variations of surface active substances in the natural sea surface microlayers of the coastal Middle Adriatic stations. *Estuar Coast Shelf Sci* 85: 555-564. <http://dx.doi.org/10.1016/j.ecss.2009.09.023>.
- Frka, S; Nelson, A; Kozarac, Z. (2006). Use of electrochemical impedance spectroscopy to characterise the physical properties of ex situ reconstructed sea surface microlayer. *Int J Environ Anal Chem* 86: 325-335. <http://dx.doi.org/10.1080/03067310500227852>.
- Frysz, CA; Shui, XP; Chung, DDL. (1997). Electrochemical behavior of porous carbons. *Carbon* 35: 893-916.
- Fu, J, ie; Chen, YJ, un; Ju, J, unYi; Li, QS; An, S, huQ; Zhu, H, aiL. (2011). Treating Dye Wastewater of Reactive Brilliant Red K-2BP by Cetyltrimethylammonium Chloride-Modified Bentonite with Polyacrylamide Flocculant. *Pol J Environ Stud* 20: 61-66.
- Fu, S; Wang, Y; Jia, Y; Qian, C; Tao, M; Lv, X; Chen, X. (2013). Solubilities of 4-Amino-4'-nitrodiphenyl Sulfide in Six Organic Solvents from 287.45 K to 365.55 K. *Journal of Chemical and Engineering Data* 58: 1675-1678. <http://dx.doi.org/10.1021/je4000982>.
- Fu, Y, wuJ; Chen, JT; Chen, CC; Liao, K, uoS; Hu, CC; Lee, KR; Lai, JY, ih. (2013). Characterization of morphology and gas separation performance of dry-cast polycarbonate membranes. *Polymer Engineering and Science* 53: 1623-1630. <http://dx.doi.org/10.1002/pen.23422>.
- Fu, YJ; Shyu, SS; Su, FH; Yu, PC. (2002). Development of biodegradable co-poly(D,L-lactic/glycolic acid) microspheres for the controlled release of 5-FU by the spray drying method. *Colloids Surf B Biointerfaces* 25: 269-279.
- Fujii, S; Okada, M; Sawa, H; Furuzono, T; Nakamura, Y. (2009). Hydroxyapatite nanoparticles as particulate emulsifier: fabrication of hydroxyapatite-coated biodegradable microspheres. *Langmuir* 25: 9759-9766. <http://dx.doi.org/10.1021/la901100z>.
- Fujioka, K; Shibamoto, T. (2006). Quantitation of volatiles and nonvolatile acids in an extract from coffee beverages: correlation with antioxidant activity. *J Agric Food Chem* 54: 6054-6058. <http://dx.doi.org/10.1021/jf060460x>.
- Furlan, M; Kluge, J; Mazzotti, M; Lattuada, M. (2010). Preparation of biocompatible magnetite-PLGA composite nanoparticles using supercritical fluid extraction of emulsions. *Journal of Supercritical Fluids* 54: 348-356. <http://dx.doi.org/10.1016/j.supflu.2010.05.010>.
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International* 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furmann, A; Schimmelmann, A; Brassell, SC; Mastalerz, M; Picardal, F. (2013). Chemical compound classes supporting microbial methanogenesis in coal. *Chem Geol* 339: 226-241. <http://dx.doi.org/10.1016/j.chemgeo.2012.08.010>.
- Furtula, V; Derksen, G; Colodey, A. (2006). Application of automated mass spectrometry deconvolution and identification software for pesticide analysis in surface waters. *J Environ Sci Health B* 41: 1259-1271. <http://dx.doi.org/10.1080/03601230600962211>.
- Furtula, V; Kuo, JN. (2004). Analysis of herbicide Krovar I by liquid chromatography with atmospheric pressure chemical ionization mass spectrometry. *J Environ Sci Health B* 39: 249-261. <http://dx.doi.org/10.1081/PFC-120030239>.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn* 43: 537-543.
- Futamara, S; Sugasawa, M. (2008). Additive effect on energy efficiency and byproduct distribution in VOC decomposition with nonthermal plasma. *I E E E Transactions on Industry Applications* 44: 40-45. <http://dx.doi.org/10.1109/TIA.2007.912760>.
- Gabel, B; Thiery, D. (1996). Oviposition response of *Lobesia botrana* females to long-chain free fatty acids and esters from its eggs. *J Chem Ecol* 22: 161-171.
- Gabrielli, M; Fracassetti, D; Tirelli, A. (2014). UHPLC quantification of sotolon in white wine. *J Agric Food Chem* 62: 4878-4883. <http://dx.doi.org/10.1021/jf500508m>.
- Gackowska, A; Przybyłek, M; Studziński, W; Gaca, J. (2016). Formation of chlorinated breakdown products during degradation of sunscreen agent, 2-ethylhexyl-4-methoxycinnamate in the presence of sodium hypochlorite. *Environ Sci Pollut Res Int* 23: 1886-1897. <http://dx.doi.org/10.1007/s11356-015-5444-0>.
- Gagne, F; Pardos, M; Blaise, C; Turcotte, P; Quemerais, B; Fouquet, A. (1999). Toxicity evaluation of organic sediment extracts resolved by size exclusion chromatography using rainbow trout hepatocytes. *Chemosphere* 39: 1545-1570.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2016). Reaction of dichloromethane under non-oxidative conditions in a dielectric barrier discharge reactor and characterisation of the resultant polymer. *Chem Eng J* 290: 499-506. <http://dx.doi.org/10.1016/j.cej.2015.12.105>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Galaction, AI; Camarut, M; Cascaval, D, an. (2007). Selective separation of cinnamic and p-methoxycinnamic acids by facilitated pertraction. *Separation Science and Technology* 42: 3727-3740. <http://dx.doi.org/10.1080/01496390701626628>.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). Recovery of p-hydroxybenzoic acid from wastewaters by reactive extraction - 1. Extraction mechanism and influencing factors. *Environmental Engineering and Management Journal* 7: 89-96.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). SEPARATION OF p-AMINOBENZOIC ACID BY REACTIVE EXTRACTION 1. MECHANISM AND INFLUENCING FACTORS. *Chemical Industry and Chemical Engineering Quarterly* 14: 159-165.
- Galaction, AI; Carlescu, A; Turnea, M; Cascaval, D, an. (2012). Direct Extraction of Propionic Acid from Propionibacterium acidipropionici Broths with Tri-n-octylamine. *Chem Eng Tech* 35: 1657-1663. <http://dx.doi.org/10.1002/ceat.201200066>.
- Galaction, AI; Cascaval, D; Nicuta, N. (2008). Selective removal of Gentamicin C(1) from biosynthetic Gentamicins by facilitated pertraction for increasing antibiotic activity. *Biochem Eng J* 42: 28-33. <http://dx.doi.org/10.1016/j.bej.2008.05.005>.
- Galaction, AI; Kloetzer, L; Cascaval, D. (2010). Separation of p-Aminobenzoic Acid by Reactive Extraction in the Presence of 1-Octanol as Phase Modifier. *Chemical and Biochemical Engineering Quarterly* 24: 149-157.
- Galaction, AI; Kloetzer, L; Cascaval, D, an. (2011). Influence of Solvent Polarity on the Mechanism and Efficiency of Formic Acid Reactive Extraction with Tri-n-Octylamine from Aqueous Solutions. *Chem Eng Tech* 34: 1341-1346. <http://dx.doi.org/10.1002/ceat.201100028>.
- Galaction, AI; Postaru, M; Kloetzer, L; Blaga, AC; Cascaval, D, an. (2015). Separation of rosmarinic acid by facilitated pertraction. *Food Bioprod Process* 94: 621-628. <http://dx.doi.org/10.1016/j.fbp.2014.08.006>.
- Galanihe, LD; Harris, MO. (1997). Plant volatiles mediate host-finding behavior of the apple leafcurling midge. *J Chem Ecol* 23: 2639-2655.
- Galbarra, D; Arregui, FJ; Matias, IR; Claus, RO. (2005). Ammonia optical fiber sensor based on self-assembled zirconia thin films. *Smart Materials and Structures* 14: 739-744. <http://dx.doi.org/10.1088/0964-1726/14/4/032>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Galli, R; Leisinger, T. (1985). SPECIALIZED BACTERIAL STRAINS FOR THE REMOVAL OF DICHLOROMETHANE FROM INDUSTRIAL-WASTE. 8: 91-100.
- Galovic, O; Samardzic, M; Petrusic, S; Sak-Bosnar, M. (2015). Application of a New Potentiometric Sensor for Determination of Anionic Surfactants in Wastewater. *Chemical and Biochemical Engineering Quarterly* 29: 307-313.
- Galperin, A; Margel, D; Margel, S. (2006). Synthesis and characterization of uniform radiopaque polystyrene microspheres for X-ray imaging by a single-step swelling process. *J Biomed Mater Res A* 79: 544-551. <http://dx.doi.org/10.1002/jbm.a.30863>.
- Gan, J; Papiernik, SK; Koskinen, WC; Yates, SR. (1999). Evaluation of accelerated solvent extraction (ASE) for analysis of pesticide residues in soil. *Environ Sci Technol* 33: 3249-3253.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul* 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, PJ; Murthy, ZVP. (2010). Solubility and Crystal Size of Sirolimus in Different Organic Solvents. *Journal of Chemical and Engineering Data* 55: 5050-5054. <http://dx.doi.org/10.1021/je100626x>.
- Gandhimathi, R; Seghal Kiran, G; Hema, TA; Selvin, J; Rajeetha Raviji, T; Shanmughapriya, S. (2009). Production and characterization of lipopeptide biosurfactant by a sponge-associated marine actinomycetes *Nocardioopsis alba* MSA10. *Bioprocess Biosyst Eng* 32: 825-835. <http://dx.doi.org/10.1007/s00449-009-0309-x>.
- Gandolfi, S; Ottolina, G; Riva, S; Fantoni, GP; Patel, I. (2013). Complete Chemical Analysis of Carmagnola Hemp Hurds and Structural Features of Its Components. *BioResources* 8: 2641-2656.
- Ganesan, P; Kumar, CS; Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresour Technol* 99: 2717-2723. <http://dx.doi.org/10.1016/j.biortech.2007.07.005>.
- Gangawane, KM; Bharti, R, amP; Kumar, S. (2015). Lattice Boltzmann analysis of natural convection in a partially heated open ended enclosure for different fluids. *Taiwan Institute of Chemical Engineers Journal* 49: 27-39. <http://dx.doi.org/10.1016/j.tjce.2014.11.020>.
- Gangrade, N; Price, JC. (1991). Poly(hydroxybutyrate-hydroxyvalerate) microspheres containing progesterone: preparation, morphology and release properties. *J Microencapsul* 8: 185-202.
- Ganjeizadeh Rohani, F; Mahdavi, V; Aminaie, MM. (2014). Investigation on diazinon and oxydemeton-methyl residues in cucumbers grown in Kerman greenhouses. *Environ Monit Assess* 186: 3995-3999. <http://dx.doi.org/10.1007/s10661-014-3674-0>.
- Gao, B; Wang, X; Zhao, J; Sheng, G. (2001). Sorption and cosorption of organic contaminant on surfactant-modified soils. *Chemosphere* 43: 1095-1102.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters* 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters* 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International* 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, H; Xing, J; Xiong, X; Li, Y; Li, W; Liu, Q; Wu, Y; Liu, H. (2008). Immobilization of ionic liquid [BMIM][PF6] by spraying suspension dispersion method. *Ind Eng Chem Res* 47: 4414-4417. <http://dx.doi.org/10.1021/ie701702n>.
- Gao, H; Zhao, S; Cheng, X; Wang, X; Zheng, L. (2013). Removal of anionic azo dyes from aqueous solution using magnetic polymer multi-wall carbon nanotube nanocomposite as adsorbent. *Chem Eng J* 223: 84-90. <http://dx.doi.org/10.1016/j.cej.2013.03.004>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gao, J; Kong, D; Wang, Y; Wu, J; Sun, S; Xu, P. (2013). Production of Mesoporous Activated Carbon from Tea Fruit Peel Residues and Its Evaluation of Methylene Blue Removal from Aqueous Solutions. *BioResources* 8: 2145-2160.
- Gao, M; Zhang, D; Pu, X; Li, M; Yu, YM; Shim, J, aeJ; Cai, P; Kim, S, unll; Seo, H, yoJin. (2015). Combustion Synthesis of BiOCl with Tunable Percentage of Exposed {001} Facets and Enhanced Photocatalytic Properties. *Journal of the American Ceramic Society* 98: 1515-1519. <http://dx.doi.org/10.1111/jace.13493>.
- Gao, N, an; Cai, K, ai; Guo, X; Zhang, Y; Yang, S; Hu, D. (2014). Analysis of MCPA and TCP in water by liquid chromatography-ion trap-electrospray tandem mass spectrometry. *Int J Environ Anal Chem* 94: 594-605. <http://dx.doi.org/10.1080/03067319.2013.831411>.
- Gao, Q; Haglund, P; Pommer, L; Jansson, S. (2015). Evaluation of solvent for pressurized liquid extraction of PCDD, PCDF, PCN, PCBz, PCPh and PAH in torrefied woody biomass. *Fuel* 154: 52-58. <http://dx.doi.org/10.1016/j.fuel.2015.03.068>.
- Gao, X; Chen, S; Long, A. (2008). Composition and sources of organic matter and its solvent extractable components in surface sediments of a bay under serious anthropogenic influences: Daya Bay, China. *Mar Pollut Bull* 56: 1066-1075. <http://dx.doi.org/10.1016/j.marpolbul.2008.03.036>.
- Gao, X, u; Xue, W, eiLan; Zeng, Z, uoX; Fan, X, inran. (2015). Determination and Correlation of Solubility of N-tert-Butylacrylamide in Seven Different Solvents at Temperatures between (279.15 and 353.15) K. *Journal of Chemical and Engineering Data* 60: 2273-2279. <http://dx.doi.org/10.1021/acs.jced.5b00135>.
- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.
- Gao, XL; Chen, SY. (2008). Petroleum pollution in surface sediments of Daya Bay, South China, revealed by chemical fingerprinting of aliphatic and alicyclic hydrocarbons. *Estuar Coast Shelf Sci* 80: 95-102. <http://dx.doi.org/10.1016/j.ecss.2008.07.010>.
- Gao, Y; Zeng, Y; Shen, Q; Ling, W; Han, J. (2009). Fractionation of polycyclic aromatic hydrocarbon residues in soils. *J Hazard Mater* 172: 897-903. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.084>.
- Gao, ZQ; Bobacka, J; Lewenstam, A; Ivaska, A. (1994). ELECTROCHEMICAL PROPERTIES OF POLYPYRROLE FILMS POLYMERIZED IN THE PRESENCE OF METHYLENE-BLUE. *Synthetic Metals* 62: 117-123.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- Garcia, J; Lopez, ER; Legido, JL; Fernandez, J. (1995). ANALYSIS OF THE INTRAMOLECULAR PROXIMITY EFFECT ON DICHLOROALKANE PLUS ALKANE MIXTURES USING NITTA-CHAO MODEL. *Fluid Phase Equilibria* 110: 31-51.
- Garcia, SS; Ake, C; Clement, B; Huebner, HJ; Donnelly, KC; Shalat, SL. (2001). Initial results of environmental monitoring in the Texas Rio Grande Valley. *Environ Int* 26: 465-474.
- Garcia, V; Landaburu-Aguirre, J; Pongracz, E, va; Peramaki, P; Keiski, RL. (2009). Dehydration of water/dichloromethane/n-butanol mixtures by pervaporation; optimisation and modelling by response surface methodology. *J Memb Sci* 338: 111-118. <http://dx.doi.org/10.1016/j.memsci.2009.04.040>.
- Garcia, V; Pongracz, E, va; Muurinen, E, sa; Keiski, RL. (2009). Pervaporation of dichloromethane from multicomponent aqueous systems containing n-butanol and sodium chloride. *J Memb Sci* 326: 92-102. <http://dx.doi.org/10.1016/j.memsci.2008.09.027>.
- Garcia, V; Pongracz, E, va; Phillips, PS; Keiski, RL. (2013). From waste treatment to resource efficiency in the chemical industry: recovery of organic solvents from waters containing electrolytes by pervaporation. *J Clean Prod* 39 (Jan 1): 146-153. <http://dx.doi.org/10.1016/j.jclepro.2012.08.020>.
- Garcia, VAS; Lemos, COT; Mantovani, D; Corazza, ML; Zanoelo, EF; Da Silva, C; Cardozo-Filho, L. (2015). EFFECT OF OIL EXTRACTION WITH SUPERCRITICAL CO<sub>2</sub> AND ORGANIC SOLVENTS ON ANTIOXIDANT CAPACITY AND TOTAL PHENOLIC CONTENT OF Mucuna MEAL. *Lat Am Appl Res* 45: 125-131.
- García-Alonso, S; Pérez-Pastor, RM; Sevillano-Castaño, ML. (1999). Measurements of selected PCBs in open urban ambient air of Madrid (Spain): First results. *Environ Sci Pollut Res Int* 6: 147-150. <http://dx.doi.org/10.1007/BF02987618>.
- Garcia-Bueno, N; Dumay, J; Guerin, T; Turpin, V; Paillard, C; Stiger-Pouvreau, V; Pouchus, YF; Aitor Marin-Atucha, A; Decottignies, P; Fleurence, J. (2015). Seasonal variation in the antivibrio activity of two organic extracts from two red seaweed: *Palmaria palmata* and the introduced *Grateloupia turuturu* against the abalone pathogen *Vibrio harveyi*. *Aquatic Living Resources* 28: 81-87. <http://dx.doi.org/10.1051/alr/2016003>.
- Garcia-Deigado, C; Yunta, F; Eymar, E. (2013). Methodology for Polycyclic Aromatic Hydrocarbons Extraction from Either Fresh or Dry Spent Mushroom Compost and Quantification by High-Performance Liquid Chromatography-Photodiode Array Detection. *Commun Soil Sci Plant Anal* 44: 817-825. <http://dx.doi.org/10.1080/00103624.2013.749439>.
- Garcia-Mateos, M, aR; Sanchez, EE; Espinosa-Robles, P; Alvarez-Sanchez, M, aE. (2007). Toxicity of *Petiveria alliacea* L. on greenhouse whitefly (*Trialeurodes vaporariorum* WEST.). *Interciencia* 32: 121-124.
- Gardiner, JB; Morra, MJ; Eberlein, CV; Brown, PD; Borek, V. (1999). Allelochemicals released in soil following incorporation of rapeseed (*Brassica napus*) green manures. *J Agric Food Chem* 47: 3837-3842.
- Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemical paint-remover hazards. *Arch Mal Prof Environ* 71: 30-37. <http://dx.doi.org/10.1016/j.admp.2009.12.009>.
- Garoli, D; Natali, M; Rigato, V; Romanato, F. (2012). Optical and structural properties of low thickness lead zirconate titanate films on sapphire substrates prepared via sol-gel method. *Journal of Vacuum Science and Technology A* 30. <http://dx.doi.org/10.1116/1.4746405>.
- Garrote, G; Falqué, E; Domínguez, H; Parajó, JC. (2007). Autohydrolysis of agricultural residues: study of reaction byproducts. *Bioresour Technol* 98: 1951-1957. <http://dx.doi.org/10.1016/j.biortech.2006.07.049>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Garrote, G; Kabel, MA; Schols, HA; Falqué, E; Domínguez, H; Parajó, JC. (2007). Effects of Eucalyptus globulus wood autohydrolysis conditions on the reaction products. *J Agric Food Chem* 55: 9006-9013. <http://dx.doi.org/10.1021/jf0719510>.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev* 10: 1239-1248.
- Gasparetto, A; Cruz, AB; Wagner, TM; Bonomini, TJ; Correa, R; Malheiros, A. (2017). Seasonal variation in the chemical composition, antimicrobial and mutagenic potential of essential oils from Piper cernuum. *Ind Crop Prod* 95: 256-263. <http://dx.doi.org/10.1016/j.indcrop.2016.10.030>.
- Gasparini, G; Kosvintsev, SR; Stillwell, MT; Holdich, RG. (2008). Preparation and characterization of PLGA particles for subcutaneous controlled drug release by membrane emulsification. *Colloids Surf B Biointerfaces* 61: 199-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.08.011>.
- Gautam, P; Misra, R; Koukaras, EN; Sharma, A; Sharma, GD. (2015). Donor-acceptor-acceptor-donor small molecules for solution processed bulk heterojunction solar cells. *Organic Electronics* 27: 72-83. <http://dx.doi.org/10.1016/j.orgel.2015.09.006>.
- Gautam, P; Misra, R; Siddiqui, SA; Sharma, GD. (2015). Donor-acceptor-pi-acceptor based charge transfer chromophore as electron donors for solution processed small molecule organic bulk heterojunction solar cells. *Organic Electronics* 19: 76-82. <http://dx.doi.org/10.1016/j.orgel.2015.01.032>.
- Gayubo, AG; Arandes, JM; Aguayo, AT; Olazar, M; Bilbao, J. (1993). DEACTIVATION AND ACIDITY DETERIORATION OF A SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> CATALYST IN THE ISOMERIZATION OF CIS-BUTENE. *Ind Eng Chem Res* 32: 588-593.
- Ge, Y, anQ; Jia, J; Yang, H, e; Tao, X, uT; Wang, JW, u. (2011). The synthesis, characterization and optical properties of novel pyrido[1,2-a]benzimidazole derivatives. *Dyes and Pigments* 88: 344-349. <http://dx.doi.org/10.1016/j.dyepig.2010.08.005>.
- Gearhart, JM; Jepson, GW; Clewell, HJ; Andersen, ME; Conolly, RB. (1994). Physiologically based pharmacokinetic model for the inhibition of acetylcholinesterase by organophosphate esters. *Environ Health Perspect* 102: 51-60.
- Gecgel, U; Kocabiyik, B; Uner, O. (2015). Adsorptive Removal of Methylene Blue from Aqueous Solution by the Activated Carbon Obtained from the Fruit of Catalpa bignonioides. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2513-4>.
- Geens, J; De Witte, B; Van der Bruggen, B. (2007). Removal of API's (Active pharmaceutical ingredients) from organic solvents by nanofiltration. *Separation Science and Technology* 42: 2435-2449. <http://dx.doi.org/10.1080/01496390701477063>.
- Geering, ADW; Thomas, JE. (1996). A comparison of four serological tests for the detection of banana bunchy top virus in banana. *Aust J Agr Res* 47: 403-412.
- Geiselhardt, S; Otte, T; Hilker, M. (2009). The Role of Cuticular Hydrocarbons in Male Mating Behavior of the Mustard Leaf Beetle, *Phaedon cochleariae* (F.). *J Chem Ecol* 35: 1162-1171. <http://dx.doi.org/10.1007/s10886-009-9704-7>.
- Gelover, S; Bandala, ER; Leal-Ascencio, T; Perez, S; Martinez, E. (2000). GC-MS determination of volatile organic compounds in drinking water supplies in Mexico. *Environ Toxicol* 15: 131-139.
- Genovese, A; Dimaggio, R; Lisanti, MT; Piombino, P; Moio, L. (2005). Aroma composition of red wines by different extraction methods and Gas Chromatography-SIM/MASS spectrometry analysis. *Ann Chim* 95: 383-394.
- Genthner, FJ; Chancy, CA; Couch, JA; Foss, SS; Middaugh, DP; George, SE; Warren, MA; Bantle, JA. (1998). Toxicity and pathogenicity testing of the insect pest control fungus *Metarhizium anisopliae*. *Arch Environ Contam Toxicol* 35: 317-324.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Georgakopoulos, A; Iordanidis, A; Kapina, V. (2003). Study of low rank Greek coals using FTIR spectroscopy. *Energy Sources* 25: 995-1005. <http://dx.doi.org/10.1080/00908310390232442>.
- George, AL; White, GF. (1999). Optimization of the methylene blue assay for anionic surfactants added to estuarine and marine water. *Environ Toxicol Chem* 18: 2232-2236.
- George, S; Sebastian, MT. (2009). Effect of lithium-based glass addition on the microwave dielectric properties of Ca[(Li<sub>1/3</sub>Nb<sub>2/3</sub>)(1-x)Ti-x]O<sub>3</sub>-delta ceramics for LTCC applications. *J Alloy Comp* 473: 336-340. <http://dx.doi.org/10.1016/j.jallcom.2008.05.080>.
- Georgiou, PP; Liapis, KS; Miliadis, GE; Siskos, PA. (2006). Solid-phase extraction cleanup of tomato samples for the determination of pesticide residues by gas chromatography-electron capture detection. *Int J Environ Anal Chem* 86: 69-76. <http://dx.doi.org/10.1080/03067310500248353>.
- Geotti-Bianchini, F; Preo, M. (1999). Analysis of polyethylene-based cold end coatings on glass containers with contact angle and IR spectroscopy. *J Polym Sci Part B: Polym Phys* 37: 341-351.
- Gercel, O. (2015). ADSORPTION PROPERTIES OF ACTIVATED CARBON FROM WILD PLANT PREPARED BY CHEMICAL ACTIVATION. *Environmental Engineering and Management Journal* 14: 129-137.
- Gerogiannaki-Christopoulou, M. (2009). DEVELOPMENT FOR A PROCEDURE FOR THE DETERMINATION OF 2-PHENYLETHANOL IN HELLENIC WINE DISTILLATES (VITIS VINIFERA L.) AND THEIR CHANGES DURING DISTILLATION. *Journal International des Sciences de la Vigne et du Vin* 43: 171-178.
- Gevao, B; Mordaunt, C; Semple, KT; Pearce, TG; Jones, KC. (2001). Bioavailability of nonextractable (bound) pesticide residues to earthworms. *Environ Sci Technol* 35: 501-507.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ghasemi, H; Sundararaj, U. (2012). Electrical properties of in situ polymerized polystyrene/polyaniline composites: The effect of feeding ratio. *Synthetic Metals* 162: 1177-1183. <http://dx.doi.org/10.1016/j.synthmet.2012.04.037>.
- Ghasemi, J; Nikrahi, A; Niazi, A. (2005). Extraction-spectrophotometric determination of trace amounts of barium and strontium by 18-crown-6 and rose bengal using partial least squares. *Turkish Journal of Chemistry* 29: 669-678.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull* 14: 1058-1065.
- Gheorghe, CG; Pantea, O; Matei, V; Bombos, D; Borcea, AF. (2011). Testing the Behaviour of Pure Bacterial Suspension (*Bacillus Subtilis*, *Pseudomonas Aeruginosa* and *Micrococcus Luteus*) in Case of Hydrocarbons Contaminators. *Rev Chim* 62: 926-929.
- Gherman, S; Zavastin, D; Spac, A; Dorneanu, V. (2013). Spectrophotometric Determination of Enalapril Using Tropeolin 00. *Rev Chim* 64: 1224-1228.
- Ghezzar, MR; Abdelmalek, F; Belhadj, M; Benderdouche, N; Addou, A. (2009). Enhancement of the bleaching and degradation of textile wastewaters by Gliding arc discharge plasma in the presence of TiO<sub>2</sub> catalyst. *J Hazard Mater* 164: 1266-1274. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.060>.
- Ghorbani-Choghamarani, A; Cheraghi-Fathabad, N. (2010). Chemoselective and Catalytic Trimethylsilylation of Alcohols and Phenols by 1,1,1,3,3,3-Hexamethyldisilazane and Catalytic Amounts of PhMe<sub>3</sub>N+Br<sup>-</sup>. *Chinese journal of catalysis* 31: 1103-1106. [http://dx.doi.org/10.1016/S1872-2067\(10\)60107-6](http://dx.doi.org/10.1016/S1872-2067(10)60107-6).
- Ghosh, A; Bera, D; Wang, D, eYi; Komber, H; Mohanty, AK; Banerjee, S; Voit, B. (2012). Synthesis, Characterization and Properties of New Semifluorinated Poly(arylene ether phosphine oxide)s. *Macromolecular Materials & Engineering* 297: 145-154. <http://dx.doi.org/10.1002/mame.201100139>.
- Ghosh, S; Das Mahapatra, R; Dey, J. (2014). Thermoreversible as well as thermoirreversible organogel formation by L-cysteine-based amphiphiles with poly(ethylene glycol) tail. *Langmuir* 30: 1677-1685. <http://dx.doi.org/10.1021/la404258v>.
- Gi, US; Min, B; Lee, JH; Kim, JH. (2004). Preparation and characterization of paclitaxel from plant cell culture. *Korean J Chem Eng* 21: 816-820.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere* 33: 1531-1542.
- Gidron, Y; Magen, R; Ariad, S. (2001). The relation between hopelessness and psychological and serological outcomes in Israeli women with breast-cancer. *16: 289-296*. <http://dx.doi.org/10.1080/08870440108405507>.
- Gierak, A; Czechowski, F; Leboda, R. (1994). IMPROVEMENT OF CARBON SILICA SORBENT (CARBOSIL) SURFACE-PROPERTIES UPON STEAM ACTIVATION AT 1073-K. *Mater Chem Phys* 36: 264-270.
- Gil, M; Martin, C; Douhal, A. (2011). Femtosecond Dynamics and Photoconversion of a H-Bonded Dye within Mesoporous Silicate Materials. *J Phys Chem C* 115: 14687-14697. <http://dx.doi.org/10.1021/jp111380b>.
- Gil, M; Ziolk, M; Angel Organero, J; Douhal, A. (2010). Confined Fast and Ultrafast Dynamics of a Photochromic Proton-Transfer Dye within a Zeolite Nanocage. *J Phys Chem C* 114: 9554-9562. <http://dx.doi.org/10.1021/jp9101042>.
- Giles, NF; Wilson, LC; Wilson, GM; Wilding, WV. (1997). Phase equilibria on eight binary mixtures. *Journal of Chemical and Engineering Data* 42: 1067-1074.
- Gillham, RW; O'Hannesin, SF. (1994). Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron. *Ground Water* 32: 958-967.
- Gillman, JH; Dirr, MA; Braman, SK. (1999). Gradients in susceptibility and resistance mechanisms of *Buddleia L. taxa* to the two-spotted spider mite (*Tetranychus urticae* Koch). *J Am Soc Hortic Sci* 124: 114-121.
- Girardet, JM; Mati, A; Sanogo, T; Ettenne, L; Linden, G. (1991). FAST PROTEIN LIQUID-CHROMATOGRAPHY PURIFICATION OF HYDROPHOBIC FRACTION OF BOVINE-MILK PROTEASE-PEPTONE AND CHARACTERIZATION BY BIDIMENSIONAL ELECTROPHORESIS. *J Dairy Res* 58: 85-98.
- Giraudet, S; Boulinguez, B; Le Cloirec, P. (2014). Adsorption and Electrothermal Desorption of Volatile Organic Compounds and Siloxanes onto an Activated Carbon Fiber Cloth for Biogas Purification. *Energy Fuels* 28: 3924-3932. <http://dx.doi.org/10.1021/ef500600b>.
- Giraudet, S; Pre, P; Le Cloirec, P. (2010). Modeling the Temperature Dependence of Adsorption Equilibriums of VOC(s) onto Activated Carbons. *J Environ Eng* 136: 103-111. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000131](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000131).
- Giraudet, S; Pré, P; Le Cloirec, P. (2009). Modeling the heat and mass transfers in temperature-swing adsorption of volatile organic compounds onto activated carbons. *Environ Sci Technol* 43: 1173-1179. <http://dx.doi.org/10.1021/es801494a>.
- Giridhar, P; Rajasekaran, T; Ravishankar, GA. (2005). Production of a root-specific flavour compound, 2-hydroxy-4-methoxy benzaldehyde by normal root cultures of *Decalepis hamiltonii* Wight and Arn (Asclepiadaceae). *J Sci Food Agric* 85: 61-64. <http://dx.doi.org/10.1002/jsfa.1939>.
- Girotti, S; Maiolini, E; Bolelli, L; Ferri, E; Piccolo, M; Camanzi, L; Pompei, A. (2011). Bioremediation of hydrocarbons contaminated waters and soils: monitoring by luminescent bacteria test. *Int J Environ Anal Chem* 91: 900-909. <http://dx.doi.org/10.1080/03067310903411004>.
- Giudice, JH; Fieberg, JR; Lenarz, MS. (2012). Spending degrees of freedom in a poor economy: A case study of building a sightability model for moose in northeastern minnesota. *J Wildl Manag* 76: 75-87. <http://dx.doi.org/10.1002/jwmg.213>.
- Giufreda, WM; Pinto, LF; Zanello, AF; Voll, FAP; Kunita, MH; Cabral, VF; Cardozo-Filho, L. (2014). Liquid-vapor equilibrium data of CO<sub>2</sub> + dichloromethane plus medroxyprogesterone system. *Fluid Phase Equilibria* 362: 307-312. <http://dx.doi.org/10.1016/j.fluid.2013.10.037>.
- Giumanini, AG; Geatti, P; Verardo, G. (2002). Nitration of diphenylmethane and the isomeric nitrodiphenylmethanes in dichloromethane. *Ind Eng Chem Res* 41: 1929-1934. <http://dx.doi.org/10.1021/ie0109298>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Giustino, A; Cagiano, R; Carratu, MR; Cassano, T; Tattoli, M; Cuomo, V. (1999). Prenatal exposure to low concentrations of carbon monoxide alters habituation and non-spatial working memory in rat offspring. *Brain Res* 844: 201-205. [http://dx.doi.org/10.1016/S0006-8993\(99\)01832-6](http://dx.doi.org/10.1016/S0006-8993(99)01832-6).
- Glaser, R; Kurimo, R; Neumeister, C; Shulman, S. (2005). Data supporting ASTM method D 7049-04, for determination of metalworking fluids. *Journal of Testing and Evaluation* 33: 323-330.
- Glaser, R; Kurimo, R; Shulman, S. (2007). Performance testing of NIOSH Method 5524/ASTM Method D-7049-04, for determination of metalworking fluids. *J Occup Environ Hyg* 4: 583-595. <http://dx.doi.org/10.1080/15459620701473281>.
- Glaser, R; Pretty, J; Brown, K; Arnold, J; Lunsford, RA; Park, SH. (2003). Analytical method research for metalworking fluids at the National Institute for Occupational Safety and Health (NIOSH). *Gefahrst Reinhalt Luft* 63: 237-240.
- Glaser, RA. (1999). Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, part I: A solvent blend with wide-ranging ability to dissolve metalworking fluids. *Journal of Testing and Evaluation* 27: 171-174.
- Glaser, RA; Shulman, S; Klinger, P. (1999). Data supporting a provisional American society for testing and materials (ASTM) method for metalworking fluids, part 2. Preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97). *Journal of Testing and Evaluation* 27: 131-136.
- Glaser, RA; Shulman, S; Kurimo, R; Piacitelli, G. (2002). Data supporting a provisional ASTM method for metalworking fluids part 3. Evaluation of an ASTM method for metalworking fluids in a survey of metalworking facilities. *Journal of Testing and Evaluation* 30: 439-451.
- Glavin, DP; Freissinet, C; Miller, KE; Eigenbrode, JL; Brunner, AE; Buch, A; Sutter, B; Archer, PD, Jr; Atreya, SK; Brinckerhoff, WB; Cabane, M; Coll, P; Conrad, PG; Coscia, D; Dworkin, JP; Franz, HB; Grotzinger, JP; Leshin, LA; Martin, MG; McKay, C; Ming, DW; Navarro-Gonzalez, R; Pavlov, A; Steele, A; Summons, RE; Szopa, C; Teinturier, S; Mahaffy, PR. (2013). Evidence for perchlorates and the origin of chlorinated hydrocarbons detected by SAM at the Rocknest aeolian deposit in Gale Crater. 118: 1955-1973. <http://dx.doi.org/10.1002/jgre.20144>.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos* 106: 17831-17840.
- Godbee, J; Scott, E; Pattamunuch, P; Chen, S; Mathiowitz, E. (2004). Role of solvent/non-solvent ratio on microsphere formation using the solvent removal method. *J Microencapsul* 21: 151-160. <http://dx.doi.org/10.1080/02652040310001637875>.
- Goggin, KD; Hammen, PD; Knutson, KL; Lambert, JF; Walinsky, SW; Watson, HA. (1994). COMMERCIAL SYNTHESIS OF ALPHA-D-CELLOBIOSYL BROMIDE HEPTAACETATE. *J Chem Tech Biotechnol* 60: 253-256.
- Gok, HZ; Demir, H. (2015). Complexation and Adsorption Studies of 27-Membered Dioxadiazapentathia Macrocycles with Some Transition Metals. *Separation Science and Technology* 50: 1593-1601. <http://dx.doi.org/10.1080/01496395.2014.983247>.
- Gok, HZ; Gok, Y; Eker, E. (2015). Synthesis, characterization, and metal extraction studies of a new macrobicyclic ligand. *Turkish Journal of Chemistry* 39: 426-437. <http://dx.doi.org/10.3906/kim-1412-27>.
- Gok, Y; Akkoc, S; Ozeroglu Celikal, O; Ozdemir, I; Gunal, S; Sayin, E. (2013). N-functionalized benzimidazol-2-ylidene silver complexes: synthesis, characterization, and antimicrobial studies. *Turkish Journal of Chemistry* 37: 1007-1013. <http://dx.doi.org/10.3906/kim-1304-72>.
- Gokhale, A; Khusid, B; Dave, RN; Pfeffer, R. (2007). Effect of solvent strength and operating pressure on the formation of submicrometer polymer particles in supercritical microjets. *Journal of Supercritical Fluids* 43: 341-356. <http://dx.doi.org/10.1016/j.supflu.2007.05.012>.
- Goldberg, MS; Thériault, G. (1994). Retrospective cohort study of workers of a synthetic textiles plant in Quebec: I. General mortality. *Am J Ind Med* 25: 889-907.
- Golden, TC; Kumar, R. (1993). ADSORPTION EQUILIBRIUM AND KINETICS FOR MULTIPLE TRACE IMPURITIES IN VARIOUS GAS STREAMS ON ACTIVATED CARBON. *Ind Eng Chem Res* 32: 159-165.
- Goldenberg, LM; Aeiya, S; Lacaze, PC. (1992). ELECTROCHEMICAL SYNTHESIS OF COMPOSITE POLY(P-PHENYLENE) MATERIALS. *Synthetic Metals* 51: 339-342.
- Golebiowski, M; Boguś, MI; Paszkiewicz, M; Stepnowski, P. (2010). The composition of the free fatty acids from *Dendrolimus pini* exuviae. *J Insect Physiol* 56: 391-397. <http://dx.doi.org/10.1016/j.jinsphys.2009.11.009>.
- Goljer, I; Brezny, R; Pranda, J; Vodny, S. (1991). THE APT PULSE SEQUENCE IN C-13 NMR-STUDIES OF LIGNIN STRUCTURE. *Holzforschung* 45: 29-33.
- Golomb, D; Ryan, D; Underhill, J; Wade, T; Zembar, S. (1997). Atmospheric deposition of toxics onto Massachusetts Bay--II. Polycyclic aromatic hydrocarbons. *Atmos Environ* 31: 1361-1368. [http://dx.doi.org/10.1016/S1352-2310\(96\)00277-4](http://dx.doi.org/10.1016/S1352-2310(96)00277-4).
- Gomaa, NH; Abdelgawad, HR. (2012). Phytotoxic effects of *Echinochloa colona* (L.) Link. (Poaceae) extracts on the germination and seedling growth of weeds. 10: 492-501. <http://dx.doi.org/10.5424/sjar/2012102-194-11>.
- Gomes, ACC; Gomes, AKC; Magalhaes, D, ePD; Buss, DF; Simas, NK; Kuster, RM. (2016). In vitro phytotoxic activity of *Saccharum officinarum* leaves on lettuce and weed *Calopogonium mucunoides*. *Allelopathy Journal* 39: 177-189.
- Gómez, MR. (1996). Exposure determinants needed to improve the assessment of exposure [Letter]. *Am J Ind Med* 29: 569-570. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<569::AID-AJIM18>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<569::AID-AJIM18>3.0.CO;2-Z).
- Gomez, MR; Heineman, E; Dosemeci, M; Cocco, P. (1996). Matrix is a reasonable method to assess exposures. *Am J Ind Med* 30: 508-509.
- Gomez, RSG; Pandiyan, T; Iris, VEA; Luna-Pabello, V; De Bazua, CD. (2004). Spectroscopic determination of poly-aromatic compounds in petroleum contaminated soils. *Water Air Soil Pollut* 158: 137-151.
- Gomez-Ariza, JL; Giraldez, I; Morales, E. (2000). Problems associated with an environmental assessment of organotins: Application to the organic polluted Saladillo Harbor (southern Spain). *Environ Toxicol Chem* 19: 1597-1606.
- Gomez-Ariza, JL; Morales, E; Giraldez, I; Beltran, R. (1997). Acid leaching solvent extraction treatment of sediment samples for organotin speciation. *Int J Environ Anal Chem* 66: 1-13.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gómez-Canela, C; Lacorte, S. (2016). Comprehensive characterization of anticoagulant rodenticides in sludge by liquid chromatography-tandem mass spectrometry. *Environ Sci Pollut Res Int* 23: 15739-15748. <http://dx.doi.org/10.1007/s11356-016-6743-9>.
- Gómez-González, S; Ruiz-Jiménez, J; Priego-Capote, F; Luque de Castro, MD. (2010). Qualitative and Quantitative Sugar Profiling in Olive Fruits, Leaves, and Stems by Gas Chromatography-Tandem Mass Spectrometry (GC-MS/MS) after Ultrasound-Assisted Leaching. *J Agric Food Chem* 58: 12292-12299. <http://dx.doi.org/10.1021/jf102350s>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ* 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gominho, J; Lourenco, A, na; Miranda, I; Pereira, H. (2015). Radial and Axial Variation of Heartwood Properties and Extractives in Mature Trees of *Eucalyptus globulus*. *BioResources* 10: 721-731.
- Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. *Synthetic Metals* 90: 5-11.
- Goncalves, EJ; Muchovej, JJ; Muchovej, RMC. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS GLOMUS-MACROCARPUM AND BY THE PATHOGENIC FUNGUS FUSARIUM-SOLANI .1. FUNGAL AND PLANT-PARAMETERS. *Plant Soil* 132: 41-46.
- Goncalves, R, uiA; Aragao, C; Frias, PA; Sykes, AV. (2012). The use of different anaesthetics as welfare promoters during short-term human manipulation of European cuttlefish (*Sepia officinalis*) juveniles. *Aquaculture* 370: 130-135. <http://dx.doi.org/10.1016/j.aquaculture.2012.10.014>.
- Goncalves, VC; Nunes, BM; Balogh, DT; Olivati, CA. (2010). Detection of volatile organic compounds using a polythiophene derivative. *Physica Status Solidi A: Applications and Materials Science (Print)* 207: 1756-1759. <http://dx.doi.org/10.1002/pssa.200983723>.
- Gondek, K; Tabak, M; Kopec, M. (2014). EFFECT OF SOIL POLLUTION WITH POLYCYCLIC AROMATIC HYDROCARBONS ON MAIZE BIOMASS YIELD AND ACCUMULATION OF SELECTED TRACE ELEMENTS. *Journal of Elementology* 19: 989-999. <http://dx.doi.org/10.5601/jelem.2014.19.3.581>.
- Gong, J; Ma, X; Wang, S. (2007). Phosgene-free approaches to catalytic synthesis of diphenyl carbonate and its intermediates. *Appl Catal A-Gen* 316: 1-21. <http://dx.doi.org/10.1016/j.apcata.2006.09.006>.
- Gong, J; Xu, L; Yang, Y; Chen, DY; Ran, Y. (2011). Sequential ASE extraction of alkylphenols from sediments: Occurrence and environmental implications. *J Hazard Mater* 192: 643-650. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.071>.
- Gong, J; Yao, K, un; Liu, J, ie; Wen, X, in; Chen, X; Jiang, Z; Mijowska, E, wa; Tang, T, ao. (2013). Catalytic conversion of linear low density polyethylene into carbon nanomaterials under the combined catalysis of Ni<sub>2</sub>O<sub>3</sub> and poly(vinyl chloride). *Chem Eng J* 215: 339-347. <http://dx.doi.org/10.1016/j.cej.2012.11.037>.
- Gong, R; Keener, TC. (1993). A QUALITATIVE-ANALYSIS OF THE EFFECTS OF WATER-VAPOR ON MULTICOMPONENT VAPOR-PHASE CARBON ADSORPTION. *J Air Waste Manag Assoc* 43: 864-872.
- Gong, SH; Penzkofer, A. (1999). Two-photon absorption and two-photon-induced absorption of some organic liquids at 347.15 nm. *Optical and Quantum Electronics* 31: 269-290.
- Gong, W, enL; Xiong, Z, uJ; Xin, B, o; Yin, H; Duan, J, iaS; Yan, J, ie; Chen, T, ao; Hua, QX, in; Hu, B, in; Huang, ZL, i; Zhu, MQ. (2016). Twofold photoswitching of NIR fluorescence and EPR based on the PMI-N-HABI for optical nanoimaging of electrospun polymer nanowires. 4: 2498-2505. <http://dx.doi.org/10.1039/c6tc00542j>.
- Gongora-Orozco, N; Zare-Behtash, H; Kontis, K. (2010). Global unsteady pressure-sensitive paint measurements of a moving shock wave using thin-layer chromatography. *Measurement* 43: 152-155. <http://dx.doi.org/10.1016/j.measurement.2009.06.011>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO<sub>2</sub>-Washcoated Minimonaliths. *Ind Eng Chem Res* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, L; Baoguang, M; Li, L, i; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Encapsulated PDMS Microspheres with Reactive Handles. *Macromolecular Materials & Engineering* 299: 729-738. <http://dx.doi.org/10.1002/mame.201300319>.
- Gonzalez, L; Kostrzewska, M; Baoguang, M; Li, L; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Preparation and Characterization of Silicone Liquid Core/Polymer Shell Microcapsules via Internal Phase Separation. *Macromolecular Materials & Engineering* 299: 1259-1267. <http://dx.doi.org/10.1002/mame.201400020>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today* 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Arjona, D; Lopez-Perez, G; Gonzalez-Gallero, V; Gonzalez, AG. (2006). Supervised pattern recognition procedures for discrimination of whiskeys from gas chromatography/mass spectrometry congener analysis. *J Agric Food Chem* 54: 1982-1989. <http://dx.doi.org/10.1021/jf0517389>.
- Gonzalez-Perez, JA; Gonzalez-Vila, FJ; Arias, ME; Rodriguez, J; de la Rosa, JM; Maranon, T; Clemente, L. (2011). Geochemical and ecological significance of soil lipids under *Rhododendron ponticum* stands. *Environ Chem Lett* 9: 453-464. <http://dx.doi.org/10.1007/s10311-010-0300-4>.
- Gonzalez-Prior, J; Lopez-Fonseca, R; Gutierrez-Ortiz, JI; de Rivas, B. (2016). Oxidation of 1,2-dichloroethane over nanocube-shaped Co<sub>3</sub>O<sub>4</sub> catalysts. *Appl Catal B-Environ* 199: 384-393. <http://dx.doi.org/10.1016/j.apcatb.2016.06.046>.
- Good Kitzberger, CS; Smania, A, Jr; Pedrosa, RC; Salvador Ferreira, SR. (2007). Antioxidant and antimicrobial activities of shiitake (*Lentinula edodes*) extracts obtained by organic solvents and supercritical fluids. *Journal of Food Engineering* 80: 631-638. <http://dx.doi.org/10.1016/j.jfoodeng.2006.06.013>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Goodman, DG; Maronpot, RR; Newberne, PM; Popp, JA; Squire, RA. (1994). Proliferative and selected other lesions in the liver of rats. Washington, DC: Society of Toxicologic Pathologists. <http://www.toxpath.org/ssdnc/LiverProliferativeRat.pdf>.
- Gopikrishna, P; Das, D; Iyer, PK. (2015). Synthesis and characterization of color tunable, highly electroluminescent copolymers of polyfluorene by incorporating the N-phenyl-1,8-naphthalimide moiety into the main chain. 3: 9318-9326. <http://dx.doi.org/10.1039/c5tc01899d>.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology* 1: 277-284.
- Gotoh, Y; Niimi, S; Hayakawa, T; Miyashita, T. (2004). Preparation of lactose-silk fibroin conjugates and their application as a scaffold for hepatocyte attachment. *Biomaterials* 25: 1131-1140. [http://dx.doi.org/10.1016/S0142-9612\(03\)00633-1](http://dx.doi.org/10.1016/S0142-9612(03)00633-1).
- Gottwald, U; Monkhouse, P; Bonn, B. (2001). Dependence of alkali emissions in PFB combustion on coal composition. *Fuel* 80: 1893-1899.
- Goufo, P; Fontem, DA; Ngnokam, D. (2010). Evaluation of plant extracts for tomato late blight control in Cameroon. *N Z Journal Crop Hortic Sci* 38: 171-176. <http://dx.doi.org/10.1080/01140671.2010.495374>.
- Goulet, PJ; Bourret, GR; Lennox, RB. (2012). Facile phase transfer of large, water-soluble metal nanoparticles to nonpolar solvents. *Langmuir* 28: 2909-2913. <http://dx.doi.org/10.1021/la2038894>.
- Gouveia, S; Goncalves, J; Castilho, PC. (2013). Characterization of phenolic compounds and antioxidant activity of ethanolic extracts from flowers of *Andryala glandulosa* ssp *varia* (Lowe ex DC.) R.Fern., an endemic species of Macaronesia region. *Ind Crop Prod* 42: 573-582. <http://dx.doi.org/10.1016/j.indcrop.2012.06.040>.
- Göz, E; Karakeçili, A. (2016). Effect of emulsification-diffusion parameters on the formation of poly (3-hydroxybutyrate-co-3-hydroxyvalerate) particles. 44: 226-234. <http://dx.doi.org/10.3109/21691401.2014.937869>.
- Graham, MC; Allan, R; Fallick, AE; Farmer, JG. (2006). Investigation of extraction and clean-up procedures used in the quantification and stable isotopic characterisation of PAHs in contaminated urban soils. *Sci Total Environ* 360: 81-89. <http://dx.doi.org/10.1016/j.scitotenv.2005.08.026>.
- Grant, A; Briggs, AD. (2002). Toxicity of sediments from around a North Sea oil platform: are metals or hydrocarbons responsible for ecological impacts? *Mar Environ Res* 53: 95-116.
- Grant, JT; Dunwoody, N; Jakubek, V; Lees, AJ. (1998). Photoluminescent organometallic complexes as spectroscopic probes of aromatic cyanate ester polymerization. *Polymers and Polymer Composites* 6: 47-50.
- Grasso, P. (2002). *Essentials of pathology for toxicologists*. London: Taylor and Francis.
- Graves, RA; Freeman, T; Pamajula, S; Praetorius, N; Moiseyev, R; Mandal, TK. (2006). Effect of co-solvents on the characteristics of enkephalin microcapsules. *J Biomater Sci Polym Ed* 17: 709-720.
- Gray, MR; Zhao, YX; Mcknight, CM; Komar, DA; Carruthers, JD. (1999). Coking of hydroprocessing catalyst by residue fractions of bitumen. *Energy Fuels* 13: 1037-1045.
- Greathouse, JA; Cygan, RT. (2007). Computational and spectroscopic studies of dichlorofluoroethane hydrate structure and stability. *J Phys Chem C* 111: 16787-16795. <http://dx.doi.org/10.1021/jp072968o>.
- Greathouse, JA; Geatches, DL; Pike, DQ; Greenwell, HC; Johnston, CT; Wilcox, J; Cygan, RT. (2015). METHYLENE BLUE ADSORPTION ON THE BASAL SURFACES OF KAOLINITE: STRUCTURE AND THERMODYNAMICS FROM QUANTUM AND CLASSICAL MOLECULAR SIMULATION. *Clays and Clay Minerals* 63: 185-198. <http://dx.doi.org/10.1346/CCMN.2015.0630303>.
- Green, J; Trageser, M; Six, S; Unden, G; Guest, J. R. (1991). CHARACTERIZATION OF THE FNR PROTEIN OF ESCHERICHIA-COLI, AN IRON-BINDING TRANSCRIPTIONAL REGULATOR. *Proc Biol Sci* 244: 137-144.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect* 108: 261-264.
- Greenberg, A; Lwo, JH; Atherholt, TB; Rosen, R; Hartman, T; Butler, J; Louis, J. (1993). BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC-COMPOUNDS ASSOCIATED WITH AIRBORNE PARTICULATE MATTER - AN INTERSEASONAL STUDY. *Atmos Environ* (1967) 27: 1609-1626.
- Greenberg, RS; Mandel, JS; Pastides, H; Britton, NL; Rudenko, L; Starr, TB. (2001). A meta-analysis of cohort studies describing mortality and cancer incidence among chemical workers in the United States and western Europe. *Epidemiology* 12: 727-740. <http://dx.doi.org/10.1097/00001648-200111000-00023>.
- Gregorova, A; Sedlarik, V. (2016). Characterization of structural and physical properties of dichloromethane= and methanol-fractionated Kraft lignin and its adsorption capacity of Cu (II) and Ni (II) ions. *Desalination and Water Treatment* 57: 10655-10663. <http://dx.doi.org/10.1080/19443994.2015.1036364>.
- Gregory, AG; Toshitaka, U; Fumihiko, T; Daisuke, H. (2008). Effect of vapors from fractionated samples of propolis on microbial and oxidation damage of rice during storage. *Journal of Food Engineering* 88: 341-352. <http://dx.doi.org/10.1016/j.jfoodeng.2008.02.019>.
- Grevsen, K; Frette, XC; Christensen, LP. (2009). Content and Composition of Volatile Terpenes, Flavonoids and Phenolic Acids in Greek Oregano (*Origanum vulgare* L. ssp *hirtum*) at different Development Stages during Cultivation in Cool Temperate Climate. *European Journal of Horticultural Science* 74: 193-203.
- Griffini, G; Levi, M; Turri, S. (2012). Process Study of the Formation of Biodegradable Polymer Microspheres for Tissue Engineering. *Chem Eng Tech* 35: 2045-2050. <http://dx.doi.org/10.1002/ceat.201200216>.
- Griffiths, J; Lee, WJ. (2003). Synthesis, light absorption and fluorescence properties of new thiazole analogues of the xanthene dyes. *Dyes and Pigments* 57: 107-114. [http://dx.doi.org/10.1016/S0143-7208\(02\)00118-3](http://dx.doi.org/10.1016/S0143-7208(02)00118-3).
- Griffiths, J; Li, Z. (1993). AZACYANINE DYES WITH ACRIDINIUM TERMINAL GROUPS - A NEW SERIES OF NEAR-INFRARED ABSORBING DYES. *Dyes and Pigments* 21: 205-216.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Griffiths, J; Schofield, J; Wainwright, M; Brown, SB. (1997). Some observations on the synthesis of polysubstituted zinc phthalocyanine sensitizers for photodynamic therapy. *Dyes and Pigments* 33: 65-78.
- Grigorev, VI; Olman, VY; MALYAROV.LK. (1971). OPTIMIZATION OF CHROMATOGRAPHIC SEPARATION OF A METHYLENE-DICHLORETHANE CHLORIDE MIXTURES USING METHODS OF EXPERIMENT PLANNING. *Industrial Laboratory* 37: 98-&.
- Grijalva-Monteverde, H; Arellano-Tanori, OV; Valdez, MA. (2005). Zeta potential and Langmuir films of asphaltene polar fractions. *Energy Fuels* 19: 2416-2422. <http://dx.doi.org/10.1021/ef050120y>.
- Griswold, GA; Evans, S; Spielman, L; Fishman, B. (2005). Coping strategies of HIV patients with peripheral neuropathy. *AIDS Care* 17: 711-720. <http://dx.doi.org/10.1080/09540120412331336715>.
- Grombone-Guaratini, MT; Silva-Brandao, KL; Solferini, VN; Semir, J; Trigo, JR. (2005). Sesquiterpene and polyacetylene profile of the *Bidens pilosa* complex (Asteraceae : Heliantheae) from Southeast of Brazil. *Biochemical Systematics and Ecology* 33: 479-486. <http://dx.doi.org/10.1016/j.bse.2004.11.005>.
- Gron, T; Tomaszewicz, E; Kukulka, Z; Pawlus, S; Sawicki, B. (2014). Dielectric permittivity of some novel copper/cobalt and rare-earth metal tungstates. *Mater Sci Eng B* 184: 14-17. <http://dx.doi.org/10.1016/j.mseb.2014.01.006>.
- Grotjahn, R; Lai, SS. (1991). NONLINEAR IMPACTS UPON FRONTAL CYCLONES FROM DIPOLE SURFACE-TEMPERATURE ANOMALIES. *Meteorol Atmos Phys* 45: 159-180.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. *J Environ Monit* 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.
- Grozdanov, A; Errico, ME; Avella, M; Bogoeva-Gaceva, G. (2004). PEI/PTFE nanocomposites as a matrix for glass fibre-reinforced composites. *Advanced Composites Letters* 13: 145-150.
- Gu, P, eiY; Ma, Y; He, JH, ui; Long, G; Wang, C; Chen, W; Liu, Y, i; Xu, QF; Lu, JM, ei; Zhang, Q. (2015). The substituent group effect on the morphology and memory performance of phenazine derivatives. 3: 3167-3172. <http://dx.doi.org/10.1039/c5tc00003c>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res* 50: 11029-11036. <http://dx.doi.org/10.1021/le201059x>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Guay, J; Kasai, P; Diaz, A; Wu, RL; Tour, JM; Dao, LH. (1992). CHAIN-LENGTH DEPENDENCE OF ELECTROCHEMICAL AND ELECTRONIC-PROPERTIES OF NEUTRAL AND OXIDIZED SOLUBLE ALPHA,ALPHA-COUPLED THIOPHENE OLIGOMERS. *Chem Mater* 4: 1097-1105.
- Gudruman, AD; Bibire, N; Tantar, G; Apostu, M; Vieriu, M; Dorneanu, V. (2013). Validation of a New Spectrophotometric Method for the Assay of Bisoprolol Fumarate using Tropaeolin 00. *Rev Chim* 64: 393-396.
- Guelbakan, B; Uzun, C; Celikbicak, O; Gueven, G, un; Salih, B. (2008). Solid phase extraction of organochlorine pesticides with modified poly (styrene-divinylbenzene) microbeads using home-made solid phase extraction syringes. *React Funct Polym* 68: 580-593. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.014>.
- Guengerich, FP. (1997). Mechanisms of mutagenicity of DNA adducts derived from alkyl and vinyl halides. *JTTE* 43: 69-82.
- Guenther, J; Wright, AD; Burns, K; De Nys, R. (2009). Chemical antifouling defences of sea stars: effects of the natural products hexadecanoic acid, cholesterol, lathosterol and sitosterol. *Mar Ecol Prog Ser* 385 (Jun 2009): 137-149. <http://dx.doi.org/10.3354/meps08034>.
- Guerin, TF. (1999). The extraction of aged polycyclic aromatic hydrocarbon (PAH) residues from a clay soil using sonication and a Soxhlet procedure: a comparative study. *J Environ Monit* 1: 63-67.
- Guerreiro, O; Alves, SP; Costa, M; Cabo, A; Duarte, MF; Jeronimo, E; Bessa, R, uiJB. (2016). Effects of extracts obtained from *Cistus ladanifer* L. on in vitro rumen biohydrogenation. *Anim Feed Sci Technol* 219: 304-312. <http://dx.doi.org/10.1016/j.anifeedsci.2016.06.024>.
- Guignard, C; Pedron, V; Richard, F; Jacquot, R; Spagnol, M; Coustard, JM; Perot, G. (2002). Acylation of veratrole by acetic anhydride over H beta and HY zeolites - Possible role of di- and triketone by-products in the deactivation process. *Appl Catal A-Gen* 234: 79-90.
- Guiliano, M; Boukir, A; Doumenq, P; Mille, G; Crampon, C; Badens, E; Charbit, G. (2000). Supercritical fluid extraction of BAL 150 crude oil asphaltenes. *Energy Fuels* 14: 89-94.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillen, MD; Ibargoitia, ML. (1996). Volatile components of aqueous liquid smokes *Vitis vinifera* L shoots and *Fagus sylvatica* L wood. *J Sci Food Agric* 72: 104-110.
- Guillen, MD; Manzanos, MJ. (1999). Extractable components of the aerial parts of *Salvia lavandulifolia* and composition of the liquid smoke flavoring obtained from them. *J Agric Food Chem* 47: 3016-3027.
- Guillen, MD; Manzanos, MJ. (1999). Smoke and liquid smoke. Study of an aqueous smoke flavouring from the aromatic plant *Thymus vulgaris* L. *J Sci Food Agric* 79: 1267-1274.
- Guillen, MD; Manzanos, MJ; Ibargoitia, ML. (2001). Carbohydrate and nitrogenated compounds in liquid smoke flavorings. *J Agric Food Chem* 49: 2395-2403. <http://dx.doi.org/10.1021/jf000760t>.
- Guillen, MD; Manzanos, MJ; Zabala, L. (1995). STUDY OF A COMMERCIAL LIQUID SMOKE FLAVORING BY MEANS OF GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND FOURIER-TRANSFORM INFRARED-SPECTROSCOPY. *J Agric Food Chem* 43: 463-468.
- Gulyas, H; Reich, M. (1995). ORGANIC COMPOUNDS AT DIFFERENT STAGES OF A REFINERY WASTEWATER TREATMENT PLANT. *Water Sci Technol* 32: 119-126.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gulyas, H; Reich, M. (2000). Organic constituents of oil reclaiming wastewater. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 435-464.
- Gulyas, H; Reich, M; Otterpohl, R. (2011). Organic micropollutants in raw and treated greywater: a preliminary investigation. *Urban Water Journal* 8: 29-39. <http://dx.doi.org/10.1080/1573062X.2010.528435>.
- Gungor, O; Memon, S; Yilmaz, M; Roundhill, DM. (2005). Synthesis of alkyl nitrile and alkyl benzonitrile derivatives of calix[4]arene and their polymer supported analogues: A comparative study in two-phase extraction systems. *React Funct Polym* 63: 1-9. <http://dx.doi.org/10.1016/j.reactfunctpolym.2005.02.004>.
- Gun'ko, VM; Bogatyrov, VM; Turov, VV; Leboda, R; Skubiszewska-Zieba, J; Urubkov, IV. (2013). Structural features of resorcinol-formaldehyde resin chars and interfacial behavior of water co-adsorbed with low-molecular weight organics. *Appl Surf Sci* 283: 683-693. <http://dx.doi.org/10.1016/j.apsusc.2013.06.165>.
- Gun'ko, VM; Seledets, O; Skubiszewska-Zieba, J; Zarko, VI; Leboda, R; Janusz, W; Chibowski, S. (2005). Phosphorus-containing carbon deposits on silica gel Si-100. *Microporous and Mesoporous Materials* 87: 133-145. <http://dx.doi.org/10.1016/j.micromeso.2005.06.044>.
- Gun'ko, VM; Skubiszewska-Zieba, J; Leboda, R; Zarko, VI. (2000). Fumed silica modified due to pyrolysis of methylene chloride. *Langmuir* 16: 374-382.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci* 47: 1525-1532.
- Guo, D; Shi, Q; He, B; Yuan, X. (2011). Different solvents for the regeneration of the exhausted activated carbon used in the treatment of coking wastewater. *J Hazard Mater* 186: 1788-1793. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.068>.
- Guo, F, en; Ye, K, e; Cheng, K, ui; Wang, G; Cao, D. (2015). Preparation of nickel nanowire arrays electrode for urea electrooxidation in alkaline medium. *J Power Sources* 278: 562-568. <http://dx.doi.org/10.1016/j.jpowsour.2014.12.125>.
- Guo, H; Chen, Y; Ping, H; Wang, L; Peng, DL. (2012). One-pot synthesis of hexagonal and triangular nickel-copper alloy nanoplates and their magnetic and catalytic properties. *J Mater Chem* 22: 8336-8344. <http://dx.doi.org/10.1039/c2jm16095a>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, N, anNan; Zhang, Q, iuGen; Li, HM, ei; Wu, X, inMei; Liu, QL, in; Zhu, A, iMei. (2014). Facile Fabrication, Structure, and Applications of Polyvinyl Chloride Mesoporous Membranes. *Ind Eng Chem Res* 53: 20068-20073. <http://dx.doi.org/10.1021/ie503986h>.
- Guo, X; Zhou, Z; Ma, G; Wang, S; Zhao, S; Zhang, Q. (2012). Effect of process on the integrity of pore-gradient Al<sub>2</sub>O<sub>3</sub> ceramic foams by gelcasting. *Ceramics International* 38: 713-719. <http://dx.doi.org/10.1016/j.ceramint.2011.07.062>.
- Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-butyl-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. *Progr Org Coating* 76: 768-777. <http://dx.doi.org/10.1016/j.porgcoat.2013.01.006>.
- Guoneng, L; Zhihua, X; Youqu, Z; Wenwen, G; Cong, D. (2016). Experimental study on convective heat transfer from a rectangular flat plate by multiple impinging jets in laminar cross flows. *International Journal of Thermal Sciences* 108: 123-131. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.05.006>.
- Gupta, B; Chauhan, DS; Prakash, R. (2010). Controlled morphology of conducting polymers: Formation of nanorods and microspheres of polyindole. *Mater Chem Phys* 120: 625-630. <http://dx.doi.org/10.1016/j.matchemphys.2009.12.026>.
- Gupta, M; Gupta, A; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .2. Sulfate reduction. *Water Res* 30: 1387-1394.
- Gupta, M; Sharma, D; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .1. Methanogenesis. *Water Res* 30: 1377-1385.
- Gupta, S; Purwar, M; Chakrabarti, SK; Singh, S. (2012). Influence of drying of biosludge on organochlorine compounds from pulp and paper industry. *J Environ Biol* 33: 85-88.
- Gupta, VK; Agarwal, S; Tyagi, I; Sohrabi, M; Fakhri, A, li; Rashidi, S; Sadeghi, N. (2016). Microwave-assisted hydrothermal synthesis and adsorption properties of carbon nanofibers for methamphetamine removal from aqueous solution using a response surface methodology. *J Ind Eng Chem* 41: 158-164. <http://dx.doi.org/10.1016/j.jiec.2016.07.018>.
- Gurevich, AB; Teplyakov, AV; Yang, MX; Bent, BE. (1998). Synthesis, bonding, and reactions of pi-bonded allyl groups on Cu(100): Allyl radical ejection. *Langmuir* 14: 1419-1427.
- Gürses, A; Doğar, C; Karaca, S; Açıkyıldız, M; Bayrak, R. (2006). Production of granular activated carbon from waste *Rosa canina* sp. seeds and its adsorption characteristics for dye. *J Hazard Mater* 131: 254-259. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.014>.
- Gusev, AA; Gordeev, EI; Guseva, EM; Petukhin, AG; Chebrov, VN. (1997). The first version of the A(max)(M(W),R) relationship for Kamchatka. *Pure Appl Geophys* 149: 299-312.
- Gute, DM; Enander, RT; Cohen, HJ; Missaghian, R. (1999). Metal particulate and methylene chloride exposure among technicians in automotive refinishing. *Epidemiology* 10: S42-S42.
- Gutierrez-Castillo, ME; Roubicek, DA; Cebrian-Garcia, ME; De Vizcaya-Ruiz, A; Sordo-Cedeno, M; Ostrosky-Wegman, P. (2006). Effect of chemical composition on the induction of DNA damage by urban airborne particulate matter. *Environ Mol Mutagen* 47: 199-211. <http://dx.doi.org/10.1002/em.20186>.
- Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Aurrekoetxea, U; Gonzalez-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal* 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gutschmidt, K; Kettrup, A. (1992). A Diffusive Sampling Technique for the Determination of Volatile Substances in the Air at the Workplace. *Fresen Environ Bull* 1: 388-393.
- Guy, DW; Crawford, RJ; Mainwaring, DE. (1996). The wetting behaviour of several organic liquids in water on coal surfaces. *Fuel* 75: 238-242.
- Guyot; Bouseta; Scheirman, V; Collin, V. (1998). Floral Origin Markers of Chestnut and Lime Tree Honeys. *J Agric Food Chem* 46: 625-633.
- Guzman-Gutierrez, MT; Zolotukhin, MG; Fritsch, D; Ruiz-Trevino, FA; Cedillo, G; Fregoso-Israel, E; Ortiz-Estrada, C; Chavez, J; Kudla, C. (2008). Synthesis and gas transport properties of new aromatic 3F polymers. *J Memb Sci* 323: 379-385. <http://dx.doi.org/10.1016/j.memsci.2008.06.041>.
- Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2014). Phase Behavior of Poly(D-lactic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems at High Pressure. *Journal of Chemical and Engineering Data* 59: 2144-2149. <http://dx.doi.org/10.1021/je400715b>.
- Haber, J; Machej, T; Derewinski, M; Janik, R; Krysiak, J; Sadowska, H; Janas, J. (1999). Catalytic oxidation of CH<sub>2</sub>Cl<sub>2</sub> on sodium doped Al<sub>2</sub>O<sub>3</sub>. *Catalysis Today* 54: 47-55.
- Haberlein, H; Tschiersch, KP. (1998). On the occurrence of methylated and methoxylated flavonoids in *Leptospermum scoparium*. *Biochemical Systematics and Ecology* 26: 97-103.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddon, WF; Binder, RG; Wong, RY; Harden, LA; Wilson, RE; Benson, M; Stevens, KL. (1996). Potent bacterial mutagens produced by chlorination of simulated poultry chiller water. *J Agric Food Chem* 44: 256-263.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification* 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lopicque, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Hadoun, H; Sadaoui, Z; Souami, N; Sahel, D; Toumert, I. (2013). Characterization of mesoporous carbon prepared from date stems by H<sub>3</sub>PO<sub>4</sub> chemical activation. *Appl Surf Sci* 280: 1-7. <http://dx.doi.org/10.1016/j.apsusc.2013.04.054>.
- Haefs, R; Schmitz-Eiberger, M; Mohr, HD; Noga, G. (2002). Improvement of Mg uptake of grapevine by use of rapeseed oil ethoxylates for foliar application of Mg. *Vitis* 41: 7-10.
- Hägele; Simpson. (2000). The influence of mechanical, visual and contact chemical stimulation on the behavioural phase state of solitary desert locusts (*Schistocerca gregaria*). *J Insect Physiol* 46: 1295-1301.
- Hager, RL. (2006). Television viewing and physical activity in children. 39: 656-661. <http://dx.doi.org/10.1016/j.jadohealth.2006.04.020>.
- Hagimori, M; Mizuyama, N; Yokota, K; Nishimura, Y; Suzuta, M; Tai, CK; Wang, BC; Wang, SL; Shih, TL; Wu, KD; Huang, ZS; Tseng, SC; Chen, CY; Lu, JW; Wei, HH; Kawashima, K; Kawashima, S; Tominaga, Y. (2012). Synthesis of 6-(4-diethylamino)phenyl-2-oxo-2H-pyran-3-carbonitrile derivatives and their fluorescence in solid state and in solutions. *Dyes and Pigments* 92: 1069-1074. <http://dx.doi.org/10.1016/j.dyepig.2011.05.014>.
- Hagimori, M; Shigemitsu, Y; Murakami, R, yo; Yokota, K; Nishimura, Y; Mizuyama, N; Wang, B, oC; Tai, CK; Wang, S, anL; Shih, TL; Wu, KD, a; Huang, Z, hiS; Tseng, SC; Lu, JW, ei; Wei, H, oH; Nagaoka, J; Mukai, T; Kawashima, S; Kawashima, K; Tominaga, Y. (2016). 2-Pyridone-based fluorophores containing 4-dialkylamino-phenyl group: Synthesis and fluorescence properties in solutions and in solid state. *Dyes and Pigments* 124: 196-202. <http://dx.doi.org/10.1016/j.dyepig.2015.09.017>.
- Hahm, HC; Veriansyah, B; Kim, J; Kim, W, anJoo; Kim, J, aeD; Oh, SG; Lee, YW, oo. (2008). A new correlation to predict the stability of liquid jet in dense carbon dioxide. *J Ind Eng Chem* 14: 824-829. <http://dx.doi.org/10.1016/j.jiec.2008.04.002>.
- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2)((3P(J)))) WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame* 93: 327-335.
- Hajji, M; Jarraya, R; Lassoued, I; Masmoudi, O; Damak, M; Nasri, M. (2010). GC/MS and LC/MS analysis, and antioxidant and antimicrobial activities of various solvent extracts from *Mirabilis jalapa* tubers. *Process Biochemistry* 45: 1486-1493. <http://dx.doi.org/10.1016/j.procbio.2010.05.027>.
- Hakala, SH; Heinonen, IM. (1994). CHROMATOGRAPHIC PURIFICATION OF NATURAL LYCOPENE. *J Agric Food Chem* 42: 1314-1316.
- Halldorsson, JA; Little, SJ; Diamond, D; Spinks, G; Wallace, G. (2009). Controlled transport of droplets using conducting polymers. *Langmuir* 25: 11137-11141. <http://dx.doi.org/10.1021/la900835w>.
- Halldorsson, JA; Wu, Y; Brown, HR; Spinks, GM; Wallace, GG. (2011). Surfactant-controlled shape change of organic droplets using polypyrrole. *Thin Solid Films* 519: 6486-6491. <http://dx.doi.org/10.1016/j.tsf.2011.04.226>.
- Halloin, JM; Minton, EB; Petersen, HD. (1978). FUNGICIDE APPLICATION TO COTTONSEED USING METHYLENE-CHLORIDE CARRIER. *Crop Sci* 18: 909-910.
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TiO<sub>2</sub> WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells* 26: 1-16.
- Hamad, S; Podagatlapalli, GK; Mounika, R; Rao, SVS, N; Pathak, AP; Rao, SV. (2015). Studies on linear, nonlinear optical and excited state dynamics of silicon nanoparticles prepared by picosecond laser ablation. 5. <http://dx.doi.org/10.1063/1.4939017>.
- Hameed, NM; El Eter, A, li; Grosjean, T; Baida, FI. (2014). Stand-Alone Three-Dimensional Optical Tweezers Based on Fibred Bowtie Nanoaperture. *I E E E Photonics Journal* 6. <http://dx.doi.org/10.1109/JPHOT.2014.2341011>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hamidi, R; Kazemi, P. (2015). Kinetics and mechanism of sorption of chloride ion from sodium carbonate manufacturing wastewater by Mg-Al oxide. *Desalination and Water Treatment* 54: 332-341. <http://dx.doi.org/10.1080/19443994.2014.880658>.
- Han, DH; Hong, WH. (1996). Reactive extraction of lactic acid with tricetylamine/methylene chloride/n-hexane. *Separation Science and Technology* 31: 1123-1135.
- Han, J, aeHo; Yoon, SM, in. (2012). Dichloromethane Detection Based on Near-Infrared Absorptive Sensing. *I E E E Journal on Selected Topics in Quantum Electronics* 18: 1547-1552. <http://dx.doi.org/10.1109/JSTQE.2011.2180367>.
- Han, J, ie; Zhang, M; Wang, F; Geng, Q. (2010). Non-symmetric liquid crystal dimers based on 1,3,4-oxadiazole derivatives: synthesis, photoluminescence and liquid crystal behaviour. *Liquid Crystals* 37: 1471-1478. <http://dx.doi.org/10.1080/02678292.2010.527382>.
- Han, L, ei; Wang, P; Zhu, C; Zhai, Y; Dong, S. (2011). Facile solvothermal synthesis of cube-like Ag@AgCl: a highly efficient visible light photocatalyst. *Nanoscale* 3: 2931-2935. <http://dx.doi.org/10.1039/c1nr10247h>.
- Han, MJ; Lee, KW; Seo, BK. (2003). Preparation and characterization of a double-layered porous film to assay for surface radioactive contamination. *J Memb Sci* 223: 59-67. [http://dx.doi.org/10.1016/S0376-7388\(03\)00308-9](http://dx.doi.org/10.1016/S0376-7388(03)00308-9).
- Han, Q; Chen, J; Yang, X; Lu, L; Wang, X, in. (2007). Preparation of uniform Bi<sub>2</sub>S<sub>3</sub> nanorods using xanthate complexes of bismuth(III). *J Phys Chem C* 111: 14072-14077. <http://dx.doi.org/10.1021/jp0742766>.
- Han, S; Zhao, Y; Yu, T; Craik, S. (2014). Challenge Studies of the Hach GuardianBlue Early Warning System. *J Environ Eng* 140. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000776](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000776).
- Han, SO; Son, WK; Youk, JH; Lee, TS; Park, WH. (2005). Ultrafine porous fibers electrospun from cellulose triacetate. *Mater Lett* 59: 2998-3001. <http://dx.doi.org/10.1016/j.matlet.2005.05.003>.
- Han, W; Wang, S; Huang, H; Luo, L; Zhang, S. (2013). Simultaneous determination of brominated phenols in soils. *J Environ Sci* 25: 2306-2312. [http://dx.doi.org/10.1016/S1001-0742\(12\)60298-8](http://dx.doi.org/10.1016/S1001-0742(12)60298-8).
- Han, Z; Li, S; Chu, J; Chen, Y. (2013). Electrospun Pd-doped ZnO nanofibers for enhanced photocatalytic degradation of methylene blue. *Journal of Sol-Gel Science and Technology* 66: 139-144. <http://dx.doi.org/10.1007/s10971-013-2978-9>.
- Hanks, T; Glish, L; Singh, S; Johnson, D; Wright, L. (2005). Conducting polymers as substrates for surface-mounted molecular devices. *Synthetic Metals* 153: 177-180. <http://dx.doi.org/10.1016/j.synthmet.2005.07.230>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, D; Volland, G; Krause, G; Zoltzer, D. (2001). Determination and occurrence of phosphororganic compounds (POV) in dust and indoor air. *Staub, Reinhaltung der Luft* 61: 13-17.
- Hansen, LG; O'Keefe, PW. (1996). Polychlorinated dibenzofurans and dibenzo-p-dioxins in subsurface soil, superficial dust, and air extracts from a contaminated landfill. *Arch Environ Contam Toxicol* 31: 271-276.
- Hanson, D. (1991). OSHA TO CUT METHYLENE-CHLORIDE EXPOSURE LIMITS. *Chem Eng News* 69: 8-8.
- Hanson, D. (1997). Methylene chloride exposure sharply limited. *Chem Eng News* 75: 7-7.
- Hantal, G; Terleckzy, P; Horvai, G; Nyulaszi, L; Jedlovszky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C* 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, E; Fabre, B; Fronczek, FR; Vicente, MGH. (2007). Syntheses and electropolymerization of carboranyl-functionalized pyrroles and thiophenes. *Chem Mater* 19: 6195-6205. <http://dx.doi.org/10.1021/cm701935n>.
- Hao, X; Bai, C; Huang, Y, ue; Bi, J; Zhang, C; Cai, H; Zhang, X; Du, L. (2010). Preparation of cis-1,4-Polyisoprene Electrospun Microfibers. *Macromolecular Materials & Engineering* 295: 305-309. <http://dx.doi.org/10.1002/mame.200900284>.
- Hao, X; Zhang, X. (2007). Syndiotactic 1,2-polybutadiene fibers produced by electrospinning. *Mater Lett* 61: 1319-1322. <http://dx.doi.org/10.1016/j.matlet.2006.07.022>.
- Hapiot, P; Gaillon, L; Audebert, P; Moreau, JJE; Lerepote, JP; Man, MWC. (1995). SOLVENT EFFECTS ON THE POLYMERIZATION KINETICS OF SOME ALPHA-SILYLATED THIOPHENE OLIGOMERS - SPECIAL INFLUENCE OF THE ALPHA-SILYL GROUP. *Synthetic Metals* 72: 129-134.
- Harada, K; Miyasaki, T; Kawashima, S; Shiota, H. (1996). Studies on the feeding attractants for fishes and shellfishes .26. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*. *Aquaculture* 140: 99-108.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1994). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN AIR. *Atmos Environ* 28: 1319-1325.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1995). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN PRECIPITATION. *Atmos Environ* 29: 247-253.
- Haribal, M; Feeny, P. (2003). Combined roles of contact stimulant and deterrents in assessment of host-plant quality by ovipositing zebra swallowtail butterflies. *J Chem Ecol* 29: 653-670.
- Harnish, B; Robinson, JT; Pei, ZC; Ramstrom, O; Yan, MD. (2005). UV-cross-linked poly(vinylpyridine) thin films as reversibly responsive surfaces. *Chem Mater* 17: 4092-4096. <http://dx.doi.org/10.1021/cm050144i>.
- Harris, LA; Goff, JD; Carmichael, AY; Riffle, JS; Harburn, JJ; St Pierre, TG; Saunders, M. (2003). Magnetite nanoparticle dispersions stabilized with triblock copolymers. *Chem Mater* 15: 1367-1377. <http://dx.doi.org/10.1021/cm020994n>.
- Harris, MO; Sandanayake, M; Foster, SP. (1999). Chemical stimuli from apple influence the behavior of neonate caterpillars of the generalist herbivore, *Epiphyas postvittana*. *J Chem Ecol* 25: 1717-1738.
- Harrison, HF; Wechter, WP; Kousik, CS. (2012). Inhibition of Bacterial, Fungal, and Plant Growth by Testae Extracts of *Citrullus* Genotypes. *HortScience* 47: 448-451.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Harshiny, M; Iswarya, CN; Matheswaran, M. (2015). Biogenic synthesis of iron nanoparticles using *Amaranthus dubius* leaf extract as a reducing agent. *Powder Technology* 286: 744-749. <http://dx.doi.org/10.1016/j.powtec.2015.09.021>.
- Hartmans, S; Tramper, J. (1991). DICHLOROMETHANE REMOVAL FROM WASTE GASES WITH A TRICKLE-BED BIOREACTOR. 6: 83-92.
- Hasan, DB; Azizl, ARA; Daud, W, anMAWan. (2012). Oxidative mineralisation of petroleum refinery effluent using Fenton-like process. *Chem Eng Res Des* 90: 298-307. <http://dx.doi.org/10.1016/j.cherd.2011.06.010>.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol* 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hasik, M; Wojcik-Bania, M; Nyczuk, A; Gumula, T. (2013). Polysiloxane-POSS systems as precursors to SiCO ceramics. *React Funct Polym* 73: 779-788. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.006>.
- Hasirci, V; Litman, AE; Trantolo, DJ; Gresser, JD; Wise, DL; Margolis, HC. (2002). PLGA bone plates reinforced with crosslinked PPF. *J Mater Sci Mater Med* 13: 159-167.
- Hassan, AF; Youssef, AM. (2014). Preparation and characterization of microporous NaOH-activated carbons from hydrofluoric acid leached rice husk and its application for lead(II) adsorption. 15: 57-66. <http://dx.doi.org/10.5714/CL.2014.15.1.057>.
- Hassanien, MM; Abou-El-Sherbini, KS; Al-Muaiikel, NS. (2010). Immobilization of methylene blue onto bentonite and its application in the extraction of mercury (II). *J Hazard Mater* 178: 94-100. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.048>.
- Hata, H; Saeki, S; Kimura, T; Sugahara, Y; Kuroda, K. (1999). Adsorption of taxol into ordered mesoporous silicas with various pore diameters. *Chem Mater* 11: 1110-1119.
- Hatano, R; Bootink, HWG. (1994). A MORPHOLOGICAL APPROACH TO DESCRIBE SOLUTE MOVEMENT INFLUENCED BY BYPASS FLOW IN A STRUCTURED CLAY SOIL. *Soil Sci Plant Nutr* 40: 573-580.
- Hatano, R; Kawamura, N; Ikeda, J; Sakuma, T. (1992). EVALUATION OF THE EFFECT OF MORPHOLOGICAL FEATURES OF FLOW PATHS ON SOLUTE TRANSPORT BY USING FRACTAL DIMENSIONS OF METHYLENE-BLUE STAINING PATTERN. *Geoderma* 53: 31-44.
- Haufroid, V; Ligoocka, D; Buyschaert, M; Horsmans, Y; Lison, D. (2003). Cytochrome P450E1 (CYP2E1) expression in peripheral blood lymphocytes: Evaluation in hepatitis C and diabetes. *Eur J Clin Pharmacol* 59: 29-33. <http://dx.doi.org/10.1007/s00228-003-0566-6>.
- Hawthorne, SB; Miller, DJ. (2003). Evidence for very tight sequestration of BTEX compounds in manufactured gas plant soils based on selective supercritical fluid extraction and soil/water partitioning. *Environ Sci Technol* 37: 3587-3594. <http://dx.doi.org/10.1021/es020899f>.
- Hayashi, M; Hirata, Y. (2002). Transesterification mechanism in pharmaceutical intermediate (SLT-methylester) synthetic process using potassium carbonate as catalyst. *Kagaku Kogaku Ronbunshu* 28: 733-738.
- Hayes, AW. (2001). Principles and methods of toxicology (4 ed.). Philadelphia, PA: Taylor and Francis.
- Hayyan, M; Abo-Hamad, A; Alsaadi, MA; Hashim, MA. (2015). Functionalization of graphene using deep eutectic solvents. *Nanoscale Res Lett* 10: 1004. <http://dx.doi.org/10.1186/s11671-015-1004-2>.
- He, B; Chang, Z; Jiang, Y; Xu, X; Lu, P; Kwok, H, oiS; Zhou, J; Qiu, H; Zhao, Z; Tang, B, enZ. (2014). Piezochromic luminescent and electroluminescent materials comprised of tetraphenylethene plus spirobifluorene or 9, 9-diphenylfluorene. *Dyes and Pigments* 106: 87-93. <http://dx.doi.org/10.1016/j.dyepig.2014.02.026>.
- He, C; Jin, X; Ma, PX. (2014). Calcium phosphate deposition rate, structure and osteoconductivity on electrospun poly(l-lactic acid) matrix using electrodeposition or simulated body fluid incubation. *Acta Biomater* 10: 419-427. <http://dx.doi.org/10.1016/j.actbio.2013.08.041>.
- He, H; Zhang, X; Sheng, Y. (2014). Enteric-coated capsule containing  $\beta$ -galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484. <http://dx.doi.org/10.1017/S0022029914000491>.
- He, J; Zielinska, B; Balasubramanian, R. (2010). Composition of semi-volatile organic compounds in the urban atmosphere of Singapore: influence of biomass burning. *Atmos Chem Phys* 10: 11401-11413. <http://dx.doi.org/10.5194/acp-10-11401-2010>.
- He, K; Wang, X; Yu, J; Jiang, H; Xie, G; Tan, H, ua; Liu, Y, u; Ma, D; Wang, Y; Zhu, W. (2014). Synthesis and optoelectronic properties of novel fluorene-bridged dinuclear cyclometalated iridium (III) complex with A-D-A framework in the single-emissive-layer WOLEDs. *Organic Electronics* 15: 2942-2949. <http://dx.doi.org/10.1016/j.orgel.2014.08.014>.
- He, L; Lou, S; Lin, X; Qian, X; Xie, S; Wang, Z. (2016). Isolation and identification of the marine diatom *Entomoneis* sp MMOGRB 0374S (Bacillariophyta): a strain with high arachidonic acid composition. *Botanica Marina* 59: 463-471. <http://dx.doi.org/10.1515/bot-2016-0024>.
- He, WZ; Suo, QL; Hong, HL; Li, GM; Zhao, XH; Li, CP; A, S. (2006). Supercritical antisolvent micronization of natural carotene by the SEDS process through prefilming atomization. *Ind Eng Chem Res* 45: 2108-2115. <http://dx.doi.org/10.1021/ie050993f>.
- He, YJ. (2005). Interfacial synthesis and characterization of polyaniline nanofibers. *Mater Sci Eng B* 122: 76-79. <http://dx.doi.org/10.1016/j.mseb.2005.04.014>.
- Headley, JV; Barrow, MP; Peru, KM; Derrick, PJ. (2011). Salting-out effects on the characterization of naphthenic acids from Athabasca oil sands using electrospray ionization. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 844-854. <http://dx.doi.org/10.1080/10934529.2011.579857>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Hedouin-Langlet, C; Loizeau, M; Mercier, JL; Thiery, R. (2015). Paint strippers and prevention of occupational risks during building facelift: Where do we stand? *Arch Mal Prof Environ* 76: 337-344. <http://dx.doi.org/10.1016/j.admp.2014.12.011>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Heemken, OP; Reincke, H; Stachel, B; Theobald, N. (2001). The occurrence of xenoestrogens in the Elbe river and the North Sea. *Chemosphere* 45: 245-259.
- Heffner, C; Silwal, I; Peckenham, JM; Solouki, T. (2007). Emerging technologies for identification of disinfection byproducts: GC/FT-ICR MS characterization of solvent artifacts. *Environ Sci Technol* 41: 5419-5425. <http://dx.doi.org/10.1021/es062441+>.
- Hegedus, L; Mathe, T. (2005). Selective heterogeneous catalytic hydrogenation of nitriles to primary amines in liquid phase Part I. Hydrogenation of benzonitrile over palladium. *Appl Catal A-Gen* 296: 209-215. <http://dx.doi.org/10.1016/j.apcata.2005.08.024>.
- Hei, EC; Liu, HL; Shen, JG; Sun, JL; Hu, Y. (1995). DETERMINATION OF THE SOLUBILITIES OF 2,4-DICHLOROBENZALDEHYDE IN ORGANIC-SOLVENTS. *Chinese Journal of Chemical Engineering* 3: 155-162.
- Heineman, EF; Gomez, MR; Dosemeci, M; Cocco, P. (1996). Methylene chloride and brain cancer: Interpreting a new study in light of existing literature [Letter]. *Am J Ind Med* 30: 506-507. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<506::AID-AJIM20>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<506::AID-AJIM20>3.0.CO;2-7).
- Heininger, MW; Meloan, CE. (1992). A selective reagent for the removal and recovery of chromate, molybdate, tungstate, and vanadate from aqueous solution (pp. 663-669). (ISSN 0149-6395; EISSN 1520-5754; BIOSIS/92/18756). Heininger, MW; Meloan, CE.
- Hekmat, D; Feuchtinger, A; Stephan, M; Vortmeyer, D. (2004). Microbial composition and structure of a multispecies biofilm from a trickle-bed reactor used for the removal of volatile aromatic hydrocarbons from a waste gas. *J Chem Tech Biotechnol* 79: 13-21. <http://dx.doi.org/10.1002/jctb.927>.
- Hekmat, D; Vortmeyer, D. (1994). MODELING OF BIODEGRADATION PROCESSES IN TRICKLE-BED BIOREACTORS. *Chem Eng Sci* 49: 4327-4345.
- Hekmat, D; Vortmeyer, D. (2000). Biodegradation of poorly water-soluble volatile aromatic compounds from waste air. *Chem Eng Tech* 23: 315-+.
- Hekmat, M; Latawiec, A; Smith, R. (1994). DETERMINATION OF COAL-TAR PITCH VOLATILE MATERIALS ON AIR SAMPLING FILTERS - COMPARISON OF GRAVIMETRIC AND SPECTROSCOPIC METHODS. *Am Ind Hyg Assoc J* 55: 942-945.
- Hekmatara, T; Gelperina, S; Vogel, V; Yang, SR; Kreuter, J. (2009). Encapsulation of water-insoluble drugs in poly(butyl cyanoacrylate) nanoparticles. *J Nanosci Nanotechnol* 9: 5091-5098. <http://dx.doi.org/10.1166/jnn.2009.GR05>.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater* 41: 205-216.
- Hellberg, U; Ivarsson, JP; Johansson, BL. (1996). Characteristics of Superdex(R) prep grade media for gel filtration chromatography of proteins and peptides. *Process Biochemistry* 31: 163-172.
- Hellio, C; Berge, JP; Beaupoil, C; Le Gal, Y; Bourgougnon, N. (2002). Screening of marine algal extracts for anti-settlement activities against microalgae and macroalgae. *Biofouling* 18: 205-215. <http://dx.doi.org/10.1080/08927010290010137>.
- Hellio, C; De La Broise, D; Dufosse, L; Le Gal, Y; Bourgougnon, N. (2001). Inhibition of marine bacteria by extracts of macroalgae: potential use for environmentally friendly antifouling paints. *Mar Environ Res* 52: 231-247.
- Hellio, C; Marechal, JP; Véron, B; Bremer, G; Clare, AS; Le Gal, Y. (2004). Seasonal variation of antifouling activities of marine algae from the Brittany coast (France). *Mar Biotechnol* 6: 67-82. <http://dx.doi.org/10.1007/s10126-003-0020-x>.
- Hellmold, H; Rylander, T; Magnusson, M; Reihner, E; Warner, J; Gustafsson, JA. (1998). Characterization of cytochrome P450 enzymes in human breast tissue from reduction mammoplasties. *J Clin Endocrinol Metab* 83: 886-895. <http://dx.doi.org/10.1210/jc.83.3.886>.
- Hellsten, S; Qu, HY; Louhi-Kultanen, M. (2011). Screening of Binary Solvent Mixtures and Solvate Formation of Indomethacin. *Chem Eng Tech* 34: 1667-1674. <http://dx.doi.org/10.1002/ceat.201100072>.
- Hemida, AT; Birot, M; Pillot, JP; Dunogues, J; Pailler, R; Naslain, R. (1997). Synthesis and characterization of new precursors to nearly stoichiometric SiC ceramics .2. A homopolymer route. *Journal of Materials Science* 32: 3485-3490.
- Henics, T; Wheatley, DN. (1999). Cytoplasmic vacuolation, adaptation and cell death: a view on new perspectives and features [Review]. *Biol Cell* 91: 485-498. [http://dx.doi.org/10.1016/S0248-4900\(00\)88205-2](http://dx.doi.org/10.1016/S0248-4900(00)88205-2).
- Henrique, MC; Saraiva Nunomura, R, deC; Nunomura, SM; Silva, SG. (2014). Chemical constituents isolated from twigs and barks of amapazeiro (*Parahancornia amapa*, Apocynaceae). *Acta Amazonica* 44: 533-537. <http://dx.doi.org/10.1590/1809-4392201305233>.
- Henriques, CA; Monteiro, JLF; Magnoux, P; Guisnet, M. (1997). Characterization of the coke formed during o-xylene isomerization over mordenites at various temperatures. *J Catal* 172: 436-445.
- Heraty, LJ; Fuller, ME; Huang, L; Abrajano, T; Sturchio, NC. (1999). Isotopic fractionation of carbon and chlorine by microbial degradation of dichloromethane. *Organic Geochemistry* 30: 793-799.
- Herbst, B; Wiesmann, U. (1996). Kinetics and reaction engineering aspects of the biodegradation of dichloromethane and dichloroethane. *Water Res* 30: 1069-1076.
- Herman, H; Wigglesworth, M. (1982). FAR INFRARED STIMULATED EMISSIONS FROM CO<sub>2</sub>-LASER EXCITED DICHLOROMETHANE. *Int J Infrared Millimeter Waves* 3: 395-400.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation* 25: 92-107.
- Herrero, JL; Lozano, J; Santos, JP; Suárez, JI. (2016). On-line classification of pollutants in water using wireless portable electronic noses. *Chemosphere* 152: 107-116. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.106>.
- Hertz-Picciotto, I; Neutra, RR. (1994). Resolving discrepancies among studies: the influence of dose on effect size. *Epidemiology* 5: 156-163.
- Herwig, RP; Gray, JP. (1997). Microbial response to antibacterial treatment in marine microcosms. *Aquaculture* 152: 139-154.
- Herwig, RP; Gray, JP; Weston, DP. (1997). Antibacterial resistant bacteria in surficial sediments near salmon net-cage farms in Puget Sound, Washington. *Aquaculture* 149: 263-283.
- Hesari, M; Workentin, MS. (2014). Facile synthesis of Au-23(SC(CH<sub>3</sub>)(3))(16) clusters. 2: 3631-3638. <http://dx.doi.org/10.1039/c4tc00059e>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hesas, RH; Arami-Niya, A; Daud, W, anMAWan; Sahu, JN. (2013). Preparation of granular activated carbon from oil palm shell by microwave-induced chemical activation: Optimisation using surface response methodology. *Chem Eng Res Des* 91: 2447-2456. <http://dx.doi.org/10.1016/j.cherd.2013.06.004>.
- Heuertz, M. (1972). METHYLENE CHLORIDE FOR VAPOR DEGREASING. 48: 38-&.
- Hibbard, BE; Bernklau, EJ; Bjostad, LB. (1994). LONG-CHAIN FREE FATTY-ACIDS - SEMIOCHEMICALS FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 20: 3335-3344.
- Hibbard, BE; Bjostad, LB. (1990). ISOLATION OF CORN SEMIOCHEMICALS ATTRACTIVE AND REPELLENT TO WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 16: 3425-3439.
- Hibino, M; Matsuda, H; Sato, T; Ose, Y; Nagase, H; Kito, H. (1992). Generation of mutagenicity by ozonation of humic substances' components. *Sci Total Environ* 116: 1-13. [http://dx.doi.org/10.1016/0048-9697\(92\)90361-U](http://dx.doi.org/10.1016/0048-9697(92)90361-U).
- Hickey, T; Kreutzler, D; Burgess, DJ; Moussy, F. (2002). Dexamethasone/PLGA microspheres for continuous delivery of an anti-inflammatory drug for implantable medical devices. *Biomaterials* 23: 1649-1656.
- Hierrezuelo, J; Romero, V; Benavente, J; Rico, R; López-Romero, JM. (2014). Membrane surface functionalization via theophylline derivative coating and streptavidin immobilization. *Colloids Surf B Biointerfaces* 113: 176-181. <http://dx.doi.org/10.1016/j.colsurfb.2013.09.007>.
- Hierro, MTG; Najera, AI; Santamaria, G. (1992). ANALYSIS OF TRIGLYCERIDES BY REVERSED-PHASE HPLC WITH GRADIENT ELUTION USING A LIGHT-SCATTERING DETECTOR. 32: 635-651.
- Higa, KM; Guilhen, A; Vieira, LCS; Carvalho, RM; Poppi, RJ; Baptista, M; Gobbi, AL; Lima, RS; Hantao, LW. (2016). Simple Solid-Phase Extraction Method for High Efficiency and Low Cost Crude Oil emulsification. *Energy Fuels* 30: 4667-4675. <http://dx.doi.org/10.1021/acs.energyfuels.6b00553>.
- Hildenbrand, ZL; Carlton, DD; Fontenot, BE; Meik, JM; Walton, JL; Thacker, JB; Korlie, S; Shelor, CP; Kadjo, AF; Clark, A; Usenko, S; Hamilton, JS; Mach, PM; Verbeck, GF; Hudak, P; Schug, KA. (2016). Temporal variation in groundwater quality in the Permian Basin of Texas, a region of increasing unconventional oil and gas development. *Sci Total Environ* 562: 906-913. <http://dx.doi.org/10.1016/j.scitotenv.2016.04.144>.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu* 29: 653-659.
- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng* 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hindsgaul, C; Schramm, J; Gratz, L; Henriksen, U; Bentzen, JD. (2000). Physical and chemical characterization of particles in producer gas from wood chips. *Bioresour Technol* 73: 147-155.
- Hines, RN. (2007). Ontogeny of human hepatic cytochromes P450 [Review]. *J Biochem Mol Toxicol* 21: 169-175. <http://dx.doi.org/10.1002/jbt.20179>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng* 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hirade, T; Okui, Y; Han, M. (2013). A design strategy for stable light-sensitive palladium complexes. 1: 2672-2679. <http://dx.doi.org/10.1039/c3tc00779k>.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans* 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirano, H; Kadota, J; Agari, Y; Harada, T; Tanaka, M; Hasegawa, K. (2007). Linear polymers with sulfur in the main chain. IV. Synthesis of thermotropic liquid-crystalline polythioesters based on 4,4'-biphenyldithiol with excellent adhesive properties. *Polymer Engineering and Science* 47: 262-269. <http://dx.doi.org/10.1002/pen.20702>.
- Hirota, M; Shimpo, H; Ohkubo, C; Umegaki, T; Toyama, T; Hayakawa, T. (2015). Bone Adaptation of Fibronectin-Immobilized Titanium Implants Using a Tressyl Chloride-Activated Method. 24: 341-345.
- Hirsjärvi, S; Peltonen, L; Hirvonen, J. (2006). Layer-by-layer polyelectrolyte coating of low molecular weight poly(lactic acid) nanoparticles. *Colloids Surf B Biointerfaces* 49: 93-99. <http://dx.doi.org/10.1016/j.colsurfb.2006.03.009>.
- Hisaeda, Y; Masuko, T; Hanashima, E; Hayashi, T. (2006). Organic/inorganic hybrid nanomaterials with vitamin B-12 functions. *Science and Technology of Advanced Materials* 7: 655-661. <http://dx.doi.org/10.1016/j.stam.2006.08.003>.
- Hiserodt, RD; Franzblau, SG; Rosen, RT. (1998). Isolation of 6-, 8-, and 10-gingerol from ginger rhizome by HPLC and preliminary evaluation of inhibition of *Mycobacterium avium* and *Mycobacterium tuberculosis*. *J Agric Food Chem* 46: 2504-2508.
- Ho, WP; Barat, RB; Bozzelli, JW. (1992). THERMAL-REACTIONS OF CH<sub>2</sub>CL<sub>2</sub> IN H-2/O-2 MIXTURES - IMPLICATIONS FOR CHLORINE INHIBITION OF CO CONVERSION TO CO-2. *Combust Flame* 88: 265-295.
- Hoang, L, am; Joo, G, ilJae; Kim, W, onC; Yang, E, unJu; Kim, SI, n; Lee, SM, an; Shin, J, aeHo; Rhee, I, nKoo; Song, KS, ik. (2009). Growth Inhibitors of Lettuce Seedlings from *Curvibacter* sp GA75-1. *Kor J of Hort Sci Tech* 27: 319-324.
- Hodson, PV; Maj, MK; Efler, S; Burnison, BK; Vanheiningen, ARP; Girard, R; Carey, JH. (1997). MFO induction in fish by spent cooking liquors from kraft pulp mills. *Environ Toxicol Chem* 16: 908-916.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofman, J; Rhodes, A; Semple, KT. (2008). Fate and behaviour of phenanthrene in the natural and artificial soils. *Environ Pollut* 152: 468-475. <http://dx.doi.org/10.1016/j.envpol.2007.05.034>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hofmann, T; Schieberle, P; Grosch, W. (1996). Model studies on the oxidative stability of odor-active thiols occurring in food flavors. *J Agric Food Chem* 44: 251-255.
- Holbrook, MT. (2003). Methylene chloride. In RE Kirk; DF Othmer (Eds.), (4th, online ed., pp. 371-380). New York, NY: Wiley. <http://dx.doi.org/10.1002/0471238961.1305200808151202.a02.pub2>.
- Holden, AA; Mayer, KU; Ulrich, AC. (2012). Evaluating methods for quantifying cation exchange in mildly calcareous sediments in Northern Alberta. *Appl Geochem* 27: 2511-2523. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.026>.
- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria* 95: 299-312.
- Hollender, J; Koch, B; Lutermann, C; Dott, W. (2003). Efficiency of different methods and solvents for the extraction of polycyclic aromatic hydrocarbons from soils. *Int J Environ Anal Chem* 83: 21-32. <http://dx.doi.org/10.1080/0306731021000050723>.
- Hollert, H; Durr, M; Erdinger, L; Braunbeck, T. (2000). Cytotoxicity of settling particulate matter and sediments of the Neckar River (Germany) during a winter flood. *Environ Toxicol Chem* 19: 528-534.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere* 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holst, J; Martens, B; Gulyas, H; Greiser, N; Sekoulov, I. (1991). AEROBIC BIOLOGICAL REGENERATION OF DICHLOROMETHANE-LOADED ACTIVATED CARBON. *J Environ Eng* 117: 194-208.
- Holstege, DM; Francis, T; Puschner, B; Booth, MC; Galey, FD. (2000). Multiresidue screen for cardiotoxins by two-dimensional thin-layer chromatography. *J Agric Food Chem* 48: 60-64.
- Holt, MJ; Seville, N. (1992). PRECISION-MEASUREMENTS IN THE DETERMINATION OF CHROME AND SUBSTANCES SOLUBLE IN DICHLOROMETHANE. *Journal of the Society of Leather Technologists and Chemists* 76: 6-10.
- Honeycutt, ME; Mcfarland, VA; Mccant, DD. (1995). COMPARISON OF 3 LIPID EXTRACTION METHODS FOR FISH. *Bull Environ Contam Toxicol* 55: 469-472.
- Hong, G; Ma, CM. (2012). Photocatalytic Degradation of Indoor Air Pollutants by Pt-TiO<sub>2</sub>. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/405361>.
- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan* 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, H, aiL; Suo, QL; Han, L, iMin; Li, CP. (2009). Study on Precipitation of Astaxanthin in Supercritical Fluid. *Powder Technology* 191: 294-298. <http://dx.doi.org/10.1016/j.powtec.2008.10.022>.
- Hong, H, aiL; Suo, QL; He, W, enZhi; Li, CP. (2007). Formation of carotene/proanthocyanidin composite microparticles via the Solution-Enhanced Dispersion by supercritical Fluids (SEDS) process through prefilming atomization. *Ind Eng Chem Res* 46: 6630-6634. <http://dx.doi.org/10.1021/ie070590a>.
- Hong, MS; He, LY; Dale, BE; Donnelly, KC. (1995). GENOTOXICITY PROFILES AND REACTION CHARACTERISTICS OF POTASSIUM POLYETHYLENE-GLYCOL DEHALOGENATION OF WOOD PRESERVING WASTE. *Environ Sci Technol* 29: 702-708. <http://dx.doi.org/10.1021/es00003a018>.
- Hong, SK; Kim, J, inC. (2014). Ethylcellulose Microparticles Containing Photo Cross-Linked Poly(vinyl alcohol)-Coumarin Conjugate. *Int J Polym Mater* 63: 11-16. <http://dx.doi.org/10.1080/00914037.2013.769242>.
- Hong, YJ, i; Lee, HY; Kim, J, inC. (2009). Preparations and temperature-dependent release properties of Pluronic F127-containing microcapsules prepared by a double emulsion technique. *J Ind Eng Chem* 15: 758-762. <http://dx.doi.org/10.1016/j.jiec.2009.09.059>.
- Hongjun, J; Xiaoheng, L; Xin, W; Xiayi, Y. (2011). Self-assembly and photocatalytic property of amorphous cubic-like TiO<sub>2</sub>-ZnO hybrid film. *Rare Metals* 30: 225-228. <http://dx.doi.org/10.1007/s12598-011-0274-9>.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health* 35: 519-531.
- Hoor, A; Rowe, RK. (2012). Application of tire chips to reduce the temperature of secondary geomembranes in municipal solid waste landfills. *Waste Manag* 32: 901-911. <http://dx.doi.org/10.1016/j.wasman.2011.12.026>.
- Hore, DK; Walker, DS; Mackinnon, L; Richmond, GL. (2007). Molecular structure of the chloroform - Water and dichloromethane - Water interfaces. *J Phys Chem C* 111: 8832-8842. <http://dx.doi.org/10.1021/jp067176t>.
- Horhold, HH; Bleyer, A; Birkner, E; Heinze, S; Leonhardt, F. (1995). A NOVEL-APPROACH TO LIGHT-EMITTING POLYARYLENES - CYCLIZATION OF POLY(ARYLENE VINYLENES). *Synthetic Metals* 69: 525-528.
- Hori, H; Ishidao, T; Ishimatsu, S. (2010). Thermal reconditioning characteristics of a respirator cartridge for organic vapors using humid air as the desorption gas. *J Occup Health* 52: 125-131.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hoshino, K; Kuchii, R; Ogawa, T. (2008). Dinitrogen photofixation properties of different titanium oxides in conducting polymer/titanium oxide hybrid systems. *Appl Catal B-Environ* 79: 81-88. <http://dx.doi.org/10.1016/j.apcatb.2007.10.007>.
- Hosny, WM; Mohamed, GG. (2001). Thermodynamic and multinuclear magnetic resonance study of dimethyltin (IV) complexes with some imidazoles in aqueous solutions. *Ann Chim* 91: 81-92.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hossain, MA; Kabir, MJ; Salehuddin, SM. (2010). Determination of Toxic Toluene, Xylene and Cumene in Different Lake Waters. *International Journal of Environmental Research* 4: 341-346.
- Hou, C; Wang, Y; Zhu, H, ao; Wei, H, ua. (2016). Preparation of mesoporous Fe<sub>3</sub>O<sub>4</sub> nanoparticle with template reagent: Tannic acid and the catalytic performance. *Taiwan Institute of Chemical Engineers Journal* 60: 438-444. <http://dx.doi.org/10.1016/j.jtice.2015.11.005>.
- Hou, G; Yin, Q; Yang, Y, u; Hu, Y; Zhang, M; Wang, J. (2008). Solubilities of adefovir dipivoxil in different binary solvents at 298.15 K. *Journal of Chemical and Engineering Data* 53: 1021-1023. <http://dx.doi.org/10.1021/jc700664g>.
- Hou, KY; Rehman, A; Zeng, X. (2011). Study of ionic liquid immobilization on polyvinyl ferrocene substrates for gas sensor arrays. *Langmuir* 27: 5136-5146. <http://dx.doi.org/10.1021/la104191n>.
- Hou, SJ; Man, KYK; Chan, WK. (2003). Nanosized micelles formed by the self-assembly of amphiphilic block copolymers with luminescent rhenium complexes. *Langmuir* 19: 2485-2490. <http://dx.doi.org/10.1021/la020773w>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houk, VS; Early, G; Claxton, LD. (1991). Use of the spiral Salmonella assay to detect the mutagenicity of complex environmental mixtures. *Environ Mol Mutagen* 17: 112-121.
- Hourieh, MA; Alaya, MN; Youssef, AM. (1997). Carbon dioxide adsorption and decolourizing power of activated carbons prepared from Pistacia shells. *AST* 15: 419-427.
- Houtman, CJ; Leonards, PE; Kapiteijn, W; Bakker, JF; Brouwer, A; Lamoree, MH; Legler, J; Klamer, HJ. (2007). Sample preparation method for the ER-CALUX bioassay screening of (xeno-)estrogenic activity in sediment extracts. *Sci Total Environ* 386: 134-144. <http://dx.doi.org/10.1016/j.scitotenv.2007.06.002>.
- Hribsek, MF; Ristic, SS; Radojkovic, BM; Filipovic, ZL, j; Ristic, OR. (2013). Modelling of chemical surface acoustic wave sensors and comparative analysis of new sensing materials. *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields* 26: 263-274. <http://dx.doi.org/10.1002/jnm.1870>.
- Hrubec, J; Denengelsman, G; Degroot, AC; Denhartog, RS. (1995). BEHAVIOR OF ORGANIC MICROPOLLUTANTS DURING GROUNDWATER RECHARGE. *Int J Environ Anal Chem* 58: 185-198.
- HSDB (Hazardous Substances Data Bank). (2003). Dichloromethane [Database]. Bethesda, MD: National Library of Medicine.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH<sub>2</sub>CL<sub>2</sub>), CHLOROFORM (CHCl<sub>3</sub>), AND CARBON-TETRACHLORIDE (CCL<sub>4</sub>) WITH ILLUMINATED TiO<sub>2</sub> PHOTOCATALYST. *J Catal* 82: 418-423.
- Hsiao, DH; Phan, V, uTA. (2014). Effects of silt contents on the static and dynamic properties of sand-silt mixtures. *Geomechanics and Engineering* 7: 297-316.
- Hsu, B, aoC; Chen, SS; Su, C; Liu, Y, uT. (2007). Preparation and characterization of nitrogen-doped titanium dioxide. *J Nanosci Nanotechnol* 7: 3104-3110. <http://dx.doi.org/10.1166/jnn.2007.663>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hu, G; Li, J; Hou, H. (2015). A combination of solvent extraction and freeze thaw for oil recovery from petroleum refinery wastewater treatment pond sludge. *J Hazard Mater* 283: 832-840. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.028>.
- Hu, J, un; Zhang, L; Chen, J; Luo, Y; Sun, B; Chu, G. (2016). Performance and microbial analysis of a biotrickling filter inoculated by a specific bacteria consortium for removal of a simulated mixture of pharmaceutical volatile organic compounds. *Chem Eng J* 304: 757-765. <http://dx.doi.org/10.1016/j.cej.2016.06.078>.
- Hu, JW, ei; Wu, YH; Tsai, HY; Chen, K, ewYu. (2016). Synthesis, X-ray Structure, Optical, and Electrochemical Properties of a White-Light-Emitting Molecule. *Materials* 9. <http://dx.doi.org/10.3390/ma9010048>.
- Hu, K, un; Xu, Y; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and characterisation of benzoxazole-based liquid crystals possessing 3,5-difluorophenyl unit. *Liquid Crystals* 41: 1455-1464. <http://dx.doi.org/10.1080/02678292.2014.925592>.
- Hu, M, in; Kang, W; Li, Z; Jie, S, hi; Zhao, Y; Li, L, ei; Cheng, B. (2016). Zinc(II)porphyrin-poly(lactic acid) nanoporous fiber membrane for ammonia gas detection. *Journal of Porous Materials* 23: 911-917. <http://dx.doi.org/10.1007/s10934-016-0148-5>.
- Hu, QH; Qiao, SZ; Haghseresht, F; Wilson, MA; Lu, GQ. (2006). Adsorption study for removal of basic red dye using bentonite. *Ind Eng Chem Res* 45: 733-738. <http://dx.doi.org/10.1021/ie050889y>.
- Hu, TQ; Leary, G; Wong, D. (1999). A new approach towards the yellowing inhibition of mechanical pulps. Part I: Selective removal of alpha-hydroxyl and alpha-carbonyl groups in lignin model compounds. *Holzforschung* 53: 43-48.
- Hu, Y; Cai, J; Zhu, X; Gao, Y, un; Su, Q. (2006). Two-step simultaneous distillation and solvent extraction for isolation both free and bound aroma in tobacco. *Ann Chim* 96: 309-316.
- Hu, Y; Gao, H; Du, Z; Liu, Y; Yang, Y, u; Wang, C. (2015). Pickering high internal phase emulsion-based hydroxyapatite-poly(epsilon-caprolactone) nanocomposite scaffolds. *3*: 3848-3857. <http://dx.doi.org/10.1039/c5tb00093a>.
- Hu, Y; Gu, X; Chen, W; Zou, S; Wang, C. (2014). Macroporous Nanocomposite Materials Prepared by Solvent Evaporation from Pickering Emulsion Templates. *Macromolecular Materials & Engineering* 299: 1070-1080. <http://dx.doi.org/10.1002/mame.201300449>.
- Hu, Y; Liu, HL; Prausnitz, JM. (1994). A MODEL-FREE METHOD FOR CALCULATING VAPOR-LIQUID-EQUILIBRIA FOR MULTICOMPONENT SYSTEMS FROM TOTAL-PRESSURE OR BOILING-POINT DATA. *Fluid Phase Equilibria* 95: 73-92.
- Hu, Z; Song, C; Shao, Q; Li, J, un; Huang, Y. (2016). One-step functionalization of graphene by cycloaddition of diarylcarbene and its application as reinforcement in epoxy composites. *Compos Sci Tech* 135: 21-27. <http://dx.doi.org/10.1016/j.compscitech.2016.09.008>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hu, Z; Wang, Y; Shi, D; Tan, H, ua; Li, X; Wang, L, ei; Zhu, W; Cao, Y. (2010). Highly-efficiency red-emitting platinum (II) complexes containing 4'-diarylamino-1-phenylisoquinoline ligands in polymer light-emitting diodes: Synthesis, structure, photoelectron and electroluminescence. *Dyes and Pigments* 86: 166-173. <http://dx.doi.org/10.1016/j.dyepig.2009.12.014>.
- Hu, ZH; Srinivasan, MP. (2001). Mesoporous high-surface-area activated carbon. *Microporous and Mesoporous Materials* 43: 267-275.
- Hua, KF; Hsu, HY; Su, YC; Lin, IF; Yang, SS; Chen, YM; Chao, LK. (2006). Study on the antiinflammatory activity of methanol extract from seagrass *Zostera japonica*. *J Agric Food Chem* 54: 306-311. <http://dx.doi.org/10.1021/jf0509658>.
- Huang, CC; Horng, JC; Charng, JJ. (2008). Seismic stability of reinforced slopes: failure mechanisms and displacements. *Geosynthetics International* 15: 333-349. <http://dx.doi.org/10.1680/gein.2008.15.5.333>.
- Huang, CC; Lin, YC; Lu, FC. (1999). Dynamic adsorption of organic solvent vapors onto a packed bed of activated carbon cloth. *Separation Science and Technology* 34: 555-570.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J* 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J* 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J* 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CY; Song, M; Gu, ZY; Wang, HF; Yan, XP. (2011). Probing the adsorption characteristic of metal-organic framework MIL-101 for volatile organic compounds by quartz crystal microbalance. *Environ Sci Technol* 45: 4490-4496. <http://dx.doi.org/10.1021/es200256q>.
- Huang, F, uC; Lee, CK; Han, Y, inL; Chao, W, enC; Chao, HP. (2014). Preparation of activated carbon using micro-nano carbon spheres through chemical activation. *Taiwan Institute of Chemical Engineers Journal* 45: 2805-2812. <http://dx.doi.org/10.1016/j.jtice.2014.08.004>.
- Huang, J; Liu, Y; Jin, Q; Wang, X; Yang, J. (2007). Adsorption studies of a water soluble dye, Reactive Red MF-3B, using sonication-surfactant-modified attapulgite clay. *J Hazard Mater* 143: 541-548. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.088>.
- Huang, J, inHui; Xiong, Y, aLan; Zeng, GM; Guo, SH, ui; Xie, GX, in; Zhang, DM, ei; Tang, XJ; Liu, Z, hiF. (2012). Separation of phenol from various micellar solutions using MEUF. *Separation and Purification Technology* 98: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.06.037>.
- Huang, J, inHui; Zhou, CF, ei; Zeng, GM; Li, X, ue; Niu, J; Huang, H, uaJun; Shi, LJ; He, SB, ao. (2010). Micellar-enhanced ultrafiltration of methylene blue from dye wastewater via a polysulfone hollow fiber membrane. *J Memb Sci* 365: 138-144. <http://dx.doi.org/10.1016/j.memsci.2010.08.052>.
- Huang, JH; Zhao, Y; Zeng, GM; Peng, L; Li, X; Liu, LX; Li, F; Shi, LX; Yuan, F. (2015). Micellar-enhanced ultrafiltration for the solubilization of various phenolic compounds with different surfactants. *Water Sci Technol* 72: 623-631. <http://dx.doi.org/10.2166/wst.2015.257>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)(2) absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, L; Nakajo, K; Ozawa, S; Matsuda, H. (2001). Decomposition of dichloromethane in a wire-in-tube pulsed corona reactor. *Environ Sci Technol* 35: 1276-1281. <http://dx.doi.org/10.1021/es0011414>.
- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry* 30: 777-785.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr2O3-CeO2 and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Mcphedran, KN; Gamal El-Din, M. (2015). Ultra Performance Liquid Chromatography Ion Mobility Time-of-Flight Mass Spectrometry Characterization of Naphthenic Acids Species from Oil Sands Process-Affected Water. *Environ Sci Technol* 49: 11737-11745. <http://dx.doi.org/10.1021/acs.est.5b03178>.
- Huang, R; Mcphedran, KN; Sun, N; Chelme-Ayala, P; Gamal El-Din, M. (2016). Investigation of the impact of organic solvent type and solution pH on the extraction efficiency of naphthenic acids from oil sands process-affected water. *Chemosphere* 146: 472-477. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.054>.
- Huang, X; Kim, S; Heo, MS; Kim, JE; Suh, H; Kim, I. (2013). Easy synthesis of hierarchical carbon spheres with superior capacitive performance in supercapacitors. *Langmuir* 29: 12266-12274. <http://dx.doi.org/10.1021/la4026969>.
- Huang, X; Peng, K; Feng, Y; Liu, J; Lu, L. (2013). Separation and characterization of effective demulsifying substances from surface of *Alcaligenes* sp. S-XJ-1 and its application in water-in-kerosene emulsion. *Bioresour Technol* 139: 257-264. <http://dx.doi.org/10.1016/j.biortech.2013.04.043>.
- Huang, X; Shi, B; Li, B, in; Li, L; Zhang, X; Zhao, S, hu. (2006). Surface characterization of nylon 66 by inverse gas chromatography and contact angle. *Polym Test* 25: 970-974. <http://dx.doi.org/10.1016/j.polymertesting.2006.06.004>.
- Huang, Y; Ge, Z; Zhao, C; Dong, J; Shitian, M; Ma, W; Wang, G; Qian, X. (2015). Solvothermal recovery of carbon fibers from thermoset polymer-based carbon fiber reinforced polymers. *Journal of Reinforced Plastics and Composites* 34: 1673-1683. <http://dx.doi.org/10.1177/0731684415595720>.
- Huang, Y; Qiu, S, hi; Oduro, IN; Guo, X; Fang, Y. (2016). Production of High-Yield Bio-oil with a High Effective Hydrogen/Carbon Molar Ratio through Acidolysis and In Situ Hydrogenation. *Energy Fuels* 30: 9524-9531. <http://dx.doi.org/10.1021/acs.energyfuels.6b02250>.
- Huang, YY; Chung, TW. (2001). Microencapsulation of gentamicin in biodegradable PLA and/or PLA/PEG copolymer. *J Microencapsul* 18: 457-465.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Huang, Z; Zheng, B; Zhu, S; Yao, Y; Ye, Y; Lu, W; Chen, W. (2014). Photocatalytic activity of phthalocyanine-sensitized TiO<sub>2</sub>-SiO<sub>2</sub> microparticles irradiated by visible light. *Materials Science in Semiconductor Processing* 25: 148-152. <http://dx.doi.org/10.1016/j.mssp.2013.10.014>.
- Huemer, H; Wortl, K; Moser, F. (1983). A NEW APPARATUS FOR MEASUREMENT OF LIQUID LIQUID EQUILIBRIUM DATA, AND RESULTS FOR THE WATER-METHANOL-DICHLOROMETHANE SYSTEM AT 20-DEGREES-C AND 60-DEGREES-C. *Fluid Phase Equilibria* 11: 311-323.
- Huezo, L; Crumer, C; Soto, C; Tysoe, WT. (1994). GROWTH-KINETICS AND STRUCTURE OF FILMS FORMED BY THE THERMAL-DECOMPOSITION OF METHYLENE-CHLORIDE ON IRON. *Langmuir* 10: 3571-3576.
- Huezo, LA; Kotvis, PV; Crumer, C; Soto, C; Tysoe, WT. (1994). SURFACE-CHEMISTRY AND EXTREME-PRESSURE LUBRICANT ADDITIVE PROPERTIES OF CHLOROFORM ON IRON. *Appl Surf Sci* 78: 113-122.
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci* 982: 208-230.
- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health* 8: 249-270.
- Hughes, DL; Ritter, DJ; Wilson, RD. (2001). Determination of 2,4-dichlorophenoxyacetic acid (2,4-D) in human urine with mass selective detection. *J Environ Sci Health B* 36: 755-764.
- Hughes, JB; Parkin, GF. (1992). THE EFFECT OF MIXTURES OF XENOBIOTICS AND PRIMARY ELECTRON-DONOR ON THE ANAEROBIC BIOTRANSFORMATION OF HIGH-CONCENTRATIONS OF CHLORINATED ALIPHATICS. *Water Sci Technol* 26: 117-126.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng* 122: 99-106.
- Hughes, TJ; Claxton, LD; Brooks, L; Warren, S; Brenner, R; Kremer, F. (1998). Genotoxicity of bioremediated soils from the Reilly Tar site, St. Louis Park, Minnesota. *Environ Health Perspect* 106: 1427-1433.
- Hugi-Cleary, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon* 38: 1309-1313.
- Hulston, CKJ; Redlich, PJ; Jackson, WR; Larkins, FP; Marshall, M. (1996). Nickel molybdate-catalysed hydrogenation of brown coal without solvent or added sulfur. *Fuel* 75: 1387-1392.
- Hulubei, C. (2008). Maleimide-containing Polyamides. *Materiale Plastice* 45: 228-231.
- Hung, SL; Pfefferle, LD. (1989). Methyl Chloride and Methylene Chloride Incineration in a Catalytically Stabilized Thermal Combustor. *Environ Sci Technol* 23: 1085.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO<sub>2</sub> prepared by the sol-gel method. *Chemosphere* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Husein, MM; Alkhalidi, SJ. (2014). In Situ Preparation of Alumina Nanoparticles in Heavy Oil and Their Thermal Cracking Performance. *Energy Fuels* 28: 6563-6569. <http://dx.doi.org/10.1021/ef5012963>.
- Hussain, A, li; Rahman, JU, r; Maqbool, A; Kim, M, inSu; Song, T, aeK; Kim, W, onJ; Kim, MH, o. (2014). Structural and electromechanical properties of lead-free Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-BaZrO<sub>3</sub> ceramics. *Physica Status Solidi A: Applications and Materials Science (Print)* 211: 1704-1708. <http://dx.doi.org/10.1002/pssa.201330472>.
- Hussain, J; Ruan, Z; Nascimento, IA; Liu, Y; Liao, W. (2014). Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods. *Bioresour Technol* 169: 768-772. <http://dx.doi.org/10.1016/j.biortech.2014.06.074>.
- Huynh, L; Wang, ZU; Yang, J; Stoeva, V; Lough, A; Manners, I; Winnik, MA. (2005). Evaluation of phosphorescent rhenium and iridium complexes in polythionylphosphazene films for oxygen sensor applications. *Chem Mater* 17: 4765-4773. <http://dx.doi.org/10.1021/cm047794r>.
- Hwang, GW; Wu, KY; Hua, MY; Lee, HT; Chen, SA. (1998). Structures and properties of the soluble polyanilines, N-alkylated emeraldine bases. *Synthetic Metals* 92: 39-46.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere* 48: 1019-1027.
- Hwang, J; Son, Ji, k; Shim, YB, o. (2010). Electrochromic and electrochemical properties of 3-pyridinyl and 1,10-phenanthroline bearing poly(2,5-di(2-thienyl)-1H-pyrrole) derivatives. *Solar Energy Materials and Solar Cells* 94: 1286-1292. <http://dx.doi.org/10.1016/j.solmat.2010.03.027>.
- Hwang, JS; Al-Turabi, MOH; El-Sayed, L; Al-Gwidi, HAM. (2000). EPR and spectroscopic studies of S-methyl-N-salicylidenehydrazinecarbothioatophenanthroline-oxovanadium (IV) as model compound for vanadium bound to nitrogen and sulfur heteroatoms. *Energy Fuels* 14: 179-183.
- Hwang, KS; Choi, DK; Gong, SY; Cho, SY. (1997). Adsorption and thermal regeneration of methylene chloride vapor on an activated carbon bed. *Chem Eng Sci* 52: 1111-1123.
- Hwang, KW; Bang, WS; Jo, HW; Moon, JK. (2015). Dissipation and Removal of the Etofenprox Residue during Processing in Spring Onion. *J Agric Food Chem* 63: 6675-6680. <http://dx.doi.org/10.1021/acs.jafc.5b02345>.
- Hyder, M; Genberg, J; Sandahl, M; Swietlicki, E; Jonsson, J. (2012). Yearly trend of dicarboxylic acids in organic aerosols from south of Sweden and source attribution. *Atmos Environ* 57 (Sep 2012): 197-204. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.027>.
- Iafisco, M; Palazzo, B; Ito, T; Otsuka, M; Senna, M; Delgado-Lopez, JM; Gomez-Morales, J; Tampieri, A; Prat, M; Rimondini, L. (2012). Preparation of core-shell poly(L-lactic) acid-nanocrystalline apatite hollow microspheres for bone repairing applications. *J Mater Sci Mater Med* 23: 2659-2669. <http://dx.doi.org/10.1007/s10856-012-4732-1>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Iavicoli, I; Carelli, G; Bergamaschi, A. (2006). Exposure evaluation to airborne polycyclic aromatic hydrocarbons in an Italian airport. *J Occup Environ Med* 48: 815-822. <http://dx.doi.org/10.1097/01.jom.0000218692.37154.0b>.
- Ibanez, E; Bernhard, RA. (1996). Solid-phase microextraction (SPME) of pyrazines in model reaction systems. *J Sci Food Agric* 72: 91-96.
- Ibarra, A; Veloso, A; Bilbao, J; Arandes, JM, a; Castano, P. (2016). Dual coke deactivation pathways during the catalytic cracking of raw bio-oil and vacuum gasoil in FCC conditions. *Appl Catal B-Environ* 182: 336-346. <http://dx.doi.org/10.1016/j.apcatb.2015.09.044>.
- Ibarra Estrada, E; Pacheco Sanchez, M; Garcia Mateos, R; San Miguel Chavez, R; Ramirez Valverde, G; Soto Hernandez, RM. (2011). ANTIOXIDANT ACTIVITY OF Erythrina americana MILLER ALKALOIDS. *Revista Fitotecnia Mexicana* 34: 241-246.
- Ibrahim, W, anAWan; Keyon, ASA; Prastomo, N; Matsuda, A. (2011). Synthesis and characterization of polydimethylsiloxane-cyanopropyltriethoxysilane-derived hybrid coating for stir bar sorptive extraction. *Journal of Sol-Gel Science and Technology* 59: 128-134. <http://dx.doi.org/10.1007/s10971-011-2470-3>.
- Ichikawa, T; Wako, T; Nemoto, N. (2016). Synthesis of polysiloxane-based quaternized imidazolium salts with a hydroxy group at the end of alkyl groups. *React Funct Polym* 99: 1-8. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.11.009>.
- Icli, M; Pamuk, M; Algi, F; Onal, AM; Cihaner, A. (2010). A new soluble neutral state black electrochromic copolymer via a donor-acceptor approach. *Organic Electronics* 11: 1255-1260. <http://dx.doi.org/10.1016/j.orgel.2010.05.001>.
- Iero, A; Manente, S; Perin, G; Bragadin, M. (2003). Frozen mitochondria as rapid water quality bioassay. *Chemosphere* 52: 1115-1123. [http://dx.doi.org/10.1016/S0045-6535\(02\)00843-3](http://dx.doi.org/10.1016/S0045-6535(02)00843-3).
- Iglesiasilva, GA; Miller, RC; Ceballos, AD; Hall, KR; Holste, JC. (1995). ACCURATE VAPOR-PRESSURE EQUATION FOR REFRIGERANTS. *Fluid Phase Equilibria* 111: 203-212.
- Iguchi, S; Hasegawa, Y; Teramura, K; Hosokawa, S; Tanaka, T. (2016). Preparation of transition metal-containing layered double hydroxides and application to the photocatalytic conversion of CO<sub>2</sub> in water. *15: 6-14*. <http://dx.doi.org/10.1016/j.jcou.2016.04.001>.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management* 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Ikarashi, Y; Kaniwa, M; Tsuchiya, T. (2005). Monitoring of polycyclic aromatic hydrocarbons and water-extractable phenols in creosotes and creosote-treated woods made and procurable in Japan. *Chemosphere* 60: 1279-1287. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.054>.
- Ikeya, K; Ishida, Y; Ohtani, H; Yamamoto, S; Watanabe, A. (2007). Analysis of polynuclear aromatic and aliphatic components in soil humic acids using ruthenium tetroxide oxidation. *Eur J Soil Sci* 58: 1050-1061. <http://dx.doi.org/10.1111/j.1365-2389.2006.00884.x>.
- Ilharco, LM; Garcia, AR; Dasilva, JL; Lemos, MJ; Ferreira, LFV. (1997). Ultraviolet-visible and Fourier transform infrared diffuse reflectance studies of benzophenone and fluorenone adsorbed onto microcrystalline cellulose. *Langmuir* 13: 3787-3793.
- Im, T; Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(L-lactic acid), Trichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2172-2177. <http://dx.doi.org/10.1021/acs.jced.5b00319>.
- Imae, I; Moriwaki, K; Nawa, K; Noma, N; Shirota, Y. (1995). SYNTHESIS AND ELECTRICAL-PROPERTIES OF NOVEL ELECTROCHEMICALLY-DOPED VINYL-POLYMERS CONTAINING END-CAPPED QUATERTHIOPHENE AND QUINQUETHIOPHENE AS PENDANT GROUPS. *Synthetic Metals* 69: 285-286.
- Imfeld, G; Kopinke, FD; Fischer, A; Richnow, HH. (2014). Carbon and hydrogen isotope fractionation of benzene and toluene during hydrophobic sorption in multistep batch experiments. *Chemosphere* 107: 454-461. <http://dx.doi.org/10.1016/j.chemosphere.2014.01.063>.
- Inaba, M; Ogumi, Z; Takehara, ZI. (1994). APPLICATION OF THE SOLID POLYMER ELECTROLYTE METHOD TO ORGANIC ELECTROCHEMISTRY .17. INDIRECT ELECTROCHEMICAL DEBROMINATION USING VILOGENS AS MICROSCOPIC PHASE-TRANSFER MEDIATORS. *J Electrochem Soc* 141: 2579-2586.
- Inacio, M, deF; de Carvalho, MG. (2012). INSECTICIDAL ACTIVITY OF DICHLOROMETHANE AND METHANOLIC EXTRACTS OF *Azadirachta indica* (A. JUSS), *Melia azedarach* (L.) AND *Carapa guianensis* (AUBL.) (Meliaceae) ON THE SUBTERRANEAN TERMITE *Coptotermes gestroi* (WASMANN) (Isoptera, Rhinotermitidae). *28: 676-U371*.
- Inam, E, dul; Etim, UJ; Akpabio, EG; Umoren, SA. (2016). Simultaneous adsorption of lead (II) and 3,7-Bis(dimethylamino)-phenothiazin-5-ium chloride from aqueous solution by activated carbon prepared from plantain peels. *Desalination and Water Treatment* 57: 6540-6553. <http://dx.doi.org/10.1080/19443994.2015.1010236>.
- Inaoka, S; Collard, DM. (1999). Synthesis, polymerization and characterization of substituted dithieno[3,4-b : 3',4'-d]thiophenes. *J Mater Chem* 9: 1719-1725.
- Incarnato, L; Scarfato, P; Gorrasi, G; Vittoria, V; Acierno, D. (1999). Structural modifications induced by recycling of polypropylene. *Polymer Engineering and Science* 39: 1661-1666.
- Ingelman-Sundberg, M. (2004). Human drug metabolising cytochrome P450 enzymes: Properties and polymorphisms [Review]. *Naunyn Schmiedebergs Arch Pharmacol* 369: 89-104. <http://dx.doi.org/10.1007/s00210-003-0819-z>.
- Inoue, S; Nakanishi, H; Takimiya, K; Aso, Y; Otsubo, T. (1997). Electrochemical and spectroscopic properties of oligoselenophenes. *Synthetic Metals* 84: 341-342.
- Intriago, L; Diaz, E; Ordóñez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials* 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Iooss, P; Le Ray, AM; Grimandi, G; Daculsi, G; Merle, C. (2001). A new injectable bone substitute combining poly(epsilon-caprolactone) microparticles with biphasic calcium phosphate granules. *Biomaterials* 22: 2785-2794.
- Iqbal, M; Man, Z; Mukhtar, H; Dutta, BK. (2008). Solvent effect on morphology and CO<sub>2</sub>/CH<sub>4</sub> separation performance of asymmetric polycarbonate membranes. *J Memb Sci* 318: 167-175. <http://dx.doi.org/10.1016/j.memsci.2008.02.040>.
- Iqbal, T; Hussain, AI; Chatha, SA; Naqvi, SA; Bokhari, TH. (2013). Antioxidant Activity and Volatile and Phenolic Profiles of Essential Oil and Different Extracts of Wild Mint (*Mentha longifolia*) from the Pakistani Flora. 2013: 536490. <http://dx.doi.org/10.1155/2013/536490>.
- Iseida, K; Ohta, M; Ono, T; Sada, K. (2011). High swelling ability of polystyrene-based polyelectrolyte gels at low temperature. *Soft Matter* 7: 5938-5940. <http://dx.doi.org/10.1039/c1sm05542a>.
- Ishchenko, AA; Kramarenko, FG; Maydannic, AG; Sereda, SV; Vasilenko, NP. (1991). STRUCTURE AND ASSOCIATION OF CARBOCYANINES OF THE BENZ(C,D)INDOLE SERIES IN BINARY-MIXTURES OF SOLVENTS. 19: 207-219.
- Ishida, T; Mizutani, W; Azehara, H; Sato, F; Choi, N; Akiba, U; Fujihira, M; Tokumoto, H. (2001). Adsorption processes of self-assembled monolayers made from terphenyl thiols. *Langmuir* 17: 7459-7463.
- Ishihara, A; Rahman, FB; Leelawatwattana, L; Prapunpoj, P; Yamauchi, K. (2009). In vitro thyroid hormone-disrupting activity in effluents and surface waters in Thailand. *Environ Toxicol Chem* 28: 586-594. <http://dx.doi.org/10.1897/08-120.1>.
- Islam, Z; Shinozuka, J; Harkema, JR; Pestka, JJ. (2009). Purification and comparative neurotoxicity of the trichothecenes satratoxin G and roridin L2 from *Stachybotrys chartarum*. *J Toxicol Environ Health A* 72: 1242-1251. <http://dx.doi.org/10.1080/15287390903129234>.
- Islas-Flores, CA; Buenrostro-Gonzalez, E; Lira-Galeana, C. (2005). Comparisons between open column chromatography and HPLC SARA fractionations in petroleum. *Energy Fuels* 19: 2080-2088. <http://dx.doi.org/10.1021/ef050148+>.
- Isogai, H; Tadano, K; Yano, S. (2008). Liquid crystallinity in polythioethers of 1,4-bis(mercaptomethyl)benzene (MB) and 4,4'-bis(mercaptomethyl)biphenyl (MBP) with alpha,omega-dibromo-n-alkanes and polythioesters of MB and MBP with n-alkanedioyl dichlorides. *Liquid Crystals* 35: 689-694. <http://dx.doi.org/10.1080/02678290802080386>.
- Isola, C; Sieverding, HL; Raghunathan, R; Sibi, MP; Webster, DC; Sivaguru, J; Stone, JJ. (2017). Life cycle assessment of photodegradable polymeric material derived from renewable bioresources. *J Clean Prod* 142: 2935-2944. <http://dx.doi.org/10.1016/j.jclepro.2016.10.177>.
- Issam, AM; Shilla, MN; Khalil, HPS, A. (2011). Effect of Methylene Spacers of Unsaturated Polyester Resins on the Properties of Composites Based on Oil Palm Empty Fruit Bunches and Fiberglass. *Advanced Composite Materials* 20: 1-12. <http://dx.doi.org/10.1163/092430410X504170>.
- Ito, F; Honnami, H; Kawakami, H; Kanamura, K; Makino, K. (2008). Preparation and properties of PLGA microspheres containing hydrophilic drugs by the SPG (shirasu porous glass) membrane emulsification technique. *Colloids Surf B Biointerfaces* 67: 20-25. <http://dx.doi.org/10.1016/j.colsurfb.2008.07.008>.
- Ito, K; Asakawa, M; Beppu, R; Takayama, H; Miyazawa, K. (2004). PSP-toxicification of the carnivorous gastropod *Rapana venosa* inhabiting the estuary of Nikoh River, Hiroshima Bay, Hiroshima Prefecture, Japan. *Mar Pollut Bull* 48: 1116-1121. <http://dx.doi.org/10.1016/j.marpolbul.2003.12.020>.
- Ito, T; Watanabe, J; Takai, M; Konno, T; Iwasaki, Y; Ishihara, K. (2006). Dual mode bioreactions on polymer nanoparticles covered with phosphorylcholine group. *Colloids Surf B Biointerfaces* 50: 55-60. <http://dx.doi.org/10.1016/j.colsurfb.2006.04.006>.
- Ito, Y; Nakaya, T; Ioka, A; Nakayama, T; Tsukuma, H; Uehara, S; Kogawa Sato, K; Endo, G; Hayashi, T. (2016). Investigation of Spatial Clustering of Biliary Tract Cancer Incidence in Osaka, Japan: Neighborhood Effect of a Printing Factory. *J Epidemiol* 26: 459-463. <http://dx.doi.org/10.2188/jea.JE20150116>.
- Itoh, T; Ban, S; Watanabe, T; Tsuruta, S; Kawai, T; Nakamura, H. (2004). Preparation of a composite membrane containing biologically active materials. *Key Eng Mater* 254-2: 1115-1118.
- Iturriaga, H; MasPOCH, S; Canals, T; Rey, D. (2007). Analytical control of leather fat by near infrared reflectance spectroscopy. *Journal of the Society of Leather Technologists and Chemists* 91: 47-51.
- Iwamoto, M; Tanaka, Y; Hirosumi, J; Kita, N; Triwahyono, S. (2001). Enantioselective oxidation of sulfide to sulfoxide on Ti-containing mesoporous silica prepared by a template-ion exchange method. *Microporous and Mesoporous Materials* 48: 271-277.
- Iwaoka, W; Hagi, Y; Umamo, K; Shibamoto, T. (1994). VOLATILE CHEMICALS IDENTIFIED IN FRESH AND COOKED BREADFRUIT. *J Agric Food Chem* 42: 975-976.
- Iwegbue, CMA; Obi, G. (2016). Distribution, sources, and health risk assessment of polycyclic aromatic hydrocarbons in dust from urban environment in the Niger Delta, Nigeria. *Hum Ecol Risk Assess* 22: 623-638. <http://dx.doi.org/10.1080/10807039.2015.1100157>.
- Iwegbue, CMA; Onyonyewoma, UA; Basse, FI; Nwajeri, GE; Martincigh, BS. (2015). Concentrations and Health Risk of Polycyclic Aromatic Hydrocarbons in Some Brands of Biscuits in the Nigerian Market. *Hum Ecol Risk Assess* 21: 338-357. <http://dx.doi.org/10.1080/10807039.2014.916542>.
- Iwegbue, CMA; Overah, LC; Tesi, GO; Basse, FI; Martincigh, BS. (2015). Polycyclic Aromatic Hydrocarbon Profiles of Some Brands of Canned Fish in the Nigerian Market. *Hum Ecol Risk Assess* 21: 157-168. <http://dx.doi.org/10.1080/10807039.2014.892364>.
- Iyapparaj, P; Revathi, P; Ramasubburayan, R; Prakash, S; Palavesam, A; Immanuel, G; Anantharaman, P; Sautreau, A; Hellio, C. (2014). Antifouling and toxic properties of the bioactive metabolites from the seagrasses *Syringodium isoetifolium* and *Cymodocea serrulata*. *Ecotoxicol Environ Saf* 103: 54-60. <http://dx.doi.org/10.1016/j.ecoenv.2014.02.009>.
- Jabbari, E. (2001). Morphology and structure of microcapsules prepared by interfacial polycondensation of methylene bis( phenyl isocyanate) with hexamethylene diamine. *J Microencapsul* 18: 801-809.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jabli, M; Touati, R; Kacem, Y; Ben Hassine, B. (2012). New chitosan microspheres supported [bis(2-methylallyl)(1,5-cyclooctadiene)ruthenium(II)] as efficient catalysts for colour degradation in the presence of hydrogen peroxide. *J Text Inst* 103: 434-450. <http://dx.doi.org/10.1080/00405000.2011.581797>.
- Jablonski, JE; Schlessner, JE; Mariappagoudar, P. (2006). HPLC-UV method for nicotine, strychnine, and aconitine in dairy products. *J Agric Food Chem* 54: 7460-7465. <http://dx.doi.org/10.1021/jf061115a>.
- Jacobs, V; Patanaik, A; Anandjiwala, RD; Maaza, M. (2011). Optimization of Electrospinning Parameters for Chitosan Nanofibres. *Current Nanoscience* 7: 396-401.
- Jacobson, D; Monforte, AR; Silva Ferreira, AC. (2013). Untangling the chemistry of port wine aging with the use of GC-FID, multivariate statistics, and network reconstruction. *J Agric Food Chem* 61: 2513-2521. <http://dx.doi.org/10.1021/jf3046544>.
- Jacques, RA; Santos, JG; Dariva, C; Oliveira, JV; Caramao, EB. (2007). GC/MS characterization of mate tea leaves extracts obtained from high-pressure CO<sub>2</sub> extraction. *Journal of Supercritical Fluids* 40: 354-359. <http://dx.doi.org/10.1016/j.supflu.2006.07.023>.
- Jad, YE; Acosta, GA; Govender, T; Kruger, HG; El-Faham, A; de La Torre, BG; Albericio, F. (2016). Green Solid-Phase Peptide Synthesis 2.2-Methyltetrahydrofuran and Ethyl Acetate for Solid-Phase Peptide Synthesis under Green Conditions. 4: 6809-6814. <http://dx.doi.org/10.1021/acssuschemeng.6b0176S>.
- Jadav, GL; Aswal, VK; Singh, PS. (2013). Preparation of bifunctional poly(dimethylsiloxane) membrane by dual X-linking. 1: 4893-4903. <http://dx.doi.org/10.1039/c3ta10358g>.
- Jadczyk, P; Kolwzan, B. (2013). Genotoxicity of Soil Pollutants Extracted with Different Solvents. *Pol J Environ Stud* 22: 141-147.
- Jafari, S; Yaftian, MR; Parinejad, M. (2009). Facilitated transport of cadmium as anionic iodo-complexes through bulk liquid membrane containing hexadecyltrimethylammonium bromide. *Separation and Purification Technology* 70: 118-122. <http://dx.doi.org/10.1016/j.seppur.2009.09.003>.
- Jagadish, K; Srikantaswamy, S; Byrappa, K; Shruthi, L; Abhilash, MR. (2015). Dispersion of Multiwall Carbon Nanotubes in Organic Solvents through Hydrothermal Supercritical Condition. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/381275>.
- Jahan, MS; Chowdhury, DA; Islam, MK. (2006). Characterization and evaluation of golpata fronds as pulping raw materials. *Bioresour Technol* 97: 401-406. <http://dx.doi.org/10.1016/j.biortech.2005.04.003>.
- Jahanbani, AR; Behzad, T; Borhani, S; Darvanjooghi, MHK. (2016). Electrospinning of Cellulose Nanofibers Mat for Laminated Epoxy Composite Production. *Fibers and Polymers* 17: 1438-1448. <http://dx.doi.org/10.1007/s12221-016-6424-9>.
- Jain, A; Jayaraman, S; Balasubramanian, R; Srinivasan, MP. (2014). Hydrothermal pre-treatment for mesoporous carbon synthesis: enhancement of chemical activation. 2: 520-528. <http://dx.doi.org/10.1039/c3ta12648j>.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF-beta 1 from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525. <http://dx.doi.org/10.1016/j.biomaterials.2007.12.004>.
- Jaklenec, A; Wan, E; Murray, ME; Mathiowitz, E. (2008). Novel scaffolds fabricated from protein-loaded microspheres for tissue engineering. *Biomaterials* 29: 185-192. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.017>.
- Jalochowski, M; Stozak, M; Zdyb, R. (1997). Gold-induced one-dimensional ordering on vicinal Si(111). *Vacuum* 48: 273-275.
- Jamal, A; Rahman, MM; Khan, SB; Faisal, M; Akhtar, K; Rub, MA; Asiri, AM; Al-Youbi, AO. (2012). Cobalt doped antimony oxide nano-particles based chemical sensor and photo-catalyst for environmental pollutants. *Appl Surf Sci* 261: 52-58. <http://dx.doi.org/10.1016/j.apsusc.2012.07.066>.
- Jameela, SR; Suma, N; Jayakrishnan, A. (1997). Protein release from poly(epsilon-caprolactone) microspheres prepared by melt encapsulation and solvent evaporation techniques: A comparative study. *J Biomater Sci Polym Ed* 8: 457-466.
- James, PJ; Warren, GH. (1979). EFFECT OF METHYLENE DICHLORIDE AND PETROLEUM ETHER AS WAX SOLVENTS ON THE MEASURED VALUE OF WAX AND SUINT CONTENT OF WOOL. 27: 33-34.
- Jamhari, AA; Sahani, M; Latif, MT; Chan, K, okM; Tan, HS; Khan, M, dF; Tahir, NM. (2014). Concentration and source identification of polycyclic aromatic hydrocarbons (PAHs) in PM10 of urban, industrial and semi-urban areas in Malaysia. *Atmos Environ* 86: 16-27. <http://dx.doi.org/10.1016/j.atmosenv.2013.12.019>.
- Jamshidi, M; Ghaedi, M; Dashtian, K; Montazerzohori, M; Hajati, S. (2015). Schiff Base Impregnated Plasticized Polyvinyl Chloride Optical Sensor for Selective and Efficient Detection of Copper (II) Ion: Central Composite Design. *IEEE Sens J* 15: 6604-6610. <http://dx.doi.org/10.1109/JSEN.2015.2463688>.
- Jan, R; Bhat, MA; Islam, N; Khan, B. (2015). Micellar Effect of Ammonium Based Cationic Surfactants on Kinetics of Methylene Blue-Assisted Ru (III) and Cu (II) Catalyzed Cysteine/Cystine Transformation in Acidic Aqueous Media. *Journal of Surfactants and Detergents* 18: 855-862. <http://dx.doi.org/10.1007/s11743-015-1713-7>.
- Janas, J; Janik, R; Machej, T; Serwicka, EM; Bielanska, E; Bastardo-Gonzalez, E; Jones, W. (2000). Cr-doped Zr, Si-mesoporous molecular sieves as catalysts of CH<sub>2</sub>Cl<sub>2</sub> oxidation. *Catalysis Today* 59: 241-248.
- Jancso, G; Marko, L; Rebelo, LPN; Toth, K; Jakli, G. (1990). EFFECT OF DEUTERIUM SUBSTITUTION ON THE VAPOR-PRESSURE OF DICHLOROMETHANE. *Fluid Phase Equilibria* 55: 147-158.
- Jancy, B; Asha, SK. (2008). Hydrogen-bonding-induced conformational change from J to H aggregate in novel highly fluorescent liquid-crystalline perylenebisimides. *Chem Mater* 20: 169-181.
- Jandl, G; Leinweber, P; Schulten, HR. (2007). Origin and fate of soil lipids in a Phaeozem under rye and maize monoculture in Central Germany. *Biol Fertil Soils* 43: 321-332. <http://dx.doi.org/10.1007/s00374-006-0109-2>.
- Jandl, G; Schulten, HR; Leinweber, P. (2002). Quantification of long-chain fatty acids in dissolved organic matter and soils. 165: 133-139.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jang, BH; Lee, SS; Yeon, TH; Yie, JE. (1998). Effects of base metal promoters in VOC catalysts for chlorocarbons and n-hexane oxidation. *Korean J Chem Eng* 15: 516-521.
- Jang, EB; Carvalho, LA; Stark, JD. (1997). Attraction of female oriental fruit fly, *Bactrocera dorsalis*, to volatile semiochemicals from leaves and extracts of a nonhost plant, panax (*Polyscias guilfoylei*) in laboratory and olfactometer assays. *J Chem Ecol* 23: 1389-1401.
- Jang, HJ; Seo, SY; Yang, YS. (2006). Buckling behavior of stainless steel square hollow columns under eccentric loadings. *Structural Engineering and Mechanics* 23: 563-577.
- Jang, HW; Moon, JK; Shibamoto, T. (2015). Analysis and Antioxidant Activity of Extracts from Broccoli (*Brassica oleracea* L.) Sprouts. *J Agric Food Chem* 63: 1169-1174. <http://dx.doi.org/10.1021/jf504929m>.
- Jang, J, aeHo; Kim, H, eeUn; Lee, SB, ee; Lee, J; Hwang, D, oH. (2015). Blue-green phosphorescent imidazole-based iridium(III) complex with a broad full width at half maximum for solution-processed organic light-emitting diodes. *Synthetic Metals* 203: 180-186. <http://dx.doi.org/10.1016/j.synthmet.2015.02.029>.
- Jang, J; Nam, S; Im, K; Hur, J; Cha, SN, am; Kim, J; Son, HB, in; Suh, H; Loth, MA; Anthony, JE; Park, JJ, in; Park, CE, on; Kim, JM, in; Kim, K. (2012). Highly Crystalline Soluble Acene Crystal Arrays for Organic Transistors: Mechanism of Crystal Growth During Dip-Coating. *Adv Funct Mater* 22: 1005-1014. <http://dx.doi.org/10.1002/adfm.201102284>.
- Jang, J; Sah, H. (2011). Nonhalogenated solvent-based solvent evaporation process useful in preparation of PLGA microspheres. *J Microencapsul* 28: 490-498. <http://dx.doi.org/10.3109/02652048.2011.586066>.
- Jang, YC; Townsend, TG. (2001). Occurrence of organic pollutants in recovered soil fines from construction and demolition waste. *Waste Manag* 21: 703-715.
- Jansen, JC; Friess, K; Drioli, E. (2011). Organic vapour transport in glassy perfluoropolymer membranes: A simple semi-quantitative approach to analyze clustering phenomena by time lag measurements. *J Memb Sci* 367: 141-151. <http://dx.doi.org/10.1016/j.memsci.2010.10.063>.
- Jansen, JC; Macchione, M; Drioli, E. (2005). High flux asymmetric gas separation membranes of modified poly(ether ether ketone) prepared by the dry phase inversion technique. *J Memb Sci* 255: 167-180. <http://dx.doi.org/10.1016/j.memsci.2005.01.032>.
- Janssen, DB; Dekoning, W. (1995). DEVELOPMENT AND APPLICATION OF BACTERIAL CULTURES FOR THE REMOVAL OF CHLORINATED ALIPHATICS. *Water Sci Technol* 31: 237-247.
- Janssen, JM; Senser, DW. (1991). INCIPIENT SOOT FORMATION IN DICHLOROMETHANE-METHANE-AIR PREMIXED FLAMES. *Combust Flame* 84: 265-276.
- Janvier, F; Tuduri, L; Cossement, D; Drolet, D; Lara, J. (2015). Micropore characterization of activated carbons of respirator cartridges with argon, carbon dioxide, and organic vapors of different vapor pressures. *Carbon* 94: 781-791. <http://dx.doi.org/10.1016/j.carbon.2015.07.065>.
- Jarne, C; Cebolla, VL; Membrado, L; Le Mapihan, K; Giusti, P. (2011). High-Performance Thin-Layer Chromatography Using Automated Multiple Development for the Separation of Heavy Petroleum Products According to Their Number of Aromatic Rings. *Energy Fuels* 25: 4586-4594. <http://dx.doi.org/10.1021/ef200940g>.
- Jaschke, SC; Neurath, G; Franke, S; Pfau, W. (2003). Cytotoxicity of isomeric bis(dichloropropyl) ethers. *Fresen Environ Bull* 12: 613-618.
- Jaser, SS; Linsky, R; Grey, M. (2014). Coping and psychological distress in mothers of adolescents with type 1 diabetes. *Matern Child Health J* 18: 101-108. <http://dx.doi.org/10.1007/s10995-013-1239-4>.
- Jayatilaka, NK; Angela Montesano, M; Whitehead, RD; Schloth, SJ; Needham, LL; Barr, DB. (2011). High-throughput sample preparation for the quantitation of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea, and propylenethiourea in human urine using 96-well-plate automated extraction and high-performance liquid chromatography-tandem mass spectrometry. *Arch Environ Contam Toxicol* 61: 59-67. <http://dx.doi.org/10.1007/s00244-010-9593-3>.
- Jeffreys, MF; Nunez, CV. (2016). Triterpenes of leaves from *Piranhea trifoliata* (Picrodendraceae). *Acta Amazonica* 46: 189-194. <http://dx.doi.org/10.1590/1809-4392201504572>.
- Jella; Rouseff; Goodner; Widmer. (1998). Determination of Key Flavor Components in Methylene Chloride Extracts from Processed Grapefruit Juice. *J Agric Food Chem* 46: 242-247.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem* 16: 1021-1031.
- Jenkins, SWD; Koester, CJ; Taguchi, VY; Wang, DT; Palmentier, JPF, P; Hong, K, imP. (1995). N-Nitrosodimethylamine in Drinking Water Using a Rapid, Solid-Phase Extraction Method. *Environ Sci Pollut Res Int* 2: 207-210.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Methanes. *J Environ Eng* 137: 416-432. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000343](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000343).
- Jensen, PK; Wujcik, CE; Mcguire, MK; Mcguire, MA. (2016). Validation of reliable and selective methods for direct determination of glyphosate and aminomethylphosphonic acid in milk and urine using LC-MS/MS. *J Environ Sci Health B* 51: 254-259. <http://dx.doi.org/10.1080/03601234.2015.1120619>.
- Jeon, HS; Choi, CH; Kang, SM; Kwon, HK; Kim, BI. (2015). Chlorhexidine-releasing orthodontic elastomers. *Dent Mater J* 34: 321-326. <http://dx.doi.org/10.4012/dmj.2014-216>.
- Jeon, JM, in; Choi, H, eeWon; Yoo, GC; Choi, YK; Choi, KY; Park, HY; Park, SH, ee; Kim, Y, unGon; Kim, HJ, oo; Lee, SH; Lee, Y, ooK; Yang, YH, un. (2013). New mixture composition of organic solvents for efficient extraction of lipids from *Chlorella vulgaris*. *Biomass and Bioenergy* 59: 279-284. <http://dx.doi.org/10.1016/j.biombioe.2013.09.009>.
- Jeong, D; Oh, J; Yum, I, na; Lee, Y. (2010). Removal of VOCs from their aqueous solution by pervaporation with PDMS-zeolite composite membrane. *Desalination and Water Treatment* 17: 242-247. <http://dx.doi.org/10.5004/dwt.2010.1724>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jeong, H, yeWon; Choi, SY, o; Hong, SH, ui; Lim, SK; Han, DS, uk; Abdel-Wahab, A; Park, H. (2014). Shape-Dependent Charge Transfers in Crystalline ZnO Photocatalysts: Rods versus Plates. *J Phys Chem C* 118: 21331-21338. <http://dx.doi.org/10.1021/jp506032f>.
- Jeong, H; Roh, HG; Lee, J; Park, J. (2016). Low-temperature Pyrolysis on Jute Fibers as A Thermochemical Modification Method. *Fibers and Polymers* 17: 540-552. <http://dx.doi.org/10.1007/s12221-016-5879-z>.
- Jeong, HH, o; Yoo, K, iP; Lim, JS. (2008). Preparation of Polystyrene submicron particles using ASES process in supercritical carbon dioxide. *J Ind Eng Chem* 14: 77-83. <http://dx.doi.org/10.1016/j.jiec.2007.08.002>.
- Jeong, K, iY; Lee, J, iSun; Paik, DH; Jung, W, onKyo; Choi, SW. (2016). Fabrication of cell-penetrable microfibrillar matrices with a highly porous structure using a simple fluidic device for tissue engineering. *Mater Lett* 168: 116-120. <http://dx.doi.org/10.1016/j.matlet.2016.01.045>.
- Jermakowicz-Bartkowiak, D. (2005). Preparation, characterisation and sorptive properties towards noble metals of the resins from poly(vinylbenzyl chloride) copolymers. *React Funct Polym* 62: 115-128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.10.002>.
- Jeun, JP; Lim, YM; Nho, YC. (2005). Study on morphology of electrospun poly(caprolactone) nanofiber. *J Ind Eng Chem* 11: 573-578.
- Jewett, DK; Bjostad, LB. (1996). Dichloromethane attracts dipterid larvae in a laboratory behavioral bioassay. *J Chem Ecol* 22: 1331-1344.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 97: 109-125.
- Ji, WC; Sikdar, SK; Hwang, ST. (1994). MODELING OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 93: 1-19.
- Ji, X; Yang, W; Wang, T; Mao, C; Guo, L; Xiao, J; He, N. (2013). Coaxially electrospun core/shell structured poly(L-lactide) acid/chitosan nanofibers for potential drug carrier in tissue engineering. *Journal of Biomedical Nanotechnology* 9: 1672-1678. <http://dx.doi.org/10.1166/jbn.2013.1665>.
- Jia, L; Ma, J; Shi, Q; Long, C. (2017). Prediction of Adsorption Equilibrium of VOCs onto Hyper-Cross-Linked Polymeric Resin at Environmentally Relevant Temperatures and Concentrations Using Inverse Gas Chromatography. *Environ Sci Technol* 51: 522-530. <http://dx.doi.org/10.1021/acs.est.6b05039>.
- Jia, Y; Zhang, Y; Wang, R; Yi, J; Feng, X, u; Xu, Q. (2012). Mesoporous Zirconium Phosphonate Hybrid Material as Adsorbent to Heavy Metal Ions. *Ind Eng Chem Res* 51: 12266-12273. <http://dx.doi.org/10.1021/ie300253z>.
- Jiang, B, in; Kuang, B, inYu; Liang, Y; Zhang, J; Huang, XHH; Xu, C; Yu, JZ; Shi, Q. (2016). Molecular composition of urban organic aerosols on clear and hazy days in Beijing: a comparative study using FT-ICR MS. *Environ Chem* 13: 888-901. <http://dx.doi.org/10.1071/EN15230>.
- Jiang, B, in; Wei, T; Zou, TT; Rempel, GL; Pan, Q, inM. (2015). A Novel Approach for Degradation of Polybutadiene and Synthesis of Diene-Based Telechelic Oligomers via Olefin Cross Metathesis. *Macromolecular Reaction Engineering* 9: 480-489. <http://dx.doi.org/10.1002/mren.201500004>.
- Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2009). Isocyanate-modified TiO<sub>2</sub> visible-light-activated photocatalyst. *Appl Catal B-Environ* 88: 165-172. <http://dx.doi.org/10.1016/j.apcatb.2008.09.021>.
- Jiang, HH; Kamdem, DP. (2004). Development of poly(vinyl chloride)/wood composites. A literature review. *Journal of Vinyl and Additive Technology* 10: 59-69. <http://dx.doi.org/10.1002/vnl.20009>.
- Jiang, XZ; Zhang, LQ; Wu, XH; Zheng, L. (1996). Catalytic decomposition of methylene chloride by sulfated oxide catalysts. *Appl Catal B-Environ* 9: 229-237.
- Jiang, Y; Lei, C; Niu, C; Fang, Y; Xiao, C; Zhang, Z. (2002). Semiochemicals from ovaries of gravid females attract ovipositing female houseflies, *Musca domestica*. *J Insect Physiol* 48: 945-950.
- Jiang, Y; Liu, M, in; Sun, W; Li, L; Qian, Y, u. (2010). Phase Behavior of Poly(lactic acid)/Poly(ethylene glycol)/Poly(lactic acid) (PLA-PEG-PLA) in Different Supercritical Systems of CO<sub>2</sub> + Dichloromethane and CO<sub>2</sub> + C<sub>2</sub>H<sub>5</sub>OH + Dichloromethane. *Journal of Chemical and Engineering Data* 55: 4844-4848. <http://dx.doi.org/10.1021/jc1004406>.
- Jiang, Y; Sun, W; Wang, W, ei. (2012). Recrystallization and Micronization of 10-Hydroxycamptothecin by Supercritical Antisolvent Process. *Ind Eng Chem Res* 51: 2596-2602. <http://dx.doi.org/10.1021/ie2020334>.
- Jian-ming, Y; Jian-meng, C; Jia-de, W. (2006). Removal of dichloromethane from waste gases by a biotrickling filter. *J Environ Sci* 18: 1073-1076.
- Jianming, Y; Wei, L; Zhuowei, C; Yifeng, J; Wenji, C; Jianmeng, C. (2014). Dichloromethane removal and microbial variations in a combination of UV pretreatment and biotrickling filtration. *J Hazard Mater* 268: 14-22. <http://dx.doi.org/10.1016/j.jhazmat.2013.12.068>.
- Jianming, Y; Wenji, C; Shiliang, Z; Yan, W; Jianmeng, C. (2013). Aerobic Biodegradation of Chlorinated Hydrocarbons by *Bacillus circulans* WZ-12 CCTCC M 207006 under Saline Conditions. *Chinese Journal of Chemical Engineering* 21: 781-786. [http://dx.doi.org/10.1016/S1004-9541\(13\)60536-4](http://dx.doi.org/10.1016/S1004-9541(13)60536-4).
- Jiliang, W; Kaimin, N; Bo, T; Liqun, S. (2012). Effect of methylene blue (MB)-value of manufactured sand on the durability of concretes. *Journal of Wuhan University of Technology--Materials Science Edition* 27: 1160-1164. <http://dx.doi.org/10.1007/s11595-012-0622-0>.
- Jimenez, MV; Algarra, M; Jimenez, JJ; Lamotte, M. (2004). Evaluation of new surfactant expanded zirconium and titanium phosphates for polycyclic aromatic hydrocarbons extraction from waters. *Chemosphere* 57: 179-186. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.009>.
- Jimenez, PC; Wilke, DV; Takeara, R; Lotufo, TM; Pessoa, C; de Moraes, MO; Lopes, NP; Costa-Lotufo, LV. (2008). Cytotoxic activity of a dichloromethane extract and fractions obtained from *Eudistoma vancouveri* (Tunicata: Ascidiacea). *Comp Biochem Physiol A Mol Integr Physiol* 151: 391-398. <http://dx.doi.org/10.1016/j.cbpa.2007.02.018>.
- Jin, F; Hu, J; Liu, J; Yang, M; Wang, F; Wang, H. (2008). Sequestration of nonylphenol in sediment from Bohai Bay, North China. *Environ Sci Technol* 42: 746-751. <http://dx.doi.org/10.1021/es071522i>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jin, L; Dai, B, in. (2012). TiO<sub>2</sub> activation using acid-treated vermiculite as a support: Characteristics and photoreactivity. *Appl Surf Sci* 258: 3386-3392. <http://dx.doi.org/10.1016/j.apsusc.2011.11.017>.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res* 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, LY; Mah, S. (2002). PET fabric supported fixed site carrier membrane for selective metal ion transport. *Fibers and Polymers* 3: 14-17.
- Jin, X; Jiang, G; Huang, G; Liu, J; Zhou, Q. (2004). Determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in surface waters from the Haihe River in Tianjin by gas chromatography-mass spectrometry with selected ion monitoring. *Chemosphere* 56: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.052>.
- Jin, XL; Huang, GL; Jiang, GB; Zhou, QF; Liu, JF. (2004). Simultaneous determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in Guanting Reservoir using gas chromatography-mass spectrometry with selected ion monitoring. *J Environ Sci* 16: 825-828.
- Jin, Y; Veiga, MC; Kennes, C. (2007). Co-treatment of hydrogen sulfide and methanol in a single-stage biotrickling filter under acidic conditions. *Chemosphere* 68: 1186-1193. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.069>.
- Jin, Y; Wang, MF; Rosen, RT; Ho, CT. (1999). Thermal degradation of sulfuraphane in aqueous solution. *J Agric Food Chem* 47: 3121-3123.
- Jin, YM; Veiga, MC; Kennes, C. (2005). Autotrophic deodorization of hydrogen sulfide in a biotrickling filter. *J Chem Tech Biotechnol* 80: 998-1004. <http://dx.doi.org/10.1002/jctb.1275>.
- Jing, P; Fang, X; Yan, J; Guo, J, ie; Fang, Y, u. (2013). Ultra-low density porous polystyrene monolith: facile preparation and superior application. 1: 10135-10141. <http://dx.doi.org/10.1039/c3ta11761h>.
- Jing, S; Zheng, C; Pu, S; Fan, C; Liu, G. (2014). A highly selective ratiometric fluorescent chemosensor for Hg<sup>2+</sup> based on a new diarylethene with a stilbene-linked terpyridine unit. *Dyes and Pigments* 107: 38-44. <http://dx.doi.org/10.1016/j.dyepig.2014.03.023>.
- Jo, JW; Jung, JW; Lee, JU; Jo, WH. (2010). Fabrication of highly conductive and transparent thin films from single-walled carbon nanotubes using a new non-ionic surfactant via spin coating. *ACS Nano* 4: 5382-5388. <http://dx.doi.org/10.1021/nn1009837>.
- Jo, M, iY; Park, S; Kim, J. (2012). Synthesis, optical and electrochemical properties of in-situ thermally cross-linkable oligo(10H-alkylphenothiazine). *Synthetic Metals* 162: 70-78. <http://dx.doi.org/10.1016/j.synthmet.2011.11.012>.
- Johnson, C; Ottiger, S; Pini, R; Gorman, EA; Nguyen, JG; Munson, EJ; Mazzotti, M; Borovik, AS; Subramaniam, B. (2009). Near-Stoichiometric O-2 Binding on Metal Centers In Co(salen) Nanoparticles. *AIChE J* 55: 1040-1045. <http://dx.doi.org/10.1002/aic.11740>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress* 19: 157-166.
- Johnson, PJ; Skornia, SL; Stabenfeldt, SE; Willits, RK. (2008). Maintaining bioactivity of NGF for controlled release from PLGA using PEG. *J Biomed Mater Res A* 86: 420-427. <http://dx.doi.org/10.1002/jbm.a.31635>.
- Johnson, TB; Long, ER. (1998). Rapid toxicity assessment of sediments from estuarine ecosystems: A new tandem in vitro testing approach. *Environ Toxicol Chem* 17: 1099-1106.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Jonassaint, CR; Boyle, SH; Kuhn, CM; Siegler, IC; Copeland, WE; Williams, R. (2010). Personality and inflammation: the protective effect of openness to experience. *Ethn Dis* 20: 11-14.
- Jonasson, A; Persson, O; Rasmussen, P; Astrath, DU. (2000). Vapor-liquid equilibria of systems containing dichloromethane and gaseous components. *Journal of Chemical and Engineering Data* 45: 642-646.
- Jones, CL; Higgins, SJ. (1999). Symmetrical alkyl-substituted oligothiophenes as ligands: complexation of the [(eta-C<sub>5</sub>H<sub>4</sub>)Ru]<sup>+</sup> moiety by hexyl-substituted ter-, quater- and quinque-thiophenes. *J Mater Chem* 9: 865-874.
- Jones, CM; Donnelly, PE; Schwartz, J. (2010). A nanoscale interface improves attachment of cast polymers to glass [Letter]. *ACS Applied Materials & Interfaces* 2: 2185-2188. <http://dx.doi.org/10.1021/am1004893>.
- Jones, DS; Mccoy, CP; Andrews, GP. (2011). Physicochemical and drug diffusion analysis of rifampicin containing polyethylene glycol-poly(epsilon-caprolactone) networks designed for medical device applications. *Chem Eng J* 172: 1088-1095. <http://dx.doi.org/10.1016/j.cej.2011.05.024>.
- Jones, KC; Green, NJL; Bernardo, FJG. (2006). A contribution to the determination of polychlorobenzenes in sediments. *Soil Sediment Contam* 15: 315-326. <http://dx.doi.org/10.1080/15320380600646381>.
- Jones, RD; Jacobson, ME; Jaffe, R; Westthomas, J; Arfstrom, C; Alli, A. (1995). METHOD DEVELOPMENT AND SAMPLE PROCESSING OF WATER, SOIL, AND TISSUE FOR THE ANALYSIS OF TOTAL AND ORGANIC MERCURY BY COLD VAPOR ATOMIC FLUORESCENCE SPECTROMETRY. *Water Air Soil Pollut* 80: 1285-1294.
- Jonker, MTO; Koelmans, AA. (2002). Extraction of polycyclic aromatic hydrocarbons from soot and sediment: Solvent evaluation and implications for sorption mechanism. *Environ Sci Technol* 36: 4107-4113. <http://dx.doi.org/10.1021/es0103290>.
- Jonnalagadda, SB; Shezi, MN. (2009). Kinetics and mechanism of the oxidation of methylene violet by bromate at acidic pH and the dual role of bromide ion. *J Phys Chem A* 113: 5540-5549. <http://dx.doi.org/10.1021/jp810015p>.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software [Review]. *Toxicol Lett* 138: 143-150. [http://dx.doi.org/10.1016/S0378-4274\(02\)00369-7](http://dx.doi.org/10.1016/S0378-4274(02)00369-7).
- Jop, KM; Kendall, TZ; Askew, AM; Foster, RB. (1991). USE OF FRACTIONATION PROCEDURES AND EXTENSIVE CHEMICAL-ANALYSIS FOR TOXICITY IDENTIFICATION OF A CHEMICAL-PLANT EFFLUENT. *Environ Toxicol Chem* 10: 981-990.
- Jorge, RMF; Livingston, AG. (2000). Biological treatment of an alternating source of organic compounds in a single tube extractive membrane bioreactor. *J Chem Tech Biotechnol* 75: 1174-1182.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jorge, VG; Ángel, JR; Adrián, TS; Francisco, AC; Anuar, SG; Samuel, ES; Ángel, SO; Emmanuel, HN. (2013). Vasorelaxant activity of extracts obtained from *Apium graveolens*: possible source for vasorelaxant molecules isolation with potential antihypertensive effect. 3: 776-779. [http://dx.doi.org/10.1016/S2221-1691\(13\)60154-9](http://dx.doi.org/10.1016/S2221-1691(13)60154-9).
- Joshi, L; Prakash, R. (2012). Polyindole-Au nanocomposite produced at the liquid/liquid interface. *Mater Lett* 66: 250-253. <http://dx.doi.org/10.1016/j.matlet.2011.08.087>.
- Joshi, MP; Raj Mohan, S; Dharmi, TS; Jain, B; Singh, MK; Ghosh, H; Shripathi, T; Deshpande, UP. (2008). Enhanced optoelectronic properties of UV-light-induced photodegraded TPD. *Applied Physics A: Materials Science and Processing* 90: 351-358. <http://dx.doi.org/10.1007/s00339-007-4283-3>.
- Jovancicevic, B; Antic, MP; Solevic, TM; Vrvic, MV; Kronimus, A; Schwarzbauer, J. (2005). Investigation of interactions between surface water and petroleum-type pollutants. *Environ Sci Pollut Res Int* 12: 205-212. <http://dx.doi.org/10.1065/espr2004.12.229>.
- Jovic, S; Keurentjes, JTF; Schouten, JC; van Der Schaaf, J. (2016). A new hydrate based process for drying liquids. *Chem Eng Res Des* 115: 423-432. <http://dx.doi.org/10.1016/j.cherd.2016.09.015>.
- Ju, G; Cheng, M; Shi, F. (2014). A pH-responsive smart surface for the continuous separation of oil/water/oil ternary mixtures. 6. <http://dx.doi.org/10.1038/am.2014.44>.
- Ju, Z; Wang, T; Wang, L; Xing, Z; Xu, L; Qian, Y. (2010). A simple pyrolysis route to synthesize leaf-like carbon sheets. *Carbon* 48: 3420-3426. <http://dx.doi.org/10.1016/j.carbon.2010.05.037>.
- Juan, Y; Ke-qiang, Q. (2012). Preparation of activated carbons by ZnCl<sub>2</sub> activation from herb residues under vacuum. *Xinxing Tancailliao* 27: 294-300.
- Juca, TL; Ramos, MV; Mendes Batista Moreno, FB; Viana de Matos, MP; Barreto Marinho-Filho, JD; Moreira, RA; de Oliveira Monteiro-Moreira, A. (2013). Insights on the Phytochemical Profile (Cyclopeptides) and Biological Activities of *Calotropis procera* Latex Organic Fractions. *ScientificWorldJournal* 2013: 615454. <http://dx.doi.org/10.1155/2013/615454>.
- Jucoski Bier, MC; Pedroni Medeiros, AB; de Oliveira, JS; Cocco, LC; Costa, J, daLuz; de Carvalho, JC; Soccol, CR. (2016). Liquefied gas extraction: A new method for the recovery of terpenoids from agroindustrial and forest wastes. *Journal of Supercritical Fluids* 110: 97-102. <http://dx.doi.org/10.1016/j.supflu.2015.12.016>.
- Judd, RL; Simjanov, A. (2004). Bubble nucleation in response to a step change in heat flux. *Int J Heat Mass Tran* 47: 2149-2159. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2003.12.007>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, HA; Jin, SE; Ahn, BR; Lee, CM; Choi, JS. (2013). Anti-inflammatory activity of edible brown alga *Eisenia bicyclis* and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages. *Food Chem Toxicol* 59: 199-206. <http://dx.doi.org/10.1016/j.fct.2013.05.061>.
- Jung, HA; Karki, S; Kim, JH; Choi, JS. (2014). BACE1 and cholinesterase inhibitory activities of *Nelumbo nucifera* embryos. *Arch Pharm Res* 38: 1178-1187. <http://dx.doi.org/10.1007/s12272-014-0492-4>.
- Jung, J, inY; Cho, S; Lee, YS. (2014). Hollow shaped nanofibers with (Ti, Sn)O<sub>2</sub> solid-solutions: Synthesis, characterization, and photocatalytic application. *J Alloy Comp* 614: 310-316. <http://dx.doi.org/10.1016/j.jallcom.2014.06.097>.
- Jung, KW, on; Hwang, M, inJin; Jeong, T, aeUn; Chau, D, aoM; Kim, K; Ahn, K, yuH. (2016). Entrapment of powdered drinking water treatment residues in calcium-alginate beads for fluoride removal from actual industrial wastewater. *J Ind Eng Chem* 39: 101-111. <http://dx.doi.org/10.1016/j.jiec.2016.05.017>.
- Jung, S; Kim, D; Kim, H. (2016). Improving the Chromatographic Analysis of N-Nitrosamines in Drinking Water by Completely Drying the Solid Sorbent Using Dry Air. *Pol J Environ Stud* 25: 2689-2693. <http://dx.doi.org/10.15244/pjoes/64311>.
- Junyaprasert, VB; Pornsuwannapha, S. (2008). Floating properties and release characteristics of hollow microspheres of acyclovir. *Drug Deliv* 15: 331-341. <http://dx.doi.org/10.1080/10717540802035335>.
- Juronen, E; Tasa, G; Uusküla, M; Pooga, M; Mikelsaar, AV. (1996). Purification, characterization and tissue distribution of human class theta glutathione S-transferase T1-1. *Biochem Mol Biol Int* 39: 21-29. <http://dx.doi.org/10.1080/15216549600201021>.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Juuti, J; Teirikangas, M; Sonoda, K; Jantunen, H. (2010). Thermoplastic 0-3 Ceramic-Polymer Composites With Adjustable Magnetic and Dielectric Characteristics for Radio Frequency Applications. *International Journal of Applied Ceramic Technology* 7: 452-460. <http://dx.doi.org/10.1111/j.1744-7402.2010.02493.x>.
- Kabouche, A; Boulouf, A; Abidi, A; Gherraf, N. (2012). Interaction parameter estimation in liquid-liquid phase equilibrium modeling using stochastic and hybrid algorithms. *Fluid Phase Equilibria* 336: 113-121. <http://dx.doi.org/10.1016/j.fluid.2012.09.002>.
- Kachasakul, P; Assabumrungrat, S; Praserttham, P; Pancharoen, U. (2003). Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone((R)) system. *Chem Eng J* 92: 131-139.
- Kadirova, ZC; Katsumata, K, enI; Isobe, T; Matsushita, N; Nakajima, A; Okada, K. (2013). Adsorption and photodegradation of methylene blue by iron oxide impregnated on granular activated carbons in an oxalate solution. *Appl Surf Sci* 284: 72-79. <http://dx.doi.org/10.1016/j.apsusc.2013.07.014>.
- Kadnikova, EN; Kostic, NM. (2001). Sol-gel glass is not necessarily an inert matrix for enzyme encapsulation. Catalysis of sulfoxidation by silica. *Journal of Non-Crystalline Solids* 283: 63-68.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health* 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kafarov, VV; Sabanin, VR; Meshalkin, VP; Radun, DV. (1984). MATHEMATIC MODEL FOR THE METHYLENE-CHLORIDE AND CHLOROFORM PRODUCTION ADAPTIVE-CONTROL. 75-77.
- Kagan, M; Chlenov, M; Melnikov, S; Greenfield, A; Gross, J; Bernotas, RC. (2008). Optimization of normal-phase chromatographic separation of compounds with primary, secondary and tertiary amino groups. *J Chromatogr A* 1194: 80-89. <http://dx.doi.org/10.1016/j.chroma.2008.04.052>.
- Kageyama, A; Fujino, T; Taki, Y; Kato, Y; Nozawa, Y; Ito, Y; Yamada, S. (2008). Alteration of muscarinic and purinergic receptors in urinary bladder of rats with cyclophosphamide-induced interstitial cystitis. *Neurosci Lett* 436: 81-84. <http://dx.doi.org/10.1016/j.neulet.2008.02.065>.
- Kahle, I; Spange, S. (2010). Internal and External Acidity of Faujasites As Measured by a Solvatochromic Spiropyran. *J Phys Chem C* 114: 15448-15453. <http://dx.doi.org/10.1021/jp1048106>.
- Kailappan, R; Gothandapani, L; Viswanathan, R. (2000). Production of activated carbon from prosopis (*Prosopis juliflora*). *Bioresour Technol* 75: 241-243.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem* 14: 2107-2113.
- Kajiwara, N; Sueoka, M; Ohiwa, T; Takigami, H. (2009). Determination of flame-retardant hexabromocyclododecane diastereomers in textiles. *Chemosphere* 74: 1485-1489. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.046>.
- Kakhki, RMZ; Rounaghi, G. (2011). Competitive Bulk Liquid Membrane Transport of Heavy Metal Cations Using the 18-Crown-6 Ligand as an Ionophore. *Journal of Chemical and Engineering Data* 56: 3169-3174. <http://dx.doi.org/10.1021/je200220d>.
- Kalachandra, S; Lin, DM; Offenbacher, S. (2002). Controlled drug release for oral condition by a novel device based on ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 13: 53-58.
- Kalachandra, S; Lin, DM; Stejskal, EO; Prakk, A; Offenbacher, S. (2005). Drug release from cast films of ethylene vinyl acetate (EVA) copolymer: Stability of drugs by <sup>1</sup>H NMR and solid state <sup>13</sup>C CP/MAS NMR. *J Mater Sci Mater Med* 16: 597-605.
- Kalachandra, S; Takamata, T; Lin, DM; Snyder, EA; Webster-Cyriaque, J. (2006). Stability and release of antiviral drugs from ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 17: 1227-1236. <http://dx.doi.org/10.1007/s10856-006-0596-6>.
- Kaleji, BK; Alijani, M; Aghaei, A. (2016). Sn/Ce co-doping of TiO<sub>2</sub> nanoparticles: influence of dopants concentration on optical and structural characteristics. *Journal of Materials Science: Materials in Electronics* 27: 8524-8531. <http://dx.doi.org/10.1007/s10854-016-4869-7>.
- Kales, SN. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk [letter] [Letter]. *J Occup Environ Med* 39: 11-12.
- Kalkbrenner, AE; Daniels, JL; Chen, JC; Poole, C; Emch, M; Morrissey, J. (2010). Perinatal exposure to hazardous air pollutants and autism spectrum disorders at age 8. *Epidemiology* 21: 631-641. <http://dx.doi.org/10.1097/EDE.0b013e3181e65d76>.
- Kallenbach, LR; Lewismichl, EL; Melius, JM; Ju, CL. (1995). PANCREATIC-CANCER AMONG WOMEN IN AN AREA WITH POTENTIAL EXPOSURE TO METHYLENE-CHLORIDE (DICHLOROMETHANE). *Am J Epidemiol* 141: S60-S60.
- Kalogiannis, CG; Michailof, CM; Panayiotou, CG. (2006). Microencapsulation of Amoxicillin in poly(L-lactic acid) by supercritical antisolvent precipitation. *Ind Eng Chem Res* 45: 8738-8743. <http://dx.doi.org/10.1021/ie060529q>.
- Kalogiannis, CG; Panayiotou, CG. (2005). Bubble and cloud points of the system poly(L-lactic acid) plus carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 50: 1442-1447. <http://dx.doi.org/10.1021/je050100q>.
- Kalogiannis, CG; Panayiotou, CG. (2006). Bubble and cloud points of the systems poly(epsilon-caprolactone) plus carbon dioxide plus dichloromethane or chloroform. *Journal of Chemical and Engineering Data* 51: 107-111. <http://dx.doi.org/10.1021/je0502602>.
- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters* 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters* 10: 45-50.
- Kamal, A; Syed, JH; Li, J, un; Zhang, G, an; Mahmood, A; Malik, RN. (2016). Profile of Atmospheric PAHs in Rawalpindi, Lahore and Gujranwala Districts of Punjab Province (Pakistan). *Aerosol Air Qual Res* 16: 1010-1021. <http://dx.doi.org/10.4209/aaqr.2015.01.0016>.
- Kaminsky, A; Willner, I; Mandler, D. (1993). A REFERENCE ELECTRODE FOR ORGANIC-SOLVENTS BASED ON MODIFIED POLYETHYLENIMINE LOADED WITH FE(CN)<sub>6</sub>-3-/4. *J Electrochem Soc* 140: L25-L27.
- Kamiya, Y; Ikemori, F; Ohura, T. (2015). Optimisation of pre-treatment and ionisation for GC/MS analysis for the determination of chlorinated PAHs in atmospheric particulate samples. *Int J Environ Anal Chem* 95: 1157-1168. <http://dx.doi.org/10.1080/03067319.2015.1048439>.
- Kamura, M; Kuzumoto, Y; Aomori, S; Houjou, H; Kitamura, M; Arakawa, Y. (2010). Synthesis and investigation of pi-conjugated azomethine self-assembled multilayers by layer-by-layer growth. *Thin Solid Films* 518: 5115-5120. <http://dx.doi.org/10.1016/j.tsf.2010.03.006>.
- Kan, CW; Yuen, CWM. (2010). Effect of Nature of Gas on Some Surface Physico-Chemical Properties of Plasma-Treated Wool Fiber. *J Adhes Sci Tech* 24: 99-111. <http://dx.doi.org/10.1163/016942409X12538865056079>.
- Kanai, H; Goo, R; Inouye, V; Yazawa, L; Chun, C. (1993). RECOVERY STUDIES ON DICHLOROMETHANE AQUEOUS PARTITIONING OF PHENOL AND SOME OF ITS ALKYL DERIVATIVES. *Int J Environ Anal Chem* 53: 151-156.
- Kanani, AG; Bahrami, SH. (2011). Effect of Changing Solvents on Poly(epsilon-Caprolactone) Nanofibrous Webs Morphology. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/724153>.
- Kanaya, N; Matsuhashi, S; Katsuta, S. (2015). Extraction Properties of p-Methyloxacalix[3]arene Methyl Ether for Alkali Metal Ions. 22: 17-24.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kandil, F; Al Zoubi, W; Chebani, MK. (2012). The Synthesis and Characterization of New Schiff Bases and Investigating them in Solvent Extraction of Chromium and Copper. *Separation Science and Technology* 47: 1754-1761. <http://dx.doi.org/10.1080/01496395.2012.660554>.
- Kanehashi, S; Nakagawa, T; Nagai, K; Duthie, X; Kentish, S; Stevens, G. (2007). Effects of carbon dioxide-induced plasticization on the gas transport properties of glassy polyimide membranes. *J Memb Sci* 298: 147-155. <http://dx.doi.org/10.1016/j.memsci.2007.04.012>.
- Kang, M; Bae, YS; Lee, CH. (2005). Effect of heat treatment of activated carbon supports on the loading and activity of Pt catalyst. *Carbon* 43: 1512-1516. <http://dx.doi.org/10.1016/j.carbon.2005.01.035>.
- Kang, M, iK; Dai, J; Kim, J, inC. (2012). Ethylcellulose microparticles containing chitosan and gelatin: pH-dependent release caused by complex coacervation. *J Ind Eng Chem* 18: 355-359. <http://dx.doi.org/10.1016/j.jiec.2011.11.099>.
- Kang, M; Lee, CH. (2004). Methylene chloride oxidation on oxidative carbon-supported chromium oxide catalyst. *Appl Catal A-Gen* 266: 163-172. <http://dx.doi.org/10.1016/j.apcata.2004.02.041>.
- Kang, S; Yu, J. (2015). Hydrophobic organic compounds from hydrothermal liquefaction of bacterial biomass. *Biomass and Bioenergy* 74: 92-95. <http://dx.doi.org/10.1016/j.biombioe.2015.01.008>.
- Kania-Korwel, I; Parkin, S; Robertson, LW; Lehmler, HJ. (2004). Synthesis of polychlorinated biphenyls and their metabolites with a modified Suzuki-coupling. *Chemosphere* 56: 735-744. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.035>.
- Kania-Korwel, I; Zhao, H; Norstrom, K; Li, X; Hornbuckle, KC; Lehmler, HJ. (2008). Simultaneous extraction and clean-up of polychlorinated biphenyls and their metabolites from small tissue samples using pressurized liquid extraction. *J Chromatogr A* 1214: 37-46. <http://dx.doi.org/10.1016/j.chroma.2008.10.089>.
- Kaniwa, MA; Isama, K; Kojima, S; Nakamura, A; Arisu, K; Hayakawa, R. (1991). CHEMICAL APPROACH TO CONTACT-DERMATITIS CAUSED BY HOUSEHOLD PRODUCTS .8. UV ABSORBER TINUVIN-P IN POLYURETHANE ELASTOMERS FOR FABRIC PRODUCTS. 37: 218-228.
- Kanno, J; Foley, JF; Kari, F; Anderson, MW; Maronpot, RR. (1993). Effect of methylene chloride inhalation on replicative DNA synthesis in the lungs of female B6C3F1 mice. *Environ Health Perspect* 101: 271-276.
- Kansara, AM; Jadav, GL; Chaudhri, SG; Singh, PS. (2014). Preparation of Poly(dimethylsiloxane)-Polysulfone Composite Membrane by Sequential Absorption-Reaction-Evaporation Process and its Application in Treatment of Aqueous Solution Containing Volatile Organics. *Separation Science and Technology* 49: 2834-2846. <http://dx.doi.org/10.1080/01496395.2014.944619>.
- Kantarli, IC; Yanik, J. (2010). Activated carbon from leather shaving wastes and its application in removal of toxic materials. *J Hazard Mater* 179: 348-356. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.012>.
- Kao, TH; Chen, CJ; Chen, BH. (2011). Carotenoid composition in *Rhinacanthus nasutus* (L.) Kurz as determined by HPLC-MS and affected by freeze-drying and hot-air-drying. *Analyst* 136: 3194-3202. <http://dx.doi.org/10.1039/c1an15090a>.
- Karadag, K; Yati, I; Bulbul Sonmez, H. (2016). Effective clean-up of organic liquid contaminants including BTEX, fuels, and organic solvents from the environment by poly(alkoxysilane) sorbents. *J Environ Manage* 174: 45-54. <http://dx.doi.org/10.1016/j.jenvman.2016.01.043>.
- Karageorgi, S; Prescott, J; Wong, JY; Lee, IM; Buring, JE; De Vivo, I. (2011). GSTM1 and GSTT1 copy number variation in population-based studies of endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev* 20: 1447-1452. <http://dx.doi.org/10.1158/1055-9965.EPI-11-0190>.
- Karakas, FP; Turker, AU. (2013). An efficient in vitro regeneration system for *Bellis perennis* L. and comparison of phenolic contents of field-grown and in vitro-grown leaves by LC-MS/MS. *Ind Crop Prod* 48: 162-170. <http://dx.doi.org/10.1016/j.indcrop.2013.04.008>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Karim, HM; Costa de Freitas, JE; de Carvalho Lima, TP; Nascimento, M, dosS; Hayd, L, deA. (2015). ECONOMIC VIABILITY OF PRODUCTION OF THE FRESHWATER PRAWN OF PANTANAL (*Macrobrachium pantanalense*). 41: 103-112.
- Karimi, M; Eshraghi, MJ. (2017). One-pot and green synthesis of Mn<sub>3</sub>O<sub>4</sub> nanoparticles using an all-in-one system (solvent, reactant and template) based on ethaline deep eutectic solvent. *J Alloy Comp* 696: 171-176. <http://dx.doi.org/10.1016/j.jallcom.2016.11.259>.
- Karimi-Jaberi, Z; Pooladian, B; Moradi, M; Ghasemi, E. (2012). 1,3,5-Tris(hydrogensulfato) Benzene: A New and Efficient Catalyst for Synthesis of 4,4'-(arylmethylene)bis(1H-pyrazol-5-ol) Derivatives. *Chinese journal of catalysis* 33: 1945-1949. [http://dx.doi.org/10.1016/S1872-2067\(11\)60477-4](http://dx.doi.org/10.1016/S1872-2067(11)60477-4).
- Karimi-Lotfabad, S; Pickard, MA; Gray, MR. (1996). Reactions of polynuclear aromatic hydrocarbons on soil. *Environ Sci Technol* 30: 1145-1151.
- Karsten, AH; Turner, JW. (2003). Fecal corticosterone assessment in the epaulette shark, *Hemiscyllium ocellatum*. *Journal of Experimental Zoology Part A: Comparative Experimental Biology* 299: 188-196. <http://dx.doi.org/10.1002/jez.a.10300>.
- Karthikeyan, D; Karthikeyan, M. (2010). Development of a new single dose extended release formulation of cefpodoxime proxetil. *Asian Pacific Journal of Tropical Medicine* 3: 117-120.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res* 34: 4161-4168.
- Kashyap, L; Sharma, DC; Anil, DC. (2015). Dissipation behaviour of spinosad in polyhouse grown tomato under mid-hill conditions of Himachal Pradesh, India. *Environ Monit Assess* 187: 75. <http://dx.doi.org/10.1007/s10661-014-4210-y>.
- Kassab, AC; Piskin, E; Bilgic, S; Denkbaz, EB; Xu, K. (1999). Embolization with polyhydroxybutyrate (PHB) microspheres: In-vivo studies. *J Bioact Compat Polymer* 14: 291-303.
- Kassab, AC; Xu, K; Denkbaz, EB; Dou, Y; Zhao, S; Piskin, E. (1997). Rifampicin carrying polyhydroxybutyrate microspheres as a potential chemoembolization agent. *J Biomater Sci Polym Ed* 8: 947-961.
- Kasture, PP; Sonawane, YA; Rajule, RN; Shankarling, GS. (2010). Synthesis and characterisation of benzothiazole-based solid-state fluorescent azo dyes. *Color Technol* 126: 348-352. <http://dx.doi.org/10.1111/j.1478-4408.2010.00268.x>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kasuga, T; Fujikawa, H; Abe, Y. (1999). Preparation of polylactic acid composites containing beta-Ca(PO<sub>3</sub>)<sub>2</sub> fibers. *J Mater Res* 14: 418-424.
- Kasuga, T; Maeda, H; Kato, K; Nogami, M; Hata, K; Ueda, M. (2003). Preparation of poly(lactic acid) composites containing calcium carbonate (vaterite). *Biomaterials* 24: 3247-3253. [http://dx.doi.org/10.1016/S0142-9612\(03\)00190-X](http://dx.doi.org/10.1016/S0142-9612(03)00190-X).
- Kasuga, T; Ota, Y; Nogami, M; Abe, Y. (2001). Preparation and mechanical properties of polylactic acid composites containing hydroxyapatite fibers. *Biomaterials* 22: 19-23.
- Katata, L; Tshweu, L; Naidoo, S; Kalombo, L; Swai, H. (2012). Design and formulation of nano-sized spray dried efavirenz-part I: influence of formulation parameters. *J Nanopart Res* 14. <http://dx.doi.org/10.1007/s11051-012-1247-0>.
- Katsoyiannis, A; Samara, C. (2007). Comparison of active and passive sampling for the determination of persistent organic pollutants (POPs) in sewage treatment plants. *Chemosphere* 67: 1375-1382. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.035>.
- Katsuta, S; Imai, K; Kudo, Y; Takeda, Y; Seki, H; Nakakoshi, M. (2008). Ion pair formation of alkylimidazolium ionic liquids in dichloromethane. *Journal of Chemical and Engineering Data* 53: 1528-1532. <http://dx.doi.org/10.1021/jc800152d>.
- Katsuta, S; Shiozawa, Y; Imai, K; Kudo, Y; Takeda, Y. (2010). Stability of Ion Pairs of Bis(trifluoromethanesulfonyl)amide-Based Ionic Liquids in Dichloromethane. *Journal of Chemical and Engineering Data* 55: 1588-1593. <http://dx.doi.org/10.1021/jc900694m>.
- Kattnig, DR; Mladenova, B; Grampp, G; Kaiser, C; Heckmann, A; Lambert, C. (2009). Electron Paramagnetic Resonance Spectroscopy of Bis(triarylamine) Paracyclophanes as Model Compounds for the Intermolecular Charge-Transfer in Solid State Materials for Optoelectronic Applications. *J Phys Chem C* 113: 2983-2995. <http://dx.doi.org/10.1021/jp8107705>.
- Kaur, I; Mathur, RP; Tandon, SN; Dureja, P. (1998). Persistence of endosulfan (technical) in water and soil. *Environ Technol* 19: 115-119.
- Kaur, J; Singh, S; Kanjilal, D; Chakarvarti, SK. (2013). Template-Based Synthesis of Nano/Micro Structures on a Semiconducting Substrate. *Int J Polym Mater* 62: 91-94. <http://dx.doi.org/10.1080/00914037.2012.670817>.
- Kavanoz, M; Gulce, H; Yildiz, A. (2004). Anodic stripping voltammetric determination of gold on a polyvinylferrocene coated glassy carbon electrode. *Turkish Journal of Chemistry* 28: 287-297.
- Kawagoshi, Y; Fujita, Y; Kishi, I; Fukunaga, I. (2003). Estrogenic chemicals and estrogenic activity in leachate from municipal waste landfill determined by yeast two-hybrid assay. *J Environ Monit* 5: 269-274. <http://dx.doi.org/10.1039/b210962j>.
- Kawai, S; Ohashi, H. (1993). DEGRADATION OF LIGNIN SUBSTRUCTURE MODEL COMPOUNDS BY COPPER(II)-AMINE COMPLEX AS A MODEL CATALYST OF FUNGAL LACCASE. *Holzforschung* 47: 97-102.
- Kawai, T; Yasugi, T; Mizunuma, K; Horiguchi, S; Uchida, Y; Iwami, O; Iguchi, H; Ikeda, M. (1991). 2-ACETYLFURAN, A CONFOUNDER IN URINALYSIS FOR 2,5-HEXANEDIONE AS AN NORMAL-HEXANE EXPOSURE INDICATOR. *Int Arch Occup Environ Health* 63: 213-219.
- Kawakami, M; Ganguly, SN; Banerjee, J; Kobayashi, A. (1995). AROMA COMPOSITION OF OOLONG TEA AND BLACK TEA BY BREWED EXTRACTION METHOD AND CHARACTERIZING COMPOUNDS OF DARJEELING TEA AROMA. *J Agric Food Chem* 43: 200-207.
- Kawakami, M; Kobayashi, A; Kator, K. (1993). VOLATILE CONSTITUENTS OF ROOIBOS TEA (ASPALATHUS-LINEARIS) AS AFFECTED BY EXTRACTION PROCESS. *J Agric Food Chem* 41: 633-636.
- Kawamoto, H; Tanaka, N; Nakatsubo, F; Murakami, K. (1993). STEREOSELECTIVE SYNTHESIS OF A CONDENSED TANNIN USING NEIGHBORING GROUP PARTICIPATION. 39: 820-824.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawamura, M; Kikura-Hanajiri, R; Goda, Y. (2011). Simple and Rapid Screening for Methamphetamine and 3,4-Methylenedioxymethamphetamine (MDMA) and Their Metabolites in Urine Using Direct Analysis in Real Time (DART)-TOFMS. *Yakugaku Zasshi* 131: 827-833.
- Kawano, F; Hirazawa, N; Gravningen, K; Berntsen, J, anO. (2012). Antiparasitic effect of dietary Romet (R) 30 (SDMX-OMP) against ciliate *Cryptocaryon irritans* infection in the red sea bream *Pagrus major* and tiger puffer *Takifugu rubripes*. *Aquaculture* 344: 35-39. <http://dx.doi.org/10.1016/j.aquaculture.2012.02.028>.
- Kawasaki, Y; Tsuboi, C; Yagi, K; Morizane, M; Masaoka, Y; Esumi, S; Kitamura, Y; Sendo, T. (2014). Photoinitiators enhanced 1,2-dichloropropane-induced cytotoxicity in human normal embryonic lung fibroblasts cells in vitro. *Environ Sci Pollut Res Int* 22: 4763-4770. <http://dx.doi.org/10.1007/s11356-014-3939-8>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today* 44: 101-109.
- Kazmer, GW; Canfield, RW; Bean, B. (1992). CHARACTERISTICS OF SOMATOTROPIN AND PROLACTIN PROFILES IN YOUNG DAIRY SIREs BEFORE AND AFTER A 72-HOUR FAST DURING DIFFERENT SEASONS. *J Anim Sci* 70: 503-507.
- Ke, H; Zhao, L; Guo, Y; Tang, J. (2012). Syntheses, structures, and magnetic analyses of a family of heterometallic hexanuclear [Ni<sub>4</sub>M<sub>2</sub>] (M = Gd, Dy, Y) compounds: observation of slow magnetic relaxation in the Dy(III) derivative. *Inorg Chem* 51: 2699-2705. <http://dx.doi.org/10.1021/ic202699k>.
- Ke, JC; Wang, YH, er; Chen, K, anLin; Huang, CJ. (2015). Effect of open-circuit voltage in organic solar cells based on various electron donor materials by inserting molybdenum trioxide anode buffer layer. *Solar Energy Materials and Solar Cells* 133: 248-254. <http://dx.doi.org/10.1016/j.solmat.2014.10.033>.
- Kecseti, IM; Simon, M; Csunderlik, C. (2010). Synthesis of a New Chiral Carbamate: 2-nitrophenyl(1R,2S)-(1,2-diphenyl-2-hydroxyethyl)carbamate. *Rev Chim* 61: 759-761.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol* 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Keil, C; Forchert, A; Fastner, J; Szewzyk, U; Rotard, W; Chorus, I; Kratke, R. (2002). Toxicity and microcystin content of extracts from a Planktothrix bloom and two laboratory strains. *Water Res* 36: 2133-2139.
- Kempe, M; Kempe, H; Snowball, I; Wallén, R; Arza, CR; Götberg, M; Olsson, T. (2010). The use of magnetite nanoparticles for implant-assisted magnetic drug targeting in thrombolytic therapy. *Biomaterials* 31: 9499-9510. <http://dx.doi.org/10.1016/j.biomaterials.2010.07.107>.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc* 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kermiche, M; Djerad, S. (2011). Facilitated transport of copper through bulk liquid membrane containing di-2ethylhexyl phosphoric acid. *Desalination and Water Treatment* 36: 261-269. <http://dx.doi.org/10.5004/dwt.2011.2535>.
- Kern, ME; Watson, DF. (2012). Influence of Solvation and the Persistence of Adsorbed Linkers on the Attachment of CdSe Quantum Dots to TiO<sub>2</sub> via Linker-Assisted Assembly. *Langmuir* 28: 15598-15605. <http://dx.doi.org/10.1021/la303504u>.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerschler, R; Grosch, W. (1998). Quantification of 2-methyl-3-furanthiol, 2-furfurylthiol, 3-mercapto-2-pentanone, and 2-mercapto-3-pentanone in heated meat. *J Agric Food Chem* 46: 1954-1958.
- Kershaw, J. R.; Black, KJT; Jaeger, HK; Willing, RI; Hanna, JV. (1995). A COMPARISON OF MESOPHASE FORMATION UNDER SPARGING AND VACUUM. *Carbon* 33: 633-643.
- Kesen, S; Kelebek, H; Selli, S. (2014). Characterization of the key aroma compounds in Turkish olive oils from different geographic origins by application of aroma extract dilution analysis (AEDA). *J Agric Food Chem* 62: 391-401. <http://dx.doi.org/10.1021/jf4045167>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin* 200: 5-6.
- Kfir, R; Grabow, OK; Hilner, CA. (1982). AMES SALMONELLA MUTAGENICITY ASSAYS ON WATER DI CHLORO METHANE EXTRACTS VS. PREPARATION OF GROWTH MEDIA WITH TEST SAMPLES. *Bull Environ Contam Toxicol* 28: 641-646.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere* 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaled, M. (2015). Directed Hierarchical Patterning of Polycarbonate Bisphenol A Glass Surface along Predictable Sites. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/734375>.
- Khan, I; White, JM. (2012). Simple and Efficient One-Pot Synthesis, Spectroscopic Characterization and Crystal Structure of Methyl 5-(4-Chlorobenzoyloxy)-1-phenyl-1H-pyrazole-3-carboxylate. 2: 967-973. <http://dx.doi.org/10.3390/cryst2030967>.
- Khan, M, dF; Latif, MT; Lim, CH, ou; Amil, N; Jaafar, SA; Dominick, D; Nadzir, MSM; Sahani, M; Tahir, NM. (2015). Seasonal effect and source apportionment of polycyclic aromatic hydrocarbons in PM<sub>2.5</sub>. *Atmos Environ* 106: 178-190. <http://dx.doi.org/10.1016/j.atmosenv.2015.01.077>.
- Khan, MA; Kim, SW; Rao, RA; Abou-Shanab, RA; Bhatnagar, A; Song, H; Jeon, BH. (2010). Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. *J Hazard Mater* 178: 963-972. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.032>.
- Khan, SB; Khan, MTH; Jang, E; Akhtar, K; Seo, J; Han, H. (2010). Tyrosinase inhibitory effect of benzoic acid derivatives and their structure-activity relationships. *J Enzyme Inhib Med Chem* 25: 812-817. <http://dx.doi.org/10.3109/14756366.2010.482529>.
- Khanal, R; Furumai, H; Nakajima, F. (2015). Characterization of toxicants in urban road dust by Toxicity Identification Evaluation using ostracod *Heterocypris incongruens* direct contact test. *Sci Total Environ* 530: 96-102. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.090>.
- Khande, P; Thakur, M; Deb, MK. (2005). Extraction of chloroplatinate(II)-2-[(5-bromo-2-pyridylazo)-5-diethylaminophenol-(TX-100)-N-hydroxy-N,N'-diphenylbenzamide] complex. *Journal of Sci Ind Res* 64: 138-143.
- Khanna, PK; Jun, KW; Hong, KB; Baeg, JO; Chikate, RC; Das, BK. (2005). Colloidal synthesis of indium nanoparticles by sodium reduction method. *Mater Lett* 59: 1032-1036. <http://dx.doi.org/10.1016/j.matlet.2004.11.050>.
- Khatri, CA; Stansbury, JW; Schultheisz, CR; Antonucci, JM. (2003). Synthesis, characterization and evaluation of urethane derivatives of Bis-GMA. *Dent Mater* 19: 584-588. [http://dx.doi.org/10.1016/S0109-5641\(02\)00108-2](http://dx.doi.org/10.1016/S0109-5641(02)00108-2).
- Khatua, S; Manna, P; Chang, W, eiS; Tcherniak, A; Friedlander, E; Zubarev, ER; Link, S. (2010). Plasmonic Nanoparticles-Liquid Crystal Composites. *J Phys Chem C* 114: 7251-7257. <http://dx.doi.org/10.1021/jp907923v>.
- Khedher, I; Ghorbel, A. (2010). The oxidation of sulfide to sulfoxide on Ti-complex/MCM-41 catalyst. *Journal of Porous Materials* 17: 501-507. <http://dx.doi.org/10.1007/s10934-009-9313-4>.
- Khelifi, A; Almazán-Almazán, MC; Pérez-Mendoza, M; Domingo-García, M; López-Domingo, FJ; Temdrara, L; López-Garzón, FJ; Addoun, A. (2010). Influence of nitric acid concentration on the characteristics of active carbons obtained from a mineral coal. *Fuel Process Tech* 91: 1338-1344. <http://dx.doi.org/10.1016/j.fuproc.2010.05.004>.
- Khenniche, L; Aissani, F. (2009). Characterization and utilization of activated carbons prepared from coffee residue for adsorptive removal of salicylic acid and phenol: Kinetic and isotherm study. *Desalination and Water Treatment* 11: 192-203. <http://dx.doi.org/10.5004/dwt.2009.801>.
- Khlifi, D; Hayouni, E, IA; Valentin, A; Cazaux, S; Moukarzel, B; Hamdi, M; Bouajila, J. (2013). LC-MS analysis, anticancer, antioxidant and antimalarial activities of *Cynodon dactylon* L. extracts. *Ind Crop Prod* 45: 240-247. <http://dx.doi.org/10.1016/j.indcrop.2012.12.030>.
- Khoshkhoo, N; Hedin, PA; Mccarty, JC. (1993). EFFECTS OF BIOREGULATORS ON THE TERPENOID ALDEHYDES IN ROOT-KNOT NEMATODE INFECTED COTTON PLANTS. *J Agric Food Chem* 41: 2442-2446.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Khulbe, KC; Mann, RS; Lamarche, AM; Lamarche, G; Macphee, JA. (1994). CATALYTIC EFFECT OF ATHABASCA TAR SAND MATRIX ON THERMAL-DECOMPOSITION OF BITUMEN, HEXENE AND HEXANE. *Fuel Process Tech* 41: 1-11.
- Khurma, J. R.; Muthu, O; Munjal, S; Smith, BD. (1983). TOTAL-PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH PENTANE, ACETONE, ETHYL-ACETATE, METHANOL, AND ACETONITRILE. *Journal of Chemical and Engineering Data* 28: 412-419.
- Kidwai, M; Jahan, A; Mishra, NK. (2012). Gold(III) chloride (HAuCl<sub>4</sub> center dot 3H<sub>2</sub>O) in PEG: A new and efficient catalytic system for the synthesis of functionalized spirochromenes. *Appl Catal A-Gen* 425: 35-43. <http://dx.doi.org/10.1016/j.apcata.2012.02.043>.
- Kielbasa, A; Buszewski, B. (2015). PAH Analytics in New Polish Reference Material. *Pol J Environ Stud* 24: 2021-2028. <http://dx.doi.org/10.15244/pjoes/41596>.
- Kientz, B; Thabard, M; Cragg, SM; Pope, J; Hellio, C. (2011). A new method for removing microflora from macroalgal surfaces: an important step for natural product discovery. *Botanica Marina* 54: 457-469. <http://dx.doi.org/10.1515/BOT.2011.053>.
- Kiessling, D; Schneider, R; Kraak, P; Haftendorn, M; Wendt, G. (1998). Perovskite-Type Oxides-Catalysts for the Total Oxidation of Chlorinated Hydrocarbons. *Appl Catal B-Environ* 19: 143.
- Kijima, T. (1999). New low temperature preparation of ferroelectric Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> thin films by MOCVD method. *Integrated Ferroelectrics* 26: 795-803.
- Kiko, R; Werner, I; Wittmann, A. (2009). Osmotic and ionic regulation in response to salinity variations and cold resistance in the Arctic under-ice amphipod *Apherusa glacialis*. *Polar Biology* 32: 393-398. <http://dx.doi.org/10.1007/s00300-008-0531-z>.
- Kilbane, JJ. (1998). Extractability and subsequent biodegradation of PAHs from contaminated soil. *Water Air Soil Pollut* 104: 285-304.
- Kil'deeva, NR; Gal'braikh, LS. (2000). Cross-linking in spinning solutions in the presence of a liquid disperse phase. *Fibre Chemistry* 32: 414-418.
- Kildeeva, NR; Virnik, AD. (1995). Rheological properties of highly filled, protein-containing spinning compositions. *Fibre Chemistry* 27: 320-327.
- Kilic, A; Niemz, P. (2012). Extractives in some tropical woods. *Holz als Roh- und Werkstoff* 70: 79-83. <http://dx.doi.org/10.1007/s00107-010-0489-8>.
- Kilic, N; Ballantine, JA. (2000). Magnitudes of back diffusion during long-term diffusive sampling of volatile organic compounds using Carbotrap and Chromosorb 106. *Turkish Journal of Chemistry* 24: 131-139.
- Kim, B; Gwon, J; Im, T; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(lactic-co-glycolic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2146-2151. <http://dx.doi.org/10.1021/acs.jced.5b00304>.
- Kim, B; Kim, J. (2008). Purification of homoharringtonine and removal of residual solvents by spray drying. *Korean J Chem Eng* 25: 108-111.
- Kim, BJ; Kim, SJ; Park, SY. (1998). Thermally stable nonlinear optical polymer from rosin derivative. *J Ind Eng Chem* 4: 238-243.
- Kim, BK; Hwang, SJ; Park, JB; Park, HJ. (2002). Preparation and characterization of drug-loaded polymethacrylate microspheres by an emulsion solvent evaporation method. *J Microencapsul* 19: 811-822. <http://dx.doi.org/10.1080/0265204021000022770>.
- Kim, BM; Yang, HS; Kim, CG. (1995). OZONOLYSIS OF CYCLODODECENE. *Korean J Chem Eng* 12: 61-65.
- Kim, BS, ik; Kim, J, inH. (2009). Characterization of solvent induced crystalline and amorphous homoharringtonine. *Korean J Chem Eng* 26: 1090-1093. <http://dx.doi.org/10.2478/s11814-009-0181-z>.
- Kim, CG; Hong, WP; Griesbaum, K. (1992). PYRIDINE-CATALYZED OZONOLYSIS OF CYCLOOLEFINS - A SHORT-PATH ACCESS TO TERMINALLY DIFUNCTIONAL MOLECULES. 45: 344-348.
- Kim, DJ; Lee, KT. (2012). Determination of monomers and oligomers in polyethylene terephthalate trays and bottles for food use by using high performance liquid chromatography-electrospray ionization-mass spectrometry. *Polym Test* 31: 490-499. <http://dx.doi.org/10.1016/j.polymertesting.2012.02.001>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC. (2005). Effect of water content on kinetics of volatile organic compounds mass transfer between gas and aqueous phases during gas transport in unsaturated sand. *Soil Sci* 170: 680-691. <http://dx.doi.org/10.1097/01.ss.0000185905.80341.e7>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Gaseous tracer technique for estimating air-water interfacial areas and interface mobility. *Soil Sci Soc Am J* 63: 1554-1560.
- Kim, H; Urban, NW. (1996). Microwave plasma reactions of imidazole in polyurethane elastomer surfaces: A spectroscopic study. *Langmuir* 12: 1051-1055.
- Kim, HG, on; Kim, KM, in; Kim, YH, o; Lee, SH, ak; Kim, G, yuMan. (2013). Preparation of Monodisperse ENX-Loaded PLGA Microspheres Using a Microfluidic Flow-Focusing Device. *Journal of Biobased Materials and Bioenergy* 7: 108-114. <http://dx.doi.org/10.1166/jbmb.2013.1263>.
- Kim, HH; Kim, M, inJin; Ryu, S, uJ; Ki, CS; Park, YH. (2016). Effect of fiber diameter on surface morphology, mechanical property, and cell behavior of electrospun poly(epsilon-caprolactone) mat. *Fibers and Polymers* 17: 1033-1042. <http://dx.doi.org/10.1007/s12221-016-6350-x>.
- Kim, HU; Park, JB; Hwang, DH. (2016). Dibenzothiophene-Substituted Fullerene Derivative as Electron Acceptor for Polymer Solar Cells. *J Nanosci Nanotechnol* 16: 5017-5023. <http://dx.doi.org/10.1166/jnn.2016.12222>.
- Kim, HY; Lee, J; Lee, MJ; Yu, SH; Kim, SD, on. (2012). The application of hollow fibre-liquid phase micro-extraction on the bioassay experiment of oestrogen chemicals. *Int J Environ Anal Chem* 92: 255-267. <http://dx.doi.org/10.1080/03067319.2010.484889>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kim, J; Han, M; Yoo, S; Kim, K; Cho, J, aeH. (2015). Improvement of Beam-Quality Evaluation Method for Medical Linear Accelerator Using Magnetic Field. 20: 120-128. <http://dx.doi.org/10.4283/JMAG.2015.20.2.120>.
- Kim, JH. (1995). PREPARATION OF FINE AMMONIUM-PERCHLORATE CRYSTALS BY A SALTING-OUT PROCESS. *J Chem Eng Jpn* 28: 429-433.
- Kim, JY; Choi, DS; Jung, MY. (2003). Antiphot-oxidative activity of sesamol in methylene blue- and chlorophyll-sensitized photo-oxidation of oil. *J Agric Food Chem* 51: 3460-3465. <http://dx.doi.org/10.1021/jf026056p>.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng* 123: 827-835.
- Kim, KH; Susaya, JP; Park, CG; Uhm, JH; Hur, J. (2013). Comprehensive monitoring of drinking well water quality in Seoul metropolitan city, Korea. *Environ Monit Assess* 185: 6353-6378. <http://dx.doi.org/10.1007/s10661-012-3030-1>.
- Kim, KT; Kim, CI. (2004). The effect of orientation on structure and ferroelectric properties of Bi<sub>3</sub>25La<sub>0</sub>.75Ti<sub>3</sub>O<sub>12</sub> thin films. *Surf Coating Tech* 177: 770-773. <http://dx.doi.org/10.1016/j.surfcoat.2003.08.020>.
- Kim, KW; Lee, KH; Lee, BS; Ho, YS; Oh, SJ; Kim, HY. (2005). Effects of blend ratio and heat treatment on the properties of the electrospun poly(ethylene terephthalate) nonwovens. *Fibers and Polymers* 6: 121-126.
- Kim, M; Chen, YF; Liu, YC; Peng, XG. (2005). Super-stable, high-quality Fe<sub>3</sub>O<sub>4</sub> dendron-nanocrystals dispersible in both organic and aqueous solutions. *Adv Mater Deerfield* 17: 1429-+. <http://dx.doi.org/10.1002/adma.200401991>.
- Kim, M, iY; Yoo, K, iP; Lim, JS. (2007). Preparation of poly(L-lactic acid) submicron particles in aerosol solvent extraction system using supercritical carbon dioxide. *Korean J Chem Eng* 24: 860-865.
- Kim, MK; Jeong, CS; Shin, YK; Park, KH; Lee, WJ; Lee, EJ; Paek, KY. (2010). Effects of Extraction Condition on Extraction Efficiency of Rubiadin in Adventitious Roots of Noni (*Morinda citrifolia*). *Kor J of Hort Sci Tech* 28: 685-690.
- Kim, MY; Lee, YW; Byun, HS; Lim, JS. (2006). Recrystallization of poly(L-lactic acid) into submicrometer particles in supercritical carbon dioxide. *Ind Eng Chem Res* 45: 3388-3392. <http://dx.doi.org/10.1021/ie050711b>.
- Kim, PH; Kwon, JD; Kim, JS. (2004). The impregnated synthesis of polypyrrole into carbon aerogel and its applications to photovoltaic materials. *Synthetic Metals* 142: 153-160. <http://dx.doi.org/10.1016/j.synthmet.2003.08.006>.
- Kim, RB; O'Shea, D. (1995). Interindividual variability of chlorzoxazone 6-hydroxylation in men and women and its relationship to CYP2E1 genetic polymorphisms. *Clin Pharmacol Ther* 57: 645-655. [http://dx.doi.org/10.1016/0009-9236\(95\)90227-9](http://dx.doi.org/10.1016/0009-9236(95)90227-9).
- Kim, S; Pal, S; Ajayan, PM; Borca-Tasciuc, T; Koratkar, N. (2008). Electrical breakdown gas detector featuring carbon nanotube array electrodes. *J Nanosci Nanotechnol* 8: 416-419. <http://dx.doi.org/10.1166/jnn.2008.187>.
- Kim, SJ; Cho, SY; Kim, TY. (2002). Adsorption of chlorinated volatile organic compounds in a fixed bed of activated carbon. *Korean J Chem Eng* 19: 61-67.
- Kim, SK; Kim, YC. (1996). Effect of a single administration of benzene, toluene or m-xylene on carboxyhaemoglobin elevation and metabolism of dichloromethane in rats. *J Appl Toxicol* 16: 437-444. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199609\)16:5<437::AID-JAT371>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1099-1263(199609)16:5<437::AID-JAT371>3.0.CO;2-2).
- Kim, TH; Kwon, NY; Son, JH; Yang, C; Lee, M; Lee, TS. (2010). Self-assembly of supramolecular metallogelator containing 2-(2'-hydroxyphenyl) benzoxazole/Zn(II) chelate. *J Nanosci Nanotechnol* 10: 6929-6933. <http://dx.doi.org/10.1166/jnn.2010.2972>.
- Kim, TH; Sture, S. (2004). Effect of moisture on attraction force in beach sand. *Marine Georesources and Geotechnology* 22: 33-47. <http://dx.doi.org/10.1080/10641190490467071>.
- Kim, WB; Joshi, UA; Lee, JS. (2004). Making polycarbonates without employing phosgene: An overview on catalytic chemistry of intermediate and precursor syntheses for polycarbonate. *Ind Eng Chem Res* 43: 1897-1914.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng* 126: 934-942.
- Kim, YD, ae; Kim, J, unHo. (2008). Synthesis of polypyrrole-SBS composites and the particle size effect on the electrorheological properties of their suspensions. *Synthetic Metals* 158: 479-483. <http://dx.doi.org/10.1016/j.synthmet.2008.03.012>.
- Kim, YD; Kim, JH; Sim, SJ; Woo, K; Choi, GJ; Cho, YS. (1998). Lewis acid catalysts and solvents effects on the alkylation of naphthalene. *J Ind Eng Chem* 4: 329-333.
- Kim, YD; Klingenberg, DJ. (1997). The nonlinear behavior of surfactant-activated electrorheological suspensions. *Korean J Chem Eng* 14: 23-29.
- Kim, YH, a; Kim, I, IKug; Kim, T, aeGon; Lee, J, unHo; Lim, YK; Kim, YJ; Choi, S, ikY. (2013). Sustained drug release system using porous structured poly(L-lactic acid) fabricated by solvent dispersion method. *Journal of Porous Materials* 20: 303-308. <http://dx.doi.org/10.1007/s10934-012-9599-5>.
- Kimura, T. (2005). Synthesis of mesostructured and mesoporous aluminum organophosphonates prepared by using diphosphonic acids with alkylene groups. *Chem Mater* 17: 337-344. <http://dx.doi.org/10.1021/cm0490672>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kirkland, D; Speit, G. (2008). Evaluation of the ability of a battery of three in vitro genotoxicity tests to discriminate rodent carcinogens and non-carcinogens III. Appropriate follow-up testing in vivo. *Mutat Res Genet Toxicol Environ Mutagen* 654: 114-132. <http://dx.doi.org/10.1016/j.mrgentox.2008.05.002>.
- Kiszkiel, I; Starczewska, B; Karpinska, J. (2012). New extraction procedures for isolation of famotidine from aqueous samples. *Int J Environ Anal Chem* 92: 714-728. <http://dx.doi.org/10.1080/03067311003782690>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research* 7: 109-116.
- Kizilcan, N; Hocaoglu, B; Ustamehmetoglu, B. (2011). Polymerization of cyclohexanone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 143-153. <http://dx.doi.org/10.1108/03699421111130405>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kjeller, LO; Kulp, SE; Jonsson, B; Rappe, C. (1993). METHODOLOGY FOR THE DETERMINATION OF POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS IN SEDIMENT SAMPLES. *Toxicol Environ Chem* 39: 1-12.
- Klamerth, N; Moreira, J; Li, C; Singh, A; Mcphedran, KN; Chelme-Ayala, P; Belosevic, M; Gamal El-Din, M. (2015). Effect of ozonation on the naphthenic acids' speciation and toxicity of pH-dependent organic extracts of oil sands process-affected water. *Sci Total Environ* 506-507: 66-75. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.103>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress* 15: 93-107.
- Klee, N; Gustavsson, L; Kosmehl, T; Engwall, M; Erdinger, L; Braunbeck, T; Hollert, H. (2004). Changes in toxicity and genotoxicity of industrial sewage sludge samples containing nitro- and amino-aromatic compounds following treatment in bioreactors with different oxygen regimes. *Environ Sci Pollut Res Int* 11: 313-320. <http://dx.doi.org/10.1065/espr2004.03.189>.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos* 105: 28875-28893.
- Kleinegris, DM; van Es, MA; Janssen, M; Brandenburg, WA; Wijffels, RH. (2011). Phase toxicity of dodecane on the microalga *Dunaliella salina*. *J Appl Phycol* 23: 949-958. <http://dx.doi.org/10.1007/s10811-010-9615-6>.
- Kleinheinz, GT; John, WPS. (1997). Sampling of air streams and incorporation of samples in the Microtox(TM) toxicity testing system. *Environ Toxicol Chem* 16: 2064-2066.
- Klimakow, M; Leiterer, J; Kneipp, J; Rössler, E; Panne, U; Rademann, K; Emmerling, F. (2010). Combined synchrotron XRD/Raman measurements: in situ identification of polymorphic transitions during crystallization processes. *Langmuir* 26: 11233-11237. <http://dx.doi.org/10.1021/la100540q>.
- Klimkowicz-Pawlas, A; Smreczak, B; Maliszewska-Kordybach, B. (2009). Ecotoxicological effect of the mixture of cadmium, zinc and lead in freshly contaminated soils as influenced by the presence of PAHS. *Fresen Environ Bull* 18: 1103-1109.
- Kloetzer, L; Cascaval, D, an; Galaction, AI. (2013). INFLUENCE OF SOLVENT POLARITY ON INTERFACIAL MECHANISM AND EFFICIENCY OF SUCCINIC ACID REACTIVE EXTRACTION WITH TRI-n-OCTYLAMINE. *Chemical Engineering Communications* 200: 701-717. <http://dx.doi.org/10.1080/00986445.2012.717319>.
- Kloetzer, L; Galaction, AI; Cascaval, D, an. (2010). Facilitated Pertraction of p-Aminobenzoic Acid with Amberlite LA-2 in Presence of 1-Octanol. *Separation Science and Technology* 45: 1440-1447. <http://dx.doi.org/10.1080/01496391003698109>.
- Kloetzer, L; Postaru, M; Galaction, AI; Blaga, AC; Cascaval, D, an. (2013). Comparative Study on Rosmarinic Acid Separation by Reactive Extraction with Amberlite LA-2 and D2EHPA. 1. Interfacial Reaction Mechanism and Influencing Factors. *Ind Eng Chem Res* 52: 13785-13794. <http://dx.doi.org/10.1021/ie4023513>.
- Knight, RA. (2000). Experience with raw gas analysis from pressurized gasification of biomass. *Biomass and Bioenergy* 18: 67-77.
- Knowles, KE; Tagliacuzzi, M; Malicki, M; Swenson, NK; Weiss, EA. (2013). Electron Transfer as a Probe of the Permeability of Organic Monolayers on the Surfaces of Colloidal PbS Quantum Dots. *J Phys Chem C* 117: 15849-15857. <http://dx.doi.org/10.1021/jp406485y>.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Kobune, M; Matsuura, O; Matsuzaki, T; Sawada, T; Mineshige, A; Fujii, S. (2001). Crystallization of amorphous (Pb, La) (Zr, Ti) O-3 thin film and its electrical properties. *Ceramic Society of Japan Journal* 109: 631-636. [http://dx.doi.org/10.2109/jcersj.109.1271\\_631](http://dx.doi.org/10.2109/jcersj.109.1271_631).
- Kobya, A; Aydiner, C; Demirbas, E. (2005). Non-steady-state kinetic analysis of coupled transport of thiocyanate ions through binary liquid membranes. *Desalination* 175: 237-246. <http://dx.doi.org/10.1016/j.desal.2004.10.011>.
- Kodama, G; Annunaciacao, WF; Sanches, EG; de Araujo Miranda Gomes, CH; Tsuzuki, MY. (2011). ECONOMIC FEASIBILITY OF CLOWN FISH, *Amphiprion ocellaris*, IN RECIRCULATION SYSTEM. 37: 61-72.
- Koehler, EP; Fowler, DW. (2008). Dust-of-fracture aggregate microfines in self-consolidating concrete. *ACI Mater J* 105: 165-173.
- Kofujita, H; Fujino, Y; Sasaki, T; Hasebe, M; Ota, M; Suzuki, K. (2001). Antifungal activity of the bark of *Cryptomeria japonica* and its relevant components. 47: 479-486.
- Koganti, A; Singh, R; Ma, BL; Weyand, EH. (2001). Comparative analysis of PAH : DNA adducts formed in lung of mice exposed to neat coal tar and soils contaminated with coal tar. *Environ Sci Technol* 35: 2704-2709. <http://dx.doi.org/10.1021/es001532i>.
- Kohler, H; Halbartschlager, J. (1986). SEPARATION OF CHLORINATED HYDROCARBONS FROM WASTE AIR WITH THE ACID OF ADSORPTION ON ACTIVATED CARBON - EXPERIENCES FROM CONTINUOUS OPERATIONS WITH DICHLORMETHAN (METHYLENCHLORIDE). *Staub, Reinhaltung der Luft* 46: 50-55.
- Koistinen, J; Lehtonen, M; Tukia, K; Soimasuo, M; Lahtipera, M; Okari, A. (1998). Identification of lipophilic pollutants discharged from a Finnish pulp and paper mill. *Chemosphere* 37: 219-235.
- Koistinen, J; Soimasuo, M; Tukia, K; Oikari, A; Blankenship, A; Giesy, JP. (1998). Induction of EROD activity in HEPA-1 mouse hepatoma cells and estrogenicity in MCF-7 human breast cancer cells by extracts of pulp mill effluents, sludge, and sediment exposed to effluents. *Environ Toxicol Chem* 17: 1499-1507.
- Koivisto, J; Salorinne, K; Mustalahti, S; Lahtinen, T; Malola, S; Häkkinen, H; Pettersson, M. (2014). Vibrational Perturbations and Ligand-Layer Coupling in a Single Crystal of Au<sub>144</sub>(SC<sub>2</sub>H<sub>4</sub>Ph)<sub>60</sub> Nanocluster. *Journal of Physical Chemistry Letters* 5: 387-392. <http://dx.doi.org/10.1021/jz4026003>.
- Kolak, JJ; Burruss, RC. (2014). The use of solvent extractions and solubility theory to discern hydrocarbon associations in coal, with application to the coal-supercritical CO<sub>2</sub> system. *Organic Geochemistry* 73: 56-69. <http://dx.doi.org/10.1016/j.orggeochem.2014.05.002>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kolak, JJ; Hackley, PC; Ruppert, LF; Warwick, PD; Burruss, RC. (2015). Using Ground and Intact Coal Samples To Evaluate Hydrocarbon Fate during Supercritical CO<sub>2</sub> Injection into Coal Beds: Effects of Particle Size and Coal Moisture. *Energy Fuels* 29: 5187-5203. <http://dx.doi.org/10.1021/ef502611d>.
- Kolbe, N; Andersson, JT. (2006). Simple and sensitive determination of o-phenylphenol in citrus fruits using gas chromatography with atomic emission or mass spectrometric detection. *J Agric Food Chem* 54: 5736-5741. <http://dx.doi.org/10.1021/jf060753q>.
- Koljonen, K; Stenius, P. (2005). Surface characterisation of single fibres from mechanical pulps by contact angle measurements. *Nordic Pulp & Paper Research Journal* 20: 107-113.
- Kolthoff, IM; Chantooni, MK. (1997). Crown ether complexed alkali metal picrate ion pairs in water-saturated dichloromethane as studied by electrolytic conductance and by partitioning into water. Effect of lithium chloride on partitioning. *Journal of Chemical and Engineering Data* 42: 49-53.
- Kolwzan, B. (2009). EFFECT OF BIOREMEDIATION ON GENOTOXICITY OF SOIL CONTAMINATED WITH DIESEL OIL. *Environ Protect Eng* 35: 95-103.
- Koncsag, CI; Kirwan, K. (2012). A membrane screening for the separation/concentration of dilignols and trilignols from solvent extracts. *Separation and Purification Technology* 94: 54-60. <http://dx.doi.org/10.1016/j.seppur.2012.04.009>.
- Konezny, SJ; Doherty, MD; Luca, OR; Crabtree, RH; Soloveichik, GL; Batista, VS. (2012). Reduction of Systematic Uncertainty in DFT Redox Potentials of Transition-Metal Complexes. *J Phys Chem C* 116: 6349-6356. <http://dx.doi.org/10.1021/jp300485t>.
- Kong, DH; Ende, DJA; Brenek, SJ; Weston, NP. (2003). Determination of flash point in air and pure oxygen using an equilibrium closed bomb apparatus. *J Hazard Mater* 102: 155-165. [http://dx.doi.org/10.1016/S0304-3894\(03\)00212-7](http://dx.doi.org/10.1016/S0304-3894(03)00212-7).
- Kong, H; Sinha, J; Hoefl, D; Kirschner, SB; Reich, DH; Katz, HE. (2013). Solution processable organic p-n junction bilayer vertical photodiodes. *Organic Electronics* 14: 703-710. <http://dx.doi.org/10.1016/j.orgel.2012.12.008>.
- Kong, M; izhi, Shi, XH, ua; Cao, Y, uC; Zhou, C, aiR. (2008). Solubility of imidacloprid in different solvents. *Journal of Chemical and Engineering Data* 53: 615-618. <http://dx.doi.org/10.1021/je7004038>.
- Kong, M; Zhang, J; Guo, B; Han, K. (2016). Measurements of grease emission and heat generation rates of electric countertop appliances (RP-1631, part 1). 22: 845-865. <http://dx.doi.org/10.1080/23744731.2016.1197749>.
- Koninti, RK; Palvai, S; Satpathi, S; Basu, S; Hazra, P. (2016). Loading of an anti-cancer drug into mesoporous silica nano-channels and its subsequent release to DNA. *Nanoscale* 8: 18436-18445. <http://dx.doi.org/10.1039/c6nr06285g>.
- Kontou, S; Tsiipi, D; Oreopoulou, V; Tzia, C. (2001). Determination of ETU in tomatoes and tomato products by HPLC-PDA. Evaluation of cleanup procedures. *J Agric Food Chem* 49: 1090-1097.
- Konys, J; Fodi, S; Hausselt, J; Schmidt, H; Casal, V. (1999). Corrosion of high-temperature alloys in chloride-containing supercritical water oxidation systems. *Corrosion* 55: 45-51.
- Koo, JK; Ahn, DW; Yoon, SP; Kim, DH. (1990). EFFECTS OF WATER-CONTENT AND TEMPERATURE ON EQUILIBRIUM DISTRIBUTION OF ORGANIC POLLUTANTS IN UNSATURATED SOIL. *Water Air Soil Pollut* 53: 267-277.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos* 98: 20517-20526.
- Kora, AJ; Rastogi, L. (2016). Catalytic degradation of anthropogenic dye pollutants using palladium nanoparticles synthesized by gum olibanum, a glucuronarabinogalactan biopolymer. *Ind Crop Prod* 81: 1-10. <http://dx.doi.org/10.1016/j.indcrop.2015.11.055>.
- Korsunova, LP; Khegai, VV. (2005). Seismo-ionospheric effects of the strong crustal earthquakes in the Pacific region. *Geomagnetism and Aeronomy* 45: 665-670.
- Korth, W; Ellis, J; Bowmer, K. (1992). THE STABILITY OF GEOSMIN AND MIB AND THEIR DEUTERATED ANALOGS IN SURFACE WATERS AND ORGANIC-SOLVENTS. *Water Sci Technol* 25: 115-122.
- Korzekwa, KR; Krishnamachary, N; Shou, M; Ogai, A; Parise, RA; Rettie, AE; Gonzalez, FJ; Tracy, TS. (1998). Evaluation of atypical cytochrome P450 kinetics with two-substrate models: Evidence that multiple substrates can simultaneously bind to cytochrome P450 active sites. *Biochemistry* 37: 4137-4147. <http://dx.doi.org/10.1021/bi9715627>.
- Kose, GT; Kenar, H; Hasirci, N; Hasirci, V. (2003). Macroporous poly(3-hydroxybutyrate-co-3-hydroxyvalerate) matrices for bone tissue engineering. *Biomaterials* 24: 1949-1958. [http://dx.doi.org/10.1016/S0142-9612\(02\)00613-0](http://dx.doi.org/10.1016/S0142-9612(02)00613-0).
- Köse, GT; Korkusuz, F; Korkusuz, P; Purali, N; Ozkul, A; Hasirci, V. (2003). Bone generation on PHBV matrices: an in vitro study. *Biomaterials* 24: 4999-5007. [http://dx.doi.org/10.1016/S0142-9612\(03\)00417-4](http://dx.doi.org/10.1016/S0142-9612(03)00417-4).
- Koseoglu, E, da; Akmil-Basar, C. (2015). Preparation, structural evaluation and adsorptive properties of activated carbon from agricultural waste biomass. *Adv Powder Tech* 26: 811-818. <http://dx.doi.org/10.1016/j.apt.2015.02.006>.
- Koshland, CP; Fisher, EM; Lucas, D. (1992). THERMAL-DESTRUCTION OF SOME CHLORINATED C-1 AND C-2 HYDROCARBONS. *Combust Sci Tech* 82: 49-65.
- Kosobrodova, E; Kondyurin, A; Chrzanowski, W; Mckenzie, DR; Bilek, MMM. (2016). Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. *Materials & Design* 97: 381-391. <http://dx.doi.org/10.1016/j.matdes.2016.02.124>.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTIG REACTION. 100: 332-336.
- Kotseridis, Y; Baumes, R. (2000). Identification of impact odorants in Bordeaux red grape juice, in the commercial yeast used for its fermentation, and in the produced wine. *J Agric Food Chem* 48: 400-406.
- Kotvis, PV; Huezio, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear* 201: 10-14.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kowalska, J; Jeżewska, A. (2016). [Method for determining 1,2:3,4-Diepoxybutane in workplace air]. *Med Pr* 67: 645-652. <http://dx.doi.org/10.13075/mp.5893.00415>.
- Koyuncu, S; Wang, HW, ei; Liu, F; Toga, KB; Gu, W; Russell, TP. (2014). A novel complementary absorbing donor-acceptor pair in block copolymers based on single material organic photovoltaics. 2: 2993-2998. <http://dx.doi.org/10.1039/c3ta14902a>.
- Koziej, D; Fischer, F; Kränzlin, N; Caseri, WR; Niederberger, M. (2009). Nonaqueous TiO<sub>2</sub> nanoparticle synthesis: a versatile basis for the fabrication of self-supporting, transparent, and UV-absorbing composite films. *ACS Applied Materials & Interfaces* 1: 1097-1104. <http://dx.doi.org/10.1021/am9000584>.
- Kozłowski, M. (2001). Two-stage reduction and reductive alkylation of coal using deuterium-labelled modifying agents. *Fuel* 80: 937-943.
- Kozłowski, M; Wachowska, H. (1998). Reduction and reductive alkylation of coals using deuterium containing compounds. *Fuel* 77: 591-599.
- Kozłowski, M; Wachowska, H. (1999). The effect of sulphur present in coal on the course of its reduction in the potassium/liquid ammonia system. *Fuel* 78: 1875-1880.
- Kozłowski, M; Wachowska, H; Adriaensens, P; Gelan, J. (1999). IR and NMR characterisation of extraction products of reductively deuteromethylated coals. *Fuel* 78: 1881-1884.
- Kozłowski, M; Wachowska, H; Yperman, J; Franco, DV; Mullens, J; Van Poucke, LC. (1998). Atmospheric-pressure temperature-programmed reduction study of high-sulfur coals reduced in a potassium liquid ammonia system. *Energy Fuels* 12: 1142-1147.
- Krahn, MM; Ylitalo, GM; Buzitis, J; Sloan, CA; Boyd, DT; Chan, SL; Varanasi, U. (1994). SCREENING FOR PLANAR CHLOROBIPHENYL CONGERS IN TISSUES OF MARINE BIOTA BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY WITH PHOTODIODE-ARRAY DETECTION. *Chemosphere* 29: 117-139. [http://dx.doi.org/10.1016/0045-6535\(94\)90095-7](http://dx.doi.org/10.1016/0045-6535(94)90095-7).
- Krajian, H; Odeh, A. (2013). Polycyclic aromatic hydrocarbons in medicinal plants from Syria. *Toxicol Environ Chem* 95: 942-953. <http://dx.doi.org/10.1080/02772248.2013.840375>.
- Kramer, BA; Lee, M; Chen, CC; Volakis, JL. (2005). Design and performance of an ultrawide-band ceramic-loaded slot spiral. *I E E E Transactions on Antennas and Propagation* 53: 2193-2199. <http://dx.doi.org/10.1109/TAP.2005.850715>.
- Kramers, PGN; Mout, HCA; Bissumbhar, B; Mulder, CR. (1991). Inhalation exposure in *Drosophila* mutagenesis assays: Experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. *Mutat Res* 252: 17-33. [http://dx.doi.org/10.1016/0165-1161\(91\)90248-7](http://dx.doi.org/10.1016/0165-1161(91)90248-7).
- Krasnoff, SB; Gupta, S. (1991). IDENTIFICATION AND DIRECTED BIOSYNTHESIS OF EFRAPEPTINS IN THE FUNGUS *TOLYPOCLADIUM-GEODES GAMS* (DEUTEROMYCOTINA, HYPHOMYCETES). *J Chem Ecol* 17: 1953-1962.
- Krasnoff, SB; Gupta, S. (1994). Identification of the antibiotic phomalactone from the entomopathogenic fungus *Hirsutiella thompsonii* var. *synnematosi*. *J Chem Ecol* 20: 293-302.
- Krausova, VI; Robb, FT; Gonzalez, JM. (2006). Biodegradation of dichloromethane in an estuarine environment. *Hydrobiologia* 559: 77-83. <http://dx.doi.org/10.1007/s10750-004-0571-5>.
- Kreissig, F; Schaefer, C; Ulrich, J. (2014). Prevention of Solvent-Mediated Isomer Transfer of Carotenoids. *Chem Eng Tech* 37: 1358-1362. <http://dx.doi.org/10.1002/ceat.201400021>.
- Kreiton, KL; Evans, J; Schmonstasik, R; Patel, D. (1993). RESULTS OF A METHOD VERIFICATION STUDY FOR ANALYSES OF PCP IN SOIL. *J Air Waste Manag Assoc* 43: 1408-1411.
- Krekieln, NR; Müller, M; Jung, U; Ulrich, S; Herges, R; Magnussen, OM. (2015). UV/Vis Spectroscopy Studies of the Photoisomerization Kinetics in Self-Assembled Azobenzene-Containing Adlayers. *Langmuir* 31: 8362-8370. <http://dx.doi.org/10.1021/acs.langmuir.5b01645>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect* 102: 37-50.
- Krishnamoorthy, S; Amiridis, MD. (1999). Kinetic and in situ FTIR studies of the catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today* 51: 203-214.
- Krishnamoorthy, S; Baker, JP; Amiridis, MD. (1998). Catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub>-based catalysts. *Catalysis Today* 40: 39-46.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect* 110: 989-994.
- Krishnan, K; Haddad, S; Pelekis, M. (1995). A simple index for representing the discrepancy between simulations of physiological pharmacokinetic models and experimental data. *Toxicol Ind Health* 11: 413-422. <http://dx.doi.org/10.1177/074823379501100404>.
- Krishnan, P; Advani, SG; Prasad, AK. (2011). Synthesis and evaluation of polythiocyanogen (SCN)<sub>x</sub> as a rechargeable lithium-ion battery electrode material. *J Power Sources* 196: 7755-7759. <http://dx.doi.org/10.1016/j.jpowsour.2011.04.048>.
- Krone, CA; Stein, JE; Varanasi, U. (1992). ESTIMATION OF LEVELS OF METABOLITES OF AROMATIC-HYDROCARBONS IN FISH-TISSUES BY HPLC/FLUORESCENCE ANALYSIS. *Chemosphere* 24: 497-510.
- Kronholm, DF; Howard, JB. (2000). Analysis of soot surface growth pathways using published plug-flow reactor data with new particle size distribution measurements and published premixed flame data. *Proc Combust Inst* 28: 2555-2561.
- Krucinska, I; Bogun, M; Chrzanowska, O; Chrzanowski, M; Krol, P. (2013). RESEARCH CONCERNING FABRICATION OF FIBROUS OSTEOCONDUCTIVE PLGA/HAP NANOCOMPOSITE MATERIAL USING THE METHOD OF ELECTROSPINNING FROM POLYMER SOLUTION. 13: 57-66. <http://dx.doi.org/10.2478/v10304-012-0027-3>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Krueger, A; Boedeker, T. (2008). Deagglomeration and functionalisation of detonation nanodiamond with long alkyl chains. *Diam Relat Mater* 17: 1367-1370. <http://dx.doi.org/10.1016/j.diamond.2008.01.033>.
- Krueger, MB; Selle, C; Heller, D; Baumann, W. (2012). Determination of Gas Concentrations in Liquids by Nuclear Magnetic Resonance: Hydrogen in Organic Solvents. *Journal of Chemical and Engineering Data* 57: 1737-1744. <http://dx.doi.org/10.1021/je2013582>.
- Kruzel, EL; Lafleur, AL; Braun, AG; Longwell, JP; Thilly, WG; Peters, WA. (1991). A high-yield sampler for toxicological characterization of complex mixtures in combustion effluents. *Environ Health Perspect* 90: 305-314.
- Kryuchkov, MA; Qi, YH, ua; Perepichka, II; Pelletier, C; Regnaud, A; Song, Z; Varshney, SK. (2015). Challenging activated monomer ring-opening polymerization for direct synthesis of thiol end-functionalized polyesters. *React Funct Polym* 90: 1-6. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.03.005>.
- Krzemien-Konieczka, I; Buszewski, B. (2015). Determining Polychlorinated Biphenyls in Soil Using Accelerated Solvent Extraction (ASE). *Pol J Environ Stud* 24: 2029-2033. <http://dx.doi.org/10.15244/pjoes/41589>.
- Ktari, L; Guyot, M. (1999). A cytotoxic oxysterol from the marine alga *Padina pavonica* (L.) Thivy. *J Appl Phycol* 11: 511-513.
- Ktari, L; Ismail-Ben Ali, A; Ben Redjem, Y; Langar, H; El Bour, M. (2010). Antifouling activity and chemical investigation of the brown alga *Dictyota fasciola* (Dictyotales) from Tunisian coast. *Cahiers de Biologie Marine* 51: 109-115.
- Ku, Y; Chiu, PC; Chou, YC. (2010). Decomposition of aniline in aqueous solution by UV/TiO<sub>2</sub> process with applying bias potential. *J Hazard Mater* 183: 16-21. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.035>.
- Kubatova, A; Vermeylen, R; Claeys, M; Cafmeyer, J; Maenhaut, W; Roberts, G; Artaxo, P. (2000). Carbonaceous aerosol characterization in the Amazon basin, Brazil: novel dicarboxylic acids and related compounds. *Atmos Environ* 34: 5037-5051.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kucharska, A; Covaci, A; Vanermen, G; Voorspoels, S. (2014). Non-invasive biomonitoring for PFRs and PBDEs: New insights in analysis of human hair externally exposed to selected flame retardants. *Sci Total Environ* 505C: 1062-1071. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.043>.
- Kuenen, LP; Siegel, JP. (2015). Measure your septa release ratios: pheromone release ratio variability affected by rubber septa and solvent. *J Chem Ecol* 41: 303-310. <http://dx.doi.org/10.1007/s10886-015-0557-y>.
- Kuivinen, J; Johnsson, H. (1999). Determination of trihalomethanes and some chlorinated solvents in drinking water by headspace technique with capillary column gas-chromatography. *Water Res* 33: 1201-1208.
- Kukkar, D; Kaur, I; Singh, J; Bharadwaj, LM. (2015). Plasticizers Induced Formation of Microcapsules From Freeze Dried Polystyrene Microreactors. *Int J Polym Mater* 64: 385-391. <http://dx.doi.org/10.1080/00914037.2014.958825>.
- Kukula-Koch, W; Koch, W; Stasiak, N; Glowniak, K; Asakawa, Y. (2015). Quantitative standarization and CPC-based recovery of pharmacologically active components from *Polygonum tinctorium* Ait. leaf extracts. *Ind Crop Prod* 69: 324-328. <http://dx.doi.org/10.1016/j.indcrop.2015.02.048>.
- Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEGylation of chitosan via "click chemistry" reactions. *React Funct Polym* 69: 771-778. <http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination* 196: 43-54. <http://dx.doi.org/10.1016/j.deas.2005.11.019>.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2014). Time course of blood parameters in printing workers with cholangiocarcinoma. *J Occup Health* 56: 279-284. <http://dx.doi.org/10.1539/joh.13-0263-OA>.
- Kumagai, S; Sobue, T; Makiuchi, T; Kubo, S; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2016). Relationship between cumulative exposure to 1,2-dichloropropane and incidence risk of cholangiocarcinoma among offset printing workers. *Occup Environ Med* 73: 545-552. <http://dx.doi.org/10.1136/oemed-2015-103427>.
- Kumar, A; Jena, HM. (2015). High surface area microporous activated carbons prepared from Fox nut (*Euryale ferox*) shell by zinc chloride activation. *Appl Surf Sci* 356: 753-761. <http://dx.doi.org/10.1016/j.apsusc.2015.08.074>.
- Kumar, A; Jena, HM. (2016). Preparation and characterization of high surface area activated carbon from Fox nut (*Euryale ferox*) shell by chemical activation with H<sub>3</sub>PO<sub>4</sub>. 6: 651-658. <http://dx.doi.org/10.1016/j.rinp.2016.09.012>.
- Kumar, A; Jena, HM. (2016). Removal of methylene blue and phenol onto prepared activated carbon from Fox nutshell by chemical activation in batch and fixed-bed column. *J Clean Prod* 137: 1246-1259. <http://dx.doi.org/10.1016/j.jclepro.2016.07.177>.
- Kumar, D; Shastri, NR. (2014). Designed Isomorphism of Nifedipine: A Joint Experimental and Molecular Simulation Study with Screened Solvents and Antisolvents. *Cryst Growth Des* 14: 326-338. <http://dx.doi.org/10.1021/cg401612z>.
- Kumar, DA; Palanichamy, V; Roopan, SM. (2015). One step production of AgCl nanoparticles and its antioxidant and photo catalytic activity. *Mater Lett* 144: 62-64. <http://dx.doi.org/10.1016/j.matlet.2015.01.002>.
- Kumar, P; Singh, SP; Madhukar, D; Kotresh, AM. (2009). DETERMINATION OF ENDOSULFAN RESIDUES IN BUFFALO MEAT USING HIGH PERFORMANCE LIQUID CHROMATOGRAPHY. 28: 188-197.
- Kumar, R; Jain, SK; Misra, RK; Kachchwaha, M; Khatri, PK. (2012). Aqueous heavy metals removal by adsorption on beta-diketone-functionalized styrene-divinylbenzene copolymeric resin. *Int J Environ Sci Tech* 9: 79-84. <http://dx.doi.org/10.1007/s13762-011-0019-1>.
- Kumar, R, ajR; Tiku, PK; Prakash, V. (2009). Preferential extractability of gamma-oryzanol from dried soapstock using different solvents. *J Sci Food Agric* 89: 195-200. <http://dx.doi.org/10.1002/jsfa.3448>.
- Kumar, S. (2014). A solvent free approach for Knoevenagel condensation: facile synthesis of 3-cyano and 3-carbethoxycoumarins. 3: 223-227. <http://dx.doi.org/10.1515/gps-2013-0114>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kumar, S; Agrawal, KM. (2014). The Deep Deoiling of Microcrystalline Waxes by Solvent Percolation. *Petroleum Science and Technology* 32: 261-266. <http://dx.doi.org/10.1080/10916466.2011.574175>.
- Kumar, S; Babu, BV. (2009). Extraction of Pyridine-3-carboxylic Acid Using 1-Dioctylphosphoryloctane (TOPO) with Different Diluents: Equilibrium Studies. *Journal of Chemical and Engineering Data* 54: 2669-2677. <http://dx.doi.org/10.1021/jc900205h>.
- Kumar, S; Uslu, H; Datta, D; Rarotra, S; Rajput, K. (2015). Investigation of Extraction of 4-Oxopentanoic Acid by N,N-Dioctyl-octan-1-amine in Six Different Diluents: Equilibrium Study. *Journal of Chemical and Engineering Data* 60: 1447-1453. <http://dx.doi.org/10.1021/jc501154g>.
- Kumar, V; Kothiyal, NC. (2011). Distribution behavior of polycyclic aromatic hydrocarbons in roadside soil at traffic intercepts within developing cities. *Int J Environ Sci Tech* 8: 63-72.
- Kumar, V; Kothiyal, NC. (2012). Distribution behavior and carcinogenic level of some polycyclic aromatic hydrocarbons in roadside soil at major traffic intercepts within a developing city of India. *Environ Monit Assess* 184: 6239-6252. <http://dx.doi.org/10.1007/s10661-011-2416-9>.
- Kumar, V; Yang, D. (2002). Oxidized cellulose esters: I. Preparation and characterization of oxidized cellulose acetates - a new class of biodegradable polymers. *J Biomater Sci Polym Ed* 13: 273-286.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech* 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kung, KHS; Hayes, KF. (1993). FOURIER-TRANSFORM INFRARED SPECTROSCOPIC STUDY OF THE ADSORPTION OF CETYLTRIMETHYLAMMONIUM BROMIDE AND CETYLPYRIDINIUM CHLORIDE ON SILICA. *Langmuir* 9: 263-267.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology* 26: 1077-1091.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res* 67: 910-920.
- Kurimoto, Y; Takeda, M; Koizumi, A; Yamauchi, S; Doi, S; Tamura, Y. (2000). Mechanical properties of polyurethane films prepared from liquefied wood with polymeric MDI. *Bioresour Technol* 74: 151-157.
- Kurppa, K; Kivisto, H; Vainio, H. (1981). Dichloromethane and carbon monoxide inhalation: carboxyhemoglobin addition, and drug metabolizing enzymes in rat. *Int Arch Occup Environ Health* 49: 83-87.
- Kuzniarska-Biernacka, I; Pereira, C; Carvalho, A, naP; Pires, J; Freire, C. (2011). Epoxidation of olefins catalyzed by manganese(III) salen complexes grafted to porous heterostructured clays. *Appl Clay Sci* 53: 195-203. <http://dx.doi.org/10.1016/j.clay.2010.12.017>.
- Kwak, F; Bae, SY. (2006). Recrystallization of L-PLA fine particles by supercritical anti-solvent (SAS) process. *J Ind Eng Chem* 12: 387-394.
- Kwon, CH; Lee, YD; Im, MH. (2011). Simultaneous determination of orysastrobin and its isomers in rice using HPLC-UV and LC-MS/MS. *J Agric Food Chem* 59: 10826-10830. <http://dx.doi.org/10.1021/jf202228p>.
- Kwon, IK; Kidoaki, S; Matsuda, T. (2005). Electrospun nano- to microfiber fabrics made of biodegradable copolyesters: structural characteristics, mechanical properties and cell adhesion potential. *Biomaterials* 26: 3929-3939. <http://dx.doi.org/10.1016/j.biomaterials.2004.10.007>.
- Kwon, JH; Lee, HK; Kwon, JW; Kim, K; Park, E; Kang, MH; Kim, YH. (2008). Mutagenic activity of river water from a river near textile industrial complex in Korea. *Environ Monit Assess* 142: 289-296. <http://dx.doi.org/10.1007/s10661-007-9928-3>.
- Kwon, S; Chun, H; Mah, S. (2004). Photo-induced living cationic polymerization of isobutyl vinyl ether in the presence of various combinations of halides of diphenyliodonium and zinc salts in methylene chloride. *Fibers and Polymers* 5: 253-258.
- Laabs, V; Amelung, W; Zech, W. (1999). Multi-residue analysis of corn and soybean pesticides in Brazilian oxisols using gas chromatography and mass selective detection. *J Environ Qual* 28: 1778-1786.
- Lababidi, S; Panda, SK; Andersson, J, anT; Schrader, W. (2013). Deep Well Deposits: Effects of Extraction on Mass Spectrometric Results. *Energy Fuels* 27: 1236-1245. <http://dx.doi.org/10.1021/ef301593r>.
- Labbé, C; Faini, F; Villagrán, C; Coll, J; Rycroft, DS. (2005). Antifungal and insect antifeedant 2-phenylethanol esters from the liverwort *Balantiopsis cancellata* from Chile. *J Agric Food Chem* 53: 247-249. <http://dx.doi.org/10.1021/jf048935c>.
- Laborde-Castérot, H; Rosenberg, N; Dupont, P; Garnier, R. (2014). Is the incidence of aliphatic amine-induced occupational rhinitis and asthma underestimated? *Am J Ind Med* 57: 1303-1310. <http://dx.doi.org/10.1002/ajim.22373>.
- Lacey, S; Alexander, BM; Baxter, CS. (2014). Plasticizer contamination of firefighter personal protective clothing - a potential factor in increased health risks in firefighters. *J Occup Environ Hyg* 11: D43-D48. <http://dx.doi.org/10.1080/15459624.2013.877142>.
- Lacík, I; Brissová, M; Anilkumar, AV; Powers, AC; Wang, T. (1998). New capsule with tailored properties for the encapsulation of living cells. *J Biomed Mater Res* 39: 52-60.
- Lafleur, AL; Sarofim, AF; Wornat, MJ. (1993). A SIMPLE MULTIMODE SIZE-EXCLUSION CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF THE DEGREE OF THERMAL-TREATMENT OF FOSSIL-FUEL PYROLYSIS PRODUCTS. *Energy Fuels* 7: 357-361.
- Lages, BG; Fleury, BG; Rezende, CM; Pinto, AC; Creed, JC. (2010). CHEMICAL COMPOSITION AND RELEASE IN SITU DUE TO INJURY OF THE INVASIVE CORAL *Tubastraea* (CNIDARIA, SCLERACTINIA). 58: 47-56.
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, KY; Chu, TM; Hong, FCN; Elangovan, A; Kao, KM; Yang, SW; Ho, TI. (2006). Excimer emission from a novel ethyne-based fluorescent dye in organic light-emitting devices. *Surf Coating Tech* 200: 3283-3288. <http://dx.doi.org/10.1016/j.surfcoat.2005.07.029>.
- Lai, MK; Tsiang, RC. (2004). Encapsulating acetaminophen into poly(L-lactide) microcapsules by solvent-evaporation technique in an O/W emulsion. *J Microencapsul* 21: 307-316. <http://dx.doi.org/10.1080/02652040410001673928>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Laiadi, D; Hasseinea, A; Merzougui, A. (2012). Homotopy method to predict liquid-liquid equilibria for ternary mixtures of (water plus carboxylic acid plus organic solvent). *Fluid Phase Equilibria* 313: 114-120. <http://dx.doi.org/10.1016/j.fluid.2011.09.034>.
- Laine, J; Stenius, P; Carlsson, G; Strom, G. (1994). SURFACE CHARACTERIZATION OF UNBLEACHED KRAFT PULPS BY MEANS OF ESCA. *Cellulose* 1: 145-160.
- Laird, RM; Pandit, S. (1995). SOLID-PHASE ACYLATING REAGENTS .3. THE REACTIONS OF A MACRORETICULAR ACETYL POLYSTYRENESULFONATE WITH ANILINE IN AQUEOUS, DICHLOROMETHANE, DIMETHYLFORMAMIDE, DIOXAN AND ETHYL-ACETATE SOLUTIONS AND WITH ACETONE IN AQUEOUS-SOLUTIONS. *J Chem Tech Biotechnol* 63: 345-352.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakshminarayana, R; Raju, M; Krishnakantha, TP; Baskaran, V. (2005). Determination of major carotenoids in a few Indian leafy vegetables by high-performance liquid chromatography. *J Agric Food Chem* 53: 2838-2842. <http://dx.doi.org/10.1021/jf0481711>.
- Lall, RK; Proctor, A; Jain, VP; Lay, JO. (2009). Conjugated linoleic acid-rich soy oil triacylglycerol identification. *J Agric Food Chem* 57: 1727-1734. <http://dx.doi.org/10.1021/jf803111e>.
- Lam, C; Grage, A; Schulz, D; Schulte, A; Harder, T. (2008). Extracts of North Sea macroalgae reveal specific activity patterns against attachment and proliferation of benthic diatoms: a laboratory study. *Biofouling* 24: 59-66. <http://dx.doi.org/10.1080/08927010701827646>.
- Lamb, JD; Morris, CA; West, JN; Morris, KT; Harrison, RG. (2008). Cation effect on anion separations by aza-crown ligands in liquid membranes. *J Memb Sci* 321: 15-21. <http://dx.doi.org/10.1016/j.memsci.2008.02.003>.
- Lamb, JD; West, JN; Shaha, DP; Johnson, JC. (2010). An evaluation of polymer inclusion membrane performance in facilitated transport with sequential membrane reconstitution. *J Memb Sci* 365: 256-259. <http://dx.doi.org/10.1016/j.memsci.2010.09.019>.
- Lammer, EJ; Shaw, GM; Iovannisci, DM; Finnell, RH. (2005). Maternal smoking, genetic variation of glutathione s-transferases, and risk for orofacial clefts. *Epidemiology* 16: 698-701.
- Lanchote, VL; Bonato, PS; Cerdeira, AL; Santos, NAG; de Carvalho, D; Gomes, MA. (2000). HPLC screening and GC-MS confirmation of triazine herbicides residues in drinking water from sugar cane area in Brazil. *Water Air Soil Pollut* 118: 329-337.
- Landau, I; Belfer, AJ; Locke, DC. (1991). MEASUREMENT OF LIMITING ACTIVITY-COEFFICIENTS USING NON-STEADY-STATE GAS-CHROMATOGRAPHY. *Ind Eng Chem Res* 30: 1900-1906.
- Landolsi, T; Hassan, MS; Elrefaie, A, lyF; Hamid, S. (2015). Performance evaluation of optically-preamplified hybrid QPSK M-ary PPM systems with finite extinction ratios. 25: 33-38. <http://dx.doi.org/10.1016/j.yofte.2015.07.011>.
- Landry, TD; Ramsey, JC; Mckenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lang, P; Modla, G. (2006). Generalised method for the determination of heterogeneous batch distillation regions. *Chem Eng Sci* 61: 4262-4270. <http://dx.doi.org/10.1016/j.ces.2006.02.004>.
- Lang, ZM; Hong, HL; Han, LM; Zhu, N; Suo, QL. (2012). Preparation of Emodin-Polyethylene Glycol Composite Microparticles Using a Supercritical Antisolvent Process. *Chem Eng Tech* 35: 362-368. <http://dx.doi.org/10.1002/ceat.201100188>.
- Langevin, R; Rasmussen, JB; Sloterdijk, H; Blaise, C. (1992). Genotoxicity in water and sediment extracts from the St Lawrence River system, using the SOS chromotest. *Water Res* 26: 419-429.
- Langone, F; Lora, S; Veronese, FM; Caliceti, P; Parnigotto, PP; Valenti, F; Palma, G. (1995). PERIPHERAL-NERVE REPAIR USING A POLY(ORGANO)PHOSPHAZENE TUBULAR PROSTHESIS. *Biomaterials* 16: 347-353.
- Lanzi, M; Bizzarri, PC; Dellacasa, C. (1997). Solvatochromic properties of poly[3-(6-methoxyhexyl)-2,5-thienylene] in different solvent mixtures. *Synthetic Metals* 89: 181-186.
- Lara, J; Molero, H; Ramirezcueta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl<sub>4</sub> on iron surfaces. *Langmuir* 12: 2488-2494.
- Lara, J; Tysoe, WT. (1998). Interaction of effusive beams of methylene chloride and chloroform with clean iron: Tribochemical reactions explored in ultrahigh vacuum. *Langmuir* 14: 307-312.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters* 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films* 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Larsen, JW; Flores, CI. (2008). Kerogen chemistry - 5. Anhydride formation in, solvent swelling of, and loss of organics on demineralization of Kimmeridge shales. *Fuel Process Tech* 89: 314-321. <http://dx.doi.org/10.1016/j.fuproc.2007.11.019>.
- Latha, MS; Jayakrishnan, A. (1995). A new method for the synthesis of smooth, round, hydrophilic protein microspheres using low concentrations of polymeric dispersing agents. *J Microencapsul* 12: 7-12.
- Latimer, JG; Severson, RF. (1997). Effect of mechanical and moisture-stress conditioning on growth and cuticle composition of broccoli transplants. *J Am Soc Hortic Sci* 122: 788-791.
- Laus, G; Bentivoglio, G; Kahlenberg, V; Wurst, K; Nauer, G; Schottenberger, H; Tanaka, M; Siehl, HU. (2012). Conformational Flexibility and Cation-Anion Interactions in 1-Butyl-2,3-dimethylimidazolium Salts. *Cryst Growth Des* 12: 1838-1846. <http://dx.doi.org/10.1021/cg201424m>.
- Lavoie, JM; Stevanovic, T. (2006). Yield and composition of lipophylic extracts of yellow birch (*Betula alleghaniensis* Britton) as a function of wood age and aging under industrial conditions. *Holzforschung* 60: 184-189. <http://dx.doi.org/10.1515/HF.2006.030>.
- Law, K, en; Daneault, C; Song, X. (2006). Effect of dichloromethane extraction on properties of chemical fibers. *Cellulose Chemistry and Technology* 40: 439-443.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lazar, R; Edwards, RC; Metcalfe, CD; Metcalfe, T; Gobas, F; Haffner, GD. (1992). A SIMPLE, NOVEL METHOD FOR THE QUANTITATIVE-ANALYSIS OF COPLANAR (NONORTHOSUBSTITUTED) POLYCHLORINATED-BIPHENYLS IN ENVIRONMENTAL-SAMPLES. *Chemosphere* 25: 493-504.
- Lazzari, L; Sporni, L; Salizzato, M; Pavoni, B. (1999). Gas chromatographic determination of organic micropollutants in samples of sewage sludge and compost: Behaviour of PCB and PAH during composting. *Chemosphere* 38: 1925-1935.
- Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilibria of some carbon dioxide plus organic binary systems. *Journal of Chemical and Engineering Data* 50: 60-65. <http://dx.doi.org/10.1021/je0498560>.
- Le Cloirec, P. (2012). Adsorption onto Activated Carbon Fiber Cloth and Electrothermal Desorption of Volatile Organic Compound (VOCs): A Specific Review. *Chinese Journal of Chemical Engineering* 20: 461-468.
- Le, QT; Avendano, FM; Forsythe, EW; Yan, L; Gao, YL; Tang, CW. (1999). X-ray photoelectron spectroscopy and atomic force microscopy investigation of stability mechanism of tris-(8-hydroxyquinoline) aluminum-based light-emitting devices. *Journal of Vacuum Science and Technology A* 17: 2314-2317.
- Le, TT; Miocinovic, J; Nguyen, TM; Rombaut, R; van Camp, J; Dewettinck, K. (2011). Improved solvent extraction procedure and high-performance liquid chromatography-evaporative light-scattering detector method for analysis of polar lipids from dairy materials. *J Agric Food Chem* 59: 10407-10413. <http://dx.doi.org/10.1021/jf200202d>.
- Leal, WS; Yadava, CPS; Vijayvergia, JN. (1996). Aggregation of the scarab beetle *Holotrichia consanguinea* in response to female-released pheromone suggests secondary function hypothesis for semiochemical. *J Chem Ecol* 22: 1557-1566.
- Leboda, R. (1992). CARBON-MINERAL ADSORBENTS - NEW TYPE OF SORBENTS .1. THE METHODS OF PREPARATION. *Mater Chem Phys* 31: 243-255.
- Leboda, R. (1993). CARBON MINERAL ADSORBENTS - NEW-TYPE OF SORBENTS .2. SURFACE-PROPERTIES AND METHODS OF THEIR MODIFICATION. *Mater Chem Phys* 34: 123-141.
- Leboda, R; Gierak, A; Hubicki, Z; Lodyga, A. (1991). EFFECT OF ZIRCONIUM ON PREPARATION AND SORPTION PROPERTIES OF COMPLEX CARBON MINERAL ADSORBENTS. *Mater Chem Phys* 30: 83-91.
- Leboda, R; Sidorchuk, VV; Skubiszewskazieba, J. (1994). EFFECT OF HYDROTHERMAL TREATMENTS ON ADSORPTION PROPERTIES AND STRUCTURAL CHARACTERISTICS OF CARBON SILICA ADSORBENTS (CARBOSILS). *Mater Chem Phys* 39: 136-141.
- Leboda, R; Skubiszewskazieba, J; Sidorchuk, VV; Tertykh, VA; Zarko, VI. (1995). PREPARATION AND SOME PHYSICO-CHEMICAL PROPERTIES OF CARBOAEROSILS. *Journal of Non-Crystalline Solids* 189: 265-269.
- Lebouf, RF; Stefaniak, AB; Virji, MA. (2012). Validation of evacuated canisters for sampling volatile organic compounds in healthcare settings. *J Environ Monit* 14: 977-983. <http://dx.doi.org/10.1039/c2em10896h>.
- Leboultaire, S; Bauduret, JC; Andre, F. (1997). Veterinary drug residues survey in meat: An HPLC method with a matrix solid phase dispersion extraction. *J Agric Food Chem* 45: 2134-2142.
- Ledauphin, J; Saint-Clair, JF; Lablanquie, O; Guichard, H; Fournier, N; Guichard, E; Barillier, D. (2004). Identification of trace volatile compounds in freshly distilled Calvados and Cognac using preparative separations coupled with gas chromatography-mass spectrometry. *J Agric Food Chem* 52: 5124-5134. <http://dx.doi.org/10.1021/jf040052y>.
- Lee, BC; Kuk, YM. (2002). Phase behavior of poly(L-lactide) in supercritical mixtures of dichloromethane and carbon dioxide. *Journal of Chemical and Engineering Data* 47: 367-370. <http://dx.doi.org/10.1021/je010270c>.
- Lee, BK; Dong, TT. (2010). Effects of road characteristics on distribution and toxicity of polycyclic aromatic hydrocarbons in urban road dust of Ulsan, Korea. *J Hazard Mater* 175: 540-550. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.039>.
- Lee, BN; Ying, WT; Shen, YT. (2007). Microwave-induced combustion of volatile organic compounds in an industrial flue gas over the magnetite fixed-bed. *Chemosphere* 69: 1821-1826. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.030>.
- Lee, CG, i; Kim, J, inH. (2015). Improved drying method for removal of residual solvents from paclitaxel by pre-treatment with ethanol and water. *Process Biochemistry* 50: 1031-1036. <http://dx.doi.org/10.1016/j.procbio.2015.02.018>.
- Lee, CH, ao; Ho, K, inMan; Harris, FW; Cheng, SZD; Li, P, ei. (2009). Formation of nanostructured materials using inexpensive hollow particles of amphiphilic graft copolymers as building blocks: 1. insight into the mechanism of nanotube formation. *Soft Matter* 5: 4914-4921. <http://dx.doi.org/10.1039/b915626g>.
- Lee, CH; Wong, CH; Ouhab, D; Borsali, R; Li, P. (2013). Synthesis and characterization of solvent-invertible amphiphilic hollow particles. *Langmuir* 29: 7583-7590. <http://dx.doi.org/10.1021/la401399m>.
- Lee, D, ukD; Choi, N, akJin; Song, K, apDuk. (2006). Micro gas sensor array for monitoring highly toxic gases. 35: 9-12.
- Lee, DH; Cody, RD; Kim, DJ. (2002). Surfactant recycling by solvent extraction in surfactant-aided remediation. *Separation and Purification Technology* 27: 77-82.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, EJ; Yoo, C; Cho, YB. (2003). The analysis of methyl isocyanate using secondary amines by GC-FID. *Int J Environ Anal Chem* 83: 261-268. <http://dx.doi.org/10.1080/0306731021000048573>.
- Lee, ES; Kwon, MJ; Na, K; Bae, JH. (2007). Protein release behavior from porous microparticle with lysozyme/hyaluronate ionic complex. *Colloids Surf B Biointerfaces* 55: 125-130. <http://dx.doi.org/10.1016/j.colsurfb.2006.11.024>.
- Lee, H; Kim, E; Lee, JH; Sung, JH; Choi, H; Kim, JH. (2014). Analysis of cyazofamid and its metabolite in the environmental and crop samples using LC-MS/MS. *Bull Environ Contam Toxicol* 93: 586-590. <http://dx.doi.org/10.1007/s00128-014-1369-4>.
- Lee, H, oS; Kim, JE, un; Kim, T; Suh, KS. (2015). Ionic liquid-assisted synthesis of highly branched Ag:AgCl hybrids and their photocatalytic activity. *J Alloy Comp* 621: 378-382. <http://dx.doi.org/10.1016/j.jallcom.2014.09.222>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lee, H; Paik, DH; Jeong, K, iY; Gang, R, aeH; Lee, J; Choi, SW. (2015). Fabrication of poly(methyl methacrylate) and TiO<sub>2</sub> composite microspheres with controlled morphologies and porous structures by electrospraying. *Journal of Materials Science* 50: 6531-6538. <http://dx.doi.org/10.1007/s10853-015-9216-5>.
- Lee, H, yeY; Won, JE, un; Shin, US; Kim, H, aeWon. (2011). Using hydrophilic ionic liquids as a facile route to prepare porous-structured biopolymer scaffolds. *Mater Lett* 65: 2114-2117. <http://dx.doi.org/10.1016/j.matlet.2011.04.007>.
- Lee, HJ, ae; Choi, HW, oo; Kim, KJ, a; Lee, SC. (2006). Modification of hydroxyapatite nanosurfaces for enhanced colloidal stability and improved interfacial adhesion in nanocomposites. *Chem Mater* 18: 5111-5118. <http://dx.doi.org/10.1021/cm061139x>.
- Lee, HJ; Cui, SY; Park, SM. (2001). Electrochemistry of conductive polymers - XXV. Electrochemical preparation and characterization of poly(p-phenylenes) from biphenyl and p-terphenyl. *J Electrochem Soc* 148: D139-D145.
- Lee, IC; Cheng, LP; Young, TH. (2006). Role of phase diagram of membrane formation system in controlling the crystallinity and degradation rate of PLLA membranes. *J Biomed Mater Res A* 76: 842-850. <http://dx.doi.org/10.1002/jbm.a.30596>.
- Lee, J, iY; Kim, J, inH. (2013). Microwave-assisted drying of paclitaxel for removal of residual solvents. *Process Biochemistry* 48: 545-550. <http://dx.doi.org/10.1016/j.procbio.2013.01.015>.
- Lee, J, iY; Kim, J, inH. (2013). Removal of residual methylene chloride from homoharringtonine by pre-treatment with ethanol. *Process Biochemistry* 48: 1809-1813. <http://dx.doi.org/10.1016/j.procbio.2013.08.002>.
- Lee, J; Kim, J; Kim, H; Bae, YM, in; Lee, KH, ee; Cho, HJ. (2013). Effect of thermal treatment on the chemical resistance of polydimethylsiloxane for microfluidic devices. *Journal of Micromechanics and Microengineering* 23. <http://dx.doi.org/10.1088/0960-1317/23/3/035007>.
- Lee, JH; Joo, BS; Huh, JS; Lee, DD. (2006). Fabrication of SAW sensor for detecting chemical agent. 35: 433-435.
- Lee, JH; Leu, I, ngChi; Chung, Y, iWen; Hon, M, inH. (2008). Morphology-Controlled 2D Ordered Microstructure Arrays by Surface Modification of Colloidal Template. *J Nanosci Nanotechnol* 8: 4436-4440. <http://dx.doi.org/10.1166/jnn.2008.265>.
- Lee, JH; Park, TG; Choi, HK. (1999). Development of oral drug delivery system using floating microspheres. *J Microencapsul* 16: 715-729. <http://dx.doi.org/10.1080/026520499288663>.
- Lee, JH; Park, TG; Lee, YB; Shin, SC; Choi, HK. (2001). Effect of adding non-volatile oil as a core material for the floating microspheres prepared by emulsion solvent diffusion method. *J Microencapsul* 18: 65-75. <http://dx.doi.org/10.1080/026520401750038610>.
- Lee, JS; Huang, KC; Wang, WJ; Wang, JL. (1995). PREPARATION, STRUCTURE AND PHYSICAL-PROPERTIES OF 1/1 1,3,6,8-TETRAKIS(ETHYLTHIO)PYRENE-DDQ COMPLEX. *Synthetic Metals* 70: 1227-1228.
- Lee, JW; Jung, HJ; Kwak, DH; Chung, PG. (2005). Adsorption of dichloromethane from water onto a hydrophobic polymer resin XAD-1600. *Water Res* 39: 617-629. <http://dx.doi.org/10.1016/j.watres.2004.10.001>.
- Lee, JY; Bae, KH; Kim, JS; Nam, YS; Park, TG. (2011). Intracellular delivery of paclitaxel using oil-free, shell cross-linked HSA--multi-armed PEG nanocapsules. *Biomaterials* 32: 8635-8644. <http://dx.doi.org/10.1016/j.biomaterials.2011.07.063>.
- Lee, JY; Heon Nam, D; Oh, MH; Kim, Y; Choi, HS; Jeon, DY; Park, CB; Nam, YS. (2014). Serum-stable quantum dot-protein hybrid nanocapsules for optical bio-imaging. *Nanotechnology* 25: 175702. <http://dx.doi.org/10.1088/0957-4484/25/17/175702>.
- Lee, JY; Kim, DY; Kim, CY. (1995). SYNTHESIS OF SOLUBLE POLYPYRROLE OF THE DOPED STATE IN ORGANIC-SOLVENTS. *Synthetic Metals* 74: 103-106.
- Lee, JY; Kim, JH. (2011). Effect of water content of organic solvent on microwave-assisted extraction efficiency of paclitaxel from plant cell culture. *Korean J Chem Eng* 28: 1561-1565. <http://dx.doi.org/10.1007/s11814-011-0012-x>.
- Lee, KJ; Dabrowski, K; Sandoval, M; Miller, MJS. (2005). Activity-guided fractionation of phytochemicals of maca meal, their antioxidant activities and effects on growth, feed utilization, and survival in rainbow trout (*Oncorhynchus mykiss*) juveniles. *Aquaculture* 244: 293-301. <http://dx.doi.org/10.1016/j.aquaculture.2004.12.006>.
- Lee, KJ; Song, NY; Oh, YC; Cho, WK; Ma, JY. (2014). Isolation and Bioactivity Analysis of Ethyl Acetate Extract from *Acer tegmentosum* Using In Vitro Assay and On-Line Screening HPLC-ABTS(+) System. 2014: 150509. <http://dx.doi.org/10.1155/2014/150509>.
- Lee, L, aiY; Lim, LK; Hua, J; Wang, C, hiHwa. (2008). Jet breakup and droplet formation in near-critical regime of carbon dioxide-dichloromethane system. *Chem Eng Sci* 63: 3366-3378. <http://dx.doi.org/10.1016/j.ces.2008.04.015>.
- Lee, M; Wells, E; Wong, YK; Koenig, J; Adrian, L; Richnow, HH; Manefield, M. (2015). Relative contributions of Dehalobacter and zerovalent iron in the degradation of chlorinated methanes. *Environ Sci Technol* 49: 4481-4489. <http://dx.doi.org/10.1021/es5052364>.
- Lee, S, hun; Heber, AJ. (2010). Ethylene removal using biotrickling filters: part II. Parameter estimation and mathematical simulation. *Chem Eng J* 158: 89-99. <http://dx.doi.org/10.1016/j.cej.2009.12.034>.
- Lee, S, unHee; Lee, I; Kim, M, inH; Go, J, iSu; Lee, SH, o; Hwang, H, yeJin; Hyun, SK; Kang, KH, wa; Kim, BW, oo; Kim, CM, in; Chung, KT, ae; Lee, JH. (2016). An extract of *Ulmus macrocarpa* improves cellular immunity in immuno-suppressed models. *Animal Cells and Systems* 20: 353-362. <http://dx.doi.org/10.1080/19768354.2016.1230556>.
- Lee, SC; Wang, B. (2004). Characteristics of emissions of air pollutants from burning of incense in a large environmental chamber. *Atmos Environ* 38: 941-951. <http://dx.doi.org/10.1016/j.atmosenv.2003.11.002>.
- Lee, SH; Sung, K; Chung, TM; Lee, SG; Min, KD; Koo, S; Kim, CG. (2008). Preparation of silver nanoparticles and antibiotic test of its polycarbonate films composite. *J Nanosci Nanotechnol* 8: 4734-4737. <http://dx.doi.org/10.1166/jnn.2008.IC55>.
- Lee, SJ; Park, YJ; Park, SN; Lee, YM; Seol, YJ; Ku, Y; Chung, CP. (2001). Molded porous poly (L-lactide) membranes for guided bone regeneration with enhanced effects by controlled growth factor release. *J Biomed Mater Res* 55: 295-303.
- Lee, TY; Shim, YB; Shin, SC. (2002). Simple preparation of terthiophene-3'-carboxylic acid and characterization of its polymer. *Synthetic Metals* 126: 105-110.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lee, VA; Cardenas, HL; Rawls, HR. (2010). Rubber-toughening of dimethacrylate dental composite resin. *J Biomed Mater Res B Appl Biomater* 94: 447-454. <http://dx.doi.org/10.1002/jbm.b.31674>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YC; Chiang, CS, u; Huang, Y, enLin. (2010). Microwave dielectric properties and microstructures of Nb<sub>2</sub>O<sub>5</sub>-Zn<sub>0.95</sub>Mg<sub>0.05</sub>TiO<sub>3</sub>+0.25TiO<sub>2</sub> ceramics with Bi<sub>2</sub>O<sub>3</sub> addition. *J Eur Ceram Soc* 30: 963-970. <http://dx.doi.org/10.1016/j.jeurceramsoc.2009.09.028>.
- Lee, YS; Yeh, MY; Shih, YP. (1995). PHASE-TRANSFER CATALYTIC KINETICS OF THE SYNTHESIS OF PHENYL BENZOATE. *Ind Eng Chem Res* 34: 1572-1580.
- Leeder, JD; Treloar, IM; Tsatsaronis, M. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL - REPLY. *J Text Inst* 82: 108-109.
- Leepipatiboon, N; Pancharoen, U, ra; Ramakul, P. (2013). Separation of Co(II) and Ni(II) from thiocyanate media by hollow fiber supported liquid membrane containing Alamine300 as carrier - investigation on polarity of diluent and membrane stability. *Korean J Chem Eng* 30: 194-200. <http://dx.doi.org/10.1007/s11814-012-0111-3>.
- Lega, R; Ladwig, G; Meresz, O; Clement, RE; Crawford, G; Salemi, R; Jones, Y. (1997). Quantitative determination of organic priority pollutants in sewage sludge by GC/MS. *Chemosphere* 34: 1705-1712.
- Leger, CB; Cundy, VA; Sterling, AM; Montestruc, AN; Jakway, AL; Owens, WD. (1993). FIELD-SCALE ROTARY KILN INCINERATION OF BATCH LOADED TOLUENE SORBENT .1. DATA-ANALYSIS AND BED MOTION CONSIDERATIONS. *J Hazard Mater* 34: 1-29.
- Legrand, J; Brujes, L; Garnelle, G; Phalip, P. (1995). STUDY OF A MICROENCAPSULATION PROCESS OF A VIRUCIDE AGENT BY A SOLVENT EVAPORATION TECHNIQUE. *J Microencapsul* 12: 639-649.
- Legrand, MF; Costentin, E; Bruchet, A. (1991). OCCURRENCE OF 38 PESTICIDES IN VARIOUS FRENCH SURFACE AND GROUND WATERS. *Environ Technol* 12: 985-996.
- Lehmann, J; Rausch, MH; Leipertz, A; Froba, AP. (2010). Densities and Excess Molar Volumes for Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Ethylsulfate with Solvents. *Journal of Chemical and Engineering Data* 55: 4068-4074. <http://dx.doi.org/10.1021/je1002237>.
- Lehmann, L; Wagner, J. (2008). Gene expression of 17beta-estradiol-metabolizing isozymes: Comparison of normal human mammary gland to normal human liver and to cultured human breast adenocarcinoma cells. *Adv Exp Med Biol* 617: 617-624. [http://dx.doi.org/10.1007/978-0-387-69080-3\\_64](http://dx.doi.org/10.1007/978-0-387-69080-3_64).
- Lei, Y; Liu, Y; Guo, Y; Chen, J; Huang, X; Gao, W; Qian, L; Wu, H; Liu, M; Cheng, Y. (2015). Multi-Stimulus-Responsive Fluorescent Properties of Donor-pi-Acceptor Indene-1,3-dionemethylene-1,4-dihydropyridine Derivatives. *J Phys Chem C* 119: 23138-23148. <http://dx.doi.org/10.1021/acs.jpcc.5b06432>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leininger, JP; Lorant, F; Minot, C; Behar, F. (2006). Mechanisms of 1-methylnaphthalene pyrolysis in a batch reactor. *Energy Fuels* 20: 2518-2530. <http://dx.doi.org/10.1021/ef0600964>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect* 103 Suppl 5: 33-36.
- Leitao, MM; White, P; Cracchiolo, B. (2008). Cervical cancer in patients infected with the human immunodeficiency virus. *Cancer* 112: 2683-2689. <http://dx.doi.org/10.1002/cncr.23504>.
- Leitz, T. (1993). BIOCHEMICAL AND CYTOLOGICAL BASES OF METAMORPHOSIS IN HYDRACTINIA-ECHINATA. *Mar Biol* 116: 559-564.
- Lekkas, TD; Nikolaou, AD. (2006). Determination of bromopropylate in grapes by gas chromatography: evaluation of two analytical methods. *Int J Environ Anal Chem* 86: 25-32. <http://dx.doi.org/10.1080/03067310500246530>.
- Leliebre-Lara, V; Garcia, M; Nogueiras, C; Monzote, L. (2015). Qualitative analysis of an ethanolic extract from *Trametes versicolor* and biological screening against *Leishmania amazonensis*. 27: 592-595. <http://dx.doi.org/10.9755/ejfa.2015.05.194>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag* 18: 361-370.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc* 46: 309-316.
- Lemma, B; Nilsson, I; Kleja, D, anB; Olsson, M; Knicker, H. (2007). Decomposition and substrate quality of leaf litters and fine roots from three exotic plantations and a native forest in the southwestern highlands of Ethiopia. *Soil Biol Biochem* 39: 2317-2328. <http://dx.doi.org/10.1016/j.soilbio.2007.03.032>.
- Lemmer, H; Stieger, N; Liebenberg, W; Caira, MR. (2012). Solvatomorphism of the Antibacterial Dapsone: X-ray Structures and Thermal Desolvation Kinetics. *Cryst Growth Des* 12: 1683-1692. <http://dx.doi.org/10.1021/cg300019f>.
- Lemmouchi, Y; Schacht, E. (1997). In vitro evaluation of poly(epsilon-caprolactone-co-L-lactide) implants containing trypanocidal drugs. *J Bioact Compat Polymer* 12: 175-185.
- Lemus, J; Martin-Martinez, M; Palomar, J; Gomez-Sainero, L; Angel Gilarranz, M; Rodriguez, JJ. (2012). Removal of chlorinated organic volatile compounds by gas phase adsorption with activated carbon. *Chem Eng J* 211: 246-254. <http://dx.doi.org/10.1016/j.cej.2012.09.021>.
- Lenarcik, B; Kierzkowska, A. (2004). The influence of alkyl chain length and steric effect on stability constants and extractability of Zn(II) complexes with 1-alkyl-4(5)-methylimidazoles. *Separation Science and Technology* 39: 3485-3508. <http://dx.doi.org/10.1081/SS-200033148>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lenarcik, B; Ojczenasz, P. (2004). Investigation of the stability of Co(II) complexes with a homologous series of 1-alkylimidazoles in aqueous solution by using a partition method with several solvents. *Separation Science and Technology* 39: 199-226. <http://dx.doi.org/10.1081/SS-120027409>.
- Lenarcik, B; Rauckyte, T. (2004). The influence of alkyl chain length on extraction equilibria of Ni(II) complexes with 1-alkylimidazoles in aqueous solution/organic solvent systems. *Separation Science and Technology* 39: 3353-3372. <http://dx.doi.org/10.1081/SS-200028915>.
- Lenicek, J; Sekyra, M; Bednarkova, K; Benes, I; Sipek, F. (2000). Fractionation and chemical analysis of urban air particulate extracts. *Int J Environ Anal Chem* 77: 269-288.
- Lenz, K; Beste, YA; Arlt, W. (2002). Comparison of static and dynamic measurements of adsorption isotherms. *Separation Science and Technology* 37: 1611-1629.
- Leon, J; Jose Aponte, J; Cuadra, D; Galindo, N; Jaramillo, L, iz; Vallejo, M; Marguet, E. (2016). Extracellular enzymes production and pathogen inhibitory activity of actinomycetes isolated from *Argopecten purpuratus*. *Revista de biologia marina y oceanografia* 51: 69-80. <http://dx.doi.org/10.4067/S0718-19572016000100007>.
- Leonard, RC; Kreckmann, KH; Lineker, GA; Marsh, G; Buchanich, J; Youk, A. (2007). Comparison of standardized mortality ratios (SMRs) obtained from use of reference populations based on company-wide registry cohort to SMRs calculated against local and national rates. *Chem Biol Interact* 166: 317-322. <http://dx.doi.org/10.1016/j.cbi.2006.09.001>.
- Leonetti, JC; Camacho, AG; Postigo, MA. (1999). Isobaric vapor-liquid equilibrium of benzene with dichloromethane at 86.65, 93.32 and 99.99 kPa. *Lat Am Appl Res* 29: 77-81.
- Leong, J; Tey, BT, i; Tan, CP; Chan, E. (2015). Nozzleless Fabrication of Oil-Core Biopolymeric Microcapsules by the Interfacial Gelation of Pickering Emulsion Templates. *ACS Applied Materials & Interfaces* 7: 16169-16176. <http://dx.doi.org/10.1021/acsami.5b04486>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Electron transport properties of some newly synthesized nonsymmetrical bisindolizines in thin films. *Synthetic Metals* 160: 2526-2533. <http://dx.doi.org/10.1016/j.synthmet.2010.09.039>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Newly synthesized fused heterocyclic compounds in thin films with semiconductor properties. *Synthetic Metals* 160: 1273-1279. <http://dx.doi.org/10.1016/j.synthmet.2010.03.022>.
- Lerch, TZ; Dignac, MF; Nunan, N; Bardoux, G; Barriuso, E; Mariotti, A. (2009). Dynamics of soil microbial populations involved in 2,4-D biodegradation revealed by FAME-based Stable Isotope Probing. *Soil Biol Biochem* 41: 77-85. <http://dx.doi.org/10.1016/j.soilbio.2008.09.020>.
- Lerche, D; Sorensen, PB; Larsen, HS; Carlsen, L; Nielsen, OJ. (2002). Comparison of the combined monitoring-based and modelling-based priority setting scheme with partial order theory and random linear extensions for ranking of chemical substances. *Chemosphere* 49: 637-649.
- Lerum, MF; Chen, W. (2009). Acute degradation of surface-bound unsaturated polyolefins in common solvents under ambient conditions. *Langmuir* 25: 11250-11254. <http://dx.doi.org/10.1021/la902340z>.
- Leskey, TC; Prokopy, RJ. (2000). Sources of apple odor attractive to adult plum curculios. *J Chem Ecol* 26: 639-653.
- Leung, BO; Hitchcock, AP; Brash, JL; Scholl, A; Doran, A. (2010). An X-ray spectromicroscopy study of protein adsorption to polystyrene-poly(ethylene oxide) blends. *Langmuir* 26: 14759-14765. <http://dx.doi.org/10.1021/la102432g>.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health* 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Levsen, K; Mussmann, P; Bergerpreiss, E; Preiss, A; Volmer, D; Wunsch, G. (1993). ANALYSIS OF NITROAROMATICS AND NITRAMINES IN AMMUNITION WASTE-WATER AND IN AQUEOUS SAMPLES FROM FORMER AMMUNITION PLANTS AND OTHER MILITARY SITES. *Acta Hydrochim Hydrobiol* 21: 153-166. <http://dx.doi.org/10.1002/aheh.19930210304>.
- Lewis, CW; Klouda, GA; Ellenson, WD. (2004). Radiocarbon measurement of the biogenic contribution to summertime PM-2.5 ambient aerosol in Nashville, TN. *Atmos Environ* 38: 6053-6061. <http://dx.doi.org/10.1016/j.atmosenv.2004.06.011>.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual* 24: 56-61.
- Leylegian, JC; Zhu, DL; Law, CK; Wang, H. (1998). Experiments and numerical simulation on the laminar flame speeds of dichloromethane and trichloromethane. *Combust Flame* 114: 285-293.
- Lhullier, C; Donnangelo, A; Caro, M; Palermo, JA; Horta, PA; Falkenberg, M; Schenkel, EP. (2009). Isolation of elatol from *Laurencia microcladia* and its palatability to the sea urchin *Echinometra lucunter*. *Biochemical Systematics and Ecology* 37: 254-259. <http://dx.doi.org/10.1016/j.bse.2009.04.004>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol* 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J* 92: 177-184.
- Li, CZ; Nelson, PF. (1996). Fate of aromatic ring systems during thermal cracking of tars in a fluidized-bed reactor. *Energy Fuels* 10: 1083-1090.
- Li, DF; Yang, K, e; Wang, X, qin; Ma, Y, aLi; Huang, G, uif; Huang, W, eiQ. (2015). Enhancement of photocatalytic activity of combustion-synthesized CeO<sub>2</sub>/C<sub>3</sub>N<sub>4</sub> nanoparticles. *Applied Physics A: Materials Science and Processing* 120: 1205-1209. <http://dx.doi.org/10.1007/s00339-015-9305-y>.
- Li, FB; Gu, GB; Huang, GF; Gu, YL; Wan, HF. (2001). TiO<sub>2</sub>-assisted photo-catalysis degradation process of dye chemicals. *J Environ Sci* 13: 64-68.
- Li, GY; An, TC; Nie, XP; Sheng, GY; Zeng, XY; Fu, JM; Lin, Z; Zeng, EY. (2007). Mutagenicity assessment of produced water during photoelectrocatalytic degradation. *Environ Toxicol Chem* 26: 416-423.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Li, H; Xiao, J; Gao, YQ; Tang, JJ; Zhang, AL; Gao, JM. (2014). Chaetoglobosins from *Chaetomium globosum*, an endophytic fungus in *Ginkgo biloba*, and their phytotoxic and cytotoxic activities. *J Agric Food Chem* 62: 3734-3741. <http://dx.doi.org/10.1021/jf500390h>.
- Li, H; Xue, F; Bai, J; Chu, C. (2015). Effect of sodium stearate on the surface properties of beta-calcium phosphate. *Mater Lett* 161: 455-458. <http://dx.doi.org/10.1016/j.matlet.2015.09.015>.
- Li, HB; Jiang, Y; Chen, F. (2002). Isolation and purification of lutein from the microalga *Chlorella vulgaris* by extraction after saponification. *J Agric Food Chem* 50: 1070-1072. <http://dx.doi.org/10.1021/jf010220b>.
- Li, J; Lam, AT; Toh, JP; Reuveny, S; Oh, SK; Birch, WR. (2015). Fabrication of uniform-sized poly- $\epsilon$ -caprolactone microspheres and their applications in human embryonic stem cell culture. *Biomed Microdevices* 17: 105. <http://dx.doi.org/10.1007/s10544-015-0010-6>.
- Li, J; Li, K; Zhang, T; Wang, S, hu; Jiang, Y; Bao, Y, u; Tie, M. (2016). Development of Activated Carbon from Windmill Palm Sheath Fiber by KOH Activation. *Fibers and Polymers* 17: 880-887. <http://dx.doi.org/10.1007/s12221-016-6328-8>.
- Li, J, in; Liu, X. (2013). Preparation and characterization of alpha-MoO<sub>3</sub> nanobelt and its application in supercapacitor. *Mater Lett* 112: 39-42. <http://dx.doi.org/10.1016/j.matlet.2013.08.094>.
- Li, J; Zhou, S; Li, Y; Ma, Y, u; Yang, Y; Li, C. (2016). Effect of organic matter on pore structure of mature lacustrine organic-rich shale: A case study of the Triassic Yanchang shale, Ordos Basin, China. *Fuel* 185: 421-431. <http://dx.doi.org/10.1016/j.fuel.2016.07.100>.
- Li, K; Santilli, A; Goldthorp, M; Whitticar, S; Lambert, P; Fingas, M. (2001). Solvent vapour monitoring in work space by solid phase micro extraction. *J Hazard Mater* 83: 83-91.
- Li, L; Wang, X, ia; Li, Y; Dong, Q. (2015). Synthesis and application of fluorinated epoxy compounds. 4: 102-107. <http://dx.doi.org/10.1680/emr.14.00035>.
- Li, M; Li, Y; Zeng, Y, i; Chen, J; Li, Y, i. (2009). Intramolecular Exciplex Formation Induced by the Folding-Back Conformation of Poly(aryl ether) Dendrimers. *J Phys Chem C* 113: 11554-11559. <http://dx.doi.org/10.1021/jp9004554>.
- Li, P; Arman, HD; Wang, H; Weng, L; Alfooty, K; Angawi, RF; Chen, B. (2015). Solvent Dependent Structures of Melamine: Porous or Nonporous? *Cryst Growth Des* 15: 1871-1875. <http://dx.doi.org/10.1021/acs.cgd.5b00039>.
- Li, Q; Li, G; Ma, F; Zhang, Z; Zheng, B; Feng, Y, an. (2011). Highly efficient ring-opening polymerization of epsilon-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481. <http://dx.doi.org/10.1016/j.procbio.2010.09.020>.
- Li, S; Wang, Y, an; Wei, Y; Zeng, J; Shi, W; Wang, Y. (2016). Preparation and adsorption performance of palm fiber-based nanoporous carbon materials with high specific surface area. *Journal of Porous Materials* 23: 1059-1064. <http://dx.doi.org/10.1007/s10934-016-0163-6>.
- Li, W; Wamser, CC. (1995). SYNTHESIS AND CHARACTERIZATION OF INTERFACIALLY POLYMERIZED FILMS OF TETRAPHENYLPORPHYRIN DERIVATIVES. *Langmuir* 11: 4061-4071.
- Li, W; Yu, K; Yuan, X; Liu, B. (2015). A Reynolds mass flux model for gas separation process simulation: II. Application to adsorption on activated carbon in a packed column. *Chinese Journal of Chemical Engineering* 23: 1245-1255. <http://dx.doi.org/10.1016/j.cjche.2015.01.012>.
- Li, WB; Liu, BT; Yu, KT; Yuan, XG. (2011). Rigorous Model for the Simulation of Gas Adsorption and Its Verification. *Ind Eng Chem Res* 50: 8361-8370. <http://dx.doi.org/10.1021/ie200360d>.
- Li, X; Kong, X; Shi, S; Wang, X; Gu, Y; Guo, G; Mao, Y; Luo, F; Zhao, X, ia; Wei, Y; Qian, Z. (2010). Preparation, Characterization, and Self-assembly Behavior of a Novel MPEG/PCL-g-Chitosan Copolymer. *Soft Materials* 8: 320-337. <http://dx.doi.org/10.1080/1539445X.2010.497083>.
- Li, X; Son, YA. (2014). Efficient luminescence from easily prepared fluorine-boron core complexes based on benzothiazole and benzoxazole. *Dyes and Pigments* 107: 182-187. <http://dx.doi.org/10.1016/j.dyepig.2014.04.001>.
- Li, X; Teng, K; Shi, J, ie; Wang, W, ei; Xu, Z; Deng, H, ui; Lv, H; Li, F. (2016). Electrospun preparation of polylactic acid nanoporous fiber membranes via thermal-nonsolvent induced phase separation. *Taiwan Institute of Chemical Engineers Journal* 60: 636-642. <http://dx.doi.org/10.1016/j.jtice.2015.11.012>.
- Li, XG; Huang, MR; Lin, G. (1996). Temperature dependence and stability of oxygen enrichment through liquid crystalline triheptyl cellulose-containing membranes cast from three solvents. *J Memb Sci* 116: 143-148.
- Li, XG; Huang, MR; Lin, G; Yang, PC. (1994). SOLVENT AND PRESSURE INFLUENCES ON AIR SEPARATION OF LIQUID-CRYSTALLINE TRIHEPTYL CELLULOSE COMPOSITE ETHYL CELLULOSE MEMBRANES. *Separation Science and Technology* 29: 671-677.
- Li, XN, a; Feng, J, iK; Ren, A, iMin; Li, L, eiHao. (2007). Theoretical studies of spectra properties of cyclometalated platinum(II) complexes with 8-hydroxyquinolines and quinolino-8-thiol ligand. *Synthetic Metals* 157: 1046-1053. <http://dx.doi.org/10.1016/j.synthmet.2007.10.012>.
- Li, XQ, i; Lei, JD, u; Su, Z, hiGuo; Ma, GH, ui. (2007). Comparison of bioactivities of monoethylated rhG-CSF with branched and linear mPEG. *Process Biochemistry* 42: 1625-1631. <http://dx.doi.org/10.1016/j.procbio.2007.09.005>.
- Li, Y; Du, Q; Liu, T; Qi, Y, an; Zhang, P, an; Wang, Z; Xia, Y. (2011). Preparation of activated carbon from *Enteromorpha prolifera* and its use on cationic red X-GRL removal. *Appl Surf Sci* 257: 10621-10627. <http://dx.doi.org/10.1016/j.apsusc.2011.07.060>.
- Li, Y; Du, X; Wang, Y; Tai, H; Qiu, D; Lin, Q; Jiang, Y. (2014). High-separation efficiency micro-fabricated multi-capillary gas chromatographic columns for simulants of the nerve agents and blister agents. *Nanoscale Res Lett* 9: 224. <http://dx.doi.org/10.1186/1556-276X-9-224>.
- Li, Y; Li, Y; Li, L; Shi, X; Wang, Z. (2016). Preparation and analysis of activated carbon from sewage sludge and corn stalk. *Adv Powder Tech* 27: 684-691. <http://dx.doi.org/10.1016/j.apt.2016.02.029>.
- Li, Y; Wang, LS; Zhang, Y. (2010). Activity Coefficients at Infinite Dilution of Polar Solutes in 1-(2-Hydroxyethyl)-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography. *Journal of Chemical and Engineering Data* 55: 1732-1734. <http://dx.doi.org/10.1021/jc900704b>.
- Li, YH; Qiu, FX; Yang, DY; Sun, P; Li, XH. (2012). Transesterification of soybean oil and analysis of bioproduct. *Food Bioprod Process* 90: 135-140. <http://dx.doi.org/10.1016/j.fbp.2011.02.004>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Li, Z; Chen, W; Wang, H; Ding, Q, i; Hou, H; Zhang, J; Mi, L; Zheng, Z, hi. (2011). Large-scale synthesis and catalysis properties of micro-structured snowflake Cu<sub>2</sub>S from a single source Cu(II) coordination complex. *Mater Lett* 65: 1785-1787. <http://dx.doi.org/10.1016/j.matlet.2011.03.067>.
- Li, Z; Gao, F; Xiao, Z; Ao, G; Wu, X; Fang, Y, u; Nie, Z; Wei, T, aiH; Yang, J; Wang, Y; Zhang, X; Zuo, J; Song, Y. (2015). Synthesis and third-order nonlinear optical properties of a sandwich-type mixed (phthalocyaninato)(schiff-base) triple-decker complexes. *Dyes and Pigments* 119: 70-74. <http://dx.doi.org/10.1016/j.dyepig.2015.03.025>.
- Li, Z; Sun, Y. (2013). Silver chlorobromide nanoparticles with highly pure phases: synthesis and characterization. 1: 6786-6793. <http://dx.doi.org/10.1039/c3ta00020f>.
- Li, Z; Wang, B; Ge, S; Yan, L; Liu, Y; Li, Z; Ren, A. (2016). A simultaneous analysis method of polycyclic aromatic hydrocarbons, nicotine, cotinine and metals in human hair. *Environ Pollut* 219: 66-71. <http://dx.doi.org/10.1016/j.envpol.2016.09.045>.
- Liang, A; Li, Y; Zhu, W; Wang, Y; Huang, F, ei; Wu, H; Cao, Y. (2013). Novel cyclometalated platinum (II) complex containing carrier-transporting groups: Synthesis, luminescence and application in single dopant white PLEDs. *Dyes and Pigments* 96: 732-737. <http://dx.doi.org/10.1016/j.dyepig.2012.11.006>.
- Liang, D, i; Fu, X; Liao, M; Yuan, W; Su, J. (2013). Development of dextran microparticles loaded with IL-1Ra of high-encapsulation efficiency and high-bioactivity by a novel method without exposing IL-1Ra to water-oil interfaces. *Powder Technology* 235: 299-302. <http://dx.doi.org/10.1016/j.powtec.2012.10.036>.
- Liang, DQ; Guo, KH; Wang, RH; Fan, SS. (2001). Hydrate equilibrium data of 1, 1, 1,2-tetrafluoroethane (HFC-134a), 1,1-dichloro-1-fluoroethane (HCFC-141b) and 1,1-difluoroethane (HFC-152a). *Fluid Phase Equilibria* 187: 61-70.
- Liang, J; Ma, Y; Sims, S; Wu, L. (2015). A patterned porous polymer film for localized capture of insulin and glucose-responsive release. 3: 1281-1288. <http://dx.doi.org/10.1039/c4tb01537a>.
- Liang, X; Liu, X, un; Fu, Y, an; Chang, J, ie. (2016). Influence of anti-solvents on lignin fractionation of eucalyptus globulus via green solvent system pretreatment. *Separation and Purification Technology* 163: 258-266. <http://dx.doi.org/10.1016/j.seppur.2016.03.006>.
- Liang, Y; Kuo, DTF; Allen, HE; Di Toro, DM. (2016). Experimental determination of solvent-water partition coefficients and Abraham parameters for munition constituents. *Chemosphere* 161: 429-437. <http://dx.doi.org/10.1016/j.chemosphere.2016.07.028>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; III, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, Q; Tian, X; Chen, R; Zhu, X. (2008). Mathematical model for gas-liquid two-phase flow and biodegradation of a low concentration volatile organic compound (VOC) in a trickling biofilter. *Int J Heat Mass Tran* 51: 1780-1792. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2007.07.007>.
- Liao, W; Ghabour, M; Draper, WM; Chandrasena, E. (2016). Lowering detection limits for 1,2,3-trichloropropane in water using solid phase extraction coupled to purge and trap sample introduction in an isotope dilution GC-MS method. *Chemosphere* 158: 171-176. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.061>.
- Lichtin, NN; Avudaithai, M. (1996). TiO<sub>2</sub>-photocatalyzed oxidative degradation of CH<sub>3</sub>CN, CH<sub>3</sub>OH, C<sub>2</sub>HCl<sub>3</sub>, and CH<sub>2</sub>Cl<sub>2</sub> supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol* 30: 2014-2020.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al<sub>2</sub>O<sub>3</sub>. *Environ Technol* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci* 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere* 49: 371-378.
- Lijuan, X; Liyun, J; Lixin, J; Chengdong, X. (2013). Synthesis of Mg-substituted hydroxyapatite nanopowders: Effect of two different magnesium sources. *Mater Lett* 106: 246-249. <http://dx.doi.org/10.1016/j.matlet.2013.05.032>.
- Likas, DT; Tsiropoulos, NG. (2009). Residue screening in apple, grape and wine food samples for seven new pesticides using HPLC with UV detection. An application to trifloxystrobin dissipation in grape and wine. *Int J Environ Anal Chem* 89: 857-869. <http://dx.doi.org/10.1080/03067310902756615>.
- Lim, JM; Kwon, JY; Xu, F; Kim, HU; Hwang, DH. (2013). Pure red phosphorescent organic light-emitting diodes made of iridium(III) complex with thiophene-quinoline ligand. *J Nanosci Nanotechnol* 13: 8007-8010. <http://dx.doi.org/10.1166/jnn.2013.8152>.
- Lim, JS; Lee, YW; Lee, YY. (1997). Vapor-liquid equilibria for difluoromethane plus dichloromethane at 305.2 and 313.2 K and 1,1-difluoroethane plus vinyl chloride at 303.2 and 323.2 K. *Journal of Chemical and Engineering Data* 42: 566-569.
- Lim, S, unY. (2014). Effects of Drying Methods on the Proximate Composition and Antiproliferative and Antioxidant Properties of Extracts from the Sea Cucumber *Stichopus japonicus*. 97: 280-286.
- Lim, SK; Kim, JW; Chin, I; Kwon, YK; Choi, HJ. (2002). Preparation and interaction characteristics of organically modified montmorillonite nanocomposite with miscible polymer blend of poly(ethylene oxide) and poly(methyl methacrylate). *Chem Mater* 14: 1989-1994. <http://dx.doi.org/10.1021/cm010498j>.
- Lim, SN; Cheung, PCK; Ooi, VEC; Ang, PO. (2002). Evaluation of antioxidative activity of extracts from a brown seaweed, *Sargassum siliquastrum*. *J Agric Food Chem* 50: 3862-3866. <http://dx.doi.org/10.1021/jf020096b>.
- Lim, YJ; Kim, TK; Cho, KH. (2001). Reactive dyeing of cotton in water-organic solvent mixture. *Sen'i Gakkaishi* 57: 21-24.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lin, DM; Kalachandra, S; Valiyaparambi, J; Offenbacher, S. (2003). A polymeric device for delivery of anti-microbial and anti-fungal drugs in the oral environment: effect of temperature and medium on the rate of drug release. *Dent Mater* 19: 589-596. [http://dx.doi.org/10.1016/S0109-5641\(02\)00109-4](http://dx.doi.org/10.1016/S0109-5641(02)00109-4).
- Lin, L, iC; Shu, Y, aoChi; Yang, J, enC; Shie, H, anS; Lee, SY; Chen, CC. (2014). Nano-porous Poly-L-lactic Acid Microtube Array Membranes. *Current Nanoscience* 10: 227-234.
- Lin, LJ; Peiser, G; Ying, BP; Mathias, K; Karasina, F; Wang, Z; Itatani, J; Green, L; Hwang, YS. (1995). IDENTIFICATION OF PLANT-GROWTH INHIBITORY PRINCIPLES IN AILANTHUS-ALTISSIMA AND CASTELA-TORTUOSA. *J Agric Food Chem* 43: 1708-1711.
- Lin, SY; Chen, KS; Teng, HH. (1999). Protective colloids and polylactic acid co-affecting the polymorphic crystal forms and crystallinity of indomethacin encapsulated in microspheres. *J Microencapsul* 16: 769-776.
- Lin, SY; Chen, KS; Teng, HS. (1999). Effect of protective colloids on the induction of polymorphic changes in indomethacin agglomerates after solvent evaporation from o/w emulsions. *J Microencapsul* 16: 39-47.
- Lin, WC; Chien, JT; Chen, BH. (2005). Determination of carotenoids in spear shrimp shells (*Parapenaeopsis hardwickii*) by liquid chromatography. *J Agric Food Chem* 53: 5144-5149. <http://dx.doi.org/10.1021/jf050664y>.
- Lin, YH; Chiu, TC; Hsueh, HT; Chu, H. (2011). N-doped TiO<sub>2</sub> photo-catalyst for the degradation of 1,2-dichloroethane under fluorescent light. *Appl Surf Sci* 258: 1581-1586. <http://dx.doi.org/10.1016/j.apsusc.2011.09.138>.
- Lin, YH; Vasavada, RC. (2000). Studies on microencapsulation of 5-fluorouracil with poly(ortho ester) polymers. *J Microencapsul* 17: 1-11.
- Lin, ZY; Xiao, J; Yan, JH; Liu, P; Li, LH; Yang, GW. (2015). Ag/AgCl plasmonic cubes with ultrahigh activity as advanced visible-light photocatalysts for photodegrading dyes. 3: 7649-7658. <http://dx.doi.org/10.1039/c5ta00942a>.
- Lindah, S; Gundersen, CB; Lundanes, E. (2014). A review of available analytical technologies for qualitative and quantitative determination of nitramines [Review]. *Environ Sci Process Impacts* 16: 1825-1840. <http://dx.doi.org/10.1039/c4em00095a>.
- Lindhardt, B; Holst, H; Christensen, TH. (1994). COMPARISON OF SOXHLET AND SHAKE EXTRACTION OF POLYCYCLIC AROMATIC-HYDROCARBONS FROM COAL-TAR POLLUTED SOILS SAMPLED IN THE FIELD. *Int J Environ Anal Chem* 57: 9-19.
- Lindner, G; Dalmolin, LF; Khalil, NM; Mainardes, RM. (2015). Influence of the Formulation Parameters on the Particle Size and Encapsulation Efficiency of Resveratrol in PLA and PLA-PEG Blend Nanoparticles: A Factorial Design. *J Nanosci Nanotechnol* 15: 10173-10182. <http://dx.doi.org/10.1166/jnn.2015.11687>.
- Lindstedt, SL; Schaeffer, PJ. (2002). Use of allometry in predicting anatomical and physiological parameters of mammals. *Lab Anim* 36: 1-19. <http://dx.doi.org/10.1258/0023677021911731>.
- Linz, AJ; Greenham, RK; Fallon, LF. (2006). Methemoglobinemia: an industrial outbreak among rubber molding workers. *J Occup Environ Med* 48: 523-528. <http://dx.doi.org/10.1097/01.jom.0000201815.32098.99>.
- Lipczynska-Kochany, E; Kochany, J. (2008). Effect of humic substances on the Fenton treatment of wastewater at acidic and neutral pH. *Chemosphere* 73: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.02>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Liras, M; Gonzalez-Bejar, M; Peinado, E; Frances-Soriano, L; Perez-Prieto, J; Quijada-Garrido, I; Garcia, O. (2014). Thin Amphiphilic Polymer-Capped Upconversion Nanoparticles: Enhanced Emission and Thermoresponsive Properties. *Chem Mater* 26: 4014-4022. <http://dx.doi.org/10.1021/cm501663n>.
- Liss, GM; House, RA; Wills, MC. (2006). Cranial neuropathy associated with chlorinated solvents. Re: Facial nerve palsy after acute exposure to dichloromethane [Letter]. *Am J Ind Med* 49: 310. <http://dx.doi.org/10.1002/ajim.20285>.
- Litterst, CL; Mimnaugh, EG; Reagan, RL; Gram, TE. (1975). Comparison of in vitro drug metabolism by lung, liver, and kidney of several common laboratory species. *Drug Metab Dispos* 3: 259-265.
- Liu, A; Che, H; Jiang, R. (2013). Hexagonal mesoporous fluorescent hybrid materials with electron acceptor viologen units in the framework. *Journal of Porous Materials* 20: 579-586. <http://dx.doi.org/10.1007/s10934-012-9630-x>.
- Liu, A; Han, S; Che, H; Hua, L. (2010). Fluorescent hybrid with electron acceptor methylene viologen units inside the pore walls of mesoporous MCM-48 silica. *Langmuir* 26: 3555-3561. <http://dx.doi.org/10.1021/la904052k>.
- Liu, BL; Wang, M, awL. (2008). Kinetic study of S-Alkylation of 2-mercaptobenzimidazole with allyl bromide in a two-phase medium. *Ind Eng Chem Res* 47: 1784-1792. <http://dx.doi.org/10.1021/ie0709537>.
- Liu, C; Pujol, D; Olivella, MA; de La Torre, F; Fiol, N; Poch, J; Villaescusa, I. (2015). The Role of Exhausted Coffee Compounds on Metal Ions Sorption. *Water Air Soil Pollut* 226: 289-289. <http://dx.doi.org/10.1007/s11270-015-2568-2>.
- Liu, C; Ren, Y; Wang, Y. (2014). Reply to "Comments on 'Liquid-Liquid Equilibria for the Quaternary System H<sub>3</sub>PO<sub>4</sub>-NaCl-H<sub>2</sub>O-TBP at 298.15 K'". *Journal of Chemical and Engineering Data* 59: 2695-2697. <http://dx.doi.org/10.1021/je500401p>.
- Liu, F, u; Ma, B, iR; Zhou, D; Zhu, L, iJ; Fu, Y, inYi; Xue, L, iXin. (2015). Positively charged loose nanofiltration membrane grafted by diallyl dimethyl ammonium chloride (DADMAC) via UV for salt and dye removal. *React Funct Polym* 86: 191-198. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.003>.
- Liu, FDM; Mojica, ERE; Deocaris, CC. (2008). Angiogenic property of tobacco (*Nicotiana tabacum*) leaves. 33: 97-102.
- Liu, FPP; Rials, TG; Simonsen, J. (1998). Relationship of wood surface energy to surface composition. *Langmuir* 14: 536-541.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Liu, H; Gu, L. (2012). Phlorotannins from brown algae (*Fucus vesiculosus*) inhibited the formation of advanced glycation endproducts by scavenging reactive carbonyls. *J Agric Food Chem* 60: 1326-1334. <http://dx.doi.org/10.1021/jf204112f>.
- Liu, H; Song, J; Zhang, S; Qu, L; Zhao, Y; Wu, Y; Liu, H. (2005). Analysis of residues of imidacloprid in tobacco by high-performance liquid chromatography with liquid-liquid partition cleanup. *Pest Manag Sci* 61: 511-514. <http://dx.doi.org/10.1002/ps.987>.
- Liu, H; Wang, C; Zou, S; Wei, Z; Tong, Z. (2012). Simple, reversible emulsion system switched by pH on the basis of chitosan without any hydrophobic modification. *Langmuir* 28: 11017-11024. <http://dx.doi.org/10.1021/la3021113>.
- Liu, H; Yao, F; Zhou, Y; Yao, K; Mei, D; Cui, L; Cao, Y. (2005). Porous poly (DL-lactic acid) modified chitosan-gelatin scaffolds for tissue engineering. *J Biomater Appl* 19: 303-322. <http://dx.doi.org/10.1177/0885328205048590>.
- Liu, HC; Lee, IC; Wang, JH; Yang, SH; Young, TH. (2004). Preparation of PLLA membranes with different morphologies for culture of MG-63 Cells. *Biomaterials* 25: 4047-4056. <http://dx.doi.org/10.1016/j.biomaterials.2003.10.098>.
- Liu, HH; Chen, Y, i. (2011). Construction of multi-level fluorescent switch using photochromic diarylethene and fluorescent dye. *Dyes and Pigments* 89: 212-216. <http://dx.doi.org/10.1016/j.dyepig.2010.03.001>.
- Liu, J, inQ; Cao, X, inX; Ji, B; Zhao, B. (2013). Measurement and Correlation of Solubilities of Indole-2-carboxylic Acid in Ten Different Pure Solvents from (278.15 to 360.15) K. *Journal of Chemical and Engineering Data* 58: 3309-3313. <http://dx.doi.org/10.1021/je400813d>.
- Liu, J, inQ; Chen, S, iYu; Ji, B. (2014). Solubility and Thermodynamic Functions of Isatin in Pure Solvents. *Journal of Chemical and Engineering Data* 59: 3407-3414. <http://dx.doi.org/10.1021/je500396b>.
- Liu, J, inQ; Li, Y, aoYao; Wang, A, iYan; Hong, DF; Zhang, L, iYue; Wu, S, ha; Bai, QY, un; Chen, S, iYu. (2014). 4-Amino-3,6-dichloropyridazine Solubility Measurement and Correlation in Seven Pure Organic Solvents from (278.15 to 333.15) K. *Journal of Chemical and Engineering Data* 59: 3947-3952. <http://dx.doi.org/10.1021/je500286x>.
- Liu, J; Liu, C, an; Rong, Y; Huang, G; Rong, L. (2012). Extraction of Limonin from Orange (*Citrus reticulata* Blanco) Seeds by the Flash Extraction Method. 19: 137-145.
- Liu, J, un; Shen, Z; Lee, SH, o; Marquez, M; Mchugh, MA. (2010). Electrospinning in compressed carbon dioxide: Hollow or open-cell fiber formation with a single nozzle configuration. *Journal of Supercritical Fluids* 53: 142-150. <http://dx.doi.org/10.1016/j.supflu.2010.02.016>.
- Liu, J; Wang, S; Zhou, Z; Qu, Y; Zhang, M. (2011). Solubilities of ( $\alpha$ ,Z)-2-Amino- $\alpha$ -(methoxyimino)-4-thiazoleethanethioic Acid S-2-Benzothiazolyl Ester in Different Pure Solvents and Binary Mixtures of Tetrahydrofuran plus Dichloromethane or 1,2-Dichloroethane. *Journal of Chemical and Engineering Data* 56: 164-166. <http://dx.doi.org/10.1021/je100890f>.
- Liu, JC; Wang, W; Wang, ZW; Li, GZ; Han, BX. (2002). Complexation-supercritical carbon dioxide extraction of copper ions from solid matrices with thenoyltrifluoroacetone and modifiers. *Separation Science and Technology* 37: 2691-2700.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr<sub>2</sub>O<sub>4</sub> spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci* 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, KL; Han, WJ; Pan, WP; Riley, JT. (2001). Polycyclic aromatic hydrocarbon (PAH) emissions from a coal-fired pilot FBC system. *J Hazard Mater* 84: 175-188.
- Liu, M; Yang, H, ui; Liu, H; Han, P, o; Wang, X, ie; Zhang, S; Wu, Y. (2008). Development of high-performance liquid chromatography and non-aqueous capillary electrophoresis methods for the determination of fenoxycarb residues in wheat samples. *J Sci Food Agric* 88: 62-67. <http://dx.doi.org/10.1002/jsfa.2990>.
- Liu, P; Guo, Y; Xu, Q; Wang, F; Li, Y; Shao, K. (2014). Enhanced photocatalytic performance of ZnO/multi-walled carbon nanotube nanocomposites for dye degradation. *Ceramics International* 40: 5629-5633. <http://dx.doi.org/10.1016/j.ceramint.2013.10.157>.
- Liu, P; Zhong, Y, i; Luo, Y, an. (2014). Preparation of monodisperse biodegradable magnetic microspheres using a T-shaped microchannel reactor. *Mater Lett* 117: 37-40. <http://dx.doi.org/10.1016/j.matlet.2013.11.095>.
- Liu, R; Huang, SS; Wan, YH; Ma, GH; Su, ZG. (2006). Preparation of insulin-loaded PLA/PLGA microcapsules by a novel membrane emulsification method and its release in vitro. *Colloids Surf B Biointerfaces* 51: 30-38. <http://dx.doi.org/10.1016/j.colsurfb.2006.05.014>.
- Liu, R; Ma, GH; Wan, YH; Su, ZG. (2005). Influence of process parameters on the size distribution of PLA microcapsules prepared by combining membrane emulsification technique and double emulsion-solvent evaporation method. *Colloids Surf B Biointerfaces* 45: 144-153. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.004>.
- Liu, R, ui; Xiao, Q, i; Li, Y; Chen, H; Yan, Z; Zhu, H. (2012). Phenylene ethynylene azobenzenes with symmetrical peripheral chromophores: Synthesis, optical properties and photoisomerization behaviors study. *Dyes and Pigments* 92: 626-632. <http://dx.doi.org/10.1016/j.dyepig.2011.06.006>.
- Liu, T; Ozisik, R; Siegel, RW. (2007). Phase separation and surface morphology of spin-coated films of polyetherimide/polycaprolactone immiscible polymer blends. *Thin Solid Films* 515: 2965-2973. <http://dx.doi.org/10.1016/j.tsf.2006.08.049>.
- Liu, W; Huang, C; Jin, X. (2015). Electrospinning of Grooved Polystyrene Fibers: Effect of Solvent Systems. *Nanoscale Res Lett* 10: 949. <http://dx.doi.org/10.1186/s11671-015-0949-5>.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co- $\epsilon$ -caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828. <http://dx.doi.org/10.1016/j.actbio.2010.08.023>.
- Liu, XH, u; Jing-Bai; Qing-Xu; Ren, JR; Zhao, H, eP; Gao, HW, en. (2008). Spectrophotometric determination of sodium dodecylbenzene sulphonate using congo red. *Indian J Chem Tech* 15: 488-492.
- Liu, Y; Crittenden, JC; Wang, L; Liu, P. (2016). Dechlorination and decomposition of chloroform induced by glow discharge plasma in an aqueous solution. *J Hazard Mater* 308: 84-90. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.013>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, Y; Shi, Q; Zhang, Y; He, Y; Chung, KH; Zhao, S; Xu, C. (2012). Characterization of Red Pine Pyrolysis Bio-oil by Gas Chromatography-Mass Spectrometry and Negative-Ion Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. *Energy Fuels* 26: 4532-4539. <http://dx.doi.org/10.1021/ef300501t>.
- Liu, Y, an; Wang, J; Wang, X; Liu, P; Pang, F, ei. (2009). Solubility of Valsartan in Different Organic Solvents and Ethanol plus Water Binary Mixtures from (278.15 to 313.15) K. *Journal of Chemical and Engineering Data* 54: 986-988. <http://dx.doi.org/10.1021/jc8007815>.
- Liu, Y, u; Wang, J; Wang, Y; Zhang, Z; Zhu, M; Lei, G; Zhu, W. (2012). Bipolar-transporting dinuclear europium(III) complexes involving carbazole and oxadiazole units: Synthesis, photophysical and electroluminescent properties. *Dyes and Pigments* 95: 322-329. <http://dx.doi.org/10.1016/j.dyepig.2012.05.015>.
- Liu, Y; Wang, L; Han, X. (2013). Self-assembly fabrication of ordered microporous films from a soluble polyimide modified by methyl groups based on Breath Figures. *Desalination and Water Treatment* 51: 5107-5112. <http://dx.doi.org/10.1080/19443994.2013.768382>.
- Liu, Y, enC; Wang, M, awL. (2009). KINETIC STUDY OF S-ALKYLATION OF 2-MERCAPTOBENZIMIDAZOLE CATALYZED BY TETRABUTYLAMMONIUM BROMIDE. *Chemical Engineering Communications* 196: 530-548. <http://dx.doi.org/10.1080/00986440802484515>.
- Liu, Y; Zhao, X; Cai, B; Pei, T; Tong, Y; Tang, Q; Liu, Y. (2014). Controllable fabrication of oriented micro/nanowire arrays of dibenzotetrathiafulvalene by a multiple drop-casting method. *Nanoscale* 6: 1323-1328. <http://dx.doi.org/10.1039/c3nr05680e>.
- Liu, Z; Huang, Y; Zhao, G. (2016). Preparation and Characterization of Activated Carbon Fibers from Liquefied Wood by ZnCl<sub>2</sub> Activation. *BioResources* 11: 3178-3190.
- Liu, Z, hiL; Wang, M, eiX; Liu, C; Jia, J, inF; Vogt, P; Quaresima, C; Ottaviani, C; Olivieri, B; De Padova, P; Le Lay, G, uy. (2014). The fate of the 2 root 3 x 2 root 3 R(30 degrees) silicene phase on Ag(111). 2. <http://dx.doi.org/10.1063/L4894871>.
- Llewellyn-Thomas, HA; Arshinoff, R; Bell, M; Williams, JI; Naylor, CD. (2002). Healthy-year equivalents in major joint replacement - Can patients provide meaningful responses? *Int J Technol Assess Health Care* 18: 467-484.
- Lloyd, JA; Horne, CW; Reid, ML. (1997). Solids, resin and element mass balances in a thermomechanical pulp mill. *Appita* 50: 217-222.
- Loebick, CZ; Majewska, M; Ren, F; Haller, GL; Pfefferle, LD. (2010). Fabrication of Discrete Nanosized Cobalt Particles Encapsulated Inside Single-Walled Carbon Nanotubes. *J Phys Chem C* 114: 11092-11097. <http://dx.doi.org/10.1021/jp1026515>.
- Long, G; Meek, ME; Caldwell, I; Bartlett, S; Savard, S. (1994). DICHLOROMETHANE - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 12: 305-318.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng* 119: 300-320.
- Loos, R; Hanke, G; Eisenreich, SJ. (2003). Multi-component analysis of polar water pollutants using sequential solid-phase extraction followed by LC-ESI-MS. *J Environ Monit* 5: 384-394. <http://dx.doi.org/10.1039/b300440f>.
- Lopes, JC; Mauri, J; Ferreira, A; Alexandre, RS; de Freitas, AR. (2012). Broccoli production depending on the seed production system and organic and mineral fertilizer. *Horticultura Brasileira* 30: 143-150.
- Lopes, MA; dos Santos, G; Amado, GB. (2008). The financial impact of the traceability in production systems of bovines in the State of Minas Gerais. *Ciencia e Agrotecnologia* 32: 288-294.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordonez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater* 97: 281-294.
- Lopez, S; Topalian, JH; Mitra, SK; Montague, DC. (1989). ABSORPTION AND DESORPTION OF DICHLOROMETHANE VAPOR BY WATER DROPS IN AIR - AN EXPERIMENTAL TEST OF SCAVENGING THEORY. *J Atmos Chem* 8: 175-188.
- López Soto-Yarritu, P; Amigo, L; Taborda, G; Martínez-Castro, I; Gómez-Ruiz, JA. (2007). Short communication: Identification of the aroma compounds responsible for the floral/rose flavor in water-soluble fractions of Manchego cheese. *J Dairy Sci* 90: 5001-5003. <http://dx.doi.org/10.3168/jds.2007-0277>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Uriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ* 30: 303-313.
- Lopez-Fonseca, R; Aranzabal, A; Steltenpohl, P; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2000). Performance of zeolites and product selectivity in the gas-phase oxidation of 1,2-dichloroethane. *Catalysis Today* 62: 367-377.
- Lopez-Fonseca, R; Cibrian, S; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Oxidative destruction of dichloromethane over protonic zeolites. *AIChE J* 49: 496-504.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ* 41: 31-42.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today* 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Periago, A, naM; Fraile, J; Garcia-Gonzalez, CA; Domingo, C. (2009). Impregnation of a triphenylpyrylium cation into zeolite cavities using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 50: 305-312. <http://dx.doi.org/10.1016/j.supflu.2009.06.016>.
- Lorenz, J; Glatt, HR; Fleischmann, R; Ferlinz, R; Oesch, F. (1984). Drug metabolism in man and its relationship to that in three rodent species: Monooxygenase, epoxide hydrolase, and glutathione S-transferase activities in subcellular fractions of lung and liver. *Biochem Med* 32: 43-56. [http://dx.doi.org/10.1016/0006-2944\(84\)90007-3](http://dx.doi.org/10.1016/0006-2944(84)90007-3).
- Lorret, O; Francova, D; Waldner, G; Stelzer, N. (2009). W-doped titania nanoparticles for UV and visible-light photocatalytic reactions. *Appl Catal B-Environ* 91: 39-46. <http://dx.doi.org/10.1016/j.apcatb.2009.05.005>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association* 54: 727-740.
- Love, GD; Mcaulay, A; Snape, CE; Bishop, AN. (1997). Effect of process variables in catalytic hydrothermal cracking on the release of covalently bound aliphatic hydrocarbons from sedimentary organic matter. *Energy Fuels* 11: 522-531.
- Love, GD; Snape, CE; Carr, AD; Houghton, RC. (1995). Release of covalently-bound alkane biomarkers in high yields from kerogen via catalytic hydrothermal cracking. *Organic Geochemistry* 23: 981-986.
- Lowenfels, AB; Maisonneuve, P. (2005). Risk factors for pancreatic cancer [Review]. *J Cell Biochem* 95: 649-656. <http://dx.doi.org/10.1002/jcb.20461>.
- Lowenthal, D; Zielinska, B; Mason, B; Samy, S; Samburova, V; Collins, D, on; Spencer, C; Taylor, N; Allen, J; Kumar, N. (2009). Aerosol characterization studies at Great Smoky Mountains National Park, summer 2006. *J Geophys Res Atmos* 114. <http://dx.doi.org/10.1029/2008JD011274>.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Loyola-Sepulveda, R; Mudge, SM; Bravo-Linares, C. (2013). Seasonal Variation of Disinfection By-products in Drinking Water in Central Chile. *Water Qual Expo Health* 5: 1-9. <http://dx.doi.org/10.1007/s12403-012-0082-y>.
- Lu, H; Kan, A, myT; Zhang, P; Yu, J, ie; Fan, C; Work, S; Tomson, MB. (2012). Phase Stability and Inhibition of Calcium Sulfate in the System NaCl/Monoethylene Glycol/H<sub>2</sub>O. *S P E Journal* 17: 187-197.
- Lu, J; Kong, D; Zhao, L, i; Zhou, Q. (2014). Analysis of oestrogenic hormones in chicken litter by HPLC with fluorescence detection. *Int J Environ Anal Chem* 94: 783-790. <http://dx.doi.org/10.1080/03067319.2014.891108>.
- Lu, J, ie; Li, Y, iP; Wang, J; Ren, G; Rohani, S; Ching, C. (2012). Crystallization of an active pharmaceutical ingredient that oils out. *Separation and Purification Technology* 96: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.05.015>.
- Lu, JL. (2012). Pesticide Residues in Eggplant During Dry and Wet Seasons in Sta. Maria, Pangasinan. 37: 93-98.
- Lu, L; Jiang, C; Xiufang, W; Pihui, P; Zhuoru, Y. (2006). Synthesis and characterization of suspension polymerized styrene-divinylbenzene porous microsphere using as slow-release-active carrier. *Chinese Journal of Chemical Engineering* 14: 471-477.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol* 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.
- Lu, M; Zhang, Z; Qiao, W; Guan, Y; Xiao, M; Peng, C. (2010). Removal of residual contaminants in petroleum-contaminated soil by Fenton-like oxidation. *J Hazard Mater* 179: 604-611. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.046>.
- Lu, M; Zhang, Z; Qiao, W; Wei, X; Guan, Y; Ma, Q; Guan, Y. (2010). Remediation of petroleum-contaminated soil after composting by sequential treatment with Fenton-like oxidation and biodegradation. *Bioresour Technol* 101: 2106-2113. <http://dx.doi.org/10.1016/j.biortech.2009.11.002>.
- Lu, XB; Zhang, WH; Xiu, JH; He, R; Chen, LG; Li, X. (2003). Removal of the template molecules from MCM-41 with supercritical fluid in a flow apparatus. *Ind Eng Chem Res* 42: 653-656. <http://dx.doi.org/10.1021/ie020422c>.
- Lu, Y; Pignatello, JJ. (2002). Demonstration of the "conditioning effect" in soil organic matter in support of a pore deformation mechanism for sorption hysteresis. *Environ Sci Technol* 36: 4553-4561. <http://dx.doi.org/10.1021/es020554x>.
- Luca, OR; Mccrory, CCL; Dalleska, NF; Koval, CA. (2015). The Selective Electrochemical Conversion of Preactivated CO<sub>2</sub> to Methane. *J Electrochem Soc* 162: H473-H476. <http://dx.doi.org/10.1149/2.0371507jes>.
- Lucas, D; Ferrara, R; Gonzalez, E; Bodenez, P; Albores, A; Manno, M; Berthou, F. (1999). Chlorzoxazone, a selective probe for phenotyping CYP2E1 in humans. *Pharmacogenetics* 9: 377-388.
- Lucchesi, C; Ferreira, BM; Duek, EA; Santos, AR; Joazeiro, PP. (2008). Increased response of Vero cells to PHBV matrices treated by plasma. *J Mater Sci Mater Med* 19: 635-643. <http://dx.doi.org/10.1007/s10856-007-0169-3>.
- Luchita, G; Bondar, MV; Yao, S; Mikhailov, IA; Yanez, CO; Przhonska, OV; Masunov, AE; Belfield, KD. (2011). Efficient photochromic transformation of a new fluorenyl diarylethene: one- and two-photon absorption spectroscopy. 3: 3559-3567. <http://dx.doi.org/10.1021/am200783c>.
- Lugmair, CG; Tilley, TD; Rheingold, AL. (1997). Zinc di(tert-butyl)phosphate complexes as precursors to zinc phosphates. Manipulation of zincophosphate structures. *Chem Mater* 9: 339-348.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lugo, L; Comunas, MJP; Lopez, ER; Fernandez, J. (2001). (p, V-m, T, x) measurements of dimethyl carbonate plus octane binary mixtures I. Experimental results, isothermal compressibilities, isobaric expansivities and internal pressures. *Fluid Phase Equilibria* 186: 235-255.
- Lukes, V; Danko, M; Andicsova, A; Hrdlovic, P; Vegh, D. (2013). The synthesis and examination of spectral properties of some 2,2'-bithienyl derivatives with carbonyl-containing substituents. *Synthetic Metals* 165: 17-26. <http://dx.doi.org/10.1016/j.synthmet.2012.12.021>.
- Lukes, V; Eckstein, AA; Vegh, D; Weiter, M; Krajcovic, J. (2015). Electronic structure and spectroscopic properties of (2S,3S)-2,3-diphenyl-5,6-diheteroaryl-2,3-dihydropyrazines and their model oligomers. *Synthetic Metals* 199: 319-328. <http://dx.doi.org/10.1016/j.synthmet.2014.11.035>.
- Lundegard, PD; Sweeney, RE; Corona, V. (2003). Supercritical fluid extraction for forensic analysis of hydrocarbons in soil. *Environ Forensics* 4: 313-317.
- Lungwitz, R; Spange, S. (2008). Structure and Polarity of the Phase Boundary of N-Methylimidazolium Chloride/Silica. *J Phys Chem C* 112: 19443-19448. <http://dx.doi.org/10.1021/jp806422g>.
- Luo, ZH; Shi, H; Zhu, HJ; Song, GL; Liu, YY. (2012). A new blue light-emitting terphenyl-bridged bisbenzimidazolium salts: Synthesis, crystal structure, and photophysical properties. *Dyes and Pigments* 92: 596-602. <http://dx.doi.org/10.1016/j.dyepig.2011.06.030>.
- Luo, ZK; Song, LX; Cai, HH; Liu, JH; Hong, WL; Huang, JS. (2006). Photo-catalytic de-chlorination of chlorinated methane by titanium oxide sol. *Wuji Cailiao Xuebao* 21: 145-150.
- Luong, BX; Petre, AL; Hoelderich, W; Commariou, A; Laffitte, JA; Espeillac, M; Souchet, JC. (2004). Use of methanesulfonic acid as catalyst for the production of linear alkylbenzenes. *J Catal* 226: 301-307. <http://dx.doi.org/10.1016/j.jcat.2004.05.025>.
- Luong-Van, E; Grãndahl, L; Chua, KN; Leong, KW; Nurcombe, V; Cool, SM. (2006). Controlled release of heparin from poly(epsilon-caprolactone) electrospun fibers. *Biomaterials* 27: 2042-2050. <http://dx.doi.org/10.1016/j.biomaterials.2005.10.028>.
- Luong-Van, E; Grøndahl, L; Nurcombe, V; Cool, S. (2007). In vitro biocompatibility and bioactivity of microencapsulated heparan sulfate. *Biomaterials* 28: 2127-2136. <http://dx.doi.org/10.1016/j.biomaterials.2007.01.002>.
- Luque, NB; Vélez, P; Pötting, K; Santos, E. (2012). Ab initio studies of the electronic structure of L-cysteine adsorbed on Ag(111). *Langmuir* 28: 8084-8099. <http://dx.doi.org/10.1021/la301107k>.
- Lutz-Roder, A; Jezussek, M; Winterhalter, P. (1999). Nickel peroxide induced oxidation of canthaxanthin. *J Agric Food Chem* 47: 1887-1891.
- Luu, HMD; Biles, J; White, KD. (1994). CHARACTERIZATION OF POLYESTERURETHANE DEGRADATION PRODUCTS. 5: 1-7.
- Luvsanjamba, M; Sercu, B; Keteszi, S; Van Langenhove, H. (2007). Thermophilic biotrickling filtration of a mixture of isobutyraldehyde and 2-pentanone. *J Chem Tech Biotechnol* 82: 74-80. <http://dx.doi.org/10.1002/jctb.1639>.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry* 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.
- Lv, B; Xiao, J; Zhou, J; Zhang, X; Duan, J; Su, W; Zhao, J. (2016). Synthesis, Crystal Analyses, Physical Properties, and Electroluminescent Behavior of Unsymmetrical Heterotwistacenes. 8: 18998-19003. <http://dx.doi.org/10.1021/acsami.6b07304>.
- Lv, HS; Zhao, B, aox; Li, J, iKun; Xia, Y; Lian, S; Liu, W, eiY; Gong, ZL. (2010). The synthesis, characterization and optical properties of novel, substituted, pyrazoly 1,3,4-oxadiazole derivatives. *Dyes and Pigments* 86: 25-31. <http://dx.doi.org/10.1016/j.dyepig.2009.11.003>.
- Lv, Q, iuNan; Li, XS, en; Chen, ZY; Feng, JC. (2013). Phase Equilibrium and Dissociation Enthalpies for Hydrates of Various Water-Insoluble Organic Promoters with Methane. *Journal of Chemical and Engineering Data* 58: 3249-3253. <http://dx.doi.org/10.1021/je4007025>.
- Lv, X, in; Wang, Z; Chen, XM. (2011). Structure and dielectric characteristics of Ca(Fe<sub>1/2</sub>Ta<sub>1/2</sub>)O<sub>3</sub> complex perovskite ceramics. *Ceramics International* 37: 1033-1037. <http://dx.doi.org/10.1016/j.ceramint.2010.11.036>.
- Lyddiard, JRA; Bartlett, A; Gray, B; Whitfield, PJ. (1998). The use of video-imaging to assess the sub-lethal impact of plant secondary compounds on *Schistosoma mansoni* miracidia. *J Helminthol* 72: 237-241.
- Lyddiard, JRA; Whitfield, PJ. (2001). Inhibition of Site I mitochondrial electron transport by an extract of the seeds of *Milletia thonningii*: a potential mechanism for the plant's molluscicidal and schistosome larvicidal activity. *J Helminthol* 75: 259-265.
- Lydon, J; Teasdale, JR; Chen, PK. (1997). Allelopathic activity of annual wormwood (*Artemisia annua*) and the role of artemisinin. *Weed Sci* 45: 807-811.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyubimov, SE; Said-Galiev, EE; Khokhlov, AR; Loim, NM; Popova, LN; Petrovskii, PV; Davankov, VA. (2008). The use of monodentate phosphites and phosphoramidites as effective ligands for Rh-catalyzed asymmetric hydrogenation in supercritical carbon dioxide. *Journal of Supercritical Fluids* 45: 70-73. <http://dx.doi.org/10.1016/j.supflu.2007.12.003>.
- Ma, B; Agblevor, F. (2016). Separation and Hydroprocessing of HZSM-5 Catalytic Olive Mill Waste Sludge Bio-oil. *Energy Fuels* 30: 10524-10533. <http://dx.doi.org/10.1021/acs.energyfuels.6b02194>.
- Ma, B; Chen, HH; He, Y; Wang, HZ; Xu, JM. (2010). Evaluation of toxicity risk of polycyclic aromatic hydrocarbons (PAHs) in crops rhizosphere of contaminated field with sequential extraction. *Journal of Soils and Sediments* 10: 955-963. <http://dx.doi.org/10.1007/s11368-010-0212-8>.
- Ma, C; Du, G; Cao, Y; Yu, S; Cheng, C; Jiang, W; Chang, Y; Wang, X, u; Cong, F; Yu, H. (2007). Synthesis and electrochemistry of a substituted phthalocyaninatozinc. *Dyes and Pigments* 72: 267-270. <http://dx.doi.org/10.1016/j.dyepig.2005.08.024>.
- Ma, CCM; Lee, CL; Tai, NH. (1992). CHEMICAL-RESISTANCE OF CARBON FIBER-REINFORCED POLY(ETHER ETHER KETONE) AND POLY(PHENYLENE SULFIDE) COMPOSITES. *Polymer Composites* 13: 435-440.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci* 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al<sub>2</sub>O<sub>3</sub> catalysts for dichloromethane oxidation. *Catalysis Today* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, R, ui; Zhu, J; Wu, B; Li, X. (2016). Adsorptive removal of organic chloride from model jet fuel by Na-LSX zeolite: Kinetic, equilibrium and thermodynamic studies. *Chem Eng Res Des* 114: 321-330. <http://dx.doi.org/10.1016/j.cherd.2016.08.028>.
- Ma, TY, i; Li, H, ui; Tang, A; Yuan, ZY. (2011). Ordered, Mesoporous Metal Phosphonate Materials with Microporous Crystalline Walls for Selective Separation Techniques. *Small* 7: 1827-1837. <http://dx.doi.org/10.1002/sml.201100389>.
- Ma, X; Green, SA. (2008). Fractionation and Spectroscopic Properties of Fulvic Acid and its Extract. *Chemosphere* 72: 1425. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.029>.
- Ma, X; Niu, H; Wen, H; Wang, S; Lian, Y; Jiang, X; Wang, C; Bai, X; Wang, W, en. (2015). Synthesis, electrochromic, halochromic and electro-optical properties of polyazomethines with a carbazole core and triarylamine units serving as functional groups. 3: 3482-3493. <http://dx.doi.org/10.1039/c4tc02400a>.
- Ma, X; Ran, Y; Gong, J; Chen, D. (2010). Sequential accelerated solvent extraction of polycyclic aromatic hydrocarbons with different solvents: performance and implication. *J Environ Qual* 39: 2072-2079. <http://dx.doi.org/10.2134/jeq2010.0163>.
- Ma, XM; Zhang, MX; Min, FF. (2015). A Study of Organic Sulfur Analysis in Coal Using Non-destructive Techniques. *Energy Source Part A* 37: 2716-2723. <http://dx.doi.org/10.1080/15567036.2012.736916>.
- Ma, Y; Wang, Q; Wang, X; Sun, X; Wang, X. (2015). A comprehensive study on activated carbon prepared from spent shiitake substrate via pyrolysis with ZnCl<sub>2</sub>. *Journal of Porous Materials* 22: 157-169. <http://dx.doi.org/10.1007/s10934-014-9882-8>.
- Ma, Z; Li, Q; Yue, Q; Gao, B; Li, W; Xu, X; Zhong, Q. (2011). Adsorption removal of ammonium and phosphate from water by fertilizer controlled release agent prepared from wheat straw. *Chem Eng J* 171: 1209-1217. <http://dx.doi.org/10.1016/j.cej.2011.05.027>.
- Machado, FRS, Jr; Reis, DF; Boschetto, DL; Burkert, JFM; Ferreira, SRS; Oliveira, JV; Burkert, CAV. (2014). Encapsulation of astaxanthin from *Haematococcus pluvialis* in PHBV by means of SEDS technique using supercritical CO<sub>2</sub>. *Ind Crop Prod* 54: 17-21. <http://dx.doi.org/10.1016/j.indcrop.2014.01.007>.
- Machado, L; Magnusson, M; Paul, NA; Kinley, R; de Nys, R; Tomkins, N. (2016). Identification of bioactives from the red seaweed *Asparagopsis taxiformis* that promote antimethanogenic activity in vitro. *J Appl Phycol* 28: 3117-3126. <http://dx.doi.org/10.1007/s10811-016-0830-7>.
- Macharia, PW; Yillia, PT; Muia, WA; Byamukama, D; Kreuzinger, N. (2015). Microbial quality of domestic water: following the contamination chain in a rural township in Kenya. *J Water Sanit Hyg Dev* 5: 39-49. <http://dx.doi.org/10.2166/washdev.2014.070>.
- Macherzynski, B; Wlodarczyk-Makula, M; Nowacka, A. (2012). SIMPLIFICATION OF THE PROCEDURE OF PREPARING SAMPLES FOR PAHs AND PCBs DETERMINATION. *Arch Environ Prot* 38: 23-33. <http://dx.doi.org/10.2478/v10265-012-0037-1>.
- Macit, M; Bati, B; Ozdemir, M. (1995). SYNTHESIS OF N-(2,6-DIMETHYLPHENYL)AMINOGLYOXIME AND ITS USE FOR SPECTROPHOTOMETRIC DETERMINATION OF NICKEL(II) AND COPPER(II). *Turkish Journal of Chemistry* 19: 127-134.
- Mackenzie, K; Frenzel, H; Kopinke, FD. (2006). Hydrodehalogenation of halogenated hydrocarbons in water with Pd catalysts: Reaction rates and surface competition. *Appl Catal B-Environ* 63: 161-167. <http://dx.doi.org/10.1016/j.apcatb.2005.10.004>.
- MacLennan, MS; Tie, C; Kovalchik, K; Peru, KM; Zhang, X; Headley, JV; Chen, DD. (2016). Potential of capillary electrophoresis mass spectrometry for the characterization and monitoring of amine-derivatized naphthenic acids from oil sands process-affected water. *J Environ Sci* 49: 203-212. <http://dx.doi.org/10.1016/j.jes.2016.06.019>.
- Macleod, CJA; Semple, KT. (2000). Influence of contact time on extractability and degradation of pyrene in soils. *Environ Sci Technol* 34: 4952-4957. <http://dx.doi.org/10.1021/es000061x>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maddalena, RL; Mckone, TE; Kado, NY. (1998). Simple and rapid extraction of polycyclic aromatic hydrocarbons collected on polyurethane foam adsorbent. *Atmos Environ* 32: 2497-2503.
- Madhuri, UD; Rao, VK; Hariprasad, E; Radhakrishnan, TP. (2016). In situ fabricated platinum-poly(vinyl alcohol) nanocomposite thin film: a highly reusable 'dip catalyst' for hydrogenation. 3. <http://dx.doi.org/10.1088/2053-1591/3/4/045018>.
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Maeda, H; Okada, M; Fujii, S; Nakamura, Y; Furuzono, T. (2010). Pickering-type water-in-oil-in-water multiple emulsions toward multihollow nanocomposite microspheres. *Langmuir* 26: 13727-13731. <http://dx.doi.org/10.1021/la102529d>.
- Magbanua, BS; Mitchell, DR; Fehniger, SM; Bowyer, RL; Grady, CPL. (2000). Quantification of synthetic organic chemicals in biological treatment process effluent using solid-phase microextraction and gas chromatography. *Water Environ Res* 72: 98-104.
- Maguire, RJ; Comba, ME; Cannon, CM. (2002). Concentrations of some lipophilic chemicals in fresh water may be underestimated by conventional dichloromethane extraction. *Water Qual Res J Can* 37: 587-598.
- Maguire, RJ; Tkacz, RJ; Batchelor, SP. (1993). Extraction efficiencies of hydrocarbons from Niagara River water. *Environ Toxicol Chem* 12: 805-811.
- Mahdaoui, F; Reisberg, L; Michels, R; Hautevelle, Y; Poirier, Y; Girard, JP. (2013). Effect of the progressive precipitation of petroleum asphaltenes on the Re-Os radioisotope system. *Chem Geol* 358: 90-100. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.038>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mahdavi, H; Razmi, F; Shahalizade, T. (2016). Polyurethane TFC nanofiltration membranes based on interfacial polymerization of poly(bis-MPA) and MDI on the polyethersulfone support. *Separation and Purification Technology* 162: 37-44. <http://dx.doi.org/10.1016/j.seppur.2016.02.018>.
- Mahieux, J; Sanselme, M; Harthong, S; Melan, C; Aronica, C; Guy, L; Coquerel, G. (2013). Preparative Resolution of (+/-)-Bis-tetralone by Means of Autoseeded Preferential Crystallization Induced by Solvent Evaporation (ASPreCISE). *Cryst Growth Des* 13: 3621-3631. <http://dx.doi.org/10.1021/cg400589u>.
- Mahima, S; Chaki, NK; Sharma, J; Kakade, BA; Pasricha, R; Rao, AM; Vijayamohanan, K. (2006). Electrochemical organization of monolayer protected gold nanoclusters on single-walled carbon nanotubes: Significantly enhanced double layer capacitance. *J Nanosci Nanotechnol* 6: 1387-1391. <http://dx.doi.org/10.1166/jnn.2006.323>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahlo, SM; Mcgaw, LJ; Eloff, JN. (2010). Antifungal activity of leaf extracts from South African trees against plant pathogens. *Crop Protection* 29: 1529-1533. <http://dx.doi.org/10.1016/j.cropro.2010.08.015>.
- Mahmood, I. (2005). *Interspecies pharmacokinetic scaling: Principles and application of allometric scaling*. Rockville, MD: Pine House Publishers.
- Mahmoodi, NM. (2014). Binary Catalyst System Dye Degradation Using Photocatalysis. *Fibers and Polymers* 15: 273-280. <http://dx.doi.org/10.1007/s12221-014-0273-1>.
- Mahmoodi, NM; Arami, M; Zhang, J. (2011). Preparation and photocatalytic activity of immobilized composite photocatalyst (titania nanoparticle/activated carbon). *J Alloy Comp* 509: 4754-4764. <http://dx.doi.org/10.1016/j.jallcom.2011.01.146>.
- Mahmoud, SS. (2009). Electroless deposition of nickel and copper on titanium substrates: Characterization and application. *J Alloy Comp* 472: 595-601. <http://dx.doi.org/10.1016/j.jallcom.2008.05.079>.
- Maier, A; Fakhrnabavi, H; Rabindranath, AR; Tieke, B. (2011). Supramolecular assembly of electrochromic films of terpyridine-functionalized polyiminocarbazolyene metal complexes. *J Mater Chem* 21: 5795-5804. <http://dx.doi.org/10.1039/c0jm03580g>.
- Mainardes, RM; Evangelista, RC. (2005). Praziquantel-loaded PLGA nanoparticles: preparation and characterization. *J Microencapsul* 22: 13-24. <http://dx.doi.org/10.1080/02652040400026285>.
- Maiti, S; Purakayastha, S; Ghosh, B. (2008). Production of low-cost carbon adsorbents from agricultural wastes and their impact on dye adsorption. *Chemical Engineering Communications* 195: 386-403. <http://dx.doi.org/10.1080/00986440701707917>.
- Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. *Journal of Supercritical Fluids* 40: 101-110. <http://dx.doi.org/10.1016/j.supflu.2006.03.027>.
- Major, D; Zhang, Q; Wang, G; Wang, H, e. (2012). Oil-dispersant mixtures: understanding chemical composition and its relation to human toxicity. *Toxicol Environ Chem* 94: 1832-1845. <http://dx.doi.org/10.1080/02772248.2012.730202>.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res* 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Makarewicz, E; Michalik, A. (2011). Rheological studies of poly(vinyl chloride) plastisol dyed with inorganic pigments. *Przemysł Chemiczny* 90: 122-127.
- Makha, M; Evans, CW; Sobolev, AN; Raston, CL. (2008). Linear arrays of interlocking calixarenes in controlling the interplay of fullerene C-60 molecules. *Cryst Growth Des* 8: 2929-2932. <http://dx.doi.org/10.1021/cg800045u>.
- Makhoukhi, B; Didi, MA; Moulessehou, H; Azzouz, A; Villemin, D. (2010). Diphosphonium ion-exchanged montmorillonite for Telon dye removal from aqueous media. *Appl Clay Sci* 50: 354-361. <http://dx.doi.org/10.1016/j.clay.2010.08.026>.
- Makhoukhi, B; Didi, MA; Villemin, D. (2008). Modification of bentonite with diphosphonium salts: Synthesis and characterization. *Mater Lett* 62: 2493-2496. <http://dx.doi.org/10.1016/j.matlet.2007.12.026>.
- Makireddi, S, ai; Shivaprasad, S; Kosuri, G; Varghese, FV; Balasubramaniam, K. (2015). Electro-elastic and piezoresistive behavior of flexible MWCNT/PMMA nanocomposite films prepared by solvent casting method for structural health monitoring applications. *Compos Sci Tech* 118: 101-107. <http://dx.doi.org/10.1016/j.compscitech.2015.08.014>.
- Malachova, K. (1999). Using short-term mutagenicity tests for the evaluation of genotoxicity of contaminated soils. *Journal of Soil Contamination* 8: 667-680.
- Malachova, K; Kukutschova, J; Rybkova, Z; Sezimova, H; Placha, D; Cabanova, K; Filip, P. (2016). Toxicity and mutagenicity of low-metallic automotive brake pad materials. *Ecotoxicol Environ Saf* 131: 37-44. <http://dx.doi.org/10.1016/j.ecoenv.2016.05.003>.
- Malagnini, L; Mayeda, K; Uhrhammer, R; Akinci, A; Herrmann, RB. (2007). A regional ground-motion excitation/attenuation model for the San Francisco region. *Seismological Society of America Bulletin* 97: 843-862. <http://dx.doi.org/10.1785/0120060101>.
- Malagoni, RA; Franco, MR, Jr. (2007). A simple apparatus for data solubility determination. *Fluid Phase Equilibria* 255: 93-97. <http://dx.doi.org/10.1016/j.fluid.2007.03.032>.
- Malakootian, M; Fatehizadeh, A. (2010). COLOR REMOVAL FROM WATER BY COAGULATION/CAUSTIC SODA AND LIME. *Iranian Journal of Environmental Health Science and Engineering* 7: 267-272.
- Maldas, D; Kokta, BV. (1991). STUDIES ON THE PREPARATION AND PROPERTIES OF PARTICLE BOARDS MADE FROM BAGASSE AND PVC .2. INFLUENCE OF THE ADDITION OF COUPLING AGENTS. *Bioresour Technol* 35: 251-261.
- Maleki, H; Gharehaghaji, AA; Moroni, L; Dijkstra, PJ. (2013). Influence of the solvent type on the morphology and mechanical properties of electrospun PLLA yarns. *Biofabrication* 5: 035014. <http://dx.doi.org/10.1088/1758-5082/5/3/035014>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Maliakal, S; Cheney, DP; Rorrer, GL. (2001). Halogenated monoterpene production in regenerated plantlet cultures of *Ochtodes secundiramea* (Rhodophyta, Cryptonemiales). *J Phycol* 37: 1010-1019.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH<sub>2</sub>Cl<sub>2</sub> over Pd/gamma-Al<sub>2</sub>O<sub>3</sub>. Correlation with the hydrodechlorination of CCl<sub>2</sub>F<sub>2</sub> (CFC-12). *Appl Catal B-Environ* 19: L79-L86.
- Malkoc, S; Banar, M; Tuylu, BA; Korkmaz, S; Can, OD. (2006). An evaluation of the bottom ashes from healthcare waste in a laboratory scale incinerator: Microbiology, mutagenicity and toxicity. *Fresen Environ Bull* 15: 229-238.
- Mallakpour, S; Rafiemanzelat, F. (2005). Synthesis and characterization of new optically active poly(amide-imide-urethane) thermoplastic elastomers, derived from bis(p-amido benzoic acid)-N-trimellitylimido-L-leucine and polyoxyethylene-MDI. *React Funct Polym* 62: 153-167. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.11.005>.
- Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. *React Funct Polym* 68: 1459-1466. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004>.
- Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing L-Tyrosine Moiety Under Green Media. *Journal of Polymers and the Environment* 18: 685-695. <http://dx.doi.org/10.1007/s10924-010-0234-8>.
- Mallard, C; Coudane, J; Rault, I; Vert, M. (2000). In vitro delivery of a sparingly water soluble compound from PLA50 microparticles. *J Microencapsul* 17: 13-28.
- Mallinson, P; Claridge, JB; Iddles, D; Price, T; Ibberson, RM; Allix, M; Rosseinsky, MJ. (2006). New 10-layer hexagonal perovskites: Relationship between cation and vacancy ordering and microwave dielectric loss. *Chem Mater* 18: 6227-6238. <http://dx.doi.org/10.1021/cm0616477>.
- Mallouchos, A; Skandamis, P; Loukatos, P; Komaitis, M; Koutinas, A; Kanellaki, M. (2003). Volatile compounds of wines produced by cells immobilized on grape skins. *J Agric Food Chem* 51: 3060-3066. <http://dx.doi.org/10.1021/jf026177p>.
- Maltha, CRA; Barbosa, LCA; Azevedo, MAB; Colodette, JL. (2011). Behavior of Eucalyptus Kraft Pulp Extractives Components across ECF Bleaching and Their Impact on Brightness Reversion. *Journal of Wood Chemistry and Technology* 31: 103-120. <http://dx.doi.org/10.1080/02773813.2010.502283>.
- Malwade, CR; Qu, H; Rong, B, enG; Christensen, LP. (2014). Chemometrics for Analytical Data Mining in Separation Process Design for Recovery of Artemisinin from *Artemisia annua*. *Ind Eng Chem Res* 53: 5582-5589. <http://dx.doi.org/10.1021/ie404233z>.
- Malzert, A; Boury, F; Saulnier, P; Benoit, JP; Proust, JE. (2002). Rheological study of lysozyme and PEG2000 at the air-water and dichloromethane-water interfaces under ramp type or sinusoidal perturbations. *Langmuir* 18: 10248-10254. <http://dx.doi.org/10.1021/la0206231>.
- Mamaliga, I; Negoescu, C. (2012). SOME ASPECTS OF TWO STAGE DIFFUSION IN POLYMER FILMS AND MEMBRANES. *Environmental Engineering and Management Journal* 11: 2091-2099.
- Mamaliga, I; Schabel, W. (2008). DIFFUSION CLOSE TO GLASS TRANSITION TEMPERATURE OF DICHLOROMETHANE IN CELLULOSE TRIACETATE FILMS. *Cellulose Chemistry and Technology* 42: 345-351.
- Manafi, S; Nadali, H; Irani, HR. (2008). Low temperature synthesis of multi-walled carbon nanotubes via a sonochemical/hydrothermal method. *Mater Lett* 62: 4175-4176. <http://dx.doi.org/10.1016/j.matlet.2008.05.072>.
- Mancilla, Y; Mendoza, A; Fraser, MP; Herckes, P. (2016). Organic composition and source apportionment of fine aerosol at Monterrey, Mexico, based on organic markers. *Atmos Chem Phys* 16: 953-970. <http://dx.doi.org/10.5194/acp-16-953-2016>.
- Mandal, AK; Das, RK; Maity, A; Sahoo, GR. (2016). Gastrin peptide isolation in broiler chicken. *Indian Journal of Animal Research* 50: 140-141.
- Mandal, S; Alam, S. (2013). Studies on gamma radiation resistance polyethersulphone films reinforced by lead oxide. *Mater Res Innovat* 17: 373-376. <http://dx.doi.org/10.1179/1433075X12Y.0000000056>.
- Mandal, TK. (1999). Effect of solvent on the characteristics of pentamidine loaded microcapsule. *J Biomater Sci Polym Ed* 10: 1-17.
- Mandieh, ZM; Mottaghitab, V; Piri, N; Haghi, AK. (2012). Conductive chitosan/multi walled carbon nanotubes electrospun nanofiber feasibility. *Korean J Chem Eng* 29: 111-119. <http://dx.doi.org/10.1007/s11814-011-0129-y>.
- Mandoli, C; Pagliari, F; Pagliari, S; Forte, G; Di Nardo, P; Licocchia, S; Traversa, E. (2010). Stem Cell Aligned Growth Induced by CeO<sub>2</sub> Nanoparticles in PLGA Scaffolds with Improved Bioactivity for Regenerative Medicine. *Adv Funct Mater* 20: 1617-1624. <http://dx.doi.org/10.1002/adfm.200902363>.
- Mangas, E; Vaquero, MT; Comellas, L; Broto-Puig, F. (1998). Analysis and fate of aliphatic hydrocarbons, linear alkylbenzenes, polychlorinated biphenyls and polycyclic aromatic hydrocarbons in sewage sludge-amended soils. *Chemosphere* 36: 61-72.
- Manilal, A; Selvin, J; Sugathan, S; Panikkar, MVN. (2012). EVALUATION OF THERAPEUTIC EFFICACY OF INDIAN GREEN ALGA, *Acrosiphonia orientalis* (J. AGARDH) IN THE TREATMENT OF VIBRIOSIS IN *Penaeus monodon*. *Thalassas* 28: 33-46.
- Manilal, A; Sujith, S; Kiran, GS; Selvin, J; Shakir, C; Gandhimathi, R; Panikkar, MVN. (2009). BIOPOTENTIALS OF SEAWEEDES COLLECTED FROM SOUTHWEST COAST OF INDIA. *Journal of Marine Science and Technology* 17: 67-73.
- Manji, A; Karagiannis, J; Salgar, S; Constant, J. (2005). Pitch reduction in a kraft aspen integrated mill pulping fresh chips. *Tappi Journal* 4: 3-8.
- Mannistu, KD; Yarranton, HW; Masliyah, JH. (1997). Solubility modeling of asphaltenes in organic solvents. *Energy Fuels* 11: 615-622.
- Manoj, K; Gonnade, RG; Bhadbhade, MM; Shashidhar, MS. (2006). Subtle crossover from C-H center dot center dot center dot O to S=O center dot center dot center dot C=O short contacts in the association of diastereomers of 2,4(6)-di-O-benzoyl-6(4)-O-[(1S)-10-camphorsulfonyl]-myo-inositol 1,3,5-orthoformate upon formation of pseudopolymorphs. *Cryst Growth Des* 6: 1485-1492. <http://dx.doi.org/10.1021/cg0601271>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Manshina, AA; Povolotskiy, AV; Povolotskaya, AV; Ivanova, TY, u; Koshevoy, IO; Tunik, SP; Suvanto, M; Pakkanen, TA. (2012). Laser-induced heterometallic phase deposition from solutions of supramolecular complexes. *Surf Coating Tech* 206: 3454-3458. <http://dx.doi.org/10.1016/j.surfcoat.2012.02.010>.
- Manson, J; Dixon, D. (2012). The influence of solvent processing on polyester bioabsorbable polymers. *J Biomater Appl* 26: 623-634. <http://dx.doi.org/10.1177/0885328210376997>.
- Manson, J; Kumar, D; Meenan, BJ; Dixon, D. (2011). Polyethylene glycol functionalized gold nanoparticles: the influence of capping density on stability in various media. *Gold Bulletin* 44: 99-105. <http://dx.doi.org/10.1007/s13404-011-0015-8>.
- Manu, R; Jayakrishnan, S. (2012). Effect of organic dye on copper metallization of high aspect ratio through hole for interconnect application. *Mater Chem Phys* 135: 425-432. <http://dx.doi.org/10.1016/j.matchemphys.2012.05.003>.
- Manyin, T; Rowe, CL. (2010). Reproductive and life stage-specific effects of aqueous copper on the grass shrimp, *Palaemonetes pugio*. *Mar Environ Res* 69: 152-157. <http://dx.doi.org/10.1016/j.marenvres.2009.09.006>.
- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of  $\beta$ -carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400. <http://dx.doi.org/10.1016/j.biortech.2013.02.019>.
- Marcomini, A; Cecchi, F; Sfriso, A. (1991). ANALYTICAL EXTRACTION AND ENVIRONMENTAL REMOVAL OF ALKYL BENZENE SULFONATES, NONYLPHENOL AND NONYLPHENOL MONOETHOXYLATE FROM DATED SLUDGE-ONLY LANDFILLS. *Environ Technol* 12: 1047-1054.
- Margon, A; Fornasier, F. (2008). Determining soil enzyme location and related kinetics using rapid fumigation and high-yield extraction. *Soil Biol Biochem* 40: 2178-2181. <http://dx.doi.org/10.1016/j.soilbio.2008.02.006>.
- Mari, A; Imperatori, P; Marchegiani, G; Pilloni, L; Mezzi, A; Kaciulis, S; Cannas, C; Meneghini, C; Mobilio, S; Suber, L. (2010). High yield synthesis of pure alkanethiolate-capped silver nanoparticles. *Langmuir* 26: 15561-15566. <http://dx.doi.org/10.1021/la102062p>.
- Marimuthu, M; Kim, S; An, J. (2010). Amphiphilic triblock copolymer and a microfluidic device for porous microfiber fabrication. *Soft Matter* 6: 2200-2207. <http://dx.doi.org/10.1039/b924704a>.
- Marinari, S; Liburdi, K; Corradini, D; Grego, S. (2010). Reversed-phase high performance liquid chromatographic profile of organic fractions extracted by solvents with different polarity as a tool to evaluate the hydrophobic character of soil under different management. *Soil Till Res* 109: 36-40. <http://dx.doi.org/10.1016/j.still.2010.04.004>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng* 120: 1207-1231.
- Marino, DJ. (2012). AGE-SPECIFIC ABSOLUTE AND RELATIVE ORGAN WEIGHT DISTRIBUTIONS FOR B6C3F1 MICE. *J Toxicol Environ Health A* 75: 76-99. <http://dx.doi.org/10.1080/15287394.2011.625548>.
- Marin-Sanchez, M; Ocon, P; Conde, A; Garcia, I. (2014). Electrodeposition of Zn-Mn coatings on steel from 1-ethyl-3-methylimidazolium bis (trifluoromethanesulfonyl) imide ionic liquid. *Surf Coating Tech* 258: 871-877. <http://dx.doi.org/10.1016/j.surfcoat.2014.07.064>.
- Mariscal, R; Pena, MA; Fierro, JLG. (1995). PROMOTER EFFECTS OF DICHLOROMETHANE ON THE OXIDATIVE COUPLING OF METHANE OVER MNMGO CATALYSTS. *Appl Catal A-Gen* 131: 243-261.
- Markiewicz, KV; Howie, LE; Safe, SH; Donnelly, KC. (1996). Mutagenic potential of binary and complex mixtures using different enzyme induction systems. *J Toxicol Environ Health* 47: 443-451. <http://dx.doi.org/10.1080/009841096161591>.
- Marklevitz, SAC; Almeida, E; Flemming, J; Hellou, J. (2008). Determining the bioavailability of contaminants and assessing the quality of sediments. *Journal of Soils and Sediments* 8: 86-91. <http://dx.doi.org/10.1065/jss2008.02.275.1>.
- Marotovaler, MM; Love, GD; Snape, CE. (1997). Close correspondence between carbon skeletal parameters of kerogens and their hydrolysis oils. *Energy Fuels* 11: 539-545.
- Marquez-Herrera, A; Ovando-Medina, VM; Castillo-Reyes, BE; Melendez-Lira, M; Zapata-Torres, M; Saldana, N. (2014). A novel synthesis of SrCO<sub>3</sub>-SrTiO<sub>3</sub> nanocomposites with high photocatalytic activity. *J Nanopart Res* 16. <http://dx.doi.org/10.1007/s11051-014-2804-5>.
- Marquis, O; Millery, A; Guittonneau, S; Miaud, C. (2006). Solvent toxicity to amphibian embryos and larvae. *Chemosphere* 63: 889-892. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.063>.
- Marriott, HM; Dockrell, DH. (2007). The role of the macrophage in lung disease mediated by bacteria [Review]. *Exp Lung Res* 33: 493-505. <http://dx.doi.org/10.1080/01902140701756562>.
- Marrone, PA; Gschwend, PM; Swallow, KC; Peters, WA; Tester, JW. (1998). Product distribution and reaction pathways for methylene chloride hydrolysis and oxidation under hydrothermal conditions. *Journal of Supercritical Fluids* 12: 239-254.
- Marrone, PA; Lachance, RP; Dinero, JL; Phenix, BD; Meyer, JC; Tester, JW; Peters, WA; Swallow, KC. (1995). ACS SYMPOSIUM SERIES Methylene chloride oxidation and hydrolysis in supercritical water.
- Marrouchi, R; Dziri, F; Belayouni, N; Hamza, A; Benoit, E; Molgó, J; Kharrat, R. (2010). Quantitative determination of gymnodimine-A by high performance liquid chromatography in contaminated clams from Tunisia coastline. *Mar Biotechnol* 12: 579-585. <http://dx.doi.org/10.1007/s10126-009-9245-7>.
- Marsal, A; Bautista, E; Cuadros, S; Reyes, M, a; Rius, A; Font, J. (2009). RECOVERY OF ORGANIC NITROGEN FROM BEAMHOUSE WASTEWATER IN A HAIR RECOVERY PROCESS. *Journal of the Society of Leather Technologists and Chemists* 93: 176-182.
- Marsaro, AL; Souza, RC; Della Lucia, TM; Fernandes, JB; Silva, MF; Vieira, PC. (2004). Behavioral changes in workers of the leaf-cutting ant *Atta sexdens rubropilosa* induced by chemical components of *Eucalyptus maculata* leaves. *J Chem Ecol* 30: 1771-1780.
- Marsch, GA; Mundkowski, RG; Morris, BJ; Manier, ML; Hartman, MK; Guengerich, FP. (2001). Characterization of nucleoside and DNA adducts formed by S-(1-acetoxymethyl)glutathione and implications for dihalomethane-glutathione conjugates. *Chem Res Toxicol* 14: 600-608. <http://dx.doi.org/10.1021/tx010006h>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr* 45: 516-519.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Marsili, M; Stracquadanio, M; Trombini, C; Vassura, I. (2001). The epicuticular wax of *Laurus nobilis* leaves as a passive sampler of polycyclic aromatic hydrocarbons in ambient air. *Fresen Environ Bull* 10: 26-30.
- Martin, C; Piatkowski, P; Cohen, B; Gil, M; Teresa Navarro, M; Coma, A; Douhal, A. (2015). Ultrafast Dynamics of Nile Red Interacting with Metal Doped Mesoporous Materials. *J Phys Chem C* 119: 13283-13296. <http://dx.doi.org/10.1021/acs.jpcc.5b02296>.
- Martin, C; Ziolk, M; Marchena, M; Douhal, A. (2011). Interfacial Electron Transfer Dynamics in a Solar Cell Organic Dye Anchored to Semiconductor Particle and Aluminum-Doped Mesoporous Materials. *J Phys Chem C* 115: 23183-23191. <http://dx.doi.org/10.1021/jp203489u>.
- Martin, JH; Siebert, AJ; Loehr, RC. (1991). ESTIMATING OIL AND GREASE CONTENT OF PETROLEUM-CONTAMINATED SOIL. *J Environ Eng* 117: 291-299.
- Martin, MC; Cocero, MJ; Mato, F. (1992). VAPOR-LIQUID-EQUILIBRIUM DATA, AT 298.15-K, FOR 6 BINARY-SYSTEMS CONTAINING METHYL ACETATE OR METHANOL, WITH ACETONITRILE, NITROMETHANE OR NITROETHANE. *Fluid Phase Equilibria* 74: 243-252.
- Martin, N; Burkus, Z; Mceachern, P; Yu, T. (2014). Naphthenic acids quantification in organic solvents using fluorescence spectroscopy. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 294-306. <http://dx.doi.org/10.1080/10934529.2014.846631>.
- Martinez Galera, M; Gil Garcia, MD; Rodriguez Lallena, JA; Lopez Lopez, T; Martinez Vidal, JL. (2003). Dissipation of pyrethroid residues in peppers, zucchinis, and green beans exposed to field treatments in greenhouses: evaluation by decline curves. *J Agric Food Chem* 51: 5745-5751. <http://dx.doi.org/10.1021/jf0300893>.
- Martinez, LM; de Correa, CM; Odriozola, JA; Centeno, MA. (2005). Synthesis and characterization of sol-gel zirconia supported Pd and Ni catalysts. *Catalysis Today* 107-08: 800-808. <http://dx.doi.org/10.1016/j.cattod.2005.07.012>.
- Martinez-Klimov, ME; Hernandez-Hipolito, P; Klimova, TE; Solis-Casados, DA; Martinez-Garcia, M. (2016). Development of reusable palladium catalysts supported on hydrogen titanate nanotubes for the Heck reaction. *J Catal* 342: 138-150. <http://dx.doi.org/10.1016/j.jcat.2016.07.019>.
- Martin-Gonzalez, MA; Susial, P; Perez-Pena, J; Dona-Rodriguez, JM. (2013). PREPARATION OF ACTIVATED CARBONS FROM BANANA LEAVES BY CHEMICAL ACTIVATION WITH PHOSPHORIC ACID. ADSORPTION OF METHYLENE BLUE. *Revista Mexicana de Ingenieria Quimica* 12: 595-608.
- Martin-Martinez, M; Alvarez-Montero, A; Gomez-Sainero, LM; Baker, RT; Palomar, J; Omar, S; Eser, S; Rodriguez, JJ. (2015). Deactivation behavior of Pd/C and Pt/C catalysts in the gas-phase hydrodechlorination of chloromethanes: Structure-reactivity relationship. *Appl Catal B-Environ* 162: 532-543. <http://dx.doi.org/10.1016/j.apcatb.2014.07.017>.
- Martin-Martinez, M; Gomez-Sainero, LM; Alvarez-Montero, MA; Bedia, J; Rodriguez, JJ. (2013). Comparison of different precious metals in activated carbon-supported catalysts for the gas-phase hydrodechlorination of chloromethanes. *Appl Catal B-Environ* 132-133 (Mar 27): 256-265. <http://dx.doi.org/10.1016/j.apcatb.2012.11.041>.
- Martin-Martinez, M; Gomez-Sainero, LM; Bedia, J; Arevalo-Bastante, A; Rodriguez, JJ. (2016). Enhanced activity of carbon-supported Pd-Pt catalysts in the hydrodechlorination of dichloromethane. *Appl Catal B-Environ* 184: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2015.11.016>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ* 20: 301-307.
- Martins, CM; Vasconcellos, MAD; Rossetto, CAV; de Carvalho, MG. (2010). Phytochemical screening of the arils of yellow passion fruits seeds and influence on the seed germination. *Ciencia Rural* 40: 1934-1940.
- Martins, L; Bonagamba, TJ; de Azevedo, ER; Bargiela, P; Cardoso, D. (2006). Surfactant containing Si-MCM-41: An efficient basic catalyst for the Knoevenagel condensation. *Appl Catal A-Gen* 312: 77-85. <http://dx.doi.org/10.1016/j.apcata.2006.06.035>.
- Martins, S; Amorim, ELC; Peixoto Sobrinho, TJS; Saraiva, AM; Pisciotto, MNC; Aguiar, CN; Teixeira, JA; Mussatto, SI. (2013). Antibacterial activity of crude methanolic extract and fractions obtained from *Larrea tridentata* leaves. *Ind Crop Prod* 41: 306-311. <http://dx.doi.org/10.1016/j.indcrop.2012.04.037>.
- Marugán, J; van Grieken, R; Pablos, C. (2010). Kinetics and influence of water composition on photocatalytic disinfection and photocatalytic oxidation of pollutants. *Environ Technol* 31: 1435-1440. <http://dx.doi.org/10.1080/09593331003646653>.
- Marugán, J; van Grieken, R; Pablos, C; Sordo, C. (2010). Analogies and differences between photocatalytic oxidation of chemicals and photocatalytic inactivation of microorganisms. *Water Res* 44: 789-796. <http://dx.doi.org/10.1016/j.watres.2009.10.022>.
- Maruo, Y; Irie, M; Nishigawa, G; Oka, M; Minagi, S; Suzuki, K. (2005). Modified direct relining method produces an accurate adaptation denture. *Dent Mater J* 24: 311-314.
- Masi, F; Lepri, L; Del Bubba, M; Sacco, C; Lo Nostro, A; Comodo, N. (1999). Organic chemicals and microbial facies of liquid aerosols from a wastewater treatment plant. *Ann Chim* 89: 231-248.
- Masih, A; Saini, R; Singhvi, R; Taneja, A. (2010). Concentrations, sources, and exposure profiles of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM<sub>10</sub>) in the north central part of India. *Environ Monit Assess* 163: 421-431. <http://dx.doi.org/10.1007/s10661-009-0846-4>.
- Mason, H; Wilson, K. (1999). Biological monitoring: the role of toxicokinetics and physiologically based pharmacokinetic modeling [Review]. *Am Ind Hyg Assoc J* 60: 237-242. <http://dx.doi.org/10.1080/00028899908984442>.
- Mason, JR; Neal, J; Oliver, JE; Lusby, WR. (1991). Bird-Repellent Properties of Secretions from Nymphs of the Azalea Lace Bug. *Ecol Appl* 1: 226-230.
- Masood, F; Malik, A. (2013). Cytotoxic and genotoxic potential of tannery waste contaminated soils. *Sci Total Environ* 444: 153-160. <http://dx.doi.org/10.1016/j.scitotenv.2012.11.049>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Masood, F; Malik, A. (2013). Mutagenicity and genotoxicity assessment of industrial wastewaters. *Environ Sci Pollut Res Int* 20: 7386-7397. <http://dx.doi.org/10.1007/s11356-013-1756-0>.
- Massey, PM; Boansi, RK; Gipson, JD; Adams, RM; Riess, H; Dieng, T; Prelip, ML; Glik, DC. (2017). Human papillomavirus (HPV) awareness and vaccine receptivity among Senegalese adolescents. *Trop Med Int Health* 22: 113-121. <http://dx.doi.org/10.1111/tmi.12798>.
- Massoumi, B; Omid, H; Vessally, E; Entezami, A, liA. (2014). Nanostructured Poly (2,2'-bithiophene)-co-(3-dodecylthiophene): Preparation, Investigation of the Electroactivity, Conductivity, and Morphology. *Int J Polym Mater* 63: 323-329. <http://dx.doi.org/10.1080/00914037.2013.845186>.
- Masten, SV; Peck, RC. (2004). Problem driver remediation: a meta-analysis of the driver improvement literature [Review]. *J Safety Res* 35: 403-425. <http://dx.doi.org/10.1016/j.jsr.2004.06.002>.
- Matejova, L; Topka, P; Jiratova, K; Solcova, O. (2012). Total oxidation of model volatile organic compounds over some commercial catalysts. *Appl Catal A-Gen* 443: 40-49. <http://dx.doi.org/10.1016/j.apcata.2012.07.018>.
- Matejova, L; Topka, P; Kaluza, L; Pitkaaho, S; Ojala, S; Gaalova, J; Keiski, RL. (2013). Total oxidation of dichloromethane and ethanol over ceria-zirconia mixed oxide supported platinum and gold catalysts. *Appl Catal B-Environ* 142: 54-64. <http://dx.doi.org/10.1016/j.apcatb.2013.04.069>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol* 28: 2045-2053.
- Matheswaran, M; Raju, T. (2010). Destruction of methylene blue by mediated electrolysis using two-phase system. *Process Saf Environ Protect* 88: 350-355. <http://dx.doi.org/10.1016/j.psep.2010.05.003>.
- Mathew, S; Zakaria, ZA; Musa, N. (2015). Antioxidant property and chemical profile of pyrolygneous acid from pineapple plant waste biomass. *Process Biochemistry* 50: 1985-1992. <http://dx.doi.org/10.1016/j.procbio.2015.07.007>.
- Mathews, JM; Raymer, JH; Etheridge, AS; Velez, GR; Bucher, JR. (1997). Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo. *Toxicol Appl Pharmacol* 146: 255-260. <http://dx.doi.org/10.1006/taap.1997.8257>.
- Matienzo, LJ; Emmi, F; Vanhart, DC; Lo, JC. (1991). ABSORPTION AND INTERACTION OF METHYLENE-CHLORIDE WITH METALLIZED POLYIMIDE FILMS. *Journal of Vacuum Science and Technology A* 9: 1278-1282.
- Matloka, K; Gelis, A; Regalbuto, M; Vandegrift, G; Scott, MJ. (2006). C-3-symmetric tripodal thio/diglycolamide-based ligands for trivalent f-element separations. *Separation Science and Technology* 41: 2129-2146. <http://dx.doi.org/10.1080/01496390600745727>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data* 36: 259-262.
- Matos, J; Laine, J; Herrmann, JM. (2001). Effect of the type of activated carbons on the photocatalytic degradation of aqueous organic pollutants by UV-irradiated titania. *J Catal* 200: 10-20. <http://dx.doi.org/10.1006/jcat.2001.3191>.
- Matsuda, H; Hibino, M; Sato, T; Ose, Y; Nagase, H; Kito, H. (1993). Mutagenicity of ozonated and chlorinated humic substances. *J Environ Sci Health, Part A: Environ Sci Eng* 28: 821-837.
- Matsumoto, F; Moriwaki, K; Takao, Y; Ohno, T. (2010). Investigation of novel PCBM analogs containing thienyl groups for organic photovoltaic devices. *Synthetic Metals* 160: 961-966. <http://dx.doi.org/10.1016/j.synthmet.2010.02.008>.
- Matsumura, H; Saka, S. (1992). CELLULOSE TRIACETATE PREPARED FROM LOW-GRADE WOOD PULP .2. REMEDIES FOR REDUCING THE INSOLUBLE RESIDUE IN ACETYLATION SOLUTION. 38: 862-868.
- Matsumura, Y. (1996). Selection of desorbing solvents for organic compounds from active carbon tubes. *Ind Health* 34: 167-176.
- Mattea, F; Martin, A; Schulz, C; Jaeger, P; Eggers, R; Jose Cocero, M. (2010). Behavior of an Organic Solvent Drop During the Supercritical Extraction of Emulsions. *AIChE J* 56: 1184-1195. <http://dx.doi.org/10.1002/aic.12061>.
- Matthaus, B; Fiebig, HJ. (1996). Simultaneous determination of isothiocyanates, indoles, and oxazolidinethiones in myrosinase digests of rapeseeds and rapeseed meal by HPLC. *J Agric Food Chem* 44: 3894-3899.
- Mattina, MJ; Pignatello, JJ; Swihart, RK. (1991). IDENTIFICATION OF VOLATILE COMPONENTS OF BOBCAT (LYNX-RUFUS) URINE. *J Chem Ecol* 17: 451-462.
- Mattos, BD; Lourencon, TV; Serrano, L; Labidi, J; Gatto, DA. (2015). Chemical modification of fast-growing eucalyptus wood. *Wood Science and Technology* 49: 273-288. <http://dx.doi.org/10.1007/s00226-014-0690-8>.
- Mattoso, LHC; Mello, SV; Riul, A; Oliveira, ON; Faria, RM. (1994). SYNTHESIS AND CHARACTERIZATION OF POLY(O-PHENETIDINE) FOR THE FABRICATION OF LANGMUIR AND LANGMUIR-BLODGETT-FILMS. *Thin Solid Films* 244: 714-717.
- Matusheski, NV; Wallig, MA; Juvik, JA; Klein, BP; Kushad, MM; Jeffery, EH. (2001). Preparative HPLC method for the purification of sulforaphane and sulforaphane nitrile from Brassica oleracea. *J Agric Food Chem* 49: 1867-1872.
- Matyas, R; Selesovsky, J; Jalovy, Z; Rohacova, J. (2011). Synthesis and Characterization of Polyethylene Glycol Dinitrates. *Central European Journal of Energetic Materials* 8: 145-155.
- Maule, HG; Andrews, M; Morton, JD; Jones, AV; Daly, GT. (1995). SUN SHADE ACCLIMATION AND NITROGEN NUTRITION OF TRADESCANTIA FLUMINENSIS, A PROBLEM WEED IN NEW-ZEALAND NATIVE FOREST REMNANTS. *New Zealand Journal of Ecology* 19: 35-46.
- Maupin, I; Mijoin, J; Barbier, J, Jr; Bion, N; Belin, T; Magnoux, P. (2011). Improved oxygen storage capacity on CeO<sub>2</sub>/zeolite hybrid catalysts. Application to VOCs catalytic combustion. *Catalysis Today* 176: 103-109. <http://dx.doi.org/10.1016/j.cattod.2011.02.003>.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al<sub>2</sub>O<sub>3</sub>: CH<sub>2</sub>Cl<sub>2</sub> disproportionation over alumina and oxidation over platinum. *J Catal* 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- Mawn, MP; Kurtz, K; Stahl, D; Chalfant, RL; Koban, ME; Dawson, BJ. (2013). Analytical method validation for the determination of 2,3,3,3-tetrafluoropropene in air samples using gas chromatography with flame ionization detection. *J Occup Environ Hyg* 10: 583-589. <http://dx.doi.org/10.1080/15459624.2013.818226>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mazeas, L; Budzinski, H. (2002). Improved accuracy of GC-MS quantification of aliphatic and aromatic hydrocarbons in marine sediments and petroleum. Validation on reference matrices and application to the Erika oil spill. *Int J Environ Anal Chem* 82: 157-173.
- Mburu, F; Sirmah, P; Muisu, F; Dumarcay, S; Gerardin, P. (2013). Selected Wood Properties of *Prunus Africana* (Hook) Grown in Kenya as Possible Reasons for its High Natural Durability. *Drvna Industrija* 64: 19-24. <http://dx.doi.org/10.5552/drind.2013.1238>.
- Mccallum, J; Porter, N; Searle, B; Shaw, M; Bettjeman, B; Mcmanus, M. (2005). Sulfur and nitrogen fertility affects flavour of field-grown onions. *Plant Soil* 269: 151-158. <http://dx.doi.org/10.1007/s11104-004-0402-5>.
- Mccarron, PA; Donnelly, RF; Marouf, W. (2006). Celecoxib-loaded poly(D,L-lactide-co-glycolide) nanoparticles prepared using a novel and controllable combination of diffusion and emulsification steps as part of the salting-out procedure. *J Microencapsul* 23: 480-498. <http://dx.doi.org/10.1080/02652040600682390>.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ* 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation* 19: 78-86.
- Mcclain, R, ay; Rada, V; Nomland, A; Przybyciel, M; Kohler, D; Schlake, R; Nantermet, P; Welch, CJ. (2016). Greening Flash Chromatography. 4: 4905-4912. <http://dx.doi.org/10.1021/acssuschemeng.6b01219>.
- Mcclintock, JB; Baker, BJ; Amsler, CD; Barlow, TL. (2000). Chemotactic tube-foot responses of the spongivorous sea star *Perknaster fuscus* to organic extracts of sponges from McMurdo Sound, Antarctica. *Antarct Sci* 12: 41-46.
- Mcclintock, JB; Baker, BJ; Baumiller, TK; Messing, CG. (1999). Lack of chemical defense in two species of stalked crinoids: support for the predation hypothesis for mesozoic bathymetric restriction. *Exp Mar Bio Ecol* 232: 1-7.
- Mcclintock, JB; Mahon, AR; Peters, KJ; Amsler, CD; Baker, BJ. (2003). Chemical defences in embryos and juveniles of two common Antarctic sea stars and an isopod. *Antarct Sci* 15: 339-344. <http://dx.doi.org/10.1017/S0954102003001354>.
- Mcdaniel, LH; Ashraf-Khorassani, M; Taylor, LT. (2001). Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry. *Journal of Supercritical Fluids* 19: 275-286.
- Mcdaniels, AE; Reyes, AL; Wymer, LJ; Rankin, CC; Stelma, GN. (1993). Genotoxic activity detected in soils from a hazardous waste site by the Ames test and an SOS colorimetric test. *Environ Mol Mutagen* 22: 115-122.
- Mcfarland, MJ; Qiu, XJ; Sims, JL; Randolph, ME; Sims, RC. (1992). REMEDIATION OF PETROLEUM IMPACTED SOILS IN FUNGAL COMPOST BIOREACTORS. *Water Sci Technol* 25: 197-206.
- Mcgawley, EC; Overstreet, C; Pontif, MJ. (2011). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF *ROTYLENCHULUS RENIFORMIS* ON SOYBEAN. *Nematropica* 41: 12-22.
- Mcgawley, EC; Pontif, MJ; Overstreet, C. (2010). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF *ROTYLENCHULUS RENIFORMIS* ON COTTON. *Nematropica* 40: 275-288.
- Mcginley, EL; Fleming, GJ; Moran, GP. (2011). Development of a discriminatory biocompatibility testing model for non-precious dental casting alloys. *Dent Mater* 27: 1295-1306. <http://dx.doi.org/10.1016/j.dental.2011.09.013>.
- Mchedlov-Petrosyan, NO; Roshchyna, KV; Shekhovtsov, SV; Eltsov, SV; Zozulia, OS; Omelchenko, IV; Shishkin, OV. (2015). Revisiting tetranitrophenolsulfonephthalein. *Color Technol* 131: 236-244. <http://dx.doi.org/10.1111/cote.12145>.
- Mckenzie, LM; Hao, WM; Richards, GN; Ward, DE. (1994). QUANTIFICATION OF MAJOR COMPONENTS EMITTED FROM SMOLDERING COMBUSTION OF WOOD. *Atmos Environ* 28: 3285-3292.
- Mckinnon, JT; Meyer, E; Howard, JB. (1996). Infrared analysis of flame-generated PAH samples. *Combust Flame* 105: 161-166.
- Mckinnon, SDJ; Gilroy, J, oeB; McDonald, R; Patrick, BO; Hicks, RG. (2011). Magnetostructural studies of palladium(II) and platinum(II) complexes of verdazyl radicals. *J Mater Chem* 21: 1523-1530. <http://dx.doi.org/10.1039/c0jm02560g>.
- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- Mcwhinney, RD; Badali, K; Liggio, J; Li, SM; Abbatt, JP. (2013). Filterable redox cycling activity: a comparison between diesel exhaust particles and secondary organic aerosol constituents. *Environ Sci Technol* 47: 3362-3369. <http://dx.doi.org/10.1021/es304676x>.
- Medeiros, PM; Fernandes, MF; Dick, RP; Simoneit, BR. (2006). Seasonal variations in sugar contents and microbial community in a ryegrass soil. *Chemosphere* 65: 832-839. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.025>.
- Medeiros, PM; Simoneit, BR. (2008). Source profiles of organic compounds emitted upon combustion of green vegetation from temperate climate forests. *Environ Sci Technol* 42: 8310-8316. <http://dx.doi.org/10.1021/es801533b>.
- Meechaisue, C; Dubin, R; Supaphol, P; Hoven, VP; Kohn, J. (2006). Electrospun mat of tyrosine-derived polycarbonate fibers for potential use as tissue scaffolding material. *J Biomater Sci Polym Ed* 17: 1039-1056.
- Meek, MD. (1998). Ah receptor and estrogen receptor-dependent modulation of gene expression by extracts of diesel exhaust particles. *Environ Res* 79: 114-121. <http://dx.doi.org/10.1006/enrs.1998.3870>.
- Meepagala, KM; Sturtz, G; Wedge, DE; Schrader, KK; Duke, SO. (2005). Phytotoxic and antifungal compounds from two Apiaceae species, *Lomatium californicum* and *Ligusticum hulthenii*, rich sources of Z-ligustilide and apiol, respectively. *J Chem Ecol* 31: 1567-1578. <http://dx.doi.org/10.1007/s10886-005-5798-8>.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol* 33: 141-146.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mehrsheikh, A; Bleeke, M; Brosillon, S; Laplanche, A; Roche, P. (2006). Investigation of the mechanism of chlorination of glyphosate and glycine in water. *Water Res* 40: 3003-3014. <http://dx.doi.org/10.1016/j.watres.2006.06.027>.
- Mehta, RH; Madsen, DA; Kalika, DS. (1995). MICROPOROUS MEMBRANES BASED ON POLY(ETHER ETHER KETONE) VIA THERMALLY-INDUCED PHASE-SEPARATION. *J Memb Sci* 107: 93-106.
- Mei, J; Zhao, S; Huang, W; Qu, Z; Yan, N. (2016). Mn-Promoted Co<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> as an efficient catalyst for catalytic oxidation of dibromomethane (CH<sub>2</sub>Br<sub>2</sub>). *J Hazard Mater* 318: 1-8. <http://dx.doi.org/10.1016/j.jhazmat.2016.06.010>.
- Meinelt, T; Playle, R; Schreckenbach, K; Pietrock, M. (2001). The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium. *Aquaculture Research* 32: 405-410.
- Meinert, C; Brack, W. (2010). Optimisation of trapping parameters in preparative capillary gas chromatography for the application in effect-directed analysis. *Chemosphere* 78: 416-422. <http://dx.doi.org/10.1016/j.chemosphere.2009.10.061>.
- Meireles, C, da S; Rodrigues Filho, G; Nascimento de Assuncao, RM; Cerqueira, DA; Zeni, M; Mello, K; Lorenzi, S. (2008). Production and characterization of membranes of recycled waste materials: Cellulose acetate, obtained from sugarcane bagasse with polystyrene from plastics cups. *Polymer Engineering and Science* 48: 1443-1448. <http://dx.doi.org/10.1002/pen.21072>.
- Mele, A; Lentz, H; Mele, A; Feizlmayr, E; Abazi, S; Bauer, R. (2013). Extraction of rotundifuran and casticin from chaste tree fruits by near critical liquid carbon dioxide. *Journal of Supercritical Fluids* 79: 123-126. <http://dx.doi.org/10.1016/j.supflu.2013.02.008>.
- Melendez-Martinez, AJ; Vicario, IM; Heredia, FJ. (2003). A routine high-performance liquid chromatography method for carotenoid determination in ultrafrozen orange juices. *J Agric Food Chem* 51: 4219-4224. <http://dx.doi.org/10.1021/jf0342977>.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation* 38: 9-18.
- Mellaerts, R; Jammaer, JA; Van Speybroeck, M; Chen, H; Van Humbeeck, J; Augustijns, P; Van den Mooter, G; Martens, JA. (2008). Physical state of poorly water soluble therapeutic molecules loaded into SBA-15 ordered mesoporous silica carriers: a case study with itraconazole and ibuprofen. *Langmuir* 24: 8651-8659. <http://dx.doi.org/10.1021/la801161g>.
- Melliou, E; Chinou, I. (2005). Chemistry and bioactivity of royal jelly from Greece. *J Agric Food Chem* 53: 8987-8992. <http://dx.doi.org/10.1021/jf051550p>.
- Melliou, E; Magiatis, P; Skaltsounis, AL. (2003). Alkylresorcinol derivatives and sesquiterpene lactones from *Cichorium spinosum*. *J Agric Food Chem* 51: 1289-1292. <http://dx.doi.org/10.1021/jf025848g>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Memon, S; Yilmaz, M. (2000). Synthesis and complexation studies of 1,3-dialkylated p-tert-butylcalix[4]arene telomers. *React Funct Polym* 44: 227-233.
- Men, J; Wang, R; Li, H; Li, X; Yang, S; Liu, H; Gao, B. (2017). Preparation of crosslinked poly (acryloyloxyethyltrimethyl ammonium chloride) microsphere and its adsorption and mechanism towards shikimic acid. *Mater Sci Eng C* 71: 167-175. <http://dx.doi.org/10.1016/j.msec.2016.09.076>.
- Mendes, JAS; Prozil, SO; Evtuguin, DV; Cruz Lopes, LP. (2013). Towards comprehensive utilization of winemaking residues: Characterization of grape skins from red grape pomaces of variety Touriga Nacional. *Ind Crop Prod* 43: 25-32. <http://dx.doi.org/10.1016/j.indcrop.2012.06.047>.
- Mendoza-Cantú, A; Castorena-Torres, F; Bermudez, M; Martínez-Hernández, R; Ortega, A; Salinas, JE; Albores, A. (2004). Genotype and allele frequencies of polymorphic cytochromes P450 CYP1A2 and CYP2E1 in Mexicans. *Cell Biochem Funct* 22: 29-34. <http://dx.doi.org/10.1002/cbf.1049>.
- Meng, FT; Ma, GH; Liu, YD; Qiu, W; Su, ZG. (2004). Microencapsulation of bovine hemoglobin with high bio-activity and high entrapment efficiency using a W/O/W double emulsion technique. *Colloids Surf B Biointerfaces* 33: 177-183. <http://dx.doi.org/10.1016/j.colsurfb.2003.10.003>.
- Meng, X; Luo, N, an; Cao, S; Zhang, S; Yang, M; Hu, X. (2009). In-situ growth of titania nanoparticles in electrospun polymer nanofibers at low temperature. *Mater Lett* 63: 1401-1403. <http://dx.doi.org/10.1016/j.matlet.2009.03.023>.
- Meng, Y; Sun, S; Li, J; Nan, K; Lan, B; Jin, Y; Chen, H; Cheng, L. (2014). Sustained release of triamcinolone acetonide from an episcleral plaque of multilayered poly-ε-caprolactone matrix. *Acta Biomater* 10: 126-133. <http://dx.doi.org/10.1016/j.actbio.2013.09.022>.
- Mensitieri, G; Apicella, A; Delnobile, MA; Nicolais, L. (1993). EXTREME ENVIRONMENTAL RESISTANCE OF PEEK MATRIX. *Journal of Reinforced Plastics and Composites* 12: 1138-1149.
- Ment, D; Gindin, G; Soroker, V; Glazer, I; Rot, A; Samish, M. (2010). *Metarhizium anisopliae* conidial responses to lipids from tick cuticle and tick mammalian host surface. *J Invertebr Pathol* 103: 132-139. <http://dx.doi.org/10.1016/j.jip.2009.12.010>.
- Merdy, P; Achard, R; Samaali, I; Lucas, Y. (2014). Selective extraction of PAHs from a sediment with structural preservation of Natural Organic Matter. *Chemosphere* 107: 476-479. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.055>.
- Merk, O; Speit, G. (1998). Significance of formaldehyde-induced DNA-protein crosslinks for mutagenesis. *Environ Mol Mutagen* 32: 260-268. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)32:3<260::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)32:3<260::AID-EM9>3.0.CO;2-M).
- Merlin, G; Thiebaut, H; Blake, G; Sembiring, S; Alary, J. (1992). MESOCOSMS AND MICROCOSMS UTILIZATION FOR ECOTOXICITY EVALUATION OF DICHLOROMETHANE, A CHLORINATED SOLVENT. *Chemosphere* 24: 37-50.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Merzougui, A; Hasseine, A; Kabouche, A; Korichi, M. (2011). LLE for the extraction of alcohol from aqueous solutions with diethyl ether and dichloromethane at 293.15 K, parameter estimation using a hybrid genetic based approach. *Fluid Phase Equilibria* 309: 161-167. <http://dx.doi.org/10.1016/j.fluid.2011.07.011>.
- Mesia, GK; Tona, GL; Penge, O; Lusakibanza, M; Nanga, TM; Cimanga, RK; Apers, S; Van Miert, S; Totte, J; Pieters, L; Vlietinck, AJ. (2005). Antimalarial activities and toxicities of three plants used as traditional remedies for malaria in the Democratic Republic of Congo: *Croton mubango*, *Naucllea pobeguini* and *Pyrenacantha staudtii*. *Ann Trop Med Parasitol* 99: 345-357. <http://dx.doi.org/10.1179/136485905X36325>.
- Meyer, W; Seiler, TB; Schwarzbauer, J, an; Puettmann, W; Hollert, H; Achten, C. (2014). Polar polycyclic aromatic compounds from different coal types show varying mutagenic potential, EROD induction and bioavailability depending on coal rank. *Sci Total Environ* 494: 320-328. <http://dx.doi.org/10.1016/j.scitotenv.2014.06.140>.
- Mho, S; Ortiz, B; Doddapaneni, N; Park, SM. (1995). ELECTROCHEMICAL AND SPECTROELECTROCHEMICAL STUDIES ON METALLOPHTHALOCYANINE-OXYGEN INTERACTIONS IN NONAQUEOUS SOLUTIONS. *J Electrochem Soc* 142: 1047-1053.
- Mi, BX; Gao, ZQ; Lee, CS; Kwong, HL; Wang, NB; Lee, ST. (2001). Efficient green electroluminescence of pure chromaticity from a polycyclic aromatic hydrocarbon. *J Mater Chem* 11: 2244-2247.
- Miceli, GC; Beggato, G; Daolio, S; Favaretto, L; Geri, A; Giro, G; Pietropaolo, D. (1991). ELECTROCHEMICAL POLYMERIZATION OF 10,10-DIMETHYL-PHENOTHIASILINE. *Ann Chim* 81: 95-106.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Włodarczyk, W; Gawel, A; Matusik, J; Bahranowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ* 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michalowicz, J. (2005). The occurrence of chlorophenols, chlorocatechols and chlorinated methoxyphenols in drinking water of the largest cities in Poland. *Pol J Environ Stud* 14: 327-333.
- Michałowicz, J; Bukowska, B; Duda, W. (2008). The differences in phenolic content in rivers exposed and non-exposed to anthropogenic contamination. *Chemosphere* 71: 735-741. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.017>.
- Michielin, EM; Salvador, AA; Riehl, CA; Smânia, A; Smânia, EF; Ferreira, SR. (2009). Chemical composition and antibacterial activity of *Cordia verbenacea* extracts obtained by different methods. *Bioresour Technol* 100: 6615-6623. <http://dx.doi.org/10.1016/j.biortech.2009.07.061>.
- Michielin, EMZ; Bresciani, LFV; Danielski, L; Yunes, RA; Ferreira, SRS. (2005). Composition profile of horsetail (*Equisetum giganteum* L.) oleoresin: comparing SFE and organic solvents extraction. *Journal of Supercritical Fluids* 33: 131-138. <http://dx.doi.org/10.1016/j.supflu.2004.07.004>.
- Miguel, F; Martin, A; Gamse, T; Cocero, MJ. (2006). Supercritical anti solvent precipitation of lycopene - Effect of the operating parameters. *Journal of Supercritical Fluids* 36: 225-235. <http://dx.doi.org/10.1016/j.supflu.2005.06.009>.
- Mihajilov-Krstev, TM; Denić, MS; Zlatković, BK; Stankov-Jovanović, VP; Mitić, VD; Stojanović, GS; Radulović, NS. (2015). Inferring the origin of rare fruit distillates from compositional data using multivariate statistical analyses and the identification of new flavour constituents. *J Sci Food Agric* 95: 1217-1235. <http://dx.doi.org/10.1002/jsfa.6810>.
- Miki, S; Koyama, J; Uno, S. (2010). OPTIMIZATION OF PRESSURIZED LIQUID EXTRACTION FOR SIMULTANEOUS ANALYSIS OF POLYCYCLIC AROMATIC HYDROCARBONS AND ALKYLATED POLYCYCLIC AROMATIC HYDROCARBONS IN SEDIMENTS. *Fresen Environ Bull* 19: 1544-1551.
- Mikroyannidis, JA; Kabanakis, AN; Sharma, SS; Sharma, GD. (2011). Low band-gap phenylenevinylene and fluorenevinylene small molecules containing triphenylamine segments: Synthesis and application in bulk heterojunction solar cells. *Organic Electronics* 12: 774-784. <http://dx.doi.org/10.1016/j.orgel.2011.02.008>.
- Mikroyannidis, JA; Roy, MS; Sharma, GD. (2010). Synthesis of new low band gap dyes with BF<sub>2</sub>-azopyrrole complex and their use for dye-sensitized solar cells. *J Power Sources* 195: 5391-5398. <http://dx.doi.org/10.1016/j.jpowsour.2010.03.031>.
- Mikroyannidis, JA; Tsai, L, inRen; Chen, Y, un. (2009). Synthesis, photophysics and electroluminescence of dendronized styryl-substituted fluorene with triphenylamine units. *Synthetic Metals* 159: 78-84. <http://dx.doi.org/10.1016/j.synthmet.2008.07.020>.
- Miksys, S; Tyndale, RF. (2004). The unique regulation of brain cytochrome P450 2 (CYP2) family enzymes by drugs and genetics [Review]. *Drug Metab Rev* 36: 313-333. <http://dx.doi.org/10.1081/DMR-120034149>.
- Milano, CJ; Bailey, LC. (1999). Evaluation of current compendial physicochemical test procedures for pharmaceutical elastomeric closures and development of an improved HPLC procedure. *PDA J Pharm Sci Technol* 53: 202-210.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemysł Chemiczny* 82: 924-926.
- Milichovsky, M; Potucek, F; Cesek, B. (2004). Determination of pitch in washing filtrates. *Cellulose Chemistry and Technology* 38: 39-43.
- Millar, RW; Arber, AW; Endor, RM; Hamid, J; Colclough, ME. (2011). Clean Manufacture of 2,4,6-Trinitrotoluene (TNT) via Improved Regioselectivity in the Nitration of Toluene. *Journal of Energetic Materials* 29: 88-114. <http://dx.doi.org/10.1080/07370652.2010.484411>.
- Miller, GP; Cundy, VA; Lester, TW; Bozzelli, JW. (1994). THE COMPUTATIONAL SIMULATION OF A STOICHIOMETRIC CH<sub>2</sub>CL<sub>2</sub>/CH<sub>4</sub>/AIR FLAT FLAME. *Combust Sci Tech* 98: 123-136.
- Miller, JL; Sardo, MA; Thompson, TL; Miller, RM. (1997). Effect of application solvents on heterotrophic and nitrifying populations in soil microcosms. *Environ Toxicol Chem* 16: 447-451. <http://dx.doi.org/10.1002/etc.5620160309>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Miller, JS; Pokhodnya, KI. (2007). Formation of Ni[C-4(CN)(8)] from the reaction of Ni(COD)(2) (COD=1,5cyclooctadiene) with TCNE in THF. *J Mater Chem* 17: 3585-3587. <http://dx.doi.org/10.1039/b708675j>.
- Miller, RJ; Byford, RL; Smith, GS; Craig, ME; Vanleeuwen, D. (1995). INFLUENCE OF SNAKEWEED FOLIAGE ON ENGORGEMENT, FECUNDITY AND ATTACHMENT OF THE LONE STAR TICK (ACARI, IXODIDAE). *J Agr Entomol* 12: 137-143.
- Mills, MA; Mcdonald, TJ; Bonner, JS; Simon, MA; Autenrieth, RL. (1999). Method for quantifying the fate of petroleum in the environment. *Chemosphere* 39: 2563-2582.
- Mills, WB; Cheng, JJ; Droppo, JG; Faillace, ER; Gnanapragasam, EK; Johns, RA; Laniak, GF; Lew, CS; Strenge, DL; Sutherland, JF; Whelan, G; Yu, C. (1997). Multimedia benchmarking analysis for three risk assessment models: RESRAD, MMSOILS, and MEPAS. *Risk Anal* 17: 187-201.
- Mills, WB; Lew, CS; Hung, CY. (1999). Sensitivity of concentration and risk predictions in the PRESTO and MMSOILS multimedia models: regression technique assessment. *Risk Anal* 19: 511-525.
- Mimura, K; Toyama, S. (2005). Behavior of polycyclic aromatic hydrocarbons at impact shock: Its implication for survival of organic materials delivered to the early Earth. *Geochim Cosmo Acta* 69: 201-209. <http://dx.doi.org/10.1016/j.gca.2004.06.020>.
- Minato, K; Ohkawa, K; Yamamoto, H. (2006). Chain conformations of poly(gamma-benzyl-L-glutamate) pre and post an electrospinning process. *Macromol Biosci* 6: 487-495. <http://dx.doi.org/10.1002/mabi.200600066>.
- Minero, C; Pellizzari, P; Maurino, V; Pelizzetti, E; Vione, D. (2008). Enhancement of dye sonochemical degradation by some inorganic anions present in natural waters. *Appl Catal B-Environ* 77: 308-316. <http://dx.doi.org/10.1016/j.apcatb.2007.08.001>.
- Minhas, FT; Qureshi, I; Memon, S; Bhangar, MI. (2011). Calix[4]arene Derivative as Copper(II) Carrier in a Bulk Liquid Membrane: A Kinetic Study. *Separation Science and Technology* 46: 2400-2408. <http://dx.doi.org/10.1080/01496395.2011.597817>.
- Minomo, K; Ohtsuka, N; Nojiri, K; Kurata, Y; Karaushi, M; Isobe, Y. (2009). Characteristics of azaarenes and dioxins in gases emitted from waste incinerators. *Journal of Material Cycles and Waste Management* 11: 73-81. <http://dx.doi.org/10.1007/s10163-008-0221-5>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Díez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda, I; Gominho, J; Mirra, I; Pereira, H. (2013). Fractioning and chemical characterization of barks of *Betula pendula* and *Eucalyptus globulus*. *Ind Crop Prod* 41: 299-305. <http://dx.doi.org/10.1016/j.indcrop.2012.04.024>.
- Miranda, I; Gominho, J; Pereira, H. (2013). Cellular structure and chemical composition of cork from the Chinese cork oak (*Quercus variabilis*). *J Wood Sci* 59: 1-9. <http://dx.doi.org/10.1007/s10086-012-1300-8>.
- Miranda, M; Da Costa, A; Castro, J; Sagasetta, C. (2015). Influence of gravel density in the behaviour of soft soils improved with stone columns. *Canadian Geotechnical Journal* 52: 1968-1980. <http://dx.doi.org/10.1139/cgj-2014-0487>.
- Miranda, MA; Dhandapani, P; Kalavathy, MH; Miranda, LR. (2010). Chemically activated *Ipomoea carnea* as an adsorbent for the copper sorption from synthetic solutions. *Adsorption* 16: 75-84. <http://dx.doi.org/10.1007/s10450-010-9209-2>.
- Miranda, NR; Willits, JT; Freeman, BD; Hopfenberg, HB. (1994). ORGANIC VAPOR SORPTION AND TRANSPORT IN A THERMOTROPIC LIQUID-CRYSTALLINE POLYESTER. *J Memb Sci* 94: 67-83.
- Miranda, PO; Lizandara-Pueyo, C; Pericas, MA. (2013). Potassium fluoride: A convenient, non-covalent support for the immobilization of organocatalysts through strong hydrogen bonds. *J Catal* 305: 169-178. <http://dx.doi.org/10.1016/j.jcat.2013.05.010>.
- Miranda, R; Balea, A, na; de La Blanca, ES; Carrillo, I; Blanco, A. (2008). Identification of recalcitrant stickies and their sources in newsprint production. *Ind Eng Chem Res* 47: 6239-6250. <http://dx.doi.org/10.1021/ie701718u>.
- Miranda, R; Blanco, A; Negro, C; Tijero, J. (2006). Stickies removal in a deinking line of a newsprint mill: Efficiency of the different process stages. *Cellulose Chemistry and Technology* 40: 775-782.
- Mirer, FE. (2003). Distortions of the "mis-read" book: Adding procedural botox to paralysis by analysis. *Hum Ecol Risk Assess* 9: 1129-1143. <http://dx.doi.org/10.1080/10807030390240337>.
- Mishra, A; Haram, NS. (2004). New push-pull type dendritic stilbazolium dyes: synthesis, photophysical and electrochemical investigation. *Dyes and Pigments* 63: 191-202. <http://dx.doi.org/10.1016/j.dyepig.2004.02.011>.
- Mishra, A; Periasamy, N; Patankar, MP; Narasimhan, KL. (2005). Synthesis and characterisation of soluble aluminium complex dyes based on 5-substituted-8-hydroxyquinoline derivatives for OLED applications. *Dyes and Pigments* 66: 89-97. <http://dx.doi.org/10.1016/j.dyepig.2004.09.004>.
- Mitchell, ER; Tingle, FC; Heath, RR. (1991). FLIGHT ACTIVITY OF HELIOTHIS-VIRESCENS (F.) FEMALES (LEPIDOPTERA, NOCTUIDAE) WITH REFERENCE TO HOST-PLANT VOLATILES. *J Chem Ecol* 17: 259-266.
- Mitchell-Koch, JT; Borovik, AS. (2003). Immobilization of a europium salen complex within porous organic hosts: Modulation of luminescence properties in different chemical environments. *Chem Mater* 15: 3490-3495. <http://dx.doi.org/10.1021/cm030062z>.
- Mitrita, M; Cruceru, I; Cruceru, L; Petre, J; Vasile, G. (2007). Results of collaborative interlaboratory study to estimate the performance characteristics of the gas chromatographic method for some alkyl phenols from water. *J Environ Prot Ecol* 8: 249-256.
- Miyake, T; Shibamoto, T. (1993). QUANTITATIVE-ANALYSIS OF ACETALDEHYDE IN FOODS AND BEVERAGES. *J Agric Food Chem* 41: 1968-1970.
- Miyake, Y; Kobayashi, T; Inaba, K; Watabe, I; Kasuya, N; Kameya, T. (2010). Comparison of observed and estimated concentrations of volatile organic compounds using a Gaussian dispersion model in the vicinity of factories: an estimation approach to determine annual average concentrations and human health risks. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 45: 527-533. <http://dx.doi.org/10.1080/10934521003594954>.
- Miyamoto, F; Saeki, M; Kamijo, M; Kanda, H; Nakaoka, T; Nishijima, M; Ito, Y; Takeshita, R. (1991). SYSTEMATIC SEPARATION OF ARTIFICIAL AND NATURAL DYES IN FOODS AND THEIR QUALITATIVE DETERMINATION BY THIN-LAYER CHROMATOGRAPHY. *JTHE* 37: 542-551.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Miyasaka, E; Hamaguchi, T; Yatsunami, T. (2016). Graphitization of Chlorohydrocarbons in Laser-Induced Plasma Filaments. *Electronics and Communications in Japan* 99: 51-57. <http://dx.doi.org/10.1002/ecj.11873>.
- Miyazawa, M; Fukuyama, M; Yoshio, K; Kato, T; Ishikawa, Y. (1999). Biologically active components against *Drosophila melanogaster* from *Podophyllum hexandrum*. *J Agric Food Chem* 47: 5108-5110.
- Miyazawa, M; Hisama, M. (2001). Suppression of chemical mutagen-induced SOS response by alkylphenols from clove (*Syzygium aromaticum*) in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 49: 4019-4025.
- Miyazawa, M; Okuno, Y; Fukuyama, M; Nakamura, S; Kosaka, H. (1999). Antimutagenic activity of polymethoxyflavonoids from *Citrus aurantium*. *J Agric Food Chem* 47: 5239-5244.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kameoka, H. (1998). Suppression of SOS-inducing activity of chemical mutagens by cinnamic acid derivatives from *Scrophulia ningpoensis* in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 46: 904-910.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kosaka, H. (2000). Antimutagenic activity of flavonoids from *Pogostemon cablin*. *J Agric Food Chem* 48: 642-647.
- Miyazawa, M; Sakano, K; Nakamura, S; Kosaka, H. (2001). Antimutagenic activity of isoflavone from *Pueraria lobata*. *J Agric Food Chem* 49: 336-341.
- Miyazawa, M; Shimamura, H; Bhuva, RC; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of faltarindiol from *Peucedanum praeruptorum*. *J Agric Food Chem* 44: 3444-3448.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). Antimutagenic activity of (+)-polyalthic acid from *Vitex rotundifolia*. *J Agric Food Chem* 43: 3012-3015.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). ANTIMUTAGENIC ACTIVITY OF ISOFRAXINELLONE FROM *DICTAMNUS-DASYCARPUS*. *J Agric Food Chem* 43: 1428-1431.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of (+)-beta-eudesmol and paeonol from *Dioscorea japonica*. *J Agric Food Chem* 44: 1647-1650.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1997). Antimutagenic activity of gigantol from *Dendrobium nobile*. *J Agric Food Chem* 45: 2849-2853.
- Mkhize, NT; Msagati, TAM; Mamba, BB; Momba, M. (2014). Determination of volatile fatty acids in wastewater by solvent extraction and gas chromatography. *Phys Chem Earth* 67-69: 86-92. <http://dx.doi.org/10.1016/j.pce.2013.10.008>.
- Moats, WA. (2000). Determination of tetracycline antibiotics in beef and pork tissues using ion-paired liquid chromatography. *J Agric Food Chem* 48: 2244-2248.
- Moats, WA; Harikhan, R. (1995). RAPID HPLC DETERMINATION OF TETRACYCLINE ANTIBIOTICS IN MILK. *J Agric Food Chem* 43: 931-934.
- Moats, WA; Harikhan, R. (1996). Rapid determination of tetracycline antibiotics in milk and tissues using ion-pairing high-performance liquid chromatography. *ACS Symp Ser Am Chem Soc* 636: 85-95.
- Modla, G; Lang, P; Kotai, B; Molnar, K. (2003). Batch heteroazeotropic rectification of a low alpha mixture under continuous entrainer feeding. *AIChE J* 49: 2533-2552.
- Mogi, T; Ohtake, N; Yoshida, M; Chimura, R; Kamaga, Y; Ando, S; Tsukamoto, T; Nakajima, T; Uenodan, H; Otsuka, M; Matsuda, Y; Ohshima, H; Makino, K. (2000). Sustained release of 17 beta-estradiol from poly (lactide-co-glycolide) microspheres in vitro and in vivo. *Colloids Surf B Biointerfaces* 17: 153-165.
- Mohamed, MF; Kang, D; Aneja, VP. (2002). Volatile organic compounds in some urban locations in the United States. *Chemosphere* 47: 863-882. [http://dx.doi.org/10.1016/S0045-6535\(02\)00107-8](http://dx.doi.org/10.1016/S0045-6535(02)00107-8).
- Mohan, DJ; Kullova, L. (2013). A study on the relationship between preparation condition and properties/performance of polyamide TFC membrane by IR, DSC, TGA, and SEM techniques. *Desalination and Water Treatment* 51: 586-596. <http://dx.doi.org/10.1080/19443994.2012.693655>.
- Mohan, SR, aj; Joshi, MP; Tiwari, SK; Dixit, VK; Dharmi, TS. (2007). Electrical and optical characterization of photooxidized TPD. *J Mater Chem* 17: 343-348. <http://dx.doi.org/10.1039/b611199h>.
- Mohanty, K; Naidu, JT; Meikap, BC; Biswas, MN. (2006). Removal of crystal violet from wastewater by activated carbons prepared from rice husk. *Ind Eng Chem Res* 45: 5165-5171. <http://dx.doi.org/10.1021/ie060257r>.
- Mohapatra, S; Ajithakumar, R. (2014). Persistence of trifloxystrobin and tebuconazole in banana tissues and soil under the semi-arid climatic conditions of Karnataka, India. *Int J Environ Anal Chem* 94: 506-518. <http://dx.doi.org/10.1080/03067319.2013.831413>.
- Moio, L; Rillo, L; Ledda, A; Addeo, F. (1996). Odorous constituents of ovine milk in relationship to diet. *J Dairy Sci* 79: 1322-1331.
- Molina-Guerrero, JA; Botello-Alvarez, JE; Estrada-Baltazar, A; Navarrete-Bolanos, JL; Jimenez-Islas, H; Cardenas-Manriquez, M; Rico-Martinez, R. (2007). Volatile components in mezcal. *Revista Mexicana de Ingenieria Quimica* 6: 41-50.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon* 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molis, M; Koerner, J; Ko, YW; Kim, JH, a. (2008). Specificity of inducible seaweed anti-herbivory defences depends on identity of macroalgae and herbivores. *Mar Ecol Prog Ser* 354: 97-105. <http://dx.doi.org/10.3354/meps07255>.
- Molnar, M; Szekeley, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids* 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Molto, JC; Lejeune, B; Prognon, P; Pradeau, D. (1994). GC-MS DETERMINATION OF ORGANOCHLORINE PESTICIDES IN 5 MEDICINAL-PLANTS. *Int J Environ Anal Chem* 54: 81-91.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Momo, CE; Oben, JE; Tazoo, D; Dongo, E. (2006). Antidiabetic and hypolipidaemic effects of a methanol/methylene-chloride extract of *Laportea ovalifolia* (Urticaceae), measured in rats with alloxan-induced diabetes. *Ann Trop Med Parasitol* 100: 69-74. <http://dx.doi.org/10.1179/136485906X78517>.
- Mondal, A; Mukherjee, D; Adhikary, B; Ahmed, M, dA. (2016). Cobalt nanoparticles as recyclable catalyst for aerobic oxidation of alcohols in liquid phase. *J Nanopart Res* 18. <http://dx.doi.org/10.1007/s11051-016-3422-1>.
- Mondal, DB; Pandey, NN. (2000). Dosage regimen of methylene blue and its comparative therapeutic efficacy with tolonium chloride and ascorbic acid in induced acute nitrate toxicity in goats. *Indian J Anim Sci* 70: 572-575.
- Mondal, S; Konda, M; Kauffmann, B; Manna, MK; Das, AK. (2015). Effects of Donor and Acceptor Units Attached with Benzosenadiazole: Optoelectronic and Self-Assembling Patterns. *Cryst Growth Des* 15: 5548-5554. <http://dx.doi.org/10.1021/acs.cgd.5b01179>.
- Mondragon, I; Bucknall, CB. (1994). EFFECTS OF RESIDUAL DICHLOROMETHANE SOLVENT ON THE CURE OF EPOXY-RESIN. 21: 275-281.
- Money, DM; Harrison, G. (1999). Liquefaction of scrap automobile tyres in different solvents and solvent mixes. *Fuel* 78: 1729-1736.
- Mongkol, R; Chavasiri, W. (2016). Antimicrobial, herbicidal and antifeedant activities of mansonone E from the heartwoods of *Mansonia gagei* Drum. 15: 2795-2802. [http://dx.doi.org/10.1016/S2095-3119\(16\)61444-2](http://dx.doi.org/10.1016/S2095-3119(16)61444-2).
- Montazeri, M; Eckelman, MJ. (2016). Life Cycle Assessment of Catechols from Lignin Depolymerization. 4: 708-718. <http://dx.doi.org/10.1021/acssuschemeng.5b00550>.
- Monteiro, FM; Ferreira, MM; Potiens, JR; Eberhardt, BG; Trinca, LA; Barros, CM. (2010). Influence of superovulatory protocols on in vitro production of Nellore (*Bos indicus*) embryos. *Reproduction in Domestic Animals* 45: 860-864. <http://dx.doi.org/10.1111/j.1439-0531.2009.01399.x>.
- Montes, A; Baldauf, E; Gordillo, MD; Pereyra, CM; Martínez de la Ossa, EJ. (2014). Polymer encapsulation of amoxicillin microparticles by SAS process. *J Microencapsul* 31: 16-22. <http://dx.doi.org/10.3109/02652048.2013.799242>.
- Montes, A; Gordillo, MD; Pereyra, C; Martínez de la Ossa, EJ. (2011). Co-precipitation of amoxicillin and ethyl cellulose microparticles by supercritical antisolvent process. *Journal of Supercritical Fluids* 60: 75-80. <http://dx.doi.org/10.1016/j.supflu.2011.05.002>.
- Montes, A; Gordillo, MD; Pereyra, C; Martínez de la Ossa, EJ. (2013). Supercritical CO<sub>2</sub> precipitation of poly(L-lactic acid) in a wide range miscibility. *Journal of Supercritical Fluids* 81: 236-244. <http://dx.doi.org/10.1016/j.supflu.2013.06.008>.
- Montes, A; Gordillo, MD; Schindhelm, S; Pereyra, C; Martínez De La Ossa, EJ. (2012). Supercritical Antisolvent Precipitation of Ethyl Cellulose. *Part Sci Technol* 30: 424-430. <http://dx.doi.org/10.1080/02726351.2011.594867>.
- Montes, A; Nunes, A, na; Dolores Gordillo, M; Pereyra, C; Duarte, CMM; Martínez de la Ossa, EJ. (2013). Amoxicillin and Ethyl Cellulose Precipitation by Two Supercritical Antisolvent Processes. *Chem Eng Tech* 36: 665-672. <http://dx.doi.org/10.1002/ceat.201200429>.
- Montesano, MA; Olsson, AO; Kuklenyik, P; Needham, LL; Bradman, AS; Barr, DB. (2007). Method for determination of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea and propylenethiourea in human urine using high-performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry. *J Expo Sci Environ Epidemiol* 17: 321-330. <http://dx.doi.org/10.1038/sj.jes.7500550>.
- Moon, JK; Shibamoto, T. (2009). Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans. *J Agric Food Chem* 57: 5823-5831. <http://dx.doi.org/10.1021/jf901136e>.
- Moore, AD; Lynn, PA; Feiveson, AH. (2015). The First 10 Years of Aerobic Exercise Responses to Long-Duration ISS Flights. 86: A78-A86. <http://dx.doi.org/10.3357/AMHP.EC10.2015>.
- Moore, RM; Geen, CE; Tait, VK. (1995). DETERMINATION OF HENRY LAW CONSTANTS FOR A SUITE OF NATURALLY-OCCURRING HALOGENATED METHANES IN SEAWATER. *Chemosphere* 30: 1183-1191.
- Moradi, O; Gupta, VK; Agarwal, S; Tyagi, I; Asif, M; Makhlof, ASH; Sadegh, H; Shahyari-Ghoshekandi, R. (2015). Characteristics and electrical conductivity of graphene and graphene oxide for adsorption of cationic dyes from liquids: Kinetic and thermodynamic study. *J Ind Eng Chem* 28: 294-301. <http://dx.doi.org/10.1016/j.jiec.2015.03.005>.
- Moraes, SL; Rezende, MO; Nakagawa, LE; Luchini, LC. (2003). Multi-residue screening methods for the determination of pesticides in tomatoes. *J Environ Sci Health B* 38: 605-615. <http://dx.doi.org/10.1081/PFC-120023518>.
- Morais, MC; Pereira, H. (2012). Variation of extractives content in heartwood and sapwood of *Eucalyptus globulus* trees. *Wood Science and Technology* 46: 709-719. <http://dx.doi.org/10.1007/s00226-011-0438-7>.
- Morales, A; Birkholz, DA; Hrudev, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH BILE FATTY AND RESIN ACIDS. *Water Environ Res* 64: 660-668.
- Morales, A; Birkholz, DA; Hrudev, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH MUSCLE CHLOROPHENOLS AND RELATED-COMPOUNDS. *Water Environ Res* 64: 669-681.
- Moran, J; Bekker, H; Latchford, G. (2008). Everyday use of patient-centred, motivational techniques in routine consultations between doctors and patients with diabetes. *Patient Educ Couns* 73: 224-231. <http://dx.doi.org/10.1016/j.pec.2008.07.006>.
- Moran, RE; Sun, Y; Geng, F; Zhang, D; Fazio, G. (2011). Cold Temperature Tolerance of Trunk and Root Tissues in One- or Two-year-old Apple Rootstocks. *HortScience* 46: 1460-1464.
- Mordadpour, A; Ribault, M; Auban-Senzier, P. (2000). Overlay-mediated superconductivity of bechgaard-salt single crystals. *Adv Mater Deerfield* 12: 719-+.
- Mordaunt, CJ; Gevao, B; Jones, KC; Semple, KT. (2005). Formation of non-extractable pesticide residues: observations on compound differences, measurement and regulatory issues. *Environ Pollut* 133: 25-34. <http://dx.doi.org/10.1016/j.envpol.2004.04.018>.
- Moreira, PL; Lopez, P; Martin, J. (2008). Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (*Lacerta monticola*). *Acta Ethologica* 11: 26-33. <http://dx.doi.org/10.1007/s10211-007-0038-6>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Morel, G. (1996). Method development and quality assurance for the analysis of hydrocarbons in environmental samples. *Int J Environ Anal Chem* 63: 269-288.
- Morello, AP; Burrill, R; Mathiowitz, E. (2007). Preparation and characterization of poly(methyl methacrylate) - iron (III) oxide microparticles using a modified solvent evaporation method. *J Microencapsul* 24: 476-491. <http://dx.doi.org/10.1080/02652040701352513>.
- Moretton, C; Crétier, G; Nigay, H; Rocca, JL. (2011). Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). *J Agric Food Chem* 59: 3544-3550. <http://dx.doi.org/10.1021/jf104464f>.
- Morgado, J; Santos, IC; Veiros, LF; Henriques, RT; Duarte, MT; Almeida, M; Alcacer, L. (1997). Perylene derivative charge transfer salts: synthesis, crystal structure and characterisation of (pet)(3)[Ni(mnt)(2)](2). *J Mater Chem* 7: 2387-2392.
- Morgado, J; Santos, IC; Veiros, LF; Rodrigues, U; Henriques, RT; Duarte, MT; Alcacer, L; Almeida, M. (2001). Preparation, structural, electrical and magnetic properties of tetrathiafulvalene-Au(pdS)(2) salts (pds = pyrazine-2,3-diselenolate). *J Mater Chem* 11: 2108-2117.
- Morgan, B; Hansgen, R; Hawthorne, W; Miller, SL. (2015). Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *Journal of the Air and Waste Management Association* 65: 1127-1140. <http://dx.doi.org/10.1080/10962247.2015.1064833>.
- Morillo, E; Romero, AS; Madrid, L; Villaverde, J; Maqueda, C. (2008). Characterization and sources of PAHs and potentially toxic metals in urban environments of sevilla (Southern Spain). *Water Air Soil Pollut* 187: 41-51. <http://dx.doi.org/10.1007/s11270-007-9495-9>.
- Morishima, K; Kawashima, Y; Kawashima, Y; Takeuchi, H; Niwa, T; Hino, T. (1993). MICROMERIC CHARACTERISTICS AND AGGLOMERATION MECHANISMS IN THE SPHERICAL CRYSTALLIZATION OF BUCILLAMINE BY THE SPHERICAL AGGLOMERATION AND THE EMULSION SOLVENT DIFFUSION METHODS. *Powder Technology* 76: 57-64.
- Morriere, N; Vallieres, C; Perrin, L; Roizard, D. (2006). Impact of thermal ageing on sorption and diffusion properties of PTMSP. *J Memb Sci* 270: 123-131. <http://dx.doi.org/10.1016/j.memsci.2005.06.048>.
- Morrice, P; Giordano, A; Seccia, S; Ungaro, F; Ventriglia, M. (2001). Degradation of imazosulfuron in soil. *Pest Manag Sci* 57: 360-365.
- Morris, BD; Foster, SP; Harris, MO. (2000). Identification of 1-octacosanal and 6-methoxy-2-benzoxazolinone from wheat as ovipositional stimulants for Hessian fly, *Mayetiola destructor*. *J Chem Ecol* 26: 859-873.
- Morse, GE; Helander, MG; Maka, JF; Lu, ZH; Bender, TP. (2010). Fluorinated Phenoxy Boron Subphthalocyanines in Organic Light-Emitting Diodes. *ACS Applied Materials & Interfaces* 2: 1934-1944. <http://dx.doi.org/10.1021/am1002603>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health* 45: 173-210.
- Moshfeghian, A; Tillman, J; Madihally, SV. (2006). Characterization of emulsified chitosan-PLGA matrices formed using controlled-rate freezing and lyophilization technique. *J Biomed Mater Res A* 79: 418-430. <http://dx.doi.org/10.1002/jbm.a.30849>.
- Mostafa; E., GA. (2008). PVC matrix membrane sensor for potentiometric determination of dodecylsulfate. *Int J Environ Anal Chem* 88: 435-446. <http://dx.doi.org/10.1080/03067310701717735>.
- Mota, GS; Sartori, CJ; Ferreira, J; Miranda, I; Quilho, T; Mori, FA; Pereira, H. (2016). Cellular structure and chemical composition of cork from *Plathymenia reticulata* occurring in the Brazilian Cerrado. *Ind Crop Prod* 90: 65-75. <http://dx.doi.org/10.1016/j.indcrop.2016.06.014>.
- Mothershead, RF; Hale, RC; Greaves, J. (1991). XENOBIOTIC COMPOUNDS IN BLUE CRABS FROM A HIGHLY CONTAMINATED URBAN SUBESTUARY. *Environ Toxicol Chem* 10: 1341-1349.
- Motta, LB; Furlan, CM; Santos, DYA, C; Salatino, MLF; Negri, G; de Carvalho, JE; Monteiro, PA; Ruiz, A, naLTG; Caruzo, MB; Salatino, A. (2013). Antiproliferative activity and constituents of leaf extracts of *Croton sphaerogynus* Baill. (Euphorbiaceae). *Ind Crop Prod* 50: 661-665. <http://dx.doi.org/10.1016/j.indcrop.2013.08.008>.
- Mottaleb, MA; Abedin, MZ; Islam, MS. (2004). Determination of volatile organic compounds in river water by solid phase extraction and gas chromatography. *J Environ Sci* 16: 497-501.
- Moura, SC; Jorge, RF; Duque, A; Boaventura, R; Castro, PML. (2007). Aerobic biological treatment of waste-waters containing dichloromethane. *J Chem Tech Biotechnol* 82: 864-869. <http://dx.doi.org/10.1002/jctb.1758>.
- Moya, R; Tenorio, C. (2013). Fuelwood characteristics and its relation with extractives and chemical properties of ten fast-growth species in Costa Rica. *Biomass and Bioenergy* 56: 14-21. <http://dx.doi.org/10.1016/j.biombioe.2013.04.013>.
- Mrutyunjaya, R, aoR; Venkateswarlu, Y. (2011). Isolation of Three Compounds from the Roots of *Piper Officinatum*. *Res Journal Chem Environ* 15: 705-708.
- Msayib, KJ; Mckeown, NB. (2016). Inexpensive polyphenylene network polymers with enhanced microporosity. 4: 10110-10113. <http://dx.doi.org/10.1039/c6ta03257e>.
- Muangrat, W; Yordsri, V; Maolanon, R; Pratontep, S; Porntheeraphat, S; Wongwiriyan, W. (2016). Hybrid gas sensor based on platinum nanoparticles/poly(methyl methacrylate)-coated single-walled carbon nanotubes for dichloromethane detection with a high response magnitude. *Diam Relat Mater* 65: 183-190. <http://dx.doi.org/10.1016/j.diamond.2016.03.016>.
- Mubarak, NM; Kundu, A; Sahu, JN; Abdullah, EC; Jayakumar, NS. (2014). Synthesis of palm oil empty fruit bunch magnetic pyrolytic char impregnating with FeCl<sub>3</sub> by microwave heating technique. *Biomass and Bioenergy* 61: 265-275. <http://dx.doi.org/10.1016/j.biombioe.2013.12.021>.
- Mubiru, E; Shrestha, K; Papastergiadis, A; De Meulenaer, B. (2014). Development and validation of a gas chromatography-flame ionization detection method for the determination of epoxy fatty acids in food matrices. *J Agric Food Chem* 62: 2982-2988. <http://dx.doi.org/10.1021/jf405664c>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Muchovej, JJ; Muchovej, RMC; Goncalves, EJ. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS GLOMUS-MACROCARPUM AND BY THE PATHOGENIC FUNGUS FUSARIUM-SOLANI .2. TEMPORAL-SPATIAL RELATIONSHIPS. *Plant Soil* 132: 47-51.
- Mueller, E; Philp, RP. (1998). Extraction of high molecular weight hydrocarbons from source rocks: an example from the Green River Formation, Uinta Basin, Utah. *Organic Geochemistry* 28: 625-631.
- Mueller, M, ax; Scharfer, P; Kind, M; Schabel, W. (2010). Determination of Diffusion Coefficients of Non-volatile Additives in Polymeric Coatings by Means of Inverse Micro Raman Spectroscopy. *Chem Ing Tech* 82: 2097-2102. <http://dx.doi.org/10.1002/cite.201000085>.
- Mueller, M; Scharfer, P; Kind, M; Schabel, W. (2011). Influence of non-volatile additives on the diffusion of solvents in polymeric coatings. *Chemical Engineering and Processing: Process Intensification* 50: 551-554. <http://dx.doi.org/10.1016/j.cep.2010.10.001>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res* 29: 2434-2439.
- Mukaratirwa-Muchanyereyi, N; Kugara, J; Zaranyika, MF. (2016). Adsorption of volatile polar organic solvents on water hyacinth (*Eichhornia crassipes*) root biomass: thermodynamic parameters and mechanism. *Int J Environ Sci Tech* 13: 1941-1950. <http://dx.doi.org/10.1007/s13762-016-1016-1>.
- Mulani, K; Momin, M; Ganjave, N; Chavan, N. (2015). Thermotropic liquid crystalline polyesters derived from bis-(4-hydroxybenzoyloxy)-2-methyl-1,4-benzene and aliphatic dicarboxylic acid chlorides. *Bulletin of Materials Science* 38: 1301-1308.
- Mulla, K; Zhao, Y. (2013). When dithiafulvenyl functionalized pi-conjugated oligomers meet fullerenes and single-walled carbon nanotubes. 1: 5116-5127. <http://dx.doi.org/10.1039/c3tc30626g>.
- Mullassery, MD; Fernandez, NB; Anirudhan, TS. (2015). Adsorptive removal of acid red from aqueous solutions by cationic surfactant-modified bentonite clay. *Desalination and Water Treatment* 56: 1929-1939. <http://dx.doi.org/10.1080/19443994.2014.958110>.
- Muller, B; Jusko, O; Pietsch, GJ; Kohler, U. (1992). STRAIN-INDUCED DIMER ADATOM STACKING-FAULT STRUCTURES OF GERMANIUM ON SI(111)-(SQUARE-ROOT-3 X SQUARE-ROOT-3)R30-DEGREES-B OBSERVED BY SCANNING TUNNELING MICROSCOPY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 10: 16-18.
- Muller, R; Heinze, J. (1998). Direct electrochemical detection of C-60 in solution by steady-state voltammetry at microelectrodes. *J Electrochem Soc* 145: 1227-1232.
- Mumford, JL; Lewtas, J; Williams, K; Tucker, WG; Traynor, GW. (1992). Mutagenicity of organic emissions from unvented kerosene heaters in a chamber study. *J Toxicol Environ Health* 36: 151-159.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng* 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Mun, SP; Jahan, MS; Al-Maruf, A; Chowdhury, DAN. (2011). Chemical characterization of six mangrove species in Bangladesh. *Wood Science and Technology* 45: 281-288. <http://dx.doi.org/10.1007/s00226-010-0333-7>.
- Muraguchi, K; Suzuki, S; Minami, H; Tanaka, T. (2004). In vitro evaluation of bond strength and surface roughness of a resin-paint material. *Dent Mater J* 23: 406-411.
- Murali, KR. (2008). Characteristics of sol-gel dip coated Ceria films. *Journal of Materials Science: Materials in Electronics* 19: 369-371. <http://dx.doi.org/10.1007/s10854-007-9345-y>.
- Muraza, O, ki; Rebrov, EV; Khirnyak, T; Johnson, BFG; Kooyman, PJ; Lafont, U, go; De Croon, MHJ, M; Schouten, JC. (2008). Mesoporous silica films as catalyst support for microstructured reactors: Preparation and characterization. *Chem Eng J* 135: S99-S103. <http://dx.doi.org/10.1016/j.cej.2007.07.023>.
- Murphy, CD; Moore, RM; White, RL. (2000). An isotopic labeling method for determining production of volatile organohalogen by marine microalgae. *Limnol Oceanogr* 45: 1868-1871.
- Murphy, TJ; Sweet, CW. (1994). CONTAMINATION OF TEFLON SURFACES BY PCBs IN THE ATMOSPHERE. *Atmos Environ* 28: 361-364.
- Murray, DR; Larkum, AWD. (1991). SEED PROTEINS OF THE SEAGRASS ZOSTERA-CAPRICORNI. *Aquat Bot* 40: 101-108.
- Murray, IP; Love, GD; Snape, CE; Bailey, NJL. (1998). Comparison of covalently-bound aliphatic biomarkers released via hydrolysis with their solvent-extractable counterparts for a suite of Kimmeridge clays. *Organic Geochemistry* 29: 1487-1505.
- Murray, WA; Lunardini, RC; Ullo, FJ; Davidson, ME. (2000). Site 5 air sparging pilot test, Naval Air Station Cecil Field, Jacksonville, Florida. *J Hazard Mater* 72: 121-145.
- Murthy, TEG, K; Kishore, VS, ai. (2008). Effect of casting solvent on permeability of antihypertensive drugs through ethyl cellulose films. *Journal of Sci Ind Res* 67: 147-150.
- Murugan, E; Gopinath, P. (2007). Synthesis and characterization of novel bead-shaped insoluble polymer-supported tri-site phase transfer catalyst and its efficiency in N-alkylation of pyrrole. *Appl Catal A-Gen* 319: 72-80.
- Murzyn, P; Garcia-Deniz, AZ; Fox, AM; Wells, JPR; Whittaker, DM; Skolnick, MS; Krauss, TF; Roberts, JS. (2005). Ultrafast nonlinear response of AlGaAs/InAlGaAs MQW photonic crystal waveguides. *Physica Status Solidi A: Applications and Materials Science (Print)* 202: 2653-2656. <http://dx.doi.org/10.1002/pssa.200562022>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mushrush, GW; Quintana, MA; Bauserman, JW; Willauer, HD. (2011). Post-refining removal of organic nitrogen compounds from diesel fuels to improve environmental quality. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 176-180. <http://dx.doi.org/10.1080/10934529.2011.532433>.
- Mussmann, P; Eisert, R; Levsen, K; Wuensch, G. (1995). Determination of nitrophenols, diaminotoluenes, and chloroaromatics in ammunition wastewater. *Acta Hydrochim Hydrobiol* 23: 13-19. <http://dx.doi.org/10.1002/aheh.19950230104>.
- Mustafa, H. (2003). Development of new type of gas absorber, industrial applications. *Process Saf Environ Protect* 81: 210-216.
- Muthukumar, H; Matheswaran, M. (2015). Amaranthus spinosus Leaf Extract Mediated FeO Nanoparticles: Physicochemical Traits, Photocatalytic and Antioxidant Activity. 3: 3149-3156. <http://dx.doi.org/10.1021/acs.suschemeng.5b00722>.
- Muthukumar, P; Kim, H, akSoo; Ku, K, yoSun; Park, JH, o; Son, YA. (2016). Synthesis, Characterization and Aggregation and Fluorescence Properties of Novel Highly Soluble Zinc Phthalocyanines Bearing Tetrakis-4-(3-(Piperidin-1-yl)phenoxy) with Tetra and Dodecachloro Substituents. *Fibers and Polymers* 17: 553-559. <http://dx.doi.org/10.1007/s12221-016-5812-5>.
- Muthumbi, W; De Boever, P; D'Haese, I; D'Hooge, W; Top, EM; Pieters, JG; Comhaire, F; Verstraete, W. (2002). Assessment of the estrogenic activity of flue gases from burning processes by means of the yeast based human estrogen receptor (hER) bioassay. *Environ Technol* 23: 287-291.
- Muthuraman, G; Ibrahim, M. (2013). Use of bulk liquid membrane for the removal of Cibacron Red FN-R from aqueous solution using TBAB as a carrier. *J Ind Eng Chem* 19: 444-449. <http://dx.doi.org/10.1016/j.jiec.2012.08.025>.
- Muthuraman, G; Palanivelu, K. (2005). Selective extraction and separation of textile anionic dyes from aqueous solution by tetrabutyl ammonium bromide. *Dyes and Pigments* 64: 251-257. <http://dx.doi.org/10.1016/j.dyepig.2004.05.014>.
- Muthuraman, G; Palanivelu, K. (2005). Transport of textile anionic dyes using cationic carrier by bulk liquid membrane. *Journal of Sci Ind Res* 64: 529-533.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination* 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Muthusubramanian, L; Rao, VSS; Mitra, RB. (2003). Convenient synthesis of methylene bithiocyanate as microbicide. *J Clean Prod* 11: 695-697. [http://dx.doi.org/10.1016/S0959-6526\(02\)00100-2](http://dx.doi.org/10.1016/S0959-6526(02)00100-2).
- Muzart, J; Druzhinina, AN; Shulpin, GB. (1993). PHOTOINITIATED REACTIONS OF ORGANIC-COMPOUNDS WITH METAL-COMPLEXES .26. PHOTOOXYGENATION OF CYCLOHEXANE BY ATMOSPHERIC OXYGEN IN METHYLENE-CHLORIDE, CATALYZED BY A CR(IV) OXOCOMPLEX. *Petroleum Chemistry* 33: 113-115.
- Na, G; Liu, C; Wang, Z; Ge, L; Ma, X; Yao, Z. (2011). Distribution and characteristic of PAHs in snow of Fildes Peninsula. *J Environ Sci* 23: 1445-1451. [http://dx.doi.org/10.1016/S1001-0742\(10\)60605-5](http://dx.doi.org/10.1016/S1001-0742(10)60605-5).
- Nacer, A; Merza, J; Kabouche, Z; Rhouati, S; Boustie, J; Richomme, P. (2012). Sesquiterpene lactones from *Centaurea tougourensis*. *Biochemical Systematics and Ecology* 43: 163-165. <http://dx.doi.org/10.1016/j.bse.2011.08.013>.
- Nada, AAM, A; Ayoub, MMH. (1997). Impregnation of paper sheets in vinyl acetate vinyl chloride copolymer solution. *J elastomers plast* 29: 111-123.
- Nadim, F; Liu, SL; Hoag, GE; Chen, JP; Carley, RJ; Zack, P. (2002). A comparison of spectrophotometric and gas chromatographic measurements of heavy petroleum products in soil samples. *Water Air Soil Pollut* 134: 97-109.
- Naeem, S; Baheti, V; Militky, J; Wiener, J; Behera, P; Ashraf, A. (2016). Sorption Properties of Iron Impregnated Activated Carbon Web for Removal of Methylene Blue from Aqueous Media. *Fibers and Polymers* 17: 1245-1255. <http://dx.doi.org/10.1007/s12221-016-6423-x>.
- Nafissi-Varcheh, N; Erfan, M; Aboofazeli, R. (2008). An approach to the design of a particulate system for oral protein delivery. I. In vitro stability of various poly (alpha-hydroxy acids)-microspheres in simulated gastrointestinal fluids. *J Microencapsul* 25: 584-592. <http://dx.doi.org/10.1080/02652040802485485>.
- Nagappan, S; Park, SS, oo; Yu, E, unJ; Cho, H, unJ; Park, J, inJoo; Lee, W, onKi; Ha, CS, ik. (2013). A highly transparent, amphiphobic, stable and multi-purpose poly(vinyl chloride) metallopolymer for anti-fouling and anti-staining coatings. 1: 12144-12153. <http://dx.doi.org/10.1039/c3ta11887h>.
- Nagase, Y, u; Ando, T; Yun, CM, in. (2007). Syntheses of siloxane-grafted aromatic polymers and the application to pervaporation membrane. *React Funct Polym* 67: 1252-1263. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.057>.
- Nagata, F; Miyajima, T; Teraoka, K; Yokogawa, Y. (2005). Preparation of porous poly(lactic acid)/hydroxyapatite microspheres intended for injectable bone substitutes. *Key Eng Mater* 284-286: 819-822.
- Nagata, F; Teraoka, K; Yokogawa, Y; Miyajima, T. (2006). Double layered microshells composed of calcium phosphate and poly (lactic acid). *Key Eng Mater* 309-311: 915-918.
- Nagata, M; Hizakae, S. (2003). Synthesis and characterization of photocrosslinkable biodegradable polymers derived from 4-hydroxycinnamic acid. *Macromol Biosci* 3: 412-419. <http://dx.doi.org/10.1002/mabi.200350011>.
- Nagawa, CB; Boehmdorfer, S; Rosenau, T. (2015). Chemical composition of volatiles extracted from indigenous tree species of Uganda: composition of bark extracts from *Psorospermum febrifugum* and *Milicia excelsa*. *Holzforschung* 69: 815-821. <http://dx.doi.org/10.1515/hf-2014-0283>.
- Naghavi, MR; Motamedi, E; Nasiri, J; Alizadeh, H; Moghadam, MRF; Mashouf, A. (2015). Evaluation of magnetic- and carbon-based nano-adsorbents application in pre-purification of paclitaxel from needles of *Taxus baccata*. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-014-2830-3>.
- Nagstrup, J; Keller, S; Almdal, K; Boisen, A. (2011). 3D microstructuring of biodegradable polymers. *Microelectron Eng* 88: 2342-2344. <http://dx.doi.org/10.1016/j.mee.2010.12.014>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Naidoo, K; Rolfes, H; Easton, K, im; Moolman, S; Chetty, A; Richter, W, im; Nilen, R. (2008). An emulsion preparation for novel micro-porous polymeric hemi-shells. *Mater Lett* 62: 252-254. <http://dx.doi.org/10.1016/j.matlet.2007.05.012>.
- Naidu, RR; Raju, RVP. (1995). SPECTROPHOTOMETRIC DETERMINATION OF FENVALERATE IN A COMMERCIAL FORMULATION AND AS RESIDUES IN WATER AND SOIL. *Pestic Sci* 44: 163-166.
- Najdanovic-Visak, V; Rodriguez, A, na; Visak, ZP; Rosa, JN; Afonso, CAM; Nunes da Ponte, M; Rebelo, LPN. (2007). Co-solvent effects in LLE of 1-hydroxyethyl-3-methylimidazolium based ionic liquids plus 2-propanol plus dichloromethane or 1,2-dichloroethane. *Fluid Phase Equilibria* 254: 35-41. <http://dx.doi.org/10.1016/j.fluid.2007.02.020>.
- Nakagawa, Y; Molina-Sabio, M; Rodriguez-Reinoso, F. (2007). Modification of the porous structure along the preparation of activated carbon monoliths with H<sub>3</sub>PO<sub>4</sub> and ZnCl<sub>2</sub>. *Microporous and Mesoporous Materials* 103: 29-34. <http://dx.doi.org/10.1016/j.micromeso.2007.01.029>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE* 38: 240-246.
- Nakahama, T; Inouye, Y. (1998). Application of polyamide column to the concentration and fractional analysis of some organic compounds responsible for environmental water pollution. *JTTHE* 44: 92-98.
- Nakamura, A; Endo, H; Yamashita, T; Kawai, T. (2014). Sodium Dodecylsulfate Bilayer Formation Under a Cationic Surfactant Langmuir Monolayer at the Air-Water Interface. *J Nanosci Nanotechnol* 14: 2198-2203. <http://dx.doi.org/10.1166/jnn.2014.8522>.
- Nakano, H; Schrader, KK; Mamonov, LK; Kustova, TS; Mursaliyeva, VK; Cantrell, CL. (2012). Isolation and identification of *Flavobacterium columnare* and *Streptococcus iniae* antibacterial compounds from the terrestrial plant *Atraphaxis laetevirens*. *J Agric Food Chem* 60: 10415-10419. <http://dx.doi.org/10.1021/jf304155n>.
- Nam, YS; Park, TG. (1999). Protein loaded biodegradable microspheres based on PLGA-protein bioconjugates. *J Microencapsul* 16: 625-637.
- Namvari, M; Namazi, H. (2015). Preparation of efficient magnetic biosorbents by clicking carbohydrates onto graphene oxide. *Journal of Materials Science* 50: 5348-5361. <http://dx.doi.org/10.1007/s10853-015-9082-1>.
- Nan, W, ei; Shende, AR; Shannon, J; Shende, RV. (2016). Insight into Catalytic Hydrothermal Liquefaction of Cardboard for Biofuels Production. *Energy Fuels* 30: 4933-4944. <http://dx.doi.org/10.1021/acs.energyfuels.6b00479>.
- Nan, X; Huang, Y, i; Fan, Q; Shao, J. (2015). Efficient visible photoinitiator containing linked dye-coinitiator and iodonium salt for free radical polymerization. *Progr Org Coating* 81: 11-18. <http://dx.doi.org/10.1016/j.porgcoat.2014.12.013>.
- Nangrejo, MR; Bao, X; Edirisinghe, MJ. (2001). Processing of ceramic foams from polymeric precursor-alumina suspensions. *Cell Polym* 20: 17-35.
- Nangrejo, MR; Edirisinghe, MJ. (2002). Porosity and strength of silicon carbide foams prepared using preceramic polymers. *Journal of Porous Materials* 9: 131-140.
- Napo, K; Chand, S; Bernede, JC; Safoula, G; Alimi, K. (1992). GROWTH AND CHARACTERIZATION OF VACUUM-DEPOSITED POLYVINYL CARBAZOLE (PVK) FILMS. *Journal of Materials Science* 27: 6219-6222.
- Napolitano, GE; Richmond, JE; Stewart, AJ. (1998). Characterization of petroleum-contaminated soils by thin-layer chromatography with flame ionization detection. *Journal of Soil Contamination* 7: 709-724.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res* 67: 46-56.
- Narendranath, AD; Hermanson, JC; Kolkka, RW; Struthers, AA; Allen, JS. (2014). The Effect of Gravity on the Stability of an Evaporating Liquid Film. *Microgravity Science and Technology* 26: 189-199. <http://dx.doi.org/10.1007/s12217-014-9395-8>.
- Narimissa, E; Gupta, RK; Kao, N; Choi, HJ, in; Bhattacharya, SN. (2015). The comparison between the effects of solvent casting and melt intercalation mixing processes on different characteristics of polylactide-nanographite platelets composites. *Polymer Engineering and Science* 55: 1560-1570. <http://dx.doi.org/10.1002/pen.23996>.
- Narita, H; Ando, N; Kuga, S. (2013). Simple Identification of Weathered Wood of *Chamaecyparis obtusa* var. *formosana*. *59*: 203-210.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Narula, CK; Allard, LF. (1998). Novel zirconium nitride precursor: synthesis, decomposition pathway, and pyrolysis of [(CH<sub>3</sub>)<sub>3</sub>Si]<sub>2</sub>NH center dot ZrCl<sub>4</sub>. *J Mater Chem* 8: 1881-1884.
- Narula, CK; Demczyk, BG; Czubarow, P; Seyferth, D. (1995). PREPARATION OF SILICON NITRIDE-TITANIUM NITRIDE AND TITANIUM-TITANIUM NITRIDE COMPOSITES FROM (CH<sub>3</sub>)<sub>3</sub>SINHTICL<sub>3</sub>-COATED Si<sub>3</sub>N<sub>4</sub> AND TI PARTICLES. *Journal of the American Ceramic Society* 78: 1247-1251.
- Nascente, PAP; Vanhove, MA; Somorjai, GA. (1992). ORDERING OF ETHYLIDYNE ON CLEAN AND ADSORBATE COVERED Pd(111) - INFLUENCE OF THE COADSORPTION OF OXYGEN. *Journal of Vacuum Science and Technology A* 10: 2342-2346.
- Nascimento, EA; Terrones, MGH; Morais, SAL; Chang, R; Andrade, GA; Santos, DQ; Pereira, BHA. (2009). Allelopathic activity of *Cenchrus echinatus* L. extracts on weeds and crops. *Allelopathy Journal* 24: 363-372.
- Nasef, MM; Saidi, H. (2006). Single radiation-induced grafting method for the preparation of two proton- and lithium ion-conducting membranes. *Macromolecular Materials & Engineering* 291: 972-983. <http://dx.doi.org/10.1002/mame.200600131>.
- Nassar, NN. (2010). Kinetics, Mechanistic, Equilibrium, and Thermodynamic Studies on the Adsorption of Acid Red Dye from Wastewater by-Fe<sub>2</sub>O<sub>3</sub> Nanoadsorbents. *Separation Science and Technology* 45: 1092-1103. <http://dx.doi.org/10.1080/01496391003696921>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Natale, R; Russo, R; Vittoria, V. (1992). CRYSTALLINITY OF ISOTACTIC POLYPROPYLENE FILMS ANNEALED FROM THE QUENCHED STATE. *Journal of Materials Science* 27: 4350-4354.
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria* 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria* 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria* 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data* 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria* 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria* 145: 89-97.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data* 42: 128-131.
- Nath, J; Pandey, JG. (1997). Excess molar volumes and refractive indexes of heptanol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane. *Journal of Chemical and Engineering Data* 42: 514-516.
- Nath, J; Pandey, JG. (1997). Excess molar volumes of heptan-1-ol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane at T=293.15 K. *Journal of Chemical and Engineering Data* 42: 1137-1139.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at T = 298.15 K. *Journal of Chemical and Engineering Data* 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 50: 297-303.
- Naufal, Z; Zhou, GD; Mcdonald, T; Li, Z; Li, Z; Donnelly, KC. (2007). Genotoxicity of organic extracts of house dust from Shanxi, China. *J Toxicol Environ Health A* 70: 2080-2088. <http://dx.doi.org/10.1080/15287390701601376>.
- Navarro, AE; Cuizano, NA; Lazo, JC; Sun-Kou, MR; Llanos, BP. (2009). Comparative study of the removal of phenolic compounds by biological and non-biological adsorbents. *J Hazard Mater* 164: 1439-1446. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.07>.
- Navarro, C; Fernandezcobar, R; Benlloch, M. (1992). A LOW-PRESSURE, TRUNK-INJECTION METHOD FOR INTRODUCING CHEMICAL FORMULATIONS INTO OLIVE TREES. *J Am Soc Hortic Sci* 117: 357-360.
- Navarro-Gonzalez, R; Vargas, E; de La Rosa, J; Raga, AC; Mckay, CP. (2010). Reanalysis of the Viking results suggests perchlorate and organics at midlatitudes on Mars. *J Geophys Res* 115. <http://dx.doi.org/10.1029/2010JE003599>.
- Naves, JL; Prado, MP; Rangel, M; De Sanctis, B; Machado-Santelli, G; Freitas, JC. (2006). Cytotoxicity in the marine dinoflagellate *Prorocentrum mexicanum* from Brazil. *Comp Biochem Physiol C Toxicol Pharmacol* 143: 73-77. <http://dx.doi.org/10.1016/j.cbpc.2005.12.002>.
- Nawi, MA; Zain, SM, d. (2012). Enhancing the surface properties of the immobilized Degussa P-25 TiO<sub>2</sub> for the efficient photocatalytic removal of methylene blue from aqueous solution. *Appl Surf Sci* 258: 6148-6157. <http://dx.doi.org/10.1016/j.apsusc.2012.03.024>.
- Nazari, G; Abolghasemi, H; Esmaili, M; Assar, M. (2016). Theoretical and experimental study of cephalixin batch adsorption dynamics using walnut shell-based activated carbon. *Desalination and Water Treatment* 57: 27339-27348. <http://dx.doi.org/10.1080/19443994.2016.1172029>.
- Ncibi, MC; Mahjoub, B; Gourdon, R. (2007). Effects of aging on the extractability of naphthalene and phenanthrene from Mediterranean soils. *J Hazard Mater* 146: 378-384. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.032>.
- Ncube, P; Krause, R, uiWM; Mamba, BB. (2014). Detection of chloroform in water using an azo dye-modified beta-cyclodextrin - Epichlorohydrin copolymer as a fluorescent probe. *Phys Chem Earth* 67-69: 79-85. <http://dx.doi.org/10.1016/j.pce.2013.10.009>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Necib, S; Linard, Y; Crusset, D; Michau, N; Daumas, S; Burger, E; Romaine, A; Schlegel, ML. (2016). Corrosion at the carbon steel-clay borehole water and gas interfaces at 85 degrees C under anoxic and transient acidic conditions. *Corrosion Sci* 111: 242-258. <http://dx.doi.org/10.1016/j.corsci.2016.04.039>.
- Nedungadi, PAK; Kunju, T; Kumar, K; Mathur, S; Peter, T; Dhas, A; Zutshi, K. (1991). ELECTROINITIATED POLYMERIZATION OF MDI (METHYLENE 4,4'-DIPHENYL DIISOCYANATE) WITH POLYOXY PROPYLENEGLYCOL POLYURETHANE SYNTHESIS. *Bulletin of Materials Science* 14: 1353-1362.
- Nekouei, F; Kargarzadeh, H; Nekouei, S; Keshtpour, F; Makhlof, ASH. (2016). Novel, facile, and fast technique for synthesis of AgCl nanorods loaded on activated carbon for removal of methylene blue dye. *Process Saf Environ Protect* 103: 212-226. <http://dx.doi.org/10.1016/j.psep.2016.07.010>.
- Nekouei, S; Nekouei, F; Tyagi, I; Agarwal, S; Gupta, VK. (2016). Mixed cloud point/solid phase extraction of lead(II) and cadmium(II) in water samples using modified-ZnO nanopowders. *Process Saf Environ Protect* 99: 175-185. <http://dx.doi.org/10.1016/j.psep.2015.11.005>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis* 16: 1243-1245.
- Nerenberg, R; Rittmann, BE. (2004). Hydrogen-based, hollow-fiber membrane biofilm reactor for reduction of perchlorate and other oxidized contaminants. *Water Sci Technol* 49: 223-230.
- Nerin, C; Fernandez, C; Domeno, C; Salafranca, J. (2003). Determination of potential migrants in polycarbonate containers used for microwave ovens by high-performance liquid chromatography with ultraviolet and fluorescence detection. *J Agric Food Chem* 51: 5647-5653. <http://dx.doi.org/10.1021/jf034330p>.
- Nerome, H; Machmudah, S; Wahyudiono; Fukuzato, R; Higashiura, T; Kanda, H; Goto, M. (2016). Effect of Solvent on Nanoparticle Production of beta-Carotene by a Supercritical Antisolvent Process. *Chem Eng Tech* 39: 1771-1777. <http://dx.doi.org/10.1002/ceat.201500519>.
- Newman, JW; Vedder, JM; Jarman, WM; Chang, RR. (1994). A method for the determination of environmental contaminants in living marine mammals using microscale samples of blubber and blood. *Chemosphere* 29: 671-681.
- Nezhadali, A; Mohammadi, R; Akbarpour, M; Ebrahimi, J. (2016). Selective transport of Cu(II) ions from a mixture of Mn(II), Co(II), Ni(II), Cu(II), Zn(II), and Pb(II) cations through a bulk liquid membrane using benzyl bis (thiosemicarbazone) as carrier. *Desalination and Water Treatment* 57: 13818-13828. <http://dx.doi.org/10.1080/19443994.2015.1072841>.
- Ng, KC; Poi, G; Puah, CM; Decastro, V; Rogers, PL. (1997). Monitoring of phenol in wastewater bioremediation by HPLC. *Environ Monit Assess* 44: 433-436.
- Ngai, JHL; Leung, LM; So, SK; Lee, HKH. (2016). Organic soluble indigoids derived from 3-hydroxybenzaldehyde for N-type organic field-effect transistor (OFET) applications. *Organic Electronics* 32: 258-266. <http://dx.doi.org/10.1016/j.orgel.2016.02.035>.
- Ngbilo, E; Chevrot, C. (1993). CHEMICAL DOPING OF POLY (N-BUTYL-3,6-CARBAZOLYLEN) IN SOLUTION. *Synthetic Metals* 55: 861-866.
- Nguyen, DK; Bruchet, A; Arpino, P. (1995). DETERMINATION OF STEROLS IN SEWAGE-SLUDGE BY COMBINED IN-SITU TRIMETHYLSILYLATION/SUPERCritical FLUID EXTRACTION AND GC/MS. *Environ Sci Technol* 29: 1686-1690.
- Nguyen, MT; Diaz, AF; Dementev, VV; Pannell, KH. (1993). HIGH-MOLECULAR-WEIGHT POLY(FERROCENEDIYL SILANES) - SYNTHESIS AND ELECTROCHEMISTRY OF [-(C5H4)FE(C5H4)SIR2-J]N, R = ME, ET, N-BU, N-HEX. *Chem Mater* 5: 1389-1394.
- Nguyen, TMD; Chang, S; Condon, B; Slopek, R. (2012). Synthesis of a novel flame retardant containing phosphorus-nitrogen and its comparison for cotton fabric. *Fibers and Polymers* 13: 963-970. <http://dx.doi.org/10.1007/s12221-012-0963-5>.
- Ni, H; Hsu, CS; Lee, P; Wright, J; Chen, R, ui; Xu, C; Shi, Q. (2015). Supercritical carbon dioxide extraction of petroleum on kieselguhr. *Fuel* 141: 74-81. <http://dx.doi.org/10.1016/j.fuel.2014.09.126>.
- Nicho, ME; Garcia-Escobar, CH; Hernandez-Martinez, D; Linzaga-Elizalde, I; Cadenas-Pliego, G. (2012). Microwave-assisted synthesis of poly(3-hexylthiophene) via direct oxidation with FeCl3. *Mater Sci Eng B* 177: 1441-1445. <http://dx.doi.org/10.1016/j.mseb.2012.02.017>.
- Nielsen, KF; Hansen, MO; Larsen, TO; Thrane, U. (1998). Production of trichothecene mycotoxins on water damaged gypsum boards in Danish buildings. *Int Biodeterior Biodegradation* 42: 1-7.
- Nielsen, P. (2016). 1DV structure of turbulent wave boundary layers. *Coastal Engineering* 112: 1-8. <http://dx.doi.org/10.1016/j.coastaleng.2016.02.001>.
- Nielsen, P; Petersen, SO. (2000). Ester-linked polar lipid fatty acid profiles of soil microbial communities: a comparison of extraction methods and evaluation of interference from humic acids. *Soil Biol Biochem* 32: 1241-1249.
- Nielsen, PA; Grove, A; Olsen, H. (1992). The emission of PAH mutagenic activity from small wood stoves is greatly influenced by the quality of the wood. *Chemosphere* 24: 1317-1330. [http://dx.doi.org/10.1016/0045-6535\(92\)90056-W](http://dx.doi.org/10.1016/0045-6535(92)90056-W).
- Nierengarten, JF; Guttierrez-Nava, M; Zhang, S; Masson, P; Oswald, L; Bourgogne, C; Rio, Y; Accorsi, G; Armaroli, N; Setayesh, S. (2004). Fullerene-containing macromolecules for materials science applications. *Carbon* 42: 1077-1083. <http://dx.doi.org/10.1016/j.carbon.2003.12.003>.
- Nieto-Gligorovski, LI; Net, S; Gligorovski, S; Wortham, H; Grothe, H; Zetzsch, C. (2010). Spectroscopic study of organic coatings on fine particles, exposed to ozone and simulated sunlight. *Atmos Environ* 44: 5451-5459. <http://dx.doi.org/10.1016/j.atmosenv.2009.10.043>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ* 61: 539-543.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDODECANAMIDE. *Journal of Chemical and Engineering Data* 39: 618-620.
- Nikoobakht, B; El-Sayed, MA. (2001). Evidence for bilayer assembly of cationic surfactants on the surface of gold nanorods. *Langmuir* 17: 6368-6374. <http://dx.doi.org/10.1021/la010530o>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Nikoorazm, M. (2013). A new method for the oxidation of 1, 4-dihydropyridine derivatives by guanidinium nitrate in the presence of silica sulfuric acid under mild, heterogeneous and metal-free conditions. *Scientia Iranica* 20: 603-606. <http://dx.doi.org/10.1016/j.scient.2012.11.008>.
- Nikooyeh, K; Shaw, JM. (2012). On the Applicability of the Regular Solution Theory to Asphaltene plus Diluent Mixtures. *Energy Fuels* 26: 576-585. <http://dx.doi.org/10.1021/ef201437t>.
- Nilsen, MH; Svelle, S; Aravinthan, S; Olsbye, U. (2009). The conversion of chloromethane to light olefins over SAPO-34: The influence of dichloromethane addition. *Appl Catal A-Gen* 367: 23-31. <http://dx.doi.org/10.1016/j.apcata.2009.07.047>.
- Nin, L; Yingmei, L; Yanbin, J. (2011). Solubility of Paclitaxel in Mixtures of Dichloromethane and Supercritical Carbon Dioxide. *Chinese Journal of Chemical Engineering* 19: 558-564.
- Nishibori, S; Bernhard, RA. (1993). MODEL SYSTEM FOR COOKIES - VOLATILE COMPONENTS FORMED FROM THE REACTION OF SUGAR AND BETA-ALANINE. *J Agric Food Chem* 41: 2374-2377.
- Nishikawa, M; Tatsuno, M; Katagi, M; Tsuchihashi, H. (1995). DETERMINATION OF TRIAZOLAM AND ITS METABOLITES IN HUMAN URINE BY EMIT, GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND THERMOSPRAY LIQUID-CHROMATOGRAPHY MASS-SPECTROMETRY. *JTTHE* 41: 59-66.
- Nishikawa, M; Tatsuno, M; Tsuchihashi, H; Igarashi, K; Kasuya, F; Fukui, M. (1994). The analysis of quaternary ammonium compounds in human urine by thermospray liquid chromatography-mass spectrometry. *JTTHE* 40: 534-541.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). NEW PHOTORESPONSIVE POLYMERS BEARING NORBORNADIENE MOIETY - SYNTHESIS BY SELECTIVE CATIONIC POLYMERIZATION OF 2-(3-PHENYL-2,5-NORBORNADIENE-2-CARBONYLOXY)ETHYL VINYL ETHER AND PHOTOCHEMICAL-REACTION OF THE POLYMERS. *ACS Symp Ser Am Chem Soc* 537: 356-369.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). SYNTHESIS AND PHOTOCHEMICAL PROPERTIES OF INSOLUBLE POLY(STYRENE) BEADS CONTAINING PENDANT NORBORNADIENE MOIETIES. 24: 65-72.
- Nishimura, M; Yaguti, H; Yoshitsugu, H; Naito, S; Satoh, T. (2003). Tissue distribution of mRNA expression of human cytochrome P450 isoforms assessed by high-sensitivity real-time reverse transcription PCR. *Yakugaku Zasshi* 123: 369-375.
- Nita, LE; Chiriac, AP; Nistor, MT; Tartau, L. (2014). Upon some multi-membrane hydrogels based on poly(N,N-dimethyl-acrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro (5.5) undecane): preparation, characterization and in vivo tests. *J Mater Sci Mater Med* 25: 1757-1768. <http://dx.doi.org/10.1007/s10856-014-5205-5>.
- Nithya, R; Senthilkumar, K. (2014). Charge transport and optical properties of cross-conjugated organic molecules: A theoretical study. *Organic Electronics* 15: 1607-1623. <http://dx.doi.org/10.1016/j.orgel.2014.04.025>.
- Niu, Z; Zhang, H; Xu, Y; Liao, X; Xu, L; Chen, J. (2012). Pollution characteristics of volatile organic compounds in the atmosphere of Haicang District in Xiamen City, Southeast China. *J Environ Monit* 14: 1145-1152. <http://dx.doi.org/10.1039/c2em10884d>.
- Njagi, PGN; Torto, B. (2002). Evidence for a compound in Comstock-Kellogg glands modulating premating behavior in male desert locust, *Schistocerca gregaria*. *J Chem Ecol* 28: 1065-1074.
- Noimark, S; Dunnill, CW; Kay, CWM; Perni, S; Prokopovich, P; Ismail, S; Wilson, M; Parkin, IP. (2012). Incorporation of methylene blue and nanogold into polyvinyl chloride catheters; a new approach for light-activated disinfection of surfaces. *J Mater Chem* 22: 15388-15396. <http://dx.doi.org/10.1039/c2jm31987j>.
- Nolan, JA; Mcevoy, JP; Koenig, HG; Hooten, EG; Whetten, K; Pieper, CF. (2012). Religious coping and quality of life among individuals living with schizophrenia. *Psychiatric Services* 63: 1051-1054. <http://dx.doi.org/10.1176/appi.ps.201000208>.
- Nørgaard, AW; Nøjgaard, JK; Larsen, K; Spørring, S; Wilkins, CK; Clausen, PA; Wolkoff, P. (2006). Secondary limonene endo-ozonide: A major product from gas-phase ozonolysis of (-)-limonene at ambient temperature. *Atmos Environ* 40: 3460-3466. <http://dx.doi.org/10.1016/j.atmosenv.2006.02.007>.
- Norman, WC, III; Boggs, P. (1996). Flawed estimates of methylene chloride exposures [Letter]. *Am J Ind Med* 30: 504-509. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<504::AID-AJIM19>3.0.CO;2-8](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<504::AID-AJIM19>3.0.CO;2-8).
- Northcott, GL; Jones, KC. (2001). Partitioning, extractability, and formation of nonextractable PAH residues in soil. 1. Compound differences in aging and sequestration. *Environ Sci Technol* 35: 1103-1110. <http://dx.doi.org/10.1021/es000071y>.
- Northcott, GL; Jones, KC. (2003). Validation of procedures to quantify nonextractable polycyclic aromatic hydrocarbon residues in soil. *J Environ Qual* 32: 571-582.
- Noufou, O; Wamtinga, SR; André, T; Christine, B; Marius, L; Emmanuelle, HA; Jean, K; Marie-Geneviève, D; Pierre, GI. (2012). Pharmacological properties and related constituents of stem bark of *Pterocarpus erinaceus* Poir. (Fabaceae). *Asian Pacific Journal of Tropical Medicine* 5: 46-51. [http://dx.doi.org/10.1016/S1995-7645\(11\)60244-7](http://dx.doi.org/10.1016/S1995-7645(11)60244-7).
- Novoa, S; Paquette, JA; Barbon, SM; Maar, RR; Gilroy, J, oEB. (2016). Side-chain boron difluoride formazanate polymers via ring-opening metathesis polymerization. 4: 3987-3994. <http://dx.doi.org/10.1039/c5tc03287c>.
- Novotna, P; Boon, JJ; van der Horst, J; Pacakova, V. (2003). Photodegradation of indigo in dichloromethane solution. *Color Technol* 119: 121-127.
- Nozdryn, T; Clemenceau, D; Cousseau, J; Morisson, V; Gorgues, A; Orduna, J; Uriel, S; Garin, J. (1993). SELECTIVE REDUCTION OF THE ESTER GROUP IN THE 1,3-DITHIOL-2-(THI)ONE AND TETRATHIAFULVALENE SERIES - ACCESS TO THE RELATED PHOSPHONIUM SALTS AND THEIR WITTIG REACTIONS. *Synthetic Metals* 56: 1768-1771.
- NRC (National Research Council). (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- NRC (National Research Council). (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- Nsimba, RY; Mullen, CA; West, NM; Boateng, AA. (2013). Structure-Property Characteristics of Pyrolytic Lignins Derived from Fast Pyrolysis of a Lignin Rich Biomass Extract. 1: 260-267. <http://dx.doi.org/10.1021/sc300119s>.
- Nubbe, ME; Adams, VD; Moore, WM. (1995). THE DIRECT AND SENSITIZED PHOTOOXIDATION OF HEXACHLOROCYCLOPENTADIENE. *Water Res* 29: 1287-1293.
- Nuhu, AA; Basheer, C; Shaikh, AA; Al-Arfaj, AR. (2012). Determination of Polycyclic Aromatic Hydrocarbons in Water Using Nanoporous Material Prepared from Waste Avian Egg Shell. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/305691>.
- Nunes, CD; Valente, AA; Pillinger, M; Fernandes, AC; Romao, CC; Rocha, J; Goncalves, IS. (2002). MCM-41 functionalized with bipyridyl groups and its use as a support for oxomolybdenum(VI) catalysts. *J Mater Chem* 12: 1735-1742. <http://dx.doi.org/10.1039/b109678h>.
- Nyholm, N. (1990). Biodegradability testing of poorly soluble compounds by means of manometric respirometry. *Chemosphere* 21: 1477-1488.
- Obata, A; Tokuda, S; Kasuga, T. (2009). Enhanced in vitro cell activity on silicon-doped vaterite/poly(lactic acid) composites. *Acta Biomater* 5: 57-62. <http://dx.doi.org/10.1016/j.actbio.2008.08.004>.
- Obrzut, DL; Bell, PW; Roberts, CB; Duke, SR. (2007). Effect of process conditions on the spray characteristics of a PLA plus methylene chloride solution in the supercritical antisolvent precipitation process. *Journal of Supercritical Fluids* 42: 299-309. <http://dx.doi.org/10.1016/j.supflu.2007.02.003>.
- Obuekwe, IS; Semple, KT. (2013). Impact of Zn, Cu, Al and Fe on the partitioning and bioaccessibility of (14)C-phenanthrene in soil. *Environ Pollut* 180: 180-189. <http://dx.doi.org/10.1016/j.envpol.2013.05.020>.
- Obuskovic, G; Poddar, TK; Sirkar, KK. (1998). Flow swing membrane absorption-permeation. *Ind Eng Chem Res* 37: 212-220.
- Ocak, U; Alp, H; Gokce, P; Ocak, M. (2006). The synthesis of new N2S2-macrocyclic schiff base ligands and investigation of their ion extraction capability from aqueous media. *Separation Science and Technology* 41: 391-401. <http://dx.doi.org/10.1080/01496390500496942>.
- Ocak, Ü; Gök, Y; Şentürk, HB. (2009). Evaluation of Mononuclear Ni(II) Complex of a Tetra-cryptanded Vic-dioxime and its Model Compound 14-Membered N 2 O 2 S 2 -Macrobicyclic Ligand as Pb 2+, Cd 2+, and Hg 2+ Extractants. *Separation Science and Technology* 44: 1240-1249. <http://dx.doi.org/10.1080/01496390902729098>.
- Ochoa, NA; Illanes, C; Marchese, J; Basualto, C; Valenzuela, F. (2006). Preparation and characterization of polymeric microspheres for Cr(VI) extraction. *Separation and Purification Technology* 52: 39-45. <http://dx.doi.org/10.1016/j.seppur.2006.03.012>.
- Ockeloen, HF; Overcamp, TJ; Grady jr., CPL. (1996). Engineering Model for Fixed-Film Bioscrubbers. *J Environ Eng* 122: 191. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(1996\)122:3\(191\)](http://dx.doi.org/10.1061/(asce)0733-9372(1996)122:3(191)).
- O'Connell, A; Smyth, T; Hodnett, BK. (1998). In-situ epoxidation using dioxiranes: Evaluation of reactivity and selectivity. *J Chem Tech Biotechnol* 72: 60-66.
- Odabas, Z; Orman, E; feB; Durmus, M; Dumladag, F; Ozkaya, A, liR; Bulut, M. (2012). Novel alpha-7-oxy-4-(4-methoxyphenyl)-8-methylcoumarin substituted metal-free, Co(II) and Zn(II) phthalocyanines: Photochemistry, photophysics, conductance and electrochemistry. *Dyes and Pigments* 95: 540-552. <http://dx.doi.org/10.1016/j.dyepig.2012.05.021>.
- Oesch, P; Leppamaki, E; Stahlberg, P. (1996). Sampling and characterization of high-molecular-weight polyaromatic tar compounds formed in the pressurized fluidized-bed gasification of biomass. *Fuel* 75: 1406-1412.
- Ogawa, H; Katsura, E; Kanetoshi, A; Kaneshima, H. (1991). DETERMINATION OF OXINE-COPPER IN WATER BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY. *JTTE* 37: 246-250.
- Ogawa, K; Yao, JC; Yonehara, H; Pac, C. (1996). Chemical behaviour of ocotitanium (IV) phthalocyanine (OTiPc) solutions associated with the preparation of OTiPc monolayers and multilayers. *J Mater Chem* 6: 143-147.
- Ogawa, K; Yonehara, H; Pac, CJ. (1994). MONOLAYERS AND MULTILAYERS OF UNSUBSTITUTED COPPER PHTHALOCYANINE. *Langmuir* 10: 2068-2070.
- Ogawa, M; Ishikawa, H; Kikuchi, T. (1998). Preparation of transparent mesoporous silica films by a rapid solvent evaporation method. *J Mater Chem* 8: 1783-1786.
- Ogletree, DF; Hwang, RQ; Zeglinski, DM; Vazquezdeparaga, AL; Somorjai, GA; Salmeron, M. (1991). SCANNING TUNNELING MICROSCOPY STUDIES OF SULFUR OVERLAYERS ON THE RE(0001) SURFACE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 886-890.
- Ognenovski, VM; Marder, W; Somers, EC; Johnston, CM; Farrehi, JG; Selvaggi, SM; McCune, WJ. (2004). Increased incidence of cervical intraepithelial neoplasia in women with systemic lupus erythematosus treated with intravenous cyclophosphamide. *J Rheumatol* 31: 1763-1767.
- Ogner, G. (1993). No general ozone-specific indicator among the hexane- and dichloromethane-soluble components of Picea abies needles exposed to ozone in open-top chambers. *Environ Pollut* 82: 223-229. [http://dx.doi.org/10.1016/0269-7491\(93\)90123-6](http://dx.doi.org/10.1016/0269-7491(93)90123-6).
- Oguzie, EE; Njoku, VO; Enenebeaku, CK; Akalezi, CO; Obi, C. (2008). Effect of hexamethylparosaniline chloride (crystal violet) on mild steel corrosion in acidic media. *Corrosion Sci* 50: 3480-3486. <http://dx.doi.org/10.1016/j.corsci.2008.09.017>.
- Oh, DJ; Lee, BC; Hwang, SJ, oo. (2007). Solubility of simvastatin and lovastatin in mixtures of dichloromethane and supercritical carbon dioxide. *Journal of Chemical and Engineering Data* 52: 1273-1279. <http://dx.doi.org/10.1021/jc700019h>.
- Oh, EJ; Jang, KS. (2001). Synthesis and characterization of high molecular weight, highly soluble polypyrrole in organic solvents. *Synthetic Metals* 119: 109-110.
- Oh, NM; Oh, KT; Youn, YS; Lee, ES. (2012). Poly(L-aspartic acid) derivative soluble in a volatile organic solvent for biomedical application. *Colloids Surf B Biointerfaces* 97: 190-195. <http://dx.doi.org/10.1016/j.colsurfb.2012.03.024>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Oh, SM; Choung, SY; Sheen, YY; Chung, KH. (2000). Quantitative assessment of estrogenic activity in the water environment of Korea by the E-SCREEN assay. *Sci Total Environ* 263: 161-169.
- Ohira, T; Edashige, Y; Matsui, N; Yatagai, M. (2011). Extraction and decomposition of hiba wood into valuable chemicals using stepwise temperature supercritical carbon dioxide treatment. *J Wood Sci* 57: 226-233. <http://dx.doi.org/10.1007/s10086-010-1156-8>.
- Ohira, T; Yatagai, M. (1994). EXTRACTIVES FROM THE BARK OF ABIES-SACHALINENSIS .1. THE EFFICIENT EXTRACTION OF CIS-ABIENOL USING SUPERCRITICAL CARBON-DIOXIDE. 40: 751-757.
- Ohno, T; Ito, Y; Mikami, E; Ikai, Y; Oka, H; Hayakawa, J; Nakagawa, T. (1996). Identification of coal tar dyes in cosmetics and foods using reversed phase TLC scanning densitometry. *JTTHE* 42: 53-59.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen* 93: 141-161.
- Ohta, H; Seto, Y; Tsunoda, N. (1993). DETERMINATION OF TRANS-10-HYDROXYDECENOIC ACID IN ROYAL JELLY BY CAPILLARY GAS-CHROMATOGRAPHY. *JTTHE* 39: 155-160.
- Ok, YS; Usman, AR; Lee, SS; Abd El-Azeem, SA; Choi, B; Hashimoto, Y; Yang, JE. (2011). Effects of rapeseed residue on lead and cadmium availability and uptake by rice plants in heavy metal contaminated paddy soil. *Chemosphere* 85: 677-682. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.073>.
- Okada, M; Maeda, H; Fujii, S; Nakamura, Y; Furuzono, T. (2012). Formation of Pickering emulsions stabilized via interaction between nanoparticles dispersed in aqueous phase and polymer end groups dissolved in oil phase. *Langmuir* 28: 9405-9412. <http://dx.doi.org/10.1021/la3015964>.
- Okano, K; Asano, J; Ishii, G. (1990). A RAPID METHOD FOR DETERMINING THE PUNGENT PRINCIPLE IN ROOT OF JAPANESE RADISH (RAPHANUS-SATIVUS L). *Japanese Society for Horticultural Science Journal* 59: 545-550.
- Okano, LT; Quina, FH; El Seoud, OA. (2000). Fluorescence and light-scattering studies of the aggregation of cationic surfactants in aqueous solution: Effects of headgroup structure. *Langmuir* 16: 3119-3123.
- Okkerse, WJH; Ottengraf, SPP; Diks, RMM; Osinga-Kuipers, B; Jacobs, P. (1999). Long term performance of biotrickling filters removing a mixture of volatile organic compounds from an artificial waste gas: dichloromethane and methylmethacrylate. 20: 49-57.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ* 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okochi, H; Sugimoto, D; Igawa, M. (2004). The enhanced dissolution of some chlorinated hydrocarbons and monocyclic aromatic hydrocarbons in rainwater collected in Yokohama, Japan. *Atmos Environ* 38: 4403-4414. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.053>.
- Okolie, C; Chenia, HY. (2013). Assessment of Aquatic Aeromonas spp. Isolates' Susceptibility to Cinnamaldehyde, Vanillin, and Crude Kigelia africana Fruit Extracts. *J World Aquacult Soc* 44: 486-498. <http://dx.doi.org/10.1111/jwas.12059>.
- Okonkwo, JO; Sibali, LL; Mccrindle, R, ob; Senwo, ZN. (2007). An improved activated carbon method to quantify dichlorodiphenyltrichloroethane (DDT) in surface water. *Environ Chem Lett* 5: 121-123. <http://dx.doi.org/10.1007/s10311-006-0089-3>.
- Okoye, TC; Akah, PA; Ezike, AC; Okoye, MO; Onyeto, CA; Ndukwu, F; Ohaegbulam, E; Ikele, L. (2012). Evaluation of the acute and sub acute toxicity of Annona senegalensis root bark extracts. *Asian Pacific Journal of Tropical Medicine* 5: 277-282. [http://dx.doi.org/10.1016/S1995-7645\(12\)60039-X](http://dx.doi.org/10.1016/S1995-7645(12)60039-X).
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olajire, AA; Ayodele, ET; Imeokparia, FE. (1999). Characterization of organic compounds in compost-amended soil. *Environ Monit Assess* 57: 183-194.
- Olaru, N; Olaru, L; Leanca, M. (1995). On thermal degradation of cellulose acetate phthalate. *Cellulose Chemistry and Technology* 29: 253-260.
- Olejniczak, A; Kucinska, A; Cyganiuk, AW; Lukaszewicz, JP. (2012). Effect of Salix viminalis Pyrolysis Derived Antioxidants on Oxidative Stability of Diesters and Diester-Poly-alpha-olefin Mixtures. *Ind Eng Chem Res* 51: 5117-5123. <http://dx.doi.org/10.1021/ie2007054>.
- Oleszczuk, P. (2008). Application of hydroxypropyl[beta]cyclodextrin to evaluation of polycyclic aromatic hydrocarbon losses during sewage sludges composting. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 10-17. <http://dx.doi.org/10.1080/10934520701750355>.
- Oleszek, W; Junkuszew, M; Stochmal, A. (1999). Determination and toxicity of saponins from Amaranthus cruentus seeds. *J Agric Food Chem* 47: 3685-3687.
- Olexa, TJ; Gentry, TJ; Hartel, PG; Wolf, DC; Fuhrmann, JJ; Reynolds, CM. (2000). Mycorrhizal Colonization and Microbial Community Structure in the Rhizosphere of Annual Ryegrass Grown in Pyrene-Amended Soils. *Int J Phytoremediation* 2: 213-231. <http://dx.doi.org/10.1080/15226510009359033>.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Olivares, JM; Drummond, WR; Peppas, NA. (1992). EQUILIBRIUM PENETRANT SWELLING IN THIN COAL SECTIONS. 45: 397-400.
- Oliveira, J; Brichi, GS; Marconcini, JM; Capparelli Mattoso, LH; Glenn, GM; Medeiros, ES. (2014). Effect of Solvent on The Physical and Morphological Properties of Poly(Lactic Acid) Nanofibers Obtained by Solution Blow Spinning. *Journal of Engineered Fabrics and Fibers* 9: 117-125.
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2005). Steryl glucosides from banana plant Musa acuminata Colla var cavendish. *Ind Crop Prod* 22: 187-192. <http://dx.doi.org/10.1016/j.indcrop.2004.10.001>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2006). Lipophilic extractives from different morphological parts of banana plant "Dwarf Cavendish". *Ind Crop Prod* 23: 201-211. <http://dx.doi.org/10.1016/j.indcrop.2005.06.003>.
- Oliveira, LC; Pereira, E; Guimaraes, IR; Vallone, A; Pereira, M; Mesquita, JP; Sapag, K. (2009). Preparation of activated carbons from coffee husks utilizing FeCl<sub>3</sub> and ZnCl<sub>2</sub> as activating agents. *J Hazard Mater* 165: 87-94. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.064>.
- Oliveira, M; Sales Junior, PA; Rodrigues, MJ; Dellagreca, M; Barreira, L; Murta, SM; Romanha, AJ; Custódio, L. (2016). Unlocking the in vitro anti-Trypanosoma cruzi activity of halophyte plants from the southern Portugal. *Asian Pacific Journal of Tropical Medicine* 9: 735-741. <http://dx.doi.org/10.1016/j.apjtm.2016.06.015>.
- Oliveira, MLN; Malagoni, RA; Fehr, M; Franco Junior, MR. (2008). Obtaining solubility data from a liquid-liquid equilibrium cell. *Chemical Engineering Communications* 195: 1076-1084. <http://dx.doi.org/10.1080/00986440801907490>.
- Olivella, MÀ; Jové, P; Bianchi, A; Bazzicalupi, C; Cano, L. (2013). An integrated approach to understanding the sorption mechanism of phenanthrene by cork. *Chemosphere* 90: 1939-1944. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.035>.
- Olivier, MG; Fedel, M; Sciamanna, V; Vandermiers, C; Mottec, C; Poelman, M; Deflorian, F. (2011). Study of the effect of nanoclay incorporation on the rheological properties and corrosion protection by a silane layer. *Progr Org Coating* 72: 15-20. <http://dx.doi.org/10.1016/j.porgcoat.2010.11.022>.
- Ollolqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- Olukunle, OI; Okonkwo, OJ; Kefeni, KK; Lupankwa, M. (2012). Determination of brominated flame retardants in Jukskei River catchment area in Gauteng, South Africa. *Water Sci Technol* 65: 743-749. <http://dx.doi.org/10.2166/wst.2012.894>.
- Oluseyi, T; Olayinka, K; Alo, B; Smith, RM. (2011). Improved Analytical Extraction and Clean-up Techniques for the Determination of PAHs in Contaminated Soil Samples. *International Journal of Environmental Research* 5: 681-690.
- Olvera, A; Albores, A; Vega, L. (2007). Genotoxic effect of dichloromethane on human lymphocytes is associated with the activity of GSTT1. *Environ Mol Mutagen* 48: 625-625.
- Olvera, N; Derijk, WG. (1994). EFFECT OF SURFACE TREATMENTS ON THE REPAIR STRENGTH OF A LIGHT-ACTIVATED DENTURE REPAIR RESIN USING CENSORED-DATA. *Dent Mater* 10: 122-127.
- Omar, N; Abas, M; Rahman, NA; Tahir, NM; Rushdi, AI; Simoneit, BRT. (2007). Levels and distributions of organic source tracers in air and roadside dust particles of Kuala Lumpur, Malaysia. *Environ Geol* 52: 1485-1500. <http://dx.doi.org/10.1007/s00254-006-0593-6>.
- Omar, N; Bin Abas, MR; Ketuly, KA; Tahir, NM. (2002). Concentrations of PAHs in atmospheric particles (PM-10) and roadside soil particles collected in Kuala Lumpur, Malaysia. *Atmos Environ* 36: 247-254.
- Omar, S; Palomar, J; Gomez-Sainero, LM; Alvarez-Montero, MA; Martin-Martinez, M; Rodriguez, JJ. (2011). Density Functional Theory Analysis of Dichloromethane and Hydrogen Interaction with Pd Clusters: First Step to Simulate Catalytic Hydrodechlorination. *J Phys Chem C* 115: 14180-14192. <http://dx.doi.org/10.1021/jp200329j>.
- Onaran, IA; Ozyaydin, F; Akbas, M; Gültepe, M; Tunçkale, A; Ulutin, T. (2000). Are individuals with glutathione S-transferase GSTT1 null genotype more susceptible to in vitro oxidative damage? *J Toxicol Environ Health A* 59: 15-26.
- Ondaral, S; Usta, M; Wagberg, L; Gumusderelioglu, M; Ondaral, M. (2008). FIXATION OF DISSOLVED AND COLLOIDAL SUBSTANCES ON FIBERS AND SILICON OXIDE SURFACES USING WATER SOLUBLE CROSSLINKED CATIONIC POLYMERS. *Cellulose Chemistry and Technology* 42: 61-69.
- Önder, FC; Ay, M; Sarker, SD. (2013). Comparative study of antioxidant properties and total phenolic content of the extracts of Humulus lupulus L. and quantification of bioactive components by LC-MS/MS and GC-MS. *J Agric Food Chem* 61: 10498-10506. <http://dx.doi.org/10.1021/jf4031508>.
- Ondo, JP; Lekana-Douki, JB; Bongui, JB; Zang Edou, ES; Zatra, R; Toure-Ndouo, FS; Elomri, A; Lebibi, J; Seguin, E. (In Press) In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of Vitex madiensis, medicinal plant of Gabon. *Trop Med Int Health*. <http://dx.doi.org/10.1111/j.1365-3156.2011.02922.x>.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR, Jr; Gallipeau, JAR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed., pp. 305-306). Whitehouse Station, NJ: Merck & Co., Inc. <http://dx.doi.org/10.1021/ci700022n>.
- Oneill, KM; Evans, HE; Bjostad, LB. (1991). TERRITORIAL BEHAVIOR IN MALES OF 3 NORTH-AMERICAN SPECIES OF BUMBLEBEES (HYMENOPTERA, APIDAE, BOMBUS). *Can J Zool* 69: 604-613.
- Ono, T; Sada, K. (2012). Toward the design of superabsorbent materials for non-polar organic solvents and oils: ionic content dependent swelling behaviour of cross-linked poly(octadecyl acrylate)-based lipophilic polyelectrolytes. *J Mater Chem* 22: 20962-20967. <http://dx.doi.org/10.1039/c2jm32747c>.
- Onuska, FI; Terry, KA; Maguire, RJ. (2000). Analysis of aromatic amines in industrial wastewater by capillary gas chromatography-mass spectrometry. *Water Qual Res J Can* 35: 245-261.
- Ooi, BS; Sum, JY; Lai, SO. (2012). Investigation on membrane morphological and chemical properties changes at different reaction times and its effect on dye removal. *Desalination and Water Treatment* 45: 250-255. <http://dx.doi.org/10.5004/dwt.2012.3307>.
- Oporto, GS; Gardner, DJ; Kiziltas, A; Neivandt, DJ. (2011). Understanding the Affinity between Components of Wood-Plastic Composites from a Surface Energy Perspective. *J Adhes Sci Tech* 25: 1785-1801. <http://dx.doi.org/10.1163/016942410X525759>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Oprea, O; Ghitulica, CD; Voicu, G; Vasile, BS; Oprea, A. (2013). SYNTHESIS AND PHOTOCATALYTIC PROPERTIES OF Fe(III) - DOPED TiO<sub>2</sub> PREPARED BY SOL-GEL METHOD. 43: 408-416.
- Orblin, E; Fardim, P. (2011). INTERACTIONS BETWEEN CATIONIC POLYELECTROLYTE AND PULP FINES. *BioResources* 6: 2340-2355.
- Ordenez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ* 25: 49-58.
- Orecchio, S; Gianguzza, A; Culotta, L. (2008). Absorption of polycyclic aromatic hydrocarbons by Pinus bark: Analytical method and use for environmental pollution monitoring in the Palermo area (Sicily, Italy). *Environ Res* 107: 371-379. <http://dx.doi.org/10.1016/j.envres.2008.02.010>.
- Orglmeister, E; Mallat, T; Baiker, A. (2005). Quaternary ammonium derivatives of cinchonidine as new chiral modifiers for platinum. *J Catal* 233: 333-341. <http://dx.doi.org/10.1016/j.jcat.2005.04.034>.
- Orhan, DD; Senol, FS; Hosbas, S; Orhan, IE. (2014). Assessment of cholinesterase and tyrosinase inhibitory and antioxidant properties of *Viscum album* L. samples collected from different host plants and its two principal substances. *Ind Crop Prod* 62: 341-349. <http://dx.doi.org/10.1016/j.indcrop.2014.08.044>.
- Orhan, IE; Senol, FS; Ercetin, T; Kahraman, A; Celep, F; Akaydin, G; Sener, B; Dogan, M. (2013). Assessment of anticholinesterase and antioxidant properties of selected sage (*Salvia*) species with their total phenol and flavonoid contents. *Ind Crop Prod* 41: 21-30. <http://dx.doi.org/10.1016/j.indcrop.2012.04.002>.
- Orman, E, feB; Altun, S; Odabas, Z; Altindal, A; Ozkaya, A, liR. (2015). Electrochemical, Electrocatalytic Dioxygen Reducing and Dielectric Relaxation Properties of Non-Peripheral Tetra-2,3-dihydro-1H-inden-5-yloxy Substituted Phthalocyanines. *J Electrochem Soc* 162: H825-H840. <http://dx.doi.org/10.1149/2.0061512jes>.
- Oros, DR; Abas, M; Omar, N; Rahman, NA; Simoneit, BRT. (2006). Identification and Emission Factors of Molecular Tracers in Organic Aerosols from Biomass Burning: Part 3. Grasses. *Appl Geochem* 21: 919. <http://dx.doi.org/10.1016/j.apgeochem.2006.01.008>.
- Oros, DR; Simoneit, BRT. (1999). Identification of molecular tracers in organic aerosols from temperate climate vegetation subjected to biomass burning. *Aerosol Sci Technol* 31: 433-445.
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 1. Temperate climate conifers. *Appl Geochem* 16: 1513-1544. [http://dx.doi.org/10.1016/s0883-2927\(01\)00021-x](http://dx.doi.org/10.1016/s0883-2927(01)00021-x).
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 2. Deciduous trees. *Appl Geochem* 16: 1545-1565. [http://dx.doi.org/10.1016/s0883-2927\(01\)00022-1](http://dx.doi.org/10.1016/s0883-2927(01)00022-1).
- Oshima, Y; Bijanto, B; Koda, S. (2001). Kinetics of methylene chloride hydrolysis and the salt effect under hydrothermal conditions. *Ind Eng Chem Res* 40: 1026-1031.
- Osman, B; Ozer, ET; Besirli, N; Gucer, S. (2013). Development and application of a solid phase extraction method for the determination of phthalates in artificial saliva using new synthesised microspheres. *Polym Test* 32: 810-818. <http://dx.doi.org/10.1016/j.polymertesting.2013.03.017>.
- Osman, NB; Mcdonald, AG; Laborie, MPG. (2012). Analysis of DCM extractable components from hot-pressed hybrid poplar. *Holzforschung* 66: 927-934. <http://dx.doi.org/10.1515/hf-2012-0011>.
- Osorio, C; Alarcon, M; Moreno, C; Bonilla, A; Barrios, J; Garzon, C; Duque, C. (2006). Characterization of odor-active volatiles in champa (*Campomanesia lineatifolia* R. and P.). *J Agric Food Chem* 54: 509-516. <http://dx.doi.org/10.1021/jf052098c>.
- Ostendorf, DW; Leach, LE; Hinlein, ES; Xie, YF. (1991). FIELD SAMPLING OF RESIDUAL AVIATION GASOLINE IN SANDY SOIL. *Ground Water Monitoring and Remediation* 11: 107-120.
- Osterman-Golkar, S; Hussain, S; Walles, S; Anderstam, B; Sigvardsson, K. (1983). Chemical reactivity and mutagenicity of some dihalomethanes. *Chem Biol Interact* 46: 121-130. [http://dx.doi.org/10.1016/0009-2797\(83\)90011-X](http://dx.doi.org/10.1016/0009-2797(83)90011-X).
- Osuna, MB; Sipma, J; Emanuelsson, MA; Carvalho, MF; Castro, PM. (2008). Biodegradation of 2-fluorobenzoate and dichloromethane under simultaneous and sequential alternating pollutant feeding. *Water Res* 42: 3857-3869. <http://dx.doi.org/10.1016/j.watres.2008.05.011>.
- Ota, M; Takahashi, K; Kofujita, H. (1998). Role of caffeic glucoside esters in defense-repair processing of trees - II: Synthesis of 2-(3,4-dihydroxylphenyl)-ethyl 3-O-alpha-L-rhamnopyranosyl-beta-D-glucopyranoside. *J Wood Sci* 44: 320-326.
- Otaka, H; Ogawa, S; Minato, I; Utsugi, H; Amagai, T. (2006). Extractability of dioxins from suspended substances in distributed water. *Int J Environ Anal Chem* 86: 583-599. <http://dx.doi.org/10.1080/03067310500291429>.
- Oter, O; Ertekin, K; Kilincarslan, R; Ulusoy, M; Cetinkaya, B. (2007). Photocharacterization of a novel fluorescent Schiff Base and investigation of its utility as an optical Fe<sup>3+</sup> sensor in PVC matrix. *Dyes and Pigments* 74: 730-735. <http://dx.doi.org/10.1016/j.dyepig.2006.05.006>.
- Ouchi, M; Kojima, M; Otoshi, Y; Yoshida, H; Yokohara, T; Shibata, H. (2006). Solvent extraction of metal picrates with benzo-21-crown-7 and benzo-24-crown-8 ethers. 13: 155-160.
- Ouchi, T; Saito, T; Kontani, T; Ohya, Y. (2004). Encapsulation and/or release behavior of bovine serum albumin within and from poly(lactide-grafted dextran microspheres. *Macromol Biosci* 4: 458-463. <http://dx.doi.org/10.1002/mabi.200300106>.
- Ovalles, C; Rogel, E; Moir, M; Thomas, L; Pradhan, A. (2012). Characterization of Heavy Crude Oils, Their Fractions, and Hydrovisbroken Products by the Asphaltene Solubility Fraction Method. *Energy Fuels* 26: 549-556. <http://dx.doi.org/10.1021/ef201499f>.
- Overcamp, TJ; Chang, HC; Grady, CPL. (1993). AN INTEGRATED THEORY FOR SUSPENDED-GROWTH BIOSCRUBBERS. *J Air Waste Manag Assoc* 43: 753-759.
- Ozaki, J; Nishizawa, S; Nishiyama, Y. (1997). Electronic properties of model compounds simulating carbons prepared at low temperatures. *Carbon* 35: 45-52.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozalp, Y; Ozdemir, N; Hasirci, V. (2002). Vancomycin release from poly(D,L-lactide) and poly(lactide-co-glycolide) disks. *J Microencapsul* 19: 83-94.
- Ozcan, B; Esen, M; Coleri, A; Yolcu, H; Caliskan, M. (2009). IN VITRO ANTIMICROBIAL AND ANTIOXIDANT ACTIVITIES OF VARIOUS EXTRACTS OF SALVIA MICROSTEGIA (BOISS.) ET. BAL. FROM ANTAKYA, TURKEY. *Fresen Environ Bull* 18: 658-662.
- Ozcesmeci, I. (2013). Synthesis and fluorescence properties of phthalocyanines with dibromo- and tribromo-phenoxy functionalities. *Synthetic Metals* 176: 128-133. <http://dx.doi.org/10.1016/j.synthmet.2013.05.031>.
- Ozcesmeci, I; Ozcesmeci, M; Gul, A; Hamuryudan, E. (2016). Synthesis and spectroscopic investigation of boronic esters of metal-free fluorinated and non-fluorinated phthalocyanines. *Synthetic Metals* 222: 344-350. <http://dx.doi.org/10.1016/j.synthmet.2016.11.022>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research* 28: 689-698.
- Ozdemir, D; Ozturk, B. (2004). Genetic multivariate calibration methods for near infrared (NIR) spectroscopic determination of complex mixtures. *Turkish Journal of Chemistry* 28: 497-514.
- Ozgen, U; Coskun, M; Kazaz, C; Secen, H. (2004). Naphthoquinones from the roots of *Onosma argentatum* Hub.-Mor. (Boraginaceae). *Turkish Journal of Chemistry* 28: 451-454.
- Oztetik, E; Iscan, M. (2013). CHARACTERIZATION OF GLUTATHIONE S-TRANSFERASES FROM NEEDLES OF *Pinus brutia* Ten. TREES. *Fresen Environ Bull* 22: 516-523.
- Ozturk, G; Alp, S; Ertekin, K. (2007). Fluorescence emission studies of 4-(2-furylmethylene)-2-phenyl-5-oxazolone embedded in polymer thin film and detection of Fe<sup>3+</sup> ion. *Dyes and Pigments* 72: 150-156. <http://dx.doi.org/10.1016/j.dyepig.2005.08.012>.
- Ozyurt, F; Gunbas, EG; Durmus, A; Toppare, L. (2008). Processable and multichromic polymer of bis-3-hexylthiophene substituted 4-tert-butylphenyl quinoxaline. *Organic Electronics* 9: 296-302. <http://dx.doi.org/10.1016/j.orgel.2007.11.006>.
- Paasikallio, V; Agblevor, F; Oasmaa, A; Lehto, J; Lehtonen, J. (2013). Catalytic Pyrolysis of Forest Thinnings with ZSM-5 Catalysts: Effect of Reaction Temperature on Bio-oil Physical Properties and Chemical Composition. *Energy Fuels* 27: 7587-7601. <http://dx.doi.org/10.1021/ef401947f>.
- Padhi, SK; Gokhale, S. (2016). Benzene control from waste gas streams with a sponge-medium based rotating biological contactor. *Int Biodeterior Biodegradation* 109: 96-103. <http://dx.doi.org/10.1016/j.ibiod.2016.01.007>.
- Padilla, AM; Corella, J; Toledo, JM. (1999). Total oxidation of some chlorinated hydrocarbons with commercial chromia based catalysts. *Appl Catal B-Environ* 22: 107-121.
- Padlo, DM; Subramanian, RB; Kugler, EL. (1996). Hydrocarbon class analysis of coal-derived liquids using high performance liquid chromatography. *Fuel Process Tech* 49: 247-258.
- Pahr, DH; Boehm, HJ. (2008). Assessment of Mixed Uniform Boundary Conditions for Predicting the Mechanical Behavior of Elastic and Inelastic Discontinuously Reinforced Composites. *Computer Modeling in Engineering & Sciences* 34: 117-136.
- Paiphansiri, U; Tangboriboonrat, P; Landfester, K. (2006). Polymeric nanocapsules containing an antiseptic agent obtained by controlled nanoprecipitation onto water-in-oil miniemulsion droplets. *Macromol Biosci* 6: 33-40. <http://dx.doi.org/10.1002/mabi.200500178>.
- Pakdel, H; Murwanashyaka, JN; Roy, C. (2002). Extraction of betulin by vacuum pyrolysis of birch bark. *Journal of Wood Chemistry and Technology* 22: 147-155. <http://dx.doi.org/10.1081/WCT-120013359>.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria* 143: 241-251.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria* 129: 211-221.
- Palamoor, M; Jablonski, MM. (2014). Comparative study on diffusion and evaporation emulsion methods used to load hydrophilic drugs in poly(ortho ester) nanoparticle emulsions. *Powder Technology* 253: 53-62. <http://dx.doi.org/10.1016/j.powtec.2013.11.014>.
- Paletta, J; Erffmeier, K; Theisen, C; Hussain, D; Wendorff, JH; Greiner, A; Fuchs-Winkelmann, S; Schofer, MD. (2009). Influence of poly-(L-lactic acid) nanofiber functionalization on maximum load, Young's modulus, and strain of nanofiber scaffolds before and after cultivation of osteoblasts: an in vitro study. *ScientificWorldJournal* 9: 1382-1393. <http://dx.doi.org/10.1100/tsw.2009.149>.
- Palmentier, JPF, P; Taguchi, VY; Jenkins, SWD; Wang, DT; Ngo, KP; Robinson, D. (1998). The determination of geosmin and 2-methylisoborneol in water using isotope dilution high resolution mass spectrometry. *Water Res* 32: 287-294.
- Palmer, JC; Brennan, JK; Hurley, MM; Balboa, A; Gubbins, KE. (2009). Detailed structural models for activated carbons from molecular simulation. *Carbon* 47: 2904-2913. <http://dx.doi.org/10.1016/j.carbon.2009.06.037>.
- Pan, H; Tian, M, in; Zhang, H, ui; Zhang, Y, u; Lin, Q. (2013). Adsorption and Desorption Performance of Dichloromethane over Activated Carbons Modified by Metal Ions. *Journal of Chemical and Engineering Data* 58: 2449-2454. <http://dx.doi.org/10.1021/jc4003493>.
- Pan, S; Pu, Y; Foston, M; Ragauskas, AJ. (2013). Compositional Characterization and Pyrolysis of Loblolly Pine and Douglas-fir Bark. *BioEnergy Res* 6: 24-34. <http://dx.doi.org/10.1007/s12155-012-9223-1>.
- Pan, T, ao; Ren, S; Guo, J, un; Xu, M; Sun, G. (2013). Biosorption and biotransformation of crystal violet by *Aeromonas hydrophila* DN322p. 7: 185-190. <http://dx.doi.org/10.1007/s11783-012-0435-6>.
- Pan, T; Xu, M; Chen, X; Sun, G; Guo, J. (2013). Cloud Point Extraction of Four Triphenylmethane Dyes by Triton X-114 as Nonionic Surfactant. *Separation Science and Technology* 48: 1040-1048. <http://dx.doi.org/10.1080/01496395.2012.726308>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pana, A; Ilis, M; Staicu, T; Pasuk, I; Circu, V. (2016). Columnar bis(pyridinium) ionic liquid crystals derived from 4-hydroxypyridine: synthesis, mesomorphism and emission properties. *Liquid Crystals* 43: 381-392. <http://dx.doi.org/10.1080/02678292.2015.1116630>.
- Pandey, PC; Prakash, R. (1998). Characterization of electropolymerized polyindole - Application in the construction of a solid-state, ion-selective electrode. *J Electrochem Soc* 145: 4103-4107.
- Pandey, PC; Prakash, R. (1998). Electrochemical synthesis of polyindole and its evaluation for rechargeable battery applications. *J Electrochem Soc* 145: 999-1003.
- Pandey, PC; Singh, G. (2002). Electrochemical polymerization of aniline in proton-free nonaqueous media - Dependence of microstructure and electrochemical properties of polyaniline on solvent and dopant. *J Electrochem Soc* 149: D51-D56. <http://dx.doi.org/10.1149/1.1455649>.
- Pandit, P; Basu, S. (2004). Removal of ionic dyes from water by solvent extraction using reverse micelles. *Environ Sci Technol* 38: 2435-2442. <http://dx.doi.org/10.1021/es030573m>.
- Panizza, M; Barbucci, A; Ricotti, R; Cerisola, G. (2007). Electrochemical degradation of methylene blue. *Separation and Purification Technology* 54: 382-387. <http://dx.doi.org/10.1016/j.seppur.2006.10.010>.
- Panzella, L; Eidenberger, T; Napolitano, A; D'Ischia, M. (2012). Black sesame pigment: DPPH assay-guided purification, antioxidant/antinitrosating properties, and identification of a degradative structural marker. *J Agric Food Chem* 60: 8895-8901. <http://dx.doi.org/10.1021/jf2053096>.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem* 44: 55-64.
- Papadopoulos, A; Paton, GI; Reid, BJ; Semple, KT. (2007). Prediction of PAH biodegradation in field contaminated soils using a cyclodextrin extraction technique. *J Environ Monit* 9: 516-522. <http://dx.doi.org/10.1039/b700720e>.
- Papadopoulos, N; Karayianni, CS; Tsakiridis, P; Sarantopoulou, E; Hristoforou, E. (2011). Effects of MOCVD Thin Cobalt Films' Structure and Surface Characteristics on their Magnetic Behavior. *Chemical Vapor Deposition* 17: 211-220. <http://dx.doi.org/10.1002/cvde.201106907>.
- Papadopoulou, ES; Karpouzas, DG; Menkissoglu-Spirooudi, U. (2011). Extraction parameters significantly influence the quantity and the profile of PLFAs extracted from soils. *Microb Ecol* 62: 704-714. <http://dx.doi.org/10.1007/s00248-011-9863-2>.
- Papenmeier, DM; Rossin, JA. (1994). CATALYTIC-OXIDATION OF DICHLOROMETHANE, CHLOROFORM, AND THEIR BINARY-MIXTURES OVER A PLATINUM ALUMINA CATALYST. *Ind Eng Chem Res* 33: 3094-3103.
- Papoulias, DM; Buckler, DR; Tillitt, DE. (1996). Optimization of the Ames/Salmonella mutagenicity assay for use with extracts of aquatic sediments. *J Great Lakes Res* 22: 584-590.
- Pardillo-Fontdevila, E; Acosta-Esquivarosa, J; Nuevas-Paz, L; Gago-Alvarez, A; Jauregui-Haza, U. (1998). Solubility of cefotaxime sodium salt in seven solvents used in the pharmaceutical industry. *Journal of Chemical and Engineering Data* 43: 49-50.
- Parejo, I; Viladomat, F; Bastida, J; Rosas-Romero, A; Flerlage, N; Burillo, J; Codina, C. (2002). Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled Mediterranean herbs and aromatic plants. *J Agric Food Chem* 50: 6882-6890. <http://dx.doi.org/10.1021/jf020540a>.
- Parikh, BV; Upadrashta, SM; Neau, SH; Nuessle, NO. (1993). ESTRONE LOADED POLY(L-LACTIC ACID) MICROSPHERES - PREPARATION, EVALUATION AND INVITRO RELEASE KINETICS. *J Microencapsul* 10: 141-153.
- Parinejad, M; Yafian, MR. (2007). A study on the removal of chromium(VI) oxanions from acid solutions by using oxonium ion-crown ether complexes as mobile carrier agents. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 26: 19-27.
- Parinejad, M; Yafian, MR. (2009). Mobile Carrier Properties of N(2)O(2)- and N(3)O(2)-Type Schiff Base Molecules Towards Coer(II) Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 85-90.
- Park, C; Choi, H, aeW; Lee, CH; Lannutti, JJ; Farson, DF. (2014). Optical scattering in electrospun poly(epsilon-caprolactone) tissue scaffolds. *Journal of Laser Applications* 26. <http://dx.doi.org/10.2351/1.4870675>.
- Park, CH; Chung, MY; Unnithan, AR; Kim, CS. (2015). Creation of a functional graded nanobiomembrane using a new electrospinning system for drug release control and an in vitro validation of drug release behavior of the coating membrane. *Mater Sci Eng C* 50: 133-140. <http://dx.doi.org/10.1016/j.msec.2015.02.001>.
- Park, H; Ko, W. (2015). Preparation of C-60 Nanowhiskers-SnO2 Nanocomposites and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 15: 8125-8132. <http://dx.doi.org/10.1166/jnn.2015.11249>.
- Park, J; Yoon, C; Byun, H; Kim, Y; Park, D; Ha, K; Lee, SM, an; Park, S; Chung, E. (2012). Evaluation of Workers Exposed to Ethylene Glycol Monomethyl Ether and Ethylene Glycol Monomethyl Ether Acetate. *J Occup Health* 54: 141-146.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res* 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng* 122: 800-806.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data* 47: 980-983. <http://dx.doi.org/10.1021/je020020b>.
- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem* 9: 381-390.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Park, O; Kim, H; Kim, J, iH; Park, JB; Kwak, J; Shin, W; Yoon, SC; Hwang, D, oH. (2013). Tetrafluorene-9,9'-bifluorenylidene as a non-fullerene type electron acceptor for P3HT-based bulk-heterojunction polymer solar cells. *Solar Energy Materials and Solar Cells* 116: 275-282. <http://dx.doi.org/10.1016/j.solmat.2013.05.008>.
- Park, S; Yeo, SD, o. (2008). Recrystallization of caffeine using gas antisolvent process. *Journal of Supercritical Fluids* 47: 85-92. <http://dx.doi.org/10.1016/j.supflu.2008.05.010>.
- Park, SE, un; Park, J, iW; Hwang, J. (2014). Morphology characterization of phenyl-C61-butyric acid methyl ester films via an electrohydrodynamic spraying route. *Thin Solid Films* 550: 395-403. <http://dx.doi.org/10.1016/j.tsf.2013.11.009>.
- Park, SK; Lee, MY. (2014). Profiling of the dichloromethane-induced proteome expression changes. *J Environ Biol* 35: 377-382.
- Park, SS; Kim, YJ; Kang, CH. (2002). Atmospheric polycyclic aromatic hydrocarbons in Seoul, Korea. *Atmos Environ* 36: 2917-2924.
- Park, YD, on; Lee, SG, oo; Lee, H, waS; Kwak, D; Lee, D, aeHo; Cho, K. (2011). Solubility-driven polythiophene nanowires and their electrical characteristics. *J Mater Chem* 21: 2338-2343. <http://dx.doi.org/10.1039/c0jm03114c>.
- Park, YH; Kim, YS, ik. (2007). New red electrophosphor based on Ir(III) complex of 2,3,4-triphenylquinoline. *Curr Appl Phys* 7: 500-503. <http://dx.doi.org/10.1016/j.cap.2006.10.005>.
- Park, YH; Park, SB. (2002). Preparation and electroactivity of poly (methylmethacrylate-co-pyrrolylmethylstyrene)-g-polypyrrole. *Synthetic Metals* 128: 229-234.
- Park, YH, o; Song, H, yeK; Lee, CS; Jee, JG, i. (2008). Fabrication and its characteristics of metal-loaded TiO<sub>2</sub>/SnO<sub>2</sub> thick-film gas sensor for detecting dichloromethane. *J Ind Eng Chem* 14: 818-823. <http://dx.doi.org/10.1016/j.jiec.2008.06.009>.
- Park, YI; Yeom, CK; Kim, BS; Suh, JK; Hong, JS; Lee, JM; Joo, HJ. (2008). Quantitative evaluation of concentration polarization in the permeation of VOCs/water mixtures through PDMS membrane using model equation. *Desalination* 233: 303-309. <http://dx.doi.org/10.1016/j.desal.2007.09.055>.
- Park, YJ; Lee, YM; Park, SN; Lee, JY; Ku, Y; Chung, CP; Lee, SJ. (2000). Enhanced guided bone regeneration by controlled tetracycline release from poly(L-lactide) barrier membranes. *J Biomed Mater Res* 51: 391-397.
- Park, YK; Row, KH; Chung, ST. (2000). Adsorption characteristics and separation of taxol from yew tree by NP-HPLC. *Separation and Purification Technology* 19: 27-37.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water* 32: 805-820.
- Parker, MA; Mushrush, GW. (2006). Nitrogen compound distribution of refined middle distillate fuels. *Petroleum Science and Technology* 24: 1291-1299. <http://dx.doi.org/10.1081/LFT-200063033>.
- Parrondo, A; Allen, NS; Edge, M; Liauw, CM; Fontan, E. (2002). Additive interactions in the stabilization of film grade high-density polyethylene. Part II: Stabilization during long-term service. *Journal of Vinyl and Additive Technology* 8: 90-102.
- Parrott, JL; van den Heuvel, MR; Hewitt, LM; Baker, MA; Munkittrick, KR. (2000). Isolation of MFO inducers from tissues of white suckers caged in bleached kraft mill effluent. *Chemosphere* 41: 1083-1089.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Pasquale, AJ; Bauserman, JM; Mushrush, GW. (2009). Nitrogen Compound Distribution in Refined Middle Distillate Fuels. *Petroleum Science and Technology* 27: 2192-2199. <http://dx.doi.org/10.1080/10916460802686749>.
- Passialis, C; Voulgaridis, E; Adamopoulos, S; Matsouka, M. (2008). Extractives, acidity, buffering capacity, ash and inorganic elements of black locust wood and bark of different clones and origin. *Holz als Roh- und Werkstoff* 66: 395-400. <http://dx.doi.org/10.1007/s00107-008-0254-4>.
- Passialis, CN; Grigoriou, AH. (1999). Technical properties of branch-wood of apple, peach, pear, apricot and cherry fruit trees. *Holz als Roh- und Werkstoff* 57: 41-44.
- Passieux, R; Guthrie, L; Rad, SH; Lévesque, M; Therriault, D; Gosselin, FP. (2015). Instability-Assisted Direct Writing of Microstructured Fibers Featuring Sacrificial Bonds. *Adv Mater Deerfield* 27: 3676-3680. <http://dx.doi.org/10.1002/adma.201500603>.
- Pastino, GM; Conolly, RB. (2000). Application of a physiologically based pharmacokinetic model to estimate the bioavailability of ethanol in male rats: distinction between gastric and hepatic pathways of metabolic clearance. *Toxicol Sci* 55: 256-265. <http://dx.doi.org/10.1093/toxsci/55.2.256>.
- Patel, SH; Gonsalves, KE; Stivala, SS; Reich, L; Trivedi, DH. (1993). ALTERNATIVE PROCEDURES FOR THE RECYCLING OF SHEET MOLDING COMPOUNDS. *Advances in Polymer Technology* 12: 35-45.
- Pater, EM; Bruckenstein, S; Hillman, AR. (1998). Kinetic manipulation of the composition of electroprecipitated poly(vinylferrocene) films. *J Mater Res* 13: 3293-3298.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data* 49: 510-513.
- Patlolla, A; Collins, G; Arinze, TL. (2010). Solvent-dependent properties of electrospun fibrous composites for bone tissue regeneration. *Acta Biomater* 6: 90-101. <http://dx.doi.org/10.1016/j.actbio.2009.07.028>.
- Patra, MK; Kumar, H; Meur, SK; Mahmood, S; Yadav, MC. (2010). Comparative thin layer chromatographic profiles of bovine urine and cervico-vaginal mucus. *Indian J Anim Sci* 80: 516-518.
- Patrick, BN; Chakravarti, R; Devine, TM. (2016). Palladium Hydride as a Reference Electrode in Aprotic Solutions. *J Electrochem Soc* 163: H171-H179. <http://dx.doi.org/10.1149/2.0421603jes>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Paull, RE; Tang, CS; Gross, K; Uruu, G. (1999). The nature of the taro acidity factor. *Postharvest Biol Technol* 16: 71-78.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Pauporte, T; Rathousky, J. (2009). Growth mechanism and photocatalytic properties for dye degradation of hydrophobic mesoporous ZnO/SDS films prepared by electrodeposition. *Microporous and Mesoporous Materials* 117: 380-385. <http://dx.doi.org/10.1016/j.micromeso.2008.07.016>.
- Paustenbach, DJ; Jernigan, JD; Finley, BL; Ripple, SR; Keenan, RE. (1990). The current practice of health risk assessment: potential impact on standards for toxic air contaminants [Review]. *J Air Waste Manag Assoc* 40: 1620-1630.
- Pauwels, AN; Schepens, PJC. (1998). Simultaneous separation and determination of polychlorinated biphenyl congeners and other chlorinated hydrocarbon residues in human matrices using gel permeation or adsorption chromatographic clean-up and GC-MS quantification. *Int J Environ Anal Chem* 71: 105-118.
- Pavasupree, S; Dubas, ST; Rangkupan, R. (2015). Surface modification of polypropylene non-woven fibers with TiO<sub>2</sub> nanoparticles via layer-by-layer self assembly method: Preparation and photocatalytic activity. *J Environ Sci* 37: 59-66. <http://dx.doi.org/10.1016/j.jes.2015.04.020>.
- Pavlic, B; Vidovic, S; Vladoic, J; Radosavljevic, R; Zekovic, Z. (2015). Isolation of coriander (*Coriandrum sativum* L.) essential oil by green extractions versus traditional techniques. *Journal of Supercritical Fluids* 99: 23-28. <http://dx.doi.org/10.1016/j.supflu.2015.01.029>.
- Pavoni, B; Drusian, D; Giacometti, A; Zanette, M. (2006). Assessment of organic chlorinated compound removal from aqueous matrices by adsorption on activated carbon. *Water Res* 40: 3571-3579. <http://dx.doi.org/10.1016/j.watres.2006.05.027>.
- Pawar, RC; Choi, D, aH; Lee, J, aiS; Lee, CS. (2015). Formation of polar surfaces in microstructured ZnO by doping with Cu and applications in photocatalysis using visible light. *Mater Chem Phys* 151: 167-180. <http://dx.doi.org/10.1016/j.matchemphys.2014.11.051>.
- Pawlik, J. R.; Fenical, W. (1992). CHEMICAL DEFENSE OF PTEROGORGIA-ANCEPS, A CARIBBEAN GORGONIAN CORAL. *Mar Ecol Prog Ser* 87: 183-188.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of fenoxycarb and pyriproxyfen in fresh and canned peach. *J Environ Sci Health B* 42: 767-773. <http://dx.doi.org/10.1080/03601230701550899>.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of insect growth regulators in fresh and canned fruits. *Int J Environ Anal Chem* 87: 971-983. <http://dx.doi.org/10.1080/03067310701419712>.
- Payet, B; Shum Cheong Sing, A; Smadja, J. (2005). Assessment of antioxidant activity of cane brown sugars by ABTS and DPPH radical scavenging assays: determination of their polyphenolic and volatile constituents. *J Agric Food Chem* 53: 10074-10079. <http://dx.doi.org/10.1021/jf0517703>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A* 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Peesan, M; Rujiravanit, R; Supaphol, P. (2006). Electrospinning of hexanoyl chitosan/polylactide blends. *J Biomater Sci Polym Ed* 17: 547-565.
- Pegram, RA; Andersen, ME; Warren, SH; Ross, TM; Claxton, LD. (1997). Glutathione S-transferase-mediated mutagenicity of trihalomethanes in *Salmonella typhimurium*: contrasting results with bromodichloromethane off chloroform. *Toxicol Appl Pharmacol* 144: 183-188. <http://dx.doi.org/10.1006/taap.1997.8123>.
- Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries (pp. 12-16). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/98/19165). Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E. (2015). Abundance and characteristics of lignin liquid intermediates in wood (*Pinus ponderosa* Dougl. ex Laws.) during hot water extraction. *Biomass and Bioenergy* 81: 117-128. <http://dx.doi.org/10.1016/j.biombioe.2015.06.012>.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E; Zhu, R, ui; Englund, K. (2016). Interrelationship between lignin-rich dichloromethane extracts of hot water-treated wood fibers and high-density polyethylene (HDPE) in wood plastic composite (WPC) production. *Holzforschung* 70: 31-38. <http://dx.doi.org/10.1515/hf-2014-0309>.
- Pelekis, M; Nicolich, MJ; Gauthier, JS. (2003). Probabilistic framework for the estimation of the adult and child toxicokinetic intraspecies uncertainty factors. *Risk Anal* 23: 1239-1255.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health* 11: 511-522.
- Pelletier, E; Siron, R. (1999). Silicone-based polymers as oil spill treatment agents. *Environ Toxicol Chem* 18: 813-818.
- Pelliccia, L; Cacciamani, F; Tomassoni, C; Sorrentino, R. (2014). Ultra-compact high-performance filters based on TM dual-mode dielectric-loaded cavities. *International Journal of Microwave and Wireless Technologies* 6: 151-159. <http://dx.doi.org/10.1017/S1759078713001001>.
- Pelto, JM; Virtanen, S; Munter, T; Larismaa, J; Jämsä, S; Nikkola, J. (2014). Encapsulation of 3-iodo-2-propynyl N-butylcarbamate (IPBC) in polystyrene-polycaprolactone (PS/PCL) blends. *J Microencapsul* 31: 415-421. <http://dx.doi.org/10.3109/02652048.2013.843599>.
- Peltre, C; Dignac, MF; Derenne, S; Houot, S. (2010). Change of the chemical composition and biodegradability of the Van Soest soluble fraction during composting: a study using a novel extraction method. *Waste Manag* 30: 2448-2460. <http://dx.doi.org/10.1016/j.wasman.2010.06.021>.
- Peng, J; Qian, Z; Wang, B; Fu, S; Guo, G; Luo, F; Li, R; Wu, D. (2011). Preparation and release characteristic of quercetin loaded poly(lactic acid) ultrafine fibers. *J Nanosci Nanotechnol* 11: 3659-3668. <http://dx.doi.org/10.1166/jnn.2011.3807>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Peng, Q; Fu, G; Su, D. (2010). Synthesis and light-emitting properties of fluorene-based copolymers. *Synthetic Metals* 160: 1672-1678. <http://dx.doi.org/10.1016/j.synthmet.2010.05.039>.
- Peng, X; Ma, X; Lin, Y. (2016). Investigation on Characteristics of Liquefied Products from Solvolysis Liquefaction of *Chlorella pyrenoidosa* in Ethanol-Water Systems. *Energy Fuels* 30: 6475-6485. <http://dx.doi.org/10.1021/acs.energyfuels.6b01103>.
- Pennarun, PY; Saillard, P; Feigenbaum, A; Dole, P. (2005). Experimental direct evaluation of functional barriers in PET recycled bottles: Comparison of migration behaviour of mono- and multilayers. *Packaging Technology and Science* 18: 107-123. <http://dx.doi.org/10.1002/pts.680>.
- Peppard, TL. (1992). VOLATILE FLAVOR CONSTITUENTS OF MONSTERA-DELICIOSA. *J Agric Food Chem* 40: 257-262.
- Pereira, CA; Costa, AC; Carreira, CM; Junqueira, JC; Jorge, AO. (2013). Photodynamic inactivation of *Streptococcus mutans* and *Streptococcus sanguinis* biofilms in vitro. *Lasers Med Sci* 28: 859-864. <http://dx.doi.org/10.1007/s10103-012-1175-3>.
- Pereira, CA; Romeiro, RL; Costa, AC; Machado, AK; Junqueira, JC; Jorge, AO. (2011). Susceptibility of *Candida albicans*, *Staphylococcus aureus*, and *Streptococcus mutans* biofilms to photodynamic inactivation: an in vitro study. *Lasers Med Sci* 26: 341-348. <http://dx.doi.org/10.1007/s10103-010-0852-3>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci* 138: 227-235.
- Pereira de Melo, FM; Fiore, MF; Beraldo de Moraes, LA; Silva-Stenico, ME; Scramin, S; Teixeira, M, deA; de Melo, IS. (2009). ANTIFUNGAL COMPOUND PRODUCED BY THE CASSAVA ENDOPHYTE *Bacillus pumilus* MAIIM4A. *Scientia Agricola* 66: 583-592.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR. (2011). Growth, assimilate partition and yield of melon charenthais under different shading screens. *Horticultura Brasileira* 29: 91-97.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR; de Aquino, LA. (2010). Yield and quality of yellow and "charentais" melon fruits cultivated in shaded environments. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi* 14: 944-950.
- Pereira, H. (2013). Variability of the Chemical Composition of Cork. *BioResources* 8: 2246-2256.
- Pereira, IHL; Ayres, E; Averous, L, uc; Schlatter, G, uy; Hebraud, A; Mendes, STO, L; Orefice, RL. (2014). Elaboration and Characterization of Coaxial Electrospun Poly(epsilon-Caprolactone)/Gelatin Nanofibers for Biomedical Applications. *Advances in Polymer Technology* 33. <http://dx.doi.org/10.1002/adv.21475>.
- Pereira Netto, AD; Barreto, RP; Moreira, JC; Arbilla, G. (2007). Spatial distribution of polycyclic aromatic hydrocarbons in *Terminalia catappa* L. (Combretaceae) bark from a selected heavy road traffic area of Rio de Janeiro City, Brazil. *J Hazard Mater* 142: 389-396. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.034>.
- Pereira Netto, AD; Krauss, TM; Cunha, IF; Rego, ECP. (2006). PAHs in SD : Polycyclic aromatic hydrocarbons levels in street dust in the Central area of Niteroi City, RJ, Brazil. *Water Air Soil Pollut* 176: 57-67. <http://dx.doi.org/10.1007/s11270-006-9145-7>.
- Pereira, V; Dias, C; Vasconcelos, MC; Rosa, E; Saavedra, MJ. (2014). Antibacterial activity and synergistic effects between *Eucalyptus globulus* leaf residues (essential oils and extracts) and antibiotics against several isolates of respiratory tract infections (*Pseudomonas aeruginosa*). *Ind Crop Prod* 52: 1-7. <http://dx.doi.org/10.1016/j.indcrop.2013.09.032>.
- Perera, DM; Pandey, B; Ito, T. (2011). Electrochemical impedance spectroscopy studies of organic-solvent-induced permeability changes in nanoporous films derived from a cylinder-forming diblock copolymer. *Langmuir* 27: 11111-11117. <http://dx.doi.org/10.1021/la202005n>.
- Perez, S; Reifferscheid, G; Eichhorn, P; Barcelo, D. (2003). Assessment of the mutagenic potency of sewage sludges contaminated with polycyclic aromatic hydrocarbons by an ames fluctuation assay. *Environ Toxicol Chem* 22: 2576-2584.
- Perez-Hernandez, R; Mendoza-Anaya, D; Mondragon-Galicia, G; Espinosa, ME; Rodriguez-Lugo, V; Lozada, M; Arenas-Alatorre, J. (2003). Microstructural study of asphaltene precipitated with methylene chloride and n-hexane. *Fuel* 82: 977-982.
- Pérez-Ortuño, R; Martínez-Sánchez, JM; Fu, M; Ballbè, M; Quirós, N; Fernández, E; Pascual, JA. (2016). Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. *Environ Res* 151: 635-641. <http://dx.doi.org/10.1016/j.envres.2016.08.036>.
- Perez-Prieto, LJ; Lopez-Roca, JM; Martinez-Cutillas, A; Minguez, FP; Gomez-Plaza, E. (2002). Maturing wines in oak barrels. Effects of origin, volume, and age of the barrel on the wine volatile composition. *J Agric Food Chem* 50: 3272-3276. <http://dx.doi.org/10.1021/jf011505r>.
- Pergal, MM; Tesic, ZL, j; Popovic, AR. (2013). Polycyclic Aromatic Hydrocarbons: Temperature Driven Formation and Behavior during Coal Combustion in a Coal-Fired Power Plant. *Energy Fuels* 27: 6273-6278. <http://dx.doi.org/10.1021/ef401467z>.
- Perkgoz, NK; Toru, RS; Unal, E; Sefunc, MA; Tek, S; Mutlugun, E; Soganci, IM; Celiker, H; Celiker, G; Demir, HV. (2011). Photocatalytic hybrid nanocomposites of metal oxide nanoparticles enhanced towards the visible spectral range. *Appl Catal B-Environ* 105: 77-85. <http://dx.doi.org/10.1016/j.apcatb.2011.03.037>.
- Permpool, T; Sirivat, A; Aussawasathien, D; Wannatong, L. (2013). Polydiphenylamine/Zelite Y Composites and Electrical Conductivity Responses toward Halogenated Hydrocarbons. *Mater Res* 16: 1020-1029. <http://dx.doi.org/10.1590/S1516-14392013005000092>.
- Pernikis, R; Lazdina, B. (1996). Photosensitive derivatives of cellulose and its ethers. *Cellulose Chemistry and Technology* 30: 187-196.
- Pertig, D, an; Schaefer, C; Ulrich, J. (2012). Stabilization of Carotenoids. *Chem Eng Tech* 35: 1045-1050. <http://dx.doi.org/10.1002/ceat.201200052>.
- Perugini, P; Genta, I; Pavanetto, F; Modena, T; Maculotti, K; Conti, B. (2002). Evaluation of enzyme stability during preparation of polylactide-co-glycolide microspheres. *J Microencapsul* 19: 591-602. <http://dx.doi.org/10.1080/02652040210144252>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Perveen, S; Yousaf, M; Zahoor, AF; Rasool, N; Jabber, A. (2014). Extraction, isolation, and identification of various environment friendly components from cock's comb (*Celosia argentea*) leaves for allelopathic potential. *Toxicol Environ Chem* 96: 1523-1534. <http://dx.doi.org/10.1080/02772248.2015.1031457>.
- Pestana, M; Rodrigues, M; Teixeira, L; Abrantes, I; Gouveia, M; Cordeiro, N. (2014). In vitro evaluation of nematicidal properties of *Solanum sisymbriifolium* and *S. nigrum* extracts on *Pratylenchus goodeyi*. *Nematology* 16: 41-51. <http://dx.doi.org/10.1163/15685411-00002743>.
- Peterson, ES; Stone, ML; Cummings, DG; Mccaffrey, RR. (1993). SEPARATIONS OF HAZARDOUS ORGANICS FROM GAS AND LIQUID FEEDSTREAMS USING PHOSPHAZENE POLYMER MEMBRANES. *Separation Science and Technology* 28: 271-281.
- Peterson, ES; Stone, ML; Orme, CJ; Reavill, DA. (1995). CHEMICAL SEPARATIONS USING SHELL-AND-TUBE COMPOSITE POLYPHOSPHAZENE MEMBRANES. *Separation Science and Technology* 30: 1573-1587.
- Peterson, JE. (1978). Modeling the uptake, metabolism and excretion of dichloromethane by man. *Am Ind Hyg Assoc J* 39: 41-47. <http://dx.doi.org/10.1080/0002889778507711>.
- Peterson, JK; Snook, ME; Harrison, HF; Mason, PF. (1998). Isolation and structural identification of sucrose esters from corn spurrey (*Spergula arvensis*); Inhibition of seed germination. *J Chem Ecol* 24: 1803-1816.
- Petreas, M; Gill, R; Takaku-Pugh, S; Lytle, E; Parry, E; Wang, M; Quinn, J; Park, JS, oo. (2016). Rapid methodology to screen flame retardants in upholstered furniture for compliance with new California labeling law (SB 1019). *Chemosphere* 152: 353-359. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.102>.
- Petrović, J; Glamočlija, J; Stojković, DS; Ćirić, A; Nikolić, M; Bukvički, D; Guerzoni, ME; Soković, MD. (2013). *Laetiporus sulphureus*, edible mushroom from Serbia: investigation on volatile compounds, in vitro antimicrobial activity and in situ control of *Aspergillus flavus* in tomato paste. *Food Chem Toxicol* 59: 297-302. <http://dx.doi.org/10.1016/j.fct.2013.06.021>.
- Petukhin, AG; Gusev, AA; Guseva, EM; Gordeev, EI; Chebrov, VN. (1999). Preliminary model for scaling of Fourier spectra of strong ground motion recorded on Kamchatka. *Pure Appl Geophys* 156: 445-468.
- Pezoti, O, Jr; Cazetta, AL; Souza, IPA, F; Bedin, KC; Martins, AC; Silva, TL; Almeida, VC. (2014). Adsorption studies of methylene blue onto ZnCl<sub>2</sub>-activated carbon produced from buriti shells (*Mauritia flexuosa* L.). *J Ind Eng Chem* 20: 4401-4407. <http://dx.doi.org/10.1016/j.jiec.2014.02.007>.
- Pfrunder, MC; Micallef, AS; Rintoul, L; Arnold, DP; Davy, KJP; Mcurtrie, J. (2012). Exploitation of the Menshutkin Reaction for the Controlled Assembly of Halogen Bonded Architectures Incorporating 1,2-Diiodotetrafluorobenzene and 1,3,5-Triiodotrifluorobenzene. *Cryst Growth Des* 12: 714-724. <http://dx.doi.org/10.1021/cg201017r>.
- Phaechamud, T; Chitrattha, S. (2016). Pore formation mechanism of porous poly(DL-lactic acid) matrix membrane. *Mater Sci Eng C* 61: 744-752. <http://dx.doi.org/10.1016/j.msec.2016.01.014>.
- Phenix, BD; Dinaro, JL; Tester, JW; Howard, JB; Smith, KA. (2002). The effects of mixing and oxidant choice on laboratory-scale measurements of supercritical water oxidation kinetics. *Ind Eng Chem Res* 41: 624-+. <http://dx.doi.org/10.1021/ie010473u>.
- Philip, B; Abraham, JK; Chandrasekhar, A; Varadan, VK. (2003). Carbon nanotube/PMMA composite thin films for gas-sensing applications. *Smart Materials and Structures* 12: 935-939.
- Philip Jacob, P; Madhumitha, G; Mary Saral, A. (2011). Free radical scavenging and reducing power of *Lawsonia inermis* L. seeds. *Asian Pacific Journal of Tropical Medicine* 4: 457-461. [http://dx.doi.org/10.1016/S1995-7645\(11\)60125-9](http://dx.doi.org/10.1016/S1995-7645(11)60125-9).
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol* 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Piccardi, R; Frosini, A; Tredici, MR; Margheri, MC. (2000). Bioactivity in Free-Living and Symbiotic Cyanobacteria of the Genus *Nostoc*. *J Appl Phycol* 12: 543.
- Pickard, S; Becker, I; Merz, KH; Richling, E. (2013). Determination of the alkylpyrazine composition of coffee using stable isotope dilution-gas chromatography-mass spectrometry (SIDA-GC-MS). *J Agric Food Chem* 61: 6274-6281. <http://dx.doi.org/10.1021/jf401223w>.
- Piekarska, K. (2009). MUTAGENIC EFFECT OF MAIN GROUPS OF ORGANIC POLLUTANTS ADSORBED ON SUSPENDED PARTICULATE MATTER (PM<sub>10</sub> AND PM<sub>2.5</sub>) COLLECTED WITHIN WROCLAW URBAN AREA. *Environ Protect Eng* 35: 23-35.
- Piekarska, K. (2010). Mutagenicity of Airborne Particulates Assessed by Salmonella Assay and the SOS Chromotest in Wroclaw, Poland. *J Air Waste Manag Assoc* 60: 993-1001. <http://dx.doi.org/10.3155/1047-3289.60.8.993>.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2009). MUTAGENIC AND CYTOTOXIC PROPERTIES OF EXTRACTS OF SUSPENDED PARTICULATE MATTER COLLECTED IN WROCLAW CITY AREA. *Environ Protect Eng* 35: 37-48.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2011). APPLICATION OF SHORT-TERM TESTS IN ASSESSMENT OF ATMOSPHERIC AIR POLLUTION. *Environ Protect Eng* 37: 85-98.
- Piggott, J. R.; Conner, JM; Clyne, J; Paterson, A. (1992). THE INFLUENCE OF NONVOLATILE CONSTITUENTS ON THE EXTRACTION OF ETHYL-ESTERS FROM BRANDIES. *J Sci Food Agric* 59: 477-482.
- Pilawa, B; Wieckowski, AB; Wachowska, H; Kozłowski, M. (1998). Epr searches of correlations between paramagnetic centre behaviour and chemical structure of reductively alkylated flame coal. *Fuel* 77: 1561-1567.
- Pilissao, C; Carvalho, P; Nascimento, M. (2009). Enantioselective acylation of (RS)-phenylethylamine catalysed by lipases. *Process Biochemistry* 44: 1352-1357. <http://dx.doi.org/10.1016/j.procbio.2009.07.012>.
- Pilon, G; Lavoie, JM. (2011). CHARACTERIZATION OF SWITCHGRASS CHAR PRODUCED IN TORREFACTION AND PYROLYSIS CONDITIONS. *BioResources* 6: 4824-4839.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pinard, L; Magnoux, P; Ayrault, P; Guisnet, M. (2004). Oxidation of chlorinated hydrocarbons over zeolite catalysts - 2. Comparative study of dichloromethane transformation over NaX and NaY zeolites. *J Catal* 221: 662-665. <http://dx.doi.org/10.1016/j.jcat.2003.10.009>.
- Pinard, L; Mijoin, J; Ayrault, P; Canaff, C; Magnoux, P. (2004). On the mechanism of the catalytic destruction of dichloromethane over Pt zeolite catalysts. *Appl Catal B-Environ* 51: 1-8. <http://dx.doi.org/10.1016/j.apcatb.2004.01.002>.
- Pinard, L; Mijoin, J; Magnoux, P; Guisnet, M. (2003). Oxidation of chlorinated hydrocarbons over Pt zeolite catalysts 1-mechanism of dichloromethane transformation over PtNaY catalysts. *J Catal* 215: 234-244. [http://dx.doi.org/10.1016/S0021-9517\(02\)00189-6](http://dx.doi.org/10.1016/S0021-9517(02)00189-6).
- Pineider, F; Mannini, M; Danieli, C; Armelao, L; Piras, FM; Magnani, A; Cornia, A; Sessoli, R. (2010). Deposition of intact tetrairon(III) single molecule magnet monolayers on gold: an STM, XPS, and ToF-SIMS investigation. *J Mater Chem* 20: 187-194. <http://dx.doi.org/10.1039/b916895h>.
- Pineider, F; Mannini, M; Sessoli, R; Caneschi, A; Barreca, D; Armelao, L; Cornia, A; Tondello, E; Gatteschi, D. (2007). Solvent effects on the adsorption and self-organization of Mn12 on Au(111). *Langmuir* 23: 11836-11843. <http://dx.doi.org/10.1021/la7016837>.
- Pinet, C; Jaupart, C; Mareschal, JC; Gariépy, C; Bienfait, G; Lapointe, R. (1991). HEAT-FLOW AND STRUCTURE OF THE LITHOSPHERE IN THE EASTERN CANADIAN SHIELD. *J Geophys Res* 96: 19941-19963.
- Ping, L, an; Brosse, N; Sannigrahi, P; Ragauskas, A. (2011). Evaluation of grape stalks as a bioresource. *Ind Crop Prod* 33: 200-204. <http://dx.doi.org/10.1016/j.indcrop.2010.10.009>.
- Pintado-Herrera, MG; González-Mazo, E; Lara-Martín, PA. (2014). Determining the distribution of triclosan and methyl triclosan in estuarine settings. *Chemosphere* 95: 478-485. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.101>.
- Pinto, A; Leite, JPG; Brito Ramos, CJ; da Fonseca, RR; Teixeira, VL; Paixo, I. (2014). Anti-herpesvirus bovine type 5 activities of extracts obtained from *Plocamium brasiliense*. *J Appl Phycol* 26: 2021-2027. <http://dx.doi.org/10.1007/s10811-014-0319-1>.
- Pires, EL; Magalhaes, JC; Schuchardt, U. (2000). Effects of oxidant and solvent on the liquid-phase cyclohexane oxidation catalyzed by Ce-exchanged zeolite Y. *Appl Catal A-Gen* 203: 231-237.
- Pires, LR; Guarino, V; Oliveira, MJ; Ribeiro, CC; Barbosa, MA; Ambrosio, L; Pêgo, AP. (2016). Ibuprofen-loaded poly(trimethylene carbonate-co-ε-caprolactone) electrospun fibres for nerve regeneration. *J Tissue Eng Regen Med* 10: E154-E166. <http://dx.doi.org/10.1002/term.1792>.
- Pirhashemi, M; Habibi-Yangjeh, A. (2014). Preparation of AgCl-ZnO nanocomposites as highly efficient visible- light photocatalysts in water by one-pot refluxing method. *J Alloy Comp* 601: 1-8. <http://dx.doi.org/10.1016/j.jallcom.2014.02.111>.
- Pirilahonkanen, PL; Ruostesuo, PA. (1987). THERMODYNAMIC AND SPECTROSCOPIC PROPERTIES OF 2-PYRROLIDINONES .1. EXCESS MOLAR VOLUMES OF 2-PYRROLIDINONE + DICHLOROMETHANE, + DIMETHYLSULFOXIDE, + ACETONE, + 2-PROPANOL, AND + WATER. *Journal of Chemical and Engineering Data* 32: 303-306.
- Piroozmand, M; Safari, N; Samadi, AA. (2006). Catalyzed oxidation of cyclohexene and cyclooctene with first row transition metallophthalocyanines. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 25: 85-89.
- Piszczek, K; Sterzynski, T; Lukaszewicz, E. (2003). Visualization of gelation inhomogeneity of PVC. *Polym Test* 22: 115-119.
- Pitcher, A; Hopmans, EC; Schouten, S; Damste, JSS. (2009). Separation of core and intact polar archaeal tetraether lipids using silica columns: Insights into living and fossil biomass contributions. *Organic Geochemistry* 40: 12-19. <http://dx.doi.org/10.1016/j.orggeochem.2008.09.008>.
- Pitipanapong, J; Chitprasert, S; Goto, M; Jiratchariyakul, W; Sasaki, M; Shotipruk, A. (2007). New approach for extraction of charantin from *Momordica charantia* with pressurized liquid extraction. *Separation and Purification Technology* 52: 416-422. <http://dx.doi.org/10.1016/j.seppur.2005.11.037>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ* 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ* 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittet, A; Royer, D. (2002). Rapid, low cost thin-layer chromatographic screening method for the detection of ochratoxin A in green coffee at a control level of 10 µg/kg. *J Agric Food Chem* 50: 243-247. <http://dx.doi.org/10.1021/jf010867w>.
- Pittman, CU; Xu, XM; Wang, LC; Toghiani, H. (2000). Mechanical and viscoelastic properties of semi-interpenetrating polymer networks of poly(vinyl chloride)/thermosetting resin blends. *Polymer Engineering and Science* 40: 1405-1413.
- Piumetti, M; Bonelli, B; Armandi, M; Gaberova, L; Casale, S; Massiani, P; Garrone, E. (2010). Vanadium-containing SBA-15 systems prepared by direct synthesis: Physico-chemical and catalytic properties in the decomposition of dichloromethane. *Microporous and Mesoporous Materials* 133: 36-44. <http://dx.doi.org/10.1016/j.micromeso.2010.04.011>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Armandi, M; Thomas, C; Garrone, E. (2012). Effect of vanadium dispersion and of support properties on the catalytic activity of V-containing silicas. *Catalysis Today* 179: 140-148. <http://dx.doi.org/10.1016/j.cattod.2011.06.028>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Effect of vanadium dispersion and support properties on the catalytic activity of V-SBA-15 and V-MCF mesoporous materials prepared by direct synthesis. *Catalysis Today* 176: 458-464. <http://dx.doi.org/10.1016/j.cattod.2010.10.066>.
- Piumetti, M; Bonelli, B; Massiani, P; Millot, Y; Dzwigaj, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Novel vanadium-containing mesocellular foams (V-MCF) obtained by direct synthesis. *Microporous and Mesoporous Materials* 142: 45-54. <http://dx.doi.org/10.1016/j.micromeso.2010.11.010>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pizzio, LR. (2006). Synthesis and characterization of trifluoromethanesulfonic acid supported on mesoporous titania. *Mater Lett* 60: 3931-3935. <http://dx.doi.org/10.1016/j.matlet.2006.07.190>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol* 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plata, DL; Gschwend, PM; Reddy, CM. (2008). Industrially synthesized single-walled carbon nanotubes: compositional data for users, environmental risk assessments, and source apportionment. *Nanotechnology* 19. <http://dx.doi.org/10.1088/0957-4484/19/18/185706>.
- Platonova, I; Branchi, A; Lessi, M; Ruggeri, G; Bellina, F; Pucci, A. (2014). Zn(II)-bisthienylethynylbipyridine complex: Preparation, characterization and vapochromic behaviour in polymer films. *Dyes and Pigments* 110: 249-255. <http://dx.doi.org/10.1016/j.dyepig.2014.03.022>.
- Pliego, JR; Schiavon, MA. (2008). Jacobsen's catalyst interaction with polydimethylsiloxane/tetraethoxysilane network and solvent molecules: Theoretical design of a new polymeric membrane. *J Phys Chem C* 112: 14830-14834. <http://dx.doi.org/10.1021/jp804245f>.
- Plodpai, P; Chuenchitt, S; Petcharat, V; Chakthong, S; Voravuthikunchai, SP. (2013). Anti-Rhizoctonia solani activity by Desmos chinensis extracts and its mechanism of action. *Crop Protection* 43: 65-71. <http://dx.doi.org/10.1016/j.cropro.2012.09.004>.
- Plodpai, P; Petcharat, V; Chuenchit, S; Chakthong, S; Joycharat, N; Voravuthikunchai, SP. (2013). Desmos chinensis: A new candidate as natural antifungicide to control rice diseases. *Ind Crop Prod* 42: 324-331. <http://dx.doi.org/10.1016/j.indcrop.2012.05.038>.
- Plouguerne, E; Hellio, C; Cesconetto, C; Thabard, M; Mason, K; Veron, B; Pereira, RC; da Gama, BAP. (2010). Antifouling activity as a function of population variation in Sargassum vulgare from the littoral of Rio de Janeiro (Brazil). *J Appl Phycol* 22: 717-724. <http://dx.doi.org/10.1007/s10811-010-9511-0>.
- Plouguerne, E; Hellio, C; Deslandes, E; Veron, B; Stiger-Pouvreau, V. (2008). Anti-microfouling activities in extracts of two invasive algae: Grateloupia turuturu and Sargassum muticum. *Botanica Marina* 51: 202-208. <http://dx.doi.org/10.1515/bot.2008.026>.
- Pluemanupat, S; Kumrungsee, N; Pluemanupat, W; Ngamkitpinyo, K; Chavasiri, W; Bullangpoti, V; Koul, O. (2013). Laboratory evaluation of Dalbergia oliveri (Fabaceae: Fabales) extracts and isolated isoflavonoids on Aedes aegypti (Diptera: Culicidae) mosquitoes. *Ind Crop Prod* 44: 653-658. <http://dx.doi.org/10.1016/j.indcrop.2012.09.006>.
- Poddar, TK; Majumdar, S; Sirkar, KK. (1996). Membrane-based absorption of VOCs from a gas stream. *AIChE J* 42: 3267-3282.
- Poddar, TK; Sirkar, KK. (1996). Henry's law constant for selected volatile organic compounds in high-boiling oils. *Journal of Chemical and Engineering Data* 41: 1329-1332.
- Poddar, TK; Sirkar, KK. (1997). A hybrid of vapor permeation and membrane-based absorption-stripping for VOC removal and recovery from gaseous emissions. *J Memb Sci* 132: 229-233.
- Pokhodnya, KI; Burtman, V; Epstein, AJ; Raebiger, JW; Miller, JS. (2003). Control of coercivity in organic-based solid solution VxCo1-x[TCNE]2 center dot zCH(2)Cl(2) room temperature magnets. *Adv Mater Deerfield* 15: 1211-+. <http://dx.doi.org/10.1002/adma.200304984>.
- Pokrifchak, M; Turner, T; Pilgrim, I, an; Johnston, MR; Hipps, KW. (2007). Scanning tunneling microscopy and orbital-mediated tunneling spectroscopy study of 1,5-di(octyloxy)anthracene adsorbed on highly ordered pyrolytic graphite from various solvents and in different environments. *J Phys Chem C* 111: 7735-7740. <http://dx.doi.org/10.1021/jp0704968>.
- Polidori, A; Turpin, BJ; Davidson, CI; Rodenburg, LA; Maimone, F. (2008). Organic PM2.5: Fractionation by Polarity, FTIR Spectroscopy, and OM/OC Ratio for the Pittsburgh Aerosol. *Aerosol Sci Technol* 42: 233-246. <http://dx.doi.org/10.1080/02786820801958767>.
- Pollacknelson, C. (1995). ANALYSIS OF METHYLENE-CHLORIDE PRODUCT LABELING. *Ergonomics* 38: 2176-2187.
- Pollard, SJ; Farmer, JG; Knight, DM; Young, PJ. (2002). Matrix effects in applying mono- and polyclonal ELISA systems to the analysis of weathered oils in contaminated soil. *Environ Pollut* 117: 5-8.
- Poltue, T; Rangkupan, R; Dubas, ST; Dubas, L. (2011). Nickel (II) ions sensing properties of dimethylglyoxime/poly(caprolactone) electrospun fibers. *Mater Lett* 65: 2231-2234. <http://dx.doi.org/10.1016/j.matlet.2011.04.012>.
- Polyakova, OV; Mazur, DM; Artaev, VB; Lebedev, AT. (2016). Rapid liquid-liquid extraction for the reliable GC/MS analysis of volatile priority pollutants. *Environ Chem Lett* 14: 251-257. <http://dx.doi.org/10.1007/s10311-015-0544-0>.
- Polyakova, OV; Mazur, DM; Lebedev, AT. (2014). Improved sample preparation and GC-MS analysis of priority organic pollutants. *Environ Chem Lett* 12: 419-427. <http://dx.doi.org/10.1007/s10311-014-0464-4>.
- Ponomarenko, J; Dizhbite, T; Lauberts, M; Viksna, A; Dobele, G; Bikovens, O; Telysheva, G. (2014). Characterization of Softwood and Hardwood LignoBoost Kraft Lignins with Emphasis on their Antioxidant Activity. *BioResources* 9: 2051-2068.
- Poonsri, W; Pluemanupat, W; Chitchirachan, P; Bullangpoti, V; Koul, O. (2015). Insecticidal alkanes from Bauhinia scandens var. horsfieldii against Plutella xylostella L. (Lepidoptera: Plutellidae). *Ind Crop Prod* 65: 170-174. <http://dx.doi.org/10.1016/j.indcrop.2014.11.040>.
- Popa, A; Ilia, G; Iliescu, S; Pascariu, A; Maranescu, B. (2005). Wittig Horner reactions on styrene-divinylbenzene type supports during the catalysis by interphase transfer. 2 The utilization of functionalized phosphonates. *Materiale Plastice* 42: 226-228.
- Popova, EA; Abiev, RS, h; Lappalainen, LA; Svetlov, SD; Andreeva, TV; Trifonov, RE; Ostrovskii, VA. (2014). Synthesis of 5-phenyltetrazole and its N-methyl Derivatives in a Microreactor. *Chemical and Biochemical Engineering Quarterly* 28: 241-246.
- Portier, CJ; Kopp-Schneider, A. (1991). A multistage model of carcinogenesis incorporating DNA damage and repair. *Risk Anal* 11: 535-543.
- Portier, K; Tolson, JK; Roberts, SM. (2007). Body weight distributions for risk assessment. *Risk Anal* 27: 11-26. <http://dx.doi.org/10.1111/j.1539-6924.2006.00856.x>.
- Portolés, T; Ibáñez, M; Sancho, JV; López, FJ; Hernández, F. (2009). Combined use of GC-TOF MS and UHPLC-(Q)TOF MS to investigate the presence of nontarget pollutants and their metabolites in a case of honeybee poisoning. *J Agric Food Chem* 57: 4079-4090. <http://dx.doi.org/10.1021/jf900099u>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Postaru, M; Bompaa, AS; Galaction, AI; Blaga, AC; Cascaval, D. (2016). Comparative Study on Pantothenic Acid Separation by Reactive Extraction with Tri-n-octylamine and Di-(2-ethylhexyl) Phosphoric Acid. *Chemical and Biochemical Engineering Quarterly* 30: 81-92.
- Postaru, M; Carlescu, A; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM Propionibacterium acidipropionici BROTHS BY REACTIVE EXTRACTION 1. INTERFACIAL MECHANISM AND INFLUENCING FACTORS. *Environmental Engineering and Management Journal* 11: 709-716.
- Postaru, M; Kloetzer, L; Galaction, AI; Blaga, AC; Cascaval, D, an. (2014). COMPARATIVE STUDY ON ROSMARINIC ACID SEPARATION BY REACTIVE EXTRACTION WITH AMBERLITE LA-2 AND D2EHPA 2. KINETICS OF THE INTERFACIAL REACTIONS. *Environmental Engineering and Management Journal* 13: 1473-1482.
- Potyrailo, RA; Ding, Z; Butts, MD; Genovese, SE; Deng, T, ao. (2008). Selective chemical sensing using structurally colored core-shell colloidal crystal films. *IEEE Sens J* 8: 815-822. <http://dx.doi.org/10.1109/JSEN.2008.923191>.
- Poulton, TJ. (1997). Organic solvents and exacerbation of M.S. *Aviat Space Environ Med* 68: 1160-1160.
- Pouretedal, HR; Semnani, A; Keshavarz, MH; Firooz, AR. (2005). Spectrophotometric study of the interaction between aza-15-crown-5 and some pi-acceptors in chloroform solution. *Turkish Journal of Chemistry* 29: 647-658.
- Pourmortazavi, SM; Sefidkon, F; Hosseini, SG. (2003). Supercritical carbon dioxide extraction of essential oils from *Perovskia atriplicifolia* Benth. *J Agric Food Chem* 51: 5414-5419. <http://dx.doi.org/10.1021/jf0341619>.
- Pournaghi-Azar, MH; Bahar, S. (2001). Selective determination of trace-bismuth by extraction-differential pulse polarography in non-aqueous media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 20: 59-65.
- Pouteau, C; Cathala, B; Dole, P; Kurek, B; Monties, B. (2005). Structural modification of Kraft lignin after acid treatment: characterisation of the apolar extracts and influence on the antioxidant properties in polypropylene. *Ind Crop Prod* 21: 101-108. <http://dx.doi.org/10.1016/j.indcrop.2004.01.003>.
- Prabhakaran, MP; Zamani, M; Felice, B; Ramakrishna, S. (2015). Electrospaying technique for the fabrication of metronidazole contained PLGA particles and their release profile. *Mater Sci Eng C* 56: 66-73. <http://dx.doi.org/10.1016/j.msec.2015.06.018>.
- Pradhan, VR; Herrick, DE; Tierney, JW; Wender, I. (1991). FINELY DISPERSED IRON, IRON MOLYBDENUM, AND SULFATED IRON-OXIDES AS CATALYSTS FOR COPROCESSING REACTIONS. *Energy Fuels* 5: 712-720.
- Pradhan, VR; Tierney, JW; Wender, I; Huffman, GP. (1991). CATALYSIS IN DIRECT COAL-LIQUEFACTION BY SULFATED METAL-OXIDES. *Energy Fuels* 5: 497-507.
- Pradines, V; Tadmouri, R; Lavabre, D; Micheau, JC; Pimienta, V. (2007). Association, partition, and surface activity in biphasic systems displaying relaxation oscillations. *Langmuir* 23: 11664-11672. <http://dx.doi.org/10.1021/la7018154>.
- Prajapati, P; Agrawal, YK. (2014). SFC-MS/MS for identification and simultaneous estimation of the isoniazid and pyrazinamide in its dosage form. *Journal of Supercritical Fluids* 95: 597-602. <http://dx.doi.org/10.1016/j.supflu.2014.09.012>.
- Prajapati, SK; Tripathi, BD. (2008). Biomonitoring seasonal variation of urban air polycyclic aromatic hydrocarbons (PAHs) using *Ficus benghalensis* leaves. *Environ Pollut* 151: 543-548. <http://dx.doi.org/10.1016/j.envpol.2007.04.013>.
- Prakash, T; Ramasamy, S. (2012). Dye Sensitized Solar Cells Using Nanocrystalline CuAlO<sub>2</sub>/beta-CuSCN Embedded Poly(vinyl carbazole) Composites as Solid Hole-Transporter. 4: 29-34. <http://dx.doi.org/10.1166/sam.2012.1247>.
- Pranda, J; Brezny, R; Kosik, M; Micko, MM. (1991). STRUCTURE AND PERFORMANCE OF KRAFT LIGNIN FRACTIONS AS COMPONENTS IN RESOL ADHESIVES. *Tappi Journal* 74: 176-182.
- Prasad, GK; Singh, B. (2004). Reactions of sulphur mustard on impregnated carbons. *J Hazard Mater* 116: 213-217. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.003>.
- Prasad, GK; Singh, B. (2005). Impregnated carbon for degradation of diethyl sulphide. *J Hazard Mater* 126: 195-197. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.005>.
- Prasad, GK; Singh, B; Saradhi, UVR; Suryanarayana, MVS; Pandey, D. (2002). Adsorption and reaction of diethyl sulfide on active carbons with and without impregnants under static conditions. *Langmuir* 18: 4300-4306. <http://dx.doi.org/10.1021/la010636j>.
- Prasad, MR; Madhavi, G; Rao, AR; Kulkarni, SJ; Raghavan, KV. (2006). Synthesis, characterization of high Ti-containing Ti-MCM-41 catalysts and their activity evaluation in oxidation of cyclohexene and epoxidation of higher olefins. *Journal of Porous Materials* 13: 81-94. <http://dx.doi.org/10.1007/s10934-006-5493-3>.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Praveen, P; Loh, K, aiC. (2014). Solvent less extraction/stripping of phenol using trioctylphosphine oxide impregnated hollow fiber membranes - Experimental & modeling analysis. *Chem Eng J* 255: 641-649. <http://dx.doi.org/10.1016/j.cej.2014.06.097>.
- Preftakes, CJ; Schleier, JJ; Peterson, RK. (2011). Bystander exposure to ultra-low-volume insecticide applications used for adult mosquito management. *Int J Environ Res Public Health* 8: 2142-2152. <http://dx.doi.org/10.3390/ijerph8062142>.
- Preidecker, BLB. (1980). COMPARATIVE EXTRACTION OF HOUSTON AIR PARTICULATES WITH CYCLOHEXANE OR A MIXTURE OF BENZENE, METHANOL, AND DICHLOROMETHANE .2. *Environ Mutagen* 2: 85-88. <http://dx.doi.org/10.1002/em.2860020112>.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl<sub>4</sub>, CHCl<sub>3</sub> and CH<sub>2</sub>Cl<sub>2</sub> over metallic Fe. *Environ Chem Lett* 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.
- Preslan, JE; Hatrel, BB; Emerson, M; White, L; George, WJ. (1993). An improved method for analysis of 2,4,6-trinitrotoluene and its metabolites from compost and contaminated soils. *J Hazard Mater* 33: 329-337.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Presti, C; Alauzun, JG; Laurencin, D; Mutin, PH. (2013). Improvement of the Oxidative Stability of Nanodiamonds by Surface Phosphorylation. *Chem Mater* 25: 2051-2055. <http://dx.doi.org/10.1021/cm400066c>.
- Priamo, WL; de Cezaro, AM; Ferreira, SRS; Vladimir Oliveira, J. (2010). Precipitation and encapsulation of beta-carotene in PHBV using carbon dioxide as anti-solvent. *Journal of Supercritical Fluids* 54: 103-109. <http://dx.doi.org/10.1016/j.supflu.2010.02.013>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Prida, A; Heymann, H; Balanuta, A; Puechd, JL. (2009). Relation between chemical composition of oak wood used in cooperage and sensory perception of model extracts. *J Sci Food Agric* 89: 765-773. <http://dx.doi.org/10.1002/jsfa.3510>.
- Priser, C; Etievant, PX; Nicklaus, S; Brun, O. (1997). Representative champagne wine extracts for gas chromatography olfactometry analysis. *J Agric Food Chem* 45: 3511-3514.
- Pritchard, G; Randles, SJ. (1995). THE INTERACTION OF LIQUIDS WITH POLYARYL ETHER ETHER KETONE COMPOSITES. 24: 175-180.
- Pritchard, G; Randles, SJ. (1996). Stress, holes and chemicals: Environmental effects on carbon fibre reinforced PEEK laminates. *Polymers and Polymer Composites* 4: 353-360.
- Procentese, A; Raganati, F; Olivieri, G; Russo, ME; Salatino, P; Marzocchella, A. (2015). Continuous xylose fermentation by *Clostridium acetobutylicum*—Assessment of solventogenic kinetics. *Bioresour Technol* 192: 142-148. <http://dx.doi.org/10.1016/j.biortech.2015.05.041>.
- Prokopuk, N; Shriver, DF. (1999). Clusters on surfaces: Adsorption of {M6Cl12}(n+) (M = Nb, Ta) to gold and silver surfaces via thiocyanate bridges. *Chem Mater* 11: 1230-1236.
- Prokopy, RJ; Phillips, TW; Vargas, RI; Jang, EB. (1997). Defining sources of coffee plant odor attractive to *Ceratitis capitata* flies. *J Chem Ecol* 23: 1577-1587.
- Promarak, V; Ichikawa, M; Sudyoadsuk, T; Saengsuwan, S; Keawin, T. (2007). Synthesis and properties of hole-transporting fluorene linked bistrisphenylamine. *Optical Materials* 30: 364-369. <http://dx.doi.org/10.1016/j.optmat.2006.11.059>.
- Prososki, RA; Etzel, MR; Rankin, SA. (2007). Solvent type affects the number, distribution, and relative quantities of volatile compounds found in sweet whey powder. *J Dairy Sci* 90: 523-531.
- Prus, W; Fabiańska, MJ; Łabno, R. (2015). Geochemical markers of soil anthropogenic contaminants in polar scientific stations nearby (Antarctica, King George Island). *Sci Total Environ* 518-519: 266-279. <http://dx.doi.org/10.1016/j.scitotenv.2015.02.096>.
- Prycek, J; Ciganek, M; Simek, Z. (2006). Pressurised solvent extraction of nitrated derivatives of polycyclic aromatic hydrocarbons from roadside dust. *Int J Environ Anal Chem* 86: 313-324. <http://dx.doi.org/10.1080/03067310500227902>.
- Pulido, P. (1999). Development of a low-temperature methylene chloride-free paint stripper safe for aluminum surfaces. *Plat Surf Finish* 86: 61-63.
- Purnama, P; Jung, Y; Kim, S, ooH. (2013). An Advanced Class of Bio-Hybrid Materials: Bionanocomposites of Inorganic Clays and Organic Stereocomplex Polylactides. *Macromolecular Materials & Engineering* 298: 263-269. <http://dx.doi.org/10.1002/mame.201200073>.
- Pyda, M; Guiochon, G. (1997). Surface properties of silica-based adsorbents measured by inverse gas-solid chromatography at finite concentration. *Langmuir* 13: 1020-1025.
- Pyda, M; Stanley, BJ; Xie, M; Guiochon, G. (1994). ANALYSIS OF THE SURFACE HETEROGENEITY OF UNMODIFIED AND MODIFIED SILICA BY CAPILLARY INVERSE GAS-SOLID CHROMATOGRAPHY AT FINITE DILUTION. *Langmuir* 10: 1573-1579.
- Pyo, SH; Choi, HJ. (2011). An improved high-performance liquid chromatography process for the large-scale production of paclitaxel. *Separation and Purification Technology* 76: 378-384. <http://dx.doi.org/10.1016/j.seppur.2010.11.009>.
- Pyo, SH; Kim, MS; Cho, JS; Song, BK; Han, BH; Choi, HJ. (2004). Efficient purification and morphology characterization of paclitaxel from cell cultures of *Taxus chinensis*. *J Chem Tech Biotechnol* 79: 1162-1168. <http://dx.doi.org/10.1002/jctb.1111>.
- Qasem, SM; Haimour, NM; Sayed, SA; Akash, BA. (2004). Salt-catalyzed activation of olive-seed waste residue using fluidized-bed reactor. *Energy Sources* 26: 751-760. <http://dx.doi.org/10.1080/00908310490445580>.
- Qi, C; Chen, Y; Huang, JH; Jin, QZ; Wang, XG. (2012). Preparation and characterization of catalase-loaded solid lipid nanoparticles based on soybean phosphatidylcholine. *J Sci Food Agric* 92: 787-793. <http://dx.doi.org/10.1002/jsfa.4646>.
- Qi, Z; Yu, H, ao; Chen, Y; Zhu, M. (2009). Highly porous fibers prepared by electrospinning a ternary system of nonsolvent/solvent/poly(L-lactic acid). *Mater Lett* 63: 415-418. <http://dx.doi.org/10.1016/j.matlet.2008.10.059>.
- Qian, PY; Dobretsov, S; Dahms, HU; Pawlik, J. (2006). Antifouling activity and microbial diversity of two congeneric sponges *Callyspongia* spp. from Hong Kong and the Bahamas. *Mar Ecol Prog Ser* 324: 151-165.
- Qibin, L; Yonggui, Z. (2007). Iridium-catalyzed asymmetric hydrogenation of (2H-chromen-3-yl) methanols. *Chinese journal of catalysis* 28: 847-849.
- Qin, H; Ma, J; Qing, W; Liu, H; Chi, M; Bai, J; Zhang, L. (2015). SHALE OIL RECOVERY FROM OIL SHALE SLUDGE USING SOLVENT EXTRACTION AND SURFACTANT WASHING. *Oil Shale* 32: 269-287. <http://dx.doi.org/10.3176/oil.2015.3.06>.
- Qin, S; Gan, J. (2007). Abiotic enantiomerization of permethrin and cypermethrin: effects of organic solvents. *J Agric Food Chem* 55: 5734-5739. <http://dx.doi.org/10.1021/jf0708894>.
- Qingshan, K; Chunxiang, G; Yuling, S; Haijuan, W; Quan, J; Yanzhi, X. (2011). Photocatalytic degradation of methylene blue using ZnO made by thermal degradation of Zn-alginate fibers. *Rare Metals* 30: 213-216. <http://dx.doi.org/10.1007/s12598-011-0271-z>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Qiu, L; Li, Y; Wang, Z, he; Xue, M, in; Xu, Z; Meng, Z; Ma, X; Yi, D, a; Lin, Z. (2016). Investigation of the Solubility of 3,4-Diaminofurazan (DAF) and 3,3-Diamino-4,4-azoxyfurazan (DAAF) at Temperatures Between 293.15K and 313.15K. *Propellants, Explosives, Pyrotechnics* 41: 883-887. <http://dx.doi.org/10.1002/prep.201500242>.
- Qiu, LG; Xie, AJ; Shen, YH. (2005). A novel triazole-based cationic gemini surfactant: synthesis and effect on corrosion inhibition of carbon steel in hydrochloric acid. *Mater Chem Phys* 91: 269-273. <http://dx.doi.org/10.1016/j.matchemphys.2004.11.022>.
- Qiu, S; Sun, L; Chu, H; Zou, Y; Xu, F, en; Matsuda, N. (2009). Study of adsorption behaviors of meso-tetrakis (4-N-Methylpyridyl) porphine p-Toluenesulfonate at indium-tin-oxide electrode/solution interface by in-situ internal reflection spectroscopy and cyclic voltammetry. *Thin Solid Films* 517: 2905-2911. <http://dx.doi.org/10.1016/j.tsf.2008.11.135>.
- Qu, X; Cao, Y; Chen, C; Die, X; Kang, Q. (2015). A poly(lactide-co-glycolide) film loaded with abundant bone morphogenetic protein-2: A substrate-promoting osteoblast attachment, proliferation, and differentiation in bone tissue engineering. *J Biomed Mater Res A* 103: 2786-2796. <http://dx.doi.org/10.1002/jbm.a.35379>.
- Quaresima, C; Cricenti, A; Ottaviani, C; Perfetti, P; Le Lay, G. (2001). Unambiguous identification of the Si 2p surface core-level shifts in Sb and Ag terminated silicon surfaces studied with high energy resolution photoemission. *J Alloy Comp* 328: 187-192.
- Queiroz, SC; Cantrell, CL; Duke, SO; Wedge, DE; Nandula, VK; Moraes, RM; Cerdeira, AL. (2012). Bioassay-directed isolation and identification of phytotoxic and fungitoxic acetylenes from *Conyza canadensis*. *J Agric Food Chem* 60: 5893-5898. <http://dx.doi.org/10.1021/jf3010367>.
- Quideau, S; Ralph, J. (1994). A BIOMIMETIC ROUTE TO LIGNIN MODEL COMPOUNDS VIA SILVER(I) OXIDE OXIDATION .1. SYNTHESIS OF DILIGNOLS AND NONCYCLIC BENZYL ARYL ETHERS. *Holzforchung* 48: 12-22.
- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Quiterio, SL; Arbillá, G; Bauerfeldt, GF; Moreira, JC. (2007). Polycyclic aromatic hydrocarbons and their molecular diagnostic ratios in airborne particles (PM10) collected in Rio de Janeiro, Brazil. *Water Air Soil Pollut* 179: 79-92. <http://dx.doi.org/10.1007/s11270-006-9215-x>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Raabe, F; Brandl, A; Strobl, J; Dautzenberg, D; Lierse, C; Wichmann, G; Mucke, W. (1999). To the genotoxicity of stack gas condensates of Bavarian waste incineration plants - I. Stack gas condensate - Techniques of sample collection. *Zentralblatt fuer Hygiene und Umweltmedizin* 201: 473-485.
- Rabago-Castro, JL; Sanchez, JG; Perez-Castaneda, R; Gonzalez-Gonzalez, A. (2006). Effects of the prophylactic use of Romet (R)-30 and copper sulfate on growth, condition and feeding indices in Channel catfish (*Ictalurus punctatus*). *Aquaculture* 253: 343-349. <http://dx.doi.org/10.1016/j.aquaculture.2005.06.017>.
- Rada, OP; Crespo, SR; Miranda, FT. (1997). Analysis of climate scenarios for Bolivia. *Clim Res* 9: 115-120.
- Radeke, KH; Noack, M; Jung, R; Themm, G; Altmann, H; Bunnig, R. (1990). ADSORPTION OF DICHLOROMETHANE ON ACTIVATED CARBONS AND POLYMERIC ADSORBENTS. *Chem Tech (Leipzig)* 42: 23-27.
- Radzimska-Lenarcik, E. (2007). Effect of alkyl chain length on the extraction of copper(II) complexes with 1-alkyl-2-methylimidazoles. *Separation Science and Technology* 42: 2661-2675. <http://dx.doi.org/10.1080/01496390701515003>.
- Radzimska-Lenarcik, E. (2008). Influence of the Steric Hindrance, Ligand Hydrophobicity, and DN of solvents on Structure and Extraction of Cu(II) Complexes of 1-Alkyl-2-Ethylimidazoles. *Separation Science and Technology* 43: 794-814. <http://dx.doi.org/10.1080/01496390701870655>.
- Radzimska-Lenarcik, E; Witt, K. (2015). The Influence of Alkyl Chain Length and Steric Effect on the Stability Constants and Extractability of Co(II) Complexes with 1-Alkyl-2-Methylimidazoles. *Separation Science and Technology* 50: 676-682. <http://dx.doi.org/10.1080/01496395.2014.959600>.
- Raetano, CG; Debatista, GC. (1995). RESIDUE DETERMINATION OF PHENTHOATE IN TOMATO FRUITS. *Pesqui Agropecu Bras* 30: 31-36.
- Rafecas, M; Mosler, B; Dietz, M; Pogl, M; Stamatakis, A; Mcelroy, DP; Ziegler, SI. (2004). Use of a Monte Carlo-based probability matrix for 3-D iterative reconstruction of MADPET-II data. *IEEE Trans Nucl Sci* 51: 2597-2605. <http://dx.doi.org/10.1109/TNS.2004.834827>.
- Rafi, M; Singh, SM; Kanchan, V; Anish, CK; Panda, AK. (2010). Controlled release of bioactive recombinant human growth hormone from PLGA microparticles. *J Microencapsul* 27: 552-560. <http://dx.doi.org/10.3109/02652048.2010.489974>.
- Rafighi, P; Yaftian, MR; Noshiranzadeh, N. (2010). Solvent extraction of cobalt(II) ions; cooperation of oximes and neutral donors. *Separation and Purification Technology* 75: 32-38. <http://dx.doi.org/10.1016/j.seppur.2010.07.006>.
- Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO2 separation from natural gas. *J Memb Sci* 378: 444-452. <http://dx.doi.org/10.1016/j.memsci.2011.05.025>.
- Raga, DD; Alimboyoguen, AB; Shen, CC; Herrera, AA; Ragasa, CY. (2011). Triterpenoids and an Anti-Angiogenic Sterol from *Ardisia pyramidalis* (Cav.) Pers. *Pers.* 94: 132-139.
- Ragunath, S; Mitra, S. (2015). Carbon Nanotube Immobilized Composite Hollow Fiber Membranes for Extraction of Volatile Organics from Air. *J Phys Chem C* 119: 13231-13237. <http://dx.doi.org/10.1021/acs.jpcc.5b01213>.
- Raguse, B; Barton, CS; Mueller, KH; Chow, E; Wieczorek, L. (2009). Gold Nanoparticle Chemiresistor Sensors in Aqueous Solution: Comparison of Hydrophobic and Hydrophilic Nanoparticle Films. *J Phys Chem C* 113: 15390-15397. <http://dx.doi.org/10.1021/jp9034453>.
- Rahimi, PM; Gentzis, T. (2003). Thermal hydrocracking of Cold Lake vacuum bottoms asphaltenes and their subcomponents. *Fuel Process Tech* 80: 69-79.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Raiendran, S; Mishra, SP. (2007). Chemical, structural and thermal changes in PET caused by solvent induced polymer crystallisation. *Polymers and Polymer Composites* 15: 103-110.
- Rajmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raimondi, S; Paracchini, V; Autrup, H; Barros-Dios, JM; Benhamou, S; Boffetta, P; Cote, ML; Dialyna, IA; Dolzan, V; Filiberti, R; Garte, S; Hirvonen, A; Husgafvel-Pursiainen, K; Imyanitov, EN; Kalina, I; Kang, D; Kiyohara, C; Kohno, T; Kremers, P; Lan, Q; London, S; Povey, AC; Rannug, A; Reszka, E; Risch, A; Romkes, M; Schneider, J; Seow, A; Shields, PG; Sobti, RC; Sørensen, M; Spinola, M; Spitz, MR; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Tokudome, S; Yang, P; Yuan, JM; Warholm, M; Taioli, E. (2006). Meta- and pooled analysis of GSTT1 and lung cancer: a HuGE-GSEC review. *Am J Epidemiol* 164: 1027-1042. <http://dx.doi.org/10.1093/aje/kwj321>.
- Raimundo, JM; Lecomte, S; Edelman, MJ; Concilio, S; Biaggio, I; Bosshard, C; Gunter, P; Diederich, F. (2004). Synthesis and properties of a ROMP backbone polymer with efficient, laterally appended nonlinear optical chromophores. *J Mater Chem* 14: 292-295. <http://dx.doi.org/10.1039/b314789d>.
- Rajbongshi, BK; Nair, NN; Nethaji, M; Ramanathan, G. (2012). Segregation into Chiral Enantiomeric Conformations of an Achiral Molecule by Concomitant Polymorphism. *Cryst Growth Des* 12: 1823-1829. <http://dx.doi.org/10.1021/cg201313g>.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Abrasion resistance of modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 276-279.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Mechanical properties of solvent-induced modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 179-183.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). Influence of solvent pretreatment on dyeing performance of polyester yarns. *Indian Journal of Fibre & Textile Research* 22: 44-52.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). A study on some physical properties of modified cotton yarn. *Indian Journal of Fibre & Textile Research* 22: 154-162.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1998). Effect of solvent treatment on mechanical, structural and dyeing properties of regenerated cellulosic yarns. *Indian Journal of Fibre & Textile Research* 23: 170-176.
- Rajendraprasad, N; Basavaiah, K; Vinay, KB. (2011). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF QUETIAPINE FUMARATE IN PHARMACEUTICALS AND HUMAN URINE USING CALMAGITE AS AN ION-PAIR REAGENT. *Chemical Industry and Chemical Engineering Quarterly* 17: 259-267. <http://dx.doi.org/10.2298/CICEQ101124010R>.
- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater* 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, S; Murthy, ZVP. (2016). PSU/PET copolymer-based asymmetric polymeric membranes: influence of antioxidant. *Desalination and Water Treatment* 57: 26820-26829. <http://dx.doi.org/10.1080/19443994.2015.1120688>.
- Rajput, N; Lakhani, A. (2009). Measurements of polycyclic aromatic hydrocarbons at an industrial site in India. *Environ Monit Assess* 150: 273-284. <http://dx.doi.org/10.1007/s10661-008-0229-2>.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ* 8: 157-182.
- Ramachandran, R; Khan, ZR. (1991). Mechanisms of resistance in wild rice *Oryza brachyantha* to rice leaf folder *Cnaphalocrocis medinalis* (Guenée) (Lepidoptera: Pyralidae). *J Chem Ecol* 17: 41-65.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater* 261: 362-371. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.048>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Different families of volatile organic compounds pollution control by microporous carbons in temperature swing adsorption processes. *J Hazard Mater* 221-222: 242-247. <http://dx.doi.org/10.1016/j.jhazmat.2012.04.037>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Recovery comparisons--hot nitrogen Vs steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 205-206: 222-228. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.062>.
- Ramalingam, SG; Saussac, J; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Nicolas, S; Baudouin, O; Déchelotte, S; Medevielle, A. (2011). Hazardous dichloromethane recovery in combined temperature and vacuum pressure swing adsorption process. *J Hazard Mater* 198: 95-102. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.019>.
- Ramanujam, BTS; Mahale, RY; Radhakrishnan, S. (2010). Polyethersulfone-expanded graphite nanocomposites: Charge transport and impedance characteristics. *Compos Sci Tech* 70: 2111-2116. <http://dx.doi.org/10.1016/j.compscitech.2010.08.008>.
- Ramanujam, BTS; Radhakrishnan, S. (2015). Solution-blended polyethersulfone-graphite hybrid composites: Formation of nanographite and electrical characterization. *Journal of Thermoplastic Composite Materials* 28: 835-848. <http://dx.doi.org/10.1177/0892705713518784>.
- Ramasamy; Murugan, A. (2005). Potential antimicrobial activity of marine molluscs from Tuticorin, southeast coast of India against 40 biofilm bacteria. *J Shellfish Res* 24: 243-251.
- Ramesh, PJ; Basavaiah, K; Devi, OZ; Vinay, KB. (2010). SIMPLE AND SENSITIVE SPECTROPHOTOMETRIC ASSAY OF OFLOXACIN IN PHARMACEUTICALS BASED ON ION-PAIR REACTION. *Chemical Industry and Chemical Engineering Quarterly* 16: 353-362. <http://dx.doi.org/10.2298/CICEQ100328037R>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ramirez, AA; Benard, S; Giroir-Fendler, A; Jones, JP; Heitz, M. (2008). Treatment of methanol vapours in biofilters packed with inert materials. *J Chem Tech Biotechnol* 83: 1288-1297. <http://dx.doi.org/10.1002/jctb.1944>.
- Ramirez, WA; Domene, X; Andrés, P; Alcañiz, JM. (2008). Phytotoxic effects of sewage sludge extracts on the germination of three plant species. *Ecotoxicology* 17: 834-844. <http://dx.doi.org/10.1007/s10646-008-0246-5>.
- Ramos Chagas, G; Darmanin, T; Guittard, F. (2016). One-Step and Templateless Electropolymerization Process Using Thienothiophene Derivatives To Develop Arrays of Nanotubes and Tree-like Structures with High Water Adhesion. 8: 22732-22743. <http://dx.doi.org/10.1021/acsami.6b08536>.
- Ramos da Silva, JM; Nascimento, M, daG. (2012). Chemoenzymatic epoxidation of citronellol catalyzed by lipases. *Process Biochemistry* 47: 517-522. <http://dx.doi.org/10.1016/j.procbio.2011.12.019>.
- Rampon, DS; Rodembusch, FS; Schneider, JMF, M; Bechtold, IH; Goncalves, PFB; Merlo, AA; Schneider, PH. (2010). Novel selenoesters fluorescent liquid crystalline exhibiting a rich phase polymorphism. *J Mater Chem* 20: 715-722. <http://dx.doi.org/10.1039/b917366h>.
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen* 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Ranby, KW; Lewis, MA; Toll, BA; Rohrbaugh, MJ; Lipkus, IM. (2013). Perceptions of smoking-related risk and worry among dual-smoker couples. 15: 734-738. <http://dx.doi.org/10.1093/ntr/nts210>.
- Randerath, K; Randerath, E; Zhou, GD; Supunpong, N; He, LY; Mcdonald, TJ; Donnelly, KC. (1999). Genotoxicity of complex PAH mixtures recovered from contaminated lake sediments as assessed by three different methods. *Environ Mol Mutagen* 33: 303-312.
- Ranieri, G; Hallett, JP; Welton, T, om. (2008). Nucleophilic reactions at cationic centers in ionic liquids and molecular solvents. *Ind Eng Chem Res* 47: 638-644. <http://dx.doi.org/10.1021/ie070632v>.
- Rantakyla, M; Jantti, M; Aaltonen, O; Hurme, M. (2002). The effect of initial drop size on particle size in the supercritical antisolvent precipitation (SAS) technique. *Journal of Supercritical Fluids* 24: 251-263.
- Rao, CM; Sudarsan, V; Ningthoujam, RS; Gautam, UK; Vatsa, RK; Vinu, A; Tyagi, AK. (2008). Luminescence studies on low temperature synthesized ZnGa<sub>2</sub>O<sub>4</sub>:Ln<sup>3+</sup> (Ln = Tb and Eu) nanoparticles. *J Nanosci Nanotechnol* 8: 5776-5780. <http://dx.doi.org/10.1166/jnn.2008.246>.
- Rashed, K; Ciric, A, na; Glamoclija, J; Calhelha, RC; Ferreira, ICF, R; Sokovic, M. (2014). Antimicrobial and cytotoxic activities of *Alnus rugosa* L. aerial parts and identification of the bioactive components. *Ind Crop Prod* 59: 189-196. <http://dx.doi.org/10.1016/j.indcrop.2014.05.017>.
- Rastogi, SC. (1994). Regulation of dichloromethane and 1,1,1-trichloroethane in cosmetic products. *Sci Total Environ* 156: 23-25. [http://dx.doi.org/10.1016/0048-9697\(94\)90417-0](http://dx.doi.org/10.1016/0048-9697(94)90417-0).
- Ravandi, SAH; Chegoonian, P; Basiri, F; Fiez, M. (2013). Nanofibrous Membrane of Sulfonated Poly(ethylene terephthalate) for Removal of Metal Ions. *Current Nanoscience* 9: 648-653.
- Ravi, R; Philip, L; Swaminathan, T. (2010). Comparison of biological reactors (biofilter, biotrickling filter and modified RBC) for treating dichloromethane vapors. *J Chem Tech Biotechnol* 85: 634-639. <http://dx.doi.org/10.1002/jctb.2344>.
- Ravi, R; Philip, L; Swaminathan, T. (2013). Growth kinetics of an indigenous mixed microbial consortium during methylene chloride degradation in a batch reactor. *Korean J Chem Eng* 30: 1770-1774. <http://dx.doi.org/10.1007/s11814-013-0099-3>.
- Ravi, R; Philip, L; Swaminathan, T. (2014). Modified rotating biological contactor for removal of dichloromethane vapours. *Environ Technol* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.953553>.
- Ravikumara, NR; Bharadwaj, M; Madhusudhan, B. (2016). Tamoxifen citrate-loaded poly(D,L) lactic acid nanoparticles: Evaluation for their anticancer activity in vitro and in vivo. *J Biomater Appl* 31: 755-772. <http://dx.doi.org/10.1177/0885328216670561>.
- Rawi, SM; Al-Hazmi, MA; Torkey, HM; Kamel, AK. (2016). Importance of plant extract formulations in managing desert locust *Schistocerca gregaria*. *J Environ Biol* 37: 453-462.
- Rayburn, JR; Aladdin, RK. (2003). Developmental toxicity of copper, chromium, and aluminum using the shrimp embryo teratogenesis assay: Palaemonid with artificial seawater. *Bull Environ Contam Toxicol* 71: 481-488. <http://dx.doi.org/10.1007/s00128-003-8741-0>.
- Rayburn, JR; Fisher, WS. (1999). Developmental toxicity of copper chloride, methylene chloride, and 6-aminonicotinamide to embryos of the grass shrimp *Palaemonetes pugio*. *Environ Toxicol Chem* 18: 950-957.
- Razote, EB; Maghirang, RG; Seitz, LM; Jeon, JJ. (2004). Characterization of volatile organic compounds on airborne dust in a swine finishing barn. *Trans ASAE* 47: 1231-1238.
- Ré, N; Kataoka, VM; Cardoso, CA; Alcantara, GB; de Souza, JB. (2015). Polycyclic aromatic hydrocarbon concentrations in gas and particle phases and source determination in atmospheric samples from a semiurban area of Dourados, Brazil. *Arch Environ Contam Toxicol* 69: 69-80. <http://dx.doi.org/10.1007/s00244-015-0153-8>.
- Reaves, JT; Griffith, AT; Roberts, CB. (1998). Critical properties of dilute carbon dioxide plus entrainer and ethane plus entrainer mixtures. *Journal of Chemical and Engineering Data* 43: 683-686.
- Rebeck, TR; Walker, AH; Jaffe, JM; White, DL; Wein, AJ; Malkowicz, SB. (1999). Glutathione S-transferase-mu (GSTM1) and -theta (GSTT1) genotypes in the etiology of prostate cancer. *Cancer Epidemiol Biomarkers Prev* 8: 283-287.
- Reber, N; Kuchel, A; Spohr, R; Wolf, A; Yoshida, M. (2001). Transport properties of thermo-responsive ion track membranes. *J Memb Sci* 193: 49-58.
- Recelj, P; Goresek, M. (2006). The influence of stabilization under various conditions and subsequent treatment of polyester fabric on the quantity and composition of extracted oligomers. *Text Res J* 76: 322-327. <http://dx.doi.org/10.1177/0040517506062454>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Recelj, P; Gorenssek, M; Zigon, M. (2002). The influence of treatment conditions on the quantity and composition of oligomers extracted from polyester fabric. *Text Res J* 72: 447-453.
- Reddy, CM; Quinn, JG. (1999). GC-MS analysis of total petroleum hydrocarbons and polycyclic aromatic hydrocarbons in seawater samples after the North Cape oil spill. *Mar Pollut Bull* 38: 126-135.
- Regisrolle, SD; Bauville, GM. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF CARBENDAZIM RESIDUES IN CROPS, GRAINS, AND WINES WITH FLUORESCENT DETECTION. *Pestic Sci* 37: 273-282.
- Rehor, A; Canaple, L; Zhang, ZB; Hunkeler, D. (2001). The compressive deformation of multicomponent microcapsules: Influence of size, membrane thickness, and compression speed. *J Biomater Sci Polym Ed* 12: 157-170.
- Reid, BJ; Jones, KC; Semple, KT. (2000). Bioavailability of persistent organic pollutants in soils and sediments - a perspective on mechanisms, consequences and assessment. *Environ Pollut* 108: 103-112. [http://dx.doi.org/10.1016/S0269-7491\(99\)00206-7](http://dx.doi.org/10.1016/S0269-7491(99)00206-7).
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2000). Nonexhaustive cyclodextrin-based extraction technique for the evaluation of PAH bioavailability. *Environ Sci Technol* 34: 3174-3179. <http://dx.doi.org/10.1021/es990946c>.
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2004). Influence of hydroxypropyl-beta-cyclodextrin on the extraction and biodegradation of phenanthrene in soil. *Environ Toxicol Chem* 23: 550-556.
- Reilly, SA; Krick, T; Dass, A. (2010). Surfactant-free Synthesis of Ultrasmall Gold Nanoclusters. *J Phys Chem C* 114: 741-745. <http://dx.doi.org/10.1021/jp9067944>.
- Reimer, GJ; Noot, D; Suarez, A. (1995). SUPERCRITICAL-FLUID EXTRACTION OF ORGANOCHLORINE PESTICIDES FROM SOIL. *Int J Environ Anal Chem* 59: 91-96.
- Ren, L; Dong, Z; Jiang, M, an; Tong, J, in; Zhou, J. (2014). Hydrophobization of starch nanocrystals through esterification in green media. *Ind Crop Prod* 59: 115-118. <http://dx.doi.org/10.1016/j.indcrop.2014.05.014>.
- Ren, X; Zhang, X; Zhang, L; Han, R. (2013). Biosorption of methylene blue by natural and chemical modified wheat straw in fixed-bed column. *Desalination and Water Treatment* 51: 4514-4523. <http://dx.doi.org/10.1080/19443994.2012.741776>.
- Repoppi, N; Santiagosilva, M. (2005). Polycyclic aromatic hydrocarbons and other selected organic compounds in ambient air of Campo Grande City, Brazil. *Atmos Environ* 39: 2839-2850. <http://dx.doi.org/10.1016/j.atmosenv.2004.10.006>.
- Repussard, C; Tardieu, D; Alberich, M; Guerre, P. (2014). A new method for the determination of lolitrem B in plant materials. *Anim Feed Sci Technol* 193: 141-147. <http://dx.doi.org/10.1016/j.anifeedsci.2014.04.004>.
- Retamal, M; Costa, C; Suarez, JM; Richter, P. (2013). Multi-determination of organic pollutants in water by gas chromatography coupled to triple quadrupole mass spectrometry. *Int J Environ Anal Chem* 93: 93-107. <http://dx.doi.org/10.1080/03067319.2011.637195>.
- Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. *Powder Technology* 106: 23-29.
- Reverchon, E; Della Porta, G; De Rosa, I; Subra, P; Letourneur, D. (2000). Supercritical antisolvent micronization of some biopolymers. *Journal of Supercritical Fluids* 18: 239-245.
- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data* 44: 1139-1145.
- Rey, A; Blanc, N; Cannot, JC; Berthod, A. (2011). DETERMINATION OF SHORT POLYCHLORINATED ALKANES IN LEATHER USING GAS CHROMATOGRAPHY-ELECTRON CAPTURE NEGATIVE CHEMICAL IONIZATION MASS SPECTROMETRY. *American Leather Chemists Association Journal* 106: 294-302.
- Reyes-Chilpa, R; Gomez-Garibay, F; Moreno-Torres, G; Jimenez-Estrada, M; Quiroz-Vasquez, RI. (1998). Flavonoids and isoflavonoids with antifungal properties from *Platymiscium yucatanum* heartwood. *Holzforschung* 52: 459-462.
- Reza, MS; Whateley, TL. (1998). Iodo-2'-deoxyuridine (IUdR) and 125IUdR loaded biodegradable microspheres for controlled delivery to the brain. *J Microencapsul* 15: 789-801.
- Rezaeian, S; Saadatmand, S; Sattari, TN; Mirshamsi, A. (2015). Antioxidant potency of Iranian newly cultivated wild mushrooms of *Agaricus* and *Pleurotus* species. *Biomedical Research* 26: 534-542.
- Rezayati-Charani, P; Mohammadi-Rovshandeh, J; Hashemi, SJ; Kazemi-Najafi, S. (2006). Influence of dimethyl formamide pulping of bagasse on pulp properties. *Bioresour Technol* 97: 2435-2442. <http://dx.doi.org/10.1016/j.biortech.2005.08.026>.
- Rezvanpour, A; Attia, ABE; Wang, C, hiHwa. (2010). Enhancement of Particle Collection Efficiency in Electrohydrodynamic Atomization Process for Pharmaceutical Particle Fabrication. *Ind Eng Chem Res* 49: 12620-12631. <http://dx.doi.org/10.1021/ie1009662>.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol* 21: 147-156.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect* 108: 343-358.
- Rial, D; Vázquez, JA; Mendiña, A; García, AM; González, MP; Mirón, J; Murado, MA. (2013). Toxicity of binary mixtures of oil fractions to sea urchin embryos. *J Hazard Mater* 263 Pt 2: 431-440. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.059>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox. *Water Res* 38: 2103-2110. <http://dx.doi.org/10.1016/j.watres.2004.01.020>.
- Rice, SF; Steeper, RR. (1998). Oxidation rates of common organic compounds in supercritical water. *J Hazard Mater* 59: 261-278.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Richter, H; Risoul, V; Lafleur, AL; Plummer, EF; Howard, JB; Peters, WA. (2000). Chemical characterization and bioactivity of polycyclic aromatic hydrocarbons from non-oxidative thermal treatment of pyrene-contaminated soil at 250-1.000 degrees C. *Environ Health Perspect* 108: 709-717. <http://dx.doi.org/10.1289/ehp.00108709>.
- Riddick, L; Gentry, EL; Mcdaniel, M; Brumley, WC. (2006). Evaluation of N-methyl-N-tert-butyl-dimethylsilyl trifluoroacetamide for environmental analysis under both EIMS and electron capture NICIMS conditions and comparison to trimethylsilyl reagents under EIMS. *Int J Environ Anal Chem* 86: 299-312. <http://dx.doi.org/10.1080/03067310500211294>.
- Riddle, B; Baker-Jarvis, J; Krupka, J. (2003). Complex permittivity measurements of common plastics over variable temperatures. *IEEE Transactions on Microwave Theory and Techniques* 51: 727-733. <http://dx.doi.org/10.1109/TMTT.2003.808730>.
- Riente, P; Mendoza, C; Pericas, MA. (2011). Functionalization of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles for organocatalytic Michael reactions. *J Mater Chem* 21: 7350-7355. <http://dx.doi.org/10.1039/c1jm10535c>.
- Riley, DM; Small, MJ; Fischhoff, B. (2000). Modeling methylene chloride exposure-reduction options for home paint-stripper users. *J Expo Anal Environ Epidemiol* 10: 240-250.
- Rimbach, G; Brandt, K; Weigand, E. (1998). Gaschromatographic determination of trimethylamine in urine. *Agribiol Res* 51: 213-218.
- Rindone, B; Saliu, F; Bertoa, RS. (2008). Functionalization of the unactivated carbon-hydrogen bond via ozonation. *Ozone: Science and Engineering* 30: 165-171. <http://dx.doi.org/10.1080/01919510701864221>.
- Rindone, B; Saliu, F; Suarez-Bertoa, R. (2010). The Synthesis of Phthalic Anhydride via Ozonation of Naphthalene. *Ozone: Science and Engineering* 32: 161-165. <http://dx.doi.org/10.1080/01919511003788001>.
- Ringardlefebvre, C; Baszkin, A. (1994). BEHAVIOR OF POLY(D,L-LACTIC ACID) MONOLAYERS AT THE AIR-WATER-INTERFACE - EFFECT OF SPREADING SOLVENTS. *Langmuir* 10: 2376-2381.
- Rios, P; Cabral, V; Santos, S; Mori, F; Graca, J. (2014). The chemistry of Kiehmeyera coriacea outer bark: a potential source for cork. *Holz als Roh- und Werkstoff* 72: 509-519. <http://dx.doi.org/10.1007/s00107-014-0811-y>.
- Risoul, V; Richter, H; Lafleur, AL; Plummer, EF; Gilot, P; Howard, JB; Peters, WA. (2005). Effects of temperature and soil components on emissions from pyrolysis of pyrene-contaminated soil. *J Hazard Mater* 126: 128-140. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.019>.
- Robbins, SL; Angell, M. (1976). *Basic Pathology Disease at the cellular level* (2 ed.). Toronto: Saunders Company.
- Roberts, AL; Lyall, K; Hart, JE; Laden, F; Just, AC; Bobb, JF; Koenen, KC; Ascherio, A; Weisskopf, MG. (2013). Perinatal Air Pollutant Exposures and Autism Spectrum Disorder in the Children of Nurses' Health Study II Participants. *Environ Health Perspect* 121: 978-984. <http://dx.doi.org/10.1289/ehp.1206187>.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol* 26: 2263-2274.
- Roberts, MF; Jenekhe, SA. (1993). LEWIS-ACID COORDINATION-COMPLEXES OF POLYMERS .1. BCL<sub>3</sub>, ALCL<sub>3</sub>, AND GACL<sub>3</sub> COMPLEXES OF POLY(P-PHENYLENEBENZOBISTHIAZOLE). *Chem Mater* 5: 1744-1754.
- Robertson, GW; Griffiths, DW; Birch, ANE; Jones, AT; Mcnicol, JW; Hall, JE. (1991). FURTHER EVIDENCE THAT RESISTANCE IN RASPBERRY TO THE VIRUS VECTOR APHID, AMPHOROPHORA-IDAEI, IS RELATED TO THE CHEMICAL-COMPOSITION OF THE LEAF SURFACE. *Ann Appl Biol* 119: 443-449.
- Robin; Arora, S; Vig, A. (2015). Inhibition of DNA oxidative damage and antimutagenic activity by dichloromethane extract of Brassica rapa var. rapa L. seeds. *Ind Crop Prod* 74: 585-591. <http://dx.doi.org/10.1016/j.indcrop.2015.05.038>.
- Robinson, SC; Hinsch, E; Weber, G; Freitas, S. (2014). Method of extraction and resolubilisation of pigments from Chlorociboria aeruginosa and Scytalidium cuboideum, two prolific spalting fungi. *Color Technol* 130: 221-225. <http://dx.doi.org/10.1111/cote.12080>.
- Robinson, SC; Hinsch, E; Weber, G; Leipus, K; Cerney, D. (2014). Wood Colorization through Pressure Treating: The Potential of Extracted Colorants from Spalting Fungi as a Replacement for Woodworkers' Aniline Dyes. *Materials* 7: 5427-5437. <http://dx.doi.org/10.3390/ma7085427>.
- Robu, T; Leonte, C; Gile, E; Vatavu, R; Robu, B. (2010). IMPACT OF CHEMICALS ON DERIVATIVES WITH IMPORTANT THERAPEUTIC ACTIVITY IN CALENDULA OFFICINALIS L. FLORES. *Environmental Engineering and Management Journal* 9: 33-37.
- Rocha, SM; Coutinho, P; Delgadillo, I; Cardoso, AD; Coimbra, MA. (2005). Effect of enzymatic aroma release on the volatile compounds of white wines presenting different aroma potentials. *J Sci Food Agric* 85: 199-205. <http://dx.doi.org/10.1002/jsfa.1937>.
- Roche, V; Vacandio, F; Bertin, D; Massiani, Y. (2006). Corrosion performance of lamellae nanostructured fluorinated organic coating applied on steel. *Journal of Electroceramics* 16: 41-47. <http://dx.doi.org/10.1007/s10832-006-2366-8>.
- Rochester, CW; Mauger, SA; Moule, AJ. (2012). Investigating the Morphology of Polymer/Fullerene Layers Coated Using Orthogonal Solvents. *J Phys Chem C* 116: 7287-7292. <http://dx.doi.org/10.1021/jp212341a>.
- Rochford, J; Galoppini, E. (2008). Zinc(II) tetraarylporphyrins anchored to TiO<sub>2</sub>, ZnO, and ZrO<sub>2</sub> nanoparticle films through rigid-rod linkers. *Langmuir* 24: 5366-5374. <http://dx.doi.org/10.1021/la703845u>.
- Rodigast, M; Mutzel, A; Iinuma, Y; Haferkorn, S; Herrmann, H. (2015). Characterisation and optimisation of a sample preparation method for the detection and quantification of atmospherically relevant carbonyl compounds in aqueous medium. *Atmos Meas Tech* 8: 2409-2416. <http://dx.doi.org/10.5194/amt-8-2409-2015>.
- Rodrigues Filho, G; Ribeiro, SD; Meireles, C, da S; da Silva, LG; Ruggiero, R; Ferreira Junior, MF; Cerqueira, DA; Nascimento de Assuncao, RM; Zeni, M; Polleto, P. (2011). Release of doxycycline through cellulose acetate symmetric and asymmetric membranes produced from recycled agroindustrial residue: Sugarcane bagasse. *Ind Crop Prod* 33: 566-571. <http://dx.doi.org/10.1016/j.indcrop.2010.10.037>.
- Rodriguez Arana, JM; Mazzoco, RR. (2010). Adsorption studies of methylene blue and phenol onto black stone cherries prepared by chemical activation. *J Hazard Mater* 180: 656-661. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.08>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rodríguez, SM; Gálvez, JB; Rubio, MI; Ibáñez, PF; Gernjak, W; Alberola, IO. (2005). Treatment of chlorinated solvents by TiO<sub>2</sub> photocatalysis and photo-Fenton: influence of operating conditions in a solar pilot plant. *Chemosphere* 58: 391-398. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.043>.
- Rodriguez-Arnaiz, R. (1998). Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. *Environ Mol Mutagen* 31: 390-401. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)31:4<390::AID-EM12>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)31:4<390::AID-EM12>3.0.CO;2-7).
- Rodríguez-Cabo, B; Rodríguez-Palmeiro, I; Corchero, R; Rodil, R; Rodil, E; Arce, A; Soto, A. (2017). Photocatalytic degradation of methyl orange, methylene blue and rhodamine B with AgCl nanocatalyst synthesised from its bulk material in the ionic liquid [P6 6 6 14]Cl. *Water Sci Technol* 75: 128-140. <http://dx.doi.org/10.2166/wst.2016.499>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Entrainer. *Ind Eng Chem Res* 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Molina, B; Ochoa, M, aE; Romero, M; Khan, SI; Farfan, N; Santillan, R; Garcia-Garibay, MA. (2013). Conformational Polymorphism and Isomorphism of Molecular Rotors with Fluoroaromatic Rotators and Mestranol Stators. *Cryst Growth Des* 13: 5107-5115. <http://dx.doi.org/10.1021/cg4012873>.
- Rodriguez-Reinoso, F; Nakagawa, Y; Silvestre-Albero, J; Juarez-Galan, JM; Molina-Sabio, M. (2008). Correlation of methane uptake with microporosity and surface area of chemically activated carbons. *Microporous and Mesoporous Materials* 115: 603-608. <http://dx.doi.org/10.1016/j.micromeso.2008.03.002>.
- Roeker, S; Diederichs, S; Stark, Y; Boehm, S; Ochoa, I; Sanz, JA; Garcia-Aznar, JM; Doblare, M; van Griensven, M; Scheper, T; Kasper, C. (2009). Novel 3D biomaterials for tissue engineering based on collagen and macroporous ceramics. *Materwiss Werksttech* 40: 54-60. <http://dx.doi.org/10.1002/mawe.200800413>.
- Roge, TP; Thibaudau, F; Mathiez, P; Dumas, P; Salvan, F. (1994). EARLY STAGES OF CU GROWTH ON BORON SEGREGATED SI(111) SURFACES - A SCANNING-TUNNELING-MICROSCOPY STUDY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 12: 2040-2043.
- Rogers, V; Mackinnon, M; Brownlee, B. (2007). Analytical approaches to characterising fish tainting potential of oil sands process waters. *Water Sci Technol* 55: 311-318. <http://dx.doi.org/10.2166/wst.2007.193>.
- Roh, JJ. (2002). Influence of rupture strength of interfacially polymerized thin-film structure on the performance of polyamide composite membranes. *J Memb Sci* 198: 63-74.
- Rohan, D; Canaff, C; Fromentin, E; Guisnet, M. (1998). Acetylation of anisole by acetic anhydride over a HBEA zeolite - Origin of deactivation of the catalyst. *J Catal* 177: 296-305.
- Roizard, D; Lapique, F; Favre, E; Roizard, C. (2009). Potentials of pervaporation to assist VOCs' recovery by liquid absorption. *Chem Eng Sci* 64: 1927-1935. <http://dx.doi.org/10.1016/j.ces.2009.01.014>.
- Roizard, D; Teplyakov, V; Favre, E; Fefilatiev, L; Lagunstov, N; Khotimsky, V. (2004). VOC's removal from water with a hybrid system coupling a PTMSP membrane module with a stripper. *Desalination* 162: 41-46.
- Rojas, NY; Milquez, HA; Sarmiento, H. (2011). Characterizing priority polycyclic aromatic hydrocarbons (PAH) in particulate matter from diesel and palm oil-based biodiesel B15 combustion. *Atmos Environ* 45: 6158-6162. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.016>.
- Romanski, FS; Winkler, JS; Riccobene, RC; Tomassone, MS. (2012). Production and characterization of anisotropic particles from biodegradable materials. *Langmuir* 28: 3756-3765. <http://dx.doi.org/10.1021/la2044834>.
- Rombi, E; Monaci, R; Solinas, V. (1999). Kinetics of catalyst deactivation. An example: methylnaphthalene transformation. *Catalysis Today* 52: 321-330.
- Romero Ale, E; Babay, P; Magallanes, J; Becquart, E; Polla, G; Gautier, E. (2009). Performance of different extraction media for the ultrasonic-assisted extraction of nonylphenol and nonylphenol mono- and diethoxylates from sediments. *Int J Environ Anal Chem* 89: 1005-1021. <http://dx.doi.org/10.1080/03067310903006960>.
- Romero, R; Sierra, R; Richter, P. (2002). Efficient screening method for determination of polycyclic aromatic hydrocarbons (PAHs) in airborne particles. Application in real samples of Santiago-Chile metropolitan urban area. *Atmos Environ* 36: 2375-2381.
- Ronotrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater* 7: 383-393.
- Ronsten, G. (1992). STATIC PRESSURE MEASUREMENTS ON A ROTATING AND A NONROTATING 2.375M WIND TURBINE BLADE - COMPARISON WITH 2D-CALCULATIONS. *J Wind Eng Ind Aerod* 39: 105-118.
- Rosengren, LE; Kjellstrand, P; Aurell, A; Haglid, KG. (1986). Irreversible effects of dichloromethane on the brain after long term exposure: A quantitative study of DNA and the glial cell marker proteins S-100 and GFA. *Br J Ind Med* 43: 291-299.
- Rosilio, V; Benoit, JP; Deyme, M; Thies, C; Madelmont, G. (1991). A PHYSICO-CHEMICAL STUDY OF THE MORPHOLOGY OF PROGESTERONE-LOADED MICROSPHERES FABRICATED FROM POLY(D,L-LACTIDE-CO-GLYCOLIDE). *J Biomed Mater Res* 25: 667-682.
- Ros-Lis, JV; Martinez-Manez, R; Soto, J; Villaescusa, LA; Rurack, K. (2011). Squaraine "ships" in the Y zeolite "bottle": a chromogenic sensing material for the detection of volatile amines and thiols. *J Mater Chem* 21: 5004-5010. <http://dx.doi.org/10.1039/c0jm03780j>.
- Ross, B; Lu, N. (1999). Dynamics of DNAPL penetration into fractured porous media. *Ground Water* 37: 140-147.
- Rossi, D; Schreiner, WH; Durrant, SF. (2016). Characterization of amorphous hydrogenated chlorinated plasma polymers. *Surf Coating Tech* 289: 118-123. <http://dx.doi.org/10.1016/j.surfcoat.2016.01.053>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rotchell, JM; Ulinal, E; Van Beneden, RJ; Ostrander, GK. (2001). Retinoblastoma gene mutations in chemically induced liver tumor samples of Japanese medaka (*Oryzias latipes*). *Mar Biotechnol* 3: S44-S49.
- Roth, JD; Weaver, MJ. (1992). ROLE OF THE DOUBLE-LAYER CATION ON THE POTENTIAL-DEPENDENT STRETCHING FREQUENCIES AND BINDING GEOMETRIES OF CARBON-MONOXIDE AT PLATINUM NONAQUEOUS INTERFACES. *Langmuir* 8: 1451-1458.
- Rothman, KJ; Greenland, S. (1998). Precision and validity in epidemiologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 115-134). Philadelphia, PA: Lippincott Williams & Wilkins.
- Rountree, SM; Lagunas, MC; Hardacre, C; Davey, PN. (2011). Dimerisation of cyclooctene using Grubbs' catalysts. *Appl Catal A-Gen* 408: 54-62. <http://dx.doi.org/10.1016/j.apcata.2011.09.005>.
- Rowe, RK; Brachman, RWI. (2004). Assessment of equivalence of composite liners. *Geosynthetics International* 11: 273-286.
- Rowe, RK; Hrapovic, L; Kosaric, N; Cullimore. (1997). Anaerobic degradation of DCM diffusing through clay. *Journal of Geotechnical and Geoenvironmental Engineering* 123: 1085-1095.
- Roy, C; Pakdel, H; Zhang, HG; Elliott, DC. (1994). CHARACTERIZATION AND CATALYTIC GASIFICATION OF THE AQUEOUS BY-PRODUCT FROM VACUUM PYROLYSIS OF BIOMASS. *Can J Chem Eng* 72: 98-105.
- Roy, C; Vrel, D; Vega-Gonzalez, A; Jestin, P; Laugier, S; Subra-Paternault, P. (2011). Effect of CO<sub>2</sub>-antisolvent techniques on size distribution and crystal lattice of theophylline. *Journal of Supercritical Fluids* 57: 267-277. <http://dx.doi.org/10.1016/j.supflu.2011.03.002>.
- Roy, JL; McGill, WB; Lowen, HA; Johnson, RL. (2003). Relationship between water repellency and native and petroleum-derived organic carbon in soils. *J Environ Qual* 32: 583-590.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol* 59: 163-186.
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a Trichodesmium bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci* 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.
- Roy, S; Conway, WS; Buta, JG; Watada, AE; Sams, CE; Wergin, WP. (1996). Surfactants affect calcium uptake from postharvest treatment of 'golden delicious' apples. *J Am Soc Hortic Sci* 121: 1179-1184.
- Roy, SG; Haldar, U; De, P. (2014). Remarkable Swelling Capability of Amino Acid Based Cross-Linked Polymer Networks in Organic and Aqueous Medium. *ACS Applied Materials & Interfaces* 6: 4233-4241. <http://dx.doi.org/10.1021/am405932f>.
- Rubach, M; Lang, R; Skupin, C; Hofmann, T; Somoza, V. (2010). Activity-guided fractionation to characterize a coffee beverage that effectively down-regulates mechanisms of gastric acid secretion as compared to regular coffee. *J Agric Food Chem* 58: 4153-4161. <http://dx.doi.org/10.1021/jf904493f>.
- Ruckenstein, E; Hong, L. (1992). BINDING CATALYTIC SITES TO THE SURFACE OF POROUS POLYMERS AND SOME CATALYTIC APPLICATIONS. *Chem Mater* 4: 122-127.
- Rugutt, JK; Rugutt, JK; Irani, RJ; Fischer, NH; Berner, DK; Mccarley, TD. (1996). GC/MS evaluation of compounds in dry and conditioned *Striga* species seeds. *J Agric Food Chem* 44: 3977-3982.
- Ruiz, F; Gomis, V; Botella, RF. (1988). EXTRACTION OF ETHANOL FROM AQUEOUS-SOLUTION .2. A SOLVENT MORE VOLATILE THAN ETHANOL - DICHLOROMETHANE. *Ind Eng Chem Res* 27: 648-650.
- Rushdi, AI; Al-Mutlaq, K; Simoneit, BR. (2005). Sources of organic compounds in fine soil and sand particles during winter in the metropolitan area of Riyadh, Saudi Arabia. *Arch Environ Contam Toxicol* 49: 457-470. <http://dx.doi.org/10.1007/s00244-004-0002-7>.
- Rushdi, AI; Al-Mutlaq, KF; El-Mubarak, AH; Al-Saleh, MA; El-Otaibi, MT; Ibrahim, SMM; Simoneit, BRT. (2016). Occurrence and sources of natural and anthropogenic lipid tracers in surface soils from arid urban areas of Saudi Arabia. *Environ Pollut* 208: 696-703. <http://dx.doi.org/10.1016/j.envpol.2015.10.049>.
- Rushdi, AI; Al-Zarban, S; Simoneit, BR. (2006). Chemical compositions and sources of organic matter in fine particles of soils and sands from the vicinity of Kuwait city. *Environ Monit Assess* 120: 537-557. <http://dx.doi.org/10.1007/s10661-005-9102-8>.
- Rushdi, AI; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq. I: aliphatic lipids. *Environ Geol* 50: 857-866. <http://dx.doi.org/10.1007/s00254-006-0257-6>.
- Rushdi, AI; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq. II. Polar compounds. *Environ Geol* 50: 1171-1181. <http://dx.doi.org/10.1007/s00254-006-0289-y>.
- Rushdi, AI; Kassim, TAT, A; Simoneit, BRT. (2009). Organic tracers in sediments from the coastal zone of Ras Abu el-Darag, Gulf of Suez. *Environ Geol* 58: 1675-1687. <http://dx.doi.org/10.1007/s00254-008-1668-3>.
- Rusina, TP; Smedes, F; Klanova, J; Booij, K; Holoubek, I. (2007). Polymer selection for passive sampling: a comparison of critical properties. *Chemosphere* 68: 1344-1351. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.025>.
- Russo, C; Stanzione, F; Alfe, M; Ciajolo, A; Tregrossi, A. (2012). SPECTRAL ANALYSIS IN THE UV-VISIBLE RANGE FOR REVEALING THE MOLECULAR FORM OF COMBUSTION-GENERATED CARBONACEOUS SPECIES. *Combust Sci Tech* 184: 1219-1231. <http://dx.doi.org/10.1080/00102202.2012.664315>.
- Russo, C; Stanzione, F; Ciajolo, A; Tregrossi, A. (2013). Study on the contribution of different molecular weight species to the absorption UV-Visible spectra of flame-formed carbon species. *Proc Combust Inst* 34: 3661-3668. <http://dx.doi.org/10.1016/j.proci.2012.06.097>.
- Rutherford, PM; Banerjee, DK; Luther, SM; Gray, MR; Dudas, MJ; McGill, WB; Pickard, MA; Salloun, MJ. (1998). Slurry-phase bioremediation of creosote and petroleum-contaminated soils. *Environ Technol* 19: 683-696.
- Ryan, TJ; Hart, EM; Kappler, LL. (2002). VOC exposures in a mixed-use university art building. *AIHA J* 63: 703-708. [http://dx.doi.org/10.1202/0002-8894\(2002\)063<0703:VEIAMU>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2002)063<0703:VEIAMU>2.0.CO;2).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ryckebosch, E; Cuellar Bermudez, SP; Termote-Verhalle, R; Bruneel, C; Muylaert, K; Parra-Saldivar, R; Foubert, I. (2014). Influence of extraction solvent system on the extractability of lipid components from the biomass of *Nannochloropsis gaditana*. *J Appl Phycol* 26: 1501-1510. <http://dx.doi.org/10.1007/s10811-013-0189-y>.
- Rynö, M; Rantanen, L; Papaioannou, E; Konstandopoulos, AG; Koskentalo, T; Savela, K. (2006). Comparison of pressurized fluid extraction, Soxhlet extraction and sonication for the determination of polycyclic aromatic hydrocarbons in urban air and diesel exhaust particulate matter. *J Environ Monit* 8: 488-493. <http://dx.doi.org/10.1039/b515882f>.
- Ryu, GY; Lee, SG; Shin, SE; Park, JJ; Park, S; Shin, DM. (2010). Substituent effect on color tuning of red light emission in photoluminescence and electroluminescence of red fluorophore. *J Nanosci Nanotechnol* 10: 6805-6810. <http://dx.doi.org/10.1166/jnn.2010.2962>.
- Rzeszutek, K; Chow, A. (2001). Extraction of metal-dye ion-association complexes by thin ether-type polyurethane membranes. *J Memb Sci* 181: 265-277.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Sadilek, J, an; Spalovska, P; Vrana, B; Vavrova, M; Marsalek, B; Simek, Z. (2016). Comparison of extraction techniques for isolation of steroid oestrogens in environmentally relevant concentrations from sediment. *Int J Environ Anal Chem* 96: 1022-1037. <http://dx.doi.org/10.1080/03067319.2016.1232718>.
- Saeed, A; Arshad, I; Floerke, U. (2012). One-Pot Synthesis and Crystal Structure of Methyl 5-Hydroxy-1-phenyl-1H-pyrazole-3-carboxylate. 2: 1248-1252. <http://dx.doi.org/10.3390/cryst2031248>.
- Saepurahman; Singaravel, GP; Hashaikah, R. (2016). Fabrication of electrospun LTL zeolite fibers and their application for dye removal. *Journal of Materials Science* 51: 1133-1141. <http://dx.doi.org/10.1007/s10853-015-9444-8>.
- Safaei-Ghomi, J; Ghadami, M; Batooli, H. (2012). BIOACTIVITY OF EUCALYPTUS OLEOSA VAR. OBTUSE LEAVES AND FLOWERS. *Digest Journal of Nanomaterials and Biostructures* 7: 657-660.
- Safarwali, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbamoyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Saftic, S; Fedorak, PM; Andersson, JT. (1993). Transformations of methyl dibenzothiophenes by three *Pseudomonas* isolates. *Environ Sci Technol* 27: 2577-2584.
- Sah, H. (1999). Protein instability toward organic solvent/water emulsification: Implications for protein microencapsulation into microspheres. *PDA J Pharm Sci Technol* 53: 3-10.
- Saha, S; Singh, SB; Kulshrestha, G. (2003). High performance liquid chromatographic method for residue determination of sulfosulfuron. *J Environ Sci Health B* 38: 337-347. <http://dx.doi.org/10.1081/PFC-120019900>.
- Sahani, MK; Singhal, D; Singh, AK; Jain, AK; Singh, UP; Narang, S. (2016). Potentiometric sensor for the nanoscale monitoring of Ni<sup>2+</sup> ion in environmental samples by the fabrication of coated pyrolytic graphite electrode based on a novel C-C-coupled compound. *Int J Environ Anal Chem* 93: 1170-1187. <http://dx.doi.org/10.1080/03067319.2016.1244671>.
- Sahin, O; Saka, C; Ceyhan, AA; Baytar, O. (2016). The pyrolysis process of biomass by two-stage chemical activation with different methodology and iodine adsorption. *Energy Source Part A* 38: 1756-1762. <http://dx.doi.org/10.1080/15567036.2014.956195>.
- Sahiner, N; Yildiz, S; Al-Lohedan, H. (2015). The resourcefulness of p(4-VP) cryogels as template for in situ nanoparticle preparation of various metals and their use in H<sub>2</sub> production, nitro compound reduction and dye degradation. *Appl Catal B-Environ* 166: 145-154. <http://dx.doi.org/10.1016/j.apcatb.2014.11.027>.
- Sahmoune, A; Mitiche, L. (2004). Extraction and transport of chromium(VI) through a bulk liquid membrane containing triphenylphosphine. *Ann Chim* 94: 929-938. <http://dx.doi.org/10.1002/adic.200490115>.
- Sahoo, C; Gupta, AK. (2015). Characterization and photocatalytic performance evaluation of various metal ion-doped microstructured TiO<sub>2</sub> under UV and visible light. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 50: 659-668. <http://dx.doi.org/10.1080/10934529.2015.1011958>.
- Sahoo, SK; Ray, SS; Singh, ID. (2004). Structural characterization of coke on spent hydroprocessing catalysts used for processing of vacuum gas oils. *Appl Catal A-Gen* 278: 83-91. <http://dx.doi.org/10.1016/j.apcata.2004.09.028>.
- Sai, JO; Anderson, DC. (1992). BARRIER WALL MATERIALS FOR CONTAINMENT OF DENSE NONAQUEOUS PHASE LIQUID (DNAPL). *Hazardous Waste and Hazardous Materials* 9: 317-330.
- Saito, I; Shibata, E; Huang, J; Hisanaga, N; Ono, Y; Takeuchi, Y. (1991). DETERMINATION OF URINARY 2,5-HEXANEDIONE CONCENTRATION BY AN IMPROVED ANALYTICAL METHOD AS AN INDEX OF EXPOSURE TO NORMAL-HEXANE. *Br J Ind Med* 48: 568-574.
- Saito, K; Ogawa, M; Takekuma, M; Ohmura, A; Kawaguchi, M; Ito, R; Inoue, K; Matsuki, Y; Nakazawa, H. (2005). Systematic analysis and overall toxicity evaluation of dioxins and hexachlorobenzene in human milk. *Chemosphere* 61: 1215-1220. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.035>.
- Saiyasitpanich, P; Keener, TC; Lu, MM; Liang, FY; Khang, SJ. (2008). Control of Diesel Gaseous and Particulate Emissions with a Tube-Type Wet Electrostatic Precipitator. *Journal of the Air and Waste Management Association* 58: 1311-1317. <http://dx.doi.org/10.3155/1047-3289.58.10.1311>.
- Saka, E, ceT; Kobak, RZU; Alp, H; Sarki, G; Koca, A; Kantekin, H. (2016). Electrochemical and spectroelectrochemical properties of new metal free, nickel(II), lead(II) and zinc(II) phthalocyanines. *Synthetic Metals* 217: 295-303. <http://dx.doi.org/10.1016/j.synthmet.2016.04.004>.
- Sakai, K; Ohno, K; Nomura, K; Endo, T; Sakamoto, K; Sakai, H; Abe, M. (2014).  $\alpha$ -Gel formation by amino acid-based gemini surfactants. *Langmuir* 30: 7654-7659. <http://dx.doi.org/10.1021/la501186h>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sakai, T; Morita, Y; Roh, J; Kim, H; Kim, Y. (2005). Improvement in the GC-MS method for determining urinary toluene-diamine and its application to the biological monitoring of workers exposed to toluene-diisocyanate. *Int Arch Occup Environ Health* 78: 459-466. <http://dx.doi.org/10.1007/s00420-004-0571-9>.
- Sala, G. (2000). Composite degradation due to fluid absorption. *Composites Part B: Engineering* 31: 357-373.
- Salazar, C; Lach, J; R ckerl, F; Baumann, D; Schimmel, S; Knupfer, M; Kersting, B; B chner, B; Hess, C. (2016). STM Study of Au(111) Surface-Grafted Paramagnetic Macrocyclic Complexes [Ni<sub>2</sub>L(Hmba)](+) via Ambidentate Coligands. *Langmuir* 32: 4464-4471. <http://dx.doi.org/10.1021/acs.langmuir.6b00772>.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal* 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.
- Saleh, TA; Muhammad, AM; Tawabini, B; Ali, SA. (2016). Aminomethylphosphonate Chelating Ligand and Octadecyl Alkyl Chain in a Resin for Simultaneous Removal of Co(II) Ions and Organic Contaminants. *Journal of Chemical and Engineering Data* 61: 3377-3385. <http://dx.doi.org/10.1021/acs.jced.6b00475>.
- Salem, IA; El-Maazawi, MS. (2000). Kinetics and mechanism of color removal of methylene blue with hydrogen peroxide catalyzed by some supported alumina surfaces. *Chemosphere* 41: 1173-1180.
- Salem, MZM; Zayed, MZ; Ali, HM; Abd El-Kareem, MSM. (2016). Chemical composition, antioxidant and antibacterial activities of extracts from *Schinus molle* wood branch growing in Egypt. *J Wood Sci* 62: 548-561. <http://dx.doi.org/10.1007/s10086-016-1583-2>.
- Salhi, F; Cheuk, KKL; Sun, QH; Lam, JWY; Cha, JAK; Li, G; Li, BS; Luo, JD; Chen, JW; Tang, BZ. (2001). Rapid fabrication of three-dimensional porous films with biomimetic patterns by natural evaporation of amphiphilic polyacetylene solutions under ambient conditions. *J Nanosci Nanotechnol* 1: 137-141. <http://dx.doi.org/10.1166/jnn.2001.022>.
- Salihu, G; Goswami, P; Russell, S. (2012). Hybrid electrospun nonwovens from chitosan/cellulose acetate. *Cellulose* 19: 739-749. <http://dx.doi.org/10.1007/s10570-012-9666-8>.
- Salima, A; Ounissa, KS; Fadila, H; Mohamed, B. (2016). Equilibrium and kinetic modeling of acid dye removal from aqueous solution by polymer inclusion membrane (PIMs). *Desalination and Water Treatment* 57: 3708-3719. <http://dx.doi.org/10.1080/19443994.2014.984634>.
- Salinas-Hernandez, C; Diaz-Nava, MC; Solache-Rios, M. (2012). Sorption and Desorption of Red 5 and Yellow 6 by a Fe-Zeolitic Tuff. *Water Air Soil Pollut* 223: 4959-4968. <http://dx.doi.org/10.1007/s11270-012-1250-1>.
- Sallm n, M; Neto, M; Mayan, ON. (2008). Reduced fertility among shoe manufacturing workers. *Occup Environ Med* 65: 518-524. <http://dx.doi.org/10.1136/oem.2007.032839>.
- Sallo, A; Crasmareanu, C; Lascu, A. (2009). Contributions to the Study of Dinitrotoluene Adducts with Sulfite Ion by Visible Spectrophotometry. *Rev Chim* 60: 491-493.
- Salmon, AG; Roth, LA. (2010). Cancer risk based on an individual tumor type or summing of tumors. In CH Hsu; T Stedeford (Eds.), (pp. 29.21-29.25). Hoboken, NJ: John Wiley & Sons.
- Salmon, E; Behar, F; Hatcher, PG. (2011). Molecular characterization of Type I kerogen from the Green River Formation using advanced NMR techniques in combination with electrospray ionization/ultrahigh resolution mass spectrometry. *Organic Geochemistry* 42: 301-315. <http://dx.doi.org/10.1016/j.orggeochem.2010.12.007>.
- Salvado, V; Alcaide, A; Carandell, N; Hidalgo, M. (2001). Evaluation of extraction procedures of organochlorine pesticides from natural waters and sediments. *Int J Environ Anal Chem* 81: 243-256.
- Salvatierra, D; Taylor, JD; Marrone, PA; Tester, JW. (1999). Kinetic study of hydrolysis of methylene chloride from 100 to 500 degrees C. *Ind Eng Chem Res* 38: 4169-4174.
- Samburova, V; Connolly, J; Gyawali, M; Yatavelli, RL; Watts, AC; Chakrabarty, RK; Zielinska, B; Moosm ller, H; Khlystov, A. (2016). Polycyclic aromatic hydrocarbons in biomass-burning emissions and their contribution to light absorption and aerosol toxicity. *Sci Total Environ* 568: 391-401. <http://dx.doi.org/10.1016/j.scitotenv.2016.06.026>.
- Sampaio, KL; Biasoto, AC; Da Silva, MA. (2015). Comparison of techniques for the isolation of volatiles from cashew apple juice. *J Sci Food Agric* 95: 299-312. <http://dx.doi.org/10.1002/jsfa.6718>.
- Sampaio, KL; Garruti, DS; Franco, MR; Janzantti, NS; Da Silva, MA. (2011). Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *J Sci Food Agric* 91: 1801-1809. <http://dx.doi.org/10.1002/jsfa.4385>.
- Sanchez, PS; Coimbra, CA; Coelho, MCL; Valent, GU; Sato, MIZ; Martins, MT. (1992). ASSESSMENT OF MUTAGENIC ACTIVITY IN DRINKING-WATER FROM SAO-PAULO CITY, BRAZIL. *Environ Toxicol Water Qual* 7: 141-155.
- Sanchezbrunete, C; Martinez, L; Tadeo, JL. (1994). DETERMINATION OF CORN HERBICIDES BY GC-MS AND GC-NPD IN ENVIRONMENTAL-SAMPLES. *J Agric Food Chem* 42: 2210-2214.
- Sanchez-Fortun, S; Sanz, F; Santa-Maria, A; Ros, JM; De Vicente, ML; Encinas, MT; Vinagre, E; Barahona, MV. (1997). Acute sensitivity of three age classes of *Artemia salina* larvae to seven chlorinated solvents. *Bull Environ Contam Toxicol* 59: 445-451. <http://dx.doi.org/10.1007/s001289900498>.
- S nchez-Recillas, A; Mantec n-Reyes, P; Castillo-Espa a, P; Villalobos-Molina, R; Ibarra-Barajas, M; Estrada-Soto, S. (2014). Tracheal relaxation of five medicinal plants used in Mexico for the treatment of several diseases. *Asian Pacific Journal of Tropical Medicine* 7: 179-183. [http://dx.doi.org/10.1016/S1995-7645\(14\)60017-1](http://dx.doi.org/10.1016/S1995-7645(14)60017-1).
- Sander, EA; Alb, AM; Nauman, EA; Reed, WF; Dee, KC. (2004). Solvent effects on the microstructure and properties of 75/25 poly(D,L-lactide-co-glycolide) tissue scaffolds. *J Biomed Mater Res A* 70: 506-513. <http://dx.doi.org/10.1002/jbm.a.30109>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sandhu, AK; Mandal, K; Singh, B. (2015). Estimation and Validation of Propanil Residues in Rice and Soil Samples by Gas Liquid Chromatography with Electron Capture Detector. *Bull Environ Contam Toxicol* 95: 368-372. <http://dx.doi.org/10.1007/s00128-015-1610-9>.
- Sandoval, MV; Henao, JA; Romero Bohorquez, AR; Kouznetsov, VV. (2012). Synthesis and X-ray diffraction data of 5-acryloyloxy-trans-2-(4-methoxyphenyl)-3-methyl-2,3-dihydrobenzo[b]furan. *Powder Diffraction* 27: 211-214. <http://dx.doi.org/10.1017/S085715612000504>.
- Sandoval-Mojica, AF; Capinera, JL. (2011). Antifeedant effect of commercial chemicals and plant extracts against *Schistocerca americana* (Orthoptera: Acrididae) and *Diaprepes abbreviatus* (Coleoptera: Curculionidae). *Pest Manag Sci* 67: 860-868. <http://dx.doi.org/10.1002/ps.2125>.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes* 19: 329-357.
- Sanin, FD; Knappe, DRU; Barlaz, MA. (2000). The fate of toluene, acetone and 1,2-dichloroethane in a laboratory-scale simulated landfill. *Water Res* 34: 3063-3074.
- Sanjini, NS; Dhanalakshmi, R; Velmathi, S. (2014). Photocatalytic Application of Wide Band Gap CuO Nanoparticles Synthesized by Microwave Assisted Quick Precipitation. 6: 1399-1405. <http://dx.doi.org/10.1166/sam.2014.1823>.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy* 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Santiago, S; Thomas, RL; Larbaigt, G; Rossel, D; Echeverria, MA; Tarradellas, J; Loizeau, JL; Mccarthy, L; Mayfield, CI; Corvi, C. (1993). COMPARATIVE ECOTOXICITY OF SUSPENDED SEDIMENT IN THE LOWER RHONE RIVER USING ALGAL FRACTIONATION, MICROTOX(R) AND DAPHNIA-MAGNA BIOASSAYS. *Hydrobiologia* 252: 231-244.
- Santos, KA; Bariccatti, RA; Cardozo-Filho, L; Schneider, R; Palu, F; da Silva, C; da Silva, EA. (2015). Extraction of crambe seed oil using subcritical propane: Kinetics, characterization and modeling. *Journal of Supercritical Fluids* 104: 54-61. <http://dx.doi.org/10.1016/j.supflu.2015.05.026>.
- Santos, SAO; Oliveira, CSD; Trindade, SS; Abreu, MH; Rocha, SSM; Silvestre, AJD. (2016). Bioprospecting for lipophilic-like components of five Phaeophyta macroalgae from the Portuguese coast. *J Appl Phycol* 28: 3151-3158. <http://dx.doi.org/10.1007/s10811-016-0855-y>.
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2004). Rheological properties of PLGA film-based implants: correlation with polymer degradation and SPf66 antimalaric synthetic peptide release. *Biomaterials* 25: 925-931. [http://dx.doi.org/10.1016/S0142-9612\(03\)00592-1](http://dx.doi.org/10.1016/S0142-9612(03)00592-1).
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2005). Structural properties of biodegradable polyesters and rheological behaviour of their dispersions and films. *J Biomater Sci Polym Ed* 16: 629-641.
- Sanyal, D; Rani, A; Alam, S. (2009). A multi-residue method for the analysis of organophosphorus residues in cooked and polished rice using accelerated solvent extraction and dispersive-solid phase extraction (D-SPE) technique and uncertainty measurement. *J Environ Sci Health B* 44: 706-716. <http://dx.doi.org/10.1080/03601230903163830>.
- Sapozhnikova, Y; Pennington, P; Wirth, E; Fulton, M. (2009). Fate and transport of Irgarol 1051 in a modular estuarine mesocosm. *J Environ Monit* 11: 808-814. <http://dx.doi.org/10.1039/b818273f>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, CM. (2008). Electrochemical impedance spectroscopy and morphological analyses of pyrrole, phenylpyrrole and methoxyphenylpyrrole on carbon fiber microelectrodes. *Surf Coating Tech* 202: 3997-4005. <http://dx.doi.org/10.1016/j.surfcoat.2008.02.007>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, MC. (2009). Monomer Concentration Effect on Electrochemically Modified Carbon Fiber with Poly[1-(4-Methoxyphenyl)-1H-Pyrrole] as Microcapacitor Electrode. *Advances in Polymer Technology* 28: 120-130. <http://dx.doi.org/10.1002/adv.20152>.
- Saragih Turnip, S; Sörbom, D; Hauff, E. (2016). Predicting positive mental health in internally displaced persons in Indonesia: the roles of economic improvement and exposure to violent conflict. *Psychol Health Med* 21: 286-294. <http://dx.doi.org/10.1080/13548506.2015.1051554>.
- Saranya, J; Ranjith, KS; Saravanan, P; Mangalaraj, D; Kumar, RTR. (2014). Cobalt-doped cerium oxide nanoparticles: Enhanced photocatalytic activity under UV and visible light irradiation. *Materials Science in Semiconductor Processing* 26: 218-224. <http://dx.doi.org/10.1016/j.mssp.2014.03.054>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers* 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Sarkar, N; Karmakar, A; Barik, A. (2016). Volatiles of *Solenia amplexicaulis* (Lam.) Gandhi Leaves Influencing Attraction of Two Generalist Insect Herbivores. *J Chem Ecol* 42: 1004-1015. <http://dx.doi.org/10.1007/s10886-016-0757-0>.
- Sarkar, SK; Jha, A; Chattopadhyay, KK. (2015). Thionyl chloride assisted functionalization of amorphous carbon nanotubes: A better field emitter and stable nanofluid with better thermal conductivity. *Materials Research Bulletin* 66: 1-8. <http://dx.doi.org/10.1016/j.materresbull.2015.01.048>.
- Sarlauskas, J; Krikstopaitis, K; Miliukiene, V; Cenas, N; Anusevicius, Z; Saikunas, A. (2011). Investigation on the Electrochemistry and Cytotoxicity of Organic Nitrates and Nitroamines. *Central European Journal of Energetic Materials* 8: 15-24.
- Sarmah, AK; Northcott, GL; Scherr, FF. (2008). Retention of estrogenic steroid hormones by selected New Zealand soils. *Environ Int* 34: 749-755. <http://dx.doi.org/10.1016/j.envint.2007.12.017>.
- Sarveswaran, K; Hu, W; Huber, PW; Bernstein, GH; Lieberman, M. (2006). Deposition of DNA rafts on cationic SAMs on silicon [100]. *Langmuir* 22: 11279-11283. <http://dx.doi.org/10.1021/la0615948>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sasaki, T; Maki, H; Ishihara, M; Harayama, S. (1998). Vanadium as an internal marker to evaluate microbial degradation of crude oil. *Environ Sci Technol* 32: 3618-3621.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photosynthesis reactor. *J Environ Eng* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, M. (1996). Extraction of morphine in blood and urine by dehydrating with anhydrous sodium sulfate. *JTTHE* 42: 167-171.
- Sato, M; Hiroi, M. (1995). CATION RADICALS AND TRICATION RADICALS OF HEXYL-SUBSTITUTED SEXITHIOPHENE IN SOLUTION. *Synthetic Metals* 69: 307-308.
- Sato, MI; Valent, GU; Coimbra, CA; Coelho, MC; Sanchez Sanchez, P; Alonso, CD; Martins, MT. (1995). Mutagenicity of airborne particulate organic material from urban and industrial areas of São Paulo, Brazil. *Mutat Res* 335: 317-330.
- Sato, S; Matsumura, A; Urushigawa, Y; Metwally, M; Al-Muzaini, S. (1998). Type analysis and mutagenicity of petroleum oil extracted from sediment and soil samples in Kuwait. *Environ Int* 24: 67-76.
- Sato, S; Takanohashi, T. (2012). Separation of Asphaltene Using Columns Packed with Teflon Beads. *J Jpn Petrol Inst* 55: 142-147.
- Saulnier, P; Boury, F; Malzert, A; Heurtault, B; Ivanova, T; Cagna, A; Panaiotov, I; Proust, JE. (2001). Rheological model for the study of dilational properties of monolayers. Comportment of dipalmitoylphosphatidylcholine (DPPC) at the dichloromethane (DCM)/water interface under ramp type or sinusoidal perturbations. *Langmuir* 17: 8104-8111. <http://dx.doi.org/10.1021/la001634m>.
- Sawalha, H; Fan, YX; Schroen, K; Boom, R. (2008). Preparation of hollow polylactide microcapsules through premix membrane emulsification- Effects of nonsolvent properties. *J Memb Sci* 325: 665-671. <http://dx.doi.org/10.1016/j.memsci.2008.08.039>.
- Sawalha, H; Purwanti, N; Rinzema, A; Schroen, K; Boom, R. (2008). Polylactide microspheres prepared by premix membrane emulsification - Effects of solvent removal rate. *J Memb Sci* 310: 484-493. <http://dx.doi.org/10.1016/j.memsci.2007.11.029>.
- Sawalha, H; Schroen, K; Boom, R. (2009). Hollow Polylactide Microcapsules with Controlled Morphology and Thermal and Mechanical Properties. *AIChE J* 55: 2827-2834. <http://dx.doi.org/10.1002/aic.11895>.
- Sawitowski, T; Franzka, S; Beyer, N; Levering, M; Schmid, G. (2001). Nanostructured surfaces. *Adv Funct Mater* 11: 169-173.
- Saygili, H; Guzel, F. (2016). High surface area mesoporous activated carbon from tomato processing solid waste by zinc chloride activation: process optimization, characterization and dyes adsorption. *J Clean Prod* 113: 995-1004. <http://dx.doi.org/10.1016/j.jclepro.2015.12.055>.
- Saygili, H; Guzel, F; Onal, Y. (2015). Conversion of grape industrial processing waste to activated carbon sorbent and its performance in cationic and anionic dyes adsorption. *J Clean Prod* 93: 84-93. <http://dx.doi.org/10.1016/j.jclepro.2015.01.009>.
- Sbai, H; Saad, I; Ghezal, N; Della Greca, M; Haouala, R. (2016). Bioactive compounds isolated from *Petroselinum crispum* L. leaves using bioguided fractionation. *Ind Crop Prod* 89: 207-214. <http://dx.doi.org/10.1016/j.indcrop.2016.05.020>.
- Scarpa, MV; Araujo, PS; Schreier, S; Sesso, A; Oliveira, AG; Chaimovich, H; Cuccovia, IM. (2000). Effect of vesicles of dimethyldioctadecylammonium chloride and phospholipids on the rate of decarboxylation of 6-nitrobenzoxazole-3-carboxylate. *Langmuir* 16: 993-999.
- Scarpello, JT; Nair, D; dos Santos, LMF; White, LS; Livingston, AG. (2002). The separation of homogeneous organometallic catalysts using solvent resistant nanofiltration. *J Memb Sci* 203: 71-85.
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr* 44: 703-707.
- Schabron, JF; Rovani, JF; Sanderson, MM. (2010). Asphaltene Determinator Method for Automated On-Column Precipitation and Redissolution of Pericondensed Aromatic Asphaltene Components. *Energy Fuels* 24: 5984-5996. <http://dx.doi.org/10.1021/ef100822f>.
- Schabron, JF; Rovani, JF; Sanderson, MM; Loveridge, JL; Nyadong, L; Mckenna, AM; Marshall, AG. (2012). Wax/asphaltene Determinator Method for Automated Precipitation and Redissolution of Wax and Asphaltene Components. *Energy Fuels* 26: 2256-2268. <http://dx.doi.org/10.1021/ef300184s>.
- Schabron, JF; Rovani Jr, JF. (2008). On-column precipitation and re-dissolution of asphaltenes in petroleum residua. *Fuel* 87: 165-176. <http://dx.doi.org/10.1016/j.fuel.2007.04.024>.
- Schaut, A; Autru, S; De Rop, A; Eeckhoudt, S. (2012). Effects of Irgamet (R) 30 as Additive in Transformer Oil. *I E E E Transactions on Dielectrics and Electrical Insulation* 19: 175-180.
- Scherer, R; Lemos, MF; Lemos, MF; Martinelli, GC; Lopes Martins, JD; da Silva, A. (2013). Antioxidant and antibacterial activities and composition of Brazilian spearmint (*Mentha spicata* L.). *Ind Crop Prod* 50: 408-413. <http://dx.doi.org/10.1016/j.indcrop.2013.07.007>.
- Schermerhorn, PG; Chu, PS; Kijak, PJ. (1995). DETERMINATION OF SPECTINOMYCIN RESIDUES IN BOVINE-MILK USING LIQUID-CHROMATOGRAPHY WITH ELECTROCHEMICAL DETECTION. *J Agric Food Chem* 43: 2122-2125.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc* 55: 878-885.
- Scheyer, A; Graeff, C; Morville, S; Mirabel, P; Millet, M. (2005). Analysis of some organochlorine pesticides in an urban atmosphere (Strasbourg, east of France). *Chemosphere* 58: 1517-1524. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.013>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schlick-Hasper, E, va; Bethke, J; Jahnke, W; Drosch, B; Goedecke, T; Kraume, M. (2015). Maximum Gauge Pressure in Dangerous Goods Packagings Under Normal Conditions of Carriage - Comparison of Direct Measurement and Calculation. *Packaging Technology and Science* 28: 437-460. <http://dx.doi.org/10.1002/pts.2111>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Schlosser, EG; Rossberg, M; Lendle, W. (1970). KINETICS OF FORMATION OF METHYLENE CHLORIDE FROM METHANOL AND HYDROGEN CHLORIDE OVER ALUMINIUM OXIDE. *Chem Ing Tech* 42: 1215-+.
- Schlosser, PM; Bale, AS; Gibbons, CF; Wilkins, A; Cooper, GS. (2015). Human Health Effects of Dichloromethane: Key Findings and Scientific Issues [Review]. *Environ Health Perspect* 123: 114-119. <http://dx.doi.org/10.1289/ehp.1308030>.
- Schlotzhauer, WS; Pair, SD; Horvat, RJ. (1996). Volatile constituents from the flowers of Japanese honeysuckle (*Lonicera japonica*). *J Agric Food Chem* 44: 206-209.
- Schmage, P; Ozcan, M; McMullan-Vogel, C; Nergiz, I. (2005). The fit of tapered posts in root canals luted with zinc phosphate cement: a histological study. *Dent Mater* 21: 787-793. <http://dx.doi.org/10.1016/j.dental.2005.01.012>.
- Schmid, G; Witke, E; Schlick, U; Knecht, S; Hanack, M. (1995). SUBSTITUENT EFFECTS IN SOLUBLE PHTHALOCYANINATOIRON(II) COMPLEXES. *J Mater Chem* 5: 855-859.
- Schmidt, G; Segschneider, HJ; Russow, R. (1998). Determination of N-15 with nonrandom-distribution of N-2 and N2O in the soil atmosphere by GC-R-IRMS coupling. *Isotopes Environ Health Stud* 34: 235-243.
- Schmidt, NE; Santiago, LM; Eason, HD; Dafford, KA; Grooms, CA; Link, TE; Manning, DT; Cooper, SD; Keith, RC; Chance, WO; Walla, MD; Cotham, WE. (1996). Rapid extraction method of quantitating the lachrymatory factor of onion using gas chromatography. *J Agric Food Chem* 44: 2690-2693.
- Schmidt, O; Dittberner, D; Faix, O. (1991). ON THE REACTION OF SOME BACTERIA AND FUNGI ON COAL-TAR CREOSOTE. *Mater Org* 26: 13-30.
- Schmitt, H; Mendiola, J; Carmona, F; Alemany, C; Jimenez, B. (1995). Sputtering of ferroelectric (PbCa)TiO3 films. *Microelectron Eng* 29: 181-184.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging* 18: 837-851.
- Schneider, R; Baumes, R; Bayonove, C; Razungles, A. (1998). Volatile compounds involved in the aroma of sweet fortified wines (Vins Doux Naturels) from Grenache noir. *J Agric Food Chem* 46: 3230-3237.
- Schneider, R; Kiessling, D; Kraak, P; Haftendorn, M; Wendt, G. (1995). TOTAL OXIDATION OF CHLORINATED HYDROCARBONS ON PEROVSKITE-TYPE CATALYSTS. *Chem Tech (Leipzig)* 47: 199-204.
- Schneider, RP; Morano, SC; Gigena, MAC; Missawa, SK; Rocha, RCS; Da Silva, LR; Ellert, N; Kataoka, S; Katsuragi, C; Rosa, CD; De Oliveira, LC. (2006). Contamination levels and preliminary assessment of the technical feasibility of employing natural attenuation in 5 priority areas of Presidente Bernardes Refinery in Cubatao, Sao Paulo, Brazil. *Environ Monit Assess* 116: 21-52. <http://dx.doi.org/10.1007/s10661-006-7243-z>.
- Schoen, DJ; Brownstein, JS; White, PA. (2002). Mutation load in natural populations of the sensitive fern *Onoclea sensibilis* exposed to soil mutagens. *Ecol Appl* 12: 124-137.
- Scholz-muramatsu, H; Schneider, V; Gaiser, S; Bardtke, D. (1988). BIOLOGICAL ELIMINATION OF DICHLOROMETHANE FROM CONTAMINATED GROUNDWATER - INTERFERENCE BY COMPONENTS OF THE GROUNDWATER. *Water Sci Technol* 20: 393-397.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere* 29: 1743-1753.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int Special issue no. 1*: 38-45.
- Schroeder, ED; Eweis, JB; Chang, DPY; Veir, JK. (2000). <no title available>. *Water Air Soil Pollut* 123: 133-146. <http://dx.doi.org/10.1023/a:1005226229320>.
- Schroer, C; Konys, J; Novotny, J; Hausselt, J. (2006). Aspects of the corrosion kinetics for binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances. *Corrosion* 62: 444-459.
- Schruben, DL; Kumble, D. (1996). Air bubble migration through a cast solution of poly(methyl methacrylate). *Polymer Engineering and Science* 36: 2494-2501.
- Schulz, HM; Hagemann, HW; Wolf, M; Brammert, A; Einbrodt, HJ. (1997). Coal mine workers' pneumoconiosis. *Environ Geol* 30: 72-80.
- Schuster, H; Hoelderich, WF. (2008). The acylation of 2-methoxynaphthalene with acetic anhydride over Nafion/silica composites and BEA zeolites containing Lewis acid sites. *Appl Catal A-Gen* 350: 1-5. <http://dx.doi.org/10.1016/j.apcata.2008.07.026>.
- Schuur, B; Kraai, GN; Winkelman, JGM; Heeres, HJ. (2012). Hydrodynamic features of centrifugal contactor separators: Experimental studies on liquid hold-up, residence time distribution, phase behavior and drop size distributions. *Chemical Engineering and Processing: Process Intensification* 55: 8-19. <http://dx.doi.org/10.1016/j.cep.2012.02.008>.
- Schwab, AP; Su, J; Wetzel, S; Pekarek, S; Banks, MK. (1999). Extraction of petroleum hydrocarbons from soil by mechanical shaking. *Environ Sci Technol* 33: 1940-1945.
- Schwanninger, M; Hinterstoisser, B. (2002). Comparison of the classical wood extraction method using a Soxhlet apparatus with an advanced extraction method. *Holz als Roh- und Werkstoff* 60: 343-346. <http://dx.doi.org/10.1007/s00107-002-0312-2>.
- Schwartz, E; Trinh, SV; Scow, KM. (2002). Impact of methylene chloride on microorganisms and phenanthrene mineralization in soil. *J Environ Qual* 31: 144-149.
- Schwartz, H; Harel, Y; Efrima, S. (2001). Surface behavior and buckling of silver interfacial colloid films. *Langmuir* 17: 3884-3892. <http://dx.doi.org/10.1021/la0100690>.
- Scire, S; Liotta, LF. (2012). Supported gold catalysts for the total oxidation of volatile organic compounds. *Appl Catal B-Environ* 125 (Aug 21): 222-246. <http://dx.doi.org/10.1016/j.apcatb.2012.05.047>.
- Sears, WM; Mackinnon, CD; Kraft, TM. (2011). The effect of chain length on the dielectric and optical properties of oligothiophenes. *Synthetic Metals* 161: 1566-1574. <http://dx.doi.org/10.1016/j.synthmet.2011.05.020>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sehati, N; Shiri-Yekta, Z; Zamani, A; Yaftian, MR; Noshiranzadeh, N. (2012). Solvent Extraction of Th(IV) and Eu(III) Ions by 3,5-di-tert-butyl-2-Hydroxy-Benzaldehyde Oxime from Aqueous Chloride Media. *Separation Science and Technology* 47: 670-676. <http://dx.doi.org/10.1080/01496395.2011.629399>.
- Seifi, L; Torabian, A; Kazemian, H; Bidhendi, GN; Azimi, AA; Charkhi, A. (2010). Adsorption of Petroleum Monoaromatics from Aqueous Solutions Using Granulated Surface Modified Natural Nanozeolites: Systematic Study of Equilibrium Isotherms. *Water Air Soil Pollut* 217: 611-625. <http://dx.doi.org/10.1007/s11270-010-0614-7>.
- Seifried, B; Temelli, F. (2010). Density of Carbon Dioxide Expanded Ethanol at (313.2, 328.2, and 343.2) K. *Journal of Chemical and Engineering Data* 55: 2410-2415. <http://dx.doi.org/10.1021/jc900830s>.
- Sek, S. (2009). EC-STM study of potential-controlled adsorption of substituted pyrimidinethiol on Au(111). *Langmuir* 25: 13488-13492. <http://dx.doi.org/10.1021/la901984v>.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films* 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Seledets, O; Skubiszewska-Zieba, J; Lebeda, R; Gun'ko, VM. (2003). Surface properties of fumed silica/pyrocarbon prepared by pyrolysis of methylene chloride. *Mater Chem Phys* 82: 199-205. [http://dx.doi.org/10.1016/S0254-0584\(03\)00208-6](http://dx.doi.org/10.1016/S0254-0584(03)00208-6).
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A* 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol* 7: 350-356. <http://dx.doi.org/10.3109/1547691X.2010.520139>.
- SELIVERS.VM; BARABANO.NN; ALEKSAND.YA. (1972). AUTOMATIC MONITORING OF CONCENTRATION OF ACETIC-ANHYDRIDE IN ACETIC-METHYLENE CHLORIDE SOLUTIONS OF ACETYLCELLULOSE, WITH PLANNING OF EXPERIMENT. *Industrial Laboratory* 37: 1671-&.
- Selli, S; Canbas, A; Varlet, V; Kelebek, H; Prost, C; Serot, T. (2008). Characterization of the most odor-active volatiles of orange wine made from a Turkish cv. Kozan (*Citrus sinensis* L. Osbeck). *J Agric Food Chem* 56: 227-234. <http://dx.doi.org/10.1021/jf072231w>.
- Selli, S; Gubbuk, H; Kafkas, E; Gunes, E. (2012). Comparison of aroma compounds in Dwarf Cavendish banana (*Musa* spp. AAA) grown from open-field and protected cultivation area. *Sci Hortic (Amsterdam)* 141: 76-82. <http://dx.doi.org/10.1016/j.scienta.2012.04.008>.
- Selli, S; Kelebek, H. (2011). Aromatic profile and odour-activity value of blood orange juices obtained from Moro and Sanguinello (*Citrus sinensis* L. Osbeck). *Ind Crop Prod* 33: 727-733. <http://dx.doi.org/10.1016/j.indcrop.2011.01.016>.
- Selvaraju, N; Pushpavanam, S. (2009). Adsorption characteristics on sand and brick beds. *Chem Eng J* 147: 130-138. <http://dx.doi.org/10.1016/j.cej.2008.06.040>.
- Semnani, A; Shareghi, B; Pouretedal, HR. (2004). Spectrophotometric study of the complexation of iodine and bromine with tetrabutylammonium halides and cryptand 222 in dichloromethane solution. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 23: 1-6.
- Sen, A, li; de Melo, MMR; Silvestre, AJD; Pereira, H; Silva, CM. (2015). Prospective pathway for a green and enhanced friedelin production through supercritical fluid extraction of *Quercus cerris* cork. *Journal of Supercritical Fluids* 97: 247-255. <http://dx.doi.org/10.1016/j.supflu.2014.12.008>.
- Sen, A, li; Miranda, I; Santos, S; Graca, J; Pereira, H. (2010). The chemical composition of cork and phloem in the rhytidome of *Quercus cerris* bark. *Ind Crop Prod* 31: 417-422. <http://dx.doi.org/10.1016/j.indcrop.2010.01.002>.
- Sen, D; Kalipcilar, H; Yilmaz, L. (2007). Development of polycarbonate based zeolite 4A filled mixed matrix gas separation membranes. *J Memb Sci* 303: 194-203. <http://dx.doi.org/10.1016/j.memsci.2007.07.010>.
- Sen Gupta, S; Chakraborty, I; Maliyekkal, SM; Mark, TA; Pandey, DK; Das, SK; Pradeep, T. (2015). Simultaneous Dehalogenation and Removal of Persistent Halocarbon Pesticides from Water Using Graphene Nanocomposites: A Case Study of Lindane. 3: 1155-1163. <http://dx.doi.org/10.1021/acssuschemeng.5b00080>.
- Sen Teker, M; Tamer, U; Pekmez, NO. (2012). Fabrication and characterization of poly(vinylferrocenium) perchlorate/poly(3,4-ethylenedioxythiophene) composite-coated electrode in methylene chloride. *Synthetic Metals* 162: 924-930. <http://dx.doi.org/10.1016/j.synthmet.2012.04.017>.
- Senapati, S; Srivastava, SK; Singh, SB. (2012). Synthesis, characterization and photocatalytic activity of magnetically separable hexagonal Ni/ZnO nanostructure. *Nanoscale* 4: 6604-6612. <http://dx.doi.org/10.1039/c2nr31831h>.
- Senden, RJ; De Jean, P; Mcauley, KB; Schreiner, LJ. (2006). Polymer gel dosimeters with reduced toxicity: a preliminary investigation of the NMR and optical dose-response using different monomers. *Phys Med Biol* 51: 3301-3314. <http://dx.doi.org/10.1088/0031-9155/51/14/001>.
- Sengul, IF; Okutan, E; Kandemir, H; Astarci, E; Cosut, B. (2015). Carbazole substituted BODIPY dyes: Synthesis, photophysical properties and antitumor activity. *Dyes and Pigments* 123: 32-38. <http://dx.doi.org/10.1016/j.dyepig.2015.07.025>.
- Senila, L; Gog, A; Senila, M; Roman, C; Silaghi-Dumitrescu, L. (2012). Development of a GC-MS Method for 5-hydroxymethylfurfural Determination in Wood after Steam-explosion Pretreatment. *Rev Chim* 63: 557-561.
- Senkevich, JJ; Mitchell, CJ; Vijayaraghavan, A; Barnat, EV; Mcdonald, JF; Lu, TM. (2002). Unique structure/properties of chemical vapor deposited parylene E. *Journal of Vacuum Science and Technology A* 20: 1445-1449. <http://dx.doi.org/10.1116/1.1487870>.
- Seo, J; Lee, S; Nam, S; Park, S; Jeong, J; Kim, J; Kim, H; Kim, Y. (2013). Thickness Effect of Electron-Donating Polymer Layers in Bilayer-Type All-Polymer Solar Cells. *Journal of Nanoelectronics and Optoelectronics* 8: 514-518. <http://dx.doi.org/10.1166/jno.2013.1515>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol* 35: 3386-3390.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Serban, EA; Diaconu, I; Mirea, CM; Ruse, E; Nechifor, G. (2016). Partition of Indole-3-acetic Acid in Biphasic Systems. *Rev Chim* 67: 634-638.
- Sergent, A; Zucchi, G; Pansu, RB; Chaigneau, M; Geffroy, B; Tondelier, D; Ephritikhine, M. (2013). Synthesis, characterization, morphological behaviour, and photo- and electroluminescence of highly blue-emitting fluorene-carbazole copolymers with alkyl side-chains of different lengths. 1: 3207-3216. <http://dx.doi.org/10.1039/c3tc00060e>.
- Serhatli, IE; Serhatli, M. (1998). Synthesis and characterization of amorphous liquid crystalline poly(vinyl ether) block copolymers. *Turkish Journal of Chemistry* 22: 279-287.
- Sérino, S; Gomez, L; Costagliola, G; Gautier, H. (2009). HPLC assay of tomato carotenoids: validation of a rapid microextraction technique. *J Agric Food Chem* 57: 8753-8760. <http://dx.doi.org/10.1021/jf902113n>.
- Sesigur, F; Dasdan, DS; Yazici, O; Cakar, F; Cankurtaran, O; Karaman, F. (2016). Thermodynamical characterization of poly (ethylene glycol) and tosylate functionalized poly(ethylene glycol) interaction with some nonpolar and polar solvents via inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 10: 97-101.
- Severin, I; Poulain, M; El Abdi, R. (2007). Mechanical and chemical damage of optical fiber polymer coating. *J Optoelect Adv Mater* 9: 2110-2115.
- Severson, RF; Chortyk, OT; Stephenson, MG; Akey, DH; Neal, JW; Pittarelli, GW; Jackson, DM; Sisson, VA. (1994). CHARACTERIZATION OF NATURAL PESTICIDE FROM NICOTIANA-GOSSEI. *ACS Symp Ser Am Chem Soc* 557: 109-121.
- Severson, RF; Rogers, CE; Marti, OG; Gueldner, RC; Arrendale, RF. (1991). VENTRAL EVERSIABLE GLAND VOLATILES FROM LARVAE OF THE FALL ARMYWORM, SPODOPTERA-FRUGIPERDA (SMITH,J.E.) (LEPIDOPTERA, NOCTUIDAE). *Agric Biol Chem* 55: 2527-2530.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Seymour, MJ; Lucas, MF. (1993). Evaluation of Sampling and Analytical Methods for the Determination of Chlorodifluoromethane in Air. *Am Ind Hyg Assoc J* 54: 253-259.
- Sgro, LA; Koshland, CP; Lucas, D; Sawyer, RF. (2000). Postflame reaction chemistry of dichloromethane: Variations in equivalence ratio and temperature. *Combust Flame* 120: 492-503.
- Sgro, LA; Minutolo, P; Basile, G; D'Alessio, A. (2001). UV-visible spectroscopy of organic carbon particulate sampled from ethylene/air flames. *Chemosphere* 42: 671-680.
- Shah, J; Jan, MR; Muhammad, M; Shehzad, F, unN. (2011). Development of a complex-based flow injection spectrophotometric method for determination of the herbicide pinoxaden in environmental samples. *Toxicol Environ Chem* 93: 1547-1556. <http://dx.doi.org/10.1080/02772248.2011.604323>.
- Shahmoradi, B; Negahdary, M; Maleki, A. (2012). Hydrothermal Synthesis of Surface-Modified, Manganese-Doped TiO<sub>2</sub> Nanoparticles for Photodegradation of Methylene Blue. *Environ Eng Sci* 29: 1032-1037. <http://dx.doi.org/10.1089/ees.2011.0519>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res* 40: 283-285.
- Shankar, H; Rajasudha, G; Karthikeyan, A; Narayanan, V; Stephen, A. (2008). Synthesis, characterization and photocatalytic activity of nanotitania loaded W-MCM-41. *Nanotechnology* 19: 315711. <http://dx.doi.org/10.1088/0957-4484/19/31/315711>.
- Shanker, A; Sood, C; Kumar, V; Ravindranath, SD. (2001). A modified extraction and clean-up procedure for the detection and determination of parathion-methyl and chlorpyrifos residues in tea. *Pest Manag Sci* 57: 458-462.
- Shanmugam, M; Jayavel, R. (2015). Synthesize of Graphene-Tin Oxide Nanocomposite and Its Photocatalytic Properties for the Degradation of Organic Pollutants Under Visible Light. *J Nanosci Nanotechnol* 15: 7195-7201. <http://dx.doi.org/10.1166/jnn.2015.10562>.
- Shanmugaraju, S; Joshi, SA; Mukherjee, PS. (2011). Fluorescence and visual sensing of nitroaromatic explosives using electron rich discrete fluorophores. *J Mater Chem* 21: 9130-9138. <http://dx.doi.org/10.1039/c1jm10406c>.
- Shao, J; Chen, J; Xie, Q; Wang, Y; Li, X; Hao, C. (2010). Electron-accepting potential of solvents determines photolysis rates of polycyclic aromatic hydrocarbons: experimental and density functional theory study. *J Hazard Mater* 179: 173-177. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.075>.
- Shao, L, u; Liu, L, i; Cheng, S, iXue; Huang, Y, uD; Ma, J, un. (2008). Comparison of diamino cross-linking in different polyimide solutions and membranes by precipitation observation and gas transport. *J Memb Sci* 312: 174-185. <http://dx.doi.org/10.1016/j.memsci.2007.12.060>.
- Shao, Y; Xu, F; Li, W, ei; Zhang, K, un; Zhang, C; Li, R; Qiu, Y. (2016). Interfacial strength and debonding mechanism between aerogel-spun carbon nanotube yarn and polyphenylene sulfide. *Composites Part A: Applied Science and Manufacturing* 88: 98-105. <http://dx.doi.org/10.1016/j.compositesa.2016.05.025>.
- Sharif, R; Ahmad, SW; Anjum, H; Ramzan, N; Malik, SR. (2014). EFFECT OF INFUSION TIME AND TEMPERATURE ON DECAFFEINATION OF TEA USING LIQUID-LIQUID EXTRACTION TECHNIQUE. *Journal of Food Process Engineering* 37: 46-52. <http://dx.doi.org/10.1111/jfpe.12058>.
- Sharifi, S; Shafieyan, Y; Mirzadeh, H; Bagheri-Khoulenjani, S; Rabiee, SM; Imani, M; Atai, M; Shokrgozar, MA; Hatampoor, A. (2011). Hydroxyapatite scaffolds infiltrated with thermally crosslinked polycaprolactone fumarate and polycaprolactone itaconate. *J Biomed Mater Res A* 98: 257-267. <http://dx.doi.org/10.1002/jbm.a.33108>.
- Sharifimehr, MR; Ayoubi, K; Mohajerani, E. (2015). Third order optical nonlinearities characteristics of Disperse Red1 organic dye molecules inside of polymeric nanocapsules. *Optical Materials* 49: 147-151. <http://dx.doi.org/10.1016/j.optmat.2015.09.009>.
- Sharifimehr, MR; Ghanbari, K; Ayoubi, K; Mohajerani, E. (2015). Preparation and spectral characterization of polymeric nanocapsules containing DR1 organic dye. *Optical Materials* 45: 87-90. <http://dx.doi.org/10.1016/j.optmat.2015.02.036>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, BK; Sarowha, SLS; Bhagat, SD; Tiwari, RK; Gupta, SK; Venkataramani, PS. (1999). Analysis of insolubles of petroleum vacuum residues using TLC-FID. *Petroleum Science and Technology* 17: 319-332.
- Sharma, D; Singh, SB. (2012). Persistence of bifenthrin in sandy loam soil as affected by microbial community. *Bull Environ Contam Toxicol* 88: 906-908. <http://dx.doi.org/10.1007/s00128-012-0618-7>.
- Sharma, HS; Park, SM. (2004). Electrochemistry of conductive polymers - XXIX. Polyfluorene growth in dichloromethane and acetonitrile: A comparative study. *J Electrochem Soc* 151: E61-E68. <http://dx.doi.org/10.1149/1.1639021>.
- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res* 34: 4310-4317.
- Sharvelle, S; Arabi, M; Mclamore, E; Banks, MK. (2008). Model development for biotrickling filter treatment of graywater simulant and waste gas. I. *J Environ Eng* 134: 813-825. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:10\(813\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:10(813)).
- Shavaleev, NM; Scopelliti, R; Graetzel, M; Nazeeruddin, MK; Pertegas, A; Roldan-Carmona, C; Tordera, D; Bolink, HJ. (2013). Pulsed-current versus constant-voltage light-emitting electrochemical cells with trifluoromethyl-substituted cationic iridium(III) complexes. 1: 2241-2248. <http://dx.doi.org/10.1039/c3tc00808h>.
- Shaver, TN; Lingren, PD; Marshall, HF. (1997). Nighttime variation in volatile content of flowers of the night blooming plant *Gaura drummondii*. *J Chem Ecol* 23: 2673-2682.
- Shaw, AL; Macklin, KS; Blake, JP. (2010). Effects of Vitamin U on Intestinal Morphology in Broilers Undergoing a Salmonellosis Challenge. *Journal of Applied Animal Research* 37: 145-151.
- Sheehan, PD; Hodges, LD; Kalafatis, N; Wright, PFA; Wynne, PM; Whitehouse, MW; Macrides, TA. (2007). Bioactivity of extracts from gonadal tissue of the edible Australian purple sea urchin *Heliocidaris erythrogramma*. *J Sci Food Agric* 87: 694-701. <http://dx.doi.org/10.1002/jsfa.2771>.
- Sheehan, D; Casey, JP. (1993). Microbial glutathione S-transferases [Review]. *Comp Biochem Physiol B Comp Biochem* 104: 1-6.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Barman, MA; Geis, SW; Tortorelli, JJ. (2004). Toxicity of ambient atmospheric particulate matter from the Lake Michigan (USA) airshed to aquatic organisms. *Environ Toxicol Chem* 23: 133-140. <http://dx.doi.org/10.1897/02-636>.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Geis, S; Barman, MA. (2005). Seasonal and spatial relationship of chemistry and toxicity in atmospheric particulate matter using aquatic bioassays. *Environ Sci Technol* 39: 999-1010. <http://dx.doi.org/10.1021/es049873+>.
- Sheikhi-Kouhsar, M; Bagheri, H; Raeissi, S. (2015). Modeling of ionic liquid plus polar solvent mixture molar volumes using a generalized volume translation on the Peng-Robinson equation of state. *Fluid Phase Equilibria* 395: 51-57. <http://dx.doi.org/10.1016/j.fluid.2015.03.005>.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data* 55: 5927-5931. <http://dx.doi.org/10.1021/je100369a>.
- Shen, G; Hu, X; Hu, Y. (2009). Kinetic study of the degradation of the insecticide pymetrozine in a vegetable-field ecosystem. *J Hazard Mater* 164: 497-501. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.020>.
- Shen, GH; Chen, JC; Chen, LJ. (1999). The structures and variation of vacancy ordering in epitaxial DySi<sub>2-x</sub> thin films on (111)Si. *Appl Surf Sci* 142: 300-304.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O<sub>3</sub> process. *Chemosphere* 38: 1855-1866.
- Shen, Z; Chen, J, ue; Li, X, in; Li, X; Zhou, Y; Yu, Y; Ding, H; Li, J; Zhu, L; Hua, J. (2016). Synthesis and Photovoltaic Properties of Powerful Electron-Donating Indeno[1, 2-b]thiophene-Based Green D-A-π-A Sensitizers for Dye-Sensitized Solar Cells. 4: 3518-3525. <http://dx.doi.org/10.1021/acssuschemeng.6b00574>.
- Sher, P; Ingavle, G; Ponrathnam, S; Pawar, AP. (2007). Low density porous carrier based conceptual drug delivery system. *Microporous and Mesoporous Materials* 102: 290-298. <http://dx.doi.org/10.1016/j.micromeso.2007.01.001>.
- Sherman, C; Portier, C. (1997). The two-stage model of carcinogenesis: overcoming the nonidentifiability dilemma. *Risk Anal* 17: 367-374.
- Sherry, JP; Carron, J; Leger, D; Kohli, J; Wilkinson, R. (1993). An MSD-based method for the detection of chlorinated dibenzo-P-dioxins and chlorinated dibenzofurans in fish. *Chemosphere* 27: 651-664.
- Sherwood, NM; Kyle, AL; Kreiberg, H; Warby, CM; Magnus, TH; Carolsfeld, J; Price, WS. (1991). PARTIAL CHARACTERIZATION OF A SPAWNING PHEROMONE IN THE HERRING CLUPEA-HARENGUS-PALLASI. *Can J Zool* 69: 91-103.
- Shestakova, M; Sillanpää, M. (2013). Removal of dichloromethane from ground and wastewater: a review [Review]. *Chemosphere* 93: 1258-1267. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.022>.
- Shi, F, aN; Trindade, T; Rocha, J; Paz, FAA. (2008). Hydro-Ionothermal Synthesis of Lanthanide-Organic Frameworks with 1,4-Phenylenebis(methylene)diphosphonate. *Cryst Growth Des* 8: 3917-3920. <http://dx.doi.org/10.1021/cg800639x>.
- Shi, M; Christensen, K; Weinberg, CR; Romitti, P; Bathum, L; Lozada, A; Morris, RW; Lovett, M; Murray, JC. (2007). Orofacial cleft risk is increased with maternal smoking and specific detoxification-gene variants. *Am J Hum Genet* 80: 76-90. <http://dx.doi.org/10.1086/510518>.
- Shi, Y, unL; Qian, C; Chen, X, inZhi. (2016). Solubility Measurement and Correlation of (+)-Biotin Intermediate Lactone in Different Organic Solvents from 287.15 to 323.75 K. *Journal of Chemical and Engineering Data* 61: 1509-1516. <http://dx.doi.org/10.1021/acs.jced.5b00857>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc* 837: 51-72.
- Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. *Ind Eng Chem Res* 38: 2650-2658.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Shigehiro, T; Chen, Q; Yagi, S; Maeda, T; Nakazumi, H; Sakurai, Y. (2016). Substituent effect on photo- and electroluminescence properties of heteroleptic cyclometalated platinum(II) complexes based on a 2-(dibenzo[b,d]furan-4-yl)pyridine ligand. *Dyes and Pigments* 124: 165-173. <http://dx.doi.org/10.1016/j.dyepig.2015.09.015>.
- Shih, TS; Chou, JS; Chen, CY; Smith, TJ. (1999). Improved method to measure urinary alkoxyacetic acids. *Occup Environ Med* 56: 460-467.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci* 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shim, IK; Jung, MR; Kim, KH; Seol, YJ; Park, YJ; Park, WH; Lee, SJ. (2010). Novel three-dimensional scaffolds of poly(L-lactic acid) microfibers using electrospinning and mechanical expansion: Fabrication and bone regeneration. *J Biomed Mater Res B Appl Biomater* 95: 150-160. <http://dx.doi.org/10.1002/jbmb.b.31695>.
- Shim, IK; Lee, SY; Park, YJ; Lee, MC; Lee, SH; Lee, JY; Lee, SJ. (2008). Homogeneous chitosan-PLGA composite fibrous scaffolds for tissue regeneration. *J Biomed Mater Res A* 84: 247-255. <http://dx.doi.org/10.1002/jbmb.a.31464>.
- Shim, JS; Jung, JT; Sofer, S; Lakhwala, F. (1995). OXIDATION OF ETHANOL VAPORS IN A SPIRAL BIOREACTOR. *J Chem Tech Biotechnol* 64: 49-54.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther* 270: 414-423.
- Shimazaki, Y; Mitsuishi, M; Ito, S; Yamamoto, M. (1997). Preparation of the layer-by-layer deposited ultrathin film based on the charge-transfer interaction. *Langmuir* 13: 1385-1387.
- Shimizu, H; Takahashi, Y. (2012). Review of adhesive techniques used in removable prosthodontic practice [Review]. *J Oral Sci* 54: 205-211.
- Shimizu, S; El Seoud, OA. (2003). Synthesis and aggregation of benzyl(2-acylaminoethyl)dimethylammonium chloride surfactants. *Langmuir* 19: 238-243. <http://dx.doi.org/10.1021/la026286y>.
- Shimizu, Y; Matsui, S; Harada, J. (2003). Evaluation of micro-organic pollution in lake sediments: Application to Akanoi Bay, Lake Biwa, Japan. *Environ Technol* 24: 889-896.
- Shin, DM; Choi, KH; Park, JS; Kang, DY. (1996). Characterization of octadecylviologen-TCNQ Langmuir-Blodgett films. *Thin Solid Films* 284: 523-525.
- Shin, JH, wa; Ahn, Y, unG. (2007). Analysis of polychlorinated dibenzo-p-dioxins and dibenzo-furans in sanitary products of women. *Text Res J* 77: 597-603. <http://dx.doi.org/10.1177/0040517507078786>.
- Shin, MS, am; Lee, J, uHo; Kim, H. (2008). Phase behavior of the poly(vinyl pyrrolidone) plus dichloromethane plus supercritical carbon dioxide system. *Fluid Phase Equilibria* 272: 42-46. <http://dx.doi.org/10.1016/j.fluid.2008.07.016>.
- Shin, WS. (2008). Competitive sorption of anionic and cationic dyes onto cetylpyridinium-modified montmorillonite. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 1459-1470. <http://dx.doi.org/10.1080/10934520802232337>.
- Shin, YC; Yi, GY; Kim, Y; Paik, NW. (2002). Development of a sampling and analytical method for 2,2-dichloro-1,1,1-trifluoroethane in workplace air. *AIHA J* 63: 715-720.
- Shinbo, K; Iwasaki, M; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F. (2011). Humidity Detection by Using a Hybrid Sensor Employing Optical Waveguide Spectroscopy and Quartz Crystal Microbalance. *I E I C E Transactions on Electronics E94C*: 1851-1854. <http://dx.doi.org/10.1587/transele.E94.C.1851>.
- Shinbo, K; Otuki, S; Kanbayashi, Y; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F; Miyadera, N. (2009). A hybrid humidity sensor using optical waveguides on a quartz crystal microbalance. *Thin Solid Films* 518: 629-633. <http://dx.doi.org/10.1016/j.tsf.2009.07.059>.
- Shinyashiki, M; Eiguren-Fernandez, A; Schmitz, DA; Di Stefano, E; Li, N; Linak, WP; Cho, SH; Froines, JR; Cho, AK. (2009). Electrophilic and redox properties of diesel exhaust particles. *Environ Res* 109: 239-244. <http://dx.doi.org/10.1016/j.envres.2008.12.008>.
- Shiraishi, Y; Tachibana, K; Hirai, T; Komasa, I. (2003). Photochemical production of biphenyls from oxidized sulfur compounds obtained by oxidative desulfurization of light oils. *Energy Fuels* 17: 95-100. <http://dx.doi.org/10.1021/ef020139q>.
- Shiri-Yekta, Z; Yaftian, MR. (2010). Anion Control Selectivity of Neutral N-4-Type Schiff Base Extractants Towards Transition Metal Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 29: 11-17.
- Shirley, WA. (1997). OSHA slashes methylene chloride exposure limits. *Chemical Engineering Progress* 93: 38-&.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO<sub>2</sub>, O<sub>2</sub>, Ar, N<sub>2</sub>, H<sub>2</sub>, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data* 53: 1867-1871. <http://dx.doi.org/10.1021/jc800200j>.
- Shonnard, DR; Bell, RL; Jackman, AP. (1993). Effects of nonlinear sorption on the diffusion of benzene and dichloromethane from two air-dry soils. *Environ Sci Technol* 27: 457-466.
- Shoulaifar, TK; Demartini, N; Zevenhoven, M; Verhoeff, F; Kiel, J; Hupa, M. (2013). Ash-Forming Matter in Torrefied Birch Wood: Changes in Chemical Association. *Energy Fuels* 27: 5684-5690. <http://dx.doi.org/10.1021/ef4005175>.
- Shpaysman, N; Margel, S. (2006). Synthesis and characterization of air-stable iron nanocrystalline particles based on a single-step swelling process of uniform polystyrene template microspheres. *Chem Mater* 18: 396-402. <http://dx.doi.org/10.1021/cm0519232>.
- Shpaysman, N; Margel, S. (2008). Anomalous polymer particles of narrow size distribution prepared by insertion and evaporation of Fe(CO)<sub>5</sub> from uniform polystyrene template microspheres. *Chem Mater* 20: 1719-1724. <http://dx.doi.org/10.1021/cm7032383>.
- Shrestha, NK; Kohn, H; Imamura, M; Irie, K; Ogihara, H; Saji, T. (2010). Electrophoretic deposition of phthalocyanine in organic solutions containing trifluoroacetic acid. *Langmuir* 26: 17024-17027. <http://dx.doi.org/10.1021/la102172t>.
- Shu, Y; Li, C; Chen, B; Bai, W; Shen, Y. (2015). Process optimization and characterization of activated carbons from *Amygdalus pedunculata* shell by zinc chloride activation. *J Optoelect Adv Mater* 17: 182-191.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Shu, YY; Lai, TL; Lin, HS; Yang, TC; Chang, CP. (2003). Study of factors affecting on the extraction efficiency of polycyclic aromatic hydrocarbons from soils using open-vessel focused microwave-assisted extraction. *Chemosphere* 52: 1667-1676. [http://dx.doi.org/10.1016/S0045-6535\(03\)00372-2](http://dx.doi.org/10.1016/S0045-6535(03)00372-2).
- Shuai, Q; Yang, X; Luo, Y; Tang, H, ao; Luo, X; Tan, Y; Ma, M. (2015). A superhydrophobic poly(dimethylsiloxane)-TiO<sub>2</sub> coated polyurethane sponge for selective absorption of oil from water. *Mater Chem Phys* 162: 94-99. <http://dx.doi.org/10.1016/j.matchemphys.2015.05.011>.
- Shuangfei, C; Lisheng, W; Guoqing, Y; Yi, L. (2010). Solubilities of 1-Methyl-3-(3-sulfopropyl)-imidazolium Hydrogen Sulfate in Selected Solvents. *Chinese Journal of Chemical Engineering* 18: 1008-1012.
- Shui, XP; Frysz, CA; Chung, DDL. (1995). Solvent cleansing of the surface of carbon filaments and its benefit to the electrochemical behavior. *Carbon* 33: 1681-1698.
- Shukla, NB; Rattan, S; Madras, G. (2012). Swelling and Dye-Adsorption Characteristics of an Amphoteric Superabsorbent Polymer. *Ind Eng Chem Res* 51: 14941-14948. <http://dx.doi.org/10.1021/ie301839z>.
- Shukla, S; Seal, S. (2003). PHASE STABILIZATION IN NANOCRYSTALLINE ZIRCONIA. *Reviews on Advanced Materials Science* 5: 117-120.
- Sibali, LL; Okonkwo, JO; Zvinowanda, C. (2009). Determination of DDT and Metabolites in Surface Water and Sediment Using LLE, SPE, ACE and SE. *Bull Environ Contam Toxicol* 83: 885-891. <http://dx.doi.org/10.1007/s00128-009-9851-0>.
- Sibali, LL; Okwonkwo, JO; Mccrindle, R, obl. (2008). Determination of selected organochlorine pesticide (OCP) compounds from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 34: 611-621.
- Sibali, LL; Okwonkwo, JO; Mccrindle, RI. (2010). Levels of selected alkylphenol ethoxylates (APEs) in water and sediment samples from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 36: 229-238.
- Sibiya, P; Chimuka, L; Cukrowska, E; Tutu, H. (2013). Development and application of microwave assisted extraction (MAE) for the extraction of five polycyclic aromatic hydrocarbons in sediment samples in Johannesburg area, South Africa. *Environ Monit Assess* 185: 5537-5550. <http://dx.doi.org/10.1007/s10661-012-2965-6>.
- Sicard, L; Navarathne, D; Skalski, T; Skene, WG. (2013). On-Substrate Preparation of an Electroactive Conjugated Polyazomethine from Solution-Processable Monomers and its Application in Electrochromic Devices. *Adv Funct Mater* 23: 3549-3559. <http://dx.doi.org/10.1002/adfm.201203657>.
- Siddique, H; Rundquist, E; Bhole, Y; Peeva, LG; Livingston, AG. (2014). Mixed matrix membranes for organic solvent nanofiltration. *J Memb Sci* 452: 354-366. <http://dx.doi.org/10.1016/j.memsci.2013.10.012>.
- Siddiqui, S; Adams, WA. (2002). The fate of diesel hydrocarbons in soils and their effect on the germination of perennial ryegrass. *Environ Toxicol* 17: 49-62.
- Siddiqui, S; Adams, WA; Schollion, J. (2001). The phytotoxicity and degradation of diesel hydrocarbons in soil. *164*: 631-635.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health* 56: 13-16.
- Sievers, U; Eggers, R. (1996). Heat recovery in supercritical fluid extraction process with separation at subcritical pressure. *Chemical Engineering and Processing: Process Intensification* 35: 239-246.
- Siewierski, LM; Brittain, WJ; Petrash, S; Foster, MD. (1996). Photoresponsive monolayers containing in-chain azobenzene. *Langmuir* 12: 5838-5844.
- Sikorska-Sobiegraj, E; Zielinski, S. (2005). Adsorption of heavy metals on activated carbon in the presence of selected organic compounds. *Przemysł Chemiczny* 84: 254-256.
- Silkina, A; Bazes, A; Mouget, JL; Bourgougnon, N. (2012). Comparative efficiency of macroalgal extracts and booster biocides as antifouling agents to control growth of three diatom species. *Mar Pollut Bull* 64: 2039-2046. <http://dx.doi.org/10.1016/j.marpolbul.2012.06.028>.
- Silkowski, MA; Smith, SR; Plewa, MJ. (1992). Analysis of the genotoxicity of municipal solid waste incinerator ash. *Sci Total Environ* 111: 109-124.
- Sills, RC; Hailey, JR; Neal, J; Boorman, GA; Haseman, JK; Melnick, RL. (1999). Examination of low-incidence brain tumor responses in F344 rats following chemical exposures in National Toxicology Program carcinogenicity studies. *Toxicol Pathol* 27: 589-599. <http://dx.doi.org/10.1177/019262339902700513>.
- Silva, AR; Budarin, V; Clark, JH; de Castro, B; Freire, C. (2005). Chiral manganese(III) Schiff base complexes anchored onto activated carbon as enantio selective heterogeneous catalysts for alkene epoxidation. *Carbon* 43: 2096-2105. <http://dx.doi.org/10.1016/j.carbon.2005.03.024>.
- Silva, FM; Donega, MA; Cerdeira, AL; Corniani, N; Velini, ED; Cantrell, CL; Dayan, FE; Coelho, MN; Shea, K; Duke, SO. (2014). Roots of the invasive species *Carduus nutans* L. and *C. acanthoides* L. produce large amounts of aplotaxene, a possible allelochemical. *J Chem Ecol* 40: 276-284. <http://dx.doi.org/10.1007/s10886-014-0390-8>.
- Silva, MA; Dias Bezerra-Silva, GC; Vendramim, JD; Mastrangelo, T. (2013). SUBLETHAL EFFECT OF NEEM EXTRACT ON MEDITERRANEAN FRUIT FLY ADULTS. *Revista Brasileira de Fruticultura* 35: 93-101.
- Silverio, FO; Barbosa, LCA; Maltha, CRA; Silvestre, AJD; Pilo-Veloso, D; Gomide, JL. (2007). CHARACTERIZATION OF LIPOPHILIC WOOD EXTRACTIVES FROM CLONES OF *Eucalyptus urograndis* CULTIVATED IN BRAZIL. *BioResources* 2: 157-168.
- Silvestre-Albero, A, na; Rico-Frances, S; Rodriguez-Reinoso, F; Kern, AM; Klumpp, M; Etzold, BJM; Silvestre-Albero, J. (2013). High selectivity of TiC-CDC for CO<sub>2</sub>/N<sub>2</sub> separation. *Carbon* 59: 221-228. <http://dx.doi.org/10.1016/j.carbon.2013.03.012>.
- Sim, JH; Ogino, K; Sato, H. (1995). SYNTHESIS AND CHARACTERIZATION OF POLYMERS HAVING FLUORENONE DERIVATIVES. *Synthetic Metals* 69: 575-576.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sime, KR. (2002). Experimental studies of the host-finding behavior of *Trogus pennator*, a parasitoid of swallowtail butterflies. *J Chem Ecol* 28: 1377-1392.
- Simell, P; Stahlberg, P; Kurkela, E; Albrecht, J; Deutsch, S; Sjostrom, K. (2000). Provisional protocol for the sampling and analysis of tar and particulates in the gas from large-scale biomass gasifiers. Version 1998. *Biomass and Bioenergy* 18: 19-38.
- Simion, G; Carlescu, I; Lisa, G; Scutaru, D, an. (2012). Synthesis and Characterization of Some Liquid Crystalline Compounds based on a 2,7-dihydroxynaphthalene Core. *Rev Chim* 63: 407-411.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simon, M; Csunderlik, C; Tirnaveanu, A. (2001). A study on the bis(mononitrophenyl) carbonates formation reaction. Starting from triphosgene and nitrophenols. *Rev Chim* 52: 371-376.
- Simon, M; Micle, A; Armeanu, I; Medeleanu, M; Csunderlik, C. (2006). Study of the obtaining reaction for N,N'-diphthalimidylcarbonate starting from triphosgene and N-hydroxyphthalimide in the presence of triethylamine. *Rev Chim* 57: 1115-1118.
- Simon, M; Turoczi, CM; Badea, V; Pop, M; Zaharia, V; Csunderlik, C. (2010). Synthesis of Symmetrically N,N'-di-substituted Aliphatic Ureas by Reaction of bis(o-nitrophenyl) Carbonate with Primary Amines. *Rev Chim* 61: 380-382.
- Simoncic, B; Span, J; Vesnaver, G. (1994). A STUDY OF THE SELF-ASSOCIATION OF SIMPLE AZO DYES USING THE POTENTIOMETRIC METHOD. *Dyes and Pigments* 26: 257-276.
- Simpson, J. R.; Mcpherson, EG. (1997). The effects of roof albedo modification on cooling loads of scale model residences in Tucson, Arizona. *Energy and Buildings* 25: 127-137.
- Simpson, CD; Cullen, WR; Quinlan, KB; Reimer, KJ. (1995). Methodology for the determination of priority pollutant polycyclic aromatic hydrocarbons in marine sediments. *Chemosphere* 31: 4143-4155.
- Simpson, IJ; Akagi, SK; Barletta, B; Blake, NJ; Choi, Y; Diskin, GS; Fried, A; Fuelberg, HE; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Wennberg, PO; Wiebring, P; Wisthaler, A; Yang, M; Yokelson, RJ; Blake, DR. (2011). Boreal forest fire emissions in fresh Canadian smoke plumes: C-1-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CO, NO<sub>2</sub>, NO, HCN and CH<sub>3</sub>CN. *Atmos Chem Phys* 11: 6445-6463. <http://dx.doi.org/10.5194/acp-11-6445-2011>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Sindam, B; Raju, KCJ. (2015). Influence of sintering temperature on microwave dielectric properties, structure and lattice modes of Ba(Zn<sub>1/3</sub>Ta<sub>2/3</sub>)O-3 resonators. *Journal of Materials Science: Materials in Electronics* 26: 3997-4004. <http://dx.doi.org/10.1007/s10854-015-2936-0>.
- Siner, A; Ahmad, FB; Davis, TM; Singh, B; Cox-Singh, J. (2008). IN VITRO ACTIVITY OF A DICHLOROMETHANE FRACTION OF LANSIUM DOMESTICUM LEAVES AGAINST PLASMODIUM FALCIPARUM CLONE 3D7. *Am J Trop Med Hyg* 79: 278-278.
- Singh, B; Prasad, GK; Suryanarayana, MVS; Banerjee, S. (2001). The reaction of thiodiglycol on metal-impregnated carbon. *Carbon* 39: 2131-2142.
- Singh, P; Suman, A; Shrivastava, AK. (2003). Isolation and identification of allelochemicals from sugarcane leaves. *Allelopathy Journal* 12: 71-79.
- Singh, S; Battu, RS. (2012). Dissipation kinetics of spinosad in cabbage (*Brassica oleracea* L.var. capitata). *Toxicol Environ Chem* 94: 319-326. <http://dx.doi.org/10.1080/02772248.2011.639774>.
- Singmaster, JA. (1991). CONTAMINANTS IN AGED PESTICIDE GRADE DICHLOROMETHANE INTERFERING IN HERBICIDE RESIDUE ANALYSIS AND A METHOD FOR THEIR REMOVAL. *University of Puerto Rico Journal of Agriculture* 75: 329-344.
- Sinha, W; Deibel, N; Garai, A; Schweinfurth, D; Anwar, S; Purohit, CS; Sarkar, B; Kar, S. (2014). In-situ spectroelectrochemistry (EPR, UV-visible) and aggregation behavior of H-2 BDCP and Zn(II)BDCP [BDCP = {5,10,15,20-tetrakis[3,4-(1,4-dioxan)phenyl]porphyrin}(2-)]. *Dyes and Pigments* 107: 29-37. <http://dx.doi.org/10.1016/j.dyepig.2014.03.019>.
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere* 30: 2343-2352.
- Sinquin, G; Petit, C; Hindermann, JP; Kiennemann, A. (2001). Study of the formation of LaMO<sub>3</sub> (M = Co, Mn) perovskites by propionates precursors: application to the catalytic destruction of chlorinated VOCs. *Catalysis Today* 70: 183-196.
- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ* 27: 105-115.
- Sirtl, T; Lischka, M; Eichhorn, J; Rastgoo-Lahrood, A; Strunskus, T; Heckl, WM; Lackinger, M. (2014). From Benzenetrihiolate Self-Assembly to Copper Sulfide Adlayers on Cu(111): Temperature-Induced Irreversible and Reversible Phase Transitions. *J Phys Chem C* 118: 3590-3598. <http://dx.doi.org/10.1021/jp411084k>.
- Sivakumaran, S; Rajendran, S. (1988). ANALYSIS OF POLYESTER SILK AND POLYESTER WOOL USING TRICHLOROACETIC-ACID AND METHYLENE-CHLORIDE. *Text Chem Color* 20: 25-26.
- Skolucka-Szary, K; Ramięga, A; Piskowska, W; Janicki, B; Grala, M; Rieske, P; Stoczyńska-Fidelus, E; Piskowski, S. (2015). Chitin dipentanoate as the new technologically usable biomaterial. *Mater Sci Eng C* 55: 50-60. <http://dx.doi.org/10.1016/j.msec.2015.05.051>.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess* 3: 635-653.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Skrdla, PJ; Lindemann, C. (2003). Dehydration of 2-butanol by a sulfated zirconia/gamma-alumina mixed metal oxide catalyst inside a gas chromatograph injection port. *Appl Catal A-Gen* 246: 227-235. [http://dx.doi.org/10.1016/S0926-860X\(03\)00022-X](http://dx.doi.org/10.1016/S0926-860X(03)00022-X).
- Skubiszewska-Zieba, J; Charmas, B; Leboda, R; Staszczuk, P; Kowalczyk, P; Oleszczuk, P. (2003). Effect of hydrothermal modification on the porous structure and thermal properties of carbon-silica adsorbents (carbosils). *Mater Chem Phys* 78: 486-494.
- Slipszenko, JA; Griffiths, SP; Johnston, P; Simons, KE; Vermeer, WAH; Wells, PB. (1998). Enantioselective hydrogenation - V. Hydrogenation of butane-2,3-dione and of 3-hydroxybutan-2-one catalysed by cinchona-modified platinum. *J Catal* 179: 267-276.
- Słowik-Borowiec, M; Szpyrka, E; Walorczyk, S. (2012). Analysis of pesticide residues in fresh peppermint, *Mentha piperita* L., using the quick easy cheap effective rugged and safe method (QuEChERS) followed by gas chromatography with electron capture and nitrogen phosphorus detection. *Bull Environ Contam Toxicol* 89: 633-637. <http://dx.doi.org/10.1007/s00128-012-0717-5>.
- Smith, IH; Budd, TC; Sills, J; Casida, JE. (1993). INSECTICIDAL 1-(ALKYNYLALKYL)-3-CYANO-2,6,7-TRIOXABICYCLO[2.2.2]OCTANES. *J Agric Food Chem* 41: 1114-1117.
- Smith, MF; Kemper, CN; Smith, GW; Goetz, TL; Jarrell, VL. (1994). PRODUCTION OF TISSUE INHIBITOR OF METALLOPROTEINASES-1 BY PORCINE FOLLICULAR AND LUTEAL CELLS. *J Anim Sci* 72: 1004-1012.
- Smith, PA; Bowerbank, CR; Lee, ML; Solberg, M; Drown, DB; Alexander, W; Still, KR. (2000). Airborne aldehydes from heating rosin core solder and liquid rosin flux to soldering temperatures. *Am Ind Hyg Assoc J* 61: 95-101.
- Snyder, SA; Keith, TL; Pierens, SL; Snyder, EM; Giesy, JP. (2001). Bioconcentration of nonylphenol in fathead minnows (*Pimephales promelas*). *Chemosphere* 44: 1697-1702.
- So, HS; Shin, HC; Kim, BS; Yoo, YS. (2006). Controlled release of active substance from biodegradable copolymer matrix. *Materials Science Forum* 510-511: 798-801.
- Soares, AT; da Costa, DC; Silva, BF; Lopes, RG; Derner, RB; Antoniosi Filho, NR. (2014). Comparative Analysis of the Fatty Acid Composition of Microalgae Obtained by Different Oil Extraction Methods and Direct Biomass Transesterification. *BioEnergy Res* 7: 1035-1044. <http://dx.doi.org/10.1007/s12155-014-9446-4>.
- Sobczyk-Guzenda, A; Szymanowski, H; Jakubowski, W; Blasinska, A; Kowalski, J; Gazicki-Lipman, M. (2013). Morphology, photocleaning and water wetting properties of cotton fabrics, modified with titanium dioxide coatings synthesized with plasma enhanced chemical vapor deposition technique. *Surf Coating Tech* 217: 51-57. <http://dx.doi.org/10.1016/j.surfcoat.2012.11.071>.
- Soden, KJ; Amsel, J. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk - Reply. *J Occup Environ Med* 39: 12-12.
- Sofuoglu, SC; Lebowitz, MD; O'Rourke, MK; Robertson, GL; Dellarco, M; Moschandreas, DJ. (2003). Exposure and risk estimates for Arizona drinking water. *J Am Water Works Assoc* 95: 67-79.
- Soganci, T; Soyleyici, HC, an; Ak, M; Cetisli, H. (2016). An Amide Substituted Dithienylpyrrole Based Copolymer: Its Electrochromic Properties. *J Electrochem Soc* 163: H59-H66. <http://dx.doi.org/10.1149/2.0631602jes>.
- Sohofi, N; Tavanai, H; Morshed, M; Abdolmaleki, A. (2014). Electrospinning of 100% Carboxymethyl Chitosan Nanofibers. *Journal of Engineered Fabrics and Fibers* 9: 87-92.
- Sohrabnezhad, S, h; Sadeghi, A. (2015). Matrix effect of montmorillonite and MCM-41 matrices on the antibacterial activity of Ag<sub>2</sub>CO<sub>3</sub> nanoparticles. *Appl Clay Sci* 105: 217-224. <http://dx.doi.org/10.1016/j.clay.2014.12.034>.
- Soldatov, DV; Grachev, EV; Ripmeester, JA. (2002). The first "organic zeolite" with isomerizing building blocks: Single-crystal-to-single-crystal desolvation and structure of the empty matrix. *Cryst Growth Des* 2: 401-408. <http://dx.doi.org/10.1021/cg020016w>.
- Soldera, S; Sebastianutto, N; Bortolomeazzi, R. (2008). Composition of phenolic compounds and antioxidant activity of commercial aqueous smoke flavorings. *J Agric Food Chem* 56: 2727-2734. <http://dx.doi.org/10.1021/jf072117d>.
- Soleas, GJ; Yan, J; Goldberg, DM. (2001). Assay of ochratoxin A in wine and beer by high-pressure liquid chromatography photodiode array and gas chromatography mass selective detection. *J Agric Food Chem* 49: 2733-2740. <http://dx.doi.org/10.1021/jf0100651>.
- Solis-Casados, D; Viguera-Santiago, E; Hernandez-Lopez, S; Camacho-Lopez, AA. (2009). Characterization and Photocatalytic Performance of Tin Oxide. *Ind Eng Chem Res* 48: 1249-1252. <http://dx.doi.org/10.1021/ie800604u>.
- Solla-Gullon, J; Gomez, E; Valles, E; Aldaz, A; Feliu, JM. (2010). Synthesis and structural, magnetic and electrochemical characterization of PtCo nanoparticles prepared by water-in-oil microemulsion. *J Nanopart Res* 12: 1149-1159. <http://dx.doi.org/10.1007/s11051-009-9680-4>.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech* 5: 353-360.
- Soltanian, H; Rezaeian, S; Shakeri, A; Janpoor, J; Pourianfar, HR. (2016). Antibacterial activity of crude extracts and fractions from Iranian wild-grown and cultivated *Agaricus* spp. *Biomedical Research* 27: 56-59.
- Solum, MS; Mayne, CL; Orendt, AM; Pugmire, RJ; Adams, J; Fletcher, TH. (2014). Characterization of Macromolecular Structure Elements from a Green River Oil Shale, I. Extracts. *Energy Fuels* 28: 453-465. <http://dx.doi.org/10.1021/ef401918u>.
- Solum, MS; Veranth, JM; Jiang, YJ; Orendt, AM; Sarofim, AF; Pugmire, RJ. (2003). Study of anthracene aerosols by solid-state NMR and ESR. *Energy Fuels* 17: 738-743. <http://dx.doi.org/10.1021/ef020216h>.
- Son, KC; Severson, RF; Kays, SJ. (1991). A RAPID METHOD FOR SCREENING SWEET-POTATO GENOTYPES FOR OVIPOSITION STIMULANTS TO THE SWEET-POTATO WEEVIL. *HortScience* 26: 409-410.
- Sonawane, S; Chaudhari, P; Ghodke, S; Phadtare, S; Meshram, S. (2009). Ultrasound assisted adsorption of basic dye onto organically modified bentonite (nanoclay). *Journal of Sci Ind Res* 68: 162-167.
- Sone, R; Takemura, I; Oyaizu, K; Nishide, H. (2009). Chiral alkylated poly(m-phenylene)s: Optical activity and thermal stability of helical structures. *Synthetic Metals* 159: 925-930. <http://dx.doi.org/10.1016/j.synthmet.2009.01.057>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Song, C; Li, C; Yin, Y; Xiao, J; Zhang, X; Song, M; Dong, W, ei. (2015). Preparation and gas sensing properties of partially broken WO<sub>3</sub> nanotubes. *Vacuum* 114: 13-16. <http://dx.doi.org/10.1016/j.vacuum.2014.12.019>.
- Song, KH; Lee, CH; Lim, JS; Lee, YW. (2002). Preparation of L-PLA submicron particles by a continuous supercritical antisolvent precipitation process. *Korean J Chem Eng* 19: 139-145.
- Song, QS; Yang, DR; Zhang, GM; Yang, CR. (2001). Volatiles from *Ficus hispida* and their attractiveness to fig wasps. *J Chem Ecol* 27: 1929-1942.
- Song, Y; Harper, AS; Murray, RW. (2005). Ligand heterogeneity on monolayer-protected gold clusters. *Langmuir* 21: 5492-5500. <http://dx.doi.org/10.1021/la0503606>.
- Song, YF; Jing, X; Fleischmann, S; Wilke, BM. (2002). Comparative study of extraction methods for the determination of PAHs from contaminated soils and sediments. *Chemosphere* 48: 993-1001.
- Song, Z; Qu, Y; Wang, S. (2010). Solubilities of (alpha,Z)-2-Amino-alpha-(methoxyimino)-4-thiazole-ethanethioic Acid S-2-Benzothiazolyl Ester in Pure Solvents and a Mixture of Acetonitrile and Dichloromethane. *Journal of Chemical and Engineering Data* 55: 2343-2344. <http://dx.doi.org/10.1021/jc900784v>.
- Sonmez, E; Sonmez, F; Kumbasar, RA, li; Eyupoglu, V. (2012). Synergistic and selective extraction of Cd<sup>2+</sup> from acidic solution containing Cd<sup>2+</sup>, Co<sup>2+</sup>, Ni<sup>2+</sup> by triisooctylamine (TIOA) and tributyl phosphate (TBP). *J Ind Eng Chem* 18: 1286-1292. <http://dx.doi.org/10.1016/j.jiec.2012.01.025>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res* 6: 1-8.
- Soppimath, KS; Kulkarni, AR; Aminabhavi, TM; Bhaskar, C. (2001). Cellulose acetate microspheres prepared by o/w emulsification and solvent evaporation method. *J Microencapsul* 18: 811-817.
- Soreide, JE; Tamelander, T; Hop, H; Hobson, KA; Johansen, I. (2006). Sample preparation effects on stable C and N isotope values: a comparison of methods in Arctic marine food web studies. *Mar Ecol Prog Ser* 328: 17-28.
- Sorial, GA; Smith, FL; Suidan, MT; Biswas, P; Brenner, RC. (1995). EVALUATION OF TRICKLE-BED BIOFILTER MEDIA FOR TOLUENE REMOVAL. *J Air Waste Manag Assoc* 45: 801-810.
- Sousa, AF; Pinto, PC; Silvestre, AJ; Pascoal Neto, C. (2006). Triterpenic and other lipophilic components from industrial cork byproducts. *J Agric Food Chem* 54: 6888-6893. <http://dx.doi.org/10.1021/jf060987+>.
- Souza, MLR; Hoch, AL; Gasparino, E; Scapinello, C; Dourado, MD; Da Silva, CSC; Lala, B. (2016). COMPOSITIONAL ANALYSIS AND PHYSICO-CHEMICAL AND MECHANICAL TESTING OF TANNED RABBIT SKINS. *World Rabbit Science* 24: 233-238. <http://dx.doi.org/10.4995/wrs.2016.4037>.
- Soylmez, S; Hacıoglu, SO; Uzun, SD; Toppare, L. (2015). A Low Band Gap Benzimidazole Derivative and Its Copolymer with 3,4-Ethylenedioxythiophene for Electrochemical Studies. *J Electrochem Soc* 162: H6-H14. <http://dx.doi.org/10.1149/2.0311501jes>.
- Spada, RM; Cepeda-Plaza, M; Gomez, ML; Guenther, G; Jaque, P; Pizarro, N; Palacios, RE; Vega, A. (2015). Clean Singlet Oxygen Production by a Re-I Complex Embedded in a Flexible Self-Standing Polymeric Silsesquioxane Film. *J Phys Chem C* 119: 10148-10159. <http://dx.doi.org/10.1021/acs.jbcc.5b01990>.
- Spear, RC; Bois, FY; Woodruff, T; Auslander, D; Parker, J; Selvin, S. (1991). Modeling benzene pharmacokinetics across three sets of animal data: Parametric sensitivity and risk implications. *Risk Anal* 11: 641-654. <http://dx.doi.org/10.1111/j.1539-6924.1991.tb00653.x>.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.
- Sperling, S; Kühbandner, S; Engel, KC; Steiger, S; Stökl, J; Ruther, J. (2015). Size Exclusion High Performance Liquid Chromatography: Re-Discovery of a Rapid and Versatile Method for Clean-Up and Fractionation in Chemical Ecology. *J Chem Ecol* 41: 574-583. <http://dx.doi.org/10.1007/s10886-015-0584-8>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Spongberg, AL; Becks, PM. (2000). Organic contamination in soils associated with cemeteries. *Journal of Soil Contamination* 9: 87-97.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria* 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sreng, L; Cloarec, A; Rivault, C. (1998). Cuticular extracts inducing aggregation in the German cockroach, *Blattella germanica* (L.). *J Insect Physiol* 44: 909-918.
- Sriamornsak, P; Burapapadth, K. (2015). Particle design of itraconazole by evaporative recrystallization for dissolution improvement. *Chem Eng Res Des* 100: 444-451. <http://dx.doi.org/10.1016/j.cherd.2015.04.028>.
- Srihanam, P; Srisuwan, Y; Imsombut, T; Baimark, Y. (2011). Silk fibroin microspheres prepared by the water-in-oil emulsion solvent diffusion method for protein delivery. *Korean J Chem Eng* 28: 293-297. <http://dx.doi.org/10.1007/s11814-010-0322-4>.
- Srinivasan, P; Sarmah, AK; Manley-Harris, M; Wilkins, AL. (2012). Development of an HPLC method to analyze four veterinary antibiotics in soils and aqueous media and validation through fate studies. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47: 2120-2132. <http://dx.doi.org/10.1080/10934529.2012.696005>.
- Srivastava, R; Smith, BD. (1985). TOTAL PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH BENZENE, TOLUENE, NITROMETHANE, AND CHLOROBENZENE. *Journal of Chemical and Engineering Data* 30: 313-318.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Strour, H; Doan, T, huH; Da Silva, E; Whitby, RJ; Witulski, B. (2016). Synthesis and molecular properties of methoxy-substituted diindolo[3,2-b:2',3'-h]carbazoles for organic electronics obtained by a consecutive twofold Suzuki and twofold Cadogan reaction. 4: 6270-6279. <http://dx.doi.org/10.1039/c6tc02009g>.
- Staccioli, G; Mcmillan, NJ; Meli, A; Bartolini, G. (2002). Chemical characterisation of a 45 million year bark from geodetic hills fossil forest, Axel Heiberg Island, Canada. *Wood Science and Technology* 36: 419-427. <http://dx.doi.org/10.1007/S00226-002-0144-6>.
- Staccioli, G; Meli, A; Bartolini, G. (2001). Evidence of carboxyl ester groups of polyoses breaking owing to ball milling of a poplar wood. *Cellulose Chemistry and Technology* 35: 355-360.
- Staccioli, G; Meli, A; Fratini, F. (2002). Investigation on fossil barks from an Arctic Canadian site constituted by a multiple level tertiary fossil forest 45 million years old. *Holzforschung* 56: 20-24.
- Staccioli, G; Sturaro, A; Parvoli, G. (1997). GC/MS investigation on the dichloromethane extract from a subfossil larch. *Holzforschung* 51: 107-110.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). General and specific biomarkers in some tertiary fossil woods from Canadian Arctic. *Holzforschung* 52: 225-228.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). Investigation on the DCM extractives of Canadian Arctic fossil woods: the Resolute sample. *Wood Science and Technology* 32: 375-380.
- Staccioli, G; Sturaro, A; Parvoli, G; Menchi, G; Matteoli, U. (1999). The lipophilic extractives of an interglacial fossil *Picea abies* from Zeifen (Germany). *Holzforschung* 53: 391-396.
- Staccioli, G; Ucar, G; Bartolini, G; Coppi, C; Mochi, M. (1998). Investigation an a fossil *Sequoia* bark from Turkey. *Holz als Roh- und Werkstoff* 56: 426-429.
- Stahl, DC; Tilotta, DC. (2001). Screening method for nitroaromatic compounds in water based on solid-phase microextraction and infrared spectroscopy. *Environ Sci Technol* 35: 3507-3512.
- Ståhlbom, B; Järnberg, J; Söderkvist, P; Lindmark, D. (1997). Determination of dimethylhippuric acid isomers in urine by high-performance liquid chromatography. *Int Arch Occup Environ Health* 69: 147-150.
- St-Amand, AD; Girard, L. (2004). Determination of acephate and its degradation product methamidophos in soil and water by solid-phase extraction (SPE) and GC-MS. *Int J Environ Anal Chem* 84: 739-748. <http://dx.doi.org/10.1080/03067310410001729600>.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Analysis of the kinetics of vapor absorption/desorption in/from silicone rubber and cellulose acetate membranes in the presence of stagnant boundary layers. *J Memb Sci* 125: 165-175.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Optical vs. direct sorption and swelling measurements for the study of stiff-chain polymer-penetrant interactions. *J Memb Sci* 130: 75-83.
- Stanetzek, I; Giese, U; Schuster, RH; Wunsch, G. (1996). Chromatographic characterization of adsorbents for selective sampling of organic air pollutants. *Am Ind Hyg Assoc J* 57: 128-133.
- Stankovic, V; Outarra, L; Zonneville, F; Comninellis, C. (2008). Solvent extraction of silver from nitric acid solutions by calix[4]arene amide derivatives. *Separation and Purification Technology* 61: 366-374. <http://dx.doi.org/10.1016/j.seppur.2007.11.011>.
- Stanley, TJ; Alger, MM. (1989). METHYLENE-CHLORIDE MIGRATION IN POLYCARBONATE PACKAGES - EFFECT OF INITIAL CONCENTRATION PROFILE. *Ind Eng Chem Res* 28: 865-867.
- Stanley, TJ; Ward, WJ; Alger, MM. (1989). METHYLENE-CHLORIDE PERMEATION IN POLYCARBONATE USING A C-14 TRACER. *Ind Eng Chem Res* 28: 1494-1497.
- Stark, T; Hofmann, T. (2005). Structures, sensory activity, and dose/response functions of 2,5-diketopiperazines in roasted cocoa nibs (*Theobroma cacao*). *J Agric Food Chem* 53: 7222-7231. <http://dx.doi.org/10.1021/jf051313m>.
- Starnes, WH; Chung, H; Wojciechowski, BJ; Skillicorn, DE; Benedikt, GM. (1996). Auxiliary mechanism for transfer to monomer during vinyl chloride polymerization - Implications for thermal stability of poly(vinyl chloride). *Advances in Chemistry Series* 249: 3-18.
- Starr, BJ; Tarabara, VV; Herrera-Robledo, M; Zhou, M; Roualdes, S; Ayril, A. (2016). Coating porous membranes with a photocatalyst: Comparison of LbL self-assembly and plasma-enhanced CVD techniques. *J Memb Sci* 514: 340-349. <http://dx.doi.org/10.1016/j.memsci.2016.04.050>.
- Steele, HL; Hardy, JK. (2009). Permeation sampling of phthalate esters in water. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 340-345. <http://dx.doi.org/10.1080/10934520802659661>.
- Stefanescu, EA. (2010). Influence of key parameters on the morphology of ethylcellulose microcapsules prepared via room-temperature spray drying. *Cellulose* 17: 617-626. <http://dx.doi.org/10.1007/s10570-010-9399-5>.
- Stefanescu, EA; Stefanescu, C; Negulescu, II. (2011). Biodegradable polymeric capsules obtained via room temperature spray drying: preparation and characterization. *J Biomater Appl* 25: 825-849. <http://dx.doi.org/10.1177/0885328210366489>.
- Stefanel, MM; Vuano, BM; Mayer, CE. (2001). Corrosion inhibition of pure aluminum by morpholine-methylene-phosphonic acid in neutral chloride solution. *Corrosion* 57: 898-904.
- Steidle, JLM; Ruther, J. (2000). Chemicals used for host recognition by the granary weevil parasitoid *Lariophagus distinguendus*. *J Chem Ecol* 26: 2665-2675.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual* 10: 283-285.
- Stein, TE; Duffy, SJ; Wickstrom, S. (1990). DIFFERENCES IN PRODUCTION VALUES BETWEEN HIGH-PRODUCTIVITY AND LOW-PRODUCTIVITY SWINE BREEDING HERDS. *J Anim Sci* 68: 3972-3979.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Stenzel, MH; Davis, TP; Fane, AG. (2003). Honeycomb structured porous films prepared from carbohydrate based polymers synthesized via the RAFT process. *J Mater Chem* 13: 2090-2097. <http://dx.doi.org/10.1039/b304204a>.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech* 25: 565-571.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2004). Total oxidation of methane and chlorinated hydrocarbons on zirconia supported A(1-x)Sr(x)MnO(3) catalysts. *Chem Eng Tech* 27: 687-693. <http://dx.doi.org/10.1002/ceat.20040042>.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics* 4: 185-192.
- Stepnowski, P; Siedlecka, EM; Behrend, P; Jastorff, B. (2002). Enhanced photo-degradation of contaminants in petroleum refinery wastewater. *Water Res* 36: 2167-2172. [http://dx.doi.org/10.1016/S0043-1354\(01\)00450-X](http://dx.doi.org/10.1016/S0043-1354(01)00450-X).
- Stevens, RJ; Laughlin, RJ. (2001). Lowering the detection limit for dinitrogen using the enrichment of nitrous oxide. *Soil Biol Biochem* 33: 1287-1289.
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Experimental human exposure to methylene chloride. *Arch Environ Occup Health* 25: 342-348.
- Sthel, M; Rieumont, J; Martinez, R. (1999). Testing a furfuryl alcohol resin as a negative photoresist. *Polym Test* 18: 47-50.
- Stievano, M; Elvassore, N. (2005). High-pressure density and vapor-liquid equilibrium for the binary systems carbon dioxide-ethanol, carbon dioxide-acetone and carbon dioxide-dichloromethane. *Journal of Supercritical Fluids* 33: 7-14. <http://dx.doi.org/10.1016/j.supflu.2004.04.003>.
- Stivaktakis, PD; Kavvalakis, MP; Tzatzarakis, MN; Alegakis, AK; Panagiotakis, MN; Fragkiadaki, P; Vakonaki, E; Ozcagli, E; Hayes, WA; Rakitskii, VN; Tsatsakis, AM. (2016). Long-term exposure of rabbits to imidacloprid as quantified in blood induces genotoxic effect. *Chemosphere* 149: 108-113. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.040>.
- Stokes, JD; Wilkinson, A; Reid, BJ; Jones, KC; Semple, KT. (2005). Prediction of polycyclic aromatic hydrocarbon biodegradation in contaminated soils using an aqueous hydroxypropyl-beta-cyclodextrin extraction technique. *Environ Toxicol Chem* 24: 1325-1330.
- Stone, EA; Snyder, DC; Sheesley, RJ; Sullivan, AP; Weber, RJ; Schauer, JJ. (2008). Source apportionment of fine organic aerosol in Mexico City during the MILAGRO experiment 2006. *Atmos Chem Phys* 8: 1249-1259. <http://dx.doi.org/10.5194/acp-8-1249-2008>.
- Stoppa, A; Hunger, J; Buchner, R. (2009). Conductivities of Binary Mixtures of Ionic Liquids with Polar Solvents. *Journal of Chemical and Engineering Data* 54: 472-479. <http://dx.doi.org/10.1021/jc800468h>.
- Stotter, J; Show, Y; Wang, SH; Swain, G. (2005). Comparison of the electrical, optical, and electrochemical properties of diamond and indium tin oxide thin-film electrodes. *Chem Mater* 17: 4880-4888. <http://dx.doi.org/10.1021/cm050762z>.
- Stoupalova, M; Beklova, M; Vavrova, M; Stilarkova, E; Bednarova, I. (2012). INFLUENCE OF POLYCYCLIC AROMATIC HYDROCARBONS ON EARTHWORMS EISENIA FETIDA. *Fresen Environ Bull* 21: 748-754.
- Stout, SA; Emsbo-Mattingly, SD. (2008). Concentration and character of PAHs and other hydrocarbons in coals of varying rank - Implications for environmental studies of soils and sediments containing particulate coal. *Organic Geochemistry* 39: 801-819. <http://dx.doi.org/10.1016/j.orggeochem.2008.04.017>.
- Strange, R; Howie, A; Hume, R; Matharoo, B; Bell, J; Hiley, C; Jones, P; Beckett, G. (1989). The development expression of alpha-, mu- and pi-class glutathione S-transferases in human liver. *Biochim Biophys Acta* 993: 186-190.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg* 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.
- Strnad, M; Sanka, M; Bohacek, Z; Borkovcova, I; Vondra, J. (1994). SOIL POLLUTION BY HEAVY-METALS AND POLYCYCLIC AROMATIC-HYDROCARBONS IN THE TOWN OF BRNO (CZECH-REPUBLIC). *Int J Environ Anal Chem* 54: 233-248.
- Strum, M; Scheffe, R. (2015). National review of ambient air toxics observations. *Journal of the Air and Waste Management Association* 66: 120-133. <http://dx.doi.org/10.1080/10962247.2015.1076538>.
- Sturaro, A; Parvoli, G; Doretti, L; Staccioli, G. (1998). Unusual occurrence of phthalic acid esters in fossil Larix wood. *Ann Chim* 88: 471-481.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C* 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, J; Sun, X; Gahungu, G; Qu, X; Liu, Y; Wu, Z. (2012). Theoretical study on photophysical properties of cyclometalated cationic iridium(III) complexes containing dipyrrodo[3,2-f:2',3'-h]quinoxaline ligand. *Synthetic Metals* 162: 1392-1399. <http://dx.doi.org/10.1016/j.synthmet.2012.06.005>.
- Su, Y; Zhao, B; Xiao, W; Han, R. (2013). Adsorption behavior of light green anionic dye using cationic surfactant-modified wheat straw in batch and column mode. *Environ Sci Pollut Res Int* 20: 5558-5568. <http://dx.doi.org/10.1007/s11356-013-1571-7>.
- Subagyono, DJN; Marshall, M; Fei, Y, i; Jackson, WR, oy; Chaffee, AL. (2015). Thermo-chemical reactions of algae, grape marc and wood chips using a semi-continuous/flow-through system. *Fuel* 158: 927-936. <http://dx.doi.org/10.1016/j.fuel.2015.06.026>.
- Subagyono, DJN; Marshall, M; Jackson, W; Chaffee, AL. (2015). Pressurized thermal and hydrothermal decomposition of algae, wood chip residue, and grape marc: A comparative study. *Biomass and Bioenergy* 76: 141-157. <http://dx.doi.org/10.1016/j.biombioe.2014.08.020>.
- Subagyono, DJN; Marshall, M; Jackson, WR, oy; Chaffee, AL. (2015). Improvement in liquid fuel product quality from reactions of grape marc with CO/H<sub>2</sub>O. *Fuel* 159: 234-240. <http://dx.doi.org/10.1016/j.fuel.2015.06.042>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Subhaga, CS; Ravi, KG; Sunny, MC; Jayakrishnan, A. (1995). EVALUATION OF AN ALIPHATIC POLYURETHANE AS A MICROSPHERE MATRIX FOR SUSTAINED THEOPHYLLINE DELIVERY. *J Microencapsul* 12: 617-625.
- Subra, P; Berroy, P; Vega, A; Domingo, C. (2004). Process performances and characteristics of powders produced using supercritical CO<sub>2</sub> as solvent and antisolvent. *Powder Technology* 142: 13-22. <http://dx.doi.org/10.1016/j.powtec.2004.03.004>.
- Subra, P; Laudani, CG; Vega-Gonzalez, A; Reverchon, E. (2005). Precipitation and phase behavior of theophylline in solvent-supercritical CO<sub>2</sub> mixtures. *Journal of Supercritical Fluids* 35: 95-105. <http://dx.doi.org/10.1016/j.supflu.2004.12.010>.
- Subramonian, S. (1996). Anion-exchange resins from vinylbenzyl chloride: Control of hydrolysis during polymerization. *React Funct Polym* 29: 129-133.
- Subramonian, W; Wu, T, aY. (2014). Effect of Enhancers and Inhibitors on Photocatalytic Sunlight Treatment of Methylene Blue. *Water Air Soil Pollut* 225: 1-15. <http://dx.doi.org/10.1007/s11270-014-1922-0>.
- Subrenat, AS; Le Cloirec, PA. (2006). Volatile organic compound (VOC) removal by adsorption onto activated carbon fiber cloth and electrothermal desorption: An industrial application. *Chemical Engineering Communications* 193: 478-486. <http://dx.doi.org/10.1080/00986440500191768>.
- Sugano, M; Mashimo, K; Wainai, T. (1998). Upgrading reactions of coal liquefaction residue with basic coal liquid related model compounds. *Fuel* 77: 447-451.
- Suganya, T; Renganathan, S. (2012). Optimization and kinetic studies on algal oil extraction from marine macroalgae *Ulva lactuca*. *Bioresour Technol* 107: 319-326. <http://dx.doi.org/10.1016/j.biortech.2011.12.045>.
- Sugasawa, M; Annadurai, G; Futamura, S. (2009). Reaction Behavior of Toluene-Dichloromethane Mixture in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 45: 1499-1505. <http://dx.doi.org/10.1109/TIA.2009.2023570>.
- Sugasawa, M; Terasawa, T; Futamura, S. (2010). Additive Effect of Water on the Decomposition of VOCs in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 46: 1692-1698. <http://dx.doi.org/10.1109/TIA.2010.2057390>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res* 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ* 20: 57-66.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels* 8: 463-469.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen* 103: 55-67.
- Sui, B; Fu, X. (2009). The copper(I) iodide accelerated synthesis of mono- and bisbenzyl substituted 1-and 2-aminoanthraquinones. *Dyes and Pigments* 83: 1-6. <http://dx.doi.org/10.1016/j.dyepig.2009.01.004>.
- Sui, YL; Qian, JX; Zhang, J; Zhou, XH; Gu, ZN; Wu, Y; Fu, H; Wang, JZ. (1996). Direct and catalytic hydrogenation of buckminsterfullerene C-60. *Fullerene Sci Technol* 4: 813-818.
- Sulej-Suchomska, AM; Polkowska, Z; Przyjazny, A; Kokot, ZJ; Namiesnik, J. (2016). Determination of fuel combustion product in airport runoff water samples using liquid-liquid extraction with gas chromatography-spectrometry. *Int J Environ Sci Tech* 13: 1475-1488. <http://dx.doi.org/10.1007/s13762-016-0988-1>.
- Sultana, T; Porter, NG; Savage, GP; Mcneil, DL. (2003). Comparison of isothiocyanate yield from wasabi rhizome tissues grown in soil or water. *J Agric Food Chem* 51: 3586-3591. <http://dx.doi.org/10.1021/jf021116c>.
- Suman, M; La Tegola, S; Catellani, D; Bersellini, U. (2005). Liquid chromatography-electrospray ionization-tandem mass spectrometry method for the determination of epoxidized soybean oil in food products. *J Agric Food Chem* 53: 9879-9884. <http://dx.doi.org/10.1021/jf052151x>.
- Sumi, I; Picaud, S; Jedlovsky, P, al. (2015). Adsorption of Methylene Fluoride and Methylene Chloride at the Surface of Ice under Tropospheric Conditions: A Grand Canonical Monte Carlo Simulation Study. *J Phys Chem C* 119: 17243-17252. <http://dx.doi.org/10.1021/acs.jpcc.5b05018>.
- Sumi, K; Kimura, M; Kokufuta, E; Nakamura, I. (1994). SELECTIVE UPHILL TRANSPORT OF CYANIDE ION-MEDIATED BY TETRAPHENYLPORPHINATOMANGANESE (III) COMPLEX THROUGH BULK AND POLYMER-SUPPORTED LIQUID MEMBRANES. *J Memb Sci* 86: 155-169.
- Sun, G; Liu, Z; Chen, G. (2010). DISPERSION OF PRISTINE MULTI-WALLED CARBON NANOTUBES IN COMMON ORGANIC SOLVENTS. *NANO* 5: 103-109. <http://dx.doi.org/10.1142/S1793292010001986>.
- Sun, G; Zhang, D, an; An, X; Jahan, M, dS; Zhou, J; Ni, Y. (2016). A case study for integrated forest biorefinery: Recovery of manool from evaporator condensate of a kraft pulp mill. *Separation and Purification Technology* 165: 27-31. <http://dx.doi.org/10.1016/j.seppur.2016.03.043>.
- Sun, H; Dong, X; Liu, S; Zhao, Q; Mou, X, in; Yang, H, uiY; Huang, W, ei. (2011). Excellent BODIPY Dye Containing Dimesitylboryl Groups as PeT-Based Fluorescent Probes for Fluoride. *J Phys Chem C* 115: 19947-19954. <http://dx.doi.org/10.1021/jp206396v>.
- Sun, J; Li, Y; Liu, T; Du, Q; Xia, Y; Xia, L; Wang, Z; Wang, K; Zhu, H; Wu, D. (2014). EQUILIBRIUM, KINETIC AND THERMODYNAMIC STUDIES OF CATIONIC RED X-GRL ADSORPTION ON GRAPHENE OXIDE. *Environmental Engineering and Management Journal* 13: 2551-2559.
- Sun, JB; Severson, RF; Kays, SJ. (1993). QUANTITATIVE TECHNIQUE FOR MEASURING VOLATILE COMPONENTS OF BAKED SWEET-POTATOES. *HortScience* 28: 1110-1113.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sun, JB; Severson, RF; Schlotzhauer, WS; Kays, SJ. (1995). IDENTIFYING CRITICAL VOLATILES IN THE FLAVOR OF BAKED JEWEL SWEET-POTATOES [IPOMOEA-BATATAS (L) LAM]. *J Am Soc Hortic Sci* 120: 468-474.
- Sun, M; Downes, S. (2009). Physicochemical characterisation of novel ultra-thin biodegradable scaffolds for peripheral nerve repair. *J Mater Sci Mater Med* 20: 1181-1192. <http://dx.doi.org/10.1007/s10856-008-3671-3>.
- Sun, P; Weavers, LK. (2006). Sonolytic reactions of phenanthrene in organic extraction solutions. *Chemosphere* 65: 2268-2274. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.029>.
- Sun, P; Weavers, LK; Taerakul, P; Walker, HW. (2006). Characterization of polycyclic aromatic hydrocarbons (PAHs) on lime spray dryer (LSD) ash using different extraction methods. *Chemosphere* 62: 265-274. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.014>.
- Sun, P; Yu, DH, ua; Hu, Y, i; Tang, ZC; Xia, JJ; Li, H; Huang, H, e. (2011). H3PW12O40/SiO2 for sorbitol dehydration to isosorbide: High efficient and reusable solid acid catalyst. *Korean J Chem Eng* 28: 99-105. <http://dx.doi.org/10.1007/s1184-010-0324-2>.
- Sun, RC; Sun, XF. (2001). Separation and characterization of lipophilic extracts from barley straw. *Separation Science and Technology* 36: 3027-3048.
- Sun, RC; Sun, XF; Xiao, B. (2002). Extraction and characterization of lipophilic extractives from rice straw. II. Spectroscopic and thermal analysis. *Journal of Wood Chemistry and Technology* 22: 1-9.
- Sun, RC; Tomkinson, J. (2002). Comparative study of organic solvent-soluble and water-soluble lipophilic extractives from wheat straw 2: spectroscopic and thermal analysis. *J Wood Sci* 48: 222-226.
- Sun, RC; Tomkinson, J. (2003). Comparative study of organic solvent and water-soluble lipophilic extractives from wheat straw I: yield and chemical composition. *J Wood Sci* 49: 47-52.
- Sun, Y; Yue, Q; Gao, B; Wang, Y, an; Gao, Y; Li, Q. (2013). Preparation of highly developed mesoporous activated carbon by H4P2O7 activation and its adsorption behavior for oxytetracycline. *Powder Technology* 249: 54-62. <http://dx.doi.org/10.1016/j.powtec.2013.07.029>.
- Sundaram, KMS; Curry, J. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE ANALYSIS OF AZADIRACHTIN IN 3 COMMERCIAL FORMULATIONS AND NEEM OIL. *J Environ Sci Health B* 28: 221-241.
- Sundarram, SS; Jiang, W, ei; Li, W, ei. (2014). Fabrication of Small Pore-Size Nickel Foams Using Electroless Plating of Solid-State Foamed Immiscible Polymer Blends. *Journal of Manufacturing Science and Engineering* 136. <http://dx.doi.org/10.1115/1.4025418>.
- Sundell, BJ; Jang, E, uiS; Cook, JR; Freeman, BD; Riffle, JS; Mcgrath, JE. (2016). Cross-Linked Disulfonated Poly(arylene ether sulfone) Telechelic Oligomers. 2. Elevated Transport Performance with Increasing Hydrophilicity. *Ind Eng Chem Res* 55: 1419-1426. <http://dx.doi.org/10.1021/acs.iecr.5b04050>.
- Sundell, MJ; Ekman, KB; Svarfvar, BL; Nasman, JH. (1995). PREPARATION OF POLY[ETHYLENE-G-(VINYL BENZYL CHLORIDE)] AND FUNCTIONALIZATION WITH BIS(PHOSPHONIC ACID) DERIVATIVES. 25: 1-16.
- Sunder, MS; Prasad, DHL. (2003). Phase equilibria of water plus furfural and dichloromethane plus n-hexane. *Journal of Chemical and Engineering Data* 48: 221-223. <http://dx.doi.org/10.1021/je020053r>.
- Sunsandee, N; Ramakul, P; Pancharoen, U, ra; Leepipatpiboon, N. (2013). Enantioseparation of (S)-amlodipine from pharmaceutical industry wastewater by stripping phase recovery via HFSLM: Polarity of diluent and membrane stability investigation. *Separation and Purification Technology* 116: 405-414. <http://dx.doi.org/10.1016/j.seppur.2013.06.014>.
- Sunthornvarabhas, J; Chatakanonda, P; Piyachomkwan, K; Sriroth, K. (2011). Electrospun polylactic acid and cassava starch fiber by conjugated solvent technique. *Mater Lett* 65: 985-987. <http://dx.doi.org/10.1016/j.matlet.2010.12.038>.
- Suo, QL; He, WZ; Huang, YC; Li, CP; Hong, HL; Li, YX; Zhu, MD. (2005). Micronization of the natural pigment-bixin by the SEDS process through prefilming atomization. *Powder Technology* 154: 110-115. <http://dx.doi.org/10.1016/j.powtec.2005.05.001>.
- Supsakulchai, A; Ma, GH; Nagai, M; Omi, S. (2003). Performance of titanium dioxide microcapsules as a photooxidation catalyst for decolourization of methylene blue. *J Microencapsul* 20: 19-33. <http://dx.doi.org/10.1080/0265204021000022806>.
- Suqi, L; Cáceres, LA; Caceres, L; Schieck, K; Mcgarvey, BD; Booker, CJ; Mcgarvey, BM; Yeung, KK; Pariente, S; Briens, C; Berruti, F; Scott, IM. (2014). Insecticidal activity of bio-oil from the pyrolysis of straw from Brassica spp. *J Agric Food Chem* 62: 3610-3618. <http://dx.doi.org/10.1021/jf500048t>.
- Suresh, VM; Bonakala, S; Atreya, HS; Balasubramanian, S; Maji, TK. (2014). Amide functionalized microporous organic polymer (Am-MOP) for selective CO<sub>2</sub> sorption and catalysis. *ACS Applied Materials & Interfaces* 6: 4630-4637. <http://dx.doi.org/10.1021/am500057z>.
- Suri, A; Chakraborty, AK; Coleman, KS. (2008). A facile, solvent-free, noncovalent, and nondisruptive route to functionalize single-wall carbon nanotubes using tertiary phosphines. *Chem Mater* 20: 1705-1709. <http://dx.doi.org/10.1021/cm071573e>.
- Suslov, AN; Durilin, DA; Ovchar, OV; Belous, AG; Jancar, B; Spreitzer, M. (2014). Synthesis and dielectric and nonlinear properties of BaTi<sub>1-x</sub>Zr (x) O-3 ceramics. *Inorg Mater* 50: 1125-1130. <http://dx.doi.org/10.1134/S0020168514110193>.
- Suwanchawalit, C; Wongnawa, S. (2010). Triblock copolymer-templated synthesis of porous TiO<sub>2</sub> and its photocatalytic activity. *J Nanopart Res* 12: 2895-2906. <http://dx.doi.org/10.1007/s11051-010-9880-y>.
- Suwannahong, K; Liengcharernsit, W; Sanongraj, W; Krueante, J. (2012). Application of Nano-TiO<sub>2</sub>/LDPE composite film on photocatalytic oxidation degradation of dichloromethane. *J Environ Biol* 33: 955-959.
- Suzuki, S; Suzuki, T; Suematsu, H; Jiang, WH; Yatsui, K. (2004). Structural analysis of Ti-Fe thin films prepared by pulsed laser deposition. *Thin Solid Films* 457: 139-142. <http://dx.doi.org/10.1016/j.tsf.2003.12.028>.
- Suzuki, S; Whittaker, MR; Wentrup-Byrne, E; Monteiro, MJ; Grøndahl, L. (2008). Adsorption of well-defined fluorine-containing polymers onto poly(tetrafluoroethylene). *Langmuir* 24: 13075-13083. <http://dx.doi.org/10.1021/la802300q>.
- Suzuki, T; Yanagiba, Y; Suda, M; Wang, RS. (2014). Assessment of the genotoxicity of 1,2-dichloropropane and dichloromethane after individual and co-exposure by inhalation in mice. *J Occup Health* 56: 205-214.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Svensson, BA; Rundlof, M; Hoglund, H. (2006). Sliding friction between wood and steel in a saturated steam environment. *Journal of Pulp & Paper Science* 32: 38-43.
- Swan, HB; Crough, RW; Vaattovaara, P; Jones, GB; Deschaseaux, ESM; Eyre, BD; Miljevic, B; Ristovski, ZD. (2016). Dimethyl sulfide and other biogenic volatile organic compound emissions from branching coral and reef seawater: potential sources of secondary aerosol over the Great Barrier Reef. *J Atmos Chem* 73: 303-328. <http://dx.doi.org/10.1007/s10874-016-9327-7>.
- Swartz, JC; Langner, EHG; Krokeide-Hove, N; Cook, MJ. (2001). Synthesis and electrochemical characterisation of some long chain 1,4,8,11,15,18,22,25-octa-alkylated metal-free and zinc phthalocyanines possessing discotic liquid crystalline properties. *J Mater Chem* 11: 434-443.
- Swartz, E; Stockburger, L; Gundel, LA. (2003). Recovery of semivolatile organic compounds during sample preparation: Implications for characterization of airborne particulate matter. *Environ Sci Technol* 37: 597-605. <http://dx.doi.org/10.1021/es011128z>.
- Sweiss, KI; Beri, R; Shord, SS. (2008). Encephalopathy after high-dose ifosfamide: a retrospective cohort study and review of the literature [Review]. *Drug Saf* 31: 989-996.
- Swihart, RK; Pignatello, JJ; Mattina, MJ. (1991). AVERSIVE RESPONSES OF WHITE-TAILED DEER, ODOCOILEUS-VIRGINIANUS, TO PREDATOR URINES. *J Chem Ecol* 17: 767-777.
- Synak, A; Gil, M; Angel Organero, J; Sanchez, F; Iglesias, M; Douhal, A. (2009). Fast to Ultrafast Dynamics of Palladium Phthalocyanine Covalently Bonded to MCM-41 Mesoporous Material. *J Phys Chem C* 113: 19199-19207. <http://dx.doi.org/10.1021/jp9021129>.
- Szekely, G; Bandarra, J; Heggie, W; Sellergren, B; Ferreira, FC. (2012). A hybrid approach to reach stringent low genotoxic impurity contents in active pharmaceutical ingredients: Combining molecularly imprinted polymers and organic solvent nanofiltration for removal of 1,3-diisopropylurea. *Separation and Purification Technology* 86: 79-87. <http://dx.doi.org/10.1016/j.seppur.2011.10.023>.
- Szeto, SY; Price, PM. (1991). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY METHOD FOR THE DETERMINATION OF DINOSEB - APPLICATION TO THE ANALYSIS OF RESIDUES IN RASPBERRIES. *J Agric Food Chem* 39: 1614-1617.
- Szmigielska, AM; Schoenau, JJ. (1999). Analysis of imazethapyr in agricultural soils by ion exchange membranes and a Canola bioassay. *Commun Soil Sci Plant Anal* 30: 1831-1846.
- Szmigielska, AM; Schoenau, JJ; Greer, K. (1998). Comparison of chemical extraction and bioassay for measurement of metsulfuron in soil. *Weed Sci* 46: 487-493.
- Szori, K; Balazsik, K; Cserenyi, S; Szollosi, G; Bartok, M. (2009). Inversion of enantioselectivity in the 2,2,2-trifluoroacetophenone hydrogenation over Pt-alumina catalyst modified by cinchona alkaloids. *Appl Catal A-Gen* 362: 178-184. <http://dx.doi.org/10.1016/j.apcata.2009.04.040>.
- Tachibana, Y; Kikuzaki, H; Lajis, NH; Nakatani, N. (2001). Antioxidative activity of carbazoles from *Murraya koenigii* leaves. *J Agric Food Chem* 49: 5589-5594. <http://dx.doi.org/10.1021/jf010621r>.
- Tagne, RS; Telefo, BP; Nyemb, JN; Yemele, DM; Njina, SN; Goka, SM; Lienou, LL; Nwabo Kamdje, AH; Moundipa, PF; Farooq, AD. (2014). Anticancer and antioxidant activities of methanol extracts and fractions of some Cameroonian medicinal plants. *Asian Pacific Journal of Tropical Medicine* 7S1: S442-S447. [http://dx.doi.org/10.1016/S1995-7645\(14\)60272-8](http://dx.doi.org/10.1016/S1995-7645(14)60272-8).
- Taher, MA; Puri, BK. (1999). Simultaneous determination of traces of lead and cadmium in various samples by differential pulse polarography after adsorbing their 1-(2-pyridylazo)-2-naphthol onto microcrystalline naphthalene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 18: 6-11.
- Taher, MA; Puri, BK. (2000). Differential pulse polarographic determination of copper in alloys and biological samples after preconcentration with 2-nitroso-1-naphthol-4-sulphonic acid-tetradecyldimethylbenzylammonium-naphthalene adsorbent. *Indian J Chem Tech* 7: 168-171.
- Taheri, A. (2016). Antioxidant activity in some Iranian seaweed species from Chabahar. 15: 802-817.
- Tahir, A; Ehsan, M; Mazhar, M; Wijayantha, KGU; Zeller, M; Hunter, AD. (2010). Photoelectrochemical and Photoresponsive Properties of Bi<sub>2</sub>S<sub>3</sub> Nanotube and Nanoparticle Thin Films. *Chem Mater* 22: 5084-5092. <http://dx.doi.org/10.1021/cm101642b>.
- Tahir, SF; Koh, CA. (1999). Catalytic destruction of volatile organic compound emissions by platinum based catalyst. *Chemosphere* 38: 2109-2116.
- Tai, CY; Chen, BH. (2000). Analysis and stability of carotenoids in the flowers of daylily (*Hemerocallis disticha*) as affected by various treatments. *J Agric Food Chem* 48: 5962-5968. <http://dx.doi.org/10.1021/jf000956t>.
- Takahashi, M; Shibamoto, T. (2008). Chemical compositions and antioxidant/anti-inflammatory activities of steam distillate from freeze-dried onion (*Allium cepa* L.) sprout. *J Agric Food Chem* 56: 10462-10467. <http://dx.doi.org/10.1021/jf801220b>.
- Takahashi, T; Tsuchiya, Y; Tamanoue, Y; Mori, T; Kawashima, S; Takahashi, K. (1992). OCCURRENCE OF A NOVEL 350-KDA SERINE PROTEINASE IN THE FLUID OF PORCINE OVARIAN FOLLICLES AND ITS INCREASE DURING THEIR MATURATION. *Zool Sci* 9: 343-347.
- Takei, T; Kishihara, N; Ijima, H; Kawakami, K. (2012). Fabrication of capillary-like network in a matrix of water-soluble polymer using poly(methyl methacrylate) microfibers. *Artificial Cells, Blood Substitutes, and Biotechnology* 40: 66-69. <http://dx.doi.org/10.3109/10731199.2011.592492>.
- Takekoh, R, Yu; Russell, TP. (2014). Multi- Length Scale Porous Polymers. *Adv Funct Mater* 24: 1483-1489. <http://dx.doi.org/10.1002/adfm.201301693>.
- Takemoto, Y; Arizono, I. (2005). A study of multivariate ((X)over-bar, S) control chart based on Kullback-Leibler information. *International Journal of Advanced Manufacturing Technology* 25: 1205-1210. <http://dx.doi.org/10.1007/s00170-003-1947-9>.
- Taki, S; Badens, E; Charbit, G. (2001). Controlled release system formed by supercritical anti-solvent coprecipitation of a herbicide and a biodegradable polymer. *Journal of Supercritical Fluids* 21: 61-70.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Talawar, MB; Sivabalan, R; Polke, BG; Nair, UR; Gore, GM; Asthana, SN. (2005). Establishment of process technology for the manufacture of dinitrogen pentoxide and its utility for the synthesis of most powerful explosive of today--CL-20 [Review]. *J Hazard Mater* 124: 153-164. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.021>.
- Talbott, EO; Marshall, LP; Rager, JR; Arena, VC; Sharma, RK; Stacy, SL. (2015). Air toxics and the risk of autism spectrum disorder: the results of a population based case-control study in southwestern Pennsylvania. *Environ Health* 14: 80. <http://dx.doi.org/10.1186/s12940-015-0064-1>.
- Taldeddin, K; Khimiyak, YZ; Fabian, L. (2016). Prediction of Hydrate and Solvate Formation Using Statistical Models. *Cryst Growth Des* 16: 70-81. <http://dx.doi.org/10.1021/acs.cgd.5b00966>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science* 27: 6807-6810.
- Talipov, SA; Tadjimukhamedov, FK; Hulliger, J; Ibragimov, BT; Yuldashev, A. (2003). Crystalline inclusion complexes on the basis of the mixed "gossypol-pyrazine" host. 6: 137-144. <http://dx.doi.org/10.1016/j.cryseng.2004.05.001>.
- Tallury, P; Alimohammadi, N; Kalachandra, S. (2007). Poly(ethylene-co-vinyl acetate) copolymer matrix for delivery of chlorhexidine and acyclovir drugs for use in the oral environment: effect of drug combination, copolymer composition and coating on the drug release rate. *Dent Mater* 23: 404-409. <http://dx.doi.org/10.1016/j.dental.2006.02.011>.
- Tallury, P; Randall, MK; Thaw, KL; Preisser, JS; Kalachandra, S. (2007). Effects of solubilizing surfactants and loading of antiviral, antimicrobial, and antifungal drugs on their release rates from ethylene vinyl acetate copolymer. *Dent Mater* 23: 977-982. <http://dx.doi.org/10.1016/j.dental.2006.08.005>.
- Tan, LK; Liem, AJ. (1996). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .1. Chlorophenols. *Environ Sci Technol* 30: 1053-1060.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .2. Polycyclic aromatic hydrocarbons. *Environ Sci Technol* 31: 58-66.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol* 31: 1785-1793.
- Tan, S; Williams, CT. (2013). An In Situ Spectroscopic Study of Prochiral Reactant-Chiral Modifier Interactions on Palladium Catalyst: Case of Alkenoic Acid and Cinchonidine in Various Solvents. *J Phys Chem C* 117: 18043-18052. <http://dx.doi.org/10.1021/jp403273c>.
- Tan, XF; Liu, YG; Gu, YL; Liu, SB; Zeng, GM; Cai, X; Hu, XJ; Wang, H; Liu, SM; Jiang, LH. (2016). Biochar pyrolyzed from MgAl-layered double hydroxides pre-coated ramie biomass (*Boehmeria nivea* (L.) Gaud.): Characterization and application for crystal violet removal. *J Environ Manage* 184: 85-93. <http://dx.doi.org/10.1016/j.jenvman.2016.08.070>.
- Tan, YL; Kong, A; Y-O, C. (1993). Sample preparation for analyzing polycyclic aromatic hydrocarbons and polychlorinated dibenzo-p-dioxins and dibenzofurans in sediments by gas chromatography/mass spectrometry. *Estuaries* 16: 427-432.
- Tan, Z; Li, F; Xu, X; Xing, J. (2012). Simultaneous extraction and purification of aloe polysaccharides and proteins using ionic liquid based aqueous two-phase system coupled with dialysis membrane. *Desalination* 286: 389-393. <http://dx.doi.org/10.1016/j.desal.2011.11.053>.
- Tanaka, A, ki; Horiuchi, M; Umamo, K; Shibamoto, T. (2008). Antioxidant and anti-inflammatory activities of water distillate and its dichloromethane extract from licorice root (*Glycyrrhiza uralensis*) and chemical composition of dichloromethane extract. *J Sci Food Agric* 88: 1158-1165. <http://dx.doi.org/10.1002/jsfa.3191>.
- Tanaka, A; Kim, H, yo; Oda, S; Shimizu, K; Kondo, R. (2011). Antibacterial activity of moso bamboo shoot skin (*Phyllostachys pubescens*) against *Staphylococcus aureus*. *J Wood Sci* 57: 542-544. <http://dx.doi.org/10.1007/s10086-011-1207-9>.
- Tanaka, A; Shimizu, K; Kondo, R. (2013). Antibacterial compounds from shoot skins of moso bamboo (*Phyllostachys pubescens*). *J Wood Sci* 59: 155-159. <http://dx.doi.org/10.1007/s10086-012-1310-6>.
- Tanaka, M; Taguchi, Y; Iguchi, Y. (1998). Preparation of composite particles composed of waste polymer and solid powder using semi-chemical recycle method. *Kagaku Kogaku Ronbunshu* 24: 509-511.
- Tanaka, S; Haneda, M; Tanaka, M; Kimura, K; Seki, T. (1996). Breakthrough Times for Vapors of Organic Solvents with Low Boiling Points in Steady-State and Pulsating Flows on Respirator Cartridges. *Ind Health* 34: 125-131.
- Tanaka, S; Kumei, M. (1999). Soluble conjugated copolymers constituted of pyridine and phenylene units. *Synthetic Metals* 102: 1524-1525.
- Tanaka, T; Ishitobi, M; Aoyama, T; Matsumoto, S. (2016). Highly Oriented J-Aggregates of Nitroazo Dye and Its Surface-Induced Chromism. *Langmuir* 32: 4710-4718. <http://dx.doi.org/10.1021/acs.langmuir.6b00289>.
- Tanaka, T; Teshima, R; Ikebuchi, H; Sawada, J; Ichinoe, M. (1995). SENSITIVE ENZYME-LINKED-IMMUNOSORBENT-ASSAY FOR THE MYCOTOXIN ZEARALENONE IN BARLEY AND JOBS-TEARS. *J Agric Food Chem* 43: 946-950.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol* 28: 973-979.
- Tang, B, in; Guo, X, ia; Yu, SQ; Fang, Z, iX; Zhang, S, huren. (2015). The shrinking process and microwave dielectric properties of BaCu(B2O5)-added 0.85BaTi(4)O(9)-0.15BaZn(2)Ti(4)O(11) ceramics. *Materials Research Bulletin* 66: 163-168. <http://dx.doi.org/10.1016/j.materresbull.2015.02.023>.
- Tang, EL; Rajarajeswaran, J; Fung, S; Kanthimathi, MS. (2015). *Petroselinum crispum* has antioxidant properties, protects against DNA damage and inhibits proliferation and migration of cancer cells. *J Sci Food Agric* 95: 2763-2771. <http://dx.doi.org/10.1002/jsfa.7078>.
- Tang, H; Mayersohn, M. (2005). A novel model for prediction of human drug clearance by allometric scaling. *Drug Metab Dispos* 33: 1297-1303. <http://dx.doi.org/10.1124/dmd.105.004143>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tang, JS; Harker, B. (1991). INTERWELL TRACER TEST TO DETERMINE RESIDUAL OIL SATURATION IN A GAS-SATURATED RESERVOIR .2. FIELD APPLICATIONS. *Journal of Canadian Petroleum Technology* 30: 34-42.
- Tang, P; Deng, C; Tang, X; Si, S; Xiao, K, e. (2012). Degradation of p-nitrophenol by interior microelectrolysis of zero-valent iron/copper-coated magnetic carbon galvanic couples in the intermittent magnetic field. *Chem Eng J* 210: 203-211. <http://dx.doi.org/10.1016/j.cej.2012.08.089>.
- Tanguay, JF; Suib, SL; Coughlin, RW. (1989). DICHLOROMETHANE PHOTODEGRADATION USING TITANIUM CATALYSTS. *J Catal* 117: 335-347.
- Tanongkankit, Y; Sablani, SS; Chiewchan, N; Devahastin, S. (2013). Microwave-assisted extraction of sulforaphane from white cabbages: Effects of extraction condition, solvent and sample pretreatment. *Journal of Food Engineering* 117: 151-157. <http://dx.doi.org/10.1016/j.jfoodeng.2013.02.011>.
- Tanoue, K. (1998). Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires. *Metallurgical and Materials Transactions A* 29: 519-526.
- Tao, CJ; Hu, JY; Li, JZ; Zheng, SS; Liu, W; Li, CJ. (2009). Multi-residue determination of pesticides in vegetables by gas chromatography/ion trap mass spectrometry. *Bull Environ Contam Toxicol* 82: 111-115. <http://dx.doi.org/10.1007/s00128-008-9528-0>.
- Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. *J Memb Sci* 269: 66-74. <http://dx.doi.org/10.1016/j.memsci.2005.06.019>.
- Tao, S; Cui, YH; Cao, J; Xu, FL; Dawson, R; Li, BG. (2002). Determination of PAHs in wastewater irrigated agricultural soil using accelerated solvent extraction. *J Environ Sci Health B* 37: 141-150.
- Tao, S; Xu, FL; Liu, WX; Cui, YH; Coveney, RM. (2006). A chemical extraction method for mimicking bioavailability of polycyclic aromatic hydrocarbons to wheat grown in soils containing various amounts of organic matter. *Environ Sci Technol* 40: 2219-2224. <http://dx.doi.org/10.1021/es051967b>.
- Tao, Y, unMei; Li, HY, an; Xu, Q, iuLei; Zhu, Y, uC; Kang, LC; Zheng, Y, ouX; Zuo, JL, in; You, XZ. (2011). Synthesis and characterization of efficient luminescent materials based on 2,1,3-benzothiadiazole with carbazole moieties. *Synthetic Metals* 161: 718-723. <http://dx.doi.org/10.1016/j.synthmet.2011.01.020>.
- Tar, A; Luca, C. (2006). Extraction-spectrometric determination of trace amounts of lead (II) by 18-crown-6 and metanil yellow. *Rev Chim* 57: 119-121.
- Taralunga, M; Mijoin, J; Magnoux, P. (2005). Catalytic destruction of chlorinated POPs—Catalytic oxidation of chlorobenzene over PtHFAU catalysts. *Appl Catal B-Environ* 60: 163-171. <http://dx.doi.org/10.1016/j.apcatb.2005.02.024>.
- Tarameshlou, M; Jafari, SH; Khonakdar, HA; Farmahini-Farahani, M; Ahmadian, S. (2007). Synthesis of exfoliated polyamide 6,6/organically modified montmorillonite nanocomposites by in situ interfacial polymerization. *Polymer Composites* 28: 733-738. <http://dx.doi.org/10.1002/pc.20360>.
- Tarvin, KA; Garvin, MC; Jawor, JM; Dayer, KA. (1998). A field evaluation of techniques used to estimate density of Blue Jays. *Journal of Field Ornithology* 69: 209-222.
- Taskin, AT; Balan, A; Udm, YA; Toppare, L. (2010). Improving electrochromic properties via copolymerization. *Smart Materials and Structures* 19. <http://dx.doi.org/10.1088/0964-1726/19/6/065005>.
- Tatsuka, K; Suekane, S; Sakai, Y; Sumitani, H. (1990). VOLATILE CONSTITUENTS OF KIWI FRUIT FLOWERS - SIMULTANEOUS DISTILLATION AND EXTRACTION VERSUS HEADSPACE SAMPLING. *J Agric Food Chem* 38: 2176-2180.
- Tatsumi, T; Zhang, WB; Kida, T; Nakatsuji, Y; Ono, D; Takeda, T; Ikeda, I. (2000). Novel hydrolyzable and biodegradable cationic gemini surfactants: 1,3-bis[(acyloxyalkyl)dimethylammonio]-2-hydroxypropane dichloride. *Journal of Surfactants and Detergents* 3: 167-172.
- Tavakoli, B; Pezeshk, S. (2005). Empirical-stochastic ground-motion prediction for eastern North America. *Seismological Society of America Bulletin* 95: 2283-2296.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech* 101: 135-152.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications* 119: 135-150.
- Tavendale, MH; Hannus, IM; Wilkins, AL; Langdon, AG; Mackie, KL; Mcfarlane, PN. (1996). Bile analyses of goldfish (*Crassius auratus*) resident in a New Zealand hydrolake receiving a bleached kraft mill discharge. *Chemosphere* 33: 2273-2289.
- Tay, SCH; Ouchi, MD; Cramer, FB. (1996). High intensity mechanical pretreatment and high compression screw pressing for deresination of aspen kraft pulps. *Tappi Journal* 79: 265-275.
- Taylor, PN; Lester, JN. (1996). Rapid extraction of isotroturon and diuron from granular activated carbon. *Chemosphere* 33: 1227-1240.
- Taylor, SW; Lange, CR; Lesold, EA. (1997). Biofouling of contaminated ground-water recovery wells: Characterization of microorganisms. *Ground Water* 35: 973-980.
- Taylor, WG; Hall, TW; Vedres, DD. (1998). Synthesis and larvicidal properties of some cyclopropylcarboxamides related to cis-permethrin. *J Agric Food Chem* 46: 1572-1576.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.
- Teixeira, EC; Agudelo-Castaneda, DM; Guimaraes Fachel, JM; Leal, KA; Garcia, K, deO; Wiegand, F. (2012). Source identification and seasonal variation of polycyclic aromatic hydrocarbons associated with atmospheric fine and coarse particles in the Metropolitan Area of Porto Alegre, RS, Brazil. *Atmos Res* 118: 390-403. <http://dx.doi.org/10.1016/j.atmosres.2012.07.004>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Teixeira, JC; de Oliveira, GS; Viali, A, deM; Muniz, SS. (2014). Study of the impact of deficiencies of sanitation on public health in Brazil from 2001 to 2009. *Engenharia Sanitaria e Ambiental* 19: 87-96.
- Teixeira, S; Conlan, RS; Guy, OJ; Sales, MGF. (2014). Label-free human chorionic gonadotropin detection at picogram levels using oriented antibodies bound to graphene screen-printed electrodes. 2: 1852-1865. <http://dx.doi.org/10.1039/c3tb21235a>.
- Tejeda-Sartorius, O; Rodriguez-Gonzalez, MT. (2008). Weed and vegetable germination and growth inhibitors in amaranth (*Amaranthus hypochondriacus* L.) residues. *Agrociencia* 42: 415-423.
- Tekel, J; Daeseleire, E; Heeremans, A; van Peteghem, C. (1999). Development of a simple method for the determination of genistein, daidzein, biochanin A, and formononetin (Biochanin B) in human urine. *J Agric Food Chem* 47: 3489-3494.
- Tekes, AT; Sinag, A; Misirhologlu, Z; Canel, M. (2002). Determination of swelling properties of Soma-Isiklar lignite (Turkey). *Energy Fuels* 16: 1309-1313. <http://dx.doi.org/10.1021/ef020079o>.
- Teli, MD; Chavan, PP. (2017). Synthesis of reactive dye to impart mosquito repellency to nylon. *J Text Inst* 108: 226-232. <http://dx.doi.org/10.1080/00405000.2016.1161695>.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists* 77: 174-178.
- Teng, N, aiYu; Dallmeyer, I, an; Kadla, JF. (2013). Effect of Softwood Kraft Lignin Fractionation on the Dispersion of Multiwalled Carbon Nanotubes. *Ind Eng Chem Res* 52: 6311-6317. <http://dx.doi.org/10.1021/ie303261z>.
- Teng, S, huHua; Wang, P; Kim, HE, e. (2009). Blend fibers of chitosan-agarose by electrospinning. *Mater Lett* 63: 2510-2512. <http://dx.doi.org/10.1016/j.matlet.2009.08.051>.
- Tepe, B; Daferera, D; Sokmen, M; Polissiou, M; Sokmen, A. (2004). The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of *Origanum syriacum* L var *bevanii*. *J Sci Food Agric* 84: 1389-1396. <http://dx.doi.org/10.1002/jsfa.1758>.
- Teplyakova, V; Roizard, D; Favre, E; Khotimsky, VS. (2003). Investigations on the peculiar permeation properties of volatile organic compounds and permanent gases through PTMSP. *J Memb Sci* 220: 165-175. [http://dx.doi.org/10.1016/S0376-7388\(03\)00229-1](http://dx.doi.org/10.1016/S0376-7388(03)00229-1).
- Tepong-Tsinde, R; Phukan, M; Nassi, A; Noubactep, C; Ruppert, H. (2015). Validating the efficiency of the MB discoloration method for the characterization of Fe-0/H<sub>2</sub>O systems using accelerated corrosion by chloride ions. *Chem Eng J* 279: 353-362. <http://dx.doi.org/10.1016/j.cej.2015.04.129>.
- Teri, G; Luo, L; Savage, PE. (2014). Hydrothermal Treatment of Protein, Polysaccharide, and Lipids Alone and in Mixtures. *Energy Fuels* 28: 7501-7509. <http://dx.doi.org/10.1021/ef501760d>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Tester, JW; Marrone, PA; Dipippo, MM; Sako, K; Reagan, MT; Arias, T; Peters, WA. (1998). Chemical reactions and phase equilibria of model halocarbons and salts in sub- and supercritical water (200-300 bar, 100-600 degrees C). *Journal of Supercritical Fluids* 13: 225-240.
- Than, L, eD; Luong, N, goSy; Ngo, V, uD; Tien, NM; Dung, T, aN; Nghia, NM; Loc, NT; Thu, V, uThi; Lam, TD, ai. (2017). Highly Visible Light Activity of Nitrogen Doped TiO<sub>2</sub> Prepared by Sol-Gel Approach. *Journal of Electronic Materials* 46: 158-166. <http://dx.doi.org/10.1007/s11664-016-4894-6>.
- Thani, W; Vallisuta, O; Siripong, P; Ruangwises, N. (2010). Anti-proliferative and antioxidative activities of Thai noni/Yor (*Morinda citrifolia* Linn.) leaf extract. *Southeast Asian J Trop Med Public Health* 41: 482-489.
- Thanigaivel, S; Hindu, SV; Vijayakumar, S; Mukherjee, A; Chandrasekaran, N; Thomas, J. (2015). Differential solvent extraction of two seaweeds and their efficacy in controlling *Aeromonas salmonicida* infection in *Oreochromis mossambicus*: A novel therapeutic approach. *Aquaculture* 443: 56-64. <http://dx.doi.org/10.1016/j.aquaculture.2015.03.010>.
- Tharasawatpipat, C; Suwannahong, K; Kruenate, J; Kreetachat, T. (2015). Removal of VOCs by photocatalytic oxidation using nano-TiO<sub>2</sub>/PLA biocomposite. *J Environ Biol* 36: 617-621.
- Theuerkorn, K; Horsfield, B; Wilkes, H; di Primio, R; Lehne, E. (2008). A reproducible and linear method for separating asphaltenes from crude oil. *Organic Geochemistry* 39: 929-934. <http://dx.doi.org/10.1016/j.orggeochem.2008.02.009>.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol* 26: 1159-1164.
- Thiébaud, H; Merlin, G; Capovilla, MP; Blake, G. (1994). Fate of a volatile chlorinated solvent in indoor aquatic microcosms: sublethal and static exposure to [14C]dichloromethane. *Groupe pour l'Etude du Devenir de Xénobiotiques dans l'Environnement (GEDEXE). Ecotoxicol Environ Saf* 28: 71-81.
- Thier, R; Delbanco, EH; Wiebel, FA; Hallier, E; Bolt, HM. (1998). Determination of glutathione transferase (GSTT1-1) activities in different tissues based on formation of radioactive metabolites using 35S-glutathione. *Arch Toxicol* 72: 811-815. <http://dx.doi.org/10.1007/s002040050578>.
- Thier, R; Taylor, JB; Pemble, SE; Humphreys, WG; Persmark, M; Ketterer, B; Guengerich, FP. (1993). Expression of mammalian glutathione S-transferase 5-5 in *Salmonella typhimurium* TA1535 leads to base-pair mutations upon exposure to dihalomethanes. *Proc Natl Acad Sci USA* 90: 8576-8580.
- Thiery, D; Gabel, B; Farkas, P; Jarry, M. (1995). Egg dispersion in codling moth: Influence of egg extract and of its fatty acid constituents. *J Chem Ecol* 21: 2015-2026.
- Thilagar, AK; Back, AM; Kirby, PE; Kumaroo, PV; Pant, KJ; Clarke, JJ; Knight, R; Haworth, SR. (1984). Evaluation of dichloromethane in short term in vitro genetic toxicity assays [Abstract]. *Environ Mutagen* 6: 418-419.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Thoelen, C; De Bruyn, M; Theunissen, E; Kondo, Y; Vankelecom, IFJ; Grobet, P; Yoshikawa, M; Jacobs, PA. (2001). Membranes based on poly(gamma-methyl-L-glutamate): synthesis, characterization and use in chiral separations. *J Memb Sci* 186: 153-163.
- Thomas, KRJ; Lin, JT; Tao, YT; Chuen, CH. (2002). Electroluminescent bipolar compounds containing quinoxaline or pyridopyrazine and triarylamine segments. *J Mater Chem* 12: 3516-3522. <http://dx.doi.org/10.1039/b206126k>.
- Thomas, RS; Yang, RS; Morgan, DG; Moorman, MP; Kermani, HR; Sloane, RA; O'Connor, RW; Adkins, B; Gargas, ML; Andersen, ME. (1996). PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure. *Environ Health Perspect* 104: 858-865.
- Thompson, CM; Sonawane, B; Barton, HA; Dewoskin, RS; Lipscomb, JC; Schlosser, P; Chiu, WA; Krishnan, K. (2008). Approaches for applications of physiologically based pharmacokinetic models in risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 11: 519-547. <http://dx.doi.org/10.1080/10937400701724337>.
- Thompson, D; Hermes, JP; Quinn, AJ; Mayor, M. (2012). Scanning the potential energy surface for synthesis of dendrimer-wrapped gold clusters: design rules for true single-molecule nanostructures. *ACS Nano* 6: 3007-3017. <http://dx.doi.org/10.1021/nn204470g>.
- Thompson, LC; Berry, S. (2001). Structure and emission spectrum of the o-phenanthroline adduct of tris(6-methyl-2,4-heptanedionato)europium(III). *J Alloy Comp* 323: 177-180.
- Thorell, B; Boren, H; Grimvall, A; Nystrom, A; Savenhed, R. (1992). CHARACTERIZATION AND IDENTIFICATION OF ODOROUS COMPOUNDS IN OZONATED WATERS. *Water Sci Technol* 25: 139-146.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A* 60: 531-548.
- Thring, RW. (1994). ALKALINE-DEGRADATION OF ALCELL(R) LIGNIN. *Biomass and Bioenergy* 7: 125-130.
- Thring, RW; Breau, J. (1996). Hydrocracking of solvolysis lignin in a batch reactor. *Fuel* 75: 795-800.
- Tian, D; Zhang, X; Lu, C; Yuan, G; Zhang, W, ei; Zhou, Z. (2014). Solvent-free synthesis of carboxylate-functionalized cellulose from waste cotton fabrics for the removal of cationic dyes from aqueous solutions. *Cellulose* 21: 473-484. <http://dx.doi.org/10.1007/s10570-013-0112-3>.
- Tian, H; Yang, X; Cong, J; Chen, R; Teng, C; Liu, J; Hao, Y, an; Wang, L, ei; Sun, L. (2010). Effect of different electron donating groups on the performance of dye-sensitized solar cells. *Dyes and Pigments* 84: 62-68. <http://dx.doi.org/10.1016/j.dyepig.2009.06.014>.
- Tian, J; Ren, S; Fang, G; Ma, Y; Ai, Q. (2014). Preparation and Performance of Dimethyl-Acetoxy-(2-Carboxymethyl Ether)-Lignin Ammonium Chloride Amphoteric Surfactant. *BioResources* 9: 6290-6303.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst* 28: 1495-1502.
- Tiedeman, GT; Isaacson, RL; Sellers, T. (1994). TOTAL PHENOLIC-COMPOUNDS AND FREE PHENOL IN SOFTWOOD STRUCTURAL PLYWOOD. *For Prod J* 44: 73-75.
- Tieman, DM; Goodwin, AE. (2001). Treatments for ich infestations in channel catfish evaluated under static and flow-through water conditions. *North American Journal of Aquaculture* 63: 293-299.
- Timur, S; Kantarli, IC, em; Ikizoglu, E; Yanik, J. (2006). Preparation of activated carbons from *Oreganum* stalks by chemical activation. *Energy Fuels* 20: 2636-2641. <http://dx.doi.org/10.1021/ef060219k>.
- Ting, M; Yue-Si, W; Jie, J; Fang-Kun, W; Mingxing, W. (2008). The vertical distributions of VOCs in the atmosphere of Beijing in autumn. *Sci Total Environ* 390: 97-108. <http://dx.doi.org/10.1016/j.scitotenv.2007.08.035>.
- Tingle, FC; Mitchell, ER. (1992). ATTRACTION OF HELIOTHIS-VIRESCENS (F) (LEPIDOPTERA, NOCTUIDAE) TO VOLATILES FROM EXTRACTS OF COTTON FLOWERS. *J Chem Ecol* 18: 907-914.
- Tingming, F; Liwei, G; Kang, L; Tianyao, W; Jin, L. (2010). Template occluded SBA-15: An effective dissolution enhancer for poorly water-soluble drug. *Appl Surf Sci* 256: 6963-6968. <http://dx.doi.org/10.1016/j.apsusc.2010.05.007>.
- Tobajas, M; Verdugo, V; Polo, AM; Rodriguez, JJ; Mohedano, AF. (2016). Assessment of toxicity and biodegradability on activated sludge of priority and emerging pollutants. *Environ Technol* 37: 713-721. <http://dx.doi.org/10.1080/09593330.2015.1079264>.
- Tocque, E; Behar, F; Budzinski, H; Lorant, F. (2005). Carbon isotopic balance of kerogen pyrolysis effluents in a closed system. *Organic Geochemistry* 36: 893-905. <http://dx.doi.org/10.1016/j.orggeochem.2005.01.007>.
- Todaro, L; Dichicco, P; Moretti, N; D'Auria, M. (2013). Effect of Combined Steam and Heat Treatments on Extractives and Lignin in Sapwood and Heartwood of Turkey Oak (*Quercus cerris* L.) Wood. *BioResources* 8: 1718-1730.
- Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. *J Memb Sci* 301: 3-10. <http://dx.doi.org/10.1016/j.memsci.2007.06.034>.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress* 20: 167-174.
- Tolis, EI; Amarantidis, S; Missia, DA; Saraga, DE; Koziakis, NE; Bartzis, JG. (2008). PRELIMINARY RESULTS ON PM1 AND PARTICLE - BOUND POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN KOZANI, GREECE. *Fresen Environ Bull* 17: 1634-1639.
- Tomasik, P; Schilling, CH; Jankowiak, R; Kim, JC. (2003). The role of organic dispersants in aqueous alumina suspensions. *J Eur Ceram Soc* 23: 913-919.
- Tomaszewska, M; Mozia, S. (2002). Removal of selected organic contaminants from water solutions by coagulation aided with adsorption on a powdered activated carbon. *Przemysł Chemiczny* 81: 36-41.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base - Reply. *Occup Environ Med* 56: 215-215.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tominaga, T; Murat, ML; Dubourdieu, D. (1998). Development of a method for analyzing the volatile thiols involved in the characteristic aroma of wines made from *Vitis vinifera* L. cv. Sauvignon Blanc. *J Agric Food Chem* 46: 1044-1048.
- Tomoi, M; Kimura, Y; Tokuyama, S. (1991). PHOSPHOLIPID-SYNTHESIS USING POLYMER-SUPPORTED PROTECTIVE GROUPS. 15: 63-69.
- Tona, L; Mesia, K; Ngimbi, NP; Chrimwami, B; Okond'Ahoka; Cimanga, K; de Bruyne, T; Apers, S; Hermans, N; Totte, J; Pieters, L; Vlietinck, AJ. (2001). In-vivo antimalarial activity of *Cassia occidentalis*, *Morinda morindoides* and *Phyllanthus niruri*. *Ann Trop Med Parasitol* 95: 47-57.
- Toncelli, C; Pablo Pino-Pinto, J; Sano, N; Picchioni, F; Broekhuis, AA; Nishide, H; Moreno-Villoslada, I. (2013). Controlling the aggregation of 5,10,15,20-tetrakis-(4-sulfonatophenyl)-porphyrin by the use of polycations derived from polyketones bearing charged aromatic groups. *Dyes and Pigments* 98: 51-63. <http://dx.doi.org/10.1016/j.dyepig.2013.01.008>.
- Tong, X; Xu, J, ie; Miao, H; Gao, J, in; Sun, Z; Zhang, W, ei. (2009). Highly efficient and organic nitrogen-containing cation-promoted aerobic oxidation of alkylaromatics in the presence of N-hydroxyphthalimide. *J Chem Tech Biotechnol* 84: 1762-1766. <http://dx.doi.org/10.1002/jctb.2241>.
- Tong, X, in; Zhang, Z; Chen, X; Shen, W. (2015). Analysis of Volatile Organic Compounds in the Ambient Air of a Paper Mill- A Case Study. *BioResources* 10: 8487-8497.
- Tongpoothorn, W; Chanthai, S; Sriuttha, M; Saosang, K; Ruangviriyachai, C. (2012). Bioactive properties and chemical constituents of methanolic extract and its fractions from *Jatropha curcas* oil. *Ind Crop Prod* 36: 437-444. <http://dx.doi.org/10.1016/j.indcrop.2011.10.011>.
- Tongpoothorn, W; Sriuttha, M; Homchan, P; Chanthai, S; Ruangviriyachai, C. (2011). Preparation of activated carbon derived from *Jatropha curcas* fruit shell by simple thermo-chemical activation and characterization of their physico-chemical properties. *Chem Eng Res Des* 89: 335-340. <http://dx.doi.org/10.1016/j.cherd.2010.06.012>.
- Topcu, G; Ozturk, M; Kusman, T; Barla Demirkoz, AA; Kolak, U; Ulubelen, A. (2013). Terpenoids, essential oil composition and fatty acids profile, and biological activities of Anatolian *Salvia fruticosa* Mill. *Turkish Journal of Chemistry* 37: 619-632. <http://dx.doi.org/10.3906/kim-1303-25>.
- Topka, P; Delaigle, R; Kaluza, L; Gaigneaux, EM. (2015). Performance of platinum and gold catalysts supported on ceria-zirconia mixed oxide in the oxidation of chlorobenzene. *Catalysis Today* 253: 172-177. <http://dx.doi.org/10.1016/j.cattod.2015.02.032>.
- Tor, ER; Filigenzi, MS; Puschner, B. (2005). Determination of oleandrin in tissues and biological fluids by liquid chromatography-electrospray tandem mass spectrometry. *J Agric Food Chem* 53: 4322-4325. <http://dx.doi.org/10.1021/jf050201s>.
- Tor, ER; Holstege, DM; Galey, FD. (1996). Determination of oleander glycosides in biological matrices by high-performance liquid chromatography. *J Agric Food Chem* 44: 2716-2719.
- Torres, AI; Boisdron-Celle, M; Benoit, JP. (1996). Formulation of BCNU-loaded microspheres: influence of drug stability and solubility on the design of the microencapsulation procedure. *J Microencapsul* 13: 41-51.
- Torres, MEH; Gonzalez, FJE; Cano, MLC; Frias, MM; Vidal, JLM. (2002). Residues of methamidofos, malathion, and methiocarb in greenhouse crops. *J Agric Food Chem* 50: 1172-1177. <http://dx.doi.org/10.1021/jf0108112>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria* 200: 1-10.
- Tortora, M; Vittoria, V; Galli, G; Ritrovati, S; Chiellini, E. (2002). Transport properties of modified montmorillonite-poly (epsilon-caprolactone) nanocomposites. *Macromolecular Materials & Engineering* 287: 243-249.
- Totaro, P; Poggini, L; Favre, A; Mannini, M; Sainctavit, P; Cornia, A; Magnani, A; Sessoli, R. (2014). Tetrairon(III) single-molecule magnet monolayers on gold: insights from ToF-SIMS and isotopic labeling. *Langmuir* 30: 8645-8649. <http://dx.doi.org/10.1021/la500846a>.
- Toth, J; Nemeth, B; Gyenis, J. (2015). Formation of Microcapsulated Aluminium Potassium Sulfate Dodecahydrate by Phase Separation Method. *Periodica Polytechnica Chemical Engineering* 59: 201-205. <http://dx.doi.org/10.3311/PPCh.7589>.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering* 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Toukoniitty, E; Maki-Arvela, P; Kuzma, M; Vilella, A; Neyestanaki, AK; Salmi, T; Sjöholm, R; Leino, R; Laine, E; Murzin, DY. (2001). Enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *J Catal* 204: 281-291. <http://dx.doi.org/10.1006/jcat.2001.3406>.
- Toukoniitty, E; Maki-Arvela, P; Vilella, AN; Neyestanaki, AK; Salmi, T; Leino, R; Sjöholm, R; Laine, E; Vayrynen, J; Ollonqvist, T; Kooyman, PJ. (2000). The effect of oxygen and the reduction temperature of the Pt/Al<sub>2</sub>O<sub>3</sub> catalyst in enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *Catalysis Today* 60: 175-184.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of 14C-phenanthrene and 14C-benzo-[a] pyrene in soil. *Environ Pollut* 159: 706-715. <http://dx.doi.org/10.1016/j.envpol.2010.11.040>.
- Towey, JP; Waterhouse, AL. (1996). The extraction of volatile compounds from French and American oak barrels in Chardonnay during three successive vintages. *American Journal of Enology and Viticulture* 47: 163-172.
- Tows, I; Albers, G; Gulyas, H; H-P, E; Reich, M; Sekoulov, I. (1994). IDENTIFICATION OF TRACE ORGANICS IN A TREATED LUBRICATING OIL REFINERY WASTEWATER. *Water Sci Technol* 29: 187-194.
- Traiphol, R; Charoenthai, N; Srihirin, T; Perahia, D. (2010). Self-assembling into interconnected nanoribbons in thin films of hairy rod poly(9,9-di(2-ethylhexyl)fluorene): Effects of concentration, substrate and solvent. *Synthetic Metals* 160: 1318-1324. <http://dx.doi.org/10.1016/j.synthmet.2010.04.008>.
- Tran, AT; Hyne, RV; Doble, P. (2007). Determination of commonly used polar herbicides in agricultural drainage waters in Australia by HPLC. *Chemosphere* 67: 944-953. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.002>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Trapp, S; Brüggemann, R; Münzer, B. (1990). Estimation of releases into rivers with the steady-state surface water model EXWAT using dichloromethane. *Ecotoxicol Environ Saf* 19: 72-80.
- Travaini, ML; Sosa, GM; Ceccarelli, EA; Walter, H; Cantrell, CL; Carrillo, NJ; Dayan, FE; Meepagala, KM; Duke, SO. (2016). Khellin and Visnagin, Furanochromones from *Ammi visnaga* (L.) Lam., as Potential Bioherbicides. *J Agric Food Chem* 64: 9475-9487. <http://dx.doi.org/10.1021/acs.jafc.6b02462>.
- Travi, BL; Martinez, JE; Zea, A. (1993). ANTIMONIAL TREATMENT OF HAMSTERS INFECTED WITH LEISHMANIA (VIANNIA) PANAMENSIS - ASSESSMENT OF PARASITOLOGICAL CURE WITH DIFFERENT THERAPEUTIC SCHEDULES. *Trans Roy Soc Trop Med Hyg* 87: 567-569.
- Treiner, C; Makayssi, A. (1992). STRUCTURAL MICELLAR TRANSITION FOR DILUTE-SOLUTIONS OF LONG-CHAIN BINARY CATIONIC SURFACTANT SYSTEMS - A CONDUCTANCE INVESTIGATION. *Langmuir* 8: 794-800.
- Trejooreilly, JA; Cavaille, JY; Gandini, A. (1997). Cationic copolymerization of styrenes with an isocyanate-bearing homologue. *React Funct Polym* 32: 9-19.
- Treluyer, JM; Cheron, G; Sonnier, M; Cresteil, T. (1996). Cytochrome P-450 expression in sudden infant death syndrome. *Biochem Pharmacol* 52: 497-504. [http://dx.doi.org/10.1016/0006-2952\(96\)00253-5](http://dx.doi.org/10.1016/0006-2952(96)00253-5).
- Tremblay, RT; , RD; Zika, RG. (2007). Organic composition of PM25 and size-segregated aerosols and their sources during the 2002 Bay Regional Atmospheric Chemistry Experiment (BRACE), Florida, USA. *Atmos Environ* 41: 4323-4335. <http://dx.doi.org/10.1016/j.atmosenv.2006.11.061>.
- Trevors, JT. (1985). EFFECT OF METHYLENE-CHLORIDE ON RESPIRATION AND ELECTRON-TRANSPORT SYSTEM (ETS) ACTIVITY IN FRESH-WATER SEDIMENT. *Bull Environ Contam Toxicol* 34: 239-245.
- Tripathi, BK; Pandey, P. (2014). Breath figure templating for fabrication of polysulfone microporous membranes with highly ordered monodispersed porosity. *J Memb Sci* 471: 201-210. <http://dx.doi.org/10.1016/j.memsci.2014.08.004>.
- Troitskaya, NN; Klochkova, EO; Bochkarev, VN. (1997). Gas-chromatographic determination of methylene chloride in the reaction products of direct synthesis of methylchlorosilanes. *Industrial Laboratory* 63: 711-713.
- Tronczynski, J; Munschy, C; Durand, G; Barcelo, D. (1993). MONITORING OF TRACE-LEVELS OF HERBICIDES AND THEIR DEGRADATION PRODUCTS IN THE RIVER RHONE, FRANCE, BY GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Sci Total Environ* 132: 327-337.
- Trudinger, CM; Etheridge, DM; Sturrock, GA; Fraser, PJ; Krummel, PB; Mcculloch, A. (2004). Atmospheric histories of halocarbons from analysis of Antarctic firn air: Methyl bromide, methyl chloride, chloroform, and dichloromethane. *J Geophys Res* 109. <http://dx.doi.org/10.1029/2004JD004932>.
- Trueman, RW; Ashby, J. (1987). Lack of UDS activity in the livers of mice and rats exposed to dichloromethane. *Environ Mol Mutagen* 10: 189-195. <http://dx.doi.org/10.1002/em.2850100209>.
- Truong, H; Lomnicki, S; Dellinger, B. (2010). Potential for Misidentification of Environmentally Persistent Free Radicals as Molecular Pollutants in Particulate Matter. *Environ Sci Technol* 44: 1933-1939. <http://dx.doi.org/10.1021/es902648t>.
- Tsai, HY; Chen, K, ewYu. (2013). 1,7-Diaminoperylene bisimides: Synthesis, optical and electrochemical properties. *Dyes and Pigments* 96: 319-327. <http://dx.doi.org/10.1016/j.dyepig.2012.09.003>.
- Tsai, WT; Chang, CY. (1994). ADSORPTION OF METHYLENE-CHLORIDE VAPOR ON ACTIVATED CARBONS. *J Chem Tech Biotechnol* 61: 145-151.
- Tsai, WT; Chang, CY. (1994). SURFACE-CHEMISTRY OF ACTIVATED CARBONS AND ITS RELEVANCE FOR EFFECTS OF RELATIVE-HUMIDITY ON ADSORPTION OF CHLORINATED ORGANIC VAPORS. *Chemosphere* 29: 2507-2515.
- Tsai, WT; Chang, CY. (1995). SURFACE CHARACTERIZATION AND THERMODYNAMICS OF ADSORPTION OF METHYLENE-CHLORIDE ON ACTIVATED CARBONS. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 30: 525-535.
- Tsai, YL; Jong, CC; Chen, H. (2001). Preparation of double-encapsulated microcapsules for mitigating drug loss and extending release. *J Microencapsul* 18: 701-711.
- Tsai, YL; Tien, HT; Chen, H. (2000). The preparation and drug-release behaviour of CTA/EC and PMS/EC composite microcapsules. *J Microencapsul* 17: 413-424.
- Tsai, YT; Choi, CH; Gao, N; Yang, EH. (2011). Tunable wetting mechanism of polypyrrole surfaces and low-voltage droplet manipulation via redox. *Langmuir* 27: 4249-4256. <http://dx.doi.org/10.1021/la104403w>.
- Tse, H; Comba, M; Alaaee, M. (2004). Method for the determination of organophosphate insecticides in water, sediment and biota. *Chemosphere* 54: 41-47. [http://dx.doi.org/10.1016/S0045-6535\(03\)00659-3](http://dx.doi.org/10.1016/S0045-6535(03)00659-3).
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In2O3 hollow particles. *Ceramics International* 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tshweu, L; Katata, L; Kalombo, L; Swai, H. (2013). Nanoencapsulation of water-soluble drug, lamivudine, using a double emulsion spray-drying technique for improving HIV treatment. *J Nanopart Res* 15. <http://dx.doi.org/10.1007/s11051-013-2040-4>.
- Tsierkezos, NG; Philippopoulos, AI. (2009). Studies of ion solvation and ion association of n-tetrabutylammonium hexafluorophosphate and n-tetrabutylammonium tetrphenylborate in various solvents. *Fluid Phase Equilibria* 277: 20-28. <http://dx.doi.org/10.1016/j.fluid.2008.11.004>.
- Tsigouri, AD; Menkissoglu-Spiroudi, U; Thrasyvoulou, A. (2001). Study of tau-fluvalinate persistence in honey. *Pest Manag Sci* 57: 467-471.
- Tsiropoulos, NG; Miliadis, GE; Likas, DT; Liapis, K. (2005). Residues of spiroxamine in grapes following field application and their fate from vine to wine. *J Agric Food Chem* 53: 10091-10096. <http://dx.doi.org/10.1021/jf052162q>.
- Tsivintzelis, I; Missopolinou, D; Kalogiannis, K; Panayiotou, C. (2004). Phase compositions and saturated densities for the binary systems of carbon dioxide with ethanol and dichloromethane. *Fluid Phase Equilibria* 224: 89-96. <http://dx.doi.org/10.1016/j.fluid.2004.06.046>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tsou, J; Magnoux, P; Guisnet, M; Orfao, JMM; Figueiredo, JL. (2004). Catalytic oxidation of methyl-isobutyl-ketone over basic zeolites. *Appl Catal B-Environ* 51: 129-133. <http://dx.doi.org/10.1016/j.apcatb.2004.02.010>.
- Tsuneda, S; Ishihara, Y; Hamachi, M; Hirata, A. (2002). Inhibition effect of chlorine ion on hydroxyl radical generation in UV-H<sub>2</sub>O<sub>2</sub> process. *Water Sci Technol* 46: 33-38.
- Tsurumi, T; Teranishi, T; Wada, S; Kakemoto, H; Fukunaga, O; Nakada, M; Akedo, J, un. (2006). Ultra wide range dielectric spectroscopy of strontium titanate-strontium zirconate solid solution. *Ceramic Society of Japan Journal* 114: 774-781.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tsyurupa, MP; Blinnikova, ZK; Davidovich, Y, uA; Lyubimov, SE; Naumkin, AV; Davankov, VA. (2012). On the nature of "functional groups" in non-functionalized hypercrosslinked polystyrenes. *React Funct Polym* 72: 973-982. <http://dx.doi.org/10.1016/j.reactfunctpolym.2011.03.002>.
- Tu, SP; Yen, TF. (2000). The feasibility studies for radical-induced decomposition and demetalation of metalloporphyrins by ultrasonication. *Energy Fuels* 14: 1168-1175. <http://dx.doi.org/10.1021/ef000044t>.
- Tubajika, KM; Harrison, SA; Russin, JS; Mascagni, HJ. (2001). Effect of planting date, cultivar, and seed treatment on leaf rust severity of wheat along the Gulf Coast. *Cereal Research Communications* 29: 109-114.
- Tucker, DJ; Wallis, IR; Bolton, JM; Marsh, KJ; Rosser, AA; Brereton, IM; Nicolle, D; Foley, WJ. (2010). A metabolomic approach to identifying chemical mediators of mammal-plant interactions. *J Chem Ecol* 36: 727-735. <http://dx.doi.org/10.1007/s10886-010-9803-5>.
- Tuetun, B; Choochote, W; Rattanachanpichai, E; Chaithong, U; Jitpakdi, A; Tippawangkosol, P; Riyong, D; Pitasawat, B. (2004). Mosquito repellency of the seeds of celery (*Apium graveolens* L.). *Ann Trop Med Parasitol* 98: 407-417. <http://dx.doi.org/10.1179/000349804225003334>.
- Tungprapa, S; Puangparn, T; Weerasombut, M; Jangchud, I; Fakum, P; Semongkhon, S; Meechaisue, C; Supaphol, P. (2007). Electrospun cellulose acetate fibers: effect of solvent system on morphology and fiber diameter. *Cellulose* 14: 563-575. <http://dx.doi.org/10.1007/s10570-007-9113-4>.
- Turki, T; Ben Hamouda, S; Hamdi, R; Ben Amor, M. (2012). Nitrates removal on PUROLITE A 520E resin: kinetic and thermodynamic studies. *Desalination and Water Treatment* 41: 1-8. <http://dx.doi.org/10.1080/19443994.2012.664615>.
- Tuusa, SM; Puska, MA; Lassila, LV; Vallittu, PK. (2005). Residual monomers released from glass-fibre-reinforced composite photopolymerised in contact with bone and blood. *J Mater Sci Mater Med* 16: 15-20.
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters* 1: 39-46.
- Tzhayik, O; Sawant, P; Efrima, S; Kovalev, E; Klug, JT. (2002). Xanthate capping of silver, copper, and gold colloids. *Langmuir* 18: 3364-3369. <http://dx.doi.org/10.1021/la015653n>.
- Tzovolou, DN; Theodoropoulou, MA; Blanchet, D; Haeseler, F; Jeczalik, M; Kasela, T; Slack, W; Tsakiroglou, CD. (2015). In situ bioventing of the vadose zone of multi-scale heterogeneous soils. *Environ Earth Sci* 74: 4907-4925. <http://dx.doi.org/10.1007/s12665-015-4501-9>.
- U.S. Coast Guard. (1999). Dichloromethane. CHRIS: Hazardous chemical data. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- Ueda, M; Iwara, A; Kreuter, J. (1998). Influence of the preparation methods on the drug release behaviour of loperamide-loaded nanoparticles. *J Microencapsul* 15: 361-372.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). One continuous process of agglomeration and microencapsulation for enoxacin. Preparation method and mechanism of microencapsulation. *J Microencapsul* 10: 25-34.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). PREPARATION AND CHARACTERISTICS OF MICROCAPSULES CONTAINING ENOXACIN BY ONE CONTINUOUS PROCESS OF AGGLOMERATION AND MICROENCAPSULATION. *J Microencapsul* 10: 171-180.
- Ukkonen, K. (1982). NON-VOLATILE DICHLOROMETHANE EXTRACTIVES OF GMELINA-ARBOREA. 65: 71-71.
- Ukrainczyk, L; McBride, MB. (1993). Oxidation and dechlorination of chlorophenols in dilute aqueous suspensions of manganese oxides: Reaction products. *Environ Toxicol Chem* 12: 2015-2022.
- Ullah, M, dA; Kim, K, iH; Szulejko, J, anE. (2015). The effect of solvent selection in the gas chromatographic analysis of carbonyls in air samples after derivatization with pentafluorophenyl hydrazine. *Atmos Res* 166: 101-109. <http://dx.doi.org/10.1016/j.atmosres.2015.06.020>.
- Ulutan, S; Yetgin, S; Balkose, D. (2013). Flexible PVC-Silica Composites as an Adsorptive Material for Water Soluble Dyes. *Polymers and Polymer Composites* 21: 177-181.
- Uma; Banerjee, S; Sharma, YC. (2013). Equilibrium and kinetic studies for removal of malachite green from aqueous solution by a low cost activated carbon. *J Ind Eng Chem* 19: 1099-1105. <http://dx.doi.org/10.1016/j.jiec.2012.11.030>.
- Uma, B; Sandhya, S. (1998). Kinetics of pyridine degradation along with toluene and methylene chloride with *Bacillus* sp. in packed bed reactor. 18: 303-305.
- Umano, K; Hagi, Y; Nakahara, K; Shoji, A; Shibamoto, T. (2000). Volatile chemicals identified in extracts from leaves of Japanese mugwort (*Artemisia princeps* Pamp.). *J Agric Food Chem* 48: 3463-3469.
- Umano, K; Hagi, Y; Shibamoto, T. (2002). Volatile chemicals identified in extracts from newly hybrid citrus, dekopon (Shiranuhi mandarin Suppl. J.). *J Agric Food Chem* 50: 5355-5359. <http://dx.doi.org/10.1021/jf0203951>.
- Umano, K; Nakahara, K; Shoji, A; Shibamoto, T. (1999). Aroma chemicals isolated and identified from leaves of *Aloe arborescens* Mill. var. *natalensis* Berger. *J Agric Food Chem* 47: 3702-3705.
- Umar, A; Abaker, M; Faisal, M; Hwang, SW; Baskoutas, S; Al-Sayari, SA. (2011). High-yield synthesis of well-crystalline alpha-Fe<sub>2</sub>O<sub>3</sub> nanoparticles: structural, optical and photocatalytic properties. *J Nanosci Nanotechnol* 11: 3474-3480. <http://dx.doi.org/10.1166/jnn.2011.4148>.
- Umeda, N; Nibe, H; Hara, T; Hirazawa, N. (2006). Effects of various treatments on hatching of eggs and viability of oncomiracidia of the monogenean *Pseudodactylogyrus anguillae* and *Pseudodactylogyrus bini*. *Aquaculture* 253: 148-153. <http://dx.doi.org/10.1016/j.aquaculture.2005.08.009>.
- Umlauf, G; Hauk, H; Reissinger, M. (1994). THE DISTRIBUTION OF SEMIVOLATILE ORGANIC-COMPOUNDS IN CONIFER NEEDLES FOLLOWING GAS-PHASE CONTAMINATION. *Chemosphere* 28: 1689-1699.
- Uner, O; Gecgel, U; Bayrak, Y. (2016). Adsorption of Methylene Blue by an Efficient Activated Carbon Prepared from *Citrullus lanatus* Rind: Kinetic, Isotherm, Thermodynamic, and Mechanism Analysis. *Water Air Soil Pollut* 227. <http://dx.doi.org/10.1007/s11270-016-2949-1>.
- Unur, E; Toppare, L; Yagci, Y; Yilmaz, F. (2005). Synthesis and characterization of thiophene-capped polytetrahydrofuran conducting copolymers. *Mater Chem Phys* 91: 261-268. <http://dx.doi.org/10.1016/j.matchemphys.2004.10.051>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Urbano, BF; Paredes, J; Rivas, BL; Kusku, O; Kabay, N; Bryjak, M. (2014). Water-Insoluble Copolymer Based on N-Methyl-D-glucamine and Quaternary Ammonium Groups with Capability to Remove Arsenic. *Environ Prog Sustain Energy* 33: 1187-1193. <http://dx.doi.org/10.1002/ep.11905>.
- Urbano, BF; Rivas, BL; Martinez, F; Alexandratos, SD. (2012). Water-insoluble polymer-clay nanocomposite ion exchange resin based on N-methyl-D-glucamine ligand groups for arsenic removal. *React Funct Polym* 72: 642-649. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.008>.
- Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehøj, J. (1995). Permeability of commercial solvents through living human skin. *Am Ind Hyg Assoc J* 56: 651-660. <http://dx.doi.org/10.1080/15428119591016665>.
- Urtiaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J* 48: 572-581.
- Ushamani, M; Leenadeenja, NG; Sreekumar, K; Kartha, CS; Joseph, R. (2003). Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly(vinyl chloride) films. *Bulletin of Materials Science* 26: 343-348.
- Ustamehmetoglu, B; Yazici, P; Kizilcan, N. (2011). Polymerisation of methyl ethyl ketone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 211-221. <http://dx.doi.org/10.1108/03699421111147272>.
- Ustun, D; Candir, E; Ozdemir, AE; Kamiloglu, O; Soylu, EM; Dilbaz, R. (2012). Effects of modified atmosphere packaging and ethanol vapor treatment on the chemical composition of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 68: 8-15. <http://dx.doi.org/10.1016/j.postharvbio.2012.01.006>.
- Utsunomiya, H; Doi, S; Hara, K, enI; Sakai, T; Yanagi, S. (2009). Deformation of oxide scale on steel surface during hot rolling. *CIRP Annals - Manufacturing Technology* 58: 271-274. <http://dx.doi.org/10.1016/j.cirp.2009.03.050>.
- Utsunomiya, Y; Toyoda, A; Kajiwara, T; Nishiyama, T; Nagayama, K; Kubota, S; Yamada, Y; Mitarai, Y. (2008). Preparation of reactive thin film consisting of diazodinitrophenol particles and its reaction characteristics ignited by pulse laser ablation. *Science and Technology of Energetic Materials* 69: 29-38.
- Uzun, M; Govarthanam, KK; Rajendran, S; Sancak, E. (2015). Interaction of a non-aqueous solvent system on bamboo, cotton, polyester and their blends: the effect on abrasive wear resistance. *Wear* 322: 10-16. <http://dx.doi.org/10.1016/j.wear.2014.10.006>.
- Vachon, MG; Nairn, JG. (1995). Physico-chemical evaluation of acetylsalicylic acid-Eudragit RS100 microspheres prepared using a solvent-partition method. *J Microencapsul* 12: 287-305.
- Vagi, MC; Petsas, AS; Kostopoulou, MN; Karamanolis, MK; Lekkas, TD. (2007). Determination of organochlorine pesticides in marine sediments samples using ultrasonic solvent extraction followed by GC/ECD. *Desalination* 210: 146-156. <http://dx.doi.org/10.1016/j.desal.2006.06.020>.
- Vahdat, N; Swearengen, PM; Johnson, JS; Priante, S; Mathews, K; Neidhardt, A. (1995). Adsorption Capacity and Thermal Desorption Efficiency of Selected Adsorbents. *Am Ind Hyg Assoc J* 56: 32-38.
- Vajdi, M. (1994). STUDIES ON THE EXTRACTABILITY OF GANGLIOSIDES WITH VARIOUS SOLVENTS. *Separation Science and Technology* 29: 2067-2072.
- Valcke, M; Haddad, S. (2015). Assessing human variability in kinetics for exposures to multiple environmental chemicals: a physiologically based pharmacokinetic modeling case study with dichloromethane, benzene, toluene, ethylbenzene, and m-xylene. *J Toxicol Environ Health A* 78: 409-431. <http://dx.doi.org/10.1080/15287394.2014.971477>.
- Valdez, PJ; Dickinson, JG; Savage, PE. (2011). Characterization of Product Fractions from Hydrothermal Liquefaction of *Nannochloropsis* sp and the Influence of Solvents. *Energy Fuels* 25: 3235-3243. <http://dx.doi.org/10.1021/ef2004046>.
- Valencia-Diaz, S; Flores-Palacios, A; Rodriguez-Lopez, V; Jimenez-Aparicio, AR. (2013). Inhibitory effects of bark chemicals of host *Ipomoea murucoides* on seed germination of epiphyte *Tillandsia recurvata*. *Allelopathy Journal* 32: 91-100.
- Valent, GU; Sato, MIZ; Cristina, M; Coelho, LS; Coimbra, CA; Sanchez, PS; Martins, MT; Bonatelli, R. (1993). MONITORING SAO-PAULO STATE RIVERS IN BRAZIL FOR MUTAGENIC ACTIVITY USING THE AMES TEST. *Environ Toxicol Water Qual* 8: 371-381.
- Valiyari, S; Jahanban-Esfahlan, R; Shahneh, FZ; Yaripour, S; Baradaran, B; Delazar, A. (2013). Cytotoxic and apoptotic activity of *Scrophularia oxysipala* in MCF-7 human breast cancer cells. *Toxicol Environ Chem* 95: 1208-1220. <http://dx.doi.org/10.1080/02772248.2013.854362>.
- Valli, VLK; Alper, H. (1995). ORGANORHODIUM COMPLEX ON SMECTITE CLAY - PREPARATION, CHARACTERIZATION, AND CATALYTIC ACTIVITY FOR THE HYDROFORMYLATION OF VINYLILANES. *Chem Mater* 7: 359-362.
- Valov, PM; Gracheva, LV; Leiman, VI. (1997). Melting and crystallization of CuCl nanocrystals incorporated into the ultradisperse eutectic system in a glass. *Glass Physics and Chemistry* 23: 130-138.
- van den Brink, RW; Mulder, P; Louw, R; Sinquin, G; Petit, C; Hindermann, JP. (1998). Catalytic oxidation of dichloromethane on gamma-Al<sub>2</sub>O<sub>3</sub>: A combined flow and infrared spectroscopic study. *J Catal* 180: 153-160.
- van den Broeke, LJP; de Bruijn, VG; Heijnen, JHM; Keurentjes, JTF. (2001). Micellar catalysis for epoxidation reactions. *Ind Eng Chem Res* 40: 5240-5245.
- Van der Bruggen, B; Geens, J; Vandecasteele, C. (2002). Influence of organic solvents on the performance of polymeric nanofiltration membranes. *Separation Science and Technology* 37: 783-797.
- Van Der Vorst, G; Swart, P; Aelterman, W, im; Van Brecht, A; Graauwmans, E; Van Langenhove, H; Dewulf, J, o. (2010). Resource consumption of pharmaceutical waste solvent valorization alternatives. *Resour Conservat Recycl* 54: 1386-1392. <http://dx.doi.org/10.1016/j.resconrec.2010.05.014>.
- van Duffel, B; Verbiest, T; Van Elshocht, S; Persoons, A; De Schryver, FC; Schoonheydt, RA. (2001). Fuzzy assembly and second harmonic generation of clay/polymer/dye monolayer films. *Langmuir* 17: 1243-1249.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Van Dyk, S; Mcglasson, WB; Williams, M; Gair, C. (2010). Influence of curing procedures on sensory quality of vanilla beans. *Fruits* 65: 387-399. <http://dx.doi.org/10.1051/fruits/2010033>.
- Van Emon, JM; Chuang, JC; Bronshtein, A; Altstein, M. (2013). Determination of polychlorinated biphenyls in soil and sediment by selective pressurized liquid extraction with immunochemical detection. *Sci Total Environ* 463-464: 326-333. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.020>.
- van Grieken, R; Melero, JA; Morales, G. (2005). Fries rearrangement of phenyl acetate over sulfonic modified mesostructured SBA-15 materials. *Appl Catal A-Gen* 289: 143-152. <http://dx.doi.org/10.1016/j.apcata.2005.04.059>.
- van Netten, C. (2002). Analysis and implications of aircraft disinsectants. *Sci Total Environ* 293: 257-262.
- van Pée, KH; Unversucht, S. (2003). Biological dehalogenation and halogenation reactions [Review]. *Chemosphere* 52: 299-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00204-2](http://dx.doi.org/10.1016/S0045-6535(03)00204-2).
- van Rooij, IA; Wegerif, MJ; Roelofs, HM; Peters, WH; Kuijpers-Jagtman, AM; Zielhuis, GA; Merkus, HM; Steegers-Theunissen, RP. (2001). Smoking, genetic polymorphisms in biotransformation enzymes, and nonsyndromic oral clefting: A gene-environment interaction. *Epidemiology* 12: 502-507.
- Van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. *Indoor Air* 12: 92-97.
- Vandenabeele, C; Bulou, S; Maurau, R; Siffer, F; Belmonte, T; Choquet, P. (2015). Organo-Chlorinated Thin Films Deposited by Atmospheric Pressure Plasma-Enhanced Chemical Vapor Deposition for Adhesion Enhancement between Rubber and Zinc-Plated Steel Monofilaments. 7: 14317-14327. <http://dx.doi.org/10.1021/acsami.5b02887>.
- Vandoorin, J; Moulijn, JA. (1993). A MODEL OF COKE ON HYDROTREATING CATALYSTS UNDER REACTION CONDITIONS. *Fuel Process Tech* 35: 275-287.
- Vanni, A; Gennaro, MC; Fedele, A; Piccone, G; Petronio, BM; Petruzzelli, G; Liberatori, A. (1994). Leachability of heavy metals in municipal sewage sludge particulate. *Environ Technol* 15: 71-78.
- Vannier, V; Schenk, M; Kohse-Hoeinghaus, K; Bahlawane, N. (2012). Preparation and characterisation of chromium-doped cobalt oxide spinel thin films. *Journal of Materials Science* 47: 1348-1353. <http://dx.doi.org/10.1007/s10853-011-5909-6>.
- Vaquero-Fernandez, L; Saenz-Hernaiz, A, na; Sanz-Asensio, J; Fernandez-Zurbano, P; Sainz-Ramirez, M; Pons-Jubera, B; Lopez-Alonso, M; Epifanio-Fernandez, SI; Martinez-Soria, MT. (2008). Determination of cyprodinil and fludioxonil in the fermentative process of must by high-performance liquid chromatography-diode array detection. *J Sci Food Agric* 88: 1943-1948. <http://dx.doi.org/10.1002/jsfa.3301>.
- Vardoulakis, G; Withington, S; Goldie, DJ; Glowacka, DM. (2008). Superconducting kinetic inductance detectors for astrophysics. *Meas Sci Technol* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015509>.
- Varshosaz, J; Dehkordi, AJ; Golafshan, S. (2006). Colon-specific delivery of mesalazine chitosan microspheres. *J Microencapsul* 23: 329-339. <http://dx.doi.org/10.1080/0265040600612405>.
- Vasilev, AA; De Mey, K; Asselberghs, I; Clays, K; Champagne, B; Angelova, SE; Spassova, MI; Li, C; Muellen, K. (2012). Enhanced Intramolecular Charge Transfer in New Type Donor-Acceptor Substituted Perylenes. *J Phys Chem C* 116: 22711-22719. <http://dx.doi.org/10.1021/jp306848f>.
- Vasiliev, BV; Ratnikov, EN; Zhegalova, NN; Mironov, DP; Domkin, VS; Zatsepin, AG; Naimark, NI. (1992). CELLULOSE AND CELLULOSE TRIACETATE MODERN STRUCTURAL MODIFICATIONS AND PROPERTIES OF CELLULOSE ACETATES OBTAINED BY DIRECT CELLULOSE ACETYLATION IN SOLUTION. *Cellulose Chemistry and Technology* 26: 177-189.
- Vasiliu, G; Boscencu, R; Socoteanu, R; Nacea, V. (2014). Complex Combinations of Some Transition Metals with New Unsymmetrical Porphirins. *Rev Chim* 65: 998-1001.
- Vasques, AR; de Souza, SMG, U; Valle, JAB; Ulson de Souza, AA. (2009). Application of ecological adsorbent in the removal of reactive dyes from textile effluents. *J Chem Tech Biotechnol* 84: 1146-1155. <http://dx.doi.org/10.1002/jctb.2147>.
- Vatassery, R; Hinke, JA; Sanchez-Diaz, A; Hue, R; Mann, KR; Blank, DA; Gladfelter, WL. (2013). Excited-State Quenching Mechanism of a Terthiophene Acid Dye Bound to Monodisperse CdS Nanocrystals: Electron Transfer versus Concentration Quenching. *J Phys Chem C* 117: 10708-10715. <http://dx.doi.org/10.1021/jp312272p>.
- Vaughn, SF; Berhow, MA. (1999). Allelochemicals isolated from tissues of the invasive weed garlic mustard (*Alliaria petiolata*). *J Chem Ecol* 25: 2495-2504.
- Vecino Mantilla, S; Mancilla Manrique, A; Gauthier-Maradei, P. (2015). Methodology for Extraction of Phenolic Compounds of Bio-oil from Agricultural Biomass Wastes. *Waste Biomass Valorization* 6: 371-383. <http://dx.doi.org/10.1007/s12649-015-9361-8>.
- Vecitis, CD; Gao, GD; Liu, H. (2011). Electrochemical Carbon Nanotube Filter for Adsorption, Desorption, and Oxidation of Aqueous Dyes and Anions. *J Phys Chem C* 115: 3621-3629. <http://dx.doi.org/10.1021/jp111844>.
- Veerender, P; Koiry, SP; Jha, P; Saxena, V; Chauhan, AK; Bhattacharya, S; Tewari, R; Aswal, DK; Gupta, SK. (2012). An Electrochemical Approach for Deposition of Polyfullerene Films on ITO Substrates. *J Electrochem Soc* 159: D13-D18. <http://dx.doi.org/10.1149/2.021201jes>.
- Vega-Gonzalez, A; Tufeu, R; Subra, P. (2002). High-pressure vapor-liquid equilibrium for the binary systems carbon dioxide plus dimethyl sulfoxide and carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 47: 492-495. <http://dx.doi.org/10.1021/je010202q>.
- Vega-Vila, JC; Harris, JW; Gounder, R. (2016). Controlled insertion of tin atoms into zeolite framework vacancies and consequences for glucose isomerization catalysis. *J Catal* 344: 108-120. <http://dx.doi.org/10.1016/j.jcat.2016.09.011>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Velayudham, S; Lee, CH; Xie, M; Blair, D; Bauman, N; Yap, YK; Green, SA; Liu, H. (2010). Noncovalent functionalization of boron nitride nanotubes with poly(*p*-phenylene-ethynylene)s and polythiophene. *ACS Applied Materials & Interfaces* 2: 104-110. <http://dx.doi.org/10.1021/am900613j>.
- Velickovic, MM; Radivojevic, DD; Oparnica, CD; Nikicevic, NJ; Zivkovic, MB; Dordevic, NO; Vajs, VE; Tegevic, VV. (2013). Volatile compounds in Medlar fruit (*Mespilus germanica* L.) at two ripening stages. *Hemijaska Industrija* 67: 437-441. <http://dx.doi.org/10.2298/HEMIND120611085V>.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Vellis, PD; Ye, S; Mikroyannidis, JA; Liu, Y. (2008). New divinylene trimers with triphenylpyridine segments: Synthesis, photophysics, electrochemical and electroluminescent properties. *Synthetic Metals* 158: 854-860. <http://dx.doi.org/10.1016/j.synthmet.2008.06.002>.
- Vembris, A; Zarins, E; Jubels, J; Kokars, J; Muzikante, I; Miasojedovas, A; Jursenas, S. (2012). Thermal and optical properties of red luminescent glass forming symmetric and non symmetric styryl-4H-pyran-4-ylidene fragment containing derivatives. *Optical Materials* 34: 1501-1506. <http://dx.doi.org/10.1016/j.optmat.2012.02.051>.
- Venkateswaran, P; Palanivelu, K. (2004). Solvent extraction of hexavalent chromium with tetrabutyl ammonium bromide from aqueous solution. *Separation and Purification Technology* 40: 279-284. <http://dx.doi.org/10.1016/j.seppur.2004.03.005>.
- Venning, AJ; Hill, B; Brindha, S; Healy, BJ; Baldock, C. (2005). Investigation of the PAGAT polymer gel dosimeter using magnetic resonance imaging. *Phys Med Biol* 50: 3875-3888. <http://dx.doi.org/10.1088/0031-9155/50/16/015>.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verevkin, SP; Emel'yanenko, VN; Bayardon, J; Schaeffner, B; Baumann, W; Boerner, A. (2012). Asymmetric Hydrogenation of Nonfunctionalized Olefins in Propylene Carbonate-Kinetic or Thermodynamic Control? *Ind Eng Chem Res* 51: 126-132. <http://dx.doi.org/10.1021/ie200269q>.
- Verma, D; Deb, MK. (2012). Determination of vanadium (V) employing a new combined single drop micro-extraction and diffuse reflectance Fourier transform infrared spectroscopy technique. *Int J Environ Anal Chem* 92: 59-75. <http://dx.doi.org/10.1080/03067310903410998>.
- Verma, V; Wang, Y; El-Afifi, R; Fang, T; Rowland, J; Russell, AG; Weber, RJ. (2015). Fractionating ambient humic-like substances (HULIS) for their reactive oxygen species activity - Assessing the importance of quinones and atmospheric aging. *Atmos Environ* 120: 351-359. <http://dx.doi.org/10.1016/j.atmosenv.2015.09.010>.
- Vervoort, HC; Pawlik, JR; Fenical, W. (1998). Chemical defense of the Caribbean ascidian *Didemnum conchyliatum*. *Mar Ecol Prog Ser* 164: 221-228.
- Vesović, N; Ćurčić, S; Vujisić, L; Nenadić, M; Krstić, G; Perić-Mataruga, V; Milosavljević, S; Antić, D; Mandić, B; Petković, M; Vučković, I; Marković, Đ; Vrbica, M; Ćurčić, B; Makarov, S. (2015). Molecular Diversity of Compounds from Pygidial Gland Secretions of Cave-Dwelling Ground Beetles: The First Evidence. *J Chem Ecol* 41: 533-539. <http://dx.doi.org/10.1007/s10886-015-0593-7>.
- Vessigaud, S; Perrin-Ganier, C; Belkessam, L; Denys, S; Schiavon, M. (2007). Direct link between fluoranthene biodegradation and the mobility and sequestration of its residues during aging. *J Environ Qual* 36: 1412-1419. <http://dx.doi.org/10.2134/jeq2006.0473>.
- Vethanayagam, JGG; Meyer, HJ; Carey, DR. (1997). Evaluation of a low-input on-farm disposal system for trifluralin, cyfluthrin, and mancozeb. *J Agr Entomol* 14: 29-43.
- Vidal, JLM; Gonzalez, FJE; Galera, MM; Cano, MLC. (1998). Diminution of chlorpyrifos and chlorpyrifos oxon in tomatoes and green beans grown in greenhouses. *J Agric Food Chem* 46: 1440-1444.
- Vidal, SA; Samico, IC; Frias, PG; Hartz, ZM. (2011). An exploratory study of the costs and consequences of prenatal care in the Family Health Program. *Rev Saude Publica* 45: 467-474.
- Vidhyasekaran, P. (1980). THE USE OF DICHLOROMETHANE TO INCORPORATE FUNGICIDES INTO RICE SEEDS FOR CONTROL OF DRECHSLERA-ORYZAE. *Seed Science and Technology* 8: 357-362.
- Vigneron, F; Piquet, A; Baaziz, W; Ronot, P; Boos, A; Janowska, I; Pham-Huu, C; Petit, C; Caps, V. (2014). Hydrophobic gold catalysts: From synthesis on passivated silica to synthesis on few-layer graphene. *Catalysis Today* 235: 90-97. <http://dx.doi.org/10.1016/j.cattod.2014.04.016>.
- Vij, JK. (1989). POWER ABSORPTION-COEFFICIENT CONSTANTS FOR WATER, ACETONITRILE, AND METHYLENE-CHLORIDE AT FAR INFRARED WAVELENGTHS. *Int J Infrared Millimeter Waves* 10: 847-867.
- Viladeri, CV; Piscopou, TD; Siskos, PA. (2007). Chemistry and air-conditioning: Sampling and analysis of particles collected from filters of air conditioning equipment in Athens. *Indoor Built Environ* 16: 563-568. <http://dx.doi.org/10.1177/1420326X07085072>.
- Vilela, SMF; Ananias, D; Gomes, A, naC; Valente, AA; Carlos, LD; Cavaleiro, JAS; Rocha, J; Tome, JPC; Almeida Paz, FA. (2012). Multi-functional metal-organic frameworks assembled from a tripodal organic linker. *J Mater Chem* 22: 18354-18371. <http://dx.doi.org/10.1039/c2jm32501b>.
- Vilela, SMF; Mendes, RF; Silva, P; Fernandes, JA; Tome, JPC; Almeida Paz, FA. (2013). Structural Diversity of Lanthanum-Organic Frameworks Based on 1,4-Phenylenebis(methylene)diphosphonic Acid. *Cryst Growth Des* 13: 543-560. <http://dx.doi.org/10.1021/cg301112k>.
- Villar-Rodil, S; Denoyel, R; Rouquerol, J; Martinez-Alonso, A; Tascon, JMD. (2002). Fibrous carbon molecular sieves by chemical vapor deposition of benzene. Gas separation ability. *Chem Mater* 14: 4328-4333. <http://dx.doi.org/10.1021/cm021193n>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinia, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials* 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Villar-Rodil, S; Navarrete, R; Denoyel, R; Albinia, A; Paredes, JI; Martinez-Alonso, A; Tascon, JMD. (2005). Carbon molecular sieve cloths prepared by chemical vapour deposition of methane for separation of gas mixtures. *Microporous and Mesoporous Materials* 77: 109-118. <http://dx.doi.org/10.1016/j.micromeso.2004.08.017>.
- Villieras, F; Lebeda, R; Charmas, B; Bardot, F; Gerard, G; Rudzinski, W. (1998). High resolution argon and nitrogen adsorption assessment of the surface heterogeneity of carbosils. *Carbon* 36: 1501-1510.
- Viñas, P; López-García, I; Merino-Meroño, B; Campillo, N; Hernández-Córdoba, M. (2004). Liquid chromatography-hydride generation-atomic absorption spectrometry for the speciation of tin in seafoods. *J Environ Monit* 6: 262-266. <http://dx.doi.org/10.1039/b312778h>.
- Vinha Zanoncio, AJ; Carvalho, AG; de Souza, MT; Jardim, CM; Oliveira Carneiro, A, deC; Colodette, JL. (2015). EFFECT OF EXTRACTIVES ON WOOD COLOR OF HEAT TREATED *Pinus radiata* AND *Eucalyptus pellita*. 17: 857-864. <http://dx.doi.org/10.4067/S0718-221X2015005000074>.
- Vitekova, H; Vavrova, M; Mravcova, L; Vydrova, L. (2008). ASSESSMENT OF SULFATHIAZOLE IN WASTEWATER. *Fresen Environ Bull* 17: 1846-1851.
- Vitovec, W; Koshland, CP; Lucas, D; Sawyer, RF. (1996). The destruction of methylene chloride in lean post-flame conditions. *Combust Sci Tech* 116: 153-166.
- Vittoria, V. (1995). INFLUENCE OF THE CRYSTALLINITY ON THE TRANSPORT-PROPERTIES OF POLYETHYLENE. *Journal of Materials Science* 30: 3954-3958.
- Vivas, MG; De Boni, L; Cooper, TM; Mendonca, CR. (2014). Interpreting Strong Two-Photon Absorption of PE3 Platinum Acetylide Complex: Double Resonance and Excited State Absorption. 1: 106-113. <http://dx.doi.org/10.1021/ph4000357>.
- Vivas, N; Pianet, I; Bourgeois, G; Vitry, C; Servens, C; Glories, Y. (1998). Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. *American Journal of Enology and Viticulture* 49: 49-55.
- Vivekanandan, MV; Sreenivasan, S. (2012). Dynamic Transportation of Water Vapor through Cotton and Polyester-Cotton Blended Fabrics Part I: Indices Characterizing Moisture Buffering and their Interrelationships. *Journal of Engineered Fabrics and Fibers* 7: 70-80.
- Vlad, S. (2005). Polyurethane coatings for corrosive protection. *Materiale Plastice* 42: 293-296.
- Vladislavljević, GT; Duncanson, WJ; Shum, HC; Weitz, DA. (2012). Emulsion templating of poly(lactic acid) particles: droplet formation behavior. *Langmuir* 28: 12948-12954. <http://dx.doi.org/10.1021/la302092f>.
- Vlase, C; Diaconu, E; Ostapovici, E; Turculeț, A; Moisuc, L; Bulgaru, L. (1995). A STUDY ON CARBENICILLIN PURIFICATION BY LIQUID-LIQUID-EXTRACTION. *Rev Chim* 46: 722-724.
- Vlckova, B; Barnett, SM; Kanigan, T; Butler, IS. (1993). SURFACE-ENHANCED RAMAN-SCATTERING AND SURFACE-PLASMON ABSORPTION OF GLASS-DEPOSITED SILVER-2,2'-BIPYRIDINE FILMS FORMED FROM INTERFACIAL SILVER METAL LIQUID-LIKE FILMS. *Langmuir* 9: 3234-3238.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere* 39: 2479-2488.
- Vrbka, P; Dohnal, V. (2016). Limiting activity coefficient measurements in binary mixtures of dichloromethane and 1-alkanols (C1-C4). *Fluid Phase Equilibria* 411: 59-65. <http://dx.doi.org/10.1016/j.fluid.2015.11.037>.
- Vrchotova, N; Sera, B; Krejčova, J. (2011). Allelopathic activity of extracts from *Impatiens* species. *Plant Soil Environ* 57: 57-60.
- Vrdoljak, V; Prugovecki, B; Matkovic-Calogovic, D; Hrenar, T; Dreos, R; Siega, P. (2013). Three Polymorphic Forms of a Monomeric Mo(VI) Complex: Building Blocks for Two Metal-Organic Supramolecular Isomers. *Intermolecular Interactions and Ligand Substituent Effects. Cryst Growth Des* 13: 3773-3784. <http://dx.doi.org/10.1021/cg400782c>.
- Vu, VT; Lee, BK; Kim, JT; Lee, CH; Kim, IH. (2011). Assessment of carcinogenic risk due to inhalation of polycyclic aromatic hydrocarbons in PM10 from an industrial city: a Korean case-study. *J Hazard Mater* 189: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.043>.
- Vuorinen, AM; Dyer, SR; Lassila, LVJ; Vallittu, PK. (2011). Bonding of BisGMA-TEGDMA-Resin to Bulk Poly(Paraphenylene) Based Rigid Rod Polymer. *Composite Interfaces* 18: 387-398. <http://dx.doi.org/10.1163/156855411X595807>.
- Wachowska, H; Kozłowski, M. (1993). MULTISTAGE BUTYLATION OF COALS IN A POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 72: 435-442.
- Wachowska, H; Kozłowski, M. (1994). REDUCTIVE ALKYLATION OF COALS IN ETHER SOLVENTS. *Fuel* 73: 880-885.
- Wachowska, H; Kozłowski, M. (1995). MULTISTAGE REDUCTION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 74: 1398-1403.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .1. THE INFLUENCE OF DEMINERALIZATION ON THE COURSE OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS. *Fuel* 74: 1319-1327.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .2. CHARACTERIZATION OF COAL EXTRACTS. *Fuel* 74: 1328-1332.
- Wachowska, H; Kozłowski, M. (1996). The influence of extraction with organic solvents on coking properties of raw and reduced coals. *Fuel* 75: 517-521.
- Wada, K; Shibamoto, T. (1997). Isolation and identification of volatile compounds from a wine using solid phase extraction, gas chromatography, and gas chromatography mass spectrometry. *J Agric Food Chem* 45: 4362-4366.
- Wade, HF; York, AC; Morey, AE; Padmore, JM; Rudo, KM. (1998). The impact of pesticide use on groundwater in North Carolina. *J Environ Qual* 27: 1018-1026.
- Wagdare, NA; Baggerman, J; Marcelis, ATM; Boom, RM; van Rijn, CJM. (2011). Polymer microspheres with structured surfaces. *Chem Eng J* 175: 561-568. <http://dx.doi.org/10.1016/j.cej.2011.08.064>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wagdare, NA; Marcelis, AT; Boom, RM; van Rijn, CJ. (2011). Microcapsules with a pH responsive polymer: influence of the encapsulated oil on the capsule morphology. *Colloids Surf B Biointerfaces* 88: 175-180. <http://dx.doi.org/10.1016/j.colsurfb.2011.06.028>.
- Wagemann, R; Trebacz, E; Hunt, R; Boila, G. (1997). Percent methylmercury and organic mercury in tissues of marine mammals and fish using different experimental and calculation methods. *Environ Toxicol Chem* 16: 1859-1866.
- Wagner, HH; Hausmann, H; Holderich, WF. (2001). Immobilization of rhodium diphosphine complexes on mesoporous Al-MCM-41 materials: Catalysts for enantioselective hydrogenation. *J Catal* 203: 150-156.
- Wahl, A; Kowalzik, A; Pilchowski, K. (1998). Adsorption of dichloromethane and 1,1,1-trichloroethane from synthetic wastewaters with polymeric adsorbents and activated carbons. *Acta Hydrochim Hydrobiol* 26: 36-39.
- Wahl, J, onH; Colburn, HA. (2010). Extraction of chemical impurities for forensic investigations: A case study for indoor releases of a sarin surrogate. *Build Environ* 45: 1339-1345. <http://dx.doi.org/10.1016/j.buildenv.2009.10.020>.
- Wahyudiono; Machmudah, S; Kanda, H; Okubayashi, S; Goto, M. (2014). Formation of PVP hollow fibers by electrospinning in one-step process at sub and supercritical CO<sub>2</sub>. *Chemical Engineering and Processing: Process Intensification* 77: 1-6. <http://dx.doi.org/10.1016/j.cep.2013.12.007>.
- Wahyudiono; Okamoto, K; Machmudah, S; Kanda, H; Goto, M. (2016). Generation of multihollow structured poly(methyl methacrylate) fibers by electrospinning under pressurized CO<sub>2</sub>. *Polymer Engineering and Science* 56: 752-759. <http://dx.doi.org/10.1002/pen.24302>.
- Wainman, BC; Lean, DRS. (1994). METHODOLOGICAL CONCERNS IN MEASURING THE LIPID FRACTION OF CARBON FIXATION. *Hydrobiologia* 273: 111-120.
- Wainwright, M; Amaral, L. (2005). The phenothiazinium chromophore and the evolution of antimalarial drugs. *Trop Med Int Health* 10: 501-511.
- Waite, DT; Cessna, AJ; Grover, R; Woodsworth, EJ. (2000). Duplicate sampling of surface films and associated pond water for herbicides. *J Environ Qual* 29: 901-906.
- Walgraeve, C; Chantara, S; Sopajaree, K; De Wispelaere, P; Demeestere, K; Van Langenhove, H. (2015). Quantification of PAHs and oxy-PAHs on airborne particulate matter in Chiang Mai, Thailand, using gas chromatography high resolution mass spectrometry. *Atmos Environ* 107: 262-272. <http://dx.doi.org/10.1016/j.atmosenv.2015.02.051>.
- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C* 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.
- Walkup, LL; Weerasinghe, KC; Tao, M; Zhou, X; Zhang, M; Liu, D; Wang, L. (2010). Importance of Dynamics in Electron Excitation and Transfer of Organic Dyes. *J Phys Chem C* 114: 19521-19528. <http://dx.doi.org/10.1021/jp107032d>.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol* 7: 141-163.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure air streams using plasma-assisted catalysis. *Appl Catal B-Environ* 72: 282-288. <http://dx.doi.org/10.1016/j.apcatb.2006.11.003>.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure nitrogen gas streams using plasma-assisted catalysis. *Appl Catal B-Environ* 74: 111-116. <http://dx.doi.org/10.1016/j.apcatb.2006.11.020>.
- Wallis, AFA; Wearne, RH. (1997). Characterization of resin in radiata pine woods, bisulfite pulps and mill pitch samples. *Appita* 50: 409-414.
- Wallis, AFA; Wearne, RH. (1999). Analysis of resin in eucalypt woods and pulps. *Appita* 52: 295-299.
- Walls, CL; Beal, EJ; Mushrush, GW. (1999). Nitrogen compound distribution in a heating oil (pp. 31-51). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/99/12731). Walls, CL; Beal, EJ; Mushrush, GW.
- Walter, FG; Chan, JT; Winegard, B; Chase, PB; Shirazi, F; Chow, YY; de Boer, M; Denninghoff, K. (2008). Hazmat disaster preparedness in Hong Kong: what are the hazardous materials on Lantau, Lamma, and Hong Kong Islands? *Am J Disaster Med* 3: 213-233.
- Walter, MG; Wamser, CC. (2010). Synthesis and Characterization of Electropolymerized Nanostructured Aminophenylporphyrin Films. *J Phys Chem C* 114: 7563-7574. <http://dx.doi.org/10.1021/jp910016h>.
- Wandrey, C; Espinosa, D; Rehor, A; Hunkeler, D. (2003). Influence of alginate characteristics on the properties of multi-component microcapsules. *J Microencapsul* 20: 597-611. <http://dx.doi.org/10.1080/0265204031000148022>.
- Wang, A; Cai, X; Chi, J, ie. (2012). Determination of Trace Phthalic Acid Monoesters in Sediments and Soils by GC-MS. *Soil Sediment Contam* 21: 996-1005. <http://dx.doi.org/10.1080/15320383.2012.712072>.
- Wang, A; Gan, Y; Yu, H; Liu, Y; Zhang, M; Cheng, B; Wang, F; Wang, H; Yan, J. (2012). Improvement of the cytocompatibility of electrospun poly[(R)-3-hydroxybutyrate-co-(R)-3-hydroxyvalerate] mats by Ecoflex. *J Biomed Mater Res A* 100: 1505-1511. <http://dx.doi.org/10.1002/jbm.a.34034>.
- Wang, B; Hu, Y; Su, Z. (2008). Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni<sup>2+</sup> ion in aqueous solution. *React Funct Polym* 68: 1137-1143. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.03.005>.
- Wang, B; Wu, WZ; Chen, JW; Han, BX; Zhang, ZF; Shen, D; Zhang, R. (2005). Phase behavior, densities, and isothermal compressibility of the CO<sub>2</sub> + ethanol plus dichloromethane ternary system in different phase regions. *Journal of Chemical and Engineering Data* 50: 1153-1156. <http://dx.doi.org/10.1021/je049616k>.
- Wang, B, in; Zhao, J; Liu, R; Liu, J; He, Q. (2011). Electrosyntheses, characterizations and electrochromic properties of a copolymer based on 4,4'-di(N-carbazoyl)biphenyl and 2,2'-bithiophene. *Solar Energy Materials and Solar Cells* 95: 1867-1874. <http://dx.doi.org/10.1016/j.solmat.2011.02.009>.
- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. *Mater Chem Phys* 143: 773-778. <http://dx.doi.org/10.1016/j.matchemphys.2013.10.012>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. *Mater Chem Phys* 144: 553-559. <http://dx.doi.org/10.1016/j.matchemphys.2014.01.039>.
- Wang, C; Liu, X. (2015). Determination and correlation of liquid-liquid equilibrium data for the dichloromethane plus water plus N,N-dimethylacetamide plus NaCl system. *Fluid Phase Equilibria* 392: 43-48. <http://dx.doi.org/10.1016/j.fluid.2015.02.022>.
- Wang, C; Liu, X; Wang, P; Yang, P. (2014). Determination and Correlation of Liquid-Liquid Equilibrium Data for the Ternary Dichloromethane plus Water plus N,N-Dimethylacetamide System. *Journal of Chemical and Engineering Data* 59: 1733-1736. <http://dx.doi.org/10.1021/je401001z>.
- Wang, CS; Bryce, MR; Batsanov, AS; Goldenberg, LM; Howard, JAK. (1997). Synthesis and electrochemistry of new tetrathiafulvalene (TTF) dendrimers: X-ray crystal structure of a tetrafunctionalised TTF core unit. *J Mater Chem* 7: 1189-1197.
- Wang, CY. (2005). Synthesis of multiblock copolymers of poly(2-vinylpyridine) and polyoxyethylene and their application as compatibilizers for epichlorohydrin rubber/poly(vinyl chloride) blends. *Polymers and Polymer Composites* 13: 191-198.
- Wang, CZ; Zhang, DJ; Zhang, J; Ji, TW; Tang, ZQ; Zhao, YY. (2015). Allelopathic effects of volatile compounds from *Eucalyptus grandis* on *Vigna radiata*, *Raphanus sativus* and *Lactuca sativa*. *Allelopathy Journal* 36: 273-282.
- Wang, D, aWei; Cao, M, aoS; Yuan, J, ie; Zhao, QL; Li, HB, o; Zhang, D, eQ; Agathopoulos, S. (2011). Enhanced Piezoelectric and Ferroelectric Properties of Nb<sub>2</sub>O<sub>5</sub> Modified Lead Zirconate Titanate-Based Composites. *Journal of the American Ceramic Society* 94: 647-650. <http://dx.doi.org/10.1111/j.1551-2916.2010.04309.x>.
- Wang, D; Miao, X; Li, Q. (2008). Analysis of Organochlorine Pesticides in Coral (*Porites evermanni*) Samples Using Accelerated Solvent Extraction and Gas Chromatography/Ion Trap Mass Spectrometry. *Arch Environ Contam Toxicol* 54: 211-218. <http://dx.doi.org/10.1007/s00244-007-9016-2>.
- Wang, F; Li, C; Yu, JC. (2012). Hexagonal tungsten trioxide nanorods as a rapid adsorbent for methylene blue. *Separation and Purification Technology* 91: 103-107. <http://dx.doi.org/10.1016/j.seppur.2011.12.001>.
- Wang, H; Chen, Y, u; Ye, W; Xu, J; Liu, D; Yang, J; Kong, L, in; Zhou, H; Tian, Y; Tao, X. (2013). A facile and highly efficient green synthesis of carbazole derivatives containing a six-membered ring. *Dyes and Pigments* 96: 738-747. <http://dx.doi.org/10.1016/j.dyepig.2012.11.009>.
- Wang, H; Cui, X; Li, C; Fang, J. (2013). Separation of Ethyl Acetate-Dichloromethane-Ethanol by Extractive Distillation: Simulation and Optimization. *Chem Eng Tech* 36: 627-634. <http://dx.doi.org/10.1002/ceat.201200310>.
- Wang, H; Tian, H, ua; Hao, Z. (2012). Study of DDT and its derivatives DDD, DDE adsorption and degradation over Fe-SBA-15 at low temperature. *J Environ Sci* 24: 536-540. [http://dx.doi.org/10.1016/S1001-0742\(11\)60800-0](http://dx.doi.org/10.1016/S1001-0742(11)60800-0).
- Wang, H; Wang, J; Luo, J, un; Kong, L. (2013). Isolation of Ingenol-Type Diterpenoids from *Euphorbia kansui* by Offline Coupling of HPLC-ESI-MSn and HSCCC. *Separation Science and Technology* 48: 1745-1751. <http://dx.doi.org/10.1080/01496395.2012.753632>.
- Wang, H; Wang, L; George, JE; Ward, GK; Thoma, J; Harrison, RO; Young, BS. (1997). ACS SYMPOSIUM SERIES Rapid determination of dioxins in drinking water by enzyme immunoassay.
- Wang, H; Yang, X; Zi, J; Zhou, M; Ye, Z; Li, J; Guan, Q; Lv, P; Huo, P; Yan, Y. (2016). High photocatalytic degradation of tetracycline under visible light with Ag/AgCl/activated carbon composite plasmonic photocatalyst. *J Ind Eng Chem* 35: 83-92. <http://dx.doi.org/10.1016/j.jiec.2015.12.023>.
- Wang, HY; He, G; Chen, XL; Liu, TH; Ding, LP; Fang, Y. (2012). Cholesterol modified OPE functionalized film: fabrication, fluorescence behavior and sensing performance. *J Mater Chem* 22: 7529-7536. <http://dx.doi.org/10.1039/c2jm16637b>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Chen, J. (2006). Removal of dichloromethane from waste gases with a bio-contact oxidation reactor. *Chem Eng J* 123: 103-107. <http://dx.doi.org/10.1016/j.cej.2006.06.023>.
- Wang, J; Chen, Y; Wang, Y. (2006). Preparation and characterization of novel organic montmorillonite-reinforced blocked polyurethane nanocomposites. *Polymers and Polymer Composites* 14: 591-601.
- Wang, J; Jia, CR; Wong, CK; Wong, PK. (2000). Characterization of polycyclic aromatic hydrocarbons created in lubricating oils. *Water Air Soil Pollut* 120: 381-396.
- Wang, J; Li, Z. (2013). Measurement and Modeling of Vapor-Liquid Equilibria for Systems Containing Alcohols, Water, and Imidazolium-Based Phosphate Ionic Liquids. *Journal of Chemical and Engineering Data* 58: 1641-1649. <http://dx.doi.org/10.1021/je301374c>.
- Wang, J; Yoon, RH. (2008). AFM forces measured between gold surfaces coated with self-assembled monolayers of 1-hexadecanethiol. *Langmuir* 24: 7889-7896. <http://dx.doi.org/10.1021/la800276r>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol* 34: 2243-2248.
- Wang, K, un; Lin, X; Jiang, G; Liu, JZ, he; Jiang, L, ei; Doherty, CM; Hill, AJ; Xu, T; Wang, H. (2014). Slow hydrophobic hydration induced polymer ultrafiltration membranes with high water flux. *J Memb Sci* 471: 27-34. <http://dx.doi.org/10.1016/j.memsci.2014.07.073>.
- Wang, K, e; Ma, Q; Wang, S, huD; Liu, H, ua; Zhang, SZ; Bao, W, ei; Zhang, K, eQin; Ling, LZ. (2016). Electrospinning of silver nanoparticles loaded highly porous cellulose acetate nanofibrous membrane for treatment of dye wastewater. *Applied Physics A: Materials Science and Processing* 122. <http://dx.doi.org/10.1007/s00339-015-9566-5>.
- Wang, L; Du, C; Wang, X; Zeng, H; Yao, J, un; Chen, B. (2015). Solubilities of Phosphoramidic Acid, N-(phenylmethyl)-, Diphenyl Ester in Selected Solvents. *Journal of Chemical and Engineering Data* 60: 1814-1822. <http://dx.doi.org/10.1021/acs.jced.5b00007>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing* 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, iS; Liu, Y; Wang, R, an. (2006). Solubilities of some phosphaspirocyclic compounds in selected solvents. *Journal of Chemical and Engineering Data* 51: 1686-1689. <http://dx.doi.org/10.1021/je060138i>.
- Wang, L; Sakurai, M; Kameyama, H. (2008). Catalytic oxidation of dichloromethane and toluene over platinum alumite catalyst. *J Hazard Mater* 154: 390-395. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.036>.
- Wang, L, iC; Tang, K, eaT; Kuo, CT, zu; Ho, CL; Lin, SR, ay; Sung, Y, uh; Chang, CP. (2010). Portable electronic nose system with chemiresistor sensors to detect and distinguish chemical warfare agents. *Journal of Micro/Nanolithography, M E M S, and M O E M S* 9. <http://dx.doi.org/10.1117/1.3466797>.
- Wang, L; Xu, X. (2015). Semiconducting properties of In<sub>2</sub>O<sub>3</sub> nanoparticle thin films in air and nitrogen. *Ceramics International* 41: 7687-7692. <http://dx.doi.org/10.1016/j.ceramint.2015.02.097>.
- Wang, L; Yin, Q; Zhang, M; Wang, J. (2007). Solubility of acephate in different solvents from (292.90 to 327.60) K. *Journal of Chemical and Engineering Data* 52: 426-428. <http://dx.doi.org/10.1021/je0603630>.
- Wang, LF; Guo, Y; Tsuji, H; Sakurai, M; Kameyama, H. (2006). Catalytic oxidation of dichloromethane over anodized aluminum film. *J Chem Eng Jpn* 39: 173-180.
- Wang, LG; Jiang, X; Mao, YM; Zhao, ZH; Bian, YR. (2005). Organophosphorus Pesticide Extraction and Cleanup from Soils and Measurement Using GC-NPD. *Pedosphere* 15: 386-394.
- Wang, LG; Jiang, X; Wang, F; Bian, YR; Forster, S; Martens, D. (2004). Separation of chlorinated hydrocarbons and organophosphorus, pyrethroid pesticides by silicagel fractionation chromatography and their simultaneous determination by GC-MS. *J Environ Sci* 16: 268-271.
- Wang, LG; Jiang, X; Yan, DY; Forster, S; Martens, D. (2004). Comparison of two procedures for extraction and clean-up of organophosphorus and pyrethroid pesticides in sediment. *Pedosphere* 14: 229-234.
- Wang, LG; Yan, GB. (2011). Adsorptive removal of direct yellow 161 dye from aqueous solution using bamboo charcoals activated with different chemicals. *Desalination* 274: 81-90. <http://dx.doi.org/10.1016/j.desal.2011.01.082>.
- Wang, LL; Sun, YW; Gao, YZ; Guo, DM. (2016). Preparation of durable underwater superoleophobic Ti6Al4V surfaces by electrochemical etching. *Surf Eng* 32: 85-94. <http://dx.doi.org/10.1080/02670844.2015.1108073>.
- Wang, LQ; Liu, J; Exarhos, GJ; Bunker, BC. (1996). Investigation of the structure and dynamics of surfactant molecules in mesophase silicates using solid-state C-13 NMR. *Langmuir* 12: 2663-2669.
- Wang, M, awL; Huang, TH. (2007). Kinetic study of benzyl alcohol oxidation under phase transfer catalysis conditions. *Chemical Engineering Communications* 194: 618-634. <http://dx.doi.org/10.1080/00986440600992685>.
- Wang, M, awL; Liu, Y, enC. (2008). Kinetic study of S-alkylation of 2-mercaptobenzimidazole by allyl bromide in the presence of potassium hydroxide. *Journal of the Chinese Institute of Chemical Engineers* 39: 587-595. <http://dx.doi.org/10.1016/j.jcice.2008.05.013>.
- Wang, M; Zhang, X; Zhou, L, in; Chen, Y. (2016). Activated MIL-53(Al) for Efficient Adsorption of Dichloromethane and Trichloromethane. *Aerosol Air Qual Res* 16: 2003-2010. <http://dx.doi.org/10.4209/aaqr.2015.11.0651>.
- Wang, MF; Wudl, F. (2010). Solution-processable conjugated polymers containing alternating 1-alkyl-1,2,4-triazole and N=S=N links. *J Mater Chem* 20: 5659-5663. <http://dx.doi.org/10.1039/c0jm00254b>.
- Wang, ML; Ou, CC; Jwo, JJ. (2000). Study of the reaction of glycine and benzoyl chloride under inverse phase transfer catalysis. *Chemical Engineering Communications* 179: 233-252.
- Wang, N; Fu, Y; Lim, LT. (2011). Feasibility study on chemometric discrimination of roasted Arabica coffees by solvent extraction and Fourier transform infrared spectroscopy. *J Agric Food Chem* 59: 3220-3226. <http://dx.doi.org/10.1021/jf104980d>.
- Wang, Q; Hauser, PJ. (2009). New characterization of layer-by-layer self-assembly deposition of polyelectrolytes on cotton fabric. *Cellulose* 16: 1123-1131. <http://dx.doi.org/10.1007/s10570-009-9330-0>.
- Wang, S; Wang, Y; Leng, F; Chen, J; Qiu, K; Zhou, J. (2016). Separation and Enrichment of Catechol and Sugars from Bio-oil Aqueous Phase. *BioResources* 11: 1707-1720.
- Wang, S, ai; Xu, S; Liu, C; Chen, F; Wang, D; Liu, S; Chen, Z; Wu, Z. (2016). Characterization and adsorption behaviors of a novel synthesized mesoporous silica coated carbon composite. *Chinese Journal of Chemical Engineering* 24: 190-195. <http://dx.doi.org/10.1016/j.cjche.2015.07.014>.
- Wang, SF; Ridsdill-Smith, TJ; Ghisalberti, EL. (2005). Chemical defenses of *Trifolium glanduliferum* against redlegged earth mite *Halotydeus destructor*. *J Agric Food Chem* 53: 6240-6245. <http://dx.doi.org/10.1021/jf0502202>.
- Wang, SL; Wang, P; Fan, CQ. (2009). Determination of particulate and gaseous phthalic acid esters in ambient air by large-volume injection-gas chromatography-mass spectrometry. *J Environ Monit* 11: 882-886. <http://dx.doi.org/10.1039/b816880f>.
- Wang, T; Hsu, CL, in; Huang, CH; Hsieh, Y, iK; Tan, CS; Wang, C, huF. (2016). Environmental impact of CO<sub>2</sub>-expanded fluid extraction technique in microalgae oil acquisition. *J Clean Prod* 137: 813-820. <http://dx.doi.org/10.1016/j.jclepro.2016.07.179>.
- Wang, W, ei; Liu, G; Wu, J; Jiang, Y. (2013). Co-precipitation of 10-hydroxycamptothecin and poly(L-lactic acid) by supercritical CO<sub>2</sub> anti-solvent process using dichloromethane/ethanol co-solvent. *Journal of Supercritical Fluids* 74: 137-144. <http://dx.doi.org/10.1016/j.supflu.2012.11.022>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data* 53: 2241-2243. <http://dx.doi.org/10.1021/je800369k>.
- Wang, W; Murray, RW. (2005). Reaction of triphenylphosphine with phenylethanethiolate-protected Au<sub>38</sub> nanoparticles. *Langmuir* 21: 7015-7022. <http://dx.doi.org/10.1021/la0508700>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wang, W, ei; Song, X, iuKai; Ru, SG, uo. (2007). Studies on the factors affecting the growth and hemolytic activity of *Anabaena variabilis*. *J Appl Phycol* 19: 365-371. <http://dx.doi.org/10.1007/s10811-006-9143-6>.
- Wang, W; Zhu, T, uo; Chen, G; Li, C; Di, H; Ren, C; Ding, Y. (2008). Synthesis, characterization and photoluminescence of poly(VK-(ppy)(2)Ir(N-phMA)). *Synthetic Metals* 158: 1022-1027. <http://dx.doi.org/10.1016/j.synthmet.2008.07.011>.
- Wang, WL; Gardner, DJ. (1999). Investigation of volatile organic compound press emissions during particleboard production. Part 1. UF-bonded southern pine. *For Prod J* 49: 65-72.
- Wang, WL; Gardner, DJ; Baumann, MGD. (2003). Factors affecting volatile organic compound emissions during hot-pressing of southern pine particleboard. *For Prod J* 53: 65-72.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res* 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Daniels, R; Baker, RW. (2001). Recovery of VOCs from high-volume, low-VOC-concentration air streams. *AIChE J* 47: 1094-1100.
- Wang, X; Tilley, RD; Watkins, JJ. (2014). Simple ligand exchange reactions enabling excellent dispersibility and stability of magnetic nanoparticles in polar organic, aromatic, and protic solvents. *Langmuir* 30: 1514-1521. <http://dx.doi.org/10.1021/la404757q>.
- Wang, XQ; Lu, BH; Zhou, XX; Li, W. (2013). Evaluation of o-xylene and other volatile organic compounds removal using a xylene-acclimated biotrickling filter. *Environ Technol* 34: 2691-2699. <http://dx.doi.org/10.1080/09593330.2013.786136>.
- Wang, Y; Easteal, AJ. (1999). Preparation, characterisation and gas transport properties of trifluoroacetylated ethyl cellulose. *J Memb Sci* 157: 53-61.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr2O4 catalysts for dichloromethane oxidation. *Appl Catal B-Environ* 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y, u; Li, X; Hu, H; Liu, G; Rabnawaz, M. (2014). Hydrophilically patterned superhydrophobic cotton fabrics and their use in ink printing. 2: 8094-8102. <http://dx.doi.org/10.1039/c4ta00714j>.
- Wang, Y, iJia; Li, Z; Tong, J; Shen, XY; Qin, A; Sun, JZ, hi; Tang, B, enZ. (2015). The fluorescence properties and aggregation behavior of tetraphenylethene-perylenebisimide dyads. 3: 3559-3568. <http://dx.doi.org/10.1039/c4tc02550d>.
- Wang, Y, u; Liu, HH; Wang, S, huY; Luo, MF, ei; Lu, J, iQ. (2014). Remarkable enhancement of dichloromethane oxidation over potassium-promoted Pt/Al2O3 catalysts. *J Catal* 311: 314-324. <http://dx.doi.org/10.1016/j.jcat.2013.12.018>.
- Wang, Y; Liu, Y, u; Li, X; Qi, H; Zhu, M; Wang, L, ei; Lei, G; Wei, Q; Zhu, W; Peng, J; Cao, Y. (2010). Novel cyclometalated platinum (II) complex containing alkyl-trifluorene picolinic acid as emitter for single-layer white PLEDs. *Organic Electronics* 11: 1954-1959. <http://dx.doi.org/10.1016/j.orgel.2010.09.012>.
- Wang, Y; Liu, Y, u; Zhang, Z; Luo, J; Shi, D; Tan, H, ua; Lei, G; Zhu, M; Zhu, W; Cao, Y. (2011). Single-layer white polymer light-emitting diodes based on an iridium (III) complex containing alkyltrifluorene picolinic acid. *Dyes and Pigments* 91: 495-500. <http://dx.doi.org/10.1016/j.dyepig.2011.04.013>.
- Wang, Y; Luo, J; Liu, Y, u; Zhang, Z; Tan, H, ua; Yu, J; Lei, G; Zhu, M; Zhu, W. (2012). Dinuclear cyclometalated platinum (II) complexes: Synthesis, photophysics, and monomolecular electroluminescence. *Organic Electronics* 13: 1646-1653. <http://dx.doi.org/10.1016/j.orgel.2012.05.011>.
- Wang, Y; Spencer, P; Yao, X; Ye, Q. (2006). Effect of coinitiator and water on the photoreactivity and photopolymerization of HEMA/camphoquinone-based reactant mixtures. *J Biomed Mater Res A* 78: 721-728. <http://dx.doi.org/10.1002/jbm.a.30733>.
- Wang, Y; Wang, M, ei; Wang, Y, u; Wang, X; Wang, L, in; Sun, L. (2010). Highly enantioselective sulfoxidation with vanadium catalysts of Schiff bases derived from bromo- and iodo-functionalized hydroxynaphthaldehydes. *J Catal* 273: 177-181. <http://dx.doi.org/10.1016/j.jcat.2010.05.013>.
- Wang, Y; Wang, Z; Ma, M; Wang, C; Mo, Z. (2001). Monitoring priority pollutants in a sewage treatment process by dichloromethane extraction and triolein-semipermeable membrane device (SPMD). *Chemosphere* 43: 339-346.
- Wang, Y; Wang, ZJ; Liu, J; Ma, M; Belzile, N. (1999). Monitoring priority pollutants in the Yanghe River by dichloromethane extraction and semipermeable membrane device (SPMD). *Chemosphere* 39: 113-131.
- Wang, YL; Wang, YP; Yang, J; Pfeffer, R; Dave, R; Michniak, B. (2006). The application of a supercritical antisolvent process for sustained drug delivery. *Powder Technology* 164: 94-102. <http://dx.doi.org/10.1016/j.powtec.2006.03.004>.
- Wang, Z; Chen, L, ei. (2015). Adsorption characteristics of dibutyl phthalate from aqueous solution using ginkgo leaves-activated carbon by chemical activation with zinc chloride. *Desalination and Water Treatment* 54: 1969-1980. <http://dx.doi.org/10.1080/19443994.2014.893207>.
- Wang, Z; Li, G; He, S; Teixeira da Silva, JA; Tanaka, M. (2011). Effect of cold cathode fluorescent lamps on growth of *Gerbera jamesonii* plantlets in vitro. *Sci Hortic (Amsterdam)* 130: 482-484. <http://dx.doi.org/10.1016/j.scienta.2011.05.022>.
- Wang, Z; Lin, W; Song, W; Li, Z. (2013). Study on the Effect of Packing Material and Solvent System on Column Chromatographic Fractionation of Wood-tar. *Energy Source Part A* 35: 1508-1515. <http://dx.doi.org/10.1080/15567036.2010.529566>.
- Wang, Z; Liu, B, o; Xie, Z; Li, Y; Shen, ZY. (2016). Preparation and photocatalytic properties of RuO2/TiO2 composite nanotube arrays. *Ceramics International* 42: 13664-13669. <http://dx.doi.org/10.1016/j.ceramint.2016.05.164>.
- Wang, Z; Yu, Q; Liu, Y; Zhao, J; Lu, Z; Sun, J. (2012). Solubilities of Bis(2,4,6-trimethylbenzoyl)phenylphosphine Oxide in Different Organic Solvents at Several Temperatures. *Journal of Chemical and Engineering Data* 57: 3340-3343. <http://dx.doi.org/10.1021/je300343y>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Warbrick, EV; Kilgour, JD; Dearman, RJ; Kimber, I; Dugard, PH. (2003). Inhalation exposure to methylene chloride does not induce systemic immunotoxicity in rats. *J Toxicol Environ Health A* 66: 1207-1219. <http://dx.doi.org/10.1080/15287390306410>.
- Ward, DB; Tizaoui, C; Slater, MJ. (2005). Continuous extraction and destruction of chloro-organics in wastewater using ozone-loaded Volasiltrade mark245 solvent. *J Hazard Mater* 125: 65-79. <http://dx.doi.org/10.1016/j.jhazmat.2005.01.00>.
- Warezak, T; Wlodarczyk-Makula, M; Sadecka, Z. (2016). Accumulation of PAHs in plants from vertical flow-constructed wetland. *Desalination and Water Treatment* 57: 1273-1285. <http://dx.doi.org/10.1080/19443994.2015.1017332>.
- Warton, B; Alexander, R; Kagi, RI. (1999). Characterisation of the ruthenium tetroxide oxidation products from the aromatic unresolved complex mixture of a biodegraded crude oil. *Organic Geochemistry* 30: 1255-1272.
- Watanabe, T; Ban, S; Ito, T; Tsuruta, S; Kawai, T; Nakamura, H. (2003). Oriented needle-like apatite and biodegradable copolymer composite membranes. *Key Eng Mater* 240-2: 191-194.
- Watson, H; Kaunisto, MH; Rosenholm, JB. (2002). Ureidosilanes on E-glass fibres: deposition and surface characteristics. *J Adhes Sci Tech* 16: 429-448.
- Wauters, E; Lenelle, I. (1999). PAH measurements in Belgium: Experience and concentration levels. *Fresen Environ Bull* 8: 629-637.
- Way, TD; Tsai, SJ; Wang, CM; Ho, CT; Chou, CH. (2014). Chemical constituents of *Rhododendron formosanum* show pronounced growth inhibitory effect on non-small-cell lung carcinoma cells. *J Agric Food Chem* 62: 875-884. <http://dx.doi.org/10.1021/jf404243p>.
- Weatherley, LR; Campbell, I; Kirton, D; Slaughter, JC. (1990). ELECTRICALLY ENHANCED EXTRACTION OF PENICILLIN-G INTO DICHLOROMETHANE. *J Chem Tech Biotechnol* 48: 427-438.
- Weathers, LJ; Parkin, GF. (2000). Toxicity of chloroform biotransformation to methanogenic bacteria. *Environ Sci Technol* 34: 2764-2767.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol* 31: 880-885.
- Weaver, MA; Rhodes, G; Cyr, MJ. (2003). Synthesis of novel polymeric colorants. *Color Technol* 119: 48-56.
- Webber, ME; Wang, J; Sanders, ST; Baer, DS; Hanson, RK. (2000). In situ combustion measurements of CO, CO<sub>2</sub>, H<sub>2</sub>O and temperature using diode laser absorption sensors. *Proc Combust Inst* 28: 407-413.
- Weber Brun, G; Martin, A; Cassel, E; Figueiro Vargas, RM; Jose Cocero, M. (2012). Crystallization of Caffeine by Supercritical Antisolvent (SAS) Process: Analysis of Process Parameters and Control of Polymorphism. *Cryst Growth Des* 12: 1943-1951. <http://dx.doi.org/10.1021/cg2016758>.
- Weber, G; Chen, HL; Hinsch, E; Freitas, S; Robinson, S. (2014). Pigments extracted from the wood-staining fungi *Chlorociboria aeruginosa*, *Scytalidium cuboideum*, and *S. ganodermorphothorum* show potential for use as textile dyes. *Color Technol* 130: 445-452. <http://dx.doi.org/10.1111/cote.12110>.
- Wegener, R; Schulz, S; Meiners, T; Hadwich, K; Hilker, M. (2001). Analysis of volatiles induced by oviposition of elm leaf beetle *Xanthogaleruca luteola* on *Ulmus minor*. *J Chem Ecol* 27: 499-515.
- Wegermann, CA; Ribeiro, RR; Ucoski, GM; Nakagaki, S; Nunes, FS; Drechsel, SM. (2014). Study of the catalytic activity of non-heme manganese complexes toward oxidation of cyclooctene and cyclohexene. *Appl Catal A-Gen* 471: 56-62. <http://dx.doi.org/10.1016/j.apcata.2013.11.033>.
- Wei, G; Lunt, RR; Sun, K; Wang, S; Thompson, ME; Forrest, SR. (2010). Efficient, ordered bulk heterojunction nanocrystalline solar cells by annealing of ultrathin squaraine thin films. *Nano Lett* 10: 3555-3559. <http://dx.doi.org/10.1021/nl1018194>.
- Wei, H; Yan, X; Li, Y; Gu, H; Wu, S; Ding, K; Wei, S; Guo, Z. (2012). Electrochromic Poly(DNTD)/WO<sub>3</sub> Nanocomposite Films via Electropolymerization. *J Phys Chem C* 116: 16286-16293. <http://dx.doi.org/10.1021/jp304127z>.
- Wei, S; Shao, Y; Shi, X; Lu, X; Li, K, e; Zhao, Z; Guo, C; Zhu, H; Guo, W. (2016). Heteroleptic Cu(I) complexes integrating functionalized chromophores for dye-sensitized solar cells: An in-depth analysis of electronic structure, spectrum, excitation, and intramolecular electron transfer. *Organic Electronics* 29: 142-150. <http://dx.doi.org/10.1016/j.orgel.2015.12.004>.
- Wei, S; Shi, X; Lu, X; Shao, Y; Jin, D; Deng, Z; Zhao, Z; Li, K, e; Guo, W. (2015). Cu(I)-Based Sensitizers Featuring 6,6'-Dimethyl-4,4'-Dicarboxylate-2,2'-Bipyridine with Functionalized 2,9-Dimethyl-1, 10-Phenanthroline Ligands: A Structural, Electronic and Spectral Investigation. 7: 1361-1367. <http://dx.doi.org/10.1166/sam.2015.2052>.
- Wei, W; Haikui, Z; Guangwen, C; Yang, X; Han, P; Jianfeng, C. (2014). Effects of Assistant Solvents and Mixing Intensity on the Bromination Process of Butyl Rubber. *Chinese Journal of Chemical Engineering* 22: 398-404. [http://dx.doi.org/10.1016/S1004-9541\(14\)60052-5](http://dx.doi.org/10.1016/S1004-9541(14)60052-5).
- Wei, YL; Lee, JH. (1999). Manganese sulfate effect on PAH formation from polystyrene pyrolysis. *Sci Total Environ* 228: 59-66.
- Wei, Z; Li, J; Wang, C; Cao, J; Yao, Y; Lu, H; Li, Y; He, X. (2017). Thermally stable hydrophobicity in electrospun silica/polydimethylsiloxane hybrid fibers. *Appl Surf Sci* 392: 260-267. <http://dx.doi.org/10.1016/j.apsusc.2016.09.057>.
- Wei, Z; Wang, C; Liu, H; Zou, S; Tong, Z. (2012). Facile fabrication of biocompatible PLGA drug-carrying microspheres by O/W pickering emulsions. *Colloids Surf B Biointerfaces* 91: 97-105. <http://dx.doi.org/10.1016/j.colsurfb.2011.10.044>.
- Weidenauer, U; Bodmer, D; Kissel, T. (2003). Microencapsulation of hydrophilic drug substances using biodegradable polyesters. Part I: evaluation of different techniques for the encapsulation of pamidronate di-sodium salt. *J Microencapsul* 20: 509-524. <http://dx.doi.org/10.1080/0265204031000093050>.
- Wei-Li, D, ai; Bi, J, in; Sheng-Lian, L, uo; Xu-Biao, L, uo; Xin-Man, T, u; Chak-Tong, A, u. (2014). Functionalized phosphonium-based ionic liquids as efficient catalysts for the synthesis of cyclic carbonate from epoxides and carbon dioxide. *Appl Catal A-Gen* 470: 183-188. <http://dx.doi.org/10.1016/j.apcata.2013.10.060>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Weinhold, T, deS; Bresciani, LfV; Tridapalli, CW; Yunes, RA; Hense, H; Ferreira, SRS. (2008). Polygala cypris oleoresin: Comparing CO<sub>2</sub> and classical organic solvent extractions. *Chemical Engineering and Processing: Process Intensification* 47: 109-117. <http://dx.doi.org/10.1016/j.cep.2007.08.007>.
- Weinstein, RD; Richards, J; Thai, SD; Omiatek, DM; Bessel, CA; Faulkner, CJ; Othman, S; Jennings, GK. (2007). Characterization of self-assembled monolayers from lithium dialkylthiocarbamate salts. *Langmuir* 23: 2887-2891. <http://dx.doi.org/10.1021/la062905h>.
- Weisenhorn, AL; Henriksen, PN; Chu, HT; Ramsier, RD; Reneker, DH. (1991). ATOMICALLY RESOLVED IMAGES OF BISMUTH-FILMS ON MICA WITH AN ATOMIC FORCE MICROSCOPE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 1333-1335.
- Welten, KC; Nishizumi, K; Masarik, J; Caffee, MW; Jull, AJT; Klandrud, SE; Wieler, R. (2001). Cosmic-ray exposure history of two Frontier Mountain H-chondrite showers from spallation and neutron-capture products. *Meteoritics and Planetary Science* 36: 301-317.
- Wen, Q, i; Pan, X; Hu, Q, iX; Zhao, S, hijie; Hou, Z, hiF; Yu, QZ. (2013). Structure-property relationship of dodecylbenzenesulfonic acid doped polypyrrole. *Synthetic Metals* 164: 27-31. <http://dx.doi.org/10.1016/j.synthmet.2012.12.036>.
- Wen, YL; Yeh, MY; Lee, YS; Shih, YP. (1996). Kinetics of the synthesis of phenyl benzoate with pyridine N-oxides under the inverse phase-transfer catalysis. *Journal of the Chinese Institute of Chemical Engineers* 27: 427-436.
- Wenfang, L; Zhiping, Z; Lei, S; Mingzhen, W. (2010). Formation of Polyethersulfone Film with Regular Microporous Structure by Water Vapor Induced Phase Separation. *Chinese Journal of Chemical Engineering* 18: 529-532.
- Wenfeng, L; Guijin, L; Lixian, L; Juan, W; Yangxiao, L; Yanbin, J. (2012). Effect of Process Parameters on Co-precipitation of Paclitaxel and Poly(L-lactic Acid) by Supercritical Antisolvent Process. *Chinese Journal of Chemical Engineering* 20: 803-813.
- Wenhai, C; Tengfei, C; Erdeng, D; Deng, Y; Yingqing, G; Naiyun, G. (2016). Increased formation of halomethanes during chlorination of chloramphenicol in drinking water by UV irradiation, persulfate oxidation, and combined UV/persulfate pre-treatments. *Ecotoxicol Environ Saf* 124: 147-154. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.016>.
- Wentrup-Byrne, E; Suzuki, S; Suwanasilp, JJ; Grøndahl, L. (2010). Novel phosphate-grafted ePTFE copolymers for optimum in vitro mineralization. *Biomed Mater* 5: 045010. <http://dx.doi.org/10.1088/1748-6041/5/4/045010>.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci* 19: 792-799.
- West, R; Josowicz, M; Janata, J; Minet, I; Hevesi, L. (2009). Controlled Electropolymerization of 1-Pyrrolyl-10-decanephosphonic Acid: An Anion Barrier Layer. *J Electrochem Soc* 156: F55-F59. <http://dx.doi.org/10.1149/1.3068439>.
- West, SD. (1996). Determination of the naturally derived insect control agent spinosad in cottonseed and processed commodities by high-performance liquid chromatography with ultraviolet detection. *J Agric Food Chem* 44: 3170-3177.
- Westin, JB. (1990). Ingestion of carcinogenic N-nitrosamines by infants and children. *Arch Environ Health* 45: 359-363.
- Wetzel, A; Werner, D. (1995). Ecotoxicological evaluation of contaminated soil using the legume root nodule symbiosis as effect parameter. *Environ Toxicol Water Qual* 10: 127-133.
- Whitaker, DA; Fortmann, RC; Lindstrom, AB. (1995). Development and Testing of a Whole-Air Sampler for Measurement of Personal Exposure to Volatile Organic Compounds. *J Expo Anal Environ Epidemiol* 5: 89-100.
- Whitaker, G; Kincaid, BJ; Van Hoof, N; Regan, F; Smyth, MR; Leonard, RG. (2007). An investigation into the sample preparation procedure and analysis of cyanoacrylate adhesives using capillary electrophoresis. *International Journal of Adhesion and Adhesives* 27: 604-609. <http://dx.doi.org/10.1016/j.ijadhadh.2006.11.001>.
- White, CM; Rohar, PC; Shaw, LJ; Collins, LW. (1996). Formation of dimethyl polysulfides via reaction of methanol and elemental sulfur. *Energy Fuels* 10: 1187-1188.
- White, PA; Rasmussen, JB; Blaise, C. (1995). Genotoxicity of snow in the Montreal metropolitan area. *Water Air Soil Pollut* 83: 315-334.
- White, PA; Rasmussen, JB; Blaise, C. (1996). Comparing the presence, potency, and potential hazard of genotoxins extracted from a broad range of industrial effluents. *Environ Mol Mutagen* 27: 116-139. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:2<116::AID-EM7>3.0.CO;2-E](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:2<116::AID-EM7>3.0.CO;2-E).
- White, PA; Rasmussen, JB; Blaise, C. (1996). Sorption of organic genotoxins to particulate matter in industrial effluents. *Environ Mol Mutagen* 27: 140-151.
- Whittle, CL; Bowyer, RT; Clausen, TP; Duffy, LK. (2000). Putative pheromones in urine of rutting male moose (*Alces alces*): Evolution of honest advertisement? *J Chem Ecol* 26: 2747-2762.
- Wibawa, G; Khoiroh, I; Afrizal, D; Suki, G. (2010). Solubilities of Dichloromethane, Diethyl Ether, Ethyl Acetate, and Nitrobenzene in Three Polymers Using the Piezoelectric Quartz Sorption Method. *Journal of Chemical and Engineering Data* 55: 5581-5586. <http://dx.doi.org/10.1021/je100389d>.
- Wibulswas, R. (2004). Batch and fixed bed sorption of methylene blue on precursor and QACs modified montmorillonite. *Separation and Purification Technology* 39: 3-12. <http://dx.doi.org/10.1016/j.seppur.2003.12.018>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech* 71: 568-579.
- Wiester, MJ; Winsett, DW; Richards, JH; Doerfler, DL; DL, C. (2002). Partitioning of benzene in blood: Influence of hemoglobin type in humans and animals. *Environ Health Perspect* 110: 255-261.
- Wilcosky, TC; Simonsen, NR. (1991). Solvent exposure and cardiovascular disease [Review]. *Am J Ind Med* 19: 569-586.
- Wills, CE; Holmes-Rovner, M; Rovner, D; Lillie, J; Kelly-Blake, K; Bonham, V; Williams, G. (2006). Treatment preference patterns during a videotape decision aid for benign prostatic hyperplasia (BPH). *Patient Educ Couns* 61: 16-22. <http://dx.doi.org/10.1016/j.pec.2005.01.013>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wilson, EA; Adler, D; Bar-Yoseph, P. (2000). Thrust-vectoring a single impinging jet in a crossflow. *International Journal of Turbo and Jet Engines* 17: 219-226.
- Wilson, FD; Smith, CR. (1992). PINK-BOLLWORM (LEPIDOPTERA, GELECHIIDAE) PENETRATION INTO AND SURVIVAL IN BOLLS OF RESISTANT AND SUSCEPTIBLE COTTON LINES. *J Agr Entomol* 9: 165-173.
- Wilson, JH; Bradbury, R, oy; Annable, T, om; Yeates, SG. (2012). Inkjet printable aqueous composite dye-polymer nanoparticles. *Dyes and Pigments* 95: 201-205. <http://dx.doi.org/10.1016/j.dyepig.2012.04.005>.
- Wilsonyang, KM; Power, JP; Chisholm, EA; Hallett, DJ. (1991). THE CONGENER SPECIFIC DETERMINATION OF PCBS - CARBON COLUMN CHROMATOGRAPHY OF POTENTIALLY TOXIC CONGENERs. *Chemosphere* 23: 1139-1143.
- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig)* 48: 249-257.
- Wirawan, R; Sapuan, SM; Yunus, R; Abdan, K. (2011). Properties of sugarcane bagasse/poly(vinyl chloride) composites after various treatments. *Journal of Composite Materials* 45: 1667-1674. <http://dx.doi.org/10.1177/0021998310385030>.
- Wisniewska, E. (2008). Effect of chemical stabilisation of sewage sludge on the fate of PAHs. *Arch Environ Prot* 34: 249-257.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol* 3: 313-332.
- Witter, AE; Jones, AD. (1999). Chemical characterization of organic constituents from sulfide-rich produced water using gas chromatography/mass spectrometry. *Environ Toxicol Chem* 18: 1920-1926.
- Włodarczyk-Makula, M. (2010). Comparison of Biotic and Abiotic Changes of PAHs in Soil Fertilized with Sewage Sludge. *Rocznik Ochrona Srodowiska* 12: 559-573.
- Włodarczyk-Makula, M. (2011). Changes of PAHs Content in Wastewater During Oxidation Process. *Rocznik Ochrona Srodowiska* 13: 1093-1104.
- Włodarczyk-Makula, M; Wisniewska, E, wa; Turek, A; Obstoj, A. (2016). Removal of PAHs from coking wastewater during photodegradation process. *Desalination and Water Treatment* 57: 1262-1272. <http://dx.doi.org/10.1080/19443994.2014.996012>.
- Wolosiak, A; Lewandowski, G. (2010). Epoxidation of 1,5,9-cyclododecatiene with H<sub>2</sub>O<sub>2</sub> in the presence of tungstophosphoric acid (H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub>). *Polish Journal of Chemical Technology* 12: 40-44. <http://dx.doi.org/10.2478/v10026-010-0032-z>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem* 13: 400-405.
- Wong, F; Bidleman, TF. (2010). Hydroxypropyl-beta-cyclodextrin as non-exhaustive extractant for organochlorine pesticides and polychlorinated biphenyls in muck soil. *Environ Pollut* 158: 1303-1310. <http://dx.doi.org/10.1016/j.envpol.2010.01.016>.
- Wong, F; Kurt-Karakus, P; Bidleman, TF. (2012). Fate of brominated flame retardants and organochlorine pesticides in urban soil: volatility and degradation. *Environ Sci Technol* 46: 2668-2674. <http://dx.doi.org/10.1021/es203287x>.
- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2011). Sorption of Benzene, Dichloromethane, n-Propyl Acetate, and 2-Butanone by Poly(methyl methacrylate), Poly(ethyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 56: 4772-4777. <http://dx.doi.org/10.1021/je200741j>.
- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2016). Sorption of Benzene, Dichloromethane, and 2-Butanone by Poly(methyl methacrylate), Poly(butyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 61: 3877-3882. <http://dx.doi.org/10.1021/acs.jced.6b00612>.
- Wong, HM; Yeung, KW; Lam, KO; Tam, V; Chu, PK; Luk, KD; Cheung, KM. (2010). A biodegradable polymer-based coating to control the performance of magnesium alloy orthopaedic implants. *Biomaterials* 31: 2084-2096. <http://dx.doi.org/10.1016/j.biomaterials.2009.11.111>.
- Wood, WF. (2005). A comparison of mandibular gland volatiles from ants of the bull horn acacia, *Acacia collinsii*. *Biochemical Systematics and Ecology* 33: 651-658. <http://dx.doi.org/10.1016/j.bse.2004.12.009>.
- Wood, WF; Palmer, TM; Stanton, ML. (2002). A comparison of volatiles in mandibular glands from three *Crematogaster* ant symbionts of the whistling thorn acacia. *Biochemical Systematics and Ecology* 30: 217-222.
- Wood, WF; Terwilliger, MN; Copeland, JP. (2005). Volatile compounds from anal glands of the wolverine, *Gulo gulo*. *J Chem Ecol* 31: 2111-2117. <http://dx.doi.org/10.1007/s10886-005-6080-9>.
- Wood, WF; Weldon, PJ. (2002). The scent of the reticulated giraffe (*Giraffa camelopardalis reticulata*). *Biochemical Systematics and Ecology* 30: 913-917.
- Woodruff, TJ; Bois, FY; Auslander, D; Spear, RC. (1992). Structure and parameterization of pharmacokinetic models: their impact on model predictions. *Risk Anal* 12: 189-201.
- Woolcott, CG; Dishman, RK; Motl, RW; Matthai, CH; Nigg, CR. (2013). Physical activity and fruit and vegetable intake: correlations between and within adults in a longitudinal multiethnic cohort. 28: 71-79. <http://dx.doi.org/10.4278/ajhp.100917-QUAN-312>.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol* 31: 2292-2297.
- Wormer, L; Carrasco, D; Cires, S; Quesada, A. (2009). Advances in solid phase extraction of the cyanobacterial toxin cylindrospermopsin. *Limnology and Oceanography: Methods* 7: 568-575.
- Wornat, MJ; Ledesma, EB; Sandrowitz, AK; Roth, MJ; Dawsey, SM; Qiao, YL; Chen, W. (2001). Polycyclic aromatic hydrocarbons identified in soot extracts from domestic coal burning stoves of Henan Province, China. *Environ Sci Technol* 35: 1943-1952.
- Wrammerfors, A; Andersson, B. (1994). CHARACTERIZATION OF THE CARBONACEOUS RESIDUES ON A USED NI/SIO<sub>2</sub> HYDROGENATION CATALYST BY TEMPERATURE-PROGRAMMED DESORPTION METHODS. *J Catal* 147: 82-87.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wright, A; Papendorf, O; König, G; A, O. (2006). Effects of cyanobacterium *Fischerella ambigua* isolates and cell free culture media on zebrafish (*Danio rerio*) embryo development. *Chemosphere* 65: 604-608. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.004>.
- Wroblewska, EK; Gasiorowska, M; Soroka, JA. (2010). 5-(3-Bromo-4-hydroxy-5-methoxyphenyl)-7,7-dimethyl-7H-indolo[1,2-a]quinolinium Perchlorate as a New Indicator for Anionic Surface Active Agents Determination. *Tenside Surfactants Detergents* 47: 119-122.
- Wu, CH. (2004). Comparison of azo dye degradation efficiency using UV/single semiconductor and UV/coupled semiconductor systems. *Chemosphere* 57: 601-608. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.008>.
- Wu, DQ; Chu, CC; Chen, FA. (2008). Cationic poly(VCL-AETA) hydrogels and ovalbumin (OVA) release in vitro. *J Mater Sci Mater Med* 19: 3593-3601. <http://dx.doi.org/10.1007/s10856-008-3523-1>.
- Wu, H. (2001). Catalytic Activity of Quaternary Ammonium Poly(methylstyrene-co-styrene) Resin in an Organic Solvent/Alkaline Solution. *J Catal* 199: 217-223. <http://dx.doi.org/10.1006/jcat.2001.3162>.
- Wu, HF; Wang, Y; Lu, YH; Feng, YP; He, PM. (2013). Substitutional adsorption mechanism and controllable magnetic properties of Mn on PbTe(111) surface. *Appl Surf Sci* 265: 120-123. <http://dx.doi.org/10.1016/j.apsusc.2012.10.147>.
- Wu, HS; Fang, TR; Meng, SS; Hu, KH. (1998). Equilibrium and extraction of quaternary salts in an organic solvent/water system. *Journal of the Chinese Institute of Chemical Engineers* 29: 99-108.
- Wu, HS; Jou, SH. (1995). KINETICS OF FORMATION OF DIPHENOXYMETHANE FROM PHENOL AND DICHLOROMETHANE USING PHASE-TRANSFER CATALYSIS. *J Chem Tech Biotechnol* 64: 325-330.
- Wu, HS; Ke, DY. (1996). Kinetics and characterization of copolymerization of (2-allylphenoxy)pentachlorocyclophosphazene with styrene, methyl methacrylate, and vinylbenzyl chloride. *Ind Eng Chem Res* 35: 4291-4295.
- Wu, HS; Lai, JJ. (1995). PHENOXIDE ALLYLATION IN A PHASE-TRANSFER CATALYTIC EXTRACTION SYSTEM. *Ind Eng Chem Res* 34: 1536-1538.
- Wu, HS; Liu, CB. (1998). Kinetics and extraction of phenol in phase-transfer catalyzed reaction. *Can J Chem Eng* 76: 771-777.
- Wu, J; Chen, T; Luo, X; Han, D; Wang, Z; Wu, J. (2014). TG/FTIR analysis on co-pyrolysis behavior of PE, PVC and PS. *Waste Manag* 34: 676-682. <http://dx.doi.org/10.1016/j.wasman.2013.12.005>.
- Wu, JC; Su, SG; Shyu, SS; Chen, H. (1994). Effect of the solvent-non-solvent pairs on the surface morphology and release behaviour of ethylcellulose microcapsules prepared by non-solvent-addition phase separation method. *J Microencapsul* 11: 297-308.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST* 20: 169-177.
- Wu, JF; Stromqvist, ME; Claesson, O; Fangmark, IE; Hammarstrom, LG. (2002). A systematic approach for modelling the affinity coefficient in the Dubinin-Radushkevich equation. *Carbon* 40: 2587-2596.
- Wu, JH; Wang, JK; Mang, MJ. (2005). Solubility of cefazolin sodium pentahydrate in different solvents between 275 K and 310 K. *Journal of Chemical and Engineering Data* 50: 2026-2027. <http://dx.doi.org/10.1021/jc050242k>.
- Wu, L; Sun, J. (2015). An improved process for polyvinylidene fluoride membrane preparation by using a water soluble diluent via thermally induced phase separation technique. *Materials & Design* 86: 204-214. <http://dx.doi.org/10.1016/j.matdes.2015.07.053>.
- Wu, Q; Chen, X; Xu, Y; Han, L. (2010). Dissipation and residues of nicosulfuron in corn and soil under field conditions. *Bull Environ Contam Toxicol* 85: 79-82. <http://dx.doi.org/10.1007/s00128-010-0041-x>.
- Wu, S; Zhang, H; Yu, X; Qiu, L. (2014). Toxicological Responses of *Chlorella vulgaris* to Dichloromethane and Dichloroethane. *Environ Eng Sci* 31: 9-17. <http://dx.doi.org/10.1089/ees.2013.0038>.
- Wu, W, eiB; Gu, J, un; Jing, Y, i; Zhou, XF, an; Dai, HQ, i. (2012). PREPARATION AND RETENTION PERFORMANCE OF CROSSLINKED AND HYDROPHOBICALLY ASSOCIATING CATIONIC POLYACRYLAMIDE. *BioResources* 7: 4926-4937.
- Wu, XH; Jiang, XZ; Zhang, LQ. (2002). Catalytic decomposition of methylene chloride by sulfated titania catalysts. *Journal of Wuhan University of Technology--Materials Science Edition* 17: 39-42.
- Wu, Y; Liu, X; Huang, X; Xing, S; Ma, Z; Feng, L, i. (2015). Interface synthesis of MnO<sub>2</sub> materials with various structures and morphologies and their application in catalytic oxidation of o-xylene. *Mater Lett* 139: 157-160. <http://dx.doi.org/10.1016/j.matlet.2014.10.059>.
- Wu, YH; Kerr, PG; Li, YD; Yang, LZ. (2008). Isolation and identification of compounds from biofilms in eutrophic water and their allelopathic effects on cyanobacterial growth. *Allelopathy Journal* 22: 417-427.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame* 122: 312-326.
- Wyrwa, D; Beyer, N; Schmid, G. (2002). One-dimensional arrangements of metal nanoclusters. *Nano Lett* 2: 419-421. <http://dx.doi.org/10.1021/nl0157086>.
- Wysocka, M; Winkler, K; Stork, JR; Balch, AL. (2004). Electrochemical oxidation of (Ph<sub>4</sub>As)[IrCl<sub>2</sub>(CO)<sub>2</sub>] in the presence of tetra(alkyl) ammonium salts. Electrocrystallization of different forms of iridium-based linear chain complexes. *Chem Mater* 16: 771-780. <http://dx.doi.org/10.1021/cm035029r>.
- Xeidakis, GS. (1996). Stabilization of swelling clays by Mg(OH)<sub>2</sub>. Factors affecting hydroxy-Mg-interlayering in swelling clays. *Eng Geol* 44: 93-106.
- Xia, A, o; Tan, G; Ren, H. (2016). Effect of Fe substitution on microstructure and properties of bismuth titanate thin films. *Ceramics International* 42: 1267-1271. <http://dx.doi.org/10.1016/j.ceramint.2015.09.061>.
- Xia, N; Yang, J; Wu, Z. (2015). Fast, high-yield synthesis of amphiphilic Ag nanoclusters and the sensing of Hg(2+) in environmental samples. *Nanoscale* 7: 10013-10020. <http://dx.doi.org/10.1039/c5nr00705d>.
- Xia, Q; Li, Z; Xiao, L; Zhang, Z; Xi, H. (2010). Effects of loading different metal ions on an activated carbon on the desorption activation energy of dichloromethane/trichloromethane. *J Hazard Mater* 179: 790-794. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.073>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Xia, QY; Ying, SJ; Luo, YX. (2014). Solvent cast blends of PMMA microspheres in bisphenol-A-polycarbonate. *Plastics, Rubber and Composites* 43: 284-289. <http://dx.doi.org/10.1179/1743289814Y.0000000102>.
- Xia, X, in; Li, S; Wang, X, in; Liu, J; Wei, Q; Zhang, X. (2013). Structures and properties of SnO<sub>2</sub> nanofibers derived from two different polymer intermediates. *Journal of Materials Science* 48: 3378-3385. <http://dx.doi.org/10.1007/s10853-012-7122-7>.
- Xiao, B; Sun, XF; Sun, RC. (2001). Extraction and characterization of lipophilic extractives from rice straw. I. Chemical composition. *Journal of Wood Chemistry and Technology* 21: 397-411.
- Xiao, D; Zhang, D; Chen, B; Xie, D; Xiang, Y; Li, X; Jin, W. (2015). Size-selective recognition by a tubular assembly of phenylene-pyrimidinylene alternated macrocycle through hydrogen-bonding interactions. *Langmuir* 31: 10649-10655. <http://dx.doi.org/10.1021/acs.langmuir.5b02273>.
- Xiao, J; Shi, C; Zheng, H; Shi, Z; Jiang, D; Li, Y; Huang, Q. (2016). Kafirin Protein Based Electrospun Fibers with Tunable Mechanical Property, Wettability, and Release Profile. *J Agric Food Chem* 64: 3226-3233. <http://dx.doi.org/10.1021/acs.jafc.6b00388>.
- Xiao, J; Song, C; Dong, W, ei; Li, C; Yin, Y; Zhang, X; Song, M. (2015). Synthesis, Characterization, and Gas Sensing Applications of WO<sub>3</sub> Nanobricks. *Journal of Materials Engineering and Performance* 24: 3026-3031. <http://dx.doi.org/10.1007/s11665-015-1565-3>.
- Xiao, J; Song, C; Song, M; Dong, W; Li, C; Yin, Y. (2016). Preparation and Gas Sensing Properties of Hollow ZnS Microspheres. *J Nanosci Nanotechnol* 16: 3026-3029. <http://dx.doi.org/10.1166/jnn.2016.10765>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng* 125: 647-652.
- Xiao, W; Hu, D; Peng, C; Chen, GZ. (2011). Interfacial synthesis: amphiphilic monomers assisted ultrarefining of mesoporous manganese oxide nanoparticles and the electrochemical implications. *ACS Applied Materials & Interfaces* 3: 3120-3129. <http://dx.doi.org/10.1021/am200625p>.
- Xiao, Y, an; Lang, S; Wang, Y, an; Lang, M. (2014). Effect of Surface Grafted Hydroxyapatite on the Improved Performance of Hydroxyapatite/Poly(epsilon-caprolactone) Scaffold. *Current Nanoscience* 10: 855-862.
- Xiao, Y; Lu, X; Zhang, X; He, C. (2010). Synthesis and optical characteristics of organic light-emitting dot based on well-defined octa-functionalized silsesquioxane. *J Nanopart Res* 12: 2787-2798. <http://dx.doi.org/10.1007/s11051-010-9857-x>.
- Xiao, Y; Zhou, S; Su, Y; Wang, H, an; Ye, L, ei; Tsang, S, aiW; Xie, F; Xu, J. (2014). Enhanced efficiency of organic solar cells by mixed orthogonal solvents. *Organic Electronics* 15: 2007-2013. <http://dx.doi.org/10.1016/j.orgel.2014.05.011>.
- Xiaohua, S; Cairong, Z; Yuguo, G; Xinzhi, C. (2006). Measurement and correlation for solubility of (S)-(+)-2,2-dimethylcyclopropane carbox amide in different solvents. *Chinese Journal of Chemical Engineering* 14: 547-550.
- Xiaomin, L; Feifei, Y; Jianyan, F; Hwei, M. (2013). Determination of Free Fatty Acids in Leather. *Journal of the Society of Leather Technologists and Chemists* 97: 251-255.
- Xie, L; Shao, Z; Wang, W; Wang, F. (2012). Superhydrophobicity of CMCAB Fibrous Mats Produced by Electrospinning. *Integrated Ferroelectrics* 135: 55-61. <http://dx.doi.org/10.1080/10584587.2012.685384>.
- Xie, Q; Chen, J; Shao, J; Chen, C; Zhao, H; Hao, C. (2009). Important role of reaction field in photodegradation of deca-bromodiphenyl ether: theoretical and experimental investigations of solvent effects. *Chemosphere* 76: 1486-1490. <http://dx.doi.org/10.1016/j.chemosphere.2009.06.054>.
- Xie, Y; Li, S; Liu, G; Wang, J, un; Wu, K, e. (2012). Equilibrium, kinetic and thermodynamic studies on perchlorate adsorption by cross-linked quaternary chitosan. *Chem Eng J* 192: 269-275. <http://dx.doi.org/10.1016/j.cej.2012.04.014>.
- Xie, YJ; He, ZF; Zhang, E; Li, HJ. (2016). TECHNICAL NOTE: CHARACTERIZATION OF KEY VOLATILE ODORANTS IN RABBIT MEAT USING GAS CHROMATOGRAPHY MASS SPECTROMETRY WITH SIMULTANEOUS DISTILLATION EXTRACTION. *World Rabbit Science* 24: 313-320. <http://dx.doi.org/10.4995/wrs.2016.4464>.
- Xing, L; Fu, TM; Cao, JJ; Lee, SC; Wang, GH; Ho, KF; Cheng, MC; You, CF; Wang, TJ. (2013). Seasonal and spatial variability of the OM/OC mass ratios and high regional correlation between oxalic acid and zinc in Chinese urban organic aerosols. *Atmos Chem Phys* 13: 4307-4318. <http://dx.doi.org/10.5194/acp-13-4307-2013>.
- Xing, M; Zhang, J; Chen, F. (2009). Photocatalytic Performance of N-Doped TiO<sub>2</sub> Adsorbed with Fe<sup>3+</sup> Ions under Visible Light by a Redox Treatment. *J Phys Chem C* 113: 12848-12853. <http://dx.doi.org/10.1021/jp9034166>.
- Xing, T; Kai, H, u; Chen, G. (2012). Study of adsorption and desorption performance of acid dyes on anion exchange membrane. *Color Technol* 128: 295-299. <http://dx.doi.org/10.1111/j.1478-4408.2012.00378.x>.
- Xing, Y; Li-hui, Z; Cui-ping, S; Yan, S; Jin-lin, Z; Jian-min, H; Jin-gao, D. (2014). The Extraction, Isolation and Identification of Exudates from the Roots of *Flaveria bidentis*. 13: 105-114. [http://dx.doi.org/10.1016/S2095-3119\(13\)60495-5](http://dx.doi.org/10.1016/S2095-3119(13)60495-5).
- Xinyu, W; Zhi, W; Jun, X; Jixiao, W; Shichang, W. (2013). Surface Modification of Commercial Aromatic Polyamide Reverse Osmosis Membranes by Crosslinking Treatments. *Chinese Journal of Chemical Engineering* 21: 473-484. [http://dx.doi.org/10.1016/S1004-9541\(13\)60507-8](http://dx.doi.org/10.1016/S1004-9541(13)60507-8).
- Xiong, J; Jiao, C; Li, C; Zhang, D; Lin, H; Chen, Y. (2014). A versatile amphiprotic cotton fiber for the removal of dyes and metal ions. *Cellulose* 21: 3073-3087. <http://dx.doi.org/10.1007/s10570-014-0318-z>.
- Xiong, J; Tao, J, in; Guo, K, un; Jiao, C; Zhang, D; Lin, H; Chen, Y. (2015). A rational modification route to an amphiprotic cotton fiber as adsorbent for dyes. *Fibers and Polymers* 16: 1512-1518. <http://dx.doi.org/10.1007/s12221-015-4738-7>.
- Xiong, QH; Wang, JG; Reese, O; Voon, LCL, Y; Eklund, PC. (2004). Raman scattering from surface phonons in rectangular cross-sectional w-ZnS nanowires. *Nano Lett* 4: 1991-1996. <http://dx.doi.org/10.1021/nl048720h>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Xiu-mei, Z; Rong-jia, L; Chuang, Z; Jie, Z; Cheng-hua, H; Ya-ting, Z; Wen-da, W; Hai-bin, Z. (2016). Separation and purification of deoxynivalenol (DON) mycotoxin from wheat culture using a simple two-step silica gel column chromatography. 15: 694-701. [http://dx.doi.org/10.1016/S2095-3119\(15\)61098-X](http://dx.doi.org/10.1016/S2095-3119(15)61098-X).
- Xu, B, in; Li, Q; Zhuang, L; Wang, Q; Li, C; Wang, G; Xie, F; Halley, PJ. (2016). Dissolution and Regeneration Behavior of Chitosan in 3-methyl-1-(ethylacetyl)imidazolium Chloride. *Fibers and Polymers* 17: 1741-1748. <http://dx.doi.org/10.1007/s12221-016-6747-6>.
- Xu, C; Wu, T; Mei, Y; Drain, CM; Batteas, JD; Beers, KL. (2005). Synthesis and characterization of tapered copolymer brushes via surface-initiated atom transfer radical copolymerization. *Langmuir* 21: 11136-11140. <http://dx.doi.org/10.1021/la051853d>.
- Xu, F; Cui, FZ; Jiao, YP; Meng, QY; Wang, XP; Cui, XY. (2009). Improvement of cytocompatibility of electrospinning PLLA microfibers by blending PVP. *J Mater Sci Mater Med* 20: 1331-1338. <http://dx.doi.org/10.1007/s10856-008-3686-9>.
- Xu, F, ei; Kim, J, iH; Kim, H, eeUn; Mi, D; Cho, YJ, oo; Lee, J, unY; Yoon, U, ngC; Hwang, D, oH. (2013). Phosphorescent organic light-emitting diodes fabricated using iridium complexes with carbazole-based benzothiazole ligands. *Synthetic Metals* 178: 10-17. <http://dx.doi.org/10.1016/j.synthmet.2013.06.023>.
- Xu, FN; Innocent, C; Pourcelly, G. (2005). Electrodialysis with ion exchange membranes in organic media. *Separation and Purification Technology* 43: 17-24. <http://dx.doi.org/10.1016/j.seppur.2004.09.009>.
- Xu, G; Gao, Y; Shiue, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO<sub>2</sub> Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters* 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, G; Wei, D; Wang, J; Jiang, B, o; Wang, M; Xue, X; Zhou, S; Wu, B; Jiang, M. (2014). Crystal structure, optical properties and biological imaging of two curcumin derivatives. *Dyes and Pigments* 101: 312-317. <http://dx.doi.org/10.1016/j.dyepig.2013.09.034>.
- Xu, J, unRui; Cui, J, unJia; Lin, Q; Li, Y; Li, CF. (2015). Magnetic pulse forming of AZ31 magnesium alloy shell by uniform pressure coil at room temperature. *International Journal of Advanced Manufacturing Technology* 77: 289-304. <http://dx.doi.org/10.1007/s00170-014-6417-z>.
- Xu, J; Garton, A. (1994). THE CHEMICAL-COMPOSITION OF WATER TREES IN EPR CABLE INSULATION. *I E E E Transactions on Dielectrics and Electrical Insulation* 1: 18-24.
- Xu, J, aHui; Zhou, Y, u; Wen, JJ, ia; Wu, ZY; Zhou, CF; Zhu, JH, ua. (2008). Microwave-induced degradation of nitrosamines trapped in zeolites. *Asia-Pacific Journal of Chemical Engineering* 3: 481-488. <http://dx.doi.org/10.1002/apj.176>.
- Xu, L, i; Miao, X; Zha, B, ao; Deng, W. (2012). Self-Assembly Polymorphism: Solvent-Responsive Two-Dimensional Morphologies of 2,7-Ditridecyloxy-9-fluorenone by Scanning Tunneling Microscopy. *J Phys Chem C* 116: 16014-16022. <http://dx.doi.org/10.1021/jp302422a>.
- Xu, L, i; Miao, X; Zha, B, ao; Miao, K, ai; Deng, W. (2013). Dipole-Controlled Self-Assembly of 2,7-Bis(n-alkoxy)-9-fluorenone: Odd-Even and Chain-Length Effects. *J Phys Chem C* 117: 12707-12714. <http://dx.doi.org/10.1021/jp403881t>.
- Xu, ML; Wang, L; Xu, GF; Hu, JH; Wang, MH. (2010). Antioxidant and Anti-proliferative Activities of Different Solvent Fractions from Methanol Extracts of Sparganium stoloniferum. *Horticulture, Environment and Biotechnology* 51: 539-544.
- Xu, T; Jacobsen, CM; Cho, IK; Hara, AH; Li, QX. (2006). Application of an enzyme-linked immunosorbent assay for the analysis of imidacloprid in wiliwili tree, *Erythrina sandwicensis* O. Deg, for control of the wasp *Quadrastichus erythrinae*. *J Agric Food Chem* 54: 8444-8449. <http://dx.doi.org/10.1021/jf062004e>.
- Xu, T; Lv, Y; Cheng, T; Li, X. (2014). Using comprehensive GC × GC to study PAHs and n-alkanes associated with PM<sub>2.5</sub> in urban atmosphere. *Environ Sci Pollut Res Int* 22: 5253-5262. <http://dx.doi.org/10.1007/s11356-014-3695-9>.
- Xu, W; Xu, J; Li, X; Tian, Y; Choi, CH; Yang, EH. (2016). Lateral actuation of an organic droplet on conjugated polymer electrodes via imbalanced interfacial tensions. *Soft Matter* 12: 6902-6909. <http://dx.doi.org/10.1039/c6sm01223j>.
- Xu, W; Zhang, DQ; Li, HX; Zhu, DB. (1999). New electron donors: BEDT-TTF derivatives bearing a pyridine group; synthesis, crystal structure, electrochemical studies and the formation of charge transfer complexes. *J Mater Chem* 9: 1245-1249.
- Xu, X; Zhou, Z; Hei, Y; Zhang, B; Bao, J; Chen, X. (2014). Improving compression-after-impact performance of carbon-fiber composites by CNTs/thermoplastic hybrid film interlayer. *Compos Sci Tech* 95: 75-81. <http://dx.doi.org/10.1016/j.compscitech.2014.01.023>.
- Xu, Y; Chen, X; Zhao, F; Fan, X; Chen, P, ei; An, Z. (2013). Synthesis and properties of substituted benzoxazole-terminated liquid crystals. *Liquid Crystals* 40: 197-215. <http://dx.doi.org/10.1080/02678292.2012.735709>.
- Xu, Y; Han, Y. (2014). Effects of natural oxidation on the photoluminescence properties of Si nanocrystals prepared by pulsed laser ablation. *Applied Physics A: Materials Science and Processing* 117: 1557-1562. <http://dx.doi.org/10.1007/s00339-014-8593-y>.
- Xu, Y; Hu, K, un; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and properties of mesogenic laterally fluorinated compounds containing benzoxazole unit. *Liquid Crystals* 41: 1042-1056. <http://dx.doi.org/10.1080/02678292.2014.898344>.
- Xu, Y; Skotak, M; Hanna, M. (2006). Electro spray encapsulation of water-soluble protein with polylactide. I. Effects of formulations and process on morphology and particle size. *J Microencapsul* 23: 69-78. <http://dx.doi.org/10.1080/02652040500435048>.
- Xu, Y; Zou, L; Lu, H; Wei, Y; Hua, J; Chen, S. (2016). Preparation and characterization of electrospun PHBV/PEO mats: The role of solvent and PEO component. *Journal of Materials Science* 51: 5695-5711. <http://dx.doi.org/10.1007/s10853-016-9872-0>.
- Xu, YM; Hepler, LG. (1990). HENRY LAW CONSTANTS AND THERMODYNAMIC PROPERTIES OF GASES AND VAPORS IN BITUMENS. *Can J Chem Eng* 68: 1024-1032.
- Xu, YX; Shang, TG; Chen, CX; Li, JD. (2006). Dynamic sorption and anomalous diffusion of small molecules in dense polyimide membranes. *Journal of Chemical and Engineering Data* 51: 2016-2021. <http://dx.doi.org/10.1021/je060027j>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Xu, Z; Li, Y; Zhang, B; Purkait, T; Alb, A; Mitchell, BS; Grayson, SM; Fink, MJ. (2015). Water-soluble PEGylated silicon nanoparticles and their assembly into swellable nanoparticle aggregates. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-015-2869-9>.
- Xue, C; Chen, Z; Wen, Y; Luo, FT; Chen, J; Liu, H. (2005). Synthesis of ferrocene-grafted poly(p-phenylene-ethynyls) and control of electrochemical behaviors of their thin films. *Langmuir* 21: 7860-7865. <http://dx.doi.org/10.1021/la050674t>.
- Xue, P; Lu, R; Zhao, L; Xu, D; Zhang, X; Li, K; Song, Z; Yang, X; Takafuji, M; Ihara, H. (2010). Hybrid self-assembly of a pi gelator and fullerene derivative with photoinduced electron transfer for photocurrent generation. *Langmuir* 26: 6669-6675. <http://dx.doi.org/10.1021/la903990m>.
- Xue, QB; Kimura, T; Fukuda, T; Shimada, S; Matsuda, H. (2004). Synthesis and lyotropic liquid crystal properties of chiral helical polycarbodiimides. *Liquid Crystals* 31: 137-143. <http://dx.doi.org/10.1080/02678290410001637185>.
- Yaacob, NS; Hamzah, N; Nik Mohamed Kamal, NN; Zainal Abidin, SA; Lai, CS; Navaratnam, V; Norazmi, MN. (2010). Anticancer activity of a sub-fraction of dichloromethane extract of *Strobilanthes crispus* on human breast and prostate cancer cells in vitro. *BMC Complement Altern Med* 10: 42. <http://dx.doi.org/10.1186/1472-6882-10-42>.
- Yafang, L; Ting, J; Xiaozhou, S. (2012). CHEMICAL COMPOSITION OF CORK FROM QUERCUS VARIABLIS. *Wood and Fiber Science* 44: 214-219.
- Yaftian, MR; Eshraghi, ME; Hassanzadeh, L. (2003). Extractive properties of tri-n-octylphosphine oxide towards thorium (IV) and europium (III) ions in aqueous nitrate media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 22: 71-76.
- Yaftian, MR; Hassanzadeh, L; Eshraghi, ME; Matt, D. (2003). Solvent extraction of thorium (IV) and europium (III) ions by diphenyl-N,N-dimethylcarbamoylmethylphosphine oxide from aqueous nitrate media. *Separation and Purification Technology* 31: 261-268.
- Yaftian, MR; Zamani, AA; Parinejad, M. (2005). Facilitated transport of cadmium ions from hydrochloric acid solutions through a liquid membrane containing dicyclohexyl-18-crown-6 as extractant-carrier. *Separation Science and Technology* 40: 2709-2719. <http://dx.doi.org/10.1080/01496390500285329>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology* 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.
- Yahiaoui, A; Belbachir, M; Soutif, JC; Fontaine, L. (2005). Synthesis and structural analyses of poly(1,2-cyclohexene oxide) over solid acid catalyst. *Mater Lett* 59: 759-767. <http://dx.doi.org/10.1016/j.matlet.2004.11.017>.
- Yakuphanoglu, F; Arslan, M. (2004). The fundamental absorption edge and optical constants of some charge transfer compounds. *Optical Materials* 27: 29-37. <http://dx.doi.org/10.1016/j.optmat.2004.01.017>.
- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci* 194: 217-228.
- Yamamoto, K; Izumi, T; Arai, Y. (1989). MUTUAL DIFFUSION-COEFFICIENT OF THE POLYCARBONATE-METHYLENE CHLORIDE SYSTEM AT 140-DEGREES-C. *Kagaku Kogaku Ronbunshu* 15: 1038-1041.
- Yamamoto, K; Tsuchida, E; Nishide, H; Yoshida, S; Park, YS. (1992). ANODIC-OXIDATION OF DIPHENYL DISULFIDES FOR PREPARATION OF OLIGO(P-PHENYLENE SULFIDE)S IN ACIDIC MEDIA. *J Electrochem Soc* 139: 2401-2406.
- Yamamoto, T; Ramanathan, K; Lawless, PA; Ensor, DS; Newsome, J. R.; Plaks, N; Ramsey, GH. (1992). CONTROL OF VOLATILE ORGANIC-COMPOUNDS BY AN AC ENERGIZED FERROELECTRIC PELLET REACTOR AND A PULSED CORONA REACTOR. *I E E Transactions on Industry Applications* 28: 528-534.
- Yamamoto, T; Yasuhara, A. (2002). Chlorination of bisphenol A in aqueous media: formation of chlorinated bisphenol A congeners and degradation to chlorinated phenolic compounds. *Chemosphere* 46: 1215-1223.
- Yamamoto, Y; Tamiaki, H. (2015). Synthesis, optical properties and protonation of chlorophyll derivatives appending a pyridyl group in the C3-substituent. *Dyes and Pigments* 118: 159-165. <http://dx.doi.org/10.1016/j.dyepig.2015.03.006>.
- Yamane, K; Matsuyama, S; Igarashi, K; Kuwabara, T. (2013). Pyrolytic Generation of Petroleum Crude Oils from the Marine Phytomicroalgal *Coccolithophore Emiliana huxleyi* (Haptophyta) and Preparation of n-Alkane-Rich Biofuel. *Energy Fuels* 27: 7470-7479. <http://dx.doi.org/10.1021/ef401618t>.
- Yamasaki, N; Yokosawa, K; Korablov, S; Toht, K. (2006). Synthesis of diamond particles under alkaline hydrothermal conditions. *Solid State Phenomena* 114: 271-276.
- Yamasaki, Y; Yamasaki, N; Enomoto, H. (2004). Dechlorination of concentrated monochloroalkanes under various hydrothermal conditions. *J Chem Eng Jpn* 37: 1252-1258.
- Yan, H; Wang, Y; Zhang, M. (2015). [Determination of dichloromethane in urine by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 478-480.
- Yan, J, un; Liang, Q; Liu, K; Miao, J; Chen, H, ui; Liu, S, ha; He, Z; Wu, H; Wang, J; Cao, Y. (2017). Optimized Phase Separation and Reduced Geminate Recombination in High Fill Factor Small-Molecule Organic Solar Cells. *2*: 14-21. <http://dx.doi.org/10.1021/acseenergylett.6b00556>.
- Yan, L; Wang, JD; Huang, ZH; Xu, HQ; Zhou, XT. (2002). Monitoring leaking gases by OP-FTIR remote sensing. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 37: 1453-1462. <http://dx.doi.org/10.1081/ESE-1200013269>.
- Yan, QL; Li, XJ; Wang, Y; Zhang, WH; Zhao, FQ. (2009). Combustion mechanism of double-base propellant containing nitrogen heterocyclic nitroamines (I): The effect of heat and mass transfer to the burning characteristics. *Combust Flame* 156: 633-641. <http://dx.doi.org/10.1016/j.combustflame.2008.12.004>.
- Yan, R; Chen, H; Lee, DH; Yang, H; Liang, DT; Shao, J. (2008). Emission Characteristics of Heavy Metals and Organic Pollutants from the Combustion of Sewage Sludge in a Fluidized Bed Combustor. *Energy Fuels* 22: 2278-2283. <http://dx.doi.org/10.1021/ef800002y>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yan, W, eiH; Duan, P, eiGao; Wang, F; Xu, Y, uP. (2016). Composition of the bio-oil from the hydrothermal liquefaction of duckweed and the influence of the extraction solvents. *Fuel* 185: 229-235. <http://dx.doi.org/10.1016/j.fuel.2016.07.117>.
- Yan, W, eiGuo; Ying, C, uiF; Kong, XT; Li, Z, uBin; Tian, JG, uo. (2013). Fabrication and Optical Properties of Inclined Au Nanocup Arrays. *Plasmonics* 8: 1607-1611. <http://dx.doi.org/10.1007/s11468-013-9577-z>.
- Yan, Y, unNan; Pan, W, enL; Song, H, uaCan. (2010). The synthesis and optical properties of novel 1,3,4-oxadiazole derivatives containing an imidazole unit. *Dyes and Pigments* 86: 249-258. <http://dx.doi.org/10.1016/j.dyepig.2010.01.011>.
- Yan, ZN; Wang, JJ; Kong, W; Lu, JS. (2004). Effect of temperature on volumetric and viscosity properties of some alpha-amino acids in aqueous calcium chloride solutions. *Fluid Phase Equilibria* 215: 143-150. <http://dx.doi.org/10.1016/j.fluid.2003.07.001>.
- Yanagida, H; Okada, M; Masuda, M; Narama, I; Nakano, S; Kitao, S; Takakuda, K; Furuzono, T. (2011). Preparation and in vitro/in vivo evaluations of dimpled poly(L-lactic acid) fibers mixed/coated with hydroxyapatite nanocrystals. *J Artif Organs* 14: 331-341. <http://dx.doi.org/10.1007/s10047-011-0594-4>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2003). Antioxidative activities of volatile extracts from green tea, oolong tea, and black tea. *J Agric Food Chem* 51: 7396-7401. <http://dx.doi.org/10.1021/jf030127i>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2004). Antioxidative activities of fractions obtained from brewed coffee. *J Agric Food Chem* 52: 592-596. <http://dx.doi.org/10.1021/jf030317t>.
- Yang, B; Zhang, Y; Meng, J; Gan, J; Shu, J. (2010). Heterogeneous reactivity of suspended pirimiphos-methyl particles with ozone. *Environ Sci Technol* 44: 3311-3316. <http://dx.doi.org/10.1021/es9029599>.
- Yang, CY; Tsay, SY; Tsiang, RCC. (2000). An enhanced process for encapsulating aspirin in ethyl cellulose microcapsules by solvent evaporation in an O/W emulsion. *J Microencapsul* 17: 269-277.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, F; Zhai, Y; Chen, L, in; Li, C; Zeng, G; He, Y; Fu, Z; Peng, W. (2010). The seasonal changes and spatial trends of particle-associated polycyclic aromatic hydrocarbons in the summer and autumn in Changsha city. *Atmos Res* 96: 122-130. <http://dx.doi.org/10.1016/j.atmosres.2009.12.004>.
- Yang, F; Zhang, J; Chu, W; Yin, D; Templeton, MR. (2014). Haloactamides versus halomethanes formation and toxicity in chloraminated drinking water. *J Hazard Mater* 274: 156-163. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.008>.
- Yang, H, e; Mu, J; Chen, X, ia; Feng, L, ei; Jia, J; Wang, J. (2011). Synthesis, X-ray crystal structure and optical properties of novel 2,5-diaryl-1, 3,4-oxadiazole derivatives containing substituted pyrazolo[1,5-a]pyridine units. *Dyes and Pigments* 91: 446-453. <http://dx.doi.org/10.1016/j.dyepig.2011.03.035>.
- Yang, H; Pettigrew, JE; Johnston, LJ; Shurson, GC; Wheaton, JE; White, ME; Koketsu, Y; Sower, AF; Rathmacher, JA. (2000). Effects of dietary lysine intake during lactation on blood metabolites, hormones, and reproductive performance in primiparous sows. *J Anim Sci* 78: 1001-1009.
- Yang, HC; Shin, TJ; Yang, L; Cho, K; Ryu, CY; Bao, ZN. (2005). Effect of mesoscale crystalline structure on the field-effect mobility of regioregular poly(3-hexyl thiophene) in thin-film transistors. *Adv Funct Mater* 15: 671-676. <http://dx.doi.org/10.1002/adfm.200400297>.
- Yang, J; Hao, DX, ia; Bi, C, aiXia; Su, Z, hiGuo; Wang, LY, an; Ma, GH, ui. (2010). Rapid Synthesis of Uniform Magnetic Microspheres by Combing Premix Membrane Emulsification and in Situ Formation Techniques. *Ind Eng Chem Res* 49: 6047-6053. <http://dx.doi.org/10.1021/ie902053u>.
- Yang, J; Qiu, K. (2010). Preparation of activated carbons from walnut shells via vacuum chemical activation and their application for methylene blue removal. *Chem Eng J* 165: 209-217. <http://dx.doi.org/10.1016/j.cej.2010.09.019>.
- Yang, J; Qiu, K. (2011). Experimental Design To Optimize the Preparation of Activated Carbons from Herb Residues by Vacuum and Traditional ZnCl<sub>2</sub> Chemical Activation. *Ind Eng Chem Res* 50: 4057-4064. <http://dx.doi.org/10.1021/ie101531p>.
- Yang, J; Yang, J; Zhou, Y, u; Wei, F; Lin, W; Zhu, J. (2010). Hierarchical functionalized MCM-22 zeolite for trapping tobacco specific nitrosamines (TSNAs) in solution. *J Hazard Mater* 179: 1031-1036. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.108>.
- Yang, KZ; Batts, BD; Wilson, MA; Gorbaty, ML; Maa, PS; Long, MA; He, SXJ; Attalla, MI. (1997). Reaction of methane with coal. *Fuel* 76: 1105-1115.
- Yang, L; Li, H; Zeng, F; Liu, Y; Li, R; Chen, H; Zhao, Y; Miao, H; Wu, Y. (2012). Determination of 49 organophosphorus pesticide residues and their metabolites in fish, egg, and milk by dual gas chromatography-dual pulse flame photometric detection with gel permeation chromatography cleanup. *J Agric Food Chem* 60: 1906-1913. <http://dx.doi.org/10.1021/jf2043828>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrOx catalysts for chlorinated VOCs elimination. *Chem Eng Sci* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J* 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, SY; Chen, YX; Lou, LP; Wu, XN. (2005). Involvement of chloride anion in photocatalytic process. *J Environ Sci* 17: 761-765.
- Yang, W; He, N; Fu, J; Li, Z; Ji, X. (2015). Preparation of Porous Core-Shell Poly L-Lactic Acid/Polyethylene Glycol Superfine Fibres Containing Drug. *J Nanosci Nanotechnol* 15: 9911-9917. <http://dx.doi.org/10.1166/jnn.2015.10884>.
- Yang, X; Cui, C; Tong, Z; Sabanayagam, CR; Jia, X. (2013). Poly( $\epsilon$ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. *Acta Biomater* 9: 8232-8244. <http://dx.doi.org/10.1016/j.actbio.2013.06.005>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yang, X; Lyu, H; Chen, K; Zhu, X; Zhang, S; Chen, J. (2014). Selective Extraction of Bio-oil from Hydrothermal Liquefaction of *Salix psammophila* by Organic Solvents with Different Polarities through Multistep Extraction Separation. *BioResources* 9: 5219-5233.
- Yang, Y; Jin, D; Wang, G; Liu, D; Jia, X; Zhao, Y. (2011). Biosorption of Acid Blue 25 by unmodified and CPC-modified biomass of *Penicillium YW01*: kinetic study, equilibrium isotherm and FTIR analysis. *Colloids Surf B Biointerfaces* 88: 521-526. <http://dx.doi.org/10.1016/j.colsurfb.2011.07.047>.
- Yang, Y; Schulz, D; Steiner, CA. (1999). Physical gelation of hydrophobically modified polyelectrolytes. 1. Homogeneous gelation of alkylated poly[acrylamide-co-sodium acrylate]. *Langmuir* 15: 4335-4343.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yanyuan, W; Hanming, D. (2011). Preparation and Photocatalytic Activity of Ag@AgCl Modified Anatase TiO<sub>2</sub> Nanotubes. *Chinese journal of catalysis* 32: 36-45. [http://dx.doi.org/10.1016/S1872-2067\(10\)60157-X](http://dx.doi.org/10.1016/S1872-2067(10)60157-X).
- Yao, JH, ua; Wei, XY; Xiao, L, ei; Ji, HM, in; Zong, Z, hiMin; Liu, FJ. (2015). Fractional Extraction and Biodepolymerization of Shengli Lignite. *Energy Fuels* 29: 2014-2021. <http://dx.doi.org/10.1021/ef501928d>.
- Yasuda, M; Shizuka, M; Yoneda, H; Ogino, H; Ishikawa, H. (2001). Synthesis and radical polymerization kinetics of amphiphilic methacrylic monomers having 2-[p-(1,1,3,3-tetramethyl-butyl)phenoxy-polyethoxy]ethyl group. *J Chem Eng Jpn* 34: 388-395.
- Yati, I; Ozan Aydin, G; Bulbul Sonmez, H. (2016). Cross-linked poly(tetrahydrofuran) as promising sorbent for organic solvent/oil spill. *J Hazard Mater* 309: 210-218. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.014>.
- Yavuz, E; Bayramoglu, G; Arica, MY; Senkal, BF. (2011). Preparation of poly (acrylic acid) containing core-shell type resin for removal of basic dyes. *J Chem Tech Biotechnol* 86: 699-705. <http://dx.doi.org/10.1002/jctb.2571>.
- Yazici, M; Acemioglu, B; Akbas, M; Kuvvet, M. (2016). Determination of the ground- and excited-state dipole moments of 4'-(hexyloxy)-4-biphenylcarbonitrile and 4-isothiocyanatophenyl 4-pentylbicyclo [2,2,2] octane-1-carboxylate nematic liquid crystals and their mixtures. *Liquid Crystals* 43: 671-679. <http://dx.doi.org/10.1080/02678292.2016.1139197>.
- Yazici, O; Ocak, H; Yasa-Sahin, O; Sakar, D; Cankurtaran, O; Karaman, F; Bilgin-Eran, B. (2012). Investigation of acid-base and surface characteristics of a thermotropic semifluorinated salicylaldimine liquid crystal by inverse gas chromatography. *Liquid Crystals* 39: 1421-1426. <http://dx.doi.org/10.1080/02678292.2012.719647>.
- Ye, B; Krafft, T; Yang, L; Li, Y; Li, H; Wang, W; Pilot, E, va. (2015). The Characterization and Sources of Polycyclic Aromatic Hydrocarbons in PM10 in Rural, China. *Pol J Environ Stud* 24: 909-915.
- Ye, L; Ou, Z; Meng, D; Yuan, M; Fang, Y; Kadish, KM. (2014). Electrochemistry of Fe(IV) and Mn(IV) corroles containing meso-dichlorophenyl substituents and the use of these compounds as catalysts for the electroreduction of dioxygen in acid media. *Turkish Journal of Chemistry* 38: 994-1005. <http://dx.doi.org/10.3906/kim-1407-26>.
- Yeh, MK. (2000). The stability of insulin in biodegradable microparticles based on blends of lactide polymers and polyethylene glycol. *J Microencapsul* 17: 743-756.
- Yeh, MK; Chen, JL; Chiang, CH. (2002). *Vibrio cholerae*-loaded poly(DL lactide co-glycolide) microparticles. *J Microencapsul* 19: 203-212.
- Yeh, MK; Tung, SM; Lu, DW; Chen, JL; Chiang, CH. (2001). Formulation factors for preparing ocular biodegradable delivery system of 5-fluorouracil microparticles. *J Microencapsul* 18: 507-519.
- Yen, JH; Tsai, CC; Wang, YS. (2003). Separation and toxicity of enantiomers of organophosphorus insecticide leptophos. *Ecotoxicol Environ Saf* 55: 236-242. [http://dx.doi.org/10.1016/S0147-6513\(02\)00066-0](http://dx.doi.org/10.1016/S0147-6513(02)00066-0).
- Yencho, GC; Renwick, JA; Steffens, JC; Tingey, WM. (1994). Leaf surface extracts of *Solanum berthaultii* hawkes deter colorado potato beetle feeding. *J Chem Ecol* 20: 991-1007.
- Yeom, CK; Lee, SH; Lee, JM; Song, HY. (2002). Modeling and evaluation of boundary layer resistance at feed in the permeation of VOC/N-2 mixtures through PDMS membrane. *J Memb Sci* 204: 303-322.
- Yeom, CK; Lee, SH; Song, HY; Lee, JM. (2002). Vapor permeations of a series of VOCs/N-2 mixtures through PDMS membrane. *J Memb Sci* 198: 129-143.
- Yerro, O; Radojevic, V; Radovic, I; Petrovic, M; Uskokovic, PS; Stojanovic, DB; Aleksic, R. (2016). Thermoplastic acrylic resin with self-healing properties. *Polymer Engineering and Science* 56: 251-257. <http://dx.doi.org/10.1002/pen.24244>.
- Yesil-Celiktas, O; Otto, F; Gruener, S; Parlar, H. (2009). Determination of extractability of pine bark using supercritical CO<sub>2</sub> extraction and different solvents: optimization and prediction. *J Agric Food Chem* 57: 341-347. <http://dx.doi.org/10.1021/jf8026414>.
- Yetgin, S; Ulutun, S; Balkose, D. (2015). Methylene Blue Adsorption From Aqueous Solutions to Flexible Poly(vinyl chloride) Silica Composites. *Journal of Vinyl and Additive Technology* 21: 42-50. <http://dx.doi.org/10.1002/vnl.21379>.
- Yeung, E; Chaw, CS. (2009). Ciclosporin-loaded poly(lactide) microparticles: effect of TPGS. *J Microencapsul* 26: 9-17. <http://dx.doi.org/10.1080/02652040802094402>.
- Yin, DY; Liu, JF; Zhang, Y; Gao, Q; Yin, DL. (2005). Immobilization of Mn(salen) complex on aluminum-containing mesoporous materials by microwave heating for epoxidation of styrene. *Stud Surf Sci Catal* 156: 851-858.
- Yin, H; Yu, S, hi; Casey, PS; Chow, G, anM. (2010). Synthesis and properties of poly(D,L-lactide) drug carrier with maghemite nanoparticles. *Mater Sci Eng C* 30: 618-623. <http://dx.doi.org/10.1016/j.msec.2010.02.013>.
- Yin, Q; Sun, Z; Shi, S; Jiang, X; Tian, C; Bao, M. (2013). Structure and electrical properties of K<sub>0.5</sub>Na<sub>0.5</sub>NbO<sub>3</sub>-SrTiO<sub>3</sub> lead-free piezoelectric ceramics with LiSbO<sub>3</sub> doping. *Journal of Materials Science: Materials in Electronics* 24: 4258-4262. <http://dx.doi.org/10.1007/s10854-013-1394-9>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yin, Q; Sun, Z; Zhang, M; He, G; Chen, Y; Wang, Q; Yan, M. (2015). Structure and electrical properties of  $K0.5Na0.5Nb0.94-xSb0.06SnxO3$  lead-free piezoelectric ceramics. *J Alloy Comp* 622: 132-136. <http://dx.doi.org/10.1016/j.jallcom.2014.10.045>.
- Yokohama, N; Otaka, H; Nakata, M. (2007). Validation of methods for measuring polychlorinated dibenzo-p-dioxins and furans, and dioxin-like polychlorinated biphenyls in flue gas. *Int J Environ Anal Chem* 87: 177-194. <http://dx.doi.org/10.1080/03067310600929258>.
- Yongtang, J; Fengchun, D; Jianfeng, D. (2010). Preparation and Characterization of Biodegradable Tercopolymers and Their Nano-Structured Fibers via Electrospinning. *AATCC Rev* 10: 48-52.
- Yoo, H; Washington, JW; Jenkins, TM; Ellington, JJ. (2011). Quantitative determination of perfluorochemicals and fluorotelomer alcohols in plants from biosolid-amended fields using LC/MS/MS and GC/MS. *Environ Sci Technol* 45: 7985-7990. <http://dx.doi.org/10.1021/es102972m>.
- Yoo, HS. (2006). Preparation of biodegradable polymeric hollow microspheres using O/O/W emulsion stabilized by Labrafil. *Colloids Surf B Biointerfaces* 52: 47-51. <http://dx.doi.org/10.1016/j.colsurfb.2006.07.005>.
- Yoon, H; Na, SH; Choi, J, aeY; Latthe, SS; Swihart, MT; Al-Deyab, SS; Yoon, S, aMS. (2014). Gravity-Driven Hybrid Membrane for Oleophobic-Superhydrophilic Oil Water Separation and Water Purification by Graphene. *Langmuir* 30: 11761-11769. <http://dx.doi.org/10.1021/1a50315261>.
- Yoon, H; Xie, JN; Abraham, JK; Varadan, VK; Ruffin, PB. (2006). Passive wireless sensors using electrical transition of carbon nanotube junctions in polymer matrix. *Smart Materials and Structures* 15: S14-S20. <http://dx.doi.org/10.1088/0964-1726/15/1/004>.
- Yoon, JW; Kim, JH. (2011). Establishment of a solvent map for formation of crystalline and amorphous paclitaxel by solvent evaporation process. *Korean J Chem Eng* 28: 1918-1923. <http://dx.doi.org/10.1007/s11814-011-0060-2>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, Y; Kumagai, Y; Mizuno, M; Isomura, K; Nakamura, Y; Kishida, H; Saito, G. (2015). Improved Dynamic Properties of Charge-Transfer-Type Supramolecular Rotor Composed of Coronene and F(4)TCNQ. *Cryst Growth Des* 15: 5513-5518. <http://dx.doi.org/10.1021/acs.cgd.5b01138>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2016). Enhancement and Biological Characteristics Related to Aerobic Biodegradation of Toluene with Co-Existence of Benzene. *Water Air Soil Pollut* 227: 340-340. <http://dx.doi.org/10.1007/s11270-016-3050-5>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshikura, T; Kitano, M; Nishio, T; Fukunaga, I; Masumoto, K; Inoue, S; Kuroda, K; Inoue, Z. (1992). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF ORGANIC-SUBSTANCES IN WATER-PURIFICATION POND AT SEA-BASED SOLID-WASTE DISPOSAL SITE. *Water Sci Technol* 25: 425-432.
- Yoshimoto, S; Ono, Y; Kuwahara, Y; Nishiyama, K; Taniguchi, I. (2016). Structural Changes of 4,4'-(Dithiodibutylene)dipyridine SAM on a Au(111) Electrode with Applied Potential and Solution pH and Influence of Alkyl Chain Length of Pyridine-Terminated Thiolate SAMs on Cytochrome c Electrochemistry. *J Phys Chem C* 120: 15803-15813. <http://dx.doi.org/10.1021/acs.jpcc.5b11666>.
- Yoshizawa, K; Ito, A; Tanaka, K; Yamabe, T. (1994). ELECTROCHEMICAL OXIDATION OF 1,3,5-TRIS(DIPHENYLAMINO)BENZENE (TDAB) FOR POLYRADICAL MATERIAL. *Synthetic Metals* 66: 81-83.
- You, J; Weston, DP; Lydy, MJ. (2004). A sonication extraction method for the analysis of pyrethroid, organophosphate, and organochlorine pesticides from sediment by gas chromatography with electron-capture detection. *Arch Environ Contam Toxicol* 47: 141-147. <http://dx.doi.org/10.1007/s00244-003-3165-8>.
- Young, CN; Clayton, CR; Wynne, JH; Yesinowski, JP; Daniels, GC. (2015). Physicochemical investigation of chemical paint removers. II: Role and mechanism of phenol in the removal of polyurethane coatings. *Progr Org Coating* 88: 212-219. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.014>.
- Young, CN; Clayton, CR; Yesinowski, JP; Wynne, JH; Watson, KE. (2014). Physicochemical investigation of chemical paint removers: Interactions of methylene chloride with polyurethane coatings. *Progr Org Coating* 77: 232-241. <http://dx.doi.org/10.1016/j.porgcoat.2013.09.005>.
- Youngster, I; Arcavi, L; Schechmaster, R; Akayzen, Y; Popliski, H; Shimonov, J; Beig, S; Berkovitch, M. (2010). Medications and glucose-6-phosphate dehydrogenase deficiency: an evidence-based review [Review]. *Drug Saf* 33: 713-726. <http://dx.doi.org/10.2165/11536520-000000000-00000>.
- Youssef, AM; Elwakil, AM; Elsharkawy, EA; Farag, AB; Tollan, K. (1996). Adsorption of heavy metals on coal-based activated carbons. *AST* 13: 115-125.
- Yrieix, C; Gonzalez, C; Deroux, JM; Lacoste, C; Leybros, J. (1996). Countercurrent liquid/liquid extraction for analysis of organic water pollutants by GC./POISONING. *Water Res* 30: 1791-1800.
- Yu, H; Yang, L, iu; Xu, M; Fang, C; Yu, W. (2015). Feasibility of micro-extraction and subsequent HPLC analysis for evaluating the extractable formaldehyde content of medium-density fiber board. *Holz als Roh- und Werkstoff* 73: 801-806. <http://dx.doi.org/10.1007/s00107-015-0945-6>.
- Yu, J; Cai, W; Chen, J; Feng, L, i; Jiang, Y; Cheng, Z. (2012). Conversion characteristics and mechanism analysis of gaseous dichloromethane degraded by a VUV light in different reaction media. *J Environ Sci* 24: 1777-1784. [http://dx.doi.org/10.1016/S1001-0742\(11\)61021-8](http://dx.doi.org/10.1016/S1001-0742(11)61021-8).
- Yu, J; Cai, W; Cheng, Z; Chen, J. (2014). Degradation of dichloromethane by an isolated strain *Pandoraea pnomenus* and its performance in a biotrickling filter. *J Environ Sci* 26: 1108-1117. [http://dx.doi.org/10.1016/S1001-0742\(13\)60538-0](http://dx.doi.org/10.1016/S1001-0742(13)60538-0).
- Yu, J, inP; Guan, Y, iXin; Yao, SJ; Zhu, Z, iQ. (2011). Preparation of Roxithromycin-Loaded Poly(L-lactic Acid) Films with Supercritical Solution Impregnation. *Ind Eng Chem Res* 50: 13813-13818. <http://dx.doi.org/10.1021/ie201294u>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yu, J; He, K; Li, Y; Tan, H, ua; Zhu, M; Wang, Y; Liu, Y, u; Zhu, W; Wu, H. (2014). A novel near-infrared-emitting cyclometalated platinum (II) complex with donor-acceptor-acceptor chromophores. *Dyes and Pigments* 107: 146-152. <http://dx.doi.org/10.1016/j.dyepig.2014.03.040>.
- Yu, J; Tan, H, ua; Meng, F; Lv, K, un; Zhu, W; Su, S. (2016). Benzotriazole-containing donor-acceptor-acceptor type cyclometalated iridium(III) complex for solution-processed near-infrared polymer light emitting diodes. *Dyes and Pigments* 131: 231-238. <http://dx.doi.org/10.1016/j.dyepig.2016.04.021>.
- Yu, L, ei; Tu, C; Luo, Y. (2015). Fabrication, characterization and evaluation of mesoporous activated carbons from agricultural waste: Jerusalem artichoke stalk as an example. *9*: 206-215. <http://dx.doi.org/10.1007/s11783-014-0631-7>.
- Yu, MX, in; Chang, LC; Lin, CH; Duan, JP, ey; Wu, FI, y; Chen, IC; Cheng, CH. (2007). Luminescence properties of aminobenzanthrones and their application as host emitters in organic light-emitting devices. *Adv Funct Mater* 17: 369-378. <http://dx.doi.org/10.1002/adfm.200600730>.
- Yu, TH; Ho, CT. (1995). VOLATILE COMPOUNDS GENERATED FROM THERMAL-REACTION OF METHIONINE AND METHIONINE SULFOXIDE WITH OR WITHOUT GLUCOSE. *J Agric Food Chem* 43: 1641-1646.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, Y, ue; Li, H; Jiang, Y, an. (2014). Separation and Preparation of Five Cycloamine Analogs from Rhizomes of *Veratrum oxysepalum* Turcz. by Two-Step High-Speed Counter-Current Chromatography. *Separation Science and Technology* 49: 2748-2755. <http://dx.doi.org/10.1080/01496395.2014.942744>.
- Yu, YJ; Chan, HLW; Wang, FP; Zhao, LC. (2003). Effects of rare earth Eu doping on ferroelectric properties of PbZr<sub>0.52</sub>Ti<sub>0.48</sub>O<sub>3</sub> thin films by sol-gel methods. *Microelectron Eng* 66: 726-732. [http://dx.doi.org/10.1016/S0167-9317\(02\)00991-7](http://dx.doi.org/10.1016/S0167-9317(02)00991-7).
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res* 31: 1879-1886.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem* 19: 2212-2217.
- Yuan, JP; Cheng, F. (1999). Isomerization of trans-astaxanthin to cis-isomers in organic solvents. *J Agric Food Chem* 47: 3656-3660.
- Yuan, W; Wu, F, ei; Geng, Y, an; Xu, S; Jin, T, uo. (2007). An effective approach to prepare uniform protein-Zn<sup>2+</sup> nanoparticles under mild conditions. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/14/145601>.
- Yue, W; Randorn, C; Attidekou, PS; Su, Z; Irvine, JTS; Zhou, W. (2009). Syntheses, Li Insertion, and Photoactivity of Mesoporous Crystalline TiO<sub>2</sub>. *Adv Funct Mater* 19: 2826-2833. <http://dx.doi.org/10.1002/adfm.200900658>.
- Yufit, DS; Shishkin, OV; Zubatyuk, RI; Howard, JAK. (2014). Trimethyltrioxane (Paraldehyde) and Its Halomethanes Complexes: Crystallization, Structures, and Analysis of Packing Motifs. *Cryst Growth Des* 14: 4303-4309. <http://dx.doi.org/10.1021/cg500354t>.
- Yujing, N; Junquan, S; Zhengzai, C; Lincai, W. (2008). Ethylene Polymerization by a Novel Dinuclear Heteroligated Titanium Complex with the Ligand of (Salicylaidiminato) (beta-enaminoketonato). *Journal of Wuhan University of Technology--Materials Science Edition* 23: 821-824. <http://dx.doi.org/10.1007/s11595-007-6821-4>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res* 37: 1422-1427.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption of organic solvent vapors on hydrophobic Y-type zeolite. *AIChE J* 44: 1344-1350.
- Yun, KH; Yun, KY; Cha, GY; Lee, BH; Kim, JC; Lee, DD; Huh, JS. (2005). Gas sensing characteristics of ZnO-doped SnO<sub>2</sub> sensors for simulants of the chemical agents. *Materials Science Forum* 486-487: 9-12.
- Yun, MS; Lee, W, ooll. (2008). Analysis of bubble nucleation and growth in the pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 202-208. <http://dx.doi.org/10.1016/j.compscitech.2007.05.010>.
- Yun, MS; Lee, W, ooll. (2008). Analysis of pulling force during pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 140-146. <http://dx.doi.org/10.1016/j.compscitech.2007.05.032>.
- Yun, SH; Kannan, K. (2011). Distribution of mono- through hexa-chlorobenzenes in floodplain soils and sediments of the Tittabawassee and Saginaw Rivers, Michigan. *Environ Sci Pollut Res Int* 18: 897-907. <http://dx.doi.org/10.1007/s11356-010-0437-5>.
- Yun-long, Y; Jia-lun, W; Matthias, S; Wilfried, P. (2007). Residual dynamics of thiacloprid in medical herbs marjoram, thyme, and camomile in soil. *J Environ Sci* 19: 205-209.
- Yurdakoc, M; Hosgoren, H. (1998). Solvent extraction of La<sup>3+</sup> with ethylenediamine-N,N'-ditetradecyl-N,N'-diacetic acid (EDDAT) in dichloromethane. *Turkish Journal of Chemistry* 22: 373-377.
- Zablotowicz, RM; Hoagland, RE; Locke, MA. (1994). GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RHIZOSPHERE BACTERIA AND THE POTENTIAL FOR HERBICIDE DETOXIFICATION. *ACS Symp Ser Am Chem Soc* 563: 184-198.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vilchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res* 37: 735-742.
- Zahari, A; Ablat, A; Sivasothy, Y; Mohamad, J; Choudhary, MI; Awang, K. (2016). In vitro antiplasmodial and antioxidant activities of bisbenzylisoquinoline alkaloids from *Alseodaphne corneri* Kosterm. *Asian Pacific Journal of Tropical Medicine* 9: 328-332. <http://dx.doi.org/10.1016/j.apjtm.2016.03.008>.
- Zaini, MAA; Alias, N; Yunus, MAC, he. (2016). Bio-polishing sludge adsorbents for dye removal. *Polish Journal of Chemical Technology* 18: 15-21. <http://dx.doi.org/10.1515/pjct-2016-0065>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zaman, MB; Smith, MD; zur Loye, HC. (2001). Organizing chain and square-grid architectures by employing coordination bonds between inorganic and organic components. New coordination polymers formed from Cd(II), Co(II), and Cu(II) nitrate salts and 1,4-bis(4-pyridyl)butadiyne. *Chem Mater* 13: 3534-3541.
- Zanetti, F; Stampi, S; Deluca, G; Varoli, O; Tonelli, E. (1996). Comparative disinfection of secondary-treated sewage with chlorine dioxide and bromine chloride. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 567-579.
- Zappoli, S; Andracchio, A; Morselli, L. (1997). Dissolved organic matter and pH affect the extraction efficiency of PCBs from aqueous samples. *Chemosphere* 35: 1729-1736.
- Zareyee, D; Asghari, R; Khalilzadeh, MA. (2011). Silylation of Alcohols and Phenols with Hexamethyldisilazane over Highly Reusable Propyl Sulfonic Acid Functionalized Nanostructured SBA-15. *Chinese journal of catalysis* 32: 1864-1868. [http://dx.doi.org/10.1016/S1872-2067\(10\)60300-2](http://dx.doi.org/10.1016/S1872-2067(10)60300-2).
- Zazza, C; Mancini, G; Brancato, G; Barone, V. (2013). In Silico Study of Molecular-Engineered Nanodevices: A Lockable Light-Driven Motor in Dichloromethane Solution. *Journal of Physical Chemistry Letters* 4: 3885-3890. <http://dx.doi.org/10.1021/jz4019404>.
- Zdrahal, Z; Oliveira, J; Vermeylen, R; Claeys, M; Maenhaut, W. (2002). Improved method for quantifying levoglucosan and related monosaccharide anhydrides in atmospheric aerosols and application to samples from urban and tropical locations. *Environ Sci Technol* 36: 747-753. <http://dx.doi.org/10.1021/es015619v>.
- Zeinali, F; Ghoreyshi, AA; Najafpour, G. (2012). Removal of Toluene and Dichloromethane from Aqueous Phase by Granular Activated Carbon (GAC). *Chemical Engineering Communications* 199: 203-220. <http://dx.doi.org/10.1080/00986445.2011.584354>.
- Zeiri, L; Efrima, S; Deutsch, M. (1997). AC-driven interfacial electrodeposition of silver. *Langmuir* 13: 4722-4728.
- Zeller, A; Rychlik, M. (2006). Character impact odorants of fennel fruits and fennel tea. *J Agric Food Chem* 54: 3686-3692. <http://dx.doi.org/10.1021/jf052944j>.
- Zeng, F; Cui, KY; Fu, JM; Sheng, GY; Yang, HF. (2002). Biodegradability of di(2-ethylhexyl) phthalate by *Pseudomonas fluorescens* FS1. *Water Air Soil Pollut* 140: 297-305.
- Zengin, M; Sonmez, F; Arslan, M; Kucukislamoglu, M. (2012). CERIC AMMONIUM NITRATE AND MANGANESE(III) ACETATE MEDIATED RADICAL OXIDATION AND ADDITION REACTIONS OF ANTHRACENE AND 9-SUBSTITUTED ANTHRACENES. *Macedonian Journal of Chemistry and Chemical Engineering* 31: 55-63.
- Zhai, Y; Li, P; Zhu, Y, un; Xu, B; Chen, H; Zeng, G. (2016). Effects of Solvent and Time on Extraction Efficiency of Ultrasonic Extraction for Polycyclic Aromatic Hydrocarbons from Atmospheric Particulate Matter. *Environ Eng Sci* 33: 591-600. <http://dx.doi.org/10.1089/ees.2015.0583>.
- Zhan, J; Zhang, H, ui; Zhu, G. (2014). Magnetic photocatalysts of cenospheres coated with Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> core/shell nanoparticles decorated with Ag nanopartilces. *Ceramics International* 40: 8547-8559. <http://dx.doi.org/10.1016/j.ceramint.2014.01.069>.
- Zhan, S; Cui, L; Zhao, Q; Wang, J; Chen, S; Ding, S. (2014). Formation of PLLA-PEG-PLLA Microparticles by Supercritical Antisolvent Process. *Part Sci Technol* 32: 61-69. <http://dx.doi.org/10.1080/02726351.2013.804014>.
- Zhan'ao, L; Mingkai, Z; Beixing, L. (2016). Relationships between Modified Methylene Blue Value of Microfines in Manufactured Sand and Concrete Properties. *Journal of Wuhan University of Technology--Materials Science Edition* 31: 574-581. <http://dx.doi.org/10.1007/s11595-016-1412-x>.
- Zhang, B; Li, JB; Sun, JJ; Zhang, SX; Zhai, HZ; Du, ZW. (2002). Nanometer silicon carbide powder synthesis and its dielectric behavior in the GHz range. *J Eur Ceram Soc* 22: 93-99.
- Zhang, C, ail; Feng, LF; Gu, X; Hoppe, S; Hu, G, uoHua. (2007). Determination of the molar mass of polyamide block/graft copolymers by size-exclusion chromatography at room temperature. *Polym Test* 26: 793-802. <http://dx.doi.org/10.1016/j.polymertesting.2007.04.011>.
- Zhang, C; Yang, J; Xue, Y; Li, Y. (2008). Group type analysis of asphalt by column liquid chromatography. *Petroleum Science and Technology* 26: 665-673. <http://dx.doi.org/10.1080/10916460701205070>.
- Zhang, C; Zhang, X; Zhang, X; Ou, X; Zhang, W; Jie, J; Chang, JC; Lee, CS; Lee, ST. (2009). Facile One-Step Fabrication of Ordered Organic Nanowire Films. *Adv Mater Deerfield* 21: 4172-+. <http://dx.doi.org/10.1002/adma.200802793>.
- Zhang, CP; He, HM; Yu, JZ; Hu, XQ; Zhu, YH; Wang, Q. (2016). Residues of carbofuran and its metabolites carbofuran and 3-hydroxy carbofuran in rice field ecosystem in China. *J Environ Sci Health B* 51: 351-357. <http://dx.doi.org/10.1080/03601234.2015.1120606>.
- Zhang, D; Gao, Y; Dong, J; Sun, Q; Liu, W, ei; Xue, S; Yang, W. (2015). Two-photon absorption and piezofluorochromism of aggregation-enhanced emission 2,6-bis(p-dibutylaminostyryl)-9,10-bis(4-pyridylvinyl-2)anthracene. *Dyes and Pigments* 113: 307-311. <http://dx.doi.org/10.1016/j.dyepig.2014.08.025>.
- Zhang, F; Liu, YJ; Liu, QH; Li, Q; Li, H; Cai, XY; Wang, YD. (2013). Synthesis and characterisation of Ni(OH)<sub>2</sub> and NiO nanosheets and their removal properties of azo dyes from aqueous solution. *Materials Technology* 28: 310-315. <http://dx.doi.org/10.1179/1753555712Y.0000000052>.
- Zhang, G; Wang, C. (2016). Pickering Emulsion-Based Marbles for Cellular Capsules. *Materials* 9. <http://dx.doi.org/10.3390/ma9070572>.
- Zhang, G, uoF; Wang, H; Aldred, MP; Chen, T, ao; Chen, Z, eQ; Meng, X; Zhu, MQ. (2014). General Synthetic Approach toward Geminal-Substituted Tetraarylethene Fluorophores with Tunable Emission Properties: X-ray Crystallography, Aggregation-Induced Emission and Piezofluorochromism. *Chem Mater* 26: 4433-4446. <http://dx.doi.org/10.1021/cm501414b>.
- Zhang, G, uoHua; Wang, L, iJun; Chou, K, uoC. (2010). A comparison of different geometrical models in calculating physicochemical properties of quaternary systems. *CALPHAD* 34: 504-509. <http://dx.doi.org/10.1016/j.calphad.2010.10.004>.
- Zhang, G; Yi, L; Deng, H, ui; Sun, P. (2014). Dyes adsorption using a synthetic carboxymethyl cellulose-acrylic acid adsorbent. *J Environ Sci* 26: 1203-1211. [http://dx.doi.org/10.1016/S1001-0742\(13\)60513-6](http://dx.doi.org/10.1016/S1001-0742(13)60513-6).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhang, GL; Ma, JB; Li, YH; Wang, YN. (2003). Synthesis and characterization of poly(L-alanine)-block-poly(ethylene glycol) monomethyl ether as amphiphilic biodegradable co-polymers. *J Biomater Sci Polym Ed* 14: 1389-1400.
- Zhang, H; Kosinski, J; Xie, Y; Turner, J. (2013). Drive-level dependence of doubly rotated langasite resonators with different configurations. *IEEE Trans Ultrason Ferroelectr Freq Control* 60: 963-969. <http://dx.doi.org/10.1109/TUFFC.2013.2653>.
- Zhang, H, ao; Ren, Z; Zhang, Y; Yuan, Q; Yang, XJ, in. (2016). Comparison Between Polydimethylsiloxane and Polyimide-Based Solvent-Resistant Nanofiltration Membranes. *Chemical Engineering Communications* 203: 870-879. <http://dx.doi.org/10.1080/00986445.2014.990632>.
- Zhang, H; Xie, L; Xu, P; Jiang, S. (2008). Dissipation of the plant growth regulator hexanoic acid 2-(diethylamino) ethyl ester in pakchoi and soil. *Int J Environ Anal Chem* 88: 561-569. <http://dx.doi.org/10.1080/03067310802002490>.
- Zhang, H; Yan, Y; Yang, L. (2010). Preparation of activated carbon from sawdust by zinc chloride activation. *Adsorption* 16: 161-166. <http://dx.doi.org/10.1007/s10450-010-9214-5>.
- Zhang, H, ui; Yang, Z; Zhang, X; Mao, N. (2014). Photocatalytic effects of wool fibers modified with solely TiO<sub>2</sub> nanoparticles and N-doped TiO<sub>2</sub> nanoparticles by using hydrothermal method. *Chem Eng J* 254: 106-114. <http://dx.doi.org/10.1016/j.cej.2014.05.097>.
- Zhang, H; Zhu, X; Wu, Y; Song, H; Ba, X. (2015). High-efficiency grafting of halloysite nanotubes by using p-conjugated polyfluorenes via "click" chemistry. *Journal of Materials Science* 50: 4387-4395. <http://dx.doi.org/10.1007/s10853-015-8993-1>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data* 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria* 140: 233-244.
- Zhang, J; Hai, Y; Zuo, Y, i; Jiang, Q; Shi, C; Li, W, ei. (2015). Novel diamine-modified composite nanofiltration membranes with chlorine resistance using monomers of 1,2,4,5-benzene tetracarbonyl chloride and m-phenylenediamine. 3: 8816-8824. <http://dx.doi.org/10.1039/c4ta07159j>.
- Zhang, J; Yang, H; Jiang, J; Jiang, X. (2014). Research on Physical and Chemical Properties of Blended Bio-Oil Based on Fractionation. *BioResources* 9: 7542-7553.
- Zhang, J; Zuo, R. (2016). A novel self-composite property-tunable LaTiNbO<sub>6</sub> microwave dielectric ceramic. *Materials Research Bulletin* 83: 568-572. <http://dx.doi.org/10.1016/j.materresbull.2016.07.004>.
- Zhang, JX; Liu, D; Sun, L; Wei, R; Zhang, G; Wu, H; Zhang, H; Zhao, C. (2008). Potential chemosignals in the anogenital gland secretion of giant pandas, *Ailuropoda melanoleuca*, associated with sex and individual identity. *J Chem Ecol* 34: 398-407. <http://dx.doi.org/10.1007/s10886-008-9441-3>.
- Zhang, K, ai; Wang, X; Jing, D; Yang, Y, in; Zhu, M. (2009). Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. *Biomed Mater* 4: 035004. <http://dx.doi.org/10.1088/1748-6041/4/3/035004>.
- Zhang, L; Dong, L; Ren, L; Shi, S; Zhou, L; Zhang, T; Huang, Y. (2012). Concentration and source identification of polycyclic aromatic hydrocarbons and phthalic acid esters in the surface water of the Yangtze River Delta, China. *J Environ Sci* 24: 335-342. [http://dx.doi.org/10.1016/S1001-0742\(11\)60782-1](http://dx.doi.org/10.1016/S1001-0742(11)60782-1).
- Zhang, L, ei; Li, X, in; Yang, L, ijun; Li, Y; Chang, HC; Chu, X, jun; Zhang, J; Wang, X, in; An, S. (2012). A Rapid and Selective Isolation of Rhodium from Aqueous Solution Using Nano-Al<sub>2</sub>O<sub>3</sub>. *Journal of Chemical and Engineering Data* 57: 2647-2653. <http://dx.doi.org/10.1021/je300365p>.
- Zhang, L; Waterhouse, GIN; Zhang, L. (2011). Coaxially Aligned Polyaniline Nanofibers Doped with 3-Thiopheneacetic Acid through Interfacial Polymerization. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/467170>.
- Zhang, L, i; Ying, G; Chen, F; Zhao, JL; Wang, L, i; Fang, Y, iX. (2012). Development and application of whole-sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386. <http://dx.doi.org/10.1002/etc.734>.
- Zhang, L; Zhang, G; Wang, S; Peng, J; Cui, W, ei. (2016). Cation-functionalized silica nanoparticle as an adsorbent to selectively adsorb anionic dye from aqueous solutions. *Environ Prog Sustain Energy* 35: 1070-1077. <http://dx.doi.org/10.1002/ep.12333>.
- Zhang, L; Zong, C; Ichihara, S; Naito, H; Toyokuni, S; Kumagai, S; Ichihara, G. (2015). A trial to find appropriate animal models of dichloropropane-induced cholangiocarcinoma based on the hepatic distribution of glutathione S-transferases. *J Occup Health* 57: 548-554. <http://dx.doi.org/10.1539/joh.15-0085-OA>.
- Zhang, M; Wang, AJ; Li, JM; Song, N; Song, Y; He, R. (2017). Factors influencing the stability and type of hydroxyapatite stabilized Pickering emulsion. *Mater Sci Eng C* 70: 396-404. <http://dx.doi.org/10.1016/j.msec.2016.09.007>.
- Zhang, O; Zhang, C; Wu, L; Sun, W; Hu, L. (2012). Study on Morphology and Mechanical Properties of PVC with Ultrafine CaCO<sub>3</sub> Surface-modified by Acrylate Macromolecular Modifiers. *Polymers and Polymer Composites* 20: 191-195.
- Zhang, P; Shen, D; Fan, C; Kan, A, myT; Tomson, MB. (2010). Surfactant-Assisted Synthesis of Metal-Phosphonate Inhibitor Nanoparticles and Transport in Porous Media. *S P E Journal* 15: 610-617.
- Zhang, P; Xue, W; Liu, P, ei; Can, L. (2011). Optical properties and electronic structure of terminal group-perturbed ethynyl-linked dendrimers. *Synthetic Metals* 161: 2289-2294. <http://dx.doi.org/10.1016/j.synthmet.2011.08.036>.
- Zhang, Q; An, Q; Luan, X; Huang, H; Li, X; Meng, Z; Tong, W; Chen, X; Chu, PK; Zhang, Y. (2015). Achieving significantly enhanced visible-light photocatalytic efficiency using a polyelectrolyte: the composites of exfoliated titania nanosheets, graphene, and poly(diallyl-dimethylammonium chloride). *Nanoscale* 7: 14002-14009. <http://dx.doi.org/10.1039/c5nr03256c>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhang, Q, i; Luan, H; Li, T, ao; Wu, Y; Ni, Y. (2016). Study on Pt-structured anodic alumina catalysts for catalytic combustion of toluene: Effects of competitive adsorbents and competitive impregnation methods. *Appl Surf Sci* 360: 1066-1074. <http://dx.doi.org/10.1016/j.apsusc.2015.11.149>.
- Zhang, R; Li, Q; Zhang, J; Li, J; Ma, G; Su, Z. (2012). Preparation of poly (ethylene glycol) acrylate grafted polystyrene resin for solid-phase peptide synthesis. *React Funct Polym* 72: 773-780. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.014>.
- Zhang, R; Mallon, PE; Chen, H; Huang, CM; Zhang, J; Li, Y; Wu, Y; Sandreczki, TC; Jean, YC. (2001). Characterization of photodegradation of a polyurethane coating by positron annihilation spectroscopy: correlation with cross-link density. *Progr Org Coating* 42: 244-252.
- Zhang, RG; Ling, LX; Li, Z; Wang, BJ. (2011). Solvent effects on Cu<sub>2</sub>O(111) surface properties and CO adsorption on Cu<sub>2</sub>O(111) surface: A DFT study. *Appl Catal A-Gen* 400: 142-147. <http://dx.doi.org/10.1016/j.apcata.2011.04.025>.
- Zhang, RG; Ling, LX; Wang, BJ; Huang, W. (2010). Solvent effects on adsorption of CO over CuCl(111) surface: A density functional theory study. *Appl Surf Sci* 256: 6717-6722. <http://dx.doi.org/10.1016/j.apsusc.2010.04.079>.
- Zhang, S; Zhang, Q; Darisaw, S; Ehie, O; Wang, G. (2007). Simultaneous quantification of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), and pharmaceuticals and personal care products (PPCPs) in Mississippi river water, in New Orleans, Louisiana, USA. *Chemosphere* 66: 1057-1069. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.067>.
- Zhang, W; Abdel-Rahman, FH; Saleh, MA. (2011). Natural resistance of rose petals to microbial attack. *J Environ Sci Health B* 46: 381-393. <http://dx.doi.org/10.1080/03601234.2011.572502>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, X; Chi, Z; Yang, Z; Chen, M; Xu, B; Zhou, L, in; Wang, C; Zhang, Y, i; Liu, S; Xu, J. (2009). Synthesis of carbazole derivatives with high quantum yield and high glass transition temperature. *Optical Materials* 32: 94-98. <http://dx.doi.org/10.1016/j.optmat.2009.06.009>.
- Zhang, X; Li, H; Cao, M; Shi, L; Chen, C. (2015). Adsorption of Basic Dyes on beta-Cyclodextrin Functionalized Poly (Styrene-Alt-Maleic Anhydride). *Separation Science and Technology* 50: 947-957. <http://dx.doi.org/10.1080/01496395.2014.978461>.
- Zhang, X; Wu, Y; Li, J; Li, F, an; Li, M, in. (2008). Synthesis and characterization of perylene tetracarboxylic bisester monoimide derivatives. *Dyes and Pigments* 76: 810-816. <http://dx.doi.org/10.1016/j.dyepig.2007.02.006>.
- Zhang, XP; Mei, J, inF; Lai, JC; Li, CH, ui; You, XZ. (2015). Mechano-induced luminescent and chiroptical switching in chiral cyclometalated platinum(II) complexes. 3: 2350-2357. <http://dx.doi.org/10.1039/c4tc02800g>.
- Zhang, XP; Wu, T, ao; Liu, J; Zhang, JX; Li, CH, ui; You, XZ. (2014). Vapor-induced chiroptical switching in chiral cyclometalated platinum(II) complexes with pinene functionalized (CNN)-N-boolean AND-N-boolean AND ligands. 2: 184-194. <http://dx.doi.org/10.1039/c3tc31997k>.
- Zhang, Y, anZhi; Liao, XM; Yin, GF, u; Yuan, P; Huang, ZB; Gu, JW, en; Yao, Y, aD; Chen, XC. (2012). Preparation of water soluble drugs-loaded microparticles using modified solution enhanced dispersion by supercritical CO<sub>2</sub>. *Powder Technology* 221: 343-350. <http://dx.doi.org/10.1016/j.powtec.2012.01.023>.
- Zhang, Y; Yin, DH; Fu, ZH; Li, CZ; Yin, DL. (2003). Preparation of Mn (salen)/Al-MCM-41 catalyst under microwave irradiation and its catalytic performance in epoxidation of styrene. *Chinese journal of catalysis* 24: 942-946.
- Zhang, Z, he; Luo, X; Liu, Y; Zhou, P; Ma, G; Lei, Z; Lei, L, ei. (2015). A low cost and highly efficient adsorbent (activated carbon) prepared from waste potato residue. *Taiwan Institute of Chemical Engineers Journal* 49: 206-211. <http://dx.doi.org/10.1016/j.jtice.2014.11.024>.
- Zhang, Z; Wu, Z, hu; Sun, J; Yao, B; Xue, P; Lu, R, an. (2016). beta-Iminoenolate boron complex with terminal triphenylamine exhibiting polymorphism and mechanofluorochromism. 4: 2854-2861. <http://dx.doi.org/10.1039/c5tc02386f>.
- Zhang, Z; Zhang, X, in; Zhan, C; Lu, Z; Ding, X; He, S; Yao, J. (2013). The leverage effect of the relative strength of molecular solvophobicity vs. solvophilicity on fine-tuning nanomorphologies of perylene diimide bolaamphiphiles. *Soft Matter* 9: 3089-3097. <http://dx.doi.org/10.1039/c2sm27674g>.
- Zhao, C; He, X, in; Li, C; Yang, L, ei; Fu, Y; Wang, K; Zhang, Y; Ni, Y. (2016). A Microwave-Assisted Simultaneous Distillation and Extraction Method for the Separation of Polysaccharides and Essential Oil from the Leaves of *Taxus chinensis* Var. *mairei*. 6. <http://dx.doi.org/10.3390/app6020019>.
- Zhao, J; Liu, CS; Yuan, Y; Tao, XY; Shan, XQ; Sheng, Y; Wu, F. (2007). Preparation of hemoglobin-loaded nano-sized particles with porous structure as oxygen carriers. *Biomaterials* 28: 1414-1422. <http://dx.doi.org/10.1016/j.biomaterials.2006.10.012>.
- Zhao, JS; Park, DY; Seo, MJ; Hwang, CS; Han, YK; Yang, CH; Oh, KY. (2004). Metallorganic CVD of high-quality PZT thin films at low temperature with new Zr and Ti precursors having MMP ligands. *J Electrochem Soc* 151: C283-C291. <http://dx.doi.org/10.1149/1.1676711>.
- Zhao, Q; Li, P; Stagnitti, F; Ye, J; Dong, D; Zhang, Y; Li, P. (2009). Effects of aging and freeze-thawing on extractability of pyrene in soil. *Chemosphere* 76: 447-452. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.068>.
- Zhao, Q; Weise, L; Li, P; Yang, K; Zhang, Y; Dong, D; Li, P; Li, X. (2010). Ageing behavior of phenanthrene and pyrene in soils: a study using sodium dodecylbenzenesulfonate extraction. *J Hazard Mater* 183: 881-887. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.111>.
- Zhao, Q; Zhang, S; Liu, Y, i; Mei, J, u; Chen, S; Lu, P; Qin, A; Ma, Y; Sun, JZ, hi; Tang, B, enZ. (2012). Tetraphenylethynyl-modified perylene bisimide: aggregation-induced red emission, electrochemical properties and ordered microstructures. *J Mater Chem* 22: 7387-7394. <http://dx.doi.org/10.1039/c2jm16613e>.
- Zhao, QS; Huang, Y, anF; Li, Y; Zhang, J, iMei; Wang, HY, i. (2014). Functionalized Magnetic Microparticles for Fast and Efficient Removal of Textile Dyes from Aqueous Solution. *Water Air Soil Pollut* 225. <http://dx.doi.org/10.1007/s11270-014-1950-9>.
- Zhao, T; Kang, Z. (2016). Simultaneously Fabricating Multifunctional Superhydrophobic/Superoleophilic Coatings by One-Step Electrodeposition Method on Cathodic and Anodic Magnesium Surfaces. *J Electrochem Soc* 163: D628-D635. <http://dx.doi.org/10.1149/2.1231610jes>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhao, X; Lui, YS; Toh, P, eiWenJ; Loo, S, ayCJ. (2014). Sustained Release of Hydrophilic L-ascorbic acid 2-phosphate Magnesium from Electrospun Polycaprolactone Scaffold-A Study across Blend, Coaxial, and Emulsion Electrospinning Techniques. *Materials* 7: 7398-7408. <http://dx.doi.org/10.3390/ma7117398>.
- Zhao, XQ; Wang, YJ; Wang, SF; Yang, HJ; Zhang, JY. (2002). Synthesis of MDI from dimethyl carbonate over solid catalysts. *Ind Eng Chem Res* 41: 5139-5144. <http://dx.doi.org/10.1021/ie020084f>.
- Zhao, YQ; Martens, SR; Puskar, MA; Lee, KL. (2000). Stability of methylene chloride spiked passive samplers: An international shipping and transportation study. *Am Ind Hyg Assoc J* 61: 394-397.
- Zhao, Z; Cheng, S; Qin, Z, he; Ma, K, e; Jin, X; Liang, S, huX. (2016). Evaluation of microtoxicity and biodegradability of residual organic solvents in pharmaceutical wastewater by combined prediction-test system. *Desalination and Water Treatment* 57: 28187-28194. <http://dx.doi.org/10.1080/19443994.2016.1180264>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. *Environ Monit Assess* 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zhao, ZB; Liu, K; Xie, W; Pan, WP; Riley, JT. (2000). Soluble polycyclic aromatic hydrocarbons in raw coals. *J Hazard Mater* 73: 77-85.
- Zhaoyang, L; Haojun, F; Yan, L; Bi, S. (2008). Fluorine-containing aqueous copolymer emulsion for waterproof leather. *Journal of the Society of Leather Technologists and Chemists* 92: 107-113.
- Zheng, H; Uhing, MC; Cospser, DR. (2002). A new method of analyzing pitch deposits in pulp and paper processes. *Journal of Pulp & Paper Science* 28: 204-210.
- Zheng, L; Ho, LY; Khan, SA. (2016). Weaving colloidal webs around droplets: spontaneous assembly of extended colloidal networks encasing microfluidic droplet ensembles. *Soft Matter* 12: 8654-8660. <http://dx.doi.org/10.1039/c6sm01318j>.
- Zheng, Q; Niu, Y; Li, H. (2016). Synthesis and characterization of imidacloprid microspheres for controlled drug release study. *React Funct Polym* 106: 99-104. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.07.006>.
- Zheng, S; Guo, H; Yang, F; Hong, B. (2016). Novel organic dye sorbent: synthesis and adsorption properties of multi-walled carbon nanotubes modified with gallic amide units. *Desalination and Water Treatment* 57: 12264-12273. <http://dx.doi.org/10.1080/19443994.2015.1048533>.
- Zhong, L; Cantrell, K; Mitroshkov, A; Shewell, J. (2014). Mobilization and transport of organic compounds from reservoir rock and caprock in geological carbon sequestration sites. *Environ Earth Sci* 71: 4261-4272. <http://dx.doi.org/10.1007/s12665-013-2823-z>.
- Zhong, S; Jiang, W, ei; Han, M, ei; Liu, G; Zhang, N, a; Lu, Y, ue. (2015). Graphene supported silver@silver chloride & ferrous oxide hybrid, a magnetically separable photocatalyst with high performance under visible light irradiation. *Appl Surf Sci* 347: 242-249. <http://dx.doi.org/10.1016/j.apsusc.2015.04.080>.
- Zhou, D; Zhang, L; Zhang, S; Fu, H; Chen, J. (2010). Hydrothermal Liquefaction of Macroalgae *Enteromorpha prolifera* to Bio-oil. *Energy Fuels* 24: 4054-4061. <http://dx.doi.org/10.1021/ef100151h>.
- Zhou, K, un; Li, J, un; Ren, YS. (2008). Solubility of rifapentine in different organic solvents. *Journal of Chemical and Engineering Data* 53: 998-999. <http://dx.doi.org/10.1021/jc7007457>.
- Zhou, L; Gao, C; Xu, WJ. (2009). Amphibious polymer-functionalized CdTe quantum dots: Synthesis, thermo-responsive self-assembly, and photoluminescent properties. *J Mater Chem* 19: 5655-5664. <http://dx.doi.org/10.1039/b905966k>.
- Zhou, L; He, B; Huang, J. (2013). One-step synthesis of robust amine- and vinyl-capped magnetic iron oxide nanoparticles for polymer grafting, dye adsorption, and catalysis. *5: 8678-8685*. <http://dx.doi.org/10.1021/am402334f>.
- Zhou, M; Gu, Y; Huang, J. (2013). Hierarchical nanotubular clay materials derived from natural cellulose substance. *Materials Research Bulletin* 48: 3223-3231. <http://dx.doi.org/10.1016/j.materresbull.2013.04.094>.
- Zhou, Q; Zhang, L; Chen, J; Xu, B; Chu, G; Chen, J. (2016). Performance and microbial analysis of two different inocula for the removal of chlorobenzene in biotrickling filters. *Chem Eng J* 284: 174-181. <http://dx.doi.org/10.1016/j.cej.2015.08.130>.
- Zhou, XS; Dong, ZR; Zhang, HM; Yan, JW; Gao, JX; Mao, BW. (2007). Self-assembly of a Rh(I) complex on Au(111) surfaces and its electrocatalytic activity toward the hydrogen evolution reaction. *Langmuir* 23: 6819-6826. <http://dx.doi.org/10.1021/la062949q>.
- Zhu, D; Herbert, BE; Schlautman, MA. (2003). Molecular-level investigation of monoaromatic compound sorption to suspended soil particles by deuterium nuclear magnetic resonance. *J Environ Qual* 32: 232-239.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER. (2004). Characterization of cation-pi interactions in aqueous solution using deuterium nuclear magnetic resonance spectroscopy. *J Environ Qual* 33: 276-284.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER; Hur, J. (2004). Cation-pi bonding: A new perspective on the sorption of polycyclic aromatic hydrocarbons to mineral surfaces. *J Environ Qual* 33: 1322-1330.
- Zhu, H; Ai, S; He, Q; Cui, Y, ue; Li, J. (2007). Fabrication of polystyrene/gold nanotubes and nanostructure-controlled growth of aluminate. *J Nanosci Nanotechnol* 7: 2361-2365. <http://dx.doi.org/10.1166/jnn.2007.435>.
- Zhu, JH; Yan, D; Xai, JR; Ma, LL; Shen, B. (2001). Attempt to adsorb N-nitrosamines in solution by use of zeolites. *Chemosphere* 44: 949-956.
- Zhu, N; Li, X, in; Wang, Y; Ma, X. (2016). Photo-responsive chiral cyclic molecular switches based on stiff stilbene. *Dyes and Pigments* 125: 259-265. <http://dx.doi.org/10.1016/j.dyepig.2015.10.033>.
- Zhu, QZ; Degelmann, P; Niessner, R; Knopp, D. (2002). Selective trace analysis of sulfonylurea herbicides in water and soil samples based on solid-phase extraction using a molecularly imprinted polymer. *Environ Sci Technol* 36: 5411-5420. <http://dx.doi.org/10.1021/es0207908>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhu, SH; Jiang, HL; Zhao, JW; Li, ZT. (2005). Reaction of 1,1,3,3-tetraoxa-2,2-dibromo-4,4,5,5,6,6-hexafluoro-1,3-dithiacyclohexane with pyrazine and hexamethylphosphoramide: Unexpected cocrystals through halogen bonding. *Cryst Growth Des* 5: 1675-1677. <http://dx.doi.org/10.1021/cg0501579>.
- Zhu, T; Li, J; Wu, Q. (2011). Construction of TiO<sub>2</sub> hierarchical nanostructures from nanocrystals and their photocatalytic properties. *3*: 3448-3453. <http://dx.doi.org/10.1021/am2006838>.
- Zhu, X; Liu, M. (2011). Self-assembly and morphology control of new L-glutamic acid-based amphiphilic random copolymers: giant vesicles, vesicles, spheres, and honeycomb film. *Langmuir* 27: 12844-12850. <http://dx.doi.org/10.1021/la202680j>.
- Zhu, X; Qian, F; Liu, Y; Matera, D; Wu, G; Zhang, S; Chen, J. (2016). Controllable synthesis of magnetic carbon composites with high porosity and strong acid resistance from hydrochar for efficient removal of organic pollutants: An overlooked influence. *Carbon* 99: 338-347. <http://dx.doi.org/10.1016/j.carbon.2015.12.044>.
- Zhu, X; Suidan, MT; Alonso, C; Yu, T; Kim, BJ; Kim, BR. (2001). Biofilm structure and mass transfer in a gas phase trickle-bed biofilter. *Water Sci Technol* 43: 285-293.
- Zhu, X; Wang, S; Liu, Q; Xu, Q; Xu, S; Chen, H. (2009). Determination of residues of cyromazine and its metabolite, melamine, in animal-derived food by gas chromatography-mass spectrometry with derivatization. *J Agric Food Chem* 57: 11075-11080. <http://dx.doi.org/10.1021/jf902771q>.
- Zhu, XQ; Alonso, C; Suidan, MT; Cao, HW; Kim, BJ; Kim, BR. (1998). The effect of liquid phase on VOC removal in trickle-bed biofilters. *Water Sci Technol* 38: 315-322.
- Zhuang, X, in; Wan, Y; Feng, C; Shen, Y; Zhao, D. (2009). Highly Efficient Adsorption of Bulky Dye Molecules in Wastewater on Ordered Mesoporous Carbons. *Chem Mater* 21: 706-716. <http://dx.doi.org/10.1021/cm8028577>.
- Zhuang, XD; Chen, Y, u; Liu, G; Zhang, B, in; Neoh, KG, ee; Kang, E, nT; Zhu, CX; Li, YX, i; Niu, L, iJ. (2010). Preparation and Memory Performance of a Nanoaggregated Dispersed Red 1-Functionalized Poly (N-vinylcarbazole) Film via Solution-Phase Self-Assembly. *Adv Funct Mater* 20: 2916-2922. <http://dx.doi.org/10.1002/adfm.201000258>.
- Zia-ur-Rehman; Salariya, AM; Habib, F. (2003). Antioxidant activity of ginger extract in sunflower oil. *J Sci Food Agric* 83: 624-629. <http://dx.doi.org/10.1002/jsfa.1318>.
- Zidorn, C; Jöhrer, K; Ganzera, M; Schubert, B; Sigmund, EM; Mader, J; Greil, R; Ellmerer, EP; Stuppner, H. (2005). Polyacetylenes from the Apiaceae vegetables carrot, celery, fennel, parsley, and parsnip and their cytotoxic activities. *J Agric Food Chem* 53: 2518-2523. <http://dx.doi.org/10.1021/jf048041s>.
- Zielinski, R; Wajda, A; Wybieralska, K. (2010). Use of cationic surfactants in surface modification of magnetic nanoparticles for adsorption of organic dyes from aqueous solutions. *Przemysł Chemiczny* 89: 1559-1563.
- Ziemons, E; Goffin, E; Lejeune, R; da Cunha, AP; Angenot, L; Thunus, L. (2005). Supercritical carbon dioxide extraction of tagitinin C from *Tithonia diversifolia*. *Journal of Supercritical Fluids* 33: 53-59. <http://dx.doi.org/10.1016/j.supflu.2004.04.001>.
- Zinger, B; Mann, KR; Hill, MG; Miller, LL. (1992). PHOTOCHEMICAL FORMATION OF OLIGOTHIOPHENE CATION RADICALS IN ACIDIC SOLUTION AND NAFION. *Chem Mater* 4: 1113-1118.
- Ziolek, M; Martin, C; Teresa Navarro, M; Garcia, H; Douhal, A. (2011). Confined Photodynamics of an Organic Dye for Solar Cells Encapsulated in Titanium-Doped Mesoporous Molecular Materials. *J Phys Chem C* 115: 8858-8867. <http://dx.doi.org/10.1021/jp201627t>.
- Zitko, V. (1999). Qualitative determination of 10,10'-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (2001). Analytical chemistry in monitoring the effects of aquaculture: one laboratory's perspective. *ICES J Mar Sci* 58: 486-491.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol* 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zotti, G; Zecchin, S; Schiavon, G; Vercelli, B; Groenendaal, L. (2003). Mono- and multilayers of oligoethylene oxide-modified poly(3,4-ethylenedioxythiophene) on ITO and glass surfaces. *Chem Mater* 15: 2222-2228. <http://dx.doi.org/10.1021/cm030151b>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol* 34: 1751-1757.
- Zou, W, enS; Ji, Y, aJun; Shao, Q, un; Xuan, H, an; Wang, X, iuF; Wang, Y, aQin. (2016). Crystalline nanoparticles for self-protective room-temperature phosphorescence based on synergism of multi-weak interactions in suspension solution. *Mater Chem Phys* 176: 121-128. <http://dx.doi.org/10.1016/j.matchemphys.2016.03.041>.
- Zribi, K; Elleuch, K; Feller, JF; Bourmaud, A; Elleuch, B. (2007). Eco-plastics: Morphological and mechanical properties of recycled poly(carbonate)-crushed rubber (rPC-CR) blends. *Polymer Engineering and Science* 47: 1768-1776. <http://dx.doi.org/10.1002/pen.20870>.
- Zubair Alam, M; Ahmad, S; Malik, A; Ahmad, M. (2010). Mutagenicity and genotoxicity of tannery effluents used for irrigation at Kanpur, India. *Ecotoxicol Environ Saf* 73: 1620-1628. <http://dx.doi.org/10.1016/j.ecoenv.2010.07.009>.
- Zuber, L; Dunn, IJ; Deshusses, MA. (1997). Comparative scale-up and cost estimation of a biological trickling filter and a three-phase airlift bioreactor for the removal of methylene chloride from polluted air. *J Air Waste Manag Assoc* 47: 969-975.
- Zubieta, CE; Soltero-Martinez, JFA; Luengo, CV; Schulz, PC. (2011). Preparation, characterization and photoactivity of TiO<sub>2</sub> obtained by a reverse microemulsion route. *Powder Technology* 212: 410-417. <http://dx.doi.org/10.1016/j.powtec.2011.06.017>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zubkova, V; Czaplicka, M. (2012). Changes in the structure of plasticized coals caused by extraction with dichloromethane. *Fuel* 96: 298-305. <http://dx.doi.org/10.1016/j.fuel.2011.12.067>.
- Zubkova, V; Czaplicka, M; Puchala, A. (2016). The influence of addition of coal tar pitch (CTP) and expired pharmaceuticals (EP) on properties and composition of pyrolysis products for lower and higher rank coals. *Fuel* 170: 197-209. <http://dx.doi.org/10.1016/j.fuel.2015.12.032>.
- Zulfiqar, S; Sarwar, MI. (2014). Probing the potential of polyester for CO<sub>2</sub> capture. *J Environ Sci* 26: 1423-1427. <http://dx.doi.org/10.1016/j.jes.2014.05.007>.
- Zuloaga, O; Fitzpatrick, LJ; Etxebarria, N; Dean, JR. (2000). Influence of solvent and soil type on the pressurised fluid extraction of PAHs. *J Environ Monit* 2: 634-638. <http://dx.doi.org/10.1039/b006178f>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater* 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, JK; Wendelken, JF. (1991). DEFECT AND IMPURITY EFFECTS ON THE INITIAL GROWTH OF AG ON SI(111). *Journal of Vacuum Science and Technology A* 9: 1539-1544.
- Zurita, JL; Desoria, MLG; Postigo, MA; Katz, M. (1986). VAPOR-LIQUID-EQUILIBRIUM FOR THE NORMAL-PENTANE DICHLOROMETHANE SYSTEM AT 298.15 K. *Journal of Chemical and Engineering Data* 31: 389-390.
- Zurita, R; Puiggali, J; Rodríguez-Galán, A. (2006). Loading and release of ibuprofen in multi- and monofilament surgical sutures. *Macromol Biosci* 6: 767-775. <http://dx.doi.org/10.1002/mabi.200600084>.

## Exposure Literature Search Results

### On Topic

- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Saeedi, R; Nazmara, S. (2013). Dichloromethane emissions from automotive manufacturing industry in Iran: case study of the SAIPA automotive manufacturing company. *Toxicol Environ Chem* 95: 757-764. <http://dx.doi.org/10.1080/02772248.2013.821126>.
- Adachi, A; Sawada, R; Shida, K; Nakamura, E; Kobayashi, T. (1996). Dichloromethane levels in wastewater discharged from chemical laboratories and its removal efficiency using activated carbon adsorption. *JTTE* 42: 268-271.
- Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. *Int Arch Occup Environ Health* 65: 247-251. <http://dx.doi.org/10.1007/BF00381198>.
- Armstrong, AQ; Hodson, RE; Hwang, HM; Lewis, DL. (1991). ENVIRONMENTAL-FACTORS AFFECTING TOLUENE DEGRADATION IN GROUND-WATER AT A HAZARDOUS-WASTE SITE. *Environ Toxicol Chem* 10: 147-158.
- Arquiaga, MC; Canter, LW; Robertson, JM. (1995). MICROBIOLOGICAL CHARACTERIZATION OF THE BIOLOGICAL TREATMENT OF AIRCRAFT PAINT STRIPPING WASTE-WATER. *Environ Pollut* 89: 189-195.
- Assmuth, TW; Strandberg, T. (1993). Ground water contamination at Finnish landfills. *Water Air Soil Pollut* 69: 179-199.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res* 98: 16933-16947.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1990). METHYLENE-CHLORIDE EXPOSURE AND BIRTH-WEIGHT IN MONROE COUNTY, NEW-YORK. *Am J Epidemiol* 132: 810-810.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1991). Methylene chloride exposure and birthweight in Monroe County, New York. *Environ Res* 55: 31-39. [http://dx.doi.org/10.1016/S0013-9351\(05\)80138-0](http://dx.doi.org/10.1016/S0013-9351(05)80138-0).
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianchi, E; Lessing, G; Brina, KR; Angeli, L; Andriguetti, NB; Peruzzo, J. R.; Do Nascimento, CA; Spilki, FR; Ziulkoski, AL; da Silva, LB. (2017). Monitoring the Genotoxic and Cytotoxic Potential and the Presence of Pesticides and Hydrocarbons in Water of the Sinos River Basin, Southern Brazil. *Arch Environ Contam Toxicol*. <http://dx.doi.org/10.1007/s00244-016-0334-0>.
- Bonfiglioli, R; Carnevali, L; Di Lello, M; Violante, FS. (2014). Bilateral hearing loss after dichloromethane poisoning: a case report. *Am J Ind Med* 57: 254-257. <http://dx.doi.org/10.1002/ajim.22257>.
- Bravo-Linares, CM; Mudge, SM. (2009). Temporal trends and identification of the sources of volatile organic compounds in coastal seawater. *J Environ Monit* 11: 628-641. <http://dx.doi.org/10.1039/b814260m>.
- Chan, C; Lee, SC; Chan, W; Ho, K; Tian, L; Lai, S; Li, Y; Huang, Y, u. (2011). Characterisation of Volatile Organic Compounds at Hotels in Southern China. *Indoor Built Environ* 20: 420-429. <http://dx.doi.org/10.1177/1420326X11409458>.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ* 35: 5895-5913. [http://dx.doi.org/10.1016/s1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/s1352-2310(01)00410-1).
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng* 124: 1054-1060.
- Charron, KA; Puskar, MA; Levine, SP. (1998). Field validation of passive monitors for the determination of employee exposures to methylene chloride in pharmaceutical production facilities. *Am Ind Hyg Assoc J* 59: 353-358.



## Exposure Literature Search Results

### On Topic

- Chary, NS; Fernandez-Alba, AR. (2012). Determination of volatile organic compounds in drinking and environmental waters. *Trends Analyt Chem* 32: 60-75. <http://dx.doi.org/10.1016/j.trac.2011.08.011>.
- Cheng, W; Hsu, SK; Chou, MS. (2008). Volatile organic compound emissions from wastewater treatment plants in Taiwan: Legal regulations and costs of control. *J Environ Manage* 88: 1485-1494. <http://dx.doi.org/10.1016/j.jenvman.2007.07.022>.
- Cheng, W; Lai, CH; Tzeng, W; Her, C; Hsu, Y. (2015). Gaseous Products of Incense Coil Combustion Extracted by Passive Solid Phase Microextraction Samplers. *Atmosphere (Basel)* 6: 822-833. <http://dx.doi.org/10.3390/atmos6060822>.
- Cheng, W, enHsi; Tsai, DY; Lu, J, iaYu; Lee, J, enWei. (2016). Extracting Emissions from Air Fresheners Using Solid Phase Microextraction Devices. *Aerosol Air Qual Res* 16: 2362-2367. <http://dx.doi.org/10.4209/aaqr.2016.01.0011>.
- Chou, MS; Chang, HY. (2005). Bio-oxidation of airborne volatile organic compounds in an activated sludge aeration tank. *J Air Waste Manag Assoc* 55: 604-611.
- Colborn, T; Schultz, K; Herrick, L; Kwiatkowski, C. (2014). An exploratory study of air quality near natural gas operations. *Hum Ecol Risk Assess* 20: 86-105. <http://dx.doi.org/10.1080/10807039.2012.749447>.
- Cooper, GS; Scott, CS; Bale, AS. (2011). Insights from epidemiology into dichloromethane and cancer risk [Review]. *Int J Environ Res Public Health* 8: 3380-3398. <http://dx.doi.org/10.3390/ijerph8083380>.
- Cox, ML; Fraser, PJ; Sturrock, GA; Siems, ST; Porter, LW. (2004). Terrestrial Sources and Sinks of Halomethanes near Cape Grim, Tasmania. *Atmos Environ* 38: 3839. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.050>.
- Cox, ML; Sturrock, GA; Fraser, PJ; Siems, ST; Krummel, PB; O'Doherty, S. (2003). Regional Sources of Methyl Chloride, Chloroform and Dichloromethane Identified from AGAGE Observations at Cape Grim, Tasmania, 1998-2000. *J Atmos Chem* 45: 79-99.
- Czerwinski, J; Zygumt, B; Namiesnik, J. (1996). Application of solid phase microextraction for determination of volatile halogenated hydrocarbons in air and water of an indoor swimming pool. *Fresen Environ Bull* 5: 55-60.
- Dai, H; Jing, S; Wang, H; Ma, Y; Li, L; Song, W; Kan, H. (2017). VOC characteristics and inhalation health risks in newly renovated residences in Shanghai, China. *Sci Total Environ* 577: 73-83. <http://dx.doi.org/10.1016/j.scitotenv.2016.10.071>.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- De Rooij, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). Dichloromethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 3-22.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>.
- Demir, S; Saral, A; Kuzu, SL. (2012). ASSESSMENT OF LEVELS AND ASSOCIATED RISKS OF EXPOSURE TO VOCs RELEASED FROM MSW LANDFILL SITES. *Fresen Environ Bull* 21: 781-788.
- Demou, E; Hellweg, S; Hungerbuehler, K. (2011). An occupational chemical priority list for future life cycle assessments. *J Clean Prod* 19: 1339-1346. <http://dx.doi.org/10.1016/j.jclepro.2011.03.011>.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1971). The gas chromatographic analysis of methylene chloride in breath, blood, and urine. *Am Ind Hyg Assoc J* 32: 387-391. <http://dx.doi.org/10.1080/0002889718506478>.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1972). Human and canine exposures to methylene chloride vapor. *Am Ind Hyg Assoc J* 33: 125-135. <http://dx.doi.org/10.1080/0002889728506622>.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol* 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.
- Dodson, RE; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2008). Influence of basements, garages, and common hallways on indoor residential volatile organic compound concentrations. *Atmos Environ* 42: 1569-1581. <http://dx.doi.org/10.1016/j.atmosenv.2007.10.088>.
- Duan, H; Liu, X; Yan, M; Wu, Y; Liu, Z. (2016). Characteristics of carbonyls and volatile organic compounds (VOCs) in residences in Beijing, China. *10: 73-84*. <http://dx.doi.org/10.1007/s11783-014-0743-0>.
- Duclos, Y; Blanchard, M; Chesterikoff, A; Chevreuil, M. (2000). Impact of paris waste upon the chlorinated solvent concentrations of the river Seine (France). *Water Air Soil Pollut* 117: 273-288.
- Elvidge, ECL; Oram, DE; Laube, JC; Baker, AK; Montzka, SA; Humphrey, S; O'Sullivan, DA; Brenninkmeijer, CAM. (2015). Increasing concentrations of dichloromethane, CH<sub>2</sub>Cl<sub>2</sub>, inferred from CARIBIC air samples collected 1998-2012. *Atmos Chem Phys* 15: 1939-1958. <http://dx.doi.org/10.5194/acp-15-1939-2015>.
- El-Zein, A; Rowe, RK. (2008). Impact on groundwater of concurrent leakage and diffusion of dichloromethane through geomembranes in landfill liners. *Geosynthetics International* 15: 55-71. <http://dx.doi.org/10.1680/gein.2008.15.1.55>.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol* 13: 437-447.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.

## Exposure Literature Search Results

### On Topic

- Gelover, S; Bandala, ER; Leal-Ascencio, T; Perez, S; Martinez, E. (2000). GC-MS determination of volatile organic compounds in drinking water supplies in Mexico. *Environ Toxicol* 15: 131-139.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Gulyas, H; Reich, M. (1995). ORGANIC COMPOUNDS AT DIFFERENT STAGES OF A REFINERY WASTEWATER TREATMENT PLANT. *Water Sci Technol* 32: 119-126.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TIO(2) WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells* 26: 1-16.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Hildenbrand, ZL; Carlton, DD; Fontenot, BE; Meik, JM; Walton, JL; Thacker, JB; Korlie, S; Shelor, CP; Kadjo, AF; Clark, A; Usenko, S; Hamilton, JS; Mach, PM; Verbeck, GF; Hudak, P; Schug, KA. (2016). Temporal variation in groundwater quality in the Permian Basin of Texas, a region of increasing unconventional oil and gas development. *Sci Total Environ* 562: 906-913. <http://dx.doi.org/10.1016/j.scitotenv.2016.04.144>.
- Hosaini, PN; Khan, M, dF; Mustaffa, N, urllIH; Amil, N; Mohamad, N; Jaafar, SA; Nadzir, MSM; Latif, MT. (2017). Concentration and source apportionment of volatile organic compounds (VOCs) in the ambient air of Kuala Lumpur, Malaysia. *Natural Hazards* 85: 437-452. <http://dx.doi.org/10.1007/s11069-016-2575-7>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Imbriani, M; Ghittori, S. (2005). Gases and organic solvents in urine as biomarkers of occupational exposure: a review [Review]. *Int Arch Occup Environ Health* 78: 1-19. <http://dx.doi.org/10.1007/s00420-004-0544-z>.
- Jang, YC; Townsend, TG. (2001). Occurrence of organic pollutants in recovered soil fines from construction and demolition waste. *Waste Manag* 21: 703-715.
- Kalkbrenner, AE; Daniels, JL; Chen, JC; Poole, C; Emch, M; Morrissey, J. (2010). Perinatal exposure to hazardous air pollutants and autism spectrum disorders at age 8. *Epidemiology* 21: 631-641. <http://dx.doi.org/10.1097/EDE.0b013e3181e65d76>.
- Kallenbach, LR; Lewismichl, EL; Melius, JM; Ju, CL. (1995). PANCREATIC-CANCER AMONG WOMEN IN AN AREA WITH POTENTIAL EXPOSURE TO METHYLENE-CHLORIDE (DICHLOROMETHANE). *Am J Epidemiol* 141: S60-S60.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Kavouras, IG; Dubois, DW; Nikolich, G; Etyemezian, V, ic. (2015). Monitoring, Source Identification and Health Risks of Air Toxics in Albuquerque, New Mexico, USA. *Aerosol Air Qual Res* 15: 556-571. <http://dx.doi.org/10.4209/aaqr.2014.04.0075>.
- Keil, C; Murphy, R. (2006). An application of exposure modeling in exposure assessments for a university chemistry teaching laboratory. *J Occup Environ Hyg* 3: 99-106. <http://dx.doi.org/10.1080/15459620500498109>.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc* 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8333-8346.
- Kim, JH; Seo, YC; Pudasainee, D; Lee, SH; Cho, SJ; Jang, HN; Park, JM; Song, GJ; Park, KS. (2009). Efforts to develop regulations in Korea similar to the US maximum achievable control technology (MACT) regulations for hazardous waste incinerators. *Journal of Material Cycles and Waste Management* 11: 183-190. <http://dx.doi.org/10.1007/s10163-008-0247-8>.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res* 67: 1044-1051.
- Kim, KH; Susaya, JP; Park, CG; Uhm, JH; Hur, J. (2013). Comprehensive monitoring of drinking well water quality in Seoul metropolitan city, Korea. *Environ Monit Assess* 185: 6353-6378. <http://dx.doi.org/10.1007/s10661-012-3030-1>.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos* 98: 20517-20526.
- Kumar, A; Madasu, R; Manocha, A. (1996). Health risk assessment for toxic emissions from a manufacturing facility. *Environ Monit Assess* 42: 211-228. <http://dx.doi.org/10.1007/BF00414369>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.

## Exposure Literature Search Results

### On Topic

- Lee, SC; Li, WM; Chan, LY. (2001). Indoor air quality at restaurants with different styles of cooking in metropolitan Hong Kong. *Sci Total Environ* 279: 181-193.
- Lindstrom, AB; Proffitt, D; Fortune, CR. (1995). Effects of modified residential construction on indoor air quality. *Indoor Air* 5: 258-269.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull* 32: 807-816.
- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res* 69: 305-310.
- Long, G; Meek, ME; Caldwell, I; Bartlett, S; Savard, S. (1994). DICHLOROMETHANE - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 12: 305-318.
- Loyola-Sepulveda, R; Mudge, SM; Bravo-Linares, C. (2013). Seasonal Variation of Disinfection By-products in Drinking Water in Central Chile. *Water Qual Expo Health* 5: 1-9. <http://dx.doi.org/10.1007/s12403-012-0082-y>.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ* 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Miyake, Y; Kobayashi, T; Inaba, K; Watabe, I; Kasuya, N; Kameya, T. (2010). Comparison of observed and estimated concentrations of volatile organic compounds using a Gaussian dispersion model in the vicinity of factories: an estimation approach to determine annual average concentrations and human health risks. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 45: 527-533. <http://dx.doi.org/10.1080/10934521003594954>.
- Mohamed, MF; Kang, D; Aneja, VP. (2002). Volatile organic compounds in some urban locations in the United States. *Chemosphere* 47: 863-882. [http://dx.doi.org/10.1016/S0045-6535\(02\)00107-8](http://dx.doi.org/10.1016/S0045-6535(02)00107-8).
- Morgan, B; Hansgen, R; Hawthorne, W; Miller, SL. (2015). Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *Journal of the Air and Waste Management Association* 65: 1127-1140. <http://dx.doi.org/10.1080/10962247.2015.1064833>.
- Niu, Z; Zhang, H; Xu, Y; Liao, X; Xu, L; Chen, J. (2012). Pollution characteristics of volatile organic compounds in the atmosphere of Haicang District in Xiamen City, Southeast China. *J Environ Monit* 14: 1145-1152. <http://dx.doi.org/10.1039/c2em10884d>.
- Niu, ZG; Xu, SY; Gong, QC. (2014). Health risk assessment of odors emitted from urban wastewater pump stations in Tianjin, China. *Environ Sci Pollut Res Int* 21: 10349-10360. <http://dx.doi.org/10.1007/s11356-014-2984-7>.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ* 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okochi, H; Sugimoto, D; Igawa, M. (2004). The enhanced dissolution of some chlorinated hydrocarbons and monocyclic aromatic hydrocarbons in rainwater collected in Yokohama, Japan. *Atmos Environ* 38: 4403-4414. <http://dx.doi.org/10.1016/j.atmosenv.2004.03.053>.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Otson, R; Williams, DT; Bothwell, PD. (1981). DICHLOROMETHANE LEVELS IN AIR AFTER APPLICATION OF PAINT REMOVERS. *Am Ind Hyg Assoc J* 42: 56-60.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ* 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Rastogi, SC. (1994). Regulation of dichloromethane and 1,1,1-trichloroethane in cosmetic products. *Sci Total Environ* 156: 23-25. [http://dx.doi.org/10.1016/0048-9697\(94\)90417-0](http://dx.doi.org/10.1016/0048-9697(94)90417-0).
- Rayburn, JR; Fisher, WS. (1999). Developmental toxicity of copper chloride, methylene chloride, and 6-aminonicotinamide to embryos of the grass shrimp *Palaemonetes pugio*. *Environ Toxicol Chem* 18: 950-957.
- Riley, DM; Small, MJ; Fischhoff, B. (2000). Modeling methylene chloride exposure-reduction options for home paint-stripper users. *J Expo Anal Environ Epidemiol* 10: 240-250.
- Roberts, AL; Lyall, K; Hart, JE; Laden, F; Just, AC; Bobb, JF; Koenen, KC; Ascherio, A; Weisskopf, MG. (2013). Perinatal Air Pollutant Exposures and Autism Spectrum Disorder in the Children of Nurses' Health Study II Participants. *Environ Health Perspect* 121: 978-984. <http://dx.doi.org/10.1289/ehp.1206187>.
- Ruhl, R; Hober, D; Bredendiek-Kamper, S. (2004). European measurements confirm high exposure during paint stripping. *Staub, Reinhaltung der Luft* 64: 467-470.
- Ryan, TJ. (2002). Survey of waste comminglers' VOC exposures. *J Air Waste Manag Assoc* 52: 1298-1306.
- Ryan, TJ; Hart, EM; Kappler, LL. (2002). VOC exposures in a mixed-use university art building. *AIHA J* 63: 703-708. [http://dx.doi.org/10.1202/0002-8894\(2002\)063<0703:VEIAMU>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2002)063<0703:VEIAMU>2.0.CO;2).
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).

## Exposure Literature Search Results

### On Topic

- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int Special issue no. 1*: 38-45.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.
- Services, TDoSH. (2009). Letter Health Consultation. Review of Vapor Intrusion Sampling Data. Bandera Road Groundwater Plume, Leon Valley, Bexar County, Texas. EPA Facility ID: TXN000606565. GRA and I: 16.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shie, RH; Chan, CC. (2013). Tracking hazardous air pollutants from a refinery fire by applying on-line and off-line air monitoring and back trajectory modeling. *J Hazard Mater* 261: 72-82. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.017>.
- Shonnard, DR; Bell, RL; Jackman, AP. (1993). Effects of nonlinear sorption on the diffusion of benzene and dichloromethane from two air-dry soils. *Environ Sci Technol* 27: 457-466.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health* 56: 13-16.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simpson, IJ; Akagi, SK; Barletta, B; Blake, NJ; Choi, Y; Diskin, GS; Fried, A; Fuelberg, HE; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Wennberg, PO; Wiebring, P; Wisthaler, A; Yang, M; Yokelson, RJ; Blake, DR. (2011). Boreal forest fire emissions in fresh Canadian smoke plumes: C-1-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CO, NO<sub>2</sub>, NO, HCN and CH<sub>3</sub>CN. *Atmos Chem Phys* 11: 6445-6463. <http://dx.doi.org/10.5194/acp-11-6445-2011>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere* 30: 2343-2352.
- Soden, KJ. (1993). An evaluation of chronic methylene chloride exposure. *J Occup Med* 35: 282-286.
- Sofuoglu, SC; Lebowitz, MD; O'Rourke, MK; Robertson, GL; Dellarco, M; Moschandreas, DJ. (2003). Exposure and risk estimates for Arizona drinking water. *J Am Water Works Assoc* 95: 67-79.
- Song, P; Chan, CY; Geng, F; Yu, Q; Guo, Y; Yu, L. (2012). Elevated mixing ratios and sources of methyl chloride: Results from a survey in the Yangtze River Delta region of China. *Atmos Res* 104-105: 172-181. <http://dx.doi.org/10.1016/j.atmosres.2011.10.003>.
- Song, P; Geng, FH; Sang, XF; Chan, CY; Chan, LY; Yu, Q. (2012). Characteristics and sources of non-methane hydrocarbons and halocarbons in wintertime urban atmosphere of Shanghai, China. *Environ Monit Assess* 184: 5957-5970. <http://dx.doi.org/10.1007/s10661-011-2393-z>.
- Stanley, TJ; Alger, MM. (1989). METHYLENE-CHLORIDE MIGRATION IN POLYCARBONATE PACKAGES - EFFECT OF INITIAL CONCENTRATION PROFILE. *Ind Eng Chem Res* 28: 865-867.
- Stanley, TJ; Ward, WJ; Alger, MM. (1989). METHYLENE-CHLORIDE PERMEATION IN POLYCARBONATE USING A C-14 TRACER. *Ind Eng Chem Res* 28: 1494-1497.
- Strum, M; Scheffe, R. (2015). National review of ambient air toxics observations. *Journal of the Air and Waste Management Association* 66: 120-133. <http://dx.doi.org/10.1080/10962247.2015.1076538>.
- Talbott, EO; Marshall, LP; Rager, JR; Arena, VC; Sharma, RK; Stacy, SL. (2015). Air toxics and the risk of autism spectrum disorder: the results of a population based case-control study in southwestern Pennsylvania. *Environ Health* 14: 80. <http://dx.doi.org/10.1186/s12940-015-0064-1>.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol* 26: 1159-1164.
- Thiébaud, H; Merlin, G; Capovilla, MP; Blake, G. (1994). Fate of a volatile chlorinated solvent in indoor aquatic microcosms: sublethal and static exposure to [<sup>14</sup>C]dichloromethane. *Groupe pour l'Etude du Devenir de Xénobiotiques dans l'Environnement (GEDEXE). Ecotoxicol Environ Saf* 28: 71-81.
- Tobajas, M; Verdugo, V; Polo, AM; Rodriguez, JJ; Mohedano, AF. (2016). Assessment of toxicity and biodegradability on activated sludge of priority and emerging pollutants. *Environ Technol* 37: 713-721. <http://dx.doi.org/10.1080/09593330.2015.1079264>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tong, L; Liao, X; Chen, J; Xiao, H; Xu, L; Zhang, F; Niu, Z; Yu, J. (2013). Pollution characteristics of ambient volatile organic compounds (VOCs) in the southeast coastal cities of China. *Environ Sci Pollut Res Int* 20: 2603-2615. <http://dx.doi.org/10.1007/s11356-012-1187-3>.
- Trapp, S; Brüggemann, R; Münzer, B. (1990). Estimation of releases into rivers with the steady-state surface water model EXWAT using dichloromethane. *Ecotoxicol Environ Saf* 19: 72-80.

## Exposure Literature Search Results

### On Topic

- Trevors, JT. (1985). EFFECT OF METHYLENE-CHLORIDE ON RESPIRATION AND ELECTRON-TRANSPORT SYSTEM (ETS) ACTIVITY IN FRESH-WATER SEDIMENT. *Bull Environ Contam Toxicol* 34: 239-245.
- Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehøj, J. (1995). Permeability of commercial solvents through living human skin. *Am Ind Hyg Assoc J* 56: 651-660. <http://dx.doi.org/10.1080/15428119591016665>.
- Van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. *Indoor Air* 12: 92-97.
- Wade, HF; York, AC; Morey, AE; Padmore, JM; Rudo, KM. (1998). The impact of pesticide use on groundwater in North Carolina. *J Environ Qual* 27: 1018-1026.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol* 7: 141-163.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95: 7-13.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Wu, X; Huan, Y; Zhao, Q, i; Yu, X; Zhang, W. (2016). Fate and transport of DBPs in a deep confined aquifer during artificial recharge process. *Environ Earth Sci* 75: 7-7. <http://dx.doi.org/10.1007/s12665-015-4774-z>.
- Xu, ZR; Wang, ZM; Xu, MZ; He, HF. (2013). [Health risk assessment and ozone formation potentials of volatile organic compounds from pharmaceutical industry in Zhejiang Province]. *Huanjing Kexue* 34: 1864-1870.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut* 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yan, H; Wang, Y; Zhang, M. (2015). [Determination of dichloromethane in urine by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 478-480.
- Yang, F; Zhang, J; Chu, W; Yin, D; Templeton, MR. (2014). Haloacetamides versus halomethanes formation and toxicity in chloraminated drinking water. *J Hazard Mater* 274: 156-163. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.008>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yu, CH, o; Zhu, X; Fan, Z. (2014). Spatial/Temporal Variations and Source Apportionment of VOCs Monitored at Community Scale in an Urban Area. *PLoS ONE* 9: e95734. <http://dx.doi.org/10.1371/journal.pone.0095734>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Zgheib, S; Moilleron, R; Saad, M; Chebbo, G. (2011). Partition of pollution between dissolved and particulate phases: what about emerging substances in urban stormwater catchments? *Water Res* 45: 913-925. <http://dx.doi.org/10.1016/j.watres.2010.09.032>.
- Zhang, K. (2010). Characterization and Uncertainty Analysis of VOCs Emissions from Industrial Wastewater Treatment Plants. *Environ Prog Sustain Energy* 29: 265-271. <http://dx.doi.org/10.1002/ep.10377>.

## Exposure Literature Search Results

### Off Topic

- A. Esteve-Turrillas, F; Perez-Cabero, M; de La C. Garcia, T; Zahedi, S; Pastor, A; Martinez, R. (2007). Polyfurfuryl alcohol composite as adsorbent of polychlorinated biphenyls and pyrethroid insecticides. *Polym Test* 26: 587-594. <http://dx.doi.org/10.1016/j.polymertesting.2007.02.006>.
- Abatzoglou, N; Barker, N; Hasler, P; Knoef, H. (2000). The development of a draft protocol for the sampling and analysis of particulate and organic contaminants in the gas from small biomass gasifiers. *Biomass and Bioenergy* 18: 5-17.
- Abbasian, M; Massomi, B; Rashidzadeh, B; Bahrami, H. (2015). Versatile method for synthesis of electrically conductive polypyrrole-polystyrene clay nanocomposites using ATRP and chemical polymerisation methods. *Journal of Experimental Nanoscience* 10: 844-858. <http://dx.doi.org/10.1080/17458080.2014.910617>.
- Abd Allah, Z; Whitehead, JC; Martin, P. (2014). Remediation of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) using non-thermal, atmospheric pressure plasma generated in a packed-bed reactor. *Environ Sci Technol* 48: 558-565. <http://dx.doi.org/10.1021/es402953z>.
- Abda, A; Benouareth, DE; Tabet, M; Liman, R; Konuk, M; Khallef, M; Taher, A. (2015). Mutagenicity and genotoxicity of drinking water in Guelma region, Algeria. *Environ Monit Assess* 187: 21. <http://dx.doi.org/10.1007/s10661-014-4223-6>.
- Abdal-Hay, A; Dewidar, M; Lim, J, aeK. (2012). Biocorrosion behavior and cell viability of adhesive polymer coated magnesium based alloys for medical implants. *Appl Surf Sci* 261: 536-546. <http://dx.doi.org/10.1016/j.apsusc.2012.08.051>.
- Abdallah, DJ; Lu, LD; Weiss, RG. (1999). Thermoreversible organogels from alkane gelators with one heteroatom. *Chem Mater* 11: 2907-2911.
- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech* 27: 1719-1729. <http://dx.doi.org/10.1016/j.apt.2016.06.003>.
- Abdelalail, SAM; Abdel-Razeek, N; Soliman, SA. (2009). Herbicidal Activity of Three Sesquiterpene Lactones on Wild Oat (*Avena fatua*) and Their Possible Mode of Action. *Weed Sci* 57: 6-9. <http://dx.doi.org/10.1614/WS-08-093.1>.

## Exposure Literature Search Results

### Off Topic

- Abdelfattah, TM; Davies, G; Romanovsky, BV; Shakhnovskaya, OL; Larin, AN; Jansen, SA; Palmieri, MJ. (1997). Molecular catalyst design. Synthesis, characterization and properties of zeolite NaY catalysts made with a tetranuclear copper(II) complex. *Catalysis Today* 33: 313-322.
- Abd-Elrahman, MI; Ahmed, MO; Abdel-Aleem, JA. (2013). Optical properties of cellulose derivatives blend film carrying a chalcogenide material. *Materials Science in Semiconductor Processing* 16: 1052-1056. <http://dx.doi.org/10.1016/j.mssp.2013.02.014>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater* 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abdullah, HA; Hauser, A; Ali, FA; Al-Adwani, A. (2006). Optimal conditions for coke extraction of spent catalyst by accelerated solvent extraction compared to soxhlet. *Energy Fuels* 20: 320-323. <http://dx.doi.org/10.1021/ef0502271>.
- Abe, A; Urano, K. (1994). INTERACTIONS OF SEDIMENT CONTAMINANTS IN THE TESTING OF MUTAGENICITY. *Water Sci Technol* 30: 139-144.
- Abe, Y; Akutagawa, T; Hasegawa, T; Nakamura, T; Sugiura, K; Sakata, Y; Inabe, T; Christensen, CA; Becher, J. (1999). Structure and electronic properties of TTF bisannulated 24-crown-8 charge transfer complexes. *Synthetic Metals* 102: 1599-1600.
- Abe, Z; Ljungquist, PO; Desousa, F; Kringstad, KP. (1994). THE FORMATION OF CHLORINATED DIOXINS AND FURANS DURING CHLORINE BLEACHING .4. IDENTIFICATION OF POLYCHLORINATED DIBENZOFURANS AND DIBENZO-P-DIOXINS PRECURSORS IN PINE KRAFT BLACK LIQUOR. 40: 298-301.
- Abed, D; Brossut, R; Farine, JP. (1993). EVIDENCE FOR SEX-PHEROMONES PRODUCED BY MALES AND FEMALES IN BLATTA-ORIENTALIS (DIPTERA, BLATTIDAE). *J Chem Ecol* 19: 2831-2853.
- Abidin, L; Mujeeb, M; Mir, SR; Khan, SA; Ahmad, A. (2014). Comparative assessment of extraction methods and quantitative estimation of luteolin in the leaves of *Vitex negundo* Linn. by HPLC. *Asian Pacific Journal of Tropical Medicine* 7S1: S289-S293. [http://dx.doi.org/10.1016/S1995-7645\(14\)60248-0](http://dx.doi.org/10.1016/S1995-7645(14)60248-0).
- Abou-Elwafa Abdallah, M; Drage, D; Harrad, S. (2013). A one-step extraction/clean-up method for determination of PCBs, PBDEs and HBCDs in environmental solid matrices. *Environ Sci Process Impacts* 15: 2279-2287. <http://dx.doi.org/10.1039/c3em00395g>.
- Abrantes, M; Valente, A; Pillinger, M; Goncalves, IS; Rocha, J; Romao, CC. (2002). Organotin-oxometalate coordination polymers as catalysts for the epoxidation of olefins. *J Catal* 209: 237-244. <http://dx.doi.org/10.1006/jcat.2002.3619>.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Nazmara, S; Saeedi, R. (2014). Removal of dichloromethane from waste gas streams using a hybrid bubble column/biofilter bioreactor. 12: 22. <http://dx.doi.org/10.1186/2052-336X-12-22>.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica* 17: 1-14.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1991). VAPOR-LIQUID-EQUILIBRIUM FOR THE 2-PROPANOL METHYL ACETATE DICHLOROMETHANE SYSTEM AT 298.15-K. *Journal of Chemical and Engineering Data* 36: 137-140.
- Acevedo, IL; Pedrosa, GC; Arancibia, EL; Katz, M. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE N-PENTANE PLUS METHYL ACETATE PLUS DICHLOROMETHANE SYSTEM. *Fluid Phase Equilibria* 74: 145-155.
- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices Dichloromethane. Cincinnati, OH.
- Achi, SS. (1996). Analysis of Nigerian house paints using thin layer chromatography. *Surf Coat Int (1991-2000)* 79: 492-&.
- Aci, F; Nebioglu, M; Arslan, M; Imamoglu, M; Zengin, M; Kuecukislamoglu, M. (2008). Preparation of activated carbon from sugar beet molasses and adsorption of methylene blue. *Fresen Environ Bull* 17: 997-1001.
- Acikbas, Y. (2016). Swelling behaviour of quartz crystal microbalance sensors coated with graphene Langmuir-Blodgett films. *J Optoelect Adv Mater* 18: 220-225.
- Acikyildiz, M; Gurses, A; Karaca, S. (2014). Preparation and characterization of activated carbon from plant wastes with chemical activation. *Microporous and Mesoporous Materials* 198: 45-49. <http://dx.doi.org/10.1016/j.micromeso.2014.07.018>.
- Adachi, A; Hamamoto, H; Okano, T. (2004). Determination of spherosomes from lees materials. *J Agric Food Chem* 52: 7768-7770. <http://dx.doi.org/10.1021/jf0403134>.
- Adachi, A; Hamamoto, H; Okano, T. (2005). Use of lees materials as an adsorbent for removal of organochlorine compounds or benzene from wastewater. *Chemosphere* 58: 817-822. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.077>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem* 49: 1309-1314.
- Adachi, A; Komiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adamiak, W; Jedraszko, J; Krysiak, O; Nogala, W; Hidalgo-Acosta, JC; Girault, HH; Opallo, M. (2014). Hydrogen and Hydrogen Peroxide Formation in Trifluorotoluene Water Biphasic Systems. *J Phys Chem C* 118: 23154-23161. <http://dx.doi.org/10.1021/jp507310d>.
- Adamopoulos, S; Voulgaridis, E; Passialis, C. (2005). Variation of certain chemical properties within the stemwood of black locust (*Robinia pseudoacacia* L.). *Holz als Roh- und Werkstoff* 63: 327-333. <http://dx.doi.org/10.1007/s00107-005-0018-3>.
- Adekunle, IM. (2011). Bioremediation of Soils Contaminated with Nigerian Petroleum Products Using Composted Municipal Wastes. *Bioremediat J* 15: 230-241. <http://dx.doi.org/10.1080/10889868.2011.624137>.

## Exposure Literature Search Results

### Off Topic

- Adeosun, SO; Akpan, EI; Gbenedor, OP; Peter, AA; Olaleye, S. (2016). Mechanical Behavior of Electrospun Palmfruit Bunch Reinforced Polylactide Composite Fibers. *J O M* 68: 265-270. <http://dx.doi.org/10.1007/s11837-015-1565-7>.
- Adhikari, R; Postma, A; Li, J, uoHao; Hirai, T; Bown, M; Ueno, K. (2013). Thermally cross-linkable copolymer and its evaluation as a hole transport layer in organic light-emitting diode devices. *Society for Information Display Journal* 21: 151-158. <http://dx.doi.org/10.1002/jsid.159>.
- Adhikari, RM; Duan, L; Hou, L; Qiu, Y; Neckers, DC; Shah, BK. (2009). Ethynylphenyl-Linked Carbazoles as a Single-Emitting Component for White Organic Light-Emitting Diodes. *Chem Mater* 21: 4638-4644. <http://dx.doi.org/10.1021/cm9017503>.
- Ado, MA; Abas, F; Ismail, IS; Ghazali, HM; Shaari, K. (2015). Chemical profile and antiacetylcholinesterase, antityrosinase, antioxidant and  $\alpha$ -glucosidase inhibitory activity of *Cynometra cauliflora* L. leaves. *J Sci Food Agric* 95: 635-642. <http://dx.doi.org/10.1002/jsfa.6832>.
- Aerts, CA; Verraedt, E, Is; Mellaerts, R; Depla, A; Augustijns, P; Van Humbeeck, J, an; Van Den Mooter, G, uy; Martens, JA. (2007). Tunability of pore diameter and particle size of amorphous microporous silica for diffusive controlled release of drug compounds. *J Phys Chem C* 111: 13404-13409. <http://dx.doi.org/10.1021/jp0735076>.
- Affifi, M; Golestani, HA; Sharifi, S; Kiani, S. (2014). Wastewater treatment of raisins processing factory using micellar-enhanced ultrafiltration. *Desalination and Water Treatment* 52: 57-64. <http://dx.doi.org/10.1080/19443994.2013.782254>.
- Afonso, ML; Silva, RA; Matos, M; Viana, AS; Montemor, MF; Almeida, M. (2012). Studies on the electrochemical growth of (Per)<sub>2</sub>[Au(mnt)]<sub>2</sub>. *Langmuir* 28: 4883-4888. <http://dx.doi.org/10.1021/la204713s>.
- Agabekov, V; Golubovich, V; Pesetskii, S. (2012). Effect of Nanodisperse Carbon Fillers and Isocyanate Chain Extender on Structure and Properties of Poly(ethylene terephthalate). *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/870307>.
- Agarwal, C; Pandey, AK; Das, S; Sharma, MK; Pattyn, D; Ares, P; Goswami, A. (2012). Neck-size distributions of through-pores in polymer membranes. *J Memb Sci* 415: 608-615. <http://dx.doi.org/10.1016/j.memsci.2012.05.055>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aghatabay, N; Bayat, C. (1995). SYNTHESIS AND CHARACTERIZATION OF MODEL METAL-METAL COMPLEXES OF DIACETYLENES .2. *Turkish Journal of Chemistry* 19: 142-145.
- Agirtas, MS. (2008). Highly soluble phthalocyanines with hexadeca tert-butyl substituents. *Dyes and Pigments* 79: 247-251. <http://dx.doi.org/10.1016/j.dyepig.2008.03.004>.
- Agnihotri, N; Mehta, JR. (2004). Extractive spectrophotometric determination of tungsten(VI) using 3-hydroxy-2-(2'-thienyl)-4-oxo-4H-1-benzopyran. *Ann Chim* 94: 341-346.
- Agrawal, YK. (2006). Selective supercritical fluid extraction of uranium(VI) using N-phenyl-(1,2-methano-fullerene C-60)61-formohydroxamic acid and simultaneous on-line determination by inductively-coupled plasma-mass spectrometry (ICP-MS). *Fullerenes, Nanotubes, and Carbon Nanostructures* 14: 621-639. <http://dx.doi.org/10.1080/15363830600812365>.
- Agrawal, YK; Menon, SK; Sudhakar, S. (2001). Solvent extraction and separation of yttrium with dibenzo-18-crown-6. *Separation and Purification Technology* 24: 197-203.
- Agrawal, YK; Sudhakar, S. (2002). Extraction, separation and preconcentration of zirconium. *Separation and Purification Technology* 27: 111-119.
- Aguayo-Villarreal, IA; Hernandez-Montoya, V; Ramirez-Lopez, EM; Bonilla-Petriciolet, A; Montes-Moran, MA. (2016). Effect of surface chemistry of carbons from pine sawdust for the adsorption of acid, basic and reactive dyes and their bioregeneration using *Pseudomonas putida*. *Ecol Eng* 95: 112-118. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.056>.
- Agueda, VI; Crittenden, BD; Delgado, JA; Tennison, SR. (2011). Effect of channel geometry, degree of activation, relative humidity and temperature on the performance of binderless activated carbon monoliths in the removal of dichloromethane from air. *Separation and Purification Technology* 78: 154-163. <http://dx.doi.org/10.1016/j.seppur.2011.01.036>.
- Ahad, K; Anwar, T; Ahmad, I; Mohammad, A; Tahir, S; Aziz, S; Baloch, UK. (2000). Determination of insecticide residues in groundwater of Mardan Division, NWFP Pakistan: A case study. *Water SA* 26: 409-412.
- Ahangar, AG; Smernik, RJ; Kookana, RS; Chittleborough, DJ. (2009). The effect of solvent-conditioning on soil organic matter sorption affinity for diuron and phenanthrene. *Chemosphere* 76: 1062-1066. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.027>.
- Ahlert, RC; Enzminger, JD. (1992). ANAEROBIC PROCESSES FOR THE DECHLORINATION OF 1,1,1-TRICHLOROETHANE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* A27: 1675-1699.
- Ahmad, A; Othman, MR; Latif, MT. (2009). Early study of Surfactants in Indoor Dust and Their Connection With Street Dust. *International Journal of Environmental Research* 3: 403-410.
- Ahmad, IK; Wallis, AE; Whitehead, JC. (2003). The plasma destruction of odorous molecules: Organosulphur compounds. *High Temperature Material Processes* 7: 487-499.
- Ahmad, J; Hagg, M, ayB. (2013). Development of matrimid/zeolite 4A mixed matrix membranes using low boiling point solvent. *Separation and Purification Technology* 115: 190-197. <http://dx.doi.org/10.1016/j.seppur.2013.04.049>.
- Ahmad, J; Hagg, M, ayB. (2013). Effect of zeolite preheat treatment and membrane post heat treatment on the performance of polyvinyl acetate/zeolite 4A mixed matrix membrane. *Separation and Purification Technology* 115: 163-171. <http://dx.doi.org/10.1016/j.seppur.2013.04.050>.
- Ahmad, J; Hagg, M. (2013). Preparation and characterization of polyvinyl acetate/zeolite 4A mixed matrix membrane for gas separation. *J Memb Sci* 427: 73-84. <http://dx.doi.org/10.1016/j.memsci.2012.09.036>.
- Ahmad, N; Fazal, H; Abbasi, BH; Iqbal, M. (2011). In vitro larvicidal potential against *Anopheles stephensi* and antioxidative enzyme activities of *Ginkgo biloba*, *Stevia rebaudiana* and *Parthenium hysterophorus*. *Asian Pacific Journal of Tropical Medicine* 4: 169-175. [http://dx.doi.org/10.1016/S1995-7645\(11\)60063-1](http://dx.doi.org/10.1016/S1995-7645(11)60063-1).

## Exposure Literature Search Results

### Off Topic

- Ahmed, A; Forster, M; Clowes, R, ob; Bradshaw, D; Myers, P; Zhang, H. (2013). Silica SOS@HKUST-1 composite microspheres as easily packed stationary phases for fast separation. 1: 3276-3286. <http://dx.doi.org/10.1039/c2ta01125e>.
- Ahmed, M; George, SC. (2004). Changes in the molecular composition of crude oils during their preparation for GC and GC-MS analyses. *Organic Geochemistry* 35: 137-155. <http://dx.doi.org/10.1016/j.orggeochem.2003.10.002>.
- Ahmed, M; Laing, MD; Nsahlai, IV. (2013). In vitro anthelmintic activity of crude extracts of selected medicinal plants against *Haemonchus contortus* from sheep. *J Helminthol* 87: 174-179. <http://dx.doi.org/10.1017/S0022149X1200020X>.
- Ahmed, MJ; Dhedan, SK. (2012). Equilibrium isotherms and kinetics modeling of methylene blue adsorption on agricultural wastes-based activated carbons. *Fluid Phase Equilibria* 317: 9-14. <http://dx.doi.org/10.1016/j.fluid.2011.12.026>.
- Ahmed, MJ; Theydan, SK. (2012). Physical and chemical characteristics of activated carbon prepared by pyrolysis of chemically treated date stones and its ability to adsorb organics. *Powder Technology* 229: 237-245. <http://dx.doi.org/10.1016/j.powtec.2012.06.043>.
- Ahmed, N; Michelin-Jamois, M; Fessi, H; Elaissari, A. (2012). Modified double emulsion process as a new route to prepare submicron biodegradable magnetic/polycaprolactone particles for in vivo theranostics. *Soft Matter* 8: 2554-2564. <http://dx.doi.org/10.1039/c2sm06872a>.
- Ahn, H; Lee, Y. (2006). Pervaporation of dichlorinated organic compounds through silicalite-1 zeolite membrane. *J Memb Sci* 279: 459-465. <http://dx.doi.org/10.1016/j.memsci.2005.12.060>.
- Ahrens, MJ; Depree, CV. (2010). A source mixing model to apportion PAHs from coal tar and asphalt binders in street pavements and urban aquatic sediments. *Chemosphere* 81: 1526-1535. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.030>.
- Aizpuru, A; Malhautier, L; Roux, JC; Fanlo, JL. (2001). Biofiltration of a mixture of volatile organic emissions. *Journal of the Air and Waste Management Association* 51: 1662-1670.
- Ajwa, HA; Tabatabai, MA. (1993). COMPARISON OF SOME METHODS FOR DETERMINATION OF SULFATE IN SOILS. *Commun Soil Sci Plant Anal* 24: 1817-1832.
- Aker, S; Boke, O; Dundar, C; Peksen, Y. (2007). The effects of temperament and character on the choice of contraceptive methods. *Eur J Contracept Reprod Health Care* 12: 378-384. <http://dx.doi.org/10.1080/13625180701393561>.
- Akhil, AV; Raj, DDD; Raj, MK; Bhat, SR, SR; Akshay, V; Bhowmik, S; Ramanathan, S; Ahmed, S. (2016). Vaporized solvent bonding of polymethyl methacrylate. *J Adhes Sci Tech* 30: 826-841. <http://dx.doi.org/10.1080/01694243.2015.1125721>.
- Akin, I; Erdemir, S; Yilmaz, M; Ersoz, M. (2012). Calix[4]arene derivative bearing imidazole groups as carrier for the transport of palladium by using bulk liquid membrane. *J Hazard Mater* 223-224: 24-30. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.043>.
- Akinci, A; Malagnini, L; Herrmann, RB; Gok, R; Sorensen, MB. (2006). Ground motion scaling in the Marmara region, Turkey. *Geophysical Journal International* 166: 635-651. <http://dx.doi.org/10.1111/j.1365-246X.2006.02971.x>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, Y; Valsaraj, KT; Wetzel, DM; Harrison, DP. (1996). On the performance of a cascade crossflow air stripping column. *Ind Eng Chem Res* 35: 3597-3606.
- Akram, M; Saleh, A, liT; Ibrahim, W, anAWan; Awan, AS; Hussain, R. (2016). Continuous microwave flow synthesis (CMFS) of nano-sized tin oxide: Effect of precursor concentration. *Ceramics International* 42: 8613-8619. <http://dx.doi.org/10.1016/j.ceramint.2016.02.092>.
- Akrout, H; Bousselmi, L. (2012). Chloride ions as an agent promoting the oxidation of synthetic dyestuff on BDD electrode. *Desalination and Water Treatment* 46: 171-181. <http://dx.doi.org/10.1080/19443994.2012.677528>.
- Akyüz, M; Ata, Ş. (2013). Seasonal variations of particle-associated nitrosamines by gas chromatography-mass spectrometry in the atmospheric environment of Zonguldak, Turkey. *Environ Sci Pollut Res Int* 20: 7398-7412. <http://dx.doi.org/10.1007/s11356-013-1758-y>.
- Alaei, M; Mahjoub, A, liR; Rashidi, A. (2012). Preparation of Different WO<sub>3</sub> Nanostructures and Comparison of Their Ability for Congo Red Photo Degradation. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 31: 31-36.
- Alam, M; Ahmad, S; Malik, A. (2009). Genotoxic and mutagenic potential of agricultural soil irrigated with tannery effluents at Jajmau (Kanpur), India. *Arch Environ Contam Toxicol* 57: 463-476. <http://dx.doi.org/10.1007/s00244-009-9284-0>.
- Alam, MS; West, CE; Scarlett, AG; Rowland, SJ; Harrison, R. (2013). Application of 2D-GCMS reveals many industrial chemicals in airborne particulate matter. *Atmos Environ* 65: 101-111. <http://dx.doi.org/10.1016/j.atmosenv.2012.10.014>.
- Alameh, R; Borensztein, Y. (1992). OPTICAL STUDY OF OXYGEN AND SILVER ADSORBED ON Si(111) SURFACES. *Appl Surf Sci* 56-8: 535-539.
- Alarcos, N; Angel Organero, J; Sanchez, F; Douhal, A. (2014). Exploring the Photobehavior of Nanocaged Monomers and H- and J-Aggregates of a Proton-Transfer Dye within NaX and NaY Zeolites. *J Phys Chem C* 118: 8217-8226. <http://dx.doi.org/10.1021/jp412544y>.
- Alawi, M; Rasheed, M; All-Masri, MG. (2007). Organochlorine pesticides in sea water and sediment samples from the AQABA gulf. *Fresen Environ Bull* 16: 1131-1136.
- Alaya, MN; Hourieh, MA; Youssef, AM; El-Sejarah, F. (2000). Adsorption properties of activated carbons prepared from olive stones by chemical and physical activation. *AST* 18: 27-42.
- Alayo, MA; Femi-Oyewo, MN; Bakre, LG; Fashina, AO. (2015). LARVICIDAL POTENTIAL AND MOSQUITO REPELLENT ACTIVITY OF CASSIA MIMOSOIDES EXTRACTS. *Southeast Asian J Trop Med Public Health* 46: 596-601.
- Alberici, RM; Canela, MC; Eberlin, MN; Jardim, WF. (2001). Catalyst deactivation in the gas phase destruction of nitrogen-containing organic compounds using TiO<sub>2</sub>/UV-VIS. *Appl Catal B-Environ* 30: 389-397.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ* 14: 55-68.
- Alberts, AC; Sharp, TR; Werner, DI; Weldon, PJ. (1992). SEASONAL-VARIATION OF LIPIDS IN FEMORAL GLAND SECRETIONS OF MALE GREEN IGUANAS (IGUANA-IGUANA). *J Chem Ecol* 18: 703-712.



## Exposure Literature Search Results

### Off Topic

- Al-Bishri, HM; El-Hallag, IS; El-Mossalamy, EH. (2011). Electrochemical Properties of Closo-2,3-dicarbaundecaborane in Dichloromethane at a Glassy Carbon Electrode using Potentiostatic, Galvanostatic and Digital Simulation Methods. *Journal of New Materials for Electrochemical Systems* 14: 51-57.
- Albunia, AR; Graf, R. (2011). The Effect of Inclusion of Dichloromethane in the -Clathrate Phase of Syndiotactic Polystyrene. *Soft Materials* 9: 183-198. <http://dx.doi.org/10.1080/1539445X.2011.552362>.
- Alcantara-Rodriguez, M; Olivera-Pastor, P; Rodriguez-Castellon, E; Jimenez-Lopez, A; Lenarda, M; Storaro, L; Ganzerla, R. (1998). Acidic properties of porous Ga/Cr mixed oxides intercalated in alpha zirconium phosphate. *J Mater Chem* 8: 1625-1630.
- Aldib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aldred, MP; Li, C; Zhang, G, uoF; Gong, W, enL; Li, ADQ; Dai, Y; Ma, D; Zhu, MQ. (2012). Fluorescence quenching and enhancement of vitrifiable oligofluorenes end-capped with tetraphenylethene. *J Mater Chem* 22: 7515-7528. <http://dx.doi.org/10.1039/c2jm30261f>.
- Alexander, BM; Baxter, CS. (2016). Flame-retardant contamination of firefighter personal protective clothing - A potential health risk for firefighters. *J Occup Environ Hyg* 13: D148-D155. <http://dx.doi.org/10.1080/15459624.2016.1183016>.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. *Carbon* 46: 2059-2066. <http://dx.doi.org/10.1016/j.carbon.2008.08.019>.
- Alhassan, S; Robinson, TN. (2008). Objectively measured physical activity and cardiovascular disease risk factors in African American girls. *Ethn Dis* 18: 421-426.
- Al-Hossainy, AF. (2016). Synthesis, spectral, thermal, optical dispersion and dielectric properties of nanocrystalline dimer complex (PEPyr-diCd) thin films as novel organic semiconductor. *Bulletin of Materials Science* 39: 209-222. <http://dx.doi.org/10.1007/s12034-015-1111-9>.
- Ali, A; Barman, SK; Mukherjee, R. (2015). Palladium(II) Complex of a Redox-Active Amidophenolate-Based O,N,S,N Ligand: Its Monocation and Dication and Reactivity with PPh3. *Inorg Chem* 54: 5182-5194. <http://dx.doi.org/10.1021/ic503103e>.
- Ali, FA; Hauser, A; Abdullah, HA; Al-Adwani, A. (2006). Accelerated solvent extraction of spent hydrotreating catalysts: A study on oil and coke fractions. *Energy Fuels* 20: 45-53. <http://dx.doi.org/10.1021/ef0501905>.
- Ali, MA; Baugh, PJ. (2003). Pyrethroid soil extraction, properties of mixed solvents and time profiles using GC/MS-NICI analysis. *Int J Environ Anal Chem* 83: 909-922. <http://dx.doi.org/10.1080/03067310310001608768>.
- Ali, MC; Suzuki, T; Tachibana, Y, u; Sasaki, Y; Ikeda, Y. (2012). Selective extraction of perrhenate anion in nitric acid solution using 2,2'-(imino)bis(N,N'-diethylacetamide) as an extractant. *Separation and Purification Technology* 92: 77-82. <http://dx.doi.org/10.1016/j.seppur.2012.03.021>.
- Ali, W; Sultana, P; Joshi, M; Rajendran, S. (2016). A solvent induced crystallisation method to imbue bioactive ingredients of neem oil into the compact structure of poly (ethylene terephthalate) polyester. *Mater Sci Eng C* 64: 399-406. <http://dx.doi.org/10.1016/j.msec.2016.04.002>.
- Alimpic, A, na; Pljevljakusic, D; Savikin, K; Knezevic, A; Curcic, M; Velickovic, D; Stevic, T; Petrovic, G; Matevski, V; Vukojevic, J; Markovic, S; Marin, PD; Duletic-Lausevic, S. (2015). Composition and biological effects of *Salvia ringens* (Lamiaceae) essential oil and extracts. *Ind Crop Prod* 76: 702-709. <http://dx.doi.org/10.1016/j.indcrop.2015.07.053>.
- Alino, PM; Coll, JC; Sammarco, PW. (1992). TOXIC PREY DISCRIMINATION IN A HIGHLY SPECIALIZED PREDATOR CHAETODON-MELANNOTUS (BLOCK ET SCHNEIDER) - VISUAL VS CHEMICAL CUES. *Exp Mar Bio Ecol* 164: 209-220.
- Alizadeh, N; Mahjoub, M. (2015). A comparison between determination of trace amounts of sulfide in the presence and absence of micelle particles in natural waters (Qazvin, Iran): a kinetic spectrophotometric approach. *Environ Monit Assess* 187: 248. <http://dx.doi.org/10.1007/s10661-015-4478-6>.
- Alkire, R; Araujo, O. (1992). PROCESS STUDIES ON INDIRECT ELECTROSYNTHESIS OF 1,4-NAPHTHOQUINONE. *J Electrochem Soc* 139: 737-744.
- Allcock, NR; Sunderland, NJ; Primrose, AP; Rheingold, AL; Guzei, IA; Parvez, M. (1999). A new host for polymer and small-molecule clathration. *Chem Mater* 11: 2478-2485.
- Allen, J; Kligerman, A; Campbell, J; Westbrook-Collins, B; Erexson, G; Kari, F; Zeiger, E. (1990). Cytogenetic analyses of mice exposed to dichloromethane. *Environ Mol Mutagen* 15: 221-228. <http://dx.doi.org/10.1002/em.2850150409>.
- Allen, LH; Lapointe, CL. (2003). Temperature and pH: Important variables for deresination in kraft brownstock washing. *Pulp and Paper Canada* 104: 59-62.
- Al-Lihaibi, SS. (2003). Photo-oxidation products of petroleum hydrocarbons in the Eastern Red Sea coastal waters. *Environ Int* 28: 573-579.
- Almendros, G; Guadalix, ME; Gonzalez-Vila, FJ; Martin, F. (1998). Distribution of structural units in humic substances as revealed by multi-step selective degradations and C-13-NMR of successive residues. *Soil Biol Biochem* 30: 755-765.
- Al-Merey, R; Al-Hameish, M. (2003). New procedure for the formation of the V(2)o(3)(4) chelate in organic medium and its use in selective spectrophotometric determination of vanadium in commercial phosphoric acid. 10: 1-11.
- Almodóvar, J; Kipper, MJ. (2011). Coating electrospun chitosan nanofibers with polyelectrolyte multilayers using the polysaccharides heparin and N,N,N-trimethyl chitosan. *Macromol Biosci* 11: 72-76. <http://dx.doi.org/10.1002/mabi.201000261>.
- Almquist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen* 214: 259-271.
- Al-Mutlaq, K; Rushdi, AI; Simoneit, BRT. (2007). Organic compound tracers of fine soil and sand particles during summer in the metropolitan area of Riyadh, Saudi Arabia. *Environ Geol* 52: 559-571. <http://dx.doi.org/10.1007/s00254-006-0487-7>.

## Exposure Literature Search Results

### Off Topic

- Alonso, C; Zhu, XQ; Suidan, MT; Kim, BR; Kim, BJ. (2000). Parameter estimation in biofilter systems. *Environ Sci Technol* 34: 2318-2323.
- Alonsoamelot, ME; Perezmena, M; Calcagno, MP; Jaimesespiñoza, R; Castillo, U. (1992). ONTOGENIC VARIATION OF BIOLOGICALLY-ACTIVE METABOLITES OF PTERIDIUM-AQUILINUM (L-KUHN), PTEROSIN-A AND PTEROSIN-B, AND PTAQUILOSIDE IN A BRACKEN POPULATION OF THE TROPICAL ANDES. *J Chem Ecol* 18: 1405-1420.
- Al-Rasbi, NK; Adams, H; Suliman, FO. (2014). Synthesis, structure and tunable white-light emission of dinuclear Eu(III) Schiff base complex. *Dyes and Pigments* 104: 83-88. <http://dx.doi.org/10.1016/j.dyepig.2013.12.030>.
- Alshahateet, SF; Bishop, R; Craig, DC; Scudder, ML. (2004). Role of double C-H center dot center dot center dot N weak hydrogen bonding motifs in N-heteroaromatic inclusion chemistry. *Cryst Growth Des* 4: 837-844. <http://dx.doi.org/10.1021/cg049927r>.
- Alsop, D; Hewitt, M; Kohli, M; Brown, S; Van Der Kraak, G. (2003). Constituents within pulp mill effluent deplete retinoid stores in white sucker and bind to rainbow trout retinoic acid receptors and retinoid X receptors. *Environ Toxicol Chem* 22: 2969-2976.
- Alther, G. (2002). Using organoclays to enhance carbon filtration. *Waste Manag* 22: 507-513.
- Altintig, E; Kirkil, S. (2016). Preparation and properties of Ag-coated activated carbon nanocomposites produced from wild chestnut shell by ZnCl<sub>2</sub> activation. *Taiwan Institute of Chemical Engineers Journal* 63: 180-188. <http://dx.doi.org/10.1016/j.jtice.2016.02.032>.
- Altun, G; Osgouei, A, liE. (2014). Investigation and remediation of active-clay contaminated sepiolite drilling muds. *Appl Clay Sci* 102: 238-245. <http://dx.doi.org/10.1016/j.clay.2014.10.002>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Juan-Juan, J; Linares-Solano, A; Rodriguez, JJ. (2010). Gas-phase hydrodechlorination of dichloromethane with activated carbon-supported metallic catalysts. *Chem Eng J* 162: 599-608. <http://dx.doi.org/10.1016/j.cej.2010.06.002>.
- Álvarez-Montero, MA; Gómez-Sainero, LM; Martín-Martínez, M; Heras, F; Rodríguez, JJ. (2010). Hydrodechlorination of chloromethanes with Pd on activated carbon catalysts for the treatment of residual gas streams. *Appl Catal B-Environ* 96: 148-156. <http://dx.doi.org/10.1016/j.apcatb.2010.02.012>.
- Alvarez-Montero, MA; Gomez-Sainero, LM; Mayoral, A; Diaz, I; Baker, RT; Rodriguez, JJ. (2011). Hydrodechlorination of chloromethanes with a highly stable Pt on activated carbon catalyst. *J Catal* 279: 389-396. <http://dx.doi.org/10.1016/j.jcat.2011.02.009>.
- Alver, E; Metin, AU. (2012). Anionic dye removal from aqueous solutions using modified zeolite: Adsorption kinetics and isotherm studies. *Chem Eng J* 200: 59-67. <http://dx.doi.org/10.1016/j.cej.2012.06.038>.
- Alves, C; Carvalho, A; Pio, C. (2002). Mass balance of organic carbon fractions in atmospheric aerosols. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD000616>.
- Alves, C; Pio, C; Carvalho, A; Santos, C. (2006). Atmospheric carbonaceous aerosols over grasslands of central Europe and a Boreal forest. *Chemosphere* 63: 153-164. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.004>.
- Alves, CA; Vicente, ED; Rocha, S; Vicente, A, naM. (2017). Organic tracers in aerosols from the residential combustion of pellets and agro-fuels. *Air Qual Atmos Health* 10: 37-45. <http://dx.doi.org/10.1007/s11869-016-0406-3>.
- Alves, DS; Morejon, RC; Teixeira Machado, AR; Carvalho, GA; Pina, O; Oliveira, DF. (2015). Acaricidal activity of Annonaceae fractions against *Tetranychus tumidus* and *Tetranychus urticae* (Acari: Tetranychidae) and the metabolite profile of *Duguetia lanceolata* (Annonaceae) using GC-MS. 36: 4119-4132. <http://dx.doi.org/10.5433/1679-0359.2015v36n6Supl2p4119>.
- Alves, LC; Miyamaru Seo, ES. (2014). Solid waste characterization from galvanic process for an environmental economic evaluation. *Engenharia Sanitaria e Ambiental* 19: 423-434. <http://dx.doi.org/10.1590/S1413-41522014019000000637>.
- Alves, R; Preto, M; Vasconcelos, V; Oliveira, RS; Martins, R. (2015). Cytotoxicity Induced by Extracts of *Pisolithus tinctorius* Spores on Human Cancer and Normal Cell Lines-Evaluation of the Anticancer Potential. *J Toxicol Environ Health A* 78: 840-847. <http://dx.doi.org/10.1080/15287394.2015.1051176>.
- Alzaga, R; Maldonado, C; Bayona, JM. (1998). Intercomparison among SFE, ASE, Soxhlet and sonication for the trialkylamine determination in sediment and sludge. *Int J Environ Anal Chem* 72: 99-111.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1577-1590.
- Amanullah, FM; Al-Mobarak, MS; Al-Dhafiri, AM; Al-Shibani, KM. (1999). Development of spray technique for the preparation of thin films and characterization of tin oxide transparent conductors. *Mater Chem Phys* 59: 247-253.
- Amarillo, AC; Tavera Busso, I; Carreras, H. (2014). Exposure to polycyclic aromatic hydrocarbons in urban environments: Health risk assessment by age groups. *Environ Pollut* 195: 157-162. <http://dx.doi.org/10.1016/j.envpol.2014.08.027>.
- Ambrus, A; Füzesi, I; Susán, M; Dobi, D; Lantos, J; Zakar, F; Korsós, I; Oláh, J; Beke, BB; Katavics, L. (2005). A cost-effective screening method for pesticide residue analysis in fruits, vegetables, and cereal grains. *J Environ Sci Health B* 40: 297-339. <http://dx.doi.org/10.1081/PFC-200045554>.
- Amedee, T; Despeyroux, S. (1995). ATP ACTIVATES CATIONIC AND ANIONIC CONDUCTANCES IN SCHWANN-CELLS CULTURED FROM DORSAL-ROOT GANGLIA OF THE MOUSE. *Proc Biol Sci* 259: 277-284.
- Ameen, S; Akhtar, MS; Seo, HK, ee; Shin, HS. (2014). Distinctive polypyrrole nanobelts as prospective electrode for the direct detection of aliphatic alcohols: Electrocatalytic properties. *Appl Catal B-Environ* 144: 665-673. <http://dx.doi.org/10.1016/j.apcatb.2013.07.053>.
- Amendola, G; Pelosi, P; Dommarco, R. (2011). Solid-phase extraction for multi-residue analysis of pesticides in honey. *J Environ Sci Health B* 46: 24-34. <http://dx.doi.org/10.1080/03601234.2010.515170>.
- Ameur, ZO; Husein, MM. (2013). Electrochemical Behavior of Potassium Ferricyanide in Aqueous and (w/o) Microemulsion Systems in the Presence of Dispersed Nickel Nanoparticles. *Separation Science and Technology* 48: 681-689. <http://dx.doi.org/10.1080/01496395.2012.712594>.

## Exposure Literature Search Results

### Off Topic

- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data* 43: 1096-1101.
- Amine, MS; Mahmoud, AA; Badr, SK; Gouda, AS. (2012). Fatty Acids in Heterocyclic Synthesis Part XII: Synthesis of Surfactants from Pyrazole, Isoxazole, Pyrimidine and Triazine, Incorporating the 1,3,4-Thiadiazole Moiety Having Dyeing and Antimicrobial Activities. *Journal of Surfactants and Detergents* 15: 179-190. <http://dx.doi.org/10.1007/s11743-011-1301-4>.
- Amjad, MW; Amin, MC; Katas, H; Butt, AM. (2012). Doxorubicin-loaded cholic acid-polyethyleneimine micelles for targeted delivery of antitumor drugs: synthesis, characterization, and evaluation of their in vitro cytotoxicity. *Nanoscale Res Lett* 7: 687. <http://dx.doi.org/10.1186/1556-276X-7-687>.
- Amsel, J; Soden, KJ; Sielken, RL; Valdez-Flora, C. (2001). Observed versus predicted carboxyhemoglobin levels in cellulose triacetate workers exposed to methylene chloride. *Am J Ind Med* 40: 180-191.
- Amusant, N; Moretti, C; Richard, B; Prost, E; Nuzillard, JM; Thevenon, MF. (2007). Chemical compounds from *Eperua falcata* and *Eperua grandiflora* heartwood and their biological activities against wood destroying fungus (*Coriolus versicolor*). *Holz als Roh- und Werkstoff* 65: 23-28. <http://dx.doi.org/10.1007/s00107-006-0120-1>.
- An, JM; Franceschetti, A; Zunger, A. (2007). The excitonic exchange splitting and radiative lifetime in PbSe quantum dots. *Nano Lett* 7: 2129-2135. <http://dx.doi.org/10.1021/nl071219f>.
- Anarjan, N; Tan, CP; Ling, TC; Lye, KL; Malmiri, HJ; Nehdi, IA; Cheah, YK; Mirhosseini, H; Baharin, BS. (2011). Effect of organic-phase solvents on physicochemical properties and cellular uptake of astaxanthin nanodispersions. *J Agric Food Chem* 59: 8733-8741. <http://dx.doi.org/10.1021/jf201314u>.
- Anaya, AL; Hernandez-Bautista, BE; Jimenez-Estrada, M; Velasco-Ibarra, L. (1992). Phenylacetic acid as a phytotoxic compound of corn pollen. *J Chem Ecol* 18: 897-905.
- Anbalagan, C; Lafayette, I; Antoniou-Kourounioti, M; Gutierrez, C; Martin, JR; Chowdhuri, DK; De Pomerai, DI. (2013). Use of transgenic GFP reporter strains of the nematode *Caenorhabditis elegans* to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. *Ecotoxicology* 22: 72-85. <http://dx.doi.org/10.1007/s10646-012-1004-2>.
- Andersen, ME. (1991). Physiological modelling of organic compounds. *Ann Occup Hyg* 35: 309-321. <http://dx.doi.org/10.1093/annhyg/35.3.309>.
- Andersen, ME; Clewell, H; Krishnan, K. (1995). Tissue dosimetry, pharmacokinetic modeling, and interspecies scaling factors [Review]. *Risk Anal* 15: 533-537.
- Andersen, ME; Conolly, RB; Faustman, EM; Kavlock, RJ; Portier, CJ; Sheehan, DM; Wier, PJ; Ziese, L. (1999). Quantitative mechanistically based dose-response modeling with endocrine-active compounds. *Environ Health Perspect* 107 Suppl 4: 631-638.
- Andersen, ME; Dennison, JE. (2001). Mode of action and tissue dosimetry in current and future risk assessments [Review]. *Sci Total Environ* 274: 3-14. [http://dx.doi.org/10.1016/S0048-9697\(01\)00744-6](http://dx.doi.org/10.1016/S0048-9697(01)00744-6).
- Andersen, ME; Dennison, JE. (2002). Toxicokinetic models: Where we've been and where we need to go! *Hum Ecol Risk Assess* 8: 1375-1395.
- Andersen, ME; Krishnan, K. (1994). Physiologically based pharmacokinetics and cancer risk assessment. *Environ Health Perspect* 102: 103-108.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Clark, SB; Madson, MR; Gieseke, CA; Miller, RA; Rummel, NG; Reimschuessel, R. (2008). Determination and confirmation of melamine residues in catfish, trout, tilapia, salmon, and shrimp by liquid chromatography with tandem mass spectrometry. *J Agric Food Chem* 56: 4340-4347. <http://dx.doi.org/10.1021/jf800295z>.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Evans, E; Hasbrouck, N; Mayer, TD; Gieseke, CM; Nochetto, C; Stine, CB; Reimschuessel, R. (2011). Bioaccumulation of melamine in catfish muscle following continuous, low-dose, oral administration. *J Agric Food Chem* 59: 3111-3117. <http://dx.doi.org/10.1021/jf104385d>.
- Andersen, WC; Turnipseed, SB; Roybal, JE. (2006). Quantitative and confirmatory analyses of malachite green and leucomalachite green residues in fish and shrimp. *J Agric Food Chem* 54: 4517-4523. <http://dx.doi.org/10.1021/jf0532258>.
- Anderson, JA; Hardgrove, E; Cavitt, TB; Reeves, PC. (2007). Photoinitiation of multifunctional acrylates via ferrocene-alkyl chloride charge transfer complexes. *JCT Research* 4: 43-49. <http://dx.doi.org/10.1007/s11998-007-9008-1>.
- Anderson, JW; Jones, JM; Steinert, S; Sanders, B; Means, J; Mcmillin, D; Vu, T; Tukey, R. (1999). Correlation of CYP1A1 induction, as measured by the P450 RGS biomarker assay, with high molecular weight PAHs in mussels deployed at various sites in San Diego Bay in 1993 and 1995. *Mar Environ Res* 48: 4-5.
- Anderson, JW; Rossi, SS; Tukey, RH; Vu, T; Quattrochi, LC. (1995). A biomarker, P450 RGS, for assessing the induction potential of environmental samples. *Environ Toxicol Chem* 14: 1159-1169. <http://dx.doi.org/10.1002/etc.5620140706>.
- Anderson, KB; Collins, MJ; Franich, RA; Kroese, HW. (1992). FORMATION OF 7-KETODEHYDROABIETIC ACID AT THE RADIATA PINE WOOD SURFACE, AND ITS EFFECT ON WOOD YELLOWING. *Journal of Wood Chemistry and Technology* 12: 323-333.
- Anderson, MT; Martin, JE; Odinek, JG; Newcomer, PP. (1998). Surfactant-templated silica mesophases formed in water : cosolvent mixtures. *Chem Mater* 10: 311-321.
- Ando, T; Toia, RF; Casida, JE. (1991). EPOXY AND HYDROXY DERIVATIVES OF (S)-BIOALLETHRIN AND PYRETHRINS-I AND PYRETHRINS-II - SYNTHESIS AND METABOLISM. *J Agric Food Chem* 39: 606-611.
- Andres, Y; Dumont, E; Le Cloirec, P; Ramirez-Lopez, E. (2006). Wood bark as packing material in a biofilter used for air treatment. *Environ Technol* 27: 1297-1301.
- Anfossi, L; Calderara, M; Baggiani, C; Giovannoli, C; Arletti, E; Giraudi, G. (2008). Development and application of solvent-free extraction for the detection of aflatoxin M1 in dairy products by enzyme immunoassay. *J Agric Food Chem* 56: 1852-1857. <http://dx.doi.org/10.1021/jf073133d>.

## Exposure Literature Search Results

### Off Topic

- Angin, D; Altintig, E; Köse, TE. (2013). Influence of process parameters on the surface and chemical properties of activated carbon obtained from biochar by chemical activation. *Bioresour Technol* 148: 542-549. <http://dx.doi.org/10.1016/j.biortech.2013.08.164>.
- Anicai, L; Petica, A; Patroi, D; Marinescu, V; Prioteasa, P; Costovici, S. (2015). Electrochemical synthesis of nanosized TiO<sub>2</sub> nanopowder involving choline chloride based ionic liquids. *Mater Sci Eng B* 199: 87-95. <http://dx.doi.org/10.1016/j.mseb.2015.05.005>.
- Anikeev, V; Tsang, W; Manion, JA. (2006). Density effects in the reaction of 2-propanol in supercritical water. *Combust Sci Tech* 178: 417-441. <http://dx.doi.org/10.1080/00102200500287266>.
- Anirudhan, TS; Ramachandran, M. (2015). Adsorptive removal of basic dyes from aqueous solutions by surfactant modified bentonite clay (organoclay): Kinetic and competitive adsorption isotherm. *Process Saf Environ Protect* 95: 215-225. <http://dx.doi.org/10.1016/j.psep.2015.03.003>.
- Anis, SM; Hosny, MM; Abdellatef, HE; El-Balkiny, MN. (2011). SPECTROPHOTOMETRIC, ATOMIC ABSORPTION AND CONDUCTOMETRIC ANALYSIS OF TRAMADOL HYDROCHLORIDE. *Chemical Industry and Chemical Engineering Quarterly* 17: 269-282. <http://dx.doi.org/10.2298/CICEQ101206012A>.
- Annan, KO; Scherf, U; Mullen, K. (1999). Visible-emitting poly[(3',4'-dialkoxycarbonyl-2'-hydroxy-1,1':5',1''-terphenyl-4,4''-ylene)]. *Synthetic Metals* 99: 9-16.
- Anon. (1974). Degreasing at Bridgeport-Brass with methylene chloride. *Industrial Finishing* 50: 72-73.
- Anon. (1995). Paint Strippers- methylene chloride hard to beat. *Chem Eng News* 73: 45-47.
- Anouar, B, enS; Guinot, C; Ruiz, JC; Charton, F; Dole, P; Joly, C; Yvan, C. (2015). Purification of post-consumer polyolefins via supercritical CO<sub>2</sub> extraction for the recycling in food contact applications. *Journal of Supercritical Fluids* 98: 25-32. <http://dx.doi.org/10.1016/j.supflu.2014.12.022>.
- Anozie, AN; Okuhon, EE; Osuolale, FN; Adewole, JK. (2010). Dehydration of Ethanol-Water Mixture Using Activated Carbons from Sawdust and Palm Kernel Shells. *Separation Science and Technology* 45: 1482-1489. <http://dx.doi.org/10.1080/01496391003775998>.
- Ansorena, D; Astiasaran, I; Bello, J. (2000). Influence of the simultaneous addition of the protease flavourzyme and the lipase novozym 677BG on dry fermented sausage compounds extracted by SDE and analyzed by GC-MS. *J Agric Food Chem* 48: 2395-2400.
- Antoine, C; Irvoas, J; Schwarzenberger, K; Eckert, K; Wodlei, F; Pimienta, V. (2016). Self-Pinning on a Liquid Surface. *Journal of Physical Chemistry Letters* 7: 520-524. <http://dx.doi.org/10.1021/acs.jpcclett.5b02724>.
- Antoine, C; Pimienta, V. (2013). Mass-spring model of a self-pulsating drop. *Langmuir* 29: 14935-14946. <http://dx.doi.org/10.1021/la403678r>.
- Antonelli, A; Fabbri, C; Giorgioni, ME; Bazzocchi, R. (1997). Characterization of 24 old garden roses from their volatile compositions. *J Agric Food Chem* 45: 4435-4439.
- Antonello, S; Hesari, M; Polo, F; Maran, F. (2012). Electron transfer catalysis with monolayer protected Au<sub>25</sub> clusters. *Nanoscale* 4: 5333-5342. <http://dx.doi.org/10.1039/c2nr31066j>.
- Antonov, L; Kawachi, S; Satoh, M; Komiyama, J. (1999). Ab initio modeling of the solvent influence on the azo-hydrazone tautomerism. *Dyes and Pigments* 40: 163-170.
- Apak, R; Güçlü, K; Ozyürek, M; Karademir, SE. (2004). Novel total antioxidant capacity index for dietary polyphenols and vitamins C and E, using their cupric ion reducing capability in the presence of neocuproine: CUPRAC method. *J Agric Food Chem* 52: 7970-7981. <http://dx.doi.org/10.1021/jf048741x>.
- Aplett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc* 837: 154-164.
- Apelblat, A; Wisniak, J; Tamir, A. (1981). VAPOR-LIQUID-EQUILIBRIA IN THE DICHLOROMETHANE-CHLOROBROMOMETHANE-DIBROMOMETHANE SYSTEM AND ITS BINARIES. *Journal of Chemical and Engineering Data* 26: 144-147.
- Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. *Energy Fuels* 17: 565-570. <http://dx.doi.org/10.1021/ef020149r>.
- Apicella, B; Ciajolo, A; Suelves, I; Morgan, TJ; Herod, AA; Kandiyoti, R. (2002). Structural characterization of products from fuel-rich combustion: an approach based on size exclusion chromatography. *Combust Sci Tech* 174: 345-359. <http://dx.doi.org/10.1080/00102200290021713>.
- Arabpour, N; Nezamzadeh-Ejhieh, A. (2015). Modification of clinoptilolite nano-particles with iron oxide: Increased composite catalytic activity for photodegradation of cotrimaxazole in aqueous suspension. *Materials Science in Semiconductor Processing* 31: 684-692. <http://dx.doi.org/10.1016/j.mssp.2014.12.067>.
- Aragon, DM; Rosas, JE; Martinez, F. (2014). EFFECT OF THE IBUPROFEN SOLUBILITY IN ACETONE AND DICHLOROMETHANE ON THE DRUG RELEASE PROFILES FROM PLGA MICROSPHERES. *Lat Am Appl Res* 44: 87-87.
- Aranda, A, nal; Achelle, S; Hammerer, F; Mahuteau-Betzer, F; Teulade-Fichou, MP. (2012). Vinyl-diazine triphenylamines and their N-methylated derivatives: Synthesis, photophysical properties and application for staining DNA. *Dyes and Pigments* 95: 400-407. <http://dx.doi.org/10.1016/j.dyepig.2012.04.009>.
- Aranyos, V; Grennberg, H; Tingry, S; Lindquist, SE; Hagfeldt, A. (2000). Electrochemical and photoelectrochemical investigation of new carboxylatobipyridine (bis-bipyridine)ruthenium(II) complexes for dye-sensitized TiO<sub>2</sub> electrodes. *Solar Energy Materials and Solar Cells* 64: 97-114.
- Aranzabal, A; Gonzalez-Marcos, JA; Ayastuy, JL; Gonzalez-Velasco, JR. (2006). Kinetics of Pd/alumina catalysed 1,2-dichloroethane gas-phase oxidation. *Chem Eng Sci* 61: 3564-3576. <http://dx.doi.org/10.1016/j.ces.2005.12.031>.

## Exposure Literature Search Results

### Off Topic

- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Araujo, PLB; Araujo, ES; Santos, RFS; Pacheco, APL. (2005). Synthesis and morphological characterization of PMMA/polyaniline nanofiber composites. *Microelectronics Journal* 36: 1055-1057. <http://dx.doi.org/10.1016/j.mejo.2005.04.024>.
- Araya-Hermosilla, R; Araya-Hermosilla, E; Torres-Gallegos, C; Alarcon-Alarcon, C; Moreno-Villoslada, I. (2013). Sensing Cu<sup>2+</sup> by controlling the aggregation properties of the fluorescent dye rhodamine 6G with the aid of polyelectrolytes bearing different linear aromatic density. *React Funct Polym* 73: 1455-1463. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.07.013>.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res* 30: 1885-1893.
- Arcus-Arth, A; Blaisdell, RJ. (2007). Statistical distributions of daily breathing rates for narrow age groups of infants and children. *Risk Anal* 27: 97-110. <http://dx.doi.org/10.1111/j.1539-6924.2006.00862.x>.
- Areias, AC; Gomez-Tejedor, JA; Sencadas, V; Alio, J; Gomez Ribelles, JL; Lanceros-Mendez, S. (2012). Assessment of parameters influencing fiber characteristics of chitosan nanofiber membrane to optimize fiber mat production. *Polymer Engineering and Science* 52: 1293-1300. <http://dx.doi.org/10.1002/pen.23070>.
- Arevalo-Bastante, A; Alvarez-Montero, MA; Bedia, J; Gomez-Sainero, LM; Rodriguez, JJ. (2015). Gas-phase hydrodechlorination of mixtures of chloromethanes with activated carbon-supported platinum catalysts. *Appl Catal B-Environ* 179: 551-557. <http://dx.doi.org/10.1016/j.apcatb.2015.05.058>.
- Ariadna Alvarez-Montero, M; Jose Rodriguez, J; Maria Gomez-Sainero, L. (2016). Platinum Nanoparticles Supported on Activated Carbon Catalysts for the Gas-phase Hydrodechlorination of Dichloromethane: Influence of Catalyst Composition and Operating Conditions. 6. <http://dx.doi.org/10.5772/62593>.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res* 54: 2023-2029. <http://dx.doi.org/10.1021/ie5042484>.
- Ariff, FTM; Yunus, N; Baig, MR. (2011). The effect of mechanical roughening and chemical treatment on shear bond strength of urethane dimethacrylate denture base resin. *International Journal of Adhesion and Adhesives* 31: 112-118. <http://dx.doi.org/10.1016/j.ijadhadh.2010.11.011>.
- Aristizabal, BH; Montes de Correa, C; Serykh, AI; Hetrick, CE; Amiridis, MD. (2008). In situ FTIR study of the adsorption and reaction of ortho-dichlorobenzene over Pd-promoted Co-HMOR. *Microporous and Mesoporous Materials* 112: 432-440. <http://dx.doi.org/10.1016/j.micromeso.2007.10.020>.
- Arivoli, S; Narendran, T; Ignacimuthu, S. (2000). Larvicidal activity of some botanicals against *Culex quinquefasciatus* say. *Journal of Advanced Zoology* 21: 19-23.
- Ariyama, T; Nakayama, T. (1994). THERMAL-BEHAVIOR OF HYDROSTATICALLY EXTRUDED POLYCARBONATE AND HIGH-IMPACT POLYSTYRENE. *Polymer Engineering and Science* 34: 1269-1274.
- Arnaud, P; Boue, C; Chaumeil, JC. (1996). Cellulose acetate butyrate microparticles for controlled release of carbamazepine. *J Microencapsul* 13: 407-417.
- Arnaud-Neu, F; Barbosa, S; Fanni, S; Schwing-Weill, MJ; Mckee, V; Mckervery, MA. (2000). Alkali and alkaline earth ion complexation and X-ray crystal structure of p-tert-butylcalix[4]arene tetraethylamide. *Ind Eng Chem Res* 39: 3489-3492.
- Arora, A; Singh, B; Sud, D; Srivastava, T; Arora, CL. (2003). Inhibition of nitrification in soil by metal diethyldithiocarbamates. *J Environ Sci* 15: 607-610.
- Arregui, FJ; Claus, RO; Cooper, KL; Fernandez-Valdivielso, C; Matias, IR. (2001). Optical fiber gas sensor based on self-assembled gratings. *Journal of Lightwave Technology* 19: 1932-1937.
- Arregui, FJ; Matias, IR; Claus, RO. (2003). Optical fiber gas sensors based on hydrophobic alumina thin films formed by the electrostatic self-assembly monolayer process. *IEEE Sens J* 3: 56-61. <http://dx.doi.org/10.1109/JSEN.2003.810109>.
- Arrhenius, K; Podien, D; Yaghooby, H; Smajovic, N. (2015). Optimization of an Analytical Method for the Measurement of Oil Carryover from a Compressor in Compressed Natural Gas Refueling Stations. *Energy Fuels* 29: 2416-2421. <http://dx.doi.org/10.1021/ef5027423>.
- Arrieta, DE; Ontiveros, CC; Li, WW; Garcia, JH; Denison, MS; McDonald, JD; Burchiel, SW; Washburn, BS. (2003). Aryl hydrocarbon receptor-mediated activity of particulate organic matter from the Paso del Norte airshed along the US-Mexico border. *Environ Health Perspect* 111: 1299-1305. <http://dx.doi.org/10.1289/ehp.6058>.
- Arrigo, A; Mazzaro, R; Romano, F; Bergamini, G; Ceroni, P. (2016). Photoinduced Electron-Transfer Quenching of Luminescent Silicon Nanocrystals as a Way To Estimate the Position of the Conduction and Valence Bands by Marcus Theory. *Chem Mater* 28: 6664-6671. <http://dx.doi.org/10.1021/acs.chemmater.6b02880>.
- Arshanitsa, A; Krumina, L; Telysheva, G; Dizhbite, T. (2016). Exploring the application potential of incompletely soluble organosolv lignin as a macromonomer for polyurethane synthesis. *Ind Crop Prod* 92: 1-12. <http://dx.doi.org/10.1016/j.indcrop.2016.07.050>.
- Asadullah, M; Kabir, MS; Ahmed, MB; Razak, NA; Rasid, NSA; Aezzira, A. (2013). Role of microporosity and surface functionality of activated carbon in methylene blue dye removal from water. *Korean J Chem Eng* 30: 2228-2234. <http://dx.doi.org/10.1007/s11814-013-0172-y>.
- Asakawa, Y; Takahashi, H; Kobayashi, M; Iwasaki, N. (2013). Effect of components and surface treatments of fiber-reinforced composite posts on bond strength to composite resin. *Journal of the Mechanical Behavior of Biomedical Materials* 26: 23-33. <http://dx.doi.org/10.1016/j.jmbbm.2013.05.022>.

## Exposure Literature Search Results

### Off Topic

- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Ashmore, J; Bishop, R; Craig, DC; Scudder, ML. (2007). Chlorine-influenced changes in the molecular inclusion and packing properties of a diquinoline host. *Cryst Growth Des* 7: 47-55. <http://dx.doi.org/10.1021/cg060338q>.
- Aski, SN; Lo, AYH; Brotin, T; Dutasta, JP; Eden, M; Kowalewski, J. (2008). Studies of inclusion complexes of dichloromethane in cryptophanes by exchange kinetics and C-13 NMR in solution and the solid state. *J Phys Chem C* 112: 13873-13881. <http://dx.doi.org/10.1021/jp8039498>.
- Asl, MH; Moosavi, F; Sargolzaei, J. (2016). Molecular dynamics simulation study: The reactivation of NaX zeolite contaminated by bi and tri aromatics using supercritical fluid extraction. *Journal of Supercritical Fluids* 112: 103-113. <http://dx.doi.org/10.1016/j.supflu.2016.01.003>.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe<sup>2+</sup>, S<sub>2</sub><sup>-</sup>, and FeS with vitamin B-12 as organic amendment. *J Environ Eng* 128: 94-99.
- Assempour, H; Koenig, MF; Huang, SJ. (1994). SYNTHESIS AND CHARACTERIZATION OF DODECENYL SUCCINATE DERIVATIVES OF SACCHARIDES. *ACS Symp Ser Am Chem Soc* 575: 69-81.
- Assimopoulou, AN; Papageorgiou, VP; Kiparissides, C. (2003). Synthesis and release studies of shikonin-containing microcapsules prepared by the solvent evaporation method. *J Microencapsul* 20: 581-596. <http://dx.doi.org/10.1080/0265204031000148031>.
- Assmann, C; von Elert, E. (2009). The Impact of Fungal Extracts on Leaf Litter on the Food Preference of *Gammarus roeselii*. *Int Rev Hydrobiol* 94: 484-496. <http://dx.doi.org/10.1002/iroh.200811160>.
- Atanassova, I; Doerr, SH; Bryant, R. (2012). Changes in organic compound composition in soil following heating to maximum soil water repellency under anoxic conditions. *Environ Chem* 9: 369-378. <http://dx.doi.org/10.1071/EN11122>.
- Ates, M; Osken, I; Ozturk, T. (2012). Poly(3,5-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene-co-Ethylenedioxythiophene)/Glassy Carbon Electrode Formation and Electrochemical Impedance Spectroscopic Study. *J Electrochem Soc* 159: E115-E121. <http://dx.doi.org/10.1149/2.041206jes>.
- Ates, M; Sarac, AS; Turhan, CM; Ayaz, NE, ce. (2009). Polycarbazole modified carbon fiber microelectrode: Surface characterization and dopamine sensor. *Fibers and Polymers* 10: 46-52. <http://dx.doi.org/10.1007/s12221-009-0046-4>.
- Atia, AA. (2006). Synthesis of a quaternary amine anion exchange resin and study [of] its adsorption behaviour for chromate oxyanions. *J Hazard Mater* 137: 1049-1055. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.041>.
- Atik, Z; Ahlers, J; Lohmann, J; Gmehling, J. (2001). Binary solid-liquid equilibria of N,N-dimethylacetamide with 1,2-dichloroethane, dichloromethane, and 1-propanol. *Journal of Chemical and Engineering Data* 46: 1190-1192.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data* 1: 1-246.
- Atta, AM; Al-Lohedan, HA; Alothman, ZA; Abdel-Khalek, AA; Tawfeek, AM. (2015). Characterization of reactive amphiphilic montmorillonite nanogels and its application for removal of toxic cationic dye and heavy metals water pollutants. *J Ind Eng Chem* 31: 374-384. <http://dx.doi.org/10.1016/j.jiec.2015.07.012>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attia, AA; El-Hendawy, ANA; Khedr, SA; El-Nabarawy, T. (2004). Textural properties and adsorption of dyes onto carbons derived from cotton stalks. *AST* 22: 411-426.
- Attia, YA. (2016). Ag/ZnO/graphene-tert-butyldimethylsilyl chloride hybrid nanocomposite as highly efficient catalyst for hydrogen production. 6: 211-219. <http://dx.doi.org/10.1166/mex.2016.1297>.
- Atun, G; Tuncay, M; Hisarli, G; Talman, RY; Hosgormez, H. (2009). Adsorption equilibria between dye and surfactant in single and binary systems onto geological materials. *Appl Clay Sci* 45: 254-261. <http://dx.doi.org/10.1016/j.clay.2009.06.003>.
- Aubert, C; Bourger, N. (2004). Investigation of volatiles in Charentais cantaloupe melons (*Cucumis melo* Var. *cantalupensis*). Characterization of aroma constituents in some cultivars. *J Agric Food Chem* 52: 4522-4528. <http://dx.doi.org/10.1021/jf049777s>.
- Audebert, P; Hapiot, P. (1995). Fast electrochemical studies of the polymerization mechanisms of pyrroles and thiophenes. Identification of the first steps. Existence of pi-dimers in solution. *Synthetic Metals* 75: 95-102.
- Augusta, P; Kalaichelvi, P. (2016). Investigation on microwave and ultrasound-assisted cornhusk for the removal of emulsified engine oil from water. *Desalination and Water Treatment* 57: 13120-13131. <http://dx.doi.org/10.1080/19443994.2015.1055807>.
- Aumann, J; Hashem, M. (1993). STUDIES ON SUBSTANCES WITH SEX-PHEROMONE ACTIVITY PRODUCED BY HETERODERA-SCHACHTII FEMALES. 16: 43-46.
- Aumelas, A; Serrero, A; Durand, A; Dellacherie, E; Leonard, M. (2007). Nanoparticles of hydrophobically modified dextrans as potential drug carrier systems. *Colloids Surf B Biointerfaces* 59: 74-80. <http://dx.doi.org/10.1016/j.colsurfb.2007.04.021>.
- Aurilia, M; Sorrentino, L; Sanguigno, L; Iannace, S. (2010). Nanofilled Polyethersulfone as Matrix for Continuous Glass Fibers Composites: Mechanical Properties and Solvent Resistance. *Advances in Polymer Technology* 29: 146-160. <http://dx.doi.org/10.1002/adv.20187>.

## Exposure Literature Search Results

### Off Topic

- Auta, M; Hameed, BH. (2014). Chitosan-clay composite as highly effective and low-cost adsorbent for batch and fixed-bed adsorption of methylene blue. *Chem Eng J* 237: 352-361. <http://dx.doi.org/10.1016/j.cej.2013.09.066>.
- Autay, R; Elleuch, K; Zribi, K; Feller, JF. (2011). Conductive eco-polymer composites: wear behaviour of recycled polycarbonate/crushed rubber microparticles. *Plastics, Rubber and Composites* 40: 139-145. <http://dx.doi.org/10.1179/1743289811X12988633927952>.
- Autio, WR; Robinson, TL; Black, B; Bradshaw, T; Cline, JA; Crassweller, RM; Embree, CG; Hoover, EE; Hoying, SA; lungerman, KA; Johnson, RS; Lang, G; Parker, ML; Perry, RL; Reighard, GL; Stasiak, M; Warmund, M; Wolfe, D. (2011). Performance of 'Fuji' and 'McIntosh' Apple Trees after 10 Years as Affected by Several Semidwarf Rootstocks in the 1999 NC-140 Apple Rootstock Trial. *Journal of the American Pomological Society* 65: 21-38.
- Auwal, IA; Baykal, A; Guner, S; Sertkol, M; Sozeri, H. (2016). Magneto-optical properties BaBixLaxFe12-2xO19 (0.0 ≤ x ≤ 0.5) hexaferrites. *Journal of Magnetism and Magnetic Materials* 409: 92-98. <http://dx.doi.org/10.1016/j.jmmm.2016.02.093>.
- Avelar, FF; Bianchi, ML; Goncalves, M; da Mota, EG. (2010). The use of piassava fibers (*Attalea funifera*) in the preparation of activated carbon. *Bioresour Technol* 101: 4639-4645. <http://dx.doi.org/10.1016/j.biortech.2010.01.103>.
- Aydin, GO; Sonmez, HB. (2015). Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. *Mar Pollut Bull* 96: 155-164. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.033>.
- Aydin, K; Daisley, SEA. (2002). Relationships between rainfall rate and 35-GHz attenuation and differential attenuation: Modeling the effects of raindrop size distribution, canting, and oscillation. *IEEE Trans Geosci Remote Sens* 40: 2343-2352. <http://dx.doi.org/10.1109/TGRS.2002.805073>.
- Aydogmus, Z; Cetin, SM; Tosunoglu, S. (2002). Spectrophotometric determination of mexiletine hydrochloride in capsules using bromothymol blue. *Turkish Journal of Chemistry* 26: 839-842.
- Aysu, T; Kucuk, MM. (2015). Removal of crystal violet and methylene blue from aqueous solutions by activated carbon prepared from *Ferula orientalis*. *Int J Environ Sci Tech* 12: 2273-2284. <http://dx.doi.org/10.1007/s13762-014-0623-y>.
- Ayzner, AL; Tassone, CJ; Tolbert, SH; Schwartz, BJ. (2009). Reappraising the Need for Bulk Heterojunctions in Polymer-Fullerene Photovoltaics: The Role of Carrier Transport in All-Solution-Processed P3HT/PCBM Bilayer Solar Cells. *J Phys Chem C* 113: 20050-20060. <http://dx.doi.org/10.1021/jp9050897>.
- Azarian, A; Iraj Zad, A; Dolati, A; Ghorbani, M. (2008). Surface plasmon resonance of two-segmented Au-Cu nanorods. *Nanotechnology* 19: 415705. <http://dx.doi.org/10.1088/0957-4484/19/41/415705>.
- Azehara, H; Mizutani, W; Suzuki, Y; Ishida, T; Nagawa, Y; Tokumoto, H; Hiratani, K. (2003). Fixation and systematic dilution of rotaxane molecules on self-assembled monolayers. *Langmuir* 19: 2115-2123. <http://dx.doi.org/10.1021/la025924+>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Baba, S, o; Akedo, J, un. (2009). Fiber laser annealing of nanocrystalline PZT thick film prepared by aerosol deposition. *Appl Surf Sci* 255: 9791-9795. <http://dx.doi.org/10.1016/j.apsusc.2009.04.071>.
- Babak, VG; Baros, F; Boulanouar, O; Boury, F; Fromm, M; Kildeeva, NR; Ubrich, N; Maincent, P. (2007). Impact of bulk and surface properties of some biocompatible hydrophobic polymers on the stability of methylene chloride-in-water mini-emulsions used to prepare nanoparticles by emulsification-solvent evaporation. *Colloids Surf B Biointerfaces* 59: 194-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.05.010>.
- Babak, VG; Baros, F; Boury, F; Desbrieres, J. (2008). Dilational viscoelasticity and relaxation properties of interfacial electrostatic complexes between oppositely charged hydrophobic and hydrophilic polyelectrolytes. *Colloids Surf B Biointerfaces* 65: 43-49. <http://dx.doi.org/10.1016/j.colsurfb.2008.02.019>.
- Babel, A; Wind, JD; Jenekhe, SA. (2004). Ambipolar charge transport in air-stable polymer blend thin-film transistors. *Adv Funct Mater* 14: 891-898. <http://dx.doi.org/10.1002/adfm.200305180>.
- Bacaloglu, R; Blasko, A; Bunton, CA; Cerichelli, G; Shirazi, A. (1991). SEGMENTAL MOTIONS OF FREE AND MICELLIZED CATIONIC SURFACTANTS - C-13 SPIN-LATTICE RELAXATION. *Langmuir* 7: 1107-1111.
- Bacchi, A; Bourne, S; Cantoni, G; Cavallone, SAM; Mazza, S; Mehlana, G; Pelagatti, P; Righi, L. (2015). Reversible Guest Removal and Selective Guest Exchange with a Covalent Dinuclear Wheel-and-Axle Metallorganic Host Constituted by Half-Sandwich Ru(II) Wheels Connected by a Linear Diphosphine Axle. *Cryst Growth Des* 15: 1876-1888. <http://dx.doi.org/10.1021/acs.cgd.5b00059>.
- Bachman, RE; Zuccherro, AJ; Robinson, JL. (2012). General approach to low-molecular-weight metallogelators via the coordination-induced gelation of an L-glutamate-based lipid. *Langmuir* 28: 27-30. <http://dx.doi.org/10.1021/la203569y>.
- Back, CL; Holomuzki, JR; Klarer, DM; Whyte, RS. (2012). Herbiciding invasive reed: indirect effects on habitat conditions and snail-algal assemblages one year post-application. *Wetlands Ecology and Management* 20: 419-431. <http://dx.doi.org/10.1007/s11273-012-9265-3>.
- Badens, E; Boutin, O; Charbit, G. (2005). Laminar jet dispersion and jet atomization in pressurized carbon dioxide. *Journal of Supercritical Fluids* 36: 81-90. <http://dx.doi.org/10.1016/j.supflu.2005.03.007>.
- Bader, S; Czerny, M; Eisner, P; Buettner, A. (2009). Characterisation of odour-active compounds in lupin flour. *J Sci Food Agric* 89: 2421-2427. <http://dx.doi.org/10.1002/jsfa.3739>.
- Badin, AL; Faure, P; Bedell, JP; Delolme, C. (2008). Distribution of organic pollutants and natural organic matter in urban storm water sediments as a function of grain size. *Sci Total Environ* 403: 178-187. <http://dx.doi.org/10.1016/j.scitotenv.2008.05.022>.
- Badkoubi, A; Stevens, DK; Murarka, IP. (1996). Quantification of pentachlorophenol transformation product distribution in the presence of *Phanerochaete chrysosporium*. *Arch Environ Contam Toxicol* 30: 1-8.

## Exposure Literature Search Results

### Off Topic

- Bae, J, inHan; Jang, J, ooRi; Lim, S, unY. (2014). Production of Glutathione and Reactive Oxygen Species in Cell Line HT-1080 Treated with Chub Mackerel (*Scomber japonicus*) Extract. 97: 180-184.
- Bae, SY; Jeon, IY; Yang, J; Park, N; Shin, HS; Park, S; Ruoff, RS; Dai, L; Baek, JB. (2011). Large-area graphene films by simple solution casting of edge-selectively functionalized graphite. *ACS Nano* 5: 4974-4980. <http://dx.doi.org/10.1021/nn201072m>.
- Bae, Y; Myung, N; Bard, AJ. (2004). Electrochemistry and electrogenerated chemiluminescence of CdTe nanoparticles. *Nano Lett* 4: 1153-1161. <http://dx.doi.org/10.1021/nl049516x>.
- Baek, W, ooil; Nirmala, R; Barakat, NAM; El-Newehy, MH; Al-Deyab, SS; Kim, H, akY. (2011). Electrospun cross linked rosin fibers. *Appl Surf Sci* 258: 1385-1389. <http://dx.doi.org/10.1016/j.apsusc.2011.09.082>.
- Bag, PP; Reddy, CM. (2012). Screening and Selective Preparation of Polymorphs by Fast Evaporation Method: A Case Study of Aspirin, Anthranilic Acid, and Niflumic Acid. *Cryst Growth Des* 12: 2740-2743. <http://dx.doi.org/10.1021/cg300404r>.
- Bagci, S; Ceyhan, AA. (2016). ADSORPTION OF METHYLENE BLUE ONTO ACTIVATED CARBON PREPARED FROM *Lupinus albus*. *Chemical Industry and Chemical Engineering Quarterly* 22: 155-165. <http://dx.doi.org/10.2298/CICEQ150522030B>.
- Bagherifam, S; Griffiths, GW; Mælandsmo, GM; Nyström, B; Hasirci, V; Hasirci, N. (2015). Poly(sebacic anhydride) nanocapsules as carriers: effects of preparation parameters on properties and release of doxorubicin. *J Microencapsul* 32: 166-174. <http://dx.doi.org/10.3109/02652048.2014.973073>.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res* 34: 171-178.
- Bahrami, A; Kochaksaraie, A. (2012). MORPHOLOGICAL, MECHANICAL AND BIOLOGICAL PROPERTIES OF NOVEL PCL-Cs/PVA MULTI LAYER NANOFIBROUS SCAFFOLDS. *Digest Journal of Nanomaterials and Biostructures* 7: 1437-1445.
- Bailey, BM; Fei, R; Munoz-Pinto, D; Hahn, MS; Grunlan, MA. (2012). PDMS(star)-PEG hydrogels prepared via solvent-induced phase separation (SIPS) and their potential utility as tissue engineering scaffolds. *Acta Biomater* 8: 4324-4333. <http://dx.doi.org/10.1016/j.actbio.2012.07.034>.
- Bailey, BM; Hui, V; Fei, R; Grunlan, MA. (2011). Tuning PEG-DA hydrogel properties via solvent-induced phase separation (SIPS)(). *J Mater Chem* 21: 18776-18782. <http://dx.doi.org/10.1039/C1JM13943F>.
- Bailey, VL; McGill, WB. (2001). Carbon transformations by indigenous microbes in four hydrocarbon-contaminated soils under static remediation conditions. *Can J Soil Sci* 81: 193-204.
- Bailey, VL; McGill, WB. (2002). Fate of C-14-labeled pyrene in a creosote- and octadecane in an oil-contaminated soil. *Soil Biol Biochem* 34: 423-433.
- Bailón, L; Nikolausz, M; Kästner, M; Veiga, MC; Kennes, C. (2009). Removal of dichloromethane from waste gases in one- and two-liquid-phase stirred tank bioreactors and biotrickling filters. *Water Res* 43: 11-20. <http://dx.doi.org/10.1016/j.watres.2008.09.031>.
- Bain, DF; Munday, DL; Smith, A. (1999). Solvent influence on spray-dried biodegradable microspheres. *J Microencapsul* 16: 453-474. <http://dx.doi.org/10.1080/026520499288915>.
- Bainard, LD; Brown, PD; Upadhyaya, MK. (2009). Inhibitory Effect of Tall Hedge Mustard (*Sisymbrium loeselii*) Allelochemicals on Rangeland Plants and Arbuscular Mycorrhizal Fungi. *Weed Sci* 57: 386-393. <http://dx.doi.org/10.1614/WS-08-151.1>.
- Baj, S; Chrobok, A; Siewniak, A. (2011). New and efficient technique for the synthesis of epsilon-caprolactone using KHSO5 as an oxidising agent in the presence of a phase transfer catalyst. *Appl Catal A-Gen* 395: 49-52. <http://dx.doi.org/10.1016/j.apcata.2011.01.022>.
- Bajaj, B; Kim, B, in; Yoon, S; Lee, J; Park, B. (2014). One-Step Continuous Coating of Silver Nanoparticles on Well Aligned Fibers of PAI/PTACM. *Fibers and Polymers* 15: 47-56. <http://dx.doi.org/10.1007/s12221-014-0047-9>.
- Bajaj, B; Lee, S; Yoon, S; Park, B; Kim, B, in; Park, B; Lee, J. (2012). Effect of new poly(amide-co-imide)/poly(trimellitic anhydride chloride-co-4,4'-methylenedianiline) blends on nanofiber web formation. *J Mater Chem* 22: 2975-2981. <http://dx.doi.org/10.1039/c2jm15807h>.
- Bajaj, B; Yoon, SJ; Park, B; Lee, J. (2012). Coiled Fibers of Poly (Amide-Co-Imide) PAI and Poly (Trimellitic Anhydride Chloride-Co-4, 4'-Methylene Dianiline) (PTACM) By Using Mechano-Electrospinning. *Journal of Engineered Fabrics and Fibers* 7: 37-41.
- Baker, RJ; Gibs, J; Meng, AK; Suffet, IH. (1987). EVALUATION OF A TEFLON HELIX LIQUID LIQUID EXTRACTOR FOR CONCENTRATING OF TRACE ORGANICS FROM WATER INTO METHYLENE-CHLORIDE. *Water Res* 21: 179-190.
- Bakhbakhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Formation of biodegradable polymeric fine particles by supercritical antisolvent precipitation process. *Polymer Engineering and Science* 53: 564-570. <http://dx.doi.org/10.1002/pen.23301>.
- Bakhbakhi, Y; Asif, M; Chafidz, A; Ajbar, A. (2013). Supercritical antisolvent synthesis of fine griseofulvin particles. *Adv Powder Tech* 24: 1006-1012. <http://dx.doi.org/10.1016/j.apt.2013.02.004>.
- Balakos, MW; Chuang, SSC; Krishnamurthy, R; Srinivas, G; Johnston, P; Blackmond, DG; Jackson, SD; Joyner, RW. (1993). THE SELECTIVE SYNTHESIS OF C2+ OXYGENATES FROM SYNGAS RELATED REACTIONS OVER NI-BASED AND RH-BASED CATALYSTS. *Stud Surf Sci Catal* 75: 1467-1478.
- Balashov, K; Bois, A; Proust, JE; Ivanova, T; Petkov, I; Masuda, S; Panaiotov, I. (1997). Comparative study of polyacryloylacetone monolayers at dichloromethane-water and air-water interfaces. *Langmuir* 13: 5362-5367.
- Balasubramaniam, E; Ramachandraiah, G; Natarajan, P; Biedcharreton, C; Devynck, J; Bedioui, F. (1995). ELECTROCHEMICAL PREPARATION OF ANTHRAQUINONE AND ZINC PORPHYRIN COATED ELECTRODES - REDOX ACTIVITY AND FILM STABILITY. *J Mater Chem* 5: 625-629.
- Baldwin, CM; Liu, HB; Mccarty, LB; Bauerle, WL; Toler, JE. (2006). Effects of trinexapac-ethyl on the salinity tolerance of two ultradwarf bermudagrass cultivars. *HortScience* 41: 808-814.
- Baldwin, JA; Vlckova, B; Andrews, MP; Butler, IS. (1997). Surface-enhanced Raman scattering of mercaptopyrindines and pyrazinamide incorporated in silver colloid adsorbate films. *Langmuir* 13: 3744-3751.



## Exposure Literature Search Results

### Off Topic

- Baleta, FN; Laureta, LV; Apines-Amar, MJS; Padilla, PIP; Quintio, GF. (2011). Biological Activity of Extracts of *Sargassum oligocystum* (Magnaye) against Aquaculture Pathogenic Bacteria. *Israeli Journal of Aquaculture - Bamidgeh* 63: 667.
- Balic, T; Markovic, B; Jazwinski, J; Matkovic-Calogovic, D. (2016). Synthesis and structural characterization of microporous N4O4-donor Schiff base macrocycle: Study of host-guest interactions and iodine sorption. *Microporous and Mesoporous Materials* 226: 53-60. <http://dx.doi.org/10.1016/j.micromeso.2015.12.038>.
- Balijapalli, U; Iyer, SK. (2015). CuO-CuAl<sub>2</sub>O<sub>4</sub> and D-glucose catalyzed synthesis of a family of excited state intramolecular proton transfer imidazo[1,2-a]pyridine analogues and their optical properties. *Dyes and Pigments* 121: 88-98. <http://dx.doi.org/10.1016/j.dyepig.2015.05.014>.
- Balkan, IA; Taskin, T; Dogan, HT; Deniz, I; Akaydin, G; Yesilada, E. (2017). A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of *Daphne oleoides* Schreb. subsp. *oleoides*. *Ind Crop Prod* 95: 695-703. <http://dx.doi.org/10.1016/j.indcrop.2016.11.038>.
- Balkis, N; Aksu, A; Erşan, MS. (2012). Petroleum hydrocarbon contamination of the Southern Black Sea Shelf, Turkey. *Environ Sci Pollut Res Int* 19: 592-599. <http://dx.doi.org/10.1007/s11356-011-0583-4>.
- Balkose, D; Ulatan, S; Ozkan, F; Ulku, S; Kokturk, U. (1996). Flexible poly(vinyl chloride)-zeolite composites for dye adsorption from aqueous solutions. *Separation Science and Technology* 31: 1279-1289.
- Ball, JC. (2000). Comparison of organic solvent extracts and the fatty acid composition of nonpolar lipids of shed skins from male and female corn snakes (*Elaphe guttata guttata*). *J Herpetol* 34: 266-273.
- Ball, JC. (2004). The first shed skin of neonate Corn Snakes is chemically different from adult shed skins. *J Herpetol* 38: 124-127.
- Ball, JC; Young, WC. (1992). EVIDENCE FOR A NEW CLASS OF MUTAGENS IN DIESEL PARTICULATE EXTRACTS. *Environ Sci Technol* 26: 2181-2186.
- Ballinas-Casarrubias, L; Saucedo-Acosta, T; Macdonald-Pizana, K; Ruiz-Cuilty, K; Virginia Nevarez-Moorillon, G; Gutierrez-Mendez, N; Torras-Font, C; Chavez-Flores, D; Gonzalez-Sanchez, G. (2015). Organosolv pretreatment for cellulose recovery from sawdust for its ulterior use in membrane synthesis and operation. *Desalination and Water Treatment* 56: 3626-3639. <http://dx.doi.org/10.1080/19443994.2014.995720>.
- Balmer, MF; Smith, FA; Leach, LJ; Yuile, CL. (1976). Effects in the liver of methylene chloride inhaled alone and with ethyl alcohol. *Am Ind Hyg Assoc J* 37: 345-352.
- Balogun, AO; Lasode, OA; Mcdonald, AG. (2014). Thermo-Analytical and Physico-Chemical Characterization of Woody and Non-Woody Biomass from an Agro-ecological Zone in Nigeria. *BioResources* 9: 5099-5113.
- Baluch, AS; Guisinger, NP; Basu, R; Foley, ET; Hersam, MC. (2004). Atomic-level robustness of the Si(100)-2X1 : H surface following liquid phase chemical treatments in atmospheric pressure environments. *Journal of Vacuum Science and Technology A* 22: L1-L5. <http://dx.doi.org/10.1116/1.1722203>.
- Baluja, S; Bhalodia, R; Bhatt, M; Vekariya, N; Gajera, R. (2008). Solubility of Enrofloxacin Sodium in Various Solvents at Various Temperatures. *Journal of Chemical and Engineering Data* 53: 2897-2899. <http://dx.doi.org/10.1021/je8005826>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data* 55: 956-958. <http://dx.doi.org/10.1021/je900540d>.
- Ban, S; Yuda, A; Izumi, Y; Kanie, T; Arikawa, H; Fujii, K. (2004). Composite mesh consisting of titanium, apatite and biodegradable copolymer. *Key Eng Mater* 254-2: 517-520.
- Banerjee, DK; Gray, MR. (1997). Analysis of hydrocarbon-contaminated soil by thermal extract-gas chromatography. *Environ Sci Technol* 31: 646-650.
- Banger, KK; Foster, JR; Lock, EA; Reed, CJ. (1994). Immunohistochemical localisation of six glutathione S-transferases within the nasal cavity of the rat. *Arch Toxicol* 69: 91-98.
- Bankhead, M; Watson, GW; Hutchings, GJ; Scott, J; Willock, DJ. (2000). Calculation of the energy profile for the fluorination of dichloromethane over an alpha-alumina catalyst. *Appl Catal A-Gen* 200: 263-274.
- Bankowski, K. (2006). A solid-phase synthesis of a biologically active analog of the GH-RH hormone, a potential drug for growth hormone deficiency. *Przemysł Chemiczny* 85: 330-332.
- Banks, WM; Pethrick, RA; Armstrong, GS; Crane, RL; Hayward, D. (2004). Dielectric and mechanical studies of the durability of adhesively bonded CFRP structures subjected to aging in various solvents. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati* 218: 273-281.
- Bansemir, A; Blume, M; Schroder, S; Lindequist, U. (2006). Screening of cultivated seaweeds for antibacterial activity against fish pathogenic bacteria. *Aquaculture* 252: 79-84. <http://dx.doi.org/10.1016/j.aquaculture.2005.11.051>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol* 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Bao, L; Yang, S; Luo, X, in; Lei, J; Cao, Q; Wang, J. (2015). Fabrication and characterization of a novel hydrophobic CaCO<sub>3</sub> grafted by hydroxylated poly(vinyl chloride) chains. *Appl Surf Sci* 357: 564-572. <http://dx.doi.org/10.1016/j.apsusc.2015.08.249>.
- Bao, TQ; Hiep, N; Kim, Y; Yang, H; Lee, BT. (2011). Fabrication and characterization of porous poly(lactic-co-glycolic acid) (PLGA) microspheres for use as a drug delivery system. *Journal of Materials Science* 46: 2510-2517. <http://dx.doi.org/10.1007/s10853-010-5101-4>.
- Bao, YX; Yan, H; Liu, LQ; Xu, QQ. (2010). Efficient Extraction of Lycopene from *Rhodospseudomonas palustris* with n-Hexane and Methanol after Alkaline Wash. *Chem Eng Tech* 33: 1665-1671. <http://dx.doi.org/10.1002/ceat.201000033>.
- Barakat, SA. (2002). Flow injection extraction - Spectrophotometric determination of bismuth with di-(hydrogenated tallow alkyl) dimethylammonium chloride. *Turkish Journal of Chemistry* 26: 345-349.

## Exposure Literature Search Results

### Off Topic

- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol* 30: 2143-2147.
- Baran, S; Oleszczuk, P. (2002). Chromatographic determination of polycyclic aromatic hydrocarbons (PAH) in sewage sludge, soil, and sewage sludge-amended soils. *Pol J Environ Stud* 11: 609-615.
- Baratelli, T, deG; Candido Gomes, AC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125. <http://dx.doi.org/10.1016/j.bse.2011.12.008>.
- Barbosa, JM; Ré-Poppi, N; Santiago-Silva, M. (2006). Polycyclic aromatic hydrocarbons from wood pyrolysis in charcoal production furnaces. *Environ Res* 101: 304-311. <http://dx.doi.org/10.1016/j.envres.2006.01.005>.
- Barbosa, LCA; Maltha, CRA; Vilas Boas, LA; Pinheiro, PF; Colodette, JL. (2008). Profiles of extractives across the ZD(HT)(PO)D and D-HT(PO)D bleaching sequences for a Eucalyptus kraft pulp. *Appita* 61: 64-70.
- Barcellona, MN; Johnson, N; Bernards, MT. (2015). Characterizing Drug Release from Nonfouling Polyampholyte Hydrogels. *Langmuir* 31: 13402-13409. <http://dx.doi.org/10.1021/acs.langmuir.5b03597>.
- Bardajee, GR; Li, AY; Haley, JC; Winnik, MA. (2008). The synthesis and spectroscopic properties fluorescent naphthalimide of novel, functional dyes. *Dyes and Pigments* 79: 24-32. <http://dx.doi.org/10.1016/j.dyepig.2007.12.012>.
- Barenbaum, E; Smith, T. (2016). Social support as a protective factor for children impacted by HIV/AIDS across varying living environments in southern Africa. *AIDS Care* 28 Suppl 2: 92-99. <http://dx.doi.org/10.1080/09540121.2016.1176683>.
- Barnavetro, I; Solti, L; Teren, J; Gyongyosi, A; Szabo, E; Wolfling, A. (1996). Sensitive ELISA test for determination of ochratoxin A. *J Agric Food Chem* 44: 4071-4074.
- Barra, G; D'Aniello, C; Guadagno, L; Vittoria, V. (1999). Transport properties of dichloromethane in polymeric blends - Part I - Low density polyethylene-isotactic polypropylene. *Journal of Materials Science* 34: 4601-4606.
- Barrera-Ventura, C; Salvatierra, D; Giral, F; Giral, J. (2013). Hydrolysis of imidazole and 2-chloropyridine under subcritical and supercritical water conditions. *Can J Chem Eng* 91: 1131-1139. <http://dx.doi.org/10.1002/cjce.21742>.
- Barroso-Bujans, F; Cerveny, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegria, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon* 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Barrowcliff, DF; Knell, AJ. (1979). Cerebral damage due to endogenous chronic carbon monoxide poisoning caused by exposure to methylene chloride. *Occup Med (Lond)* 29: 12-14.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartocci, S; Sabate, F; Bosque, R; Keymeulen, F; Bartik, K; Rodriguez, L; Dalla Cort, A. (2016). Colorimetric and fluorescence "turn-on" recognition of fluoride by a maleonitrile-based uranyl salen-complex. *Dyes and Pigments* 135: 94-101. <http://dx.doi.org/10.1016/j.dyepig.2016.06.006>.
- Barton, HA; Andersen, ME; Clewell, HJ. (1998). Harmonization: Developing consistent guidelines for applying mode of action and dosimetry information to cancer and noncancer risk assessment. *Hum Ecol Risk Assess* 4: 75-115.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci* 159: 123-131.
- Baše, T; Bastl, Z; Havránek, V; Macháček, J; Langecker, J; Malina, V. (2012). Carboranedithiols: building blocks for self-assembled monolayers on copper surfaces. *Langmuir* 28: 12518-12526. <http://dx.doi.org/10.1021/la302334x>.
- Bastos, CJ; de Oliveira Rigitano, RL; de Lima, JM; Amaral Castro, NR. (2005). Leaching of the fungicide triadimenol in macrolysimeters of two latosols from Lavras-MG. *Ciencia e Agrotecnologia* 29: 767-774.
- Bastos, PM; Haglund, P. (2012). The use of comprehensive two-dimensional gas chromatography and structure-activity modeling for screening and preliminary risk assessment of organic contaminants in soil, sediment, and surface water. *Journal of Soils and Sediments* 12: 1079-1088. <http://dx.doi.org/10.1007/s11368-012-0533-x>.
- Basu, J; Rohatgimukherjee, KK. (1991). PHOTOELECTROCHEMICAL CHARACTERIZATION OF PORPHYRIN-COATED ELECTRODES. 21: 317-325.
- Basu, M; Sinha, AK; Pradhan, M; Sarkar, S; Negishi, Y; Pal, T. (2010). Evolution of hierarchical hexagonal stacked plates of CuS from liquid-liquid interface and its photocatalytic application for oxidative degradation of different dyes under indoor lighting. *Environ Sci Technol* 44: 6313-6318. <http://dx.doi.org/10.1021/es101323w>.
- Bates, JR; Kathirgamanathan, P; Miles, RW. (1997). The influence of the electrodeposition parameters on the morphology of organo-transition metal complexes for thin film gas sensor applications. *Thin Solid Films* 299: 18-24.
- Batista, D; Carvalho, A, naP; Costa, R; Coutinho, R; Dobretsov, S. (2014). Extracts of macroalgae from the Brazilian coast inhibit bacterial quorum sensing. *Botanica Marina* 57: 441-447. <http://dx.doi.org/10.1515/bot-2014-0031>.
- Batzias, FA; Sidiras, DK. (2004). Dye adsorption by calcium chloride treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 114: 167-174. <http://dx.doi.org/10.1016/j.jhazmat.2004.08.014>.
- Batzias, FA; Sidiras, DK. (2007). Simulation of methylene blue adsorption by salts-treated beech sawdust in batch and fixed-bed systems. *J Hazard Mater* 149: 8-17. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.043>.
- Bauserman, J, oyW; Mushrush, GW; Hardy, DR. (2008). Organic nitrogen compounds and fuel instability in middle distillate fuels. *Ind Eng Chem Res* 47: 2867-2875. <http://dx.doi.org/10.1021/ie071321n>.
- Bauserman, JW; Castelly, H; Mushrush, GW. (2014). Analysis of Nitrogen Abundance in Treated Fuels by GC/MS. *Petroleum Science and Technology* 32: 1824-1832. <http://dx.doi.org/10.1080/10916466.2011.635740>.

## Exposure Literature Search Results

### Off Topic

- Bauseman, JW; Nguyen, KM; Mushrush, GW. (2004). Nitrogen compound determination and distribution in three source fuels by GC/MS. *Petroleum Science and Technology* 22: 1491-1505. <http://dx.doi.org/10.1081/LPET-200027799>.
- Bayona, JM; Casellas, M; Fernandez, P; Solanas, AM; Albaiges, J. (1994). Sources and seasonal variability of mutagenic agents in the Barcelona City aerosol. *Chemosphere* 29: 441-450. [http://dx.doi.org/10.1016/0045-6535\(94\)90432-4](http://dx.doi.org/10.1016/0045-6535(94)90432-4).
- Bayram, C, em; Denkbaz, EB; Kilicay, E; Hazer, B; Cakmak, HB; Noda, I. (2008). Preparation and characterization of triamcinolone acetonide-loaded poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBHx) microspheres. *J Bioact Compat Polymer* 23: 334-347. <http://dx.doi.org/10.1177/0883911508092790>.
- Baysal, BM; Karadag, C. (2013). Quasielastic light scattering studies of polypeptides : evidence for chain extension in a solution. *Turkish Journal of Chemistry* 37: 480-491. <http://dx.doi.org/10.3906/kim-1301-11>.
- Bazes, A; Silkina, A; Douzenel, P; Fay, F; Kervarec, N; Morin, D; Berge, JP; Bourgougnon, N. (2009). Investigation of the antifouling constituents from the brown alga *Sargassum muticum* (Yendo) Fensholt. *J Appl Phycol* 21: 395-403. <http://dx.doi.org/10.1007/s10811-008-9382-9>.
- Bazzaoui, M; Bazzaoui, EA; Martins, J; Martins, L. (2004). Electrochemical synthesis of polythiophene coatings on zinc and a zinc alloy in organic media. *Materials Science Forum* 455-456: 484-488.
- Bean, K; Lincoln, B; Clapp, W; Vicente, S; Loza, M; Church, B. (1990). METHYLENE-CHLORIDE EXTRACTION. *Chem Eng News* 68: 4-4.
- Beaucham, CC; Fent, K; Wiegand, D; Seaton, M. (2016). Hazard Evaluation Report: HHE-2012-0238-3257, August 2016. Evaluation of Forensic Crime Lab Employees' Chemical Exposures, Job Stress, and Work-Related Health Concerns.
- Beauchet, R; Mijoin, J; Batonneau-Gener, I; Magnoux, P. (2010). Catalytic oxidation of VOCs on NaX zeolite: Mixture effect with isopropanol and o-xylene. *Appl Catal B-Environ* 100: 91-96. <http://dx.doi.org/10.1016/j.apcatb.2010.07.017>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ* 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.
- Bebia, Z; Buch, SC; Wilson, JW; Frye, RF; Romkes, M; Cecchetti, A; Chaves-Gnecco, D; Branch, RA. (2004). Bioequivalence revisited: Influence of age and sex on CYP enzymes. *Clin Pharmacol Ther* 76: 618-627. <http://dx.doi.org/10.1016/j.clpt.2004.08.021>.
- Becalski, A; Lau, BP; Lewis, D; Seaman, SW. (2003). Acrylamide in foods: occurrence, sources, and modeling. *J Agric Food Chem* 51: 802-808. <http://dx.doi.org/10.1021/jf020889y>.
- Becerro, MA; Goetz, G; Paul, VJ; Scheuer, PJ. (2001). Chemical defenses of the sacoglossan mollusk *Elysia rufescens* and its host *Alga bryopsis* sp. *J Chem Ecol* 27: 2287-2299.
- Becerro, MA; Turon, X; Uriz, MJ. (1997). Multiple functions for secondary metabolites in encrusting marine invertebrates. *J Chem Ecol* 23: 1527-1547.
- Bechelany, M; Elias, J; Brodard, P; Michler, J; Philippe, L. (2012). Electrodeposition of amorphous silicon in non-oxygenated organic solvent. *Thin Solid Films* 520: 1895-1901. <http://dx.doi.org/10.1016/j.tsf.2011.09.026>.
- Becker, AG; da Cunha, MA; Garcia, L; Zeppenfeld, CC; Parodi, T; Maldaner, G; Morel, AF; Baldisserotto, B. (2013). Efficacy of eugenol and the methanolic extract of *Condalia buxifolia* during the transport of the silver catfish *Rhamdia quelen*. *Neotropical Ichthyology* 11: 675-681.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol* 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.
- Becker, L; Forster, H. (1997). Investigations of coke deposits formed during deep oxidation of benzene over Pd and Cu exchanged Y-type zeolites. *Appl Catal A-Gen* 153: 31-41.
- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal* 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begishev, IR; Belikov, AK; Nechitailo, VG. (1991). PHOTOTHERMAL IGNITION OF DICHLOROMETHANE AND CHLORINE GAS-MIXTURES. *Combustion, Explosion, and Shock Waves* 27: 149-153.
- Begum, M; Sen, PK. (2007). TK/TD dose-response modeling of toxicity. *Environmetrics* 18: 515-525. <http://dx.doi.org/10.1002/env.821>.
- Begum, NA; Mondal, S; Basu, S; Laskar, RA; Mandal, D. (2009). Biogenic synthesis of Au and Ag nanoparticles using aqueous solutions of Black Tea leaf extracts. *Colloids Surf B Biointerfaces* 71: 113-118. <http://dx.doi.org/10.1016/j.colsurfb.2009.01.012>.
- Behar, F; Lorant, F; Lewan, M. (2008). Role of NSO compounds during primary cracking of a Type II kerogen and a Type III lignite. *Organic Geochemistry* 39: 1-22. <http://dx.doi.org/10.1016/j.orggeochem.2007.10.007>.
- Behera, A; Sahoo, SK. (2012). DEVELOPMENT AND IN VITRO, IN VIVO EVALUATION OF CONTROLLED RELEASE, BIOCOMPATIBLE NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures* 7: 217-225.
- Bel, MC; Coulon, J; Sreng, L; Allaine, D; Bagneres, AG; Clement, JL. (1999). Social signals involved in scent-marking behavior by cheek-rubbing in Alpine marmots (*Marmota marmota*). *J Chem Ecol* 25: 2267-2283.
- Belcik, M; Trusz-Zdybek, A; Galas, E, wa; Piekarska, K. (2014). Mutagenicity of organic pollutants adsorbed on suspended particulate matter in the center of Wroclaw (Poland). *Atmos Environ* 95: 620-628. <http://dx.doi.org/10.1016/j.atmosenv.2014.05.022>.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research* 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.
- Bellobono, IR; Gianturco, F; Chioldaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull* 6: 469-474.

## Exposure Literature Search Results

### Off Topic

- Belloch, GP; Sanchez, MS; Ribelles, JLG; Pradas, MM; Dueñas, JMM; Pissis, P. (1999). Conformational motions in immiscible blends of polycarbonate and styrene-acrylonitrile copolymers. *Polymer Engineering and Science* 39: 688-698. <http://dx.doi.org/10.1002/pen.11457>.
- Bello-Huitle, V; Atenco-Fernandez, P; Reyes-Mazzoco, R. (2010). ADSORPTION STUDIES OF METHYLENE BLUE AND PHENOL ONTO PECAN AND CASTILE NUTSHELLS PREPARED BY CHEMICAL ACTIVATION. *Revista Mexicana de Ingenieria Quimica* 9: 313-322.
- Belmont, JA; Lopez, AP; Molina, E; Serrano, L; Coballase, E; Cardenas, N; Medina, P; Montero, R. (2011). Co-Exposure to Chloroform, Dichloromethane and Toluene Induced Oxidative Stress and Xenobiotic Metabolism Changes but Not Genotoxic Damage. *Environ Mol Mutagen* 52: S79-S79.
- Belmont, JA; Serrano, L; Fanjul, ML; Prieto, J; Montero, RD. (2008). Study of genotoxicity and oxidative stress biomarkers in rats exposed to toluene, chloroform, methylene chloride and a mixture of them [Abstract]. *Environ Mol Mutagen* 49: 571.
- Beltran, J; Hernandez, F; Lopez, FJ; Morell, I. (1995). STUDY OF SORPTION PROCESSES OF SELECTED PESTICIDES ON SOILS AND CERAMIC POROUS CUPS USED FOR SOIL SOLUTION SAMPLING. *Int J Environ Anal Chem* 58: 287-303.
- Bempelou, ED; Liapis, KS. (2006). Validation of a multi-residue method for the determination of pesticide residues in apples by gas chromatography. *Int J Environ Anal Chem* 86: 63-68. <http://dx.doi.org/10.1080/03067310500248320>.
- Ben Chaabane, R; Guermazi, R; Clavier, G; Audebert, P; Hedhli, A. (2014). Synthesis and characterization of new fluorinated tetrazines displaying a high fluorescence yield. *Dyes and Pigments* 108: 64-69. <http://dx.doi.org/10.1016/j.dyepig.2014.03.031>.
- Ben Jannet, H; H-Skhir, F; Mighri, Z; Simmonds, MSJ; Blaney, WM. (2001). Antifeedant activity of plant extracts and of new natural diglyceride compounds isolated from *Ajuga pseudoiva* leaves against *Spodoptera littoralis* larvae. *Ind Crop Prod* 14: 213-222.
- Benavides, R; Oenning, LW; Paula, MMS; Da Silva, L; Kotzian, C. (2013). Use of a Tri-functional Crosslinking Agent in Styrene/Acrylic Acid Copolymers to Enhance Mechanical Properties for use as Membranes in Fuel Cells. *Journal of New Materials for Electrochemical Systems* 16: 157-162.
- Benbow, TJ; Frew, RD; Hayman, AR. (2008). Validation of a rapid and simple method for the preparation of aqueous organic compounds prior to compound specific isotope analysis. *Organic Geochemistry* 39: 1690-1702. <http://dx.doi.org/10.1016/j.orggeochem.2008.08.008>.
- Bending, GD; Lincoln, SD. (1999). Characterisation of volatile sulphur-containing compounds produced during decomposition of *Brassica juncea* tissues in soil. *Soil Biol Biochem* 31: 395-703.
- Benn, SM; Peppard, TL. (1996). Characterization of tequila flavor by instrumental and sensory analysis. *J Agric Food Chem* 44: 557-566.
- Benowitz, NL; Peng, M; Jacob, P. (2003). Effects of cigarette smoking and carbon monoxide on chlorzoxazone and caffeine metabolism. *Clin Pharmacol Ther* 74: 468-474. <http://dx.doi.org/10.1016/j.clpt.2003.07.001>.
- Benson, LO; Teta, MJ. (1993). Mortality due to pancreatic and lymphopietic cancers in chlorohydrin production workers. *Br J Ind Med* 50: 710-716. <http://dx.doi.org/10.1136/oem.50.8.710>.
- Bentham, RH; McClure, NC. (2003). A novel laboratory microcosm for cocomposting of pentachlorophenol contaminated soil. *Compost Science and Utilization* 11: 311-320.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Benzekri, R; Bouslama, L; Papetti, A; Snoussi, M; Benslimene, I; Hamami, M; Limam, F. (2016). Isolation and identification of an antibacterial compound from *Diplotaxis harra* (Forssk.) Boiss. *Ind Crop Prod* 80: 228-234. <http://dx.doi.org/10.1016/j.indcrop.2015.11.059>.
- Bera, PK; Maity, NC, h; Abdi, SHR; Khan, N, ulH; Kureshy, RI; Bajaj, HC. (2013). Macrocyclic Mn(III) salen complexes as recyclable catalyst for oxidative kinetic resolution of secondary alcohols. *Appl Catal A-Gen* 467: 542-551. <http://dx.doi.org/10.1016/j.apcata.2013.07.055>.
- Berchane, NS; Jebrail, FF; Carson, KH; Rice-Ficht, AC; Andrews, MJ. (2006). About mean diameter and size distributions of poly(lactide-co-glycolide) (PLG) microspheres. *J Microencapsul* 23: 539-552. <http://dx.doi.org/10.1080/02652040600776440>.
- Bergdolt, A; Clasen, H; Houben, D; Muller, G; Walburg, R; Zibinski, E. (1973). PROCESS FOR THERMAL CHLORINATION OF MONOCHLOROMETHANE TO DICHLOROMETHANE IN A TUBULAR REACTOR. *Chem Ing Tech* 45: 1059-1063.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health* 5 Suppl 1: 1-263.
- Beristain, CI; Diaz, R; Garcia, HS; Azuara, E. (1994). THERMODYNAMIC BEHAVIOR OF GREEN WHOLE AND DECAFFEINATED COFFEE BEANS DURING ADSORPTION. *Drying Technology* 12: 1221-1233.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernardo, M; Lapa, N; Gonçães, M; Barbosa, R; Mendes, B; Pinto, F; Gulyurtlu, I. (2010). Toxicity of char residues produced in the co-pyrolysis of different wastes. *Waste Manag In Press, Corrected Proof*: 628-635. <http://dx.doi.org/10.1016/j.wasman.2009.10.015>.
- Bernardo, MS; Lapa, N; Barbosa, R; Goncalves, M; Mendes, B; Pinto, F; Gulyurtlu, I. (2009). Chemical and ecotoxicological characterization of solid residues produced during the co-pyrolysis of plastics and pine biomass. *J Hazard Mater* 166: 309-317. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.031>.
- Bernauer, U; Vieth, B; Ellrich, R; Heinrich-Hirsch, B; Janig, GR; Gundert-Remy, U. (2000). CYP2E1 expression in bone marrow and its intra- and interspecies variability: Approaches for a more reliable extrapolation from one species to another in the risk assessment of chemicals. *Arch Toxicol* 73: 618-624.
- Bernet, N; Sanchez, O; Dabert, P; Olaizola, A; Godon, JJ; Delgenes, JP. (2004). Effect of solid hold-up on nitrite accumulation in a biofilm reactor - molecular characterization of nitrifying communities. *Water Sci Technol* 49: 123-130.

## Exposure Literature Search Results

### Off Topic

- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect* 108: 883-893.
- Bers, AV; D'Souza, F; Klijnsma, JW; Willemsen, PR; Wahl, M. (2006). Chemical defence in mussels: antifouling effect of crude extracts of the periostracum of the blue mussel *Mytilus edulis*. *Biofouling* 22: 251-259. <http://dx.doi.org/10.1080/08927010600901112>.
- Bertin, C; Paul, RN; Duke, SO; Weston, LA. (2003). Laboratory assessment of the allelopathic effects of fine leaf fescues. *J Chem Ecol* 29: 1919-1937.
- Bertoldo, M; Coltelli, MB; Messina, T; Bronco, S; Castelvetro, V. (2016). Emulsion Blending Approach for the Preparation of Gelatin/Poly(butylene succinate-co-adipate) Films. 2: 677-686. <http://dx.doi.org/10.1021/acsbiomaterials.6b00050>.
- Bertolini, A; Carelli, G; Ioli, N; Massa, CA; Moraes, JCS; Moretti, A; Strumia, F. (1997). Optically pumped submillimeter laser lines from CD<sub>2</sub>Cl<sub>2</sub> using a large tunability CW CO<sub>2</sub> laser. *Int J Infrared Millimeter Waves* 18: 779-783.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2000). New FIR laser lines from fully deuterated dichloromethane: Completion of perpendicular/parallel emission pairs. *I E E E Journal of Quantum Electronics* 36: 1232-1236.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2001). Assignment of fir laser lines of fully deuterated dichloromethane. *Int J Infrared Millimeter Waves* 22: 1421-1431.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth* 195: 624-629.
- Bertoni, G; Rotatori, M; Canepari, S; Fratarcangeli, R. (1990). DETERMINATION OF DICHLOROMETHANE IN INDUSTRIAL ATMOSPHERES AND EMISSIONS BY TRAPPING ON LIGHT ADSORBENTS AND THERMAL-DESORPTION. *Ann Chim* 80: 357-367.
- Beschkov, V; Sapundzhiev, T, s; Torz, M; Wietzes, P; Janssen, DB. (2008). Modeling of 1,2-Dichloroethane Biodegradation by *Xanthobacter autotrophicus* GJ10 under Shock Loading of Other Halogenated Compounds in Continuous Stirred Tank Bioreactor. *Chemical and Biochemical Engineering Quarterly* 22: 339-348.
- Bestani, B; Benderdouche, N; Benstaali, B; Belhakem, M; Addou, A. (2008). Methylene blue and iodine adsorption onto an activated desert plant. *Bioresour Technol* 99: 8441-8444. <http://dx.doi.org/10.1016/j.biortech.2008.02.053>.
- Bester-Rogac, M; Hunger, J; Stoppa, A; Buchner, R. (2011). 1-Ethyl-3-methylimidazolium Ethylsulfate in Water, Acetonitrile, and Dichloromethane: Molar Conductivities and Association Constants. *Journal of Chemical and Engineering Data* 56: 1261-1267. <http://dx.doi.org/10.1021/jc101130e>.
- Bethune, DN; Farvolden, RN; Ryan, MC; Guzman, AL. (1996). Industrial contamination of a municipal water-supply lake by induced reversal of ground-water flow, Managua, Nicaragua. *Ground Water* 34: 699-708.
- Beyler-Cigil, A; Cakmakci, E; Kahraman, MV. (2016). Thermal Properties of Phosphorylated Nanodiamond Reinforced Polyimides. *Polymer Composites* 37: 2285-2292. <http://dx.doi.org/10.1002/pc.23406>.
- Bezerra Da Cruz-Silva, SC; Matias, R; Bono, JAM; Santos, KS; Ludwig, J. (2016). ANTIFUNGAL POTENTIAL OF EXTRACTS AND FRACTIONS OF *Randia nitida* LEAVES ON SOYBEAN PATHOGENS AND THEIR PHYTOCHEMISTRY. 29: 594-602.
- Bhagawan, D; Poodari, S; Kumar, GR; Golla, S; Anand, C, h; Banda, KS; Himabindu, V; Vidyavathi, S. (2015). Reactivation and recycling of spent carbon using solvent desorption followed by thermal treatment (TR). *Journal of Material Cycles and Waste Management* 17: 185-193. <http://dx.doi.org/10.1007/s10163-014-0237-y>.
- Bhalla, V; Singh, H; Kumar, M; Prasad, SK. (2011). Triazole-modified triphenylene derivative: self-assembly and sensing applications. *Langmuir* 27: 15275-15281. <http://dx.doi.org/10.1021/la203774p>.
- Bhandari, A; Novak, JT; Burgos, WD; Berry, DF. (1997). Irreversible binding of chlorophenols to soil and its impact on bioavailability. *J Environ Eng* 123: 506-513.
- Bhargava, A; Khanna, RN; Bhargava, SK; Kumar, S. (2004). Exposure risk to carcinogenic PAHs in indoor-air during biomass combustion whilst cooking in rural India. *Atmos Environ* 38: 4761-4767. <http://dx.doi.org/10.1016/j.atmosenv.2004.05.012>.
- Bhat, IU, lHaq; Khalil, HPS, A; Shuib, N, orS; Noor, AM. (2010). ANTIFUNGAL ACTIVITY OF HEARTWOOD EXTRACTS AND THEIR CONSTITUENS FROM CULTIVATED *TECTONA GRANDIS* AGAINST *PHANEROCHAETE CHRYSOSPORIUM*. 55: 59-66.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, SK; Todd, JC; Law, VJ; Uberoi, V. (1994). AN INTEGRATED MODELING OF STOICHIOMETRY AND BIOKINETICS OF ANAEROBIC PROCESSES. *Environ Software* 9: 33-45.
- Bhattacharyya, A; Kawi, S; Ray, MB. (2004). Photocatalytic degradation of orange II by TiO<sub>2</sub> catalysts supported on adsorbents. *Catalysis Today* 98: 431-439. <http://dx.doi.org/10.1016/j.cattod.2004.08.010>.
- Bhattacharyya, S; Sen, U; Bhattacharyya, SP; Mukherjee, D. (2002). High performance liquid chromatographic separation of steroids from ovarian follicles of fresh water perch *Anabas testudineus*: identification and characterization of the maturation-inducing hormone. *J Exp Zool* 292: 565-572. <http://dx.doi.org/10.1002/jez.10078>.
- Bhaumik, D; Majumdar, S; Sirkar, KK. (2000). Pilot-plant and laboratory studies on vapor permeation removal of VOCs from waste gas using silicone-coated hollow fibers. *J Memb Sci* 167: 107-122.
- Bhowmik, PK; Han, HS; Ndedeltchev, IK; Cebe, JJ; Kang, SW; Kumar, S. (2006). Synthesis and characterization of ionic liquids: viologen bis[tetrakis[3,5-bis(trifluoromethyl)phenyl]borate} salts. *Liquid Crystals* 33: 891-906. <http://dx.doi.org/10.1080/02678290600871598>.
- Bhuin, RG; Methikkalam, RRJ; Bag, S; Pradeep, T. (2016). Diffusion and Crystallization of Dichloromethane within the Pores of Amorphous Solid Water. *J Phys Chem C* 120: 13474-13484. <http://dx.doi.org/10.1021/acs.jpcc.6b00436>.
- Bhuyan, J; Sarkar, S. (2011). Self-Assembly of Magnesium and Zinc Trimethoxyphenylporphyrin Polymer as Nanospheres and Nanorods. *Cryst Growth Des* 11: 5410-5414. <http://dx.doi.org/10.1021/cg2010002>.

## Exposure Literature Search Results

### Off Topic

- Bi, D; El-Zohry, AM; Hagfeldt, A; Boschloo, G. (2014). Improved morphology control using a modified two-step method for efficient perovskite solar cells. 6: 18751-18757. <http://dx.doi.org/10.1021/am504320h>.
- Bian, H; Colarco, PR; Chin, M; Chen, G; Rodriguez, JM; Liang, Q; Blake, D; Chu, DA; da Silva, A; Darmanov, AS; Diskin, G; Fuelberg, HE; Huey, G; Kondo, Y; Nielsen, JE; Pan, X; Wisthaler, A. (2013). Source attributions of pollution to the Western Arctic during the NASA ARCTAS field campaign. *Atmos Chem Phys* 13: 4707-4721. <http://dx.doi.org/10.5194/acp-13-4707-2013>.
- Bian, X; Feng, L; Li, G, ao; Chen, Z; Chen, X. (2016). Quantification of residual monomer in polylactide by gas chromatographic internal standard method. *Polym Test* 50: 79-82. <http://dx.doi.org/10.1016/j.polymertesting.2015.11.022>.
- Bianco, EM; Rogers, R; Teixeira, VL; Pereira, RC. (2009). Antifoulant diterpenes produced by the brown seaweed *Canistrocarpus cervicornis*. *J Appl Phycol* 21: 341-346. <http://dx.doi.org/10.1007/s10811-008-9374-9>.
- Bianco, EM; Teixeira, VL; Pereira, RC. (2010). CHEMICAL DEFENSES OF THE TROPICAL MARINE SEAWEED *Canistrocarpus cervicornis* AGAINST HERBIVORY BY SEA URCHIN. 58: 213-218.
- Biard, PF; Coudon, A; Couvert, A; Giraudet, S. (2016). A simple and timesaving method for the mass-transfer assessment of solvents used in physical absorption. *Chem Eng J* 290: 302-311. <http://dx.doi.org/10.1016/j.cej.2016.01.046>.
- Bibeau, L; Kiared, K; Leroux, A; Brzezinski, R; Viel, G; Heitz, M. (1997). Biological purification of exhaust air containing toluene vapor in a filter-bed reactor. *Can J Chem Eng* 75: 921-929.
- Bicchi, C; Cordero, C; Rubiolo, P; Occelli, A. (2001). Determination of daminozide residues in apple pulp using HPLC-DAD-UV. *J Agric Food Chem* 49: 3548-3552.
- Bicking, M; Wilson, R. (1991). High performance size exclusion chromatography in environmental method development. 1. The effect of mobile phase and temperature on the retention of dioxins, furans, and polychlorinated biphenyls. *Chemosphere* 22: 421-435. [http://dx.doi.org/10.1016/0045-6535\(91\)90055-I](http://dx.doi.org/10.1016/0045-6535(91)90055-I).
- Bid, A; Bora, A; Raychaudhuri, AK. (2007). Debye temperature of metallic nanowires - An experimental determination from the resistance of metallic nanowires in the temperature range 4.2 K-300K. *J Nanosci Nanotechnol* 7: 1867-1870. <http://dx.doi.org/10.1166/jnn.2007.732>.
- Bilati, U; Allémann, E; Doelker, E. (2005). Poly(D,L-lactide-co-glycolide) protein-loaded nanoparticles prepared by the double emulsion method-- processing and formulation issues for enhanced entrapment efficiency. *J Microencapsul* 22: 205-214. <http://dx.doi.org/10.1080/02652040400026442>.
- Bildik, F; Turan, GT; Barim, G; Senkal, BF. (2014). Removal of Acidic and Basic Dyes from Water using Crosslinked Polystyrene Based Quaternary Ethyl Piperazine Resin. *Separation Science and Technology* 49: 1700-1705. <http://dx.doi.org/10.1080/01496395.2014.906462>.
- Billedeau, SM; Heinze, TM; Siitonen, PH. (2003). Liquid chromatography analysis of erythromycin A in salmon tissue by electrochemical detection with confirmation by electrospray ionization mass spectrometry. *J Agric Food Chem* 51: 1534-1538. <http://dx.doi.org/10.1021/jf0209138>.
- Billig, E. (2001). Butyl alcohols. In *RE Kirk; DF Othmer (Eds.), (4th, Online ed., pp. 393-402)*. New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.0221202502091212.a01.pub2>.
- Bin Abas, MR; Omar, N; Maah, MJ. (2004). An assessment of the concentrations of particulate polycyclic aromatic hydrocarbons (PAHs) in the aftermath of a chemical store fire incident. *J Environ Sci* 16: 751-754.
- Bin Babar, Z; Shareefdeen, Z. (2014). Management and control of air emissions from electronic industries. *Clean Tech Environ Pol* 16: 69-77. <http://dx.doi.org/10.1007/s10098-013-0594-6>.
- Binder, BF; Robbins, JC; Wilson, RL. (1995). CHEMICALLY MEDIATED OVIPOSITIONAL BEHAVIORS OF THE EUROPEAN CORN-BORER, *OSTRINIA-NUBILALIS* (LEPIDOPTERA, PYRALIDAE). *J Chem Ecol* 21: 1315-1327.
- Biran, C; Toppare, L; Tincer, T; Yagci, Y; Harabagiu, V. (2003). The effect of long-term ambient aging on the mechanical properties of conducting polysiloxane-polypyrrole graft copolymers. *Chemical Engineering Communications* 190: 823-830. <http://dx.doi.org/10.1080/00986440390207422>.
- Birnbaum, DT; Kosmala, JD; Brannon-Peppas, L. (2000). Optimization of preparation techniques for poly(lactic acid-co-glycolic acid) nanoparticles. *J Nanopart Res* 2: 173-181.
- Biruk, LN; Moretton, J; Fabrizio de Iorio, A; Weigandt, C; Etcheverry, J; Filippetto, J; Magdaleno, A. (2017). Toxicity and genotoxicity assessment in sediments from the Matanza-Riachuelo river basin (Argentina) under the influence of heavy metals and organic contaminants. *Ecotoxicol Environ Saf* 135: 302-311. <http://dx.doi.org/10.1016/j.ecoenv.2016.09.024>.
- Biryukov, DM; Pisarenko, YA; Mikhailov, VA; Kruglyakov, BS; Kochurkov, AA. (2011). Developing a Unit for the Separation of the Reaction Mixture of Methylene Chloride Synthesis. *Theoretical Foundations of Chemical Engineering* 45: 747-752. <http://dx.doi.org/10.1134/S0040579511050034>.
- Bitlisli, BO; Karacaki, E. (2006). Utilisation of leather industry solid wastes in the production of porous clay brick. *Journal of the Society of Leather Technologists and Chemists* 90: 19-22.
- Bittner, M; Janosek, J; Hilscherová, K; Giesy, J; Holoubek, I; Bláha, L. (2006). Activation of Ah receptor by pure humic acids. *Environ Toxicol* 21: 338-342. <http://dx.doi.org/10.1002/tox.20185>.
- Bittner, M; Lorenz, W; Bahadir, M. (1994). RECYCLING OF SOLVENT WASTES CONTAMINATED WITH ORGANOSULFUR COMPOUNDS EXEMPLIFIED WITH THIOETHERS. *Fresen Environ Bull* 3: 633-638.
- Bizek, V; Horacek, J; Kousova, M. (1993). AMINE EXTRACTION OF CITRIC-ACID - EFFECT OF DILUENT. *Chem Eng Sci* 48: 1447-1457.
- Bziuk, M; Czerwinski, J; Kozłowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem* 50: 109-115.

## Exposure Literature Search Results

### Off Topic

- Bjostad, LB; Hibbard, BE. (1992). 6-METHOXY-2-BENZOXAZOLINONE - A SEMIOCHEMICAL FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 18: 931-944.
- Blackman, AJ; Davies, NW; Ralph, CE. (1992). VOLATILE AND ODOROUS COMPOUNDS FROM THE BRYOZOAN BIFLUSTRA-PERFRAGILIS. *Biochemical Systematics and Ecology* 20: 339-342.
- Blaga, AC; Galaction, AI; Cascaval, D, an. (2007). Extraction and transport of basic amino acids through liquid membranes. *Rev Chim* 58: 1080-1084.
- Blaga, AC; Malutan, T. (2012). Selective Separation of Vitamin C by Reactive Extraction. *Journal of Chemical and Engineering Data* 57: 431-435. <http://dx.doi.org/10.1021/je2010193>.
- Blake, D; Hinwood, AL; Horwitz, P. (2009). Peat fires and air quality: volatile organic compounds and particulates. *Chemosphere* 76: 419-423. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.047>.
- Blaney, BJ; Maryam, R; Murray, SA; Ryley, MJ. (2003). Alkaloids of the sorghum ergot pathogen (*Claviceps africana*): assay methods for grain and feed and variation between sclerotia/sphacelia. *Aust J Agr Res* 54: 167-175. <http://dx.doi.org/10.1071/AR02095>.
- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere* 28: 183-196.
- Blasco, M; Domeno, C; Bentayeb, K; Nerin, C. (2007). Solid-phase extraction clean-up procedure for the analysis of PAHs in lichens. *Int J Environ Anal Chem* 87: 833-846. <http://dx.doi.org/10.1080/03067310701381615>.
- Blencowe, A; Blencowe, C; Cosstick, K; Hayes, W. (2008). A carbene insertion approach to functionalised poly(ethylene oxide)-based gels. *React Funct Polym* 68: 868-875. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.12.009>.
- Blocki, FA; Logan, MS; Baoli, C; Wackett, LP. (1994). Reaction of rat liver glutathione S-transferases and bacterial dichloromethane dehalogenase with dihalomethanes. *J Biol Chem* 269: 8826-8830.
- Bodmeier, R; Chen, H; Tyle, P; Jarosz, P. (1991). SPONTANEOUS FORMATION OF DRUG-CONTAINING ACRYLIC NANOPARTICLES. *J Microencapsul* 8: 161-170.
- Boege, M; Heck, J. (2015). One-Step Preparation and Crystallization of Almost Insoluble Palladium(II) and Platinum(II/IV) Complexes from a Biphasic Solvent System. *Cryst Growth Des* 15: 5280-5287. <http://dx.doi.org/10.1021/acs.cgd.5b00797>.
- Boehning, M; Goering, H; Hao, N; Mach, R; Oleszak, F; Schoenhals, A. (2003). MOLECULAR MOBILITY AND GAS TRANSPORT PROPERTIES OF POLYCARBONATE-BASED NANOCOMPOSITES. *Reviews on Advanced Materials Science* 5: 155-159.
- Bogaerts, P; Senaud, J; Bohatier, J. (1998). Bioassay technique using nonspecific esterase activities of *Tetrahymena pyriformis* for screening and assessing cytotoxicity of xenobiotics. *Environ Toxicol Chem* 17: 1600-1605.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Boguslavsky, L; Margel, S. (2005). Poly(acrylonitrile) microspheres with a narrow size distribution: Synthesis by single-step swelling and properties. *Glass Physics and Chemistry* 31: 102-114.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci* 895: 317-337.
- Boligon, AA; Brum, TF; Zadra, M; Piana, M; Alves, CF; Fausto, VP; Júnior, V; Vaucher, R; Santos, RC; Athayde, ML. (2013). Antimicrobial activity of *Scutia buxifolia* against the honeybee pathogen *Paenibacillus* larvae. *J Invertebr Pathol* 112: 105-107. <http://dx.doi.org/10.1016/j.jip.2012.11.009>.
- Bollin, PM; Viamajala, S. (2012). Reactive Extraction of Triglycerides as Fatty Acid Methyl Esters using Lewis Acidic Chloroaluminate Ionic Liquids. *Energy Fuels* 26: 6411-6418. <http://dx.doi.org/10.1021/ef301101d>.
- Bombardier, M; Bermingham, N; Legault, R; Fouquet, A. (2001). Evaluation of an SOS-Chromotest-based approach for the isolation and detection of sediment-associated genotoxins. *Chemosphere* 42: 931-944.
- Bombick, BR; Avalos, JT; Nelson, PR; Conrad, FW; Doolittle, DJ. (1998). Comparative studies of the mutagenicity of environmental tobacco smoke from cigarettes that burn or primarily heat tobacco. *Environ Mol Mutagen* 31: 169-175.
- Bonarowska, M; Malinowski, A; Karpinski, Z. (1999). Hydrogenolysis of C-C and C-Cl bonds by Pd-Re/Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal A-Gen* 188: 145-154.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen* 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bongers, GD; Jackson, WR; Woskobenko, F. (1998). Pressurised steam drying of Australian low-rank coals - Part 1. Equilibrium moisture contents. *Fuel Process Tech* 57: 41-54.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci* 40: 1391-1409.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res* 34: 4437-4445.
- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of chromatography purified marigold lutein using hexane and ethyl acetate solvent mixture. *Journal of Supercritical Fluids* 80: 15-22. <http://dx.doi.org/10.1016/j.supflu.2013.03.033>.
- Boonnoun, P; Nerome, H; Machmudah, S; Goto, M; Shotipruk, A. (2013). Supercritical anti-solvent micronization of marigold-derived lutein dissolved in dichloromethane and ethanol. *Journal of Supercritical Fluids* 77: 103-109. <http://dx.doi.org/10.1016/j.supflu.2013.02.026>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol* 84: 69-73.

## Exposure Literature Search Results

### Off Topic

- Borba da Cunha, A, naC; Sabedot, S; Sampaio, CH; Ramos, CG; da Silva, AR. (2012). *Salix rubens* and *Salix triandra* Species as Phytoremediators of Soil Contaminated with Petroleum-Derived Hydrocarbons. *Water Air Soil Pollut* 223: 4723-4731. <http://dx.doi.org/10.1007/s11270-012-1228-z>.
- Borkar, C; Tomar, D; Gumma, S. (2010). Adsorption of Dichloromethane on Activated Carbon. *Journal of Chemical and Engineering Data* 55: 1640-1644. <http://dx.doi.org/10.1021/je900706h>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Stein, T; Gaisin, VZ; Cohen, R; Gendelman, OV. (2005). Mesoscopic Patterning in thin polymer films formed under the fast dip-coating process. *Macromolecular Materials & Engineering* 290: 114-121. <http://dx.doi.org/10.1002/mame.200400217>.
- Bormashenko, E; Pogreb, R; Stanevsky, O; Bormashenko, Y; Tamir, S; Cohen, R; Nunberg, M; Gaisin, VZ; Gorelik, M; Gendelman, OV. (2005). Mesoscopic and submicroscopic patterning in thin polymer films: Impact of the solvent. *Mater Lett* 59: 2461-2464. <http://dx.doi.org/10.1016/j.matlet.2005.03.015>.
- Borodina, TN; Grigoriev, DO; Andreeva, DV; Mohwald, H; Shchukin, DG. (2009). Polyelectrolyte multilayered nanofilms as a novel approach for the protection of hydrogen storage materials. *ACS Applied Materials & Interfaces* 1: 996-1001. <http://dx.doi.org/10.1021/am8002236>.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol* 32: 2614-2622.
- Boryczka, S; Elothmani, D; Do, QT; Simonet, J; Leguillanton, G. (1996). A new preparation of alpha-oxo-thioesters by electro-oxidation of diaryl disulfides in the presence of alkynes. *J Electrochem Soc* 143: 4027-4032.
- Bos, AR; Gumanao, GS; van Katwijk, MM; Mueller, B; Saceda, MM; Tejada, RL. (2011). Ontogenetic habitat shift, population growth, and burrowing behavior of the Indo-Pacific beach star, *Archaster typicus* (Echinodermata; Asteroidea). *Mar Biol* 158: 639-648. <http://dx.doi.org/10.1007/s00227-010-1588-0>.
- Bos, PM; Zeilmaker, MJ; van Eijkeren, JC. (2006). Application of physiologically based pharmacokinetic modeling in setting acute exposure guideline levels for methylene chloride. *Toxicol Sci* 91: 576-585. <http://dx.doi.org/10.1093/toxsci/kfj176>.
- Boschetto, DL; Aranha, EM; Ulson de Souza, AA; Souza, S; Ferreira, SRS; Priamo, WL; Oliveira, JV. (2014). Encapsulation of bixin in PHBV using SEDS technique and in vitro release evaluation. *Ind Crop Prod* 60: 22-29. <http://dx.doi.org/10.1016/j.indcrop.2014.05.050>.
- Boschetto, DL; Dalmolin, I; de Cesaro, AM; Rigo, AA; Ferreira, SRS; Meireles, MAA; Batista, EAC; Vladimir Oliveira, J. (2013). Phase behavior and process parameters effect on grape seed extract encapsulation by SEDS technique. *Ind Crop Prod* 50: 352-360. <http://dx.doi.org/10.1016/j.indcrop.2013.07.044>.
- Boublk, T; Fried, V; Hala, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Boucard, TK; Bardgett, RD; Jones, KC; Semple, KT. (2005). Influence of plants on the chemical extractability and biodegradability of 2,4-dichlorophenol in soil. *Environ Pollut* 133: 53-62. <http://dx.doi.org/10.1016/j.envpol.2004.04.014>.
- Bouchemal, N; Addoun, F. (2009). Adsorption of dyes from aqueous solution onto activated carbons prepared from date pits: The effect of adsorbents pore size distribution. *Desalination and Water Treatment* 7: 242-250.
- Bouchemal, N; Azoudj, Y; Merzougui, Z; Addoun, F. (2012). Adsorption modeling of Orange G dye on mesoporous activated carbon prepared from Algerian date pits using experimental designs. *Desalination and Water Treatment* 45: 284-290. <http://dx.doi.org/10.5004/dwt.2012.3324>.
- Boucher, AA; Edeoga, C; Ebenibo, S; Wan, J; Dagogo-Jack, S. (2012). Leukocyte count and cardiometabolic risk among healthy participants with parental type 2 diabetes: the Pathobiology of Prediabetes in a Biracial Cohort study. *Ethn Dis* 22: 445-450.
- Boucher, RJ; Standen, G; Eglinton, G. (1991). MOLECULAR CHARACTERIZATION OF KEROGENS BY MILD SELECTIVE CHEMICAL DEGRADATION - RUTHENIUM TETROXIDE OXIDATION. *Fuel* 70: 695-702.
- Boucher, RJ; Standen, G; Patience, RL; Eglinton, G. (1990). MOLECULAR CHARACTERIZATION OF KEROGEN FROM THE KIMMERIDGE CLAY FORMATION BY MILD SELECTIVE CHEMICAL DEGRADATION AND SOLID-STATE C-13-NMR. *Organic Geochemistry* 16: 951-958.
- Bouguettoucha, A; Reffas, A; Chebli, D; Mekhalif, T; Amrane, A. (2016). Novel activated carbon prepared from an agricultural waste, *Stipa tenacissima*, based on ZnCl<sub>2</sub> activation characterization and application to theremoval of methylene blue. *Desalination and Water Treatment* 57: 24056-24069. <http://dx.doi.org/10.1080/19443994.2015.1137231>.
- Bouhdadi, R; Benhadi, S; Molina, S; George, B; El Moussaoui, M; Merlin, A. (2011). CHEMICAL MODIFICATION OF CELLULOSE BY ACYLATION: APPLICATION TO ADSORPTION OF METHYLENE BLUE. *Maderas* 13: 105-116. <http://dx.doi.org/10.4067/S0718-221X2011000100009>.
- Bouhdadi, R; El Moussaoui, M; Benhadi, S; George, B; Molina, S; Merlin, A. (2011). KINETIC AND ISOTHERM MODELING OF METHYLENE BLUE SORPTION ONTO KRAFT PULP MODIFIED BY ACYLATION. 56: 349-361.
- Boulououar, N; Marouf, A; Cheriti, A; Belboukhari, N. (2012). Medicinal Plants Extracts as Source of Antifungal Agents against *Fusarium oxysporum* f. sp. *albendinis*. *Journal of Agricultural Science and Technology* 14: 659-669.
- Boulinguez, B; Le Cloirec, P. (2009). Biogas pre-upgrading by adsorption of trace compounds onto granular activated carbons and an activated carbon fiber-cloth. *Water Sci Technol* 59: 935-944. <http://dx.doi.org/10.2166/wst.2009.070>.
- Bouri, M; Salghi, R; Bazzi, L; Zarrouk, A; Rios, A; Zougagh, M. (2012). Pesticide residue levels in green beans cultivated in Souss Masa valley (Morocco) after multiple applications of bifenthrin and  $\lambda$ -cyhalothrin. *Bull Environ Contam Toxicol* 89: 638-643. <http://dx.doi.org/10.1007/s00128-012-0722-8>.



## Exposure Literature Search Results

### Off Topic

- Boury, F; Ivanova, T; Panaiotov, I; Proust, JE; Bois, A; Richou, J. (1995). DILATATIONAL PROPERTIES OF ADSORBED POLY(D,L-LACTIDE) AND BOVINE SERUM-ALBUMIN MONOLAYERS AT THE DICHLOROMETHANE/WATER INTERFACE. *Langmuir* 11: 1636-1644.
- Bouseta, A; Collin, S. (1995). OPTIMIZED LIKENS-NICKERSON METHODOLOGY FOR QUANTIFYING HONEY FLAVORS. *J Agric Food Chem* 43: 1890-1897.
- Boutin, O; Badens, E; Carretier, E; Charbit, G. (2004). Co-precipitation of a herbicide and biodegradable materials by the supercritical anti-solvent technique. *Journal of Supercritical Fluids* 31: 89-99. <http://dx.doi.org/10.1016/j.supflu.2003.09.013>.
- Boxall, ABA; Maltby, L. (1995). THE CHARACTERIZATION AND TOXICITY OF SEDIMENT CONTAMINATED WITH ROAD RUNOFF. *Water Res* 29: 2043-2050.
- Boysen, RB; Schabron, JF. (2013). The Automated Asphaltene Determinator Coupled with Saturates, Aromatics, and Resins Separation for Petroleum Residua Characterization. *Energy Fuels* 27: 4654-4661. <http://dx.doi.org/10.1021/ef400952b>.
- Bozorgnia, Y; Niazi, M. (1993). DISTANCE SCALING OF VERTICAL AND HORIZONTAL RESPONSE SPECTRA OF THE LOMA-PRIETA EARTHQUAKE. *Earthquake Engineering & Structural Dynamics* 22: 695-707.
- Braddock, JF; Lindstrom, JE; Prince, RC. (2003). Weathering of a subarctic oil spill over 25 years: the Caribou-Poker Creeks Research Watershed experiment. *Cold Regions Sci Tech* 36: 11-23. [http://dx.doi.org/10.1016/S0165-232X\(02\)00076-9](http://dx.doi.org/10.1016/S0165-232X(02)00076-9).
- Brandenberger, S; Mohr, M; Grob, K; Neukom, HP. (2005). Contribution of unburned lubricating oil and diesel fuel to particulate emission from passenger cars. *Atmos Environ* 39: 6985-6994. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.042>.
- Bras, J; Vaca-Garcia, C; Borredon, ME; Glasser, W. (2007). Oxygen and water vapor permeability of fully substituted long chain cellulose esters (LCCE). *Cellulose* 14: 367-374. <http://dx.doi.org/10.1007/s10570-007-9123-2>.
- Braud, C; Devarieux, R; Garreau, H; Vert, M. (1996). Capillary electrophoresis to analyze water-soluble oligo(hydroxyacids) issued from degraded or biodegraded aliphatic polyesters. *Journal of Environmental Polymer Degradation* 4: 135-148.
- Braus-Stromeyer, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol* 27: 1577-1579.
- Breman, BB; Beenackers, A; Bouma, MJ. (1995). FLOW REGIMES, GAS HOLD-UP AND AXIAL GAS MIXING IN THE GAS-LIQUID MULTISTAGE AGITATED CONTACTOR. *Chem Eng Sci* 50: 2963-2982.
- Bremerstein, T; Rudolph, M; Peuker, U, rsA. (2014). Effect of solvent exchange on the stability of sterically functionalized magnetite nanoparticles in poly(methyl methacrylate) solutions and resulting spray dried composites. *Chem Eng Res Des* 92: 2523-2533. <http://dx.doi.org/10.1016/j.cherd.2014.02.015>.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria* 165: 87-97.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brenizer, JS; Hosticka, B; Berger, H; Gillies, GT. (1999). The use of contrast agents to enhance crack detection via neutron radiography. *N D T & E International* 32: 37-42.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Scientific Publications. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Bressler, E; Braun, S. (1999). Separation mechanisms of citric and itaconic acids by water-immiscible amines. *J Chem Tech Biotechnol* 74: 891-896.
- Breuer, D; Friedrich, C; Hennig, M; Moritz, A; Schneider, W; Werner, S. (2010). Determination of volatile organic compounds (VOCs) indoors: Validation of the measuring process. *Gefahrst Reinhalt Luft* 70: 423-429.
- Briceno, K; Silvestre-Albero, J; Silvestre-Albero, A; Calvo, JI; Montane, D; Garcia-Valls, R; Hernandez, A; Rodriguez-Reinoso, F. (2013). Characterization of Carbon Molecular Sieve Membranes Supported on Ceramic Tubes. *AST* 31: 233-247.
- Brichka, SY; Prikhod'ko, GP; Sementsov, YI; Brichka, AV; Dovbeshko, GI; Paschuk, OP. (2004). Synthesis of carbon nanotubes from a chlorine-containing precursor and their properties. *Carbon* 42: 2581-2587. <http://dx.doi.org/10.1016/j.carbon.2004.05.040>.
- Brieno-Enriquez, KM; Ledesma-Garcia, J; Perez-Bueno, JJ; Godinez, LA; Terrones, H; Angeles-Chavez, C. (2009). Bonding titanium on multi-walled carbon nanotubes for hydrogen storage: An electrochemical approach. *Mater Chem Phys* 115: 521-525. <http://dx.doi.org/10.1016/j.matchemphys.2009.02.004>.
- Briggs, AM; Johal, MS; Davies, PB. (1999). Structure and thermal stability of dichain sugar surfactants at the solid/water interface studied by sum-frequency vibrational spectroscopy. *Langmuir* 15: 1817-1828.
- Brito e Abreu, S; Avelino, HMN, T; Caetano, FJP; Fareleira, JMN, A. (2010). Density of Diisodecyl Phthalate at Temperatures from (283.15 to 363.15) K and Pressures from (0.1 to 65) MPa. *Journal of Chemical and Engineering Data* 55: 3525-3531. <http://dx.doi.org/10.1021/je1001413>.
- Brockmeyer, B; Kraus, UR; Theobald, N. (2015). Accelerated solvent extraction (ASE) for purification and extraction of silicone passive samplers used for the monitoring of organic pollutants. *Environ Sci Pollut Res Int* 22: 19887-19895. <http://dx.doi.org/10.1007/s11356-015-5192-1>.
- Brod, M; Valensi, P; Shaban, JA; Bushnell, DM; Christensen, TL. (2010). Patient treatment satisfaction after switching to NovoMix® 30 (BIAsp 30) in the IMPROVE™ study: an analysis of the influence of prior and current treatment factors. *19*: 1285-1293. <http://dx.doi.org/10.1007/s11136-010-9699-0>.

## Exposure Literature Search Results

### Off Topic

- Brodeur, JC; Poliserpi, MB; D'Andrea, MF; Sanchez, M. (2014). Synergy between glyphosate- and cypermethrin-based pesticides during acute exposures in tadpoles of the common South American Toad *Rhinella arenarum*. *Chemosphere* 112: 70-76. <http://dx.doi.org/10.1016/j.chemosphere.2014.02.065>.
- Bronze-Uhle, ES; Borin, JF; Batagin-Neto, A; Alves, MCO; Graeff, CFO. (2012). MEH-PPV hypsochromic shifts in halogenated solvents induced by gamma-rays. *Mater Chem Phys* 132: 846-851. <http://dx.doi.org/10.1016/j.matchemphys.2011.12.022>.
- Brooks, JS; Williams, EH; Feeny, P. (1996). Quantification of contact oviposition stimulants for black swallowtail butterfly, *Papilio polyxenes*, on the leaf surfaces of wild carrot, *Daucus carota*. *J Chem Ecol* 22: 2341-2357.
- Brooks, LR; Hughes, TJ; Claxton, LD; Austern, B; Brenner, R; Kremer, F. (1998). Bioassay-directed fractionation and chemical identification of mutagens in bioremediated soils. *Environ Health Perspect* 106 Suppl 6: 1435-1440.
- Brooks, SPJ; Ratnayake, WMN; Lampi, BJ; Hollywood, R. (1998). Measuring total lipid content in rat carcasses: A comparison of commonly employed extraction methods. *J Agric Food Chem* 46: 4214-4217.
- Brown, JL; Kersey, DC; Freeman, EW; Wagoner, T. (2010). Assessment of diurnal urinary cortisol excretion in Asian and African elephants using different endocrine methods. *Zoo Biology* 29: 274-283. <http://dx.doi.org/10.1002/zoo.20268>.
- Brown, JL; Wemmer, CM; Lehnhardt, J. (1995). Urinary cortisol analysis for monitoring adrenal activity in elephants. *Zoo Biology* 14: 533-542.
- Brown, KW; Thomas, JC; Donnelly, KC. (1991). BACTERIAL MUTAGENICITY OF MUNICIPAL SEWAGE SLUDGES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology* 26: 395-413.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, SL; Schwab, B. (1994). REVIEW OF MATHEMATICAL-MODELS FOR HEALTH RISK ASSESSMENT .8. DOSE-RESPONSE RELATIONSHIPS. *Environ Software* 9: 161-174.
- Brownlee, B; Macinnis, G; Charlton, M; Watson, S; Hamilton-Browne, S; Milne, J. (2004). An analytical method for shipboard extraction of the odour compounds, 2-methylisoborneol and geosmin. *Water Sci Technol* 49: 121-127.
- Broza, G; Piszczek, K; Schulte, K; Sterzynski, T. (2007). Nanocomposites of poly(vinyl chloride) with carbon nanotubes (CNT). *Compos Sci Tech* 67: 890-894. <http://dx.doi.org/10.1016/j.compscitech.2006.01.033>.
- Brozek, V; Hrabovsky, M; Kopecky, V. (1999). Decomposition of polyhalogenide hydrocarbons in plasma jet generated by water stabilized plasma torch. *High Temperature Material Processes* 3: 375-384.
- Bruce, EN; Bruce, MC; Erupaka, K. (2008). Prediction of the rate of uptake of carbon monoxide from blood by extravascular tissues. *Respir Physiol Neurobiol* 161: 142-159.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents* 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Bruhn, C; Brockmüller, J; Kerb, R; Roots, I; Borchert, HH. (1998). Concordance between enzyme activity and genotype of glutathione S-transferase theta (GSTT1). *Biochem Pharmacol* 56: 1189-1193.
- Brujes, L; Legrand, J; Carnelle, G. (2003). Characterization of liquid-liquid dispersion in batch and continuous toroidal minimixer. *J Chem Eng Jpn* 36: 1-6.
- Bruk, R; Barat, R; Mitra, S. (2006). The Effect of Waste Concentration on Destruction Efficiency During Incineration. *Environ Eng Sci* 23: 383-392.
- Bruk, R; Mitra, S; Barat, R. (2004). Pathways to methylene chloride destruction at low and high concentrations. *Combust Sci Tech* 176: 531-555. <http://dx.doi.org/10.1080/00102200490276755>.
- Brunner, AR; Bujalski, DR; Moyer, ES; Su, K; Sneddon, LG. (2000). Synthesis and ceramic conversion reactions of pinacolborane- and diethylborazine-modified poly(vinylsiloxane)s. The development of a processable single-source polymeric precursor to boron-modified silicon carbide. *Chem Mater* 12: 2770-2780.
- Bryce, MR; Moore, AJ; Tanner, BK; Whitehead, R; Clegg, W; Gerson, F; Lamprecht, A; Pfenninger, S. (1996). Vinyllogous tetrathiafulvalene (TTF) pi-electron donors and derived radical cations: ESR spectroscopic, magnetic, and X-ray structural studies. *Chem Mater* 8: 1182-1188.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289: 1648-1653.
- Buchanansmith, HM; Anderson, DA; Ryan, CW. (1993). RESPONSES OF COTTON-TOP TAMARINS (*SAGUINUS-OEDIPUS*) TO FECAL SCENTS OF PREDATORS AND NON-PREDATORS. *Animal Welfare* 2: 17-32.
- Buddhadasa, SC; Barone, S; Bigger, SW; Orbell, JD. (2003). A comparison between extractant solvents in the quantitative analysis of total petroleum hydrocarbons in soil samples. *J Jpn Petrol Inst* 46: 28-34.
- Budenberg, WJ; Ndiege, IO; Karago, FW. (1993). EVIDENCE FOR VOLATILE MALE-PRODUCED PHEROMONE IN BANANA WEEVIL *COSMOPOLITES-SORDIDUS*. *J Chem Ecol* 19: 1905-1916.
- Bueno, C; Cabral, VF; Cardozo-Filho, L; Dias, ML; Antunes, OAC. (2009). Cationic polymerization of styrene in scCO<sub>2</sub> and [bmim][PF<sub>6</sub>]. *Journal of Supercritical Fluids* 48: 183-187. <http://dx.doi.org/10.1016/j.supflu.2008.09.023>.
- Buggy, M; Farragher, L; Madden, W. (1995). Recycling of composite materials. *J Mater Process Tech* 55: 448-456.
- Bui, VT; Ahad, E; Rheume, D; Whitehead, R. (1997). Evaluation of branched glycidyl azide polymer purified by solvent extraction. *Ind Eng Chem Res* 36: 2219-2224.
- Bukowski, JA; Sargent, EV; Pena, BM. (1992). Evaluation of the Utility of a Standard History Questionnaire in Assessing the Neurological Effects of Solvents. *Am J Ind Med* 22: 337-345.

## Exposure Literature Search Results

### Off Topic

- Bukowski, JA; Schnatter, AR; Korn, L. (2001). Using epidemiological studies to check the consistency of the cancer risks predicted by high-dose animal experiments: a methodological review [Review]. *Risk Anal* 21: 601-611.
- Bull, J, oe. (2012). Loads of green washing-can behavioural economics increase willingness-to-pay for efficient washing machines in the UK? *Energy Policy* 50: 242-252. <http://dx.doi.org/10.1016/j.enpol.2012.07.001>.
- Bumbac, M; Serban, B; Luca, C; Nechifor, G; Voicu, S. (2006). Studies regarding the synergistic effect in the extraction of alkaline metals Na<sup>+</sup> and K<sup>+</sup> cations in the presence of a mixture of p-tertbutylcalix[4] arene-ethers crown. *Rev Chim* 57: 927-930.
- Buonomenna, MG; Golemme, G; Choi, SH; Jansen, JC; De Santo, MP; Drioli, E. (2011). Surface skin layer formation and molecular separation properties of asymmetric PEEKWC membranes. *Separation and Purification Technology* 77: 104-111. <http://dx.doi.org/10.1016/j.seppur.2010.11.027>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen* 96: 289-303.
- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal* 75: 1079-1092.
- Burg, P; Fydrych, P; Bimer, J; Salbut, PD; Jankowska, A. (2002). Comparison of three active carbons using LSER modeling: prediction of their selectivity towards pairs of volatile organic compounds (VOCs). *Carbon* 40: 73-80.
- Burger, J; Lord, CG; Yurkow, EJ; Mcgrath, L; Gaines, KF; Brisbin, IL; Gochfeld, M. (2000). Metals and metallothionein in the liver of raccoons: utility for environmental assessment and monitoring. *J Toxicol Environ Health A* 60: 243-261.
- Burgess, CM; Yao, N, an; Bocarsly, AB. (2009). Stabilizing cyanosols: amorphous cyanide bridged transition metal polymer nanoparticles. *J Mater Chem* 19: 8846-8855. <http://dx.doi.org/10.1039/b911682f>.
- Burness, JH; Dillard, JG. (1994). AN INVESTIGATION OF THE SURFACE-PROPERTIES OF ANODIZED ALUMINUM BY INVERSE GAS-CHROMATOGRAPHY. *Langmuir* 10: 1894-1897.
- Bushway, RJ; Brandon, DL; Bates, AH; Li, L; Larkin, KA; Young, BS. (1995). QUANTITATIVE-DETERMINATION OF THIABENDAZOLE IN FRUIT JUICES AND BULK JUICE CONCENTRATES USING A THIABENDAZOLE MONOCLONAL-ANTIBODY. *J Agric Food Chem* 43: 1407-1412.
- Bushway, RJ; Fan, TS; Young, BES; Paradis, LR; Perkins, LB. (1994). DETERMINATION OF METHYL 2-BENZIMIDAZOLECARBAMATE IN SOIL BY COMPETITIVE-INHIBITION ENZYME-IMMUNOASSAY. *J Agric Food Chem* 42: 1138-1142.
- Butler, E; Whelan, MJ; Ritz, K; Sakrabani, R; van Egmond, R. (2011). Solvent-based washing removes lipophilic contaminant interference with phospholipid fatty acid analysis of soil communities. *Soil Biol Biochem* 43: 2208-2212. <http://dx.doi.org/10.1016/j.soilbio.2011.06.010>.
- Butler, FE; Coppedge, EA; Suggs, JC; Knoll, JE; Midgett, MR; Sykes, AL; Hartman, MW; Steger, JL. (1988). DEVELOPMENT OF A METHOD FOR DETERMINATION OF METHYLENE-CHLORIDE EMISSIONS AT STATIONARY SOURCES. *J Air Pollut Control Assoc* 38: 272-277.
- Buzitis, J; Ylitalo, GM; Krahn, MM. (2006). Rapid method for determination of dioxin-like polychlorinated biphenyls and other congeners in marine sediments using sonic extraction and photodiode array detection. *Arch Environ Contam Toxicol* 51: 337-346. <http://dx.doi.org/10.1007/s00244-005-0162-0>.
- Byrne, RJ; Stitzel, SE; Diamond, D. (2006). Photo-regenerable surface with potential for optical sensing. *J Mater Chem* 16: 1332-1337. <http://dx.doi.org/10.1039/b516400a>.
- Byun, H, unSoo; Lee, H, aY. (2006). Cloud-point measurement of the biodegradable poly(D,L-lactide-co-glycolide) solution in supercritical fluid solvents. *Korean J Chem Eng* 23: 1003-1008.
- Caamal-Fuentes, E; Chale-Dzul, J; Moo-Puc, R; Freile-Pelegrin, Y; Robledo, D. (2014). Bioprospecting of brown seaweed (Ochrophyta) from the Yucatan Peninsula: cytotoxic, antiproliferative, and antiprotozoal activities. *J Appl Phycol* 26: 1009-1017. <http://dx.doi.org/10.1007/s10811-013-0129-x>.
- Cabbar, C; Dogu, G; Dogu, T; Mccoy, BJ. (1996). Single-pellet dynamics for the soil organic matter effect on dichloromethane sorption. *AIChE J* 42: 2090-2093.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater* 82: 313-322.
- Cabbar, HC; Varol, N; Mccoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J* 44: 1351-1355.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria* 62: 163-172.
- Çabuk, H; Kılıç, MS; Ören, M. (2014). Biomonitoring of polycyclic aromatic hydrocarbons in urban and industrial environments of the Western Black Sea Region, Turkey. *Environ Monit Assess* 186: 1515-1524. <http://dx.doi.org/10.1007/s10661-013-3470-2>.
- Caeiro, G; Magnoux, P; Lopes, JM; Ribeiro, FR. (2005). Deactivating effect of quinoline during the methylcyclohexane transformation over H-USY zeolite. *Appl Catal A-Gen* 292: 189-199. <http://dx.doi.org/10.1016/j.apcata.2005.06.016>.
- Cagiano, R; Ancona, D; Cassano, T; Tattoli, M; Trabace, L; Cuomo, V. (1998). Effects of prenatal exposure to low concentrations of carbon monoxide on sexual behaviour and mesolimbic dopaminergic function in rat offspring. *Br J Pharmacol* 125: 909-915. <http://dx.doi.org/10.1038/sj.bjp.0702143>.
- Cai, SF, ei; Wang, L, iS; Hu, F, uH. (2009). Solubilities of MoO<sub>2</sub>X<sub>2</sub>L<sub>2</sub> (X = Cl, Br; L = OPPh<sub>3</sub>, OPMePh<sub>2</sub>) in Dichloromethane and H<sub>2</sub>O<sub>2</sub> (30 % (By Weight)) + H<sub>2</sub>O Solution. *Journal of Chemical and Engineering Data* 54: 2235-2238. <http://dx.doi.org/10.1021/jc800988w>.
- Cai, X; Zhu, L, an; Bao, S; Luo, Q. (2015). Photochromic dithienylethene-branched triptycene hybrids. *Dyes and Pigments* 121: 227-234. <http://dx.doi.org/10.1016/j.dyepig.2015.05.023>.
- Cai, Y; Tang, G; Jaffe, R; Jones, R. (1997). Evaluation of some isolation methods for organomercury determination in soil and fish samples by capillary gas chromatography - Atomic fluorescence spectrometry. *Int J Environ Anal Chem* 68: 331-345.

## Exposure Literature Search Results

### Off Topic

- Cakar, F; Yazici, O; Sakar, D; Cankurtaran, O; Karaman, F. (2011). Surface analysis of poly(ether imide) by inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 5: 821-826.
- Calamai, L; Pantani, OL; Ravelli, A; Fusi, P. (1995). CHLORSULFURON EXTRACTION AND PURIFICATION FROM A COMMERCIAL FORMULATION (GLEAN 75DF). *Fresen Environ Bull* 4: 25-30.
- Caldwell, N; Jamieson, C; Simpson, I; Watson, AJB. (2013). Development of a Sustainable Catalytic Ester Amidation Process. 1: 1339-1344. <http://dx.doi.org/10.1021/sc400204g>.
- Callison, J; Betzler, F; de Cuba, K; van Der Borden, W; van Der Velde, K; Carr, RH; Senn, HM; Farrugia, LJ; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in a Polyurethane Production Chain. Part 2: A Route to the Formation of Colored Impurities. *Ind Eng Chem Res* 51: 11021-11030. <http://dx.doi.org/10.1021/ie300987v>.
- Callison, J; Edge, R; de Cuba, KR; Carr, RH; Mcdouall, JJW; Collison, D; Mcinnes, EJJ; van Der Borden, W; van Der Velde, K; Winfield, JM; Lennon, D. (2012). Origin of Impurities Formed in the Polyurethane Production Chain. 1. Conditions for Chlorine Transfer from an Aryl Isocyanide Dichloride Byproduct. *Ind Eng Chem Res* 51: 2515-2523. <http://dx.doi.org/10.1021/ie2013136>.
- Calvert, CA; Suib, SL. (2007). An initial study into the use of microwave remediation of hexachlorobenzene treated soil using selected oxidants and coated graphite rods. *Journal of Soils and Sediments* 7: 147-152. <http://dx.doi.org/10.1065/jss2007.05.227>.
- Calvey, EM; Matusik, JE; White, KD; Betz, JM; Block, E; Littlejohn, MH; Naganathan, S; Putman, D. (1994). OFF-LINE SUPERCRITICAL-FLUID EXTRACTION OF THIOSULFINATES FROM GARLIC AND ONION. *J Agric Food Chem* 42: 1335-1341.
- Câmara, JS; Marques, JC; Alves, MA; Silva Ferreira, AC. (2004). 3-Hydroxy-4,5-dimethyl-2(5H)-furanone levels in fortified Madeira wines: relationship to sugar content. *J Agric Food Chem* 52: 6765-6769. <http://dx.doi.org/10.1021/jf049547d>.
- Cameron, NR; Sherrington, DC; Ando, I; Kurosu, H. (1996). Chemical modification of monolithic poly(styrene-divinylbenzene) PolyHIPE(R) materials. *J Mater Chem* 6: 719-726.
- Campbell, M; Bitton, G; Koopman, B; Delfino, JJ. (1992). PRELIMINARY COMPARISON OF SEDIMENT EXTRACTION PROCEDURES AND EXCHANGE SOLVENTS FOR HYDROPHOBIC COMPOUNDS BASED ON INHIBITION OF BIOLUMINESCENCE. *Environ Toxicol Water Qual* 7: 329-338.
- Camurlu, P; Gultekin, C. (2012). Utilization of novel bithiazole based conducting polymers in electrochromic applications. *Smart Materials and Structures* 21. <http://dx.doi.org/10.1088/0964-1726/21/2/025019>.
- Canaple, L; Rehor, A; Hunkeler, D. (2002). Improving cell encapsulation through size control. *J Biomater Sci Polym Ed* 13: 783-796.
- Canbay, HS; Ogut, S; Yilmazer, M. (2014). Pesticide residues analysis in lake water and sediment samples from the Golcuk National Park. *Water Resources* 41: 97-104. <http://dx.doi.org/10.1134/S0097807814010059>.
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media* 38: 43-56.
- Candir, E; Ozdemir, AE; Kamiloglu, U; Soyulu, EM; Dilbaz, R; Ustun, D. (2012). Modified atmosphere packaging and ethanol vapor to control decay of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 63: 98-106. <http://dx.doi.org/10.1016/j.postharvbio.2011.09.008>.
- Canet, R; Birnstingl, JG; Malcolm, DG; Lopez-Real, JM; Beck, AJ. (2001). Biodegradation of polycyclic aromatic hydrocarbons (PAHs) by native microflora and combinations of white-rot fungi in a coal-tar contaminated soil. *Bioresour Technol* 76: 113-117.
- Cañizares, P; Louhichi, B; Gadi, A; Nasr, B; Paz, R; Rodrigo, MA; Saez, C. (2007). Electrochemical treatment of the pollutants generated in an ink-manufacturing process. *J Hazard Mater* 146: 552-557. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.085>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Cantrell, CL; Duke, SO; Fronczek, FR; Osbrink, WL; Mamonov, LK; Vassilyev, JI; Wedge, DE; Dayan, FE. (2007). Phytotoxic Eremophilanes from *Ligularia macrophylla*. *J Agric Food Chem* 55: 10656-10663. <http://dx.doi.org/10.1021/jf072548w>.
- Cao, D; Zhao, GL; Yan, WD. (2007). Solubilities of betulin in fourteen organic solvents at different temperatures. *Journal of Chemical and Engineering Data* 52: 1366-1368. <http://dx.doi.org/10.1021/je700069g>.
- Cao, H; Shan, G; Yin, YM; Sun, H; Wu, Y; Xie, W; Su, Z. (2015). Modification of iridium(III) complexes for fabrication of high-performance non-doped organic light-emitting diode. *Dyes and Pigments* 112: 8-16. <http://dx.doi.org/10.1016/j.dyepig.2014.06.014>.
- Cao, S; Shi, M; Wang, H; Yu, F; Weng, X; Liu, Y, ue; Wu, Z. (2016). A two-stage Ce/TiO<sub>2</sub>-Cu/CeO<sub>2</sub> catalyst with separated catalytic functions for deep catalytic combustion of CH<sub>2</sub>Cl<sub>2</sub>. *Chem Eng J* 290: 147-153. <http://dx.doi.org/10.1016/j.cej.2015.12.107>.
- Cao, W; Suzuki, T; Elsayed-Ali, HE; Abdel-Fattah, TM. (2015). Synthesis of Cerium-Doped Titania Nanoparticles and Nanotubes. *J Nanosci Nanotechnol* 15: 2508-2513. <http://dx.doi.org/10.1166/jnn.2015.10299>.
- Cao, XL; Zhu, J. (2001). Monitoring method for airborne glymes and its application in fuel exhaust emission measurement. *Chemosphere* 45: 911-917.
- Cao, Y, an; Li, H; Zhang, J, un. (2011). Homogeneous Synthesis and Characterization of Cellulose Acetate Butyrate (CAB) in 1-Allyl-3-Methylimidazolium Chloride (AmimCl) Ionic Liquid. *Ind Eng Chem Res* 50: 7808-7814. <http://dx.doi.org/10.1021/ie2004362>.
- Cao, Y; Pawlowski, A; Zhang, J, in. (2010). PREPARATION OF ACTIVATED CARBONS WITH ENHANCED ADSORPTION OF CATIONIC AND ANIONIC DYES FROM CHINESE HICKORY HUSK USING THE TAGUCHI METHOD. *Environ Protect Eng* 36: 69-86.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater* 17: 456-461.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C* 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cape, JN; Leith, ID; Binnie, J; Content, J; Donkin, M; Skewes, M; Price, DN; Sharpe, AD. (2003). Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ Pollut* 124: 341-353. [http://dx.doi.org/10.1016/S0269-7491\(02\)00464-5](http://dx.doi.org/10.1016/S0269-7491(02)00464-5).

## Exposure Literature Search Results

### Off Topic

- Capone, DG; Weston, DP; Miller, V; Shoemaker, C. (1996). Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture. *Aquaculture* 145: 55-75.
- Cara, M; Vorpsi, V; Harizaj, F; Mercuri, J; Vladi, V. (2011). DEGRADATION OF THE INSECTICIDE ACETAMIPRID IN GREENHOUSE CUCUMBERS AND AN ESTIMATION OF THE LEVEL OF RESIDUES. *J Environ Prot Ecol* 12: 74-81.
- Caratto, V; Locardi, F; Alberti, S; Villa, S; Sanguineti, E; Martinelli, A; Balbi, T; Canesi, L; Ferretti, M. (2016). Different sol-gel preparations of iron-doped TiO<sub>2</sub> nanoparticles: characterization, photocatalytic activity and cytotoxicity. *Journal of Sol-Gel Science and Technology* 80: 152-159. <http://dx.doi.org/10.1007/s10971-016-4057-5>.
- Carberry, J; Irvin, JA; Glatzhofer, DT; Nicholas, KM; Neef, CJ. (2013). High molecular weight copolymers of vinylferrocene and 3-phenyl[5]ferrocenophane-1,5-dimethylene with various N-substituted maleimides. *React Funct Polym* 73: 730-736. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.002>.
- Cardoso, FAR; Almeida, RA; Rezende, RVP; Meier, HF; Noriler, D; Guerra, HP; Cabral, VF; Cardozo-Filho, L. (2016). Evaluation of changes in physicochemical properties in a supercritical antisolvent (SAS) process using 3D turbulent CFD approach. *Journal of Supercritical Fluids* 107: 349-357. <http://dx.doi.org/10.1016/j.supflu.2015.10.002>.
- Carero, ADP; Hoet, PHM; Verschaeve, L; Schoeters, G; Nemery, B. (2001). Genotoxic effects of carbon black particles, diesel exhaust particles, and urban air particulates and their extracts on a human alveolar epithelial cell line (A549) and a human monocytic cell line (THP-1). *Environ Mol Mutagen* 37: 155-163.
- Caricchia, AM; Chiavarini, S; Cremisini, C; Morabito, R; Ubaldi, C. (1993). ANALYTICAL METHODS FOR THE DETERMINATION OF ORGANOTINS IN THE MARINE-ENVIRONMENT. *Int J Environ Anal Chem* 53: 37-52.
- Carlescu, A; Postaru, M; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM Propionibacterium acidipropionici BROTHS BY REACTIVE EXTRACTION 2. EXTRACTION FROM SIMULATED BROTHS. *Environmental Engineering and Management Journal* 11: 1029-1036.
- Carletti, E; Endogan, T; Hasirci, N; Hasirci, V; Maniglio, D; Motta, A; Migliaresi, C. (2011). Microfabrication of PDLLA scaffolds. *J Tissue Eng Regen Med* 5: 569-577. <http://dx.doi.org/10.1002/term.349>.
- Carlson, PJ; Pretzer, LA; Boyd, JE. (2007). Solvent deposition of titanium dioxide on acrylic for photocatalytic application. *Ind Eng Chem Res* 46: 7970-7976. <http://dx.doi.org/10.1021/ie070825i>.
- Carmalt, CJ; O'Neill, SA; Parkin, IP; Peters, ES. (2004). Titanium sulfide thin films from the aerosol-assisted chemical vapour deposition of [Ti(SBut)(4)]. *J Mater Chem* 14: 830-834. <http://dx.doi.org/10.1039/b311265a>.
- Carrara, VS; Vieira, SC; de Paula, RG; Rodrigues, V; Magalhães, LG; Cortez, DA; Da Silva Filho, AA. (2014). In vitro schistosomicidal effects of aqueous and dichloromethane fractions from leaves and stems of Piper species and the isolation of an active amide from P. amalago L. (Piperaceae). *J Helminthol* 88: 321-326. <http://dx.doi.org/10.1017/S0022149X13000205>.
- Carretier, E; Badens, E; Guichardon, P; Boutin, O; Charbit, G. (2003). Hydrodynamics of supercritical antisolvent precipitation: Characterization and influence on particle morphology. *Ind Eng Chem Res* 42: 331-338. <http://dx.doi.org/10.1021/ie020439v>.
- Carrillo-Lopez, LM; Soto-Hernandez, RM; Zavaleta-Mancera, HA; Vilchis-Nestor, AR. (2016). Study of the Performance of the Organic Extracts of Chenopodium ambrosioides for Ag Nanoparticle Synthesis. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2016/4714162>.
- Carrott, PJM; Cansado, IPP; Carrott, MML, R. (2006). On the L- $\sigma$ /sigma range of the TVFM. *AST* 24: 205-213.
- Carrott, PJM; Carrott, MML, R; Cansado, IPP. (2001). Reference data for the adsorption of dichloromethane on carbon materials. *Carbon* 39: 465-472.
- Carter, JT; Emmerson, GT; Lo Faro, C; Mcgrail, PT; Moore, DR. (2003). The development of a low temperature cure modified epoxy resin system for aerospace composites. *Composites Part A: Applied Science and Manufacturing* 34: 83-91.
- Carvalho, A; Pio, C; Santos, C. (2003). Water-soluble hydroxylated organic compounds in German and Finnish aerosols. *Atmos Environ* 37: 1775-1783. [http://dx.doi.org/10.1016/S1352-2310\(03\)00066-9](http://dx.doi.org/10.1016/S1352-2310(03)00066-9).
- Carvalho, JCB; Almeida, H, dosS; Revoredo Lobo, JF; Pinto Ferreira, JL; Oliveira, AP; Rocha, L. (2013). Pyrrolizidine alkaloids in two endemic capeverdian Echium species. *Biochemical Systematics and Ecology* 50: 1-6. <http://dx.doi.org/10.1016/j.bse.2013.03.026>.
- Casado, AG; Hernandez, EJA; Vilchez, JL. (1998). Determination of fatty acids (C-8-C-22) in urban wastewater by GC-MS. *Water Res* 32: 3168-3172.
- Casal, V; Schmidt, H. (1998). SUWOX - a facility for the destruction of chlorinated hydrocarbons. *Journal of Supercritical Fluids* 13: 269-276.
- Cascaval, D; Galaction, AI; Nicuta, N. (2010). Comparative Studies of Free and Facilitated Pertraction of Erythromycin from Streptomyces erythreus Broths. *Chemical and Biochemical Engineering Quarterly* 24: 177-185.
- Cascaval, D; Galaction, AI; Nicuta, N; Blaga, AC. (2007). Selective separation of gentamicins from the biosynthetic mixture by reactive extraction. *Separation and Purification Technology* 57: 264-269. <http://dx.doi.org/10.1016/j.seppur.2007.04.003>.
- Cascaval, D, an; Kloetzer, L; Galaction, AI. (2011). Influence of Organic Phase Polarity on Interfacial Mechanism and Efficiency of Reactive Extraction of Acetic Acid with Tri-n-octylamine. *Journal of Chemical and Engineering Data* 56: 2521-2526. <http://dx.doi.org/10.1021/jc200044y>.
- Cascaval, D; Kloetzer, L; Galaction, AI; Vlysidis, A; Webb, C. (2013). Fractionation of Carboxylic Acids Mixture Obtained by Succinic Fermentation using Reactive Extraction. *Separation Science and Technology* 48: 634-643. <http://dx.doi.org/10.1080/01496395.2012.691593>.
- Castaneda, R; Yakovenko, AA; Draguta, S; Fonari, MS; Antipin, MY, u; Timofeeva, TV. (2015). Structural Diversity in the Complexes of Trimeric Perfluoro-o-phenylene Mercury with Tetrathia- and Tetramethyltetraselenafulvalene. *Cryst Growth Des* 15: 1022-1026. <http://dx.doi.org/10.1021/cg501594t>.

## Exposure Literature Search Results

### Off Topic

- Castanedaacosta, J; Cain, AW; Fischer, NH; Knopf, FC. (1995). EXTRACTION OF BIOACTIVE SESQUITERPENE LACTONES FROM MAGNOLIA-GRANDIFLORA USING SUPERCRITICAL CARBON-DIOXIDE AND NEAR-CRITICAL PROPANE. *J Agric Food Chem* 43: 63-68.
- Castell, MR; Muggelberg, C; Dudarev, SL; Sutton, AP; Briggs, GAD; Goddard, DT. (1998). Imaging insulating oxides by elevated-temperature STM. *Applied Physics A: Materials Science and Processing* 66: S963-S967.
- Castellan, A; Ruggiero, R; Frollini, E; Ramos, LA; Chirat, C. (2007). Studies on fluorescence of cellulose. *Holzforschung* 61: 504-508. <http://dx.doi.org/10.1515/HF.2007.090>.
- Castellarnau, M; Ramón-Azcón, J; Gonzalez-Quinteiro, Y; López, JF; Grimalt, JO; Marco, MP; Nieuwenhuijsen, M; Picado, A. (2017). Assessment of analytical methods to determine pyrethroids content of bednets. *Trop Med Int Health* 22: 41-51. <http://dx.doi.org/10.1111/tmi.12794>.
- Castola, V; Bighelli, A; Rezzi, S; Melloni, G; Gladiali, S; Desjobert, JM; Casanova, J. (2002). Composition and chemical variability of the triterpene fraction of dichloromethane extracts of cork (*Quercus suber* L.). *Ind Crop Prod* 15: 15-22.
- Castola, V; Marongiu, B; Bighelli, A; Floris, C; Lai, A; Casanova, J. (2005). Extractives of cork (*Quercus suber* L.): chemical composition of dichloromethane and supercritical CO<sub>2</sub> extracts. *Ind Crop Prod* 21: 65-69. <http://dx.doi.org/10.1016/j.indcrop.2003.12.007>.
- Castriciano, MA; Leone, N; Cardiano, P; Manickam, S; Scolaro, LM; Lo Schiavo, S. (2013). A new supramolecular polyhedral oligomeric silsesquioxanes (POSS)-porphyrin nanohybrid: synthesis and spectroscopic characterization. 1: 4746-4753. <http://dx.doi.org/10.1039/c3tc30532e>.
- Castro, CE; O Shea, SK; Wang, W; Bartnicki, EW. (1996). Biodehalogenation: Oxidative and hydrolytic pathways in the transformations of acetonitrile, chloroacetonitrile, chloroacetic acid, and chloroacetamide by *Methylosinus trichosporium* OB-3b. *Environ Sci Technol* 30: 1180-1184.
- Castro, RR; Massa, M; Augliera, P; Pacor, F. (2008). Body-wave attenuation in the region of Garda, Italy. *Pure Appl Geophys* 165: 1351-1366. <http://dx.doi.org/10.1007/s00024-008-0365-1>.
- Cathey, CG; Huang, ZG; Sarr, AB; Clement, BA; Phillips, TD. (1994). DEVELOPMENT AND EVALUATION OF A MINICOLUMN ASSAY FOR THE DETECTION OF AFLATOXIN-M(1) IN MILK. *J Dairy Sci* 77: 1223-1231.
- Cavalcanti, DN; Vasconcelos Gomes, MA; Pinto, AC; de Rezende, CM; Pereira, RC; Teixeira, VL. (2008). Effects of storage and solvent type in a lipophylic chemical profile of the seaweed *Dictyota menstrualis*. 56: 51-57.
- Cedrati, N; Bonneaux, F; Labrude, P; Maincent, P. (1997). Structure and stability of human hemoglobin microparticles prepared with a double emulsion technique. *Artificial Cells, Blood Substitutes, and Biotechnology* 25: 457-462.
- Cedrati, N; Maincent, P; Thomas, F; Labrude, P; Vigneron, C. (1994). PREPARATION AND CHARACTERIZATION OF POLY(LACTIC ACID) HEMOGLOBIN MICROSPPHERES. *Artificial Cells, Blood Substitutes, and Biotechnology* 22: 867-873.
- Cehak, A; Burmester, M; Geburek, F; Feige, K; Breves, G. (2009). Electrophysiological characterization of electrolyte and nutrient transport across the small intestine in horses. *Journal of Animal Physiology and Animal Nutrition (Online)* 93: 287-294. <http://dx.doi.org/10.1111/j.1439-0396.2008.00882.x>.
- Celebioglu, A; Uyar, T. (2011). Electrospun porous cellulose acetate fibers from volatile solvent mixture. *Mater Lett* 65: 2291-2294. <http://dx.doi.org/10.1016/j.matlet.2011.04.039>.
- Celi, L; Negre, M; Gennari, M. (1993). HPLC DETERMINATION OF FENOXAPROP AND FENOXAPROP-ETHYL IN DIFFERENT SOILS. *Pestic Sci* 38: 43-47.
- Celia, E; de Givenchy, ET; Amigoni, S; Guittard, F. (2011). Three steps to organic-inorganic hybrid films showing superhydrophilic properties. *Soft Matter* 7: 10057-10062. <http://dx.doi.org/10.1039/c1sm05864a>.
- Celik, B; Celik, I; Dolas, H; Gocay, H; Sahin, Y; Sarac, AS; Pekmez, K. (2014). Electrochemical synthesis, characterization and capacitive properties of novel thiophene based conjugated polymer. *React Funct Polym* 83: 107-112. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.07.014>.
- Celik, E; Keskin, I; Kayatekin, I; Azem, FA, k; Ozkan, E. (2007). Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate by sol-gel technique. *Materials Characterization* 58: 349-357. <http://dx.doi.org/10.1016/j.matchar.2006.05.015>.
- Celik, E; Yildiz, AY; Azem, NFA; Tanoglu, M; Toparli, M; Emrullahoglu, OF; Ozdemir, I. (2006). Preparation and characterization of Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> thin films on glass substrate for photocatalytic applications. *Mater Sci Eng B* 129: 193-199. <http://dx.doi.org/10.1016/j.mseb.2006.01.013>.
- Celik, SE; Ozyurek, M; Guclu, K; Apak, R. (2007). CUPRAC total antioxidant capacity assay of lipophilic antioxidants in combination with hydrophilic antioxidants using the macrocyclic oligosaccharide methyl beta-cyclodextrin as the solubility enhancer. *React Funct Polym* 67: 1548-1560. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.045>.
- Celiklaka, E; Denkbaz, EB; Piskin, E. (1996). Rifampicin carrying poly(D,L-lactide)/poly(ethylene glycol) microspheres: Loading and release. *Artif Organs* 20: 743-751.
- Ceolin, R; Tamarit, JL; Barrio, M; Lopez, DO; Toscani, S; Allouchi, H; Agafonov, V; Szwarc, H. (2001). Solid-state studies on a cubic 1 : 1 solvate of C-60 grown from dichloromethane and leading to another hexagonal C-60 polymorph. *Chem Mater* 13: 1349-1355. <http://dx.doi.org/10.1021/cm001212y>.
- Cequier-Sánchez, E; Rodríguez, C; Ravelo, AG; Zárate, R. (2008). Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples of different natures. *J Agric Food Chem* 56: 4297-4303. <http://dx.doi.org/10.1021/jf073471e>.
- Cerdeira, AL; Cantrell, CL; Dayan, FE; Byrd, JD; Duke, SO. (2012). Tabanone, a New Phytotoxic Constituent of Cogongrass (*Imperata cylindrica*). *Weed Sci* 60: 212-218. <http://dx.doi.org/10.1614/WS-D-11-00160.1>.
- Cesario, MT; Beefink, HH; Trampler, J. (1995). FEASIBILITY OF USING WATER-IMMISCIBLE ORGANIC-SOLVENTS IN BIOLOGICAL WASTE-GAS TREATMENT. 12: 55-63.

## Exposure Literature Search Results

### Off Topic

- Cespedes, CL; Calderon, JS; King-Diaz, B; Lotina-Hennsen, B. (1998). Phytochemical and biochemical characterization of epimeric photogedunin derivatives. Their different sites of interaction on the redox electron transport carrier of Spinacea oleracea L. chloroplasts. *J Agric Food Chem* 46: 2810-2816.
- Cespedes, CL; Calderon, JS; Lina, L; Aranda, E. (2000). Growth inhibitory effects on fall armyworm Spodoptera frugiperda of some limonoids isolated from Cedrela spp. (Meliaceae). *J Agric Food Chem* 48: 1903-1908.
- Cesur, S; Alp, B; Kucukgoksel, Y; Kahraman, T; Balkose, D. (2015). Crystallization Kinetics and Affecting Parameters on Polycaprolactone Composites With Inorganic and Organic Additives. *Journal of Vinyl and Additive Technology* 21: 174-182. <http://dx.doi.org/10.1002/vnl.21399>.
- Cesur, S; Kahraman, T. (2016). Printing properties of polycaprolactone composite films. *Progr Org Coating* 98: 10-13. <http://dx.doi.org/10.1016/j.porgcoat.2016.04.022>.
- Cha, CY; Wallace, S; George, AH; Rogers, S. (2004). Microwave technology for treatment of fume hood exhaust. *J Environ Eng* 130: 338-348. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(338\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(338)).
- Cha, JS; Malik, V; Bhaumik, D; Li, R; Sirkar, KK. (1997). Removal of VOCs from waste gas streams by permeation in a hollow fiber permeator. *J Memb Sci* 128: 195-211.
- Chaban, VV. (2016). Vapor-liquid interface properties of diethyl sulfoxide-water and ethyl methyl sulfoxide-water mixtures: Molecular dynamics simulations and quantum-chemical calculations. *Fluid Phase Equilibria* 427: 180-186. <http://dx.doi.org/10.1016/j.fluid.2016.07.011>.
- Chakraborty, S; Kumar, M; Suresh, K; Pugazhenth, G. (2014). Influence of organically modified Ni-Al layered double hydroxide (LDH) loading on the rheological properties of poly (methyl methacrylate) (PMMA)/LDH blend solution. *Powder Technology* 256: 196-203. <http://dx.doi.org/10.1016/j.powtec.2014.02.035>.
- Chambel, J; Costa, R; Gomes, M; Mendes, S; Baptista, T; Pedrosa, R, ui. (2014). Hydrogen peroxide, iodine solution and methylene solution highly enhance the hatching rate of freshwater ornamental fish species. *Aquaculture International* 22: 1743-1751. <http://dx.doi.org/10.1007/s10499-014-9779-1>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environ Sci Technol* 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, MH; Chen, HH; Lin, YR. (2002). Aliphatic chlorinated hydrocarbons alter the contractile responses of tracheal smooth muscle in piglet. *J Toxicol Environ Health A* 65: 293-304. <http://dx.doi.org/10.1080/15287390252800873>.
- Chandy, T; Das, GS; Rao, GHR. (2000). 5-fluorouracil-loaded chitosan coated polylactic acid microspheres as biodegradable drug carriers for cerebral tumours. *J Microencapsul* 17: 625-638.
- Chandy, T; Wilson, RF; Rao, GH; Das, GS. (2002). Changes in cisplatin delivery due to surface-coated poly (lactic acid)-poly(epsilon-caprolactone) microspheres. *J Biomater Appl* 16: 275-291. <http://dx.doi.org/10.1106/088532802024246>.
- Chang, B; Guan, D; Tian, Y; Yang, Z; Dong, X. (2013). Convenient synthesis of porous carbon nanospheres with tunable pore structure and excellent adsorption capacity. *J Hazard Mater* 262: 256-264. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.054>.
- Chang, C, heWei; Tsai, HY; Chen, K, ewYu. (2014). Green Perylene Bisimide Dyes: Synthesis, Photophysical and Electrochemical Properties. *Materials* 7: 5488-5506. <http://dx.doi.org/10.3390/ma7085488>.
- Chang, CP, in; Yuan, CL. (2009). The fabrication of a MWNTs-polymer composite chemoresistive sensor array to discriminate between chemical toxic agents. *Journal of Materials Science* 44: 5485-5493. <http://dx.doi.org/10.1007/s10853-009-3766-3>.
- Chang, FH; Lin, TC; Chao, HR; Chao, MR. (2001). A study on losses of pahs, during sample concentration for chromatographic analysis: Evaporation with a stream of nitrogen. *Int J Environ Anal Chem* 80: 13-26.
- Chang, H, aoM; Prasannan, A; Tsai, HC; Jhu, JJ, un. (2014). Ex vivo evaluation of biodegradable poly(epsilon-caprolactone) films in digestive fluids. *Appl Surf Sci* 313: 828-833. <http://dx.doi.org/10.1016/j.apsusc.2014.06.082>.
- Chang, HW; Sung, Y; Kim, KH; Nam, YD; Roh, SW; Kim, MS; Jeon, CO; Bae, JW. (2008). Development of microbial genome-probing microarrays using digital multiple displacement amplification of uncultivated microbial single cells. *Environ Sci Technol* 42: 6058-6064. <http://dx.doi.org/10.1021/es8006029>.
- Chang, M. (1996). Detergent water use eliminates VOC concerns - Switch from methylene chloride-based solvent saves \$99,000 per year in cleaning-related costs. *Chemical Processing* 59: 44-&.
- Chang, S, anC; Wang, Y, aFen; You, SJ, ie; Kuo, Y, iM; Tsai, CH; Wang, L, inChi; Hsu, P, oYen. (2013). Toxicity Evaluation of Fly Ash by Microtox((R)). *Aerosol Air Qual Res* 13: 1002-1008. <http://dx.doi.org/10.4209/aaqr.2012.10.0267>.
- Chang, SH; Chung, KB; Slone, RV; Hupp, JT. (2001). Crown ether functionalization of a porphyrin-based "molecular square": induction of fluorescence sensitivity to alkali metal cations. *Synthetic Metals* 117: 215-217.
- Chanzu, HA; Onyari, JM; Shiundu, PM. (2012). Biosorption of Malachite Green from Aqueous Solutions onto Polylactide/Spent Brewery Grains Films: Kinetic and Equilibrium Studies. *Journal of Polymers and the Environment* 20: 665-672. <http://dx.doi.org/10.1007/s10924-012-0479-5>.
- Chao, K, ehP; Wang, V, enS; Hong, G, inM. (2012). Development of an in-cell SPME method to determine the chemical resistance of polymeric membranes to permeation by organic solvents. *Polym Test* 31: 1-6. <http://dx.doi.org/10.1016/j.polymertesting.2011.09.009>.
- Chao, LK; Hua, KF; Hsu, HY; Su, YC; Chang, ST. (2006). Bioactivity assay of extracts from Calocedrus macrolepis var. formosana bark. *Bioresour Technol* 97: 2462-2465. <http://dx.doi.org/10.1016/j.biortech.2005.10.028>.

## Exposure Literature Search Results

### Off Topic

- Chaouche, TM; Haddouchi, F; Atik-Bekara, F; Ksouri, R; Azzi, R; Boucherit, Z; Tefiani, C; Larbat, R. (2015). Antioxidant, haemolytic activities and HPLC-DAD-ESI-MSn characterization of phenolic compounds from root bark of *Juniperus oxycedrus* subsp *oxycedrus*. *Ind Crop Prod* 64: 182-187. <http://dx.doi.org/10.1016/j.indcrop.2014.10.051>.
- Charles, M; Martin, B; Ginies, C; Etievant, P; Coste, G; Guichard, E. (2000). Potent aroma compounds of two red wine vinegars. *J Agric Food Chem* 48: 70-77.
- Charlton, A; Kalaji, M; Murphy, PJ; Salmaso, S; Underhill, AE; Williams, G; Hursthouse, MB; Malik, KMA. (1998). Synthesis, electrochemical properties and electropolymerization studies on 3-thienyl substituted tetrathiafulvalenes. Single-crystal X-ray structure of 4,4',5,5'-tetrakis-(3-thienyl)-tetrathiafulvalene. *Synthetic Metals* 95: 75-78.
- Charmas, B; Leboda, R; Gerard, G; Villieras, F. (2002). Effects of oxidation on surface heterogeneity of carbosils. *Appl Surf Sci* 196: 126-137.
- Charoenchaitrakool, M; Polchiangdee, C; Srinophakun, P. (2009). Production of theophylline and polyethylene glycol 4000 composites using Gas Anti-Solvent (GAS) process. *Mater Lett* 63: 136-138. <http://dx.doi.org/10.1016/j.matlet.2008.09.041>.
- Charrois, JWA; McGill, WB; Froese, KL. (2001). Acute ecotoxicity of creosote-contaminated soils to *Eisenia fetida*: A survival-based approach. *Environ Toxicol Chem* 20: 2594-2603.
- Chatonnet, P; Labadie, D; Boutou, S. (2003). Simultaneous assay of chlorophenols and chloroanisoles in wines and corks or cork-based stoppers - Application in determining the origin of pollution in bottled wines. *Journal International des Sciences de la Vigne et du Vin* 37: 181-193.
- Chatterjee, M; Dwivedi, VK; Khandekar, K; Tandon, SK. (2004). Chelation in metal intoxication XLVI: synthesis of some alpha-mercapto-beta-substituted aryl acrylic acids and their in vitro cadmium chelating ability. *Biomed Environ Sci* 17: 27-32.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today* 11: 569-596.
- Chattopadhyay, DP; Singh, RK; Patra, TN; Samanta, AK. (1998). Effect of pretreatment with solvents and solvent mixtures on the structure/properties and dye uniformity of textured polyester yarn. *Indian Journal of Fibre & Textile Research* 23: 267-276.
- Chattopadhyay, P; Gupta, RB. (2002). Supercritical CO<sub>2</sub> based production of magnetically responsive micro- and nanoparticles for drug targeting. *Ind Eng Chem Res* 41: 6049-6058. <http://dx.doi.org/10.1021/ie020205b>.
- Chaturapanich, G; Jones, RC; Clulow, J. (1992). PROTEIN-SYNTHESIS AND SECRETION BY THE EPIDIDYMIS OF THE TAMMAR WALLABY, *MACROPUS-EUGENII* (MACROPODIDAE, MARSUPIALIA). *Reprod Fertil Dev* 4: 533-545.
- Chavez-Valdez, A; Arizmendi-Morquecho, A; Moreno, KJ; Roether, JA; Kashta, J; Boccaccini, AR. (2014). TiO<sub>2</sub>-PLLA nanocomposite coatings and free-standing films by a combined electrophoretic deposition-dip coating process. *Composites Part B: Engineering* 67: 256-261. <http://dx.doi.org/10.1016/j.compositesb.2014.07.001>.
- Checot, F; Brulet, A; Oberdisse, J; Gnanou, Y; Mondain-Monval, O; Lecommandoux, S. (2005). Structure of polypeptide-based diblock copolymers in solution: Stimuli-responsive vesicles and micelles. *Langmuir* 21: 4308-4315. <http://dx.doi.org/10.1021/la0468500>.
- Chen; Ho. (1998). Thermal Degradation of Allyl Isothiocyanate in Aqueous Solution. *J Agric Food Chem* 46: 220-223.
- Chen, A; Li, Y; Chau, F; ooTim; Lau, TY; an; Hu, J; unYan; Zhao, Z; Mok, DK, amwah. (2009). Application of organic nonsolvent in the process of solution-enhanced dispersion by supercritical CO<sub>2</sub> to prepare puerarin fine particles. *Journal of Supercritical Fluids* 49: 394-402. <http://dx.doi.org/10.1016/j.supflu.2009.02.004>.
- Chen, AZ; Pu, XM; Kang, YQ; Liao, L; Yao, YD; Yin, GF. (2007). Study of poly(L-lactide) microparticles based on supercritical CO<sub>2</sub>. *J Mater Sci Mater Med* 18: 2339-2345. <http://dx.doi.org/10.1007/s10856-007-3173-8>.
- Chen, AZ; Yang, YM; Wang, SB; Wang, GY; Liu, YG; Sun, QQ. (2013). Preparation of methotrexate-loaded, large, highly-porous PLLA microspheres by a high-voltage electrostatic antisolvent process. *J Mater Sci Mater Med* 24: 1917-1925. <http://dx.doi.org/10.1007/s10856-013-4942-1>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today* 30: 15-20.
- Chen, C; Hu, R; Mai, K; Ren, Z; Wang, H; ua; Qian, G; Wang, Z. (2011). Shape Evolution of Highly Crystalline Anatase TiO<sub>2</sub> Nanobipyramids. *Cryst Growth Des* 11: 5221-5226. <http://dx.doi.org/10.1021/cg200457g>.
- Chen, C; Zhang, H; Zhang, XX; Wang, XC. (2010). Antibacterial and absorbent acrylonitrile-vinylidene chloride copolymer fibres. *J Text Inst* 101: 128-134. <http://dx.doi.org/10.1080/00405000802306234>.
- Chen, CC; Chueh, JY; Tseng, H; Huang, HM; Lee, SY. (2003). Preparation and characterization of biodegradable PLA polymeric blends. *Biomaterials* 24: 1167-1173.
- Chen, CY; Wen, TY; Wang, GS; Cheng, HW; Lin, YH; Lien, GW. (2007). Determining estrogenic steroids in Taipei waters and removal in drinking water treatment using high-flow solid-phase extraction and liquid chromatography/tandem mass spectrometry. *Sci Total Environ* 378: 352-365. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.038>.
- Chen, D; Cui, P; Cao, H; Yang, J. (2015). A 1-dodecanethiol-based phase transfer protocol for the highly efficient extraction of noble metal ions from aqueous phase. *J Environ Sci* 29: 146-150. <http://dx.doi.org/10.1016/j.jes.2014.07.028>.
- Chen, D; Ouyang, D, uJ; Liu, H; Chen, J; Zhuang, QF; Chen, JM. (2014). Effective utilization of dichloromethane by a newly isolated strain *Methylobacterium rhodesianum* H13. *Environ Sci Pollut Res Int* 21: 1010-1019. <http://dx.doi.org/10.1007/s11356-013-1972-7>.
- Chen, D; Wang, S; Xiao, M, in; Meng, Y. (2010). Synthesis and characterization of novel sulfonated poly(arylene thioether) ionomers for vanadium redox flow battery applications. *Energ Environ Sci* 3: 622-628. <http://dx.doi.org/10.1039/b917117g>.



## Exposure Literature Search Results

### Off Topic

- Chen, EQ; Xia, Y; Graham, MJ; Foster, MD; Mi, YL; Wu, WL; Cheng, SZD. (2003). Glass transition behavior of polystyrene blocks in the cores of collapsed dry micelles tethered by poly(dimethylsiloxane) coronae in a PS-b-PDMS diblock copolymer. *Chem Mater* 15: 2129-2135. <http://dx.doi.org/10.1021/cm021010x>.
- Chen, F; Du, X; Zu, Y; Yang, L, ei; Wang, F, ei. (2016). Microwave-assisted method for distillation and dual extraction in obtaining essential oil, proanthocyanidins and polysaccharides by one-pot process from *Cinnamomi Cortex*. *Separation and Purification Technology* 164: 1-11. <http://dx.doi.org/10.1016/j.seppur.2016.03.018>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, H, ui; Muthuraman, H; Stokes, P; Zou, J; Liu, X; Wang, J; Huo, Q, un; Khondaker, SI; Zhai, L, ei. (2007). Dispersion of carbon nanotubes and polymer nanocomposite fabrication using trifluoroacetic acid as a co-solvent. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/41/415606>.
- Chen, HF; Cui, YM, ei; Guo, JG; Lin, H, aiXia. (2012). Synthesis and optical properties of 6,10-dihydrofluoreno[2,3-d:6,7-d']diimidazole derivatives. *Dyes and Pigments* 94: 583-591. <http://dx.doi.org/10.1016/j.dyepig.2012.03.004>.
- Chen, J; Chen, SH; Lai, G. (2012). Preparation and characterization of biomimetic silk fibroin/chitosan composite nanofibers by electrospinning for osteoblasts culture. *Nanoscale Res Lett* 7: 1-11. <http://dx.doi.org/10.1186/1556-276X-7-170>.
- Chen, J; Su, M; Zhang, X; Chen, R; Hong, J; Yang, L; Yang, Z. (2014). The role of cations in homogeneous succinylation of mulberry wood cellulose in salt-containing solvents under mild conditions. *Cellulose* 21: 4081-4091. <http://dx.doi.org/10.1007/s10570-014-0429-6>.
- Chen, J; Su, QF; Pan, H; Wei, JW; Zhang, XM; Shi, Y. (2009). Influence of balance gas mixture on decomposition of dimethyl sulfide in a wire-cylinder pulse corona reactor. *Chemosphere* 75: 261-265. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.010>.
- Chen, J; Wang, J; Ulrich, J; Yin, Q; Xue, L. (2008). Effect of solvent on the crystal structure and habit of hydrocortisone. *Cryst Growth Des* 8: 1490-1494. <http://dx.doi.org/10.1021/cg0703947>.
- Chen, J; Wang, S; Peng, J; Li, J; Zhai, M. (2014). New lipophilic polyelectrolyte gels containing quaternary ammonium salt with superabsorbent capacity for organic solvents. 6: 14894-14902. <http://dx.doi.org/10.1021/am504102r>.
- Chen, JG; Wei, HY, u; Ho, K, uoC. (2007). Using modified poly(3,4-ethylene dioxythiophene): Poly(styrene sulfonate) film as a counter electrode in dye-sensitized solar cells. *Solar Energy Materials and Solar Cells* 91: 1472-1477. <http://dx.doi.org/10.1016/j.solmat.2007.03.024>.
- Chen, JJ; Jin, MX; Zhu, SL; Li, F; Xing, Y. (2014). The Synthesis and characteristic study of transferrin-conjugated liposomes carrying brain-derived neurotrophic factor. *Biomed Mater Eng* 24: 2089-2099. <http://dx.doi.org/10.3233/BME-141019>.
- Chen, JL; Chiang, CH; Yeh, MK. (2002). The mechanism of PLA microparticle formation by water-in-oil-in-water solvent evaporation method. *J Microencapsul* 19: 333-346. <http://dx.doi.org/10.1080/02652040110105373>.
- Chen, JL; Yeh, MK; Chiang, CH. (2004). The mechanism of surface-indentated protein-loaded PLGA microparticle formation: the effects of salt (NaCl) on the solidification process. *J Microencapsul* 21: 877-888. <http://dx.doi.org/10.1080/02652040400015387>.
- Chen, JY, u; Chen, XB, o; Li, JL; Tang, B, in; Biribilis, N; Wang, X. (2014). Electrospayed PLGA smart containers for active anti-corrosion coating on magnesium alloy AMLite. 2: 5738-5743. <http://dx.doi.org/10.1039/c3ta14999d>.
- Chen, K, ewYu; Chang, C, heWei. (2014). 1,7-Bis-(N,N-dialkylamino)perylene Bisimides: Facile Synthesis and Characterization as Near-Infrared Fluorescent Dyes. *Materials* 7: 7548-7565. <http://dx.doi.org/10.3390/ma7117548>.
- Chen, K, ewYu; Chang, C, heWei; Tsai, HY. (2015). 1,6-and 1,7-Regioisomers of Highly Soluble Amino-Substituted Perylene Tetracarboxylic Dianhydrides: Synthesis, Optical and Electrochemical Properties. *Materials* 8: 4943-4960. <http://dx.doi.org/10.3390/ma8084943>.
- Chen, K, ewYu; Fang, T, zuC; Chang, MJ, en. (2012). Synthesis, photophysical and electrochemical properties of 1-aminoperylene bisimides. *Dyes and Pigments* 92: 517-523. <http://dx.doi.org/10.1016/j.dyepig.2011.06.023>.
- Chen, L; Wang, P; Chen, Y. (2013). High efficiency of poly(3-hexylthiophene)/[6,6]-phenyl C61 butyric acid methyl ester bulk heterojunction solar cells through precrystallining of poly(3-hexylthiophene) based layer. 5: 5986-5993. <http://dx.doi.org/10.1021/am401863r>.
- Chen, LC; Huang, CM; Hsiao, MC; Tsai, F. (2010). Mixture design optimization of the composition of S, C, SnO<sub>2</sub>-codoped TiO<sub>2</sub> for degradation of phenol under visible light. *Chem Eng J* 165: 482-489. <http://dx.doi.org/10.1016/j.cej.2010.09.044>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere* 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, PH; Vanausdale, WA; Keeran, WS; Roberts, DF. (1993). GC MS IDENTIFICATION OF ARTIFACTS FORMED DURING SAMPLE PREPARATION USING USEPA METHODS 625 AND 8270. *Chemosphere* 26: 1743-1749.
- Chen, PH; Vanausdale, WA; Roberts, DF. (1991). OXIDATION OF PHENOLIC-ACID SURROGATES AND TARGET ANALYTES DURING ACID-EXTRACTION OF NATURAL-WATER SAMPLES FOR ANALYSIS BY GC/MS USING EPA METHOD-625. *Environ Sci Technol* 25: 540-546.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts. *Appl Catal B-Environ* 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, SK; Chang, CP; Liu, HS. (1991). ASPECTS OF EROSIONAL WEAR BEHAVIOR DURING TUMBLING OF BATIO<sub>3</sub> DIELECTRIC CERAMICS. *Wear* 147: 345-353.
- Chen, SX; Zeng, HM. (2003). Improvement of the reduction capacity of activated carbon fiber. *Carbon* 41: 1265-1271. [http://dx.doi.org/10.1016/S0008-6223\(03\)00077-0](http://dx.doi.org/10.1016/S0008-6223(03)00077-0).
- Chen, SY; Lan, BC; Taso, CS. (2002). Effect of titanium substitution on film structure and ferroelectric properties of Sr-deficient Sr<sub>0.75</sub>Bi<sub>2.35</sub>Ta<sub>2</sub>O<sub>9</sub> thin films. *Thin Solid Films* 422: 186-192.

## Exposure Literature Search Results

### Off Topic

- Chen, T; Delgado, AG; Yavuz, BM; Maldonado, J; Zuo, Y; Kamath, R; Westerhoff, P; Krajmalnik-Brown, R; Rittmann, BE. (2017). Interpreting Interactions between Ozone and Residual Petroleum Hydrocarbons in Soil. *Environ Sci Technol* 51: 506-513. <http://dx.doi.org/10.1021/acs.est.6b04534>.
- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen* 219: 25-31.
- Chen, X; Wang, Q; Wang, L; Guo, H; Yang, Y; Li, F; Gao, F. (2015). Construction of a Novel Colitoxin DNA Biosensor Based on Cross-Linker-Free Fixation of Probe Fragments on the Interface of Rugby-Ball-Shaped Co<sub>2</sub> Submicroparticles and Poly(2-thiophenesulfonyl chloride) Composite Film. *Ind Eng Chem Res* 54: 1520-1528. <http://dx.doi.org/10.1021/ie503831k>.
- Chen, XG; Lee, CM; Park, HJ. (2003). O/W emulsification for the self-aggregation and nanoparticle formation of linoleic acid-modified chitosan in the aqueous system. *J Agric Food Chem* 51: 3135-3139. <http://dx.doi.org/10.1021/jf0208482>.
- Chen, XL; Jenekhe, SA. (1999). Solubilization and encapsulation of fullerenes by amphiphilic block copolymers. *Langmuir* 15: 8007-8017.
- Chen, XM; Dai, Y; Kitts, DD. (2016). Detection of Maillard Reaction Product [5-(5,6-Dihydro-4H-pyridin-3-ylidene)methyl]furan-2-yl]methanol (F3-A) in Breads and Demonstration of Bioavailability in Caco-2 Intestinal Cells. *J Agric Food Chem* 64: 9072-9077. <http://dx.doi.org/10.1021/acs.jafc.6b04367>.
- Chen, Y; Tan, R; Zhang, Y; Zhao, G; Zheng, W; Luo, R; Yin, D. (2015). Reusable chiral salen Mn(III) complexes with phase transfer capability efficiently catalyze the asymmetric epoxidation of unfunctionalized olefins with NaClO. *Appl Catal A-Gen* 491: 106-115. <http://dx.doi.org/10.1016/j.apcata.2014.11.043>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res* 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, YC; Wu, CH; Hu, HY. (2000). Numerical simulation of gas emission in a sanitary landfill equipped with a passive venting system. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 1735-1747.
- Chen, Z; Feng, L; Zhang, C; Bie, H; Lei, G; Bai, F. (2007). The light-emitting device consisting of organic white-light components. *Current Opinion in Solid State & Materials Science* 11: 28-32. <http://dx.doi.org/10.1016/j.cossms.2008.04.001>.
- Chen, Z; JiJun; Wang, L; iMin; Zou, G; Zhang, L; Zhang, GJ; un; Cai, XF; ei; Teng, MS. (2012). Colorimetric and ratiometric fluorescent chemosensor for fluoride ion based on perylene diimide derivatives. *Dyes and Pigments* 94: 410-415. <http://dx.doi.org/10.1016/j.dyepig.2012.01.024>.
- Cheng; Tsai. (2000). Quantitative analysis of enantioselective enzymatic hydrolysis with non-enantioselective removal of chiral products. *Biochem Eng J* 5: 243-248.
- Cheng, WH; Jiang, JR; Lin, C; Liou, JJ; Wu, ZH; Hsu, YH; Yang, ZY. (2014). Preparation of needle trap samplers to extract air compounds from indoor electric-vaporizing sources. *Journal of the Air and Waste Management Association* 64: 488-493. <http://dx.doi.org/10.1080/10962247.2013.870941>.
- Cheng, Y; Duan, F; kui; He, K; ebin; Du, Z; yu; Zheng, M; ei; Ma, YL. (2012). Intercomparison of thermal-optical method with different temperature protocols: Implications from source samples and solvent extraction. *Atmos Environ* 61: 453-462. <http://dx.doi.org/10.1016/j.atmosenv.2012.07.066>.
- Cheng, Y; He, K; ebin; Duan, F; kui; Du, Z; yu; Zheng, M; ei; Ma, YL. (2012). Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. *Atmos Environ* 59: 551-558. <http://dx.doi.org/10.1016/j.atmosenv.2012.05.010>.
- Cheng, Y; Li, SM. (2005). Nonderivatization analytical method of fatty acids and cis pinonic acid and its application in ambient PM<sub>2.5</sub> aerosols in the greater Vancouver area in Canada. *Environ Sci Technol* 39: 2239-2246. <http://dx.doi.org/10.1021/es030634g>.
- Cheng, YA; Zheng, B; Chuang, PH; Hsieh, S. (2010). Solvent effects on molecular packing and tribological properties of octadecyltrichlorosilane films on silicon. *Langmuir* 26: 8256-8261. <http://dx.doi.org/10.1021/la904656y>.
- Cheng, YJ; Zhang, M; Liang, QL; Hu, P; Wang, YM; Jun, FW; Luo, GA. (2011). Two-step preparation of ginsenoside-Re, Rb-1, Rc and Rb-2 from the root of Panax ginseng by high-performance counter-current chromatography. *Separation and Purification Technology* 77: 347-354. <http://dx.doi.org/10.1016/j.seppur.2011.01.003>.
- Cheng, Z; Liu, S; Beines, PW; Ding, N; Jakubowicz, P; Knoll, W. (2008). Rapid and Highly Efficient Preparation of Water-Soluble Luminescent Quantum Dots via Encapsulation by Thermo- and Redox-Responsive Hydrogels. *Chem Mater* 20: 7215-7219. <http://dx.doi.org/10.1021/cm800733y>.
- Chenu, M; Bouzaza, A; Wolbert, D; Laplanche, A. (1998). Adsorption of volatile organic compounds (VOC) mixtures onto activated carbon. Experimental study and simulation of multicomponent adsorption. *Environ Technol* 19: 1029-1038.
- Cheraghi, S; Naghash, HJ; Younesi, M. (2015). Synthesis and characterization of two novel heterocyclic monomers bearing allylic function and their applications in the epoxy-acrylic-amine waterborne coatings. *Progr Org Coating* 88: 116-126. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.023>.
- Chernysheva, YV; Kil'deeva, NR; Babak, VG. (2001). Study of emulsions of solutions of film-forming polymers in methylene chloride related to the problem of microencapsulation of proteins. *Fibre Chemistry* 33: 428-432.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater* 32: 275-278.
- Cherry, N; Venables, H; Waldron, HA; Wells, GG. (1981). Some observations on workers exposed to methylene chloride. *Br J Ind Med* 38: 351-355.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater* 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.

## Exposure Literature Search Results

### Off Topic

- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol* 38: 287-294.
- Chicati, ML; Nanni, MR; Cezar, E. (2012). Chemical contamination of water in irrigated rice on Parana State, Brazil. 33: 1455-1462. <http://dx.doi.org/10.5433/1679-0359.2012v33n4p1455>.
- Chienthavorn, O; Subprasert, P; Insuan, W. (2014). Nitrosamines Extraction from Frankfurter Sausages by using Superheated Water. *Separation Science and Technology* 49: 838-846. <http://dx.doi.org/10.1080/01496395.2013.863338>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal* 154: 1991-1998.
- Chiou, BH; Tsai, YT; Wang, CM. (2014). Phenothiazine-modified electrodes: a useful platform for protein adsorption study. *Langmuir* 30: 1550-1556. <http://dx.doi.org/10.1021/la4039057>.
- Chiron, S; Alba, AF; Barcelo, D. (1993). COMPARISON OF ONLINE SOLID-PHASE DISK EXTRACTION TO LIQUID-LIQUID-EXTRACTION FOR MONITORING SELECTED PESTICIDES IN ENVIRONMENTAL WATERS. *Environ Sci Technol* 27: 2352-2359.
- Chitsazi, MR; Korbekandi, H; Asghari, G; Bahri Najafi, R; Badii, A; Iravani, S. (2016). Synthesis of silver nanoparticles using methanol and dichloromethane extracts of *Pulicaria gnaphalodes* (Vent.) Boiss. aerial parts. 44: 328-333. <http://dx.doi.org/10.3109/21691401.2014.949726>.
- Cho, AK; Di Stefano, E; You, Y; Rodriguez, CE; Schmitz, DA; Kumagai, Y; Miguel, AH; Eiguren-Fernandez, A; Kobayashi, T; Avol, E; Froines, JR. (2004). Determination of four quinones in diesel exhaust particles, SRM 1649a, and atmospheric PM25. *Aerosol Sci Technol* 38: 68-81. <http://dx.doi.org/10.1080/02786820390229471>.
- Cho, B, umHwi; Ko, WB, ae. (2013). Preparation of Graphene-ZrO<sub>2</sub> Nanocomposites by Heat Treatment and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 13: 7625-7630. <http://dx.doi.org/10.1166/jnn.2013.7819>.
- Cho, BH; Chino, H; Tsuji, H; Kunito, T; Nagaoka, K; Otsuka, S; Yamashita, K; Matsumoto, S; Oyaizu, H. (1997). Laboratory-scale bioremediation of oil-contaminated soil of Kuwait with soil amendment materials. *Chemosphere* 35: 1599-1611.
- Cho, BU, k; Ryu, JY; Song, BK. (2009). Modeling and simulation of separation process in flotation system. *J Ind Eng Chem* 15: 196-201. <http://dx.doi.org/10.1016/j.jiec.2008.08.017>.
- Cho, CS; McLean, AJ; Rivory, LP; Gatenby, PA; Hardman, DT; Le Couteur, DG. (2001). Carbon monoxide wash-in method to determine gas transfer in vascular beds: application to rat hindlimb. *Am J Physiol Heart Circ Physiol* 280: H1802-H1806.
- Cho, E, unJu; Choi, J, iM; Kim, H, yeMin; Choi, K; Ku, J; Park, KW, oo; Kim, J; Lee, S. (2013). Antibacterial activity and protective effect against gastric cancer by *Anthriscus sylvestris* fractions. *Horticulture, Environment and Biotechnology* 54: 326-330. <http://dx.doi.org/10.1007/s13580-013-0170-3>.
- Cho, J, aeY; Choi, HM, in; Oh, KW, ha. (2016). Rapid hydrophilic modification of poly(ethylene terephthalate) surface by using deep eutectic solvent and microwave irradiation. *Text Res J* 86: 1318-1327. <http://dx.doi.org/10.1177/0040517515612362>.
- Cho, S; Lee, S; Kang, M; Ye, J; Choi, Y; Hong, SW; Lee, J; Choi, YW. (2009). Enhanced Immune Response after Subcutaneous Injection of Diphtheria Toxoid-Loaded Bioerodible Microspheres. 6: 1166-1171.
- Cho, SY; Choi, DK. (1996). Langmuir parameters for adsorption of two halogenated chemicals on an activated carbon pellet. *Korean J Chem Eng* 13: 409-411.
- Cho, SY; Kim, SJ. (1996). Adsorption equilibria of two halogenated carbons on a carbon fiber. *Korean J Chem Eng* 13: 225-229.
- Cho, W; Yoon, J; Sarada, G; Giridhar, T; Liu, Y; Jiang, Z, uoQ; Son, YH; Kang, BY; Kwon, JH; Jin, SH, o. (2015). An exploration of N-heterocyclic carbene-based Ir(III) complexes for phosphorescent organic light-emitting diode applications. *Dyes and Pigments* 123: 132-138. <http://dx.doi.org/10.1016/j.dyepig.2015.07.038>.
- Choe, J; Kim, I, nWon; Kim, S, inY; Song, KH, o. (2008). Liquid-liquid equilibria for the ternary systems water plus n-pentanoic acid with n-heptane or dichloromethane at 298.2 K. *Journal of Chemical and Engineering Data* 53: 1199-1202. <http://dx.doi.org/10.1021/jc7007389>.
- Choemunng, A; Na-Bangchang, K. (2010). An alternative liquid chromatography-mass spectrometric method for the determination of azithromycin in human plasma and its application to pharmacokinetic study of patients with malaria. *Southeast Asian J Trop Med Public Health* 41: 1048-1058.
- Choffat, F; Wolfer, P; Smith, P; Caseri, W. (2010). Light-Stability of Poly(dialkylstannane)s. *Macromolecular Materials & Engineering* 295: 210-221. <http://dx.doi.org/10.1002/mame.200900196>.
- Choi, HM, in; Cho, J, aeY. (2016). Microwave-mediated Rapid Tailoring of PET Fabric Surface by Using Environmentally-benign, Biodegradable Urea-Choline Chloride Deep Eutectic Solvent. *Fibers and Polymers* 17: 847-856. <http://dx.doi.org/10.1007/s12221-016-5334-1>.
- Choi, JHK; Gray, MR. (1991). IDENTIFICATION OF NITROGEN-COMPOUNDS AND AMIDES FROM SPENT HYDROPROCESSING CATALYST. *Fuel Process Tech* 28: 77-93.
- Choi, S; Lee, K; Kwon, S; Kim, H. (2006). Preparation of fine particles of poly(N-vinyl-2-pyrrolidone-co-2-methylene-1,3-dioxepane) using supercritical antisolvent. *Journal of Supercritical Fluids* 37: 287-291. <http://dx.doi.org/10.1016/j.supflu.2005.11.023>.
- Choi, SH; Lee, JH; Choi, SM; Park, TG. (2006). Thermally reversible pluronic/heparin nanocapsules exhibiting 1000-fold volume transition. *Langmuir* 22: 1758-1762. <http://dx.doi.org/10.1021/la052549n>.
- Choi, SS; Jang, JH. (2011). Analysis of UV absorbers and stabilizers in polypropylene by liquid chromatography/atmospheric pressure chemical ionization-mass spectrometry. *Polym Test* 30: 673-677. <http://dx.doi.org/10.1016/j.polymertesting.2011.05.011>.

## Exposure Literature Search Results

### Off Topic

- Chong, EK; Stevens, MG; Nissen, KE. (2003). Effect of surface roughness on the adhesion of electrolessly plated platinum to poly(ethylene terephthalate) films. *Journal of Adhesion* 79: 667-681. <http://dx.doi.org/10.1080/00218460390219546>.
- Choppawa, T; Sukwattanasinitt, M; Sahasithiwat, S; Ruangpornvisuti, V; Rashatasakhon, P. (2014). Substituent effect on quantum efficiency in 4-aryloxy-N-(2',6'-diisopropylphenyl)-1,8-naphthalimides: Experimental and computational investigations. *Dyes and Pigments* 109: 175-180. <http://dx.doi.org/10.1016/j.dyepig.2014.05.007>.
- Chopra, I; Kumari, B. (2009). Dissipation of fipronil in water under laboratory conditions. *Bull Environ Contam Toxicol* 83: 828-831. <http://dx.doi.org/10.1007/s00128-009-9790-9>.
- Chorazewski, M; Troncoso, J; Jacquemin, J. (2015). Thermodynamic Properties of Dichloromethane, Bromochloromethane, and Dibromomethane under Elevated Pressure: Experimental Results and SAFT-VR Mie Predictions. *Ind Eng Chem Res* 54: 720-730. <http://dx.doi.org/10.1021/ie5038903>.
- Chortyk, OT; Yates, IE; Reilly, CC. (1995). CHANGES IN CUTICULAR COMPOUNDS OF DEVELOPING PECAN LEAVES. *J Am Soc Hortic Sci* 120: 329-335.
- Chou, H, siL; Chang, Y, iT; Liao, Y, iFen; Lin, CH. (2013). Biodegradation of decabromodiphenyl ether (BDE-209) by bacterial mixed cultures in a soil/water system. *Int Biodeterior Biodegradation* 85: 671-682. <http://dx.doi.org/10.1016/j.ibiod.2013.05.006>.
- Chou, MS; Huang, JJ. (1997). Treatment of methylethylketone in air stream by biotrickling filters. *J Environ Eng* 123: 569-576.
- Chou, MS; Huang, YS. (1999). Treatment of ethylether in air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 533-543.
- Chou, MS; Wu, FL. (1999). Treatment of toluene in an air stream by a biotrickling filter packed with slags. *J Air Waste Manag Assoc* 49: 386-398.
- Christodouloupoulou, L; Tsoukatou, M; Tziveleka, LA; Vagias, C; Petrakis, PV; Roussis, V. (2005). Piperidinyl amides with insecticidal activity from the maritime plant *Otanthus maritimus*. *J Agric Food Chem* 53: 1435-1439. <http://dx.doi.org/10.1021/jf0481857>.
- Christoffersen, TS; Hjorth, J; Horie, O; Jensen, NR; Kotzias, D; Molander, LL; Neeb, P; Ruppert, L; Winterhalter, R; Virkkula, A; Wirtz, K; Larsen, BR. (1998). cis-Pinic acid, a possible precursor for organic aerosol formation from ozonolysis of "alpha"-pinene. *Atmos Environ* 32: 1657-1661.
- Chrobok, A; Baj, S; Pudlo, W; Jarzebski, A. (2009). Supported hydrogensulfate ionic liquid catalysis in Baeyer-Villiger reaction. *Appl Catal A-Gen* 366: 22-28. <http://dx.doi.org/10.1016/j.apcata.2009.06.040>.
- Chuan, XY. (2000). Micro-structures of the CuCl<sub>2</sub>-GICs on TEM. *Wuji Cailiao Xuebao* 15: 79-87.
- Chuang, CH, ao; Lin, Y, unYue; Tseng, Y, unH; Chu, TH; Lin, CC; Su, W, eiF; Chen, CW, ei. (2010). Nanoscale Morphology Control of Polymer/TiO<sub>2</sub> Nanocrystal Hybrids: Photophysics, Charge Generation, Charge Transport, and Photovoltaic Properties. *J Phys Chem C* 114: 18717-18724. <http://dx.doi.org/10.1021/jp1075516>.
- Chuang, JC; Holdren, MW; Wilson, NK. (1990). The presence of dichloromethane on cleaned XAD-2 resin: a potential problem and solutions. *Environ Sci Technol* 24: 815-818.
- Chuang, JC; Van Emon, JM; Schrock, ME. (2009). High-throughput screening of dioxins in sediment and soil using selective pressurized liquid extraction with immunochemical detection. *Chemosphere* 77: 1217-1223. <http://dx.doi.org/10.1016/j.chemosphere.2009.09.010>.
- Chuang, JC; Van Emon, JM; Tefft, ME; Wilson, NK. (2010). Application of a permethrin immunosorbent assay method to residential soil and dust samples. *J Environ Sci Health B* 45: 516-523. <http://dx.doi.org/10.1080/03601234.2010.493479>.
- Chuang, JC; Wilson, NK. (2011). Multi-residue analysis of organophosphate and pyrethroid pesticides in duplicate-diet solid food by pressurized liquid extraction. *J Environ Sci Health B* 46: 41-50. <http://dx.doi.org/10.1080/03601234.2010.515505>.
- Chuang, P, iKai; Wang, L, iC; Kuo, CT, zu. (2013). Development of a high performance integrated sensor chip with a multi-walled carbon nanotube assisted sensing array. *Thin Solid Films* 529: 205-208. <http://dx.doi.org/10.1016/j.tsf.2012.09.024>.
- Chuche, J; Xuéreb, A; Thiéry, D. (2006). Attraction of *Dibrachys cavus* (Hymenoptera: Pteromalidae) to its host frass volatiles. *J Chem Ecol* 32: 2721-2731. <http://dx.doi.org/10.1007/s10886-006-9195-8>.
- Chun, MK; Shin, HW; Lee, H. (1996). Supercritical fluid extraction of paclitaxel and baccatin III from needles of *Taxus cuspidata*. *Journal of Supercritical Fluids* 9: 192-198.
- Chung, CV; Buu, NQ; Chau, NH. (2005). Influence of surface charge and solution pH on the performance characteristics of a nanofiltration membrane. *Science and Technology of Advanced Materials* 6: 246-250. <http://dx.doi.org/10.1016/j.stam.2005.02.025>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol* 33: 3666-3671.
- Chung, HY; Cadwallader, KR. (1994). AROMA EXTRACT DILUTION ANALYSIS OF BLUE-CRAB CLAW MEAT VOLATILES. *J Agric Food Chem* 42: 2867-2870.
- Chung, KH, o; Hong, YK. (2009). Weathering Properties of Elastic Rubber Concrete Comprising Waste Tire Solution. *Polymer Engineering and Science* 49: 794-798. <http://dx.doi.org/10.1002/pen.21312>.
- Chung, YS; Ichikawa, K; Utsumi, H. (1997). Application of micronucleus in vitro assay to micropollutants in river water. *Water Sci Technol* 35: 9-13.
- Cid, AP; del Mundo, FR; Espino, MPB. (2006). A modified analytical procedure for the determination of carbaryl, Carbofuran and methomyl residues in agricultural soil and river water samples from La Trinidad, Benguet and Aurora, Isabela, Philippines. 89: 71-84.

## Exposure Literature Search Results

### Off Topic

- Ciesielczuk, T; Karwaczynska, U; Rosik-Dulewska, C. (2011). Possibilities of Application of Compost from Waste for Removal of C-6-C-9 Aliphatic Hydrocarbons from Solution. *Rocznik Ochrona Srodowiska* 13: 1301-1313.
- Cieslak, A; Machmueller, A; Szumacher-Strabel, M; Scheeder, MRL. (2009). A note on comparison of two extraction methods used to quantify C18 fatty acids in feed and digesta of ruminants. *J Anim Feed Sci* 18: 362-367.
- Ciombor, DM; Jaklenec, A; Liu, AZ; Thanos, C; Rahman, N; Weston, P; Aaron, R; Mathiowitz, E. (2006). Encapsulation of BSA using a modified W/O/O emulsion solvent removal method. *J Microencapsul* 23: 183-194. <http://dx.doi.org/10.1080/0265204050043287>.
- Cirpan, A; Alkan, S; Toppare, L; Cianga, I; Yagci, Y. (2002). Synthesis and characterization of conducting copolymers of thiophene-3-yl acetic acid cholesteryl ester with pyrrole. *Journal of Materials Science* 37: 1767-1775.
- Cirpan, A; Guner, Y; Toppare, L. (2004). Conducting polymers of decanedioic acid bis-(4-pyrrol-1-yl-phenyl) ester. *Mater Chem Phys* 85: 222-226. <http://dx.doi.org/10.1016/j.matchemphys.2004.01.014>.
- Ciuciu, AI; Firmansyah, D; Hugues, V; Blanchard-Desce, M; Gryko, DT; Flamigni, L. (2014). Non-classical donor-acceptor-donor chromophores. A strategy for high two-photon brightness. 2: 4552-4565. <http://dx.doi.org/10.1039/c4tc00234b>.
- Claassens, L; Terwee, CB; Deeg, DJ; Broese van Groenou, MI; Widdershoven, GA; Huisman, M. (2016). Development and validation of a questionnaire assessing the perceived control in health care among older adults with care needs in the Netherlands. 25: 859-870. <http://dx.doi.org/10.1007/s11136-015-1124-2>.
- Clapp, LW; Talarczyk, MR; Park, JK; Boyle, WC. (1994). PERFORMANCE COMPARISON BETWEEN ACTIVATED-SLUDGE AND FIXED-FILM PROCESSES FOR PRIORITY POLLUTANT REMOVALS. *Water Environ Res* 66: 153-160.
- Clark, AE; Yoon, S; Sheesley, RJ; Usenko, S. (2015). Pressurized liquid extraction technique for the analysis of pesticides, PCBs, PBDEs, OPEs, PAHs, alkanes, hopanes, and steranes in atmospheric particulate matter. *Chemosphere* 137: 33-44. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.051>.
- Clark, EW. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL. *J Text Inst* 82: 108-108.
- Claudino, MM; Souza Domingos, TF; da Silva, GA; Fonseca, RR; Cavalcanti, DN; Sanchez, EF; Teixeira, VL; Fuly, AL. (2014). Inhibitory effect of the red seaweed *Plocamium brasiliense* against the toxic effects of *Lachesis muta* snake venom. *J Appl Phycol* 26: 2047-2054. <http://dx.doi.org/10.1007/s10811-014-0266-x>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials* 25: 169-177.
- Clayton, LM; Sikder, AK; Kumar, A; Cinke, M; Meyyappan, M; Gerasimov, TG; Harmon, JP. (2005). Transparent poly(methyl methacrylate)/single-walled carbon nanotube (PMMA/SWNT) composite films with increased dielectric constants. *Adv Funct Mater* 15: 101-106. <http://dx.doi.org/10.1002/adfm.200305106>.
- Cleall, PJ; Li, Y, uC. (2011). Analytical Solution for Diffusion of VOCs through Composite Landfill Liners. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 850-854. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000506](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000506).
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health* 10: 1-24.
- Clewell, HJ, III; Andersen, ME; Barton, HA. (2002). A consistent approach for the application of pharmacokinetic modeling in cancer and noncancer risk assessment. *Environ Health Perspect* 110: 85-93.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect* 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere* 31: 2561-2578.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (2001). Comparison of cancer risk estimates for vinyl chloride using animal and human data with a PBPK model. *Sci Total Environ* 274: 37-66.
- Clewell, HJ; Lee, TS; Carpenter, RL. (1994). Sensitivity of physiologically based pharmacokinetic models to variation in model parameters: methylene chloride. *Risk Anal* 14: 521-531.
- Clifford, DJ; Hatcher, PG. (1995). ACS SYMPOSIUM SERIES Maturation of Class Ib (polylabdanoid) resinates.
- Clifford, DJ; Hatcher, PG; Botto, RE; Muntean, JV; Michels, B; Anderson, KB. (1997). The nature and fate of natural resins in the geosphere - VIII. NMR and Py-GC-MS characterization of soluble labdanoid polymers, isolated from Holocene class I resins. *Organic Geochemistry* 27: 449-464.
- Clulow, AJ; Tao, C; Lee, KH; Velusamy, M; Mcewan, JA; Shaw, PE; Yamada, NL; James, M; Burn, PL; Gentle, IR; Meredith, P. (2014). Time-resolved neutron reflectometry and photovoltaic device studies on sequentially deposited PCDTBT-fullerene layers. *Langmuir* 30: 11474-11484. <http://dx.doi.org/10.1021/la5020779>.
- CMR (Chemical Marketing Reporter). (1973). Chemical profile on methylene chloride.

## Exposure Literature Search Results

### Off Topic

- CMR (Chemical Marketing Reporter). (1979). Chemical profile on methylene chloride (pp. 9).
- CMR (Chemical Marketing Reporter). (1982). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1997). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (2000). Chemical profile on methylene chloride. New York, NY: ICIS.
- Cocco, P; Heineman, EF; Dosemeci, M. (1999). Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am J Ind Med* 36: 70-74. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<70::AID-AJIM10>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<70::AID-AJIM10>3.0.CO;2-5).
- Cocero, MJ; Ferrero, S. (2002). Crystallization of beta-carotene by a GAS process in batch - Effect of operating conditions. *Journal of Supercritical Fluids* 22: 237-245.
- Cochran, RE; Kubatova, A. (2015). Pressurised fluid extraction of polycyclic aromatic hydrocarbons and their polar oxidation products from atmospheric particles. *Int J Environ Anal Chem* 95: 434-452. <http://dx.doi.org/10.1080/03067319.2015.1025225>.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cogal, S; Kiristi, M; Ocakoglu, K; Oksuz, L; Oksuz, AU. (2015). Electrochromic properties of electrochemically synthesized porphyrin/3-substituted polythiophene copolymers. *Materials Science in Semiconductor Processing* 31: 551-560. <http://dx.doi.org/10.1016/j.mssp.2014.12.036>.
- Cohen, H; Charrier, C; Sarfaty, J. (1991). Extraction and identification of a plasticizer, Di-(2-ethylhexyl)phthalate, from a plastic bag containing contaminated corn. *Arch Environ Contam Toxicol* 20: 437-440.
- Coleman, J; Lowman, A. (2012). Biodegradable Nanoparticles for Protein Delivery: Analysis of Preparation Conditions on Particle Morphology and Protein Loading, Activity and Sustained Release Properties. *J Biomater Sci Polym Ed* 23: 1129-1151. <http://dx.doi.org/10.1163/092050611X576648>.
- Coleman, MD; Coleman, NA. (1996). Drug-induced methaemoglobinemia. Treatment issues [Review]. *Drug Saf* 14: 394-405.
- Coleman, WM; Dube, MF; Gerardi, AR; Ashraf-Khorassani, M; Taylor, LT. (2012). Enhancement of volatile aglycone recovery facilitated by acid hydrolysis of glucosides from Nicotiana flower species. *J Agric Food Chem* 60: 11483-11490. <http://dx.doi.org/10.1021/jf302508v>.
- Colibaba, LC; Cotea, VV; Niculaua, M; Schmarr, HG. (2012). VOLATILE COMPOUNDS CAPTURED IN EXHAUST CO2 FLOW DURING THE FERMENTATION OF BUSUIOACA DE BOHOTIN WINE. *Environmental Engineering and Management Journal* 11: 1895-1900.
- Coll Araoz, MV; Ines Mercado, M; Grau, A; Catalan, CAN. (2010). Ent-kaurane derivatives from the root cortex of yacon and other three Smallanthus species (Heliantheae, Asteraceae). *Biochemical Systematics and Ecology* 38: 1042-1048. <http://dx.doi.org/10.1016/j.bse.2010.10.009>.
- Coll, C; Ros-Lis, JV; Martinez-Manez, R; Dolores Marcos, M; Sancenon, F; Soto, J. (2010). A new approach for the selective and sensitive colorimetric detection of ionic surfactants in water. *J Mater Chem* 20: 1442-1451. <http://dx.doi.org/10.1039/b910659f>.
- Coll, JC; Bowden, BF; Meehan, GV; Konig, GM; Carroll, AR; Tapiolas, DM; Alino, PM; Heaton, A; Denys, R; Leone, PA; Maida, M; Aceret, TL; Willis, RH; Babcock, RC; Willis, BL; Florian, Z; Clayton, MN; Miller, RL. (1994). CHEMICAL ASPECTS OF MASS SPAWNING IN CORALS .1. SPERM-ATTRACTANT MOLECULES IN THE EGGS OF THE SCLERACTINIAN CORAL MONTIPORA-DIGITATA. *Mar Biol* 118: 177-182.
- Collignon, A; Martin, G; Martin, N; Laplanche, A. (1994). BULKING REDUCED WITH THE USE OF OZONE - STUDY OF THE MECHANISM OF ACTION VERSUS BACTERIA. *Ozone: Science and Engineering* 16: 385-402.
- Collins, AS; Sumner, SCJ; Borghoff, SJ; Medinsky, MA. (1999). A physiological model for tert-amyl methyl ether and tert-amyl alcohol: Hypothesis testing of model structures. *Toxicol Sci* 49: 15-28. <http://dx.doi.org/10.1093/toxsci/49.1.15>.
- Collymore, C; Porelli, G; Lieggi, C; Lipman, NS. (2014). Evaluation of 5 cleaning and disinfection methods for nets used to collect zebrafish (Danio rerio). *J Am Assoc Lab Anim Sci* 53: 657-660.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colomer, MT; Guzmāin, J; Moreno, R. (2010). Peptization of Nanoparticulate Titania Sols Prepared Under Different WaterâAlkoxide Molar Ratios. *Journal of the American Ceramic Society* 93: 59-64. <http://dx.doi.org/10.1111/j.1551-2916.2009.03294.x>.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data* 40: 1184-1187.
- Comstock, RJ; Li, KP; Wagoner, RH. (2001). Simulation of axisymmetric sheet forming tests. *J Mater Process Tech* 117: 153-168.
- Conceicao, DS; Ferreira, DP; Prostota, Y; Santos, PF; Ferreira, LFV. (2016). Photochemical behaviour of a new 1,2,3,4-tetrahydroxanthylum fluorescent dye with "rhodamine-like" structure in liquid media and adsorbed onto a TiO2 photo-responsive substrate. *Dyes and Pigments* 128: 279-288. <http://dx.doi.org/10.1016/j.dyepig.2016.01.030>.
- Constandache, T; Cerempei, A; Muresan, EI; Popescu, V; Droboata, M; Sandu, I, on. (2014). Modified Organic Pigments Used in Polypropylene Coloration. *Rev Chim* 65: 892-896.
- Cook, CA; Cundy, VA; Sterling, AM; Lu, C; Montestruc, AN; Leger, CB; Jakway, AL. (1992). ESTIMATING DICHLOROMETHANE EVOLUTION RATES FROM A SORBENT BED IN A FIELD-SCALE ROTARY KILN INCINERATOR. *Combust Sci Tech* 85: 217-241.
- Coombes, AGA; Scholes, PD; Davies, MC; Illum, L; Davis, SS. (1994). RESORBABLE POLYMERIC MICROSPHERES FOR DRUG-DELIVERY - PRODUCTION AND SIMULTANEOUS SURFACE MODIFICATION USING PEO-PPO SURFACTANTS. *Biomaterials* 15: 673-680.

## Exposure Literature Search Results

### Off Topic

- Coombes, AGA; Verderio, E; Shaw, B; Li, X; Griffin, M; Downes, S. (2002). Biocomposites of non-crosslinked natural and synthetic polymers. *Biomaterials* 23: 2113-2118.
- Cooper, CE; Withers, PC. (2004). Ventilatory physiology of the numbat (*Myrmecobius fasciatus*). *J Comp Physiol [B]* 174: 107-111. <http://dx.doi.org/10.1007/s00360-003-0394-0>.
- Corazza, ML; Filho, LC; Antunes, OAC; Dariva, C. (2003). High pressure phase equilibria of the related substances in the limonene oxidation in supercritical CO<sub>2</sub>. *Journal of Chemical and Engineering Data* 48: 354-358. <http://dx.doi.org/10.1021/je020150k>.
- Cordeiro, N; Belgacem, MN; Gandini, A; Neto, CP. (1999). Urethanes and polyurethanes from suberin 2: synthesis and characterization. *Ind Crop Prod* 10: 1-10.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF PHASE-TRANSFER-CATALYST INFLUENCE IN CAO-SIO<sub>2</sub> GEL PREPARATION. *Journal of Materials Science* 29: 4325-4330.
- Cordoncillo, E; Monros, G; Tena, MA; Escribano, P; Carda, J. (1994). STUDY OF THE ROLE OF PHASE-TRANSFER CATALYST IN OBTAINING GELS IN HETEROGENEOUS ENVIRONMENTS. *Journal of Non-Crystalline Solids* 171: 105-114.
- Cordova, R; Gomez, H; Schrebler, R; Cury, P; Orellana, M; Grez, P; Leinen, D; Ramos-Barrado, JR; Del Rio, R. (2002). Electrosynthesis and electrochemical characterization of a thin phase of CuxS (x → 2) on ITO electrode. *Langmuir* 18: 8647-8654. <http://dx.doi.org/10.1021/la025711k>.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ* 27: 243-256.
- Cormos, CC; Agachi, SP. (2005). The modelling and the simulation of pantolactone extraction using ChemCAD software. *Rev Chim* 56: 750-756.
- Cornejo, J, ayJM; Sakurai, D; Daiguji, H; Takemura, F. (2016). Effect of Dissolved Poly(lactic acid) on the Solubility of CO<sub>2</sub>, N<sub>2</sub>, and He Gases in Dichloromethane. *Journal of Chemical and Engineering Data* 61: 94-101. <http://dx.doi.org/10.1021/acs.jced.5b00268>.
- Corno, JA; Stout, J; Yang, R; Golet, JL. (2008). Diffusion-controlled self-assembly and dendrite formation in silver-seeded anatase titania nanospheres. *J Phys Chem C* 112: 5439-5446. <http://dx.doi.org/10.1021/jp711443v>.
- Coronas, MV; Pereira, TS; Rocha, JA; Lemos, AT; Fachel, JM; Salvadori, DM; Vargas, VM. (2009). Genetic biomonitoring of an urban population exposed to mutagenic airborne pollutants. *Environ Int* 35: 1023-1029. <http://dx.doi.org/10.1016/j.envint.2009.05.001>.
- Corrales, F; Vilaseca, F; Llop, M; Gironès, J; Méndez, JA; Mutjè, P. (2007). Chemical modification of jute fibers for the production of green-composites. *J Hazard Mater* 144: 730-735. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.103>.
- Corrêa, AX; Cotellet, S; Millet, M; Somensi, CA; Wagner, TM; Radetski, CM. (2016). Genotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles using the in vivo *Vicia faba* L. micronucleus test. *Ecotoxicol Environ Saf* 127: 199-204. <http://dx.doi.org/10.1016/j.ecoenv.2016.01.026>.
- Correa, SM; Arbillá, G. (2006). Aromatic hydrocarbons emissions in diesel and biodiesel exhaust. *Atmos Environ* 40: 6821-6826. <http://dx.doi.org/10.1016/j.atmosenv.2006.05.068>.
- Correa, SM; Arbillá, G; Marques, MRC; Oliveira, KMP, G. (2012). The impact of BTEX emissions from gas stations into the atmosphere. *Atmos Pollut Res* 3: 163-169. <http://dx.doi.org/10.5094/APR.2012.016>.
- Correa, T; Tiab, D; Restrepo, DP. (2009). EVALUATION OF SOLVENTS EFFICIENCY IN CONDENSATE BANKING REMOVAL. *Dyna* 76: 163-171.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.
- Costa Sacchetin, PS; Morales, A, naR; Moraes, AM; Vieira e Rosa, P, deT. (2013). Formation of PLA particles incorporating 17 alpha-methyltestosterone by supercritical fluid technology. *Journal of Supercritical Fluids* 77: 52-62. <http://dx.doi.org/10.1016/j.supflu.2013.02.029>.
- Cosut, B. (2014). Highly efficient energy transfer in BODIPY-pyrene decorated cyclotriphosphazene. *Dyes and Pigments* 100: 11-16. <http://dx.doi.org/10.1016/j.dyepig.2013.07.022>.
- Cothern, CR. (1992). SOME SCIENTIFIC JUDGMENTS IN THE ASSESSMENT OF THE RISK OF ENVIRONMENTAL CONTAMINANTS. 2: 223-235.
- Coulbaly, K; Jeon, IJ. (1992). SOLID-PHASE EXTRACTION OF LESS VOLATILE FLAVOR COMPOUNDS FROM ULTRAHIGH-TEMPERATURE PROCESSED MILK. *J Agric Food Chem* 40: 612-616.
- Covaci, A; Tutdaki, M; Tsatsakis, AM; Schepens, P. (2002). Hair analysis: another approach for the assessment of human exposure to selected persistent organochlorine pollutants. *Chemosphere* 46: 413-418.
- Cox, SK; Vanmanen, RT; Oliver, JW. (1992). DETERMINATION OF ERGONOVINE IN BOVINE PLASMA SAMPLES. *J Agric Food Chem* 40: 2164-2166.
- Coyle, GT; Harmon, TC; Suffet, IH. (1997). Aqueous solubility depression for hydrophobic organic chemicals in the presence of partially miscible organic solvents. *Environ Sci Technol* 31: 384-389.
- Crawford, DS. (1992). BEHAVIOR OF WASTEPAPER STICKIES IN RECYCLING MILLS. *Appita* 45: 257-259.
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Crespo, MOP; Yusty, MAL. (2004). Determination of aliphatic hydrocarbons in the alga *Himantalia elongata*. *Ecotoxicol Environ Saf* 57: 226-230. <http://dx.doi.org/10.1016/j.ecoenv.2003.09.013>.
- Creusot, N; Dévier, MH; Budzinski, H; Ait-Aïssa, S. (2016). Evaluation of an extraction method for a mixture of endocrine disrupters in sediment using chemical and in vitro biological analyses. *Environ Sci Pollut Res Int* 23: 10349-10360. <http://dx.doi.org/10.1007/s11356-016-6062-1>.
- Criddle, CS; McCarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol* 25: 973-978.

## Exposure Literature Search Results

### Off Topic

- Crittenden, BD; Camus, O; Perera, SP; Mays, TJ; Sanchez-Liarte, F; Tennison, SR, SR; Crezee, E. (2011). Nonuniform Channels in Adsorbent Monoliths. *AIChE J* 57: 1163-1172. <http://dx.doi.org/10.1002/aic.12335>.
- Croitoru, C; Patachia, S; Porzolt, A; Friedrich, C. (2011). Effect of alkylimidazolium based ionic liquids on the structure of UV-irradiated cellulose. *Cellulose* 18: 1469-1479. <http://dx.doi.org/10.1007/s10570-011-9586-z>.
- Croker, DM; Foreman, ME; Hogan, BN; Maguire, NM; Elcoate, CJ; Hodnett, BK; Maguire, AR; Rasmuson, A, keC; Lawrence, SE. (2012). Understanding the p-Toluenesulfonamide/Triphenylphosphine Oxide Crystal Chemistry: A New 1:1 Cocrystal and Ternary Phase Diagram. *Cryst Growth Des* 12: 869-875. <http://dx.doi.org/10.1021/cg201300e>.
- Croll, SG. (2010). Application of the Flory-Rehner equation and the Griffith fracture criterion to paint stripping. *JCT Research* 7: 49-55. <http://dx.doi.org/10.1007/s11998-009-9166-4>.
- Cronin, G; Lindquist, N; Hay, ME; Fenical, W. (1995). EFFECTS OF STORAGE AND EXTRACTION PROCEDURES ON YIELDS OF LIPOPHILIC METABOLITES FROM THE BROWN SEAWEEDS *DICTYOTA-CILIOLATA* AND *D-MENSTRUUALIS*. *Mar Ecol Prog Ser* 119: 265-273.
- Crosman, A; Gelbard, G; Poncelet, G; Parvulescu, VI. (2004). Epoxidation of cyclohexene and indene with hydrogen peroxide in the presence of WO<sub>5</sub> onto hydroxyapatite as catalyst. *Appl Catal A-Gen* 264: 23-32. <http://dx.doi.org/10.1016/j.apcata.2003.12.021>.
- Crosman, A; Hoelderich, WF. (2004). Enantioselective hydrogenation over immobilised transition metal complex catalysts. *Stud Surf Sci Catal* 154: 2839-2846.
- Crosman, A; Hoelderich, WF. (2007). Enantioselective hydrogenation over immobilized rhodium diphosphine complexes on mesostructured materials. *Catalysis Today* 121: 130-139. <http://dx.doi.org/10.1016/j.cattod.2006.11.023>.
- Cruceru, I; Iancu, V; Petre, J; Badea, IA; Vladescu, L. (2012). HPLC-FLD determination of 4-nonylphenol and 4-tert-octylphenol in surface water samples. *Environ Monit Assess* 184: 2783-2795. <http://dx.doi.org/10.1007/s10661-011-2151-2>.
- Cruz, GJF; Matejova, L; Pirilae, M; Ainassaari, K; Canepa, CA; Solis, J; Cruz, JF; Solcova, O; Keiski, RL. (2015). A Comparative Study on Activated Carbons Derived from a Broad Range of Agro-industrial Wastes in Removal of Large-Molecular-Size Organic Pollutants in Aqueous Phase. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2474-7>.
- Cudzilo, S; Dyjak, S; Trzcinski, WA. (2012). Preparation and Characterization of Monolithic Nitrocellulose-Cellulose Composites. *Central European Journal of Energetic Materials* 9: 139-146.
- Cui, L; Ding, Y, an; Li, X, ue; Wang, Z, he; Han, Y. (2006). Solvent and polymer concentration effects on the surface morphology evolution of immiscible polystyrene/poly(methyl methacrylate) blends. *Thin Solid Films* 515: 2038-2048. <http://dx.doi.org/10.1016/j.tsf.2006.04.045>.
- Cundy, VA; Lu, C; Cook, CA; Sterling, AM; Leger, CB; Jakway, AL; Montestruc, AN; Conway, R; Lester, TW. (1991). ROTARY KILN INCINERATION OF DICHLOROMETHANE AND XYLENE - A COMPARISON OF INCINERABILITY CHARACTERISTICS UNDER VARIOUS OPERATING-CONDITIONS. *J Air Waste Manag Assoc* 41: 1084-1094.
- Cusido, JA; Cremades, LV; Soriano, C; Devant, M. (2015). Incorporation of paper sludge in clay brick formulation: Ten years of industrial experience. *Appl Clay Sci* 108: 191-198. <http://dx.doi.org/10.1016/j.clay.2015.02.027>.
- Custódio, D; Guimarães, CS; Varandas, L; Arbilla, G. (2010). Pattern of volatile aldehydes and aromatic hydrocarbons in the largest urban rainforest in the Americas. *Chemosphere* 79: 1064-1069. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.028>.
- Cvetkovic, I; Milic, J; Ionescu, M; Petrovic, ZS. (2008). PREPARATION OF 9-HYDROXYNONANOIC ACID METHYL ESTER BY OZONOLYSIS OF VEGETABLE OILS AND ITS POLYCONDENSATION. *Hemijaska Industrija* 62: 319-328. <http://dx.doi.org/10.2298/HEMIND0806319C>.
- Czauderna, M; Kowalczyk, J; Marounek, M; Michalski, JP; Rozbicka-Wieczorek, AJ; Krajewska, KA. (2011). A new internal standard for HPLC assay of conjugated linoleic acid in animal tissues and milk. *Czech J Anim Sci* 56: 23-29.
- Czauderna, M; Kowalczyk, J; Wasowska, I; Niedzwiedzka, KM. (2003). Determination of conjugated linoleic acid isomers by liquid chromatography and photodiode array detection. *J Anim Feed Sci* 12: 369-382.
- Czernych, R; Halkiewicz, JJ, an; Kot-Wasik, A; Namiesnik, J. (2014). Development and Validation of SPE-HPLC-MS/MS Method for Determining Cyclophosphamide in Surface Waters. *Pol J Environ Stud* 23: 1537-1545.
- Czimerova, A; Bujdak, J; Dohrmann, R. (2006). Traditional and novel methods for estimating the layer charge of smectites. *Appl Clay Sci* 34: 2-13. <http://dx.doi.org/10.1016/j.clay.2006.02.008>.
- da Cunha, US; Vendramim, JD; Rocha, WC; Vieira, PC. (2006). Fractions of *Trichilia pallens* with insecticidal activity against *Tuta absoluta*. *Pesqui Agropecu Bras* 41: 1579-1585.
- da Silva, GA; Domingos, TF; Fonseca, RR; Sanchez, EF; Teixeira, VL; Fuly, AL. (2015). The red seaweed *Plocamium brasiliense* shows anti-snake venom toxic effects. *Journal of Venomous Animals and Toxins including Tropical Diseases* 21: 2. <http://dx.doi.org/10.1186/s40409-015-0002-2>.
- Da Silva, LB; Marinelli, AL; Ruvolo, A; Bretas, RES. (2002). Blends of a bottle-grade polyethylene terephthalate copolymer with a liquid crystalline polymer. Part II: Thermal and transport properties. *Polymer Engineering and Science* 42: 1694-1709.
- da Silva Maciel, GP; Machado, ME; Barbara, JA; Dal Molin, D; Caramao, EB; Jacques, RA. (2016). GC x GC/TOFMS analysis concerning the identification of organic compounds extracted from the aqueous phase of sugarcane straw fast pyrolysis oil. *Biomass and Bioenergy* 85: 198-206. <http://dx.doi.org/10.1016/j.biombioe.2015.11.009>.
- Dacome, AS; da Silva, CC; da Costa, CEM; Fontana, JD; Adelman, J; da Costa, SC. (2005). Sweet diterpenic glycosides balance of a new cultivar of *Stevia rebaudiana* (Bert.) Bertoni: Isolation and quantitative distribution by chromatographic, spectroscopic, and electrophoretic methods. *Process Biochemistry* 40: 3587-3594. <http://dx.doi.org/10.1016/j.procbio.2005.03.035>.
- Daglia, M; Papetti, A; Gregotti, C; Berte, F; Gazzani, G. (2000). In vitro antioxidant and ex vivo protective activities of green and roasted coffee. *J Agric Food Chem* 48: 1449-1454.



## Exposure Literature Search Results

### Off Topic

- Dai, H; Huang, H. (2017). Synthesis, characterization and properties of pineapple peel cellulose-g-acrylic acid hydrogel loaded with kaolin and sepia ink. *Cellulose* 24: 69-84. <http://dx.doi.org/10.1007/s10570-016-1101-0>.
- Dai, JM; Yaylayan, VA; Raghavan, GSV; Pare, JR. (1999). Extraction and colorimetric determination of azadirachtin-related limonoids in neem seed kernel. *J Agric Food Chem* 47: 3738-3742.
- D'Aleo, A; Felouat, A; Heresanu, V; Ranguis, A; Chaudanson, D; Karapetyan, A; Giorgi, M; Fages, F. (2014). Two-photon excited fluorescence of BF<sub>2</sub> complexes of curcumin analogues: toward NIR-to-NIR fluorescent organic nanoparticles. 2: 5208-5215. <http://dx.doi.org/10.1039/c4tc00543k>.
- Dalla Villa, R; de Carvalho Dores, EF; Carbo, L; Cunha, ML. (2006). Dissipation of DDT in a heavily contaminated soil in Mato Grosso, Brazil. *Chemosphere* 64: 549-554. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.019>.
- Dallarosa, JB; Monego, JG; Teixeira, EC; Stefens, JL; Wiegand, F. (2005). Polycyclic aromatic hydrocarbons in atmospheric particles in the metropolitan area of Porto Alegre, Brazil. *Atmos Environ* 39: 1609-1625.
- Dallarosa, JB; Teixeira, EC; Pires, M; Fachel, J. (2005). Study of the profile of polycyclic aromatic hydrocarbons in atmospheric particles (PM<sub>10</sub>) using multivariate methods. *Atmos Environ* 39: 6587-6596. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.034>.
- Dalmasso, PR; Taccone, RA; Nieto, JD; Teruel, MA; Lane, SI. (2006). CH<sub>3</sub>OCF<sub>2</sub>CHFCl and CHF<sub>2</sub>OCF<sub>2</sub>CHFCl: Reaction with Cl atoms, atmospheric lifetimes, ozone depletion and global warming potentials. *Atmos Environ* 40: 7298-7307. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.031>.
- Dalmoro, V; Aleman, C; Ferreira, CA; dos Santos, JHZ; Azambuja, DS; Armelin, E. (2015). The influence of organophosphonic acid and conducting polymer on the adhesion and protection of epoxy coating on aluminium alloy. *Progr Org Coating* 88: 181-190. <http://dx.doi.org/10.1016/j.porgcoat.2015.07.004>.
- Dammer, O; Vlckova, B; Prochazka, M; Bondarev, D; Vohlidal, J; Pflieger, J. (2009). Effect of preparation procedure on the structure, morphology, and optical properties of nanocomposites of poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] with gold nanoparticles. *Mater Chem Phys* 115: 352-360. <http://dx.doi.org/10.1016/j.matchemphys.2008.12.021>.
- Daneshvar, E; Vazirzadeh, A; Niazi, A, I; Sillanpaa, M; Bhatnagar, A. (2017). A comparative study of methylene blue biosorption using different modified brown, red and green macroalgae - Effect of pretreatment. *Chem Eng J* 307: 435-446. <http://dx.doi.org/10.1016/j.cej.2016.08.093>.
- Dang, G; Yang, W; Chen, C; Zhao, X; Wang, C; Zhang, W; Wu, Z. (2003). Single-crystal X-ray structure of a special designed nanoscale rigid organic macrocycle. *Synthetic Metals* 137: 975-976. [http://dx.doi.org/10.1016/S0379-6779\(02\)00969-4](http://dx.doi.org/10.1016/S0379-6779(02)00969-4).
- Dang, LX; Schenter, GK; Chang, TM, ei; Kathmann, SM; Autrey, T, om. (2012). Role of Solvents on the Thermodynamics and Kinetics of Forming Frustrated Lewis Pairs. *Journal of Physical Chemistry Letters* 3: 3312-3319. <http://dx.doi.org/10.1021/jz301533a>.
- Dang, QQ; Zhan, YF; Wang, XM; Zhang, XM. (2015). Heptazine-Based Porous Framework for Selective CO<sub>2</sub> Sorption and Organocatalytic Performances. 7: 28452-28458. <http://dx.doi.org/10.1021/acsami.5b09441>.
- Danielski, L; Campos, LMA, S; Bresciani, LFV; Hense, H; Yunes, RA; Ferreira, SRS. (2007). Marigold (*Calendula officinalis* L.) oleoresin: Solubility in SC-CO<sub>2</sub> and composition profile. *Chemical Engineering and Processing: Process Intensification* 46: 99-106. <http://dx.doi.org/10.1016/j.cep.2006.05.004>.
- D'Anna, A; Alfe, A; Apicella, B; Tregrossi, A; Ciajolo, A. (2007). Effect of Fuel/Air ratio and aromaticity on sooting behavior of premixed heptane flames. *Energy Fuels* 21: 2655-2662. <http://dx.doi.org/10.1021/ef070159y>.
- Danov, KD; Kralchevsky, PA; Ananthapadmanabhan, KP; Lips, A. (2006). Particle-interface interaction across a nonpolar medium in relation to the production of particle-stabilized emulsions. *Langmuir* 22: 106-115. <http://dx.doi.org/10.1021/la052273j>.
- Danumah, C; Beingessner, RL; Haque, A; Ban, F; Richards, JP; Kovalenko, A; Fenniri, H. (2009). Synthesis, properties, and mechanistic insight into the self-assembly of a lamellar fibrous superstructure from a synthetically simple discotic molecule. *Langmuir* 25: 11857-11861. <http://dx.doi.org/10.1021/la901511v>.
- Darjazi, BB; Rustaiyan, A; Talaei, A; Khalighi, A; Larjani, K; Golein, B; Hayatbakhsh, E; Taghizad, R. (2009). The Effects of Rootstock on the Volatile Flavour Components of Page Mandarin [(*C.Reticulata* var dancy x *C.Paradisi* var dancan) x *C.Clemantina*] Juice and Peel. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 99-111.
- Darko, SA; Maxwell, E; Park, S. (2010). Photocatalytic activity of TiO<sub>2</sub> nanofilms deposited onto polyvinyl chloride and glass substrates. *Thin Solid Films* 519: 174-177. <http://dx.doi.org/10.1016/j.tsf.2010.07.096>.
- Darowicki, K; Slepski, P; Szocinski, M. (2005). Application of the dynamic EIS to investigation of transport within organic coatings. *Progr Org Coating* 52: 306-310.
- Das, A; Gupta, M; Rajagopalan, S; Tyagi, AK. (2013). Selective Capacitive Sensor for Ammonia Hydroxide at Room Temperature. *IEEE Sens J* 13: 2757-2762. <http://dx.doi.org/10.1109/JSEN.2013.2259959>.
- Das, GS; Rao GHR, GS; Wilson, RF; Chandy, T. (2001). Controlled delivery of taxol from poly(ethylene glycol)-coated poly(lactic acid) microspheres. *J Biomed Mater Res* 55: 96-103.
- Das, MT; Budhraj, V; Mishra, M; Thakur, IS. (2012). Toxicological evaluation of paper mill sewage sediment treated by indigenous dibenzofuran-degrading *Pseudomonas* sp. *Bioresour Technol* 110: 71-78. <http://dx.doi.org/10.1016/j.biortech.2012.01.078>.
- Das, SC; Larson, I; Morton, DA; Stewart, PJ. (2011). Determination of the polar and total surface energy distributions of particulates by inverse gas chromatography. *Langmuir* 27: 521-523. <http://dx.doi.org/10.1021/la104135z>.
- Datta, D; Kumar, S. (2011). Reactive Extraction of 2-Methylidenebutanedioic Acid with N,N-Dioctyloctan-1-amine Dissolved in Six Different Diluents: Experimental and Theoretical Equilibrium Studies at (298 +/- 1) K. *Journal of Chemical and Engineering Data* 56: 2574-2582. <http://dx.doi.org/10.1021/jc200094b>.

## Exposure Literature Search Results

### Off Topic

- Datta, D; Kumar, S. (2011). Reactive Extraction of Glycolic Acid Using Tri-n-Butyl Phosphate and Tri-n-Octylamine in Six Different Diluents: Experimental Data and Theoretical Predictions. *Ind Eng Chem Res* 50: 3041-3048. <http://dx.doi.org/10.1021/ie102024u>.
- Datta, D; Kumar, S. (2015). Reactive Extraction of Picolinic Acid Using Tri-n-octylamine Dissolved in Different Diluents: Effect of Solvent Polarity. *Journal of Chemical and Engineering Data* 60: 2709-2716. <http://dx.doi.org/10.1021/acs.jced.5b00387>.
- Datta, D; Marti, ME; Pal, D; Kumar, S. (2017). Equilibrium Study on the Extraction of Levulinic Acid from Aqueous Solution with Aliquat 336 Dissolved in Different Diluents: Solvent's Polarity Effect and Column Design. *Journal of Chemical and Engineering Data* 62: 3-10. <http://dx.doi.org/10.1021/acs.jced.6b00164>.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; Mcilwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem* 18: 503-525.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem* 10: 463-474.
- Daws, CA; Exstrom, CL; Sowa, JR; Mann, KR. (1997). "Vapochromic" compounds as environmental sensors .2. Synthesis and near-infrared and infrared spectroscopy studies of [Pt(arylisocyanide)(4)][Pt(CN)(4)] upon exposure to volatile organic compound vapors. *Chem Mater* 9: 363-368.
- de Almeida Rego, FC; Francozo, MC; Ludovico, A; de Lima, LD; Lopes, FG; Belan, L; dos Santos, MD; Zundt, M; Coelho Cunha Filho, LF; Constantino, C. (2015). Development, economic viability and attributes of lamb carcass from confined animals fed on different amounts of crude glycerin. 36: 3445-3454. <http://dx.doi.org/10.5433/1679-0359.2015v36n5p3445>.
- de Aquino, LA; Puiatti, M; Abaurre, MEO; Cecon, PR; Pereira, PRG; Pereira, FHF; Castro, MRS. (2007). Yield, accumulation of nitrate, content and export of nutrients of lettuce cultivated under shade. *Horticultura Brasileira* 25: 381-386.
- de Araujo, GLB; Zeller, M; Smith, D; Nie, H; Byrn, SR. (2016). Unexpected Single Crystal Growth Induced by a Wire and New Crystalline Structures of Lapatinib. *Cryst Growth Des* 16: 6122-6130. <http://dx.doi.org/10.1021/acs.cgd.6b01271>.
- de Araujo Neto, SE; Felix Ferreira, RL; The Pontes, FS. (2009). Profitability of lettuce cultivars organic production in greenhouse and field with different tillage soil. *Ciencia Rural* 39: 1362-1368.
- de Avila, SG; Silva, LCC; Matos, JR. (2016). Optimisation of SBA-15 properties using Soxhlet solvent extraction for template removal. *Microporous and Mesoporous Materials* 234: 277-286. <http://dx.doi.org/10.1016/j.micromeso.2016.07.027>.
- de Beer, MM; Keurentjes, J, osTF; Schouten, JC; van Der Schaaf, J. (2016). Convective Condensation in a Stator-Rotor-Stator Spinning Disc Reactor. *AIChE J* 62: 3784-3796. <http://dx.doi.org/10.1002/aic.15275>.
- De Best, JH; Ultee, J; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (2000). Dichloromethane utilization in a packed-bed reactor in the presence of various electron acceptors. *Water Res* 34: 566-574.
- de Campos, LM; Leimann, FV; Pedrosa, RC; Ferreira, SR. (2008). Free radical scavenging of grape pomace extracts from Cabernet sauvignon (*Vitis vinifera*). *Bioresour Technol* 99: 8413-8420. <http://dx.doi.org/10.1016/j.biortech.2008.02.058>.
- de Diego, YP; Wubbolts, FE; Jansens, PJ. (2006). Modelling mass transfer in the PCA process using the Maxwell-Stefan approach. *Journal of Supercritical Fluids* 37: 53-62. <http://dx.doi.org/10.1016/j.supflu.2005.07.002>.
- de Los Rios, AP; Hernandez-Fernandez, FJ; Rubio, M; Gomez, D; Villora, G. (2007). Stabilization of native penicillin G acylase by ionic liquids. *J Chem Tech Biotechnol* 82: 190-195. <http://dx.doi.org/10.1002/jctb.1654>.
- De Martinis, BS; Okamoto, RA; Kado, NY; Gundel, LA; Carvalho, LRF. (2002). Polycyclic aromatic hydrocarbons in a bioassay-fractionated extract of PM10 collected in Sao Paulo, Brazil. *Atmos Environ* 36: 307-314.
- de Melo, MMR; Oliveira, ELG; Silvestre, AJD; Silva, CM. (2012). Supercritical fluid extraction of triterpenic acids from Eucalyptus globulus bark. *Journal of Supercritical Fluids* 70: 137-145. <http://dx.doi.org/10.1016/j.supflu.2012.06.017>.
- de Melo, MMR; Silva, R, uip; Silvestre, AJD; Silva, CM. (2016). Valorization of water hyacinth through supercritical CO2 extraction of stigmaterol. *Ind Crop Prod* 80: 177-185. <http://dx.doi.org/10.1016/j.indcrop.2015.11.036>.
- de Miguel, M; Alvaro, M; García, H. (2012). Graphene as a quencher of electronic excited states of photochemical probes. *Langmuir* 28: 2849-2857. <http://dx.doi.org/10.1021/la204023w>.
- de Moura, MR; Aouada, FA; Favaro, SL; Radovanovic, E; Rubira, AF; Muniz, EC. (2009). Release of BSA from porous matrices constituted of alginate-Ca<sup>2+</sup> and PNIPAAm-interpenetrated networks. *Mater Sci Eng C* 29: 2319-2325. <http://dx.doi.org/10.1016/j.msec.2009.05.022>.
- De Nicola, F; Maisto, G; Prati, MV; Alfani, A. (2005). Temporal variations in PAH concentrations in Quercus ilex L. (holm oak) leaves in an urban area. *Chemosphere* 61: 432-440. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.082>.
- De Nicola, GR; Montaut, S; Rollin, P; Nyegue, M; Menut, C; Iori, R; Tatibouët, A. (2013). Stability of benzylic-type isothiocyanates in hydrodistillation-mimicking conditions. *J Agric Food Chem* 61: 137-142. <http://dx.doi.org/10.1021/jf3041534>.
- De Pedro, ZM; Casas, JA; Gomez-Sainero, LM; Rodriguez, JJ. (2010). Hydrodechlorination of dichloromethane with a Pd/AC catalyst: Reaction pathway and kinetics. *Appl Catal B-Environ* 98: 79-85. <http://dx.doi.org/10.1016/j.apcatb.2010.05.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.
- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere* 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.
- de Rivas, B; Lopez-Fonseca, R; Jimenez-Gonzalez, C; Gutierrez-Ortiz, JI. (2011). Synthesis, characterisation and catalytic performance of nanocrystalline Co<sub>3</sub>O<sub>4</sub> for gas-phase chlorinated VOC abatement. *J Catal* 281: 88-97. <http://dx.doi.org/10.1016/j.jcat.2011.04.005>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO<sub>2</sub>/H-ZSM5 catalysts. *Appl Catal A-Gen* 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.

## Exposure Literature Search Results

### Off Topic

- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess* 97: 39-56.
- De Salvia, MA; Cagiano, R; Carratu, MR; Di Giovanni, V; Trabace, L; Cuomo, V. (1995). Irreversible impairment of active avoidance behavior in rats prenatally exposed to mild concentrations of carbon monoxide. *Psychopharmacology* 122: 66-71.
- de Silva, JP; Poulos, AS; Pansu, B; Davidson, P; Kasmi, B; Petermann, D; Asnacios, S; Meneau, F; Imp  rator, M. (2011). Rheological behaviour of polyoxometalate-doped lyotropic lamellar phases. *Eur Phys J E Soft Matter* 34: 4. <http://dx.doi.org/10.1140/epje/i2011-11004-1>.
- de Sio, F; Laratta, B; Giovane, A; Quagliuolo, L; Castaldo, D; Servillo, L. (2000). Analysis of free and esterified ergosterol in tomato products. *J Agric Food Chem* 48: 780-784.
- De Zordi, N; Kikic, I; Moneghini, M; Solinas, D. (2010). Piroxicam solid state studies after processing with SAS technique. *Journal of Supercritical Fluids* 55: 340-347. <http://dx.doi.org/10.1016/j.supflu.2010.06.013>.
- Dearfield, KL; Moore, MM. (2005). Use of genetic toxicology information for risk assessment. *Environ Mol Mutagen* 46: 236-245. <http://dx.doi.org/10.1002/em.20176>.
- Debertrand, N; Durand, G; Barcelo, D. (1991). EXTRACTION, CLEANUP AND LIQUID CHROMATOGRAPHIC-DIODE ARRAY DETERMINATION OF CARBAMATE PESTICIDES IN SOIL SAMPLES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 26: 575-597.
- Debonsi, HM; Miranda, JE; Murata, AT; de Bortoli, SA; Kato, MJ; Bolzani, VS; Furlan, M. (2009). Isobutyl amides--potent compounds for controlling *Diatraea saccharalis*. *Pest Manag Sci* 65: 47-51. <http://dx.doi.org/10.1002/ps.1643>.
- Dec, J; Haider, K; Benesi, A; Rangaswamy, V; Schaffer, A; Plucken, U; Bollag, JM. (1997). Analysis of soil-bound residues of C-13-labeled fungicide cyprodinil by NMR spectroscopy. *Environ Sci Technol* 31: 1128-1135.
- Decaro, D; Bradley, JS. (1997). Surface spectroscopic study of carbon monoxide adsorption on nanoscale nickel colloids prepared from a zerovalent organometallic precursor. *Langmuir* 13: 3067-3069.
- Dechaine, GP; Maham, Y; Tan, X; Gray, MR. (2011). Regular Solution Theories Are Not Appropriate for Model Compounds for Petroleum Asphaltenes. *Energy Fuels* 25: 737-746. <http://dx.doi.org/10.1021/ef101405t>.
- Degen, T; Poppy, G; Stadler, E. (1999). Extracting oviposition stimulants for carrot fly from host-plant leaves. *J Chem Ecol* 25: 89-104.
- Degen, T; Staedler, E. (1998). Oviposition of carrot fly (*Psila rosae*) in response to foliage and leaf surface extracts of host plants. *Chemoecology* 8: 39-+.
- Deghrigue, M; Festa, C; Ghribi, L; D'Auria, MV; De Marino, S; Ben Jannet, H; Bouraoui, A. (2015). Anti-inflammatory and analgesic activities with gastroprotective effect of semi-purified fractions and isolation of pure compounds from Mediterranean gorgonian *Eunicella singularis*. *Asian Pacific Journal of Tropical Medicine* 8: 606-611. <http://dx.doi.org/10.1016/j.apjtm.2015.07.019>.
- Dehelean, CA; Peev, C; Cinta-Pinzaru, S; Soica, C; Kaicsa, A. (2006). FT-IR, FT-RAMAN and TLC densitometry analysis of some plane tree extracts concerning their content in betulinic acid and betulin. *Rev Chim* 57: 1105-1107.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir* 14: 4143-4147.
- Deipser, A; Stegmann, R. (1994). THE ORIGIN AND FATE OF VOLATILE TRACE COMPONENTS IN MUNICIPAL SOLID WASTE LANDFILLS. *Waste Manag Res* 12: 129-139.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Del Bubba, M; Zanieri, L; Galvan, P; Donzelli, GP; Checchini, L; Lepri, L. (2005). Determination of polycyclic aromatic hydrocarbons (PAHs) and total fats in human milk. *Ann Chim* 95: 629-641.
- Del Valle, MA; Diaz, FR; Tagle, LH; Brovelli, F; Bernede, JC. (2003). Electro-oxidation of 2,2'-dithienylketone. *Journal of Materials Science* 38: 2439-2446.
- Delatorre, Al; Fernandez, C; Tarazona, JV; Munoz, MJ. (1995). DETECTION OF AROCLOR, DDT, MALATHION AND HCB USING SEMIPERMEABLE MEMBRANES AS CONCENTRATION METHOD. *Chemosphere* 31: 2727-2737.
- Delhomenie, MC; Heitz, M. (2003). Elimination of chlorobenzene vapors from air in a compost-based biofilter. *J Chem Tech Biotechnol* 78: 588-595. <http://dx.doi.org/10.1002/jctb.822>.
- Dell, LD; Mundt, KA; McDonald, M; Tritschler, JP; Mundt, DJ. (1999). Critical review of the epidemiology literature on the potential cancer risks of methylene chloride [Review]. *Int Arch Occup Environ Health* 72: 429-442. <http://dx.doi.org/10.1007/s004200050396>.
- Dellai, A; Laajili, S; Le Morvan, V; Robert, J; Bouraoui, A. (2013). Antiproliferative activity and phenolics of the Mediterranean seaweed *Laurencia obusta*. *Ind Crop Prod* 47: 252-255. <http://dx.doi.org/10.1016/j.indcrop.2013.03.014>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste* 43: 203-207.
- Delnobile, MA; Mensitieri, G; Netti, PA; Nicolais, L. (1994). ANOMALOUS DIFFUSION IN POLY-ETHER-ETHER-KETONE. *Chem Eng Sci* 49: 633-644.
- Demarini, DM; Brooks, LR; Warren, SH; Kobayashi, T; Gilmour, MI; Singh, P. (2004). Bioassay-directed fractionation and *Salmonella* mutagenicity of automobile and forklift diesel exhaust particles. *Environ Health Perspect* 112: 814-819.
- Demarini, DM; Houk, VS; Kornel, A; Rogers, CJ. (1992). EFFECT OF A BASE-CATALYZED DECHLORINATION PROCESS ON THE GENOTOXICITY OF PCB-CONTAMINATED SOIL. *Chemosphere* 24: 1713-1720.
- Demarini, DM; Houk, VS; Lewtas, J; Williams, RW; Nishioka, MG; Srivastava, RK; Ryan, JV; Mcsorley, JA; Hall, RE; Linak, WP. (1991). MEASUREMENT OF MUTAGENIC EMISSIONS FROM THE INCINERATION OF THE PESTICIDE DINOSEB DURING APPLICATION OF COMBUSTION MODIFICATIONS. *Environ Sci Technol* 25: 910-913.

## Exposure Literature Search Results

### Off Topic

- Demarini, DM; Lemieux, PM; Ryan, JV; Brooks, LR; Williams, RW. (1994). Mutagenicity and chemical analysis of emissions from the open burning of scrap rubber tires. *Environ Sci Technol* 28: 136-141.
- Demarini, DM; Shelton, ML; Bell, DA. (1994). MUTATION SPECTRA IN SALMONELLA OF COMPLEX-MIXTURES - COMPARISON OF URBAN AIR TO BENZO[A]PYRENE. *Environ Mol Mutagen* 24: 262-275.
- Demarini, DM; Shelton, ML; Warren, SH; Ross, TM; Shim, JY; Richard, AM; Pegram, RA. (1997). Glutathione S-transferase-mediated induction of GC->AT transitions by halomethanes in Salmonella. *Environ Mol Mutagen* 30: 440-447. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)30:4<440::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)30:4<440::AID-EM9>3.0.CO;2-M).
- Demarini, DM; Williams, RW; Brooks, LR; Taylor, MS. (1992). USE OF CYANOPROPYL-BONDED HPLC COLUMN FOR BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC EXTRACTS FROM INCINERATOR EMISSIONS. *Int J Environ Anal Chem* 48: 187-199.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech* 85: 437-453.
- Demiral, H; Gündüzoğlu, G. (2010). Removal of nitrate from aqueous solutions by activated carbon prepared from sugar beet bagasse. *Bioresour Technol* 101: 1675-1680. <http://dx.doi.org/10.1016/j.biortech.2009.09.087>.
- Deng, A; Lin, Q; Yan, Y; Li, H; Ren, J; Liu, C; Sun, R. (2016). A feasible process for furfural production from the pre-hydrolysis liquor of corncob via biochar catalysts in a new biphasic system. *Bioresour Technol* 216: 754-760. <http://dx.doi.org/10.1016/j.biortech.2016.06.002>.
- Deng, H; Yang, L; Tao, G; Dai, J. (2009). Preparation and characterization of activated carbon from cotton stalk by microwave assisted chemical activation--application in methylene blue adsorption from aqueous solution. *J Hazard Mater* 166: 1514-1521. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.080>.
- Deng, M; Nair, LS; Nukavarapu, SP; Kumbar, SG; Jiang, T; Krogman, NR; Singh, A; Allcock, HR; Laurencin, CT. (2008). Miscibility and in vitro osteocompatibility of biodegradable blends of poly[(ethyl alanato) (p-phenyl phenoxy) phosphazene] and poly(lactic acid-glycolic acid). *Biomaterials* 29: 337-349. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.029>.
- Dengiz, C; Balci, M. (2013). New synthetic methodology for construction of the 3,4-dihydroquinolin-2-one skeleton. *Turkish Journal of Chemistry* 37: 220-227. <http://dx.doi.org/10.3906/kim-1207-35>.
- Deniz, S; Baran, N; Akgun, M; Akgun, NA; Dincer, S. (2004). Synthesis and characterization of block copolymers using polysiloxane based macroazoinitiator. *Turkish Journal of Chemistry* 28: 645-657.
- Denkbas, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed* 6: 815-825.
- Deoliveira, W; Glasser, WG. (1994). NOVEL CELLULOSE DERIVATIVES .2. SYNTHESIS AND CHARACTERISTICS OF MONO-FUNCTIONAL CELLULOSE PROPIONATE SEGMENTS. *Cellulose* 1: 77-86.
- Desando, MA; Ripmeester, JA. (2002). Chemical derivatization of Athabasca oil sand asphaltene for analysis of hydroxyl and carboxyl groups via nuclear magnetic resonance spectroscopy. *Fuel* 81: 1305-1319. [http://dx.doi.org/10.1016/S0016-2361\(02\)00040-6](http://dx.doi.org/10.1016/S0016-2361(02)00040-6).
- Desantis, G; Dicasa, M; Fabbrizzi, L; Licchelli, M; Pallavicini, P. (1991). SELECTIVE TRANSPORT OF ANIONS ACROSS LIQUID MEMBRANES USING THE FERROCENIUM FERROCENE REDOX COUPLE. *Adv Mater Deerfield* 3: 611-613.
- Desgrouas, C; Baghdikian, B; Mabrouki, F; Bory, S; Taudon, N; Parzy, D; Ollivier, E. (2014). Rapid and green extraction, assisted by microwave and ultrasound of cepharanthine from *Stephania rotunda* Lour. *Separation and Purification Technology* 123: 9-14. <http://dx.doi.org/10.1016/j.seppur.2013.12.016>.
- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res* 40: 3855-3860.
- Dethlefs, F; Stan, HJ. (1996). Analysis of pulp mill EOP bleaching process effluent by thin-layer chromatography with automated multiple development (AMD-HPTLC). *Acta Hydrochim Hydrobiol* 24: 77-84.
- Dettmer, FT; Wichmann, H; Bahadir, M. (1998). Optimization of dioxin clean-up by using lignite coke-silica gel columns and solvent substitutions. *Fresen Environ Bull* 7: 216-223.
- Dettmer, K; Beck, J; Goetz, U; Will, R; Stieglitz, L. (1993). Automatic evaporation in PCDD- and chlorobenzene-routine analysis. *Chemosphere* 27: 2111-2116.
- Devai, I; Delaune, RD; Patrick, WH; Gambrell, RP. (2001). Changes in methylmercury concentration during storage: effect of temperature. *Organic Geochemistry* 32: 755-758. [http://dx.doi.org/10.1016/S0146-6380\(01\)00039-0](http://dx.doi.org/10.1016/S0146-6380(01)00039-0).
- Devrim, B; Bozkir, A; Canefe, K. (2011). Preparation and evaluation of PLGA microparticles as carrier for the pulmonary delivery of rhlL-2 : I. Effects of some formulation parameters on microparticle characteristics. *J Microencapsul* 28: 582-594. <http://dx.doi.org/10.3109/02652048.2011.599438>.
- Dew, NM; Paton, GI; Semple, KT. (2005). Prediction of [3-(14)C]phenyldodecane biodegradation in cable insulating oil-spiked soil using selected extraction techniques. *Environ Pollut* 138: 316-323. <http://dx.doi.org/10.1016/j.envpol.2005.03.009>.
- Dewailly, E; Ayotte, P; Bruneau, S; Lebel, G; Levallois, P; Weber, JP. (2001). Exposure of the Inuit population of Nunavik (Arctic Quebec) to lead and mercury. *Arch Environ Health* 56: 350-357. <http://dx.doi.org/10.1080/00039890109604467>.
- Dey, R; Samantaray, MK; Callens, E; Hamieh, A, Ii; Emwas, AHM; Abou-Hamad, E, dy; Kavitate, S; Basset, JM. (2016). Cationic Tungsten(VI) Penta-Methyl Complex: Synthesis, Characterization and its Application in Olefin Metathesis Reaction. *Oil & Gas Science & Technology* 71. <http://dx.doi.org/10.2516/ogst/2016002>.
- Dhar, P; Kumar, A; Katiyar, V. (2015). Fabrication of cellulose nanocrystal supported stable Fe(0) nanoparticles: a sustainable catalyst for dye reduction, organic conversion and chemo-magnetic propulsion. *Cellulose* 22: 3755-3771. <http://dx.doi.org/10.1007/s10570-015-0759-z>.

## Exposure Literature Search Results

### Off Topic

- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal* 167: 118-126.
- Dhillon, A; Gupta, JK; Khanna, S. (2000). Enhanced production, purification and characterisation of a novel cellulase-poor thermostable, alkalitolerant xylanase from *Bacillus circulans* AB 16. *Process Biochemistry* 35: 849-856.
- Dhingra, OD; Muchovej, JJ. (1980). DICHLOROMETHANE, TRICHLOROMETHANE AND CARBONTETRACHLORIDE AS SOLVENTS FOR BEAN SEED TREATMENT WITH SYSTEMIC FUNGICIDES. *Seed Science and Technology* 8: 77-83.
- Di Bella, G; Saitta, M; Lo Curto, S; Salvo, F; Licandro, G; Dugo, G. (2001). Production process contamination of citrus essential oils by plastic materials. *J Agric Food Chem* 49: 3705-3708. <http://dx.doi.org/10.1021/jf0100043>.
- Di Profio, P; Germani, R; Onori, G; Santucci, A; Savelli, G; Bunton, CA. (1998). Relation between the infrared spectrum of water and decarboxylation kinetics in cetyltrimethylammonium bromide in dichloromethane. *Langmuir* 14: 768-772.
- Di Vaio, P; Coccoziello, B; Corvino, A; Fiorino, F; Frecentese, F; Magli, E; Onorati, G; Saccone, I; Santagada, V; Settimo, G; Severino, B; Perissutti, E. (2016). Level, potential sources of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM10) in Naples. *Atmos Environ* 129: 186-196. <http://dx.doi.org/10.1016/j.atmosenv.2016.01.020>.
- Di Vona, ML; Traversa, E; Licocchia, S. (2000). Non-hydrolytic routes for the synthesis of NASICON. *Journal of Sol-Gel Science and Technology* 19: 463-467.
- Diallo, AK; Metri, N; Brunel, F; Sallenave, X; Goubard, F; Margeat, O; Ackermann, J; Vidolot-Ackermann, C. (2013). A star-shaped molecule as hole transporting material in solution-processed thin-film transistors. *Synthetic Metals* 184: 35-40. <http://dx.doi.org/10.1016/j.synthmet.2013.09.029>.
- Diaz, AF; Baier, M; Wallraff, GM; Miller, RD; Nelson, J; Pietro, W. (1991). ELECTROOXIDATION OF SOME SOLUBLE ALKYL AND ARYL SUBSTITUTED POLYSILANE HOMOPOLYMERS. *J Electrochem Soc* 138: 742-747.
- Díaz-Ayala, R; Fachini, ER; Raptis, R; Cabrera, CR. (2006). Palladium nanostructures and nanoparticles from molecular precursors on highly ordered pyrolytic graphite. *Langmuir* 22: 10185-10195. <http://dx.doi.org/10.1021/la0605900>.
- Diaz-Mendez, FM; Rodriguez-Ariza, A; Usero-Garcia, J; Pueyo, C; Lopez-Barea, J. (1998). Mutagenic activation of aromatic amines by molluscs as a biomarker of marine pollution. *Environ Mol Mutagen* 31: 282-291.
- Dietzel, M; Tang, J; Leis, A; Koehler, SJ. (2009). Oxygen isotopic fractionation during inorganic calcite precipitation - Effects of temperature, precipitation rate and pH. *Chem Geol* 268: 107-115. <http://dx.doi.org/10.1016/j.chemgeo.2009.07.015>.
- Difranco, MJ; Sheppard, HW; Hunter, DJ; Tosteson, TD; Ascher, MS. (1996). The lack of association of marijuana and other recreational drugs with progression to AIDS in the San Francisco Men's Health Study. *Ann Epidemiol* 6: 283-289.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .1. 6: 93-99.
- Diks, RMM; Ottengraf, SPP. (1991). VERIFICATION STUDIES OF A SIMPLIFIED MODEL FOR THE REMOVAL OF DICHLOROMETHANE FROM WASTE GASES USING A BIOLOGICAL TRICKLING FILTER .2. 6: 131-140.
- Dill, DC; Murphy, PG; Mayes, MA. (1987). TOXICITY OF METHYLENE-CHLORIDE TO LIFE STAGES OF THE FATHEAD MINNOW, PIMEPHALES-PROMELAS RAFINESQUE. *Bull Environ Contam Toxicol* 39: 869-876.
- Dillon, D; Edwards, I; Combes, R; Mcconville, M; Zeiger, E. (1992). The role of glutathione in the bacterial mutagenicity of vapour phase dichloromethane. *Environ Mol Mutagen* 20: 211-217. <http://dx.doi.org/10.1002/em.2850200310>.
- Dimitrov, DV; Kil'deeva, NR; Gal'braikh, LS; Shul'chishin, VA. (1998). Modeling of the properties of enzyme-containing dispersions. *Fibre Chemistry* 30: 150-153.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ* 35: 1171-1182.
- Din, IU, d; Rashid, A; Mahmood, T; Khalid, A. (2013). Effect of land use activities on PAH contamination in urban soils of Rawalpindi and Islamabad, Pakistan. *Environ Monit Assess* 185: 8685-8694. <http://dx.doi.org/10.1007/s10661-013-3204-5>.
- Dinaro, JL; Tester, JW; Howard, JB; Swallow, KC. (2000). Experimental measurements of benzene oxidation in supercritical water. *AIChE J* 46: 2274-2284.
- Ding, C; Xu, S; Wang, J; Liu, Y; Chen, P; Feng, S. (2012). Controlled loading and release of methylene blue in layer-by-layer assembled polyelectrolyte films. *Mater Sci Eng C* 32: 670-673. <http://dx.doi.org/10.1016/j.msec.2012.01.005>.
- Ding, J; Hua, W; Zhang, H; Lou, Y. (2013). The development and application of two chlorine recycling technologies in polyurethane industry. *J Clean Prod* 41: 97-104. <http://dx.doi.org/10.1016/j.jclepro.2012.09.020>.
- Ding, Y, i; He, S; da Silva, JAT; Li, G; Tanaka, M. (2010). Effects of a new light source (cold cathode fluorescent lamps) on the growth of tree peony plantlets in vitro. *Sci Hortic (Amsterdam)* 125: 167-169. <http://dx.doi.org/10.1016/j.scienta.2010.03.019>.
- Dinh, HT; Mushrush, GW; Beal, EJ. (1999). Determination of nitrogen compound distribution from three source fuels. *Petroleum Science and Technology* 17: 383-427.
- Dinse, GE; Lagakos, SW. (1982). Nonparametric estimation of lifetime and disease onset distributions from incomplete observations. *Biometrics* 38: 921-932.
- Distasio, S; Massoli, P. (1997). Morphology, monomer size and concentration of agglomerates constituted by Rayleigh particles as retrieved from scattering/extinction measurements. *Combust Sci Tech* 124: 219-247.
- DIVINCEN.GD; Yanno, FJ; Astill, BD. (1971). HUMAN AND CANINE EXPOSURES TO METHYLENE CHLORIDE VAPOR. *Am Ind Hyg Assoc J* 32: 27-&.
- Dixit, R; Riviere, J; Krishnan, K; Andersen, ME. (2003). Toxicokinetics and physiologically based toxicokinetics in toxicology and risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 6: 1-40. <http://dx.doi.org/10.1080/10937400306479>.

## Exposure Literature Search Results

### Off Topic

- Dixon, D; Meenan, BJ; Manson, J. (2014). PEG Functionalized Gold Nanoparticle loaded PLGA Films for Drug Delivery. *Journal of Nano Research* 27: 83-94. <http://dx.doi.org/10.4028/www.scientific.net/JNanoR.27.83>.
- Djilani, C; Zaghdoudi, R; Modarressi, A, li; Rogalski, M; Djazi, F; Lallam, A. (2012). Elimination of organic micropollutants by adsorption on activated carbon prepared from agricultural waste. *Chem Eng J* 189: 203-212. <http://dx.doi.org/10.1016/j.cej.2012.02.059>.
- Dmochowski, D; Dmochowska, A; Biedugnis, S. (2015). Chromatographic Analysis of Chemical Compounds in the Leachate from Municipal Landfill, Undergoing Electrooxidation. *Rocznik Ochrona Srodowiska* 17: 1196-1206.
- Do, L, an; Lundstedt, S; Haglund, P. (2013). Optimization of selective pressurized liquid extraction for extraction and in-cell clean-up of PCDD/Fs in soils and sediments. *Chemosphere* 90: 2414-2419. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.070>.
- Dobretsov, S; Dahms, HU; Tsoi, MY; Qian, PY. (2005). Chemical control of epibiosis by Hong Kong sponges: the effect of sponge extracts on micro- and macrofouling communities. *Mar Ecol Prog Ser* 297: 119-129.
- Dodda, JM; Remis, T; Tomas, M; Novotny, P. (2016). Effect of alternation of polyamide selective layers in the formation and performance of thin-film composite membranes. *Desalination and Water Treatment* 57: 8720-8729. <http://dx.doi.org/10.1080/19443994.2015.1026279>.
- Doerger, JU; Meier, J. R.; Dobbs, RA; Johnson, RD; Ankley, GT. (1992). TOXICITY REDUCTION EVALUATION AT A MUNICIPAL WASTE-WATER TREATMENT-PLANT USING MUTAGENICITY AS AN END-POINT. *Arch Environ Contam Toxicol* 22: 384-388.
- Dogan, A; Korkmaz, T; Dogan, OM; Keskin, S; Demir, H. (2009). Tensile Bond Strength of a Highly Cross-Linked Denture Tooth to the Compression-Molded and Injection-Molded Denture Base Polymers. *Journal of Adhesion* 85: 953-970. <http://dx.doi.org/10.1080/00218460903310070>.
- Doherty, WOS; Mousavioun, P; Fellows, CM. (2011). Value-adding to cellulosic ethanol: Lignin polymers. *Ind Crop Prod* 33: 259-276. <http://dx.doi.org/10.1016/j.indcrop.2010.10.022>.
- Doick, KJ; Lee, PH; Semple, KT. (2003). Assessment of spiking procedures for the introduction of a phenanthrene-LNAPL mixture into field-wet soil. *Environ Pollut* 126: 399-406. [http://dx.doi.org/10.1016/S0269-7491\(03\)00230-6](http://dx.doi.org/10.1016/S0269-7491(03)00230-6).
- Doke, SM; Yadav, GD. (2014). Novelities of combustion synthesized titania ultrafiltration membrane in efficient removal of methylene blue dye from aqueous effluent. *Chemosphere* 117: 760-765. <http://dx.doi.org/10.1016/j.chemosphere.2014.10.029>.
- Dolas, H; Sezer, E; Sarac, AS. (2016). Synthesis, Characterization and Electrochemical Polymerization of a Comonomer Bearing Thiophene and Imidazole: The Comparison of Impedance Behavior on Different Surfaces. 5: P211-P217. <http://dx.doi.org/10.1149/2.0041605jss>.
- Dolejs, D; Wagner, T. (2008). Thermodynamic modeling of non-ideal mineral-fluid equilibria in the system Si-Al-Fe-Mg-Ca-Na-K-H-O-Cl at elevated temperatures and pressures: Implications for hydrothermal mass transfer in granitic rocks. *Geochim Cosmo Acta* 72: 526-553. <http://dx.doi.org/10.1016/j.gca.2007.10.022>.
- Domanska, U; Pobudkowska, A. (2004). Solubility of imidazoles, benzimidazoles, and phenylimidazoles in dichloromethane, 1-chlorobutane, toluene, and 2-nitrotoluene. *Journal of Chemical and Engineering Data* 49: 1082-1090. <http://dx.doi.org/10.1021/je049907t>.
- Dombrowski, KD; Lehmann, CMB; Sullivan, PD; Ramirez, D; Rood, MJ; Hay, KJ. (2004). Organic vapor recovery and energy efficiency during electric regeneration of an activated carbon fiber cloth adsorber. *J Environ Eng* 130: 268-275. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:3\(268\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:3(268)).
- Domene, X; Alcañiz, JM; Andrés, P. (2008). Comparison of solid-phase and eluate assays to gauge the ecotoxicological risk of organic wastes on soil organisms. *Environ Pollut* 151: 549-558. <http://dx.doi.org/10.1016/j.envpol.2007.04.007>.
- Domínguez, M; Nieto, A; Marin, JC; Keck, AS; Jeffery, E; Céspedes, CL. (2005). Antioxidant activities of extracts from *Barkleyanthus salicifolius* (Asteraceae) and *Penstemon gentianoides* (Scrophulariaceae). *J Agric Food Chem* 53: 5889-5895. <http://dx.doi.org/10.1021/jf0504972>.
- Donaldson, JD; Grimes, SM; Yasri, NG; Wheals, B; Parrick, J; Errington, WE. (2002). Anodic oxidation of the dye materials methylene blue, acid blue 25, reactive blue 2 and reactive blue 15 and the characterisation of novel intermediate compounds in the anodic oxidation of methylene blue. *J Chem Tech Biotechnol* 77: 756-760. <http://dx.doi.org/10.1002/jctb.642>.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 243: 80-85. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.073>.
- Dong, MH; Draper, WM; Papanek, PJ; Ross, JH; Woloshin, KA; Stephens, RD. (1994). ESTIMATING MALATHION DOSES IN CALIFORNIA MEDFLY ERADICATION CAMPAIGN USING A PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL. *Drug Metab Rev* 241: 189-208.
- Dong, T; Chen, XJ; Wang, M; Huang, YH; Yi, GJ. (2014). Comparison of volatile aroma compounds in Dwarf Cavendish banana (*Musa spp.* AAA) grown under organic or traditional cultivation. *Journal of Horticultural Science and Biotechnology* 89: 441-447.
- Dong, X; Dong, Y, an; Jiang, M, an; Wang, L; Tong, J, in; Zhou, J. (2013). Modification of microcrystalline cellulose by using soybean oil for surface hydrophobization. *Ind Crop Prod* 46: 301-303. <http://dx.doi.org/10.1016/j.indcrop.2013.02.010>.
- Donnelly, KC; Anderson, CS; Thomas, JC; Brown, KW; Manek, DJ; Safe, SH. (1992). BACTERIAL MUTAGENICITY OF SOIL EXTRACTS FROM A BIOREMEDIATION FACILITY TREATING WOOD-PRESERVING WASTE. *J Hazard Mater* 30: 71-81.
- Donnelly, KC; Brown, KW; Anderson, CS; Thomas, JC. (1991). BACTERIAL MUTAGENICITY AND ACUTE TOXICITY OF SOLVENT AND AQUEOUS EXTRACTS OF SOIL SAMPLES FROM AN ABANDONED CHEMICAL MANUFACTURING SITE. *Environ Toxicol Chem* 10: 1123-1131.
- Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS. (1993). The use of short-term bioassays to evaluate the health and environmental risk posed by an abandoned coal gasification site (pp. 59-70). (ISSN 0882-5696; BIOSIS/93/19255). Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS.
- Donnelly, KC; Huebner, HJ; Claxton, LD; Calvin, JA; Vos, GA; Cizmas, L; He, LY. (2005). Biodegradation of simple chemical mixtures in soil. *Environ Toxicol Chem* 24: 2839-2845.
- Donnelly, KC; Safe, SH; Randerath, K; Randerath, E. (1995). Bioassay-based risk assessment of complex mixtures. *J Hazard Mater* 41: 341-350.

## Exposure Literature Search Results

### Off Topic

- Donnelly, KC; Thomas, JC; Anderson, CS; Brown, KW. (1990). THE INFLUENCE OF APPLICATION RATE ON THE BACTERIAL MUTAGENICITY OF SOIL AMENDED WITH MUNICIPAL SEWAGE-SLUDGE. *Environ Pollut* 68: 147-159.
- Donnelly, KC; Thomas, JC; Brown, KW. (1995). MUTAGENIC POTENTIAL OF ENVIRONMENTAL-SAMPLES BEFORE AND AFTER REMEDIATION OF A SOLVENT-CONTAMINATED SITE. *Environ Toxicol Chem* 14: 1281-1286.
- Dorado, AD; Dumont, E; Munoz, R; Quijano, G. (2015). A novel mathematical approach for the understanding and optimization of two-phase partitioning bioreactors devoted to air pollution control. *Chem Eng J* 263: 239-248. <http://dx.doi.org/10.1016/j.cej.2014.11.014>.
- Dorego, AMB; Pereira, LP; Reis, MJ; Oliveira, AS; Ferreira, LJV. (1997). X-ray photoelectron, UV-vis absorption, and luminescence spectroscopic studies of 2,2'-cyanines adsorbed onto microcrystalline cellulose. *Langmuir* 13: 6787-6794.
- dos Reis, GS; Wilhelm, M; de Almeida Silva, TC; Rezwan, K; Sampaio, CH; Lima, EC; Guelli Ulson de Souza, SMA. (2016). The use of design of experiments for the evaluation of the production of surface rich activated carbon from sewage sludge via microwave and conventional pyrolysis. *Applied Thermal Engineering* 93: 590-597. <http://dx.doi.org/10.1016/j.applthermaleng.2015.09.035>.
- dos Santos Garcia, VA; Cabral, VF; Zanoelo, EF; da Silva, C; Cardozo Filho, L. (2012). Extraction of Mucuna seed oil using supercritical carbon dioxide to increase the concentration of L-Dopa in the defatted meal. *Journal of Supercritical Fluids* 69: 75-81. <http://dx.doi.org/10.1016/j.supflu.2012.05.007>.
- dos Santos, LMF; Lo Biundo, G. (1999). Treatment of pharmaceutical industry process wastewater using the extractive membrane bioreactor. *Environmental Progress* 18: 34-39.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology* 5: 124-127.
- Douhal, A; Alarcos, N; Cohen, B. (2014). Photodynamics of a Proton-Transfer Dye in Solutions and Confined Within NaX and NaY Zeolites. *J Phys Chem B*. <http://dx.doi.org/10.1021/jp505591k>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2004). Oil core-polymer shell microcapsules prepared by internal phase separation from emulsion droplets. I. Characterization and release rates for microcapsules with polystyrene shells. *Langmuir* 20: 11374-11379. <http://dx.doi.org/10.1021/la048561h>.
- Dowding, PJ; Atkin, R; Vincent, B; Bouillot, P. (2005). Oil core/polymer shell microcapsules by internal phase separation from emulsion droplets. II: controlling the release profile of active molecules. *Langmuir* 21: 5278-5284. <http://dx.doi.org/10.1021/la0470838>.
- Drago, S; Petrosius, SC; Grunewald, GC; Brendley, WH. (1994). DEEP OXIDATION OF CHLORINATED HYDROCARBONS. *ACS Symp Ser Am Chem Soc* 552: 340-352.
- Dray, AE; Wittmann, F; Friend, RH; Donald, AM; Khan, MS; Lewis, J; Johnson, BFG. (1991). STRUCTURE AND ELECTRONIC-STRUCTURE OF TRANSITION METAL-CONTAINING POLY-PYRIDINES. *Synthetic Metals* 41: 871-874.
- Drouillard, KG; Hagen, H; Haffner, GD. (2004). Evaluation of chloroform/methanol and dichloromethane/hexane extractable lipids as surrogate measures of sample partition capacity for organochlorines in fish tissues. *Chemosphere* 55: 395-400. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.010>.
- Du, L, ei; Xu, H; Zhang, Y; Zou, F. (2016). Electrospinning of Polycaprolactone Nanofibers with DMF Additive: The Effect of Solution Properties on Jet Perturbation and Fiber Morphologies. *Fibers and Polymers* 17: 751-759. <http://dx.doi.org/10.1007/s12221-016-6045-3>.
- Duan, J; Wang, L, iS; Jiang, K, an; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in 1-octyl-3-methylimidazolium nitrate using gas-liquid chromatography. *Fluid Phase Equilibria* 328: 1-8. <http://dx.doi.org/10.1016/j.fluid.2012.05.006>.
- Duan, L; Naidu, R; Liu, Y; Palanisami, T; Dong, Z; Mallavarapu, M; Semple, KT. (2015). Effect of ageing on benzo[a]pyrene extractability in contrasting soils. *J Hazard Mater* 296: 175-184. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.050>.
- Duan, L; Palanisami, T; Liu, Y; Dong, Z; Mallavarapu, M; Kuchel, T; Semple, KT; Naidu, R. (2014). Effects of ageing and soil properties on the oral bioavailability of benzo[a]pyrene using a swine model. *Environ Int* 70: 192-202. <http://dx.doi.org/10.1016/j.envint.2014.05.017>.
- Duarte, A, naRC; Mano, JF; Reis, R, uiL. (2009). Preparation of starch-based scaffolds for tissue engineering by supercritical immersion precipitation. *Journal of Supercritical Fluids* 49: 279-285. <http://dx.doi.org/10.1016/j.supflu.2008.12.008>.
- Dubey, RK; Bansal, RK; Puri, BK. (1997). Differential pulse polarographic determination of copper and bismuth in various real samples after adsorption of their morpholine-4-carbodithioates on to a microcrystalline naphthalene or a morpholine-4-dithiocarbamatecetyltri-methyl-ammonium bromide-naphthalene adsorbent. *Ann Chim* 87: 405-414.
- Dubey, RK; Puri, BK. (1995). DIFFERENTIAL PULSE POLAROGRAPHIC DETERMINATION OF THALLIUM IN VARIOUS ENVIRONMENTAL SAMPLES AFTER ADSORPTION OF ITS MORPHOLINE-4-CARBODITHIOATE ONTO MICROCRYSTALLINE NAPHTHALENE. *Ann Chim* 85: 1-2.
- Dulfer, K; Duppen, N; Kuipers, IM; Schokking, M; van Domburg, RT; Verhulst, FC; Helbing, WA; Utens, EM. (2014). Aerobic exercise influences quality of life of children and youngsters with congenital heart disease: a randomized controlled trial. *55: 65-72*. <http://dx.doi.org/10.1016/j.jadohealth.2013.12.010>.
- Duman, G; Onalt, Y; Okutucu, C; Onenc, S; Yanik, J. (2009). Production of Activated Carbon from Pine Cone and Evaluation of Its Physical, Chemical, and Adsorption Properties. *Energy Fuels* 23: 2197-2204. <http://dx.doi.org/10.1021/ef800510m>.
- Dumitrascu, F; Alecu, M; Badoiu, A; Vuluga, D. (2003). Primary cycloadduct of phtalazinium 4-chlorophenacylide with DMAD. *Rev Chim* 54: 974-977.
- Dumitrascu, F; Draghici, C; Albulescu, A; Dumitrascu, D. (2006). New pyrrolo[1,2-b]pyridazine by 1,3-dipolar cycloaddition reactions. *Rev Chim* 57: 866-869.
- Dundar, P; Oskan, I; Sahin, O; Ozturk, T. (2012). Synthesis and electrochromic properties of 3,5-diphenyl-2,6-dithiophene-2-ylidithieno[3,2-b; 2',3'-d]thiophene. *Synthetic Metals* 162: 1010-1015. <http://dx.doi.org/10.1016/j.synthmet.2012.04.016>.

## Exposure Literature Search Results

### Off Topic

- Dunderdale, GJ; England, MW; Urata, C; Hozumi, A. (2015). Polymer Brush Surfaces Showing Superhydrophobicity and Air-Bubble Repellency in a Variety of Organic Liquids. 7: 12220-12229. <http://dx.doi.org/10.1021/acsami.5b02634>.
- Dun-ming, X; Yu, Z; Li-yi, L; Zhi-gang, Z; Jin, Z; Sheng-yu, L; Fang, Y; Peng-ying, H. (2010). Determination of Rotenone Residues in Foodstuffs by Solid-Phase Extraction (SPE) and Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS). *Agricultural Sciences in China* 9: 1299-1308. [http://dx.doi.org/10.1016/S1671-2927\(09\)60220-0](http://dx.doi.org/10.1016/S1671-2927(09)60220-0).
- Duplaine, C; Jacquet, F; Fontana, L. (2011). Inventory of chemical substances classified as carcinogenic, mutagen, toxic to reproduction in 40 companies. *Arch Mal Prof Environ* 72: 451-457. <http://dx.doi.org/10.1016/j.admp.2011.09.001>.
- Dural, MU; Cavas, L; Papageorgiou, SK; Katsaros, FK. (2011). Methylene blue adsorption on activated carbon prepared from *Posidonia oceanica* (L.) dead leaves: Kinetics and equilibrium studies. *Chem Eng J* 168: 77-85. <http://dx.doi.org/10.1016/j.cej.2010.12.038>.
- Durant, AA; Fente, CA; Franco, CM; Vazquez, BI; Cepeda, A. (2002). Gas chromatography-tandem mass spectrometry determination of 17 alpha-ethinylestradiol residue in the hair of cattle. Application to treated animals. *J Agric Food Chem* 50: 436-440. <http://dx.doi.org/10.1021/jf010834g>.
- Durant, JL; Hemond, HF; Thilly, WG. (1992). DETERMINATION OF MUTAGENICITY IN SEDIMENTS OF THE ABERJONA WATERSHED USING HUMAN LYMPHOBLAST AND SALMONELLA-TYPHIMURIUM MUTATION ASSAYS. *Environ Sci Technol* 26: 599-608.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ* 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.
- Dureja, P; Walia, S. (1993). CHEMICAL AND PHOTOCHEMICAL TRANSFORMATION OF CHLOROTHALONIL. *Toxicol Environ Chem* 37: 215-220.
- D'Urzo, L; Bozzini, B. (2009). Corrosion of electrodeposited copper by exposure to volatile organic compounds. *Journal of Materials Science: Materials in Electronics* 20: 666-670. <http://dx.doi.org/10.1007/s10854-008-9783-1>.
- Dutta, D; Dubey, R; Yadav, J; Shami, TC; Rao, KUB. (2011). Preparation of spongy microspheres consisting of functionalized multiwalled carbon nanotubes. *New Carbon Materials (English Edition) (Online)* 26: 98-102. [http://dx.doi.org/10.1016/s1872-5805\(11\)60069-3](http://dx.doi.org/10.1016/s1872-5805(11)60069-3).
- Dutta, TK; Rao, SBN; Sahoo, PK; Singh, N. (2007). Evaluation of arhar (Cajanus cajan) straw based pelleted feeds and prediction of in vitro gas production. *Animal Nutrition and Feed Technology* 7: 161-168.
- Dvininov, E; Ignat, M; Barvinschi, P; Smithers, MA; Popovici, E. (2010). New SnO<sub>2</sub>/MgAl-layered double hydroxide composites as photocatalysts for cationic dyes bleaching. *J Hazard Mater* 177: 150-158. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.011>.
- Dziadek, M; Zagrajczuk, B; Ziabka, M; Dziadek, K; Cholewa-Kowalska, K. (2016). The role of solvent type, size and chemical composition of bioactive glass particles in modulating material properties of poly(epsilon-caprolactone) based composites. *Composites Part A: Applied Science and Manufacturing* 90: 90-99. <http://dx.doi.org/10.1016/j.compositesa.2016.07.001>.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eberhardt, TL; Elder, T; Labbe, N. (2007). Analysis of ethanol-soluble extractives in southern pine wood by low-field proton NMR. *Journal of Wood Chemistry and Technology* 27: 35-47. <http://dx.doi.org/10.1080/02773810701285622>.
- Eberspacher, TA; Collman, JP; Chidsey, CED; Donohue, DL; Van Ryswyk, H. (2003). Modular assembly and air-stable electrochemistry of ruthenium porphyrin monolayers. *Langmuir* 19: 3814-3821. <http://dx.doi.org/10.1021/la026948j>.
- Eberstein, M; Schiller, WA. (2003). Development of high-permittivity glasses for microwave LTCC tapes. 76: 8-16.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids* 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.
- Ecik, ET; Ozcan, E; Kandemir, H; Sengul, IF; Cosut, B. (2017). Light harvesting systems composed of carbazole based subphthalocyanine-BODIPY enhanced with intramolecular fluorescence resonance energy transfer (FRET). *Dyes and Pigments* 136: 441-449. <http://dx.doi.org/10.1016/j.dyepig.2016.09.003>.
- Edokpayi, JN; Odiyo, JO; Popoola, OE; Msagati, TA. (2016). Determination and Distribution of Polycyclic Aromatic Hydrocarbons in Rivers, Sediments and Wastewater Effluents in Vhembe District, South Africa. *Int J Environ Res Public Health* 13: 387. <http://dx.doi.org/10.3390/ijerph13040387>.
- Edrissi, M; Soleymani, M. (2012). Stearoyl Piperidinium Chloride and Palmitoyl Piperidinium Chloride Surfactants: Synthesis, Characterization and Application as Capping Agent in the Microemulsion Synthesis of MnS Nanoparticles. *Tenside Surfactants Detergents* 49: 335-339.
- Edusi, C; Sankar, G; Parkin, IP. (2012). The Effect of Solvent on the Phase of Titanium Dioxide Deposited by Aerosol-assisted CVD. *Chemical Vapor Deposition* 18: 126-132. <http://dx.doi.org/10.1002/cvde.201106961>.
- Edwards, B; Poggi, V; Faeh, D. (2011). A Predictive Equation for the Vertical-to-Horizontal Ratio of Ground Motion at Rock Sites Based on Shear-Wave Velocity Profiles from Japan and Switzerland. *Seismological Society of America Bulletin* 101: 2998-3019. <http://dx.doi.org/10.1785/0120110023>.
- Edey, LA; Richards, GN. (1991). ANALYSIS OF CONDENSATES FROM WOOD SMOKE - COMPONENTS DERIVED FROM POLYSACCHARIDES AND LIGNINS. *Environ Sci Technol* 25: 1133-1137.
- Effiong, IA; Bassey, FI; Iwegbue, CM; Ekpa, OD; Williams, SA; Oguntunde, FC; Osabor, VN; Martincigh, BS. (2016). Polycyclic aromatic hydrocarbons in three commercially available fish species from the Bonny and Cross River estuaries in the Niger Delta, Nigeria. *Environ Monit Assess* 188: 508. <http://dx.doi.org/10.1007/s10661-016-5479-9>.
- Egbuchunam, TO; Okieimen, FE. (2003). Carboxymethylation of wood residues: Effect of etherification process variables. *Indian J Chem Tech* 10: 619-622.



## Exposure Literature Search Results

### Off Topic

- Egelhaaf, HJ; Holder, E; Herman, P; Mayer, HA; Oelkrug, D; Lindner, E. (2001). Synthesis, characterisation, and fluorescence spectroscopic mobility studies of fluorene labeled inorganic-organic hybrid polymers. *J Mater Chem* 11: 2445-2452.
- Ehrlich, R. (1980). Interaction between environmental pollutants and respiratory infections. *Environ Health Perspect* 35: 89-99.
- Eide, I; Johnsen, HG. (1998). Mixture design and multivariate analysis in mixture research. *Environ Health Perspect* 106 Suppl 6: 1373-1376.
- Eide, I; Zahlsten, K. (2005). A novel method for chemical fingerprinting of oil and petroleum products based on electrospray mass spectrometry and chemometrics. *Energy Fuels* 19: 964-967. <http://dx.doi.org/10.1021/ef049743m>.
- Eigenbrode, SD; Espelie, KE; Shelton, AM. (1991). BEHAVIOR OF NEONATE DIAMONDBACK MOTH LARVAE [PLUTELLA-XYLOSTELLA (L)] ON LEAVES AND ON EXTRACTED LEAF WAXES OF RESISTANT AND SUSCEPTIBLE CABBAGES. *J Chem Ecol* 17: 1691-1704.
- Eiserich, JP; Macku, C; Shibamoto, T. (1992). VOLATILE ANTIOXIDANTS FORMED FROM AN L-CYSTEINE D-GLUCOSE MAILLARD MODEL SYSTEM. *J Agric Food Chem* 40: 1982-1988.
- Eissmann, RN; Levan, MD. (1993). COADSORPTION OF ORGANIC-COMPOUNDS AND WATER-VAPOR ON BPL ACTIVATED CARBON .2. 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE AND DICHLOROMETHANE. *Ind Eng Chem Res* 32: 2752-2757.
- Ekanem, EE; Nabavi, SA; Vladislavjević, GT; Gu, S. (2015). Structured Biodegradable Polymeric Microparticles for Drug Delivery Produced Using Flow Focusing Glass Microfluidic Devices. *7: 23132-23143*. <http://dx.doi.org/10.1021/acsami.5b06943>.
- Ekklesia, E; Shanahan, P; Chua, LH; Eikaas, HS. (2015). Associations of chemical tracers and faecal indicator bacteria in a tropical urban catchment. *Water Res* 75: 270-281. <http://dx.doi.org/10.1016/j.watres.2015.02.037>.
- El Hamaoui, B; Zhi, L; Wu, J; Li, J; Lucas, NT; Tomovic, Z; Kolb, U, te; Muellen, K. (2007). Solid-state pyrolysis of polyphenylene-metal complexes: A facile approach toward carbon nanoparticles. *Adv Funct Mater* 17: 1179-1187. <http://dx.doi.org/10.1002/adfm.200600826>.
- El Nemr, A; El Said, GF; Khaled, A; El Sikaily, A; Moneer, AA; Abd-El-Khalek, DE. (2014). Differences in the corrosion inhibition of water extracts of *Cassia fistula* L. pods and o-phenanthroline on steel in acidic solutions in the presence and absence of chloride ions. *Desalination and Water Treatment* 52: 5187-5198. <http://dx.doi.org/10.1080/19443994.2013.807473>.
- El Sheikh, R; Esmail, NS; Gouda, AA; Basset, WA. (2012). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF SOME alpha-ADRENERGIC-ANTAGONISTS IN PURE FORMS AND IN PHARMACEUTICAL FORMULATIONS. *Chemical Industry and Chemical Engineering Quarterly* 18: 179-191. <http://dx.doi.org/10.2298/CICEQ110917060E>.
- Elabd, YA; Barbari, TA. (2001). Separating solvation from molecular diffusion in polymers. *AIChE J* 47: 1255-1262.
- Elbachiri, A; Hagege, A; Burgard, M. (1996). Recovery of silver nitrate by transport across a liquid membrane containing dicyclohexano 18 crown 6 as a carrier. *J Memb Sci* 121: 159-168.
- Eldin, MSM; Soliman, EA, li; Elzatahry, AAF; Elaassar, MR; Elkady, MF; Rahman, AMA; Yossef, ME; Eweida, BY. (2012). Preparation and characterization of imino diacetic acid functionalized alginate beads for removal of contaminants from waste water: I. methylene blue cationic dye model. *Desalination and Water Treatment* 40: 15-23. <http://dx.doi.org/10.5004/dwt.2012.2179>.
- Elghawi, UM; Mayouf, A; Tsolakis, A; Wyszynski, ML. (2010). Vapour-phase and particulate-bound PAHs profile generated by a (SI/HCCI) engine from a winter grade commercial gasoline fuel. *Fuel* 89: 2019-2025. <http://dx.doi.org/10.1016/j.fuel.2010.01.002>.
- El-Ghorab, A; El-Massry, KF; Shibamoto, T. (2007). Chemical composition of the volatile extract and antioxidant activities of the volatile and nonvolatile extracts of Egyptian corn silk (*Zea mays* L.). *J Agric Food Chem* 55: 9124-9127. <http://dx.doi.org/10.1021/jf071646e>.
- El-Ghorab, A; Shaaban, HA; El-Massry, KF; Shibamoto, T. (2008). Chemical composition of volatile extract and biological activities of volatile and less-volatile extracts of juniper berry (*Juniperus drupacea* L.) fruit. *J Agric Food Chem* 56: 5021-5025. <http://dx.doi.org/10.1021/jf8001747>.
- Elhadidy, O; Shakib, S; Krenek, K; Palermo, S; Entesari, K. (2015). A Wide-Band Fully-Integrated CMOS Ring-Oscillator PLL-Based Complex Dielectric Spectroscopy System. *I E E E Transactions on Circuits and Systems Part 1: Regular Papers* 62: 1940-1949. <http://dx.doi.org/10.1109/TCSI.2015.2426960>.
- Elhamifar, D; Shojaeipoor, F; Roosta, M. (2016). Self-assembled ionic-liquid based organosilica (SAILBO) as a novel and powerful adsorbent for removal of malachite green from aqueous solution. *Taiwan Institute of Chemical Engineers Journal* 59: 267-274. <http://dx.doi.org/10.1016/j.jtice.2015.07.036>.
- Elias, M, dS; Wood, A, bK; Hashim, Z; Hamzah, MS; Abd Rahman, S; Salim, NAA. (2009). IDENTIFICATION SOURCES OF POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN SEDIMENTS FROM THE STRAITS OF MALACCA. *Fresen Environ Bull* 18: 843-847.
- El-Massry, KF; El-Ghorab, AH; Shaaban, HA; Shibamoto, T. (2009). Chemical compositions and antioxidant/antimicrobial activities of various samples prepared from *Schinus terebinthifolius* leaves cultivated in Egypt. *J Agric Food Chem* 57: 5265-5270. <http://dx.doi.org/10.1021/jf900638c>.
- Elnabarawy, T; Mostafa, MR; Youssef, AM. (1997). Activated carbons tailored to remove different pollutants from gas streams and from solution. *AST* 15: 59-68.
- El-Rayes, BF; Ali, S; Heilbrun, LK; Lababidi, S; Bouwman, D; Visscher, D; Philip, PA. (2003). Cytochrome p450 and glutathione transferase expression in human breast cancer. *Clin Cancer Res* 9: 1705-1709.
- Elsaka, SE. (2013). Influence of chemical surface treatments on adhesion of fiber posts to composite resin core materials. *Dent Mater* 29: 550-558. <http://dx.doi.org/10.1016/j.dental.2013.03.004>.
- Elsaka, SE; Swain, MV. (2011). Effect of surface treatments on adhesion of low-fusing porcelain to titanium as determined by strain energy release rate. *Dent Mater* 27: 1213-1220. <http://dx.doi.org/10.1016/j.dental.2011.08.002>.
- El-Sheikh, AH; Newman, AP; Said, AJ; Alzawahreh, AM; Abu-Helal, MM. (2013). Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. *J Environ Manage* 118: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2013.01.009>.

## Exposure Literature Search Results

### Off Topic

- Elvassore, N; Bertuccio, A; Caliceti, P. (2001). Production of protein-loaded polymeric microcapsules by compressed CO<sub>2</sub> in a mixed solvent. *Ind Eng Chem Res* 40: 795-800. <http://dx.doi.org/10.1021/ie0004904>.
- El-Zanan, HS; Lowenthal, DH; Zielinska, B; Chow, JC; Kumar, N. (2005). Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples. *Chemosphere* 60: 485-496. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.005>.
- El-Zanan, HS; Zielinska, B; Mazzoleni, LR; Hansen, DA. (2009). Analytical Determination of the Aerosol Organic Mass-to-Organic Carbon Ratio. *J Air Waste Manag Assoc* 59: 58-69. <http://dx.doi.org/10.3155/1047-3289.59.1.58>.
- El-Zein, A; Mccarroll, I; Touze-Foltz, N. (2012). Three-dimensional finite-element analyses of seepage and contaminant transport through composite geosynthetic clay liners with multiple defects. *Geotextiles and Geomembranes* 33: 34-42. <http://dx.doi.org/10.1016/j.geotextmem.2012.02.004>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage* 57: 155-164.
- Enander, RT; Cohen, HJ; Gute, DM; Brown, LC; Desmaris, AM; Missaghian, R. (2004). Lead and methylene chloride exposures among automotive repair technicians. *J Occup Environ Hyg* 1: 119-125. <http://dx.doi.org/10.1080/15459620490275911>.
- Enander, RT; Gute, DM; Cohen, HJ. (2003). The concordance of pollution prevention and occupational health and safety: a perspective on U.S. policy. *Am J Ind Med* 44: 312-320. <http://dx.doi.org/10.1002/ajim.10261>.
- Enander, RT; Gute, DM; Cohen, HJ; Brown, LC; Desmaris, AM; Missaghian, R. (2002). Chemical characterization of sanding dust and methylene chloride usage in automotive refinishing: implications for occupational and environmental health. *AIHA J* 63: 741-749.
- Endo, T; Sanda, F. (1997). A novel approach for the chemical 'recycling' of polymeric materials - Equilibrium polymerization system of spiro orthoesters. *React Funct Polym* 33: 241-245.
- Engström, J; Bjurström, R. (1977). Exposure to methylene chloride: Content in subcutaneous adipose tissue. *Scand J Work Environ Health* 3: 215-224.
- Engwicht, A; Girreser, U; Muller, BW. (2000). Characterization of co-polymers of lactic and glycolic acid for supercritical fluid processing. *Biomaterials* 21: 1587-1593.
- Enriquez, EP; Gray, KH; Guarisco, VF; Linton, RW; Mar, KD; Samulski, ET. (1992). BEHAVIOR OF RIGID MACROMOLECULES IN SELF-ASSEMBLY AT AN INTERFACE. *Journal of Vacuum Science and Technology A* 10: 2775-2782.
- Ensafi, AA; Nasr-Esfahani, P; Heydari-Bafrooei, E; Rezaei, B. (2014). Redox targeting of DNA anchored to MWCNTs and TiO<sub>2</sub> nanoparticles dispersed in poly dialyldimethylammonium chloride and chitosan. *Colloids Surf B Biointerfaces* 121: 99-105. <http://dx.doi.org/10.1016/j.colsurfb.2014.05.040>.
- Ercetin, T; Senol, FS; Orhan, IE; Toker, G. (2012). Comparative assessment of antioxidant and cholinesterase inhibitory properties of the marigold extracts from *Calendula arvensis* L. and *Calendula officinalis* L. *Ind Crop Prod* 36: 203-208. <http://dx.doi.org/10.1016/j.indcrop.2011.09.007>.
- Erdem, A; Kerman, K; Meric, B; Ozkan, D; Kara, P; Ozsoz, M. (2002). DNA biosensor for *Microcystis* spp. sequence detection by using methylene blue and ruthenium complex as electrochemical hybridization labels. *Turkish Journal of Chemistry* 26: 851-862.
- Erdem, O; Guzel, B. (2014). Synthesis of new perfluorinated binaphthyl Mn(III) complexes and epoxidation of styrene in supercritical carbon dioxide. *Journal of Supercritical Fluids* 85: 6-10. <http://dx.doi.org/10.1016/j.supflu.2013.10.009>.
- Erez, Y; Simkovitch, R, on; Akulov, K; Gepshtein, R; Schwartz, T, al; Huppert, D, an. (2014). Two Roads Converged in a Yellow Dye: Unusual Spectral Broadening in the Emission of Auramine-O Possibly Caused by Low-Friction Intramolecular Rotation. *J Phys Chem C* 118: 27063-27073. <http://dx.doi.org/10.1021/jp5070903>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res* 67: 816-821.
- Ergas, SJ; Veir, J; Kinney, K. (1996). Control of dichloromethane emissions using biofiltration. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 31: 1741-1754.
- Ergun, EL; Ercan, MT; Selek, H; Kas, HS; Ruacan, S; Unsal, IS; Mutlu, M. (2000). Evaluation of Tc-99m labelled poly lactic acid microspheres for diagnostic radioembolization. *J Microencapsul* 17: 509-518.
- Erickson, B. (2014). TOXICS EPA assessment of methylene chloride in paint strippers identifies health risks. *Chem Eng News* 92: 7-7.
- Ericsson, J; Berggren, E; Lindqvist, C; Hansson, KA; Qvarnstrom, K; Lundh, L; Moen, G. (1996). Synthesis of hydrophilic poly(vinyl ether)s and their application for separation media design. *React Funct Polym* 30: 327-340.
- Ersoz, A; Arca, M; Pekmez, K; Yildiz, A. (2001). Electrochemical polymerization of benzene in the presence of Ag<sup>+</sup>, Pb<sup>2+</sup> and Cu<sup>+</sup> ions. *Mater Res Innovat* 4: 126-130.
- Ertas, M; Cirpan, A; Toppare, L. (2004). Synthesis and characterization of conducting copolymers of succinic acid bis-(4-pyrrol-1-yl-phenyl) ester and their electrochromic properties. *Synthetic Metals* 143: 49-58. <http://dx.doi.org/10.1016/j.synthmet.2003.10.018>.
- Eser, H; Tihminlioglu, F. (2005). Solubility and diffusivity of solvents and nonsolvents in poly(methyl methacrylate co butyl methacrylate). *Fluid Phase Equilibria* 237: 68-76. <http://dx.doi.org/10.1016/j.fluid.2005.08.016>.
- Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Molecular structures of the constituents of pyrene pitches. *Fuel* 124: 133-140. <http://dx.doi.org/10.1016/j.fuel.2014.01.093>.
- Esmer, EN; Tarkuc, S; Udum, YA; Toppare, L. (2011). Near infrared electrochromic polymers based on phenazine moieties. *Mater Chem Phys* 131: 519-524. <http://dx.doi.org/10.1016/j.matchemphys.2011.10.014>.
- Essumang, DK; Asare, EA; Dodoo, DK. (2013). Pesticides residues in okra (non-target crop) grown close to a watermelon farm in Ghana. *Environ Monit Assess* 185: 7617-7625. <http://dx.doi.org/10.1007/s10661-013-3123-5>.

## Exposure Literature Search Results

### Off Topic

- Essumang, DK; Kowalski, K; Sogaard, EG. (2011). Levels, distribution and source characterization of polycyclic aromatic hydrocarbons (PAHs) in topsoils and roadside soils in Esbjerg, Denmark. *Bull Environ Contam Toxicol* 86: 438-443. <http://dx.doi.org/10.1007/s00128-011-0232-0>.
- Esteves, B; Graca, J; Pereira, H. (2008). Extractive composition and summative chemical analysis of thermally treated eucalypt wood. *Holzforschung* 62: 344-351. <http://dx.doi.org/10.1515/HF.2008.057>.
- Esteves, B; Velez Marques, A; Domingos, I; Pereira, H. (2013). CHEMICAL CHANGES OF HEAT TREATED PINE AND EUCALYPT WOOD MONITORED BY FTIR. 15: 245-258. <http://dx.doi.org/10.4067/S0718-221X2013005000020>.
- Estill, CF; Spencer, AB. (1996). Case study: Control of methylene chloride exposures during furniture stripping. *Am Ind Hyg Assoc J* 57: 43-49. <http://dx.doi.org/10.1080/15428119691015205>.
- Estill, CF; Watkins, DS; Shulman, SA; Kurimo, RW; Kovein, RJ. (2002). Engineering controls for furniture strippers to meet the OSHA methylene chloride PEL. *AIHAJ* 63: 326-333.
- Estrada, P; Baroto, W; Castillon, MP; Acebal, C; Arche, R. (1993). TEMPERATURE EFFECTS ON POLYPHENOL OXIDASE ACTIVITY IN ORGANIC-SOLVENTS WITH LOW WATER-CONTENT. *J Chem Tech Biotechnol* 56: 59-65.
- Ettamarna, M. (2006). New boron nitride spray coating eliminates methylene chloride. *Advanced Materials and Processes* 164: 57-57.
- Evans, RD; Mcdonald, F. (1995). Effect of corrosion products (neodymium iron boron) on oral fibroblast proliferation. 6: 199-202.
- Eyupoglu, V; Polat, E. (2015). Evaluation of Cd(II) transport with imidazolium bromides bearing butyl and isobutyl groups as extractants from acidic iodide solutions by liquid-liquid solvent extraction. *Fluid Phase Equilibria* 394: 46-60. <http://dx.doi.org/10.1016/j.fluid.2015.03.003>.
- Fabiańska, M; Kozielska, B; Bielaczyc, P; Woodburn, J; Koniecznyński, J. (2016). Geochemical markers and polycyclic aromatic hydrocarbons in solvent extracts from diesel engine particulate matter. *Environ Sci Pollut Res Int* 23: 6999-7011. <http://dx.doi.org/10.1007/s11356-015-5996-z>.
- Fabińska, MJ; Smolka-Danielowska, D. (2012). Biomarker compounds in ash from coal combustion in domestic furnaces (Upper Silesia Coal Basin, Poland). *Fuel* 102: 333-344. <http://dx.doi.org/10.1016/j.fuel.2012.07.012>.
- Faboro, EO; Wei, L; Liang, S; Mcdonald, AG; Obafemi, CA. (2016). Characterization of dichloromethane and methanol extracts from the leaves of a medicinal plant: *Globimetula oreophila*. *Ind Crop Prod* 83: 391-399. <http://dx.doi.org/10.1016/j.indcrop.2016.01.008>.
- Fachini, ER; Cabrera, CR. (1999). Adsorption and decomposition of Ru-3(CO)(9)(CH3CN)(3) at platinum surfaces: An X-ray photoelectron spectroscopy and Fourier transform-infrared spectroscopy study. *Langmuir* 15: 717-721.
- Fadda, AA; El-Mekawy, RE. (2015). Some studies in cyanine dyes incorporating pyridine rings endowed with pharmaceutical potency. *Dyes and Pigments* 118: 45-52. <http://dx.doi.org/10.1016/j.dyepig.2015.02.018>.
- Fahma, F; Takemura, A; Saito, Y. (2014). Acetylation and stepwise solvent-exchange to modify hydrophilic cellulose whiskers to polychloroprene-compatible nanofiller. *Cellulose* 21: 2519-2527. <http://dx.doi.org/10.1007/s10570-014-0294-3>.
- Faisal, M; Khan, SB; Rahman, MM; Jamal, A; Abdullah, MM. (2012). Fabrication of ZnO nanoparticles based sensitive methanol sensor and efficient photocatalyst. *Appl Surf Sci* 258: 7515-7522. <http://dx.doi.org/10.1016/j.apsusc.2012.04.075>.
- Fakhfakh, M; Turki, H; Fery-Forgues, S; El Gharbi, R. (2010). The synthesis and optical properties of novel fluorescent iminocoumarins and bis-iminocoumarins: Investigations in the series of urea derivatives. *Dyes and Pigments* 84: 108-113. <http://dx.doi.org/10.1016/j.dyepig.2009.07.003>.
- Fakis, M; Hrobarik, P; Stathatos, E; Giannetas, V; Persephonis, P. (2013). A time resolved fluorescence and quantum chemical study of the solar cell sensitizer D149. *Dyes and Pigments* 96: 304-312. <http://dx.doi.org/10.1016/j.dyepig.2012.07.025>.
- Falach, L; Cojocar, M; Shani, A. (2003). Evidence for a short-range sex pheromone in female *Maladera matrida* beetle. *J Chem Ecol* 29: 603-613.
- Fan, J, ieP; Xie, Y, anL; Tian, Z, eYou; Xu, R, ui; Qin, Y, u; Li, L, ie; Zhu, JH; Zhang, X, ueH. (2013). Solubilities of Rutaecarpine in Twelve Organic Solvents from (283.2 to 323.2) K. *Journal of Chemical and Engineering Data* 58: 1969-1973. <http://dx.doi.org/10.1021/jc4001334>.
- Fan, X; Liu, ZT; Liu, ZW. (2010). Preparation and application of cellulose triacetate microspheres. *J Hazard Mater* 177: 452-457. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.054>.
- Fan, X; Liu, ZW, en; Lu, J; Liu, ZT, ie. (2009). Cellulose Triacetate Optical Film Preparation from Ramie Fiber. *Ind Eng Chem Res* 48: 6212-6215. <http://dx.doi.org/10.1021/ie801703x>.
- Fan, X; Zhang, Q; Zhang, H; Zhang, B; Li, C; Li, X; Lei, X. (2013). Synthesis of PS/Ag asymmetric hybrid particles via phase separation and self-assembly. *Particuology* 11: 768-775. <http://dx.doi.org/10.1016/j.partic.2012.09.012>.
- Fang, D, aWei; Sun, YC; Wang, ZW, ei. (2008). Solution enthalpies of ionic liquid 1-hexyl-3-methylimidazolium chloride. *Journal of Chemical and Engineering Data* 53: 259-261. <http://dx.doi.org/10.1021/jc700187z>.
- Fang, G; Gao, J; Liu, C, un; Dionysiou, DD; Wang, Y, u; Zhou, D. (2014). Key Role of Persistent Free Radicals in Hydrogen Peroxide Activation by Biochar: Implications to Organic Contaminant Degradation. *Environ Sci Technol* 48: 1902-1910. <http://dx.doi.org/10.1021/es4048126>.
- Fang, GC; Chang, CN; Wu, YS; Fu, PP; Yang, IL; Chen, MH. (2004). Characterization, identification of ambient air and road dust polycyclic aromatic hydrocarbons in central Taiwan, Taichung. *Sci Total Environ* 327: 135-146. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.016>.
- Fang, GC; Wu, YS; Chang, CN; Ho, TT. (2006). A study of polycyclic aromatic hydrocarbons concentrations and source identifications by methods of diagnostic ratio and principal component analysis at Taichung chemical Harbor near Taiwan Strait. *Chemosphere* 64: 1233-1242. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.031>.
- Fang, GC; Wu, YS; Chen, JC; Chang, CN; Ho, TT. (2006). Characteristic of polycyclic aromatic hydrocarbon concentrations and source identification for fine and coarse particulates at Taichung Harbor near Taiwan Strait during 2004-2005. *Sci Total Environ* 366: 729-738. <http://dx.doi.org/10.1016/j.scitotenv.2005.09.075>.

## Exposure Literature Search Results

### Off Topic

- Fang, GC; Wu, YS; Chen, JC; Fu, PP; Chang, CN; Ho, TT; Chen, MH. (2005). Characteristic study of polycyclic aromatic hydrocarbons for fine and coarse particulates at Pastureland near Industrial Park sampling site of central Taiwan. *Chemosphere* 60: 427-433. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.034>.
- Fanghanel, E; Luthge, T; Marx, J; Richter, AM. (2000). Synthesis and characterization of long wave length absorbing mono azo dyes based on a green sensitive diazonium salt and triazolium couplers. *Journal of Information Recording* 25: 511-518.
- Farcasiu, M; Petrosius, SC; Eldredge, PA; Anderson, RR; Ladner, EP. (1994). MODELING COAL-LIQUEFACTION .3. CATALYTIC REACTIONS OF POLYFUNCTIONAL COMPOUNDS. *Energy Fuels* 8: 920-924.
- Farine, JP; Lequere, JL; Duffy, J; Everaerts, C; Brossut, R. (1994). MALE SEX-PHEROMONE OF COCKROACH EURYCOTIS-FLORIDANA (WALKER) (BLATTIDAE, POLYZOSTERIIINAE) - ROLE AND COMPOSITION OF TERGITE-2 AND TERGITE-8 SECRETIONS. *J Chem Ecol* 20: 2291-2306.
- Farncomb, RE; Naufflett, GW. (1997). Innovative polymer processing in carbon dioxide. *Waste Manag* 17: 123-127.
- Farrokh, M; Hosseini, SC; Yang, J, aeKyu; Shirzad-Siboni, M. (2014). Application of ZnO-Fe<sub>3</sub>O<sub>4</sub> Nanocomposite on the Removal of Azo Dye from Aqueous Solutions: Kinetics and Equilibrium Studies. *Water Air Soil Pollut* 225. <http://dx.doi.org/10.1007/s11270-014-2113-8>.
- Fathi, SAM; Parinejad, M; Yaftian, MR. (2008). Multidentate nitrogen/oxygen donor ionophores; their use as selective extracting and mobile-carrier agents for copper(II) ions. *Separation and Purification Technology* 64: 1-7. <http://dx.doi.org/10.1016/j.seppur.2008.09.003>.
- Fatoki, OS; Noma, A. (2002). Solid phase extraction method for selective determination of phthalate esters in the aquatic environment. *Water Air Soil Pollut* 140: 85-98.
- Favre, E; Morliere, N; Roizard, D. (2002). Experimental evidence and implications of an imperfect upstream pressure step for the time-lag technique. *J Memb Sci* 207: 59-72.
- Fayad, NM. (1988). GAS CHROMATOGRAPHY/MASS SPECTROSCOPY IDENTIFICATION OF ARTIFACTS FORMED IN METHYLENE-CHLORIDE EXTRACTS OF SALINE WATER. *Environ Sci Technol* 22: 1347-1348.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet* 51: 559-574.
- Feakin, SJ; Blackburn, E; Burns, RG. (1994). BIODEGRADATION OF S-TRIAZINE HERBICIDES AT LOW CONCENTRATIONS IN SURFACE WATERS. *Water Res* 28: 2289-2296.
- Feas, X; Fente, CA; Hosseini, SV; Seijas, JA; Vazquez, BI; Franco, CM; Cepeda, A. (2009). Use of acrylic acid in the synthesis of molecularly imprinted polymers for the analysis of cyproheptadine. *Mater Sci Eng C* 29: 398-404. <http://dx.doi.org/10.1016/j.msec.2008.08.011>.
- Fechter, LD. (1987). Neurotoxicity of prenatal carbon monoxide exposure (pp. 3-22). (ISSN 1041-5505; Report no. 12). Cambridge, MA: Health Effects Institute. <http://pubs.healtheffects.org/view.php?id=246>.
- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Influence of process conditions on the mean size of PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 846-853. <http://dx.doi.org/10.1016/j.cep.2011.05.006>.
- Feczko, T; Toth, J; Dosa, G, y; Gyenis, J. (2011). Optimization of protein encapsulation in PLGA nanoparticles. *Chemical Engineering and Processing: Process Intensification* 50: 757-765. <http://dx.doi.org/10.1016/j.cep.2011.06.008>.
- Fei, Y; Chen, Y, an; Wang, H; Gao, W; Yang, R; Wan, Y. (2011). Preparation, Characterization of Antibacterial PLA/TP Nanofibers. *Fibers and Polymers* 12: 340-344. <http://dx.doi.org/10.1007/s12221-011-0340-9>.
- Feitz, AJ; Guan, J; Chattopadhyay, G; Waite, TD. (2002). Photo-Fenton degradation of dichloromethane for gas phase treatment. *Chemosphere* 48: 401-406.
- Feldheim, DL; Hendrickson, SM; Krejci, M; Elliott, CM. (1995). CHARGE TRAPPING IN POLY(3,4-DIPHENYLPYRROLE) AND RELEASE BY TRACE HALOCARBONS IN WATER. *Chem Mater* 7: 1124-1131.
- Fendinger, NJ; Adams, DD; Glotfelty, DE. (1992). THE ROLE OF GAS EBULLITION IN THE TRANSPORT OF ORGANIC CONTAMINANTS FROM SEDIMENTS. *Sci Total Environ* 112: 189-201.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere* 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.
- Feng, M; You, W; Wu, Z; Chen, Q; Zhan, H. (2013). Mildly alkaline preparation and methylene blue adsorption capacity of hierarchical flower-like sodium titanate. 5: 12654-12662. <http://dx.doi.org/10.1021/am404011k>.
- Feng, Y; Dai, H; Gao, W; Huang, Y; Tang, W; Zhang, C; Luo, H, ao; Yuan, Y; Chen, L; Li, Y. (2015). Measurement and Correlation of Solubility of Tetraphenyl Piperazine-1,4-diylidiphosphonate in Mixed Solvents. *Journal of Chemical and Engineering Data* 60: 561-567. <http://dx.doi.org/10.1021/je500678z>.
- Fenoll, J; Hellin, P; Flores, P; Sotomayor, JA; Nicolas, MI. (2008). Determination of oxadiazon and oxyfluorfen in thyme by gas chromatography with electron-capture detection and gas chromatography/mass spectrometry. *Int J Environ Anal Chem* 88: 663-670. <http://dx.doi.org/10.1080/03067310802030699>.
- Fenoll, J; Hellin, P; Marin, C; Martínez, CM; Flores, P. (2005). Multiresidue analysis of pesticides in soil by gas chromatography with nitrogen-phosphorus detection and gas chromatography mass spectrometry. *J Agric Food Chem* 53: 7661-7666. <http://dx.doi.org/10.1021/jf051327s>.
- Ferguson, LJ; Lebetkin, EH; Lih, FB; Tomer, KB; Parkinson, HD; Borghoff, SJ; Burka, LT. (2007). 14C-labeled pulegone and metabolites binding to alpha2u-globulin in kidneys of male F-344 rats. *J Toxicol Environ Health A* 70: 1416-1423. <http://dx.doi.org/10.1080/15287390701382720>.
- Fernandez, E; Centeno, TA; Stoeckli, F. (2001). Chars and activated carbons prepared from Asturian apple pulp. *AST* 19: 645-653.
- Fernandez, R; Galarraga, F. (2001). Lead concentration and composition of organic compounds in settled particles in road tunnels from the Caracas Valley-Venezuela. *Environ Geochem Health* 23: 17-25.

## Exposure Literature Search Results

### Off Topic

- Fernando, WGD; Ramarathnam, R; Krishnamoorthy, AS; Savchuk, SC. (2005). Identification and use of potential bacterial organic antifungal volatiles in biocontrol. *Soil Biol Biochem* 37: 955-964. <http://dx.doi.org/10.1016/j.soilbio.2004.10.021>.
- Ferrari, S; Belevi, H; Baccini, P. (2002). Chemical speciation of carbon in municipal solid waste incinerator residues. *Waste Manag* 22: 303-314.
- Ferrari, S; Mandel, F; Berset, JD. (2002). Quantitative determination of 1-hydroxypyrene in bovine urine samples using high-performance liquid chromatography with fluorescence and mass spectrometric detection. *Chemosphere* 47: 173-182. [http://dx.doi.org/10.1016/S0045-6535\(01\)00302-2](http://dx.doi.org/10.1016/S0045-6535(01)00302-2).
- Ferraris, M; Chiesara, E; Radice, S; Giovara, A; Frigerio, S; Fumagalli, R; Marabini, L. (2005). Study of potential toxic effects on rainbow trout hepatocytes of surface water treated with chlorine or alternative disinfectants. *Chemosphere* 60: 65-73. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.034>.
- Ferreira, DP; Conceicao, DS; Prostota, Y; Santos, PF; Ferreira, LFV. (2015). Fluorescent "rhodamine-like" hemicyanines derived from the 6-(N,N-diethylamino)-1,2,3,4-tetrahydroxanthylum system. *Dyes and Pigments* 112: 73-80. <http://dx.doi.org/10.1016/j.dyepig.2014.06.021>.
- Ferreira, J; Miranda, I; Sen, U; Pereira, H. (2016). Chemical and cellular features of virgin and reproduction cork from *Quercus variabilis*. *Ind Crop Prod* 94: 638-648. <http://dx.doi.org/10.1016/j.indcrop.2016.09.038>.
- Ferreira, LFV; Nettoferreira, JC; Khmelinskii, IV; Garcia, AR; Costa, SMB. (1995). PHOTOCHEMISTRY ON SURFACES - MATRIX-ISOLATION MECHANISMS STUDY OF INTERACTIONS OF BENZOPHENONE ADSORBED ON MICROCRYSTALLINE CELLULOSE INVESTIGATED BY DIFFUSE-REFLECTANCE AND LUMINESCENCE TECHNIQUES. *Langmuir* 11: 231-236.
- Ferreira, V; Fernandez, P; Gracia, JP; Cacho, JF. (1995). IDENTIFICATION OF VOLATILE CONSTITUENTS IN WINES FROM VITIS-VINIFERA VAR VIDADILLO AND SENSORY CONTRIBUTION OF THE DIFFERENT WINE FLAVOR FRACTIONS. *J Sci Food Agric* 69: 299-310.
- Ferrence, GM; Henderson, JI; Kurth, DG; Morgenstern, DA; Bein, T; Kubiak, CP. (1996). Covalent attachment of nickel clusters to gold electrode surfaces. Formation of rectifying molecular layers. *Langmuir* 12: 3075-3081.
- Fialho, PS; de Castro, CAN. (2001). Use of universal correlations to predict some thermophysical properties of alternative refrigerants. *High Temperatures - High Pressures* 33: 611-625.
- Fiedler, DA; Koppenol, M; Bond, AM. (1995). AN ESR-ELECTROCHEMICAL CELL WHICH CAN BE USED IN HIGH AND LOW DIELECTRIC SOLVENTS OVER WIDE RANGES OF TEMPERATURE AND TIME-DOMAIN. *J Electrochem Soc* 142: 862-867.
- Figueiredo, H; Neves, IC; Quintelas, C; Tavares, T; Taralunga, A; Mijoin, J; Magnoux, P. (2006). Oxidation catalysts prepared from biosorbents supported on zeolites. *Appl Catal B-Environ* 66: 274-280. <http://dx.doi.org/10.1016/j.apcatb.2006.04.002>.
- Filigenzi, MS; Poppenga, RH; Tiwary, AK; Puschner, B. (2007). Determination of alpha-amanitin in serum and liver by multistage linear ion trap mass spectrometry. *J Agric Food Chem* 55: 2784-2790. <http://dx.doi.org/10.1021/jf063194w>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage* 21: 635-642.
- Fiolka, C; Richter, M; Pantenburg, I; Mudring, AV; Meyer, G. (2011). (B15c5) BiI3(I-2): Molecular Benzo-15-Crown-5-BiI3 Complexes Bridged by Iodine Molecules to Chains. 1: 220-228. <http://dx.doi.org/10.3390/cryst1040220>.
- Fiorentini, C; Taverna, M; Griffiths, T. (1994). LATEST MANUFACTURING SOLUTIONS FOR SLABSTOCK FOAMS. *Cell Polym* 13: 361-370.
- Fisher, JA; Scarlett, MJ; Stott, AD. (1997). Accelerated solvent extraction: An evaluation for screening of soils for selected US EPA semivolatile organic priority pollutants. *Environ Sci Technol* 31: 1120-1127.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fitahia, EM; Raheiniaina, CE; Bazin, MA; Huvelin, JM; Loge, C; Ranaivoson, E; Nazih, H. (2015). Anti-proliferative and Pro-apoptotic Effect of Dichloromethane Extract of *Octopus vulgaris* By-Products on Human Breast Cancer Cell Lines. *Waste Biomass Valorization* 6: 237-242. <http://dx.doi.org/10.1007/s12649-014-9344-1>.
- Fitzgerald, TD; Gallagher, EM. (1976). A CHEMICAL TRAIL FACTOR FROM THE SILK OF THE EASTERN TENT CATERPILLAR *Malacosoma americanum* (LEPIDOPTERA: LASIOPIDAE). *J Chem Ecol* 2: 187-193.
- Flanagan, WP. (1998). Biodegradation of dichloromethane in a granular activated carbon fluidized bed reactor. *Water Environ Res* 70: 60-66.
- Flathman, PE; Jerger, DE; Woodhull, PM. (1992). REMEDIATION OF DICHLOROMETHANE (DCM)-CONTAMINATED GROUND-WATER. *Environmental Progress* 11: 202-209.
- Flatman-Fairs, DP; Harrison, G. (1999). Suitability of UK bituminous and Spanish lignituous coals, and their blends for two stage liquefaction. *Fuel* 78: 1711-1717.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fletouris, DJ; Botsoglou, NA; Psomas, IE; Mantis, AI. (1996). Trace multiresidue analysis of fenbendazole and its sulfoxide, sulfone, and p-hydroxylated metabolites in milk by liquid chromatography. *J Agric Food Chem* 44: 3882-3886.
- Fletouris, DJ; Papapanagiotou, EP; Nakos, DS; Psomas, IE. (2005). Highly sensitive ion pair liquid chromatographic determination of albendazole marker residue in animal tissues. *J Agric Food Chem* 53: 893-898. <http://dx.doi.org/10.1021/jf048459q>.
- Fletouris, DJ; Psomas, JE; Mantis, AJ. (1992). DETERMINATION OF SOME MONOBASIC PENICILLINS IN MILK BY ION-PAIR LIQUID-CHROMATOGRAPHY. *J Agric Food Chem* 40: 617-621.
- Fodor, GG; Prajsnar, D; Schlipkoter, HW. (1973). Endogenous CO formation by incorporated halogenated hydrocarbons of the methane series. *Gefahrst Reinhalt Luft* 33: 260-261.

## Exposure Literature Search Results

### Off Topic

- Fokialakis, N; Cantrell, CL; Duke, SO; Skaltsounis, AL; Wedge, DE. (2006). Antifungal activity of thiophenes from *Echinops ritro*. *J Agric Food Chem* 54: 1651-1655. <http://dx.doi.org/10.1021/jf052702j>.
- Foo, KY; Hameed, BH. (2011). Microwave-assisted preparation of oil palm fiber activated carbon for methylene blue adsorption. *Chem Eng J* 166: 792-795. <http://dx.doi.org/10.1016/j.cej.2010.11.019>.
- Foo, KY; Hameed, BH. (2011). Preparation of activated carbon from date stones by microwave induced chemical activation: Application for methylene blue adsorption. *Chem Eng J* 170: 338-341. <http://dx.doi.org/10.1016/j.cej.2011.02.068>.
- Foreman, WT; Zaugg, SD; Faires, LM; Werner, MG; Leiker, TJ; Rogerson, PF. (1992). ANALYTICAL INTERFERENCES OF MERCURIC-CHLORIDE PRESERVATIVE IN ENVIRONMENTAL WATER SAMPLES - DETERMINATION OF ORGANIC-COMPOUNDS ISOLATED BY CONTINUOUS LIQUID-LIQUID-EXTRACTION OR CLOSED-LOOP STRIPPING. *Environ Sci Technol* 26: 1307-1312.
- Fosso-Kankeu, E; Mittal, H; Waanders, F; Ntwampe, IO; Ray, SS. (2016). Preparation and characterization of gum karaya hydrogel nanocomposite flocculant for metal ions removal from mine effluents. *Int J Environ Sci Tech* 13: 711-724. <http://dx.doi.org/10.1007/s13762-015-0915-x>.
- Foster, SP; Howard, AJ. (1998). Influence of stimuli from *camellia japonica* on ovipositional behavior of generalist herbivore *Epiphyas postvittana*. *J Chem Ecol* 24: 1251-1275.
- Fotidis, IA; Laranjeiro, TFV, C; Angelidaki, I. (2016). Alternative co-digestion scenarios for efficient fixed-dome reactor biomethanation processes. *J Clean Prod* 127: 610-617. <http://dx.doi.org/10.1016/j.jclepro.2016.04.008>.
- Foureman, P; Mason, JM; Valencia, R; Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen* 23: 208-227. <http://dx.doi.org/10.1002/em.2850230310>.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater* 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fournel, L; Mocho, P; Fanlo, JL; Le Cloirec, P. (2005). External capillary condensation and adsorption of VOCs onto activated carbon fiber cloth and felt. *Environ Technol* 26: 1277-1287. <http://dx.doi.org/10.1080/09593332608618598>.
- Fox, SL; Bala, GA. (2000). Production of surfactant from *Bacillus subtilis* ATCC 21332 using potato substrates. *Bioresour Technol* 75: 235-240.
- Fragala, ME; Malandrino, G; Puglisi, O; Benelli, C. (2000). Synthesis, x-ray structure, and characterization of Ag(hfa)center dot tetraglyme [hfa = hexafluoroacetylacetonate]: A novel adduct for the fabrication of metallic silver based films via in situ self reduction. *Chem Mater* 12: 290-+.
- Franceschi, E; De Cesaro, AM; Feiten, M; Ferreira, SRS; Dariva, C; Kunita, MH; Rubira, AF; Muniz, EC; Corazza, ML; Oliveira, JV. (2008). Precipitation of beta-carotene and PHBV and co-precipitation from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 47: 259-269. <http://dx.doi.org/10.1016/j.supflu.2008.08.002>.
- Franceschi, E; De Cesaro, AM; Ferreira, SRS; Oliveira, JV. (2009). Precipitation of beta-carotene microparticles from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Food Engineering* 95: 656-663. <http://dx.doi.org/10.1016/j.jfoodeng.2009.06.034>.
- Franceschi, E; Kunita, MH; Tres, MV; Rubira, AF; Muniz, EC; Corazza, ML; Dariva, C; Ferreira, SRS; Oliveira, JV. (2008). Phase behavior and process parameters effects on the characteristics of precipitated theophylline using carbon dioxide as antisolvent. *Journal of Supercritical Fluids* 44: 8-20. <http://dx.doi.org/10.1016/j.supflu.2007.09.031>.
- Franke, S; Sagajdakow, A; Wolska, L; Namiesnik, J. (2009). INTEGRATED APPROACH - THE EFFECTIVE TOOL FOR POLLUTION LEVEL CONTROL OF SEDIMENTS FROM LAKE TURAWSKIE. 16: 313-321.
- Freedman, DL; Smith, CR; Noguera, DR. (1997). Dichloromethane biodegradation under nitrate-reducing conditions. *Water Environ Res* 69: 115-122.
- Freeman, DH; Saintmartin, DC; Falvey, DE. (1992). SOLVENT QUALITY ASSURANCE IN PORPHYRIN RESEARCH. *Energy Fuels* 6: 532-534.
- Freire, CSR; Silvestre, AJD; Neto, CP. (2002). Identification of new hydroxy fatty acids and ferulic acid esters in the wood of *Eucalyptus globulus*. *Holzforschung* 56: 143-149.
- Freire, CSR; Silvestre, AJD; Neto, CP; Cavaleiro, JAS. (2002). Lipophilic extractives of the inner and outer barks of *Eucalyptus globulus*. *Holzforschung* 56: 372-379.
- Freire Pereira, FH; da Silva Sa, FV; Puiatti, M; Finger, FL; Cecon, PR. (2015). Growth of plant, partition of assimilates and fruit yield of melon yellow shaded by different meshes. *Ciencia Rural* 45: 1774-1781. <http://dx.doi.org/10.1590/0103-8478cr20141134>.
- Freise, R; Konig, J; Cammann, K. (1991). INVESTIGATION OF FILLERS WITH REGARD TO THEIR NITROSAMINE CONTENT AND THEIR NITROSATING POTENTIAL. *Kautschuk Gummi Kunststoffe* 44: 429-434.
- Freitas, L, dosS; Dariva, C; Jacques, RA; Caramao, EB. (2013). Effect of experimental parameters in the pressurized liquid extraction of brazilian grape seed oil. *Separation and Purification Technology* 116: 313-318. <http://dx.doi.org/10.1016/j.seppur.2013.06.002>.
- French, PR; Mannhardt, K; Debree, N; Shaw, JC. (1995). ASSESSMENT OF SOLVENT-EXTRACTION EFFICIENCY IN SANDSTONES USING BET SPECIFIC SURFACE-AREA MEASUREMENTS. *Journal of Canadian Petroleum Technology* 34: 27-33.
- Friedlander, BR; Hearne, T; Hall, S. (1978). Epidemiologic investigation of employees chronically exposed to methylene chloride: Mortality analysis. *J Occup Environ Med* 20: 657-666.
- Friesen, KJ; Fairchild, WL; Loewen, MD; Lawrence, SG; Holoka, MH; Muir, DCG. (1993). EVIDENCE FOR PARTICLE-MEDIATED TRANSPORT OF 2,3,7,8-TETRACHLORODIBENZOFURAN DURING GAS SPARGING OF NATURAL-WATER. *Environ Toxicol Chem* 12: 2037-2044.
- Friess, K; Jansen, JC; Pozivil, J; Hanta, V; Hynek, V; Vopicka, O; Zgazar, M; Bernardo, P; Izak, P; Drioli, E. (2013). Anomalous Phenomena Occurring during Permeation and Sorption of C-1-C-6 Alcohol Vapors in Teflon AF 2400. *Ind Eng Chem Res* 52: 10406-10417. <http://dx.doi.org/10.1021/ie303013y>.

## Exposure Literature Search Results

### Off Topic

- Friggeri, A; Schonherr, H; van Manen, HJ; Huisman, BH; Vancso, GJ; Huskens, J; van Veggel, FCJ, M; Reinhoudt, DN. (2000). Insertion of individual dendrimer molecules into self-assembled monolayers on gold: A mechanistic study. *Langmuir* 16: 7757-7763.
- Frka, S; Kozarac, Z; Cosovic, B. (2009). Characterization and seasonal variations of surface active substances in the natural sea surface microlayers of the coastal Middle Adriatic stations. *Estuar Coast Shelf Sci* 85: 555-564. <http://dx.doi.org/10.1016/j.ecss.2009.09.023>.
- Frka, S; Nelson, A; Kozarac, Z. (2006). Use of electrochemical impedance spectroscopy to characterise the physical properties of ex situ reconstructed sea surface microlayer. *Int J Environ Anal Chem* 86: 325-335. <http://dx.doi.org/10.1080/03067310500227852>.
- Frysz, CA; Shui, XP; Chung, DDL. (1997). Electrochemical behavior of porous carbons. *Carbon* 35: 893-916.
- Fu, J, ie; Chen, YJ, un; Ju, J, unYi; Li, QS; An, S, huQ; Zhu, H, aiL. (2011). Treating Dye Wastewater of Reactive Brilliant Red K-2BP by Cetyltrimethylammonium Chloride-Modified Bentonite with Polyacrylamide Flocculant. *Pol J Environ Stud* 20: 61-66.
- Fu, S; Wang, Y; Jia, Y; Qian, C; Tao, M; Lv, X; Chen, X. (2013). Solubilities of 4-Amino-4'-nitrodiphenyl Sulfide in Six Organic Solvents from 287.45 K to 365.55 K. *Journal of Chemical and Engineering Data* 58: 1675-1678. <http://dx.doi.org/10.1021/je4000982>.
- Fu, Y, wuJ; Chen, JT; Chen, CC; Liao, K, uoS; Hu, CC; Lee, KR; Lai, JY, ih. (2013). Characterization of morphology and gas separation performance of dry-cast polycarbonate membranes. *Polymer Engineering and Science* 53: 1623-1630. <http://dx.doi.org/10.1002/pen.23422>.
- Fu, YJ; Shyu, SS; Su, FH; Yu, PC. (2002). Development of biodegradable co-poly(D,L-lactic/glycolic acid) microspheres for the controlled release of 5-FU by the spray drying method. *Colloids Surf B Biointerfaces* 25: 269-279.
- Fujii, S; Okada, M; Sawa, H; Furuzono, T; Nakamura, Y. (2009). Hydroxyapatite nanoparticles as particulate emulsifier: fabrication of hydroxyapatite-coated biodegradable microspheres. *Langmuir* 25: 9759-9766. <http://dx.doi.org/10.1021/la901100z>.
- Fujioka, K; Shibamoto, T. (2006). Quantitation of volatiles and nonvolatile acids in an extract from coffee beverages: correlation with antioxidant activity. *J Agric Food Chem* 54: 6054-6058. <http://dx.doi.org/10.1021/jf060460x>.
- Furlan, M; Kluge, J; Mazzotti, M; Lattuada, M. (2010). Preparation of biocompatible magnetite-PLGA composite nanoparticles using supercritical fluid extraction of emulsions. *Journal of Supercritical Fluids* 54: 348-356. <http://dx.doi.org/10.1016/j.supflu.2010.05.010>.
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International* 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furmann, A; Schimmelmann, A; Brassell, SC; Mastalerz, M; Picardal, F. (2013). Chemical compound classes supporting microbial methanogenesis in coal. *Chem Geol* 339: 226-241. <http://dx.doi.org/10.1016/j.chemgeo.2012.08.010>.
- Furtula, V; Derksen, G; Colodey, A. (2006). Application of automated mass spectrometry deconvolution and identification software for pesticide analysis in surface waters. *J Environ Sci Health B* 41: 1259-1271. <http://dx.doi.org/10.1080/03601230600962211>.
- Furtula, V; Kuo, JN. (2004). Analysis of herbicide Krovar I by liquid chromatography with atmospheric pressure chemical ionization mass spectrometry. *J Environ Sci Health B* 39: 249-261. <http://dx.doi.org/10.1081/PFC-120030239>.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn* 43: 537-543.
- Futamura, S; Sugawara, M. (2008). Additive effect on energy efficiency and byproduct distribution in VOC decomposition with nonthermal plasma. *I E E E Transactions on Industry Applications* 44: 40-45. <http://dx.doi.org/10.1109/TIA.2007.912760>.
- Gabel, B; Thiery, D. (1996). Oviposition response of *Lobesia botrana* females to long-chain free fatty acids and esters from its eggs. *J Chem Ecol* 22: 161-171.
- Gabrielli, M; Fracassetti, D; Tirelli, A. (2014). UHPLC quantification of sotolon in white wine. *J Agric Food Chem* 62: 4878-4883. <http://dx.doi.org/10.1021/jf500508m>.
- Gackowska, A; Przybyłek, M; Studziński, W; Gaca, J. (2016). Formation of chlorinated breakdown products during degradation of sunscreen agent, 2-ethylhexyl-4-methoxycinnamate in the presence of sodium hypochlorite. *Environ Sci Pollut Res Int* 23: 1886-1897. <http://dx.doi.org/10.1007/s11356-015-5444-0>.
- Gagne, F; Pardos, M; Blaise, C; Turcotte, P; Quemerais, B; Fouquet, A. (1999). Toxicity evaluation of organic sediment extracts resolved by size exclusion chromatography using rainbow trout hepatocytes. *Chemosphere* 39: 1545-1570.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2016). Reaction of dichloromethane under non-oxidative conditions in a dielectric barrier discharge reactor and characterisation of the resultant polymer. *Chem Eng J* 290: 499-506. <http://dx.doi.org/10.1016/j.cej.2015.12.105>.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2007). Selective separation of cinnamic and p-methoxycinnamic acids by facilitated pertraction. *Separation Science and Technology* 42: 3727-3740. <http://dx.doi.org/10.1080/01496390701626628>.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). Recovery of p-hydroxybenzoic acid from wastewaters by reactive extraction - 1. Extraction mechanism and influencing factors. *Environmental Engineering and Management Journal* 7: 89-96.
- Galaction, AI; Camarut, M; Cascaval, D, an. (2008). SEPARATION OF p-AMINOBENZOIC ACID BY REACTIVE EXTRACTION 1. MECHANISM AND INFLUENCING FACTORS. *Chemical Industry and Chemical Engineering Quarterly* 14: 159-165.
- Galaction, AI; Carlescu, A; Turnea, M; Cascaval, D, an. (2012). Direct Extraction of Propionic Acid from *Propionibacterium acidipropionici* Broths with Tri-n-octylamine. *Chem Eng Tech* 35: 1657-1663. <http://dx.doi.org/10.1002/ceat.201200066>.
- Galaction, AI; Cascaval, D; Nicuta, N. (2008). Selective removal of Gentamicin C(1) from biosynthetic Gentamicins by facilitated pertraction for increasing antibiotic activity. *Biochem Eng J* 42: 28-33. <http://dx.doi.org/10.1016/j.bej.2008.05.005>.
- Galaction, AI; Kloetzer, L; Cascaval, D. (2010). Separation of p-Aminobenzoic Acid by Reactive Extraction in the Presence of 1-Octanol as Phase Modifier. *Chemical and Biochemical Engineering Quarterly* 24: 149-157.
- Galaction, AI; Kloetzer, L; Cascaval, D, an. (2011). Influence of Solvent Polarity on the Mechanism and Efficiency of Formic Acid Reactive Extraction with Tri-n-Octylamine from Aqueous Solutions. *Chem Eng Tech* 34: 1341-1346. <http://dx.doi.org/10.1002/ceat.201100028>.

## Exposure Literature Search Results

### Off Topic

- Galaction, AI; Postaru, M; Kloetzer, L; Blaga, AC; Cascaval, D, an. (2015). Separation of rosmarinic acid by facilitated pertraction. *Food Bioprocess* 94: 621-628. <http://dx.doi.org/10.1016/j.fbp.2014.08.006>.
- Galanihe, LD; Harris, MO. (1997). Plant volatiles mediate host-finding behavior of the apple leafcurling midge. *J Chem Ecol* 23: 2639-2655.
- Galbarra, D; Arregui, FJ; Matias, IR; Claus, RO. (2005). Ammonia optical fiber sensor based on self-assembled zirconia thin films. *Smart Materials and Structures* 14: 739-744. <http://dx.doi.org/10.1088/0964-1726/14/4/032>.
- Galli, R; Leisinger, T. (1985). SPECIALIZED BACTERIAL STRAINS FOR THE REMOVAL OF DICHLOROMETHANE FROM INDUSTRIAL-WASTE. 8: 91-100.
- Galovic, O; Samardzic, M; Petrusic, S; Sak-Bosnar, M. (2015). Application of a New Potentiometric Sensor for Determination of Anionic Surfactants in Wastewater. *Chemical and Biochemical Engineering Quarterly* 29: 307-313.
- Galperin, A; Margel, D; Margel, S. (2006). Synthesis and characterization of uniform radiopaque polystyrene microspheres for X-ray imaging by a single-step swelling process. *J Biomed Mater Res A* 79: 544-551. <http://dx.doi.org/10.1002/jbm.a.30863>.
- Gan, J; Papiernik, SK; Koskinen, WC; Yates, SR. (1999). Evaluation of accelerated solvent extraction (ASE) for analysis of pesticide residues in soil. *Environ Sci Technol* 33: 3249-3253.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul* 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, PJ; Murthy, ZVP. (2010). Solubility and Crystal Size of Sirolimus in Different Organic Solvents. *Journal of Chemical and Engineering Data* 55: 5050-5054. <http://dx.doi.org/10.1021/je100626x>.
- Gandhimathi, R; Seghal Kiran, G; Hema, TA; Selvin, J; Rajeetha Raviji, T; Shanmughapriya, S. (2009). Production and characterization of lipopeptide biosurfactant by a sponge-associated marine actinomycetes *Nocardiaopsis alba* MSA10. *Bioprocess Biosyst Eng* 32: 825-835. <http://dx.doi.org/10.1007/s00449-009-0309-x>.
- Gandolfi, S; Ottolina, G; Riva, S; Fantoni, GP; Patel, I. (2013). Complete Chemical Analysis of Carmagnola Hemp Hurds and Structural Features of Its Components. *BioResources* 8: 2641-2656.
- Ganesan, P; Kumar, CS; Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresour Technol* 99: 2717-2723. <http://dx.doi.org/10.1016/j.biortech.2007.07.005>.
- Gangawane, KM; Bharti, R, amP; Kumar, S. (2015). Lattice Boltzmann analysis of natural convection in a partially heated open ended enclosure for different fluids. *Taiwan Institute of Chemical Engineers Journal* 49: 27-39. <http://dx.doi.org/10.1016/j.tjce.2014.11.020>.
- Gangrade, N; Price, JC. (1991). Poly(hydroxybutyrate-hydroxyvalerate) microspheres containing progesterone: preparation, morphology and release properties. *J Microencapsul* 8: 185-202.
- Ganjezadeh Rohani, F; Mahdavi, V; Aminaei, MM. (2014). Investigation on diazinon and oxydemeton-methyl residues in cucumbers grown in Kerman greenhouses. *Environ Monit Assess* 186: 3995-3999. <http://dx.doi.org/10.1007/s10661-014-3674-0>.
- Gao, B; Wang, X; Zhao, J; Sheng, G. (2001). Sorption and cosorption of organic contaminant on surfactant-modified soils. *Chemosphere* 43: 1095-1102.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters* 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters* 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International* 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, H; Xing, J; Xiong, X; Li, Y; Li, W; Liu, Q; Wu, Y; Liu, H. (2008). Immobilization of ionic liquid [BMIM][PF6] by spraying suspension dispersion method. *Ind Eng Chem Res* 47: 4414-4417. <http://dx.doi.org/10.1021/ie701702n>.
- Gao, H; Zhao, S; Cheng, X; Wang, X; Zheng, L. (2013). Removal of anionic azo dyes from aqueous solution using magnetic polymer multi-wall carbon nanotube nanocomposite as adsorbent. *Chem Eng J* 223: 84-90. <http://dx.doi.org/10.1016/j.cej.2013.03.004>.
- Gao, J; Kong, D; Wang, Y; Wu, J; Sun, S; Xu, P. (2013). Production of Mesoporous Activated Carbon from Tea Fruit Peel Residues and Its Evaluation of Methylene Blue Removal from Aqueous Solutions. *BioResources* 8: 2145-2160.
- Gao, M; Zhang, D; Pu, X; Li, M; Yu, YM; Shim, J, aeJ; Cai, P; Kim, S, unll; Seo, H, yoJin. (2015). Combustion Synthesis of BiOCl with Tunable Percentage of Exposed {001} Facets and Enhanced Photocatalytic Properties. *Journal of the American Ceramic Society* 98: 1515-1519. <http://dx.doi.org/10.1111/jace.13493>.
- Gao, N, an; Cai, K, ai; Guo, X; Zhang, Y; Yang, S; Hu, D. (2014). Analysis of MCPA and TCP in water by liquid chromatography-ion trap-electrospray tandem mass spectrometry. *Int J Environ Anal Chem* 94: 594-605. <http://dx.doi.org/10.1080/03067319.2013.831411>.
- Gao, Q; Haglund, P; Pommer, L; Jansson, S. (2015). Evaluation of solvent for pressurized liquid extraction of PCDD, PCDF, PCN, PCBz, PCPh and PAH in torrefied woody biomass. *Fuel* 154: 52-58. <http://dx.doi.org/10.1016/j.fuel.2015.03.068>.
- Gao, X; Chen, S; Long, A. (2008). Composition and sources of organic matter and its solvent extractable components in surface sediments of a bay under serious anthropogenic influences: Daya Bay, China. *Mar Pollut Bull* 56: 1066-1075. <http://dx.doi.org/10.1016/j.marpolbul.2008.03.036>.
- Gao, X, u; Xue, W, eiLan; Zeng, Z, uoX; Fan, X, inran. (2015). Determination and Correlation of Solubility of N-tert-Butylacrylamide in Seven Different Solvents at Temperatures between (279.15 and 353.15) K. *Journal of Chemical and Engineering Data* 60: 2273-2279. <http://dx.doi.org/10.1021/acs.jced.5b00135>.
- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.



## Exposure Literature Search Results

### Off Topic

- Gao, XL; Chen, SY. (2008). Petroleum pollution in surface sediments of Daya Bay, South China, revealed by chemical fingerprinting of aliphatic and alicyclic hydrocarbons. *Estuar Coast Shelf Sci* 80: 95-102. <http://dx.doi.org/10.1016/j.ecss.2008.07.010>.
- Gao, Y; Zeng, Y; Shen, Q; Ling, W; Han, J. (2009). Fractionation of polycyclic aromatic hydrocarbon residues in soils. *J Hazard Mater* 172: 897-903. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.084>.
- Gao, ZQ; Bobacka, J; Lewenstam, A; Ivaska, A. (1994). ELECTROCHEMICAL PROPERTIES OF POLYPYRROLE FILMS POLYMERIZED IN THE PRESENCE OF METHYLENE-BLUE. *Synthetic Metals* 62: 117-123.
- Garcia, J; Lopez, ER; Legido, JL; Fernandez, J. (1995). ANALYSIS OF THE INTRAMOLECULAR PROXIMITY EFFECT ON DICHLOROALKANE PLUS ALKANE MIXTURES USING NITTA-CHAO MODEL. *Fluid Phase Equilibria* 110: 31-51.
- Garcia, SS; Ake, C; Clement, B; Huebner, HJ; Donnelly, KC; Shalat, SL. (2001). Initial results of environmental monitoring in the Texas Rio Grande Valley. *Environ Int* 26: 465-474.
- Garcia, V; Landaburu-Aguirre, J; Pongracz, E, va; Peramaki, P; Keiski, RL. (2009). Dehydration of water/dichloromethane/n-butanol mixtures by pervaporation; optimisation and modelling by response surface methodology. *J Memb Sci* 338: 111-118. <http://dx.doi.org/10.1016/j.memsci.2009.04.040>.
- Garcia, V; Pongracz, E, va; Muurinen, E, sa; Keiski, RL. (2009). Pervaporation of dichloromethane from multicomponent aqueous systems containing n-butanol and sodium chloride. *J Memb Sci* 326: 92-102. <http://dx.doi.org/10.1016/j.memsci.2008.09.027>.
- Garcia, V; Pongracz, E, va; Phillips, PS; Keiski, RL. (2013). From waste treatment to resource efficiency in the chemical industry: recovery of organic solvents from waters containing electrolytes by pervaporation. *J Clean Prod* 39 (Jan 1): 146-153. <http://dx.doi.org/10.1016/j.jclepro.2012.08.020>.
- Garcia, VAS; Lemos, COT; Mantovani, D; Corazza, ML; Zanoelo, EF; Da Silva, C; Cardozo-Filho, L. (2015). EFFECT OF OIL EXTRACTION WITH SUPERCRITICAL CO<sub>2</sub> AND ORGANIC SOLVENTS ON ANTIOXIDANT CAPACITY AND TOTAL PHENOLIC CONTENT OF *Mucuna MEAL*. *Lat Am Appl Res* 45: 125-131.
- García-Alonso, S; Pérez-Pastor, RM; Sevillano-Castaño, ML. (1999). Measurements of selected PCBs in open urban ambient air of Madrid (Spain): First results. *Environ Sci Pollut Res Int* 6: 147-150. <http://dx.doi.org/10.1007/BF02987618>.
- Garcia-Bueno, N; Dumay, J; Guerin, T; Turpin, V; Paillard, C; Stiger-Pouvreau, V; Pouchus, YF; Aitor Marin-Atucha, A; Decottignies, P; Fleurence, J. (2015). Seasonal variation in the antivibrio activity of two organic extracts from two red seaweed: *Palmaria palmata* and the introduced *Grateloupia turuturu* against the abalone pathogen *Vibrio harveyi*. *Aquatic Living Resources* 28: 81-87. <http://dx.doi.org/10.1051/alr/2016003>.
- Garcia-Delgado, C; Yunta, F; Eymar, E. (2013). Methodology for Polycyclic Aromatic Hydrocarbons Extraction from Either Fresh or Dry Spent Mushroom Compost and Quantification by High-Performance Liquid Chromatography-Photodiode Array Detection. *Commun Soil Sci Plant Anal* 44: 817-825. <http://dx.doi.org/10.1080/00103624.2013.749439>.
- Garcia-Mateos, M, aR; Sanchez, EE; Espinosa-Robles, P; Alvarez-Sanchez, M, aE. (2007). Toxicity of *Petiveria alliacea* L. on greenhouse whitefly (*Trialeurodes vaporariorum* WEST.). *Interciencia* 32: 121-124.
- Gardiner, JB; Morra, MJ; Eberlein, CV; Brown, PD; Borek, V. (1999). Allelochemicals released in soil following incorporation of rapeseed (*Brassica napus*) green manures. *J Agric Food Chem* 47: 3837-3842.
- Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemical paint-remover hazards. *Arch Mal Prof Environ* 71: 30-37. <http://dx.doi.org/10.1016/j.admp.2009.12.009>.
- Garoli, D; Natali, M; Rigato, V; Romanato, F. (2012). Optical and structural properties of low thickness lead zirconate titanate films on sapphire substrates prepared via sol-gel method. *Journal of Vacuum Science and Technology A* 30. <http://dx.doi.org/10.1116/1.4746405>.
- Garrote, G; Falqué, E; Domínguez, H; Parajó, JC. (2007). Autohydrolysis of agricultural residues: study of reaction byproducts. *Bioresour Technol* 98: 1951-1957. <http://dx.doi.org/10.1016/j.biortech.2006.07.049>.
- Garrote, G; Kabel, MA; Schols, HA; Falqué, E; Domínguez, H; Parajó, JC. (2007). Effects of *Eucalyptus globulus* wood autohydrolysis conditions on the reaction products. *J Agric Food Chem* 55: 9006-9013. <http://dx.doi.org/10.1021/jf0719510>.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev* 10: 1239-1248.
- Gasparetto, A; Cruz, AB; Wagner, TM; Bonomini, TJ; Correa, R; Malheiros, A. (2017). Seasonal variation in the chemical composition, antimicrobial and mutagenic potential of essential oils from *Piper cernuum*. *Ind Crop Prod* 95: 256-263. <http://dx.doi.org/10.1016/j.indcrop.2016.10.030>.
- Gasparini, G; Kosvintsev, SR; Stillwell, MT; Holdich, RG. (2008). Preparation and characterization of PLGA particles for subcutaneous controlled drug release by membrane emulsification. *Colloids Surf B Biointerfaces* 61: 199-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.08.011>.
- Gautam, P; Misra, R; Koukaras, EN; Sharma, A; Sharma, GD. (2015). Donor-acceptor-acceptor-donor small molecules for solution processed bulk heterojunction solar cells. *Organic Electronics* 27: 72-83. <http://dx.doi.org/10.1016/j.orgel.2015.09.006>.
- Gautam, P; Misra, R; Siddiqui, SA; Sharma, GD. (2015). Donor-acceptor-pi-acceptor based charge transfer chromophore as electron donors for solution processed small molecule organic bulk heterojunction solar cells. *Organic Electronics* 19: 76-82. <http://dx.doi.org/10.1016/j.orgel.2015.01.032>.

## Exposure Literature Search Results

### Off Topic

- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gayubo, AG; Arandes, JM; Aguayo, AT; Olazar, M; Bilbao, J. (1993). DEACTIVATION AND ACIDITY DETERIORATION OF A SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> CATALYST IN THE ISOMERIZATION OF CIS-BUTENE. *Ind Eng Chem Res* 32: 588-593.
- Ge, Y, anQ; Jia, J; Yang, H, e; Tao, X, uT; Wang, JW, u. (2011). The synthesis, characterization and optical properties of novel pyrido[1,2-a]benzimidazole derivatives. *Dyes and Pigments* 88: 344-349. <http://dx.doi.org/10.1016/j.dyepig.2010.08.005>.
- Gearhart, JM; Jepson, GW; Clewell, HJ; Andersen, ME; Conolly, RB. (1994). Physiologically based pharmacokinetic model for the inhibition of acetylcholinesterase by organophosphate esters. *Environ Health Perspect* 102: 51-60.
- Gecgel, U; Kocabiyyik, B; Uner, O. (2015). Adsorptive Removal of Methylene Blue from Aqueous Solution by the Activated Carbon Obtained from the Fruit of Catalpa bignonioides. *Water Air Soil Pollut* 226. <http://dx.doi.org/10.1007/s11270-015-2513-4>.
- Geens, J; De Witte, B; Van der Bruggen, B. (2007). Removal of API's (Active pharmaceutical ingredients) from organic solvents by nanofiltration. *Separation Science and Technology* 42: 2435-2449. <http://dx.doi.org/10.1080/01496390701477063>.
- Geering, ADW; Thomas, JE. (1996). A comparison of four serological tests for the detection of banana bunchy top virus in banana. *Aust J Agr Res* 47: 403-412.
- Geiselhardt, S; Otte, T; Hilker, M. (2009). The Role of Cuticular Hydrocarbons in Male Mating Behavior of the Mustard Leaf Beetle, *Phaedon cochleariae* (F.). *J Chem Ecol* 35: 1162-1171. <http://dx.doi.org/10.1007/s10886-009-9704-7>.
- Genovese, A; Dimaggio, R; Lisanti, MT; Piombino, P; Moio, L. (2005). Aroma composition of red wines by different extraction methods and Gas Chromatography-SIM/MASS spectrometry analysis. *Ann Chim* 95: 383-394.
- Genthner, FJ; Chancy, CA; Couch, JA; Foss, SS; Middaugh, DP; George, SE; Warren, MA; Bantle, JA. (1998). Toxicity and pathogenicity testing of the insect pest control fungus *Metarhizium anisopliae*. *Arch Environ Contam Toxicol* 35: 317-324.
- Georgakopoulos, A; Iordanidis, A; Kapina, V. (2003). Study of low rank Greek coals using FTIR spectroscopy. *Energy Sources* 25: 995-1005. <http://dx.doi.org/10.1080/00908310390232442>.
- George, AL; White, GF. (1999). Optimization of the methylene blue assay for anionic surfactants added to estuarine and marine water. *Environ Toxicol Chem* 18: 2232-2236.
- George, S; Sebastian, MT. (2009). Effect of lithium-based glass addition on the microwave dielectric properties of Ca[(Li<sub>1/3</sub>Nb<sub>2/3</sub>)(1-x)Ti-x]O<sub>3</sub>-delta ceramics for LTCC applications. *J Alloy Comp* 473: 336-340. <http://dx.doi.org/10.1016/j.jallcom.2008.05.080>.
- Georgiou, PP; Liapis, KS; Miliadis, GE; Siskos, PA. (2006). Solid-phase extraction cleanup of tomato samples for the determination of pesticide residues by gas chromatography-electron capture detection. *Int J Environ Anal Chem* 86: 69-76. <http://dx.doi.org/10.1080/03067310500248353>.
- Geotti-Bianchini, F; Preo, M. (1999). Analysis of polyethylene-based cold end coatings on glass containers with contact angle and IR spectroscopy. *72: 341-351*.
- Gercel, O. (2015). ADSORPTION PROPERTIES OF ACTIVATED CARBON FROM WILD PLANT PREPARED BY CHEMICAL ACTIVATION. *Environmental Engineering and Management Journal* 14: 129-137.
- Gerogiannaki-Christopoulou, M. (2009). DEVELOPMENT FOR A PROCEDURE FOR THE DETERMINATION OF 2-PHENYLETHANOL IN HELLENIC WINE DISTILLATES (VITIS VINIFERA L.) AND THEIR CHANGES DURING DISTILLATION. *Journal International des Sciences de la Vigne et du Vin* 43: 171-178.
- Gevao, B; Mordaunt, C; Semple, KT; Pearce, TG; Jones, KC. (2001). Bioavailability of nonextractable (bound) pesticide residues to earthworms. *Environ Sci Technol* 35: 501-507.
- Ghasemi, H; Sundararaj, U. (2012). Electrical properties of in situ polymerized polystyrene/polyaniline composites: The effect of feeding ratio. *Synthetic Metals* 162: 1177-1183. <http://dx.doi.org/10.1016/j.synthmet.2012.04.037>.
- Ghasemi, J; Nikrahi, A; Niazi, A. (2005). Extraction-spectrophotometric determination of trace amounts of barium and strontium by 18-crown-6 and rose bengal using partial least squares. *Turkish Journal of Chemistry* 29: 669-678.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull* 14: 1058-1065.
- Gheorghie, CG; Pantea, O; Matei, V; Bombos, D; Borcea, AF. (2011). Testing the Behaviour of Pure Bacterial Suspension (*Bacillus Subtilis*, *Pseudomonas Aeruginosa* and *Micrococcus Luteus*) in Case of Hydrocarbons Contaminators. *Rev Chim* 62: 926-929.
- Gherman, S; Zavastin, D; Spac, A; Dorneanu, V. (2013). Spectrophotometric Determination of Enalapril Using Tropeolin 00. *Rev Chim* 64: 1224-1228.
- Ghezzar, MR; Abdelmalek, F; Belhadj, M; Benderdouche, N; Addou, A. (2009). Enhancement of the bleaching and degradation of textile wastewaters by Gliding arc discharge plasma in the presence of TiO<sub>2</sub> catalyst. *J Hazard Mater* 164: 1266-1274. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.060>.
- Ghittori, S; Marraccini, P; Franco, G; Imbriani, M. (1993). Methylene chloride exposure in industrial workers. *AIHA J* 54: 27-31. [http://dx.doi.org/10.1202/0002-8894\(1993\)054<0027:MCEIHW>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1993)054<0027:MCEIHW>2.0.CO;2).
- Ghorbani-Choghamarani, A; Cheraghi-Fathabad, N. (2010). Chemoselective and Catalytic Trimethylsilylation of Alcohols and Phenols by 1,1,1,3,3,3-Hexamethyldisilazane and Catalytic Amounts of PhMe<sub>3</sub>N+Br<sup>-</sup>. *Chinese journal of catalysis* 31: 1103-1106. [http://dx.doi.org/10.1016/S1872-2067\(10\)60107-6](http://dx.doi.org/10.1016/S1872-2067(10)60107-6).
- Ghosh, A; Bera, D; Wang, D, eYi; Komber, H; Mohanty, AK; Banerjee, S; Voit, B. (2012). Synthesis, Characterization and Properties of New Semifluorinated Poly(arylene ether phosphine oxide)s. *Macromolecular Materials & Engineering* 297: 145-154. <http://dx.doi.org/10.1002/mame.201100139>.

## Exposure Literature Search Results

### Off Topic

- Ghosh, S; Das Mahapatra, R; Dey, J. (2014). Thermoreversible as well as thermoirreversible organogel formation by L-cysteine-based amphiphiles with poly(ethylene glycol) tail. *Langmuir* 30: 1677-1685. <http://dx.doi.org/10.1021/la404258v>.
- Gi, US; Min, B; Lee, JH; Kim, JH. (2004). Preparation and characterization of paclitaxel from plant cell culture. *Korean J Chem Eng* 21: 816-820.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere* 33: 1531-1542.
- Gibbs, GW; Amsel, J; Soden, K. (1996). A cohort mortality study of cellulose triacetate-fiber workers exposed to methylene chloride. *J Occup Environ Med* 38: 693-697.
- Gidron, Y; Magen, R; Ariad, S. (2001). The relation between hopelessness and psychological and serological outcomes in Israeli women with breast-cancer. 16: 289-296. <http://dx.doi.org/10.1080/08870440108405507>.
- Gierak, A; Czechowski, F; Lebeda, R. (1994). IMPROVEMENT OF CARBON SILICA SORBENT (CARBOSIL) SURFACE-PROPERTIES UPON STEAM ACTIVATION AT 1073-K. *Mater Chem Phys* 36: 264-270.
- Gil, M; Martin, C; Douhal, A. (2011). Femtosecond Dynamics and Photoconversion of a H-Bonded Dye within Mesoporous Silicate Materials. *J Phys Chem C* 115: 14687-14697. <http://dx.doi.org/10.1021/jp111380b>.
- Gil, M; Ziolek, M; Angel Organero, J; Douhal, A. (2010). Confined Fast and Ultrafast Dynamics of a Photochromic Proton-Transfer Dye within a Zeolite Nanocage. *J Phys Chem C* 114: 9554-9562. <http://dx.doi.org/10.1021/jp9101042>.
- Giles, NF; Wilson, LC; Wilson, GM; Wilding, WV. (1997). Phase equilibria on eight binary mixtures. *Journal of Chemical and Engineering Data* 42: 1067-1074.
- Gillham, RW; O'Hannesin, SF. (1994). Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron. *Ground Water* 32: 958-967.
- Gillman, JH; Dirr, MA; Braman, SK. (1999). Gradients in susceptibility and resistance mechanisms of *Buddleia L. taxa* to the two-spotted spider mite (*Tetranychus urticae* Koch). *J Am Soc Hortic Sci* 124: 114-121.
- Girardet, JM; Mati, A; Sanogo, T; Ettenne, L; Linden, G. (1991). FAST PROTEIN LIQUID-CHROMATOGRAPHY PURIFICATION OF HYDROPHOBIC FRACTION OF BOVINE-MILK PROTEASE-PEPTONE AND CHARACTERIZATION BY BIDIMENSIONAL ELECTROPHORESIS. *J Dairy Res* 58: 85-98.
- Giraudet, S; Boulinguez, B; Le Cloirec, P. (2014). Adsorption and Electrothermal Desorption of Volatile Organic Compounds and Siloxanes onto an Activated Carbon Fiber Cloth for Biogas Purification. *Energy Fuels* 28: 3924-3932. <http://dx.doi.org/10.1021/ef500600b>.
- Giraudet, S; Pre, P; Le Cloirec, P. (2010). Modeling the Temperature Dependence of Adsorption Equilibriums of VOC(s) onto Activated Carbons. *J Environ Eng* 136: 103-111. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000131](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000131).
- Giraudet, S; Pré, P; Le Cloirec, P. (2009). Modeling the heat and mass transfers in temperature-swing adsorption of volatile organic compounds onto activated carbons. *Environ Sci Technol* 43: 1173-1179. <http://dx.doi.org/10.1021/es801494a>.
- Giridhar, P; Rajasekaran, T; Ravishankar, GA. (2005). Production of a root-specific flavour compound, 2-hydroxy-4-methoxy benzaldehyde by normal root cultures of *Decalepis hamiltonii* Wight and Arn (Asclepiadaceae). *J Sci Food Agric* 85: 61-64. <http://dx.doi.org/10.1002/jsfa.1939>.
- Girotti, S; Maiolini, E; Bolelli, L; Ferri, E; Piccolo, M; Camanzi, L; Pompei, A. (2011). Bioremediation of hydrocarbons contaminated waters and soils: monitoring by luminescent bacteria test. *Int J Environ Anal Chem* 91: 900-909. <http://dx.doi.org/10.1080/03067310903411004>.
- Giudice, JH; Fieberg, JR; Lenarz, MS. (2012). Spending degrees of freedom in a poor economy: A case study of building a sightability model for moose in northeastern minnesota. *J Wildl Manag* 76: 75-87. <http://dx.doi.org/10.1002/jwmg.213>.
- Giufrida, WM; Pinto, LF; Zanette, AF; Voll, FAP; Kunita, MH; Cabral, VF; Cardozo-Filho, L. (2014). Liquid-vapor equilibrium data of CO<sub>2</sub> + dichloromethane plus medroxyprogesterone system. *Fluid Phase Equilibria* 362: 307-312. <http://dx.doi.org/10.1016/j.fluid.2013.10.037>.
- Giumanini, AG; Geatti, P; Verardo, G. (2002). Nitration of diphenylmethane and the isomeric nitrodiphenylmethanes in dichloromethane. *Ind Eng Chem Res* 41: 1929-1934. <http://dx.doi.org/10.1021/ie0109298>.
- Giustino, A; Cagiano, R; Carratu, MR; Cassano, T; Tattoli, M; Cuomo, V. (1999). Prenatal exposure to low concentrations of carbon monoxide alters habituation and non-spatial working memory in rat offspring. *Brain Res* 844: 201-205. [http://dx.doi.org/10.1016/S0006-8993\(99\)01832-6](http://dx.doi.org/10.1016/S0006-8993(99)01832-6).
- Glaser, R; Kurimo, R; Neumeister, C; Shulman, S. (2005). Data supporting ASTM method D 7049-04, for determination of metalworking fluids. *Journal of Testing and Evaluation* 33: 323-330.
- Glaser, R; Kurimo, R; Shulman, S. (2007). Performance testing of NIOSH Method 5524/ASTM Method D-7049-04, for determination of metalworking fluids. *J Occup Environ Hyg* 4: 583-595. <http://dx.doi.org/10.1080/15459620701473281>.
- Glaser, R; Pretty, J; Brown, K; Arnold, J; Lunsford, RA; Park, SH. (2003). Analytical method research for metalworking fluids at the National Institute for Occupational Safety and Health (NIOSH). *Gefahrst Reinhalt Luft* 63: 237-240.
- Glaser, RA. (1999). Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, part I: A solvent blend with wide-ranging ability to dissolve metalworking fluids. *Journal of Testing and Evaluation* 27: 171-174.
- Glaser, RA; Shulman, S; Klinger, P. (1999). Data supporting a provisional American society for testing and materials (ASTM) method for metalworking fluids, part 2. Preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97). *Journal of Testing and Evaluation* 27: 131-136.
- Glaser, RA; Shulman, S; Kurimo, R; Piacitelli, G. (2002). Data supporting a provisional ASTM method for metalworking fluids part 3. Evaluation of an ASTM method for metalworking fluids in a survey of metalworking facilities. *Journal of Testing and Evaluation* 30: 439-451.

## Exposure Literature Search Results

### Off Topic

- Glavin, DP; Freissinet, C; Miller, KE; Eigenbrode, JL; Brunner, AE; Buch, A; Sutter, B; Archer, PD, Jr; Atreya, SK; Brinckerhoff, WB; Cabane, M; Coll, P; Conrad, PG; Coscia, D; Dworkin, JP; Franz, HB; Grotzinger, JP; Leshin, LA; Martin, MG; McKay, C; Ming, DW; Navarro-Gonzalez, R; Pavlov, A; Steele, A; Summons, RE; Szopa, C; Teinturier, S; Mahaffy, PR. (2013). Evidence for perchlorates and the origin of chlorinated hydrocarbons detected by SAM at the Rocknest aeolian deposit in Gale Crater. 118: 1955-1973. <http://dx.doi.org/10.1002/jgre.20144>.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos* 106: 17831-17840.
- Godbee, J; Scott, E; Pattamunuch, P; Chen, S; Mathiowitz, E. (2004). Role of solvent/non-solvent ratio on microsphere formation using the solvent removal method. *J Microencapsul* 21: 151-160. <http://dx.doi.org/10.1080/02652040310001637875>.
- Goggin, KD; Hammen, PD; Knutson, KL; Lambert, JF; Walinsky, SW; Watson, HA. (1994). COMMERCIAL SYNTHESIS OF ALPHA-D-CELLOBIOSYL BROMIDE HEPTAACETATE. *J Chem Tech Biotechnol* 60: 253-256.
- Gok, HZ; Demir, H. (2015). Complexation and Adsorption Studies of 27-Membered Dioxadiazapentathia Macrocycles with Some Transition Metals. *Separation Science and Technology* 50: 1593-1601. <http://dx.doi.org/10.1080/01496395.2014.983247>.
- Gok, HZ; Gok, Y; Eker, E. (2015). Synthesis, characterization, and metal extraction studies of a new macrobicyclic ligand. *Turkish Journal of Chemistry* 39: 426-437. <http://dx.doi.org/10.3906/kim-1412-27>.
- Gok, Y; Akkoc, S; Ozeroglu Celikal, O; Ozdemir, I; Gunal, S; Sayin, E. (2013). N-functionalized benzimidazol-2-ylidene silver complexes: synthesis, characterization, and antimicrobial studies. *Turkish Journal of Chemistry* 37: 1007-1013. <http://dx.doi.org/10.3906/kim-1304-72>.
- Gokhale, A; Khusid, B; Dave, RN; Pfeffer, R. (2007). Effect of solvent strength and operating pressure on the formation of submicrometer polymer particles in supercritical microjets. *Journal of Supercritical Fluids* 43: 341-356. <http://dx.doi.org/10.1016/j.supflu.2007.05.012>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldberg, MS; Thériault, G. (1994). Retrospective cohort study of workers of a synthetic textiles plant in Quebec: I. General mortality. *Am J Ind Med* 25: 889-907.
- Golden, TC; Kumar, R. (1993). ADSORPTION EQUILIBRIUM AND KINETICS FOR MULTIPLE TRACE IMPURITIES IN VARIOUS GAS STREAMS ON ACTIVATED CARBON. *Ind Eng Chem Res* 32: 159-165.
- Goldenberg, LM; Aeyach, S; Lacaze, PC. (1992). ELECTROCHEMICAL SYNTHESIS OF COMPOSITE POLY(P-PHENYLENE) MATERIALS. *Synthetic Metals* 51: 339-342.
- Golebiowski, M; Boguś, MI; Paszkiewicz, M; Stepnowski, P. (2010). The composition of the free fatty acids from *Dendrolimus pini* exuviae. *J Insect Physiol* 56: 391-397. <http://dx.doi.org/10.1016/j.jinsphys.2009.11.009>.
- Goljer, I; Brezny, R; Pranda, J; Vodny, S. (1991). THE APT PULSE SEQUENCE IN C-13 NMR-STUDIES OF LIGNIN STRUCTURE. *Holzforschung* 45: 29-33.
- Golomb, D; Ryan, D; Underhill, J; Wade, T; Zembar, S. (1997). Atmospheric deposition of toxics onto Massachusetts Bay--II. Polycyclic aromatic hydrocarbons. *Atmos Environ* 31: 1361-1368. [http://dx.doi.org/10.1016/S1352-2310\(96\)00277-4](http://dx.doi.org/10.1016/S1352-2310(96)00277-4).
- Golsteijn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Gomaa, NH; Abdelgawad, HR. (2012). Phytotoxic effects of *Echinochloa colona* (L.) Link. (Poaceae) extracts on the germination and seedling growth of weeds. 10: 492-501. <http://dx.doi.org/10.5424/sjar/2012102-194-11>.
- Gomes, ACC; Gomes, AKC; Magalhaes, D, ePD; Buss, DF; Simas, NK; Kuster, RM. (2016). In vitro phytotoxic activity of *Saccharum officinarum* leaves on lettuce and weed *Calopogonium mucunoides*. *Allelopathy Journal* 39: 177-189.
- Gómez, MR. (1996). Exposure determinants needed to improve the assessment of exposure [Letter]. *Am J Ind Med* 29: 569-570. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<569::AID-AJIM18>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<569::AID-AJIM18>3.0.CO;2-Z).
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gomez, MR; Heineman, E; Dosemeci, M; Cocco, P. (1996). Matrix is a reasonable method to assess exposures. *Am J Ind Med* 30: 508-509.
- Gomez, RSG; Pandiyan, T; Iris, VEA; Luna-Pabello, V; De Bazua, CD. (2004). Spectroscopic determination of poly-aromatic compounds in petroleum contaminated soils. *Water Air Soil Pollut* 158: 137-151.
- Gomez-Ariza, JL; Giraldez, I; Morales, E. (2000). Problems associated with an environmental assessment of organotins: Application to the organic polluted Saladillo Harbor (southern Spain). *Environ Toxicol Chem* 19: 1597-1606.
- Gomez-Ariza, JL; Morales, E; Giraldez, I; Beltran, R. (1997). Acid leaching solvent extraction treatment of sediment samples for organotin speciation. *Int J Environ Anal Chem* 66: 1-13.
- Gómez-Canela, C; Lacorte, S. (2016). Comprehensive characterization of anticoagulant rodenticides in sludge by liquid chromatography-tandem mass spectrometry. *Environ Sci Pollut Res Int* 23: 15739-15748. <http://dx.doi.org/10.1007/s11356-016-6743-9>.
- Gómez-González, S; Ruiz-Jiménez, J; Priego-Capote, F; Luque de Castro, MD. (2010). Qualitative and Quantitative Sugar Profiling in Olive Fruits, Leaves, and Stems by Gas Chromatography-Tandem Mass Spectrometry (GC-MS/MS) after Ultrasound-Assisted Leaching. *J Agric Food Chem* 58: 12292-12299. <http://dx.doi.org/10.1021/jf102350s>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ* 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gominho, J; Lourenco, A, na; Miranda, I; Pereira, H. (2015). Radial and Axial Variation of Heartwood Properties and Extractives in Mature Trees of *Eucalyptus globulus*. *BioResources* 10: 721-731.

## Exposure Literature Search Results

### Off Topic

- Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. *Synthetic Metals* 90: 5-11.
- Goncalves, EJ; Muchovej, JJ; Muchovej, RMC. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS GLOMUS-MACROCARPUM AND BY THE PATHOGENIC FUNGUS FUSARIUM-SOLANI .1. FUNGAL AND PLANT-PARAMETERS. *Plant Soil* 132: 41-46.
- Goncalves, R, uiA; Aragao, C; Frias, PA; Sykes, AV. (2012). The use of different anaesthetics as welfare promoters during short-term human manipulation of European cuttlefish (*Sepia officinalis*) juveniles. *Aquaculture* 370: 130-135. <http://dx.doi.org/10.1016/j.aquaculture.2012.10.014>.
- Goncalves, VC; Nunes, BM; Balogh, DT; Olivati, CA. (2010). Detection of volatile organic compounds using a polythiophene derivative. *Physica Status Solidi A: Applications and Materials Science (Print)* 207: 1756-1759. <http://dx.doi.org/10.1002/pssa.200983723>.
- Gondek, K; Tabak, M; Kopec, M. (2014). EFFECT OF SOIL POLLUTION WITH POLYCYCLIC AROMATIC HYDROCARBONS ON MAIZE BIOMASS YIELD AND ACCUMULATION OF SELECTED TRACE ELEMENTS. *Journal of Elementology* 19: 989-999. <http://dx.doi.org/10.5601/jelem.2014.19.3.581>.
- Gong, J; Ma, X; Wang, S. (2007). Phosgene-free approaches to catalytic synthesis of diphenyl carbonate and its intermediates. *Appl Catal A-Gen* 316: 1-21. <http://dx.doi.org/10.1016/j.apcata.2006.09.006>.
- Gong, J; Xu, L; Yang, Y; Chen, DY; Ran, Y. (2011). Sequential ASE extraction of alkylphenols from sediments: Occurrence and environmental implications. *J Hazard Mater* 192: 643-650. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.071>.
- Gong, J; Yao, K, un; Liu, J, ie; Wen, X, in; Chen, X; Jiang, Z; Mijowska, E, wa; Tang, T, ao. (2013). Catalytic conversion of linear low density polyethylene into carbon nanomaterials under the combined catalysis of Ni2O3 and poly(vinyl chloride). *Chem Eng J* 215: 339-347. <http://dx.doi.org/10.1016/j.cej.2012.11.037>.
- Gong, R; Keener, TC. (1993). A QUALITATIVE-ANALYSIS OF THE EFFECTS OF WATER-VAPOR ON MULTICOMPONENT VAPOR-PHASE CARBON ADSORPTION. *J Air Waste Manag Assoc* 43: 864-872.
- Gong, SH; Penzkofer, A. (1999). Two-photon absorption and two-photon-induced absorption of some organic liquids at 347.15 nm. *Optical and Quantum Electronics* 31: 269-290.
- Gong, W, enL; Xiong, Z, uJ; Xin, B, o; Yin, H; Duan, J, iaS; Yan, J, ie; Chen, T, ao; Hua, QX, in; Hu, B, in; Huang, ZL, i; Zhu, MQ. (2016). Twofold photoswitching of NIR fluorescence and EPR based on the PMI-N-HABI for optical nanoimaging of electrospun polymer nanowires. 4: 2498-2505. <http://dx.doi.org/10.1039/c6tc00542j>.
- Gongora-Orozco, N; Zare-Behtash, H; Kontis, K. (2010). Global unsteady pressure-sensitive paint measurements of a moving shock wave using thin-layer chromatography. *Measurement* 43: 152-155. <http://dx.doi.org/10.1016/j.measurement.2009.06.011>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO2-Washcoated Minimonoliths. *Ind Eng Chem Res* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, L; Baoguang, M; Li, L, i; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Encapsulated PDMS Microspheres with Reactive Handles. *Macromolecular Materials & Engineering* 299: 729-738. <http://dx.doi.org/10.1002/mame.201300319>.
- Gonzalez, L; Kostrzewska, M; Baoguang, M; Li, L, i; Hansen, JH; Hvilsted, S; Skov, AL. (2014). Preparation and Characterization of Silicone Liquid Core/Polymer Shell Microcapsules via Internal Phase Separation. *Macromolecular Materials & Engineering* 299: 1259-1267. <http://dx.doi.org/10.1002/mame.201400020>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today* 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Arjona, D; Lopez-Perez, G; Gonzalez-Gallero, V; Gonzalez, AG. (2006). Supervised pattern recognition procedures for discrimination of whiskeys from gas chromatography/mass spectrometry congener analysis. *J Agric Food Chem* 54: 1982-1989. <http://dx.doi.org/10.1021/jf0517389>.
- Gonzalez-Perez, JA; Gonzalez-Vila, FJ; Arias, ME; Rodriguez, J; de la Rosa, JM; Maranon, T; Clemente, L. (2011). Geochemical and ecological significance of soil lipids under *Rhododendron ponticum* stands. *Environ Chem Lett* 9: 453-464. <http://dx.doi.org/10.1007/s10311-010-0300-4>.
- Gonzalez-Prior, J; Lopez-Fonseca, R; Gutierrez-Ortiz, JI; de Rivas, B. (2016). Oxidation of 1,2-dichloroethane over nanocube-shaped Co3O4 catalysts. *Appl Catal B-Environ* 199: 384-393. <http://dx.doi.org/10.1016/j.apcatb.2016.06.046>.
- Good Kitzberger, CS; Smania, A, Jr; Pedrosa, RC; Salvador Ferreira, SR. (2007). Antioxidant and antimicrobial activities of shiitake (*Lentinula edodes*) extracts obtained by organic solvents and supercritical fluids. *Journal of Food Engineering* 80: 631-638. <http://dx.doi.org/10.1016/j.jfoodeng.2006.06.013>.
- Goodman, DG; Maronpot, RR; Newberne, PM; Popp, JA; Squire, RA. (1994). Proliferative and selected other lesions in the liver of rats. Washington, DC: Society of Toxicologic Pathologists. <http://www.toxpath.org/ssdnc/LiverProliferativeRat.pdf>.
- Gopikrishna, P; Das, D; Iyer, PK. (2015). Synthesis and characterization of color tunable, highly electroluminescent copolymers of polyfluorene by incorporating the N-phenyl-1,8-naphthalimide moiety into the main chain. 3: 9318-9326. <http://dx.doi.org/10.1039/c5tc01899d>.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology* 1: 277-284.
- Gotoh, Y; Niimi, S; Hayakawa, T; Miyashita, T. (2004). Preparation of lactose-silk fibroin conjugates and their application as a scaffold for hepatocyte attachment. *Biomaterials* 25: 1131-1140. [http://dx.doi.org/10.1016/S0142-9612\(03\)00633-1](http://dx.doi.org/10.1016/S0142-9612(03)00633-1).
- Gottwald, U; Monkhouse, P; Bonn, B. (2001). Dependence of alkali emissions in PFB combustion on coal composition. *Fuel* 80: 1893-1899.

## Exposure Literature Search Results

### Off Topic

- Goufo, P; Fontem, DA; Ngokam, D. (2010). Evaluation of plant extracts for tomato late blight control in Cameroon. *N Z Journal Crop Horti* 38: 171-176. <http://dx.doi.org/10.1080/01140671.2010.495374>.
- Goulet, PJ; Bourret, GR; Lennox, RB. (2012). Facile phase transfer of large, water-soluble metal nanoparticles to nonpolar solvents. *Langmuir* 28: 2909-2913. <http://dx.doi.org/10.1021/la2038894>.
- Gouveia, S; Goncalves, J; Castilho, PC. (2013). Characterization of phenolic compounds and antioxidant activity of ethanolic extracts from flowers of *Andryala glandulosa* ssp *varia* (Lowe ex DC.) R.Fern., an endemic species of Macaronesia region. *Ind Crop Prod* 42: 573-582. <http://dx.doi.org/10.1016/j.indcrop.2012.06.040>.
- Göz, E; Karakeçili, A. (2016). Effect of emulsification-diffusion parameters on the formation of poly (3-hydroxybutyrate-co-3-hydroxyvalerate) particles. 44: 226-234. <http://dx.doi.org/10.3109/21691401.2014.937869>.
- Graham, MC; Allan, R; Fallick, AE; Farmer, JG. (2006). Investigation of extraction and clean-up procedures used in the quantification and stable isotopic characterisation of PAHs in contaminated urban soils. *Sci Total Environ* 360: 81-89. <http://dx.doi.org/10.1016/j.scitotenv.2005.08.026>.
- Grant, A; Briggs, AD. (2002). Toxicity of sediments from around a North Sea oil platform: are metals or hydrocarbons responsible for ecological impacts? *Mar Environ Res* 53: 95-116.
- Grant, JT; Dunwoody, N; Jakubek, V; Lees, AJ. (1998). Photoluminescent organometallic complexes as spectroscopic probes of aromatic cyanate ester polymerization. *Polymers and Polymer Composites* 6: 47-50.
- Grasso, P. (2002). *Essentials of pathology for toxicologists*. London: Taylor and Francis.
- Graves, RA; Freeman, T; Pamajula, S; Praetorius, N; Moiseyev, R; Mandal, TK. (2006). Effect of co-solvents on the characteristics of enkephalin microcapsules. *J Biomater Sci Polym Ed* 17: 709-720.
- Gray, MR; Zhao, YX; Mcknight, CM; Komar, DA; Carruthers, JD. (1999). Coking of hydroprocessing catalyst by residue fractions of bitumen. *Energy Fuels* 13: 1037-1045.
- Greathouse, JA; Cygan, RT. (2007). Computational and spectroscopic studies of dichlorofluoroethane hydrate structure and stability. *J Phys Chem C* 111: 16787-16795. <http://dx.doi.org/10.1021/jp072968o>.
- Greathouse, JA; Geatches, DL; Pike, DQ; Greenwell, HC; Johnston, CT; Wilcox, J; Cygan, RT. (2015). METHYLENE BLUE ADSORPTION ON THE BASAL SURFACES OF KAOLINITE: STRUCTURE AND THERMODYNAMICS FROM QUANTUM AND CLASSICAL MOLECULAR SIMULATION. *Clays and Clay Minerals* 63: 185-198. <http://dx.doi.org/10.1346/CCMN.2015.0630303>.
- Green, J; Trageser, M; Six, S; Unden, G; Guest, J. R. (1991). CHARACTERIZATION OF THE FNR PROTEIN OF ESCHERICHIA-COLI, AN IRON-BINDING TRANSCRIPTIONAL REGULATOR. *Proc Biol Sci* 244: 137-144.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect* 108: 261-264.
- Greenberg, A; Lwo, JH; Atherholt, TB; Rosen, R; Hartman, T; Butler, J; Louis, J. (1993). BIOASSAY-DIRECTED FRACTIONATION OF ORGANIC-COMPOUNDS ASSOCIATED WITH AIRBORNE PARTICULATE MATTER - AN INTERSEASONAL STUDY. *Atmos Environ* (1967) 27: 1609-1626.
- Greenberg, RS; Mandel, JS; Pastides, H; Britton, NL; Rudenko, L; Starr, TB. (2001). A meta-analysis of cohort studies describing mortality and cancer incidence among chemical workers in the United States and western Europe. *Epidemiology* 12: 727-740. <http://dx.doi.org/10.1097/00001648-200111000-00023>.
- Gregorova, A; Sedlarik, V. (2016). Characterization of structural and physical properties of dichloromethane= and methanol-fractionated Kraft lignin and its adsorption capacity of Cu (II) and Ni (II) ions. *Desalination and Water Treatment* 57: 10655-10663. <http://dx.doi.org/10.1080/19443994.2015.1036364>.
- Gregory, AG; Toshitaka, U; Fumihiko, T; Daisuke, H. (2008). Effect of vapors from fractionated samples of propolis on microbial and oxidation damage of rice during storage. *Journal of Food Engineering* 88: 341-352. <http://dx.doi.org/10.1016/j.jfoodeng.2008.02.019>.
- Grevenkamp, A; Safety, O; Administration, H. (2007). Overexposure and control of methylene chloride in a furniture stripping operation. *J Occup Environ Hyg* 4: D39-D41. <http://dx.doi.org/10.1080/15459620701246372>.
- Grevsen, K; Frette, XC; Christensen, LP. (2009). Content and Composition of Volatile Terpenes, Flavonoids and Phenolic Acids in Greek Oregano (*Origanum vulgare* L. ssp *hirtum*) at different Development Stages during Cultivation in Cool Temperate Climate. *European Journal of Horticultural Science* 74: 193-203.
- Griffini, G; Levi, M; Turri, S. (2012). Process Study of the Formation of Biodegradable Polymer Microspheres for Tissue Engineering. *Chem Eng Tech* 35: 2045-2050. <http://dx.doi.org/10.1002/ceat.201200216>.
- Griffiths, J; Lee, WJ. (2003). Synthesis, light absorption and fluorescence properties of new thiazole analogues of the xanthene dyes. *Dyes and Pigments* 57: 107-114. [http://dx.doi.org/10.1016/S0143-7208\(02\)00118-3](http://dx.doi.org/10.1016/S0143-7208(02)00118-3).
- Griffiths, J; Li, Z. (1993). AZACYANINE DYES WITH ACRIDINIUM TERMINAL GROUPS - A NEW SERIES OF NEAR-IR ABSORBING DYES. *Dyes and Pigments* 21: 205-216.
- Griffiths, J; Schofield, J; Wainwright, M; Brown, SB. (1997). Some observations on the synthesis of polysubstituted zinc phthalocyanine sensitizers for photodynamic therapy. *Dyes and Pigments* 33: 65-78.
- Grigorev, VI; Olman, VY; MALYAROV.LK. (1971). OPTIMIZATION OF CHROMATOGRAPHIC SEPARATION OF A METHYLENE-DICHLORETHANE CHLORIDE MIXTURES USING METHODS OF EXPERIMENT PLANNING. *Industrial Laboratory* 37: 98-&.
- Grijalva-Monteverde, H; Arellano-Tanori, OV; Valdez, MA. (2005). Zeta potential and Langmuir films of asphaltene polar fractions. *Energy Fuels* 19: 2416-2422. <http://dx.doi.org/10.1021/ef050120y>.

## Exposure Literature Search Results

### Off Topic

- Griswold, GA; Evans, S; Spielman, L; Fishman, B. (2005). Coping strategies of HIV patients with peripheral neuropathy. *AIDS Care* 17: 711-720. <http://dx.doi.org/10.1080/09540120412331336715>.
- Grombone-Guaratini, MT; Silva-Brandao, KL; Solferini, VN; Semir, J; Trigo, JR. (2005). Sesquiterpene and polyacetylene profile of the *Bidens pilosa* complex (Asteraceae : Heliantheae) from Southeast of Brazil. *Biochemical Systematics and Ecology* 33: 479-486. <http://dx.doi.org/10.1016/j.bse.2004.11.005>.
- Gron, T; Tomaszewicz, E; Kukula, Z; Pawlus, S; Sawicki, B. (2014). Dielectric permittivity of some novel copper/cobalt and rare-earth metal tungstates. *Mater Sci Eng B* 184: 14-17. <http://dx.doi.org/10.1016/j.mseb.2014.01.006>.
- Grotjahn, R; Lai, SS. (1991). NONLINEAR IMPACTS UPON FRONTAL CYCLONES FROM DIPOLE SURFACE-TEMPERATURE ANOMALIES. *Meteorol Atmos Phys* 45: 159-180.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. *J Environ Monit* 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.
- Grozdanov, A; Errico, ME; Avella, M; Bogoeva-Gaceva, G. (2004). PEI/PTFE nanocomposites as a matrix for glass fibre-reinforced composites. *Advanced Composites Letters* 13: 145-150.
- Gu, P, eiY; Ma, Y; He, JH, ui; Long, G; Wang, C; Chen, W; Liu, Y, i; Xu, QF; Lu, JM, ei; Zhang, Q. (2015). The substituent group effect on the morphology and memory performance of phenazine derivatives. 3: 3167-3172. <http://dx.doi.org/10.1039/c5tc00003c>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res* 50: 11029-11036. <http://dx.doi.org/10.1021/le201059x>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Guay, J; Kasai, P; Diaz, A; Wu, RL; Tour, JM; Dao, LH. (1992). CHAIN-LENGTH DEPENDENCE OF ELECTROCHEMICAL AND ELECTRONIC-PROPERTIES OF NEUTRAL AND OXIDIZED SOLUBLE ALPHA,ALPHA-COUPLED THIOPHENE OLIGOMERS. *Chem Mater* 4: 1097-1105.
- Gudruman, AD; Bibire, N; Tantar, G; Apostu, M; Vieriu, M; Dorneanu, V. (2013). Validation of a New Spectrophotometric Method for the Assay of Bisoprolol Fumarate using Tropaeolin 00. *Rev Chim* 64: 393-396.
- Guelbakan, B; Uzun, C; Celikbicak, O; Gueven, G, un; Salih, B. (2008). Solid phase extraction of organochlorine pesticides with modified poly (styrene-divinylbenzene) microbeads using home-made solid phase extraction syringes. *React Funct Polym* 68: 580-593. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.014>.
- Guengerich, FP. (1997). Mechanisms of mutagenicity of DNA adducts derived from alkyl and vinyl halides. *JTTHE* 43: 69-82.
- Guenther, J; Wright, AD; Burns, K; De Nys, R. (2009). Chemical antifouling defences of sea stars: effects of the natural products hexadecanoic acid, cholesterol, lathosterol and sitosterol. *Mar Ecol Prog Ser* 385 (Jun 2009): 137-149. <http://dx.doi.org/10.3354/meps08034>.
- Guerin, TF. (1999). The extraction of aged polycyclic aromatic hydrocarbon (PAH) residues from a clay soil using sonication and a Soxhlet procedure: a comparative study. *J Environ Monit* 1: 63-67.
- Guerreiro, O; Alves, SP; Costa, M; Cabo, A; Duarte, MF; Jeronimo, E; Bessa, R, uiJB. (2016). Effects of extracts obtained from *Cistus ladanifer* L. on in vitro rumen biohydrogenation. *Anim Feed Sci Technol* 219: 304-312. <http://dx.doi.org/10.1016/j.anifeedsci.2016.06.024>.
- Guignard, C; Pedron, V; Richard, F; Jacquot, R; Spagnol, M; Coustard, JM; Perot, G. (2002). Acylation of veratrole by acetic anhydride over H beta and HY zeolites - Possible role of di- and triketone by-products in the deactivation process. *Appl Catal A-Gen* 234: 79-90.
- Guiliano, M; Boukir, A; Doumenq, P; Mille, G; Crampon, C; Badens, E; Charbit, G. (2000). Supercritical fluid extraction of BAL 150 crude oil asphaltenes. *Energy Fuels* 14: 89-94.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillen, MD; Ibargoitia, ML. (1996). Volatile components of aqueous liquid smokes *Vitis vinifera* L shoots and *Fagus sylvatica* L wood. *J Sci Food Agric* 72: 104-110.
- Guillen, MD; Manzanos, MJ. (1999). Extractable components of the aerial parts of *Salvia lavandulifolia* and composition of the liquid smoke flavoring obtained from them. *J Agric Food Chem* 47: 3016-3027.
- Guillen, MD; Manzanos, MJ. (1999). Smoke and liquid smoke. Study of an aqueous smoke flavouring from the aromatic plant *Thymus vulgaris* L. *J Sci Food Agric* 79: 1267-1274.
- Guillen, MD; Manzanos, MJ; Ibargoitia, ML. (2001). Carbohydrate and nitrogenated compounds in liquid smoke flavorings. *J Agric Food Chem* 49: 2395-2403. <http://dx.doi.org/10.1021/jf000760t>.
- Guillen, MD; Manzanos, MJ; Zabala, L. (1995). STUDY OF A COMMERCIAL LIQUID SMOKE FLAVORING BY MEANS OF GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND FOURIER-TRANSFORM INFRARED-SPECTROSCOPY. *J Agric Food Chem* 43: 463-468.
- Gulyas, H; Reich, M. (2000). Organic constituents of oil reclaiming wastewater. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 35: 435-464.
- Gulyas, H; Reich, M; Otterpohl, R. (2011). Organic micropollutants in raw and treated greywater: a preliminary investigation. *Urban Water Journal* 8: 29-39. <http://dx.doi.org/10.1080/1573062X.2010.528435>.
- Gungor, O; Memon, S; Yilmaz, M; Roundhill, DM. (2005). Synthesis of alkyl nitrile and alkyl benzonitrile derivatives of calix[4]arene and their polymer supported analogues: A comparative study in two-phase extraction systems. *React Funct Polym* 63: 1-9. <http://dx.doi.org/10.1016/j.reactfunctpolym.2005.02.004>.

## Exposure Literature Search Results

### Off Topic

- Gun'ko, VM; Bogatyrov, VM; Turov, VV; Leboda, R; Skubiszewska-Zieba, J; Urubkov, IV. (2013). Structural features of resorcinol-formaldehyde resin chars and interfacial behavior of water co-adsorbed with low-molecular weight organics. *Appl Surf Sci* 283: 683-693. <http://dx.doi.org/10.1016/j.apsusc.2013.06.165>.
- Gun'ko, VM; Seledets, O; Skubiszewska-Zieba, J; Zarko, VI; Leboda, R; Janusz, W; Chibowski, S. (2005). Phosphorus-containing carbon deposits on silica gel Si-100. *Microporous and Mesoporous Materials* 87: 133-145. <http://dx.doi.org/10.1016/j.micromeso.2005.06.044>.
- Gun'ko, VM; Skubiszewska-Zieba, J; Leboda, R; Zarko, VI. (2000). Fumed silica modified due to pyrolysis of methylene chloride. *Langmuir* 16: 374-382.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci* 47: 1525-1532.
- Guo, D; Shi, Q; He, B; Yuan, X. (2011). Different solvents for the regeneration of the exhausted activated carbon used in the treatment of coking wastewater. *J Hazard Mater* 186: 1788-1793. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.068>.
- Guo, F, en; Ye, K, e; Cheng, K, ui; Wang, G; Cao, D. (2015). Preparation of nickel nanowire arrays electrode for urea electrooxidation in alkaline medium. *J Power Sources* 278: 562-568. <http://dx.doi.org/10.1016/j.jpowsour.2014.12.125>.
- Guo, H; Chen, Y; Ping, H; Wang, L; Peng, DL. (2012). One-pot synthesis of hexagonal and triangular nickel-copper alloy nanoplates and their magnetic and catalytic properties. *J Mater Chem* 22: 8336-8344. <http://dx.doi.org/10.1039/c2jm16095a>.
- Guo, N, anNan; Zhang, Q, iuGen; Li, HM, ei; Wu, X, inMei; Liu, QL, in; Zhu, A, iMei. (2014). Facile Fabrication, Structure, and Applications of Polyvinyl Chloride Mesoporous Membranes. *Ind Eng Chem Res* 53: 20068-20073. <http://dx.doi.org/10.1021/ie503986h>.
- Guo, X; Zhou, Z; Ma, G; Wang, S; Zhao, S; Zhang, Q. (2012). Effect of process on the integrity of pore-gradient Al<sub>2</sub>O<sub>3</sub> ceramic foams by gelcasting. *Ceramics International* 38: 713-719. <http://dx.doi.org/10.1016/j.ceramint.2011.07.062>.
- Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-butyl-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. *Progr Org Coating* 76: 768-777. <http://dx.doi.org/10.1016/j.porgcoat.2013.01.006>.
- Guoneng, L; Zhihua, X; Youqu, Z; Wenwen, G; Cong, D. (2016). Experimental study on convective heat transfer from a rectangular flat plate by multiple impinging jets in laminar cross flows. *International Journal of Thermal Sciences* 108: 123-131. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.05.006>.
- Gupta, B; Chauhan, DS; Prakash, R. (2010). Controlled morphology of conducting polymers: Formation of nanorods and microspheres of polyindole. *Mater Chem Phys* 120: 625-630. <http://dx.doi.org/10.1016/j.matchemphys.2009.12.026>.
- Gupta, M; Gupta, A; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .2. Sulfate reduction. *Water Res* 30: 1387-1394.
- Gupta, M; Sharma, D; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions .1. Methanogenesis. *Water Res* 30: 1377-1385.
- Gupta, S; Purwar, M; Chakrabarti, SK; Singh, S. (2012). Influence of drying of biosludge on organochlorine compounds from pulp and paper industry. *J Environ Biol* 33: 85-88.
- Gupta, VK; Agarwal, S; Tyagi, I; Sohrabi, M; Fakhri, A, li; Rashidi, S; Sadeghi, N. (2016). Microwave-assisted hydrothermal synthesis and adsorption properties of carbon nanofibers for methamphetamine removal from aqueous solution using a response surface methodology. *J Ind Eng Chem* 41: 158-164. <http://dx.doi.org/10.1016/j.jiec.2016.07.018>.
- Gurevich, AB; Teplyakov, AV; Yang, MX; Bent, BE. (1998). Synthesis, bonding, and reactions of pi-bonded allyl groups on Cu(100): Allyl radical ejection. *Langmuir* 14: 1419-1427.
- Gürses, A; Dođar, C; Karaca, S; Açıkyıldız, M; Bayrak, R. (2006). Production of granular activated carbon from waste *Rosa canina* sp. seeds and its adsorption characteristics for dye. *J Hazard Mater* 131: 254-259. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.014>.
- Gusev, AA; Gordeev, EI; Guseva, EM; Petukhin, AG; Chebrov, VN. (1997). The first version of the A(max)(M(W),R) relationship for Kamchatka. *Pure Appl Geophys* 149: 299-312.
- Gute, DM; Enander, RT; Cohen, HJ; Missaghian, R. (1999). Metal particulate and methylene chloride exposure among technicians in automotive refinishing. *Epidemiology* 10: S42-S42.
- Gutierrez-Castillo, ME; Roubicek, DA; Cebrian-Garcia, ME; De Vizcaya-Ruiz, A; Sordo-Cedeno, M; Ostrosky-Wegman, P. (2006). Effect of chemical composition on the induction of DNA damage by urban airborne particulate matter. *Environ Mol Mutagen* 47: 199-211. <http://dx.doi.org/10.1002/em.20186>.
- Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Aurrekoetxea, U; Gonzalez-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal* 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).
- Gutschmidt, K; Kettrup, A. (1992). A Diffusive Sampling Technique for the Determination of Volatile Substances in the Air at the Workplace. *Fresen Environ Bull* 1: 388-393.
- Guy, DW; Crawford, RJ; Mainwaring, DE. (1996). The wetting behaviour of several organic liquids in water on coal surfaces. *Fuel* 75: 238-242.
- Guyot; Bouseta; Scheirman, V; Collin, V. (1998). Floral Origin Markers of Chestnut and Lime Tree Honeys. *J Agric Food Chem* 46: 625-633.
- Guzman-Gutierrez, MT; Zolotukhin, MG; Fritsch, D; Ruiz-Trevino, FA; Cedillo, G; Fregoso-Israel, E; Ortiz-Estrada, C; Chavez, J; Kudla, C. (2008). Synthesis and gas transport properties of new aromatic 3F polymers. *J Memb Sci* 323: 379-385. <http://dx.doi.org/10.1016/j.memsci.2008.06.041>.
- Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2014). Phase Behavior of Poly(D-lactic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems at High Pressure. *Journal of Chemical and Engineering Data* 59: 2144-2149. <http://dx.doi.org/10.1021/je400715b>.



## Exposure Literature Search Results

### Off Topic

- Haber, J; Machej, T; Derewinski, M; Janik, R; Krysiak, J; Sadowska, H; Janas, J. (1999). Catalytic oxidation of CH<sub>2</sub>Cl<sub>2</sub> on sodium doped Al<sub>2</sub>O<sub>3</sub>. *Catalysis Today* 54: 47-55.
- Haberlein, H; Tschiersch, KP. (1998). On the occurrence of methylated and methoxylated flavonoids in *Leptospermum scoparium*. *Biochemical Systematics and Ecology* 26: 97-103.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddon, WF; Binder, RG; Wong, RY; Harden, LA; Wilson, RE; Benson, M; Stevens, KL. (1996). Potent bacterial mutagens produced by chlorination of simulated poultry chiller water. *J Agric Food Chem* 44: 256-263.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification* 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Hadoun, H; Sadaoui, Z; Souami, N; Sahel, D; Toumert, I. (2013). Characterization of mesoporous carbon prepared from date stems by H<sub>3</sub>PO<sub>4</sub> chemical activation. *Appl Surf Sci* 280: 1-7. <http://dx.doi.org/10.1016/j.apsusc.2013.04.054>.
- Haefs, R; Schmitz-Eiberger, M; Mohr, HD; Noga, G. (2002). Improvement of Mg uptake of grapevine by use of rapeseed oil ethoxylates for foliar application of Mg. *Vitis* 41: 7-10.
- Hägele; Simpson. (2000). The influence of mechanical, visual and contact chemical stimulation on the behavioural phase state of solitary desert locusts (*Schistocerca gregaria*). *J Insect Physiol* 46: 1295-1301.
- Hager, RL. (2006). Television viewing and physical activity in children. 39: 656-661. <http://dx.doi.org/10.1016/j.jadohealth.2006.04.020>.
- Hagimori, M; Mizuyama, N; Yokota, K; Nishimura, Y; Suzuta, M; Tai, CK; Wang, BC; Wang, SL; Shih, TL; Wu, KD; Huang, ZS; Tseng, SC; Chen, CY; Lu, JW; Wei, HH; Kawashima, K; Kawashima, S; Tominaga, Y. (2012). Synthesis of 6-(4-diethylamino)phenyl-2-oxo-2H-pyran-3-carbonitrile derivatives and their fluorescence in solid state and in solutions. *Dyes and Pigments* 92: 1069-1074. <http://dx.doi.org/10.1016/j.dyepig.2011.05.014>.
- Hagimori, M; Shigemitsu, Y; Murakami, R, yo; Yokota, K; Nishimura, Y; Mizuyama, N; Wang, B, oC; Tai, CK; Wang, S, anL; Shih, TL; Wu, KD, a; Huang, Z, hiS; Tseng, SC; Lu, JW, ei; Wei, H, oH; Nagaoka, J; Mukai, T; Kawashima, S; Kawashima, K; Tominaga, Y. (2016). 2-Pyridone-based fluorophores containing 4-dialkylamino-phenyl group: Synthesis and fluorescence properties in solutions and in solid state. *Dyes and Pigments* 124: 196-202. <http://dx.doi.org/10.1016/j.dyepig.2015.09.017>.
- Hahn, HC; Veriansyah, B; Kim, J; Kim, W, anJoo; Kim, J, aeD; Oh, SG; Lee, YW, oo. (2008). A new correlation to predict the stability of liquid jet in dense carbon dioxide. *J Ind Eng Chem* 14: 824-829. <http://dx.doi.org/10.1016/j.jiec.2008.04.002>.
- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2)((3)P(J))), WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame* 93: 327-335.
- Hajji, M; Jarraya, R; Lassoued, I; Masmoudi, O; Damak, M; Nasri, M. (2010). GC/MS and LC/MS analysis, and antioxidant and antimicrobial activities of various solvent extracts from *Mirabilis jalapa* tubers. *Process Biochemistry* 45: 1486-1493. <http://dx.doi.org/10.1016/j.procbio.2010.05.027>.
- Hakala, SH; Heinonen, IM. (1994). CHROMATOGRAPHIC PURIFICATION OF NATURAL LYCOPENE. *J Agric Food Chem* 42: 1314-1316.
- Hall, AH; Rumack, BH. (1990). Methylene chloride exposure in furniture-stripping shops: Ventilation and respirator use practices. *J Occup Med* 32: 33-37.
- Halldorsson, JA; Little, SJ; Diamond, D; Spinks, G; Wallace, G. (2009). Controlled transport of droplets using conducting polymers. *Langmuir* 25: 11137-11141. <http://dx.doi.org/10.1021/la900835w>.
- Halldorsson, JA; Wu, Y; Brown, HR; Spinks, GM; Wallace, GG. (2011). Surfactant-controlled shape change of organic droplets using polypyrrole. *Thin Solid Films* 519: 6486-6491. <http://dx.doi.org/10.1016/j.tsf.2011.04.226>.
- Halloin, JM; Minton, EB; Petersen, HD. (1978). FUNGICIDE APPLICATION TO COTTONSEED USING METHYLENE-CHLORIDE CARRIER. *Crop Sci* 18: 909-910.
- Hamad, S; Podagatlapalli, GK; Mounika, R; Rao, SVS, N; Pathak, AP; Rao, SV. (2015). Studies on linear, nonlinear optical and excited state dynamics of silicon nanoparticles prepared by picosecond laser ablation. 5. <http://dx.doi.org/10.1063/1.4939017>.
- Hameed, NM; El Eter, A, li; Grosjean, T; Baida, FI. (2014). Stand-Alone Three-Dimensional Optical Tweezers Based on Fibred Bowtie Nanoaperture. *I E E E Photonics Journal* 6. <http://dx.doi.org/10.1109/JPHOT.2014.2341011>.
- Hamidi, R; Kazemi, P. (2015). Kinetics and mechanism of sorption of chloride ion from sodium carbonate manufacturing wastewater by Mg-Al oxide. *Desalination and Water Treatment* 54: 332-341. <http://dx.doi.org/10.1080/19443994.2014.880658>.
- Han, DH; Hong, WH. (1996). Reactive extraction of lactic acid with triethylamine/methylene chloride/n-hexane. *Separation Science and Technology* 31: 1123-1135.
- Han, J, aeHo; Yoon, SM, in. (2012). Dichloromethane Detection Based on Near-Infrared Absorptive Sensing. *I E E E Journal on Selected Topics in Quantum Electronics* 18: 1547-1552. <http://dx.doi.org/10.1109/JSTQE.2011.2180367>.
- Han, J, ie; Zhang, M; Wang, F; Geng, Q. (2010). Non-symmetric liquid crystal dimers based on 1,3,4-oxadiazole derivatives: synthesis, photoluminescence and liquid crystal behaviour. *Liquid Crystals* 37: 1471-1478. <http://dx.doi.org/10.1080/02678292.2010.527382>.
- Han, L, ei; Wang, P; Zhu, C; Zhai, Y; Dong, S. (2011). Facile solvothermal synthesis of cube-like Ag@AgCl: a highly efficient visible light photocatalyst. *Nanoscale* 3: 2931-2935. <http://dx.doi.org/10.1039/c1nr10247h>.

## Exposure Literature Search Results

### Off Topic

- Han, MJ; Lee, KW; Seo, BK. (2003). Preparation and characterization of a double-layered porous film to assay for surface radioactive contamination. *J Memb Sci* 223: 59-67. [http://dx.doi.org/10.1016/S0376-7388\(03\)00308-9](http://dx.doi.org/10.1016/S0376-7388(03)00308-9).
- Han, Q; Chen, J; Yang, X; Lu, L; Wang, X, in. (2007). Preparation of uniform Bi<sub>2</sub>S<sub>3</sub> nanorods using xanthate complexes of bismuth(III). *J Phys Chem C* 111: 14072-14077. <http://dx.doi.org/10.1021/jp0742766>.
- Han, S; Zhao, Y; Yu, T; Craik, S. (2014). Challenge Studies of the Hach GuardianBlue Early Warning System. *J Environ Eng* 140. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000776](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000776).
- Han, SO; Son, WK; Youk, JH; Lee, TS; Park, WH. (2005). Ultrafine porous fibers electrospun from cellulose triacetate. *Mater Lett* 59: 2998-3001. <http://dx.doi.org/10.1016/j.matlet.2005.05.003>.
- Han, W; Wang, S; Huang, H; Luo, L; Zhang, S. (2013). Simultaneous determination of brominated phenols in soils. *J Environ Sci* 25: 2306-2312. [http://dx.doi.org/10.1016/S1001-0742\(12\)60298-8](http://dx.doi.org/10.1016/S1001-0742(12)60298-8).
- Han, Z; Li, S; Chu, J; Chen, Y. (2013). Electrospun Pd-doped ZnO nanofibers for enhanced photocatalytic degradation of methylene blue. *Journal of Sol-Gel Science and Technology* 66: 139-144. <http://dx.doi.org/10.1007/s10971-013-2978-9>.
- Hanks, T; Glish, L; Singh, S; Johnson, D; Wright, L. (2005). Conducting polymers as substrates for surface-mounted molecular devices. *Synthetic Metals* 153: 177-180. <http://dx.doi.org/10.1016/j.synthmet.2005.07.230>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hansen, D; Volland, G; Krause, G; Zoltzer, D. (2001). Determination and occurrence of phosphororganic compounds (POV) in dust and indoor air. *Staub, Reinhaltung der Luft* 61: 13-17.
- Hansen, LG; O'Keefe, PW. (1996). Polychlorinated dibenzofurans and dibenzo-p-dioxins in subsurface soil, superficial dust, and air extracts from a contaminated landfill. *Arch Environ Contam Toxicol* 31: 271-276.
- Hanson, D. (1991). OSHA TO CUT METHYLENE-CHLORIDE EXPOSURE LIMITS. *Chem Eng News* 69: 8-8.
- Hanson, D. (1997). Methylene chloride exposure sharply limited. *Chem Eng News* 75: 7-7.
- Hantal, G; Terleczyk, P; Horvai, G; Nyulaszi, L; Jedlovszky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C* 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, E; Fabre, B; Fronczek, FR; Vicente, MGH. (2007). Syntheses and electropolymerization of carboranyl-functionalized pyrroles and thiophenes. *Chem Mater* 19: 6195-6205. <http://dx.doi.org/10.1021/cm701935n>.
- Hao, X; Bai, C; Huang, Y, ue; Bi, J; Zhang, C; Cai, H; Zhang, X; Du, L. (2010). Preparation of cis-1,4-Polyisoprene Electrospun Microfibers. *Macromolecular Materials & Engineering* 295: 305-309. <http://dx.doi.org/10.1002/mame.200900284>.
- Hao, X; Zhang, X. (2007). Syndiotactic 1,2-polybutadiene fibers produced by electrospinning. *Mater Lett* 61: 1319-1322. <http://dx.doi.org/10.1016/j.matlet.2006.07.022>.
- Hapiot, P; Gaillon, L; Audebert, P; Moreau, JJE; Lerepote, JP; Man, MWC. (1995). SOLVENT EFFECTS ON THE POLYMERIZATION KINETICS OF SOME ALPHA-SILYLATED THIOPHENE OLIGOMERS - SPECIAL INFLUENCE OF THE ALPHA-SILYL GROUP. *Synthetic Metals* 72: 129-134.
- Harada, K; Miyasaki, T; Kawashima, S; Shiota, H. (1996). Studies on the feeding attractants for fishes and shellfishes .26. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*. *Aquaculture* 140: 99-108.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1994). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN AIR. *Atmos Environ* 28: 1319-1325.
- Haraguchi, K; Kitamura, E; Yamashita, T; Kido, A. (1995). SIMULTANEOUS DETERMINATION OF TRACE PESTICIDES IN URBAN PRECIPITATION. *Atmos Environ* 29: 247-253.
- Hardie, DWF. (1964). Kirk-Othmer encyclopedia of chemical technology Methylene chloride (2nd ed.). New York, NY: John Wiley & Sons.
- Haribal, M; Feeny, P. (2003). Combined roles of contact stimulant and deterrents in assessment of host-plant quality by ovipositing zebra swallowtail butterflies. *J Chem Ecol* 29: 653-670.
- Harnish, B; Robinson, JT; Pei, ZC; Ramstrom, O; Yan, MD. (2005). UV-cross-linked poly(vinylpyridine) thin films as reversibly responsive surfaces. *Chem Mater* 17: 4092-4096. <http://dx.doi.org/10.1021/cm050144i>.
- Harris, LA; Goff, JD; Carmichael, AY; Riffle, JS; Harburn, JJ; St Pierre, TG; Saunders, M. (2003). Magnetite nanoparticle dispersions stabilized with triblock copolymers. *Chem Mater* 15: 1367-1377. <http://dx.doi.org/10.1021/cm020994n>.
- Harris, MO; Sandanayake, M; Foster, SP. (1999). Chemical stimuli from apple influence the behavior of neonate caterpillars of the generalist herbivore, *Epiphyas postvittana*. *J Chem Ecol* 25: 1717-1738.
- Harrison, HF; Wechter, WP; Kousik, CS. (2012). Inhibition of Bacterial, Fungal, and Plant Growth by Testae Extracts of *Citrullus* Genotypes. *HortScience* 47: 448-451.
- Harshiny, M; Iswarya, CN; Matheswaran, M. (2015). Biogenic synthesis of iron nanoparticles using *Amaranthus dubius* leaf extract as a reducing agent. *Powder Technology* 286: 744-749. <http://dx.doi.org/10.1016/j.powtec.2015.09.021>.
- Hartmans, S; Tramper, J. (1991). DICHLOROMETHANE REMOVAL FROM WASTE GASES WITH A TRICKLE-BED BIOREACTOR. 6: 83-92.
- Hasan, DB; Azizl, ARA; Daud, W, anMAWan. (2012). Oxidative mineralisation of petroleum refinery effluent using Fenton-like process. *Chem Eng Res Des* 90: 298-307. <http://dx.doi.org/10.1016/j.cherd.2011.06.010>.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol* 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hasik, M; Wojcik-Bania, M; Nyczuk, A; Gumula, T. (2013). Polysiloxane-POSS systems as precursors to SiCO ceramics. *React Funct Polym* 73: 779-788. <http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.006>.

## Exposure Literature Search Results

### Off Topic

- Hasirci, V; Litman, AE; Trantolo, DJ; Gresser, JD; Wise, DL; Margolis, HC. (2002). PLGA bone plates reinforced with crosslinked PPF. *J Mater Sci Mater Med* 13: 159-167.
- Hassan, AF; Youssef, AM. (2014). Preparation and characterization of microporous NaOH-activated carbons from hydrofluoric acid leached rice husk and its application for lead(II) adsorption. 15: 57-66. <http://dx.doi.org/10.5714/CL.2014.15.1.057>.
- Hassanien, MM; Abou-El-Sherbini, KS; Al-Muaikel, NS. (2010). Immobilization of methylene blue onto bentonite and its application in the extraction of mercury (II). *J Hazard Mater* 178: 94-100. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.048>.
- Hata, H; Saeki, S; Kimura, T; Sugahara, Y; Kuroda, K. (1999). Adsorption of taxol into ordered mesoporous silicas with various pore diameters. *Chem Mater* 11: 1110-1119.
- Hatano, R; Booltink, HWG. (1994). A MORPHOLOGICAL APPROACH TO DESCRIBE SOLUTE MOVEMENT INFLUENCED BY BYPASS FLOW IN A STRUCTURED CLAY SOIL. *Soil Sci Plant Nutr* 40: 573-580.
- Hatano, R; Kawamura, N; Ikeda, J; Sakuma, T. (1992). EVALUATION OF THE EFFECT OF MORPHOLOGICAL FEATURES OF FLOW PATHS ON SOLUTE TRANSPORT BY USING FRACTAL DIMENSIONS OF METHYLENE-BLUE STAINING PATTERN. *Geoderma* 53: 31-44.
- Haufroid, V; Ligoocka, D; Buysschaert, M; Horsmans, Y; Lison, D. (2003). Cytochrome P4502E1 (CYP2E1) expression in peripheral blood lymphocytes: Evaluation in hepatitis C and diabetes. *Eur J Clin Pharmacol* 59: 29-33. <http://dx.doi.org/10.1007/s00228-003-0566-6>.
- Hawthorne, SB; Miller, DJ. (2003). Evidence for very tight sequestration of BTEX compounds in manufactured gas plant soils based on selective supercritical fluid extraction and soil/water partitioning. *Environ Sci Technol* 37: 3587-3594. <http://dx.doi.org/10.1021/es020899f>.
- Hayashi, M; Hirata, Y. (2002). Transesterification mechanism in pharmaceutical intermediate (SLT-methylester) synthetic process using potassium carbonate as catalyst. *Kagaku Kogaku Ronbunshu* 28: 733-738.
- Hayes, AW. (2001). Principles and methods of toxicology (4 ed.). Philadelphia, PA: Taylor and Francis.
- Hayyan, M; Abo-Hamad, A; Alsaadi, MA; Hashim, MA. (2015). Functionalization of graphene using deep eutectic solvents. *Nanoscale Res Lett* 10: 1004. <http://dx.doi.org/10.1186/s11671-015-1004-2>.
- He, B; Chang, Z; Jiang, Y; Xu, X; Lu, P; Kwok, H, oiS; Zhou, J; Qiu, H; Zhao, Z; Tang, B, enZ. (2014). Piezochromic luminescent and electroluminescent materials comprised of tetraphenylethene plus spirobifluorene or 9, 9-diphenylfluorene. *Dyes and Pigments* 106: 87-93. <http://dx.doi.org/10.1016/j.dyepig.2014.02.026>.
- He, C; Jin, X; Ma, PX. (2014). Calcium phosphate deposition rate, structure and osteoconductivity on electrospun poly(L-lactic acid) matrix using electrodeposition or simulated body fluid incubation. *Acta Biomater* 10: 419-427. <http://dx.doi.org/10.1016/j.actbio.2013.08.041>.
- He, H; Zhang, X; Sheng, Y. (2014). Enteric-coated capsule containing  $\beta$ -galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484. <http://dx.doi.org/10.1017/S0022029914000491>.
- He, J; Zielinska, B; Balasubramanian, R. (2010). Composition of semi-volatile organic compounds in the urban atmosphere of Singapore: influence of biomass burning. *Atmos Chem Phys* 10: 11401-11413. <http://dx.doi.org/10.5194/acp-10-11401-2010>.
- He, K; Wang, X; Yu, J; Jiang, H; Xie, G; Tan, H, ua; Liu, Y, u; Ma, D; Wang, Y; Zhu, W. (2014). Synthesis and optoelectronic properties of novel fluorene-bridged dinuclear cyclometalated iridium (III) complex with A-D-A framework in the single-emissive-layer WOLEDs. *Organic Electronics* 15: 2942-2949. <http://dx.doi.org/10.1016/j.orgel.2014.08.014>.
- He, L; Lou, S; Lin, X; Qian, X; Xie, S; Wang, Z. (2016). Isolation and identification of the marine diatom *Entomoneis* sp MMOGRB 0374S (Bacillariophyta): a strain with high arachidonic acid composition. *Botanica Marina* 59: 463-471. <http://dx.doi.org/10.1515/bot-2016-0024>.
- He, P; Tang, J; Zhang, D; Zeng, Y; Shao, L. (2010). Release of volatile organic compounds during bio-drying of municipal solid waste. *J Environ Sci* 22: 752-759. [http://dx.doi.org/10.1016/S1001-0742\(09\)60173-X](http://dx.doi.org/10.1016/S1001-0742(09)60173-X).
- He, WZ; Suo, QL; Hong, HL; Li, GM; Zhao, XH; Li, CP; A, S. (2006). Supercritical antisolvent micronization of natural carotene by the SEDS process through prefilming atomization. *Ind Eng Chem Res* 45: 2108-2115. <http://dx.doi.org/10.1021/ie050993f>.
- He, YJ. (2005). Interfacial synthesis and characterization of polyaniline nanofibers. *Mater Sci Eng B* 122: 76-79. <http://dx.doi.org/10.1016/j.mseb.2005.04.014>.
- Headley, JV; Barrow, MP; Peru, KM; Derrick, PJ. (2011). Salting-out effects on the characterization of naphthenic acids from Athabasca oil sands using electrospray ionization. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 844-854. <http://dx.doi.org/10.1080/10934529.2011.579857>.
- Hearne, FT; Grose, F; Pifer, JW; Friedlander, BR; Raleigh, RL. (1987). Methylene chloride mortality study: Dose-response characterization and animal model comparison. *J Occup Med* 29: 217-228.
- Hearne, FT; Pifer, JW. (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. *J Occup Environ Med* 41: 1154-1169.
- Hearne, FT; Pifer, JW; Grose, F. (1990). Absence of adverse mortality effects in workers exposed to methylene chloride: An update. *J Occup Med* 32: 234-240. <http://dx.doi.org/10.1097/00043764-199003000-00010>.
- Hedouin-Langlet, C; Loizeau, M; Mercier, JL; Thiery, R. (2015). Paint strippers and prevention of occupational risks during building facelift: Where do we stand? *Arch Mal Prof Environ* 76: 337-344. <http://dx.doi.org/10.1016/j.admp.2014.12.011>.
- Heemken, OP; Reincke, H; Stachel, B; Theobald, N. (2001). The occurrence of xenoestrogens in the Elbe river and the North Sea. *Chemosphere* 45: 245-259.
- Heffner, C; Silwal, I; Peckenhams, JM; Solouki, T. (2007). Emerging technologies for identification of disinfection byproducts: GC/FT-ICR MS characterization of solvent artifacts. *Environ Sci Technol* 41: 5419-5425. <http://dx.doi.org/10.1021/es062441+>.

## Exposure Literature Search Results

### Off Topic

- Hegedus, L; Mathe, T. (2005). Selective heterogeneous catalytic hydrogenation of nitriles to primary amines in liquid phase Part I. Hydrogenation of benzonitrile over palladium. *Appl Catal A-Gen* 296: 209-215. <http://dx.doi.org/10.1016/j.apcata.2005.08.024>.
- Hei, EC; Liu, HL; Shen, JG; Sun, JL; Hu, Y. (1995). DETERMINATION OF THE SOLUBILITIES OF 2,4-DICHLOROBENZALDEHYDE IN ORGANIC-SOLVENTS. *Chinese Journal of Chemical Engineering* 3: 155-162.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heineman, EF; Gomez, MR; Dosemeci, M; Cocco, P. (1996). Methylene chloride and brain cancer: Interpreting a new study in light of existing literature [Letter]. *Am J Ind Med* 30: 506-507. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<506::AID-AJIM20>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<506::AID-AJIM20>3.0.CO;2-7).
- Heininger, MW; Meloan, CE. (1992). A selective reagent for the removal and recovery of chromate, molybdate, tungstate, and vanadate from aqueous solution (pp. 663-669). (ISSN 0149-6395; EISSN 1520-5754; BIOSIS/92/18756). Heininger, MW; Meloan, CE.
- Hekmat, D; Feuchtinger, A; Stephan, M; Vortmeyer, D. (2004). Microbial composition and structure of a multispecies biofilm from a trickle-bed reactor used for the removal of volatile aromatic hydrocarbons from a waste gas. *J Chem Tech Biotechnol* 79: 13-21. <http://dx.doi.org/10.1002/jctb.927>.
- Hekmat, D; Vortmeyer, D. (1994). MODELING OF BIODEGRADATION PROCESSES IN TRICKLE-BED BIOREACTORS. *Chem Eng Sci* 49: 4327-4345.
- Hekmat, D; Vortmeyer, D. (2000). Biodegradation of poorly water-soluble volatile aromatic compounds from waste air. *Chem Eng Tech* 23: 315-+.
- Hekmat, M; Latawiec, A; Smith, R. (1994). DETERMINATION OF COAL-TAR PITCH VOLATILE MATERIALS ON AIR SAMPLING FILTERS - COMPARISON OF GRAVIMETRIC AND SPECTROSCOPIC METHODS. *Am Ind Hyg Assoc J* 55: 942-945.
- Hekmatara, T; Gelperina, S; Vogel, V; Yang, SR; Kreuter, J. (2009). Encapsulation of water-insoluble drugs in poly(butyl cyanoacrylate) nanoparticles. *J Nanosci Nanotechnol* 9: 5091-5098. <http://dx.doi.org/10.1166/jnn.2009.GR05>.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater* 41: 205-216.
- Hellberg, U; Ivarsson, JP; Johansson, BL. (1996). Characteristics of Superdex(R) prep grade media for gel filtration chromatography of proteins and peptides. *Process Biochemistry* 31: 163-172.
- Hellio, C; Berge, JP; Beaupoil, C; Le Gal, Y; Bourgougnon, N. (2002). Screening of marine algal extracts for anti-settlement activities against microalgae and macroalgae. *Biofouling* 18: 205-215. <http://dx.doi.org/10.1080/08927010290010137>.
- Hellio, C; De La Broise, D; Dufosse, L; Le Gal, Y; Bourgougnon, N. (2001). Inhibition of marine bacteria by extracts of macroalgae: potential use for environmentally friendly antifouling paints. *Mar Environ Res* 52: 231-247.
- Hellio, C; Marechal, JP; Véron, B; Bremer, G; Clare, AS; Le Gal, Y. (2004). Seasonal variation of antifouling activities of marine algae from the Brittany coast (France). *Mar Biotechnol* 6: 67-82. <http://dx.doi.org/10.1007/s10126-003-0020-x>.
- Hellmold, H; Rylander, T; Magnusson, M; Reihner, E; Warner, M; Gustafsson, JA. (1998). Characterization of cytochrome P450 enzymes in human breast tissue from reduction mammoplasties. *J Clin Endocrinol Metab* 83: 886-895. <http://dx.doi.org/10.1210/jc.83.3.886>.
- Hellsten, S; Qu, HY; Louhi-Kultanen, M. (2011). Screening of Binary Solvent Mixtures and Solvate Formation of Indomethacin. *Chem Eng Tech* 34: 1667-1674. <http://dx.doi.org/10.1002/ceat.201100072>.
- Hemida, AT; Birot, M; Pillot, JP; Dunogues, J; Pailler, R; Naslain, R. (1997). Synthesis and characterization of new precursors to nearly stoichiometric SiC ceramics .2. A homopolymer route. *Journal of Materials Science* 32: 3485-3490.
- Henics, T; Wheatley, DN. (1999). Cytoplasmic vacuolation, adaptation and cell death: a view on new perspectives and features [Review]. *Biol Cell* 91: 485-498. [http://dx.doi.org/10.1016/S0248-4900\(00\)88205-2](http://dx.doi.org/10.1016/S0248-4900(00)88205-2).
- Henrique, MC; Saraiva Nunomura, R, deC; Nunomura, SM; Silva, SG. (2014). Chemical constituents isolated from twigs and barks of amapazeiro (Parahancornia amapa, Apocynaceae). *Acta Amazonica* 44: 533-537. <http://dx.doi.org/10.1590/1809-4392201305233>.
- Henriques, CA; Monteiro, JLF; Magnoux, P; Guisnet, M. (1997). Characterization of the coke formed during o-xylene isomerization over mordenites at various temperatures. *J Catal* 172: 436-445.
- Heraty, LJ; Fuller, ME; Huang, L; Abrajano, T; Sturchio, NC. (1999). Isotopic fractionation of carbon and chlorine by microbial degradation of dichloromethane. *Organic Geochemistry* 30: 793-799.
- Herbst, B; Wiesmann, U. (1996). Kinetics and reaction engineering aspects of the biodegradation of dichloromethane and dichloroethane. *Water Res* 30: 1069-1076.
- Herman, H; Wigglesworth, M. (1982). FAR INFRARED STIMULATED EMISSIONS FROM CO2-LASER EXCITED DICHLOROMETHANE. *Int J Infrared Millimeter Waves* 3: 395-400.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation* 25: 92-107.
- Herrero, JL; Lozano, J; Santos, JP; Suárez, JI. (2016). On-line classification of pollutants in water using wireless portable electronic noses. *Chemosphere* 152: 107-116. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.106>.
- Hertz-Picciotto, I; Neutra, RR. (1994). Resolving discrepancies among studies: the influence of dose on effect size. *Epidemiology* 5: 156-163.
- Herwig, RP; Gray, JP. (1997). Microbial response to antibacterial treatment in marine microcosms. *Aquaculture* 152: 139-154.
- Herwig, RP; Gray, JP; Weston, DP. (1997). Antibacterial resistant bacteria in surficial sediments near salmon net-cage farms in Puget Sound, Washington. *Aquaculture* 149: 263-283.

## Exposure Literature Search Results

### Off Topic

- Hesari, M; Workentin, MS. (2014). Facile synthesis of Au-23(SC(CH<sub>3</sub>)(3))(16) clusters. 2: 3631-3638. <http://dx.doi.org/10.1039/c4tc00059e>.
- Hesas, RH; Arami-Niya, A; Daud, W, anMAWan; Sahu, JN. (2013). Preparation of granular activated carbon from oil palm shell by microwave-induced chemical activation: Optimisation using surface response methodology. *Chem Eng Res Des* 91: 2447-2456. <http://dx.doi.org/10.1016/j.cherd.2013.06.004>.
- Heuertz, M. (1972). METHYLENE CHLORIDE FOR VAPOR DEGREASING. 48: 38-&.
- Hibbard, BE; Bernklau, EJ; Bjostad, LB. (1994). LONG-CHAIN FREE FATTY-ACIDS - SEMIOCHEMICALS FOR HOST LOCATION BY WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 20: 3335-3344.
- Hibbard, BE; Bjostad, LB. (1990). ISOLATION OF CORN SEMIOCHEMICALS ATTRACTIVE AND REPELLENT TO WESTERN CORN-ROOTWORM LARVAE. *J Chem Ecol* 16: 3425-3439.
- Hibino, M; Matsuda, H; Sato, T; Ose, Y; Nagase, H; Kito, H. (1992). Generation of mutagenicity by ozonation of humic substances' components. *Sci Total Environ* 116: 1-13. [http://dx.doi.org/10.1016/0048-9697\(92\)90361-U](http://dx.doi.org/10.1016/0048-9697(92)90361-U).
- Hickey, T; Kreutzer, D; Burgess, DJ; Moussy, F. (2002). Dexamethasone/PLGA microspheres for continuous delivery of an anti-inflammatory drug for implantable medical devices. *Biomaterials* 23: 1649-1656.
- Hierrezuelo, J; Romero, V; Benavente, J; Rico, R; López-Romero, JM. (2014). Membrane surface functionalization via theophylline derivative coating and streptavidin immobilization. *Colloids Surf B Biointerfaces* 113: 176-181. <http://dx.doi.org/10.1016/j.colsurfb.2013.09.007>.
- Hierro, MTG; Najera, AI; Santamaria, G. (1992). ANALYSIS OF TRIGLYCERIDES BY REVERSED-PHASE HPLC WITH GRADIENT ELUTION USING A LIGHT-SCATTERING DETECTOR. 32: 635-651.
- Higa, KM; Guilhen, A; Vieira, LCS; Carvalho, RM; Poppi, RJ; Baptista, M; Gobbi, AL; Lima, RS; Hantao, LW. (2016). Simple Solid-Phase Extraction Method for High Efficiency and Low Cost Crude Oil emulsification. *Energy Fuels* 30: 4667-4675. <http://dx.doi.org/10.1021/acs.energyfuels.6b00553>.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu* 29: 653-659.
- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng* 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hindsgaul, C; Schramm, J; Gratz, L; Henriksen, U; Bentzen, JD. (2000). Physical and chemical characterization of particles in producer gas from wood chips. *Bioresour Technol* 73: 147-155.
- Hines, RN. (2007). Ontogeny of human hepatic cytochromes P450 [Review]. *J Biochem Mol Toxicol* 21: 169-175. <http://dx.doi.org/10.1002/jbt.20179>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng* 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hirade, T; Okui, Y; Han, M. (2013). A design strategy for stable light-sensitive palladium complexes. 1: 2672-2679. <http://dx.doi.org/10.1039/c3tc00779k>.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans* 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirano, H; Kadota, J; Agari, Y; Harada, T; Tanaka, M; Hasegawa, K. (2007). Linear polymers with sulfur in the main chain. IV. Synthesis of thermotropic liquid-crystalline polythioesters based on 4,4'-biphenyldithiol with excellent adhesive properties. *Polymer Engineering and Science* 47: 262-269. <http://dx.doi.org/10.1002/pen.20702>.
- Hirota, M; Shimpo, H; Ohkubo, C; Umegaki, T; Toyama, T; Hayakawa, T. (2015). Bone Adaptation of Fibronectin-Immobilized Titanium Implants Using a Tresyl Chloride-Activated Method. 24: 341-345.
- Hirsjärvi, S; Peltonen, L; Hirvonen, J. (2006). Layer-by-layer polyelectrolyte coating of low molecular weight poly(lactic acid) nanoparticles. *Colloids Surf B Biointerfaces* 49: 93-99. <http://dx.doi.org/10.1016/j.colsurfb.2006.03.009>.
- Hisaeda, Y; Masuko, T; Hanashima, E; Hayashi, T. (2006). Organic/inorganic hybrid nanomaterials with vitamin B-12 functions. *Science and Technology of Advanced Materials* 7: 655-661. <http://dx.doi.org/10.1016/j.stam.2006.08.003>.
- Hiserodt, RD; Franzblau, SG; Rosen, RT. (1998). Isolation of 6-, 8-, and 10-gingerol from ginger rhizome by HPLC and preliminary evaluation of inhibition of Mycobacterium avium and Mycobacterium tuberculosis. *J Agric Food Chem* 46: 2504-2508.
- Ho, WP; Barat, RB; Bozzelli, JW. (1992). THERMAL-REACTIONS OF CH<sub>2</sub>CL<sub>2</sub> IN H-2/O-2 MIXTURES - IMPLICATIONS FOR CHLORINE INHIBITION OF CO CONVERSION TO CO-2. *Combust Flame* 88: 265-295.
- Hoang, L, am; Joo, G, ilJae; Kim, W, onC; Yang, E, unJu; Kim, SI, n; Lee, SM, an; Shin, J, aeHo; Rhee, I, nKoo; Song, KS, ik. (2009). Growth Inhibitors of Lettuce Seedlings from *Curvibacter* sp GA75-1. *Kor J of Hort Sci Tech* 27: 319-324.
- Hodson, PV; Maj, MK; Efler, S; Burnison, BK; Vanheiningen, ARP; Girard, R; Carey, JH. (1997). MFO induction in fish by spent cooking liquors from kraft pulp mills. *Environ Toxicol Chem* 16: 908-916.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofman, J; Rhodes, A; Semple, KT. (2008). Fate and behaviour of phenanthrene in the natural and artificial soils. *Environ Pollut* 152: 468-475. <http://dx.doi.org/10.1016/j.envpol.2007.05.034>.
- Hofmann, T; Schieberle, P; Grosch, W. (1996). Model studies on the oxidative stability of odor-active thiols occurring in food flavors. *J Agric Food Chem* 44: 251-255.
- Holbrook, MT. (2003). Methylene chloride. In RE Kirk; DF Othmer (Eds.), (4th, online ed., pp. 371-380). New York, NY: Wiley. <http://dx.doi.org/10.1002/0471238961.1305200808151202.a02.pub2>.

## Exposure Literature Search Results

### Off Topic

- Holden, AA; Mayer, KU; Ulrich, AC. (2012). Evaluating methods for quantifying cation exchange in mildly calcareous sediments in Northern Alberta. *Appl Geochem* 27: 2511-2523. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.026>.
- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria* 95: 299-312.
- Hollender, J; Koch, B; Lutermann, C; Dott, W. (2003). Efficiency of different methods and solvents for the extraction of polycyclic aromatic hydrocarbons from soils. *Int J Environ Anal Chem* 83: 21-32. <http://dx.doi.org/10.1080/0306731021000050723>.
- Hollert, H; Durr, M; Erdinger, L; Braunbeck, T. (2000). Cytotoxicity of settling particulate matter and sediments of the Neckar River (Germany) during a winter flood. *Environ Toxicol Chem* 19: 528-534.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere* 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holst, J; Martens, B; Gulyas, H; Greiser, N; Sekoulov, I. (1991). AEROBIC BIOLOGICAL REGENERATION OF DICHLOROMETHANE-LOADED ACTIVATED CARBON. *J Environ Eng* 117: 194-208.
- Holstege, DM; Francis, T; Puschner, B; Booth, MC; Galey, FD. (2000). Multiresidue screen for cardiotoxins by two-dimensional thin-layer chromatography. *J Agric Food Chem* 48: 60-64.
- Holt, MJ; Seville, N. (1992). PRECISION-MEASUREMENTS IN THE DETERMINATION OF CHROME AND SUBSTANCES SOLUBLE IN DICHLOROMETHANE. *Journal of the Society of Leather Technologists and Chemists* 76: 6-10.
- Honeycutt, ME; Mcfarland, VA; Mccant, DD. (1995). COMPARISON OF 3 LIPID EXTRACTION METHODS FOR FISH. *Bull Environ Contam Toxicol* 55: 469-472.
- Hong, G; Ma, CM. (2012). Photocatalytic Degradation of Indoor Air Pollutants by Pt-TiO<sub>2</sub>. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/405361>.
- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan* 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, H, aiL; Suo, QL; Han, L, iMin; Li, CP. (2009). Study on Precipitation of Astaxanthin in Supercritical Fluid. *Powder Technology* 191: 294-298. <http://dx.doi.org/10.1016/j.powtec.2008.10.022>.
- Hong, H, aiL; Suo, QL; He, W, enZhi; Li, CP. (2007). Formation of carotene/proanthocyanidin composite microparticles via the Solution-Enhanced Dispersion by supercritical Fluids (SEDS) process through prefilming atomization. *Ind Eng Chem Res* 46: 6630-6634. <http://dx.doi.org/10.1021/ie070590a>.
- Hong, MS; He, LY; Dale, BE; Donnelly, KC. (1995). GENOTOXICITY PROFILES AND REACTION CHARACTERISTICS OF POTASSIUM POLYETHYLENE-GLYCOL DEHALOGENATION OF WOOD PRESERVING WASTE. *Environ Sci Technol* 29: 702-708. <http://dx.doi.org/10.1021/es00003a018>.
- Hong, SK; Kim, J, inC. (2014). Ethylcellulose Microparticles Containing Photo Cross-Linked Poly(vinyl alcohol)-Coumarin Conjugate. *Int J Polym Mater* 63: 11-16. <http://dx.doi.org/10.1080/00914037.2013.769242>.
- Hong, YJ, i; Lee, HY; Kim, J, inC. (2009). Preparations and temperature-dependent release properties of Pluronic F127-containing microcapsules prepared by a double emulsion technique. *J Ind Eng Chem* 15: 758-762. <http://dx.doi.org/10.1016/j.jiec.2009.09.059>.
- Hongjun, J; Xiaoheng, L; Xin, W; Xiayi, Y. (2011). Self-assembly and photocatalytic property of amorphous cubic-like TiO<sub>2</sub>-ZnO hybrid film. *Rare Metals* 30: 225-228. <http://dx.doi.org/10.1007/s12598-011-0274-9>.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health* 35: 519-531.
- Hoor, A; Rowe, RK. (2012). Application of tire chips to reduce the temperature of secondary geomembranes in municipal solid waste landfills. *Waste Manag* 32: 901-911. <http://dx.doi.org/10.1016/j.wasman.2011.12.026>.
- Hore, DK; Walker, DS; Mackinnon, L; Richmond, GL. (2007). Molecular structure of the chloroform - Water and dichloromethane - Water interfaces. *J Phys Chem C* 111: 8832-8842. <http://dx.doi.org/10.1021/jp067176t>.
- Horhold, HH; Bleyer, A; Birckner, E; Heinze, S; Leonhardt, F. (1995). A NOVEL-APPROACH TO LIGHT-EMITTING POLYARYLENES - CYCLIZATION OF POLY(ARYLENE VINYLENES). *Synthetic Metals* 69: 525-528.
- Hori, H; Ishidao, T; Ishimatsu, S. (2010). Thermal reconditioning characteristics of a respirator cartridge for organic vapors using humid air as the desorption gas. *J Occup Health* 52: 125-131.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hoshino, K; Kuchii, R; Ogawa, T. (2008). Dinitrogen photofixation properties of different titanium oxides in conducting polymer/titanium oxide hybrid systems. *Appl Catal B-Environ* 79: 81-88. <http://dx.doi.org/10.1016/j.apcatb.2007.10.007>.
- Hosny, WM; Mohamed, GG. (2001). Thermodynamic and multinuclear magnetic resonance study of dimethyltin (IV) complexes with some imidazoles in aqueous solutions. *Ann Chim* 91: 81-92.
- Hossain, MA; Kabir, MJ; Salehuddin, SM. (2010). Determination of Toxic Toluene, Xylene and Cumene in Different Lake Waters. *International Journal of Environmental Research* 4: 341-346.
- Hou, C; Wang, Y; Zhu, H, ao; Wei, H, ua. (2016). Preparation of mesoporous Fe<sub>3</sub>O<sub>4</sub> nanoparticle with template reagent: Tannic acid and the catalytic performance. *Taiwan Institute of Chemical Engineers Journal* 60: 438-444. <http://dx.doi.org/10.1016/j.tjice.2015.11.005>.

## Exposure Literature Search Results

### Off Topic

- Hou, G; Yin, Q; Yang, Y, u; Hu, Y; Zhang, M; Wang, J. (2008). Solubilities of adefovir dipivoxil in different binary solvents at 298.15 K. *Journal of Chemical and Engineering Data* 53: 1021-1023. <http://dx.doi.org/10.1021/je700664g>.
- Hou, KY; Rehman, A; Zeng, X. (2011). Study of ionic liquid immobilization on polyvinyl ferrocene substrates for gas sensor arrays. *Langmuir* 27: 5136-5146. <http://dx.doi.org/10.1021/la104191n>.
- Hou, SJ; Man, KYK; Chan, WK. (2003). Nanosized micelles formed by the self-assembly of amphiphilic block copolymers with luminescent rhenium complexes. *Langmuir* 19: 2485-2490. <http://dx.doi.org/10.1021/la020773w>.
- Houk, VS; Early, G; Claxton, LD. (1991). Use of the spiral Salmonella assay to detect the mutagenicity of complex environmental mixtures. *Environ Mol Mutagen* 17: 112-121.
- Hourieh, MA; Alaya, MN; Youssef, AM. (1997). Carbon dioxide adsorption and decolorizing power of activated carbons prepared from Pistacia shells. *AST* 15: 419-427.
- Houtman, CJ; Leonards, PE; Kapiteijn, W; Bakker, JF; Brouwer, A; Lamoree, MH; Legler, J; Klamer, HJ. (2007). Sample preparation method for the ER-CALUX bioassay screening of (xeno-)estrogenic activity in sediment extracts. *Sci Total Environ* 386: 134-144. <http://dx.doi.org/10.1016/j.scitotenv.2007.06.002>.
- Hribsek, MF; Ristic, SS; Radojkovic, BM; Filipovic, ZL, j; Ristic, OR. (2013). Modelling of chemical surface acoustic wave sensors and comparative analysis of new sensing materials. *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields* 26: 263-274. <http://dx.doi.org/10.1002/jnm.1870>.
- Hrubec, J; Denengelsman, G; Degroot, AC; Denhartog, RS. (1995). BEHAVIOR OF ORGANIC MICROPOLLUTANTS DURING GROUNDWATER RECHARGE. *Int J Environ Anal Chem* 58: 185-198.
- HSDB (Hazardous Substances Data Bank). (2003). Dichloromethane [Database]. Bethesda, MD: National Library of Medicine.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH<sub>2</sub>CL<sub>2</sub>), CHLOROFORM (CHCl<sub>3</sub>), AND CARBON-TETRACHLORIDE (CCL<sub>4</sub>) WITH ILLUMINATED TiO<sub>2</sub> PHOTOCATALYST. *J Catal* 82: 418-423.
- Hsiao, DH; Phan, V, uTA. (2014). Effects of silt contents on the static and dynamic properties of sand-silt mixtures. *Geomechanics and Engineering* 7: 297-316.
- Hsu, B, aoC; Chen, SS; Su, C; Liu, Y, uT. (2007). Preparation and characterization of nitrogen-doped titanium dioxide. *J Nanosci Nanotechnol* 7: 3104-3110. <http://dx.doi.org/10.1166/jnn.2007.663>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hu, G; Li, J; Hou, H. (2015). A combination of solvent extraction and freeze thaw for oil recovery from petroleum refinery wastewater treatment pond sludge. *J Hazard Mater* 283: 832-840. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.028>.
- Hu, J, un; Zhang, L; Chen, J; Luo, Y; Sun, B; Chu, G. (2016). Performance and microbial analysis of a biotrickling filter inoculated by a specific bacteria consortium for removal of a simulated mixture of pharmaceutical volatile organic compounds. *Chem Eng J* 304: 757-765. <http://dx.doi.org/10.1016/j.cej.2016.06.078>.
- Hu, JW, ei; Wu, YH; Tsai, HY; Chen, K, ewYu. (2016). Synthesis, X-ray Structure, Optical, and Electrochemical Properties of a White-Light-Emitting Molecule. *Materials* 9. <http://dx.doi.org/10.3390/ma9010048>.
- Hu, K, un; Xu, Y; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and characterisation of benzoxazole-based liquid crystals possessing 3,5-difluorophenyl unit. *Liquid Crystals* 41: 1455-1464. <http://dx.doi.org/10.1080/02678292.2014.925592>.
- Hu, M, in; Kang, W; Li, Z; Jie, S, hi; Zhao, Y; Li, L, ei; Cheng, B. (2016). Zinc(II)porphyrin-poly(lactic acid) nanoporous fiber membrane for ammonia gas detection. *Journal of Porous Materials* 23: 911-917. <http://dx.doi.org/10.1007/s10934-016-0148-5>.
- Hu, QH; Qiao, SZ; Haghseresht, F; Wilson, MA; Lu, GQ. (2006). Adsorption study for removal of basic red dye using bentonite. *Ind Eng Chem Res* 45: 733-738. <http://dx.doi.org/10.1021/ie050889y>.
- Hu, TQ; Leary, G; Wong, D. (1999). A new approach towards the yellowing inhibition of mechanical pulps. Part I: Selective removal of alpha-hydroxyl and alpha-carbonyl groups in lignin model compounds. *Holzforschung* 53: 43-48.
- Hu, Y; Cai, J; Zhu, X; Gao, Y, un; Su, Q. (2006). Two-step simultaneous distillation and solvent extraction for isolation both free and bound aroma in tobacco. *Ann Chim* 96: 309-316.
- Hu, Y; Gao, H; Du, Z; Liu, Y; Yang, Y, u; Wang, C. (2015). Pickering high internal phase emulsion-based hydroxyapatite-poly(epsilon-caprolactone) nanocomposite scaffolds. *3*: 3848-3857. <http://dx.doi.org/10.1039/c5tb00093a>.
- Hu, Y; Gu, X; Chen, W; Zou, S; Wang, C. (2014). Macroporous Nanocomposite Materials Prepared by Solvent Evaporation from Pickering Emulsion Templates. *Macromolecular Materials & Engineering* 299: 1070-1080. <http://dx.doi.org/10.1002/mame.201300449>.
- Hu, Y; Liu, HL; Prausnitz, JM. (1994). A MODEL-FREE METHOD FOR CALCULATING VAPOR-LIQUID-EQUILIBRIA FOR MULTICOMPONENT SYSTEMS FROM TOTAL-PRESSURE OR BOILING-POINT DATA. *Fluid Phase Equilibria* 95: 73-92.
- Hu, Z; Song, C; Shao, Q; Li, J, un; Huang, Y. (2016). One-step functionalization of graphene by cycloaddition of diarylcarbene and its application as reinforcement in epoxy composites. *Compos Sci Tech* 135: 21-27. <http://dx.doi.org/10.1016/j.compscitech.2016.09.008>.
- Hu, Z; Wang, Y; Shi, D; Tan, H, ua; Li, X; Wang, L, ei; Zhu, W; Cao, Y. (2010). Highly-efficiency red-emitting platinum (II) complexes containing 4'-diaryl-amino-1-phenylisoquinoline ligands in polymer light-emitting diodes: Synthesis, structure, photoelectron and electroluminescence. *Dyes and Pigments* 86: 166-173. <http://dx.doi.org/10.1016/j.dyepig.2009.12.014>.
- Hu, ZH; Srinivasan, MP. (2001). Mesoporous high-surface-area activated carbon. *Microporous and Mesoporous Materials* 43: 267-275.
- Hua, KF; Hsu, HY; Su, YC; Lin, IF; Yang, SS; Chen, YM; Chao, LK. (2006). Study on the antiinflammatory activity of methanol extract from seagrass *Zostera japonica*. *J Agric Food Chem* 54: 306-311. <http://dx.doi.org/10.1021/jf0509658>.

## Exposure Literature Search Results

### Off Topic

- Huang, CC; Horng, JC; Charng, JJ. (2008). Seismic stability of reinforced slopes: failure mechanisms and displacements. *Geosynthetics International* 15: 333-349. <http://dx.doi.org/10.1680/gein.2008.15.5.333>.
- Huang, CC; Lin, YC; Lu, FC. (1999). Dynamic adsorption of organic solvent vapors onto a packed bed of activated carbon cloth. *Separation Science and Technology* 34: 555-570.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J* 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J* 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J* 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CY; Song, M; Gu, ZY; Wang, HF; Yan, XP. (2011). Probing the adsorption characteristic of metal-organic framework MIL-101 for volatile organic compounds by quartz crystal microbalance. *Environ Sci Technol* 45: 4490-4496. <http://dx.doi.org/10.1021/es200256q>.
- Huang, F, uC; Lee, CK; Han, Y, inL; Chao, W, enC; Chao, HP. (2014). Preparation of activated carbon using micro-nano carbon spheres through chemical activation. *Taiwan Institute of Chemical Engineers Journal* 45: 2805-2812. <http://dx.doi.org/10.1016/j.jtice.2014.08.004>.
- Huang, J; Liu, Y; Jin, Q; Wang, X; Yang, J. (2007). Adsorption studies of a water soluble dye, Reactive Red MF-3B, using sonication-surfactant-modified attapulgite clay. *J Hazard Mater* 143: 541-548. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.088>.
- Huang, J, inHui; Xiong, Y, aLan; Zeng, GM; Guo, SH, ui; Xie, GX, in; Zhang, DM, ei; Tang, XJ; Liu, Z, hiF. (2012). Separation of phenol from various micellar solutions using MEUF. *Separation and Purification Technology* 98: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.06.037>.
- Huang, J, inHui; Zhou, CF, ei; Zeng, GM; Li, X, ue; Niu, J; Huang, H, uaJun; Shi, LJ; He, SB, ao. (2010). Micellar-enhanced ultrafiltration of methylene blue from dye wastewater via a polysulfone hollow fiber membrane. *J Memb Sci* 365: 138-144. <http://dx.doi.org/10.1016/j.memsci.2010.08.052>.
- Huang, JH; Zhao, Y; Zeng, GM; Peng, L; Li, X; Liu, LX; Li, F; Shi, LX; Yuan, F. (2015). Micellar-enhanced ultrafiltration for the solubilization of various phenolic compounds with different surfactants. *Water Sci Technol* 72: 623-631. <http://dx.doi.org/10.2166/wst.2015.257>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)(2) absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, L; Nakajo, K; Ozawa, S; Matsuda, H. (2001). Decomposition of dichloromethane in a wire-in-tube pulsed corona reactor. *Environ Sci Technol* 35: 1276-1281. <http://dx.doi.org/10.1021/es0011414>.
- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry* 30: 777-785.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr2O3-CeO2 and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Mcphedran, KN; Gamal El-Din, M. (2015). Ultra Performance Liquid Chromatography Ion Mobility Time-of-Flight Mass Spectrometry Characterization of Naphthenic Acids Species from Oil Sands Process-Affected Water. *Environ Sci Technol* 49: 11737-11745. <http://dx.doi.org/10.1021/acs.est.5b03178>.
- Huang, R; Mcphedran, KN; Sun, N; Chelme-Ayala, P; Gamal El-Din, M. (2016). Investigation of the impact of organic solvent type and solution pH on the extraction efficiency of naphthenic acids from oil sands process-affected water. *Chemosphere* 146: 472-477. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.054>.
- Huang, X; Kim, S; Heo, MS; Kim, JE; Suh, H; Kim, I. (2013). Easy synthesis of hierarchical carbon spheres with superior capacitive performance in supercapacitors. *Langmuir* 29: 12266-12274. <http://dx.doi.org/10.1021/la4026969>.
- Huang, X; Peng, K; Feng, Y; Liu, J; Lu, L. (2013). Separation and characterization of effective demulsifying substances from surface of *Alcaligenes* sp. S-XJ-1 and its application in water-in-kerosene emulsion. *Bioresour Technol* 139: 257-264. <http://dx.doi.org/10.1016/j.biortech.2013.04.043>.
- Huang, X; Shi, B; Li, B, in; Li, L; Zhang, X; Zhao, S, hu. (2006). Surface characterization of nylon 66 by inverse gas chromatography and contact angle. *Polym Test* 25: 970-974. <http://dx.doi.org/10.1016/j.polymertesting.2006.06.004>.
- Huang, Y; Ge, Z; Zhao, C; Dong, J; Shitian, M; Ma, W; Wang, G; Qian, X. (2015). Solvothermal recovery of carbon fibers from thermoset polymer-based carbon fiber reinforced polymers. *Journal of Reinforced Plastics and Composites* 34: 1673-1683. <http://dx.doi.org/10.1177/0731684415595720>.
- Huang, Y; Qiu, S, hi; Oduro, IN; Guo, X; Fang, Y. (2016). Production of High-Yield Bio-oil with a High Effective Hydrogen/Carbon Molar Ratio through Acidolysis and In Situ Hydrogenation. *Energy Fuels* 30: 9524-9531. <http://dx.doi.org/10.1021/acs.energyfuels.6b02250>.
- Huang, YY; Chung, TW. (2001). Microencapsulation of gentamicin in biodegradable PLA and/or PLA/PEG copolymer. *J Microencapsul* 18: 457-465.
- Huang, Z; Zheng, B; Zhu, S; Yao, Y; Ye, Y; Lu, W; Chen, W. (2014). Photocatalytic activity of phthalocyanine-sensitized TiO2-SiO2 microparticles irradiated by visible light. *Materials Science in Semiconductor Processing* 25: 148-152. <http://dx.doi.org/10.1016/j.mssp.2013.10.014>.
- Huemer, H; Wortl, K; Moser, F. (1983). A NEW APPARATUS FOR MEASUREMENT OF LIQUID LIQUID EQUILIBRIUM DATA, AND RESULTS FOR THE WATER-METHANOL-DICHLOROMETHANE SYSTEM AT 20-DEGREES-C AND 60-DEGREES-C. *Fluid Phase Equilibria* 11: 311-323.
- Huezo, L; Crumer, C; Soto, C; Tysoe, WT. (1994). GROWTH-KINETICS AND STRUCTURE OF FILMS FORMED BY THE THERMAL-DECOMPOSITION OF METHYLENE-CHLORIDE ON IRON. *Langmuir* 10: 3571-3576.



## Exposure Literature Search Results

### Off Topic

- Huezo, LA; Kotvis, PV; Crumer, C; Soto, C; Tysoe, WT. (1994). SURFACE-CHEMISTRY AND EXTREME-PRESSURE LUBRICANT ADDITIVE PROPERTIES OF CHLOROFORM ON IRON. *Appl Surf Sci* 78: 113-122.
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci* 982: 208-230.
- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health* 8: 249-270.
- Hughes, DL; Ritter, DJ; Wilson, RD. (2001). Determination of 2,4-dichlorophenoxyacetic acid (2,4-D) in human urine with mass selective detection. *J Environ Sci Health B* 36: 755-764.
- Hughes, JB; Parkin, GF. (1992). THE EFFECT OF MIXTURES OF XENOBIOTICS AND PRIMARY ELECTRON-DONOR ON THE ANAEROBIC BIOTRANSFORMATION OF HIGH-CONCENTRATIONS OF CHLORINATED ALIPHATICS. *Water Sci Technol* 26: 117-126.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng* 122: 99-106.
- Hughes, TJ; Claxton, LD; Brooks, L; Warren, S; Brenner, R; Kremer, F. (1998). Genotoxicity of bioremediated soils from the Reilly Tar site, St. Louis Park, Minnesota. *Environ Health Perspect* 106: 1427-1433.
- Hugi-Cleary, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon* 38: 1309-1313.
- Hulston, CKJ; Redlich, PJ; Jackson, WR; Larkins, FP; Marshall, M. (1996). Nickel molybdate-catalysed hydrogenation of brown coal without solvent or added sulfur. *Fuel* 75: 1387-1392.
- Hulubei, C. (2008). Maleimide-containing Polyamides. *Materiale Plastice* 45: 228-231.
- Hung, SL; Pfefferle, LD. (1989). Methyl Chloride and Methylene Chloride Incineration in a Catalytically Stabilized Thermal Combustor. *Environ Sci Technol* 23: 1085.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO<sub>2</sub> prepared by the sol-gel method. *Chemosphere* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Husein, MM; Alkhalidi, SJ. (2014). In Situ Preparation of Alumina Nanoparticles in Heavy Oil and Their Thermal Cracking Performance. *Energy Fuels* 28: 6563-6569. <http://dx.doi.org/10.1021/ef5012963>.
- Hussain, A, li; Rahman, JU, r; Maqbool, A; Kim, M, inSu; Song, T, aeK; Kim, W, onJ; Kim, MH, o. (2014). Structural and electromechanical properties of lead-free Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-BaZrO<sub>3</sub> ceramics. *Physica Status Solidi A: Applications and Materials Science (Print)* 211: 1704-1708. <http://dx.doi.org/10.1002/pssa.201330472>.
- Hussain, J; Ruan, Z; Nascimento, IA; Liu, Y; Liao, W. (2014). Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods. *Bioresour Technol* 169: 768-772. <http://dx.doi.org/10.1016/j.biortech.2014.06.074>.
- Huynh, L; Wang, ZU; Yang, J; Stoeva, V; Lough, A; Manners, I; Winnik, MA. (2005). Evaluation of phosphorescent rhenium and iridium complexes in polythionylphosphazene films for oxygen sensor applications. *Chem Mater* 17: 4765-4773. <http://dx.doi.org/10.1021/cm047794r>.
- Hwang, GW; Wu, KY; Hua, MY; Lee, HT; Chen, SA. (1998). Structures and properties of the soluble polyanilines, N-alkylated emeraldine bases. *Synthetic Metals* 92: 39-46.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere* 48: 1019-1027.
- Hwang, J; Son, JI, k; Shim, YB, o. (2010). Electrochromic and electrochemical properties of 3-pyridinyl and 1,10-phenanthroline bearing poly(2,5-di(2-thienyl)-1H-pyrrole) derivatives. *Solar Energy Materials and Solar Cells* 94: 1286-1292. <http://dx.doi.org/10.1016/j.solmat.2010.03.027>.
- Hwang, JS; Al-Turabi, MOH; El-Sayed, L; Al-Gwidi, HAM. (2000). EPR and spectroscopic studies of S-methyl-N-salicylidenehydrazinecarbothioatophenanthroline-oxovanadium (IV) as model compound for vanadium bound to nitrogen and sulfur heteroatoms. *Energy Fuels* 14: 179-183.
- Hwang, KS; Choi, DK; Gong, SY; Cho, SY. (1997). Adsorption and thermal regeneration of methylene chloride vapor on an activated carbon bed. *Chem Eng Sci* 52: 1111-1123.
- Hwang, KW; Bang, WS; Jo, HW; Moon, JK. (2015). Dissipation and Removal of the Etofenprox Residue during Processing in Spring Onion. *J Agric Food Chem* 63: 6675-6680. <http://dx.doi.org/10.1021/acs.jafc.5b02345>.
- Hyder, M; Genberg, J; Sandahl, M; Swietlicki, E; Jonsson, J. (2012). Yearly trend of dicarboxylic acids in organic aerosols from south of Sweden and source attribution. *Atmos Environ* 57 (Sep 2012): 197-204. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.027>.
- Iafisco, M; Palazzo, B; Ito, T; Otsuka, M; Senna, M; Delgado-Lopez, JM; Gomez-Morales, J; Tampieri, A; Prat, M; Rimondini, L. (2012). Preparation of core-shell poly(L-lactic) acid-nanocrystalline apatite hollow microspheres for bone repairing applications. *J Mater Sci Mater Med* 23: 2659-2669. <http://dx.doi.org/10.1007/s10856-012-4732-1>.
- Iavicoli, I; Carelli, G; Bergamaschi, A. (2006). Exposure evaluation to airborne polycyclic aromatic hydrocarbons in an Italian airport. *J Occup Environ Med* 48: 815-822. <http://dx.doi.org/10.1097/01.jom.0000218692.37154.0b>.
- Ibanez, E; Bernhard, RA. (1996). Solid-phase microextraction (SPME) of pyrazines in model reaction systems. *J Sci Food Agric* 72: 91-96.
- Ibarra, A; Veloso, A; Bilbao, J; Arandes, JM, a; Castano, P. (2016). Dual coke deactivation pathways during the catalytic cracking of raw bio-oil and vacuum gasoil in FCC conditions. *Appl Catal B-Environ* 182: 336-346. <http://dx.doi.org/10.1016/j.apcatb.2015.09.044>.

## Exposure Literature Search Results

### Off Topic

- Ibarra Estrada, E; Pacheco Sanchez, M; Garcia Mateos, R; San Miguel Chavez, R; Ramirez Valverde, G; Soto Hernandez, RM. (2011). ANTIOXIDANT ACTIVITY OF *Erythrina americana* Miller ALKALOIDS. *Revista Fitotecnia Mexicana* 34: 241-246.
- Ibrahim, W, anAWan; Keyon, ASA; Prastomo, N; Matsuda, A. (2011). Synthesis and characterization of polydimethylsiloxane-cyanopropyltriethoxysilane-derived hybrid coating for stir bar sorptive extraction. *Journal of Sol-Gel Science and Technology* 59: 128-134. <http://dx.doi.org/10.1007/s10971-011-2470-3>.
- Ichikawa, T; Wako, T; Nemoto, N. (2016). Synthesis of polysiloxane-based quaternized imidazolium salts with a hydroxy group at the end of alkyl groups. *React Funct Polym* 99: 1-8. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.11.009>.
- Icli, M; Pamuk, M; Algi, F; Onal, AM; Cihaner, A. (2010). A new soluble neutral state black electrochromic copolymer via a donor-acceptor approach. *Organic Electronics* 11: 1255-1260. <http://dx.doi.org/10.1016/j.orgel.2010.05.001>.
- Iero, A; Manente, S; Perin, G; Bragadin, M. (2003). Frozen mitochondria as rapid water quality bioassay. *Chemosphere* 52: 1115-1123. [http://dx.doi.org/10.1016/S0045-6535\(02\)00843-3](http://dx.doi.org/10.1016/S0045-6535(02)00843-3).
- Iglesiasilva, GA; Miller, RC; Ceballos, AD; Hall, KR; Holste, JC. (1995). ACCURATE VAPOR-PRESSURE EQUATION FOR REFRIGERANTS. *Fluid Phase Equilibria* 111: 203-212.
- Iguchi, S; Hasegawa, Y; Teramura, K; Hosokawa, S; Tanaka, T. (2016). Preparation of transition metal-containing layered double hydroxides and application to the photocatalytic conversion of CO<sub>2</sub> in water. 15: 6-14. <http://dx.doi.org/10.1016/j.jcou.2016.04.001>.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management* 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Ikarashi, Y; Kaniwa, M; Tsuchiya, T. (2005). Monitoring of polycyclic aromatic hydrocarbons and water-extractable phenols in creosotes and creosote-treated woods made and procurable in Japan. *Chemosphere* 60: 1279-1287. <http://dx.doi.org/10.1016/j.chemosphere.2005.01.054>.
- Ikeya, K; Ishida, Y; Ohtani, H; Yamamoto, S; Watanabe, A. (2007). Analysis of polynuclear aromatic and aliphatic components in soil humic acids using ruthenium tetroxide oxidation. *Eur J Soil Sci* 58: 1050-1061. <http://dx.doi.org/10.1111/j.1365-2389.2006.00884.x>.
- Ilharco, LM; Garcia, AR; Dasilva, JL; Lemos, MJ; Ferreira, LFV. (1997). Ultraviolet-visible and Fourier transform infrared diffuse reflectance studies of benzophenone and fluorenone adsorbed onto microcrystalline cellulose. *Langmuir* 13: 3787-3793.
- Im, T; Gwon, J; Kim, S, ooH; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(L-lactic acid), Trichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2172-2177. <http://dx.doi.org/10.1021/acs.jced.5b00319>.
- Imae, I; Moriwaki, K; Nawa, K; Noma, N; Shirota, Y. (1995). SYNTHESIS AND ELECTRICAL-PROPERTIES OF NOVEL ELECTROCHEMICALLY-DOPED VINYL-POLYMERS CONTAINING END-CAPPED QUATERTHIOPHENE AND QUINQUETHIOPHENE AS PENDANT GROUPS. *Synthetic Metals* 69: 285-286.
- Imfeld, G; Kopinke, FD; Fischer, A; Richnow, HH. (2014). Carbon and hydrogen isotope fractionation of benzene and toluene during hydrophobic sorption in multistep batch experiments. *Chemosphere* 107: 454-461. <http://dx.doi.org/10.1016/j.chemosphere.2014.01.063>.
- Inaba, M; Ogumi, Z; Takehara, ZI. (1994). APPLICATION OF THE SOLID POLYMER ELECTROLYTE METHOD TO ORGANIC ELECTROCHEMISTRY .17. INDIRECT ELECTROCHEMICAL DEBROMINATION USING VILOGENS AS MICROSCOPIC PHASE-TRANSFER MEDIATORS. *J Electrochem Soc* 141: 2579-2586.
- Inacio, M, deF; de Carvalho, MG. (2012). INSECTICIDAL ACTIVITY OF DICHLOROMETHANE AND METHANOLIC EXTRACTS OF *Azadirachta indica* (A. JUSS), *Melia azedarach* (L.) AND *Carapa guianenses* (AUBL.) (Meliaceae) ON THE SUBTERRANEAN TERMITE *Coptotermes gestroi* (WASMANN) (Isoptera, Rhinotermitidae). 28: 676-U371.
- Inam, E, dul; Etim, UJ; Akpabio, EG; Umoren, SA. (2016). Simultaneous adsorption of lead (II) and 3,7-Bis(dimethylamino)-phenothiazin-5-ium chloride from aqueous solution by activated carbon prepared from plantain peels. *Desalination and Water Treatment* 57: 6540-6553. <http://dx.doi.org/10.1080/19443994.2015.1010236>.
- Inaoka, S; Collard, DM. (1999). Synthesis, polymerization and characterization of substituted dithieno[3,4-b : 3',4'-d]thiophenes. *J Mater Chem* 9: 1719-1725.
- Incarnato, L; Scarfato, P; Gorrasi, G; Vittoria, V; Acierno, D. (1999). Structural modifications induced by recycling of polypropylene. *Polymer Engineering and Science* 39: 1661-1666.
- Ingelman-Sundberg, M. (2004). Human drug metabolising cytochrome P450 enzymes: Properties and polymorphisms [Review]. *Naunyn Schmiedebergs Arch Pharmacol* 369: 89-104. <http://dx.doi.org/10.1007/s00210-003-0819-z>.
- Inoue, S; Nakanishi, H; Takimiya, K; Aso, Y; Otsubo, T. (1997). Electrochemical and spectroscopic properties of oligoselenophenes. *Synthetic Metals* 84: 341-342.
- Intriago, L; Diaz, E; Ordonez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials* 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.
- Iooss, P; Le Ray, AM; Grimandi, G; Daculsi, G; Merle, C. (2001). A new injectable bone substitute combining poly(epsilon-caprolactone) microparticles with biphasic calcium phosphate granules. *Biomaterials* 22: 2785-2794.
- Iqbal, M; Man, Z; Mukhtar, H; Dutta, BK. (2008). Solvent effect on morphology and CO<sub>2</sub>/CH<sub>4</sub> separation performance of asymmetric polycarbonate membranes. *J Memb Sci* 318: 167-175. <http://dx.doi.org/10.1016/j.memsci.2008.02.040>.
- Iqbal, T; Hussain, AI; Chatha, SA; Naqvi, SA; Bokhari, TH. (2013). Antioxidant Activity and Volatile and Phenolic Profiles of Essential Oil and Different Extracts of Wild Mint (*Mentha longifolia*) from the Pakistani Flora. 2013: 536490. <http://dx.doi.org/10.1155/2013/536490>.

## Exposure Literature Search Results

### Off Topic

- Iseda, K; Ohta, M; Ono, T; Sada, K. (2011). High swelling ability of polystyrene-based polyelectrolyte gels at low temperature. *Soft Matter* 7: 5938-5940. <http://dx.doi.org/10.1039/c1sm05542a>.
- Ishchenko, AA; Kramarenko, FG; Maydannic, AG; Sereda, SV; Vasilenko, NP. (1991). STRUCTURE AND ASSOCIATION OF CARBOCYANINES OF THE BENZ(C,D)INDOLE SERIES IN BINARY-MIXTURES OF SOLVENTS. 19: 207-219.
- Ishida, T; Mizutani, W; Azehara, H; Sato, F; Choi, N; Akiba, U; Fujihira, M; Tokumoto, H. (2001). Adsorption processes of self-assembled monolayers made from terphenyl thiols. *Langmuir* 17: 7459-7463.
- Ishihara, A; Rahman, FB; Leelawatwattana, L; Prapunpoj, P; Yamauchi, K. (2009). In vitro thyroid hormone-disrupting activity in effluents and surface waters in Thailand. *Environ Toxicol Chem* 28: 586-594. <http://dx.doi.org/10.1897/08-120.1>.
- Islam, Z; Shinozuka, J; Harkema, JR; Pestka, JJ. (2009). Purification and comparative neurotoxicity of the trichothecenes satratoxin G and roridin L2 from *Stachybotrys chartarum*. *J Toxicol Environ Health A* 72: 1242-1251. <http://dx.doi.org/10.1080/15287390903129234>.
- Islas-Flores, CA; Buenostro-Gonzalez, E; Lira-Galeana, C. (2005). Comparisons between open column chromatography and HPLC SARA fractionations in petroleum. *Energy Fuels* 19: 2080-2088. <http://dx.doi.org/10.1021/ef050148+>.
- Isogai, H; Tadano, K; Yano, S. (2008). Liquid crystallinity in polythioethers of 1,4-bis(mercaptomethyl)benzene (MB) and 4,4'-bis(mercaptomethyl)biphenyl (MBP) with alpha,omega-dibromo-n-alkanes and polythioesters of MB and MBP with n-alkanedioyl dichlorides. *Liquid Crystals* 35: 689-694. <http://dx.doi.org/10.1080/02678290802080386>.
- Isola, C; Sieverding, HL; Raghunathan, R; Sibi, MP; Webster, DC; Sivaguru, J; Stone, JJ. (2017). Life cycle assessment of photodegradable polymeric material derived from renewable bioresources. *J Clean Prod* 142: 2935-2944. <http://dx.doi.org/10.1016/j.jclepro.2016.10.177>.
- Issam, AM; Shilla, MN; Khalil, HPS, A. (2011). Effect of Methylene Spacers of Unsaturated Polyester Resins on the Properties of Composites Based on Oil Palm Empty Fruit Bunches and Fiberglass. *Advanced Composite Materials* 20: 1-12. <http://dx.doi.org/10.1163/092430410X504170>.
- Ito, F; Honnami, H; Kawakami, H; Kanamura, K; Makino, K. (2008). Preparation and properties of PLGA microspheres containing hydrophilic drugs by the SPG (shirasu porous glass) membrane emulsification technique. *Colloids Surf B Biointerfaces* 67: 20-25. <http://dx.doi.org/10.1016/j.colsurfb.2008.07.008>.
- Ito, K; Asakawa, M; Beppu, R; Takayama, H; Miyazawa, K. (2004). PSP-toxicification of the carnivorous gastropod *Rapana venosa* inhabiting the estuary of Nikoh River, Hiroshima Bay, Hiroshima Prefecture, Japan. *Mar Pollut Bull* 48: 1116-1121. <http://dx.doi.org/10.1016/j.marpolbul.2003.12.020>.
- Ito, T; Watanabe, J; Takai, M; Konno, T; Iwasaki, Y; Ishihara, K. (2006). Dual mode bioreactions on polymer nanoparticles covered with phosphorylcholine group. *Colloids Surf B Biointerfaces* 50: 55-60. <http://dx.doi.org/10.1016/j.colsurfb.2006.04.006>.
- Ito, Y; Nakaya, T; Ioka, A; Nakayama, T; Tsukuma, H; Uehara, S; Kogawa Sato, K; Endo, G; Hayashi, T. (2016). Investigation of Spatial Clustering of Biliary Tract Cancer Incidence in Osaka, Japan: Neighborhood Effect of a Printing Factory. *J Epidemiol* 26: 459-463. <http://dx.doi.org/10.2188/jea.JE20150116>.
- Itoh, T; Ban, S; Watanabe, T; Tsuruta, S; Kawai, T; Nakamura, H. (2004). Preparation of a composite membrane containing biologically active materials. *Key Eng Mater* 254-2: 1115-1118.
- Iturriaga, H; Maspocho, S; Canals, T; Rey, D. (2007). Analytical control of leather fat by near infrared reflectance spectroscopy. *Journal of the Society of Leather Technologists and Chemists* 91: 47-51.
- Iwamoto, M; Tanaka, Y; Hirosumi, J; Kita, N; Triwahyono, S. (2001). Enantioselective oxidation of sulfide to sulfoxide on Ti-containing mesoporous silica prepared by a template-ion exchange method. *Microporous and Mesoporous Materials* 48: 271-277.
- Iwaoka, W; Hagi, Y; Umano, K; Shibamoto, T. (1994). VOLATILE CHEMICALS IDENTIFIED IN FRESH AND COOKED BREADFRUIT. *J Agric Food Chem* 42: 975-976.
- Iwegbue, CMA; Obi, G. (2016). Distribution, sources, and health risk assessment of polycyclic aromatic hydrocarbons in dust from urban environment in the Niger Delta, Nigeria. *Hum Ecol Risk Assess* 22: 623-638. <http://dx.doi.org/10.1080/10807039.2015.1100157>.
- Iwegbue, CMA; Onyonyewoma, UA; Basse, FI; Nwajeri, GE; Martincigh, BS. (2015). Concentrations and Health Risk of Polycyclic Aromatic Hydrocarbons in Some Brands of Biscuits in the Nigerian Market. *Hum Ecol Risk Assess* 21: 338-357. <http://dx.doi.org/10.1080/10807039.2014.916542>.
- Iwegbue, CMA; Overah, LC; Tesi, GO; Basse, FI; Martincigh, BS. (2015). Polycyclic Aromatic Hydrocarbon Profiles of Some Brands of Canned Fish in the Nigerian Market. *Hum Ecol Risk Assess* 21: 157-168. <http://dx.doi.org/10.1080/10807039.2014.892364>.
- Iyapparaj, P; Revathi, P; Ramasubburayan, R; Prakash, S; Palavesam, A; Immanuel, G; Anantharaman, P; Sautreau, A; Hellio, C. (2014). Antifouling and toxic properties of the bioactive metabolites from the seagrasses *Syringodium isoetifolium* and *Cymodocea serrulata*. *Ecotoxicol Environ Saf* 103: 54-60. <http://dx.doi.org/10.1016/j.ecoenv.2014.02.009>.
- Jabbari, E. (2001). Morphology and structure of microcapsules prepared by interfacial polycondensation of methylene bis( phenyl isocyanate) with hexamethylene diamine. *J Microencapsul* 18: 801-809.
- Jabli, M; Touati, R; Kacem, Y; Ben Hassine, B. (2012). New chitosan microspheres supported [bis(2-methylallyl)(1,5-cyclooctadiene)ruthenium(II)] as efficient catalysts for colour degradation in the presence of hydrogen peroxide. *J Text Inst* 103: 434-450. <http://dx.doi.org/10.1080/00405000.2011.581797>.
- Jablonski, JE; Schlessler, JE; Mariappagoudar, P. (2006). HPLC-UV method for nicotine, strychnine, and aconitine in dairy products. *J Agric Food Chem* 54: 7460-7465. <http://dx.doi.org/10.1021/jf061115a>.
- Jacobs, V; Patanaik, A; Anandjiwala, RD; Maaza, M. (2011). Optimization of Electrospinning Parameters for Chitosan Nanofibres. *Current Nanoscience* 7: 396-401.

## Exposure Literature Search Results

### Off Topic

- Jacobson, D; Monforte, AR; Silva Ferreira, AC. (2013). Untangling the chemistry of port wine aging with the use of GC-FID, multivariate statistics, and network reconstruction. *J Agric Food Chem* 61: 2513-2521. <http://dx.doi.org/10.1021/jf3046544>.
- Jacques, RA; Santos, JG; Dariva, C; Oliveira, JV; Caramao, EB. (2007). GC/MS characterization of mate tea leaves extracts obtained from high-pressure CO<sub>2</sub> extraction. *Journal of Supercritical Fluids* 40: 354-359. <http://dx.doi.org/10.1016/j.supflu.2006.07.023>.
- Jacobovich, RM; Landau, D; Bar Dayan, Y; Zilberberg, M; Goldstein, L. (2005). Facial nerve palsy after acute exposure to dichloromethane. *Am J Ind Med* 48: 389-392. <http://dx.doi.org/10.1002/ajim.20215>.
- Jad, YE; Acosta, GA; Govender, T; Kruger, HG; El-Faham, A; de La Torre, BG; Albericio, F. (2016). Green Solid-Phase Peptide Synthesis 2.2-Methyltetrahydrofuran and Ethyl Acetate for Solid-Phase Peptide Synthesis under Green Conditions. 4: 6809-6814. <http://dx.doi.org/10.1021/acssuschemeng.6b0176S>.
- Jadav, GL; Aswal, VK; Singh, PS. (2013). Preparation of bifunctional poly(dimethylsiloxane) membrane by dual X-linking. 1: 4893-4903. <http://dx.doi.org/10.1039/c3ta10358g>.
- Jadczyk, P; Kolwzan, B. (2013). Genotoxicity of Soil Pollutants Extracted with Different Solvents. *Pol J Environ Stud* 22: 141-147.
- Jafari, S; Yaftian, MR; Parinejad, M. (2009). Facilitated transport of cadmium as anionic iodo-complexes through bulk liquid membrane containing hexadecyltrimethylammonium bromide. *Separation and Purification Technology* 70: 118-122. <http://dx.doi.org/10.1016/j.seppur.2009.09.003>.
- Jagadish, K; Srikantaswamy, S; Byrappa, K; Shruthi, L; Abhilash, MR. (2015). Dispersion of Multiwall Carbon Nanotubes in Organic Solvents through Hydrothermal Supercritical Condition. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/381275>.
- Jahan, MS; Chowdhury, DA; Islam, MK. (2006). Characterization and evaluation of golpata fronds as pulping raw materials. *Bioresour Technol* 97: 401-406. <http://dx.doi.org/10.1016/j.biortech.2005.04.003>.
- Jahanbaani, AR; Behzad, T; Borhani, S; Darvanjooghi, MHK. (2016). Electrospinning of Cellulose Nanofibers Mat for Laminated Epoxy Composite Production. *Fibers and Polymers* 17: 1438-1448. <http://dx.doi.org/10.1007/s12221-016-6424-9>.
- Jain, A; Jayaraman, S; Balasubramanian, R; Srinivasan, MP. (2014). Hydrothermal pre-treatment for mesoporous carbon synthesis: enhancement of chemical activation. 2: 520-528. <http://dx.doi.org/10.1039/c3ta12648j>.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF-beta 1 from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525. <http://dx.doi.org/10.1016/j.biomaterials.2007.12.004>.
- Jaklenec, A; Wan, E; Murray, ME; Mathiowitz, E. (2008). Novel scaffolds fabricated from protein-loaded microspheres for tissue engineering. *Biomaterials* 29: 185-192. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.017>.
- Jalochowski, M; Stozak, M; Zdyb, R. (1997). Gold-induced one-dimensional ordering on vicinal Si(111). *Vacuum* 48: 273-275.
- Jamal, A; Rahman, MM; Khan, SB; Faisal, M; Akhtar, K; Rub, MA; Asiri, AM; Al-Youbi, AO. (2012). Cobalt doped antimony oxide nano-particles based chemical sensor and photo-catalyst for environmental pollutants. *Appl Surf Sci* 261: 52-58. <http://dx.doi.org/10.1016/j.apsusc.2012.07.066>.
- Jameela, SR; Suma, N; Jayakrishnan, A. (1997). Protein release from poly(epsilon-caprolactone) microspheres prepared by melt encapsulation and solvent evaporation techniques: A comparative study. *J Biomater Sci Polym Ed* 8: 457-466.
- James, PJ; Warren, GH. (1979). EFFECT OF METHYLENE DICHLORIDE AND PETROLEUM ETHER AS WAX SOLVENTS ON THE MEASURED VALUE OF WAX AND SUINT CONTENT OF WOOL. 27: 33-34.
- Jamhari, AA; Sahani, M; Latif, MT; Chan, K, okM; Tan, HS; Khan, M, dF; Tahir, NM. (2014). Concentration and source identification of polycyclic aromatic hydrocarbons (PAHs) in PM10 of urban, industrial and semi-urban areas in Malaysia. *Atmos Environ* 86: 16-27. <http://dx.doi.org/10.1016/j.atmosenv.2013.12.019>.
- Jamshidi, M; Ghaedi, M; Dashtian, K; Montazerzohori, M; Hajati, S. (2015). Schiff Base Impregnated Plasticized Polyvinyl Chloride Optical Sensor for Selective and Efficient Detection of Copper (II) Ion: Central Composite Design. *IEEE Sens J* 15: 6604-6610. <http://dx.doi.org/10.1109/JSEN.2015.2463688>.
- Jan, R; Bhat, MA; Islam, N; Khan, B. (2015). Micellar Effect of Ammonium Based Cationic Surfactants on Kinetics of Methylene Blue-Assisted Ru (III) and Cu (II) Catalyzed Cysteine/Cystine Transformation in Acidic Aqueous Media. *Journal of Surfactants and Detergents* 18: 855-862. <http://dx.doi.org/10.1007/s11743-015-1713-7>.
- Janas, J; Janik, R; Machej, T; Serwicka, EM; Bielanska, E; Bastardo-Gonzalez, E; Jones, W. (2000). Cr-doped Zr, Si-mesoporous molecular sieves as catalysts of CH<sub>2</sub>Cl<sub>2</sub> oxidation. *Catalysis Today* 59: 241-248.
- Jancso, G; Marko, L; Rebelo, LPN; Toth, K; Jakli, G. (1990). EFFECT OF DEUTERIUM SUBSTITUTION ON THE VAPOR-PRESSURE OF DICHLOROMETHANE. *Fluid Phase Equilibria* 55: 147-158.
- Jancy, B; Asha, SK. (2008). Hydrogen-bonding-induced conformational change from J to H aggregate in novel highly fluorescent liquid-crystalline perylenebisimides. *Chem Mater* 20: 169-181.
- Jandl, G; Leinweber, P; Schulten, HR. (2007). Origin and fate of soil lipids in a Phaeozem under rye and maize monoculture in Central Germany. *Biol Fertil Soils* 43: 321-332. <http://dx.doi.org/10.1007/s00374-006-0109-2>.
- Jandl, G; Schulten, HR; Leinweber, P. (2002). Quantification of long-chain fatty acids in dissolved organic matter and soils. 165: 133-139.
- Jang, BH; Lee, SS; Yeon, TH; Yie, JE. (1998). Effects of base metal promoters in VOC catalysts for chlorocarbons and n-hexane oxidation. *Korean J Chem Eng* 15: 516-521.
- Jang, EB; Carvalho, LA; Stark, JD. (1997). Attraction of female oriental fruit fly, *Bactrocera dorsalis*, to volatile semiochemicals from leaves and extracts of a nonhost plant, panax (*Polyscias guilfoylei*) in laboratory and olfactometer assays. *J Chem Ecol* 23: 1389-1401.
- Jang, HJ; Seo, SY; Yang, YS. (2006). Buckling behavior of stainless steel square hollow columns under eccentric loadings. *Structural Engineering and Mechanics* 23: 563-577.

## Exposure Literature Search Results

### Off Topic

- Jang, HW; Moon, JK; Shibamoto, T. (2015). Analysis and Antioxidant Activity of Extracts from Broccoli (*Brassica oleracea* L.) Sprouts. *J Agric Food Chem* 63: 1169-1174. <http://dx.doi.org/10.1021/jf504929m>.
- Jang, J, aeHo; Kim, H, eeUn; Lee, SB, ee; Lee, J; Hwang, D, oH. (2015). Blue-green phosphorescent imidazole-based iridium(III) complex with a broad full width at half maximum for solution-processed organic light-emitting diodes. *Synthetic Metals* 203: 180-186. <http://dx.doi.org/10.1016/j.synthmet.2015.02.029>.
- Jang, J; Nam, S; Im, K; Hur, J; Cha, SN, am; Kim, J; Son, HB, in; Suh, H; Loth, MA; Anthony, JE; Park, JJ, in; Park, CE, on; Kim, JM, in; Kim, K. (2012). Highly Crystalline Soluble Acene Crystal Arrays for Organic Transistors: Mechanism of Crystal Growth During Dip-Coating. *Adv Funct Mater* 22: 1005-1014. <http://dx.doi.org/10.1002/adfm.201102284>.
- Jang, J; Sah, H. (2011). Nonhalogenated solvent-based solvent evaporation process useful in preparation of PLGA microspheres. *J Microencapsul* 28: 490-498. <http://dx.doi.org/10.3109/02652048.2011.586066>.
- Jansen, JC; Friess, K; Drioli, E. (2011). Organic vapour transport in glassy perfluoropolymer membranes: A simple semi-quantitative approach to analyze clustering phenomena by time lag measurements. *J Memb Sci* 367: 141-151. <http://dx.doi.org/10.1016/j.memsci.2010.10.063>.
- Jansen, JC; Macchione, M; Drioli, E. (2005). High flux asymmetric gas separation membranes of modified poly(ether ether ketone) prepared by the dry phase inversion technique. *J Memb Sci* 255: 167-180. <http://dx.doi.org/10.1016/j.memsci.2005.01.032>.
- Janssen, DB; Dekoning, W. (1995). DEVELOPMENT AND APPLICATION OF BACTERIAL CULTURES FOR THE REMOVAL OF CHLORINATED ALIPHATICS. *Water Sci Technol* 31: 237-247.
- Janssen, JM; Senser, DW. (1991). INCIPIENT SOOT FORMATION IN DICHLOROMETHANE-METHANE-AIR PREMIXED FLAMES. *Combust Flame* 84: 265-276.
- Janvier, F; Tuduri, L; Cossement, D; Drolet, D; Lara, J. (2015). Micropore characterization of activated carbons of respirator cartridges with argon, carbon dioxide, and organic vapors of different vapor pressures. *Carbon* 94: 781-791. <http://dx.doi.org/10.1016/j.carbon.2015.07.065>.
- Jarne, C; Cebolla, VL; Membrado, L; Le Mapihan, K; Giusti, P. (2011). High-Performance Thin-Layer Chromatography Using Automated Multiple Development for the Separation of Heavy Petroleum Products According to Their Number of Aromatic Rings. *Energy Fuels* 25: 4586-4594. <http://dx.doi.org/10.1021/ef200940g>.
- Jaschke, SC; Neurath, G; Franke, S; Pfau, W. (2003). Cytotoxicity of isomeric bis(dichloropropyl) ethers. *Fresen Environ Bull* 12: 613-618.
- Jaser, SS; Linsky, R; Grey, M. (2014). Coping and psychological distress in mothers of adolescents with type 1 diabetes. *Matern Child Health J* 18: 101-108. <http://dx.doi.org/10.1007/s10995-013-1239-4>.
- Jayatilaka, NK; Angela Montesano, M; Whitehead, RD; Schloth, SJ; Needham, LL; Barr, DB. (2011). High-throughput sample preparation for the quantitation of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea, and propylenethiourea in human urine using 96-well-plate automated extraction and high-performance liquid chromatography-tandem mass spectrometry. *Arch Environ Contam Toxicol* 61: 59-67. <http://dx.doi.org/10.1007/s00244-010-9593-3>.
- Jeffreys, MF; Nunez, CV. (2016). Triterpenes of leaves from *Piranhea trifoliata* (Picodendraceae). *Acta Amazonica* 46: 189-194. <http://dx.doi.org/10.1590/1809-4392201504572>.
- Jella; Rouseff; Goodner; Widmer. (1998). Determination of Key Flavor Components in Methylene Chloride Extracts from Processed Grapefruit Juice. *J Agric Food Chem* 46: 242-247.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem* 16: 1021-1031.
- Jenkins, SWD; Koester, CJ; Taguchi, VY; Wang, DT; Palmentier, JPF, P; Hong, K, imP. (1995). N-Nitrosodimethylamine in Drinking Water Using a Rapid, Solid-Phase Extraction Method. *Environ Sci Pollut Res Int* 2: 207-210.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Methanes. *J Environ Eng* 137: 416-432. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000343](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000343).
- Jensen, PK; Wujcik, CE; Mcguire, MK; Mcguire, MA. (2016). Validation of reliable and selective methods for direct determination of glyphosate and aminomethylphosphonic acid in milk and urine using LC-MS/MS. *J Environ Sci Health B* 51: 254-259. <http://dx.doi.org/10.1080/03601234.2015.1120619>.
- Jeon, HS; Choi, CH; Kang, SM; Kwon, HK; Kim, BI. (2015). Chlorhexidine-releasing orthodontic elastomerics. *Dent Mater J* 34: 321-326. <http://dx.doi.org/10.4012/dmj.2014-216>.
- Jeon, JM, in; Choi, H, eeWon; Yoo, GC; Choi, YK; Choi, KY; Park, HY; Park, SH, ee; Kim, Y, unGon; Kim, HJ, oo; Lee, SH; Lee, Y, ooK; Yang, YH, un. (2013). New mixture composition of organic solvents for efficient extraction of lipids from *Chlorella vulgaris*. *Biomass and Bioenergy* 59: 279-284. <http://dx.doi.org/10.1016/j.biombioe.2013.09.009>.
- Jeong, D; Oh, J; Yum, I, na; Lee, Y. (2010). Removal of VOCs from their aqueous solution by pervaporation with PDMS-zeolite composite membrane. *Desalination and Water Treatment* 17: 242-247. <http://dx.doi.org/10.5004/dwt.2010.1724>.
- Jeong, H, yeWon; Choi, SY, o; Hong, SH, ui; Lim, SK; Han, DS, uk; Abdel-Wahab, A; Park, H. (2014). Shape-Dependent Charge Transfers in Crystalline ZnO Photocatalysts: Rods versus Plates. *J Phys Chem C* 118: 21331-21338. <http://dx.doi.org/10.1021/jp506032f>.
- Jeong, H; Roh, HG; Lee, J; Park, J. (2016). Low-temperature Pyrolysis on Jute Fibers as A Thermochemical Modification Method. *Fibers and Polymers* 17: 540-552. <http://dx.doi.org/10.1007/s12221-016-5879-z>.
- Jeong, HH, o; Yoo, K, iP; Lim, JS. (2008). Preparation of Polystyrene submicron particles using ASES process in supercritical carbon dioxide. *J Ind Eng Chem* 14: 77-83. <http://dx.doi.org/10.1016/j.jiec.2007.08.002>.
- Jeong, K, iY; Lee, J, iSun; Paik, DH; Jung, W, onKyo; Choi, SW. (2016). Fabrication of cell-penetrable microfibrillar matrices with a highly porous structure using a simple fluidic device for tissue engineering. *Mater Lett* 168: 116-120. <http://dx.doi.org/10.1016/j.matlet.2016.01.045>.

## Exposure Literature Search Results

### Off Topic

- Jermakowicz-Bartkowiak, D. (2005). Preparation, characterisation and sorptive properties towards noble metals of the resins from poly(vinylbenzyl chloride) copolymers. *React Funct Polym* 62: 115-128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.10.002>.
- Jeun, JP; Lim, YM; Nho, YC. (2005). Study on morphology of electrospun poly(caprolactone) nanofiber. *J Ind Eng Chem* 11: 573-578.
- Jewett, DK; Bjostad, LB. (1996). Dichloromethane attracts diabroticite larvae in a laboratory behavioral bioassay. *J Chem Ecol* 22: 1331-1344.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 97: 109-125.
- Ji, WC; Sikdar, SK; Hwang, ST. (1994). MODELING OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci* 93: 1-19.
- Ji, X; Yang, W; Wang, T; Mao, C; Guo, L; Xiao, J; He, N. (2013). Coaxially electrospun core/shell structured poly(L-lactide) acid/chitosan nanofibers for potential drug carrier in tissue engineering. *Journal of Biomedical Nanotechnology* 9: 1672-1678. <http://dx.doi.org/10.1166/jbn.2013.1665>.
- Jia, L; Ma, J; Shi, Q; Long, C. (2017). Prediction of Adsorption Equilibrium of VOCs onto Hyper-Cross-Linked Polymeric Resin at Environmentally Relevant Temperatures and Concentrations Using Inverse Gas Chromatography. *Environ Sci Technol* 51: 522-530. <http://dx.doi.org/10.1021/acs.est.6b05039>.
- Jia, Y; Zhang, Y; Wang, R; Yi, J; Feng, X, u; Xu, Q. (2012). Mesoporous Zirconium Phosphonate Hybrid Material as Adsorbent to Heavy Metal Ions. *Ind Eng Chem Res* 51: 12266-12273. <http://dx.doi.org/10.1021/ie300253z>.
- Jiang, B, in; Kuang, B, inYu; Liang, Y; Zhang, J; Huang, XHH; Xu, C; Yu, JZ; Shi, Q. (2016). Molecular composition of urban organic aerosols on clear and hazy days in Beijing: a comparative study using FT-ICR MS. *Environ Chem* 13: 888-901. <http://dx.doi.org/10.1071/EN15230>.
- Jiang, B, in; Wei, T; Zou, TT; Rempel, GL; Pan, Q, inM. (2015). A Novel Approval for Degradation of Polybutadiene and Synthesis of Diene-Based Telechelic Oligomers via Olefin Cross Metathesis. *Macromolecular Reaction Engineering* 9: 480-489. <http://dx.doi.org/10.1002/mren.201500004>.
- Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2009). Isocyanate-modified TiO<sub>2</sub> visible-light-activated photocatalyst. *Appl Catal B-Environ* 88: 165-172. <http://dx.doi.org/10.1016/j.apcatb.2008.09.021>.
- Jiang, HH; Kamdem, DP. (2004). Development of poly(vinyl chloride)/wood composites. A literature review. *Journal of Vinyl and Additive Technology* 10: 59-69. <http://dx.doi.org/10.1002/vnl.20009>.
- Jiang, XZ; Zhang, LQ; Wu, XH; Zheng, L. (1996). Catalytic decomposition of methylene chloride by sulfated oxide catalysts. *Appl Catal B-Environ* 9: 229-237.
- Jiang, Y; Lei, C; Niu, C; Fang, Y; Xiao, C; Zhang, Z. (2002). Semiochemicals from ovaries of gravid females attract ovipositing female houseflies, *Musca domestica*. *J Insect Physiol* 48: 945-950.
- Jiang, Y; Liu, M, in; Sun, W; Li, L; Qian, Y, u. (2010). Phase Behavior of Poly(lactic acid)/Poly(ethylene glycol)/Poly(lactic acid) (PLA-PEG-PLA) in Different Supercritical Systems of CO<sub>2</sub> + Dichloromethane and CO<sub>2</sub> + C<sub>2</sub>H<sub>5</sub>OH + Dichloromethane. *Journal of Chemical and Engineering Data* 55: 4844-4848. <http://dx.doi.org/10.1021/je1004406>.
- Jiang, Y; Sun, W; Wang, W, ei. (2012). Recrystallization and Micronization of 10-Hydroxycamptothecin by Supercritical Antisolvent Process. *Ind Eng Chem Res* 51: 2596-2602. <http://dx.doi.org/10.1021/ie2020334>.
- Jian-ming, Y; Jian-meng, C; Jia-de, W. (2006). Removal of dichloromethane from waste gases by a biotrickling filter. *J Environ Sci* 18: 1073-1076.
- Jianming, Y; Wei, L; Zhuowei, C; Yifeng, J; Wenji, C; Jianmeng, C. (2014). Dichloromethane removal and microbial variations in a combination of UV pretreatment and biotrickling filtration. *J Hazard Mater* 268: 14-22. <http://dx.doi.org/10.1016/j.jhazmat.2013.12.068>.
- Jianming, Y; Wenji, C; Shiliang, Z; Yan, W; Jianmeng, C. (2013). Aerobic Biodegradation of Chlorinated Hydrocarbons by *Bacillus circulans* WZ-12 CCTCC M 207006 under Saline Conditions. *Chinese Journal of Chemical Engineering* 21: 781-786. [http://dx.doi.org/10.1016/S1004-9541\(13\)60536-4](http://dx.doi.org/10.1016/S1004-9541(13)60536-4).
- Jiliang, W; Kaimin, N; Bo, T; Liqun, S. (2012). Effect of methylene blue (MB)-value of manufactured sand on the durability of concretes. *Journal of Wuhan University of Technology--Materials Science Edition* 27: 1160-1164. <http://dx.doi.org/10.1007/s11595-012-0622-0>.
- Jimenez, MV; Algarra, M; Jimenez, JJ; Lamotte, M. (2004). Evaluation of new surfactant expanded zirconium and titanium phosphates for polycyclic aromatic hydrocarbons extraction from waters. *Chemosphere* 57: 179-186. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.009>.
- Jimenez, PC; Wilke, DV; Takeara, R; Lotufo, TM; Pessoa, C; de Moraes, MO; Lopes, NP; Costa-Lotufo, LV. (2008). Cytotoxic activity of a dichloromethane extract and fractions obtained from *Eudistoma vancouveri* (Tunicata: Ascidiacea). *Comp Biochem Physiol A Mol Integr Physiol* 151: 391-398. <http://dx.doi.org/10.1016/j.cbpa.2007.02.018>.
- Jin, F; Hu, J; Liu, J; Yang, M; Wang, F; Wang, H. (2008). Sequestration of nonylphenol in sediment from Bohai Bay, North China. *Environ Sci Technol* 42: 746-751. <http://dx.doi.org/10.1021/es071522i>.
- Jin, L; Dai, B, in. (2012). TiO<sub>2</sub> activation using acid-treated vermiculite as a support: Characteristics and photoreactivity. *Appl Surf Sci* 258: 3386-3392. <http://dx.doi.org/10.1016/j.apsusc.2011.11.017>.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res* 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, LY; Mah, S. (2002). PET fabric supported fixed site carrier membrane for selective metal ion transport. *Fibers and Polymers* 3: 14-17.
- Jin, X; Jiang, G; Huang, G; Liu, J; Zhou, Q. (2004). Determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in surface waters from the Haihe River in Tianjin by gas chromatography-mass spectrometry with selected ion monitoring. *Chemosphere* 56: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.052>.

## Exposure Literature Search Results

### Off Topic

- Jin, XL; Huang, GL; Jiang, GB; Zhou, QF; Liu, JF. (2004). Simultaneous determination of 4-tert-octylphenol, 4-nonylphenol and bisphenol A in Guanting Reservoir using gas chromatography-mass spectrometry with selected ion monitoring. *J Environ Sci* 16: 825-828.
- Jin, Y; Veiga, MC; Kennes, C. (2007). Co-treatment of hydrogen sulfide and methanol in a single-stage biotrickling filter under acidic conditions. *Chemosphere* 68: 1186-1193. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.069>.
- Jin, Y; Wang, MF; Rosen, RT; Ho, CT. (1999). Thermal degradation of sulforaphane in aqueous solution. *J Agric Food Chem* 47: 3121-3123.
- Jin, YM; Veiga, MC; Kennes, C. (2005). Autotrophic deodorization of hydrogen sulfide in a biotrickling filter. *J Chem Tech Biotechnol* 80: 998-1004. <http://dx.doi.org/10.1002/jctb.1275>.
- Jing, P; Fang, X; Yan, J; Guo, J, ie; Fang, Y, u. (2013). Ultra-low density porous polystyrene monolith: facile preparation and superior application. 1: 10135-10141. <http://dx.doi.org/10.1039/c3ta11761h>.
- Jing, S; Zheng, C; Pu, S; Fan, C; Liu, G. (2014). A highly selective ratiometric fluorescent chemosensor for Hg<sup>2+</sup> based on a new diarylethene with a stilbene-linked terpyridine unit. *Dyes and Pigments* 107: 38-44. <http://dx.doi.org/10.1016/j.dyepig.2014.03.023>.
- Jo, JW; Jung, JW; Lee, JU; Jo, WH. (2010). Fabrication of highly conductive and transparent thin films from single-walled carbon nanotubes using a new non-ionic surfactant via spin coating. *ACS Nano* 4: 5382-5388. <http://dx.doi.org/10.1021/nn1009837>.
- Jo, M, iY; Park, S; Kim, J. (2012). Synthesis, optical and electrochemical properties of in-situ thermally cross-linkable oligo(10H-alkylphenothiazine). *Synthetic Metals* 162: 70-78. <http://dx.doi.org/10.1016/j.synthmet.2011.11.012>.
- Johnson, C; Ottiger, S; Pini, R; Gorman, EA; Nguyen, JG; Munson, EJ; Mazzotti, M; Borovik, AS; Subramaniam, B. (2009). Near-Stoichiometric O-2 Binding on Metal Centers In Co(salen) Nanoparticles. *AIChE J* 55: 1040-1045. <http://dx.doi.org/10.1002/aic.11740>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress* 19: 157-166.
- Johnson, PJ; Skornia, SL; Stabenfeldt, SE; Willits, RK. (2008). Maintaining bioactivity of NGF for controlled release from PLGA using PEG. *J Biomed Mater Res A* 86: 420-427. <http://dx.doi.org/10.1002/jbm.a.31635>.
- Johnson, TB; Long, ER. (1998). Rapid toxicity assessment of sediments from estuarine ecosystems: A new tandem in vitro testing approach. *Environ Toxicol Chem* 17: 1099-1106.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Jonassaint, CR; Boyle, SH; Kuhn, CM; Siegler, IC; Copeland, WE; Williams, R. (2010). Personality and inflammation: the protective effect of openness to experience. *Ethn Dis* 20: 11-14.
- Jonasson, A; Persson, O; Rasmussen, P; Astrath, DU. (2000). Vapor-liquid equilibria of systems containing dichloromethane and gaseous components. *Journal of Chemical and Engineering Data* 45: 642-646.
- Jones, CL; Higgins, SJ. (1999). Symmetrical alkyl-substituted oligothiophenes as ligands: complexation of the [(eta-C5H4)Ru](+) moiety by hexyl-substituted ter-, quater- and quinque-thiophenes. *J Mater Chem* 9: 865-874.
- Jones, CM; Donnelly, PE; Schwartz, J. (2010). A nanoscale interface improves attachment of cast polymers to glass [Letter]. *ACS Applied Materials & Interfaces* 2: 2185-2188. <http://dx.doi.org/10.1021/am1004893>.
- Jones, DS; Mccoy, CP; Andrews, GP. (2011). Physicochemical and drug diffusion analysis of rifampicin containing polyethylene glycol-poly(epsilon-caprolactone) networks designed for medical device applications. *Chem Eng J* 172: 1088-1095. <http://dx.doi.org/10.1016/j.cej.2011.05.024>.
- Jones, KC; Green, NJL; Bernardo, FJG. (2006). A contribution to the determination of polychlorobenzenes in sediments. *Soil Sediment Contam* 15: 315-326. <http://dx.doi.org/10.1080/15320380600646381>.
- Jones, RD; Jacobson, ME; Jaffe, R; Westthomas, J; Arfstrom, C; Alli, A. (1995). METHOD DEVELOPMENT AND SAMPLE PROCESSING OF WATER, SOIL, AND TISSUE FOR THE ANALYSIS OF TOTAL AND ORGANIC MERCURY BY COLD VAPOR ATOMIC FLUORESCENCE SPECTROMETRY. *Water Air Soil Pollut* 80: 1285-1294.
- Jonker, MTO; Koelmans, AA. (2002). Extraction of polycyclic aromatic hydrocarbons from soot and sediment: Solvent evaluation and implications for sorption mechanism. *Environ Sci Technol* 36: 4107-4113. <http://dx.doi.org/10.1021/es0103290>.
- Jonnalagadda, SB; Shezi, MN. (2009). Kinetics and mechanism of the oxidation of methylene violet by bromate at acidic pH and the dual role of bromide ion. *J Phys Chem A* 113: 5540-5549. <http://dx.doi.org/10.1021/jp810015p>.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software [Review]. *Toxicol Lett* 138: 143-150. [http://dx.doi.org/10.1016/S0378-4274\(02\)00369-7](http://dx.doi.org/10.1016/S0378-4274(02)00369-7).
- Jop, KM; Kendall, TZ; Askew, AM; Foster, RB. (1991). USE OF FRACTIONATION PROCEDURES AND EXTENSIVE CHEMICAL-ANALYSIS FOR TOXICITY IDENTIFICATION OF A CHEMICAL-PLANT EFFLUENT. *Environ Toxicol Chem* 10: 981-990.
- Jorge, RMF; Livingston, AG. (2000). Biological treatment of an alternating source of organic compounds in a single tube extractive membrane bioreactor. *J Chem Tech Biotechnol* 75: 1174-1182.
- Jorge, VG; Ángel, JR; Adrián, TS; Francisco, AC; Anuar, SG; Samuel, ES; Ángel, SO; Emmanuel, HN. (2013). Vasorelaxant activity of extracts obtained from *Apium graveolens*: possible source for vasorelaxant molecules isolation with potential antihypertensive effect. 3: 776-779. [http://dx.doi.org/10.1016/S2221-1691\(13\)60154-9](http://dx.doi.org/10.1016/S2221-1691(13)60154-9).
- Joshi, L; Prakash, R. (2012). Polyindole-Au nanocomposite produced at the liquid/liquid interface. *Mater Lett* 66: 250-253. <http://dx.doi.org/10.1016/j.matlet.2011.08.087>.
- Joshi, MP; Raj Mohan, S; Dharmi, TS; Jain, B; Singh, MK; Ghosh, H; Shripathi, T; Deshpande, UP. (2008). Enhanced optoelectronic properties of UV-light-induced photodegraded TPD. *Applied Physics A: Materials Science and Processing* 90: 351-358. <http://dx.doi.org/10.1007/s00339-007-4283-3>.

## Exposure Literature Search Results

### Off Topic

- Jovancicevic, B; Antic, MP; Solevic, TM; Vrvic, MV; Kronimus, A; Schwarzbauer, J. (2005). Investigation of interactions between surface water and petroleum-type pollutants. *Environ Sci Pollut Res Int* 12: 205-212. <http://dx.doi.org/10.1065/espr2004.12.229>.
- Jovic, S; Keurentjes, JTF; Schouten, JC; van Der Schaaf, J. (2016). A new hydrate based process for drying liquids. *Chem Eng Res Des* 115: 423-432. <http://dx.doi.org/10.1016/j.cherd.2016.09.015>.
- Ju, G; Cheng, M; Shi, F. (2014). A pH-responsive smart surface for the continuous separation of oil/water/oil ternary mixtures. 6. <http://dx.doi.org/10.1038/am.2014.44>.
- Ju, Z; Wang, T; Wang, L; Xing, Z; Xu, L; Qian, Y. (2010). A simple pyrolysis route to synthesize leaf-like carbon sheets. *Carbon* 48: 3420-3426. <http://dx.doi.org/10.1016/j.carbon.2010.05.037>.
- Juan, Y; Ke-qiang, Q. (2012). Preparation of activated carbons by ZnCl<sub>2</sub> activation from herb residues under vacuum. *Xinxing Tancailliao* 27: 294-300.
- Juca, TL; Ramos, MV; Mendes Batista Moreno, FB; Viana de Matos, MP; Barreto Marinho-Filho, JD; Moreira, RA; de Oliveira Monteiro-Moreira, A. (2013). Insights on the Phytochemical Profile (Cyclopeptides) and Biological Activities of *Calotropis procera* Latex Organic Fractions. *ScientificWorldJournal* 2013: 615454. <http://dx.doi.org/10.1155/2013/615454>.
- Jucoski Bier, MC; Pedroni Medeiros, AB; de Oliveira, JS; Cocco, LC; Costa, J, daLuz; de Carvalho, JC; Soccol, CR. (2016). Liquefied gas extraction: A new method for the recovery of terpenoids from agroindustrial and forest wastes. *Journal of Supercritical Fluids* 110: 97-102. <http://dx.doi.org/10.1016/j.supflu.2015.12.016>.
- Judd, RL; Simjanov, A. (2004). Bubble nucleation in response to a step change in heat flux. *Int J Heat Mass Tran* 47: 2149-2159. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2003.12.007>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, HA; Jin, SE; Ahn, BR; Lee, CM; Choi, JS. (2013). Anti-inflammatory activity of edible brown alga *Eisenia bicyclis* and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages. *Food Chem Toxicol* 59: 199-206. <http://dx.doi.org/10.1016/j.fct.2013.05.061>.
- Jung, HA; Karki, S; Kim, JH; Choi, JS. (2014). BACE1 and cholinesterase inhibitory activities of *Nelumbo nucifera* embryos. *Arch Pharm Res* 38: 1178-1187. <http://dx.doi.org/10.1007/s12272-014-0492-4>.
- Jung, J, inY; Cho, S; Lee, YS. (2014). Hollow shaped nanofibers with (Ti, Sn)O-2 solid-solutions: Synthesis, characterization, and photocatalytic application. *J Alloy Comp* 614: 310-316. <http://dx.doi.org/10.1016/j.jallcom.2014.06.097>.
- Jung, KW, on; Hwang, M, inJin; Jeong, T, aeUn; Chau, D, aoM; Kim, K; Ahn, K, yuH. (2016). Entrapment of powdered drinking water treatment residues in calcium-alginate beads for fluoride removal from actual industrial wastewater. *J Ind Eng Chem* 39: 101-111. <http://dx.doi.org/10.1016/j.jiec.2016.05.017>.
- Jung, S; Kim, D; Kim, H. (2016). Improving the Chromatographic Analysis of N-Nitrosamines in Drinking Water by Completely Drying the Solid Sorbent Using Dry Air. *Pol J Environ Stud* 25: 2689-2693. <http://dx.doi.org/10.15244/pjoes/64311>.
- Junyaprasert, VB; Pornsuwannapha, S. (2008). Floating properties and release characteristics of hollow microspheres of acyclovir. *Drug Deliv* 15: 331-341. <http://dx.doi.org/10.1080/10717540802035335>.
- Juronen, E; Tasa, G; Uusküla, M; Pooga, M; Mikelsaar, AV. (1996). Purification, characterization and tissue distribution of human class theta glutathione S-transferase T1-1. *Biochem Mol Biol Int* 39: 21-29. <http://dx.doi.org/10.1080/15216549600201021>.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Juuti, J; Teirikangas, M; Sonoda, K; Jantunen, H. (2010). Thermoplastic 0-3 Ceramic-Polymer Composites With Adjustable Magnetic and Dielectric Characteristics for Radio Frequency Applications. *International Journal of Applied Ceramic Technology* 7: 452-460. <http://dx.doi.org/10.1111/j.1744-7402.2010.02493.x>.
- Kabouche, A; Boulouf, A; Abidi, A; Gherraf, N. (2012). Interaction parameter estimation in liquid-liquid phase equilibrium modeling using stochastic and hybrid algorithms. *Fluid Phase Equilibria* 336: 113-121. <http://dx.doi.org/10.1016/j.fluid.2012.09.002>.
- Kachasakul, P; Assabumrungrat, S; Praserttham, P; Pancharoen, U. (2003). Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone((R)) system. *Chem Eng J* 92: 131-139.
- Kadirova, ZC; Katsumata, K, enI; Isobe, T; Matsushita, N; Nakajima, A; Okada, K. (2013). Adsorption and photodegradation of methylene blue by iron oxide impregnated on granular activated carbons in an oxalate solution. *Appl Surf Sci* 284: 72-79. <http://dx.doi.org/10.1016/j.apsusc.2013.07.014>.
- Kadnikova, EN; Kostic, NM. (2001). Sol-gel glass is not necessarily an inert matrix for enzyme encapsulation. Catalysis of sulfoxidation by silica. *Journal of Non-Crystalline Solids* 283: 63-68.
- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health* 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kaefferlein, HU; Ruehl, R; Bruening, T. (2011). Dichloromethane and paint stripping. *Gefahrst Reinhalt Luft* 71: 255-263.
- Kafarov, VV; Sabanin, VR; Meshalkin, VP; Radun, DV. (1984). MATHEMATIC MODEL FOR THE METHYLENE-CHLORIDE AND CHLOROFORM PRODUCTION ADAPTIVE-CONTROL. 75-77.
- Kagan, M; Chlenov, M; Melnikov, S; Greenfield, A; Gross, J; Bernotas, RC. (2008). Optimization of normal-phase chromatographic separation of compounds with primary, secondary and tertiary amino groups. *J Chromatogr A* 1194: 80-89. <http://dx.doi.org/10.1016/j.chroma.2008.04.052>.



## Exposure Literature Search Results

### Off Topic

- Kageyama, A; Fujino, T; Taki, Y; Kato, Y; Nozawa, Y; Ito, Y; Yamada, S. (2008). Alteration of muscarinic and purinergic receptors in urinary bladder of rats with cyclophosphamide-induced interstitial cystitis. *Neurosci Lett* 436: 81-84. <http://dx.doi.org/10.1016/j.neulet.2008.02.065>.
- Kahle, I; Spange, S. (2010). Internal and External Acidity of Faujasites As Measured by a Solvatochromic Spiropyran. *J Phys Chem C* 114: 15448-15453. <http://dx.doi.org/10.1021/jp1048106>.
- Kailappan, R; Gothandapani, L; Viswanathan, R. (2000). Production of activated carbon from prosopis (*Prosopis juliflora*). *Bioresour Technol* 75: 241-243.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem* 14: 2107-2113.
- Kajiwara, N; Sueoka, M; Ohiwa, T; Takigami, H. (2009). Determination of flame-retardant hexabromocyclododecane diastereomers in textiles. *Chemosphere* 74: 1485-1489. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.046>.
- Kakhki, RMZ; Rounaghi, G. (2011). Competitive Bulk Liquid Membrane Transport of Heavy Metal Cations Using the 18-Crown-6 Ligand as an Ionophore. *Journal of Chemical and Engineering Data* 56: 3169-3174. <http://dx.doi.org/10.1021/je200220d>.
- Kalachandra, S; Lin, DM; Offenbacher, S. (2002). Controlled drug release for oral condition by a novel device based on ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 13: 53-58.
- Kalachandra, S; Lin, DM; Stejskal, EO; Prakki, A; Offenbacher, S. (2005). Drug release from cast films of ethylene vinyl acetate (EVA) copolymer: Stability of drugs by <sup>1</sup>H NMR and solid state <sup>13</sup>C CP/MAS NMR. *J Mater Sci Mater Med* 16: 597-605.
- Kalachandra, S; Takamata, T; Lin, DM; Snyder, EA; Webster-Cyriaque, J. (2006). Stability and release of antiviral drugs from ethylene vinyl acetate (EVA) copolymer. *J Mater Sci Mater Med* 17: 1227-1236. <http://dx.doi.org/10.1007/s10856-006-0596-6>.
- Kaleji, BK; Alijani, M; Aghaei, A. (2016). Sn/Ce co-doping of TiO<sub>2</sub> nanoparticles: influence of dopants concentration on optical and structural characteristics. *Journal of Materials Science: Materials in Electronics* 27: 8524-8531. <http://dx.doi.org/10.1007/s10854-016-4869-7>.
- Kales, SN. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk [letter] [Letter]. *J Occup Environ Med* 39: 11-12.
- Kalogiannis, CG; Michailof, CM; Panayiotou, CG. (2006). Microencapsulation of Amoxicillin in poly(L-lactic acid) by supercritical antisolvent precipitation. *Ind Eng Chem Res* 45: 8738-8743. <http://dx.doi.org/10.1021/ie060529q>.
- Kalogiannis, CG; Panayiotou, CG. (2005). Bubble and cloud points of the system poly(L-lactic acid) plus carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 50: 1442-1447. <http://dx.doi.org/10.1021/je050100q>.
- Kalogiannis, CG; Panayiotou, CG. (2006). Bubble and cloud points of the systems poly(epsilon-caprolactone) plus carbon dioxide plus dichloromethane or chloroform. *Journal of Chemical and Engineering Data* 51: 107-111. <http://dx.doi.org/10.1021/je0502602>.
- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters* 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters* 10: 45-50.
- Kamal, A; Syed, JH; Li, J, un; Zhang, G, an; Mahmood, A; Malik, RN. (2016). Profile of Atmospheric PAHs in Rawalpindi, Lahore and Gujranwala Districts of Punjab Province (Pakistan). *Aerosol Air Qual Res* 16: 1010-1021. <http://dx.doi.org/10.4209/aaqr.2015.01.0016>.
- Kaminsky, A; Willner, I; Mandler, D. (1993). A REFERENCE ELECTRODE FOR ORGANIC-SOLVENTS BASED ON MODIFIED POLYETHYLENIMINE LOADED WITH FE(CN)<sub>6</sub>-3-/4. *J Electrochem Soc* 140: L25-L27.
- Kamiya, Y; Ikemori, F; Ohura, T. (2015). Optimisation of pre-treatment and ionisation for GC/MS analysis for the determination of chlorinated PAHs in atmospheric particulate samples. *Int J Environ Anal Chem* 95: 1157-1168. <http://dx.doi.org/10.1080/03067319.2015.1048439>.
- Kamura, M; Kuzumoto, Y; Aomori, S; Houjou, H; Kitamura, M; Arakawa, Y. (2010). Synthesis and investigation of pi-conjugated azomethine self-assembled multilayers by layer-by-layer growth. *Thin Solid Films* 518: 5115-5120. <http://dx.doi.org/10.1016/j.tsf.2010.03.006>.
- Kan, CW; Yuen, CWM. (2010). Effect of Nature of Gas on Some Surface Physico-Chemical Properties of Plasma-Treated Wool Fiber. *J Adhes Sci Tech* 24: 99-111. <http://dx.doi.org/10.1163/016942409X12538865056079>.
- Kanai, H; Goo, R; Inouye, V; Yazawa, L; Chun, C. (1993). RECOVERY STUDIES ON DICHLOROMETHANE AQUEOUS PARTITIONING OF PHENOL AND SOME OF ITS ALKYL DERIVATIVES. *Int J Environ Anal Chem* 53: 151-156.
- Kanani, AG; Bahrami, SH. (2011). Effect of Changing Solvents on Poly(epsilon-Caprolactone) Nanofibrous Webs Morphology. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/724153>.
- Kanaya, N; Matsuhashi, S; Katsuta, S. (2015). Extraction Properties of p-Methyloxacalix[3]arene Methyl Ether for Alkali Metal Ions. 22: 17-24.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kandil, F; Al Zoubi, W; Chebani, MK. (2012). The Synthesis and Characterization of New Schiff Bases and Investigating them in Solvent Extraction of Chromium and Copper. *Separation Science and Technology* 47: 1754-1761. <http://dx.doi.org/10.1080/01496395.2012.660554>.
- Kanehashi, S; Nakagawa, T; Nagai, K; Duthie, X; Kentish, S; Stevens, G. (2007). Effects of carbon dioxide-induced plasticization on the gas transport properties of glassy polyimide membranes. *J Memb Sci* 298: 147-155. <http://dx.doi.org/10.1016/j.memsci.2007.04.012>.
- Kang, M; Bae, YS; Lee, CH. (2005). Effect of heat treatment of activated carbon supports on the loading and activity of Pt catalyst. *Carbon* 43: 1512-1516. <http://dx.doi.org/10.1016/j.carbon.2005.01.035>.
- Kang, M, iK; Dai, J; Kim, J, inC. (2012). Ethylcellulose microparticles containing chitosan and gelatin: pH-dependent release caused by complex coacervation. *J Ind Eng Chem* 18: 355-359. <http://dx.doi.org/10.1016/j.jiec.2011.11.099>.
- Kang, M; Lee, CH. (2004). Methylene chloride oxidation on oxidative carbon-supported chromium oxide catalyst. *Appl Catal A-Gen* 266: 163-172. <http://dx.doi.org/10.1016/j.apcata.2004.02.041>.

## Exposure Literature Search Results

### Off Topic

- Kang, S; Yu, J. (2015). Hydrophobic organic compounds from hydrothermal liquefaction of bacterial biomass. *Biomass and Bioenergy* 74: 92-95. <http://dx.doi.org/10.1016/j.biombioe.2015.01.008>.
- Kania-Korwel, I; Parkin, S; Robertson, LW; Lehmler, HJ. (2004). Synthesis of polychlorinated biphenyls and their metabolites with a modified Suzuki-coupling. *Chemosphere* 56: 735-744. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.035>.
- Kania-Korwel, I; Zhao, H; Norstrom, K; Li, X; Hornbuckle, KC; Lehmler, HJ. (2008). Simultaneous extraction and clean-up of polychlorinated biphenyls and their metabolites from small tissue samples using pressurized liquid extraction. *J Chromatogr A* 1214: 37-46. <http://dx.doi.org/10.1016/j.chroma.2008.10.089>.
- Kaniwa, MA; Isama, K; Kojima, S; Nakamura, A; Arisu, K; Hayakawa, R. (1991). CHEMICAL APPROACH TO CONTACT-DERMATITIS CAUSED BY HOUSEHOLD PRODUCTS .8. UV ABSORBER TINUVIN-P IN POLYURETHANE ELASTOMERS FOR FABRIC PRODUCTS. 37: 218-228.
- Kanno, J; Foley, JF; Kari, F; Anderson, MW; Maronpot, RR. (1993). Effect of methylene chloride inhalation on replicative DNA synthesis in the lungs of female B6C3F1 mice. *Environ Health Perspect* 101: 271-276.
- Kansara, AM; Jadav, GL; Chaudhri, SG; Singh, PS. (2014). Preparation of Poly(dimethylsiloxane)-Polysulfone Composite Membrane by Sequential Absorption-Reaction-Evaporation Process and its Application in Treatment of Aqueous Solution Containing Volatile Organics. *Separation Science and Technology* 49: 2834-2846. <http://dx.doi.org/10.1080/01496395.2014.944619>.
- Kantarli, IC; Yanik, J. (2010). Activated carbon from leather shaving wastes and its application in removal of toxic materials. *J Hazard Mater* 179: 348-356. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.012>.
- Kao, TH; Chen, CJ; Chen, BH. (2011). Carotenoid composition in *Rhinacanthus nasutus* (L.) Kurz as determined by HPLC-MS and affected by freeze-drying and hot-air-drying. *Analyst* 136: 3194-3202. <http://dx.doi.org/10.1039/c1an15090a>.
- Karadag, K; Yati, I; Bulbul Sonmez, H. (2016). Effective clean-up of organic liquid contaminants including BTEX, fuels, and organic solvents from the environment by poly(alkoxysilane) sorbents. *J Environ Manage* 174: 45-54. <http://dx.doi.org/10.1016/j.jenvman.2016.01.043>.
- Karageorgi, S; Prescott, J; Wong, JY; Lee, IM; Buring, JE; De Vivo, I. (2011). GSTM1 and GSTT1 copy number variation in population-based studies of endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev* 20: 1447-1452. <http://dx.doi.org/10.1158/1055-9965.EPI-11-0190>.
- Karakas, FP; Turker, AU. (2013). An efficient in vitro regeneration system for *Bellis perennis* L. and comparison of phenolic contents of field-grown and in vitro-grown leaves by LC-MS/MS. *Ind Crop Prod* 48: 162-170. <http://dx.doi.org/10.1016/j.indcrop.2013.04.008>.
- Karim, HM; Costa de Freitas, JE; de Carvalho Lima, TP; Nascimento, M, dos; Hayd, L, deA. (2015). ECONOMIC VIABILITY OF PRODUCTION OF THE FRESHWATER PRAWN OF PANTANAL (*Macrobrachium pantanalense*). 41: 103-112.
- Karimi, M; Eshraghi, MJ. (2017). One-pot and green synthesis of Mn<sub>3</sub>O<sub>4</sub> nanoparticles using an all-in-one system (solvent, reactant and template) based on ethaline deep eutectic solvent. *J Alloy Comp* 696: 171-176. <http://dx.doi.org/10.1016/j.jallcom.2016.11.259>.
- Karimi-Jaberi, Z; Pooladian, B; Moradi, M; Ghasemi, E. (2012). 1,3,5-Tris(hydrogensulfato) Benzene: A New and Efficient Catalyst for Synthesis of 4,4'-(arylmethylene)bis(1H-pyrazol-5-ol) Derivatives. *Chinese journal of catalysis* 33: 1945-1949. [http://dx.doi.org/10.1016/S1872-2067\(11\)60477-4](http://dx.doi.org/10.1016/S1872-2067(11)60477-4).
- Karimi-Lotfabad, S; Pickard, MA; Gray, MR. (1996). Reactions of polynuclear aromatic hydrocarbons on soil. *Environ Sci Technol* 30: 1145-1151.
- Karsten, AH; Turner, JW. (2003). Fecal corticosterone assessment in the epaulette shark, *Hemiscyllium ocellatum*. *Journal of Experimental Zoology Part A: Comparative Experimental Biology* 299: 188-196. <http://dx.doi.org/10.1002/jez.a.10300>.
- Karthikeyan, D; Karthikeyan, M. (2010). Development of a new single dose extended release formulation of cefpodoxime proxetil. *Asian Pacific Journal of Tropical Medicine* 3: 117-120.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res* 34: 4161-4168.
- Kashyap, L; Sharma, DC; Anil, DC. (2015). Dissipation behaviour of spinosad in polyhouse grown tomato under mid-hill conditions of Himachal Pradesh, India. *Environ Monit Assess* 187: 75. <http://dx.doi.org/10.1007/s10661-014-4210-y>.
- Kassab, AC; Piskin, E; Bilgic, S; Denkbaz, EB; Xu, K. (1999). Embolization with polyhydroxybutyrate (PHB) microspheres: In-vivo studies. *J Bioact Compat Polymer* 14: 291-303.
- Kassab, AC; Xu, K; Denkbaz, EB; Dou, Y; Zhao, S; Piskin, E. (1997). Rifampicin carrying polyhydroxybutyrate microspheres as a potential chemoembolization agent. *J Biomater Sci Polym Ed* 8: 947-961.
- Kasture, PP; Sonawane, YA; Rajule, RN; Shankarling, GS. (2010). Synthesis and characterisation of benzothiazole-based solid-state fluorescent azo dyes. *Color Technol* 126: 348-352. <http://dx.doi.org/10.1111/j.1478-4408.2010.00268.x>.
- Kasuga, T; Fujikawa, H; Abe, Y. (1999). Preparation of polylactic acid composites containing beta-Ca(PO<sub>3</sub>)(2) fibers. *J Mater Res* 14: 418-424.
- Kasuga, T; Maeda, H; Kato, K; Nogami, M; Hata, K; Ueda, M. (2003). Preparation of poly(lactic acid) composites containing calcium carbonate (vaterite). *Biomaterials* 24: 3247-3253. [http://dx.doi.org/10.1016/S0142-9612\(03\)00190-X](http://dx.doi.org/10.1016/S0142-9612(03)00190-X).
- Kasuga, T; Ota, Y; Nogami, M; Abe, Y. (2001). Preparation and mechanical properties of polylactic acid composites containing hydroxyapatite fibers. *Biomaterials* 22: 19-23.
- Katata, L; Tshweu, L; Naidoo, S; Kalombo, L; Swai, H. (2012). Design and formulation of nano-sized spray dried efavirenz-part I: influence of formulation parameters. *J Nanopart Res* 14. <http://dx.doi.org/10.1007/s11051-012-1247-0>.
- Katsoyiannis, A; Samara, C. (2007). Comparison of active and passive sampling for the determination of persistent organic pollutants (POPs) in sewage treatment plants. *Chemosphere* 67: 1375-1382. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.035>.
- Katsuta, S; Imai, K; Kudo, Y; Takeda, Y; Seki, H; Nakakoshi, M. (2008). Ion pair formation of alkyimidazolium ionic liquids in dichloromethane. *Journal of Chemical and Engineering Data* 53: 1528-1532. <http://dx.doi.org/10.1021/jc800152d>.
- Katsuta, S; Shiozawa, Y; Imai, K; Kudo, Y; Takeda, Y. (2010). Stability of Ion Pairs of Bis(trifluoromethanesulfonyl)amide-Based Ionic Liquids in Dichloromethane. *Journal of Chemical and Engineering Data* 55: 1588-1593. <http://dx.doi.org/10.1021/jc900694m>.

## Exposure Literature Search Results

### Off Topic

- Kattnig, DR; Mladenova, B; Grampp, G; Kaiser, C; Heckmann, A; Lambert, C. (2009). Electron Paramagnetic Resonance Spectroscopy of Bis(triarylamine) Paracyclophanes as Model Compounds for the Intermolecular Charge-Transfer in Solid State Materials for Optoelectronic Applications. *J Phys Chem C* 113: 2983-2995. <http://dx.doi.org/10.1021/jp8107705>.
- Kaufman, CM; Overcash, MR. (1993). Green biomass materials in polyurethane foams. *Journal of the Air and Waste Management Association* 43: 1253-1259.
- Kaufman, CM; Overcash, MR. (1993). WASTE MINIMIZATION IN THE MANUFACTURE OF FLEXIBLE POLYURETHANE FOAMS - QUANTIFICATION OF AUXILIARY BLOWING AGENT VOLATILIZATION. *J Air Waste Manag Assoc* 43: 736-744.
- Kaur, I; Mathur, RP; Tandon, SN; Dureja, P. (1998). Persistence of endosulfan (technical) in water and soil. *Environ Technol* 19: 115-119.
- Kaur, J; Singh, S; Kanjilal, D; Chakarvarti, SK. (2013). Template-Based Synthesis of Nano/Micro Structures on a Semiconducting Substrate. *Int J Polym Mater* 62: 91-94. <http://dx.doi.org/10.1080/00914037.2012.670817>.
- Kavanoz, M; Gulce, H; Yildiz, A. (2004). Anodic stripping voltammetric determination of gold on a polyvinylferrocene coated glassy carbon electrode. *Turkish Journal of Chemistry* 28: 287-297.
- Kawagoshi, Y; Fujita, Y; Kishi, I; Fukunaga, I. (2003). Estrogenic chemicals and estrogenic activity in leachate from municipal waste landfill determined by yeast two-hybrid assay. *J Environ Monit* 5: 269-274. <http://dx.doi.org/10.1039/b210962j>.
- Kawai, S; Ohashi, H. (1993). DEGRADATION OF LIGNIN SUBSTRUCTURE MODEL COMPOUNDS BY COPPER(II)-AMINE COMPLEX AS A MODEL CATALYST OF FUNGAL LACCASE. *Holzforschung* 47: 97-102.
- Kawai, T; Yasugi, T; Mizunuma, K; Horiguchi, S; Uchida, Y; Iwami, O; Iguchi, H; Ikeda, M. (1991). 2-ACETYLFURAN, A CONFOUNDER IN URINALYSIS FOR 2,5-HEXANEDIONE AS AN NORMAL-HEXANE EXPOSURE INDICATOR. *Int Arch Occup Environ Health* 63: 213-219.
- Kawakami, M; Ganguly, SN; Banerjee, J; Kobayashi, A. (1995). AROMA COMPOSITION OF OOLONG TEA AND BLACK TEA BY BREWED EXTRACTION METHOD AND CHARACTERIZING COMPOUNDS OF DARJEELING TEA AROMA. *J Agric Food Chem* 43: 200-207.
- Kawakami, M; Kobayashi, A; Kator, K. (1993). VOLATILE CONSTITUENTS OF ROOIBOS TEA (ASPALATHUS-LINEARIS) AS AFFECTED BY EXTRACTION PROCESS. *J Agric Food Chem* 41: 633-636.
- Kawamoto, H; Tanaka, N; Nakatsubo, F; Murakami, K. (1993). STEREOSELECTIVE SYNTHESIS OF A CONDENSED TANNIN USING NEIGHBORING GROUP PARTICIPATION. 39: 820-824.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawamura, M; Kikura-Hanajiri, R; Goda, Y. (2011). Simple and Rapid Screening for Methamphetamine and 3,4-Methylenedioxymethamphetamine (MDMA) and Their Metabolites in Urine Using Direct Analysis in Real Time (DART)-TOFMS. *Yakugaku Zasshi* 131: 827-833.
- Kawano, F; Hirazawa, N; Gravningen, K; Berntsen, J, anO. (2012). Antiparasitic effect of dietary Romet (R) 30 (SDMX-OMP) against ciliate *Cryptocaryon irritans* infection in the red sea bream *Pagrus major* and tiger puffer *Takifugu rubripes*. *Aquaculture* 344: 35-39. <http://dx.doi.org/10.1016/j.aquaculture.2012.02.028>.
- Kawasaki, Y; Tsuboi, C; Yagi, K; Morizane, M; Masaoka, Y; Esumi, S; Kitamura, Y; Sendo, T. (2014). Photoinitiators enhanced 1,2-dichloropropane-induced cytotoxicity in human normal embryonic lung fibroblasts cells in vitro. *Environ Sci Pollut Res Int* 22: 4763-4770. <http://dx.doi.org/10.1007/s11356-014-3939-8>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today* 44: 101-109.
- Kazmer, GW; Canfield, RW; Bean, B. (1992). CHARACTERISTICS OF SOMATOTROPIN AND PROLACTIN PROFILES IN YOUNG DAIRY SIRES BEFORE AND AFTER A 72-HOUR FAST DURING DIFFERENT SEASONS. *J Anim Sci* 70: 503-507.
- Ke, H; Zhao, L; Guo, Y; Tang, J. (2012). Syntheses, structures, and magnetic analyses of a family of heterometallic hexanuclear [Ni<sub>4</sub>M<sub>2</sub>] (M = Gd, Dy, Y) compounds: observation of slow magnetic relaxation in the Dy(III) derivative. *Inorg Chem* 51: 2699-2705. <http://dx.doi.org/10.1021/ic202699k>.
- Ke, JC; Wang, YH, er; Chen, K, anLin; Huang, CJ. (2015). Effect of open-circuit voltage in organic solar cells based on various electron donor materials by inserting molybdenum trioxide anode buffer layer. *Solar Energy Materials and Solar Cells* 133: 248-254. <http://dx.doi.org/10.1016/j.solmat.2014.10.033>.
- Kecseti, IM; Simon, M; Csunderlik, C. (2010). Synthesis of a New Chiral Carbamate: 2-nitrophenyl(1R,2S)-(1,2-diphenyl-2-hydroxyethyl)carbamate. *Rev Chim* 61: 759-761.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol* 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.
- Keeling, AA; Mullett, JAJ; Paton, IK. (1994). GC MASS-SPECTROMETRY OF REFUSE-DERIVED COMPOSTS. *Soil Biol Biochem* 26: 773-776.
- Keil, C; Forchert, A; Fastner, J; Szewzyk, U; Rotard, W; Chorus, I; Kratke, R. (2002). Toxicity and microcystin content of extracts from a *Planktothrix* bloom and two laboratory strains. *Water Res* 36: 2133-2139.
- Kempe, M; Kempe, H; Snowball, I; Wallén, R; Arza, CR; Götzberg, M; Olsson, T. (2010). The use of magnetite nanoparticles for implant-assisted magnetic drug targeting in thrombolytic therapy. *Biomaterials* 31: 9499-9510. <http://dx.doi.org/10.1016/j.biomaterials.2010.07.107>.
- Kermiche, M; Djerad, S. (2011). Facilitated transport of copper through bulk liquid membrane containing di-2ethylhexyl phosphoric acid. *Desalination and Water Treatment* 36: 261-269. <http://dx.doi.org/10.5004/dwt.2011.2535>.
- Kern, ME; Watson, DF. (2012). Influence of Solvation and the Persistence of Adsorbed Linkers on the Attachment of CdSe Quantum Dots to TiO<sub>2</sub> via Linker-Assisted Assembly. *Langmuir* 28: 15598-15605. <http://dx.doi.org/10.1021/la303504u>.

## Exposure Literature Search Results

### Off Topic

- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerscher, R; Grosch, W. (1998). Quantification of 2-methyl-3-furanthiol, 2-furfurylthiol, 3-mercapto-2-pentanone, and 2-mercapto-3-pentanone in heated meat. *J Agric Food Chem* 46: 1954-1958.
- Kersemaekers, WM; Roeleveld, N; Zielhuis, GA. (1995). Reproductive disorders due to chemical exposure among hairdressers [Review]. *Scand J Work Environ Health* 21: 325-334.
- Kershaw, J. R.; Black, KJT; Jaeger, HK; Willing, RI; Hanna, JV. (1995). A COMPARISON OF MESOPHASE FORMATION UNDER SPARGING AND VACUUM. *Carbon* 33: 633-643.
- Kesen, S; Kelebek, H; Selli, S. (2014). Characterization of the key aroma compounds in Turkish olive oils from different geographic origins by application of aroma extract dilution analysis (AEDA). *J Agric Food Chem* 62: 391-401. <http://dx.doi.org/10.1021/jf4045167>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin* 200: 5-6.
- Kfir, R; Grabow, OK; Hilner, CA. (1982). AMES SALMONELLA MUTAGENICITY ASSAYS ON WATER DI CHLORO METHANE EXTRACTS VS. PREPARATION OF GROWTH MEDIA WITH TEST SAMPLES. *Bull Environ Contam Toxicol* 28: 641-646.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere* 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaled, M. (2015). Directed Hierarchical Patterning of Polycarbonate Bisphenol A Glass Surface along Predictable Sites. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/734375>.
- Khan, I; White, JM. (2012). Simple and Efficient One-Pot Synthesis, Spectroscopic Characterization and Crystal Structure of Methyl 5-(4-Chlorobenzoyloxy)-1-phenyl-1H-pyrazole-3-carboxylate. 2: 967-973. <http://dx.doi.org/10.3390/cryst2030967>.
- Khan, M, dF; Latif, MT; Lim, CH, ou; Amil, N; Jaafar, SA; Dominick, D; Nadzir, MSM; Sahani, M; Tahir, NM. (2015). Seasonal effect and source apportionment of polycyclic aromatic hydrocarbons in PM2.5. *Atmos Environ* 106: 178-190. <http://dx.doi.org/10.1016/j.atmosenv.2015.01.077>.
- Khan, MA; Kim, SW; Rao, RA; Abou-Shanab, RA; Bhatnagar, A; Song, H; Jeon, BH. (2010). Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. *J Hazard Mater* 178: 963-972. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.032>.
- Khan, SB; Khan, MTH; Jang, E; Akhtar, K; Seo, J; Han, H. (2010). Tyrosinase inhibitory effect of benzoic acid derivatives and their structure-activity relationships. *J Enzyme Inhib Med Chem* 25: 812-817. <http://dx.doi.org/10.3109/14756366.2010.482529>.
- Khanal, R; Furumai, H; Nakajima, F. (2015). Characterization of toxicants in urban road dust by Toxicity Identification Evaluation using ostracod *Heterocypris incongruens* direct contact test. *Sci Total Environ* 530: 96-102. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.090>.
- Khande, P; Thakur, M; Deb, MK. (2005). Extraction of chloroplatinate(II)-2-[(5-bromo-2-pyridylazo)-5-diethylaminophenol-(TX-100)-N-hydroxy-N,N'-diphenylbenzamide complex. *Journal of Sci Ind Res* 64: 138-143.
- Khanna, PK; Jun, KW; Hong, KB; Baeg, JO; Chikate, RC; Das, BK. (2005). Colloidal synthesis of indium nanoparticles by sodium reduction method. *Mater Lett* 59: 1032-1036. <http://dx.doi.org/10.1016/j.matlet.2004.11.050>.
- Khatri, CA; Stansbury, JW; Schultheisz, CR; Antonucci, JM. (2003). Synthesis, characterization and evaluation of urethane derivatives of Bis-GMA. *Dent Mater* 19: 584-588. [http://dx.doi.org/10.1016/S0109-5641\(02\)00108-2](http://dx.doi.org/10.1016/S0109-5641(02)00108-2).
- Khatua, S; Manna, P; Chang, W, eiS; Tcherniak, A; Friedlander, E; Zubarev, ER; Link, S. (2010). Plasmonic Nanoparticles-Liquid Crystal Composites. *J Phys Chem C* 114: 7251-7257. <http://dx.doi.org/10.1021/jp907923v>.
- Khedher, I; Ghorbel, A. (2010). The oxidation of sulfide to sulfoxide on Ti-complex/MCM-41 catalyst. *Journal of Porous Materials* 17: 501-507. <http://dx.doi.org/10.1007/s10934-009-9313-4>.
- Khelifi, A; Almazán-Almazán, MC; Pérez-Mendoza, M; Domingo-García, M; López-Domingo, FJ; Temdrara, L; López-Garzón, FJ; Addoun, A. (2010). Influence of nitric acid concentration on the characteristics of active carbons obtained from a mineral coal. *Fuel Process Tech* 91: 1338-1344. <http://dx.doi.org/10.1016/j.fuproc.2010.05.004>.
- Khenniche, L; Aissani, F. (2009). Characterization and utilization of activated carbons prepared from coffee residue for adsorptive removal of salicylic acid and phenol: Kinetic and isotherm study. *Desalination and Water Treatment* 11: 192-203. <http://dx.doi.org/10.5004/dwt.2009.801>.
- Khlifi, D; Hayouni, E, IA; Valentin, A; Cazaux, S; Moukarzel, B; Hamdi, M; Bouajila, J. (2013). LC-MS analysis, anticancer, antioxidant and antimalarial activities of *Cynodon dactylon* L. extracts. *Ind Crop Prod* 45: 240-247. <http://dx.doi.org/10.1016/j.indcrop.2012.12.030>.
- Khoshkhoo, N; Hedin, PA; Mccarty, JC. (1993). EFFECTS OF BIOREGULATORS ON THE TERPENOID ALDEHYDES IN ROOT-KNOT NEMATODE INFECTED COTTON PLANTS. *J Agric Food Chem* 41: 2442-2446.
- Khulbe, KC; Mann, RS; Lamarche, AM; Lamarche, G; Macphee, JA. (1994). CATALYTIC EFFECT OF ATHABASCA TAR SAND MATRIX ON THERMAL-DECOMPOSITION OF BITUMEN, HEXENE AND HEXANE. *Fuel Process Tech* 41: 1-11.
- Khurma, J. R.; Muthu, O; Munjal, S; Smith, BD. (1983). TOTAL-PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH PENTANE, ACETONE, ETHYL-ACETATE, METHANOL, AND ACETONITRILE. *Journal of Chemical and Engineering Data* 28: 412-419.
- Kidwai, M; Jahan, A; Mishra, NK. (2012). Gold(III) chloride (HAuCl<sub>4</sub> center dot 3H<sub>2</sub>O) in PEG: A new and efficient catalytic system for the synthesis of functionalized spirochromenes. *Appl Catal A-Gen* 425: 35-43. <http://dx.doi.org/10.1016/j.apcata.2012.02.043>.

## Exposure Literature Search Results

### Off Topic

- Kielbasa, A; Buszewski, B. (2015). PAH Analytics in New Polish Reference Material. *Pol J Environ Stud* 24: 2021-2028. <http://dx.doi.org/10.15244/pjoes/41596>.
- Kientz, B; Thabard, M; Cragg, SM; Pope, J; Hellio, C. (2011). A new method for removing microflora from macroalgal surfaces: an important step for natural product discovery. *Botanica Marina* 54: 457-469. <http://dx.doi.org/10.1515/BOT.2011.053>.
- Kiessling, D; Schneider, R; Kraak, P; Haftendorn, M; Wendt, G. (1998). Perovskite-Type Oxides-Catalysts for the Total Oxidation of Chlorinated Hydrocarbons. *Appl Catal B-Environ* 19: 143.
- Kijima, T. (1999). New low temperature preparation of ferroelectric Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> thin films by MOCVD method. *Integrated Ferroelectrics* 26: 795-803.
- Kiko, R; Werner, I; Wittmann, A. (2009). Osmotic and ionic regulation in response to salinity variations and cold resistance in the Arctic under-ice amphipod *Apherusa glacialis*. *Polar Biology* 32: 393-398. <http://dx.doi.org/10.1007/s00300-008-0531-z>.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kilbane, JJ. (1998). Extractability and subsequent biodegradation of PAHs from contaminated soil. *Water Air Soil Pollut* 104: 285-304.
- Kil'deeva, NR; Gal'braikh, LS. (2000). Cross-linking in spinning solutions in the presence of a liquid disperse phase. *Fibre Chemistry* 32: 414-418.
- Kildeeva, NR; Virnik, AD. (1995). Rheological properties of highly filled, protein-containing spinning compositions. *Fibre Chemistry* 27: 320-327.
- Kilic, A; Niemz, P. (2012). Extractives in some tropical woods. *Holz als Roh- und Werkstoff* 70: 79-83. <http://dx.doi.org/10.1007/s00107-010-0489-8>.
- Kilic, N; Ballantine, JA. (2000). Magnitudes of back diffusion during long-term diffusive sampling of volatile organic compounds using Carbotrap and Chromosorb 106. *Turkish Journal of Chemistry* 24: 131-139.
- Kim, B; Gwon, J; Im, T; Shin, H, unY; Kim, H. (2015). High-Pressure Phase Behavior of Poly(lactic-co-glycolic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems. *Journal of Chemical and Engineering Data* 60: 2146-2151. <http://dx.doi.org/10.1021/acs.jced.5b00304>.
- Kim, B; Kim, J. (2008). Purification of homoharringtonine and removal of residual solvents by spray drying. *Korean J Chem Eng* 25: 108-111.
- Kim, BJ; Kim, SJ; Park, SY. (1998). Thermally stable nonlinear optical polymer from rosin derivative. *J Ind Eng Chem* 4: 238-243.
- Kim, BK; Hwang, SJ; Park, JB; Park, HJ. (2002). Preparation and characterization of drug-loaded polymethacrylate microspheres by an emulsion solvent evaporation method. *J Microencapsul* 19: 811-822. <http://dx.doi.org/10.1080/0265204021000022770>.
- Kim, BM; Yang, HS; Kim, CG. (1995). OZONOLYSIS OF CYCLODODECENE. *Korean J Chem Eng* 12: 61-65.
- Kim, BS, ik; Kim, J, inH. (2009). Characterization of solvent induced crystalline and amorphous homoharringtonine. *Korean J Chem Eng* 26: 1090-1093. <http://dx.doi.org/10.2478/s11814-009-0181-z>.
- Kim, CG; Hong, WP; Griesbaum, K. (1992). PYRIDINE-CATALYZED OZONOLYSIS OF CYCLOOLEFINS - A SHORT-PATH ACCESS TO TERMINALLY DIFUNCTIONAL MOLECULES. 45: 344-348.
- Kim, DJ; Lee, KT. (2012). Determination of monomers and oligomers in polyethylene terephthalate trays and bottles for food use by using high performance liquid chromatography-electrospray ionization-mass spectrometry. *Polym Test* 31: 490-499. <http://dx.doi.org/10.1016/j.polymertesting.2012.02.001>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC. (2005). Effct of water content on kinetics of volatile organic compounds mass transfer between gas and aqueous phases during gas transport in unsaturated sand. *Soil Sci* 170: 680-691. <http://dx.doi.org/10.1097/01.ss.0000185905.80341.e7>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Gaseous tracer technique for estimating air-water interfacial areas and interface mobility. *Soil Sci Soc Am J* 63: 1554-1560.
- Kim, H; Urban, NW. (1996). Microwave plasma reactions of imidazole in polyurethane elastomer surfaces: A spectroscopic study. *Langmuir* 12: 1051-1055.
- Kim, HG, on; Kim, KM, in; Kim, YH, o; Lee, SH, ak; Kim, G, yuMan. (2013). Preparation of Monodisperse ENX-Loaded PLGA Microspheres Using a Microfluidic Flow-Focusing Device. *Journal of Biobased Materials and Bioenergy* 7: 108-114. <http://dx.doi.org/10.1166/jbmb.2013.1263>.
- Kim, HH; Kim, M, inJin; Ryu, S, uJ; Ki, CS; Park, YH. (2016). Effect of fiber diameter on surface morphology, mechanical property, and cell behavior of electrospun poly(epsilon-caprolactone) mat. *Fibers and Polymers* 17: 1033-1042. <http://dx.doi.org/10.1007/s12221-016-6350-x>.
- Kim, HU; Park, JB; Hwang, DH. (2016). Dibenzothiophene-Substituted Fullerene Derivative as Electron Acceptor for Polymer Solar Cells. *J Nanosci Nanotechnol* 16: 5017-5023. <http://dx.doi.org/10.1166/jnn.2016.12222>.
- Kim, HY; Lee, J; Lee, MJ; Yu, SH; Kim, SD, on. (2012). The application of hollow fibre-liquid phase micro-extraction on the bioassay experiment of oestrogen chemicals. *Int J Environ Anal Chem* 92: 255-267. <http://dx.doi.org/10.1080/03067319.2010.484889>.
- Kim, J; Han, M; Yoo, S; Kim, K; Cho, J, aeH. (2015). Improvement of Beam-Quality Evaluation Method for Medical Linear Accelerator Using Magnetic Field. 20: 120-128. <http://dx.doi.org/10.4283/JMAG.2015.20.2.120>.
- Kim, JH. (1995). PREPARATION OF FINE AMMONIUM-PERCHLORATE CRYSTALS BY A SALTING-OUT PROCESS. *J Chem Eng Jpn* 28: 429-433.
- Kim, JY; Choi, DS; Jung, MY. (2003). Antiphotoxidative activity of sesamol in methylene blue- and chlorophyll-sensitized photo-oxidation of oil. *J Agric Food Chem* 51: 3460-3465. <http://dx.doi.org/10.1021/jf026056p>.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng* 123: 827-835.

## Exposure Literature Search Results

### Off Topic

- Kim, KT; Kim, CI. (2004). The effect of orientation on structure and ferroelectric properties of Bi<sub>3</sub>.25La<sub>0.75</sub>Ti<sub>3</sub>O<sub>12</sub> thin films. *Surf Coating Tech* 177: 770-773. <http://dx.doi.org/10.1016/j.surfcoat.2003.08.020>.
- Kim, KW; Lee, KH; Lee, BS; Ho, YS; Oh, SJ; Kim, HY. (2005). Effects of blend ratio and heat treatment on the properties of the electrospun poly(ethylene terephthalate) nonwovens. *Fibers and Polymers* 6: 121-126.
- Kim, M; Chen, YF; Liu, YC; Peng, XG. (2005). Super-stable, high-quality Fe<sub>3</sub>O<sub>4</sub> dendron-nanocrystals dispersible in both organic and aqueous solutions. *Adv Mater Deerfield* 17: 1429-+. <http://dx.doi.org/10.1002/adma.200401991>.
- Kim, M, iY; Yoo, K, iP; Lim, JS. (2007). Preparation of poly(L-lactic acid) submicron particles in aerosol solvent extraction system using supercritical carbon dioxide. *Korean J Chem Eng* 24: 860-865.
- Kim, MK; Jeong, CS; Shin, YK; Park, KH; Lee, WJ; Lee, EJ; Paek, KY. (2010). Effects of Extraction Condition on Extraction Efficiency of Rubiadin in Adventitious Roots of Noni (*Morinda citrifolia*). *Kor J of Hort Sci Tech* 28: 685-690.
- Kim, MY; Lee, YW; Byun, HS; Lim, JS. (2006). Recrystallization of poly(L-lactic acid) into submicrometer particles in supercritical carbon dioxide. *Ind Eng Chem Res* 45: 3388-3392. <http://dx.doi.org/10.1021/ie050711b>.
- Kim, PH; Kwon, JD; Kim, JS. (2004). The impregnated synthesis of polypyrrole into carbon aerogel and its applications to photovoltaic materials. *Synthetic Metals* 142: 153-160. <http://dx.doi.org/10.1016/j.synthmet.2003.08.006>.
- Kim, RB; O'Shea, D. (1995). Interindividual variability of chlorzoxazone 6-hydroxylation in men and women and its relationship to CYP2E1 genetic polymorphisms. *Clin Pharmacol Ther* 57: 645-655. [http://dx.doi.org/10.1016/0009-9236\(95\)90227-9](http://dx.doi.org/10.1016/0009-9236(95)90227-9).
- Kim, S; Pal, S; Ajayan, PM; Borca-Tasciuc, T; Koratkar, N. (2008). Electrical breakdown gas detector featuring carbon nanotube array electrodes. *J Nanosci Nanotechnol* 8: 416-419. <http://dx.doi.org/10.1166/jnn.2008.187>.
- Kim, SJ; Cho, SY; Kim, TY. (2002). Adsorption of chlorinated volatile organic compounds in a fixed bed of activated carbon. *Korean J Chem Eng* 19: 61-67.
- Kim, SK; Kim, YC. (1996). Effect of a single administration of benzene, toluene or m-xylene on carboxyhaemoglobin elevation and metabolism of dichloromethane in rats. *J Appl Toxicol* 16: 437-444. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199609\)16:5<437::AID-JAT371>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1099-1263(199609)16:5<437::AID-JAT371>3.0.CO;2-2).
- Kim, TH; Kwon, NY; Son, JH; Yang, C; Lee, M; Lee, TS. (2010). Self-assembly of supramolecular metallogelator containing 2-(2'-hydroxyphenyl) benzoxazole/Zn(II) chelate. *J Nanosci Nanotechnol* 10: 6929-6933. <http://dx.doi.org/10.1166/jnn.2010.2972>.
- Kim, TH; Sture, S. (2004). Effect of moisture on attraction force in beach sand. *Marine Georesources and Geotechnology* 22: 33-47. <http://dx.doi.org/10.1080/10641190490467071>.
- Kim, WB; Joshi, UA; Lee, JS. (2004). Making polycarbonates without employing phosgene: An overview on catalytic chemistry of intermediate and precursor syntheses for polycarbonate. *Ind Eng Chem Res* 43: 1897-1914.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng* 126: 934-942.
- Kim, YD, ae; Kim, J, unHo. (2008). Synthesis of polypyrrole-SBS composites and the particle size effect on the electrorheological properties of their suspensions. *Synthetic Metals* 158: 479-483. <http://dx.doi.org/10.1016/j.synthmet.2008.03.012>.
- Kim, YD; Kim, JH; Sim, SJ; Woo, K; Choi, GJ; Cho, YS. (1998). Lewis acid catalysts and solvents effects on the alkylation of naphthalene. *J Ind Eng Chem* 4: 329-333.
- Kim, YD; Klingenberg, DJ. (1997). The nonlinear behavior of surfactant-activated electrorheological suspensions. *Korean J Chem Eng* 14: 23-29.
- Kim, YH, a; Kim, I, IKug; Kim, T, aeGon; Lee, J, unHo; Lim, YK; Kim, YJ; Choi, S, ikY. (2013). Sustained drug release system using porous structured poly(L-lactic acid) fabricated by solvent dispersion method. *Journal of Porous Materials* 20: 303-308. <http://dx.doi.org/10.1007/s10934-012-9599-5>.
- Kimura, T. (2005). Synthesis of mesostructured and mesoporous aluminum organophosphonates prepared by using diphosphonic acids with alkylene groups. *Chem Mater* 17: 337-344. <http://dx.doi.org/10.1021/cm0490672>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kirkland, D; Speit, G. (2008). Evaluation of the ability of a battery of three in vitro genotoxicity tests to discriminate rodent carcinogens and non-carcinogens III. Appropriate follow-up testing in vivo. *Mutat Res Genet Toxicol Environ Mutagen* 654: 114-132. <http://dx.doi.org/10.1016/j.mrgentox.2008.05.002>.
- Kiszkiel, I; Starczewska, B; Karpinska, J. (2012). New extraction procedures for isolation of famotidine from aqueous samples. *Int J Environ Anal Chem* 92: 714-728. <http://dx.doi.org/10.1080/03067311003782690>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research* 7: 109-116.
- Kizilcan, N; Hocaoglu, B; Ustamehmetoglu, B. (2011). Polymerization of cyclohexanone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 143-153. <http://dx.doi.org/10.1108/03699421111130405>.
- Kjeller, LO; Kulp, SE; Jonsson, B; Rappe, C. (1993). METHODOLOGY FOR THE DETERMINATION OF POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS IN SEDIMENT SAMPLES. *Toxicol Environ Chem* 39: 1-12.
- Klamerth, N; Moreira, J; Li, C; Singh, A; Mcphedran, KN; Chelme-Ayala, P; Belosevic, M; Gamal El-Din, M. (2015). Effect of ozonation on the naphthenic acids' speciation and toxicity of pH-dependent organic extracts of oil sands process-affected water. *Sci Total Environ* 506-507: 66-75. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.103>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress* 15: 93-107.

## Exposure Literature Search Results

### Off Topic

- Klee, N; Gustavsson, L; Kosmehl, T; Engwall, M; Erdinger, L; Braunbeck, T; Hollert, H. (2004). Changes in toxicity and genotoxicity of industrial sewage sludge samples containing nitro- and amino-aromatic compounds following treatment in bioreactors with different oxygen regimes. *Environ Sci Pollut Res Int* 11: 313-320. <http://dx.doi.org/10.1065/espr2004.03.189>.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos* 105: 28875-28893.
- Kleinegris, DM; van Es, MA; Janssen, M; Brandenburg, WA; Wijffels, RH. (2011). Phase toxicity of dodecane on the microalga *Dunaliella salina*. *J Appl Phycol* 23: 949-958. <http://dx.doi.org/10.1007/s10811-010-9615-6>.
- Kleinheinz, GT; John, WPS. (1997). Sampling of air streams and incorporation of samples in the Microtox(TM) toxicity testing system. *Environ Toxicol Chem* 16: 2064-2066.
- Klimakow, M; Leiterer, J; Kneipp, J; Rössler, E; Panne, U; Rademann, K; Emmerling, F. (2010). Combined synchrotron XRD/Raman measurements: in situ identification of polymorphic transitions during crystallization processes. *Langmuir* 26: 11233-11237. <http://dx.doi.org/10.1021/la100540q>.
- Klimkowicz-Pawlas, A; Smreczak, B; Maliszewska-Kordybach, B. (2009). Ecotoxicological effect of the mixture of cadmium, zinc and lead in freshly contaminated soils as influenced by the presence of PAHS. *Fresen Environ Bull* 18: 1103-1109.
- Kloetzer, L; Cascaval, D, an; Galaction, AI. (2013). INFLUENCE OF SOLVENT POLARITY ON INTERFACIAL MECHANISM AND EFFICIENCY OF SUCCINIC ACID REACTIVE EXTRACTION WITH TRI-n-OCTYLAMINE. *Chemical Engineering Communications* 200: 701-717. <http://dx.doi.org/10.1080/00986445.2012.717319>.
- Kloetzer, L; Galaction, AI; Cascaval, D, an. (2010). Facilitated Pertraction of p-Aminobenzoic Acid with Amberlite LA-2 in Presence of 1-Octanol. *Separation Science and Technology* 45: 1440-1447. <http://dx.doi.org/10.1080/01496391003698109>.
- Kloetzer, L; Postaru, M; Galaction, AI; Blaga, AC; Cascaval, D, an. (2013). Comparative Study on Rosmarinic Acid Separation by Reactive Extraction with Amberlite LA-2 and D2EHPA. 1. Interfacial Reaction Mechanism and Influencing Factors. *Ind Eng Chem Res* 52: 13785-13794. <http://dx.doi.org/10.1021/ie4023513>.
- Knight, RA. (2000). Experience with raw gas analysis from pressurized gasification of biomass. *Biomass and Bioenergy* 18: 67-77.
- Knowles, KE; Tagliacuzzi, M; Malicki, M; Swenson, NK; Weiss, EA. (2013). Electron Transfer as a Probe of the Permeability of Organic Monolayers on the Surfaces of Colloidal PbS Quantum Dots. *J Phys Chem C* 117: 15849-15857. <http://dx.doi.org/10.1021/jp406485y>.
- Kobune, M; Matsuura, O; Matsuzaki, T; Sawada, T; Mineshige, A; Fujii, S. (2001). Crystallization of amorphous (Pb, La) (Zr, Ti) O-3 thin film and its electrical properties. *Ceramic Society of Japan Journal* 109: 631-636. [http://dx.doi.org/10.2109/jcersj.109.1271\\_631](http://dx.doi.org/10.2109/jcersj.109.1271_631).
- Kobyas, A; Aydiner, C; Demirbas, E. (2005). Non-steady-state kinetic analysis of coupled transport of thiocyanate ions through binary liquid membranes. *Desalination* 175: 237-246. <http://dx.doi.org/10.1016/j.desal.2004.10.011>.
- Kodama, G; Annunziacao, WF; Sanches, EG; de Araujo Miranda Gomes, CH; Tsuzuki, MY. (2011). ECONOMIC FEASIBILITY OF CLOWN FISH, *Amphiprion ocellaris*, IN RECIRCULATION SYSTEM. 37: 61-72.
- Koehler, EP; Fowler, DW. (2008). Dust-of-fracture aggregate microfines in self-consolidating concrete. *ACI Mater J* 105: 165-173.
- Kofujita, H; Fujino, Y; Sasaki, T; Hasebe, M; Ota, M; Suzuki, K. (2001). Antifungal activity of the bark of *Cryptomeria japonica* and its relevant components. 47: 479-486.
- Koganti, A; Singh, R; Ma, BL; Weyand, EH. (2001). Comparative analysis of PAH : DNA adducts formed in lung of mice exposed to neat coal tar and soils contaminated with coal tar. *Environ Sci Technol* 35: 2704-2709. <http://dx.doi.org/10.1021/es001532i>.
- Kohler, H; Halbartschlager, J. (1986). SEPARATION OF CHLORINATED HYDROCARBONS FROM WASTE AIR WITH THE ACID OF ADSORPTION ON ACTIVATED CARBON - EXPERIENCES FROM CONTINUOUS OPERATIONS WITH DICHLORMETHAN (METHYLENCHLORIDE). *Staub, Reinhaltung der Luft* 46: 50-55.
- Koistinen, J; Lehtonen, M; Tukia, K; Soimasuo, M; Lahtipera, M; Okari, A. (1998). Identification of lipophilic pollutants discharged from a Finnish pulp and paper mill. *Chemosphere* 37: 219-235.
- Koistinen, J; Soimasuo, M; Tukia, K; Oikari, A; Blankenship, A; Giesy, JP. (1998). Induction of EROD activity in HEPA-1 mouse hepatoma cells and estrogenicity in MCF-7 human breast cancer cells by extracts of pulp mill effluents, sludge, and sediment exposed to effluents. *Environ Toxicol Chem* 17: 1499-1507.
- Koivisto, J; Salorinne, K; Mustalahti, S; Lahtinen, T; Malola, S; Häkkinen, H; Pettersson, M. (2014). Vibrational Perturbations and Ligand-Layer Coupling in a Single Crystal of Au<sub>144</sub>(SC<sub>2</sub>H<sub>4</sub>Ph)<sub>60</sub> Nanocluster. *Journal of Physical Chemistry Letters* 5: 387-392. <http://dx.doi.org/10.1021/jz4026003>.
- Kolak, JJ; Burruss, RC. (2014). The use of solvent extractions and solubility theory to discern hydrocarbon associations in coal, with application to the coal-supercritical CO<sub>2</sub> system. *Organic Geochemistry* 73: 56-69. <http://dx.doi.org/10.1016/j.orggeochem.2014.05.002>.
- Kolak, JJ; Hackley, PC; Ruppert, LF; Warwick, PD; Burruss, RC. (2015). Using Ground and Intact Coal Samples To Evaluate Hydrocarbon Fate during Supercritical CO<sub>2</sub> Injection into Coal Beds: Effects of Particle Size and Coal Moisture. *Energy Fuels* 29: 5187-5203. <http://dx.doi.org/10.1021/ef502611d>.
- Kolbe, N; Andersson, JT. (2006). Simple and sensitive determination of o-phenylphenol in citrus fruits using gas chromatography with atomic emission or mass spectrometric detection. *J Agric Food Chem* 54: 5736-5741. <http://dx.doi.org/10.1021/jf060753q>.
- Koljonen, K; Stenius, P. (2005). Surface characterisation of single fibres from mechanical pulps by contact angle measurements. *Nordic Pulp & Paper Research Journal* 20: 107-113.
- Kolthoff, IM; Chantooni, MK. (1997). Crown ether complexed alkali metal picrate ion pairs in water-saturated dichloromethane as studied by electrolytic conductance and by partitioning into water. Effect of lithium chloride on partitioning. *Journal of Chemical and Engineering Data* 42: 49-53.

## Exposure Literature Search Results

### Off Topic

- Kolwzan, B. (2009). EFFECT OF BIOREMEDIATION ON GENOTOXICITY OF SOIL CONTAMINATED WITH DIESEL OIL. *Environ Protect Eng* 35: 95-103.
- Koncsag, CI; Kirwan, K. (2012). A membrane screening for the separation/concentration of dilignols and trilignols from solvent extracts. *Separation and Purification Technology* 94: 54-60. <http://dx.doi.org/10.1016/j.seppur.2012.04.009>.
- Konezny, SJ; Doherty, MD; Luca, OR; Crabtree, RH; Soloveichik, GL; Batista, VS. (2012). Reduction of Systematic Uncertainty in DFT Redox Potentials of Transition-Metal Complexes. *J Phys Chem C* 116: 6349-6356. <http://dx.doi.org/10.1021/jp300485t>.
- Kong, DH; Ende, DJA; Brenek, SJ; Weston, NP. (2003). Determination of flash point in air and pure oxygen using an equilibrium closed bomb apparatus. *J Hazard Mater* 102: 155-165. [http://dx.doi.org/10.1016/S0304-3894\(03\)00212-7](http://dx.doi.org/10.1016/S0304-3894(03)00212-7).
- Kong, H; Sinha, J; Hoefl, D; Kirschner, SB; Reich, DH; Katz, HE. (2013). Solution processable organic p-n junction bilayer vertical photodiodes. *Organic Electronics* 14: 703-710. <http://dx.doi.org/10.1016/j.orgel.2012.12.008>.
- Kong, M, izhi; Shi, XH, ua; Cao, Y, uC; Zhou, C, aiR. (2008). Solubility of imidacloprid in different solvents. *Journal of Chemical and Engineering Data* 53: 615-618. <http://dx.doi.org/10.1021/je7004038>.
- Kong, M; Zhang, J; Guo, B; Han, K. (2016). Measurements of grease emission and heat generation rates of electric countertop appliances (RP-1631, part 1). 22: 845-865. <http://dx.doi.org/10.1080/23744731.2016.1197749>.
- Koninti, RK; Palvai, S; Satpathi, S; Basu, S; Hazra, P. (2016). Loading of an anti-cancer drug into mesoporous silica nano-channels and its subsequent release to DNA. *Nanoscale* 8: 18436-18445. <http://dx.doi.org/10.1039/c6nr06285g>.
- Kontou, S; Tsipl, D; Oreopoulou, V; Tzia, C. (2001). Determination of ETU in tomatoes and tomato products by HPLC-PDA. Evaluation of cleanup procedures. *J Agric Food Chem* 49: 1090-1097.
- Konys, J; Fodi, S; Hausselt, J; Schmidt, H; Casal, V. (1999). Corrosion of high-temperature alloys in chloride-containing supercritical water oxidation systems. *Corrosion* 55: 45-51.
- Koo, JK; Ahn, DW; Yoon, SP; Kim, DH. (1990). EFFECTS OF WATER-CONTENT AND TEMPERATURE ON EQUILIBRIUM DISTRIBUTION OF ORGANIC POLLUTANTS IN UNSATURATED SOIL. *Water Air Soil Pollut* 53: 267-277.
- Kora, AJ; Rastogi, L. (2016). Catalytic degradation of anthropogenic dye pollutants using palladium nanoparticles synthesized by gum olibanum, a glucuronoarabinogalactan biopolymer. *Ind Crop Prod* 81: 1-10. <http://dx.doi.org/10.1016/j.indcrop.2015.11.055>.
- Korsunova, LP; Khegai, VV. (2005). Seismo-ionospheric effects of the strong crustal earthquakes in the Pacific region. *Geomagnetism and Aeronomy* 45: 665-670.
- Korth, W; Ellis, J; Bowmer, K. (1992). THE STABILITY OF GEOSMIN AND MIB AND THEIR DEUTERATED ANALOGS IN SURFACE WATERS AND ORGANIC-SOLVENTS. *Water Sci Technol* 25: 115-122.
- Korzekwa, KR; Krishnamachary, N; Shou, M; Ogai, A; Parise, RA; Rettie, AE; Gonzalez, FJ; Tracy, TS. (1998). Evaluation of atypical cytochrome P450 kinetics with two-substrate models: Evidence that multiple substrates can simultaneously bind to cytochrome P450 active sites. *Biochemistry* 37: 4137-4147. <http://dx.doi.org/10.1021/bi9715627>.
- Kose, GT; Kenar, H; Hasirci, N; Hasirci, V. (2003). Macroporous poly(3-hydroxybutyrate-co-3-hydroxyvalerate) matrices for bone tissue engineering. *Biomaterials* 24: 1949-1958. [http://dx.doi.org/10.1016/S0142-9612\(02\)00613-0](http://dx.doi.org/10.1016/S0142-9612(02)00613-0).
- Köse, GT; Korkusuz, F; Korkusuz, P; Purali, N; Ozkul, A; Hasirci, V. (2003). Bone generation on PHBV matrices: an in vitro study. *Biomaterials* 24: 4999-5007. [http://dx.doi.org/10.1016/S0142-9612\(03\)00417-4](http://dx.doi.org/10.1016/S0142-9612(03)00417-4).
- Koseoglu, E, da; Akmil-Basar, C. (2015). Preparation, structural evaluation and adsorptive properties of activated carbon from agricultural waste biomass. *Adv Powder Tech* 26: 811-818. <http://dx.doi.org/10.1016/j.apt.2015.02.006>.
- Koshland, CP; Fisher, EM; Lucas, D. (1992). THERMAL-DESTRUCTION OF SOME CHLORINATED C-1 AND C-2 HYDROCARBONS. *Combust Sci Tech* 82: 49-65.
- Kosobrodova, E; Kondyurin, A; Chrzanowski, W; Mckenzie, DR; Bilek, MMM. (2016). Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. *Materials & Design* 97: 381-391. <http://dx.doi.org/10.1016/j.matdes.2016.02.124>.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTIG REACTION. 100: 332-336.
- Kotseridis, Y; Baumes, R. (2000). Identification of impact odorants in Bordeaux red grape juice, in the commercial yeast used for its fermentation, and in the produced wine. *J Agric Food Chem* 48: 400-406.
- Kotvis, PV; Huezio, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear* 201: 10-14.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ* 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kowalska, J; Jeżewska, A. (2016). [Method for determining 1,2:3,4-Diepoxybutane in workplace air]. *Med Pr* 67: 645-652. <http://dx.doi.org/10.13075/mp.5893.00415>.
- Koyuncu, S; Wang, HW, ei; Liu, F; Toga, KB; Gu, W; Russell, TP. (2014). A novel complementary absorbing donor-acceptor pair in block copolymers based on single material organic photovoltaics. 2: 2993-2998. <http://dx.doi.org/10.1039/c3ta14902a>.
- Koziej, D; Fischer, F; Kränzlin, N; Caseri, WR; Niederberger, M. (2009). Nonaqueous TiO<sub>2</sub> nanoparticle synthesis: a versatile basis for the fabrication of self-supporting, transparent, and UV-absorbing composite films. *ACS Applied Materials & Interfaces* 1: 1097-1104. <http://dx.doi.org/10.1021/am9000584>.
- Kozlowski, M. (2001). Two-stage reduction and reductive alkylation of coal using deuterium-labelled modifying agents. *Fuel* 80: 937-943.
- Kozlowski, M; Wachowska, H. (1998). Reduction and reductive alkylation of coals using deuterium containing compounds. *Fuel* 77: 591-599.



## Exposure Literature Search Results

### Off Topic

- Kozlowski, M; Wachowska, H. (1999). The effect of sulphur present in coal on the course of its reduction in the potassium/liquid ammonia system. *Fuel* 78: 1875-1880.
- Kozlowski, M; Wachowska, H; Adriaensens, P; Gelan, J. (1999). IR and NMR characterisation of extraction products of reductively deuteromethylated coals. *Fuel* 78: 1881-1884.
- Kozlowski, M; Wachowska, H; Yperman, J; Franco, DV; Mullens, J; Van Poucke, LC. (1998). Atmospheric-pressure temperature-programmed reduction study of high-sulfur coals reduced in a potassium liquid ammonia system. *Energy Fuels* 12: 1142-1147.
- Krahn, MM; Ylitalo, GM; Buzitis, J; Sloan, CA; Boyd, DT; Chan, SL; Varanasi, U. (1994). SCREENING FOR PLANAR CHLOROBIPHENYL CONGERS IN TISSUES OF MARINE BIOTA BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY WITH PHOTODIODE-ARRAY DETECTION. *Chemosphere* 29: 117-139. [http://dx.doi.org/10.1016/0045-6535\(94\)90095-7](http://dx.doi.org/10.1016/0045-6535(94)90095-7).
- Krajian, H; Odeh, A. (2013). Polycyclic aromatic hydrocarbons in medicinal plants from Syria. *Toxicol Environ Chem* 95: 942-953. <http://dx.doi.org/10.1080/02772248.2013.840375>.
- Kramer, BA; Lee, M; Chen, CC; Volakis, JL. (2005). Design and performance of an ultrawide-band ceramic-loaded slot spiral. *IEEE Transactions on Antennas and Propagation* 53: 2193-2199. <http://dx.doi.org/10.1109/TAP.2005.850715>.
- Kramers, PGN; Mout, HCA; Bissembhar, B; Mulder, CR. (1991). Inhalation exposure in Drosophila mutagenesis assays: Experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. *Mutat Res* 252: 17-33. [http://dx.doi.org/10.1016/0165-1161\(91\)90248-7](http://dx.doi.org/10.1016/0165-1161(91)90248-7).
- Krasnoff, SB; Gupta, S. (1991). IDENTIFICATION AND DIRECTED BIOSYNTHESIS OF EFRAPEPTINS IN THE FUNGUS TOLYPOCLADIUM-GEODES GAMS (DEUTEROMYCOTINA, HYPHOMYCETES). *J Chem Ecol* 17: 1953-1962.
- Krasnoff, SB; Gupta, S. (1994). Identification of the antibiotic phomalactone from the entomopathogenic fungus *Hirsutella thompsonii* var. *synnematos*. *J Chem Ecol* 20: 293-302.
- Krausova, VI; Robb, FT; Gonzalez, JM. (2006). Biodegradation of dichloromethane in an estuarine environment. *Hydrobiologia* 559: 77-83. <http://dx.doi.org/10.1007/s10750-004-0571-5>.
- Kreissig, F; Schaefer, C; Ulrich, J. (2014). Prevention of Solvent-Mediated Isomer Transfer of Carotenoids. *Chem Eng Tech* 37: 1358-1362. <http://dx.doi.org/10.1002/ceat.201400021>.
- Kreiton, KL; Evans, J; Schmonstasik, R; Patel, D. (1993). RESULTS OF A METHOD VERIFICATION STUDY FOR ANALYSES OF PCP IN SOIL. *J Air Waste Manag Assoc* 43: 1408-1411.
- Krekieln, NR; Müller, M; Jung, U; Ulrich, S; Herges, R; Magnussen, OM. (2015). UV/Vis Spectroscopy Studies of the Photoisomerization Kinetics in Self-Assembled Azobenzene-Containing Adlayers. *Langmuir* 31: 8362-8370. <http://dx.doi.org/10.1021/acs.langmuir.5b01645>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect* 102: 37-50.
- Krishnamoorthy, S; Amiridis, MD. (1999). Kinetic and in situ FTIR studies of the catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today* 51: 203-214.
- Krishnamoorthy, S; Baker, JP; Amiridis, MD. (1998). Catalytic oxidation of 1,2-dichlorobenzene over V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub>-based catalysts. *Catalysis Today* 40: 39-46.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect* 110: 989-994.
- Krishnan, K; Haddad, S; Pelekis, M. (1995). A simple index for representing the discrepancy between simulations of physiological pharmacokinetic models and experimental data. *Toxicol Ind Health* 11: 413-422. <http://dx.doi.org/10.1177/074823379501100404>.
- Krishnan, P; Advani, SG; Prasad, AK. (2011). Synthesis and evaluation of polythiocyanogen (SCN)<sub>x</sub> as a rechargeable lithium-ion battery electrode material. *J Power Sources* 196: 7755-7759. <http://dx.doi.org/10.1016/j.jpowsour.2011.04.048>.
- Krone, CA; Stein, JE; Varanasi, U. (1992). ESTIMATION OF LEVELS OF METABOLITES OF AROMATIC-HYDROCARBONS IN FISH-TISSUES BY HPLC/FLUORESCENCE ANALYSIS. *Chemosphere* 24: 497-510.
- Kronholm, DF; Howard, JB. (2000). Analysis of soot surface growth pathways using published plug-flow reactor data with new particle size distribution measurements and published premixed flame data. *Proc Combust Inst* 28: 2555-2561.
- Krucinska, I; Bogun, M; Chrzanoska, O; Chrzanowski, M; Krol, P. (2013). RESEARCH CONCERNING FABRICATION OF FIBROUS OSTEOCONDUCTIVE PLGA/HAP NANOCOMPOSITE MATERIAL USING THE METHOD OF ELECTROSPINNING FROM POLYMER SOLUTION. 13: 57-66. <http://dx.doi.org/10.2478/v10304-012-0027-3>.
- Krueger, A; Boedeker, T. (2008). Deagglomeration and functionalisation of detonation nanodiamond with long alkyl chains. *Diam Relat Mater* 17: 1367-1370. <http://dx.doi.org/10.1016/j.diamond.2008.01.033>.
- Krueger, MB; Selle, C; Heller, D; Baumann, W. (2012). Determination of Gas Concentrations in Liquids by Nuclear Magnetic Resonance: Hydrogen in Organic Solvents. *Journal of Chemical and Engineering Data* 57: 1737-1744. <http://dx.doi.org/10.1021/je2013582>.
- Kruzel, EL; Lafleur, AL; Braun, AG; Longwell, JP; Thilly, WG; Peters, WA. (1991). A high-yield sampler for toxicological characterization of complex mixtures in combustion effluents. *Environ Health Perspect* 90: 305-314.
- Kryuchkov, MA; Qi, YH, ua; Perepichka, II; Pelletier, C; Regnaud, A; Song, Z; Varshney, SK. (2015). Challenging activated monomer ring-opening polymerization for direct synthesis of thiol end-functionalized polyesters. *React Funct Polym* 90: 1-6. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.03.005>.

## Exposure Literature Search Results

### Off Topic

- Krzemien-Konieczka, I; Buszewski, B. (2015). Determining Polychlorinated Biphenyls in Soil Using Accelerated Solvent Extraction (ASE). *Pol J Environ Stud* 24: 2029-2033. <http://dx.doi.org/10.15244/pjoes/41589>.
- Ktari, L; Guyot, M. (1999). A cytotoxic oxysterol from the marine alga *Padina pavonica* (L.) Thivy. *J Appl Phycol* 11: 511-513.
- Ktari, L; Ismail-Ben Ali, A; Ben Redjem, Y; Langar, H; El Bour, M. (2010). Antifouling activity and chemical investigation of the brown alga *Dictyota fasciola* (Dictyotales) from Tunisian coast. *Cahiers de Biologie Marine* 51: 109-115.
- Ku, Y; Chiu, PC; Chou, YC. (2010). Decomposition of aniline in aqueous solution by UV/TiO<sub>2</sub> process with applying bias potential. *J Hazard Mater* 183: 16-21. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.035>.
- Kubatova, A; Vermeulen, R; Claeys, M; Cafmeyer, J; Maenhaut, W; Roberts, G; Artaxo, P. (2000). Carbonaceous aerosol characterization in the Amazon basin, Brazil: novel dicarboxylic acids and related compounds. *Atmos Environ* 34: 5037-5051.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kucharska, A; Covaci, A; Vanermen, G; Voorspoels, S. (2014). Non-invasive biomonitoring for PFRs and PBDEs: New insights in analysis of human hair externally exposed to selected flame retardants. *Sci Total Environ* 505C: 1062-1071. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.043>.
- Kuehn, S; Kerndorff, H; Oster, H; Struppe, T. (2009). CFCs as transport tracers of landfill emissions in groundwater. *Grundwasser* 14: 113-125. <http://dx.doi.org/10.1007/s00767-009-0104-2>.
- Kuenen, LP; Siegel, JP. (2015). Measure your septa release ratios: pheromone release ratio variability affected by rubber septa and solvent. *J Chem Ecol* 41: 303-310. <http://dx.doi.org/10.1007/s10886-015-0557-y>.
- Kuivinen, J; Johnsson, H. (1999). Determination of trihalomethanes and some chlorinated solvents in drinking water by headspace technique with capillary column gas-chromatography. *Water Res* 33: 1201-1208.
- Kukkar, D; Kaur, I; Singh, J; Bharadwaj, LM. (2015). Plasticizers Induced Formation of Microcapsules From Freeze Dried Polystyrene Microreactors. *Int J Polym Mater* 64: 385-391. <http://dx.doi.org/10.1080/00914037.2014.958825>.
- Kukula-Koch, W; Koch, W; Stasiak, N; Glowniak, K; Asakawa, Y. (2015). Quantitative standardization and CPC-based recovery of pharmacologically active components from Polygonum tinctorium Ait. leaf extracts; *Ind Crop Prod* 69: 324-328. <http://dx.doi.org/10.1016/j.indcrop.2015.02.048>.
- Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEGylation of chitosan via "click chemistry" reactions. *React Funct Polym* 69: 771-778. <http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination* 196: 43-54. <http://dx.doi.org/10.1016/j.deas.2005.11.019>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health* 56: 164-168.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2013). Cholangiocarcinoma among offset colour proof-printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *Occup Environ Med* 70: 508-510. <http://dx.doi.org/10.1136/oemed-2012-101246>.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2014). Time course of blood parameters in printing workers with cholangiocarcinoma. *J Occup Health* 56: 279-284. <http://dx.doi.org/10.1539/joh.13-0263-OA>.
- Kumagai, S; Sobue, T; Makiuchi, T; Kubo, S; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2016). Relationship between cumulative exposure to 1,2-dichloropropane and incidence risk of cholangiocarcinoma among offset printing workers. *Occup Environ Med* 73: 545-552. <http://dx.doi.org/10.1136/oemed-2015-103427>.
- Kumar, A; Jena, HM. (2015). High surface area microporous activated carbons prepared from Fox nut (*Euryale ferox*) shell by zinc chloride activation. *Appl Surf Sci* 356: 753-761. <http://dx.doi.org/10.1016/j.apsusc.2015.08.074>.
- Kumar, A; Jena, HM. (2016). Preparation and characterization of high surface area activated carbon from Fox nut (*Euryale ferox*) shell by chemical activation with H<sub>3</sub>PO<sub>4</sub>. *6: 651-658*. <http://dx.doi.org/10.1016/j.rinp.2016.09.012>.
- Kumar, A; Jena, HM. (2016). Removal of methylene blue and phenol onto prepared activated carbon from Fox nutshell by chemical activation in batch and fixed-bed column. *J Clean Prod* 137: 1246-1259. <http://dx.doi.org/10.1016/j.jclepro.2016.07.177>.
- Kumar, D; Shastri, NR. (2014). Designed Isomorphism of Nifedipine: A Joint Experimental and Molecular Simulation Study with Screened Solvents and Antisolvents. *Cryst Growth Des* 14: 326-338. <http://dx.doi.org/10.1021/cg401612z>.
- Kumar, DA; Palanichamy, V; Roopan, SM. (2015). One step production of AgCl nanoparticles and its antioxidant and photo catalytic activity. *Mater Lett* 144: 62-64. <http://dx.doi.org/10.1016/j.matlet.2015.01.002>.
- Kumar, P; Singh, SP; Madhukar, D; Kotresh, AM. (2009). DETERMINATION OF ENDOSULFAN RESIDUES IN BUFFALO MEAT USING HIGH PERFORMANCE LIQUID CHROMATOGRAPHY. *28: 188-197*.
- Kumar, R; Jain, SK; Misra, RK; Kachchwaha, M; Khatri, PK. (2012). Aqueous heavy metals removal by adsorption on beta-diketone-functionalized styrene-divinylbenzene copolymeric resin. *Int J Environ Sci Tech* 9: 79-84. <http://dx.doi.org/10.1007/s13762-011-0019-1>.
- Kumar, R, ajR; Tikku, PK; Prakash, V. (2009). Preferential extractability of gamma-oryzanol from dried soapstock using different solvents. *J Sci Food Agric* 89: 195-200. <http://dx.doi.org/10.1002/jsfa.3448>.
- Kumar, S. (2014). A solvent free approach for Knoevenagel condensation: facile synthesis of 3-cyano and 3-carbethoxycoumarins. *3: 223-227*. <http://dx.doi.org/10.1515/gps-2013-0114>.
- Kumar, S; Agrawal, KM. (2014). The Deep Deoiling of Microcrystalline Waxes by Solvent Percolation. *Petroleum Science and Technology* 32: 261-266. <http://dx.doi.org/10.1080/10916466.2011.574175>.
- Kumar, S; Babu, BV. (2009). Extraction of Pyridine-3-carboxylic Acid Using 1-Diethylphosphoryloctane (TOPO) with Different Diluents: Equilibrium Studies. *Journal of Chemical and Engineering Data* 54: 2669-2677. <http://dx.doi.org/10.1021/je900205h>.

## Exposure Literature Search Results

### Off Topic

- Kumar, S; Uslu, H; Datta, D; Rarotra, S; Rajput, K. (2015). Investigation of Extraction of 4-Oxopentanoic Acid by N,N-Dioctyl octan-1-amine in Six Different Diluents: Equilibrium Study. *Journal of Chemical and Engineering Data* 60: 1447-1453. <http://dx.doi.org/10.1021/je501154g>.
- Kumar, V; Kothiyal, NC. (2011). Distribution behavior of polycyclic aromatic hydrocarbons in roadside soil at traffic intercepts within developing cities. *Int J Environ Sci Tech* 8: 63-72.
- Kumar, V; Kothiyal, NC. (2012). Distribution behavior and carcinogenic level of some polycyclic aromatic hydrocarbons in roadside soil at major traffic intercepts within a developing city of India. *Environ Monit Assess* 184: 6239-6252. <http://dx.doi.org/10.1007/s10661-011-2416-9>.
- Kumar, V; Yang, D. (2002). Oxidized cellulose esters: I. Preparation and characterization of oxidized cellulose acetates - a new class of biodegradable polymers. *J Biomater Sci Polym Ed* 13: 273-286.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech* 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kung, KHS; Hayes, KF. (1993). FOURIER-TRANSFORM INFRARED SPECTROSCOPIC STUDY OF THE ADSORPTION OF CETYLTRIMETHYLAMMONIUM BROMIDE AND CETYLPYRIDINIUM CHLORIDE ON SILICA. *Langmuir* 9: 263-267.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology* 26: 1077-1091.
- Kupczewska-Dobecka, M; Soćko, R. (2008). [Admissible concentration in biological material: an index of exposure to dichloromethane] [Review]. *Med Pr* 59: 187-195.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res* 67: 910-920.
- Kurimoto, Y; Takeda, M; Koizumi, A; Yamauchi, S; Doi, S; Tamura, Y. (2000). Mechanical properties of polyurethane films prepared from liquefied wood with polymeric MDI. *Bioresour Technol* 74: 151-157.
- Kurppa, K; Kivisto, H; Vainio, H. (1981). Dichloromethane and carbon monoxide inhalation: carboxyhemoglobin addition, and drug metabolizing enzymes in rat. *Int Arch Occup Environ Health* 49: 83-87.
- Kuzniarska-Biernacka, I; Pereira, C; Carvalho, A, naP; Pires, J; Freire, C. (2011). Epoxidation of olefins catalyzed by manganese(III) salen complexes grafted to porous heterostructured clays. *Appl Clay Sci* 53: 195-203. <http://dx.doi.org/10.1016/j.clay.2010.12.017>.
- Kwak, F; Bae, SY. (2006). Recrystallization of L-PLA fine particles by supercritical anti-solvent (SAS) process. *J Ind Eng Chem* 12: 387-394.
- Kwon, CH; Lee, YD; Im, MH. (2011). Simultaneous determination of oryastrobin and its isomers in rice using HPLC-UV and LC-MS/MS. *J Agric Food Chem* 59: 10826-10830. <http://dx.doi.org/10.1021/jf202228p>.
- Kwon, IK; Kidoaki, S; Matsuda, T. (2005). Electrospun nano- to microfiber fabrics made of biodegradable copolyesters: structural characteristics, mechanical properties and cell adhesion potential. *Biomaterials* 26: 3929-3939. <http://dx.doi.org/10.1016/j.biomaterials.2004.10.007>.
- Kwon, JH; Lee, HK; Kwon, JW; Kim, K; Park, E; Kang, MH; Kim, YH. (2008). Mutagenic activity of river water from a river near textile industrial complex in Korea. *Environ Monit Assess* 142: 289-296. <http://dx.doi.org/10.1007/s10661-007-9928-3>.
- Kwon, S; Chun, H; Mah, S. (2004). Photo-induced living cationic polymerization of isobutyl vinyl ether in the presence of various combinations of halides of diphenyliodonium and zinc salts in methylene chloride. *Fibers and Polymers* 5: 253-258.
- Laabs, V; Amelung, W; Zech, W. (1999). Multi-residue analysis of corn and soybean pesticides in Brazilian oxisols using gas chromatography and mass selective detection. *J Environ Qual* 28: 1778-1786.
- Lababidi, S; Panda, SK; Andersson, J, anT; Schrader, W. (2013). Deep Well Deposits: Effects of Extraction on Mass Spectrometric Results. *Energy Fuels* 27: 1236-1245. <http://dx.doi.org/10.1021/ef301593r>.
- Labbé, C; Faini, F; Villagrán, C; Coll, J; Rycroft, DS. (2005). Antifungal and insect antifeedant 2-phenylethanol esters from the liverwort *Balanitopsis cancellata* from Chile. *J Agric Food Chem* 53: 247-249. <http://dx.doi.org/10.1021/jf048935c>.
- Laborde-Castérot, H; Rosenberg, N; Dupont, P; Garnier, R. (2014). Is the incidence of aliphatic amine-induced occupational rhinitis and asthma underestimated? *Am J Ind Med* 57: 1303-1310. <http://dx.doi.org/10.1002/ajim.22373>.
- Lacey, S; Alexander, BM; Baxter, CS. (2014). Plasticizer contamination of firefighter personal protective clothing - a potential factor in increased health risks in firefighters. *J Occup Environ Hyg* 11: D43-D48. <http://dx.doi.org/10.1080/15459624.2013.877142>.
- Lacík, I; Brissová, M; Anilkumar, AV; Powers, AC; Wang, T. (1998). New capsule with tailored properties for the encapsulation of living cells. *J Biomed Mater Res* 39: 52-60.
- Lafleur, AL; Sarofim, AF; Wornat, MJ. (1993). A SIMPLE MULTIMODE SIZE-EXCLUSION CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF THE DEGREE OF THERMAL-TREATMENT OF FOSSIL-FUEL PYROLYSIS PRODUCTS. *Energy Fuels* 7: 357-361.
- Lages, BG; Fleury, BG; Rezende, CM; Pinto, AC; Creed, JC. (2010). CHEMICAL COMPOSITION AND RELEASE IN SITU DUE TO INJURY OF THE INVASIVE CORAL *Tubastraea* (CNIDARIA, SCLERACTINIA). 58: 47-56.
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, KY; Chu, TM; Hong, FCN; Elangovan, A; Kao, KM; Yang, SW; Ho, TI. (2006). Excimer emission from a novel ethyne-based fluorescent dye in organic light-emitting devices. *Surf Coating Tech* 200: 3283-3288. <http://dx.doi.org/10.1016/j.surfcoat.2005.07.029>.
- Lai, MK; Tsiang, RC. (2004). Encapsulating acetaminophen into poly(L-lactide) microcapsules by solvent-evaporation technique in an O/W emulsion. *J Microencapsul* 21: 307-316. <http://dx.doi.org/10.1080/02652040410001673928>.
- Laiadi, D; Haseineia, A; Merzougui, A. (2012). Homotopy method to predict liquid-liquid equilibria for ternary mixtures of (water plus carboxylic acid plus organic solvent). *Fluid Phase Equilibria* 313: 114-120. <http://dx.doi.org/10.1016/j.fluid.2011.09.034>.

## Exposure Literature Search Results

### Off Topic

- Laine, J; Stenius, P; Carlsson, G; Strom, G. (1994). SURFACE CHARACTERIZATION OF UNBLEACHED KRAFT PULPS BY MEANS OF ESCA. *Cellulose* 1: 145-160.
- Laird, RM; Pandit, S. (1995). SOLID-PHASE ACYLATING REAGENTS .3. THE REACTIONS OF A MACRORETICULAR ACETYL POLYSTYRENESULFONATE WITH ANILINE IN AQUEOUS, DICHLOROMETHANE, DIMETHYLFORMAMIDE, DIOXAN AND ETHYL-ACETATE SOLUTIONS AND WITH ACETONE IN AQUEOUS-SOLUTIONS. *J Chem Tech Biotechnol* 63: 345-352.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakshminarayana, R; Raju, M; Krishnakantha, TP; Baskaran, V. (2005). Determination of major carotenoids in a few Indian leafy vegetables by high-performance liquid chromatography. *J Agric Food Chem* 53: 2838-2842. <http://dx.doi.org/10.1021/jf0481711>.
- Lall, RK; Proctor, A; Jain, VP; Lay, JO. (2009). Conjugated linoleic acid-rich soy oil triacylglycerol identification. *J Agric Food Chem* 57: 1727-1734. <http://dx.doi.org/10.1021/jf803111e>.
- Lam, C; Grage, A; Schulz, D; Schulte, A; Harder, T. (2008). Extracts of North Sea macroalgae reveal specific activity patterns against attachment and proliferation of benthic diatoms: a laboratory study. *Biofouling* 24: 59-66. <http://dx.doi.org/10.1080/08927010701827646>.
- Lamb, JD; Morris, CA; West, JN; Morris, KT; Harrison, RG. (2008). Cation effect on anion separations by aza-crown ligands in liquid membranes. *J Memb Sci* 321: 15-21. <http://dx.doi.org/10.1016/j.memsci.2008.02.003>.
- Lamb, JD; West, JN; Shaha, DP; Johnson, JC. (2010). An evaluation of polymer inclusion membrane performance in facilitated transport with sequential membrane reconstitution. *J Memb Sci* 365: 256-259. <http://dx.doi.org/10.1016/j.memsci.2010.09.019>.
- Lambert, RH; Owens, JA. (1997). Utilization of a portable microchip gas chromatograph to identify and reduce fugitive emissions at a pharmaceutical manufacturing plant. *Field Analytical Chemistry and Technology* 1: 367-374.
- Lammer, EJ; Shaw, GM; Iovannisci, DM; Finnell, RH. (2005). Maternal smoking, genetic variation of glutathione s-transferases, and risk for orofacial clefts. *Epidemiology* 16: 698-701.
- Lanchote, VL; Bonato, PS; Cerdeira, AL; Santos, NAG; de Carvalho, D; Gomes, MA. (2000). HPLC screening and GC-MS confirmation of triazine herbicides residues in drinking water from sugar cane area in Brazil. *Water Air Soil Pollut* 118: 329-337.
- Landau, I; Belfer, AJ; Locke, DC. (1991). MEASUREMENT OF LIMITING ACTIVITY-COEFFICIENTS USING NON-STEADY-STATE GAS-CHROMATOGRAPHY. *Ind Eng Chem Res* 30: 1900-1906.
- Landolsi, T; Hassan, MS; Elrefaie, A, lyF; Hamid, S. (2015). Performance evaluation of optically-preamplified hybrid QPSK M-ary PPM systems with finite extinction ratios. 25: 33-38. <http://dx.doi.org/10.1016/j.yofte.2015.07.011>.
- Landry, TD; Ramsey, JC; Mckenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lanes, SF; Rothman, KJ; Dreyer, NA; Soden, KJ. (1993). Mortality update of cellulose fiber production workers. *Scand J Work Environ Health* 19: 426-428.
- Lang, P; Modla, G. (2006). Generalised method for the determination of heterogeneous batch distillation regions. *Chem Eng Sci* 61: 4262-4270. <http://dx.doi.org/10.1016/j.ces.2006.02.004>.
- Lang, ZM; Hong, HL; Han, LM; Zhu, N; Suo, QL. (2012). Preparation of Emodin-Polyethylene Glycol Composite Microparticles Using a Supercritical Antisolvent Process. *Chem Eng Tech* 35: 362-368. <http://dx.doi.org/10.1002/ceat.201100188>.
- Langevin, R; Rasmussen, JB; Sloterdijk, H; Blaise, C. (1992). Genotoxicity in water and sediment extracts from the St Lawrence River system, using the SOS chromotest. *Water Res* 26: 419-429.
- Langone, F; Lora, S; Veronese, FM; Caliceti, P; Parnigotto, PP; Valenti, F; Palma, G. (1995). PERIPHERAL-NERVE REPAIR USING A POLY(ORGANO)PHOSPHAZENE TUBULAR PROSTHESIS. *Biomaterials* 16: 347-353.
- Lanzi, M; Bizzarri, PC; Dellacasa, C. (1997). Solvatochromic properties of poly[3-(6-methoxyhexyl)-2,5-thienylene] in different solvent mixtures. *Synthetic Metals* 89: 181-186.
- Lara, J; Molero, H; Ramirezcuesta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl<sub>4</sub> on iron surfaces. *Langmuir* 12: 2488-2494.
- Lara, J; Tysoe, WT. (1998). Interaction of effusive beams of methylene chloride and chloroform with clean iron: Tribochemical reactions explored in ultrahigh vacuum. *Langmuir* 14: 307-312.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters* 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films* 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Larsen, JW; Flores, CI. (2008). Kerogen chemistry - 5. Anhydride formation in, solvent swelling of, and loss of organics on demineralization of Kimmeridge shales. *Fuel Process Tech* 89: 314-321. <http://dx.doi.org/10.1016/j.fuproc.2007.11.019>.
- Lash, AA; Becker, CE; So, Y; Shore, M. (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? *Occup Environ Med* 48: 418-426.
- Latha, MS; Jayakrishnan, A. (1995). A new method for the synthesis of smooth, round, hydrophilic protein microspheres using low concentrations of polymeric dispersing agents. *J Microencapsul* 12: 7-12.
- Latimer, JG; Severson, RF. (1997). Effect of mechanical and moisture-stress conditioning on growth and cuticle composition of broccoli transplants. *J Am Soc Hortic Sci* 122: 788-791.
- Laus, G; Bentivoglio, G; Kahlenberg, V; Wurst, K; Nauer, G; Schottenberger, H; Tanaka, M; Siehl, HU. (2012). Conformational Flexibility and Cation-Anion Interactions in 1-Butyl-2,3-dimethylimidazolium Salts. *Cryst Growth Des* 12: 1838-1846. <http://dx.doi.org/10.1021/cg201424m>.

## Exposure Literature Search Results

### Off Topic

- Lavoie, JM; Stevanovic, T. (2006). Yield and composition of lipophylic extracts of yellow birch (*Betula alleghaniensis* Britton) as a function of wood age and aging under industrial conditions. *Holzforchung* 60: 184-189. <http://dx.doi.org/10.1515/HF.2006.030>.
- Law, K, en; Daneault, C; Song, X. (2006). Effect of dichloromethane extraction on properties of chemical fibers. *Cellulose Chemistry and Technology* 40: 439-443.
- Lazar, R; Edwards, RC; Metcalfe, CD; Metcalfe, T; Gobas, F; Haffner, GD. (1992). A SIMPLE, NOVEL METHOD FOR THE QUANTITATIVE-ANALYSIS OF COPLANAR (NONORTHOSUBSTITUTED) POLYCHLORINATED-BIPHENYLS IN ENVIRONMENTAL-SAMPLES. *Chemosphere* 25: 493-504.
- Lazzari, L; Sperti, L; Salizzato, M; Pavoni, B. (1999). Gas chromatographic determination of organic micropollutants in samples of sewage sludge and compost: Behaviour of PCB and PAH during composting. *Chemosphere* 38: 1925-1935.
- Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilibria of some carbon dioxide plus organic binary systems. *Journal of Chemical and Engineering Data* 50: 60-65. <http://dx.doi.org/10.1021/je0498560>.
- Le Cloirec, P. (2012). Adsorption onto Activated Carbon Fiber Cloth and Electrothermal Desorption of Volatile Organic Compound (VOCs): A Specific Review. *Chinese Journal of Chemical Engineering* 20: 461-468.
- Le, QT; Avendano, FM; Forsythe, EW; Yan, L; Gao, YL; Tang, CW. (1999). X-ray photoelectron spectroscopy and atomic force microscopy investigation of stability mechanism of tris-(8-hydroxyquinoline) aluminum-based light-emitting devices. *Journal of Vacuum Science and Technology A* 17: 2314-2317.
- Le, TT; Miocinovic, J; Nguyen, TM; Rombaut, R; van Camp, J; Dewettinck, K. (2011). Improved solvent extraction procedure and high-performance liquid chromatography-evaporative light-scattering detector method for analysis of polar lipids from dairy materials. *J Agric Food Chem* 59: 10407-10413. <http://dx.doi.org/10.1021/jf200202d>.
- Leal, WS; Yadava, CPS; Vijayvergia, JN. (1996). Aggregation of the scarab beetle *Holotrichia consanguinea* in response to female-released pheromone suggests secondary function hypothesis for semiochemical. *J Chem Ecol* 22: 1557-1566.
- Leboda, R. (1992). CARBON-MINERAL ADSORBENTS - NEW TYPE OF SORBENTS .1. THE METHODS OF PREPARATION. *Mater Chem Phys* 31: 243-255.
- Leboda, R. (1993). CARBON MINERAL ADSORBENTS - NEW-TYPE OF SORBENTS .2. SURFACE-PROPERTIES AND METHODS OF THEIR MODIFICATION. *Mater Chem Phys* 34: 123-141.
- Leboda, R; Gierak, A; Hubicki, Z; Lodyga, A. (1991). EFFECT OF ZIRCONIUM ON PREPARATION AND SORPTION PROPERTIES OF COMPLEX CARBON MINERAL ADSORBENTS. *Mater Chem Phys* 30: 83-91.
- Leboda, R; Sidorchuk, VV; Skubiszewskazieba, J. (1994). EFFECT OF HYDROTHERMAL TREATMENTS ON ADSORPTION PROPERTIES AND STRUCTURAL CHARACTERISTICS OF CARBON SILICA ADSORBENTS (CARBOSILS). *Mater Chem Phys* 39: 136-141.
- Leboda, R; Skubiszewskazieba, J; Sidorchuk, VV; Tertykh, VA; Zarko, VI. (1995). PREPARATION AND SOME PHYSICO-CHEMICAL PROPERTIES OF CARBOAEROSOLS. *Journal of Non-Crystalline Solids* 189: 265-269.
- Lebouf, RF; Stefaniak, AB; Virji, MA. (2012). Validation of evacuated canisters for sampling volatile organic compounds in healthcare settings. *J Environ Monit* 14: 977-983. <http://dx.doi.org/10.1039/c2em10896h>.
- Leboultaire, S; Bauduret, JC; Andre, F. (1997). Veterinary drug residues survey in meat: An HPLC method with a matrix solid phase dispersion extraction. *J Agric Food Chem* 45: 2134-2142.
- Ledauphin, J; Saint-Clair, JF; Lablanquie, O; Guichard, H; Fournier, N; Guichard, E; Barillier, D. (2004). Identification of trace volatile compounds in freshly distilled Calvados and Cognac using preparative separations coupled with gas chromatography-mass spectrometry. *J Agric Food Chem* 52: 5124-5134. <http://dx.doi.org/10.1021/jf040052y>.
- Lee, BC; Kuk, YM. (2002). Phase behavior of poly(L-lactide) in supercritical mixtures of dichloromethane and carbon dioxide. *Journal of Chemical and Engineering Data* 47: 367-370. <http://dx.doi.org/10.1021/je010270c>.
- Lee, BK; Dong, TT. (2010). Effects of road characteristics on distribution and toxicity of polycyclic aromatic hydrocarbons in urban road dust of Ulsan, Korea. *J Hazard Mater* 175: 540-550. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.039>.
- Lee, BN; Ying, WT; Shen, YT. (2007). Microwave-induced combustion of volatile organic compounds in an industrial flue gas over the magnetite fixed-bed. *Chemosphere* 69: 1821-1826. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.030>.
- Lee, CG, i; Kim, J, inH. (2015). Improved drying method for removal of residual solvents from paclitaxel by pre-treatment with ethanol and water. *Process Biochemistry* 50: 1031-1036. <http://dx.doi.org/10.1016/j.procbio.2015.02.018>.
- Lee, CH, ao; Ho, K, inMan; Harris, FW; Cheng, SZD; Li, P, ei. (2009). Formation of nanostructured materials using inexpensive hollow particles of amphiphilic graft copolymers as building blocks: 1. insight into the mechanism of nanotube formation. *Soft Matter* 5: 4914-4921. <http://dx.doi.org/10.1039/b915626g>.
- Lee, CH; Wong, CH; Ouhab, D; Borsali, R; Li, P. (2013). Synthesis and characterization of solvent-invertible amphiphilic hollow particles. *Langmuir* 29: 7583-7590. <http://dx.doi.org/10.1021/la401399m>.
- Lee, D, ukD; Choi, N, akJin; Song, K, apDuk. (2006). Micro gas sensor array for monitoring highly toxic gases. 35: 9-12.
- Lee, DH; Cody, RD; Kim, DJ. (2002). Surfactant recycling by solvent extraction in surfactant-aided remediation. *Separation and Purification Technology* 27: 77-82.
- Lee, EG; Harper, M; Bowen, RB; Slaven, J. (2009). Evaluation of COSHH essentials: methylene chloride, isopropanol, and acetone exposures in a small printing plant. *Ann Occup Hyg* 53: 463-474. <http://dx.doi.org/10.1093/annhyg/mep023>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, EJ; Yoo, C; Cho, YB. (2003). The analysis of methyl isocyanate using secondary amines by GC-FID. *Int J Environ Anal Chem* 83: 261-268. <http://dx.doi.org/10.1080/0306731021000048573>.

## Exposure Literature Search Results

### Off Topic

- Lee, ES; Kwon, MJ; Na, K; Bae, JH. (2007). Protein release behavior from porous microparticle with lysozyme/hyaluronate ionic complex. *Colloids Surf B Biointerfaces* 55: 125-130. <http://dx.doi.org/10.1016/j.colsurfb.2006.11.024>.
- Lee, H; Kim, E; Lee, JH; Sung, JH; Choi, H; Kim, JH. (2014). Analysis of cyazofamid and its metabolite in the environmental and crop samples using LC-MS/MS. *Bull Environ Contam Toxicol* 93: 586-590. <http://dx.doi.org/10.1007/s00128-014-1369-4>.
- Lee, H, oS; Kim, JE, un; Kim, T; Suh, KS. (2015). Ionic liquid-assisted synthesis of highly branched Ag:AgCl hybrids and their photocatalytic activity. *J Alloy Comp* 621: 378-382. <http://dx.doi.org/10.1016/j.jallcom.2014.09.222>.
- Lee, H; Paik, DH; Jeong, K, iY; Gang, R, aeH; Lee, J; Choi, SW. (2015). Fabrication of poly(methyl methacrylate) and TiO<sub>2</sub> composite microspheres with controlled morphologies and porous structures by electrospraying. *Journal of Materials Science* 50: 6531-6538. <http://dx.doi.org/10.1007/s10853-015-9216-5>.
- Lee, H, yeY; Won, JE, un; Shin, US; Kim, H, aeWon. (2011). Using hydrophilic ionic liquids as a facile route to prepare porous-structured biopolymer scaffolds. *Material Lett* 65: 2114-2117. <http://dx.doi.org/10.1016/j.matlet.2011.04.007>.
- Lee, HJ, ae; Choi, HW, oo; Kim, KJ, a; Lee, SC. (2006). Modification of hydroxyapatite nanosurfaces for enhanced colloidal stability and improved interfacial adhesion in nanocomposites. *Chem Mater* 18: 5111-5118. <http://dx.doi.org/10.1021/cm061139x>.
- Lee, HJ; Cui, SY; Park, SM. (2001). Electrochemistry of conductive polymers - XXV. Electrochemical preparation and characterization of poly(p-phenylenes) from biphenyl and p-terphenyl. *J Electrochem Soc* 148: D139-D145.
- Lee, IC; Cheng, LP; Young, TH. (2006). Role of phase diagram of membrane formation system in controlling the crystallinity and degradation rate of PLLA membranes. *J Biomed Mater Res A* 76: 842-850. <http://dx.doi.org/10.1002/jbm.a.30596>.
- Lee, J, iY; Kim, J, inH. (2013). Microwave-assisted drying of paclitaxel for removal of residual solvents. *Process Biochemistry* 48: 545-550. <http://dx.doi.org/10.1016/j.procbio.2013.01.015>.
- Lee, J, iY; Kim, J, inH. (2013). Removal of residual methylene chloride from homoharringtonine by pre-treatment with ethanol. *Process Biochemistry* 48: 1809-1813. <http://dx.doi.org/10.1016/j.procbio.2013.08.002>.
- Lee, J; Kim, J; Kim, H; Bae, YM, in; Lee, KH, ee; Cho, HJ. (2013). Effect of thermal treatment on the chemical resistance of polydimethylsiloxane for microfluidic devices. *Journal of Micromechanics and Microengineering* 23. <http://dx.doi.org/10.1088/0960-1317/23/3/035007>.
- Lee, JH; Joo, BS; Huh, JS; Lee, DD. (2006). Fabrication of SAW sensor for detecting chemical agent. *Sensors* 35: 433-435.
- Lee, JH; Leu, I, ngChi; Chung, Y, iWen; Hon, M, inH. (2008). Morphology-Controlled 2D Ordered Microstructure Arrays by Surface Modification of Colloidal Template. *J Nanosci Nanotechnol* 8: 4436-4440. <http://dx.doi.org/10.1166/jnn.2008.265>.
- Lee, JH; Park, TG; Choi, HK. (1999). Development of oral drug delivery system using floating microspheres. *J Microencapsul* 16: 715-729. <http://dx.doi.org/10.1080/026520499288663>.
- Lee, JH; Park, TG; Lee, YB; Shin, SC; Choi, HK. (2001). Effect of adding non-volatile oil as a core material for the floating microspheres prepared by emulsion solvent diffusion method. *J Microencapsul* 18: 65-75. <http://dx.doi.org/10.1080/026520401750038610>.
- Lee, JS; Huang, KC; Wang, WJ; Wang, JL. (1995). PREPARATION, STRUCTURE AND PHYSICAL-PROPERTIES OF 1/1 1,3,6,8-TETRAKIS(ETHYLTHIO)PYRENE-DDQ COMPLEX. *Synthetic Metals* 70: 1227-1228.
- Lee, JW; Jung, HJ; Kwak, DH; Chung, PG. (2005). Adsorption of dichloromethane from water onto a hydrophobic polymer resin XAD-1600. *Water Res* 39: 617-629. <http://dx.doi.org/10.1016/j.watres.2004.10.001>.
- Lee, JY; Bae, KH; Kim, JS; Nam, YS; Park, TG. (2011). Intracellular delivery of paclitaxel using oil-free, shell cross-linked HSA--multi-armed PEG nanocapsules. *Biomaterials* 32: 8635-8644. <http://dx.doi.org/10.1016/j.biomaterials.2011.07.063>.
- Lee, JY; Heon Nam, D; Oh, MH; Kim, Y; Choi, HS; Jeon, DY; Park, CB; Nam, YS. (2014). Serum-stable quantum dot-protein hybrid nanocapsules for optical bio-imaging. *Nanotechnology* 25: 175702. <http://dx.doi.org/10.1088/0957-4484/25/17/175702>.
- Lee, JY; Kim, DY; Kim, CY. (1995). SYNTHESIS OF SOLUBLE POLYPYRROLE OF THE DOPED STATE IN ORGANIC-SOLVENTS. *Synthetic Metals* 74: 103-106.
- Lee, JY; Kim, JH. (2011). Effect of water content of organic solvent on microwave-assisted extraction efficiency of paclitaxel from plant cell culture. *Korean J Chem Eng* 28: 1561-1565. <http://dx.doi.org/10.1007/s11814-011-0012-x>.
- Lee, KJ; Dabrowski, K; Sandoval, M; Miller, MJS. (2005). Activity-guided fractionation of phytochemicals of maca meal, their antioxidant activities and effects on growth, feed utilization, and survival in rainbow trout (*Oncorhynchus mykiss*) juveniles. *Aquaculture* 244: 293-301. <http://dx.doi.org/10.1016/j.aquaculture.2004.12.006>.
- Lee, KJ; Song, NY; Oh, YC; Cho, WK; Ma, JY. (2014). Isolation and Bioactivity Analysis of Ethyl Acetate Extract from *Acer tegmentosum* Using In Vitro Assay and On-Line Screening HPLC-ABTS(+) System. *Journal of Chromatography B* 2014: 150509. <http://dx.doi.org/10.1155/2014/150509>.
- Lee, L, aiY; Lim, LK; Hua, J; Wang, C, hiHwa. (2008). Jet breakup and droplet formation in near-critical regime of carbon dioxide-dichloromethane system. *Chem Eng Sci* 63: 3366-3378. <http://dx.doi.org/10.1016/j.ces.2008.04.015>.
- Lee, M; Wells, E; Wong, YK; Koenig, J; Adrian, L; Richnow, HH; Manefield, M. (2015). Relative contributions of *Dehalobacter* and zerovalent iron in the degradation of chlorinated methanes. *Environ Sci Technol* 49: 4481-4489. <http://dx.doi.org/10.1021/es5052364>.
- Lee, S, hun; Heber, AJ. (2010). Ethylene removal using biotrickling filters: part II. Parameter estimation and mathematical simulation. *Chem Eng J* 158: 89-99. <http://dx.doi.org/10.1016/j.cej.2009.12.034>.
- Lee, S, unHee; Lee, I; Kim, M, inH; Go, J, iSu; Lee, SH, o; Hwang, H, yeJin; Hyun, SK; Kang, KH, wa; Kim, BW, oo; Kim, CM, in; Chung, KT, ae; Lee, JH. (2016). An extract of *Ulmus macrocarpa* improves cellular immunity in immuno-suppressed models. *Animal Cells and Systems* 20: 353-362. <http://dx.doi.org/10.1080/19768354.2016.1230556>.
- Lee, SC; Wang, B. (2004). Characteristics of emissions of air pollutants from burning of incense in a large environmental chamber. *Atmos Environ* 38: 941-951. <http://dx.doi.org/10.1016/j.atmosenv.2003.11.002>.

## Exposure Literature Search Results

### Off Topic

- Lee, SH; Sung, K; Chung, TM; Lee, SG; Min, KD; Koo, S; Kim, CG. (2008). Preparation of silver nanoparticles and antibiotic test of its polycarbonate films composite. *J Nanosci Nanotechnol* 8: 4734-4737. <http://dx.doi.org/10.1166/jnn.2008.IC55>.
- Lee, SJ; Park, YJ; Park, SN; Lee, YM; Seol, YJ; Ku, Y; Chung, CP. (2001). Molded porous poly (L-lactide) membranes for guided bone regeneration with enhanced effects by controlled growth factor release. *J Biomed Mater Res* 55: 295-303.
- Lee, TY; Shim, YB; Shin, SC. (2002). Simple preparation of terthiophene-3'-carboxylic acid and characterization of its polymer. *Synthetic Metals* 126: 105-110.
- Lee, VA; Cardenas, HL; Rawls, HR. (2010). Rubber-toughening of dimethacrylate dental composite resin. *J Biomed Mater Res B Appl Biomater* 94: 447-454. <http://dx.doi.org/10.1002/jbm.b.31674>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YC; Chiang, CS, u; Huang, Y, enLin. (2010). Microwave dielectric properties and microstructures of Nb<sub>2</sub>O<sub>5</sub>-Zn<sub>0.95</sub>Mg<sub>0.05</sub>TiO<sub>3</sub>+0.25TiO<sub>2</sub> ceramics with Bi<sub>2</sub>O<sub>3</sub> addition. *J Eur Ceram Soc* 30: 963-970. <http://dx.doi.org/10.1016/j.jeurceramsoc.2009.09.028>.
- Lee, YS; Yeh, MY; Shih, YP. (1995). PHASE-TRANSFER CATALYTIC KINETICS OF THE SYNTHESIS OF PHENYL BENZOATE. *Ind Eng Chem Res* 34: 1572-1580.
- Leeder, JD; Treloar, IM; Tsatsaronis, M. (1991). A COMMENT ON THE USE OF DICHLOROMETHANE IN THE DETERMINATION OF SOLVENT-SOLUBLE MATTER IN WOOL - REPLY. *J Text Inst* 82: 108-109.
- Leepipatpiboon, N; Pancharoen, U, ra; Ramakul, P. (2013). Separation of Co(II) and Ni(II) from thiocyanate media by hollow fiber supported liquid membrane containing Alamine300 as carrier - investigation on polarity of diluent and membrane stability. *Korean J Chem Eng* 30: 194-200. <http://dx.doi.org/10.1007/s11814-012-0111-3>.
- Lega, R; Ladwig, G; Meresz, O; Clement, RE; Crawford, G; Salemi, R; Jones, Y. (1997). Quantitative determination of organic priority pollutants in sewage sludge by GC/MS. *Chemosphere* 34: 1705-1712.
- Leger, CB; Cundy, VA; Sterling, AM; Montestruc, AN; Jakway, AL; Owens, WD. (1993). FIELD-SCALE ROTARY KILN INCINERATION OF BATCH LOADED TOLUENE SORBENT .1. DATA-ANALYSIS AND BED MOTION CONSIDERATIONS. *J Hazard Mater* 34: 1-29.
- Legrand, J; Brujes, L; Garnelle, G; Phalip, P. (1995). STUDY OF A MICROENCAPSULATION PROCESS OF A VIRUCIDE AGENT BY A SOLVENT EVAPORATION TECHNIQUE. *J Microencapsul* 12: 639-649.
- Legrand, MF; Costentin, E; Bruchet, A. (1991). OCCURRENCE OF 38 PESTICIDES IN VARIOUS FRENCH SURFACE AND GROUND WATERS. *Environ Technol* 12: 985-996.
- Lehmann, J; Rausch, MH; Leipertz, A; Froba, AP. (2010). Densities and Excess Molar Volumes for Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Ethylsulfate with Solvents. *Journal of Chemical and Engineering Data* 55: 4068-4074. <http://dx.doi.org/10.1021/je1002237>.
- Lehmann, L; Wagner, J. (2008). Gene expression of 17beta-estradiol-metabolizing isozymes: Comparison of normal human mammary gland to normal human liver and to cultured human breast adenocarcinoma cells. *Adv Exp Med Biol* 617: 617-624. [http://dx.doi.org/10.1007/978-0-387-69080-3\\_64](http://dx.doi.org/10.1007/978-0-387-69080-3_64).
- Lei, Y; Liu, Y; Guo, Y; Chen, J; Huang, X; Gao, W; Qian, L; Wu, H; Liu, M; Cheng, Y. (2015). Multi-Stimulus-Responsive Fluorescent Properties of Donor-pi-Acceptor Indene-1,3-dionemethylene-1,4-dihydropyridine Derivatives. *J Phys Chem C* 119: 23138-23148. <http://dx.doi.org/10.1021/acs.jpcc.5b06432>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leininger, JP; Lorant, F; Minot, C; Behar, F. (2006). Mechanisms of 1-methylnaphthalene pyrolysis in a batch reactor. *Energy Fuels* 20: 2518-2530. <http://dx.doi.org/10.1021/ef0600964>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect* 103 Suppl 5: 33-36.
- Leitao, MM; White, P; Cracchiolo, B. (2008). Cervical cancer in patients infected with the human immunodeficiency virus. *Cancer* 112: 2683-2689. <http://dx.doi.org/10.1002/cncr.23504>.
- Leitz, T. (1993). BIOCHEMICAL AND CYTOLOGICAL BASES OF METAMORPHOSIS IN HYDRACTINIA-ECHINATA. *Mar Biol* 116: 559-564.
- Lekkas, TD; Nikolaou, AD. (2006). Determination of bromopropylate in grapes by gas chromatography: evaluation of two analytical methods. *Int J Environ Anal Chem* 86: 25-32. <http://dx.doi.org/10.1080/03067310500246530>.
- Leliebre-Lara, V; Garcia, M; Nogueiras, C; Monzote, L. (2015). Qualitative analysis of an ethanolic extract from *Trametes versicolor* and biological screening against *Leishmania amazonensis*. *27: 592-595*. <http://dx.doi.org/10.9755/ejfa.2015.05.194>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag* 18: 361-370.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc* 46: 309-316.
- Lemma, B; Nilsson, I; Kleja, D, anB; Olsson, M; Knicker, H. (2007). Decomposition and substrate quality of leaf litters and fine roots from three exotic plantations and a native forest in the southwestern highlands of Ethiopia. *Soil Biol Biochem* 39: 2317-2328. <http://dx.doi.org/10.1016/j.soilbio.2007.03.032>.
- Lemmer, H; Stieger, N; Liebenberg, W; Caira, MR. (2012). Solvatomorphism of the Antibacterial Dapsone: X-ray Structures and Thermal Desolvation Kinetics. *Cryst Growth Des* 12: 1683-1692. <http://dx.doi.org/10.1021/cg300019f>.

## Exposure Literature Search Results

### Off Topic

- Lemmouchi, Y; Schacht, E. (1997). In vitro evaluation of poly(epsilon-caprolactone-co-L-lactide) implants containing trypanocidal drugs. *J Bioact Compat Polymer* 12: 175-185.
- Lemus, J; Martin-Martinez, M; Palomar, J; Gomez-Sainero, L; Angel Gilarranz, M; Rodriguez, JJ. (2012). Removal of chlorinated organic volatile compounds by gas phase adsorption with activated carbon. *Chem Eng J* 211: 246-254. <http://dx.doi.org/10.1016/j.cej.2012.09.021>.
- Lenarcik, B; Kierzkowska, A. (2004). The influence of alkyl chain length and steric effect on stability constants and extractability of Zn(II) complexes with 1-alkyl-4(5)-methylimidazoles. *Separation Science and Technology* 39: 3485-3508. <http://dx.doi.org/10.1081/SS-200033148>.
- Lenarcik, B; Ojczenasz, P. (2004). Investigation of the stability of Co(II) complexes with a homologous series of 1-alkylimidazoles in aqueous solution by using a partition method with several solvents. *Separation Science and Technology* 39: 199-226. <http://dx.doi.org/10.1081/SS-200027409>.
- Lenarcik, B; Rauckyte, T. (2004). The influence of alkyl chain length on extraction equilibria of Ni(II) complexes with 1-alkylimidazoles in aqueous solution/organic solvent systems. *Separation Science and Technology* 39: 3353-3372. <http://dx.doi.org/10.1081/SS-200028915>.
- Lenicek, J; Sekyra, M; Bednarkova, K; Benes, I; Sipek, F. (2000). Fractionation and chemical analysis of urban air particulate extracts. *Int J Environ Anal Chem* 77: 269-288.
- Lenz, K; Beste, YA; Arlt, W. (2002). Comparison of static and dynamic measurements of adsorption isotherms. *Separation Science and Technology* 37: 1611-1629.
- Leon, J; Jose Aponte, J; Cuadra, D; Galindo, N; Jaramillo, L, iz; Vallejo, M; Marguet, E. (2016). Extracellular enzymes production and pathogen inhibitory activity of actinomycetes isolated from *Argopecten purpuratus*. *Revista de biologia marina y oceanografia* 51: 69-80. <http://dx.doi.org/10.4067/S0718-19572016000100007>.
- Leonard, RC; Kreckmann, KH; Lineker, GA; Marsh, G; Buchanich, J; Youk, A. (2007). Comparison of standardized mortality ratios (SMRs) obtained from use of reference populations based on company-wide registry cohort to SMRs calculated against local and national rates. *Chem Biol Interact* 166: 317-322. <http://dx.doi.org/10.1016/j.cbi.2006.09.001>.
- Leonetti, JC; Camacho, AG; Postigo, MA. (1999). Isobaric vapor-liquid equilibrium of benzene with dichloromethane at 86.65, 93.32 and 99.99 kPa. *Lat Am Appl Res* 29: 77-81.
- Leong, J; Tey, BT, i; Tan, CP; Chan, E. (2015). Nozzleless Fabrication of Oil-Core Biopolymeric Microcapsules by the Interfacial Gelation of Pickering Emulsion Templates. *ACS Applied Materials & Interfaces* 7: 16169-16176. <http://dx.doi.org/10.1021/acsami.5b04486>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Electron transport properties of some newly synthesized nonsymmetrical bisindolizines in thin films. *Synthetic Metals* 160: 2526-2533. <http://dx.doi.org/10.1016/j.synthmet.2010.09.039>.
- Leontie, L; Danac, R; Druta, I; Carlescu, A; Rusu, GI. (2010). Newly synthesized fused heterocyclic compounds in thin films with semiconductor properties. *Synthetic Metals* 160: 1273-1279. <http://dx.doi.org/10.1016/j.synthmet.2010.03.022>.
- Lerch, TZ; Dignac, MF; Nunan, N; Bardoux, G; Barriuso, E; Mariotti, A. (2009). Dynamics of soil microbial populations involved in 2,4-D biodegradation revealed by FAME-based Stable Isotope Probing. *Soil Biol Biochem* 41: 77-85. <http://dx.doi.org/10.1016/j.soilbio.2008.09.020>.
- Lerche, D; Sorensen, PB; Larsen, HS; Carlsen, L; Nielsen, OJ. (2002). Comparison of the combined monitoring-based and modelling-based priority setting scheme with partial order theory and random linear extensions for ranking of chemical substances. *Chemosphere* 49: 637-649.
- Lerum, MF; Chen, W. (2009). Acute degradation of surface-bound unsaturated polyolefins in common solvents under ambient conditions. *Langmuir* 25: 11250-11254. <http://dx.doi.org/10.1021/la902340z>.
- Leskey, TC; Prokopy, RJ. (2000). Sources of apple odor attractive to adult plum curculios. *J Chem Ecol* 26: 639-653.
- Leung, BO; Hitchcock, AP; Brash, JL; Scholl, A; Doran, A. (2010). An X-ray spectromicroscopy study of protein adsorption to polystyrene-poly(ethylene oxide) blends. *Langmuir* 26: 14759-14765. <http://dx.doi.org/10.1021/la102432g>.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health* 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J* 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Levsen, K; Mussmann, P; Bergerpreiss, E; Preiss, A; Volmer, D; Wunsch, G. (1993). ANALYSIS OF NITROAROMATICS AND NITRAMINES IN AMMUNITION WASTE-WATER AND IN AQUEOUS SAMPLES FROM FORMER AMMUNITION PLANTS AND OTHER MILITARY SITES. *Acta Hydrochim Hydrobiol* 21: 153-166. <http://dx.doi.org/10.1002/aheh.19930210304>.
- Lewis, CW; Klouda, GA; Ellenson, WD. (2004). Radiocarbon measurement of the biogenic contribution to summertime PM-2.5 ambient aerosol in Nashville, TN. *Atmos Environ* 38: 6053-6061. <http://dx.doi.org/10.1016/j.atmosenv.2004.06.011>.
- Lewis, RJ. (1997). *Hawley's condensed chemical dictionary* (13 ed.). New York, NY: John Wiley & Sons, Inc.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual* 24: 56-61.
- Leylegian, JC; Zhu, DL; Law, CK; Wang, H. (1998). Experiments and numerical simulation on the laminar flame speeds of dichloromethane and trichloromethane. *Combust Flame* 114: 285-293.
- Lhullier, C; Donnangelo, A; Caro, M; Palermo, JA; Horta, PA; Falkenberg, M; Schenkel, EP. (2009). Isolation of elatol from *Laurencia microcladia* and its palatability to the sea urchin *Echinometra lucunter*. *Biochemical Systematics and Ecology* 37: 254-259. <http://dx.doi.org/10.1016/j.bse.2009.04.004>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol* 66: 382-388.



## Exposure Literature Search Results

### Off Topic

- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J* 92: 177-184.
- Li, CZ; Nelson, PF. (1996). Fate of aromatic ring systems during thermal cracking of tars in a fluidized-bed reactor. *Energy Fuels* 10: 1083-1090.
- Li, DF; Yang, K, e; Wang, X, qin; Ma, Y, aLi; Huang, G, uiF; Huang, W, eiQ. (2015). Enhancement of photocatalytic activity of combustion-synthesized CeO<sub>2</sub>/C<sub>3</sub>N<sub>4</sub> nanoparticles. *Applied Physics A: Materials Science and Processing* 120: 1205-1209. <http://dx.doi.org/10.1007/s00339-015-9305-y>.
- Li, FB; Gu, GB; Huang, GF; Gu, YL; Wan, HF. (2001). TiO<sub>2</sub>-assisted photo-catalysis degradation process of dye chemicals. *J Environ Sci* 13: 64-68.
- Li, GY; An, TC; Nie, XP; Sheng, GY; Zeng, XY; Fu, JM; Lin, Z; Zeng, EY. (2007). Mutagenicity assessment of produced water during photoelectrocatalytic degradation. *Environ Toxicol Chem* 26: 416-423.
- Li, H; Xiao, J; Gao, YQ; Tang, JJ; Zhang, AL; Gao, JM. (2014). Chaetoglobosins from *Chaetomium globosum*, an endophytic fungus in *Ginkgo biloba*, and their phytotoxic and cytotoxic activities. *J Agric Food Chem* 62: 3734-3741. <http://dx.doi.org/10.1021/jf500390h>.
- Li, H; Xue, F; Bai, J; Chu, C. (2015). Effect of sodium stearate on the surface properties of beta-calcium phosphate. *Mater Lett* 161: 455-458. <http://dx.doi.org/10.1016/j.matlet.2015.09.015>.
- Li, HB; Jiang, Y; Chen, F. (2002). Isolation and purification of lutein from the microalga *Chlorella vulgaris* by extraction after saponification. *J Agric Food Chem* 50: 1070-1072. <http://dx.doi.org/10.1021/jf010220b>.
- Li, J; Lam, AT; Toh, JP; Reuveny, S; Oh, SK; Birch, WR. (2015). Fabrication of uniform-sized poly-ε-caprolactone microspheres and their applications in human embryonic stem cell culture. *Biomed Microdevices* 17: 105. <http://dx.doi.org/10.1007/s10544-015-0010-6>.
- Li, J; Li, K; Zhang, T; Wang, S, hu; Jiang, Y; Bao, Y, u; Tie, M. (2016). Development of Activated Carbon from Windmill Palm Sheath Fiber by KOH Activation. *Fibers and Polymers* 17: 880-887. <http://dx.doi.org/10.1007/s12221-016-6328-8>.
- Li, J, in; Liu, X. (2013). Preparation and characterization of alpha-MoO<sub>3</sub> nanobelt and its application in supercapacitor. *Mater Lett* 112: 39-42. <http://dx.doi.org/10.1016/j.matlet.2013.08.094>.
- Li, J; Zhou, S; Li, Y; Ma, Y, u; Yang, Y; Li, C. (2016). Effect of organic matter on pore structure of mature lacustrine organic-rich shale: A case study of the Triassic Yanchang shale, Ordos Basin, China. *Fuel* 185: 421-431. <http://dx.doi.org/10.1016/j.fuel.2016.07.100>.
- Li, K; Santilli, A; Goldthorp, M; Whitticar, S; Lambert, P; Fingas, M. (2001). Solvent vapour monitoring in work space by solid phase micro extraction. *J Hazard Mater* 83: 83-91.
- Li, L; Wang, X, ia; Li, Y; Dong, Q. (2015). Synthesis and application of fluorinated epoxy compounds. 4: 102-107. <http://dx.doi.org/10.1680/emr.14.00035>.
- Li, M; Li, Y; Zeng, Y, i; Chen, J; Li, Y, i. (2009). Intramolecular Exciplex Formation Induced by the Folding-Back Conformation of Poly(aryl ether) Dendrimers. *J Phys Chem C* 113: 11554-11559. <http://dx.doi.org/10.1021/jp9004554>.
- Li, P; Arman, HD; Wang, H; Weng, L; Alfooty, K; Angawi, RF; Chen, B. (2015). Solvent Dependent Structures of Melamine: Porous or Nonporous? *Cryst Growth Des* 15: 1871-1875. <http://dx.doi.org/10.1021/acs.cgd.5b00039>.
- Li, Q; Li, G; Ma, F; Zhang, Z; Zheng, B; Feng, Y, an. (2011). Highly efficient ring-opening polymerization of epsilon-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481. <http://dx.doi.org/10.1016/j.procbio.2010.09.020>.
- Li, S; Wang, Y, an; Wei, Y; Zeng, J; Shi, W; Wang, Y. (2016). Preparation and adsorption performance of palm fiber-based nanoporous carbon materials with high specific surface area. *Journal of Porous Materials* 23: 1059-1064. <http://dx.doi.org/10.1007/s10934-016-0163-6>.
- Li, W; Wamser, CC. (1995). SYNTHESIS AND CHARACTERIZATION OF INTERFACIALLY POLYMERIZED FILMS OF TETRAPHENYLPORPHYRIN DERIVATIVES. *Langmuir* 11: 4061-4071.
- Li, W; Yu, K; Yuan, X; Liu, B. (2015). A Reynolds mass flux model for gas separation process simulation: II. Application to adsorption on activated carbon in a packed column. *Chinese Journal of Chemical Engineering* 23: 1245-1255. <http://dx.doi.org/10.1016/j.cjche.2015.01.012>.
- Li, WB; Liu, BT; Yu, KT; Yuan, XG. (2011). Rigorous Model for the Simulation of Gas Adsorption and Its Verification. *Ind Eng Chem Res* 50: 8361-8370. <http://dx.doi.org/10.1021/ie200360d>.
- Li, X; Kong, X; Shi, S; Wang, X; Gu, Y; Guo, G; Mao, Y; Luo, F; Zhao, X, ia; Wei, Y; Qian, Z. (2010). Preparation, Characterization, and Self-assembly Behavior of a Novel MPEG/PCL-g-Chitosan Copolymer. *Soft Materials* 8: 320-337. <http://dx.doi.org/10.1080/1539445X.2010.497083>.
- Li, X; Son, YA. (2014). Efficient luminescence from easily prepared fluorine-boron core complexes based on benzothiazole and benzoxazole. *Dyes and Pigments* 107: 182-187. <http://dx.doi.org/10.1016/j.dyepig.2014.04.001>.
- Li, X; Teng, K; Shi, J, ie; Wang, W, ei; Xu, Z; Deng, H, ui; Lv, H; Li, F. (2016). Electrospun preparation of polylactic acid nanoporous fiber membranes via thermal-nonsolvent induced phase separation. *Taiwan Institute of Chemical Engineers Journal* 60: 636-642. <http://dx.doi.org/10.1016/j.jtice.2015.11.012>.
- Li, XG; Huang, MR; Lin, G. (1996). Temperature dependence and stability of oxygen enrichment through liquid crystalline triheptyl cellulose-containing membranes cast from three solvents. *J Memb Sci* 116: 143-148.
- Li, XG; Huang, MR; Lin, G; Yang, PC. (1994). SOLVENT AND PRESSURE INFLUENCES ON AIR SEPARATION OF LIQUID-CRYSTALLINE TRIHEPTYL CELLULOSE COMPOSITE ETHYL CELLULOSE MEMBRANES. *Separation Science and Technology* 29: 671-677.
- Li, XN, a; Feng, J, iK; Ren, A, iMin; Li, L, eiHao. (2007). Theoretical studies of spectra properties of cyclometalated platinum(II) complexes with 8-hydroxyquinolines and quinolino-8-thiol ligand. *Synthetic Metals* 157: 1046-1053. <http://dx.doi.org/10.1016/j.synthmet.2007.10.012>.
- Li, XQ, i; Lei, JD, u; Su, Z, hiGuo; Ma, GH, ui. (2007). Comparison of bioactivities of monopegylated rhG-CSF with branched and linear mPEG. *Process Biochemistry* 42: 1625-1631. <http://dx.doi.org/10.1016/j.procbio.2007.09.005>.
- Li, Y; Du, Q; Liu, T; Qi, Y, an; Zhang, P, an; Wang, Z; Xia, Y. (2011). Preparation of activated carbon from *Enteromorpha prolifera* and its use on cationic red X-GRL removal. *Appl Surf Sci* 257: 10621-10627. <http://dx.doi.org/10.1016/j.apsusc.2011.07.060>.

## Exposure Literature Search Results

### Off Topic

- Li, Y; Du, X; Wang, Y; Tai, H; Qiu, D; Lin, Q; Jiang, Y. (2014). High-separation efficiency micro-fabricated multi-capillary gas chromatographic columns for simulants of the nerve agents and blister agents. *Nanoscale Res Lett* 9: 224. <http://dx.doi.org/10.1186/1556-276X-9-224>.
- Li, Y; Li, Y; Li, L; Shi, X; Wang, Z. (2016). Preparation and analysis of activated carbon from sewage sludge and corn stalk. *Adv Powder Tech* 27: 684-691. <http://dx.doi.org/10.1016/j.apt.2016.02.029>.
- Li, Y; Wang, LS; Zhang, Y. (2010). Activity Coefficients at Infinite Dilution of Polar Solutes in 1-(2-Hydroxyethyl)-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography. *Journal of Chemical and Engineering Data* 55: 1732-1734. <http://dx.doi.org/10.1021/jc900704b>.
- Li, YH; Qiu, FX; Yang, DY; Sun, P; Li, XH. (2012). Transesterification of soybean oil and analysis of bioproduct. *Food Bioprod Process* 90: 135-140. <http://dx.doi.org/10.1016/j.fbp.2011.02.004>.
- Li, Z; Chen, W; Wang, H; Ding, Q, i; Hou, H; Zhang, J; Mi, L; Zheng, Z, hi. (2011). Large-scale synthesis and catalysis properties of micro-structured snowflake Cu<sub>2</sub>S from a single source Cu(II) coordination complex. *Mater Lett* 65: 1785-1787. <http://dx.doi.org/10.1016/j.matlet.2011.03.067>.
- Li, Z; Gao, F; Xiao, Z; Ao, G; Wu, X; Fang, Y, u; Nie, Z; Wei, T, aiH; Yang, J; Wang, Y; Zhang, X; Zuo, J; Song, Y. (2015). Synthesis and third-order nonlinear optical properties of a sandwich-type mixed (phthalocyaninato)(schiff-base) triple-decker complexes. *Dyes and Pigments* 119: 70-74. <http://dx.doi.org/10.1016/j.dyepig.2015.03.025>.
- Li, Z; Sun, Y. (2013). Silver chlorobromide nanoparticles with highly pure phases: synthesis and characterization. 1: 6786-6793. <http://dx.doi.org/10.1039/c3ta00020f>.
- Li, Z; Wang, B; Ge, S; Yan, L; Liu, Y; Li, Z; Ren, A. (2016). A simultaneous analysis method of polycyclic aromatic hydrocarbons, nicotine, cotinine and metals in human hair. *Environ Pollut* 219: 66-71. <http://dx.doi.org/10.1016/j.envpol.2016.09.045>.
- Liang, A; Li, Y; Zhu, W; Wang, Y; Huang, F, ei; Wu, H; Cao, Y. (2013). Novel cyclometalated platinum (II) complex containing carrier-transporting groups: Synthesis, luminescence and application in single dopant white PLEDs. *Dyes and Pigments* 96: 732-737. <http://dx.doi.org/10.1016/j.dyepig.2012.11.006>.
- Liang, D, i; Fu, X; Liao, M; Yuan, W; Su, J. (2013). Development of dextran microparticles loaded with IL-1Ra of high-encapsulation efficiency and high-bioactivity by a novel method without exposing IL-1Ra to water-oil interfaces. *Powder Technology* 235: 299-302. <http://dx.doi.org/10.1016/j.powtec.2012.10.036>.
- Liang, DQ; Guo, KH; Wang, RH; Fan, SS. (2001). Hydrate equilibrium data of 1, 1, 1,2-tetrafluoroethane (HFC-134a), 1,1-dichloro-1-fluoroethane (HCFC-141b) and 1,1-difluoroethane (HFC-152a). *Fluid Phase Equilibria* 187: 61-70.
- Liang, J; Ma, Y; Sims, S; Wu, L. (2015). A patterned porous polymer film for localized capture of insulin and glucose-responsive release. 3: 1281-1288. <http://dx.doi.org/10.1039/c4tb01537a>.
- Liang, X; Liu, J, un; Fu, Y, an; Chang, J, ie. (2016). Influence of anti-solvents on lignin fractionation of eucalyptus globulus via green solvent system pretreatment. *Separation and Purification Technology* 163: 258-266. <http://dx.doi.org/10.1016/j.seppur.2016.03.006>.
- Liang, Y; Kuo, DTF; Allen, HE; Di Toro, DM. (2016). Experimental determination of solvent-water partition coefficients and Abraham parameters for munition constituents. *Chemosphere* 161: 429-437. <http://dx.doi.org/10.1016/j.chemosphere.2016.07.028>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; Ill, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, Q; Tian, X; Chen, R; Zhu, X. (2008). Mathematical model for gas-liquid two-phase flow and biodegradation of a low concentration volatile organic compound (VOC) in a trickling biofilter. *Int J Heat Mass Tran* 51: 1780-1792. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2007.07.007>.
- Liao, W; Ghabour, M; Draper, WM; Chandrasena, E. (2016). Lowering detection limits for 1,2,3-trichloropropane in water using solid phase extraction coupled to purge and trap sample introduction in an isotope dilution GC-MS method. *Chemosphere* 158: 171-176. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.061>.
- Lichtin, NN; Avudaithai, M. (1996). TiO<sub>2</sub>-photocatalyzed oxidative degradation of CH<sub>3</sub>CN, CH<sub>3</sub>OH, C<sub>2</sub>HCl<sub>3</sub>, and CH<sub>2</sub>Cl<sub>2</sub> supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol* 30: 2014-2020.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al<sub>2</sub>O<sub>3</sub>. *Environ Technol* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci* 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere* 49: 371-378.
- Lijuan, X; Liuyun, J; Lixin, J; Chengdong, X. (2013). Synthesis of Mg-substituted hydroxyapatite nanopowders: Effect of two different magnesium sources. *Mater Lett* 106: 246-249. <http://dx.doi.org/10.1016/j.matlet.2013.05.032>.
- Likas, DT; Tsiropoulos, NG. (2009). Residue screening in apple, grape and wine food samples for seven new pesticides using HPLC with UV detection. An application to trifloxystrobin dissipation in grape and wine. *Int J Environ Anal Chem* 89: 857-869. <http://dx.doi.org/10.1080/03067310902756615>.
- Lim, JM; Kwon, JY; Xu, F; Kim, HU; Hwang, DH. (2013). Pure red phosphorescent organic light-emitting diodes made of iridium(III) complex with thiophene-quinoline ligand. *J Nanosci Nanotechnol* 13: 8007-8010. <http://dx.doi.org/10.1166/jnn.2013.8152>.
- Lim, JS; Lee, YW; Lee, YY. (1997). Vapor-liquid equilibria for difluoromethane plus dichloromethane at 305.2 and 313.2 K and 1,1-difluoroethane plus vinyl chloride at 303.2 and 323.2 K. *Journal of Chemical and Engineering Data* 42: 566-569.

## Exposure Literature Search Results

### Off Topic

- Lim, S, unY. (2014). Effects of Drying Methods on the Proximate Composition and Antiproliferative and Antioxidant Properties of Extracts from the Sea Cucumber *Stichopus japonicus*. 97: 280-286.
- Lim, SK; Kim, JW; Chin, I; Kwon, YK; Choi, HJ. (2002). Preparation and interaction characteristics of organically modified montmorillonite nanocomposite with miscible polymer blend of poly(ethylene oxide) and poly(methyl methacrylate). *Chem Mater* 14: 1989-1994. <http://dx.doi.org/10.1021/cm010498j>.
- Lim, SN; Cheung, PCK; Ooi, VEC; Ang, PO. (2002). Evaluation of antioxidative activity of extracts from a brown seaweed, *Sargassum siliquastrum*. *J Agric Food Chem* 50: 3862-3866. <http://dx.doi.org/10.1021/jf020096b>.
- Lim, YJ; Kim, TK; Cho, KH. (2001). Reactive dyeing of cotton in water-organic solvent mixture. *Sen'i Gakkaishi* 57: 21-24.
- Lin, DM; Kalachandra, S; Valiyaparambi, J; Offenbacher, S. (2003). A polymeric device for delivery of anti-microbial and anti-fungal drugs in the oral environment: effect of temperature and medium on the rate of drug release. *Dent Mater* 19: 589-596. [http://dx.doi.org/10.1016/S0109-5641\(02\)00109-4](http://dx.doi.org/10.1016/S0109-5641(02)00109-4).
- Lin, L, iC; Shu, Y, aoChi; Yang, J, enC; Shie, H, anS; Lee, SY; Chen, CC. (2014). Nano-porous Poly-L-lactic Acid Microtube Array Membranes. *Current Nanoscience* 10: 227-234.
- Lin, LJ; Peiser, G; Ying, BP; Mathias, K; Karasina, F; Wang, Z; Itatani, J; Green, L; Hwang, YS. (1995). IDENTIFICATION OF PLANT-GROWTH INHIBITORY PRINCIPLES IN *AILANTHUS-ALTISSIMA* AND *CASTELA-TORTUOSA*. *J Agric Food Chem* 43: 1708-1711.
- Lin, SY; Chen, KS; Teng, HH. (1999). Protective colloids and polylactic acid co-affecting the polymorphic crystal forms and crystallinity of indomethacin encapsulated in microspheres. *J Microencapsul* 16: 769-776.
- Lin, SY; Chen, KS; Teng, HS. (1999). Effect of protective colloids on the induction of polymorphic changes in indomethacin agglomerates after solvent evaporation from o/w emulsions. *J Microencapsul* 16: 39-47.
- Lin, WC; Chien, JT; Chen, BH. (2005). Determination of carotenoids in spear shrimp shells (*Parapenaeopsis hardwickii*) by liquid chromatography. *J Agric Food Chem* 53: 5144-5149. <http://dx.doi.org/10.1021/jf050664y>.
- Lin, YH; Chiu, TC; Hsueh, HT; Chu, H. (2011). N-doped TiO<sub>2</sub> photo-catalyst for the degradation of 1,2-dichloroethane under fluorescent light. *Appl Surf Sci* 258: 1581-1586. <http://dx.doi.org/10.1016/j.apsusc.2011.09.138>.
- Lin, YH; Vasavada, RC. (2000). Studies on microencapsulation of 5-fluorouracil with poly(ortho ester) polymers. *J Microencapsul* 17: 1-11.
- Lin, ZY; Xiao, J; Yan, JH; Liu, P; Li, LH; Yang, GW. (2015). Ag/AgCl plasmonic cubes with ultrahigh activity as advanced visible-light photocatalysts for photodegrading dyes. 3: 7649-7658. <http://dx.doi.org/10.1039/c5ta00942a>.
- Lindahl, S; Gundersen, CB; Lundanes, E. (2014). A review of available analytical technologies for qualitative and quantitative determination of nitramines [Review]. *Environ Sci Process Impacts* 16: 1825-1840. <http://dx.doi.org/10.1039/c4em00095a>.
- Lindhardt, B; Holst, H; Christensen, TH. (1994). COMPARISON OF SOXHLET AND SHAKE EXTRACTION OF POLYCYCLIC AROMATIC-HYDROCARBONS FROM COAL-TAR POLLUTED SOILS SAMPLED IN THE FIELD. *Int J Environ Anal Chem* 57: 9-19.
- Lindner, G; Dalmolin, LF; Khalil, NM; Mainardes, RM. (2015). Influence of the Formulation Parameters on the Particle Size and Encapsulation Efficiency of Resveratrol in PLA and PLA-PEG Blend Nanoparticles: A Factorial Design. *J Nanosci Nanotechnol* 15: 10173-10182. <http://dx.doi.org/10.1166/jnn.2015.11687>.
- Lindstedt, SL; Schaeffer, PJ. (2002). Use of allometry in predicting anatomical and physiological parameters of mammals. *Lab Anim* 36: 1-19. <http://dx.doi.org/10.1258/0023677021911731>.
- Linz, AJ; Greenham, RK; Fallon, LF. (2006). Methemoglobinemia: an industrial outbreak among rubber molding workers. *J Occup Environ Med* 48: 523-528. <http://dx.doi.org/10.1097/01.jom.0000201815.32098.99>.
- Lipczynska-Kochany, E; Kochany, J. (2008). Effect of humic substances on the Fenton treatment of wastewater at acidic and neutral pH. *Chemosphere* 73: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.02>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Liras, M; Gonzalez-Bejar, M; Peinado, E; Frances-Soriano, L; Perez-Prieto, J; Quijada-Garrido, I; Garcia, O. (2014). Thin Amphiphilic Polymer-Capped Upconversion Nanoparticles: Enhanced Emission and Thermoresponsive Properties. *Chem Mater* 26: 4014-4022. <http://dx.doi.org/10.1021/cm501663n>.
- Liss, GM; House, RA; Wills, MC. (2006). Cranial neuropathy associated with chlorinated solvents. Re: Facial nerve palsy after acute exposure to dichloromethane [Letter]. *Am J Ind Med* 49: 310. <http://dx.doi.org/10.1002/ajim.20285>.
- Litterst, CL; Mimnaugh, EG; Reagan, RL; Gram, TE. (1975). Comparison of in vitro drug metabolism by lung, liver, and kidney of several common laboratory species. *Drug Metab Dispos* 3: 259-265.
- Liu, A; Che, H; Jiang, R. (2013). Hexagonal mesoporous fluorescent hybrid materials with electron acceptor viologen units in the framework. *Journal of Porous Materials* 20: 579-586. <http://dx.doi.org/10.1007/s10934-012-9630-x>.
- Liu, A; Han, S; Che, H; Hua, L. (2010). Fluorescent hybrid with electron acceptor methylene viologen units inside the pore walls of mesoporous MCM-48 silica. *Langmuir* 26: 3555-3561. <http://dx.doi.org/10.1021/la904052k>.
- Liu, BL; Wang, M, awL. (2008). Kinetic study of S-Alkylation of 2-mercaptobenzimidazole with allyl bromide in a two-phase medium. *Ind Eng Chem Res* 47: 1784-1792. <http://dx.doi.org/10.1021/ie0709537>.
- Liu, C; Pujol, D; Olivella, MA; de La Torre, F; Fiol, N; Poch, J; Villaescusa, I. (2015). The Role of Exhausted Coffee Compounds on Metal Ions Sorption. *Water Air Soil Pollut* 226: 289-289. <http://dx.doi.org/10.1007/s11270-015-2568-2>.

## Exposure Literature Search Results

### Off Topic

- Liu, C; Ren, Y; Wang, Y. (2014). Reply to "Comments on 'Liquid-Liquid Equilibria for the Quaternary System H<sub>3</sub>PO<sub>4</sub>-NaCl-H<sub>2</sub>O-TBP at 298.15 K". *Journal of Chemical and Engineering Data* 59: 2695-2697. <http://dx.doi.org/10.1021/je500401p>.
- Liu, F, u; Ma, B, iR; Zhou, D; Zhu, L, iJ; Fu, Y, inYi; Xue, L, iXin. (2015). Positively charged loose nanofiltration membrane grafted by diallyl dimethyl ammonium chloride (DADMAC) via UV for salt and dye removal. *React Funct Polym* 86: 191-198. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.003>.
- Liu, FDM; Mojica, ERE; Deocarís, CC. (2008). Angiogenic property of tobacco (*Nicotiana tabacum*) leaves. 33: 97-102.
- Liu, FPP; Rials, TG; Simonsen, J. (1998). Relationship of wood surface energy to surface composition. *Langmuir* 14: 536-541.
- Liu, H; Gu, L. (2012). Phlorotannins from brown algae (*Fucus vesiculosus*) inhibited the formation of advanced glycation endproducts by scavenging reactive carbonyls. *J Agric Food Chem* 60: 1326-1334. <http://dx.doi.org/10.1021/jf204112f>.
- Liu, H; Song, J; Zhang, S; Qu, L; Zhao, Y; Wu, Y; Liu, H. (2005). Analysis of residues of imidacloprid in tobacco by high-performance liquid chromatography with liquid-liquid partition cleanup. *Pest Manag Sci* 61: 511-514. <http://dx.doi.org/10.1002/ps.987>.
- Liu, H; Wang, C; Zou, S; Wei, Z; Tong, Z. (2012). Simple, reversible emulsion system switched by pH on the basis of chitosan without any hydrophobic modification. *Langmuir* 28: 11017-11024. <http://dx.doi.org/10.1021/la3021113>.
- Liu, H; Yao, F; Zhou, Y; Yao, K; Mei, D; Cui, L; Cao, Y. (2005). Porous poly (DL-lactic acid) modified chitosan-gelatin scaffolds for tissue engineering. *J Biomater Appl* 19: 303-322. <http://dx.doi.org/10.1177/0885328205048590>.
- Liu, HC; Lee, IC; Wang, JH; Yang, SH; Young, TH. (2004). Preparation of PLLA membranes with different morphologies for culture of MG-63 Cells. *Biomaterials* 25: 4047-4056. <http://dx.doi.org/10.1016/j.biomaterials.2003.10.098>.
- Liu, HH; Chen, Y, i. (2011). Construction of multi-level fluorescent switch using photochromic diarylethene and fluorescent dye. *Dyes and Pigments* 89: 212-216. <http://dx.doi.org/10.1016/j.dyepig.2010.03.001>.
- Liu, J, inQ; Cao, X, inX; Ji, B; Zhao, B. (2013). Measurement and Correlation of Solubilities of Indole-2-carboxylic Acid in Ten Different Pure Solvents from (278.15 to 360.15) K. *Journal of Chemical and Engineering Data* 58: 3309-3313. <http://dx.doi.org/10.1021/je400813d>.
- Liu, J, inQ; Chen, S, iYu; Ji, B. (2014). Solubility and Thermodynamic Functions of Isatin in Pure Solvents. *Journal of Chemical and Engineering Data* 59: 3407-3414. <http://dx.doi.org/10.1021/je500396b>.
- Liu, J, inQ; Li, Y, aoYao; Wang, A, iYan; Hong, DF; Zhang, L, iYue; Wu, S, ha; Bai, QY, un; Chen, S, iYu. (2014). 4-Amino-3,6-dichloropyridazine Solubility Measurement and Correlation in Seven Pure Organic Solvents from (278.15 to 333.15) K. *Journal of Chemical and Engineering Data* 59: 3947-3952. <http://dx.doi.org/10.1021/je500286x>.
- Liu, J; Liu, C, an; Rong, Y; Huang, G; Rong, L. (2012). Extraction of Limonin from Orange (*Citrus reticulata* Blanco) Seeds by the Flash Extraction Method. 19: 137-145.
- Liu, J, un; Shen, Z; Lee, SH, o; Marquez, M; Mchugh, MA. (2010). Electrospinning in compressed carbon dioxide: Hollow or open-cell fiber formation with a single nozzle configuration. *Journal of Supercritical Fluids* 53: 142-150. <http://dx.doi.org/10.1016/j.supflu.2010.02.016>.
- Liu, J; Wang, S; Zhou, Z; Qu, Y; Zhang, M. (2011). Solubilities of (alpha,Z)-2-Amino-alpha-(methoxyimino)-4-thiazoleethanethioic Acid S-2-Benzothiazolyl Ester in Different Pure Solvents and Binary Mixtures of Tetrahydrofuran plus Dichloromethane or 1,2-Dichloroethane. *Journal of Chemical and Engineering Data* 56: 164-166. <http://dx.doi.org/10.1021/je100890f>.
- Liu, JC; Wang, W; Wang, ZW; Li, GZ; Han, BX. (2002). Complexation-supercritical carbon dioxide extraction of copper ions from solid matrices with thenoyltrifluoroacetone and modifiers. *Separation Science and Technology* 37: 2691-2700.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr<sub>2</sub>O<sub>4</sub> spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci* 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, KL; Han, WJ; Pan, WP; Riley, JT. (2001). Polycyclic aromatic hydrocarbon (PAH) emissions from a coal-fired pilot FBC system. *J Hazard Mater* 84: 175-188.
- Liu, M; Yang, H, ui; Liu, H; Han, P, o; Wang, X, ie; Zhang, S; Wu, Y. (2008). Development of high-performance liquid chromatography and non-aqueous capillary electrophoresis methods for the determination of fenoxycarb residues in wheat samples. *J Sci Food Agric* 88: 62-67. <http://dx.doi.org/10.1002/jsfa.2990>.
- Liu, P; Guo, Y; Xu, Q; Wang, F; Li, Y; Shao, K. (2014). Enhanced photocatalytic performance of ZnO/multi-walled carbon nanotube nanocomposites for dye degradation. *Ceramics International* 40: 5629-5633. <http://dx.doi.org/10.1016/j.ceramint.2013.10.157>.
- Liu, P; Zhong, Y, i; Luo, Y, an. (2014). Preparation of monodisperse biodegradable magnetic microspheres using a T-shaped microchannel reactor. *Mater Lett* 117: 37-40. <http://dx.doi.org/10.1016/j.matlet.2013.11.095>.
- Liu, R; Huang, SS; Wan, YH; Ma, GH; Su, ZG. (2006). Preparation of insulin-loaded PLA/PLGA microcapsules by a novel membrane emulsification method and its release in vitro. *Colloids Surf B Biointerfaces* 51: 30-38. <http://dx.doi.org/10.1016/j.colsurfb.2006.05.014>.
- Liu, R; Ma, GH; Wan, YH; Su, ZG. (2005). Influence of process parameters on the size distribution of PLA microcapsules prepared by combining membrane emulsification technique and double emulsion-solvent evaporation method. *Colloids Surf B Biointerfaces* 45: 144-153. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.004>.
- Liu, R, ui; Xiao, Q, i; Li, Y; Chen, H; Yan, Z; Zhu, H. (2012). Phenylene ethynylene azobenzenes with symmetrical peripheral chromophores: Synthesis, optical properties and photoisomerization behaviors study. *Dyes and Pigments* 92: 626-632. <http://dx.doi.org/10.1016/j.dyepig.2011.06.006>.
- Liu, T; Ozisik, R; Siegel, RW. (2007). Phase separation and surface morphology of spin-coated films of polyetherimide/polycaprolactone immiscible polymer blends. *Thin Solid Films* 515: 2965-2973. <http://dx.doi.org/10.1016/j.tsf.2006.08.049>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.

## Exposure Literature Search Results

### Off Topic

- Liu, W; Huang, C; Jin, X. (2015). Electrospinning of Grooved Polystyrene Fibers: Effect of Solvent Systems. *Nanoscale Res Lett* 10: 949. <http://dx.doi.org/10.1186/s11671-015-0949-5>.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co-ε-caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828. <http://dx.doi.org/10.1016/j.actbio.2010.08.023>.
- Liu, XH, u; Jing-Bai; Qing-Xu; Ren, JR; Zhao, H, eP; Gao, HW, en. (2008). Spectrophotometric determination of sodium dodecylbenzene sulphonate using congo red. *Indian J Chem Tech* 15: 488-492.
- Liu, Y; Crittenden, JC; Wang, L; Liu, P. (2016). Dechlorination and decomposition of chloroform induced by glow discharge plasma in an aqueous solution. *J Hazard Mater* 308: 84-90. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.013>.
- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, Y; Shi, Q; Zhang, Y; He, Y; Chung, KH; Zhao, S; Xu, C. (2012). Characterization of Red Pine Pyrolysis Bio-oil by Gas Chromatography-Mass Spectrometry and Negative-Ion Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. *Energy Fuels* 26: 4532-4539. <http://dx.doi.org/10.1021/ef300501t>.
- Liu, Y, an; Wang, J; Wang, X; Liu, P; Pang, F, ei. (2009). Solubility of Valsartan in Different Organic Solvents and Ethanol plus Water Binary Mixtures from (278.15 to 313.15) K. *Journal of Chemical and Engineering Data* 54: 986-988. <http://dx.doi.org/10.1021/je8007815>.
- Liu, Y, u; Wang, J; Wang, Y; Zhang, Z; Zhu, M; Lei, G; Zhu, W. (2012). Bipolar-transporting dinuclear europium(III) complexes involving carbazole and oxadiazole units: Synthesis, photophysical and electroluminescent properties. *Dyes and Pigments* 95: 322-329. <http://dx.doi.org/10.1016/j.dyepig.2012.05.015>.
- Liu, Y; Wang, L; Han, X. (2013). Self-assembly fabrication of ordered microporous films from a soluble polyimide modified by methyl groups based on Breath Figures. *Desalination and Water Treatment* 51: 5107-5112. <http://dx.doi.org/10.1080/19443994.2013.768382>.
- Liu, Y, enC; Wang, M, awL. (2009). KINETIC STUDY OF S-ALKYLATION OF 2-MERCAPTOBENZIMIDAZOLE CATALYZED BY TETRABUTYLAMMONIUM BROMIDE. *Chemical Engineering Communications* 196: 530-548. <http://dx.doi.org/10.1080/00986440802484515>.
- Liu, Y; Zhao, X; Cai, B; Pei, T; Tong, Y; Tang, Q; Liu, Y. (2014). Controllable fabrication of oriented micro/nanowire arrays of dibenzotetrathiafulvalene by a multiple drop-casting method. *Nanoscale* 6: 1323-1328. <http://dx.doi.org/10.1039/c3nr05680e>.
- Liu, Z; Huang, Y; Zhao, G. (2016). Preparation and Characterization of Activated Carbon Fibers from Liquefied Wood by ZnCl<sub>2</sub> Activation. *BioResources* 11: 3178-3190.
- Liu, Z, hiL; Wang, M, eiX; Liu, C; Jia, J, inF; Vogt, P; Quaresima, C; Ottaviani, C; Olivieri, B; De Padova, P; Le Lay, G, uy. (2014). The fate of the 2 root 3 x 2 root 3 R(30 degrees) silicene phase on Ag(111). 2. <http://dx.doi.org/10.1063/L4894871>.
- Llewellyn-Thomas, HA; Arshinoff, R; Bell, M; Williams, JI; Naylor, CD. (2002). Healthy-year equivalents in major joint replacement - Can patients provide meaningful responses? *Int J Technol Assess Health Care* 18: 467-484.
- Lloyd, JA; Horne, CW; Reid, ML. (1997). Solids, resin and element mass balances in a thermomechanical pulp mill. *Appita* 50: 217-222.
- Loebick, CZ; Majewska, M; Ren, F; Haller, GL; Pfefferle, LD. (2010). Fabrication of Discrete Nanosized Cobalt Particles Encapsulated Inside Single-Walled Carbon Nanotubes. *J Phys Chem C* 114: 11092-11097. <http://dx.doi.org/10.1021/jp1026515>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng* 119: 300-320.
- Loos, R; Hanke, G; Eisenreich, SJ. (2003). Multi-component analysis of polar water pollutants using sequential solid-phase extraction followed by LC-ESI-MS. *J Environ Monit* 5: 384-394. <http://dx.doi.org/10.1039/b300440f>.
- Lopes, JC; Mauri, J; Ferreira, A; Alexandre, RS; de Freitas, AR. (2012). Broccoli production depending on the seed production system and organic and mineral fertilizer. *Horticultura Brasileira* 30: 143-150.
- Lopes, MA; dos Santos, G; Amado, GB. (2008). The financial impact of the traceability in production systems of bovines in the State of Minas Gerais. *Ciencia e Agrotecnologia* 32: 288-294.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordonez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater* 97: 281-294.
- Lopez, S; Topalian, JH; Mitra, SK; Montague, DC. (1989). ABSORPTION AND DESORPTION OF DICHLOROMETHANE VAPOR BY WATER DROPS IN AIR - AN EXPERIMENTAL TEST OF SCAVENGING THEORY. *J Atmos Chem* 8: 175-188.
- López Soto-Yarritu, P; Amigo, L; Taborda, G; Martínez-Castro, I; Gómez-Ruiz, JA. (2007). Short communication: Identification of the aroma compounds responsible for the floral/rose flavor in water-soluble fractions of Manchego cheese. *J Dairy Sci* 90: 5001-5003. <http://dx.doi.org/10.3168/jds.2007-0277>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Urriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ* 30: 303-313.
- Lopez-Fonseca, R; Aranzabal, A; Steltenpohl, P; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2000). Performance of zeolites and product selectivity in the gas-phase oxidation of 1,2-dichloroethane. *Catalysis Today* 62: 367-377.
- Lopez-Fonseca, R; Cibrian, S; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Oxidative destruction of dichloromethane over protonic zeolites. *AIChE J* 49: 496-504.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ* 41: 31-42.

## Exposure Literature Search Results

### Off Topic

- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today* 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Forliscia, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Periago, A, naM; Fraile, J; Garcia-Gonzalez, CA; Domingo, C. (2009). Impregnation of a triphenylpyrylium cation into zeolite cavities using supercritical CO<sub>2</sub>. *Journal of Supercritical Fluids* 50: 305-312. <http://dx.doi.org/10.1016/j.supflu.2009.06.016>.
- Lorenz, J; Glatt, HR; Fleischmann, R; Ferlinz, R; Oesch, F. (1984). Drug metabolism in man and its relationship to that in three rodent species: Monooxygenase, epoxide hydrolase, and glutathione S-transferase activities in subcellular fractions of lung and liver. *Biochem Med* 32: 43-56. [http://dx.doi.org/10.1016/0006-2944\(84\)90007-3](http://dx.doi.org/10.1016/0006-2944(84)90007-3).
- Lorret, O; Francova, D; Waldner, G; Stelzer, N. (2009). W-doped titania nanoparticles for UV and visible-light photocatalytic reactions. *Appl Catal B-Environ* 91: 39-46. <http://dx.doi.org/10.1016/j.apcatb.2009.05.005>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association* 54: 727-740.
- Love, GD; Mcaulay, A; Snape, CE; Bishop, AN. (1997). Effect of process variables in catalytic hydrolysis on the release of covalently bound aliphatic hydrocarbons from sedimentary organic matter. *Energy Fuels* 11: 522-531.
- Love, GD; Snape, CE; Carr, AD; Houghton, RC. (1995). Release of covalently-bound alkane biomarkers in high yields from kerogen via catalytic hydrolysis. *Organic Geochemistry* 23: 981-986.
- Lowenfels, AB; Maisonneuve, P. (2005). Risk factors for pancreatic cancer [Review]. *J Cell Biochem* 95: 649-656. <http://dx.doi.org/10.1002/jcb.20461>.
- Lowenthal, D; Zielinska, B; Mason, B; Samy, S; Samburova, V; Collins, D, on; Spencer, C; Taylor, N; Allen, J; Kumar, N. (2009). Aerosol characterization studies at Great Smoky Mountains National Park, summer 2006. *J Geophys Res Atmos* 114. <http://dx.doi.org/10.1029/2008JD011274>.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lu, H; Kan, A, myT; Zhang, P; Yu, J, ie; Fan, C; Work, S; Tomson, MB. (2012). Phase Stability and Inhibition of Calcium Sulfate in the System NaCl/Monoethylene Glycol/H<sub>2</sub>O. *S P E Journal* 17: 187-197.
- Lu, J; Kong, D; Zhao, L, i; Zhou, Q. (2014). Analysis of oestrogenic hormones in chicken litter by HPLC with fluorescence detection. *Int J Environ Anal Chem* 94: 783-790. <http://dx.doi.org/10.1080/03067319.2014.891108>.
- Lu, J, ie; Li, Y, iP; Wang, J; Ren, G; Rohani, S; Ching, C. (2012). Crystallization of an active pharmaceutical ingredient that oils out. *Separation and Purification Technology* 96: 1-6. <http://dx.doi.org/10.1016/j.seppur.2012.05.015>.
- Lu, JL. (2012). Pesticide Residues in Eggplant During Dry and Wet Seasons in Sta. Maria, Pangasinan. 37: 93-98.
- Lu, L; Jiang, C; Xiufang, W; Pihui, P; Zhuoru, Y. (2006). Synthesis and characterization of suspension polymerized styrene-divinylbenzene porous microsphere using as slow-release-active carrier. *Chinese Journal of Chemical Engineering* 14: 471-477.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol* 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.
- Lu, M; Zhang, Z; Qiao, W; Guan, Y; Xiao, M; Peng, C. (2010). Removal of residual contaminants in petroleum-contaminated soil by Fenton-like oxidation. *J Hazard Mater* 179: 604-611. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.046>.
- Lu, M; Zhang, Z; Qiao, W; Wei, X; Guan, Y; Ma, Q; Guan, Y. (2010). Remediation of petroleum-contaminated soil after composting by sequential treatment with Fenton-like oxidation and biodegradation. *Bioresour Technol* 101: 2106-2113. <http://dx.doi.org/10.1016/j.biortech.2009.11.002>.
- Lu, XB; Zhang, WH; Xiu, JH; He, R; Chen, LG; Li, X. (2003). Removal of the template molecules from MCM-41 with supercritical fluid in a flow apparatus. *Ind Eng Chem Res* 42: 653-656. <http://dx.doi.org/10.1021/ie020422c>.
- Lu, Y; Pignatello, JJ. (2002). Demonstration of the "conditioning effect" in soil organic matter in support of a pore deformation mechanism for sorption hysteresis. *Environ Sci Technol* 36: 4553-4561. <http://dx.doi.org/10.1021/es020554x>.
- Luca, OR; Mccrory, CCL; Dalleska, NF; Koval, CA. (2015). The Selective Electrochemical Conversion of Preactivated CO<sub>2</sub> to Methane. *J Electrochem Soc* 162: H473-H476. <http://dx.doi.org/10.1149/2.0371507jes>.
- Lucas, D; Ferrara, R; Gonzalez, E; Bodenez, P; Albores, A; Manno, M; Berthou, F. (1999). Chlorzoxazone, a selective probe for phenotyping CYP2E1 in humans. *Pharmacogenetics* 9: 377-388.
- Lucchesi, C; Ferreira, BM; Duek, EA; Santos, AR; Joazeiro, PP. (2008). Increased response of Vero cells to PHBV matrices treated by plasma. *J Mater Sci Mater Med* 19: 635-643. <http://dx.doi.org/10.1007/s10856-007-0169-3>.

## Exposure Literature Search Results

### Off Topic

- Luchita, G; Bondar, MV; Yao, S; Mikhailov, IA; Yanez, CO; Przhonska, OV; Masunov, AE; Belfield, KD. (2011). Efficient photochromic transformation of a new fluorenyl diarylethene: one- and two-photon absorption spectroscopy. 3: 3559-3567. <http://dx.doi.org/10.1021/am200783c>.
- Lugmair, CG; Tilley, TD; Rheingold, AL. (1997). Zinc di(tert-butyl)phosphate complexes as precursors to zinc phosphates. Manipulation of zincophosphate structures. *Chem Mater* 9: 339-348.
- Lugo, L; Comunas, MJP; Lopez, ER; Fernandez, J. (2001). (p, V-m, T, x) measurements of dimethyl carbonate plus octane binary mixtures I. Experimental results, isothermal compressibilities, isobaric expansivities and internal pressures. *Fluid Phase Equilibria* 186: 235-255.
- Lukes, V; Danko, M; Andicsova, A; Hrdlovic, P; Vegh, D. (2013). The synthesis and examination of spectral properties of some 2,2'-bithienyl derivatives with carbonyl-containing substituents. *Synthetic Metals* 165: 17-26. <http://dx.doi.org/10.1016/j.synthmet.2012.12.021>.
- Lukes, V; Eckstein, AA; Vegh, D; Weiter, M; Krajcovic, J. (2015). Electronic structure and spectroscopic properties of (2S,3S)-2,3-diphenyl-5,6-diheteroaryl-2,3-dihydropyrazines and their model oligomers. *Synthetic Metals* 199: 319-328. <http://dx.doi.org/10.1016/j.synthmet.2014.11.035>.
- Lundegard, PD; Sweeney, RE; Corona, V. (2003). Supercritical fluid extraction for forensic analysis of hydrocarbons in soil. *Environ Forensics* 4: 313-317.
- Lungwitz, R; Spange, S. (2008). Structure and Polarity of the Phase Boundary of N-Methylimidazolium Chloride/Silica. *J Phys Chem C* 112: 19443-19448. <http://dx.doi.org/10.1021/jp806422g>.
- Luo, ZH; Shi, H; Zhu, HJ; Song, GL; Liu, YY. (2012). A new blue light-emitting terphenyl-bridged bisbenzimidazolium salts: Synthesis, crystal structure, and photophysical properties. *Dyes and Pigments* 92: 596-602. <http://dx.doi.org/10.1016/j.dyepig.2011.06.030>.
- Luo, ZK; Song, LX; Cai, HH; Liu, JH; Hong, WL; Huang, JS. (2006). Photo-catalytic de-chlorination of chlorinated methane by titanium oxide sol. *Wuji Cailiao Xuebao* 21: 145-150.
- Luong, BX; Petre, AL; Hoelderich, W; Commarieu, A; Laffitte, JA; Espeillac, M; Souchet, JC. (2004). Use of methanesulfonic acid as catalyst for the production of linear alkylbenzenes. *J Catal* 226: 301-307. <http://dx.doi.org/10.1016/j.jcat.2004.05.025>.
- Luong-Van, E; Grä, ndahl, L; Chua, KN; Leong, KW; Nurcombe, V; Cool, SM. (2006). Controlled release of heparin from poly([epsilon]-caprolactone) electrospun fibers. *Biomaterials* 27: 2042-2050. <http://dx.doi.org/10.1016/j.biomaterials.2005.10.028>.
- Luong-Van, E; Grøndahl, L; Nurcombe, V; Cool, S. (2007). In vitro biocompatibility and bioactivity of microencapsulated heparan sulfate. *Biomaterials* 28: 2127-2136. <http://dx.doi.org/10.1016/j.biomaterials.2007.01.002>.
- Luque, NB; Vélez, P; Pötting, K; Santos, E. (2012). Ab initio studies of the electronic structure of L-cysteine adsorbed on Ag(111). *Langmuir* 28: 8084-8099. <http://dx.doi.org/10.1021/la301107k>.
- Lutz-Roder, A; Jezussek, M; Winterhalter, P. (1999). Nickel peroxide induced oxidation of canthaxanthin. *J Agric Food Chem* 47: 1887-1891.
- Luu, HMD; Biles, J; White, KD. (1994). CHARACTERIZATION OF POLYESTERURETHANE DEGRADATION PRODUCTS. 5: 1-7.
- Luvsanjamba, M; Sercu, B; Ketes, S; Van Langenhove, H. (2007). Thermophilic biotrickling filtration of a mixture of isobutyraldehyde and 2-pentanone. *J Chem Tech Biotechnol* 82: 74-80. <http://dx.doi.org/10.1002/jctb.1639>.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry* 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.
- Lv, B; Xiao, J; Zhou, J; Zhang, X; Duan, J; Su, W; Zhao, J. (2016). Synthesis, Crystal Analyses, Physical Properties, and Electroluminescent Behavior of Unsymmetrical Heterotwistacenes. 8: 18998-19003. <http://dx.doi.org/10.1021/acsami.6b07304>.
- Lv, HS; Zhao, B, aoX; Li, J, iKun; Xia, Y; Lian, S; Liu, W, eiY; Gong, ZL. (2010). The synthesis, characterization and optical properties of novel, substituted, pyrazoly 1,3,4-oxadiazole derivatives. *Dyes and Pigments* 86: 25-31. <http://dx.doi.org/10.1016/j.dyepig.2009.11.003>.
- Lv, Q, iuNan; Li, XS, en; Chen, ZY; Feng, JC. (2013). Phase Equilibrium and Dissociation Enthalpies for Hydrates of Various Water-Insoluble Organic Promoters with Methane. *Journal of Chemical and Engineering Data* 58: 3249-3253. <http://dx.doi.org/10.1021/je4007025>.
- Lv, X, in; Wang, Z; Chen, XM. (2011). Structure and dielectric characteristics of Ca(Fe<sub>1</sub>/2Ta<sub>1</sub>/2)O<sub>3</sub> complex perovskite ceramics. *Ceramics International* 37: 1033-1037. <http://dx.doi.org/10.1016/j.ceramint.2010.11.036>.
- Lyddiard, JRA; Bartlett, A; Gray, B; Whitfield, PJ. (1998). The use of video-imaging to assess the sub-lethal impact of plant secondary compounds on *Schistosoma mansoni* miracidia. *J Helminthol* 72: 237-241.
- Lyddiard, JRA; Whitfield, PJ. (2001). Inhibition of Site I mitochondrial electron transport by an extract of the seeds of *Milletia thonningii*: a potential mechanism for the plant's molluscicidal and schistosome larvicidal activity. *J Helminthol* 75: 259-265.
- Lydon, J; Teasdale, JR; Chen, PK. (1997). Allelopathic activity of annual wormwood (*Artemisia annua*) and the role of artemisinin. *Weed Sci* 45: 807-811.
- Lyng, E. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 56: 215-215.
- Lyng, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyubimov, SE; Said-Galiev, EE; Khokhlov, AR; Loim, NM; Popova, LN; Petrovskii, PV; Davankov, VA. (2008). The use of monodentate phosphites and phosphoramidites as effective ligands for Rh-catalyzed asymmetric hydrogenation in supercritical carbon dioxide. *Journal of Supercritical Fluids* 45: 70-73. <http://dx.doi.org/10.1016/j.supflu.2007.12.003>.
- Ma, B; Agblevor, F. (2016). Separation and Hydroprocessing of HZSM-5 Catalytic Olive Mill Waste Sludge Bio-oil. *Energy Fuels* 30: 10524-10533. <http://dx.doi.org/10.1021/acs.energyfuels.6b02194>.

## Exposure Literature Search Results

### Off Topic

- Ma, B; Chen, HH; He, Y; Wang, HZ; Xu, JM. (2010). Evaluation of toxicity risk of polycyclic aromatic hydrocarbons (PAHs) in crops rhizosphere of contaminated field with sequential extraction. *Journal of Soils and Sediments* 10: 955-963. <http://dx.doi.org/10.1007/s11368-010-0212-8>.
- Ma, C; Du, G; Cao, Y; Yu, S; Cheng, C; Jiang, W; Chang, Y; Wang, X, u; Cong, F; Yu, H. (2007). Synthesis and electrochemistry of a substituted phthalocyaninatozinc. *Dyes and Pigments* 72: 267-270. <http://dx.doi.org/10.1016/j.dyepig.2005.08.024>.
- Ma, CCM; Lee, CL; Tai, NH. (1992). CHEMICAL-RESISTANCE OF CARBON FIBER-REINFORCED POLY(ETHER ETHER KETONE) AND POLY(PHENYLENE SULFIDE) COMPOSITES. *Polymer Composites* 13: 435-440.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci* 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al2O3 catalysts for dichloromethane oxidation. *Catalysis Today* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, R, ui; Zhu, J; Wu, B; Li, X. (2016). Adsorptive removal of organic chloride from model jet fuel by Na-LSX zeolite: Kinetic, equilibrium and thermodynamic studies. *Chem Eng Res Des* 114: 321-330. <http://dx.doi.org/10.1016/j.cherd.2016.08.028>.
- Ma, TY, i; Li, H, ui; Tang, A; Yuan, ZY. (2011). Ordered, Mesoporous Metal Phosphonate Materials with Microporous Crystalline Walls for Selective Separation Techniques. *Small* 7: 1827-1837. <http://dx.doi.org/10.1002/sml.201100389>.
- Ma, X; Green, SA. (2008). Fractionation and Spectroscopic Properties of Fulvic Acid and its Extract. *Chemosphere* 72: 1425. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.029>.
- Ma, X; Niu, H; Wen, H; Wang, S; Lian, Y; Jiang, X; Wang, C; Bai, X; Wang, W, en. (2015). Synthesis, electrochromic, halochromic and electro-optical properties of polyazomethines with a carbazole core and triarylamine units serving as functional groups. 3: 3482-3493. <http://dx.doi.org/10.1039/c4tc02400a>.
- Ma, X; Ran, Y; Gong, J; Chen, D. (2010). Sequential accelerated solvent extraction of polycyclic aromatic hydrocarbons with different solvents: performance and implication. *J Environ Qual* 39: 2072-2079. <http://dx.doi.org/10.2134/jeq2010.0163>.
- Ma, XM; Zhang, MX; Min, FF. (2015). A Study of Organic Sulfur Analysis in Coal Using Non-destructive Techniques. *Energ Source Part A* 37: 2716-2723. <http://dx.doi.org/10.1080/15567036.2012.736916>.
- Ma, Y; Wang, Q; Wang, X; Sun, X; Wang, X. (2015). A comprehensive study on activated carbon prepared from spent shiitake substrate via pyrolysis with ZnCl2. *Journal of Porous Materials* 22: 157-169. <http://dx.doi.org/10.1007/s10934-014-9882-8>.
- Ma, Z; Li, Q; Yue, Q; Gao, B; Li, W; Xu, X; Zhong, Q. (2011). Adsorption removal of ammonium and phosphate from water by fertilizer controlled release agent prepared from wheat straw. *Chem Eng J* 171: 1209-1217. <http://dx.doi.org/10.1016/j.cej.2011.05.027>.
- Machado, FRS, Jr; Reis, DF; Boschetto, DL; Burkert, JFM; Ferreira, SRS; Oliveira, JV; Burkert, CAV. (2014). Encapsulation of astaxanthin from *Haematococcus pluvialis* in PHBV by means of SEDS technique using supercritical CO2. *Ind Crop Prod* 54: 17-21. <http://dx.doi.org/10.1016/j.indcrop.2014.01.007>.
- Machado, L; Magnusson, M; Paul, NA; Kinley, R; de Nys, R; Tomkins, N. (2016). Identification of bioactives from the red seaweed *Asparagopsis taxiformis* that promote antimethanogenic activity in vitro. *J Appl Phycol* 28: 3117-3126. <http://dx.doi.org/10.1007/s10811-016-0830-7>.
- Macharia, PW; Yillia, PT; Muia, WA; Byamukama, D; Kreuzinger, N. (2015). Microbial quality of domestic water: following the contamination chain in a rural township in Kenya. *J Water Sanit Hyg Dev* 5: 39-49. <http://dx.doi.org/10.2166/washdev.2014.070>.
- Macherzynski, B; Wlodarczyk-Makula, M; Nowacka, A. (2012). SIMPLIFICATION OF THE PROCEDURE OF PREPARING SAMPLES FOR PAHs AND PCBs DETERMINATION. *Arch Environ Prot* 38: 23-33. <http://dx.doi.org/10.2478/v10265-012-0037-1>.
- Macisaac, J; Harrison, R; Krishnaswami, J; McNary, J; Suchard, J; Boysen-Osborn, M; Cierpich, H; Styles, L; Shusterman, D. (2013). Fatalities due to dichloromethane in paint strippers: a continuing problem. *Am J Ind Med* 56: 907-910. <http://dx.doi.org/10.1002/ajim.22167>.
- Macit, M; Bati, B; Ozdemir, M. (1995). SYNTHESIS OF N-(2,6-DIMETHYLPHENYL)AMINOGLYOXIME AND ITS USE FOR SPECTROPHOTOMETRIC DETERMINATION OF NICKEL(II) AND COPPER(II). *Turkish Journal of Chemistry* 19: 127-134.
- Mackenzie, K; Frenzel, H; Kopinke, FD. (2006). Hydrodehalogenation of halogenated hydrocarbons in water with Pd catalysts: Reaction rates and surface competition. *Appl Catal B-Environ* 63: 161-167. <http://dx.doi.org/10.1016/j.apcatb.2005.10.004>.
- MacLennan, MS; Tie, C; Kovalchik, K; Peru, KM; Zhang, X; Headley, JV; Chen, DD. (2016). Potential of capillary electrophoresis mass spectrometry for the characterization and monitoring of amine-derivatized naphthenic acids from oil sands process-affected water. *J Environ Sci* 49: 203-212. <http://dx.doi.org/10.1016/j.jes.2016.06.019>.
- Macleod, CJA; Semple, KT. (2000). Influence of contact time on extractability and degradation of pyrene in soils. *Environ Sci Technol* 34: 4952-4957. <http://dx.doi.org/10.1021/es000061x>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maddalena, RL; Mckone, TE; Kado, NY. (1998). Simple and rapid extraction of polycyclic aromatic hydrocarbons collected on polyurethane foam adsorbent. *Atmos Environ* 32: 2497-2503.
- Madhuri, UD; Rao, VK; Hariprasad, E; Radhakrishnan, TP. (2016). In situ fabricated platinum-poly(vinyl alcohol) nanocomposite thin film: a highly reusable 'dip catalyst' for hydrogenation. 3. <http://dx.doi.org/10.1088/2053-1591/3/4/045018>.
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).



## Exposure Literature Search Results

### Off Topic

- Maeda, H; Okada, M; Fujii, S; Nakamura, Y; Furuzono, T. (2010). Pickering-type water-in-oil-in-water multiple emulsions toward multihollow nanocomposite microspheres. *Langmuir* 26: 13727-13731. <http://dx.doi.org/10.1021/la102529d>.
- Magbanua, BS; Mitchell, DR; Fehniger, SM; Bowyer, RL; Grady, CPL. (2000). Quantification of synthetic organic chemicals in biological treatment process effluent using solid-phase microextraction and gas chromatography. *Water Environ Res* 72: 98-104.
- Maguire, RJ; Comba, ME; Cannon, CM. (2002). Concentrations of some lipophilic chemicals in fresh water may be underestimated by conventional dichloromethane extraction. *Water Qual Res J Can* 37: 587-598.
- Maguire, RJ; Tkacz, RJ; Batchelor, SP. (1993). Extraction efficiencies of hydrocarbons from Niagara River water. *Environ Toxicol Chem* 12: 805-811.
- Mahdaoui, F; Reisberg, L; Michels, R; Hautevelle, Y; Poirier, Y; Girard, JP. (2013). Effect of the progressive precipitation of petroleum asphaltene on the Re-Os radioisotope system. *Chem Geol* 358: 90-100. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.038>.
- Mahdavi, H; Razmi, F; Shahalizade, T. (2016). Polyurethane TFC nanofiltration membranes based on interfacial polymerization of poly(bis-MPA) and MDI on the polyethersulfone support. *Separation and Purification Technology* 162: 37-44. <http://dx.doi.org/10.1016/j.seppur.2016.02.018>.
- Mahieux, J; Sanselme, M; Harthong, S; Melan, C; Aronica, C; Guy, L; Coquerel, G. (2013). Preparative Resolution of (+/-)-Bis-tetralone by Means of Autoseeded Preferential Crystallization Induced by Solvent Evaporation (ASPreCISE). *Cryst Growth Des* 13: 3621-3631. <http://dx.doi.org/10.1021/cg400589u>.
- Mahima, S; Chaki, NK; Sharma, J; Kakade, BA; Pasricha, R; Rao, AM; Vijayamohan, K. (2006). Electrochemical organization of monolayer protected gold nanoclusters on single-walled carbon nanotubes: Significantly enhanced double layer capacitance. *J Nanosci Nanotechnol* 6: 1387-1391. <http://dx.doi.org/10.1166/jnn.2006.323>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahlo, SM; McGaw, LJ; Eloff, JN. (2010). Antifungal activity of leaf extracts from South African trees against plant pathogens. *Crop Protection* 29: 1529-1533. <http://dx.doi.org/10.1016/j.cropro.2010.08.015>.
- Mahmood, I. (2005). Interspecies pharmacokinetic scaling: Principles and application of allometric scaling. Rockville, MD: Pine House Publishers.
- Mahmoodi, NM. (2014). Binary Catalyst System Dye Degradation Using Photocatalysis. *Fibers and Polymers* 15: 273-280. <http://dx.doi.org/10.1007/s12221-014-0273-1>.
- Mahmoodi, NM; Arami, M; Zhang, J. (2011). Preparation and photocatalytic activity of immobilized composite photocatalyst (titania nanoparticle/activated carbon). *J Alloy Comp* 509: 4754-4764. <http://dx.doi.org/10.1016/j.jallcom.2011.01.146>.
- Mahmoud, SS. (2009). Electroless deposition of nickel and copper on titanium substrates: Characterization and application. *J Alloy Comp* 472: 595-601. <http://dx.doi.org/10.1016/j.jallcom.2008.05.079>.
- Mahmud, M; Kales, SN. (1999). Methylene chloride poisoning in a cabinet worker. *Environ Health Perspect* 107: 769-772.
- Maier, A; Fakhrnabavi, H; Rabindranath, AR; Tieke, B. (2011). Supramolecular assembly of electrochromic films of terpyridine-functionalized polyiminocarbazolyene metal complexes. *J Mater Chem* 21: 5795-5804. <http://dx.doi.org/10.1039/c0jm03580g>.
- Mainardes, RM; Evangelista, RC. (2005). Praziquantel-loaded PLGA nanoparticles: preparation and characterization. *J Microencapsul* 22: 13-24. <http://dx.doi.org/10.1080/02652040400026285>.
- Maiti, S; Purakayastha, S; Ghosh, B. (2008). Production of low-cost carbon adsorbents from agricultural wastes and their impact on dye adsorption. *Chemical Engineering Communications* 195: 386-403. <http://dx.doi.org/10.1080/00986440701707917>.
- Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. *Journal of Supercritical Fluids* 40: 101-110. <http://dx.doi.org/10.1016/j.supflu.2006.03.027>.
- Major, D; Zhang, Q; Wang, G; Wang, H, e. (2012). Oil-dispersant mixtures: understanding chemical composition and its relation to human toxicity. *Toxicol Environ Chem* 94: 1832-1845. <http://dx.doi.org/10.1080/02772248.2012.730202>.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res* 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Makarewicz, E; Michalik, A. (2011). Rheological studies of poly(vinyl chloride) plastisol dyed with inorganic pigments. *Przemysł Chemiczny* 90: 122-127.
- Makha, M; Evans, CW; Sobolev, AN; Raston, CL. (2008). Linear arrays of interlocking calixarenes in controlling the interplay of fullerene C-60 molecules. *Cryst Growth Des* 8: 2929-2932. <http://dx.doi.org/10.1021/cg800045u>.
- Makhoukhi, B; Didi, MA; Moulessehou, H; Azzouz, A; Villemin, D. (2010). Diphosphonium ion-exchanged montmorillonite for Telon dye removal from aqueous media. *Appl Clay Sci* 50: 354-361. <http://dx.doi.org/10.1016/j.clay.2010.08.026>.
- Makhoukhi, B; Didi, MA; Villemin, D. (2008). Modification of bentonite with diphosphonium salts: Synthesis and characterization. *Mater Lett* 62: 2493-2496. <http://dx.doi.org/10.1016/j.matlet.2007.12.026>.
- Makireddi, S, ai; Shivaprasad, S; Kosuri, G; Varghese, FV; Balasubramaniam, K. (2015). Electro-elastic and piezoresistive behavior of flexible MWCNT/PMMA nanocomposite films prepared by solvent casting method for structural health monitoring applications. *Compos Sci Tech* 118: 101-107. <http://dx.doi.org/10.1016/j.compscitech.2015.08.014>.
- Malachova, K. (1999). Using short-term mutagenicity tests for the evaluation of genotoxicity of contaminated soils. *Journal of Soil Contamination* 8: 667-680.

## Exposure Literature Search Results

### Off Topic

- Malachova, K; Kukutschova, J; Rybkova, Z; Sezimova, H; Placha, D; Cabanova, K; Filip, P. (2016). Toxicity and mutagenicity of low-metallic automotive brake pad materials. *Ecotoxicol Environ Saf* 131: 37-44. <http://dx.doi.org/10.1016/j.ecoenv.2016.05.003>.
- Malagnini, L; Mayeda, K; Uhrhammer, R; Akinci, A; Herrmann, RB. (2007). A regional ground-motion excitation/attenuation model for the San Francisco region. *Seismological Society of America Bulletin* 97: 843-862. <http://dx.doi.org/10.1785/0120060101>.
- Malagoni, RA; Franco, MR, Jr. (2007). A simple apparatus for data solubility determination. *Fluid Phase Equilibria* 255: 93-97. <http://dx.doi.org/10.1016/j.fluid.2007.03.032>.
- Malakootian, M; Fatehizadeh, A. (2010). COLOR REMOVAL FROM WATER BY COAGULATION/CAUSTIC SODA AND LIME. *Iranian Journal of Environmental Health Science and Engineering* 7: 267-272.
- Maldas, D; Kokta, BV. (1991). STUDIES ON THE PREPARATION AND PROPERTIES OF PARTICLE BOARDS MADE FROM BAGASSE AND PVC .2. INFLUENCE OF THE ADDITION OF COUPLING AGENTS. *Bioresour Technol* 35: 251-261.
- Maleki, H; Gharehaghaji, AA; Moroni, L; Dijkstra, PJ. (2013). Influence of the solvent type on the morphology and mechanical properties of electrospun PLLA yarns. *Biofabrication* 5: 035014. <http://dx.doi.org/10.1088/1758-5082/5/3/035014>.
- Maliakal, S; Cheney, DP; Rorrer, GL. (2001). Halogenated monoterpene production in regenerated plantlet cultures of *Ochtodes secundiramea* (Rhodophyta, Cryptonemiales). *J Phycol* 37: 1010-1019.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH<sub>2</sub>Cl<sub>2</sub> over Pd/gamma-Al<sub>2</sub>O<sub>3</sub>. Correlation with the hydrodechlorination of CCl<sub>2</sub>F<sub>2</sub> (CFC-12). *Appl Catal B-Environ* 19: L79-L86.
- Malkoc, S; Banar, M; Tuylu, BA; Korkmaz, S; Can, OD. (2006). An evaluation of the bottom ashes from healthcare waste in a laboratory scale incinerator: Microbiology, mutagenicity and toxicity. *Fresen Environ Bull* 15: 229-238.
- Mallakpour, S; Rafiemanzelat, F. (2005). Synthesis and characterization of new optically active poly(amide-imide-urethane) thermoplastic elastomers, derived from bis(p-amido benzoic acid)-N-trimellitylimido-L-leucine and polyoxyethylene-MDI. *React Funct Polym* 62: 153-167. <http://dx.doi.org/10.1016/j.reactfunctpolym.2004.11.005>.
- Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. *React Funct Polym* 68: 1459-1466. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004>.
- Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing L-Tyrosine Moiety Under Green Media. *Journal of Polymers and the Environment* 18: 685-695. <http://dx.doi.org/10.1007/s10924-010-0234-8>.
- Mallard, C; Coudane, J; Rault, I; Vert, M. (2000). In vitro delivery of a sparingly water soluble compound from PLA50 microparticles. *J Microencapsul* 17: 13-28.
- Mallinson, P; Claridge, JB; Iddles, D; Price, T; Ibberson, RM; Allix, M; Rosseinsky, MJ. (2006). New 10-layer hexagonal perovskites: Relationship between cation and vacancy ordering and microwave dielectric loss. *Chem Mater* 18: 6227-6238. <http://dx.doi.org/10.1021/cm0616477>.
- Mallouchos, A; Skandamis, P; Loukatos, P; Komaitis, M; Koutinas, A; Kanellaki, M. (2003). Volatile compounds of wines produced by cells immobilized on grape skins. *J Agric Food Chem* 51: 3060-3066. <http://dx.doi.org/10.1021/jf026177p>.
- Maltha, CRA; Barbosa, LCA; Azevedo, MAB; Colodette, JL. (2011). Behavior of Eucalyptus Kraft Pulp Extractives Components across ECF Bleaching and Their Impact on Brightness Reversion. *Journal of Wood Chemistry and Technology* 31: 103-120. <http://dx.doi.org/10.1080/02773813.2010.502283>.
- Malwade, CR; Qu, H; Rong, B, enG; Christensen, LP. (2014). Chemometrics for Analytical Data Mining in Separation Process Design for Recovery of Artemisinin from *Artemisia annua*. *Ind Eng Chem Res* 53: 5582-5589. <http://dx.doi.org/10.1021/ie404233z>.
- Malzert, A; Boury, F; Saulnier, P; Benoit, JP; Proust, JE. (2002). Rheological study of lysozyme and PEG2000 at the air-water and dichloromethane-water interfaces under ramp type or sinusoidal perturbations. *Langmuir* 18: 10248-10254. <http://dx.doi.org/10.1021/la0206231>.
- Mamaliga, I; Negoescu, C. (2012). SOME ASPECTS OF TWO STAGE DIFFUSION IN POLYMER FILMS AND MEMBRANES. *Environmental Engineering and Management Journal* 11: 2091-2099.
- Mamaliga, I; Schabel, W. (2008). DIFFUSION CLOSE TO GLASS TRANSITION TEMPERATURE OF DICHLOROMETHANE IN CELLULOSE TRIACETATE FILMS. *Cellulose Chemistry and Technology* 42: 345-351.
- Manafi, S; Nadali, H; Irani, HR. (2008). Low temperature synthesis of multi-walled carbon nanotubes via a sonochemical/hydrothermal method. *Mater Lett* 62: 4175-4176. <http://dx.doi.org/10.1016/j.matlet.2008.05.072>.
- Mancilla, Y; Mendoza, A; Fraser, MP; Herckes, P. (2016). Organic composition and source apportionment of fine aerosol at Monterrey, Mexico, based on organic markers. *Atmos Chem Phys* 16: 953-970. <http://dx.doi.org/10.5194/acp-16-953-2016>.
- Mandal, AK; Das, RK; Maity, A; Sahoo, GR. (2016). Gastrin peptide isolation in broiler chicken. *Indian Journal of Animal Research* 50: 140-141.
- Mandal, S; Alam, S. (2013). Studies on gamma radiation resistance polyethersulphone films reinforced by lead oxide. *Mater Res Innovat* 17: 373-376. <http://dx.doi.org/10.1179/1433075X12Y.0000000056>.
- Mandal, TK. (1999). Effect of solvent on the characteristics of pentamidine loaded microcapsule. *J Biomater Sci Polym Ed* 10: 1-17.
- Mandieh, ZM; Mottaghitlab, V; Piri, N; Haghi, AK. (2012). Conductive chitosan/multi walled carbon nanotubes electrospun nanofiber feasibility. *Korean J Chem Eng* 29: 111-119. <http://dx.doi.org/10.1007/s11814-011-0129-y>.
- Mandoli, C; Pagliari, F; Pagliari, S; Forte, G; Di Nardo, P; Licocchia, S; Traversa, E. (2010). Stem Cell Aligned Growth Induced by CeO<sub>2</sub> Nanoparticles in PLGA Scaffolds with Improved Bioactivity for Regenerative Medicine. *Adv Funct Mater* 20: 1617-1624. <http://dx.doi.org/10.1002/adfm.200902363>.

## Exposure Literature Search Results

### Off Topic

- Mangas, E; Vaquero, MT; Comellas, L; Broto-Puig, F. (1998). Analysis and fate of aliphatic hydrocarbons, linear alkylbenzenes, polychlorinated biphenyls and polycyclic aromatic hydrocarbons in sewage sludge-amended soils. *Chemosphere* 36: 61-72.
- Manilal, A; Selvin, J; Sugathan, S; Panikkar, MVN. (2012). EVALUATION OF THERAPEUTIC EFFICACY OF INDIAN GREEN ALGA, *Acrosiphonia orientalis* (J. AGARDH) IN THE TREATMENT OF VIBRIOSIS IN *Penaeus monodon*. *Thalassas* 28: 33-46.
- Manilal, A; Sujith, S; Kiran, GS; Selvin, J; Shakir, C; Gandhimathi, R; Panikkar, MVN. (2009). BIOPOTENTIALS OF SEAWEEDES COLLECTED FROM SOUTHWEST COAST OF INDIA. *Journal of Marine Science and Technology* 17: 67-73.
- Manji, A; Karagiannis, J; Salgar, S; Constant, J. (2005). Pitch reduction in a kraft aspen integrated mill pulping fresh chips. *Tappi Journal* 4: 3-8.
- Mannistu, KD; Yarranton, HW; Masliyah, JH. (1997). Solubility modeling of asphaltenes in organic solvents. *Energy Fuels* 11: 615-622.
- Manoj, K; Gonnade, RG; Bhadbhade, MM; Shashidhar, MS. (2006). Subtle crossover from C-H center dot center dot center dot O to S=O center dot center dot center dot C=O short contacts in the association of diastereomers of 2,4(6)-di-O-benzoyl-6(4)-O-[(1S)-10-camphorsulfonyl]-myo-inositol 1,3,5-orthoformate upon formation of pseudopolymorphs. *Cryst Growth Des* 6: 1485-1492. <http://dx.doi.org/10.1021/cg0601271>.
- Manshina, AA; Povolotskiy, AV; Povolotskaya, AV; Ivanova, TY, u; Koshevoy, IO; Tunik, SP; Suvanto, M; Pakkanen, TA. (2012). Laser-induced heterometallic phase deposition from solutions of supramolecular complexes. *Surf Coating Tech* 206: 3454-3458. <http://dx.doi.org/10.1016/j.surfcoat.2012.02.010>.
- Manson, J; Dixon, D. (2012). The influence of solvent processing on polyester bioabsorbable polymers. *J Biomater Appl* 26: 623-634. <http://dx.doi.org/10.1177/0885328210376997>.
- Manson, J; Kumar, D; Meenan, BJ; Dixon, D. (2011). Polyethylene glycol functionalized gold nanoparticles: the influence of capping density on stability in various media. *Gold Bulletin* 44: 99-105. <http://dx.doi.org/10.1007/s13404-011-0015-8>.
- Manu, R; Jayakrishnan, S. (2012). Effect of organic dye on copper metallization of high aspect ratio through hole for interconnect application. *Mater Chem Phys* 135: 425-432. <http://dx.doi.org/10.1016/j.matchemphys.2012.05.003>.
- Manyin, T; Rowe, CL. (2010). Reproductive and life stage-specific effects of aqueous copper on the grass shrimp, *Palaemonetes pugio*. *Mar Environ Res* 69: 152-157. <http://dx.doi.org/10.1016/j.marenvres.2009.09.006>.
- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of  $\beta$ -carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400. <http://dx.doi.org/10.1016/j.biortech.2013.02.019>.
- Marcomini, A; Cecchi, F; Sfriso, A. (1991). ANALYTICAL EXTRACTION AND ENVIRONMENTAL REMOVAL OF ALKYL BENZENE SULFONATES, NONYLPHENOL AND NONYLPHENOL MONOETHOXYLATE FROM DATED SLUDGE-ONLY LANDFILLS. *Environ Technol* 12: 1047-1054.
- Margon, A; Fornasier, F. (2008). Determining soil enzyme location and related kinetics using rapid fumigation and high-yield extraction. *Soil Biol Biochem* 40: 2178-2181. <http://dx.doi.org/10.1016/j.soilbio.2008.02.006>.
- Mari, A; Imperatori, P; Marchegiani, G; Pilloni, L; Mezzi, A; Kaciulis, S; Cannas, C; Meneghini, C; Mobilio, S; Suber, L. (2010). High yield synthesis of pure alkanethiolate-capped silver nanoparticles. *Langmuir* 26: 15561-15566. <http://dx.doi.org/10.1021/la102062p>.
- Marimuthu, M; Kim, S; An, J. (2010). Amphiphilic triblock copolymer and a microfluidic device for porous microfiber fabrication. *Soft Matter* 6: 2200-2207. <http://dx.doi.org/10.1039/b924704a>.
- Marinari, S; Liburdi, K; Corradini, D; Grego, S. (2010). Reversed-phase high performance liquid chromatographic profile of organic fractions extracted by solvents with different polarity as a tool to evaluate the hydrophobic character of soil under different management. *Soil Till Res* 109: 36-40. <http://dx.doi.org/10.1016/j.still.2010.04.004>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng* 120: 1207-1231.
- Marino, DJ. (2012). AGE-SPECIFIC ABSOLUTE AND RELATIVE ORGAN WEIGHT DISTRIBUTIONS FOR B6C3F1 MICE. *J Toxicol Environ Health A* 75: 76-99. <http://dx.doi.org/10.1080/15287394.2011.625548>.
- Marin-Sanchez, M; Ocon, P; Conde, A; Garcia, I. (2014). Electrodeposition of Zn-Mn coatings on steel from 1-ethyl-3-methylimidazolium bis (trifluoromethanesulfonyl) imide ionic liquid. *Surf Coating Tech* 258: 871-877. <http://dx.doi.org/10.1016/j.surfcoat.2014.07.064>.
- Mariscal, R; Pena, MA; Fierro, JLG. (1995). PROMOTER EFFECTS OF DICHLOROMETHANE ON THE OXIDATIVE COUPLING OF METHANE OVER MNMGO CATALYSTS. *Appl Catal A-Gen* 131: 243-261.
- Markiewicz, KV; Howie, LE; Safe, SH; Donnelly, KC. (1996). Mutagenic potential of binary and complex mixtures using different enzyme induction systems. *J Toxicol Environ Health* 47: 443-451. <http://dx.doi.org/10.1080/009841096161591>.
- Marklevitz, SAC; Almeida, E; Flemming, J; Hellou, J. (2008). Determining the bioavailability of contaminants and assessing the quality of sediments. *Journal of Soils and Sediments* 8: 86-91. <http://dx.doi.org/10.1065/jss2008.02.275.1>.
- Marotvaler, MM; Love, GD; Snape, CE. (1997). Close correspondence between carbon skeletal parameters of kerogens and their hydrolysis oils. *Energy Fuels* 11: 539-545.
- Marquez-Herrera, A; Ovando-Medina, VM; Castillo-Reyes, BE; Melendez-Lira, M; Zapata-Torres, M; Saldana, N. (2014). A novel synthesis of SrCO<sub>3</sub>-SrTiO<sub>3</sub> nanocomposites with high photocatalytic activity. *J Nanopart Res* 16. <http://dx.doi.org/10.1007/s11051-014-2804-5>.
- Marquis, O; Millery, A; Guittonneau, S; Miaud, C. (2006). Solvent toxicity to amphibian embryos and larvae. *Chemosphere* 63: 889-892. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.063>.
- Marriott, HM; Dockrell, DH. (2007). The role of the macrophage in lung disease mediated by bacteria [Review]. *Exp Lung Res* 33: 493-505. <http://dx.doi.org/10.1080/01902140701756562>.
- Marrone, PA; Gschwend, PM; Swallow, KC; Peters, WA; Tester, JW. (1998). Product distribution and reaction pathways for methylene chloride hydrolysis and oxidation under hydrothermal conditions. *Journal of Supercritical Fluids* 12: 239-254.
- Marrone, PA; Lachance, RP; Dinero, JL; Phenix, BD; Meyer, JC; Tester, JW; Peters, WA; Swallow, KC. (1995). ACS SYMPOSIUM SERIES Methylene chloride oxidation and hydrolysis in supercritical water.

## Exposure Literature Search Results

### Off Topic

- Marrouchi, R; Dziri, F; Belayouni, N; Hamza, A; Benoit, E; Molgó, J; Kharrat, R. (2010). Quantitative determination of gymnodimine-A by high performance liquid chromatography in contaminated clams from Tunisia coastline. *Mar Biotechnol* 12: 579-585. <http://dx.doi.org/10.1007/s10126-009-9245-7>.
- Marsal, A; Bautista, E; Cuadros, S; Reyes, M, a; Rius, A; Font, J. (2009). RECOVERY OF ORGANIC NITROGEN FROM BEAMHOUSE WASTEWATER IN A HAIR RECOVERY PROCESS. *Journal of the Society of Leather Technologists and Chemists* 93: 176-182.
- Marsaro, AL; Souza, RC; Della Lucia, TM; Fernandes, JB; Silva, MF; Vieira, PC. (2004). Behavioral changes in workers of the leaf-cutting ant *Atta sexdens rubropilosa* induced by chemical components of *Eucalyptus maculata* leaves. *J Chem Ecol* 30: 1771-1780.
- Marsch, GA; Mundkowsky, RG; Morris, BJ; Manier, ML; Hartman, MK; Guengerich, FP. (2001). Characterization of nucleoside and DNA adducts formed by S-(1-acetoxymethyl)glutathione and implications for dihalomethane-glutathione conjugates. *Chem Res Toxicol* 14: 600-608. <http://dx.doi.org/10.1021/tx010006h>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr* 45: 516-519.
- Marsili, M; Stracquadanio, M; Trombini, C; Vassura, I. (2001). The epicuticular wax of *Laurus nobilis* leaves as a passive sampler of polycyclic aromatic hydrocarbons in ambient air. *Fresen Environ Bull* 10: 26-30.
- Martin, C; Piatkowski, P; Cohen, B; Gil, M; Teresa Navarro, M; Coma, A; Douhal, A. (2015). Ultrafast Dynamics of Nile Red Interacting with Metal Doped Mesoporous Materials. *J Phys Chem C* 119: 13283-13296. <http://dx.doi.org/10.1021/acs.jpcc.5b02296>.
- Martin, C; Ziolek, M; Marchena, M; Douhal, A. (2011). Interfacial Electron Transfer Dynamics in a Solar Cell Organic Dye Anchored to Semiconductor Particle and Aluminum-Doped Mesoporous Materials. *J Phys Chem C* 115: 23183-23191. <http://dx.doi.org/10.1021/jp203489u>.
- Martin, JH; Siebert, AJ; Loehr, RC. (1991). ESTIMATING OIL AND GREASE CONTENT OF PETROLEUM-CONTAMINATED SOIL. *J Environ Eng* 117: 291-299.
- Martin, MC; Cocero, MJ; Mato, F. (1992). VAPOR-LIQUID-EQUILIBRIUM DATA, AT 298.15-K, FOR 6 BINARY-SYSTEMS CONTAINING METHYL ACETATE OR METHANOL, WITH ACETONITRILE, NITROMETHANE OR NITROETHANE. *Fluid Phase Equilibria* 74: 243-252.
- Martin, N; Burkus, Z; Mceachern, P; Yu, T. (2014). Naphthenic acids quantification in organic solvents using fluorescence spectroscopy. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 294-306. <http://dx.doi.org/10.1080/10934529.2014.846631>.
- Martinez Galera, M; Gil Garcia, MD; Rodriguez Lallena, JA; Lopez Lopez, T; Martinez Vidal, JL. (2003). Dissipation of pyrethroid residues in peppers, zucchinis, and green beans exposed to field treatments in greenhouses: evaluation by decline curves. *J Agric Food Chem* 51: 5745-5751. <http://dx.doi.org/10.1021/jf0300893>.
- Martinez, LM; de Correa, CM; Odriozola, JA; Centeno, MA. (2005). Synthesis and characterization of sol-gel zirconia supported Pd and Ni catalysts. *Catalysis Today* 107-08: 800-808. <http://dx.doi.org/10.1016/j.cattod.2005.07.012>.
- Martinez-Klimov, ME; Hernandez-Hipolito, P; Klimova, TE; Solis-Casados, DA; Martinez-Garcia, M. (2016). Development of reusable palladium catalysts supported on hydrogen titanate nanotubes for the Heck reaction. *J Catal* 342: 138-150. <http://dx.doi.org/10.1016/j.jcat.2016.07.019>.
- Martin-Gonzalez, MA; Susial, P; Perez-Pena, J; Dona-Rodriguez, JM. (2013). PREPARATION OF ACTIVATED CARBONS FROM BANANA LEAVES BY CHEMICAL ACTIVATION WITH PHOSPHORIC ACID. ADSORPTION OF METHYLENE BLUE. *Revista Mexicana de Ingenieria Quimica* 12: 595-608.
- Martin-Martinez, M; Alvarez-Montero, A; Gomez-Sainero, LM; Baker, RT; Palomar, J; Omar, S; Eser, S; Rodriguez, JJ. (2015). Deactivation behavior of Pd/C and Pt/C catalysts in the gas-phase hydrodechlorination of chloromethanes: Structure-reactivity relationship. *Appl Catal B-Environ* 162: 532-543. <http://dx.doi.org/10.1016/j.apcatb.2014.07.017>.
- Martin-Martinez, M; Gomez-Sainero, LM; Alvarez-Montero, MA; Bedia, J; Rodriguez, JJ. (2013). Comparison of different precious metals in activated carbon-supported catalysts for the gas-phase hydrodechlorination of chloromethanes. *Appl Catal B-Environ* 132-133 (Mar 27): 256-265. <http://dx.doi.org/10.1016/j.apcatb.2012.11.041>.
- Martin-Martinez, M; Gomez-Sainero, LM; Bedia, J; Arevalo-Bastante, A; Rodriguez, JJ. (2016). Enhanced activity of carbon-supported Pd-Pt catalysts in the hydrodechlorination of dichloromethane. *Appl Catal B-Environ* 184: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2015.11.016>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ* 20: 301-307.
- Martins, CM; Vasconcellos, MAD; Rossetto, CAV; de Carvalho, MG. (2010). Phytochemical screening of the arils of yellow passion fruits seeds and influence on the seed germination. *Ciencia Rural* 40: 1934-1940.
- Martins, L; Bonagamba, TJ; de Azevedo, ER; Bargiela, P; Cardoso, D. (2006). Surfactant containing Si-MCM-41: An efficient basic catalyst for the Knoevenagel condensation. *Appl Catal A-Gen* 312: 77-85. <http://dx.doi.org/10.1016/j.apcata.2006.06.035>.
- Martins, S; Amorim, ELC; Peixoto Sobrinho, TJS; Saraiva, AM; Pisciotto, MNC; Aguiar, CN; Teixeira, JA; Mussatto, SI. (2013). Antibacterial activity of crude methanolic extract and fractions obtained from *Larrea tridentata* leaves. *Ind Crop Prod* 41: 306-311. <http://dx.doi.org/10.1016/j.indcrop.2012.04.037>.
- Marugán, J; van Grieken, R; Pablos, C. (2010). Kinetics and influence of water composition on photocatalytic disinfection and photocatalytic oxidation of pollutants. *Environ Technol* 31: 1435-1440. <http://dx.doi.org/10.1080/09593331003646653>.
- Marugán, J; van Grieken, R; Pablos, C; Sordo, C. (2010). Analogies and differences between photocatalytic oxidation of chemicals and photocatalytic inactivation of microorganisms. *Water Res* 44: 789-796. <http://dx.doi.org/10.1016/j.watres.2009.10.022>.

## Exposure Literature Search Results

### Off Topic

- Maruo, Y; Irie, M; Nishigawa, G; Oka, M; Minagi, S; Suzuki, K. (2005). Modified direct relining method produces an accurate adaptation denture. *Dent Mater J* 24: 311-314.
- Masi, F; Lepri, L; Del Bubba, M; Sacco, C; Lo Nostro, A; Comodo, N. (1999). Organic chemicals and microbial facies of liquid aerosols from a wastewater treatment plant. *Ann Chim* 89: 231-248.
- Masih, A; Saini, R; Singhvi, R; Taneja, A. (2010). Concentrations, sources, and exposure profiles of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM(10)) in the north central part of India. *Environ Monit Assess* 163: 421-431. <http://dx.doi.org/10.1007/s10661-009-0846-4>.
- Mason, H; Wilson, K. (1999). Biological monitoring: the role of toxicokinetics and physiologically based pharmacokinetic modeling [Review]. *Am Ind Hyg Assoc J* 60: 237-242. <http://dx.doi.org/10.1080/00028899908984442>.
- Mason, JR; Neal, J; Oliver, JE; Lusby, WR. (1991). Bird-Repellent Properties of Secretions from Nymphs of the Azalea Lace Bug. *Ecol Appl* 1: 226-230.
- Masood, F; Malik, A. (2013). Cytotoxic and genotoxic potential of tannery waste contaminated soils. *Sci Total Environ* 444: 153-160. <http://dx.doi.org/10.1016/j.scitotenv.2012.11.049>.
- Masood, F; Malik, A. (2013). Mutagenicity and genotoxicity assessment of industrial wastewaters. *Environ Sci Pollut Res Int* 20: 7386-7397. <http://dx.doi.org/10.1007/s11356-013-1756-0>.
- Massey, PM; Boansi, RK; Gipson, JD; Adams, RM; Riess, H; Dieng, T; Prelip, ML; Glik, DC. (2017). Human papillomavirus (HPV) awareness and vaccine receptivity among Senegalese adolescents. *Trop Med Int Health* 22: 113-121. <http://dx.doi.org/10.1111/tmi.12798>.
- Massoumi, B; Omid, H; Vessally, E; Entezami, A, liA. (2014). Nanostructured Poly (2,2'-bithiophene)-co-(3-dodecylthiophene): Preparation, Investigation of the Electroactivity, Conductivity, and Morphology. *Int J Polym Mater* 63: 323-329. <http://dx.doi.org/10.1080/00914037.2013.845186>.
- Masten, SV; Peck, RC. (2004). Problem driver remediation: a meta-analysis of the driver improvement literature [Review]. *J Safety Res* 35: 403-425. <http://dx.doi.org/10.1016/j.jsr.2004.06.002>.
- Matejova, L; Topka, P; Jiratova, K; Solcova, O. (2012). Total oxidation of model volatile organic compounds over some commercial catalysts. *Appl Catal A-Gen* 443: 40-49. <http://dx.doi.org/10.1016/j.apcata.2012.07.018>.
- Matejova, L; Topka, P; Kaluza, L; Pitkaaho, S; Ojala, S; Gaalova, J; Keiski, RL. (2013). Total oxidation of dichloromethane and ethanol over ceria-zirconia mixed oxide supported platinum and gold catalysts. *Appl Catal B-Environ* 142: 54-64. <http://dx.doi.org/10.1016/j.apcatb.2013.04.069>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol* 28: 2045-2053.
- Matheswaran, M; Raju, T. (2010). Destruction of methylene blue by mediated electrolysis using two-phase system. *Process Saf Environ Protect* 88: 350-355. <http://dx.doi.org/10.1016/j.psep.2010.05.003>.
- Mathew, S; Zakaria, ZA; Musa, N. (2015). Antioxidant property and chemical profile of pyrolygneous acid from pineapple plant waste biomass. *Process Biochemistry* 50: 1985-1992. <http://dx.doi.org/10.1016/j.procbio.2015.07.007>.
- Mathews, JM; Raymer, JH; Etheridge, AS; Velez, GR; Bucher, JR. (1997). Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo. *Toxicol Appl Pharmacol* 146: 255-260. <http://dx.doi.org/10.1006/taap.1997.8257>.
- Matienzo, LJ; Emmi, F; Vanhart, DC; Lo, JC. (1991). ABSORPTION AND INTERACTION OF METHYLENE-CHLORIDE WITH METALLIZED POLYIMIDE FILMS. *Journal of Vacuum Science and Technology A* 9: 1278-1282.
- Matloka, K; Gelis, A; Regalbuto, M; Vandegrift, G; Scott, MJ. (2006). C-3-symmetric tripodal thio/diglycolamide-based ligands for trivalent f-element separations. *Separation Science and Technology* 41: 2129-2146. <http://dx.doi.org/10.1080/01496390600745727>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data* 36: 259-262.
- Matos, J; Laine, J; Herrmann, JM. (2001). Effect of the type of activated carbons on the photocatalytic degradation of aqueous organic pollutants by UV-irradiated titania. *J Catal* 200: 10-20. <http://dx.doi.org/10.1006/jcat.2001.3191>.
- Matsuda, H; Hibino, M; Sato, T; Ose, Y; Nagase, H; Kito, H. (1993). Mutagenicity of ozonated and chlorinated humic substances. *J Environ Sci Health, Part A: Environ Sci Eng* 28: 821-837.
- Matsumoto, F; Moriwaki, K; Takao, Y; Ohno, T. (2010). Investigation of novel PCBM analogs containing thienyl groups for organic photovoltaic devices. *Synthetic Metals* 160: 961-966. <http://dx.doi.org/10.1016/j.synthmet.2010.02.008>.
- Matsumura, H; Saka, S. (1992). CELLULOSE TRIACETATE PREPARED FROM LOW-GRADE WOOD PULP .2. REMEDIES FOR REDUCING THE INSOLUBLE RESIDUE IN ACETYLATION SOLUTION. 38: 862-868.
- Matsumura, Y. (1996). Selection of desorbing solvents for organic compounds from active carbon tubes. *Ind Health* 34: 167-176.
- Mattea, F; Martin, A; Schulz, C; Jaeger, P; Eggers, R; Jose Cocero, M. (2010). Behavior of an Organic Solvent Drop During the Supercritical Extraction of Emulsions. *AIChE J* 56: 1184-1195. <http://dx.doi.org/10.1002/aic.12061>.
- Mattei, F; Guida, F; Matrat, M; Cené, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Matthaus, B; Fiebig, HJ. (1996). Simultaneous determination of isothiocyanates, indoles, and oxazolidinethiones in myrosinase digests of rapeseeds and rapeseed meal by HPLC. *J Agric Food Chem* 44: 3894-3899.
- Mattina, MJ; Pignatello, JJ; Swihart, RK. (1991). IDENTIFICATION OF VOLATILE COMPONENTS OF BOBCAT (LYNX-RUFUS) URINE. *J Chem Ecol* 17: 451-462.

## Exposure Literature Search Results

### Off Topic

- Mattos, BD; Lourencon, TV; Serrano, L; Labidi, J; Gatto, DA. (2015). Chemical modification of fast-growing eucalyptus wood. *Wood Science and Technology* 49: 273-288. <http://dx.doi.org/10.1007/s00226-014-0690-8>.
- Mattoso, LHC; Mello, SV; Riul, A; Oliveira, ON; Faria, RM. (1994). SYNTHESIS AND CHARACTERIZATION OF POLY(O-PHENETIDINE) FOR THE FABRICATION OF LANGMUIR AND LANGMUIR-BLODGETT-FILMS. *Thin Solid Films* 244: 714-717.
- Matusheski, NV; Wallig, MA; Juvik, JA; Klein, BP; Kushad, MM; Jeffery, EH. (2001). Preparative HPLC method for the purification of sulforaphane and sulforaphane nitrile from Brassica oleracea. *J Agric Food Chem* 49: 1867-1872.
- Matyas, R; Selesovsky, J; Jalovy, Z; Rohacova, J. (2011). Synthesis and Characterization of Polyethylene Glycol Dinitrates. *Central European Journal of Energetic Materials* 8: 145-155.
- Maule, HG; Andrews, M; Morton, JD; Jones, AV; Daly, GT. (1995). SUN SHADE ACCLIMATION AND NITROGEN NUTRITION OF TRADESCANTIA FLUMINENSIS, A PROBLEM WEED IN NEW-ZEALAND NATIVE FOREST REMNANTS. *New Zealand Journal of Ecology* 19: 35-46.
- Maupin, I; Mijoin, J; Barbier, J, Jr; Bion, N; Belin, T; Magnoux, P. (2011). Improved oxygen storage capacity on CeO<sub>2</sub>/zeolite hybrid catalysts. Application to VOCs catalytic combustion. *Catalysis Today* 176: 103-109. <http://dx.doi.org/10.1016/j.cattod.2011.02.003>.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al<sub>2</sub>O<sub>3</sub>: CH<sub>2</sub>Cl<sub>2</sub> disproportionation over alumina and oxidation over platinum. *J Catal* 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- Mawn, MP; Kurtz, K; Stahl, D; Chalfant, RL; Koban, ME; Dawson, BJ. (2013). Analytical method validation for the determination of 2,3,3,3-tetrafluoropropene in air samples using gas chromatography with flame ionization detection. *J Occup Environ Hyg* 10: 583-589. <http://dx.doi.org/10.1080/15459624.2013.818226>.
- Mazeas, L; Budzinski, H. (2002). Improved accuracy of GC-MS quantification of aliphatic and aromatic hydrocarbons in marine sediments and petroleum. Validation on reference matrices and application to the Erika oil spill. *Int J Environ Anal Chem* 82: 157-173.
- Mburu, F; Sirmah, P; Muisu, F; Dumarcay, S; Gerardin, P. (2013). Selected Wood Properties of Prunus Africana (Hook) Grown in Kenya as Possible Reasons for its High Natural Durability. *Drvna Industrija* 64: 19-24. <http://dx.doi.org/10.5552/drind.2013.1238>.
- Mccallum, J; Porter, N; Searle, B; Shaw, M; Bettjeman, B; Mcmanus, M. (2005). Sulfur and nitrogen fertility affects flavour of field-grown onions. *Plant Soil* 269: 151-158. <http://dx.doi.org/10.1007/s11104-004-0402-5>.
- Mccarron, PA; Donnelly, RF; Marouf, W. (2006). Celecoxib-loaded poly(D,L-lactide-co-glycolide) nanoparticles prepared using a novel and controllable combination of diffusion and emulsification steps as part of the salting-out procedure. *J Microencapsul* 23: 480-498. <http://dx.doi.org/10.1080/02652040600682390>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccaoulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation* 19: 78-86.
- Mcclain, R, ay; Rada, V; Nomland, A; Przybyciel, M; Kohler, D; Schlake, R; Nantermet, P; Welch, CJ. (2016). Greening Flash Chromatography. 4: 4905-4912. <http://dx.doi.org/10.1021/acssuschemeng.6b01219>.
- Mcclintock, JB; Baker, BJ; Amsler, CD; Barlow, TL. (2000). Chemotactic tube-foot responses of the spongivorous sea star *Perknaster fuscus* to organic extracts of sponges from McMurdo Sound, Antarctica. *Antarct Sci* 12: 41-46.
- Mcclintock, JB; Baker, BJ; Baumiller, TK; Messing, CG. (1999). Lack of chemical defense in two species of stalked crinoids: support for the predation hypothesis for mesozoic bathymetric restriction. *Exp Mar Bio Ecol* 232: 1-7.
- Mcclintock, JB; Mahon, AR; Peters, KJ; Amsler, CD; Baker, BJ. (2003). Chemical defences in embryos and juveniles of two common Antarctic sea stars and an isopod. *Antarct Sci* 15: 339-344. <http://dx.doi.org/10.1017/S0954102003001354>.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos* 104: 8417-8427.
- Mcdaniel, LH; Ashraf-Khorassani, M; Taylor, LT. (2001). Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry. *Journal of Supercritical Fluids* 19: 275-286.
- Mcdaniels, AE; Reyes, AL; Wymer, LJ; Rankin, CC; Stelma, GN. (1993). Genotoxic activity detected in soils from a hazardous waste site by the Ames test and an SOS colorimetric test. *Environ Mol Mutagen* 22: 115-122.
- Mcfarland, MJ; Qiu, XJ; Sims, JL; Randolph, ME; Sims, RC. (1992). REMEDIATION OF PETROLEUM IMPACTED SOILS IN FUNGAL COMPOST BIOREACTORS. *Water Sci Technol* 25: 197-206.
- Mcgawley, EC; Overstreet, C; Pontif, MJ. (2011). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF ROTYLENCHULUS RENIFORMIS ON SOYBEAN. *Nematropica* 41: 12-22.
- Mcgawley, EC; Pontif, MJ; Overstreet, C. (2010). VARIATION IN REPRODUCTION AND PATHOGENICITY OF GEOGRAPHIC ISOLATES OF ROTYLENCHULUS RENIFORMIS ON COTTON. *Nematropica* 40: 275-288.
- Mcginley, EL; Fleming, GJ; Moran, GP. (2011). Development of a discriminatory biocompatibility testing model for non-precious dental casting alloys. *Dent Mater* 27: 1295-1306. <http://dx.doi.org/10.1016/j.dental.2011.09.013>.
- Mchedlov-Petrosyan, NO; Roshchyna, KV; Shekhovtsov, SV; Eltsov, SV; Zozulia, OS; Omelchenko, IV; Shishkin, OV. (2015). Revisiting tetranitrophenolsulfonephthalein. *Color Technol* 131: 236-244. <http://dx.doi.org/10.1111/cote.12145>.
- Mckenzie, LM; Hao, WM; Richards, GN; Ward, DE. (1994). QUANTIFICATION OF MAJOR COMPONENTS EMITTED FROM SMOLDERING COMBUSTION OF WOOD. *Atmos Environ* 28: 3285-3292.
- Mckinnon, JT; Meyer, E; Howard, JB. (1996). Infrared analysis of flame-generated PAH samples. *Combust Flame* 105: 161-166.
- Mckinnon, SDJ; Gilroy, J, oeB; McDonald, R; Patrick, BO; Hicks, RG. (2011). Magnetostructural studies of palladium(II) and platinum(II) complexes of verdazyl radicals. *J Mater Chem* 21: 1523-1530. <http://dx.doi.org/10.1039/c0jm02560g>.

## Exposure Literature Search Results

### Off Topic

- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- Mcwhinney, RD; Badali, K; Liggio, J; Li, SM; Abbatt, JP. (2013). Filterable redox cycling activity: a comparison between diesel exhaust particles and secondary organic aerosol constituents. *Environ Sci Technol* 47: 3362-3369. <http://dx.doi.org/10.1021/es304676x>.
- Medeiros, PM; Fernandes, MF; Dick, RP; Simoneit, BR. (2006). Seasonal variations in sugar contents and microbial community in a ryegrass soil. *Chemosphere* 65: 832-839. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.025>.
- Medeiros, PM; Simoneit, BR. (2008). Source profiles of organic compounds emitted upon combustion of green vegetation from temperate climate forests. *Environ Sci Technol* 42: 8310-8316. <http://dx.doi.org/10.1021/es801533b>.
- Meechaisue, C; Dubin, R; Supaphol, P; Hoven, VP; Kohn, J. (2006). Electrospun mat of tyrosine-derived polycarbonate fibers for potential use as tissue scaffolding material. *J Biomater Sci Polym Ed* 17: 1039-1056.
- Meek, MD. (1998). Ah receptor and estrogen receptor-dependent modulation of gene expression by extracts of diesel exhaust particles. *Environ Res* 79: 114-121. <http://dx.doi.org/10.1006/enrs.1998.3870>.
- Meepagala, KM; Sturtz, G; Wedge, DE; Schrader, KK; Duke, SO. (2005). Phytotoxic and antifungal compounds from two Apiaceae species, *Lomatium californicum* and *Ligusticum hulthenii*, rich sources of Z-ligustilide and apiol, respectively. *J Chem Ecol* 31: 1567-1578. <http://dx.doi.org/10.1007/s10886-005-5798-8>.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol* 33: 141-146.
- Mehrsheikh, A; Bleeke, M; Brosillon, S; Laplanche, A; Roche, P. (2006). Investigation of the mechanism of chlorination of glyphosate and glycine in water. *Water Res* 40: 3003-3014. <http://dx.doi.org/10.1016/j.watres.2006.06.027>.
- Mehta, RH; Madsen, DA; Kalika, DS. (1995). MICROPOROUS MEMBRANES BASED ON POLY(ETHER ETHER KETONE) VIA THERMALLY-INDUCED PHASE-SEPARATION. *J Memb Sci* 107: 93-106.
- Mei, J; Zhao, S; Huang, W; Qu, Z; Yan, N. (2016). Mn-Promoted Co<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> as an efficient catalyst for catalytic oxidation of dibromomethane (CH<sub>2</sub>Br<sub>2</sub>). *J Hazard Mater* 318: 1-8. <http://dx.doi.org/10.1016/j.jhazmat.2016.06.010>.
- Meinelt, T; Playle, R; Schreckenbach, K; Pietrock, M. (2001). The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium. *Aquaculture Research* 32: 405-410.
- Meinert, C; Brack, W. (2010). Optimisation of trapping parameters in preparative capillary gas chromatography for the application in effect-directed analysis. *Chemosphere* 78: 416-422. <http://dx.doi.org/10.1016/j.chemosphere.2009.10.061>.
- Meireles, C, da S; Rodrigues Filho, G; Nascimento de Assuncao, RM; Cerqueira, DA; Zeni, M; Mello, K; Lorenzi, S. (2008). Production and characterization of membranes of recycled waste materials: Cellulose acetate, obtained from sugarcane bagasse with polystyrene from plastics cups. *Polymer Engineering and Science* 48: 1443-1448. <http://dx.doi.org/10.1002/pen.21072>.
- Mele, A; Lentz, H; Mele, A; Feizlmayr, E; Abazi, S; Bauer, R. (2013). Extraction of rotundifuran and casticin from chaste tree fruits by near critical liquid carbon dioxide. *Journal of Supercritical Fluids* 79: 123-126. <http://dx.doi.org/10.1016/j.supflu.2013.02.008>.
- Melendez-Martinez, AJ; Vicario, IM; Heredia, FJ. (2003). A routine high-performance liquid chromatography method for carotenoid determination in ultrafrozen orange juices. *J Agric Food Chem* 51: 4219-4224. <http://dx.doi.org/10.1021/jf0342977>.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation* 38: 9-18.
- Mellaerts, R; Jammaer, JA; Van Speybroeck, M; Chen, H; Van Humbeeck, J; Augustijns, P; Van den Mooter, G; Martens, JA. (2008). Physical state of poorly water soluble therapeutic molecules loaded into SBA-15 ordered mesoporous silica carriers: a case study with itraconazole and ibuprofen. *Langmuir* 24: 8651-8659. <http://dx.doi.org/10.1021/la801161g>.
- Melliou, E; Chinou, I. (2005). Chemistry and bioactivity of royal jelly from Greece. *J Agric Food Chem* 53: 8987-8992. <http://dx.doi.org/10.1021/jf051550p>.
- Melliou, E; Magiatis, P; Skaltsounis, AL. (2003). Alkylresorcinol derivatives and sesquiterpene lactones from *Cichorium spinosum*. *J Agric Food Chem* 51: 1289-1292. <http://dx.doi.org/10.1021/jf025848g>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Memon, S; Yilmaz, M. (2000). Synthesis and complexation studies of 1,3-dialkylated p-tert-butylcalix[4]arene telomers. *React Funct Polym* 44: 227-233.
- Men, J; Wang, R; Li, H; Li, X; Yang, S; Liu, H; Gao, B. (2017). Preparation of crosslinked poly (acryloyloxyethyltrimethyl ammonium chloride) microsphere and its adsorption and mechanism towards shikimic acid. *Mater Sci Eng C* 71: 167-175. <http://dx.doi.org/10.1016/j.msec.2016.09.076>.
- Mendes, JAS; Prozil, SO; Evtuguin, DV; Cruz Lopes, LP. (2013). Towards comprehensive utilization of winemaking residues: Characterization of grape skins from red grape pomaces of variety Touriga Nacional. *Ind Crop Prod* 43: 25-32. <http://dx.doi.org/10.1016/j.indcrop.2012.06.047>.
- Mendoza-Cantú, A; Castorena-Torres, F; Bermudez, M; Martínez-Hernández, R; Ortega, A; Salinas, JE; Albores, A. (2004). Genotype and allele frequencies of polymorphic cytochromes P450 CYP1A2 and CYP2E1 in Mexicans. *Cell Biochem Funct* 22: 29-34. <http://dx.doi.org/10.1002/cbf.1049>.

## Exposure Literature Search Results

### Off Topic

- Meng, FT; Ma, GH; Liu, YD; Qiu, W; Su, ZG. (2004). Microencapsulation of bovine hemoglobin with high bio-activity and high entrapment efficiency using a W/O/W double emulsion technique. *Colloids Surf B Biointerfaces* 33: 177-183. <http://dx.doi.org/10.1016/j.colsurfb.2003.10.003>.
- Meng, X; Luo, N, an; Cao, S; Zhang, S; Yang, M; Hu, X. (2009). In-situ growth of titania nanoparticles in electrospun polymer nanofibers at low temperature. *Mater Lett* 63: 1401-1403. <http://dx.doi.org/10.1016/j.matlet.2009.03.023>.
- Meng, Y; Sun, S; Li, J; Nan, K; Lan, B; Jin, Y; Chen, H; Cheng, L. (2014). Sustained release of triamcinolone acetonide from an episcleral plaque of multilayered poly- $\epsilon$ -caprolactone matrix. *Acta Biomater* 10: 126-133. <http://dx.doi.org/10.1016/j.actbio.2013.09.022>.
- Mensitieri, G; Apicella, A; Delnobile, MA; Nicolais, L. (1993). EXTREME ENVIRONMENTAL RESISTANCE OF PEEK MATRIX. *Journal of Reinforced Plastics and Composites* 12: 1138-1149.
- Ment, D; Gindin, G; Soroker, V; Glazer, I; Rot, A; Samish, M. (2010). *Metarhizium anisopliae* conidial responses to lipids from tick cuticle and tick mammalian host surface. *J Invertebr Pathol* 103: 132-139. <http://dx.doi.org/10.1016/j.jip.2009.12.010>.
- Merdy, P; Achard, R; Samaali, I; Lucas, Y. (2014). Selective extraction of PAHs from a sediment with structural preservation of Natural Organic Matter. *Chemosphere* 107: 476-479. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.055>.
- Merk, O; Speit, G. (1998). Significance of formaldehyde-induced DNA-protein crosslinks for mutagenesis. *Environ Mol Mutagen* 32: 260-268. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)32:3<260::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)32:3<260::AID-EM9>3.0.CO;2-M).
- Merlin, G; Thiebaud, H; Blake, G; Sembiring, S; Alary, J. (1992). MESOCOSMS AND MICROCOSMS UTILIZATION FOR ECOTOXICITY EVALUATION OF DICHLOROMETHANE, A CHLORINATED SOLVENT. *Chemosphere* 24: 37-50.
- Merzougui, A; Hasseine, A; Kabouche, A; Korichi, M. (2011). LLE for the extraction of alcohol from aqueous solutions with diethyl ether and dichloromethane at 293.15 K, parameter estimation using a hybrid genetic based approach. *Fluid Phase Equilibria* 309: 161-167. <http://dx.doi.org/10.1016/j.fluid.2011.07.011>.
- Mesia, GK; Tona, GL; Penge, O; Lusakibanza, M; Nanga, TM; Cimanga, RK; Apers, S; Van Miert, S; Totte, J; Pieters, L; Vlietinck, AJ. (2005). Antimalarial activities and toxicities of three plants used as traditional remedies for malaria in the Democratic Republic of Congo: *Croton mubango*, *Naucllea pobeguini* and *Pyrenacantha staudtii*. *Ann Trop Med Parasitol* 99: 345-357. <http://dx.doi.org/10.1179/136485905X36325>.
- Meyer, W; Seiler, TB; Schwarzbauer, J, an; Puettmann, W; Hollert, H; Achten, C. (2014). Polar polycyclic aromatic compounds from different coal types show varying mutagenic potential, EROD induction and bioavailability depending on coal rank. *Sci Total Environ* 494: 320-328. <http://dx.doi.org/10.1016/j.scitotenv.2014.06.140>.
- Mho, S; Ortiz, B; Doddapaneni, N; Park, SM. (1995). ELECTROCHEMICAL AND SPECTROELECTROCHEMICAL STUDIES ON METALLOPHTHALOCYANINE-OXYGEN INTERACTIONS IN NONAQUEOUS SOLUTIONS. *J Electrochem Soc* 142: 1047-1053.
- Mi, BX; Gao, ZQ; Lee, CS; Kwong, HL; Wang, NB; Lee, ST. (2001). Efficient green electroluminescence of pure chromaticity from a polycyclic aromatic hydrocarbon. *J Mater Chem* 11: 2244-2247.
- Miceli, GC; Beggato, G; Daolio, S; Favaretto, L; Geri, A; Giro, G; Pietropaolo, D. (1991). ELECTROCHEMICAL POLYMERIZATION OF 10,10-DIMETHYL-PHENOTHIASILINE. *Ann Chim* 81: 95-106.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysciak-Czerwenka, J; Machej, T; Socha, RP; Włodarczyk, W; Gawel, A; Matusik, J; Bahrnowski, K; Wisła-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ* 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michalowicz, J. (2005). The occurrence of chlorophenols, chlorocatechols and chlorinated methoxyphenols in drinking water of the largest cities in Poland. *Pol J Environ Stud* 14: 327-333.
- Michałowicz, J; Bukowska, B; Duda, W. (2008). The differences in phenolic content in rivers exposed and non-exposed to anthropogenic contamination. *Chemosphere* 71: 735-741. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.017>.
- Michielin, EM; Salvador, AA; Riehl, CA; Smânia, A; Smânia, EF; Ferreira, SR. (2009). Chemical composition and antibacterial activity of *Cordia verbenacea* extracts obtained by different methods. *Bioresour Technol* 100: 6615-6623. <http://dx.doi.org/10.1016/j.biortech.2009.07.061>.
- Michielin, EMZ; Bresciani, LfV; Danielski, L; Yunes, RA; Ferreira, SRS. (2005). Composition profile of horsetail (*Equisetum giganteum* L.) oleoresin: comparing SFE and organic solvents extraction. *Journal of Supercritical Fluids* 33: 131-138. <http://dx.doi.org/10.1016/j.supflu.2004.07.004>.
- Miguel, F; Martin, A; Gamse, T; Cocero, MJ. (2006). Supercritical anti solvent precipitation of lycopene - Effect of the operating parameters. *Journal of Supercritical Fluids* 36: 225-235. <http://dx.doi.org/10.1016/j.supflu.2005.06.009>.
- Mihajilov-Krstev, TM; Denić, MS; Zlatković, BK; Stankov-Jovanović, VP; Mitić, VD; Stojanović, GS; Radulović, NS. (2015). Inferring the origin of rare fruit distillates from compositional data using multivariate statistical analyses and the identification of new flavour constituents. *J Sci Food Agric* 95: 1217-1235. <http://dx.doi.org/10.1002/jsfa.6810>.
- Miki, S; Koyama, J; Uno, S. (2010). OPTIMIZATION OF PRESSURIZED LIQUID EXTRACTION FOR SIMULTANEOUS ANALYSIS OF POLYCYCLIC AROMATIC HYDROCARBONS AND ALKYLATED POLYCYCLIC AROMATIC HYDROCARBONS IN SEDIMENTS. *Fresen Environ Bull* 19: 1544-1551.
- Mikroyannidis, JA; Kabanakis, AN; Sharma, SS; Sharma, GD. (2011). Low band-gap phenylenevinylene and fluorenevinylene small molecules containing triphenylamine segments: Synthesis and application in bulk heterojunction solar cells. *Organic Electronics* 12: 774-784. <http://dx.doi.org/10.1016/j.orgel.2011.02.008>.



## Exposure Literature Search Results

### Off Topic

- Mikroyannidis, JA; Roy, MS; Sharma, GD. (2010). Synthesis of new low band gap dyes with BF<sub>2</sub>-azopyrrole complex and their use for dye-sensitized solar cells. *J Power Sources* 195: 5391-5398. <http://dx.doi.org/10.1016/j.jpowsour.2010.03.031>.
- Mikroyannidis, JA; Tsai, L, inRen; Chen, Y, un. (2009). Synthesis, photophysics and electroluminescence of dendronized styryl-substituted fluorene with triphenylamine units. *Synthetic Metals* 159: 78-84. <http://dx.doi.org/10.1016/j.synthmet.2008.07.020>.
- Miksys, S; Tyndale, RF. (2004). The unique regulation of brain cytochrome P450 2 (CYP2) family enzymes by drugs and genetics [Review]. *Drug Metab Rev* 36: 313-333. <http://dx.doi.org/10.1081/DMR-120034149>.
- Milano, CJ; Bailey, LC. (1999). Evaluation of current compendial physicochemical test procedures for pharmaceutical elastomeric closures and development of an improved HPLC procedure. *PDA J Pharm Sci Technol* 53: 202-210.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemysł Chemiczny* 82: 924-926.
- Milichovsky, M; Potucek, F; Cesek, B. (2004). Determination of pitch in washing filtrates. *Cellulose Chemistry and Technology* 38: 39-43.
- Millar, RW; Arber, AW; Endsor, RM; Hamid, J; Colclough, ME. (2011). Clean Manufacture of 2,4,6-Trinitrotoluene (TNT) via Improved Regioselectivity in the Nitration of Toluene. *Journal of Energetic Materials* 29: 88-114. <http://dx.doi.org/10.1080/07370652.2010.484411>.
- Miller, GP; Cundy, VA; Lester, TW; Bozzelli, JW. (1994). THE COMPUTATIONAL SIMULATION OF A STOICHIOMETRIC CH<sub>2</sub>CL<sub>2</sub>/CH<sub>4</sub>/AIR FLAT FLAME. *Combust Sci Tech* 98: 123-136.
- Miller, JL; Sardo, MA; Thompson, TL; Miller, RM. (1997). Effect of application solvents on heterotrophic and nitrifying populations in soil microcosms. *Environ Toxicol Chem* 16: 447-451. <http://dx.doi.org/10.1002/etc.5620160309>.
- Miller, JS; Pokhodnya, KI. (2007). Formation of Ni[C-4(CN)(8)] from the reaction of Ni(COD)(2) (COD=1,5cyclooctadiene) with TCNE in THF. *J Mater Chem* 17: 3585-3587. <http://dx.doi.org/10.1039/b708675j>.
- Miller, RJ; Byford, RL; Smith, GS; Craig, ME; Vanleeuwen, D. (1995). INFLUENCE OF SNAKEWEED FOLIAGE ON ENGORGEMENT, FECUNDITY AND ATTACHMENT OF THE LONE STAR TICK (ACARI, IXODIDAE). *J Agr Entomol* 12: 137-143.
- Mills, MA; Mcdonald, TJ; Bonner, JS; Simon, MA; Autenrieth, RL. (1999). Method for quantifying the fate of petroleum in the environment. *Chemosphere* 39: 2563-2582.
- Mills, WB; Cheng, JJ; Droppo, JG; Faillace, ER; Gnanapragasam, EK; Johns, RA; Laniak, GF; Lew, CS; Strenge, DL; Sutherland, JF; Whelan, G; Yu, C. (1997). Multimedia benchmarking analysis for three risk assessment models: RESRAD, MMSOILS, and MEPAS. *Risk Anal* 17: 187-201.
- Mills, WB; Lew, CS; Hung, CY. (1999). Sensitivity of concentration and risk predictions in the PRESTO and MMSOILS multimedia models: regression technique assessment. *Risk Anal* 19: 511-525.
- Mimura, K; Toyama, S. (2005). Behavior of polycyclic aromatic hydrocarbons at impact shock: Its implication for survival of organic materials delivered to the early Earth. *Geochim Cosmo Acta* 69: 201-209. <http://dx.doi.org/10.1016/j.gca.2004.06.020>.
- Minato, K; Ohkawa, K; Yamamoto, H. (2006). Chain conformations of poly(gamma-benzyl-L-glutamate) pre and post an electrospinning process. *Macromol Biosci* 6: 487-495. <http://dx.doi.org/10.1002/mabi.200600066>.
- Minero, C; Pellizzari, P; Maurino, V; Pelizzetti, E; Vione, D. (2008). Enhancement of dye sonochemical degradation by some inorganic anions present in natural waters. *Appl Catal B-Environ* 77: 308-316. <http://dx.doi.org/10.1016/j.apcatb.2007.08.001>.
- Minhas, FT; Qureshi, I; Memon, S; Bhanger, MI. (2011). Calix[4]arene Derivative as Copper(II) Carrier in a Bulk Liquid Membrane: A Kinetic Study. *Separation Science and Technology* 46: 2400-2408. <http://dx.doi.org/10.1080/01496395.2011.597817>.
- Minomo, K; Ohtsuka, N; Nojiri, K; Kurata, Y; Karaushi, M; Isobe, Y. (2009). Characteristics of azaarenes and dioxins in gases emitted from waste incinerators. *Journal of Material Cycles and Waste Management* 11: 73-81. <http://dx.doi.org/10.1007/s10163-008-0221-5>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Díez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda, I; Gominho, J; Mirra, I; Pereira, H. (2013). Fractioning and chemical characterization of barks of *Betula pendula* and *Eucalyptus globulus*. *Ind Crop Prod* 41: 299-305. <http://dx.doi.org/10.1016/j.indcrop.2012.04.024>.
- Miranda, I; Gominho, J; Pereira, H. (2013). Cellular structure and chemical composition of cork from the Chinese cork oak (*Quercus variabilis*). *J Wood Sci* 59: 1-9. <http://dx.doi.org/10.1007/s10086-012-1300-8>.
- Miranda, M; Da Costa, A; Castro, J; Sagaseta, C. (2015). Influence of gravel density in the behaviour of soft soils improved with stone columns. *Canadian Geotechnical Journal* 52: 1968-1980. <http://dx.doi.org/10.1139/cgj-2014-0487>.
- Miranda, MA; Dhandapani, P; Kalavathy, MH; Miranda, LR. (2010). Chemically activated *Ipomoea carnea* as an adsorbent for the copper sorption from synthetic solutions. *Adsorption* 16: 75-84. <http://dx.doi.org/10.1007/s10450-010-9209-2>.
- Miranda, NR; Willits, JT; Freeman, BD; Hopfenberg, HB. (1994). ORGANIC VAPOR SORPTION AND TRANSPORT IN A THERMOTROPIC LIQUID-CRYSTALLINE POLYESTER. *J Memb Sci* 94: 67-83.
- Miranda, PO; Lizandara-Pueyo, C; Pericas, MA. (2013). Potassium fluoride: A convenient, non-covalent support for the immobilization of organocatalysts through strong hydrogen bonds. *J Catal* 305: 169-178. <http://dx.doi.org/10.1016/j.jcat.2013.05.010>.
- Miranda, R; Balea, A, na; de La Blanca, ES; Carrillo, I; Blanco, A. (2008). Identification of recalcitrant stickies and their sources in newsprint production. *Ind Eng Chem Res* 47: 6239-6250. <http://dx.doi.org/10.1021/ie701718u>.
- Miranda, R; Blanco, A; Negro, C; Tijero, J. (2006). Stickies removal in a deinking line of a newsprint mill: Efficiency of the different process stages. *Cellulose Chemistry and Technology* 40: 775-782.
- Mirer, FE. (2003). Distortions of the "mis-read" book: Adding procedural botox to paralysis by analysis. *Hum Ecol Risk Assess* 9: 1129-1143. <http://dx.doi.org/10.1080/10807030390240337>.

## Exposure Literature Search Results

### Off Topic

- Mishra, A; Haram, NS. (2004). New push-pull type dendritic stilbazolium dyes: synthesis, photophysical and electrochemical investigation. *Dyes and Pigments* 63: 191-202. <http://dx.doi.org/10.1016/j.dyepig.2004.02.011>.
- Mishra, A; Periasamy, N; Patankar, MP; Narasimhan, KL. (2005). Synthesis and characterisation of soluble aluminium complex dyes based on 5-substituted-8-hydroxyquinoline derivatives for OLED applications. *Dyes and Pigments* 66: 89-97. <http://dx.doi.org/10.1016/j.dyepig.2004.09.004>.
- Mitchell, ER; Tingle, FC; Heath, RR. (1991). FLIGHT ACTIVITY OF HELIOTHIS-VIRESCENS (F.) FEMALES (LEPIDOPTERA, NOCTUIDAE) WITH REFERENCE TO HOST-PLANT VOLATILES. *J Chem Ecol* 17: 259-266.
- Mitchell-Koch, JT; Borovik, AS. (2003). Immobilization of a europium salen complex within porous organic hosts: Modulation of luminescence properties in different chemical environments. *Chem Mater* 15: 3490-3495. <http://dx.doi.org/10.1021/cm030062z>.
- Mitrita, M; Cruceru, I; Cruceru, L; Petre, J; Vasile, G. (2007). Results of collaborative interlaboratory study to estimate the performance characteristics of the gas chromatographic method for some alkyl phenols from water. *J Environ Prot Ecol* 8: 249-256.
- Miyake, T; Shibamoto, T. (1993). QUANTITATIVE-ANALYSIS OF ACETALDEHYDE IN FOODS AND BEVERAGES. *J Agric Food Chem* 41: 1968-1970.
- Miyamoto, F; Saeki, M; Kamijo, M; Kanda, H; Nakaoka, T; Nishijima, M; Ito, Y; Takeshita, R. (1991). SYSTEMATIC SEPARATION OF ARTIFICIAL AND NATURAL DYES IN FOODS AND THEIR QUALITATIVE DETERMINATION BY THIN-LAYER CHROMATOGRAPHY. *JTTHE* 37: 542-551.
- Miyasaka, E; Hamaguchi, T; Yatsuhashi, T. (2016). Graphitization of Chlorohydrocarbons in Laser-Induced Plasma Filaments. *Electronics and Communications in Japan* 99: 51-57. <http://dx.doi.org/10.1002/ecj.11873>.
- Miyazawa, M; Fukuyama, M; Yoshio, K; Kato, T; Ishikawa, Y. (1999). Biologically active components against *Drosophila melanogaster* from *Podophyllum hexandrum*. *J Agric Food Chem* 47: 5108-5110.
- Miyazawa, M; Hisama, M. (2001). Suppression of chemical mutagen-induced SOS response by alkylphenols from clove (*Syzygium aromaticum*) in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 49: 4019-4025.
- Miyazawa, M; Okuno, Y; Fukuyama, M; Nakamura, S; Kosaka, H. (1999). Antimutagenic activity of polymethoxyflavonoids from *Citrus aurantium*. *J Agric Food Chem* 47: 5239-5244.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kameoka, H. (1998). Suppression of SOS-inducing activity of chemical mutagens by cinnamic acid derivatives from *Scrophulia ningpoensis* in the *Salmonella typhimurium* TA1535/pSK1002 umu test. *J Agric Food Chem* 46: 904-910.
- Miyazawa, M; Okuno, Y; Nakamura, S; Kosaka, H. (2000). Antimutagenic activity of flavonoids from *Pogostemon cablin*. *J Agric Food Chem* 48: 642-647.
- Miyazawa, M; Sakano, K; Nakamura, S; Kosaka, H. (2001). Antimutagenic activity of isoflavone from *Pueraria lobata*. *J Agric Food Chem* 49: 336-341.
- Miyazawa, M; Shimamura, H; Bhuvu, RC; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of faltarindiol from *Peucedanum praeruptorum*. *J Agric Food Chem* 44: 3444-3448.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). Antimutagenic activity of (+)-polyalthic acid from *Vitex rotundifolia*. *J Agric Food Chem* 43: 3012-3015.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1995). ANTIMUTAGENIC ACTIVITY OF ISOFRAXINELLONE FROM *DICTAMNUS-DASYCARPUS*. *J Agric Food Chem* 43: 1428-1431.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1996). Antimutagenic activity of (+)-beta-eudesmol and paeonol from *Dioscorea japonica*. *J Agric Food Chem* 44: 1647-1650.
- Miyazawa, M; Shimamura, H; Nakamura, S; Kameoka, H. (1997). Antimutagenic activity of gigantol from *Dendrobium nobile*. *J Agric Food Chem* 45: 2849-2853.
- Mkhize, NT; Msagati, TAM; Mamba, BB; Momba, M. (2014). Determination of volatile fatty acids in wastewater by solvent extraction and gas chromatography. *Phys Chem Earth* 67-69: 86-92. <http://dx.doi.org/10.1016/j.pce.2013.10.008>.
- Mo, Z; Shao, M, in; Lu, S; Qu, H; Zhou, M; Sun, J, in; Gou, B, in. (2015). Process-specific emission characteristics of volatile organic compounds (VOCs) from petrochemical facilities in the Yangtze River Delta, China. *Sci Total Environ* 533: 422-431. <http://dx.doi.org/10.1016/j.scitotenv.2015.06.089>.
- Moats, WA. (2000). Determination of tetracycline antibiotics in beef and pork tissues using ion-paired liquid chromatography. *J Agric Food Chem* 48: 2244-2248.
- Moats, WA; Hariikkhan, R. (1995). RAPID HPLC DETERMINATION OF TETRACYCLINE ANTIBIOTICS IN MILK. *J Agric Food Chem* 43: 931-934.
- Moats, WA; Hariikkhan, R. (1996). Rapid determination of tetracycline antibiotics in milk and tissues using ion-pairing high-performance liquid chromatography. *ACS Symp Ser Am Chem Soc* 636: 85-95.
- Modla, G; Lang, P; Kotai, B; Molnar, K. (2003). Batch heteroazeotropic rectification of a low alpha mixture under continuous entrainer feeding. *AIChE J* 49: 2533-2552.
- Mogi, T; Ohtake, N; Yoshida, M; Chimura, R; Kamaga, Y; Ando, S; Tsukamoto, T; Nakajima, T; Uenodan, H; Otsuka, M; Matsuda, Y; Ohshima, H; Makino, K. (2000). Sustained release of 17 beta-estradiol from poly (lactide-co-glycolide) microspheres in vitro and in vivo. *Colloids Surf B Biointerfaces* 17: 153-165.
- Mohan, DJ; Kullova, L. (2013). A study on the relationship between preparation condition and properties/performance of polyamide TFC membrane by IR, DSC, TGA, and SEM techniques. *Desalination and Water Treatment* 51: 586-596. <http://dx.doi.org/10.1080/19443994.2012.693655>.
- Mohan, SR, aj; Joshi, MP; Tiwari, SK; Dixit, VK; Dhimi, TS. (2007). Electrical and optical characterization of photooxidized TPD. *J Mater Chem* 17: 343-348. <http://dx.doi.org/10.1039/b611199h>.

## Exposure Literature Search Results

### Off Topic

- Mohanty, K; Naidu, JT; Meikap, BC; Biswas, MN. (2006). Removal of crystal violet from wastewater by activated carbons prepared from rice husk. *Ind Eng Chem Res* 45: 5165-5171. <http://dx.doi.org/10.1021/ie060257r>.
- Mohapatra, S; Ajithakumar, R. (2014). Persistence of trifloxystrobin and tebuconazole in banana tissues and soil under the semi-arid climatic conditions of Karnataka, India. *Int J Environ Anal Chem* 94: 506-518. <http://dx.doi.org/10.1080/03067319.2013.831413>.
- Mohr, S; Gochfeld, M; Pransky, G. (1999). Genetically and medically susceptible workers. *Occup Med: State of the Art Rev* 14: 595-611.
- Moio, L; Rillo, L; Ledda, A; Addeo, F. (1996). Odorous constituents of ovine milk in relationship to diet. *J Dairy Sci* 79: 1322-1331.
- Molina-Guerrero, JA; Botello-Alvarez, JE; Estrada-Baltazar, A; Navarrete-Bolanos, JL; Jimenez-Islas, H; Cardenas-Manriquez, M; Rico-Martinez, R. (2007). Volatile components in mezcal. *Revista Mexicana de Ingenieria Quimica* 6: 41-50.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon* 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molis, M; Koerner, J; Ko, YW; Kim, JH, a. (2008). Specificity of inducible seaweed anti-herbivory defences depends on identity of macroalgae and herbivores. *Mar Ecol Prog Ser* 354: 97-105. <http://dx.doi.org/10.3354/meps07255>.
- Molnar, M; Szekeley, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids* 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Molto, JC; Lejeune, B; Prognon, P; Pradeau, D. (1994). GC-MS DETERMINATION OF ORGANOCHLORINE PESTICIDES IN 5 MEDICINAL-PLANTS. *Int J Environ Anal Chem* 54: 81-91.
- Momo, CE; Oben, JE; Tazoo, D; Dongo, E. (2006). Antidiabetic and hypolipidaemic effects of a methanol/methylene-chloride extract of *Laportea ovalifolia* (Urticaceae), measured in rats with alloxan-induced diabetes. *Ann Trop Med Parasitol* 100: 69-74. <http://dx.doi.org/10.1179/136485906X78517>.
- Mondal, A; Mukherjee, D; Adhikary, B; Ahmed, M, dA. (2016). Cobalt nanoparticles as recyclable catalyst for aerobic oxidation of alcohols in liquid phase. *J Nanopart Res* 18. <http://dx.doi.org/10.1007/s11051-016-3422-1>.
- Mondal, DB; Pandey, NN. (2000). Dosage regimen of methylene blue and its comparative therapeutic efficacy with tolonium chloride and ascorbic acid in induced acute nitrate toxicity in goats. *Indian J Anim Sci* 70: 572-575.
- Mondal, S; Konda, M; Kauffmann, B; Manna, MK; Das, AK. (2015). Effects of Donor and Acceptor Units Attached with Benzoselenadiazole: Optoelectronic and Self-Assembling Patterns. *Cryst Growth Des* 15: 5548-5554. <http://dx.doi.org/10.1021/acs.cgd.5b01179>.
- Mondragon, I; Bucknall, CB. (1994). EFFECTS OF RESIDUAL DICHLOROMETHANE SOLVENT ON THE CURE OF EPOXY-RESIN. 21: 275-281.
- Money, DM; Harrison, G. (1999). Liquefaction of scrap automobile tyres in different solvents and solvent mixes. *Fuel* 78: 1729-1736.
- Mongkol, R; Chavasiri, W. (2016). Antimicrobial, herbicidal and antifeedant activities of mansonone E from the heartwoods of *Mansonia gagei* Drumm. 15: 2795-2802. [http://dx.doi.org/10.1016/S2095-3119\(16\)61444-2](http://dx.doi.org/10.1016/S2095-3119(16)61444-2).
- Montazeri, M; Eckelman, MJ. (2016). Life Cycle Assessment of Catechols from Lignin Depolymerization. 4: 708-718. <http://dx.doi.org/10.1021/acssuschemeng.5b00550>.
- Monteiro, FM; Ferreira, MM; Potiens, JR; Eberhardt, BG; Trinca, LA; Barros, CM. (2010). Influence of superovulatory protocols on in vitro production of Nellore (*Bos indicus*) embryos. *Reproduction in Domestic Animals* 45: 860-864. <http://dx.doi.org/10.1111/j.1439-0531.2009.01399.x>.
- Montes, A; Baldauf, E; Gordillo, MD; Pereyra, CM; Martinez de la Ossa, EJ. (2014). Polymer encapsulation of amoxicillin microparticles by SAS process. *J Microencapsul* 31: 16-22. <http://dx.doi.org/10.3109/02652048.2013.799242>.
- Montes, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2011). Co-precipitation of amoxicillin and ethyl cellulose microparticles by supercritical antisolvent process. *Journal of Supercritical Fluids* 60: 75-80. <http://dx.doi.org/10.1016/j.supflu.2011.05.002>.
- Montes, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2013). Supercritical CO<sub>2</sub> precipitation of poly(L-lactic acid) in a wide range miscibility. *Journal of Supercritical Fluids* 81: 236-244. <http://dx.doi.org/10.1016/j.supflu.2013.06.008>.
- Montes, A; Gordillo, MD; Schindhelm, S; Pereyra, C; Martinez De La Ossa, EJ. (2012). Supercritical Antisolvent Precipitation of Ethyl Cellulose. *Part Sci Technol* 30: 424-430. <http://dx.doi.org/10.1080/02726351.2011.594867>.
- Montes, A; Nunes, A, na; Dolores Gordillo, M; Pereyra, C; Duarte, CMM; Martinez de la Ossa, EJ. (2013). Amoxicillin and Ethyl Cellulose Precipitation by Two Supercritical Antisolvent Processes. *Chem Eng Tech* 36: 665-672. <http://dx.doi.org/10.1002/ceat.201200429>.
- Montesano, MA; Olsson, AO; Kuklennyik, P; Needham, LL; Bradman, AS; Barr, DB. (2007). Method for determination of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea and propylenethiourea in human urine using high-performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry. *J Expo Sci Environ Epidemiol* 17: 321-330. <http://dx.doi.org/10.1038/sj.jes.7500550>.
- Moon, JK; Shibamoto, T. (2009). Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans. *J Agric Food Chem* 57: 5823-5831. <http://dx.doi.org/10.1021/jf901136e>.
- Moore, AD; Lynn, PA; Feiveson, AH. (2015). The First 10 Years of Aerobic Exercise Responses to Long-Duration ISS Flights. 86: A78-A86. <http://dx.doi.org/10.3357/AMHP.EC10.2015>.
- Moore, RM; Geen, CE; Tait, VK. (1995). DETERMINATION OF HENRY LAW CONSTANTS FOR A SUITE OF NATURALLY-OCCURRING HALOGENATED METHANES IN SEAWATER. *Chemosphere* 30: 1183-1191.
- Moradi, O; Gupta, VK; Agarwal, S; Tyagi, I; Asif, M; Makhlof, ASH; Sadegh, H; Shahryari-Ghoshekandi, R. (2015). Characteristics and electrical conductivity of graphene and graphene oxide for adsorption of cationic dyes from liquids: Kinetic and thermodynamic study. *J Ind Eng Chem* 28: 294-301. <http://dx.doi.org/10.1016/j.jiec.2015.03.005>.
- Moraes, SL; Rezende, MO; Nakagawa, LE; Luchini, LC. (2003). Multiresidue screening methods for the determination of pesticides in tomatoes. *J Environ Sci Health B* 38: 605-615. <http://dx.doi.org/10.1081/PFC-120023518>.

## Exposure Literature Search Results

### Off Topic

- Morais, MC; Pereira, H. (2012). Variation of extractives content in heartwood and sapwood of *Eucalyptus globulus* trees. *Wood Science and Technology* 46: 709-719. <http://dx.doi.org/10.1007/s00226-011-0438-7>.
- Morales, A; Birkholz, DA; Hrudey, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH BILE FATTY AND RESIN ACIDS. *Water Environ Res* 64: 660-668.
- Morales, A; Birkholz, DA; Hrudey, SE. (1992). ANALYSIS OF PULP-MILL EFFLUENT CONTAMINANTS IN WATER, SEDIMENT, AND FISH MUSCLE CHLOROPHENOLS AND RELATED-COMPOUNDS. *Water Environ Res* 64: 669-681.
- Moran, J; Bekker, H; Latchford, G. (2008). Everyday use of patient-centred, motivational techniques in routine consultations between doctors and patients with diabetes. *Patient Educ Couns* 73: 224-231. <http://dx.doi.org/10.1016/j.pec.2008.07.006>.
- Moran, RE; Sun, Y; Geng, F; Zhang, D; Fazio, G. (2011). Cold Temperature Tolerance of Trunk and Root Tissues in One- or Two-year-old Apple Rootstocks. *HortScience* 46: 1460-1464.
- Mordadpour, A; Ribault, M; Auban-Senzier, P. (2000). Overlayer-mediated superconductivity of bechgaard-salt single crystals. *Adv Mater Deerfield* 12: 719-+.
- Mordaunt, CJ; Gevao, B; Jones, KC; Semple, KT. (2005). Formation of non-extractable pesticide residues: observations on compound differences, measurement and regulatory issues. *Environ Pollut* 133: 25-34. <http://dx.doi.org/10.1016/j.envpol.2004.04.018>.
- Moreira, PL; Lopez, P; Martin, J. (2008). Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (*Lacerta monticola*). *Acta Ethologica* 11: 26-33. <http://dx.doi.org/10.1007/s10211-007-0038-6>.
- Morel, G. (1996). Method development and quality assurance for the analysis of hydrocarbons in environmental samples. *Int J Environ Anal Chem* 63: 269-288.
- Morello, AP; Burrill, R; Mathiowitz, E. (2007). Preparation and characterization of poly(methyl methacrylate) - iron (III) oxide microparticles using a modified solvent evaporation method. *J Microencapsul* 24: 476-491. <http://dx.doi.org/10.1080/02652040701352513>.
- Moretton, C; Crétier, G; Nigay, H; Rocca, JL. (2011). Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). *J Agric Food Chem* 59: 3544-3550. <http://dx.doi.org/10.1021/jf104464f>.
- Morgado, J; Santos, IC; Veiros, LF; Henriques, RT; Duarte, MT; Almeida, M; Alcacer, L. (1997). Perylene derivative charge transfer salts: synthesis, crystal structure and characterisation of (pet)(3)[Ni(mnt)(2)](2). *J Mater Chem* 7: 2387-2392.
- Morgado, J; Santos, IC; Veiros, LF; Rodrigues, U; Henriques, RT; Duarte, MT; Alcacer, L; Almeida, M. (2001). Preparation, structural, electrical and magnetic properties of tetrathiafulvalene-Au(pds)(2) salts (pds = pyrazine-2,3-diselenolate). *J Mater Chem* 11: 2108-2117.
- Morillo, E; Romero, AS; Madrid, L; Villaverde, J; Maqueda, C. (2008). Characterization and sources of PAHs and potentially toxic metals in urban environments of sevilla (Southern Spain). *Water Air Soil Pollut* 187: 41-51. <http://dx.doi.org/10.1007/s11270-007-9495-9>.
- Morishima, K; Kawashima, Y; Kawashima, Y; Takeuchi, H; Niwa, T; Hino, T. (1993). MICROMERIC CHARACTERISTICS AND AGGLOMERATION MECHANISMS IN THE SPHERICAL CRYSTALLIZATION OF BUCILLAMINE BY THE SPHERICAL AGGLOMERATION AND THE EMULSION SOLVENT DIFFUSION METHODS. *Powder Technology* 76: 57-64.
- Morliere, N; Vallieres, C; Perrin, L; Roizard, D. (2006). Impact of thermal ageing on sorption and diffusion properties of PTMSP. *J Memb Sci* 270: 123-131. <http://dx.doi.org/10.1016/j.memsci.2005.06.048>.
- Morrice, P; Giordano, A; Seccia, S; Ungaro, F; Ventriglia, M. (2001). Degradation of imazosulfuron in soil. *Pest Manag Sci* 57: 360-365.
- Morris, BD; Foster, SP; Harris, MO. (2000). Identification of 1-octacosanal and 6-methoxy-2-benzoxazolinone from wheat as ovipositional stimulants for Hessian fly, *Mayetiola destructor*. *J Chem Ecol* 26: 859-873.
- Morse, GE; Helander, MG; Maka, JF; Lu, ZH; Bender, TP. (2010). Fluorinated Phenoxy Boron Subphthalocyanines in Organic Light-Emitting Diodes. *ACS Applied Materials & Interfaces* 2: 1934-1944. <http://dx.doi.org/10.1021/am1002603>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health* 45: 173-210.
- Moshfeghian, A; Tillman, J; Madihally, SV. (2006). Characterization of emulsified chitosan-PLGA matrices formed using controlled-rate freezing and lyophilization technique. *J Biomed Mater Res A* 79: 418-430. <http://dx.doi.org/10.1002/jbm.a.30849>.
- Mostafa, E., GA. (2008). PVC matrix membrane sensor for potentiometric determination of dodecylsulfate. *Int J Environ Anal Chem* 88: 435-446. <http://dx.doi.org/10.1080/03067310701717735>.
- Mota, GS; Sartori, CJ; Ferreira, J; Miranda, I; Quilho, T; Mori, FA; Pereira, H. (2016). Cellular structure and chemical composition of cork from *Plathymenia reticulata* occurring in the Brazilian Cerrado. *Ind Crop Prod* 90: 65-75. <http://dx.doi.org/10.1016/j.indcrop.2016.06.014>.
- Mothershead, RF; Hale, RC; Greaves, J. (1991). XENOBIOTIC COMPOUNDS IN BLUE CRABS FROM A HIGHLY CONTAMINATED URBAN SUBESTUARY. *Environ Toxicol Chem* 10: 1341-1349.
- Motta, LB; Furlan, CM; Santos, DYA, C; Salatino, MLF; Negri, G; de Carvalho, JE; Monteiro, PA; Ruiz, A, naLTG; Caruzo, MB; Salatino, A. (2013). Antiproliferative activity and constituents of leaf extracts of *Croton sphaerogynus* Baill. (Euphorbiaceae). *Ind Crop Prod* 50: 661-665. <http://dx.doi.org/10.1016/j.indcrop.2013.08.008>.
- Mottaleb, MA; Abedin, MZ; Islam, MS. (2004). Determination of volatile organic compounds in river water by solid phase extraction and gas chromatography. *J Environ Sci* 16: 497-501.
- Moura, SC; Jorge, RF; Duque, A; Boaventura, R; Castro, PML. (2007). Aerobic biological treatment of waste-waters containing dichloromethane. *J Chem Tech Biotechnol* 82: 864-869. <http://dx.doi.org/10.1002/jctb.1758>.
- Moya, R; Tenorio, C. (2013). Fuelwood characteristics and its relation with extractives and chemical properties of ten fast-growth species in Costa Rica. *Biomass and Bioenergy* 56: 14-21. <http://dx.doi.org/10.1016/j.biombioe.2013.04.013>.

## Exposure Literature Search Results

### Off Topic

- Mrutyunjaya, R, aoR; Venkateswarlu, Y. (2011). Isolation of Three Compounds from the Roots of Piper Officinatum. *Res Journal Chem Environ* 15: 705-708.
- Msayib, KJ; Mckeown, NB. (2016). Inexpensive polyphenylene network polymers with enhanced microporosity. 4: 10110-10113. <http://dx.doi.org/10.1039/c6ta03257e>.
- Muangrat, W; Yordsri, V; Maolanon, R; Pratontep, S; Porntheeraphat, S; Wongwiriyan, W. (2016). Hybrid gas sensor based on platinum nanoparticles/poly(methyl methacrylate)-coated single-walled carbon nanotubes for dichloromethane detection with a high response magnitude. *Diam Relat Mater* 65: 183-190. <http://dx.doi.org/10.1016/j.diamond.2016.03.016>.
- Mubarak, NM; Kundu, A; Sahu, JN; Abdullah, EC; Jayakumar, NS. (2014). Synthesis of palm oil empty fruit bunch magnetic pyrolytic char impregnating with FeCl<sub>3</sub> by microwave heating technique. *Biomass and Bioenergy* 61: 265-275. <http://dx.doi.org/10.1016/j.biombioe.2013.12.021>.
- Mubiru, E; Shrestha, K; Papastergiadis, A; De Meulenaer, B. (2014). Development and validation of a gas chromatography-flame ionization detection method for the determination of epoxy fatty acids in food matrices. *J Agric Food Chem* 62: 2982-2988. <http://dx.doi.org/10.1021/jf405664c>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Muchovej, JJ; Muchovej, RMC; Goncalves, EJ. (1991). EFFECT OF KIND AND METHOD OF FUNGICIDAL TREATMENT OF BEAN SEED ON INFECTIONS BY THE VA-MYCORRHIZAL FUNGUS GLOMUS-MACROCARPUM AND BY THE PATHOGENIC FUNGUS FUSARIUM-SOLANI .2. TEMPORAL-SPATIAL RELATIONSHIPS. *Plant Soil* 132: 47-51.
- Mueller, E; Philp, RP. (1998). Extraction of high molecular weight hydrocarbons from source rocks: an example from the Green River Formation, Uinta Basin, Utah. *Organic Geochemistry* 28: 625-631.
- Mueller, M, ax; Scharfer, P; Kind, M; Schabel, W. (2010). Determination of Diffusion Coefficients of Non-volatile Additives in Polymeric Coatings by Means of Inverse Micro Raman Spectroscopy. *Chem Ing Tech* 82: 2097-2102. <http://dx.doi.org/10.1002/cite.201000085>.
- Mueller, M; Scharfer, P; Kind, M; Schabel, W. (2011). Influence of non-volatile additives on the diffusion of solvents in polymeric coatings. *Chemical Engineering and Processing: Process Intensification* 50: 551-554. <http://dx.doi.org/10.1016/j.cep.2010.10.001>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res* 29: 2434-2439.
- Mukaratirwa-Muchanyereyi, N; Kugara, J; Zaranyika, MF. (2016). Adsorption of volatile polar organic solvents on water hyacinth (*Eichhornia crassipes*) root biomass: thermodynamic parameters and mechanism. *Int J Environ Sci Tech* 13: 1941-1950. <http://dx.doi.org/10.1007/s13762-016-1016-1>.
- Mulani, K; Momin, M; Ganjave, N; Chavan, N. (2015). Thermotropic liquid crystalline polyesters derived from bis-(4-hydroxybenzoyloxy)-2-methyl-1,4-benzene and aliphatic dicarboxylic acid chlorides. *Bulletin of Materials Science* 38: 1301-1308.
- Mulla, K; Zhao, Y. (2013). When dithiafulvenyl functionalized pi-conjugated oligomers meet fullerenes and single-walled carbon nanotubes. 1: 5116-5127. <http://dx.doi.org/10.1039/c3tc30626g>.
- Mullassery, MD; Fernandez, NB; Anirudhan, TS. (2015). Adsorptive removal of acid red from aqueous solutions by cationic surfactant-modified bentonite clay. *Desalination and Water Treatment* 56: 1929-1939. <http://dx.doi.org/10.1080/19443994.2014.958110>.
- Muller, B; Jusko, O; Pietsch, GJ; Kohler, U. (1992). STRAIN-INDUCED DIMER ADATOM STACKING-FAULT STRUCTURES OF GERMANIUM ON SI(111)-(SQUARE-ROOT-3 X SQUARE-ROOT-3)R30-DEGREES-B OBSERVED BY SCANNING TUNNELING MICROSCOPY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 10: 16-18.
- Muller, R; Heinze, J. (1998). Direct electrochemical detection of C-60 in solution by steady-state voltammetry at microelectrodes. *J Electrochem Soc* 145: 1227-1232.
- Mumford, JL; Lewtas, J; Williams, K; Tucker, WG; Traynor, GW. (1992). Mutagenicity of organic emissions from unvented kerosene heaters in a chamber study. *J Toxicol Environ Health* 36: 151-159.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng* 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Mun, SP; Jahan, MS; Al-Maruf, A; Chowdhury, DAN. (2011). Chemical characterization of six mangrove species in Bangladesh. *Wood Science and Technology* 45: 281-288. <http://dx.doi.org/10.1007/s00226-010-0333-7>.
- Muraguchi, K; Suzuki, S; Minami, H; Tanaka, T. (2004). In vitro evaluation of bond strength and surface roughness of a resin-paint material. *Dent Mater J* 23: 406-411.
- Murali, KR. (2008). Characteristics of sol-gel dip coated Ceria films. *Journal of Materials Science: Materials in Electronics* 19: 369-371. <http://dx.doi.org/10.1007/s10854-007-9345-y>.
- Muraza, O, ki; Rebrov, EV; Khirnyak, T; Johnson, BFG; Kooyman, PJ; Lafont, U, go; De Croon, MHJ, M; Schouten, JC. (2008). Mesoporous silica films as catalyst support for microstructured reactors: Preparation and characterization. *Chem Eng J* 135: S99-S103. <http://dx.doi.org/10.1016/j.cej.2007.07.023>.
- Murphy, CD; Moore, RM; White, RL. (2000). An isotopic labeling method for determining production of volatile organohalogen by marine microalgae. *Limnol Oceanogr* 45: 1868-1871.
- Murphy, TJ; Sweet, CW. (1994). CONTAMINATION OF TEFLON SURFACES BY PCBS IN THE ATMOSPHERE. *Atmos Environ* 28: 361-364.

## Exposure Literature Search Results

### Off Topic

- Murray, DR; Larkum, AWD. (1991). SEED PROTEINS OF THE SEAGRASS ZOSTERA-CAPRICORNII. *Aquat Bot* 40: 101-108.
- Murray, IP; Love, GD; Snape, CE; Bailey, NJL. (1998). Comparison of covalently-bound aliphatic biomarkers released via hydrolysis with their solvent-extractable counterparts for a suite of Kimmeridge clays. *Organic Geochemistry* 29: 1487-1505.
- Murray, WA; Lunardini, RC; Ullo, FJ; Davidson, ME. (2000). Site 5 air sparging pilot test, Naval Air Station Cecil Field, Jacksonville, Florida. *J Hazard Mater* 72: 121-145.
- Murthy, TEG, K; Kishore, VS, ai. (2008). Effect of casting solvent on permeability of antihypertensive drugs through ethyl cellulose films. *Journal of Sci Ind Res* 67: 147-150.
- Murugan, E; Gopinath, P. (2007). Synthesis and characterization of novel bead-shaped insoluble polymer-supported tri-site phase transfer catalyst and its efficiency in N-alkylation of pyrrole. *Appl Catal A-Gen* 319: 72-80.
- Murzyn, P; Garcia-Deniz, AZ; Fox, AM; Wells, JPR; Whittaker, DM; Skolnick, MS; Krauss, TF; Roberts, JS. (2005). Ultrafast nonlinear response of AlGaAs/InAlGaAs MQW photonic crystal waveguides. *Physica Status Solidi A: Applications and Materials Science (Print)* 202: 2653-2656. <http://dx.doi.org/10.1002/pssa.200562022>.
- Mushrush, GW; Quintana, MA; Bauserman, JW; Willauer, HD. (2011). Post-refining removal of organic nitrogen compounds from diesel fuels to improve environmental quality. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 176-180. <http://dx.doi.org/10.1080/10934529.2011.532433>.
- Mussmann, P; Eisert, R; Levsen, K; Wuensch, G. (1995). Determination of nitrophenols, diaminotoluenes, and chloroaromatics in ammunition wastewater. *Acta Hydrochim Hydrobiol* 23: 13-19. <http://dx.doi.org/10.1002/ahch.19950230104>.
- Mustafa, H. (2003). Development of new type of gas absorber, industrial applications. *Process Saf Environ Protect* 81: 210-216.
- Muthukumar, H; Matheswaran, M. (2015). *Amaranthus spinosus* Leaf Extract Mediated FeO Nanoparticles: Physicochemical Traits, Photocatalytic and Antioxidant Activity. 3: 3149-3156. <http://dx.doi.org/10.1021/acs.suschemeng.5b00722>.
- Muthukumar, P; Kim, H, akSoo; Ku, K, yoSun; Park, JH, o; Son, YA. (2016). Synthesis, Characterization and Aggregation and Fluorescence Properties of Novel Highly Soluble Zinc Phthalocyanines Bearing Tetrakis-4-(3-(Piperidin-1-yl)phenoxy) with Tetra and Dodecachloro Substituents. *Fibers and Polymers* 17: 553-559. <http://dx.doi.org/10.1007/s12221-016-5812-5>.
- Muthumbi, W; De Boever, P; D'Haese, I; D'Hooge, W; Top, EM; Pieters, JG; Comhaire, F; Verstraete, W. (2002). Assessment of the estrogenic activity of flue gases from burning processes by means of the yeast based human estrogen receptor (hER) bioassay. *Environ Technol* 23: 287-291.
- Muthuraman, G; Ibrahim, M. (2013). Use of bulk liquid membrane for the removal of Cibacron Red FN-R from aqueous solution using TBAB as a carrier. *J Ind Eng Chem* 19: 444-449. <http://dx.doi.org/10.1016/j.jiec.2012.08.025>.
- Muthuraman, G; Palanivelu, K. (2005). Selective extraction and separation of textile anionic dyes from aqueous solution by tetrabutyl ammonium bromide. *Dyes and Pigments* 64: 251-257. <http://dx.doi.org/10.1016/j.dyepig.2004.05.014>.
- Muthuraman, G; Palanivelu, K. (2005). Transport of textile anionic dyes using cationic carrier by bulk liquid membrane. *Journal of Sci Ind Res* 64: 529-533.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination* 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Muthusubramanian, L; Rao, VSS; Mitra, RB. (2003). Convenient synthesis of methylene bithiocyanate as microbicide. *J Clean Prod* 11: 695-697. [http://dx.doi.org/10.1016/S0959-6526\(02\)00100-2](http://dx.doi.org/10.1016/S0959-6526(02)00100-2).
- Muzart, J; Druzhinina, AN; Shulpin, GB. (1993). PHOTOINITIATED REACTIONS OF ORGANIC-COMPOUNDS WITH METAL-COMPLEXES .26. PHOTOXYGENATION OF CYCLOHEXANE BY ATMOSPHERIC OXYGEN IN METHYLENE-CHLORIDE, CATALYZED BY A CR(IV) OXOCOMPLEX. *Petroleum Chemistry* 33: 113-115.
- Na, G; Liu, C; Wang, Z; Ge, L; Ma, X; Yao, Z. (2011). Distribution and characteristic of PAHs in snow of Fildes Peninsula. *J Environ Sci* 23: 1445-1451. [http://dx.doi.org/10.1016/S1001-0742\(10\)60605-5](http://dx.doi.org/10.1016/S1001-0742(10)60605-5).
- Nacer, A; Merza, J; Kabouche, Z; Rhouati, S; Boustie, J; Richomme, P. (2012). Sesquiterpene lactones from *Centaurea tougourensis*. *Biochemical Systematics and Ecology* 43: 163-165. <http://dx.doi.org/10.1016/j.bse.2011.08.013>.
- Nada, AAM, A; Ayoub, MMH. (1997). Impregnation of paper sheets in vinyl acetate vinyl chloride copolymer solution. *J elastomers plast* 29: 111-123.
- Nadim, F; Liu, SL; Hoag, GE; Chen, JP; Carley, RJ; Zack, P. (2002). A comparison of spectrophotometric and gas chromatographic measurements of heavy petroleum products in soil samples. *Water Air Soil Pollut* 134: 97-109.
- Naeem, S; Baheti, V; Militky, J; Wiener, J; Behera, P; Ashraf, A. (2016). Sorption Properties of Iron Impregnated Activated Carbon Web for Removal of Methylene Blue from Aqueous Media. *Fibers and Polymers* 17: 1245-1255. <http://dx.doi.org/10.1007/s12221-016-6423-x>.
- Nafissi-Varcheh, N; Erfan, M; Aboofazeli, R. (2008). An approach to the design of a particulate system for oral protein delivery. I. In vitro stability of various poly (alpha-hydroxy acids)-microspheres in simulated gastrointestinal fluids. *J Microencapsul* 25: 584-592. <http://dx.doi.org/10.1080/02652040802485485>.
- Nagappan, S; Park, SS, oo; Yu, E, unJ; Cho, H, unJ; Park, J, inJoo; Lee, W, onKi; Ha, CS, ik. (2013). A highly transparent, amphiphobic, stable and multi-purpose poly(vinyl chloride) metallopolymer for anti-fouling and anti-staining coatings. 1: 12144-12153. <http://dx.doi.org/10.1039/c3ta11887h>.
- Nagase, Y, u; Ando, T; Yun, CM, in. (2007). Syntheses of siloxane-grafted aromatic polymers and the application to pervaporation membrane. *React Funct Polym* 67: 1252-1263. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.057>.
- Nagata, F; Miyajima, T; Teraoka, K; Yokogawa, Y. (2005). Preparation of porous poly(lactic acid)/hydroxyapatite microspheres intended for injectable bone substitutes. *Key Eng Mater* 284-286: 819-822.

## Exposure Literature Search Results

### Off Topic

- Nagata, F; Teraoka, K; Yokogawa, Y; Miyajima, T. (2006). Double layered microspheres composed of calcium phosphate and poly (lactic acid). *Eng Mater* 309-311: 915-918.
- Nagata, M; Hizakae, S. (2003). Synthesis and characterization of photocrosslinkable biodegradable polymers derived from 4-hydroxycinnamic acid. *Macromol Biosci* 3: 412-419. <http://dx.doi.org/10.1002/mabi.200350011>.
- Nagawa, CB; Boehmdorfer, S; Rosenau, T. (2015). Chemical composition of volatiles extracted from indigenous tree species of Uganda: composition of bark extracts from *Psorospermum febrifugum* and *Milicia excelsa*. *Holzforschung* 69: 815-821. <http://dx.doi.org/10.1515/hf-2014-0283>.
- Naghavi, MR; Motamedi, E; Nasiri, J; Alizadeh, H; Moghadam, MRF; Mashouf, A. (2015). Evaluation of magnetic- and carbon-based nano-adsorbents application in pre-purification of paclitaxel from needles of *Taxus baccata*. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-014-2830-3>.
- Nagstrup, J; Keller, S; Almdal, K; Boisen, A. (2011). 3D microstructuring of biodegradable polymers. *Microelectron Eng* 88: 2342-2344. <http://dx.doi.org/10.1016/j.mee.2010.12.014>.
- Naidoo, K; Rolfes, H; Easton, K, im; Moolman, S; Chetty, A; Richter, W, im; Nilen, R. (2008). An emulsion preparation for novel micro-porous polymeric hemi-shells. *Mater Lett* 62: 252-254. <http://dx.doi.org/10.1016/j.matlet.2007.05.012>.
- Naidu, RR; Raju, RVP. (1995). SPECTROPHOTOMETRIC DETERMINATION OF FENVALERATE IN A COMMERCIAL FORMULATION AND AS RESIDUES IN WATER AND SOIL. *Pestic Sci* 44: 163-166.
- Najdanovic-Visak, V; Rodriguez, A, na; Visak, ZP; Rosa, JN; Afonso, CAM; Nunes da Ponte, M; Rebelo, LPN. (2007). Co-solvent effects in LLE of 1-hydroxyethyl-3-methylimidazolium based ionic liquids plus 2-propanol plus dichloromethane or 1,2-dichloroethane. *Fluid Phase Equilibria* 254: 35-41. <http://dx.doi.org/10.1016/j.fluid.2007.02.020>.
- Nakagawa, Y; Molina-Sabio, M; Rodriguez-Reinoso, F. (2007). Modification of the porous structure along the preparation of activated carbon monoliths with H<sub>3</sub>PO<sub>4</sub> and ZnCl<sub>2</sub>. *Microporous and Mesoporous Materials* 103: 29-34. <http://dx.doi.org/10.1016/j.micromeso.2007.01.029>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE* 38: 240-246.
- Nakahama, T; Inouye, Y. (1998). Application of polyamide column to the concentration and fractional analysis of some organic compounds responsible for environmental water pollution. *JTTHE* 44: 92-98.
- Nakamura, A; Endo, H; Yamashita, T; Kawai, T. (2014). Sodium Dodecylsulfate Bilayer Formation Under a Cationic Surfactant Langmuir Monolayer at the Air-Water Interface. *J Nanosci Nanotechnol* 14: 2198-2203. <http://dx.doi.org/10.1166/jnn.2014.8522>.
- Nakano, H; Schrader, KK; Mamonov, LK; Kustova, TS; Mursaliyeva, VK; Cantrell, CL. (2012). Isolation and identification of *Flavobacterium columnare* and *Streptococcus iniae* antibacterial compounds from the terrestrial plant *Atraphaxis laetevirens*. *J Agric Food Chem* 60: 10415-10419. <http://dx.doi.org/10.1021/jf304155n>.
- Nam, YS; Park, TG. (1999). Protein loaded biodegradable microspheres based on PLGA-protein bioconjugates. *J Microencapsul* 16: 625-637.
- Namvari, M; Namazi, H. (2015). Preparation of efficient magnetic biosorbents by clicking carbohydrates onto graphene oxide. *Journal of Materials Science* 50: 5348-5361. <http://dx.doi.org/10.1007/s10853-015-9082-1>.
- Nan, W, ei; Shende, AR; Shannon, J; Shende, RV. (2016). Insight into Catalytic Hydrothermal Liquefaction of Cardboard for Biofuels Production. *Energy Fuels* 30: 4933-4944. <http://dx.doi.org/10.1021/acs.energyfuels.6b00479>.
- Nan, X; Huang, Y, i; Fan, Q; Shao, J. (2015). Efficient visible photoinitiator containing linked dye-cointiator and iodonium salt for free radical polymerization. *Progr Org Coating* 81: 11-18. <http://dx.doi.org/10.1016/j.porgcoat.2014.12.013>.
- Nangrejo, MR; Bao, X; Edirisinghe, MJ. (2001). Processing of ceramic foams from polymeric precursor-alumina suspensions. *Cell Polym* 20: 17-35.
- Nangrejo, MR; Edirisinghe, MJ. (2002). Porosity and strength of silicon carbide foams prepared using preceramic polymers. *Journal of Porous Materials* 9: 131-140.
- Napo, K; Chand, S; Bernede, JC; Safoula, G; Alimi, K. (1992). GROWTH AND CHARACTERIZATION OF VACUUM-DEPOSITED POLYVINYL CARBAZOLE (PVK) FILMS. *Journal of Materials Science* 27: 6219-6222.
- Napolitano, GE; Richmond, JE; Stewart, AJ. (1998). Characterization of petroleum-contaminated soils by thin-layer chromatography with flame ionization detection. *Journal of Soil Contamination* 7: 709-724.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res* 67: 46-56.
- Narendranath, AD; Hermanson, JC; Kolkka, RW; Struthers, AA; Allen, JS. (2014). The Effect of Gravity on the Stability of an Evaporating Liquid Film. *Microgravity Science and Technology* 26: 189-199. <http://dx.doi.org/10.1007/s12217-014-9395-8>.
- Narimissa, E; Gupta, RK; Kao, N; Choi, HJ, in; Bhattacharya, SN. (2015). The comparison between the effects of solvent casting and melt intercalation mixing processes on different characteristics of polylactide-nanographite platelets composites. *Polymer Engineering and Science* 55: 1560-1570. <http://dx.doi.org/10.1002/pen.23996>.
- Narita, H; Ando, N; Kuga, S. (2013). Simple Identification of Weathered Wood of *Chamaecyparis obtusa* var. *formosana*. 59: 203-210.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.

## Exposure Literature Search Results

### Off Topic

- Narula, CK; Allard, LF. (1998). Novel zirconium nitride precursor: synthesis, decomposition pathway, and pyrolysis of  $[(CH_3)_3Si]_2NH$  center dot  $ZrCl_4$ . *J Mater Chem* 8: 1881-1884.
- Narula, CK; Demczyk, BG; Czubarow, P; Seyferth, D. (1995). PREPARATION OF SILICON NITRIDE-TITANIUM NITRIDE AND TITANIUM-TITANIUM NITRIDE COMPOSITES FROM  $(CH_3)_3SiNHTICL_3$ -COATED  $Si_3N_4$  AND TI PARTICLES. *Journal of the American Ceramic Society* 78: 1247-1251.
- Nascente, PAP; Vanhove, MA; Somorjai, GA. (1992). ORDERING OF ETHYLIDYNE ON CLEAN AND ADSORBATE COVERED  $Pd(111)$  - INFLUENCE OF THE COADSORPTION OF OXYGEN. *Journal of Vacuum Science and Technology A* 10: 2342-2346.
- Nascimento, EA; Terrones, MGH; Morais, SAL; Chang, R; Andrade, GA; Santos, DQ; Pereira, BHA. (2009). Allelopathic activity of *Cenchrus echinatus* L. extracts on weeds and crops. *Allelopathy Journal* 24: 363-372.
- Nasef, MM; Saidi, H. (2006). Single radiation-induced grafting method for the preparation of two proton- and lithium ion-conducting membranes. *Macromolecular Materials & Engineering* 291: 972-983. <http://dx.doi.org/10.1002/mame.200600131>.
- Nassar, NN. (2010). Kinetics, Mechanistic, Equilibrium, and Thermodynamic Studies on the Adsorption of Acid Red Dye from Wastewater by-  $Fe_2O_3$  Nanoadsorbents. *Separation Science and Technology* 45: 1092-1103. <http://dx.doi.org/10.1080/01496391003696921>.
- Natale, R; Russo, R; Vittoria, V. (1992). CRYSTALLINITY OF ISOTACTIC POLYPROPYLENE FILMS ANNEALED FROM THE QUENCHED STATE. *Journal of Materials Science* 27: 4350-4354.
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria* 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria* 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data* 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria* 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data* 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at  $T = 308.15$  K, and of (cyclohexanone plus dichloromethane) at  $T = 303.15$  K. *Fluid Phase Equilibria* 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at  $T = 303.15$  K. *Fluid Phase Equilibria* 145: 89-97.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data* 42: 128-131.
- Nath, J; Pandey, JG. (1997). Excess molar volumes and refractive indexes of heptanol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane. *Journal of Chemical and Engineering Data* 42: 514-516.
- Nath, J; Pandey, JG. (1997). Excess molar volumes of heptan-1-ol plus pentane, plus hexane, plus heptane, plus octane, and plus 2,2,4-trimethylpentane at  $T=293.15$  K. *Journal of Chemical and Engineering Data* 42: 1137-1139.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at  $T = 298.15$  K. *Journal of Chemical and Engineering Data* 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria* 50: 297-303.
- Naufal, Z; Zhou, GD; Mcdonald, T; Li, Z; Li, Z; Donnelly, KC. (2007). Genotoxicity of organic extracts of house dust from Shanxi, China. *J Toxicol Environ Health A* 70: 2080-2088. <http://dx.doi.org/10.1080/15287390701601376>.
- Navarro, AE; Cuizano, NA; Lazo, JC; Sun-Kou, MR; Llanos, BP. (2009). Comparative study of the removal of phenolic compounds by biological and non-biological adsorbents. *J Hazard Mater* 164: 1439-1446. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.07>.
- Navarro, C; Fernandezcobar, R; Benlloch, M. (1992). A LOW-PRESSURE, TRUNK-INJECTION METHOD FOR INTRODUCING CHEMICAL FORMULATIONS INTO OLIVE TREES. *J Am Soc Hortic Sci* 117: 357-360.
- Navarro-Gonzalez, R; Vargas, E; de La Rosa, J; Raga, AC; Mckay, CP. (2010). Reanalysis of the Viking results suggests perchlorate and organics at midlatitudes on Mars. *J Geophys Res* 115. <http://dx.doi.org/10.1029/2010JE003599>.



## Exposure Literature Search Results

### Off Topic

- Naves, JL; Prado, MP; Rangel, M; De Sanctis, B; Machado-Santelli, G; Freitas, JC. (2006). Cytotoxicity in the marine dinoflagellate *Prorocentrum mexicanum* from Brazil. *Comp Biochem Physiol C Toxicol Pharmacol* 143: 73-77. <http://dx.doi.org/10.1016/j.cbpc.2005.12.002>.
- Nawi, MA; Zain, SM, d. (2012). Enhancing the surface properties of the immobilized Degussa P-25 TiO<sub>2</sub> for the efficient photocatalytic removal of methylene blue from aqueous solution. *Appl Surf Sci* 258: 6148-6157. <http://dx.doi.org/10.1016/j.apsusc.2012.03.024>.
- Nazari, G; Abolghasemi, H; Esmaili, M; Assar, M. (2016). Theoretical and experimental study of cephalixin batch adsorption dynamics using walnut shell-based activated carbon. *Desalination and Water Treatment* 57: 27339-27348. <http://dx.doi.org/10.1080/19443994.2016.1172029>.
- Ncibi, MC; Mahjoub, B; Gourdon, R. (2007). Effects of aging on the extractability of naphthalene and phenanthrene from Mediterranean soils. *J Hazard Mater* 146: 378-384. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.032>.
- Ncube, P; Krause, R, uiWM; Mamba, BB. (2014). Detection of chloroform in water using an azo dye-modified beta-cyclodextrin - Epichlorohydrin copolymer as a fluorescent probe. *Phys Chem Earth* 67-69: 79-85. <http://dx.doi.org/10.1016/j.pce.2013.10.009>.
- Necib, S; Linard, Y; Crusset, D; Michau, N; Daumas, S; Burger, E; Romaine, A; Schlegel, ML. (2016). Corrosion at the carbon steel-clay borehole water and gas interfaces at 85 degrees C under anoxic and transient acidic conditions. *Corrosion Sci* 111: 242-258. <http://dx.doi.org/10.1016/j.corsci.2016.04.039>.
- Nedungadi, PAK; Kunju, T; Kumar, K; Mathur, S; Peter, T; Dhas, A; Zutshi, K. (1991). ELECTROINITIATED POLYMERIZATION OF MDI (METHYLENE 4,4'-DIPHENYL DIISOCYANATE) WITH POLYOXY PROPYLENEGLYCOL POLYURETHANE SYNTHESIS. *Bulletin of Materials Science* 14: 1353-1362.
- Nekouei, F; Kargarzadeh, H; Nekouei, S; Keshtpour, F; Makhlof, ASH. (2016). Novel, facile, and fast technique for synthesis of AgCl nanorods loaded on activated carbon for removal of methylene blue dye. *Process Saf Environ Protect* 103: 212-226. <http://dx.doi.org/10.1016/j.psep.2016.07.010>.
- Nekouei, S; Nekouei, F; Tyagi, I; Agarwal, S; Gupta, VK. (2016). Mixed cloud point/solid phase extraction of lead(II) and cadmium(II) in water samples using modified ZnO nanopowders. *Process Saf Environ Protect* 99: 175-185. <http://dx.doi.org/10.1016/j.psep.2015.11.005>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis* 16: 1243-1245.
- Nerenberg, R; Rittmann, BE. (2004). Hydrogen-based, hollow-fiber membrane biofilm reactor for reduction of perchlorate and other oxidized contaminants. *Water Sci Technol* 49: 223-230.
- Nerin, C; Fernandez, C; Domeno, C; Salafranca, J. (2003). Determination of potential migrants in polycarbonate containers used for microwave ovens by high-performance liquid chromatography with ultraviolet and fluorescence detection. *J Agric Food Chem* 51: 5647-5653. <http://dx.doi.org/10.1021/jf034330p>.
- Nerome, H; Machmudah, S; Wahyudiono; Fukuzato, R; Higashiura, T; Kanda, H; Goto, M. (2016). Effect of Solvent on Nanoparticle Production of beta-Carotene by a Supercritical Antisolvent Process. *Chem Eng Tech* 39: 1771-1777. <http://dx.doi.org/10.1002/ceat.201500519>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Newman, JW; Vedder, JM; Jarman, WM; Chang, RR. (1994). A method for the determination of environmental contaminants in living marine mammals using microscale samples of blubber and blood. *Chemosphere* 29: 671-681.
- Nezhadali, A; Mohammadi, R; Akbarpour, M; Ebrahimi, J. (2016). Selective transport of Cu(II) ions from a mixture of Mn(II), Co(II), Ni(II), Cu(II), Zn(II), and Pb(II) cations through a bulk liquid membrane using benzyl bis (thiosemicarbazone) as carrier. *Desalination and Water Treatment* 57: 13818-13828. <http://dx.doi.org/10.1080/19443994.2015.1072841>.
- Ng, KC; Poi, G; Puah, CM; Decastro, V; Rogers, PL. (1997). Monitoring of phenol in wastewater bioremediation by HPLC. *Environ Monit Assess* 44: 433-436.
- Ngai, JHL; Leung, LM; So, SK; Lee, HKH. (2016). Organic soluble indigoids derived from 3-hydroxybenzaldehyde for N-type organic field-effect transistor (OFET) applications. *Organic Electronics* 32: 258-266. <http://dx.doi.org/10.1016/j.orgel.2016.02.035>.
- Ngbilo, E; Chevrot, C. (1993). CHEMICAL DOPING OF POLY (N-BUTYL-3,6-CARBAZOLYLEN) IN SOLUTION. *Synthetic Metals* 55: 861-866.
- Nguyen, DK; Bruchet, A; Arpino, P. (1995). DETERMINATION OF STEROLS IN SEWAGE-SLUDGE BY COMBINED IN-SITU TRIMETHYLSILYLATION/SUPERCritical FLUID EXTRACTION AND GC/MS. *Environ Sci Technol* 29: 1686-1690.
- Nguyen, MT; Diaz, AF; Dementev, VV; Pannell, KH. (1993). HIGH-MOLECULAR-WEIGHT POLY(FERROCENEDIYL SILANES) - SYNTHESIS AND ELECTROCHEMISTRY OF [-(C<sub>5</sub>H<sub>4</sub>)FE(C<sub>5</sub>H<sub>4</sub>)SIR<sub>2</sub>]-<sub>n</sub>, R = ME, ET, N-BU, N-HEX. *Chem Mater* 5: 1389-1394.
- Nguyen, TMD; Chang, S; Condon, B; Slopek, R. (2012). Synthesis of a novel flame retardant containing phosphorus-nitrogen and its comparison for cotton fabric. *Fibers and Polymers* 13: 963-970. <http://dx.doi.org/10.1007/s12221-012-0963-5>.
- Ni, H; Hsu, CS; Lee, P; Wright, J; Chen, R, ui; Xu, C; Shi, Q. (2015). Supercritical carbon dioxide extraction of petroleum on kieselguhr. *Fuel* 141: 74-81. <http://dx.doi.org/10.1016/j.fuel.2014.09.126>.
- Nicho, ME; Garcia-Escobar, CH; Hernandez-Martinez, D; Linzaga-Elizalde, I; Cadenas-Pliego, G. (2012). Microwave-assisted synthesis of poly(3-hexylthiophene) via direct oxidation with FeCl<sub>3</sub>. *Mater Sci Eng B* 177: 1441-1445. <http://dx.doi.org/10.1016/j.mseb.2012.02.017>.
- Nielsen, KF; Hansen, MO; Larsen, TO; Thrane, U. (1998). Production of trichothecene mycotoxins on water damaged gypsum boards in Danish buildings. *Int Biodeterior Biodegradation* 42: 1-7.
- Nielsen, P. (2016). 1DV structure of turbulent wave boundary layers. *Coastal Engineering* 112: 1-8. <http://dx.doi.org/10.1016/j.coastaleng.2016.02.001>.

## Exposure Literature Search Results

### Off Topic

- Nielsen, P; Petersen, SO. (2000). Ester-linked polar lipid fatty acid profiles of soil microbial communities: a comparison of extraction methods and evaluation of interference from humic acids. *Soil Biol Biochem* 32: 1241-1249.
- Nielsen, PA; Grove, A; Olsen, H. (1992). The emission of PAH mutagenic activity from small wood stoves is greatly influenced by the quality of the wood. *Chemosphere* 24: 1317-1330. [http://dx.doi.org/10.1016/0045-6535\(92\)90056-W](http://dx.doi.org/10.1016/0045-6535(92)90056-W).
- Nierengarten, JF; Guttierrez-Nava, M; Zhang, S; Masson, P; Oswald, L; Bourgogne, C; Rio, Y; Accorsi, G; Armaroli, N; Setayesh, S. (2004). Fullerene-containing macromolecules for materials science applications. *Carbon* 42: 1077-1083. <http://dx.doi.org/10.1016/j.carbon.2003.12.003>.
- Nieto-Gligorovski, LI; Net, S; Gligorovski, S; Wortham, H; Grothe, H; Zetzsch, C. (2010). Spectroscopic study of organic coatings on fine particles, exposed to ozone and simulated sunlight. *Atmos Environ* 44: 5451-5459. <http://dx.doi.org/10.1016/j.atmosenv.2009.10.043>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ* 61: 539-543.
- Nijem, K; Kristensen, P; Al-Khatib, A; Takrori, F; Bjertness, E. (2001). Prevalence of neuropsychiatric and mucous membrane irritation complaints among Palestinian shoe factory workers exposed to organic solvents and plastic compounds. *Am J Ind Med* 40: 192-198.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDOECANAMIDE. *Journal of Chemical and Engineering Data* 39: 618-620.
- Nikoobakht, B; El-Sayed, MA. (2001). Evidence for bilayer assembly of cationic surfactants on the surface of gold nanorods. *Langmuir* 17: 6368-6374. <http://dx.doi.org/10.1021/la010530o>.
- Nikoorazm, M. (2013). A new method for the oxidation of 1, 4-dihydropyridine derivatives by guanidinium nitrate in the presence of silica sulfuric acid under mild, heterogeneous and metal-free conditions. *Scientia Iranica* 20: 603-606. <http://dx.doi.org/10.1016/j.scient.2012.11.008>.
- Nikooyeh, K; Shaw, JM. (2012). On the Applicability of the Regular Solution Theory to Asphaltene plus Diluent Mixtures. *Energy Fuels* 26: 576-585. <http://dx.doi.org/10.1021/ef201437t>.
- Nilsen, MH; Svelle, S; Aravinthan, S; Olsbye, U. (2009). The conversion of chloromethane to light olefins over SAPO-34: The influence of dichloromethane addition. *Appl Catal A-Gen* 367: 23-31. <http://dx.doi.org/10.1016/j.apcata.2009.07.047>.
- Nin, L; Yingmei, L; Yanbin, J. (2011). Solubility of Paclitaxel in Mixtures of Dichloromethane and Supercritical Carbon Dioxide. *Chinese Journal of Chemical Engineering* 19: 558-564.
- Nishibori, S; Bernhard, RA. (1993). MODEL SYSTEM FOR COOKIES - VOLATILE COMPONENTS FORMED FROM THE REACTION OF SUGAR AND BETA-ALANINE. *J Agric Food Chem* 41: 2374-2377.
- Nishikawa, M; Tatsuno, M; Katagi, M; Tsuchihashi, H. (1995). DETERMINATION OF TRIAZOLAM AND ITS METABOLITES IN HUMAN URINE BY EMIT, GAS-CHROMATOGRAPHY MASS-SPECTROMETRY AND THERMOSPRAY LIQUID-CHROMATOGRAPHY MASS-SPECTROMETRY. *JTTHE* 41: 59-66.
- Nishikawa, M; Tatsuno, M; Tsuchihashi, H; Igarashi, K; Kasuya, F; Fukui, M. (1994). The analysis of quaternary ammonium compounds in human urine by thermospray liquid chromatography-mass spectrometry. *JTTHE* 40: 534-541.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). NEW PHOTORESPONSIVE POLYMERS BEARING NORBORNADIENE MOIETY - SYNTHESIS BY SELECTIVE CATIONIC POLYMERIZATION OF 2-(3-PHENYL-2,5-NORBORNADIENE-2-CARBONYLOXY)ETHYL VINYL ETHER AND PHOTOCHEMICAL-REACTION OF THE POLYMERS. *ACS Symp Ser Am Chem Soc* 537: 356-369.
- Nishikubo, T; Kameyama, A; Kishi, K; Hijikata, C. (1994). SYNTHESIS AND PHOTOCHEMICAL PROPERTIES OF INSOLUBLE POLY(STYRENE) BEADS CONTAINING PENDANT NORBORNADIENE MOIETIES. 24: 65-72.
- Nishimura, M; Yaguti, H; Yoshitsugu, H; Naito, S; Satoh, T. (2003). Tissue distribution of mRNA expression of human cytochrome P450 isoforms assessed by high-sensitivity real-time reverse transcription PCR. *Yakugaku Zasshi* 123: 369-375.
- Nita, LE; Chiriac, AP; Nistor, MT; Tartau, L. (2014). Upon some multi-membrane hydrogels based on poly(N,N-dimethyl-acrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro (5.5) undecane): preparation, characterization and in vivo tests. *J Mater Sci Mater Med* 25: 1757-1768. <http://dx.doi.org/10.1007/s10856-014-5205-5>.
- Nithya, R; Senthilkumar, K. (2014). Charge transport and optical properties of cross-conjugated organic molecules: A theoretical study. *Organic Electronics* 15: 1607-1623. <http://dx.doi.org/10.1016/j.orgel.2014.04.025>.
- Njagi, PGN; Torto, B. (2002). Evidence for a compound in *Comstock-Kellog* glands modulating premating behavior in male desert locust, *Schistocerca gregaria*. *J Chem Ecol* 28: 1065-1074.
- Noimark, S; Dunnill, CW; Kay, CWM; Perni, S; Prokopovich, P; Ismail, S; Wilson, M; Parkin, IP. (2012). Incorporation of methylene blue and nanogold into polyvinyl chloride catheters; a new approach for light-activated disinfection of surfaces. *J Mater Chem* 22: 15388-15396. <http://dx.doi.org/10.1039/c2jm31987j>.
- Nolan, JA; Mcevoy, JP; Koenig, HG; Hooten, EG; Whetten, K; Pieper, CF. (2012). Religious coping and quality of life among individuals living with schizophrenia. *Psychiatric Services* 63: 1051-1054. <http://dx.doi.org/10.1176/appi.ps.201000208>.
- Nørgaard, AW; Nøjgaard, JK; Larsen, K; Spørring, S; Wilkins, CK; Clausen, PA; Wolkoff, P. (2006). Secondary limonene endo-ozonide: A major product from gas-phase ozonolysis of (-)-limonene at ambient temperature. *Atmos Environ* 40: 3460-3466. <http://dx.doi.org/10.1016/j.atmosenv.2006.02.007>.
- Norman, WC, III; Boggs, P. (1996). Flawed estimates of methylene chloride exposures [Letter]. *Am J Ind Med* 30: 504-509. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<504::AID-AJIM19>3.0.CO;2-8](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<504::AID-AJIM19>3.0.CO;2-8).
- Northcott, GL; Jones, KC. (2001). Partitioning, extractability, and formation of nonextractable PAH residues in soil. 1. Compound differences in aging and sequestration. *Environ Sci Technol* 35: 1103-1110. <http://dx.doi.org/10.1021/es000071y>.

## Exposure Literature Search Results

### Off Topic

- Northcott, GL; Jones, KC. (2003). Validation of procedures to quantify nonextractable polycyclic aromatic hydrocarbon residues in soil. *J Environ Qual* 32: 571-582.
- Noufou, O; Wamtinga, SR; André, T; Christine, B; Marius, L; Emmanuelle, HA; Jean, K; Marie-Geneviève, D; Pierre, GI. (2012). Pharmacological properties and related constituents of stem bark of *Pterocarpus erinaceus* Poir. (Fabaceae). *Asian Pacific Journal of Tropical Medicine* 5: 46-51. [http://dx.doi.org/10.1016/S1995-7645\(11\)60244-7](http://dx.doi.org/10.1016/S1995-7645(11)60244-7).
- Novoa, S; Paquette, JA; Barbon, SM; Maar, RR; Gilroy, J, oeB. (2016). Side-chain boron difluoride formazanate polymers via ring-opening metathesis polymerization. 4: 3987-3994. <http://dx.doi.org/10.1039/c5tc03287c>.
- Novotna, P; Boon, JJ; van der Horst, J; Pacakova, V. (2003). Photodegradation of indigo in dichloromethane solution. *Color Technol* 119: 121-127.
- Nozdryn, T; Clemenceau, D; Cousseau, J; Morisson, V; Gorgues, A; Orduna, J; Uriel, S; Garin, J. (1993). SELECTIVE REDUCTION OF THE ESTER GROUP IN THE 1,3-DITHIOL-2-(THI)ONE AND TETRATHIAFULVALENE SERIES - ACCESS TO THE RELATED PHOSPHONIUM SALTS AND THEIR WITTIG REACTIONS. *Synthetic Metals* 56: 1768-1771.
- NRC (National Research Council). (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC (National Research Council). (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- Nsimba, RY; Mullen, CA; West, NM; Boateng, AA. (2013). Structure-Property Characteristics of Pyrolytic Lignins Derived from Fast Pyrolysis of a Lignin Rich Biomass Extract. 1: 260-267. <http://dx.doi.org/10.1021/sc300119s>.
- Nubbe, ME; Adams, VD; Moore, WM. (1995). THE DIRECT AND SENSITIZED PHOTOOXIDATION OF HEXACHLOROCYCLOPENTADIENE. *Water Res* 29: 1287-1293.
- Nuhu, AA; Basheer, C; Shaikh, AA; Al-Arfaj, AR. (2012). Determination of Polycyclic Aromatic Hydrocarbons in Water Using Nanoporous Material Prepared from Waste Avian Egg Shell. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/305691>.
- Nunes, CD; Valente, AA; Pillinger, M; Fernandes, AC; Romao, CC; Rocha, J; Goncalves, IS. (2002). MCM-41 functionalized with bipyridyl groups and its use as a support for oxomolybdenum(VI) catalysts. *J Mater Chem* 12: 1735-1742. <http://dx.doi.org/10.1039/b109678h>.
- Nyholm, N. (1990). Biodegradability testing of poorly soluble compounds by means of manometric respirometry. *Chemosphere* 21: 1477-1488.
- Obata, A; Tokuda, S; Kasuga, T. (2009). Enhanced in vitro cell activity on silicon-doped vaterite/poly(lactic acid) composites. *Acta Biomater* 5: 57-62. <http://dx.doi.org/10.1016/j.actbio.2008.08.004>.
- Obrzut, DL; Bell, PW; Roberts, CB; Duke, SR. (2007). Effect of process conditions on the spray characteristics of a PLA plus methylene chloride solution in the supercritical antisolvent precipitation process. *Journal of Supercritical Fluids* 42: 299-309. <http://dx.doi.org/10.1016/j.supflu.2007.02.003>.
- Obuekwe, IS; Semple, KT. (2013). Impact of Zn, Cu, Al and Fe on the partitioning and bioaccessibility of (14)C-phenanthrene in soil. *Environ Pollut* 180: 180-189. <http://dx.doi.org/10.1016/j.envpol.2013.05.020>.
- Obuskovic, G; Poddar, TK; Sirkar, KK. (1998). Flow swing membrane absorption-permeation. *Ind Eng Chem Res* 37: 212-220.
- Ocak, U; Alp, H; Gokce, P; Ocak, M. (2006). The synthesis of new N2S2-macrocyclic schiff base ligands and investigation of their ion extraction capability from aqueous media. *Separation Science and Technology* 41: 391-401. <http://dx.doi.org/10.1080/01496390500496942>.
- Ocak, Ü; Gök, Y; Şentürk, HB. (2009). Evaluation of Mononuclear Ni(II) Complex of a Tetra-cryptanded Vic-dioxime and its Model Compound 14-Membered N 2 O 2 S 2 -Macrobicyclic Ligand as Pb 2+, Cd 2+, and Hg 2+ Extractants. *Separation Science and Technology* 44: 1240-1249. <http://dx.doi.org/10.1080/01496390902729098>.
- Ochoa, NA; Illanes, C; Marchese, J; Basualto, C; Valenzuela, F. (2006). Preparation and characterization of polymeric microspheres for Cr(VI) extraction. *Separation and Purification Technology* 52: 39-45. <http://dx.doi.org/10.1016/j.seppur.2006.03.012>.
- Ockeloen, HF; Overcamp, TJ; Grady jr., CPL. (1996). Engineering Model for Fixed-Film Bioscrubbers. *J Environ Eng* 122: 191. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(1996\)122:3\(191\)](http://dx.doi.org/10.1061/(asce)0733-9372(1996)122:3(191)).
- O'Connell, A; Smyth, T; Hodnett, BK. (1998). In-situ epoxidation using dioxiranes: Evaluation of reactivity and selectivity. *J Chem Tech Biotechnol* 72: 60-66.
- Odabas, Z; Orman, E, feB; Durmus, M; Dumlad, F; Ozkaya, A, liR; Bulut, M. (2012). Novel alpha-7-oxy-4-(4-methoxyphenyl)-8-methylcoumarin substituted metal-free, Co(II) and Zn(II) phthalocyanines: Photochemistry, photophysics, conductance and electrochemistry. *Dyes and Pigments* 95: 540-552. <http://dx.doi.org/10.1016/j.dyepig.2012.05.021>.
- Oesch, P; Leppamaki, E; Stahlberg, P. (1996). Sampling and characterization of high-molecular-weight polyaromatic tar compounds formed in the pressurized fluidized-bed gasification of biomass. *Fuel* 75: 1406-1412.
- Ogawa, H; Katsura, E; Kanetoshi, A; Kaneshima, H. (1991). DETERMINATION OF OXINE-COPPER IN WATER BY HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY. *JTHE* 37: 246-250.
- Ogawa, K; Yao, JC; Yonehara, H; Pac, C. (1996). Chemical behaviour of ocotitanium (IV) phthalocyanine (OTiPc) solutions associated with the preparation of OTiPc monolayers and multilayers. *J Mater Chem* 6: 143-147.
- Ogawa, K; Yonehara, H; Pac, CJ. (1994). MONOLAYERS AND MULTILAYERS OF UNSUBSTITUTED COPPER PHTHALOCYANINE. *Langmuir* 10: 2068-2070.
- Ogawa, M; Ishikawa, H; Kikuchi, T. (1998). Preparation of transparent mesoporous silica films by a rapid solvent evaporation method. *J Mater Chem* 8: 1783-1786.

## Exposure Literature Search Results

### Off Topic

- Ogletree, DF; Hwang, RQ; Zeglinski, DM; Vazquezdeparaga, AL; Somorjai, GA; Salmeron, M. (1991). SCANNING TUNNELING MICROSCOPY STUDIES OF SULFUR OVERLAYERS ON THE RE(0001) SURFACE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 886-890.
- Ognenovski, VM; Marder, W; Somers, EC; Johnston, CM; Farrehi, JG; Selvaggi, SM; McCune, WJ. (2004). Increased incidence of cervical intraepithelial neoplasia in women with systemic lupus erythematosus treated with intravenous cyclophosphamide. *J Rheumatol* 31: 1763-1767.
- Ogner, G. (1993). No general ozone-specific indicator among the hexane- and dichloromethane-soluble components of *Picea abies* needles exposed to ozone in open-top chambers. *Environ Pollut* 82: 223-229. [http://dx.doi.org/10.1016/0269-7491\(93\)90123-6](http://dx.doi.org/10.1016/0269-7491(93)90123-6).
- Oguzie, EE; Njoku, VO; Enenebeaku, CK; Akalezi, CO; Obi, C. (2008). Effect of hexamethylpararosaniline chloride (crystal violet) on mild steel corrosion in acidic media. *Corrosion Sci* 50: 3480-3486. <http://dx.doi.org/10.1016/j.corsci.2008.09.017>.
- Oh, DJ; Lee, BC; Hwang, SJ, oo. (2007). Solubility of simvastatin and lovastatin in mixtures of dichloromethane and supercritical carbon dioxide. *Journal of Chemical and Engineering Data* 52: 1273-1279. <http://dx.doi.org/10.1021/jc700019h>.
- Oh, EJ; Jang, KS. (2001). Synthesis and characterization of high molecular weight, highly soluble polypyrrole in organic solvents. *Synthetic Metals* 119: 109-110.
- Oh, NM; Oh, KT; Youn, YS; Lee, ES. (2012). Poly(L-aspartic acid) derivative soluble in a volatile organic solvent for biomedical application. *Colloids Surf B Biointerfaces* 97: 190-195. <http://dx.doi.org/10.1016/j.colsurfb.2012.03.024>.
- Oh, SM; Choung, SY; Sheen, YY; Chung, KH. (2000). Quantitative assessment of estrogenic activity in the water environment of Korea by the E-SCREEN assay. *Sci Total Environ* 263: 161-169.
- Ohira, T; Edashige, Y; Matsui, N; Yatagai, M. (2011). Extraction and decomposition of hiba wood into valuable chemicals using stepwise temperature supercritical carbon dioxide treatment. *J Wood Sci* 57: 226-233. <http://dx.doi.org/10.1007/s10086-010-1156-8>.
- Ohira, T; Yatagai, M. (1994). EXTRACTIVES FROM THE BARK OF ABIES-SACHALINENSIS .1. THE EFFICIENT EXTRACTION OF CIS-ABIENOL USING SUPERCRITICAL CARBON-DIOXIDE. 40: 751-757.
- Ohno, T; Ito, Y; Mikami, E; Ikai, Y; Oka, H; Hayakawa, J; Nakagawa, T. (1996). Identification of coal tar dyes in cosmetics and foods using reversed phase TLC scanning densitometry. *JTTHE* 42: 53-59.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen* 93: 141-161.
- Ohta, H; Seto, Y; Tsunoda, N. (1993). DETERMINATION OF TRANS-10-HYDROXYDECENOIC ACID IN ROYAL JELLY BY CAPILLARY GAS-CHROMATOGRAPHY. *JTTHE* 39: 155-160.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Ok, YS; Usman, AR; Lee, SS; Abd El-Azeem, SA; Choi, B; Hashimoto, Y; Yang, JE. (2011). Effects of rapeseed residue on lead and cadmium availability and uptake by rice plants in heavy metal contaminated paddy soil. *Chemosphere* 85: 677-682. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.073>.
- Okada, M; Maeda, H; Fujii, S; Nakamura, Y; Furuzono, T. (2012). Formation of Pickering emulsions stabilized via interaction between nanoparticles dispersed in aqueous phase and polymer end groups dissolved in oil phase. *Langmuir* 28: 9405-9412. <http://dx.doi.org/10.1021/la3015964>.
- Okano, K; Asano, J; Ishii, G. (1990). A RAPID METHOD FOR DETERMINING THE PUNGENT PRINCIPLE IN ROOT OF JAPANESE RADISH (RAPHANUS-SATIVUS L). *Japanese Society for Horticultural Science Journal* 59: 545-550.
- Okano, LT; Quina, FH; El Seoud, OA. (2000). Fluorescence and light-scattering studies of the aggregation of cationic surfactants in aqueous solution: Effects of headgroup structure. *Langmuir* 16: 3119-3123.
- Okkerse, WJH; Ottengraf, SPP; Diks, RMM; Osinga-Kuipers, B; Jacobs, P. (1999). Long term performance of biotrickling filters removing a mixture of volatile organic compounds from an artificial waste gas: dichloromethane and methylmethacrylate. 20: 49-57.
- Okolie, C; Chenia, HY. (2013). Assessment of Aquatic Aeromonas spp. Isolates' Susceptibility to Cinnamaldehyde, Vanillin, and Crude *Kigelia africana* Fruit Extracts. *J World Aquacult Soc* 44: 486-498. <http://dx.doi.org/10.1111/jwas.12059>.
- Okonkwo, JO; Sibali, LL; Mccrindle, R, ob; Senwo, ZN. (2007). An improved activated carbon method to quantify dichlorodiphenyltrichloroethane (DDT) in surface water. *Environ Chem Lett* 5: 121-123. <http://dx.doi.org/10.1007/s10311-006-0089-3>.
- Okoye, TC; Akah, PA; Ezike, AC; Okoye, MO; Onyeto, CA; Ndukwu, F; Ohaegbulam, E; Ikele, L. (2012). Evaluation of the acute and sub acute toxicity of *Annona senegalensis* root bark extracts. *Asian Pacific Journal of Tropical Medicine* 5: 277-282. [http://dx.doi.org/10.1016/S1995-7645\(12\)60039-X](http://dx.doi.org/10.1016/S1995-7645(12)60039-X).
- Olajire, AA; Ayodele, ET; Imeokparia, FE. (1999). Characterization of organic compounds in compost-amended soil. *Environ Monit Assess* 57: 183-194.
- Olaru, N; Olaru, L; Leanca, M. (1995). On thermal degradation of cellulose acetate phthalate. *Cellulose Chemistry and Technology* 29: 253-260.
- Olejniczak, A; Kucinska, A; Cyganiuk, AW; Lukaszewicz, JP. (2012). Effect of *Salix viminalis* Pyrolysis Derived Antioxidants on Oxidative Stability of Diesters and Diester-Poly-alpha-olefin Mixtures. *Ind Eng Chem Res* 51: 5117-5123. <http://dx.doi.org/10.1021/ie2007054>.
- Oleszczuk, P. (2008). Application of hydroxypropyl[beta]cyclodextrin to evaluation of polycyclic aromatic hydrocarbon losses during sewage sludges composting. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 10-17. <http://dx.doi.org/10.1080/10934520701750355>.

## Exposure Literature Search Results

### Off Topic

- Oleszek, W; Junkuszew, M; Stochmal, A. (1999). Determination and toxicity of saponins from *Amaranthus cruentus* seeds. *J Agric Food Chem* 47: 3685-3687.
- Olexa, TJ; Gentry, TJ; Hartel, PG; Wolf, DC; Fuhrmann, JJ; Reynolds, CM. (2000). Mycorrhizal Colonization and Microbial Community Structure in the Rhizosphere of Annual Ryegrass Grown in Pyrene-Amended Soils. *Int J Phytoremediation* 2: 213-231. <http://dx.doi.org/10.1080/15226510009359033>.
- Olie, JD; Bessesms, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Olivares, JM; Drummond, WR; Peppas, NA. (1992). EQUILIBRIUM PENETRANT SWELLING IN THIN COAL SECTIONS. 45: 397-400.
- Oliveira, J; Bricchi, GS; Marconcini, JM; Capparelli Mattoso, LH; Glenn, GM; Medeiros, ES. (2014). Effect of Solvent on The Physical and Morphological Properties of Poly(Lactic Acid) Nanofibers Obtained by Solution Blow Spinning. *Journal of Engineered Fabrics and Fibers* 9: 117-125.
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2005). Steryl glucosides from banana plant *Musa acuminata* Colla var cavendish. *Ind Crop Prod* 22: 187-192. <http://dx.doi.org/10.1016/j.indcrop.2004.10.001>.
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2006). Lipophilic extractives from different morphological parts of banana plant "Dwarf Cavendish". *Ind Crop Prod* 23: 201-211. <http://dx.doi.org/10.1016/j.indcrop.2005.06.003>.
- Oliveira, LC; Pereira, E; Guimaraes, IR; Vallone, A; Pereira, M; Mesquita, JP; Sapag, K. (2009). Preparation of activated carbons from coffee husks utilizing FeCl<sub>3</sub> and ZnCl<sub>2</sub> as activating agents. *J Hazard Mater* 165: 87-94. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.064>.
- Oliveira, M; Sales Junior, PA; Rodrigues, MJ; Dellagrecia, M; Barreira, L; Murta, SM; Romanha, AJ; Custódio, L. (2016). Unlocking the in vitro anti-Trypanosoma cruzi activity of halophyte plants from the southern Portugal. *Asian Pacific Journal of Tropical Medicine* 9: 735-741. <http://dx.doi.org/10.1016/j.apjtm.2016.06.015>.
- Oliveira, MLN; Malagoni, RA; Fehr, M; Franco Junior, MR. (2008). Obtaining solubility data from a liquid-liquid equilibrium cell. *Chemical Engineering Communications* 195: 1076-1084. <http://dx.doi.org/10.1080/00986440801907490>.
- Olivella, MÀ; Jové, P; Bianchi, A; Bazzicalupi, C; Cano, L. (2013). An integrated approach to understanding the sorption mechanism of phenanthrene by cork. *Chemosphere* 90: 1939-1944. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.035>.
- Olivier, MG; Fedel, M; Sciamanna, V; Vandermiers, C; Mottec, C; Poelman, M; Deflorian, F. (2011). Study of the effect of nanoclay incorporation on the rheological properties and corrosion protection by a silane layer. *Progr Org Coating* 72: 15-20. <http://dx.doi.org/10.1016/j.porgcoat.2010.11.022>.
- Ollolqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- Olukunle, OI; Okonkwo, OJ; Kefeni, KK; Lupankwa, M. (2012). Determination of brominated flame retardants in Jukskei River catchment area in Gauteng, South Africa. *Water Sci Technol* 65: 743-749. <http://dx.doi.org/10.2166/wst.2012.894>.
- Oluseyi, T; Olayinka, K; Alo, B; Smith, RM. (2011). Improved Analytical Extraction and Clean-up Techniques for the Determination of PAHs in Contaminated Soil Samples. *International Journal of Environmental Research* 5: 681-690.
- Olvera, A; Albores, A; Vega, L. (2007). Genotoxic effect of dichloromethane on human lymphocytes is associated with the activity of GSTT1. *Environ Mol Mutagen* 48: 625-625.
- Olvera, N; Derijk, WG. (1994). EFFECT OF SURFACE TREATMENTS ON THE REPAIR STRENGTH OF A LIGHT-ACTIVATED DENTURE REPAIR RESIN USING CENSORED-DATA. *Dent Mater* 10: 122-127.
- Omar, N; Abas, M; Rahman, NA; Tahir, NM; Rushdi, AI; Simoneit, BRT. (2007). Levels and distributions of organic source tracers in air and roadside dust particles of Kuala Lumpur, Malaysia. *Environ Geol* 52: 1485-1500. <http://dx.doi.org/10.1007/s00254-006-0593-6>.
- Omar, N; Bin Abas, MR; Ketuly, KA; Tahir, NM. (2002). Concentrations of PAHs in atmospheric particles (PM-10) and roadside soil particles collected in Kuala Lumpur, Malaysia. *Atmos Environ* 36: 247-254.
- Omar, S; Palomar, J; Gomez-Sainero, LM; Alvarez-Montero, MA; Martin-Martinez, M; Rodriguez, JJ. (2011). Density Functional Theory Analysis of Dichloromethane and Hydrogen Interaction with Pd Clusters: First Step to Simulate Catalytic Hydrodechlorination. *J Phys Chem C* 115: 14180-14192. <http://dx.doi.org/10.1021/jp200329j>.
- Onaran, IA; Ozaydin, F; Akbas, M; Gültepe, M; Tunçkale, A; Ulutin, T. (2000). Are individuals with glutathione S-transferase GSTT1 null genotype more susceptible to invitro oxidative damage? *J Toxicol Environ Health A* 59: 15-26.
- Ondaral, S; Usta, M; Wagberg, L; Gumusderelioglu, M; Ondaral, M. (2008). FIXATION OF DISSOLVED AND COLLOIDAL SUBSTANCES ON FIBERS AND SILICON OXIDE SURFACES USING WATER SOLUBLE CROSSLINKED CATIONIC POLYMERS. *Cellulose Chemistry and Technology* 42: 61-69.
- Önder, FC; Ay, M; Sarker, SD. (2013). Comparative study of antioxidant properties and total phenolic content of the extracts of *Humulus lupulus* L. and quantification of bioactive components by LC-MS/MS and GC-MS. *J Agric Food Chem* 61: 10498-10506. <http://dx.doi.org/10.1021/jf4031508>.
- Ondo, JP; Lekana-Douki, JB; Bongui, JB; Zang Edou, ES; Zatra, R; Toure-Ndouo, FS; Elomri, A; Lebibi, J; Seguin, E. (In Press) In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of *Vitex madiensis*, medicinal plant of Gabon. *Trop Med Int Health*. <http://dx.doi.org/10.1111/j.1365-3156.2011.02922.x>.

## Exposure Literature Search Results

### Off Topic

- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR, Jr; Gallipeau, JAR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed., pp. 305-306). Whitehouse Station, NJ: Merck & Co., Inc. <http://dx.doi.org/10.1021/ci700022n>.
- Oneill, KM; Evans, HE; Bjostad, LB. (1991). TERRITORIAL BEHAVIOR IN MALES OF 3 NORTH-AMERICAN SPECIES OF BUMBLEBEES (HYMENOPTERA, APIDAE, BOMBUS). *Can J Zool* 69: 604-613.
- Ono, T; Sada, K. (2012). Toward the design of superabsorbent materials for non-polar organic solvents and oils: ionic content dependent swelling behaviour of cross-linked poly(octadecyl acrylate)-based lipophilic polyelectrolytes. *J Mater Chem* 22: 20962-20967. <http://dx.doi.org/10.1039/c2jm32747c>.
- Onuska, FI; Terry, KA; Maguire, RJ. (2000). Analysis of aromatic amines in industrial wastewater by capillary gas chromatography-mass spectrometry. *Water Qual Res J Can* 35: 245-261.
- Ooi, BS; Sum, JY; Lai, SO. (2012). Investigation on membrane morphological and chemical properties changes at different reaction times and its effect on dye removal. *Desalination and Water Treatment* 45: 250-255. <http://dx.doi.org/10.5004/dwt.2012.3307>.
- Oporto, GS; Gardner, DJ; Kiziltas, A; Neivandt, DJ. (2011). Understanding the Affinity between Components of Wood-Plastic Composites from a Surface Energy Perspective. *J Adhes Sci Tech* 25: 1785-1801. <http://dx.doi.org/10.1163/016942410X525759>.
- Oprea, O; Ghitulica, CD; Voicu, G; Vasile, BS; Oprea, A. (2013). SYNTHESIS AND PHOTOCATALYTIC PROPERTIES OF Fe(III) - DOPED TiO<sub>2</sub> PREPARED BY SOL-GEL METHOD. 43: 408-416.
- Orblin, E; Fardim, P. (2011). INTERACTIONS BETWEEN CATIONIC POLYELECTROLYTE AND PULP FINES. *BioResources* 6: 2340-2355.
- Ordonez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ* 25: 49-58.
- Orecchio, S; Gianguzza, A; Culotta, L. (2008). Absorption of polycyclic aromatic hydrocarbons by Pinus bark: Analytical method and use for environmental pollution monitoring in the Palermo area (Sicily, Italy). *Environ Res* 107: 371-379. <http://dx.doi.org/10.1016/j.envres.2008.02.010>.
- Orglmeister, E; Mallat, T; Baiker, A. (2005). Quaternary ammonium derivatives of cinchonidine as new chiral modifiers for platinum. *J Catal* 233: 333-341. <http://dx.doi.org/10.1016/j.jcat.2005.04.034>.
- Orhan, DD; Senol, FS; Hosbas, S; Orhan, IE. (2014). Assessment of cholinesterase and tyrosinase inhibitory and antioxidant properties of *Viscum album* L. samples collected from different host plants and its two principal substances. *Ind Crop Prod* 62: 341-349. <http://dx.doi.org/10.1016/j.indcrop.2014.08.044>.
- Orhan, IE; Senol, FS; Ercetin, T; Kahraman, A; Celep, F; Akaydin, G; Sener, B; Dogan, M. (2013). Assessment of anticholinesterase and antioxidant properties of selected sage (*Salvia*) species with their total phenol and flavonoid contents. *Ind Crop Prod* 41: 21-30. <http://dx.doi.org/10.1016/j.indcrop.2012.04.002>.
- Orman, E, feB; Altun, S; Odabas, Z; Altindal, A; Ozkaya, A, liR. (2015). Electrochemical, Electrocatalytic Dioxygen Reducing and Dielectric Relaxation Properties of Non-Peripheral Tetra-2,3-dihydro-1H-inden-5-yloxy Substituted Phthalocyanines. *J Electrochem Soc* 162: H825-H840. <http://dx.doi.org/10.1149/2.0061512jes>.
- Oros, DR; Abas, M; Omar, N; Rahman, NA; Simoneit, BRT. (2006). Identification and Emission Factors of Molecular Tracers in Organic Aerosols from Biomass Burning: Part 3. Grasses. *Appl Geochem* 21: 919. <http://dx.doi.org/10.1016/j.apgeochem.2006.01.008>.
- Oros, DR; Simoneit, BRT. (1999). Identification of molecular tracers in organic aerosols from temperate climate vegetation subjected to biomass burning. *Aerosol Sci Technol* 31: 433-445.
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 1. Temperate climate conifers. *Appl Geochem* 16: 1513-1544. [http://dx.doi.org/10.1016/s0883-2927\(01\)00021-x](http://dx.doi.org/10.1016/s0883-2927(01)00021-x).
- Oros, DR; Simoneit, BRT. (2001). Identification and emission factors of molecular tracers in organic aerosols from biomass burning Part 2. Deciduous trees. *Appl Geochem* 16: 1545-1565. [http://dx.doi.org/10.1016/s0883-2927\(01\)00022-1](http://dx.doi.org/10.1016/s0883-2927(01)00022-1).
- OSHA. (1997). Occupational exposure to methylene chloride. *Fed Reg* 62: 1493-1619.
- Oshima, Y; Bijanto, B; Koda, S. (2001). Kinetics of methylene chloride hydrolysis and the salt effect under hydrothermal conditions. *Ind Eng Chem Res* 40: 1026-1031.
- Oskouie, A, liK; Lordi, DT; Granato, TC; Kollias, L. (2008). Plant-specific correlations to predict the total VOC emissions from wastewater treatment plants. *Atmos Environ* 42: 4530-4539. <http://dx.doi.org/10.1016/j.atmosenv.2008.01.062>.
- Osman, B; Ozer, ET; Besirli, N; Gucer, S. (2013). Development and application of a solid phase extraction method for the determination of phthalates in artificial saliva using new synthesised microspheres. *Polym Test* 32: 810-818. <http://dx.doi.org/10.1016/j.polymertesting.2013.03.017>.
- Osman, NB; Mcdonald, AG; Laborie, MPG. (2012). Analysis of DCM extractable components from hot-pressed hybrid poplar. *Holzforschung* 66: 927-934. <http://dx.doi.org/10.1515/hf-2012-0011>.
- Osorio, C; Alarcon, M; Moreno, C; Bonilla, A; Barrios, J; Garzon, C; Duque, C. (2006). Characterization of odor-active volatiles in champa (*Campomanesia lineatifolia* R. and P.). *J Agric Food Chem* 54: 509-516. <http://dx.doi.org/10.1021/jf052098c>.
- Ostendorf, DW; Leach, LE; Hinlein, ES; Xie, YF. (1991). FIELD SAMPLING OF RESIDUAL AVIATION GASOLINE IN SANDY SOIL. *Ground Water Monitoring and Remediation* 11: 107-120.
- Osterman-Golkar, S; Hussain, S; Walles, S; Anderstam, B; Sigvardsson, K. (1983). Chemical reactivity and mutagenicity of some dihalomethanes. *Chem Biol Interact* 46: 121-130. [http://dx.doi.org/10.1016/0009-2797\(83\)90011-X](http://dx.doi.org/10.1016/0009-2797(83)90011-X).
- Osuna, MB; Sipma, J; Emanuelsson, MA; Carvalho, MF; Castro, PM. (2008). Biodegradation of 2-fluorobenzoate and dichloromethane under simultaneous and sequential alternating pollutant feeding. *Water Res* 42: 3857-3869. <http://dx.doi.org/10.1016/j.watres.2008.05.011>.

## Exposure Literature Search Results

### Off Topic

- Osvoll, PO; Woldbaek, T. (1999). Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry. *Ann Occup Hyg* 43: 421-428.
- Ota, M; Takahashi, K; Kofujita, H. (1998). Role of caffeic glucoside esters in defense-repair processing of trees - II: Synthesis of 2-(3,4-dihydrolophenyl)-ethyl 3-O-alpha-L-rhamnopyranosyl-beta-D-glucopyranoside. *J Wood Sci* 44: 320-326.
- Otaka, H; Ogawa, S; Minato, I; Utsugi, H; Amagai, T. (2006). Extractability of dioxins from suspended substances in distributed water. *Int J Environ Anal Chem* 86: 583-599. <http://dx.doi.org/10.1080/03067310500291429>.
- Oter, O; Ertekin, K; Kilincarslan, R; Ulusoy, M; Cetinkaya, B. (2007). Photocharacterization of a novel fluorescent Schiff Base and investigation of its utility as an optical Fe<sup>3+</sup> sensor in PVC matrix. *Dyes and Pigments* 74: 730-735. <http://dx.doi.org/10.1016/j.dyepig.2006.05.006>.
- Ott, MG; Skory, LK; Holder, BB; Bronson, JM; Williams, PR. (1983). Health evaluation of employees occupationally exposed to methylene chloride. *Scand J Work Environ Health* 9: 1-38.
- Ouchi, M; Kojima, M; Otoshi, Y; Yoshida, H; Yokohara, T; Shibata, H. (2006). Solvent extraction of metal picrates with benzo-21-crown-7 and benzo-24-crown-8 ethers. *13: 155-160*.
- Ouchi, T; Saito, T; Kontani, T; Ohya, Y. (2004). Encapsulation and/or release behavior of bovine serum albumin within and from polylactide-grafted dextran microspheres. *Macromol Biosci* 4: 458-463. <http://dx.doi.org/10.1002/mabi.200300106>.
- Ovalles, C; Rogel, E; Moir, M; Thomas, L; Pradhan, A. (2012). Characterization of Heavy Crude Oils, Their Fractions, and Hydrovisbroken Products by the Asphaltene Solubility Fraction Method. *Energy Fuels* 26: 549-556. <http://dx.doi.org/10.1021/ef201499f>.
- Overcamp, TJ; Chang, HC; Grady, CPL. (1993). AN INTEGRATED THEORY FOR SUSPENDED-GROWTH BIOSCRUBBERS. *J Air Waste Manag Assoc* 43: 753-759.
- Ozaki, J; Nishizawa, S; Nishiyama, Y. (1997). Electronic properties of model compounds simulating carbons prepared at low temperatures. *Carbon* 35: 45-52.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozalp, Y; Ozdemir, N; Hasirci, V. (2002). Vancomycin release from poly(D,L-lactide) and poly(lactide-co-glycolide) disks. *J Microencapsul* 19: 83-94.
- Ozcan, B; Esen, M; Coleri, A; Yolcu, H; Caliskan, M. (2009). IN VITRO ANTIMICROBIAL AND ANTIOXIDANT ACTIVITIES OF VARIOUS EXTRACTS OF SALVIA MICROSTEGIA (BOISS.) ET. BAL. FROM ANTAKYA, TURKEY. *Fresen Environ Bull* 18: 658-662.
- Ozcesmeci, I. (2013). Synthesis and fluorescence properties of phthalocyanines with dibromo- and tribromo-phenoxy functionalities. *Synthetic Metals* 176: 128-133. <http://dx.doi.org/10.1016/j.synthmet.2013.05.031>.
- Ozcesmeci, I; Ozcesmeci, M; Gul, A; Hamuryudan, E. (2016). Synthesis and spectroscopic investigation of boronic esters of metal-free fluorinated and non-fluorinated phthalocyanines. *Synthetic Metals* 222: 344-350. <http://dx.doi.org/10.1016/j.synthmet.2016.11.022>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research* 28: 689-698.
- Ozdemir, D; Ozturk, B. (2004). Genetic multivariate calibration methods for near infrared (NIR) spectroscopic determination of complex mixtures. *Turkish Journal of Chemistry* 28: 497-514.
- Ozgen, U; Coskun, M; Kazaz, C; Secen, H. (2004). Naphthoquinones from the roots of *Onosma argentatum* Hub.-Mor. (Boraginaceae). *Turkish Journal of Chemistry* 28: 451-454.
- Oztetik, E; Iscan, M. (2013). CHARACTERIZATION OF GLUTATHIONE S-TRANSFERASES FROM NEEDLES OF *Pinus brutia* Ten. TREES. *Fresen Environ Bull* 22: 516-523.
- Ozturk, G; Alp, S; Ertekin, K. (2007). Fluorescence emission studies of 4-(2-furylmethylene)-2-phenyl-5-oxazolone embedded in polymer thin film and detection of Fe<sup>3+</sup> ion. *Dyes and Pigments* 72: 150-156. <http://dx.doi.org/10.1016/j.dyepig.2005.08.012>.
- Ozyurt, F; Gunbas, EG; Durmus, A; Toppare, L. (2008). Processable and multichromic polymer of bis-3-hexylthiophene substituted 4-tert-butylphenyl quinoxaline. *Organic Electronics* 9: 296-302. <http://dx.doi.org/10.1016/j.orgel.2007.11.006>.
- Paasikallio, V; Agblevor, F; Oasmaa, A; Lehto, J; Lehtonen, J. (2013). Catalytic Pyrolysis of Forest Thinnings with ZSM-5 Catalysts: Effect of Reaction Temperature on Bio-oil Physical Properties and Chemical Composition. *Energy Fuels* 27: 7587-7601. <http://dx.doi.org/10.1021/ef401947f>.
- Padhi, SK; Gokhale, S. (2016). Benzene control from waste gas streams with a sponge-medium based rotating biological contactor. *Int Biodeterior Biodegradation* 109: 96-103. <http://dx.doi.org/10.1016/j.ibiod.2016.01.007>.
- Padilla, AM; Corella, J; Toledo, JM. (1999). Total oxidation of some chlorinated hydrocarbons with commercial chromia based catalysts. *Appl Catal B-Environ* 22: 107-121.
- Padlo, DM; Subramanian, RB; Kugler, EL. (1996). Hydrocarbon class analysis of coal-derived liquids using high performance liquid chromatography. *Fuel Process Tech* 49: 247-258.
- Pahr, DH; Boehm, HJ. (2008). Assessment of Mixed Uniform Boundary Conditions for Predicting the Mechanical Behavior of Elastic and Inelastic Discontinuously Reinforced Composites. *Computer Modeling in Engineering & Sciences* 34: 117-136.
- Paiphansiri, U; Tangboriboonrat, P; Landfester, K. (2006). Polymeric nanocapsules containing an antiseptic agent obtained by controlled nanoprecipitation onto water-in-oil miniemulsion droplets. *Macromol Biosci* 6: 33-40. <http://dx.doi.org/10.1002/mabi.200500178>.
- Pakdel, H; Murwanashyaka, JN; Roy, C. (2002). Extraction of betulin by vacuum pyrolysis of birch bark. *Journal of Wood Chemistry and Technology* 22: 147-155. <http://dx.doi.org/10.1081/WCT-120013359>.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria* 143: 241-251.

## Exposure Literature Search Results

### Off Topic

- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria* 129: 211-221.
- Palamoor, M; Jablonski, MM. (2014). Comparative study on diffusion and evaporation emulsion methods used to load hydrophilic drugs in poly(ortho ester) nanoparticle emulsions. *Powder Technology* 253: 53-62. <http://dx.doi.org/10.1016/j.powtec.2013.11.014>.
- Paletta, J; Erffmeier, K; Theisen, C; Hussain, D; Wendorff, JH; Greiner, A; Fuchs-Winkelmann, S; Schofer, MD. (2009). Influence of poly-(L-lactic acid) nanofiber functionalization on maximum load, Young's modulus, and strain of nanofiber scaffolds before and after cultivation of osteoblasts: an in vitro study. *ScientificWorldJournal* 9: 1382-1393. <http://dx.doi.org/10.1100/tsw.2009.149>.
- Palmentier, JPF, P; Taguchi, VY; Jenkins, SWD; Wang, DT; Ngo, KP; Robinson, D. (1998). The determination of geosmin and 2-methylisoborneol in water using isotope dilution high resolution mass spectrometry. *Water Res* 32: 287-294.
- Palmer, JC; Brennan, JK; Hurley, MM; Balboa, A; Gubbins, KE. (2009). Detailed structural models for activated carbons from molecular simulation. *Carbon* 47: 2904-2913. <http://dx.doi.org/10.1016/j.carbon.2009.06.037>.
- Pan, H; Tian, M, in; Zhang, H, ui; Zhang, Y, u; Lin, Q. (2013). Adsorption and Desorption Performance of Dichloromethane over Activated Carbons Modified by Metal Ions. *Journal of Chemical and Engineering Data* 58: 2449-2454. <http://dx.doi.org/10.1021/je4003493>.
- Pan, S; Pu, Y; Foston, M; Ragauskas, AJ. (2013). Compositional Characterization and Pyrolysis of Loblolly Pine and Douglas-fir Bark. *BioEnergy Res* 6: 24-34. <http://dx.doi.org/10.1007/s12155-012-9223-1>.
- Pan, T, ao; Ren, S; Guo, J, un; Xu, M; Sun, G. (2013). Biosorption and biotransformation of crystal violet by *Aeromonas hydrophila* DN322p. 7: 185-190. <http://dx.doi.org/10.1007/s11783-012-0435-6>.
- Pan, T; Xu, M; Chen, X; Sun, G; Guo, J. (2013). Cloud Point Extraction of Four Triphenylmethane Dyes by Triton X-114 as Nonionic Surfactant. *Separation Science and Technology* 48: 1040-1048. <http://dx.doi.org/10.1080/01496395.2012.726308>.
- Pana, A; Ilis, M; Staicu, T; Pasuk, I; Circu, V. (2016). Columnar bis(pyridinium) ionic liquid crystals derived from 4-hydroxypyridine: synthesis, mesomorphism and emission properties. *Liquid Crystals* 43: 381-392. <http://dx.doi.org/10.1080/02678292.2015.1116630>.
- Pandey, PC; Prakash, R. (1998). Characterization of electropolymerized polyindole - Application in the construction of a solid-state, ion-selective electrode. *J Electrochem Soc* 145: 4103-4107.
- Pandey, PC; Prakash, R. (1998). Electrochemical synthesis of polyindole and its evaluation for rechargeable battery applications. *J Electrochem Soc* 145: 999-1003.
- Pandey, PC; Singh, G. (2002). Electrochemical polymerization of aniline in proton-free nonaqueous media - Dependence of microstructure and electrochemical properties of polyaniline on solvent and dopant. *J Electrochem Soc* 149: D51-D56. <http://dx.doi.org/10.1149/1.1455649>.
- Pandit, P; Basu, S. (2004). Removal of ionic dyes from water by solvent extraction using reverse micelles. *Environ Sci Technol* 38: 2435-2442. <http://dx.doi.org/10.1021/es030573m>.
- Panizza, M; Barbucci, A; Ricotti, R; Cerisola, G. (2007). Electrochemical degradation of methylene blue. *Separation and Purification Technology* 54: 382-387. <http://dx.doi.org/10.1016/j.seppur.2006.10.010>.
- Panzella, L; Eidenberger, T; Napolitano, A; D'Ischia, M. (2012). Black sesame pigment: DPPH assay-guided purification, antioxidant/antinitrosating properties, and identification of a degradative structural marker. *J Agric Food Chem* 60: 8895-8901. <http://dx.doi.org/10.1021/jf2053096>.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem* 44: 55-64.
- Papadopoulos, A; Paton, GI; Reid, BJ; Semple, KT. (2007). Prediction of PAH biodegradation in field contaminated soils using a cyclodextrin extraction technique. *J Environ Monit* 9: 516-522. <http://dx.doi.org/10.1039/b700720e>.
- Papadopoulos, N; Karayianni, CS; Tsakiridis, P; Sarantopoulou, E; Hristoforou, E. (2011). Effects of MOCVD Thin Cobalt Films' Structure and Surface Characteristics on their Magnetic Behavior. *Chemical Vapor Deposition* 17: 211-220. <http://dx.doi.org/10.1002/cvde.201106907>.
- Papadopoulos, ES; Karpouzias, DG; Menkissoglu-Spiroudi, U. (2011). Extraction parameters significantly influence the quantity and the profile of PLFAs extracted from soils. *Microb Ecol* 62: 704-714. <http://dx.doi.org/10.1007/s00248-011-9863-2>.
- Papenmeier, DM; Rossin, JA. (1994). CATALYTIC-OXIDATION OF DICHLOROMETHANE, CHLOROFORM, AND THEIR BINARY-MIXTURES OVER A PLATINUM ALUMINA CATALYST. *Ind Eng Chem Res* 33: 3094-3103.
- Papoulias, DM; Buckler, DR; Tillitt, DE. (1996). Optimization of the Ames/Salmonella mutagenicity assay for use with extracts of aquatic sediments. *J Great Lakes Res* 22: 584-590.
- Pardillo-Fontdevila, E; Acosta-Esquivarosa, J; Nuevas-Paz, L; Gago-Alvarez, A; Jauregui-Haza, U. (1998). Solubility of cefotaxime sodium salt in seven solvents used in the pharmaceutical industry. *Journal of Chemical and Engineering Data* 43: 49-50.
- Parejo, I; Viladomat, F; Bastida, J; Rosas-Romero, A; Flerlage, N; Burillo, J; Codina, C. (2002). Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled Mediterranean herbs and aromatic plants. *J Agric Food Chem* 50: 6882-6890. <http://dx.doi.org/10.1021/jf020540a>.
- Parikh, BV; Upadrashta, SM; Neau, SH; Nuessle, NO. (1993). ESTRONE LOADED POLY(L-LACTIC ACID) MICROSPPHERES - PREPARATION, EVALUATION AND INVITRO RELEASE KINETICS. *J Microencapsul* 10: 141-153.
- Parinejad, M; Yaftian, MR. (2007). A study on the removal of chromium(VI) oxanions from acid solutions by using oxonium ion-crown ether complexes as mobile carrier agents. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 26: 19-27.



## Exposure Literature Search Results

### Off Topic

- Parinejad, M; Yaftian, MR. (2009). Mobile Carrier Properties of N(2)O(2)- and N(3)O(2)-Type Schiff Base Molecules Towards Coer(II) Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 28: 85-90.
- Park, C; Choi, H, aeW; Lee, CH; Lannutti, JJ; Farson, DF. (2014). Optical scattering in electrospun poly(epsilon-caprolactone) tissue scaffolds. *Journal of Laser Applications* 26. <http://dx.doi.org/10.2351/1.4870675>.
- Park, CH; Chung, MY; Unnithan, AR; Kim, CS. (2015). Creation of a functional graded nanobiomembrane using a new electrospinning system for drug release control and an in vitro validation of drug release behavior of the coating membrane. *Mater Sci Eng C* 50: 133-140. <http://dx.doi.org/10.1016/j.msec.2015.02.001>.
- Park, H; Ko, W. (2015). Preparation of C-60 Nanowhiskers-SnO2 Nanocomposites and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 15: 8125-8132. <http://dx.doi.org/10.1166/jnn.2015.11249>.
- Park, J; Yoon, C; Byun, H; Kim, Y; Park, D; Ha, K; Lee, SM, an; Park, S; Chung, E. (2012). Evaluation of Workers Exposed to Ethylene Glycol Monomethyl Ether and Ethylene Glycol Monomethyl Ether Acetate. *J Occup Health* 54: 141-146.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res* 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng* 122: 800-806.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data* 47: 980-983. <http://dx.doi.org/10.1021/je020020b>.
- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem* 9: 381-390.
- Park, O; Kim, H; Kim, J, iH; Park, JB; Kwak, J; Shin, W; Yoon, SC; Hwang, D, oH. (2013). Tetrafluorene-9,9'-bifluorenylidene as a non-fullerene type electron acceptor for P3HT-based bulk-heterojunction polymer solar cells. *Solar Energy Materials and Solar Cells* 116: 275-282. <http://dx.doi.org/10.1016/j.solmat.2013.05.008>.
- Park, S; Yeo, SD, o. (2008). Recrystallization of caffeine using gas antisolvent process. *Journal of Supercritical Fluids* 47: 85-92. <http://dx.doi.org/10.1016/j.supflu.2008.05.010>.
- Park, SE, un; Park, J, iW; Hwang, J. (2014). Morphology characterization of phenyl-C61-butiric acid methyl ester films via an electrohydrodynamic spraying route. *Thin Solid Films* 550: 395-403. <http://dx.doi.org/10.1016/j.tsf.2013.11.009>.
- Park, SH; Chung, EK; Yi, GY; Chung, KJ; Shin, JA; Lee, IS. (2010). A study for health hazard evaluation of methylene chloride evaporated from the tear gas mixture. *Saf Health Work* 1: 98-101. <http://dx.doi.org/10.5491/SHAW.2010.1.1.98>.
- Park, SK; Lee, MY. (2014). Profiling of the dichloromethane-induced proteome expression changes. *J Environ Biol* 35: 377-382.
- Park, SS; Kim, YJ; Kang, CH. (2002). Atmospheric polycyclic aromatic hydrocarbons in Seoul, Korea. *Atmos Environ* 36: 2917-2924.
- Park, YD, on; Lee, SG, oo; Lee, H, waS; Kwak, D; Lee, D, aeHo; Cho, K. (2011). Solubility-driven polythiophene nanowires and their electrical characteristics. *J Mater Chem* 21: 2338-2343. <http://dx.doi.org/10.1039/c0jm03114c>.
- Park, YH; Kim, YS, ik. (2007). New red electrophosphor based on Ir(III) complex of 2,3,4-triphenylquinoline. *Curr Appl Phys* 7: 500-503. <http://dx.doi.org/10.1016/j.cap.2006.10.005>.
- Park, YH; Park, SB. (2002). Preparation and electroactivity of poly (methylmethacrylate-co-pyrrolylmethylstyrene)-g-polypyrrole. *Synthetic Metals* 128: 229-234.
- Park, YH, o; Song, H, yeK; Lee, CS; Jee, JG, i. (2008). Fabrication and its characteristics of metal-loaded TiO2/SnO2 thick-film gas sensor for detecting dichloromethane. *J Ind Eng Chem* 14: 818-823. <http://dx.doi.org/10.1016/j.jiec.2008.06.009>.
- Park, YI; Yeom, CK; Kim, BS; Suh, JK; Hong, JS; Lee, JM; Joo, HJ. (2008). Quantitative evaluation of concentration polarization in the permeation of VOCs/water mixtures through PDMS membrane using model equation. *Desalination* 233: 303-309. <http://dx.doi.org/10.1016/j.desal.2007.09.055>.
- Park, YJ; Lee, YM; Park, SN; Lee, JY; Ku, Y; Chung, CP; Lee, SJ. (2000). Enhanced guided bone regeneration by controlled tetracycline release from poly(L-lactide) barrier membranes. *J Biomed Mater Res* 51: 391-397.
- Park, YK; Row, KH; Chung, ST. (2000). Adsorption characteristics and separation of taxol from yew tree by NP-HPLC. *Separation and Purification Technology* 19: 27-37.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water* 32: 805-820.
- Parker, MA; Mushrush, GW. (2006). Nitrogen compound distribution of refined middle distillate fuels. *Petroleum Science and Technology* 24: 1291-1299. <http://dx.doi.org/10.1081/LFT-200063033>.
- Parrondo, A; Allen, NS; Edge, M; Liauw, CM; Fontan, E. (2002). Additive interactions in the stabilization of film grade high-density polyethylene. Part II: Stabilization during long-term service. *Journal of Vinyl and Additive Technology* 8: 90-102.
- Parrott, JL; van den Heuvel, MR; Hewitt, LM; Baker, MA; Munkittrick, KR. (2000). Isolation of MFO inducers from tissues of white suckers caged in bleached kraft mill effluent. *Chemosphere* 41: 1083-1089.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Partanen, T; Chaves, J; Wesseling, C; Chaverri, F; Monge, P; Ruedert, C; Aragón, A; Kogevinas, M; Hogstedt, C; Kauppinen, T. (2003). Workplace carcinogen and pesticide exposures in Costa Rica. *Int J Occup Environ Health* 9: 104-111. <http://dx.doi.org/10.1179/oeh.2003.9.2.104>.
- Pasquale, AJ; Bauserman, JM; Mushrush, GW. (2009). Nitrogen Compound Distribution in Refined Middle Distillate Fuels. *Petroleum Science and Technology* 27: 2192-2199. <http://dx.doi.org/10.1080/10916460802686749>.

## Exposure Literature Search Results

### Off Topic

- Passialis, C; Voulgaridis, E; Adamopoulos, S; Matsouka, M. (2008). Extractives, acidity, buffering capacity, ash and inorganic elements of black locust wood and bark of different clones and origin. *Holz als Roh- und Werkstoff* 66: 395-400. <http://dx.doi.org/10.1007/s00107-008-0254-4>.
- Passialis, CN; Grigoriou, AH. (1999). Technical properties of branch-wood of apple, peach, pear, apricot and cherry fruit trees. *Holz als Roh- und Werkstoff* 57: 41-44.
- Passieux, R; Guthrie, L; Rad, SH; Lévesque, M; Therriault, D; Gosselin, FP. (2015). Instability-Assisted Direct Writing of Microstructured Fibers Featuring Sacrificial Bonds. *Adv Mater Deerfield* 27: 3676-3680. <http://dx.doi.org/10.1002/adma.201500603>.
- Pastino, GM; Conolly, RB. (2000). Application of a physiologically based pharmacokinetic model to estimate the bioavailability of ethanol in male rats: distinction between gastric and hepatic pathways of metabolic clearance. *Toxicol Sci* 55: 256-265. <http://dx.doi.org/10.1093/toxsci/55.2.256>.
- Patel, SH; Gonsalves, KE; Stivala, SS; Reich, L; Trivedi, DH. (1993). ALTERNATIVE PROCEDURES FOR THE RECYCLING OF SHEET MOLDING COMPOUNDS. *Advances in Polymer Technology* 12: 35-45.
- Pater, EM; Bruckenstein, S; Hillman, AR. (1998). Kinetic manipulation of the composition of electroprecipitated poly(vinylferrocene) films. *J Mater Res* 13: 3293-3298.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data* 49: 510-513.
- Patlolla, A; Collins, G; Arinze, TL. (2010). Solvent-dependent properties of electrospun fibrous composites for bone tissue regeneration. *Acta Biomater* 6: 90-101. <http://dx.doi.org/10.1016/j.actbio.2009.07.028>.
- Patra, MK; Kumar, H; Meur, SK; Mahmood, S; Yadav, MC. (2010). Comparative thin layer chromatographic profiles of bovine urine and cervico-vaginal mucus. *Indian J Anim Sci* 80: 516-518.
- Patrick, BN; Chakravarti, R; Devine, TM. (2016). Palladium Hydride as a Reference Electrode in Aprotic Solutions. *J Electrochem Soc* 163: H171-H179. <http://dx.doi.org/10.1149/2.0421603jes>.
- Paull, RE; Tang, CS; Gross, K; Uruu, G. (1999). The nature of the taro acidity factor. *Postharvest Biol Technol* 16: 71-78.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering* 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Pauporte, T; Rathousky, J. (2009). Growth mechanism and photocatalytic properties for dye degradation of hydrophobic mesoporous ZnO/SDS films prepared by electrodeposition. *Microporous and Mesoporous Materials* 117: 380-385. <http://dx.doi.org/10.1016/j.micromeso.2008.07.016>.
- Paustenbach, DJ; Jernigan, JD; Finley, BL; Ripple, SR; Keenan, RE. (1990). The current practice of health risk assessment: potential impact on standards for toxic air contaminants [Review]. *J Air Waste Manag Assoc* 40: 1620-1630.
- Pauwels, AN; Schepens, PJC. (1998). Simultaneous separation and determination of polychlorinated biphenyl congeners and other chlorinated hydrocarbon residues in human matrices using gel permeation or adsorption chromatographic clean-up and GC-MS quantification. *Int J Environ Anal Chem* 71: 105-118.
- Pavasupree, S; Dubas, ST; Rangkupan, R. (2015). Surface modification of polypropylene non-woven fibers with TiO<sub>2</sub> nanoparticles via layer-by-layer self assembly method: Preparation and photocatalytic activity. *J Environ Sci* 37: 59-66. <http://dx.doi.org/10.1016/j.jes.2015.04.020>.
- Pavlic, B; Vidovic, S; Vladic, J; Radosavljevic, R; Zekovic, Z. (2015). Isolation of coriander (*Coriandrum sativum* L.) essential oil by green extractions versus traditional techniques. *Journal of Supercritical Fluids* 99: 23-28. <http://dx.doi.org/10.1016/j.supflu.2015.01.029>.
- Pavoni, B; Drusian, D; Giacometti, A; Zanette, M. (2006). Assessment of organic chlorinated compound removal from aqueous matrices by adsorption on activated carbon. *Water Res* 40: 3571-3579. <http://dx.doi.org/10.1016/j.watres.2006.05.027>.
- Pawar, RC; Choi, D, aH; Lee, J, aiS; Lee, CS. (2015). Formation of polar surfaces in microstructured ZnO by doping with Cu and applications in photocatalysis using visible light. *Mater Chem Phys* 151: 167-180. <http://dx.doi.org/10.1016/j.matchemphys.2014.11.051>.
- Pawlik, J. R.; Fenical, W. (1992). CHEMICAL DEFENSE OF PTEROGORGIA-ANCEPS, A CARIBBEAN GORGONIAN CORAL. *Mar Ecol Prog Ser* 87: 183-188.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of fenoxycarb and pyriproxyfen in fresh and canned peach. *J Environ Sci Health B* 42: 767-773. <http://dx.doi.org/10.1080/03601230701550899>.
- Paya, P; Oliva, J; Camara, MA; Barba, A. (2007). Dissipation of insect growth regulators in fresh and canned fruits. *Int J Environ Anal Chem* 87: 971-983. <http://dx.doi.org/10.1080/03067310701419712>.
- Payet, B; Shum Cheong Sing, A; Smadja, J. (2005). Assessment of antioxidant activity of cane brown sugars by ABTS and DPPH radical scavenging assays: determination of their polyphenolic and volatile constituents. *J Agric Food Chem* 53: 10074-10079. <http://dx.doi.org/10.1021/jf0517703>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A* 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Peesan, M; Rujiravanit, R; Supaphol, P. (2006). Electrospinning of hexanoyl chitosan/poly(lactide) blends. *J Biomater Sci Polym Ed* 17: 547-565.
- Pegram, RA; Andersen, ME; Warren, SH; Ross, TM; Claxton, LD. (1997). Glutathione S-transferase-mediated mutagenicity of trihalomethanes in *Salmonella typhimurium*: contrasting results with bromodichloromethane off chloroform. *Toxicol Appl Pharmacol* 144: 183-188. <http://dx.doi.org/10.1006/taap.1997.8123>.

## Exposure Literature Search Results

### Off Topic

- Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries (pp. 12-16). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/98/19165). Peijnenburg, W; Eriksson, L; De Groot, A; Sjoström, M; Verboom, H.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E. (2015). Abundance and characteristics of lignin liquid intermediates in wood (*Pinus ponderosa* Dougl. ex Laws.) during hot water extraction. *Biomass and Bioenergy* 81: 117-128. <http://dx.doi.org/10.1016/j.biombioe.2015.06.012>.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E; Zhu, R, ui; Englund, K. (2016). Interrelationship between lignin-rich dichloromethane extracts of hot water-treated wood fibers and high-density polyethylene (HDPE) in wood plastic composite (WPC) production. *Holzforschung* 70: 31-38. <http://dx.doi.org/10.1515/hf-2014-0309>.
- Pelekis, M; Nicolich, MJ; Gauthier, JS. (2003). Probabilistic framework for the estimation of the adult and child toxicokinetic intraspecies uncertainty factors. *Risk Anal* 23: 1239-1255.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health* 11: 511-522.
- Pelletier, E; Siron, R. (1999). Silicone-based polymers as oil spill treatment agents. *Environ Toxicol Chem* 18: 813-818.
- Pelliccia, L; Cacciamani, F; Tomassoni, C; Sorrentino, R. (2014). Ultra-compact high-performance filters based on TM dual-mode dielectric-loaded cavities. *International Journal of Microwave and Wireless Technologies* 6: 151-159. <http://dx.doi.org/10.1017/S1759078713001001>.
- Pelto, JM; Virtanen, S; Munter, T; Larismaa, J; Jämsä, S; Nikkola, J. (2014). Encapsulation of 3-iodo-2-propynyl N-butylcarbamate (IPBC) in polystyrene-polycaprolactone (PS/PCL) blends. *J Microencapsul* 31: 415-421. <http://dx.doi.org/10.3109/02652048.2013.843599>.
- Peltre, C; Dignac, MF; Derenne, S; Houot, S. (2010). Change of the chemical composition and biodegradability of the Van Soest soluble fraction during composting: a study using a novel extraction method. *Waste Manag* 30: 2448-2460. <http://dx.doi.org/10.1016/j.wasman.2010.06.021>.
- Peng, J; Qian, Z; Wang, B; Fu, S; Guo, G; Luo, F; Li, R; Wu, D. (2011). Preparation and release characteristic of quercetin loaded poly(lactic acid) ultrafine fibers. *J Nanosci Nanotechnol* 11: 3659-3668. <http://dx.doi.org/10.1166/jnn.2011.3807>.
- Peng, Q; Fu, G; Su, D. (2010). Synthesis and light-emitting properties of fluorene-based copolymers. *Synthetic Metals* 160: 1672-1678. <http://dx.doi.org/10.1016/j.synthmet.2010.05.039>.
- Peng, X; Ma, X; Lin, Y. (2016). Investigation on Characteristics of Liquefied Products from Solvolysis Liquefaction of *Chlorella pyrenoidosa* in Ethanol-Water Systems. *Energy Fuels* 30: 6475-6485. <http://dx.doi.org/10.1021/acs.energyfuels.6b01103>.
- Pennarun, PY; Saillard, P; Feigenbaum, A; Dole, P. (2005). Experimental direct evaluation of functional barriers in PET recycled bottles: Comparison of migration behaviour of mono- and multilayers. *Packaging Technology and Science* 18: 107-123. <http://dx.doi.org/10.1002/pts.680>.
- Peppard, TL. (1992). VOLATILE FLAVOR CONSTITUENTS OF MONSTERA-DELICIOSA. *J Agric Food Chem* 40: 257-262.
- Perbellini, L; Brugnone, F; Grigolini, L; Cunegatti, P; Tacconi, A. (1977). ALVEOLAR AIR AND BLOOD DICHLOROMETHANE CONCENTRATION IN SHOE SOLE FACTORY-WORKERS. *Int Arch Occup Environ Health* 40: 241-247.
- Pereira, CA; Costa, AC; Carreira, CM; Junqueira, JC; Jorge, AO. (2013). Photodynamic inactivation of *Streptococcus mutans* and *Streptococcus sanguinis* biofilms in vitro. *Lasers Med Sci* 28: 859-864. <http://dx.doi.org/10.1007/s10103-012-1175-3>.
- Pereira, CA; Romeiro, RL; Costa, AC; Machado, AK; Junqueira, JC; Jorge, AO. (2011). Susceptibility of *Candida albicans*, *Staphylococcus aureus*, and *Streptococcus mutans* biofilms to photodynamic inactivation: an in vitro study. *Lasers Med Sci* 26: 341-348. <http://dx.doi.org/10.1007/s10103-010-0852-3>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci* 138: 227-235.
- Pereira de Melo, FM; Fiore, MF; Beraldo de Moraes, LA; Silva-Stenico, ME; Scramin, S; Teixeira, M, deA; de Melo, IS. (2009). ANTIFUNGAL COMPOUND PRODUCED BY THE CASSAVA ENDOPHYTE *Bacillus pumilus* MAIIM4A. *Scientia Agricola* 66: 583-592.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR. (2011). Growth, assimilate partition and yield of melon charenthais under different shading screens. *Horticultura Brasileira* 29: 91-97.
- Pereira, FHF; Puiatti, M; Finger, FL; Cecon, PR; de Aquino, LA. (2010). Yield and quality of yellow and "charentais" melon fruits cultivated in shaded environments. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi* 14: 944-950.
- Pereira, H. (2013). Variability of the Chemical Composition of Cork. *BioResources* 8: 2246-2256.
- Pereira, IHL; Ayres, E; Averous, L, uc; Schlatter, G, uy; Hebraud, A; Mendes, STO, L; Orefice, RL. (2014). Elaboration and Characterization of Coaxial Electrospun Poly(epsilon-Caprolactone)/Gelatin Nanofibers for Biomedical Applications. *Advances in Polymer Technology* 33. <http://dx.doi.org/10.1002/adv.21475>.
- Pereira Netto, AD; Barreto, RP; Moreira, JC; Arbilla, G. (2007). Spatial distribution of polycyclic aromatic hydrocarbons in *Terminalia catappa* L. (Combretaceae) bark from a selected heavy road traffic area of Rio de Janeiro City, Brazil. *J Hazard Mater* 142: 389-396. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.034>.
- Pereira Netto, AD; Krauss, TM; Cunha, IF; Rego, ECP. (2006). PAHs in SD : Polycyclic aromatic hydrocarbons levels in street dust in the Central area of Niteroi City, RJ, Brazil. *Water Air Soil Pollut* 176: 57-67. <http://dx.doi.org/10.1007/s11270-006-9145-7>.
- Pereira, V; Dias, C; Vasconcelos, MC; Rosa, E; Saavedra, MJ. (2014). Antibacterial activity and synergistic effects between *Eucalyptus globulus* leaf residues (essential oils and extracts) and antibiotics against several isolates of respiratory tract infections (*Pseudomonas aeruginosa*). *Ind Crop Prod* 52: 1-7. <http://dx.doi.org/10.1016/j.indcrop.2013.09.032>.

## Exposure Literature Search Results

### Off Topic

- Perera, DM; Pandey, B; Ito, T. (2011). Electrochemical impedance spectroscopy studies of organic-solvent-induced permeability changes in nanoporous films derived from a cylinder-forming diblock copolymer. *Langmuir* 27: 11111-11117. <http://dx.doi.org/10.1021/la202005n>.
- Perez, S; Reifferscheid, G; Eichhorn, P; Barcelo, D. (2003). Assessment of the mutagenic potency of sewage sludges contaminated with polycyclic aromatic hydrocarbons by an ames fluctuation assay. *Environ Toxicol Chem* 22: 2576-2584.
- Perez-Hernandez, R; Mendoza-Anaya, D; Mondragon-Galicia, G; Espinosa, ME; Rodriguez-Lugo, V; Lozada, M; Arenas-Alatorre, J. (2003). Microstructural study of asphaltene precipitated with methylene chloride and n-hexane. *Fuel* 82: 977-982.
- Pérez-Ortuño, R; Martínez-Sánchez, JM; Fu, M; Ballbè, M; Quirós, N; Fernández, E; Pascual, JA. (2016). Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. *Environ Res* 151: 635-641. <http://dx.doi.org/10.1016/j.envres.2016.08.036>.
- Perez-Prieto, LJ; Lopez-Roca, JM; Martinez-Cutillas, A; Minguez, FP; Gomez-Plaza, E. (2002). Maturing wines in oak barrels. Effects of origin, volume, and age of the barrel on the wine volatile composition. *J Agric Food Chem* 50: 3272-3276. <http://dx.doi.org/10.1021/jf011505r>.
- Pergal, MM; Tesic, ZL, j; Popovic, AR. (2013). Polycyclic Aromatic Hydrocarbons: Temperature Driven Formation and Behavior during Coal Combustion in a Coal-Fired Power Plant. *Energy Fuels* 27: 6273-6278. <http://dx.doi.org/10.1021/ef401467z>.
- Periago, JF; Cardona, A; Marhuenda, D; Roel, J; Villanueva, M; Marti, J; Luna, A. (1993). Biological monitoring of occupational exposure to n-hexane by exhaled air analysis and urinalysis. *Int Arch Occup Environ Health* 65: 275-278.
- Perkgoz, NK; Toru, RS; Unal, E; Sefunc, MA; Tek, S; Mutlugun, E; Soganci, IM; Celiker, H; Celiker, G; Demir, HV. (2011). Photocatalytic hybrid nanocomposites of metal oxide nanoparticles enhanced towards the visible spectral range. *Appl Catal B-Environ* 105: 77-85. <http://dx.doi.org/10.1016/j.apcatb.2011.03.037>.
- Perlmutter, BA. (1997). New techniques for solvent recovery and elimination of wastewater emissions during vacuum process operations. *Environmental Progress* 16: 132-136.
- Permpool, T; Sirivat, A; Aussawasathien, D; Wannatong, L. (2013). Polydiphenylamine/Zelite Y Composites and Electrical Conductivity Responses toward Halogenated Hydrocarbons. *Mater Res* 16: 1020-1029. <http://dx.doi.org/10.1590/S1516-14392013005000092>.
- Pernikis, R; Lazdina, B. (1996). Photosensitive derivatives of cellulose and its ethers. *Cellulose Chemistry and Technology* 30: 187-196.
- Pertig, D, an; Schaefer, C; Ulrich, J. (2012). Stabilization of Carotenoids. *Chem Eng Tech* 35: 1045-1050. <http://dx.doi.org/10.1002/ceat.201200052>.
- Perugini, P; Genta, I; Pavanetto, F; Modena, T; Maculotti, K; Conti, B. (2002). Evaluation of enzyme stability during preparation of polylactide-co-glycolide microspheres. *J Microencapsul* 19: 591-602. <http://dx.doi.org/10.1080/02652040210144252>.
- Perveen, S; Yousaf, M; Zahoor, AF; Rasool, N; Jabber, A. (2014). Extraction, isolation, and identification of various environment friendly components from cock's comb (*Celosia argentea*) leaves for allelopathic potential. *Toxicol Environ Chem* 96: 1523-1534. <http://dx.doi.org/10.1080/02772248.2015.1031457>.
- Pestana, M; Rodrigues, M; Teixeira, L; Abrantes, I; Gouveia, M; Cordeiro, N. (2014). In vitro evaluation of nematicidal properties of *Solanum sisymbriifolium* and *S. nigrum* extracts on *Pratylenchus goodeyi*. *Nematology* 16: 41-51. <http://dx.doi.org/10.1163/15685411-00002743>.
- Peterson, ES; Stone, ML; Cummings, DG; Mccaffrey, RR. (1993). SEPARATIONS OF HAZARDOUS ORGANICS FROM GAS AND LIQUID FEEDSTREAMS USING PHOSPHAZENE POLYMER MEMBRANES. *Separation Science and Technology* 28: 271-281.
- Peterson, ES; Stone, ML; Orme, CJ; Reavill, DA. (1995). CHEMICAL SEPARATIONS USING SHELL-AND-TUBE COMPOSITE POLYPHOSPHAZENE MEMBRANES. *Separation Science and Technology* 30: 1573-1587.
- Peterson, JE. (1978). Modeling the uptake, metabolism and excretion of dichloromethane by man. *Am Ind Hyg Assoc J* 39: 41-47. <http://dx.doi.org/10.1080/0002889778507711>.
- Peterson, JK; Snook, ME; Harrison, HF; Mason, PF. (1998). Isolation and structural identification of sucrose esters from corn spurrey (*Spergula arvensis*); Inhibition of seed germination. *J Chem Ecol* 24: 1803-1816.
- Petreas, M; Gill, R; Takaku-Pugh, S; Lytle, E; Parry, E; Wang, M; Quinn, J; Park, JS, oo. (2016). Rapid methodology to screen flame retardants in upholstered furniture for compliance with new California labeling law (SB 1019). *Chemosphere* 152: 353-359. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.102>.
- Petrović, J; Glamočlija, J; Stojković, DS; Ćirić, A; Nikolić, M; Bukvički, D; Guerzoni, ME; Soković, MD. (2013). *Laetiporus sulphureus*, edible mushroom from Serbia: investigation on volatile compounds, in vitro antimicrobial activity and in situ control of *Aspergillus flavus* in tomato paste. *Food Chem Toxicol* 59: 297-302. <http://dx.doi.org/10.1016/j.fct.2013.06.021>.
- Petukhin, AG; Gusev, AA; Guseva, EM; Gordeev, EI; Chebrov, VN. (1999). Preliminary model for scaling of Fourier spectra of strong ground motion recorded on Kamchatka. *Pure Appl Geophys* 156: 445-468.
- Pezoti, O, Jr; Cazetta, AL; Souza, IPA, F; Bedin, KC; Martins, AC; Silva, TL; Almeida, VC. (2014). Adsorption studies of methylene blue onto ZnCl<sub>2</sub>-activated carbon produced from buriti shells (*Mauritia flexuosa* L.). *J Ind Eng Chem* 20: 4401-4407. <http://dx.doi.org/10.1016/j.jiec.2014.02.007>.
- Pfrunder, MC; Micallef, AS; Rintoul, L; Arnold, DP; Davy, KJP; Mcmurtrie, J. (2012). Exploitation of the Menshutkin Reaction for the Controlled Assembly of Halogen Bonded Architectures Incorporating 1,2-Diiodotetrafluorobenzene and 1,3,5-Triiodotrifluorobenzene. *Cryst Growth Des* 12: 714-724. <http://dx.doi.org/10.1021/cg201017r>.
- Phaechamud, T; Chitrattha, S. (2016). Pore formation mechanism of porous poly(DL-lactic acid) matrix membrane. *Mater Sci Eng C* 61: 744-752. <http://dx.doi.org/10.1016/j.msec.2016.01.014>.

## Exposure Literature Search Results

### Off Topic

- Phenix, BD; Dinaro, JL; Tester, JW; Howard, JB; Smith, KA. (2002). The effects of mixing and oxidant choice on laboratory-scale measurements of supercritical water oxidation kinetics. *Ind Eng Chem Res* 41: 624-+. <http://dx.doi.org/10.1021/ie010473u>.
- Philip, B; Abraham, JK; Chandrasekhar, A; Varadan, VK. (2003). Carbon nanotube/PMMA composite thin films for gas-sensing applications. *Smart Materials and Structures* 12: 935-939.
- Philip Jacob, P; Madhumitha, G; Mary Saral, A. (2011). Free radical scavenging and reducing power of *Lawsonia inermis* L. seeds. *Asian Pacific Journal of Tropical Medicine* 4: 457-461. [http://dx.doi.org/10.1016/S1995-7645\(11\)60125-9](http://dx.doi.org/10.1016/S1995-7645(11)60125-9).
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol* 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Piccardi, R; Frosini, A; Tredici, MR; Margheri, MC. (2000). Bioactivity in Free-Living and Symbiotic Cyanobacteria of the Genus *Nostoc*. *J Appl Phycol* 12: 543.
- Pickard, S; Becker, I; Merz, KH; Richling, E. (2013). Determination of the alkylypyrazine composition of coffee using stable isotope dilution-gas chromatography-mass spectrometry (SIDA-GC-MS). *J Agric Food Chem* 61: 6274-6281. <http://dx.doi.org/10.1021/jf401223w>.
- Piekarska, K. (2009). MUTAGENIC EFFECT OF MAIN GROUPS OF ORGANIC POLLUTANTS ADSORBED ON SUSPENDED PARTICULATE MATTER (PM10 AND PM 2.5) COLLECTED WITHIN WROCLAW URBAN AREA. *Environ Protect Eng* 35: 23-35.
- Piekarska, K. (2010). Mutagenicity of Airborne Particulates Assessed by Salmonella Assay and the SOS Chromotest in Wroclaw, Poland. *J Air Waste Manag Assoc* 60: 993-1001. <http://dx.doi.org/10.3155/1047-3289.60.8.993>.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2009). MUTAGENIC AND CYTOTOXIC PROPERTIES OF EXTRACTS OF SUSPENDED PARTICULATE MATTER COLLECTED IN WROCLAW CITY AREA. *Environ Protect Eng* 35: 37-48.
- Piekarska, K; Zaciera, M; Czarny, A; Zaczynska, E, wa. (2011). APPLICATION OF SHORT-TERM TESTS IN ASSESSMENT OF ATMOSPHERIC AIR POLLUTION. *Environ Protect Eng* 37: 85-98.
- Piggott, J. R.; Conner, JM; Clyne, J; Paterson, A. (1992). THE INFLUENCE OF NONVOLATILE CONSTITUENTS ON THE EXTRACTION OF ETHYL-ESTERS FROM BRANDIES. *J Sci Food Agric* 59: 477-482.
- Pilawa, B; Wieckowski, AB; Wachowska, H; Kozlowski, M. (1998). Epr searches of correlations between paramagnetic centre behaviour and chemical structure of reductively alkylated flame coal. *Fuel* 77: 1561-1567.
- Pilissao, C; Carvalho, P; Nascimento, M. (2009). Enantioselective acylation of (RS)-phenylethylamine catalysed by lipases. *Process Biochemistry* 44: 1352-1357. <http://dx.doi.org/10.1016/j.procbio.2009.07.012>.
- Pilon, G; Lavoie, JM. (2011). CHARACTERIZATION OF SWITCHGRASS CHAR PRODUCED IN TORREFACTION AND PYROLYSIS CONDITIONS. *BioResources* 6: 4824-4839.
- Pinard, L; Magnoux, P; Ayrault, P; Guisnet, M. (2004). Oxidation of chlorinated hydrocarbons over zeolite catalysts - 2. Comparative study of dichloromethane transformation over NaX and NaY zeolites. *J Catal* 221: 662-665. <http://dx.doi.org/10.1016/j.jcat.2003.10.009>.
- Pinard, L; Mijoin, J; Ayrault, P; Canaff, C; Magnoux, P. (2004). On the mechanism of the catalytic destruction of dichloromethane over Pt zeolite catalysts. *Appl Catal B-Environ* 51: 1-8. <http://dx.doi.org/10.1016/j.apcatb.2004.01.002>.
- Pinard, L; Mijoin, J; Magnoux, P; Guisnet, M. (2003). Oxidation of chlorinated hydrocarbons over Pt zeolite catalysts 1-mechanism of dichloromethane transformation over PtNaY catalysts. *J Catal* 215: 234-244. [http://dx.doi.org/10.1016/S0021-9517\(02\)00189-6](http://dx.doi.org/10.1016/S0021-9517(02)00189-6).
- Pineider, F; Mannini, M; Danieli, C; Armelao, L; Piras, FM; Magnani, A; Cornia, A; Sessoli, R. (2010). Deposition of intact tetrairon(III) single molecule magnet monolayers on gold: an STM, XPS, and ToF-SIMS investigation. *J Mater Chem* 20: 187-194. <http://dx.doi.org/10.1039/b916895h>.
- Pineider, F; Mannini, M; Sessoli, R; Caneschi, A; Barreca, D; Armelao, L; Cornia, A; Tondello, E; Gatteschi, D. (2007). Solvent effects on the adsorption and self-organization of Mn12 on Au(111). *Langmuir* 23: 11836-11843. <http://dx.doi.org/10.1021/la7016837>.
- Pinet, C; Jaupart, C; Mareschal, JC; Garipey, C; Bienfait, G; Lapointe, R. (1991). HEAT-FLOW AND STRUCTURE OF THE LITHOSPHERE IN THE EASTERN CANADIAN SHIELD. *J Geophys Res* 96: 19941-19963.
- Ping, L, an; Brosse, N; Sannigrahi, P; Ragauskas, A. (2011). Evaluation of grape stalks as a bioresource. *Ind Crop Prod* 33: 200-204. <http://dx.doi.org/10.1016/j.indcrop.2010.10.009>.
- Pintado-Herrera, MG; González-Mazo, E; Lara-Martín, PA. (2014). Determining the distribution of triclosan and methyl triclosan in estuarine settings. *Chemosphere* 95: 478-485. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.101>.
- Pinto, A; Leite, JPG; Brito Ramos, CJ; da Fonseca, RR; Teixeira, VL; Paixo, I. (2014). Anti-herpesvirus bovine type 5 activities of extracts obtained from *Plocamium brasiliense*. *J Appl Phycol* 26: 2021-2027. <http://dx.doi.org/10.1007/s10811-014-0319-1>.
- Pires, EL; Magalhaes, JC; Schuchardt, U. (2000). Effects of oxidant and solvent on the liquid-phase cyclohexane oxidation catalyzed by Ce-exchanged zeolite Y. *Appl Catal A-Gen* 203: 231-237.
- Pires, LR; Guarino, V; Oliveira, MJ; Ribeiro, CC; Barbosa, MA; Ambrosio, L; Pêgo, AP. (2016). Ibuprofen-loaded poly(trimethylene carbonate-co-ε-caprolactone) electrospun fibres for nerve regeneration. *J Tissue Eng Regen Med* 10: E154-E166. <http://dx.doi.org/10.1002/term.1792>.
- Pirhashemi, M; Habibi-Yangjeh, A. (2014). Preparation of AgCl-ZnO nanocomposites as highly efficient visible- light photocatalysts in water by one-pot refluxing method. *J Alloy Comp* 601: 1-8. <http://dx.doi.org/10.1016/j.jallcom.2014.02.111>.
- Pirilahunkanen, PL; Ruostesuo, PA. (1987). THERMODYNAMIC AND SPECTROSCOPIC PROPERTIES OF 2-PYRROLIDINONES .1. EXCESS MOLAR VOLUMES OF 2-PYRROLIDINONE + DICHLOROMETHANE, + DIMETHYLSULFOXIDE, + ACETONE, + 2-PROPANOL, AND + WATER. *Journal of Chemical and Engineering Data* 32: 303-306.

## Exposure Literature Search Results

### Off Topic

- Piroozmand, M; Safari, N; Samadi, AA. (2006). Catalyzed oxidation of cyclohexene and cyclooctene with first row transition metallophthalocyanines. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 25: 85-89.
- Piszczyk, K; Sterzynski, T; Lukaszewicz, E. (2003). Visualization of gelation inhomogeneity of PVC. *Polym Test* 22: 115-119.
- Pitcher, A; Hopmans, EC; Schouten, S; Damste, JSS. (2009). Separation of core and intact polar archaeal tetraether lipids using silica columns: Insights into living and fossil biomass contributions. *Organic Geochemistry* 40: 12-19. <http://dx.doi.org/10.1016/j.orggeochem.2008.09.008>.
- Pitipapanong, J; Chitprasert, S; Goto, M; Jiratchariyakul, W; Sasaki, M; Shotipruk, A. (2007). New approach for extraction of charantin from *Momordica charantia* with pressurized liquid extraction. *Separation and Purification Technology* 52: 416-422. <http://dx.doi.org/10.1016/j.seppur.2005.11.037>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ* 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ* 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittet, A; Royer, D. (2002). Rapid, low cost thin-layer chromatographic screening method for the detection of ochratoxin A in green coffee at a control level of 10 µg/kg. *J Agric Food Chem* 50: 243-247. <http://dx.doi.org/10.1021/jf010867w>.
- Pittman, CU; Xu, XM; Wang, LC; Toghiani, H. (2000). Mechanical and viscoelastic properties of semi-interpenetrating polymer networks of poly(vinyl chloride)/thermosetting resin blends. *Polymer Engineering and Science* 40: 1405-1413.
- Piumetti, M; Bonelli, B; Armandi, M; Gaberova, L; Casale, S; Massiani, P; Garrone, E. (2010). Vanadium-containing SBA-15 systems prepared by direct synthesis: Physico-chemical and catalytic properties in the decomposition of dichloromethane. *Microporous and Mesoporous Materials* 133: 36-44. <http://dx.doi.org/10.1016/j.micromeso.2010.04.011>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Armandi, M; Thomas, C; Garrone, E. (2012). Effect of vanadium dispersion and of support properties on the catalytic activity of V-containing silicas. *Catalysis Today* 179: 140-148. <http://dx.doi.org/10.1016/j.cattod.2011.06.028>.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Effect of vanadium dispersion and support properties on the catalytic activity of V-SBA-15 and V-MCF mesoporous materials prepared by direct synthesis. *Catalysis Today* 176: 458-464. <http://dx.doi.org/10.1016/j.cattod.2010.10.066>.
- Piumetti, M; Bonelli, B; Massiani, P; Millot, Y; Dzwigaj, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Novel vanadium-containing mesocellular foams (V-MCF) obtained by direct synthesis. *Microporous and Mesoporous Materials* 142: 45-54. <http://dx.doi.org/10.1016/j.micromeso.2010.11.010>.
- Pizzio, LR. (2006). Synthesis and characterization of trifluoromethanesulfonic acid supported on mesoporous titania. *Mater Lett* 60: 3931-3935. <http://dx.doi.org/10.1016/j.matlet.2006.07.190>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol* 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plata, DL; Gschwend, PM; Reddy, CM. (2008). Industrially synthesized single-walled carbon nanotubes: compositional data for users, environmental risk assessments, and source apportionment. *Nanotechnology* 19. <http://dx.doi.org/10.1088/0957-4484/19/18/185706>.
- Platonova, I; Branchi, A; Lessi, M; Ruggeri, G; Bellina, F; Pucci, A. (2014). Zn(II)-bisthienylethynylbipyridine complex: Preparation, characterization and vapochromic behaviour in polymer films. *Dyes and Pigments* 110: 249-255. <http://dx.doi.org/10.1016/j.dyepig.2014.03.022>.
- Pliego, JR; Schiavon, MA. (2008). Jacobsen's catalyst interaction with polydimethylsiloxane/tetraethoxysilane network and solvent molecules: Theoretical design of a new polymeric membrane. *J Phys Chem C* 112: 14830-14834. <http://dx.doi.org/10.1021/jp804245f>.
- Plodpai, P; Chuenchitt, S; Petcharat, V; Chakthong, S; Voravuthikunchai, SP. (2013). Anti-Rhizoctonia solani activity by *Desmos chinensis* extracts and its mechanism of action. *Crop Protection* 43: 65-71. <http://dx.doi.org/10.1016/j.cropro.2012.09.004>.
- Plodpai, P; Petcharat, V; Chuenchitt, S; Chakthong, S; Joycharat, N; Voravuthikunchai, SP. (2013). *Desmos chinensis*: A new candidate as natural antifungicide to control rice diseases. *Ind Crop Prod* 42: 324-331. <http://dx.doi.org/10.1016/j.indcrop.2012.05.038>.
- Plouguerne, E; Hellio, C; Cesconetto, C; Thabard, M; Mason, K; Veron, B; Pereira, RC; da Gama, BAP. (2010). Antifouling activity as a function of population variation in *Sargassum vulgare* from the littoral of Rio de Janeiro (Brazil). *J Appl Phycol* 22: 717-724. <http://dx.doi.org/10.1007/s10811-010-9511-0>.
- Plouguerne, E; Hellio, C; Deslandes, E; Veron, B; Stiger-Pouvreau, V. (2008). Anti-microfouling activities in extracts of two invasive algae: *Grateloupia turuturu* and *Sargassum muticum*. *Botanica Marina* 51: 202-208. <http://dx.doi.org/10.1515/bot.2008.026>.
- Pluempunapat, S; Kumrungsee, N; Pluempunapat, W; Ngamkitpinyo, K; Chavasiri, W; Bullangpoti, V; Koul, O. (2013). Laboratory evaluation of *Dalbergia oliveri* (Fabaceae: Fabales) extracts and isolated isoflavonoids on *Aedes aegypti* (Diptera: Culicidae) mosquitoes. *Ind Crop Prod* 44: 653-658. <http://dx.doi.org/10.1016/j.indcrop.2012.09.006>.
- Poddar, TK; Majumdar, S; Sirkar, KK. (1996). Membrane-based absorption of VOCs from a gas stream. *AIChE J* 42: 3267-3282.
- Poddar, TK; Sirkar, KK. (1996). Henry's law constant for selected volatile organic compounds in high-boiling oils. *Journal of Chemical and Engineering Data* 41: 1329-1332.
- Poddar, TK; Sirkar, KK. (1997). A hybrid of vapor permeation and membrane-based absorption-stripping for VOC removal and recovery from gaseous emissions. *J Memb Sci* 132: 229-233.

## Exposure Literature Search Results

### Off Topic

- Pokhodnya, KI; Burtman, V; Epstein, AJ; Raebiger, JW; Miller, JS. (2003). Control of coercivity in organic-based solid solution VxCo1-x[TCNE]2 center dot zCH(2)Cl(2) room temperature magnets. *Adv Mater Deerfield* 15: 1211-+. <http://dx.doi.org/10.1002/adma.200304984>.
- Pokrifchak, M; Turner, T; Pilgrim, I, an; Johnston, MR; Higgs, KW. (2007). Scanning tunneling microscopy and orbital-mediated tunneling spectroscopy study of 1,5-di(octyloxy)anthracene adsorbed on highly ordered pyrolytic graphite from various solvents and in different environments. *J Phys Chem C* 111: 7735-7740. <http://dx.doi.org/10.1021/jp0704968>.
- Polidori, A; Turpin, BJ; Davidson, CI; Rodenburg, LA; Maimone, F. (2008). Organic PM2.5: Fractionation by Polarity, FTIR Spectroscopy, and OM/OC Ratio for the Pittsburgh Aerosol. *Aerosol Sci Technol* 42: 233-246. <http://dx.doi.org/10.1080/02786820801958767>.
- Pollacknelson, C. (1995). ANALYSIS OF METHYLENE-CHLORIDE PRODUCT LABELING. *Ergonomics* 38: 2176-2187.
- Pollard, SJ; Farmer, JG; Knight, DM; Young, PJ. (2002). Matrix effects in applying mono- and polyclonal ELISA systems to the analysis of weathered oils in contaminated soil. *Environ Pollut* 117: 5-8.
- Poltue, T; Rangkupan, R; Dubas, ST; Dubas, L. (2011). Nickel (II) ions sensing properties of dimethylglyoxime/poly(caprolactone) electrospun fibers. *Mater Lett* 65: 2231-2234. <http://dx.doi.org/10.1016/j.matlet.2011.04.012>.
- Polyakova, OV; Mazur, DM; Artaev, VB; Lebedev, AT. (2016). Rapid liquid-liquid extraction for the reliable GC/MS analysis of volatile priority pollutants. *Environ Chem Lett* 14: 251-257. <http://dx.doi.org/10.1007/s10311-015-0544-0>.
- Polyakova, OV; Mazur, DM; Lebedev, AT. (2014). Improved sample preparation and GC-MS analysis of priority organic pollutants. *Environ Chem Lett* 12: 419-427. <http://dx.doi.org/10.1007/s10311-014-0464-4>.
- Ponomarenko, J; Dizhbite, T; Lauberts, M; Viksna, A; Dobeles, G; Bikovens, O; Telysheva, G. (2014). Characterization of Softwood and Hardwood LignoBoost Kraft Lignins with Emphasis on their Antioxidant Activity. *BioResources* 9: 2051-2068.
- Poonsri, W; Pluempanupat, W; Chitchirachan, P; Bullangpoti, V; Koul, O. (2015). Insecticidal alkanes from *Bauhinia scandens* var. *horsfieldii* against *Plutella xylostella* L. (Lepidoptera: Plutellidae). *Ind Crop Prod* 65: 170-174. <http://dx.doi.org/10.1016/j.indcrop.2014.11.040>.
- Popa, A; Iliu, G; Iliescu, S; Pascariu, A; Maranescu, B. (2005). Wittig Horner reactions on styrene-divinylbenzene type supports during the catalysis by interphase transfer. 2 The utilization of functionalized phosphonates. *Materiale Plastice* 42: 226-228.
- Popova, EA; Abiev, RS, h; Lappalainen, LA; Svetlov, SD; Andreeva, TV; Trifonov, RE; Ostrovskii, VA. (2014). Synthesis of 5-phenyltetrazole and its N-methyl Derivatives in a Microreactor. *Chemical and Biochemical Engineering Quarterly* 28: 241-246.
- Porter, E. (2006). OSHA compliance issues - Evaluation of worker exposure to TDI, MOCA, and methylene chloride. *J Occup Environ Hyg* 3: D50-D53. <http://dx.doi.org/10.1080/15459620600671688>.
- Portier, CJ; Kopp-Schneider, A. (1991). A multistage model of carcinogenesis incorporating DNA damage and repair. *Risk Anal* 11: 535-543.
- Portier, K; Tolson, JK; Roberts, SM. (2007). Body weight distributions for risk assessment. *Risk Anal* 27: 11-26. <http://dx.doi.org/10.1111/j.1539-6924.2006.00856.x>.
- Portolés, T; Ibáñez, M; Sancho, JV; López, FJ; Hernández, F. (2009). Combined use of GC-TOF MS and UHPLC-(Q)TOF MS to investigate the presence of nontarget pollutants and their metabolites in a case of honeybee poisoning. *J Agric Food Chem* 57: 4079-4090. <http://dx.doi.org/10.1021/jf900099u>.
- Postaru, M; Bompá, AS; Galaction, AI; Blaga, AC; Cascaval, D. (2016). Comparative Study on Pantothenic Acid Separation by Reactive Extraction with Tri-n-octylamine and Di-(2-ethylhexyl) Phosphoric Acid. *Chemical and Biochemical Engineering Quarterly* 30: 81-92.
- Postaru, M; Carlescu, A; Galaction, AI; Cascaval, D, an. (2012). DIRECT SEPARATION OF PROPIONIC ACID FROM Propionibacterium acidipropionici BROTHS BY REACTIVE EXTRACTION 1. INTERFACIAL MECHANISM AND INFLUENCING FACTORS. *Environmental Engineering and Management Journal* 11: 709-716.
- Postaru, M; Kloetzer, L; Galaction, AI; Blaga, AC; Cascaval, D, an. (2014). COMPARATIVE STUDY ON ROSMARINIC ACID SEPARATION BY REACTIVE EXTRACTION WITH AMBERLITE LA-2 AND D2EHPA 2. KINETICS OF THE INTERFACIAL REACTIONS. *Environmental Engineering and Management Journal* 13: 1473-1482.
- Potyrailo, RA; Ding, Z; Butts, MD; Genovese, SE; Deng, T, ao. (2008). Selective chemical sensing using structurally colored core-shell colloidal crystal films. *IEEE Sens J* 8: 815-822. <http://dx.doi.org/10.1109/JSEN.2008.923191>.
- Poulton, TJ. (1997). Organic solvents and exacerbation of M.S. *Aviat Space Environ Med* 68: 1160-1160.
- Pouretedal, HR; Semnani, A; Keshavarz, MH; Firooz, AR. (2005). Spectrophotometric study of the interaction between aza-15-crown-5 and some pi-acceptors in chloroform solution. *Turkish Journal of Chemistry* 29: 647-658.
- Pourmortazavi, SM; Sefidkon, F; Hosseini, SG. (2003). Supercritical carbon dioxide extraction of essential oils from *Perovskia atriplicifolia* Benth. *J Agric Food Chem* 51: 5414-5419. <http://dx.doi.org/10.1021/jf0341619>.
- Pournaghi-Azar, MH; Bahar, S. (2001). Selective determination of trace-bismuth by extraction-differential pulse polarography in non-aqueous media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 20: 59-65.
- Pouteau, C; Cathala, B; Dole, P; Kurek, B; Monties, B. (2005). Structural modification of Kraft lignin after acid treatment: characterisation of the apolar extracts and influence on the antioxidant properties in polypropylene. *Ind Crop Prod* 21: 101-108. <http://dx.doi.org/10.1016/j.indcrop.2004.01.003>.
- Prabhakaran, MP; Zamani, M; Felice, B; Ramakrishna, S. (2015). Electrospinning technique for the fabrication of metronidazole contained PLGA particles and their release profile. *Mater Sci Eng C* 56: 66-73. <http://dx.doi.org/10.1016/j.msec.2015.06.018>.
- Pradhan, VR; Herrick, DE; Tierney, JW; Wender, I. (1991). FINELY DISPERSED IRON, IRON MOLYBDENUM, AND SULFATED IRON-OXIDES AS CATALYSTS FOR COPROCESSING REACTIONS. *Energy Fuels* 5: 712-720.
- Pradhan, VR; Tierney, JW; Wender, I; Huffman, GP. (1991). CATALYSIS IN DIRECT COAL-LIQUEFACTION BY SULFATED METAL-OXIDES. *Energy Fuels* 5: 497-507.

## Exposure Literature Search Results

### Off Topic

- Pradines, V; Tadmouri, R; Lavabre, D; Micheau, JC; Pimienta, V. (2007). Association, partition, and surface activity in biphasic systems displaying relaxation oscillations. *Langmuir* 23: 11664-11672. <http://dx.doi.org/10.1021/la7018154>.
- Prajapati, P; Agrawal, YK. (2014). SFC-MS/MS for identification and simultaneous estimation of the isoniazid and pyrazinamide in its dosage form. *Journal of Supercritical Fluids* 95: 597-602. <http://dx.doi.org/10.1016/j.supflu.2014.09.012>.
- Prajapati, SK; Tripathi, BD. (2008). Biomonitoring seasonal variation of urban air polycyclic aromatic hydrocarbons (PAHs) using *Ficus benghalensis* leaves. *Environ Pollut* 151: 543-548. <http://dx.doi.org/10.1016/j.envpol.2007.04.013>.
- Prakash, T; Ramasamy, S. (2012). Dye Sensitized Solar Cells Using Nanocrystalline CuAlO<sub>2</sub>/beta-CuSCN Embedded Poly(vinyl carbazole) Composites as Solid Hole-Transporter. 4: 29-34. <http://dx.doi.org/10.1166/sam.2012.1247>.
- Pranda, J; Brezny, R; Kosik, M; Micko, MM. (1991). STRUCTURE AND PERFORMANCE OF KRAFT LIGNIN FRACTIONS AS COMPONENTS IN RESOL ADHESIVES. *Tappi Journal* 74: 176-182.
- Prasad, GK; Singh, B. (2004). Reactions of sulphur mustard on impregnated carbons. *J Hazard Mater* 116: 213-217. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.003>.
- Prasad, GK; Singh, B. (2005). Impregnated carbon for degradation of diethyl sulphide. *J Hazard Mater* 126: 195-197. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.005>.
- Prasad, GK; Singh, B; Saradhi, UVR; Suryanarayana, MVS; Pandey, D. (2002). Adsorption and reaction of diethyl sulfide on active carbons with and without impregnants under static conditions. *Langmuir* 18: 4300-4306. <http://dx.doi.org/10.1021/la010636j>.
- Prasad, MR; Madhavi, G; Rao, AR; Kulkarni, SJ; Raghavan, KV. (2006). Synthesis, characterization of high Ti-containing Ti-MCM-41 catalysts and their activity evaluation in oxidation of cyclohexene and epoxidation of higher olefins. *Journal of Porous Materials* 13: 81-94. <http://dx.doi.org/10.1007/s10934-006-5493-3>.
- Praveen, P; Loh, K, aiC. (2014). Solvent less extraction/stripping of phenol using trioctylphosphine oxide impregnated hollow fiber membranes - Experimental & modeling analysis. *Chem Eng J* 255: 641-649. <http://dx.doi.org/10.1016/j.cej.2014.06.097>.
- Preftakes, CJ; Schleier, JJ; Peterson, RK. (2011). Bystander exposure to ultra-low-volume insecticide applications used for adult mosquito management. *Int J Environ Res Public Health* 8: 2142-2152. <http://dx.doi.org/10.3390/ijerph8062142>.
- Preidecker, BLB. (1980). COMPARATIVE EXTRACTION OF HOUSTON AIR PARTICULATES WITH CYCLOHEXANE OR A MIXTURE OF BENZENE, METHANOL, AND DICHLOROMETHANE .2. *Environ Mutagen* 2: 85-88. <http://dx.doi.org/10.1002/em.2860020112>.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl<sub>4</sub>, CHCl<sub>3</sub> and CH<sub>2</sub>Cl<sub>2</sub> over metallic Fe. *Environ Chem Lett* 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.
- Preisser, AM; Budnik, LT; Hampel, E; Baur, X. (2011). Surprises perilous: toxic health hazards for employees unloading fumigated shipping containers. *Sci Total Environ* 409: 3106-3113. <http://dx.doi.org/10.1016/j.scitotenv.2011.04.053>.
- Preslan, JE; Hatrel, BB; Emerson, M; White, L; George, WJ. (1993). An improved method for analysis of 2,4,6-trinitrotoluene and its metabolites from compost and contaminated soils. *J Hazard Mater* 33: 329-337.
- Presti, C; Alauzun, JG; Laurencin, D; Mutin, PH. (2013). Improvement of the Oxidative Stability of Nanodiamonds by Surface Phosphorylation. *Chem Mater* 25: 2051-2055. <http://dx.doi.org/10.1021/cm400066c>.
- Priamo, WL; de Cezaro, AM; Ferreira, SRS; Vladimir Oliveira, J. (2010). Precipitation and encapsulation of beta-carotene in PHBV using carbon dioxide as anti-solvent. *Journal of Supercritical Fluids* 54: 103-109. <http://dx.doi.org/10.1016/j.supflu.2010.02.013>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Prida, A; Heymann, H; Balanuta, A; Puechd, JL. (2009). Relation between chemical composition of oak wood used in cooperage and sensory perception of model extracts. *J Sci Food Agric* 89: 765-773. <http://dx.doi.org/10.1002/jsfa.3510>.
- Priser, C; Etievant, PX; Nicklaus, S; Brun, O. (1997). Representative champagne wine extracts for gas chromatography olfactometry analysis. *J Agric Food Chem* 45: 3511-3514.
- Pritchard, G; Randles, SJ. (1995). THE INTERACTION OF LIQUIDS WITH POLYARYL ETHER ETHER KETONE COMPOSITES. 24: 175-180.
- Pritchard, G; Randles, SJ. (1996). Stress, holes and chemicals: Environmental effects on carbon fibre reinforced PEEK laminates. *Polymers and Polymer Composites* 4: 353-360.
- Priya, VS; Philip, L. (2015). Treatment of volatile organic compounds in pharmaceutical wastewater using submerged aerated biological filter. *Chem Eng J* 266: 309-319. <http://dx.doi.org/10.1016/j.cej.2014.12.048>.
- Procentese, A; Raganati, F; Olivieri, G; Russo, ME; Salatino, P; Marzocchella, A. (2015). Continuous xylose fermentation by *Clostridium acetobutylicum*--Assessment of solventogenic kinetics. *Bioresour Technol* 192: 142-148. <http://dx.doi.org/10.1016/j.biortech.2015.05.041>.
- Prokopuk, N; Shriver, DF. (1999). Clusters on surfaces: Adsorption of {M6Cl12}(n+) (M = Nb, Ta) to gold and silver surfaces via thiocyanate bridges. *Chem Mater* 11: 1230-1236.
- Prokopy, RJ; Phillips, TW; Vargas, RI; Jang, EB. (1997). Defining sources of coffee plant odor attractive to *Ceratitis capitata* flies. *J Chem Ecol* 23: 1577-1587.
- Promarak, V; Ichikawa, M; Sudyoadsuk, T; Saengsuwan, S; Keawin, T. (2007). Synthesis and properties of hole-transporting fluorene linked bistrisphenylamine. *Optical Materials* 30: 364-369. <http://dx.doi.org/10.1016/j.optmat.2006.11.059>.
- Prososki, RA; Etzel, MR; Rankin, SA. (2007). Solvent type affects the number, distribution, and relative quantities of volatile compounds found in sweet whey powder. *J Dairy Sci* 90: 523-531.



## Exposure Literature Search Results

### Off Topic

- Prus, W; Fabiańska, MJ; Łabno, R. (2015). Geochemical markers of soil anthropogenic contaminants in polar scientific stations nearby (Antarctica, King George Island). *Sci Total Environ* 518-519: 266-279. <http://dx.doi.org/10.1016/j.scitotenv.2015.02.096>.
- Prycek, J; Ciganek, M; Simek, Z. (2006). Pressurised solvent extraction of nitrated derivatives of polycyclic aromatic hydrocarbons from roadside dust. *Int J Environ Anal Chem* 86: 313-324. <http://dx.doi.org/10.1080/03067310500227902>.
- Pulido, P. (1999). Development of a low-temperature methylene chloride-free paint stripper safe for aluminum surfaces. *Plat Surf Finish* 86: 61-63.
- Purnama, P; Jung, Y; Kim, S, ooH. (2013). An Advanced Class of Bio-Hybrid Materials: Bionanocomposites of Inorganic Clays and Organic Stereocomplex Poly lactides. *Macromolecular Materials & Engineering* 298: 263-269. <http://dx.doi.org/10.1002/mame.201200073>.
- Pyda, M; Guiochon, G. (1997). Surface properties of silica-based adsorbents measured by inverse gas-solid chromatography at finite concentration. *Langmuir* 13: 1020-1025.
- Pyda, M; Stanley, BJ; Xie, M; Guiochon, G. (1994). ANALYSIS OF THE SURFACE HETEROGENEITY OF UNMODIFIED AND MODIFIED SILICA BY CAPILLARY INVERSE GAS-SOLID CHROMATOGRAPHY AT FINITE DILUTION. *Langmuir* 10: 1573-1579.
- Pyo, SH; Choi, HJ. (2011). An improved high-performance liquid chromatography process for the large-scale production of paclitaxel. *Separation and Purification Technology* 76: 378-384. <http://dx.doi.org/10.1016/j.seppur.2010.11.009>.
- Pyo, SH; Kim, MS; Cho, JS; Song, BK; Han, BH; Choi, HJ. (2004). Efficient purification and morphology characterization of paclitaxel from cell cultures of *Taxus chinensis*. *J Chem Tech Biotechnol* 79: 1162-1168. <http://dx.doi.org/10.1002/jctb.1111>.
- Qasem, SM; Haimour, NM; Sayed, SA; Akash, BA. (2004). Salt-catalyzed activation of olive-seed waste residue using fluidized-bed reactor. *Energy Sources* 26: 751-760. <http://dx.doi.org/10.1080/00908310490445580>.
- Qi, C; Chen, Y; Huang, JH; Jin, QZ; Wang, XG. (2012). Preparation and characterization of catalase-loaded solid lipid nanoparticles based on soybean phosphatidylcholine. *J Sci Food Agric* 92: 787-793. <http://dx.doi.org/10.1002/jsfa.4646>.
- Qi, Z; Yu, H, ao; Chen, Y; Zhu, M. (2009). Highly porous fibers prepared by electrospinning a ternary system of nonsolvent/solvent/poly(L-lactic acid). *Mater Lett* 63: 415-418. <http://dx.doi.org/10.1016/j.matlet.2008.10.059>.
- Qian, PY; Dobretsov, S; Dahms, HU; Pawlik, J. (2006). Antifouling activity and microbial diversity of two congeneric sponges *Callyspongia* spp. from Hong Kong and the Bahamas. *Mar Ecol Prog Ser* 324: 151-165.
- Qibin, L; Yonggui, Z. (2007). Iridium-catalyzed asymmetric hydrogenation of (2H-chromen-3-yl) methanols. *Chinese journal of catalysis* 28: 847-849.
- Qin, H; Ma, J; Qing, W; Liu, H; Chi, M; Bai, J; Zhang, L. (2015). SHALE OIL RECOVERY FROM OIL SHALE SLUDGE USING SOLVENT EXTRACTION AND SURFACTANT WASHING. *Oil Shale* 32: 269-287. <http://dx.doi.org/10.3176/oil.2015.3.06>.
- Qin, S; Gan, J. (2007). Abiotic enantiomerization of permethrin and cypermethrin: effects of organic solvents. *J Agric Food Chem* 55: 5734-5739. <http://dx.doi.org/10.1021/jf0708894>.
- Qingshan, K; Chunxiang, G; Yuling, S; Haijuan, W; Quan, J; Yanzhi, X. (2011). Photocatalytic degradation of methylene blue using ZnO made by thermal degradation of Zn-alginate fibers. *Rare Metals* 30: 213-216. <http://dx.doi.org/10.1007/s12598-011-0271-z>.
- Qiu, L; Li, Y; Wang, Z, he; Xue, M, in; Xu, Z; Meng, Z; Ma, X; Yi, D, a; Lin, Z. (2016). Investigation of the Solubility of 3,4-Diaminofurazan (DAF) and 3,3-Diamino-4,4-azoxyfurazan (DAAF) at Temperatures Between 293.15K and 313.15K. *Propellants, Explosives, Pyrotechnics* 41: 883-887. <http://dx.doi.org/10.1002/prop.201500242>.
- Qiu, LG; Xie, AJ; Shen, YH. (2005). A novel triazole-based cationic gemini surfactant: synthesis and effect on corrosion inhibition of carbon steel in hydrochloric acid. *Mater Chem Phys* 91: 269-273. <http://dx.doi.org/10.1016/j.matchemphys.2004.11.022>.
- Qiu, S; Sun, L; Chu, H; Zou, Y; Xu, F, en; Matsuda, N. (2009). Study of adsorption behaviors of meso-tetrakis (4-N-Methylpyridyl) porphine p-Toluenesulfonate at indium-tin-oxide electrode/solution interface by in-situ internal reflection spectroscopy and cyclic voltammetry. *Thin Solid Films* 517: 2905-2911. <http://dx.doi.org/10.1016/j.tsf.2008.11.135>.
- Qu, X; Cao, Y; Chen, C; Die, X; Kang, Q. (2015). A poly(lactide-co-glycolide) film loaded with abundant bone morphogenetic protein-2: A substrate-promoting osteoblast attachment, proliferation, and differentiation in bone tissue engineering. *J Biomed Mater Res A* 103: 2786-2796. <http://dx.doi.org/10.1002/jbm.a.35379>.
- Quaresima, C; Cricenti, A; Ottaviani, C; Perfetti, P; Le Lay, G. (2001). Unambiguous identification of the Si 2p surface core-level shifts in Sb and Ag terminated silicon surfaces studied with high energy resolution photoemission. *J Alloy Comp* 328: 187-192.
- Queiroz, SC; Cantrell, CL; Duke, SO; Wedge, DE; Nandula, VK; Moraes, RM; Cerdeira, AL. (2012). Bioassay-directed isolation and identification of phytotoxic and fungitoxic acetylenes from *Conyza canadensis*. *J Agric Food Chem* 60: 5893-5898. <http://dx.doi.org/10.1021/jf3010367>.
- Quideau, S; Ralph, J. (1994). A BIOMIMETIC ROUTE TO LIGNIN MODEL COMPOUNDS VIA SILVER(I) OXIDE OXIDATION .1. SYNTHESIS OF DILIGNOLS AND NONCYCLIC BENZYL ARYL ETHERS. *Holzforschung* 48: 12-22.
- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Quiterio, SL; Arbillá, G; Bauerfeldt, GF; Moreira, JC. (2007). Polycyclic aromatic hydrocarbons and their molecular diagnostic ratios in airborne particles (PM10) collected in Rio de Janeiro, Brazil. *Water Air Soil Pollut* 179: 79-92. <http://dx.doi.org/10.1007/s11270-006-9215-x>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Raabe, F; Brandl, A; Strobl, J; Dautzenberg, D; Lierse, C; Wichmann, G; Mucke, W. (1999). To the genotoxicity of stack gas condensates of Bavarian waste incineration plants - I. Stack gas condensate - Techniques of sample collection. *Zentralblatt fuer Hygiene und Umweltmedizin* 201: 473-485.

## Exposure Literature Search Results

### Off Topic

- Rabago-Castro, JL; Sanchez, JG; Perez-Castaneda, R; Gonzalez-Gonzalez, A. (2006). Effects of the prophylactic use of Romet (R)-30 and copper sulfate on growth, condition and feeding indices in Channel catfish (*Ictalurus punctatus*). *Aquaculture* 253: 343-349. <http://dx.doi.org/10.1016/j.aquaculture2005.06.017>.
- Rada, OP; Crespo, SR; Miranda, FT. (1997). Analysis of climate scenarios for Bolivia. *Clim Res* 9: 115-120.
- Radeke, KH; Noack, M; Jung, R; Themm, G; Altmann, H; Bunnig, R. (1990). ADSORPTION OF DICHLOROMETHANE ON ACTIVATED CARBONS AND POLYMERIC ADSORBENTS. *Chem Tech (Leipzig)* 42: 23-27.
- Radzimska-Lenarcik, E. (2007). Effect of alkyl chain length on the extraction of copper(II) complexes with 1-alkyl-2-methylimidazoles. *Separation Science and Technology* 42: 2661-2675. <http://dx.doi.org/10.1080/01496390701515003>.
- Radzimska-Lenarcik, E. (2008). Influence of the Steric Hindrance, Ligand Hydrophobicity, and DN of solvents on Structure and Extraction of Cu(II) Complexes of 1-Alkyl-2-Ethylimidazoles. *Separation Science and Technology* 43: 794-814. <http://dx.doi.org/10.1080/01496390701870655>.
- Radzimska-Lenarcik, E; Witt, K. (2015). The Influence of Alkyl Chain Length and Steric Effect on the Stability Constants and Extractability of Co(II) Complexes with 1-Alkyl-2-Methylimidazoles. *Separation Science and Technology* 50: 676-682. <http://dx.doi.org/10.1080/01496395.2014.959600>.
- Raetano, CG; Debatista, GC. (1995). RESIDUE DETERMINATION OF PHENTHOATE IN TOMATO FRUITS. *Pesqui Agropecu Bras* 30: 31-36.
- Rafecas, M; Mosler, B; Dietz, M; Pogl, M; Stamatakis, A; Mcelroy, DP; Ziegler, SI. (2004). Use of a Monte Carlo-based probability matrix for 3-D iterative reconstruction of MADPET-II data. *IEEE Trans Nucl Sci* 51: 2597-2605. <http://dx.doi.org/10.1109/TNS.2004.834827>.
- Rafi, M; Singh, SM; Kanchan, V; Anish, CK; Panda, AK. (2010). Controlled release of bioactive recombinant human growth hormone from PLGA microparticles. *J Microencapsul* 27: 552-560. <http://dx.doi.org/10.3109/02652048.2010.489974>.
- Rafiqhi, P; Yaftian, MR; Noshiranzadeh, N. (2010). Solvent extraction of cobalt(II) ions; cooperation of oximes and neutral donors. *Separation and Purification Technology* 75: 32-38. <http://dx.doi.org/10.1016/j.seppur.2010.07.006>.
- Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO<sub>2</sub> separation from natural gas. *J Memb Sci* 378: 444-452. <http://dx.doi.org/10.1016/j.memsci.2011.05.025>.
- Raga, DD; Alimboyoguen, AB; Shen, CC; Herrera, AA; Ragasa, CY. (2011). Triterpenoids and an Anti-Angiogenic Sterol from *Ardisia pyramidalis* (Cav.) Pers. 94: 132-139.
- Ragunath, S; Mitra, S. (2015). Carbon Nanotube Immobilized Composite Hollow Fiber Membranes for Extraction of Volatile Organics from Air. *J Phys Chem C* 119: 13231-13237. <http://dx.doi.org/10.1021/acs.jpcc.5b01213>.
- Raguse, B; Barton, CS; Mueller, KH; Chow, E; Wieczorek, L. (2009). Gold Nanoparticle Chemiresistor Sensors in Aqueous Solution: Comparison of Hydrophobic and Hydrophilic Nanoparticle Films. *J Phys Chem C* 113: 15390-15397. <http://dx.doi.org/10.1021/jp9034453>.
- Rahimi, PM; Gentzis, T. (2003). Thermal hydrocracking of Cold Lake vacuum bottoms asphaltenes and their subcomponents. *Fuel Process Tech* 80: 69-79.
- Raiendran, S; Mishra, SP. (2007). Chemical, structural and thermal changes in PET caused by solvent induced polymer crystallisation. *Polymers and Polymer Composites* 15: 103-110.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raimondi, S; Paracchini, V; Autrup, H; Barros-Dios, JM; Benhamou, S; Boffetta, P; Cote, ML; Dialyna, IA; Dolzan, V; Filiberti, R; Garte, S; Hirvonen, A; Husgafvel-Pursiainen, K; Imyanitov, EN; Kalina, I; Kang, D; Kiyohara, C; Kohno, T; Kremers, P; Lan, Q; London, S; Povey, AC; Rannug, A; Reszka, E; Risch, A; Romkes, M; Schneider, J; Seow, A; Shields, PG; Sobti, RC; Sørensen, M; Spinola, M; Spitz, MR; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Tokudome, S; Yang, P; Yuan, JM; Warholm, M; Taioli, E. (2006). Meta- and pooled analysis of GSTT1 and lung cancer: a HuGE-GSEC review. *Am J Epidemiol* 164: 1027-1042. <http://dx.doi.org/10.1093/aje/kwj321>.
- Raimundo, JM; Lecomte, S; Edelman, MJ; Concilio, S; Biaggio, I; Bosshard, C; Gunter, P; Diederich, F. (2004). Synthesis and properties of a ROMP backbone polymer with efficient, laterally appended nonlinear optical chromophores. *J Mater Chem* 14: 292-295. <http://dx.doi.org/10.1039/b314789d>.
- Rajbongshi, BK; Nair, NN; Nethaji, M; Ramanathan, G. (2012). Segregation into Chiral Enantiomeric Conformations of an Achiral Molecule by Concomitant Polymorphism. *Cryst Growth Des* 12: 1823-1829. <http://dx.doi.org/10.1021/cg201313g>.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Abrasion resistance of modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 276-279.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1996). Mechanical properties of solvent-induced modified polyester yarns. *Indian Journal of Fibre & Textile Research* 21: 179-183.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). Influence of solvent pretreatment on dyeing performance of polyester yarns. *Indian Journal of Fibre & Textile Research* 22: 44-52.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1997). A study on some physical properties of modified cotton yarn. *Indian Journal of Fibre & Textile Research* 22: 154-162.
- Rajendran, S; Ramasamy, SS; Mishra, SP. (1998). Effect of solvent treatment on mechanical, structural and dyeing properties of regenerated cellulosic yams. *Indian Journal of Fibre & Textile Research* 23: 170-176.
- Rajendraprasad, N; Basavaiah, K; Vinay, KB. (2011). EXTRACTIVE SPECTROPHOTOMETRIC DETERMINATION OF QUETIAPINE FUMARATE IN PHARMACEUTICALS AND HUMAN URINE USING CALMAGITE AS AN ION-PAIR REAGENT. *Chemical Industry and Chemical Engineering Quarterly* 17: 259-267. <http://dx.doi.org/10.2298/CICEQ101124010R>.

## Exposure Literature Search Results

### Off Topic

- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater* 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, S; Murthy, ZVP. (2016). PSU/PET copolymer-based asymmetric polymeric membranes: influence of antioxidant. *Desalination and Water Treatment* 57: 26820-26829. <http://dx.doi.org/10.1080/19443994.2015.1120688>.
- Rajput, N; Lakhani, A. (2009). Measurements of polycyclic aromatic hydrocarbons at an industrial site in India. *Environ Monit Assess* 150: 273-284. <http://dx.doi.org/10.1007/s10661-008-0229-2>.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ* 8: 157-182.
- Ramachandran, R; Khan, ZR. (1991). Mechanisms of resistance in wild rice *Oryza brachyantha* to rice leaf folder *Cnaphalocrocis medinalis* (Guenée) (Lepidoptera: Pyralidae). *J Chem Ecol* 17: 41-65.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater* 261: 362-371. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.048>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Different families of volatile organic compounds pollution control by microporous carbons in temperature swing adsorption processes. *J Hazard Mater* 221-222: 242-247. <http://dx.doi.org/10.1016/j.jhazmat.2012.04.037>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Recovery comparisons--hot nitrogen Vs steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 205-206: 222-228. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.062>.
- Ramalingam, SG; Saussac, J; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Nicolas, S; Baudouin, O; Déchelotte, S; Medevielle, A. (2011). Hazardous dichloromethane recovery in combined temperature and vacuum pressure swing adsorption process. *J Hazard Mater* 198: 95-102. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.019>.
- Ramanujam, BTS; Mahale, RY; Radhakrishnan, S. (2010). Polyethersulfone-expanded graphite nanocomposites: Charge transport and impedance characteristics. *Compos Sci Tech* 70: 2111-2116. <http://dx.doi.org/10.1016/j.compscitech.2010.08.008>.
- Ramanujam, BTS; Radhakrishnan, S. (2015). Solution-blended polyethersulfone-graphite hybrid composites: Formation of nanographite and electrical characterization. *Journal of Thermoplastic Composite Materials* 28: 835-848. <http://dx.doi.org/10.1177/0892705713518784>.
- Ramasamy; Murugan, A. (2005). Potential antimicrobial activity of marine molluscs from Tuticorin, southeast coast of India against 40 biofilm bacteria. *J Shellfish Res* 24: 243-251.
- Ramesh, PJ; Basavaiah, K; Devi, OZ; Vinay, KB. (2010). SIMPLE AND SENSITIVE SPECTROPHOTOMETRIC ASSAY OF OFLOXACIN IN PHARMACEUTICALS BASED ON ION-PAIR REACTION. *Chemical Industry and Chemical Engineering Quarterly* 16: 353-362. <http://dx.doi.org/10.2298/CICEQ100328037R>.
- Ramirez, AA; Benard, S; Giroir-Fendler, A; Jones, JP; Heitz, M. (2008). Treatment of methanol vapours in biofilters packed with inert materials. *J Chem Tech Biotechnol* 83: 1288-1297. <http://dx.doi.org/10.1002/jctb.1944>.
- Ramírez, WA; Domene, X; Andrés, P; Alcañiz, JM. (2008). Phytotoxic effects of sewage sludge extracts on the germination of three plant species. *Ecotoxicology* 17: 834-844. <http://dx.doi.org/10.1007/s10646-008-0246-5>.
- Ramos Chagas, G; Darmanin, T; Guittard, F. (2016). One-Step and Templateless Electropolymerization Process Using Thienothiophene Derivatives To Develop Arrays of Nanotubes and Tree-like Structures with High Water Adhesion. *8: 22732-22743*. <http://dx.doi.org/10.1021/acsami.6b08536>.
- Ramos da Silva, JM; Nascimento, M, daG. (2012). Chemoenzymatic epoxidation of citronellol catalyzed by lipases. *Process Biochemistry* 47: 517-522. <http://dx.doi.org/10.1016/j.procbio.2011.12.019>.
- Rampon, DS; Rodembusch, FS; Schneider, JMF, M; Bechtold, IH; Goncalves, PFB; Merlo, AA; Schneider, PH. (2010). Novel selenoesters fluorescent liquid crystalline exhibiting a rich phase polymorphism. *J Mater Chem* 20: 715-722. <http://dx.doi.org/10.1039/b917366h>.
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen* 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Ranby, KW; Lewis, MA; Toll, BA; Rohrbaugh, MJ; Lipkus, IM. (2013). Perceptions of smoking-related risk and worry among dual-smoker couples. *15: 734-738*. <http://dx.doi.org/10.1093/ntr/nts210>.
- Randerath, K; Randerath, E; Zhou, GD; Supunpong, N; He, LY; McDonald, TJ; Donnelly, KC. (1999). Genotoxicity of complex PAH mixtures recovered from contaminated lake sediments as assessed by three different methods. *Environ Mol Mutagen* 33: 303-312.
- Ranieri, G; Hallett, JP; Welton, T, om. (2008). Nucleophilic reactions at cationic centers in ionic liquids and molecular solvents. *Ind Eng Chem Res* 47: 638-644. <http://dx.doi.org/10.1021/ie070632v>.
- Rantakyla, M; Jantti, M; Aaltonen, O; Hurme, M. (2002). The effect of initial drop size on particle size in the supercritical antisolvent precipitation (SAS) technique. *Journal of Supercritical Fluids* 24: 251-263.
- Rao, CM; Sudarsan, V; Ningthoujam, RS; Gautam, UK; Vatsa, RK; Vinu, A; Tyagi, AK. (2008). Luminescence studies on low temperature synthesized ZnGa2O4:Ln3+ (Ln = Tb and Eu) nanoparticles. *J Nanosci Nanotechnol* 8: 5776-5780. <http://dx.doi.org/10.1166/jnn.2008.246>.
- Rashed, K; Ciric, A, na; Glamoclija, J; Calhelha, RC; Ferreira, ICF, R; Sokovic, M. (2014). Antimicrobial and cytotoxic activities of *Alnus rugosa* L. aerial parts and identification of the bioactive components. *Ind Crop Prod* 59: 189-196. <http://dx.doi.org/10.1016/j.indcrop.2014.05.017>.

## Exposure Literature Search Results

### Off Topic

- Ravandi, SAH; Chegoonian, P; Basiri, F; Fiez, M. (2013). Nanofibrous Membrane of Sulfonated Poly(ethylene terephthalate) for Removal of Metal Ions. *Current Nanoscience* 9: 648-653.
- Ravi, R; Philip, L; Swaminathan, T. (2010). Comparison of biological reactors (biofilter, biotrickling filter and modified RBC) for treating dichloromethane vapors. *J Chem Tech Biotechnol* 85: 634-639. <http://dx.doi.org/10.1002/jctb.2344>.
- Ravi, R; Philip, L; Swaminathan, T. (2013). Growth kinetics of an indigenous mixed microbial consortium during methylene chloride degradation in a batch reactor. *Korean J Chem Eng* 30: 1770-1774. <http://dx.doi.org/10.1007/s11814-013-0099-3>.
- Ravi, R; Philip, L; Swaminathan, T. (2014). Modified rotating biological contactor for removal of dichloromethane vapours. *Environ Technol* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.953553>.
- Ravikumara, NR; Bharadwaj, M; Madhusudhan, B. (2016). Tamoxifen citrate-loaded poly(D,L) lactic acid nanoparticles: Evaluation for their anticancer activity in vitro and in vivo. *J Biomater Appl* 31: 755-772. <http://dx.doi.org/10.1177/0885328216670561>.
- Rawi, SM; Al-Hazmi, MA; Torkey, HM; Kamel, AK. (2016). Importance of plant extract formulations in managing desert locust *Schistocerca gregaria*. *J Environ Biol* 37: 453-462.
- Rayburn, JR; Aladdin, RK. (2003). Developmental toxicity of copper, chromium, and aluminum using the shrimp embryo teratogenesis assay: Palaemonid with artificial seawater. *Bull Environ Contam Toxicol* 71: 481-488. <http://dx.doi.org/10.1007/s00128-003-8741-0>.
- Razote, EB; Maghirang, RG; Seitz, LM; Jeon, IJ. (2004). Characterization of volatile organic compounds on airborne dust in a swine finishing barn. *Trans ASAE* 47: 1231-1238.
- Ré, N; Kataoka, VM; Cardoso, CA; Alcantara, GB; de Souza, JB. (2015). Polycyclic aromatic hydrocarbon concentrations in gas and particle phases and source determination in atmospheric samples from a semiurban area of Dourados, Brazil. *Arch Environ Contam Toxicol* 69: 69-80. <http://dx.doi.org/10.1007/s00244-015-0153-8>.
- Reaves, JT; Griffith, AT; Roberts, CB. (1998). Critical properties of dilute carbon dioxide plus entrainer and ethane plus entrainer mixtures. *Journal of Chemical and Engineering Data* 43: 683-686.
- Rebeck, TR; Walker, AH; Jaffe, JM; White, DL; Wein, AJ; Malkowicz, SB. (1999). Glutathione S-transferase-mu (GSTM1) and -theta (GSTT1) genotypes in the etiology of prostate cancer. *Cancer Epidemiol Biomarkers Prev* 8: 283-287.
- Reber, N; Kuchel, A; Spohr, R; Wolf, A; Yoshida, M. (2001). Transport properties of thermo-responsive ion track membranes. *J Memb Sci* 193: 49-58.
- Recelj, P; Gorenssek, M. (2006). The influence of stabilization under various conditions and subsequent treatment of polyester fabric on the quantity and composition of extracted oligomers. *Text Res J* 76: 322-327. <http://dx.doi.org/10.1177/0040517506062454>.
- Recelj, P; Gorenssek, M; Zigon, M. (2002). The influence of treatment conditions on the quantity and composition of oligomers extracted from polyester fabric. *Text Res J* 72: 447-453.
- Reddy, CM; Quinn, JG. (1999). GC-MS analysis of total petroleum hydrocarbons and polycyclic aromatic hydrocarbons in seawater samples after the North Cape oil spill. *Mar Pollut Bull* 38: 126-135.
- Regisrolle, SD; Bauville, GM. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF CARBENDAZIM RESIDUES IN CROPS, GRAINS, AND WINES WITH FLUORESCENT DETECTION. *Pestic Sci* 37: 273-282.
- Rehor, A; Canaple, L; Zhang, ZB; Hunkeler, D. (2001). The compressive deformation of multicomponent microcapsules: Influence of size, membrane thickness, and compression speed. *J Biomater Sci Polym Ed* 12: 157-170.
- Reid, BJ; Jones, KC; Semple, KT. (2000). Bioavailability of persistent organic pollutants in soils and sediments - a perspective on mechanisms, consequences and assessment. *Environ Pollut* 108: 103-112. [http://dx.doi.org/10.1016/S0269-7491\(99\)00206-7](http://dx.doi.org/10.1016/S0269-7491(99)00206-7).
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2000). Nonexhaustive cyclodextrin-based extraction technique for the evaluation of PAH bioavailability. *Environ Sci Technol* 34: 3174-3179. <http://dx.doi.org/10.1021/es990946c>.
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2004). Influence of hydroxypropyl-beta-cyclodextrin on the extraction and biodegradation of phenanthrene in soil. *Environ Toxicol Chem* 23: 550-556.
- Reilly, SA; Krick, T; Dass, A. (2010). Surfactant-free Synthesis of Ultrasmall Gold Nanoclusters. *J Phys Chem C* 114: 741-745. <http://dx.doi.org/10.1021/jp9067944>.
- Reimer, GJ; Noot, D; Suarez, A. (1995). SUPERCRITICAL-FLUID EXTRACTION OF ORGANOCHLORINE PESTICIDES FROM SOIL. *Int J Environ Anal Chem* 59: 91-96.
- Ren, L; Dong, Z; Jiang, M, an; Tong, J, in; Zhou, J. (2014). Hydrophobization of starch nanocrystals through esterification in green media. *Ind Crop Prod* 59: 115-118. <http://dx.doi.org/10.1016/j.indcrop.2014.05.014>.
- Ren, X; Zhang, X; Zhang, L; Han, R. (2013). Biosorption of methylene blue by natural and chemical modified wheat straw in fixed-bed column. *Desalination and Water Treatment* 51: 4514-4523. <http://dx.doi.org/10.1080/19443994.2012.741776>.
- Repoppi, N; Santiagosilva, M. (2005). Polycyclic aromatic hydrocarbons and other selected organic compounds in ambient air of Campo Grande City, Brazil. *Atmos Environ* 39: 2839-2850. <http://dx.doi.org/10.1016/j.atmosenv.2004.10.006>.
- Repussard, C; Tardieu, D; Alberich, M; Guerre, P. (2014). A new method for the determination of lolitrem B in plant materials. *Anim Feed Sci Technol* 193: 141-147. <http://dx.doi.org/10.1016/j.anifeedsci.2014.04.004>.
- Retamal, M; Costa, C; Suarez, JM; Richter, P. (2013). Multi-determination of organic pollutants in water by gas chromatography coupled to triple quadrupole mass spectrometry. *Int J Environ Anal Chem* 93: 93-107. <http://dx.doi.org/10.1080/03067319.2011.637195>.
- Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. *Powder Technology* 106: 23-29.
- Reverchon, E; Della Porta, G; De Rosa, I; Subra, P; Letourneur, D. (2000). Supercritical antisolvent micronization of some biopolymers. *Journal of Supercritical Fluids* 18: 239-245.

## Exposure Literature Search Results

### Off Topic

- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data* 44: 1139-1145.
- Rey, A; Blanc, N; Cannot, JC; Berthod, A. (2011). DETERMINATION OF SHORT POLYCHLORINATED ALKANES IN LEATHER USING GAS CHROMATOGRAPHY-ELECTRON CAPTURE NEGATIVE CHEMICAL IONIZATION MASS SPECTROMETRY. *American Leather Chemists Association Journal* 106: 294-302.
- Reyes-Chilpa, R; Gomez-Garibay, F; Moreno-Torres, G; Jimenez-Estrada, M; Quiroz-Vasquez, RI. (1998). Flavonoids and isoflavonoids with antifungal properties from *Platymiscium yucatanum* heartwood. *Holzforschung* 52: 459-462.
- Reza, MS; Whateley, TL. (1998). Iodo-2'-deoxyuridine (IUdR) and 125IUdR loaded biodegradable microspheres for controlled delivery to the brain. *J Microencapsul* 15: 789-801.
- Rezaeian, S; Saadatmand, S; Sattari, TN; Mirshamsi, A. (2015). Antioxidant potency of Iranian newly cultivated wild mushrooms of *Agaricus* and *Pleurotus* species. *Biomedical Research* 26: 534-542.
- Rezayati-Charani, P; Mohammadi-Rovshandeh, J; Hashemi, SJ; Kazemi-Najafi, S. (2006). Influence of dimethyl formamide pulping of bagasse on pulp properties. *Bioresour Technol* 97: 2435-2442. <http://dx.doi.org/10.1016/j.biortech.2005.08.026>.
- Rezvnpour, A; Attia, ABE; Wang, C, hiHwa. (2010). Enhancement of Particle Collection Efficiency in Electrohydrodynamic Atomization Process for Pharmaceutical Particle Fabrication. *Ind Eng Chem Res* 49: 12620-12631. <http://dx.doi.org/10.1021/ie1009662>.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol* 21: 147-156.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect* 108: 343-358.
- Rial, D; Vázquez, JA; Mendiña, A; García, AM; González, MP; Mirón, J; Murado, MA. (2013). Toxicity of binary mixtures of oil fractions to sea urchin embryos. *J Hazard Mater* 263 Pt 2: 431-440. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.059>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox. *Water Res* 38: 2103-2110. <http://dx.doi.org/10.1016/j.watres.2004.01.020>.
- Rice, SF; Steeper, RR. (1998). Oxidation rates of common organic compounds in supercritical water. *J Hazard Mater* 59: 261-278.
- Richter, H; Risoul, V; Lafleur, AL; Plummer, EF; Howard, JB; Peters, WA. (2000). Chemical characterization and bioactivity of polycyclic aromatic hydrocarbons from non-oxidative thermal treatment of pyrene-contaminated soil at 250-1.000 degrees C. *Environ Health Perspect* 108: 709-717. <http://dx.doi.org/10.1289/ehp.00108709>.
- Riddick, L; Gentry, EL; Mcdaniel, M; Brumley, WC. (2006). Evaluation of N-methyl-N-tert-butyl dimethylsilyl trifluoroacetamide for environmental analysis under both EIMS and electron capture NICIMS conditions and comparison to trimethylsilyl reagents under EIMS. *Int J Environ Anal Chem* 86: 299-312. <http://dx.doi.org/10.1080/03067310500211294>.
- Riddle, B; Baker-Jarvis, J; Krupka, J. (2003). Complex permittivity measurements of common plastics over variable temperatures. *I E E E Transactions on Microwave Theory and Techniques* 51: 727-733. <http://dx.doi.org/10.1109/TMTT.2003.808730>.
- Riente, P; Mendoza, C; Pericas, MA. (2011). Functionalization of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles for organocatalytic Michael reactions. *J Mater Chem* 21: 7350-7355. <http://dx.doi.org/10.1039/c1jm10535c>.
- Rimbach, G; Brandt, K; Weigand, E. (1998). Gaschromatographic determination of trimethylamine in urine. *Agribiol Res* 51: 213-218.
- Rindone, B; Saliu, F; Bertoa, RS. (2008). Functionalization of the unactivated carbon-hydrogen bond via ozonation. *Ozone: Science and Engineering* 30: 165-171. <http://dx.doi.org/10.1080/01919510701864221>.
- Rindone, B; Saliu, F; Suarez-Bertoa, R. (2010). The Synthesis of Phthalic Anhydride via Ozonation of Naphthalene. *Ozone: Science and Engineering* 32: 161-165. <http://dx.doi.org/10.1080/01919511003788001>.
- Ringardlefebvre, C; Baszkin, A. (1994). BEHAVIOR OF POLY(D,L-LACTIC ACID) MONOLAYERS AT THE AIR-WATER-INTERFACE - EFFECT OF SPREADING SOLVENTS. *Langmuir* 10: 2376-2381.
- Rios, P; Cabral, V; Santos, S; Mori, F; Graca, J. (2014). The chemistry of *Kielmeyera coriacea* outer bark: a potential source for cork. *Holz als Roh- und Werkstoff* 72: 509-519. <http://dx.doi.org/10.1007/s00107-014-0811-y>.
- Risoul, V; Richter, H; Lafleur, AL; Plummer, EF; Gilot, P; Howard, JB; Peters, WA. (2005). Effects of temperature and soil components on emissions from pyrolysis of pyrene-contaminated soil. *J Hazard Mater* 126: 128-140. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.019>.
- Robbins, SL; Angell, M. (1976). *Basic Pathology Disease at the cellular level* (2 ed.). Toronto: Saunders Company.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol* 26: 2263-2274.
- Roberts, MF; Jenekhe, SA. (1993). LEWIS-ACID COORDINATION-COMPLEXES OF POLYMERS .1. BCL<sub>3</sub>, ALCL<sub>3</sub>, AND GACL<sub>3</sub> COMPLEXES OF POLY(P-PHENYLENEBENZOBISTHIAZOLE). *Chem Mater* 5: 1744-1754.
- Robertson, GW; Griffiths, DW; Birch, ANE; Jones, AT; Mcnicol, JW; Hall, JE. (1991). FURTHER EVIDENCE THAT RESISTANCE IN RASPBERRY TO THE VIRUS VECTOR APHID, AMPHOROPHORA-IDAEI, IS RELATED TO THE CHEMICAL-COMPOSITION OF THE LEAF SURFACE. *Ann Appl Biol* 119: 443-449.
- Robin; Arora, S; Vig, A. (2015). Inhibition of DNA oxidative damage and antimutagenic activity by dichloromethane extract of *Brassica rapa* var. *rapa* L. seeds. *Ind Crop Prod* 74: 585-591. <http://dx.doi.org/10.1016/j.indcrop.2015.05.038>.

## Exposure Literature Search Results

### Off Topic

- Robinson, SC; Hinsch, E; Weber, G; Freitas, S. (2014). Method of extraction and resolubilisation of pigments from *Chlorociboria aeruginosa* and *Scytalidium cuboideum*, two prolific spalling fungi. *Color Technol* 130: 221-225. <http://dx.doi.org/10.1111/cote.12080>.
- Robinson, SC; Hinsch, E; Weber, G; Leipus, K; Cerney, D. (2014). Wood Colorization through Pressure Treating: The Potential of Extracted Colorants from Spalling Fungi as a Replacement for Woodworkers' Aniline Dyes. *Materials* 7: 5427-5437. <http://dx.doi.org/10.3390/ma7085427>.
- Robu, T; Leonte, C; Gile, E; Vatavu, R; Robu, B. (2010). IMPACT OF CHEMICALS ON DERIVATIVES WITH IMPORTANT THERAPEUTIC ACTIVITY IN *CALENDULA OFFICINALIS* L. FLORES. *Environmental Engineering and Management Journal* 9: 33-37.
- Rocha, SM; Coutinho, P; Delgadillo, I; Cardoso, AD; Coimbra, MA. (2005). Effect of enzymatic aroma release on the volatile compounds of white wines presenting different aroma potentials. *J Sci Food Agric* 85: 199-205. <http://dx.doi.org/10.1002/jsfa.1937>.
- Roche, V; Vacandio, F; Bertin, D; Massiani, Y. (2006). Corrosion performance of lamellae nanostructured fluorinated organic coating applied on steel. *Journal of Electroceramics* 16: 41-47. <http://dx.doi.org/10.1007/s10832-006-2366-8>.
- Rochester, CW; Mauger, SA; Moule, AJ. (2012). Investigating the Morphology of Polymer/Fullerene Layers Coated Using Orthogonal Solvents. *J Phys Chem C* 116: 7287-7292. <http://dx.doi.org/10.1021/jp212341a>.
- Rochford, J; Galoppini, E. (2008). Zinc(II) tetraarylporphyrins anchored to TiO<sub>2</sub>, ZnO, and ZrO<sub>2</sub> nanoparticle films through rigid-rod linkers. *Langmuir* 24: 5366-5374. <http://dx.doi.org/10.1021/la703845u>.
- Rodigast, M; Mutzel, A; Iinuma, Y; Haferkorn, S; Herrmann, H. (2015). Characterisation and optimisation of a sample preparation method for the detection and quantification of atmospherically relevant carbonyl compounds in aqueous medium. *Atmos Meas Tech* 8: 2409-2416. <http://dx.doi.org/10.5194/amt-8-2409-2015>.
- Rodrigues Filho, G; Ribeiro, SD; Meireles, C, daS; da Silva, LG; Ruggiero, R; Ferreira Junior, MF; Cerqueira, DA; Nascimento de Assuncao, RM; Zeni, M; Polleto, P. (2011). Release of doxycycline through cellulose acetate symmetric and asymmetric membranes produced from recycled agroindustrial residue: Sugarcane bagasse. *Ind Crop Prod* 33: 566-571. <http://dx.doi.org/10.1016/j.indcrop.2010.10.037>.
- Rodriguez Arana, JM; Mazzoco, RR. (2010). Adsorption studies of methylene blue and phenol onto black stone cherries prepared by chemical activation. *J Hazard Mater* 180: 656-661. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.08>.
- Rodríguez, SM; Gálvez, JB; Rubio, MI; Ibáñez, PF; Gernjak, W; Alberola, IO. (2005). Treatment of chlorinated solvents by TiO<sub>2</sub> photocatalysis and photo-Fenton: influence of operating conditions in a solar pilot plant. *Chemosphere* 58: 391-398. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.043>.
- Rodriguez-Arnaiz, R. (1998). Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. *Environ Mol Mutagen* 31: 390-401. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)31:4<390::AID-EM12>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)31:4<390::AID-EM12>3.0.CO;2-7).
- Rodríguez-Cabo, B; Rodríguez-Palmeiro, I; Corchero, R; Rodil, R; Rodil, E; Arce, A; Soto, A. (2017). Photocatalytic degradation of methyl orange, methylene blue and rhodamine B with AgCl nanocatalyst synthesised from its bulk material in the ionic liquid [P6 6 6 14]Cl. *Water Sci Technol* 75: 128-140. <http://dx.doi.org/10.2166/wst.2016.499>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Extractant. *Ind Eng Chem Res* 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Molina, B; Ochoa, M, aE; Romero, M; Khan, SI; Farfan, N; Santillan, R; Garcia-Garibay, MA. (2013). Conformational Polymorphism and Isomorphism of Molecular Rotors with Fluoroaromatic Rotators and Mestranol Stators. *Cryst Growth Des* 13: 5107-5115. <http://dx.doi.org/10.1021/cg4012873>.
- Rodriguez-Reinoso, F; Nakagawa, Y; Silvestre-Albero, J; Juarez-Galan, JM; Molina-Sabio, M. (2008). Correlation of methane uptake with microporosity and surface area of chemically activated carbons. *Microporous and Mesoporous Materials* 115: 603-608. <http://dx.doi.org/10.1016/j.micromeso.2008.03.002>.
- Roeker, S; Diederichs, S; Stark, Y; Boehm, S; Ochoa, I; Sanz, JA; Garcia-Aznar, JM; Doblare, M; van Griensven, M; Scheper, T; Kasper, C. (2009). Novel 3D biomaterials for tissue engineering based on collagen and macroporous ceramics. *Materwiss Werksttech* 40: 54-60. <http://dx.doi.org/10.1002/mawe.200800413>.
- Roge, TP; Thibaudau, F; Mathiez, P; Dumas, P; Salvan, F. (1994). EARLY STAGES OF CU GROWTH ON BORON SEGREGATED SI(111) SURFACES - A SCANNING-TUNNELING-MICROSCOPY STUDY. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 12: 2040-2043.
- Rogers, V; Mackinnon, M; Brownlee, B. (2007). Analytical approaches to characterising fish tainting potential of oil sands process waters. *Water Sci Technol* 55: 311-318. <http://dx.doi.org/10.2166/wst.2007.193>.
- Roh, JJ. (2002). Influence of rupture strength of interfacially polymerized thin-film structure on the performance of polyamide composite membranes. *J Memb Sci* 198: 63-74.
- Rohan, D; Canaff, C; Fromentin, E; Guisnet, M. (1998). Acetylation of anisole by acetic anhydride over a HBEA zeolite - Origin of deactivation of the catalyst. *J Catal* 177: 296-305.
- Roizard, D; Lopicque, F; Favre, E; Roizard, C. (2009). Potentials of pervaporation to assist VOCs' recovery by liquid absorption. *Chem Eng Sci* 64: 1927-1935. <http://dx.doi.org/10.1016/j.ces.2009.01.014>.
- Roizard, D; Teplyakov, V; Favre, E; Fefilatiev, L; Lagunstsov, N; Khotimsky, V. (2004). VOC's removal from water with a hybrid system coupling a PTMSP membrane module with a stripper. *Desalination* 162: 41-46.

## Exposure Literature Search Results

### Off Topic

- Rojas, NY; Milquez, HA; Sarmiento, H. (2011). Characterizing priority polycyclic aromatic hydrocarbons (PAH) in particulate matter from diesel and palm oil-based biodiesel B15 combustion. *Atmos Environ* 45: 6158-6162. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.016>.
- Romanski, FS; Winkler, JS; Riccobene, RC; Tomassone, MS. (2012). Production and characterization of anisotropic particles from biodegradable materials. *Langmuir* 28: 3756-3765. <http://dx.doi.org/10.1021/la2044834>.
- Rombi, E; Monaci, R; Solinas, V. (1999). Kinetics of catalyst deactivation. An example: methylnaphthalene transformation. *Catalysis Today* 52: 321-330.
- Romero Ale, E; Babay, P; Magallanes, J; Becquart, E; Polla, G; Gautier, E. (2009). Performance of different extraction media for the ultrasonic-assisted extraction of nonylphenol and nonylphenol mono- and diethoxylates from sediments. *Int J Environ Anal Chem* 89: 1005-1021. <http://dx.doi.org/10.1080/03067310903006960>.
- Romero, R; Sierra, R; Richter, P. (2002). Efficient screening method for determination of polycyclic aromatic hydrocarbons (PAHs) in airborne particles. Application in real samples of Santiago-Chile metropolitan urban area. *Atmos Environ* 36: 2375-2381.
- Ronottrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater* 7: 383-393.
- Ronsten, G. (1992). STATIC PRESSURE MEASUREMENTS ON A ROTATING AND A NONROTATING 2.375M WIND TURBINE BLADE - COMPARISON WITH 2D-CALCULATIONS. *J Wind Eng Ind Aerod* 39: 105-118.
- Rosengren, LE; Kjellstrand, P; Aurell, A; Haglid, KG. (1986). Irreversible effects of dichloromethane on the brain after long term exposure: A quantitative study of DNA and the glial cell marker proteins S-100 and GFA. *Br J Ind Med* 43: 291-299.
- Rosilio, V; Benoit, JP; Deyme, M; Thies, C; Madelmont, G. (1991). A PHYSICO-CHEMICAL STUDY OF THE MORPHOLOGY OF PROGESTERONE-LOADED MICROSPHERES FABRICATED FROM POLY(D,L-LACTIDE-CO-GLYCOLIDE). *J Biomed Mater Res* 25: 667-682.
- Ros-Lis, JV; Martinez-Manez, R; Soto, J; Villaescusa, LA; Rurack, K. (2011). Squaraine "ships" in the Y zeolite "bottle": a chromogenic sensing material for the detection of volatile amines and thiols. *J Mater Chem* 21: 5004-5010. <http://dx.doi.org/10.1039/c0jm03780j>.
- Ross, B; Lu, N. (1999). Dynamics of DNAPL penetration into fractured porous media. *Ground Water* 37: 140-147.
- Rossi, D; Schreiner, WH; Durrant, SF. (2016). Characterization of amorphous hydrogenated chlorinated plasma polymers. *Surf Coating Tech* 289: 118-123. <http://dx.doi.org/10.1016/j.surfcoat.2016.01.053>.
- Rotchell, JM; Ulmal, E; Van Beneden, RJ; Ostrander, GK. (2001). Retinoblastoma gene mutations in chemically induced liver tumor samples of Japanese medaka (*Oryzias latipes*). *Mar Biotechnol* 3: S44-S49.
- Roth, JD; Weaver, MJ. (1992). ROLE OF THE DOUBLE-LAYER CATION ON THE POTENTIAL-DEPENDENT STRETCHING FREQUENCIES AND BINDING GEOMETRIES OF CARBON-MONOXIDE AT PLATINUM NONAQUEOUS INTERFACES. *Langmuir* 8: 1451-1458.
- Rothman, KJ; Greenland, S. (1998). Precision and validity in epidemiologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 115-134). Philadelphia, PA: Lippincott Williams & Wilkins.
- Rountree, SM; Lagunas, MC; Hardacre, C; Davey, PN. (2011). Dimerisation of cyclooctene using Grubbs' catalysts. *Appl Catal A-Gen* 408: 54-62. <http://dx.doi.org/10.1016/j.apcata.2011.09.005>.
- Rowe, RK; Brachman, RWI. (2004). Assessment of equivalence of composite liners. *Geosynthetics International* 11: 273-286.
- Rowe, RK; Hrapovic, L; Kosaric, N; Cullimore. (1997). Anaerobic degradation of DCM diffusing through clay. *Journal of Geotechnical and Geoenvironmental Engineering* 123: 1085-1095.
- Roy, C; Pakdel, H; Zhang, HG; Elliott, DC. (1994). CHARACTERIZATION AND CATALYTIC GASIFICATION OF THE AQUEOUS BY-PRODUCT FROM VACUUM PYROLYSIS OF BIOMASS. *Can J Chem Eng* 72: 98-105.
- Roy, C; Vrel, D; Vega-Gonzalez, A; Jestin, P; Laugier, S; Subra-Paternault, P. (2011). Effect of CO<sub>2</sub>-antisolvent techniques on size distribution and crystal lattice of theophylline. *Journal of Supercritical Fluids* 57: 267-277. <http://dx.doi.org/10.1016/j.supflu.2011.03.002>.
- Roy, JL; McGill, WB; Lowen, HA; Johnson, RL. (2003). Relationship between water repellency and native and petroleum-derived organic carbon in soils. *J Environ Qual* 32: 583-590.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol* 59: 163-186.
- Roy, R; Pratihary, A; Narvenkar, G; Mochamadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a Trichodesmium bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci* 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.
- Roy, S; Conway, WS; Buta, JG; Watada, AE; Sams, CE; Wergin, WP. (1996). Surfactants affect calcium uptake from postharvest treatment of 'golden delicious' apples. *J Am Soc Hortic Sci* 121: 1179-1184.
- Roy, SG; Haldar, U; De, P. (2014). Remarkable Swelling Capability of Amino Acid Based Cross-Linked Polymer Networks in Organic and Aqueous Medium. *ACS Applied Materials & Interfaces* 6: 4233-4241. <http://dx.doi.org/10.1021/am405932f>.
- Rubach, M; Lang, R; Skupin, C; Hofmann, T; Somoza, V. (2010). Activity-guided fractionation to characterize a coffee beverage that effectively down-regulates mechanisms of gastric acid secretion as compared to regular coffee. *J Agric Food Chem* 58: 4153-4161. <http://dx.doi.org/10.1021/jf904493f>.
- Ruckenstein, E; Hong, L. (1992). BINDING CATALYTIC SITES TO THE SURFACE OF POROUS POLYMERS AND SOME CATALYTIC APPLICATIONS. *Chem Mater* 4: 122-127.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.

## Exposure Literature Search Results

### Off Topic

- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem* 22: 67-80.
- Rugutt, JK; Rugutt, JK; Irani, RJ; Fischer, NH; Berner, DK; Mccarley, TD. (1996). GC/MS evaluation of compounds in dry and conditioned *Striga* species seeds. *J Agric Food Chem* 44: 3977-3982.
- Ruiz, F; Gomis, V; Botella, RF. (1988). EXTRACTION OF ETHANOL FROM AQUEOUS-SOLUTION .2. A SOLVENT MORE VOLATILE THAN ETHANOL - DICHLOROMETHANE. *Ind Eng Chem Res* 27: 648-650.
- Rushdi, Al; Al-Mutlaq, K; Simoneit, BR. (2005). Sources of organic compounds in fine soil and sand particles during winter in the metropolitan area of Riyadh, Saudi Arabia. *Arch Environ Contam Toxicol* 49: 457-470. <http://dx.doi.org/10.1007/s00244-004-0002-7>.
- Rushdi, Al; Al-Mutlaq, KF; El-Mubarak, AH; Al-Saleh, MA; El-Otaibi, MT; Ibrahim, SMM; Simoneit, BRT. (2016). Occurrence and sources of natural and anthropogenic lipid tracers in surface soils from arid urban areas of Saudi Arabia. *Environ Pollut* 208: 696-703. <http://dx.doi.org/10.1016/j.envpol.2015.10.049>.
- Rushdi, Al; Al-Zarban, S; Simoneit, BR. (2006). Chemical compositions and sources of organic matter in fine particles of soils and sands from the vicinity of Kuwait city. *Environ Monit Assess* 120: 537-557. <http://dx.doi.org/10.1007/s10661-005-9102-8>.
- Rushdi, Al; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq. I: aliphatic lipids. *Environ Geol* 50: 857-866. <http://dx.doi.org/10.1007/s00254-006-0257-6>.
- Rushdi, Al; Douabul, AA; Mohammed, SS; Simoneit, BRT. (2006). Compositions and sources of extractable organic matter in Mesopotamian marshland surface sediments of Iraq: II. Polar compounds. *Environ Geol* 50: 1171-1181. <http://dx.doi.org/10.1007/s00254-006-0289-y>.
- Rushdi, Al; Kassim, TAT, A; Simoneit, BRT. (2009). Organic tracers in sediments from the coastal zone of Ras Abu el-Darag, Gulf of Suez. *Environ Geol* 58: 1675-1687. <http://dx.doi.org/10.1007/s00254-008-1668-3>.
- Rusina, TP; Smedes, F; Klanova, J; Booiij, K; Holoubek, I. (2007). Polymer selection for passive sampling: a comparison of critical properties. *Chemosphere* 68: 1344-1351. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.025>.
- Russo, C; Stanzione, F; Alfe, M; Ciajolo, A; Tregrossi, A. (2012). SPECTRAL ANALYSIS IN THE UV-VISIBLE RANGE FOR REVEALING THE MOLECULAR FORM OF COMBUSTION-GENERATED CARBONACEOUS SPECIES. *Combust Sci Tech* 184: 1219-1231. <http://dx.doi.org/10.1080/00102202.2012.664315>.
- Russo, C; Stanzione, F; Ciajolo, A; Tregrossi, A. (2013). Study on the contribution of different molecular weight species to the absorption UV-Visible spectra of flame-formed carbon species. *Proc Combust Inst* 34: 3661-3668. <http://dx.doi.org/10.1016/j.proci.2012.06.097>.
- Rutherford, PM; Banerjee, DK; Luther, SM; Gray, MR; Dudas, MJ; McGill, WB; Pickard, MA; Salloun, MJ. (1998). Slurry-phase bioremediation of creosote and petroleum-contaminated soils. *Environ Technol* 19: 683-696.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health* 49: 126-132.
- Ryckebosch, E; Cuellar Bermudez, SP; Termote-Verhalle, R; Bruneel, C; Muylaert, K; Parra-Saldivar, R; Foubert, I. (2014). Influence of extraction solvent system on the extractability of lipid components from the biomass of *Nannochloropsis gaditana*. *J Appl Phycol* 26: 1501-1510. <http://dx.doi.org/10.1007/s10811-013-0189-y>.
- Rynö, M; Rantanen, L; Papaioannou, E; Konstandopoulos, AG; Koskentalo, T; Savela, K. (2006). Comparison of pressurized fluid extraction, Soxhlet extraction and sonication for the determination of polycyclic aromatic hydrocarbons in urban air and diesel exhaust particulate matter. *J Environ Monit* 8: 488-493. <http://dx.doi.org/10.1039/b515882f>.
- Ryu, GY; Lee, SG; Shin, SE; Park, JJ; Park, S; Shin, DM. (2010). Substituent effect on color tuning of red light emission in photoluminescence and electroluminescence of red fluorophore. *J Nanosci Nanotechnol* 10: 6805-6810. <http://dx.doi.org/10.1166/jnn.2010.2962>.
- Rzeszutek, K; Chow, A. (2001). Extraction of metal-dye ion-association complexes by thin ether-type polyurethane membranes. *J Memb Sci* 181: 265-277.
- Sadilek, J, an; Spalovska, P; Vrana, B; Vavrova, M; Marsalek, B; Simek, Z. (2016). Comparison of extraction techniques for isolation of steroid oestrogens in environmentally relevant concentrations from sediment. *Int J Environ Anal Chem* 96: 1022-1037. <http://dx.doi.org/10.1080/03067319.2016.1232718>.
- Saeed, A; Arshad, I; Floerke, U. (2012). One-Pot Synthesis and Crystal Structure of Methyl 5-Hydroxy-1-phenyl-1H-pyrazole-3-carboxylate. 2: 1248-1252. <http://dx.doi.org/10.3390/cryst2031248>.
- Saepurahman; Singaravel, GP; Hashaikeh, R. (2016). Fabrication of electrospun LTL zeolite fibers and their application for dye removal. *Journal of Materials Science* 51: 1133-1141. <http://dx.doi.org/10.1007/s10853-015-9444-8>.
- Safaei-Ghomi, J; Ghadami, M; Batooli, H. (2012). BIOACTIVITY OF EUCALYPTUS OLEOSA VAR. OBTUSE LEAVES AND FLOWERS. *Digest Journal of Nanomaterials and Biostructures* 7: 657-660.
- Safarballi, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbamoyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Saftic, S; Fedorak, PM; Andersson, JT. (1993). Transformations of methyl dibenzothiophenes by three *Pseudomonas* isolates. *Environ Sci Technol* 27: 2577-2584.
- Sah, H. (1999). Protein instability toward organic solvent/water emulsification: Implications for protein microencapsulation into microspheres. *PDA J Pharm Sci Technol* 53: 3-10.



## Exposure Literature Search Results

### Off Topic

- Saha, S; Singh, SB; Kulshrestha, G. (2003). High performance liquid chromatographic method for residue determination of sulfosulfuron. *J Environ Sci Health B* 38: 337-347. <http://dx.doi.org/10.1081/PFC-120019900>.
- Sahani, MK; Singhal, D; Singh, AK; Jain, AK; Singh, UP; Narang, S. (2016). Potentiometric sensor for the nanoscale monitoring of Ni<sup>2+</sup> ion in environmental samples by the fabrication of coated pyrolytic graphite electrode based on a novel C-C-coupled compound. *Int J Environ Anal Chem* 93: 1170-1187. <http://dx.doi.org/10.1080/03067319.2016.1244671>.
- Sahin, O; Saka, C; Ceyhan, AA; Baytar, O. (2016). The pyrolysis process of biomass by two-stage chemical activation with different methodology and iodine adsorption. *Energ Source Part A* 38: 1756-1762. <http://dx.doi.org/10.1080/15567036.2014.956195>.
- Sahiner, N; Yildiz, S; Al-Lohedan, H. (2015). The resourcefulness of p(4-VP) cryogels as template for in situ nanoparticle preparation of various metals and their use in H-2 production, nitro compound reduction and dye degradation. *Appl Catal B-Environ* 166: 145-154. <http://dx.doi.org/10.1016/j.apcatb.2014.11.027>.
- Sahmoune, A; Mitiche, L. (2004). Extraction and transport of chromium(VI) through a bulk liquid membrane containing triphenylphosphine. *Ann Chim* 94: 929-938. <http://dx.doi.org/10.1002/adic.200490115>.
- Sahoo, C; Gupta, AK. (2015). Characterization and photocatalytic performance evaluation of various metal ion-doped microstructured TiO<sub>2</sub> under UV and visible light. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 50: 659-668. <http://dx.doi.org/10.1080/10934529.2015.1011958>.
- Sahoo, SK; Ray, SS; Singh, ID. (2004). Structural characterization of coke on spent hydroprocessing catalysts used for processing of vacuum gas oils. *Appl Catal A-Gen* 278: 83-91. <http://dx.doi.org/10.1016/j.apcata.2004.09.028>.
- Sai, JO; Anderson, DC. (1992). BARRIER WALL MATERIALS FOR CONTAINMENT OF DENSE NONAQUEOUS PHASE LIQUID (DNAPL). *Hazardous Waste and Hazardous Materials* 9: 317-330.
- Saito, I; Shibata, E; Huang, J; Hisanaga, N; Ono, Y; Takeuchi, Y. (1991). DETERMINATION OF URINARY 2,5-HEXANEDIONE CONCENTRATION BY AN IMPROVED ANALYTICAL METHOD AS AN INDEX OF EXPOSURE TO NORMAL-HEXANE. *Br J Ind Med* 48: 568-574.
- Saito, K; Ogawa, M; Takekuma, M; Ohmura, A; Kawaguchi, M; Ito, R; Inoue, K; Matsuki, Y; Nakazawa, H. (2005). Systematic analysis and overall toxicity evaluation of dioxins and hexachlorobenzene in human milk. *Chemosphere* 61: 1215-1220. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.035>.
- Saiyisitpanich, P; Keener, TC; Lu, MM; Liang, FY; Khang, SJ. (2008). Control of Diesel Gaseous and Particulate Emissions with a Tube-Type Wet Electrostatic Precipitator. *Journal of the Air and Waste Management Association* 58: 1311-1317. <http://dx.doi.org/10.3155/1047-3289.58.10.1311>.
- Saka, E, ceT; Kobak, RZU; Alp, H; Sarki, G; Koca, A; Kantekin, H. (2016). Electrochemical and spectroelectrochemical properties of new metal free, nickel(II), lead(II) and zinc(II) phthalocyanines. *Synthetic Metals* 217: 295-303. <http://dx.doi.org/10.1016/j.synthmet.2016.04.004>.
- Sakai, K; Ohno, K; Nomura, K; Endo, T; Sakamoto, K; Sakai, H; Abe, M. (2014).  $\alpha$ -Gel formation by amino acid-based gemini surfactants. *Langmuir* 30: 7654-7659. <http://dx.doi.org/10.1021/la501186h>.
- Sakai, T; Morita, Y; Roh, J; Kim, H; Kim, Y. (2005). Improvement in the GC-MS method for determining urinary toluene-diamine and its application to the biological monitoring of workers exposed to toluene-diisocyanate. *Int Arch Occup Environ Health* 78: 459-466. <http://dx.doi.org/10.1007/s00420-004-0571-9>.
- Sala, G. (2000). Composite degradation due to fluid absorption. *Composites Part B: Engineering* 31: 357-373.
- Salazar, C; Lach, J; Rückerl, F; Baumann, D; Schimmel, S; Knupfer, M; Kersting, B; Büchner, B; Hess, C. (2016). STM Study of Au(111) Surface-Grafted Paramagnetic Macrocyclic Complexes [Ni<sub>2</sub>L(Hmba)](+) via Ambidentate Coligands. *Langmuir* 32: 4464-4471. <http://dx.doi.org/10.1021/acs.langmuir.6b00772>.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal* 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.
- Saleh, TA; Muhammad, AM; Tawabini, B; Ali, SA. (2016). Aminomethylphosphonate Chelating Ligand and Octadecyl Alkyl Chain in a Resin for Simultaneous Removal of Co(II) Ions and Organic Contaminants. *Journal of Chemical and Engineering Data* 61: 3377-3385. <http://dx.doi.org/10.1021/acs.jced.6b00475>.
- Salem, IA; El-Maazawi, MS. (2000). Kinetics and mechanism of color removal of methylene blue with hydrogen peroxide catalyzed by some supported alumina surfaces. *Chemosphere* 41: 1173-1180.
- Salem, MZM; Zayed, MZ; Ali, HM; Abd El-Kareem, MSM. (2016). Chemical composition, antioxidant and antibacterial activities of extracts from *Schinus molle* wood branch growing in Egypt. *J Wood Sci* 62: 548-561. <http://dx.doi.org/10.1007/s10086-016-1583-2>.
- Salhi, F; Cheuk, KKL; Sun, QH; Lam, JWY; Cha, JAK; Li, G; Li, BS; Luo, JD; Chen, JW; Tang, BZ. (2001). Rapid fabrication of three-dimensional porous films with biomimetic patterns by natural evaporation of amphiphilic polyacetylene solutions under ambient conditions. *J Nanosci Nanotechnol* 1: 137-141. <http://dx.doi.org/10.1166/jnn.2001.022>.
- Salihu, G; Goswami, P; Russell, S. (2012). Hybrid electrospun nonwovens from chitosan/cellulose acetate. *Cellulose* 19: 739-749. <http://dx.doi.org/10.1007/s10570-012-9666-8>.
- Salima, A; Ounissa, KS; Fadila, H; Mohamed, B. (2016). Equilibrium and kinetic modeling of acid dye removal from aqueous solution by polymer inclusion membrane (PIMs). *Desalination and Water Treatment* 57: 3708-3719. <http://dx.doi.org/10.1080/19443994.2014.984634>.
- Salinas-Hernandez, C; Diaz-Nava, MC; Solache-Rios, M. (2012). Sorption and Desorption of Red 5 and Yellow 6 by a Fe-Zeolitic Tuff. *Water Air Soil Pollut* 223: 4959-4968. <http://dx.doi.org/10.1007/s11270-012-1250-1>.
- Sallmén, M; Neto, M; Mayan, ON. (2008). Reduced fertility among shoe manufacturing workers. *Occup Environ Med* 65: 518-524. <http://dx.doi.org/10.1136/oem.2007.032839>.

## Exposure Literature Search Results

### Off Topic

- Sallo, A; Crasmareanu, C; Lascu, A. (2009). Contributions to the Study of Dinitrotoluene Adducts with Sulfite Ion by Visible Spectrophotometry. *Rev Chim* 60: 491-493.
- Salmon, AG; Roth, LA. (2010). Cancer risk based on an individual tumor type or summing of tumors. In CH Hsu; T Stedeford (Eds.), (pp. 29.21-29.25). Hoboken, NJ: John Wiley & Sons.
- Salmon, E; Behar, F; Hatcher, PG. (2011). Molecular characterization of Type I kerogen from the Green River Formation using advanced NMR techniques in combination with electrospray ionization/ultrahigh resolution mass spectrometry. *Organic Geochemistry* 42: 301-315. <http://dx.doi.org/10.1016/j.orggeochem.2010.12.007>.
- Salvado, V; Alcaide, A; Carandell, N; Hidalgo, M. (2001). Evaluation of extraction procedures of organochlorine pesticides from natural waters and sediments. *Int J Environ Anal Chem* 81: 243-256.
- Salvatierra, D; Taylor, JD; Marrone, PA; Tester, JW. (1999). Kinetic study of hydrolysis of methylene chloride from 100 to 500 degrees C. *Ind Eng Chem Res* 38: 4169-4174.
- Samburova, V; Connolly, J; Gyawali, M; Yatavelli, RL; Watts, AC; Chakrabarty, RK; Zielinska, B; Moosmüller, H; Khlystov, A. (2016). Polycyclic aromatic hydrocarbons in biomass-burning emissions and their contribution to light absorption and aerosol toxicity. *Sci Total Environ* 568: 391-401. <http://dx.doi.org/10.1016/j.scitotenv.2016.06.026>.
- Sampaio, KL; Biasoto, AC; Da Silva, MA. (2015). Comparison of techniques for the isolation of volatiles from cashew apple juice. *J Sci Food Agric* 95: 299-312. <http://dx.doi.org/10.1002/jsfa.6718>.
- Sampaio, KL; Garruti, DS; Franco, MR; Janzanti, NS; Da Silva, MA. (2011). Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *J Sci Food Agric* 91: 1801-1809. <http://dx.doi.org/10.1002/jsfa.4385>.
- Sanchez, PS; Coimbra, CA; Coelho, MCL; Valent, GU; Sato, MIZ; Martins, MT. (1992). ASSESSMENT OF MUTAGENIC ACTIVITY IN DRINKING-WATER FROM SAO-PAULO CITY, BRAZIL. *Environ Toxicol Water Qual* 7: 141-155.
- Sanchezbrunete, C; Martinez, F; Tadeo, JL. (1994). DETERMINATION OF CORN HERBICIDES BY GC-MS AND GC-NPD IN ENVIRONMENTAL-SAMPLES. *J Agric Food Chem* 42: 2210-2214.
- Sanchez-Fortun, S; Sanz, F; Santa-Maria, A; Ros, JM; De Vicente, ML; Encinas, MT; Vinagre, E; Barahona, MV. (1997). Acute sensitivity of three age classes of *Artemia salina* larvae to seven chlorinated solvents. *Bull Environ Contam Toxicol* 59: 445-451. <http://dx.doi.org/10.1007/s001289900498>.
- Sánchez-Recillas, A; Mantecón-Reyes, P; Castillo-España, P; Villalobos-Molina, R; Ibarra-Barajas, M; Estrada-Soto, S. (2014). Tracheal relaxation of five medicinal plants used in Mexico for the treatment of several diseases. *Asian Pacific Journal of Tropical Medicine* 7: 179-183. [http://dx.doi.org/10.1016/S1995-7645\(14\)60017-1](http://dx.doi.org/10.1016/S1995-7645(14)60017-1).
- Sander, EA; Alb, AM; Nauman, EA; Reed, WF; Dee, KC. (2004). Solvent effects on the microstructure and properties of 75/25 poly(D,L-lactide-co-glycolide) tissue scaffolds. *J Biomed Mater Res A* 70: 506-513. <http://dx.doi.org/10.1002/jbm.a.30109>.
- Sandhu, AK; Mandal, K; Singh, B. (2015). Estimation and Validation of Propanil Residues in Rice and Soil Samples by Gas Liquid Chromatography with Electron Capture Detector. *Bull Environ Contam Toxicol* 95: 368-372. <http://dx.doi.org/10.1007/s00128-015-1610-9>.
- Sandoval, MV; Henao, JA; Romero Bohorquez, AR; Kouznetsov, VV. (2012). Synthesis and X-ray diffraction data of 5-acryloyloxy-trans-2-(4-methoxyphenyl)-3-methyl-2,3-dihydrobenzo[b]furan. *Powder Diffraction* 27: 211-214. <http://dx.doi.org/10.1017/S085715612000504>.
- Sandoval-Mojica, AF; Capinera, JL. (2011). Antifeedant effect of commercial chemicals and plant extracts against *Schistocerca americana* (Orthoptera: Acrididae) and *Diaprepes abbreviatus* (Coleoptera: Curculionidae). *Pest Manag Sci* 67: 860-868. <http://dx.doi.org/10.1002/ps.2125>.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes* 19: 329-357.
- Sanin, FD; Knappe, DRU; Barlaz, MA. (2000). The fate of toluene, acetone and 1,2-dichloroethane in a laboratory-scale simulated landfill. *Water Res* 34: 3063-3074.
- Sanjini, NS; Dhanalakshmi, R; Velmathi, S. (2014). Photocatalytic Application of Wide Band Gap CuO Nanoparticles Synthesized by Microwave Assisted Quick Precipitation. *6*: 1399-1405. <http://dx.doi.org/10.1166/sam.2014.1823>.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy* 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Santiago, S; Thomas, RL; Larbaigt, G; Rossel, D; Echeverria, MA; Tarradellas, J; Loizeau, JL; Mccarthy, L; Mayfield, CI; Corvi, C. (1993). COMPARATIVE ECOTOXICITY OF SUSPENDED SEDIMENT IN THE LOWER RHONE RIVER USING ALGAL FRACTIONATION, MICROTOX(R) AND DAPHNIA-MAGNA BIOASSAYS. *Hydrobiologia* 252: 231-244.
- Santos, KA; Bariccatti, RA; Cardozo-Filho, L; Schneider, R; Palu, F; da Silva, C; da Silva, EA. (2015). Extraction of crambe seed oil using subcritical propane: Kinetics, characterization and modeling. *Journal of Supercritical Fluids* 104: 54-61. <http://dx.doi.org/10.1016/j.supflu.2015.05.026>.
- Santos, SAO; Oliveira, CSD; Trindade, SS; Abreu, MH; Rocha, SSM; Silvestre, AJD. (2016). Bioprospecting for lipophilic-like components of five Phaeophyta macroalgae from the Portuguese coast. *J Appl Phycol* 28: 3151-3158. <http://dx.doi.org/10.1007/s10811-016-0855-y>.
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2004). Rheological properties of PLGA film-based implants: correlation with polymer degradation and SPf66 antimalaric synthetic peptide release. *Biomaterials* 25: 925-931. [http://dx.doi.org/10.1016/S0142-9612\(03\)00592-1](http://dx.doi.org/10.1016/S0142-9612(03)00592-1).
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2005). Structural properties of biodegradable polyesters and rheological behaviour of their dispersions and films. *J Biomater Sci Polym Ed* 16: 629-641.

## Exposure Literature Search Results

### Off Topic

- Sanyal, D; Rani, A; Alam, S. (2009). A multi-residue method for the analysis of organophosphorus residues in cooked and polished rice using accelerated solvent extraction and dispersive-solid phase extraction (D-SPE) technique and uncertainty measurement. *J Environ Sci Health B* 44: 706-716. <http://dx.doi.org/10.1080/03601230903163830>.
- Sapozhnikova, Y; Pennington, P; Wirth, E; Fulton, M. (2009). Fate and transport of Irgarol 1051 in a modular estuarine mesocosm. *J Environ Monit* 11: 808-814. <http://dx.doi.org/10.1039/b818273f>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, CM. (2008). Electrochemical impedance spectroscopy and morphological analyses of pyrrole, phenylpyrrole and methoxyphenylpyrrole on carbon fiber microelectrodes. *Surf Coating Tech* 202: 3997-4005. <http://dx.doi.org/10.1016/j.surfcoat.2008.02.007>.
- Sarac, AS; Sezgin, S; Ates, M; Turhan, MC. (2009). Monomer Concentration Effect on Electrochemically Modified Carbon Fiber with Poly[1-(4-Methoxyphenyl)-1H-Pyrrole] as Microcapacitor Electrode. *Advances in Polymer Technology* 28: 120-130. <http://dx.doi.org/10.1002/adv.20152>.
- Saragih Turnip, S; Sörbom, D; Hauff, E. (2016). Predicting positive mental health in internally displaced persons in Indonesia: the roles of economic improvement and exposure to violent conflict. *Psychol Health Med* 21: 286-294. <http://dx.doi.org/10.1080/13548506.2015.1051554>.
- Saranya, J; Ranjith, KS; Saravanan, P; Mangalaraj, D; Kumar, RTR. (2014). Cobalt-doped cerium oxide nanoparticles: Enhanced photocatalytic activity under UV and visible light irradiation. *Materials Science in Semiconductor Processing* 26: 218-224. <http://dx.doi.org/10.1016/j.mssp.2014.03.054>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers* 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Sarkar, N; Karmakar, A; Barik, A. (2016). Volatiles of *Solenia amplexicaulis* (Lam.) Gandhi Leaves Influencing Attraction of Two Generalist Insect Herbivores. *J Chem Ecol* 42: 1004-1015. <http://dx.doi.org/10.1007/s10886-016-0757-0>.
- Sarkar, SK; Jha, A; Chattopadhyay, KK. (2015). Thionyl chloride assisted functionalization of amorphous carbon nanotubes: A better field emitter and stable nanofluid with better thermal conductivity. *Materials Research Bulletin* 66: 1-8. <http://dx.doi.org/10.1016/j.materresbull.2015.01.048>.
- Sarlauskas, J; Krikstopaitis, K; Miliukiene, V; Cenas, N; Anusevicius, Z; Saikunas, A. (2011). Investigation on the Electrochemistry and Cytotoxicity of Organic Nitrates and Nitroamines. *Central European Journal of Energetic Materials* 8: 15-24.
- Sarmah, AK; Northcott, GL; Scherr, FF. (2008). Retention of estrogenic steroid hormones by selected New Zealand soils. *Environ Int* 34: 749-755. <http://dx.doi.org/10.1016/j.envint.2007.12.017>.
- Sarveswaran, K; Hu, W; Huber, PW; Bernstein, GH; Lieberman, M. (2006). Deposition of DNA rafts on cationic SAMs on silicon [100]. *Langmuir* 22: 11279-11283. <http://dx.doi.org/10.1021/la0615948>.
- Sasaki, T; Maki, H; Ishihara, M; Harayama, S. (1998). Vanadium as an internal marker to evaluate microbial degradation of crude oil. *Environ Sci Technol* 32: 3618-3621.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *J Environ Eng* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, M. (1996). Extraction of morphine in blood and urine by dehydrating with anhydrous sodium sulfate. *JTTE* 42: 167-171.
- Sato, M; Hiroi, M. (1995). CATION RADICALS AND TRICATION RADICALS OF HEXYL-SUBSTITUTED SEXITHIOPHENE IN SOLUTION. *Synthetic Metals* 69: 307-308.
- Sato, MI; Valent, GU; Coimbra, CA; Coelho, MC; Sanchez Sanchez, P; Alonso, CD; Martins, MT. (1995). Mutagenicity of airborne particulate organic material from urban and industrial areas of São Paulo, Brazil. *Mutat Res* 335: 317-330.
- Sato, S; Matsumura, A; Urushigawa, Y; Metwally, M; Al-Muzaini, S. (1998). Type analysis and mutagenicity of petroleum oil extracted from sediment and soil samples in Kuwait. *Environ Int* 24: 67-76.
- Sato, S; Takanoashi, T. (2012). Separation of Asphaltene Using Columns Packed with Teflon Beads. *J Jpn Petrol Inst* 55: 142-147.
- Saulnier, P; Boury, F; Malzert, A; Heurtault, B; Ivanova, T; Cagna, A; Panaiotov, I; Proust, JE. (2001). Rheological model for the study of dilational properties of monolayers. Comportment of dipalmitoylphosphatidylcholine (DPPC) at the dichloromethane (DCM)/water interface under ramp type or sinusoidal perturbations. *Langmuir* 17: 8104-8111. <http://dx.doi.org/10.1021/la001634m>.
- Sawalha, H; Fan, YX; Schroen, K; Boom, R. (2008). Preparation of hollow polylactide microcapsules through premix membrane emulsification - Effects of nonsolvent properties. *J Memb Sci* 325: 665-671. <http://dx.doi.org/10.1016/j.memsci.2008.08.039>.
- Sawalha, H; Purwanti, N; Rinzema, A; Schroen, K; Boom, R. (2008). Polylactide microspheres prepared by premix membrane emulsification - Effects of solvent removal rate. *J Memb Sci* 310: 484-493. <http://dx.doi.org/10.1016/j.memsci.2007.11.029>.
- Sawalha, H; Schroen, K; Boom, R. (2009). Hollow Polylactide Microcapsules with Controlled Morphology and Thermal and Mechanical Properties. *AIChE J* 55: 2827-2834. <http://dx.doi.org/10.1002/aic.11895>.
- Sawitowski, T; Franzka, S; Beyer, N; Levering, M; Schmid, G. (2001). Nanostructured surfaces. *Adv Funct Mater* 11: 169-173.
- Saygili, H; Guzel, F. (2016). High surface area mesoporous activated carbon from tomato processing solid waste by zinc chloride activation: process optimization, characterization and dyes adsorption. *J Clean Prod* 113: 995-1004. <http://dx.doi.org/10.1016/j.jclepro.2015.12.055>.
- Saygili, H; Guzel, F; Onal, Y. (2015). Conversion of grape industrial processing waste to activated carbon sorbent and its performance in cationic and anionic dyes adsorption. *J Clean Prod* 93: 84-93. <http://dx.doi.org/10.1016/j.jclepro.2015.01.009>.
- Sbai, H; Saad, I; Ghezal, N; Della Greca, M; Haouala, R. (2016). Bioactive compounds isolated from *Petroselinum crispum* L. leaves using bioguided fractionation. *Ind Crop Prod* 89: 207-214. <http://dx.doi.org/10.1016/j.indcrop.2016.05.020>.

## Exposure Literature Search Results

### Off Topic

- Scarpa, MV; Araujo, PS; Schreier, S; Sesso, A; Oliveira, AG; Chaimovich, H; Cuccovia, IM. (2000). Effect of vesicles of dimethyldioctadecylammonium chloride and phospholipids on the rate of decarboxylation of 6-nitrobenzisoxazole-3-carboxylate. *Langmuir* 16: 993-999.
- Scarpello, JT; Nair, D; dos Santos, LMF; White, LS; Livingston, AG. (2002). The separation of homogeneous organometallic catalysts using solvent resistant nanofiltration. *J Memb Sci* 203: 71-85.
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr* 44: 703-707.
- Schabron, JF; Rovani, JF; Sanderson, MM. (2010). Asphaltene Determinator Method for Automated On-Column Precipitation and Redissolution of Pericondensed Aromatic Asphaltene Components. *Energy Fuels* 24: 5984-5996. <http://dx.doi.org/10.1021/ef100822f>.
- Schabron, JF; Rovani, JF; Sanderson, MM; Loveridge, JL; Nyadong, L; Mckenna, AM; Marshall, AG. (2012). Waxphaltene Determinator Method for Automated Precipitation and Redissolution of Wax and Asphaltene Components. *Energy Fuels* 26: 2256-2268. <http://dx.doi.org/10.1021/ef300184s>.
- Schabron, JF; Rovani Jr, JF. (2008). On-column precipitation and re-dissolution of asphaltenes in petroleum residua. *Fuel* 87: 165-176. <http://dx.doi.org/10.1016/j.fuel.2007.04.024>.
- Schaut, A; Autru, S; De Rop, A; Eeckhoudt, S. (2012). Effects of Irgamet (R) 30 as Additive in Transformer Oil. *I E E Transactions on Dielectrics and Electrical Insulation* 19: 175-180.
- Scheeren, HA; Lelieveld, J; de Gouw, JA; van der Veen, C; Fischer, H. (2002). Methyl chloride and other chlorocarbons in polluted air during INDOEX. *J Geophys Res Atmos* 107. <http://dx.doi.org/10.1029/2001JD001121>.
- Scherer, R; Lemos, MF; Lemos, MF; Martinelli, GC; Lopes Martins, JD; da Silva, A. (2013). Antioxidant and antibacterial activities and composition of Brazilian spearmint (*Mentha spicata* L.). *Ind Crop Prod* 50: 408-413. <http://dx.doi.org/10.1016/j.indcrop.2013.07.007>.
- Schermerhorn, PG; Chu, PS; Kijak, PJ. (1995). DETERMINATION OF SPECTINOMYCIN RESIDUES IN BOVINE-MILK USING LIQUID-CHROMATOGRAPHY WITH ELECTROCHEMICAL DETECTION. *J Agric Food Chem* 43: 2122-2125.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc* 55: 878-885.
- Scheyer, A; Graeff, C; Morville, S; Mirabel, P; Millet, M. (2005). Analysis of some organochlorine pesticides in an urban atmosphere (Strasbourg, east of France). *Chemosphere* 58: 1517-1524. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.013>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schlick-Hasper, E, va; Bethke, J; Jahnke, W; Drousch, B; Goedecke, T; Kraume, M. (2015). Maximum Gauge Pressure in Dangerous Goods Packagings Under Normal Conditions of Carriage - Comparison of Direct Measurement and Calculation. *Packaging Technology and Science* 28: 437-460. <http://dx.doi.org/10.1002/pts.2111>.
- Schlosser, EG; Rossberg, M; Lendle, W. (1970). KINETICS OF FORMATION OF METHYLENE CHLORIDE FROM METHANOL AND HYDROGEN CHLORIDE OVER ALUMINIUM OXIDE. *Chem Ing Tech* 42: 1215-+.
- Schlosser, PM; Bale, AS; Gibbons, CF; Wilkins, A; Cooper, GS. (2015). Human Health Effects of Dichloromethane: Key Findings and Scientific Issues [Review]. *Environ Health Perspect* 123: 114-119. <http://dx.doi.org/10.1289/ehp.1308030>.
- Schlotzhauer, WS; Pair, SD; Horvat, RJ. (1996). Volatile constituents from the flowers of Japanese honeysuckle (*Lonicera japonica*). *J Agric Food Chem* 44: 206-209.
- Schmage, P; Ozcan, M; McMullan-Vogel, C; Nergiz, I. (2005). The fit of tapered posts in root canals luted with zinc phosphate cement: a histological study. *Dent Mater* 21: 787-793. <http://dx.doi.org/10.1016/j.dental.2005.01.012>.
- Schmid, G; Witke, E; Schlick, U; Knecht, S; Hanack, M. (1995). SUBSTITUENT EFFECTS IN SOLUBLE PHTHALOCYANINATOIRON(II) COMPLEXES. *J Mater Chem* 5: 855-859.
- Schmidt, G; Segschneider, HJ; Russow, R. (1998). Determination of N-15 with nonrandom-distribution of N-2 and N2O in the soil atmosphere by GC-R-IRMS coupling. *Isotopes Environ Health Stud* 34: 235-243.
- Schmidt, NE; Santiago, LM; Eason, HD; Dafford, KA; Grooms, CA; Link, TE; Manning, DT; Cooper, SD; Keith, RC; Chance, WO; Walla, MD; Cotham, WE. (1996). Rapid extraction method of quantitating the lachrymatory factor of onion using gas chromatography. *J Agric Food Chem* 44: 2690-2693.
- Schmidt, O; Dittberner, D; Faix, O. (1991). ON THE REACTION OF SOME BACTERIA AND FUNGI ON COAL-TAR CREOSOTE. *Mater Org* 26: 13-30.
- Schmitt, H; Mendiola, J; Carmona, F; Alemany, C; Jimenez, B. (1995). Sputtering of ferroelectric (PbCa)TiO3 films. *Microelectron Eng* 29: 181-184.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging* 18: 837-851.
- Schneider, R; Baumes, R; Bayonove, C; Razungles, A. (1998). Volatile compounds involved in the aroma of sweet fortified wines (Vins Doux Naturels) from Grenache noir. *J Agric Food Chem* 46: 3230-3237.
- Schneider, R; Kiessling, D; Kraak, P; Haftendorn, M; Wendt, G. (1995). TOTAL OXIDATION OF CHLORINATED HYDROCARBONS ON PEROVSKITE-TYPE CATALYSTS. *Chem Tech (Leipzig)* 47: 199-204.
- Schneider, RP; Morano, SC; Gigena, MAC; Missawa, SK; Rocha, RCS; Da Silva, LR; Ellert, N; Kataoka, S; Katsuragi, C; Rosa, CD; De Oliveira, LC. (2006). Contamination levels and preliminary assessment of the technical feasibility of employing natural attenuation in 5 priority areas of Presidente Bernardes Refinery in Cubatao, Sao Paulo, Brazil. *Environ Monit Assess* 116: 21-52. <http://dx.doi.org/10.1007/s10661-006-7243-z>.
- Schoen, DJ; Brownstein, JS; White, PA. (2002). Mutation load in natural populations of the sensitive fern *Onoclea sensibilis* exposed to soil mutagens. *Ecol Appl* 12: 124-137.

## Exposure Literature Search Results

### Off Topic

- Scholz-muramatsu, H; Schneider, V; Gaiser, S; Bardtke, D. (1988). BIOLOGICAL ELIMINATION OF DICHLOROMETHANE FROM CONTAMINATED GROUNDWATER - INTERFERENCE BY COMPONENTS OF THE GROUNDWATER. *Water Sci Technol* 20: 393-397.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere* 29: 1743-1753.
- Schroeder, ED; Eweis, JB; Chang, DPY; Veir, JK. (2000). <no title available>. *Water Air Soil Pollut* 123: 133-146. <http://dx.doi.org/10.1023/a:1005226229320>.
- Schroer, C; Konys, J; Novotny, J; Hausselt, J. (2006). Aspects of the corrosion kinetics for binary nickel-chromium alloys under conditions found in supercritical water oxidation plants processing chlorinated substances. *Corrosion* 62: 444-459.
- Schruben, DL; Kumble, D. (1996). Air bubble migration through a cast solution of poly(methyl methacrylate). *Polymer Engineering and Science* 36: 2494-2501.
- Schulz, HM. (1997). Coal mine workers' pneumoconiosis (CWP): In vitro study of the release of organic compounds from coal mine dust in the presence of physiological fluids. *Environ Res* 74: 74-83.
- Schulz, HM; Hagemann, HW; Wolf, M; Brammertz, A; Einbrodt, HJ. (1997). Coal mine workers' pneumoconiosis. *Environ Geol* 30: 72-80.
- Schuster, H; Hoelderich, WF. (2008). The acylation of 2-methoxynaphthalene with acetic anhydride over Nafion/silica composites and BEA zeolites containing Lewis acid sites. *Appl Catal A-Gen* 350: 1-5. <http://dx.doi.org/10.1016/j.apcata.2008.07.026>.
- Schuur, B; Kraai, GN; Winkelman, JGM; Heeres, HJ. (2012). Hydrodynamic features of centrifugal contactor separators: Experimental studies on liquid hold-up, residence time distribution, phase behavior and drop size distributions. *Chemical Engineering and Processing: Process Intensification* 55: 8-19. <http://dx.doi.org/10.1016/j.cep.2012.02.008>.
- Schwab, AP; Su, J; Wetzel, S; Pekarek, S; Banks, MK. (1999). Extraction of petroleum hydrocarbons from soil by mechanical shaking. *Environ Sci Technol* 33: 1940-1945.
- Schwanninger, M; Hinterstoisser, B. (2002). Comparison of the classical wood extraction method using a Soxhlet apparatus with an advanced extraction method. *Holz als Roh- und Werkstoff* 60: 343-346. <http://dx.doi.org/10.1007/s00107-002-0312-2>.
- Schwartz, E; Trinh, SV; Scow, KM. (2002). Impact of methylene chloride on microorganisms and phenanthrene mineralization in soil. *J Environ Qual* 31: 144-149.
- Schwartz, H; Harel, Y; Efrima, S. (2001). Surface behavior and buckling of silver interfacial colloid films. *Langmuir* 17: 3884-3892. <http://dx.doi.org/10.1021/la0100690>.
- Scire, S; Liotta, LF. (2012). Supported gold catalysts for the total oxidation of volatile organic compounds. *Appl Catal B-Environ* 125 (Aug 21): 222-246. <http://dx.doi.org/10.1016/j.apcatb.2012.05.047>.
- Sears, WM; Mackinnon, CD; Kraft, TM. (2011). The effect of chain length on the dielectric and optical properties of oligothiophenes. *Synthetic Metals* 161: 1566-1574. <http://dx.doi.org/10.1016/j.synthmet.2011.05.020>.
- Sehati, N; Shiri-Yekta, Z; Zamani, A; Yaftian, MR; Noshiranzadeh, N. (2012). Solvent Extraction of Th(IV) and Eu(III) Ions by 3,5-di-tert-butyl-2-Hydroxy-Benzaldehyde Oxime from Aqueous Chloride Media. *Separation Science and Technology* 47: 670-676. <http://dx.doi.org/10.1080/01496395.2011.629399>.
- Seifi, L; Torabian, A; Kazemian, H; Bidhendi, GN; Azimi, AA; Charkhi, A. (2010). Adsorption of Petroleum Monoaromatics from Aqueous Solutions Using Granulated Surface Modified Natural Nanozeolites: Systematic Study of Equilibrium Isotherms. *Water Air Soil Pollut* 217: 611-625. <http://dx.doi.org/10.1007/s11270-010-0614-7>.
- Seifried, B; Temelli, F. (2010). Density of Carbon Dioxide Expanded Ethanol at (313.2, 328.2, and 343.2) K. *Journal of Chemical and Engineering Data* 55: 2410-2415. <http://dx.doi.org/10.1021/jc900830s>.
- Sek, S. (2009). EC-STM study of potential-controlled adsorption of substituted pyrimidinethiol on Au(111). *Langmuir* 25: 13488-13492. <http://dx.doi.org/10.1021/la901984v>.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films* 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Seledets, O; Skubiszewska-Zieba, J; Lebeda, R; Gun'ko, VM. (2003). Surface properties of fumed silica/pyrocarbon prepared by pyrolysis of methylene chloride. *Mater Chem Phys* 82: 199-205. [http://dx.doi.org/10.1016/S0254-0584\(03\)00208-6](http://dx.doi.org/10.1016/S0254-0584(03)00208-6).
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A* 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol* 7: 350-356. <http://dx.doi.org/10.3109/1547691X.2010.520139>.
- SELIVERS.VM; BARABANO.NN; ALEKSAND.YA. (1972). AUTOMATIC MONITORING OF CONCENTRATION OF ACETIC-ANHYDRIDE IN ACETIC-METHYLENE CHLORIDE SOLUTIONS OF ACETYLCELLULOSE, WITH PLANNING OF EXPERIMENT. *Industrial Laboratory* 37: 1671-&.
- Selli, S; Canbas, A; Varlet, V; Kelebek, H; Prost, C; Serot, T. (2008). Characterization of the most odor-active volatiles of orange wine made from a Turkish cv. Kozan (*Citrus sinensis* L. Osbeck). *J Agric Food Chem* 56: 227-234. <http://dx.doi.org/10.1021/jf072231w>.
- Selli, S; Gubbuk, H; Kafkas, E; Gunes, E. (2012). Comparison of aroma compounds in Dwarf Cavendish banana (*Musa* spp. AAA) grown from open-field and protected cultivation area. *Sci Hortic (Amsterdam)* 141: 76-82. <http://dx.doi.org/10.1016/j.scienta.2012.04.008>.
- Selli, S; Kelebek, H. (2011). Aromatic profile and odour-activity value of blood orange juices obtained from Moro and Sanguinello (*Citrus sinensis* L. Osbeck). *Ind Crop Prod* 33: 727-733. <http://dx.doi.org/10.1016/j.indcrop.2011.01.016>.
- Selvaraju, N; Pushpavanam, S. (2009). Adsorption characteristics on sand and brick beds. *Chem Eng J* 147: 130-138. <http://dx.doi.org/10.1016/j.cej.2008.06.040>.

## Exposure Literature Search Results

### Off Topic

- Semnani, A; Shareghi, B; Pouretedal, HR. (2004). Spectrophotometric study of the complexation of iodine and bromine with tetrabutylammonium halides and cryptand 222 in dichloromethane solution. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 23: 1-6.
- Sen, A, li; de Melo, MMR; Silvestre, AJD; Pereira, H; Silva, CM. (2015). Prospective pathway for a green and enhanced friedelin production through supercritical fluid extraction of *Quercus cerris* cork. *Journal of Supercritical Fluids* 97: 247-255. <http://dx.doi.org/10.1016/j.supflu.2014.12.008>.
- Sen, A, li; Miranda, I; Santos, S; Graca, J; Pereira, H. (2010). The chemical composition of cork and phloem in the rhytidome of *Quercus cerris* bark. *Ind Crop Prod* 31: 417-422. <http://dx.doi.org/10.1016/j.indcrop.2010.01.002>.
- Sen, D; Kalipcilar, H; Yilmaz, L. (2007). Development of polycarbonate based zeolite 4A filled mixed matrix gas separation membranes. *J Memb Sci* 303: 194-203. <http://dx.doi.org/10.1016/j.memsci.2007.07.010>.
- Sen Gupta, S; Chakraborty, I; Maliyekkal, SM; Mark, TA; Pandey, DK; Das, SK; Pradeep, T. (2015). Simultaneous Dehalogenation and Removal of Persistent Halocarbon Pesticides from Water Using Graphene Nanocomposites: A Case Study of Lindane. 3: 1155-1163. <http://dx.doi.org/10.1021/acssuschemeng.5b00080>.
- Sen Teker, M; Tamer, U; Pekmez, NO. (2012). Fabrication and characterization of poly(vinylferrocenium) perchlorate/poly(3,4-ethylenedioxythiophene) composite-coated electrode in methylene chloride. *Synthetic Metals* 162: 924-930. <http://dx.doi.org/10.1016/j.synthmet.2012.04.017>.
- Senapati, S; Srivastava, SK; Singh, SB. (2012). Synthesis, characterization and photocatalytic activity of magnetically separable hexagonal Ni/ZnO nanostructure. *Nanoscale* 4: 6604-6612. <http://dx.doi.org/10.1039/c2nr31831h>.
- Senden, RJ; De Jean, P; Mcauley, KB; Schreiner, LJ. (2006). Polymer gel dosimeters with reduced toxicity: a preliminary investigation of the NMR and optical dose-response using different monomers. *Phys Med Biol* 51: 3301-3314. <http://dx.doi.org/10.1088/0031-9155/51/14/001>.
- Sengul, IF; Okutan, E; Kandemir, H; Astarci, E; Cosut, B. (2015). Carbazole substituted BODIPY dyes: Synthesis, photophysical properties and antitumor activity. *Dyes and Pigments* 123: 32-38. <http://dx.doi.org/10.1016/j.dyepig.2015.07.025>.
- Senila, L; Gog, A; Senila, M; Roman, C; Silaghi-Dumitrescu, L. (2012). Development of a GC-MS Method for 5-hydroxymethylfurfural Determination in Wood after Steam-explosion Pretreatment. *Rev Chim* 63: 557-561.
- Senkevich, JJ; Mitchell, CJ; Vijayaraghavan, A; Barnat, EV; Mcdonald, JF; Lu, TM. (2002). Unique structure/properties of chemical vapor deposited parylene E. *Journal of Vacuum Science and Technology A* 20: 1445-1449. <http://dx.doi.org/10.1116/1.1487870>.
- Senser, DW; Cundy, VA; Morse, JS. (1987). CHEMICAL-SPECIES AND TEMPERATURE PROFILES OF LAMINAR DICHLOROMETHANE-METHANE-AIR FLAMES. 1. VARIATION OF CHLORINE HYDROGEN LOADING. *Combust Sci Tech* 51: 209-233.
- Senser, DW; Morse, JS; Cundy, VA. (1985). PICS - A CONSEQUENCE OF STABLE INTERMEDIATE FORMATION DURING HAZARDOUS-WASTE INCINERATION (DICHLOROMETHANE). *Hazardous Waste and Hazardous Materials* 2: 473-486.
- Seo, J; Lee, S; Nam, S; Park, S; Jeong, J; Kim, J; Kim, H; Kim, Y. (2013). Thickness Effect of Electron-Donating Polymer Layers in Bilayer-Type All-Polymer Solar Cells. *Journal of Nanoelectronics and Optoelectronics* 8: 514-518. <http://dx.doi.org/10.1166/jno.2013.1515>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol* 35: 3386-3390.
- Serban, EA; Diaconu, I; Mirea, CM; Ruse, E; Nechifor, G. (2016). Partition of Indole-3-acetic Acid in Biphasic Systems. *Rev Chim* 67: 634-638.
- Sergent, A; Zucchi, G; Pansu, RB; Chaigneau, M; Geffroy, B; Tondelier, D; Ephritikhine, M. (2013). Synthesis, characterization, morphological behaviour, and photo- and electroluminescence of highly blue-emitting fluorene-carbazole copolymers with alkyl side-chains of different lengths. 1: 3207-3216. <http://dx.doi.org/10.1039/c3tc00060e>.
- Serhatli, IE; Serhatli, M. (1998). Synthesis and characterization of amorphous liquid crystalline poly(vinyl ether) block copolymers. *Turkish Journal of Chemistry* 22: 279-287.
- Sérino, S; Gomez, L; Costagliola, G; Gautier, H. (2009). HPLC assay of tomato carotenoids: validation of a rapid microextraction technique. *J Agric Food Chem* 57: 8753-8760. <http://dx.doi.org/10.1021/jf902113n>.
- Sesigur, F; Dasdan, DS; Yazici, O; Cakar, F; Cankurtaran, O; Karaman, F. (2016). Thermodynamical characterization of poly (ethylene glycol) and tosylate functionalized poly(ethylene glycol) interaction with some nonpolar and polar solvents via inverse gas chromatography. *Optoelectronics and Advanced Materials Rapid Communications* 10: 97-101.
- Severin, I; Poulain, M; El Abdi, R. (2007). Mechanical and chemical damage of optical fiber polymer coating. *J Optoelect Adv Mater* 9: 2110-2115.
- Severson, RF; Chortyk, OT; Stephenson, MG; Akey, DH; Neal, JW; Pittarelli, GW; Jackson, DM; Sisson, VA. (1994). CHARACTERIZATION OF NATURAL PESTICIDE FROM NICOTIANA-GOSSEI. *ACS Symp Ser Am Chem Soc* 557: 109-121.
- Severson, RF; Rogers, CE; Marti, OG; Gueldner, RC; Arrendale, RF. (1991). VENTRAL EVERSIABLE GLAND VOLATILES FROM LARVAE OF THE FALL ARMYWORM, SPODOPTERA-FRUGIPERDA (SMITH, J.E.) (LEPIDOPTERA, NOCTUIDAE). *Agric Biol Chem* 55: 2527-2530.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Seymour, MJ; Lucas, MF. (1993). Evaluation of Sampling and Analytical Methods for the Determination of Chlorodifluoromethane in Air. *Am Ind Hyg Assoc J* 54: 253-259.
- Sgro, LA; Koshland, CP; Lucas, D; Sawyer, RF. (2000). Postflame reaction chemistry of dichloromethane: Variations in equivalence ratio and temperature. *Combust Flame* 120: 492-503.
- Sgro, LA; Minutolo, P; Basile, G; D'Alessio, A. (2001). UV-visible spectroscopy of organic carbon particulate sampled from ethylene/air flames. *Chemosphere* 42: 671-680.

## Exposure Literature Search Results

### Off Topic

- Shah, J; Jan, MR; Muhammad, M; Shehzad, F, unN. (2011). Development of a complex-based flow injection spectrophotometric method for determination of the herbicide pinoxaden in environmental samples. *Toxicol Environ Chem* 93: 1547-1556. <http://dx.doi.org/10.1080/02772248.2011.604323>.
- Shahmoradi, B; Negahdary, M; Maleki, A. (2012). Hydrothermal Synthesis of Surface-Modified, Manganese-Doped TiO<sub>2</sub> Nanoparticles for Photodegradation of Methylene Blue. *Environ Eng Sci* 29: 1032-1037. <http://dx.doi.org/10.1089/ees.2011.0519>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res* 40: 283-285.
- Shankar, H; Rajasudha, G; Karthikeyan, A; Narayanan, V; Stephen, A. (2008). Synthesis, characterization and photocatalytic activity of nanotitania loaded W-MCM-41. *Nanotechnology* 19: 315711. <http://dx.doi.org/10.1088/0957-4484/19/31/315711>.
- Shanker, A; Sood, C; Kumar, V; Ravindranath, SD. (2001). A modified extraction and clean-up procedure for the detection and determination of parathion-methyl and chlorpyrifos residues in tea. *Pest Manag Sci* 57: 458-462.
- Shanmugam, M; Jayavel, R. (2015). Synthesize of Graphene-Tin Oxide Nanocomposite and Its Photocatalytic Properties for the Degradation of Organic Pollutants Under Visible Light. *J Nanosci Nanotechnol* 15: 7195-7201. <http://dx.doi.org/10.1166/jnn.2015.10562>.
- Shanmugaraju, S; Joshi, SA; Mukherjee, PS. (2011). Fluorescence and visual sensing of nitroaromatic explosives using electron rich discrete fluorophores. *J Mater Chem* 21: 9130-9138. <http://dx.doi.org/10.1039/c1jm10406c>.
- Shao, J; Chen, J; Xie, Q; Wang, Y; Li, X; Hao, C. (2010). Electron-accepting potential of solvents determines photolysis rates of polycyclic aromatic hydrocarbons: experimental and density functional theory study. *J Hazard Mater* 179: 173-177. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.075>.
- Shao, L, u; Liu, L, i; Cheng, S, iXue; Huang, Y, uD; Ma, J, un. (2008). Comparison of diamino cross-linking in different polyimide solutions and membranes by precipitation observation and gas transport. *J Memb Sci* 312: 174-185. <http://dx.doi.org/10.1016/j.memsci.2007.12.060>.
- Shao, Y; Xu, F; Li, W, ei; Zhang, K, un; Zhang, C; Li, R; Qiu, Y. (2016). Interfacial strength and debonding mechanism between aerogel-spun carbon nanotube yarn and polyphenylene sulfide. *Composites Part A: Applied Science and Manufacturing* 88: 98-105. <http://dx.doi.org/10.1016/j.compositesa.2016.05.025>.
- Sharif, R; Ahmad, SW; Anjum, H; Ramzan, N; Malik, SR. (2014). EFFECT OF INFUSION TIME AND TEMPERATURE ON DECAFFEINATION OF TEA USING LIQUID-LIQUID EXTRACTION TECHNIQUE. *Journal of Food Process Engineering* 37: 46-52. <http://dx.doi.org/10.1111/jfpe.12058>.
- Sharifi, S; Shafieyan, Y; Mirzadeh, H; Bagheri-Khoulenjani, S; Rabiee, SM; Imani, M; Atai, M; Shokrgozar, MA; Hatampoor, A. (2011). Hydroxyapatite scaffolds infiltrated with thermally crosslinked polycaprolactone fumarate and polycaprolactone itaconate. *J Biomed Mater Res A* 98: 257-267. <http://dx.doi.org/10.1002/jbm.a.33108>.
- Sharifimehr, MR; Ayoubi, K; Mohajerani, E. (2015). Third order optical nonlinearities characteristics of Disperse Red1 organic dye molecules inside of polymeric nanocapsules. *Optical Materials* 49: 147-151. <http://dx.doi.org/10.1016/j.optmat.2015.09.009>.
- Sharifimehr, MR; Ghanbari, K; Ayoubi, K; Mohajerani, E. (2015). Preparation and spectral characterization of polymeric nanocapsules containing DR1 organic dye. *Optical Materials* 45: 87-90. <http://dx.doi.org/10.1016/j.optmat.2015.02.036>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, BK; Sarowha, SLS; Bhagat, SD; Tiwari, RK; Gupta, SK; Venkataramani, PS. (1999). Analysis of insolubles of petroleum vacuum residues using TLC-FID. *Petroleum Science and Technology* 17: 319-332.
- Sharma, D; Singh, SB. (2012). Persistence of bifenthrin in sandy loam soil as affected by microbial community. *Bull Environ Contam Toxicol* 88: 906-908. <http://dx.doi.org/10.1007/s00128-012-0618-7>.
- Sharma, HS; Park, SM. (2004). Electrochemistry of conductive polymers - XXIX. Polyfluorene growth in dichloromethane and acetonitrile: A comparative study. *J Electrochem Soc* 151: E61-E68. <http://dx.doi.org/10.1149/1.1639021>.
- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res* 34: 4310-4317.
- Sharvelle, S; Arabi, M; Mclamore, E; Banks, MK. (2008). Model development for biotrickling filter treatment of graywater simulant and waste gas. I. *J Environ Eng* 134: 813-825. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:10\(813\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:10(813)).
- Shavaleev, NM; Scopelliti, R; Graetzel, M; Nazeeruddin, MK; Pertegas, A; Roldan-Carmona, C; Tordera, D; Bolink, HJ. (2013). Pulsed-current versus constant-voltage light-emitting electrochemical cells with trifluoromethyl-substituted cationic iridium(III) complexes. 1: 2241-2248. <http://dx.doi.org/10.1039/c3tc00808h>.
- Shaver, TN; Lingren, PD; Marshall, HF. (1997). Nighttime variation in volatile content of flowers of the night blooming plant *Gaura drummondii*. *J Chem Ecol* 23: 2673-2682.
- Shaw, AL; Macklin, KS; Blake, JP. (2010). Effects of Vitamin U on Intestinal Morphology in Broilers Undergoing a Salmonellosis Challenge. *Journal of Applied Animal Research* 37: 145-151.
- Sheean, PD; Hodges, LD; Kalafatis, N; Wright, PFA; Wynne, PM; Whitehouse, MW; Macrides, TA. (2007). Bioactivity of extracts from gonadal tissue of the edible Australian purple sea urchin *Heliocidaris erythrogramma*. *J Sci Food Agric* 87: 694-701. <http://dx.doi.org/10.1002/jsfa.2771>.
- Sheehan, D; Casey, JP. (1993). Microbial glutathione S-transferases [Review]. *Comp Biochem Physiol B Comp Biochem* 104: 1-6.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Barman, MA; Geis, SW; Tortorelli, JJ. (2004). Toxicity of ambient atmospheric particulate matter from the Lake Michigan (USA) airshed to aquatic organisms. *Environ Toxicol Chem* 23: 133-140. <http://dx.doi.org/10.1897/02-636>.

## Exposure Literature Search Results

### Off Topic

- Sheesley, RJ; Schauer, JJ; Hemming, JD; Geis, S; Barman, MA. (2005). Seasonal and spatial relationship of chemistry and toxicity in atmospheric particulate matter using aquatic bioassays. *Environ Sci Technol* 39: 999-1010. <http://dx.doi.org/10.1021/es049873+>.
- Sheikhi-Kouhsar, M; Bagheri, H; Raeissi, S. (2015). Modeling of ionic liquid plus polar solvent mixture molar volumes using a generalized volume translation on the Peng-Robinson equation of state. *Fluid Phase Equilibria* 395: 51-57. <http://dx.doi.org/10.1016/j.fluid.2015.03.005>.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicylamidine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data* 55: 5927-5931. <http://dx.doi.org/10.1021/je100369a>.
- Shen, G; Hu, X; Hu, Y. (2009). Kinetic study of the degradation of the insecticide pymetrozine in a vegetable-field ecosystem. *J Hazard Mater* 164: 497-501. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.020>.
- Shen, GH; Chen, JC; Chen, LJ. (1999). The structures and variation of vacancy ordering in epitaxial DySi<sub>2-x</sub> thin films on (111)Si. *Appl Surf Sci* 142: 300-304.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O<sub>3</sub> process. *Chemosphere* 38: 1855-1866.
- Shen, Z; Chen, J; ue, Li, X; in, Li, X; Zhou, Y; Yu, Y; Ding, H; Li, J; Zhu, L; Hua, J. (2016). Synthesis and Photovoltaic Properties of Powerful Electron-Donating Indeno[1, 2-b]thiophene-Based Green D-A-π-A Sensitizers for Dye-Sensitized Solar Cells. 4: 3518-3525. <http://dx.doi.org/10.1021/acssuschemeng.6b00574>.
- Sher, P; Ingavle, G; Ponrathnam, S; Pawar, AP. (2007). Low density porous carrier based conceptual drug delivery system. *Microporous and Mesoporous Materials* 102: 290-298. <http://dx.doi.org/10.1016/j.micromeso.2007.01.001>.
- Sherman, C; Portier, C. (1997). The two-stage model of carcinogenesis: overcoming the nonidentifiability dilemma. *Risk Anal* 17: 367-374.
- Sherry, JP; Carron, J; Leger, D; Kohli, J; Wilkinson, R. (1993). An MSD-based method for the detection of chlorinated dibenzo-P-dioxins and chlorinated dibenzofurans in fish. *Chemosphere* 27: 651-664.
- Sherwood, NM; Kyle, AL; Kreiberg, H; Warby, CM; Magnus, TH; Carolsfeld, J; Price, WS. (1991). PARTIAL CHARACTERIZATION OF A SPAWNING PHEROMONE IN THE HERRING CLUPEA-HARENGUS-PALLASI. *Can J Zool* 69: 91-103.
- Shestakova, M; Sillanpää, M. (2013). Removal of dichloromethane from ground and wastewater: a review [Review]. *Chemosphere* 93: 1258-1267. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.022>.
- Shi, F, aN; Trindade, T; Rocha, J; Paz, FAA. (2008). Hydro-Ionothermal Synthesis of Lanthanide-Organic Frameworks with 1,4-Phenylenebis(methylene)diphosphonate. *Cryst Growth Des* 8: 3917-3920. <http://dx.doi.org/10.1021/cg800639x>.
- Shi, M; Christensen, K; Weinberg, CR; Romitti, P; Bathum, L; Lozada, A; Morris, RW; Lovett, M; Murray, JC. (2007). Orofacial cleft risk is increased with maternal smoking and specific detoxification-gene variants. *Am J Hum Genet* 80: 76-90. <http://dx.doi.org/10.1086/510518>.
- Shi, Y, unL; Qian, C; Chen, X, inZhi. (2016). Solubility Measurement and Correlation of (+)-Biotin Intermediate Lactone in Different Organic Solvents from 287.15 to 323.75 K. *Journal of Chemical and Engineering Data* 61: 1509-1516. <http://dx.doi.org/10.1021/acs.jced.5b00857>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc* 837: 51-72.
- Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. *Ind Eng Chem Res* 38: 2650-2658.
- Shigehiro, T; Chen, Q; Yagi, S; Maeda, T; Nakazumi, H; Sakurai, Y. (2016). Substituent effect on photo- and electroluminescence properties of heteroleptic cyclometalated platinum(II) complexes based on a 2-(dibenzo[b,d]furan-4-yl)pyridine ligand. *Dyes and Pigments* 124: 165-173. <http://dx.doi.org/10.1016/j.dyepig.2015.09.015>.
- Shih, TS; Chou, JS; Chen, CY; Smith, TJ. (1999). Improved method to measure urinary alkoxyacetic acids. *Occup Environ Med* 56: 460-467.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci* 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shim, IK; Jung, MR; Kim, KH; Seol, YJ; Park, YJ; Park, WH; Lee, SJ. (2010). Novel three-dimensional scaffolds of poly(L-lactic acid) microfibers using electrospinning and mechanical expansion: Fabrication and bone regeneration. *J Biomed Mater Res B Appl Biomater* 95: 150-160. <http://dx.doi.org/10.1002/jbm.b.31695>.
- Shim, IK; Lee, SY; Park, YJ; Lee, MC; Lee, SH; Lee, JY; Lee, SJ. (2008). Homogeneous chitosan-PLGA composite fibrous scaffolds for tissue regeneration. *J Biomed Mater Res A* 84: 247-255. <http://dx.doi.org/10.1002/jbm.a.31464>.
- Shim, JS; Jung, JT; Sofer, S; Lakhwala, F. (1995). OXIDATION OF ETHANOL VAPORS IN A SPIRAL BIOREACTOR. *J Chem Tech Biotechnol* 64: 49-54.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther* 270: 414-423.
- Shimazaki, Y; Mitsuishi, M; Ito, S; Yamamoto, M. (1997). Preparation of the layer-by-layer deposited ultrathin film based on the charge-transfer interaction. *Langmuir* 13: 1385-1387.
- Shimizu, H; Takahashi, Y. (2012). Review of adhesive techniques used in removable prosthodontic practice [Review]. *J Oral Sci* 54: 205-211.
- Shimizu, S; El Seoud, OA. (2003). Synthesis and aggregation of benzyl(2-acylaminoethyl)dimethylammonium chloride surfactants. *Langmuir* 19: 238-243. <http://dx.doi.org/10.1021/la026286y>.
- Shimizu, Y; Matsui, S; Harada, J. (2003). Evaluation of micro-organic pollution in lake sediments: Application to Akanoi Bay, Lake Biwa, Japan. *Environ Technol* 24: 889-896.
- Shin, DM; Choi, KH; Park, JS; Choi, JS; Kang, DY. (1996). Characterization of octadecylviologen-TCNQ Langmuir-Blodgett films. *Thin Solid Films* 284: 523-525.



## Exposure Literature Search Results

### Off Topic

- Shin, JH, wa; Ahn, Y, unG. (2007). Analysis of polychlorinated dibenzo-p-dioxins and dibenzo-furans in sanitary products of women. *Text Res J* 77: 597-603. <http://dx.doi.org/10.1177/0040517507078786>.
- Shin, MS, am; Lee, J, uHo; Kim, H. (2008). Phase behavior of the poly(vinyl pyrrolidone) plus dichloromethane plus supercritical carbon dioxide system. *Fluid Phase Equilibria* 272: 42-46. <http://dx.doi.org/10.1016/j.fluid.2008.07.016>.
- Shin, WS. (2008). Competitive sorption of anionic and cationic dyes onto cetylpyridinium-modified montmorillonite. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 1459-1470. <http://dx.doi.org/10.1080/10934520802232337>.
- Shin, YC; Yi, GY; Kim, Y; Paik, NW. (2002). Development of a sampling and analytical method for 2,2-dichloro-1,1,1-trifluoroethane in workplace air. *AIHA J* 63: 715-720.
- Shinbo, K; Iwasaki, M; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F. (2011). Humidity Detection by Using a Hybrid Sensor Employing Optical Waveguide Spectroscopy and Quartz Crystal Microbalance. *I E I C E Transactions on Electronics E94C*: 1851-1854. <http://dx.doi.org/10.1587/transele.E94.C.1851>.
- Shinbo, K; Otuki, S; Kanbayashi, Y; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F; Miyadera, N. (2009). A hybrid humidity sensor using optical waveguides on a quartz crystal microbalance. *Thin Solid Films* 518: 629-633. <http://dx.doi.org/10.1016/j.tsf.2009.07.059>.
- Shinyashiki, M; Eiguren-Fernandez, A; Schmitz, DA; Di Stefano, E; Li, N; Linak, WP; Cho, SH; Froines, JR; Cho, AK. (2009). Electrophilic and redox properties of diesel exhaust particles. *Environ Res* 109: 239-244. <http://dx.doi.org/10.1016/j.envres.2008.12.008>.
- Shiraishi, Y; Tachibana, K; Hirai, T; Komasa, I. (2003). Photochemical production of biphenyls from oxidized sulfur compounds obtained by oxidative desulfurization of light oils. *Energy Fuels* 17: 95-100. <http://dx.doi.org/10.1021/ef020139q>.
- Shiri-Yekta, Z; Yaftian, MR. (2010). Anion Control Selectivity of Neutral N-4-Type Schiff Base Extractants Towards Transition Metal Ions. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 29: 11-17.
- Shirley, WA. (1997). OSHA slashes methylene chloride exposure limits. *Chemical Engineering Progress* 93: 38-&.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO<sub>2</sub>, O<sub>2</sub>, Ar, N<sub>2</sub>, H<sub>2</sub>, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data* 53: 1867-1871. <http://dx.doi.org/10.1021/jc800200j>.
- Shoulaifar, TK; Demartini, N; Zevenhoven, M; Verhoeff, F; Kiel, J; Hupa, M. (2013). Ash-Forming Matter in Torrefied Birch Wood: Changes in Chemical Association. *Energy Fuels* 27: 5684-5690. <http://dx.doi.org/10.1021/ef4005175>.
- Shpaysman, N; Margel, S. (2006). Synthesis and characterization of air-stable iron nanocrystalline particles based on a single-step swelling process of uniform polystyrene template microspheres. *Chem Mater* 18: 396-402. <http://dx.doi.org/10.1021/cm0519232>.
- Shpaysman, N; Margel, S. (2008). Anomalous polymer particles of narrow size distribution prepared by insertion and evaporation of Fe(CO)<sub>5</sub> from uniform polystyrene template microspheres. *Chem Mater* 20: 1719-1724. <http://dx.doi.org/10.1021/cm7032383>.
- Shrestha, NK; Kohn, H; Imamura, M; Irie, K; Ogihara, H; Saji, T. (2010). Electrophoretic deposition of phthalocyanine in organic solutions containing trifluoroacetic acid. *Langmuir* 26: 17024-17027. <http://dx.doi.org/10.1021/la102172t>.
- Shu, Y; Li, C; Chen, B; Bai, W; Shen, Y. (2015). Process optimization and characterization of activated carbons from *Amygdalus pedunculata* shell by zinc chloride activation. *J Optoelect Adv Mater* 17: 182-191.
- Shu, YY; Lai, TL; Lin, HS; Yang, TC; Chang, CP. (2003). Study of factors affecting on the extraction efficiency of polycyclic aromatic hydrocarbons from soils using open-vessel focused microwave-assisted extraction. *Chemosphere* 52: 1667-1676. [http://dx.doi.org/10.1016/S0045-6535\(03\)00372-2](http://dx.doi.org/10.1016/S0045-6535(03)00372-2).
- Shuai, Q; Yang, X; Luo, Y; Tang, H, ao; Luo, X; Tan, Y; Ma, M. (2015). A superhydrophobic poly(dimethylsiloxane)-TiO<sub>2</sub> coated polyurethane sponge for selective absorption of oil from water. *Mater Chem Phys* 162: 94-99. <http://dx.doi.org/10.1016/j.matchemphys.2015.05.011>.
- Shuangfei, C; Lisheng, W; Guoqing, Y; Yi, L. (2010). Solubilities of 1-Methyl-3-(3-sulfopropyl)-imidazolium Hydrogen Sulfate in Selected Solvents. *Chinese Journal of Chemical Engineering* 18: 1008-1012.
- Shui, XP; Frysz, CA; Chung, DDL. (1995). Solvent cleansing of the surface of carbon filaments and its benefit to the electrochemical behavior. *Carbon* 33: 1681-1698.
- Shukla, NB; Rattan, S; Madras, G. (2012). Swelling and Dye-Adsorption Characteristics of an Amphoteric Superabsorbent Polymer. *Ind Eng Chem Res* 51: 14941-14948. <http://dx.doi.org/10.1021/ie301839z>.
- Shukla, S; Seal, S. (2003). PHASE STABILIZATION IN NANOCRYSTALLINE ZIRCONIA. *Reviews on Advanced Materials Science* 5: 117-120.
- Shusterman, D; Quinlan, P; Lowengart, R; Cone, J. (1990). Methylene chloride intoxication in a furniture refinisher: A comparison of exposure estimates utilizing workplace air sampling and blood carboxyhemoglobin measurements. *J Occup Environ Med* 32: 451-454.
- Sibali, LL; Okonkwo, JO; Zvinowanda, C. (2009). Determination of DDT and Metabolites in Surface Water and Sediment Using LLE, SPE, ACE and SE. *Bull Environ Contam Toxicol* 83: 885-891. <http://dx.doi.org/10.1007/s00128-009-9851-0>.
- Sibali, LL; Okwonkwo, JO; Mccrindle, R, obl. (2008). Determination of selected organochlorine pesticide (OCP) compounds from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 34: 611-621.
- Sibali, LL; Okwonkwo, JO; Mccrindle, RI. (2010). Levels of selected alkylphenol ethoxylates (APEs) in water and sediment samples from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 36: 229-238.
- Sibiya, P; Chimuka, L; Cukrowska, E; Tutu, H. (2013). Development and application of microwave assisted extraction (MAE) for the extraction of five polycyclic aromatic hydrocarbons in sediment samples in Johannesburg area, South Africa. *Environ Monit Assess* 185: 5537-5550. <http://dx.doi.org/10.1007/s10661-012-2965-6>.
- Sicard, L; Navarathne, D; Skalski, T; Skene, WG. (2013). On-Substrate Preparation of an Electroactive Conjugated Polyazomethine from Solution-Processable Monomers and its Application in Electrochromic Devices. *Adv Funct Mater* 23: 3549-3559. <http://dx.doi.org/10.1002/adfm.201203657>.

## Exposure Literature Search Results

### Off Topic

- Siddique, H; Rundquist, E; Bhole, Y; Peeva, LG; Livingston, AG. (2014). Mixed matrix membranes for organic solvent nanofiltration. *J Memb Sci* 452: 354-366. <http://dx.doi.org/10.1016/j.memsci.2013.10.012>.
- Siddiqui, S; Adams, WA. (2002). The fate of diesel hydrocarbons in soils and their effect on the germination of perennial ryegrass. *Environ Toxicol* 17: 49-62.
- Siddiqui, S; Adams, WA; Schollion, J. (2001). The phytotoxicity and degradation of diesel hydrocarbons in soil. 164: 631-635.
- Sidhu, S; Kast, N; Edwards, P; Dellinger, B. (2001). Hazardous air pollutants formation from reactions of raw meal organics in cement kilns. *Chemosphere* 42: 499-506.
- Sievers, U; Eggers, R. (1996). Heat recovery in supercritical fluid extraction process with separation at subcritical pressure. *Chemical Engineering and Processing: Process Intensification* 35: 239-246.
- Siewierski, LM; Brittain, WJ; Petrash, S; Foster, MD. (1996). Photoresponsive monolayers containing in-chain azobenzene. *Langmuir* 12: 5838-5844.
- Sikorska-Sobiegraj, E; Zielinski, S. (2005). Adsorption of heavy metals on activated carbon in the presence of selected organic compounds. *Przemysł Chemiczny* 84: 254-256.
- Silkina, A; Bazes, A; Mouget, JL; Bourgougnon, N. (2012). Comparative efficiency of macroalgal extracts and booster biocides as antifouling agents to control growth of three diatom species. *Mar Pollut Bull* 64: 2039-2046. <http://dx.doi.org/10.1016/j.marpolbul.2012.06.028>.
- Silkowski, MA; Smith, SR; Plewa, MJ. (1992). Analysis of the genotoxicity of municipal solid waste incinerator ash. *Sci Total Environ* 111: 109-124.
- Sills, RC; Hailey, JR; Neal, J; Boorman, GA; Haseman, JK; Melnick, RL. (1999). Examination of low-incidence brain tumor responses in F344 rats following chemical exposures in National Toxicology Program carcinogenicity studies. *Toxicol Pathol* 27: 589-599. <http://dx.doi.org/10.1177/019262339902700513>.
- Silva, AR; Budarin, V; Clark, JH; de Castro, B; Freire, C. (2005). Chiral manganese(III) Schiff base complexes anchored onto activated carbon as enantio selective heterogeneous catalysts for alkene epoxidation. *Carbon* 43: 2096-2105. <http://dx.doi.org/10.1016/j.carbon.2005.03.024>.
- Silva, FM; Donega, MA; Cerdeira, AL; Corniani, N; Velini, ED; Cantrell, CL; Dayan, FE; Coelho, MN; Shea, K; Duke, SO. (2014). Roots of the invasive species *Carduus nutans* L. and *C. acanthoides* L. produce large amounts of aplotaxene, a possible allelochemical. *J Chem Ecol* 40: 276-284. <http://dx.doi.org/10.1007/s10886-014-0390-8>.
- Silva, MA; Dias Bezerra-Silva, GC; Vendramim, JD; Mastrangelo, T. (2013). SUBLETHAL EFFECT OF NEEM EXTRACT ON MEDITERRANEAN FRUIT FLY ADULTS. *Revista Brasileira de Fruticultura* 35: 93-101.
- Silverio, FO; Barbosa, LCA; Maltha, CRA; Silvestre, AJD; Pilo-Veloso, D; Gomide, JL. (2007). CHARACTERIZATION OF LIPOPHILIC WOOD EXTRACTIVES FROM CLONES OF *Eucalyptus urograndis* CULTIVATED IN BRAZIL. *BioResources* 2: 157-168.
- Silvestre-Albero, A, na; Rico-Frances, S; Rodriguez-Reinoso, F; Kern, AM; Klumpp, M; Etzold, BJM; Silvestre-Albero, J. (2013). High selectivity of TiC-CDC for CO<sub>2</sub>/N<sub>2</sub> separation. *Carbon* 59: 221-228. <http://dx.doi.org/10.1016/j.carbon.2013.03.012>.
- Sim, JH; Ogino, K; Sato, H. (1995). SYNTHESIS AND CHARACTERIZATION OF POLYMERS HAVING FLUORENONE DERIVATIVES. *Synthetic Metals* 69: 575-576.
- Sime, KR. (2002). Experimental studies of the host-finding behavior of *Trogus pennator*, a parasitoid of swallowtail butterflies. *J Chem Ecol* 28: 1377-1392.
- Simell, P; Stahlberg, P; Kurkela, E; Albrecht, J; Deutsch, S; Sjoström, K. (2000). Provisional protocol for the sampling and analysis of tar and particulates in the gas from large-scale biomass gasifiers. Version 1998. *Biomass and Bioenergy* 18: 19-38.
- Simion, G; Carlescu, I; Lisa, G; Scutaru, D, an. (2012). Synthesis and Characterization of Some Liquid Crystalline Compounds based on a 2,7-dihydroxynaphthalene Core. *Rev Chim* 63: 407-411.
- Simon, M; Csunderlik, C; Tirnaveanu, A. (2001). A study on the bis(mononitrophenyl) carbonates formation reaction. Starting from triphosgene and nitrophenols. *Rev Chim* 52: 371-376.
- Simon, M; Micle, A; Armeanu, I; Medeleanu, M; Csunderlik, C. (2006). Study of the obtaining reaction for N,N'-diphthalimidylcarbonate starting from triphosgene and N-hydroxyphthalimide in the presence of triethylamine. *Rev Chim* 57: 1115-1118.
- Simon, M; Turoczi, CM; Badea, V; Pop, M; Zaharia, V; Csunderlik, C. (2010). Synthesis of Symmetrically N,N'-di-substituted Aliphatic Ureas by Reaction of bis(o-nitrophenyl) Carbonate with Primary Amines. *Rev Chim* 61: 380-382.
- Simoncic, B; Span, J; Vesnaver, G. (1994). A STUDY OF THE SELF-ASSOCIATION OF SIMPLE AZO DYES USING THE POTENTIOMETRIC METHOD. *Dyes and Pigments* 26: 257-276.
- Simpson, J. R.; Mcpherson, EG. (1997). The effects of roof albedo modification on cooling loads of scale model residences in Tucson, Arizona. *Energy and Buildings* 25: 127-137.
- Simpson, CD; Cullen, WR; Quinlan, KB; Reimer, KJ. (1995). Methodology for the determination of priority pollutant polycyclic aromatic hydrocarbons in marine sediments. *Chemosphere* 31: 4143-4155.
- Sindam, B; Raju, KCJ. (2015). Influence of sintering temperature on microwave dielectric properties, structure and lattice modes of Ba(Zn<sub>1/3</sub>Ta<sub>2/3</sub>)O<sub>3</sub> resonators. *Journal of Materials Science: Materials in Electronics* 26: 3997-4004. <http://dx.doi.org/10.1007/s10854-015-2936-0>.
- Siner, A; Ahmad, FB; Davis, TM; Singh, B; Cox-Singh, J. (2008). IN VITRO ACTIVITY OF A DICHLOROMETHANE FRACTION OF *LANSIUM DOMESTICUM* LEAVES AGAINST *PLASMODIUM FALCIPARUM* CLONE 3D7. *Am J Trop Med Hyg* 79: 278-278.
- Singh, B; Prasad, GK; Suryanarayana, MVS; Banerjee, S. (2001). The reaction of thiodiglycol on metal-impregnated carbon. *Carbon* 39: 2131-2142.
- Singh, P; Suman, A; Shrivastava, AK. (2003). Isolation and identification of allelochemicals from sugarcane leaves. *Allelopathy Journal* 12: 71-79.

## Exposure Literature Search Results

### Off Topic

- Singh, S; Battu, RS. (2012). Dissipation kinetics of spinosad in cabbage (*Brassica oleracea* L.var. capitata). *Toxicol Environ Chem* 94: 319-326. <http://dx.doi.org/10.1080/02772248.2011.639774>.
- Singmaster, JA. (1991). CONTAMINANTS IN AGED PESTICIDE GRADE DICHLOROMETHANE INTERFERING IN HERBICIDE RESIDUE ANALYSIS AND A METHOD FOR THEIR REMOVAL. *University of Puerto Rico Journal of Agriculture* 75: 329-344.
- Sinha, W; Deibel, N; Garai, A; Schweinfurth, D; Anwar, S; Purohit, CS; Sarkar, B; Kar, S. (2014). In-situ spectroelectrochemistry (EPR, UV-visible) and aggregation behavior of H-2 BDCP and Zn(II)BDCP [BDCP = {5,10,15,20-tetrakis[3,4-(1,4-dioxan)phenyl]porphyrin}(2-)]. *Dyes and Pigments* 107: 29-37. <http://dx.doi.org/10.1016/j.dyepig.2014.03.019>.
- Sinquin, G; Petit, C; Hindermann, JP; Kiennemann, A. (2001). Study of the formation of LaMO<sub>3</sub> (M = Co, Mn) perovskites by propionates precursors: application to the catalytic destruction of chlorinated VOCs. *Catalysis Today* 70: 183-196.
- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ* 27: 105-115.
- Sirtl, T; Lischka, M; Eichhorn, J; Rastgoo-Lahrood, A; Strunskus, T; Heckl, WM; Lackinger, M. (2014). From Benzenetrihiolate Self-Assembly to Copper Sulfide Adlayers on Cu(111): Temperature-Induced Irreversible and Reversible Phase Transitions. *J Phys Chem C* 118: 3590-3598. <http://dx.doi.org/10.1021/jp411084k>.
- Sivakumaran, S; Rajendran, S. (1988). ANALYSIS OF POLYESTER SILK AND POLYESTER WOOL USING TRICHLOROACETIC-ACID AND METHYLENE-CHLORIDE. *Text Chem Color* 20: 25-26.
- Skolucka-Szary, K; Ramięga, A; Piaskowska, W; Janicki, B; Grala, M; Rieske, P; Stoczyńska-Fidelus, E; Piaskowski, S. (2015). Chitin dipentanoate as the new technologically usable biomaterial. *Mater Sci Eng C* 55: 50-60. <http://dx.doi.org/10.1016/j.msec.2015.05.051>.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess* 3: 635-653.
- Skrdla, PJ; Lindemann, C. (2003). Dehydration of 2-butanol by a sulfated zirconia/gamma-alumina mixed metal oxide catalyst inside a gas chromatograph injection port. *Appl Catal A-Gen* 246: 227-235. [http://dx.doi.org/10.1016/S0926-860X\(03\)00022-X](http://dx.doi.org/10.1016/S0926-860X(03)00022-X).
- Skubiszewska-Zieba, J; Charmas, B; Leboda, R; Staszczuk, P; Kowalczyk, P; Oleszczuk, P. (2003). Effect of hydrothermal modification on the porous structure and thermal properties of carbon-silica adsorbents (carbosils). *Mater Chem Phys* 78: 486-494.
- Slipszenko, JA; Griffiths, SP; Johnston, P; Simons, KE; Vermeer, WAH; Wells, PB. (1998). Enantioselective hydrogenation - V. Hydrogenation of butane-2,3-dione and of 3-hydroxybutan-2-one catalysed by cinchona-modified platinum. *J Catal* 179: 267-276.
- Słowik-Borowiec, M; Szyrka, E; Walorczyk, S. (2012). Analysis of pesticide residues in fresh peppermint, *Mentha piperita* L., using the quick easy cheap effective rugged and safe method (QuEChERS) followed by gas chromatography with electron capture and nitrogen phosphorus detection. *Bull Environ Contam Toxicol* 89: 633-637. <http://dx.doi.org/10.1007/s00128-012-0717-5>.
- Smith, IH; Budd, TC; Sills, J; Casida, JE. (1993). INSECTICIDAL 1-(ALKYNYLALKYL)-3-CYANO-2,6,7-TRIOXABICYCLO[2.2.2]OCTANES. *J Agric Food Chem* 41: 1114-1117.
- Smith, MF; Kemper, CN; Smith, GW; Goetz, TL; Jarrell, VL. (1994). PRODUCTION OF TISSUE INHIBITOR OF METALLOPROTEINASES-1 BY PORCINE FOLLICULAR AND LUTEAL CELLS. *J Anim Sci* 72: 1004-1012.
- Smith, PA; Bowerbank, CR; Lee, ML; Solberg, M; Drown, DB; Alexander, W; Still, KR. (2000). Airborne aldehydes from heating rosin core solder and liquid rosin flux to soldering temperatures. *Am Ind Hyg Assoc J* 61: 95-101.
- Snyder, SA; Keith, TL; Pierens, SL; Snyder, EM; Giesy, JP. (2001). Bioconcentration of nonylphenol in fathead minnows (*Pimephales promelas*). *Chemosphere* 44: 1697-1702.
- So, HS; Shin, HC; Kim, BS; Yoo, YS. (2006). Controlled release of active substance from biodegradable copolymer matrix. *Materials Science Forum* 510-511: 798-801.
- Soares, AT; da Costa, DC; Silva, BF; Lopes, RG; Derner, RB; Antoniosi Filho, NR. (2014). Comparative Analysis of the Fatty Acid Composition of Microalgae Obtained by Different Oil Extraction Methods and Direct Biomass Transesterification. *BioEnergy Res* 7: 1035-1044. <http://dx.doi.org/10.1007/s12155-014-9446-4>.
- Sobczyk-Guzenda, A; Szymanowski, H; Jakubowski, W; Blasinska, A; Kowalski, J; Gazicki-Lipman, M. (2013). Morphology, photocleaning and water wetting properties of cotton fabrics, modified with titanium dioxide coatings synthesized with plasma enhanced chemical vapor deposition technique. *Surf Coating Tech* 217: 51-57. <http://dx.doi.org/10.1016/j.surfcoat.2012.11.071>.
- Sobue, T; Utada, M; Makiuchi, T; Ohno, Y; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2015). Risk of bile duct cancer among printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *J Occup Health* 57: 230-236. <http://dx.doi.org/10.1539/joh.14-0116-OA>.
- Soden, KJ; Amsel, J. (1997). Methylene chloride, carboxyhemoglobin and cardiac risk - Reply. *J Occup Environ Med* 39: 12-12.
- Soden, KJ; Marras, G; Amsel, J. (1996). Carboxyhemoglobin levels in methylene chloride-exposed employees. *J Occup Environ Med* 38: 367-371.
- Soganci, T; Soyleyici, HC, an; Ak, M; Cetisli, H. (2016). An Amide Substituted Dithienylpyrrole Based Copolymer: Its Electrochromic Properties. *J Electrochem Soc* 163: H59-H66. <http://dx.doi.org/10.1149/2.0631602jes>.
- Sohofi, N; Tavanai, H; Morshed, M; Abdolmaleki, A. (2014). Electrospinning of 100% Carboxymethyl Chitosan Nanofibers. *Journal of Engineered Fabrics and Fibers* 9: 87-92.
- Sohrabnezhad, S, h; Sadeghi, A. (2015). Matrix effect of montmorillonite and MCM-41 matrices on the antibacterial activity of Ag<sub>2</sub>CO<sub>3</sub> nanoparticles. *Appl Clay Sci* 105: 217-224. <http://dx.doi.org/10.1016/j.clay.2014.12.034>.
- Soldatov, DV; Grachev, EV; Ripmeester, JA. (2002). The first "organic zeolite" with isomerizing building blocks: Single-crystal-to-single-crystal desolvation and structure of the empty matrix. *Cryst Growth Des* 2: 401-408. <http://dx.doi.org/10.1021/cg020016w>.
- Soldera, S; Sebastianutto, N; Bortolomeazzi, R. (2008). Composition of phenolic compounds and antioxidant activity of commercial aqueous smoke flavorings. *J Agric Food Chem* 56: 2727-2734. <http://dx.doi.org/10.1021/jf072117d>.

## Exposure Literature Search Results

### Off Topic

- Soleas, GJ; Yan, J; Goldberg, DM. (2001). Assay of ochratoxin A in wine and beer by high-pressure liquid chromatography photodiode array and gas chromatography mass selective detection. *J Agric Food Chem* 49: 2733-2740. <http://dx.doi.org/10.1021/jf0100651>.
- Solis-Casados, D; Viguera-Santiago, E; Hernandez-Lopez, S; Camacho-Lopez, AA. (2009). Characterization and Photocatalytic Performance of Tin Oxide. *Ind Eng Chem Res* 48: 1249-1252. <http://dx.doi.org/10.1021/ie800604u>.
- Solla-Gullon, J; Gomez, E; Valles, E; Aldaz, A; Feliu, JM. (2010). Synthesis and structural, magnetic and electrochemical characterization of PtCo nanoparticles prepared by water-in-oil microemulsion. *J Nanopart Res* 12: 1149-1159. <http://dx.doi.org/10.1007/s11051-009-9680-4>.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech* 5: 353-360.
- Soltanian, H; Rezaeian, S; Shakeri, A; Janpoor, J; Pourianfar, HR. (2016). Antibacterial activity of crude extracts and fractions from Iranian wild-grown and cultivated *Agaricus* spp. *Biomedical Research* 27: 56-59.
- Solum, MS; Mayne, CL; Orendt, AM; Pugmire, RJ; Adams, J; Fletcher, TH. (2014). Characterization of Macromolecular Structure Elements from a Green River Oil Shale, I. Extracts. *Energy Fuels* 28: 453-465. <http://dx.doi.org/10.1021/ef401918u>.
- Solum, MS; Veranth, JM; Jiang, YJ; Orendt, AM; Sarofim, AF; Pugmire, RJ. (2003). Study of anthracene aerosols by solid-state NMR and ESR. *Energy Fuels* 17: 738-743. <http://dx.doi.org/10.1021/ef020216h>.
- Son, KC; Severson, RF; Kays, SJ. (1991). A RAPID METHOD FOR SCREENING SWEET-POTATO GENOTYPES FOR OVIPOSITION STIMULANTS TO THE SWEET-POTATO WEEVIL. *HortScience* 26: 409-410.
- Sonawane, S; Chaudhari, P; Ghodke, S; Phadtare, S; Meshram, S. (2009). Ultrasound assisted adsorption of basic dye onto organically modified bentonite (nanoclay). *Journal of Sci Ind Res* 68: 162-167.
- Sone, R; Takemura, I; Oyaizu, K; Nishide, H. (2009). Chiral alkylated poly(m-phenylene)s: Optical activity and thermal stability of helical structures. *Synthetic Metals* 159: 925-930. <http://dx.doi.org/10.1016/j.synthmet.2009.01.057>.
- Song, C; Li, C; Yin, Y; Xiao, J; Zhang, X; Song, M; Dong, W, ei. (2015). Preparation and gas sensing properties of partially broken WO<sub>3</sub> nanotubes. *Vacuum* 114: 13-16. <http://dx.doi.org/10.1016/j.vacuum.2014.12.019>.
- Song, KH; Lee, CH; Lim, JS; Lee, YW. (2002). Preparation of L-PLA submicron particles by a continuous supercritical antisolvent precipitation process. *Korean J Chem Eng* 19: 139-145.
- Song, QS; Yang, DR; Zhang, GM; Yang, CR. (2001). Volatiles from *Ficus hispida* and their attractiveness to fig wasps. *J Chem Ecol* 27: 1929-1942.
- Song, Y; Harper, AS; Murray, RW. (2005). Ligand heterogeneity on monolayer-protected gold clusters. *Langmuir* 21: 5492-5500. <http://dx.doi.org/10.1021/la0503606>.
- Song, YF; Jing, X; Fleischmann, S; Wilke, BM. (2002). Comparative study of extraction methods for the determination of PAHs from contaminated soils and sediments. *Chemosphere* 48: 993-1001.
- Song, Z; Qu, Y; Wang, S. (2010). Solubilities of (alpha,Z)-2-Amino-alpha-(methoxyimino)-4-thiazole-ethanethioic Acid S-2-Benzothiazolyl Ester in Pure Solvents and a Mixture of Acetonitrile and Dichloromethane. *Journal of Chemical and Engineering Data* 55: 2343-2344. <http://dx.doi.org/10.1021/je900784v>.
- Sonmez, E; Sonmez, F; Kumbasar, RA, Ii; Eyupoglu, V. (2012). Synergistic and selective extraction of Cd<sup>2+</sup> from acidic solution containing Cd<sup>2+</sup>, Co<sup>2+</sup>, Ni<sup>2+</sup> by trioctylamine (TIOA) and tributyl phosphate (TBP). *J Ind Eng Chem* 18: 1286-1292. <http://dx.doi.org/10.1016/j.jiec.2012.01.025>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res* 6: 1-8.
- Soppimath, KS; Kulkarni, AR; Aminabhavi, TM; Bhaskar, C. (2001). Cellulose acetate microspheres prepared by o/w emulsification and solvent evaporation method. *J Microencapsul* 18: 811-817.
- Soreide, JE; Tamelander, T; Hop, H; Hobson, KA; Johansen, I. (2006). Sample preparation effects on stable C and N isotope values: a comparison of methods in Arctic marine food web studies. *Mar Ecol Prog Ser* 328: 17-28.
- Sorial, GA; Smith, FL; Suidan, MT; Biswas, P; Brenner, RC. (1995). EVALUATION OF TRICKLE-BED BIOFILTER MEDIA FOR TOLUENE REMOVAL. *J Air Waste Manag Assoc* 45: 801-810.
- Sousa, AF; Pinto, PC; Silvestre, AJ; Pascoal Neto, C. (2006). Triterpenic and other lipophilic components from industrial cork byproducts. *J Agric Food Chem* 54: 6888-6893. <http://dx.doi.org/10.1021/jf060987+>.
- Souza, MLR; Hoch, AL; Gasparino, E; Scapinello, C; Dourado, MD; Da Silva, CSC; Lala, B. (2016). COMPOSITIONAL ANALYSIS AND PHYSICO-CHEMICAL AND MECHANICAL TESTING OF TANNED RABBIT SKINS. *World Rabbit Science* 24: 233-238. <http://dx.doi.org/10.4995/wrs.2016.4037>.
- Soylemez, S; Hacioglu, SO; Uzun, SD; Toppare, L. (2015). A Low Band Gap Benzimidazole Derivative and Its Copolymer with 3,4-Ethylenedioxythiophene for Electrochemical Studies. *J Electrochem Soc* 162: H6-H14. <http://dx.doi.org/10.1149/2.0311501jes>.
- Spada, RM; Cepeda-Plaza, M; Gomez, ML; Guenther, G; Jaque, P; Pizarro, N; Palacios, RE; Vega, A. (2015). Clean Singlet Oxygen Production by a Re-I Complex Embedded in a Flexible Self-Standing Polymeric Silsesquioxane Film. *J Phys Chem C* 119: 10148-10159. <http://dx.doi.org/10.1021/acs.jbcc.5b01990>.
- Spear, RC; Bois, FY; Woodruff, T; Auslander, D; Parker, J; Selvin, S. (1991). Modeling benzene pharmacokinetics across three sets of animal data: Parametric sensitivity and risk implications. *Risk Anal* 11: 641-654. <http://dx.doi.org/10.1111/j.1539-6924.1991.tb00653.x>.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.

## Exposure Literature Search Results

### Off Topic

- Sperling, S; Kühbandner, S; Engel, KC; Steiger, S; Stökl, J; Ruther, J. (2015). Size Exclusion High Performance Liquid Chromatography: Re-Discovery of a Rapid and Versatile Method for Clean-Up and Fractionation in Chemical Ecology. *J Chem Ecol* 41: 574-583. <http://dx.doi.org/10.1007/s10886-015-0584-8>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Spongberg, AL; Becks, PM. (2000). Organic contamination in soils associated with cemeteries. *Journal of Soil Contamination* 9: 87-97.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria* 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sreng, L; Cloarec, A; Rivault, C. (1998). Cuticular extracts inducing aggregation in the German cockroach, *Blattella germanica* (L.). *J Insect Physiol* 44: 909-918.
- Sriamornsak, P; Burapapad, K. (2015). Particle design of itraconazole by evaporative recrystallization for dissolution improvement. *Chem Eng Res Des* 100: 444-451. <http://dx.doi.org/10.1016/j.cherd.2015.04.028>.
- Srihanam, P; Srisuwan, Y; Imsombut, T; Baimark, Y. (2011). Silk fibroin microspheres prepared by the water-in-oil emulsion solvent diffusion method for protein delivery. *Korean J Chem Eng* 28: 293-297. <http://dx.doi.org/10.1007/s11814-010-0322-4>.
- Srinivasan, P; Sarmah, AK; Manley-Harris, M; Wilkins, AL. (2012). Development of an HPLC method to analyze four veterinary antibiotics in soils and aqueous media and validation through fate studies. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47: 2120-2132. <http://dx.doi.org/10.1080/10934529.2012.696005>.
- Srivastava, R; Smith, BD. (1985). TOTAL PRESSURE VAPOR LIQUID EQUILIBRIUM DATA FOR BINARY-SYSTEMS OF DICHLOROMETHANE WITH BENZENE, TOLUENE, NITROMETHANE, AND CHLOROBENZENE. *Journal of Chemical and Engineering Data* 30: 313-318.
- Srouf, H; Doan, T, huH; Da Silva, E; Whitby, RJ; Witulski, B. (2016). Synthesis and molecular properties of methoxy-substituted diindolo[3,2-b:2',3'-h]carbazoles for organic electronics obtained by a consecutive twofold Suzuki and twofold Cadogan reaction. 4: 6270-6279. <http://dx.doi.org/10.1039/c6tc02009g>.
- Staccioli, G; Mcmillan, NJ; Meli, A; Bartolini, G. (2002). Chemical characterisation of a 45 million year bark from geodetic hills fossil forest, Axel Heiberg Island, Canada. *Wood Science and Technology* 36: 419-427. <http://dx.doi.org/10.1007/S00226-002-0144-6>.
- Staccioli, G; Meli, A; Bartolini, G. (2001). Evidence of carboxyl ester groups of polyoses breaking owing to ball milling of a poplar wood. *Cellulose Chemistry and Technology* 35: 355-360.
- Staccioli, G; Meli, A; Fratini, F. (2002). Investigation on fossil barks from an Arctic Canadian site constituted by a multiple level tertiary fossil forest 45 million years old. *Holzforschung* 56: 20-24.
- Staccioli, G; Sturaro, A; Parvoli, G. (1997). GC/MS investigation on the dichloromethane extract from a subfossil larch. *Holzforschung* 51: 107-110.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). General and specific biomarkers in some tertiary fossil woods from Canadian Arctic. *Holzforschung* 52: 225-228.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). Investigation on the DCM extractives of Canadian Arctic fossil woods: the Resolute sample. *Wood Science and Technology* 32: 375-380.
- Staccioli, G; Sturaro, A; Parvoli, G; Menchi, G; Matteoli, U. (1999). The lipophilic extractives of an interglacial fossil *Picea abies* from Zeifen (Germany). *Holzforschung* 53: 391-396.
- Staccioli, G; Ucar, G; Bartolini, G; Coppi, C; Mochi, M. (1998). Investigation on a fossil *Sequoia* bark from Turkey. *Holz als Roh- und Werkstoff* 56: 426-429.
- Stahl, DC; Tilotta, DC. (2001). Screening method for nitroaromatic compounds in water based on solid-phase microextraction and infrared spectroscopy. *Environ Sci Technol* 35: 3507-3512.
- Ståhlbom, B; Järnberg, J; Söderkvist, P; Lindmark, D. (1997). Determination of dimethylhippuric acid isomers in urine by high-performance liquid chromatography. *Int Arch Occup Environ Health* 69: 147-150.
- St-Amand, AD; Girard, L. (2004). Determination of acephate and its degradation product methamidophos in soil and water by solid-phase extraction (SPE) and GC-MS. *Int J Environ Anal Chem* 84: 739-748. <http://dx.doi.org/10.1080/03067310410001729600>.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Analysis of the kinetics of vapor absorption/desorption in/from silicone rubber and cellulose acetate membranes in the presence of stagnant boundary layers. *J Memb Sci* 125: 165-175.
- Stamatialis, DF; Wessling, M; Sanopoulou, M; Strathmann, H; Petropoulos, JH. (1997). Optical vs. direct sorption and swelling measurements for the study of stiff-chain polymer-penetrant interactions. *J Memb Sci* 130: 75-83.
- Stanetzek, I; Giese, U; Schuster, RH; Wunsch, G. (1996). Chromatographic characterization of adsorbents for selective sampling of organic air pollutants. *Am Ind Hyg Assoc J* 57: 128-133.
- Stankovic, V; Outarra, L; Zonnevillje, F; Comninellis, C. (2008). Solvent extraction of silver from nitric acid solutions by calix[4]arene amide derivatives. *Separation and Purification Technology* 61: 366-374. <http://dx.doi.org/10.1016/j.seppur.2007.11.011>.
- Stark, T; Hofmann, T. (2005). Structures, sensory activity, and dose/response functions of 2,5-diketopiperazines in roasted cocoa nibs (*Theobroma cacao*). *J Agric Food Chem* 53: 7222-7231. <http://dx.doi.org/10.1021/jf051313m>.
- Starnes, WH; Chung, H; Wojciechowski, BJ; Skillicorn, DE; Benedikt, GM. (1996). Auxiliary mechanism for transfer to monomer during vinyl chloride polymerization - Implications for thermal stability of poly(vinyl chloride). *Advances in Chemistry Series* 249: 3-18.

## Exposure Literature Search Results

### Off Topic

- Starr, BJ; Tarabara, VV; Herrera-Robledo, M; Zhou, M; Roualdes, S; Ayril, A. (2016). Coating porous membranes with a photocatalyst: Comparison of LbL self-assembly and plasma-enhanced CVD techniques. *J Memb Sci* 514: 340-349. <http://dx.doi.org/10.1016/j.memsci.2016.04.050>.
- Stayner, LT; Bailer, AJ. (1993). Comparing Toxicologic and Epidemiologic Studies: Methylene Chloride A Case Study. *Risk Anal* 13: 667-673.
- Steele, HL; Hardy, JK. (2009). Permeation sampling of phthalate esters in water. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 340-345. <http://dx.doi.org/10.1080/10934520802659661>.
- Stefanescu, EA. (2010). Influence of key parameters on the morphology of ethylcellulose microcapsules prepared via room-temperature spray drying. *Cellulose* 17: 617-626. <http://dx.doi.org/10.1007/s10570-010-9399-5>.
- Stefanescu, EA; Stefanescu, C; Negulescu, Il. (2011). Biodegradable polymeric capsules obtained via room temperature spray drying: preparation and characterization. *J Biomater Appl* 25: 825-849. <http://dx.doi.org/10.1177/0885328210366489>.
- Stefenel, MM; Vuano, BM; Mayer, CE. (2001). Corrosion inhibition of pure aluminum by morpholine-methylene-phosphonic acid in neutral chloride solution. *Corrosion* 57: 898-904.
- Steidle, JLM; Ruther, J. (2000). Chemicals used for host recognition by the granary weevil parasitoid *Lariophagus distinguendus*. *J Chem Ecol* 26: 2665-2675.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual* 10: 283-285.
- Stein, TE; Duffy, SJ; Wickstrom, S. (1990). DIFFERENCES IN PRODUCTION VALUES BETWEEN HIGH-PRODUCTIVITY AND LOW-PRODUCTIVITY SWINE BREEDING HERDS. *J Anim Sci* 68: 3972-3979.
- Stenzel, MH; Davis, TP; Fane, AG. (2003). Honeycomb structured porous films prepared from carbohydrate based polymers synthesized via the RAFT process. *J Mater Chem* 13: 2090-2097. <http://dx.doi.org/10.1039/b304204a>.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech* 25: 565-571.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2004). Total oxidation of methane and chlorinated hydrocarbons on zirconia supported A(1-x)Sr(x)MnO(3) catalysts. *Chem Eng Tech* 27: 687-693. <http://dx.doi.org/10.1002/ceat.20040042>.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics* 4: 185-192.
- Stepnowski, P; Siedlecka, EM; Behrend, P; Jastorff, B. (2002). Enhanced photo-degradation of contaminants in petroleum refinery wastewater. *Water Res* 36: 2167-2172. [http://dx.doi.org/10.1016/S0043-1354\(01\)00450-X](http://dx.doi.org/10.1016/S0043-1354(01)00450-X).
- Stevens, RJ; Laughlin, RJ. (2001). Lowering the detection limit for dinitrogen using the enrichment of nitrous oxide. *Soil Biol Biochem* 33: 1287-1289.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med* 48: 531-537.
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Experimental human exposure to methylene chloride. *Arch Environ Occup Health* 25: 342-348.
- Sthel, M; Rieumont, J; Martinez, R. (1999). Testing a furfuryl alcohol resin as a negative photoresist. *Polym Test* 18: 47-50.
- Stievano, M; Elvassore, N. (2005). High-pressure density and vapor-liquid equilibrium for the binary systems carbon dioxide-ethanol, carbon dioxide-acetone and carbon dioxide-dichloromethane. *Journal of Supercritical Fluids* 33: 7-14. <http://dx.doi.org/10.1016/j.supflu.2004.04.003>.
- Stivaktakis, PD; Kavvalakis, MP; Tzatzarakis, MN; Alegakis, AK; Panagiotakis, MN; Fragkiadaki, P; Vakonaki, E; Ozcagli, E; Hayes, WA; Rakitskii, VN; Tsatsakis, AM. (2016). Long-term exposure of rabbits to imidacloprid as quantified in blood induces genotoxic effect. *Chemosphere* 149: 108-113. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.040>.
- Stokes, JD; Wilkinson, A; Reid, BJ; Jones, KC; Semple, KT. (2005). Prediction of polycyclic aromatic hydrocarbon biodegradation in contaminated soils using an aqueous hydroxypropyl-beta-cyclodextrin extraction technique. *Environ Toxicol Chem* 24: 1325-1330.
- Stone, EA; Snyder, DC; Sheesley, RJ; Sullivan, AP; Weber, RJ; Schauer, JJ. (2008). Source apportionment of fine organic aerosol in Mexico City during the MILAGRO experiment 2006. *Atmos Chem Phys* 8: 1249-1259. <http://dx.doi.org/10.5194/acp-8-1249-2008>.
- Stoppa, A; Hunger, J; Buchner, R. (2009). Conductivities of Binary Mixtures of Ionic Liquids with Polar Solvents. *Journal of Chemical and Engineering Data* 54: 472-479. <http://dx.doi.org/10.1021/jc800468h>.
- Stotter, J; Show, Y; Wang, SH; Swain, G. (2005). Comparison of the electrical, optical, and electrochemical properties of diamond and indium tin oxide thin-film electrodes. *Chem Mater* 17: 4880-4888. <http://dx.doi.org/10.1021/cm050762z>.
- Stoupalova, M; Beklova, M; Vavrova, M; Stilarkova, E; Bednarova, I. (2012). INFLUENCE OF POLYCYCLIC AROMATIC HYDROCARBONS ON EARTHWORMS EISENIA FETIDA. *Fresen Environ Bull* 21: 748-754.
- Stout, SA; Emsbo-Mattingly, SD. (2008). Concentration and character of PAHs and other hydrocarbons in coals of varying rank - Implications for environmental studies of soils and sediments containing particulate coal. *Organic Geochemistry* 39: 801-819. <http://dx.doi.org/10.1016/j.orggeochem.2008.04.017>.
- Strange, R; Howie, A; Hume, R; Matharoo, B; Bell, J; Hiley, C; Jones, P; Beckett, G. (1989). The development expression of alpha-, mu- and pi-class glutathione S-transferases in human liver. *Biochim Biophys Acta* 993: 186-190.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg* 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.

## Exposure Literature Search Results

### Off Topic

- Strnad, M; Sanka, M; Bohacek, Z; Borkovcova, I; Vondra, J. (1994). SOIL POLLUTION BY HEAVY-METALS AND POLYCYCLIC AROMATIC-HYDROCARBONS IN THE TOWN OF BRNO (CZECH-REPUBLIC). *Int J Environ Anal Chem* 54: 233-248.
- Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. *AIHA J* 63: 62-71.
- Sturaro, A; Parvoli, G; Doretti, L; Staccioli, G. (1998). Unusual occurrence of phthalic acid esters in fossil Larix wood. *Ann Chim* 88: 471-481.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C* 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, J; Sun, X; Gahungu, G; Qu, X; Liu, Y; Wu, Z. (2012). Theoretical study on photophysical properties of cyclometalated cationic iridium(III) complexes containing dipyrido[3,2-f:2',3'-h]quinoxaline ligand. *Synthetic Metals* 162: 1392-1399. <http://dx.doi.org/10.1016/j.synthmet.2012.06.005>.
- Su, Y; Zhao, B; Xiao, W; Han, R. (2013). Adsorption behavior of light green anionic dye using cationic surfactant-modified wheat straw in batch and column mode. *Environ Sci Pollut Res Int* 20: 5558-5568. <http://dx.doi.org/10.1007/s11356-013-1571-7>.
- Subagyono, DJN; Marshall, M; Fei, Y, i; Jackson, WR, oy; Chaffee, AL. (2015). Thermo-chemical reactions of algae, grape marc and wood chips using a semi-continuous/flow-through system. *Fuel* 158: 927-936. <http://dx.doi.org/10.1016/j.fuel.2015.06.026>.
- Subagyono, DJN; Marshall, M; Jackson, W; Chaffee, AL. (2015). Pressurized thermal and hydrothermal decomposition of algae, wood chip residue, and grape marc: A comparative study. *Biomass and Bioenergy* 76: 141-157. <http://dx.doi.org/10.1016/j.biombioe.2014.08.020>.
- Subagyono, DJN; Marshall, M; Jackson, WR, oy; Chaffee, AL. (2015). Improvement in liquid fuel product quality from reactions of grape marc with CO/H<sub>2</sub>O. *Fuel* 159: 234-240. <http://dx.doi.org/10.1016/j.fuel.2015.06.042>.
- Subhaga, CS; Ravi, KG; Sunny, MC; Jayakrishnan, A. (1995). EVALUATION OF AN ALIPHATIC POLYURETHANE AS A MICROSPHERE MATRIX FOR SUSTAINED THEOPHYLLINE DELIVERY. *J Microencapsul* 12: 617-625.
- Subra, P; Berroy, P; Vega, A; Domingo, C. (2004). Process performances and characteristics of powders produced using supercritical CO<sub>2</sub> as solvent and antisolvent. *Powder Technology* 142: 13-22. <http://dx.doi.org/10.1016/j.powtec.2004.03.004>.
- Subra, P; Laudani, CG; Vega-Gonzalez, A; Reverchon, E. (2005). Precipitation and phase behavior of theophylline in solvent-supercritical CO<sub>2</sub> mixtures. *Journal of Supercritical Fluids* 35: 95-105. <http://dx.doi.org/10.1016/j.supflu.2004.12.010>.
- Subramonian, S. (1996). Anion-exchange resins from vinylbenzyl chloride: Control of hydrolysis during polymerization. *React Funct Polym* 29: 129-133.
- Subramonian, W; Wu, T, aY. (2014). Effect of Enhancers and Inhibitors on Photocatalytic Sunlight Treatment of Methylene Blue. *Water Air Soil Pollut* 225: 1-15. <http://dx.doi.org/10.1007/s11270-014-1922-0>.
- Subrenat, AS; Le Cloirec, PA. (2006). Volatile organic compound (VOC) removal by adsorption onto activated carbon fiber cloth and electrothermal desorption: An industrial application. *Chemical Engineering Communications* 193: 478-486. <http://dx.doi.org/10.1080/00986440500191768>.
- Sugano, M; Mashimo, K; Wainai, T. (1998). Upgrading reactions of coal liquefaction residue with basic coal liquid related model compounds. *Fuel* 77: 447-451.
- Suganya, T; Renganathan, S. (2012). Optimization and kinetic studies on algal oil extraction from marine macroalgae *Ulva lactuca*. *Bioresour Technol* 107: 319-326. <http://dx.doi.org/10.1016/j.biortech.2011.12.045>.
- Sugasawa, M; Annadurai, G; Futamura, S. (2009). Reaction Behavior of Toluene-Dichloromethane Mixture in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 45: 1499-1505. <http://dx.doi.org/10.1109/TIA.2009.2023570>.
- Sugasawa, M; Terasawa, T; Futamura, S. (2010). Additive Effect of Water on the Decomposition of VOCs in Nonthermal Plasma. *I E E E Transactions on Industry Applications* 46: 1692-1698. <http://dx.doi.org/10.1109/TIA.2010.2057390>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res* 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ* 20: 57-66.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels* 8: 463-469.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen* 103: 55-67.
- Sui, B; Fu, X. (2009). The copper(I) iodide accelerated synthesis of mono- and bisbenzyl substituted 1-and 2-aminoanthraquinones. *Dyes and Pigments* 83: 1-6. <http://dx.doi.org/10.1016/j.dyepig.2009.01.004>.
- Sui, YL; Qian, JX; Zhang, J; Zhou, XH; Gu, ZN; Wu, Y; Fu, H; Wang, JZ. (1996). Direct and catalytic hydrogenation of buckminsterfullerene C-60. *Fullerene Sci Technol* 4: 813-818.
- Sulej-Suchomska, AM; Polkowska, Z; Przyjazny, A; Kokot, ZJ; Namiesnik, J. (2016). Determination of fuel combustion product in airport runoff water samples using liquid-liquid extraction with gas chromatography-spectrometry. *Int J Environ Sci Tech* 13: 1475-1488. <http://dx.doi.org/10.1007/s13762-016-0988-1>.
- Sultana, T; Porter, NG; Savage, GP; Mcneil, DL. (2003). Comparison of isothiocyanate yield from wasabi rhizome tissues grown in soil or water. *J Agric Food Chem* 51: 3586-3591. <http://dx.doi.org/10.1021/jf021116c>.

## Exposure Literature Search Results

### Off Topic

- Suman, M; La Tegola, S; Catellani, D; Bersellini, U. (2005). Liquid chromatography-electrospray ionization-tandem mass spectrometry method for the determination of epoxidized soybean oil in food products. *J Agric Food Chem* 53: 9879-9884. <http://dx.doi.org/10.1021/jf052151x>.
- Sumi, I; Picaud, S; Jedlovszky, P, al. (2015). Adsorption of Methylene Fluoride and Methylene Chloride at the Surface of Ice under Tropospheric Conditions: A Grand Canonical Monte Carlo Simulation Study. *J Phys Chem C* 119: 17243-17252. <http://dx.doi.org/10.1021/acs.jpcc.5b05018>.
- Sumi, K; Kimura, M; Kokufuta, E; Nakamura, I. (1994). SELECTIVE UPHILL TRANSPORT OF CYANIDE ION-MEDIATED BY TETRAPHENYLPORPHINATOMANGANESE (III) COMPLEX THROUGH BULK AND POLYMER-SUPPORTED LIQUID MEMBRANES. *J Memb Sci* 86: 155-169.
- Sun, G; Liu, Z; Chen, G. (2010). DISPERSION OF PRISTINE MULTI-WALLED CARBON NANOTUBES IN COMMON ORGANIC SOLVENTS. *NANO* 5: 103-109. <http://dx.doi.org/10.1142/S1793292010001986>.
- Sun, G; Zhang, D, an; An, X; Jahan, M, dS; Zhou, J; Ni, Y. (2016). A case study for integrated forest biorefinery: Recovery of manool from evaporator condensate of a kraft pulp mill. *Separation and Purification Technology* 165: 27-31. <http://dx.doi.org/10.1016/j.seppur.2016.03.043>.
- Sun, H; Dong, X; Liu, S; Zhao, Q; Mou, X, in; Yang, H, uiY; Huang, W, ei. (2011). Excellent BODIPY Dye Containing Dimesitylboryl Groups as PeT-Based Fluorescent Probes for Fluoride. *J Phys Chem C* 115: 19947-19954. <http://dx.doi.org/10.1021/jp206396v>.
- Sun, J; Li, Y; Liu, T; Du, Q; Xia, Y; Xia, L; Wang, Z; Wang, K; Zhu, H; Wu, D. (2014). EQUILIBRIUM, KINETIC AND THERMODYNAMIC STUDIES OF CATIONIC RED X-GR L ADSORPTION ON GRAPHENE OXIDE. *Environmental Engineering and Management Journal* 13: 2551-2559.
- Sun, JB; Severson, RF; Kays, SJ. (1993). QUANTITATIVE TECHNIQUE FOR MEASURING VOLATILE COMPONENTS OF BAKED SWEET-POTATOES. *HortScience* 28: 1110-1113.
- Sun, JB; Severson, RF; Schlotzhauer, WS; Kays, SJ. (1995). IDENTIFYING CRITICAL VOLATILES IN THE FLAVOR OF BAKED JEWEL SWEET-POTATOES [IPOMOEAE-BATATAS (L) LAM]. *J Am Soc Hortic Sci* 120: 468-474.
- Sun, M; Downes, S. (2009). Physicochemical characterisation of novel ultra-thin biodegradable scaffolds for peripheral nerve repair. *J Mater Sci Mater Med* 20: 1181-1192. <http://dx.doi.org/10.1007/s10856-008-3671-3>.
- Sun, P; Weavers, LK. (2006). Sonolytic reactions of phenanthrene in organic extraction solutions. *Chemosphere* 65: 2268-2274. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.029>.
- Sun, P; Weavers, LK; Taerakul, P; Walker, HW. (2006). Characterization of polycyclic aromatic hydrocarbons (PAHs) on lime spray dryer (LSD) ash using different extraction methods. *Chemosphere* 62: 265-274. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.014>.
- Sun, P; Yu, DH, ua; Hu, Y, i; Tang, ZC; Xia, JJ; Li, H; Huang, H, e. (2011). H3PW12O40/SiO2 for sorbitol dehydration to isosorbide: High efficient and reusable solid acid catalyst. *Korean J Chem Eng* 28: 99-105. <http://dx.doi.org/10.1007/s1184-010-0324-2>.
- Sun, RC; Sun, XF. (2001). Separation and characterization of lipophilic extracts from barley straw. *Separation Science and Technology* 36: 3027-3048.
- Sun, RC; Sun, XF; Xiao, B. (2002). Extraction and characterization of lipophilic extractives from rice straw. II. Spectroscopic and thermal analysis. *Journal of Wood Chemistry and Technology* 22: 1-9.
- Sun, RC; Tomkinson, J. (2002). Comparative study of organic solvent-soluble and water-soluble lipophilic extractives from wheat straw 2: spectroscopic and thermal analysis. *J Wood Sci* 48: 222-226.
- Sun, RC; Tomkinson, J. (2003). Comparative study of organic solvent and water-soluble lipophilic extractives from wheat straw I: yield and chemical composition. *J Wood Sci* 49: 47-52.
- Sun, Y; Yue, Q; Gao, B; Wang, Y, an; Gao, Y; Li, Q. (2013). Preparation of highly developed mesoporous activated carbon by H4P2O7 activation and its adsorption behavior for oxytetracycline. *Powder Technology* 249: 54-62. <http://dx.doi.org/10.1016/j.powtec.2013.07.029>.
- Sundaram, KMS; Curry, J. (1993). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHIC METHOD FOR THE ANALYSIS OF AZADIRACTIN IN 3 COMMERCIAL FORMULATIONS AND NEEM OIL. *J Environ Sci Health B* 28: 221-241.
- Sundarram, SS; Jiang, W, ei; Li, W, ei. (2014). Fabrication of Small Pore-Size Nickel Foams Using Electroless Plating of Solid-State Foamed Immiscible Polymer Blends. *Journal of Manufacturing Science and Engineering* 136. <http://dx.doi.org/10.1115/1.4025418>.
- Sundell, BJ; Jang, E, uiS; Cook, JR; Freeman, BD; Riffle, JS; Mcgrath, JE. (2016). Cross-Linked Disulfonated Poly(arylene ether sulfone) Telechelic Oligomers. 2. Elevated Transport Performance with Increasing Hydrophilicity. *Ind Eng Chem Res* 55: 1419-1426. <http://dx.doi.org/10.1021/acs.iecr.5b04050>.
- Sundell, MJ; Ekman, KB; Svarfvar, BL; Nasman, JH. (1995). PREPARATION OF POLY[ETHYLENE-G-(VINYL BENZYL CHLORIDE)] AND FUNCTIONALIZATION WITH BIS(PHOSPHONIC ACID) DERIVATIVES. 25: 1-16.
- Sunder, MS; Prasad, DHL. (2003). Phase equilibria of water plus furfural and dichloromethane plus n-hexane. *Journal of Chemical and Engineering Data* 48: 221-223. <http://dx.doi.org/10.1021/je020053r>.
- Sunsandee, N; Ramakul, P; Pancharoen, U, ra; Leepipatpiboon, N. (2013). Enantioseparation of (S)-amlodipine from pharmaceutical industry wastewater by stripping phase recovery via HFSLM: Polarity of diluent and membrane stability investigation. *Separation and Purification Technology* 116: 405-414. <http://dx.doi.org/10.1016/j.seppur.2013.06.014>.
- Sunthornvarabhas, J; Chatakanonda, P; Piyachomkwan, K; Sriroth, K. (2011). Electrospun polylactic acid and cassava starch fiber by conjugated solvent technique. *Mater Lett* 65: 985-987. <http://dx.doi.org/10.1016/j.matlet.2010.12.038>.
- Suo, QL; He, WZ; Huang, YC; Li, CP; Hong, HL; Li, YX; Zhu, MD. (2005). Micronization of the natural pigment-bixin by the SEDS process through prefilming atomization. *Powder Technology* 154: 110-115. <http://dx.doi.org/10.1016/j.powtec.2005.05.001>.



## Exposure Literature Search Results

### Off Topic

- Supsakulchai, A; Ma, GH; Nagai, M; Omi, S. (2003). Performance of titanium dioxide microcapsules as a photooxidation catalyst for decolourization of methylene blue. *J Microencapsul* 20: 19-33. <http://dx.doi.org/10.1080/0265204021000022806>.
- Suqi, L; Cáceres, LA; Cáceres, L; Schieck, K; Mcgarvey, BD; Booker, CJ; Mcgarvey, BM; Yeung, KK; Pariente, S; Briens, C; Berruti, F; Scott, IM. (2014). Insecticidal activity of bio-oil from the pyrolysis of straw from Brassica spp. *J Agric Food Chem* 62: 3610-3618. <http://dx.doi.org/10.1021/jf500048t>.
- Suresh, VM; Bonakala, S; Atreya, HS; Balasubramanian, S; Maji, TK. (2014). Amide functionalized microporous organic polymer (Am-MOP) for selective CO<sub>2</sub> sorption and catalysis. *ACS Applied Materials & Interfaces* 6: 4630-4637. <http://dx.doi.org/10.1021/am500057z>.
- Suri, A; Chakraborty, AK; Coleman, KS. (2008). A facile, solvent-free, noncovalent, and nondisruptive route to functionalize single-wall carbon nanotubes using tertiary phosphines. *Chem Mater* 20: 1705-1709. <http://dx.doi.org/10.1021/cm071573e>.
- Suslov, AN; Durilin, DA; Ovchar, OV; Belous, AG; Jancar, B; Spreitzer, M. (2014). Synthesis and dielectric and nonlinear properties of BaTi<sub>1-x</sub>Zr (x) O-3 ceramics. *Inorg Mater* 50: 1125-1130. <http://dx.doi.org/10.1134/S0020168514110193>.
- Suwanchawalit, C; Wongnawa, S. (2010). Triblock copolymer-templated synthesis of porous TiO<sub>2</sub> and its photocatalytic activity. *J Nanopart Res* 12: 2895-2906. <http://dx.doi.org/10.1007/s11051-010-9880-y>.
- Suwannahong, K; Liengcharernsit, W; Sanongraj, W; Krueate, J. (2012). Application of Nano-TiO<sub>2</sub>/LDPE composite film on photocatalytic oxidation degradation of dichloromethane. *J Environ Biol* 33: 955-959.
- Suzuki, S; Suzuki, T; Suematsu, H; Jiang, WH; Yatsui, K. (2004). Structural analysis of Ti-Fe thin films prepared by pulsed laser deposition. *Thin Solid Films* 457: 139-142. <http://dx.doi.org/10.1016/j.tsf.2003.12.028>.
- Suzuki, S; Whittaker, MR; Wentrup-Byrne, E; Monteiro, MJ; Grøndahl, L. (2008). Adsorption of well-defined fluorine-containing polymers onto poly(tetrafluoroethylene). *Langmuir* 24: 13075-13083. <http://dx.doi.org/10.1021/la802300q>.
- Suzuki, T; Yanagiba, Y; Suda, M; Wang, RS. (2014). Assessment of the genotoxicity of 1,2-dichloropropane and dichloromethane after individual and co-exposure by inhalation in mice. *J Occup Health* 56: 205-214.
- Svensson, BA; Rundlof, M; Hoglund, H. (2006). Sliding friction between wood and steel in a saturated steam environment. *Journal of Pulp & Paper Science* 32: 38-43.
- Swan, HB; Crough, RW; Vaattovaara, P; Jones, GB; Deschaseaux, ESM; Eyre, BD; Miljevic, B; Ristovski, ZD. (2016). Dimethyl sulfide and other biogenic volatile organic compound emissions from branching coral and reef seawater: potential sources of secondary aerosol over the Great Barrier Reef. *J Atmos Chem* 73: 303-328. <http://dx.doi.org/10.1007/s10874-016-9327-7>.
- Swarts, JC; Langner, EHG; Krokeide-Hove, N; Cook, MJ. (2001). Synthesis and electrochemical characterisation of some long chain 1,4,8,11,15,18,22,25-octa-alkylated metal-free and zinc phthalocyanines possessing discotic liquid crystalline properties. *J Mater Chem* 11: 434-443.
- Swartz, E; Stockburger, L; Gundel, LA. (2003). Recovery of semivolatile organic compounds during sample preparation: Implications for characterization of airborne particulate matter. *Environ Sci Technol* 37: 597-605. <http://dx.doi.org/10.1021/es011128z>.
- Sweiss, KI; Beri, R; Shord, SS. (2008). Encephalopathy after high-dose ifosfamide: a retrospective cohort study and review of the literature [Review]. *Drug Saf* 31: 989-996.
- Swihart, RK; Pignatello, JJ; Mattina, MJ. (1991). AVERSIVE RESPONSES OF WHITE-TAILED DEER, ODOCOILEUS-VIRGINIANUS, TO PREDATOR URINES. *J Chem Ecol* 17: 767-777.
- Synak, A; Gil, M; Angel Organero, J; Sanchez, F; Iglesias, M; Douhal, A. (2009). Fast to Ultrafast Dynamics of Palladium Phthalocyanine Covalently Bonded to MCM-41 Mesoporous Material. *J Phys Chem C* 113: 19199-19207. <http://dx.doi.org/10.1021/jp9021129>.
- Szekely, G; Bandarra, J; Heggie, W; Sellergren, B; Ferreira, FC. (2012). A hybrid approach to reach stringent low genotoxic impurity contents in active pharmaceutical ingredients: Combining molecularly imprinted polymers and organic solvent nanofiltration for removal of 1,3-diisopropylurea. *Separation and Purification Technology* 86: 79-87. <http://dx.doi.org/10.1016/j.seppur.2011.10.023>.
- Szeto, SY; Price, PM. (1991). HIGH-PERFORMANCE LIQUID-CHROMATOGRAPHY METHOD FOR THE DETERMINATION OF DINOSEB - APPLICATION TO THE ANALYSIS OF RESIDUES IN RASPBERRIES. *J Agric Food Chem* 39: 1614-1617.
- Szmigielska, AM; Schoenau, JJ. (1999). Analysis of imazethapyr in agricultural soils by ion exchange membranes and a Canola bioassay. *Commun Soil Sci Plant Anal* 30: 1831-1846.
- Szmigielska, AM; Schoenau, JJ; Greer, K. (1998). Comparison of chemical extraction and bioassay for measurement of metsulfuron in soil. *Weed Sci* 46: 487-493.
- Szori, K; Balazsik, K; Cserenyi, S; Szollosi, G; Bartok, M. (2009). Inversion of enantioselectivity in the 2,2,2-trifluoroacetophenone hydrogenation over Pt-alumina catalyst modified by cinchona alkaloids. *Appl Catal A-Gen* 362: 178-184. <http://dx.doi.org/10.1016/j.apcata.2009.04.040>.
- Tachibana, Y; Kikuzaki, H; Lajis, NH; Nakatani, N. (2001). Antioxidative activity of carbazoles from *Murraya koenigii* leaves. *J Agric Food Chem* 49: 5589-5594. <http://dx.doi.org/10.1021/jf010621r>.
- Tagne, RS; Telefo, BP; Nyemb, JN; Yemele, DM; Njina, SN; Goka, SM; Lienou, LL; Nwabo Kamdje, AH; Moundipa, PF; Farooq, AD. (2014). Anticancer and antioxidant activities of methanol extracts and fractions of some Cameroonian medicinal plants. *Asian Pacific Journal of Tropical Medicine* 7S1: S442-S447. [http://dx.doi.org/10.1016/S1995-7645\(14\)60272-8](http://dx.doi.org/10.1016/S1995-7645(14)60272-8).
- Taher, MA; Puri, BK. (1999). Simultaneous determination of traces of lead and cadmium in various samples by differential pulse polarography after adsorbing their 1-(2-pyridylazo)-2-naphthol onto microcrystalline naphthalene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 18: 6-11.

## Exposure Literature Search Results

### Off Topic

- Taher, MA; Puri, BK. (2000). Differential pulse polarographic determination of copper in alloys and biological samples after preconcentration with 2-nitroso-1-naphthol-4-sulphonic acid-tetradecyldimethylbenzylammonium-naphthalene adsorbent. *Indian J Chem Tech* 7: 168-171.
- Taheri, A. (2016). Antioxidant activity in some Iranian seaweed species from Chabahar. 15: 802-817.
- Tahir, A; Ehsan, M; Mazhar, M; Wijayantha, KGU; Zeller, M; Hunter, AD. (2010). Photoelectrochemical and Photoresponsive Properties of Bi<sub>2</sub>S<sub>3</sub> Nanotube and Nanoparticle Thin Films. *Chem Mater* 22: 5084-5092. <http://dx.doi.org/10.1021/cm101642b>.
- Tahir, SF; Koh, CA. (1999). Catalytic destruction of volatile organic compound emissions by platinum based catalyst. *Chemosphere* 38: 2109-2116.
- Tai, CY; Chen, BH. (2000). Analysis and stability of carotenoids in the flowers of daylily (*Hemerocallis disticha*) as affected by various treatments. *J Agric Food Chem* 48: 5962-5968. <http://dx.doi.org/10.1021/jf000956t>.
- Takahashi, M; Shibamoto, T. (2008). Chemical compositions and antioxidant/anti-inflammatory activities of steam distillate from freeze-dried onion (*Allium cepa* L.) sprout. *J Agric Food Chem* 56: 10462-10467. <http://dx.doi.org/10.1021/jf801220b>.
- Takahashi, T; Tsuchiya, Y; Tamanoue, Y; Mori, T; Kawashima, S; Takahashi, K. (1992). OCCURRENCE OF A NOVEL 350-KDA SERINE PROTEINASE IN THE FLUID OF PORCINE OVARIAN FOLLICLES AND ITS INCREASE DURING THEIR MATURATION. *Zool Sci* 9: 343-347.
- Takei, T; Kishihara, N; Ijima, H; Kawakami, K. (2012). Fabrication of capillary-like network in a matrix of water-soluble polymer using poly(methyl methacrylate) microfibers. *Artificial Cells, Blood Substitutes, and Biotechnology* 40: 66-69. <http://dx.doi.org/10.3109/10731199.2011.592492>.
- Takekoh, R, Yu; Russell, TP. (2014). Multi- Length Scale Porous Polymers. *Adv Funct Mater* 24: 1483-1489. <http://dx.doi.org/10.1002/adfm.201301693>.
- Takemoto, Y; Arizono, I. (2005). A study of multivariate ((X)over-bar, S) control chart based on Kullback-Leibler information. *International Journal of Advanced Manufacturing Technology* 25: 1205-1210. <http://dx.doi.org/10.1007/s00170-003-1947-9>.
- Taki, S; Badens, E; Charbit, G. (2001). Controlled release system formed by supercritical anti-solvent coprecipitation of a herbicide and a biodegradable polymer. *Journal of Supercritical Fluids* 21: 61-70.
- Talawar, MB; Sivabalan, R; Polke, BG; Nair, UR; Gore, GM; Asthana, SN. (2005). Establishment of process technology for the manufacture of dinitrogen pentoxide and its utility for the synthesis of most powerful explosive of today--CL-20 [Review]. *J Hazard Mater* 124: 153-164. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.021>.
- Taldeddin, K; Khimyak, YZ; Fabian, L. (2016). Prediction of Hydrate and Solvate Formation Using Statistical Models. *Cryst Growth Des* 16: 70-81. <http://dx.doi.org/10.1021/acs.cgd.5b00966>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science* 27: 6807-6810.
- Talipov, SA; Tadjimukhamedov, FK; Hulliger, J; Ibragimov, BT; Yuldashev, A. (2003). Crystalline inclusion complexes on the basis of the mixed "gossypol-pyrazine" host. 6: 137-144. <http://dx.doi.org/10.1016/j.crysen.2004.05.001>.
- Tallury, P; Alimohammadi, N; Kalachandra, S. (2007). Poly(ethylene-co-vinyl acetate) copolymer matrix for delivery of chlorhexidine and acyclovir drugs for use in the oral environment: effect of drug combination, copolymer composition and coating on the drug release rate. *Dent Mater* 23: 404-409. <http://dx.doi.org/10.1016/j.dental.2006.02.011>.
- Tallury, P; Randall, MK; Thaw, KL; Preisser, JS; Kalachandra, S. (2007). Effects of solubilizing surfactants and loading of antiviral, antimicrobial, and antifungal drugs on their release rates from ethylene vinyl acetate copolymer. *Dent Mater* 23: 977-982. <http://dx.doi.org/10.1016/j.dental.2006.08.005>.
- Tan, LK; Liem, AJ. (1996). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .1. Chlorophenols. *Environ Sci Technol* 30: 1053-1060.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .2. Polycyclic aromatic hydrocarbons. *Environ Sci Technol* 31: 58-66.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol* 31: 1785-1793.
- Tan, S; Williams, CT. (2013). An In Situ Spectroscopic Study of Prochiral Reactant-Chiral Modifier Interactions on Palladium Catalyst: Case of Alkenoic Acid and Cinchonidine in Various Solvents. *J Phys Chem C* 117: 18043-18052. <http://dx.doi.org/10.1021/jp403273c>.
- Tan, XF; Liu, YG; Gu, YL; Liu, SB; Zeng, GM; Cai, X; Hu, XJ; Wang, H; Liu, SM; Jiang, LH. (2016). Biochar pyrolyzed from MgAl-layered double hydroxides pre-coated ramie biomass (*Boehmeria nivea* (L.) Gaud.): Characterization and application for crystal violet removal. *J Environ Manage* 184: 85-93. <http://dx.doi.org/10.1016/j.jenvman.2016.08.070>.
- Tan, YL; Kong, A; Y-O, C. (1993). Sample preparation for analyzing polycyclic aromatic hydrocarbons and polychlorinated dibenzo-p-dioxins and dibenzofurans in sediments by gas chromatography/mass spectrometry. *Estuaries* 16: 427-432.
- Tan, Z; Li, F; Xu, X; Xing, J. (2012). Simultaneous extraction and purification of aloe polysaccharides and proteins using ionic liquid based aqueous two-phase system coupled with dialysis membrane. *Desalination* 286: 389-393. <http://dx.doi.org/10.1016/j.desal.2011.11.053>.
- Tanaka, A, ki; Horiuchi, M; Umamo, K; Shibamoto, T. (2008). Antioxidant and anti-inflammatory activities of water distillate and its dichloromethane extract from licorice root (*Glycyrrhiza uralensis*) and chemical composition of dichloromethane extract. *J Sci Food Agric* 88: 1158-1165. <http://dx.doi.org/10.1002/jsfa.3191>.
- Tanaka, A; Kim, H, yoj; Oda, S; Shimizu, K; Kondo, R. (2011). Antibacterial activity of moso bamboo shoot skin (*Phyllostachys pubescens*) against *Staphylococcus aureus*. *J Wood Sci* 57: 542-544. <http://dx.doi.org/10.1007/s10086-011-1207-9>.

## Exposure Literature Search Results

### Off Topic

- Tanaka, A; Shimizu, K; Kondo, R. (2013). Antibacterial compounds from shoot skins of moso bamboo (*Phyllostachys pubescens*). *J Wood Sci* 59: 155-159. <http://dx.doi.org/10.1007/s10086-012-1310-6>.
- Tanaka, M; Taguchi, Y; Iguchi, Y. (1998). Preparation of composite particles composed of waste polymer and solid powder using semi-chemical recycle method. *Kagaku Kogaku Ronbunshu* 24: 509-511.
- Tanaka, S; Haneda, M; Tanaka, M; Kimura, K; Seki, T. (1996). Breakthrough Times for Vapors of Organic Solvents with Low Boiling Points in Steady-State and Pulsating Flows on Respirator Cartridges. *Ind Health* 34: 125-131.
- Tanaka, S; Kumei, M. (1999). Soluble conjugated copolymers constituted of pyridine and phenylene units. *Synthetic Metals* 102: 1524-1525.
- Tanaka, T; Ishitobi, M; Aoyama, T; Matsumoto, S. (2016). Highly Oriented J-Aggregates of Nitroazo Dye and Its Surface-Induced Chromism. *Langmuir* 32: 4710-4718. <http://dx.doi.org/10.1021/acs.langmuir.6b00289>.
- Tanaka, T; Teshima, R; Ikebuchi, H; Sawada, J; Ichinoe, M. (1995). SENSITIVE ENZYME-LINKED-IMMUNOSORBENT-ASSAY FOR THE MYCOTOXIN ZEARALENONE IN BARLEY AND JOBS-TEARS. *J Agric Food Chem* 43: 946-950.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol* 28: 973-979.
- Tang, B, in; Guo, X, ia; Yu, SQ; Fang, Z, iX; Zhang, S, huren. (2015). The shrinking process and microwave dielectric properties of BaCu(B2O5)-added 0.85BaTi(4)O(9)-0.15BaZn(2)Ti(4)O(11) ceramics. *Materials Research Bulletin* 66: 163-168. <http://dx.doi.org/10.1016/j.materresbull.2015.02.023>.
- Tang, EL; Rajarajeswaran, J; Fung, S; Kanthimathi, MS. (2015). Petroselinum crispum has antioxidant properties, protects against DNA damage and inhibits proliferation and migration of cancer cells. *J Sci Food Agric* 95: 2763-2771. <http://dx.doi.org/10.1002/jsfa.7078>.
- Tang, H; Mayersohn, M. (2005). A novel model for prediction of human drug clearance by allometric scaling. *Drug Metab Dispos* 33: 1297-1303. <http://dx.doi.org/10.1124/dmd.105.004143>.
- Tang, JS; Harker, B. (1991). INTERWELL TRACER TEST TO DETERMINE RESIDUAL OIL SATURATION IN A GAS-SATURATED RESERVOIR .2. FIELD APPLICATIONS. *Journal of Canadian Petroleum Technology* 30: 34-42.
- Tang, P; Deng, C; Tang, X; Si, S; Xiao, K, e. (2012). Degradation of p-nitrophenol by interior microelectrolysis of zero-valent iron/copper-coated magnetic carbon galvanic couples in the intermittent magnetic field. *Chem Eng J* 210: 203-211. <http://dx.doi.org/10.1016/j.cej.2012.08.089>.
- Tanguay, JF; Suib, SL; Coughlin, RW. (1989). DICHLOROMETHANE PHOTODEGRADATION USING TITANIUM CATALYSTS. *J Catal* 117: 335-347.
- Tanongkankit, Y; Sablani, SS; Chiewchan, N; Devahastin, S. (2013). Microwave-assisted extraction of sulforaphane from white cabbages: Effects of extraction condition, solvent and sample pretreatment. *Journal of Food Engineering* 117: 151-157. <http://dx.doi.org/10.1016/j.jfoodeng.2013.02.011>.
- Tanoue, K. (1998). Grain-shape parameters for high-temperature creep resistance in powder metallurgy tungsten fine wires. *Metallurgical and Materials Transactions A* 29: 519-526.
- Tao, CJ; Hu, JY; Li, JZ; Zheng, SS; Liu, W; Li, CJ. (2009). Multi-residue determination of pesticides in vegetables by gas chromatography/ion trap mass spectrometry. *Bull Environ Contam Toxicol* 82: 111-115. <http://dx.doi.org/10.1007/s00128-008-9528-0>.
- Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. *J Memb Sci* 269: 66-74. <http://dx.doi.org/10.1016/j.memsci.2005.06.019>.
- Tao, S; Cui, YH; Cao, J; Xu, FL; Dawson, R; Li, BG. (2002). Determination of PAHs in wastewater irrigated agricultural soil using accelerated solvent extraction. *J Environ Sci Health B* 37: 141-150.
- Tao, S; Xu, FL; Liu, WX; Cui, YH; Coveney, RM. (2006). A chemical extraction method for mimicking bioavailability of polycyclic aromatic hydrocarbons to wheat grown in soils containing various amounts of organic matter. *Environ Sci Technol* 40: 2219-2224. <http://dx.doi.org/10.1021/es051967b>.
- Tao, Y, unMei; Li, HY, an; Xu, Q, iuLei; Zhu, Y, uC; Kang, LC; Zheng, Y, ouX; Zuo, JL, in; You, XZ. (2011). Synthesis and characterization of efficient luminescent materials based on 2,1,3-benzothiadiazole with carbazole moieties. *Synthetic Metals* 161: 718-723. <http://dx.doi.org/10.1016/j.synthmet.2011.01.020>.
- Tar, A; Luca, C. (2006). Extraction-spectrometric determination of trace amounts of lead (II) by 18-crown-6 and metanil yellow. *Rev Chim* 57: 119-121.
- Taralunga, M; Mijoin, J; Magnoux, P. (2005). Catalytic destruction of chlorinated POPs—Catalytic oxidation of chlorobenzene over PtHFAU catalysts. *Appl Catal B-Environ* 60: 163-171. <http://dx.doi.org/10.1016/j.apcatb.2005.02.024>.
- Tarameshlou, M; Jafari, SH; Khonakdar, HA; Farmahini-Farahani, M; Ahmadian, S. (2007). Synthesis of exfoliated polyamide 6,6/organically modified montmorillonite nanocomposites by in situ interfacial polymerization. *Polymer Composites* 28: 733-738. <http://dx.doi.org/10.1002/pc.20360>.
- Tarvin, KA; Garvin, MC; Jawor, JM; Dayer, KA. (1998). A field evaluation of techniques used to estimate density of Blue Jays. *Journal of Field Ornithology* 69: 209-222.
- Taskin, AT; Balan, A; Udum, YA; Toppare, L. (2010). Improving electrochromic properties via copolymerization. *Smart Materials and Structures* 19. <http://dx.doi.org/10.1088/0964-1726/19/6/065005>.
- Taskinen, H; Lindbohm, ML; Hemminki, K. (1986). Spontaneous abortions among women working in the pharmaceutical industry. *Br J Ind Med* 43: 199-205.
- Tates, AD; Grummt, T; Van Dam, FJ; De Zwart, F; Kasper, FJ; Rothe, R; Stirn, H; Zwinderman, AH; Natarajan, AT. (1994). Measurement of frequencies of HPRT mutants, chromosomal aberrations, micronuclei, sister-chromatid exchanges and cells with high frequencies of SCEs in styrene/dichloromethane-exposed workers. *DNA Repair* 313: 249-262.

## Exposure Literature Search Results

### Off Topic

- Tatsuka, K; Suekane, S; Sakai, Y; Sumitani, H. (1990). VOLATILE CONSTITUENTS OF KIWI FRUIT FLOWERS - SIMULTANEOUS DISTILLATION AND EXTRACTION VERSUS HEADSPACE SAMPLING. *J Agric Food Chem* 38: 2176-2180.
- Tatsumi, T; Zhang, WB; Kida, T; Nakatsuji, Y; Ono, D; Takeda, T; Ikeda, I. (2000). Novel hydrolyzable and biodegradable cationic gemini surfactants: 1,3-bis[(acyloxyalkyl)dimethylammonio]-2-hydroxypropane dichloride. *Journal of Surfactants and Detergents* 3: 167-172.
- Tavakoli, B; Pezeshk, S. (2005). Empirical-stochastic ground-motion prediction for eastern North America. *Seismological Society of America Bulletin* 95: 2283-2296.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech* 101: 135-152.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications* 119: 135-150.
- Tavendale, MH; Hannus, IM; Wilkins, AL; Langdon, AG; Mackie, KL; Mcfarlane, PN. (1996). Bile analyses of goldfish (*Crassius auratus*) resident in a New Zealand hydrolake receiving a bleached kraft mill discharge. *Chemosphere* 33: 2273-2289.
- Tay, SCH; Ouchi, MD; Cramer, FB. (1996). High intensity mechanical pretreatment and high compression screw pressing for deresination of aspen kraft pulps. *Tappi Journal* 79: 265-275.
- Taylor, PN; Lester, JN. (1996). Rapid extraction of isotroturon and diuron from granular activated carbon. *Chemosphere* 33: 1227-1240.
- Taylor, SW; Lange, CR; Lesold, EA. (1997). Biofouling of contaminated ground-water recovery wells: Characterization of microorganisms. *Ground Water* 35: 973-980.
- Taylor, WG; Hall, TW; Vedres, DD. (1998). Synthesis and larvicidal properties of some cyclopropylcarboxamides related to cis-permethrin. *J Agric Food Chem* 46: 1572-1576.
- Teixeira, EC; Agudelo-Castaneda, DM; Guimaraes Fachel, JM; Leal, KA; Garcia, K, deO; Wiegand, F. (2012). Source identification and seasonal variation of polycyclic aromatic hydrocarbons associated with atmospheric fine and coarse particles in the Metropolitan Area of Porto Alegre, RS, Brazil. *Atmos Res* 118: 390-403. <http://dx.doi.org/10.1016/j.atmosres.2012.07.004>.
- Teixeira, JC; de Oliveira, GS; Viali, A, deM; Muniz, SS. (2014). Study of the impact of deficiencies of sanitation on public health in Brazil from 2001 to 2009. *Engenharia Sanitaria e Ambiental* 19: 87-96.
- Teixeira, S; Conlan, RS; Guy, OJ; Sales, MGF. (2014). Label-free human chorionic gonadotropin detection at picogram levels using oriented antibodies bound to graphene screen-printed electrodes. 2: 1852-1865. <http://dx.doi.org/10.1039/c3tb21235a>.
- Tejeda-Sartorius, O; Rodriguez-Gonzalez, MT. (2008). Weed and vegetable germination and growth inhibitors in amaranth (*Amaranthus hypochondriacus* L.) residues. *Agrociencia* 42: 415-423.
- Tekel, J; Daeseleire, E; Heeremans, A; van Peteghem, C. (1999). Development of a simple method for the determination of genistein, daidzein, biochanin A, and formononetin (Biochanin B) in human urine. *J Agric Food Chem* 47: 3489-3494.
- Tekes, AT; Sinag, A; Misirhoglu, Z; Canel, M. (2002). Determination of swelling properties of Soma-Isiklar lignite (Turkey). *Energy Fuels* 16: 1309-1313. <http://dx.doi.org/10.1021/ef020079o>.
- Teli, MD; Chavan, PP. (2017). Synthesis of reactive dye to impart mosquito repellency to nylon. *J Text Inst* 108: 226-232. <http://dx.doi.org/10.1080/00405000.2016.1161695>.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists* 77: 174-178.
- Teng, N, aiYu; Dallmeyer, I, an; Kadla, JF. (2013). Effect of Softwood Kraft Lignin Fractionation on the Dispersion of Multiwalled Carbon Nanotubes. *Ind Eng Chem Res* 52: 6311-6317. <http://dx.doi.org/10.1021/ie303261z>.
- Teng, S, huHua; Wang, P; Kim, HE, e. (2009). Blend fibers of chitosan-agarose by electrospinning. *Mater Lett* 63: 2510-2512. <http://dx.doi.org/10.1016/j.matlet.2009.08.051>.
- Tepe, B; Daferera, D; Sokmen, M; Polissiou, M; Sokmen, A. (2004). The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of *Origanum syriacum* L var *bevanii*. *J Sci Food Agric* 84: 1389-1396. <http://dx.doi.org/10.1002/jsfa.1758>.
- Teplyakova, V; Roizard, D; Favre, E; Khotimsky, VS. (2003). Investigations on the peculiar permeation properties of volatile organic compounds and permanent gases through PTMSP. *J Memb Sci* 220: 165-175. [http://dx.doi.org/10.1016/S0376-7388\(03\)00229-1](http://dx.doi.org/10.1016/S0376-7388(03)00229-1).
- Tepong-Tsinde, R; Phukan, M; Nassi, A; Noubactep, C; Ruppert, H. (2015). Validating the efficiency of the MB discoloration method for the characterization of Fe-O/H<sub>2</sub>O systems using accelerated corrosion by chloride ions. *Chem Eng J* 279: 353-362. <http://dx.doi.org/10.1016/j.cej.2015.04.129>.
- Teri, G; Luo, L; Savage, PE. (2014). Hydrothermal Treatment of Protein, Polysaccharide, and Lipids Alone and in Mixtures. *Energy Fuels* 28: 7501-7509. <http://dx.doi.org/10.1021/ef501760d>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Tester, JW; Marrone, PA; Dipippo, MM; Sako, K; Reagan, MT; Arias, T; Peters, WA. (1998). Chemical reactions and phase equilibria of model halocarbons and salts in sub- and supercritical water (200-300 bar, 100-600 degrees C). *Journal of Supercritical Fluids* 13: 225-240.
- Than, L, eD; Luong, N, goSy; Ngo, V, uD; Tien, NM; Dung, T, aN; Nghia, NM; Loc, NT; Thu, V, uThi; Lam, TD, ai. (2017). Highly Visible Light Activity of Nitrogen Doped TiO<sub>2</sub> Prepared by Sol-Gel Approach. *Journal of Electronic Materials* 46: 158-166. <http://dx.doi.org/10.1007/s11664-016-4894-6>.
- Thani, W; Vallisuta, O; Siripong, P; Ruangwises, N. (2010). Anti-proliferative and antioxidative activities of Thai noni/Yor (*Morinda citrifolia* Linn.) leaf extract. *Southeast Asian J Trop Med Public Health* 41: 482-489.

## Exposure Literature Search Results

### Off Topic

- Thanigaivel, S; Hindu, SV; Vijayakumar, S; Mukherjee, A; Chandrasekaran, N; Thomas, J. (2015). Differential solvent extraction of two seaweeds and their efficacy in controlling *Aeromonas salmonicida* infection in *Oreochromis mossambicus*: A novel therapeutic approach. *Aquaculture* 443: 56-64. <http://dx.doi.org/10.1016/j.aquaculture.2015.03.010>.
- Tharasawatpipat, C; Suwannahong, K; Kruenate, J; Kreetachat, T. (2015). Removal of VOCs by photocatalytic oxidation using nano-TiO<sub>2</sub>/PLA biocomposite. *J Environ Biol* 36: 617-621.
- Theuerkorn, K; Horsfield, B; Wilkes, H; di Primio, R; Lehne, E. (2008). A reproducible and linear method for separating asphaltenes from crude oil. *Organic Geochemistry* 39: 929-934. <http://dx.doi.org/10.1016/j.orggeochem.2008.02.009>.
- Thier, R; Delbanco, EH; Wiebel, FA; Hallier, E; Bolt, HM. (1998). Determination of glutathione transferase (GSTT1-1) activities in different tissues based on formation of radioactive metabolites using 35S-glutathione. *Arch Toxicol* 72: 811-815. <http://dx.doi.org/10.1007/s002040050578>.
- Thier, R; Taylor, JB; Pemble, SE; Humphreys, WG; Persmark, M; Ketterer, B; Guengerich, FP. (1993). Expression of mammalian glutathione S-transferase 5-5 in *Salmonella typhimurium* TA1535 leads to base-pair mutations upon exposure to dihalomethanes. *Proc Natl Acad Sci USA* 90: 8576-8580.
- Thiery, D; Gabel, B; Farkas, P; Jarry, M. (1995). Egg dispersion in codling moth: Influence of egg extract and of its fatty acid constituents. *J Chem Ecol* 21: 2015-2026.
- Thilagar, AK; Back, AM; Kirby, PE; Kumaroo, PV; Pant, KJ; Clarke, JJ; Knight, R; Haworth, SR. (1984). Evaluation of dichloromethane in short term in vitro genetic toxicity assays [Abstract]. *Environ Mutagen* 6: 418-419.
- Thoelen, C; De Bruyn, M; Theunissen, E; Kondo, Y; Vankelecom, IFJ; Grobet, P; Yoshikawa, M; Jacobs, PA. (2001). Membranes based on poly( $\gamma$ -methyl-L-glutamate): synthesis, characterization and use in chiral separations. *J Memb Sci* 186: 153-163.
- Thomas, KRJ; Lin, JT; Tao, YT; Chuen, CH. (2002). Electroluminescent bipolar compounds containing quinoxaline or pyridopyrazine and triarylamine segments. *J Mater Chem* 12: 3516-3522. <http://dx.doi.org/10.1039/b206126k>.
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J* 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thomas, RS; Yang, RS; Morgan, DG; Moorman, MP; Kermani, HR; Sloane, RA; O'Connor, RW; Adkins, B; Gargas, ML; Andersen, ME. (1996). PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure. *Environ Health Perspect* 104: 858-865.
- Thompson, CM; Sonawane, B; Barton, HA; Dewoskin, RS; Lipscomb, JC; Schlosser, P; Chiu, WA; Krishnan, K. (2008). Approaches for applications of physiologically based pharmacokinetic models in risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 11: 519-547. <http://dx.doi.org/10.1080/10937400701724337>.
- Thompson, D; Hermes, JP; Quinn, AJ; Mayor, M. (2012). Scanning the potential energy surface for synthesis of dendrimer-wrapped gold clusters: design rules for true single-molecule nanostructures. *ACS Nano* 6: 3007-3017. <http://dx.doi.org/10.1021/nn204470g>.
- Thompson, LC; Berry, S. (2001). Structure and emission spectrum of the o-phenanthroline adduct of tris(6-methyl-2,4-heptanedionato)europium(III). *J Alloy Comp* 323: 177-180.
- Thorell, B; Boren, H; Grimvall, A; Nystrom, A; Savenhed, R. (1992). CHARACTERIZATION AND IDENTIFICATION OF ODOROUS COMPOUNDS IN OZONATED WATERS. *Water Sci Technol* 25: 139-146.
- Thrall, KD; Callahan, PJ; Weitz, KK; Edwards, JA; Brinkman, MC; Kenny, DV. (2001). Design and evaluation of a breath-analysis system for biological monitoring of volatile compound. *AIHAJ* 62: 28-35.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A* 60: 531-548.
- Thring, RW. (1994). ALKALINE-DEGRADATION OF ALCELL(R) LIGNIN. *Biomass and Bioenergy* 7: 125-130.
- Thring, RW; Breau, J. (1996). Hydrocracking of solvolysis lignin in a batch reactor. *Fuel* 75: 795-800.
- Tian, D; Zhang, X; Lu, C; Yuan, G; Zhang, W, ei; Zhou, Z. (2014). Solvent-free synthesis of carboxylate-functionalized cellulose from waste cotton fabrics for the removal of cationic dyes from aqueous solutions. *Cellulose* 21: 473-484. <http://dx.doi.org/10.1007/s10570-013-0112-3>.
- Tian, H; Yang, X; Cong, J; Chen, R; Teng, C; Liu, J; Hao, Y, an; Wang, L, ei; Sun, L. (2010). Effect of different electron donating groups on the performance of dye-sensitized solar cells. *Dyes and Pigments* 84: 62-68. <http://dx.doi.org/10.1016/j.dyepig.2009.06.014>.
- Tian, J; Ren, S; Fang, G; Ma, Y; Ai, Q. (2014). Preparation and Performance of Dimethyl-Acetoxy-(2-Carboxymethyl Ether)-Lignin Ammonium Chloride Amphoteric Surfactant. *BioResources* 9: 6290-6303.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst* 28: 1495-1502.
- Tiedeman, GT; Isaacson, RL; Sellers, T. (1994). TOTAL PHENOLIC-COMPOUNDS AND FREE PHENOL IN SOFTWOOD STRUCTURAL PLYWOOD. *For Prod J* 44: 73-75.
- Tieman, DM; Goodwin, AE. (2001). Treatments for ich infestations in channel catfish evaluated under static and flow-through water conditions. *North American Journal of Aquaculture* 63: 293-299.
- Timur, S; Kantarli, IC, em; Ikizoglu, E; Yanik, J. (2006). Preparation of activated carbons from *Oreganum* stalks by chemical activation. *Energy Fuels* 20: 2636-2641. <http://dx.doi.org/10.1021/ef060219k>.
- Ting, M; Yue-Si, W; Jie, J; Fang-Kun, W; Mingxing, W. (2008). The vertical distributions of VOCs in the atmosphere of Beijing in autumn. *Sci Total Environ* 390: 97-108. <http://dx.doi.org/10.1016/j.scitotenv.2007.08.035>.
- Tingle, FC; Mitchell, ER. (1992). ATTRACTION OF HELIOTHIS-VIRESCENS (F) (LEPIDOPTERA, NOCTUIDAE) TO VOLATILES FROM EXTRACTS OF COTTON FLOWERS. *J Chem Ecol* 18: 907-914.

## Exposure Literature Search Results

### Off Topic

- Tingming, F; Liwei, G; Kang, L; Tianyao, W; Jin, L. (2010). Template occluded SBA-15: An effective dissolution enhancer for poorly water-soluble drug. *Appl Surf Sci* 256: 6963-6968. <http://dx.doi.org/10.1016/j.apsusc.2010.05.007>.
- Tocque, E; Behar, F; Budzinski, H; Lorant, F. (2005). Carbon isotopic balance of kerogen pyrolysis effluents in a closed system. *Organic Geochemistry* 36: 893-905. <http://dx.doi.org/10.1016/j.orggeochem.2005.01.007>.
- Todaro, L; Dichicco, P; Moretti, N; D'Auria, M. (2013). Effect of Combined Steam and Heat Treatments on Extractives and Lignin in Sapwood and Heartwood of Turkey Oak (*Quercus cerris* L.) Wood. *BioResources* 8: 1718-1730.
- Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. *J Memb Sci* 301: 3-10. <http://dx.doi.org/10.1016/j.memsci.2007.06.034>.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress* 20: 167-174.
- Tolis, El; Amarantidis, S; Missia, DA; Saraga, DE; Koziakis, NE; Bartzis, JG. (2008). PRELIMINARY RESULTS ON PM1 AND PARTICLE - BOUND POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) IN KOZANI, GREECE. *Fresen Environ Bull* 17: 1634-1639.
- Tomasik, P; Schilling, CH; Jankowiak, R; Kim, JC. (2003). The role of organic dispersants in aqueous alumina suspensions. *J Eur Ceram Soc* 23: 913-919.
- Tomaszewska, M; Mozia, S. (2002). Removal of selected organic contaminants from water solutions by coagulation aided with adsorption on a powdered activated carbon. *Przemysł Chemiczny* 81: 36-41.
- Tomenson, JA. (2011). Update of a cohort mortality study of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Int Arch Occup Environ Health* 84: 889-897. <http://dx.doi.org/10.1007/s00420-011-0621-z>.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1997). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Occup Environ Med* 54: 470-476.
- Tomenson, JA; Bonner, SM; Heijne, CG; Farrar, DG; Cummings, TF. (1999). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base - Reply. *Occup Environ Med* 56: 215-215.
- Tominaga, T; Murat, ML; Dubourdieu, D. (1998). Development of a method for analyzing the volatile thiols involved in the characteristic aroma of wines made from *Vitis vinifera* L. cv. Sauvignon Blanc. *J Agric Food Chem* 46: 1044-1048.
- Tomoi, M; Kimura, Y; Tokuyama, S. (1991). PHOSPHOLIPID-SYNTHESIS USING POLYMER-SUPPORTED PROTECTIVE GROUPS. 15: 63-69.
- Tona, L; Mesia, K; Ngimbi, NP; Chrimwami, B; Okond'Ahoka; Cimanga, K; de Bruyne, T; Apers, S; Hermans, N; Totte, J; Pieters, L; Vlietinck, AJ. (2001). In-vivo antimalarial activity of *Cassia occidentalis*, *Morinda morindoides* and *Phyllanthus niruri*. *Ann Trop Med Parasitol* 95: 47-57.
- Toncelli, C; Pablo Pino-Pinto, J; Sano, N; Picchioni, F; Broekhuis, AA; Nishide, H; Moreno-Villoslada, I. (2013). Controlling the aggregation of 5,10,15,20-tetrakis-(4-sulfonatophenyl)-porphyrin by the use of polycations derived from polyketones bearing charged aromatic groups. *Dyes and Pigments* 98: 51-63. <http://dx.doi.org/10.1016/j.dyepig.2013.01.008>.
- Tong, X; Xu, J, ie; Miao, H; Gao, J, in; Sun, Z; Zhang, W, ei. (2009). Highly efficient and organic nitrogen-containing cation-promoted aerobic oxidation of alkylaromatics in the presence of N-hydroxyphthalimide. *J Chem Tech Biotechnol* 84: 1762-1766. <http://dx.doi.org/10.1002/jctb.2241>.
- Tong, X, in; Zhang, Z; Chen, X; Shen, W. (2015). Analysis of Volatile Organic Compounds in the Ambient Air of a Paper Mill- A Case Study. *BioResources* 10: 8487-8497.
- Tongpoothorn, W; Chanthai, S; Sriuttha, M; Saosang, K; Ruangviriyachai, C. (2012). Bioactive properties and chemical constituents of methanolic extract and its fractions from *Jatropha curcas* oil. *Ind Crop Prod* 36: 437-444. <http://dx.doi.org/10.1016/j.indcrop.2011.10.011>.
- Tongpoothorn, W; Sriuttha, M; Homchan, P; Chanthai, S; Ruangviriyachai, C. (2011). Preparation of activated carbon derived from *Jatropha curcas* fruit shell by simple thermo-chemical activation and characterization of their physico-chemical properties. *Chem Eng Res Des* 89: 335-340. <http://dx.doi.org/10.1016/j.cherd.2010.06.012>.
- Topcu, G; Ozturk, M; Kusman, T; Barla Demirkoz, AA; Kolak, U; Ulubelen, A. (2013). Terpenoids, essential oil composition and fatty acids profile, and biological activities of Anatolian *Salvia fruticosa* Mill. *Turkish Journal of Chemistry* 37: 619-632. <http://dx.doi.org/10.3906/kim-1303-25>.
- Topka, P; Delaigle, R; Kaluza, L; Gaigneaux, EM. (2015). Performance of platinum and gold catalysts supported on ceria-zirconia mixed oxide in the oxidation of chlorobenzene. *Catalysis Today* 253: 172-177. <http://dx.doi.org/10.1016/j.cattod.2015.02.032>.
- Tor, ER; Filigenzi, MS; Puschner, B. (2005). Determination of oleandrin in tissues and biological fluids by liquid chromatography-electrospray tandem mass spectrometry. *J Agric Food Chem* 53: 4322-4325. <http://dx.doi.org/10.1021/jf050201s>.
- Tor, ER; Holstege, DM; Galey, FD. (1996). Determination of oleander glycosides in biological matrices by high-performance liquid chromatography. *J Agric Food Chem* 44: 2716-2719.
- Torres, AI; Boisdron-Celle, M; Benoit, JP. (1996). Formulation of BCNU-loaded microspheres: influence of drug stability and solubility on the design of the microencapsulation procedure. *J Microencapsul* 13: 41-51.
- Torres, MEH; Gonzalez, FJE; Cano, MLC; Frias, MM; Vidal, JLM. (2002). Residues of methamidofos, malathion, and methiocarb in greenhouse crops. *J Agric Food Chem* 50: 1172-1177. <http://dx.doi.org/10.1021/jf0108112>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria* 200: 1-10.
- Tortora, M; Vittoria, V; Galli, G; Ritrovati, S; Chiellini, E. (2002). Transport properties of modified montmorillonite-poly (epsilon-caprolactone) nanocomposites. *Macromolecular Materials & Engineering* 287: 243-249.

## Exposure Literature Search Results

### Off Topic

- Totaro, P; Poggini, L; Favre, A; Mannini, M; Sainctavit, P; Cornia, A; Magnani, A; Sessoli, R. (2014). Tetrairon(III) single-molecule magnet monolayers on gold: insights from ToF-SIMS and isotopic labeling. *Langmuir* 30: 8645-8649. <http://dx.doi.org/10.1021/la500846a>.
- Toth, J; Nemeth, B; Gyenis, J. (2015). Formation of Microcapsulated Aluminium Potassium Sulfate Dodecahydrate by Phase Separation Method. *Periodica Polytechnica Chemical Engineering* 59: 201-205. <http://dx.doi.org/10.3311/PPCh.7589>.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering* 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Toukoniitty, E; Maki-Arvela, P; Kuzma, M; Villela, A; Neyestanaki, AK; Salmi, T; Sjöholm, R; Leino, R; Laine, E; Murzin, DY. (2001). Enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *J Catal* 204: 281-291. <http://dx.doi.org/10.1006/jcat.2001.3406>.
- Toukoniitty, E; Maki-Arvela, P; Villela, AN; Neyestanaki, AK; Salmi, T; Leino, R; Sjöholm, R; Laine, E; Vayrynen, J; Ollonqvist, T; Kooyman, PJ. (2000). The effect of oxygen and the reduction temperature of the Pt/Al<sub>2</sub>O<sub>3</sub> catalyst in enantioselective hydrogenation of 1-phenyl-1,2-propanedione. *Catalysis Today* 60: 175-184.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of 14C-phenanthrene and 14C-benzo[a]pyrene in soil. *Environ Pollut* 159: 706-715. <http://dx.doi.org/10.1016/j.envpol.2010.11.040>.
- Towey, JP; Waterhouse, AL. (1996). The extraction of volatile compounds from French and American oak barrels in Chardonnay during three successive vintages. *American Journal of Enology and Viticulture* 47: 163-172.
- Tows, I; Albers, G; Gulyas, H; H-P, E; Reich, M; Sekoulov, I. (1994). IDENTIFICATION OF TRACE ORGANICS IN A TREATED LUBRICATING OIL REFINERY WASTEWATER. *Water Sci Technol* 29: 187-194.
- Traiphol, R; Charoenthai, N; Srihirin, T; Perahia, D. (2010). Self-assembling into interconnected nanoribbons in thin films of hairy rod poly(9,9-di(2-ethylhexyl)fluorene): Effects of concentration, substrate and solvent. *Synthetic Metals* 160: 1318-1324. <http://dx.doi.org/10.1016/j.synthmet.2010.04.008>.
- Tran, AT; Hyne, RV; Doble, P. (2007). Determination of commonly used polar herbicides in agricultural drainage waters in Australia by HPLC. *Chemosphere* 67: 944-953. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.002>.
- Travaini, ML; Sosa, GM; Ceccarelli, EA; Walter, H; Cantrell, CL; Carrillo, NJ; Dayan, FE; Meepagala, KM; Duke, SO. (2016). Khellin and Visnagin, Furanochromones from *Ammi visnaga* (L.) Lam., as Potential Bioherbicides. *J Agric Food Chem* 64: 9475-9487. <http://dx.doi.org/10.1021/acs.jafc.6b02462>.
- Travi, BL; Martinez, JE; Zea, A. (1993). ANTIMONIAL TREATMENT OF HAMSTERS INFECTED WITH LEISHMANIA (VIANNIA) PANAMENSIS - ASSESSMENT OF PARASITOLOGICAL CURE WITH DIFFERENT THERAPEUTIC SCHEDULES. *Trans Roy Soc Trop Med Hyg* 87: 567-569.
- Treiner, C; Makayssi, A. (1992). STRUCTURAL MICELLAR TRANSITION FOR DILUTE-SOLUTIONS OF LONG-CHAIN BINARY CATIONIC SURFACTANT SYSTEMS - A CONDUCTANCE INVESTIGATION. *Langmuir* 8: 794-800.
- Trejooreilly, JA; Cavaille, JY; Gandini, A. (1997). Cationic copolymerization of styrenes with an isocyanate-bearing homologue. *React Funct Polym* 32: 9-19.
- Treluyer, JM; Cheron, G; Sonnier, M; Cresteil, T. (1996). Cytochrome P-450 expression in sudden infant death syndrome. *Biochem Pharmacol* 52: 497-504. [http://dx.doi.org/10.1016/0006-2952\(96\)00253-5](http://dx.doi.org/10.1016/0006-2952(96)00253-5).
- Tremblay, RT; , RD; Zika, RG. (2007). Organic composition of PM<sub>2.5</sub> and size-segregated aerosols and their sources during the 2002 Bay Regional Atmospheric Chemistry Experiment (BRACE), Florida, USA. *Atmos Environ* 41: 4323-4335. <http://dx.doi.org/10.1016/j.atmosenv.2006.11.061>.
- Tripathi, BK; Pandey, P. (2014). Breath figure templating for fabrication of polysulfone microporous membranes with highly ordered monodispersed porosity. *J Memb Sci* 471: 201-210. <http://dx.doi.org/10.1016/j.memsci.2014.08.004>.
- Troitskaya, NN; Klochkova, EO; Bochkarev, VN. (1997). Gas-chromatographic determination of methylene chloride in the reaction products of direct synthesis of methylchlorosilanes. *Industrial Laboratory* 63: 711-713.
- Tronczynski, J; Munsch, C; Durand, G; Barcelo, D. (1993). MONITORING OF TRACE-LEVELS OF HERBICIDES AND THEIR DEGRADATION PRODUCTS IN THE RIVER RHONE, FRANCE, BY GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Sci Total Environ* 132: 327-337.
- Trudinger, CM; Etheridge, DM; Sturrock, GA; Fraser, PJ; Krummel, PB; Mcculloch, A. (2004). Atmospheric histories of halocarbons from analysis of Antarctic firn air: Methyl bromide, methyl chloride, chloroform, and dichloromethane. *J Geophys Res* 109. <http://dx.doi.org/10.1029/2004JD004932>.
- Trueman, RW; Ashby, J. (1987). Lack of UDS activity in the livers of mice and rats exposed to dichloromethane. *Environ Mol Mutagen* 10: 189-195. <http://dx.doi.org/10.1002/em.2850100209>.
- Truong, H; Lomnicki, S; Dellinger, B. (2010). Potential for Misidentification of Environmentally Persistent Free Radicals as Molecular Pollutants in Particulate Matter. *Environ Sci Technol* 44: 1933-1939. <http://dx.doi.org/10.1021/es902648t>.
- Tsai, HY; Chen, K, ewYu. (2013). 1,7-Diaminoperylene bisimides: Synthesis, optical and electrochemical properties. *Dyes and Pigments* 96: 319-327. <http://dx.doi.org/10.1016/j.dyepig.2012.09.003>.
- Tsai, WT; Chang, CY. (1994). ADSORPTION OF METHYLENE-CHLORIDE VAPOR ON ACTIVATED CARBONS. *J Chem Tech Biotechnol* 61: 145-151.
- Tsai, WT; Chang, CY. (1994). SURFACE-CHEMISTRY OF ACTIVATED CARBONS AND ITS RELEVANCE FOR EFFECTS OF RELATIVE-HUMIDITY ON ADSORPTION OF CHLORINATED ORGANIC VAPORS. *Chemosphere* 29: 2507-2515.
- Tsai, WT; Chang, CY. (1995). SURFACE CHARACTERIZATION AND THERMODYNAMICS OF ADSORPTION OF METHYLENE-CHLORIDE ON ACTIVATED CARBONS. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 30: 525-535.
- Tsai, YL; Jong, CC; Chen, H. (2001). Preparation of double-encapsulated microcapsules for mitigating drug loss and extending release. *J Microencapsul* 18: 701-711.

## Exposure Literature Search Results

### Off Topic

- Tsai, YL; Tien, HT; Chen, H. (2000). The preparation and drug-release behaviour of CTA/EC and PMS/EC composite microcapsules. *J Microencapsul* 17: 413-424.
- Tsai, YT; Choi, CH; Gao, N; Yang, EH. (2011). Tunable wetting mechanism of polypyrrole surfaces and low-voltage droplet manipulation via redox. *Langmuir* 27: 4249-4256. <http://dx.doi.org/10.1021/la104403w>.
- Tse, H; Comba, M; Alae, M. (2004). Method for the determination of organophosphate insecticides in water, sediment and biota. *Chemosphere* 54: 41-47. [http://dx.doi.org/10.1016/S0045-6535\(03\)00659-3](http://dx.doi.org/10.1016/S0045-6535(03)00659-3).
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In<sub>2</sub>O<sub>3</sub> hollow particles. *Ceramics International* 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tshweu, L; Katata, L; Kalombo, L; Swai, H. (2013). Nanoencapsulation of water-soluble drug, lamivudine, using a double emulsion spray-drying technique for improving HIV treatment. *J Nanopart Res* 15. <http://dx.doi.org/10.1007/s11051-013-2040-4>.
- Tsierkezos, NG; Philippopoulos, AI. (2009). Studies of ion solvation and ion association of n-tetrabutylammonium hexafluorophosphate and n-tetrabutylammonium tetrphenylborate in various solvents. *Fluid Phase Equilibria* 277: 20-28. <http://dx.doi.org/10.1016/j.fluid.2008.11.004>.
- Tsigouri, AD; Menkissoglu-Spiroudi, U; Thrasyvoulou, A. (2001). Study of tau-fluvalinate persistence in honey. *Pest Manag Sci* 57: 467-471.
- Tsiropoulos, NG; Miliadis, GE; Likas, DT; Liapis, K. (2005). Residues of spiroxamine in grapes following field application and their fate from vine to wine. *J Agric Food Chem* 53: 10091-10096. <http://dx.doi.org/10.1021/jf052162q>.
- Tsvintzelis, I; Missopolinou, D; Kalogiannis, K; Panayiotou, C. (2004). Phase compositions and saturated densities for the binary systems of carbon dioxide with ethanol and dichloromethane. *Fluid Phase Equilibria* 224: 89-96. <http://dx.doi.org/10.1016/j.fluid.2004.06.046>.
- Tsou, J; Magnoux, P; Guisnet, M; Orfao, JJM; Figueiredo, JL. (2004). Catalytic oxidation of methyl-isobutyl-ketone over basic zeolites. *Appl Catal B-Environ* 51: 129-133. <http://dx.doi.org/10.1016/j.apcatb.2004.02.010>.
- Tsukahara, T; Miyauchi, H; Kuwada, D; Kikuchi, T; Tsuda, Y; Yanagiba, Y; Arito, H; Nomiyama, T. (2016). Control banding assessment of exposure of offset printing workers to organic solvents. *J Occup Health* 58: 314-319. <http://dx.doi.org/10.1539/joh.15-0324-BR>.
- Tsuneda, S; Ishihara, Y; Hamachi, M; Hirata, A. (2002). Inhibition effect of chlorine ion on hydroxyl radical generation in UV-H<sub>2</sub>O<sub>2</sub> process. *Water Sci Technol* 46: 33-38.
- Tsurumi, T; Teranishi, T; Wada, S; Kakemoto, H; Fukunaga, O; Nakada, M; Akedo, J, un. (2006). Ultra wide range dielectric spectroscopy of strontium titanate-strontium zirconate solid solution. *Ceramic Society of Japan Journal* 114: 774-781.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tsyurupa, MP; Blinnikova, ZK; Davidovich, Y, uA; Lyubimov, SE; Naumkin, AV; Davankov, VA. (2012). On the nature of "functional groups" in non-functionalized hypercrosslinked polystyrenes. *React Funct Polym* 72: 973-982. <http://dx.doi.org/10.1016/j.reactfunctpolym.2011.03.002>.
- Tu, SP; Yen, TF. (2000). The feasibility studies for radical-induced decomposition and demetalation of metalloporphyrins by ultrasonication. *Energy Fuels* 14: 1168-1175. <http://dx.doi.org/10.1021/ef000044t>.
- Tubajika, KM; Harrison, SA; Russin, JS; Mascagni, HJ. (2001). Effect of planting date, cultivar, and seed treatment on leaf rust severity of wheat along the Gulf Coast. *Cereal Research Communications* 29: 109-114.
- Tucker, DJ; Wallis, IR; Bolton, JM; Marsh, KJ; Rosser, AA; Brereton, IM; Nicolle, D; Foley, WJ. (2010). A metabolomic approach to identifying chemical mediators of mammal-plant interactions. *J Chem Ecol* 36: 727-735. <http://dx.doi.org/10.1007/s10886-010-9803-5>.
- Tuetun, B; Choochote, W; Rattanachanpichai, E; Chaithong, U; Jitpakdi, A; Tippawangkosol, P; Riyong, D; Pitasawat, B. (2004). Mosquito repellency of the seeds of celery (*Apium graveolens* L.). *Ann Trop Med Parasitol* 98: 407-417. <http://dx.doi.org/10.1179/000349804225003334>.
- Tungprapa, S; Puangparn, T; Weerasombut, M; Jangchud, I; Fakum, P; Semongkhon, S; Meechaisue, C; Supaphol, P. (2007). Electrospun cellulose acetate fibers: effect of solvent system on morphology and fiber diameter. *Cellulose* 14: 563-575. <http://dx.doi.org/10.1007/s10570-007-9113-4>.
- Turki, T; Ben Hamouda, S; Hamdi, R; Ben Amor, M. (2012). Nitrates removal on PUROLITE A 520E resin: kinetic and thermodynamic studies. *Desalination and Water Treatment* 41: 1-8. <http://dx.doi.org/10.1080/19443994.2012.664615>.
- Tuusa, SM; Puska, MA; Lassila, LV; Vallittu, PK. (2005). Residual monomers released from glass-fibre-reinforced composite photopolymerised in contact with bone and blood. *J Mater Sci Mater Med* 16: 15-20.
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters* 1: 39-46.
- Tzhayik, O; Sawant, P; Efrima, S; Kovalev, E; Klug, JT. (2002). Xanthate capping of silver, copper, and gold colloids. *Langmuir* 18: 3364-3369. <http://dx.doi.org/10.1021/la015653n>.
- Tzovolou, DN; Theodoropoulou, MA; Blanchet, D; Haeseler, F; Jeczalik, M; Kasela, T; Slack, W; Tsakiroglou, CD. (2015). In situ bioventing of the vadose zone of multi-scale heterogeneous soils. *Environ Earth Sci* 74: 4907-4925. <http://dx.doi.org/10.1007/s12665-015-4501-9>.
- U.S. Coast Guard. (1999). Dichloromethane. CHRIS: Hazardous chemical data. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.



## Exposure Literature Search Results

### Off Topic

- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=22567>.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscmm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscmm.getfile?p_download_id=4727).
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- Uang, SN; Shih, TS; Chang, CH; Chang, SM; Tsai, CJ; Deshpande, CG. (2006). Exposure assessment of organic solvents for aircraft paint stripping and spraying workers. *Sci Total Environ* 356: 38-44. <http://dx.doi.org/10.1016/j.scitotenv.2005.02.029>.
- Ueda, M; Iwara, A; Kreuter, J. (1998). Influence of the preparation methods on the drug release behaviour of loperamide-loaded nanoparticles. *J Microencapsul* 15: 361-372.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). One continuous process of agglomeration and microencapsulation for enoxacin. Preparation method and mechanism of microencapsulation. *J Microencapsul* 10: 25-34.
- Ueda, M; Nakamura, Y; Makita, H; Kawashima, Y. (1993). PREPARATION AND CHARACTERISTICS OF MICROCAPSULES CONTAINING ENOXACIN BY ONE CONTINUOUS PROCESS OF AGGLOMERATION AND MICROENCAPSULATION. *J Microencapsul* 10: 171-180.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health* 70: 385-392.
- Ukai, H; Okamoto, S; Takada, S; Inui, S; Kawai, T; Higashikawa, K; Ikeda, M. (1998). Monitoring of occupational exposure to dichloromethane by diffusive vapor sampling and urinalysis. *Int Arch Occup Environ Health* 71: 397-404.
- Ukkonen, K. (1982). NON-VOLATILE DICHLOROMETHANE EXTRACTIVES OF GMELINA-ARBOREA. 65: 71-71.
- Ukrainczyk, L; McBride, MB. (1993). Oxidation and dechlorination of chlorophenols in dilute aqueous suspensions of manganese oxides: Reaction products. *Environ Toxicol Chem* 12: 2015-2022.

## Exposure Literature Search Results

### Off Topic

- Ullah, M, dA; Kim, K, iH; Szulejko, J, anE. (2015). The effect of solvent selection in the gas chromatographic analysis of carbonyls in air samples after derivatization with pentafluorophenyl hydrazine. *Atmos Res* 166: 101-109. <http://dx.doi.org/10.1016/j.atmosres.2015.06.020>.
- Ulutan, S; Yetgin, S; Balkose, D. (2013). Flexible PVC-Silica Composites as an Adsorptive Material for Water Soluble Dyes. *Polymers and Polymer Composites* 21: 177-181.
- Uma; Banerjee, S; Sharma, YC. (2013). Equilibrium and kinetic studies for removal of malachite green from aqueous solution by a low cost activated carbon. *J Ind Eng Chem* 19: 1099-1105. <http://dx.doi.org/10.1016/j.jiec.2012.11.030>.
- Uma, B; Sandhya, S. (1998). Kinetics of pyridine degradation along with toluene and methylene chloride with *Bacillus* sp. in packed bed reactor. 18: 303-305.
- Umano, K; Hagi, Y; Nakahara, K; Shoji, A; Shibamoto, T. (2000). Volatile chemicals identified in extracts from leaves of Japanese mugwort (*Artemisia princeps* Pamp.). *J Agric Food Chem* 48: 3463-3469.
- Umano, K; Hagi, Y; Shibamoto, T. (2002). Volatile chemicals identified in extracts from newly hybrid citrus, dekopon (Shiranuhi mandarin Suppl. J.). *J Agric Food Chem* 50: 5355-5359. <http://dx.doi.org/10.1021/jf0203951>.
- Umano, K; Nakahara, K; Shoji, A; Shibamoto, T. (1999). Aroma chemicals isolated and identified from leaves of *Aloe arborescens* Mill. var. *natalensis* Berger. *J Agric Food Chem* 47: 3702-3705.
- Umar, A; Abaker, M; Faisal, M; Hwang, SW; Baskoutas, S; Al-Sayari, SA. (2011). High-yield synthesis of well-crystalline alpha-Fe<sub>2</sub>O<sub>3</sub> nanoparticles: structural, optical and photocatalytic properties. *J Nanosci Nanotechnol* 11: 3474-3480. <http://dx.doi.org/10.1166/jnn.2011.4148>.
- Umeda, N; Nibe, H; Hara, T; Hirazawa, N. (2006). Effects of various treatments on hatching of eggs and viability of oncomiracidia of the monogenean *Pseudodactylogyrus anguillae* and *Pseudodactylogyrus bini*. *Aquaculture* 253: 148-153. <http://dx.doi.org/10.1016/j.aquaculture.2005.08.009>.
- Umlauf, G; Hauk, H; Reissinger, M. (1994). THE DISTRIBUTION OF SEMIVOLATILE ORGANIC-COMPOUNDS IN CONIFER NEEDLES FOLLOWING GAS-PHASE CONTAMINATION. *Chemosphere* 28: 1689-1699.
- Uner, O; Gecgel, U; Bayrak, Y. (2016). Adsorption of Methylene Blue by an Efficient Activated Carbon Prepared from *Citrullus lanatus* Rind: Kinetic, Isotherm, Thermodynamic, and Mechanism Analysis. *Water Air Soil Pollut* 227. <http://dx.doi.org/10.1007/s11270-016-2949-1>.
- Unur, E; Toppare, L; Yagci, Y; Yilmaz, F. (2005). Synthesis and characterization of thiophene-capped polytetrahydrofuran conducting copolymers. *Mater Chem Phys* 91: 261-268. <http://dx.doi.org/10.1016/j.matchemphys.2004.10.051>.
- Urbano, BF; Paredes, J; Rivas, BL; Kuskus, O; Kabay, N; Bryjak, M. (2014). Water-Insoluble Copolymer Based on N-Methyl-D-glucamine and Quaternary Ammonium Groups with Capability to Remove Arsenic. *Environ Prog Sustain Energy* 33: 1187-1193. <http://dx.doi.org/10.1002/ep.11905>.
- Urbano, BF; Rivas, BL; Martinez, F; Alexandratos, SD. (2012). Water-insoluble polymer-clay nanocomposite ion exchange resin based on N-methyl-D-glucamine ligand groups for arsenic removal. *React Funct Polym* 72: 642-649. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.008>.
- Urriaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J* 48: 572-581.
- Ushamani, M; Leenadeenja, NG; Sreekumar, K; Kartha, CS; Joseph, R. (2003). Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly(vinyl chloride) films. *Bulletin of Materials Science* 26: 343-348.
- Ustamehmetoglu, B; Yazici, P; Kizilcan, N. (2011). Polymerisation of methyl ethyl ketone formaldehyde resin modified with carbazole-9-carbonyl chloride. *Pigment & Resin Technology* 40: 211-221. <http://dx.doi.org/10.1108/03699421111147272>.
- Ustun, D; Candir, E; Ozdemir, AE; Kamiloglu, O; Soylu, EM; Dilbaz, R. (2012). Effects of modified atmosphere packaging and ethanol vapor treatment on the chemical composition of 'Red Globe' table grapes during storage. *Postharvest Biol Technol* 68: 8-15. <http://dx.doi.org/10.1016/j.postharvbio.2012.01.006>.
- Utsunomiya, H; Doi, S; Hara, K, enI; Sakai, T; Yanagi, S. (2009). Deformation of oxide scale on steel surface during hot rolling. *CIRP Annals - Manufacturing Technology* 58: 271-274. <http://dx.doi.org/10.1016/j.cirp.2009.03.050>.
- Utsunomiya, Y; Toyoda, A; Kajiwara, T; Nishiyama, T; Nagayama, K; Kubota, S; Yamada, Y; Mitarai, Y. (2008). Preparation of reactive thin film consisting of diazodinitrophenol particles and its reaction characteristics ignited by pulse laser ablation. *Science and Technology of Energetic Materials* 69: 29-38.
- Uzun, M; Govarthanam, KK; Rajendran, S; Sancak, E. (2015). Interaction of a non-aqueous solvent system on bamboo, cotton, polyester and their blends: the effect on abrasive wear resistance. *Wear* 322: 10-16. <http://dx.doi.org/10.1016/j.wear.2014.10.006>.
- Vachon, MG; Nairn, JG. (1995). Physico-chemical evaluation of acetylsalicylic acid-Eudragit RS100 microspheres prepared using a solvent-partition method. *J Microencapsul* 12: 287-305.
- Vagi, MC; Petsas, AS; Kostopoulou, MN; Karamanoli, MK; Lekkas, TD. (2007). Determination of organochlorine pesticides in marine sediments samples using ultrasonic solvent extraction followed by GC/ECD. *Desalination* 210: 146-156. <http://dx.doi.org/10.1016/j.desal.2006.06.020>.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J* 48: 646-651.
- Vahdat, N; Swearingen, PM; Johnson, JS; Priante, S; Mathews, K; Neidhardt, A. (1995). Adsorption Capacity and Thermal Desorption Efficiency of Selected Adsorbents. *Am Ind Hyg Assoc J* 56: 32-38.
- Vajdi, M. (1994). STUDIES ON THE EXTRACTABILITY OF GANGLIOSIDES WITH VARIOUS SOLVENTS. *Separation Science and Technology* 29: 2067-2072.

## Exposure Literature Search Results

### Off Topic

- Valcke, M; Haddad, S. (2015). Assessing human variability in kinetics for exposures to multiple environmental chemicals: a physiologically based pharmacokinetic modeling case study with dichloromethane, benzene, toluene, ethylbenzene, and m-xylene. *J Toxicol Environ Health A* 78: 409-431. <http://dx.doi.org/10.1080/15287394.2014.971477>.
- Valdez, PJ; Dickinson, JG; Savage, PE. (2011). Characterization of Product Fractions from Hydrothermal Liquefaction of *Nannochloropsis* sp and the Influence of Solvents. *Energy Fuels* 25: 3235-3243. <http://dx.doi.org/10.1021/ef2004046>.
- Valencia-Diaz, S; Flores-Palacios, A; Rodriguez-Lopez, V; Jimenez-Aparicio, AR. (2013). Inhibitory effects of bark chemicals of host *Ipomoea murucoides* on seed germination of epiphyte *Tillandsia recurvata*. *Allelopathy Journal* 32: 91-100.
- Valent, GU; Sato, MIZ; Cristina, M; Coelho, LS; Coimbra, CA; Sanchez, PS; Martins, MT; Bonatelli, R. (1993). MONITORING SAO-PAULO STATE RIVERS IN BRAZIL FOR MUTAGENIC ACTIVITY USING THE AMES TEST. *Environ Toxicol Water Qual* 8: 371-381.
- Valiyari, S; Jahanban-Esfahlan, R; Shahneh, FZ; Yari pour, S; Baradaran, B; Delazar, A. (2013). Cytotoxic and apoptotic activity of *Scrophularia oxysepala* in MCF-7 human breast cancer cells. *Toxicol Environ Chem* 95: 1208-1220. <http://dx.doi.org/10.1080/02772248.2013.854362>.
- Valli, VLK; Alper, H. (1995). ORGANORHODIUM COMPLEX ON SMECTITE CLAY - PREPARATION, CHARACTERIZATION, AND CATALYTIC ACTIVITY FOR THE HYDROFORMYLATION OF VINYL SILANES. *Chem Mater* 7: 359-362.
- Valov, PM; Gracheva, LV; Leiman, VI. (1997). Melting and crystallization of CuCl nanocrystals incorporated into the ultradisperse eutectic system in a glass. *Glass Physics and Chemistry* 23: 130-138.
- van den Brink, RW; Mulder, P; Louw, R; Siquin, G; Petit, C; Hindermann, JP. (1998). Catalytic oxidation of dichloromethane on gamma-Al<sub>2</sub>O<sub>3</sub>: A combined flow and infrared spectroscopic study. *J Catal* 180: 153-160.
- van den Broeke, LJP; de Bruijn, VG; Heijnen, JHM; Keurentjes, JTF. (2001). Micellar catalysis for epoxidation reactions. *Ind Eng Chem Res* 40: 5240-5245.
- Van der Bruggen, B; Geens, J; Vandecasteele, C. (2002). Influence of organic solvents on the performance of polymeric nanofiltration membranes. *Separation Science and Technology* 37: 783-797.
- Van Der Vorst, G; Swart, P; Aelterman, W, im; Van Brecht, A; Graauwmans, E; Van Langenhove, H; Dewulf, J, o. (2010). Resource consumption of pharmaceutical waste solvent valorization alternatives. *Resour Conservat Recycl* 54: 1386-1392. <http://dx.doi.org/10.1016/j.resconrec.2010.05.014>.
- van Duffel, B; Verbiest, T; Van Elshocht, S; Persoons, A; De Schryver, FC; Schoonheydt, RA. (2001). Fuzzy assembly and second harmonic generation of clay/polymer/dye monolayer films. *Langmuir* 17: 1243-1249.
- Van Dyk, S; Mcglasson, WB; Williams, M; Gair, C. (2010). Influence of curing procedures on sensory quality of vanilla beans. *Fruits* 65: 387-399. <http://dx.doi.org/10.1051/fruits/2010033>.
- Van Emon, JM; Chuang, JC; Bronshtein, A; Altstein, M. (2013). Determination of polychlorinated biphenyls in soil and sediment by selective pressurized liquid extraction with immunochemical detection. *Sci Total Environ* 463-464: 326-333. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.020>.
- van Grieken, R; Melero, JA; Morales, G. (2005). Fries rearrangement of phenyl acetate over sulfonic modified mesostructured SBA-15 materials. *Appl Catal A-Gen* 289: 143-152. <http://dx.doi.org/10.1016/j.apcata.2005.04.059>.
- van Netten, C. (2002). Analysis and implications of aircraft disinsectants. *Sci Total Environ* 293: 257-262.
- van Pée, KH; Unversucht, S. (2003). Biological dehalogenation and halogenation reactions [Review]. *Chemosphere* 52: 299-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00204-2](http://dx.doi.org/10.1016/S0045-6535(03)00204-2).
- van Rooij, IA; Wegerif, MJ; Roelofs, HM; Peters, WH; Kuijpers-Jagtman, AM; Zielhuis, GA; Merkus, HM; Steegers-Theunissen, RP. (2001). Smoking, genetic polymorphisms in biotransformation enzymes, and nonsyndromic oral clefting: A gene-environment interaction. *Epidemiology* 12: 502-507.
- Vandenabeele, C; Bulou, S; Maurau, R; Siffer, F; Belmonte, T; Choquet, P. (2015). Organo-Chlorinated Thin Films Deposited by Atmospheric Pressure Plasma-Enhanced Chemical Vapor Deposition for Adhesion Enhancement between Rubber and Zinc-Plated Steel Monofilaments. *7: 14317-14327*. <http://dx.doi.org/10.1021/acsami.5b02887>.
- Vandoorn, J; Moulijn, JA. (1993). A MODEL OF COKE ON HYDROTREATING CATALYSTS UNDER REACTION CONDITIONS. *Fuel Process Tech* 35: 275-287.
- Vanni, A; Gennaro, MC; Fedele, A; Piccone, G; Petronio, BM; Petruzzelli, G; Liberatori, A. (1994). Leachability of heavy metals in municipal sewage sludge particulate. *Environ Technol* 15: 71-78.
- Vannier, V; Schenk, M; Kohse-Hoeinghaus, K; Bahlawane, N. (2012). Preparation and characterisation of chromium-doped cobalt oxide spinel thin films. *Journal of Materials Science* 47: 1348-1353. <http://dx.doi.org/10.1007/s10853-011-5909-6>.
- Vaquero-Fernandez, L; Saenz-Hernaiz, A, na; Sanz-Asensio, J; Fernandez-Zurbano, P; Sainz-Ramirez, M; Pons-Jubera, B; Lopez-Alonso, M; Epifanio-Fernandez, SI; Martinez-Soria, MT. (2008). Determination of cyprodinil and fludioxonil in the fermentative process of must by high-performance liquid chromatography-diode array detection. *J Sci Food Agric* 88: 1943-1948. <http://dx.doi.org/10.1002/jsfa.3301>.
- Vardulakis, G; Withington, S; Goldie, DJ; Glowacka, DM. (2008). Superconducting kinetic inductance detectors for astrophysics. *Meas Sci Technol* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015509>.
- Varshosaz, J; Dehkordi, AJ; Golafshan, S. (2006). Colon-specific delivery of mesalazine chitosan microspheres. *J Microencapsul* 23: 329-339. <http://dx.doi.org/10.1080/0265040600612405>.
- Vasilev, AA; De Mey, K; Asselberghs, I; Clays, K; Champagne, B; Angelova, SE; Spassova, MI; Li, C; Muellen, K. (2012). Enhanced Intramolecular Charge Transfer in New Type Donor-Acceptor Substituted Perylenes. *J Phys Chem C* 116: 22711-22719. <http://dx.doi.org/10.1021/jp306848f>.

## Exposure Literature Search Results

### Off Topic

- Vasiliev, BV; Ratnikov, EN; Zhegalova, NN; Mironov, DP; Domkin, VS; Zatsepin, AG; Naimark, NI. (1992). CELLULOSE AND CELLULOSE TRIACETATE MODERN STRUCTURAL MODIFICATIONS AND PROPERTIES OF CELLULOSE ACETATES OBTAINED BY DIRECT CELLULOSE ACETYLATION IN SOLUTION. *Cellulose Chemistry and Technology* 26: 177-189.
- Vasiliu, G; Boscencu, R; Socoteanu, R; Nacea, V. (2014). Complex Combinations of Some Transition Metals with New Unsymmetrical Porphirins. *Rev Chim* 65: 998-1001.
- Vasques, AR; de Souza, SMG, U; Valle, JAB; Ulson de Souza, AA. (2009). Application of ecological adsorbent in the removal of reactive dyes from textile effluents. *J Chem Tech Biotechnol* 84: 1146-1155. <http://dx.doi.org/10.1002/jctb.2147>.
- Vatassery, R; Hinke, JA; Sanchez-Diaz, A; Hue, R; Mann, KR; Blank, DA; Gladfelter, WL. (2013). Excited-State Quenching Mechanism of a Terthiophene Acid Dye Bound to Monodisperse CdS Nanocrystals: Electron Transfer versus Concentration Quenching. *J Phys Chem C* 117: 10708-10715. <http://dx.doi.org/10.1021/jp312272p>.
- Vaughn, SF; Berhow, MA. (1999). Allelochemicals isolated from tissues of the invasive weed garlic mustard (*Alliaria petiolata*). *J Chem Ecol* 25: 2495-2504.
- Vecino Mantilla, S; Mancilla Manrique, A; Gauthier-Maradei, P. (2015). Methodology for Extraction of Phenolic Compounds of Bio-oil from Agricultural Biomass Wastes. *Waste Biomass Valorization* 6: 371-383. <http://dx.doi.org/10.1007/s12649-015-9361-8>.
- Vecitis, CD; Gao, GD; Liu, H. (2011). Electrochemical Carbon Nanotube Filter for Adsorption, Desorption, and Oxidation of Aqueous Dyes and Anions. *J Phys Chem C* 115: 3621-3629. <http://dx.doi.org/10.1021/jp111844>.
- Veerender, P; Koiry, SP; Jha, P; Saxena, V; Chauhan, AK; Bhattacharya, S; Tewari, R; Aswal, DK; Gupta, SK. (2012). An Electrochemical Approach for Deposition of Polyfullerene Films on ITO Substrates. *J Electrochem Soc* 159: D13-D18. <http://dx.doi.org/10.1149/2.021201jes>.
- Vega-Gonzalez, A; Tufeu, R; Subra, P. (2002). High-pressure vapor-liquid equilibrium for the binary systems carbon dioxide plus dimethyl sulfoxide and carbon dioxide plus dichloromethane. *Journal of Chemical and Engineering Data* 47: 492-495. <http://dx.doi.org/10.1021/je010202q>.
- Vega-Vila, JC; Harris, JW; Gounder, R. (2016). Controlled insertion of tin atoms into zeolite framework vacancies and consequences for glucose isomerization catalysis. *J Catal* 344: 108-120. <http://dx.doi.org/10.1016/j.jcat.2016.09.011>.
- Velayudham, S; Lee, CH; Xie, M; Blair, D; Bauman, N; Yap, YK; Green, SA; Liu, H. (2010). Noncovalent functionalization of boron nitride nanotubes with poly(p-phenylene-ethynylene)s and polythiophene. *ACS Applied Materials & Interfaces* 2: 104-110. <http://dx.doi.org/10.1021/am900613j>.
- Velickovic, MM; Radivojevic, DD; Oparnica, CD; Nikicevic, NJ; Zivkovic, MB; Dordevic, NO; Vajs, VE; Tegevic, VV. (2013). Volatile compounds in Medlar fruit (*Mespilus germanica* L.) at two ripening stages. *Hemijaska Industrija* 67: 437-441. <http://dx.doi.org/10.2298/HEMIND120611085V>.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Vellis, PD; Ye, S; Mikroyannidis, JA; Liu, Y. (2008). New divinylene trimers with triphenylpyridine segments: Synthesis, photophysics, electrochemical and electroluminescent properties. *Synthetic Metals* 158: 854-860. <http://dx.doi.org/10.1016/j.synthmet.2008.06.002>.
- Vembris, A; Zarins, E; Jubels, J; Kokars, V; Muzikante, I; Miasojedovas, A; Jursenas, S. (2012). Thermal and optical properties of red luminescent glass forming symmetric and non symmetric styryl-4H-pyran-4-ylidene fragment containing derivatives. *Optical Materials* 34: 1501-1506. <http://dx.doi.org/10.1016/j.optmat.2012.02.051>.
- Venkateswaran, P; Palanivelu, K. (2004). Solvent extraction of hexavalent chromium with tetrabutyl ammonium bromide from aqueous solution. *Separation and Purification Technology* 40: 279-284. <http://dx.doi.org/10.1016/j.seppur.2004.03.005>.
- Venning, AJ; Hill, B; Brindha, S; Healy, BJ; Baldock, C. (2005). Investigation of the PAGAT polymer gel dosimeter using magnetic resonance imaging. *Phys Med Biol* 50: 3875-3888. <http://dx.doi.org/10.1088/0031-9155/50/16/015>.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verevkin, SP; Emel'yanenko, VN; Bayardon, J; Schaeffner, B; Baumann, W; Boerner, A. (2012). Asymmetric Hydrogenation of Nonfunctionalized Olefins in Propylene Carbonate-Kinetic or Thermodynamic Control? *Ind Eng Chem Res* 51: 126-132. <http://dx.doi.org/10.1021/ie200269q>.
- Verma, D; Deb, MK. (2012). Determination of vanadium (V) employing a new combined single drop micro-extraction and diffuse reflectance Fourier transform infrared spectroscopy technique. *Int J Environ Anal Chem* 92: 59-75. <http://dx.doi.org/10.1080/03067310903410998>.
- Verma, V; Wang, Y; El-Afifi, R; Fang, T; Rowland, J; Russell, AG; Weber, RJ. (2015). Fractionating ambient humic-like substances (HULIS) for their reactive oxygen species activity - Assessing the importance of quinones and atmospheric aging. *Atmos Environ* 120: 351-359. <http://dx.doi.org/10.1016/j.atmosenv.2015.09.010>.
- Vervoort, HC; Pawlik, JR; Fenical, W. (1998). Chemical defense of the Caribbean ascidian *Didemnum conchyliatum*. *Mar Ecol Prog Ser* 164: 221-228.
- Vesović, N; Ćurčić, S; Vujišić, L; Nenadić, M; Krstić, G; Perić-Mataruga, V; Milosavljević, S; Antić, D; Mandić, B; Petković, M; Vučković, I; Marković, Đ; Vrbica, M; Ćurčić, B; Makarov, S. (2015). Molecular Diversity of Compounds from Pygidial Gland Secretions of Cave-Dwelling Ground Beetles: The First Evidence. *J Chem Ecol* 41: 533-539. <http://dx.doi.org/10.1007/s10886-015-0593-7>.
- Vessigaud, S; Perrin-Ganier, C; Belkessam, L; Denys, S; Schiavon, M. (2007). Direct link between fluoranthene biodegradation and the mobility and sequestration of its residues during aging. *J Environ Qual* 36: 1412-1419. <http://dx.doi.org/10.2134/jeq2006.0473>.

## Exposure Literature Search Results

### Off Topic

- Vethanayagam, JGG; Meyer, HJ; Carey, DR. (1997). Evaluation of a low-input on-farm disposal system for trifluralin, cyfluthrin, and mancozeb. *J Agr Entomol* 14: 29-43.
- Vidal, JLM; Gonzalez, FJE; Galera, MM; Cano, MLC. (1998). Diminution of chlorpyrifos and chlorpyrifos oxon in tomatoes and green beans grown in greenhouses. *J Agric Food Chem* 46: 1440-1444.
- Vidal, SA; Samico, IC; Frias, PG; Hartz, ZM. (2011). An exploratory study of the costs and consequences of prenatal care in the Family Health Program. *Rev Saude Publica* 45: 467-474.
- Vidhyasekaran, P. (1980). THE USE OF DICHLOROMETHANE TO INCORPORATE FUNGICIDES INTO RICE SEEDS FOR CONTROL OF DRECHSLERA-ORYZAE. *Seed Science and Technology* 8: 357-362.
- Vigneron, F; Piquet, A; Baaziz, W; Ronot, P; Boos, A; Janowska, I; Pham-Huu, C; Petit, C; Caps, V. (2014). Hydrophobic gold catalysts: From synthesis on passivated silica to synthesis on few-layer graphene. *Catalysis Today* 235: 90-97. <http://dx.doi.org/10.1016/j.cattod.2014.04.016>.
- Vij, JK. (1989). POWER ABSORPTION-COEFFICIENT CONSTANTS FOR WATER, ACETONITRILE, AND METHYLENE-CHLORIDE AT FAR INFRARED WAVELENGTHS. *Int J Infrared Millimeter Waves* 10: 847-867.
- Viladeri, CV; Piscopou, TD; Siskos, PA. (2007). Chemistry and air-conditioning: Sampling and analysis of particles collected from filters of air conditioning equipment in Athens. *Indoor Built Environ* 16: 563-568. <http://dx.doi.org/10.1177/1420326X07085072>.
- Vilela, SMF; Ananias, D; Gomes, A, naC; Valente, AA; Carlos, LD; Cavaleiro, JAS; Rocha, J; Tome, JPC; Almeida Paz, FA. (2012). Multi-functional metal-organic frameworks assembled from a tripodal organic linker. *J Mater Chem* 22: 18354-18371. <http://dx.doi.org/10.1039/c2jm32501b>.
- Vilela, SMF; Mendes, RF; Silva, P; Fernandes, JA; Tome, JPC; Almeida Paz, FA. (2013). Structural Diversity of Lanthanum-Organic Frameworks Based on 1,4-Phenylenebis(methylene)diphosphonic Acid. *Cryst Growth Des* 13: 543-560. <http://dx.doi.org/10.1021/cg301112k>.
- Villar-Rodil, S; Denoyel, R; Rouquerol, J; Martinez-Alonso, A; Tascon, JMD. (2002). Fibrous carbon molecular sieves by chemical vapor deposition of benzene. Gas separation ability. *Chem Mater* 14: 4328-4333. <http://dx.doi.org/10.1021/cm021193n>.
- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinia, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials* 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Villar-Rodil, S; Navarrete, R; Denoyel, R; Albinia, A; Paredes, JI; Martinez-Alonso, A; Tascon, JMD. (2005). Carbon molecular sieve cloths prepared by chemical vapour deposition of methane for separation of gas mixtures. *Microporous and Mesoporous Materials* 77: 109-118. <http://dx.doi.org/10.1016/j.micromeso.2004.08.017>.
- Villieras, F; Leboda, R; Charnas, B; Bardot, F; Gerard, G; Rudzinski, W. (1998). High resolution argon and nitrogen adsorption assessment of the surface heterogeneity of carbosils. *Carbon* 36: 1501-1510.
- Víñas, P; López-García, I; Merino-Meroño, B; Campillo, N; Hernández-Córdoba, M. (2004). Liquid chromatography-hydride generation-atomic absorption spectrometry for the speciation of tin in seafoods. *J Environ Monit* 6: 262-266. <http://dx.doi.org/10.1039/b312778h>.
- Vincent, R; Poirot, P; Subra, I; Rieger, B; Cicoella, A. (1994). Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. *Int Arch Occup Environ Health* 65: 377-380. <http://dx.doi.org/10.1007/BF00383247>.
- Vinha Zanon, AJ; Carvalho, AG; de Souza, MT; Jardim, CM; Oliveira Carneiro, A, deC; Colodette, JL. (2015). EFFECT OF EXTRACTIVES ON WOOD COLOR OF HEAT TREATED *Pinus radiata* AND *Eucalyptus pellita*. 17: 857-864. <http://dx.doi.org/10.4067/S0718-221X2015005000074>.
- Vitekova, H; Vavrova, M; Mravcova, L; Vydrova, L. (2008). ASSESSMENT OF SULFATHIAZOLE IN WASTEWATER. *Fresen Environ Bull* 17: 1846-1851.
- Vitovec, W; Koshland, CP; Lucas, D; Sawyer, RF. (1996). The destruction of methylene chloride in lean post-flame conditions. *Combust Sci Tech* 116: 153-166.
- Vittoria, V. (1995). INFLUENCE OF THE CRYSTALLINITY ON THE TRANSPORT-PROPERTIES OF POLYETHYLENE. *Journal of Materials Science* 30: 3954-3958.
- Vivas, MG; De Boni, L; Cooper, TM; Mendonca, CR. (2014). Interpreting Strong Two-Photon Absorption of PE3 Platinum Acetylide Complex: Double Resonance and Excited State Absorption. 1: 106-113. <http://dx.doi.org/10.1021/ph4000357>.
- Vivas, N; Pianet, I; Bourgeois, G; Vitry, C; Servens, C; Glories, Y. (1998). Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. *American Journal of Enology and Viticulture* 49: 49-55.
- Vivekanandan, MV; Sreenivasan, S. (2012). Dynamic Transportation of Water Vapor through Cotton and Polyester-Cotton Blended Fabrics Part I: Indices Characterizing Moisture Buffering and their Interrelationships. *Journal of Engineered Fabrics and Fibers* 7: 70-80.
- Vlad, S. (2005). Polyurethane coatings for corrosive protection. *Materiale Plastice* 42: 293-296.
- Vladislavjević, GT; Duncanson, WJ; Shum, HC; Weitz, DA. (2012). Emulsion templating of poly(lactic acid) particles: droplet formation behavior. *Langmuir* 28: 12948-12954. <http://dx.doi.org/10.1021/la302092f>.
- Vlase, C; Diaconu, E; Ostapovici, E; Turculeț, A; Moisuc, L; Bulgaru, L. (1995). A STUDY ON CARBENICILLIN PURIFICATION BY LIQUID-LIQUID-EXTRACTION. *Rev Chim* 46: 722-724.
- Vlckova, B; Barnett, SM; Kanigan, T; Butler, IS. (1993). SURFACE-ENHANCED RAMAN-SCATTERING AND SURFACE-PLASMON ABSORPTION OF GLASS-DEPOSITED SILVER-2,2'-BIPYRIDINE FILMS FORMED FROM INTERFACIAL SILVER METAL LIQUID-LIKE FILMS. *Langmuir* 9: 3234-3238.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere* 39: 2479-2488.
- Vrbka, P; Dohnal, V. (2016). Limiting activity coefficient measurements in binary mixtures of dichloromethane and 1-alkanols (C1-C4). *Fluid Phase Equilibria* 411: 59-65. <http://dx.doi.org/10.1016/j.fluid.2015.11.037>.

## Exposure Literature Search Results

### Off Topic

- Vrchotova, N; Sera, B; Krejcová, J. (2011). Allelopathic activity of extracts from *Impatiens* species. *Plant Soil Environ* 57: 57-60.
- Vrdoljak, V; Prugovecki, B; Matkovic-Calogovic, D; Hrenar, T; Dreos, R; Siega, P. (2013). Three Polymorphic Forms of a Monomeric Mo(VI) Complex: Building Blocks for Two Metal-Organic Supramolecular Isomers. *Intermolecular Interactions and Ligand Substituent Effects. Cryst Growth Des* 13: 3773-3784. <http://dx.doi.org/10.1021/cg400782c>.
- Vu, VT; Lee, BK; Kim, JT; Lee, CH; Kim, IH. (2011). Assessment of carcinogenic risk due to inhalation of polycyclic aromatic hydrocarbons in PM10 from an industrial city: a Korean case-study. *J Hazard Mater* 189: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.043>.
- Vuorinen, AM; Dyer, SR; Lassila, LVJ; Vallittu, PK. (2011). Bonding of BisGMA-TEGDMA-Resin to Bulk Poly(Paraphenylene) Based Rigid Rod Polymer. *Composite Interfaces* 18: 387-398. <http://dx.doi.org/10.1163/156855411X595807>.
- Wachowska, H; Kozłowski, M. (1993). MULTISTAGE BUTYLATION OF COALS IN A POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 72: 435-442.
- Wachowska, H; Kozłowski, M. (1994). REDUCTIVE ALKYLATION OF COALS IN ETHER SOLVENTS. *Fuel* 73: 880-885.
- Wachowska, H; Kozłowski, M. (1995). MULTISTAGE REDUCTION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM. *Fuel* 74: 1398-1403.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .1. THE INFLUENCE OF DEMINERALIZATION ON THE COURSE OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS. *Fuel* 74: 1319-1327.
- Wachowska, H; Kozłowski, M. (1995). STUDIES OF REDUCTION AND REDUCTIVE ALKYLATION OF COALS IN THE POTASSIUM LIQUID-AMMONIA SYSTEM .2. CHARACTERIZATION OF COAL EXTRACTS. *Fuel* 74: 1328-1332.
- Wachowska, H; Kozłowski, M. (1996). The influence of extraction with organic solvents on coking properties of raw and reduced coals. *Fuel* 75: 517-521.
- Wada, K; Shibamoto, T. (1997). Isolation and identification of volatile compounds from a wine using solid phase extraction, gas chromatography, and gas chromatography mass spectrometry. *J Agric Food Chem* 45: 4362-4366.
- Wagdare, NA; Baggerman, J; Marcelis, ATM; Boom, RM; van Rijn, CJM. (2011). Polymer microspheres with structured surfaces. *Chem Eng J* 175: 561-568. <http://dx.doi.org/10.1016/j.cej.2011.08.064>.
- Wagdare, NA; Marcelis, ATM; Boom, RM; van Rijn, CJ. (2011). Microcapsules with a pH responsive polymer: influence of the encapsulated oil on the capsule morphology. *Colloids Surf B Biointerfaces* 88: 175-180. <http://dx.doi.org/10.1016/j.colsurfb.2011.06.028>.
- Wagemann, R; Trebacz, E; Hunt, R; Boila, G. (1997). Percent methylmercury and organic mercury in tissues of marine mammals and fish using different experimental and calculation methods. *Environ Toxicol Chem* 16: 1859-1866.
- Wagner, HH; Hausmann, H; Holderich, WF. (2001). Immobilization of rhodium diphosphine complexes on mesoporous Al-MCM-41 materials: Catalysts for enantioselective hydrogenation. *J Catal* 203: 150-156.
- Wahl, A; Kowalzik, A; Pilchowski, K. (1998). Adsorption of dichloromethane and 1,1,1-trichloroethane from synthetic wastewaters with polymeric adsorbents and activated carbons. *Acta Hydrochim Hydrobiol* 26: 36-39.
- Wahl, J, onH; Colburn, HA. (2010). Extraction of chemical impurities for forensic investigations: A case study for indoor releases of a sarin surrogate. *Build Environ* 45: 1339-1345. <http://dx.doi.org/10.1016/j.buildenv.2009.10.020>.
- Wahyudiono; Machmudah, S; Kanda, H; Okubayashi, S; Goto, M. (2014). Formation of PVP hollow fibers by electrospinning in one-step process at sub and supercritical CO<sub>2</sub>. *Chemical Engineering and Processing: Process Intensification* 77: 1-6. <http://dx.doi.org/10.1016/j.cep.2013.12.007>.
- Wahyudiono; Okamoto, K; Machmudah, S; Kanda, H; Goto, M. (2016). Generation of multihollow structured poly(methyl methacrylate) fibers by electrospinning under pressurized CO<sub>2</sub>. *Polymer Engineering and Science* 56: 752-759. <http://dx.doi.org/10.1002/pen.24302>.
- Wainman, BC; Lean, DRS. (1994). METHODOLOGICAL CONCERNS IN MEASURING THE LIPID FRACTION OF CARBON FIXATION. *Hydrobiologia* 273: 111-120.
- Wainwright, M; Amaral, L. (2005). The phenothiazinium chromophore and the evolution of antimalarial drugs. *Trop Med Int Health* 10: 501-511.
- Waite, DT; Cessna, AJ; Grover, R; Woodsworth, EJ. (2000). Duplicate sampling of surface films and associated pond water for herbicides. *J Environ Qual* 29: 901-906.
- Walgraeve, C; Chantara, S; Sopajaree, K; De Wispelaere, P; Demeestere, K; Van Langenhove, H. (2015). Quantification of PAHs and oxy-PAHs on airborne particulate matter in Chiang Mai, Thailand, using gas chromatography high resolution mass spectrometry. *Atmos Environ* 107: 262-272. <http://dx.doi.org/10.1016/j.atmosenv.2015.02.051>.
- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C* 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.
- Walkup, LL; Weerasinghe, KC; Tao, M; Zhou, X; Zhang, M; Liu, D; Wang, L. (2010). Importance of Dynamics in Electron Excitation and Transfer of Organic Dyes. *J Phys Chem C* 114: 19521-19528. <http://dx.doi.org/10.1021/jp107032d>.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure air streams using plasma-assisted catalysis. *Appl Catal B-Environ* 72: 282-288. <http://dx.doi.org/10.1016/j.apcatb.2006.11.003>.
- Wallis, AE; Whitehead, JC; Zhang, K, ui. (2007). The removal of dichloromethane from atmospheric pressure nitrogen gas streams using plasma-assisted catalysis. *Appl Catal B-Environ* 74: 111-116. <http://dx.doi.org/10.1016/j.apcatb.2006.11.020>.
- Wallis, AFA; Wearne, RH. (1997). Characterization of resin in radiata pine woods, bisulfite pulps and mill pitch samples. *Appita* 50: 409-414.
- Wallis, AFA; Wearne, RH. (1999). Analysis of resin in eucalypt woods and pulps. *Appita* 52: 295-299.
- Walls, CL; Beal, EJ; Mushrush, GW. (1999). Nitrogen compound distribution in a heating oil (pp. 31-51). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/99/12731). Walls, CL; Beal, EJ; Mushrush, GW.
- Walter, FG; Chan, JT; Winegard, B; Chase, PB; Shirazi, F; Chow, YY; de Boer, M; Denninghoff, K. (2008). Hazmat disaster preparedness in Hong Kong: what are the hazardous materials on Lantau, Lamma, and Hong Kong Islands? *Am J Disaster Med* 3: 213-233.

## Exposure Literature Search Results

### Off Topic

- Walter, MG; Wamser, CC. (2010). Synthesis and Characterization of Electropolymerized Nanostructured Aminophenylporphyrin Films. *J Phys Chem C* 114: 7563-7574. <http://dx.doi.org/10.1021/jp910016h>.
- Wandrey, C; Espinosa, D; Rehor, A; Hunkeler, D. (2003). Influence of alginate characteristics on the properties of multi-component microcapsules. *J Microencapsul* 20: 597-611. <http://dx.doi.org/10.1080/0265204031000148022>.
- Wang, A; Cai, X; Chi, J, ie. (2012). Determination of Trace Phthalic Acid Monoesters in Sediments and Soils by GC-MS. *Soil Sediment Contam* 21: 996-1005. <http://dx.doi.org/10.1080/15320383.2012.712072>.
- Wang, A; Gan, Y; Yu, H; Liu, Y; Zhang, M; Cheng, B; Wang, F; Wang, H; Yan, J. (2012). Improvement of the cytocompatibility of electrospun poly[(R)-3-hydroxybutyrate-co-(R)-3-hydroxyvalerate] mats by Ecoflex. *J Biomed Mater Res A* 100: 1505-1511. <http://dx.doi.org/10.1002/jbm.a.34034>.
- Wang, B; Hu, Y; Su, Z. (2008). Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni<sup>2+</sup> ion in aqueous solution. *React Funct Polym* 68: 1137-1143. <http://dx.doi.org/10.1016/j.reactfunctpolym.2008.03.005>.
- Wang, B; Wu, WZ; Chen, JW; Han, BX; Zhang, ZF; Shen, D; Zhang, R. (2005). Phase behavior, densities, and isothermal compressibility of the CO<sub>2</sub> + ethanol plus dichloromethane ternary system in different phase regions. *Journal of Chemical and Engineering Data* 50: 1153-1156. <http://dx.doi.org/10.1021/je049616k>.
- Wang, B, in; Zhao, J; Liu, R; Liu, J; He, Q. (2011). Electrosyntheses, characterizations and electrochromic properties of a copolymer based on 4,4'-di(N-carbazoyl)biphenyl and 2,2'-bithiophene. *Solar Energy Materials and Solar Cells* 95: 1867-1874. <http://dx.doi.org/10.1016/j.solmat.2011.02.009>.
- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. *Mater Chem Phys* 143: 773-778. <http://dx.doi.org/10.1016/j.matchemphys.2013.10.012>.
- Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. *Mater Chem Phys* 144: 553-559. <http://dx.doi.org/10.1016/j.matchemphys.2014.01.039>.
- Wang, C; Liu, X. (2015). Determination and correlation of liquid-liquid equilibrium data for the dichloromethane plus water plus N,N-dimethylacetamide plus NaCl system. *Fluid Phase Equilibria* 392: 43-48. <http://dx.doi.org/10.1016/j.fluid.2015.02.022>.
- Wang, C; Liu, X; Wang, P; Yang, P. (2014). Determination and Correlation of Liquid-Liquid Equilibrium Data for the Ternary Dichloromethane plus Water plus N,N-Dimethylacetamide System. *Journal of Chemical and Engineering Data* 59: 1733-1736. <http://dx.doi.org/10.1021/je401001z>.
- Wang, CS; Bryce, MR; Batsanov, AS; Goldenberg, LM; Howard, JAK. (1997). Synthesis and electrochemistry of new tetrathiafulvalene (TTF) dendrimers: X-ray crystal structure of a tetrafunctionalised TTF core unit. *J Mater Chem* 7: 1189-1197.
- Wang, CY. (2005). Synthesis of multiblock copolymers of poly(2-vinylpyridine) and polyoxyethylene and their application as compatibilizers for epichlorohydrin rubber/poly(vinyl chloride) blends. *Polymers and Polymer Composites* 13: 191-198.
- Wang, CZ; Zhang, DJ; Zhang, J; Ji, TW; Tang, ZQ; Zhao, YY. (2015). Allelopathic effects of volatile compounds from *Eucalyptus grandis* on *Vigna radiata*, *Raphanus sativus* and *Lactuca sativa*. *Allelopathy Journal* 36: 273-282.
- Wang, D, aWei; Cao, M, aoS; Yuan, J, ie; Zhao, QL; Li, HB, o; Zhang, D, eQ; Agathopoulos, S. (2011). Enhanced Piezoelectric and Ferroelectric Properties of Nb<sub>2</sub>O<sub>5</sub> Modified Lead Zirconate Titanate-Based Composites. *Journal of the American Ceramic Society* 94: 647-650. <http://dx.doi.org/10.1111/j.1551-2916.2010.04309.x>.
- Wang, D; Miao, X; Li, Q. (2008). Analysis of Organochlorine Pesticides in Coral (*Porites evermanni*) Samples Using Accelerated Solvent Extraction and Gas Chromatography/Ion Trap Mass Spectrometry. *Arch Environ Contam Toxicol* 54: 211-218. <http://dx.doi.org/10.1007/s00244-007-9016-2>.
- Wang, F; Li, C; Yu, JC. (2012). Hexagonal tungsten trioxide nanorods as a rapid adsorbent for methylene blue. *Separation and Purification Technology* 91: 103-107. <http://dx.doi.org/10.1016/j.seppur.2011.12.001>.
- Wang, H; Chen, Y, u; Ye, W; Xu, J; Liu, D; Yang, J; Kong, L, in; Zhou, H; Tian, Y; Tao, X. (2013). A facile and highly efficient green synthesis of carbazole derivatives containing a six-membered ring. *Dyes and Pigments* 96: 738-747. <http://dx.doi.org/10.1016/j.dyepig.2012.11.009>.
- Wang, H; Cui, X; Li, C; Fang, J. (2013). Separation of Ethyl Acetate-Dichloromethane-Ethanol by Extractive Distillation: Simulation and Optimization. *Chem Eng Tech* 36: 627-634. <http://dx.doi.org/10.1002/ceat.201200310>.
- Wang, H; Tian, H, ua; Hao, Z. (2012). Study of DDT and its derivatives DDD, DDE adsorption and degradation over Fe-SBA-15 at low temperature. *J Environ Sci* 24: 536-540. [http://dx.doi.org/10.1016/S1001-0742\(11\)60800-0](http://dx.doi.org/10.1016/S1001-0742(11)60800-0).
- Wang, H; Wang, J; Luo, J, un; Kong, L. (2013). Isolation of Ingenol-Type Diterpenoids from *Euphorbia kansui* by Offline Coupling of HPLC-ESI-MSn and HSCCC. *Separation Science and Technology* 48: 1745-1751. <http://dx.doi.org/10.1080/01496395.2012.753632>.
- Wang, H; Wang, L; George, JE; Ward, GK; Thoma, J; Harrison, RO; Young, BS. (1997). ACS SYMPOSIUM SERIES Rapid determination of dioxins in drinking water by enzyme immunoassay.
- Wang, H; Yang, X; Zi, J; Zhou, M; Ye, Z; Li, J; Guan, Q; Lv, P; Huo, P; Yan, Y. (2016). High photocatalytic degradation of tetracycline under visible light with Ag/AgCl/activated carbon composite plasmonic photocatalyst. *J Ind Eng Chem* 35: 83-92. <http://dx.doi.org/10.1016/j.jiec.2015.12.023>.
- Wang, HY; He, G; Chen, XL; Liu, TH; Ding, LP; Fang, Y. (2012). Cholesterol modified OPE functionalized film: fabrication, fluorescence behavior and sensing performance. *J Mater Chem* 22: 7529-7536. <http://dx.doi.org/10.1039/c2jm16637b>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.

## Exposure Literature Search Results

### Off Topic

- Wang, J; Chen, J. (2006). Removal of dichloromethane from waste gases with a bio-contact oxidation reactor. *Chem Eng J* 123: 103-107. <http://dx.doi.org/10.1016/j.cej.2006.06.023>.
- Wang, J; Chen, Y; Wang, Y. (2006). Preparation and characterization of novel organic montmorillonite-reinforced blocked polyurethane nanocomposites. *Polymers and Polymer Composites* 14: 591-601.
- Wang, J; Jia, CR; Wong, CK; Wong, PK. (2000). Characterization of polycyclic aromatic hydrocarbons created in lubricating oils. *Water Air Soil Pollut* 120: 381-396.
- Wang, J; Li, Z. (2013). Measurement and Modeling of Vapor-Liquid Equilibria for Systems Containing Alcohols, Water, and Imidazolium-Based Phosphate Ionic Liquids. *Journal of Chemical and Engineering Data* 58: 1641-1649. <http://dx.doi.org/10.1021/je301374c>.
- Wang, J; Yoon, RH. (2008). AFM forces measured between gold surfaces coated with self-assembled monolayers of 1-hexadecanethiol. *Langmuir* 24: 7889-7896. <http://dx.doi.org/10.1021/la800276r>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol* 34: 2243-2248.
- Wang, K, un; Lin, X; Jiang, G; Liu, JZ, he; Jiang, L, ei; Doherty, CM; Hill, AJ; Xu, T; Wang, H. (2014). Slow hydrophobic hydration induced polymer ultrafiltration membranes with high water flux. *J Memb Sci* 471: 27-34. <http://dx.doi.org/10.1016/j.memsci.2014.07.073>.
- Wang, K, e; Ma, Q; Wang, S, huD; Liu, H, ua; Zhang, SZ; Bao, W, ei; Zhang, K, eQin; Ling, LZ. (2016). Electrospinning of silver nanoparticles loaded highly porous cellulose acetate nanofibrous membrane for treatment of dye wastewater. *Applied Physics A: Materials Science and Processing* 122. <http://dx.doi.org/10.1007/s00339-015-9566-5>.
- Wang, L; Du, C; Wang, X; Zeng, H; Yao, J, un; Chen, B. (2015). Solubilities of Phosphoramidic Acid, N-(phenylmethyl)-, Diphenyl Ester in Selected Solvents. *Journal of Chemical and Engineering Data* 60: 1814-1822. <http://dx.doi.org/10.1021/acs.jced.5b00007>.
- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing* 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, iS; Liu, Y; Wang, R, an. (2006). Solubilities of some phosphaspirocyclic compounds in selected solvents. *Journal of Chemical and Engineering Data* 51: 1686-1689. <http://dx.doi.org/10.1021/je060138i>.
- Wang, L; Sakurai, M; Kameyama, H. (2008). Catalytic oxidation of dichloromethane and toluene over platinum alumite catalyst. *J Hazard Mater* 154: 390-395. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.036>.
- Wang, L, iC; Tang, K, eaT; Kuo, CT, zu; Ho, CL; Lin, SR, ay; Sung, Y, uh; Chang, CP. (2010). Portable electronic nose system with chemiresistor sensors to detect and distinguish chemical warfare agents. *Journal of Micro/Nanolithography, M E M S, and M O E M S* 9. <http://dx.doi.org/10.1117/1.3466797>.
- Wang, L; Xu, X. (2015). Semiconducting properties of In<sub>2</sub>O<sub>3</sub> nanoparticle thin films in air and nitrogen. *Ceramics International* 41: 7687-7692. <http://dx.doi.org/10.1016/j.ceramint.2015.02.097>.
- Wang, L; Yin, Q; Zhang, M; Wang, J. (2007). Solubility of acephate in different solvents from (292.90 to 327.60) K. *Journal of Chemical and Engineering Data* 52: 426-428. <http://dx.doi.org/10.1021/je0603630>.
- Wang, LF; Guo, Y; Tsuji, H; Sakurai, M; Kameyama, H. (2006). Catalytic oxidation of dichloromethane over anodized aluminum film. *J Chem Eng Jpn* 39: 173-180.
- Wang, LG; Jiang, X; Mao, YM; Zhao, ZH; Bian, YR. (2005). Organophosphorus Pesticide Extraction and Cleanup from Soils and Measurement Using GC-NPD. *Pedosphere* 15: 386-394.
- Wang, LG; Jiang, X; Wang, F; Bian, YR; Forster, S; Martens, D. (2004). Separation of chlorinated hydrocarbons and organophosphorus, pyrethroid pesticides by silicagel fractionation chromatography and their simultaneous determination by GC-MS. *J Environ Sci* 16: 268-271.
- Wang, LG; Jiang, X; Yan, DY; Forster, S; Martens, D. (2004). Comparison of two procedures for extraction and clean-up of organophosphorus and pyrethroid pesticides in sediment. *Pedosphere* 14: 229-234.
- Wang, LG; Yan, GB. (2011). Adsorptive removal of direct yellow 161 dye from aqueous solution using bamboo charcoals activated with different chemicals. *Desalination* 274: 81-90. <http://dx.doi.org/10.1016/j.desal.2011.01.082>.
- Wang, LL; Sun, YW; Gao, YZ; Guo, DM. (2016). Preparation of durable underwater superoleophobic Ti<sub>6</sub>Al<sub>4</sub>V surfaces by electrochemical etching. *Surf Eng* 32: 85-94. <http://dx.doi.org/10.1080/02670844.2015.1108073>.
- Wang, LQ; Liu, J; Exarhos, GJ; Bunker, BC. (1996). Investigation of the structure and dynamics of surfactant molecules in mesophase silicates using solid-state C-13 NMR. *Langmuir* 12: 2663-2669.
- Wang, M, awL; Huang, TH. (2007). Kinetic study of benzyl alcohol oxidation under phase transfer catalysis conditions. *Chemical Engineering Communications* 194: 618-634. <http://dx.doi.org/10.1080/00986440600992685>.
- Wang, M, awL; Liu, Y, enC. (2008). Kinetic study of S-alkylation of 2-mercaptobenzimidazole by allyl bromide in the presence of potassium hydroxide. *Journal of the Chinese Institute of Chemical Engineers* 39: 587-595. <http://dx.doi.org/10.1016/j.jcice.2008.05.013>.
- Wang, M; Zhang, X; Zhou, L, in; Chen, Y. (2016). Activated MIL-53(Al) for Efficient Adsorption of Dichloromethane and Trichloromethane. *Aerosol Air Qual Res* 16: 2003-2010. <http://dx.doi.org/10.4209/aaqr.2015.11.0651>.
- Wang, MF; Wudl, F. (2010). Solution-processable conjugated polymers containing alternating 1-alkyl-1,2,4-triazole and N=S=N links. *J Mater Chem* 20: 5659-5663. <http://dx.doi.org/10.1039/c0jm00254b>.
- Wang, ML; Ou, CC; Jwo, JJ. (2000). Study of the reaction of glycine and benzoyl chloride under inverse phase transfer catalysis. *Chemical Engineering Communications* 179: 233-252.
- Wang, N; Fu, Y; Lim, LT. (2011). Feasibility study on chemometric discrimination of roasted Arabica coffees by solvent extraction and Fourier transform infrared spectroscopy. *J Agric Food Chem* 59: 3220-3226. <http://dx.doi.org/10.1021/jf104980d>.



## Exposure Literature Search Results

### Off Topic

- Wang, Q; Hauser, PJ. (2009). New characterization of layer-by-layer self-assembly deposition of polyelectrolytes on cotton fabric. *Cellulose* 16: 1123-1131. <http://dx.doi.org/10.1007/s10570-009-9330-0>.
- Wang, S; Wang, Y; Leng, F; Chen, J; Qiu, K; Zhou, J. (2016). Separation and Enrichment of Catechol and Sugars from Bio-oil Aqueous Phase. *BioResources* 11: 1707-1720.
- Wang, S, ai; Xu, S; Liu, C; Chen, F; Wang, D; Liu, S; Chen, Z; Wu, Z. (2016). Characterization and adsorption behaviors of a novel synthesized mesoporous silica coated carbon composite. *Chinese Journal of Chemical Engineering* 24: 190-195. <http://dx.doi.org/10.1016/j.cjche.2015.07.014>.
- Wang, SF; Ridsdill-Smith, TJ; Ghisalberti, EL. (2005). Chemical defenses of *Trifolium glanduliferum* against redlegged earth mite *Halotydeus destructor*. *J Agric Food Chem* 53: 6240-6245. <http://dx.doi.org/10.1021/jf0502202>.
- Wang, SL; Wang, P; Fan, CQ. (2009). Determination of particulate and gaseous phthalic acid esters in ambient air by large-volume injection-gas chromatography-mass spectrometry. *J Environ Monit* 11: 882-886. <http://dx.doi.org/10.1039/b816880f>.
- Wang, T; Hsu, CL, in; Huang, CH; Hsieh, Y, iK; Tan, CS; Wang, C, huF. (2016). Environmental impact of CO<sub>2</sub>-expanded fluid extraction technique in microalgae oil acquisition. *J Clean Prod* 137: 813-820. <http://dx.doi.org/10.1016/j.jclepro.2016.07.179>.
- Wang, W, ei; Liu, G; Wu, J; Jiang, Y. (2013). Co-precipitation of 10-hydroxycamptothecin and poly (L-lactic acid) by supercritical CO<sub>2</sub> anti-solvent process using dichloromethane/ethanol co-solvent. *Journal of Supercritical Fluids* 74: 137-144. <http://dx.doi.org/10.1016/j.supflu.2012.11.022>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data* 53: 2241-2243. <http://dx.doi.org/10.1021/je800369k>.
- Wang, W; Murray, RW. (2005). Reaction of triphenylphosphine with phenylethanethiolate-protected Au<sub>38</sub> nanoparticles. *Langmuir* 21: 7015-7022. <http://dx.doi.org/10.1021/la0508700>.
- Wang, W, ei; Song, X, iuKai; Ru, SG, uo. (2007). Studies on the factors affecting the growth and hemolytic activity of *Anabaena variabilis*. *J Appl Phycol* 19: 365-371. <http://dx.doi.org/10.1007/s10811-006-9143-6>.
- Wang, W; Zhu, T, uo; Chen, G; Li, C; Di, H; Ren, C; Ding, Y. (2008). Synthesis, characterization and photoluminescence of poly(VK-(ppy)(2)Ir(N-phMA)). *Synthetic Metals* 158: 1022-1027. <http://dx.doi.org/10.1016/j.synthmet.2008.07.011>.
- Wang, WL; Gardner, DJ. (1999). Investigation of volatile organic compound press emissions during particleboard production. Part 1. UF-bonded southern pine. *For Prod J* 49: 65-72.
- Wang, WL; Gardner, DJ; Baumann, MGD. (2003). Factors affecting volatile organic compound emissions during hot-pressing of southern pine particleboard. *For Prod J* 53: 65-72.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res* 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Daniels, R; Baker, RW. (2001). Recovery of VOCs from high-volume, low-VOC-concentration air streams. *AIChE J* 47: 1094-1100.
- Wang, X; Tilley, RD; Watkins, JJ. (2014). Simple ligand exchange reactions enabling excellent dispersibility and stability of magnetic nanoparticles in polar organic, aromatic, and protic solvents. *Langmuir* 30: 1514-1521. <http://dx.doi.org/10.1021/la404757q>.
- Wang, XQ; Lu, BH; Zhou, XX; Li, W. (2013). Evaluation of o-xylene and other volatile organic compounds removal using a xylene-acclimated biotrickling filter. *Environ Technol* 34: 2691-2699. <http://dx.doi.org/10.1080/09593330.2013.786136>.
- Wang, Y; Easteal, AJ. (1999). Preparation, characterisation and gas transport properties of trifluoroacetylated ethyl cellulose. *J Memb Sci* 157: 53-61.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr<sub>2</sub>O<sub>4</sub> catalysts for dichloromethane oxidation. *Appl Catal B-Environ* 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y, u; Li, X; Hu, H; Liu, G; Rabnawaz, M. (2014). Hydrophilically patterned superhydrophobic cotton fabrics and their use in ink printing. 2: 8094-8102. <http://dx.doi.org/10.1039/c4ta00714j>.
- Wang, Y, iJia; Li, Z; Tong, J; Shen, XY; Qin, A; Sun, JZ, hi; Tang, B, enZ. (2015). The fluorescence properties and aggregation behavior of tetraphenylethene-perylenebisimide dyads. 3: 3559-3568. <http://dx.doi.org/10.1039/c4tc02550d>.
- Wang, Y, u; Liu, HH; Wang, S, huY; Luo, MF, ei; Lu, J, iQ. (2014). Remarkable enhancement of dichloromethane oxidation over potassium-promoted Pt/Al<sub>2</sub>O<sub>3</sub> catalysts. *J Catal* 311: 314-324. <http://dx.doi.org/10.1016/j.jcat.2013.12.018>.
- Wang, Y; Liu, Y, u; Li, X; Qi, H; Zhu, M; Wang, L, ei; Lei, G; Wei, Q; Zhu, W; Peng, J; Cao, Y. (2010). Novel cyclometalated platinum (II) complex containing alkyl-trifluorene picolinic acid as emitter for single-layer white PLEDs. *Organic Electronics* 11: 1954-1959. <http://dx.doi.org/10.1016/j.orgel.2010.09.012>.
- Wang, Y; Liu, Y, u; Zhang, Z; Luo, J; Shi, D; Tan, H, ua; Lei, G; Zhu, M; Zhu, W; Cao, Y. (2011). Single-layer white polymer light-emitting diodes based on an iridium (III) complex containing alkyltrifluorene picolinic acid. *Dyes and Pigments* 91: 495-500. <http://dx.doi.org/10.1016/j.dyepig.2011.04.013>.
- Wang, Y; Luo, J; Liu, Y, u; Zhang, Z; Tan, H, ua; Yu, J; Lei, G; Zhu, M; Zhu, W. (2012). Dinuclear cyclometalated platinum (II) complexes: Synthesis, photophysics, and monomolecular electroluminescence. *Organic Electronics* 13: 1646-1653. <http://dx.doi.org/10.1016/j.orgel.2012.05.011>.
- Wang, Y; Spencer, P; Yao, X; Ye, Q. (2006). Effect of coinitiator and water on the photoreactivity and photopolymerization of HEMA/camphoquinone-based reactant mixtures. *J Biomed Mater Res A* 78: 721-728. <http://dx.doi.org/10.1002/jbm.a.30733>.

## Exposure Literature Search Results

### Off Topic

- Wang, Y; Wang, M, ei; Wang, Y, u; Wang, X; Wang, L, in; Sun, L. (2010). Highly enantioselective sulfoxidation with vanadium catalysts of Schiff bases derived from bromo- and iodo-functionalized hydroxynaphthaldehydes. *J Catal* 273: 177-181. <http://dx.doi.org/10.1016/j.jcat.2010.05.013>.
- Wang, Y; Wang, Z; Ma, M; Wang, C; Mo, Z. (2001). Monitoring priority pollutants in a sewage treatment process by dichloromethane extraction and triolein-semipermeable membrane device (SPMD). *Chemosphere* 43: 339-346.
- Wang, Y; Wang, ZJ; Liu, J; Ma, M; Belzile, N. (1999). Monitoring priority pollutants in the Yanghe River by dichloromethane extraction and semipermeable membrane device (SPMD). *Chemosphere* 39: 113-131.
- Wang, YL; Wang, YP; Yang, J; Pfeffer, R; Dave, R; Michniak, B. (2006). The application of a supercritical antisolvent process for sustained drug delivery. *Powder Technology* 164: 94-102. <http://dx.doi.org/10.1016/j.powtec.2006.03.004>.
- Wang, Z; Chen, L, ei. (2015). Adsorption characteristics of dibutyl phthalate from aqueous solution using ginkgo leaves-activated carbon by chemical activation with zinc chloride. *Desalination and Water Treatment* 54: 1969-1980. <http://dx.doi.org/10.1080/19443994.2014.893207>.
- Wang, Z; Li, G; He, S; Teixeira da Silva, JA; Tanaka, M. (2011). Effect of cold cathode fluorescent lamps on growth of *Gerbera jamesonii* plantlets in vitro. *Sci Hortic (Amsterdam)* 130: 482-484. <http://dx.doi.org/10.1016/j.scienta.2011.05.022>.
- Wang, Z; Lin, W; Song, W; Li, Z. (2013). Study on the Effect of Packing Material and Solvent System on Column Chromatographic Fractionation of Wood-tar. *Energy Source Part A* 35: 1508-1515. <http://dx.doi.org/10.1080/15567036.2010.529566>.
- Wang, Z; Liu, B, o; Xie, Z; Li, Y; Shen, ZY. (2016). Preparation and photocatalytic properties of RuO<sub>2</sub>/TiO<sub>2</sub> composite nanotube arrays. *Ceramics International* 42: 13664-13669. <http://dx.doi.org/10.1016/j.ceramint.2016.05.164>.
- Wang, Z; Yu, Q; Liu, Y; Zhao, J; Lu, Z; Sun, J. (2012). Solubilities of Bis(2,4,6-trimethylbenzoyl)phenylphosphine Oxide in Different Organic Solvents at Several Temperatures. *Journal of Chemical and Engineering Data* 57: 3340-3343. <http://dx.doi.org/10.1021/jc300343y>.
- Warbrick, EV; Kilgour, JD; Dearman, RJ; Kimber, I; Dugard, PH. (2003). Inhalation exposure to methylene chloride does not induce systemic immunotoxicity in rats. *J Toxicol Environ Health A* 66: 1207-1219. <http://dx.doi.org/10.1080/15287390306410>.
- Ward, DB; Tizaoui, C; Slater, MJ. (2005). Continuous extraction and destruction of chloro-organics in wastewater using ozone-loaded Volasiltrade mark245 solvent. *J Hazard Mater* 125: 65-79. <http://dx.doi.org/10.1016/j.jhazmat.2005.01.00>.
- Warezak, T; Wlodarczyk-Makula, M; Sadecka, Z. (2016). Accumulation of PAHs in plants from vertical flow-constructed wetland. *Desalination and Water Treatment* 57: 1273-1285. <http://dx.doi.org/10.1080/19443994.2015.1017332>.
- Warton, B; Alexander, R; Kagi, RI. (1999). Characterisation of the ruthenium tetroxide oxidation products from the aromatic unresolved complex mixture of a biodegraded crude oil. *Organic Geochemistry* 30: 1255-1272.
- Watanabe, T; Ban, S; Ito, T; Tsuruta, S; Kawai, T; Nakamura, H. (2003). Oriented needle-like apatite and biodegradable copolymer composite membranes. *Key Eng Mater* 240-2: 191-194.
- Watson, H; Kaunisto, MH; Rosenholm, JB. (2002). Ureidosilanes on E-glass fibres: deposition and surface characteristics. *J Adhes Sci Tech* 16: 429-448.
- Wauters, E; Lenelle, I. (1999). PAH measurements in Belgium: Experience and concentration levels. *Fresen Environ Bull* 8: 629-637.
- Way, TD; Tsai, SJ; Wang, CM; Ho, CT; Chou, CH. (2014). Chemical constituents of *Rhododendron formosanum* show pronounced growth inhibitory effect on non-small-cell lung carcinoma cells. *J Agric Food Chem* 62: 875-884. <http://dx.doi.org/10.1021/jf404243p>.
- Weatherley, LR; Campbell, I; Kirton, D; Slaughter, JC. (1990). ELECTRICALLY ENHANCED EXTRACTION OF PENICILLIN-G INTO DICHLOROMETHANE. *J Chem Tech Biotechnol* 48: 427-438.
- Weathers, LJ; Parkin, GF. (2000). Toxicity of chloroform biotransformation to methanogenic bacteria. *Environ Sci Technol* 34: 2764-2767.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol* 31: 880-885.
- Weaver, MA; Rhodes, G; Cyr, MJ. (2003). Synthesis of novel polymeric colorants. *Color Technol* 119: 48-56.
- Webber, ME; Wang, J; Sanders, ST; Baer, DS; Hanson, RK. (2000). In situ combustion measurements of CO, CO<sub>2</sub>, H<sub>2</sub>O and temperature using diode laser absorption sensors. *Proc Combust Inst* 28: 407-413.
- Weber Brun, G; Martin, A; Cassel, E; Figueiro Vargas, RM; Jose Cocero, M. (2012). Crystallization of Caffeine by Supercritical Antisolvent (SAS) Process: Analysis of Process Parameters and Control of Polymorphism. *Cryst Growth Des* 12: 1943-1951. <http://dx.doi.org/10.1021/cg2016758>.
- Weber, G; Chen, HL; Hinsch, E; Freitas, S; Robinson, S. (2014). Pigments extracted from the wood-staining fungi *Chlorociboria aeruginosa*, *Scytalidium cuboideum*, and *S. ganodermorphothorum* show potential for use as textile dyes. *Color Technol* 130: 445-452. <http://dx.doi.org/10.1111/cote.12110>.
- Wegener, R; Schulz, S; Meiners, T; Hadwich, K; Hilker, M. (2001). Analysis of volatiles induced by oviposition of elm leaf beetle *Xanthogaleruca luteola* on *Ulmus minor*. *J Chem Ecol* 27: 499-515.
- Wegermann, CA; Ribeiro, RR; Ucoski, GM; Nakagaki, S; Nunes, FS; Drechsel, SM. (2014). Study of the catalytic activity of non-heme manganese complexes toward oxidation of cyclooctene and cyclohexene. *Appl Catal A-Gen* 471: 56-62. <http://dx.doi.org/10.1016/j.apcata.2013.11.033>.
- Wei, G; Lunt, RR; Sun, K; Wang, S; Thompson, ME; Forrest, SR. (2010). Efficient, ordered bulk heterojunction nanocrystalline solar cells by annealing of ultrathin squaraine thin films. *Nano Lett* 10: 3555-3559. <http://dx.doi.org/10.1021/nl1018194>.
- Wei, H; Yan, X; Li, Y; Gu, H; Wu, S; Ding, K; Wei, S; Guo, Z. (2012). Electrochromic Poly(DNTD)/WO<sub>3</sub> Nanocomposite Films via Electropolymerization. *J Phys Chem C* 116: 16286-16293. <http://dx.doi.org/10.1021/jp304127z>.

## Exposure Literature Search Results

### Off Topic

- Wei, S; Shao, Y; Shi, X; Lu, X; Li, K, e; Zhao, Z; Guo, C; Zhu, H; Guo, W. (2016). Heteroleptic Cu(I) complexes integrating functionalized chromophores for dye-sensitized solar cells: An in-depth analysis of electronic structure, spectrum, excitation, and intramolecular electron transfer. *Organic Electronics* 29: 142-150. <http://dx.doi.org/10.1016/j.orgel.2015.12.004>.
- Wei, S; Shi, X; Lu, X; Shao, Y; Jin, D; Deng, Z; Zhao, Z; Li, K, e; Guo, W. (2015). Cu(I)-Based Sensitizers Featuring 6,6'-Dimethyl-4,4'-Dicarboxylate-2,2'-Bipyridine with Functionalized 2,9-Dimethyl-1, 10-Phenanthroline Ligands: A Structural, Electronic and Spectral Investigation. 7: 1361-1367. <http://dx.doi.org/10.1166/sam.2015.2052>.
- Wei, W; Haikui, Z; Guangwen, C; Yang, X; Han, P; Jianfeng, C. (2014). Effects of Assistant Solvents and Mixing Intensity on the Bromination Process of Butyl Rubber. *Chinese Journal of Chemical Engineering* 22: 398-404. [http://dx.doi.org/10.1016/S1004-9541\(14\)60052-5](http://dx.doi.org/10.1016/S1004-9541(14)60052-5).
- Wei, YL; Lee, JH. (1999). Manganese sulfate effect on PAH formation from polystyrene pyrolysis. *Sci Total Environ* 228: 59-66.
- Wei, Z; Li, J; Wang, C; Cao, J; Yao, Y; Lu, H; Li, Y; He, X. (2017). Thermally stable hydrophobicity in electrospun silica/polydimethylsiloxane hybrid fibers. *Appl Surf Sci* 392: 260-267. <http://dx.doi.org/10.1016/j.apsusc.2016.09.057>.
- Wei, Z; Wang, C; Liu, H; Zou, S; Tong, Z. (2012). Facile fabrication of biocompatible PLGA drug-carrying microspheres by O/W pickering emulsions. *Colloids Surf B Biointerfaces* 91: 97-105. <http://dx.doi.org/10.1016/j.colsurfb.2011.10.044>.
- Weidenauer, U; Bodmer, D; Kissel, T. (2003). Microencapsulation of hydrophilic drug substances using biodegradable polyesters. Part I: evaluation of different techniques for the encapsulation of pamidronate di-sodium salt. *J Microencapsul* 20: 509-524. <http://dx.doi.org/10.1080/0265204031000093050>.
- Wei-Li, D, ai; Bi, J, in; Sheng-Lian, L, uo; Xu-Biao, L, uo; Xin-Man, T, u; Chak-Tong, A, u. (2014). Functionalized phosphonium-based ionic liquids as efficient catalysts for the synthesis of cyclic carbonate from epoxides and carbon dioxide. *Appl Catal A-Gen* 470: 183-188. <http://dx.doi.org/10.1016/j.apcata.2013.10.060>.
- Weinhold, T, deS; Bresciani, LFV; Tridapalli, CW; Yunes, RA; Hense, H; Ferreira, SRS. (2008). Polygalactaric acid oligomers: Comparing CO<sub>2</sub> and classical organic solvent extractions. *Chemical Engineering and Processing: Process Intensification* 47: 109-117. <http://dx.doi.org/10.1016/j.cep.2007.08.007>.
- Weinstein, RD; Richards, J; Thai, SD; Omiatsek, DM; Bessel, CA; Faulkner, CJ; Othman, S; Jennings, GK. (2007). Characterization of self-assembled monolayers from lithium dialkylthiocarbamate salts. *Langmuir* 23: 2887-2891. <http://dx.doi.org/10.1021/la062905h>.
- Weisenhorn, AL; Henriksen, PN; Chu, HT; Ramsier, RD; Reneker, DH. (1991). ATOMICALLY RESOLVED IMAGES OF BISMUTH-FILMS ON MICA WITH AN ATOMIC FORCE MICROSCOPE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures* 9: 1333-1335.
- Welten, KC; Nishizumi, K; Masarik, J; Caffee, MW; Jull, AJT; Klandrud, SE; Wieler, R. (2001). Cosmic-ray exposure history of two Frontier Mountain H-chondrite showers from spallation and neutron-capture products. *Meteoritics and Planetary Science* 36: 301-317.
- Wen, Q, i; Pan, X; Hu, Q, iX; Zhao, S, hijie; Hou, Z, hiF; Yu, QZ. (2013). Structure-property relationship of dodecylbenzenesulfonic acid doped polypyrrole. *Synthetic Metals* 164: 27-31. <http://dx.doi.org/10.1016/j.synthmet.2012.12.036>.
- Wen, YL; Yeh, MY; Lee, YS; Shih, YP. (1996). Kinetics of the synthesis of phenyl benzoate with pyridine N-oxides under the inverse phase-transfer catalysis. *Journal of the Chinese Institute of Chemical Engineers* 27: 427-436.
- Wenfang, L; Zhiping, Z; Lei, S; Mingzhen, W. (2010). Formation of Polyethersulfone Film with Regular Microporous Structure by Water Vapor Induced Phase Separation. *Chinese Journal of Chemical Engineering* 18: 529-532.
- Wenfeng, L; Guijin, L; Lixian, L; Juan, W; Yangxiao, L; Yanbin, J. (2012). Effect of Process Parameters on Co-precipitation of Paclitaxel and Poly(L-lactic Acid) by Supercritical Antisolvent Process. *Chinese Journal of Chemical Engineering* 20: 803-813.
- Wenhai, C; Tengfei, C; Erdeng, D; Deng, Y; Yingqing, G; Naiyun, G. (2016). Increased formation of halomethanes during chlorination of chloramphenicol in drinking water by UV irradiation, persulfate oxidation, and combined UV/persulfate pre-treatments. *Ecotoxicol Environ Saf* 124: 147-154. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.016>.
- Wentrup-Byrne, E; Suzuki, S; Suwanasilp, JJ; Grøndahl, L. (2010). Novel phosphate-grafted ePTFE copolymers for optimum in vitro mineralization. *Biomed Mater* 5: 045010. <http://dx.doi.org/10.1088/1748-6041/5/4/045010>.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci* 19: 792-799.
- West, R; Josowicz, M; Janata, J; Minet, I; Hevesi, L. (2009). Controlled Electropolymerization of 1-Pyrrolyl-10-decanephosphonic Acid: An Anion Barrier Layer. *J Electrochem Soc* 156: F55-F59. <http://dx.doi.org/10.1149/1.3068439>.
- West, SD. (1996). Determination of the naturally derived insect control agent spinosad in cottonseed and processed commodities by high-performance liquid chromatography with ultraviolet detection. *J Agric Food Chem* 44: 3170-3177.
- Westin, JB. (1990). Ingestion of carcinogenic N-nitrosamines by infants and children. *Arch Environ Health* 45: 359-363.
- Wetzel, A; Werner, D. (1995). Ecotoxicological evaluation of contaminated soil using the legume root nodule symbiosis as effect parameter. *Environ Toxicol Water Qual* 10: 127-133.
- Whitaker, DA; Fortmann, RC; Lindstrom, AB. (1995). Development and Testing of a Whole-Air Sampler for Measurement of Personal Exposure to Volatile Organic Compounds. *J Expo Anal Environ Epidemiol* 5: 89-100.
- Whitaker, G; Kincaid, BJ; Van Hoof, N; Regan, F; Smyth, MR; Leonard, RG. (2007). An investigation into the sample preparation procedure and analysis of cyanoacrylate adhesives using capillary electrophoresis. *International Journal of Adhesion and Adhesives* 27: 604-609. <http://dx.doi.org/10.1016/j.ijadhadh.2006.11.001>.
- White, CM; Rohar, PC; Shaw, LJ; Collins, LW. (1996). Formation of dimethyl polysulfides via reaction of methanol and elemental sulfur. *Energy Fuels* 10: 1187-1188.
- White, PA; Rasmussen, JB; Blaise, C. (1995). Genotoxicity of snow in the Montreal metropolitan area. *Water Air Soil Pollut* 83: 315-334.

## Exposure Literature Search Results

### Off Topic

- White, PA; Rasmussen, JB; Blaise, C. (1996). Comparing the presence, potency, and potential hazard of genotoxins extracted from a broad range of industrial effluents. *Environ Mol Mutagen* 27: 116-139. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:2<116::AID-EM7>3.0.CO;2-E](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:2<116::AID-EM7>3.0.CO;2-E).
- White, PA; Rasmussen, JB; Blaise, C. (1996). Sorption of organic genotoxins to particulate matter in industrial effluents. *Environ Mol Mutagen* 27: 140-151.
- White, RF; Proctor, SP; Echeverria, D; Schweikert, J; Feldman, RG. (1995). Neurobehavioral effects of acute and chronic mixed-solvent exposure in the screen printing industry. *Am J Ind Med* 28: 221-231.
- Whittle, CL; Bowyer, RT; Clausen, TP; Duffy, LK. (2000). Putative pheromones in urine of rutting male moose (*Alces alces*): Evolution of honest advertisement? *J Chem Ecol* 26: 2747-2762.
- Wibawa, G; Khoiroh, I; Afrizal, D; Suki, G. (2010). Solubilities of Dichloromethane, Diethyl Ether, Ethyl Acetate, and Nitrobenzene in Three Polymers Using the Piezoelectric Quartz Sorption Method. *Journal of Chemical and Engineering Data* 55: 5581-5586. <http://dx.doi.org/10.1021/jc100389d>.
- Wibulswas, R. (2004). Batch and fixed bed sorption of methylene blue on precursor and QACs modified montmorillonite. *Separation and Purification Technology* 39: 3-12. <http://dx.doi.org/10.1016/j.seppur.2003.12.018>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech* 71: 568-579.
- Wiester, MJ; Winsett, DW; Richards, JH; Doerfler, DL; DL, C. (2002). Partitioning of benzene in blood: Influence of hemoglobin type in humans and animals. *Environ Health Perspect* 110: 255-261.
- Wilcosky, TC; Simonsen, NR. (1991). Solvent exposure and cardiovascular disease [Review]. *Am J Ind Med* 19: 569-586.
- Wills, CE; Holmes-Rovner, M; Rovner, D; Lillie, J; Kelly-Blake, K; Bonham, V; Williams, G. (2006). Treatment preference patterns during a videotape decision aid for benign prostatic hyperplasia (BPH). *Patient Educ Couns* 61: 16-22. <http://dx.doi.org/10.1016/j.pec.2005.01.013>.
- Wilson, EA; Adler, D; Bar-Yoseph, P. (2000). Thrust-vectoring a single impinging jet in a crossflow. *International Journal of Turbo and Jet Engines* 17: 219-226.
- Wilson, FD; Smith, CR. (1992). PINK-BOLLWORM (LEPIDOPTERA, GELECHIIDAE) PENETRATION INTO AND SURVIVAL IN BOLLS OF RESISTANT AND SUSCEPTIBLE COTTON LINES. *J Agr Entomol* 9: 165-173.
- Wilson, JH; Bradbury, R, oy; Annable, T, om; Yeates, SG. (2012). Inkjet printable aqueous composite dye-polymer nanoparticles. *Dyes and Pigments* 95: 201-205. <http://dx.doi.org/10.1016/j.dyepig.2012.04.005>.
- Wilsonyang, KM; Power, JP; Chisholm, EA; Hallett, DJ. (1991). THE CONGENER SPECIFIC DETERMINATION OF PCBS - CARBON COLUMN CHROMATOGRAPHY OF POTENTIALLY TOXIC CONGENERS. *Chemosphere* 23: 1139-1143.
- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig)* 48: 249-257.
- Wirawan, R; Sapuan, SM; Yunus, R; Abdan, K. (2011). Properties of sugarcane bagasse/poly(vinyl chloride) composites after various treatments. *Journal of Composite Materials* 45: 1667-1674. <http://dx.doi.org/10.1177/0021998310385030>.
- Wisniowska, E. (2008). Effect of chemical stabilisation of sewage sludge on the fate of PAHs. *Arch Environ Prot* 34: 249-257.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol* 3: 313-332.
- Witter, AE; Jones, AD. (1999). Chemical characterization of organic constituents from sulfide-rich produced water using gas chromatography/mass spectrometry. *Environ Toxicol Chem* 18: 1920-1926.
- Włodarczyk-Makula, M. (2010). Comparison of Biotic and Abiotic Changes of PAHs in Soil Fertilized with Sewage Sludge. *Rocznik Ochrona Srodowiska* 12: 559-573.
- Włodarczyk-Makula, M. (2011). Changes of PAHs Content in Wastewater During Oxidation Process. *Rocznik Ochrona Srodowiska* 13: 1093-1104.
- Włodarczyk-Makula, M; Wisniowska, E, wa; Turek, A; Obstoj, A. (2016). Removal of PAHs from coking wastewater during photodegradation process. *Desalination and Water Treatment* 57: 1262-1272. <http://dx.doi.org/10.1080/19443994.2014.996012>.
- Wolosiak, A; Lewandowski, G. (2010). Epoxidation of 1,5,9-cyclododecatriene with H<sub>2</sub>O<sub>2</sub> in the presence of tungstophosphoric acid (H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub>). *Polish Journal of Chemical Technology* 12: 40-44. <http://dx.doi.org/10.2478/v10026-010-0032-z>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem* 13: 400-405.
- Wong, F; Bidleman, TF. (2010). Hydroxypropyl-beta-cyclodextrin as non-exhaustive extractant for organochlorine pesticides and polychlorinated biphenyls in muck soil. *Environ Pollut* 158: 1303-1310. <http://dx.doi.org/10.1016/j.envpol.2010.01.016>.
- Wong, F; Kurt-Karakus, P; Bidleman, TF. (2012). Fate of brominated flame retardants and organochlorine pesticides in urban soil: volatility and degradation. *Environ Sci Technol* 46: 2668-2674. <http://dx.doi.org/10.1021/es203287x>.
- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2011). Sorption of Benzene, Dichloromethane, n-Propyl Acetate, and 2-Butanone by Poly(methyl methacrylate), Poly(ethyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 56: 4772-4777. <http://dx.doi.org/10.1021/jc100741j>.
- Wong, HC; Campbell, SW; Bhethanabotla, VR. (2016). Sorption of Benzene, Dichloromethane, and 2-Butanone by Poly(methyl methacrylate), Poly(butyl methacrylate), and Their Copolymers at 323.15 K Using a Quartz Crystal Balance. *Journal of Chemical and Engineering Data* 61: 3877-3882. <http://dx.doi.org/10.1021/acs.jced.6b00612>.
- Wong, HM; Yeung, KW; Lam, KO; Tam, V; Chu, PK; Luk, KD; Cheung, KM. (2010). A biodegradable polymer-based coating to control the performance of magnesium alloy orthopaedic implants. *Biomaterials* 31: 2084-2096. <http://dx.doi.org/10.1016/j.biomaterials.2009.11.111>.

## Exposure Literature Search Results

### Off Topic

- Wood, WF. (2005). A comparison of mandibular gland volatiles from ants of the bull horn acacia, *Acacia collinsii*. *Biochemical Systematics and Ecology* 33: 651-658. <http://dx.doi.org/10.1016/j.bse.2004.12.009>.
- Wood, WF; Palmer, TM; Stanton, ML. (2002). A comparison of volatiles in mandibular glands from three *Crematogaster* ant symbionts of the whistling thorn acacia. *Biochemical Systematics and Ecology* 30: 217-222.
- Wood, WF; Terwilliger, MN; Copeland, JP. (2005). Volatile compounds from anal glands of the wolverine, *Gulo gulo*. *J Chem Ecol* 31: 2111-2117. <http://dx.doi.org/10.1007/s10886-005-6080-9>.
- Wood, WF; Weldon, PJ. (2002). The scent of the reticulated giraffe (*Giraffa camelopardalis reticulata*). *Biochemical Systematics and Ecology* 30: 913-917.
- Woodruff, TJ; Bois, FY; Auslander, D; Spear, RC. (1992). Structure and parameterization of pharmacokinetic models: their impact on model predictions. *Risk Anal* 12: 189-201.
- Woolcott, CG; Dishman, RK; Motl, RW; Matthai, CH; Nigg, CR. (2013). Physical activity and fruit and vegetable intake: correlations between and within adults in a longitudinal multiethnic cohort. 28: 71-79. <http://dx.doi.org/10.4278/ajhp.100917-QUAN-312>.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol* 31: 2292-2297.
- Wormer, L; Carrasco, D; Cires, S; Quesada, A. (2009). Advances in solid phase extraction of the cyanobacterial toxin cylindrospermopsin. *Limnology and Oceanography: Methods* 7: 568-575.
- Wornat, MJ; Ledesma, EB; Sandrowitz, AK; Roth, MJ; Dawsey, SM; Qiao, YL; Chen, W. (2001). Polycyclic aromatic hydrocarbons identified in soot extracts from domestic coal burning stoves of Henan Province, China. *Environ Sci Technol* 35: 1943-1952.
- Wrammerfors, A; Andersson, B. (1994). CHARACTERIZATION OF THE CARBONACEOUS RESIDUES ON A USED NI/SIO<sub>2</sub> HYDROGENATION CATALYST BY TEMPERATURE-PROGRAMMED DESORPTION METHODS. *J Catal* 147: 82-87.
- Wright, A; Papendorf, O; König, G; A, O. (2006). Effects of cyanobacterium *Fischerella ambigua* isolates and cell free culture media on zebrafish (*Danio rerio*) embryo development. *Chemosphere* 65: 604-608. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.004>.
- Wroblewska, EK; Gasiorowska, M; Soroka, JA. (2010). 5-(3-Bromo-4-hydroxy-5-methoxyphenyl)-7,7-dimethyl-7H-indolo[1,2-a]quinolinium Perchlorate as a New Indicator for Anionic Surface Active Agents Determination. *Tenside Surfactants Detergents* 47: 119-122.
- Wu, CH. (2004). Comparison of azo dye degradation efficiency using UV/single semiconductor and UV/coupled semiconductor systems. *Chemosphere* 57: 601-608. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.008>.
- Wu, DQ; Chu, CC; Chen, FA. (2008). Cationic poly(VCL-AETA) hydrogels and ovalbumin (OVA) release in vitro. *J Mater Sci Mater Med* 19: 3593-3601. <http://dx.doi.org/10.1007/s10856-008-3523-1>.
- Wu, H. (2001). Catalytic Activity of Quaternary Ammonium Poly(methylstyrene-co-styrene) Resin in an Organic Solvent/Alkaline Solution. *J Catal* 199: 217-223. <http://dx.doi.org/10.1006/jcat.2001.3162>.
- Wu, HF; Wang, Y; Lu, YH; Feng, YP; He, PM. (2013). Substitutional adsorption mechanism and controllable magnetic properties of Mn on PbTe(111) surface. *Appl Surf Sci* 265: 120-123. <http://dx.doi.org/10.1016/j.apsusc.2012.10.147>.
- Wu, HS; Fang, TR; Meng, SS; Hu, KH. (1998). Equilibrium and extraction of quaternary salts in an organic solvent/water system. *Journal of the Chinese Institute of Chemical Engineers* 29: 99-108.
- Wu, HS; Jou, SH. (1995). KINETICS OF FORMATION OF DIPHENOXYMETHANE FROM PHENOL AND DICHLOROMETHANE USING PHASE-TRANSFER CATALYSIS. *J Chem Tech Biotechnol* 64: 325-330.
- Wu, HS; Ke, DY. (1996). Kinetics and characterization of copolymerization of (2-allylphenoxy)pentachlorocyclotriposphazene with styrene, methyl methacrylate, and vinylbenzyl chloride. *Ind Eng Chem Res* 35: 4291-4295.
- Wu, HS; Lai, JJ. (1995). PHENOXIDE ALLYLATION IN A PHASE-TRANSFER CATALYTIC EXTRACTION SYSTEM. *Ind Eng Chem Res* 34: 1536-1538.
- Wu, HS; Liu, CB. (1998). Kinetics and extraction of phenol in phase-transfer catalyzed reaction. *Can J Chem Eng* 76: 771-777.
- Wu, J; Chen, T; Luo, X; Han, D; Wang, Z; Wu, J. (2014). TG/FTIR analysis on co-pyrolysis behavior of PE, PVC and PS. *Waste Manag* 34: 676-682. <http://dx.doi.org/10.1016/j.wasman.2013.12.005>.
- Wu, JC; Su, SG; Shyu, SS; Chen, H. (1994). Effect of the solvent-non-solvent pairs on the surface morphology and release behaviour of ethylcellulose microcapsules prepared by non-solvent-addition phase separation method. *J Microencapsul* 11: 297-308.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST* 20: 169-177.
- Wu, JF; Stromqvist, ME; Claesson, O; Fangmark, IE; Hammarstrom, LG. (2002). A systematic approach for modelling the affinity coefficient in the Dubinin-Radushkevich equation. *Carbon* 40: 2587-2596.
- Wu, JH; Wang, JK; Mang, MJ. (2005). Solubility of cefazolin sodium pentahydrate in different solvents between 275 K and 310 K. *Journal of Chemical and Engineering Data* 50: 2026-2027. <http://dx.doi.org/10.1021/je050242k>.
- Wu, L; Sun, J. (2015). An improved process for polyvinylidene fluoride membrane preparation by using a water soluble diluent via thermally induced phase separation technique. *Materials & Design* 86: 204-214. <http://dx.doi.org/10.1016/j.matdes.2015.07.053>.
- Wu, Q; Chen, X; Xu, Y; Han, L. (2010). Dissipation and residues of nicosulfuron in corn and soil under field conditions. *Bull Environ Contam Toxicol* 85: 79-82. <http://dx.doi.org/10.1007/s00128-010-0041-x>.
- Wu, S; Zhang, H; Yu, X; Qiu, L. (2014). Toxicological Responses of *Chlorella vulgaris* to Dichloromethane and Dichloroethane. *Environ Eng Sci* 31: 9-17. <http://dx.doi.org/10.1089/ees.2013.0038>.
- Wu, W, eib; Gu, J, un; Jing, Y, i; Zhou, XF, an; Dai, HQ, i. (2012). PREPARATION AND RETENTION PERFORMANCE OF CROSSLINKED AND HYDROPHOBICALLY ASSOCIATING CATIONIC POLYACRYLAMIDE. *BioResources* 7: 4926-4937.

## Exposure Literature Search Results

### Off Topic

- Wu, XH; Jiang, XZ; Zhang, LQ. (2002). Catalytic decomposition of methylene chloride by sulfated titania catalysts. *Journal of Wuhan University of Technology--Materials Science Edition* 17: 39-42.
- Wu, Y; Liu, X; Huang, X; Xing, S; Ma, Z; Feng, L, i. (2015). Interface synthesis of MnO<sub>2</sub> materials with various structures and morphologies and their application in catalytic oxidation of o-xylene. *Mater Lett* 139: 157-160. <http://dx.doi.org/10.1016/j.matlet.2014.10.059>.
- Wu, YH; Kerr, PG; Li, YD; Yang, LZ. (2008). Isolation and identification of compounds from biofilms in eutrophic water and their allelopathic effects on cyanobacterial growth. *Allelopathy Journal* 22: 417-427.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame* 122: 312-326.
- Wyrwa, D; Beyer, N; Schmid, G. (2002). One-dimensional arrangements of metal nanoclusters. *Nano Lett* 2: 419-421. <http://dx.doi.org/10.1021/nl0157086>.
- Wysocka, M; Winkler, K; Stork, JR; Balch, AL. (2004). Electrochemical oxidation of (Ph<sub>4</sub>As)[IrCl<sub>2</sub>(CO)<sub>2</sub>] in the presence of tetra(alkyl) ammonium salts. Electrocrystallization of different forms of iridium-based linear chain complexes. *Chem Mater* 16: 771-780. <http://dx.doi.org/10.1021/cm035029r>.
- Xeidakis, GS. (1996). Stabilization of swelling clays by Mg(OH)<sub>2</sub>. Factors affecting hydroxy-Mg-interlayering in swelling clays. *Eng Geol* 44: 93-106.
- Xia, A, o; Tan, G; Ren, H. (2016). Effect of Fe substitution on microstructure and properties of bismuth titanate thin films. *Ceramics International* 42: 1267-1271. <http://dx.doi.org/10.1016/j.ceramint.2015.09.061>.
- Xia, N; Yang, J; Wu, Z. (2015). Fast, high-yield synthesis of amphiphilic Ag nanoclusters and the sensing of Hg(2+) in environmental samples. *Nanoscale* 7: 10013-10020. <http://dx.doi.org/10.1039/c5nr00705d>.
- Xia, Q; Li, Z; Xiao, L; Zhang, Z; Xi, H. (2010). Effects of loading different metal ions on an activated carbon on the desorption activation energy of dichloromethane/trichloromethane. *J Hazard Mater* 179: 790-794. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.073>.
- Xia, QY; Ying, SJ; Luo, YX. (2014). Solvent cast blends of PMMA microspheres in bisphenol-A-polycarbonate. *Plastics, Rubber and Composites* 43: 284-289. <http://dx.doi.org/10.1179/1743289814Y.0000000102>.
- Xia, X, in; Li, S; Wang, X, in; Liu, J; Wei, Q; Zhang, X. (2013). Structures and properties of SnO<sub>2</sub> nanofibers derived from two different polymer intermediates. *Journal of Materials Science* 48: 3378-3385. <http://dx.doi.org/10.1007/s10853-012-7122-7>.
- Xiao, B; Sun, XF; Sun, RC. (2001). Extraction and characterization of lipophilic extractives from rice straw. I. Chemical composition. *Journal of Wood Chemistry and Technology* 21: 397-411.
- Xiao, D; Zhang, D; Chen, B; Xie, D; Xiang, Y; Li, X; Jin, W. (2015). Size-selective recognition by a tubular assembly of phenylene-pyrimidinylene alternated macrocycle through hydrogen-bonding interactions. *Langmuir* 31: 10649-10655. <http://dx.doi.org/10.1021/acs.langmuir.5b02273>.
- Xiao, J; Shi, C; Zheng, H; Shi, Z; Jiang, D; Li, Y; Huang, Q. (2016). Kafirin Protein Based Electrospun Fibers with Tunable Mechanical Property, Wettability, and Release Profile. *J Agric Food Chem* 64: 3226-3233. <http://dx.doi.org/10.1021/acs.jafc.6b00388>.
- Xiao, J; Song, C; Dong, W, ei; Li, C; Yin, Y; Zhang, X; Song, M. (2015). Synthesis, Characterization, and Gas Sensing Applications of WO<sub>3</sub> Nanobricks. *Journal of Materials Engineering and Performance* 24: 3026-3031. <http://dx.doi.org/10.1007/s11665-015-1565-3>.
- Xiao, J; Song, C; Song, M; Dong, W; Li, C; Yin, Y. (2016). Preparation and Gas Sensing Properties of Hollow ZnS Microspheres. *J Nanosci Nanotechnol* 16: 3026-3029. <http://dx.doi.org/10.1166/jnn.2016.10765>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng* 125: 647-652.
- Xiao, W; Hu, D; Peng, C; Chen, GZ. (2011). Interfacial synthesis: amphiphilic monomers assisted ultrarefining of mesoporous manganese oxide nanoparticles and the electrochemical implications. *ACS Applied Materials & Interfaces* 3: 3120-3129. <http://dx.doi.org/10.1021/am200625p>.
- Xiao, Y, an; Lang, S; Wang, Y, an; Lang, M. (2014). Effect of Surface Grafted Hydroxyapatite on the Improved Performance of Hydroxyapatite/Poly(epsilon-caprolactone) Scaffold. *Current Nanoscience* 10: 855-862.
- Xiao, Y; Lu, X; Zhang, X; He, C. (2010). Synthesis and optical characteristics of organic light-emitting dot based on well-defined octa-functionalized silsesquioxane. *J Nanopart Res* 12: 2787-2798. <http://dx.doi.org/10.1007/s11051-010-9857-x>.
- Xiao, Y; Zhou, S; Su, Y; Wang, H, an; Ye, L, ei; Tsang, S, aiW; Xie, F; Xu, J. (2014). Enhanced efficiency of organic solar cells by mixed orthogonal solvents. *Organic Electronics* 15: 2007-2013. <http://dx.doi.org/10.1016/j.orgel.2014.05.011>.
- Xiaohua, S; Cairong, Z; Yuguo, G; Xinzhi, C. (2006). Measurement and correlation for solubility of (S)-(+)-2,2-dimethylcyclopropane carbox amide in different solvents. *Chinese Journal of Chemical Engineering* 14: 547-550.
- Xiaomin, L; Feifei, Y; Jianyani, F; Hwei, M. (2013). Determination of Free Fatty Acids in Leather. *Journal of the Society of Leather Technologists and Chemists* 97: 251-255.
- Xie, L; Shao, Z; Wang, W; Wang, F. (2012). Superhydrophobicity of CMCAB Fibrous Mats Produced by Electrospinning. *Integrated Ferroelectrics* 135: 55-61. <http://dx.doi.org/10.1080/10584587.2012.685384>.
- Xie, Q; Chen, J; Shao, J; Chen, C; Zhao, H; Hao, C. (2009). Important role of reaction field in photodegradation of deca-bromodiphenyl ether: theoretical and experimental investigations of solvent effects. *Chemosphere* 76: 1486-1490. <http://dx.doi.org/10.1016/j.chemosphere.2009.06.054>.
- Xie, Y; Li, S; Liu, G; Wang, J, un; Wu, K, e. (2012). Equilibrium, kinetic and thermodynamic studies on perchlorate adsorption by cross-linked quaternary chitosan. *Chem Eng J* 192: 269-275. <http://dx.doi.org/10.1016/j.cej.2012.04.014>.

## Exposure Literature Search Results

### Off Topic

- Xie, YJ; He, ZF; Zhang, E; Li, HJ. (2016). TECHNICAL NOTE: CHARACTERIZATION OF KEY VOLATILE ODORANTS IN RABBIT MEAT USING GAS CHROMATOGRAPHY MASS SPECTROMETRY WITH SIMULTANEOUS DISTILLATION EXTRACTION. *World Rabbit Science* 24: 313-320. <http://dx.doi.org/10.4995/wrs.2016.4464>.
- Xing, L; Fu, TM; Cao, JJ; Lee, SC; Wang, GH; Ho, KF; Cheng, MC; You, CF; Wang, TJ. (2013). Seasonal and spatial variability of the OM/OC mass ratios and high regional correlation between oxalic acid and zinc in Chinese urban organic aerosols. *Atmos Chem Phys* 13: 4307-4318. <http://dx.doi.org/10.5194/acp-13-4307-2013>.
- Xing, M; Zhang, J; Chen, F. (2009). Photocatalytic Performance of N-Doped TiO<sub>2</sub> Adsorbed with Fe<sup>3+</sup> Ions under Visible Light by a Redox Treatment. *J Phys Chem C* 113: 12848-12853. <http://dx.doi.org/10.1021/jp9034166>.
- Xing, T; Kai, H, u; Chen, G. (2012). Study of adsorption and desorption performance of acid dyes on anion exchange membrane. *Color Technol* 128: 295-299. <http://dx.doi.org/10.1111/j.1478-4408.2012.00378.x>.
- Xing, Y; Li-hui, Z; Cui-ping, S; Yan, S; Jin-lin, Z; Jian-min, H; Jin-gao, D. (2014). The Extraction, Isolation and Identification of Exudates from the Roots of *Flaveria bidentis*. 13: 105-114. [http://dx.doi.org/10.1016/S2095-3119\(13\)60495-5](http://dx.doi.org/10.1016/S2095-3119(13)60495-5).
- Xinyu, W; Zhi, W; Jun, X; Jixiao, W; Shichang, W. (2013). Surface Modification of Commercial Aromatic Polyamide Reverse Osmosis Membranes by Crosslinking Treatments. *Chinese Journal of Chemical Engineering* 21: 473-484. [http://dx.doi.org/10.1016/S1004-9541\(13\)60507-8](http://dx.doi.org/10.1016/S1004-9541(13)60507-8).
- Xiong, J; Jiao, C; Li, C; Zhang, D; Lin, H; Chen, Y. (2014). A versatile amphiprotic cotton fiber for the removal of dyes and metal ions. *Cellulose* 21: 3073-3087. <http://dx.doi.org/10.1007/s10570-014-0318-z>.
- Xiong, J; Tao, J, in; Guo, K, un; Jiao, C; Zhang, D; Lin, H; Chen, Y. (2015). A rational modification route to an amphiprotic cotton fiber as adsorbent for dyes. *Fibers and Polymers* 16: 1512-1518. <http://dx.doi.org/10.1007/s12221-015-4738-7>.
- Xiong, QH; Wang, JG; Reese, O; Voon, LCL, Y; Eklund, PC. (2004). Raman scattering from surface phonons in rectangular cross-sectional w-ZnS nanowires. *Nano Lett* 4: 1991-1996. <http://dx.doi.org/10.1021/nl048720h>.
- Xiu-mei, Z; Rong-jia, L; Chuang, Z; Jie, Z; Cheng-hua, H; Ya-ting, Z; Wen-da, W; Hai-bin, Z. (2016). Separation and purification of deoxynivalenol (DON) mycotoxin from wheat culture using a simple two-step silica gel column chromatography. 15: 694-701. [http://dx.doi.org/10.1016/S2095-3119\(15\)61098-X](http://dx.doi.org/10.1016/S2095-3119(15)61098-X).
- Xu, B, in; Li, Q; Zhuang, L; Wang, Q; Li, C; Wang, G; Xie, F; Halley, PJ. (2016). Dissolution and Regeneration Behavior of Chitosan in 3-methyl-1-(ethylacetyl)imidazolium Chloride. *Fibers and Polymers* 17: 1741-1748. <http://dx.doi.org/10.1007/s12221-016-6747-6>.
- Xu, C; Wu, T; Mei, Y; Drain, CM; Batteas, JD; Beers, KL. (2005). Synthesis and characterization of tapered copolymer brushes via surface-initiated atom transfer radical copolymerization. *Langmuir* 21: 11136-11140. <http://dx.doi.org/10.1021/la051853d>.
- Xu, F; Cui, FZ; Jiao, YP; Meng, QY; Wang, XP; Cui, XY. (2009). Improvement of cytocompatibility of electrospinning PLLA microfibers by blending PVP. *J Mater Sci Mater Med* 20: 1331-1338. <http://dx.doi.org/10.1007/s10856-008-3686-9>.
- Xu, F, ei; Kim, J, iH; Kim, H, eeUn; Mi, D; Cho, YJ, oo; Lee, J, unY; Yoon, U, ngC; Hwang, D, oH. (2013). Phosphorescent organic light-emitting diodes fabricated using iridium complexes with carbazole-based benzothiazole ligands. *Synthetic Metals* 178: 10-17. <http://dx.doi.org/10.1016/j.synthmet.2013.06.023>.
- Xu, FN; Innocent, C; Pourcelly, G. (2005). Electrodialysis with ion exchange membranes in organic media. *Separation and Purification Technology* 43: 17-24. <http://dx.doi.org/10.1016/j.seppur.2004.09.009>.
- Xu, G; Gao, Y; Shiue, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO<sub>2</sub> Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters* 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, G; Wei, D; Wang, J; Jiang, B, o; Wang, M; Xue, X; Zhou, S; Wu, B; Jiang, M. (2014). Crystal structure, optical properties and biological imaging of two curcumin derivatives. *Dyes and Pigments* 101: 312-317. <http://dx.doi.org/10.1016/j.dyepig.2013.09.034>.
- Xu, J, unRui; Cui, J, unJia; Lin, Q; Li, Y; Li, CF. (2015). Magnetic pulse forming of AZ31 magnesium alloy shell by uniform pressure coil at room temperature. *International Journal of Advanced Manufacturing Technology* 77: 289-304. <http://dx.doi.org/10.1007/s00170-014-6417-z>.
- Xu, J; Garton, A. (1994). THE CHEMICAL-COMPOSITION OF WATER TREES IN EPR CABLE INSULATION. *I E E E Transactions on Dielectrics and Electrical Insulation* 1: 18-24.
- Xu, J, aHui; Zhou, Y, u; Wen, JJ, ia; Wu, ZY; Zhou, CF; Zhu, JH, ua. (2008). Microwave-induced degradation of nitrosamines trapped in zeolites. *Asia-Pacific Journal of Chemical Engineering* 3: 481-488. <http://dx.doi.org/10.1002/apj.176>.
- Xu, L, i; Miao, X; Zha, B, ao; Deng, W. (2012). Self-Assembly Polymorphism: Solvent-Responsive Two-Dimensional Morphologies of 2,7-Ditridecyloxy-9-fluorenone by Scanning Tunneling Microscopy. *J Phys Chem C* 116: 16014-16022. <http://dx.doi.org/10.1021/jp302422a>.
- Xu, L, i; Miao, X; Zha, B, ao; Miao, K, ai; Deng, W. (2013). Dipole-Controlled Self-Assembly of 2,7-Bis(n-alkoxy)-9-fluorenone: Odd-Even and Chain-Length Effects. *J Phys Chem C* 117: 12707-12714. <http://dx.doi.org/10.1021/jp403881t>.
- Xu, ML; Wang, L; Xu, GF; Hu, JH; Wang, MH. (2010). Antioxidant and Anti-proliferative Activities of Different Solvent Fractions from Methanol Extracts of *Sparganium stoloniferum*. *Horticulture, Environment and Biotechnology* 51: 539-544.
- Xu, T; Jacobsen, CM; Cho, IK; Hara, AH; Li, QX. (2006). Application of an enzyme-linked immunosorbent assay for the analysis of imidacloprid in wiliwili tree, *Erythrina sandwicensis* O. Deg, for control of the wasp *Quadrastichus erythrinae*. *J Agric Food Chem* 54: 8444-8449. <http://dx.doi.org/10.1021/jf062004e>.
- Xu, T; Lv, Y; Cheng, T; Li, X. (2014). Using comprehensive GC × GC to study PAHs and n-alkanes associated with PM<sub>2.5</sub> in urban atmosphere. *Environ Sci Pollut Res Int* 22: 5253-5262. <http://dx.doi.org/10.1007/s11356-014-3695-9>.

## Exposure Literature Search Results

### Off Topic

- Xu, W; Xu, J; Li, X; Tian, Y; Choi, CH; Yang, EH. (2016). Lateral actuation of an organic droplet on conjugated polymer electrodes via imbalanced interfacial tensions. *Soft Matter* 12: 6902-6909. <http://dx.doi.org/10.1039/c6sm01223j>.
- Xu, W; Zhang, DQ; Li, HX; Zhu, DB. (1999). New electron donors: BEDT-TTF derivatives bearing a pyridine group; synthesis, crystal structure, electrochemical studies and the formation of charge transfer complexes. *J Mater Chem* 9: 1245-1249.
- Xu, X; Zhou, Z; Hei, Y; Zhang, B; Bao, J; Chen, X. (2014). Improving compression-after-impact performance of carbon-fiber composites by CNTs/thermoplastic hybrid film interlayer. *Compos Sci Tech* 95: 75-81. <http://dx.doi.org/10.1016/j.compscitech.2014.01.023>.
- Xu, Y; Chen, X; Zhao, F; Fan, X; Chen, P, ei; An, Z. (2013). Synthesis and properties of substituted benzoxazole-terminated liquid crystals. *Liquid Crystals* 40: 197-215. <http://dx.doi.org/10.1080/02678292.2012.735709>.
- Xu, Y; Han, Y. (2014). Effects of natural oxidation on the photoluminescence properties of Si nanocrystals prepared by pulsed laser ablation. *Applied Physics A: Materials Science and Processing* 117: 1557-1562. <http://dx.doi.org/10.1007/s00339-014-8593-y>.
- Xu, Y; Hu, K, un; Chen, P, ei; Gao, A; Du, W; Chen, X; An, Z. (2014). Synthesis and properties of mesogenic laterally fluorinated compounds containing benzoxazole unit. *Liquid Crystals* 41: 1042-1056. <http://dx.doi.org/10.1080/02678292.2014.898344>.
- Xu, Y; Skotak, M; Hanna, M. (2006). Electro spray encapsulation of water-soluble protein with polylactide. I. Effects of formulations and process on morphology and particle size. *J Microencapsul* 23: 69-78. <http://dx.doi.org/10.1080/02652040500435048>.
- Xu, Y; Zou, L; Lu, H; Wei, Y; Hua, J; Chen, S. (2016). Preparation and characterization of electrospun PHBV/PEO mats: The role of solvent and PEO component. *Journal of Materials Science* 51: 5695-5711. <http://dx.doi.org/10.1007/s10853-016-9872-0>.
- Xu, YM; Hepler, LG. (1990). HENRY LAW CONSTANTS AND THERMODYNAMIC PROPERTIES OF GASES AND VAPORS IN BITUMENS. *Can J Chem Eng* 68: 1024-1032.
- Xu, YX; Shang, TG; Chen, CX; Li, JD. (2006). Dynamic sorption and anomalous diffusion of small molecules in dense polyimide membranes. *Journal of Chemical and Engineering Data* 51: 2016-2021. <http://dx.doi.org/10.1021/je060027j>.
- Xu, Z; Li, Y; Zhang, B; Purkait, T; Alb, A; Mitchell, BS; Grayson, SM; Fink, MJ. (2015). Water-soluble PEGylated silicon nanoparticles and their assembly into swellable nanoparticle aggregates. *J Nanopart Res* 17. <http://dx.doi.org/10.1007/s11051-015-2869-9>.
- Xue, C; Chen, Z; Wen, Y; Luo, FT; Chen, J; Liu, H. (2005). Synthesis of ferrocene-grafted poly(p-phenylene-ethynylenes) and control of electrochemical behaviors of their thin films. *Langmuir* 21: 7860-7865. <http://dx.doi.org/10.1021/la050674t>.
- Xue, P; Lu, R; Zhao, L; Xu, D; Zhang, X; Li, K; Song, Z; Yang, X; Takafuji, M; Ihara, H. (2010). Hybrid self-assembly of a pi gelator and fullerene derivative with photoinduced electron transfer for photocurrent generation. *Langmuir* 26: 6669-6675. <http://dx.doi.org/10.1021/la903990m>.
- Xue, QB; Kimura, T; Fukuda, T; Shimada, S; Matsuda, H. (2004). Synthesis and lyotropic liquid crystal properties of chiral helical polycarbodiimides. *Liquid Crystals* 31: 137-143. <http://dx.doi.org/10.1080/02678290410001637185>.
- Yaacob, NS; Hamzah, N; Nik Mohamed Kamal, NN; Zainal Abidin, SA; Lai, CS; Navaratnam, V; Norazmi, MN. (2010). Anticancer activity of a sub-fraction of dichloromethane extract of *Strobilanthes crispus* on human breast and prostate cancer cells in vitro. *BMC Complement Altern Med* 10: 42. <http://dx.doi.org/10.1186/1472-6882-10-42>.
- Yafang, L; Ting, J; Xiaozhou, S. (2012). CHEMICAL COMPOSITION OF CORK FROM QUERCUS VARIABILIS. *Wood and Fiber Science* 44: 214-219.
- Yaftian, MR; Eshraghi, ME; Hassanzadeh, L. (2003). Extractive properties of tri-n-octylphosphine oxide towards thorium (IV) and europium (III) ions in aqueous nitrate media. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)* 22: 71-76.
- Yaftian, MR; Hassanzadeh, L; Eshraghi, ME; Matt, D. (2003). Solvent extraction of thorium (IV) and europium (III) ions by diphenyl-N,N-dimethylcarbamoylmethylphosphine oxide from aqueous nitrate media. *Separation and Purification Technology* 31: 261-268.
- Yaftian, MR; Zamani, AA; Parinejad, M. (2005). Facilitated transport of cadmium ions from hydrochloric acid solutions through a liquid membrane containing dicyclohexyl-18-crown-6 as extractant-carrier. *Separation Science and Technology* 40: 2709-2719. <http://dx.doi.org/10.1080/01496390500285329>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology* 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.
- Yahiaoui, A; Belbachir, M; Soutif, JC; Fontaine, L. (2005). Synthesis and structural analyses of poly(1,2-cyclohexene oxide) over solid acid catalyst. *Mater Lett* 59: 759-767. <http://dx.doi.org/10.1016/j.matlet.2004.11.017>.
- Yakuphanoglu, F; Arslan, M. (2004). The fundamental absorption edge and optical constants of some charge transfer compounds. *Optical Materials* 27: 29-37. <http://dx.doi.org/10.1016/j.optmat.2004.01.017>.
- Yamada, K; Kumagai, S; Endo, G. (2015). Chemical exposure levels in printing workers with cholangiocarcinoma (second report). *J Occup Health* 57: 245-252. <http://dx.doi.org/10.1539/joh.14-0239-OA>.
- Yamada, K; Kumagai, S; Kubo, S; Endo, G. (2015). Chemical exposure levels in printing and coating workers with cholangiocarcinoma (third report). *J Occup Health* 57: 565-571. <http://dx.doi.org/10.1539/joh.15-0170-OA>.
- Yamada, K; Kumagai, S; Nagoya, T; Endo, G. (2014). Chemical exposure levels in printing workers with cholangiocarcinoma. *J Occup Health* 56: 332-338. <http://dx.doi.org/10.1539/joh.14-0073-OA>.
- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci* 194: 217-228.
- Yamamoto, K; Izumi, T; Arai, Y. (1989). MUTUAL DIFFUSION-COEFFICIENT OF THE POLYCARBONATE-METHYLENE CHLORIDE SYSTEM AT 140-DEGREES-C. *Kagaku Kogaku Ronbunshu* 15: 1038-1041.
- Yamamoto, K; Tsuchida, E; Nishide, H; Yoshida, S; Park, YS. (1992). ANODIC-OXIDATION OF DIPHENYL DISULFIDES FOR PREPARATION OF OLIGO(P-PHENYLENE SULFIDE)S IN ACIDIC MEDIA. *J Electrochem Soc* 139: 2401-2406.



## Exposure Literature Search Results

### Off Topic

- Yamamoto, T; Ramanathan, K; Lawless, PA; Ensor, DS; Newsome, J. R.; Plaks, N; Ramsey, GH. (1992). CONTROL OF VOLATILE ORGANIC-COMPOUNDS BY AN AC ENERGIZED FERROELECTRIC PELLET REACTOR AND A PULSED CORONA REACTOR. *I E E Transactions on Industry Applications* 28: 528-534.
- Yamamoto, T; Yasuhara, A. (2002). Chlorination of bisphenol A in aqueous media: formation of chlorinated bisphenol A congeners and degradation to chlorinated phenolic compounds. *Chemosphere* 46: 1215-1223.
- Yamamoto, Y; Tamiaki, H. (2015). Synthesis, optical properties and protonation of chlorophyll derivatives appending a pyridyl group in the C3-substituent. *Dyes and Pigments* 118: 159-165. <http://dx.doi.org/10.1016/j.dyepig.2015.03.006>.
- Yamane, K; Matsuyama, S; Igarashi, K; Kuwabara, T. (2013). Pyrolytic Generation of Petroleum Crude Oils from the Marine Phytomicroalgal *Coccolithophore Emiliania huxleyi* (Haptophyta) and Preparation of n-Alkane-Rich Biofuel. *Energy Fuels* 27: 7470-7479. <http://dx.doi.org/10.1021/ef401618t>.
- Yamasaki, N; Yokosawa, K; Korablov, S; Tohtj, K. (2006). Synthesis of diamond particles under alkaline hydrothermal conditions. *Solid State Phenomena* 114: 271-276.
- Yamasaki, Y; Yamasaki, N; Enomoto, H. (2004). Dechlorination of concentrated monochloroalkanes under various hydrothermal conditions. *J Chem Eng Jpn* 37: 1252-1258.
- Yan, J, un; Liang, Q; Liu, K; Miao, J; Chen, H, ui; Liu, S, ha; He, Z; Wu, H; Wang, J; Cao, Y. (2017). Optimized Phase Separation and Reduced Geminate Recombination in High Fill Factor Small-Molecule Organic Solar Cells. 2: 14-21. <http://dx.doi.org/10.1021/acseenergylett.6b00556>.
- Yan, L; Wang, JD; Huang, ZH; Xu, HQ; Zhou, XT. (2002). Monitoring leaking gases by OP-FTIR remote sensing. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 37: 1453-1462. <http://dx.doi.org/10.1081/ESE-1200013269>.
- Yan, QL; Li, XJ; Wang, Y; Zhang, WH; Zhao, FQ. (2009). Combustion mechanism of double-base propellant containing nitrogen heterocyclic nitroamines (I): The effect of heat and mass transfer to the burning characteristics. *Combust Flame* 156: 633-641. <http://dx.doi.org/10.1016/j.combustflame.2008.12.004>.
- Yan, R; Chen, H; Lee, DH; Yang, H; Liang, DT; Shao, J. (2008). Emission Characteristics of Heavy Metals and Organic Pollutants from the Combustion of Sewage Sludge in a Fluidized Bed Combustor. *Energy Fuels* 22: 2278-2283. <http://dx.doi.org/10.1021/ef800002y>.
- Yan, W, eiH; Duan, P, eiGao; Wang, F; Xu, Y, uP. (2016). Composition of the bio-oil from the hydrothermal liquefaction of duckweed and the influence of the extraction solvents. *Fuel* 185: 229-235. <http://dx.doi.org/10.1016/j.fuel.2016.07.117>.
- Yan, W, eiGuo; Ying, C, uiF; Kong, XT; Li, Z, uBin; Tian, JG, uo. (2013). Fabrication and Optical Properties of Inclined Au Nanocup Arrays. *Plasmonics* 8: 1607-1611. <http://dx.doi.org/10.1007/s11468-013-9577-z>.
- Yan, Y, unNan; Pan, W, enL; Song, H, uaCan. (2010). The synthesis and optical properties of novel 1,3,4-oxadiazole derivatives containing an imidazole unit. *Dyes and Pigments* 86: 249-258. <http://dx.doi.org/10.1016/j.dyepig.2010.01.011>.
- Yan, ZN; Wang, JJ; Kong, W; Lu, JS. (2004). Effect of temperature on volumetric and viscosity properties of some alpha-amino acids in aqueous calcium chloride solutions. *Fluid Phase Equilibria* 215: 143-150. <http://dx.doi.org/10.1016/j.fluid.2003.07.001>.
- Yanagida, H; Okada, M; Masuda, M; Narama, I; Nakano, S; Kitao, S; Takakuda, K; Furuzono, T. (2011). Preparation and in vitro/in vivo evaluations of dimpled poly(L-lactic acid) fibers mixed/coated with hydroxyapatite nanocrystals. *J Artif Organs* 14: 331-341. <http://dx.doi.org/10.1007/s10047-011-0594-4>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2003). Antioxidative activities of volatile extracts from green tea, oolong tea, and black tea. *J Agric Food Chem* 51: 7396-7401. <http://dx.doi.org/10.1021/jf030127i>.
- Yanagimoto, K; Ochi, H; Lee, KG; Shibamoto, T. (2004). Antioxidative activities of fractions obtained from brewed coffee. *J Agric Food Chem* 52: 592-596. <http://dx.doi.org/10.1021/jf030317t>.
- Yang, B; Zhang, Y; Meng, J; Gan, J; Shu, J. (2010). Heterogeneous reactivity of suspended pirimiphos-methyl particles with ozone. *Environ Sci Technol* 44: 3311-3316. <http://dx.doi.org/10.1021/es9029599>.
- Yang, CY; Tsay, SY; Tsiang, RCC. (2000). An enhanced process for encapsulating aspirin in ethyl cellulose microcapsules by solvent evaporation in an O/W emulsion. *J Microencapsul* 17: 269-277.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, F; Zhai, Y; Chen, L, in; Li, C; Zeng, G; He, Y; Fu, Z; Peng, W. (2010). The seasonal changes and spatial trends of particle-associated polycyclic aromatic hydrocarbons in the summer and autumn in Changsha city. *Atmos Res* 96: 122-130. <http://dx.doi.org/10.1016/j.atmosres.2009.12.004>.
- Yang, H, e; Mu, J; Chen, X, ia; Feng, L, ei; Jia, J; Wang, J. (2011). Synthesis, X-ray crystal structure and optical properties of novel 2,5-diaryl-1, 3,4-oxadiazole derivatives containing substituted pyrazolo[1,5-a]pyridine units. *Dyes and Pigments* 91: 446-453. <http://dx.doi.org/10.1016/j.dyepig.2011.03.035>.
- Yang, H; Pettigrew, JE; Johnston, LJ; Shurson, GC; Wheaton, JE; White, ME; Koketsu, Y; Sower, AF; Rathmacher, JA. (2000). Effects of dietary lysine intake during lactation on blood metabolites, hormones, and reproductive performance in primiparous sows. *J Anim Sci* 78: 1001-1009.
- Yang, HC; Shin, TJ; Yang, L; Cho, K; Ryu, CY; Bao, ZN. (2005). Effect of mesoscale crystalline structure on the field-effect mobility of regioregular poly(3-hexyl thiophene) in thin-film transistors. *Adv Funct Mater* 15: 671-676. <http://dx.doi.org/10.1002/adfm.200400297>.
- Yang, J; Hao, DX, ia; Bi, C, aiXia; Su, Z, hiGuo; Wang, LY, an; Ma, GH, ui. (2010). Rapid Synthesis of Uniform Magnetic Microspheres by Combing Premix Membrane Emulsification and in Situ Formation Techniques. *Ind Eng Chem Res* 49: 6047-6053. <http://dx.doi.org/10.1021/ie902053u>.

## Exposure Literature Search Results

### Off Topic

- Yang, J; Qiu, K. (2010). Preparation of activated carbons from walnut shells via vacuum chemical activation and their application for methylene blue removal. *Chem Eng J* 165: 209-217. <http://dx.doi.org/10.1016/j.cej.2010.09.019>.
- Yang, J; Qiu, K. (2011). Experimental Design To Optimize the Preparation of Activated Carbons from Herb Residues by Vacuum and Traditional ZnCl<sub>2</sub> Chemical Activation. *Ind Eng Chem Res* 50: 4057-4064. <http://dx.doi.org/10.1021/ie101531p>.
- Yang, J; Yang, J; Zhou, Y, u; Wei, F; Lin, W; Zhu, J. (2010). Hierarchical functionalized MCM-22 zeolite for trapping tobacco specific nitrosamines (TSNAs) in solution. *J Hazard Mater* 179: 1031-1036. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.108>.
- Yang, KZ; Batts, BD; Wilson, MA; Gorbaty, ML; Maa, PS; Long, MA; He, SXJ; Attalla, MI. (1997). Reaction of methane with coal. *Fuel* 76: 1105-1115.
- Yang, L; Li, H; Zeng, F; Liu, Y; Li, R; Chen, H; Zhao, Y; Miao, H; Wu, Y. (2012). Determination of 49 organophosphorus pesticide residues and their metabolites in fish, egg, and milk by dual gas chromatography-dual pulse flame photometric detection with gel permeation chromatography cleanup. *J Agric Food Chem* 60: 1906-1913. <http://dx.doi.org/10.1021/jf2043828>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrOx catalysts for chlorinated VOCs elimination. *Chem Eng Sci* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J* 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, SY; Chen, YX; Lou, LP; Wu, XN. (2005). Involvement of chloride anion in photocatalytic process. *J Environ Sci* 17: 761-765.
- Yang, W; He, N; Fu, J; Li, Z; Ji, X. (2015). Preparation of Porous Core-Shell Poly L-Lactic Acid/Polyethylene Glycol Superfine Fibres Containing Drug. *J Nanosci Nanotechnol* 15: 9911-9917. <http://dx.doi.org/10.1166/jnn.2015.10884>.
- Yang, X; Cui, C; Tong, Z; Sabanayagam, CR; Jia, X. (2013). Poly( $\epsilon$ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. *Acta Biomater* 9: 8232-8244. <http://dx.doi.org/10.1016/j.actbio.2013.06.005>.
- Yang, X; Lyu, H; Chen, K; Zhu, X; Zhang, S; Chen, J. (2014). Selective Extraction of Bio-oil from Hydrothermal Liquefaction of *Salix psammophila* by Organic Solvents with Different Polarities through Multistep Extraction Separation. *BioResources* 9: 5219-5233.
- Yang, Y; Jin, D; Wang, G; Liu, D; Jia, X; Zhao, Y. (2011). Biosorption of Acid Blue 25 by unmodified and CPC-modified biomass of *Penicillium YW01*: kinetic study, equilibrium isotherm and FTIR analysis. *Colloids Surf B Biointerfaces* 88: 521-526. <http://dx.doi.org/10.1016/j.colsurfb.2011.07.047>.
- Yang, Y; Schulz, D; Steiner, CA. (1999). Physical gelation of hydrophobically modified polyelectrolytes. 1. Homogeneous gelation of alkylated poly[acrylamide-co-sodium acrylate]. *Langmuir* 15: 4335-4343.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yanyuan, W; Hanming, D. (2011). Preparation and Photocatalytic Activity of Ag@AgCl Modified Anatase TiO<sub>2</sub> Nanotubes. *Chinese journal of catalysis* 32: 36-45. [http://dx.doi.org/10.1016/S1872-2067\(10\)60157-X](http://dx.doi.org/10.1016/S1872-2067(10)60157-X).
- Yao, JH, ua; Wei, XY; Xiao, L, ei; Ji, HM, in; Zong, Z, hiMin; Liu, FJ. (2015). Fractional Extraction and Biodepolymerization of Shengli Lignite. *Energy Fuels* 29: 2014-2021. <http://dx.doi.org/10.1021/ef501928d>.
- Yasuda, M; Shizuka, M; Yoneda, H; Ogino, H; Ishikawa, H. (2001). Synthesis and radical polymerization kinetics of amphiphilic methacrylic monomers having 2-[p-(1,1,3,3-tetramethyl-butyl)phenoxy-polyethoxy]ethyl group. *J Chem Eng Jpn* 34: 388-395.
- Yasugi, T; Endo, G; Monna, T; Odachi, T; Yamaoka, K; Kawai, T; Horiguchi, S; Ikeda, M. (1998). Types of organic solvents used in workplaces and work environment conditions with special references to reproducibility of work environment classification. *Ind Health* 36: 223-233.
- Yati, I; Ozan Aydin, G; Bulbul Sonmez, H. (2016). Cross-linked poly(tetrahydrofuran) as promising sorbent for organic solvent/oil spill. *J Hazard Mater* 309: 210-218. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.014>.
- Yavuz, E; Bayramoglu, G; Arica, MY; Senkal, BF. (2011). Preparation of poly (acrylic acid) containing core-shell type resin for removal of basic dyes. *J Chem Tech Biotechnol* 86: 699-705. <http://dx.doi.org/10.1002/jctb.2571>.
- Yazici, M; Acemioglu, B; Akbas, M; Kuvvet, M. (2016). Determination of the ground- and excited-state dipole moments of 4'-(hexyloxy)-4-biphenylcarbonitrile and 4-isothiocyanatophenyl 4-pentylbicyclo [2,2,2] octane-1-carboxylate nematic liquid crystals and their mixtures. *Liquid Crystals* 43: 671-679. <http://dx.doi.org/10.1080/02678292.2016.1139197>.
- Yazici, O; Ocak, H; Yasa-Sahin, O; Sakar, D; Cankurtaran, O; Karaman, F; Bilgin-Eran, B. (2012). Investigation of acid-base and surface characteristics of a thermotropic semifluorinated salicylaldehyde liquid crystal by inverse gas chromatography. *Liquid Crystals* 39: 1421-1426. <http://dx.doi.org/10.1080/02678292.2012.719647>.
- Ye, B; Krafft, T; Yang, L; Li, Y; Li, H; Wang, W; Pilot, E, va. (2015). The Characterization and Sources of Polycyclic Aromatic Hydrocarbons in PM10 in Rural, China. *Pol J Environ Stud* 24: 909-915.
- Ye, L; Ou, Z; Meng, D; Yuan, M; Fang, Y; Kadish, KM. (2014). Electrochemistry of Fe(IV) and Mn(IV) corroles containing meso-dichlorophenyl substituents and the use of these compounds as catalysts for the electroreduction of dioxygen in acid media. *Turkish Journal of Chemistry* 38: 994-1005. <http://dx.doi.org/10.3906/kim-1407-26>.
- Yeh, MK. (2000). The stability of insulin in biodegradable microparticles based on blends of lactide polymers and polyethylene glycol. *J Microencapsul* 17: 743-756.
- Yeh, MK; Chen, JL; Chiang, CH. (2002). *Vibrio cholerae*-loaded poly(DL lactide co-glycolide) microparticles. *J Microencapsul* 19: 203-212.
- Yeh, MK; Tung, SM; Lu, DW; Chen, JL; Chiang, CH. (2001). Formulation factors for preparing ocular biodegradable delivery system of 5-fluorouracil microparticles. *J Microencapsul* 18: 507-519.

## Exposure Literature Search Results

### Off Topic

- Yen, JH; Tsai, CC; Wang, YS. (2003). Separation and toxicity of enantiomers of organophosphorus insecticide leptophos. *Ecotoxicol Environ Saf* 55: 236-242. [http://dx.doi.org/10.1016/S0147-6513\(02\)00066-0](http://dx.doi.org/10.1016/S0147-6513(02)00066-0).
- Yencho, GC; Renwick, JA; Steffens, JC; Tingey, WM. (1994). Leaf surface extracts of *Solanum berthaultii* hawkes deter colorado potato beetle feeding. *J Chem Ecol* 20: 991-1007.
- Yeom, CK; Lee, SH; Lee, JM; Song, HY. (2002). Modeling and evaluation of boundary layer resistance at feed in the permeation of VOC/N-2 mixtures through PDMS membrane. *J Memb Sci* 204: 303-322.
- Yeom, CK; Lee, SH; Song, HY; Lee, JM. (2002). Vapor permeations of a series of VOCs/N-2 mixtures through PDMS membrane. *J Memb Sci* 198: 129-143.
- Yerro, O; Radojevic, V; Radovic, I; Petrovic, M; Uskokovic, PS; Stojanovic, DB; Aleksic, R. (2016). Thermoplastic acrylic resin with self-healing properties. *Polymer Engineering and Science* 56: 251-257. <http://dx.doi.org/10.1002/pen.24244>.
- Yesil-Celiktas, O; Otto, F; Gruener, S; Parlar, H. (2009). Determination of extractability of pine bark using supercritical CO<sub>2</sub> extraction and different solvents: optimization and prediction. *J Agric Food Chem* 57: 341-347. <http://dx.doi.org/10.1021/jf8026414>.
- Yetgin, S; Ulutun, S; Balkose, D. (2015). Methylene Blue Adsorption From Aqueous Solutions to Flexible Poly(vinyl chloride) Silica Composites. *Journal of Vinyl and Additive Technology* 21: 42-50. <http://dx.doi.org/10.1002/vnl.21379>.
- Yeung, E; Chaw, CS. (2009). Ciclosporin-loaded poly(lactide) microparticles: effect of TPGS. *J Microencapsul* 26: 9-17. <http://dx.doi.org/10.1080/02652040802094402>.
- Yin, DY; Liu, JF; Zhang, Y; Gao, Q; Yin, DL. (2005). Immobilization of Mn(salen) complex on aluminum-containing mesoporous materials by microwave heating for epoxidation of styrene. *Stud Surf Sci Catal* 156: 851-858.
- Yin, H; Yu, S, hi; Casey, PS; Chow, G, anM. (2010). Synthesis and properties of poly(D,L-lactide) drug carrier with maghemite nanoparticles. *Mater Sci Eng C* 30: 618-623. <http://dx.doi.org/10.1016/j.msec.2010.02.013>.
- Yin, Q; Sun, Z; Shi, S; Jiang, X; Tian, C; Bao, M. (2013). Structure and electrical properties of K<sub>0.5</sub>Na<sub>0.5</sub>NbO<sub>3</sub>-SrTiO<sub>3</sub> lead-free piezoelectric ceramics with LiSbO<sub>3</sub> doping. *Journal of Materials Science: Materials in Electronics* 24: 4258-4262. <http://dx.doi.org/10.1007/s10854-013-1394-9>.
- Yin, Q; Sun, Z; Zhang, M; He, G; Chen, Y; Wang, Q; Yan, M. (2015). Structure and electrical properties of K<sub>0.5</sub>Na<sub>0.5</sub>Nb<sub>0.94</sub>-xSb<sub>0.06</sub>SnxO<sub>3</sub> lead-free piezoelectric ceramics. *J Alloy Comp* 622: 132-136. <http://dx.doi.org/10.1016/j.jallcom.2014.10.045>.
- Yokohama, N; Otaka, H; Nakata, M. (2007). Validation of methods for measuring polychlorinated dibenzo-p-dioxins and furans, and dioxin-like polychlorinated biphenyls in flue gas. *Int J Environ Anal Chem* 87: 177-194. <http://dx.doi.org/10.1080/03067310600929258>.
- Yongtang, J; Fengchun, D; Jianfeng, D. (2010). Preparation and Characterization of Biodegradable Tercopolymers and Their Nano-Structured Fibers via Electrospinning. *AATCC Rev* 10: 48-52.
- Yoo, H; Washington, JW; Jenkins, TM; Ellington, JJ. (2011). Quantitative determination of perfluorochemicals and fluorotelomer alcohols in plants from biosolid-amended fields using LC/MS/MS and GC/MS. *Environ Sci Technol* 45: 7985-7990. <http://dx.doi.org/10.1021/es102972m>.
- Yoo, HS. (2006). Preparation of biodegradable polymeric hollow microspheres using O/O/W emulsion stabilized by Labrafil. *Colloids Surf B Biointerfaces* 52: 47-51. <http://dx.doi.org/10.1016/j.colsurfb.2006.07.005>.
- Yoon, H; Na, SH; Choi, J, aeY; Latthe, SS; Swihart, MT; Al-Deyab, SS; Yoon, S, amS. (2014). Gravity-Driven Hybrid Membrane for Oleophobic-Superhydrophilic Oil Water Separation and Water Purification by Graphene. *Langmuir* 30: 11761-11769. <http://dx.doi.org/10.1021/1a50315261>.
- Yoon, H; Xie, JN; Abraham, JK; Varadan, VK; Ruffin, PB. (2006). Passive wireless sensors using electrical transition of carbon nanotube junctions in polymer matrix. *Smart Materials and Structures* 15: S14-S20. <http://dx.doi.org/10.1088/0964-1726/15/1/004>.
- Yoon, JW; Kim, JH. (2011). Establishment of a solvent map for formation of crystalline and amorphous paclitaxel by solvent evaporation process. *Korean J Chem Eng* 28: 1918-1923. <http://dx.doi.org/10.1007/s11814-011-0060-2>.
- Yoshida, Y; Kumagai, Y; Mizuno, M; Isomura, K; Nakamura, Y; Kishida, H; Saito, G. (2015). Improved Dynamic Properties of Charge-Transfer-Type Supramolecular Rotor Composed of Coronene and F(4)TCNQ. *Cryst Growth Des* 15: 5513-5518. <http://dx.doi.org/10.1021/acs.cgd.5b01138>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2016). Enhancement and Biological Characteristics Related to Aerobic Biodegradation of Toluene with Co-Existence of Benzene. *Water Air Soil Pollut* 227: 340-340. <http://dx.doi.org/10.1007/s11270-016-3050-5>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshikura, T; Kitano, M; Nishio, T; Fukunaga, I; Masumoto, K; Inoue, S; Kuroda, K; Inoue, Z. (1992). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF ORGANIC-SUBSTANCES IN WATER-PURIFICATION POND AT SEA-BASED SOLID-WASTE DISPOSAL SITE. *Water Sci Technol* 25: 425-432.
- Yoshimoto, S; Ono, Y; Kuwahara, Y; Nishiyama, K; Taniguchi, I. (2016). Structural Changes of 4,4'-[Dithiodibutylene]dipyridine SAM on a Au(111) Electrode with Applied Potential and Solution pH and Influence of Alkyl Chain Length of Pyridine-Terminated Thiolate SAMs on Cytochrome c Electrochemistry. *J Phys Chem C* 120: 15803-15813. <http://dx.doi.org/10.1021/acs.jpcc.5b11666>.
- Yoshizawa, K; Ito, A; Tanaka, K; Yamabe, T. (1994). ELECTROCHEMICAL OXIDATION OF 1,3,5-TRIS(DIPHENYLAMINO)BENZENE (TDAB) FOR POLYRADICAL MATERIAL. *Synthetic Metals* 66: 81-83.
- You, J; Weston, DP; Lydy, MJ. (2004). A sonication extraction method for the analysis of pyrethroid, organophosphate, and organochlorine pesticides from sediment by gas chromatography with electron-capture detection. *Arch Environ Contam Toxicol* 47: 141-147. <http://dx.doi.org/10.1007/s00244-003-3165-8>.

## Exposure Literature Search Results

### Off Topic

- Young, CN; Clayton, CR; Wynne, JH; Yesinowski, JP; Daniels, GC. (2015). Physicochemical investigation of chemical paint removers. II: Role and mechanism of phenol in the removal of polyurethane coatings. *Progr Org Coating* 88: 212-219. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.014>.
- Young, CN; Clayton, CR; Yesinowski, JP; Wynne, JH; Watson, KE. (2014). Physicochemical investigation of chemical paint removers: Interactions of methylene chloride with polyurethane coatings. *Progr Org Coating* 77: 232-241. <http://dx.doi.org/10.1016/j.porgcoat.2013.09.005>.
- Youngster, I; Arcavi, L; Schechmaster, R; Akayzen, Y; Popliski, H; Shimonov, J; Beig, S; Berkovitch, M. (2010). Medications and glucose-6-phosphate dehydrogenase deficiency: an evidence-based review [Review]. *Drug Saf* 33: 713-726. <http://dx.doi.org/10.2165/11536520-000000000-00000>.
- Youssef, AM; Elwakil, AM; Elsharkawy, EA; Farag, AB; Tollan, K. (1996). Adsorption of heavy metals on coal-based activated carbons. *AST* 13: 115-125.
- Yrieix, C; Gonzalez, C; Deroux, JM; Lacoste, C; Leybros, J. (1996). Countercurrent liquid/liquid extraction for analysis of organic water pollutants by GC./POISONING. *Water Res* 30: 1791-1800.
- Yu, H; Yang, L, iu; Xu, M; Fang, C; Yu, W. (2015). Feasibility of micro-extraction and subsequent HPLC analysis for evaluating the extractable formaldehyde content of medium-density fiber board. *Holz als Roh- und Werkstoff* 73: 801-806. <http://dx.doi.org/10.1007/s00107-015-0945-6>.
- Yu, J; Cai, W; Chen, J; Feng, L, i; Jiang, Y; Cheng, Z. (2012). Conversion characteristics and mechanism analysis of gaseous dichloromethane degraded by a VUV light in different reaction media. *J Environ Sci* 24: 1777-1784. [http://dx.doi.org/10.1016/S1001-0742\(11\)61021-8](http://dx.doi.org/10.1016/S1001-0742(11)61021-8).
- Yu, J; Cai, W; Cheng, Z; Chen, J. (2014). Degradation of dichloromethane by an isolated strain *Pandoraea pnomenusa* and its performance in a biotrickling filter. *J Environ Sci* 26: 1108-1117. [http://dx.doi.org/10.1016/S1001-0742\(13\)60538-0](http://dx.doi.org/10.1016/S1001-0742(13)60538-0).
- Yu, J, inP; Guan, Y, iXin; Yao, SJ; Zhu, Z, iQ. (2011). Preparation of Roxithromycin-Loaded Poly(L-lactic Acid) Films with Supercritical Solution Impregnation. *Ind Eng Chem Res* 50: 13813-13818. <http://dx.doi.org/10.1021/ie201294u>.
- Yu, J; He, K; Li, Y; Tan, H, ua; Zhu, M; Wang, Y; Liu, Y, u; Zhu, W; Wu, H. (2014). A novel near-infrared-emitting cyclometalated platinum (II) complex with donor-acceptor-chromophores. *Dyes and Pigments* 107: 146-152. <http://dx.doi.org/10.1016/j.dyepig.2014.03.040>.
- Yu, J; Tan, H, ua; Meng, F; Lv, K, un; Zhu, W; Su, S. (2016). Benzotriazole-containing donor-acceptor-acceptor type cyclometalated iridium(III) complex for solution-processed near-infrared polymer light emitting diodes. *Dyes and Pigments* 131: 231-238. <http://dx.doi.org/10.1016/j.dyepig.2016.04.021>.
- Yu, L, ei; Tu, C; Luo, Y. (2015). Fabrication, characterization and evaluation of mesoporous activated carbons from agricultural waste: Jerusalem artichoke stalk as an example. *9*: 206-215. <http://dx.doi.org/10.1007/s11783-014-0631-7>.
- Yu, MX, in; Chang, LC; Lin, CH; Duan, JP, ey; Wu, FI, y; Chen, IC; Cheng, CH. (2007). Luminescence properties of aminobenzanthrones and their application as host emitters in organic light-emitting devices. *Adv Funct Mater* 17: 369-378. <http://dx.doi.org/10.1002/adfm.200600730>.
- Yu, TH; Ho, CT. (1995). VOLATILE COMPOUNDS GENERATED FROM THERMAL-REACTION OF METHIONINE AND METHIONINE SULFOXIDE WITH OR WITHOUT GLUCOSE. *J Agric Food Chem* 43: 1641-1646.
- Yu, Y, ue; Li, H; Jiang, Y, an. (2014). Separation and Preparation of Five Cycloamine Analogs from Rhizomes of *Veratrum oxysepalum* Turcz. by Two-Step High-Speed Counter-Current Chromatography. *Separation Science and Technology* 49: 2748-2755. <http://dx.doi.org/10.1080/01496395.2014.942744>.
- Yu, YJ; Chan, HLW; Wang, FP; Zhao, LC. (2003). Effects of rare earth Eu doping on ferroelectric properties of PbZr<sub>0.52</sub>Ti<sub>0.48</sub>O<sub>3</sub> thin films by sol-gel methods. *Microelectron Eng* 66: 726-732. [http://dx.doi.org/10.1016/S0167-9317\(02\)00991-7](http://dx.doi.org/10.1016/S0167-9317(02)00991-7).
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res* 31: 1879-1886.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem* 19: 2212-2217.
- Yuan, JP; Cheng, F. (1999). Isomerization of trans-astaxanthin to cis-isomers in organic solvents. *J Agric Food Chem* 47: 3656-3660.
- Yuan, W; Wu, F, ei; Geng, Y, an; Xu, S; Jin, T, uo. (2007). An effective approach to prepare uniform protein-Zn<sup>2+</sup> nanoparticles under mild conditions. *Nanotechnology* 18. <http://dx.doi.org/10.1088/0957-4484/18/14/145601>.
- Yue, W; Randorn, C; Attidekou, PS; Su, Z; Irvine, JTS; Zhou, W. (2009). Syntheses, Li Insertion, and Photoactivity of Mesoporous Crystalline TiO<sub>2</sub>. *Adv Funct Mater* 19: 2826-2833. <http://dx.doi.org/10.1002/adfm.200900658>.
- Yufit, DS; Shishkin, OV; Zubatyuk, RI; Howard, JAK. (2014). Trimethyltrioxane (Paraldehyde) and Its Halomethanes Complexes: Crystallization, Structures, and Analysis of Packing Motifs. *Cryst Growth Des* 14: 4303-4309. <http://dx.doi.org/10.1021/cg500354t>.
- Yujing, N; Junquan, S; Zhengzai, C; Lincai, W. (2008). Ethylene Polymerization by a Novel Dinuclear Heteroligated Titanium Complex with the Ligand of (Salicylaidiminato) (beta-enaminoketonato). *Journal of Wuhan University of Technology--Materials Science Edition* 23: 821-824. <http://dx.doi.org/10.1007/s11595-007-6821-4>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res* 37: 1422-1427.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption of organic solvent vapors on hydrophobic Y-type zeolite. *AIChE J* 44: 1344-1350.
- Yun, KH; Yun, KY; Cha, GY; Lee, BH; Kim, JC; Lee, DD; Huh, JS. (2005). Gas sensing characteristics of ZnO-doped SnO<sub>2</sub> sensors for simulants of the chemical agents. *Materials Science Forum* 486-487: 9-12.

## Exposure Literature Search Results

### Off Topic

- Yun, MS; Lee, W, ooll. (2008). Analysis of bubble nucleation and growth in the pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 202-208. <http://dx.doi.org/10.1016/j.compscitech.2007.05.010>.
- Yun, MS; Lee, W, ooll. (2008). Analysis of pulling force during pultrusion process of phenolic foam composites. *Compos Sci Tech* 68: 140-146. <http://dx.doi.org/10.1016/j.compscitech.2007.05.032>.
- Yun, SH; Kannan, K. (2011). Distribution of mono- through hexa-chlorobenzenes in floodplain soils and sediments of the Tittabawassee and Saginaw Rivers, Michigan. *Environ Sci Pollut Res Int* 18: 897-907. <http://dx.doi.org/10.1007/s11356-010-0437-5>.
- Yun-long, Y; Jia-lun, W; Matthias, S; Wilfried, P. (2007). Residual dynamics of thiacloprid in medical herbs marjoram, thyme, and camomile in soil. *J Environ Sci* 19: 205-209.
- Yurdakoc, M; Hosgoren, H. (1998). Solvent extraction of La<sup>3+</sup> with ethylenediamine-N,N'-ditetradecyl-N,N'-diacetic acid (EDDAT) in dichloromethane. *Turkish Journal of Chemistry* 22: 373-377.
- Zablutowicz, RM; Hoagland, RE; Locke, MA. (1994). GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RHIZOSPHERE BACTERIA AND THE POTENTIAL FOR HERBICIDE DETOXIFICATION. *ACS Symp Ser Am Chem Soc* 563: 184-198.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vílchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res* 37: 735-742.
- Zahari, A; Ablat, A; Sivasothy, Y; Mohamad, J; Choudhary, MI; Awang, K. (2016). In vitro antiplasmodial and antioxidant activities of bisbenzylisoquinoline alkaloids from *Alseodaphne corneri* Kosterm. *Asian Pacific Journal of Tropical Medicine* 9: 328-332. <http://dx.doi.org/10.1016/j.apjtm.2016.03.008>.
- Zaini, MAA; Alias, N; Yunus, MAC, he. (2016). Bio-polishing sludgeadsorbents for dye removal. *Polish Journal of Chemical Technology* 18: 15-21. <http://dx.doi.org/10.1515/pjct-2016-0065>.
- Zaman, MB; Smith, MD; zur Loye, HC. (2001). Organizing chain and square-grid architectures by employing coordination bonds between inorganic and organic components. New coordination polymers formed from Cd(II), Co(II), and Cu(II) nitrate salts and 1,4-bis(4-pyridyl)butadiene. *Chem Mater* 13: 3534-3541.
- Zanetti, F; Stampi, S; Deluca, G; Varoli, O; Tonelli, E. (1996). Comparative disinfection of secondary-treated sewage with chlorine dioxide and bromine chloride. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 567-579.
- Zappoli, S; Andracchio, A; Morselli, L. (1997). Dissolved organic matter and pH affect the extraction efficiency of PCBs from aqueous samples. *Chemosphere* 35: 1729-1736.
- Zareyee, D; Asghari, R; Khalilzadeh, MA. (2011). Silylation of Alcohols and Phenols with Hexamethyldisilazane over Highly Reusable Propyl Sulfonic Acid Functionalized Nanostructured SBA-15. *Chinese journal of catalysis* 32: 1864-1868. [http://dx.doi.org/10.1016/S1872-2067\(10\)60300-2](http://dx.doi.org/10.1016/S1872-2067(10)60300-2).
- Zazza, C; Mancini, G; Brancato, G; Barone, V. (2013). In Silico Study of Molecular-Engineered Nanodevices: A Lockable Light-Driven Motor in Dichloromethane Solution. *Journal of Physical Chemistry Letters* 4: 3885-3890. <http://dx.doi.org/10.1021/jz4019404>.
- Zdrahal, Z; Oliveira, J; Vermeylen, R; Claeys, M; Maenhaut, W. (2002). Improved method for quantifying levoglucosan and related monosaccharide anhydrides in atmospheric aerosols and application to samples from urban and tropical locations. *Environ Sci Technol* 36: 747-753. <http://dx.doi.org/10.1021/es015619v>.
- Zeinali, F; Ghoreyshi, AA; Najafpour, G. (2012). Removal of Toluene and Dichloromethane from Aqueous Phase by Granular Activated Carbon (GAC). *Chemical Engineering Communications* 199: 203-220. <http://dx.doi.org/10.1080/00986445.2011.584354>.
- Zeiri, L; Efrima, S; Deutsch, M. (1997). AC-driven interfacial electrodeposition of silver. *Langmuir* 13: 4722-4728.
- Zeljezic, D; Mladinic, M; Kopjar, N; Radulovic, AH. (2016). Evaluation of genome damage in subjects occupationally exposed to possible carcinogens. *Toxicol Ind Health* 32: 1570-1580. <http://dx.doi.org/10.1177/0748233714568478>.
- Zeller, A; Rychlik, M. (2006). Character impact odorants of fennel fruits and fennel tea. *J Agric Food Chem* 54: 3686-3692. <http://dx.doi.org/10.1021/jf052944j>.
- Zeng, F; Cui, KY; Fu, JM; Sheng, GY; Yang, HF. (2002). Biodegradability of di(2-ethylhexyl) phthalate by *Pseudomonas fluorescens* FS1. *Water Air Soil Pollut* 140: 297-305.
- Zengin, M; Sonmez, F; Arslan, M; Kucukislamoglu, M. (2012). CERIC AMMONIUM NITRATE AND MANGANESE(III) ACETATE MEDIATED RADICAL OXIDATION AND ADDITION REACTIONS OF ANTHRACENE AND 9-SUBSTITUTED ANTHRACENES. *Macedonian Journal of Chemistry and Chemical Engineering* 31: 55-63.
- Zhai, Y; Li, P; Zhu, Y, un; Xu, B; Chen, H; Zeng, G. (2016). Effects of Solvent and Time on Extraction Efficiency of Ultrasonic Extraction for Polycyclic Aromatic Hydrocarbons from Atmospheric Particulate Matter. *Environ Eng Sci* 33: 591-600. <http://dx.doi.org/10.1089/ees.2015.0583>.
- Zhan, J; Zhang, H, ui; Zhu, G. (2014). Magnetic photocatalysts of cenospheres coated with Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> core/shell nanoparticles decorated with Ag nanopartilces. *Ceramics International* 40: 8547-8559. <http://dx.doi.org/10.1016/j.ceramint.2014.01.069>.
- Zhan, S; Cui, L; Zhao, Q; Wang, J; Chen, S; Ding, S. (2014). Formation of PLLA-PEG-PLLA Microparticles by Supercritical Antisolvent Process. *Part Sci Technol* 32: 61-69. <http://dx.doi.org/10.1080/02726351.2013.804014>.
- Zhan'ao, L; Mingkai, Z; Beixing, L. (2016). Relationships between Modified Methylene Blue Value of Microfines in Manufactured Sand and Concrete Properties. *Journal of Wuhan University of Technology--Materials Science Edition* 31: 574-581. <http://dx.doi.org/10.1007/s11595-016-1412-x>.
- Zhang, B; Li, JB; Sun, JJ; Zhang, SX; Zhai, HZ; Du, ZW. (2002). Nanometer silicon carbide powder synthesis and its dielectric behavior in the GHz range. *J Eur Ceram Soc* 22: 93-99.

## Exposure Literature Search Results

### Off Topic

- Zhang, C, ail; Feng, LF; Gu, X; Hoppe, S; Hu, G, uoHua. (2007). Determination of the molar mass of polyamide block/graft copolymers by size-exclusion chromatography at room temperature. *Polym Test* 26: 793-802. <http://dx.doi.org/10.1016/j.polymertesting.2007.04.011>.
- Zhang, C; Yang, J; Xue, Y; Li, Y. (2008). Group type analysis of asphalt by column liquid chromatography. *Petroleum Science and Technology* 26: 665-673. <http://dx.doi.org/10.1080/10916460701205070>.
- Zhang, C; Zhang, X; Zhang, X; Ou, X; Zhang, W; Jie, J; Chang, JC; Lee, CS; Lee, ST. (2009). Facile One-Step Fabrication of Ordered Organic Nanowire Films. *Adv Mater Deerfield* 21: 4172-+. <http://dx.doi.org/10.1002/adma.200802793>.
- Zhang, CP; He, HM; Yu, JZ; Hu, XQ; Zhu, YH; Wang, Q. (2016). Residues of carbofuran and its metabolites carbofuran and 3-hydroxy carbofuran in rice field ecosystem in China. *J Environ Sci Health B* 51: 351-357. <http://dx.doi.org/10.1080/03601234.2015.1120606>.
- Zhang, D; Gao, Y; Dong, J; Sun, Q; Liu, W, ei; Xue, S; Yang, W. (2015). Two-photon absorption and piezofluorochromism of aggregation-enhanced emission 2,6-bis(p-dibutylaminostyryl)-9,10-bis(4-pyridylvinyl-2)anthracene. *Dyes and Pigments* 113: 307-311. <http://dx.doi.org/10.1016/j.dyepig.2014.08.025>.
- Zhang, F; Liu, YJ; Liu, QH; Li, Q; Li, H; Cai, XY; Wang, YD. (2013). Synthesis and characterisation of Ni(OH)(2) and NiO nanosheets and their removal properties of azo dyes from aqueous solution. *Materials Technology* 28: 310-315. <http://dx.doi.org/10.1179/1753555712Y.0000000052>.
- Zhang, G; Wang, C. (2016). Pickering Emulsion-Based Marbles for Cellular Capsules. *Materials* 9. <http://dx.doi.org/10.3390/ma9070572>.
- Zhang, G, uoF; Wang, H; Aldred, MP; Chen, T, ao; Chen, Z, eQ; Meng, X; Zhu, MQ. (2014). General Synthetic Approach toward Geminal-Substituted Tetraarylethene Fluorophores with Tunable Emission Properties: X-ray Crystallography, Aggregation-Induced Emission and Piezofluorochromism. *Chem Mater* 26: 4433-4446. <http://dx.doi.org/10.1021/cm501414b>.
- Zhang, G, uoHua; Wang, L, iJun; Chou, K, uoC. (2010). A comparison of different geometrical models in calculating physicochemical properties of quaternary systems. *CALPHAD* 34: 504-509. <http://dx.doi.org/10.1016/j.calphad.2010.10.004>.
- Zhang, G; Yi, L; Deng, H, ui; Sun, P. (2014). Dyes adsorption using a synthetic carboxymethyl cellulose-acrylic acid adsorbent. *J Environ Sci* 26: 1203-1211. [http://dx.doi.org/10.1016/S1001-0742\(13\)60513-6](http://dx.doi.org/10.1016/S1001-0742(13)60513-6).
- Zhang, GL; Ma, JB; Li, YH; Wang, YN. (2003). Synthesis and characterization of poly(L-alanine)-block-poly(ethylene glycol) monomethyl ether as amphiphilic biodegradable co-polymers. *J Biomater Sci Polym Ed* 14: 1389-1400.
- Zhang, H; Kosinski, J; Xie, Y; Turner, J. (2013). Drive-level dependence of doubly rotated langasite resonators with different configurations. *IEEE Trans Ultrason Ferroelectr Freq Control* 60: 963-969. <http://dx.doi.org/10.1109/TUFFC.2013.2653>.
- Zhang, H, ao; Ren, Z; Zhang, Y; Yuan, Q; Yang, XJ, in. (2016). Comparison Between Polydimethylsiloxane and Polyimide-Based Solvent-Resistant Nanofiltration Membranes. *Chemical Engineering Communications* 203: 870-879. <http://dx.doi.org/10.1080/00986445.2014.990632>.
- Zhang, H; Xie, L; Xu, P; Jiang, S. (2008). Dissipation of the plant growth regulator hexanoic acid 2-(diethylamino) ethyl ester in pakchoi and soil. *Int J Environ Anal Chem* 88: 561-569. <http://dx.doi.org/10.1080/03067310802002490>.
- Zhang, H; Yan, Y; Yang, L. (2010). Preparation of activated carbon from sawdust by zinc chloride activation. *Adsorption* 16: 161-166. <http://dx.doi.org/10.1007/s10450-010-9214-5>.
- Zhang, H, ui; Yang, Z; Zhang, X; Mao, N. (2014). Photocatalytic effects of wool fibers modified with solely TiO2 nanoparticles and N-doped TiO2 nanoparticles by using hydrothermal method. *Chem Eng J* 254: 106-114. <http://dx.doi.org/10.1016/j.cej.2014.05.097>.
- Zhang, H; Zhu, X; Wu, Y; Song, H; Ba, X. (2015). High-efficiency grafting of halloysite nanotubes by using p-conjugated polyfluorenes via "click" chemistry. *Journal of Materials Science* 50: 4387-4395. <http://dx.doi.org/10.1007/s10853-015-8993-1>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data* 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria* 140: 233-244.
- Zhang, J; Hai, Y; Zuo, Y, i; Jiang, Q; Shi, C; Li, W, ei. (2015). Novel diamine-modified composite nanofiltration membranes with chlorine resistance using monomers of 1,2,4,5-benzene tetracarbonyl chloride and m-phenylenediamine. 3: 8816-8824. <http://dx.doi.org/10.1039/c4ta07159j>.
- Zhang, J; Yang, H; Jiang, J; Jiang, X. (2014). Research on Physical and Chemical Properties of Blended Bio-Oil Based on Fractionation. *BioResources* 9: 7542-7553.
- Zhang, J; Zuo, R. (2016). A novel self-composite property-tunable LaTiNbO6 microwave dielectric ceramic. *Materials Research Bulletin* 83: 568-572. <http://dx.doi.org/10.1016/j.materresbull.2016.07.004>.
- Zhang, JX; Liu, D; Sun, L; Wei, R; Zhang, G; Wu, H; Zhang, H; Zhao, C. (2008). Potential chemosignals in the anogenital gland secretion of giant pandas, *Ailuropoda melanoleuca*, associated with sex and individual identity. *J Chem Ecol* 34: 398-407. <http://dx.doi.org/10.1007/s10886-008-9441-3>.
- Zhang, K, ai; Wang, X; Jing, D; Yang, Y, in; Zhu, M. (2009). Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. *Biomed Mater* 4: 035004. <http://dx.doi.org/10.1088/1748-6041/4/3/035004>.
- Zhang, L; Dong, L; Ren, L; Shi, S; Zhou, L; Zhang, T; Huang, Y. (2012). Concentration and source identification of polycyclic aromatic hydrocarbons and phthalic acid esters in the surface water of the Yangtze River Delta, China. *J Environ Sci* 24: 335-342. [http://dx.doi.org/10.1016/S1001-0742\(11\)60782-1](http://dx.doi.org/10.1016/S1001-0742(11)60782-1).
- Zhang, L, ei; Li, X, in; Yang, L, ijun; Li, Y; Chang, HC; Chu, X, jun; Zhang, J; Wang, X, in; An, S. (2012). A Rapid and Selective Isolation of Rhodium from Aqueous Solution Using Nano-Al2O3. *Journal of Chemical and Engineering Data* 57: 2647-2653. <http://dx.doi.org/10.1021/je300365p>.

## Exposure Literature Search Results

### Off Topic

- Zhang, L; Waterhouse, GIN; Zhang, L. (2011). Coaxially Aligned Polyaniline Nanofibers Doped with 3-Thiopheneacetic Acid through Interfacial Polymerization. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/467170>.
- Zhang, L, ij; Ying, G; Chen, F; Zhao, JL; Wang, L, i; Fang, Y, iX. (2012). Development and application of whole-sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386. <http://dx.doi.org/10.1002/etc.734>.
- Zhang, L; Zhang, G; Wang, S; Peng, J; Cui, W, ei. (2016). Cation-functionalized silica nanoparticle as an adsorbent to selectively adsorb anionic dye from aqueous solutions. *Environ Prog Sustain Energy* 35: 1070-1077. <http://dx.doi.org/10.1002/ep.12333>.
- Zhang, L; Zong, C; Ichihara, S; Naito, H; Toyokuni, S; Kumagai, S; Ichihara, G. (2015). A trial to find appropriate animal models of dichloropropane-induced cholangiocarcinoma based on the hepatic distribution of glutathione S-transferases. *J Occup Health* 57: 548-554. <http://dx.doi.org/10.1539/joh.15-0085-OA>.
- Zhang, M; Wang, AJ; Li, JM; Song, N; Song, Y; He, R. (2017). Factors influencing the stability and type of hydroxyapatite stabilized Pickering emulsion. *Mater Sci Eng C* 70: 396-404. <http://dx.doi.org/10.1016/j.msec.2016.09.007>.
- Zhang, O; Zhang, C; Wu, L; Sun, W; Hu, L. (2012). Study on Morphology and Mechanical Properties of PVC with Ultrafine CaCO<sub>3</sub> Surface-modified by Acrylate Macromolecular Modifiers. *Polymers and Polymer Composites* 20: 191-195.
- Zhang, P; Shen, D; Fan, C; Kan, A, myT; Tomson, MB. (2010). Surfactant-Assisted Synthesis of Metal-Phosphonate Inhibitor Nanoparticles and Transport in Porous Media. *S P E Journal* 15: 610-617.
- Zhang, P; Xue, W; Liu, P, ei; Can, L. (2011). Optical properties and electronic structure of terminal group-perturbed ethynyl-linked dendrimers. *Synthetic Metals* 161: 2289-2294. <http://dx.doi.org/10.1016/j.synthmet.2011.08.036>.
- Zhang, Q; An, Q; Luan, X; Huang, H; Li, X; Meng, Z; Tong, W; Chen, X; Chu, PK; Zhang, Y. (2015). Achieving significantly enhanced visible-light photocatalytic efficiency using a polyelectrolyte: the composites of exfoliated titania nanosheets, graphene, and poly(diallyl-dimethyl-ammonium chloride). *Nanoscale* 7: 14002-14009. <http://dx.doi.org/10.1039/c5nr03256c>.
- Zhang, Q, i; Luan, H; Li, T, ao; Wu, Y; Ni, Y. (2016). Study on Pt-structured anodic alumina catalysts for catalytic combustion of toluene: Effects of competitive adsorbents and competitive impregnation methods. *Appl Surf Sci* 360: 1066-1074. <http://dx.doi.org/10.1016/j.apsusc.2015.11.149>.
- Zhang, R; Li, Q; Zhang, J; Li, J; Ma, G; Su, Z. (2012). Preparation of poly (ethylene glycol) acrylate grafted polystyrene resin for solid-phase peptide synthesis. *React Funct Polym* 72: 773-780. <http://dx.doi.org/10.1016/j.reactfunctpolym.2012.06.014>.
- Zhang, R; Mallon, PE; Chen, H; Huang, CM; Zhang, J; Li, Y; Wu, Y; Sandreczki, TC; Jean, YC. (2001). Characterization of photodegradation of a polyurethane coating by positron annihilation spectroscopy: correlation with cross-link density. *Progr Org Coating* 42: 244-252.
- Zhang, RG; Ling, LX; Li, Z; Wang, BJ. (2011). Solvent effects on Cu<sub>2</sub>O(111) surface properties and CO adsorption on Cu<sub>2</sub>O(111) surface: A DFT study. *Appl Catal A-Gen* 400: 142-147. <http://dx.doi.org/10.1016/j.apcata.2011.04.025>.
- Zhang, RG; Ling, LX; Wang, BJ; Huang, W. (2010). Solvent effects on adsorption of CO over CuCl(111) surface: A density functional theory study. *Appl Surf Sci* 256: 6717-6722. <http://dx.doi.org/10.1016/j.apsusc.2010.04.079>.
- Zhang, S; Zhang, Q; Darisaw, S; Ehie, O; Wang, G. (2007). Simultaneous quantification of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), and pharmaceuticals and personal care products (PPCPs) in Mississippi river water, in New Orleans, Louisiana, USA. *Chemosphere* 66: 1057-1069. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.067>.
- Zhang, W; Abdel-Rahman, FH; Saleh, MA. (2011). Natural resistance of rose petals to microbial attack. *J Environ Sci Health B* 46: 381-393. <http://dx.doi.org/10.1080/03601234.2011.572502>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, X; Chi, Z; Yang, Z; Chen, M; Xu, B; Zhou, L, in; Wang, C; Zhang, Y, i; Liu, S; Xu, J. (2009). Synthesis of carbazole derivatives with high quantum yield and high glass transition temperature. *Optical Materials* 32: 94-98. <http://dx.doi.org/10.1016/j.optmat.2009.06.009>.
- Zhang, X; Li, H; Cao, M; Shi, L; Chen, C. (2015). Adsorption of Basic Dyes on beta-Cyclodextrin Functionalized Poly (Styrene-Alt-Maleic Anhydride). *Separation Science and Technology* 50: 947-957. <http://dx.doi.org/10.1080/01496395.2014.978461>.
- Zhang, X; Wu, Y; Li, J; Li, F, an; Li, M, in. (2008). Synthesis and characterization of perylene tetracarboxylic bisester monoimide derivatives. *Dyes and Pigments* 76: 810-816. <http://dx.doi.org/10.1016/j.dyepig.2007.02.006>.
- Zhang, XP; Mei, J, inF; Lai, JC; Li, CH, ui; You, XZ. (2015). Mechano-induced luminescent and chiroptical switching in chiral cyclometalated platinum(II) complexes. 3: 2350-2357. <http://dx.doi.org/10.1039/c4tc02800g>.
- Zhang, XP; Wu, T, ao; Liu, J; Zhang, JX; Li, CH, ui; You, XZ. (2014). Vapor-induced chiroptical switching in chiral cyclometalated platinum(II) complexes with pinene functionalized (CNN)-N-boolean AND-N-boolean AND ligands. 2: 184-194. <http://dx.doi.org/10.1039/c3tc31997k>.
- Zhang, Y, anZhi; Liao, XM; Yin, GF, u; Yuan, P; Huang, ZB; Gu, JW, en; Yao, Y, aD; Chen, XC. (2012). Preparation of water soluble drugs-loaded microparticles using modified solution enhanced dispersion by supercritical CO<sub>2</sub>. *Powder Technology* 221: 343-350. <http://dx.doi.org/10.1016/j.powtec.2012.01.023>.
- Zhang, Y; Yin, DH; Fu, ZH; Li, CZ; Yin, DL. (2003). Preparation of Mn (salen)/Al-MCM-41 catalyst under microwave irradiation and its catalytic performance in epoxidation of styrene. *Chinese journal of catalysis* 24: 942-946.
- Zhang, Z, he; Luo, X; Liu, Y; Zhou, P; Ma, G; Lei, Z; Lei, L, ei. (2015). A low cost and highly efficient adsorbent (activated carbon) prepared from waste potato residue. *Taiwan Institute of Chemical Engineers Journal* 49: 206-211. <http://dx.doi.org/10.1016/j.jtice.2014.11.024>.
- Zhang, Z; Wu, Z, hu; Sun, J; Yao, B; Xue, P; Lu, R, an. (2016). beta-lminoenolate boron complex with terminal triphenylamine exhibiting polymorphism and mechanofluorochromism. 4: 2854-2861. <http://dx.doi.org/10.1039/c5tc02386f>.

## Exposure Literature Search Results

### Off Topic

- Zhang, Z; Zhang, X, in; Zhan, C; Lu, Z; Ding, X; He, S; Yao, J. (2013). The leverage effect of the relative strength of molecular solvophobicity vs. solvophilicity on fine-tuning nanomorphologies of perylene diimide bolaamphiphiles. *Soft Matter* 9: 3089-3097. <http://dx.doi.org/10.1039/c2sm27674g>.
- Zhao, C; He, X, in; Li, C; Yang, L, ei; Fu, Y; Wang, K; Zhang, Y; Ni, Y. (2016). A Microwave-Assisted Simultaneous Distillation and Extraction Method for the Separation of Polysaccharides and Essential Oil from the Leaves of *Taxus chinensis* Var. *mairei*. 6. <http://dx.doi.org/10.3390/app6020019>.
- Zhao, J; Liu, CS; Yuan, Y; Tao, XY; Shan, XQ; Sheng, Y; Wu, F. (2007). Preparation of hemoglobin-loaded nano-sized particles with porous structure as oxygen carriers. *Biomaterials* 28: 1414-1422. <http://dx.doi.org/10.1016/j.biomaterials.2006.10.012>.
- Zhao, JS; Park, DY; Seo, MJ; Hwang, CS; Han, YK; Yang, CH; Oh, KY. (2004). Metallorganic CVD of high-quality PZT thin films at low temperature with new Zr and Ti precursors having MMP ligands. *J Electrochem Soc* 151: C283-C291. <http://dx.doi.org/10.1149/1.1676711>.
- Zhao, Q; Li, P; Stagnitti, F; Ye, J; Dong, D; Zhang, Y; Li, P. (2009). Effects of aging and freeze-thawing on extractability of pyrene in soil. *Chemosphere* 76: 447-452. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.068>.
- Zhao, Q; Weise, L; Li, P; Yang, K; Zhang, Y; Dong, D; Li, P; Li, X. (2010). Ageing behavior of phenanthrene and pyrene in soils: a study using sodium dodecylbenzenesulfonate extraction. *J Hazard Mater* 183: 881-887. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.111>.
- Zhao, Q; Zhang, S; Liu, Y, i; Mei, J, u; Chen, S; Lu, P; Qin, A; Ma, Y; Sun, JZ, hi; Tang, B, enZ. (2012). Tetraphenylethynyl-modified perylene bisimide: aggregation-induced red emission, electrochemical properties and ordered microstructures. *J Mater Chem* 22: 7387-7394. <http://dx.doi.org/10.1039/c2jm16613e>.
- Zhao, QS; Huang, Y, anF; Li, Y; Zhang, J, iMei; Wang, HY, i. (2014). Functionalized Magnetic Microparticles for Fast and Efficient Removal of Textile Dyes from Aqueous Solution. *Water Air Soil Pollut* 225. <http://dx.doi.org/10.1007/s11270-014-1950-9>.
- Zhao, T; Kang, Z. (2016). Simultaneously Fabricating Multifunctional Superhydrophobic/Superoleophilic Coatings by One-Step Electrodeposition Method on Cathodic and Anodic Magnesium Surfaces. *J Electrochem Soc* 163: D628-D635. <http://dx.doi.org/10.1149/2.1231610jes>.
- Zhao, X; Lui, YS; Toh, P, eiWenJ; Loo, S, ayCJ. (2014). Sustained Release of Hydrophilic L-ascorbic acid 2-phosphate Magnesium from Electrospun Polycaprolactone Scaffold-A Study across Blend, Coaxial, and Emulsion Electrospinning Techniques. *Materials* 7: 7398-7408. <http://dx.doi.org/10.3390/ma7117398>.
- Zhao, XQ; Wang, YJ; Wang, SF; Yang, HJ; Zhang, JY. (2002). Synthesis of MDI from dimethyl carbonate over solid catalysts. *Ind Eng Chem Res* 41: 5139-5144. <http://dx.doi.org/10.1021/ie020084f>.
- Zhao, YQ; Martens, SR; Puskar, MA; Lee, KL. (2000). Stability of methylene chloride spiked passive samplers: An international shipping and transportation study. *Am Ind Hyg Assoc J* 61: 394-397.
- Zhao, Z; Cheng, S; Qin, Z, he; Ma, K, e; Jin, X; Liang, S, huX. (2016). Evaluation of microtoxicity and biodegradability of residual organic solvents in pharmaceutical wastewater by combined prediction-test system. *Desalination and Water Treatment* 57: 28187-28194. <http://dx.doi.org/10.1080/19443994.2016.1180264>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. *Environ Monit Assess* 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zhao, ZB; Liu, K; Xie, W; Pan, WP; Riley, JT. (2000). Soluble polycyclic aromatic hydrocarbons in raw coals. *J Hazard Mater* 73: 77-85.
- Zhaoyang, L; Haojun, F; Yan, L; Bi, S. (2008). Fluorine-containing aqueous copolymer emulsion for waterproof leather. *Journal of the Society of Leather Technologists and Chemists* 92: 107-113.
- Zheng, H; Uhing, MC; Cosper, DR. (2002). A new method of analyzing pitch deposits in pulp and paper processes. *Journal of Pulp & Paper Science* 28: 204-210.
- Zheng, L; Ho, LY; Khan, SA. (2016). Weaving colloidal webs around droplets: spontaneous assembly of extended colloidal networks encasing microfluidic droplet ensembles. *Soft Matter* 12: 8654-8660. <http://dx.doi.org/10.1039/c6sm01318j>.
- Zheng, Q; Niu, Y; Li, H. (2016). Synthesis and characterization of imidacloprid microspheres for controlled drug release study. *React Funct Polym* 106: 99-104. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.07.006>.
- Zheng, S; Guo, H; Yang, F; Hong, B. (2016). Novel organic dye sorbent: synthesis and adsorption properties of multi-walled carbon nanotubes modified with gallic amide units. *Desalination and Water Treatment* 57: 12264-12273. <http://dx.doi.org/10.1080/19443994.2015.1048533>.
- Zhong, L; Cantrell, K; Mitroshkov, A; Shewell, J. (2014). Mobilization and transport of organic compounds from reservoir rock and caprock in geological carbon sequestration sites. *Environ Earth Sci* 71: 4261-4272. <http://dx.doi.org/10.1007/s12665-013-2823-z>.
- Zhong, S; Jiang, W, ei; Han, M, ei; Liu, G; Zhang, N, a; Lu, Y, ue. (2015). Graphene supported silver@silver chloride & ferrous oxide hybrid, a magnetically separable photocatalyst with high performance under visible light irradiation. *Appl Surf Sci* 347: 242-249. <http://dx.doi.org/10.1016/j.apsusc.2015.04.080>.
- Zhou, D; Zhang, L; Zhang, S; Fu, H; Chen, J. (2010). Hydrothermal Liquefaction of Macroalgae *Enteromorpha prolifera* to Bio-oil. *Energy Fuels* 24: 4054-4061. <http://dx.doi.org/10.1021/ef100151h>.
- Zhou, K, un; Li, J, un; Ren, YS. (2008). Solubility of rifapentine in different organic solvents. *Journal of Chemical and Engineering Data* 53: 998-999. <http://dx.doi.org/10.1021/je7007457>.
- Zhou, L; Gao, C; Xu, WJ. (2009). Amphibious polymer-functionalized CdTe quantum dots: Synthesis, thermo-responsive self-assembly, and photoluminescent properties. *J Mater Chem* 19: 5655-5664. <http://dx.doi.org/10.1039/b905966k>.
- Zhou, L; He, B; Huang, J. (2013). One-step synthesis of robust amine- and vinyl-capped magnetic iron oxide nanoparticles for polymer grafting, dye adsorption, and catalysis. 5: 8678-8685. <http://dx.doi.org/10.1021/am402334f>.



## Exposure Literature Search Results

### Off Topic

- Zhou, M; Gu, Y; Huang, J. (2013). Hierarchical nanotubular clay materials derived from natural cellulose substance. *Materials Research Bulletin* 48: 3223-3231. <http://dx.doi.org/10.1016/j.materresbull.2013.04.094>.
- Zhou, Q; Zhang, L; Chen, J; Xu, B; Chu, G; Chen, J. (2016). Performance and microbial analysis of two different inocula for the removal of chlorobenzene in biotrickling filters. *Chem Eng J* 284: 174-181. <http://dx.doi.org/10.1016/j.cej.2015.08.130>.
- Zhou, XS; Dong, ZR; Zhang, HM; Yan, JW; Gao, JX; Mao, BW. (2007). Self-assembly of a Rh(I) complex on Au(111) surfaces and its electrocatalytic activity toward the hydrogen evolution reaction. *Langmuir* 23: 6819-6826. <http://dx.doi.org/10.1021/la062949q>.
- Zhu, D; Herbert, BE; Schlautman, MA. (2003). Molecular-level investigation of monoaromatic compound sorption to suspended soil particles by deuterium nuclear magnetic resonance. *J Environ Qual* 32: 232-239.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER. (2004). Characterization of cation-pi interactions in aqueous solution using deuterium nuclear magnetic resonance spectroscopy. *J Environ Qual* 33: 276-284.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER; Hur, J. (2004). Cation-pi bonding: A new perspective on the sorption of polycyclic aromatic hydrocarbons to mineral surfaces. *J Environ Qual* 33: 1322-1330.
- Zhu, H; Ai, S; He, Q; Cui, Y, ue; Li, J. (2007). Fabrication of polystyrene/gold nanotubes and nanostructure-controlled growth of aluminate. *J Nanosci Nanotechnol* 7: 2361-2365. <http://dx.doi.org/10.1166/jnn.2007.435>.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc* 47: 1259-1267.
- Zhu, JH; Yan, D; Xai, JR; Ma, LL; Shen, B. (2001). Attempt to adsorb N-nitrosamines in solution by use of zeolites. *Chemosphere* 44: 949-956.
- Zhu, N; Li, X, in; Wang, Y; Ma, X. (2016). Photo-responsive chiral cyclic molecular switches based on stiff stilbene. *Dyes and Pigments* 125: 259-265. <http://dx.doi.org/10.1016/j.dyepig.2015.10.033>.
- Zhu, QZ; Degelmann, P; Niessner, R; Knopp, D. (2002). Selective trace analysis of sulfonylurea herbicides in water and soil samples based on solid-phase extraction using a molecularly imprinted polymer. *Environ Sci Technol* 36: 5411-5420. <http://dx.doi.org/10.1021/es0207908>.
- Zhu, SH; Jiang, HL; Zhao, JW; Li, ZT. (2005). Reaction of 1,1,3,3-tetraoxa-2,2-dibromo-4,4,5,5,6,6-hexafluoro-1,3-dithiacyclohexane with pyrazine and hexamethylphosphoramide: Unexpected cocrystals through halogen bonding. *Cryst Growth Des* 5: 1675-1677. <http://dx.doi.org/10.1021/cg0501579>.
- Zhu, T; Li, J; Wu, Q. (2011). Construction of TiO<sub>2</sub> hierarchical nanostructures from nanocrystals and their photocatalytic properties. 3: 3448-3453. <http://dx.doi.org/10.1021/am2006838>.
- Zhu, X; Liu, M. (2011). Self-assembly and morphology control of new L-glutamic acid-based amphiphilic random copolymers: giant vesicles, vesicles, spheres, and honeycomb film. *Langmuir* 27: 12844-12850. <http://dx.doi.org/10.1021/la202680j>.
- Zhu, X; Qian, F; Liu, Y; Matera, D; Wu, G; Zhang, S; Chen, J. (2016). Controllable synthesis of magnetic carbon composites with high porosity and strong acid resistance from hydrochar for efficient removal of organic pollutants: An overlooked influence. *Carbon* 99: 338-347. <http://dx.doi.org/10.1016/j.carbon.2015.12.044>.
- Zhu, X; Suidan, MT; Alonso, C; Yu, T; Kim, BJ; Kim, BR. (2001). Biofilm structure and mass transfer in a gas phase trickle-bed biofilter. *Water Sci Technol* 43: 285-293.
- Zhu, X; Wang, S; Liu, Q; Xu, Q; Xu, S; Chen, H. (2009). Determination of residues of cyromazine and its metabolite, melamine, in animal-derived food by gas chromatography-mass spectrometry with derivatization. *J Agric Food Chem* 57: 11075-11080. <http://dx.doi.org/10.1021/jf902771q>.
- Zhu, XQ; Alonso, C; Suidan, MT; Cao, HW; Kim, BJ; Kim, BR. (1998). The effect of liquid phase on VOC removal in trickle-bed biofilters. *Water Sci Technol* 38: 315-322.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. 66: 930-940. <http://dx.doi.org/10.1080/10962247.2016.1188865>.
- Zhuang, X, in; Wan, Y; Feng, C; Shen, Y; Zhao, D. (2009). Highly Efficient Adsorption of Bulky Dye Molecules in Wastewater on Ordered Mesoporous Carbons. *Chem Mater* 21: 706-716. <http://dx.doi.org/10.1021/cm8028577>.
- Zhuang, XD; Chen, Y, u; Liu, G; Zhang, B, in; Neoh, KG, ee; Kang, E, nT; Zhu, CX; Li, YX, i; Niu, L, iJ. (2010). Preparation and Memory Performance of a Nanoaggregated Dispersed Red 1-Functionalized Poly (N-vinylcarbazole) Film via Solution-Phase Self-Assembly. *Adv Funct Mater* 20: 2916-2922. <http://dx.doi.org/10.1002/adfm.201000258>.
- Zia-ur-Rehman; Salaria, AM; Habib, F. (2003). Antioxidant activity of ginger extract in sunflower oil. *J Sci Food Agric* 83: 624-629. <http://dx.doi.org/10.1002/jsfa.1318>.
- Zidorn, C; Jöhrer, K; Ganzera, M; Schubert, B; Sigmund, EM; Mader, J; Greil, R; Ellmerer, EP; Stuppner, H. (2005). Polyacetylenes from the Apiaceae vegetables carrot, celery, fennel, parsley, and parsnip and their cytotoxic activities. *J Agric Food Chem* 53: 2518-2523. <http://dx.doi.org/10.1021/jf048041s>.
- Zielinski, R; Wajda, A; Wybieralska, K. (2010). Use of cationic surfactants in surface modification of magnetic nanoparticles for adsorption of organic dyes from aqueous solutions. *Przemysł Chemiczny* 89: 1559-1563.
- Ziemons, E; Goffin, E; Lejeune, R; da Cunha, AP; Angenot, L; Thunus, L. (2005). Supercritical carbon dioxide extraction of tagitinin C from *Tithonia diversifolia*. *Journal of Supercritical Fluids* 33: 53-59. <http://dx.doi.org/10.1016/j.supflu.2004.04.001>.
- Zinger, B; Mann, KR; Hill, MG; Miller, LL. (1992). PHOTOCHEMICAL FORMATION OF OLIGOTHIOPHENE CATION RADICALS IN ACIDIC SOLUTION AND NAFION. *Chem Mater* 4: 1113-1118.
- Ziolek, M; Martin, C; Teresa Navarro, M; Garcia, H; Douhal, A. (2011). Confined Photodynamics of an Organic Dye for Solar Cells Encapsulated in Titanium-Doped Mesoporous Molecular Materials. *J Phys Chem C* 115: 8858-8867. <http://dx.doi.org/10.1021/jp201627t>.

## Exposure Literature Search Results

### Off Topic

- Zitko, V. (1999). Qualitative determination of 10,10'-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (2001). Analytical chemistry in monitoring the effects of aquaculture: one laboratory's perspective. *ICES J Mar Sci* 58: 486-491.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol* 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zotti, G; Zecchin, S; Schiavon, G; Vercelli, B; Groenendaal, L. (2003). Mono- and multilayers of oligoethylene oxide-modified poly(3,4-ethylenedioxythiophene) on ITO and glass surfaces. *Chem Mater* 15: 2222-2228. <http://dx.doi.org/10.1021/cm030151b>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol* 34: 1751-1757.
- Zou, W, enS; Ji, Y, aJun; Shao, Q, un; Xuan, H, an; Wang, X, iuF; Wang, Y, aQin. (2016). Crystalline nanoparticles for self-protective room-temperature phosphorescence based on synergism of multi-weak interactions in suspension solution. *Mater Chem Phys* 176: 121-128. <http://dx.doi.org/10.1016/j.matchemphys.2016.03.041>.
- Zribi, K; Elleuch, K; Feller, JF; Bourmaud, A; Elleuch, B. (2007). Eco-plastics: Morphological and mechanical properties of recycled poly(carbonate)-crushed rubber (rPC-CR) blends. *Polymer Engineering and Science* 47: 1768-1776. <http://dx.doi.org/10.1002/pen.20870>.
- Zubair Alam, M; Ahmad, S; Malik, A; Ahmad, M. (2010). Mutagenicity and genotoxicity of tannery effluents used for irrigation at Kanpur, India. *Ecotoxicol Environ Saf* 73: 1620-1628. <http://dx.doi.org/10.1016/j.ecoenv.2010.07.009>.
- Zuber, L; Dunn, IJ; Deshusses, MA. (1997). Comparative scale-up and cost estimation of a biological trickling filter and a three-phase airlift bioreactor for the removal of methylene chloride from polluted air. *J Air Waste Manag Assoc* 47: 969-975.
- Zubieta, CE; Soltero-Martinez, JFA; Luengo, CV; Schulz, PC. (2011). Preparation, characterization and photoactivity of TiO<sub>2</sub> obtained by a reverse microemulsion route. *Powder Technology* 212: 410-417. <http://dx.doi.org/10.1016/j.powtec.2011.06.017>.
- Zubkova, V; Czaplicka, M. (2012). Changes in the structure of plasticized coals caused by extraction with dichloromethane. *Fuel* 96: 298-305. <http://dx.doi.org/10.1016/j.fuel.2011.12.067>.
- Zubkova, V; Czaplicka, M; Puchala, A. (2016). The influence of addition of coal tar pitch (CTP) and expired pharmaceuticals (EP) on properties and composition of pyrolysis products for lower and higher rank coals. *Fuel* 170: 197-209. <http://dx.doi.org/10.1016/j.fuel.2015.12.032>.
- Zulfiqar, S; Sarwar, MI. (2014). Probing the potential of polyester for CO<sub>2</sub> capture. *J Environ Sci* 26: 1423-1427. <http://dx.doi.org/10.1016/j.jes.2014.05.007>.
- Zuloaga, O; Fitzpatrick, LJ; Etxebarria, N; Dean, JR. (2000). Influence of solvent and soil type on the pressurised fluid extraction of PAHs. *J Environ Monit* 2: 634-638. <http://dx.doi.org/10.1039/b006178f>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater* 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, JK; Wendelken, JF. (1991). DEFECT AND IMPURITY EFFECTS ON THE INITIAL GROWTH OF AG ON SI(111). *Journal of Vacuum Science and Technology A* 9: 1539-1544.
- Zurita, JL; Desoria, MLG; Postigo, MA; Katz, M. (1986). VAPOR-LIQUID-EQUILIBRIUM FOR THE NORMAL-PENTANE DICHLOROMETHANE SYSTEM AT 298.15 K. *Journal of Chemical and Engineering Data* 31: 389-390.
- Zurita, R; Puiggali, J; Rodríguez-Galán, A. (2006). Loading and release of ibuprofen in multi- and monofilament surgical sutures. *Macromol Biosci* 6: 767-775. <http://dx.doi.org/10.1002/mabi.200600084>.

## Environmental Hazard Literature Search Results

### On Topic

- Abernethy, SB, A. M. Shiu, W. Y. Wells, P. G. Mackay, D. (1986). ACUTE LETHAL TOXICITY OF HYDROCARBONS AND CHLORINATED HYDROCARBONS TO TWO PLANKTONIC CRUSTACEANS THE KEY ROLE OF ORGANISM-WATER PARTITIONING. *Aquat Toxicol AMST*: 163-174.
- Alexander, HCM, W. M. Bartlett, E. A. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Alexeeff, GVK, W. W. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Anacleto, JFQ, M. A. Boyd, R. K. Howard, J. B. Lafleur, A. L. Yadav, T. (1993). Charge-Transfer Ionspray Liquid Chromatography/Mass Spectrometry Analyses of Fullerenes and Related Compounds from Flame-Generated Materials. *7*: 229-234.
- Anders, MWS, J. M. (1982). Transplacental passage of dichloromethane and carbon monoxide. *Toxicol Lett* 12: 231-234. [http://dx.doi.org/10.1016/0378-4274\(82\)90245-4](http://dx.doi.org/10.1016/0378-4274(82)90245-4).
- Andersen, MED, J. E. (2001). Mode of action and tissue dosimetry in current and future risk assessments [Review]. *Sci Total Environ* 274: 3-14. [http://dx.doi.org/10.1016/S0048-9697\(01\)00744-6](http://dx.doi.org/10.1016/S0048-9697(01)00744-6).

## Environmental Hazard Literature Search Results

### On Topic

- Anderson, BEZ, E. Shelby, M. D. Resnick, M. A. Gulati, D. K. Ivett, J. L. Loveday, K. S. (1990). Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen* 16: 55-137. <http://dx.doi.org/10.1002/em.2850160505>.
- Ando, TO, S. Nishiyama, M. Senoo, K. Watanabe, M. M. Matsumoto, S. (2003). Toxic Effects of Dichloromethane and Trichloroethylene on the Growth of Planktonic Green Algae, *Chlorella vulgaris* NIES227, *Selenastrum capricornutum* NIES35, and *Volvox steinii* NIES545. 18: 43-46.
- Angelo, MJP, A. B. Hawkins, D. R. Waller, A. R. Roberts, A. (1986). The pharmacokinetics of dichloromethane. I. Disposition in B6C3F1 mice following intravenous and oral administration. *Food Chem Toxicol* 24: 965-974. [http://dx.doi.org/10.1016/0278-6915\(86\)90325-X](http://dx.doi.org/10.1016/0278-6915(86)90325-X).
- Appel, AG. (1990). Knockdown Efficiency and Materials' Compatibility of Wasp and Hornet Spray Formulations to Honey Bees (Hymenoptera: Apidae). 83: 1925-1931.
- Ashby, JT, R. W. (1991). Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP. *Mutat Res Rev Mutat Res* 257: 229-306. [http://dx.doi.org/10.1016/0165-1110\(91\)90003-E](http://dx.doi.org/10.1016/0165-1110(91)90003-E).
- Association, N. (1982). 24-Month Chronic Toxicity and Oncogenicity Study of Methylene Chloride in Rats. 317 p.
- Ballantyne, BG, M. F. Swanston, D. W. (1976). The ophthalmic toxicology of dichloromethane. *Toxicology* 6: 173-187.
- Batyuk, VPP, M. Y. (1962). Application of Certain Halogen-Containing Compounds and By-Products of Chemical Industry in the Control of *Acroptilon picris*. 112-117.
- Berman, ES, M. Moser, V. C. Macphail, R. C. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Binieck, AT, K. (1987). Germination and Mycoflora of Carrot Seeds Treated with Thiram and Conditioned in Polyethylene Glycol (PEG 6000). 215: 225-230.
- Birge, WJB, J. A. Kuehne, R. A. (1980). Effects of Organic Compounds on Amphibian Reproduction. 39 p. (NTIS PB80-147523).
- Birge, WJC, R. A. (1983). Structure-activity relationships in aquatic toxicology [Review]. *Fundam Appl Toxicol* 3: 359-368.
- Brack, WR, H. (1994). Toxicity testing of highly volatile chemicals with green algae: A new assay. 1: 223-228.
- Brewer, PEW, R. E. (1975). Dichloromethane: Variability in Penetration and Resulting Effects on Seed Germination and CO<sub>2</sub> Evolution. 136: 216-218.
- Bringmann, G. (1975). Determination of the Biologically Harmful Effect of Water Pollutants by Means of the Retardation of Cell Proliferation of the Blue Algae *Microcystis*. 14 p. (English translation of *Gesund.-Ing.* 96 (1975) 1238-1241 (GER)).
- Bringmann, G. (1978). Bestimmung der biologischen schadwirkung wassergefahrdender stoffe gegen protozoen. *Z f Wasser- und Abwasser-Forschung* 11: 210-215.
- Bringmann, G. (1978). Determination of the Biological Toxicity of Water Pollutants on Protozoa. 11: 210-215 (ENG ABS) (English Translation:214 p) (*Toxicology* 290: 81700 (81979)).
- Bringmann, G; Kuhn, R. (1977). Results of the Damaging Effect of Water Pollutants on *Daphnia magna* (Befunde der Schadwirkung Wassergefahrdender Stoffe Gegen *Daphnia magna*). 26 p. (English translation of *Z. Wasser-Abwasser-Forsch.* 10 (1977) 1161-1166 (GER)).
- Bringmann, G; Kuhn, R. (1977). Toxicity Threshold for Water Pollutants in the Cell Multiplication Test with Respect to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*). 32 p. (English translation of *Z. Wasser-Abwasser-Forsch.* 10 (1977) 1987-1998 (GER)).
- Bringmann, G; Kuhn, R. (1978). Limiting Values for the Noxious Effects of Water Pollutant Material to Blue Algae (*Microcystis aeruginosa*) and Green Algae (*Scenedesmus quadricauda*) in Cell Propagation Inhibition Tests (Grenzwerte der Schadwirkung Wassergefahrdender Stoffe Gegen Blaualgen (*Microcystis aeruginosa*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest). 39 p. (English translation of *Vom Wasser* 50 (1978) 1945-1960 (GER)).
- Bringmann, G; Kuhn, R. (1978). Testing of Substances for Their Toxicity Threshold: Model Organisms *Microcystis* (*Diplocystis*) *aeruginosa* and *Scenedesmus quadricauda*. 21: 275-284 (Author Communication Used).
- Bringmann, G; Kuhn, R. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. II. Bacteriovorous Ciliates (Bestimmung der Biologischen Schadwirkung Wassergefahrdender Stoffe Gegen Protozoen. II. Bakterienfressende Ciliaten). 13: 26-31(GER) (ENG ABS).
- Bringmann, G; Meinck, F. (1964). Wassertoxikologische Beurteilung von Industrieabwassern. In *Gesund -Ing* (pp. 229-260 ). AQUA, Unspecified.
- Bringmann, GK, R. (1977). Grenzwerte der Schodwirkung Wassergefahrdender Stoffe genen Bakterien (*Pseudomonas putida*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest (Limiting Values for the Damaging Action of Water Pollutants to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*) in the Cell Multiplication Inhibition Test). 10: 87-98(GER) (ENG ABS)(Publ As 7453).
- Bringmann, GK, R. Winter, A. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. III. Saprozoic Flagellates (Bestimmung der Biologischen Schadwirkung Wassergefahrdender Stoffe Gegen Protozoen III. Saprozoische Flagellaten). 13: 170-173(GER) (ENG ABS) (OECDG Data File).
- Bringmann, GK, R. (1981). Comparison of the Effect of Toxic Substances on the Flagellate Organisms Such as Ciliates and the Holozoic Bacteria-Devouring Organisms Such as Saprozoic Protozoans (Vergleich der Wirkung von Schadstoffen auf Flagellate Sowie Ciliate bzw. auf Holozoische Bakterienfressende Sowie Saprozoische Protozoen). 122: 308-313(GER) (ENG ABS).
- Bringmann, GK, R. (1982). Results of Toxic Action of Water Pollutants on *Daphnia magna* Straus Tested by an Improved Standardized Procedure. 15: 1-6(GER) (ENG ABS) (OECDG Data File).

## Environmental Hazard Literature Search Results

### On Topic

- Buccafusco, RJ; Ells, SJ; Leblanc, GA. (1981). Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). *Bull Environ Contam Toxicol* 26: 446-452. <http://dx.doi.org/10.1007/BF01622118>.
- Burton, DTF, D.J. (1990). Acute Toxicity of Cadmium, Copper, Zinc, Ammonia, 3,3'-Dichlorobenzidine, 2,6-Dichloro-4-Nitroaniline, Methylene Chloride, and 2,4,6-Trichlorophenol to Juvenile Grass Shrimp and Killifish. In *Bull Environ Contam Toxicol* (pp. 776-783). AQUA.
- Calleja, MC; Persoone, G; Geladi, P. (1994). Comparative acute toxicity of the first 50 multicentre evaluation of in vitro cytotoxicity chemicals to aquatic non-vertebrates. *Arch Environ Contam Toxicol* 26: 69-78. <http://dx.doi.org/10.1007/BF00212796>.
- Campbell, SP, D. Awaya, J.D. Li, Q.X. (2002). Remediation of Benzo(a)pyrene and Chrysene-Contaminated Soil with Industrial Hemp (*Cannabis Sativa*). In *Int J Phytoremediat* (pp. 157-168). SOIL, ENV.
- Co, AC. (1994). HPLC Grade Solvents. 1766.
- Co., AC. (1992). Initial Submission: Acute Oral Toxicity Study in Rats with Methylene Chloride and Nitromethane with Cover Letter Dated 051592. In EPA/OTS Doc #88-920002735 (pp. 30 p. (NTIS/OTS 0539494)).
- Condie, LWS, C. L. Laurie, R. D. (1983). Comparative renal and hepatotoxicity of halomethanes: Bromodichloromethane, bromoform, chloroform, dibromochloromethane and methylene chloride. *Drug Chem Toxicol* 6: 563-578. <http://dx.doi.org/10.3109/01480548309017810>.
- Corp, GE. (1982). Dichloromethane Fourteen Day Range Finding Study in Rats. 109 p. (NTIS/OTS0205887).
- Corp, SR. (1978). Results of Continuous Exposure of Fathead Minnow Embryo to 21 Priority Pollutants. 46 p. (NTIS/OTS0511060)(Publ in Part as 0515175, 0515184, 0515590, 0519607, 0519953, 0510366, 0510427, 0120941).
- Corp, UC. (1992). Initial Sub: Letter from Union Carbide Corp to USEPA Submitting Enclosed Information on Aldicarb Solutions in Dichloromethane Aerosol Inhalation & Acute Toxicity Studies W-Attach. 103 p. (EPA OTS 543711).
- Corsi, GV, F. Bertazzon, A. (1983). Effect of subtoxic amounts of furan, acetylfuran and methylene chloride on some serum enzymes of rat. *Boll Soc Ital Biol Sper* 59: 1049-1052.
- Council, NR. (1989). Biologic Markers in Pulmonary Toxicology. 165 p.
- Crebelli, RA, C. Carere, A. Conti, L. Crochi, B. Cotta-Ramusino, M. Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chem Biol Interact* 98: 113-129. [http://dx.doi.org/10.1016/0009-2797\(95\)03639-3](http://dx.doi.org/10.1016/0009-2797(95)03639-3).
- Deneer, JWS, T. L. Seinen, W. Hermens, J. L. (1988). The Joint Acute Toxicity to *Daphnia-Magna* of Industrial Organic Chemicals at Low Concentrations. *Aquat Toxicol* 12: 33-38.
- Devillers, JC, P. (1988). A METHODOLOGICAL FRAMEWORK FOR THE EARLY DETECTION OF DRINKING WATER POLLUTANTS. *Chemosphere* 17: 1647-1654.
- Dhingra, ODM, J. J. (1980). DICHLOROMETHANE, TRICHLOROMETHANE AND CARBONTETRACHLORIDE AS SOLVENTS FOR BEAN SEED TREATMENT WITH SYSTEMIC FUNGICIDES. *Seed Science and Technology* 8: 77-83.
- Dill, DCM, P. G. Mayes, M. A. (1987). TOXICITY OF METHYLENE-CHLORIDE TO LIFE STAGES OF THE FATHEAD MINNOW, *PIMEPHALES-PROMELAS RAFINESQUE*. *Bull Environ Contam Toxicol* 39: 869-876.
- Divincenzo, GDH, M. L. (1975). Fate and disposition of [<sup>14</sup>C] methylene chloride in the rat. *Toxicol Appl Pharmacol* 32: 385-393.
- Domene, XA, J. M. Andrés, P. (2008). Comparison of solid-phase and eluate assays to gauge the ecotoxicological risk of organic wastes on soil organisms. *Environ Pollut* 151: 549-558. <http://dx.doi.org/10.1016/j.envpol.2007.04.007>.
- E.G, GB. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. Monthly Report for February 1978, Contract 68-01-4646, U.S. Environmental Protection Agency, Criteria Branch, Washington, DC. 19 p.
- E.G. and G. Bionomics. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. Monthly Report for January 1978, Contract 68-01-4646, US Environmental Protection Agency, Criteria Branch, Washington, DC 18 p.
- Eckhardt, DAR, J. E. Shaw, S. B. (2009). Groundwater quality in central New York, 2007 (pp. 48 p.). (Open-File Report 2009-1257). Troy, NY: U.S. Department of the Interior, U.S. Geological Survey, New York Water Science Center. <http://pubs.usgs.gov/of/2009/1257/>.
- Ellis, MAF, S. R. Sinclair, J. B. (1976). Dichloromethane: Nonaqueous Vehicle for Systemic Fungicides in Soybean Seeds. 66: 1249-1251.
- Elovaara, EH, K. Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology* 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- Fava, JAG, J. J. Maciorowski, A. F. McCulloch, W. L. Reisinger II, H. J. (1985). Comparative Toxicity of Whole and Liquid Phase Sewage Sludges to Marine Organisms. 854: 229-252.
- Ferreira, IMM, E. B. Rosset, I. G. Porto, A. L. M. (2015). Chemoselective biohydrogenation of alpha,beta- and alpha,beta,gamma,delta-unsaturated ketones by the marine-derived fungus *Penicillium citrinum* CBMAI 1186 in a biphasic system. *Journal of Molecular Catalysis B: Enzymatic* 115: 59-65. <http://dx.doi.org/10.1016/j.molcatb.2015.01.017>.
- Fuxe, KA, K. Hansson, T. Agnati, L. F. Eneroth, P. Gustafsson, J. A. (1984). Central catecholamine neurons and exposure to dichloromethane. Selective changes in amine levels and turnover in tel- and diencephalic DA and NA nerve terminal systems and in the secretion of anterior pituitary hormones in the male rat. *Toxicology* 29: 293-305. [http://dx.doi.org/10.1016/0300-483X\(84\)90161-6](http://dx.doi.org/10.1016/0300-483X(84)90161-6).
- Geiger, DLP, S. H. Brooke, L. T. Call, D. J. eds. (1986). Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*): volume III (pp. 328 p.). AQUA.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf* 36: 99-108. <http://dx.doi.org/10.1006/eesa.1996.1490>.
- Globerson, DD, A. (1973). Seed Treatment with Dichloromethane and Gibberellin Modifies Sex Expression of Gynoecious Cucumber. *Dec 1973*, 8 (6): 493-494.

## Environmental Hazard Literature Search Results

### On Topic

- Gold, LSS, T. H. Backman, G. M. Magaw, R. Da Costa, M. Lopipero, P. Blumethal, M. Ames, B. N. (1987). Second Chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published Through December 1984 and by the National Toxicology Program Through May 1986. 74: 237-329.
- Gold, LSS, T. H. Backman, G. M. Eisenberg, S. Costa, M. D. Wong, M. Manley, N. B. Rohrbach, L. Ames, B. N. (1990). Third Chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published through December 1986 and by the National Toxicology Program through June 1987. *Environ Health Perspect* 84: 215. <http://dx.doi.org/10.2307/3430724>.
- Goncalves, EJM, J. J. Muchovej, R. (1991). Effect of Kind and Method of Fungicidal Treatment of Bean Seed on Infections by the Va-Mycorrhizal Fungus *Glomus Macrocarpum* and by the Pathogenic Fungus *Fusarium Solani*: I Fungal and Plant Parameters. 132: 41-46.
- Grace, JK. (1989). Habituation in Termite Orientation Response to Fungal Semiochemicals. 16: 175-182.
- Groten, JPS, E. D. van Bladeren, P. J. Kuper, C. F. van Zorge, J. A. Feron, V. J. (1997). Subacute toxicity of a mixture of nine chemicals in rats: detecting interactive effects with a fractionated two-level factorial design. *Fundam Appl Toxicol* 36: 15-29.
- Halloin, JM. (1977). Effects on Cottonseed of Immersion in Acetone or Methylene Chloride. 17: 867-869.
- Halloin, JMM, E. B. (1977). Use of Methylene Chloride for Application of Fungicides to Cottonseed. 4: 156-(ABS) (343).
- Halloin, JMM, E. B. Petersen, H. D. (1978). FUNGICIDE APPLICATION TO COTTONSEED USING METHYLENE-CHLORIDE CARRIER. *Crop Sci* 18: 909-910.
- Hamada, NP, R. E. (1977). Effect of chlorinated aliphatic hydrocarbons on excretion of protein and electrolytes by rat pancreas. *Toxicol Appl Pharmacol* 39: 185-194.
- Hannas, BRW, Y. H. Thomson, S. Kwon, G. Li, H. Leblanc, G. A. (2011). Regulation and dysregulation of vitellogenin mRNA accumulation in daphnids (*Daphnia magna*). *Aquat Toxicol* 101: 351-357. <http://dx.doi.org/10.1016/j.aquatox.2010.11.006>.
- Hasegawa, RN, Y. Kurokawa, Y. Tobe, M. (1989). Acute toxicity tests on 113 environmental chemicals. *Sci Rep Res Inst Tohoku Univ Med* 36: 10-16.
- Haseman, JKH, J. E. Zeiger, E. McConnell, E. E. (1987). Comparative Results of 327 Chemical Carcinogenicity Studies. 74: 229-235.
- Heitmuller, PTH, T. A. Parrish, P. R. (1981). Acute toxicity of 54 industrial chemicals to sheephead minnows (*Cyprinodon variegatus*). *Bull Environ Contam Toxicol* 27: 596-604. <http://dx.doi.org/10.1007/BF01611069>.
- Herr, DWB, W. K. (1997). A comparison of the acute neuroactive effects of dichloromethane, 1,3-dichloropropane, and 1,2-dichlorobenzene on rat flash evoked potentials (FEPs). *Fundam Appl Toxicol* 35: 31-48. <http://dx.doi.org/10.1006/faat.1996.2255>.
- Hiatt, MH. (1983). Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem* 55: 506-516.
- Hoffmann, PM, S. P. Heinroth, K. Buchner, E. Richards, D. Toraason, M. (1995). Cardiotoxicity of dichloromethane in rats and in cultured rat cardiac myocytes. *Toxicol In Vitro* 9: 489-492. [http://dx.doi.org/10.1016/0887-2333\(95\)00019-5](http://dx.doi.org/10.1016/0887-2333(95)00019-5).
- Honma, TS, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health* 35: 519-531.
- Jongen, WMFA, G. M. Koeman, J. H. (1978). Mutagenic effect of dichloromethane on *Salmonella typhimurium*. *Mutat Res-Fundam Mol Mech Mutagen* 56: 245-248. [http://dx.doi.org/10.1016/0027-5107\(78\)90191-4](http://dx.doi.org/10.1016/0027-5107(78)90191-4).
- Juhnke, IL, D. (1978). Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest). 11: 161-164(GER) (ENG TRANSL) (OECDG Data File).
- Kaiser, KLM, M. B. Stendahl, D. H. Pett, W. B. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem* 14: 2107-2113.
- Kalinin, FLL, V. P. (1962). Application of Chemical Methods for the Control of *Acroptilon picris*. 107-111.
- Kent, RAM, D. R. Walker, S. L. (1991). Data Gaps in the Aquatic Toxicology of Priority Pesticides and Industrial Toxic Substances in Canada. 1774: 1111-1124.
- Kim, SHJ, Y. Kim, S. H. (2013). A biocompatible tissue scaffold produced by supercritical fluid processing for cartilage tissue engineering. *Tissue Engineering, Part C: Methods* 19: 181-188. <http://dx.doi.org/10.1089/ten.TEC.2012.0170>.
- Kim, SJJ, Y. S. Yoon, M. Y. Kim, Y. C. (2007). Comparative Effects of Dimethylsulfoxide on Metabolism and Toxicity of Carbon Tetrachloride and Dichloromethane. 27: 25-31.
- Kim, SJL, M. Y. Kwon, doY Kim, S. Y. Kim, Y. C. (2009). Alteration in metabolism and toxicity of acetaminophen upon repeated administration in rats. *J Pharmacol Sci* 111: 175-181. <http://dx.doi.org/10.1254/jphs.09151FP>.
- Kitchin, KTB, J. L. Kulkarni, A. P. (1992). Predictive assay for rodent carcinogenicity using in vivo biochemical parameters: Operational characteristics and complementarity. *Mutat Res* 266: 253-272. [http://dx.doi.org/10.1016/0027-5107\(92\)90193-6](http://dx.doi.org/10.1016/0027-5107(92)90193-6).
- Kitchin, KTB, J. L. Kulkarni, A. P. (1993). Predicting rodent carcinogenicity of halogenated hydrocarbons by in vivo biochemical parameters. *Birth Defects Res B Dev Reprod Toxicol* 13: 167-184.
- Kitchin, KTB, J. L. (1994). Dose-response relationship for rat liver DNA damage caused by 49 rodent carcinogens. *Toxicology* 88: 31-49. [http://dx.doi.org/10.1016/0300-483X\(94\)90109-0](http://dx.doi.org/10.1016/0300-483X(94)90109-0).
- Klaassen, CDP, G. L. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol* 9: 139-151.
- Klaassen, CDP, G. L. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol* 10: 119-131.

## Environmental Hazard Literature Search Results

### On Topic

- Koeman, JHVG, H. (1965). Some Preliminary Notes on Residues of Chlorinated Hydrocarbon Insecticides in Birds and Mammals in the Netherlands. 33: 1879-1887.
- Kramer, VC; Schnell, DJ; Nickerson, KW. (1983). Relative Toxicity of Organic Solvents to *Aedes aegypti* Larvae. 42: 285-287.
- Krebs, F. (1991). Bestimmung der Biologischen Schädigung Wassergefährdender Stoffe im Assimilations-Zehrungs-Test (A-Z-Test). 35: 161-170 (OECDG Data File).
- Krewski, DW, J. R. Ku, L. F. Andersen, M. E. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect* 102: 37-50.
- Krishnamoorthy, PG, N. K. S. Vallesha, N. C. Rajendran, D. Maya, G. Verma, S. Rahman, H. (2015). Effect of Subchronic Fluoride Exposure on Immune Status and Histopathology in Rats and its Amelioration. 48: 123-130.
- Kuhn, RP, M. Pernak, K. D. Winter, A. (1989). Results of the harmful effects of selected water pollutants (anilines, phenols, aliphatic compounds) to *Daphnia magna*. *Water Res* 23: 495-499. [http://dx.doi.org/10.1016/0043-1354\(89\)90141-3](http://dx.doi.org/10.1016/0043-1354(89)90141-3).
- Leblanc, GA. (1980). Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bull Environ Contam Toxicol* 24: 684-691. <http://dx.doi.org/10.1007/BF01608174>.
- Lewis, JAP, G. C. O'Neill, N. R. (1979). Effect of Seed Immersion in Organic Solvents on Germinability. 92: 563-570.
- Lilius, HI, B. Holmstrom, T. (1994). A COMPARISON OF THE TOXICITY OF 50 REFERENCE CHEMICALS TO FRESHLY ISOLATED RAINBOW-TROUT HEPATOCYTES AND DAPHNIA-MAGNA. *Aquat Toxicol* 30: 47-60.
- Lonning, SH, B. E. (1978). A Toxicological Evaluation of a Plastic Oil Absorbant. 9: 276-278.
- Ma, THH, M. M. Anderson, V. A. Ahmed, I. Mohammad, K. Bare, J. L. Lin, G. (1984). TRADESCANTIA-MICRONUCLEUS (TRAD-MCN) TESTS ON 140 HEALTH-RELATED AGENTS. *Mutat Res* 157: 157-167.
- Magee, PS. (1991). COMPLEX FACTORS IN HYDROCARBON-WATER SOIL-WATER AND FISH-WATER PARTITIONING (pp. AMSTERDAM). (BIOSIS/92/22527). Magee, PS.
- Marquis, OM, A. Guittoneau, S. Miaud, C. (2006). Solvent toxicity to amphibian embryos and larvae. *Chemosphere* 63: 889-892. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.063>.
- Marzotko, DP, D. (1987). Effect of Single Dichloromethane Administration on the Adrenal Medulla of Male Albino Rats. 82: 177-183.
- McGowan, JCM, A. (1986). MOLECULAR VOLUMES AND THE TOXICITIES OF CHEMICALS TO FISH. *Bull Environ Contam Toxicol* 36: 881-887.
- McKenna, MJZ, J. A. (1981). The dose-dependent metabolism of [<sup>14</sup>C]methylene chloride following oral administration to rats. *Food Chem Toxicol* 19: 73-78.
- Mendelsohn, MLMD, I. I. Lohman, P. H. M. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair* 266: 43-60.
- Meyer, HM, A. M. (1971). Permeation of Dry Seeds with Chemicals: Use of Dichloromethane. 171: 583-584.
- Miller, TWC, L. Cole, D. J. Cole, L. J. Flor, J. E. Goegelman, R. T. Gullo, V. P. Joshua, H. Kempf, A. J. Krellwitz, W. R. Monaghan, R. L. Ormond, R. E. Wilson, K. E. Bers-Schonberg, G. Putter, I. (1979). Avermectins, New Family of Potent Anthelmintic Agents: Isolation and Chromatographic Properties. 15: 368-371.
- Mirsalis, JCT, C. K. Steinmetz, K. L. Loh, E. K. Hamilton, C. M. Bakke, J. P. Spalding, J. W. (1989). Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14: 155-164. <http://dx.doi.org/10.1002/em.2850140305>.
- Monder, HL, C. Donovan, P. J. Burrett, R. G. (1978). Male Mouse Urine Extract Effects on Pheromonally Mediated Reproductive Functions of Female Mice. 20: 447-452.
- Moser, VCC, B. M. Macphail, R. C. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health* 45: 173-210.
- Moshi, MJI, E. Magadula, J. J. Otieno, D. F. Weisheit, A. Mbabazi, P. K. Nondo, R. S. (2010). Brine shrimp toxicity of some plants used as traditional medicines in Kagera Region, north western Tanzania. *Tanzan J Health Res* 12: 63-67.
- Muatlik, SU, A. N. Reddy, M. S. Ranjith, A. K. Pandey, S. (2007). Improved Bioavailability of Aceclofenac from Spherical Agglomerates: Development, In Vitro and Preclinical Studies. 20: 218-226.
- Muchovej, JJD, O. D. (1979). Dichloromethane and Tetrachloromethane as Fungicide Carriers in Soybean Seeds. Sept 1979. v. 96 (1): 87-90 ill.
- Muller, SW, M. Hoffmann, P. (1991). Adrenergic Cardiovascular Actions in Rats as Affected by Dichloromethane Exposure. 50: 307-311.
- Narotsky, MGK, R. J. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Neely, WB. (1984). An Analysis of Aquatic Toxicity Data: Water Solubility and Acute LC50 Fish Data. 13: 813-819.
- Neuhauser, EFL, R. C. Malecki, M. R. Milligan, D. L. Durkin, P. R. (1985). The Toxicity of Selected Organic Chemicals to the Earthworm *Eisenia fetida*. 14: 383-388 (OECDG Data File).
- Neuhauser, EFL, R.C. Malecki, M.R. (1986). Contact and Artificial Soil Tests Using Earthworms to Evaluate the Impact of Wastes in Soil. In *ASTM Spec Tech Publ* (pp. 192-203). SOIL, ENV.
- Oh, SJK, S. K. Kim, Y. C. (2002). Role of glutathione in metabolic degradation of dichloromethane in rats. *Toxicol Lett* 129: 107-114. [http://dx.doi.org/10.1016/S0378-4274\(01\)00523-9](http://dx.doi.org/10.1016/S0378-4274(01)00523-9).
- Organization, WH. (1984). Methylene Chloride. 32: 55 p.
- Pankow, DD, B. Schror, K. (1994). Acetylsalicylic Acid--Inducer of Cytochrome P-450 2E1? 68: 261-265.
- Pankow, DM, F. Weigmann, H. J. (1991). Influence of aromatic hydrocarbons on the metabolism of dichloromethane to carbon monoxide in rats. *Toxicology* 68: 89-100. [http://dx.doi.org/10.1016/0300-483X\(91\)90064-8](http://dx.doi.org/10.1016/0300-483X(91)90064-8).

## Environmental Hazard Literature Search Results

### On Topic

- Pennington, JTH, M. G. (1989). Larvae of a Nudibranch Mollusc (*Phestilla sibogae*) Metamorphose when Exposed to Common Organic Solvents. 177: 350-355.
- Purchio, AFM, J. J. (1990). Organic Solvents as Vehicles of Fungicides in Seeds of Wheat. 15: 226-228.
- Raje, RB, M. Tolen, T. Greening, M. (1988). Evaluation of in vivo mutagenicity of low-dose methylene chloride in mice. *Int J Toxicol* 7: 699-703. <http://dx.doi.org/10.3109/10915818809019544>.
- Rajendran, SM, M. (1981). Post-Fumigation Productivity of *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae) and *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae) Exposed to Acrylonitrile, Adjuvants of Acrylonitrile, Acrylonitrile-Adjuvant Mixtures and Other Modern Fumigants. 71: 163-169.
- Rao, VSB, J. W. Khan, A. A. (1976). Promotive Effects of Organic Solvents and Kinetin on Dark Germination of Lettuce Seeds. 57: 446-449.
- Rayburn, JRF, S. S. Reinsel, K. Glas, P. S. Fisher, W. S. (1998). The Use of Embryos of *Palaemonetes pugio* in Evaluating the Developmental Toxicity of Compounds. 6: S130.
- Roark, RCC, R. T. (1929). Tests of Various Aliphatic Compounds as Fumigants. 52 p.
- Roberts, BLD, H. W. (1984). Relative toxicities of chemicals to the earthworm *Eisenia foetida*. *Environ Toxicol Chem* 3: 67-78.
- Roderer, G. (1990). *Testung Wassergefährdender Stoffe als Grundlage für Wasserqualitätsstandards*. Testbericht: Wassergefährdende Stoffe. (GER) (OECDG Data File).
- Rodriguez-Arnaiz, R. (1998). Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. *Environ Mol Mutagen* 31: 390-401. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)31:4<390::AID-EM12>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)31:4<390::AID-EM12>3.0.CO;2-7).
- Rogers, JVC, Y. W. Kiser, R. C. Babin, M. C. Casillas, R. P. Schlager, J. J. Sabourin, C. L. K. (2004). Microarray Analysis of Gene Expression in Murine Skin Exposed to Sulfur Mustard. 18: 289-299.
- Rust, MKW, M. Hinkle, N. C. Mencke, N. Hansen, O. Vaughn, M. Dryden, M. W. Payne, P. Blagburn, B. L. Jacobs, D. E. Bach, T. Bledsoe, D. Hopkins, T. Mehlhorn, H. Denholm, I. (2002). Development of a Larval Bioassay for Susceptibility of Cat Fleas (Siphonaptera: Pulicidae) to Imidacloprid. 39: 671-674.
- Sabourin, CLKR, J. V. Choi, Y. W. Kiser, R. C. Casillas, R. P. Babin, M. C. Schlager, J. J. (2004). Time- and Dose-Dependent Analysis of Gene Expression using Microarrays in Sulfur Mustard-Exposed Mice. 18: 300-312.
- Sagai, MT, A. L. (1979). Lipid Peroxidation Induced by Some Halomethanes as Measured by In Vivo Pentane Production in the Rat. 49: 283-291.
- Sample, BEA, C. A. (1999). Allometric models for interspecies extrapolation of wildlife toxicity data. *Bull Environ Contam Toxicol* 62: 653-663.
- Sanchez-Fortun, SS, F. Santa-Maria, A. Ros, J. M. De Vicente, M. L. Encinas, M. T. Vinagre, E. Barahona, M. V. (1997). Acute sensitivity of three age classes of *Artemia salina* larvae to seven chlorinated solvents. *Bull Environ Contam Toxicol* 59: 445-451. <http://dx.doi.org/10.1007/s001289900498>.
- Sandberg, G. (1988). Application of Growth Regulators in Aqueous Media and Organic Solvents to Seeds of *Picea abies* and *Pinus sylvestris*. 3: 97-105.
- Sass, GS, M. C. P. Yamashita, K. Seyfried, S. Zimmermann, W. H. Eschenhagen, T. Kaczmarek, E. Ritter, T. Volk, H. D. Tiegs, G. (2003). Heme oxygenase-1 and its reaction product, carbon monoxide, prevent inflammation-related apoptotic liver damage in mice. *Hepatology* 38: 909-918. <http://dx.doi.org/10.1053/jhep.2003.50386>.
- Sass, GS, S. Parreira Soares, M. Yamashita, K. Kaczmarek, E. Neuhuber, W. L. Tiegs, G. (2004). Cooperative effect of biliverdin and carbon monoxide on survival of mice in immune-mediated liver injury. *Hepatology* 40: 1128-1135. <http://dx.doi.org/10.1002/hep.20450>.
- Savolainen, HP, P. Tengén, M. Vainio, H. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachlorethylene and dichlormethane. *J Neuropathol Exp Neurol* 36: 941-949.
- Schwetz, BAL, B. K. J. Gehring, P. J. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Sinha, RKC, V. Soni, B. K. Patel, U. Ghosh, A. (2012). Earthworms: Nature's Chemical Managers and Detoxifying Agents in the Environment: An Innovative Study on Treatment of Toxic Wastewaters from the Petroleum Industry by Vermifiltration Technology. 32: 445-452.
- Slesinski, RSG, P. J. Hengler, W. C. Myers, R. C. Ballantyne, B. (1986). STUDIES ON THE ACUTE TOXICITY PRIMARY IRRITANCY AND GENOTOXIC POTENTIAL OF 1,3,5-TRIACRYLOYLHEXAHYDRO-S-TRIAZINE (TAHT) (pp. 145-163). (EMICBACK/65079). Slesinski, RS; Guzzie, PJ; Hengler, WC; Myers, RC; Ballantyne, B.
- Small, LDR, H. Nwangwu, P. U. Holcslaw, T. L. Stohs, S. J. (1979). Partial Synthesis of 6'-Hydroxycinchonine and its Antiarrhythmic Activity in Mice. 22: 1014-1016.
- Steiman, RS, F. Guiraud, P. Benoît-guyod, J. L. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual* 10: 283-285.
- Sykes, PJH, A. M. Morley, A. A. (1999). Inversion Due to Intrachromosomal Recombination Produced by Carcinogens in a Transgenic Mouse Model. 427: 1-9.
- Tham, RB, I. Eriksson, B. Larsby, B. Lindgren, S. Odkvist, L. M. (1984). Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol* 54: 58-63. <http://dx.doi.org/10.1111/j.1600-0773.1984.tb01895.x>.
- Thiebaud, HM, G. Capovilla, M. P. Blake, G. (1994). Fate of a Volatile Chlorinated Solvent in Indoor Aquatic Microcosms: Sublethal and Static Exposure to (14C) Dichloromethane. 28: 71-81.
- Trosko, JE. (1995). Dose-Response Studies of Genotoxic Rodent Carcinogens: Thresholds, Hockey Sticks, Hormesis or Straight Lines? 3: 45 p.
- Tsai, KPC, C. Y. (2007). An Algal Toxicity Database of Organic Toxicants Derived by a Closed-System Technique. 26: 1931-1939.

## Environmental Hazard Literature Search Results

### On Topic

- Tsuji, ST, Y. Ito, Y. Kanoh, S. (1986). The Influence of Rearing Temperatures on the Toxicity of Various Environmental Pollutants for Killifish (*Oryzias latipes*). 32: 46-53(JPN) (ENG ABS).
- U.S, EPA. (1976). Second Report of the TSCA Interagency Testing Committee to the Administrator. 30 p. (IV-301 IV327).
- U.S, EPA. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 9 p. (PUBL IN PART AS 5175, 5184, 5590, 9953, 10366, 20456, 83925, 120941).
- U.S, EPA. (1995). Final Water Quality Guidance for the Great Lakes System. 60: 15366-15422.
- U.S, EPA. (1996). Ecological Effects Test Guidelines. OPPTS 850.2200 Avian Dietary Toxicity Test. 10 p.
- Vidhyasekaran, P. (1980). THE USE OF DICHLOROMETHANE TO INCORPORATE FUNGICIDES INTO RICE SEEDS FOR CONTROL OF DRECHSLERA-ORYZAE. Seed Science and Technology 8: 357-362.
- Wang, XX, Z. Yan, X. Sun, H. Li, Y. Pan, C. (2013). Dissipation Rate and Residual Fate of Thiamethoxam in Tobacco Leaves and Soil Exposed to Field Treatments. 91: 246-250.
- Wellinga, KM, R. Van Daalen, J. J. (1973). Synthesis and Laboratory Evaluation of 1-(2,6-Disubstituted Benzoyl)-3-Phenylureas, a New Class of Insecticides. II. Influence of the Acyl Moiety on Insecticidal Activity. 21: 993-998.
- Williams, PLJ, R. C. Roberts, S. M. (2000). Principles of Toxicology: Environmental and Industrial Applications. 603 p.
- Wilson, JEH. (1998). Developmental Arrest in Grass Shrimp Embryos Exposed to Selected Toxicants. 60-75.
- Withey, JRC, B. T. Collins, P. G. (1983). Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. J Appl Toxicol 3: 249-253. <http://dx.doi.org/10.1002/jat.2550030506>.
- Wu, SZ, H. Yu, X. Qiu, L. (2014). Toxicological Responses of *Chlorella vulgaris* to Dichloromethane and Dichloroethane. Environ Eng Sci 31: 9-17. <http://dx.doi.org/10.1089/ees.2013.0038>.

## Environmental Hazard Literature Search Results

### Off Topic

- Åstgaard, K; Aaberg, A; KlungsÅyr, J; Jensen, A. (1987). Comparative studies of phytotoxicity and chemical composition of aqueous oil solutions affected by evaporation, illumination and extraction. Water Res 21: 155-164.
- Ågueda, VI; Crittenden, BD; Delgado, JA; Tennison, SR. (2011). Effect of channel geometry, degree of activation, relative humidity and temperature on the performance of binderless activated carbon monoliths in the removal of dichloromethane from air. Separation and Purification Technology 78: 154-163.
- Álvarez-Montero, MA; GÁmez-Sainero, LM; Mayoral, A; Diaz, I; Baker, RT; Rodriguez, JJ. (2011). Hydrodechlorination of chloromethanes with a highly stable Pt on activated carbon catalyst. J Catal 279: 389-396.
- Aagaard Nielsen, P. (1992). Mutagenicity studies on complex environmental mixtures: selection of solvent system for extraction. Mutation Research/Reviews in Genetic Toxicology 276: 117-123.
- Abay, G; Altun, M; Koldas, S; Tufekci, AR; Demirtas, I. (2015). Determination of Antiproliferative Activities of Volatile Contents and HPLC Profiles of *Dicranum scoparium* (Dicranaceae, Bryophyta). Comb Chem High Throughput Screen 18: 453-463.
- Abd Allah, Z; Whitehead, JC; Martin, P. (2014). Remediation of Dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) Using Non-thermal, Atmospheric Pressure Plasma Generated in a Packed-Bed Reactor. Environmental Science & Technology 48: 558-565.
- Abd El-latif, AO. (2015). Isolation and purification of a papain inhibitor from Egyptian genotypes of barley seeds and its in vitro and in vivo effects on the cowpea bruchid, *Callosobruchus maculatus* (F.). Pestic Biochem Physiol 118: 26-32.
- Abda, A; Benouareth, DE; Tabet, M; Liman, R; Konuk, M; Khallef, M; Taher, A. (2015). Mutagenicity and genotoxicity of drinking water in Guelma region, Algeria. Environ Monit Assess 187: 21-21.
- Abdallah, MA; Drage, D; Harrad, S. (2013). A one-step extraction/clean-up method for determination of PCBs, PBDEs and HBCDs in environmental solid matrices. Environmental Science-Processes & Impacts 15: 2279-2287.
- Abdel Aziz, AA; Badr, IH; El-Sayed, IS. (2012). Synthesis, spectroscopic, photoluminescence properties and biological evaluation of novel Zn(II) and Al(III) complexes of NOON tetradentate Schiff bases. Spectrochim Acta A Mol Biomol Spectrosc 2012, Nov; 97:388-96 [Spectrochimica acta Part A, Molecular and biomolecular spectroscopy].
- Abdel-Aal, El; Haroon, AM; Mofeed, J. (2015). Successive solvent extraction and GC-MS analysis for the evaluation of the phytochemical constituents of the filamentous green alga *Spirogyra longata*. The Egyptian Journal of Aquatic Research 41: 233-246.
- Abdelalraieil, SAM; Abdel-Razeek, N; Soliman, SA. (2009). Herbicidal Activity of Three Sesquiterpene Lactones on Wild Oat (*Avena fatua*) and Their Possible Mode of Action. Weed Sci 57: 6-9.
- Abdelghani, A; Chovelon, JM; Jaffrezic-Renault, N; Veilla, C; Gagnaire, H. (1997). Chemical vapour sensing by surface plasmon resonance optical fibre sensor coated with fluoropolymer. Anal Chim Acta 337: 225-232.
- Abdel-Ghani, NT; Shoukry, AF; Issa, YM; Wahdan, OA. (2002). Spectrophotometric determination of meclozine HCl and papaverine HCl in their pharmaceutical formulations. J Pharm Biomed Anal 28: 373-378.
- Abdel-Rahman, RF; Alqasoumi, SI; El-Desoky, AH; Soliman, GA; Pare, PW; Hegazy, MEF. (2015). Evaluation of the anti-inflammatory, analgesic and anti-ulcerogenic potentials of *Achillea fragrantissima* (Forssk.). South African Journal of Botany 98: 122-127.
- Abdo, M; Knapp, S. (2012). Mechanism of a Redox Coupling of Seleninic Acid with Thiol. J Org Chem 77: 3433-3438.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. J Hazard Mater 129: 39-49.



## Environmental Hazard Literature Search Results

### Off Topic

- Abe, Y; Takagi, Y; Nakamura, M; Takeuchi, T; Tanase, T; Yokokawa, M; Mukai, H; Megumi, T; Hachisuga, A; Ohta, K. (2012). Structural, photophysical, and mesomorphic properties of luminescent platinum(II)-salen Schiff base complexes. *Inorganica Chimica Acta* 392: 254-260.
- Abed, D; Brossut, R; Farine, JP. Evidence for sex pheromones produced by males and females in *Blatta orientalis* (Dictyoptera, Blattidae). *J Chem Ecol* Dec 1993. v. 19 (12): 2831-2853.
- Abell, AD; Brown, KM; Coxon, JM; Jones, MA; Miyamoto, S; Neffe, AT; Nikkel, JM; Stuart, BG. (2005). Synthesis and evaluation of eight-membered cyclic pseudo-dipeptides. *Peptides* 26: 251-258.
- Abo-Amer, A; Boyle, PD; Puddephatt, RJ. (2015). Oxidation of a dimethyl platinum(II) complex with xenon difluoride: The important role of solvent. *Inorganic Chemistry Communications* 61: 193-196.
- Abou-Fakhr, EM; Hibbard, BE; Jewett, DK; Bjostad, LB. Electroantennogram responses of western corn rootworm (Coleoptera: Chrysomelidae) adults in relation to maize silk morphology and phenology. *Environ Entomol* Apr 1996. v. 25 (2): 430-435.
- Aboutabl, EA; Nassar, MI; Elsakhawy, FM; Maklad, YA; Osman, AF; El-Khrisy, EAM. (2002). Phytochemical and pharmacological studies on *Sideritis taurica* Stephan ex Wild. *J Ethnopharmacol* 82: 177-184.
- Abraham, MH; Takács-Novák, K; Mitchell, RC. (1997). On the Partition of Ampholytes: Application to Blood Brain Distribution. *J Pharm Sci* 86: 310-315.
- Abrantes, M; Mill-Homens, T; Duarte, N; Lopes, D; Cravo, P; Madureira, MD; Ferreira, MJU. (2008). Antiplasmodial Activity of Lignans and Extracts from *Pycnanthus angolensis*. *Planta Med* 74: 1408-1412.
- Abril, N; Margison, GP. (1999). Mammalian cells expressing *Escherichia coli* O(6)-alkylguanine-DNA alkyltransferases are hypersensitive to dibromoalkanes. *Chem Res Toxicol* 12: 544-551.
- Abriola, LM; Bradford, SA. (1998). Experimental investigations of the entrapment and persistence of organic liquid contaminants in the subsurface environment. *Environ Health Perspect* 106: 1083-1095.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Saeedi, R; Nazmara, S. (2013). Dichloromethane emissions from automotive manufacturing industry in Iran: case study of the SAIPA automotive manufacturing company. *Toxicol Environ Chem* 95: 757-764.
- Adachi, A; Hamamoto, H; Okano, T. (2004). Determination of spherosomes from lees materials. *J Agric Food Chem* 52: 7768-7770.
- Adachi, A; Hamamoto, H; Okano, T. (2005). Use of lees materials as an adsorbent for removal of organochlorine compounds or benzene from wastewater. *Chemosphere* 58: 817-822.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem* 49: 1309-1314.
- Adachi, A; Kamiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem* 48: 6158-6162.
- Adachi, N; Sugiyama, H; Arai, M; Ogawa, H. (2014). Turn-on type chemical sensing of vitamin K4 by fluorene dendrimers with naphthalene segments. *Molecules* 2014[Molecules (Basel).
- Adak, GK; Corry, JEL; Moss, MO. (1987). Use of impedimetry to detect trichothecene mycotoxins. 2. Limits of sensitivity of four microorganisms to T-2 toxin and the effect of solvent and test medium. *Int J Food Microbiol* 5: 15-27.
- Adamczyk, M; Fishpaugh, J; Harrington, C; Hartter, D; Johnson, D; Vanderbilt, A. (1993). Immunoassay reagents for psychoactive drugs I. The method for the development of antibodies specific to amitriptyline and nortriptyline. *Journal of Immunological Methods* 162: 47-58.
- Adamczyk, M; Fishpaugh, J; Harrington, C; Johnson, D; Vanderbilt, A. (1993). Immunoassay reagents for psychoactive drugs: II. The method for the development of antibodies specific to imipramine and desipramine. *Journal of Immunological Methods* 163: 187-197.
- Adamopoulos, S; Voulgaridis, E; Passialis, C. (2005). Variation of certain chemical properties within the stemwood of black locust (*Robinia pseudoacacia* L.) Variation verschiedener chemischer Eigenschaften im Stammholz von Robinie (*Robinia pseudoacacia* L.). *Holz als Roh- und Werkstoff* 63: 327-333.
- Adams, JJ; Arulsamy, N; Roddick, DM. (2009). Preparation of an unusual fluoroalkyl phosphinoyl chelate complex, {k3-P,C,P,k1-O-(CF3)2PCH2C6H3CH2P(CF3)O}2Pt2. *Inorganica Chimica Acta* 362: 2056-2059.
- Adams, JQ; Clark, RM. (1991). Evaluating the costs of packed-tower aeration and GAC for controlling selected organics. *Am Water Works Assoc J* 83: 49-57.
- Adekunle, IM. (2011). Bioremediation of Soils Contaminated with Nigerian Petroleum Products Using Composted Municipal Wastes. *Bioremediat J* 15: 230-241.
- Adelusi, SA. (1987). Evaluation of the extraction of chloroquine from biological samples by different organic solvents. *Int J Pharm* 35: 173-175.
- Adhami, HR; Farsam, H; Krenn, L. (2011). Screening of Medicinal Plants from Iranian Traditional Medicine for Acetylcholinesterase Inhibition. *Phytother Res* 25: 1148-1152.
- Adhikari, RM; Mondal, R; Shah, BK; Neckers, DC. (2007). Synthesis and photophysical properties of carbazole-based blue light-emitting dendrimers. *J Org Chem* 72: 4727-4732.
- Admassu, W; Korus, RA. (1996). Engineering of bioremediation processes needs and limitations. Crawford, R L And D L Crawford Biotechnology Research Series, 6 Bioremediation: Principles and Applications Xii+400p Cambridge University Press: Cambridge, England, Uk; New York, New York, USA isbn 0-521-47041-2; 0 (6) 1996 13-34.
- Afifi, R; Abdel-Nabi, IM; El-Shaikh, K. (2016). Antibacterial activity from soft corals of the Red Sea, Saudi Arabia. *Journal of Taibah University for Science* 10: 887-895.

## Environmental Hazard Literature Search Results

### Off Topic

- Afonso, C; Alfonso, A; Pazos, MJ; Vieytes, MR; Yasumoto, T; Milandri, A; Poletti, R; Botana, LM. (2007). Extraction and cleaning methods to detect yessotoxins in contaminated mussels. *Anal Biochem* 363: 228-238.
- Afonso, Mnl; Neves, AIS; Almeida, M. (2015). Dimerisation of Fe bisdithiolene complexes: An electrochemical study. *Inorganica Chimica Acta* 426: 160-164.
- Agafonova, NV; Kaparullina, EN; Doronina, NV; Trotsenko, YA. (2015). *Methylophila turkiensis* sp. nov., a new aerobic facultatively methylotrophic phytosymbiont. *Microbiology* 84: 544-552.
- Agarwal, C; Pandey, AK; Das, S; Sharma, MK; Pattyn, D; Ares, P; Goswami, A. (2012). Neck-size distributions of through-pores in polymer membranes. *J Memb Sci* 415-416: 608-615.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2013). Ex Situ Soil Remediation by Cold Atmospheric Plasma Discharge. *Procedia Environmental Sciences* 18: 649-656.
- Agostino, FJ; Evenhuis, CJ; Krylov, SN. (2011). Milli-free flow electrophoresis: I. Fast prototyping of mFFE devices. *J Sep Sci* 34: 556-564.
- Agranat, I; Rabinovitz, M; Selig, H; Lin, CH. (1976). Direct fluorination of carcinogenic polycyclic aromatic hydrocarbons. 6-Fluorobenzo(a)pyrene. *Experientia* 32: 417-418. [Experientia].
- Agrawal, R; Patwardhan, MV; Gurudutt, KN. Formation of flavouring constituents in callus cultures of lime, *Citrus aurantifolia* S. *Biotechnology and applied biochemistry* Dec 1991. v. 14 (3): 265-274.
- Aguirell, E; Stensman, C. (1992). Salmonella mutagenicity of three complex mixtures assayed with the microsuspension technique. A WHO/IPCS/CSCM study. *Mutation Research/Reviews in Genetic Toxicology* 276: 87-91.
- Aguirell, E; Stensman, C. (1992). Salmonella mutagenicity of three complex mixtures assayed with the microsuspension technique: A WHO/CSCM study. *Mutat Res* 276: 87-92.
- Ahangar, AG; Smernik, RJ; Kookana, RS; Chittleborough, DJ. (2009). The effect of solvent-conditioning on soil organic matter sorption affinity for diuron and phenanthrene. *Chemosphere* 76: 1062-1066.
- Aheam, DG; Crow, SA; Simmons, RB; Price, DL; Noble, JA; Mishra, SK; Pierson, DL. (1996). Fungal colonization of fiberglass insulation in the air distribution system of a multi-story office building: VOC production and possible relationship to a sick building syndrome. *Journal of Industrial Microbiology* 16: 280-285.
- Ahearn, DG; Crow, SA; Simmons, RB; Price, DL; Mishra, SK; Pierson, DL. (1997). Fungal colonization of air filters and insulation in a multi-story office building: Production of volatile organics. *Curr Microbiol* 35: 305-308.
- Ahlert, RC; Kosson, DS. (1990). Treatment of hazardous landfill leachates and contaminated groundwater. *J Hazard Mater* 23: 331-342.
- Ahmad, J; HÃgg, M-B. (2013). Development of matrimid/zeolite 4A mixed matrix membranes using low boiling point solvent. *Separation and Purification Technology* 115: 190-197.
- Ahmad, J; HÃgg, M-B. (2013). Preparation and characterization of polyvinyl acetate/zeolite 4A mixed matrix membrane for gas separation. *J Memb Sci* 427: 73-84.
- Ahmad, J; HÃgg, MB. (2013). Effect of zeolite preheat treatment and membrane post heat treatment on the performance of polyvinyl acetate/zeolite 4A mixed matrix membrane. *Separation and Purification Technology* 115: 163-171.
- Ahmad, S; Bashir, MT; Khaliq, FH; Mannan, A; Mukhtar, MF. (2014). Antimicrobial and toxicological studies of *Ochthochloa compressa* plant. *Pak J Pharm Sci* 27: 1209-1213. [Pakistan journal of pharmaceutical sciences].
- Ahmed, AA. (1999). Sesquiterpene coumarins and sesquiterpenes from *Ferula sinaica*. *Phytochemistry* 50: 109-112.
- Ahmed, AE; Kubic, VL; Stevens, JL; Anders, MW. (1980). Halogenated methanes: metabolism and toxicity. *Fed Proc* 39: 3150-3155. [Federation proceedings].
- Ahmed, AS; McGaw, LJ; Moodley, N; Naidoo, V; Eloff, JN. (2014). Cytotoxic, antimicrobial, antioxidant, antilipoxygenase activities and phenolic composition of *Ozoroa* and *Searsia* species (Anacardiaceae) used in South African traditional medicine for treating diarrhoea. *South African Journal of Botany* 95: 9-18.
- Ahmed, HH; Hegazi, MM; Abd-Alla, HI; Eskander, EE; Ellithy, MS. (2011). Antitumour and Antioxidant Activity of Some Red Sea Seaweeds in Ehrlich Ascites Carcinoma in vivo. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 66: 367-376.
- Ahmed, M; Laing, MD; Nsahlai, IV. (2013). In vitro anthelmintic activity of crude extracts of selected medicinal plants against *Haemonchus contortus* from sheep. *J Helminthol* 87: 174-179.
- Ahn, HJ; Yook, HS; Rhee, MS; Lee, CH; Cho, YJ; Byun, MW. (2002). Application of gamma irradiation on breakdown of hazardous volatile N-nitrosamines. *J Food Sci* 67: 596-599.
- Ahrens, MJ; Depree, CV. (2010). A source mixing model to apportion PAHs from coal tar and asphalt binders in street pavements and urban aquatic sediments. *Chemosphere* 81: 1526-1535.
- Ahrens, MJ; Tauber, MJ; Waslewski, MR. (2006). Bis(n-octylamino)perylene-3,4 : 9,10-bis(dicarboximide)s and their radical cations: Synthesis, electrochemistry, and ENDOR spectroscopy. *J Org Chem* 71: 2107-2114.
- Ahrens, S; Strassner, T. (2006). Detour-free synthesis of platinum-bis-NHC chloride complexes, their structure and catalytic activity in the CH activation of methane. *Inorganica Chimica Acta* 359: 4789-4796.
- Aiso, S; Take, M; Kasai, T; Senoh, H; Umeda, Y; Matsumoto, M; Fukushima, S. (2014). Inhalation carcinogenicity of dichloromethane in rats and mice. *Inhal Toxicol* 26: 435-451.
- Aitio, A; Kallio, A. (1999). Exposure and effect monitoring: A critical appraisal of their practical application. *Toxicology Letters (Shannon)* 108: 137-147.
- Aizpuru, A; Malhautier, L; Roux, JC; Fanlo, JL. (2001). Biofiltration of a mixture of volatile organic emissions. *Journal of the Air & Waste Management Association* 51: 1662-1670.

## Environmental Hazard Literature Search Results

### Off Topic

- Akendengue, B; Ngou-Milama, E; Roblot, F; Laurens, A; Hocquemiler, R; Grellier, P; Frappier, F. (2002). Antiplasmodial activity of *Uvaria klaineana*. *Planta Med* 68: 167-169.
- Akgul, C; Saglikoglu, G. (2005). Antibacterial activity of crude methanolic extract and its fractions of aerial parts of *Anthemis tinctoria*. *Indian Journal of Biochemistry & Biophysics* 42: 395-397.
- Akihisa, T; Franzblau, SG; Tokuda, H; Tagata, M; Ukiya, M; Matsuzawa, T; Metori, K; Kimura, Y; Suzuki, T; Yasukawa, K. (2005). Antitubercular activity and inhibitory effect on Epstein-Barr virus activation of sterols and polyisoprenepolyols from an edible mushroom, *Hypsizygus marmoreus*. *Biological & Pharmaceutical Bulletin* 28: 1117-1119.
- Akin, I; Erdemir, S; Yilmaz, M; Ersoz, M. (2012). Calix[4]arene derivative bearing imidazole groups as carrier for the transport of palladium by using bulk liquid membrane. *J Hazard Mater* 223-224: 24-30.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual* 36: 508-520.
- Alam, KD; Ali, MS; Parvin, S; Mahjabeen, S; Akbar, MA; Ahamed, R. (2009). In vitro antimicrobial activities of different fractions of *Swertia chirata* ethanolic extract. *Pak J Biol Sci* 12: 1334-1337. [Pakistan journal of biological sciences : PJBS].
- Alasbahi, R; Melzig, MF. (2008). Screening of some Yemeni medicinal plants for inhibitory activity against peptidases. *Pharmazie* 63: 86-88.
- Alawi, M; Rasheed, M; All-Masri, MG. (2007). Organochlorine pesticides in sea water and sediment samples from the AQABA gulf. *Fresen Environ Bull* 16: 1131-1136.
- Albrecht, D; Basler, B; Bach, T. (2008). Preparation and intramolecular 2+2 -photocycloaddition of 1,5-dihydropyrrol-2-ones and 5,6-dihydro-1H-pyridin-2-ones with C-, N-, and O-linked alkenyl side chains at the 4-position. *J Org Chem* 73: 2345-2356.
- Alden, CL; Burns, JL; Parker, RD; Englehart, JL; Dennis, VW. (1990). Characterization of the early ultrastructural and biochemical events occurring in dichloromethane diphosphonate nephrotoxicity. *Toxicol Pathol* 18: 661-666.
- Al-Dissi, NM; Salhab, AS; Al-Hajj, HA. (2001). Effects of *Inula viscosa* leaf extracts on abortion and implantation in rats. *J Ethnopharmacol* 77: 117-121.
- Al-Fatimi, M; Wurster, M; Kreisel, H; Lindequist, U. (2005). Antimicrobial, cytotoxic and antioxidant activity of selected basidiomycetes from Yemen. *Pharmazie* 60: 776-780.
- Algarra, M; RodrÃ-guez-Borges, JE; Esteves da Silva, JCG. (2010). LC-MS identification of derivatized free fatty acids from adipocere in soil samples. *J Sep Sci* 33: 143-154.
- Al-Harthy, F. (1991). Hydrocarbons in seawater sediment and oyster from the omani coastal waters au - badawy mi. *Bull Environ Contam Toxicol* 47: 386-391.
- Ali, J; Hasan, S; Ali, M. (2006). Formulation and development of gastroretentive drug delivery system for ofloxacin. *Methods and Findings in Experimental and Clinical Pharmacology* 28: 433-439.
- Ali, MC; Suzuki, T; Tachibana, Y; Sasaki, Y; Ikeda, Y. (2012). Selective extraction of perrhenate anion in nitric acid solution using 2,2-((imino)bis(N,N-diethylacetamide)) as an extractant. *Separation and Purification Technology* 92: 77-82.
- Ali, MH; Gomes, MG. (2005). A simple and efficient heterogeneous procedure for thioacetalization of aldehydes and ketones. *Synthesis-Stuttgart* 1326-1332.
- Ali, MH; Kriedelbaugh, D; Wenczewicz, T. (2007). Ceric ammonium nitrate catalyzed oxidation of sulfides to sulfoxides. *Synthesis-Stuttgart* 3507-3511.
- Ali, RM; Houghton, PJ. (1999). A new phenolic fatty acid ester with lipoxygenase inhibitory activity from *Jacaranda filicifolia*. *Planta Med* 65: 455-457.
- Ali, S; Huang, Z; Ren, SX. (2010). The role of diamondback moth cuticle surface compounds in pre-penetration growth of the entomopathogen *Isaria fumosoroseus*. *J Basic Microbiol* 50: 411-419.
- Aliha, HM; Khodadadi, AA; Mortazavi, Y. (2013). The sensing behaviour of metal oxides (ZnO, CuO and Sm<sub>2</sub>O<sub>3</sub>) doped-SnO<sub>2</sub>, for detection of low concentrations of chlorinated volatile organic compounds. *Sensors & Actuators: B* 181: 637-643.
- Alimpic, A; Pljevljakusic, D; Savikin, K; Knezevic, A; Curcic, M; Velickovic, D; Stevic, T; Petrovic, G; Matevski, V; Vukojevic, J; Markovic, S; Marin, PD; Duletic-Lausevic, S. (2015). Composition and biological effects of *Salvia ringens* (Lamiaceae) essential oil and extracts. *Ind Crop Prod* 76: 702-709.
- Alino, PM; Coll, JC; Sammarco, PW. (1992). Toxic prey discrimination in a highly specialized predator *Chaetodon melannotus* (Block et Schneider): visual vs. chemical cues. *Exp Mar Bio Ecol* 164: 209-220.
- Alkalay, D; Guerrero, L; Lema, JM; Mendez, R; Chamy, R. (1998). Review: Anaerobic treatment of municipal sanitary landfill leachates: The problem of refractory and toxic components. *World Journal of Microbiology & Biotechnology* 14: 309-320.
- Allevi, P; Olivero, P; Anastasia, M. (2004). Controlled synthesis of labelled 3-L-chlorotyrosine- ring-(13)C(6) and of 3,5-L-dichlorotyrosine- ring-(13)C(6). *Journal of Labelled Compounds & Radiopharmaceuticals* 47: 935-945.
- Al-Lihaibi, SS. (2003). Photo-oxidation products of petroleum hydrocarbons in the Eastern Red Sea coastal waters. *Environ Int* 28: 573-579.
- Allis, JW; Brown, BL; Zhao, GY; Pegram, RA. (2001). The effects of inhalation exposure to bromo-dichloromethane on specific rat CYP isoenzymes. *Toxicology* 161: 67-77.
- Allocati, N; Federici, L; Masulli, M; Di Ilio, C. (2009). Glutathione transferases in bacteria. *Febs Journal* 276: 58-75.
- Almalki, AJ; Zaher, A; Simithy, J; Keller, WJ; Tripp, M; Calderon, AI. (2016). LC-MS-Based Quality Assessment of a Traditional Chinese Medicine YANG XIN Formulation. *Planta Med* 82: 1208-1216.
- Almendros, G; Guadalix, ME; Gonzalez-Vila, FJ; Martin, F. (1998). Distribution of structural units in humic substances as revealed by multi-step selective degradations and (13)C-NMR of successive residues. *Soil Biology & Biochemistry* 30: 755-765.

## Environmental Hazard Literature Search Results

### Off Topic

- Almodovar, J; Kipper, MJ. (2011). Coating electrospun chitosan nanofibers with polyelectrolyte multilayers using the polysaccharides heparin and N,N,N-trimethyl chitosan. *Macromol Biosci* 11: 72-76. [Macromolecular bioscience].
- Alonso, C; Zhu, XQ; Suidan, MT; Kim, BR; Kim, BJ. (2000). Parameter estimation in biofilter systems. *Environmental Science & Technology* 34: 2318-2323.
- Alonso, M; Palacios, G; Ortíz, SP; Talamo, A; Rojas, R; Lozano, LB; Toncovich, ME; Cerrillos, EEA. (2013). Evaluation of carminic acid obtained from cochineal (*Dactylopius Coccus* Costa) produced under protected conditions. *Acta horticulturae* 401-404.
- Alonso-Amelot, ME; Perez-Mena, M; Calcagno, MP; Jaimes-Espinoza, R; Castillo, U. Ontogenic variation of biologically active metabolites of *Pteridium aquilinum* (L. Kuhn), pterosins A and B, and ptaquiloside in a bracken population of the tropical Andes. *J Chem Ecol* Aug 1992. v. 18 (8): 1405-1420.
- Alsop, D; Hewitt, M; Kohli, M; Brown, S; Van der Kraak, G. (2003). Constituents within pulp mill effluent deplete retinoid stores in white sucker and bind to rainbow trout retinoic acid receptors and retinoid X receptors. *Environ Toxicol Chem* 22: 2969-2976.
- Altınışık, N; Tavasli, M; Aydemir, M; Abay, B; Monkman, AP. (2016). Synthesis, thermal and optical properties of a novel bis(2-(4-dicyanovinylphenyl)pyridinato-N,C2)iridium(acetylacetonate). *Inorganica Chimica Acta* 440: 102-106.
- Altarejos, Jn; Salido, Sa; Pérez-Bonilla, M; Linares-Palomino, PJ; van Beek, TA; Nogueras, M; Sánchez, A. (2005). Preliminary assay on the radical scavenging activity of olive wood extracts. *Fitoterapia* 76: 348-351.
- Alther, G. (2002). Using organoclays to enhance carbon filtration. *Waste Manag* 22: 507-513.
- Altintas, O; Rudolph, T; Barner-Kowollik, C. (2011). Single chain self-assembly of well-defined heterotelechelic polymers generated by ATRP and click chemistry revisited. *Journal of polymer science* 49: 2566-2576.
- Alvarez Pineiro, ME; Simal Lozano, J; Lage Yusty, MA; Gonzalez-Barros, ST. (1996). Comparison of two extraction methods for determination of PCBs and PCTs in mussels from Galicia. *Talanta* 43: 487-491.
- Alvarez-Idaboy, JR; Reyes, L; Mora-Diez, N. (2007). The mechanism of the Baeyer-Villiger rearrangement: quantum chemistry and TST study supported by experimental kinetic data. *Organic & Biomolecular Chemistry* 5: 3682-3689.
- Alves, C; Pio, C; Carvalho, A; Santos, C. (2006). Atmospheric carbonaceous aerosols over grasslands of central Europe and a Boreal forest. *Chemosphere* 63: 153-164.
- Alves, DS; Machado, ART; Campos, VAC; Oliveira, DF; Carvalho, GA. (2016). Selection of Annonaceae Species for the Control of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) and Metabolic Profiling of *Duguetia lanceolata* Using Nuclear Magnetic Resonance Spectroscopy. *J Econ Entomol* 109: 649-659.
- Alves, TMA; Kloos, H; Zani, CL. (2003). Eleutherinone, a novel fungitoxic naphthoquinone from *Eleutherine bulbosa* (Iridaceae). *Mem Inst Oswaldo Cruz* 98: 709-712.
- Alves, TMD; Ribeiro, FL; Kloos, H; Zani, CL. (2001). Polygodial, the fungitoxic component from the Brazilian medicinal plant *Polygonum punctatum*. *Mem Inst Oswaldo Cruz* 96: 831-833.
- Alzaga, R; Maldonado, C; Bayona, JM. (1998). Intercomparison among SFE, ASE, Soxhlet and sonication for the trialkylamine determination in sediment and sludge. *Int J Environ Anal Chem* 72: 99-111.
- Alzaga, R; Pascual, E; Erra, P; Bayona, JM. (1999). Development of a novel supercritical fluid extraction procedure for lanolin extraction from raw wool. *Anal Chim Acta* 381: 39-48.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 35: 1577-1590.
- Am Soc Test, M. (1990). *Astm manual series manual 10. a guide to the safe handling of hazardous materials accidents second edition*. Astm (American Society for Testing and Materials) Astm Manual Series Manual, 10 A Guide to the Safe Handling of Hazardous Materials Accidents, Second Edition Vii+63p Astm: Philadelphia, Pennsylvania, USA Illus Paper Isbn 0-8031-1415-X; 0 (0) 1990 Vii+63p.
- Ambedkar, SS; Deshpande, BS; Sudhakaran, VK; Shewale, JG. (1991). *Beijerinckia indica* var. *penicillanicum* penicillin V acylase: Enhanced enzyme production by catabolite repression-resistant mutant and effect of solvents on enzyme activity. *J Ind Microbiol* 7: 209-214.
- Ambike, AA; Mahadik, KR; Paradkar, A. (2005). Spray-dried amorphous solid dispersions of simvastatin, a low T(g) drug: In vitro and in vivo evaluations. *Pharm Res* 22: 990-998.
- Ambriz, SJ; Strand, MR; Burkholder, WE. Behavioral response of the parasitoid *Lariophagus distinguendus* (Forst) (Hymenoptera:Pteromalidae) to extracts from cocoons of *Lasioderma serricorne* Fab. (Coleoptera Anobiidae) and their effects on subsequent oviposition responses. *Biological control : theory and applications in pest management* Feb 1996. v. 6 (1): 51-56.
- Amelin, VG; Lavrukhin, DK; Tret'yakov, AV. (2013). Dispersive liquid-liquid microextraction for the determination of herbicides of urea derivatives family in natural waters by HPLC. *Journal of analytical chemistry* 68: 822-830.
- Amer, SM; El-Saharty, YS; Metwally, FH; Younes, KM. (2005). Spectrophotometric study of etodolac complexes with copper (II) and iron (III). *J AOAC Int* 88: 1637-1643.
- Amiguet, VT; Jewell, LE; Mao, H; Sharma, M; Hudson, JB; Durst, T; Allard, M; Rochefort, G; Arnason, JT. (2011). Antibacterial properties of a glycolipid-rich extract and active principle from Nunavik collections of the macroalgae *Fucus evanescens* C. Agardh (Fucales). *Can J Microbiol* 57: 745-749.
- Aminabhavi, TM; Munnolli, RS. (1994). An assessment of chemical compatibility of bromobutyl rubber chlorosulfonated polyethylene and epichlorohydrin membranes in the presence of some hazardous organic liquids. *J Hazard Mater* 38: 223-242.
- Aminabhavi, TM; Naik, HG. (1999). Sorption/desorption, diffusion, permeation and swelling of high density polyethylene geomembrane in the presence of hazardous organic liquids. *J Hazard Mater* 64: 251-262.

## Environmental Hazard Literature Search Results

### Off Topic

- Aminabhavi, TM; Phayde, HT; Ortego, JD. (1996). Resistivity and dimensional stability of high-performance engineering thermoplastic blend of ethylene-propylene random copolymer and isotactic polypropylene membrane in the presence of hazardous haloalkanes. *J Hazard Mater* 46: 71-88.
- Amoo, SO; Finnie, JF; Van Staden, J. (2012). Acetylcholinesterase Inhibition, Antioxidant, Antiinflammatory, Antimicrobial and Phytochemical Properties of *Huernia hystrix*. *Phytother Res* 26: 639-645.
- Amoo, SO; Ndhlala, AR; Finnie, JF; Van Staden, J. (2009). Antibacterial, antifungal and anti-inflammatory properties of *Burchellia bubalina*. *South African Journal of Botany* 75: 60-63.
- Amoo, SO; Ndhlala, AR; Finnie, JF; Van Staden, J. (2011). Antifungal, acetylcholinesterase inhibition, antioxidant and phytochemical properties of three *Barleria* species. *South African Journal of Botany* 77: 435-445.
- Amoo, SO; Van Staden, J. (2013). Pharmacological properties and in vitro shoot production of *Barleria argillicola* - A critically endangered South African species. *South African Journal of Botany* 85: 87-93.
- Anary-Abbasinejad, M; Moslemine, MH; Anaraki-Ardakani, H. (2009). One-pot synthesis of highly functionalized stable ketenimines of 2,2,2-trifluoro-N-aryl-acetamides. *Journal of Fluorine Chemistry* 130: 368-371.
- Anaya, AL; Hernandez-Bautista, BE; Jimenez-Estrada, M; Velasco-Ibarra, L. Phenylacetic acid as a phytotoxic compound of corn pollen. *J Chem Ecol* June 1992. v. 18 (6): 897-905.
- Anbalagan, C; Lafayette, I; Antoniou-Kourounioti, M; Gutierrez, C; Martin, JR; Chowdhuri, DK; De Pomerai, DI. (2013). Use of transgenic GFP reporter strains of the nematode *Caenorhabditis elegans* to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. *Ecotoxicology* 22: 72-85.
- Anbazhagan, V; Kalaiselvan, A; Jaccob, M; Venuvanalingam, P; Renganathan, R. (2008). Investigations on the fluorescence quenching of 2,3-diazabicyclo 2.2.2 oct-2-ene by certain flavonoids. *Journal of Photochemistry and Photobiology B-Biology* 91: 143-150.
- Anders, MW. (2008). Chemical toxicology of reactive intermediates formed by the glutathione-dependent bioactivation of halogen-containing compounds. *Chem Res Toxicol* 21: 145-159.
- Anders, MW; Andersen, ME; Clewell, HJ; Gargas, ML; Guengerich, FP; Reitz, RH. (2010). Comment on MV Evans and JC Caldwell: Evaluation of two different metabolic hypotheses for dichloromethane toxicity using physiologically based pharmacokinetic modeling of in vivo gas uptake data exposure in female B6C3F1 mice, *Toxicol. Appl. Pharmacol.*, 244,280-290,2010. *Toxicol Appl Pharmacol* 248: 63-64.
- Anders, MW; Kubic, VL; Ahmed, AE. (1977). Metabolism of halogenated methanes and macromolecular binding. *J Environ Pathol Toxicol* 1: 117-124. [Journal of environmental pathology and toxicology].
- Andersen, ME. (1981). Pharmacokinetics of inhaled gases and vapors. *Neurobehav Toxicol Teratol* 3: 383-389. [Neurobehavioral toxicology and teratology].
- Andersen, ME; Clewell, HJ; Mahle, DA; Gearhart, JM. (1994). Gas Uptake Studies of Deuterium Isotope Effects on Dichloromethane Metabolism in Female B6C3F1 Mice in Vivo. *Toxicol Appl Pharmacol* 128: 158-165.
- Anderson, JW; Newton, FC; Hardin, J; Tukey, RH; Richter, KE. (1996). Chemistry and toxicity of sediments from san diego bay including a biomarker p450 rgs response. Bengtson, D A And D S Henshel (Ed) *Astm Stp, 1306 Environmental Toxicology and Risk Assessment: Biomarkers and Risk Assessment, Fifth Volume, Symposium, Denver, Colorado, USA, April 3-5, 1995* Xiii+476p American Society for Testing and Materials (Astm): Philadelphia, Pennsylvania, USA Isbn 0-8031-2031-1; 0 (1306) 1996 53-78.
- Anderson, LM; Harrington, GW; Pylypiw, HM, Jr.; Hagiwara, A; Magee, PN. (1986). Tissue levels and biological effects of N-nitrosodimethylamine in mice during chronic low or high dose exposure with or without ethanol. *Drug Metab Dispos* 14: 733-739. [Drug metabolism and disposition: the biological fate of chemicals].
- Andjelkovic, DD; Larock, RC. (2006). Novel rubbers from cationic copolymerization of soybean oils and dicyclopentadiene. 1. Synthesis and characterization. *Biomacromolecules* 7: 927-936.
- Ando, K. (2010). Mechanistic Study on the Gold-Catalyzed C-S Bond Formation of alpha-Thioallenes To Form 2,5-Dihydrothiophenes. *J Org Chem* 75: 8516-8521.
- Andres, Y; Dumont, E; Le Cloirec, P; Ramirez-Lopez, E. (2006). Wood bark as packing material in a biofilter used for air treatment. *Environ Technol* 27: 1297-1301.
- Andrews, AR; Zlatkis, A; Tang, MT; Zhang, W; Shanfield, H. (1993). New purification technique for the removal of organics from aqueous solutions using silicone polymers. *Environ Sci Technol* 27: 1139-1145.
- Andrianaivoravelona, JO; Sahpaz, S; Terreaux, C; Hostettmann, K; Stoeckli-Evans, H; Rasolondramanitra, J. (1999). Two 6-substituted 5,6-dihydro-alpha-pyrone from *Ravensara anisata*. *Phytochemistry* 52: 265-269.
- Andrianaivoravelona, JO; Sahpaz, S; Terreaux, C; Hostettmann, K; Stoeckli-Evans, H; Rasolondramanitra, J. (1999). Two 6-substituted 5,6-dihydro- $\beta$ -pyrones from *Ravensara anisata*. *Phytochemistry* 52: 265-269.
- Andrighetti-Fröhner, CR; Sincero, TCM; da Silva, AC; Savi, LA; Gaido, CM; Bettega, JMR; Mancini, M; de Almeida, MTR; Barbosa, RA; Farias, MR; Barardi, CRM; Simões, CMO. (2005). Antiviral evaluation of plants from Brazilian Atlantic Tropical Forest. *Fitoterapia* 76: 374-378.
- Angelo, MJ; Bischoff, KB; Pritchard, AB; Presser, MA. (1984). A physiological model for the pharmacokinetics of methylene chloride in B6C3F1 mice following i.v. administrations. *J Pharmacokinetic Biopharm* 12: 413-436. [Journal of pharmacokinetics and biopharmaceutics].
- Angelo, MJ; Pritchard, AB. (1984). Simulations of methylene chloride pharmacokinetics using a physiologically based model. *Regul Toxicol Pharmacol* 4: 329-339.
- Anish, C; Upadhyay, AK; Sehgal, D; Panda, AK. (2014). Influences of process and formulation parameters on powder flow properties and immunogenicity of spray dried polymer particles entrapping recombinant pneumococcal surface protein A. *Int J Pharm* 466: 198-210.

## Environmental Hazard Literature Search Results

### Off Topic

- Ankli, A; Heilmann, J; Heinrich, M; Sticher, O. (2000). Cytotoxic cardenolides and antibacterial terpenoids from *Crossopetalum gaumeri*. *Phytochemistry* 54: 531-537.
- Anna, CH; Iida, M; Sills, RC; Devereux, TR. (2003). Expression of potential beta-catenin targets, cyclin D1, c-Jun, c-Myc, E-cadherin, and EGFR in chemically induced hepatocellular neoplasms from B6C3F1 mice. *Toxicol Appl Pharmacol* 190: 135-145.
- Anon. (1985). More leaks and adverse report pressurize union carbide corporation. *Manuf Chem* 56: 1986.
- Anon. (1994). Implications to water suppliers and householders of the new WHO guidelines for drinking water quality. *Aqua (Oxford)* 43: 315-322.
- Anonymous. (1999). This meeting contains abstracts of 42 papers, written in English, covering chemical studies of toxic substances and experimental studies in animals and tissue culture, including enzymology. *J Health Sci* 45: P.
- Ansorena, D; Astiasaran, I; Bello, J. (2000). Changes in volatile compounds during ripening of chorizo de Pamplona elaborated with *Lactobacillus plantarum* and *Staphylococcus carnosus*. *Food Science and Technology International* 6: 439-447.
- Ansorena, D; Astiasaran, I; Bello, J. (2000). Influence of the simultaneous addition of the protease flavourzyme and the lipase Novozym 677BG on dry fermented sausage compounds extracted by SDE and analyzed by GC-MS. *J Agric Food Chem* 48: 2395-2400.
- Antipin, RL; Beloglazkina, EK; Magouga, AG; Chernysheva, AN; Zyk, NV. (2008). A new method for the synthesis of 5-bromo(aryl)methylene-substituted hydantoins. *Chemistry of heterocyclic compounds* 44: 1135-1137.
- Antoniadis, CD; D'Oria, E; Karamertzanis, PG; Tocher, DA; Florence, AJ; Price, SL; Jones, AG. (2010). A Computationally Inspired Investigation of the Solid Forms of (R)-1-Phenylethylammonium-(S)-2-phenylbutyrate. *Chirality* 22: 447-455.
- Antropova, TV; Baran, J; Gavrilko, T; Gnatyuk, I; Morawska-Kowal, T; Melnik, V; Puchkovska, G; Vorobjev, V. (2005). Interface interactions and optical properties of novel photonic nanocomposites consisting of porous glasses doped with organic luminophore molecules. *Optica Applicata* 35: 725-733.
- Antu, KA; Riya, MP; Mishra, A; Anilkumar, KS; Chandrakanth, CK; Tamrakar, AK; Srivastava, AK; Raghu, KG. (2014). Antidiabetic property of *Symplocos cochinchinensis* is mediated by inhibition of alpha glucosidase and enhanced insulin sensitivity. *PLoS One* 2014; 9(9):e105829 [PloS one].
- Antwi-Boampong, S; BelBruno, JJ. (2013). Detection of formaldehyde vapor using conductive polymer films. *Sensors & Actuators: B* 182: 300-306.
- Anugraha, G; Madhumathi, J; Jeya Prita, PJ; Kaliraj, P. (2015). Biodegradable poly-L-lactide based microparticles as controlled release delivery system for filarial vaccine candidate antigens. *Eur J Pharmacol* 747: 174-180.
- Aoyagi, K; Nakamura, H; Yamamoto, Y. (2002). Palladium-catalyzed aminoallylation of activated olefins with allylic halides and phthalimide. *J Org Chem* 67: 5977-5980.
- Apperloo, JJ; Janssen, RAJ; Malenfant, PRL; Frechet, JMJ. (2001). Interchain delocalization of photoinduced neutral and charged states in nanoaggregates of lengthy oligothiophenes. *J Am Chem Soc* 123: 6916-6924.
- Aqil, M; Ali, A. (2002). Monolithic matrix type transdermal drug delivery systems of pinacidil monohydrate: in vitro characterisation. *Eur J Pharm Biopharm* 54: 161-164.
- Aqil, M; Sultana, Y; Ali, A. (2003). Matrix type transdermal drug delivery systems of metoprolol tartrate: in vitro characterization. *Acta Pharm* 53: 119-125. [Acta pharmaceutica (Zagreb, Croatia)].
- Aqil, M; Sultana, Y; Ali, A; Dubey, K; Najmi, AK; Pillai, KK. (2004). Transdermal drug delivery systems of a beta blocker: design, in vitro, and in vivo characterization. *Drug Deliv* 11: 27-31. [Drug delivery].
- Arãas, JAG; Lawrie, RA. (1984). Effect of lipid-protein interactions on extrusion of offal protein isolates. *Meat Science* 11: 275-299.
- Arãas, JAG; Lawrie, RA. (1986). Scanning calorimetric studies on offal protein isolates. *Meat Science* 17: 25-35.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6: 713-720.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Gonzalez-Velasco, JR; Gonzalez-Marcos, JA. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol* 91: 318-326.
- Araoz, MVC; Mercado, MI; Grau, A; Catalan, CAN. (2010). Ent-kaurane derivatives from the root cortex of *Yacon* and other three *Smallanthus* species (Heliantheae, Asteraceae). *Biochemical Systematics and Ecology* 38: 1042-1048.
- Araujo, PLB; Araujo, ES; Santos, RFS; Pacheco, APL. (2005). Synthesis and morphological characterization of PMMA/polyaniline nanofiber composites. *Microelectronics Journal* 36: 1055-1057.
- Arcos, MLB; Cremaschi, G; Werner, S; Coussio, J; Ferraro, G; Anesini, C. (2006). *Tilia cordata* Mill. extracts and scopoletin (isolated compound): Differential cell growth effects on lymphocytes. *Phytother Res* 20: 34-40.
- Ardito, CP; Duval, TA; Reaber, DW. (1996). Characterizing a VOC site through on-site analysis of soil gas. Wang, W, J L Schnoor and J Doi (Ed) *Astm Stp, 1261 Volatile Organic Compounds In the Environment; Symposium, Montreal, Quebec, Canada, April 11-13, 1994* 291p *Astm* (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA ISBN 0-8031-2048-6; 0 (1261) 1996 203-218.
- Arends, IWCE; Vos, M; Sheldon, RA. Catalytic oxidations with biomimetic vanadium systems. *Vanadium compounds : chemistry, biochemistry, and therapeutic applications* /146-156.
- Argemi, A; Vega, A; Subra-Paternault, P; Saurina, J. (2009). Characterization of azacytidine/poly(L-lactic) acid particles prepared by supercritical antisolvent precipitation. *J Pharm Biomed Anal* 50: 847-852.
- Argo, J. (1998). Retrospective exposure assessment with emission inventories: A new approach to an old problem. *Environmetrics* 9: 505-518.

## Environmental Hazard Literature Search Results

### Off Topic

- Arimoto, T; Takano, H; Inoue, K; Yanagisawa, R; Yoshino, S; Yamaki, K; Yoshikawa, T. (2007). Pulmonary exposure to diesel exhaust particle components enhances circulatory chemokines during lung inflammation. *Int J Immunopathol Pharmacol* 20: 197-201. [International journal of immunopathology and pharmacology].
- Arivoli, S; Narendran, T; Ignacimuthu, S. (2000). Larvicidal activity of some botanicals against *Culex quinquefasciatus* say. *Journal of Advanced Zoology* 21: 19-23.
- Arjona-Esteban, A; Stolte, M; Wurthner, F. (2016). Conformational Switching of pi-Conjugated Junctions from Merocyanine to Cyanine States by Solvent Polarity. *Angewandte Chemie-International Edition* 55: 2470-2473.
- Armfield, SJ; Sallis, PJ; Baker, PB; Bull, AT; Hardman, DJ. (1995). Dehalogenation of haloalkanes by *Rhodococcus erythropolis* Y2. *Biodegradation* 6: 237-246.
- Armstrong, AQ; Hodson, RE; Hwang, HM; Lewis, DL. (1991). Environmental factors affecting toluene degradation in ground water at a hazardous waste site. *Environ Toxicol Chem* 10: 147-158.
- Arnold, B; Blaskó, Gb; Kerekes, Pt; Makleit, Sn. (1987). Chapter 1 Reissert Synthesis of Isoquinoline and Indole Alkaloids\*. *The Alkaloids: Chemistry and Pharmacology* 1-28.
- Arnold, MM; Gonnann, EM; Schieber, LJ; Munson, EJ; Berkland, C. (2007). NanoCipro encapsulation in monodisperse large porous PLGA microparticles. *J Control Release* 121: 100-109.
- Arora, A; Singh, B; Sud, D; Srivastava, T; Arora, CL. (2003). Inhibition of nitrification in soil by metal diethyldithiocarbamates. *J Environ Sci* 15: 607-610.
- Arquiaga, MC; Canter, LW; Robertson, JM. (1995). Microbiological characterization of the biological treatment of aircraft paint stripping wastewater. *Environ Pollut* 89: 189-195.
- Arregui, FJ; Claus, RO; Cooper, KL; Fernandez-Valdivielso, C; Matias, IR. (2001). Optical fiber gas sensor based on self-assembled gratings. *Journal of Lightwave Technology* 19: 1932-1937.
- Arrieta, J; Benitez, J; Flores, E; Castillo, C; Navarrete, A. (2003). Purification of gastroprotective triterpenoids from the stem bark of *Amphipterygium adstringens*; Role of prostaglandins, sulphhydryls, nitric oxide and capsaicin-sensitive neurons. *Planta Med* 69: 905-909.
- Arrieta, Js; Siles-Barrios, D; Garcá-a-Sánchez, J; Reyes-Trejo, B; Sánchez-Mendoza, MaE. (2010). Relaxant Effect of the Extracts of *Crataegus mexicana* on Guinea Pig Tracheal Smooth Muscle. *Pharmacognosy Journal* 2: 40-46.
- Arsenou, ES; Koutsourea, AI; Fousteris, MA; Nikolaropoulos, SS. (2003). Optimization of the allylic oxidation in the synthesis of 7-keto-Delta(5)-steroidal substrates. *Steroids* 68: 407-414.
- Arsenou, ES; Koutsourea, AI; Fousteris, MA; Nikolaropoulos, SS. (2003). Optimization of the allylic oxidation in the synthesis of 7-keto- $\Delta^5$ -steroidal substrates. *Steroids* 68: 407-414.
- Arshanitsa, A; Krumina, L; Telysheva, G; Dizhbite, T. (2016). Exploring the application potential of incompletely soluble organosolv lignin as a macromonomer for polyurethane synthesis. *Ind Crop Prod* 92: 1-12.
- Artiola, JF. (1996). Industrial sources of pollution. Pepper, I L, C P Gerba and M L Brusseau (Ed) *Pollution Science* Xxiv+397p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-550660-0; 0 (0) 1996 267-277.
- Artiola, JF. (1996). Waste disposal. Pepper, I L, C P Gerba and M L Brusseau (Ed) *Pollution Science* Xxiv+397p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-550660-0; 0 (0) 1996 135-149.
- Arulgnanendran, VR; Nirmalakhandan, N. (1995). Determining cleanup levels in bioremediation quantitative structure activity relationship techniques. Hinchee, R E, G S Douglas and S K Ong (Ed) *Bioremediation*, 3 (5) Monitoring and Verification of Bioremediation; Selected Papers from the Third International in Situ and on-Site Bioreclamation Symposium, San Diego, California, USA, April 1995 X+273p Battelle Press: Columbus, Ohio, USA Isbn 1-57477-006-3; 0 (0) 1995 165-174.
- Arulgnanendran, VR; Nirmalakhandan, N. (1998). Microbial toxicity in soil medium. *Ecotoxicol Environ Saf* 39: 48-56.
- Arwidsson, H; Johansson, B. (1991). Application of intrinsic viscosity and interaction constant as a formulation tool for film coating. III. Mechanical studies on free ethyl cellulose films, cast from organic solvents. *Int J Pharm* 76: 91-97.
- Arwidsson, H; Nicklasson, M. (1989). Application of intrinsic viscosity and interaction constant as a formulation tool for film coating. I. Studies on ethyl cellulose 10 cps in organic solvents. *Int J Pharm* 56: 187-193.
- Arwidsson, H; Nicklasson, M. (1990). Application of intrinsic viscosity and interaction constant as a formulation tool for film coating II. Studies on different grades of ethyl cellulose in organic solvent systems. *Int J Pharm* 58: 73-77.
- Asakawa, M; Miyazawa, K; Noguchi, T. (1993). Studies on paralytic shellfish poison (PSP) toxification of bivalves, in association with appearance of *Alexandrium tamarense* in Hiroshima Bay, Hiroshima Prefecture. *J Food Hyg Soc Jpn* 34: 50-54.
- Asensio-Ramos, M; Hernandez-Borges, J; Ravelo-Perez, LM; Rodriguez-Delgado, MA. (2008). Simultaneous determination of seven pesticides in waters using multi-walled carbon nanotube SPE and NACE. *Electrophoresis* 29: 4412-4421.
- Ashley, DL; Bonin, MA; Cardinali, FL; McCraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clinical Chemistry* 40: 1401-1404.
- Asim, M; Hussien, H; Arnason, JT; Poveda, L; Durst, T. (2007). Spirocaracolitone triterpenoids from the bark of *Ruptionocarpon caracolito*. *J Nat Prod* 70: 1228-1232.
- Asker, E; Masnovi, J. (2009). Charge-transfer complexations of 1,n-di(9-ethylcarbazol-3-yl)alkanes with tetracyanoethylene and tetranitromethane. *Spectrochim Acta A Mol Biomol Spectrosc* 71: 1973-1978. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].

## Environmental Hazard Literature Search Results

### Off Topic

- Aslanidis, P; Cox, PJ; Tsiplis, AC. (2010). Structural and electronic properties of luminescent copper(I) halide complexes of bis[2-(diphenylphosphano)phenyl] ether (DPEphos). Crystal structure of [CuCl(DPEphos)(dmpymtH)]. Dalton Trans 39: 10238-10248. [Dalton transactions (Cambridge, England : 12003)].
- Asres, K; Mazumder, A; Bucar, F. (2006). Antibacterial and antifungal activities of extracts of *Combretum molle*. Ethiop Med J 44: 269-277. [Ethiopian medical journal].
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe(2+), S(2-), and FeS with vitamin B(12) as organic amendment. Journal of Environmental Engineering-Asce 128: 94-99.
- Assempour, H; Koenig, MF; Huang, SJ. Synthesis and characterization of dodecanyl succinate derivatives of saccharides. Polymers from agricultural coproducts /69-81.
- Assimopoulou, AN; Boskou, D; Papageorgiou, VP. (2004). Antioxidant activities of alkannin, shikonin and *Alkanna tinctoria* root extracts in oil substrates. Food Chem 87: 433-438.
- Assmann, C; von Elert, E. (2009). The Impact of Fungal Extracts on Leaf Litter on the Food Preference of *Gammarus roeselii*. Int Rev Hydrobiol 94: 484-496.
- Assmuth, TW; Strandberg, T. (1993). Ground water contamination at Finnish landfills. Water Air Soil Pollut 69: 179-199.
- Astel, A; Biziuk, M; Przyjazny, A; Namiesnik, J. (2006). Chemometrics in monitoring spatial and temporal variations in drinking water quality. Water Res 40, issue 8: 1706-1716.
- Astill, BD; Gingell, R; Guest, D; Hellwig, J; Hodgson, JR; Kuettler, K; Mellert, W; Murphy, SR; Sielken Jr, RL; Tyler, TR. (1996). Oncogenicity Testing of 2-Ethylhexanol in Fischer 344 Rats and B6C3F1 Mice. Fundam Appl Toxicol 31: 29-41.
- Astrand, I; Ovrum, P; Carlsson, A. (1975). Exposure to methylene chloride. I Its concentration in alveolar air and blood during rest and exercise and its metabolism. Scand J Work Environ Health 1: 78-94. [Scandinavian journal of work, environment & health].
- Athanasas, K; Magiatis, P; Fokialakis, N; Skaltsounis, AL; Pratsinis, H; Kletsas, D. (2004). Hyperjovins A and B: Two new phloroglucinol derivatives from *Hypericum jovis* with antioxidant activity in cell cultures. J Nat Prod 67: 973-977.
- Atherholt, TB; McGarrity, GJ; Louis, J. (1982). Mutagenic activity of sterilization indicators. Environ Mutagen 1982; 4(1):93-101 [Environmental mutagenesis].
- Attias, AJ; Cavalli, C; Lemaitre, N; Cherioux, F; Maillotte, H; Ledoux, I; Zyss, J. (2002). 6,6'-distyryl-3,3'-bipyridine derivatives: a novel class of tunable chromophores for second- and third-order nonlinear optical applications. Journal of Optics a-Pure and Applied Optics 4: S212-S220.
- Attoua, B; Yeo, D; Lagnika, L; Harisolo, R; Antheaume, C; Weniger, B; Kaiser, M; Lobstein, A; Vonthron-Sâ€™scheu, C. (2012). In vitro antileishmanial, antiplasmodial and cytotoxic activities of a new ventiloquinone and five known triterpenes from *Parinari excelsa*. Pharm Biol 50: 801-806. [Pharmaceutical biology].
- Atwater, JW; Jasper, SE; Parkinson, PD; Mavinic, DS. (1990). Organic contaminants in Canadian coal wastewaters and associated sediments. Wat Pollut Res J Can 25: 187-200.
- Au, SM; Huang, JS; Yu, WY; Fung, WH; Che, CM. (1999). Aziridination of alkenes and amidation of alkanes by bis(tosylimido)ruthenium(VI) porphyrins. A mechanistic study. J Am Chem Soc 121: 9120-9132.
- Aubert, C; Bourger, N. (2004). Investigation of volatiles in charentais cantaloupe melons (*Cucumis melo* var. *cantalupensis*). Characterization of aroma constituents in some cultivars. J Agric Food Chem 52: 4522-4528.
- Aubin, J; L'Amour, M; Francoeur, E; Burgeon, E; Fournier, A. (2008). Identification of ETA and ETB binding domains using ET-derived photoprobes. Biochimie 90: 918-929.
- Aumelas, A; Serrero, A; Durand, A; Dellacherie, E; Leonard, M. (2007). Nanoparticles of hydrophobically modified dextrans as potential drug carrier systems. Colloids and Surfaces B-Biointerfaces 59: 74-80.
- Aurich, I; Hirche, F; Ulbrich-Hofmann, R. (1999). The determination of phospholipase D activity in emulsion systems. Anal Biochem 268: 337-342.
- Autio, J; Vuoti, S; Haukka, M; Pursiainen, J. (2008). Palladium(II) complexes of 2-, 3-, and 4-quinolinyldiphenylphosphane and di-(3-quinolinyldiphenylphosphane): Synthesis, characterization, and catalytic screening. Inorganica Chimica Acta 361: 1372-1380.
- Aversa, MC; Barattucci, A; Bilardo, MC; Bonaccorsi, P; Giannetto, P; Rollin, P; Tatibouet, A. (2005). Sulfenic acids in the carbohydrate field. An example of straightforward access to novel multivalent thiosaccharides. J Org Chem 70: 7389-7396.
- Aviado, DM. (1978). Effects of fluorocarbons, chlorinated solvents, and inosine on the cardiopulmonary system. Environ Health Perspect 26: 207-215.
- Awad, J; van Leeuwen, J; Chow, C; Drikas, M; Smernik, RJ; Chittleborough, DJ; Bestland, E. (2016). Characterization of dissolved organic matter for prediction of trihalomethane formation potential in surface and sub-surface waters. J Hazard Mater 308: 430-439.
- Aydin, GO; Sonmez, HB. (2015). Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. Mar Pollut Bull 96: 155-164.
- Aydodmup, Z; Barla, A. (2009). Spectrophotometric Determination of Doxazosin Mesylate in Tablets by Ion-Pair and Charge-Transfer Complexation Reactions. J AOAC Int 92: 131-137.
- Aygün, SF. (2005). Determination of some polycyclic aromatic hydrocarbons in filter tar of Turkish cigarettes. J Sep Sci 28: 2370-2373. [Journal of separation science].
- Azarian, A; Zad, AI; Dolati, A; Ghorbani, M. (2007). Time dependence of the surface plasmon resonance of copper nanorods. Journal of Physics-Condensed Matter 19: 46007-46007.
- Äzdemir, AI; Demir, S; Gânal, S; Äzdemir, AS; Arâcâc, C; Äelkâ¼, De. (2010). Synthesis, characterization and antimicrobial activity of new silver complexes with N-heterocyclic carbene ligands. Inorganica Chimica Acta 363: 3803-3808.



## Environmental Hazard Literature Search Results

### Off Topic

- Åzdemir, Ås; Arslan, H; Demir, S; VanDerveer, D; Åzetinkaya, B. (2008). Synthesis, characterization and catalytic properties of an N-heterocyclic carbene palladium-based complex. *Inorganic Chemistry Communications* 11: 1462-1465.
- Aziz, S; Aziz, S; Rehman, HU; Andleeb, S. (2015). Biological screening of *Elaeagnus umbellata* Thunb. *Pak J Pharm Sci* 28: 65-70. [Pakistan journal of pharmaceutical sciences].
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol* 190: 58-68.
- Azmi, SNH; Al-Fazari, A; Al-Badaei, M; Al-Mahrazi, R. (2015). Utility of eosin Y as a complexing reagent for the determination of citalopram hydrobromide in commercial dosage forms by fluorescence spectrophotometry. *Luminescence* 30: 1352-1359.
- Azzam, F; Siqueira, E; Fort, S; Hassaini, R; Pignon, F; Travelet, C; Putaux, JL; Jean, B. (2016). Tunable Aggregation and Gelation of Thermoresponsive Suspensions of Polymer-Grafted Cellulose Nanocrystals. *Biomacromolecules* 17: 2112-2119.
- BÅliveau, M; Tardif, R; Krishnan, K. (2003). Quantitative structure-activity relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. *Toxicol Appl Pharmacol* 189: 221-232.
- BÅttcher, H-C; Graf, M; SÅnkel, K; Salert, B; KrÅger, H. (2011). Synthesis of the tris-cyclometalated complex fac-[Rh(ppy)<sub>3</sub>] and X-ray crystal structure of [Rh(acac)(ppy)<sub>2</sub>]. *Inorganic Chemistry Communications* 14: 377-379.
- BÅcker, A; FalcÅo-BÅcker, NC; Nunez, CV; Pinheiro, CC; Tadei, WP. (2013). Evaluation of larvicidal activity and brine shrimp toxicity of rhizome extracts of *Zingiber zerumbet* (L.) Smith. *Rev Soc Bras Med Trop* 46: 377-380. [Revista da Sociedade Brasileira de Medicina Tropical].
- BÅchner, R; Field, JS; Haines, RJ; Ledwaba, LP; McGuire Jr, R; McMillin, DR; Munro, OQ. (2007). Synthesis, crystal structure and solid state photoluminescence of [Pt(trpy)(CCPh)]SbF<sub>6</sub> (trpy=2,2',6',6'-terpyridine). *Inorganica Chimica Acta* 360: 1633-1638.
- Babak, VG; Baros, F; Boulanouar, O; Boury, F; Fromm, M; Kildeeva, NR; Ubrich, N; Maincent, P. (2007). Impact of bulk and surface properties of some biocompatible hydrophobic polymers on the stability of methylene chloride-in-water mini-emulsions used to prepare nanoparticles by emulsification-solvent evaporation. *Colloids Surf B Biointerfaces* 59: 194-207.
- Babak, VG; Baros, F; Boulanouar, O; Boury, F; Fromm, M; Kildeeva, NR; Ubrich, N; Maincent, P. (2007). Impact of bulk and surface properties of some biocompatible hydrophobic polymers on the stability of methylene chloride-in-water mini-emulsions used to prepare nanoparticles by emulsification-solvent evaporation. *Colloids and Surfaces B-Biointerfaces* 59: 194-207.
- Babak, VG; Baros, F; Boury, F; Desbrieres, J. (2008). Dilational viscoelasticity and relaxation properties of interfacial electrostatic complexes between oppositely charged hydrophobic and hydrophilic polyelectrolytes. *Colloids and Surfaces B-Biointerfaces* 65: 43-49.
- Babb, ME; Kang, C; Brinkman, MA; Lee, C. (2014). Argentine Worker Ant (Hymenoptera: Formicidae) Mortality Response to Sodium Salicylate and Sodium Cinnamate. *Journal of Entomological Science* 49: 342-351.
- Baber, TM; Graiver, D; Lira, CT; Narayan, R. (2005). Application of catalytic ozone chemistry for improving biodiesel product performance. *Biomacromolecules* 6: 1334-1344.
- Babin, MC; Ricketts, K; Skvorak, JP; Gazaway, M; Mitcheltree, LW; Casillas, RP. (2000). Systemic administration of candidate antivesicants to protect against topically applied sulfur mustard in the mouse ear vesicant model (MEVM). *J Appl Toxicol* 21: S141-S144.
- Baccelli, C; Block, S; Van Holle, B; Schanck, A; Chapon, D; Tinant, B; Van Meervelt, L; Morel, N; Quetin-Leclercq, J. (2005). Diterpenes isolated from *Croton zambesicus* inhibit KCl-induced contraction. *Planta Med* 71: 1036-1039.
- Baccelli, C; Martinsen, A; Morel, N; Quetin-Leclercq, J. (2010). Vasorelaxant Activity of Essential Oils from *Croton zambesicus* and Some of Their Constituents. *Planta Med* 76: 1506-1511.
- Bacchus, H. (1967). A method for measurement of total 17-OH, 21-methyl steroids in the urine and its application to clinical problems. *Metabolism* 16: 153-161.
- Bachir, S; Ambrosio, M; Federici, V; Barnier, H. (1998). Hydrothermal oxidation of organochlorines. *Analisis* 26: 237-244.
- Back, H; Suesser, P. (1992). Concentrations of volatile chlorinated hydrocarbons and trichloroacetic acid in earthworms. 4th International Symposium on Earthworm Ecology, Avignon, France, June 11-15, 1990 *Soil Biol Biochem* 24: 1745-1748.
- Back, TG; Moussa, Z; Parvez, M. (2002). Asymmetric methoxyseleenylation and cyclizations with 3-camphorseleeno electrophiles containing oxime substituents at C-2. Formation of an unusual oxaselenazole from an oxime-substituted selenenyl bromide. *J Org Chem* 67: 499-509.
- Backhouse, CN; Delporte, CL; Negrete, RE; Erazo, S; Zuniga, A; Pinto, A; Cassels, BK. (2001). Active constituents isolated from *Psoralea glandulosa* L. with antiinflammatory and antipyretic activities. *J Ethnopharmacol* 78: 27-31.
- Badens, E; Majerik, V; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E; Charbit, G. (2009). Comparison of solid dispersions produced by supercritical antisolvent and spray-freezing technologies. *Int J Pharm* 377: 25-34.
- Bader, A; Martini, F; Schinella, GR; Rios, JL; Prieto, JM. (2015). Modulation of Cox-1, 5-, 12- and 15-Lox by Popular Herbal Remedies Used in Southern Italy Against Psoriasis and Other Skin Diseases. *Phytother Res* 29: 108-113.
- Bader, A; Martini, F; Schinella, GR; Rios, JL; Prieto, JM. (2015). Modulation of Cox-1, 5-, 12- and 15-Lox by Popular Herbal Remedies Used in Southern Italy Against Psoriasis and Other Skin Diseases. *Phytother Res* 29: 108-113.
- Badji, B; Mostefaoui, A; Sabaou, N; Lebrihi, A; Mathieu, F; Seguin, E; Tillequin, F. (2007). Isolation and partial characterization of antimicrobial compounds from a new strain *Nonomuraea* sp NM94. *Journal of Industrial Microbiology & Biotechnology* 34: 403-412.
- Badria, FA; Ameen, M; Akl, MR. (2007). Evaluation of cytotoxic compounds from *Calligonum comosum* L growing in Egypt. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 62: 656-660.
- Bae, JH; Jang, JR; Lim, SY. (2014). Production of Glutathione and Reactive Oxygen Species in Cell Line HT-1080 Treated with Chub Mackerel (*Scomber japonicus*) Extract. *Philippine Agricultural Scientist* 97: 180-184.

## Environmental Hazard Literature Search Results

### Off Topic

- Bae, SY; Jeon, IY; Yang, J; Park, N; Shin, HS; Park, S; Ruoff, RS; Dai, L; Baek, JB. (2011). Large-area graphene films by simple solution casting of edge-selectively functionalized graphite. *ACS Nano* 5: 4974-4980. [ACS nano].
- Baer, I; Margot, P. (2009). Analysis of fatty acids in ecstasy tablets. *Forensic Sci Int* 188: 68-74.
- Baez, DH; de los Rios, C; Crescente, O; Caserta, A. (1998). Antibacterial and chemical evaluation of *Chromolaena moritziana*. *J Ethnopharmacol* 59: 203-206.
- Baggiani, C; Anfossi, L; Baravalle, P; Giovannoli, C; Giraudi, G. (2007). Molecular recognition of polycyclic aromatic hydrocarbons by pyrene-imprinted microspheres. *Anal Bioanal Chem* 389: 413-422.
- Bagherifam, S; Griffiths, GW; Maelandsmo, GM; Nystrom, B; Hasirci, V; Hasirci, N. (2015). Poly(sebacic anhydride) nanocapsules as carriers: effects of preparation parameters on properties and release of doxorubicin. *J Microencapsul* 32: 166-174.
- Bagley, DM; Gossett, JM. Chloroform degradation in methanogenic enrichment cultures and by *Methanosarcina barkeri* 227. *Appl Environ Microbiol Sept* 1995. v. 61 (9): 3195-3201.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res* 34: 171-178.
- Bahia, PS; Jones, MA; Snaith, JS. (2004). Al-isopropoxydiisobutylalane: A study of the effect of solvent on the rate and stereoselectivity of cyclic ketone reduction. *J Org Chem* 69: 9289-9291.
- Bai, GF; Yu, CJ; Cheng, C; Hao, EH; Wei, Y; Mu, XL; Jiao, LJ. (2014). Syntheses and photophysical properties of BF<sub>2</sub> complexes of curcumin analogues. *Organic & Biomolecular Chemistry* 12: 1618-1626.
- Bai, KL; Kuriachan, PI. (1997). Cytological evolution among South Indian *Cyanotis D. Don* (Commelinaceae). *Caryologia* 50: 163-174.
- Bailey, BM; Fei, R; Munoz-Pinto, D; Hahn, MS; Grunlan, MA. (2012). PDMSStar<sup>®</sup>PEG hydrogels prepared via solvent-induced phase separation (SIPS) and their potential utility as tissue engineering scaffolds. *Acta Biomater* 8: 4324-4333.
- Bailey, JJ; Bundle, DR. (2014). Synthesis of high-mannose 1-thio glycans and their conjugation to protein. *Organic & Biomolecular Chemistry* 12: 2193-2213.
- Bailey, VL; McGill, WB. (2001). Carbon transformations by indigenous microbes in four hydrocarbon-contaminated soils under static remediation conditions. *Can J Soil Sci* 81: 193-204.
- Bailey, VL; McGill, WB. (2002). Fate of (14)C-labeled pyrene in a creosote- and octadecane in an oil-contaminated soil. *Soil Biology & Biochemistry* 34: 423-433.
- Bailon, L; Nikolausz, M; Kastner, M; Veiga, MC; Kennes, C. (2009). Removal of dichloromethane from waste gases in one- and two-liquid-phase stirred tank bioreactors and biotrickling filters. *Water Res* 43: 11-20.
- Bainard, LD; Brown, PD; Upadhyaya, MK. (2009). Inhibitory Effect of Tall Hedge Mustard (*Sisymbrium loeselii*) Allelochemicals on Rangeland Plants and Arbuscular Mycorrhizal Fungi. *Weed Sci* 57: 386-393.
- Baird-Lambert, J; Dunlop, RW; Jamieson, DD. (1980). Anticonvulsant activity of a novel diterpene isolated from a soft coral of the genus *Lobophytum*. *Arzneimittelforschung* 30: 964-967.
- Bairu, MW; Amoo, SO; Van Staden, J. (2011). Comparative phytochemical analysis of wild and in vitro-derived greenhouse-grown tubers, in vitro shoots and callus-like basal tissues of *Harpagophytum procumbens*. *South African Journal of Botany* 77: 479-484.
- Bajaj, P; Tang, X; Saif, TA; Bashir, R. (2010). Stiffness of the substrate influences the phenotype of embryonic chicken cardiac myocytes. *Journal of Biomedical Materials Research Part A* 95A: 1261-1269.
- Bajwa, R; Anjum, T; Shafique, S; Shafique, S. (2006). Evaluation of antifungal activity of *Cicer arietinum* L. *Pakistan Journal of Botany* 38: 175-184.
- Bak, JP; Cho, YM; Kim, I; Park, DW; Kwon, JE; Jeong, YJ; Kwak, JH; Kang, SC. (2016). Inhibitory effects of norlignans isolated from *Anemarrhena asphodeloides* on degranulation of rat basophilic leukemia-2H3 cells. *Biomedicine & Pharmacotherapy* 84: 1061-1066.
- Bakalbassis, EG; Malamidou-Xenikaki, E; Spyroudis, S; Xantheas, SS. (2010). Dimerization of Indanedione ketene to Spiro-oxetanone: A Theoretical Study. *J Org Chem* 75: 5499-5504.
- Baker, JA. (1989). Case studies in organic contaminant hydrogeology. *Environ Geol Water Sci* 14: 17-34.
- Baker, JL; Sudarsan, N; Weinberg, Z; Roth, A; Stockbridge, RB; Breaker, RR. (2012). Widespread Genetic Switches and Toxicity Resistance Proteins for Fluoride. *Science* 335: 233-235.
- Baker, RJ; Gibs, J; Meng, AK; Suffet, IH. (1987). Evaluation of a teflon helix liquid-liquid extractor for concentration of trace organics from water into methylene chloride. *Water Res* 21: 179-190.
- Bakht, J; Islam, A; Shafi, M. (2011). ANTIMICROBIAL POTENTIALS OF *ECLIPTA ALBA* BY WELL DIFFUSION METHOD. *Pakistan Journal of Botany* 43: 169-174.
- Bakker, MI; Baas, WJ; Sijm, D; Kolloffel, C. (1998). Leaf wax of *Lactuca sativa* and *Plantago major*. *Phytochemistry* 47: 1489-1493.
- Baleta, FN; Laureta, LV; Apines-Amar, MJS; Padilla, PIP; Qunitio, GF. (2011). Biological Activity of Extracts of *Sargassum oligocystum* (Magnaye) against Aquaculture Pathogenic Bacteria. *Israeli Journal of Aquaculture-Bamidgeh* 63: 667-667.
- Baliga, MS; Jagetia, GC; Rao, SK; Babu, K. (2003). Evaluation of nitric oxide scavenging activity of certain spices in vitro: A preliminary study. *Nahrung-Food* 47: 261-264.
- Balkis, N; Aksu, A; Ersan, MS. (2012). Petroleum hydrocarbon contamination of the Southern Black Sea Shelf, Turkey. *Environ Sci Pollut Res Int* 19: 592-599.
- Balkowski, G; Szemik-Hojniak, A; van Stokkum, IH; Zhang, H; Buma, WJ. (2005). Femtosecond excited state studies of the two-center three-electron bond driven twisted internal charge transfer dynamics in 1,8-bis(dimethylamino)naphthalene. *J Phys Chem A* 109: 3535-3541. [The journal of physical chemistry. A].

## Environmental Hazard Literature Search Results

### Off Topic

- Ball, JC. (2000). Comparison of organic solvent extracts and the fatty acid composition of nonpolar lipids of shed skins from male and female corn snakes (*Elaphe guttata guttata*). *J Herpetol* 34: 266-273.
- Ball, JC; Young, WC. (1992). Evidence for a new class of mutagens in diesel particulate extracts. *Environ Sci Technol* 26: 2181-2186.
- Ballester, P; Gil-Ramirez, G. (2009). Self-assembly of dimeric tetraurea calix 4 pyrrole capsules. *Proceedings of the National Academy of Sciences of the United States of America* 106: 10455-10459.
- Ballinger, JR; Gulenchyn, KY; Hassan, MN. (1989). Technetium-99m spiperone dithiocarbamate: a potential radiopharmaceutical for dopamine receptor imaging with SPECT. *Int J Rad Appl Instrum A* 1989; 40(6):547-9 [International journal of radiation applications and instrumentation Part A, Applied radiation and isotopes].
- Balmer, MF; Smith, FA; Leach, LJ; Yuile, CL. (1976). Effects in the liver of methylene chloride inhaled alone and with ethyl alcohol. *Am Ind Hyg Assoc J* 37: 345-352. [American Industrial Hygiene Association journal].
- Balon, M; Carmona, C; Guardado, P; Munoz, MA. (1998). Hydrogen-bonding and proton transfer interactions between harmine and trifluoroethanol in the ground and excited singlet states. *Photochem Photobiol* 67: 414-419.
- Baluch, AS; Guisinger, NP; Basu, R; Foley, ET; Hersam, MC. (2004). Atomic-level robustness of the Si(100)-2X1 : H surface following liquid phase chemical treatments in atmospheric pressure environments. *Journal of Vacuum Science & Technology A* 22: L1-L5.
- Ban, M; Okazaki, K; Ozawa, M; Kitazawa, M; Kakehi, A; Ito, S. (1997). Stereoselective halogenation in Friedel-Crafts acylation of 1-acetylidoline with chiral 2-(methanesulfonyloxy)propionyl chlorides. *Chemical & Pharmaceutical Bulletin* 45: 765-768.
- Bandara, K; Kumar, V; Ninkovic, V; Ahmed, E; Pettersson, J; Glinwood, R. (2009). Can Leek Interfere With Bean Plant-Bean Fly Interaction? Test of Ecological Pest Management in Mixed Cropping. *J Econ Entomol* 102: 999-1008.
- Bandara, K; Kumar, V; Saxena, RC; Ramdas, PK. (2005). Bruchid (Coleoptera : Bruchidae) ovicidal phenylbutanoid from *Zingiber purpureum*. *J Econ Entomol* 98: 1163-1169.
- Bandara, KAN; Peries, ID; Kumar, V; Karunaratne, V; Ranasinghe, MAS. (1990). Insecticidal activity of *Acorus calamus* L. and *Glycosmis mauritiana* (Lam.) Tanaka against *Aphis craccivora* (Homoptera: Aphididae). *Trop Agric* 67: 223-228.
- Bandeira, KF; Tininis, AG; Bolzani, VDS; Cavalheiro, AJ. (2006). Optimisation of conditions for the extraction of casearins from *Casearia sylvestris* using response surface methodology. *Phytochem Anal* 17: 168-175.
- Bangedphol, S; Sakultantimetha, A; Keenan, HE; Songsasen, A. (2006). Optimization of microwave-assisted extraction of polycyclic aromatic hydrocarbons from sediments. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 2006; 41(6):1105-16 [Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering].
- Banjerjee, S. (1996). Estimating water solubilities of organics as a function of temperature. *Water Res* 30: 2222-2225.
- Banoth, L; Singh, M; Tekewe, A; Banerjee, UC. (2009). Increased enantioselectivity of lipase in the transesterification of dl-(+/-)-3-phenyllactic acid in ionic liquids. *Biocatalysis and Biotransformation* 27: 263-270.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol* 90: 175-184.
- Bao Loan, HN; Kerkaert, B; Cucu, T; Mestdagh, Fdr; De Meulenaer, B. (2016). 3-chlorotyrosine formation versus other molecular changes induced by hypochlorous acid in proteins: A study using dairy proteins as a model. *LWT - Food Science and Technology* 68: 145-152.
- Bao, RR; Zhang, CY; Zhang, XJ; Ou, XM; Lee, CS; Jie, JS; Zhang, XH. (2013). Self-assembly and hierarchical patterning of aligned organic nanowire arrays by solvent evaporation on substrates with patterned wettability. *ACS Appl Mater Interfaces* 5: 5757-5762. [ACS applied materials & interfaces].
- Barakat, SA. (1999). Determination of manganese in steel after extraction of dimethyldistearylammonium permanganate. *Anal Chim Acta* 393: 223-226.
- Baran, JRJ; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I lllior with alkyl glucamide surfactants. *Environmental Science & Technology* 30: 2143-2147.
- Baras, B; Benoit, MA; Gillard, J. (2000). Parameters influencing the antigen release from spray-dried poly(DL-lactide) microparticles. *Int J Pharm* 200: 133-145.
- Barat, RB; Bozzelli, JW. (1989). Reaction of chlorocarbons to hydrochloric acid and hydrocarbons in a hydrogen-rich microwave-induced plasma reactor. *Environ Sci Technol* 23: 666-671.
- Baratelli, TD; Gomes, ACC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125.
- Baratelli, TDG; Candido Gomes, AC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125.
- Barba, C; Carmona, D; Garcia, JI; Lamata, MP; Mayoral, JA; Salvatella, L; Viguri, F. (2006). Conformational preferences of methacrolein in Diels-Alder and 1,3-dipolar cycloaddition reactions. *J Org Chem* 71: 9831-9840.
- Barberis, S; Quiroga, E; Morcelle, S; Priolo, N; Luco, JM. (2006). Study of phytoproteases stability in aqueous-organic biphasic systems using linear free energy relationships. *Journal of Molecular Catalysis B: Enzymatic* 38: 95-103.
- Barbosa, AF; Silva, KCB; de Oliveira, MrCC; de Carvalho, MrG; Sabaa Srur, AUO. (2016). Effects of *Acmella oleracea* methanolic extract and fractions on the tyrosinase enzyme. *Revista Brasileira de Farmacognosia* 26: 321-325.
- Barboza, TJD; Ferreira, AF; Ignacio, A; Albarello, N. (2015). Antimicrobial activity of *Anonna mucosa* (Jacq.) grown in vivo and obtained by in vitro culture. *Brazilian Journal of Microbiology* 46: 785-789.
- Bardin, VV; Adonin, NY; Frohn, H-J. (2007). A well feasible and general route to (organoethynyl)difluoroboranes, RHCCBF<sub>2</sub>, and their perfluorinated analogues, RFCCBF<sub>2</sub>. *Journal of Fluorine Chemistry* 128: 699-702.

## Environmental Hazard Literature Search Results

### Off Topic

- Barone, CR; de Pinto, S; Maresca, L; Natile, G; Pacifico, C. (2012). Activation of ketones by electrophilic metal complexes: Synthesis of some ketonyl platinum(II) complexes and X-ray crystal structure of  $[PtCl\{CH_2C(O)CH_3\}(1,10\text{-phenanthroline})] \cdot 1/2Y$  ( $Y = H_2O$  or  $CH_2Cl_2$ ). *Inorganica Chimica Acta* 383: 13-19.
- Barr, JR; Murty, VS; Yamaguchi, K; Singh, S; Smith, DH; Hecht, SM. (1988). 5-Alkylresorcinols from *Hakea amplexicaulis* that cleave DNA. *Chem Res Toxicol* 1: 204-207. [Chemical research in toxicology].
- Barra, G; D'Aniello, C; Guadagno, L; Vittoria, V. (1999). Transport properties of dichloromethane in polymeric blends - Part I - Low density polyethylene-isotactic polypropylene. *Journal of Materials Science* 34: 4601-4606.
- Barrado, AI; Garca, S; Sevillano, ML; Rodriguez, JA; Barrado, E. (2013). Vapor-phase concentrations of PAHs and their derivatives determined in a large city: correlations with their atmospheric aerosol concentrations. *Chemosphere* 93: 1678-1684. [Chemosphere].
- Barreiro, DL; Riede, S; Hornung, U; Kruse, A; Prins, W. (2015). Hydrothermal liquefaction of microalgae: Effect on the product yields of the addition of an organic solvent to separate the aqueous phase and the biocrude oil. *Algal Research-Biomass Biofuels and Bioproducts* 12: 206-212.
- Barrett, AM; Dehghani, F; Foster, NR. (2008). Increasing the dissolution rate of itraconazole processed by gas antisolvent techniques using polyethylene glycol as a carrier. *Pharm Res* 25: 1274-1289.
- Bartnicki, EW; Castro, CE. (1994). Biodehalogenation: Rapid oxidative metabolism of mono- and polyhalomethanes by *Methylosinus trichosporium* OB-3b. *Environ Toxicol Chem* 13: 241-245.
- Barua, RN; Sharma, RP; Thyagarajan, G; Hertz, W. (1978). Flavonoids of *Chromolaena odorata*. *Phytochemistry* 17: 1807-1808.
- Basheer, IA; Najjar, YM; Hajmeer, MN. (1996). Neuronet modeling of VOC adsorption by GAC. *Environ Technol* 17: 795-806.
- Bassanini, I; Gavezzotti, P; Monti, D; Krezhovi, J; Ken, Vr; Riva, S. Laccase-catalyzed dimerization of glycosylated lignols. *Journal of Molecular Catalysis B: Enzymatic*.
- Basu, M; Sinha, AK; Pradhan, M; Sarkar, S; Negishi, Y; Govind; Pal, T. (2010). Evolution of Hierarchical Hexagonal Stacked Plates of CuS from Liquid-Liquid Interface and its Photocatalytic Application for Oxidative Degradation of Different Dyes under Indoor Lighting. *Environmental Science & Technology* 44: 6313-6318.
- Bataineh, SM; Saadoun, I; Hameed, KM; Ababneh, Q. (2008). Screening for soil streptomycetes from North Jordan that can produce herbicidal compounds. *Pol J Microbiol* 2008; 57(4):297-305 [Polish journal of microbiology / Polskie Towarzystwo Mikrobiologow = The Polish Society of Microbiologists].
- Batista, D; Carvalho, AP; Costa, R; Coutinho, R; Dobretsov, S. (2014). Extracts of macroalgae from the Brazilian coast inhibit bacterial quorum sensing. *Botanica Marina* 57: 441-447.
- Batovska, DI; Todorova, IT; Nedelcheva, DV; Parushev, SP; Atanassov, AI; Hvarleva, TD; Djakova, GJ; Bankova, VS; Popov, SS. (2008). Preliminary study on biomarkers for the fungal resistance in *Vitis vinifera* leaves. *J Plant Physiol* 165: 791-795.
- Batt, SC; Peterson, PJ. (1988). Risk assessment techniques for carcinogenic chemicals. Richardson, M L (Ed) *Risk Assessment of Chemicals in the Environment; Third European Conference*, Guilford, England, UK, July 11-14, 1988 Xxi+579p Royal Society of Chemistry: London, England, UK Illus Maps Isbn 0-85186-118-0; 0 (0) 1988 153-176.
- Bauchop, T. (1967). Inhibition of rumen methanogenesis by methane analogues. *J Bacteriol* 94: 171-175. [Journal of bacteriology].
- Bauer, A; Schneider, W; Angermaier, K; Schier, A; Schmidbaur, H. (Phosphine)gold(I)-silyloxides and -silylthiolates. *Inorganica Chimica Acta* 251: 249-253.
- Baumgartner, L; Sosa, S; Atanasov, AG; Bodensieck, A; Fakhrudin, N; Bauer, J; Del Favero, G; Ponti, C; Heiss, EH; Schwaiger, S; Ladurner, A; Widowitz, U; Della Loggia, R; Rollinger, JM; Wenz, O; Bauer, R; Dirsch, VM; Tubaro, A; Stuppner, H. (2011). Lignan Derivatives from *Krameria lappacea* Roots Inhibit Acute Inflammation in Vivo and Pro-inflammatory Mediators in Vitro. *J Nat Prod* 74: 1779-1786.
- Baxter, RM. (1989). Reductive dehalogenation of environmental contaminants a critical review. *Wat Pollut Res J Can* 24: 299-322.
- Bayne, CK; Schmoyer, DD; Jenkins, RA. (1994). Practical reporting times for environmental samples. *Environmental Science & Technology* 28: 1430-1436.
- Bayona, JM; Casellas, M; Fernandez, P; Solanas, AM; Albaiges, J. (1994). Sources and seasonal variability of mutagenic agents in the Barcelona City aerosol. *Chemosphere* 29: 441-450.
- Bayram, C; Denkbaz, EB; Kilicay, E; Hazer, B; Cakmak, HB; Noda, I. (2008). Preparation and characterization of triamcinolone acetonide-loaded poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBHx) microspheres. *J Bioact Compat Polymer* 23: 334-347.
- Bazes, A; Silkina, A; Douzenel, P; Fay, F; Kervarec, N; Morin, D; Berge, JP; Bourgougnon, N. (2009). Investigation of the antifouling constituents from the brown alga *Sargassum muticum* (Yendo) Fensholt. *J Appl Phycol* 21: 395-403.
- Bazhina, ES; Nikiforova, ME; Aleksandrov, GG; Efimov, NN; Ugolkova, HA; Nikitin, OM; Magdesieva, TV; Bogomyakov, AS; Minin, VV; Sidorov, AA; Novotortsev, VM; Eremenko, IL. (2012). New sulfate-bridged dinuclear oxidovanadium complexes. *Inorganica Chimica Acta* 392: 192-198.
- Bean, RM; Thomas, BL; Neitzel, DA. (1985). Analysis of sediment matter for halogenated products from chlorination of power plant cooling water. Jolley, R L Et Al (Ed) *Water Chlorination, Vol 5 Chemistry, Environmental Impact and Health Effects Fifth Conference on Water Chlorination: Environmental Impact and Health Effects*, Williamsburg, Va, USA, June 3-8, 1984 Xx+1575p Lewis Publishers, Inc: Chelsea, Mich, USA Illus Maps Isbn 0-87371-005-3; 0 (0) 1985 1357-1370.
- Becerro, MA; Turon, X; Uriz, MJ. (1997). Multiple functions for secondary metabolites in encrusting marine invertebrates. *J Chem Ecol* 23: 1527-1547.

## Environmental Hazard Literature Search Results

### Off Topic

- Becker, AG; da Cunha, MA; Garcia, LD; Zeppenfeld, CC; Parodi, TV; Maldaner, G; Morel, AF; Baldisserotto, B. (2013). Efficacy of eugenol and the methanolic extract of *Condalia buxifolia* during the transport of the silver catfish *Rhamdia quelen*. *Neotropical Ichthyology* 11: 675-681.
- Bedia, J; GÃmez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd/Pt on sulfated and tungstated zirconia catalysts. *J Catal* 294: 207-215.
- Begum, NA; Mondal, S; Basu, S; Laskar, RA; Mandal, D. (2009). Biogenic synthesis of Au and Ag nanoparticles using Aqueous solutions of Black Tea leaf extracts. *Colloids and Surfaces B-Biointerfaces* 71: 113-118.
- Behr, JB; Chavaria, D; Plantier-Royon, R. (2013). Trifluoromethide as a Strong Base: CF<sub>3</sub>- Mediates Dichloromethylation of Nitrones by Proton Abstraction from the Solvent. *J Org Chem* 78: 11477-11482.
- Behzadi, H; Lalancette, RA. (1991). Extending of the use of USEPA method 1625 for the analysis of 4,4'-DDT, 4,4'-DDD, and 4,4'-DDE. *Microchem J* 44: 122-129.
- Belferrag, A; Kriker, A; Abboudi, S; Bi, ST. (2016). Effect of granulometric correction of dune sand and pneumatic waste metal fibers on shrinkage of concrete in arid climates. *J Clean Prod* 112: 3048-3056.
- Belisario, MA; Farina, C; Buonocore, V. (1985). Evaluation of concentration procedures of mutagenic metabolites from urine of diesel particulate-treated rats. *Toxicol Lett* 25: 81-88.
- Beliveau, M; Tardif, R; Krishnan, K. (2003). Quantitative structure-property relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. *Toxicol Appl Pharmacol* 189: 221-232.
- Belkin, S. (1992). Biodegradation of haloalkanes. *International Workshop on the Use of Microorganisms to Combat Pollution, Israel, May 10-18, 1992 Biodegradation* 3: 299-313.
- Belkin, S; Smulski, DR; Dadon, S; Vollmer, AC; Van Dyk, TK; Larossa, RA. (1997). A panel of stress-responsive luminous bacteria for the detection of selected classes of toxicants. *Water Res* 31: 3009-3016.
- Belkova, NV; Besora, M; Epstein, LM; Lledos, A; Maseras, F; Shubina, ES. (2003). Influence of media and homoconjugate pairing on transition metal hydride protonation. An IR and DFT study on proton transfer to CpRuH(CO)(PCy<sub>3</sub>). *J Am Chem Soc* 125: 7715-7725.
- Belkova, NV; Dub, PA; Baya, M; Houghton, J. (2007). Kinetics and thermodynamics of proton transfer to Cp\*—Ru(dppe)H: Via dihydrogen bonding and (Î-2-H<sub>2</sub>)-complex to the dihydride. *Inorganica Chimica Acta* 360: 149-162.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1991). Methylene chloride exposure and birthweight in Monroe County, New York. *Environ Res* 55: 31-39.
- Bell, DA; Kamens, RM. (1990). Evaluation of the mutagenicity of combustion particles from several common biomass fuels in the Ames/Salmonella microsome test. *Mutation Research Letters* 245: 177-183.
- Bell, DA; Karam, H; Kamens, RM. (1990). Nonaqueous ion-exchange separation technique for use in bioassay-directed fractionation of complex mixtures: Application to wood smoke particle extracts. *Environ Sci Technol* 24: 1261-1264.
- Bell, J; Melcer, H; Monteith, H; Osinga, I; Steel, P. (1993). Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. *Water Environ Res* 65: 708-716.
- Belmont-DÃjaz, J; LÃpez-Gordillo, AP; Molina GarduÃno, E; Serrano-GarcÃa, L; Coballase-Urrutia, E; CÃrdenas-RodrÃguez, N; Arellano-Aguilar, O; Montero-Montoya, RD. (2014). Micronuclei in bone marrow and liver in relation to hepatic metabolism and antioxidant response due to coexposure to chloroform, dichloromethane, and toluene in the rat model. *Biomed Res Int* 2014; 2014:425070 [BioMed research international].
- Bem, H; Ryan, DE. (1985). Determination of palladium in different samples by neutron activation after selective preconcentration with Î±-benzildioxime. *Anal Chim Acta* 169: 79-85.
- Ben Ghorbal, SK; Chatti, A; Sethom, MM; Maalej, L; Mihoub, M; Kefacha, S; Feki, M; Landoulsi, A; Hassen, A. (2013). Changes in Membrane Fatty Acid Composition of *Pseudomonas aeruginosa* in Response to UV-C Radiations. *Curr Microbiol* 67: 112-117.
- Ben Kahla-Nakbi, A; Haouas, N; El Ouaer, A; Guerbej, H; Ben Mustapha, K; Babba, H. (2010). Screening of antileishmanial activity from marine sponge extracts collected off the Tunisian coast. *Parasitol Res* 106: 1281-1286.
- Bending, GD; Lincoln, SD. (1999). Characterisation of volatile sulphur-containing compounds produced during decomposition of *Brassica juncea* tissues in soil. *Soil Biology & Biochemistry* 31: 695-703.
- Benenati, F. (1990). Plants keystone to risk assessment. Wang, W, J W Gorsuch and W R Lower (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, 1091 Plants for Toxicity Assessment; Symposium on Use of Plants for Toxicity Assessment, Atlanta, Georgia, USA, April 19-20, 1989* Vii+363p American Society for Testing and Materials: Philadelphia, Pennsylvania, USA Illus Isbn 0-8031-1397-8; 0 (0) 1990 5-13.
- Benigni, R; Cotta-Ramusino, M; Andreoli, C. (1991). Relationship between chlorofluorocarbon chemical structure and their *Salmonella* mutagenicity. *J Toxicol Environ Health* 34: 397-408.
- Benita, S; Benoit, JP; Puisieux, F; Thies, C. (1984). Characterization of Drug-Loaded Poly(d,l-lactide) Microspheres. *J Pharm Sci* 73: 1721-1724.
- Bennett, GF. (1989). Impact of toxic chemicals on local wastewater treatment plant and the environment. *Environ Geol Water Sci* 13: 201-212.
- Bennie, L; Coetzee, J; Malan, E; Ferreira, D. (2001). Structure and stereochemistry of triflavanoids containing both ether and carbon-carbon interflavanyl bonds. *Phytochemistry* 57: 1023-1034.
- Benoit, JP; Courteille, F; Thies, C. (1986). A physicochemical study of the morphology of progesterone-loaded poly (d,l-lactide) microspheres. *Int J Pharm* 29: 95-102.
- Benoit-Vical, F; Santillana-Hayat, M; Kone-Bamba, D; Mallie, M; Derouin, F. (2000). Anti-Toxoplasma activity of vegetal extracts used in West African traditional medicine. *Parasite-Journal De La Societe Francaise De Parasitologie* 7: 3-7.

## Environmental Hazard Literature Search Results

### Off Topic

- Bentham, RH; McClure, NC. (2003). A novel laboratory microcosm for cocomposting of pentachlorophenol contaminated soil. *Compost Science & Utilization* 11: 311-320.
- Benyahia, N; Belkhouche, N; J  nsson, J  k. (2014). A comparative study of experimental optimization and response surface methodology of Bi(III) extraction by emulsion organophosphorus liquid membrane. *Journal of Environmental Chemical Engineering* 2: 1756-1766.
- Berchane, NS; Jebail, FF; Carson, KH; Rice-Ficht, AC; Andrews, MJ. (2006). About mean diameter and size distributions of poly(lactide-co-glycolide) (PLG) microspheres. *J Microencapsul* 23: 539-552.
- Berens, AR. (1985). Prediction of organic chemical permeation through polyvinyl chloride pipe. *Am Water Works Assoc J* 77: 57-64.
- Bergamini, G; Ceroni, P; Balzani, V; Villavieja Mdel, M; Kandre, R; Zhun, I; Lukin, O. (2006). A photophysical study of terphenyl core oligosulfonimide dendrimers exhibiting high steady-state anisotropy. *Chemphyschem* 7: 1980-1984. [Chemphyschem : a European journal of chemical physics and physical chemistry].
- Bergamini, G; Saudan, C; Ceroni, P; Maestri, M; Balzani, V; Gorka, M; Lee, SK; van Heyst, J; Vogtle, F. (2004). Proton-driven self-assembled systems based on cyclam-cored dendrimers and Ru(bpy)(CN)(4) (2-). *J Am Chem Soc* 126: 16466-16471.
- Bergbreiter, DE; Priyadarshani, N. (2011). Syntheses of terminally functionalized polyisobutylene derivatives using diazonium salts. *Journal of polymer science* 49: 1772-1783.
- Berger, ML; Sozeri, T. (1987). Rapid halogenated hydrocarbon toxicity in isolated hepatocytes is mediated by direct solvent effects. *Toxicology* 45: 319-330.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health* 1: 1-263.
- Bergwerff, AA; Scherpenisse, P; Haagsma, N. (1998). HPLC determination of residues of spectinomycin in various tissue types from husbandry animals. *Analyst* 123: 2139-2144.
- Berlin, J; Witte, L; Schubert, W; Wray, V. (1984). Determination and quantification of monoterpenoids secreted into the medium of cell cultures of *Thuja occidentalis*. *Phytochemistry* 23: 1277-1279.
- Bermudez, I; Beadle, DJ; Trifilieff, E; Luu, B; Hietter, H. (1991). Electrophysiological activity of the C-peptide of the *Locusta* insulin-related peptide Effect on the membrane conductance of *Locusta* neurones in vitro. *FEBS Letters* 293: 137-141.
- Bernardo, M; Lapa, N; Gon  salves, M; Barbosa, R; Mendes, B; Pinto, F; Gulyurtlu, I. (2010). Toxicity of char residues produced in the co-pyrolysis of different wastes. *Waste Manag* 30: 628-635.
- Berrocal, JA; Nieuwenhuizen, MML; Mandolini, L; Meijer, EW; Di Stefano, S. (2014). Copper(I)-induced amplification of a 2 catenane in a virtual dynamic library of macrocyclic alkenes. *Organic & Biomolecular Chemistry* 12: 6167-6174.
- Bertin, C; Paul, RN; Duke, SO; Weston, LA. (2003). Laboratory assessment of the allelopathic effects of fine leaf fescues. *J Chem Ecol* 29: 1919-1937.
- Bertol, E; Vaiano, F; Milia, MGD; Mari, F. (2015). In vivo detection of the new psychoactive substance AM-694 and its metabolites. *Forensic Sci Int* 256: 21-27.
- Bertolini, A; Carelli, G; Moretti, A; Moruzzi, G. (2000). New FIR laser lines from fully deuterated dichloromethane: Completion of perpendicular/parallel emission pairs. *Ieee Journal of Quantum Electronics* 36: 1232-1236.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth* 195: 624-629.
- Bertoni, G; Rotatori, M; Canepari, S; Fratarcangeli, R. (1990). Determination of dichloromethane in industrial atmospheres and emissions by trapping on light adsorbents and thermal desorption. *Ann Chim* 80: 357-368.
- Bethune, DN; Farvolden, RN; Ryan, MC; Lopez Guzman, A. Industrial contamination of a municipal water-supply lake by induced reversal of ground-water flow, Managua, Nicaragua. *Ground Water* July/Aug 1996. v. 34 (4): 699-708.
- Beulen, MWJ; Rivera, JA; Herranz, MA; Illescas, B; Martin, N; Echegoyen, L. (2001). Reductive electrochemistry of spiromethanofullerenes. *J Org Chem* 66: 4393-4398.
- Beutler, JA; McCall, KL; Herbert, K; Herald, DL; Pettit, GR; Johnson, T; Shoemaker, RH; Boyd, MR. (2000). Novel cytotoxic diterpenes from *Casearia arborea*. *J Nat Prod* 63: 657-661.
- Beyer, WN. (1990). Evaluating soil contamination. *U S Fish Wildl Serv Biol Rep* 90: I-VIII.
- Bezerra-Silva, GCD; Silva, MA; Vendramim, JD; Dias, CTD. (2012). INSECTICIDAL AND BEHAVIORAL EFFECTS OF SECONDARY METABOLITES FROM MELIACEAE ON BEMISIA TABACI (HEMIPTERA: ALEYRODIDAE). *Florida Entomologist* 95: 743-751.
- Bhatia, SK; Mehta, PK; Bhatia, RK; Bhalla, TC. (2014). Optimization of arylacetone nitrilase production from *Alcaligenes* sp MTCC 10675 and its application in mandelic acid synthesis. *Appl Microbiol Biotechnol* 98: 83-94.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated C1 and C2 volatile organic compounds in dilute aqueous solution. *Environmental Science & Technology* 28: 1481-1486.
- Bhattacharya, P; Kaifer, AE. (2008). Preparation, characterization, and electrochemical properties of a new series of hybrid dendrimers containing a viologen core and frechet and newkome dendrons. *J Org Chem* 73: 5693-5698.
- Bhattacharya, S; Haldar, PK; Ghosh, AK. (2010). Paralytic and lethal effects of *Trichosanthes dioica* root extracts in experimental worms. *Pharm Biol* 48: 960-965. [Pharmaceutical biology].
- Bhattacharya, SK; Parkin, GF. (1988). Fate and effect of methylene chloride and formaldehyde in methane fermentation systems. *J Water Pollut Control Fed* 60: 531-536.

## Environmental Hazard Literature Search Results

### Off Topic

- Biagini, P; Bonoldi, L; Marchetti, F; Pampaloni, G. (2010). Halo-complexes of titanium(III): The thermochromic behaviour of [NBu<sub>4</sub>][TiCl<sub>4</sub>(THF)<sub>2</sub>]. *Inorganica Chimica Acta* 363: 3637-3639.
- Bianchi, AP; Varney, MS. (1998). Volatile organic compounds in the surface waters of a British estuary: Part 1. Occurrence, distribution and variation. *Water Res* 32: 352-370.
- Bianco, EM; Rogers, R; Teixeira, VL; Pereira, RC. (2009). Antifoulant diterpenes produced by the brown seaweed *Canistrocarpus cervicornis*. *J Appl Phycol* 21: 341-346.
- Bicchi, C; Cordero, C; Rubiolo, P; Occelli, A. (2001). Determination of daminozide residues in apple pulp using HPLC-DAD-UV. *J Agric Food Chem* 49: 3548-3552.
- Bid, A; Bora, A; Raychaudhuri, AK. (2007). Debye temperature of metallic nanowires--an experimental determination from the resistance of metallic nanowires in the temperature range 4.2 K-300 K. *J Nanosci Nanotechnol* 7: 1867-1870. [Journal of nanoscience and nanotechnology].
- Bien, F; Wiege, B; Warwel, S. (2001). Hydrophobic modification of starch by alkali-catalyzed addition of 1,2-epoxyalkanes. *Starch-Starke* 53: 555-559.
- Bilati, U; Allemann, E; Doelker, E. (2005). Poly(D,L-lactide-co-glycolide) protein-loaded nanoparticles prepared by the double emulsion method--processing and formulation issues for enhanced entrapment efficiency. *J Microencapsul* 22: 205-214.
- Bile, J; Bolzinger, MA; Vigne, C; Boyron, O; Valour, JP; Fessi, H; Chevalier, Y. (2015). The parameters influencing the morphology of poly(epsilon-caprolactone) microspheres and the resulting release of encapsulated drugs. *Int J Pharm* 494: 152-166.
- Bile, J; Bolzinger, M-A; Vigne, Cn; Boyron, O; Valour, J-P; Fessi, H; Chevalier, Y. (2015). The parameters influencing the morphology of poly(epsilon-caprolactone) microspheres and the resulting release of encapsulated drugs. *Int J Pharm* 494: 152-166.
- Binder, BF; Robbins, JC; Wilson, RL. Chemically mediated ovipositional behaviors of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae). *J Chem Ecol* Sept 1995. v. 21 (9): 1315-1327.
- Binkovi, B; Cerni, M; Pastorkovi, A; Jelnek, R; Benei, I; Novik, J; rim, RJ. (2003). Biological activities of organic compounds adsorbed onto ambient air particles: comparison between the cities of Teplice and Prague during the summer and winter seasons 2000-2001. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 525: 43-59.
- Binkova, B; Cerna, M; Pastorkova, A; Jelinek, R; Benes, I; Novak, J; Sram, RJ. (2003). Biological activities of organic compounds adsorbed onto ambient air particles: comparison between the cities of Teplice and Prague during the summer and winter seasons 2000-2001. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis* 525: 43-59.
- Birari, R; Javia, V; Bhutani, KK. (2010). Antiobesity and lipid lowering effects of *Murraya koenigii* (L.) Spreng leaves extracts and mahanimbine on high fat diet induced obese rats. *Fitoterapia* 81: 1129-1133.
- Birk, MB. (1998). Trial burn activities for a mixed waste incinerator. *Waste Manag* 18: 467-471.
- Biruk, LaN; Moretton, J; Fabrizio de Iorio, A; Weigandt, C; Etcheverry, J; Filippetto, J; Magdaleno, A. (2017). Toxicity and genotoxicity assessment in sediments from the Matanza-Riachuelo river basin (Argentina) under the influence of heavy metals and organic contaminants. *Ecotoxicol Environ Saf* 135: 302-311.
- Biswas, A; Selling, GS; Shogren, RL; Willett, JL; Buchanan, CM; Cheng, HN. (2009). Iodine-catalyzed esterification of polysaccharides. *Chimica oggi* 27: 33-35.
- Bittman, R; Verbicky, CA. (2000). Methanolysis of sphingomyelin: toward an epimerization-free methodology for the preparation of D-erythro-sphingosylphosphocholine. *J Lipid Res* 41: 2089-2093.
- Bitton, G; Koopman, B; Delfino, JJ. (1992). Preliminary comparison of sediment extraction procedures and exchange solvents for hydrophobic compounds based on inhibition of bioluminescence. *AU - CAMPBELL M. Environ Toxicol Water Qual* 7: 329-338.
- Bizimenyera, SE; Swan, GE; Chikoto, H; Eloff, JN. (2005). Rationale for using *Peltophorum africanum* (Fabaceae) extracts in veterinary medicine. *Journal of the South African Veterinary Association-Tydskrif Van Die Suid-Afrikaanse Veterinere Vereniging* 76: 54-58.
- Bjostad, LB; Hibbard, BE. 6-Methoxy-2-benzoxazolinone: a semiochemical for host location by western corn rootworm larvae. *J Chem Ecol* July 1992. v. 18 (7): 931-944.
- Blaauboer, BJ. (2002). The necessity of biokinetic information in the interpretation of in vitro toxicity data. *Atla-Alternatives to Laboratory Animals* 30: 85-91.
- Blaauboer, BJ. (2003). The integration of data on physico-chemical properties, in vitro-derived toxicity data and physiologically based kinetic and dynamic as modelling a tool in hazard and risk assessment. A commentary. *Toxicol Lett* 138: 161-171.
- Blackman, AJ; Davies, NW; Ralph, CE. (1992). Volatile and odorous compounds from the bryozoan *Biflustra perfragilis*. *Biochemical Systematics and Ecology* 20: 339-342.
- Blair, CA; Shibamoto, T. (1984). Ames mutagenicity tests of overheated brewed coffee. *Food Chem Toxicol* 22: 971-975.
- Blair, S; Mesa, J; Correa, A; Carmona-Fonseca, J; Granados, H; Saez, J. (2002). Antimalarial activity of neurolepin B and derivatives of *Eupatorium inulaefolium* (Asteraceae). *Pharmazie* 57: 413-415.
- Blake, D; Hinwood, AL; Horwitz, P. (2009). Peat fires and air quality: Volatile organic compounds and particulates. *Chemosphere* 76: 419-423.
- Blakey, DH; Cimino, MC; Salamone, MF; Heddle, JA. (1990). The in-vivo micronucleus assay in mammalian bone marrow and peripheral blood a report of the usa environmental protection agency gene-tox program au - mavournin kh. *Mutat Res* 239: 29-80.
- Blancato, JN. (1991). Physiologically-based pharmacokinetic models in risk and exposure assessment. *Ann Ist Super Sanita* 1991; 27(4):601-8 [Annali dell'Istituto superiore di sanita].
- Blanchard, RD; Hardy, JK. (1985). Use of a permeation sampler in the collection of 23 volatile organic priority pollutants. *Anal Chem* 57: 2349-2351.

## Environmental Hazard Literature Search Results

### Off Topic

- Blum, DJ; Speece, RE. (1991). A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. *Res J Water Pollut Control Fed* 63: 198-207.
- Boalino, DM; Connolly, JD; McLean, S; Reynolds, WF; Tinto, WF. (2003). *alpha*-Pyrone and a 2(5H)-furanone from *Hyptis pectinata*. *Phytochemistry* 64: 1303-1307.
- Boalino, DM; Connolly, JD; McLean, S; Reynolds, WF; Tinto, WF. (2003).  $\hat{1}$ -Pyrone and a 2(5H)-furanone from *Hyptis pectinata*. *Phytochemistry* 64: 1303-1307.
- Bock, H; Scherer, H; Tyrra, W; Naumann, D. (2006). Synthesis, NMR spectroscopic characterisation and reactions of 2,6-difluorophenylxenon fluoride, 2,6-F<sub>2</sub>C<sub>6</sub>H<sub>3</sub>XeF. *Journal of Fluorine Chemistry* 127: 1440-1445.
- Bock, N; Dargaville, TR; Woodruff, MA. (2014). Controlling microencapsulation and release of micronized proteins using poly(ethylene glycol) and electrospinning. *Eur J Pharm Biopharm* 87: 366-377.
- Bodin, N; Budzinski, H; Le M<sup>o</sup>nach, K; Tapie, N. (2009). ASE extraction method for simultaneous carbon and nitrogen stable isotope analysis in soft tissues of aquatic organisms. *Anal Chim Acta* 643: 54-60.
- Bodmeier, R; Chen, H. (1989). Evaluation of Biodegradable Poly(lactide) Pellets Prepared by Direct Compression. *J Pharm Sci* 78: 819-822.
- Boechzelt, H; Karten, B; Abuja, PM; Sattler, W; Mittelbach, M. (1998). Synthesis of 9-oxononanoyl cholesterol by ozonization. *J Lipid Res* 39: 1503-1507.
- Boga, M; Hacibekiroglu, I; Kolak, U. (2011). Antioxidant and anticholinesterase activities of eleven edible plants. *Pharmaceutical Biology* 49: 290-295.
- Bohlke, JK; Revesz, K; Busenberg, E; Deak, J; Deseo, E; Stute, J. (1997). Groundwater record of halocarbon transport by the Danube River. *Environmental Science & Technology* 31: 3293-3299.
- Bohm, BA; Averetti, JE; Powell, AM. (1986). Non-polar flavonoids of *perityle vaseyi* (asteraceae). *Phytochemistry* 25: 2551-2553.
- Bohm, BA; Choy, JB. (1987). Flavonoids of *Balsamorhiza deltoidea* and *Wyethia mollis*. *Biochemical Systematics and Ecology* 15: 541-543.
- Bois, FY. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci* 1999; 895:317-37 [Annals of the New York Academy of Sciences].
- Bola<sup>o</sup>, S; Bravo, J; Castro, Js; Garc<sup>o</sup>-a-Font<sup>o</sup>jn, S; Mar<sup>o</sup>-n, MC. (2008). Synthesis, characterization and crystal structure of fac-[Re(H<sub>2</sub>O)(CO)<sub>3</sub>(Ph<sub>2</sub>PO(CH<sub>2</sub>)<sub>3</sub>OPPh<sub>2</sub>)]BArF. *Inorganic Chemistry Communications* 11: 1037-1039.
- Boligon, AA; de Brum, TF; Zadra, M; Piana, M; Alves, CFD; Fausto, VP; Barboza, VD; Vaucher, RD; Santos, RCV; Athayde, ML. (2013). Antimicrobial activity of *Scutia buxifolia* against the honeybee pathogen *Paenibacillus larvae*. *J Invertebr Pathol* 112: 105-107.
- Boligon, AA; de Freitas, RB; de Brum, TF; Piana, M; Belke, BV; da Rocha, JoBT; Athayde, ML. (2013). Phytochemical constituents and in vitro antioxidant capacity of *Tabernaemontana catharinensis* A. DC. *Free Radicals and Antioxidants* 3: 77-80.
- Bolt, HM. (1987). Pharmacokinetic factors and their implication in the induction of mouse liver tumors by halogenated hydrocarbons. *Arch Toxicol Suppl* 10: 190-203.
- Bolzati, C; Boschi, A; Uccelli, L; Tisato, F; Refosco, F; Cagnolini, A; Duatti, A; Prakash, S; Bandoli, G; Vittadini, A. (2002). Chemistry of the strong electrophilic metal fragment (99)Tc(N)(PXP) (2+) (PXP = diphosphine ligand). A novel tool for the selective labeling of small molecules. *J Am Chem Soc* 124: 11468-11479.
- Bolze, S; Boulieu, R. (1998). HPLC determination of ketamine, norketamine, and dehydronorketamine in plasma with a high-purity reversed-phase sorbent. *Clinical Chemistry* 44: 560-564.
- Bombick, BR; Avalos, JT; Nelson, PR; Conrad, FW; Doolittle, DJ. (1998). Comparative studies of the mutagenicity of environmental tobacco smoke from cigarettes that burn or primarily heat tobacco. *Environ Mol Mutagen* 31: 169-175.
- Bonaccorso, HG; Pittaluga, EP; Porte, LMF; Junges, AF; Libero, FM; Zanatta, N; Martins, MAP. (2015). New 4-fluoroalkyl substituted N-phenylpyrazoles: Synthesis promoted by DAST and multinuclear NMR analysis. *Journal of Fluorine Chemistry* 176: 44-50.
- Bond, AM; Cauty, AJ; Cooper, JB; Tedesco, V; Traill, PR; Way, DM. Electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-C,N] and [bis(pyridin-2-yl)phenylmethyl-C,N,N] groups. *Inorganica Chimica Acta* 251: 185-192.
- Bone, LI. (1996). Preservation techniques for samples of solids sludges and nonaqueous liquids. Keith, L H (Ed) *Principles of Environmental Sampling*, Second Edition xix+848p American Chemical Society: Washington, Dc, USA Isbn 0-8412-3152-4; 0 (0) 1996 737-742.
- Bonnevie, NL; Wenning, RJ. (1995). Sources of pollution and sediment contamination in Newark Bay, New Jersey. AU - CRAWFORD DW. *Ecotoxicol Environ Saf* 30: 85-100.
- Boone, PM; Rossman, TG; Daisey, JM. (1989). The genotoxic contribution of wood smoke to indoor respirable suspended particles. *Environ Int* 15: 361-368.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol* 84: 69-73.
- Booyesen, IN; Ismail, MB; Munro, OQ. (2013). Mono- and dinuclear rhenium(I) compounds with bidentate benzimidazole chelators. *Inorganic Chemistry Communications* 30: 168-172.
- Bordes, C; Fr<sup>o</sup>ville, V; Ruffin, E; Marote, P; Gauvrit, JY; Brian<sup>o</sup>son, S; Lant<sup>o</sup>ri, P. (2010). Determination of poly( $\epsilon$ -caprolactone) solubility parameters: Application to solvent substitution in a microencapsulation process. *Int J Pharm* 383: 236-243.
- Bordes, C; Freville, V; Ruffin, E; Marote, P; Gauvrit, JY; Briancon, S; Lanteri, P. (2010). Determination of poly( $\epsilon$ -caprolactone) solubility parameters: Application to solvent substitution in a microencapsulation process. *Int J Pharm* 383: 236-243.
- Born, SL; Fix, AS; Caudill, D; Lehman-McKeeman, LD. (1999). Development of tolerance to Clara cell necrosis with repeat administration of coumarin. *Toxicol Sci* 51: 300-309.



## Environmental Hazard Literature Search Results

### Off Topic

- Bortoluzzi, M; Marchetti, F; Murralli, MG; Pampaloni, G. (2015). Revisitation of the  $PCl_5$ -chlorination reaction of  $\alpha$ -amino acids: Spectroscopic and DFT insights, and synthesis of the L-proline-derived 2,5-diketopiperazine. *Inorganica Chimica Acta* 427: 150-154.
- Bos, R; Hendriks, H; Bruins, AP; Kloosterman, J; Sipma, G. (1985). Isolation and identification of valerene sesquiterpenoids from *Valeriana officinalis*. *Phytochemistry* 25: 133-135.
- Boscencu, R; Ilie, M; Socoteanu, R; Oliveira, AS; Constantin, C; Neagu, M; Manda, G; Ferreira, LF. (2010). Microwave synthesis, basic spectral and biological evaluation of some copper (II) mesoporphyrinic complexes. *Molecules* 15: 3731-3743. [*Molecules* (Basel, Switzerland)].
- Boschetto, DL; Aranha, EM; de Souza, AAU; Souza, S; Ferreira, SRS; Priamo, WL; Oliveira, JV. (2014). Encapsulation of bixin in PHBV using SEDS technique and in vitro release evaluation. *Ind Crop Prod* 60: 22-29.
- Boschetto, DL; Dalmolin, I; de Cesaro, AM; Rigo, AA; Ferreira, SRS; Meireles, MAA; Batista, EAC; Oliveira, JV. (2013). Phase behavior and process parameters effect on grape seed extract encapsulation by SEDS technique. *Ind Crop Prod* 50: 352-360.
- Boschi, D; Di Stilo, A; Cena, C; Lolli, M; Fruttero, R; Gasco, A. (1997). Studies on agents with mixed NO-dependent vasodilating and beta-blocking activities. *Pharm Res* 14: 1750-1758.
- Bose, DS; Idrees, M; Srikanth, B. (2007). Synthesis of 2-arylbenzothiazoles by DDQ-promoted cyclization of thioformanilides; A solution-phase strategy for library synthesis. *Synthesis-Stuttgart* 819-823.
- Bosire, CM; Deyou, T; Kabaru, JM; Kimata, DM; Yenesew, A. (2014). Larvicidal activities of the stem bark extract and rotenoids of *Milletia usaramensis* subspecies *usaramensis* on *Aedes aegypti* L. (Diptera: Culicidae). *Journal of Asia-Pacific Entomology* 17: 531-535.
- Bosisio, E; Mascetti, D; Verotta, L; Zani, F; Mazza, P; Talbot, M. (1997). *Guiera senegalensis* J. F. Gmelin (Combretaceae): Biological activities and chemical investigation. *Phytomedicine* 3: 339-348.
- Bostrom, E; Engen, S; Eide, I. (1998). Mutagenicity testing of organic extracts of diesel exhaust particles after spiking with polycyclic aromatic hydrocarbons (PAH). *Arch Toxicol* 72: 645-649.
- Botta, B; Gacs-Baitz, E; Vinciguerra, V; Delle Monache, G. (2003). Three isoflavanones with cannabinoid-like moieties from *Desmodium canum*. *Phytochemistry* 64: 599-602.
- Bottrell, DW; Fisk, JF; Robertson, GL; Petty, JD; Dempsey, CH; Bartling, ML. (1991). Holding times of volatile organics in water. Friedman, D (Ed) *Astm* (American Society for Testing and Materials) Special Technical Publication, 1075 Waste Testing and Quality Assurance, Vol 3 Xii+411p *Astm* (American Society for Testig and Materials): Philadelphia, Pennsylvania, USA Illus Isbn 0-8031-1294-7; 0 (0) 1991 179-205.
- Bouaziz, A; Mhalla, D; Zouari, I; Jlaiel, L; Tounsi, S; Jarraya, R; Trigui, M. (2016). Antibacterial and antioxidant activities of *Hammada scoparia* extracts and its major purified alkaloids. *South African Journal of Botany* 105: 89-96.
- Boucard, TK; Bardgett, RD; Jones, KC; Semple, KT. (2005). Influence of plants on the chemical extractability and biodegradability of 2,4-dichlorophenol in soil. *Environ Pollut* 133: 53-62.
- Boudaya, L; Neifar, L; Taktak, A; Ghorbel, M; Bouain, A. (2007). Diet of *Chelidonichthys obscurus* and *Chelidonichthys lastoviza* (Pisces : Triglidae) from the Gulf of Gabes (Tunisia). *Journal of Applied Ichthyology* 23: 646-653.
- Boudra, H; Morgavi, DP. (2005). Mycotoxin risk evaluation in feeds contaminated by *Aspergillus fumigatus*. *Anim Feed Sci Technol* 120: 113-123.
- Bouidida, EH; Alaoui, K; Cherrah, Y; Chammache, M; Il Idrissi, A. (2008). Action analg sique de diff rents extraits non-volatils de *Nepeta atlantica* Ball et *Nepeta tuberosa* L. ssp. *reticulata* (Desf.) Maire. *Th rapie* 63: 333-338.
- Boulououar, N; Marouf, A; Cheriti, A. (2013). Effect of extracts from *Phoenix dactylifera* L. rachis on *Fusarium oxysporum* f. sp. *Albedinis* using direct bioautography. *Acta horticulturae* 385-388.
- Boulinguez, B; Le Cloirec, P. (2009). Biogas pre-upgrading by adsorption of trace compounds onto granular activated carbons and an activated carbon fiber-cloth. *Water Science and Technology* 59: 935-944.
- Boutier-Pischon, A; Auger, F; Noel, JM; Almario, A; Frapart, YM. (2015). EPR and electrochemical quantification of oxygen using newly synthesized para-silylated triarylmethyl radicals. *Free Radic Res* 49: 236-243.
- Bowles, MR; Pond, SM. (1990). The importance of electrostatic interactions in the binding of paraquat to its elicited monoclonal antibody. *Molecular Immunology* 27: 847-852.
- Br nning, M; Brandt, CD; Link, S. (2005). Cationic (tripyrinato)palladium(II) complexes. *Inorganica Chimica Acta* 358: 3122-3134.
- Brack, W; Rottler, H; Frank, H. (1998). Volatile fractions of landfill leachates and their effect on *Chlamydomonas reinhardtii*: In vivo chlorophyll a fluorescence. *Environ Toxicol Chem* 17: 1982-1991.
- Bragadeeswaran, S; Prabhu, K; Thangaraj, S; Ganesan, K; Rani, SS. (2011). Biological activity of Seaweed extracts from *Cladophora clavuligera* (Kutzing, 1843) and *Sargassum wightii* (Greville, 1995) against marine fouling bacteria. *Indian Journal of Geo-Marine Sciences* 40: 398-402.
- Brahma, S; Aditya, G; Sharma, D; Saha, N; Kundu, M; Saha, GK. (2014). Influence of Density on Intraguild Predation of Aquatic Hemiptera (Heteroptera): Implications in Biological Control of Mosquito. *Journal of entomological and acarological research* 46.
- Brambilla, LZS; Endo, EH; Cortez, DgAG; Dias Filho, BP. Anti-biofilm activity against *Staphylococcus aureus* MRSA and MSSA of neolignans and extract of *Piper regnellii*. *Revista Brasileira de Farmacognosia*.
- Brana, P; Gimeno, J; Sordo, JA. (2004). Unusual intramolecular 2+2 cycloaddition of allyl and vinylidene C = C bonds under mild conditions: A theoretical analysis. *J Org Chem* 69: 2544-2550.
- Brandao, JC; Bohets, HH; Van De Vyver, IE; Dierickx, PJ. (1992). Correlation between the in vitro cytotoxicity to cultured fathead minnow fish cells and fish lethality data for 50 chemicals. *Chemosphere* 25: 553-562.

## Environmental Hazard Literature Search Results

### Off Topic

- Brandelli, A; Baldasso, ML; Goettems, EP. (1992). Toxicity identification and reduction evaluation in petrochemical effluents sitel case. lawprc (International Association on Water Pollution Research and Control) 2nd International Conference on Toxic Waste Management in the Chemical and Petrochemical Industries, New Orleans, Louisiana, USA, June 17-20, 1991 *Water Sci Technol* 25: 73-84.
- Brantley, AS; Townsend, TG. (1999). Leaching of pollutants from reclaimed asphalt pavement. *Environ Eng Sci* 16: 105-116.
- Brasier, CM; Kirk, SA; Pipe, ND; Buck, KW. (1998). Rare interspecific hybrids in natural populations of the Dutch elm disease pathogens *Ophiostoma ulmi* and *O. novo-ulmi*. *Mycological Research* 102: 45-57.
- Braunstein, P; Siri, O; Taquet, JP; Rohmer, MM; Benard, M; Welter, R. (2003). A 6 pi+6 pi potentially antiaromatic zwitterion preferred to a quinoidal structure: Its reactivity toward organic and inorganic reagents. *J Am Chem Soc* 125: 12246-12256.
- Braus-Stromeyer, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol* 27: 1577-1579.
- Braus-Stromeyer, SA; Hermann, R; Cook, AM; Leisinger, T. Dichloromethane as the sole carbon source for an acetogenic mixed culture and isolation of a fermentative, dichloromethane-degrading bacterium. *Appl Environ Microbiol* Nov 1993. v. 59 (11): 3790-3797.
- Breccia, P; Van Gool, M; Perez-Fernandez, R; Martin-Santamaria, S; Gago, F; Prados, P; de Mendoza, JC. (2003). Guanidinium receptors as enantioselective amino acid membrane carriers. *J Am Chem Soc* 125: 8270-8284.
- Brennan, RJ; Schiestl, RH. (1998). Positive responses to carcinogens in the yeast del recombination assay are not due to selection of preexisting spontaneous revertants. *Mutat Res* 421: 117-120.
- Brenzan, MA; Ferreira, ICP; Lonardon, MVC; Honda, PA; Rodrigues Filho, E; Nakamura, CV; Dias Filho, BP; Ueda-Nakamura, T; Cortez, DAG. (2008). Activity of extracts and coumarins from the leaves of *Calophyllum brasiliense* on *Leishmania braziliensis*. *Pharmaceutical Biology* 46: 380-386.
- Brenzan, MA; Nakamura, CV; Dias, BP; Ueda-Nakamura, T; Young, MCM; Cortez, DAG. (2007). Antileishmanial activity of crude extract and coumarin from *Calophyllum brasiliense* leaves against *Leishmania amazonensis*. *Parasitol Res* 101: 715-722.
- Bressler, DC; Fedorak, PM. (2001). Identification of disulfides from the biodegradation of dibenzothiophene. *Appl Environ Microbiol* 67: 5084-5093.
- Bressler, E; Braun, S. (1999). Separation mechanisms of citric and itaconic acids by water-immiscible amines. *J Chem Tech Biotechnol* 74: 891-896.
- Bressler, E; Pines, O; Goldberg, I; Braun, S. (2002). Conversion of fumaric acid to L-malic by sol-gel immobilized *Saccharomyces cerevisiae* in a supported liquid membrane bioreactor. *Biotechnol Prog* 18: 445-450.
- Bridge, TAM; White, C; Gadd, GM. (1999). Extracellular metal-binding activity of the sulphate-reducing bacterium *Desulfococcus multivorans*. *Microbiology-Sgm* 145: 2987-2995.
- Bridges, CC; Joshee, L; Zalups, RK. (2012). Placental and fetal disposition of mercuric ions in rats exposed to methylmercury: Role of Mrp2. *Reprod Toxicol* 34: 628-634.
- Brinch, UC; Ekelund, F; Jacobsen, CS. (2002). Method for spiking soil samples with organic compounds. *Appl Environ Microbiol* 68: 1808-1816.
- Brinkman, DW; Dickson, JR. (1995). Contaminants in Used Lubricating Oils and Their fate during Distillation/hydrotreatment Re-Refining. *Environmental Science & Technology* 29: 81-86.
- Brion, D; Pelletier, E. (2005). Modelling PAHs adsorption and sequestration in freshwater and marine sediments. *Chemosphere* 61: 867-876. [Chemosphere].
- Britt, D; Tranchemontagne, D; Yaghi, OM. (2008). Metal-organic frameworks with high capacity and selectivity for harmful gases. *Proceedings of the National Academy of Sciences of the United States of America* 105: 11623-11627.
- Broda, MA; Rzeszotarska, B; Smelka, L; Pietrzynski, G. (1998). Conformational investigation of alpha,beta-dehydropeptides. IX. N-acetyl-(E)-alpha,beta-dehydrobutyryne N<sup>1</sup>-methylamide: stereoelectronic properties from infrared and theoretical studies. *Journal of Peptide Research* 52: 72-79.
- Broda, MA; Siodlak, D; Rzeszotarska, B. (2005). Conformational investigation of alpha,beta-dehydropeptides. N-acetyl-(E)-dehydrophenylalanine N<sup>1</sup>-methylamide: Conformational properties from infrared and theoretical studies, part XIV. *J Pept Sci* 11: 235-244.
- Broekmans, OD; King, GA; Stephens, GJ; Wuite, GJL. (2016). DNA Twist Stability Changes with Magnesium(2+) Concentration. *Physical Review Letters* 116: 8102-8102.
- Bromilow, RH; Chamberlain, K. (1995). Principles governing uptake and transport of chemicals. Trapp, S And J C Mcfarlane (Ed) *Plant Contamination: Modeling and Simulation of Organic Chemical Processes* Ix+254p Crc Press, Inc: Boca Raton, Florida, USA; London, England, Uk Isbn 1-56670-078-7; 0 (0) 1995 37-68.
- Brooks, AL; Li, AP; Dutcher, JS; Clark, CR; Rothenberg, SJ; Kiyoura, R; Bechtold, WE; McClellan, RO. (1984). A comparison of genotoxicity of automotive exhaust particles from laboratory and environmental sources. *Environ Mutagen* 1984; 6(5):651-68 [Environmental mutagenesis].
- Brooks, RV; Jeremiah, G; Webb, WA; Wheeler, M. (1979). Detection of anabolic steroid administration to athletes. *Journal of Steroid Biochemistry* 11: 913-917.
- Brooks, SPJ; Ratnayake, WMN; Lampi, BJ; Hollywood, R. (1998). Measuring total lipid content in rat carcasses: A comparison of commonly employed extraction methods. *J Agric Food Chem* 46: 4214-4217.
- Brophy, JJ; Cavill, GWK; Duke, RK. Volatile constituents in a methylene chloride extract of a ponerine ant, *Rhytidoponera aciculata* (Smith). *Insect biochemistry* 1983. v. 13 (5): 503-505 ill.
- Brown, AT; Smith, TP; Cruz, CP; Poirier, LA; Simmons, D; Williams, DK; Wang, YF; Eidt, JF; Moursi, MM. (2003). Intimal hyperplasia following carotid endarterectomy in an insulin-resistant rat model. *Metabolism-Clinical and Experimental* 52: 834-839.

## Environmental Hazard Literature Search Results

### Off Topic

- Brown, CE; McNulty, J; Bordon, C; Yolken, R; Jones-Brando, L. (2016). Enol ethers as carbonyl surrogates in a modification of the Povarov synthesis of 3-aryl quinolines and their anti-Toxoplasma activity. *Organic & Biomolecular Chemistry* 14: 5951-5955.
- Brown, HC; Kanth, JVB; Dalvi, PV; Zaidlewicz, M. (1999). Molecular addition compounds. 15. Synthesis, hydroboration, and reduction studies of new, highly reactive tert-butylalkylamine-borane adducts. *J Org Chem* 64: 6263-6274.
- Brown, HC; Kanth, JVB; Dalvi, PV; Zaidlewicz, M. (2000). Molecular addition compounds. 16. New, highly reactive borane adducts with N,N-dialkyl-tert-alkylamines for hydroboration. *J Org Chem* 65: 4655-4661.
- Brown, HC; Kanth, JVB; Zaidlewicz, M. (1998). Molecular addition compounds. 11. N-ethyl-N-isopropylaniline-borane, a superior reagent for hydroborations and reductions. *J Org Chem* 63: 5154-5163.
- Brown, JJ; Erickson, MD; Beskid, NJ. (1993). Applying membrane technology to air stripping effluent for remediation of groundwater contaminated with volatile organic compounds. *Hazardous Waste & Hazardous Materials* 10: 335-345.
- Brown, JL; Kersey, DC; Freeman, EW; Wagener, T. (2010). Assessment of Diurnal Urinary Cortisol Excretion in Asian and African Elephants Using Different Endocrine Methods. *Zoo Biology* 29: 274-283.
- Brown, JR; Cavanaugh, AH; Farnsworth, WE. (1976). A simple radioimmunoassay for plasma cortisol and 11-deoxycortisol (17,21-dihydroxy-4-pregnene-3,20-dione). *Steroids* 28: 487-498.
- Brown, KW; Chisum, CP; Thomas, JC; Donnelly, KG. (1990). A comparison of two different procedures for the extraction of organic mutagens from sewage sludge. *Chemosphere* 20: 13-20.
- Brown, KW; Digiullio, DG. (1988). Mutagenic characterization of soil and water samples from a superfund site au - donnelly kc. *Nucl Chem Waste Manage* 8: 135-142.
- Brown, KW; Thomas, JC; Donnelly, KC. (1991). Bacterial mutagenicity of municipal sewage sludges. *J Environ Sci Health Part a Environ Sci Eng* 26: 395-414.
- Brownlee, B; MacInnis, G; Charlton, M; Watson, S; Hamilton-Browne, S; Milne, J. (2004). An analytical method for shipboard extraction of the odour compounds, 2-methylisoborneol and geosmin. *Water Science and Technology* 49: 121-127.
- Bruce McBain, J; Yamamoto, I; Casida, JE. (1971). Oxygenated intermediate in peracid and microsomal oxidations of the organophosphonothionate insecticide dyfonate<sup>®</sup>. *Life Sci* 10: 1311-1319.
- Brugghe, HF; Timmermans, HA; Van Unen, LM; Ten Hove, GJ; Van de Werken, G; Poolman, JT; Hoogerhout, P. (1994). Simultaneous multiple synthesis and selective conjugation of cyclized peptides derived from a surface loop of a meningococcal class 1 outer membrane protein. *Int J Pept Protein Res* 43: 166-172. [International journal of peptide and protein research].
- Brukh, R; Barat, R; Mitra, S. (2006). The effect of waste concentration on destruction efficiency during incineration. *Environ Eng Sci* 23: 383-392.
- Brunnemann, KD; Hoffmann, D; Gairola, CG; Lee, BC. (1994). Low ignition propensity cigarettes: Smoke analysis for carcinogens and testing for mutagenic activity of the smoke particulate matter. *Food Chem Toxicol* 32: 917-922.
- Bruns, G; Constable, M. (1990). Extraction of four herbicides from passive organic vapor monitors. *J Environ Sci Health Part B Pestic Food Contam Agric Wastes* 25: 215-224.
- Brusick, DJ; Jagannath, DR; Myhr, B; Sernau, R; Orr, JC; Chappel, CI. (1988). Genetic toxicology evaluation of commercial beers: I. Development of procedures for the preparation of extracts from commercial beer products. *Mutation Research/Genetic Toxicology* 206: 33-39.
- Bryson, WG; Goodall, CM. (1981). Improved spectrophotometric determination of chromium in animal tissue digests with diphenylcarbazide. *Anal Chim Acta* 124: 391-401.
- Bucar, F; Resch, M; Bauer, R; Burits, M; Knauder, E; Schubert-Zsilavec, M. (1998). 5-Methylflavasperone and rhamnetin from *Guiera senegalensis* and their antioxidative and 5-lipoxygenase inhibitory activity. *Pharmazie* 53: 875-878.
- Bucchi, AR; Loizzo, A; Zapponi, GA. (1990). Reproducibility of carcinogenic potencies estimated in different rodent species. methylene chloride: A useful example. *Toxicology* 65: 75-96.
- Buchalski, P; Zbrzezna, J; Suwińska, K. (2009). Synthesis and structures of the novel triple-decker complexes with 9-nickelafluorenyl ring. *Inorganic Chemistry Communications* 12: 29-31.
- Budd, RD; Leung, WJ. (1981). Mass screening and confirmation of phencyclidine (PCP) in urine by radioimmunoassay/TLC. *Clin Toxicol* 18: 85-90. [Clinical toxicology].
- Budenberg, WJ; Ndiege, IO; Karago, FW. Evidence for volatile male-produced pheromone in banana weevil *Cosmopolites sordidus*. *J Chem Ecol* Sept 1993. v. 19 (9): 1905-1916.
- Bueno, FC; Godoy, MP; Leite, AC; Bueno, OC; Pagnocca, FC; Fernandes, JB; Hebling, MJA; Bacci, M; Vieira, PC; Silva, M. (2005). Toxicity of *Cedrela fissilis* to *Atta sexdens rubropilosa* (Hymenoptera : Formicidae) and its symbiotic fungus. *Sociobiology* 45: 389-399.
- Bueno, OC; Bueno, FC; Betella, G; Morini, MSC; Hebling, MJA; Pagnocca, FC; Leite, AC; Vieira, PC; Fernandes, JB. (2004). Toxicity of sesame extracts to leaf-cutting ant *Atta sexdens rubropilosa* (Hymenoptera : Formicidae). *Sociobiology* 44: 599-606.
- Buerck, J; Conzen, JP; Ache, HJ. (1992). A fiber optic evanescent field absorption sensor for monitoring organic contaminants in water. *Fresenius' J Anal Chem* 342: 394-400.
- Bui, CT; Bray, AM; Nguyen, T; Ercole, F; Rasoul, F; Sampson, W; Maeji, NJ. (2000). Acetophenone-based linker for solid-phase peptide synthesis. *J Pept Sci* 6: 49-56.
- Buie, SE; Pratt, DS; May, JJ. (1986). Diffuse pulmonary injury following paint remover exposure. *Am J Med* 81: 702-704. [The American journal of medicine].
- Buijs, W; van der Gen, A; Mohn, GR; Breimer, DD. (1984). The direct mutagenic activity of  $\pm$ 1% dihalogenoalkanes in *Salmonella typhimurium*: Strong correlation between chemical properties and mutagenic activity. *Mutation Research Letters* 141: 11-14.

## Environmental Hazard Literature Search Results

### Off Topic

- Bukowski, JA; Meyer, LW. (1995). Simulated air levels of volatile organic compounds following different methods of indoor insecticide application. *Environmental Science & Technology* 29: 673-676.
- Bullangpoti, V; Visetson, S; Milne, J; Milne, M; Sudthongkong, C; Pronbanlualap, S. (2007). Effects of alpha-mangostin from mangosteen pericarp extract and imidacloprid on *Nilaparvata lugens* (Stal.) and non-target organisms: toxicity and detoxification mechanism. *Commun Agric Appl Biol Sci* 72: 431-441.
- Bullard, L; Panayappan, RM; Thorpe, AN; Hambright, P; Ng, G. (1974). Thermal, magnetic and mossbauer studies on ferric porphyrin hemichromes. *Bioinorganic Chemistry* 3: 161-164.
- Bumke-Vogt, C; Mailahn, W; Rotard, W; Chorus, I. (1996). A highly sensitive analytical method for the neurotoxin anatoxin-a, using GC-ECD, and first application to laboratory cultures. *Phycologia* 35: 51-56.
- Bundeesomchok, K; Filly, A; Rakotomanomana, N; Panichayupakaranant, P; Chemat, F. (2016). Extraction of alpha-mangostin from *Garcinia mangostana* L. using alternative solvents: Computational predictive and experimental studies. *Lwt-Food Science and Technology* 65: 297-303.
- Bundeesomchok, K; Filly, A; Rakotomanomana, N; Panichayupakaranant, P; Chemat, F. (2016). Extraction of  $\beta$ -mangostin from *Garcinia mangostana* L. using alternative solvents: Computational predictive and experimental studies. *LWT - Food Science and Technology* 65: 297-303.
- Bunt, CR; Jones, DS; Tucker, IG. (1993). The effects of pH, ionic strength and organic phase on the bacterial adhesion to hydrocarbons (BATH) test. *Int J Pharm* 99: 93-98.
- Buonomenna, MG; Golemme, G; Choi, SH; Jansen, JC; De Santo, MP; Drioli, E. (2011). Surface skin layer formation and molecular separation properties of asymmetric PEEKWC membranes. *Separation and Purification Technology* 77: 104-111.
- Burd, C; Weck, M. (2008). Solvent influence on the orthogonality of noncovalently functionalized terpolymers. *Journal of polymer science* 46: 1936-1944.
- Burfeindt, J; Patz, M; Muller, M; Mayr, H. (1998). Determination of the nucleophilicities of silyl and alkyl enol ethers. *J Am Chem Soc* 120: 3629-3634.
- Burford, MD; Hawthorne, SB; Miller, DJ. (1993). Extraction rates of spiked versus native PAHs from heterogeneous environmental samples using supercritical fluid extraction and sonication in methylene chloride. *Anal Chem* 65: 1497-1505.
- Burguera, JL; Burguera, M. (1986). Determination of some organophosphorus insecticides by flow injection with a molecular emission cavity detector. *Anal Chim Acta* 179: 497-502.
- Burns, DT; Chimpalee, D. (1988). Spectrophotometric determination of bismuth after extraction of 1-naphthylmethyltriphenylphosphonium tetraiodobismuthate(III). *Anal Chim Acta* 211: 305-309.
- Burrell, RC; Easter, JA; Bonacorsi, SJ; Balasubramanian, B. (2009). Carbon-14 labeled methyl 2-chloro-2-oxoacetate: a convenient carbon-14 labeled oxalyl chloride equivalent. *Journal of Labelled Compounds & Radiopharmaceuticals* 52: 549-552.
- Buss, CE; Mann, KR. (2002). Synthesis and characterization of Pt(CN-p-(C(2)H(5))C(6)H(4))(2)(CN)(2), a crystalline vapoluminescent compound that detects vapor-phase aromatic hydrocarbons. *J Am Chem Soc* 124: 1031-1039.
- Butler, E; Whelan, MJ; Ritz, K; Sakrabani, R; van Egmond, R. (2011). Solvent-based washing removes lipophilic contaminant interference with phospholipid fatty acid analysis of soil communities. *Soil Biology & Biochemistry* 43: 2208-2212.
- Buwalda, SJ; Perez, LB; Teixeira, S; Calucci, L; Forte, C; Feijen, J; Dijkstra, PJ. (2011). Self-Assembly and Photo-Cross-Linking of Eight-Armed PEG-PTMC Star Block Copolymers. *Biomacromolecules* 12: 2746-2754.
- Byers, HK; Sly, LI. (1993). Toxic effects of dichloromethane on the growth of methanotrophic bacteria. *FEMS Microbiology Ecology* 12: 35-38.
- Byrne, CD. (1988). Selection of substances requiring priority action. Richardson, M L (Ed) *Risk Assessment of Chemicals in the Environment; Third European Conference*, Guilford, England, UK, July 11-14, 1988 Xxi+579p Royal Society of Chemistry: London, England, UK Illus Maps Isbn 0-85186-118-0; 0 (0) 1988 414-434.
- Byun, Y; Hwang, JB; Bang, SH; Darby, D; Cooksey, K; Dawson, PL; Park, HJ; Whiteside, S. (2011). Formulation and characterization of alpha-tocopherol loaded poly epsilon-caprolactone (PCL) nanoparticles. *Lwt-Food Science and Technology* 44: 24-28.
- Cañas, A; Richter, P. (2012). Solid-phase microextraction using octadecyl-bonded silica immobilized on the surface of a rotating disk: Determination of hexachlorobenzene in water. *Anal Chim Acta* 743: 75-79.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater* 82: 313-322.
- Cabot, R; Hunter, CA. (2010). A thermodynamic study of selective solvation in solvent mixtures. *Organic & Biomolecular Chemistry* 8: 1943-1950.
- Cabrera, VJ; Farmakiotis, D; Aggarwal, V. (2011). Methylene Chloride Intoxication Treated With Hyperbaric Oxygen Therapy. *American Journal of Medicine* 124: E3-E4.
- Caceres, A; Cruz, SM; Gaitan, I; Guerrero, K; Alvarez, LE; Marroquin, MN. (2012). Antioxidant activity and quantitative composition of extracts of Piper species from Guatemala with potential use in natural product industry. *Acta horticulturae* 77-84.
- Caddah, MK; Mayer, JLS; Bittrich, V; Do Amaral, MDE. (2012). Species limits in the *Kielmeyera coriacea* complex (Calophyllaceae) - a multidisciplinary approach. *Botanical Journal of the Linnean Society* 168: 101-115.
- Cain, BW. (1988). Wintering waterfowl habitat in Texas USA shrinking and contaminated. Weller, M W (Ed) *Waterfowl in Winter; Symposium*, Galveston, Texas, USA, January 7-10, 1985 Xx+624p University of Minnesota Press: Minneapolis, Minnesota, USA Illus Maps Isbn 0-8166-1571-3(Paper); Isbn 0-8166-1570-5(Cloth); 0 (0) 1988 583-596.
- Cainelli, G; Engel, PC; Galletti, P; Giacomini, D; Gualandi, A; Paradisi, F. (2005). Engineered phenylalanine dehydrogenase in organic solvents: homogeneous and biphasic enzymatic reactions. *Organic & Biomolecular Chemistry* 3: 4316-4320.

## Environmental Hazard Literature Search Results

### Off Topic

- Cala, AC; Ferreira, JFS; Chagas, ACS; Gonzalez, JM; Rodrigues, RAF; Foglio, MA; Oliveira, MCS; Sousa, IMO; Magalhaes, PM; Barioni, W. (2014). Anthelmintic activity of *Artemisia annua* L. extracts in vitro and the effect of an aqueous extract and artemisinin in sheep naturally infected with gastrointestinal nematodes. *Parasitol Res* 113: 2345-2353.
- Calahorra, M; Lozano, C; SÁnchez, NS; PeÑa, A. (2011). Ketoconazole and miconazole alter potassium homeostasis in *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 1808: 433-445.
- Calderon, AI; Terreaux, C; Schenk, K; Pattison, P; Burdette, JE; Pezzuto, JM; Gupta, MP; Hostettmann, K. (2002). Isolation and structure elucidation of an isoflavone and a sesterterpenoic acid from *Henriettella fascicularis*. *J Nat Prod* 65: 1749-1753.
- Callahan, CA; Shirazi, MA; Neuhauser, EF. (1994). Comparative toxicity of chemicals to earthworms. *Environ Toxicol Chem* 13: 291-298.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutation Research/Genetic Toxicology* 77: 55-63.
- Camara, MI; Corrigan, F; Jaehne, EJ; Jawahar, MC; Anscorn, H; Baune, BT. (2015). Effects of Centrally Administered Etanercept on Behavior, Microglia, and Astrocytes in Mice Following a Peripheral Immune Challenge. *Neuropsychopharmacology* 40: 502-512.
- Cameron, FH; Moghaddam, MJ; Bender, VJ; Whittaker, RG; Mott, M; Lockett, TJ. (1999). A transfection compound series based on a versatile Tris linkage. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 1417: 37-50.
- Camiolo, S; Gale, PA; Hursthouse, MB; Light, ME. (2003). Nitrophenyl derivatives of pyrrole 2,5-diamides: structural behaviour, anion binding and colour change signalled deprotonation. *Organic & Biomolecular Chemistry* 1: 741-744.
- Campagnolo, JF; Akgerman, A. (1996). A prediction method for gas-phase VOC isotherms onto soils and soil constituents. *J Hazard Mater* 49: 231-245.
- Camurlu, P; Durak, Tk; Toppare, L. (2011). Solution processable donor acceptor type dibenzothiophen-S,S-dioxide derivatives for electrochromic applications. *Journal of electroanalytical chemistry* 661: 359-366.
- Canet, R; Birnstingl, JG; Malcolm, DG; Lopez-Real, JM; Beck, AJ. (2001). Biodegradation of polycyclic aromatic hydrocarbons (PAHs) by native microflora and combinations of white-rot fungi in a coal-tar contaminated soil. *Bioresour Technol* 76: 113-117.
- Canna-Michaelidou, S. (1993). Microtox response to volatile organic pollutants-implementation of the test in investigating accidental or deliberate water supply pollution. *Sci Total Environ* 0: 969-977.
- Canter, LW; Know, RC; Fairchild, DM. (1987). Ground water quality protection. Canter, L W, R C Knox and D M Fairchild *Ground Water Quality Protection* Xxviii+562p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-018-5; 0 (0) 1987 Xxviii+562p.
- Cao, Q; Wu, H; Zhu, L; Wu, D; Zhu, Y; Zhu, Z; Cui, J. (2011). Preparation and evaluation of zanamivir-loaded solid lipid nanoparticles. *J Control Release* 30.
- Cao, QR; Choi, YW; Cui, JH; Lee, BJ. (2005). Effect of solvents on physical properties and release characteristics of monolithic hydroxypropyl methylcellulose matrix granules and tablets. *Arch Pharm Res* 28: 493-501.
- Cao, S; Wang, H; Yu, F; Shi, M; Chen, S; Weng, X; Liu, Y; Wu, Z. (2016). Catalyst performance and mechanism of catalytic combustion of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) over Ce doped TiO<sub>2</sub>. *J Colloid Interface Sci* 463: 233-241.
- Cape, JN; Leith, ID; Binnie, J; Content, J; Donkin, M; Skewes, M; Price, DN; Brown, AR; Sharpe, AD. (2003). Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ Pollut* 124: 341-353.
- Carlberg, G; LindstrÅm, R. (1987). Testing fly resistance to thuringiensin produced by *Bacillus thuringiensis*, serotype H-1. *J Invertebr Pathol* 49: 194-197.
- Carletti, E; Endogan, T; Hasirci, N; Hasirci, V; Maniglio, D; Motta, A; Migliaresi, C. (2011). Microfabrication of PDLLA scaffolds. *J Tissue Eng Regen Med* 5: 569-577. [Journal of tissue engineering and regenerative medicine].
- Carli, CBdA; Quilles, MB; Maia, DCG; Lopes, FCM; Santos, R, Jr.; Pavan, FR; Leite, CQF; Calvo, TR; Vilegas, W; Carlos, IZ. (2010). Antimycobacterial activity of *Indigofera suffruticosa* with activation potential of the innate immune system. *Pharmaceutical Biology* 48: 878-882.
- Carlson, GP; Kim, YC. (1986). Effect of forced exercise on dichloromethane blood levels and metabolism to carbon monoxide in rats. *Ircs (Int Res Commun Syst) Med Sci* 14: 795.
- Carlson, RE. Heat stress, plant-available soil moisture, and corn yields in Iowa: a short- and long-term view. *Journal of production agriculture* July/Sept 1990. v. 3 (3): 293-297.
- Carlsson, A; Hultengren, M. (1975). Exposure to methylene chloride. III. Metabolism of <sup>14</sup>C-labelled methylene chloride in rat. *Scand J Work Environ Health* 1: 104-108. [Scandinavian journal of work, environment & health].
- Carlton, L; Fernandes, MA; Sitabule, E. (2007). An NMR study of trans ligand influence in rhodium eta(2) triphenyltin hydride complexes. *Proceedings of the National Academy of Sciences of the United States of America* 104: 6969-6973.
- Carlton, L; Fernandes, MA; Sitabule, E. (2007). An NMR study of trans ligand influence in rhodium  $\eta^2$  triphenyltin hydride complexes. *Proceedings of the National Academy of Sciences of the United States of America* 104: 6969-6973.
- Carofiglio, T; Lubian, E; Menegazzo, I; Saielli, G; Varotto, A. (2009). Melamine-Bridged Bis(porphyrin-Zn(II)) Receptors: Molecular Recognition Properties. *J Org Chem* 74: 9034-9043.
- Carpes, RM; Fleury, BG; Lages, BG; Pinto, AC; Aiub, CA; Felzenszwalb, I. (2013). Mutagenicity, genotoxicity, and scavenging activities of extracts from the soft coral *Chromonephtea braziliensis*: a possibility of new bioactive compounds. *Genet Mol Res* 2013; 12(3):3575-87 [Genetics and molecular research : GMR].
- Carrasquillo, KG; Carro, JCA; Alejandro, A; Toro, DD; Griebenow, K. (2001). Reduction of structural perturbations in bovine serum albumin by non-aqueous microencapsulation. *J Pharm Pharmacol* 53: 115-120.
- Carvalho, JCB; Almeida, HD; Lobo, JFR; Ferreira, JLP; Oliveira, AP; Rocha, L. (2013). Pyrrolizidine alkaloids in two endemic capeverdean *Echium* species. *Biochemical Systematics and Ecology* 50: 1-6.

## Environmental Hazard Literature Search Results

### Off Topic

- Casillas, RP; Mitcheltree, LW; Stemler, FW. (1997). The mouse ear model of cutaneous sulfur mustard injury. *Toxicology Methods* 7: 381-397.
- Casnati, A; Barbosa, S; Rouquette, H; Schwing-Weill, MJ; Arnaud-Neu, F; Dozol, JF; Ungaro, R. (2001). New efficient calixarene amide ionophores for the selective removal of strontium ion from nuclear waste: Synthesis, complexation, and extraction properties. *J Am Chem Soc* 123: 12182-12190.
- Casoli, A; Mangia, A; Mori, G; Predieri, G. (1986). Liquid-liquid extraction and determination of uranium(IV) with 2,6-diacetylpyridine bis(benzoylhydrazone). *Anal Chim Acta* 186: 283-287.
- Cassee, FR; Groten, JP; Van Bladeren, PJ; Feron, VJ. (1998). Toxicological evaluation and risk assessment of chemical mixtures. *Crit Rev Toxicol* 28: 73-101.
- Castellan, A; Ruggiero, R; Frollini, E; Ramos, LA; Chirat, C. (2007). Studies on fluorescence of cellulose. *Holzforschung* 61: 504-508.
- Castellanos, IJ; Carrasquillo, KG; Lopez, JD; Alvarez, M; Griebenow, K. (2001). Encapsulation of bovine serum albumin in poly(lactide-co-glycolide) microspheres by the solid-in-oil-in-water technique. *J Pharm Pharmacol* 53: 167-178.
- Castellanos, IJ; Flores, G; Griebenow, K. (2006). Effect of cyclodextrins on alpha-chymotrypsin stability and loading in PLGA microspheres upon S/O/W encapsulation. *J Pharm Sci* 95: 849-858.
- Castellanos, IJ; Flores, G; Griebenow, K. (2006). Effect of cyclodextrins on  $\beta$ -chymotrypsin stability and loading in PLGA microspheres upon S/O/W encapsulation. *J Pharm Sci* 95: 849-858.
- Castellanos, T; Ascencio, F; Bashan, Y. (1998). Cell-surface lectins of *Azospirillum* spp. *Curr Microbiol* 36: 241-244.
- Castillo, MA; Moya, P; Hernandez, E; Primo-Yufera, E. (2000). Susceptibility of *Ceratitis capitata* Wiedemann (Diptera : Tephritidae) to entomopathogenic fungi and their extracts. *Biological Control* 19: 274-282.
- Castola, V; Bighelli, A; Rezzi, S; Melloni, G; Gladiali, S; Desjobert, JM; Casanova, J. (2002). Composition and chemical variability of the triterpene fraction of dichloromethane extracts of cork (*Quercus suber* L.). *Ind Crop Prod* 15: 15-22.
- Castola, V; Marongiu, B; Bighelli, A; Floris, C; Lai, A; Casanova, J. (2005). Extractives of cork (*Quercus suber* L.): chemical composition of dichloromethane and supercritical CO<sub>2</sub> extracts. *Ind Crop Prod* 21: 65-69.
- Castro, A; Coll, J; Arfan, M. (2011). neo-Clerodane Diterpenoids from *Ajuga bracteosa*. *J Nat Prod* 74: 1036-1041.
- Catalan, J; Diaz, C; Garcia-Blanco, F. (2000). Effects of medium on decarboxylation kinetics: 3-Carboxybenzoxazoles and their potential use as environmental probes in biochemistry. *J Org Chem* 65: 3409-3415.
- Cathey, CG; Huang, ZG; Sarr, AB; Clement, BA; Phillips, TD. Development and evaluation of a minicolumn assay for the detection of aflatoxin M1 in milk. *J Dairy Sci* May 1994. v. 77 (5): 1223-1231.
- Cavallari, C; Santos, BPA; Fini, A. (2013). Olanzapine Solvates. *J Pharm Sci* 102: 4046-4056.
- Cavender-Bares, J. (2007). Chilling and freezing stress in live oaks (*Quercus* section *Virentes*): intra- and inter-specific variation in PS II sensitivity corresponds to latitude of origin. *Photosynth Res* 94: 437-453.
- Cawood, ME; Pretorius, JC; van der Westhuizen, JH; van Heerden, FR. (2015). A saponin isolated from *Agapanthus africanus* differentially induces apoplastic peroxidase activity in wheat and displays fungicidal properties. *Acta Physiologiae Plantarum* 37: 246-246.
- Cazacu, M; Racles, C; Airinei, A; Alexandru, M; Vlad, A. (2009). Association phenomena of the ferrocenylsiloxane polyamide in solution. *Journal of polymer science* 47: 5845-5852.
- Cechinel-Filho, V; Zampirolo, JJA; Stulzer, HK; Schlemper, V. (2007). Antispasmodic effects of *Persea cordata* bark fractions on guinea pig ileum. *Fitoterapia* 78: 125-128.
- Celaries, B; Parkanyi, C. (2006). Tin(IV) chloride-sodium nitrite as a new nitrosating agent for N-nitrosation of amines, amides and ureas under mild and heterogeneous conditions. *Synthesis-Stuttgart* 2371-2375.
- Celebioglu, A; Uyar, T. (2011). Electrospun porous cellulose acetate fibers from volatile solvent mixture. *Mater Lett* 65: 2291-2294.
- Celi, L; Negre, M; Gennari, M. HPLC determination of fenoxaprop and fenoxaprop-ethyl in different soils. *Pestic Sci* 1993. v. 38 (1): 43-47.
- Celik, SE; Ozyurek, M; Guclu, K; Apak, R. (2012). Differences in responsivity of original cupric reducing antioxidant capacity and cupric-bathocuproine sulfonate assays to antioxidant compounds. *Anal Biochem* 423: 36-38.
- Cerda, JF; Koder, RL; Lichtenstein, BR; Moser, CM; Miller, AF; Dutton, PL. (2008). Hydrogen bond-free flavin redox properties: managing flavins in extreme aprotic solvents. *Organic & Biomolecular Chemistry* 6: 2204-2212.
- Cerna, M; Pastorkova, A; Vrbikova, V; Smid, J; Rossner, P. (1999). Mutagenicity monitoring of airborne particulate matter (PM10) in the Czech Republic. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 444: 373-386.
- Cervantes, FJ; Vu-Thi-Thu, L; Lettinga, G; Field, JA. (2004). Quinone-respiration improves dechlorination of carbon tetrachloride by anaerobic sludge. *Appl Microbiol Biotechnol* 64: 702-711.
- Cespedes, CL; Calderon, JS; King-Diaz, B; Lotina-Hennsen, B. (1998). Phytochemical and biochemical characterization of epimeric photogedunin derivatives. Their different sites of interaction on the redox electron transport carrier of *Spinacea oleracea* L. chloroplasts. *J Agric Food Chem* 46: 2810-2816.
- Cespedes, CL; Calderon, JS; Lina, L; Aranda, E. (2000). Growth inhibitory effects on fall armyworm *Spodoptera frugiperda* of some limonoids isolated from *Cedrela* spp. (Meliaceae). *J Agric Food Chem* 48: 1903-1908.
- Cha, CY; Wallace, S; George, AH; Rogers, S. (2004). Microwave technology for treatment of fume hood exhaust. *Journal of Environmental Engineering-Asce* 130: 338-348.
- Cha, DK; Sarr, D; Chiu, PC; Kim, DW. (1998). Hazardous waste treatment technologies. *Water Environ Res* 70: 705-720.
- Cha, Y; Pitt, CG. (1990). The biodegradability of polyester blends. *Biomaterials* 11: 108-112. [Biomaterials].
- Chãze, M; Lenoan, AI; Deveaux, M; Pãpin, G. (2008). Determination of ibogaine and noribogaine in biological fluids and hair by LC-MS/MS after Tabernanthe iboga abuse: Iboga alkaloids distribution in a drowning death case. *Forensic Sci Int* 176: 58-66.

## Environmental Hazard Literature Search Results

### Off Topic

- Châšcot, F; Brâšlet, A; Oberdisse, J; Gnanou, Y; Mondain-Monval, O; Lecommandoux, S. (2005). Structure of polypeptide-based diblock copolymers in solution: stimuli-responsive vesicles and micelles. *Langmuir* 21: 4308-4315. [Langmuir : the ACS journal of surfaces and colloids].
- Chakinala, AG; Gogate, PR; Chand, R; Bremner, DH; Molina, R; Burgess, AE. (2008). Intensification of oxidation capacity using chloroalkanes as additives in hydrodynamic and acoustic cavitation reactors. *Ultrason Sonochem* 15: 164-170. [Ultrasonics sonochemistry].
- Chaloux, N; Bayona, JM; Venkatesan, MI; Albaiges, J. (1992). Distribution of surfactant markers in sediments from Santa Monica basin, southern California. *Mar Pollut Bull* 24: 403-407.
- Chalid, M; Broekhuis, AA; Heeres, HJ. (2011). Experimental and kinetic modeling studies on the biphasic hydrogenation of levulinic acid to  $\beta$ -valerolactone using a homogeneous water-soluble Ru<sup>II</sup>(TPPTS) catalyst. *Journal of Molecular Catalysis* 341: 14-21.
- Chambers, JE; Chen, WL; Dettbarn, W; Ehrich, M; Eldefrawi, AT; Gaylor, DW; Hamernik, K; Hodgson, E; Karczmar, AG; Padilla, S; Pope, CN; Richardson, RJ; Saunders, DR; Sheets, LP; Sultatos, LG; Wallace, KB. (1998). Common mechanism of toxicity: A case study of organophosphorus pesticides. *AU - MILESON BE. Toxicol Sci* 41: 8-20.
- Chambert, S; Thomasson, F; Decout, JL. (2002). 2-trimethylsilylethyl sulfides in the von Braun cyanogen bromide reaction: Selective preparation of thiocyanates and application to nucleoside chemistry. *J Org Chem* 67: 1898-1904.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, XM; Tang, SQ; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environmental Science & Technology* 46: 10154-10160.
- Chan, CH; Perkins, LH. (1989). Monitoring of Trace Organic Contaminants in Atmospheric Precipitation. *J Great Lakes Res* 15: 465-475.
- Chan, MH; Chen, HH; Lin, YR. (2002). Aliphatic chlorinated hydrocarbons alter the contractile responses of tracheal smooth muscle in piglet. *Journal of Toxicology and Environmental Health-Part a-Current Issues* 65: 293-304.
- Chandra, R; Datta, A; Manna, A; Saha, R; Kumar Patra, G. (2017). In situ reduction of Cu(II) forming a double-stranded di-nuclear copper(I) helicate of a bis azino-pyridyl ligand. *Inorganica Chimica Acta* 455, Part 1: 235-240.
- Chandra, T; Broderick, WE; Broderick, JB. (2009). CHEMOSELECTIVE DEPROTECTION OF TRIETHYLSILYL ETHERS. *Nucleosides Nucleotides & Nucleic Acids* 28: 1016-1029.
- Chang, CH; Wen, ZH; Wang, SK; Duh, CY. (2008). Capnellenes from the Formosan soft coral *Capnella imbricata*. *J Nat Prod* 71: 619-621.
- Chang, CM; Kulkarni, MV; Chen, CH; Wang, CH; Sun, CM. (2008). Parallel synthesis of 2-sulphonylated bis-benzimidazoles on soluble polymer support. *J Comb Chem* 10: 466-474.
- Chang, CY; Chang, CH; Yu, TH; Lin, LY; Yen, YH. (1998). The effect of drying treatment on the flavor and quality of Longan fruit. *Food Flavors: Formation, Analysis, and Packaging Influences* 40: 353-367.
- Chang, DP; Mournighan, RE; Huffman, GL. (1991). An equilibrium analysis of some chlorinated hydrocarbons in stoichiometric to fuel-rich post-flame combustion environments. *J Air Waste Manage Assoc* 41: 947-955.
- Chang, HL; Alvarez-Cohen, L. (1996). Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. *Appl Environ Microbiol* 62: 3371-3377.
- Chang, HW; Sung, Y; Kim, KH; Nam, YD; Roh, SW; Kim, MS; Jeon, CO; Bae, JW. (2008). Development of microbial genome-probing microarrays using digital multiple displacement amplification of uncultivated microbial single cells. *Environmental Science & Technology* 42: 6058-6064.
- Chang, JH; Liu, KM. (2009). Stock assessment of the shortfin mako shark (*Isurus oxyrinchus*) in the Northwest Pacific Ocean using per recruit and virtual population analyses. *Fisheries Research* 98: 92-101.
- Chang, SC; Chang, KT; Huang, SC; Lin, SH; Wei, YH. (1988). Mutagenicity of airborne particulates from Taipei County, (Taiwan) and some combustion-generated particulate matters. *J Chin Biochem Soc* 17: 96-104.
- Chang, SC; Chang, KT; Keng, YF; Lan, CF; Hsiao, HC; Hsen, SH; Wei, YH. (1988). Mutagenicity and polycyclic aromatic hydrocarbons analysis of airborne particulate matters from Taipei City. *Proc Natl Sci Counc Repub China B* 12: 129-139. [Proceedings of the National Science Council, Republic of China. Part B, Life sciences].
- Chang, YC; Hatsu, M; Jung, K; Yoo, YS; Takamizawa, K. (1998). Degradation of a variety of halogenated aliphatic compounds by an anaerobic mixed culture. *Journal of Fermentation and Bioengineering* 86: 410-412.
- Chang, YJ; Lee, DU; Nam, JH; Kim, WK. (2016). Inhibitory Effect of *Agrimonia Pilosa* Leaf Extract on the UV-Induced Photoaging-Related Ion Channel, ORAI1, and the Enzymes Tyrosinase and Elastase. *Journal of Food Biochemistry* 40: 2-9.
- Chang, YJ; Lee, DU; Nam, JH; Kim, WK. (2016). Inhibitory Effect of *Agrimonia Pilosa* Leaf Extract on the UV-Induced Photoaging-Related Ion Channel, ORAI1, and the Enzymes Tyrosinase and Elastase. *Journal of Food Biochemistry* 40: 2-9.
- Chang-Soo, L; Kimizuka, N. (2002). Pillared honeycomb nanoarchitectures formed on solid surfaces by the self-assembly of lipid-packaged one-dimensional Pt complexes. *Proceedings of the National Academy of Sciences of the United States of America* 99: 4922-4926.
- Channa, S; Dar, A; Yaqoob, M; Anjum, S; Sultani, Z; Atta ur, R. (2003). Broncho-vasodilatory activity of fractions and pure constituents isolated from *Bacopa monniera*. *J Ethnopharmacol* 86: 27-35.
- Chanzu, HA; Onyari, JM; Shiundu, PM. (2012). Biosorption of Malachite Green from Aqueous Solutions onto Polylactide/Spent Brewery Grains Films: Kinetic and Equilibrium Studies. *Journal of Polymers and the Environment* 20: 665-672.
- Chapin, RE; Phelps, JL; Schwetz, BA; Yang, RS. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: III. Male reproduction study in B6C3F1 mice. *Fundam Appl Toxicol* 13: 388-398.
- Chari, MA; Syamasundar, K. (2005). Polymer-supported ferric chloride as a heterogeneous catalyst for chemoselective deprotection of acetonides. *Synthesis-Stuttgart* 708-710.

## Environmental Hazard Literature Search Results

### Off Topic

- Charrois, JWA; McGill, WB; Froese, KL. (2001). Acute Ecotoxicity of Creosote-Contaminated Soils to *Eisenia fetida*: A Survival-Based Approach. *Environ Toxicol Chem* 20: 2594-2603.
- Chatot, G; Castegnaro, M; Roche, JL; Fontanges, R. (1971). Etude comparee des ultra-sons et du soxhlet dans l'extraction des hydrocarbures polycycliques atmospheriques. *Anal Chim Acta* 53: 259-265.
- Chaudhry, MA; Dovantzis, K; Riesing, RR. (1989). Ground water remediation using an extraction treatment and recharge system au - thomsen ko. *Ground Water Monit Rev* 9: 92-99.
- Chauhan, S; Barbieri, P; Wood, TK. (1998). Oxidation of trichloroethylene, 1,1-dichloroethylene, and chloroform by toluene/o-xylene monooxygenase from *Pseudomonas stutzeri* OX1. *Appl Environ Microbiol* 64: 3023-3024.
- Chauhan, SMS; Kandadai, AS; Jain, N; Kumar, A. (2003). Biomimetic oxidation of curcumin with hydrogen peroxide catalyzed by 5,10,15,20-tetraarylporphyrinato-iron(III) chlorides in dichloromethane. *Chemical & Pharmaceutical Bulletin* 51: 1345-1347.
- Chauhan, SMS; Kandadai, SA; Sahoo, B. (2001). Regioselective biomimetic oxidation of etodolac with iodobenzene catalyzed by halogenated and perhalogenated metalloporphyrins in dichloromethane. *Chemical & Pharmaceutical Bulletin* 49: 1375-1376.
- Chauhan, SMS; Sahoo, B; Mohapatra, PP; Kalra, B; Gulati, A. (2001). Formation of 6-formyl-7-hydroxy-8-methoxycoumarin and 5,8-dioxopsoralen by reaction of 8-methoxypsoralen with H<sub>2</sub>O<sub>2</sub> and potassium superoxide (KO<sub>2</sub>) catalyzed by halogenated or perhalogenated 5,10,15,20-tetraarylporphyrinatoiron(III) chlorides. *Chemical & Pharmaceutical Bulletin* 49: 1232-1233.
- Chauke, V; Nyokong, T. (2010). Synthesis and electrochemical characterisation of new tantalum (V) alkythio phthalocyanines. *Inorganica Chimica Acta* 363: 3662-3669.
- Chaves, AL; Vergara, CE; Mayer, JE. Dichloromethane as an economic alternative to chloroform in the extraction of DNA from plant tissues. *Plant molecular biology reporter / Mar* 1995. v. 13 (1): 18-25.
- Chavez, FA; Rowland, JM; Olmstead, MM; Mascharak, PK. (1998). Syntheses, structures, and reactivities of cobalt(III)-alkylperoxo complexes and their role in stoichiometric and catalytic oxidation of hydrocarbons. *J Am Chem Soc* 120: 9015-9027.
- Chavez, PI; Sanchez, LA; Gonzalez, FA; Rodriguez, JL; Axelrod, F. (1997). Cytotoxicity correlations of Puerto Rican plants using a simplified brine shrimp lethality screening procedure. *International Journal of Pharmacognosy* 35: 222-226.
- Che, CM; Chao, HY; Miskowski, VM; Li, YQ; Cheung, KK. (2001). Luminescent mu-ethynediyl and mu-butadiynediyl binuclear gold(I) complexes: Observation of (3)(pi pi\*) emissions from bridging C(n)(2-) units. *J Am Chem Soc* 123: 4985-4991.
- Cheah, PB; Ng, CH; Wong, CF. (2001). Antioxidant activity of tropical lemon grass (*Cymbopogon citratus*) extracts in linoleic acid and chicken fat systems. *Journal of Food Science and Technology-Mysore* 38: 62-64.
- Chen, AZ; Pu, XM; Kang, YQ; Liao, L; Yao, YD; Yin, GF. (2007). Study of poly(L-lactide) microparticles based on supercritical CO<sub>2</sub>. *Journal of Materials Science-Materials in Medicine* 18: 2339-2345.
- Chen, AZ; Yang, YM; Wang, SB; Wang, GY; Liu, YG; Sun, QQ. (2013). Preparation of methotrexate-loaded, large, highly-porous PLLA microspheres by a high-voltage electrostatic antisolvent process. *Journal of Materials Science-Materials in Medicine* 24: 1917-1925.
- Chen, CW; Lee, TC; Ho, CT. (1997). Antioxidative effect and kinetics study of capsanthin on the chlorophyll-sensitized photooxidation of soybean oil and selected flavor compounds. *Spices* 660: 188-198.
- Chen, D; Cui, PL; Cao, HB; Yang, J. (2015). A 1-dodecanethiol-based phase transfer protocol for the highly efficient extraction of noble metal ions from aqueous phase. *J Environ Sci* 29: 146-150.
- Chen, DY; Wang, SJ; Xiao, M; Meng, YZ. (2010). Synthesis and characterization of novel sulfonated poly(arylene thioether) ionomers for vanadium redox flow battery applications. *Energy & Environmental Science* 3: 622-628.
- Chen, DZ; Ouyang, DJ; Liu, HX; Chen, J; Zhuang, QF; Chen, JM. (2014). Effective utilization of dichloromethane by a newly isolated strain *Methylobacterium rhodesianum* H13. *Environ Sci Pollut Res Int* 21: 1010-1019.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere* 86: 156-165.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere* 86: 156-165.
- Chen, FA; Cheng, HW; Wu, AB; Hsu, HC; Chen, CY. (1996). Kinetic studies of the photochemical decomposition of alkannin shikonin enantiomers. *Chemical & Pharmaceutical Bulletin* 44: 249-251.
- Chen, GH; Yang, Y. (2013). Low-temperature sintering and microwave dielectric properties of Li<sub>2</sub>TiO<sub>3</sub> based ceramics. *Journal of Materials Science-Materials in Electronics* 24: 1012-1017.
- Chen, J; Su, QF; Pan, H; Wei, JW; Zhang, XM; Shi, Y. (2009). Influence of balance gas mixture on decomposition of dimethyl sulfide in a wire-cylinder pulse corona reactor. *Chemosphere* 75: 261-265.
- Chen, J-K; Wang, J-H; Chang, C-J; Huang, C-F. (2013). Polarity-indicative two-dimensional periodic concave gratings of tethered polystyrene on silicon surfaces for visualization in VOC sensing. *Sensors & Actuators: B* 188: 1123-1131.
- Chen, JL; Ortiz, R; Steele, TWJ; Stuckey, DC. (2014). Toxicants inhibiting anaerobic digestion: A review. *Biotechnol Adv* 32: 1523-1534.
- Chen, J-L; Cao, X-F; Gu, W; Su, B-T; Zhang, F; Wen, H-R; Hong, R. (2012). Luminescent mononuclear copper(I) heteroleptic complexes with 6-cyano-2,2'-bipyridine. *Inorganic Chemistry Communications* 15: 65-68.
- Chen, K-T; Tsai, MY; Chen, J-H; Wang, S-S; Tung, J-Y. (2010). Metal complexes of N-o-chlorobenzamido-meso-tetraphenylporphyrin: cis-Tl(N-NCO(o-Cl)C<sub>6</sub>H<sub>4</sub>-tpp)(OAc) and trans-Cd(N-NHCO(o-Cl)C<sub>6</sub>H<sub>4</sub>-tpp)(OAc) (tpp = 5, 10, 15, 20-tetraphenylporphyrinate). *Inorganic Chemistry Communications* 13: 506-510.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere* 73: 692-697.



## Environmental Hazard Literature Search Results

### Off Topic

- Chen, L-H; Huang, C-C; Lien, H-L. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere* 73: 692-697.
- Chen, PH; Vanausdale, WA; Keeran, WS; Roberts, DF. (1993). GC identification of artifacts formed during sample preparation using USEPA methods 625 and 8270./POISONING. *Chemosphere* 26: 1743-1749.
- Chen, PH; VanAusdale, WA; Keeran, WS; Roberts, DF. (1993). GC/MS identification of artifacts formed during sample preparation using USEPA methods 625 and 8270. *Chemosphere* 26: 1743-1749.
- Chen, PH; Vanausdale, WA; Roberts, DF. (1991). Oxidation of phenolic acid surrogates and target analytes during acid extraction of natural water samples for analysis by GC using EPA method 625./POISONING. *Environ Sci Technol* 25: 540-546.
- Chen, Q; Yang, L; Han, M; Cai, E; Zhao, Y. Synthesis and pharmacological activity evaluation of arctigenin monoester derivatives. *Biomedicine & Pharmacotherapy*.
- Chen, W; Meng, FH; Li, F; Ji, SJ; Zhong, ZY. (2009). pH-Responsive Biodegradable Micelles Based on Acid-Labile Polycarbonate Hydrophobe: Synthesis and Triggered Drug Release. *Biomacromolecules* 10: 1727-1735.
- Chen, W; Wu, Y; Zhong, S; Cheng, L; Li, Q; Tang, H. (2014). Anti-neurotoxicity effects of oxoisoaporphine-lipoic acid hybrids. *Chem Biol Interact* 223: 45-50.
- Chen, X; Yang, H; Ge, YQ; Feng, L; Jia, J; Wang, JW. (2012). Synthesis, X-ray crystal structure and optical properties of novel 2-aryl-3-ethoxycarbonyl-4-phenylpyrido 1,2-a benzimidazoles. *Luminescence* 27: 382-389.
- Chen, XG; Lee, CM; Park, HJ. (2003). OM emulsification for the self-aggregation and nanoparticle formation of linoleic acid-modified chitosan in the aqueous system. *J Agric Food Chem* 51: 3135-3139.
- Chen, X-G; Lee, CM; Park, H-J. (2003). O/W Emulsification for the Self-Aggregation and Nanoparticle Formation of Linoleic Acid Modified Chitosan in the Aqueous System. *J Agric Food Chem* 51: 3135-3139.
- Chen, XL; Chen, TQ; Zhou, YB; Au, CT; Han, LB; Yin, SF. (2014). Efficient synthesis of propargylamines from terminal alkynes, dichloromethane and tertiary amines over silver catalysts. *Organic & Biomolecular Chemistry* 12: 247-250.
- Chen, Y; Wen, Y; Tang, ZR; Li, L; Cai, YL; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res* 51: 163-171.
- Chen, YD; Wang, T; Helmy, R; Zhou, GX; LoBrutto, R. (2002). Concentration determination of methyl magnesium chloride and other Grignard reagents by potentiometric titration with in-line characterization of reaction species by FTIR spectroscopy. *J Pharm Biomed Anal* 29: 393-404.
- Cheng, IC; Tsai, SW. (2000). Quantitative analysis of enantioselective enzymatic hydrolysis with non-enantioselective removal of chiral products. *Biochem Eng J* 5: 243-248.
- Cheng, Y; Li, SM. (2005). Nonderivatization analytical method of fatty acids and cis-pinonic acid and its application in ambient PM2.5 aerosols in the greater Vancouver area in Canada. *Environmental Science & Technology* 39: 2239-2246.
- Chenu, M; Bouzaza, A; Wolbert, D; Laplanche, A. (1998). Adsorption of volatile organic compounds (VOC) mixtures onto activated carbon. Experimental study and simulation of multicomponent adsorption. *Environ Technol* 19: 1029-1038.
- Cherniaev, AP; Kondakova, AS; Zyk, EN. (2016). Contents of 4-Nonylphenol in Surface Sea Water of Amur Bay (Japan/East Sea). *Achievements in the Life Sciences* 10: 65-71.
- Chernykh, Y; Beier, P. (2013). Development of (2-bromo-1,1,2,2-tetrafluoroethyl)(phenyl)sulfane as tetrafluoroethyl-radical and tetrafluoroethylene-diradical synthons for additions to alkenes. *Journal of Fluorine Chemistry* 156: 307-313.
- Cherry, J. (1992). Chlorinated solvents in groundwater: Field experimental studies of behaviour and remediation. *J Hazard Mater* 32: 275-278.
- Chersi, A; di Modugno, F; Rosan<sup>2</sup>, L. (1997). Selective 'in synthesis' labelling of peptides by fluorochromes. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1336: 83-88.
- Chersi, A; Giommi, S; Rosan<sup>2</sup>, L. (2000). Selective <sup>18</sup>F-in synthesis labeling of peptides with biotin and rhodamine. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1474: 196-200.
- Chersi, A; Sezzi, ML; Romano, TF; Evangelista, M; Nista, A. (1990). Preparation and utilization of fluorescent synthetic peptides. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1034: 333-336.
- Cheshev, PE; Khatuntseva, EA; Gerbst, AG; Tsvetkov, YE; Shashkov, AS; Nifantiev, NE. (2003). Synthesis of aminoethyl glycosides of the carbohydrate chains of glycolipids Gb3, Gb4, and Gb5. *Russian Journal of Bioorganic Chemistry* 29: 372-381.
- Cheshev, PE; Khatuntseva, EA; Tsvetkov, YE; Shashkov, AS; Nifantiev, NE. (2004). Synthesis of aminoethyl glycosides of the ganglioside GM(1) and asialo-GM(1) oligosaccharide chains. *Russian Journal of Bioorganic Chemistry* 30: 60-70.
- Cheung, HM; Bhatnagar, A; Jansen, G. (1991). Sonochemical destruction of chlorinated hydrocarbons in dilute aqueous solution. *Environ Sci Technol* 25: 1510-1512.
- Chi, B; Park, SJ; Park, MH; Lee, SY; Jeong, B. (2010). Oligopeptide Delivery Carrier for Osteoclast Precursors. *Bioconjug Chem* 21: 1473-1478.
- Chiang, H-L; Lin, K-H. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater* 264: 545-551.
- Chiang, HM; Bozzelli, JW. (1994). Formation of chlorinated ethylene intermediates in pyrolysis of ch-2cl-2 and ch-2cl-2-ch-4. 208th National Meeting of the American Chemical Society, Washington, DC, USA, August 21-25, 1994 Abstracts of Papers American Chemical Society 208: ENVR 99.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Science and Technology* 38: 287-294.

## Environmental Hazard Literature Search Results

### Off Topic

- Chiang, YM; Chuang, DY; Wang, SY; Kuo, YH; Tsai, PW; Shyur, LF. (2004). Metabolite profiling and chemopreventive bioactivity of plant extracts from *Bidens pilosa*. *J Ethnopharmacol* 95: 409-419.
- Chiemchaisri, W; Visvanathan, C; Wu, JS. (2001). Effects of trace volatile organic compounds on methane oxidation. *Brazilian Archives of Biology and Technology* 44: 135-140.
- Chien, CT; Tsai, CC; Tsai, CH; Chang, TY; Tsai, PK; Wang, YC; Yan, TH. (2006). Novel ambiphilic dichlorocarbenoid equivalent in alkene cyclopropanation and carbonyl olefination. *J Org Chem* 71: 4324-4327.
- Chienthavorn, O; Su-in, P. (2006). Modified superheated water extraction of pesticides from spiked sediment and soil. *Anal Bioanal Chem* 385: 83-89.
- Chistokhodova, N; Nguyen, C; Calvino, T; Kachirskaia, I; Cunningham, G; Miles, DH. (2002). Antithrombin activity of medicinal plants from central Florida. *J Ethnopharmacol* 81: 277-280.
- Chitanda, JM; Wu, S-C; Wilson Quail, J; Foley, SR. (2011). Synthesis of mixed N,N $\epsilon^2$ -(Ar,Ar $\epsilon^2$ -diaryl)iminoisoindolines for applications in palladacycle formations. *Inorganica Chimica Acta* 379: 122-129.
- Chiu, SF; Qiu, YT. (1993). Experiments on the application of botanical insecticides for the control of diamondback moth in south China. *Journal of Applied Entomology* 116: 479-486.
- Chizzola, R. (2006). Volatile compounds from some wild growing aromatic herbs of the Lamiaceae from southern France. *Plant Biosystems* 140: 206-210.
- Chludil, HD; Seldes, AM; Maier, MS. (2003). Anasterocerebroside A, a new glucosylceramide from the Patagonian starfish *Anasterias minuta*. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 58: 433-440.
- Cho, BH; Chino, H; Tsuji, H; Kunito, T; Nagaoka, K; Otsuka, S; Yamashita, K; Matsumoto, S; Oyaizu, H. (1997). Laboratory-scale bioremediation of oil-contaminated soil of Kuwait with soil amendment materials. *Chemosphere* 35: 1599-1611.
- Cho, KJ; Park, KS; Tang, CS. (1992). Allelopathic potential of red-pepper (*Capsicum annuum* L.) fruit. *Res Rep Rural Dev Adm (Suweon)* 34: 18-23.
- Cho, SW; Song, SH; Choi, YW. (2000). Effects of solvent selection and fabrication method on the characteristics of biodegradable poly(lactide-co-glycolide) microspheres containing ovalbumin. *Arch Pharm Res* 23: 385-390.
- Chodak, M; Pietrzykowski, M; Niklińska, M. (2009). Development of microbial properties in a chronosequence of sandy mine soils. *Applied Soil Ecology* 41: 259-268.
- Chodola, GR; Biswas, N; Bewtra, JK; St Pierre, CC; Zytner, RG. (1989). Fate of selected volatile organic substances in aqueous environment. *Wat Pollut Res J Can* 24: 119-142.
- Chognot, D; Zambaux, MF; Bonneaux, F; Gaussem, P; Pittet, JL; Aiach, M; Vigneron, C. (1999). Identification of protein C epitopes altered during its nanoencapsulation. *Journal of Protein Chemistry* 18: 779-784.
- Choi, CW; Jung, HA; Kang, SS; Choi, JS. (2007). Antioxidant constituents and a new triterpenoid glycoside from *Flos Ionicerae*. *Arch Pharm Res* 30: 1-7.
- Choi, CW; Kim, SC; Hwang, SS; Choi, BK; Ahn, HJ; Lee, MY; Park, SH; Kim, SK. (2002). Antioxidant activity and free radical scavenging capacity between Korean medicinal plants and flavonoids by assay-guided comparison. *Plant Sci* 163: 1161-1168.
- Choi, SH; Lee, JH; Choi, SM; Park, TG. (2006). Thermally reversible pluronic/heparin nanocapsules exhibiting 1000-fold volume transition. *Langmuir* 22: 1758-1762. [Langmuir : the ACS journal of surfaces and colloids].
- Choi, SH; Lee, SH; Park, TG. (2006). Temperature-sensitive pluronic/poly(ethylenimine) nanocapsules for thermally triggered disruption of intracellular endosomal compartment. *Biomacromolecules* 7: 1864-1870.
- Choi, SJ; All, RD; Overcash, MR; Lim, PK. (1992). Capillary-flow mechanism for fugitive emissions of volatile organics from valves and flanges: Model development, experimental evidence, and implications. *Environ Sci Technol* 26: 478-484.
- Choi, SY; Chung, MJ; Sung, NJ. (2002). Volatile N-nitrosamine inhibition after intake Korean green tea and Maesil (*Prunus mume* SIEB. et ZACC.) extracts with an amine-rich diet in subjects ingesting nitrate. *Food Chem Toxicol* 40: 949-957.
- Choi, YK; Poudel, BK; Marasini, N; Yang, KY; Kim, JW; Kim, JO; Choi, HG; Yong, CS. (2012). Enhanced solubility and oral bioavailability of itraconazole by combining membrane emulsification and spray drying technique. *Int J Pharm* 434: 264-271.
- Chojnacki, T. (2004). Preparation of Tritium-Labeled 3-Methyl-3-buten-1[3H]-yl Diphosphate (3H-Isopentenyl Diphosphate). *Methods in Enzymology* 152-156.
- Choochote, W; Rongsriyam, K; Pitasawat, B; Jitpakdi, A; Rattanachanpichai, E; Junkum, A; Tuetun, B; Chaiwong, P. (2004). Evaluation of the colchicine-like activity of *Gloriosa superba*-extracted fractions for mosquito (Diptera: Culicidae) cytogenic study. *Journal of medical entomology* 41: 672-676.
- Choochote, W; Rongsriyam, K; Pitasawat, B; Jitpakdi, P; Rattanachanpichai, E; Junkum, A; Tuetun, B; Chaiwong, P. (2004). Evaluation of the colchicine-like activity of *Gloriosa superba*-extracted fractions for mosquito (Diptera : Culicidae) cytogenetic study. *Journal of Medical Entomology* 41: 672-676.
- Chopra, I; Kumari, B. (2009). Dissipation of Fipronil in Water Under Laboratory Conditions. *Bull Environ Contam Toxicol* 83: 828-831.
- Chou, HJ; Yates, RL; Wenninger, JA. (1987). Screening cosmetic products for N-nitroso compounds by chemiluminescent determination of nitric oxide. *J Assoc Off Anal Chem* 70: 960-963. [Journal - Association of Official Analytical Chemists].
- Chou, MS; Chang, HY. (2005). Bio-oxidation of airborne volatile organic compounds in an activated sludge aeration tank. *Journal of the Air & Waste Management Association* 55: 604-611.
- Chou, MS; Huang, YS. (1999). Treatment of ethylether in air stream by a biotrickling filter packed with slags. *Journal of the Air & Waste Management Association* 49: 533-543.

## Environmental Hazard Literature Search Results

### Off Topic

- Chou, MS; Wu, FL. (1999). Treatment of toluene in an air stream by a biotrickling filter packed with slags. *Journal of the Air & Waste Management Association* 49: 386-398.
- Chou, TY; Lin, SL; Fuh, MR. (2009). Determination of phenylurea herbicides in aqueous samples using partitioned dispersive liquid-liquid microextraction. *Talanta* 80: 493-498. [Talanta].
- Chow, AHL; Ho, SSS; Tong, HHY; Ma, HHM. (1998). Parameters affecting in-liquid drying microencapsulation and release rate of cefaclor. *Int J Pharm* 172: 113-125.
- Chow, E; Herrmann, J; Barton, CS; Raguse, B; Wiecezorek, L. (2009). Inkjet-printed gold nanoparticle chemiresistors: Influence of film morphology and ionic strength on the detection of organics dissolved in aqueous solution. *Anal Chim Acta* 632: 135-142.
- Christensen, H; Christiansen, MS; Petersen, J; Jensen, HH. (2008). Direct formation of beta-glycosides of N-acetyl glycosamines mediated by rare earth metal triflates. *Organic & Biomolecular Chemistry* 6: 3276-3283.
- Chu, WH; Chu, TF; Du, ED; Yang, D; Guo, YQ; Gao, NY. (2016). Increased formation of halomethanes during chlorination of chloramphenicol in drinking water by UV irradiation, persulfate oxidation, and combined UV/persulfate pre-treatments. *Ecotoxicol Environ Saf* 124: 147-154.
- Chuang, JC; Van Emon, JM; Finegold, JK; Chou, YL; Rubio, F. (2006). Immunoassay method for the determination of pentachlorophenol in soil and sediment. *Bull Environ Contam Toxicol* 76: 381-388. [Bulletin of environmental contamination and toxicology].
- Chuche, J; Xuereb, A; Thiery, D. (2006). Attraction of *Dibrachys cavus* (Hymenoptera : Pteromalidae) to its host frass volatiles. *J Chem Ecol* 32: 2721-2731.
- Chukwujekwu, JC; Amoo, SO; de Kock, CA; Smith, PJ; Van Staden, J. (2014). Antiplasmodial, acetylcholinesterase and alpha-glucosidase inhibitory and cytotoxicity properties of *Buddleja saligna*. *South African Journal of Botany* 94: 6-8.
- Chukwujekwu, JC; Ndhlala, AR; de Kock, CA; Smith, PJ; Van Staden, J. (2014). Antiplasmodial, HIV-1 reverse transcriptase inhibitory and cytotoxicity properties of *Centratherum punctatum* Cass. and its fractions. *South African Journal of Botany* 90: 17-19.
- Chukwujekwu, JC; van Staden, J; Smith, P. (2005). Antibacterial, anti-inflammatory and antimalarial activities of some Nigerian medicinal plants. *South African Journal of Botany* 71: 316-325.
- Chung, CB; Kwon, JH; Shim, SC; Hoshino, M. (1993). Photochemistry of conjugated polyacetylenes: (2 plus 2) photocycloaddition of 1-phenyl-1,3,5-hexatriynes with some olefins. *Photochem Photobiol* 58: 159-163.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 1. Description and characterization of exposure chamber system. *Environmental Science & Technology* 33: 3661-3665.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environmental Science & Technology* 33: 3666-3671.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Science and Technology* 36: 309-323.
- Chung, Y-S; Ichikawa, K; Utsumi, H. (1997). Application of micronucleus in vitro assay to micropollutants in river water. *Water Science and Technology* 35: 9-13.
- Churn, CC. (1993). Industrial wastes chemical and allied products. *Water Environ Res* 65: 386-398.
- Chyau, CC; Tsai, SY; Ko, PT; Mau, JL. (2002). Antioxidant properties of solvent extracts from *Terminalia catappa* leaves. *Food Chem* 78: 483-488.
- Ciccia, G; Coussio, J; Mongelli, E. (2000). Insecticidal activity against *Aedes aegypti* larvae of some medicinal South American plants. *J Ethnopharmacol* 72: 185-189.
- Cieslak, A; Machmuller, A; Szumacher-Strabel, M; Scheeder, MRL. (2009). A note on comparison of two extraction methods used to quantify C18 fatty acids in feed and digesta of ruminants. *J Anim Feed Sci* 18: 362-367.
- Cignoli, EV; Castro, JA. (1971). Lipid peroxidation, necrosis and the in vivo depression of liver glucose 6-phosphatase by carbon tetrachloride. *Experimental and Molecular Pathology* 14: 43-56.
- Cingarapu, S; Yang, Z; Sorensen, CM; Klabunde, KJ. (2011). Synthesis of indium nanoparticles: digestive ripening under mild conditions. *Inorg Chem* 50: 5000-5005. [Inorganic chemistry].
- Ciombor, DM; Jaklenec, A; Liu, AZ; Thanos, C; Rahman, N; Weston, P; Aaron, R; Mathiowitz, E. (2006). Encapsulation of BSA using a modified W/O/O emulsion solvent removal method. *J Microencapsul* 23: 183-194.
- Cirpan, A; Alkan, S; Toppare, L; Cianga, I; Yagci, Y. (2002). Synthesis and characterization of conducting copolymers of thiophene-3-yl acetic acid cholesteryl ester with pyrrole. *Journal of Materials Science* 37: 1767-1775.
- Ciuchta, HP; Savell, GM; Spiker Jr, RC. (1979). The effect of alcohols and toluene upon methylene chloride-induced carboxyhemoglobin in the rat and monkey. *Toxicol Appl Pharmacol* 49: 347-354.
- Clapp, LW; Talarczyk, MR; Park, JK; Boyle, WC. (1994). Performance comparison between activated sludge and fixed film processes for priority pollutant removals. *Water Environ Res* 66: 153-160.
- Clark, CR; Dutcher, JS; Brooks, AL; McClellan, RO; Marshall, WF; Naman, TM. (1982). Mutagenicity of diesel exhaust particle extracts: Influence of driving cycle and environmental temperature. *Fundam Appl Toxicol* 2: 153-157.
- Clarke, AN; Mutch, RDJ; Wilson, DJ; Oma, KH. (1992). Design and implementation of pilot scale surfactant washing-flushing technologies including surfactant reuse. Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control, Washington, DC, USA, May 24-30, 1992 *Water Sci Technol* 26: 127-135.

## Environmental Hazard Literature Search Results

### Off Topic

- Claudino, MM; Domingos, TFS; da Silva, GA; Fonseca, RR; Cavalcanti, DN; Sanchez, EF; Teixeira, VL; Fuly, AL. (2014). Inhibitory effect of the red seaweed *Plocamium brasiliense* against the toxic effects of *Lachesis muta* snake venom. *J Appl Phycol* 26: 2047-2054.
- Claxton, LD; Barnes, HM. (1981). The mutagenicity of diesel-exhaust particle extracts collected under smog-chamber conditions using the *Salmonella typhimurium* test system. *Mutation Research/Genetic Toxicology* 88: 255-272.
- Clemenson, C; Ekwall, B. (1999). Overview of the final MEIC results: I. The in vitro-in vitro evaluation. *Toxicol In Vitro* 13: 657-663.
- Clements, K; Lan, Y; Roberts, J. (2008). Exchange-rate economics for the resources sector. *Resources Policy* 33: 102-117.
- Clepper, LL; Van Beneden, RJ. (2000). Analysis of carcinogen-exposed Japanese medaka (*Oryzias latipes*) for mutations in K-ras and p53 genes. *Mar Environ Res* 50: 307-308.
- Clerac, R; Cotton, FA; Dunbar, KR; Lu, TB; Murillo, CA; Wang, XP. (2000). A new linear tricobalt compound with di(2-pyridyl)amide (dpa) ligands: Two-step spin crossover of  $\text{Co}(3)(\text{dpa})_4\text{Cl}(2)\text{BF}(4)$ . *J Am Chem Soc* 122: 2272-2278.
- Clericuzio, M; Burlando, B; Gandini, G; Tinello, S; Ranzato, E; Martinotti, S; Cornara, L. (2014). Keratinocyte wound healing activity of galactoglycerolipids from the fern *Ophioglossum vulgatum* L. *Natural medicines* 68: 31-37.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teegarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci* 79: 381-393. [Toxicological sciences : an official journal of the Society of Toxicology].
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modelling in noncancer risk assessment. *J Toxicol Environ Health* 52: 475-515.
- Cline, PV; Viste, DR. (1985). Migration and degradation patterns of volatile organic compounds. *Waste Management & Research* 3: 351-360.
- Clonfero, E; Nardini, B; Marchioro, M; Bordin, A; Gabban, G. (1996). Mutagenicity and contents of polycyclic aromatic hydrocarbons in used and recycled motor oils. *Mutat Res* 368: 283-291.
- Cocheo, V; Bombi, GG; Silvestri, R. (1987). An apparatus for the thermal desorption of solvents sampled by activated charcoal. *Am Ind Hyg Assoc J* 48: 189-197.
- Cochran, RE; Kubatova, A. (2015). Pressurised fluid extraction of polycyclic aromatic hydrocarbons and their polar oxidation products from atmospheric particles. *Int J Environ Anal Chem* 95: 434-452.
- Cochrane, AR; Idziak, C; Kerr, WJ; Mondal, B; Paterson, LC; Tuttle, T; Andersson, S; Nilsson, GN. (2014). Practically convenient and industrially-aligned methods for iridium-catalysed hydrogen isotope exchange processes. *Organic & Biomolecular Chemistry* 12: 3598-3603.
- Coe, BJ; Curati, NRM; Fitzgerald, EC. (2006). Unusually facile syntheses of diquat (6,7-dihydrodipyrido 1,2-a : 2',1'-c pyrazinediium) and related cations. *Synthesis-Stuttgart* 146-150.
- Coeffard, V; Le Grogne, E; Beaudet, I; Lepeltier, M; Leat-Crest, V; Quintard, JP. (2006). Precursors of chiral alpha-amino anions: An improved synthesis of chiral N-(alpha-tributylstannylorgano)oxazolidin-2-ones derived from (R)- or (S)-phenylglycinol. *Synthesis-Stuttgart* 4151-4158.
- Cohen, S; Svrjcek, A; Durborow, T; Barnes, NL. (1999). Water quality impacts by golf courses. *J Environ Qual* 28: 798-809.
- Cole, ET; Scott, RA; Connor, AL; Wilding, IR; Petereit, H-U; Schminke, C; Beckert, T; CadÃ©, D. (2002). Enteric coated HPMC capsules designed to achieve intestinal targeting. *Int J Pharm* 231: 83-95.
- Coles, MP; Lee, SF; Oakley, SH; Hitchcock, PB. (2007). Nucleophilic activity of a linked bis{guanidine} leading to formation of a dicationic C(4)N(4)-heterocycle. *Organic & Biomolecular Chemistry* 5: 3909-3911.
- Comba, ME; Kaiser, KL. (1984). Tracking river plumes with volatile halocarbon contaminants the niagara river-lake ontario example canada usa. *J Great Lakes Res* 10: 1985).
- Commings, P; Garcia-Garibay, MA. (2014). Photochromic Molecular Gyroscope with Solid State Rotational States Determined by an Azobenzene Bridge. *J Org Chem* 79: 1611-1619.
- Concheiro, M; Villain, M; Bouchet, S; Ludes, B; Lopez-Rivadulla, M; Kintz, P. (2005). Windows of detection of tetrazepam in urine, oral fluid, beard, and hair, with a special focus on drug-facilitated crimes. *Ther Drug Monit* 27: 565-570.
- Conforti, F; Vaccaro, A; Loizzo, MR; Statti, GA; Autelitano, G; Menichini, F. (2008). Effects on free radicals and inhibition of alpha-amylase of *Cardamine battagliae* (Cruciferae), an apoenemic Calabrian (southern Italy) plant. *Nat Prod Res* 22: 101-107. [Natural product research].
- Conforti, VA; de Avila, DM; Cummings, NS; Wells, KJ; Ulker, H; Reeves, JJ. (2007). The effectiveness of a CpG motif-based adjuvant (CpG ODN 2006) for LHRH immunization. *Vaccine* 25: 6537-6543.
- Cong, F; Tian, D; Gao, J; Duan, W; Ma, C; Du, X. (2009). Synthesis, characterization and photostability of several soluble tetra(quinolin-8-yl)oxy)metallophthalocyanines. *Inorganica Chimica Acta* 362: 243-246.
- Conner, JR. (1995). Recent findings on immobilization of organics as measured by total constituent analysis. *Waste Manag* 15: 359-369.
- Conner, JR; Smith, FG. (1996). Immobilization of low level hazardous organics using recycled materials. Gilliam, T M And C C Wiles (Ed) *Astm Stp, 1240 Stabilization and Solidification of Hazardous, Radioactive, and Mixed Wastes; Symposium, Williamsburg, Virginia, USA, November 1-5, 1993* Xii+731p *Astm* (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA *Isbn* 0-8031-2020-0; 0 (1240) 1996 52-69.
- Conney, AH; Estabrook, RW; Gelboin, HV; Gillette, JR; O'Brien, PJ; Nilsen, OG; ToftgÃ¥rd, R. (1980). THE INFLUENCE OF ORGANIC SOLVENTS ON CYTOCHROME P-450-MEDIATED METABOLISM OF BIPHENYL AND BENZO(A)PYRENE A2 - Coon, Minor J. *Microsomes, Drug Oxidations and Chemical Carcinogenesis* 1235-1238.
- Connors, KA; Eboka, CJ. (1983). Solvent Effects on the Cinnamoylation of n-Propyl Alcohol Catalyzed by N-Methylimidazole and 4-Dimethylaminopyridine. *J Pharm Sci* 72: 369-372.

## Environmental Hazard Literature Search Results

### Off Topic

- Constable, M. (1994). Challenges in the assessment of complex mixtures in the Canadian environment. Twentieth Annual Aquatic Toxicity Workshop, Quebec City, Quebec, Canada, October 17-21, 1993 Canadian Technical Report of Fisheries and Aquatic Sciences 0: 65-70.
- Constantinides, CP; Koutentis, PA; Krassos, H; Rawson, JM; Tasiopoulos, AJ. (2011). Characterization and Magnetic Properties of a "Super Stable" Radical 1,3-Diphenyl-7-trifluoromethyl-1,4-dihydro-1,2,4-benzotriazin-4-yl. *J Org Chem* 76: 2798-2806.
- Cook, MT; Tzortzis, G; Charalampopoulos, D; Khutoryanskiy, VV. (2014). Microencapsulation of a synbiotic into PLGA/alginate multiparticulate gels. *Int J Pharm* 466: 400-408.
- Coombes, AGA; Scholes, PD; Davies, MC; Illum, L; Davis, SS. (1994). Resorbable polymeric microspheres for drug delivery – production and simultaneous surface modification using PEO-PPO surfactants. *Biomaterials* 15: 673-680.
- Coombs, ND; Bunn, NR; Kays, DL; Day, JK; Ooi, L-L; Aldridge, S. (2006). Substitution, abstraction and addition chemistry of low-coordinate gallium and indium ligand systems. *Inorganica Chimica Acta* 359: 3693-3698.
- Cooper, J; Delahaut, P; Fodey, TL; Elliott, CT. (2004). Development of a rapid screening test for veterinary sedatives and the beta-blocker carazolol in porcine kidney by ELISA. *Analyst* 129: 169-174.
- Copley, SD. (1998). Microbial dehalogenases: enzymes recruited to convert xenobiotic substrates. *Curr Opin Chem Biol* 2: 613-617.
- Corapcioglu, MY; Hossain, MA. (1990). Ground-water contamination by high-density immiscible hydrocarbon slugs in gravity-driven gravel aquifers. *Ground Water* 28: 403-412.
- Cordeiro, N; Belgacem, MN; Gandini, A; Neto, CP. (1999). Urethanes and polyurethanes from suberin 2: synthesis and characterization. *Ind Crop Prod* 10: 1-10.
- Cordewener, FW; van Geffen, MF; Joziassse, CAP; Schmitz, JP; Bos, RRM; Rozema, FR; Pennings, AJ. (2000). Cytotoxicity of poly(96l/4d-lactide): the influence of degradation and sterilization. *Biomaterials* 21: 2433-2442.
- Corley, RA. (1992). Improvements in health risk assessments biologically-based models for tissue dosimetry. 204th American Chemical Society National Meeting, Washington, DC, USA, August 23-28, 1992 Abstr Pap Am Chem Soc 204: AGRO 60.
- Cornelius, ML; Grace, JK. Semiochemicals extracted from a dolichoderine ant affects the feeding and tunneling behavior of the Formosan subterranean termite (Isoptera: Rhinotermitidae). *J Econ Entomol* June 1994. v. 87 (3): 705-708.
- Corrales, F; Vilaseca, F; Llop, M; Gironés, J; Mández, JA; Mutjés, P. (2007). Chemical modification of jute fibers for the production of green-composites. *J Hazard Mater* 144: 730-735.
- Correa, AXR; Cotelle, S; Millet, M; Somensi, CA; Wagner, TM; Radetski, CM. (2016). Genotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles using the in vivo *Vicia faba* L. micronucleus test. *Ecotoxicol Environ Saf* 127: 199-204.
- Correa, SM; Arbilla, G; Marques, MRC; Oliveira, K. (2012). The impact of BTEX emissions from gas stations into the atmosphere. *Atmos Pollut Res* 3: 163-169.
- Correa, YM; Nino, J; Mosquera, OM. (2007). DNA interaction of plant extracts from Colombian flora. *Pharmaceutical Biology* 45: 111-115.
- Corsi, RL; Birkett, S. (1995). A multi-parameter analysis of volatile organic compound emissions from sewers. *Water Environ Res* 67: 807-815.
- Cortes-Llamas, SA; García-a-Hernández, Z; Rufino-Felipe, E; López-Cardoso, M; Muñoz-Hernández, M-Án. (2010). Hexa-coordinated aluminum and gallium cations derived from indazole. *Inorganica Chimica Acta* 363: 3959-3965.
- Cortez, DgAG; Fernandes, JoB; Vieira, PC; Fátima das G.F da Silva, M; Ferreira, AG. (2000). A limonoid from *Trichilia stipulata*. *Phytochemistry* 55: 711-713.
- Cortez, LER; Ferreira, ICP; Lonardoní, MVC; Ferreira, AG; Vieira, PC; da Silva, M; Fernandes, JB; Cortez, DAG. (2011). Alkaloids and Triterpene from *Almeidea coerulea* (Nees and Mart.) a. St.-Hil. and Anti-leishmanial Activity. *Brazilian Archives of Biology and Technology* 54: 61-66.
- Costa, F; Quintelas, C; Tavares, T. (2012). Kinetics of biodegradation of diethylketone by *Arthrobacter viscosus*. *Biodegradation* 23: 81-92.
- Costa, JS; Ferraz, ABF; Sousa, TO; Silva, RAC; De Lima, SG; Feitosa, CM; Cito, A; Cavalcante, A; Freitas, RM; Sperotto, ARM; Peres, VF; Moura, DJ; Saffi, J. (2013). Investigation of Biological Activities of Dichloromethane and Ethyl Acetate Fractions of *Platonia insignis* Mart. Seed. *Basic & Clinical Pharmacology & Toxicology* 112: 34-41.
- Costa, MS; Duarte, ARC; Cardoso, MM; Duarte, CMM. (2007). Supercritical antisolvent precipitation of PHBV microparticles. *Int J Pharm* 328: 72-77.
- Cotelle, S; Masfaraud, JF; Ferard, JF. (1999). Assessment of the genotoxicity of contaminated soil with the *Allium-Vicia*-micronucleus and the *Tradescantia*-micronucleus assays. *Mutat Res* 426: 167-171.
- Cotruvo, JA. (1985). Regulation of contaminants in drinking water. Rice, R G Safe Drinking Water: The Impact of Chemicals on a Limited Resource; Meeting VIII+275p Lewis Publishers, Inc: Chelsea, Mich, USA Illus Isbn 0-96140-320-9; 0 (0) 1985 183-196.
- Cotte, F; Fanlo, JL; Le Cloirec, P; Escobar, P. (1995). Absorption of odorous molecules in aqueous solutions of polyethylene glycol. *Environ Technol* 16: 127-136.
- Cotton, FA; Daniels, LM; Murillo, CA; Timmons, DJ; Wilkinson, CC. (2002). The extraordinary ability of guanidinate derivatives to stabilize higher oxidation numbers in dimetal units by modification of redox potentials: Structures of Mo(2)(5+) and Mo(2)(6+) compounds. *J Am Chem Soc* 124: 9249-9256.
- Cotton, FA; Murillo, CA; Wang, Q. (2007). Inserting sulfur donor ligands in axial positions of an extended trinickel chain. *Inorganic Chemistry Communications* 10: 1088-1090.
- Coudriet, DL; Kishaba, AN. Bioassay procedure for an attractant of the pepper weevil (Coleoptera: Curculionidae). *J Econ Entomol* Oct 1988. v. 81 (5): 1499-1502.
- Courty, B; Le Curieux, F; Milon, V; Marzin, D. (2004). Influence of extraction parameters on the mutagenicity of soil samples. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 565: 23-34.

## Environmental Hazard Literature Search Results

### Off Topic

- Coutinho, HDM; Lavor, AKLS; Matias, EFF; Alves, EF; Santos, BS; Figueredo, FG; Lima, LF; Leite, NF; Sobral-Souza, CE; Andrade, JC; Alencar, LsBB; Brito, DIV; Albuquerque, RS. (2015). In vitro Potentiation of the Aminoglycoside Antibiotic Activity by *Croton campestris* A. Against Multiresistant Bacteria. *Journal of Biologically Active Products from Nature* 5: 322-330.
- Cox, HHJ; Deshusses, MA. (1998). Biological waste air treatment in biotrickling filters. *Current Opinion in Biotechnology* 9: 256-262.
- Cox, HHJ; Nguyen, TT; Deshusses, MA. (2000). Toluene degradation in the recycle liquid of biotrickling filters for air pollution control. *Appl Microbiol Biotechnol* 54: 133-137.
- Cox, ML; Sturrock, GA; Fraser, PJ; Siems, ST; Krummel, PB; O'Doherty, S. (2003). Regional sources of methyl chloride, chloroform and dichloromethane identified from AGAGE observations at Cape Grim, Tasmania, 1998-2000. *J Atmos Chem* 45: 79-99.
- Coyle, GT; Harmon, TC; Suffet, IH. (1997). Aqueous solubility depression for hydrophobic organic chemicals in the presence of partially miscible organic solvents. *Environmental Science & Technology* 31: 384-389.
- Coyle, GT; Suffet, IH; Scholze, R. (1989). Immiscible cosolvents and solventing-out solubility and partitioning affects on relatively insoluble hazardous organic compounds. 198th Acs (American Chemical Society) National Meeting, Miami Beach, Florida, USA, September 10-15, 1989 Abstr Pap Am Chem Soc 198: ENVR 23.
- Coyne, LB; Warren, JS; Cerbus, CS. (1987). An evaluation of a new desorption technique for air sampling sorbent tubes. *Am Ind Hyg Assoc J* 48: 668-670. [American Industrial Hygiene Association journal].
- Cragg, PA. (1978). Ventilatory patterns and variables in rest and activity in the lizard, *Lacerta*. *Comparative Biochemistry and Physiology Part A: Physiology* 60: 399-410.
- Crcarevska, MS; Dimitrovska, A; Sibinovska, N; Mladenovska, K; Raicki, RS; Dodov, MG. (2015). Implementation of quality by design principles in the development of microsponges as drug delivery carriers: Identification and optimization of critical factors using multivariate statistical analyses and design of experiments studies. *Int J Pharm* 489: 58-72.
- Crebelli, R; Andreoli, C; Carere, A; Conti, L; Crochi, B; Cotta-Ramusino, M; Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chem Biol Interact* 98: 113-129.
- Crebelli, R; Benigni, R; Franekic, J; Conti, G; Conti, L; Carere, A. (1988). Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: unspecific or specific mechanism? *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 201: 401-411.
- Crebelli, R; Fuselli, S; Conti, G; Conti, L; Carere, A. (1991). Mutagenicity spectra in bacterial strains of airborne and engine exhaust particulate extracts. *Mutat Res* 261: 237-248.
- Cremer, C; Burger, P. (2003). Magnetic properties of cationic tungsten(IV) half sandwich compounds: Experimental and theoretical study of a solvent and ligand stabilized singlet ground state leading to a thermally induced singlet-triplet spin state interconversion. *J Am Chem Soc* 125: 7664-7677.
- Cretton, S; BrÃ©ant, L; Pourrez, L; Ambuehl, C; Perozzo, R; Marcourt, L; Kaiser, M; Cuendet, M; Christen, P. (2015). Chemical constituents from *Waltheria indica* exert in vitro activity against *Trypanosoma brucei* and *T. cruzi*. *Fitoterapia* 105: 55-60.
- Cretton, S; Breant, L; Pourrez, L; Ambuehl, C; Marcourt, L; Ebrahimi, SN; Hamburger, M; Perozzo, R; Karimou, S; Kaiser, M; Cuendet, M; Christen, P. (2014). Antitrypanosomal Quinoline Alkaloids from the Roots of *Waltheria indica*. *J Nat Prod* 77: 2304-2311.
- Creusot, N; Devier, MH; Budzinski, H; Ait-Aissa, S. (2016). Evaluation of an extraction method for a mixture of endocrine disrupters in sediment using chemical and in vitro biological analyses. *Environ Sci Pollut Res Int* 23: 10349-10360.
- Creuzenet, C; Korshunova, G; Naharisoa, H; Nedev, H; HaertlÃ©, T. (1993). SYNTHESIS, PURIFICATION AND INTERACTIONS OF CASEIN SIGNAL PEPTIDES A2 - Angeletti, Ruth Hogue. *Techniques in Protein Chemistry IV* 239-248.
- Crich, D; Cai, WL. (1999). Chemistry of 4,6-O-benzylidene-D-glycopyranosyl triflates: Contrasting behavior between the gluco and manno series. *J Org Chem* 64: 4926-4930.
- Crich, D; Jayalath, P. (2005). Stereocontrolled formation of beta-glucosides and related linkages in the absence of neighboring group participation: Influence of a trans-fused 2,3-O-carbonate group. *J Org Chem* 70: 7252-7259.
- Crich, D; Li, WJ. (2007). O-sialylation with N-acetyl-5-N,4-O-carbonyl-protected thiosialoside donors in dichloromethane: Facile and selective cleavage of the oxazolidinone ring. *J Org Chem* 72: 2387-2391.
- Crich, D; Pedersen, CM; Bowers, AA; Wink, DJ. (2007). On the use of 3,5-O-benzylidene and 3,5-O-(di-tert-butylsilylene)-2-O-benzylarabinothiofuranosides and their sulfoxides as glycosyl donors for the synthesis of beta-arabinofuranosides: Importance of the activation method. *J Org Chem* 72: 1553-1565.
- Crich, D; Smith, M. (2001). 1-Benzenesulfonyl piperidine/trifluoromethanesulfonic anhydride: A potent combination of shelf-stable reagents for the low-temperature conversion of thioglycosides to glycosyl triflates and for the formation of diverse glycosidic linkages. *J Am Chem Soc* 123: 9015-9020.
- Crich, D; Smith, M. (2002). Solid-phase synthesis of beta-mannosides. *J Am Chem Soc* 124: 8867-8869.
- Crich, D; Vinogradova, O. (2007). Facile oxidative cleavage of 4-O-benzyl ethers with dichlorodicyanoquinone in rhamno- and mannopyranosides. *J Org Chem* 72: 3581-3584.
- Criddle, CS; McCarty, PL. (1991). Electrolytic model system for reductive dehalogenation in aqueous environments. *Environ Sci Technol* 25: 973-978.
- Crins, WJ; Bohm, BA. (1987). Flavonoid aglycones of *Holocarpha obconica*. *Phytochemistry* 26: 2128-2129.
- Crittenden, JC; Sanongraj, S; Bulloch, JL; Hand, DW; Rogers, TN; Speth, TF; Ulmer, M. (1999). Correlation of aqueous-phase adsorption isotherms. *Environmental Science & Technology* 33: 2926-2933.

## Environmental Hazard Literature Search Results

### Off Topic

- Crockett, AB. (1997). Water and wastewater quality monitoring, McMurdo Station, Antarctica. *Environ Monit Assess* 47: 39-57.
- Cronin, G; Lindquist, N; Hay, ME; Fenical, W. (1995). EFFECTS OF STORAGE AND EXTRACTION PROCEDURES ON YIELDS OF LIPOPHILIC METABOLITES FROM THE BROWN SEAWEEDS *DICTYOTA-CILIOLATA* AND *D-MENSTRUUALIS*. *Mar Ecol Prog Ser* 119: 265-273.
- Cronin, MT. (1996). Quantitative structure-activity relationship (QSAR) analysis of the acute sublethal neurotoxicity of solvents. *Toxicol In Vitro* 10: 103-110.
- Crowhurst, L; Falcone, R; Lancaster, NL; Llopis-Mestre, V; Welton, T. (2006). Using Kamlet-Taft solvent descriptors to explain the reactivity of anionic nucleophiles in ionic liquids. *J Org Chem* 71: 8847-8853.
- Crowhurst, L; Lancaster, NL; Arlandis, JMP; Welton, T. (2004). Manipulating solute nucleophilicity with room temperature ionic liquids. *J Am Chem Soc* 126: 11549-11555.
- Cruceru, I; Iancu, V; Petre, J; Badea, IA; Vladescu, L. (2012). HPLC-FLD determination of 4-nonylphenol and 4-tert-octylphenol in surface water samples. *Environ Monit Assess* 184: 2783-2795.
- Cruz, PB; Barbosa, AF; Zeringotag, V; Melo, D; Novato, T; Fidelis, QC; Fabri, RL; de Carvalho, MG; Sabaa-Srur, AUO; Daemon, E; Monteiro, CMO. (2016). Acaricidal activity of methanol extract of *Acmella oleracea* L. (Asteraceae) and spilanthol on *Rhipicephalus microplus* (Acari: Ixodidae) and *Dermacentor nitens* (Acari: Ixodidae). *Vet Parasitol* 228: 137-143.
- Cudahy, JJ. (1998). Low waste feed concentrations and destruction removal efficiency. *Waste Manag* 18: 453-459.
- Cui, F; Fan, Y; Yang, M; Liu, D; Gao, P; Kawashima, Y. (2003). Preparation of enteric microspheres of oleanolic acid dihemiphthalate sodium by a spherical crystallization technique using a salting-out action. *Stp Pharma Sciences* 13: 313-318.
- Cui, JG; Lin, CW; Zeng, LM; Su, JY. (2002). Synthesis of polyhydroxysterols (III): synthesis and structural elucidation of 24-methylenecholest-4-en-3 beta,6 alpha-diol. *Steroids* 67: 1015-1019.
- Cui, JG; Lin, CW; Zeng, LM; Su, JY. (2002). Synthesis of polyhydroxysterols (III): synthesis and structural elucidation of 24-methylenecholest-4-en-3 beta,6 alpha-diol. *Steroids* 67: 1015-1019.
- Culpitt, T; Guzei, IA; Spencer, LC; Simonson, A; Miller, JS; Wimmer, MR; Nelson, KJ. (2015). Synthesis, crystal structures, and characterization of 4,5-diaza-9-[4,5-bis(methylthio)-1,3-dithiol-2-ylidene]-fluorene (L) metal complexes [(TPyA)MII(L)](SbF6)2 (MII = Mn, Fe, Co; TPyA = tris(2-pyridylmethyl)amine). *Inorganica Chimica Acta* 427: 162-167.
- Cundy, VA; Morse, JS; Senser, DW. (1986). Practical incinerator implications from a fundamental flat flame study of dichloromethane combustion. *J Air Pollut Control Assoc* 36: 824-828.
- Cunha, LsCS; Morais, SrALd; Aquino, FJTd; Chang, R; Oliveira, Ad; Martins, MrM; Martins, CHG; Sousa, LsCF; Barros, TT; Silva, CuVd; Nascimento, EAd. Bioassay-guided fractionation and antimicrobial and cytotoxic activities of *Cassia bakeriana* extracts. *Revista Brasileira de Farmacognosia*.
- Cunha, USd; Vendramim, JD; Rocha, WC; Vieira, PC. (2005). Potential of *Trichilia pallida* Swartz (Meliaceae) as a source of substances with insecticidal activity against the tomato leafminer *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae). *Potencial de Trichilia pallida Swartz (Meliaceae) como fonte de substancias com atividade inseticida sobre a traca-do-tomateiro, Tuta absoluta (Meyrick) (Lepidoptera: Gelechiidae)*. *Neotrop Entomol* 34: 667-673.
- Cunha, USd; Vendramim, JD; Rocha, WC; Vieira, PC. (2008). Bioactivity of *Trichilia pallida* Swartz (Meliaceae) derived molecules on *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae). *Bioatividade de moleculas isoladas de Trichilia pallida Swartz (Meliaceae) sobre Tuta absoluta (Meyrick) (Lepidoptera: Gelechiidae)*. *Neotrop Entomol* 37: 709-715.
- Cunha, WR; Crevelin, EJ; Arantes, GM; Crotti, AEM; Silva, M; Furtado, N; Albuquerque, S; Ferreira, DS. (2006). A study of the trypanocidal activity of triterpene acids isolated from *Miconia* species. *Phytother Res* 20: 474-478.
- Cunha, WR; Martins, C; Ferreira, DD; Crotti, AFM; Lopes, NP; Albuquerque, S. (2003). In vitro trypanocidal activity of Triterpenes from *Miconia* species. *Planta Med* 69: 470-472.
- Cunha, WR; Matos, GXd; Souza, MGM; Tozatti, MG; Silva, MLA; Martins, CHG; Silva, Rd; Silva Filho, AAD. (2010). Evaluation of the antibacterial activity of the methylene chloride extract of *Miconia ligustroides*, isolated triterpene acids, and ursolic acid derivatives. *Pharmaceutical Biology* 48: 166-169.
- Cunningham, ID; Danks, TN; O'Connell, KTA; Scott, PW. (1999). Metalloporphyrin-catalyzed oxidation of 2-cycloalkyl-3-hydroxynaphthoquinones. *J Org Chem* 64: 7330-7337.
- Cunningham, ML; Jay Gandolfi, A; Brendel, K; Glenn Sipes, I. (1981). Covalent binding of halogenated volatile solvents to subcellular macromolecules in hepatocytes. *Life Sci* 29: 1207-1212.
- Curren, RD; Kouri, RE; Kim, CM; Schechtman, LM. (1981). Mutagenic and carcinogenic potency of extracts from diesel related environmental emissions: Simultaneous morphological transformation and mutagenesis in BALB/c 3t3 cells. *Environ Int* 5: 411-415.
- Curtui, VG; Gareis, M. (2001). A simple HPLC method for the determination of the mycotoxins ochratoxin A and B in blood serum of swine. *Food Additives and Contaminants Part a-Chemistry Analysis Control Exposure & Risk Assessment* 18: 635-643.
- Curvall, M; Romert, L; Norl n, E; Enzell, CR. (1987). Mutagen levels in urine from snuff users, cigarette smokers and non tobacco users - A comparison. *Mutation Research/Genetic Toxicology* 188: 105-110.
- Cuti n, SS. (1981). Recovery efficiency of 2,3,7,8-tetrachlorodibenzo-p-dioxin from active carbon and other particulates. *Anal Chim Acta* 123: 25-31.
- Czerwinska, ME; Ziarek, M; Bazytko, A; Osinska, E; Kiss, AK. (2015). Quantitative Determination of Secoiridoids and Phenylpropanoids in Different Extracts of *Ligustrum Vulgare* L. Leaves by a Validated HPTLC-Photodensitometry Method. *Phytochem Anal* 26: 253-260.

## Environmental Hazard Literature Search Results

### Off Topic

- da Costa J, de Almeida, AA; Costa, JP; das Graças Lopes Citão, AM; Saffi, J; de Freitas, RM. (2012). Superoxide dismutase and catalase activities in rat hippocampus pretreated with garcinelliptone FC from *Platonia insignis*. *Pharm Biol* 50: 453-457. [Pharmaceutical biology].
- da Cunha, ACB; Sabedot, S; Sampaio, CH; Ramos, CG; da Silva, AR. (2012). *Salix rubens* and *Salix triandra* Species as Phytoremediators of Soil Contaminated with Petroleum-Derived Hydrocarbons. *Water Air and Soil Pollution* 223: 4723-4731.
- da Rocha, ZnN; de Lima, RGo; Doro, FG; Tfouni, E; da Silva, RS. (2008). Photochemical production of nitric oxide from a nitrosyl phthalocyanine ruthenium complex by irradiation with light in the phototherapeutic window. *Inorganic Chemistry Communications* 11: 737-740.
- da Silva, GA; Domingos, TF; Fonseca, RR; Sanchez, EF; Teixeira, VL; Fuly, AL. (2015). The red seaweed *Plocamium brasiliense* shows anti-snake venom toxic effects. *J Venom Anim Toxins Incl Trop Dis* 21.
- da Silva, JMR; Nascimento, MD. (2012). Chemoenzymatic epoxidation of citronellol catalyzed by lipases. *Process Biochemistry* 47: 517-522.
- da Silva, JP; Caetano, FR; Cavarzan, DA; Fagundes, FD; Romualdo, LL; Ellena, J; Jaworska, M; Lodowski, P; Barison, A; de Araujo, MrP. (2011). fac-/mer-[RuCl<sub>3</sub>(NO)(P<sup>o</sup>N)] (P<sup>o</sup>N = [o-(N,N-dimethylamino)phenyl]diphenylphosphine): Synthesis, characterization and DFT calculations. *Inorganica Chimica Acta* 373: 8-18.
- da Silva, KL; dos Santos, AR; Mattos, PE; Yunes, RA; Delle-Monache, F; Cechinel-Filho, V. (2001). Chemical composition and analgesic activity of *Calophyllum brasiliense* leaves. *Therapie* 56: 431-434. [Therapie].
- da Silva, MA; Oliveira, APS; Sannomiya, M; Sano, PT; Varanda, EA; Vilegas, W; dos Santos, LC. (2007). Flavonoids and a naphthopyranone from *Eriocaulon ligulatum* and their mutagenic activity. *Chemical & Pharmaceutical Bulletin* 55: 1635-1639.
- Dâjâz-Ayala, R; Fachini, ER; Raptis, R; Cabrera, CR. (2006). Palladium nanostructures and nanoparticles from molecular precursors on highly ordered pyrolytic graphite. *Langmuir* 22: 10185-10195. [Langmuir : the ACS journal of surfaces and colloids].
- Dahech, I; Farah, W; Trigui, M; Hssouna, AB; Belghith, H; Belghith, KS; Abdallah, FB. (2013). Antioxidant and antimicrobial activities of *Lycium shawii* fruits extract. *Int J Biol Macromol* 60: 328-333.
- Dahlberg, AE. (1979). [31] A gel electrophoretic separation of bacterial ribosomal subunits with and without protein S1. *Methods in Enzymology* 397-401.
- Dahm, W; Kollbach, J; Rautenbach, R. (1988). Utilization of landfill gas economic comparison of various utilization concepts. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 1109-1112.
- Dai, JM; Yaylayan, VA; Raghavan, GSV; Pare, J. (1999). Extraction and colorimetric determination of azadirachtin-related limonoids in neem seed kernel. *J Agric Food Chem* 47: 3738-3742.
- Dai, QZ; Gilbert, RD; Kadla, JF. (2004). Synthesis, characterization, and mesophase formation of phenylacetoxycellulose and its halogenated derivatives. *Biomacromolecules* 5: 74-80.
- Dal, E; Lancaster, NL. (2005). Acetyl nitrate nitrations in bmpy N(Tf)<sub>2</sub> and bmpy OTf, and the recycling of ionic liquids. *Organic & Biomolecular Chemistry* 3: 682-686.
- Damian, F; Blaton, N; Desseyn, H; Clou, K; Augustijns, P; Naesens, L; Balzarini, J; Kinget, R; Van den Mooter, G. (2001). Solid state properties of pure UC-781 and solid dispersions with polyvinylpyrrolidone (PVP K30). *J Pharm Pharmacol* 53: 1109-1116.
- Damme, B; Darmer, D; Pankow, D. (1996). Induction of hepatic cytochrome P4502E1 in rats by acetylsalicylic acid or sodium salicylate. *Toxicology* 106: 99-103.
- Damte, D; Reza, MA; Lee, SJ; Jo, WS; Park, SC. (2011). Anti-inflammatory Activity of Dichloromethane Extract of *Auricularia auricula-judae* in RAW264.7 Cells. *Toxicol Res* 27: 11-14. [Toxicological research].
- Dandie, CE; Thomas, SM; McClure, NC. (2001). Comparison of a range of green fluorescent protein-tagging vectors for monitoring a microbial inoculant in soil. *Lett Appl Microbiol* 32: 26-30. [Letters in applied microbiology].
- Danel, K; Pedersen, EB; Nielsen, C. (1998). Synthesis and anti-HIV-1 activity of novel 2,3-dihydro-7H-thiazolo 3,2-a pyrimidin-7-ones. *J Med Chem* 41: 191-198.
- Dang, NH; Zhang, XF; Zheng, MS; Son, KH; Chang, HW; Kim, HP; Bae, K; Kang, SS. (2005). Inhibitory constituents against cyclooxygenases from *Aralia cordata* thunb. *Arch Pharm Res* 28: 28-33.
- Danilova, IV; Doronina, NV; Trotsenko, YA; Netrusov, AI; Ryzhkova, EP. (2004). The aeration-dependent effect of vitamin B(12) on DNA biosynthesis in *Methylobacterium dichloromethanicum*. *Microbiology* 73: 134-138.
- Dankers, J; Groenenboom, M; Scholtis, LH; Van Der Heiden, C. (1993). High-speed supercritical fluid extraction method for routine measurement of polycyclic aromatic hydrocarbons in environmental soils with dichloromethane as a static modifier. *J Chromatogr* 641: 357-362.
- Dar, A; Khatoon, S. (2000). Behavioral and biochemical studies of dichloromethane fraction from the *Areca catechu* nut. *Pharmacology Biochemistry and Behavior* 65: 1-6.
- Daradimos, E; Marcaki, P; Koupparis, M. (2000). Evaluation and validation of two fluorometric HPLC methods for the determination of aflatoxin B(1) in olive oil. *Food Additives and Contaminants Part a-Chemistry Analysis Control Exposure & Risk Assessment* 17: 65-73.
- Darensbourg, DJ; Holtcamp, MW; Struck, GE; Zimmer, MS; Niezgoda, SA; Rainey, P; Robertson, JB; Draper, JD; Reibenspies, JH. (1999). Catalytic activity of a series of Zn(II) phenoxides for the copolymerization of epoxides and carbon dioxide. *J Am Chem Soc* 121: 107-116.
- Darensbourg, DJ; Wildeson, J; Lewis, SJ; Yarbrough, JC. (2002). Solution and solid-state structural studies of epoxide adducts of cadmium phenoxides. Chemistry relevant to epoxide activation for ring-opening reactions. *J Am Chem Soc* 124: 7075-7083.



## Environmental Hazard Literature Search Results

### Off Topic

- Daroch, F; Hoeneisen, M; Gonzalez, CL; Kawaguchi, F; Salgado, F; Solar, H; Garcia, A. (2001). In vitro antibacterial activity of Chilean red wines against *Helicobacter pylori*. *Microbios* 104: 79-85.
- D'Arrigo, P; Fasoli, E; Pedrocchi-Fantoni, G; Rossi, C; Saraceno, C; Tessaro, D; Servi, S. (2007). A practical selective synthesis of mixed short/long chains glycerophosphocholines. *Chem Phys Lipids* 147: 113-118.
- Das, GS; Rao, GHR; Wilson, RF; Chandy, T. (2001). Controlled delivery of taxol from poly(ethylene glycol)-coated poly(lactic acid) microspheres. *J Biomed Mater Res* 55: 96-103.
- Das Gupta, V; Cadwallader, DE. (1968). Determination of First pKa<sup>2</sup> Value and Partition Coefficients of Bromothymol Blue. *J Pharm Sci* 57: 2140-2142.
- Das, JP; Roy, S. (2002). Catalytic hunsdiecker reaction of alpha,beta-unsaturated carboxylic acids: How efficient is the catalyst? *J Org Chem* 67: 7861-7864.
- Dastoli, FR; Musto, NA; Price, S. (1966). Reactivity of active sites of chymotrypsin suspended in an organic medium. *Archives of Biochemistry and Biophysics* 115: 44-47.
- Davicino, R; Micucci, P; Zettler, G; Ferraro, G; Anesini, C. (2010). "In vivo" murine macrophages activation by a dichloromethane extract of *Tilia x viridis*. *Immunopharmacol Immunotoxicol* 32: 473-480.
- Davicino, R; Zettler, G; Brizi, MR; Marrassini, C; Ferraro, G; Filip, R; Anesini, C. (2011). In Vivo Immunomodulatory Effect of *Tilia x viridis* Extracts on Normal Lymphocyte Proliferation: A Direct and an Indirect Action. *Phytother Res* 25: 1342-1347.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; McIlwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem* 18: 503-525.
- Davis, AS; Fu, XH; Schutte, BJ; Berhow, MA; Dalling, JW. (2016). Interspecific variation in persistence of buried weed seeds follows trade-offs among physiological, chemical, and physical seed defenses. *Ecology and Evolution* 6: 6836-6845.
- Davis, JW; Madsen, SS. The biodegradation of methylene chloride in soils. *Environ Toxicol Chem* 1991. v. 10 (4): 463-474.
- Davyt, D; Fernandez, R; Suescun, L; Momburu, AW; Saldana, J; Dominguez, L; Coll, J; Fujii, MT; Manta, E. (2001). New sesquiterpene derivatives from the red alga *Laurencia scoparia*. Isolation, structure determination, and anthelmintic activity. *J Nat Prod* 64: 1552-1555.
- Dawson, HE; McAlary, T. (2009). A Compilation of Statistics for VOCs from Post-1990 Indoor Air Concentration Studies in North American Residences Unaffected by Subsurface Vapor Intrusion. *Ground Water Monitoring and Remediation* 29: 60-69.
- Dayal, B; Ertel, NH; Rapole, KR; Asgaonkar, A; Salen, G. (1997). Rapid hydrogenation of unsaturated sterols and bile alcohols using microwaves. *Steroids* 62: 451-454.
- Dayton, DP; Brymer, DA; Jongleux, RF. (1990). Canister based sampling systems a performance evaluation. US Environmental Protection Agency's Atmospheric Research and Exposure Assessment Laboratory and Air and Waste Management Association Measurement of Toxic and Related Air Pollutants INTERNATIONAL SYMPOSIUM, RALEIGH, NORTH CAROLINA, USA, MAY 1-4, 1990. XXI+1097P. AIR AND WASTE MANAGEMENT ASSOCIATION: PITTSBURGH, PENNSYLVANIA, USA. ILLUS. MAPS. PAPER.; 0: 740-746.
- de Best, JH; Hunneman, P; Doddema, HJ; Janssen, DB; Harder, W. (1999). Transformation of carbon tetrachloride in an anaerobic packed-bed reactor without addition of another electron donor. *Biodegradation* 10: 287-295.
- de Best, JH; Salminen, E; Doddema, HJ; Janssen, DB; Harder, W. (1997). Transformation of carbon tetrachloride under sulfate reducing conditions. *Biodegradation* 8: 429-436.
- De Best, JH; Ultee, J; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (2000). Dichloromethane utilization in a packed-bed reactor in the presence of various electron acceptors. *Water Res* 34: 566-574.
- de Brito SÃ¡, Ãg; de Matos, JME. (2015). Ring closing metathesis by Hoveyda's Grubbs catalysts: A theoretical approach of some aspects of the initiation mechanism and the influence of solvent. *Inorganica Chimica Acta* 426: 20-28.
- De Campos, MP; Cechinel, V; Da Silva, RZ; Yunes, RA; Zacchino, S; Juarez, S; Cruz, RC; Cruz, AB. (2005). Evaluation of antifungal activity of *Piper solmsianum* C. DC. var. *solmsianum* (Piperaceae). *Biological & Pharmaceutical Bulletin* 28: 1527-1530.
- de Castro, CS; SÃ³rgio Seixas de Melo, J; FernÃ¡ndez-Lodeiro, An; NÃ±ez, C; Lodeiro, C. (2014). Spectroscopic and photophysical studies of a naphthalene-based emissive probe for metal cations. *Inorganic Chemistry Communications* 47: 27-32.
- de FÃ¡tima Navarro, D; de Souza, MM; Neto, RA; Golin, V; Niero, R; Yunes, RA; Delle Monache, F; Cechinel Filho, V. (2002). Phytochemical analysis and analgesic properties of *Curcuma zedoaria* grown in Brazil. *Phytomedicine* 9: 427-432.
- De la Torre, AI; FernÃ¡ndez, C; Tarazona, JV; MuÃ±oz, MJ. (1995). Detection of aroclor, DDT, malathion and HCB using semipermeable membranes as concentration method. *Chemosphere* 31: 2727-2737.
- De Leenheer, AP; Gelijckens, CF. (1978). GLC Determination of Floxuridine in Plasma Using a Thermionic Nitrogen Detector. *J Pharm Sci* 67: 417-419.
- De Liguoro, M; Longo, F; Brambilla, G; Cinquina, A; Bocca, A; Lucisano, A. (1996). Distribution of the anthelmintic drug albendazole and its major metabolites in ovine milk and milk products after a single oral dose. *J Dairy Res* 63: 533-542. [The Journal of dairy research].
- de los Rios, AP; Hernandez-Fernandez, FJ; Rubio, M; Gomez, D; Villora, G. (2007). Stabilization of native penicillin G acylase by ionic liquids. *J Chem Tech Biotechnol* 82: 190-195.
- De Luca, L; Giacomelli, G; Porcheddu, A. (2002). Mild and highly selective formyl protection of primary hydroxyl groups. *J Org Chem* 67: 5152-5155.
- De Luengo, DH; Miski, M; Gage, DA; Mabry, TJ. (1986). 7 $\pm$ -Hydroxy-sesquiterpene lactones from *Decachaeta ovatifolia*. *Phytochemistry* 25: 1917-1922.
- de Medeiros, JMR; Macedo, M; Contancia, JP; Nguyen, C; Cunningham, G; Miles, DH. (2000). Antithrombin activity of medicinal plants of the Azores. *J Ethnopharmacol* 72: 157-165.

## Environmental Hazard Literature Search Results

### Off Topic

- de Melas, F; Pustogov, VV; Croitoru, N; Mizaikoff, B. (2003). Development and optimization of a mid-infrared hollow waveguide gas sensor combined with a supported capillary membrane sampler. *Appl Spectrosc* 57: 600-606. [Applied spectroscopy].
- de Melo, FMP; Fiore, MF; de Moraes, LAB; Silva-Stenico, ME; Scramin, S; Teixeira, MD; de Melo, IS. (2009). ANTIFUNGAL COMPOUND PRODUCED BY THE CASSAVA ENDOPHYTE *Bacillus pumilus* MAIIM4A. *Scientia Agricola* 66: 583-592.
- de Melo, MMR; Silva, RP; Silvestre, AJD; Silva, CM. (2016). Valorization of water hyacinth through supercritical CO<sub>2</sub> extraction of stigmasterol. *Ind Crop Prod* 80: 177-185.
- De Mieri, M; Du, K; Neuburger, M; Saxena, P; Zietsman, PC; Hering, S; van der Westhuizen, JH; Hamburger, M. (2015). hERG Channel Inhibitory Daphnane Diterpenoid Orthoesters and Polycephalones A and B with Unprecedented Skeletons from *Gnidia polycephala*. *J Nat Prod* 78: 1697-1707.
- de Moraes, WF; Galdino, PM; Nascimento, MVCM; Vanderlinde, FA; Bara, MTF; Costa, EA; de Paula, JR. (2012). Triterpenes involved in the anti-inflammatory effect of ethanolic extract of *Pterodon emarginatus* Vogel stem bark. *Natural medicines* 66: 202-207.
- De Nicola, F; Maisto, G; Prati, MV; Alfani, A. (2005). Temporal variations in PAH concentrations in *Quercus ilex* L. (holm oak) leaves in an urban area. *Chemosphere* 61: 432-440.
- de Oliveira, CB; Comunello, LN; Lunardelli, A; Amaral, RH; Pires, MG; da Silva, GL; Manfredini, V; Vargas, CR; Gnoatto, SC; de Oliveira, JR; Gosmann, G. (2012). Phenolic enriched extract of *Baccharis trimera* presents anti-inflammatory and antioxidant activities. *Molecules* 2012; 17(1):1113-23 [Molecules (Basel, Switzerland)].
- De Oliveira, EC; Fernandes, CP; Sanchez, EF; Rocha, L; Fuly, AL. (2014). Inhibitory effect of plant *Manilkara subsericea* against biological activities of *Lachesis muta* snake venom. *Biomed Res Int* 2014; 2014:408068 [BioMed research international].
- de Oliveira, PF; Acesio, NO; Leandro, LF; Cunha, NL; Uchoa, CJD; Janeiro, AH; Tavares, DC. (2014). Antigenotoxicity of *Roupala montana* extract in the mouse micronucleus and comet assays. *Drug Chem Toxicol* 37: 93-99.
- De Oliveira, SQ; Dal-Pizzol, F; Gosmann, G; Guillaume, D; Moreira, JCF; Schenkel, EP. (2003). Antioxidant activity of *Baccharis articulata* extracts: Isolation of a new compound with antioxidant activity. *Free Radic Res* 37: 555-559.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere* 75: 1356-1362.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; Van Wijk, D. (2004). 1,1,1-Trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea. *Environ Monit Assess* 97: 39-56.
- De Rooij, C; Thompson, RS; Garny, V; Lecloux, A; Van Wijk, D. (2004). Dichloromethane marine risk assessment with special reference to the OSPARCOM region: North Sea. *Environ Monit Assess* 97: 3-22.
- de Souza, TF; Cintra, P; Malaspina, O; Bueno, OC; Fernandes, JB; Almeida, S. (2006). Toxic effects of methanolic and dichloromethane extracts of flowers and peduncles of *Stryphnodendron adstringens* (Leguminosae : Mimosoideae) on *Apis mellifera* and *Scaptotrigona postica* workers. *Journal of Apicultural Research* 45: 112-116.
- De Zwart, D; Kramer, KJ; Jenner, HA. (1995). Practical experiences with the biological early warning system "Mosselmonitor". *Environ Toxicol Water Qual* 10: 237-247.
- Deber, CM; Torchia, DA; Wong, SC; Blout, ER. (1972). Conformational interconversions of the cyclic hexapeptide cyclo(Pro-Gly) 3. *Proc Natl Acad Sci U S A* 69: 1825-1829. [Proceedings of the National Academy of Sciences of the United States of America].
- Debersac, P; Heydel, JM; Amiot, MJ; Goudonnet, H; Artur, Y; Suschetet, M; Siess, MH. (2001). Induction of cytochrome P450 and/or detoxication enzymes by various extracts of rosemary: description of specific patterns. *Food Chem Toxicol* 39: 907-918.
- Debgupta, J; Kakade, BA; Pillai, VK. (2011). Competitive wetting of acetonitrile and dichloromethane in comparison to that of water on functionalized carbon nanotube surfaces. *Phys Chem Chem Phys* 13: 14668-14674. [Physical chemistry chemical physics : PCCP].
- Debunne, A; Vervaet, C; Remon, J-P. (2002). Development and in vitro evaluation of an enteric-coated multiparticulate drug delivery system for the administration of piroxicam to dogs. *Eur J Pharm Biopharm* 54: 343-348.
- Dec, J; Haider, K; Benesi, A; Rangaswamy, V; Schaffer, A; Plucken, U; Bollag, JM. (1997). Analysis of soil-bound residues of <sup>13</sup>C-labeled fungicide cyprodinil by NMR spectroscopy. *Environmental Science & Technology* 31: 1128-1135.
- Deconinck, E; Canfyn, M; Sacré, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal* 70: 64-70.
- Deconinck, E; Canfyn, M; Sacré, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal* 70: 64-70.
- Deepthi, SB; Ramesh, P; Trivedi, R; Buddana, SK; Prakasham, RS. (2015). Carbohydrate triazole tethered 2-pyridyl-benzimidazole ligands: Synthesis of their palladium (II) complexes and antimicrobial activities. *Inorganica Chimica Acta* 435: 200-205.
- Degen, T; Poppy, G; Stadler, E. (1999). Extracting oviposition stimulants for carrot fly from host-plant leaves. *J Chem Ecol* 25: 89-104.
- Deipser, A; Stegmann, R. (1994). The Origin And Fate Of Volatile Trace Components In Municipal Solid Waste Landfills. *Waste Management & Research* 12: 129-139.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environmental science and pollution research international* 4: 209-216.
- Deitch, RA; Blackburn, GR; Schreiner, CA; Mackerer, CR. (1987). Extraction and metabolic activation parameters for petroleum fractions in a modified ames assay. Eighteenth Annual Meeting of the Environmental Mutagen Society, San Francisco, California, USA, April 8-12, 1987 *Environ Mutagen* 9: 29.
- Del Pino, M; Blessing, RL. (1988). Chemicals and allied products. *J Water Pollut Control Fed* 60: 909-916.

## Environmental Hazard Literature Search Results

### Off Topic

- Del Valle, MA; Diaz, FR; Tagle, LH; Brovelli, F; Bernede, JC. (2003). Electro-oxidation of 2,2'-dithienylketone. *Journal of Materials Science* 38: 2439-2446.
- Delhomenie, MC; Heitz, M. (2003). Elimination of chlorobenzene vapors from air in a compost-based biofilter. *J Chem Tech Biotechnol* 78: 588-595.
- Dellinger, B; Taylor, PH; Tirey, DA; Lee, CC. (1989). Pathways of formation of chlorinated pics from the thermal degradation of simple chlorinated hydrocarbons. 1st Annual Gulf Coast Hazardous Substance Research Center Symposium on Hazardous Waste Incineration, Beaumont, Texas, USA, February 23-24, 1989 *J Hazard Mater* 22: 175-186.
- Demarini, DM. (1998). Mutation spectra of complex mixtures. *Mutat Res* 411: 11-18.
- DeMarini, DM; Brooks, LR; Warren, SH; Kobayashi, T; Gilmour, MI; Singh, P. (2004). Bioassay-directed fractionation and Salmonella mutagenicity of automobile and forklift diesel exhaust particles. *Environ Health Perspect* 112: 814-819.
- DeMarini, DM; Houk, VS; Kornel, A; Rogers, CJ. (1992). Effect of a base-catalyzed dechlorination process on the genotoxicity of PCB-contaminated soil. *Chemosphere* 24: 1713-1720.
- Demarini, DM; Houk, VS; Lewtas, J; Williams, RW; Nishioka, MG; Srivastava, RK; Ryan, JV; McSorley, JA; Hall, RE; Linak, WP. (1991). Measurement of mutagenic emissions from the incineration of the pesticide dinoseb during application of combustion modifications. *Environ Sci Technol* 25: 910-913.
- Demarini, DM; Inmon, JP; Houk, VS; Warren, S; Sandhu, S; Acedo, G; Brock, K; Moore, MM; Pasley, T; Williams, R. (1987). Evaluation of in-vivo and in-vitro short-term tests for screening hazardous wastes. Eighteenth Annual Meeting of the Environmental Mutagen Society, San Francisco, California, USA, April 8-12, 1987 *Environ Mutagen* 9: 29.
- DeMarini, DM; Inmon, JP; Simmons, JE; Berman, E; Pasley, TC; Warren, SH; Williams, RW. (1987). Mutagenicity in Salmonella of hazardous wastes and urine from rats fed these wastes. *Mutation Research/Genetic Toxicology* 189: 205-216.
- DeMarini, DM; Lawrence, BK; Brooks, HG; Houk, VS. (1991). Compatibility of organic solvents with the Microscreen prophage-induction assay: solvent "mutagen" interactions. *Mutation Research Letters* 263: 107-113.
- Demarini, DM; Lemieux, PM; Ryan, JV; Brooks, LR; Williams, RW. (1994). Mutagenicity and chemical analysis of emissions from the open burning of scrap rubber tires. *Environmental Science & Technology* 28: 136-141.
- DeMarini, DM; Shelton, ML; Bell, DA. (1996). Mutation spectra of chemical fractions of a complex mixture: role of nitroarenes in the mutagenic specificity of municipal waste incinerator emissions. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 349: 1-20.
- DeMarini, DM; Shelton, ML; Warren, SH; Ross, TM; Shim, SY; Richard, AM; Pegram, RA. (1997). Glutathione S-transferase-mediated induction of GC → AT transitions by halomethanes in Salmonella. *Environ Mol Mutagen* 30: 440-447.
- Demartin, F; Ganadu, ML; Lubinu, G; Naldini, L; Panzanelli, A. (1995). Synthesis, NMR study, and X-ray structure of 2-(N-methyl-N-cyano-N-ethylguanidino) thiotriphenylphosphinegold(I). *J Inorg Biochem* 60: 233-243.
- Demirel, E; Durmaz, H; Hizal, G; Tunca, U. (2016). A route toward multifunctional polyurethanes using triple click reactions. *Journal of polymer science* 54: 480-486.
- Demirgian, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform infrared spectroscopy. *Waste Manag* 10: 227-231.
- Demirgian, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform IR spectroscopy. *Waste Manage* 10: 227-232.
- Demsar, A; Kosmrlj, J; Petricek, S. (2002). Variable-temperature nuclear magnetic resonance spectroscopy allows direct observation of carboxylate shift in zinc carboxylate complexes. *J Am Chem Soc* 124: 3951-3958.
- Deng, AJ; Lin, QX; Yan, YH; Li, HL; Ren, JL; Liu, CF; Sun, RC. (2016). A feasible process for furfural production from the pre-hydrolysis liquor of corncob via biochar catalysts in a new biphasic system. *Bioresour Technol* 216: 754-760.
- Deng, H; Schindler, JF; Berst, KB; Plapp, BV; Callender, R. (1998). A Raman spectroscopic characterization of bonding in the complex of horse liver alcohol dehydrogenase with NADH and N-cyclohexylformamide. *Biochemistry* 37: 14267-14278.
- Deng, JS; Li, L; Stephens, D; Tian, YQ; Harris, FW; Cheng, SZD. (2002). Effect of gamma-radiation on a polyanhydride implant containing gentamicin sulfate. *Int J Pharm* 232: 1-10.
- Deng, J-S; Li, L; Stephens, D; Tian, Y; Harris, FW; Cheng, SZD. (2002). Effect of  $\gamma$ -radiation on a polyanhydride implant containing gentamicin sulfate. *Int J Pharm* 232: 1-10.
- Deng, M; Nair, LS; Nukavarapu, SP; Kumbar, SG; Jiang, T; Krogman, NR; Singh, A; Allcock, HR; Laurencin, CT. (2008). Miscibility and in vitro osteocompatibility of biodegradable blends of poly(ethyl alanato) (p-phenyl phenoxy) phosphazene and poly(lactic acid-glycolic acid). *Biomaterials* 29: 337-349.
- Denkba; Eb; Kaitian, X; Tuncel, A; Pi; kin, E. (1995). Rifampicin-carrying poly(D,L-lactide) microspheres: loading and release. *J Biomater Sci Polym Ed* 6: 815-825.
- Denkhaus, R; Grabow, WOK; Prozesky, OW. (1981). REMOVAL OF MUTAGENIC COMPOUNDS IN A WASTEWATER RECLAMATION SYSTEM EVALUATED BY MEANS OF THE AMES SALMONELLA/ MICROSOME ASSAY A2 - JENKINS, S.H. *Water Pollution Research and Development* 571-589.
- Dentali, SJ; Hoffmann, JJ. (1990). 16-hydroxycarnosic acid, a diterpene from *Salvia apiana*. *Phytochemistry* 29: 993-994.
- Deorkar, NV; Khopkar, SM. (1991). Liquid-liquid extraction of zirconium from hafnium and other elements with dicyclohexyl-18-crown-6. *Anal Chim Acta* 245: 27-33.

## Environmental Hazard Literature Search Results

### Off Topic

- Dereyemaker, A; Van den Mooter, G. (2015). The Peculiar Behavior of the Glass Transition Temperature of Amorphous Drug-Polymer Films Coated on Inert Sugar Spheres. *J Pharm Sci* 104: 1759-1766.
- Derwent, RG; Pearson, JK. (1997). Improving air quality in the United Kingdom: The solvents contribution. *Environ Technol* 18: 1029-1036.
- Dettmer, K; Beck, J; Gutz, U; Will, R; Stieglitz, L. (1993). Automatic evaporation in PCDD/F- and chlorobenzene-routine-analysis. *Chemosphere* 27: 2111-2116.
- Dettmer, K; Beck, J; Goetz, U; Will, R; Stieglitz, L. (1993). Automatic evaporation in PCDD- and chlorobenzene-routine analysis. *Chemosphere* 27: 2111-2116.
- Devaux, A; Pesonen, M; Monod, G. (1997). Alkaline comet assay in rainbow trout hepatocytes. *Toxicol In Vitro* 11: 71-79.
- Devillers, J; Chambon, P; Zakarya, D; Chastrette, M; Chambon, R. (1987). A predictive structure-toxicity model with daphnia-magna. *Chemosphere* 16: 1149-1164.
- Devkota, KP; Wansi, JD; Lenta, BN; Khan, S; Choudhary, MI; Sewald, N. (2010). Bioactive Steroidal Alkaloids from *Sarcococca hookeriana*. *Planta Med* 76: 1022-1025.
- Devkule, SS; More, MS; Chavan, SS. (2017). Synthesis, characterization, luminescence and catalytic properties of copper(II) complexes with N-(2-pyridylmethylene)-1,5-dimethyl-2-pyrazole-3-(2H)-one and triphenylphosphine as ligands. *Inorganica Chimica Acta* 455, Part 1: 183-189.
- Dew, NM; Paton, GI; Semple, KT. (2005). Prediction of 3-(14)C phenyldodecane biodegradation in cable insulating oil-spiked soil using selected extraction techniques. *Environ Pollut* 138: 316-323.
- Dhillon, V; Chaudhary, AK. (2010). A validated HPTLC method for estimation of moxifloxacin hydrochloride in tablets. *Pharmaceutical Methods* 1: 54-56.
- D'Hooghe, M; Vanlangendonck, T; Tornroos, KW; De Kimpe, N. (2006). Novel synthesis of cis-3,5-disubstituted morpholine derivatives. *J Org Chem* 71: 4678-4681.
- D'Hooghe, M; Waterinckx, A; De Kimpe, N. (2005). A novel entry toward 2-imino-1,3-thiazolidines and 2-imino-1,3-thiazolines by ring transformation of 2-(thiocyanomethyl)aziridines. *J Org Chem* 70: 227-232.
- Di Bella, G; Saitta, M; Lo Curto, S; Salvo, F; Licandro, G; Dugo, G. (2001). Production process contamination of citrus essential oils by plastic materials. *J Agric Food Chem* 49: 3705-3708.
- Di Giorgio, C; Malleret, L; Gueydon-Morin, C; Rigaud, S; De Meo, M. (2011). Comparison of two extraction procedures for the assessment of sediment genotoxicity: Implication of polar organic compounds. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 725: 1-12.
- Di Nicola, C; Effendy; Pettinari, C; Skelton, BW; Somers, N; White, AH. (2005). The structural definition of adducts of stoichiometry AgX:dppf (1:1)(n), X = simple anion, dppf = bis(diphenylphosphino)ferrocene. *Inorganica Chimica Acta* 358: 695-706.
- Diab, Y; Dolmazon, R; Bessiere, JM. (2001). Daucane aryl esters composition from the Lebanese *Ferula hermonis* Boiss. (zallooh root). *Flavour and Fragrance Journal* 16: 120-122.
- Dias, D; Urban, S. (2008). Phytochemical analysis of the southern Australian marine alga, *Plocamium mertensii* using HPLC-NMR. *Phytochem Anal* 19: 453-470.
- Dias, DA; Urban, S. (2009). Application of HPLC-NMR for the Rapid Chemical Profiling of a Southern Australian Sponge, *Dactylospongia* sp. *J Sep Sci* 32: 542-548.
- Diaz-Mendez, FM; Rodriguez-Ariza, A; Usero-Garcia, J; Pueyo, C; Lopez-Barea, J. (1998). Mutagenic activation of aromatic amines by molluscs as a biomarker of marine pollution. *Environ Mol Mutagen* 31: 282-291.
- Diekmann, F; Nepovim, A; Schroeder, P. (2004). Influence of *Serratia liquefaciens* and a xenobiotic glutathione conjugate on the detoxification enzymes in a hairy root culture of horseradish (*Armoracia rusticana*). *Journal of Applied Botany and Food Quality-Angewandte Botanik* 78: 64-67.
- Dierickx, PJ. (1993). Comparison between fish lethality data and the in vitro cytotoxicity of lipophilic solvents to cultured fish cells in a two-compartment model. *Chemosphere* 27: 1511-1518.
- Dierickx, PJ. (1998). Increased cytotoxic sensitivity of cultured FHM fish cells by simultaneous treatment with sodium dodecyl sulfate and buthionine sulfoximine. *Chemosphere* 36: 1263-1274.
- Dieter, HH; Kerndorff, H. (1993). Presence and importance of organochlorine solvents and other compounds in Germany's groundwater and drinking water. *Ann Ist Super Sanita* 29: 263-277.
- Diev, VV; Schlenker, CW; Hanson, K; Zhong, QW; Zimmerman, JD; Forrest, SR; Thompson, ME. (2012). Porphyrins Fused with Unactivated Polycyclic Aromatic Hydrocarbons. *J Org Chem* 77: 143-159.
- Diks, RMM; Ottengraf, SPP. Verification studies of a simplified model for the removal of dichloromethane from waste gases using a biological trickling filter. *Bioprocess engineering* 1991. v. 6 (3): 93-99.
- Diks, RMM; Ottengraf, SPP; Oever, AHCvd. The influence of NaCl on the degradation rate of dichloromethane by *Hyphomicrobium* sp. *Biodegradation* June 1994. v. 5 (2): 129-141.
- Dilika, F; Meyer, JJM. (1998). Antibacterial activity of *Helichrysum pedunculatum* callus cultures. *South African Journal of Botany* 64: 312-313.
- Dilkin, P; Zorzete, P; Mallmann, CA; Gomes, JDF; Utiyama, CE; Oetting, LL; Correa, B. (2003). Toxicological effects of chronic low doses of aflatoxin B(1) and fumonisin B(1)-containing *Fusarium moniforme* culture material in weaned piglets. *Food Chem Toxicol* 41: 1345-1353.
- Dimo, T; Azay, J; Tan, PV; Pellecuer, J; Cros, G; Bopelet, M; Serrano, JJ. (2001). Effects of the aqueous and methylene chloride extracts of *Bidens pilosa* leaf on fructose-hypertensive rats. *J Ethnopharmacol* 76: 215-221.

## Environmental Hazard Literature Search Results

### Off Topic

- Dimo, T; Ntchapda, F; Atchade, AT; Yewah, MP; Kamtchouing, P; Ngassam, P. (2005). Effects of methylene chloride/methanol leaf extract of *Celtis durandii* Engler (Ulmaceae) on constriction of rat aorta. *Pharmazie* 60: 548-550.
- Dimo, T; Rakotonirina, A; Tan, PV; Dongo, E; Dongmo, AB; Kamtchouing, P; Azay, J; Abegaz, BM; Cros, G; Ngadjui, TB. (2001). Antihypertensive effects of *Dorstenia psilurus* extract in fructose-fed hyperinsulinemic, hypertensive rats. *Phytomedicine* 8: 101-106.
- Dimo, T; Tan, PV; Dongo, E; Kamtchouing, P; Rakotonirina, SV. (2002). In vitro vascular smooth muscle contractile activity of *Aspilia africana* extract on rat aortic preparations. *Pharmazie* 57: 421-423.
- Din, IU; Rashid, A; Mahmood, T; Khalid, A. (2013). Effect of land use activities on PAH contamination in urban soils of Rawalpindi and Islamabad, Pakistan. *Environ Monit Assess* 185: 8685-8694.
- Ding, C; Zhao, SY; He, JZ. (2014). A *Desulfotobacterium* sp strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol* 16: 3387-3397.
- Ding, HL; Peng, ZX; Wang, JJ; Lu, P; Wang, YG. (2016). Preparation of 3-azaindoles and 3-hydrazoneindolin-2-imines as well as their applications as NNO pincer ligands for boron. *Organic & Biomolecular Chemistry* 14: 7114-7118.
- Ding, YB; Li, T; Zhu, WH; Xie, YS. (2012). Highly selective colorimetric sensing of cyanide based on formation of dipyrin adducts. *Organic & Biomolecular Chemistry* 10: 4201-4207.
- Ding, ZL; Chen, GH; Hoffman, AS. (1996). Synthesis and purification of thermally sensitive oligomer-enzyme conjugates of poly(N-isopropylacrylamide)-trypsin. *Bioconjug Chem* 7: 121-125.
- Dingell, JV; Heimberg, M. (1968). The effects of aliphatic halogenated hydrocarbons on hepatic drug metabolism. *Biochem Pharmacol* 17: 1269-1278.
- Dinsdale, D; Verschoyle, RD. (2001). Cell-specific loss of cytochrome P4502B1 in rat lung following treatment with pneumotoxic and non-pneumotoxic trialkylphosphorothioates. *Biochem Pharmacol* 61: 493-501.
- Diou, O; BrÅ»let, A; Pehau-Arnaudet, Gr; Morvan, E; Berti, R; Astafyeva, K; Taulier, N; Fattal, E; Tsapis, N. (2016). PEGylated nanocapsules of perfluorooctyl bromide: Mechanism of formation, influence of polymer concentration on morphology and mechanical properties. *Colloids Surf B Biointerfaces* 146: 762-769.
- Diserens, JM; Renaud-Bezot, C; Savoy-Perroud, MC. (1991). Simplified determination of sulfonamide residues in milk, meat and eggs. *Dtsch Lebensm-Rundsch* 87: 205-211.
- Diwan, M; Park, TG. (2003). Stabilization of recombinant interferon-alpha by pegylation for encapsulation in PLGA microspheres. *Int J Pharm* 252: 111-122.
- Diwan, M; Park, TG. (2003). Stabilization of recombinant interferon- $\alpha$  by pegylation for encapsulation in PLGA microspheres. *Int J Pharm* 252: 111-122.
- Dixit, R; Riviere, J; Krishnan, K; Andersen, ME. (2003). Toxicokinetics and physiologically based toxicokinetics in toxicology and risk assessment. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews* 6: 1-40.
- Dixon, WR; Phillips, JG; Kase, N. (1965). In vitro production of testosterone sulfate from progesterone-4-14C in an adrenal tumor. *Steroids* 6: 81-87.
- Djebbar, Y; Narbaitz, RM. (1998). Improved Onda correlations for mass transfer in packed towers. *Water Science and Technology* 38: 295-302.
- Do, L; Lundstedt, S; Haglund, P. (2013). Optimization of selective pressurized liquid extraction for extraction and in-cell clean-up of PCDD/Fs in soils and sediments. *Chemosphere* 90: 2414-2419.
- Do, L; Xuan, TH; Lundstedt, S; Haglund, P. (2013). Modular pressurized liquid extraction for simultaneous extraction, clean-up and fractionation of PCDD/Fs in soil, sediment and sludge samples. *Analytical Methods* 5: 1231-1237.
- do Nascimento, AM; Costa, FC; Thiemann, OH; de Oliveira, DCR. (2007). Chromanones with leishmanicidal activity from *Calea uniflora*. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 62: 353-356.
- do Nascimento, AM; Salvador, MJ; Candido, RC; de Albuquerque, S; de Oliveira, DCR. (2004). Trypanocidal and antifungal activities of p-hydroxyacetophenone derivatives from *Calea uniflora* (Heliantheae, Asteraceae). *J Pharm Pharmacol* 56: 663-669.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol* 85: 530-533.
- Dobbs, RA; Jelus, M; Cheng, KY. (1988). Partitioning of toxic organic compounds on municipal wastewater treatment solids. Scholze, R J Jr, Et Al (Ed) *Biotechnology for Degradation of Toxic Chemicals in Hazardous Wastes*; International Conference on Innovative Biological Treatment of Toxic Wastewaters, Arlington, Virginia, USA, June 1986 Xxi+697p Noyes Data Corporation: Park Ridge, New Jersey, USA Illus Isbn 0-8155-1148-5; 0 (0) 1988 584-600.
- Dobner, MJ; Sosa, S; Schwaiger, S; Altinier, G; Loggia, RD; Kaneider, NC; Stuppner, H. (2004). Anti-inflammatory activity of *Leontopodium alpinum* and its constituents. *Planta Med* 70: 502-508.
- Dobretsov, S; Dahms, HU; Tsoi, MY; Qian, PY. (2005). Chemical control of epibiosis by Hong Kong sponges: the effect of sponge extracts on micro- and macrofouling communities. *Mar Ecol Prog Ser* 297: 119-129.
- Dobson, KR; Stephenson, M; Greenfield, PF; Bell, PRF. (1985). Identification and treatability of organics in oil shale retort water. *Water Res* 19: 849-856.
- Doerger, JU; Meier, JR; Dobbs, RA; Johnson, RD; Ankley, GT. (1992). Toxicity reduction evaluation at a municipal wastewater treatment plant using mutagenicity as an endpoint. *Arch Environ Contam Toxicol* 22: 384-388.
- Dogutan, DK; Zaidi, SHH; Thamyongkit, P; Lindsey, JS. (2007). New route to ABCD-porphyrins via bilanes. *J Org Chem* 72: 7701-7714.

## Environmental Hazard Literature Search Results

### Off Topic

- Dohi, T; Morimoto, K; Takenaga, N; Goto, A; Maruyama, A; Kiyono, Y; Tohma, H; Kita, Y. (2007). Direct cyanation of heteroaromatic compounds mediated by hypervalent iodine(III) reagents: In situ generation of PhI(III)-CN species and their cyano transfer. *J Org Chem* 72: 109-116.
- Doick, KJ; Lee, PH; Semple, KT. (2003). Assessment of spiking procedures for the introduction of a phenanthrene-LNAPL mixture into field-wet soil. *Environ Pollut* 126: 399-406.
- Dokter, T. (1982). Flammability limits of the system  $\text{CH}_3\text{Cl}-\text{CH}_2\text{Cl}_2-\text{HCl}-\text{Cl}_2$ . *J Hazard Mater* 6: 289-297.
- Dolas, H; Sezer, E; Sarac, AS. (2016). Synthesis, Characterization and Electrochemical Polymerization of a Comonomer Bearing Thiophene and Imidazole: The Comparison of Impedance Behavior on Different Surfaces. *Ecs Journal of Solid State Science and Technology* 5: P211-P217.
- Dold, PL. (1989). Current practice for treatment of petroleum refinery wastewater and toxics removal. Workshop on the Optimization and Control of Petroleum Refinery Wastewater Treatment Systems with a Focus on Toxic Contaminants, Burlington, Ontario, Canada, March 6-7, 1989 *Water Pollut Res J Can* 24: 363-390.
- Dolfing, J; Janssen, DB. (1994). Estimates of Gibbs free energies of formation of chlorinated aliphatic compounds. *Biodegradation* 5: 21-28.
- Dolfing, J; Van Den Wijngaard, AJ; Janssen, DB. (1993). Microbiological aspects of the removal of chlorinated hydrocarbons from air. *Biodegradation* 4: 261-282.
- Dollo, G; Le Corre, P; Chevanne, F; Le Verge, R. (1996). Inclusion complexation of amide-typed local anaesthetics with  $\beta$ -cyclodextrin and its derivatives. ii. evaluation of affinity constants and in vitro transfer rate constants. *Int J Pharm* 136: 165-174.
- Dolmazon, R; Mahmoud, Y; Bessiere, JM. (2001). A new diterpenoid from *Kyllinga erecta* S. *Flavour and Fragrance Journal* 16: 100-102.
- Domb, AJ. (1990). Biodegradable polymers derived from amino acids. *Biomaterials* 11: 686-689.
- Dombrowski, KD; Lehmann, CMB; Sullivan, PD; Ramirez, D; Rood, MJ; Hay, KJ. (2004). Organic vapor recovery and energy efficiency during electric regeneration of an activated carbon fiber cloth adsorber. *Journal of Environmental Engineering-Asce* 130: 268-275.
- Domingo, LR; Oliva, M; Andres, J. (2001). A theoretical study of the reaction between cyclopentadiene and protonated imine derivatives: A shift from a concerted to a stepwise molecular mechanism. *J Org Chem* 66: 6151-6157.
- Dominguez, M; Avila, JG; Nieto, A; Cespedes, CL. (2011). Anti-inflammatory activity of *Penstemon gentianoides* and *Penstemon campanulatus*. *Pharmaceutical Biology* 49: 118-124.
- Dominguez, XA; Sanchez V, H; Espinoza B, GC; S, JV; Achenbach, H; Utz, W. (1990). Lignans and nor-neolignans from *Krameria interior*. *Phytochemistry* 29: 2651-2653.
- Dominguez, Z; Dang, H; Strouse, MJ; Garcia-Garibay, MA. (2002). Molecular "compasses" and "gyroscopes." - III. Dynamics of a phenylene rotor and clathrated benzene in a slipping-gear crystal lattice. *J Am Chem Soc* 124: 7719-7727.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 243: 80-85.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 2012, Dec; 243:80-5 [*Journal of hazardous materials*].
- Dong, L; Lu, B; Duan, X; Xu, J; Hu, D; Zhang, K; Zhu, X; Sun, H; Ming, S; Wang, Z; Zhen, S. (2015). Novel chiral PEDOTs for selective recognition of 3,4-dihydroxyphenylalanine enantiomers: Synthesis and characterization. *Journal of polymer science* 53: 2238-2251.
- Dong, XG; Dong, Y; Jiang, M; Wang, LY; Tong, J; Zhou, J. (2013). Modification of microcrystalline cellulose by using soybean oil for surface hydrophobization. *Ind Crop Prod* 46: 301-303.
- Dong, Y; Zhang, Z; Feng, S-S. (2008). d- $\alpha$ -Tocopheryl polyethylene glycol 1000 succinate (TPGS) modified poly(L-lactide) (PLLA) films for localized delivery of paclitaxel. *Int J Pharm* 350: 166-171.
- Dong, Y; Zhang, Z; Feng, SS. (2008). D-alpha-Tocopheryl polyethylene glycol 1000 succinate (TPGS) modified poly(L-lactide) (PLLA) films for localized delivery of paclitaxel. *Int J Pharm* 350: 166-171.
- Donnelly, KC; Anderson, CS; Barbee, GC; Manek, DJ. (1994). Soil toxicology. Cockerham, L G And B S Shane (Ed) *Basic Environmental Toxicology* Xi+627p Crc Press, Inc: Boca Raton, Florida, USA; London, England, UK Isbn 0-8493-8851-1; 0 (0) 1994 321-352.
- Donnelly, KC; Anderson, CS; Thomas, JC; Brown, KW; Manek, DJ; Safe, SH. (1992). Bacterial mutagenicity of soil extracts from a bioremediation facility treating wood-preserving waste. *J Hazard Mater* 30: 71-81.
- Donnelly, KC; Brown, KW; Anderson, CS; Thomas, JC; Scott, BR. (1991). Bacterial mutagenicity and acute toxicity of solvent and aqueous extracts of soil samples from an abandoned chemical manufacturing site. *Environ Toxicol Chem* 10: 1123-1132.
- Donnelly, KC; Brown, KW; DiGiulio, DG. (1988). Mutagenic characterization of soil and water samples from a superfund site. *Nuclear and Chemical Waste Management* 8: 135-141.
- Donnelly, KC; Brown, KW; Kampbell, D. (1987). Chemical and biological characterization of hazardous industrial waste. I. Prokaryotic bioassays and chemical analysis of a wood-preserving bottom-sediment waste. *Mutat Res* 180: 31-42. [*Mutation research*].
- Donnelly, KC; Brown, KW; Markiewicz, KV; Anderson, CS; Manek, DJ; Thomas, JC; Giam, CS. (1993). The use of short-term bioassays to evaluate the health and environmental risk posed by an abandoned coal gasification site. *Hazard Waste Hazard Mater* 10: 59-70.
- Donnelly, KC; Brown, KW; Thomas, JC. (1989). Mutagenic potential of municipal sewage sludge amended soils. *Water Air Soil Pollut* 48: 435-450.
- Donnelly, KC; Thomas, JC; Anderson, CS; Brown, KW. (1990). The influence of application rate on the bacterial mutagenicity of soil amended with municipal sewage sludge. *Environ Pollut* 68: 147-159.
- Donnelly, KC; Thomas, JC; Brown, KW. (1995). Mutagenic Potential Of Environmental Samples Before And After Remediation Of A Solvent-Contaminated Site. *Environ Toxicol Chem* 14: 1281-1286.

## Environmental Hazard Literature Search Results

### Off Topic

- Doolittle, DJ; Lee, DA; Rahn, CA. (1988). The use of rat urine extracted on XAD-2 resin and assayed in a microsuspension-modified Ames test as an in vivo indicator of genotoxic exposure. *Mutation Research/Genetic Toxicology* 206: 141-148.
- Dor, A; Machkour-M'Rabet, S; Legal, L; Williams, T; Henaut, Y. (2008). Chemically mediated burrow recognition in the Mexican tarantula *Brachypelma vagans* female. *Naturwissenschaften* 95: 1189-1193.
- Dorman, HJD; Kosar, Mb; Baser, KHsC; Hiltunen, R. (2011). Iron(III) reducing and antiradical activities of three *Sideritis* from Turkey. *Pharmaceutical Biology* 49: 800-804.
- Dorn, MW. (2002). Advice on West Coast rockfish harvest rates from Bayesian meta-analysis of stock-recruit relationships. *North American Journal of Fisheries Management* 22: 280-300.
- Doronina, NV; Braus-Stromeyer, SA; Leisinger, T; Trotsenko, YA. (1995). Isolation and Characterization of a New Facultatively Methylophilic Bacterium: Description of *Methylorhabdus multivorans*, gen. nov., sp. nov. *Syst Appl Microbiol* 18: 92-98.
- Doronina, NV; Kaparullina, EN; Bykova, TV; Trotsenko, YA. (2013). *Methylopila musalis* sp. nov., an aerobic, facultatively methylophilic bacterium isolated from banana fruit. *Int J Syst Evol Microbiol* 63: 1847-1852.
- Doronina, NV; Trotsenko, YA; Krausova, VI; Suzina, NE. (1998). *Paracoccus methylutens* sp. nov. - a new aerobic facultatively methylophilic bacterium utilizing dichloromethane. *Syst Appl Microbiol* 21: 230-236.
- Doronina, NV; Trotsenko, YA; Tourova, TP; Kuznetsov, BB; Leisinger, T. (2000). *Methylopila helvetica* sp. nov. and *Methylobacterium dichloromethanicum* sp. nov. - Novel aerobic facultatively methylophilic bacteria utilizing dichloromethane. *Syst Appl Microbiol* 23: 210-218.
- Doronina, NV; Trotsenko, YA; Tourova, TP; Kuznetsov, BB; Leisinger, T. (2000). *Methylopila helvetica* sp. nov. and *Methylobacterium dichloromethanicum* sp. nov. - Novel Aerobic Facultatively Methylophilic Bacteria Utilizing Dichloromethane. *Syst Appl Microbiol* 23: 210-218.
- Doronina, NV; Trotsenko, YA; Tourova, TP; Kuznetsov, BB; Leisinger, T. (2001). *Albibacter methylovorans* gen. nov., sp. nov., a novel aerobic, facultatively autotrophic and methylophilic bacterium that utilizes dichloromethane. *Int J Syst Evol Microbiol* 51: 1051-1058.
- dos Santos Alianêja, AS; dos Anjos, KF; de Vasconcelos Reis, TN; Higino, TM; Brelaz-de-Castro, MC; Bianco A, M; de Figueiredo, RC. (2014). The in vitro biological activity of the Brazilian brown seaweed *Dictyota mertensii* against *Leishmania amazonensis*. *Molecules* 2014[Molecules (Basel).
- dos Santos, FM; de Souza, MG; Crotti, AEM; Martins, CHG; Ambrosio, SR; Veneziani, RCS; Silva, M; Cunha, WR. (2012). EVALUATION OF ANTIMICROBIAL ACTIVITY OF EXTRACTS OF *TIBOUCHINA CANDOLLEANA* (MELASTOMATACEAE), ISOLATED COMPOUNDS AND SEMI-SYNTHETIC DERIVATIVES AGAINST ENDODONTIC BACTERIA. *Brazilian Journal of Microbiology* 43: 793-799.
- Dou, J; Zhang, D; Li, D; Wang, D. (2006). Two type skeleton heterobimetallic trinuclear Cu<sup>2+</sup>Mo<sup>6+</sup>S clusters containing closo carborane diphosphine ligand 1,2-bis(diphenylphosphino)-1,2-dicarba-closo-dodecaborane. *Inorganic Chemistry Communications* 9: 1099-1102.
- Dou, J; Zhang, D; Zhu, Y; Li, D; Wang, D. (2007). Synthesis, characterization and luminescence property of heterobimetallic trinuclear Mo(W)<sup>6+</sup>Ag<sup>+</sup>S clusters containing 1,2-bis(diphenylphosphino)-1,2-dicarba-closo-dodecaborane. *Inorganica Chimica Acta* 360: 3387-3393.
- Douliez, JP; Novales, B; Gaillard, C. (2009). Synthesising gold nanoparticles within bola fatty acid nanosomes. *J Colloid Interface Sci* 337: 610-613. [Journal of colloid and interface science].
- Dowd, RM. (1990). Review of studies concerning effects of well casing materials on trace measurements of organic compounds. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume* Xix+459p *Astm: Philadelphia, Pennsylvania, USA* Illus Maps *Isbn* 0-8031-1293-9; 0 (0) 1990 31-42.
- Doyle, KJ; Tran, H; Baldoni-Olivencia, M; Karabulut, M; Hoggard, PE. (2008). Photocatalytic degradation of dichloromethane by chlorocuprate(II) ions. *Inorg Chem* 47: 7029-7034. [Inorganic chemistry].
- Dragt, AJ; Ham, Jv; Hartmans, S; Leenen, EJTM; Voskuilen, GTH. (1992). Membrane bioreactor with porous hydrophobic membranes for waste-gas treatment. *Studies in Environmental Science* 103-106.
- Dragun, J. (1991). Geochemistry and soil chemistry reactions occurring during in situ vitrification. *J Hazard Mater* 26: 343-364.
- Drevenkar, V; Frãñbe, Z; Å tengl, B; Å tefanac, Z. (1983). Extraction of small amounts of dialkylphosphorodithioates with tetraphenylarsonium. *Anal Chim Acta* 154: 277-286.
- Drouillard, KG; Hagen, H; Haffner, GD. (2004). Evaluation of chloroform/methanol and dichloromethane/hexane extractable lipids as surrogate measures of sample partition capacity for organochlorines in fish tissues. *Chemosphere* 55: 395-400.
- Droz, PO. (1986). Simulation models for organic solvents. Riihimaki, V And U Ulfvarson (Ed) *Progress in Clinical and Biological Research, Vol 220 Safety and Health Aspects of Organic Solvents; International Course, Espoo, Finland, April 22-26, 1985* Xii+335p *Alan R Liss, Inc: New York, New York, USA* Illus *Isbn* 0-8451-5070-7; 0 (0) 1986 73-88.
- du Toit, K; Kweyama, A; Bodenstein, J. (2011). Anti-inflammatory and antimicrobial profiles of *Scilla nervosa* (Burch.) Jessop (Hyacinthaceae). *South African Journal of Science* 107: 96-100.
- Duan, H; Liu, X; Yan, M; Wu, Y; Liu, Z. (2016). Characteristics of carbonyls and volatile organic compounds (VOCs) in residences in Beijing, China. *Frontiers of environmental science & engineering* 10: 73-84.
- Duan, L; Naidu, R; Liu, Y; Palanisami, T; Dong, Z; Mallavarapu, M; Semple, KT. (2015). Effect of ageing on benzo[a]pyrene extractability in contrasting soils. *J Hazard Mater* 296: 175-184.
- Duan, LC; Palanisami, T; Liu, YJ; Dong, ZM; Mallavarapu, M; Kuchel, T; Semple, KT; Naidu, R. (2014). Effects of ageing and soil properties on the oral bioavailability of benzo a pyrene using a swine model. *Environ Int* 70: 192-202.

## Environmental Hazard Literature Search Results

### Off Topic

- Duan, XY; Zhou, HY; Tian, XL; Liu, JW; Ma, JY. (2015). Iodobenzene Dichloride Mediated Sequential C-Cl Bond Formation: A Safe, Convenient and Efficient Method for the Direct  $\alpha,\alpha$ -Dichlorination of  $\beta$ -Dicarbonyl Compounds. *Synthesis-Stuttgart* 47: 777-782.
- Duarte, ARC; Gordillo, MD; Cardoso, MM; Simplicio, AL; Duarte, CMM. (2006). Preparation of ethyl cellulose/methyl cellulose blends by supercritical antisolvent precipitation. *Int J Pharm* 311: 50-54.
- Ducatti, A; Vargas, VMF. (2003). Mutagenic activity of airborne particulate matter as an indicative measure of atmospheric pollution. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 540: 67-77.
- Dudek, N; Brzezinski, MA; Wheeler, PA. (1986). Recovery of ammonium nitrogen by solvent extraction for the determination of relative  $^{15}\text{N}$  abundance in regeneration experiments. *Marine Chemistry* 18: 59-69.
- Dufour, S; Deleu, M; Nott, K; Wathélet, B; Thonart, P; Paquot, M. (2005). Hemolytic activity of new linear surfactin analogs in relation to their physico-chemical properties. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1726: 87-95.
- Dumont, C; Matsumura, Y; Kim, SJ; Li, JS; Kondrashkina, E; Kihara, H; Gruebele, M. (2006). Solvent-tuning the collapse and helix formation time scales of  $\lambda^*(6-85)$ . *Protein Science* 15: 2596-2604.
- Dunning, GT; Glowacki, DR; Preston, TJ; Greaves, SJ; Greetham, GM; Clark, IP; Towrie, M; Harvey, JN; Orr-Ewing, AJ. (2015). Vibrational relaxation and microsolvation of DF after F-atom reactions in polar solvents. *Science* 347: 530-533.
- Durán Guerrero, E; Chinnici, F; Natali, N; Marín, RN; Riponi, C. (2008). Solid-phase extraction method for determination of volatile compounds in traditional balsamic vinegar. *J Sep Sci* 31: 3030-3036.
- D'Urzo, L; Bozzini, B. (2009). Corrosion of electrodeposited copper by exposure to volatile organic compounds. *Journal of Materials Science-Materials in Electronics* 20: 666-670.
- Dutta, DK; Chutia, P; Woollins, JD; Slawin, AMZ. (2006). A new series of iodocarbonyl ruthenium (II) complexes with unsymmetrical phosphine-phosphine sulfide ligands of the type  $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{P}(\text{S})\text{Ph}_2$ ,  $n = 1-4$ : Isolation and structural investigation. *Inorganica Chimica Acta* 359: 877-882.
- Dwivedi, P; Mishra, KB; Mishra, BB; Singh, N; Singh, RK; Tiwari, VK. (2015). Click inspired synthesis of antileishmanial triazolyl O-benzylquercetin glycoconjugates. *Glycoconj J* 32: 127-140.
- Dyer, FF; Schweitzer, GK. (1960). Effects of temperature and non-aqueous solvent changes on silver dithizonate extractions. *Anal Chim Acta* 23: 1-5.
- Dyer, M. (1995). The water quality at lago di vico during 1992-1993. *Sci Total Environ* 171: 77-83.
- Dziuba, D; Benhida, R; Burger, A. (2011). A Mild and Efficient Protocol for the Protection of 3-Hydroxychromones Under Phase-Transfer Catalysis. *Synthesis-Stuttgart* 2159-2164.
- Dzoyem, JP; Tangmou, JG; Lontsi, D; Etoa, FX; Lohoue, PJ. (2007). In vitro antifungal activity of extract and plumbagin from the stem bark of *Diospyros crassiflora* hiern (Ebenaceae). *Phytother Res* 21: 671-674.
- Dzul-Caamal, R; Olivares-Rubio, HF; López-Tapia, P; Vega-López, A. (2013). Pro-oxidant and antioxidant response elicited by  $\text{CH}_2\text{Cl}_2$ ,  $\text{CHCl}_3$ , and  $\text{BrCHCl}_2$ , in *Goodea gracilis* using non-invasive methods. *Comparative biochemistry and physiology* 165: 515-527.
- Eapen, SJ; Beena, B; Ramana, KV. (2005). Tropical soil microflora of spice-based cropping systems as potential antagonists of root-knot nematodes. *J Invertebr Pathol* 88: 218-225.
- Eberhardt, TL; Elder, T; Labbe, N. (2007). Analysis of Ethanol-Soluble Extractives in Southern Pine Wood by Low-Field Proton NMR. *Journal of Wood Chemistry and Technology* 27: 35-47.
- Eckert, JF; Nicoud, JF; Nierengarten, JF; Liu, SG; Echegoyen, L; Barigelletti, F; Armaroli, N; Ouali, L; Krasnikov, V; Hadziioannou, G. (2000). Fullerene-oligophenylenevinylene hybrids: Synthesis, electronic properties, and incorporation in photovoltaic devices. *J Am Chem Soc* 122: 7467-7479.
- Economides, C; Adam, KP. (1998). Lipophilic flavonoids from the fern *Woodsia scopulina*. *Phytochemistry* 49: 859-862.
- Edenharder, R; Frangart, J; Hager, M; Hofmann, P. (1998). Protective effects of fruits and vegetables against in vivo clastogenicity of cyclophosphamide or benzo(a)pyrene in mice. *Food Chem Toxicol* 36: 637-645.
- Edil, TB; Berthouex, PM; Park, JK; Hargett, DL; Sandstrom, L; Zelmanowitz, S. (1991). Effects of volatile organic compounds on clay landfill liner performance. *Waste Management & Research* 9: 171-187.
- Edvardsen, KR; Benneche, T; Tius, MA. (2000). Synthesis and reactions of (E)- and (Z)-1,3-dibromo-2-methoxypropene. *J Org Chem* 65: 3085-3089.
- Edwards, FG; Egemen, E; Brennan, R; Nirmalakhandan, N. (1999). Ranking of Toxics Release Inventory chemicals using a Level III fugacity model and toxicity. *Water Science and Technology* 39: 83-90.
- Edey, LA; Richards, GN. (1991). Analysis of condensates from wood smoke: Components derived from polysaccharides and lignins. *Environ Sci Technol* 25: 1133-1137.
- Efiom Okokon, J; Dar Farooq, A; Choudhary, MI. (2013). Cellular antioxidative, cytotoxic, and antileishmanial activities of *Homalium letestui*. *Avicenna J Phytomed* 3: 35-44. [Avicenna journal of phytomedicine].
- Egli, C; Scholtz, R; Cook, AM; Leisinger, T. (1987). Anaerobic dechlorination of tetrachloromethane and 1,2-dichloroethane to degradable products by pure cultures of *Desulfobacterium* sp. and *Methanobacterium* sp. *FEMS Microbiol Lett* 43: 257-261.
- Ehler, E; Latta, J; Eichlerova, A; Mrklovsky, M; Urban, P. (2011). Exposure to iodomethane and dichloromethane associated with a confusional state. *Neurotoxicology* 32: 307-311.
- Ehrsson, H; Eksborg, S; Wallin, I; Måné, Y; Joansson, B. (1980). Determination of chlorambucil in plasma by GLC with selected-ion monitoring. *J Pharm Sci* 69: 710-712.
- Eide, I. (1996). Strategies for toxicological evaluation of mixtures. *Food Chem Toxicol* 34: 1147-1149.



## Environmental Hazard Literature Search Results

### Off Topic

- Eide, I; Johnsen, HG. (1998). Mixture design and multivariate analysis in mixture research. *Environ Health Perspect* 106: 1373-1376.
- Eigenbrode, SD; Espelie, KE; Shelton, AM. Behavior of neonate diamondback moth larvae (*Plutella xylostella* (L.)) on leaves and on extracted leaf waxes of resistant and susceptible cabbages. *J Chem Ecol* Aug 1991. v. 17 (8): 1691-1704.
- Eiguren-Fernandez, A; Shinyashiki, M; Schmitz, DA; DiStefano, E; Hinds, W; Kumagai, Y; Cho, AK; Froines, JR. (2010). Redox and electrophilic properties of vapor- and particle-phase components of ambient aerosols. *Environ Res* 110: 207-212.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Science and Technology* 36: 191-198.
- Eiserich, JP; Shibamoto, T. Sulfur-containing heterocyclic compounds with antioxidative activity formed in Maillard reaction model systems. *ACS Symp Ser Am Chem Soc* 1994. (564): 247-257.
- Eklund, B; Anderson, EP; Walker, BL; Burrows, DB. (1998). Characterization of landfill gas composition at the fresh Kills municipal solid-waste landfill. *Environmental Science & Technology* 32: 2233-2237.
- Eklund, G; Pedersen, JR; Stromberg, B. (1987). Formation of chlorinated organic compounds during combustion of propane in the presence of hydrochloric acid. *Chemosphere* 16: 161-166.
- Eklund, G; Pedersen, JR; Stromberg, B. (1988). Methane hydrogen chloride and oxygen form a wide range of chlorinated organic species in the temperature range 400 c-950 c. *Chemosphere* 17: 575-586.
- El Babili, F; Moulis, C; Bon, M; Respaud, MJ; Fouraste, I. (1998). Three furano-diterpenes from the bark of *Croton campestris*. *Phytochemistry* 48: 165-169.
- El Bouzidi, L; Mahiou-Leddet, V; Bun, SS; Larhsini, M; Abbad, A; Markouk, M; Fathi, M; Boudon, M; Ollivier, E; Bekkouche, K. (2013). Cytotoxic withanolides from the leaves of Moroccan *Withania frutescens*. *Pharm Biol* 51: 1040-1046. [Pharmaceutical biology].
- El Fantroussi, S; Naveau, H; Agathos, SN. (1998). Anaerobic dechlorinating bacteria. *Biotechnol Prog* 14: 167-188.
- El Jaber-Vazdekis, N; Gutierrez-Nicolas, F; Ravelo, AG; Zarate, R. (2006). Studies on tropane alkaloid extraction by volatile organic solvents: Dichloromethane vs. chloroform. *Phytochem Anal* 17: 107-113.
- El Tahir, A; Satti, GMH; Khalid, SA. (1999). Antiplasmodial activity of selected Sudanese medicinal plants with emphasis on *Maytenus senegalensis* (Lam.) Exell. *J Ethnopharmacol* 64: 227-233.
- El-Badry, M; Fathy, M. (2004). Properties of solid dispersion of piroxicam in Pluronic F-98. *Journal of Drug Delivery Science and Technology* 14: 199-205.
- El-Daly, SA; Gaber, M; El-Sayed, YS. (2009). Photophysical parameters and laser performance of 3-(4'-dimethylaminophenyl)-1-(2-furyl)prop-2-en-1-one (DMAFP): A new laser dye. *Optics and Laser Technology* 41: 727-733.
- Eldan, M; Mayer, AM; Poljakoff-Mayber, A. Permeation of dry lettuce seeds with acetic anhydride and with amino acids, using dichloromethane. *Seed Science and Technology* 1974, 2 (3): 317-322.
- Eldeen, IMS; Van Staden, J. (2007). Antimycobacterial activity of some trees used in South African traditional medicine. *South African Journal of Botany* 73: 248-251.
- Eldeen, IMS; Van Staden, J. (2007). In vitro pharmacological investigation of extracts from some trees used in Sudanese traditional medicine. *South African Journal of Botany* 73: 435-440.
- Eldeen, IMS; Van Staden, J. (2008). Cyclooxygenase inhibition and antimycobacterial effects of extracts from Sudanese medicinal plants. *South African Journal of Botany* 74: 225-229.
- El-Didamony, AM. (2005). Extractive spectrophotometric methods for the determination of oxememazine hydrochloride in bulk and pharmaceutical formulations using bromocresol green, bromocresol purple and bromophenol blue. *Arch Pharm (Weinheim)* 338: 190-197.
- El-Didamony, AM; Shehata, AM. (2014). Spectrophotometric determination of beta-adrenergic antagonists drugs via ion-pair complex formation using MO and EBT. *Optics and Spectroscopy* 117: 492-499.
- Elgorashi, E; Stafford, G; Mulholland, D; van Staden, J. (2004). Isolation of captan from *Cyrtanthus suaveolens*: the effect of pesticides on the quality and safety of traditional medicine. *South African Journal of Botany* 70: 512-514.
- Elgorashi, EE; Coombes, PH; Mulholland, DA; Van Staden, J. (2007). Isoeugenitol, a cyclooxygenase-1 inhibitor from *Gethyllis ciliaris*. *South African Journal of Botany* 73: 156-158.
- Elgorashi, EE; Taylor, JLS; Maes, A; van Staden, J; De Kimpe, N; Verschaevae, L. (2003). Screening of medicinal plants used in South African traditional medicine for genotoxic effects. *Toxicol Lett* 143: 195-207.
- Elgorashi, EE; van Staden, J. (2004). Pharmacological screening of six Amaryllidaceae species. *J Ethnopharmacol* 90: 27-32.
- El-Hady, S; Bukuru, J; Kesteleyn, B; Van Puyvelde, L; Van, TN; De Kimpe, N. (2002). New pyranonaphthoquinone and pyranonaphthohydroquinone from the roots of *Pentas longiflora*. *J Nat Prod* 65: 1377-1379.
- El-Kommos, ME; Mohamed, NA; Hakiem, AFA. (2013). Extractive Spectrophotometric Determination of Some Nonsteroidal Anti-Inflammatory Drugs Using Methylene Blue. *J AOAC Int* 96: 737-744.
- Ellis, RL. (1996). Rapid test methods for regulatory programs. Beier, R C And L H Stanker (Ed) *Acs Symposium Series, 621 Immunoassays for Residue Analysis: Food Safety; Symposium at the 209th National Meeting of the American Chemical Society, Anaheim, California, USA, April 2-7, 1995 Xiv+528p American Chemical Society: Washington, Dc, USA Isbn 0-8412-3379-9; 621 (0) 1996 44-58.*
- Eloff, JN. (1998). Which extractant should be used for the screening and isolation of antimicrobial components from plants? *J Ethnopharmacol* 60: 1-8.
- El-Ragehy, NA; El-Saharty, YS. (2001). Investigation of ketoconazole copper(II) and cobalt(II) complexes and their spectrophotometric applications. *J AOAC Int* 84: 563-568.

## Environmental Hazard Literature Search Results

### Off Topic

- Elsaka, SE; Swain, MV. (2011). Effect of surface treatments on adhesion of low-fusing porcelain to titanium as determined by strain energy release rate. *Dent Mater* 27: 1213-1220. [Dental materials : official publication of the Academy of Dental Materials].
- El-Sayed, NH; Miski, M; Whittemore, AT; Mabry, TJ. (1988). Sesquiterpene lactones from *Chromolaena opadoclinia*. *Phytochemistry* 27: 3312-3314.
- El-Sayed, WM; Hussin, WA; Mahmoud, AA; AlFredan, MA. (2013). The *Conyza triloba* extracts with high chlorophyll content and free radical scavenging activity had anticancer activity in cell lines. *Biomed Res Int* 2013; 2013:945638 [BioMed research international].
- El-Shaarawi, AH; Esterby, SR; Warry, ND; Kuntz, KW. (1985). Evidence of contaminant loading to lake ontario from the niagara river usa canada. *Can J Fish Aquat Sci* 42: 1278-1289.
- El-Sheikh, AH; Alzawahreh, AM; Sweileh, JA. (2011). Preparation of an efficient sorbent by washing then pyrolysis of olive wood for simultaneous solid phase extraction of chloro-phenols and nitro-phenols from water. *Talanta* 85: 1034-1042.
- El-Sheikh, AH; Newman, AP; Said, AJ; Alzawahreh, AM; Abu-Helal, MM. (2013). Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. *J Environ Manage* 118: 1-10.
- El-Zanan, HS; Lowenthal, DH; Zielinska, B; Chow, JC; Kumar, N. (2005). Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples. *Chemosphere* 60: 485-496.
- El-Zein, A; McCarroll, I; Touze-Foltz, N. (2012). Three-dimensional finite-element analyses of seepage and contaminant transport through composite geosynthetic clay liners with multiple defects. *Geotextiles and Geomembranes* 33: 34-42.
- Emanuelsson, MAE; Ostma, MB; Sipma, J; Castro, PML. (2008). Treatment of halogenated organic compounds and monitoring of microbial dynamics in up-flow fixed bed reactors under sequentially alternating pollutant scenarios. *Biotechnol Bioeng* 99: 800-810.
- Emanuelsson, MAE; Osuna, MB; Jorge, RMF; Castro, PML. (2009). Isolation of a *Xanthobacter* sp degrading dichloromethane and characterization of the gene involved in the degradation. *Biodegradation* 20: 235-244.
- Emendorfer, F; Emendorfer, F; Bellato, F; Noldin, VF; Cechinel-Filho, V; Yunes, RA; Delle Monache, F; Cardozo, AM. (2005). Antispasmodic activity of fractions and cynaropocrin from *Cynara scolymus* from guinea-pig ileum. *Biological & Pharmaceutical Bulletin* 28: 902-904.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage* 57: 155-164.
- Enamullah, M; Islam, MA; Joy, BA; Reiss, GJ. (2016). Bis[N-2-(R-pyridyl)-2-oxo-1-naphthaldiminato- $\lambda^2$ N<sup>2</sup>O]copper(II) (R = H, 4/6-CH<sub>3</sub>): Combined studies on syntheses, spectroscopy, cyclic voltammetry, thermal analyses, crystal structure and DFT/TDDFT. *Inorganica Chimica Acta* 453: 202-209.
- Endo, A; Tsuboya, H; Fujita, N; Ito, Y; Hashimoto, T; Hayashita, T. (2011). Preparation and electrochemical properties of novel cyclic dinuclear acetylacetonato ruthenium complexes doubly bridged with sulfur and/or disulfur. *Inorganica Chimica Acta* 373: 142-149.
- Engel, E; Spannberger, A; Vasold, R; Nigg, B; Landthaler, M; Zumler, W. (2007). Photochemical cleavage of a tattoo pigment by UVB radiation or natural sunlight. *J Dtsch Dermatol Ges* 5: 583-589. [Journal der Deutschen Dermatologischen Gesellschaft = Journal of the German Society of Dermatology : JDDG].
- Englehardt, JD. (1993). Pollution prevention technologies a review and classification. *J Hazard Mater* 35: 119-150.
- Engstrom, GW; Koszewski, NJ. (1989). Metabolism of vitamin D<sub>2</sub> in pig liver homogenates: Evidence for a free radical reaction. *Archives of Biochemistry and Biophysics* 270: 432-440.
- Engwicht, A; Girreser, U; Muller, BW. (2000). Characterization of co-polymers of lactic and glycolic acid for supercritical fluid processing. *Biomaterials* 21: 1587-1593.
- Enoch, SJ; Cronin, MTD. (2012). Development of new structural alerts suitable for chemical category formation for assigning covalent and non-covalent mechanisms relevant to DNA binding. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 743: 10-19.
- Ensing, K; Bloemhof, DA; in 't Hout, WG; van der Lende, J; de Zeeuw, RA. (1988). Development of a radioreceptor assay for the D<sub>2</sub>-selective dopamine agonist N-0437. *Pharm Res* 5: 283-287. [Pharmaceutical research].
- Ergas, SJ; Schroeder, ED; Chang, DP; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res* 67: 816-821.
- Ergas, SJ; Veir, J; Kinney, K. (1996). Control of dichloromethane emissions using biofiltration. *Journal of Environmental Science and Health Part a Environmental Science and Engineering & Toxic and Hazardous Substance Control* 31: 1741-1754.
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Skagerberg, B; Sjoström, M; Wold, S; Berglind, R. (1990). A strategy for ranking environmentally occurring chemicals: Part III. Multivariate quantitative structure-activity relationships for halogenated aliphatics. *Environ Toxicol Chem* 9: 1339-1352.
- Eriksson, L; Sjoström, M; Berglind, R; Larsson, R. (1993). Multivariate biological profiling of the subacute effects of halogenated aliphatic hydrocarbons. *J Environ Sci Health Part a Environ Sci Eng* 28: 1123-1144.
- Eriksson, L; Sjoström, M; Wold, S. (1992). Rational ranking of chemicals according to environmental risk an illustration using multivariate biological profiling of halogenated aliphatic hydrocarbons. 2nd Scandinavian Symposium on Chemometrics (Ssc2), Bergen, Norway, May 28-31, 1991 *Chemometrics Intelligent Lab Syst* 14: 245-252.
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Sjoström, M; Wold, S. (1991). A strategy for ranking environmentally occurring chemicals: Part V. The development of two genotoxicity QSARs for halogenated aliphatics. *Environ Toxicol Chem* 10: 585-596.
- Erukainure, OL; Mesaik, AM; Muhammad, A; Chukwuma, CI; Manhas, N; Singh, P; Aremu, OS; Islam, MS. (2016). Flowers of *Clerodendrum volubile* exacerbate immunomodulation by suppressing phagocytic oxidative burst and modulation of COX-2 activity. *Biomedicine & Pharmacotherapy* 83: 1478-1484.

## Environmental Hazard Literature Search Results

### Off Topic

- Esin Aelik, S; Ayrek, M; G, K; Apak, R. (2012). Differences in responsivity of original cupric reducing antioxidant capacity and cupricbathocuproine sulfonate assays to antioxidant compounds. *Anal Biochem* 423: 36-38.
- Espigares, M; Roman, I; Gonzalez Alonso, JM; De Luis, B; Yeste, F; Galvez, R. (1990). Proposal and application of an ecotoxicity biotest based on *Escherichia coli*. *J Appl Toxicol* 10: 443-446.
- Espinosa-Aguirre, JJ; Reyes, RE; Rubio, J; Ostrosky-Wegman, P; Martinez, G. (1993). Mutagenic activity of urban air samples and its modulation by chili extracts. *Mutation Research Letters* 303: 55-61.
- Essaidi, I; Chaabouni, MM; Bouzouita, N. (2013). Antioxidant activity of organic and aqueous *Salicornia herbacea* extracts. *Acta horticulturae* 89-96.
- Essumang, DK; Asare, EA; Dodoo, DK. (2013). Pesticides residues in okra (non-target crop) grown close to a watermelon farm in Ghana. *Environ Monit Assess* 185: 7617-7625.
- Estadieu, M; Durand, A; Viala, A; Rop, PP; Fornaris, M; Quicke, J. (1989). A rapid HPLC procedure for the simultaneous determination of chloroquine, monodesethylchloroquine, diazepam, and nordiazepam in blood. *J Anal Toxicol* 13: 89-93. [Journal of analytical toxicology].
- Evans, GJ; Ferguson, GP; Booth, IR; Vuilleumier, S. (2000). Growth inhibition of *Escherichia coli* by dichloromethane in cells expressing dichloromethane dehalogenase/glutathione S-transferase. *Microbiology-Sgm* 146: 2967-2975.
- Evans, MV; Caldwell, JC. (2010). Comment on MV Evans and JC Caldwell: Evaluation of two different metabolic hypotheses for dichloromethane toxicity using physiologically based pharmacokinetic modeling of in vivo gas uptake data exposure in female B6C3F1 mice, *Toxicol. Appl. Pharmacol.*, 244,280-290,2010 Response. *Toxicol Appl Pharmacol* 248: 65-67.
- Everett, WR; Fritsch-Faules, I. (1995). Factors that influence the stability of self-assembled organothiols on gold under electrochemical conditions. *Anal Chim Acta* 307: 253-268.
- Eya, BK; Talcott, RE. (1980). Effect of N-Alkyl chain length on the mutagenicity of N-nitrosated 1-naphthyl N-alkylcarbamates. *Environ Mutagen* 2: 395-404.
- Eze, EA; Danga, SP; Okoye, FB. (2014). Larvicidal activity of the leaf extracts of *Spondias mombin* Linn. (Anacardiaceae) from various solvents against malarial, dengue and filarial vector mosquitoes (Diptera: Culicidae). *J Vector Borne Dis* 51: 300-306. [Journal of vector borne diseases].
- Ezike, AC; Akah, PA; Nnamani, EM; Okoli, CO; Ojike, FU; Eze, FS; Chime, CE; Azosiri, JJ. (2011). Studies on the antiulcer and gastrointestinal effects of stem bark extract of *Bridelia ferruginea*. *J Complement Integr Med*.
- Fabbri, D; Rombol, AG; Torri, C; Spokas, KA. (2013). Determination of polycyclic aromatic hydrocarbons in biochar and biochar amended soil. *Journal of Analytical & Applied Pyrolysis* 103: 60-67.
- Fabiani, A; Corzani, C; Arfelli, G. (2010). Correlation between different clean-up methods and analytical techniques performances to detect Ochratoxin A in wine. *Talanta* 83: 281-285. [Talanta].
- Fadaeinassab, M; Hadi, AH; Kia, Y; Basiri, A; Murugaiyah, V. (2013). Cholinesterase enzymes inhibitors from the leaves of *Rauvolfia reflexa* and their molecular docking study. *Molecules* 2013; 18(4):3779-88 [Molecules (Basel, Switzerland)].
- Fagiolino, P; Wilson, F; Samaniego, E; Vzquez, M. (2003). In vitro approach to study the influence of the cardiac output distribution on drug concentration. *Eur J Drug Metab Pharmacokinet* 28: 147-153. [European journal of drug metabolism and pharmacokinetics].
- Fahma, F; Takemura, A; Saito, Y. (2014). Acetylation and stepwise solvent-exchange to modify hydrophilic cellulose whiskers to polychloroprene-compatible nanofiller. *Cellulose* 21: 2519-2527.
- Falach, L; Cojocar, M; Shani, A. (2003). Evidence for a short-range sex pheromone in female *Maladera matrida* beetle. *J Chem Ecol* 29: 603-613.
- Falade, OS; Adeyanju, AA; Aderogba, MA. (2015). STABILIZATION OF GROUNDNUT OIL WITH NATURAL ANTIOXIDANTS EXTRACTED FROM *BAUHINIA SPECIES* AND *PILIOSTIGMA RETICULATUM*. *Journal of Food Processing and Preservation* 39: 2142-2151.
- Fan, L; Bernstein, IA. (1991). Effect of bis(-chloroethyl)sulfide (BCES) on base mismatch repair of DNA in monkey kidney cells. *Toxicol Appl Pharmacol* 111: 233-241.
- Fan, X; Liu, Z-T; Liu, Z-W. (2010). Preparation and application of cellulose triacetate microspheres. *J Hazard Mater* 177: 452-457.
- Fan, YL; Cui, FD; Yang, MS; Ji, YB. (2005). Preparation of enteric microsphere of oleanolic acid dihemiphthalate sodium by salting-out action using spherical crystallization technique. *Yao Xue Xue Bao* 40: 267-273. [Yao xue xue bao = Acta pharmaceutica Sinica].
- Fan, YX; Gan, X; Li, S; Qin, WD. (2007). A rapid CE-potential gradient detection method for determination of quinolones. *Electrophoresis* 28: 4101-4107.
- Fang, GD; Gao, J; Liu, C; Dionysiou, DD; Wang, Y; Zhou, DM. (2014). Key Role of Persistent Free Radicals in Hydrogen Peroxide Activation by Biochar: Implications to Organic Contaminant Degradation. *Environmental Science & Technology* 48: 1902-1910.
- Fang, Z; Jeong, SY; Jung, HA; Choi, JS; Min, BS; Woo, MH. (2010). Anticholinesterase and Antioxidant Constituents from *Gloiopeltis furcata*. *Chemical & Pharmaceutical Bulletin* 58: 1236-1239.
- Fanning, JC; Keefer, LK. (1987). Rapid formation of a potent nitrosating agent by solvolysis of ionic nitrite in dichloromethane. *J Chem Soc Chem Commun* 0: 955-956.
- Farine, JP; Le Quere, JL; Duffy, J; Everaerts, C; Brossut, R. Male sex pheromone of cockroach *Eurycotis floridana* (Walker) (Blattidae, Polyzosteriinae): role and composition of tergites 2 and 8 secretions. *J Chem Ecol* Sept 1994. v. 20 (9): 2291-2306.
- Farncomb, RE; Naufflett, GW. (1998). Innovative polymer processing in carbon dioxide. *Waste Manag* 17: 123-127.
- Farrell, K; Safe, L; Safe, S. (1989). Receptor binding characteristics of 2,3,7,8-substituted polychlorinated dibenzofuran radioligands. *Chemosphere* 18: 1089-1092.

## Environmental Hazard Literature Search Results

### Off Topic

- Fatoki, OS; Noma, A. (2002). Solid phase extraction method for selective determination of phthalate esters in the aquatic environment. *Water Air and Soil Pollution* 140: 85-98.
- Fawole, OA; Finnie, JF; Van Staden, J. (2009). Antimicrobial activity and mutagenic effects of twelve traditional medicinal plants used to treat ailments related to the gastro-intestinal tract in South Africa. *South African Journal of Botany* 75: 356-362.
- Fazzari, FR; Riggelman, OH. (1969). Polarographic Determination of Oxazepam. *J Pharm Sci* 58: 1530-1531.
- Feñs, Xs; Ye, L; Regal, P; Fente, CA; Hosseini, SV; Cepeda, A. (2009). Application of dummy molecularly imprinted solid-phase extraction in the analysis of cyproheptadine in bovine urine. *J Sep Sci* 32: 1740-1747.
- Feakin, SJ; Blackburn, E; Burns, RG. (1994). Biodegradation of s-triazine herbicides at low concentrations in surface waters. *Water Res* 28: 2289-2296.
- Feczka, T; Kovacs, M; Voncina, B. (2012). Improvement of fatigue resistance of spirooxazine in ethyl cellulose and poly(methyl methacrylate) nanoparticles using a hindered amine light stabilizer. *Journal of Photochemistry & Photobiology, A: Chemistry* 247: 1-7.
- Fedorak, PM; Semple, KM; Vazquez-Duhalt, R; Westlake, DWS. (1993). Chloroperoxidase-mediated modifications of petroporphyrins and asphaltenes. *Enzyme Microb Technol* 15: 429-437.
- Feenstra, S; Mackay, DM; Cherry, JA. (1991). A method for assessing residual napl based on organic chemical concentrations in soil samples. *Ground Water Monit Rev* 11: 128-136.
- Feitz, AJ; Guan, J; Chattopadhyay, G; Waite, TD. (2002). Photo-Fenton degradation of dichloromethane for gas phase treatment. *Chemosphere* 48: 401-406.
- Fellenberg, AJ; Pollard, AC. (1976). A rapid and sensitive spectrophotometric procedure for the micro determination of carbamazepine in blood. *Clinica Chimica Acta* 69: 423-428.
- Fendinger, NJ; Adams, DD; Glotfelty, DE. (1992). The role of gas ebullition in the transport of organic contaminants from sediments. *Sci Total Environ* 112: 189-201.
- Feng, CC; Nandi, M; Sambaiah, T; Cheng, CH. (1999). Nickel-catalyzed highly stereoselective ring opening of 7-oxa- and azanorbornenes with organic halides. *J Org Chem* 64: 3538-3543.
- Feng, H; Kavrakova, IK; Pratt, DA; Tellinghuisen, J; Porter, NA. (2002). Lewis acid-promoted Kharasch-Curran additions: A competition kinetics study of bromine atom transfer addition of N-alpha-bromoacetyl-oxazolidinone to 1-hexene. *J Org Chem* 67: 6050-6054.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere* 59: 1267-1277.
- Feng, S-S; Ruan, G; Li, Q-T. (2004). Fabrication and characterizations of a novel drug delivery device liposomes-in-microsphere (LIM). *Biomaterials* 25: 5181-5189.
- Feresin, GE; Tapia, A; Gutierrez, A; Delporte, C; Erazo, NB; Schmeda-Hirschmann, G. (2002). Free radical scavengers, anti-inflammatory and analgesic activity of *Acaena magellanica*. *J Pharm Pharmacol* 54: 835-844.
- Feresin, GE; Tapia, A; Lopez, SN; Zacchino, SA. (2001). Antimicrobial activity of plants used in traditional medicine of San Juan province, Argentina. *J Ethnopharmacol* 78: 103-107.
- Fernández, T; Cerdá Zolezzi, P; Risco, E; Martino, V; Lãpez, P; Clavin, M; Hnatyszyn, O; Canigual, S; Hajos, S; Ferraro, G; Alvarez, E. (2002). Immunomodulating properties of Argentine plants with ethnomedicinal use. *Phytomedicine* 9: 546-552.
- Fernandez, X; Dunach, E; Fellous, R; Lizzani-Cuvelier, L; Loiseau, M; Dompe, V; Cozzolino, F; George, G; Rochard, S; Schippa, C. (2001). Identification of thiazolidines in guava: stereochemical studies. *Flavour and Fragrance Journal* 16: 274-280.
- Feron, VJ; Groten, JP; Jonker, D; Cassee, FR; Van Bladeren, PJ. (1995). Toxicology of chemical mixtures: Challenges for today and the future. *Toxicology* 105: 415-427.
- Ferrari, S; Belevi, H; Baccini, P. (2002). Chemical speciation of carbon in municipal solid waste incinerator residues. *Waste Manag* 22: 303-314.
- Ferraris, M; Chiesara, E; Radice, S; Giovana, A; Frigerio, S; Fumagalli, R; Marabini, L. (2005). Study of potential toxic effects on rainbow trout hepatocytes of surface water treated with chlorine or alternative disinfectants. *Chemosphere* 60: 65-73.
- Ferreira, GR; Garcia, HC; Couri, MR; Dos Santos, HF; de Oliveira, LF. (2013). On the azo/hydrazo equilibrium in Sudan I azo dye derivatives. *J Phys Chem A* 117: 642-649. [The journal of physical chemistry. A].
- Fetzner, S. (1998). Bacterial dehalogenation. *Appl Microbiol Biotechnol* 50: 633-657.
- Ficoseco, MEA; Vattuone, MA; Audenaert, K; Catalan, CAN; Sampietro, DA. (2014). Antifungal and antimycotoxigenic metabolites in Anacardiaceae species from northwest Argentina: isolation, identification and potential for control of *Fusarium* species. *J Appl Microbiol* 116: 1262-1273.
- Fiedler, DA; Brown, KW; Thomas, JC; Donnelly, KC. (1991). Mutagenic potential of plants grown on municipal sewage sludge-amended soil. *Arch Environ Contam Toxicol* 20: 385-390.
- Filby, PS; Rayat, S. (2015). Mechanistic Investigation on the Formation of 2-Halo-3-aryl-4(3H)-quinazolininium Halides from Heteroenyne-allenes: A Computational Study. *J Org Chem* 80: 4299-4305.
- Filek, G; Lindner, W. (1996). Organochlorine pesticide analysis in oil seeds and vegetable oil: simplification of silica gel clean-up and elimination of chlorinated solvents. *Z Lebensm Unters Forsch* 202: 19-23. [Zeitschrift fur Lebensmittel-Untersuchung und -Forschung].
- Filonov, Grigory S; Kam, Christina W; Song, W; Jaffrey, Samie R. (2015). In-Gel Imaging of RNA Processing Using Broccoli Reveals Optimal Aptamer Expression Strategies. *Chemistry & Biology* 22: 649-660.
- Filser, JG; Jung, P; Bolt, HM. (1982). Increased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. *Arch Toxicol* 49: 107-116. [Archives of toxicology].

## Environmental Hazard Literature Search Results

### Off Topic

- Firsova, J; Doronina, N; Lang, E; Sproer, C; Vuilleumier, S; Trotsenko, Y. (2009). *Ancylobacter dichloromethanicus* sp nov - a new aerobic facultatively methylotrophic bacterium utilizing dichloromethane. *Syst Appl Microbiol* 32: 227-232.
- Firsova, JE; Doronina, NV; Trotsenko, YA. (2010). Analysis of the key functional genes in new aerobic degraders of dichloromethane. *Microbiology* 79: 66-72.
- Firsova, YE; Doronina, NV; Trotsenko, YA. (2004). Physiological and biochemical analysis of the transformants of aerobic methyllobacteria expressing the *dcmA* gene of dichloromethane dehalogenase. *Microbiology* 73: 24-29.
- Firsova, YE; Fedorov, DN; Trotsenko, YA. (2011). Analysis of the 3'-Region of the *dcmA* Gene of Dichloromethane Dehalogenase of *Methylobacterium dichloromethanicum* DM4. *Microbiology* 80: 805-811.
- Firsova, YE; Fedorov, DN; Trotsenko, YA. (2012). Functional analysis of the genome fragment involved in aerobic dichloromethane degradation by *Methylobacterium dichloromethanicum* DM4. *Applied biochemistry and microbiology* 48: 467-472.
- Firsova, YE; Torgonskaya, ML; Trotsenko, YA. (2015). Functionality of the *soxB* gene in *Methylobacterium dichloromethanicum* DM4. *Microbiology* 84: 796-803.
- Firsova, YE; Trotsenko, YA. (2014). Functional activity of the *modA* gene in *Methylobacterium dichloromethanicum* DM4. *Microbiology* 83: 205-210.
- Fischer, MJE; Kuipers, C; Hofkes, RP; Hofmeyer, LIF; Moret, EE; de Mol, NJ. (2001). Exploring computational lead optimisation with affinity constants obtained by surface plasmon resonance for the interaction of PorA epitope peptides with antibody against *Neisseria meningitidis*. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1568: 205-215.
- Fischer, PM; Comis, A; Howden, MEH. (1989). Direct immunization with synthetic peptidyl-polyamide resin: Comparison with antibody production from free peptide and conjugates with carrier proteins. *Journal of Immunological Methods* 118: 119-123.
- Fischer, RA; Schulte, MM; Weiss, J; Zsolnai, L; Jacobi, A; Huttner, G; Frenking, G; Boehme, C; Vyboishchikov, SF. (1998). Transition metal coordinated Al(X)L(2) and Ga(X)L(2) fragments. *J Am Chem Soc* 120: 1237-1248.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals II. Halogenated saturated hydrocarbons. *Sci Total Environ* 11: 163-195.
- Fisher, EM; Koshland, CP. (1990). Numerical simulation of the thermal destruction of some chlorinated C1 and C2 hydrocarbons. *J Air Waste Manage Assoc* 40: 1384-1390.
- Flagg, ML; Valcic, S; Montenegro, G; Gomez, M; Timmermann, BN. (1999). Pentacyclic triterpenes from *Chuquiraga ulicina*. *Phytochemistry* 52: 1345-1350.
- Flanagan, WP. (1998). Biodegradation of dichloromethane in a granular activated carbon fluidized bed reactor. *Water Environ Res* 70: 60-66.
- Fleming, I; Heaney, H. (1991). 3.3 - The Intramolecular Aromatic Friedel-Crafts Reaction A2 - Trost, Barry M. *Comprehensive Organic Synthesis* Oxford 753-768.
- Flesar, J; Havlik, J; Kloucek, P; Rada, V; Titera, D; Bednar, M; Stropnický, M; Kokoska, L. (2010). In vitro growth-inhibitory effect of plant-derived extracts and compounds against *Paenibacillus* larvae and their acute oral toxicity to adult honey bees. *Vet Microbiol* 145: 129-133.
- Flores, JLP; D'Áz, AM; Fernández de Córdova, MaL. (2007). Determination of azoxystrobin residues in grapes, musts and wines with a multicommuted flow-through optosensor implemented with photochemically induced fluorescence. *Anal Chim Acta* 585: 185-191.
- Flowers, TH; Pulford, ID; Duncan, HJ. (1984). Studies on the breakdown of oil in soil. *Environmental Pollution Series B, Chemical and Physical* 8: 71-82.
- Fokialakis, N; Kalpoutzakis, E; Tekwani, BL; Khan, SI; Kobaisy, M; Skaltsounis, AL; Duke, SO. (2007). Evaluation of the antimalarial and antileishmanial activity of plants from the Greek island of Crete. *Journal of Natural Medicines* 61: 38-45.
- Fonte, P; Lino, PR; Seabra, Vt; Almeida, AnJ; Reis, S; Sarmiento, B. (2016). Annealing as a tool for the optimization of lyophilization and ensuring of the stability of protein-loaded PLGA nanoparticles. *Int J Pharm* 503: 163-173.
- Foo, SC; Yusoff, FM; Ismail, M; Basri, M; Chan, KW; Khong, NMH; Yau, SK. (2015). Production of fucoxanthin-rich fraction (FxRF) from a diatom, *Chaetoceros calcitrans* (Paulsen) Takano 1968. *Algal Research-Biomass Biofuels and Bioproducts* 12: 26-32.
- Ford, SP; Rosazza, JPN; Al-Mahmoud, MS; Lin, S; Farley, DB; Short, RE. Abortifacient effects of a unique class of vasoactive lipids from *Pinus ponderosa* needles. *J Anim Sci Aug* 1999. v. 77 (8): 2187-2193.
- Forsback, S; Eskola, O; Bergman, J; Haaparanta, M; Solin, O. (2009). Alternative solvents for electrophilic synthesis of 6- (18)F fluoro-L-DOPA. *Journal of Labelled Compounds & Radiopharmaceuticals* 52: 286-288.
- Fortuna, R; Anderson, HC; Carty, R; Sajdera, SW. (1979). Enzymatic characterization of the chondrocytic alkaline phosphatase isolated from bovine fetal epiphyseal cartilage. *Biochimica et Biophysica Acta (BBA) - Enzymology* 570: 291-302.
- Foster, JR; Green, T; Smith, LL; Lewis, RW; Hext, PM; Wyatt, I. (1992). Methylene chloride: An inhalation study to investigate pathological and biochemical events occurring in the lungs of mice over an exposure period of 90 days. *Fundam Appl Toxicol* 18: 376-388.
- Foster, JR; Green, T; Smith, LL; Tittensor, S; Wyatt, I. (1994). Methylene chloride: an inhalation study to investigate toxicity in the mouse lung using morphological, biochemical and Clara cell culture techniques. *Toxicology* 91: 221-234.
- Foster, SP; Howard, AJ. Influence of stimuli from *Camellia japonica* on ovipositional behavior of generalist herbivore *Epiphyas postvittana*. *J Chem Ecol* July 1998. v. 24 (7): 1251-1275.
- Foster, SP; Howard, AJ. (1998). Influence of stimuli from *camellia japonica* on ovipositional behavior of generalist herbivore *Epiphyas postvittana*. *J Chem Ecol* 24: 1251-1275.
- Foster, SP; Noll, M; Grugel, S; Charlet, LD. (2003). A reinvestigation of the role of sunflower chemicals in host selection by female banded sunflower moth, *Cochylis hospes* (Walsingham) (Lepidoptera : Tortricidae). *Journal of the Kansas Entomological Society* 76: 387-396.

## Environmental Hazard Literature Search Results

### Off Topic

- Fournel, L; Mocho, P; Fanlo, JL; Le Cloirec, P. (2005). External capillary condensation and adsorption of VOCs onto activated carbon fiber cloth and felt. *Environ Technol* 26: 1277-1287.
- Fournet, A; Ferreira, ME; Rojas de Arias, A; Fuentes, S; Torres, S; Inchausti, A; Yaluff, G; Nakayama, H; Mahiou, V; Hocquemiller, R; CavÃ©, A. (1996). In vitro and in vivo leishmanicidal studies of *Peperomia galioides* (Piperaceae). *Phytomedicine* 3: 271-275.
- Fowles, JR; Alexeeff, GV; Dodge, D. (1999). The use of benchmark dose methodology with acute inhalation lethality data. *Regul Toxicol Pharmacol* 29: 262-278.
- Fox, SL; Bala, GA. (2000). Production of surfactant from *Bacillus subtilis* ATCC 21332 using potato substrates. *Bioresour Technol* 75: 235-240.
- Frag, EYZ; Zayed, MA; Omar, MM; Elashery, SEA; Mohamed, GG. (2012). Spectrophotometric determination of carbamazepine and mosapride citrate in pure and pharmaceutical preparations. *Arabian journal of chemistry* 5: 375-382.
- Fraga, CG; Leibovitz, BE; Tappel, AL. (1987). Halogenated compounds as inducers of lipid peroxidation in tissue slices. *Free Radic Biol Med* 3: 119-123.
- Fraga, CG; Zamora, R; Tappel, AL. (1989). Damage to protein synthesis concurrent with lipid peroxidation in rat liver slices: Effect of halogenated compounds, peroxides, and vitamin E. *Archives of Biochemistry and Biophysics* 270: 84-91.
- Fraile, JM; Mayoral, JA; Salvatella, L. (2014). Theoretical Study on the BF<sub>3</sub>-Catalyzed Meinwald Rearrangement Reaction. *J Org Chem* 79: 5993-5999.
- Fraker, PJ; Speck Jr, JC. (1978). Protein and cell membrane iodinations with a sparingly soluble chloroamide, 1,3,4,6-tetrachloro-3a,6a-diphenylglycoluril. *Biochem Biophys Res Commun* 80: 849-857.
- Franceschi, E; De Cesaro, AM; Ferreira, SRS; Oliveira, JV. (2009). Precipitation of beta-carotene microparticles from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Food Engineering* 95: 656-663.
- Franceschi, E; De Cesaro, AM; Ferreira, SRS; Vladimir Oliveira, J. (2009). Precipitation of  $\beta$ -carotene microparticles from SEDS technique using supercritical CO<sub>2</sub>. *Journal of Food Engineering* 95: 656-663.
- Francois, R; Weber, JH. (1988). Speciation of methyltin and butyltin compounds in eelgrass (*Zostera marina* L.) leaf tissue from the great bay estuary (NH). *Marine Chemistry* 25: 279-289.
- Frank, H. (1991). Airborne chlorocarbons photooxidants and forest decline. *Ambio* 20: 13-18.
- Franklin, RA; Pierce, DM. (1981). Studies on the biotransformation of indoramin in the patas monkey. *Xenobiotica* 11: 755-762. [Xenobiotica; the fate of foreign compounds in biological systems].
- Frankowski, KJ; Liu, RZ; Milligan, GL; Moeller, KD; Aube, J. (2015). Practical Electrochemical Anodic Oxidation of Polycyclic Lactams for Late Stage Functionalization. *Angewandte Chemie-International Edition* 54: 10555-10558.
- Franssen, FF; Smeijsters, LJ; Berger, I; Medinilla Aldana, BE. (1997). In vivo and in vitro antiplasmodial activities of some plants traditionally used in Guatemala against malaria. *Antimicrob Agents Chemother* 41: 1500-1503. [Antimicrobial agents and chemotherapy].
- Franssen, MCR; Posthumus, MA; Van Der Plas, HC. (1988). New halometabolites from *Caldariomyces fumago*. *Phytochemistry* 27: 1093-1096.
- Franz, R; Huber, M; Piringer, OG. (1994). Testing and evaluation of recycled plastics for food packaging use--possible migration through a functional barrier. *Food Addit Contam* 11: 479-496. [Food additives and contaminants].
- Frasconi, D; Zanaroli, G; Danko, AS. (2015). In situ aerobic cometabolism of chlorinated solvents: A review. *J Hazard Mater* 283: 382-399.
- Frazer, L. (2000). The trickle-down theory of cleaner air. *Environ Health Perspect* 108: A178-180. [Environmental health perspectives].
- Freccero, M; Gandolfi, R; Sarzi-Amade, M; Rastelli, A. (2004). New paradigms for the peroxy acid epoxidation of CC double bonds: The role of the peroxy acid s-trans conformer and of the 1,2-H transfer in the epoxidation of cyclic allylic alcohols. *J Org Chem* 69: 7479-7485.
- Freccero, M; Gandolfi, R; Sarzi-Amade, M; Rastelli, A. (2005). Peroxy acid epoxidation of acyclic allylic alcohols. Competition between s-trans and s-cis peroxy acid conformers. *J Org Chem* 70: 9573-9583.
- Fredenhagen, A. (2003). Radiochemical stability of (14)C-compounds on storage: benefits of thioethers. *Journal of Labelled Compounds & Radiopharmaceuticals* 46: 211-220.
- Freedman, DL; Smith, CR; Noguera, DR. (1997). Dichloromethane biodegradation under nitrate-reducing conditions. *Water Environ Res* 69: 115-122.
- Freedman, DL; Swamy, M; Bell, NC; Verce, MF. (2004). Biodegradation of chloromethane by *Pseudomonas aeruginosa* strain NB1 under nitrate-reducing and aerobic conditions. *Appl Environ Microbiol* 70: 4629-4634.
- Freires, IA; Queiroz, V; Furlletti, VF; Ikegaki, M; de Alencar, SM; Duarte, MCT; Rosalen, PL. (2016). Chemical composition and antifungal potential of Brazilian propolis against *Candida* spp. *Journal de Mycologie Medicale* 26: 122-132.
- Freitas, LdS; Dariva, C; Jacques, RnA; CaramÃ£o, EB. (2013). Effect of experimental parameters in the pressurized liquid extraction of brazilian grape seed oil. *Separation and Purification Technology* 116: 313-318.
- Freixa, B; Vila, R; Ferro, EA; Adzet, T; Canigueral, S. (2001). Antifungal principles from *Piper fulvescens*. *Planta Med* 67: 873-875.
- Frenklach, M; Hsu, JP; Miller, DL; Matula, RA. (1986). Shock-tube pyrolysis of chlorinated hydrocarbons: Formation of soot. *Combust Flame* 64: 141-156.
- Friar, PM; Reynolds, SL. (1991). The effect of microwave-baking and oven-baking on thiabendazole residues in potatoes. *Food Addit Contam* 8: 617-626.
- Friederichs, M; Fraenzle, O; Salski, A. (1996). Fuzzy clustering of existing chemicals according to their ecotoxicological properties. *Ecological Modelling* 85: 27-40.
- Friesen, KJ; Fairchild, WL; Loewen, MD; Lawrence, SG; Holoka, MH; Muir, DC. (1993). Evidence for particle-mediated transport of 2,3,7,8-tetrachlorodibenzofuran during gas sparging of natural water. *Environ Toxicol Chem* 12: 2037-2044.

## Environmental Hazard Literature Search Results

### Off Topic

- Frka, S; Kozarac, Z; Cosovic, B. (2009). Characterization and seasonal variations of surface active substances in the natural sea surface microlayers of the coastal Middle Adriatic stations. *Estuarine Coastal and Shelf Science* 85: 555-564.
- Frka, S; Nelson, A; Kozarac, Z. (2006). Use of electrochemical impedance spectroscopy to characterise the physical properties of ex situ reconstructed sea surface microlayer. *Int J Environ Anal Chem* 86: 325-335.
- Froese, KL; Hutzinger, O. (1996). Polychlorinated benzene and polychlorinated phenol in heterogeneous combustion reactions of ethylene and ethane. *Environmental Science & Technology* 30: 1009-1013.
- Froines, JR; Hinds, WC; Duffy, RM; Lafuente, EJ; Liu, WC. (1987). Exposure of firefighters to diesel emissions in fire stations. *Am Ind Hyg Assoc J* 48: 202-207. [American Industrial Hygiene Association journal].
- Fronk, CA; Lykins, BWJ. (1998). Removal of chlorinated and brominated alkanes from drinking water using reverse osmosis. *Aqua (Oxford)* 47: 183-195.
- Fu, J-Z; Zhang, X; Wang, J-Y; Zhang, L-Y; Chen, Z-N. (2012). Syntheses and photophysical properties of cyclometallated iridium (III) acetylides complexes. *Inorganic Chemistry Communications* 22: 123-125.
- Fu, W-F; Gan, X; Jiao, J; Chen, Y; Yuan, M; Chi, S-M; Yu, M-M; Xiong, S-X. (2007). Synthesis, structural and spectroscopic characterization of mono- and binuclear copper(I) complexes with substituted diimine and phosphine ligands. *Inorganica Chimica Acta* 360: 2758-2766.
- Fuchigami, T. (2007). Unique solvent effects on selective electrochemical fluorination of organic compounds. *Journal of Fluorine Chemistry* 128: 311-316.
- Fujii, H; Sakurai, H; Tani, K; Mao, LH; Wakisaka, K; Hirao, T. (2004). Highly efficient and vivid-red phosphors bearing 2,3-diphenylquinoxaline units and their application to organic light-emitting devices. *IEICE Transactions on Electronics* E87C: 2119-2121.
- Fujii, S; Okada, M; Sawa, H; Furuzono, T; Nakamura, Y. (2009). Hydroxyapatite nanoparticles as particulate emulsifier: fabrication of hydroxyapatite-coated biodegradable microspheres. *Langmuir* 25: 9759-9766. [Langmuir : the ACS journal of surfaces and colloids].
- Fukuhara, G; Okazaki, T; Lessi, M; Nishijima, M; Yang, C; Mori, T; Mele, A; Bellina, F; Chiappe, C; Inoue, Y. (2011). Chiral ionic liquid-mediated photochromogenesis. Enantiodifferentiating photocyclodimerization of 2-anthracenecarboxylic acid. *Organic & Biomolecular Chemistry* 9: 7105-7112.
- Fukuzumi, S; Miyamoto, K; Suenobu, T; Van Caemelbecke, E; Kadish, KM. (1998). Electron transfer mechanism of organocobalt porphyrins. Site of electron transfer, migration of organic groups, and cobalt-carbon bond energies in different oxidation states. *J Am Chem Soc* 120: 2880-2889.
- Fung, WH; Yu, WY; Che, CM. (1998). Chemoselective oxidation of alcohols to aldehydes and ketones by tert-butyl hydroperoxide catalyzed by a ruthenium complex of N,N',N''-trimethyl-1,4,7-triazacyclononane. *J Org Chem* 63: 2873-2877.
- Funk, JL; Frye, JB; Oyarzo, JN; Timmermann, BN. (2009). Comparative Effects of Two Gingerol-Containing Zingiber officinale Extracts on Experimental Rheumatoid Arthritis. *J Nat Prod* 72: 403-407.
- Gábor, S; László, V. (1989). Determination of Arduan and its desacetyl metabolites in biological fluids. *Acta Pharm Hung* 59: 167-172. [Acta pharmaceutica Hungarica].
- Gáll, R; Leisinger, T. (1985). Specialized bacterial strains for the removal of dichloromethane from industrial waste. *Conservation & Recycling* 8: 91-100.
- Gál, S; Daran, J-C; Átinkaya, B. (2011). Diether functionalized rhodium(I)-N-heterocyclic carbene complexes and their catalytic application for transfer hydrogenation reactions. *Inorganica Chimica Acta* 365: 264-268.
- Gómez-Benítez, V; Toscano, RnA; Morales-Morales, D. (2007). Synthesis and characterization of [Pd{PhP(C6H4-2-SCH2Cl)(C6H4-2-S)}(Ph2PCH2CH2PPh2)]Cl: An example of hemilability and dichloromethane activation. *Inorganic Chemistry Communications* 10: 1-6.
- Górski, M; Kochel, A; Szymańska-Buzar, T. (2005). A very labile monomeric 1,5-cyclooctadiene complex of W(II) and its transformation to dimeric [(1/4-Cl)2W2(GeCl3)2(CO)6(NCMe)2]. *Inorganic Chemistry Communications* 8: 500-502.
- Gabel, B; Thiery, D. Oviposition response of Lobesia botrana females to long-chain free fatty acids and esters from its eggs. *J Chem Ecol* Jan 1996. v. 22 (1): 161-171.
- Gabriela, GC; Javier, AA; Elisa, VA; Gonzalo, VP; Herlinda, BJ. (2012). Antidepressant-like effect of Tagetes lucida Cav. extract in rats: involvement of the serotonergic system. *Am J Chin Med* 2012; 40(4):753-68 [The American journal of Chinese medicine].
- Gachet, MS; Kunert, O; Kaiser, M; Brun, R; Munoz, RA; Bauer, R; Schuhly, W. (2010). Jacaranone-Derived Glucosidic Esters from Jacaranda glabra and Their Activity against Plasmodium falciparum. *J Nat Prod* 73: 553-556.
- Gade, B; Layh, M; Westermann, H; Amsoneit, N. (1996). Determination of organic parameters in waste and leachates from the hazardous waste landfill of raindorf; Germany. *Waste Management & Research* 14: 553-569.
- Gadsby, PMA; Thomson, AJ. (1986). Low-temperature EPR and near-infrared MCD studies of highly anisotropic low-spin ferrihaem complexes. *FEBS Letters* 197: 253-257.
- Gafner, S; Wolfender, JL; Nianga, M; Hostettmann, K. (1998). A naphthoquinone from Newbouldia laevis roots. *Phytochemistry* 48: 215-216.
- Gagné, Fo; Trottier, S; Blaise, C; Sproull, J; Ernst, B. (1995). Genotoxicity of sediment extracts obtained in the vicinity of a creosote-treated wharf to rainbow trout hepatocytes. *Toxicol Lett* 78: 175-182.
- Gais, HJ; Bohme, A. (2002). Palladium(0)-catalyzed enantioselective O,S-rearrangement of racemic O-allylic thiocarbamates: A new entry to enantioenriched allylic sulfur compounds. *J Org Chem* 67: 1153-1161.
- Gajghate, DG; Elyas, SI; Rao, MV. (1988). Acute toxicity tests on fish leibes- reticulatus using the wastewaters from pesticides phosalone and malathion manufacturing industry. *Indian J Environ Health* 30: 209-214.
- Galaction, AI; Cascaval, D; Nicuta, N. (2008). Selective removal of Gentamicin C(1) from biosynthetic Gentamicins by facilitated pertraction for increasing antibiotic activity. *Biochem Eng J* 42: 28-33.

## Environmental Hazard Literature Search Results

### Off Topic

- Galanihe, LD; Harris, MO. (1997). Plant volatiles mediate host-finding behavior of the apple leafcurling midge. *J Chem Ecol* 23: 2639-2655.
- Galante, L; Bonventre, J; Salvione, H; Bastos, ML. (1982). Improved detection and identification of basic drugs extracted from tissue using TLC. *J Anal Toxicol* 6: 262-263. [Journal of analytical toxicology].
- Galardon, E; Tomas, A; Selkti, M; Roussel, P; Artaud, I. (2009). Synthesis, characterization, and reactivity of alkyldisulfanido zinc complexes. *Inorg Chem* 48: 5921-5927. [Inorganic chemistry].
- Gallagher, EP; Di Giulio, RT. (1989). Effects of complex waste mixtures on hepatic monooxygenase activities in brown bullheads (*Ictalurus nebulosus*). *Environ Pollut* 62: 113-128.
- Gallagher, R; Shimmon, R; McDonagh, AM. (2012). Synthesis and impurity profiling of MDMA prepared from commonly available starting materials. *Forensic Sci Int* 223: 306-313.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Miranda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem* 26: 1299-1303.
- Galli, R. (1987). Biodegradation of dichloromethane in waste water using a fluidized bed bioreactor. *Appl Microbiol Biotechnol* 27: 206-213.
- Galperin, A; Margel, D; Margel, S. (2006). Synthesis and characterization of uniform radiopaque polystyrene microspheres for X-ray imaging by a single-step swelling process. *Journal of Biomedical Materials Research Part A* 79A: 544-551.
- Galperin, A; Margel, S. (2006). Synthesis and characterization of new micrometer-sized radiopaque polymeric particles of narrow size distribution by a single-step swelling of uniform polystyrene template microspheres for X-ray imaging applications. *Biomacromolecules* 7: 2650-2660.
- Gamberale, F; Annwall, G; Hultengren, M. (1975). Exposure to methylene chloride. II. Psychological functions. *Scand J Work Environ Health* 1: 95-103. [Scandinavian journal of work, environment & health].
- Gambero, A; Gomes, JC. (1998). Pharmacological antagonism of *Anchietia salutaris* extracts on the contraction induced by prostaglandin D(2) and U46619 in guinea-pig lung parenchymal strips. *J Pharm Pharmacol* 50: 1287-1292.
- Gan, J; Papiernik, SK; Koskinen, WC; Yates, S. (1999). Evaluation of accelerated solvent extraction (ASE) for analysis of pesticide residues in soil. *Environmental Science & Technology* 33: 3249-3253.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul* 12: 83-97. [Journal of microencapsulation].
- Gandhimathi, R; Kiran, GS; Hema, TA; Selvin, J; Raviji, TR; Shanmughapriya, S. (2009). Production and characterization of lipopeptide biosurfactant by a sponge-associated marine actinomycetes *Nocardia opaca* MSA10. *Bioprocess Biosyst Eng* 32: 825-835.
- Ganesan, P; Kumar, CS; Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresour Technol* 99: 2717-2723.
- Gannu, R; Vishnu, YV; Kishan, V; Rao, YM. (2007). Development of nitrendipine transdermal patches: in vitro and ex vivo characterization. *Curr Drug Deliv* 4: 69-76. [Current drug delivery].
- Gao, B; Wang, XR; Zhao, JC; Sheng, GY. (2001). Sorption and cosorption of organic contaminant on surfactant-modified soils. *Chemosphere* 43: 1095-1102.
- Gao, C; Huang, J; Jiao, Y; Shan, L; Liu, Y; Li, Y; Mei, X. (2006). In vitro release and in vivo absorption in beagle dogs of meloxicam from Eudragit<sup>®</sup> FS 30 D-coated pellets. *Int J Pharm* 322: 104-112.
- Gao, F; Mabry, TJ. (1985). An acyclic diterpene from *Viguiera deltoidea*. *Phytochemistry* 24: 3061-3063.
- Gao, F; Mabry, TJ. (1985). Sesquiterpene lactones from *Viguiera deltoidea*. *Phytochemistry* 25: 137-140.
- Gao, F; Wang, H; Mabry, TJ. (1990). Sesquiterpene lactone aglycones and glycosides from *Hymenoxys lemmonii*. *Phytochemistry* 29: 1601-1607.
- Gao, F; Yu, M; Chen, QH; Wang, FP. (2012). A Selective Intramolecular Transacylation of Taxoids Accompanying with the Oxetane Ring Opening. *Chemical & Pharmaceutical Bulletin* 60: 415-418.
- Gao, G; Xie, RG; Pu, L. (2004). Highly enantioselective alkyne additions to aldehydes in the presence of 1,1'-bi-2-naphthol and hexamethylphosphoramide. *Proceedings of the National Academy of Sciences of the United States of America* 101: 5417-5420.
- Gao, H; Sun, J; Yan, CG. (2014). Selective Synthesis of Functionalized Spiro indoline-3,2'-pyridines and Spiro indoline-3,4'-pyridines by Lewis Acid Catalyzed Reactions of Acetylenedicarboxylate, Arylamines, and Isatins. *J Org Chem* 79: 4131-4136.
- Gao, H; Tan, HZ; Xie, YH; Zhou, MX; Li, F; Zhu, LL. (2016). Morphological responses to different flooding regimes in *Carex brevicuspis*. *Nordic Journal of Botany* 34: 435-441.
- Gao, W; Wang, S; Xiao, Y; Li, X. (2012). Synthesis and properties of new luminescent hole transporting materials containing triphenylamine and carbazole units. *Spectrochim Acta A Mol Biomol Spectrosc* 2012, Dec; 98:215-21 [Spectrochimica acta Part A, Molecular and biomolecular spectroscopy].
- Gao, XL; Chen, SY. (2008). Petroleum pollution in surface sediments of Daya Bay, South China, revealed by chemical fingerprinting of aliphatic and alicyclic hydrocarbons. *Estuarine Coastal and Shelf Science* 80: 95-102.
- Gao, XL; Chen, SY; Long, AM. (2008). Composition and sources of organic matter and its solvent extractable components in surface sediments of a bay under serious anthropogenic influences: Daya Bay, China. *Mar Pollut Bull* 56: 1066-1075.
- Gao, Y; Cui, FD; Guan, Y; Yang, L; Wang, YS; Zhang, LN. (2006). Preparation of roxithromycin-polymeric microspheres by the emulsion solvent diffusion method for taste masking. *Int J Pharm* 318: 62-69.
- Gao, Y; Sun, S; Han, K. (2009). Electronic structures and spectroscopic properties of rhenium (I) tricarbonyl photosensitizer: [Re(4,4'-(COOEt)<sub>2</sub>-2,2'-bpy)(CO)<sub>3</sub>]PF<sub>6</sub>. *Spectrochim Acta A Mol Biomol Spectrosc* 71: 2016-2022. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Gao, Y; Zeng, Y; Shen, Q; Ling, W; Han, J. (2009). Fractionation of polycyclic aromatic hydrocarbon residues in soils. *J Hazard Mater* 172: 897-903.



## Environmental Hazard Literature Search Results

### Off Topic

- Garbacia, S; Desai, B; Lavastre, O; Kappe, CO. (2003). Microwave-assisted ring-closing metathesis revisited. On the question of the nonthermal microwave effect. *J Org Chem* 68: 9136-9139.
- Garbo, GM; Fingar, VH; Wieman, TJ; Noakes, EB; Haydon, PS; Cerrito, PB; Kessel, DH; Morgan, AR. (1998). In vivo and in vitro photodynamic studies with benzochlorin iminium salts delivered by a lipid emulsion. *Photochem Photobiol* 68: 561-568.
- García-a, Vn; Aldrey, A; De Castro, CS; Bastida, R; MacÃ-as, A; Lodeiro, C; Seixas de Melo, JSr; NÃ±ez, C. (2013). The first substituted macrocyclic ligand Py2N4S2 containing four naphthylmethylene pendant-armed groups: Synthesis and photophysical properties. *Inorganic Chemistry Communications* 36: 22-26.
- GarcÃ-a-ValcÃrce, AI; Tadeo, JL. (2009). Determination of hexabromocyclododecane isomers in sewage sludge by LC-MS/MS. *J Sep Sci* 32: 3890-3897.
- Garcia, V; Pongracz, E; Phillips, PS; Keiski, RL. (2013). From waste treatment to resource efficiency in the chemical industry: recovery of organic solvents from waters containing electrolytes by pervaporation. *J Clean Prod* 39: 146-153.
- Garcia-Alonso, S; Perez-Pastor, RM; Sevillano-Castano, ML. (1999). Measurements of selected PCBs in open urban ambient air of Madrid (Spain) - First results. *Environ Sci Pollut Res Int* 6: 147-150.
- Garcia-Arieta, A; Torrado-Santiago, S; Goya, L; Torrado, JJ. (2001). Spray-dried powders as nasal absorption enhancers of cyanocobalamin. *Biological & Pharmaceutical Bulletin* 24: 1411-1416.
- Garcia-Bueno, N; Dumay, J; Guerin, T; Turpin, V; Paillard, C; Stiger-Pouvreau, V; Pouchus, YF; Marin-Atucha, AA; Decottignies, P; Fleurence, J. (2015). Seasonal variation in the antivibrio activity of two organic extracts from two red seaweed: *Palmaria palmata* and the introduced *Grateloupia turuturu* against the abalone pathogen *Vibrio harveyi*. *Aquatic Living Resources* 28: 81-87.
- Garcia-de la Cruz, L; Galvan-Goiz, Y; Caballero-Caballero, S; Zamudio, S; Alfaro, A; Navarrete, A. (2013). *Hypericum silenoides*Juss. and *Hypericum philonotis*Cham. & Schlecht. extracts: in-vivo hypolipidaemic and weight-reducing effects in obese rats. *J Pharm Pharmacol* 65: 591-603.
- Garcia-Mateos, MR; Sanchez, EE; Espinosa-Robles, P; Alvarez-Sanchez, ME. (2007). Toxicity of *Petiveria alliacea* L. on greenhouse whitefly (*Trialeurodes vaporariorum* WEST.). *Interciencia* 32: 121-124.
- Garcia-Villanova, RJ; Garcia, C; Alfonso Gomez, J; Paz Garcia, M; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: I. At the municipal treatment utilities. *Water Res* 31: 1299-1308.
- Garcia-Villanova, RJ; Garcia, C; Gomez, JA; Paz Garcia, M; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: II. In the distribution system. *Water Res* 31: 1405-1413.
- Gardner, DR; Lee, ST; Molyneux, RJ; Edgar, JA. (2003). Preparative isolation of swainsonine from locoweed: Extraction and purification procedures. *Phytochem Anal* 14: 259-266.
- Gardner, RR; Liang, GB; Gellman, SH. (1999). beta-turn and beta-hairpin mimicry with tetrasubstituted alkenes. *J Am Chem Soc* 121: 1806-1816.
- Gargas, ML; Clewell, HJ, III; Andersen, ME. (1986). Metabolism of inhaled dihalomethanes in-vivo differentiation of kinetic constants for two independent pathways. *Toxicol Appl Pharmacol* 82: 211-223.
- Gargas, ML; Seybold, PG; Andersen, ME. (1988). Modeling the tissue solubilities and metabolic rate constant v-m-a-x of halogenated methanes ethanes and ethylenes. Symposium on Quantitative Toxicology Held at the 17th Conference on Toxicology, Dayton, Ohio, USA, November 3-5, 1987 *Toxicol Lett (Amst)* 43: 235-256.
- Garino, C; Gobetto, R; Nervi, C; Salassa, L. (2005). Electrochemical behaviour and reactivity of [Os(bpy)2(CO)(OTf)]+ in halogenated solvents. *Inorganica Chimica Acta* 358: 196-200.
- Garoli, D; Natali, M; Rigato, V; Romanato, F. (2012). Optical and structural properties of low thickness lead zirconate titanate films on sapphire substrates prepared via sol-gel method. *Journal of Vacuum Science & Technology A* 30: 51512-51512.
- Garrett, ER; Tsau, J. (1972). Application of Ion-Pair Methods to Drug Extraction from Biological Fluids I: Quantitative Determination of Biguanides in Urine. *J Pharm Sci* 61: 1404-1410.
- Garrote, G; Falque, E; Dominguez, H; Parajo, JC. (2007). Autohydrolysis of agricultural residues: Study of reaction byproducts. *Bioresour Technol* 98: 1951-1957.
- Gartia, Y; Biswas, A; Stadler, M; Nasini, UB; Ghosh, A. (2012). Cross coupling reactions of multiple CCl bonds of polychlorinated solvents with Grignard reagent using a pincer nickel complex. *Journal of Molecular Catalysis* 363-364: 322-327.
- Gaskill, AJ; Estes, ED; Hardison, DL; Friedman, PH. (1990). Development and evaluation of analytical techniques for total chlorine in used oils and oil fuels. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume* Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 271-282.
- Gasparini, G; Kosvintsev, SR; Stillwell, MT; Holdich, RG. (2008). Preparation and characterization of PLGA particles for subcutaneous controlled drug release by membrane emulsification. *Colloids and Surfaces B-Biointerfaces* 61: 199-207.
- Gatellier, P; Sante-Lhoutellier, V; Portanguen, S; Kondjoyan, A. (2009). Use of meat fluorescence emission as a marker of oxidation promoted by cooking. *Meat Science* 83: 651-656.
- Gaucher, G; Poreba, M; Ravenelle, F; Leroux, JC. (2007). Pharmaceutical nanotechnology - Poly(N-Vinyl-Pyrrolidone)-Block-Poly(D,L-Lactide) as polymeric emulsifier for the preparation of biodegradable nanoparticles. *J Pharm Sci* 96: 1763-1775.
- Gaucher, G; Poreba, M; Ravenelle, F; Leroux, JC. (2007). Poly(N-vinyl-pyrrolidone)-block-poly(D,L-lactide) as polymeric emulsifier for the preparation of biodegradable nanoparticles. *J Pharm Sci* 96: 1763-1775. [Journal of pharmaceutical sciences].
- Gaucher, Gv; Poreba, M; Ravenelle, Fo; Leroux, JC. (2007). Poly(Nâ€ vinylâ€ pyrrolidone)â€ blockâ€ poly(D,Lâ€ lactide) as polymeric emulsifier for the preparation of biodegradable nanoparticles. *J Pharm Sci* 96: 1763-1775.

## Environmental Hazard Literature Search Results

### Off Topic

- Ge, YQ; Li, FR; Zhang, YJ; Bi, YS; Cao, XQ; Duan, GY; Wang, JW; Liu, ZL. (2014). Synthesis, crystal structure, optical properties and antibacterial evaluation of novel imidazo 1, 5-a pyridine derivatives bearing a hydrazone moiety. *Luminescence* 29: 293-300.
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol* 13: 287-298.
- Gelabert, R; Moreno, M; Lluch, JM; Lledos, A; Pons, V; Heinekey, DM. (2004). Synthesis and properties of compressed dihydride complexes of iridium: Theoretical and spectroscopic investigations. *J Am Chem Soc* 126: 8813-8822.
- Geng, Y; Yuan, W; Wu, F; Chen, J; He, M; Jin, T. (2008). Formulating erythropoietin-loaded sustained-release PLGA microspheres without protein aggregation. *J Control Release* 130: 259-265.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on toxicity to the cladoceran *Daphnia magna* and the fish *Pimephales promelas*. *Ecotoxicol Environ Saf* 36: 27-37.
- Genouw, G; De Naeyer, F; Van Meenen, P; Van De Werf, H; De Nijs, W; Verstraete, W. (1994). Degradation of oil sludge by landfarming: A case-study at the Ghent harbour. *Biodegradation* 5: 37-46.
- Genthner, FJ; Chancy, CA; Couch, JA; Foss, SS; Middaugh, DP; George, SE; Warren, MA; Bantle, JA. (1998). Toxicity and pathogenicity testing of the insect pest control fungus *Metarhizium anisopliae*. *Arch Environ Contam Toxicol* 35: 317-324.
- Gentry, SJ; Walsh, PT. (1987). A diffusive sampler stain tube exposure monitor. Berlin, A, R H Brown and K J Saunders (Ed) *Diffusive Sampling: An Alternative Approach to Workplace Air Monitoring; Symposium, Luxembourg, September 22-26, 1986* Xvi+484p Royal Society of Chemistry: London, England, Uk Illus Isbn 0-85186-343-4; 0 (0) 1987 379-382.
- George, C; Komaitis, ME; Aggelousis, G; Giannonits-Argyriadis, N. (1992). Analysis of the Volatile Constituents of a Special Type of White Bread. *Developments in Food Science* 175-182.
- Gerba, CP. (1996). Principles of toxicology. Pepper, I L, C P Gerba and M L Brusseau (Ed) *Pollution Science* Xxiv+397p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-550660-0; 0 (0) 1996 323-344.
- Germolec, DR; Luster, MI. (1994). Immune alterations resulting from exposure to chemical mixtures. Yang, R S H (Ed) *Toxicology of Chemical Mixtures: Case Studies, Mechanisms, and Novel Approaches* Xxiv+720p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-768350-X; 0 (0) 1994 197-217.
- Gerson, EA; Kelsey, RG. (1999). Foliar storage and extraction methods for quantitative analysis of piperidine alkaloids from ponderosa pine (*Pinus ponderosa*). *Phytochem Anal* 10: 322-327.
- Gertsch, J; Tobler, RT; Brun, R; Sticher, O; Heilmann, J. (2003). Antifungal, antiprotozoal, cytotoxic and piscicidal properties of justicidin B and a new arynaphthalide lignan from *Phyllanthus piscatorum*. *Planta Med* 69: 420-424.
- Gessnerf, W; Brossi, A; Shen, R-s; Abell, CW. (1985). Further insight into the mode of action of the neurotoxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP). *FEBS Letters* 183: 345-348.
- Getoff, N. (1986). Radiation induced decomposition of biological resistant pollutants in water. *Appl Radiat Isot* 37: 1103-1110.
- Getoff, N. (1986). Radiation induced decomposition of some chlorinated methanes in water. *Water Res* 20: 1261-1264.
- Gevaio, B; Mordaunt, C; Semple, KT; Pearce, TG; Jones, KC. (2001). Bioavailability of nonextractable (bound) pesticide residues to earthworms. *Environmental Science & Technology* 35: 501-507.
- Geyer, M; Karlsson, O; Baus, JA; Wellner, E; Tacke, R. (2015). Si- and C-Functional Organosilicon Building Blocks for Synthesis Based on 4-Silacyclohexan-1-ones Containing the Silicon Protecting Groups MOP (4-Methoxyphenyl), DMOP (2,6-Dimethoxyphenyl), or TMOP (2,4,6-Trimethoxyphenyl). *J Org Chem* 80: 5804-5811.
- Geysen, HM; Rodda, SJ; Mason, TJ; Tribbick, G; Schoofs, PG. (1987). Strategies for epitope analysis using peptide synthesis. *Journal of Immunological Methods* 102: 259-274.
- Ghaderi, R; Artursson, P; Carlfors, J. (1999). Preparation of biodegradable microparticles using solution-enhanced dispersion by supercritical fluids (SEDS). *Pharm Res* 16: 676-681.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull* 14: 1058-1065.
- Ghavantadze, N; Narayan, R; Wibbeling, B; Wurthwein, EU. (2011). 3-(Hetero)aryl-4-indolylamino-alpha-tetralones by Diastereoselective Internal Redox Cyclization: An "Azaenamine" Conjugate Addition. *J Org Chem* 76: 5185-5197.
- Ghebrehiwot, HM; Kulkarni, MG; Light, ME; Kirkman, KP; Van Staden, J. (2011). Germination activity of smoke residues in soils following a fire. *South African Journal of Botany* 77: 718-724.
- Ghebrehiwot, HM; Kulkarni, MG; Szalai, G; Soos, V; Balazs, E; Van Staden, J. (2013). Karrikinolide residues in grassland soils following fire: Implications on germination activity. *South African Journal of Botany* 88: 419-424.
- Gholson, AR; Javanty, RK; Storm, JF. (1990). Evaluation of aluminum canisters for the collection and storage of air toxics. *Anal Chem* 62: 1899-1902.
- Ghosh, AK; Lagisetty, P; Zajc, B. (2007). Direct synthesis of 8-Fluoro purine Nucleosides via metalation-fluorination. *J Org Chem* 72: 8222-8226.
- Ghosh, SK; Patra, R; Rath, SP. (2010). Synthesis, structure and photocatalytic activity of a remarkably bent, cofacial ethene-linked diiron (III)  $\delta$ -oxobisporphyrin. *Inorganica Chimica Acta* 363: 2791-2799.
- Gianello, R; Libinaki, R; Azzi, A; Gavin, PD; Negis, Y; Zingg, J-M; Holt, P; Keah, H-H; Griffey, A; Smallridge, A; West, SM; Ogru, E. (2005).  $\delta$ -Tocopheryl phosphate: A novel, natural form of vitamin E. *Free Radic Biol Med* 39: 970-976.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere* 33: 1531-1542.

## Environmental Hazard Literature Search Results

### Off Topic

- Gibaud, S; Bonneville, A; Astier, A. (2002). Preparation of 3,4-diaminopyridine microparticles by solvent-evaporation methods. *Int J Pharm* 242: 197-201.
- Gibson, NA; Weatherburn, DC. (1972). The distribution of salts of large cations between water and organic solvents: Part I. Studies on the extraction of Quaternary phosphonium and arsonium salts over a range of cation and anion concentrations. *Anal Chim Acta* 58: 149-157.
- Giese, U; Stenner, H; Ludwig, E; Kettrup, A. (1990). Determination of chlorinated hydrocarbons in single and multicomponent test gases. *Fresenius' J Anal Chem* 338: 610-614.
- Gilby, AR. Movement of halogenated fumigants through wheat. *Journal of stored products research* Oct 1983. v. 19 (4): 199-202.
- Gilchrist, SE; Letchford, K; Burt, HM. (2012). The solid-state characterization of fusidic acid. *Int J Pharm* 422: 245-253.
- Gill, J; Allum, JHJ; Carpenter, MG; Held-Ziolkowska, M; Adkin, AL; Honegger, F; Pierchala, K. (2001). Trunk sway measures of postural stability during clinical balance tests: Effects of age. *Journals of Gerontology Series a-Biological Sciences and Medical Sciences* 56: M438-M447.
- Gillham, RW; O'Hannesin, SF. (1994). Enhanced degradation of halogenated aliphatics by zero-valent iron. *Ground Water* 32: 958-967.
- Gillman, JH; Dirr, MA; Braman, SK. (1999). Gradients in susceptibility and resistance mechanisms of *Buddleia L.* taxa to the two-spotted spider mite (*Tetranychus urticae* Koch). *J Am Soc Hortic Sci* 124: 114-121.
- Giovagnini, L; Marzano, C; Bettio, F; Fregona, D. (2005). Mixed complexes of Pt(II) and Pd(II) with ethylsarcosinedithiocarbamate and 2-/3-picoline as antitumor agents. *J Inorg Biochem* 99: 2139-2150.
- Giovagnoli, S; Blasi, P; Schoubben, A; Rossi, C; Ricci, M. (2007). Preparation of large porous biodegradable microspheres by using a simple double-emulsion method for capreomycin sulfate pulmonary delivery. *Int J Pharm* 333: 103-111.
- Giraudet, S; Pre, P; Le Cloirec, P. (2009). Modeling the Heat and Mass Transfers in Temperature-Swing Adsorption of Volatile Organic Compounds onto Activated Carbons. *Environmental Science & Technology* 43: 1173-1179.
- Giraudet, S; Pre, P; Le Cloirec, P. (2010). Modeling the Temperature Dependence of Adsorption Equilibria of VOC(s) onto Activated Carbons. *Journal of Environmental Engineering-Asce* 136: 103-111.
- Girgis, EH; Gad, Z; Maram, M. (1974). Ion-Pair Extraction and Precipitation Methods for Ethambutol Determination. *J Pharm Sci* 63: 1764-1767.
- Girgis, MM. (1990). Charge-transfer interactions of nicotine with chloranil: Solvent effects UV visible spectrophotometric study. *Croat Chem Acta* 63: 55-66.
- Giridhar, P; Rajasekaran, T; Ravishankar, GA. (2005). Production of a root-specific flavour compound, 2-hydroxy-4-methoxy benzaldehyde by normal root cultures of *Decalepis hamiltonii* Wight and *Arn* (Asclepiadaceae). *J Sci Food Agric* 85: 61-64.
- Gisi, D. (1999). Dichloromethane conversion by glutathione S-transferases from bacteria and rat. PhD Thesis, Eidgenossische Technische Hochschule Zuerich (Switzerland) 161 p.
- Gisi, D; Leisinger, T; Vuilleumier, S. (1999). Enzyme-mediated dichloromethane toxicity and mutagenicity of bacterial and mammalian dichloromethane-active glutathione S-transferases. *Arch Toxicol* 73: 71-79.
- Gisi, D; Maillard, J; Flanagan, JU; Rossjohn, J; Chelvanayagam, G; Board, PG; Parker, MW; Leisinger, T; Vuilleumier, S. (2001). Dichloromethane mediated in vivo selection and functional characterization of rat glutathione S-transferase theta 1-1 variants. *Eur J Biochem* 268: 4001-4010.
- Gisi, D; Maillard, J; Flanagan, JU; Rossjohn, J; Chelvanayagam, G; Board, PG; Parker, MW; Leisinger, T; Vuilleumier, Sp. (2001). Dichloromethane mediated in vivo selection and functional characterization of rat glutathione S-transferase theta 1 variants. *Eur J Biochem* 268: 4001-4010.
- Gisi, D; Willi, L; Traber, H; Leisinger, T; Vuilleumier, S. (1998). Effects of bacterial host and dichloromethane dehalogenase on the competitiveness of methylotrophic bacteria growing with dichloromethane. *Appl Environ Microbiol* 64: 1194-1202.
- Giuffrida, S; Costanzo, LL; Condorelli, GG; Ventimiglia, G; Fraga, IL. (2005). Photochemistry of bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)strontium tetraglyme solutions for eventual liquid phase photochemical deposition. *Inorganica Chimica Acta* 358: 1873-1881.
- Gkinis, G; Ioannou, E; Quesada, A; Vagias, C; Tzakou, O; Roussis, V. (2008). Parnapimarol and nepetaparnone from *Nepeta parnassica*. *J Nat Prod* 71: 926-928.
- Gkinis, G; Michaelakis, A; Koliopoulos, G; Ioannou, E; Tzakou, O; Roussis, V. (2014). Evaluation of the repellent effects of *Nepeta parnassica* extract, essential oil, and its major nepetalactone metabolite against mosquitoes. *Parasitol Res* 113: 1127-1134.
- Glasl, S; Mucajji, P; Werner, I; Presser, A; Jurenitsch, J. (2002). Sesquiterpenes and flavonoid aglycones from a Hungarian taxon of the *Achillea millefolium* group. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 57: 976-982.
- Glowacki, DR; Rose, RA; Greaves, SJ; Orr-Ewing, AJ; Harvey, JN. (2011). Ultrafast energy flow in the wake of solution-phase bimolecular reactions. *Nat Chem* 3: 850-855. [Nature chemistry].
- Gnanasekharan, V; Floros, JD. (1997). Migration and sorption phenomena in packaged foods. *Critical Reviews in Food Science and Nutrition* 37: 519-559.
- Goclik, E; Konig, GM; Wright, AD; Kaminsky, R. (2000). Pelorol from the tropical marine sponge *Dactylospongia elegans*. *J Nat Prod* 63: 1150-1152.
- Goel, M; Sharma, PK; Dureja, P; Rani, A; Uniyal, PL. (2011). Antifungal activity of extracts of the lichens *Parmelia reticulata*, *Ramalina roesleri*, *Usnea longissima* and *Stereocaulon himalayense*. *Archives of phytopathology and plant protection* 44: 1300-1311.
- Gold, B; Mirvish, SS. (1977). N-Nitroso derivatives of hydrochlorothiazide, niridazole, and tolbutamide. *Toxicol Appl Pharmacol* 40: 131-136.

## Environmental Hazard Literature Search Results

### Off Topic

- Gold, LS; Backman, GM; Hooper, NK; Peto, R. (1987). Ranking the Potential Carcinogenic Hazards to Workers from Exposures to Chemicals That are Tumorigenic in Rodents. Symposium on Basic Research in Risk Assessment, Research Triangle Park, North Carolina, USA 76: 211-220.
- Goldhaber, SB; Chessin, RL. (1997). Comparison of hazardous air pollutant health risk benchmarks. *Environmental Science & Technology* 31: 568A-572A.
- Golebiowski, M; Malinski, E; Nawrot, J; Stepnowski, P. (2008). Identification and characterization of surface lipid components of the dried-bean beetle *Acanthoscelides obtectus* (Say) (Coleoptera : Bruchidae). *Journal of Stored Products Research* 44: 386-388.
- Golovleva, L. (1997). Microorganisms involved in the biodegradation of organic compounds. Wild, J R, S D Varfolomeyev and A Scozzafava (Ed) *Nato Asi Series 3 High Technology, Vol 19 Perspectives in Bioremediation: Technologies for Environmental Improvement*; 1995 Nato Advanced Research Workshop on Biotechnological Remediation of Contaminated Sites, Lviv, Ukraine, March 5-9, 1995 Xvi+123p Kluwer Academic Publishers: Dordrecht, Netherlands; Norwell, Massachusetts, USA Isbn 0-7923-4339-5; 19 (0) 1997 57-63.
- Gomaa, NH; AbdElgawad, HR. (2012). Phytotoxic effects of *Echinochloa colona* (L.) Link. (Poaceae) extracts on the germination and seedling growth of weeds. *Spanish Journal of Agricultural Research* 10: 492-501.
- Gombar, VK; Borgstedt, HH; Enslein, K; Hart, JB; Blake, BW. (1991). A QSAR model of teratogenesis. *Quant Struct-Act Relat* 10: 306-332.
- Gomez-Ariza, JL; Giraldez, I; Morales, E. (2000). Problems associated with an environmental assessment of organotins: Application to the organic polluted Saladillo Harbor (southern Spain). *Environ Toxicol Chem* 19: 1597-1606.
- Gomez-Ariza, JL; Morales, E; Giraldez, I; Beltran, R; Pozas Escobar, JA. (1997). Acid/extraction treatment of bivalves for organotin speciation. *Fresenius' Journal of Analytical Chemistry* 357: 1007-1009.
- Gomez-Graete, C; Tsapis, N; Besnard, M; Bochot, A; Fattal, E. (2007). Encapsulation of dexamethasone into biodegradable polymeric nanoparticles. *Int J Pharm* 331: 153-159.
- Gonçalves, VC; Balogh, DT. (2012). Optical chemical sensors using polythiophene derivatives as active layer for detection of volatile organic compounds. *Sensors & Actuators: B* 162: 307-312.
- Gong, J; Xu, L; Yang, Y; Chen, D-Y; Ran, Y. (2011). Sequential ASE extraction of alkylphenols from sediments: Occurrence and environmental implications. *J Hazard Mater* 192: 643-650.
- González, GP; Hernando, PF; Alegre, JSD. (2006). A morphological study of molecularly imprinted polymers using the scanning electron microscope. *Anal Chim Acta* 557: 179-183.
- González-Rubio, C; González-Máñiz, R; Jiménez-Clavero, MA; Fontán, G; López-Trascasa, M. (1996). Factor J, an inhibitor of the classical and alternative complement pathway, does not inhibit esterolysis by factor D. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology* 1295: 174-178.
- González, AG; Barrera, JB; Davila, BB; Valencia, E; Domínguez, XA. (1992). Anthraquinones from *Cassia greggii*. *Phytochemistry* 31: 255-258.
- Gonzalez-Bejar, M; Stiriba, SE; Domingo, LR; Perez-Prieto, J; Miranda, MA. (2006). Mechanism of triplet photosensitized Diels-Alder reaction between indoles and cyclohexadienes: Theoretical support for an adiabatic pathway. *J Org Chem* 71: 6932-6941.
- Gonzalez-Cortazar, M; Herrera-Ruiz, M; Zamilpa, A; Jimenez-Ferrer, E; Marquina, S; Alvarez, L; Tortoriello, J. (2014). Anti-Inflammatory Activity and Chemical Profile of *Galphimia glauca*. *Planta Med* 80: 90-96.
- Gonzalez-Nunez, ME; Mello, R; Olmos, A; Asensio, G. (2005). Baeyer-Villiger oxidation with potassium peroxomonosulfate supported on acidic silica gel. *J Org Chem* 70: 10879-10882.
- Gonzalez-Perez, JA; Gonzalez-Vila, FJ; Arias, ME; Rodriguez, J; de la Rosa, JM; Maranon, T; Clemente, L. (2011). Geochemical and ecological significance of soil lipids under *Rhododendron ponticum* stands. *Environ Chem Lett* 9: 453-464.
- Gordon, MP; Lloyd, LT; Boucher, DS. (2016). Poly(3-hexylthiophene) films prepared using binary solvent mixtures. *Journal of polymer science* 54: 624-638.
- Gorecki, L; Berlicki, L; Mucha, A; Kafarski, P; Slepokura, K; Rudzinska-Szostak, E. (2012). Phosphorylation as a method of tuning the enantiodiscrimination potency of quinine. An NMR study. *Chirality* 24: 318-328.
- Gorner, H; Miskolczy, Z; Megyesi, M; Biczok, L. (2011). Photoreduction and Ketone-sensitized Reduction of Alkaloids. *Photochem Photobiol* 87: 284-291.
- Gorner, H; Wolff, T. (2008). Lewis-acid-catalyzed photodimerization of coumarins and N-methyl-2-quinolone. *Photochem Photobiol* 84: 1224-1230.
- Gortner, L; Maroske, W; Reiss, I; Weller, E. (2006). Protein- and lipid modification of natural bovine surfactant - Effects in experimental lung failure with special consideration of the response in neonates. *Arzneimittel-Forschung-Drug Research* 56: 25-32.
- Gozalczany, S; Acevedo, C; Muschietti, L; Martino, V; Ferraro, G. (1996). Search for antiinflammatory activity in Argentine Medicinal Plants. *Phytomedicine* 3: 181-184.
- Goss, KU. (1997). Conceptual model for the adsorption of organic compounds from the gas phase to liquid and solid surfaces. *Environmental Science & Technology* 31: 3600-3605.
- Goto, T; Hsieh, DP. (1985). Fractionation of radioactivity in the milk of goats administered <sup>14</sup>C-aflatoxin B1. *J Assoc Off Anal Chem* 68: 456-458. [Journal - Association of Official Analytical Chemists].
- Gotta, MF; Mayr, H. (1998). Kinetics of the Friedel-Crafts alkylations of heterocyclic arenes: Comparison of the nucleophilic reactivities of aromatic and nonaromatic pi-systems. *J Org Chem* 63: 9769-9775.
- Goufo, P; Fontem, DA; Ngokam, D. (2010). Evaluation of plant extracts for tomato late blight control in Cameroon. *N Z Journal Crop Horti Sci* 38: 171-176.

## Environmental Hazard Literature Search Results

### Off Topic

- Govindaswamy, P; SÃ¼ss-Fink, G; Therrien, B. (2007). Self-assembled chloro-bridged metallo-prismatic cations of the general formula  $[M_6(\mu_5-C_5Me_5)_6(\mu_3-tpt)_2(\mu_4-Cl)_6]^{6+}$  (M = Rh, Ir; tpt = 2,4,6-tri(pyridin-4-yl)-1,3,5-triazine). *Inorganic Chemistry Communications* 10: 1489-1492.
- Grabow, WOK; Van Rossum, PG; Grabow, NA; Denkhaus, R. (1981). Relationship of the raw water quality to mutagens detectable by the Ames Salmonella/microsome assay in a drinking-water supply. *Water Res* 15: 1037-1043.
- Grace, JK. (1990). Effect of antioxidants on eastern subterranean termite (Isoptera: Rhinotermitidae) orientation to fungal extract. *Proc Entomol Soc Wash* 92: 773-777.
- Graedel, TE; Crutzen, PJ. (1993). Atmospheric change an earth system perspective. Graedel, T E And P J Crutzen Atmospheric Change: An Earth System Perspective Xiii+446p W H Freeman and Co: New York, New York, USA; W H Freeman and Co Ltd: Oxford, England, Uk Isbn 0-7167-2334-4(Cloth); Isbn 0-7167-2332-8(Paper); 0 (0) 1993 Xiii+446p.
- Grael, CFF; Albuquerque, S; Lopes, JLC. (2005). Chemical constituents of *Lychnophora pohlii* and trypanocidal activity of crude plant extracts and of isolated compounds. *Fitoterapia* 76: 73-82.
- Graf, JL. (1981). Preparation and characterization of diesel exhaust particles for biological experiments. *Environ Int* 5: 211-215.
- Graf, M; BÃ¼ttcher, HC; SÃ¼nkel, K. (2013). Synthesis and structural characterization of bis-cyclometalated complexes  $[M(pty)_2(S_2COCH_3)]$  (M = Rh, Ir; pty = 2-(p-tolyl)pyridinato). *Inorganica Chimica Acta* 394: 363-366.
- Graf, M; SÃ¼nkel, K. (2011). Bioorganometallics: First examples of cyclometalated iridium(III) complexes containing di- and tripeptide ester ligands. *Inorganica Chimica Acta* 379: 40-43.
- Graham, JG; Pendland, SL; Prause, JL; Danzinger, LH; Schunke Vigo, J; Cabieses, F; Farnsworth, NR. (2003). Antimycobacterial evaluation of Peruvian plants. *Phytomedicine* 10: 528-535.
- Graham, MC; Allan, R; Fallick, AE; Farmer, JG. (2006). Investigation of extraction and clean-up procedures used in the quantification and stable isotopic characterisation of PAHs in contaminated urban soils. *Sci Total Environ* 360: 81-89.
- Graham, RE; Biehl, ER; Kenner, CT. (1978). Analysis of Betamethasone and Its Organic Esters in Pharmaceutical Products. *J Pharm Sci* 67: 360-363.
- Graham, RE; Biehl, ER; Kenner, CT. (1978). Rapid Blue Tetrazolium Procedure for Analysis of Corticosteroids in Pharmaceutical Preparations. *J Pharm Sci* 67: 792-795.
- Grandcourt, EM; Hecht, T; Booth, AJ; Robinson, J. (2008). Retrospective stock assessment of the Emperor red snapper (*Lutjanus sebae*) on the Seychelles Bank between 1977 and 2006. *ICES J Mar Sci* 65: 889-898.
- Grant, A; Briggs, AD. (2002). Toxicity of sediments from around a North Sea oil platform: are metals or hydrocarbons responsible for ecological impacts? *Mar Environ Res* 53: 95-116.
- Grant, WB; Kagann, RH; McClenny, WA. (1992). Optical remote measurement of toxic gases. *J Air Waste Manage Assoc* 42: 18-30.
- Grassberger, A; Schieberle, P; Koehler, P. (2003). Fractionation and reconstitution of wheat flour - effect on dough rheology and baking. *European Food Research and Technology* 216: 204-211.
- Graves, RJ; Callander, RD; Green, T. (1994). The role of formaldehyde and S-chloromethylglutathione in the bacterial mutagenicity of methylene chloride. *Mutation Research/Genetic Toxicology* 320: 235-243.
- Graves, RJ; Green, T. (1996). Mouse liver glutathione S-transferase mediated metabolism of methylene chloride to a mutagen in the CHO assay. *Mutat Res* 367: 143-150.
- Graves, RJ; Green, T. (1996). Mouse liver glutathione S-transferase mediated metabolism of methylene chloride to a mutagen in the CHO/HPRT assay. *Mutation Research/Genetic Toxicology* 367: 143-150.
- Greathouse, DV; Goforth, RL; Crawford, T; van der Wel, PCA; Killian, JA. (2001). Optimized aminolysis conditions for cleavage of N-protected hydrophobic peptides from solid-phase resins. *Journal of Peptide Research* 57: 519-527.
- Green, T. The metabolic activation of dichloromethane and chlorofluoromethane in a bacterial mutation assay using *Salmonella typhimurium*. *Mutation research : genetic toxicology testing* Sept 1983. v. 118 (4): 277-288.
- Green, T. (1990). Changes in metabolism during toxicity tests. *Xenobiotica* 20: 1233-1240. [Xenobiotica; the fate of foreign compounds in biological systems].
- Green, T. (1991). Species differences in carcinogenicity: the role of metabolism and pharmacokinetics in risk assessment. *Ann Ist Super Sanita* 27: 595-599.
- Green, T; Toghiani, A; Foster, J. (2001). The role of cytochromes P-450 in styrene induced pulmonary toxicity and carcinogenicity. *Toxicology* 169: 107-117.
- Greene, GW; Fey-Yensan, N; Padula, C; Rossi, S; Rossi, JS; Clark, PG. (2004). Differences in psychosocial variables by stage of change for fruits and vegetables in older adults. *Journal of the American Dietetic Association* 104: 1236-1243.
- Gregor, DJ. (1990). Deposition and accumulation of selected agricultural pesticides in canadian arctic snow. Kurtz, D A (Ed) Long Range Transport of Pesticides; 195th National Meeting of the American Chemical Society Held Jointly with the Third Chemical Congress of North America, Toronto, Ontario, Canada, June 1988 Xv+462p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Maps Isbn 0-87371-168-8; 0 (0) 1990 373-386.
- Grevsen, K; Frette, XC; Christensen, LP. (2009). Content and Composition of Volatile Terpenes, Flavonoids and Phenolic Acids in Greek Oregano (*Origanum vulgare* L. ssp *hirtum*) at different Development Stages during Cultivation in Cool Temperate Climate. *European Journal of Horticultural Science* 74: 193-203.
- Gribble, GW. (1992). Naturally occurring organohalogen compounds: A survey. *J Nat Prod (Lloydia)* 55: 1353-1395.
- Gribble, GW. (1994). The natural production of chlorinated compounds. *Environmental Science & Technology* 28: 310A.

## Environmental Hazard Literature Search Results

### Off Topic

- Gribble, GW. (1995). The natural production of organochlorine compounds. 210th American Chemical Society National Meeting, Chicago, Illinois, USA, August 20-24, 1995 Abstracts of Papers American Chemical Society 210: ENVR 65.
- Grigoriev, PA; Schlegel, B; Kronen, M; Berg, A; Hartl, A; Grafe, L. (2003). Differences in membrane pore formation by peptaibols. *J Pept Sci* 9: 763-768.
- Grimalt, JO; Hermosin, B; Yruela, I; Saiz-Jimenez, C. (1989). Lipids of soil humic acids. II. Residual components after humatmelanic acid extraction. *Sci Total Environ* 81-82: 421-428.
- Grimmer, G; Schmidt, W. (1986). Model experiments on the phytotoxicity of halogenated hydrocarbons. *Angew Chem Int Ed Engl* 25: 808-809.
- Grierrane, A; Alvarez, E; Garcia, H; Corma, A. (2014). Deactivation of Cationic Cu-I and Au-I Catalysts for A(3) Coupling by CH<sub>2</sub>Cl<sub>2</sub> : Mechanistic Implications of the Formation of Neutral Cu-I and Au-I Chlorides. *Angewandte Chemie-International Edition* 53: 7253-7258.
- Grisenti, P; Magni, A; Manzocchi, A; Ferraboschi, P. (1997). A practical route for the synthesis of 17 substituted steroidal 3-thioxamides. *Steroids* 62: 504-506.
- Grobbelaar, E; L ttter, S; Visser, HG; Conradie, J; Purcell, W. (2009). Investigation of the electron density of iridium(I) Vaska-type complexes using DFT calculations and structural results: Structure of trans-carbonyl-chloro-bis(tricyclohexylphosphine)-iridium(I). *Inorganica Chimica Acta* 362: 3949-3954.
- Grobbelaar, E; Purcell, W; Basson, SS. (2006). A kinetic investigation of the oxidative addition reactions of the dimeric Bu<sub>4</sub>N[Ir<sub>2</sub>( ¼-Dcbp)(cod)<sub>2</sub>] complex with iodomethane. *Inorganica Chimica Acta* 359: 3800-3806.
- Grombone-Guaratini, MT; Silva-Brandao, KL; Solferini, VN; Semir, J; Trigo, J. (2005). Sesquiterpene and polyacetylene profile of the *Bidens pilosa* complex (Asteraceae : Heliantheae) from Southeast of Brazil. *Biochemical Systematics and Ecology* 33: 479-486.
- Gron, C. (1988). Determination of organic halogens group parameters in investigations of marine pollution. *Vatten* 44: 205-212.
- Gron, C. (1990). Organic halogen group parameters in ground water investigation: Part III. *Chemosphere* 21: 135-152.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environmental Science & Technology* 33: 1970-1978.
- Gross, HA; Ruder, HJ; Brown, KS; Lipsett, MB. (1972). A radioimmunoassay for plasma corticosterone. *Steroids* 20: 681-695.
- Grostern, A; Duhamel, M; Dworatzek, S; Edwards, EA. (2010). Chloroform respiration to dichloromethane by a Dehalobacter population. *Environ Microbiol* 12: 1053-1060.
- Groszkowski, S; Najman, L. (1979). Diesters of 4,4'-(piperazine-1,4-diyl)bis-4-oxo-2-butenoic acid. *Pol J Pharmacol Pharm* 31: 157-159. [Polish journal of pharmacology and pharmacy].
- Groten, JP; Schoen, ED; Feron, VJ. (1996). Use of factorial designs in combination toxicity studies. *Food Chem Toxicol* 34: 1083-1089.
- Groves, WA; Zellers, ET; Frye, GC. (1998). Analyzing organic vapors in exhaled breath using a surface acoustic wave sensor array with preconcentration: Selection and characterization of the preconcentrator adsorbent. *Anal Chim Acta* 371: 131-143.
- Gu, B; Burgess, DJ. (2015). Prediction of dexamethasone release from PLGA microspheres prepared with polymer blends using a design of experiment approach. *Int J Pharm* 495: 393-403.
- Gu, B; Wang, Y; Burgess, DJ. (2015). In vitro and in vivo performance of dexamethasone loaded PLGA microspheres prepared using polymer blends. *Int J Pharm* 496: 534-540.
- Gu, JQ; Wang, YH; Franzblau, SG; Montenegro, G; Timmermann, BN. (2004). Constituents of *Quinchamalium majus* with potential antitubercular activity. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 59: 797-802.
- Gu, JQ; Wang, YH; Franzblau, SG; Montenegro, G; Timmermann, BN. (2004). Constituents of *Senecio chionophilus* with potential antitubercular activity. *J Nat Prod* 67: 1483-1487.
- Guckert, JB; Cooksey, KE; Jackson, LL. (1988). Lipid solvent systems are not equivalent for analysis of lipid classes in the microeukaryotic green alga, *Chlorella*. *Journal of Microbiological Methods* 8: 139-149.
- Gudro, I; Valeika, V; Sirvaityt. (2014). Short term preservation of hide using vacuum: influence on properties of hide and of processed leather. *PLoS ONE* 9.
- Guedes, EA; de Carvalho, CM; Ribeiro Junior, KA; Lisboa Ribeiro, TF; de Barros, LD; de Lima, MR; Prado Moura Fde, B; Goulart Sant'ana, AE. (2014). Larvicidal Activity against *Aedes aegypti* and Molluscicidal Activity against *Biomphalaria glabrata* of Brazilian Marine Algae. *J Parasitol Res* 501328.
- Guedes, EAC; Araujo, MAD; Souza, AKP; de Souza, LIO; de Barros, LD; Maranhao, FCD; Sant'Ana, AEG. (2012). Antifungal Activities of Different Extracts of Marine Macroalgae Against Dermatophytes and *Candida* Species. *Mycopathologia* 174: 223-232.
- Guelden, M; Seibert, H. (1996). Cytotoxic and non-cytotoxic effects of the MEIC reference chemicals on spontaneously contracting primary cultured rat skeletal muscle cells. *Toxicol In Vitro* 10: 395-406.
- Guenther, G. (2000). The use of supercritical fluids in the semiconductor industry. *Ssa Journal-Journal of the Semiconductor Safety Association* 14: 27-34.
- Guerin, TF. (1999). The extraction of aged polycyclic aromatic hydrocarbon (PAH) residues from a clay soil using sonication and a Soxhlet procedure: a comparative study. *J Environ Monit* 1: 63-67.
- Guerreiro, O; Alves, SP; Costa, M; Cabo, A; Duarte, MF; Jeronimo, E; Bessa, RJB. (2016). Effects of extracts obtained from *Cistus ladanifer* L. on in vitro rumen biohydrogenation. *Anim Feed Sci Technol* 219: 304-312.
- Guerrero-Barajas, C; Field, JA. (2005). Riboflavin- and cobalamin-mediated biodegradation of chloroform in a methanogenic consortium. *Biotechnol Bioeng* 89: 539-550.
- Guertler, KR; Kleinermanns, K. (1994). Photooxidation of exhaust pollutants: II. Photooxidation of chloromethanes: Degradation efficiencies, quantum yields and products. *Chemosphere* 28: 1289-1298.

## Environmental Hazard Literature Search Results

### Off Topic

- Guillen, MD. (1994). Polycyclic aromatic compounds: Extraction and determination in food. *Food Additives and Contaminants* 11: 669-684.
- Guillen, MD; Manzanos, MJ. (1998). Composition of the extract in dichloromethane of the aerial parts of a Spanish wild growing plant *Thymus vulgaris* L. *Flavour and Fragrance Journal* 13: 259-262.
- Guirado, G; Fleming, CN; Lingenfelter, TG; Williams, ML; Zuilhof, H; Dinnocenzo, JP. (2004). Nanosecond redox equilibrium method for determining oxidation potentials in organic media. *J Am Chem Soc* 126: 14086-14094.
- Gundidza, M; Sibanda, M. (1991). Antimicrobial activities of *ziziphus abyssinica* and *berchemia discolor*. *Cent Afr J Med* 37: 80-83. [The Central African journal of medicine].
- Gundogan-Paul, M; Celebi, SS; Ozyoruk, H; Yildiz, A. (2002). Amperometric enzyme electrode for organic peroxides determination prepared from horseradish peroxidase immobilized in poly(vinylferrocenium) film. *Biosensors & Bioelectronics* 17: 875-881.
- Gunther, G; Hohmann, J; Vasas, A; Mathe, I; Dombi, G; Jerkovich, G. (1998). Jatrophone diterpenoids from *Euphorbia esula*. *Phytochemistry* 47: 1309-1313.
- Guo, Q; Aly, A; Schein, O; Trexler, MM; Elisseeff, JH. (2012). Moxifloxacin in situ gelling microparticles as bioadhesive delivery system. *Results in Pharma Sciences* 2: 66-71.
- Guo, YH. (1990). Microbial kinetics of *Pseudomonas* sp. straub DM1 during dichloromethane biodegradation. *Chin J Biotechnol* 6: 75-85.
- Guo, YS; Bryn, S; Zograf, G. (2000). Physical characteristics and chemical degradation of amorphous quinapril hydrochloride. *J Pharm Sci* 89: 128-143.
- Guo, YX; Luk, KM; Lee, KF. (2000). Dual-band slot-loaded short-circuited patch antenna. *Electronics Letters* 36: 289-291.
- Gupta, M; Gupta, A; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions-II. Sulfate reduction. *Water Res* 30: 1387-1394.
- Gupta, M; Gupta, A; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions-II. Sulfate reduction. *Water Res* 30: 1387-1394.
- Gupta, M; Sharma, D; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions-I. Methanogenesis. *Water Res* 30: 1377-1385.
- Gupta, M; Sharma, D; Suidan, MT; Sayles, GD. (1996). Biotransformation rates of chloroform under anaerobic conditions-I. Methanogenesis. *Water Res* 30: 1377-1385.
- Gupta, S; Purwar, M; Chakrabarti, SK; Singh, S. (2012). Influence of drying of biosludge on organochlorine compounds from pulp and paper industry. *J Environ Biol* 33: 85-88.
- Gustafsson, Br; Håkansson, M; Jagner, S. (2005). Copper(I)-mediated quaternisation of 1,4-diazabicyclo[2.2.2]octane (DABCO). Crystal structure of bis{(1-chloromethyl-4-aza-1-azoniabicyclo[2.2.2]octane)- $\mu$ -4-chloro-chlorocopper(I)}. *Inorganica Chimica Acta* 358: 1309-1312.
- Guzman-Gutierrez, SL; Navarrete, A. (2009). Pharmacological Exploration of the Sedative Mechanism of Hesperidin Identified as the Active Principle of *Citrus sinensis* Flowers. *Planta Med* 75: 295-301.
- Haag, WR; Yao, CC. (1992). Rate constants for reaction of hydroxyl radicals with several drinking water contaminants. *Environ Sci Technol* 26: 1005-1013.
- Haarhoff, J; Cleasby, JL. (1990). Evaluation of air stripping for the removal of organic drinking-water contaminants. *Water S a (Pretoria)* 16: 13-22.
- Haberlein, H; Tschiersch, KP. (1998). On the occurrence of methylated and methoxylated flavonoids in *Leptospermum scoparium*. *Biochemical Systematics and Ecology* 26: 97-103.
- Habsah, M; Lajis, NH; Ali, AM; Sukari, MA; Hin, YY; Kikuzaki, H; Nakatani, N. (2003). The Antioxidative Components from *Alpinia nutans*. *Pharmaceutical Biology* 41: 7-9.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *Journal of Toxicology and Environmental Health-Part a-Current Issues* 61: 209-223.
- Haddad, S; Charest-Tardif, G; Tardif, R; Krishnan, K. (2000). Validation of a physiological modeling framework for simulating the toxicokinetics of chemicals in mixtures. *Toxicol Appl Pharmacol* 167: 199-209.
- Hadolin, M; Skerget, M; Knez, Z; Bauman, D. (2001). High pressure extraction of vitamin E-rich oil from *Silybum marianum*. *Food Chem* 74: 355-364.
- Hagele, BF; Simpson, SJ. (2000). The influence of mechanical, visual and contact chemical stimulation on the behavioural phase state of solitary desert locusts (*Schistocerca gregaria*). *J Insect Physiol* 46: 1295-1301.
- Hageman, G; Verhagen, H; Schutte, B; Kleinjans, J. (1991). Biological effects of short-term feeding to rats of repeatedly used deep-frying fats in relation to fat mutagen content. *Food Chem Toxicol* 29: 689-698.
- Haglid, KG; Rosengren, L; Kyrklund, T; Karlsson, JE; Wikgren, A; Avall, E. (1985). Organic solvent neurotoxicity. Tenth Meeting of the International Society for Neurochemistry, Riva Del Garda, Italy, May 19-24, 1985 *J Neurochem* 44: 1986.
- Haglid, KG; Rosengren, L; Kyrklund, T; Wikgren, A; Karlsson, JE. (1985). Neurotoxicity of organic solvents irreversible cellular changes. 2nd Nordic Neurochemical Symposium, Copenhagen, Denmark, Aug 21-24, 1985 *Acta Neurol Scand* 72: 237.
- Hahin, R; Larsen, J; Gasser, K. (2008). Predictions of the EC(50) for action potential block for aliphatic solutes. *J Membr Biol* 221: 73-85.
- Haidar, SH; Moreton, JE; Liang, ZM; Hoke, JF; Muir, KT; Eddington, ND. (1997). Evaluating a possible pharmacokinetic interaction between remifentanil and esmolol in the rat. *J Pharm Sci* 86: 1278-1282.
- Haidar, SH; Moreton, JE; Liang, ZM; Hoke, JF; Muir, KT; Eddington, ND. (1997). The pharmacokinetics and electroencephalogram response of remifentanil alone and in combination with esmolol in the rat. *Pharm Res* 14: 1817-1823.

## Environmental Hazard Literature Search Results

### Off Topic

- Hait, S; Tare, V. (2012). Transformation and availability of nutrients and heavy metals during integrated composting-vermicomposting of sewage sludges. *Ecotoxicol Environ Saf* 79: 214-224.
- Hajjipour, AR; Zahmatkesh, S; Roosta, P; Ruoho, AE. (2009). Synthesis and characterization of new optically active poly(azo-ester-imide)s via interfacial polycondensation. *Amino Acids* 36: 511-518.
- Halabalaki, M; Bertrand, S; Stefanou, A; Gindro, K; Kostidis, S; Mikros, E; Skaltsounis, LA; Wolfender, JL. (2014). Sample Preparation Issues in NMR-based Plant Metabolomics: Optimisation for Vitis Wood Samples. *Phytochem Anal* 25: 350-356.
- Halbach, TS; Mix, S; Fischer, D; Maechling, S; Krause, JO; Sievers, C; Blechert, S; Nuyken, O; Buchmeiser, MR. (2005). Novel ruthenium-based metathesis catalysts containing electron-withdrawing ligands: Synthesis, immobilization, and reactivity. *J Org Chem* 70: 4687-4694.
- Haleyur, N; Shahsavari, E; Mansur, AA; Koshlaf, E; Morrison, PD; Osborn, AM; Ball, AS. (2016). Comparison of rapid solvent extraction systems for the GC-MS/MS characterization of polycyclic aromatic hydrocarbons in aged, contaminated soil. *MethodsX* 3: 364-370.
- Halkiewicz, J. (1989). Micromethod for the determination of phthalate esters in parenteral solutions and inorganic salts use in the preparation of such solutions and for environmental analysis. *Fresenius Z Anal Chem* 335: 998-1001.
- Hall, CE; Hall, EAH. (1993). Covalent immobilisation of glucose oxidase on methacrylate copolymers for use in an amperometric glucose sensor. *Anal Chim Acta* 281: 645-653.
- Hall, HS. (1993). Elimination of methylene chloride from coatings reformulation of coatings under 1990 clean air act. Aaps (American Association of Pharmaceutical Scientists) Eighth Annual Meeting and Exposition, Orlando, Florida, USA, November 14-18, 1993 *Pharmaceutical Research (New York)* 10: S156.
- Hallåsn, B; Sundwall, A; Sandquist, S. (1985). Ion pair formation and gastrointestinal absorption of emepronium. *Acta Pharmacol Toxicol (Copenh)* 57: 271-278. [*Acta pharmacologica et toxicologica*].
- Hallak, AMG; Davide, LC; Souza, IF. (1999). Effects of Sorghum (*Sorghum bicolor* L.) root exudates on the cell cycle of the bean plant (*Phaseolus vulgaris* L.) root. *Genet Mol Biol* 22: 95-99.
- Hallberg, GR. (1989). Pesticide pollution of groundwater in the humid usa. *Agric Ecosyst Environ* 26: 299-368.
- Hamad, S; Podagatlapalli, GK; Tewari, SP; Rao, SV. (2013). Influence of picosecond multiple/single line ablation on copper nanoparticles fabricated for surface enhanced Raman spectroscopy and photonics applications. *Journal of Physics D-Applied Physics* 46: 85501-85501.
- Hamer, G; Egli, T; Snozzi, M. (1989). Mixed substrates in environmental biotechnology. *Experientia (Basel)* 45: 1070-1078.
- Hammami, H; Mezghani-Jarraya, R; Damak, M; Ayadi, A. (2011). Molluscicidal activity of various solvent extracts from *Solanum nigrum* var. *villosum* L. aerial parts against *Galba truncatula*. *Parasite* 18: 63-70. [*Parasite (Paris, France)*].
- Hammerich, O; Hansen, T; Thorvildsen, A; Christensen, JB. (2009). Electrochemical one-electron oxidation of low-generation polyamidoamine-type dendrimers with a 1,4-phenylenediamine core. *Chemphyschem* 10: 1805-1824. [*Chemphyschem : a European journal of chemical physics and physical chemistry*].
- Hammond, SK; Smith, TJ; Woskie, SR; Leaderer, BP; Bettinger, N. (1988). Markers of exposure to diesel exhaust and cigarette smoke in railroad workers. *Am Ind Hyg Assoc J* 49: 516-522. [*American Industrial Hygiene Association journal*].
- Han, JH; Yoon, SM. (2012). Dichloromethane Detection Based on Near-Infrared Absorptive Sensing. *Ieee Journal of Selected Topics in Quantum Electronics* 18: 1547-1552.
- Han, JI; Lontoh, S; Semrau, JD. (1999). Degradation of chlorinated and brominated hydrocarbons by *Methylobacterium album* BG8. *Archives of Microbiology* 172: 393-400.
- Han, S; Kanematsu, Y; Hattori, K; Nakashima, H; Yoshida, T. (2009). Ring-opening polymerization of benzylated 1,6-anhydro-β-D-lactose and specific biological activities of sulfated [1→6]-β-D-lactopyranans. *Journal of polymer science* 47: 913-924.
- Han, SZ; Zhao, YH; Yu, T; Craik, S. (2014). Challenge Studies of the Hach GuardianBlue Early Warning System. *J Environ Eng* 140: 14002-14002.
- Han, XH; Hong, SS; Hwang, JS; Jeong, SH; Hwang, JH; Lee, MH; Lee, MK; Lee, D; Ro, JS; Hwang, BY. (2005). Monoamine oxidase inhibitory constituents from the fruits of *Cudrania tricuspidata*. *Arch Pharm Res* 28: 1324-1327.
- Hanamura, H; Nemoto, N. (2011). Synthesis and properties of cyclopentadithiophene-based poly(silarylenesiloxane) derivatives. *Polymer* 52: 5282-5289.
- Hannah, DJ; Till, DG; Deverall, T; Jones, PD; Fry, JM. Extraction of lipid-soluble marine biotoxins. *J AOAC Int Mar/Apr* 1995. v. 78 (2): 480-483.
- Hannah, RE; Cunningham, VL; McGough, JP. (1987). Evaluation of bonded-phase extraction techniques using a statistical factorial experimental design. Suffet, I H And M Malaiyandi (Ed) *Advances in Chemistry Series, 214 Organic Pollutants in Water: Sampling, Analysis, and Toxicity Testing; Symposium Held at the 188th Meeting of the American Chemical Society, Philadelphia, Pennsylvania, USA, August 29-31, 1984* Xvi+797p American Chemical Society: Washington, DC, USA Illus Isbn 0-8412-0951-0; 0 (0) 1987 359-380.
- Hantal, G; Darvas, M; Partay, LB; Horvai, G; Jedlovsky, P. (2010). Molecular level properties of the free water surface and different organic liquid/water interfaces, as seen from ITIM analysis of computer simulation results. *Journal of Physics-Condensed Matter* 22: 84112-84112.
- Harada, Y; Ikeue, T; Ide, Y; Kimura, Y; Hiromitsu, I; Yoshioka, D; Mikuriya, M; Kataoka, Y; Handa, M. (2015). Synthesis, structures, and properties of lantern-type dinuclear ruthenium(II,III) complexes cis-[Ru<sub>2</sub>{3,5-(CF<sub>3</sub>)<sub>2</sub>-pf}<sub>2</sub>(O<sub>2</sub>CMe)<sub>2</sub>Cl] and [Ru<sub>2</sub>{3,5-(CF<sub>3</sub>)<sub>2</sub>-pf}<sub>3</sub>(O<sub>2</sub>CMe)Cl], 3,5-(CF<sub>3</sub>)<sub>2</sub>-pf<sup>-</sup> = N,N'-bis[3,5-bis(trifluoromethyl)phenyl]formamidinate anion. *Inorganica Chimica Acta* 424: 186-193.
- Hardin, BD; Manson, JM. (1980). Absence of dichloromethane teratogenicity with inhalation exposure in rats. *Toxicol Appl Pharmacol* 52: 22-28.
- Harding, P; Harding, DJ; Phonsri, W; Saithong, S; Phetmung, H. (2009). Synthesis and electrochemical studies of octahedral nickel <sup>II</sup>-diketonate complexes. *Inorganica Chimica Acta* 362: 78-82.



## Environmental Hazard Literature Search Results

### Off Topic

- Hardy, JG; Ashworth, I; Brennan, C; Smith, DK. (2007). Dendritic receptors designed to bind polyanions in both organic and aqueous media. *Organic & Biomolecular Chemistry* 5: 900-906.
- Haribal, M; Feeny, P. (2003). Combined roles of contact stimulant and deterrents in assessment of host-plant quality by ovipositing zebra swallowtail butterflies. *J Chem Ecol* 29: 653-670.
- Harkins, SB; Peters, JC. (2004). Amido-bridged Cu(2)N(2) diamond cores that minimize structural reorganization and facilitate reversible redox behavior between a Cu(1)Cu(1) and a class III delocalized Cu(1.5)Cu(1.5) species. *J Am Chem Soc* 126: 2885-2893.
- Harkov, R; Shiboski, S. (1986). Can extractable organic matter be used as a motor vehicle tracer in multivariate air quality receptor models? *J Environ Sci Health Part a Environ Sci Eng* 21: 177-190.
- Harris, MO; Sandanayake, M; Foster, SP. (1999). Chemical stimuli from apple influence the behavior of neonate caterpillars of the generalist herbivore, *Epiphyas postvittana*. *J Chem Ecol* 25: 1717-1738.
- Harrison, HF; Wechter, WP; Kousik, CS. (2012). Inhibition of Bacterial, Fungal, and Plant Growth by Testae Extracts of *Citrullus* Genotypes. *HortScience* 47: 448-451.
- Harry, GB; Al-Omar, MA. (2005). Ciprofloxacin: Physical Profile. *Profiles of Drug Substances, Excipients and Related Methodology* 163-178.
- Hart, JR. (1994). Comparison of emissions from burning hazardous waste in a dry-process cement kiln with emission from burning conventional fossil fuels. *Hazardous Waste & Hazardous Materials* 11: 193-199.
- Hartenstein, HU. (1994). Fixed bed activated coke filters for the control of toxic metals and organics from waste incinerators- the second generation. *Chemosphere* 29: 2071-2081.
- Hartkamp, H; Rottmann, J; Schmitz, M. (1990). Trace gas analysis using thermoanalytical methods. *Fresenius J Anal Chem* 337: 729-736.
- Hartmann, M-Ae; Benveniste, P. (1987). [58] Plant membrane sterols: Isolation, identification, and biosynthesis. *Methods in Enzymology* 632-650.
- Hartmans, S. (1997). Biological waste gas treatment kinetics and reactors. Eleventh Forum for Applied Biotechnology, Faculty of Agricultural and Applied Biological Sciences, Gent, Belgium, September 25-26, 1997 Mededelingen Faculteit Landbouwkundige En Toegepaste Biologische Wetenschappen Universiteit Gent 62: 1501-1504.
- Hartmans, S; Tramper, J. Dichloromethane removal from waste gases with a trickle-bed bioreactor. *Bioprocess engineering* 1991. v. 6 (3): 83-92.
- Hasan, AS; Socha, M; Lamprecht, A; El Ghazouani, F; Sapin, A; Hoffman, A; Maincent, P; Ubrich, N. (2007). Effect of the microencapsulation of nanoparticles on the reduction of burst release. *Int J Pharm* 344: 53-61.
- Hasani, M; Rezaei, A. (2006). Spectrophotometric study of the charge-transfer complexes of iodine with antipyrine in organic solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 65: 1093-1097. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Haseman, JK; Clark, AM. (1990). Carcinogenicity results for 114 laboratory animal studies used to assess the predictivity of four in vitro genetic toxicity assays for rodent carcinogenicity. *Environ Mol Mutagen Suppl* 0: 15-31.
- Hashimoto, T; Takagi, H; Hasegawa, Y; Matsui, H; Urushisaki, M; Sakaguchi, T. (2010). Living/controlled cationic cyclopolymerization of divinyl ether with a cyclic acetal moiety: Synthesis of poly(vinyl ether)s with high glass transition temperature based on incorporation of cyclized main chain and cyclic side chains. *Journal of polymer science* 48: 952-958.
- Hashsham, SA; Freedman, DL. (1999). Enhanced biotransformation of carbon tetrachloride by *Acetobacterium woodii* upon addition of hydroxocobalamin and fructose. *Appl Environ Microbiol* 65: 4537-4542.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). Cobalamin-enhanced anaerobic biotransformation of carbon tetrachloride. *Environmental Science & Technology* 29: 2856-2863.
- Hasirci, V; Litman, AE; Trantolo, DJ; Gresser, JD; Wise, DL; Margolis, HC. (2002). PLGA bone plates reinforced with crosslinked PPF. *Journal of Materials Science-Materials in Medicine* 13: 159-167.
- Hasuoka, A; Nakayama, Y; Adachi, M; Kamiguchi, H; Kamiyama, K. (2001). Development of a stereoselective practical synthetic route to indolmycin, a candidate anti-H-pylori agent. *Chemical & Pharmaceutical Bulletin* 49: 1604-1608.
- Hawthorne, SB; Miller, DJ. (2003). Evidence for very tight sequestration of BTEX compounds in manufactured gas plant soils based on selective supercritical fluid extraction and soil/water partitioning. *Environmental Science & Technology* 37: 3587-3594.
- Hayashi, Y; Muller, F; Lin, Y; Miller, SM; Anderson, OP; Finke, RG. (1997). 2CH(3)CN subset of(n-Bu4N)(2) {Ir(1,5-COD)}(6)W4O16 center dot 2CH(3)CN: A hybrid inorganic-organometallic, flexible cavity host, acetonitrile-guest complex composed of a W4O4 (n+) tetrahedral cage and six polyoxoanion-supported (1,5-COD)Ir+ organometallic groups. *J Am Chem Soc* 119: 11401-11407.
- Hazlett, JM; Bailey, RE. (1990). Evaluation of a continuous sampling and analysis system for volatile organic compounds. US Environmental Protection Agency's Atmospheric Research and Exposure Assessment Laboratory and Air and Waste Management Association Measurement of Toxic and Related Air Pollutants INTERNATIONAL SYMPOSIUM, RALEIGH, NORTH CAROLINA, USA, MAY 1-4, 1990. XXI+1097P. AIR AND WASTE MANAGEMENT ASSOCIATION: PITTSBURGH, PENNSYLVANIA, USA. ILLUS. MAPS. PAPER.; 0: 731-739.
- He, C; Jin, X; Ma, PX. (2014). Calcium phosphate deposition rate, structure and osteoconductivity on electrospun poly(L-lactic acid) matrix using electrodeposition or simulated body fluid incubation. *Acta Biomater* 10: 419-427.
- He, C; Wu, D; Zhang, F; Xue, M; Zhuang, X; Qiu, F; Feng, X. (2013). Two-dimensional nanostructures by the assembly of n-type tetraazaanthracene-based conjugated molecules. *Chemphyschem* 14: 2954-2960. [Chemphyschem : a European journal of chemical physics and physical chemistry].
- He, H; Zhang, X; Sheng, Y. (2014). Enteric-coated capsule containing  $\beta$ -galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484.
- He, HJ; Zhang, XT; Sheng, Y. (2014). Enteric-coated capsule containing beta-galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484.

## Environmental Hazard Literature Search Results

### Off Topic

- He, JT; Su, HB; Li, GP; Tao, XM; Mo, W; Song, HY. (2006). Stabilization and encapsulation of a staphylokinase variant (K35R) into poly(lactic-co-glycolic acid) microspheres. *Int J Pharm* 309: 101-108.
- He, JT; Tao, XM; Mo, W; Song, HY. (2006). Preparation and characterization of PLGA microspheres containing a staphylokinase variant (K35R). *Yao Xue Xue Bao* 41: 12-18. [Yao xue xue bao = *Acta pharmaceutica Sinica*].
- He, LL; Wanunu, M; Byun, HS; Bittman, R. (1999). Regioselective and stereospecific azidation of 1,2- and 1,3-diols by azidotrimethylsilane via a Mitsunobu reaction. *J Org Chem* 64: 6049-6055.
- He, PJ; Tang, JF; Zhang, DQ; Zeng, Y; Shao, LM. (2010). Release of volatile organic compounds during bio-drying of municipal solid waste. *J Environ Sci* 22: 752-759.
- He, WD; Cik, M; Lesage, A; Van der Linden, I; De Kimpe, N; Appendino, G; Bracke, J; Mathenge, SG; Mudida, FP; Leysen, JE; Van Puyvelde, L. (2000). Kirkinine, a new daphnane orthoester with potent neurotrophic activity from *Synaptolepis kirki*. *J Nat Prod* 63: 1185-1187.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res* 44: 3147-3165.
- Heelan, BA; Corrigan, OI. A comparison of the use of dairy proteins and synthetic polymers as emulsifying agents in the production of pharmaceutical systems. *Irish journal of agricultural and food research* 1993. v. 32 (1): 57-66.
- Heemken, OP; Reincke, H; Stachel, B; Theobald, N. (2001). The occurrence of xenoestrogens in the Elbe river and the North Sea. *Chemosphere* 45: 245-259.
- Hegazy, AK; Ezzat, SM; Qasem, IB; Ali-Shtayeh, MS; Basalah, MO; Ali, HM; Hatamleh, AA. (2015). Diversity of active constituents in *Cichorium endivia* and *Cynara cornigera* extracts. *Acta Biol Hung* 66: 103-118.
- Hegazy, AK; Ezzat, SM; Qasem, IB; Ali-Shtayeh, MS; Basalah, MO; Ali, HM; Hatamleh, AA. (2015). DIVERSITY OF ACTIVE CONSTITUENTS IN CICHORIUM ENDIVIA AND CYNARA CORNIGERA EXTRACTS. *Acta Biol Hung* 66: 103-118.
- Hegazy, MEF; Matsuda, H; Nakamura, S; Yabe, M; Matsumoto, T; Yoshikawa, M. (2012). Sesquiterpenes from an Egyptian Herbal Medicine, *Pulicaria undulate*, with Inhibitory Effects on Nitric Oxide Production in RAW264.7 Macrophage Cells. *Chemical & Pharmaceutical Bulletin* 60: 363-370.
- Hegazy, MEF; Mohamed, AEH; El-Halawany, AM; Djemgou, PC; Shahat, AA; Pare, PW. (2011). Estrogenic Activity of Chemical Constituents from *Tephrosia candida*. *J Nat Prod* 74: 937-942.
- Heiberg, H; Johansson, L; Gropen, O; Ryan, OB; Swang, O; Tilset, M. (2000). A combined experimental and density functional theory investigation of hydrocarbon activation at a cationic platinum(II) diimine aqua complex under mild conditions in a hydroxylic solvent. *J Am Chem Soc* 122: 10831-10845.
- Heida, H; Van Den Berg, M; Olie, K. (1989). Risk assessment and selection of remedial action alternatives the volgermeerpolder case study. Eighth International Symposium on Chlorinated Dioxins and Related Compounds, Umea, Sweden, August 21-26, 1988 *Chemosphere* 19: 615-622.
- Heightman, AJ. (2006). Bizarre crash produces unexpected hazard. *Jems* 31: S3. [JEMS : a journal of emergency medical services].
- Heikes, DL; Hopper, ML. (1986). Purge and trap method for determination of fumigants in whole grains milled grain products and intermediate grain-based foods. *J Assoc Off Anal Chem* 69: 990-998.
- Heindel, JJ; Chapin, RE; George, J; Gulati, DK; Fail, PA; Barnes, LH; Yang, RSH. (1995). Assessment of the Reproductive Toxicity of a Complex Mixture of 25 Groundwater Contaminants in Mice and Rats. *Fundam Appl Toxicol* 25: 9-19.
- Heininger, MW; Meloan, CE. (1992). A selective reagent for the removal and recovery of chromate, molybdate, tungstate, and vanadate from aqueous solution. *Sep Sci Technol* 27: 663-669.
- Heisey, RM. Evidence for allelopathy by tree-of-heaven (*Ailanthus altissima*). *J Chem Ecol* June 1990. v. 16 (6): 2039-2055.
- Heisey, RM. (1990). Allelopathic and herbicidal effects of extracts from tree of heaven (*Ailanthus altissima*). *Am J Bot* 77: 662-670.
- Hekmat, D; Feuchtinger, A; Stephan, M; Vortmeyer, D. (2004). Microbial composition and structure of a multispecies biofilm from a trickle-bed reactor used for the removal of volatile aromatic hydrocarbons from a waste gas. *J Chem Tech Biotechnol* 79: 13-21.
- Hekmatara, T; Gelperina, S; Vogel, V; Yang, SR; Kreuter, J. (2009). Encapsulation of water-insoluble drugs in poly(butyl cyanoacrylate) nanoparticles. *J Nanosci Nanotechnol* 9: 5091-5098. [Journal of nanoscience and nanotechnology].
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). Reductive dechlorination of carbon tetrachloride with elemental iron. *J Hazard Mater* 41: 205-216.
- Hellio, C; Bremer, G; Pons, AM; Le Gal, Y; Bourgougnon, N. (2000). Inhibition of the development of microorganisms (bacteria and fungi) by extracts of marine algae from Brittany, France. *Appl Microbiol Biotechnol* 54: 543-549.
- Hellio, C; De La Broise, D; Dufosse, L; Le Gal, Y; Bourgougnon, N. (2001). Inhibition of marine bacteria by extracts of macroalgae: potential use for environmentally friendly antifouling paints. *Mar Environ Res* 52: 231-247.
- Hellio, C; Marechal, JP; Veron, B; Bremer, G; Clare, AS; Le Gal, Y. (2004). Seasonal variation of antifouling activities of marine algae from the Brittany coast (France). *Mar Biotechnol* 6: 67-82.
- Hellio, C; Pons, AM; Beaupoil, C; Bourgougnon, N; Le Gal, Y. (2002). Antibacterial, antifungal and cytotoxic activities of extracts from fish epidermis and epidermal mucus. *Int J Antimicrob Agents* 20: 214-219.
- Helmig, D; Mueller, J; Klein, W. (1989). Volatile organic substances in a forest atmosphere. *Chemosphere* 19: 1399-1412.
- Henning, KD; Schaefer, M; Bongartz, W; Knoblauch, K. (1988). Investigations of the adsorptive removal and recovery of halocarbons. De Waal, K J A And W J Van Den Brink (Ed) *Environmental Technology; Second European Conference, Amsterdam, Netherlands, June 22-26, 1987* Xviii+826p Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Isbn 90-247-3575-0; 0 (0) 1988 337-342.
- Henrysson, T; Mattiasson, B. (1993). A microbial biosensor system for dihalomethanes. *Biodegradation* 4: 101-105.

## Environmental Hazard Literature Search Results

### Off Topic

- Henson, JM; Yates, MV; Cochran, JW. (1987). Metabolism of chlorinated aliphatic hydrocarbons by a mixed bacterial culture growing on methane. 87th Annual Meeting of the American Society for Microbiology, Atlanta, Georgia, USA, March 1-6, 1987 Abstr Annu Meet Am Soc Microbiol 87: 298.
- Henson, JM; Yates, MV; Cochran, JW. (1989). Metabolism of chlorinated methanes ethanes and ethylenes by a mixed bacterial culture growing on methane. *J Ind Microbiol* 4: 29-36.
- Heo, Y; Saxon, A; Hankinson, O. (2001). Effect of diesel exhaust particles and their components on the allergen-specific IgE and IgG1 response in mice. *Toxicology* 159: 143-158.
- Herath, H; Dassanayake, RS; de Silva, S; Priyadarshani, AMA; Wannigama, GP; Jamie, J. (1998). Isoflavonoids and a pterocarpan from *Gliricidia sepium*. *Phytochemistry* 47: 117-119.
- Herbst, B; Wiesmann, U. (1996). Kinetics and reaction engineering aspects of the biodegradation of dichloromethane and dichloroethane. *Water Res* 30: 1069-1076.
- Herdering, W; Kruger, HJ. (1998). Synthesis of the deuterated compounds diethyl-4-D-pyridine-2,6-dicarboxylate and diethyl-3,4,5-D(3)-pyridine-2,6-dicarboxylate by catalytic reductive debromination. *Journal of Labelled Compounds & Radiopharmaceuticals* 41: 301-307.
- Herencia, F; Ubeda, A; Ferrandiz, ML; Terencio, MC; Alcaraz, MJ; Garcia-Carrascosa, M; Capaccioni, R; Paya, M. (1998). Anti-inflammatory activity in mice of extracts from Mediterranean marine invertebrates. *Life Sci* 62: PL115-PL120.
- Hermkens, PH; Plate, R; Kruse, CG; Scheeren, HW; Ottenheijm, HC. (1992). Stereoselective synthesis of verruculogen TR-2 featuring the mild formation of a dihydro-beta-carboline as an intermediate. *J Org Chem* 57: 3881-3887.
- Hernandez Gainza, A; Ikemefula Konyeaso, R; Asenjo Asenjo, R. (1994). Detection and Identification of Side Reactions of Halogenated Hydrocarbon Solvents with Amines of Pharmaceutical Interest by Secondary Processes to the Neutralizations of Sulphonphthaleinic Dyes with These Amines. *J Pharm Sci* 83: 226-232.
- Hernandez-Arteseros, JA; Compano, R; Prat, MD. (1998). Determination of ciprofloxacin and enrofloxacin in edible animal tissues by terbium-sensitized luminescence. *Analyst* 123: 2729-2732.
- Hernandez-Galicia, E; Calzada, F; Roman-Ramos, R; Alarcon-Aguilar, FJ. (2007). Monoglycerides and fatty acids from *Ibervillea sonorae* root: Isolation and hypoglycemic activity. *Planta Med* 73: 236-240.
- Hernandez-Villegas, MM; Borges-Argaez, R; Rodriguez-Vivas, RI; Torres-Acosta, JFJ; Mendez-Gonzalez, M; Caceres-Farfan, M. (2011). Ovicidal and larvicidal activity of the crude extracts from *Phytolacca icosandra* against *Haemonchus contortus*. *Vet Parasitol* 179: 100-106.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation* 25: 92-107.
- Herrera, TA; Lang, R; Tchobanoglous, G. (1989). A study of the emissions of volatile organic compounds found in landfill gas. Bell, J M (Ed) *Proceedings of the Industrial Waste Conference Purdue University*, 43; West Lafayette, Indiana, USA, May 10-12, 1988 Xi+863p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Maps Isbn 0-87371-205-6; 0 (0) 1989 229-238.
- Herrero, JL; Lozano, J; Santos, JP; Suarez, JI. (2016). On-line classification of pollutants in water using wireless portable electronic noses. *Chemosphere* 152: 107-116.
- Herrmann, J; Bodmeier, R. (1995). Somatostatin containing biodegradable microspheres prepared by a modified solvent evaporation method based on W/O/W-multiple emulsions. *Int J Pharm* 126: 129-138.
- Herrmann, J; Bodmeier, R. (1998). Biodegradable, somatostatin acetate containing microspheres prepared by various aqueous and non-aqueous solvent evaporation methods. *Eur J Pharm Biopharm* 45: 75-82.
- Herzog, BL; Chou S-F, J; Chou, J; Valkenburg, JR; Griffin, RA. (1988). Changes in volatile organic chemical concentrations after purging slowly recovering wells. *Ground Water Monit Rev* 8: 93-99.
- Heyman, HM; Senejoux, Fo; Seibert, I; Klimkait, T; Maharaj, VJ; Meyer, JMM. (2015). Identification of anti-HIV active dicaffeoylquinic- and tricaffeoylquinic acids in *Helichrysum populifolium* by NMR-based metabolomic guided fractionation. *Fitoterapia* 103: 155-164.
- Hibbard, BE; Bernklau, EJ; Bjostad, LB. Long-chain free fatty acids: semiochemicals for host location by western corn rootworm larvae. *J Chem Ecol* Dec 1994. v. 20 (12): 3335-3344.
- Hibbard, BE; Peairs, FB; Pilcher, SD; Schroeder, ME; Jewett, DK; Bjostad, LB. Germinating corn extracts and 6-methoxy-2-benzoxazolinone: western corn rootworm (Coleoptera: Chrysomelidae) larval attractants evaluated with soil insecticides. *J Econ Entomol* June 1995. v. 88 (3): 716-724.
- Hickey, T; Kreuzer, D; Burgess, DJ; Moussy, F. (2002). Dexamethasone/PLGA microspheres for continuous delivery of an anti-inflammatory drug for implantable medical devices. *Biomaterials* 23: 1649-1656.
- Hierrezuelo, J; Romero, V; Benavente, J; Rico, R; Lopez-Romero, JM. (2014). Membrane surface functionalization via theophylline derivative coating and streptavidin immobilization. *Colloids and Surfaces B-Biointerfaces* 113: 176-181.
- Higgins, TE; Romanow, S. (1987). Treatment processes for contaminated groundwater three case studies. *Hazard Waste Hazard Mater* 4: 307-324.
- Hildebrandt, A; Schaarschmidt, D; van As, L; Swarts, JC; Lang, H. (2011). Diferrocenes containing thiadiazole connectivities. *Inorganica Chimica Acta* 374: 112-118.
- Hildenbrand, ZL; Carlton, DD; Fontenot, BE; Meik, JM; Walton, JL; Thacker, JB; Korlie, S; Shelor, CP; Kadjo, AF; Clark, A; Usenko, S; Hamilton, JS; Mach, PM; Verbeck, GF; Hudak, P; Schug, KA. (2016). Temporal variation in groundwater quality in the Permian Basin of Texas, a region of increasing unconventional oil and gas development. *Sci Total Environ* 562: 906-913.
- Hilderbrand, SA; Lim, MH; Lippard, SJ. (2004). Dirhodium tetracarboxylate scaffolds as reversible fluorescence-based nitric oxide sensors. *J Am Chem Soc* 126: 4972-4978.

## Environmental Hazard Literature Search Results

### Off Topic

- Hill, AJ; Millar, RW; Sandall, JPB. (2004). Atom-efficient electrophilic aromatic nitration by dinitrogen pentoxide catalysed by zirconium(IV) 2,4-pentanedionate. *Organic & Biomolecular Chemistry* 2: 90-92.
- Hilt, G; Paul, A; Hengst, C. (2009). Cobalt-Catalysed 6+2 Cycloaddition of Internal Alkynes and Terminal Alkenes with Cycloheptatriene. *Synthesis-Stuttgart* 3305-3310.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *Journal of Environmental Engineering-Asce* 130: 1468-1474.
- Hirsjarvi, S; Peltonen, L; Hirvonen, J. (2006). Layer-by-layer polyelectrolyte coating of low molecular weight poly(lactic acid) nanoparticles. *Colloids and Surfaces B-Biointerfaces* 49: 93-99.
- Hishida, Y; Nishi, M; Baba, Y; Ikeuchi, H. (2006). Diffusion coefficients of C60 and C60- in benzonitrile and dichloromethane solutions containing tetrabutylammonium perchlorate, measured by potential-step chronoamperometry. *Anal Sci* 22: 931-935. [Analytical sciences : the international journal of the Japan Society for Analytical Chemistry].
- Hitchman, ML; Ramanathan, S. (1984). The determination of a carbamate insecticide in soil samples by differential pulse polarography. *Anal Chim Acta* 157: 349-354.
- Hnatyszyn, O; Miñero, J; Ferraro, G; Acevedo, C. (2002). The hypoglycemic effect of *Phyllanthus sellowianus* fractions in streptozotocin-induced diabetic mice. *Phytomedicine* 9: 556-559.
- Hnatyszyn, O; Moscatelli, V; Garcia, J; Rondina, R; Costa, M; Arranz, C; Balaszczuk, A; Ferraro, G; Coussio, JD. (2003). Argentinian plant extracts with relaxant effect on the smooth muscle of the corpus cavernosum of Guinea pig. *Phytomedicine* 10: 669-674.
- Ho, ML; Fu, YC; Wang, GJ; Chen, HT; Chang, JK; Tsai, TH; Wang, CK. (2008). Controlled release carrier of BSA made by W/O/W emulsion method containing PLGA and hydroxyapatite. *J Control Release* 128: 142-148. [Journal of controlled release : official journal of the Controlled Release Society].
- Hodge, M; Gyanwali, G; Villines, C; White, JL. (2015). Synthesis of amphiphilic polymer networks with guest-host properties. *Journal of polymer science* 53: 1824-1831.
- Hodgson, AT; Daisey, JM; Grot, RA. (1991). Sources and source strengths of volatile organic compounds in a new office building. *J Air Waste Manage Assoc* 41: 1461-1468.
- Hoel, DG; Haseman, JK; Hogan, MD; Huff, J; McConnell, EE. (1988). The impact of toxicity on carcinogenicity studies implications for risk assessment. *Carcinogenesis (Lond)* 9: 2045-2052.
- Hoet, S; Opperdoes, F; Brun, R; Adjakidje, V; Quetin-Leclercq, J. (2004). In vitro antitrypanosomal activity of ethnopharmacologically selected Beninese plants. *J Ethnopharmacol* 91: 37-42.
- Hoff, JT; Gillham, R; Mackay, D; Shiu, WY. (1993). Sorption of organic vapors at the air-water interface in a sandy aquifer material. *Environmental Science & Technology* 27: 2789-2794.
- Hoff, JT; Mackay, D; Gillham, R; Shiu, WY. (1993). Partitioning of organic chemicals at the air-water interface in environmental systems. *Environ Sci Technol* 27: 2174-2180.
- Hoffman, DJ. (1979). Sensitive GLC Assay for Pemoline in Biological Fluids Using Nitrogen-Specific Detection. *J Pharm Sci* 68: 445-447.
- Hoffman Jr, WA; Lindberg, SE; Turner, RR. (1982). Characterisation of covalent constituents in a coal conversion solid waste. *Environmental Pollution Series B, Chemical and Physical* 4: 219-229.
- Hoffmann, EJ; Vandervoort, C; Wise, JC. (2009). Curative activity of insecticides against plum curculio (Coleoptera: Curculionidae) in tart cherries. *J Econ Entomol* 102: 1864-1873. [Journal of economic entomology].
- Hoffmann, JJ; Jolad, SD; Timmermann, BN; Bates, RB; Camou, FA; Siahaan, TJ. (1987). A new diterpenoid from *Ericameria laricifolia*. *Phytochemistry* 26: 2861-2863.
- Hoffmann, P; Heinroth, K; Richards, D; Plews, P; Toraason, M. (1994). Depression of Calcium Dynamics in Cardiac Myocytes-a Common Mechanism of Halogenated Hydrocarbon Anesthetics and Solvents. *J Mol Cell Cardiol* 26: 579-589.
- Hoffmann, P; Heinroth, K; Richards, D; Plews, P; Torasson, M. (1994). Modulation of calcium cycling in cardiac myocytes by halogenated hydrocarbons. 35th Spring Meeting of the German Society for Experimental and Clinical Pharmacology and Toxicology, Mainz, Germany, March 15-17, 1994 *Naunyn-Schmiedeberg's Archives of Pharmacology* 349: R107.
- Hoffmann, R; Inoue, Y. (1999). Trapped optically active (E)-cycloheptene generated by enantiodifferentiating Z-E photoisomerization of cycloheptene sensitized by chiral aromatic esters. *J Am Chem Soc* 121: 10702-10710.
- Hofman, J; Rhodes, A; Semple, KT. (2008). Fate and behaviour of phenanthrene in the natural and artificial soils. *Environ Pollut* 152: 468-475.
- Hogan, CF; Harris, AR; Bond, AM; Sly, J; Crossley, MJ. (2006). Electrochemical studies of porphyrin-appended dendrimers. *Phys Chem Chem Phys* 8: 2058-2065. [Physical chemistry chemical physics : PCCP].
- Hogarty, CJ; Ang, C; Eitenmiller, RR. Tocopherol content of selected foods by HPLC/fluorescence quantitation. *Journal of food composition and analysis* Sept 1989. v. 2 (3): 200-209 charts.
- Hollender, J; Koch, B; Lutermann, C; Dott, W. (2003). Efficiency of different methods and solvents for the extraction of polycyclic aromatic hydrocarbons from soils. *Int J Environ Anal Chem* 83: 21-32.
- Hollert, H; Durr, M; Erdinger, L; Braunbeck, T. (2000). Cytotoxicity of settling particulate matter and sediments of the Neckar River (Germany) during a winter flood. *Environ Toxicol Chem* 19: 528-534.
- Holliger, C; Schraa, G. (1994). Physiological meaning and potential for application of reductive dechlorination by anaerobic bacteria. *Fems Microbiology Reviews* 15: 297-305.

## Environmental Hazard Literature Search Results

### Off Topic

- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere* 69: 1533-1539.
- Holwerda, RA. (1990). Solvent dependence of the Cu(II)-S redox decay rate in mercaptoacetatotris (2-pyridylmethyl)aminecopper(II). *J Inorg Biochem* 40: 151-155.
- Homnava, A; Rogers, W; Eitenmiller, RR. Provitamin A activity of specialty fruit marketed in the United States. *Journal of food composition and analysis* June 1990. v. 3 (2): 119-133 charts.
- Homsy, F; Rousseau, G. (1999). 4-endo-trig cyclization processes using bis(collidine)bromine(I)hexafluorophosphate as reagent: Preparation of 2-oxetanones, 2-azetidinones, and oxetanes. *J Org Chem* 64: 81-85.
- Honer, WG; Ashwood-Smith, MJ; Warby, C. (1980). Mutagenic activity of swimming-pool water. *Mutation Research/Genetic Toxicology* 78: 137-144.
- Hong, HHL; Devereux, TR; Melnick, RL; Moomaw, CR; Boorman, GA; Sills, RC. (2000). Mutations of ras protooncogenes and p53 tumor suppressor gene in cardiac hemangiosarcomas from B6C3F1 mice exposed to 1,3-butadiene for 2 years. *Toxicol Pathol* 28: 529-534.
- Hong, HL; Yang, RS; Boorman, GA. (1991). Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett (Amst)* 57: 101-112.
- Hong, HL; Yang, RS; Boorman, GA. (1993). Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. *Arch Toxicol* 67: 358-364.
- Hong, MS; He, L; Dale, BE; Donnelly, KC. (1995). Genotoxicity profiles and reaction characteristics of potassium polyethylene glycol dehalogenation of wood preserving waste. *Environmental Science & Technology* 29: 702-708.
- Honma, T; Ohtani, K; Kanada, M. (1994). Hepatotoxicity of chlorinated organic compounds and changes in plasma lipoprotein metabolism. 67th Annual Meeting of the Japanese Pharmacological Society, Kyoto, Japan, March 21-24, 1994 *Japanese Journal of Pharmacology* 64: 227P.
- Honma, T; Ohtani, K; Miyagawa, M. (1994). Changes in plasma lipoprotein concentrations induced by administration of dichloromethane in rats. 21st Annual Meeting of the Japanese Society of Toxicological Sciences, Sapporo, Japan, June 9-10, 1994 *Journal of Toxicological Sciences* 19: 341.
- Hoogenboom, R; Moore, BC; Schubert, US. (2006). Microwave-assisted synthesis of 3,6-Di(pyridin-2-yl)pyridazines: Unexpected ketone and aldehyde cycloadditions. *J Org Chem* 71: 4903-4909.
- Hoor, A; Rowe, RK. (2012). Application of tire chips to reduce the temperature of secondary geomembranes in municipal solid waste landfills. *Waste Manag* 32: 901-911.
- Hopke, PK; Plewa, MJ; Stapleton, P. (1987). Reduction of mutagenicity of municipal wastewaters by land treatment. *Sci Total Environ* 66: 193-202.
- Hopper, ML. (1988). Improved method for partition of organophosphate pesticide residues on a solid phase partition column. *J Assoc Off Anal Chem* 71: 731-734. [Journal - Association of Official Analytical Chemists].
- Hosoya, T; Takano, T; Kosma, P; Rosenau, T. (2014). Theoretical Foundation for the Presence of Oxacarbenium Ions in Chemical Glycoside Synthesis. *J Org Chem* 79: 7889-7894.
- Hou, YK; Chu, WH; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci* 24: 1204-1209.
- Houen, G; Jensen, OM. (1995). Conjugation to preactivated proteins using divinylsulfone and iodoacetic acid. *Journal of Immunological Methods* 181: 187-200.
- Houk, VS; Demarini, DM. (1988). Use of the microscreen phage-induction assay to assess the genotoxicity of 14 hazardous industrial wastes. *Environ Mol Mutagen* 11: 13-30.
- Houk, VS; Demarini, DM. (1991). Characterizing the genotoxicity of hazardous industrial wastes and effluents using short-term bioassays. Simmons, M S (Ed) *Hazardous Waste Measurements Vi+315p* Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-171-8; 0 (0) 1991 211-246.
- Hounjet, LJ; Bierenstiel, M; Ferguson, MJ; McDonald, R; Cowie, M. (2010). Coordinatively diverse ortho-phosphinoaniline complexes of ruthenium and isolation of a putative intermediate in ketone transfer hydrogenation catalysis. *Inorg Chem* 49: 4288-4300. [Inorganic chemistry].
- Howard, AJ; Mitchell, CE; Dutcher, JS; Henderson, TR; McClellan, RO. (1986). Binding of nitropyrenes and benzo[a]pyrene to mouse lung deoxyribonucleic acid after pretreatment with inducing agents. *Biochem Pharmacol* 35: 2129-2134. [Biochemical pharmacology].
- Howard, TG; Gurevitch, J; Hyatt, L; Carreiro, M; Lerda, M. (2004). Forest invasibility in communities in southeastern New York. *Biological Invasions* 6: 393-410.
- Hoyer, ME; Keeler, GJ; Ball, JC. (1992). Detection of oxidative mutagens in an urban air-particulate extract: a preliminary study. *Mutation Research Letters* 283: 295-299.
- Hribsek, MF; Ristic, SS; Radojkovic, BM; Filipovic, ZL; Ristic, OR. (2013). Modelling of chemical surface acoustic wave sensors and comparative analysis of new sensing materials. *International Journal of Numerical Modelling-Electronic Networks Devices and Fields* 26: 263-274.
- Hrubec, J; van Kreijl, CF; Morra, CFH; Slooff, W. (1983). Treatment of municipal waste water by reverse osmosis and activated-carbon-removal of organic micropollutants and reduction of toxicity. *Sci Total Environ* 27: 71-88.
- Hsieh, KH; Lin, BY; Chiu, WY. (1989). Studies on diisocyanate-modified cellulose acetate membranes. *Desalination* 71: 97-105.

## Environmental Hazard Literature Search Results

### Off Topic

- Hsieh, ST; Kraft, PL; Archer, MC; Tannenbaum, SR. (1976). Reaction of nitrosamines in the Udenfriend system: principal products and biological activity. *Mutat Res* 35: 23-28. [Mutation research].
- Hsieh, S-T; Kraft, PL; Archer, MC; Tannenbaum, SR. (1976). Reactions of nitrosamines in the Udenfriend system: Principal products and biological activity. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 35: 23-28.
- Hu, G; Li, J; Hou, H. (2015). A combination of solvent extraction and freeze thaw for oil recovery from petroleum refinery wastewater treatment pond sludge. *J Hazard Mater* 283: 832-840.
- Hu, JL; Tang, ZH; Qiu, XY; Pang, X; Yang, YK; Chen, XS; Jing, XB. (2005). Formation of flower-or cake-shaped stereocomplex particles from the stereo multiblock copoly(rac-lactide)s. *Biomacromolecules* 6: 2843-2850.
- Hu, ZQ; Hu, HY; Chen, CF. (2006). Phenanthroline dicarboxamide-based helical foldamers: Stable helical structures in methanol. *J Org Chem* 71: 1131-1138.
- Huang, CY; Song, M; Gu, ZY; Wang, HF; Yan, XP. (2011). Probing the Adsorption Characteristic of Metal-Organic Framework MIL-101 for Volatile Organic Compounds by Quartz Crystal Microbalance. *Environmental Science & Technology* 45: 4490-4496.
- Huang, D; Hu, C; Zeng, G; Cheng, M; Xu, P; Gong, X; Wang, R; Xue, W. (2017). Combination of Fenton processes and biotreatment for wastewater treatment and soil remediation. *Sci Total Environ* 574: 1599-1610.
- Huang, FH; Yang, HB; Das, N; Maran, U; Arif, AM; Gibson, HW; Stang, PJ. (2006). Incorporating a flexible crown ether into neutral discrete self-assemblies driven by metal coordination. *J Org Chem* 71: 6623-6625.
- Huang, J; McAuslane, HJ; Nuessly, GS. (2003). Effect of leaf surface extraction on palatability of romaine lettuce to *Diabrotica balteata*. *Entomologia Experimentalis Et Applicata* 106: 227-234.
- Huang, JC; Takatori, K; Ohta, T; Kosuge, J; Takahashi, A; Kumagai, S. (1998). Comparison of fungicidal effects of commercial disinfectants at concentrations suggested for practical use. *Biocontrol Science* 3: 105-108.
- Huang, L; Nakajo, K; Ozawa, S; Matsuda, H. (2001). Decomposition of dichloromethane in a wire-in-tube pulsed corona reactor. *Environmental Science & Technology* 35: 1276-1281.
- Huang, Q; Wang, X; Liao, Y; Kong, L; Han, S; Wang, L. (1995). Discriminant analysis of the relationship between genotoxicity and molecules structure of organochlorine compounds. *Bull Environ Contam Toxicol* 55: 796-801.
- Huang, QG; Song, WL; Wang, LS. (1997). Quantitative relationship between the physicochemical characteristics as well as genotoxicity of organic pollutants and molecular autocorrelation topological descriptors. *Chemosphere* 35: 2849-2855.
- Huang, SF; Chen, JL; Yeh, MK; Chiang, CH. (2005). Physicochemical properties and in vivo assessment of timolol-loaded poly(D,L-lactide-co-glycolide) films for long-term intraocular pressure lowering effects. *J Ocul Pharmacol Ther* 21: 445-453.
- Huang, S-T; Liaw, D-J; Hsieh, L-G; Chang, C-C; Leung, M-K; Wang, K-L; Chen, W-T; Lee, K-R; Lai, J-Y; Chan, L-H; Chen, C-T. (2009). Synthesis and electroluminescent properties of polyfluorene-based conjugated polymers containing bipolar groups. *Journal of polymer science* 47: 6231-6245.
- Huang, X; Sheng, P; Tu, ZY; Zhang, FJ; Wang, JH; Geng, H; Zou, Y; Di, CA; Yi, YP; Sun, YM; Xu, W; Zhu, DB. (2015). A two-dimensional pi-d conjugated coordination polymer with extremely high electrical conductivity and ambipolar transport behaviour. *Nature Communications* 6: 7408-7408.
- Huang, XF; Peng, KM; Feng, Y; Liu, J; Lu, LJ. (2013). Separation and characterization of effective demulsifying substances from surface of *Alcaligenes sp S-XJ-1* and its application in water-in-kerosene emulsion. *Bioresour Technol* 139: 257-264.
- Huang, Y; Ho, SH. (1998). Toxicity and Antifeedant Activities of Cinnamaldehyde Against the Grain Storage Insects, *Tribolium castaneum* (Herbst) and *Sitophilus zeamais* Motsch. *Journal of Stored Products Research* 34: 11-17.
- Huang, YC; Koseoglu, SS. (1993). Separation of heavy metals from industrial waste streams by membrane separation technology. *Symposium on Emerging Technologies: Metals, Oxidation, and Separation, Belmont, Texas, USA, February 25-26, 1993 Waste Management* 13: 481-501.
- Huang, YL; Lu, L; Xie, JJ; Li, SF; Li, XL; Liu, SB; Zhang, LY; Xi, L; Luo, XG. (2013). Relative bioavailabilities of organic zinc sources with different chelation strengths for broilers fed diets with low or high phytate content. *Anim Feed Sci Technol* 179: 144-148.
- Hubbard, P; Brittain, WJ. (1998). Mechanism of amine-catalyzed ester formation from an acid chloride and alcohol. *J Org Chem* 63: 677-683.
- Hubig, SM; Kochi, JK. (2000). Direct observation of the wheland intermediate in electrophilic aromatic substitution. Reversible formation of nitrosoarenium cations. *J Am Chem Soc* 122: 8279-8288.
- Huczynski, A; Janczak, J; Lowicki, D; Brzezinski, B. (2012). Monensin A acid complexes as a model of electrogenic transport of sodium cation. *Biochimica Et Biophysica Acta-Biomembranes* 1818: 2108-2119.
- Hudson, D; Kenner, IGW. (1980). Peptide synthesis on a phenolic resin support. *Int J Biol Macromol* 2: 63-67.
- Huei, L; Seok Mooi, L; Shaw Tao, L. (1991). The effect of extraction solvent on the mutagenicity of airborne particles. *Toxicol Lett* 58: 59-67.
- Huggett, DB; Foran, CM; Brooks, BW; Weston, J; Peterson, B; Marsh, KE; La Point, TW; Schlenk, D. (2003). Comparison of in vitro and in vivo bioassays for estrogenicity in effluent from North American municipal wastewater facilities. *Toxicol Sci* 72: 77-83.
- Hughes, AFD; de Lima, FG; Lucchese, AM; Neto, AG; Uetanabaro, APT. (2013). Antimicrobial Activity of *Syagrus coronata* (Martius) Beccari. *Brazilian Archives of Biology and Technology* 56: 269-274.
- Hughes, G; Wang, CS; Batsanov, AS; Fern, M; Frank, S; Bryce, MR; Perepichka, IF; Monkman, AP; Lyons, BP. (2003). New pyrimidine- and fluorene-containing oligo(arylene)s: synthesis, crystal structures, optoelectronic properties and a theoretical study. *Organic & Biomolecular Chemistry* 1: 3069-3077.

## Environmental Hazard Literature Search Results

### Off Topic

- Hughes, JB; Parkin, GF. (1992). The effect of mixtures of xenobiotics and primary electron donor on the anaerobic biotransformation of high concentrations of chlorinated aliphatics. Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control, Washington, DC, USA, May 24-30, 1992 *Water Sci Technol* 26: 117-126.
- Hughes, TJ; Claxton, LD; Brooks, L; Warren, S; Brenner, R; Kremer, F. (1998). Genotoxicity of bioremediated soils from the Reilly Tar site, St. Louis Park, Minnesota. *Environ Health Perspect* 106: 1427-1433.
- Hughes, TJ; Lewtas, J; Claxton, LD. (1997). Development of a standard reference material for diesel mutagenicity in the Salmonella plate incorporation assay. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 391: 243-258.
- Hughes, TJ; Simmons, DM; Monteith, LG; Claxton, LD. (1987). Vaporization technique to measure mutagenic activity of volatile organic chemicals in the Ames salmonella assay. *Environ Mutagen* 9: 421-441.
- Hughes, TJ; Simmons, DM; Monteith, LG; Claxton, LD. (1987). Vaporization technique to measure mutagenic activity of volatiles organic chemicals in the Ames/Salmonella assay. *Environ Mutagen* 1987; 9(4):421-41 [Environmental mutagenesis].
- Hulbert, GJ; Biswal, RN; Mehr, CB; Walker, TH; Collins, JL. (1998). Solid/liquid extraction of caffeine from guarana with methylene chloride. *Food Science and Technology International* 4: 53-58.
- Hulley, IM; Viljoen, AM; Tilney, PM; Van Vuuren, SF; Kamatou, GPP; Van Wyk, BE. (2010). Ethnobotany, leaf anatomy, essential oil composition and antibacterial activity of *Pteronia onobromoides* (Asteraceae). *South African Journal of Botany* 76: 43-48.
- Hulley, IM; Viljoen, AM; Tilney, PM; Van Vuuren, SF; Kamatou, GPP; Van Wyk, BE. (2010). The ethnobotany, leaf anatomy, essential oil variation and biological activity of *Pteronia incana* (Asteraceae). *South African Journal of Botany* 76: 668-675.
- Hulley, IM; Viljoen, AM; Tilney, PM; Van Vuuren, SF; Kamatou, GPP; Van Wyk, BE. (2011). *Pteronia divaricata* (Asteraceae): A newly recorded Cape herbal medicine. *South African Journal of Botany* 77: 66-74.
- Hun Son, K; Young Heo, M. (2013). Inhibitory effects of Korean indigenous plants on tyrosinase and melanogenesis. *J Cosmet Sci* 64: 145-158. [Journal of cosmetic science].
- Hung, SL; Pfefferle, LD. Methyl chloride and methylene chloride incineration in a catalytically stabilized thermal combustor. *Environmental science & technology* Sept 1989. v. 23 (9): 1085-1091 ill.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO<sub>2</sub> prepared by the sol-gel method. *Chemosphere* 66: 2142-2151.
- Hung, W-C; Fu, S-H; Tseng, J-J; Chu, H; Ko, T-H. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO<sub>2</sub> prepared by the sol-gel method. *Chemosphere* 66: 2142-2151.
- Hunt, G. (1987). Potential organic contamination associated with commercially available polymeric sorbents contaminant sources types and amounts. Suffet, I H And M Malaiyandi (Ed) *Advances in Chemistry Series, 214 Organic Pollutants in Water: Sampling, Analysis, and Toxicity Testing; Symposium Held at the 188th Meeting of the American Chemical Society, Philadelphia, Pennsylvania, USA, August 29-31, 1984* xvi+797p American Chemical Society: Washington, DC, USA Illus isbn 0-8412-0951-0; 0 (0) 1987 247-266.
- Hunyadi, A; Veres, K; Danko, B; Kele, Z; Weber, E; Hetenyi, A; Zupko, I; Hsieh, TJ. (2013). In vitro Anti-diabetic Activity and Chemical Characterization of an Apolar Fraction of *Morus alba* Leaf Water Extract. *Phytother Res* 27: 847-851.
- Huo, J; Wang, L; Yu, H-J; Deng, L-B; Zhou, J-F; Yang, Q. (2007). Synthesis and electrochemical behavior of linear oligo(ferrocenylsilane) and hyperbranched poly(ferrocenylsilane). *Journal of polymer science* 45: 2880-2889.
- Hussain, J; Ruan, ZH; Nascimento, IA; Liu, Y; Liao, W. (2014). Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods. *Bioresour Technol* 169: 768-772.
- Hussain, S; Grandy, DB; Reading, M; Craig, DQM. (2004). A Study of Phase Separation in Peptide-Loaded HPMC Films using T-zero Modulated Temperature DSC, Atomic Force Microscopy, and Scanning Electron Microscopy. *J Pharm Sci* 93: 1672-1681.
- Hussain, S; Grandy, DB; Reading, M; Craig, DQM. (2004). A study of phase separation in peptide-loaded HPMC films using T(zero)-modulated temperature DSC, atomic force microscopy, and scanning electron microscopy. *J Pharm Sci* 93: 1672-1681.
- Hussen, A; Westbom, R; Megersa, N; Retta, N; Mathiasson, L; Björklund, E. (2006). Optimisation of pressurised liquid extraction for the determination of p,p'-DDT and p,p'-DDE in aged contaminated Ethiopian soils. *Anal Bioanal Chem* 386: 1525-1533.
- Hutter, W; Peter, J; Swoboda, H; Hampel, W; Rosenberg, E; Kraemer, D; Kellner, R. (1995). Development of a microbial bioassay for chlorinated and brominated hydrocarbons. *Anal Chim Acta* 306: 237-241.
- Huxley, R; Holland, DL; Crisp, DJ; Smith, RSL. (1984). Influence of oil shale on intertidal organisms: Effect of oil shale surface roughness on settlement of the barnacle *Balanus balanoides* (L.). *Exp Mar Bio Ecol* 82: 231-237.
- Huyghebaert, N; Vermeire, A; Remon, JP. (2004). Alternative method for enteric coating of HPMC capsules resulting in ready-to-use enteric-coated capsules. *Eur J Pharm Sci* 21: 617-623.
- Hwang, HM; Loya, JA; Perry, DL; Scholze, R. (1994). Interactions between subsurface microbial assemblages and mixed organic and inorganic containing systems. *Bull Environ Contam Toxicol* 53: 771-778.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere* 48: 1019-1027.
- Hwang, JH; Jin, Q; Woo, E-R; Lee, DG. (2013). Antifungal property of hibiscuside C and its membrane-active mechanism in *Candida albicans*. *Biochimie* 95: 1917-1922.
- Hwang, S-B; Chang, MN; Garcia, ML; Han, QQ; Huang, L; King, VF; Kaczorowski, GJ; Winquist, RJ. (1987). L-652,469 - a dual receptor antagonist of platelet activating factor and dihydropyridines from *Tussilago farfara* L. *Eur J Pharmacol* 141: 269-281.
- Hyun, SK; Lee, WH; Jeong, DM; Kim, Y; Choi, JS. (2008). Inhibitory effects of kurarinol, kuraridinol, and trifolirhizin from *Sophora flavescens* on tyrosinase and melanin synthesis. *Biological & Pharmaceutical Bulletin* 31: 154-158.

## Environmental Hazard Literature Search Results

### Off Topic

- Iafisco, M; Palazzo, B; Ito, T; Otsuka, M; Senna, M; Delgado-Lopez, JM; Gomez-Morales, J; Tampieri, A; Prat, M; Rimondini, L. (2012). Preparation of core-shell poly(L-lactic) acid-nanocrystalline apatite hollow microspheres for bone repairing applications. *Journal of Materials Science-Materials in Medicine* 23: 2659-2669.
- Iamamoto, Y; Antonion Serra, O; Marina Idemori, Y. (1994). Iron(III) porphyrins atropisomers as catalysts for cyclohexane hydroxylations. A biomimetical system. *J Inorg Biochem* 54: 55-66.
- Iamamoto, Y; das Dores Assis, M; Baffa, O; Nakagaki, S; Nascimento, OR. (1993). Study by EPR and electronic spectroscopy of intermediates in iron porphyrin and iodossylbenzene reaction. *J Inorg Biochem* 52: 191-200.
- Iannone, A; Rota, C; Bergamini, S; Tomasi, A; Canfield, LM. (1998). Antioxidant activity of carotenoids: an electron-spin resonance study on beta-carotene and lutein interaction with free radicals generated in a chemical system. *J Biochem Mol Toxicol* 1998; 12(5):299-304 [*Journal of biochemical and molecular toxicology*].
- Iden, H; Morin, J-Fo; Fontaine, Fdr-G. (2014). Synthesis of tetrathiafulvalene-containing zirconium(IV) pincers and metallocavitands for hosting fullerenes. *Inorganica Chimica Acta* 422: 235-242.
- Idziak, I; Benrebouh, A; Deschamps, Fo. (2001). Simple NMR experiments as a means to predict the performance of an anti-17 $\beta$ -ethynylestradiol molecularly imprinted polymer. *Anal Chim Acta* 435: 137-140.
- Iero, A; Manente, S; Perin, G; Bragadin, M. (2003). Frozen mitochondria as rapid water quality bioassay. *Chemosphere* 52: 1115-1123.
- Igartua, M; Hernandez, RM; Esquisabel, A; Gascon, AR; Calvo, MB; Pedraz, JL. (1998). Stability of BSA encapsulated into PLGA microspheres using PAGE and capillary electrophoresis. *Int J Pharm* 169: 45-54.
- Iida, N; Tokunaga, E; Saito, N; Shibata, N. (2014). Synthesis and property of novel phthalocyanine having a 3,5-bis-pentafluorosulfanylphenyl group on the  $\beta$ -peripheral position. *Journal of Fluorine Chemistry* 168: 93-98.
- Ikedo, M; Koizumi, A; Kasahara, M; Watanabe, T; Nakatsuka, H; Sekita, Y. (1987). A statistical approach to the prediction of the possible presence of pollutant chemicals in the environment. *Regul Toxicol Pharmacol* 7: 321-336.
- Ikeya, K; Ishida, Y; Ohtani, H; Yamamoto, S; Watanabe, A. (2007). Analysis of polynuclear aromatic and aliphatic components in soil humic acids using ruthenium tetroxide oxidation. *Eur J Soil Sci* 58: 1050-1061.
- Iliano, B; Gossele, J; Clarinval, AM. (1998). Solid phase extraction, a rapid method for the determination of mercaptobenzothiazole in water from soothers and bottle teats. *Mitteilungen Aus Dem Gebiete Der Lebensmitteluntersuchung Und Hygiene* 89: 516-521.
- Ilium, L; Bundgaard, H; Davis, SS. (1983). A constant partition model for examining the sorption of drugs by plastic infusion bags. *Int J Pharm* 17: 183-192.
- Im, J; Semrau, JD. (2011). Pollutant degradation by a *Methylocystis* strain SB2 grown on ethanol: bioremediation via facultative methanotrophy. *FEMS Microbiol Lett* 318: 137-142.
- Imai, T; Harigae, R; Moriyama, K; Togo, H. (2016). Preparation of 5-Aryl-2-Alkyltetrazoles with Aromatic Aldehydes, Alkylhydrazine, Di-tert-butyl Azodicarboxylate, and Bis(trifluoroacetoxy)iodo benzene. *J Org Chem* 81: 3975-3980.
- Imfeld, G; Kopinke, FD; Fischer, A; Richnow, HH. (2014). Carbon and hydrogen isotope fractionation of benzene and toluene during hydrophobic sorption in multistep batch experiments. *Chemosphere* 107: 454-461.
- Ince, NH. (1998). Light-enhanced chemical oxidation for tertiary treatment of municipal landfill leachate. *Water Environ Res* 70: 1161-1169.
- Ingebrigtsen, S; Bonifaci, N; Denat, A; Lesaint, O. (2008). Spectral analysis of the light emitted from streamers in chlorinated alkane and alkene liquids. *Journal of Physics D-Applied Physics* 41: 35204-35204.
- Ingersoll, DW; Bobotas, G; Lee, C-T; Lukton, A. (1982).  $^{125}$ I-Glucuronidase activation of latent aggression-promoting cues in mouse bladder urine. *Physiology & Behavior* 29: 789-793.
- Innocent, E; Joseph, CC; Gikonyo, NK; Moshi, MJ; Nkunya, MH; Hassanali, A. (2008). Mosquito larvicidal constituents from *Lantana viburnoides* sp. *viburnoides* var. *kisi* (A. rich) Verdc (Verbenaceae). *J Vector Borne Dis* 45: 240-244. [*Journal of vector borne diseases*].
- Innocenti, R; Zoccola, M. (2003). Near infrared reflectance spectroscopy as a tool for the determination of dichloromethane extractable matter and moisture content in combed wool slivers. *Journal of near Infrared Spectroscopy* 11: 333-340.
- Inokuma, Y; Yoshioka, S; Ariyoshi, J; Arai, T; Fujita, M. (2014). Preparation and guest-uptake protocol for a porous complex useful for 'crystal-free' crystallography. *Nat Protoc* 9: 246-252.
- Inoue, K; Ogawa, K; Okada, J; Sugibayashi, K. (2005). Enhancement of skin permeation of ketotifen by supersaturation generated by amorphous form of the drug. *J Control Release* 108: 306-318.
- Inoue, K; Sugibayashi, K. (2012). In vivo enhancement of transdermal absorption of ketotifen by supersaturation generated by amorphous form of the drug. *Eur J Pharm Sci* 47: 228-234.
- Inoue, K; Takano, H; Yanagisawa, R; Ichinose, T; Sadakane, K; Yoshino, S; Yamaki, K; Uchiyama, K; Yoshikawa, T. (2004). Components of diesel exhaust particles differentially affect lung expression of cyclooxygenase-2 related to bacterial endotoxin. *J Appl Toxicol* 24: 415-418. [*Journal of applied toxicology : JAT*].
- Insung, A; Pumnuan, J; Chandrapatya, A. (2008). Acaricidal activities of wild plant extracts against *Luciaphorus perniciosus* Rack (Acari: Pygmephoridae) and *Formicomotes heteromorphus* Magowski (Acari: Dolichocybidae). *Systematic and applied acarology* 13: 188-194.
- Ioannou, PV; Tsigvoulis, GM. (2010). A high yield procedure for the preparation of arsonolipids (2,3-diacloxypropylarsonic acids). *Chem Phys Lipids* 163: 51-55.
- Iooss, P; Le Ray, AM; Grimandi, G; Daculsi, G; Merle, C. (2001). A new injectable bone substitute combining poly(epsilon-caprolactone) microparticles with biphasic calcium phosphate granules. *Biomaterials* 22: 2785-2794.
- Iooss, P; Le Ray, AM; Grimandi, G; Daculsi, G; Merle, C. (2001). A new injectable bone substitute combining poly(mu-caprolactone) microparticles with biphasic calcium phosphate granules. *Biomaterials* 22: 2785-2794.



## Environmental Hazard Literature Search Results

### Off Topic

- Irakli, MN; Samanidou, VF; Papadoyannis, IN. (2011). Development and validation of an HPLC method for the simultaneous determination of tocopherols, tocotrienols and carotenoids in cereals after solid-phase extraction. *J Sep Sci* 34: 1375-1382.
- Irungu, BN; Rukunga, GM; Mungai, GM; Muthaura, CN. (2007). In vitro antiplasmodial and cytotoxicity activities of 14 medicinal plants from Kenya. *South African Journal of Botany* 73: 204-207.
- Isaacson, PJ; Trees, DP; Fisk, JF. (1986). Occurrence and fate of low molecular weight halocarbon compounds in the environment. 191st American Chemical Society National Meeting, New York, NY, USA, Apr 13-18, 1986 Abstr Pap Am Chem Soc 191: NO PAGINATION.
- Ishida, H; Kiso, M; Hasegawa, A. (1994). [17] Synthesis of ganglioside analogs containing sulfur in place of oxygen at the linkage positions. *Methods in Enzymology* 183-198.
- Ishihara, A; Rahman, FB; Leelawatwattana, L; Prapunpoj, P; Yamauchi, K. (2009). IN VITRO THYROID HORMONE-DISRUPTING ACTIVITY IN EFFLUENTS AND SURFACE WATERS IN THAILAND. *Environ Toxicol Chem* 28: 586-594.
- Ishikawa, T; Okano, M; Aikawa, T; Saito, S. (2001). Novel carbon-carbon bond-forming reactions using carbocations produced from substituted propargyl silyl ethers by the action of TMSOTf. *J Org Chem* 66: 4635-4642.
- Ishmuratov, GY; Vydrina, VA; Galkina, YA; Yakovleva, MP; Kravchenko, AA; Muslukhov, RR; Tolstikov, AG. (2015). Low-Temperature Reduction by Diisobutylaluminum Hydride in CH<sub>2</sub>Cl<sub>2</sub> of Seven-Membered Lactones from Betulin and S-(+)-Camphor. *Chemistry of Natural Compounds* 51: 716-720.
- Isht, T; Hirashima, R; Tsutsumi, N; Amemon, S; Matsuki, S; Teshima, Y; Kuwahara, R; Mataka, S. (2010). Expanded pi-Electron Systems, Tri(phenanthro)hexaazatriphenylenes and Tri(phenanthro)hexaazatriphenylenes, That Are Self-Assembled To Form One-Dimensional Aggregates. *J Org Chem* 75: 6858-6868.
- Isola, C; Sieverding, HL; Raghunathan, R; Sibi, MP; Webster, DC; Sivaguru, J; Stone, JJ. Life cycle assessment of photodegradable polymeric material derived from renewable bioresources. *J Clean Prod*.
- Ito, A; Kishida, M; Kurusu, Y; Masuyama, Y. (2000). Regio- and diastereocontrol in carbonyl allylation by 1-halobut-2-enes with tin(II) halides. *J Org Chem* 65: 494-498.
- Ito, F; Honnami, H; Kawakami, H; Kanamura, K; Makino, K. (2008). Preparation and properties of PLGA microspheres containing hydrophilic drugs by the SPG (shirasu porous glass) membrane emulsification technique. *Colloids and Surfaces B-Biointerfaces* 67: 20-25.
- Ito, T; Watanabe, J; Takai, M; Konno, T; Iwasaki, Y; Ishihara, K. (2006). Dual mode bioreactions on polymer nanoparticles covered with phosphorylcholine group. *Colloids and Surfaces B-Biointerfaces* 50: 55-60.
- Iturraspe, J; Gossauer, A. Formation of oxoniachlorins on photooxidation of 20-trifluoroacetoxy- and 20-chloro-chlorophyll derivatives. *Photochem Photobiol* July 1991. v. 54 (1): 43-49.
- Ivanisevic, A; Reynolds, MF; Burstyn, JN; Ellis, AB. (2000). Photoluminescent properties of cadmium selenide in contact with solutions and films of metalloporphyrins: Nitric oxide sensing and evidence for the aversion of an analyte to a buried semiconductor-film interface. *J Am Chem Soc* 122: 3731-3738.
- Iwata, M; Tanaka, T; Nakamura, Y; McGinity, JW. (1998). Selection of the solvent system for the preparation of poly(D,L-lactic-co-glycolic acid) microspheres containing tumor necrosis factor-alpha (TNF-alpha). *Int J Pharm* 160: 145-156.
- Iwata, M; Tanaka, T; Nakamura, Y; McGinity, JW. (1998). Selection of the solvent system for the preparation of poly(D,L-lactic-co-glycolic acid) microspheres containing tumor necrosis factor-alpha (TNF- $\alpha$ ). *Int J Pharm* 160: 145-156.
- Izatt, RM; Lindh, GC; Clark, GA; Nakatsuji, Y; Bradshaw, JS; Lamb, JD; Christensen, JJ. (1987). Proton-ionizable crown compounds 5. macrocycle-mediated proton-coupled transport of alkali metal cations in water-methylene chloride-water liquid membrane systems. *J Membr Sci* 31: 1-14.
- Izquierdo, JF; Outon, PR; Galan, M; Jutglar, L; Villarrubia, M; Ariza, X. (2014). New biodiesel additives from glycerol and isoamylenes. *Biofuels Bioproducts & Biorefining-Biofpr* 8: 658-669.
- Izzet, G; Frapart, YM; Prang $\acute{a}$ ĉ, T; Provost, K; Michalowicz, A; Reinaud, O. (2005). X-ray diffraction and EXAFS studies of hydroxo-Cu(II) complexes based on a calix[6]arene-N<sub>3</sub> ligand: evidence for a mononuclear-dinuclear equilibrium controlled by supramolecular features. *Inorg Chem* 44: 9743-9751. [Inorganic chemistry].
- J. Tramper, MHVeHHB; Stockar, Uv; Santaniello, E; Ferraboschi, P; Grisenti, P; Manzocchi, A. (1992).  $\hat{\pm}$ -Substituted Primary Alcohols as Substrates for Enantioselective Lipase-Catalyzed Transesterification in Organic Solvents. *Progress in Biotechnology* 533-540.
- J $\frac{1}{4}$ rgens, MD; Crosse, J; Hamilton, PB; Johnson, AC; Jones, KC. (2016). The long shadow of our chemical past  $\hat{\epsilon}$  High DDT concentrations in fish near a former agrochemicals factory in England. *Chemosphere* 162: 333-344.
- Jackson, RE; Patterson, RJ. (1989). A remedial investigation of an organically polluted outwash aquifer. *Ground Water Monit Rev* 9: 119-125.
- Jackson, SM; Hughes, CE; Monfette, Sb; Rosenberg, L. (2006). Structural criteria for the activity of rhodium(I) phosphine complexes in the catalytic dehydrocoupling of di-n-hexylsilane. *Inorganica Chimica Acta* 359: 2966-2972.
- Jacob, JT; Nessel, RJ; Blodinger, J. (1968). Stability of Cyanocobalamin in Film-Coated Multivitamin Tablets. *J Pharm Sci* 57: 1854-1857.
- Jad, YE; Acosta, GA; Khat tab, SN; de la Torre, BG; Govender, T; Kruger, HG; El-Faham, A; Albericio, F. (2015). Peptide synthesis beyond DMF: THF and ACN as excellent and friendlier alternatives. *Organic & Biomolecular Chemistry* 13: 2393-2398.
- Jadczyk, P; Kolwan, B. (2013). Genotoxicity of Soil Pollutants Extracted with Different Solvents. *Pol J Environ Stud* 22: 141-147.
- Jager, AK; Eldeen, IMS; van Staden, J. (2007). COX-1 and-2 activity of rose hip. *Phytother Res* 21: 1251-1252.
- Jager, AK; Strydom, A; Staden, Jv. The effect of ethylene, octanoic acid and a plant-derived smoke extract on the germination of light-sensitive lettuce seeds. *Plant growth regulation* Sept 1996.v. 19 (3): 197-201.
- Jagetia, GC; Rao, SK. (2006). Evaluation of the antineoplastic activity of guduchi (*Tinospora cordifolia*) in Ehrlich ascites carcinoma bearing mice. *Biological & Pharmaceutical Bulletin* 29: 460-466.

## Environmental Hazard Literature Search Results

### Off Topic

- Jahan, I; Rahman, MS; Rahman, MZ; Kaisar, MA; Islam, MS; Wahab, A; Rashid, MA. (2010). Chemical and biological investigations of *Delonix regia* (Bojer ex Hook.) Raf. *Acta Pharm* 60: 207-215. [Acta pharmaceutica (Zagreb, Croatia)].
- Jahan, IA; Nahar, N; Mosihuzzaman, M; Shaheen, F; Parween, Z; Choudhary, ML. (2002). Novel diterpene lactones from *Suregada multiflora*. *J Nat Prod* 65: 932-934.
- Jahan, MS; Chowdhury, DAN; Islam, MK. (2006). Characterization and evaluation of golpata fronds as pulping raw materials. *Bioresour Technol* 97: 401-406.
- Jahn, T; Konig, GM; Wright, AD. (1999). Three new scalarane-based sesterterpenes from the tropical marine sponge *Strepsichordaia lendenfeldi*. *J Nat Prod* 62: 375-377.
- Jaiswal, P; Prasanna, R; Singh, PK. (2011). Characterization of the Biocidal Spectrum of Extracellular Filtrates of *Microcystis aeruginosa*. *Indian J Microbiol* 51: 509-514.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF-beta(1) from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF- $\beta$ 1 from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525.
- Jaklenec, A; Wan, E; Murray, ME; Mathiowitz, E. (2008). Novel scaffolds fabricated from protein-loaded microspheres for tissue engineering. *Biomaterials* 29: 185-192.
- Jakob, M; Berg, A; Rubin, R; Levanon, H; Li, K; Schuster, DI. (2009). Photoinduced electron transfer in porphyrin- and fullerene/porphyrin-based rotaxanes as studied by time-resolved EPR spectroscopy. *J Phys Chem A* 113: 5846-5854. [The journal of physical chemistry. A].
- Jalal, TK; Ahmed, IA; Mikail, M; Momand, L; Draman, S; Isa, MLM; Rasad, M; Omar, MN; Ibrahim, M; Wahab, RA. (2015). Evaluation of Antioxidant, Total Phenol and Flavonoid Content and Antimicrobial Activities of *Artocarpus altilis* (Breadfruit) of Underutilized Tropical Fruit Extracts. *Appl Biochem Biotechnol* 175: 3231-3243.
- Jalilov, AS; Han, L; Nelsen, SF; Guzei, IA. (2013). Oxidation Products of Doubly Trimethylene-Bridged Tetrabenzyl p-Phenylenediamine Paracyclophane. *J Org Chem* 78: 11373-11381.
- Jameela, SR; Suma, N; Jayakrishnan, A. (1997). Protein release from poly(epsilon-caprolactone) microspheres prepared by melt encapsulation and solvent evaporation techniques: a comparative study. *J Biomater Sci Polym Ed* 1997; 8(6):457-66 [Journal of biomaterials science Polymer edition].
- James, DA. (2011). Spawning-related movement patterns of a unique rainbow trout (*Oncorhynchus mykiss*) population in a South Dakota headwater stream. *Journal of Freshwater Ecology* 26: 43-50.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. *Chemosphere* 34: 1713-1721.
- James, LF; Molyneux, RJ; Panter, KE; Gardner, DR; Stegelmeier, BL. (1994). Effect of feeding ponderosa pine needle extracts and their residues to pregnant cattle. *Cornell Vet* 84: 33-39. [The Cornell veterinarian].
- Jamey, C; Tracqui, A; Ludes, B; Raul, JS. (2014). P35: Stability of bloodstains on various supports. *Toxicologie Analytique et Clinique* 26: S45.
- Janbaz, KH; Qayyum, A; Saqib, F; Imran, I; Zia-Ul-Haq, M; De Feo, V. (2014). BRONCHODILATOR, VASODILATOR AND SPASMOLYTIC ACTIVITIES OF CYMBOPOGON MARTINII. *J Physiol Pharmacol* 65: 859-866.
- Jang, EB; Carvalho, LA; Stark, JD. Attraction of female oriental fruit fly, *Bactrocera dorsalis*, to volatile semiochemicals from leaves and extracts of a nonhost plant, panax (*Polyscias guilfoylei*) in laboratory and olfactometer assays. *J Chem Ecol* May 1997. v. 23 (5): 1389-1401.
- Jang, SW; Kang, MJ. (2014). Improved oral absorption and chemical stability of everolimus via preparation of solid dispersion using solvent wetting technique. *Int J Pharm* 473: 187-193. [International journal of pharmaceuticals].
- Janin, YL; Zoltobroda, G; Huel, C; Monneret, C. (2002). Synthesis of chloramphenicol and mandelonitrile galactose-containing prodrugs. *Journal of Carbohydrate Chemistry* 21: 275-286.
- Jansen, JC; Friess, K; Drioli, E. (2011). Organic vapour transport in glassy perfluoropolymer membranes: A simple semi-quantitative approach to analyze clustering phenomena by time lag measurements. *J Memb Sci* 367: 141-151.
- Jansen, O; Tits, M; Angenot, L; Nicolas, JP; De Mol, P; Nikiema, JB; Frâ€šdâ€™rich, M. (2012). Anti-plasmodial activity of *Dicoma tomentosa* (Asteraceae) and identification of urospermal A-15-O-acetate as the main active compound. *Malar J* 11.
- Janssen, DB; Dinkla, IJ; Poelarends, GJ; Terpstra, P. (2005). Bacterial degradation of xenobiotic compounds: evolution and distribution of novel enzyme activities. *Environ Microbiol* 7: 1868-1882.
- Janssen, DB; Grobden, G; Hoekstra, R; Oldenhuis, R; Witholt, B. (1988). Degradation of trans-1,2-dichloroethene by mixed and pure cultures of methanotrophic bacteria. *Appl Microbiol Biotechnol* 29: 392-399.
- Janssen, DB; Oldenhuis, R; Van Den Wijngaard, AJ. (1990). Hydrolytic and oxidative degradation of chlorinated aliphatic compounds by aerobic microorganisms. Kamely, D, A Chakrabarty and G S Omenn (Ed) *Advances in Applied Biotechnology Series, Vol 4 Biotechnology and Biodegradation; International Workshop, Lisbon, Portugal, June 1989* Xxiii+504p Gulf Publishing Co: Houston, Texas, USA; London, England, UK Illus Isbn 0-943255-06-6; 0 (0) 1990 105-126.
- Janssens, S; Anne, M; Rombaut, P; Van den Mooter, G. (2009). Spray drying from complex solvent systems broadens the applicability of Kollicoat IR as a carrier in the formulation of solid dispersions. *Eur J Pharm Sci* 37: 241-248.
- Jansson, RK; Mason, LJ; Heath, RR; Lecrone, SH; Forey, DE. Pheromone trap monitoring system for sweetpotato weevil (Coleoptera: Apionidae) in the southern United States: effects of lure type, age, and duration in storage. *J Econ Entomol* Aug 1993. v. 86 (4): 1109-1115.
- Janusch, F; Scherz, G; Mohring, SAI; Hamscher, G. (2014). Determination of fluoroquinolones in chicken feces â€œ A new liquidâ€œliquid extraction method combined with LCâ€™MS/MS. *Environ Toxicol Pharmacol* 38: 792-799.

## Environmental Hazard Literature Search Results

### Off Topic

- Jarusiewicz, J; Choe, Y; Yoo, KS; Park, CP; Jung, KW. (2009). Efficient Three-Component Strecker Reaction of Aldehydes/Ketones via NHC-Amidate Palladium(II) Complex Catalysis. *J Org Chem* 74: 2873-2876.
- Jassbi, AR; Miri, R; Asadollahi, M; Javanmardi, N; Firuzi, O. (2014). Cytotoxic, antioxidant and antimicrobial effects of nine species of woundwort (*Stachys*) plants. *Pharm Biol* 52: 62-67. [Pharmaceutical biology].
- Jaworska, JS; Schultz, TW. (1994). Mechanism-based comparisons of acute toxicities elicited by industrial organic chemicals in procaryotic and eucaryotic systems. *Ecotoxicol Environ Saf* 29: 200-213.
- Jay, K; Stieglitz, L. (1995). Identification and quantification of volatile organic components in emissions of waste incineration plants. *Chemosphere* 30: 1249-1260.
- Jayanty, RK; Gay, BWJ. (1990). Measurement of toxic and related air pollutants 1990 usa epa and the air and waste management association international symposium raleigh north carolina may 1-4 1990. *J Air Waste Manage Assoc* 40: 1631-1637.
- Jayanty, RK; Tompkins, SB; Von Lehmden, DJ. (1990). Summary of POHC audit results using VOST and bag methods during RCRA trial burns. *J Air Waste Manage Assoc* 40: 1505-1509.
- Je, I-G; Choi, HG; Kim, H-H; Lee, S; Choi, JK; Kim, S-W; Kim, D-S; Kwon, TK; Shin, T-Y; Park, P-H; Khang, D; Kim, S-H. (2015). Inhibitory effect of 1,2,4,5-tetramethoxybenzene on mast cell-mediated allergic inflammation through suppression of I $\kappa$ B kinase complex. *Toxicol Appl Pharmacol* 287: 119-127.
- Jee, WS; Black, HE; Gotcher, JE. (1981). Effect of dichloromethane diphosphonate on cortisol-induced bone loss in young adult rabbits. *Clin Orthop Relat Res* 156: 39-51.
- Jella, P; Rouseff, R; Goodner, K; Widmer, W. (1998). Determination of key flavor components in methylene chloride extracts from processed grapefruit juice. *J Agric Food Chem* 46: 242-247.
- Jelvehgari, M; Siah-Shadbad, MR; Azarmi, S; Martin, GP; Nokhodchi, A. (2006). The microsphere delivery system of benzoyl peroxide: Preparation, characterization and release studies. *Int J Pharm* 308: 124-132.
- Jenkins, SW; Koester, CJ; Taguchi, VY; Wang, DT; Palmentier J-P, FP; Hong, KP. (1995). N-nitrosodimethylamine in drinking water using a rapid, solid-phase extraction method. *Environmental Science and Pollution Research International* 2: 207-210.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Methanes. *Journal of Environmental Engineering-Asce* 137: 416-432.
- Jeong, J-Y; Lee, H-J; Kang, S-W; Tan, L-S; Baek, J-B. (2008). Nylon 610/functionalized multiwalled carbon nanotube composite prepared from in-situ interfacial polymerization. *Journal of polymer science* 46: 6041-6050.
- Jeral, JM; Breed, MD; Hibbard, BE. Thief ants have reduced quantities of cuticular compounds in a ponerine ant, *Ectatomma ruidum*. *Physiological entomology* Sept 1997. v. 22 (3): 207-211.
- Jesse, B; Reich, E; Justice, AK; Beckstead, BT; Reibenspies, JH; Miller, SA. (2004). Cyanide-catalyzed cyclizations via aldimine coupling. *J Org Chem* 69: 1357-1359.
- Jewett, DK; Bjostad, LB. Dichloromethane attracts diabroticite larvae in a laboratory behavioral bioassay. *J Chem Ecol* July 1996. v. 22 (7): 1331-1344.
- Ji, R; Schaffer, A. (2004). Synthesis of uniformly ring-C-14 -labelled 4-hydroxybenzaldehyde, vanillin, and protocatechualdehyde. *Journal of Labeled Compounds & Radiopharmaceuticals* 47: 209-216.
- Ji, XY; Mei, HB; Qian, Y; Han, JL; Li, GG; Pan, Y. (2011). Potassium Carbonate Catalyzed Regioselective Aminohalogenation of beta-Nitrostyrenes by Using Benzyl Carbamate/N-Chlorosuccinimide as a New Nitrogen/Chlorine Source. *Synthesis-Stuttgart* 3680-3686.
- Jiang, J; Choo, SY; Omar, N; Ahamad, N. (1998). GC-MS analysis of volatile compounds in durian (*Durio zibethinus* Murr.). *Food Flavors: Formation, Analysis, and Packaging Influences* 40: 345-352.
- Jianming, Y; Wei, L; Zhuowei, C; Yifeng, J; Wenji, C; Jianmeng, C. (2014). Dichloromethane removal and microbial variations in a combination of UV pretreatment and biotrickling filtration. *J Hazard Mater* 268: 14-22.
- Jiao, JL; Zhang, Y; Devery, JJ; Xu, LN; Deng, J; Flowers, RA. (2007). Mechanistic studies of Ce(IV)-mediated oxidation of beta-dicarbonyls: Solvent-dependent behavior of radical cation intermediates. *J Org Chem* 72: 5486-5492.
- Jimenez, JI; Yoshida, WY; Scheuer, PJ; Lobkovsky, E; Clardy, J; Kelly, M. (2000). Honulactones: New bishomoscalarane sesterterpenes from the Indonesian sponge *Strepsichordaia aliena*. *J Org Chem* 65: 6837-6840.
- Jimenez, MV; Algarra, M; Jimenez, JJ; Lamotte, M. (2004). Evaluation of new surfactant expanded zirconium and titanium phosphates for polycyclic aromatic hydrocarbons extraction from waters. *Chemosphere* 57: 179-186.
- Jin, F; Hu, JY; Liu, J; Yang, M; Wang, F; Wang, H. (2008). Sequestration of nonylphenol in sediment from Bohai Bay, North China. *Environmental Science & Technology* 42: 746-751.
- Jin, YM; Veiga, MC; Kennes, C. (2005). Autotrophic deodorization of hydrogen sulfide in a biotrickling filter. *J Chem Tech Biotechnol* 80: 998-1004.
- Jin, YM; Veiga, MC; Kennes, C. (2005). Effects of pH, CO<sub>2</sub>, and flow pattern on the autotrophic degradation of hydrogen sulfide in a biotrickling filter. *Biotechnol Bioeng* 92: 462-471.
- Jin, YM; Veiga, MC; Kennes, C. (2007). Co-treatment of hydrogen sulfide and methanol in a single-stage biotrickling filter under acidic conditions. *Chemosphere* 68: 1186-1193.
- Jiyavorrant, T; Chanbang, Y; Supyen, D; Sonthichai, S; Jatisatienr, A. (2003). The effects of *Acorus calamus* Linn. and *Stemona tuberosa* Lour. extracts on the insect pest, *Plutella xylostella* (Linnaeus). *Acta horticultrae* 223-229.

## Environmental Hazard Literature Search Results

### Off Topic

- Joa, H; Vogl, S; Atanasov, AG; Zehl, M; Nakel, T; Fakhrudin, N; Heiss, EH; Picker, P; Urban, E; Wawrosch, C; Saukel, J; Reznicek, G; Kopp, B; Dirsch, VM. (2011). Identification of Ostruthin from *Peucedanum ostruthium* Rhizomes as an Inhibitor of Vascular Smooth Muscle Cell Proliferation. *J Nat Prod* 74: 1513-1516.
- JoÅ„czyk, A; Nawrot, E; Kisielewski, M. (2005). Reactions of some nitrogen heterocycles with chlorodifluoromethane under conditions of phase-transfer catalysis. *Journal of Fluorine Chemistry* 126: 1587-1591.
- Joao, RV; Linins, I; Gershey, EL. (1990). Peptide synthesis waste reduction and reclamation of dichloromethane. Tedder, D W And F G Pohland (Ed) *Acs (American Chemical Society) Symposium Series, No 422 Emerging Technologies in Hazardous Waste Management; Industrial and Engineering Chemistry Winter Symposium, Atlanta, Georgia, USA, May 1-4, 1989* Xii+402p American Chemical Society: Washington, DC, USA Illus Isbn 0-8412-1747-5; 0 (0) 1990 378-388.
- Joe, JH; Lee, WM; Park, YJ; Joe, KH; Oh, DH; Seo, YG; Woo, JS; Yong, CS; Choi, HG. (2010). Effect of the solid-dispersion method on the solubility and crystalline property of tacrolimus. *Int J Pharm* 395: 161-166.
- Joern, WA. (1992). Confirmation of low concentrations of urinary benzodiazepines, including alprazolam and triazolam, by GC/MS: an extractive alkylation procedure. *J Anal Toxicol* 16: 363-367. [Journal of analytical toxicology].
- Johansson, G; StÅ„hlberg, J; Lindeberg, G; EngstrÅ„m, Åk; Pettersson, Gr. (1989). Isolated fungal cellulose terminal domains and a synthetic minimum analogue bind to cellulose. *FEBS Letters* 243: 389-393.
- Johansson, L; Tilst, M; Labinger, JA; Bercaw, JE. (2000). Mechanistic investigation of benzene C-H activation at a cationic platinum(II) center: Direct observation of a platinum(II) benzene adduct. *J Am Chem Soc* 122: 10846-10855.
- Johansson, MAE; Fredholm, L; Bjerne, I; JÅ„gerstad, M. (1995). Influence of frying fat on the formation of heterocyclic amines in fried beefburgers and pan residues. *Food Chem Toxicol* 33: 993-1004.
- Johansson, P-A; Hoffmann, G; Stefansson, U. (1982). Automatic potentiometric two-phase titration in pharmaceutical analysis: Part 1. The influence of ionic surfactants on some protolytic equilibria in the aqueous phase. *Anal Chim Acta* 140: 77-88.
- Johnson, BT; Long, ER. (1998). Rapid toxicity assessment of sediments from estuarine ecosystems: A new tandem in vitro testing approach. *Environ Toxicol Chem* 17: 1099-1106.
- Johnson, PJ; Skornia, SL; Stabenfeldt, SE; Willits, RK. (2008). Maintaining bioactivity of NGF for controlled release from PLGA using PEG. *Journal of Biomedical Materials Research Part A* 86A: 420-427.
- Johnson, R; Madhani, H; Bullock, JP. (2007). Electrochemical oxidation of Mo(CO)<sub>4</sub>(LL) and Mo(CO)<sub>3</sub>(LL)(CH<sub>3</sub>CN): Generation, infrared characterization, and reactivity of [Mo(CO)<sub>4</sub>(LL)]<sup>+</sup> and [Mo(CO)<sub>3</sub>(LL)(CH<sub>3</sub>CN)]<sup>+</sup> (LL = 2,2'-bipyridine, 1,10-phenanthroline and related ligands). *Inorganica Chimica Acta* 360: 3414-3423.
- Johnson, WS; Bartlett, WR; Czeskis, BA; Gautier, A; Lee, CH; Lemoine, R; Leopold, EJ; Luedtke, GR; Bancroft, KJ. (1999). The fluorine atom as a cation-stabilizing auxiliary in biomimetic polyene cyclizations: Total synthesis of dl-dammarenediol. *J Org Chem* 64: 9587-9595.
- Jolad, SD; Hoffmann, JJ; Bates, RB; Calders, S; McLaughlin, SP. (1990). Caudatol, a guaianolide from *Pericome caudata*. *Phytochemistry* 29: 3024-3028.
- Jolad, SD; Hoffmann, JJ; Timmermann, BN; Bates, RB; Camou, FA; McLaughlin, SP. (1990). Diterpenoids and acetogenins of *Blepharizonia plumosa*. *Phytochemistry* 29: 905-910.
- Jolad, SD; Hoffmann, JJ; Timmermann, BN; Batest, RB; Camou, FA. (1989). Wrightol, a sesquiterpene of the eremophilane type from *Solidago wrightii*. *Phytochemistry* 28: 3229-3231.
- Jolad, SD; Timmermann, BN; Hoffmann, JJ; Bates, RB; Camou, FA; Cole, JR. (1988). Sesquiterpenoids from *Coreocarpus arizonicus*. *Phytochemistry* 27: 3545-3548.
- Jolad, SD; Timmermann, BN; Hoffmann, JJ; Bates, RB; Siahaan, TJ. (1987). Havardic acids A-F and havardiol, labdane diterpenoids from *Grindelia havardii*. *Phytochemistry* 26: 483-489.
- Jones, DS; Medlicott, NJ. (1995). Casting solvent controlled release of chlorhexidine from ethylcellulose films prepared by solvent evaporation. *Int J Pharm* 114: 257-261.
- Jones, DS; Pearce, KJ. (1996). Contribution of process variables to the entrapment efficiency of propranolol hydrochloride within ethylcellulose microspheres prepared by the solvent evaporation method as evaluated using a factorial design. *Int J Pharm* 131: 25-31.
- Jones, RA. (2001). 10 - Oxidation of Organic Compounds. *Quaternary Ammonium Salts* London 415-474.
- Jongen, WMF; Harmsen, EGM; Alink, GM; Koeman, JH. (1982). The effect of glutathione conjugation and microsomal oxidation on the mutagenicity of dichloromethane in *S. typhimurium*. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 95: 183-189.
- Jonker, MTO; Koelmans, AA. (2002). Extraction of polycyclic aromatic hydrocarbons from soot and sediment: Solvent evaluation and implications for sorption mechanism. *Environmental Science & Technology* 36: 4107-4113.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software. *Toxicol Lett* 138: 143-150.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software. *Toxicol Lett* 138: 143-150.
- Jop, K; Williams, JW; Foster, RB. (1990). Toxicity evaluation of the proposed secondary and the primary effluents discharged to Massachusetts bay usa. *Bull Environ Contam Toxicol* 45: 399-407.
- Jop, KM; Askew, AM; Terrio, KF; Simoes, AT. (1992). Application of the short-term chronic test with *ceriodaphnia-dubia* in identifying sources of toxicity in industrial wastewaters. *Bull Environ Contam Toxicol* 49: 765-771.

## Environmental Hazard Literature Search Results

### Off Topic

- Jorg, G; Bertau, M. (2004). Fungal aerobic reductive dechlorination of ethyl 2-chloroacetate by *Saccharomyces cerevisiae*: Mechanism of a novel type of microbial dehalogenation. *Chembiochem* 5: 87-92.
- Jorge, RM; Livingston, AG. (1998). Biodegradation of a waste gas containing alternating substrates. 98th General Meeting of the American Society for Microbiology, Atlanta, Georgia, USA, May 17-21, 1998 Abstracts of the General Meeting of the American Society for Microbiology 98: 477.
- Jorge, RMF; Livingston, AG. (2000). Biological treatment of an alternating source of organic compounds in a single tube extractive membrane bioreactor. *J Chem Tech Biotechnol* 75: 1174-1182.
- Jorgensen, M; Krebs, FC; Bechgaard, K. (2000). Easy access to 3,8-diaryldifurano 2,3-a : 2',3'-f naphthalenes. A new extended aromatic system. *J Org Chem* 65: 8783-8785.
- Joshi, L; Prakash, R. (2012). Polyindole-Au nanocomposite produced at the liquid/liquid interface. *Mater Lett* 66: 250-253.
- Jt, FAOWHOECFA. (1992). Evaluation of certain food additives and naturally occurring toxicants. *Who Tech Rep Ser* 0: 1-49.
- Juettner, F. (1986). Analysis of organic compounds volatile organic compounds in the forest air of the southern black forest west germany. *Chemosphere* 15: 985-992.
- Juhascik, M; Gleba, J; Jenkins, A. (2012). Formation of benzoylgonine isopropyl ester following solid-phase extraction. *J Anal Toxicol* 36: 141-143. [Journal of analytical toxicology].
- Juhasz, AL; Naidu, R. (2000). Extraction and recovery of organochlorine pesticides from fungal mycelia. *Journal of Microbiological Methods* 39: 149-158.
- Juhasz, AL; Stanley, GA; Britz, ML. (2000). Microbial degradation and detoxification of high molecular weight polycyclic aromatic hydrocarbons by *Stenotrophomonas maltophilia* strain VUN 10,003. *Lett Appl Microbiol* 30: 396-401.
- Ju-Nam, Y; Bricklebank, N; Allen, DW; Gardiner, PHE; Light, ME; Hursthouse, MB. (2006). Phosphonioalkylthiosulfate zwitterions - new masked thiol ligands for the formation of cationic functionalised gold nanoparticles. *Organic & Biomolecular Chemistry* 4: 4345-4351.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ* 449: 443-450.
- Jung, HA; Jeong, DM; Chung, HY; Lim, HA; Kim, JY; Yoon, NY; Choi, JS. (2008). Re-evaluation of the antioxidant prenylated flavonoids from the roots of *Sophora flavescens*. *Biological & Pharmaceutical Bulletin* 31: 908-915.
- Jung, HA; Jung, HJ; Jeong, HY; Kwon, HJ; Ali, MY; Choi, JS. (2014). Phlorotannins isolated from the edible brown alga *Ecklonia stolonifera* exert anti-adipogenic activity on 3T3-L1 adipocytes by downregulating C/EBP $\beta$  and PPAR $\beta$ . *Fitoterapia* 92: 260-269.
- Jung, HA; Kim, AR; Chung, HY; Choi, JS. (2002). In vitro antioxidant activity of some selected *Prunus* species in Korea. *Arch Pharm Res* 25: 865-872.
- Jung, HW; Oh, TW; Jung, JK; Lee, JH; Shin, GJ; Park, YK. (2012). Inhibitory Effects of the Methylene Chloride Fraction of JP05 on the Production of Inflammatory Mediators in LPS-activated BV2 Microglia. *Inflammation* 35: 332-341.
- Jung, S; Seo, J; Shin, SK. (2010). Noncovalent binding between fullerenes and protonated porphyrins in the gas phase. *J Phys Chem A* 114: 11376-11385. [The journal of physical chemistry. A].
- Junicke, H; Bruhn, C; Kluge, R; Serianni, AS; Steinborn, D. (1999). Novel platinum(IV)-carbohydrate complexes: Metal ion coordination behavior of monosaccharides in organic solvents. *J Am Chem Soc* 121: 6232-6241.
- Junk, GA; Richard, JJ. (1986). Extraction of organic compounds from solid samples. *Anal Chem* 58: 962-965.
- Jusino, MG; Ho, CT; Tong, CH. (1997). Quantitative analysis of pyrazines in a hydrophilic solid model system. *Journal of Food Processing and Preservation* 21: 409-424.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, SQ; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with Distinct *Dehalobacter* Strains Achieves Chloroform Detoxification in Microcosms. *Environmental Science & Technology* 48: 1851-1858.
- Justicia-Leon, SD; Ritalahti, KM; Mack, EE; Löffler, FE. (2012). Dichloromethane Fermentation by a *Dehalobacter* sp in an Enrichment Culture Derived from Pristine River Sediment. *Appl Environ Microbiol* 78: 1288-1291.
- Justribo, V; Pellegrinet, SC; Colombo, MI. (2007). Studies on the intramolecular cyclizations of bicyclic delta-hydroxynitriles promoted by triflic anhydride. *J Org Chem* 72: 3702-3712.
- K&Auml;g&Auml;zel, &Auml;Gn; K&Auml;g&Auml;zel, &Auml;I; &Auml;celgen, M. (2000). Metabolic and chemical studies on N-(4-chlorobenzyl)-N- $\epsilon$ -benzoylhydrazine. *Il Farmaco* 55: 624-630.
- Kaboudin, B; Haghigat, H; Yokomatsu, T. (2011). Synthesis of a New Class of Phosphinic Acids: Synthesis of Novel Four-Membered Cyclic Oxaphosphetanes by Intramolecular Mitsunobu Reaction of Bis(alpha-hydroxyalkyl)phosphinic Acids. *Synthesis-Stuttgart* 3185-3189.
- Kachasakul, P; Assabumrungrat, S; Prasertdam, P; Pancharoen, U. (2003). Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone $\text{®}$  system. *Chem Eng J* 92: 131-139.
- Kadima, LN; Lesne, M. (1980). Studies on the pharmacokinetics and the metabolism of gitoxin in the guinea-pig: I. Disposition kinetics following an i.v. bolus of 3H-gitoxin. *Arch Int Pharmacodyn Ther* 245: 20-41. [Archives internationales de pharmacodynamie et de therapie].
- Kadin, H; Poet, RB. (1982). Sequential Electrochemical Reduction, Solvent Partition, and Automated Thiol Colorimetry for Urinary Captopril and its Disulfides. *J Pharm Sci* 71: 1134-1138.
- Kadish, KM; Adamian, VA; Van Caemelbecke, E; Gueletii, E; Will, S; Erben, C; Vogel, E. (1998). Electrogeneration of oxidized corrole dimers. Electrochemistry of (OEC) $M$  where  $M$  = Mn, Co, Ni, or Cu and OEC is the trianion of 2,3,7,8,12,13,17,18-octaethylcorrole. *J Am Chem Soc* 120: 11986-11993.
- Kadish, KM; Liu, YH; Sazou, D; Senglet, N; Guilard, R. (1991). Structural effects on metalloporphyrin redox potentials. Electroreduction of mono-N-hexadecylpyridiniumporphyrins in non-aqueous media. *Anal Chim Acta* 251: 47-52.

## Environmental Hazard Literature Search Results

### Off Topic

- Kadish, KM; Morrison, MM. (1977). Substituent effects on the redox reactions of tetraphenylporphyrins. *Bioinorganic Chemistry* 7: 107-115.
- Kado, S; Furui, A; Akiyama, Y; Nakahara, Y; Kimura, K. (2009). Application of gold nanoparticles to spectrophotometric sensing of hydrophilic anions based on molecular recognition by urea derivative. *Anal Sci* 25: 261-265. [Analytical sciences : the international journal of the Japan Society for Analytical Chemistry].
- Kageyama, Y; Murata, S. (2005). Oxidative formation of thioesters in a model system of the pyruvate dehydrogenase complex. *J Org Chem* 70: 3140-3147.
- Kahl, MD; Russom, CL; Defoe, DL; Hammermeister, DE. (1999). Saturation units for use in aquatic bioassays. *Chemosphere* 39: 539-551.
- Kahnt, A; Heiniger, LP; Liu, SX; Tu, X; Zheng, Z; Hauser, A; Decurtins, S; Guldi, DM. (2010). An electrochemical and photophysical study of a covalently linked inorganic-organic dyad. *Chemphyschem* 11: 651-658. [Chemphyschem : a European journal of chemical physics and physical chemistry].
- Kahru, A; Tomson, K; Pall, T; Kulm, I. (1996). Study of toxicity of pesticides using luminescent bacteria photobacterium phosphoreum. *Water Science and Technology* 33: 147-154.
- Kaiman, B; Kluwe, M; Zu Koefker, HM; Lorber, KE. (1992). Correlation between carbon monoxide and pic-emissions. Eleventh International Symposium on Chlorinated Dioxins and Related Compounds, Part 2, Research Triangle Park, North Carolina, USA, September 23-27, 1991 *Chemosphere* 25: 1403-1407.
- Kaiser, KLE; Comba, ME; Huneault, H. Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *J Great Lakes Res* 1982 (pub. 1983). v. 9 (2): 212-223 maps.
- Kajiwara, N; Sueoka, M; Ohiwa, T; Takigami, H. (2009). Determination of flame-retardant hexabromocyclododecane diastereomers in textiles. *Chemosphere* 74: 1485-1489.
- Kalachandra, S; Lin, DM; Offenbacher, S. (2002). Controlled drug release for oral condition by a novel device based on ethylene vinyl acetate (EVA) copolymer. *Journal of Materials Science-Materials in Medicine* 13: 53-58.
- Kalachandra, S; Lin, DM; Stejskal, EO; Prakki, A; Offenbacher, S. (2005). Drug release from cast films of ethylene vinyl acetate (EVA) copolymer: Stability of drugs by (1)H NMR and solid state (13)C CP/MAS NMR. *Journal of Materials Science-Materials in Medicine* 16: 597-605.
- Kalachandra, S; Takamata, T; Lin, DM; Snyder, EA; Webster-Cyriaque, J. (2006). Stability and release of antiviral drugs from ethylene vinyl acetate (EVA) copolymer. *Journal of Materials Science-Materials in Medicine* 17: 1227-1236.
- Kalaivani, P; Prabhakaran, R; Kaveri, MV; Huang, R; Staples, RJ; Natarajan, K. (2013). Synthesis, spectral, X-ray crystallography, electrochemistry, DNA/protein binding and radical scavenging activity of new palladium(II) complexes containing triphenylarsine. *Inorganica Chimica Acta* 405: 415-426.
- Kalaji, N; Deloge, A; Sheibat-Othman, N; Boyron, O; About, I; Fessi, H. (2010). Controlled release carriers of growth factors FGF-2 and TGFbeta1: synthesis, characterization and kinetic modelling. *J Biomed Nanotechnol* 6: 106-116. [Journal of biomedical nanotechnology].
- Kalimuthu, P; Abraham John, S. (2008). Optochemical sensing of hydrogen chloride gas using meso-tetramesitylporphyrin deposited glass plate. *Anal Chim Acta* 627: 247-253.
- Kaljuste, K; Undašn, A. (1993). New method for the synthesis of N-methyl amino acids containing peptides by reductive methylation of amino groups on the solid phase. *Int J Pept Protein Res* 42: 118-124. [International journal of peptide and protein research].
- Kallay, WB; Goss, GR; Stein, JA. (1993). Use of deactivators in granular clay formulations. Devisetty, B N, D G Chasin and P D Berger (Ed) *Astm* (American Society for Testing and Materials) Special Technical Publication, No 1146 Pesticide Formulations and Application Systems: 12th Volume; Twelfth Symposium, San Diego, California, USA, October 16-17, 1991 *Viii+381p Astm* (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA *Isbn 0-8031-1439-7; 0 (0) 1993 201-213*.
- Kammoun, M; Koubaa, I; Ben Ali, Y; Jarraya, R; Gargouri, Y; Damak, M; Bezzine, S. (2010). Inhibition of Pro-inflammatory Secreted Phospholipase A2 by Extracts from *Cynara cardunculus* L. *Appl Biochem Biotechnol* 162: 662-670.
- Kamps, R; Mueller, H; Schmitt, M; Sommer, S; Wang, Z; Kleinermanns, K. (1993). Photooxidation of exhaust pollutants: I. Degradation efficiencies, quantum yields and products of benzene photooxidation. *Chemosphere* 27: 2127-2142.
- Kan, AT; Tomson, MB. (1996). UNIFAC prediction of aqueous and nonaqueous solubilities of chemicals with environmental interest. *Environmental Science & Technology* 30: 1369-1376.
- Kanally, R; Bartha, R; Fogel, S; Findlay, M. Biodegradation of [14C]benzo[a]pyrene added in crude oil to uncontaminated soil. *Appl Environ Microbiol Nov* 1997. v. 63 (11): 4511-4515.
- Kanazawa, S; Filip, Z. Microorganisms and enzymatic activity in soil as affected by trichloroethylene, tetrachloroethylene and dichloromethane. A short communication. *FEMS symposium - Federation of European Microbiological Societies* 1986. v. 33: 207-209.
- Kanazawa, S; Filip, Z. (1986). Effects of trichloroethylene tetrachloroethylene and dichloromethane on enzymatic activities in soil. *Appl Microbiol Biotechnol* 25: 76-81.
- Kane, A; Giraudet, S; Vilmain, J-B; Le Cloirec, P. (2015). Intensification of the temperature-swing adsorption process with a heat pump for the recovery of dichloromethane. *Journal of Environmental Chemical Engineering* 3: 734-743.
- Kang, FR; Singh, J. (2003). Conformational stability of a model protein (bovine serum albumin) during primary emulsification process of PLGA microspheres synthesis. *Int J Pharm* 260: 149-156.
- Kang, HJ; Noh, TH; Na, YM; Yoo, KH; Jung, O-S. (2009). Interconversion between cyclodimer and cyclotrimer: Synthesis and characterization of cyclo-[Pd(II)Cl2(Nâ€“N)] complexes. *Inorganica Chimica Acta* 362: 1963-1968.
- Kang, SM; Yu, J. (2015). Hydrophobic organic compounds from hydrothermal liquefaction of bacterial biomass. *Biomass & Bioenergy* 74: 92-95.
- Kanthamneni, N; Sharma, S; Meenach, SA; Billet, B; Zhao, J-C; Bachelder, EM; Ainslie, KM. (2012). Enhanced stability of horseradish peroxidase encapsulated in acetalated dextran microparticles stored outside cold chain conditions. *Int J Pharm* 431: 101-110.

## Environmental Hazard Literature Search Results

### Off Topic

- Kar, M; Choudhury, PK. (2007). Formulation and evaluation of ethyl cellulose microspheres prepared by the multiple emulsion technique. *Pharmazie* 62: 122-125.
- Karabay-Yavasoglu, NU; Sukatar, A; Ozdemir, G; Horzum, Z. (2007). Antimicrobial activity of volatile components and various extracts of the red alga *Jania rubens*. *Phytother Res* 21: 153-156.
- Karadag, K; Yati, I; Sonmez, HB. (2016). Effective clean-up of organic liquid contaminants including BTEX, fuels, and organic solvents from the environment by poly(alkoxysilane) sorbents. *J Environ Manage* 174: 45-54.
- Karak, N; Roy, B; Voit, B. (2010). s-Triazine-based hyperbranched polyethers: Synthesis, characterization, and properties. *Journal of polymer science* 48: 3994-4004.
- Karbaum, A; Jira, T. (1999). Nonaqueous capillary electrophoresis: Application possibilities and suitability of various solvents for the separation of basic analytes. *Electrophoresis* 20: 3396-3401.
- Kariba, RM; Siboe, GM; Dossaji, SF. (2001). In vitro antifungal activity of *Schizozygia coffaeoides* Bail. (Apocynaceae) extracts. *J Ethnopharmacol* 74: 41-44.
- Karimi-Lotfabad, S; Pickard, MA; Gray, MR. (1996). Reactions of polynuclear aromatic hydrocarbons on soil. *Environmental Science & Technology* 30: 1145-1151.
- Karimpour, T; Safaei, E; Wojtczak, A; Jagliński, Z. (2013). Models for enzyme-substrate adduct of non-heme iron-containing enzymes, synthesis and characterization. *Inorganica Chimica Acta* 405: 309-317.
- Karl, JZ. (2000). J. Properties of difurfural (5,5-diformyl-2,2-difuran). *Sugar Series* 248.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res* 34: 4161-4168.
- Kassab, AC; Piskin, E; Bilgic, S; Denkbaz, EB; Xu, K. (1999). Embolization with polyhydroxybutyrate (PHB) microspheres: In-vivo studies. *J Bioact Compat Polymer* 14: 291-303.
- Kasuga, T; Fujikawa, H; Abe, Y. (1999). Preparation of polylactic acid composites containing beta-Ca(PO<sub>3</sub>)(<sub>2</sub>) fibers. *J Mater Res* 14: 418-424.
- Kasuga, T; Maeda, H; Kato, K; Nogami, M; Hata, K; Ueda, M. (2003). Preparation of poly(lactic acid) composites containing calcium carbonate (vaterite). *Biomaterials* 24: 3247-3253.
- Kasuga, T; Ota, Y; Nogami, M; Abe, Y. (2001). Preparation and mechanical properties of polylactic acid composites containing hydroxyapatite fibers. *Biomaterials* 22: 19-23.
- Kasyutich, VL; Ibrahim, RKR; Martin, PA. (2010). Stability of widely tuneable, continuous wave external-cavity quantum cascade laser for absorption spectroscopy. *Infrared Physics & Technology* 53: 381-387.
- Kataoka, T; Ohishi, T; Yokozawa, T; Ikehara, T. (2010). Aggregation, gelation instability, and morphologies of diblock copolymers consisting of poly(p-benzamide) and poly(m-benzamide). *Journal of polymer science* 48: 1732-1739.
- Katerere, DR; Gray, AI; Kennedy, AR; Nash, RJ; Waigh, RD. (2004). Cyclobutanes from *Combretum albopunctatum*. *Phytochemistry* 65: 433-438.
- Kato, T. (1985). Flow-injection spectrophotometric determination of enalapril in pharmaceuticals with bromothymol blue. *Anal Chim Acta* 175: 339-344.
- Katritzky, AR; Savage, GP; Pilarska, M. (1991). The response of some organic microsensor coatings to a variety of vapors. *Talanta* 38: 201-204.
- Katsoyiannis, A; Samara, C. (2007). Comparison of active and passive sampling for the determination of persistent organic pollutants (POPs) in sewage treatment plants. *Chemosphere* 67: 1375-1382.
- Katsuta, S; Iwabe, Y; Kato, Y; Kudo, Y; Takeda, Y. (2008). Extraction properties for alkali metal picrates of macrocyclic trinuclear (p-cymene)ruthenium(II) and (pentamethylcyclopentadienyl)rhodium(III) complexes. *Inorganica Chimica Acta* 361: 103-108.
- Kaul, BB; Durfee, WS; Yee, GT. (1999). Dialkyldicyanofumarate diesters: Tunable building blocks for molecule-based ferromagnets. *J Am Chem Soc* 121: 6862-6866.
- Kaur, I; Mathur, RP; Tandon, SN; Dureja, P. (1998). Persistence of endosulfan (technical) in water and soil. *Environ Technol* 19: 115-119.
- Kavala, M; Boca, R; Dihan, L; Brezova, V; Breza, M; Kozisek, J; Fronc, M; Herich, P; Svorc, L; Szolcsanyi, P. (2013). Preparation and Spectroscopic, Magnetic, and Electrochemical Studies of Mono-/Biradical TEMPO Derivatives. *J Org Chem* 78: 6558-6569.
- Kavitha, SJ; Panchanatheswaran, K; Elsegood, MRJ; Dale, SH. (2006). Mixed ligation to vanadium(III): Synthesis, spectra and structures of bis(acetylacetonato)(o-phenanthroline)vanadium(III) fluoroborate and bis(acetylacetonato)(o-phenanthroline)vanadium(III) perchlorate. *Inorganica Chimica Acta* 359: 1314-1320.
- Kawabata, K; Nakano, M; Tamura, H; Matsubayashi, G-e. (2005). Oxidation of [Ir(̂-5-C<sub>5</sub>Me<sub>5</sub>)(C<sub>8</sub>H<sub>4</sub>S<sub>8</sub>)] and crystal structures of [Ir(̂-5-C<sub>5</sub>Me<sub>5</sub>)(C<sub>8</sub>H<sub>4</sub>S<sub>8</sub>)](I<sub>3</sub>) and [Ir(̂-5-C<sub>5</sub>Me<sub>5</sub>)(C<sub>8</sub>H<sub>4</sub>S<sub>8</sub>)](I<sub>3</sub>)<sub>1/2</sub>(I<sub>7</sub>)<sub>1/2</sub>. *Inorganica Chimica Acta* 358: 2082-2088.
- Kawashima, Y; Niwa, T; Takeuchi, H; Hino, T; Itoh, Y. (1992). Hollow Microspheres for Use as a Floating Controlled Drug Delivery System in the Stomach. *J Pharm Sci* 81: 135-140.
- Kayakçalan, S; Gonca, En. (2012). Synthesis and characterization of new soluble polyfluorinated seco-porphyrazines. *Inorganic Chemistry Communications* 21: 28-31.
- Kayali-Sayadi, MN; Rubio-Barroso, S; Dájaz-Dájaz, CA; Polo-Dájaz, LM. (2000). Rapid determination of PAHs in soil samples by HPLC with fluorimetric detection following sonication extraction. *Fresenius J Anal Chem* 368: 697-701. [Fresenius' journal of analytical chemistry].
- Kayser, M. (2002). Genes and proteins associated with dichloromethane metabolism in *Methylobacterium dichloromethanicum* DM4. PhD Thesis, Eidgenoessische Technische Hochschule Zuerich (Switzerland) 115 p.
- Kayser, MF; Stumpp, MT; Vuilleumier, S. (2000). DNA polymerase I is essential for growth of *Methylobacterium dichloromethanicum* DM4 with dichloromethane. *J Bacteriol* 182: 5433-5439.

## Environmental Hazard Literature Search Results

### Off Topic

- Kayser, MF; Ucurum, Z; Vuilleumier, S. (2002). Dichloromethane metabolism and C(1) utilization genes in *Methylobacterium* strains. *Microbiology-Sgm* 148: 1915-1922.
- Kayser, MF; Vuilleumier, S. (2001). Dehalogenation of dichloromethane by dichloromethane dehalogenase/glutathione S-transferase leads to formation of DNA adducts. *J Bacteriol* 183: 5209-5212.
- Kazantzoglou, G; Magiatis, P; Kalpoutzakis, E; Skaltsounis, AL. (2009). Polygonophenone, the First MEM-Substituted Natural Product, from *Polygonum maritimum*. *J Nat Prod* 72: 187-189.
- Kazzaz, J; Singh, M; Ugozzoli, M; Chesko, J; Soenawan, E; O'Hagan, DT. (2006). Encapsulation of the immune potentiators MPL and RC529 in PLG microparticles enhances their potency. *J Control Release* 110: 566-573.
- Ke, W-z; Wang, L; Song, B; Yang, J-x; Tian, Y-p; Kan, Y-h; Tao, X-t; Jiang, M-h. (2011). Synthesis and properties of a meso-tetraphenylporphyrin and its Zn (II) complex with a dicyanoisophorone borne by double bond in the  $\bar{1}^2$  pyrrolic position. *Inorganic Chemistry Communications* 14: 1311-1313.
- Ke, Y; Streeter, CC; Nassar, LE; Sarid-Segal, F; Hennen, J; Yurgelun-Todd, DA; Awad, LA; Rendall, MJ; Gruber, SA; Nason, A; Mudrick, MJ; Blank, S; Meyer, AA; Knapp, C; Ciraulo, DA; Renshaw, PF. (2004). Frontal lobe GABA levels in cocaine dependence: a two-dimensional, J-resolved magnetic resonance spectroscopy study. *Psychiatry Research-Neuroimaging* 130: 283-293.
- Keane, MJ; Xing, SG; Harrison, JC; Ong, T; Wallace, WE. (1991). Genotoxicity of diesel-exhaust particles dispersed in simulated pulmonary surfactant. *Mutation Research/Genetic Toxicology* 260: 233-238.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environmental Science & Technology* 38: 2209-2216.
- Keenan, RW; Kruczek, M. (1975). The preparation of tritiated betulaprenols and dolichols. *Anal Biochem* 69: 504-509.
- Kehraus, S; Konig, GM; Wright, AD. (2001). New carbonimidic dichlorides from the Australian sponge *Ulosa spongia* and their possible taxonomic significance. *J Nat Prod* 64: 939-941.
- Kehraus, S; Konig, GM; Wright, AD; Woerheide, G. (2002). Leucamide A: A new cytotoxic heptapeptide from the Australian sponge *Leucetta microraphis*. *J Org Chem* 67: 4989-4992.
- Keil, C; Forchert, A; Fastner, J; Szewzyk, U; Rotard, W; Chorus, I; Kratke, R. (2002). Toxicity and microcystin content of extracts from a *Planktothrix* bloom and two laboratory strains. *Water Res* 36: 2133-2139.
- Kelidari, HR; Saeedi, M; Akbari, J; Morteza-Semnani, K; Gill, P; Valizadeh, H; Nokhodchi, A. (2015). Formulation optimization and in vitro skin penetration of spironolactone loaded solid lipid nanoparticles. *Colloids Surf B Biointerfaces* 128: 473-479.
- Kelly, TJ; Mukund, R; Spicer, CW; Pollack, AJ. (1994). Concentrations and transformations of hazardous air pollutants. *Environmental Science & Technology* 28: 378A-387A.
- Kelson, IK; Feit, BA. (2003). Reactions of nucleophiles with reactive intermediates in the 3,4,6-tri-O-benzyl-D-glucal-TfOH-n-Bu(4)N : Reaction system. *Journal of Carbohydrate Chemistry* 22: 827-841.
- Kemp, JOG; Britz, PJ; Cockcroft, AC. (2009). Ammonia excretion dynamics in the east coast rock lobster *Panulirus homarus rubellus*. *Aquaculture* 286: 296-300.
- Kemp, LK; Donnalley, AB; Storey, RF. (2008). Synthesis and characterization of carboxylic acid-terminated polyisobutylenes. *Journal of polymer science* 46: 3229-3240.
- Kendall, DS. (1991). The application of ir spectroscopy to hazardous wastes. Simmons, M S (Ed) *Hazardous Waste Measurements Vi+315p* Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-171-8; 0 (0) 1991 133-158.
- Kennedy, GLJ; Graepel, GJ. (1991). Acute Toxicity in the Rat Following Either Oral or Inhalation Exposure. *Toxicol Lett* 56: 317-326.
- Kennedy, MT; Ali-Reynolds, A; Farrier, C; Burke, PA. (2008). Atomizing into a chilled extraction solvent eliminates liquid gas from a spray-freeze drying microencapsulation process. *J Pharm Sci* 97: 4459-4472.
- Kennelly, JC; Hertzog, PJ; Martin, CN. (1982). The release of 4,4'-diaminobiphenyls from azodyes in the rat. *Carcinogenesis* 1982; 3(8):947-51 [Carcinogenesis].
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc* 50: 1124-1137.
- Kennes, C; Thalasso, F. (1998). Waste gas biotreatment technology. *J Chem Tech Biotechnol* 72: 303-319.
- Kent, SB; Merrifield, RB. (1983). Chemical mechanism to account for artifactual formation of shortened peptides with free alpha-amino groups in solid phase peptide synthesis. *Int J Pept Protein Res* 22: 57-65. [International journal of peptide and protein research].
- Kerfoot, HB. (1990). Soil-gas surveys for detection and delineation of groundwater contamination. *Trends Anal Chem* 9: 157-163.
- Kerkvliet, NI; Brauner, JA; Matlock, JP. (1985). Humoral immunotoxicity of polychlorinated diphenyl ethers, phenoxyphenols, dioxins and furans present as contaminants of technical grade pentachlorophenol. *Toxicology* 36: 307-324.
- Kermasha, S; Bao, H; Bisakowski, B. (2001). Biocatalysis of tyrosinase using catechin as substrate in selected organic solvent media. *Journal of Molecular Catalysis B: Enzymatic* 11: 929-938.
- Kermasha, S; Dioum, N; Bisakowski, B. (2001). Biocatalysis of lipoxygenase in selected organic solvent media. *Journal of Molecular Catalysis B: Enzymatic* 11: 909-919.
- Kern, N; Dombay, T; Blanc, A; Weibel, JM; Pale, P. (2012). Silver(I)-Catalyzed Deprotection of p-Methoxybenzyl Ethers: A Mild and Chemoselective Method. *J Org Chem* 77: 9227-9235.
- Keter, FK; Guzei, IA; Darkwa, J. (2013). N-heterocyclic dithiocarbamate platinum(II) complexes: Unexpected transformation of dithiocarbamate to oxodithiocarbonate in phosphinoplatinum complexes in solution. *Inorganic Chemistry Communications* 27: 60-63.



## Environmental Hazard Literature Search Results

### Off Topic

- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere* 52: 709-716.
- Khan, AM; Ahmad, FJ; Panda, AK; Talegaonkar, S. (2016). Investigation of imatinib loaded surface decorated biodegradable nanocarriers against glioblastoma cell lines: Intracellular uptake and cytotoxicity studies. *Int J Pharm* 507: 61-71.
- Khan, MA; Kim, S-w; Rao, RAK; Abou-Shanab, RAI; Bhatnagar, A; Song, H; Jeon, B-H. (2010). Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. *J Hazard Mater* 178: 963-972.
- Khan, MR; Kihara, M; Omoloso, AD. (2003). Antibiotic Activity of *Couroupita guianensis*. *Journal of herbs, spices & medicinal plants* 10: 95-108.
- Khan, MR; Kihara, M; Omoloso, AD. (2003). Antimicrobial activity of the alkaloidal constituents of the root bark of *Eupomatia laurina*. *Pharmaceutical Biology* 41: 277-280.
- Khan, MR; Omoloso, AD. (2008). Antibacterial and antifungal activities of *Angiopteris evecta*. *Fitoterapia* 79: 366-369.
- Khan, MR; Omoloso, AD. (2008). Antibacterial and antifungal activities of *Breynia cernua*. *Fitoterapia* 79: 370-373.
- Khan, MR; Omoloso, AD; Barewai, Y. (2006). Antimicrobial activity of the *Derris elliptica*, *Derris indica* and *Derris trifoliata* extractives. *Fitoterapia* 77: 327-330.
- Khan, MR; Omoloso, AD; Barewai, Y. (2006). Antimicrobial activity of the *Maniltoa schefferi* extracts. *Fitoterapia* 77: 324-326.
- Khan, R; Malik, A; Adhikari, A; Qadir, MI; Choudhary, MI. (2009). Conferols A and B, New Anti-inflammatory 4-Hydroxyisoflavones from *Caragana conferta*. *Chemical & Pharmaceutical Bulletin* 57: 415-417.
- Khan, S; Abbas, G; Ahmed, FS; Rahman, A; Dar, A. (2014). Effect of dichloromethane fraction of *Areca catechu* nut on monoamines associated behaviors and tyramine pressor sensitivity in rodents. *Pak J Pharm Sci* 27: 303-307. [Pakistan journal of pharmaceutical sciences].
- Khan, S; Waqas, M; Ding, F; Shamshad, I; Arp, HPH; Li, G. (2015). The influence of various biochars on the bioaccessibility and bioaccumulation of PAHs and potentially toxic elements to turnips (*Brassica rapa* L.). *J Hazard Mater* 300: 243-253.
- Khanal, R; Furumai, H; Nakajima, F. (2015). Characterization of toxicants in urban road dust by Toxicity Identification Evaluation using ostracod *Heterocypris incongruens* direct contact test. *Sci Total Environ* 530: 96-102.
- Khatri, CA; Stansbury, JW; Schultheisz, CR; Antonucci, JM. (2003). Synthesis, characterization and evaluation of urethane derivatives of Bis-GMA. *Dent Mater* 19: 584-588. [Dental materials : official publication of the Academy of Dental Materials].
- Khazaei, A; Zolfigol, MA; Kolvari, E; Koukabi, N; Soltani, H; Komaki, F. (2009). Electrophilic Bromination of Alkenes, Alkynes, and Aromatic Amines with Potassium Bromide/Orthoperiodic Acid under Mild Conditions. *Synthesis-Stuttgart* 3672-3676.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environmental Science & Technology* 29: 719-725.
- Khlifi, D; Hayouni, E; Valentin, A; Cazaux, S; Moukarzel, B; Hamdi, M; Bouajila, J. (2013). LC-MS analysis, anticancer, antioxidant and antimalarial activities of *Cynodon dactylon* L. extracts. *Ind Crop Prod* 45: 240-247.
- Khlifi, D; Hayouni, EA; Valentin, A; Cazaux, S; Moukarzel, B; Hamdi, M; Bouajila, J. (2013). LC-MS analysis, anticancer, antioxidant and antimalarial activities of *Cynodon dactylon* L. extracts. *Ind Crop Prod* 45: 240-247.
- Khodaparast, A; Sayyah, M; Sardari, S. (2012). Anticonvulsant Activity of Hydroalcoholic Extract and Aqueous Fraction of *Ebenus stellata* in Mice. *Iran J Basic Med Sci* 15: 811-819. [Iranian journal of basic medical sciences].
- Khorasani, R; Wienberg, R; Foerstner, U. (1988). Solidification stabilization and encapsulation of organic compounds from remedial actions using inorganic and organic fillers and binding agents. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* xxvi+1009p(Vol 1); xv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 967-976.
- Khorasani-Motlagh, M; Safari, N; Noroozifar, M; Shahroosvand, H; Parsaii, Z; Patrick, BO. (2007). Formation and stabilization of five-coordinate iron(II) verdoheme analogues by axial weakly coordinating anion ligation. X-ray crystal structures of [(OOPFe)2O](X)2 (X = AsF6, SbF6). *Inorganica Chimica Acta* 360: 2331-2338.
- Khudoley, VV; Mizgireuv, I; Pliss, GB. (1987). The study of mutagenic activity of carcinogens and other chemical agents with salmonella-typhimurium assays testing of 126 compounds. *Arch Geschwulstforsch* 57: 453-462.
- Kientz, B; Thabard, M; Cragg, SM; Pope, J; Hellio, C. (2011). A new method for removing microflora from macroalgal surfaces: an important step for natural product discovery. *Botanica Marina* 54: 457-469.
- Kiguchi, O; Kobayashi, T; Saitoh, K; Ogawa, N. (2005). Loss of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans and coplanar polychlorinated biphenyls during nitrogen gas blowdown process for ultra-trace analysis. *Anal Chim Acta* 546: 102-111.
- Kiho, T; Yamane, A; Hui, J; Usui, S; Ukai, S. (1996). Polysaccharides in fungi .36. Hypoglycemic activity of a polysaccharide (CS-F30) from the cultural mycelium of *Cordyceps sinensis* and its effect on glucose metabolism in mouse liver. *Biological & Pharmaceutical Bulletin* 19: 294-296.
- Kilbane, JJ. (1998). Extractability and subsequent biodegradation of PAHs from contaminated soil. *Water Air and Soil Pollution* 104: 285-304.
- Kilic, N; Ballantine, JA. (1998). Comparison of various adsorbents for long-term diffusive sampling of volatile organic compounds. *Analyst* 123: 1795-1797.
- Kim, C; Traylor, TG; Perrin, CL. (1998). MCPBA epoxidation of alkenes: Reinvestigation of correlation between rate and ionization potential. *J Am Chem Soc* 120: 9513-9516.
- Kim, D-S; Lynch, VM; Nielsen, KA; Johnsen, C; Jeppesen, JO; Sessler, JL. (2009). A chloride-anion insensitive colorimetric chemosensor for trinitrobenzene and picric acid. *Anal Bioanal Chem* 395: 393-400.

## Environmental Hazard Literature Search Results

### Off Topic

- Kim, EJ; Chun, MK; Jang, JS; Lee, IH; Lee, KR; Choi, HK. (2006). Preparation of a solid dispersion of felodipine using a solvent wetting method. *Eur J Pharm Biopharm* 64: 200-205.
- Kim, H; Cho, MH; Sah, H. (2005). Development of new reverse micellar microencapsulation technique to load water-soluble drug into PLGA microspheres. *Arch Pharm Res* 28: 370-375.
- Kim, J; Ok, J; Kim, S; Choi, W; Lee, PH. (2014). Mild copper-TBAF-catalyzed N-arylation of sulfoximines with aryl siloxanes. *Org Lett* 16: 4602-4605. [Organic letters].
- Kim, J; Qiu, J. (2014). Quantitation of low concentrations of polysorbates in high protein concentration formulations by solid phase extraction and cobalt-thiocyanate derivatization. *Anal Chim Acta* 806: 144-151.
- Kim, JC; Kim, KS; Kim, DS; Jin, SG; Kim, DW; Kim, YI; Park, JH; Kim, JO; Yong, CS; Youn, YS; Woo, JS; Choi, HG. (2016). Effect of HM30181 mesylate salt-loaded microcapsules on the oral absorption of paclitaxel as a novel P-glycoprotein inhibitor. *Int J Pharm* 506: 93-101.
- Kim, J-E; Kim, H-J; Pandit, S; Chang, K-W; Jeon, J-G. (2011). Inhibitory effect of a bioactivity-guided fraction from *Rheum undulatum* on the acid production of *Streptococcus mutans* biofilms at sub-MIC levels. *Fitoterapia* 82: 352-356.
- Kim, JH; Kim, SY; Lee, SY; Jang, CG. (2007). Antidepressant-like effects of *Albizia julibrissin* in mice: Involvement of the 5-HT(1A) receptor system. *Pharmacology Biochemistry and Behavior* 87: 41-47.
- Kim, JK; Eun, JW; Bae, HJ; Shen, QY; Park, SJ; Kim, HS; Park, S; Ahn, YM; Park, WS; Lee, JY; Nam, SW. (2013). Characteristic molecular signatures of early exposure to volatile organic compounds in rat liver. *Biomarkers* 18: 706-715.
- Kim, JY; Choi, DS; Jung, MY. (2003). Anti photo-oxidative activity of sesamol in methylene blue- and chlorophyll-sensitized photo-oxidation of oil. *J Agric Food Chem* 51: 3460-3465.
- Kim, JY; Park, JK; Edil, TB; Jhung, JK. (1996). Sorption capacity of ground tires for vapor-phase volatile organic compounds. Wang, W, J L Schnoor and J Doi (Ed) *Astm Stp, 1261 Volatile Organic Compounds Inthe Environment; Symposium, Montreal, Quebec, Canada, April 11-13, 1994* 291p *Astm* (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA *Isbn* 0-8031-2048-6; 0 (1261) 1996 237-244.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res* 67: 1044-1051.
- Kim, KH; Susaya, JP; Park, CG; Uhm, JH; Hur, J. (2013). Comprehensive monitoring of drinking well water quality in Seoul metropolitan city, Korea. *Environ Monit Assess* 185: 6353-6378.
- Kim, MH; Kim, JN; Han, SN; Kim, HK. (2015). Ursolic acid isolated from guava leaves inhibits inflammatory mediators and reactive oxygen species in LPS-stimulated macrophages. *Immunopharmacol Immunotoxicol* 37: 228-235.
- Kim, MS; Kim, JS; Hwang, SJ. (2010). Enhancement of Wettability and Dissolution Properties of Cilostazol Using the Supercritical Antisolvent Process: Effect of Various Additives. *Chemical & Pharmaceutical Bulletin* 58: 230-233.
- Kim, MY; Lim, SH; Lee, J. (2014). Intake of hot water extracted apple protects against myocardial injury by inhibiting apoptosis in an ischemia/reperfusion rat model. *Nutrition Research* 34: 951-960.
- Kim, S; Lee, E; Lee, SY; Lee, SS; Lindoy, LF. (2014). Interaction of silver(I) and copper(I) with an O2S2-macrocyclic ligand: A comparative structural study. *Inorganica Chimica Acta* 417: 171-176.
- Kim, SG; Jung, SL; Lee, GH; Gong, YD. (2013). Novel Solid-Phase Parallel Synthesis of N-Substituted-2-aminobenzo d thiazole Derivatives via Cyclization Reactions of 2-Iodophenyl Thiourea Intermediate Resin. *Acs Combinatorial Science* 15: 29-40.
- Kim, SJ; Son, KH; Chang, HW; Kang, SS; Kim, HP. (2003). Tyrosinase inhibitory prenylated flavonoids from *Sophora flavescens*. *Biological & Pharmaceutical Bulletin* 26: 1348-1350.
- Kim, SN; Seo, JY; Jung, DW; Lee, MY; Jung, YS; Kim, YC. (2007). Induction of hepatic CYP2E1 by a subtoxic dose of acetaminophen in rats: Increase in dichloromethane metabolism and carboxyhemoglobin elevation. *Drug Metab Dispos* 35: 1754-1758.
- Kim, SY; An, SY; Lee, JS; Heo, JS. (2015). *Zanthoxylum schinifolium* enhances the osteogenic potential of periodontal ligament stem cells. *In Vitro Cellular & Developmental Biology-Animal* 51: 165-173.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *Journal of Environmental Engineering-Asce* 126: 934-942.
- Kim, YC. (1997). Dichloromethane Potentiation of Carbon Tetrachloride Hepatotoxicity in Rats. *Fundam Appl Toxicol* 35: 138-141.
- Kimoto, S; Zaki, MM; Bazmi, HH; Lewis, DA. (2015). Altered Markers of Cortical gamma-Aminobutyric Acid Neuronal Activity in Schizophrenia Role of the NARP Gene. *JAMA Psychiatry* 72: 747-756.
- Kimura, ET; Ebert, DM; Dodge, PW. (1971). Acute Toxicity and Limits of Solvent Residue for Sixteen Organic Solvents. *Toxicol Appl Pharmacol* 19: 699-704.
- Kinard, LA; Kasper, FK; Mikos, AG. (2012). Synthesis of oligo(poly(ethylene glycol) fumarate). *Nat Protoc* 7: 1219-1227.
- King, LC; Kohan, MJ; Austin, AC; Claxton, LD; Huisingh, JL. (1981). Evaluation of the release of mutagens from diesel particles in the presence of physiological fluids. *Environ Mutagen* 3: 109-121.
- Kintz, P. (2012). Segmental hair analysis can demonstrate external contamination in postmortem cases. *Forensic Sci Int* 215: 73-76.
- Kintz, P; Villain, M; Vallet, E; Etter, M; Salquebre, G; Cirimele, V. (2008). Ethyl glucuronide: Unusual distribution between head hair and pubic hair. *Forensic Sci Int* 176: 87-90.
- Kira, M; Ishima, T; Iwamoto, T; Ichinohe, M. (2001). A mechanistic study of reactions of stable disilenes with haloalkanes. *J Am Chem Soc* 123: 1676-1682.
- Kiran, AJ; Lee, HW; Kumar, HCS; Rudresha, BJ; Bhat, BR; Yeom, DI; Kim, K; Rotermund, F. (2010). The ultrafast nonlinear optical response and multi-photon absorption of a new metal complex in the near-infrared spectral range. *Journal of Optics* 12: 35211-35211.

## Environmental Hazard Literature Search Results

### Off Topic

- Kirschman, JC. (1998). Effective regulatory approval process for food ingredient technologies. *Critical Reviews in Food Science and Nutrition* 38: 465-510.
- Kishida, M; Maekawa, T; Bandow, H. (2010). Effect of extraction temperature on pressurized liquid extraction of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and dioxin-like polychlorinated biphenyls from a sediment sample using polar and non-polar solvents. *Anal Chim Acta* 659: 186-193.
- Kiskan, B; Aydogan, B; Yagci, Y. (2009). Synthesis, characterization, and thermally activated curing of oligosiloxanes containing benzoxazine moieties in the main chain. *Journal of polymer science* 47: 804-811.
- Kiskan, B; Yagci, Y; Ishida, H. (2008). Synthesis, characterization, and properties of new thermally curable polyetheresters containing benzoxazine moieties in the main chain. *Journal of polymer science* 46: 414-420.
- Kissinger, GM. (1997). Fractional falling film melt crystallization of bisphenol-a. 213th National Meeting of the American Chemical Society, San Francisco, California, USA, April 13-17, 1997 Abstracts of Papers American Chemical Society 213: ENVR 117.
- Kiszkiel, I; Starczewska, B; Karpinska, J. (2012). New extraction procedures for isolation of famotidine from aqueous samples. *Int J Environ Anal Chem* 92: 714-728.
- Kitamoto, Y; Suzuki, K; Morohashi, N; Sakai, K; Hattori, T. (2013). Switching of the Diastereomer Deposited during the Crystallization of N- (S)-1-Phenylethyl -2 '-carbamoyl-1,1 '-binaphthalene-2-carboxylic Acid: Investigation of the Mechanism of Dielectrically Controlled Resolution. *J Org Chem* 78: 597-605.
- Kitaura, T; Moroi, N; Kitayama, T. (2013). Anionic cyclopolymerization of methacrylic anhydride with the aid of a bulky aluminum Lewis acid. *Polymer* 54: 1987-1992.
- Kitzberger, CSG; Smania, A; Pedrosa, RC; Ferreira, SRS. (2007). Antioxidant and antimicrobial activities of shiitake (*Lentinula edodes*) extracts obtained by organic solvents and supercritical fluids. *Journal of Food Engineering* 80: 631-638.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research* 7: 109-116.
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Månsson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology* 35: 35-46.
- Kjellstrand, P; Månsson, L; Holmquist, B; Jonsson, I. (1990). Tolerance during inhalation of organic solvents. *Pharmacol Toxicol* 66: 409-414. [Pharmacology & toxicology].
- Klamerth, N; Moreira, J; Li, C; Singh, A; McPhedran, KN; Chelme-Ayala, P; Belosevic, M; El-Din, MG. (2015). Effect of ozonation on the naphthenic acids' speciation and toxicity of pH-dependent organic extracts of oil sands process-affected water. *Sci Total Environ* 506: 66-75.
- Klamt, A. (1993). Estimation of gas-phase hydroxyl radical rate constants of organic compounds from molecular orbital calculations. *Chemosphere* 26: 1273-1289.
- Klaus, F; Florey, K. (1972). Triamcinolone Diacetate. *Analytical Profiles of Drug Substances* 423-442.
- Klaus, F; Plakogiannis, FM; McCauley, JA. (1984). Sulindac. *Analytical Profiles of Drug Substances* 573-596.
- Klaus, F; Risley, DS; Bopp, RJ. (1990). Fluoxetine. *Analytical Profiles of Drug Substances* 193-219.
- Klaus Florey, AAA-BGAFHGB; Lee, TG; Ali, SL. (1990). Nifedipine. *Analytical Profiles of Drug Substances* 221-288.
- Klečka, GM; Gonsior, SJ. (1984). Reductive dechlorination of chlorinated methanes and ethanes by reduced iron (II) porphyrins. *Chemosphere* 13: 391-402.
- Kleijn, R; Van Der Voet, E; Udo De Haes, HA. (1994). Controlling substance flows: The case of chlorine. *Environ Manage* 18: 523-542.
- Klein, MT; Kalam, M; Trout, K; Fowler, N; Terry, M. (2015). Mescaline concentrations in three principal tissues of *Lophophora williamsii* (Cactaceae): implications for sustainable harvesting practices. *Haseltonia* 34-42.
- Kleinegris, DMM; van Es, MA; Janssen, M; Brandenburg, WA; Wijffels, RH. (2011). Phase toxicity of dodecane on the microalga *Dunaliella salina*. *J Appl Phycol* 23: 949-958.
- Klibanov, AM; Siegel, EH. (1982). Geometric specificity of porcine liver carboxylesterase and its application for the production of cis-arylacrylic esters. *Enzyme Microb Technol* 4: 172-174.
- Klimkowicz-Pawlas, A; Smreczak, B; Maliszewska-Kordybach, B. (2009). ECOTOXICOLOGICAL EFFECT OF THE MIXTURE OF CADMIUM, ZINC AND LEAD IN FRESHLY CONTAMINATED SOILS AS INFLUENCED BY THE PRESENCE OF PAHs. *Fresen Environ Bull* 18: 1103-1109.
- Kloepfer, JA; Bradforth, SE; Nadeau, JL. (2005). Photophysical properties of biologically compatible CdSe quantum dot structures. *J Phys Chem B* 109: 9996-10003. [The journal of physical chemistry. B].
- Kloepffer, W. (1994). Environmental hazard: Assessment of chemicals and products: Part I. General assessment principles. *Environmental Science and Pollution Research International* 1: 48-53.
- Klopman, G; Frierson, MR; Rosenkranz, HS. (1990). The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The Gene-Tox data base. *Mutat Res* 228: 1-50.
- Kmunicek, J; Luengo, S; Gago, F; Ortiz, AR; Wade, RC; Damborsky, J. (2001). Comparative binding energy analysis of the substrate specificity of haloalkane dehalogenase from *Xanthobacter autotrophicus* GJ10. *Biochemistry* 40: 8905-8917.
- Knapp, K; Gorecki, M; Frelek, J; Luboradzki, R; Hollosi, M; Majer, Z; Vass, E. (2014). Comprehensive Chiroptical Study of Proline-Containing Diamide Compounds. *Chirality* 26: 228-242.
- Kneib, RT; Scheele, CEH. (2000). Does tethering of mobile prey measure relative predation potential? An empirical test using mummichogs and grass shrimp. *Mar Ecol Prog Ser* 198: 181-190.
- Knight, RA. (2000). Experience with raw gas analysis from pressurized gasification of biomass. *Biomass & Bioenergy* 18: 67-77.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air and Soil Pollution* 88: 205-226.

## Environmental Hazard Literature Search Results

### Off Topic

- Knox, RS; Spring, BQ. (2003). Dipole strengths in the chlorophylls. *Photochem Photobiol* 77: 497-501.
- Ko, E; Song, H; Park, JH. (2000). Direct competitive enzyme-linked immunosorbent assay for sulfamethazine. *Journal of Veterinary Medical Science* 62: 1121-1123.
- Kobayashi, K; Fukuhara, H; Hata, T; Sekine, A; Uekusa, H; Ohashi, Y. (2003). Physicochemical and crystal structure analyses of the antidiabetic agent troglitazone. *Chemical & Pharmaceutical Bulletin* 51: 807-814.
- Kobayashi, T; Maeda, M; Haradahira, T; Kojima, M. (1982). Fluoro norcholesterol analogues. Synthesis of 6<sup>12</sup>-(2'-fluoro)ethyl-19-norcholest-5(10)-EN-3<sup>12</sup>-OL. *Steroids* 39: 585-593.
- Kobeissi, M; Cherry, K; Faraj, MK; Simonneaux, Gr. (2013). Synthesis of pure iron(II) mesotetraphenylchlorin complexes via a versatile general method of iron insertion into chlorins. *Inorganica Chimica Acta* 396: 30-34.
- Koch, HP; Hofeneder, M; Bohne, B. (1993). The yeast test: An alternative method for the testing of acute toxicity of drug substances and environmental chemicals. *Methods Find Exp Clin Pharmacol* 15: 141-152.
- Koch, KR; Yates, JE. (1983). The effect of tin(II) chloride on the liquid-liquid extraction of tetrachloroplatinate(II) ions by triphenylphosphine in dichloromethane. *Anal Chim Acta* 147: 235-245.
- Koch, R; Nagel, M. (1988). Quantitative structure activity relationships in soil ecotoxicology. *Sci Total Environ* 77: 269-276.
- Koerner, R; Latos-Grazynski, L; Balch, AL. (1998). Models for verdoheme hydrolysis. Paramagnetic products from the ring opening of verdohemes, 5-oxaporphyrin complexes of iron(II), with methoxide ion. *J Am Chem Soc* 120: 9246-9255.
- Koganti, A; Singh, R; Ma, BL; Weyand, EH. (2001). Comparative analysis of PAH : DNA adducts formed in lung of mice exposed to neat coal tar and soils contaminated with coal tar. *Environmental Science & Technology* 35: 2704-2709.
- Kohler-Staub, D; Frank, S; Leisinger, T. Dichloromethane as the sole carbon source for *Hyphomicrobium* sp. strain DM2 under denitrification conditions. *Biodegradation* Sept 1995. v. 6 (3): 229-235.
- Koike, E; Kobayashi, T. (2005). Organic extract of diesel exhaust particles stimulates expression of Ia and costimulatory molecules associated with antigen presentation in rat peripheral blood monocytes but not in alveolar macrophages. *Toxicol Appl Pharmacol* 209: 277-285.
- Koinecke, A; Kreuzig, R; Bahadir, M; Siebers, J; Nolting, HG. (1994). Investigations on the substitution of dichloromethane in pesticide residue analysis of plant materials. *Fresenius' Journal of Analytical Chemistry* 349: 301-305.
- Kojima, T; Sowa, T; Kodama, S; Sato, M; Shigetomi, Y; Yamamoto, Y. (1992). Adsorption behaviour and separation of copper(II) ions on cellulose triacetate polymer containing  $\beta$ -hydroxy oxime compounds. *Anal Chim Acta* 264: 59-64.
- Kokare, A; Suryavanshi, V; Zanje, S; Kore, G; Anuse, M. (2016). Liquid-liquid extraction and separation of lead( II) by using N-n-octylcyclohexylamine as an extractant: analysis of real samples. *Analytical Methods* 8: 6158-6167.
- Kokurewicz, T. (2004). Sex and age related habitat selection and mass dynamics of Daubenton's bats *Myotis daubentonii* (Kuhl, 1817) hibernating in natural conditions. *Acta Chiropterologica* 6: 121-144.
- Komiya, K; Aminaka, M; Hasegawa, K; Hachiya, H; Okamoto, H; Fukuoka, S; Yoneda, H; Fukawa, I; Dozono, T. (1994). New process for producing polycarbonate without phosgene and methylene chloride. 208th National Meeting of the American Chemical Society, Washington, DC, USA, August 21-25, 1994 Abstracts of Papers American Chemical Society 208: ENVR 186.
- Koncsag, CI; Eastwood, D; Collis, AEC; Coles, SR; Clark, AJ; Kirwan, K; Burton, K. (2012). Extracting valuable compounds from straw degraded by *Pleurotus ostreatus*. *Resour Conservat Recycl* 59: 14-22.
- Koncsag, CI; Kirwan, K. (2012). A membrane screening for the separation/concentration of dilignols and trilignols from solvent extracts. *Separation and Purification Technology* 94: 54-60.
- Kong, D; am Ende, DJ; Brenek, SJ; Weston, NP. (2003). Determination of flash point in air and pure oxygen using an equilibrium closed bomb apparatus. *J Hazard Mater* 102: 155-165.
- Kongkiatpaiboon, S; Rojsanga, P; Pattarajinda, V; Gritsanapan, W. (2013). Acetylcholinesterase inhibitory activity of didehydrostemofoline, stemofoline alkaloids and extracts from *Stemona collinsiae* Craib roots. *Pharmacognosy Journal* 5: 56-59.
- Konig, GM; Wright, AD. *Laurencia rigida*: chemical investigations of its antifouling dichloromethane extract. *J Nat Prod Oct* 1997. v. 60 (10): 967-970.
- Konig, GM; Wright, AD. Sesquiterpene content of the antibacterial dichloromethane extract of the marine red alga *Laurencia obtusa*. *Planta Med Apr* 1997. v. 63 (2): 186-187.
- Konig, GM; Wright, AD. (1998). New cembranoid diterpenes from the soft coral *Sarcophyton ehrenbergi*. *J Nat Prod* 61: 494-496.
- Konig, GM; Wright, AD. (1998). An unprecedented compound from the dichloromethane solubles of the tropical marine sponge *Agelas oroides*. *Planta Med* 64: 88-89.
- Konig, GM; Wright, AD; de Nys, R. (1999). Halogenated monoterpenes from *Plocamium costatum* and their biological activity. *J Nat Prod* 62: 383-385.
- Konig, GM; Wright, AD; Franzblau, SG. (2000). Assessment of antimycobacterial activity of a series of mainly marine derived natural products. *Planta Med* 66: 337-342.
- Konkol, LM; Cross, RF; Harding, IH; Kosior, E. (2003). Contaminants and levels of occurrence in washed and shredded poly(ethylene terephthalate) from curbside collection. II: Validation of extraction procedures, particle size sampling and crystallinity. *Food Additives and Contaminants Part a-Chemistry Analysis Control Exposure & Risk Assessment* 20: 972-984.
- Kontou, S; Tsiipi, D; Oreopoulou, V; Tzia, C. (2001). Determination of ETU in tomatoes and tomato products by HPLC-PDA. Evaluation of cleanup procedures. *J Agric Food Chem* 49: 1090-1097.
- Koo, JK; Ahn, DW; Yoon, SP; Kim, DH. (1990). Effects of water content and temperature on equilibrium distribution of organic pollutants in unsaturated soil. *Water Air Soil Pollut* 53: 267-278.

## Environmental Hazard Literature Search Results

### Off Topic

- Koo, JK; Kim, DH. (1988). Effects of water content and temperature on the equilibrium distribution of organic pollutant in unsaturated soil. Third Chemical Congress of North America Held at the 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June 5-10, 1988 Abstr Pap Chem Congr North Am 3: ENVR 201.
- Koorbanally, NA; Crouch, NR; Harilal, A; Pillay, B; Mulholland, DA. (2006). Coincident isolation of a novel homoisoflavonoid from *Resnova humifusa* and *Eucomis montana* (Hyacinthoideae : Hyacinthaceae). *Biochemical Systematics and Ecology* 34: 114-118.
- Koorbanally, NA; Koorbanally, C; Harilal, A; Mulholland, DA; Crouch, NR. (2004). Bufadienolides from *Drimia robusta* and *Urginea epigea* (Hyacinthaceae). *Phytochemistry* 65: 3069-3073.
- Koren, G; Sharav, T; Pastuszak, A; Garrettson, LK; Hill, K; Samson, I; Rorem, M; King, A; Dolgin, JE. (1991). A multicenter, prospective study of fetal outcome following accidental carbon monoxide poisoning in pregnancy. *Reprod Toxicol* 5: 397-403.
- Korobova, EV; Mironov, DP; Pogosov, IL. Studies of some regularities in the process of cellulose triacetate hydrolysis in methylene chloride medium. *Khimiia drevesyiny Nov/Dec 1980*. (6): 26-28 ill.
- Kose, GT; Kenar, H; Hasirci, N; Hasirci, V. (2003). Macroporous poly(3-hydroxybutyrate-co-3-hydroxyvalerate) matrices for bone tissue engineering. *Biomaterials* 24: 1949-1958.
- Kose, GT; Korkusuz, F; Korkusuz, P; Purali, N; Ozkul, A; Hasirci, V. (2003). Bone generation on PHBV matrices: an in vitro study. *Biomaterials* 24: 4999-5007.
- Kotowska, D; El-Houri, RB; Borkowski, K; Petersen, RK; Frette, XC; Wolber, G; Grevsen, K; Christensen, KB; Christensen, LP; Kristiansen, K. (2014). Isomeric C-12-Alkarnides from the Roots of *Echinacea purpurea* Improve Basal and Insulin-Dependent Glucose Uptake in 3T3-L1 Adipocytes. *Planta Med* 80: 1712-1720.
- Kotze, M; Eloff, JN. (2002). Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany* 68: 62-67.
- Kovačič, S; Krajnc, P. (2009). Macroporous monolithic poly(4-vinylbenzyl chloride) columns for organic synthesis facilitation by in situ polymerization of high internal phase emulsions. *Journal of polymer science* 47: 6726-6734.
- Kovacevic, A; Meadows, KR; Counts, M; Arthur, DJ. (2011). Solvent influence in the formation of normal and abnormal carbene complexes in reactions of imidazolium salts with [Ir(H)2(PPh3)2(OCMe2)2]BF4. *Inorganica Chimica Acta* 373: 259-261.
- Kozelka, J; Segal, E; Bois, C. (1992). Cytotoxic activity of platinum (II) complexes with tri-n-butylphosphine. Crystal structure of the dinuclear hydrazine-bridged complex, cis,cis-[PtCl(PBu3n)2(μ-N2H4)PtCl(PBu3n)2] (ClO4)2.2CHCl3. *J Inorg Biochem* 47: 67-80. [Journal of inorganic biochemistry].
- Koziej, D; Fischer, F; KráĎnĎzln, N; Caseri, WR; Niederberger, M. (2009). Nonaqueous TiO2 nanoparticle synthesis: a versatile basis for the fabrication of self-supporting, transparent, and UV-absorbing composite films. *ACS Appl Mater Interfaces* 1: 1097-1104. [ACS applied materials & interfaces].
- Kozłowski, E; Sienkowska-Zyskowska, E; Gorecki, T. (1991). Continuous flow thin-layer headspace (TLHS) analysis: I. Conductometric determination of volatile organic halogens (VOX) in tap water. *Fresenius' J Anal Chem* 339: 19-25.
- Kraikrathok, C; Ngamsaengi, S; Bullangpoti, V; Pluemanapat, W; Koul, O. (2013). Bio efficacy of some piperaceae plant extracts against *Plutella xylostella* L. (Lepidoptera: Plutellidae). *Commun Agric Appl Biol Sci* 2013; 78(2):305-9 [Communications in agricultural and applied biological sciences].
- Kramers, PGN; Mout, HCA; Bissumbar, B; Mulder, CR. (1991). Inhalation exposure in *Drosophila* mutagenesis assays: experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. *Mutation Research/Environmental Mutagenesis and Related Subjects* 252: 17-33.
- Krasnoff, SB; Gupta, S. Identification of the antibiotic phomalactone from the entomopathogenic fungus *Hirsutella thompsonii* var. *synnematos*. *J Chem Ecol* Feb 1994. v. 20 (2): 293-302.
- Krausova, VI; Robb, FT; Gonzalez, JM. (2006). Biodegradation of dichloromethane in an estuarine environment. *Hydrobiologia* 559: 77-83.
- Krech, JH; Rose-Pehrsson, SL. (1997). Detection of volatile organic compounds in the vapor phase using solvatochromic dye-doped polymers. *Anal Chim Acta* 341: 53-62.
- Kriley, CE; Majireck, MM; Tobolewski, JM; Kelvington, LE; Cummings, SH; Hershberger, SJ; Link, JD; Silverio, AL; Fanwick, PE; Rothwell, IP. (2005). Synthesis and characterization of two novel cobalt (II) phosphine complexes: crystal structures of [CoCl3(Cy2PCH2PCy2H)] and [Co(NO3)2(Cy2PCH2PCy2O)]. Cy = cyclohexyl, C6H11. *Inorganica Chimica Acta* 358: 57-62.
- Krill, RM; Sonzogni, WC. (1986). Chemical monitoring of wisconsin's usa groundwater. *Am Water Works Assoc J* 78: 70-75.
- Krishna, EH; Gupta, VRM; Krishna, M; Jyothi, S; Dasari, R. (2013). Preparation and evaluation of sodium CMC zaltoprofen spherical agglomerates for direct compression. *Journal of Pharmacy Research* 6: 61-67.
- Krishna, G; Czerkawski, JW; Breckenridge, G. (1986). Fermentation of various preparations of spent hops (*Humulus lupulus* L.) using the rumen simulation technique (Rusitec). *Agricultural Wastes* 17: 99-117.
- Krishna, G; Ong, T; Whong, WZ; Nath, J. (1983). Mutagenicity studies of ambient airborne particles: I. Comparison of solvent systems. *Mutation Research/Genetic Toxicology* 124: 113-120.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect* 110: 989-994.
- Kristmundsdóttir, T; Gudmundsson, ÁS; Ingvarsdóttir, K. (1996). Release of diltiazem from Eudragit microparticles prepared by spray-drying. *Int J Pharm* 137: 159-165.
- Kristoffersen, KA; Benneche, T. (2015). Trifluoroacetylation of electron-rich thiophenes. *Journal of Fluorine Chemistry* 176: 31-34.

## Environmental Hazard Literature Search Results

### Off Topic

- Krivokapic, A; Cowley, AR; Anderson, HL. (2003). Contracted and expanded meso-alkynyl porphyrinoids: from triphyrin to hexaphyrin. *J Org Chem* 68: 1089-1096.
- Krone, CA; Stein, JE; Varanasi, U. (1992). Estimation of levels of metabolites of aromatic hydrocarbons in fish tissues by HPLC/fluorescence analysis. *Chemosphere* 24: 497-510.
- Krzemien-Konieczka, I; Buszewski, B. (2015). Determining Polychlorinated Biphenyls in Soil Using Accelerated Solvent Extraction (ASE). *Pol J Environ Stud* 24: 2029-2033.
- Ktari, L; Guyot, M. (1999). A cytotoxic oxysterol from the marine alga *Padina pavonica* (L.) Thivy. *J Appl Phycol* 11: 511-513.
- Kubic, VL; Anders, MW. (1975). Metabolism of dihalomethanes to carbon monoxide. II. In vitro studies. *Drug Metab Dispos* 3: 104-112. [Drug metabolism and disposition: the biological fate of chemicals].
- Kubic, VL; Anders, MW. (1978). Metabolism of dihalomethanes to carbon monoxide: III: Studies on the mechanism of the reaction. *Biochem Pharmacol* 27: 2349-2355.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2015). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health* 57: 87-90.
- Kubulus, D; Mathes, A; Pradarutti, S; Raddatz, A; Heiser, J; Pavlidis, D; Wolf, B; Bauer, I; Rensing, H. (2008). Hemin arginate-induced heme oxygenase 1 expression improves liver microcirculation and mediates an anti-inflammatory cytokine response after hemorrhagic shock. *Shock* 29: 583-590.
- Kucukguzel, I; Ulgen, M; Gorrod, JW. (1999). In vitro hepatic microsomal metabolism of N-benzyl-N-methylaniline. *Farmaco* 54: 331-337.
- Kucukguzel, SG; Kucukguzel, I; Ulgen, M. (2000). Metabolic and chemical studies on N-(4-chlorobenzyl)-N'-benzoylhydrazine. *Farmaco* 55: 624-630.
- Kuhne, M; Gyorgydeak, Z; Lindhorst, TK. (2006). A simple method for the preparation of glycosyl isothiocyanates. *Synthesis-Stuttgart* 949-951.
- Kuir, D; Guillemineau, M; Auzanneau, FI. (2015). Aggregation of a Tetrasaccharide Acceptor Observed by NMR: Synthesis of Pentasaccharide Fragments of the Le(a)Le(x) Tumor-Associated Hexasaccharide Antigen. *J Org Chem* 80: 5004-5013.
- Kukula-Koch, W; Koch, W; Stasiak, N; Glowinski, K; Asakawa, Y. (2015). Quantitative standardization and CPC-based recovery of pharmacologically active components from *Polygonum tinctorium* Ait. leaf extracts. *Ind Crop Prod* 69: 324-328.
- Kulawardana, EU; Neckers, DC. (2010). Photoresponsive oil sorbers. *Journal of polymer science* 48: 55-62.
- Kumar, A; Doddi, VR; Vankar, YD. (2008). Mild and efficient chemoselective deprotection of anomeric O-methyl glycosides with trityl tetrafluoroborate. *J Org Chem* 73: 5993-5995.
- Kumar, A; Pundle, A. (2009). Effect of organic solvents on cell-bound penicillin V acylase activity of *Erwinia aridae* (DSMZ 30186): A permeabilization effect. *Journal of Molecular Catalysis B: Enzymatic* 57: 67-71.
- Kumar, KN; Ramesh, R; Liu, Y. (2006). Synthesis and structure of cycloruthenated carbonyl complexes and their emission, redox and biological properties. *J Inorg Biochem* 100: 18-26.
- Kumar, M; Kumar, V; Beniwal, V. (2015). Synthesis of some pyrazolylaldehyde N-isonicotinoyl hydrazones and 2,5-disubstituted 1,3,4-oxadiazoles as DNA photocleaving agents. *Medicinal Chemistry Research* 24: 2862-2870.
- Kumar, M; Kumar, V; Gupta, GK. (2015). Synthesis, antibacterial evaluation, and SAR study of some novel 3-aryl/heteroaryl-9-methyl-1,2,4-triazolo-4,3-a-quinoline derivatives. *Medicinal Chemistry Research* 24: 1857-1868.
- Kumar, M; Tomar, RS; Lade, H; Paul, D. (2016). Methylotrophic bacteria in sustainable agriculture. *World Journal of Microbiology & Biotechnology* 32: 120-120.
- Kumar Naraharisetti, P; Yung Sheng Ong, B; Wei Xie, J; Kam Yiu Lee, T; Wang, C-H; Sahinidis, NV. (2007). In vivo performance of implantable biodegradable preparations delivering Paclitaxel and Etanidazole for the treatment of glioma. *Biomaterials* 28: 886-894.
- Kumar, V; Kothiyal, NC. (2012). Distribution behavior and carcinogenic level of some polycyclic aromatic hydrocarbons in roadside soil at major traffic intercepts within a developing city of India. *Environ Monit Assess* 184: 6239-6252.
- Kumar, V; Yang, D. (2002). Oxidized cellulose esters: I. Preparation and characterization of oxidized cellulose acetates - a new class of biodegradable polymers. *Journal of Biomaterials Science-Polymer Edition* 13: 273-286.
- Kumar, V; Yang, T; Yang, Y. (1999). Interpolymer complexation. I. Preparation and characterization of a polyvinyl acetate phthalate-polyvinylpyrrolidone (PVAP-PVP) complex. *Int J Pharm* 188: 221-232.
- Kumarasamy, Y; Byres, M; Cox, PJ; Jaspars, M; Nahar, L; Sarker, SD. (2007). Screening seeds of some Scottish plants for free radical scavenging activity. *Phytother Res* 21: 615-621.
- Kumarasamy, Y; Cox, PJ; Jaspars, M; Nahar, L; Sarker, SD. (2002). Screening seeds of Scottish plants for antibacterial activity. *J Ethnopharmacol* 83: 73-77.
- Kumarnsit, E; Keawpradub, N; Vongvatcharanon, U; Sawangjaroen, K; Govitrapong, P. (2005). Suppressive effects of dichloromethane fraction from the *Areca catechu* nut on naloxone-precipitated morphine withdrawal in mice. *Fitoterapia* 76: 534-539.
- Kunastitchai, S; Pichert, L; Sarisuta, N; Muller, BW. (2006). Application of aerosol solvent extraction system (ASES) process for preparation of liposomes in a dry and reconstitutable form. *Int J Pharm* 316: 93-101.
- Kundu, B; Richardson, SD; Granville, CA; Shaughnessy, DT; Hanley, NM; Swartz, PD; Richard, AM; DeMarini, DM. (2004). Comparative mutagenicity of halomethanes and halonitromethanes in *Salmonella* TA100: structure-activity analysis and mutation spectra. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 554: 335-350.
- Kundu, B; Richardson, SD; Granville, CA; Shaughnessy, DT; Hanley, NM; Swartz, PD; Richard, AM; DeMarini, DM. (2004). Comparative mutagenicity of halomethanes and halonitromethanes in *Salmonella* TA100: structure-activity analysis and mutation spectra. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis* 554: 335-350.

## Environmental Hazard Literature Search Results

### Off Topic

- Kungskulniti, N; Edgerton, SA. (1990). Ambient volatile organic compounds at selected sites in Bangkok city, Thailand. *Chemosphere* 20: 673-680.
- Kunieda, M; Mizoguchi, T; Tamiaki, H. (2004). Diastereoselective self-aggregation of synthetic 3-(1-hydroxyethyl)-bacteriopyrochlorophyll-a as a novel photosynthetic antenna model absorbing near the infrared region. *Photochem Photobiol* 79: 55-61.
- Kunii, R; Onishi, H; Machida, Y. (2007). Preparation and antitumor characteristics of PLA/(PEG-PPG-PEG) nanoparticles loaded with camptothecin. *Eur J Pharm Biopharm* 67: 9-17.
- Kunishima, M; Kitamura, M; Tanaka, H; Nakakura, I; Moriya, T; Hioki, K. (2013). Study of 1,3,5-Triazine-Based Catalytic Amide-Forming Reactions: Effect of Solvents and Basicity of Reactants. *Chemical & Pharmaceutical Bulletin* 61: 882-886.
- Kunle, O; Okogun, J; Egamana, E; Emojevwe, E; Shok, M. (2003). Antimicrobial activity of various extracts and carvacrol from *Lippia multiflora* leaf extract. *Phytomedicine* 10: 59-61.
- Kuno, S; Takahashi, A; Ogawa, S. (2011). Transformation of quercitols into 4-methylenecyclohex-5-ene-1,2,3-triol derivatives, precursors for the chemical chaperones N-octyl-4-epi-&beta;-valienamine (NOEV) and N-octyl-&beta;-valienamine (NOV). *Bioorg Med Chem Lett* 21: 7189-7192. [Bioorganic & medicinal chemistry letters].
- Kunzel, W; Breit, S; Probst, A. (2004). The subchondral split line patterns of the medial coronoid process in canine ulnae. *Anatomia Histologia Embryologia* 33: 339-343.
- Kuo, P-C; Chen, IC; Lee, HM; Hung, C-H; Huang, J-H. (2005). Synthesis, reactivity, and structures of dialuminum complexes containing linked ketiminate ligands. *Inorganica Chimica Acta* 358: 3761-3767.
- Kuo, PY; Yang, DY. (2008). Design of a coumarin-based triketone as a fluorescent protecting group for primary amines. *J Org Chem* 73: 6455-6458.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res* 67: 910-920.
- Kurihara, T; Sakamoto, Y; Takai, M; Ohishi, H; Harusawa, S; Yoneda, R. (1995). MEISENHEIMER REARRANGEMENT OF AZETOPYRIDOINDOLE .7. RING EXPANSION OF 2-PHENYLHEXAHYDROAZETO 1',2'(1,2) PYRIDO 3,4-B INDOLES BY OXIDATION WITH M-CHLOROPERBENZOIC ACID. *Chemical & Pharmaceutical Bulletin* 43: 1089-1095.
- Kurimoto, Y; Takeda, M; Koizumi, A; Yamauchi, S; Doi, S; Tamura, Y. (2000). Mechanical properties of polyurethane films prepared from liquefied wood with polymeric MDI. *Bioresour Technol* 74: 151-157.
- Kurita, K; Akao, H; Yang, J; Shimojoh, M. (2003). Nonnatural branched polysaccharides: Synthesis and properties of chitin and chitosan having disaccharide maltose branches. *Biomacromolecules* 4: 1264-1268.
- Kurnik, RT; Barduhn, AJ. (1978). Thermodynamic properties of normal butane at refrigeration temperatures. *Desalination* 26: 211-283.
- Kuroda, H; Kubo, S; Chino, N; Kimura, T; Sakakibara, S. (1992). Unexpected racemization of proline or hydroxy-proline phenacyl ester during coupling reactions with Boc-amino acids. *Int J Pept Protein Res* 40: 114-118. [International journal of peptide and protein research].
- Kuroda, N; Hattori, T; Kitada, C; Sugawara, T. (2001). Solution-phase automated synthesis of tripeptide derivatives. *Chemical & Pharmaceutical Bulletin* 49: 1138-1146.
- Kuroda, N; Hird, N; Cork, DG. (2006). Further development of a robust workup process for solution-phase high-throughput library synthesis to address environmental and sample tracking issues. *J Comb Chem* 8: 505-512.
- Kurosu, M; Li, K. (2009). (2,6-Dichloro-4-alkoxyphenyl)-(2,4-dichlorophenyl)methyl Trichloroacetimidates: Protection of Alcohols and Carboxylic Acids in Solution or on Polymer Support. *Synthesis-Stuttgart* 3633-3641.
- Kurppa, K; Vainio, H. (1981). Effects of intermittent dichloromethane inhalation on blood carboxyhemoglobin concentration and drug metabolizing enzymes in rat. *Res Commun Chem Pathol Pharmacol* 32: 535-544. [Research communications in chemical pathology and pharmacology].
- Kurt, Y; Koca, Af; Akkurt, M; Aseven, B. (2012). Iron(III) and nickel(II) complexes of O,N,N,O-chelating benzophenone thiosemicarbazone: Electrochemistry and in situ spectroelectrochemistry. *Inorganica Chimica Acta* 388: 148-156.
- Kutsch, H; Schoen, U. (2000). A simplified HPTLC screening method for the estimation of the PAH content in soil samples. *Fresenius J Anal Chem* 367: 279-283. [Fresenius' journal of analytical chemistry].
- Kutteh, R; Jones, RB. (2000). Rigid body molecular dynamics with nonholonomic constraints: Molecular thermostat algorithms. *Physical Review E* 61: 3186-3198.
- Kwak, CS; Lee, MS; Park, SC. (2007). Higher antioxidant properties of Chungkookjang, a fermented soybean paste, may be due to increased aglycone and malonylglyco side isoflavone during fermentation. *Nutrition Research* 27: 719-727.
- Kwon, YM; Baudys, M; Knutson, K; Kim, SW. (2001). In situ study of insulin aggregation induced by water-organic solvent interface. *Pharm Res* 18: 1754-1759.
- Kysilka, Oe; Rybkovi, Mt; Skalick, M; Kvalovi, M; Cvaka, J; Kvala, J. (2009). Fluorous imidazolium room-temperature ionic liquids based on HFPO trimer. *Journal of Fluorine Chemistry* 130: 629-639.
- Lpez-Lpez, M; de la Ossa, MA; Galindo, JS; Ferrando, JL; Vega, A; Torre, M; Garca-Ruiz, C. (2010). New protocol for the isolation of nitrocellulose from gunpowders: utility in their identification. *Talanta* 81: 1742-1749. [Talanta].
- Lthy, J; Zweifel, U; Schlatter, C. (1980). Metabolism and tissue distribution of [<sup>14</sup>C] aflatoxin B1 in pigs. *Food Cosmet Toxicol* 18: 253-256.
- Lpez, E; Ordez, S; Sastre, H; Dez, amp; ez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater* 97: 281-294.
- Lpez-Lpez, T; Gil-Garcia, MD; Martnez-Vidal, JL; Martnez-Galera, M. (2001). Determination of pyrethroids in vegetables by HPLC using continuous on-line post-elution photoradiation with fluorescence detection. *Anal Chim Acta* 447: 101-111.

## Environmental Hazard Literature Search Results

### Off Topic

- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res* 68: 348-358.
- Lackey, LW; Phelps, TJ; Bienkowski, PR; White, DC. (1993). Biodegradation of chlorinated aliphatic hydrocarbon mixtures in a single-pass packed-bed reactor. Fourteenth Symposium on Biotechnology for Fuels and Chemicals, Gatlinburg, Tennessee, USA, May 11-15, 1992 *Appl Biochem Biotechnol* 39-40: 701-713.
- Lafleur, AL; Monchamp, PA; Plummer, EF; Kruzel, EL. (1986). Evaluation of gravimetric methods for dissolvable matter in extracts of environmental samples. *Anal Lett* 19: 1987.
- Lagouri, V; Bantouna, A; Stathopoulos, P. (2010). A COMPARISON OF THE ANTIOXIDANT ACTIVITY AND PHENOLIC CONTENT OF NONPOLAR AND POLAR EXTRACTS OBTAINED FROM FOUR ENDEMIC LAMIACEAE SPECIES GROWN IN GREECE. *Journal of Food Processing and Preservation* 34: 872-886.
- Lagunas-Allue, L; Sanz-Asensio, J; Martinez-Soria, MT. (2012). Optimization and Validation of a Simple and Fast Method for the Determination of Fungicides in Must and Wine Samples by SPE and GC/MS. *J AOAC Int* 95: 1511-1519.
- Lahoum, A; Aouiche, A; Bouras, N; Verheecke, C; Klenk, HP; Sabaou, N; Mathieu, F. (2016). Antifungal activity of a Saharan strain of *Actinomyces* sp ACD1 against toxigenic fungi and other pathogenic microorganisms. *Journal de Mycologie Medicale* 26: 193-200.
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *Journal of Environmental Engineering-Asce* 132: 199-210.
- Lakhdar, S; Westermaier, M; Terrier, F; Goumont, R; Boubaker, T; Ofial, AR; Mayr, H. (2006). Nucleophilic reactivities of indoles. *J Org Chem* 71: 9088-9095.
- Lakkisto, P; Kyto, V; Forsten, H; Siren, JM; Segersvard, H; Voipio-Pulkki, LM; Laine, M; Pulkki, K; Tikkanen, I. (2010). Heme oxygenase-1 and carbon monoxide promote neovascularization after myocardial infarction by modulating the expression of HIF-1 alpha, SDF-1 alpha and VEGF-B. *Eur J Pharmacol* 635: 156-164.
- Lakkisto, P; Kytäjä, V; Forsten, H; Siren, J-M; Segersvärd, H; Voipio-Pulkki, L-M; Laine, M; Pulkki, K; Tikkanen, I. (2010). Heme oxygenase-1 and carbon monoxide promote neovascularization after myocardial infarction by modulating the expression of HIF-1 $\alpha$ , SDF-1 $\alpha$  and VEGF-B. *Eur J Pharmacol* 635: 156-164.
- Lale, NES; Okunade, SO. (2000). Effect of weevil infestation on the caffeine content of stored kola nuts (*Cola nitida* Schott Vent. et Endl.) in Maiduguri, Nigeria. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* 107: 88-92.
- Lam, K; Geiger, WE. (2013). Anodic Oxidation of Disulfides: Detection and Reactions of Disulfide Radical Cations. *J Org Chem* 78: 8020-8027.
- Lambert, JB; Lin, LJ; Keinan, S. (2003). The C(5)SiMe(7)(+) cation: pyramidal, bicyclic, or cyclohexadienyl? *Organic & Biomolecular Chemistry* 1: 2559-2565.
- Lancaster, NL; Salter, PA; Welton, T; Young, GB. (2002). Nucleophilicity in ionic liquids. 2. Cation effects on halide nucleophilicity in a series of bis(trifluoromethylsulfonyl)imide ionic liquids. *J Org Chem* 67: 8855-8861.
- Lancaster, NL; Welton, T. (2004). Nucleophilicity in ionic liquids. 3. (1) Anion effects on halide nucleophilicity in a series of 1-butyl-3-methylimidazolium ionic liquids. *J Org Chem* 69: 5986-5992.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol* 71: 72-83.
- Langevin, R; Rasmussen, JB; Slotterduk, H; Blaise, C. (1992). Genotoxicity in water and sediment extracts from the St Lawrence river system, using the SOS chromotest. *Water Res* 26: 419-429.
- Langone, F; Lora, S; Veronese, FM; Caliceti, P; Parnigotto, PP; Valenti, F; Palma, G. (1995). Peripheral nerve repair using a poly(organo)phosphazene tubular prosthesis. *Biomaterials* 16: 347-353.
- Langseth, BJ; Schueller, AM; Shertzer, KW; Craig, JK; Smith, JW. (2016). Management implications of temporally and spatially varying catchability for the Gulf of Mexico menhaden fishery. *Fisheries Research* 181: 186-197.
- Larson, RA; Ju, H-L; Snoeyink, VL; Recktenwalt, MA; Dowd, PA. (1988). Some intermediates in the wet air oxidation of phenanthrene adsorbed on powdered activated carbon. *Water Res* 22: 337-342.
- Lash, TD; Chandrasekar, P; Osuma, AT; Chaney, ST; Spence, JD. (1998). Porphyrins with exocyclic rings. 13 - Synthesis and spectroscopic characterization of highly modified porphyrin chromophores with fused acenaphthylene and benzothiadiazole rings. *J Org Chem* 63: 8455-8469.
- Lash, TD; Chaney, ST; Richter, DT. (1998). Conjugated macrocycles related to the porphyrins. 12. Oxybenzi- and oxypyriporphyrins: Aromaticity and conjugation in highly modified porphyrinoid structures. *J Org Chem* 63: 9076-9088.
- Lash, TD; Gandhi, V. (2000). Porphyrins with exocyclic rings. 15. Synthesis of quino- and isoquinoporphyrins, aza analogues of the naphthoporphyrins. *J Org Chem* 65: 8020-8026.
- Lash, TD; Lammer, AD; Idate, AS; Colby, DA; White, K. (2012). Preparation of Azulene-Derived Fulvenedialdehydes and Their Application to the Synthesis of Stable adj-Dicarbaporphyrinoids. *J Org Chem* 77: 2368-2381.
- Lash, TD; Von Ruden, AL. (2008). Synthesis and Reactivity of N-Methyl and N-Phenyl meso-Unsubstituted N-Confused Porphyrins. *J Org Chem* 73: 9417-9425.
- Latha, C. (2007). Microwave-assisted extraction of embelin from *Embelia ribes*. *Biotechnol Lett* 29: 319-322.
- Lau, KHW; Lee, MY; Linkhart, TA; Mohan, S; Vermeiden, J; Liu, CC; Baylink, DJ. (1985). A mouse tumor-derived osteolytic factor stimulates bone resorption by a mechanism involving local prostaglandins production in bone. *Biochimica et Biophysica Acta (BBA) - General Subjects* 840: 56-68.



## Environmental Hazard Literature Search Results

### Off Topic

- Laue, RE; Jiang, Y; Chhabra, S; Jacob, S; Stewart, G; Hardman, A; Downie, JA; O'Gara, F; Williams, P. (2000). The biocontrol strain *Pseudomonas fluorescens* F113 produces the Rhizobium small bacteriocin, N-(3-hydroxy-7-cis-tetradecenoyl)homoserine lactone, via HdtS, a putative novel N-acylhomoserine lactone synthase. *Microbiology-Sgm* 146: 2469-2480.
- Lavoie, JM; Stevanovic, T. (2006). Yield and composition of lipophilic extracts of yellow birch (*Betula alleghaniensis* Britton) as a function of wood age and aging under industrial conditions. *Holzforchung* 60: 184-189.
- Lavoie, JM; Stevanovic, T. (2007). Selective ultrasound-assisted extractions of lipophilic constituents from *Betula alleghaniensis* and *B-papyrifera* wood at low temperatures. *Phytochem Anal* 18: 291-299.
- Lavrić, Z; Pirnat, J; Lužnik, J; Puc, U; Trontelj, Z; Srčič, S. (2015). <sup>14</sup>N Nuclear Quadrupole Resonance Study of Piroxicam: Confirmation of New Polymorphic Form V. *J Pharm Sci* 104: 1909-1918.
- Lavric, Z; Pirnat, J; Luznik, J; Puc, U; Trontelj, Z; Srcic, S. (2015). N-14 Nuclear Quadrupole Resonance Study of Piroxicam: Confirmation of New Polymorphic Form V. *J Pharm Sci* 104: 1909-1918.
- Law, RJ; Marchand, M; Dahlmann, G; Fileman, TW. (1987). Results of two bilateral comparisons of the determination of hydrocarbon concentrations in coastal seawater by fluorescence spectroscopy. *Mar Pollut Bull* 18: 486-489.
- Lawrence, F. (1979). Chapter 12 Halogenated Saturated Hydrocarbons. *Studies in Environmental Science* 211-239.
- Le, QT; Avendano, FM; Forsythe, EW; Yan, L; Gao, YL; Tang, CW. (1999). X-ray photoelectron spectroscopy and atomic force microscopy investigation of stability mechanism of tris-(8-hydroxyquinoline) aluminum-based light-emitting devices. *Journal of Vacuum Science & Technology A* 17: 2314-2317.
- Leach, MT; Henderson, W; Wilkins, AL; Lane, JR; Fortney-Zirker, RG; Turnbull, MM; Nicholson, BK. (2011). Platinum(II) phosphonate complexes derived from endo-8-camphanylphosphonic acid. *Inorganica Chimica Acta* 375: 228-235.
- Leahy, JG; Tracy, KD; Eley, MH. (2003). Degradation of mixtures of aromatic and chloroaliphatic hydrocarbons by aromatic hydrocarbon-degrading bacteria. *Fems Microbiology Ecology* 43: 271-276.
- Leal, ICR; dos Santos, KR; Itabaiana, I; Antunes, OAC; Porzel, A; Wessjohann, L; Kuster, RM. (2010). Ceanothane and Lupane Type Triterpenes from *Zizyphus joazeiro* - An Anti-Staphylococcal Evaluation. *Planta Med* 76: 47-52.
- Lechterbeck, J; Schwark, L. (2003). A methodology for combined palynological and molecular geochemical high-resolution analysis of lake sediments. *Review of Palaeobotany and Palynology* 126: 131-144.
- Lee, BN; Ying, WT; Shen, YT. (2007). Microwave-induced combustion of volatile organic compounds in an industrial flue gas over the magnetite fixed-bed. *Chemosphere* 69: 1821-1826.
- Lee, C; Goeger, DE. (1998). Interference of 6 beta-hydroxycortisol in the quantitation of urinary free cortisol by immunoassay and its elimination by solid phase extraction. *Clinical Biochemistry* 31: 229-233.
- Lee, C; Goeger, DE. (1998). Interference of 6<sup>β</sup>-Hydroxycortisol in the Quantitation of Urinary Free Cortisol by Immunoassay and Its Elimination by Solid Phase Extraction. *Clinical Biochemistry* 31: 229-233.
- Lee, CG; Kim, JH. (2015). Improved drying method for removal of residual solvents from paclitaxel by pre-treatment with ethanol and water. *Process Biochemistry* 50: 1031-1036.
- Lee, CM; Trevino, B; Chaiyawat, M. A simple and rapid solvent extraction method for determining total lipids in fish tissue. *J AOAC Int Mar/Apr* 1996. v. 79 (2): 487-492.
- Lee, DKH; Janikowsky, A; Bird, CE; Clark, AF. (1974). Kinetics of [1,2-<sup>3</sup>H]-testosterone metabolism in normal adult male rats: effects of estrogen administration. *Journal of Steroid Biochemistry* 5: 27-32.
- Lee, ES; Kwon, MJ; Na, K; Bae, JH. (2007). Protein release behavior from porous microparticle with lysozyme/hyaluronate ionic complex. *Colloids and Surfaces B-Biointerfaces* 55: 125-130.
- Lee, H; Kim, E; Lee, JH; Sung, JH; Choi, H; Kim, JH. (2014). Analysis of Cyazofamid and its Metabolite in the Environmental and Crop Samples Using LC-MS/MS. *Bull Environ Contam Toxicol* 93: 586-590.
- Lee, HC; Scheuring, E; Peisach, J; Chance, MR. (1997). Electron spin echo envelope modulation and extended X-ray absorption fine structure studies of active site models of oxygenated cobalt-substituted hemoproteins: Correlating electron-nuclear couplings and metal-ligand bond lengths. *J Am Chem Soc* 119: 12201-12209.
- Lee, HS; Lee, GS; Kim, SH; Kim, HK; Suk, DH; Lee, DS. (2014). Anti-oxidizing effect of the dichloromethane and hexane fractions from *Orostachys japonicus* in LPS-stimulated RAW 264.7 cells via upregulation of Nrf2 expression and activation of MAPK signaling pathway. *BMB Rep* 47: 98-103. [BMB reports].
- Lee, H-Y; Won, J-E; Shin, US; Kim, H-W. (2011). Using hydrophilic ionic liquids as a facile route to prepare porous-structured biopolymer scaffolds. *Mater Lett* 65: 2114-2117.
- Lee, J; Chang, HT; An, H; Ahn, S; Shim, J; Kim, JM. (2013). A protective layer approach to solvatochromic sensors. *Nature Communications* 4: 2461-2461.
- Lee, J; Choi, H; Cho, J; Lee, DG. (2011). Effects of positively charged arginine residues on membrane pore forming activity of RevA<sup>Δ</sup>NIS peptide in bacterial cells. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 1808: 2421-2427.
- Lee, J; Hwang, J-S; Hwang, I-s; Cho, J; Lee, E; Kim, Y; Lee, DG. Coprisin-induced antifungal effects in *Candida albicans* correlate with apoptotic mechanisms. *Free Radic Biol Med* 52: 2302-2311.
- Lee, JH; Choi, D; Shin, EJ. (2010). Trans-cis isomerization of arylether dendrimers with azobenzene core and terminal hydroxy groups. *Spectrochim Acta A Mol Biomol Spectrosc* 77: 478-484. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Lee, JH; Leu, IC; Chung, YW; Hon, MH. (2008). Morphology-controlled 2D ordered microstructure arrays by surface modification of colloidal template. *J Nanosci Nanotechnol* 8: 4436-4440. [Journal of nanoscience and nanotechnology].

## Environmental Hazard Literature Search Results

### Off Topic

- Lee, JH; Park, TG; Choi, HK. (2000). Effect of formulation and processing variables on the characteristics of microspheres for water-soluble drugs prepared by w/o/o double emulsion solvent diffusion method. *Int J Pharm* 196: 75-83.
- Lee, JW; Jun, HJ; Kwak, DH; Chung, PG. (2005). Adsorption of dichloromethane from water onto a hydrophobic polymer resin XAD-1600. *Water Res* 39: 617-629.
- Lee, JW; Lee, C; Jin, Q; Lee, MS; Kim, Y; Hong, JT; Lee, MK; Hwang, BY. (2015). Chemical constituents from *Belamcanda chinensis* and their inhibitory effects on nitric oxide production in RAW 264.7 macrophage cells. *Arch Pharm Res* 38: 991-997.
- Lee, JY; Kim, JH. (2013). Microwave-assisted drying of paclitaxel for removal of residual solvents. *Process Biochemistry* 48: 545-550.
- Lee, JY; Kim, JH. (2013). Removal of residual methylene chloride from homoharringtonine by pre-treatment with ethanol. *Process Biochemistry* 48: 1809-1813.
- Lee, JY; Lee, MS; Choi, JW; Shin, TS; Woo, HC; Kim, HR. (2012). Dichloromethane Fraction of *Laminaria japonica* Ethanolic Extract Inhibits Lipopolysaccharide-Induced Nitric Oxide Synthase and Cyclooxygenase-2 Expression in RAW 264.7 Cells via NF-kappa B Pathway. *Inflammation* 35: 1650-1658.
- Lee, KC; Rittmann, BE; Shi, J; McAvoy, D. (1998). Advanced steady-state model for the fate of hydrophobic and volatile compounds in activated sludge. *Water Environ Res* 70: 1118-1131.
- Lee, K-C; Chuang, H-J; Huang, B-H; Ko, B-T; Lin, P-H. (2016). Structurally diverse dysprosium and yttrium complexes containing an amine-bis(benzotriazole phenolate) ligand: Synthesis, characterization and catalysis for lactide polymerization. *Inorganica Chimica Acta* 450: 411-417.
- Lee, KG; Mitchell, A; Shibamoto, T. (2000). Antioxidative activities of aroma extracts isolated from natural plants. *Biofactors* 13: 173-178.
- Lee, KJ; Dabrowski, K; Sandoval, M; Miller, MJS. (2005). Activity-guided fractionation of phytochemicals of maca meal, their antioxidant activities and effects on growth, feed utilization, and survival in rainbow trout (*Oncorhynchus mykiss*) juveniles. *Aquaculture* 244: 293-301.
- Lee, M; Low, A; Zemb, O; Koenig, J; Michaelsen, A; Manefield, M. (2012). Complete chloroform dechlorination by organochlorine respiration and fermentation. *Environ Microbiol* 14: 883-894.
- Lee, M; Wells, E; Wong, YK; Koenig, J; Adrian, L; Richnow, HH; Manefield, M. (2015). Relative Contributions of Dehalobacter and Zerovalent Iron in the Degradation of Chlorinated Methanes. *Environmental Science & Technology* 49: 4481-4489.
- Lee, MD; Mazierski, PF; Buchanan, RJJ; Ellis, DE; Sehayek, LS. (1995). Intrinsic in situ anaerobic biodegradation of chlorinated solvents at an industrial landfill. Hinchee, R E, J T Wilson and D C Downey (Ed) *Bioremediation*, 3 (1) *Intrinsic Bioremediation; Selected Papers from the Third International in Situ and on-Site Bioreclamation Symposium*, San Diego, California, USA, April 1995 X+266p Battelle Press: Columbus, Ohio, USA ISBN 1-57477-002-0; 0 (0) 1995 205-222.
- Lee, MD; Swindoll, CM. (1993). Bioventing for in situ remediation. *Hydrol Sci J* 38: 273-282.
- Lee, MD; Thomas, JM; Borden, RC; Bedient, PB; Ward, CH; Wilson, JT; Conway, RA. (1988). Bioremediation of aquifers contaminated with organic compounds. *Crit Rev Environ Control* 18: 29-89.
- Lee, MJ; Lee, OH; Yoon, SH; Lee, SK; Chung, MH; Park, YI; Sung, CK; Choi, JS; Kim, KW. (1998). In vitro angiogenic activity of Aloe vera gel on calf pulmonary artery endothelial (CPAE) cells. *Arch Pharm Res* 21: 260-265.
- Lee, SA; Hwang, JS; Han, XH; Lee, C; Lee, MH; Choe, SG; Hong, SS; Lee, D; Lee, MK; Hwang, BY. (2008). Methylpiperate derivatives from *Piper longum* and their inhibition of monoamine oxidase. *Arch Pharm Res* 31: 679-683.
- Lee, SC; Kim, SY; Lee, WS; Jung, SY; Hwang, BW; Ragupathy, D; Lee, DD; Lee, SY; Kim, JC. (2011). Effects of textural properties on the response of a SnO<sub>2</sub>-based gas sensor for the detection of chemical warfare agents. *Sensors (Basel)* 2011; 11(7):6893-904 [Sensors (Basel, Switzerland)].
- Lee, SC; Li, WM; Chan, LY. (2001). Indoor air quality at restaurants with different styles of cooking in metropolitan Hong Kong. *Sci Total Environ* 279: 181-193.
- Lee, SC; Zou, SC; Ho, KF; Chan, LY. (2001). Direct ultrasonic agitation for rapid extraction of organic matter from airborne particulate. *Fresenius J Anal Chem* 369: 166-169. [Fresenius' journal of analytical chemistry].
- Lee, SI; Sim, SH; Kim, SM; Kim, K; Chung, YK. (2006). GaCl(3)-catalyzed allenyne cycloisomerizations to allenenes. *J Org Chem* 71: 7120-7123.
- Lee, SY; Choi, DY; Woo, ER. (2005). Inhibition of osteoclast differentiation by tanshinones from the root of *Salvia miltiorrhiza* Bunge. *Arch Pharm Res* 28: 909-913.
- Lee, VA; Cardenas, HL; Rawls, HR. (2010). Rubber-toughening of dimethacrylate dental composite resin. *Journal of Biomedical Materials Research Part B-Applied Biomaterials* 94B: 447-454.
- Lee, YH; Choo, C; Waisundara, VY. (2016). Antioxidant and starch hydrolase inhibitory properties of extracts of the antidiabetic herb *Pterocarpus marsupium*. *Israel Journal of Plant Sciences* 63: 124-133.
- Lefevre, SW; Choi, H; Chang, T; Ryu, CY. (2009). Temperature-rise fractionation of poly(3-alkyl thiophenes). *Journal of polymer science* 47: 2547-2555.
- Legeay, O; Caudrelier, Y; Cordevant, C; Rigottier-Gois, L; Lange, M. (2000). Simplified procedure for detection of enteric pathogenic viruses in shellfish by RT-PCR. *Journal of Virological Methods* 90: 1-14.
- Leger, CB; Cundy, VA; Sterling, AM; Montestruc, AN; Jakway, AL; Owens, WD. (1993). Field-scale rotary kiln incineration of batch loaded toluene/sorbent: I. Data analysis and bed motion considerations. *J Hazard Mater* 34: 1-29.
- Lehmann, E; El-Tantawy, WH; Ocker, M; Bartenschlager, R; Lohmann, V; Hashemolhosseini, S; Tiegs, G; Sass, G. (2010). The Heme Oxygenase 1 Product Biliverdin Interferes with Hepatitis C Virus Replication by Increasing Antiviral Interferon Response. *Hepatology* 51: 398-404.

## Environmental Hazard Literature Search Results

### Off Topic

- Leisinger, T. (1992). Microorganisms for the introduction of chlorinated aliphatic hydrocarbons into the carbon cycle. Mongkolsuk, S, P S Lovett and J E Trempey (Ed) *Biotechnology and Environmental Science: Molecular Approaches*; International Conference, Bangkok, Thailand, August 21-24, 1990 Xi+230p Plenum Press: New York, New York, USA; London, England, UK Isbn 0-306-44352-X; 0 (0) 1992 143-147.
- Leisinger, T; Braus-Stromeier, SA. (1995). Bacterial growth with chlorinated methanes. *Environ Health Perspect* 5: 33-36.
- Leite, AC; Oliveira, CG; Godoy, MP; Bueno, FC; de Oliveira, M; Forim, MR; Fernandes, JB; Vieira, PC; da Silva, M; Bueno, OC; Pagnocca, FC; Hebling, MJA; Bacci, M. (2005). Toxicity of *Cipadessa fruticosa* to the leaf-cutting ants *Atta sexdens rubropilosa* (Hymenoptera : Formicidae) and their symbiotic fungus. *Sociobiology* 46: 17-26.
- Leite, GAS; Sawan, RMM; Teofilo, JM; Porto, IM; Sousa, FB; Gerlach, RF. (2011). Exposure to lead exacerbates dental fluorosis. *Arch Oral Biol* 56: 695-702.
- Leite, PEC; de Almeida, KB; Lagrota-Candido, J; Trindade, P; da Silva, RF; Ribeiro, MGL; Lima-Araujo, KG; Santos, WC; Quirico-Santos, T. (2010). Anti-Inflammatory Activity of *Eugenia punicifolia* Extract on Muscular Lesion of mdx Dystrophic Mice. *J Cell Biochem* 111: 1652-1660.
- Lele, SS; Kulkarni, AG; Kulkarni, PR. Immobilization of fungal spores on synthetic polymers. *Biotechnol Lett* May 1996. v. 18 (5): 515-520.
- Leliebre-Lara, V; Garcia, M; Nogueiras, C; Monzote, L. (2015). Qualitative analysis of an ethanolic extract from *Trametes versicolor* and biological screening against *Leishmania amazonensis*. *Emirates Journal of Food and Agriculture* 27: 592-595.
- Lebito, JP; Domingue, MJ; Fraser, I; Mastro, VC; Tumlinson, JH; Baker, TC. (2011). Field investigation of mating behaviour of *Agrilus cyanescens* and *Agrilus subcinctus*. *Canadian Entomologist* 143: 370-379.
- Lemarchand, C; Couvreur, P; Vauthier, C; Costantini, D; Gref, R. (2003). Study of emulsion stabilization by graft copolymers using the optical analyzer Turbiscan. *Int J Pharm* 254: 77-82.
- Lemieux, PM; Linak, WP; Debenedictis, C; Ryan, JV; Wendt, JO; Dunn, JE. (1994). Operating parameters to minimize emissions during rotary kiln emergency safety vent openings. *Hazardous Waste & Hazardous Materials* 11: 111-128.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag* 18: 361-370.
- Lemke, MJ; Brown, BJ; Leff, LG. (1997). The response of three bacterial populations to pollution in a stream. *Microb Ecol* 34: 224-231.
- Lemma, B; Nilsson, I; Kleja, DB; Olsson, M; Knicker, H. (2007). Decomposition and substrate quality of leaf litters and fine roots from three exotic plantations and a native forest in the southwestern highlands of Ethiopia. *Soil Biology & Biochemistry* 39: 2317-2328.
- Leong, YW; Harrison, LJ; Powell, AD. (1999). Phenanthrene and other aromatic constituents of *Bulbophyllum vaginatum*. *Phytochemistry* 50: 1237-1241.
- Lepri, S; Buonerba, F; Maccaroni, P; Goracci, L; Ruzziconi, R. (2015). Are carboxylic esters really refractory to DAST? On the fluorination of  $\beta$ -hydroxyesters with DAST. *Journal of Fluorine Chemistry* 171: 82-91.
- Lerch, TZ; Dignac, MF; Nunan, N; Bardoux, G; Barriuso, E; Mariotti, A. (2009). Dynamics of soil microbial populations involved in 2,4-D biodegradation revealed by FAME-based Stable Isotope Probing. *Soil Biology & Biochemistry* 41: 77-85.
- Lerche, D; Sorensen, PB; Larsen, HS; Carlsen, L; Nielsen, OJ. (2002). Comparison of the combined monitoring-based and modelling-based priority setting scheme with partial order theory and random linear extensions for ranking of chemical substances. *Chemosphere* 49: 637-649.
- Lesage, S; McBride, RA; Cureton, PM; Brown, S. (1993). Fate of organic solvents in landfill leachates under simulated field conditions and in anaerobic microcosms. *Waste Manage Res* 11: 215-226.
- Leskey, TC; Prokopy, RJ. (2000). Sources of apple odor attractive to adult plum curculios. *J Chem Ecol* 26: 639-653.
- Lester, JN. (1996). Rapid extraction of isoproturon and diuron from granular activated carbon. AU - TAYLOR PN. *Chemosphere* 33: 1227-1240.
- Letellier, M; Budzinski, H; Charrier, L; Capes, S; Dorthe, AM. (1999). Optimization by factorial design of focused microwave assisted extraction of polycyclic aromatic hydrocarbons from marine sediment. *Fresenius' Journal of Analytical Chemistry* 364: 228-237.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health* 32: 247-268.
- Leung, HW; Paustenbach, DJ. (1988). Application of pharmacokinetics to derive biological exposure indexes from threshold limit values. *Am Ind Hyg Assoc J* 49: 445-450. [American Industrial Hygiene Association journal].
- Leuschner, F; Neumann, BW; H&A bscher, F. (1984). Report on subacute toxicological studies with dichloromethane in rats and dogs by inhalation. *Arzneimittelforschung* 34: 1772-1774.
- Levitt, DG. (2004). Physiologically based pharmacokinetic modeling of arterial - antecubital vein concentration difference. *BMC Clin Pharmacol* 4.
- Lewis, DF; Langley, GR. (1996). A validation study of the compact and hazardexpert techniques with 40 chemicals. *Mutat Res* 369: 157-174.
- Lhullier, C; Donnangelo, A; Caro, M; Palermo, JA; Horta, PA; Falkenberg, M; Schenkel, EP. (2009). Isolation of elatol from *Laurencia microcladia* and its palatability to the sea urchin *Echinometra lucunter*. *Biochemical Systematics and Ecology* 37: 254-259.
- Li, AP; Royer, RE; Brooks, AL; McClellan, RO. (1982). Cytotoxicity of diesel exhaust particle extract "A comparison among five diesel passenger cars of different manufacturers. *Toxicology* 24: 1-8.
- Li, AP; Royer, RE; Brooks, AL; McClellan, RO. (1982). Cytotoxicity of diesel exhaust particle extract--a comparison among five diesel passenger cars of different manufactures. *Toxicology* 1982; 24(1):1-8 [Toxicology].
- Li, B; Liu, T; Zhong, W-H. (2011). High modulus aliphatic polyimide from 1, 3-diaminopropane and ethylenediaminetetraacetic dianhydride: Water soluble to self-patterning. *Polymer* 52: 5186-5192.
- Li, B; Man, Y; Bai, LP; Ji, HY; Shi, XG; Cui, DL. (2013). Solution-Phase Parallel Syntheses of Herbicidal 1-Phenyl-2,4,5-Imidazolidinetriones and 2-Thioxo-4,5-Imidazolidinediones. *Comb Chem High Throughput Screen* 16: 78-82.
- Li, B-t; Wu, Y-x; Cheng, H; Liu, W-h. (2012). Synthesis of linear isotactic-rich poly(p-methylstyrene) via cationic polymerization cointiated with  $AlCl_3$ . *Polymer* 53: 3726-3734.

## Environmental Hazard Literature Search Results

### Off Topic

- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol* 66: 382-388.
- Li, C-T; Yang, R; Shih, M; Tsai, P-J; Hsieh, L-T; Chen, C-Y. (2003). Reaction mechanism of 1,2-dichloroethane/O<sub>2</sub>/Ar in the cold plasma environment. *Chem Eng J* 92: 177-184.
- Li, C-Y; Lien, Y-L; Vinayagam, J; Datta, A; Hu, T-C; Lin, C-H; Huang, J-H. (2015). Synthesis and characterization of copper(I) compounds incorporating pyrazole-derived ligands: A study on carbon-carbon coupling reaction. *Inorganica Chimica Acta* 435: 327-334.
- Li, G; Ju, HK; Chang, HW; Jahng, Y; Lee, SH; Son, JK. (2003). Melanin biosynthesis inhibitors from the bark of *Machilus thunbergii*. *Biological & Pharmaceutical Bulletin* 26: 1039-1041.
- Li, H; Xia, SQ; Ma, PS. (2016). Upgrading fast pyrolysis oil: Solvent-anti-solvent extraction and blending with diesel. *Energy Conversion and Management* 110: 378-385.
- Li, HB; Jiang, Y; Chen, F. (2002). Isolation and purification of lutein from the microalga *Chlorella vulgaris* by extraction after saponification. *J Agric Food Chem* 50: 1070-1072.
- Li, HJ; He, XK; Zeng, AJ; Liu, YJ; Jiang, SR. (2008). Evidence of a female sex pheromone in *Bradysia odoriphaga* (Diptera : Sciaridae). *Canadian Entomologist* 140: 324-326.
- Li, J; Liu, X. (2013). Preparation and characterization of MoS<sub>2</sub> nanobelt and its application in supercapacitor. *Mater Lett* 112: 39-42.
- Li, JC; Hu, GF; Wang, NN; Hu, T; Wen, QD; Lu, P; Wang, YG. (2013). Oligo(3,6-phenanthrene ethynylenes): Synthesis, Characterization, and Photoluminescence. *J Org Chem* 78: 3001-3008.
- Li, K; Santilli, A; Goldthorp, M; Whitticar, S; Lambert, P; Fingas, M. (2001). Solvent vapour monitoring in work space by solid phase micro extraction. *J Hazard Mater* 83: 83-91.
- Li, KY; Chang, SW; Yu, CC. (1990). Treatment of chlorohydrocarbon contaminated ground water by air stripping. Gulf Coast Hazardous Substance Research Center Second Annual Symposium: Mechanisms and Applications of Solidification, Beaumont, Texas, USA, February 15-16, 1990 *J Hazard Mater* 24: 303.
- Li, L; Li, Y; Wang, X; Qi, Y; Hu, J; Fang, Z; Dong, Q. (2015). Synthesis and characterization of a novel fluorinated polyether glycol with fluorinated side chains via living/controlled cationic polymerization. *Journal of Fluorine Chemistry* 175: 129-138.
- Li, L; Zheng, JW; Hang, BJ; Doronina, NV; Trotsenko, YA; He, J; Li, SP. (2011). *Methylophila jiangsuensis* sp nov., an aerobic, facultatively methylotrophic bacterium. *Int J Syst Evol Microbiol* 61: 1561-1566.
- Li, P; Zeng, LJ; Li, SL; Lin, G. (2002). The extraction of imperialine and imperialine-3 beta-glucoside from *Fritillaria pallidiflora* Schrenk and quantitative determination by HPLC-evaporative light scattering detection. *Phytochem Anal* 13: 158-161.
- Li, Q; Li, G; Ma, F; Zhang, Z; Zheng, B; Feng, Y. (2011). Highly efficient ring-opening polymerization of ε-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481.
- Li, QS; Li, GQ; Ma, FQ; Zhang, ZM; Zheng, BS; Feng, Y. (2011). Highly efficient ring-opening polymerization of epsilon-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481.
- Li, QZ; Zhang, GY; Chen, JZ; Zhao, QL; Lu, HC; Huang, J; Wei, LH; D'Agosto, F; Boisson, C; Ma, Z. (2011). Well defined polyolefin/poly(ε-caprolactone) diblock copolymers: New synthetic strategy and application. *Journal of polymer science* 49: 511-517.
- Li, S; Su, Y; Liu, Y; Sun, L; Yu, M; Wu, Y. Preparation and characterization of cross-linked enzyme aggregates (CLEAs) of recombinant thermostable alkylsulfatase (SdsAP) from *Pseudomonas* sp. S9. *Process Biochemistry*.
- Li, S; Wackett, LP. (1993). Reductive dehalogenation by cytochrome P450CAM: Substrate binding and catalysis. *Biochemistry* 32: 9355-9361.
- Li, SH; Li, TS. (1998). Steroidal 5-en-3-ones, intermediates of the transformation of steroidal 5-en-3 beta-ols to steroidal 4-en-3,6-diones oxidized by pyridinium dichromate and pyridinium chlorochromate. *Steroids* 63: 76-79.
- Li, S-H; Li, T-S. (1998). Steroidal 5-en-3-ones, intermediates of the transformation of steroidal 5-en-3β-ols to steroidal 4-en-3,6-diones oxidized by pyridinium dichromate and pyridinium chlorochromate. *Steroids* 63: 76-79.
- Li, X-L; Xin, X-L; Ai, Y-B; Tan, M; Lu, H; Du, B-X. (2013). Syntheses, structures and photophysical properties of binuclear copper(I) complexes bridged by diphosphine ligands. *Inorganica Chimica Acta* 401: 58-63.
- Li, XN; Wu, ZJ; Si, ZJ; Zhang, HJ; Zhou, L; Liu, XJ. (2009). Injection, transport, absorption and phosphorescence properties of a series of blue-emitting Ir(III) emitters in OLEDs: a DFT and time-dependent DFT study. *Inorg Chem* 48: 7740-7749. [Inorganic chemistry].
- Li, XQ; Xu, J; Gao, YZ; Fang, H; Tang, G; Zhao, YF. (2015). Cascade Arylalkylation of Activated Alkenes: Synthesis of Chloro- and Cyano-Containing Oxindoles. *J Org Chem* 80: 2621-2626.
- Li, YF; Plitzko, I; Zaugg, J; Hering, S; Hamburger, M. (2010). HPLC-Based Activity Profiling for GABA(A) Receptor Modulators: A New Dihydroisocoumarin from *Haloxylon scoparium*. *J Nat Prod* 73: 768-770.
- Li, YP; Ogris, M; Pelisek, J; Roedel, W. (2004). Stability and release characteristics of poly(D,L-lactide-co-glycolide) encapsulated CaPi-DNA coprecipitation. *Int J Pharm* 269: 61-70.
- Li, Z-X; Li, C; Mu, W-H; Xiong, S-X; Fu, W-F. (2011). Synthesis, structures and spectroscopic properties of new 1,2-bis[2-(4-methyl-7-acetylamino-1,8-naphthyridine)]ethylene ligand and its binuclear copper(I) complexes. *Inorganica Chimica Acta* 379: 7-15.
- Liang, J; Ma, Y; Sun, H; Li, W; Wu, L. (2013). Polyanion cluster patterning on polymer surface through microemulsion approach for selective adsorption of proteins. *J Colloid Interface Sci* 409: 80-87.
- Liang, YZ; Kuo, DTF; Allen, HE; Di Toro, DM. (2016). Experimental determination of solvent-water partition coefficients and Abraham parameters for munition constituents. *Chemosphere* 161: 429-437.

## Environmental Hazard Literature Search Results

### Off Topic

- Liaw, D-J; Wang, K-L; Kang, E-T; Pujari, SP; Chen, M-H; Huang, Y-C; Tao, B-C; Lee, K-R; Lai, J-Y. (2009). Optical properties of a novel fluorene-based thermally stable conjugated polymer containing pyridine and unsymmetric carbazole groups. *Journal of polymer science* 47: 991-1002.
- Libeer, J-C; Schepens, P. (1978). GLC Determination of Pemoline in Biological Fluids. *J Pharm Sci* 67: 419-421.
- Licht, JH; McVicker, K. (1982). Parathyroid-hormone-induced metabolic alkalosis in dogs. *Miner Electrolyte Metab* 8: 78-91. [Mineral and electrolyte metabolism].
- Lichtin, NN; Avudaitai, M. (1996). TiO<sub>2</sub>-photocatalyzed oxidative degradation of CH<sub>3</sub>CN, CH<sub>3</sub>OH, C<sub>2</sub>HCl<sub>3</sub>, and CH<sub>2</sub>Cl<sub>2</sub> supplied as vapors and in aqueous solution under similar conditions. *Environmental Science & Technology* 30: 2014-2020.
- Liehr, JG; Ballatore, AM; Dague, BB; Ulubelen, AA. (1985). Carcinogenicity and metabolic activation of hexestrol. *Chem Biol Interact* 55: 157-176.
- Liekhus, KJ; Connolly, MJ. (1999). Estimation of volatile organic compounds (VOC) concentration within inner void volume of vented waste drums. *Waste Manag* 19: 199-206.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al(2)O(3). *Environ Technol* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci* 24: 21-30.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *Journal of Environmental Engineering-Asce* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere* 49: 371-378.
- Liggins, RT; Burt, HM. (2004). Paclitaxel loaded poly(lactic acid) (PLLA) microspheres II. The effect of processing parameters on microsphere morphology and drug release kinetics. *Int J Pharm* 281: 103-106.
- Liggins, RT; Burt, HM. (2004). Paclitaxel loaded poly(l-lactic acid) (PLLA) microspheres: II. The effect of processing parameters on microsphere morphology and drug release kinetics. *Int J Pharm* 281: 103-106.
- Liikala, TL; Olsen, KB; Teel, SS; Lanigan, DC. (1996). Volatile organic compounds: Comparison of two sample collection and preservation methods. *Environmental Science & Technology* 30: 3441-3447.
- Lijuan, X; Liuyun, J; Lixin, J; Chengdong, X. (2013). Synthesis of Mg-substituted hydroxyapatite nanopowders: Effect of two different magnesium sources. *Mater Lett* 106: 246-249.
- Lilius, H; Hastbacka, T; Isomaa, B. (1995). A Comparison of the Toxicity of 30 Reference Chemicals to *Daphnia magna* and *Daphnia pulex*. *Environ Toxicol Chem* 14: 2085-2088.
- Lillquist, DR. (1990). Experimental exposure of rats to methylene chloride at varying controlled barometric altitudes. PhD Thesis, Colorado State University, Fort Collins, CO146.
- Lim, SS; Im, SS; Kim, JR; Lim, HA; Jang, CH; Kim, YK; Konishi, T; Kim, EJ; Park, JH; Kim, JS. (2007). Induction of detoxifying enzyme by sesquiterpenes present in *Inula helenium*. *J Med Food* 10: 503-510. [Journal of medicinal food].
- Lima, LM; Perazzo, FF; Carvalho, JCT; Bastos, JK. (2007). Anti-inflammatory and analgesic activities of the ethanolic extracts from *Zanthoxylum riedelianum* (Rutaceae) leaves and stem bark. *J Pharm Pharmacol* 59: 1151-1158.
- Lin, CC; Lin, NP; Sahabuddin, LS; Reddy, VR; Huang, LD; Hwang, KC; Lin, CC. (2010). 5-N,4-O-Carbonyl-7,8,9-tri-O-chloroacetyl-Protected Sialyl Donor for the Stereoselective Synthesis of alpha-(2 -> 9)-Tetra-sialic Acid. *J Org Chem* 75: 4921-4928.
- Lin, G; Chu, K-W; Damani, LA; Hawes, EM. (1996). Identification of lactams as in vitro metabolites of piperidine-type phenothiazine antipsychotic drugs. *J Pharm Biomed Anal* 14: 727-738.
- Lin, KW; Chen, CY; Chen, WF; Yan, TH. (2008). A new entry to 1,5-keto esters and their 4,4-dideuterio derivatives via methylene chloride as "Methylene Dianion" equivalents. *J Org Chem* 73: 4759-4761.
- Lin, MC; Shen, YF; Lin, G. (2011). Synthesis and *Pseudomonas* lipase inhibition study of stereoisomers of decahydro-2-naphthyl-N-n-butylcarbamate. *Protein Pept Lett* 18: 1168-1176. [Protein and peptide letters].
- Lin, PC; Adak, AK; Ueng, SH; Huang, LD; Huang, KT; Ho, JAA; Lin, CC. (2009). DAST-Mediated Regioselective Anomeric Group Migration in Saccharides. *J Org Chem* 74: 4041-4048.
- Lin, SQ; Bondar, GV; Levy, CJ; Collins, S. (1998). Mukaiyama aldol reactions catalyzed by zirconocene bis(triflate) complexes: Stereochemistry and mechanisms for C-C bond formation. *J Org Chem* 63: 1885-1892.
- Lin, WG; Wei, F; Gu, FN; Dong, X; Gao, L; Zhuang, TT; Yue, MB; Zhu, JH. (2010). Adsorption of nitrosamines by mesoporous zeolite. *J Colloid Interface Sci* 348: 621-627. [Journal of colloid and interface science].
- Lin, WW; Jang, YJ; Wang, Y; Liu, JT; Hu, S; Wang, LY; Yao, CF. (2001). An improved and easy method for the preparation of 2,2-disubstituted 1-nitroalkenes. *J Org Chem* 66: 1984-1991.
- Lin, Y; Zheng, Z; Hogen-Esch, TE; Ling, J; Shen, Z. (2013). Well-defined novel fluorene-containing polymers: Synthesis, fluorescent properties, and micellar nanoparticles. *J Colloid Interface Sci* 390: 105-113.
- Lin, YR; Chen, HH; Chan, MH. (2002). Role of ryanodine receptors in chloroform-induced contraction in swine tracheal smooth muscle. *Toxicol Appl Pharmacol* 183: 146-151.
- Lindsay, EA; Berry, Y; Jamie, JF; Bremner, JB. (2000). Antibacterial compounds from *Carissa lanceolata* R.Br. *Phytochemistry* 55: 403-406.
- Lindskog, A; Brorström-Lundén, E; Sjödin, Å. (1985). Transformation of reactive PAH on particles by exposure to oxidized nitrogen compounds and ozone. *Environ Int* 11: 125-130.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull Aug* 1996. v. 32 (4): 807-816.

## Environmental Hazard Literature Search Results

### Off Topic

- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res* 69: 305-310.
- Ling, YF; Zhang, PP; Sun, L; Lai, WP; Luo, J. (2014). Efficient Synthesis of 2,2,4,4,6,6-Hexanitroadamantane under Mild Conditions. *Synthesis-Stuttgart* 46: 2225-2233.
- Linsel, G. (1991). Effects of dichloromethane on ionic channels of cultured cardiac myocytes. 69th Meeting of the Deutsche Physiologische Gesellschaft (German Physiological Society), Freiburg, Germany, March 5-8, 1991 *Pfluegers Arch Eur J Physiol* 418: R91.
- Lioy, PJ; Daisey, JM; Morandi, MT; Harkov, RD; Greenberg, A; Bozzelli, J; Kezbekus, B; Louis, J; McGeorge, LJ. (1987). The airborne toxic element and organic substances ateos study design. Lioy, P J And J M Daisey *Toxic Air Pollution: A Comprehensive Study of Non-Criteria Air Pollutants* Xxv+294p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-057-6; 0 (0) 1987 1-44.
- Lipczynska-Kochany, E; Kochany, J. (2008). Effect of humic substances on the Fenton treatment of wastewater at acidic and neutral pH. *Chemosphere* 73: 745-750.
- Lippincott, RL; Ibrahim, EA; Louis, JB; Atherholt, TB; Suffet, IH. (1990). Continuous liquid-liquid extraction for the preparation of chlorinated water samples for the ames bioassay. *Water Res* 24: 709-716.
- Lippincott, RL; Suffet, IH; Rosen, JD. (1993). The isolation of trace organic chemicals from potable water by composite on-line continuous liquid-liquid extraction. 205th Acs (American Chemical Society) National Meeting, Denver, Colorado, USA, March 28-April 2, 1993 *Abstr Pap Am Chem Soc* 205: ENVR 74.
- Liras, M; Peinado, E; Cañamero, P; Quijada Garrido, I; Garc a, O. (2014). Smart photoluminescent nanohybrids based on CdSe quantum dots capped with multidentate thiolated pH responsive and thermoresponsive polymers for nanosensing. *Journal of polymer science* 52: 3087-3095.
- Liss, GM; House, RA; Wills, MC. (2006). Cranial neuropathy associated with chlorinated solvents. Re: Facial nerve palsy after acute exposure to dichloromethane. *Am J Ind Med* 49: 310. [American journal of industrial medicine].
- Liu, C; Pujol, D; Olivella, MA; de la Torre, F; Fiol, N; Poch, J; Villaescusa, I. (2015). The Role of Exhausted Coffee Compounds on Metal Ions Sorption. *Water Air and Soil Pollution* 226: 289-289.
- Liu, G; Xu, D; Jiang, M; Yuan, WE. (2012). Preparation of bioactive interferon alpha-loaded polysaccharide nanoparticles using a new approach of temperature-induced water phase/water-phase emulsion. *International Journal of Nanomedicine* 7: 4841-4848.
- Liu, HC; Lee, IC; Wang, JH; Yang, SH; Young, TH. (2004). Preparation of PLLA membranes with different morphologies for culture of MG-63 Cells. *Biomaterials* 25: 4047-4056.
- Liu, J-F; Chao, J-B; Jiang, G-B. (2002). Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane. *Anal Chim Acta* 455: 93-101.
- Liu, JH; Steigel, A; Reininger, E; Bauer, R. (2000). Two new prenylated 3-benzoxepin derivatives as cyclooxygenase inhibitors from *Perilla frutescens* var. *acuta*. *J Nat Prod* 63: 403-405.
- Liu, JH; Zschocke, S; Bauer, R. (1998). A polyacetylenic acetate and a coumarin from *Angelica pubescens* f. *biserrata*. *Phytochemistry* 49: 211-213.
- Liu, JH; Zschocke, S; Reininger, E; Bauer, R. (1998). Inhibitory effects of *Angelica pubescens* f. *biserrata* on 5-lipoxygenase and cyclooxygenase. *Planta Med* 64: 525-529.
- Liu, JT; Lv, HS; Zhao, BX. (2012). Synthesis, X-ray crystal structure and optical properties of novel 5-(3-aryl-1H-pyrazol-5-yl)-2-(6-methoxy-3-methylbenzofuran-2-yl)-1,3,4-oxadiazole. *AU - Jiang ZJ. Spectrochim Acta A Mol Biomol Spectrosc* 2012, Feb; 86:181-6 [Spectrochimica acta Part A, Molecular and biomolecular spectroscopy].
- Liu, K; Han, W; Pan, W-P; Riley, JT. (2001). Polycyclic aromatic hydrocarbon (PAH) emissions from a coal-fired pilot FBC system. *J Hazard Mater* 84: 175-188.
- Liu, L; Yang, JP; Ju, XJ; Xie, R; Yang, L; Liang, B; Chu, LY. (2009). Microfluidic preparation of monodisperse ethyl cellulose hollow microcapsules with non-toxic solvent. *J Colloid Interface Sci* 336: 100-106. [Journal of colloid and interface science].
- Liu, MZ; Xu, MY; Loh, XJ; Abe, H; Tsumuraya, T; Fujii, I; Li, J; Son, TI; Ito, Y. (2011). PEGylated antibody in organic media. *J Biosci Bioeng* 111: 564-568.
- Liu, Q; Shi, J; Sun, J; Wang, T; Zeng, L; Zhu, N; Jiang, G. (2011). Graphene-assisted matrix solid-phase dispersion for extraction of polybrominated diphenyl ethers and their methoxylated and hydroxylated analogs from environmental samples. *Anal Chim Acta* 708: 61-68.
- Liu, R; Ma, GH; Meng, FT; Su, ZG. (2005). Preparation of uniform-sized PLA microcapsules by combining Shirasu Porous Glass membrane emulsification technique and multiple emulsion-solvent evaporation method. *J Control Release* 103: 31-43.
- Liu, RX; Heiss, EH; Sider, N; Schinkovitz, A; Groblacher, B; Guo, D; Bucar, F; Bauer, R; Dirsch, VM; Atanasov, AG. (2015). Identification and characterization of 6-shogaol from ginger as inhibitor of vascular smooth muscle cell proliferation. *Molecular Nutrition & Food Research* 59: 843-852.
- Liu, SM; Jones, WJ; Rogers, JE. (1994). Biotransformation of quinoline and methylquinolines in anoxic freshwater sediment. *Biodegradation* 5: 113-120.
- Liu, W; Xu, L; Li, Y; Luo, T; Liu, G. (2012). Determination of the solubility, dissolution enthalpy and entropy of 3-pentadecylphenyl acrylate in different organic solvents. *Thermochimica acta* 544: 89-94.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co-ε-caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co-ε-caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828. [Acta biomaterialia].

## Environmental Hazard Literature Search Results

### Off Topic

- Liu, Y; Kim, B; Taylor, SD. (2007). Synthesis of 4-formyl estrone using a positional protecting group and its conversion to other c-4-substituted Estrogens. *J Org Chem* 72: 8824-8830.
- Liu, Y; Wen, B; Shan, XQ. (2006). Determination of pentachlorophenol in wastewater irrigated soils and incubated earthworms. *Talanta* 69: 1254-1259. [*Talanta*].
- Liu, Y; Yamazaki, S; Yamabe, S. (2005). Regioselective hydrosilylations of propiolate esters with tris(trimethylsilyl)silane. *J Org Chem* 70: 556-561.
- Liu, Y; Yang, M-H; Wang, X-B; Li, T-X; Kong, L-Y. (2016). Caryophyllene sesquiterpenoids from the endophytic fungus, *Pestalotiopsis* sp. *Fitoterapia* 109: 119-124.
- Liu, Z; Arnold, RG; Betterton, EA; Festa, KD. (1999). Electrolytic reduction of CCl<sub>4</sub>-effects of cathode material and potential on kinetics, selectivity, and product stoichiometry. *Environ Eng Sci* 16: 1-13.
- Lo, CL; Duh, JG; Chiou, BS. (2003). Low temperature sintering and crystallisation behaviour of low loss anorthite-based glass-ceramics. *Journal of Materials Science* 38: 693-698.
- Lo Fiego, MJ; Silbestri, GF; Chopra, AB; Lockhart, MT. (2011). Selective Synthetic Routes to Sterically Hindered Unsymmetrical Diaryl Ketones via Arylstannanes. *J Org Chem* 76: 1707-1714.
- Lockley, WJS. (2010). CATALYTIC HYDROGEN ISOTOPE CHEMISTRY: 25 YEARS OF COLLABORATION WITH JOHN R. JONES. *Journal of Labelled Compounds & Radiopharmaceuticals* 53: 227-230.
- Lockwood, GB; Asghari, G; Hakimi, B. (2002). Production of essential oil constituents by cultured cells of *Carum copticum* L. *Flavour and Fragrance Journal* 17: 456-458.
- Logan, TP; Shutz, M; Schulz, SM; Railer, R; Ricketts, KM; Casillas, RP. (2002). Application and detection of (14)c-hd in two mouse models. *Toxicol Mech Methods* 12: 293-300.
- Lohman, PH; Mendelsohn, ML; Moore, DH, II; Waters, MD; Brusick, DJ; Ashby, J; Lohman, WJ. (1992). A method for comparing and combining short-term genotoxicity test data the basic system. *Mutat Res* 266: 7-25.
- Loizzo, MR; Tundis, R; Statti, GA; Menichini, F. (2007). Jacaranone: A cytotoxic constituent from *Senecio ambiguus* subsp *ambiguus* (Biv.) DC. against renal adenocarcinoma ACHN and prostate carcinoma LNCaP cells. *Arch Pharm Res* 30: 701-707.
- Lojko, L; Sedláková, J; Kubán, V. (2005). A two-step supercritical fluid extraction of polycyclic aromatic hydrocarbons from roadside soil samples. *J Sep Sci* 28: 2067-2075. [*Journal of separation science*].
- Long, GW; Meek, ME. (1995). Assessment of environmental substances under the canadian environmental protection act. *Science & Technology Libraries* 15: 43-49.
- Long, TR; Richter, MM. (2005). Electrogenerated chemiluminescence of the platinum (II) octaethylporphyrin/tri-n-propylamine system. *Inorganica Chimica Acta* 358: 2141-2145.
- Longkumer, T; Parthasarathy, S; Vemuri, SG; Siddavattam, D. (2014). OxyR-dependent expression of a novel glutathione S-transferase (Abg01) gene in *Acinetobacter baumannii* DS002 and its role in biotransformation of organophosphate insecticides. *Microbiology-Sgm* 160: 102-112.
- Lontoh, S; DiSpirito, AA; Semrau, JD. (1999). Dichloromethane and trichloroethylene inhibition of methane oxidation by the membrane-associated methane monooxygenase of *Methylosinus trichosporium* OB3b. *Archives of Microbiology* 171: 301-308.
- Lopes, AP; Bagatela, BS; Rosa, PC; Nanayakkara, DN; Tavares Carvalho, JC; Maistro, EL; Bastos, JK; Perazzo, FF. (2013). Antioxidant and cytotoxic effects of crude extract, fractions and 4-nerolidylcatechol from aerial parts of *Pothomorphe umbellata* L. (Piperaceae). *Biomed Res Int* 2013; 2013:206581 [*BioMed research international*].
- Lopez, CS; Faza, ON; York, DM; de Lera, AR. (2004). Theoretical study of the vinyl allene oxide to cyclopent-2-en-1-one rearrangement: Mechanism, torquoselectivity and solvent effects. *J Org Chem* 69: 3635-3644.
- Lopez, R; Kessler, A; Villmann, C; Sahin, H; Pischetsrieder, M; Buettner, A. (2014). Chapter 12 - Electrophysiological Characterization of Neurotropic Activity of *Sideritis* Tea Volatiles A2 - Ferreira, Vicente. *Flavour Science San Diego* 71-75.
- Lopez-Avila, V; Benedicto, J; Bauer, KM. (1998). Stability of organochlorine and organophosphorus pesticides when extracted from solid matrixes with microwave energy. *J AOAC Int* 81: 1224-1232.
- Lopez-Avila, V; Milanés, J; Constantine, F. (1990). Typical phthalate ester contamination incurred using EPA method 8060. *J Assoc Off Anal Chem* 73: 709-720.
- Lopez-Avila, V; Young, R; Beckert, WF. (1998). Stability of organic pollutants during microwave-assisted extraction from solid matrixes. *J AOAC Int* 81: 462-476.
- Lopez-Avila, V; Young, R; Teplitzky, N. Microwave-assisted extraction as an alternative to Soxhlet, sonication, and supercritical fluid extraction. *J AOAC Int Jan/Feb* 1996. v. 79 (1): 142-156.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez, V, Jr. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol* 78: 15-22.
- Lorenz, P; Knodler, M; Bertrams, J; Berger, M; Meyer, U; Stintzing, FC. (2010). n-Alkylresorcinol Occurrence in *Mercurialis perennis* L. (Euphorbiaceae). *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 65: 174-179.
- Loscutoff, WV; Poore, MV. (1993). Ambient air toxics data from california's toxic air contaminant monitoring program. Chow, W And K K Connor (Ed) *Managing Hazardous Air Pollutants: State of the Art; First International Conference*, Washington, DC, USA, November 4-6, 1991 Xix+582p Lewis Publishers Inc: Chelsea, Michigan, USA Isbn 0-87371-866-6; 0 (0) 1993 191-203.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air & Waste Management Association* 54: 727-740.

## Environmental Hazard Literature Search Results

### Off Topic

- Lounsberry, ZT; Almeida, JB; Grace, T; Lanctot, RB; Liebezeit, J; Sandercock, BK; Strum, KM; Zack, S; Wisely, SM. (2013). Range-Wide Conservation Genetics of Buff-Breasted Sandpipers (*Tryngites subruficollis*). *Auk* 130: 429-439.
- Loustaunau, A; Fayolle-Romelaer, R; Celerier, S; D'Huysser, A; Gengembre, L; Brunet, S. (2010). Catalytic Fluorination of Various Chlorinated Hydrocarbons by HF and a Chromium Based Catalyst: Effect of the Presence of Zinc. *Catalysis letters* 138: 215-223.
- Louw, R; Manion, JA; Mulder, P. (1987). Gas-phase thermal hydrogenolysis of organic chlorine compounds an alternative to incineration. 3rd International Symposium on Materials and Energy for Refuse, Antwerp, Belgium, March 18-20, 1986 *Resour Conserv* 14: 365-368.
- Lowder, TL; Gordon, JR; Schultz, SM; Selfridge, RH. (2007). Volatile organic compound sensing using a surface-relief D-shaped fiber Bragg grating and a polydimethylsiloxane layer. *Opt Lett* 32: 2523-2525.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1-to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environmental Science & Technology* 33: 1905-1910.
- Loyola-Sepulveda, R; Mudge, SM; Bravo-Linares, C. (2013). Seasonal Variation of Disinfection By-products in Drinking Water in Central Chile. *Water Quality Exposure and Health* 5: 1-9.
- Lozano, JM; Guerrero, YA; Alba, MP; Lesmes, LP; Escobar, JO; Patarroyo, ME. (2013). Redefining an epitope of a malaria vaccine candidate, with antibodies against the N-terminal MSA-2 antigen of Plasmodium harboring non-natural peptide bonds. *Amino Acids* 45: 913-935.
- Lu, C-H; Tsai, C-H; Chang, F-C; Jeong, K-U; Kuo, S-W. (2011). Self-assembly behavior and photoluminescence property of bispyrenyl-POSS nanoparticle hybrid. *J Colloid Interface Sci* 358: 93-101.
- Lu, J; Li, Y-P; Wang, J; Ren, G-B; Rohani, S; Ching, C-B. (2012). Crystallization of an active pharmaceutical ingredient that oils out. *Separation and Purification Technology* 96: 1-6.
- Lu, MZ; Loh, TP. (2014). Iron-catalyzed cascade carbocyclomethylation of activated alkenes: highly efficient access to chloro-containing oxindoles. *Org Lett* 16: 4698-4701. [Organic letters].
- Lu, S; Pike, VW. (2010). Synthesis of [<sup>18</sup>F]xenon difluoride as a radiolabeling reagent from [<sup>18</sup>F]fluoride ion in a micro-reactor and at production scale. *Journal of Fluorine Chemistry* 131: 1032-1038.
- Lu, Y; Jin, MH; Park, SJ; Son, KH; Son, JK; Chang, HW. (2011). Batatasin I, a Naturally Occurring Phenanthrene Derivative, Isolated from Tuberos Roots of *Dioscorea batatas* Suppresses Eicosanoids Generation and Degranulation in Bone Marrow Derived-Mast Cells. *Biological & Pharmaceutical Bulletin* 34: 1021-1025.
- Lu, YF; Pignatello, JJ. (2002). Demonstration of the "Conditioning effect" in soil organic matter in support of a pore deformation mechanism for sorption hysteresis. *Environmental Science & Technology* 36: 4553-4561.
- Lucchesi, C; Ferreira, BMP; Duek, EAR; Santos, AR; Joazeiro, PP. (2008). Increased response of Vero cells to PHBV matrices treated by plasma. *Journal of Materials Science-Materials in Medicine* 19: 635-643.
- Luchita, G; Bondar, MV; Yao, S; Mikhailov, IA; Yanez, CO; Przhonska, OV; Masunov, AE; Belfield, KD. (2011). Efficient photochromic transformation of a new fluorenyl diarylethene: one- and two-photon absorption spectroscopy. *ACS Appl Mater Interfaces* 3: 3559-3567. [ACS applied materials & interfaces].
- Lunazzi, L; Mazzanti, A; Casarini, D; De Lucchi, O; Fabris, F. (2000). Conformational studies by dynamic NMR. 70. Stereomutations of homochiral dicarvone in solution and in the solid state. *J Org Chem* 65: 883-888.
- Lund, M; Duedahl-Olesen, L; Christensen, JH. (2009). Extraction of polycyclic aromatic hydrocarbons from smoked fish using pressurized liquid extraction with integrated fat removal. *Talanta* 79: 10-15. [Talanta].
- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res* 40: 411-420.
- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure to rats. *Environ Res* 40: 411-420.
- Lunn, G; Sansone, EB; Keefer, LK. (1983). Safe disposal of carcinogenic nitrosamines. *Carcinogenesis* 1983; 4(3):315-9 [Carcinogenesis].
- Luo, L; Chen, H; Zhang, L; Xu, K; Lv, Y. (2009). A cataluminescence gas sensor for carbon tetrachloride based on nanosized ZnS. *Anal Chim Acta* 635: 183-187.
- Luong-Van, E; GrÃndahl, L; Chua, KN; Leong, KW; Nurcombe, V; Cool, SM. (2006). Controlled release of heparin from poly( $\mu$ -caprolactone) electrospun fibers. *Biomaterials* 27: 2042-2050.
- Luong-Van, E; Grondahl, L; Chua, KN; Leong, KW; Nurcombe, V; Cool, SM. (2006). Controlled release of heparin from poly( $\epsilon$ -caprolactone) electrospun fibers. *Biomaterials* 27: 2042-2050.
- Luseba, D; Elgorashi, EE; Ntloedibe, DT; Van Staden, J. (2007). Antibacterial, anti-inflammatory and mutagenic effects of some medicinal plants used in South Africa for the treatment of wounds and retained placenta in livestock. *South African Journal of Botany* 73: 378-383.
- Luvsanjamba, M; Sercu, B; Keteszi, S; Van Langenhove, H. (2007). Thermophilic biotrickling filtration of a mixture of isobutyraldehyde and 2-pentanone. *J Chem Tech Biotechnol* 82: 74-80.
- Lyddiard, JRA; Bartlett, A; Gray, B; Whitfield, PJ. (1998). The use of video-imaging to assess the sub-lethal impact of plant secondary compounds on *Schistosoma mansoni* miracidia. *J Helminthol* 72: 237-241.
- Lyddiard, JRA; Whitfield, PJ. (2001). Inhibition of Site I mitochondrial electron transport by an extract of the seeds of *Milletia thonningii*: a potential mechanism for the plant's molluscicidal and schistosome larvicidal activity. *J Helminthol* 75: 259-265.
- Lyddiard, JRA; Whitfield, PJ; Bartlett, A. (2002). Antischistosomal bioactivity of isoflavonoids from *Milletia thonningii* (Leguminosae). *Journal of Parasitology* 88: 163-170.
- Lydon, J; Teasdale, J; Chen, PK. (1997). Allelopathic activity of annual wormwood (*Artemisia annua*) and the role of artemisinin. *Weed Sci* 45: 807-811.



## Environmental Hazard Literature Search Results

### Off Topic

- Lykins, BWJ; Koffskey, W. (1986). Products identified at an alternative disinfection pilot plant. Second International Symposium on Health Effects of Drinking Water Disinfectants and Disinfection by-Products, Cincinnati, Ohio, USA, August 27-29, 1985 Environ Health Perspect 69: 1987).
- Lyons, MA; Reisfeld, B; Yang, RSH; Lenaerts, AJ. (2013). A Physiologically Based Pharmacokinetic Model of Rifampin in Mice. Antimicrob Agents Chemother 57: 1763-1771.
- Ma, C; Song, K; Yu, J; Yang, L; Zhao, C; Wang, W; Zu, G; Zu, Y. (2013). Pyrolysis process and antioxidant activity of pyrolytic acid from *Rosmarinus officinalis* leaves. Journal of analytical and applied pyrolysis 104: 38-47.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. J Environ Sci 23: 687-692.
- Ma, CY; Tian, DL; Hou, XK; Chang, YC; Cong, FD; Yu, HF; Du, XG; Du, GT. (2005). Synthesis and characterization of several soluble tetraphenoxy-substituted copper and zinc phthalocyanines. Synthesis-Stuttgart 741-748.
- Ma, H-L; Kermasha, S; Gao, J-M; Borges, RM; Yu, X-z. (2009). Laccase-catalyzed oxidation of phenolic compounds in organic media. Journal of Molecular Catalysis B: Enzymatic 57: 89-95.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts for dichloromethane oxidation. Catalysis Today 175: 598-602.
- Ma, SM; Yu, ZQ. (2006). Copper(I) chloride mediated Cyclization of optically active 2,3-allenoic acids or 1 : 1 salts of optically active 2,3-allenoic acids with chiral amines. Synthesis-Stuttgart 3711-3714.
- Ma, XX; Ran, Y; Gong, JA; Chen, DY. (2010). Sequential Accelerated Solvent Extraction of Polycyclic Aromatic Hydrocarbons with Different Solvents: Performance and Implication. J Environ Qual 39: 2072-2079.
- Ma, Y; Zhao, F; Zeng, B. (2013). Electrodeposition of poly(3,4-ethylenedioxythiophene) on a stainless steel wire for solid phase microextraction and GC determination of some esters with high boiling points. Talanta 104: 27-31.
- Macbeth, M. (2005). Rates of inbreeding using DNA fingerprinting in aquaculture breeding programs at various broodstock fitness levels - a simulation study. Australian Journal of Experimental Agriculture 45: 893-900.
- Macdonald, CR; Metcalfe, CD. (1989). A comparison of PCB congener distributions in two point-source contaminated lakes and one uncontaminated lake in Ontario (Canada). Wat Pollut Res J Can 24: 23-46.
- Machado, ART; Ferreira, SoR; da Silva Medeiros, F; Fujiwara, RT; de Souza Filho, JD; Pimenta, LcPS. (2015). Nematicidal activity of *Annona crassiflora* leaf extract on *Caenorhabditis elegans*. Parasites & vectors 8: 708.
- Machado, FRS; Reis, DF; Boschetto, DL; Burkert, JFM; Ferreira, SRS; Oliveira, JV; Burkert, CAV. (2014). Encapsulation of astaxanthin from *Haematococcus pluvialis* in PHBV by means of SEDS technique using supercritical CO<sub>2</sub>. Ind Crop Prod 54: 17-21.
- Machado, FRS; Trevisol, TC; Boschetto, DL; Burkert, JFM; Ferreira, SRS; Oliveira, JV; Burkert, CAV. (2016). Technological process for cell disruption, extraction and encapsulation of astaxanthin from *Haematococcus pluvialis*. J Biotechnol 218: 108-114.
- Machado, L; Magnusson, M; Paul, NA; Kinley, R; de Nys, R; Tomkins, N. (2016). Identification of bioactives from the red seaweed *Asparagopsis taxiformis* that promote antimethanogenic activity in vitro. J Appl Phycol 28: 3117-3126.
- Machura, B; Mrozińska, J; Kusz, J. (2010). Synthesis, characterization and molecular structure of Re(III) complexes containing 2-benzoylpyridine. Inorganic Chemistry Communications 13: 231-235.
- Maciejewska, AM; Lichota, KD; Kusmierek, JT. (2003). Neighbouring bases in template influence base-pairing of isoguanine. Biochem J 369: 611-618.
- Maciel, GPD; Machado, ME; Barbara, JA; Dal Molin, D; Caramao, EB; Jacques, RA. (2016). GC x GC/TOFMS analysis concerning the identification of organic compounds extracted from the aqueous phase of sugarcane straw fast pyrolysis oil. Biomass & Bioenergy 85: 198-206.
- Macinnis, GA; Brownlee, BG; Penders, JW. (1996). Toxicity identification evaluation of suspended sediments from the athabasca river. 22nd Annual Aquatic Toxicity Workshop, St Andrews, New Brunswick, Canada, October 2-4, 1995 Canadian Technical Report of Fisheries and Aquatic Sciences 0: 140.
- Macleod, C; McKiernan, GJ; Guthrie, EJ; Farrugia, LJ; Hamprecht, DW; Macritchie, J; Hartley, RC. (2003). Synthesis of 2-substituted benzofurans and indoles using functionalized titanium benzylidene reagents on solid phase. J Org Chem 68: 387-401.
- Macleod, CJA; Semple, KT. (2000). Influence of contact time on extractability and degradation of pyrene in soils. Environmental Science & Technology 34: 4952-4957.
- Madani Mousavi, SN; Delazar, A; Nazemiyeh, H; Khodaie, L. (2015). Biological Activity and Phytochemical Study of *Scutellaria platystegia*. Iran J Pharm Res 14: 215-223. [Iranian journal of pharmaceutical research : IJPR].
- Maddox, AF; Rheingold, AL; Golen, JA; Scott Kassel, W; Nataro, C. (2008). Taniaphos and Walphos ligands: Oxidative electrochemistry and complexation. Synthesis, characterization, oxidative electrochemistry and X-ray structures of [(Taniaphos/Walphos)MCl<sub>2</sub>] (M = Pd or Pt). Inorganica Chimica Acta 361: 3283-3293.
- Madhaiyan, M; Poonguzhali, S; Senthilkumar, M; Lee, JS; Lee, KC. (2012). *Methylobacterium gossipiicola* sp nov., a pink-pigmented, facultatively methylotrophic bacterium isolated from the cotton phyllosphere. Int J Syst Evol Microbiol 62: 162-167.
- Madsen, CG; Skov, A; Baldursdottir, S; Rades, T; Jorgensen, L; Medlicott, NJ. (2015). Simple measurements for prediction of drug release from polymer matrices - Solubility parameters and intrinsic viscosity. Eur J Pharm Biopharm 92: 1-7.
- Maeda, H; Okada, M; Fujii, S; Nakamura, Y; Furuzono, T. (2010). Pickering-type water-in-oil-in-water multiple emulsions toward multihollow nanocomposite microspheres. Langmuir 26: 13727-13731. [Langmuir : the ACS journal of surfaces and colloids].
- Mafezoli, J; Vieira, PC; Fernandes, JB; da Silva, M; de Albuquerque, S. (2000). In vitro activity of Rutaceae species against the trypanosome form of *Trypanosoma cruzi*. J Ethnopharmacol 73: 335-340.

## Environmental Hazard Literature Search Results

### Off Topic

- Magalhães, AF; Tozzi, AM; Magalhães, EG; Sannomiya, M; Soriano Mdel, P; Perez, MA. (2007). Flavonoids of *Lonchocarpus montanus* A.M.G. Azevedo and biological activity. *An Acad Bras Cienc* 79: 351-367. [Anais da Academia Brasileira de Ciências].
- Magalhaes, AF; Tozzi, A; Magalhaes, EG; Moraes, VRD. (2001). Prenylated flavonoids from *Deguelia hatschbachii* and their systematic significance in *Deguelia*. *Phytochemistry* 57: 77-89.
- Magara, Y; Aizawa, T; Kunikane, S; Itoh, M; Kohki, M; Kawasaki, M; Takeuti, H. (1996). The behavior of inorganic constituents and disinfection by products in reverse osmosis water desalination process. *Water Science and Technology* 34: 141-148.
- Magli, A; Messmer, M; Leisinger, T. (1998). Metabolism of dichloromethane by the strict anaerobe *Dehalobacterium formicoaceticum*. *Appl Environ Microbiol* 64: 646-650.
- Magli, A; Rainey, FA; Leisinger, T. Acetogenesis from dichloromethane by a two-component mixed culture comprising a novel bacterium. *Appl Environ Microbiol* 1995. v. 61 (8): 2943-2949.
- Magli, A; Wendt, M; Leisinger, T. Isolation and characterization of *Dehalobacterium formicoaceticum* gen. nov. sp. nov., a strictly anaerobic bacterium utilizing dichloromethane as source of carbon and energy. *Archives of microbiology* Aug 1996. v. 166 (2): 101-108.
- Maguire, RJ; Comba, ME; Cannon, CM. (2002). Concentrations of some lipophilic chemicals in fresh water may be underestimated by conventional dichloromethane extraction. *Water Qual Res J Can* 37: 587-598.
- Maguire, RJ; Tkacz, RJ. (1989). Potential underestimation of chlorinated hydrocarbon concentrations in fresh water. *Chemosphere* 19: 1277-1287.
- Maguire, RJ; Tkacz, RJ; Batchelor, SP. (1993). Extraction efficiencies of hydrocarbons from Niagara River water. *Environ Toxicol Chem* 12: 805-811.
- Maharaj, R; Maharaj, V; Crouch, NR; Bhagwandin, N; Folb, PI; Pillay, P; Gayaram, R. (2012). Screening of selected ethnomedicinal plants from South Africa for larvicidal activity against the mosquito *Anopheles arabiensis*. *Malar J* 2012; 11:320 [Malaria journal].
- Mahatmanto, T; Poth, AG; Mylne, JS; Craik, DJ. (2014). A comparative study of extraction methods reveals preferred solvents for cystine knot peptide isolation from *Momordica cochinchinensis* seeds. *Fitoterapia* 95: 22-33.
- Mahima, S; Chaki, NK; Sharma, M; Kakade, BA; Pasricha, R; Rao, AM; Vijayamohan, K. (2006). Electrochemical organization of monolayer protected gold nanoclusters on single-walled carbon nanotubes: significantly enhanced double layer capacitance. *J Nanosci Nanotechnol* 6: 1387-1391. [Journal of nanoscience and nanotechnology].
- Mahlo, SM; McGaw, LJ; Eloff, JN. (2010). Antifungal activity of leaf extracts from South African trees against plant pathogens. *Crop Protection* 29: 1529-1533.
- Mahmoud, MF; Hamdan, DI; Wink, M; El-Shazly, AM. (2014). Hepatoprotective effect of limonin, a natural limonoid from the seed of *Citrus aurantium* var. *bigaradia*, on D-galactosamine-induced liver injury in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology* 387: 251-261.
- Mahomoodally, MF; Muthoora, DD. (2014). Kinetic of inhibition of carbohydrate-hydrolysing enzymes, antioxidant activity and polyphenolic content of *Phyllanthus amarus* Schum. & Thonn. (Phyllanthaceae). *Journal of Herbal Medicine* 4: 208-223.
- Maier, TS; Kuhn, J; Muller, C. (2010). Proposal for field sampling of plants and processing in the lab for environmental metabolic fingerprinting. *Plant Methods* 6: 6-6.
- Mainardes, RM; Evangelista, RC. (2005). Praziquantel-loaded PLGA nanoparticles: preparation and characterization. *J Microencapsul* 22: 13-24.
- Maiti, S; Moon, UR; Bera, P; Samanta, T; Mitra, A. (2014). The in vitro antioxidant capacities of *Polygonum tuberosum* L. flower extracts. *Acta Physiologiae Plantarum* 36: 2597-2605.
- Maixnerová, J; Hlaváčková, J; Bloková, D; Kowalczyk, W; Elbert, T; Anda, M; Blechová, M; Zelená, B; Slaninová, Ji; Maletínská, L. (2007). Structure-activity relationship of CART (cocaine- and amphetamine-regulated transcript) peptide fragments. *Peptides* 28: 1945-1953.
- Majewski, MA; Hong, Y; Lis, T; Gregolinski, J; Chmielewski, PJ; Cybinska, J; Kim, D; Stepien, M. (2016). Octulene: A Hyperbolic Molecular Belt that Binds Chloride Anions. *Angewandte Chemie-International Edition* 55: 14072-14076.
- Majumdar, KC; Das, U; Jana, NK. (1998). Studies on pyrimidine-annulated heterocycles: Synthesis of pyrrolo 3,2-d pyrimidines by amine oxide rearrangement. *J Org Chem* 63: 3550-3553.
- Majumder, S; Bhattacharya, A; Naskar, JP; Mitra, P; Chowdhury, S. (2013). An oxorhenium(V) Schiff-base complex: Synthesis, characterisation, structure, spectroscopic and electrochemical aspects. *Inorganica Chimica Acta* 399: 166-171.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res* 31: 219-228.
- Makhijani, A; Gurney, KR. (1995). Mending the ozone hole science technology and policy. Makhijani, A And K R Gurney Mending the Ozone Hole: Science, Technology, and Policy Xii+355p Mit Press: Cambridge, Massachusetts, USA; London, England, Uk Isbn 0-262-13308-3; 0 (0) 1995 Xii+355p.
- Makogon, O; Flyunt, R; Tobien, T; Naumov, S; Bonifaci. (2008). Dimethylselenide as a probe for reactions of halogenated alkoxy radicals in aqueous solution. Degradation of dichloro- and dibromomethane. *J Phys Chem A* 112: 5908-5916. [The journal of physical chemistry. A].
- Mal, SK; Mitra, M; Biswas, B; Kaur, G; Bag, PP; Reddy, CM; Choudhury, AR; Aliaga-Alcalde, N; Ghosh, R. (2015). Ligand template synthesis of an undecametallate iron(III) complex: X-ray structure, magnetism and catecholase activity. *Inorganica Chimica Acta* 425: 61-66.
- Malachova, K. (1999). Using short-term mutagenicity tests for the evaluation of genotoxicity of contaminated soils. *Journal of Soil Contamination* 8: 667-680.

## Environmental Hazard Literature Search Results

### Off Topic

- Malachowsky, KJ; Phelps, TJ; Teboli, AB; Minnikin, DE; White, DC. (1994). Aerobic mineralization of trichloroethylene, vinyl chloride, and aromatic compounds by *Rhodococcus* species. *Appl Environ Microbiol* 60: 542-548.
- Malamidou-Xenikaki, E; Spyroudis, S; Tsanakopoulou, M. (2003). Studies on the reactivity of arylidonium ylides of 2-hydroxy-1,4-naphthoquinone: Reactions with amines. *J Org Chem* 68: 5627-5631.
- Maleki, H; Gharehaghaji, AA; Moroni, L; Dijkstra, PJ. (2013). Influence of the solvent type on the morphology and mechanical properties of electrospun PLLA yarns. *Biofabrication* 5: 035014. [Biofabrication].
- Maletz, S; Wollenweber, M; Kubiak, K; Muller, A; Schmitz, S; Maier, D; Hecker, M; Hollert, H. (2015). Investigation of potential endocrine disrupting effects of mosquito larvicidal *Bacillus thuringiensis israelensis* (Bti) formulations. *Sci Total Environ* 536: 729-738.
- Malik, U; Karmakar, A; Barik, A. (2016). Attraction of the potential biocontrol agent *Galerucella placida* (Coleoptera: Chrysomelidae) to the volatiles of *Polygonum orientale* (Polygonaceae) weed leaves. *Chemoecology* 26: 45-58.
- Malinowska, A; Grski, M; Kochel, A; Szymańska-Buzar, T. (2007). A novel dianionic seven-coordinate complex of tungsten(II), [WCl<sub>3</sub>(GeCl<sub>3</sub>)(CO)<sub>3</sub>]<sup>2-</sup>: Synthesis, spectroscopic properties and X-ray crystal structure. *Inorganic Chemistry Communications* 10: 1233-1235.
- Malkoc, S; Banar, M; Tuylu, BA; Korkmaz, S; Can, OD. (2006). An evaluation of the bottom ashes from healthcare waste in a laboratory scale incinerator: Microbiology, mutagenicity and toxicity. *Fresen Environ Bull* 15: 229-238.
- Mallouchos, A; Komaitis, M; Koutinas, A; Kanellaki, M. (2003). Wine fermentations by immobilized and free cells at different temperatures. Effect of immobilization and temperature on volatile by-products. *Food Chem* 80: 109-113.
- Mallouchos, A; Skandamis, P; Loukatos, P; Komaitis, M; Koutinas, A; Kanellaki, M. (2003). Volatile compounds of wines produced by cells immobilized on grape skins. *J Agric Food Chem* 51: 3060-3066.
- Maloisel, V; Perbal, B. (1990). Why not use dichloromethane instead of noxious chloroform for nucleic acids extractions? *Methods Mol Cell Biol* 1: 245-248.
- Malone, JA; Reidelberger, RD; Hulce, M. (2000). Synthesis of a radiolabeled type A cholecystokinin receptor antagonist, (R)-N-pentyl-N-(4,5-di(3)H pentyl) N(alpha)-(3-quinolinoyl)glutamic acid amide. *Journal of Labelled Compounds & Radiopharmaceuticals* 43: 77-90.
- Malzert, A; Boury, F; Renard, D; Robert, P; Proust, JE; Benoit, JP. (2002). Influence of some formulation parameters on lysozyme adsorption and on its stability in solution. *Int J Pharm* 242: 405-409.
- Malzert-Freon, A; Benoit, JP; Boury, F. (2008). Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions: A study of interfacial properties. *Eur J Pharm Biopharm* 69: 835-843.
- Malzert-Freon, A; Schonhammer, K; Benoit, JP; Boury, F. (2009). Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions. 2. Conditions required to obtain spontaneous emulsification allowing the formation of bioresorbable poly(D,L lactic acid) microparticles. *Eur J Pharm Biopharm* 73: 66-73.
- Manabe, K; Mori, Y; Wakabayashi, T; Nagayama, S; Kobayashi, S. (2000). Organic synthesis inside particles in water: Lewis acid-surfactant-combined catalysts for organic reactions in water using colloidal dispersions as reaction media. *J Am Chem Soc* 122: 7202-7207.
- Mandal, SK; Sarkar, A. (1999). Engineering endo-selectivity in arene-chromium functionalizations: Out-of-plane coordination of TiCl<sub>4</sub> to ketones leads to stereodivergence. *J Org Chem* 64: 2454-2458.
- Mandal, TK. (1999). Effect of solvent on the characteristics of pentamidine loaded microcapsule. *Journal of Biomaterials Science-Polymer Edition* 10: 1-17.
- Mangas, E; Vaquero, MT; Comellas, L; Broto-Puig, F. (1998). Analysis and fate of aliphatic hydrocarbons, linear alkylbenzenes, polychlorinated biphenyls and polycyclic aromatic hydrocarbons in sewage sludge amended soils. *Chemosphere* 36: 61-72.
- Mangelinckx, S; D'Hooghe, M; Peeters, S; De Kimpe, N. (2009). Synthesis of 2-(Arylmethylene)amino cyclopropanecarbonitriles via a Two-Step Ring Transformation of 2-(Cyanomethyl)aziridines. *Synthesis-Stuttgart* 1105-1112.
- Mannervik, B; Jemth, P. (2001). Measurement of glutathione transferases. *Curr Protoc Toxicol* 6.
- Manninen, HI; Vanninen, RL; Laitinen, M; Rasanen, H; Vainio, P; Luoma, JS; Pakkanen, T; Tulla, H; Yla-Herttuala, S. (1998). Intravascular ultrasound and magnetic resonance imaging in the assessment of atherosclerotic lesions in rabbit aorta - Correlation to histopathologic findings. *Investigative Radiology* 33: 464-471.
- Manosalva, L; Pardo, F; Perich, F; Mutis, A; Parra, L; Ortega, F; Isaacs, R; Quiroz, A. (2011). Behavioral Responses of Clover Root Borer to Long-Chain Fatty Acids From Young Red Clover (*Trifolium pratense*) Roots. *Environ Entomol* 40: 399-404.
- Mansager, ER; Still, GG; Frear, DS. (1979). Fate of [<sup>14</sup>C]d\Di\flubenzuron on Cotton and in Soil. *Pestic Biochem Physiol* 12: 172-182.
- Mantilla, SV; Manrique, AM; Gauthier-Maradei, P. (2015). Methodology for Extraction of Phenolic Compounds of Bio-oil from Agricultural Biomass Wastes. *Waste Biomass Valorization* 6: 371-383.
- Manuel, J. (1998). Cleaner water it's elementary. *Environ Health Perspect* 106: A332-A334.
- Manuele, MG; Ferraro, G; Anesini, C. (2008). Effect of *Tilia x viridis* Flower Extract on the Proliferation of a Lymphoma Cell Line and on Normal Murine Lymphocytes: Contribution of Monoterpenes, Especially Limonene. *Phytother Res* 22: 1520-1526.
- Manyin, T; Rowe, CL. (2010). Reproductive and Life Stage-Specific Effects of Aqueous Copper on the Grass Shrimp, *Palaemonetes pugio*. *Mar Environ Res* 69: 152-157.
- Mao, T; Wang, YS; Jiang, J; Wu, FK; Wang, MX. (2008). The vertical distributions of VOCs in the atmosphere of Beijing in autumn. *Sci Total Environ* 390: 97-108.
- Marn-Loaiza, JC; Nieto-Camacho, A; Cspedes, CL. (2013). Antioxidant and anti-inflammatory activities of *Pittocaulon* species from Mxico. *Pharm Biol* 51: 260-266. [Pharmaceutical biology].

## Environmental Hazard Literature Search Results

### Off Topic

- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of beta-carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400.
- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of  $\beta$ -carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400.
- Marchand, P; Crement, M; Lamare, S; Goubet, I. (2009). Dehalogenation of a gaseous effluent by dehydrated whole cells in a solid/gas reactor: A study of catalyst stability. *Biocatalysis and Biotransformation* 27: 195-203.
- Marchioni, F; Venturi, M; Credi, A; Balzani, V; Belohradsky, M; Elizarov, AM; Tseng, HR; Stoddart, JF. (2004). Polyvalent scaffolds. Counting the number of seats available for eosin guest molecules in viologen-based host dendrimers. *J Am Chem Soc* 126: 568-573.
- Marco-Medina, A; Casas, JL. (2013). RAPD AND PHYTOCHEMICAL ANALYSIS OF *Thymus moroderi* PLANTLETS AFTER CRYOPRESERVATION. *Cryoletters* 34: 119-127.
- Marcomini, A; Cecchi, F; Sfriso, A. (1991). Analytical extraction and environmental removal of alkylbenzene sulphonates, nonylphenol and nonylphenol monoethoxylate from dated sludge-only landfills. *Environ Technol* 12: 1047-1054.
- Margon, A; Fornasier, F. (2008). Determining soil enzyme location and related kinetics using rapid fumigation and high-yield extraction. *Soil Biology & Biochemistry* 40: 2178-2181.
- Maricich, TJ; Allan, MJ; Kislin, BS; Chen, AIT; Meng, FC; Bradford, C; Kuan, NC; Wood, J; Aisagbonhi, O; Poste, A; Wride, D; Kim, S; Santos, T; Fimbres, M; Choi, D; Elia, H; Kaladjian, J; Abou-Zahr, A; Mejia, A. (2013). SNAAP Sulfonimidate Alkylating Agent for Acids, Alcohols, and Phenols. *Synthesis-Stuttgart* 45: 3361-3368.
- Marie-Magdeleine, C; Hoste, H; Mahieu, M; Varo, H; Archimede, H. (2009). In vitro effects of *Cucurbita moschata* seed extracts on *Haemonchus contortus*. *Vet Parasitol* 161: 99-105.
- Marie-Magdeleine, C; Mahieu, M; D'Alexis, S; Philibert, L; Archimede, H. (2010). In vitro effects of *Tabernaemontana citrifolia* extracts on *Haemonchus contortus*. *Res Vet Sci* 89: 88-92.
- Marie-Magdeleine, C; Udino, L; Philibert, L; Bocage, B; Archimede, H. (2010). In vitro effects of Cassava (*Manihot esculenta*) leaf extracts on four development stages of *Haemonchus contortus*. *Vet Parasitol* 173: 85-92.
- Marie-Magdeleine, C; Udino, L; Philibert, L; Bocage, B; Archimede, H. (2014). In vitro effects of *Musa x paradisiaca* extracts on four developmental stages of *Haemonchus contortus*. *Res Vet Sci* 96: 127-132.
- Marino, DJ. (2005). Physiologically based pharmacokinetic modeling using microsoft excel and visual basic for applications. *Toxicol Mech Methods* 15: 137-154.
- Marklevitz, SAC; Almeida, E; Flemming, J; Hellou, J. (2008). Determining the bioavailability of contaminants and assessing the quality of sediments. *Journal of Soils and Sediments* 8: 86-91.
- Markovic, AR; Hrnčić, D; Macut, D; Stanojlović, O; Djurić, D. (2011). Anticonvulsive Effect of Folic Acid in Homocysteine Thiolactone-Induced Seizures. *Cellular and Molecular Neurobiology* 31: 1221-1228.
- Marks, TS; Maule, A. (1992). The use of immobilized porphyrins and corrins to dehalogenate organochlorine pollutants. *Appl Microbiol Biotechnol* 38: 413-416.
- Markwiese, JT; Tiller, B; Rytí, RT; Bauer, R. (2008). Using artificial burrows to evaluate inhalation risks to burrowing mammals. *Integr Environ Assess Manag* 4: 425-430. [Integrated environmental assessment and management].
- Maronpot, RR; Anna, CH; Devereux, TR; Lucier, GW; Butterworth, BE; Anderson, MW. (1995). Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons. *Prog Clin Biol Res* 391: 305-323.
- Maronpot, RR; Devereux, TR; Hegi, M; Foley, JF; Kanno, J; Wiseman, R; Anderson, MW. (1995). Hepatic and pulmonary carcinogenicity of methylene chloride in mice: a search for mechanisms. *Toxicology* 102: 73-81.
- Marrubini, G; Caccialanza, G; Massolini, G. (2008). Determination of glycine and threonine in topical dermatological preparations. *J Pharm Biomed Anal* 47: 716-722.
- Marsaro, AL; Souza, RC; Della Lucia, TMC; Fernandes, JB; Silva, M; Vieira, PC. (2004). Behavioral changes in workers of the leaf-cutting ant *Atta sexdens rubropilosa* induced by chemical components of *Eucalyptus maculata* leaves. *J Chem Ecol* 30: 1771-1780.
- Marsden, PJ; Gurka, DF; Williams, LR; Heaton, JS; Hellerstein, JP. (1987). Interim procedures for preparing environmental samples for mutagenicity ames testing. Suffet, I H And M Malaiyandi (Ed) *Advances in Chemistry Series, 214 Organic Pollutants in Water: Sampling, Analysis, and Toxicity Testing*; Symposium Held at the 188th Meeting of the American Chemical Society, Philadelphia, Pennsylvania, USA, August 29-31, 1984 Xvi+797p American Chemical Society: Washington, DC, USA Illus Isbn 0-8412-0951-0; 0 (0) 1987 15-38.
- Marshall, KW; Manolopoulos, V; Mancer, K; Staples, J; Damyanovich, A. (2000). Amelioration of disease severity by intraarticular hyal therapy in bilateral canine osteoarthritis. *Journal of Orthopaedic Research* 18: 416-425.
- Marsili, M; Stracquadanio, M; Trombini, C; Vassura, I. (2001). The epicuticular wax of *Laurus nobilis* leaves as a passive sampler of polycyclic aromatic hydrocarbons in ambient air. *Fresen Environ Bull* 10: 26-30.
- Mart, CJ; Henke, CB. (1992). Emissions from the incineration of nerve agent rockets containing low-level PCBs. *J Environ Sci Health Part a Environ Sci Eng* 27: 1549-1575.
- Martín-Sabroso, C; Fraguas-Sánchez, AI; Aparicio-Blanco, J; Cano-Abad, MF; Torres-Suárez, AI. (2015). Critical attributes of formulation and of elaboration process of PLGA-protein microparticles. *Int J Pharm* 480: 27-36.
- Martel, R; Gelinás, PJ; Desnoyers, JE. (1998). Aquifer washing by micellar solutions: 1 Optimization of alcohol-surfactant-solvent solutions. *J Contam Hydrol* 29: 319-346.

## Environmental Hazard Literature Search Results

### Off Topic

- Martens, F; Martens, M. (2002). Determination des metabolites monoester de butylbenzyl-phthalate (bbp) par gcms dans les urines de personnes exposees: analysis of the monoester metabolites of butylbenzyl phthalate by gc-ms in urine of exposed workers. *Acta Clin Belg* 1: 16-23.
- Marti, D; Villagrasa, V; Martinez-Solis, I; Blanquer, A; Castillo, E; Royo, LM. (2005). Hystological and pharmacological study of Thymus piperella (L.). *Phytother Res* 19: 298-302.
- Martin, N; Burkus, Z; McEachern, P; Yu, T. (2014). Naphthenic acids quantification in organic solvents using fluorescence spectroscopy. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 49: 294-306.
- Martin, RJ; Ng, WJ. (1985). Chemical regeneration of exhausted activated carbon ii. *Water Res* 19: 1986.
- Martins, GG; Liver, FAD; Stolf, AM; Kopruszinski, CM; Cardoso, CC; Beltrame, OC; Queiroz-Telles, JE; Strapasson, RLB; Stefanello, MEA; Oude-Elferink, R; Acco, A. (2015). Sesquiterpene lactones of *Moquiinastrum polymorphum* subsp *floccosum* have antineoplastic effects in Walker-256 tumor-bearing rats. *Chem Biol Interact* 228: 46-56.
- Martins, PNA; Reuzel-Selke, A; Jurisch, A; Atrott, K; Pascher, A; Pratschke, J; Buelow, R; Neuhaus, P; Volk, HD; Tullius, SG. (2005). Induction of carbon monoxide in the donor reduces graft immunogenicity and chronic graft deterioration. *Transplant Proc* 37: 379-381.
- Martins, S; Amorim, ELC; Sobrinho, T; Saraiva, AM; Pisciotano, MNC; Aguilar, CN; Teixeira, JA; Mussatto, SI. (2013). Antibacterial activity of crude methanolic extract and fractions obtained from *Larrea tridentata* leaves. *Ind Crop Prod* 41: 306-311.
- Maruoka, S. (1978). Estimation of toxicity using cultured mammalian cells of the organic pollutants recovered from lake biwa. *Water Res* 12: 371-375.
- Mary, A; Mary, V; Sarojini, R; Nagabhushanam, R. (1994). Bacteriostatic compounds in extracts of marine animals from the indian ocean. Thompson, M-F, Et Al (Ed) *Recent Developments in Biofouling Control; Indo-United States Conference, Bangalore, India, July 12-16, 1992* Xiv+450p A A Balkema: Rotterdam, Netherlands; Brookfield, Vermont, USA Isbn 90-5410-251-9; 0 (0) 1994 229-239.
- Mary, A; Mary, V; Sarojini, R; Nagabhushanam, R. (1994). Broad spectrum natural products from the indian ocean octocoral *euplexaura nuttingi*. Thompson, M-F, Et Al (Ed) *Recent Developments in Biofouling Control; Indo-United States Conference, Bangalore, India, July 12-16, 1992* Xiv+450p A A Balkema: Rotterdam, Netherlands; Brookfield, Vermont, USA Isbn 90-5410-251-9; 0 (0) 1994 242-249.
- Marzouk, AM. (2009). Hepatoprotective Triterpenes from Hairy Root Cultures of *Ocimum basilicum* L. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 64: 201-209.
- Masi, F; Lepri, L; Del Bubba, M; Sacco, C; Lo Nostro, A; Comodo, N. (1999). Organic chemicals and microbial facies of liquid aerosols from a wastewater treatment plant. *Ann Chim* 89: 231-248.
- Masih, A; Saini, R; Singhvi, R; Taneja, A. (2010). Concentrations, sources, and exposure profiles of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM(10)) in the north central part of India. *Environ Monit Assess* 163: 421-431.
- Maskarinec, MP; Bayne, CK. (1996). Development of stability data for organic compounds in environmental samples. Keith, L H (Ed) *Principles of Environmental Sampling, Second Edition* Xxix+848p American Chemical Society: Washington, Dc, USA Isbn 0-8412-3152-4; 0 (0) 1996 277-296.
- Masoko, P; Picard, J; Eloff, JN. (2007). The antifungal activity of twenty-four southern African *Combretum* species (Combretaceae). *South African Journal of Botany* 73: 173-183.
- Mason, G; Safe, S. (1986). Synthesis, Biologic and Toxic Properties of 2,3,7,8-TCDD Metabolites. *Chemosphere* 15: 2081-2083.
- Mason, JR; Neal, J; Oliver, JE; Lusby, WR. (1991). Bird-repellent properties of secretions from nymphs of the azalea lace bug. *Ecol Appl* 1: 226-230.
- Masondo, NA; Ndhkala, AR; Aremu, AO; Van Staden, J; Finnie, JF. (2013). A comparison of the pharmacological properties of garden cultivated and muthi market-sold *Bowiea volubilis*. *South African Journal of Botany* 86: 135-138.
- Masood, F; Malik, A. (2013). Cytotoxic and genotoxic potential of tannery waste contaminated soils. *Sci Total Environ* 444: 153-160.
- Masood, F; Malik, A. (2013). Mutagenicity and genotoxicity assessment of industrial wastewaters. *Environ Sci Pollut Res Int* 20: 7386-7397.
- Masri, MS. (1986). Chlorinating poultry chiller water: The generation of mutagens and water re-use. *Food Chem Toxicol* 24: 923-930.
- Massue, J; Bellec, N; Guerro, M; Bergamini, JF; Hapiot, P; Lorcy, D. (2007). Crown ether vinylogous tetrathiafulvalene receptors: Complexation interference on the molecular movements triggered by electron transfer. *J Org Chem* 72: 4655-4662.
- Masten, SJ; Davies, SH. (1994). Use of ozone and other strong oxidants for hazardous waste management. Nriagu, J O And M S Simmons (Ed) *Advances in Environmental Science and Technology, Vol 28 Environmental Oxidants* Xviii+630p John Wiley and Sons, Inc: New York, New York, USA; Chichester, England, Uk Isbn 0-471-57928-9; 0 (0) 1994 517-547.
- Matano, Y; Nomura, H; Suzuki, H; Shiro, M; Nakano, H. (2001). Synthesis, structure, and reactions of (acylimino)triaryl-lambda(5)-bismuthanes: First comparative study of the (acylimino)pnictorane series. *J Am Chem Soc* 123: 10954-10965.
- Mataranga-Popa, LN; Torje, I; Ghosh, T; Leitl, MJ; Spath, A; Novianti, ML; Webster, RD; Konig, B. (2015). Synthesis and electronic properties of pi-extended flavins. *Organic & Biomolecular Chemistry* 13: 10198-10204.
- Matatagui, D; Fernandez, MJ; Fontecha, J; Santos, JP; Gracia, I; Cano, C; Horrillo, MC. (2012). Love-wave sensor array to detect, discriminate and classify chemical warfare agent simulants. *Sensors & Actuators: B* 175: 173-178.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environmental Science & Technology* 28: 2045-2053.
- Matheswaran, M; Raju, T. (2010). Destruction of methylene blue by mediated electrolysis using two-phase system. *Process Saf Environ Protect* 88: 350-355.
- Mathew, AS; Chauhan, MG; Shah, BK. (1998). On the antifeedant and anthelmintic potential of *anacardium occidentale* L. *Anc Sci Life* 18: 134-144. [Ancient science of life].

## Environmental Hazard Literature Search Results

### Off Topic

- Mathew, S; Zakaria, ZA; Musa, NF. (2015). Antioxidant property and chemical profile of pyroligneous acid from pineapple plant waste biomass. *Process Biochemistry* 50: 1985-1992.
- Matos, AP; Leite, AC; Batista-Pereira, LG; Vieira, PC; Fernandes, JB; da Silva, M. (2009). Effects of Limonoids from *Cipadessa fruticosa* on Fall Armyworm. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 64: 441-446.
- Matsuda, H; Hibino, M; Sato, T; Ose, Y; Nagase, H; Kito, H. Mutagenicity of ozonated and chlorinated humic substances. *Journal of environmental science and health : Part A : Environmental science and engineering* 1993. v. A28 (4): 821-837.
- Matsuda, Y; Kawaguchi, S; Kobayashi, H; Nishijo, J. (1984). Physicochemical Characterization of Spray-Dried Phenylbutazone Polymorphs. *J Pharm Sci* 73: 173-179.
- Matsui, S. (1984). THE BACILLUS SUBTILIS/MICROSOME REC-ASSAY FOR THE DETECTION OF MUTAGENS IN WATERS OF A MUNICIPAL WASTEWATER TREATMENT PLANT. *Freshwater Biological Monitoring* 143-152.
- Matsumoto, K; Kim, JC; Iida, H; Hamana, H; Kumamoto, K; Kotsuki, H; Jenner, G. (2005). Multicomponent Strecker reaction under high pressure. *Helvetica Chimica Acta* 88: 1734-1753.
- Matsumoto, K; Kohno, S; Ojima, K; Tezuka, Y; Kadota, S; Watanabe, H. (1998). Effects of methylene chloride-soluble fraction of Japanese angelica root extract, ligustilide and butylidenephthalide, on pentobarbital sleep in group-housed and socially isolated mice. *Life Sci* 62: 2073-2082.
- Matsunaga, Y; Yang, JS. (2015). Multicolor Fluorescence Writing Based on Host-Guest Interactions and Force-Induced Fluorescence-Color Memory. *Angewandte Chemie-International Edition* 54: 7985-7989.
- Matsushita, H; Endo, O; Goto, S; Shimizu, H; Matsumoto, H; Tamakawa, K; Endo, T; Sakabe, Y; Tokiwa, H; Ando, M. (1992). Collaborative study using the preincubation *Salmonella typhimurium* mutation assay for airborne particulate matter in Japan. A trial to minimize interlaboratory variation. *Mutation Research/Environmental Mutagenesis and Related Subjects* 271: 1-12.
- Matthews, RF; West, PF. Solvent extraction procedure for the recovery of volatile constituents from orange juice. *Proceedings of the May 1993*. v. 105: 156-160.
- Matthews, RF; West, PF; Toth, JP. Volatile constituents of fresh orange juice recovered by simultaneous distillation extraction. *Proceedings of the June 1995*. v. 107: 288-291.
- Matthews, RM; James, TL. (1978). Effect of dichloromethane on sickle cells. An in vitro water proton magnetic resonance relaxation study. *Biochem Biophys Res Commun* 80: 879-885.
- Matthies, M; Trenkle, R. (1988). Variability of exposure estimations for hazardous chemicals released to the environment. *Chemosphere* 17: 1471-1486.
- Mattie, DR; Bates Jr, GD; Jepson, GW; Fisher, JW; McDougal, JN. (1994). Determination of Skin:Air Partition Coefficients for Volatile Chemicals: Experimental Method and Applications. *Fundam Appl Toxicol* 22: 51-57.
- Mattina, MJ; Pignatello, JJ; Swihart, RK. Identification of volatile components of bobcat (*Lynx rufus*) urine. *J Chem Ecol* Feb 1991. v. 17 (2): 451-462.
- Mattos, BD; Lourencon, TV; Serrano, L; Labidi, J; Gatto, DA. (2015). Chemical modification of fast-growing eucalyptus wood. *Wood Science and Technology* 49: 273-288.
- Mattsson, JL; Albee, RR; Eisenbrandt, DL. (1990). Neurotoxicologic evaluation of rats after 13 weeks of inhalation exposure to dichloromethane or carbon monoxide. *Pharmacology Biochemistry and Behavior* 36: 671-681.
- Matyska, M; Soczewinski, E. (1990). Computer-aided optimization of liquid-solid systems in TLC: 4. Retention versus eluent composition relationships of some drugs and poisons. *J Planar Chromatogr Mod Tlc* 3: 417-421.
- Maulding, HV; Nazareno, JP; Pearson, JE; Michaelis, AF. (1975). Practical Kinetics III: Benzodiazepine Hydrolysis. *J Pharm Sci* 64: 278-284.
- Maulik, G; Maulik, N; Bhandari, V; Kagan, VE; Pakrashi, S; Das, DK. (1997). Evaluation of antioxidant effectiveness of a few herbal plants. *Free Radic Res* 27: 221-228. [Free radical research].
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al<sub>2</sub>O<sub>3</sub>: CH<sub>2</sub>, Cl<sub>2</sub>, disproportionation over alumina and oxidation over platinum. *J Catal* 291: 104-109.
- Mavundza, EJ; Chukwujekwu, JC; Maharaj, R; Finnie, JF; Van Heerden, FR; Van Staden, J. (2016). Identification of compounds in *Olax dissitiflora* with larvicidal effect against *Anopheles arabiensis*. *South African Journal of Botany* 102: 1-3.
- Maximo, P; Lourenco, A; Feio, SS; Roseiro, JC. (2002). Flavonoids from *Ulex airensis* and *Ulex europaeus* ssp *europaeus*. *J Nat Prod* 65: 175-178.
- Maxwell, RJ; Mondimore, D; Tobias, J. (1986). Rapid Method for the Quantitative Extraction and Simultaneous Class Separation of Milk Lipids. *J Dairy Sci* 69: 321-325.
- May, WE; Benner, BAJ; Wise, SA; Schuetzle, D; Lewtas, J. (1992). Standard reference materials for chemical and biological studies of complex environmental samples. *Mutat Res* 276: 11-22.
- Mayer, AS; Imhoff, PT; Mitchell, RJ; Rabideau, AJ; McBride, JF; Miller, CT. (1994). Fate and effects of pollutants groundwater quality. *Water Environ Res* 66: 532-585.
- Maynard Jr, WR; Bruce, RB. (1970). GLC Determination of Guaiacol Glyceryl Ether in Blood. *J Pharm Sci* 59: 1346-1348.
- Mayr, H; Ofial, AR; Wurthwein, EU; Aust, NC. (1997). NMR spectroscopic evidence for the structure of iminium ion pairs. *J Am Chem Soc* 119: 12727-12733.
- Mazinani, S; Ajjji, A; Dubois, C. (2010). Fundamental study of crystallization, orientation, and electrical conductivity of electrospun PET/carbon nanotube nanofibers. *Journal of polymer science* 48: 2052-2064.
- Mazza, G; Di Tommaso, D; Foti, S. (2002). Volatile constituents of sicilian fenugreek (*Trigonella foenum-graecum* L.) seeds. *Sciences Des Aliments* 22: 249-264.

## Environmental Hazard Literature Search Results

### Off Topic

- Mazzuca, M; Kraus, W; Balzaretto, V. (2003). Evaluation of the biological activities of crude extracts from patagonian prosopis seeds and some of their active principles. *J Herb Pharmacother* 3: 31-37.
- Mbah, JA; Ngemenya, MN; Abawah, AL; Babiaka, SB; Nubed, LN; Nyongbela, KD; Lemuh, ND; Efange, SM. (2012). Bioassay-guided discovery of antibacterial agents: in vitro screening of *Peperomia vulcanica*, *Peperomia fernandopoioana* and *Scleria striatinux*. *Ann Clin Microbiol Antimicrob* 2012; 11:10 [Annals of clinical microbiology and antimicrobials].
- Mbah, JA; Tane, P; Ngadjui, BT; Connolly, JD; Okunji, CC; Iwu, MM; Schuster, BM. (2004). Antiplasmodial agents from the leaves of *Glossocalyx brevipes*. *Planta Med* 70: 437-440.
- Mbaye, M; Gaye Seye, MD; Coly, A; Tine, A; Aaron, J-J. (2009). Usefulness of cyclodextrin media for the determination of  $\hat{\pm}$ -cypermethrin by photochemically induced fluorescence: analytical applications to natural waters. *Anal Bioanal Chem* 394: 1089-1098.
- McAuliffe, CA; Sayle, BJ. (1978). Coordination chemistry of molybdenum and tungsten $\hat{\epsilon}$ VIII. Oxomolybdenum(V) complexes of 8-hydroxyquinoline and relevance of EPR spectra to binding sites in flavoenzymes. *Bioinorganic Chemistry* 8: 331-339.
- McCarron, PA; Donnelly, RF; Marouf, W. (2006). Celecoxib-loaded poly(D,L-lactide-co-glycolide) nanoparticles prepared using a novel and controllable combination of diffusion and emulsification steps as part of the salting-out procedure. *J Microencapsul* 23: 480-498.
- McCarthy, ED; Zammarano, M; Fox, DM; Nieuwendaal, RC; Kim, YS; Maupin, PH; Trulove, PC; Gilman, JW. (2013). Formation of extended ionomeric network by bulk polymerization of l,d-lactide with layered-double-hydroxide. *Polymer* 54: 90-101.
- McCarty, LS; Mackay, D; Smith, AD; Ozburn, GW; Dixon, DG. (1992). Residue-based interpretation of toxicity and bioconcentration qsars from aquatic bioassays neutral narcotic organics. Meeting of the American Chemical Society, the Chemical Society of Japan, and the Canadian Society for Chemistry on Structure-Activity and Structure-Property Relationships in Environmental Chemistry and Toxicology (Pacifichem '89), Honolulu, Hawaii, USA, December 17-22, 1989 *Environ Toxicol Chem* 11: 917-930.
- McCarty, PL. (1993). In-situ bioremediation of chlorinated solvents. *Curr Opin Biotechnol* 4: 323-330.
- McCarty, PL; Argo, D; Reinhard, M. (1987). Operational experiences with activated carbon adsorbers at water factory 21 orange county california usa. Meeting on Adsorption Techniques in Drinking Water Treatment Held at the North Atlantic Treaty Organization's Committee on the Challenges of Modern Society Symposium, Reston, Virginia, USA, April 30-May 2, 1979 *J Environ Pathol Toxicol Oncol* 7: 319-338.
- McCaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation* 19: 78-86.
- McClintock, JB; Baker, BJ; Amsler, CD; Barlow, TL. (2000). Chemotactic tube-foot responses of the spongivorous sea star *Perknaster fuscus* to organic extracts of sponges from McMurdo Sound, Antarctica. *Antarct Sci* 12: 41-46.
- McClintock, JB; Baker, BJ; Baumiller, TK; Messing, CG. (1999). Lack of chemical defense in two species of stalked crinoids: support for the predation hypothesis for mesozoic bathymetric restriction. *Exp Mar Bio Ecol* 232: 1-7.
- McClintock, JB; Mahon, AR; Peters, KJ; Amsler, CD; Baker, BJ. (2003). Chemical defences in embryos and juveniles of two common Antarctic sea stars and an isopod. *Antarct Sci* 15: 339-344.
- McClure, J. (1982). The effects of disodium ethane-hydroxy-1,1-diphosphonate and disodium dichloromethylene diphosphonate on lanthanide-induced calcergy. *J Pathol* 137: 159-165. [The Journal of pathology].
- McCorkle, DL; Ding, WX; Ma, CY; Pinnaduwege, LA. (1999). Dissociation of benzene and methylene chloride based on enhanced dissociative electron attachment to highly excited molecules. *Journal of Physics D-Applied Physics* 32: 46-54.
- McCormick, S; Robson, K; Bohm, B. (1985). Flavonoids from *Wyethia glabra*. *Phytochemistry* 24: 1614-1616.
- McCormick, S; Robson, K; Bohm, B. (1986). Flavonoids of *Wyethia angustifolia* and *W. helenioides*. *Phytochemistry* 25: 1723-1726.
- McDermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol* 32: 136-145.
- McDonald, TJ; Kennicutt, MC, II; Brooks, JM. (1988). Volatile organic compounds at a coastal gulf of mexico site. *Chemosphere* 17: 123-136.
- McGeorge, LJ; Krietzman, SJ; Dupuy, CJ; Mintz, B. (1992). National survey of drinking water standards and guidelines for chemical contaminants. *Am Water Works Assoc J* 84: 72-76.
- McGill, WB; Rowell, MJ. (1980). Determination of oil content of oil contaminated soil. *Sci Total Environ* 14: 245-253.
- McGugan, WA; Emmons, DB; Armond, EL. (1979). Influence of Volatile and Nonvolatile Fractions on Intensity of Cheddar Cheese Flavor1. *J Dairy Sci* 62: 398-403.
- McKenna, MJ; Zempel, JA; Braun, WH. (1982). The pharmacokinetics of inhaled methylene chloride in rats. *Toxicol Appl Pharmacol* 65: 1-10.
- McLoughlin, PD; Case, RL; Gau, RJ; Cluff, HD; Mulders, R; Messier, F. (2002). Hierarchical habitat selection by barren-ground grizzly bears in the central Canadian Arctic. *Oecologia* 132: 102-108.
- McMorris, CJ; McConnell, RI; Lamont, JV; Fitzgerald, SP. (1994). Rapid screening of fruit juices and water supplies for contamination by 2,4-D using an enzyme immunoassay. *Food and Agricultural Immunology* 6: 261-266.
- McPartland, TJ; Patil, RA; Malone, MF; Roberts, SC. (2012). Liquid-liquid extraction for recovery of paclitaxel from plant cell culture: Solvent evaluation and use of extractants for partitioning and selectivity. *Biotechnol Prog* 28: 990-997.
- McWhinney, RD; Badali, K; Liggio, J; Li, SM; Abbatt, JPD. (2013). Filterable Redox Cycling Activity: A Comparison between Diesel Exhaust Particles and Secondary Organic Aerosol Constituents. *Environmental Science & Technology* 47: 3362-3369.
- Mebaoudj, H; Bouslimani, Y; Sellal, K. (2016). Dual-band CPW-fed rectangular patch antenna reactively loaded with a circular slot. *Microwave and Optical Technology Letters* 58: 360-363.
- Medeiros, PM; Fernandes, MF; Dick, RP; Simoneit, BRT. (2006). Seasonal variations in sugar contents and microbial community in a ryegrass soil. *Chemosphere* 65: 832-839.

## Environmental Hazard Literature Search Results

### Off Topic

- Medinskaia, K; Vakh, C; Aseeva, D; Andruch, V; Moskvina, L; Bulatov, A. (2016). A fully automated effervescence assisted dispersive liquid-liquid microextraction based on a stepwise injection system. Determination of antipyrine in saliva samples. *Anal Chim Acta* 902: 129-134.
- Meepagala, KM; Sturtz, G; Wedge, DE; Schrader, KK; Duke, SO. (2005). Phytotoxic and antifungal compounds from two Apiaceae species, *Lomatium californicum* and *Ligusticum hultenii*, rich sources of Z-ligustilide and apiol, respectively. *J Chem Ecol* 31: 1567-1578.
- Megiatto, JD, Jr.; Li, K; Schuster, DI; Palkar, A; Herranz, M; Echegoyen, L; Abwandner, S; de Miguel, G; Guldi, DM. (2010). Convergent synthesis and photoinduced processes in multi-chromophoric rotaxanes. *J Phys Chem B* 114: 14408-14419. [The journal of physical chemistry. B].
- Mehri, H; Baassou, S; Plat, M. Methylene-10,10' bis[(+)-Na-norvallesamidine], dichloromethylene Nb,Nb [bis(+)-melonium], chlorides of Nb-chloromethyl celastromelinium and celastromelidinium:dimeric alkaloids, possible extraction artefacts of *Melodinus celastroides*. Methylene-10,10'bis[(+)-Na-norvallesamidine], dichlorure de methylene Nb, Nb'[bis (+)meloninium], chlorures de Nb'-chloromethyl celastromelinium et celastromelidinium: alcaloids dimeres, artefacts possibles d'extraction de *Melodinus celastroides*. *J Nat Prod* Mar/Apr 1991. v. 54 (2): 372-379.
- Mehvar, R; Dann, RO; Hoganson, DA. (2000). Simultaneous analysis of methylprednisolone, methylprednisolone succinate, and endogenous corticosterone in rat plasma. *J Pharm Biomed Anal* 22: 1015-1022.
- Meier, JR; Chang, LW; Jacobs, S; Torsella, J; Meckes, MC; Smith, MK. (1997). Use of plant and earthworm bioassays to evaluate remediation of soil from a site contaminated with polychlorinated biphenyls. *Environ Toxicol Chem* 16: 928-938.
- Meir, W; Edward, AB; Wilchek, M; Bayer, EA. (1990). [13] Biotin-containing reagents. *Methods in Enzymology* 123-138.
- Meister, U. (2004). New method of citrinin determination by HPLC after polyamide column clean-up. *European Food Research and Technology* 218: 394-399.
- Melek, FR; Gershenson, J; Lee, E; Mabry, TJ. (1984). Sesquiterpene lactones of *Helianthus gracilentus*. *Phytochemistry* 23: 2277-2279.
- Melendez, CR; Roman, MD; Smith, GB. (1993). Biodegradation of dichloromethane under denitrifying conditions by a waste water microbial community and by pure cultures of *Hyphomicrobium* strain x. 93rd General Meeting of the American Society for Microbiology, Atlanta, Georgia, USA, May 16-20, 1993 *Abstr Gen Meet Am Soc Microbiol* 93: 381.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *International Biodeterioration & Biodegradation* 38: 9-18.
- Melliou, E; Magiatis, P; Skaltsounis, AL. (2003). Alkylresorcinol derivatives and sesquiterpene lactones from *Cichorium spinosum*. *J Agric Food Chem* 51: 1289-1292.
- Melo, VN; Dantas, WM; Camara, CA; de Oliveira, RN. (2015). Synthesis of 2,3-Unsaturated Alkynyl O-Glucosides from Tri-O-acetyl-D-glucal by Using Montmorillonite K-10/Iron(III) Chloride Hexahydrate with Subsequent Copper(I)-Catalyzed 1,3-Dipolar Cycloaddition. *Synthesis-Stuttgart* 47: 3529-3541.
- Mendes, JAS; Prozil, SO; Evtuguin, DV; Lopes, LPC. (2013). Towards comprehensive utilization of winemaking residues: Characterization of grape skins from red grape pomaces of variety Touriga Nacional. *Ind Crop Prod* 43: 25-32.
- Meng, FT; Ma, GH; Liu, YD; Qiu, W; Su, ZG. (2004). Microencapsulation of bovine hemoglobin with high bio-activity and high entrapment efficiency using a W/O/W double emulsion technique. *Colloids and Surfaces B-Biointerfaces* 33: 177-183.
- Meng, J; Elmaleh, DR; Jyawook, S; Weiss, S; Alpert, NM; Babich, JW; Tompkins, RG; Fischman, AJ. (1994). Synthesis of 2-[18F]Fluoro-2-deoxy-D-glucose and positron emission tomography studies in monkeys. *Nucl Med Biol* 21: 633-640.
- Meng, Y; Sun, S; Li, J; Nan, K; Lan, B; Jin, Y; Chen, H; Cheng, L. (2014). Sustained release of triamcinolone acetonide from an episcleral plaque of multilayered poly- $\epsilon$ -caprolactone matrix. *Acta Biomater* 10: 126-133.
- Menglet, D; Bond, AM; Coutinho, K; Dickson, RS; Lazarev, GG; Olsen, SA; Pilbrow, J. (1998). EPR, electronic spectra, and electron transfer properties of the 17 electron carbonylhydrotris(triphenylphosphine)rhodium(II) cation. *J Am Chem Soc* 120: 2086-2089.
- Ment, D; Gindin, G; Rot, A; Soroker, V; Glazer, I; Barel, S; Samish, M. (2010). Novel Technique for Quantifying Adhesion of *Metarhizium anisopliae* Conidia to the Tick Cuticle. *Appl Environ Microbiol* 76: 3521-3528.
- Ment, D; Gindin, G; Soroker, V; Glazer, I; Rot, A; Samish, M. (2010). *Metarhizium anisopliae* conidial responses to lipids from tick cuticle and tick mammalian host surface. *J Invertebr Pathol* 103: 132-139.
- Mentec, A; Pondaven, A; Kerbaol, J-M; Lâ€™Her, M. (2006). Dimerization of a highly unsymmetrical lutetium bisphthalocyanine in solution. *Inorganic Chemistry Communications* 9: 810-813.
- Mercier, M. (1988). Risk assessment of chemicals a global approach. Richardson, M L (Ed) *Risk Assessment of Chemicals in the Environment; Third European Conference, Guilford, England, UK, July 11-14, 1988* Xxi+579p Royal Society of Chemistry: London, England, UK *Illus Maps* *Isbn* 0-85186-118-0; 0 (0) 1988 73-91.
- Merdy, P; Achard, R; Samaali, I; Lucas, Y. (2014). Selective extraction of PAHs from a sediment with structural preservation of Natural Organic Matter. *Chemosphere* 107: 476-479.
- Merkel, PB; Luo, P; Dinnocenzo, JP; Farid, S. (2009). Accurate Oxidation Potentials of Benzene and Biphenyl Derivatives via Electron-Transfer Equilibria and Transient Kinetics. *J Org Chem* 74: 5163-5173.
- Merlen, Cm; Farhat, N; Luo, X; Chatenet, D; Tadevosyan, A; Villeneuve, LR; Gillis, M-A; Nattel, S; Thorin, E; Fournier, A; Allen, BG. (2013). Intracrine endothelin signaling evokes IP3-dependent increases in nucleoplasmic Ca<sup>2+</sup> in adult cardiac myocytes. *J Mol Cell Cardiol* 62: 189-202.
- Merlin, G; Thiebaud, H; Blake, G; Sembiring, S; Alary, J. (1992). Mesocosms' and microcosms' utilization for ecotoxicity evaluation of dichloromethane, a chlorinated solvent. *Chemosphere* 24: 37-50.



## Environmental Hazard Literature Search Results

### Off Topic

- Merola, JS; Husebo, TL; Selnau, HE. (2012). Dinuclear iridium complexes with unsupported Ir-Cl-Ir bridges. *Inorganica Chimica Acta* 390: 33-36.
- Mersch-Sundermann, V. (1989). Examination of mutagenicity of organic microcontaminations on the environment ii. communication the mutagenicity of halogenated aliphatic hydrocarbons with the salmonella microsome test ames-test as to contamination of ground and drinking-water. *Zentralbl Bakteriol Mikrobiol Hyg Ser B Umwelthyg Krankenhaushyg Arbeitshyg Praev Med* 187: 230-243.
- Meseck, H; Hermmans, R. (1988). Resistance of mineral sealing wall masses against seepage waters from old storages. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 585-596.
- Messanga, BB; Kimbu, SF; Sondengam, BL; Bodo, B. (2002). Triflavonoids of *Ochna calodendron*. *Phytochemistry* 59: 435-438.
- Mewis, J; Urlchs, C. (2004). Plant wounding affects the oviposition of *Hellula undalis*(F.). The impact of leaf chemistry. *Commun Agric Appl Biol Sci* 69: 311-321.
- Meyer, W; Seiler, TB; Schwarzbauer, J; Puttmann, W; Hollert, H; Achten, C. (2014). Polar polycyclic aromatic compounds from different coal types show varying mutagenic potential, EROD induction and bioavailability depending on coal rank. *Sci Total Environ* 494: 320-328.
- Michael Henson, J; Yates, MV; Cochran, JW; Shackelford, DL. (1988). Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. *FEMS Microbiol Lett* 53: 193-201.
- Michel, Tn; Cokoja, M; Kühn, FE. (2013). Catalytic epoxidation of camphene using methyltrioxorhenium(VII) as catalyst. *Journal of Molecular Catalysis* 368-369: 145-151.
- Michel, Tn; Cokoja, M; Sieber, V; Kühn, FE. (2012). Selective epoxidation of (+)-limonene employing methyltrioxorhenium as catalyst. *Journal of Molecular Catalysis* 358: 159-165.
- Michener, JK; Vuilleumier, S; Bringel, F; Marx, CJ. (2014). Phylogeny Poorly Predicts the Utility of a Challenging Horizontally Transferred Gene in *Methylobacterium* Strains. *J Bacteriol* 196: 2101-2107.
- Michielin, EMZ; Salvador, AA; Riehl, CAS; Smania, A; Smania, EFA; Ferreira, SRS. (2009). Chemical composition and antibacterial activity of *Cordia verbenacea* extracts obtained by different methods. *Bioresour Technol* 100: 6615-6623.
- Mignano, L; Perdicakis, M; Bessière, J. (1995). Ultramicroelectrode study without deliberately added electrolyte: Application to the analysis of liquid-liquid extraction processes in dichloromethane. *Anal Chim Acta* 305: 137-145.
- Mihaljević, B; Katušić, B; Rašević, B; Rašević, Da. (1996). The reevaluation of the ferric thiocyanate assay for lipid hydroperoxides with special considerations of the mechanistic aspects of the response. *Free Radic Biol Med* 21: 53-63.
- Mikhail, HG; Karvouni, H; Kotsiou, A; Tesseromatis, C; Magiatis, P. (2015). New alkylresorcinols from a lipophilic extract of *Urginea indica* L. bulbs showing experimental trauma healing activity. *Fitoterapia* 101: 41-45.
- Mikesell, MD; Boyd, SA. (1990). Dechlorination of chloroform by *Methanosarcina* strains. *Appl Environ Microbiol* 56: 1198-1201.
- Miki, S; Koyama, J; Uno, S. (2010). OPTIMIZATION OF PRESSURIZED LIQUID EXTRACTION FOR SIMULTANEOUS ANALYSIS OF POLYCYCLIC AROMATIC HYDROCARBONS AND ALKYLATED POLYCYCLIC AROMATIC HYDROCARBONS IN SEDIMENTS. *Fresen Environ Bull* 19: 1544-1551.
- Milano, J; Cardoso, SG. (2005). Spectrophotometric determination of oxiconazole in topical lotion using methyl orange. *J Pharm Biomed Anal* 37: 639-642.
- Milet, C; Peignoux-Deville, J; Martelly, E. (1979). Gill calcium fluxes in the eel, *Anguilla anguilla* (L.). effects of stannous corpuscles and ultimobranchial body. *Comparative Biochemistry and Physiology Part A: Physiology* 63: 63-70.
- Miller, AJ; Buchanan, RL. (1983). Detection of genotoxicity in fried bacon by the Salmonella/mammalian microsome mutagenicity assay. *Food Chem Toxicol* 21: 319-323.
- Miller, DM; Koehler, PG. (2000). Novel extraction of German cockroach (Dictyoptera : Blattellidae) fecal pellets enhances efficacy of spray formulation insecticides. *J Econ Entomol* 93: 107-111.
- Miller, G; Lester, T; Cundy, V. (1989). Prediction of rate constants in the CH<sub>2</sub>Cl<sub>2</sub> reaction set. *J Hazard Mater* 22: 253.
- Miller, GP; Lester, TW; Cundy, VA. (1989). Prediction of rate constants in the dichloromethane reaction set. 1st Annual Gulf Coast Hazardous Substance Research Center Symposium on Hazardous Waste Incineration, Beaumont, Texas, USA, February 23-24, 1989 *J Hazard Mater* 22: 253.
- Miller, JL; Sardo, MA; Thompson, TL; Miller, RM. (1997). Effect of application solvents on heterotrophic and nitrifying populations in soil microcosms. *Environ Toxicol Chem* 16: 447-451.
- Miller, RJ; Byford, RL; Smith, GS; Craig, ME; Vanleeuwen, D. (1995). Influence of snakeweed foliage on engorgement, fecundity and attachment of the lone star tick (Acari: Ixodidae). *J Agr Entomol* 12: 137-143.
- Miller, WR; Rhoderick, GC. (1995). Stability of compressed gas mixtures containing low level volatile organic compounds in aluminum cylinders. *Fresenius' Journal of Analytical Chemistry* 351: 221-229.
- Millikin, R; Bianco, CL; White, C; Saund, SS; Henriquez, S; Sosa, V; Akaike, T; Kumagai, Y; Soeda, S; Toscano, JP; Lin, J; Fukuto, JM. (2016). The chemical biology of protein hydropersulfides: Studies of a possible protective function of biological hydropersulfide generation. *Free Radic Biol Med* 97: 136-147.
- Mills, MA; McDonald, TJ; Bonner, JS; Simon, MA; Autenrieth, RL. (1999). Method for quantifying the fate of petroleum in the environment. *Chemosphere* 39: 2563-2582.
- Mimori-Kiyosue, Y; Vonderviszt, F; Namba, K. (1997). Locations of terminal segments of flagellin in the filament structure and their roles in polymerization and polymorphism. *Journal of Molecular Biology* 270: 222-237.

## Environmental Hazard Literature Search Results

### Off Topic

- Minami, H; Suzuki, S; Minesaki, Y; Kurashige, H; Tanaka, T. (2004). In vitro evaluation of the influence of repairing condition of denture base resin on the bonding of autopolymerizing resins. *J Prosthet Dent* 91: 164-170. [The Journal of prosthetic dentistry].
- Minero, C; Pelizzetti, E; Segal, M; Friberg, SE; Sjoblom, J. (1999). The role of humic substances in the photocatalytic degradation of water contaminants. *Journal of Dispersion Science and Technology* 20: 643-661.
- Mino, J; Moscatelli, V; Hnatyszyn, O; Gorzalczy, S; Acevedo, C; Ferraro, G. (2004). Antinociceptive and antiinflammatory activities of *Artemisia copa* extracts. *Pharmacol Res* 50: 59-63.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: Kinetic studies and correlation with adsorption properties. *Chemosphere* 66: 1706-1715.
- Miranda, I; Gominho, J; Mirra, I; Pereira, H. (2013). Fractioning and chemical characterization of barks of *Betula pendula* and *Eucalyptus globulus*. *Ind Crop Prod* 41: 299-305.
- Miranda, PO; Lizandara-Pueyo, C; Pericás, MA. (2013). Potassium fluoride: A convenient, non-covalent support for the immobilization of organocatalysts through strong hydrogen bonds. *J Catal* 305: 169-178.
- Mironov, VF; Dimukhametov, MN; Efimov, SV; Aminova, RM; Karataeva, FK; Krivolapov, DB; Mironova, EV; Klochkov, VV. (2016). Stereoselective PCO/POC-Rearrangement of P C-Cage Phosphorane in the Reaction of 4,5-Dimethyl-2-(2-oxo-1,2-diphenyl)ethoxy-1,3,2-dioxaphospholane with Hexafluoroacetone. *J Org Chem* 81: 5837-5850.
- Mishra, D; Naskar, S; Blake, AJ; Chattopadhyay, SK. (2007). Synthesis, characterization, spectroscopic and electrochemical properties of trans,trans,trans-bis(triphenyl phosphine) bis(aryl hydrazonato)ruthenium(II) complexes. *Inorganica Chimica Acta* 360: 2291-2297.
- Mishra, D; Naskar, S; Drew, MGB; Chattopadhyay, SK. (2006). Synthesis, spectroscopic and redox properties of some ruthenium(II) thiosemicarbazone complexes: Structural description of four of these complexes. *Inorganica Chimica Acta* 359: 585-592.
- Mishra, S; Kapoor, N; Mubarak Ali, A; Pardhasaradhi, BVV; Kumari, AL; Khar, A; Misra, K. (2005). Differential apoptotic and redox regulatory activities of curcumin and its derivatives. *Free Radic Biol Med* 38: 1353-1360.
- Mishra, S; Pani, SR; Sahoo, S. (2014). Anti-nephrotoxic activity of some medicinal plants from tribal rich pockets of Odisha. *Pharmacognosy Res* 6: 210-217. [Pharmacognosy research].
- Mishra, SP; Palai, AK; Srivastava, R; Kamalasanan, MN; Patri, M. (2009). Dithieno[3,2-b:2',3'-d]pyrrole-alkylthiophene-benzo[c][1,2,5]thiadiazole-based highly stable and low band gap polymers for polymer light-emitting diodes. *Journal of polymer science* 47: 6514-6525.
- Miski, M; de Luengo, DH; Mabry, TJ. (1986). Guaiane sesquiterpenes from *Decachaeta scabrella*. *Phytochemistry* 26: 199-200.
- Miski, M; Gage, DA; Mabry, TJ. (1987). Terpenoids of *Piptothrix sinaloae*. *Phytochemistry* 26: 2753-2757.
- Misra, BB; Dey, S. (2012). Comparative phytochemical analysis and antibacterial efficacy of in vitro and in vivo extracts from East Indian sandalwood tree (*Santalum album* L.). *Lett Appl Microbiol* 55: 476-486.
- Misra, DN; Bowen, RL. (1981). Adsorptive bonding to hydroxyapatite I: Adsorption of anthranilic acid – the effect of solvents. Search for surface bonding groups for coupling agents to teeth. *Biomaterials* 2: 28-32.
- Mistry, D; Powles, N; Page, MI. (2013). Unusual Stability and Carbon Acidity of a Dicationic Carbon Species. *J Org Chem* 78: 10732-10736.
- Mitchell, ER; Tingle, FC; Heath, RR. Flight activity of *Heliothis virescens* (F.) females (Lepidoptera: Noctuidae) with reference to host-plant volatiles. *J Chem Ecol* Feb 1991. v. 17 (2): 259-266.
- Mitchell, ER; Tingle, FC; Heath, RR. Ovipositional response of three *Heliothis* species (Lepidoptera: Noctuidae) to allelochemicals from cultivated and wild host plants. *J Chem Ecol* June 1990. v. 16 (6): 1817-1827.
- Mitra, SB; Patel, NK; Anderson, JM. (1979). Interchain heterogeneity in 2-hydroxyethylglutamine-l-valine random copolymers. *Int J Biol Macromol* 1: 55-60.
- Miura, H; Kanebako, M; Shirai, H; Nakao, H; Inagi, T; Terada, K. (2010). Enhancement of dissolution rate and oral absorption of a poorly water-soluble drug, K-832, by adsorption onto porous silica using supercritical carbon dioxide. *Eur J Pharm Biopharm* 76: 215-221.
- Miyagi, Y; Hirao, T; Haino, T; Sanda, F. (2015). Synthesis of optically active conjugated polymers containing platinum in the main chain: Control of the higher order structures by substituents and solvents. *Journal of polymer science* 53: 2452-2461.
- Miyake-Nakayama, C; Ikatsu, H; Kashihara, M; Tanaka, M; Arita, M; Miyoshi, S; Shinoda, S. (2006). Biodegradation of dichloromethane by the polyvinyl alcohol-immobilized methylotrophic bacterium *Ralstonia metallidurans* PD11. *Appl Microbiol Biotechnol* 70: 625-630.
- Miyasaka, E; Hamaguchi, T; Yatsuhashi, T. (2016). Graphitization of Chlorohydrocarbons in Laser-Induced Plasma Filaments. *Electronics and Communications in Japan* 99: 51-57.
- Miyazawa, M; Fukuyama, M; Yoshio, K; Kato, T; Ishikawa, Y. (1999). Biologically active components against *Drosophila melanogaster* from *Podophyllum hexandrum*. *J Agric Food Chem* 47: 5108-5110.
- Miyazawa, Y; Sato, T; Kobayashi, K; Akahori, F; Suzuki, T; Miyashita, H. Influence of induced cholestasis on pharmacokinetics of digoxin and digitoxin in dogs. *American journal of veterinary research* Apr 1990. v. 51 (4): 605-610.
- Mizoguchi, T; Hara, K; Nagae, H; Koyama, Y. (2000). Structural transformation among the aggregate forms of bacteriochlorophyll c as determined by electronic-absorption and NMR spectroscopies: Dependence on the stereoisomeric configuration and on the bulkiness of the 8-C side chain. *Photochem Photobiol* 71: 596-609.
- Mizoguchi, T; Sakamoto, S; Koyama, Y; Ogura, K; Inagaki, F. (1998). The structure of the aggregate form of bacteriochlorophyll c showing the Q(y) absorption above 740 nm as determined by the ring-current effects on (1)H and (13)C nuclei and by (1)H-(1)H intermolecular NOE correlations. *Photochem Photobiol* 67: 239-248.

## Environmental Hazard Literature Search Results

### Off Topic

- Mogi, T; Ohtake, N; Yoshida, M; Chimura, R; Kamaga, Y; Ando, S; Tsukamoto, T; Nakajima, T; Uenodan, H; Otsuka, M; Matsuda, Y; Ohshima, H; Makino, K. (2000). Sustained release of  $17\beta$ -estradiol from poly (lactide-co-glycolide) microspheres in vitro and in vivo. *Colloids Surf B Biointerfaces* 17: 153-165.
- Mohamed, AA; PÄ©rez, LM; Fackler Jr, JP. (2005). Unsupported intermolecular argentophilic interaction in the dimer of trinuclear silver(I) 3,5-diphenylpyrazolates. *Inorganica Chimica Acta* 358: 1657-1662.
- Mohamed, F; van der Walle, CF. (2006). PLGA microcapsules with novel dimpled surfaces for pulmonary delivery of DNA. *Int J Pharm* 311: 97-107.
- Mohamed, GG. (2001). Spectrophotometric determination of ampicillin, dicloxacinil, flucloxacillin and amoxicillin antibiotic drugs: ion-pair formation with molybdenum and thiocyanate. *J Pharm Biomed Anal* 24: 561-567.
- Mohamed, GG; Nour El-Dien, FA; Khalil, SM; Mohamed, NA. (2006). Spectrophotometric determination of trazodone, amineptine and amitriptyline hydrochlorides through ion-pair formation with molybdenum and thiocyanate. *Spectrochim Acta A Mol Biomol Spectrosc* 65: 1221-1226. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Mohammed, MS; Khalid, HS; Muddathir, AE; El-Tahir, K; Khan, AA; Algadir, HA; Osman, WJ; Siddiqui, NA. (2015). Effect of some plants' extracts used in Sudanese folkloric medicines on carrageenan-induced inflammation. *Pak J Pharm Sci* 28: 159-165. [Pakistan journal of pharmaceutical sciences].
- Mohapatra, S; Ajithakumar, R. (2014). Persistence of trifloxystrobin and tebuconazole in banana tissues and soil under the semi-arid climatic conditions of Karnataka, India. *Int J Environ Anal Chem* 94: 506-518.
- Moideen, SVK; Houghton, PJ; Rock, P; Croft, SL; Aboagye-Nyame, F. (1999). Activity of extracts and naphthoquinones from *Kigelia pinnata* against *Trypanosoma brucei brucei* and *Trypanosoma brucei rhodesiense*. *Planta Med* 65: 536-540.
- Mojsiejczuk, LN; Torres, C; Sevic, I; Badano, I; Malan, R; Flichman, DM; Liotta, DJ; Campos, RH. (2016). Molecular epidemiology of hepatitis B virus in Misiones, Argentina. *Infection Genetics and Evolution* 44: 34-42.
- Mok, HJ; Park, TG. (2008). Direct plasmid DNA encapsulation within PLGA nanospheres by single oil-in-water emulsion method. *Eur J Pharm Biopharm* 68: 105-111.
- Molis, M; Korner, J; Ko, YW; Kim, JH. (2008). Specificity of inducible seaweed anti-herbivory defences depends on identity of macroalgae and herbivores. *Mar Ecol Prog Ser* 354: 97-105.
- Moller, W; Hofer, T; Ziesenis, A; Karg, E; Heyder, J. (2002). Ultrafine particles cause cytoskeletal dysfunctions in macrophages. *Toxicol Appl Pharmacol* 182: 197-207.
- Momenteau, M. (1973). The physical chemistry of hemes and hemopeptides: I. Physicochemical properties and reduction of chlorodeuterohemin in organic solvent. *Biochimica et Biophysica Acta (BBA) - General Subjects* 304: 814-827.
- Monagheddu, M; Mulas, G; Doppiu, S; Cocco, G; Raccanelli, S. (1999). Reduction of polychlorinated dibenzodioxins and dibenzofurans in contaminated muds by mechanically induced combustion reactions. *Environmental Science & Technology* 33: 2485-2488.
- Mondal, A; Sarkar, S; Chopra, D; Rajak, KK. (2006). Amido binding to  $ReO_3^+$  core: Synthesis, structure and intermolecular interactions. *Inorganica Chimica Acta* 359: 2141-2146.
- Moneghini, M; Kikic, I; Voinovich, D; Perissutti, B; Alessi, P; Cortesi, A; Princivalle, F; Solinas, D. (2003). Study of the solid state of carbamazepine after processing with gas anti-solvent technique. *Eur J Pharm Biopharm* 56: 281-289.
- Mongelli, E; Desmarchelier, C; Talou, J; Coussio, J; Ciccia, G. (1997). In vitro antioxidant and cytotoxic activity of extracts of *Baccharis coridifolia* DC. *J Ethnopharmacol* 58: 157-163.
- Mongkol, R; Piapukiew, J; Chavasiri, W. Chemical constituents from *Melodorum fruticosum* Lour. flowers against plant pathogenic fungi. *Agriculture and Natural Resources*.
- Montes, A; Baldauf, E; Gordillo, MD; Pereyra, CM; de la Ossa, EJM. (2014). Polymer encapsulation of amoxicillin microparticles by SAS process. *J Microencapsul* 31: 16-22.
- Montgomery, L; Assaf-Anid, N; Nies, L; Anid, PJ; Vogel, TM. (1994). Anaerobic biodegradation of chlorinated organic compounds. Chaudhry, G R (Ed) *Biological Degradation and Bioremediation of Toxic Chemicals* 515p Dioscorides Press: Portland, Oregon, USA Isbn 0-931146-27-5; 0 (0) 1994 256-276.
- Montreuil, CN; Ball, JC; Gorse Jr, RA; Young, WC. (1992). Solvent extraction efficiencies of mutagenic components from diesel particles. *Mutation Research Letters* 282: 89-92.
- Mookdasanit, J; Tamura, H; Yoshizawa, T; Tokunaga, T; Nakanishi, K. (2003). Trace volatile components in essential oil of *Citrus sudachi* by means of modified solvent extraction method. *Food Science and Technology Research* 9: 54-61.
- Moon, S; Adamski, JM; Hansen, MJ; Lichtman, A. (1994). Brominated organic pollutants in Nassau County drinking water. Hickey, J E Jr And L A Longmire (Ed) *Contributions in Economics and Economic History, No 153 The Environment: Global Problems, Local Solutions; International Conference, Hempstead, New York, USA, June 1990* Xiii+519p Greenwood Press Inc: Westport, Connecticut, USA Isbn 0-313-29160-8; 0 (0) 1994 303-320.
- Moon, S; Adamski, JM; Lichtman, A. (1990). Profile of volatile organic chemicals in Nassau County New York USA groundwater. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume* Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 50-63.
- Moore, RM. (2000). The solubility of a suite of low molecular weight organochlorine compounds in seawater and implications for estimating the marine source of methyl chloride to the atmosphere. *Chemosphere - Global Change Science* 2: 95-99.
- Mora-Diez, N; Keller, S; Alvarez-Idaboy, JR. (2009). The Baeyer-Villiger reaction: solvent effects on reaction mechanisms. *Organic & Biomolecular Chemistry* 7: 3682-3690.

## Environmental Hazard Literature Search Results

### Off Topic

- Morais, MC; Pereira, H. (2012). Variation of extractives content in heartwood and sapwood of *Eucalyptus globulus* trees. *Wood Science and Technology* 46: 709-719.
- Morales, A; Birkholz, DA; Hrudey, SE. (1992). Analysis of pulp mill effluent contaminants in water, sediment, and fish muscle: Chlorophenols and related compounds. *Water Environ Res* 64: 660-668.
- Moran, D; Sukcharoenphon, K; Puchta, R; Schaefer, HF; Schleyer, PV; Hoff, CD. (2002). 2-pyridinethiol/2-pyridinethione tautomeric equilibrium. A comparative experimental and computational study. *J Org Chem* 67: 9061-9069.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol* 41: 74-81. [Environmental science & technology].
- Morandi, MT; Daisey, JM; Lioy, PJ. (1987). Inhalable particulate matter and extractable organic matter receptor source apportionment models for the ateos urban sites. Lioy, P J And J M Daisey Toxic Air Pollution: A Comprehensive Study of Non-Criteria Air Pollutants Xxv+294p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-057-6; 0 (0) 1987 195-250.
- Morandini, F; Munari, I; Panese, M; Ravazzolo, A; Consiglio, G. (2005). Reactivity to Lewis acids of half-sandwich pentamethylcyclopentadienyl complexes of ruthenium(II) containing chiral diphosphines. *Inorganica Chimica Acta* 358: 2697-2700.
- Morante-Zarcelo, S; del Hierro, I; Fajardo, M; Sierra, I. (2009). HPLC with polysaccharide chiral stationary phase in polar-organic phase mode: Application to the asymmetric epoxidation of allylic alcohols. *J Sep Sci* 32: 3055-3063.
- Mordaunt, CJ; Gevao, B; Jones, KC; Semple, KT. (2005). Formation of non-extractable pesticide residues: observations on compound differences, measurement and regulatory issues. *Environ Pollut* 133: 25-34.
- Moreira, MR; Souza, AB; Moreira, MsA; Bianchi, TC; Carneiro, LJ; Estrela, FT; dos Santos, RA; Januário, AH; Martins, CHG; Ambrosio, SrR; Veneziani, RCS. (2013). RP-HPLC analysis of manool-rich *Salvia officinalis* extract and its antimicrobial activity against bacteria associated with dental caries. *Revista Brasileira de Farmacognosia* 23: 870-876.
- Moreira, PL; Lopez, P; Martin, J. (2008). Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (*Lacerta monticola*). *Acta Ethologica* 11: 26-33.
- Morello, AP; Burrill, R; Mathiowitz, E. (2007). Preparation and characterization of poly(methyl methacrylate) - iron (III) oxide microparticles using a modified solvent evaporation method. *J Microencapsul* 24: 476-491.
- Morera, L; Llanes, D; Nguyen, TC. (1992). Blood group factor frequencies in Spanish Merino. *Small Ruminant Research* 9: 297-302.
- Morfin, J-Fo; Tripier, RI; Baccon, ML; Handel, H. (2009). Bismuth(III) complexes with tetra-pyridylmethyl-cyclen. *Inorganica Chimica Acta* 362: 1781-1786.
- Morgan, B; Hansgen, R; Hawthorne, W; Miller, SL. (2015). Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *Journal of the Air & Waste Management Association* 65: 1127-1140.
- Morgan, DR; Poon, P; Titley, J; Jagger, SF; Ruddy, GN. (2001). Unique case of fatal carbon monoxide poisoning in the absence of a combustible fossil fuel. *Am J Forensic Med Pathol* 22: 220-224. [The American journal of forensic medicine and pathology].
- Moriconi, EJ; O'Connor, WF; Taranko, LB. (1959). Ozonolysis of polycyclic aromatics. V. Naphthacene and 5,12-naphthacenequinone. *Archives of Biochemistry and Biophysics* 83: 283-290.
- Morillo, E; Romero, AS; Madrid, L; Villaverde, J; Maqueda, C. (2008). Characterization and sources of PAHs and potentially toxic metals in urban environments of sevilla (Southern Spain). *Water Air and Soil Pollution* 187: 41-51.
- Morimoto, M; Fukumto, H; Hiratani, M; Chavasiri, W; Komai, K. (2006). Insect antifeedants, pterocarpan and pterocarpol, in heartwood of *Pterocarpus macrocarpus* Kruz. *Bioscience Biotechnology and Biochemistry* 70: 1864-1868.
- Morin, RS; Tulis, JJ; Claxton, LD. (1987). The effect of solvent and extraction methods on the bacterial mutagenicity of sidestream cigarette smoke. *Toxicol Lett* 38: 279-290.
- Morini, L; Vignali, C; Polla, M; Sponta, A; Groppi, A. (2012). Comparison of extraction procedures for benzodiazepines determination in hair by LC-MS/MS. *Forensic Sci Int* 218: 53-56.
- Morini, L; Vignali, C; Polla, M; Sponta, A; Groppi, A. (2012). Comparison of extraction procedures for benzodiazepines determination in hair by LC-MS/MS. *Forensic Sci Int* 218: 53-56. [Forensic science international].
- Morini, L; Zucchella, A; Poletti, A; Politi, L; Groppi, A. (2010). Effect of bleaching on ethyl glucuronide in hair: An in vitro experiment. *Forensic Sci Int* 198: 23-27.
- Morini, MSC; Bueno, OC; Bueno, FC; Leite, AC; Hebling, MJA; Pagnocca, FC; Fernandes, JB; Vieira, PC; da Silva, M. (2005). Toxicity of sesame seed to leaf-cutting ant *Atta sexdens rubropilosa* (Hymenoptera : Formicidae). *Sociobiology* 45: 195-204.
- Moriones, P; Ríos, X; Echeverría, JsC; Garrido, JnJ; Pires, Jo; Pinto, Ms. (2011). Hybrid organic-inorganic phenyl stationary phases for the gas separation of organic binary mixtures. *Colloids and surfaces* 389: 69-75.
- Morita, T; Horikiri, Y; Suzuki, T; Yoshino, H. (2001). Applicability of various amphiphilic polymers to the modification of protein release kinetics from biodegradable reservoir-type microspheres. *Eur J Pharm Biopharm* 51: 45-53.
- Morita, T; Horikiri, Y; Suzuki, T; Yoshino, H. (2001). Preparation of gelatin microparticles by co-lyophilization with poly(ethylene glycol): characterization and application to entrapment into biodegradable microspheres. *Int J Pharm* 219: 127-137.
- Morita, T; Horikiri, Y; Yamahara, H; Suzuki, T; Yoshino, H. (2000). Formation and isolation of spherical fine protein microparticles through lyophilization of protein-poly(ethylene glycol) aqueous mixture. *Pharm Res* 17: 1367-1373.
- Morrice, P; Giordano, A; Seccia, S; Ungaro, F; Ventriglia, M. (2001). Degradation of imazosulfuron in soil. *Pest Manag Sci* 57: 360-365.
- Morris, JB; Smith, FA; Garman, RH. (1979). Studies on methylene chloride-induced fatty liver. *Experimental and Molecular Pathology* 30: 386-393.
- Morrison, P; Wolf, K. (1985). Substitution analysis: A case study of solvents. *J Hazard Mater* 10: 189-204.

## Environmental Hazard Literature Search Results

### Off Topic

- Morrison, RD; Murphy, BL; Doherty, RE. (1964). 12 - Chlorinated Solvents. *Environmental Forensics* Burlington 259-277.
- Morton, M; Pollak, JK. (1987). Determination by combustion of the total organochlorine content of tissues soil water waste streams and oil sludges. *Bull Environ Contam Toxicol* 38: 109-116.
- Moscatelli, V; Hnatyszyn, O; Acevedo, C; Megias, J; Alcaraz, MJ; Ferraro, G. (2006). Flavonoids from *Artemisia copa* with anti-inflammatory activity. *Planta Med* 72: 72-74.
- Moshapo, PT; Sokamisa, M; Mmutlane, EM; Mampa, RM; Kiefe, HH. (2016). A convenient domino Ferrier rearrangement-intramolecular cyclization for the synthesis of novel benzopyran-fused pyranoquinolines. *Organic & Biomolecular Chemistry* 14: 5627-5638.
- Moshfeghian, A; Tillman, J; Madihally, SV. (2006). Characterization of emulsified chitosan-PLGA matrices formed using controlled-rate freezing and lyophilization technique. *Journal of Biomedical Materials Research Part A* 79A: 418-430.
- Moshi, MJ; Innocent, E; Masimba, PJ; Otieno, DF; Weisheit, A; Mbabazi, P; Lynes, M; Meachem, K; Hamilton, A; Urassa, I. (2009). Antimicrobial and brine shrimp toxicity of some plants used in traditional medicine in Bukoba District, north-western Tanzania. *Tanzan J Health Res* 11: 23-28. [Tanzania journal of health research].
- Moshi, MJ; Mbwambo, ZH; Nondo, RS; Masimba, PJ; Kapingu, MC; Magelewanya, ES. (2006). Anticonvulsant activity of *Diospyros fischeri* root extracts. *Afr J Tradit Complement Altern Med* 4: 226-230.
- Mosquera, OM; Correa, YM; Buitrago, DC; Nino, J. (2007). Antioxidant activity of twenty five plants from Colombian biodiversity. *Mem Inst Oswaldo Cruz* 102: 631-634.
- Mota, GS; Sartori, CJ; Ferreira, J; Miranda, I; Quilho, T; Mori, FA; Pereira, H. (2016). Cellular structure and chemical composition of cork from *Plathymenia reticulata* occurring in the Brazilian Cerrado. *Ind Crop Prod* 90: 65-75.
- Moundipa, PF; Ngouela, S; Kamtchouing, P; Tsamo, E; Tchouanguep, FM; Carreau, S. (2006). Effects of extracts from *Hibiscus macranthus* and *Basella alba* mixture on testosterone production in vitro in adult rat testes slices. *Asian J Androl* 8: 111-114. [Asian journal of andrology].
- Moura, SC; Jorge, RF; Duque, A; Boaventura, RAR; Castro, PML. (2007). Aerobic biological treatment of waste-waters containing dichloromethane. *J Chem Tech Biotechnol* 82: 864-869.
- Mousnier, L; Huang, N; Morvan, E; Fattal, E; Tsapis, N. (2014). Influence of polymer end-chemistry on the morphology of perfluorohexane polymeric microcapsules intended as ultrasound contrast agents. *Int J Pharm* 471: 10-17.
- Moussa, Z. (2012). Cyclic Aromatic Analogues of the Hendrickson Reagent; NMR Studies and Electrophilic Properties. *Synthesis-Stuttgart* 44: 460-468.
- Moustafa, AM; Khodair, AI; Saleh, MA. (2011). Potato disc bioassay and cytotoxic effect of *Leptadenia pyrotechnica*: comparative study of diverse extracts. *Pak J Biol Sci* 14: 882-886. [Pakistan journal of biological sciences : PJBS].
- Moya, R; Tenorio, C. (2013). Fuelwood characteristics and its relation with extractives and chemical properties of ten fast-growth species in Costa Rica. *Biomass & Bioenergy* 56: 14-21.
- Moyo, M; Finnie, JF; Van Staden, J. (2011). Antimicrobial and cyclooxygenase enzyme inhibitory activities of *Sclerocarya birrea* and *Harpephyllum caffrum* (Anacardiaceae) plant extracts. *South African Journal of Botany* 77: 592-597.
- Mphahlele, MJ; Moekwa, TB. (2005). Iodo- and bromo-enolcyclization of 2-(2-propenyl)cyclohexanediones and 2-(2-propenyl)cyclohexenone derivatives using iodine in methanol and pyridinium hydrobromide perbromide in dichloromethane. *Organic & Biomolecular Chemistry* 3: 2469-2475.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol* 126: 258-270.
- Muchovej, JJ; Muchovej, RM; Goncalves, EJ. (1991). Effect of Kind and Method of Fungicidal Treatment of Bean Seed on Infections by the VA-Mycorrhizal Fungus *Glomus macrocarpum* and by the Pathogenic Fungus *Fusarium solani*: II. Temporal-Spatial Relationships. *Plant Soil* 132: 47-52.
- Mueller, R; Lingens, F. (1986). Microbial degradation of halogenated hydrocarbons a biological solution to pollution problems? *Angew Chem Int Ed Engl* 25: 779-789.
- Mueller, S. (1993). Influence of acute dichloromethane exposition on ventricular contraction in rats. *Deutsche Gesellschaft Fuer Pharmakologie Und Toxikologie (German Society for Pharmacology and Toxicology) Fifth Winter Meeting, Hannover, Germany, December 1-3, 1993 Naunyn-Schmiedeberg's Archives of Pharmacology* 348: R162.
- Mueller, S. (1994). Short time exposure of rats to high concentration of dichloromethane effects on the cardiovascular system. *35th Spring Meeting of the German Society for Experimental and Clinical Pharmacology and Toxicology, Mainz, Germany, March 15-17, 1994 Naunyn-Schmiedeberg's Archives of Pharmacology* 349: R107.
- Mueller, S; Gothe, R; Siems, W-D; Vietinghoff, G; Paegelow, I; Reissmann, S. (2005). Potentiation of bradykinin actions by analogues of the bradykinin potentiating nonapeptide BPP91±. *Peptides* 26: 1235-1247.
- Mueller-Kirchenbauer, H; Ehresmann, J; Rogner, J; Friedrich, W; Gremmel, D. (1988). Test seal wall for the gerolsheim west germany hazardous waste dump. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988 Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps* isbn 90-247-3714-1; 0 (0) 1988 635-638.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A method for the rapid dechlorination of low molecular weight chlorinated hydrocarbons in water. *Water Res* 29: 2434-2439.

## Environmental Hazard Literature Search Results

### Off Topic

- Mukai, M; Minamikawa, H; Aoyagi, M; Asakawa, M; Shimizu, T; Kogiso, M. (2013). A hydro/organo/hybrid gelator: A peptide lipid with turning aspartame head groups. *J Colloid Interface Sci* 395: 154-160.
- Mulaudzi, RB; Ndhlala, AR; Finnie, JF; Van Staden, J. (2009). Antimicrobial, anti-inflammatory and genotoxicity activity of *Alepidea amatymbica* and *Alepidea natalensis* (Apiaceae). *South African Journal of Botany* 75: 584-587.
- Mulder, A; Onclin, S; Pâ€šter, M; Hoogenboom, JP; Beijleveld, H; ter Maat, J; GarcÄa-ParajÄc, MF; Ravoo, BJ; Huskens, J; van Hulst, NF; Reinhoudt, DN. (2005). Molecular printboards on silicon oxide: lithographic patterning of cyclodextrin monolayers with multivalent, fluorescent guest molecules. *Small* 1: 242-253. [Small (Weinheim an der Bergstrasse, Germany)].
- Muller, EEL; Bringel, F; Vuilleumier, S. (2011). Dichloromethane-degrading bacteria in the genomic age. *Res Microbiol* 162: 869-876.
- Muller, EEL; Hourcade, E; Louhichi-Jelail, Y; Hammann, P; Vuilleumier, S; Bringel, F. (2011). Functional genomics of dichloromethane utilization in *Methylobacterium extorquens* DM4. *Environ Microbiol* 13: 2518-2534.
- Muller, T; Scherliess, R; Schiewe, J; Smal, R; Weiler, C; Steckel, H. (2015). Applicability of the one-step DVS method for the determination of amorphous amounts for further different hydrophilic and hydrophobic drugs. *Eur J Pharm Biopharm* 94: 333-341.
- Mumtaz, MM; Hertzberg, RC. (1993). The status of interactions data in risk assessment of chemical mixtures. Saxena, J (Ed) *Hazard Assessment of Chemicals, Vol 8 Xii+332p* Taylor & Francis Inc: Bristol, Pennsylvania, USA; London, England, Uk Isbn 1-56032-271-3; 0 (0) 1993 47-79.
- Mun, CH; Ng, WJ; He, JZ. (2008). Evaluation of biodegradation potential of carbon tetrachloride and chlorophenols under acidogenic condition. *Journal of Environmental Engineering-Asce* 134: 177-183.
- Mun, SP; Jahan, MS; Al-Maruf, A; Chowdhury, DAN. (2011). Chemical characterization of six mangrove species in Bangladesh. *Wood Science and Technology* 45: 281-288.
- Mungkornasawakul, P; Chaiyong, S; Sastraruji, T; Jatisatiern, A; Jatisatiern, C; Pyne, SG; Ung, AT; Korth, J; Lie, W. (2009). Alkaloids from the Roots of *Stemona aphylla*. *J Nat Prod* 72: 848-851.
- Mungkornasawakul, P; Supyen, D; Jatisatiern, C; Jatisatiern, A. (2002). Inhibitory effect of *Acorus calamus* L. extract on some plant pathogenic molds. *Acta horticulturae*.
- Munoz, O; Christen, P; Cretton, S; Backhouse, N; Torres, V; Correa, O; Costa, E; Miranda, H; Delporte, C. (2011). Chemical study and anti-inflammatory, analgesic and antioxidant activities of the leaves of *Aristolelia chilensis* (Mol.) Stuntz, Elaeocarpaceae. *J Pharm Pharmacol* 63: 849-859.
- Munz, C; Roberts, PV. (1989). Gas and liquid-phase mass transfer resistances of organic compounds during mechanical surface aeration. *Water Res* 23: 589-602.
- Muraki, T; Fujita, KI; Kujime, M. (2007). Synthesis of novel dendritic 2,2'-bipyridine ligands and their application to lewis acid-catalyzed Diels-Alder and three-component condensation reactions. *J Org Chem* 72: 7863-7870.
- Murillo PulgarÄ± n, JA; GarcÄ± l a Bermejo, LF. (2003). Determination of napropamide in technical formulations, soil and vegetable samples by sensitised fluorescence: validation of the method. *Anal Chim Acta* 491: 37-45.
- Murray, WD; Richardson, M. (1993). Progress toward the biological treatment of c-1 and c-2 halogenated hydrocarbons. *Crit Rev Environ Sci Technol* 23: 195-217.
- Murthy, RK; Ravi, K; Balaiya, S; Brar, VS; Chalam, KV. (2014). Lutein protects retinal pigment epithelium from cytotoxic oxidative stress. *Cutan Ocul Toxicol* 33: 132-137. [Cutaneous and ocular toxicology].
- Musaev, DG; Geletii, YV; Hill, CL; Hirao, K. (2003). Can the ebselen derivatives catalyze the isomerization of peroxyxynitrite to nitrate? *J Am Chem Soc* 125: 3877-3888.
- Mushrush, GW; Quintana, MA; Bauserman, JW; Willauer, HD. (2011). Post-refining removal of organic nitrogen compounds from diesel fuels to improve environmental quality. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 46: 176-180.
- Musman, M. (2010). Toxicity of *Barringtonia racemosa* (L.) Kernel Extract on *Pomacea canaliculata* (Ampullariidae). *Trop Life Sci Res* 21: 41-50. [Tropical life sciences research].
- Mussatto, SI; Santos, JC; Ricardo, WC; Silva, SS. (2005). Purification of xylitol from fermented hemicellulosic hydrolyzate using liquid-liquid extraction and precipitation techniques. *Biotechnol Lett* 27: 1113-1115.
- Mustafa, H. (2003). Development of New Type of Gas Absorber, Industrial Applications. *Process Saf Environ Protect* 81: 210-216.
- Muszalska, I; Sobczak, A; Kiaszewicz, I; Rabięga, K; Lesniewska, MA; JeliÅ„ska, A. (2015). 1,2-Naphthoquinone-4-sulfonic acid sodium salt as a reagent for spectrophotometric determination of rimantadine and memantine. *Journal of analytical chemistry* 70: 320-327.
- Muthu Tamizh, M; Cooper, BFT; Macdonald, CLB; Karvembu, R. (2013). Palladium(II) complexes with salicylideneimine based tridentate ligand and triphenylphosphine: Synthesis, structure and catalytic activity in SuzukiÄ€Miyaura cross coupling reactions. *Inorganica Chimica Acta* 394: 391-400.
- Muthukrishnan, N; Johnson, GA; Lim, J; Simanek, EE; Pellois, J-P. (2012). TAT-mediated photochemical internalization results in cell killing by causing the release of calcium into the cytosol of cells. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1820: 1734-1743.
- Muthukumar, P; John, SA. (2012). Optochemical ammonia gas sensing properties of meso-substituted porphyrin derivatives immobilized Nafion film on glass slide. *Sensors & Actuators: B* 174: 74-80.
- Mutlu, E; Warren, SH; Matthews, PP; King, C; Walsh, L; Kligerman, AD; Schmid, JE; Janek, D; Kooter, IM; Linak, WP; Gilmour, MI; DeMarini, DM. (2015). Health effects of soy biodiesel emissions: mutagenicity-emission factors. *Inhal Toxicol* 27: 585-596.
- Nacer, A; Merza, J; Kabouche, Z; Rhouati, S; Boustie, J; Richomme, P. (2012). Sesquiterpene lactones from *Centaurea tougourensis*. *Biochemical Systematics and Ecology* 43: 163-165.

## Environmental Hazard Literature Search Results

### Off Topic

- Nacheva, KP; Maza, WA; Myers, DZ; Fronczek, FR; Larsen, RW; Manetsch, R. (2012). Fluorescent properties and resonance energy transfer of 3,4-bis(2,4-difluorophenyl)-maleimide. *Organic & Biomolecular Chemistry* 10: 7840-7846.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol* 25: 21-37.
- Nafissi-Varcheh, N; Erfan, M; Aboofazeli, R. (2008). An approach to the design of a particulate system for oral protein delivery. I. In vitro stability of various poly (-hydroxy acids)-microspheres in simulated gastrointestinal fluids. *J Microencapsul* 25: 584-592.
- Nagstrup, J; Keller, S; Almdal, K; Boisen, A. (2011). 3D microstructuring of biodegradable polymers. *Microelectron Eng* 88: 2342-2344.
- Nagy, PI; Takacs-Novak, K. (2000). Theoretical and experimental study on ion-pair formation and partitioning of organic salts in octanol/water and dichloromethane/water systems. *J Am Chem Soc* 122: 6583-6593.
- Najjaa, H; Zouari, S; Ammar, E; Neffati, M. (2011). PHYTOCHEMICAL SCREENING AND ANTIBACTERIAL PROPERTIES OF ALLIUM ROSEUM L., A WILD EDIBLE SPECIES IN NORTH AFRICA. *Journal of Food Biochemistry* 35: 699-714.
- Nakamura, S-i; Oda, Y; Shimada, T; Oki, I; Sugimoto, K. (1987). SOS-inducing activity of chemical carcinogens and mutagens in Salmonella typhimurium TA1535/pSK1002: examination with 151 chemicals. *Mutation Research Letters* 192: 239-246.
- Nakamuro, K; Ueno, H; Sayato, Y. (1992). Evaluation of mutagenicity of municipal river water concentrated using xad resin column method. Meeting on Hazard Assessment and Control of Environmental Contaminants in Water Held at the 1st lawprc (International Association on Water Pollution Research and Control), Otsu City, Shiga, Japan, November 25-28, 1991 *Water Sci Technol* 25: 293-299.
- Nakash, M; Clyde-Watson, Z; Feeder, N; Davies, JE; Teat, SJ; Sanders, JKM. (2000). Product-induced distortion of a metalloporphyrin host: Implications for acceleration of Diels-Alder reactions. *J Am Chem Soc* 122: 5286-5293.
- Nakash, M; Sanders, JKM. (2000). Structure-activity relationships in the acceleration of a hetero Diels-Alder reaction by metalloporphyrin hosts. *J Org Chem* 65: 7266-7271.
- Nakasone, Y; Takara, K; Wada, K; Tanaka, J; Yogi, S; Nakatani, N. (1996). Antioxidative compounds isolated from kokuto, non-centrifugal cane sugar. *Bioscience Biotechnology and Biochemistry* 60: 1714-1716.
- Nakayama, Y; Kishida, F; Nakatsuka, I; Matsuo, M. (2005). Simulation of the toxicokinetics of trichloroethylene, methylene chloride, styrene and n-hexane by a toxicokinetics/toxicodynamics model using experimental data. *Environ Sci* 2005; 12(1):21-32 [Environmental sciences : an international journal of environmental physiology and toxicology].
- Nam, Y; Lee, D. (2014). Ameliorating effects of constituents from Cortex Acanthopanax Radicis on memory impairment in mice induced by scopolamine. *J Tradit Chin Med* 34: 57-62. [Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine].
- Nama, D; Kumar, PGA; Pregosin, PS; Geldbach, TJ; Dyson, PJ. (2006). <sup>1</sup>H, <sup>19</sup>F-HOESY and PGSE diffusion studies on ionic liquids: The effect of co-solvent on structure. *Inorganica Chimica Acta* 359: 1907-1911.
- Namikoshi, T; Hashimoto, T; Urushisaki, M. (2007). Living cationic polymerization of vinyl ether with a cyclic acetal group. *Journal of polymer science* 45: 4855-4866.
- Naraharisetti, PK; Lew, MDN; Fu, YC; Lee, DJ; Wang, CH. (2005). Gentamicin-loaded discs and microspheres and their modifications: characterization and in vitro release. *J Control Release* 102: 345-359.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using an anaerobic expanded-bed GAC reactor. *Water Res* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res* 67: 46-56.
- Narhe, BD; Sriramurthy, V; Yadav, VK. (2012). A smooth rearrangement of N-p-toluenesulfonyl 2-tert-butylidiphenylsilylmethyl-substituted azetidines into N-p-toluenesulfonyl 3-tert-butylidiphenylsilyl-substituted pyrrolidines. *Organic & Biomolecular Chemistry* 10: 4390-4399.
- Nath, SD; Son, S; Sadiasa, A; Min, YK; Lee, BT. (2013). Preparation and characterization of PLGA microspheres by the electrospraying method for delivering simvastatin for bone regeneration. *Int J Pharm* 443: 87-94.
- Navas, JA; Tres, A; Codony, R; Boatella, J; Bou, R; Guardiola, F. (2004). Modified ferrous oxidation-xylenol orange method to determine lipid hydroperoxides in fried snacks. *European Journal of Lipid Science and Technology* 106: 688-696.
- Nazato, VS; Rubem-Mauro, L; Vieira, NA; Rocha-Junior Ddos, S; Silva, MG; Lopes, PS; Dal-Belo, CA; Cogo, JC; dos Santos, MG; da Cruz-H&eacutefling, MA; Oshima-Franco, Y. (2010). In vitro antiophidian properties of Dipteryx alata Vogel bark extracts. *Molecules* 15: 5956-5970. [Molecules (Basel, Switzerland)].
- Nazeeruddin, MK; Humphry-Baker, R; Berner, D; Rivier, S; Zuppiroli, L; Graetzel, M. (2003). Highly phosphorescence iridium complexes and their application in organic light-emitting devices. *J Am Chem Soc* 125: 8790-8797.
- Nchu, F; Magano, S; Eloff, JN. (2005). In vitro investigation of the toxic effects of extracts of Allium sativum bulbs on adults of Hyalomma marginatum rufipes and Rhipicephalus pulchellus. *Journal of the South African Veterinary Association-Tydskrif Van Die Suid-Afrikaanse Veterinere Vereniging* 76: 99-103.
- Ncibi, MC; Mahjoub, B; Gourdon, R. (2007). Effects of aging on the extractability of naphthalene and phenanthrene from Mediterranean soils. *J Hazard Mater* 146: 378-384.
- Ncube, B; Finnie, JF; Van Staden, J. (2011). Seasonal variation in antimicrobial and phytochemical properties of frequently used medicinal bulbous plants from South Africa. *South African Journal of Botany* 77: 387-396.

## Environmental Hazard Literature Search Results

### Off Topic

- Ndiege, IO; Budenberg, WJ; Lwande, W; Hassanali, A. (1991). Volatile components of banana pseudostem of a cultivar susceptible to the banana weevil. *Phytochemistry* 30: 3929-3930.
- Nedialkov, PT; Zheleva-Dimitrova, D; Momekov, G; Karlov, K; Girreser, U; Kitanov, GM. (2011). Elegaphenone and 7-epi-clusianone, the major cytotoxic constituents of *Hypericum elegans*. *Nat Prod Res* 25: 1743-1750. [Natural product research].
- Needleman, SB; Goodin, K; Severino, W. (1991). Liquid-liquid extraction systems for THC-COOH and benzoylecgonine. *J Anal Toxicol* 15: 179-181. [Journal of analytical toxicology].
- Nektarios, PA; Kastritsis, S; Ntoulas, N; Tsiotsiopolou, P. (2011). Substrate Amendment Effects on Potted Plant Production and Dry Weight Partition of *Lantana camara*. *HortScience* 46: 864-869.
- Nendza, M; Russom, CL. (1991). QSAR modelling of the ERL-D fathead minnow acute toxicity database. *Xenobiotica* 21: 147-170.
- Nendza, M; Seydel, J. (1988). Quantitative structure-toxicity relationships for ecotoxicologically relevant biotest systems and chemicals. International Workshop on Advances in Environmental Hazard and Risk Assessment 1987, Schmallingenberg-Grafschaft, West Germany, September 21-23, 1987 *Chemosphere* 17: 1585-1602.
- Nendza, M; Seydel, JK. (1988). Multivariate data analysis of various biological test systems used for the quantification of ecotoxic compounds. *Quant Struct-Act Relat* 7: 165-174.
- Nenu, CN; Groppo, E; Lamberti, C; Beale, AM; Visser, T; Zecchina, A; Weckhuysen, BM. (2007). Dichloromethane as a selective modifying agent to create a family of highly reactive chromium polymerization sites. *Angewandte Chemie-International Edition* 46: 1465-1468.
- Nerenberg, R; Rittmann, BE. (2004). Hydrogen-based, hollow-fiber membrane biofilm reactor for reduction of perchlorate and other oxidized contaminants. *Water Science and Technology* 49: 223-230.
- Nerin, C; Salafranca, J; Rubio, C; Cacho, J. (1998). Multicomponent recycled plastics: considerations about their use in food contact applications. *Food Additives and Contaminants Part a-Chemistry Analysis Control Exposure & Risk Assessment* 15: 842-854.
- Nesbitt, JA; Drago, JR; Byard, MA; Smith, JJ. (1988). The effects of industrial chemicals and solvents on spermatogenesis and testicular architecture. Eighty-Third Annual Meeting of the American Urological Association, Boston, Massachusetts, USA, June 3-7, 1988 *J Urol* 139: 500A.
- Nestmann, ER; Lee, EGH; Matula, TI; Douglas, GR; Mueller, JC. (1980). Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. *Mutation Research/Genetic Toxicology* 79: 203-212.
- Netto-Ferreira, JC; Lopes da Silva, ES; de Lucas, NC. (2011). Photochemistry of thioxanthen-9-one-10,10-dioxide: A remarkably reactive triplet excited state. *Journal of Photochemistry & Photobiology, A: Chemistry* 225: 135-141.
- Neukirch, H; D'Ambrosio, M; Dalla Via, J; Guerriero, A. (2004). Simultaneous quantitative determination of eight triterpenoid monoesters from flowers of 10 varieties of *Calendula officinalis* L. and characterisation of a new triterpenoid monoester. *Phytochem Anal* 15: 30-35.
- Neumann, CM; Forman, DL; Rothlein, JE. (1998). Hazard screening of chemical releases and environment equity analysis of populations proximate to toxic release inventory facilities in Oregon. *Environ Health Perspect* 106: 217-226.
- Neumann, D; Merkwirth, C; Lamprecht, A. (2010). Nanoparticle Design Characterized by In Silico Preparation Parameter Prediction Using Ensemble Models. *J Pharm Sci* 99: 1982-1996.
- Neves, M; Ferreira, M; Terreaux, C; Hostettmann, K; Morais, R. (2001). Phytochemical profiles of *Targionia lorbeeriana*: Grown in vitro and in the open. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 56: 726-730.
- Neves, M; Morais, R; Gafner, S; Stoekli-Evans, H; Hostettmann, K. (1999). New sesquiterpene lactones from the Portuguese liverwort *Targionia lorbeeriana*. *Phytochemistry* 50: 967-972.
- Newcomer, LR; Blackburn, WB; Hansen, GA. (1990). Performance of the toxicity characteristic leaching procedure. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 199-216.*
- Newman, AEM; Chin, EH; Schmidt, KL; Bond, L; Wynne-Edwards, KE; Soma, KK. (2008). Analysis of steroids in songbird plasma and brain by coupling solid phase extraction to radioimmunoassay. *General and Comparative Endocrinology* 155: 503-510.
- Newman, SG; Bryan, CS; Perez, D; Lautens, M. (2011). The Use of Bromotrichloromethane in Chlorination Reactions. *Synthesis-Stuttgart* 342-346.
- Ng, KC; Poi, G; Puah, CM; De Castro, V; Rogers, PL. (1997). Monitoring of phenol in wastewater bioremediation by HPLC. *Environ Monit Assess* 44: 433-436.
- Ngo, KS; Wong, WT; Brown, GD. (1999). Muurolane sesquiterpenes from *Illicium tsangii*. *J Nat Prod* 62: 549-553.
- Nguemfo, EL; Dimo, T; Dongmo, AB; Azebaze, AG; Alaoui, K; Asongalem, AE; Cherrah, Y; Kamtchouing, P. (2009). Anti-oxidative and anti-inflammatory activities of some isolated constituents from the stem bark of *Allanblackia monticola* Staner L.C (Guttiferae). *Inflammopharmacology* 17: 37-41. [Inflammopharmacology].
- N'Guessan, BB; Dosso, K; Gngorran, BN; Amoateng, P; Asiedu-Gyekye, IJ; Yapo, AP. (2015). Antibacterial and antispasmodic activities of a dichloromethane fraction of an ethanol extract of stem bark of *Piliostigma reticulatum*. *J Pharm Bioallied Sci* 7: 128-135. [Journal of pharmacy & bioallied sciences].
- Nguyen, DK; Bruchet, A; Arpino, P. (1995). Determination in sterols in sewage sludge by combined in situ trimethylsilylation/supercritical fluid extraction and GC./METHODS. *Environmental Science & Technology* 29: 1686-1690.
- NiÃ±o, J; Correa, YM; Mosquera, OM. (2011). In vitro evaluation of Colombian plant extracts against Black Sigatoka (*Mycosphaerella fijiensis* Morelet). *Archives of phytopathology and plant protection* 44: 791-803.
- Nica, S; Rudolph, M; Lippold, I; Buchholz, A; Gorus, H; Plass, W. (2015). Vanadium(V) complex with Schiff-base ligand containing a flexible amino side chain: Synthesis, structure and reactivity. *J Inorg Biochem* 147: 193-203.



## Environmental Hazard Literature Search Results

### Off Topic

- Nicasio-Torres, MD; Perez-Hernandez, J; Gonzalez-Cortazar, M; Meckes-Fischer, M; Tortoriello, J; Cruz-Sosa, F. (2016). Production of potential anti-inflammatory compounds in cell suspension cultures of *Sphaeralcea angustifolia* (Cav.) G. Don. *Acta Physiologiae Plantarum* 38: 209-209.
- Nicolaidis, AA; Sargent, AW. (1987). Isolation of methane monooxygenase-deficient mutants from *Methylosinus trichosporium* OB3b using dichloromethane. *FEMS Microbiol Lett* 41: 47-52.
- Nicolau, G; Shefer, S; Mosbach, EH. (1975). Determination of microsomal cholesterol by an isotope derivative method. *Anal Biochem* 68: 255-259.
- Nicoli, S; Santi, P; Couvreur, P; Couarraze, G; Colombo, P; Fattal, E. (2001). Design of triptorelin loaded nanospheres for transdermal iontophoretic administration. *Int J Pharm* 214: 31-35.
- Nielsen, P; Petersen, SO. (2000). Ester-linked polar lipid fatty acid profiles of soil microbial communities: a comparison of extraction methods and evaluation of interference from humic acids. *Soil Biology & Biochemistry* 32: 1241-1249.
- Nielsen, PA; Grove, A; Olsen, H. (1992). The emission of PAH and mutagenic activity from small wood stoves is greatly influenced by the quality of the wood. *Chemosphere* 24: 1317-1330.
- Nielsen, PA; Grove, A; Olsen, H. (1992). The emission of PAH mutagenic activity from small wood stoves is greatly influenced by the quality of the wood. *Chemosphere* 24: 1317-1330.
- Nielsen, PA; Jensen, L. (1991). Emission of PAH and mutagenic activity from furnaces fueled with cereal straw or wood chips. *Chemosphere* 23: 723-736.
- Nieto, SR; Miller, SI; Acey, RA. (1995). Biodegradative capabilities of a commercial bacterial consortium. 95th General Meeting of the American Society for Microbiology, Washington, DC, USA, May 21-25, 1995 Abstracts of the General Meeting of the American Society for Microbiology 95: 468.
- Nikolaev, V; Hennig, L; Sieler, J; Rodina, L; Schulze, B; Nikolaev, V. (2005). Cyclic and acyclic sulfonimides in reactions with Rh(II)-ketocarbenoids: a new access to chemoselective O-functionalization of the imidic carbonyl groups. *Organic & Biomolecular Chemistry* 3: 4108-4116.
- Nikolausz, M; Kappelmeyer, U; Nijenhuis, I; Ziller, K; Kastner, M. (2005). Molecular characterization of dichloromethane-degrading *Hyphomicrobium* strains using 16S rDNA and DCM dehalogenase gene sequences. *Syst Appl Microbiol* 28: 582-587.
- Nikolausz, M; Nijenhuis, I; Ziller, K; Richnow, HH; Kastner, M. (2006). Stable carbon isotope fractionation during degradation of dichloromethane by methylotrophic bacteria. *Environ Microbiol* 8: 156-164.
- Nimitz, JS; Skaggs, SR. (1992). Estimating tropospheric lifetimes and ozone-depletion potentials of one- and two-carbon hydrofluorocarbons and hydrochlorofluorocarbons. *Environ Sci Technol* 26: 739-744.
- Nino, J; Correa, YM; Cardona, GD; Mosquera, OM. (2011). Antioxidant and antitopoisomerase activities in plant extracts of some Colombian flora from La Marcada Natural Regional Park. *Rev Biol Trop* 59: 1089-1097.
- Nino, J; Hincapie, GM; Correa, YM; Mosquera, OM. (2007). Alkaloids of *Crinum x powellii* "Album" (Amaryllidaceae) and their topoisomerase inhibitory activity. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 62: 223-226.
- Nino, J; Mosquera, OM; Correa, YM. (2012). Antibacterial and antifungal activities of crude plant extracts from Colombian biodiversity. *Rev Biol Trop* 60: 1535-1542.
- Nino, J; Narvaez, DM; Mosquera, OM; Correa, YM. (2006). Antibacterial, antifungal and cytotoxic activities of eight Asteraceae and two Rubiaceae plants from Colombian biodiversity. *Brazilian Journal of Microbiology* 37: 566-570.
- Nirmalakhandan, N; Arulgnanendran, V; Mohsin, M; Sun, B; Cadena, F. (1994). Toxicity of mixtures of organic chemicals to microorganisms. *Water Res* 28: 543-551.
- Nirmalakhandan, N; Sun, B; Arulgnanendran, VI; Mohsin, M; Wang, XH; Prakash, J; Hall, N. (1994). Analyzing and modeling toxicity of mixtures of organic chemicals to microorganisms. *Water Science and Technology* 30: 87-96.
- Nirmalakhandan, NN; Speece, RE. (1988). Prediction of aqueous solubility of organic chemicals based on molecular structure. *Environ Sci Technol* 22: 328-338.
- Nisar, M; Qayum, M; Shah, MR; Kaleem, WA; Ali, I; Zia-Ul-Haq, M. (2010). ANTIMICROBIAL SCREENING OF *IMPATIENS BICOLOR ROYLE*. *Pakistan Journal of Botany* 42: 523-526.
- Nisar, M; Qayum, M; Shah, MR; Siddiqui, HL; Kaleem, WA; Zia-ul-Haq, M. (2010). BIOLOGICAL SCREENING OF *IMPATIENS BICOLOR ROYLE*. *Pakistan Journal of Botany* 42: 1903-1907.
- Nishinaga, T; Kageyama, T; Koizumi, M; Ando, K; Takase, M; Iyoda, M. (2013). Effect of Substituents on the Structure, Stability, and pi-Dimerization of Dithienylpyrrole Radical Cations. *J Org Chem* 78: 9205-9213.
- Nishiwaki, A; Watanabe, A; Higashi, K; Tozuka, Y; Moribe, K; Yamamoto, K. (2009). Molecular states of prednisolone dispersed in folded sheet mesoporous silica (FSM-16). *Int J Pharm* 378: 17-22.
- Nishizawa, E; Limantara, L; Nanjou, N; Nagae, H; Kakuno, T; Koyama, Y. Solvent effects on triplet-state bacteriochlorophyll a as detected by transient raman spectroscopy and the environment of bacteriochlorophyll a in the light-harvesting complex of *Rhodobacter sphaeoides* R26. *Photochem Photobiol* Feb 1994. v. 59 (2): 229-236.
- Nitschke, KD; Burek, JD; Bell, TJ; Kociba, RJ; Rampy, LW; McKenna, MJ. (1988). Methylene chloride: A 2-year inhalation toxicity and oncogenicity study in rats. *Fundam Appl Toxicol* 11: 48-59.
- Nitschke, KD; Eisenbrandt, DL; Lomax, LG; Rao, KS. (1988). Methylene chloride: Two-generation inhalation reproductive study in rats. *Fundam Appl Toxicol* 11: 60-67.
- Niu, ZC; Zhang, H; Xu, Y; Liao, X; Xu, LL; Chen, JS. (2012). Pollution characteristics of volatile organic compounds in the atmosphere of Haicang District in Xiamen City, Southeast China. *J Environ Monit* 14: 1145-1152.

## Environmental Hazard Literature Search Results

### Off Topic

- Niu, Z-G; Liu, D; Li, D-C; Zuo, J; Yang, J-M; Su, Y-H; Yang, Y-D; Li, G-N. (2014). Four new cyclometalated phenylisoquinoline-based Ir(III) complexes: Syntheses, structures, properties and DFT calculations. *Inorganic Chemistry Communications* 43: 146-150.
- Niwa, T; Takeuchi, H; Hino, T; Nohara, M; Kawashima, Y. (1995). Biodegradable submicron carriers for peptide drugs: Preparation of dl-lactide/glycolide copolymer (PLGA) nanospheres with nafarelin acetate by a novel emulsion-phase separation method in an oil system. *Int J Pharm* 121: 45-54.
- Niwa, Y; Kouno, S; Sayama, W; Nemoto, N. (2008). Synthesis and thermal characterization of novel poly(tetramethyl-1,3-silphenylenesiloxane) derivative with phenol moiety in the main chain. *Journal of polymer science* 46: 692-701.
- Noâ€l, JM; Zigah, D; Simonet, J; Hapiot, P. (2010). Synthesis and immobilization of Ag(0) nanoparticles on diazonium modified electrodes: SECM and cyclic voltammetry studies of the modified interfaces. *Langmuir* 26: 7638-7643. [*Langmuir : the ACS journal of surfaces and colloids*].
- Nogueira, RF; Alberici, RM; Jardim, WF. (1997). Heterogeneous photocatalysis: An emerging technology for remediation of VOC contaminated environments. *Ciencia E Cultura (Sao Paulo)* 49: 14-24.
- Nogueira, T; do Lago, CL. (2007). Determination of caffeine in coffee products by dynamic complexation with 3,4-dimethoxycinnamate and separation by CZE. *Electrophoresis* 28: 3570-3574.
- Nojavan, S; Ghassempour, A; Bashour, Y; Darbandi, MK; Ahmadi, SH. (2005). Determination of residual solvents and investigation of their effect on ampicillin trihydrate crystal structure. *J Pharm Biomed Anal* 36: 983-988.
- Nokhodchi, A; Jelvehgari, M; Siahi, MR; Mozafari, MR. (2007). Factors affecting the morphology of benzoyl peroxide microsponges. *Micron* 38: 834-840.
- Nomura, E; Takagaki, M; Nakaoka, C; Uchida, M; Taniguchi, H. (1999). Effects on metal binding of circular NH---O=C intramolecular hydrogen bonding in hydrophilic pseudocavities of p-tert-butylcalix 4 arenes carrying amino acid moieties. *J Org Chem* 64: 3151-3156.
- Nomura, T; Mizutani, S; Suzuki, Y; Watanabe, N; Takatsuki, H. (2006). Estimation and control of atmospheric emissions of chloroform and dichloromethane due to laboratory activity. *Environ Sci* 2006; 13(4):219-34 [*Environmental sciences : an international journal of environmental physiology and toxicology*].
- Nordin, J; Sheesley, D; King, SB; Routh, T; Smith, V. (1998). Rapid prediction of chemical cloud dispersion from chemical spill accidents. *Energy Sources* 20: 541-567.
- Nordmeyer, K; Thier, HP. (1999). Solid-phase extraction for replacing dichloromethane partitioning in pesticide multiresidue analysis. *Zeitschrift Fur Lebensmittel-Untersuchung Und-Forschung a-Food Research and Technology* 208: 259-263.
- Norin, AJ; Goldschmidt, EP. (1979). Effect of mutagens, chemotherapeutic agents and defects in DNA repair genes on recombination in Fâ€² partial diploid Escherichia coli. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 59: 15-26.
- Northcott, GL; Jones, KC. (2001). Partitioning, extractability, and formation of nonextractable PAH residues in soil. 1. Compound differences in aging and sequestration. *Environmental Science & Technology* 35: 1103-1110.
- Northcott, GL; Jones, KC. (2003). Validation of procedures to quantify nonextractable polycyclic aromatic hydrocarbon residues in soil. *J Environ Qual* 32: 571-582.
- Norwitz, G; Apatoff, JB. (1966). Determination of ethylene dimethacrylate in nitrocellulose-base propellants. *Anal Chim Acta* 34: 125-134.
- Noshita, T; Sugiyama, T; Kitazumi, Y; Oritani, T. (1995). REINVESTIGATION OF PHENOLIC FERRIER REACTION - SELECTIVE SYNTHESIS OF ARYL O-DELTA(2)-GLYCOSIDES. *Bioscience Biotechnology and Biochemistry* 59: 2052-2055.
- Nossov, AV; Soldatov, DV; Ripmeester, JA. (2001). In situ switching of sorbent functionality as monitored with hyperpolarized (129)Xe NMR spectroscopy. *J Am Chem Soc* 123: 3563-3568.
- Notar, M; Leskovsek, H. (2000). Determination of polycyclic aromatic hydrocarbons in marine sediments using a new ASE-SFE extraction technique. *Fresenius J Anal Chem* 366: 846-850. [*Fresenius' journal of analytical chemistry*].
- Noya, Y; Seki, K-i; Asano, H; Mai, Y; Horinouchi, T; Higashi, T; Terada, K; Hatate, C; Hoshi, A; Nepal, P; Horiguchi, M; Kuge, Y; Miwa, S. (2013). Identification of stable cytotoxic factors in the gas phase extract of cigarette smoke and pharmacological characterization of their cytotoxicity. *Toxicology* 314: 1-10.
- Ntalli, N; Kopiczko, A; Radtke, K; Marciniak, P; Rosinski, G; Adamski, Z. (2014). Biological activity of Melia azedarach extracts against Spodoptera exigua. *Biologia* 69: 1606-1614.
- Ntutela, S; Smith, P; Matika, L; Mukinda, J; Arendse, H; Allie, N; Estes, DM; Mabusela, W; Folb, P; Steyn, L; Johnson, Q; Folk, WR; Syce, J; Jacobs, M. (2009). Efficacy of Artemisia afra phytotherapy in experimental tuberculosis. *Tuberculosis (Edinb)* 89: S33-S40.
- Nubbe, ME; Adams, VD; Moore, WM. (1995). The direct and sensitized photo-oxidation of hexachlorocyclopentadiene. *Water Res* 29: 1287-1293.
- Nubbe, ME; Adams, VD; Watts, RJ; Clark, YR. (1992). Chemical analysis. *Water Environ Res* 64: 303-333.
- Nuhn, P; Mitkus, T; Ceyhan, GO; Kunzli, BM; Bergmann, F; Fischer, L; Giese, N; Friess, H; Berberat, PO. (2013). Heme Oxygenase 1-Generated Carbon Monoxide and Biliverdin Attenuate the Course of Experimental Necrotizing Pancreatitis. *Pancreas* 42: 265-271.
- Nunes, GG; Friedermann, GR; dos Santos, JLB; Herbst, MH; Vugman, NV; Hitchcock, PB; Leigh, GJ; SÃi, EL; da Cunha, CJ; Soares, JsF. (2005). The first thermochromic vanadium(IV) alkoxide system. *Inorganic Chemistry Communications* 8: 83-88.
- Nworu, CS; Akah, PA; Okoye, FBC; Esimone, CO. (2012). Inhibition of pro-inflammatory cytokines and inducible nitric oxide by extract of Emilia sonchifolia L. aerial parts. *Immunopharmacol Immunotoxicol* 34: 925-931.
- Nworu, CS; Nwuke, HC; Akah, PA; Okoye, FB; Esimone, CO. (2013). Extracts of Ficus exasperata leaf inhibit topical and systemic inflammation in rodents and suppress LPS-induced expression of mediators of inflammation in macrophages. *J Immunotoxicol* 10: 302-310. [*Journal of immunotoxicology*].

## Environmental Hazard Literature Search Results

### Off Topic

- Nyawade, EA; Friedrich, HB; Omondi, B. (2014). Synthesis, characterisation and crystal structures of new water-soluble 1-alkanaminedicarbonyl(1-5-cyclopentadienyl)ruthenium(II) tetrafluoroborate complex salts. *Inorganica Chimica Acta* 415: 44-51.
- Nyholm, N. (1990). Biodegradability testing of poorly soluble compounds by means of manometric respirometry. *Chemosphere* 21: 1477-1487.
- NylÅ©n, P. (1996). Differing non-additive alterations in different parts of the nervous system of the rat. *Food Chem Toxicol* 34: 1121-1123.
- Obata, A; Tokuda, S; Kasuga, T. (2009). Enhanced in vitro cell activity on silicon-doped vaterite/poly(lactic acid) composites. *Acta Biomater* 5: 57-62.
- O'Brien, GJ. (1992). Development of a kinetic model for prediction of priority pollutant removal from an industrial treatment plant. Meeting on Hazard Assessment and Control of Environmental Contaminants in Water Held at the 1st IAWQRC (International Association on Water Pollution Research and Control), Otsu City, Shiga, Japan, November 25-28, 1991. *Water Sci Technol* 25: 379-386.
- O'Brien, GJ; Teather, EW. (1995). A dynamic model for predicting effluent concentrations of organic priority pollutants from an industrial wastewater treatment plant. *Water Environ Res* 67: 935-942.
- O'Brien, ZJ; Karlen, SD; Khan, S; Garcia-Garibay, MA. (2010). Solid-State Molecular Rotors with Perdeuterated Stators: Mechanistic Insights from Biphenylene Rotational Dynamics in Ordered and Disordered Crystal Forms. *J Org Chem* 75: 2482-2491.
- Obuchi, A; Ohi, A; Aoyama, H; Ohuchi, H. (1987). Evaluation of gaseous and particulate emission characteristics of a single cylinder diesel engine. *Combust Flame* 70: 215-224.
- Obuekwe, IS; Semple, KT. (2013). Impact of Zn, Cu, Al and Fe on the partitioning and bioaccessibility of 14C-phenanthrene in soil. *Environ Pollut* 180: 180-189.
- Obuekwe, IS; Semple, KT. (2013). Impact of Zn, Cu, Al and Fe on the partitioning and bioaccessibility of C-14-phenanthrene in soil. *Environ Pollut* 180: 180-189.
- Ochiai, M; Nagaoka, T; Sueda, T; Yan, M; Chen, DW; Miyamoto, K. (2003). Synthesis of 1-alkynyl(diphenyl)onium salts of group 16 elements via heteroatom transfer reaction of 1-alkynyl(phenyl)-lambda(3)-iodanes. *Organic & Biomolecular Chemistry* 1: 1517-1521.
- Ochiai, M; Suefuji, T; Miyamoto, K; Tada, N; Goto, S; Shiro, M; Sakamoto, S; Yamaguchi, K. (2003). Secondary hypervalent I(III) center dot center dot center dot O interactions: Synthesis and structure of hypervalent complexes of diphenyl-lambda(3)-iodanes with 18-crown-6. *J Am Chem Soc* 125: 769-773.
- Ochrymowych, J; Kressbach, JN. Effectiveness of the pentachlorophenol/methylene chloride preservative system as determined by field performance of treated pole diameter posts. *Proceedings* 1983. v. 79: 46-52 ill.
- OchsenkÅ¼hn-Petropoulou, M; Tsopelas, F. (2002). Speciation analysis of selenium using voltammetric techniques. *Anal Chim Acta* 467: 167-178.
- O'Connell, A; Smyth, T; Hodnett, BK. (1998). In-situ epoxidation using dioxiranes: Evaluation of reactivity and selectivity. *J Chem Tech Biotechnol* 72: 60-66.
- Oda, Y; Kanaoka, S; Aoshima, S. (2010). Synthesis of dual pH/temperature-responsive polymers with amino groups by living cationic polymerization. *Journal of polymer science* 48: 1207-1213.
- Oda, Y; Yamanoi, T. (2007). Trimethylsilyl trifluoromethanesulfonate catalyzed nucleophilic substitution to give C- and N-glucopyranosides derived from D-Glucopyranose. *Synthesis-Stuttgart* 3021-3031.
- Oda, Y; Yamazaki, H; Thier, R; Ketterer, B; Guengerich, FP; Shimada, T. (1996). A new *Salmonella typhimurium* NM5004 strain expressing rat glutathione S-transferase 5-5: use in detection of genotoxicity of dihaloalkanes using an SOS/umu test system. *Carcinogenesis* 17: 297-302. [Carcinogenesis].
- O'Donnell, LF; Ridge, CD; Walls, JD. (2015). Conditional rotations of heteronuclear coupled spins. *J Magn Reson* 250: 63-70.
- Ogada, PA; Maiss, E; Poehling, HM. (2013). Influence of tomato spotted wilt virus on performance and behaviour of western flower thrips (*Frankliniella occidentalis*). *Journal of Applied Entomology* 137: 488-498.
- Ogner, G. No general ozone-specific indicator among the hexane- and dichloromethane-soluble components of *Picea abies* needles exposed to ozone in open-top chambers. *Environ Pollut* 1993. v. 82 (3): 223-229.
- Ogoshi, H; Sugimoto, H; Yoshida, Z-i. (1980). 1H-NMR and resonance raman spectra of octaethylporphyrinatoiron(III) perchlorate and its mono imidazole adduct. *Biochimica et Biophysica Acta (BBA) - Protein Structure* 621: 19-28.
- Oh, DH; Balakrishnan, P; Oh, YK; Kim, DD; Yong, CS; Choi, HG. (2011). Effect of process parameters on nanoemulsion droplet size and distribution in SPG membrane emulsification. *Int J Pharm* 404: 191-197.
- Oh, NM; Oh, KT; Yoon, YS; Lee, ES. (2012). Poly(L-aspartic acid) derivative soluble in a volatile organic solvent for biomedical application. *Colloids and Surfaces B-Biointerfaces* 97: 190-195.
- Oh, SM; Ryu, BT; Chung, KH. (2008). Identification of estrogenic and antiestrogenic activities of respirable diesel exhaust particles by bioassay-directed fractionation. *Arch Pharm Res* 31: 75-82.
- Ohshimizu, K; Takahashi, A; Higashihara, T; Ueda, M. (2011). Synthesis of poly(m-phenylene) and poly(m-phenylene)-block-poly(3-hexylthiophene) with low polydispersities. *Journal of polymer science* 49: 2709-2714.
- Ohta, S; Misawa, Y; Miyamoto, H; Makino, M; Nagai, K; Shiraiishi, T; Nakagawa, Y; Yamato, S; Tachikawa, E; Zenda, H. (2001). A comparative study of characteristics of current-type and conventional-type cationic bactericides. *Biological & Pharmaceutical Bulletin* 24: 1093-1096.
- Ojha, R; Boas, JF; Deacon, GB; Junk, PC; Bond, AM. (2016). EPR spectroscopic characterization of a monomeric Pt(III) species produced via electrochemical oxidation of the anticancer compound trans-[Pt(II){(p-HC6F4)NCH2CH2N(CH2)2}Cl(py)]. *J Inorg Biochem* 162: 194-200.
- Ojwach, SO; Nyamato, GS; Omondi, B; Darkwa, J. (2012). Chelating (pyrazolylmethyl)pyridine ligands: Coordination chemistry and binding properties with zinc(II) and cadmium(II) cations. *Inorganica Chimica Acta* 392: 141-147.

## Environmental Hazard Literature Search Results

### Off Topic

- Okada, K; Sumida, A; Inagaki, R; Inamo, M. (2012). Effect of the axial halogen ligand on the substitution reactions of chromium(III) porphyrin complex. *Inorganica Chimica Acta* 392: 473-477.
- Okada, M; Maeda, H; Fujii, S; Nakamura, Y; Furuzono, T. (2012). Formation of Pickering emulsions stabilized via interaction between nanoparticles dispersed in aqueous phase and polymer end groups dissolved in oil phase. *Langmuir* 28: 9405-9412. [Langmuir : the ACS journal of surfaces and colloids].
- Okamoto, Y; Tamiaki, H. (2011). C3- and C13-substituent effects on electronic absorption spectra of linear tetrapyrroles produced by photooxidation of zinc chlorophyll derivatives. *Journal of Photochemistry & Photobiology, A: Chemistry* 219: 250-254.
- Oki, N; Nakano, T; Okuno, T; Tsuji, M; Yasuhara, A. (1990). Emission of volatile chlorinated organic compounds by combustion of waste organochlorine material. *Chemosphere* 21: 761-770.
- Okokon, JE; Nwafor, PA; Charles, U; Dar, A; Choudhary, MI. (2013). Antioxidative burst and hepatoprotective effects of ethanol root extract of *Hippocratea africana* against paracetamol-induced liver injury. *Pharm Biol* 51: 872-880. [Pharmaceutical biology].
- Okokon, JE; Okokon, PJ; Dar Farooq, A; Choudhary, MI. (2013). Anti-inflammatory and antinociceptive activities of *Homalium letestui*. *Pharm Biol* 51: 1459-1466. [Pharmaceutical biology].
- Okoli, CO; Nwezza, AC; Ezike, AC. (2014). Extracts of *Phyllanthus niruri* Aerial Parts Suppress Acute and Chronic Inflammation in Murine Models. *Journal of herbs, spices & medicinal plants* 20: 256-268.
- Okolie, C; Chenia, HY. (2013). Assessment of Aquatic *Aeromonas* spp. Isolates' Susceptibility to Cinnamaldehyde, Vanillin, and Crude *Kigelia africana* Fruit Extracts. *J World Aquacult Soc* 44: 486-498.
- Okonkwo, JO; Sibali, LL; McCrindle, R; Senwo, ZN. (2007). An improved activated carbon method to quantify dichlorodiphenyltrichloroethane (DDT) in surface water. *Environ Chem Lett* 5: 121-123.
- Okouchi, S; Sasaki, S. (1984). Volatility of mercury in water. *J Hazard Mater* 8: 341-348.
- Okoye, TC; Akah, PA; Omeje, EO; Okoye, FBC; Nworu, CS. (2013). Anticonvulsant effect of kaurenoic acid isolated from the root bark of *Annona senegalensis*. *Pharmacology Biochemistry and Behavior* 109: 38-43.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int* 9: 175-182.
- Oldaker, GB, III; Taylor, WD; Parrish, KB. (1995). Investigations of ventilation rate, smoking activity and indoor air quality at four large office buildings. *Environ Technol* 16: 173-180.
- Oleszczuk, P. (2008). Application of hydroxypropyl beta cyclodextrin to evaluation of polycyclic aromatic hydrocarbon losses during sewage sludges composting. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 43: 10-17.
- Oleszczuk, P. (2008). Forms of polycyclic aromatic hydrocarbon in the formation of sewage sludge toxicity to *Heterocypris incongruens*. *Sci Total Environ* 404: 94-102.
- Oleszczuk, P. (2009). The Tenax fraction of PAHs relates to effects in sewage sludges. *Ecotoxicol Environ Saf* 72: 1320-1325. [Ecotoxicology and environmental safety].
- Olexsey, RA; Blaney, BL; Turner, RJ; Brown, LM. (1988). Technologies for the recovery of solvents from hazardous wastes. *Hazard Waste Hazard Mater* 5: 365-377.
- Oliva, J; Barba, A; PayÃ , P; CÃ mara, MA. (2006). Disappearance of fenhexamid residues during wine-making process. *Commun Agric Appl Biol Sci* 71: 65-74.
- Oliveira, E; Baptista, RM; Costa, SP; Raposo, MM; Lodeiro, C. (2014). Synthesis and solvatochromism studies of novel bis(indolyl)methanes bearing functionalized arylthiophene groups as new colored materials. *Photochem Photobiol Sci* 13: 492-498. [Photochemical & photobiological sciences : Official journal of the European Photochemistry Association and the European Society for Photobiology].
- Oliveira, L; Freire, CSR; Silvestre, AJD; Cordeiro, N; Torres, IC; Evtuguin, D. (2005). Steryl glucosides from banana plant *Musa acuminata* Colla var cavendish. *Ind Crop Prod* 22: 187-192.
- Olivella, MA; Jove, P; Bianchi, A; Bazzicalupi, C; Cano, L. (2013). An integrated approach to understanding the sorption mechanism of phenanthrene by cork. *Chemosphere* 90: 1939-1944.
- Oliveri, IP; Maccarrone, G; Di Bella, S. (2011). A Lewis Basicity Scale in Dichloromethane for Amines and Common Nonprotogenic Solvents Using a Zinc(II) Schiff-Base Complex as Reference Lewis Acid. *J Org Chem* 76: 8879-8884.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environmental Science & Technology* 37: 2905-2912.
- Olukunle, OI; Okonkwo, OJ; Kefeni, KK; Lupankwa, M. (2012). Determination of brominated flame retardants in Jukskei River catchment area in Gauteng, South Africa. *Water Science and Technology* 65: 743-749.
- Oman, C; Spannar, C. (1999). Sorption of organic compounds to solid waste. *Waste Management & Research* 17: 275-287.
- Omura, S; Koike, E; Kobayashi, T. (2009). Microarray analysis of gene expression in rat alveolar epithelial cells exposed to fractionated organic extracts of diesel exhaust particles. *Toxicology* 262: 65-72.
- Onal, A; Caglar, S. (2007). Spectrophotometric determination of dopaminergic drugs used for Parkinson's disease, cabergoline and ropinirole, in pharmaceutical preparations. *Chemical & Pharmaceutical Bulletin* 55: 629-631.
- Onasanwo, SA; Singh, N; Olaleye, SB; Mishra, V; Palit, G. (2010). Anti-ulcer & antioxidant activities of *Hedranthera barteri* (Hook F.) Pichon with possible involvement of H(+), K(+) ATPase inhibitory activity. *Indian J Med Res* 132: 442-449.

## Environmental Hazard Literature Search Results

### Off Topic

- Ondo, JP; Lekana-Douki, JB; Bongui, JB; Zang Edou, ES; Zatra, R; Toure-Ndouo, FS; Elomri, A; Lebibi, J; Seguin, E. (2012). In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of *Vitex madiensis*, medicinal plant of Gabon. *Trop Med Int Health* 17: 316-321. [Tropical medicine & international health : TM & IH].
- Ong, T; Whong, WZ; Xu, J; Burchell, B; Green, FHY; Lewis, T. (1985). Genotoxicity studies of rodents exposed to coal dust and diesel emission particulates. *Environ Res* 37: 399-409.
- Ong, TM; Stockhausen, A; Adamo, D; Whong, WZ. (1985). The urine mutagenicity assay system. Studies related to recovery, storage and concentration procedures. *Scand J Work Environ Health* 11: 45-50. [Scandinavian journal of work, environment & health].
- Ooki, A; Yokouchi, Y. (2011). Dichloromethane in the Indian Ocean: Evidence for in-situ production in seawater. *Marine Chemistry* 124: 119-124.
- Orecchio, S; Gianguzza, A; Culotta, L. (2008). Absorption of polycyclic aromatic hydrocarbons by *Pinus bark*: Analytical method and use for environmental pollution monitoring in the Palermo area (Sicily, Italy). *Environ Res* 107: 371-379.
- Orhan, DD; Senol, FS; Hosbas, S; Orhan, IE. (2014). Assessment of cholinesterase and tyrosinase inhibitory and antioxidant properties of *Viscum album L.* samples collected from different host plants and its two principal substances. *Ind Crop Prod* 62: 341-349.
- Orhan, IE; Senol, FS; Erdem, SA; Tatli, I; Kartal, M; Alp, S. (2015). Tyrosinase and Cholinesterase Inhibitory Potential and Flavonoid Characterization of *Viola odorata L.* (Sweet Violet). *Phytother Res* 29: 1304-1310.
- Ortego, JD; Aminabhavi, TM; Harlapur, SF; Balundgi, RH. (1995). A review of polymeric geosynthetics used in hazardous waste facilities. *J Hazard Mater* 42: 115-156.
- Osman, KA; Ibrahim, GH; Askar, AI; Alkhail, A. (2008). Biodegradation kinetics of dicofol by selected microorganisms. *Pestic Biochem Physiol* 91: 180-185.
- Ostby, L; Engen, S; Melbye, A; Eide, I. (1997). Mutagenicity testing of organic extracts of diesel exhaust particles after fractionation and recombination. *Arch Toxicol* 71: 314-319.
- Osterman-Golkar, S; Hussain, S; Walles, S; Anderstam, B; Sigvardsson, K. (1983). Chemical reactivity and mutagenicity of some dihalomethanes. *Chem Biol Interact* 46: 121-130.
- Osuna, MB; Sipma, J; Emanuelsson, MAE; Carvalho, MF; Castro, PML. (2008). Biodegradation of 2-fluorobenzoate and dichloromethane under simultaneous and sequential alternating pollutant feeding. *Water Res* 42: 3857-3869.
- Otaka, H; Ogawa, S; Minato, I; Utsugi, H; Amagai, T. (2006). Extractability of dioxins from suspended substances in distributed water. *Int J Environ Anal Chem* 86: 583-599.
- Otson, R; Polley, GL; Robertson, JL. (1986). Chlorinated organics from chlorine used in water treatment. *Water Res* 20: 775-780.
- Otto, S; Roodt, A; Elding, LI. (2009). Bridge-splitting of trans-[PtCl<sub>2</sub>( $\bar{i}$ -2-CH<sub>2</sub>CH<sub>2</sub>)]<sub>2</sub> by weak nucleophiles: Crystal and molecular structure of trans-[PtCl<sub>2</sub>( $\bar{i}$ -2-CH<sub>2</sub>CH<sub>2</sub>)(MeCN)]. *Inorganic Chemistry Communications* 12: 766-768.
- Oueslati, A; Ben Romdhane, H; Martin, V; Schiets, Fd; Mercier, Rg; ChaËcbouni, Rt. (2011). Synthesis and photochemical properties of novel pentamethylated norbornadiene containing polyimides. *Journal of polymer science* 49: 1988-1998.
- Oxenford, JL; McGeorge, LJ; Jenniss, SW. (1989). Determination of practical quantitation levels for organic compounds in drinking water. *Am Water Works Assoc J* 81: 149-154.
- Oz, F; Colak, A; Ozel, A; Ertunga, NS; Sesli, E. (2013). PURIFICATION AND CHARACTERIZATION OF A MUSHROOM POLYPHENOL OXIDASE AND ITS ACTIVITY IN ORGANIC SOLVENTS. *Journal of Food Biochemistry* 37: 36-44.
- Ozawa, N; Goda, N; Makino, N; Yamaguchi, T; Yoshimura, Y; Suematsu, M. (2002). Leydig cell-derived heme oxygenase-1 regulates apoptosis of premeiotic germ cells in response to stress. *Journal of Clinical Investigation* 109: 457-467.
- Ozcan, B; Esen, M; Coleri, A; Yolcu, H; Caliskan, M. (2009). IN VITRO ANTIMICROBIAL AND ANTIOXIDANT ACTIVITIES OF VARIOUS EXTRACTS OF *Salvia microstegia* (BOISS.) ET. BAL. FROM ANTAKYA, TURKEY. *Fresen Environ Bull* 18: 658-662.
- Ozturk, G; Alp, S; Timur, S. (2007). A fluorescent biosensor based on acetylcholinesterase and 5-oxazolone derivative immobilized in polyvinylchloride (PVC) matrix. *Journal of Molecular Catalysis B: Enzymatic* 47: 111-116.
- Ozyazici, M; Sevgi, F; Pekcetin, C; Sarpas, B; Sayin, S. (2012). Sustained release spherical agglomerates of polymethacrylates containing mefenamic acid: in vitro release, micromeritic properties and histological studies. *Pharm Dev Technol* 17: 483-493. [Pharmaceutical development and technology].
- PÄipay, ZF; KÄillai-SzabÄ³, N; LudÄinyi, K; Klebovich, I; Antal, In. Development of oral site-specific pellets containing flavonoid extract with antioxidant activity. *Eur J Pharm Sci*.
- PÄjsztor, Ls; Daniel Bode, J. (1961). Thionin derivatives in the extraction and direct photometric determination of boron. *Anal Chim Acta* 24: 467-473.
- Pabon, A; Blair, S; Carmona, J; Zuleta, M; Saez, J. (2003). Evaluation of the mutagenicity of antimalarial products isolated from *Solanum nudum* (Solanaceae). *Pharmazie* 58: 263-267.
- Pabon, A; Lopera, T; Carmona, J; Blair, S. (2001). Evaluation of mutagenic activity of several antimalarial extracts from *Eupatorium inulaefolium*. *Pharmazie* 56: 412-414.
- Padhi, SK; Gokhale, S. (2016). Benzene control from waste gas streams with a sponge-medium based rotating biological contactor. *International Biodeterioration & Biodegradation* 109: 96-103.
- Padilha, MM; Vilela, FC; Rocha, CQ; Dias, MJ; Soncini, R; dos Santos, MH; Alves-da-Silva, G; Giusti-Paiva, A. (2010). Antiinflammatory Properties of *Morus nigra* Leaves. *Phytother Res* 24: 1496-1500.
- Pagno, T; Blind, LZ; Biavatti, MW; Kreuger, MRO. (2006). Cytotoxic activity of the dichloromethane fraction from *Vernonia scorpioides* (Lam.) Pers. (Asteraceae) against Ehrlich's tumor cells in mice. *Brazilian Journal of Medical and Biological Research* 39: 1483-1491.

## Environmental Hazard Literature Search Results

### Off Topic

- Paine, JB. (2008). Esters of pyromellitic acid. Part I. Esters of achiral alcohols: Regioselective synthesis of partial and mixed pyromellitate esters, mechanism of transesterification in the quantitative esterification of the pyromellitate system using orthoformate esters, and a facile synthesis of the ortho pyromellitate diester substitution pattern. *J Org Chem* 73: 4929-4938.
- Paiphansiri, U; Tangboriboonrat, P; Landfester, K. (2006). Polymeric nanocapsules containing an antiseptic agent obtained by controlled nanoprecipitation onto water-in-oil miniemulsion droplets. *Macromol Biosci* 6: 33-40. [Macromolecular bioscience].
- Pakdel, H; Murwanashyaka, JN; Roy, C. (2002). Extraction of betulin by vacuum pyrolysis of birch bark. *Journal of Wood Chemistry and Technology* 22: 147-155.
- Palasz, A. (2010). A Green Approach to the Synthesis of Fused Uracils: Pyrano 2,3-d pyrimidines. 'On-Water' One-Pot Synthesis by Domino Knoevenagel/Diels-Alder Reactions. *Synthesis-Stuttgart*4021-4032.
- Paletta, J; Erffmeier, K; Theisen, C; Hussain, D; Wendorff, JH; Greiner, A; Fuchs-Winkelmann, S; Schofer, MD. (2009). Influence of poly-(L-lactic acid) nanofiber functionalization on maximum load, Young's modulus, and strain of nanofiber scaffolds before and after cultivation of osteoblasts: an in vitro study. *ScientificWorldJournal* 2009; 9:1382-93 [TheScientificWorldJournal].
- Palma, A; Galeano, N; Bahsas, A. (2010). A Simple and Practical Approach to the Dibenzo c,f thiazolo 3,2-a azepines: A Novel Fused Tetracyclic Azepine System. *Synthesis-Stuttgart*1291-1302.
- Palmas, P; Klingenfus, J; Vedeau, B; Girard, E; Montmeat, P; Hairault, L; Pradier, CM; Mâ€šthivier, C. (2013). A simple thermodynamic approach to predict responses from polymer-coated quartz crystal microbalance sensors exposed to organic vapors. *Talanta* 115: 616-623.
- Pamujula, S; Graves, RA; Moiseyev, R; Bostanian, LA; Kishore, V; Mandal, TK. (2008). Preparation of polylactide-co-glycolide and chitosan hybrid microcapsules of amifostine using coaxial ultrasonic atomizer with solvent evaporation. *J Pharm Pharmacol* 60: 283-289.
- Pandey, SS; Takashima, W; Kaneto, K. (2000). Role of processing solvents in photocarrier transport of polyanilines. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers* 39: 4045-4050.
- Panesar, AS; Morgan, RE; MichÃ©, NDD; Heikal, MR. (2013). Working fluid selection for a subcritical bottoming cycle applied to a high exhaust gas recirculation engine. *Energy* 60: 388-400.
- Pang, QF; Dou, LD; Pan, XH; Zeng, S; He, J; Xu, WL; Zeng, YM. (2010). Methylene chloride protects against cecal ligation and puncture-induced acute lung injury by modulating inflammatory mediators. *Int Immunopharmacol* 10: 929-932.
- Pankow, D. (1988). Enhancement of dichloromethane-induced carboxyhemoglobinemia by isoniazid pretreatment. *Biomed Biochim Acta* 47: 293-295.
- Pankow, JF. (1986). Magnitude of artifacts caused by bubbles and headspace in the determination of volatile compounds in water. *Anal Chem* 58: 1822-1826.
- Pankow, JF; Johnson, RL; Cherry, JA. (1993). Air sparging in gate wells in cutoff walls and trenches for control of plumes of volatile organic compounds (VOCs). *Ground Water* 31: 654-663.
- Paola, V; Antonella, B; Giancarlo, N; Gino, LA. (1993). Detection of mutagenic pollutants of inland and coastal waters by means of the Salmonella microsome assay. *Environ Technol* 14: 543-553.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelli-Forti, G. Selective induction of murine liver cytochrome P450 IIB1 by halogenated hydrocarbons. *Toxicol Environ Chem* 1992. v. 36 (3/4): 235-249.
- Papadopoulos, A; Paton, GI; Reid, BJ; Semple, KT. (2007). Prediction of PAH biodegradation in field contaminated soils using a cyclodextrin extraction technique. *J Environ Monit* 9: 516-522.
- Papadopoulos, A; Reid, BJ; Semple, KT. (2007). Prediction of microbial accessibility of carbon-14-phenanthrene in soil in the presence of pyrene or benzo[a]pyrene using an aqueous cyclodextrin extraction technique. *J Environ Qual* 36: 1385-1391. [Journal of environmental quality].
- Papadopoulou, ES; Karpouzas, DG; Menkissoglu-Spirodi, U. (2011). Extraction Parameters Significantly Influence the Quantity and the Profile of PLFAs Extracted from Soils. *Microb Ecol* 62: 704-714.
- Pappa, R; Cova, U; D'Angeli, E; Giongo, M. (1998). Improved procedure for the efficient photocatalytic decontamination of polluted groundwater. *Environ Technol* 19: 851-856.
- Parejo, I; Viladomat, F; Bastida, J; Rosas-Romero, A; Flerlage, N; Burillo, J; Codina, C. (2002). Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled Mediterranean herbs and aromatic plants. *J Agric Food Chem* 50: 6882-6890.
- Parent, RA. (2005). Methylene Chloride A2 - Wexler, Philip. *Encyclopedia of Toxicology (Second Edition)* New York92-95.
- Park, C; Choi, HW; Lee, CH; Lannutti, JJ; Farson, DF. (2014). Optical scattering in electrospun poly(epsilon-caprolactone) tissue scaffolds. *Journal of Laser Applications* 26: 32004-32004.
- Park, CH; Chung, MY; Unnithan, AR; Kim, CS. (2015). Creation of a functional graded nanobiomembrane using a new electrospinning system for drug release control and an in vitro validation of drug release behavior of the coating membrane. *Mater Sci Eng C Mater Biol Appl* 2015, May; 50:133-40 [Materials science & engineering C, Materials for biological applications].
- Park, CN. (1989). Mathematical models in quantitative assessment of carcinogenic risk. *Regul Toxicol Pharmacol* 9: 236-243.
- Park, HJ; Kim, MS; Lee, S; Kim, JS; Woo, JS; Park, JS; Hwang, SJ. (2007). Recrystallization of fluconazole using the supercritical antisolvent (SAS) process. *Int J Pharm* 328: 152-160.
- Park, JK; Bontoux, L; Holsen, TM; Jenkins, D; Selleck, RE. (1991). Permeation of polybutylene pipe and gasket material by organic chemicals. *Am Water Works Assoc J* 83: 71-78.
- Park, JK; Kim, JY; Edil, TB. (1996). Mitigation of organic compound movement in landfills by shredded tires. *Water Environ Res* 68: 4-10.

## Environmental Hazard Literature Search Results

### Off Topic

- Park, JK; Kim, JY; Madsen, CD; Edil, TB. Retardation of volatile organic compound movement by a soil-bentonite slurry cutoff wall amended with ground tires. *Water environment research : a research publication of the Water Environment Federation* July/Aug 1997. v. 69 (5): 1022-1031.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res* 65: 227-237.
- Park, J-K; Utsumi, T; Seo, Y-E; Deng, Y; Satoh, A; Saltzman, WM; Iwakiri, Y. (2016). Cellular distribution of injected PLGA-nanoparticles in the liver. *Nanomedicine: Nanotechnology, Biology and Medicine* 12: 1365-1374.
- Park, JY; Cho, HY; Kim, JK; Noh, KH; Yang, J; Ahn, JM; Lee, MO; Song, YS. (2005). Chlorella dichloromethane extract ameliorates NO production and iNOS expression through the down-regulation of NF kappa B activity mediated by suppressed oxidative stress in RAW 264.7 macrophages. *Clinica Chimica Acta* 351: 185-196.
- Park, J-Y; Cho, H-Y; Kim, J-K; Noh, K-H; Yang, J-R; Ahn, J-M; Lee, M-O; Song, Y-S. (2005). Chlorella dichloromethane extract ameliorates NO production and iNOS expression through the down-regulation of NF $\kappa$ B activity mediated by suppressed oxidative stress in RAW 264.7 macrophages. *Clinica Chimica Acta* 351: 185-196.
- Park, PIP; Makoid, M; Jonnalagadda, S. (2011). The design of flexible ciprofloxacin-loaded PLGA implants using a reversed phase separation/coacervation method. *Eur J Pharm Biopharm* 77: 233-239.
- Park, YD; Kim, JJ; Cho, SD; Lee, SG; Falck, J; Yoon, YJ. (2005). 2-chloropyridazin-3(2H)-ones as electrophilic chlorinating agents: Effective alpha-chlorination of active methylene/methine compounds. *Synthesis-Stuttgart* 1136-1140.
- Parker, VD; Chao, ET; Zheng, G. (1997). Dynamics of proton transfer from radical cations. Addition-elimination or direct proton transfer? *J Am Chem Soc* 119: 11390-11394.
- Parker, VD; Zhao, YX; Lu, Y; Zheng, G. (1998). Application of non-steady-state kinetics to resolve the kinetics of proton-transfer reactions between methylarene radical cations and pyridine bases. *J Am Chem Soc* 120: 12720-12727.
- Parker, WJ; Thompson, DJ; Bell, JP; Melcer, H. (1993). Fate of volatile organic compounds in municipal activated sludge plants. *Water Environ Res* 65: 58-65.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). Are genotoxic carcinogens more potent than nongenotoxic carcinogens? *Environ Health Perspect* 95: 199-204.
- Parrotta, MJ. (1991). Radioactivity in water treatment wastes: A USEPA perspective. *Am Water Works Assoc J* 83: 134-140.
- Parshetti, GK; Doong, RA. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere* 86: 392-399.
- Partridge, J; Dennison, PR; Moore, BD; Halling, PJ. (1998). Activity and mobility of subtilisin in low water organic media: hydration is more important than solvent dielectric. *Biochimica Et Biophysica Acta-Protein Structure and Molecular Enzymology* 1386: 79-89.
- Passari, LMZG; Scarminio, IS; Bruns, RE. (2014). Experimental designs characterizing seasonal variations and solvent effects on the quantities of coumarin and related metabolites from *Mikania laevigata*. *Anal Chim Acta* 821: 89-96.
- Patakova-Juzlova, P; Rezanka, T; Viden, I. (1998). Identification of volatile metabolites from rice fermented by the fungus *Monascus purpureus* (ang-kak). *Folia Microbiologica* 43: 407-410.
- Patel, MM; Zeles, MG; Manning, MC; Randolph, TW; Anchordoquy, TJ. (2004). Degradation kinetics of high molecular weight poly (L-lactide) microspheres and release mechanism of lipid : DNA complexes. *J Pharm Sci* 93: 2573-2584.
- Patel, MN; Bhatt, BS; Gandhi, DS; Dosi, PA; Parmar, PA. (2012). Spectrophotometric determination of ciprofloxacin by ion pair formation. *Journal of analytical chemistry* 67: 655-660.
- Patel, S; Mishra, BK. (2006). Oxidation of alcohol by lipopathic Cr(VI): A mechanistic study. *J Org Chem* 71: 6759-6766.
- Patel, S; Mishra, BK. (2006). Oxidation of cholesterol by a biomimetic oxidant, cetyltrimethylammonium dichromate. *J Org Chem* 71: 3522-3526.
- Pater, EM; Bruckenstein, S; Hillman, AR. (1998). Kinetic manipulation of the composition of electroprecipitated poly(vinylferrocene) films. *J Mater Res* 13: 3293-3298.
- Pathak, PH; Krishna, SS. (1987). The influence of the odors of certain botanical components or an organic solvent dichloromethane during breeding on the reproductive efficiency of *earias-vittella* f. *lepidoptera noctuidae*. *Uttar Pradesh J Zool* 7: 175-179.
- Patil, SB; Dongare, VR; Kulkarni, CR; Joglekar, MM; Arvindekar, AU. (2013). Antidiabetic activity of *Kalanchoe pinnata* in streptozotocin-induced diabetic rats by glucose independent insulin secretagogue action. *Pharm Biol* 51: 1411-1418. [Pharmaceutical biology].
- Patil, SV; Patil, CD; Salunkhe, RB; Salunke, BK. (2010). Larvicidal activities of six plants extracts against two mosquito species, *Aedes aegypti* and *Anopheles stephensi*. *Trop Biomed* 27: 360-365. [Tropical biomedicine].
- Patschinski, P; Zhang, C; Zipse, H. (2014). The Lewis Base-Catalyzed Silylation of Alcohols-A Mechanistic Analysis. *J Org Chem* 79: 8348-8357.
- Pattnaik, S; Swain, K; Mallick, S; Lin, ZQ. (2011). Effect of casting solvent on crystallinity of ondansetron in transdermal films. *Int J Pharm* 406: 106-110.
- Paudel, A; Van den Mooter, G. (2012). Influence of Solvent Composition on the Miscibility and Physical Stability of Naproxen/PVP K 25 Solid Dispersions Prepared by Cosolvent Spray-Drying. *Pharm Res* 29: 251-270.
- Pavelka, C; Loehr, RC; Haikola, B. (1993). Hazardous waste landfill leachate characteristics. *Waste Manag* 13: 573-580.
- Pavoni, B; Drusian, D; Giacometti, A; Zanette, M. (2006). Assessment of organic chlorinated compound removal from aqueous matrices by adsorption on activated carbon. *Water Res* 40: 3571-3579.
- Pawar, AA; Chen, DR; Venkataraman, C. (2012). Influence of precursor solvent properties on matrix crystallinity and drug release rates from nanoparticle aerosol lipid matrices. *Int J Pharm* 430: 228-237.
- Pawar, AP; Gholap, AP; Kuchekar, AB; Bothiraja, C; Mali, AJ. (2015). Formulation and evaluation of optimized oxybenzone microsphere gel for topical delivery. *J Drug Deliv* 261068.

## Environmental Hazard Literature Search Results

### Off Topic

- Pawlus, AD; Su, BN; Keller, WJ; Kinghorn, AD. (2005). An anthraquinone with potent quinone reductase-inducing activity and other constituents of the fruits of *Morinda citrifolia* (Noni). *J Nat Prod* 68: 1720-1722.
- Payá, P; Oliva, J; Cármar, MA; Barba, A. (2007). Dissipation of insect growth regulators in fresh orange and orange juice. *Commun Agric Appl Biol Sci* 2007; 72(2):161-9 [Communications in agricultural and applied biological sciences].
- Pazdera, P; Rezka, M; Novacek, E. (1990). Preparation and reactions of 2-isothiocyanato-3-cyano-4,5,6,7-tetrahydrobenzo(b)thiophene. *Chem Pap* 44: 63-70.
- Peñalva, D; Otero, Y; Arce, A; García-a, JM; Coll, DS; Ocando-Mavarez, E; Machado, Rn; González, T. (2016). Synthesis, characterization and reactivity of dinuclear rhenium complexes containing hemilabile phosphines as ligands: X-ray structures of diax-[Re<sub>2</sub>(CO)<sub>8</sub>{<sup>o</sup>1(P)-Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>CN}<sub>2</sub>], [Re<sub>2</sub>(CO)<sub>8</sub>{<sup>o</sup>3(P,C,C)-iPr<sub>2</sub>NP(CH<sub>2</sub>CHCH<sub>2</sub>)<sub>2</sub>}] and diax-[Re<sub>2</sub>(CO)<sub>8</sub>{<sup>o</sup>1(P)-p-MeOC<sub>6</sub>H<sub>4</sub>P(CH<sub>2</sub>CHCH<sub>2</sub>)<sub>2</sub>}]. *Inorganica Chimica Acta* 439: 178-185.
- Pederson, TC. (1981). DNA-binding studies with diesel exhaust particle extract. *Environ Int* 5: 299-305.
- Pedrido, R; Bermejo, MR; Romero, MJ; González-Noya, AM; Maneiro, M; Fernández, MI. (2005). The first [5 + 5] isomer of a Zn(II) dimer helicate derived from pentadentate thiosemicarbazones. *Inorganic Chemistry Communications* 8: 1036-1040.
- Pedrini, N; Ortiz-Urquiza, A; Huarte-Bonnet, C; Fan, YH; Juárez, P; Keyhani, NO. (2015). Tenebrionid secretions and a fungal benzoquinone oxidoreductase form competing components of an arms race between a host and pathogen. *Proceedings of the National Academy of Sciences of the United States of America* 112: E3651-E3660.
- Pedrosa, R; Andres, C; Arias, R; Mendiguchia, P; Nieto, J. (2006). Regio- and stereoselective methoxyselenenylation of chiral 2-vinyl perhydro-1,3-benzoxazines promoted by selenium-heteroatom nonbonded interactions. *J Org Chem* 71: 2424-2428.
- Pedrosa, R; Andres, C; Mendiguchia, P; Nieto, J. (2006). 1,4-asymmetric induction in methoxyselenenylation of double bonds at the nitrogen side of chiral perhydro-1,3-benzoxazines promoted by nonbonded Se center dot center dot center dot N interactions. *J Org Chem* 71: 5388-5391.
- Pegram, RA; Andersen, ME; Warren, SH; Ross, TM; Claxton, LD. (1997). Glutathione S-transferase-mediated mutagenicity of trihalomethanes in *Salmonella typhimurium*: Contrasting results with bromodichloromethane and chloroform. *Toxicol Appl Pharmacol* 144: 183-188.
- Peijnenburg, W; Eriksson, L; de Groot, A; Sjöström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries. *Environ Sci Pollut Res Int* 5: 12-16.
- Pekelney, D. (1990). Hazardous waste generation, transportation, reclamation, and disposal: California's manifest system and the case of halogenated solvents. *J Hazard Mater* 23: 293-316.
- Pelaez-Samaniego, MR; Yadama, V; Garcia-Perez, M; Lowell, E. (2015). Abundance and characteristics of lignin liquid intermediates in wood (*Pinus ponderosa* Dougl. ex Laws.) during hot water extraction. *Biomass & Bioenergy* 81: 117-128.
- Peleran, JC; Rao, D; Bories, GF. (1987). Identification of the cooked food mutagen 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) and its N-acetylated and 3-N-demethylated metabolites in rat urine. *Toxicology* 43: 193-199. [Toxicology].
- Peleran, JC; Rao, D; Bories, GF. (1987). Identification of the cooked food mutagen 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) and its n-acetylated and 3-n-demethylated metabolites in rat urine. *Toxicology* 43: 193-199.
- Pellegrin, Y; Forster, RJ; Keyes, TE. (2009). pH Dependent photophysics and role of medium on photoinduced electron transfer between ruthenium polypyridyl complex and anthraquinone. *Inorganica Chimica Acta* 362: 1715-1722.
- Pelletier, E; Siron, R. (1999). Silicone-based polymers as oil spill treatment agents. *Environ Toxicol Chem* 18: 813-818.
- Pelorgeas, S; Martin, JB; Satre, M. (1992). Cytotoxicity of dichloromethane diphosphonate and of 1-hydroxyethane-1,1-diphosphonate in the amoebae of the slime mould *Dictyostelium discoideum*: Phosphorus-31 a NMR study. *Biochem Pharmacol* 44: 2157-2163.
- Pelorgeas, S; Martin, J-B; Satre, M. (1992). Cytotoxicity of dichloromethane diphosphonate and of 1-hydroxyethane-1,1-diphosphonate in the amoebae of the slime mould *Dictyostelium discoideum*: A 31P NMR study. *Biochem Pharmacol* 44: 2157-2163.
- Peltre, C; Dignac, MF; Derenne, S; Houot, S. (2010). Change of the chemical composition and biodegradability of the Van Soest soluble fraction during composting: A study using a novel extraction method. *Waste Manag* 30: 2448-2460.
- Pelzer, S; Neumann, B; Stammler, HG; Ignat'ev, N; Hoge, B. (2016). The Bis(pentafluoroethyl)germylene Trimethylphosphane Adduct (C<sub>2</sub>F<sub>5</sub>)<sub>2</sub>GePMe<sub>3</sub>: Characterization, Ligand Properties, and Reactivity. *Angewandte Chemie-International Edition* 55: 6088-6092.
- Peng, DM; Huang, KL; Liu, YF; Liu, SQ. (2007). Preparation of novel polymeric microspheres for controlled release of finasteride. *Int J Pharm* 342: 82-86.
- Peng, J; Qian, Z; Wang, B; Fu, S; Guo, G; Luo, F; Li, R; Wu, D. (2011). Preparation and release characteristic of quercetin loaded poly(lactic acid) ultrafine fibers. *J Nanosci Nanotechnol* 11: 3659-3668. [Journal of nanoscience and nanotechnology].
- Peng, P; Bian, J; Sun, R-C. (2010). Chapter 3 - Extractives. *Cereal Straw as a Resource for Sustainable Biomaterials and Biofuels* Amsterdam 49-72.
- Peng, Y; Totsingan, F; Meier, MAR; Steinmann, M; Wurm, F; Koh, A; Gross, RA. (2015). Sophorolipids: Expanding structural diversity by ring-opening cross-metathesis. *European Journal of Lipid Science and Technology* 117: 217-228.
- Peng, Y; Totsingan, F; Meier, MAR; Steinmann, M; Wurm, F; Koh, A; Gross, RA. (2015). Sophorolipids: Expanding structural diversity by ring-opening cross-metathesis. *European Journal of Lipid Science and Technology* 117: 217-228.
- Peng, ZW; Fan, J; Liu, L; Kuang, F; Xue, F; Wang, BR. (2015). Research Report: Intermittent hypobaric hypoxia and hyperbaric oxygen on GAP-43 in the rat carotid body. *Undersea Hyperb Med* 42: 529-537.
- Pennarun, PY; Saillard, P; Feigenbaum, A; Dole, P. (2005). Experimental direct evaluation of functional barriers in PET recycled bottles: Comparison of migration behaviour of mono- and multilayers. *Packaging Technology and Science* 18: 107-123.



## Environmental Hazard Literature Search Results

### Off Topic

- Pennington, JT; Hadfield, MG. (1988). Larvae of a nudibranch mollusc metamorphose when exposed to common organic solvents. Annual Meeting of the American Society of Zoologists, American Microscopical Society, Animal Behavior Society, the Crustacean Society, International Association of Astacology Society of Systematic Zoology, and the Western Society of Naturalists, San Francisco, California, USA, December 27-30, 1988 *Am Zool* 28: 70A.
- Peralta, RA; Neves, A; Bortoluzzi, AJ; dos Anjos, A; Xavier, FR; Szpoganicz, B; Terenzi, H; de Oliveira, MCB; Castellano, E; Friedermann, GR; Mangrich, AS; Novak, MA. (2006). New unsymmetric dinuclear Cu(II)Cu(II) complexes and their relevance to copper(II) containing metalloenzymes and DNA cleavage. *J Inorg Biochem* 100: 992-1004.
- Perazzo, FF; Rodrigues, IV; Maistro, EL; Souza, SM; Nanaykkara, NPD; Bastos, JK; Carvalho, JCT; de Souza, GHB. (2013). Anti-inflammatory and analgesic evaluation of hydroalcoholic extract and fractions from seeds of *Piper cubeba* L. (Piperaceae). *Pharmacognosy Journal* 5: 13-16.
- Perbellini, L; Brugnone, F; Pavan, I. (1980). Identification of the metabolites of n-hexane, cyclohexane, and their isomers in men's urine. *Toxicol Appl Pharmacol* 53: 220-229.
- Pereira, AL; Bessa, LJ; Leao, PN; Vasconcelos, V; da Costa, PM. (2015). Bioactivity of *Azolla* aqueous and organic extracts against bacteria and fungi. *Symbiosis* 65: 17-21.
- Pereira da Silva Maciel, G; Machado, ME; BarbarÃj, JnA; Molin, DD; CaramÃeo, EB; Jacques, RnA. (2016). GCÃ—GC/TOFMS analysis concerning the identification of organic compounds extracted from the aqueous phase of sugarcane straw fast pyrolysis oil. *Biomass and Bioenergy* 85: 198-206.
- Pereira, TM; Silva Vde, C; Ribeiro Neto, JA; Alves, SN; Lima, LA. (2014). Larvicidal activity of the methanol extract and fractions of the green fruits of *Solanum lycocarpum* (Solanaceae) against the vector *Culex quinquefasciatus* (Diptera: Culicidae). *Rev Soc Bras Med Trop* 47: 646-648. [Revista da Sociedade Brasileira de Medicina Tropical].
- Pereira, V; Dias, C; Vasconcelos, MC; Rosa, E; Saavedra, MJ. (2014). Antibacterial activity and synergistic effects between *Eucalyptus globulus* leaf residues (essential oils and extracts) and antibiotics against several isolates of respiratory tract infections (*Pseudomonas aeruginosa*). *Ind Crop Prod* 52: 1-7.
- Perera, DM; Pandey, B; Ito, T. (2011). Electrochemical impedance spectroscopy studies of organic-solvent-induced permeability changes in nanoporous films derived from a cylinder-forming diblock copolymer. *Langmuir* 27: 11111-11117. [Langmuir : the ACS journal of surfaces and colloids].
- Perez-Prieto, LJ; Lopez-Roca, JM; Martinez-Cutillas, A; Minguez, FP; Gomez-Plaza, E. (2002). Maturing wines in oak barrels. Effects of origin, volume, and age of the barrel on the wine volatile composition. *J Agric Food Chem* 50: 3272-3276.
- Periasamy, M; Beesu, M; Shanmugaraja, M. (2013). Synthesis of Diarylated Aromatic Hydrocarbons by Dehydroxylation of Diols Using the Titanium(IV) Chloride and Triethylamine Reagent System. *Synthesis-Stuttgart* 45: 2913-2918.
- Permana, PA; Nair, S; Lee, YH; Luczy-Bachman, G; de Courten, BV; Tataranni, PA. (2004). Subcutaneous abdominal preadipocyte differentiation in vitro inversely correlates with central obesity. *American Journal of Physiology-Endocrinology and Metabolism* 286: E958-E962.
- Pestana, M; Rodrigues, M; Teixeira, L; Abrantes, ID; Gouveia, M; Cordeiro, N. (2014). In vitro evaluation of nematocidal properties of *Solanum sisymbriifolium* and *S. nigrum* extracts on *Pratylenchus goodeyi*. *Nematology* 16: 41-51.
- Peter, J; Buchinger, V; Karner, F; Hampel, W. (1997). Characteristics of a microbial assay for the detection of halogenated hydrocarbons using cells of an actinomycete-like organism as a biological component. *Acta Biotechnologica* 17: 123-130.
- Peters, L; Konig, GM; Terlau, H; Wright, AD. (2002). Four new bromotryptamine derivatives from the marine bryozoan *Flustra foliacea*. *J Nat Prod* 65: 1633-1637.
- Peters, L; Wright, AD; Kehraus, S; Gundisch, D; Tilotta, MC; Konig, GM. (2004). Prenylated indole alkaloids from *Flustra foliacea* with subtype specific binding on NACRs. *Planta Med* 70: 883-886.
- Peters, RR; Farias, MR; Ribeiro-do-Valle, RM. Anti-inflammatory and analgesic effects of cucurbitacins from *Wilbrandia ebracteata*. *Planta Med* Dec 1997. v. 63 (6): 525-528.
- Peters, RR; Saleh, TF; Lora, M; Patry, C; de Brum-Fernandes, AJ; Farias, MR; Ribeiro-do-Valle, RM. (1999). Anti-inflammatory effects of the products from *Wilbrandia ebracteata* on carrageenan-induced pleurisy in mice. *Life Sci* 1999; 64(26):2429-37 [Life sciences].
- Petroski, RJ. (2006). Preparation and Deprotection of Aldehyde Dimethylhydrazones. *Synthetic Communications* 36, issue 12: 1727-1734.
- Petrovski, Åe; Braga, SS; Santos, AM; Rodrigues, SS; GonÃšalves, IS; Pillinger, M; KÃ¼hn, FE; RomÃeo, CC. (2005). Synthesis and characterization of the inclusion compound of a ferrocenyldiimine dioxomolybdenum complex with heptakis-2,3,6-tri-O-methyl- $\beta$ -cyclodextrin. *Inorganica Chimica Acta* 358: 981-988.
- Pettit, GR; Thornhill, AJ; Moser, BR; Hogan, F. (2008). Antineoplastic agents. 552. oxidation of combretastatin A-1: trapping the o-quinone intermediate considered the metabolic product of the corresponding phosphate prodrug. *J Nat Prod* 71: 1561-1563.
- Petuch, BR; Arison, B; Hsu, A; Monaghan, R; Dumont, FJ; Chen, TS. (1994). Microbial transformation of immunosuppressive compounds. III. Glucosylation of immunomycin (FR 900520) and FK 506 by *Bacillus subtilis* ATCC 55060. *J Ind Microbiol* 13: 131-135. [Journal of industrial microbiology].
- Phani Kumar, G; Navya, K; Ramya, EM; Venkataramana, M; Anand, T; Anilakumar, KR. (2013). DNA damage protecting and free radical scavenging properties of *Terminalia arjuna* bark in PC-12 cells and plasmid DNA. *Free Radicals and Antioxidants* 3: 35-39.
- Phankaen, Y; Pluemanupat, W; Mourad, AK; Bullangpoti, V. (2014). Bioefficacy of piper ribesoides (piperaceae) extracts against *nilaparvata lugens* stal. (homoptera: delphacidae). *Commun Agric Appl Biol Sci* 2014; 79(2):229-32 [Communications in agricultural and applied biological sciences].

## Environmental Hazard Literature Search Results

### Off Topic

- Phasomkusolsil, S; Kim, HC; Pantuwattana, K; Tawong, J; Khongtak, W; Schuster, AL; Klein, TA. (2014). COLONIZATION AND MAINTENANCE OF ANOPHELES KLEINI AND ANOPHELES SINENSIS FROM THE REPUBLIC OF KOREA. *J Am Mosq Control Assoc* 30: 1-6.
- Phayde, HT; Ortego, JD; Rudzinski, WE. (1996). Molecular migration of hazardous liquids into thermoplastic ethylene-propylene random copolymer and isotactic polypropylene membranes. *AU - AMINABHAVI TM. J Hazard Mater* 49: 125-141.
- Philip, I; Kaifer, AE. (2005). Noncovalent encapsulation of cobaltocenium inside resorcinarene molecular capsules. *J Org Chem* 70: 1558-1564.
- Phuengphai, P; Youngme, S; Chaichit, N; Reedijk, J. (2013). New 3D supramolecular networks built from 1D and 2D frameworks via H-bonding interactions: Topology and catalytic properties. *Inorganica Chimica Acta* 403: 35-42.
- Piao, XL; Cho, EJ; Jang, MH; Cui, J. (2009). Cytoprotective Effect of Lignans from Forsythia suspensa against Peroxynitrite-induced LLC-PK(1) Cell Damage. *Phytother Res* 23: 938-942.
- Piao, XL; Cho, EJ; Jang, MH; Cui, J. (2009). Cytoprotective effect of lignans from Forsythia suspensa against peroxynitrite-induced LLC-PK $\alpha$ , cell damage. *Phytother Res* 23: 938-942.
- Piao, XL; Park, IH; Baek, SH; Kim, HY; Park, MK; Park, JH. (2004). Antioxidative activity of furanocoumarins isolated from Angelicae dahuricae. *J Ethnopharmacol* 93: 243-246.
- Piatek, P; Lynch, VM; Sessler, JL. (2004). Calix 4 pyrrole 2 carbazole: A new kind of expanded calixpyrrole. *J Am Chem Soc* 126: 16073-16076.
- Picardal, FW; Arnold, RG; Couch, H; Little, AM; Smith, ME. Involvement of cytochromes in the anaerobic biotransformation of tetrachloromethane by *Shewanella putrefaciens* 200. *Appl Environ Microbiol Nov* 1993. v. 59 (11): 3763-3770.
- Picaud, T; Le Moigne, C; Loock, B; Momenteau, M; Desbois, A. (2003). Nonplanar distortions of bis-base low-spin iron(II)-porphyrinates: Absorption and resonance Raman investigations of cross-trans-linked iron(II)-basket-handle porphyrin complexes. *J Am Chem Soc* 125: 11616-11625.
- Piccardi, R; Frosini, A; Tredici, MR; Margheri, MC. (2000). Bioactivity in free-living and symbiotic cyanobacteria of the genus *Nostoc*. *J Appl Phycol* 12: 543-547.
- Pieterse, EWMG; Scholtis, RJH; Schmidt, NA. (1969). A simple method for separate determination of the main 17.21-Dihydroxy-20-Ketosteroids. *Clinica Chimica Acta* 25: 243-246.
- Pietrogrande, MC; Bacco, D; Chiereghin, S. (2013). GC/MS analysis of water-soluble organics in atmospheric aerosol: optimization of a solvent extraction procedure for simultaneous analysis of carboxylic acids and sugars. *Anal Bioanal Chem* 405: 1095-1104.
- Petrovski, EF; Magina, MDA; Gomig, F; Petrovski, CF; Micke, GA; Barcellos, M; Pizzolatti, MG; Cabrini, DA; Brighente, IMC; Otuki, MF. (2008). Topical anti-inflammatory activity of *Eugenia brasiliensis* Lam. (Myrtaceae) leaves. *J Pharm Pharmacol* 60: 479-487.
- Piggott, SM; Kerkut, GA; Walker, RJ. (1975). Structure-activity studies on glutamate receptor sites of three identifiable neurones in the sub-oesophageal ganglia of *Helix aspersa*. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* 51: 91-100.
- Piggott, SM; Kerkut, GA; Walker, RJ. (1977). The actions of picrotoxin, strychnine, bicuculline and other convulsants and antagonists on the responses to acetylcholine glutamic acid and gamma-aminobutyric acid on *Helix* neurones. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* 57: 107-116.
- Pilissao, C; Carvalho, PD; Nascimento, MD. (2009). Enantioselective acylation of (RS)-phenylethylamine catalysed by lipases. *Process Biochemistry* 44: 1352-1357.
- Pilon, G; Lavoie, J-M. (2013). Pyrolysis of switchgrass (*Panicum virgatum* L.) at low temperatures in N $_2$ , and CO $_2$ , environments; a study on chemical composition of chars extracts and bio-oils. *Journal of analytical and applied pyrolysis* 101: 122-131.
- Pimienta, V; Brost, M; Kovalchuk, N; Bresch, S; Steinbock, O. (2011). Complex Shapes and Dynamics of Dissolving Drops of Dichloromethane. *Angewandte Chemie-International Edition* 50: 10728-10731.
- Ping, L; Brosse, N; Sannigrahi, P; Ragauskas, A. (2011). Evaluation of grape stalks as a bioresource. *Ind Crop Prod* 33: 200-204.
- Pinheiro, MMG; Boylan, F; Fernandes, PD. (2012). Antinociceptive effect of the *Orbignya speciosa* Mart. (Babassu) leaves: Evidence for the involvement of apigenin. *Life Sci* 91: 293-300.
- Pinteus, S; Alves, C; Monteiro, H; Araujo, E; Horta, A; Pedrosa, R. (2015). *Asparagopsis armata* and *Sphaerococcus coronopifolius* as a natural source of antimicrobial compounds. *World Journal of Microbiology & Biotechnology* 31: 445-451.
- Pinto, AMV; Leite, JPG; Ramos, CJB; da Fonseca, RR; Teixeira, VL; Paixo, I. (2014). Anti-herpesvirus bovine type 5 activities of extracts obtained from *Plocamium brasiliense*. *J Appl Phycol* 26: 2021-2027.
- Pipattanaporn, P; Tharamak, S; Temyarasilp, P; Bullangpoti, V; Pluempanupat, W. (2015). Toxicity of the seeds of *Phaseolus lathyroides* (leguminosae) against *Spodoptera litura* (Lepidoptera: Noctuidae). *Commun Agric Appl Biol Sci* 2015; 80(2):193-8 [Communications in agricultural and applied biological sciences].
- Pisani, E; Fattal, E; Paris, J; Ringard, C; Rosilio, V; Tsapis, N. (2008). Surfactant dependent morphology of polymeric capsules of perfluorooctyl bromide: influence of polymer adsorption at the dichloromethane-water interface. *J Colloid Interface Sci* 326: 66-71. [Journal of colloid and interface science].
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Armandi, M; Thomas, C; Garrone, E. (2012). Effect of vanadium dispersion and of support properties on the catalytic activity of V-containing silicas. *Catalysis Today* 179: 140-148.
- Piumetti, M; Bonelli, B; Massiani, P; Dzwigaj, S; Rossetti, I; Casale, S; Gaberova, L; Armandi, M; Garrone, E. (2011). Effect of vanadium dispersion and support properties on the catalytic activity of V-SBA-15 and V-MCF mesoporous materials prepared by direct synthesis. *Catalysis Today* 176: 458-464.
- Plasseraud, L; Therrien, B; R $\ddot{a}$ Å ka, A; Cattey, Hln. (2012). Organotin(IV) trifluoromethanesulfonates chemistry: Isolation and characterization of a new di-n-butyl derivative presenting a Sn $_3$ O $_3$  core. *Inorganica Chimica Acta* 380: 50-56.

## Environmental Hazard Literature Search Results

### Off Topic

- Plodpai, P; Petcharat, V; Chuenchit, S; Chakthong, S; Joycharat, N; Voravuthikunchai, SP. (2013). Desmos chinensis: A new candidate as natural antifungicide to control rice diseases. *Ind Crop Prod* 42: 324-331.
- Plouguerne, E; Hellio, C; Cesconetto, C; Thabard, M; Mason, K; Veron, B; Pereira, RC; da Gama, BAP. (2010). Antifouling activity as a function of population variation in *Sargassum vulgare* from the littoral of Rio de Janeiro (Brazil). *J Appl Phycol* 22: 717-724.
- Plouguerne, E; Hellio, C; Deslandes, E; Veron, B; Stiger-Pouvreau, V. (2008). Anti-microfouling activities in extracts of two invasive algae: *Grateloupia turuturu* and *Sargassum muticum*. *Botanica Marina* 51: 202-208.
- Pluempanupat, S; Kumrungsee, N; Pluempanupat, W; Ngamkitpinyo, K; Chavasiri, W; Bullangpoti, V; Koul, O. (2013). Laboratory evaluation of *Dalbergia oliveri* (Fabaceae: Fabales) extracts and isolated isoflavonoids on *Aedes aegypti* (Diptera: Culicidae) mosquitoes. *Ind Crop Prod* 44: 653-658.
- Plumb, RHJ. (1991). The occurrence of appendix ix organic constituents in disposal site ground water. *Ground Water Monit Rev* 11: 157-164.
- Poelarends, GJ; Whitman, CP. (2010). 8.04 - Mechanistic and Structural Studies of Microbial Dehalogenases: How Nature Cleaves a Carbon-Halogen Bond. *Comprehensive Natural Products II* Oxford 89-123.
- Pohland, FG; Rachdawong, P. (1996). Use of post-consumer carpet products during landfill management of solid wastes. *Water Science and Technology* 34: 429-436.
- Pojchajjongdee, N; Sotaphun, U; Limsirichaikul, S; Poobrasert, O. (2010). Geraniinic acid derivative from the leaves of *Phyllanthus reticulatus*. *Pharm Biol* 48: 740-744. [Pharmaceutical biology].
- Polasek, J; Queiroz, EF; Hostettmann, K. (2007). On-line identification of phenolic compounds of *Trifolium* species using HPLC-UV-MS and post-column LIV-derivatisation. *Phytochem Anal* 18: 13-23.
- Politi, M; Sanogo, R; Ndjoko, K; Guilet, D; Wolfender, JL; Hostettmann, K; Morelli, I. (2004). HPLC-UV/PAD and HPLC-MS(n) analyses of leaf and root extracts of *Vismia guineensis* and isolation and identification of two new bianthrone. *Phytochem Anal* 15: 355-364.
- Pollard, SJT; Farmer, JG; Knight, DM; Young, PJ. (2002). Matrix effects in applying mono- and polyclonal ELISA systems to the analysis of weathered oils in contaminated soil. *Environ Pollut* 117: 5-8.
- Pols, HB; Hieltjes, AH; Kouwe, FA. (1991). The occurrence and the sources of black list substances in two river basins in the Netherlands. *lawprc* (International Association on Water Pollution Research and Control) Conference on North Sea Pollution: Technical Strategies for Improvement, Amsterdam, Netherlands, September 10-14, 1990 *Water Sci Technol* 24: 55-68.
- Poltue, T; Rangkupan, R; Dubas, ST; Dubas, L. (2011). Nickel (II) ions sensing properties of dimethylglyoxime/poly(caprolactone) electrospun fibers. *Mater Lett* 65: 2231-2234.
- Pontius, FW. (1997). Future directions in water quality regulations. *American Water Works Association Journal* 89: 40-54.
- Pontius, FW. (1998). New horizons in federal regulation. *American Water Works Association Journal* 90: 38-50.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance. *American Water Works Association Journal* 91: 46-58.
- Poonsri, W; Pluempanupat, W; Chitchirachan, P; Bullangpoti, V; Koul, O. (2015). Insecticidal alkanes from *Bauhinia scandens* var. *horsfieldii* against *Plutella xylostella* L. (Lepidoptera: Plutellidae). *Ind Crop Prod* 65: 170-174.
- Popot, MA; Donval, A; Bonnaire, Y; Huau, J. (2006). Use of accelerating solvent extraction for detecting non-steroidal anti-inflammatory drugs in horse feces. *J Anal Toxicol* 30: 323-330. [Journal of analytical toxicology].
- Pornprasit, R; Jatisatienr, C; Supyen, D; Jatisatienr, A. (2002). Inhibitory effect of *Mammea siamensis* Kost. On some plant pathogenic molds. *Acta horticulturae*.
- Portet-Koltalo, F; Oukebdane, K; Dionnet, F; Desb ne, PL. (2008). Optimisation of the extraction of polycyclic aromatic hydrocarbons and their nitrated derivatives from diesel particulate matter using microwave-assisted extraction. *Anal Bioanal Chem* 390: 389-398.
- Portet-Koltalo, F; Oukebdane, K; Dionnet, F; Desb ne, PL. (2009). Optimisation of supercritical fluid extraction of polycyclic aromatic hydrocarbons and their nitrated derivatives adsorbed on highly sorptive diesel particulate matter. *Anal Chim Acta* 651: 48-56.
- Portier, CJ; Kaplan, NL. (1989). Variability of safe dose estimates when using complicated models of the carcinogenic process: A case study: Methylene chloride. *Fundam Appl Toxicol* 13: 533-544.
- Portillo, A; Vila, R; Freixa, B; Adzet, T; Canigual, S. (2001). Antifungal activity of Paraguayan plants used in traditional medicine. *J Ethnopharmacol* 76: 93-98.
- Posada, JA; Cardona, CA; Gonzalez, R. (2012). Analysis of the Production Process of Optically Pure D-Lactic Acid from Raw Glycerol Using Engineered *Escherichia coli* Strains. *Appl Biochem Biotechnol* 166: 680-699.
- Potai, R; Traiphol, R. (2013). Controlling chain organization and photophysical properties of conjugated polymer nanoparticles prepared by reprecipitation method: The effect of initial solvent. *J Colloid Interface Sci* 403: 58-66.
- Poulat, F; Guichard, G; Goz , C; Heitz, F; Calas, B; Berta, P. (1992). Synthesis of a large peptide mimicking the DNA binding properties of the sex determining protein, SRY. *FEBS Letters* 309: 385-388.
- Poullain, C; Girard-Valenciennes, E; Smadja, J. (2004). Plants from reunion island: evaluation of their free radical scavenging and antioxidant activities. *J Ethnopharmacol* 95: 19-26.
- Pourmortazavi, SM; Sefidkon, F; Hosseini, SG. (2003). Supercritical carbon dioxide extraction of essential oils from *Perovskia atriplicifolia* Benth. *J Agric Food Chem* 51: 5414-5419.
- Pouteau, C; Cathala, B; Dole, P; Kurek, B; Monties, B. (2005). Structural modification of Kraft lignin after acid treatment: characterisation of the apolar extracts and influence on the antioxidant properties in polypropylene. *Ind Crop Prod* 21: 101-108.

## Environmental Hazard Literature Search Results

### Off Topic

- Powers, JC; Kam, CM; Ricketts, KM; Casillas, RP. (2000). Cutaneous protease activity in the mouse ear vesicant model. *J Appl Toxicol* 21: S177-S182.
- Prabhavathi Devi, BLA; Gangadhar, KN; Siva Kumar, KLN; Shiva Shanker, K; Prasad, RBN; Sai Prasad, PS. (2011). Synthesis of sulfonic acid functionalized carbon catalyst from glycerol pitch and its application for tetrahydropyran protection/deprotection of alcohols and phenols. *Journal of Molecular Catalysis* 345: 96-100.
- Prachyawarakorn, V; Mahidol, C; Ruchirawat, S. (2006). Siamenols A-D, four new coumarins from *Mammea siamensis*. *Chemical & Pharmaceutical Bulletin* 54: 884-886.
- Prajapati, SK; Tripathi, BD. (2008). Biomonitoring seasonal variation of urban air polycyclic aromatic hydrocarbons (PAHs) using *Ficus benghalensis* leaves. *Environ Pollut* 151: 543-548.
- Prakash, GKS; Mathew, T; Panja, C; Alconcel, S; Vaghoo, H; Do, C; Olah, GA. (2007). Gallium (III) triflate catalyzed efficient Strecker reaction of ketones and their fluorinated analogs. *Proceedings of the National Academy of Sciences of the United States of America* 104: 3703-3706.
- Prakash, J; Nirmalakhandan, N; Sun, B; Peace, J. (1996). Toxicity of binary mixtures of organic chemicals to microorganisms. *Water Res* 30: 1459-1463.
- Prakash, O; Kaur, H; Batra, H; Rani, N; Singh, SP; Moriarty, RM. (2001). alpha-thiocyanation of carbonyl and beta-dicarbonyl compounds using (dichloroiodo)benzene-lead(II) thiocyanate. *J Org Chem* 66: 2019-2023.
- Pratsch, G; Lackner, GL; Overman, LE. (2015). Constructing Quaternary Carbons from N-(Acyloxy)phthalimide Precursors of Tertiary Radicals Using Visible-Light Photocatalysis. *J Org Chem* 80: 6025-6036.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environmental Science & Technology* 39: 3261-3268.
- Pratt, K; Shirey, R; Mani, V. (1996). Solid-phase microextraction of vocs in water. Wang, W, J L Schnoor and J Doi (Ed) *Astm Stp, 1261 Volatile Organic Compounds Inthe Environment; Symposium, Montreal, Quebec, Canada, April 11-13, 1994* 291p Astm (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA Isbn 0-8031-2048-6; 0 (1261) 1996 139-146.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl(4), CHCl(3) and CH(2)Cl(2) over metallic Fe. *Environ Chem Lett* 2: 9-13.
- Premdas, PD; Metcalfe, CD. (1996). Experimental transmission of epidermal lip papillomas in white sucker, *Catostomus commersoni*. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 1018-1029.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research* 22: 107-128.
- Price, KJ; Carrick, HJ. (2016). Effects of experimental nutrient loading on phosphorus uptake by biofilms: evidence for nutrient saturation in mid-Atlantic streams. *Freshwater Science* 35: 503-517.
- Price, PJ; Hassett, CM; Mansfield, JI. (1978). Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro* 14: 290-293. [In vitro].
- Pries, F; Van Der Ploeg, JR; Dolfing, J; Janssen, DB. (1994). Degradation of halogenated aliphatic compounds the role of adaptation. *Fems Microbiology Reviews* 15: 279-295.
- Prieto, AM; Santos, AG; Csapak, AR; Caliri, CM; Silva, IC; Arbex, MA; Silva, FS; Marchi, MRR; Cavalheiro, AJ; Silva, DHS; Bolzani, VS; Soares, CP. (2012). Chemopreventive activity of compounds extracted from *Casearia sylvestris* (Salicaceae) Sw against DNA damage induced by particulate matter emitted by sugarcane burning near Araraquara, Brazil. *Toxicol Appl Pharmacol* 265: 368-372.
- Priya, VS; Philip, L. (2013). Biodegradation of Dichloromethane Along with Other VOCs from Pharmaceutical Wastewater. *Appl Biochem Biotechnol* 169: 1197-1218.
- Prokopy, RJ; Phillips, TW; Vargas, RI; Jang, EB. Defining sources of coffee plant odor attractive to *Ceratitis capitata* flies. *J Chem Ecol* June 1997. v. 23 (6): 1577-1587.
- Proust, N; Gallucci, JC; Paquette, LA. (2008). Neighboring group participation by sulfonamido nitrogen. *J Org Chem* 73: 6279-6282.
- Provan, WM; Collinge, DC; Guest, AE. (1988). Macromolecular interactions of inhaled methylene chloride in rats and mice au - green t. *Toxicol Appl Pharmacol* 93: 1-10.
- Prusty, BAK; Azeez, PA. (2007). Vertical distribution of alkali and alkaline earth metals in the soil profile of a wetland-terrestrial ecosystem complex in India. *Aust J Soil Res* 45: 533-542.
- Puangsomchit, A; Bullangpoti, V; Pluempanupat, W. (2014). Toxicity of alpinia galanga (zingiberaceae) rhizome extracts against *spodoptera litura* (lepidoptera: noctuidae). *Commun Agric Appl Biol Sci* 2014; 79(2):145-9 [Communications in agricultural and applied biological sciences].
- Puapermpoonsiri, U; Spencer, J; van der Walle, CF. (2009). A freeze-dried formulation of bacteriophage encapsulated in biodegradable microspheres. *Eur J Pharm Biopharm* 72: 26-33.
- Puechagut, HG; Bianchotti, J; Chiale, CA. (1998). Preparation of norfloxacin spherical agglomerates using the ammonia diffusion system. *J Pharm Sci* 87: 519-523.
- Puhakka, JA; Melin, ES. (1996). Bioremediation of chlorinated phenols. Crawford, R L And D L Crawford *Biotechnology Research Series, 6 Bioremediation: Principles and Applications* xii+400p Cambridge University Press: Cambridge, England, UK; New York, New York, USA Isbn 0-521-47041-2; 0 (6) 1996 254-299.
- Pumnuan, J; Insung, A; Chandrapatya, A. (2008). Acaricidal effects of herb extracts on the mushroom mites, *Luciaphorus perniciosus* Rack and *Formicomotes heteromorphus* Magowski. *Systematic and applied acarology* 13: 33-38.

## Environmental Hazard Literature Search Results

### Off Topic

- Pundeer, R; Sushma; Kiran, V; Sharma, C; Aneja, KR; Prakash, O. (2013). Synthesis and evaluation of antibacterial and antifungal activities of new (Z)-3-bromo-4-(1,3-diaryl-1H-pyrazol-4-yl)but-3-en-2-ones and 4-(3-methyl-1-phenyl-1H-pyrazol-5-yl)-1,3-diaryl-1H-pyrazoles. *Medicinal Chemistry Research* 22: 4715-4726.
- Purchase, IF. (1988). Carcinogenic risk assessment using animal data the importance of mechanisms of toxic action. Richardson, M L (Ed) *Risk Assessment of Chemicals in the Environment; Third European Conference, Guilford, England, Uk, July 11-14, 1988* Xxi+579p Royal Society of Chemistry: London, England, Uk Illus Maps Isbn 0-85186-118-0; 0 (0) 1988 177-191.
- Puskar, MA; Levine, SP; Lowry, SR. (1986). Computerized IR spectral identification of compounds frequently found at hazardous waste sites. *Anal Chem* 58: 1156-1162.
- Puttemans, M; Dryon, L; Massart, DL. (1985). Extraction of organic acids by ion-pair formation with tri-n-octylamine : Part 4. Influence of organic phase composition. *Anal Chim Acta* 178: 189-195.
- Puzio, K; DelÃ©e, R; Vidal, R; Agrofoglio, LA. (2013). Combination of computational methods, adsorption isotherms and selectivity tests for the conception of a mixed non-covalent/semi-covalent molecularly imprinted polymer of vanillin. *Anal Chim Acta* 790: 47-55.
- Qazi, MA; Ocak, Ãh; Ocak, M; Memon, S. (2013). An excellent copper selective chemosensor based on calix[4]arene framework. *Anal Chim Acta* 761: 157-168.
- qDekant, W; Vamvakas, S. (1993). Glutathione-dependent bioactivation of xenobiotics. *Xenobiotica* 23: 873-887.
- Qi, C; Chen, Y; Jing, QZ; Wang, XG. (2011). Preparation and characterization of catalase-loaded solid lipid nanoparticles protecting enzyme against proteolysis. *Int J Mol Sci* 2011; 12(7):4282-93 [International journal of molecular sciences].
- Qi, HF; Ye, ZH; Ren, HL; Chen, NN; Zeng, QY; Wu, XL; Lu, TL. (2016). Bioactivity assessment of PLLA/PCL/HAP electrospun nanofibrous scaffolds for bone tissue engineering. *Life Sci* 148: 139-144.
- Qi, P; Wang, J; Jin, J; Su, F; Chen, J. (2010). 2,4-Dimethylphenol imprinted polymers as a solid-phase extraction sorbent for class-selective extraction of phenolic compounds from environmental water. *Talanta* 81: 1630-1635. [Talanta].
- Qin, W; Leen, V; Rohand, T; Dehaen, W; Dedecker, P; Van der Auweraer, M; Robeyns, K; Van Meervelt, L; Beljonne, D; Van Averbeke, B; Clifford, JN; Driesen, K; Binnemans, K; Boens, N. (2009). Synthesis, spectroscopy, crystal structure, electrochemistry, and quantum chemical and molecular dynamics calculations of a 3-anilino difluoroboron dipyrromethene dye. *J Phys Chem A* 113: 439-447. [The journal of physical chemistry. A].
- Qu, J; Jiang, F; Chen, H; Sanda, F; Masuda, T. (2009). Synthesis and photoisomerization of poly(1-methylpropargyl ester)s carrying azobenzene moieties. *Journal of polymer science* 47: 4749-4761.
- Quadery, TM; Islam, F; Ahsan, M; Hasan, CM. (2012). ANTIOXIDANT AND CYTOTOXIC ACTIVITIES OF PARABAENA SAGITATTA MIERS. *Bangladesh Journal of Botany* 41: 155-158.
- Quan, C; Kurth, M. (2004). Solid-phase synthesis of 5-isoxazol-4-yl- 1,2,4 oxadiazoles. *J Org Chem* 69: 1470-1474.
- Queiroz, EF; Ioset, JR; Ndjoko, K; Guntern, A; Foggin, CM; Hostettmann, K. (2005). On-line identification of the bioactive compounds from *Blumea gariepina* by HPLC-UV-MS and HPLC-UV-NMR, combined with HPLC-micro-fractionation. *Phytochem Anal* 16: 166-174.
- Queiroz, EF; Kuhl, C; Terreaux, C; Mavi, S; Hostettmann, K. (2003). New dihydroalkylhexenones from *Lannea edulis*. *J Nat Prod* 66: 578-580.
- Quinn, PJ; Scanlon, MP. (2000). Elimination of volatile chemicals in disinfectant evaluation procedures by freeze drying. *Lett Appl Microbiol* 31: 223-227.
- Quinten, T; De Beer, T; Onofre, FO; Mendez-Montealvo, G; Wang, YJ; Remon, JP; Vervaet, C. (2011). Sustained-Release and Swelling Characteristics of Xanthan Gum/Ethylcellulose-Based Injection Moulded Matrix Tablets: in Vitro and in Vivo Evaluation. *J Pharm Sci* 100: 2858-2870.
- Quintero, N; Stashenko, EE; Fuentes, JL. (2012). The influence of organic solvents on estimates of genotoxicity and antigenotoxicity in the SOS chromotest. *Genet Mol Biol* 35: 503-514.
- Quisenberry, SS; Caballero, P; Smith, CM. Influence of bermudagrass leaf extracts on development and survivorship of fall armyworm (Lepidoptera: Noctuidae) larvae. *J Econ Entomol* June 1988. v. 81 (3): 910-913.
- Rablen, PR; Miller, DA; Bullock, VR; Hutchinson, PH; Gorman, JA. (1999). Solvent effects on the barrier to C-N bond rotation in N,N-dimethylaminoacrylonitrile. *J Am Chem Soc* 121: 218-226.
- Racke, KD; Frink, CR. (1989). Fate of organic contaminants during sewage sludge composting. *Bull Environ Contam Toxicol* 42: 526-533.
- Radchenko, AV; Kostjuk, SV; Vasilenko, IV; Ganachaud, Fo; Kaputsky, FN; Guillaneuf, Y. (2008). Kinetic study on the living/controlled cationic polymerization of p-methoxystyrene coinitiated by tris(pentafluorophenyl)borane. *Journal of polymer science* 46: 6928-6939.
- Raddatz, A; Kubulus, D; Winning, J; Bauer, I; Pradarutti, S; Wolf, B; Kreuer, S; Rensing, H. (2006). Dobutamine improves liver function after hemorrhagic shock through induction of heme oxygenase-1. *American Journal of Respiratory and Critical Care Medicine* 174: 198-207.
- Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO<sub>2</sub>, separation from natural gas. *J Memb Sci* 378: 444-452.
- Raga, DD; Alimboyoguen, AB; Shen, CC; Herrera, AA; Ragasa, CY. (2011). Triterpenoids and an Anti-Angiogenic Sterol from *Ardisia pyramidalis* (Cav.) Pers. *Philippine Agricultural Scientist* 94: 132-139.
- Raga, DD; Herrera, AA; Ragasa, CY. (2013). Angio-suppressive triterpenoids from *Ardisia cf. elliptica* (subgenus *Tinus*) on duck (*Anas platyrhynchos*.) chorioallantoic membrane. *Chin J Nat Med* 11: 128-138.
- Ragasa, CY; de Luna, RD; Cruz, WC; Rideout, JA. (2005). Monoterpene lactones from the seeds of *Nephelium lappaceum*. *J Nat Prod* 68: 1394-1396.
- Ragasa, CY; Galian, RAF; Ebajo Jr, VD; Aguda, RM; Cervancia, CR; Shen, C-C. (2015). Propolins and glyasperin A from stingless bee nests. *Revista Brasileira de Farmacognosia* 25: 177-179.

## Environmental Hazard Literature Search Results

### Off Topic

- Ragasa, CY; Torres, OB; Shen, C-C; Mejia, MGR; Ferrer, RJ; Jacinto, SD. (2012). Chemical constituents of *Aglaiia loheri*. *Pharmacognosy Journal* 4: 29-31.
- Ragasa, CY; Tsai, PW; Galvez, CT; Shen, CC. (2010). New Carvotanacetone Derivatives from *Sphaeranthus africanus*. *Planta Med* 76: 146-151.
- Raggi, MA; Nobile, L; Ramini, M; Perboni, I. (1989). Determination of potassium in pharmaceutical formulations by means of 18-crown-6: Extraction studies. *J Pharm Biomed Anal* 7: 1545-1550.
- Rahikainen, M; Kuikka, S; Parmanne, R. (2003). Modelling the effect of ecosystem change on spawning per recruit of Baltic herring. *ICES J Mar Sci* 60: 94-109.
- Rahman, GM; Guldi, DM; Zambon, E; Pasquato, L; Tagmatarchis, N; Prato, M. (2005). Dispersable carbon nanotube/gold nanohybrids: evidence for strong electronic interactions. *Small* 1: 527-530. [Small (Weinheim an der Bergstrasse, Germany)].
- Rahman, MA; Abdullah, N; Aminudin, N. *Lentinula edodes* (shiitake mushroom): An assessment of in vitro anti-atherosclerotic bio-functionality. *Saudi J Biol Sci*.
- Rahman, MA; Ogawa, O; Oyamada, J; Kitamura, T. (2008). Metal-Free Hydroarylation of Alkynes: A Very Convenient, Simple Procedure for Substituted Arylalkenes. *Synthesis-Stuttgart* 3755-3760.
- Rahman, MS; Parreno, M; Bossi, R; Paya-Perez, AB; Larsen, B. (1998). Chlorobiphenyls in sewage sludge; comparison of extraction methods. *Fresenius' Journal of Analytical Chemistry* 360: 556-563.
- Rahman, Z; Zidan, AS; Habib, MJ; Khan, MA. (2010). Understanding the quality of protein loaded PLGA nanoparticles variability by Plackett-Burman design. *Int J Pharm* 389: 186-194.
- Rahman, Z; Zidan, AS; Habib, MJ; Khan, MA. (2010). Understanding the quality of protein loaded PLGA nanoparticles variability by Plackett-Burman design. *Int J Pharm* 389: 186-194.
- Rajagopal, R; Li, PC. (1991). Comparison of two screening methods for the detection of volatile organic compounds in ground water. *J Chemometrics* 5: 321-331.
- Rajaonson, S; Vandeputte, OM; Vereecke, D; Kiendrebeogo, M; Ralambofetra, E; Stevigny, C; Duez, P; Rabemanantsoa, C; Mol, A; Diallo, B; Baucher, M; El Jaziri, M. (2011). Virulence quenching with a prenylated isoflavanone renders the Malagasy legume *Dalbergia pervillei* resistant to *Rhodococcus fascians*. *Environ Microbiol* 13: 1236-1252.
- Rajendiran, TM; Caudle, MT; Kirk, ML; Setyawati, I; Kampf, JW; Pecoraro, VL. (2003). Evaluating hydrogen bond interactions in enzymes containing Mn(III)-histidine complexation using manganese-imidazole complexes. *J Biol Inorg Chem* 8: 283-293.
- Rajput, N; Lakhani, A. (2009). Measurements of polycyclic aromatic hydrocarbons at an industrial site in India. *Environ Monit Assess* 150: 273-284.
- Ralph, W. A note on antibiotic permeation of seed with dichloromethane. *Seed Science and Technology* 1977, 5 (3): 575-578.
- Ramírez-Cisneros, M; Rios, MY; Dâşciga-Campos, M; Aguilar-Guadarrama, AB. (2012). Phytochemical study and anti-inflammatory, antidiabetic and free radical scavenger evaluations of *Krameria pauciflora* methanol extract. *Molecules* 2012; 17(1):861-72 [Molecules (Basel, Switzerland)].
- Ramachandran, R; Khan, ZR. Mechanisms of resistance in wild rice *Oryza brachyantha* to rice leafhopper *Cnaphalocrocis medinalis* (Guenee) (Lepidoptera: Pyralidae). *J Chem Ecol* Jan 1991. v. 17 (1): 41-65.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater* 261: 362-371.
- Ramalingam, SG; Prâş, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Dâşchelotte, S. (2012). Recovery comparisons--hot nitrogen Vs steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 2012, Feb 29; 205-206:222-8 [Journal of hazardous materials].
- Ramalingam, SG; Prâş, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Dâşchelotte, Sp. (2012). Different families of volatile organic compounds pollution control by microporous carbons in temperature swing adsorption processes. *J Hazard Mater* 221-222: 242-247.
- Ramalingam, SG; Prâş, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Dâşchelotte, Sp. (2012). Recovery comparisonsâ€”Hot nitrogen Vâ, steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 205-206: 222-228.
- Ramalingam, SG; Saussac, Jm; Prâş, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Nicolas, S; Baudouin, O; Dâşchelotte, Sp; Medevielle, A. (2011). Hazardous dichloromethane recovery in combined temperature and vacuum pressure swing adsorption process. *J Hazard Mater* 198: 95-102.
- Ramallo-Lopez, JM; Giovanetti, LJ; Requejo, FG; Isaacs, SR; Shon, YS; Salmeron, M. (2006). Molecular conformation changes in alkylthiol ligands as a function of size in gold nanoparticles: X-ray absorption studies. *Physical Review B* 7407: 3410-3410.
- Ramanathan, V. (1998). Trace-gas greenhouse effect and global warming: Underlying principles and outstanding issues: Volvo Environmental Prize Lecture 1997. *Ambio* 27: 187-197.
- Ramasamy, MS; Murugan, A. (2005). Potential antimicrobial activity of marine molluscs from tuticorin, southeast coast of India against 40 biofilm bacteria. *J Shellfish Res* 24: 243-251.
- Ramazani, A; Zakeri, S; Sardari, S; Khodakarim, N; Djadid, ND. (2010). In vitro and in vivo anti-malarial activity of *Boerhavia elegans* and *Solanum surattense*. *Malar J* 2010; 9:124 [Malaria journal].
- Ramazani, F; Chen, W; van Nostrum, CF; Storm, G; Kiessling, F; Lammers, T; Hennink, WE; Kok, RJ. (2016). Strategies for encapsulation of small hydrophilic and amphiphilic drugs in PLGA microspheres: State-of-the-art and challenges. *Int J Pharm* 499: 358-367.
- Ramazani, F; Hiemstra, C; Steendam, R; Kazazi-Hyseni, F; Van Nostrum, CF; Storm, G; Kiessling, F; Lammers, T; Hennink, WE; Kok, RJ. (2015). Sunitinib microspheres based on PDLLA-PEG-PDLLA -b-PLLA multi-block copolymers for ocular drug delivery. *Eur J Pharm Biopharm* 95: 368-377.

## Environmental Hazard Literature Search Results

### Off Topic

- Ramirez, WA; Domene, X; Andres, P; Alcaniz, JM. (2008). Phytotoxic effects of sewage sludge extracts on the germination of three plant species. *Ecotoxicology* 17: 834-844.
- Ramli, I; Kamarulzaman, NH; Shaari, K; Ee, GC. (2004). p-O-geranylcoumaric acid from *Melicope lunu-ankenda*. *Nat Prod Res* 18: 289-294. [Natural product research].
- Ramozzi, R; Morokuma, K. (2015). Revisiting the Passerini Reaction Mechanism: Existence of the Nitrilium, Organocatalysis of Its Formation, and Solvent Effect. *J Org Chem* 80: 5652-5657.
- Ramsay, B; Lawrence, CM; Shuster, S; Bruce, JM. (1990). Reduction of anthralin-induced inflammation by application of amines. *J Am Acad Dermatol* 22: 765-772. [Journal of the American Academy of Dermatology].
- Rangasamy, O; Mahomoodally, FM; Gurib-Fakim, A; Quetin-Leclercq, J. (2014). Two anti-staphylococcal triterpenoid acids isolated from *Psiloxylon mauritianum* (Boutou ex Hook.f.) Baillon, an endemic traditional medicinal plant of Mauritius. *South African Journal of Botany* 93: 198-203.
- Rank, J; Nielsen, MH. (1994). Evaluation of the Allium anaphase-telophase test in relation to genotoxicity screening of industrial wastewater. *Mutation Research/Environmental Mutagenesis and Related Subjects* 312: 17-24.
- Rao, AV; Valluvaparidasan, V; Vidyasekaran, P; David, ME. (1985). Studies of seed borne diseases in tamil nadu india. Jayaraj, S (Ed) Integrated Pest and Disease Management NATIONAL SEMINAR, COIMBATORE, INDIA, SEPT: XI+433P. TAMIL NADU AGRICULTURAL UNIVERSITY: COIMBATORE.
- Rao, CM; Sudarsan, V; Ningthoujam, RS; Gautam, UK; Vatsa, RK; Vinu, A; Tyagi, AK. (2008). Luminescence studies on low temperature synthesized ZnGa<sub>2</sub>O<sub>4</sub>:Ln<sup>3+</sup> (Ln = Tb and Eu) nanoparticles. *J Nanosci Nanotechnol* 8: 5776-5780. [Journal of nanoscience and nanotechnology].
- Rao, GS; Haueter, G; Rao, ML; Breuer, H. (1976). An improved assay for steroid glucuronyltransferase in rat liver microsomes. *Anal Biochem* 74: 35-40.
- Rao, PS; Hornsby, AG; Jessup, RE. (1985). Indices for ranking the potential for pesticide contamination of groundwater. 44th Annual Meeting of the Soil and Crop Science Society of Florida, Jacksonville Beach, Fla, USA, Oct 23-25, 1984 *Soil Crop Sci Soc Fla Proc* 44: 1-8.
- Rashid, R; Mukhtar, F; Khan, A. (2014). Antifungal and cytotoxic activities of *Nannorrhops ritchiana* roots extract. *Acta Pol Pharm* 71: 789-793. [Acta poloniae pharmaceutica].
- Rashid, R; Mukhtar, F; Niaz, MM. (2009). BIOLOGICAL SCREENING OF *SALVIA CABULICA*. *Pakistan Journal of Botany* 41: 1453-1462.
- Rasmussen, RE; Devillez, G; Smith, LR. (1989). Influence of particulate trap oxidizers on emission of mutagenic compounds by diesel automobiles. *J Appl Toxicol* 9: 159-168. [Journal of applied toxicology : JAT].
- Rastogi, SC. (1994). Regulation of dichloromethane and 1,1,1-trichloroethane in cosmetic products. *Sci Total Environ* 156: 23-25.
- Rathbun, RE; Tai, DY. (1981). Technique for determining the volatilization coefficients of priority pollutants in streams. *Water Res* 15: 243-250.
- Ratnasooriya, WD; Liyanage, GK; Tillekeratne, LMV. (1999). Studies on the post-coital contraceptive mechanisms of a crude extract of Sri Lankan soft coral, *Sinularia crispa*. *Medical Science Research* 27: 331-334.
- Rauscher, R; Edenharder, R; Platt, KL. (1998). In vitro antimutagenic and in vivo anticlastogenic effects of carotenoids and solvent extracts from fruits and vegetables rich in carotenoids. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 413: 129-142.
- Ravi, R; Philip, L; Swaminathan, T. (2010). Comparison of biological reactors (biofilter, biotrickling filter and modified RBC) for treating dichloromethane vapors. *J Chem Tech Biotechnol* 85: 634-639.
- Ravikumar, KS; Sinha, S; Chandrasekaran, S. (1999). Diastereoselectivity in the reduction of acyclic carbonyl compounds with diisopropoxytitanium(III) tetrahydroborate. *J Org Chem* 64: 5841-5844.
- Rawat, A; Burgess, DJ. (2010). Effect of ethanol as a processing co-solvent on the PLGA microsphere characteristics. *Int J Pharm* 394: 99-105.
- Rawat, VS; Bathini, T; Govardan, S; Sreedhar, B. (2014). Catalyst-free activation of methylene chloride and alkynes by amines in a three-component coupling reaction to synthesize propargylamines. *Organic & Biomolecular Chemistry* 12: 6725-6729.
- Rawi, SM; Al-Hazmi, MA; Torkey, HM; Kamel, AK. (2016). Importance of plant extract formulations in managing desert locust *Schistocerca gregaria*. *J Environ Biol* 37: 453-462.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato-and nephrotoxicity. II. Implication of monooxygenase. *J Toxicol Environ Health* 46: 317-328.
- Raynaud, S; Fourneau, C; Laurens, A; Hocquemiller, R; Loiseau, P; Bories, C. (2000). Squamocin and benzyl benzoate, acaricidal components of *Uvaria pauci-ovulata* bark extracts. *Planta Med* 66: 173-175.
- Razavi, SM; Zarrini, G; Zahri, S; Mohammadi, S. (2010). Biological activity of *Prangos uloptera* DC. roots, a medicinal plant from Iran. *Nat Prod Res* 24: 797-803. [Natural product research].
- Razdan, RK; Terris, BZ; Pars, HG; Plotnikoff, NP; Dodge, PW; Dren, AT; Kyncl, J; Somani, P. (1976). Drugs derived from cannabinoids. 2. Basic esters of nitrogen and carbocyclic analogs. *J Med Chem* 19: 454-461. [Journal of medicinal chemistry].
- Razote, EB; Razote, EB; Maghirang, RG; Seitz, LM; Jeon, JJ. (2004). Characterization of volatile organic compounds on airborne dust in a swine finishing barn. *Trans ASAE* 47: 1231-1238.
- Razwinani, M; Tshikalange, TE; Motaung, SC. (2014). Antimicrobial and anti-inflammatory activities of *Pleurostyliya capensis* Turcz (Loes) (celastraceae). *Afr J Tradit Complement Altern Med* 2014; 11(2):452-7 [African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines].
- Reardon, KF. (1994). Challenges for in situ bioremediation of chemical mixtures. Yang, R S H (Ed) *Toxicology of Chemical Mixtures: Case Studies, Mechanisms, and Novel Approaches* Xxiv+720p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-768350-X; 0 (0) 1994 505-538.

## Environmental Hazard Literature Search Results

### Off Topic

- Rebert, CS; Matteucci, MJ; Pryor, GT. (1989). Acute effects of inhaled dichloromethane on the EEG and sensory-evoked potentials of fischer-344 rats. *Pharmacology Biochemistry and Behavior* 34: 619-629.
- Rebert, CS; Matteucci, MJ; Pryor, GT. (1990). Acute interactive pharmacologic effects of inhaled toluene and dichloromethane on rat brain electrophysiology. *Pharmacology Biochemistry and Behavior* 36: 351-365.
- Rech-Cainelli, V; Barros, NM; Giani, SG; Sbeghen-Loss, AC; Heinzen, H; Diaz, AR; Miguez, I; Specht, A; Cesio, MV. (2015). Antifeedant and repellent effects of neotropical *Solanum* extracts on drywood termites (*Cryptotermes brevis*, Isoptera: Kalotermitidae). *Sociobiology* 62: 82-87.
- Recio, MC; Cerda-Nicolas, M; Potterat, O; Hamburger, M; Rios, JL. (2006). Anti-inflammatory and antiallergic activity in vivo of lipophilic *Isatis tinctoria* extracts and tryptanthrin. *Planta Med* 72: 539-546.
- Reddy, BVS; Medaboina, D; Reddy, SG; Reddy, VH; Singarapu, KK; Sridhar, B. (2015). Domino Strategy for the Stereoselective Construction of Angularly Fused Tricyclic Ethers. *J Org Chem* 80: 12580-12587.
- Reddy, BVS; Muralikrishna, K; Yadav, JS; Babu, NJ; Sirisha, K; Sarma, AVS. (2015). Tandem Prins/Wagner/Ritter process for the stereoselective synthesis of (3-oxabicyclo 4.2.0 -octanyl)amide and (1-(5-aryltetrahydrofuran-3-yl)-cyclobutyl)amide derivatives. *Organic & Biomolecular Chemistry* 13: 5532-5536.
- Reddy, BVS; Raju, NP; Someswarao, B; Reddy, BJM; Sridhar, B; Marumudi, K; Kunwar, AC. (2015). A novel domino cyclization for the stereoselective synthesis of indeno 2,1-c pyran and cyclopenta c -pyran derivatives. *Organic & Biomolecular Chemistry* 13: 4733-4736.
- Reddy, BVS; Reddy, SG; Durgaprasad, M; Bhadra, MP; Sridhar, B. (2015). Domino Prins/pinacol reaction for the stereoselective synthesis of spiro- pyran-4,4 '-quinoline -2 ',3 '-dione derivatives. *Organic & Biomolecular Chemistry* 13: 8729-8733.
- Reddy, BVS; Someswarao, B; Prudhviraju, N; Reddy, BJM; Sridhar, B; Kumar, SK. (2015). An iodine catalyzed metal free domino process for the stereoselective synthesis of oxygen bridged bicyclic ethers. *Organic & Biomolecular Chemistry* 13: 6737-6741.
- Reddy, BVS; Venkateswarlu, A; Borkar, P; Yadav, JS; Kanakaraju, M; Kunwar, AC; Sridhar, B. (2013). Thia-Prins Bicyclization Approach for the Stereoselective Synthesis of Dithia- and Azathia-Bicycles. *J Org Chem* 78: 6303-6308.
- Redhwi, AA; Anderson, DC; Smith, GN. (1982). A simple method for the isolation of vitamin D metabolites from plasma extracts. *Steroids* 39: 149-154.
- Redmond, MS; Crocker, PA; McKenna, KM; Petrocelli, EA; Scott, KJ; Demas, CR. (1996). Sediment toxicity testing with the amphipod *Ampelisca abdita* in Calcasieu Estuary, Louisiana. *Arch Environ Contam Toxicol* 30: 53-61.
- Reed, DK; Korytko, AI; Hipkin, RW; Wehrenberg, WB; Schonbrunn, A; Cuttler, L. (1999). Pituitary somatostatin receptor (sst)1-5 expression during rat development: Age-dependent expression of sst2. *Endocrinology* 140: 4739-4744.
- Regnier-Delplace, C; du Boullay, OT; Siepmann, F; Martin-Vaca, B; Demonchaux, P; Jentzer, O; Danede, F; Descamps, M; Siepmann, J; Bourissou, D. (2013). PLGAs bearing carboxylated side chains: Novel matrix formers with improved properties for controlled drug delivery. *J Control Release* 166: 256-267.
- Reich, G. (1998). Ultrasound-induced degradation of PLA and PLGA during microsphere processing: influence of formulation variables. *Eur J Pharm Biopharm* 45: 165-171.
- Reid, BJ; Jones, KC; Semple, KT. (2000). Bioavailability of persistent organic pollutants in soils and sediments - a perspective on mechanisms, consequences and assessment. *Environ Pollut* 108: 103-112.
- Reid, BJ; Jones, KC; Semple, KT. (2000). Bioavailability of persistent organic pollutants in soils and sediments—a perspective on mechanisms, consequences and assessment. *Environ Pollut* 108: 103-112.
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2000). Nonexhaustive cyclodextrin-based extraction technique for the evaluation of PAH bioavailability. *Environmental Science & Technology* 34: 3174-3179.
- Reid, BJ; Stokes, JD; Jones, KC; Semple, KT. (2004). Influence of hydroxypropyl-beta-cyclodextrin on the extraction and biodegradation of phenanthrene in soil. *Environ Toxicol Chem* 23: 550-556.
- Reij, MW; Keurentjes, JT; Hartmans, S. (1998). Membrane bioreactors for waste gas treatment. *J Biotechnol* 59: 155-167.
- Reinhart, DR. (1993). A review of recent studies on the sources of hazardous compounds emitted from solid waste landfills a u.s experience. *Waste Manage Res* 11: 257-268.
- Reis, M; Trinca, A; Ferreira, MJU; Monsalve-Puello, AR; Gracio, MAA. (2010). *Toxocara canis*: Potential activity of natural products against second-stage larvae in vitro and in vivo. *Exp Parasitol* 126: 191-197.
- Reitz, RH; Mendrala, AL; Park, CN; Andersen, ME; Guengerich, FP. (1988). Incorporation of in vitro enzyme data into the physiologically-based pharmacokinetic (PB-PK) model for methylene chloride: implications for risk assessment. *Toxicol Lett* 43: 97-116.
- Ren, LL; Dong, Z; Jiang, M; Tong, J; Zhou, J. (2014). Hydrophobization of starch nanocrystals through esterification in green media. *Ind Crop Prod* 59: 115-118.
- Renil, M; Ferreras, M; Delaisse, JM; Foged, NT; Meldal, M. (1998). PEGA supports for combinatorial peptide synthesis and solid-phase enzymatic library assays. *J Pept Sci* 4: 195-210.
- Resende, MF; Santos, MDR; Matos, RC; Matos, MAC. (2014). The analysis of faecal sterols in sediment samples by HPLC-UV using ultrasound-assisted treatment. *Analytical Methods* 6: 9581-9587.
- Rettenberger, G. (1988). Gaseous emissions from contaminated sites behavior control remedial actions. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 1457-1462.



## Environmental Hazard Literature Search Results

### Off Topic

- Reuillon, T; Bertoli, A; Griffin, RJ; Miller, DC; Golding, BT. (2012). Efficacious N-protection of O-aryl sulfamates with 2,4-dimethoxybenzyl groups. *Organic & Biomolecular Chemistry* 10: 7610-7617.
- Reynolds, CC. (1992). Potential problems using the tclp to determine bdat compliance. *lawprc* (International Association on Water Pollution Research and Control) 2nd International Conference on Toxic Waste Management in the Chemical and Petrochemical Industries, New Orleans, Louisiana, USA, June 17-20, 1991 *Water Sci Technol* 25: 183-189.
- Reza, A; Choi, MJ; Damte, D; Jo, WS; Lee, SJ; Lee, JS; Park, SC. (2011). Comparative Antitumor Activity of Different Solvent Fractions from an *Auricularia auricula-judae* Ethanol Extract in P388D1 and Sarcoma 180 Cells. *Toxicol Res* 27: 77-83. [Toxicological research].
- Rezayati-Charani, P; Mohammadi-Rovshandeh, J; HasheMi, SJ; Kazemi-Najafi, S. (2006). Influence of dimethyl formamide pulping of bagasse on pulp properties. *Bioresour Technol* 97: 2435-2442.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol* 21: 147-156.
- Rial, D; Vázquez, JA; Menduía, A; García, AM; González, MP; Mirón, Js; Murado, MA. (2013). Toxicity of binary mixtures of oil fractions to sea urchin embryos. *J Hazard Mater* 263P2: 431-440.
- Ribeiro, AR; Nunes, OC; Pereira, MFR; Silva, AMT. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU. *Environ Int* 75: 33-51.
- Ribeiro, EA; Sidooski, T; Nandi, LG; Machado, VG. (2011). Interaction of protonated merocyanine dyes with amines in organic solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 81: 745-753. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Ricciutelli, M; Di Martino, P; Barboni, L; Martelli, S. (2006). Evaluation of rapamycin chemical stability in volatile-organic solvents by HPLC. *J Pharm Biomed Anal* 41: 1070-1074.
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox. *Water Res* 38: 2103-2110. [Water research].
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox (R). *Water Res* 38: 2103-2110.
- Ricco, G; Tomei, MC; Ramadori, R; Laera, G. (2004). Toxicity assessment of common xenobiotic compounds on municipal activated sludge: comparison between respirometry and Microtox®. *Water Res* 38: 2103-2110.
- Richard, DN; Stern, SA; Reed, BW; Semmens, MJ; Cussler, EL. (1995). Chapter 10 Membrane contactors. *Membrane Science and Technology* 467-498.
- Richardson, RK. (2001). Determination of fat in dairy products using pressurized solvent extraction. *J AOAC Int* 84: 1522-1533.
- Richter, DT; Lash, TD. (2004). Synthesis of saphyrins, heterosaphyrins, and carbasaphyrins by a "4+1" approach. *J Org Chem* 69: 8842-8850.
- Ricketts, KM; Santai, CT; France, JA; Graziosi, AM; Doyel, TD; Gazaway, MY; Casillas, RP. (2000). Inflammatory cytokine response in sulfur mustard-exposed mouse skin. *J Appl Toxicol* 21: S73-S76.
- Rietscher, R; Czaplowska, JA; Majdanski, TC; Gottschaldt, M; Schubert, US; Schneider, M; Lehr, C-M. (2016). Impact of PEG and PEG-b-PAGE modified PLGA on nanoparticle formation, protein loading and release. *Int J Pharm* 500: 187-195.
- Riley, DM; Fischhoff, B; Small, MJ; Fischbeck, P. (2001). Evaluating the effectiveness of risk-reduction strategies for consumer chemical products. *Risk Anal* 21: 357-369. [Risk analysis : an official publication of the Society for Risk Analysis].
- Rimbach, G; Brandt, K; Weigand, E. (1998). Gaschromatographic determination of trimethylamine in urine. *Agribiological Research-Zeitschrift Fur Agrarbiologie Agrikulturchemie Okologie* 51: 213-218.
- Rindone, B; Saliu, F; Bertoa, RS. (2008). Functionalization of the unactivated carbon-hydrogen bond via ozonation. *Ozone-Science & Engineering* 30: 165-171.
- Rindone, B; Saliu, F; Suarez-Bertoa, R. (2010). The Synthesis of Phthalic Anhydride via Ozonation of Naphthalene. *Ozone-Science & Engineering* 32: 161-165.
- Rinkevich, FD; Leichter, CA; Lazo, TsA; Hardstone, MC; Scott, JG. (2013). Variable fitness costs for pyrethroid resistance alleles in the house fly, *Musca domestica*, in the absence of insecticide pressure. *Pestic Biochem Physiol* 105: 161-168.
- Rios, J. (1985). Results of analyzing simulated cooling tower blowdown for organic priority pollutants. Jolley, R L Et Al (Ed) *Water Chlorination, Vol 5 Chemistry, Environmental Impact and Health Effects Fifth Conference on Water Chlorination: Environmental Impact and Health Effects*, Williamsburg, Va, USA, June 3-8, 1984 Xx+1575p Lewis Publishers, Inc: Chelsea, Mich, USA Illus Maps Isbn 0-87371-005-3; 0 (0) 1985 1381-1398.
- Rioux, JP; Myers, RA. (1988). Methylene chloride poisoning: a paradigmatic review. *J Emerg Med* 6: 227-238. [The Journal of emergency medicine].
- Ripple, SR. (1992). Looking back at nuclear weapons facilities. *Environ Sci Technol* 26: 1270-1277.
- Risso, WE; Scarminio, IS; Moreira, EG. (2010). Antinociceptive and acute toxicity evaluation of *Vernonia condensata* Baker leaves extracted with different solvents and their mixtures. *Indian J Exp Biol* 48: 811-816. [Indian journal of experimental biology].
- Riutta, A; Mucha, In; Vapaatalo, H. (1992). Solid-phase extraction of urinary 11-dehydrothromboxane B2 for reliable determination with radioimmunoassay. *Anal Biochem* 202: 299-305.
- Rivedal, E; Myhre, O; Sanner, T; Eide, I. (2003). Supplemental role of the Ames mutation assay and gap junction intercellular communication in studies of possible carcinogenic compounds from diesel exhaust particles. *Arch Toxicol* 77: 533-542.
- Rivero-Cruz, B; Rojas, MA; Rodriguez-Sotres, R; Cerda-Garcia-Rojas, CM; Mata, R. (2005). Smooth muscle relaxant action of benzyl benzoates and salicylic acid derivatives from *Brickellia veronicaefolia* on isolated guinea-pig ileum. *Planta Med* 71: 320-325.

## Environmental Hazard Literature Search Results

### Off Topic

- Roacho, RI; Metta-Magana, A; Pena-Cabrera, E; Pannell, K. (2015). Unprecedented one-pot sequential thiolate substitutions under mild conditions leading to a red emissive BODIPY dye 3,5,8-tris(PhS)-BODIPY. *Organic & Biomolecular Chemistry* 13: 995-999.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). Nucleophilic substitution reactions of dihalomethanes with hydrogen sulfide species. *Environ Sci Technol* 26: 2263-2274.
- Roberts, CF; Hartley, RC. (2004). Titanium reagents for the synthesis of 2-substituted benzo b thiophenes on the solid phase. *J Org Chem* 69: 6145-6148.
- Robin; Arora, S; Vig, AP. (2015). Inhibition of DNA oxidative damage and antimutagenic activity by dichloromethane extract of Brassica rapa var. rapa L. seeds. *Ind Crop Prod* 74: 585-591.
- Robinson, JP; Lawler, G; Schneider, D; Roth, RA; Updyke, L; Pfeifer, R. (1990). In-vitro analysis of toxic chemicals functional assays using flow cytometry. Xivth International Meeting of the Society for Analytical Cytology, Asheville, North Carolina, USA, March 18-23, 1990 *Cytometry* 0: 36.
- Robles-Mendoza, C; ZÃ±iga-Lagunes, SR; Ponce de LeÃ³n-Hill, CA; HernÃ¡ndez-Soto, Js; Vanegas-PÃ©rez, C. (2011). Esterases activity in the axolotl *Ambystoma mexicanum* exposed to chlorpyrifos and its implication to motor activity. *Aquat Toxicol* 105: 728-734.
- Roca-Lopez, D; Tejero, T; Caramella, P; Merino, P. (2014). 2n2 pi+2n2 pi Cycloadditions: an alternative to forbidden 4 pi+4 pi processes. The case of nitrene dimerization. *Organic & Biomolecular Chemistry* 12: 517-525.
- Rocha, L; Marston, A; Auxiliadora, M; Kaplan, C; Stoekli-Evans, H; Thull, U; Testa, B; Hostettmann, K. (1994). An antifungal 1<sup>3</sup>-pyrone and xanthenes with monoamine oxidase inhibitory activity from *Hypericum brasiliense*. *Phytochemistry* 36: 1381-1385.
- Rocha, SM; Coutinho, P; Coelho, E; Barros, AS; Delgadillo, I; Coimbra, MA. (2010). Relationships between the varietal volatile composition of the musts and white wine aroma quality. A four year feasibility study. *Lwt-Food Science and Technology* 43: 1508-1516.
- Rocha, SM; Coutinho, P; Delgadillo, I; Cardoso, AD; Coimbra, MA. (2005). Effect of enzymatic aroma release on the volatile compounds of white wines presenting different aroma potentials. *J Sci Food Agric* 85: 199-205.
- Rodkey, FL; Collison, HA. (1977). Biological oxidation of [14C]methylene chloride to carbon monoxide and carbon dioxide by the rat. *Toxicol Appl Pharmacol* 40: 33-38.
- Rodkey, FL; Collison, HA. (1977). Effect of dihalogenated methanes on the in vivo production of carbon monoxide and methane by rats. *Toxicol Appl Pharmacol* 40: 39-47.
- Rodrigues, G; Ribeiro, SD; Meireles, CD; da Silva, LG; Ruggiero, R; Ferreira, MF; Cerqueira, DA; de Assuncao, RMN; Zeni, M; Polleto, P. (2011). Release of doxycycline through cellulose acetate symmetric and asymmetric membranes produced from recycled agroindustrial residue: Sugarcane bagasse. *Ind Crop Prod* 33: 566-571.
- Rodrigues, RV; Lanznaster, D; Balbinot, DTL; Gadotti, VD; Facundo, VA; Santos, ARS. (2009). Antinociceptive Effect of Crude Extract, Fractions and Three Alkaloids Obtained from Fruits of *Piper tuberculatum*. *Biological & Pharmaceutical Bulletin* 32: 1809-1812.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; Mattie, DR; Lipscomb, JC; Cook, RS; Barton, HA. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci* 98: 43-56.
- Rodriguez, SM; Galvez, JB; Rubio, MIM; Ibanez, PF; Gernjak, W; Alberola, IO. (2005). Treatment of chlorinated solvents by TiO<sub>2</sub> photocatalysis and photo-Fenton: influence of operating conditions in a solar pilot plant. *Chemosphere* 58: 391-398.
- Rogachev, VO; Metz, P. (2006). Thermal and high pressure intramolecular Diels-Alder reaction of vinylsulfonamides. *Nat Protoc* 1: 3076-3087.
- Rogers, AM; Shibamoto, T. (1982). Mutagenicity of the products obtained from heated milk systems. *Food Chem Toxicol* 20: 259-263.
- Rogers, HR. (1996). Sources, behaviour and fate of organic contaminants during sewage treatment and in sewage sludges. *Sci Total Environ* 185: 3-26.
- Rogers, KL; Fong, WF; Redburn, J; Griffiths, LR. (2002). Fluorescence detection of plant extracts that affect neuronal voltage-gated Ca<sup>2+</sup> channels. *Eur J Pharm Sci* 15: 321-330.
- Rogers, KL; Grice, ID; Griffiths, LR. (2001). Modulation of in vitro platelet 5-HT release by species of *Erythrina* and *Cymbopogon*. *Life Sci* 69: 1817-1829.
- Rogers, TL; Overhoff, KA; Shah, P; Santiago, P; Yacaman, MJ; Johnston, KP; Williams Iii, RO. (2003). Micronized powders of a poorly water soluble drug produced by a spray-freezing into liquid-emulsion process. *Eur J Pharm Biopharm* 55: 161-172.
- Roizard, D; Teplyakov, V; Favre, E; Fefilatiev, L; Lagunstsov, N; Khotimsky, V. (2004). VOC's removal from water with a hybrid system coupling a PTMSP membrane module with a stripper. *Desalination* 162: 41-46.
- Rojas-MartÃ­nez, R; Arrieta, J; Cruz-Antonio, L; Arrieta-Baez, D; VelÃ¡zquez-MÃ©ndez, AM; SÃ¡nchez-Mendoza, ME. (2013). Dillapiole, isolated from *Peperomia pellucida*, shows gastroprotector activity against ethanol-induced gastric lesions in Wistar rats. *Molecules* 2013; 18(9):11327-37 [Molecules (Basel, Switzerland)].
- Romberg, RW; Brown, VE. (1990). Extraction of 6-monoacetylmorphine from urine. *J Anal Toxicol* 14: 58-59. [Journal of analytical toxicology].
- Rop, PP; Bresson, M; Antoine, J; Spinazzola, J; Fornaris, M; Viala, A. (1990). Quantitation and ultraviolet spectrum identification of buflomedil in whole blood and plasma by HPLC. *J Anal Toxicol* 14: 18-21. [Journal of analytical toxicology].
- Ros, R; Tassan, A; Detti, S; Roulet, R; Schenk, K. (2006). Hydrido-derivatives of [Ir<sub>4</sub>(CO)<sub>10</sub>(diphosphine)]: X-ray analyses of [Ir<sub>4</sub>H(CO)<sub>9</sub>(1/4-Ph<sub>2</sub>PH(CH<sub>3</sub>)PPh<sub>2</sub>)<sub>3</sub>]<sup>-</sup> and [Ir<sub>4</sub>H(CO)<sub>9</sub>(1/4-Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>n</sub>PPh<sub>2</sub>)<sub>3</sub>]<sup>-</sup> (n = 2, 3). *Inorganica Chimica Acta* 359: 2417-2423.
- Rosa, LH; Queiroz, SCN; Moraes, RM; Wang, XN; Techen, N; Pan, ZQ; Cantrell, CL; Wedge, DE. (2013). *Coniochaeta ligniaria*: antifungal activity of the cryptic endophytic fungus associated with autotrophic tissue cultures of the medicinal plant *Smallanthus sonchifolius* (Asteraceae). *Symbiosis* 60: 133-142.
- Rosca, ID; Watari, F; Uo, M. (2004). Microparticle formation and its mechanism in single and double emulsion solvent evaporation. *J Control Release* 99: 271-280. [Journal of controlled release : official journal of the Controlled Release Society].

## Environmental Hazard Literature Search Results

### Off Topic

- Rosen, ME; Pankow, JF; Gibs, J; Imbriotta, TE. (1992). Comparison of downhole and surface sampling for the determination of volatile organic compounds vocs in ground water. *Ground Water Monit Rev* 12: 126-133.
- Rosenfeld, JK; Plumb, RHJ. (1991). Ground water contamination at wood treatment facilities. *Ground Water Monit Rev* 11: 133-140.
- Rosengren, LE; Kjellestrand, P; Vikgren, A; Karlsson, JE; Haglid, KG. (1985). The glial fibrillary acidic protein and organic solvent toxicity. 2nd Nordic Neurochemical Symposium, Copenhagen, Denmark, Aug 21-24, 1985 *Acta Neurol Scand* 72: 264.
- Rosenkranz, HS; Klopman, G. (1990). The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The National Toxicology Program data base. *Mutat Res* 228: 51-80.
- Rosenkranz, HS; Klopman, G. (1993). Structural relationships between mutagenicity, maximum tolerated dose, and carcinogenicity in rodents. *Environ Mol Mutagen* 21: 193-206.
- Rosilio, V; Benoit, JP; Deyme, M; Thies, C; Madelmont, G. (1991). A physicochemical study of the morphology of progesterone-loaded microspheres fabricated from poly(D,L-lactide-co-glycolide). *J Biomed Mater Res* 25: 667-682. [Journal of biomedical materials research].
- Rosokha, SV; Korotchenko, V; Stern, CL; Zaitsev, V; Ritzert, JT. (2012). Substituent-Induced Switch of the Role of Charge-Transfer Complexes in the Diels-Alder Reactions of o-Chloranil and Styrenes. *J Org Chem* 77: 5971-5981.
- Ross, B; Lu, N. (1999). Dynamics of DNAPL penetration into fractured porous media. *Ground Water* 37: 140-147.
- Rossjohn, J; Polekhina, G; Feil, SC; Allocati, N; Masulli, M; Di Ilio, C; Parker, MW. (1998). A mixed disulfide bond in bacterial glutathione transferase: functional and evolutionary implications. *Structure* 6: 721-734.
- Rouse, CA; Iwamoto, RT. (1983). Electrochemical oxidation of nickel(II) tetraphenylporphyrin in benzonitrile. *Bioelectrochemistry and Bioenergetics* 11: 359-362.
- Roy, JL; McGill, WB; Lowen, HA; Johnson, RL. (2003). Relationship between water repellency and native and petroleum-derived organic carbon in soils. *J Environ Qual* 32: 583-590.
- Roy, JL; McGill, WB; Rawluk, MD. (1999). Petroleum residues as water-repellent substances in weathered nonwetable oil-contaminated soils. *Can J Soil Sci* 79: 367-380.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol* 59: 163-186.
- Roy, S; Conway, WS; Buta, JG; Watada, AE; Sams, CE; Wergin, WP. Surfactants affect calcium uptake from postharvest treatment of 'Golden Delicious' apples. *J Am Soc Hortic Sci Nov* 1996. v. 121 (6): 1179-1184.
- Roy, WR; Griffin, RA. (1990). Vapor-phase interactions and diffusion of organic solvents in the unsaturated zone. *Environ Geol Water Sci* 15: 101-110.
- Roy, WR; Griffin, RA. (1991). An analytical model for in situ extraction of organic vapors. *J Hazard Mater* 26: 301-318.
- Roy, WR; Griffin, RA; Mitchell, JK; Mitchell, RA. (1989). Limitations and feasibility of the land disposal of organic solvent-contaminated wastes. *Environ Geol Water Sci* 13: 225-232.
- Royse, DG; Ellis, MA; Sinclair, JB. Movement of penicillin into soybean seeds using dichloromethane. *Phytopathology* Nov 1975, 65 (11): 1319-1320.
- Ruamrungsri, N; Siengdee, P; Sringarm, K; Chomdej, S; Ongchai, S; Nganvongpanit, K. (2016). In vitro cytotoxic screening of 31 crude extracts of Thai herbs on a chondrosarcoma cell line and primary chondrocytes and apoptotic effects of selected extracts. *In Vitro Cellular & Developmental Biology-Animal* 52: 434-444.
- Ruan, G; Feng, S-S. (2003). Preparation and characterization of poly(lactic acid)-poly(ethylene glycol)-poly(lactic acid) (PLA-PEG-PLA) microspheres for controlled release of paclitaxel. *Biomaterials* 24: 5037-5044.
- Rubin, ES. (1999). Toxic releases from power plants. *Environmental Science & Technology* 33: 3062-3067.
- Ruchatz, F; Kleinebudde, P; MÄ¼ller, BW. (1997). Residual Solvents in Biodegradable Microparticles. Influence of Process Parameters on the Residual Solvent in Microparticles Produced by the Aerosol Solvent Extraction System (ASES) Process. *J Pharm Sci* 86: 101-105.
- Ruddock, PLD; Williams, DJ; Reese, PB. (1998). The scope and limitations of the reaction of Delta(5)-steroids with mercury(II) trifluoroacetate. *Steroids* 63: 650-664.
- Ruddock, PLD; Williams, DJ; Reese, PB. (1998). The scope and limitations of the reaction of Delta(5)-steroids with mercury(II) trifluoroacetate. *Steroids* 63: 650-664.
- Rudine, AB; Walter, MG; Wamser, CC. (2010). Reaction of Dichloromethane with Pyridine Derivatives under Ambient Conditions. *J Org Chem* 75: 4292-4295.
- Rudolph, J; Khedim, A; Clarkson, T; Wagenbach, D. (1992). Long-term measurements of light alkanes and acetylene in the antarctic troposphere. International Symposium on the Tropospheric Chemistry of the Antarctic Region, Boulder, Colorado, USA, June 3-5, 1991 *Tellus Ser B Chem Phys Meteorol* 44: 252-261.
- Rudzevich, V; Schollmeyer, D; Braekers, D; Desreux, JF; Diss, R; Wipff, G; Bohmer, V. (2005). Carbamoylmethylphosphin oxide derivatives based on the triphenylmethane skeleton. Synthesis and extraction properties. *J Org Chem* 70: 6027-6033.
- Rueda, DC; De Mieri, M; Hering, S; Hamburger, M. (2014). HPLC-Based Activity Profiling for GABA(A) Receptor Modulators in *Adenocarpus cincinnatus*. *J Nat Prod* 77: 640-649.
- Ruert, W; Wolf, M; Weise, SM; Andres, G; Egger, R. (1993). Isotope-hydrogeological case study on the penetration of pollution into the deep tertiary aquifer in the area of Munich Germany. *J Contam Hydrol* 14: 15-38.
- Rufer, ES; Hacker, TA; Flentke, GR; Drake, VJ; Brody, MJ; Lough, J; Smith, SM. (2010). Altered Cardiac Function and Ventricular Septal Defect in Avian Embryos Exposed to Low-Dose Trichloroethylene. *Toxicol Sci* 113: 444-452.

## Environmental Hazard Literature Search Results

### Off Topic

- Ruffa, MJ; Perusina, M; Alfonso, V; Wagner, ML; Suriano, M; Vicente, C; Campos, R; Cavallaro, L. (2002). Antiviral activity of *Petiveria alliacea* against the bovine viral diarrhoea virus. *Chemotherapy* 48: 144-147.
- Rumalla, CS; Avula, B; Shukla, YJ; Wang, Y-H; Pawar, RS; Smillie, TJ; Khan, IA. (2008). Chemical fingerprint of *Hoodia* species, dietary supplements, and related genera by using HPTLC. *J Sep Sci* 31: 3959-3964.
- Rusina, TP; Smedes, F; Klanova, J; Booi, K; Holoubek, I. (2007). Polymer selection for passive sampling: A comparison of critical properties. *Chemosphere* 68: 1344-1351.
- Russell, MA; Laws, AP; Atherton, JH; Page, MI. (2009). The kinetics and mechanism of the acid-catalysed detritylation of nucleotides in non-aqueous solution. *Organic & Biomolecular Chemistry* 7: 52-57.
- Ruther, J; Homann, M; Steidle, JLM. (2000). Female-derived sex pheromone mediates courtship behaviour in the parasitoid *Lariophagus distinguendus*. *Entomologia Experimentalis Et Applicata* 96: 265-274.
- Ruther, J; Sieben, S; Schrickler, B. (2002). Nestmate recognition in social wasps: manipulation of hydrocarbon profiles induces aggression in the European hornet. *Naturwissenschaften* 89: 111-114.
- Rutherford, PM; Banerjee, DK; Luther, SM; Gray, MR; Dudas, MJ; McGill, WB; Pickard, MA; Salloum, MJ. (1998). Slurry-phase bioremediation of creosote and petroleum-contaminated soils. *Environ Technol* 19: 683-696.
- Ryckebosch, E; Bermudez, SPC; Termote-Verhalle, R; Bruneel, C; Muylaert, K; Parra-Saldivar, R; Foubert, I. (2014). Influence of extraction solvent system on the extractability of lipid components from the biomass of *Nannochloropsis gaditana*. *J Appl Phycol* 26: 1501-1510.
- S. Vigneron, JH; Chaouki, J; Pick, P; Ob&Auml;il, M. (1994). The influence of water vapor on the organic compounds adsorption on activated carbon. *Studies in Environmental Science* 331-337.
- Saadoun, I; Bataineh, S; Ababneh, Q; Hameed, K; Schrader, K; Cantrell, C; Dayan, F; Wedge, D. (2011). Evaluation of the toxicity of *Streptomyces aburaviensis* (R9) extract towards various agricultural pests. *Agricultural sciences* 2: 491-497.
- Sabel, GV; Clark, TP. (1984). Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Management & Research* 2: 119-130.
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study. *Z Wasser- Abwasser- Forsch* 25: 163-167.
- Sabino, BD; Torraca, TG; Moura, CM; Rozenbaum, HF; de Castro Faria, MV. (2010). Development of a simple and low-cost enzymatic methodology for quantitative analysis of carbamates in meat samples of forensic interest. *J Forensic Sci* 55: 808-812. [Journal of forensic sciences].
- Sabljić, A. (1987). On the prediction of soil sorption coefficients of organic pollutants from molecular structure application of molecular topology model. *Environ Sci Technol* 21: 358-366.
- Sabounchei, SJ; Samiee, S; Nematollahi, D; Naghipour, A; Morales-Morales, D. (2010). Synthesis, characterization and structural studies of new palladium(II) complexes including non-symmetric phosphorus ylides. *Inorganica Chimica Acta* 363: 3973-3980.
- Sabourin, CL; Petrali, JP; Casillas, RP. (2000). Alterations in inflammatory cytokine gene expression in sulfur mustard-exposed mouse skin. *J Biochem Mol Toxicol* 2000; 14(6):291-302 [Journal of biochemical and molecular toxicology].
- Sack, CA; Kendall, DC; Krause, RT. Determination of methylene chloride acceptability and its "purification" for ethylenethiourea methodology. *J AOAC Int Sept/Oct* 1993. v. 76 (5): 1146-1148.
- Sadee, W; Dagcioglu, M; Riegelman, S. (1972). Fluorometric Microassay for Spironolactone and Its Metabolites in Biological Fluids. *J Pharm Sci* 61: 1126-1129.
- Sadilek, J; Spalovska, P; Vrana, B; Vavrova, M; Marsalek, B; Simek, Z. (2016). Comparison of extraction techniques for isolation of steroid oestrogens in environmentally relevant concentrations from sediment. *Int J Environ Anal Chem* 96: 1022-1037.
- Sadler, G; Pierce, D; Lawson, A; Suvannunt, D; Senthil, V. (1996). Evaluating organic compound migration in poly(ethylene terephthalate): A simple test with implications for polymer recycling. *Food Additives and Contaminants* 13: 979-989.
- Safari, N; Notash, B; Nezhad, JM; Chiniforoshan, H; Hadadzadeh, H; Rezvani, AR. (2005). Synthesis and characterization of tetraphenylporphyrin manganese(III) complexes of phenylcyanamide ligands. *Inorganica Chimica Acta* 358: 2967-2974.
- Safe, S; Mason, G; Farrell, K; Keys, B; Piskorska-Pliszczynska, J; Madge, JA; Chittim, B. (1987). Validation of in vitro bioassays for 2,3,7,8-TCDD equivalents. *Chemosphere* 16: 1723-1728.
- Sah, H. (2000). Ethyl formate - alternative dispersed solvent useful in preparing PLGA microspheres. *Int J Pharm* 195: 103-113.
- Sah, H. (2000). Ethyl formate &#x201c; alternative dispersed solvent useful in preparing PLGA microspheres. *Int J Pharm* 195: 103-113.
- Sah, H; Bahl, Y. (2005). Effects of aqueous phase composition upon protein destabilization at water/organic solvent interface. *J Control Release* 106: 51-61.
- Sah, H; Choi, SK; Choi, HG; Yong, CS. (2002). Relation of dynamic changes in interfacial tension to protein destabilization upon emulsification. *Arch Pharm Res* 25: 381-386.
- Sah, HK. (1997). A new strategy to determine the actual protein content of poly(lactide-co-glycolide) microspheres. *J Pharm Sci* 86: 1315-1318.
- Sahana, DK; Mittal, G; Bhardwaj, V; Kumar, M. (2008). PLGA nanoparticles for oral delivery of hydrophobic drugs: Influence of organic solvent on nanoparticle formation and release Behavior in vitro and in vivo using estradiol as a model drug. *J Pharm Sci* 97: 1530-1542.
- Sahin, OG; Gulce, H; Gulce, A. (2013). Polyvinylferrocenium based platinum electrodeposited amperometric biosensors for lysine detection. *Journal of electroanalytical chemistry* 690: 1-7.
- Sahmoune, A; Mitiche, L. (2004). Extraction and transport of chromium(VI) through a bulk liquid membrane containing triphenylphosphine. *Ann Chim* 94: 929-938. [Annali di chimica].

## Environmental Hazard Literature Search Results

### Off Topic

- Sahoo, SK; Mallick, AA; Barik, BB; Senapati, PC. (2007). Preparation and in vitro evaluation of ethyl cellulose microspheres containing stavudine by the double emulsion method. *Pharmazie* 62: 117-121.
- Sahu, S; Lowther, D; Ulsamer, A. (1980). Biochemical studies on pulmonary response to inhalation of methylene chloride. *Toxicol Lett* 7: 41-45.
- Sahu, SC; Lowther, DK. (1981). Pulmonary reactions to inhalation of methylene chloride: Effects on lipid peroxidation in rats. *Toxicol Lett* 8: 253-256.
- Sahu, SC; Ulsamer, AG. (1980). Hyaluronic acid "An indicator of pulmonary injury? *Toxicol Lett* 5: 283-286.
- Sahu, SC; Ulsamer, AG. (1980). Hyaluronic acid--an indicator of pulmonary injury? *Toxicol Lett* 5: 283-286. [Toxicology letters].
- Sai, JO; Anderson, DC. (1992). Barrier wall materials for containment of dense nonaqueous phase liquid (DNAPL). *Hazard Waste Hazard Mater* 9: 317-330.
- Saini, RK. Antennal responses of *Glossina morsitans morsitans* to buffalo urine, a potent olfactory attractant of tsetse. *Insect science and its application* 1986. v. 7 (6): 771-775.
- Saint-Fort, R. (1991). Ground water contamination by anthropogenic organic compounds from waste disposal sites; Transformations and behavior. *J Environ Sci Health Part a Environ Sci Eng* 26: 13-62.
- Saito, S; Matsuo, M. (1993). The i/o characters related to the cohesive energy of organic chemicals. *Chemosphere* 27: 851-867.
- Sakaguchi, S; Yamamoto, Y; Sugimoto, T; Yamamoto, H; Ishii, Y. (1999). Dehomologation of aldehydes via oxidative cleavage of silyl enol ethers with aqueous hydrogen peroxide catalyzed by cetylpyridinium peroxotungstophosphate under two-phase conditions. *J Org Chem* 64: 5954-5957.
- Sakamoto, H; Ishikawa, J; Osuga, H; Doi, K; Wada, H. (2010). Highly silver ion selective fluorescence ionophore: Fluorescent properties of polythiazaalkane derivatives bearing 8-(7-hydroxy-4-methyl)coumarinyl moiety in aqueous solution and in liquid-liquid extraction systems. *Analyst* 135: 550-558.
- Sakti, JP; Hoopes, JA. (1996). Determination of volatile organic compound permeation through geomembranes au - park jk. Wang, W, J L Schnoor and J Doi (Ed) *Astm Stp, 1261 Volatile Organic Compounds Inthe Environment*; Symposium, Montreal, Quebec, Canada, April 11-13, 1994 291p Astm (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA isbn 0-8031-2048-6; 0 (1261) 1996 245-258.
- Sakuma, Y; Tsunoda, H; Katayama, S; Abe, S; Yamatsu, I; Katayama, K. (1991). Determination of plasma leukotrienes in antigen-induced bronchoconstrictive guinea pigs. *Prostaglandins* 41: 315-329.
- Salaita, K; Amarnath, A; Higgins, TB; Mirkin, CA. (2010). The Effects of Organic Vapor on Alkanethiol Deposition via Dip-Pen Nanolithography. *Scanning* 32: 9-14.
- Salariya, AM; Habib, F. (2003). Antioxidant activity of ginger extract in sunflower oil. *J Sci Food Agric* 83: 624-629.
- Saldo, J; Fernandez, A; Sendra, E; Butz, P; Tauscher, B; Guamis, B. (2003). High pressure treatment decelerates the lipolysis in a caprine cheese. *Food Research International* 36: 1061-1068.
- Salem, IE. (1995). Trichomal exudate extracts from *Hyoscyamus muticus* leaf surface highly active against the cotton whitefly *Bemisia tabaci* Genn. (Aleurodidae). *Mededelingen Faculteit Landbouwkundige En Toegepaste Biologische Wetenschappen Universiteit Gent* 60: 991-994.
- Salihu, G; Goswami, P; Russell, S. (2012). Hybrid electrospun nonwovens from chitosan/cellulose acetate. *Cellulose* 19: 739-749.
- Salini, M; Irvin, S; Bourne, N; Blyth, D; Cheers, S; Hability, N; Glencross, B. (2015). Marginal efficiencies of long chain-polyunsaturated fatty acid use by barramundi (*Lates calcarifer*) when fed diets with varying blends of fish oil and poultry fat. *Aquaculture* 449: 48-57.
- Salle, S; Roussel, O. (2015). Stratégie analytique pour améliorer le dépistage des nouvelles substances psychoactives de type amphétamine dans les analyses de routine par CPG-SM. *Toxicologie Analytique et Clinique* 27: S61.
- Salmaso, S; Elvassore, N; Bertuccio, A; Lante, A; Caliceti, P. (2004). Nisin-loaded poly-L-lactide nano-particles produced by CO<sub>2</sub> anti-solvent precipitation for sustained antimicrobial activity. *Int J Pharm* 287: 163-173.
- Salomé, C; Spanedda, MV; Hilbold, B; Berner, E; Heurtault, Ba; Fournel, S; Frisch, B; Bourel-Bonnet, L. (2015). Smart tools and orthogonal click-like reactions onto small unilamellar vesicles. *Chem Phys Lipids* 188: 27-36.
- Salta, J; Zubieta, J. Solvothermal synthesis and crystal structure of (Ph<sub>4</sub>P) [(VO<sub>2</sub>)<sub>4</sub> (CH<sub>3</sub>CO<sub>2</sub>)<sub>4</sub>Cl]. *Inorganica Chimica Acta* 252: 435-438.
- Salter, R; Bossler, I. (2003). Application of 1-butyl-3-methylimidazolium hexafluorophosphate to Ir(I)-catalyzed hydrogen isotope exchange labelling of substrates poorly soluble in dichloromethane. *Journal of Labelled Compounds & Radiopharmaceuticals* 46: 489-498.
- Salvado, V; Alcaide, A; Carandell, N; Hidalgo, M. (2001). Evaluation of extraction procedures of organochlorine pesticides from natural waters and sediments. *Int J Environ Anal Chem* 81: 243-256.
- Salvat, A; Antonnacci, L; Fortunato, RH; Suarez, EY; Godoy, HM. (2001). Screening of some plants from Northern Argentina for their antimicrobial activity. *Lett Appl Microbiol* 32: 293-297.
- Samburova, V; Connolly, J; Gyawali, M; Yatavelli, RLN; Watts, AC; Chakrabarty, RK; Zielinska, B; Moosmuller, H; Khlystov, A. (2016). Polycyclic aromatic hydrocarbons in biomass-burning emissions and their contribution to light absorption and aerosol toxicity. *Sci Total Environ* 568: 391-401.
- Sampath, SS; Garvin, K; Robinson, DH. (1992). Preparation and characterization of biodegradable poly(L-lactic acid) gentamicin delivery systems. *Int J Pharm* 78: 165-174.
- Sanchez, PS; Coimbra, CA; Coelho, MCL; Valent, GU; Sato, MIZ; Martins, MT. Assessment of mutagenic activity in drinking water from Sao Paulo City, Brazil. *Environ Toxicol Water Qual* 1992. v. 7 (2): 141-155.
- Sanchez-Mendoza, ME; Castillo-Henkel, C; Navarrete, A. (2008). Relaxant action mechanism of berberine identified as the active principle of *Argemone ochroleuca* Sweet in guinea-pig tracheal smooth muscle. *J Pharm Pharmacol* 60: 229-236.

## Environmental Hazard Literature Search Results

### Off Topic

- Sanchez-Mendoza, ME; Reyes-Trejo, B; Rosa, Ldl; Rodriguez-Silverio, J; Castillo-Henkel, C; Arrieta, J. (2008). Polyalthic Acid Isolated from *Croton reflexifolius* has Relaxing Effect in Guinea Pig Tracheal Smooth Muscle. *Pharmaceutical Biology* 46: 800-807.
- Sandell, J; Halldin, C; Helfenbein, J; Chou, YH; Vercouillie, J; Emond, P; Swahn, CG; Guilloteau, D; Farde, L. (2000). Synthesis of (11)C 2 beta-carbomethoxy-3 beta-(3'-iodo-4'-methyl, -ethyl and isopropyl phenyl)nortropine as potential radiotracers for examination of the serotonin transporter with positron emission tomography. *Journal of Labelled Compounds & Radiopharmaceuticals* 43: 1033-1046.
- Sander, EA; Alb, AM; Nauman, EA; Reed, WF; Dee, KC. (2004). Solvent effects on the microstructure and properties of 75/25 poly(D,L-lactide-co-glycolide) tissue scaffolds. *Journal of Biomedical Materials Research Part A* 70A: 506-513.
- Sanders, GP; Sager, OS. (1948). Heat Inactivation of Milk Phosphatase in Dairy Products. *J Dairy Sci* 31: 845-857.
- Sanders, PF. (1995). Calculation of soil cleanup criteria for volatile organic compounds as controlled by the soil-to-groundwater pathway: Comparison of four unsaturated soil zone leaching models. *Journal of Soil Contamination* 4: 1-24.
- Sanders, PF; Stern, AH. (1994). Calculation of soil cleanup criteria for carcinogenic volatile organic compounds as controlled by the soil-to-indoor air exposure pathway. *Environ Toxicol Chem* 13: 1367-1373.
- Sandhu, SS; Acedo, GN. (1990). Application of a simple short-term bioassay for the identification of genotoxins from hazardous wastes. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume* xix+459p *Astm: Philadelphia, Pennsylvania, USA* Illus Maps isbn 0-8031-1293-9; 0 (0) 1990 130-139.
- Sandoval-Mojica, AF; Capinera, JL. (2011). Antifeedant effect of commercial chemicals and plant extracts against *Schistocerca americana* (Orthoptera: Acrididae) and *Diaprepes abbreviatus* (Coleoptera: Curculionidae). *Pest Manag Sci* 67: 860-868.
- Sangsanoh, P; Supaphol, P. (2006). Stability improvement of electrospun chitosan nanofibrous membranes in neutral or weak basic aqueous solutions. *Biomacromolecules* 7: 2710-2714.
- Sanguanpong, U; Hummel, HE. (2008). Toxicity of *Stemona* root against onion cutworm by using different contacting methods and solvents. *Commun Agric Appl Biol Sci* 2008; 73(3):459-67 [Communications in agricultural and applied biological sciences].
- Sanhoury, MAK; Dhia, MTB; Khaddar, MR. (2009). Synthesis, characterisation and solution behaviour of fluoroalkyl phosphoryl complexes of tin tetrachloride. *Inorganica Chimica Acta* 362: 3763-3768.
- Sanin, FD; Knappe, DRU; Barlaz, MA. (2000). The fate of toluene, acetone and 1,2-dichloroethane in a laboratory-scale simulated landfill. *Water Res* 34: 3063-3074.
- Sano, M; Tappel, AL. (1990). Halogenated hydrocarbon and hydroperoxide induced lipid peroxidation in rat tissue slices. *J Agric Food Chem* 38: 437-441.
- Sano, M; Wada, M. (1998). Kinetic studies of poly(tetrahydrofuran) epitaxial film formed by polymerization-induced epitaxy using atomic force microscopy. *J Am Chem Soc* 120: 1374-1381.
- Santander-Ortega, MJ; Stauner, T; Loretz, B; Ortega-Vinuesa, JL; Bastos-Gonzalez, D; Wenz, G; Schaefer, UF; Lehr, CM. (2010). Nanoparticles made from novel starch derivatives for transdermal drug delivery. *J Control Release* 141: 85-92.
- Santiago, S; Thomas, RL; Larbaigt, G; Rossel, D; Echeverria, MA; Tarradellas, J; Loizeua, JL; McCarthy, L; Mayfield, CI; Corvi, C. (1993). Comparative ecotoxicity of suspended sediment in the lower Rhone River using algal fractionation, Microtox and *Daphnia magna* bioassays. *Hydrobiologia* 252: 231-244.
- Santiago-Gómez, MP; Kermasha, S; Nicaud, J-M; Belin, J-M; Husson, F. (2008). Secondary structure conformation of hydroperoxide lyase from green bell pepper, cloned in *Yarrowia lipolytica*, and its activity in selected media. *Journal of Molecular Catalysis B: Enzymatic* 52-53: 128-132.
- Santos, CC; Magalhaes, EG; Magalhaes, AF. (2007). EI/MS fragmentation of abietic-8,11,13-triene diterpenoid derivatives as a tool to identify swartziarboreols in *Swartzia* extracts. *Phytochem Anal* 18: 484-488.
- Santos, L; Kasper, R; Gil-Serna, J; Marañón, S; Sanchis, V; Ramos, AJ. (2010). Effect of *Capsicum* carotenoids on growth and ochratoxin A production by chilli and paprika *Aspergillus* spp. isolates. *Int J Food Microbiol* 142: 354-359.
- Santos, LC; Piacente, S; Pizza, C; Albert, K; Dachtler, M; Vilegas, W. (2001). Planifolin, a new naphthopyranone dimer and flavonoids from *Paepalanthus planifolius*. *J Nat Prod* 64: 122-124.
- Santos, S; Schreiber, L; Graca, J. (2007). Cuticular waxes from ivy leaves (*Hedera helix* L.): Analysis of high-molecular-weight esters. *Phytochem Anal* 18: 60-69.
- Santovena, A; Alvarez-Lorenzo, C; Concheiro, A; Llabres, M; Farina, JB. (2004). Rheological properties of PLGA film-based implants: correlation with polymer degradation and SPf66 antimalarial synthetic peptide release. *Biomaterials* 25: 925-931.
- Sanyal, D; Rani, A; Alam, S. (2009). A multi-residue method for the analysis of organophosphorus residues in cooked and polished rice using accelerated solvent extraction and dispersive-solid phase extraction (D-SPE) technique and uncertainty measurement. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes* 44: 706-716.
- Sanz, JL; Rodriguez, N; Amils, R. (1994). Acetoclastic methanogenic toxicity produced by aliphatic organochloride solvents. *Water Science and Technology* 30: 121-123.
- Sanz, JL; Rodriguez, N; Amils, R. (1997). Effect of chlorinated aliphatic hydrocarbons on the acetoclastic methanogenic activity of granular sludge. *Appl Microbiol Biotechnol* 47: 324-328.
- Sapigni, E; Paolini, M; Mesirca, R; Hrelia, P; Roncada, P; Cantelli-Forti, G. (1992). Short-chain aliphatic halocompounds in-vivo effects on microsomal monooxygenase p450-dependent system. *Vi Meeting of the Inter-Regional Group Emilia-Romagna, Friuli-Venezia Giulia, Trentino-Alto Adige, Veneto of the Italian Society of Pharmacology, Ancona, Italy, April 23, 1991* *Pharmacol Res* 25: 77-78.
- Saputra, MA; Ngo, L; Kartika, R. (2015). Synthesis of Vinyl Chlorides via Triphosgene-Pyridine Activation of Ketones. *J Org Chem* 80: 8815-8820.

## Environmental Hazard Literature Search Results

### Off Topic

- Sardari, S; Amiri, M; Rahimi, H; Kamalinejad, M; Narenjkar, J; Sayyah, M. (2015). Anticonvulsant effect of *Cicer arietinum* seed in animal models of epilepsy: introduction of an active molecule with novel chemical structure. *Iran Biomed J* 2015; 19(1):45-50 [Iranian biomedical journal].
- Sargenti, S; McNair, HM. (1998). Comparison of solid-phase extraction and supercritical fluid extraction for extraction of polycyclic aromatic hydrocarbons from drinking water. *Journal of Microcolumn Separations* 10: 125-131.
- Sarkar, A; Pal, S. (2009). Divanadium(V) complexes with 4-R-benzoic acid (1-methyl-3-oxo-butylidene)-hydrazides: Syntheses, structures and properties. *Inorganica Chimica Acta* 362: 3807-3812.
- Sarkari, M; Brown, J; Chen, XX; Swinnea, S; Williams, RO; Johnston, KP. (2002). Enhanced drug dissolution using evaporative precipitation into aqueous solution. *Int J Pharm* 243: 17-31.
- Sarmah, AK; Northcott, GL; Scherr, FF. (2008). Retention of estrogenic steroid hormones by selected New Zealand soils. *Environ Int* 34: 749-755.
- Sarpe, VA; Kulkarni, SS. (2013). Desymmetrization of trehalose via regioselective DIBAL reductive ring opening of benzylidene and substituted benzylidene acetals. *Organic & Biomolecular Chemistry* 11: 6460-6465.
- Sarr, SO; Perrotey, S; Fall, I; Ennahar, S; Zhao, M; Diop, YM; Candolfi, E; Marchioni, E. (2011). *Icacina senegalensis* (Icacinaceae), traditionally used for the treatment of malaria, inhibits *in vitro* Plasmodium falciparum growth without host cell toxicity. *Malar J* 2011; 10:85 [Malaria journal].
- Sarrocco, S; Diquattro, S; Baroncelli, R; Cimmino, A; Evidente, A; Vannacci, G; Doveri, F. (2015). A polyphasic contribution to the knowledge of *Auxarthron* (Onygenaceae). *Mycological progress* 14: 112.
- Sartor, CFP; da Silva, M; Fernandes, JB; Vieira, PC; Fo, ER; Cortez, DAG. (2003). Alkaloids from *Dictyoloma vandellianum*: their chemosystematic significance. *Phytochemistry* 63: 185-192.
- Sartor, T; Xavier, VB; Falcão, MA; Mondin, CA; dos Santos, MA; Cassel, E; Astarita, LV; Santarém, ER. (2013). Seasonal changes in phenolic compounds and in the biological activities of *Baccharis dentata* (Vell.) G.M. Barroso. *Ind Crop Prod* 51: 355-359.
- Sartorelli, P; Carvalho, CS; Reimao, JQ; Ferreira, M; Tempone, A. (2009). Antiparasitic activity of biochanin A, an isolated isoflavone from fruits of *Cassia fistula* (Leguminosae). *Parasitol Res* 104: 311-314.
- Sartori, MRK; Pretto, JB; Cruz, AB; Bresciani, LFF; Yunes, RA; Sortino, M; Zacchino, SA; Cechinel, V. (2003). Antifungal activity of fractions and two pure compounds of flowers from *Wedelia paludosa* (*Acmela brasiliensis*) (Asteraceae). *Pharmazie* 58: 567-569.
- Sartori, NT; Canepelle, D; de Sousa, PT; Martins, DTO. (1999). Gastroprotective effect from *Calophyllum brasiliense* Camb. bark on experimental gastric lesions in rats and mice. *J Ethnopharmacol* 67: 149-156.
- Sarvari, MH; Sharghi, H. (2004). Reactions on a solid surface. A simple, economical and efficient Friedel-Crafts acylation reaction over zinc oxide (ZnO) as a new catalyst. *J Org Chem* 69: 6953-6956.
- Sarveswaran, K; Hu, W; Huber, PW; Bernstein, GH; Lieberman, M. (2006). Deposition of DNA rafts on cationic SAMs on silicon [100]. *Langmuir* 22: 11279-11283. [Langmuir : the ACS journal of surfaces and colloids].
- Sasaki, M; Tanino, K; Miyashita, M. (2001). Stereospecific alkyl and alkenyl substitution reactions of epoxy sulfides with organoaluminums with double inversion of the configuration. *J Org Chem* 66: 5388-5394.
- Sasaki, T; Maki, H; Ishihara, M; Harayama, S. (1998). Vanadium as an internal marker to evaluate microbial degradation of crude oil. *Environmental Science & Technology* 32: 3618-3621.
- Sasaki, Y; Shibamoto, T; Wei, CI; Fernando, S. (1987). Biological and chemical studies on overheated brewed coffee. *Food Chem Toxicol* 25: 225-228. [Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association].
- Sasaki, YF; Saga, A; Akasaka, M; Ishibashi, S; Yoshida, K; Su, YQ; Matsusaka, N; Tsuda, S. (1998). Detection *in vivo* genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutat Res* 419: 13-20.
- Sasaki, YF; Saga, A; Akasaka, M; Ishibashi, S; Yoshida, K; Su, YQ; Matsusaka, N; Tsuda, S. (1998). Detection of *in vivo* genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 419: 13-20.
- Sasaki, YF; Saga, A; Akasaka, M; Ishibashi, S; Yoshida, K; Su, YQ; Matsusaka, N; Tsuda, S. (1998). Detection of *in vivo* genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 419: 13-20.
- Sasic, S; Antic-Jovanovic, A; Kuzmanovic, M; Jeremic, M. (1999). Quantitative analysis of the Raman spectra of mixtures of weakly interacting components by factor analysis methods. *Analyst* 124: 1481-1487.
- Sasidharan, M; Bhaumik, A. (2011). Titanium silicates as efficient catalyst for alkylation and acylation of silyl enol ethers under liquid-phase conditions. *Journal of Molecular Catalysis* 346: 87-93.
- Sato, A; Nakajima, T. (1987). Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Scand J Work Environ Health* 13: 81-93.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *Journal of Environmental Engineering-Asce* 129: 136-146.
- Sato, MIsZ; Valent, GU; Coimbra, CA; Coelho, MCLS; Sanchez, PS; Alonso, CuD; Martins, MT. (1995). Mutagenicity of airborne particulate organic material from urban and industrial areas of São Paulo, Brazil. *Mutation Research/Environmental Mutagenesis and Related Subjects* 335: 317-330.
- Sato, S; Matsumura, A; Urushigawa, Y; Metwally, M; Al-Muzaini, S. (1998). Type analysis and mutagenicity of petroleum oil extracted from sediment and soil samples in Kuwait. *Environ Int* 24: 67-76.

## Environmental Hazard Literature Search Results

### Off Topic

- Sato, Y; Kawashima, Y; Takeuchi, H; Yamamoto, H. (2003). Physicochemical properties to determine the buoyancy of hollow microspheres (microballoons) prepared by the emulsion solvent diffusion method. *Eur J Pharm Biopharm* 55: 297-304.
- Sato, Y; Kawashima, Y; Takeuchi, H; Yamamoto, H. (2004). In vitro evaluation of floating and drug releasing behaviors of hollow microspheres (microballoons) prepared by the emulsion solvent diffusion method. *Eur J Pharm Biopharm* 57: 235-243.
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater infiltration systems: I. Catch basins and septic tanks. *Water Air and Soil Pollution* 89: 221-232.
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater systems: II. Drainfields in loamy sand and silt loam soils. *Water Air and Soil Pollution* 89: 337-350.
- Saumande, J; Batra, SK. (1984). A double antibody radioimmunoassay for free and conjugated estradiol-17 $\beta$  in cow's milk. *Steroids* 44: 137-152.
- Savolainen, H. (1981). Pharmacokinetics, pharmacodynamics and aspects of neurotoxic effects of four inhaled aliphatic chlorohydrocarbon solvents as relevant in man. *Eur J Drug Metab Pharmacokinet* 1981; 6(2):85-90 [European journal of drug metabolism and pharmacokinetics].
- Savolainen, H; Kurppa, K; Pfäffli, P; Kivistö, H. (1981). Dose-related effects of dichloromethane on rat brain in short-term inhalation exposure. *Chem Biol Interact* 34: 315-322.
- Savolainen, H; Pfäffli, P; Tengstedt, M; Vainio, H. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachlorethylene and dichloromethane. *J Neuropathol Exp Neurol* 36: 941-949. [Journal of neuropathology and experimental neurology].
- Sawada, H; Izumi, S; Sasazawa, K; Yoshida, M. (2012). Coloring-decoloring behavior of amphiphilic fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide- $\beta$ -acryloylmorpholine cooligomer/fluorescein nanocomposites in protic and aprotic solvents. *J Colloid Interface Sci* 377: 76-80.
- Sawada, H; Izumi, S; Sasazawa, K; Yoshida, M. (2012). Coloring-decoloring behavior of amphiphilic fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide--acryloylmorpholine cooligomer/fluorescein nanocomposites in protic and aprotic solvents. *J Colloid Interface Sci* 377: 76-80. [Journal of colloid and interface science].
- Sawant, UJ; Karadge, BA. (2010). Antimicrobial activity of some bryophytes (liverworts and a hornwort) from Kolhapur district. *Pharmacognosy Journal* 2: 29-32.
- Saxena, AM; North, BE; Schoenborn, BP. (1982). The effect of dichloromethane on the oxygenation of hemoglobin. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology* 704: 1-6.
- Saylik, D; Horvath, MJ; Elmes, PS; Jackson, WR; Lovel, CG; Moody, K. (1999). Preparation of isocyanates from primary amines and carbon dioxide using Mitsunobu chemistry. *J Org Chem* 64: 3940-3946.
- Sayyah, M; Khodaparast, A; Yazdi, A; Sardari, S. (2011). Screening of the anticonvulsant activity of some plants from Fabaceae family in experimental seizure models in mice. *Daru* 2011[Daru : journal of Faculty of Pharmacy].
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr* 44: 703-707.
- Schäfer, SG; McClellan, R; Welsch, F; Bolt, HM; Borlak, JrT. (1999). Chapter 26 - Halogenated Hydrocarbons A2 - Marquardt, Hans. *Toxicology San Diego* 645-657.
- Schaefer, JK; Oremland, RS. (1999). Oxidation of methyl halides by the facultative methylotroph strain IMB-1. *Appl Environ Microbiol* 65: 5035-5041.
- Scheidemann, P; Klunk, A; Sens, C; Werner, D. (1998). Species dependent uptake and tolerance of nitroaromatic compounds by higher plants. *J Plant Physiol* 152: 242-247.
- Scher, JM; Speakman, JB; Zapp, J; Becker, H. (2004). Bioactivity guided isolation of antifungal compounds from the liverwort *Bazzania trilobata* (L.) S.F. Gray. *Phytochemistry* 65: 2583-2588.
- Scherer, R; Lemos, MF; Lemos, MF; Martinelli, GC; Martins, JDL; da Silva, AG. (2013). Antioxidant and antibacterial activities and composition of Brazilian spearmint (*Mentha spicata* L.). *Ind Crop Prod* 50: 408-413.
- Scheuplein, RJ. (1987). Risk assessment and food safety a scientist's and regulator's view. *Food Drug Cosmet Law J* 42: 237-250.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *Journal of the Air & Waste Management Association* 55: 878-885.
- Scheyer, A; Graeff, C; Morville, S; Mirabel, P; Millet, M. (2005). Analysis of some organochlorine pesticides in an urban atmosphere (Strasbourg, east of France). *Chemosphere* 58: 1517-1524.
- Schierle, J; Schellenberger, T; Fizet, C; Betz, R. (2002). A simple spectrophotometric determination of total beta-carotene in food additives with varying E/Z-isomer ratios using an isobestic wavelength. *European Food Research and Technology* 215: 268-274.
- Schiewe, MH; Hawk, EG; Actor, DI; Krahn, MM. (1985). Use of bacterial bioluminescence assay to assess toxicity of contaminated marine sediments. *Can J Fish Aquat Sci* 42: 1244-1248.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere* 147: 239-247.
- Schill, G. (1959). Photometric determination of quaternary ammonium compounds with hexanitrodiphenylamine. II. *Anal Chim Acta* 21: 341-352.
- Schill, G; Danielsson, B. (1959). Photometric determination of quaternary ammonium compounds with hexanitrodiphenylamine. I. *Anal Chim Acta* 21: 248-254.
- Schinkovitz, A; Stavri, M; Gibbons, S; Bucar, F. (2008). Antimycobacterial polyacetylenes from *Levisticum officinale*. *Phytother Res* 22: 681-684.



## Environmental Hazard Literature Search Results

### Off Topic

- Schleyer, R; Arneth, JD; Kerndorff, H; Milde, G. (1988). Main contaminants and priority from waste sites criteria for selection with the aim of assessment on the groundwater path. Wolf, K, W J Van Den Brink and F J Colon (Ed) Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988 Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 247-252.
- Schlick-Hasper, E; Bethke, J; Jahnke, W; Drosch, B; Goedecke, T; Kraume, M. (2015). Maximum Gauge Pressure in Dangerous Goods Packagings Under Normal Conditions of Carriage - Comparison of Direct Measurement and Calculation. *Packaging Technology and Science* 28: 437-460.
- Schmid-Appert, M; Zoller, K; Traber, H; Vuilleumier, S; Leisinger, T. (1997). Association of newly discovered IS elements with the dichloromethane utilization genes of methylotrophic bacteria. *Microbiology (Reading)* 143: 2557-2567.
- Schmidbauer, H; Hamel, A; Mitzel, NW; Schier, A; Nogai, S. (2002). Cluster self-assembly of di gold(I) halonium cations. *Proceedings of the National Academy of Sciences of the United States of America* 99: 4916-4921.
- Schmidt, HC; Reuter, LG; Hamacek, J; Wenger, OS. (2011). Multistage Complexation of Fluoride Ions by a Fluorescent Triphenylamine Bearing Three Dimesitylboryl Groups: Controlling Intramolecular Charge Transfer. *J Org Chem* 76: 9081-9085.
- Schmidt, J; Schmidt, R; Wurthner, F. (2008). Synthesis, optical properties, and LFER analysis of solvent-dependent binding constants of Hamilton-receptor-connected merocyanine chromophores. *J Org Chem* 73: 6355-6362.
- Schmidt, TJ; Vossing, S; Klaes, M; Grimme, S. (2007). An arylidihydronaphthalene lignan with a novel type of ring system and further new lignans cells from *Linum perenne* L. *Planta Med* 73: 1574-1580.
- Schmittel, M; Heinze, J; Trenkle, H. (1995). ELECTROACTIVE PROTECTING GROUPS AND REACTION UNITS .1. MESOLYTIC CLEAVAGE OF THE O-CO BOND IN ENOL ACETATE CATION RADICALS WITH DIRECT FORMATION OF ALPHA-CARBONYL CATIONS - MECHANISTIC AND SYNTHETIC ASPECTS. *J Org Chem* 60: 2726-2733.
- Schnaak, W; Kuechler, T; Kujawa, M; Henschel, KP; Suessenbach, D; Donau, R. (1997). Organic contaminants in sewage sludge and their ecotoxicological significance in the agricultural utilization of sewage sludge. *Chemosphere* 35: 5-11.
- Schneider, RP; Morano, SC; Gigena, MAC; Missawa, SK; Rocha, RCS; Da Silva, LR; Ellert, N; Kataoka, S; Katsuragi, C; Rosa, CD; De Oliveira, LC. (2006). Contamination levels and preliminary assessment of the technical feasibility of employing natural attenuation in 5 priority areas of Presidente Bernardes Refinery in Cubatao, Sao Paulo, Brazil. *Environ Monit Assess* 116: 21-52.
- Schoen, DJ; Brownstein, JS; White, PA. (2002). Mutation load in natural populations of the sensitive fern *Onoclea sensibilis* exposed to soil mutagens. *Ecol Appl* 12: 124-137.
- Schoen, ED. (1996). Statistical designs in combination toxicology: A matter of choice. *Food Chem Toxicol* 34: 1059-1065.
- Schoenmaker, J; Rey, JFQ; Pirola, KR. (2011). Buoyancy organic Rankine cycle. *Renewable energy* 36: 999-1002.
- Schoeny, R; Warshawsky, D; Hollingsworth, L; Hund, M; Moore, G. (1981). Mutagenicity of products from coal gasification and liquefaction in the Salmonella/microsome assay. *Environ Mutagen* 1981; 3(2):181-95 [Environmental mutagenesis].
- Scholtz, R; Wackett, LP; Egli, C; Cook, AM; Leisinger, T. (1988). Dichloromethane dehalogenase with improved catalytic activity isolated from a fast-growing dichloromethane-utilizing bacterium. *J Bacteriol* 170: 5698-5704.
- Scholz-Marumatsu, H; Schneider, V; Gaiser, S; Bardtke, D. (1988). Biological elimination of dichloromethane from contaminated groundwater interference by components of the groundwater. Meeting on Water and Wastewater Microbiology Held at the International Association for Water Pollution Research and Control Conference, Newport Beach, California, USA, February 8-11, 1988 *Water Sci Technol* 20: 393-398.
- Schotes, C; Mezzetti, A. (2011). Cu(I)- and Cu(II)-Catalyzed Cyclo- and Michael Addition Reactions of Unsaturated beta-Ketoesters. *J Org Chem* 76: 5862-5866.
- Schraa, G; Van Der Meer, JR; Van Neerven, AR; Colberg, PJ; Zehnder, AJ. (1986). Microbial transformation of micropollutants in soil systems. Jensen, V, A Kjoller and L H Sorensen (Ed) *Fems (Federation of European Microbiological Societies) Symposium, No 33 Microbial Communities in Soil*; Copenhagen, Denmark, August 4-8, 1985 Xiii+447p Elsevier Applied Science Publishers Ltd: Essex, England (Dist In USA and Canada by Elsevier Science Publishing Co, Inc: New York, New York, USA) Illus Isbn 0-85334-441-8; 0 (0) 1986 315-326.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere* 29: 1743-1753.
- Schroeder, ED; Eweis, JB; Chang, DPY; Veir, JK. (2000). Biodegradation of recalcitrant components of organic mixtures. *Water Air and Soil Pollution* 123: 133-146.
- Schroeder, HW; Stipanovic, RD. (1975). Production of 3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin by *Aspergillus caespitosus*. *Appl Microbiol* 29: 706-707. [Applied microbiology].
- Schuehly, W; Voith, W; Teppner, H; Kunert, O. (2010). Substituted Dineolignans from *Magnolia garrettii*. *J Nat Prod* 73: 1381-1384.
- Schuermann, JP; Tan, A; Tanner, JJ; Henzl, MT. (2010). Structure of Avian Thymic Hormone, a High-Affinity Avian  $\tilde{I}^2$ -Parvalbumin, in the Ca<sup>2+</sup>-Free and Ca<sup>2+</sup>-Bound States. *Journal of Molecular Biology* 397: 991-1002.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environmental Science & Technology* 37: 5150-5158.
- Schulz, H-M. (1997). Coal Mine Workers' Pneumoconiosis (CWP): In Vitro Study of the Release of Organic Compounds from Coal Mine Dust in the Presence of Physiological Fluids. *Environ Res* 74: 74-83.
- Schuster, T; Golling, FE; Krumpfer, JW; Wagner, M; Graf, R; Alsaygh, AA; Klapper, M; MÄ llen, K. (2015). Poly(isobutylene) nanoparticles via cationic polymerization in nonaqueous emulsions. *Macromol Rapid Commun* 36: 204-210. [Macromolecular rapid communications].

## Environmental Hazard Literature Search Results

### Off Topic

- Schuur, B; Blahusiak, M; Vitasari, CR; Gramblicka, M; De Haan, AB; Visser, TJ. (2015). Selector Screening for Enantioseparation of DL-alpha-Methyl Phenylglycine Amide by Liquid-Liquid Extraction. *Chirality* 27: 123-130.
- Schwab, AP; Su, J; Wetzel, S; Pekarek, S; Banks, MK. (1999). Extraction of petroleum hydrocarbons from soil by mechanical shaking. *Environmental Science & Technology* 33: 1940-1945.
- Schwartz, E; Trinh, SV; Scow, KM. (2002). Impact of methylene chloride on microorganisms and phenanthrene mineralization in soil. *J Environ Qual* 31: 144-149.
- Schwartz, LJ. (1991). Toxic effects of selected industrial solvents in batch and continuous anaerobic reactors. *Appl Biochem Biotechnol* 29: 297-305.
- Schweitzer, GK; Davidson, JE. (1966). The solvent extraction of some thallium(I) chelates. *Anal Chim Acta* 35: 467-478.
- Scism, AJ; BeMiller, JN; Caskey, AL. (1974). Determination of 2,4-dihydroxy-1,4(2H)-benzoxazin-3-one glucosides in corn (*Zea mays* L.). *Anal Biochem* 58: 1-13.
- Seaman, FC; Bencsath, A. (1985). A eudesmane acid from *Montanoa speciosa*. *Phytochemistry* 24: 607-608.
- Sedee, AGJ; Van Henegouwen, GMJB; De Mol, NJ; Lodder, G. (1984). Interaction of the photosensitization products of oestrone with DNA: Comparison with the horseradish peroxidase catalyzed reaction. *Chem Biol Interact* 51: 357-363.
- Sedransk, KL; Kaminski, CF; Hutchings, LR; Moggridge, GD. (2011). The metathetic degradation of polyisoprene and polybutadiene in block copolymers using Grubbs second generation catalyst. *Polymer degradation and stability* 96: 1074-1080.
- Segura, J; Calvo, L; Ovilo, C; Gonzalez-Bulnes, A; Olivares, A; Cambero, MI; Lopez-Bote, CJ. (2015). Alternative method for intramuscular fat analysis using common laboratory equipment. *Meat Science* 103: 24-27.
- Segura, L; Vila, R; Gupta, MP; Esposito-Avella, M; Adzet, T; Canigual, S. (1998). Antiinflammatory activity of *Anthurium cerrocampaense* Croat in rats and mice. *J Ethnopharmacol* 61: 243-248.
- Seibert, AR; Dougherty, WG; Kassel, WS; Nataro, C. (2010). Bis(dialkylaminophosphino)ferrocenes: Reactivity and electrochemistry. *Inorganica Chimica Acta* 364: 30-38.
- Seilkop, SK. (1995). The effect of body weight on tumor incidence and carcinogenicity testing in B6C3F1 mice and F344 rats. *Fundam Appl Toxicol* 24: 247-259. [Fundamental and applied toxicology : official journal of the Society of Toxicology].
- Seito, LN; Sforcin, JM; Bastos, JK; Di Stasi, LC. (2015). *Zeyheria montana* Mart. (Bignoniaceae) as source of antioxidant and immunomodulatory compounds with beneficial effects on intestinal inflammation. *J Pharm Pharmacol* 67: 597-604.
- Sekiguchi, R; Takahashi, K; Kawakami, J; Sakai, A; Ikeda, H; Ishikawa, A; Ohta, K; Ito, S. (2015). Preparation of a Cyclic Polyphenylene Array for a Zigzag-Type Carbon Nanotube Segment. *J Org Chem* 80: 5092-5110.
- Sekizawa, J; Shibamoto, T. (1986). Salmonella/microsome mutagenicity tests of heat-processed milk samples. *Food Chem Toxicol* 24: 987-988.
- Selan, FM; Evans, MA. (1987). The role of microtubules in chlorinated alkane-induced fatty liver. *Toxicol Lett* 36: 117-127.
- Selli, S; Cabaroglu, T; Canbas, A. (2003). Flavour components of orange wine made from a Turkish cv. Kozan. *International Journal of Food Science and Technology* 38: 587-593.
- Selli, S; Kelebek, H. (2011). Aromatic profile and odour-activity value of blood orange juices obtained from Moro and Sanguinello (*Citrus sinensis* L. Osbeck). *Ind Crop Prod* 33: 727-733.
- Semalty, A; Semalty, M; Singh, D; Rawat, MS. (2009). Development and physicochemical evaluation of pharmacosomes of diclofenac. *Acta Pharm* 59: 335-344. [Acta pharmaceutica (Zagreb, Croatia)].
- Semeraro, M; Secchi, A; Silvi, S; Venturi, M; Arduini, A; Credi, A. (2014). Photoinduced electron transfer from [Ru(bpy)<sub>3</sub>]<sup>2+</sup> to a calix[6]arene-encapsulated viologen electron acceptor. *Inorganica Chimica Acta* 417: 258-262.
- Semling, HVJ. (1986). Chlorofluorocarbon food freezants face renewed regulatory scrutiny manufacturers-users group discussing reasonable limits on future production. *Food Process (Chic)* 47: 8.
- Semprini, L. (1997). Strategies for the aerobic co-metabolism of chlorinated solvents. *Current Opinion in Biotechnology* 8: 296-308.
- Sen, A; Miranda, I; Santos, S; Graca, J; Pereira, H. (2010). The chemical composition of cork and phloem in the rhytidome of *Quercus cerris* bark. *Ind Crop Prod* 31: 417-422.
- Senkevich, JJ; Mitchell, CJ; Vijayaraghavan, A; Barnat, EV; McDonald, JF; Lu, TM. (2002). Unique structure/properties of chemical vapor deposited parylene E. *Journal of Vacuum Science & Technology A* 20: 1445-1449.
- Senol, FS; Orhan, IE; Ozgen, U; Renda, G; Bulut, G; Guven, L; Karaoglan, ES; Sevindik, HG; Skalicka-Wozniak, K; Caliskan, UK; Sekeroglu, N. (2016). Memory-vitalizing effect of twenty-five medicinal and edible plants and their isolated compounds. *South African Journal of Botany* 102: 102-109.
- Seo, J; Yoon, I; Lee, J-E; Song, MR; Lee, SY; Park, SH; Kim, TH; Park, K-M; Kim, BG; Lee, SS. (2005). A solvent stabilized cyclic dimer complex of platinum(II) with S<sub>2</sub>O<sub>2</sub> macrocycle. *Inorganic Chemistry Communications* 8: 916-919.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environmental Science & Technology* 35: 3386-3390.
- Serdyuk, O; Butin, A; Abaev, V. (2010). Synthesis of fluorofurans and perfluoroalkylfurans. *Journal of Fluorine Chemistry* 131: 296-319.
- Sessler, JL; Kral, V; Shishkanova, TV; Gale, PA. (2002). Cytosine substituted calix 4 pyrroles: Neutral receptors for 5'-guanosine monophosphate. *Proceedings of the National Academy of Sciences of the United States of America* 99: 4848-4853.
- Sethi, A; McAuslane, HJ; Alborn, HT; Nagata, RT; Nuessly, GS. (2008). Romaine lettuce latex deters feeding of banded cucumber beetle: a vehicle for deployment of biochemical defenses. *Entomologia Experimentalis Et Applicata* 128: 410-420.

## Environmental Hazard Literature Search Results

### Off Topic

- Setzer, WN; Holland, MT; Bozeman, CA; Rozmus, GF; Setzer, MC; Moriarity, DM; Reeb, S; Vogler, B; Bates, RB; Haber, WA. (2001). Isolation and frontier molecular orbital investigation of bioactive quinone-methide triterpenoids from the bark of *Salacia petenensis*. *Planta Med* 67: 65-69.
- Setzer, WN; Vogler, B; Bates, RB; Schmidt, JM; Dicus, CW; Nakkiew, P; Haber, WA. (2003). HPLC-NMR/HPLC-MS analysis of the bark extract of *Stauranthus perforatus*. *Phytochem Anal* 14: 54-59.
- Setzer, WN; Vogler, B; Schmidt, JM; Petty, JL; Haber, WA. (2005). Isolation of cupanoside, a novel cytotoxic and antibacterial long-chain fatty alcohol glycoside from the bark of *Cupania glabra*. *Planta Med* 71: 686-688.
- Severino, VGP; da Silva, M; Lucarini, R; Montanari, LB; Cunha, WR; Vinholis, AHC; Martins, CHG. (2009). DETERMINATION OF THE ANTIBACTERIAL ACTIVITY OF CRUDE EXTRACTS AND COMPOUNDS ISOLATED FROM *HORTIA OREADICA* (RUTACEAE) AGAINST ORAL PATHOGENS. *Brazilian Journal of Microbiology* 40: 535-540.
- Seybold, PG; May, MA; Gargas, ML. (1986). On the physical properties of halogenated hydrocarbons. *Acta Pharm Jugosl* 36: 253-266.
- Seyedabbasi, MA; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol* 134: 69-81.
- Sgro, LA; Minutolo, P; Basile, G; D'Alessio, A. (2001). UV-visible spectroscopy of organic carbon particulate sampled from ethylene/air flames. *Chemosphere* 42: 671-680.
- Shaabani, A; Naderi, S; Rahmati, A; Badri, Z; Darvishi, M; Lee, DG. (2005). Cleavage of oximes, semicarbazones, and phenylhydrazones with supported potassium permanganate. *Synthesis-Stuttgart* 3023-3025.
- Shackelford, SA; Anderson, MB; Christie, LC; Goetzen, T; Guzman, MC; Hananel, MA; Kornreich, WD; Li, HT; Pathak, VP; Rabinovich, AK; Rajapakse, RJ; Truesdale, LK; Tsank, SM; Vazir, HN. (2003). Electrophilic tetraalkylammonium nitrate nitration. II. Improved anhydrous aromatic and heteroaromatic mononitration with tetramethylammonium nitrate and triflic anhydride, including selected microwave examples. *J Org Chem* 68: 267-275.
- Shai, LJ; Bizimenyera, ES; Bagla, V; McGaw, LJ; Eloff, JN. (2009). *Curtisia dentata* (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes. *Onderstepoort J Vet Res* 76: 249-256.
- Shai, LJ; McGaw, LJ; Masoko, P; Eloff, JN. (2008). Antifungal and antibacterial activity of seven traditionally used South African plant species active against *Candida albicans*. *South African Journal of Botany* 74: 677-684.
- Sham, HL; Zhao, C; Marsh, KC; Betebenner, DA; Lin, SQ; McDonald, E; Vasavanonda, S; Wideburg, N; Saldivar, A; Robins, T; Kempf, DJ; Plattner, JJ; Norbeck, DW. (1995). POTENT INHIBITORS OF THE HIV-1 PROTEASE WITH GOOD ORAL BIOAVAILABILITIES. *Biochem Biophys Res Commun* 211: 159-165.
- Shan, HF; Kurtz, HD; Mykityczuk, N; Trevors, JT; Freedman, DL. (2010). Anaerobic Biotransformation of High Concentrations of Chloroform by an Enrichment Culture and Two Bacterial Isolates. *Appl Environ Microbiol* 76: 6463-6469.
- Shankar, R; Jain, A; Kociok-KÅhn, G; Molloy, KC. (2011). Synthesis and characterization of diethyltin-based three dimensional self-assemblies derived from sulfonate-phosphonate ligands. *Inorganica Chimica Acta* 372: 108-114.
- Shao, J; Chen, J; Xie, Q; Wang, Y; Li, X; Hao, C. (2010). Electron-accepting potential of solvents determines photolysis rates of polycyclic aromatic hydrocarbons: Experimental and density functional theory study. *J Hazard Mater* 179: 173-177.
- Sharif, R; Ahmad, SW; Anjum, H; Ramzan, N; Malik, SR. (2014). EFFECT OF INFUSION TIME AND TEMPERATURE ON DECAFFEINATION OF TEA USING LIQUID-LIQUID EXTRACTION TECHNIQUE. *Journal of Food Process Engineering* 37: 46-52.
- Sharif, S; O'Hagan, DT. (1995). A comparison of alternative methods for the determination of the levels of proteins entrapped in poly(lactide-co-glycolide) microparticles. *Int J Pharm* 115: 259-263.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater* 172: 650-653.
- Sharma, D; Singh, SB. (2012). Persistence of Bifenthrin in Sandy Loam Soil as Affected by Microbial Community. *Bull Environ Contam Toxicol* 88: 906-908.
- Sharma, H; Jain, VK; Khan, ZH. (2013). Use of constant wavelength synchronous spectrofluorimetry for identification of polycyclic aromatic hydrocarbons in air particulate samples. *Spectrochim Acta A Mol Biomol Spectrosc* 108: 268-273.
- Sharma, MK; Singh, PP; Bharadwaj, PK. (2011). Two-dimensional rhombus grid coordination polymer showing heterogeneous catalytic activities. *Journal of Molecular Catalysis* 342-343: 6-10.
- Sharma, R; Muttill, P; Yadav, AB; Rath, SK; Bajpai, VK; Mani, U; Misra, A. (2007). Uptake of inhalable microparticles affects defence responses of macrophages infected with *Mycobacterium tuberculosis* H37Ra. *J Antimicrob Chemother* 59: 499-506.
- Sharma, S; Mandal, K; Singh, B. (2014). Sensitive Methodology for Simultaneous Determination of Residues of Imidacloprid and its Metabolites in Sugarcane Leaves and Soil. *J AOAC Int* 97: 1183-1188.
- Sharvelle, S; Arabi, M; McLamore, E; Banks, MK. (2008). Model development for biotrickling filter treatment of graywater simulant and waste gas. I. *Journal of Environmental Engineering-Asce* 134: 813-825.
- Shavaleev, NM; Scopelliti, R; GrÅtzzel, M; Nazeeruddin, MK. (2012). Phosphorescent cationic iridium(III) complexes with cyclometalating 1H-indazole and 2H-[1,2,3]-triazole ligands. *Inorganica Chimica Acta* 388: 84-87.
- Shavaleev, NM; Scopelliti, R; GrÅtzzel, M; Nazeeruddin, MK. (2013). How to blue-shift phosphorescence color of iridium(III) complexes. *Inorganica Chimica Acta* 396: 17-20.
- Shavaleev, NM; Scopelliti, R; GrÅtzzel, M; Nazeeruddin, MK. (2013). Phosphorescence of iridium(III) complexes with 2-(2-pyridyl)-1,3,4-oxadiazoles. *Inorganica Chimica Acta* 394: 295-299.

## Environmental Hazard Literature Search Results

### Off Topic

- Shavaleev, NM; Scopelliti, R; GrÄtzel, M; Nazeeruddin, MK. (2013). Steric hindrance at metal centre quenches green phosphorescence of cationic iridium(III) complexes with 1-(2-pyridyl)-pyrazoles. *Inorganica Chimica Acta* 404: 210-214.
- Shaver, TN; Lingren, PD; Marshall, HF. (1997). Nighttime variation in volatile content of flowers of the night blooming plant *Gaura drummondii*. *J Chem Ecol* 23: 2673-2682.
- Shaver, TN; Lingren, PD; Raulston, J; Marshall, HF. (1998). Plant chemicals as attractants for *Helicoverpa zea* (Lepidoptera : Noctuidae) and other insect species. *Southwestern Entomologist* 37-45.
- Shaw, JL; Garrison, SA; Aleman, EA; Ziegler, CJ; Modarelli, DA. (2004). Synthesis and spectroscopy of a series of substituted N-confused tetraphenylporphyrins. *J Org Chem* 69: 7423-7427.
- Shaw, RA; Perczel, A; Fasman, GD; Mantsch, HH. (1996). Turn conformations in peptides containing the -Xaa-Ser- sequence. *Int J Pept Protein Res* 48: 71-78. [International journal of peptide and protein research].
- Shear, NM; Schmidt, CW; Huntley, SL; Crawford, DW; Finley, BL. (1996). Evaluation of the factors relating combined sewer overflows with sediment contamination of the lower passaic river. *Mar Pollut Bull* 32: 288-304.
- Shee, NK; Drew, MGB; Datta, D. (2015). A Cu<sub>2</sub>S<sub>2</sub> core with a high potential copper(II/I) couple. Use of a surface modified electrode and generation of five coordinate copper(I). *Inorganica Chimica Acta* 426: 1-5.
- Sheean, PD; Hodges, LD; Kalafatis, N; Wright, PFA; Wynne, PM; Whitehouse, MW; Macrides, TA. (2007). Bioactivity of extracts from gonadal tissue of the edible Australian purple sea urchin *Heliocidaris erythrogramma*. *J Sci Food Agric* 87: 694-701.
- Sheesley, RJ; Schauer, JJ; Hemming, JD; Barman, MA; Geis, SW; Tortorelli, JJ. (2004). Toxicity of ambient atmospheric particulate matter from the Lake Michigan (USA) airshed to aquatic organisms. *Environ Toxicol Chem* 23: 133-140.
- Shen, C-P; Luo, J-G; Yang, M-H; Kong, L-Y. (2015). Anticoagulant flavonoid oligomers from the rhizomes of *Alpinia platychilus*. *Fitoterapia* 106: 153-157.
- Shen, DZ; Ma, XL; Cai, TT; Zhu, XL; Xin, XD; Kang, Q. (2015). Investigation on kinetic processes of zeolitic imidazolate framework-8 film growth and adsorption of chlorohydro-carbons using a quartz crystal microbalance. *Analytical Methods* 7: 9619-9628.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV3 process. *Chemosphere* 38: 1855-1866.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O<sub>3</sub> process. *Chemosphere* 38: 1855-1866.
- Shen, Z; Uno, H; Shimizu, Y; Ono, N. (2004). Controlling conformations and physical properties of meso-tetrakis(phenylethynyl)porphyrins by ring fusion: synthesis, properties and structural characterizations. *Organic & Biomolecular Chemistry* 2: 3442-3447.
- Sher, P; Ingavle, G; Ponrathnam, S; Pawar, AP. (2007). Low density porous carrier - Drug adsorption and release study by response surface methodology using different solvents. *Int J Pharm* 331: 72-83.
- Sherma, J; Shafik, TM. (1975). A multiclass, multiresidue analytical method for determining pesticide residues in air. *Arch Environ Contam Toxicol* 3: 55-71.
- Sherman, CD; Portier, CJ. (1997). The two-stage model of carcinogenesis: overcoming the nonidentifiability dilemma. *Risk Anal* 17: 367-374. [Risk analysis : an official publication of the Society for Risk Analysis].
- Sherman, J; Chin, B; Huibers, PD; Garcia-Valls, R; Hatton, TA. (1998). Solvent replacement for green processing. *Environ Health Perspect* 106: 253-271.
- Shertzer, HG; Tabor, MW. (1985). Peroxide removal from organic solvents and vegetable oils. *J Environ Sci Health Part a Environ Sci Eng* 20: 1986).
- Sherwood, DES; Williams, JE; Sponsler, MB. (2009). Ruthenium-incorporated, metathesis-active polyacetylene. *Journal of polymer science* 47: 1061-1072.
- Shi, HP; Cheng, Y; Jing, WJ; Chao, JB; Fang, L; Dong, X; Dong, C. (2010). Experimental and theoretical study of a new carbazole derivative having terminal benzimidazole rings. *Spectrochim Acta A Mol Biomol Spectrosc* 75: 525-532. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Shi, M; Jiang, JK. (2003). Synthesis of novel chiral Cu or Ag/S,N cluster complexes and absolute stereostructures as determined by X-ray crystallography. *Chirality* 15: 605-608.
- Shi, M; Lu, JM. (2006). Reactions of vinylidenecyclopropanes with diphenyl diselenide in the presence of AIBN and further transformation to produce new naphthalene derivatives. *J Org Chem* 71: 1920-1923.
- Shi, WB; Yang, JD; Huang, YM. (2004). Ion-pair complex-based solvent extraction combined with chemiluminescence determination of chlorpromazine hydrochloride with luminol in reverse micelles. *J Pharm Biomed Anal* 36: 197-203.
- Shi, XL; Liebeskind, LS. (2000). 3-cyclobutenyl-1,2-dione-substituted porphyrins. 2. A simple and general entry to quinone-porphyrin-porphyrin-quinone tetrads and related molecules. *J Org Chem* 65: 1665-1671.
- Shibamoto, T. (1989). Genotoxicity testing of Maillard reaction products. *Prog Clin Biol Res* 304: 359-376.
- Shim, IK; Jung, MR; Kim, KH; Seol, YJ; Park, YJ; Park, WH; Lee, SJ. (2010). Novel three-dimensional scaffolds of poly((L)-lactic acid) microfibers using electrospinning and mechanical expansion: fabrication and bone regeneration. *Journal of Biomedical Materials Research Part B- Applied Biomaterials* 95B: 150-160.
- Shing, TKM; Wong, AWF; Ikeno, T; Yamada, T. (2006). Experimental and theoretical studies on stereo- and regioselectivity in intramolecular nitrene-alkene cycloaddition of Hept-6-enoses derived from carbohydrates. *J Org Chem* 71: 3253-3263.
- Shinohara, Y; Tomioka, N; Kusakabe, I. (1999). Induction and enhancement of stress proteins in a trichloroethylene-degrading methanotrophic bacterium, *Methylocystis* sp. M. AU - UCHIYAMA H. *FEMS Microbiol Lett* 170: 125-130.
- Shirai, J; Seki, R; Kamimura, R; Mitsubayashi, S. Effects of invert soap with 0.05% sodium hydroxide on infectious bursal disease virus. *Avian diseases Apr/June 1994. v. 38 (2): 240-243.*

## Environmental Hazard Literature Search Results

### Off Topic

- Shirnamã-Morã©, L. (1991). Forward mutation of *S. typhimurium* by smokeless tobacco extracts. *Mutation Research/Genetic Toxicology* 259: 37-42.
- Shirname-More, L. (1991). Forward mutation of *Salmonella typhimurium* by smokeless tobacco extracts. *Mutat Res* 259: 37-42.
- Shivhare, Y; Singh, P; Upadhyay, U; Sharma, S; Shukla, S; Singhai, AK; Soni, P. (2010). Determination of Physicochemical parameters and DPPH radical scavenging activity of *Chenopodium album* Linn. *Pharmacognosy Journal* 2: 7-10.
- Shonnard, DR; Bell, RL; Jackman, AP. Effects of nonlinear sorption on the diffusion of benzene and dichloromethane from two air-dry soils. *Environmental science & technology* Mar 1993. v. 27 (3): 457-466.
- Shotwell, OL; Holaday, CE; Athnasios, AK; Ayres, JL; Baxley, JR; Bean, GA; Chisholm, T; Edds, GT; Erickson, R; Holaday, CE; Johnson, HS; Lowie, DM; Minyard, JP, Jr.; Nesheim, S; Rashmawi, KJ; Romer, TR; Shannon, GM; Solomon, W; Teague, RT; Wilson, DM. (1981). Minicolumn detection methods for aflatoxin in raw peanuts: collaborative study. *J Assoc Off Anal Chem* 64: 674-677. [Journal - Association of Official Analytical Chemists].
- Shrivastava, R; Delomenie, C; Chevalier, A; John, G; Ekwall, B; Walum, E; Massingham, R. (1992). Comparison of in vivo acute lethal potency and in vitro cytotoxicity of 48 chemicals. *Cell Biol Toxicol* 8: 157-170.
- Shu, YY; Lai, TL; Lin, HS; Yang, TC; Chang, CP. (2003). Study of factors affecting on the extraction efficiency of polycyclic aromatic hydrocarbons from soils using open-vessel focused microwave-assisted extraction. *Chemosphere* 52: 1667-1676.
- Shukla, OP. (1994). Biotechnology for environmental pollution control. *Biological Memoirs* 20: 1-9.
- Shusterman, D; Neal, E. (1986). Prolonged fever associated with inhalation of multiple pyrolysis products. *Ann Emerg Med* 15: 831-833. [Annals of emergency medicine].
- Siak, JS; Chan, TL; Lee, PS. (1981). Diesel particulate extracts in bacterial test systems. *Environ Int* 5: 243-248.
- Sibali, LL; Okonkwo, JO; Zvinowanda, C. (2009). Determination of DDT and Metabolites in Surface Water and Sediment Using LLE, SPE, ACE and SE. *Bull Environ Contam Toxicol* 83: 885-891.
- Sibali, LL; Okonkwo, JO; McCrindle, RI. (2010). Levels of selected alkylphenol ethoxylates (APEs) in water and sediment samples from the Jukskei River catchment area in Gauteng, South Africa. *Water SA* 36: 229-238.
- Sibiya, P; Chimuka, L; Cukrowska, E; Tutu, H. (2013). Development and application of microwave assisted extraction (MAE) for the extraction of five polycyclic aromatic hydrocarbons in sediment samples in Johannesburg area, South Africa. *Environ Monit Assess* 185: 5537-5550.
- Siddiqui, S; Adams, WA; Schollion, J. (2001). The phytotoxicity and degradation of diesel hydrocarbons in soil. *J Plant Nutr Soil Sci* 164: 631-635.
- Sidhu, KS. (1992). Regulation of environmental contaminants in drinking water state methods and problems. *J Am Coll Toxicol* 11: 331-340.
- Sidhu, S; Kast, N; Edwards, P; Dellinger, B. (2001). Hazardous air pollutants formation from reactions of raw meal organics in cement kilns. *Chemosphere* 42: 499-506.
- Siedle, AR; Velapoldi, RA; Erikson, N. (1979). Surface formation of cuprous benzotriazole. *Inorganic and Nuclear Chemistry Letters* 15: 33-36.
- Siegrist, RL; Jenssen, PD. (1990). Evaluation of sampling method effects of volatile organic compound measurements in contaminated soils. *Environ Sci Technol* 24: 1387-1392.
- Siek, TJ. (1978). Effective use of organic solvents to remove drugs from biologic specimens. *Clin Toxicol* 13: 205-230.
- Sielinou, VT; Vardamides, JC; Ali, MS; Ahmed, Z; Hameed, A; Nkengfack, AE. (2015). A New bis-Labdane and Other Secondary Metabolites from *Turraeanthus mannii*. *Chemistry of Natural Compounds* 51: 1114-1119.
- Signoret, JP. (1991). Sexual pheromones in the domestic sheep: Importance and limits in the regulation of reproductive physiology. *The Journal of Steroid Biochemistry and Molecular Biology* 39: 639-645.
- Silkina, A; Bazes, A; Mouget, JL; Bourgougnon, N. (2012). Comparative efficiency of macroalgal extracts and booster biocides as antifouling agents to control growth of three diatom species. *Mar Pollut Bull* 64: 2039-2046.
- Silkowski, MA; Smith, SR; Plewa, MJ. (1992). Analysis of the genotoxicity of municipal solid waste incinerator ash. *Sci Total Environ* 111: 109-124.
- Silva, FML; Donega, MA; Cerdeira, AL; Corniani, N; Velini, ED; Cantrell, CL; Dayan, FE; Coelho, MN; Shea, K; Duke, SO. (2014). Roots of the Invasive Species *Carduus nutans* L. and *C-acanthoides* L. Produce Large Amounts of Aplotaxene, a Possible Allelochemical. *J Chem Ecol* 40: 276-284.
- Silva, LB; Silva, W; Macedo, MLR; Peres, M. (2009). Effects of *Croton urucurana* Extracts and Crude Resin on *Anagasta kuehniella* (Lepidoptera: Pyralidae). *Brazilian Archives of Biology and Technology* 52: 653-664.
- Silva, M; Figueiredo, AJ; Simoes, F; Seabra, A; Natal, A; Vaeyens, R; Philippaerts, R; Cumming, SP; Malina, RM. (2010). Discrimination of U-14 Soccer Players by Level and Position. *Int J Sports Med* 31: 790-796.
- Silvestre-Albero, A; Rico-Francã©s, S; Rodrã-guez-Reinoso, F; Kern, AM; Klumpp, M; Etzold, BJM; Silvestre-Albero, Jn. (2013). High selectivity of TIC-CDC for COã,,/Nã,, separation. *Carbon* 59: 221-228.
- Simãn-Yarza, T; Tamayo, E; Benavides, C; Lana, H; Formiga, FR; Grama, CN; Ortiz-de-Solorzano, C; Kumar, MN; Prosper, F; Blanco-Prieto, MJ. (2013). Functional benefits of PLGA particulates carrying VEGF and CoQ10 in an animal of myocardial ischemia. *Int J Pharm* 454: 784-790. [International journal of pharmaceutics].
- Sime, KR. (2002). Experimental studies of the host-finding behavior of *Trogus pennator*, a parasitoid of swallowtail butterflies. *J Chem Ecol* 28: 1377-1392.
- Simell, P; Stahlberg, P; Kurkela, E; Albrecht, J; Deutsch, S; Sjoström, K. (2000). Provisional protocol for the sampling and analysis of tar and particulates in the gas from large-scale biomass gasifiers. Version 1998. *Biomass & Bioenergy* 18: 19-38.
- Simmons, DM; Monteith, LG; Hughes, TJ; Claxton, LD. (1986). Effect of preincubation time on mutagenic activity in the Ames salmonella assay. Seventeenth Annual Meeting of the Environmental Mutagen Society, Baltimore, Md, USA, Apr 9-13, 1986 *Environ Mutagen* 8: 78.

## Environmental Hazard Literature Search Results

### Off Topic

- Simmons, JE. (1994). Nephrotoxicity resulting from multiple chemical exposures and chemical interactions. Yang, R S H (Ed) Toxicology of Chemical Mixtures: Case Studies, Mechanisms, and Novel Approaches Xxiv+720p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-768350-X; 0 (0) 1994 335-360.
- Simmons, JE; Berman, E. (1989). Toxicity of complex waste mixtures a comparison of observed and predicted lethality. *J Toxicol Environ Health* 27: 275-286.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health* 43: 305-325.
- Simpson, OA; Kagann, RH. (1990). Measurements of emissions at a chemical waste water treatment site with an open path remote fourier transform interferometer. US Environmental Protection Agency's Atmospheric Research and Exposure Assessment Laboratory and Air and Waste Management Association Measurement of Toxic and Related Air Pollutants INTERNATIONAL SYMPOSIUM, RALEIGH, NORTH CAROLINA, USA, MAY 1-4, 1990. XXI+1097P. AIR AND WASTE MANAGEMENT ASSOCIATION: PITTSBURGH, PENNSYLVANIA, USA. ILLUS. MAPS. PAPER.; 0: 937-939.
- Singh, A; Van den Mooter, G. (2016). Spray drying formulation of amorphous solid dispersions. *Advanced Drug Delivery Reviews* 100: 27-50.
- Singh, B; Florence, AT. (2005). Hydrophobic dendrimer-derived nanoparticles. *Int J Pharm* 298: 348-353.
- Singh, B; Mandal, K; Sahoo, SK; Bhardwaj, U; Battu, RS. (2013). Development and Validation of an HPLC Method for Determination of Spirotetramat and Spirotetramat cis enol in Various Vegetables and Soil. *J AOAC Int* 96: 670-675.
- Singh, K; Horng, YC; Ragsdale, SW. (2003). Rapid ligand exchange in the MCRred1 form of methyl-coenzyme m reductase. *J Am Chem Soc* 125: 2436-2443.
- Singh, N; Khan, IM; Ahmad, A. (2010). Spectrophotometric and spectroscopic studies of charge transfer complexes of p-toluidine as an electron donor with picric acid as an electron acceptor in different solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 75: 1347-1353. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Singh, P; Suman, A; Shrivastava, AK. (2003). Isolation and identification of allelochemicals from sugarcane leaves. *Allelopathy Journal* 12: 71-79.
- Singh, R; Panda, G. (2011). Application of Nazarov type electrocyclization to access 6,5,6 and 6,5,5 core embedded new polycycles: an easy entry to tetrahydrofluorene scaffolds related to Taiwaniaquinoids and C-nor-D homosteroids. *Organic & Biomolecular Chemistry* 9: 4782-4790.
- Singh, RP; Matteson, DS. (2000). Asymmetric homologation of boronic esters bearing azido and silyloxy substituents. *J Org Chem* 65: 6650-6653.
- Singh, RS; Chaudhuri, A. (2004). Single additional methylene group in the head-group region imparts high gene transfer efficacy to a transfection-incompetent cationic lipid. *FEBS Letters* 556: 86-90.
- Singh, SN; Vats, P; Suri, S; Shyam, R; Kumria, MML; Ranganathan, S; Sridharan, K. (2001). Effect of an antidiabetic extract of *Catharanthus roseus* on enzymic activities in streptozotocin induced diabetic rats. *J Ethnopharmacol* 76: 269-277.
- Singh, V; Srivastava, VK; Palit, G; Shanker, K. (1992). Coumarin congeners as antidepressants. *Arzneimittelforschung* 42: 993-996. [Arzneimittel-Forschung].
- Singleton, I. (1994). Microbial metabolism of xenobiotics fundamental and applied research. *J Chem Tech Biotechnol* 59: 9-23.
- Singmaster, JA, III. Contaminants in aged pesticide grade dichloromethane interfering in herbicide residue analysis and a method for their removal. *Journal of agriculture of the University of Puerto Rico* Oct 1991. v. 75 (4): 329-344.
- Sinkkonen, S; Welling, L; Vattulainen, A; Lahti, L; Lahtipera, M; Paasivirta, J. (1996). Short chain aliphatic halocarbons and polychlorinated biphenyls in pine needles: Effects of metal scrap plant emissions. *Chemosphere* 32: 1971-1982.
- Sinswat, P; Gao, XX; Yacaman, MJ; Williams, RO; Johnston, KP. (2005). Stabilizer choice for rapid dissolving high potency itraconazole particles formed by evaporative precipitation into aqueous solution. *Int J Pharm* 302: 113-124.
- Sipos, Pt; Szabócs, Mr; Szabó, As; Erő's, In; Szabó<sup>3</sup>-Rő@vő@sz, P. (2008). An assessment of the interactions between diclofenac sodium and ammonio methacrylate copolymer using thermal analysis and Raman spectroscopy. *J Pharm Biomed Anal* 46: 288-294.
- Sirisangtragul, W; Sripanidkulchai, B. (2013). Modulatory effect of Thai traditional medicine (Yahom Tultavai) on hepatic cytochrome P450 enzymes and pentobarbital-induced sleeping in mice. *Afr J Tradit Complement Altern Med* 2013; 10(4):128-36 [African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines].
- Sirisangtrakul, W; Sripanidkulchai, B. (2011). Interference of Thai traditional medicine (Yahom Ampanthong) on hepatic cytochrome P450 enzymes and pentobarbital-induced sleeping in mice. *Pak J Biol Sci* 14: 91-98. [Pakistan journal of biological sciences : PJBS].
- Sirse, N; Foucher, M; Chabert, P; Booth, JP. (2014). Ground state bromine atom density measurements by two-photon absorption laser-induced fluorescence. *Plasma Sources Science & Technology* 23: 62003-62003.
- Skalicka, W; niak, K; Mendel, M; Ch; opecka, M; Dziekan, N. (2016). Isolation and evaluation of the myorelaxant effect of bergapten on isolated rat jejunum. *Pharm Biol* 2016; 54(1):48-54 [Pharmaceutical biology].
- SkarÅ¼yÅ¼ska, A; Siczek, Mo. (2009). Water-controlled reactions selectivity of the ReOCl<sub>3</sub>(OPPh<sub>3</sub>)(SMe<sub>2</sub>) synthon with a hydrophosphorane ligand. *Inorganica Chimica Acta* 362: 5245-5251.
- Slater, JH. (1994). Microbial dehalogenation of haloaliphatic compounds. Ratledge, C (Ed) Biochemistry of Microbial Degradation Xix+590p Kluwer Academic Publishers: Dordrecht, Netherlands; Norwell, Massachusetts, USA Isbn 0-7923-2273-8; 0 (0) 1994 379-421.
- Slikker, W; Andersen, ME; Bogdanffy, MS; Bus, JS; Cohen, SD; Conolly, RB; David, RM; Doerrer, NG; Dorman, DC; Gaylor, DW; Hattis, D; Rogers, JM; Setzer, RW; Swenberg, JA; Wallace, K. (2004). Dose-dependent transitions in mechanisms of toxicity. *Toxicol Appl Pharmacol* 201: 203-225.

## Environmental Hazard Literature Search Results

### Off Topic

- Slikker, W; Andersen, ME; Bogdanffy, MS; Bus, JS; Cohen, SD; Conolly, RB; David, RM; Doerr, NG; Dorman, DC; Gaylor, DW; Hattis, D; Rogers, JM; Setzer, RW; Swenberg, JA; Wallace, K. (2004). Dose-dependent transitions in mechanisms of toxicity: case studies. *Toxicol Appl Pharmacol* 201: 226-294.
- Slusarczyk, S; Zimmermann, S; Kaiser, M; Matkowski, A; Hamburger, M; Adams, M. (2011). Antiplasmodial and Antitrypanosomal Activity of Tanshinone-Type Diterpenoids from *Salvia miltiorrhiza*. *Planta Med* 77: 1594-1596.
- Sly, LI. (1993). Toxic effects of dichloromethane on the growth of methanotrophic bacteria. *AU - BYERS HK. Fems (Fed Eur Microbiol Soc) Microbiol Ecol* 12: 35-38.
- Small, D; Zaitsev, V; Jung, YS; Rosokha, SV; Head-Gordon, M; Kochi, JK. (2004). Intermolecular, pi-to-pi bonding between stacked aromatic dyads. Experimental and theoretical binding energies and near-IR optical transitions for phenalenyl radical/radical versus radical/cation dimerizations. *J Am Chem Soc* 126: 13850-13858.
- Smith, AA; Glickfield, I. (2011). De-staining and re-staining mucins in formalin fixed paraffin sections. *Biotechnic & Histochemistry* 86: 98-103.
- Smith, DH. (2006). Methylene chloride inhalation. *Nursing* 36: 80. [Nursing].
- Smith, DP. (1995). Submerged filter biotreatment of hazardous leachate in aerobic, anaerobic, and anaerobic/aerobic systems. *Hazardous Waste & Hazardous Materials* 12: 167-183.
- Smith, JL; Cork, A; Hall, DR; Hodges, RJ. Investigation of the effect of female larger grain borer, *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae), and their residues on the production of aggregation pheromone by males. *Journal of stored products research* Apr 1996. v. 32 (2): 171-181.
- Smith, K; El-Hiti, GA; Alshammari, MB; Fekri, A. (2013). Control of Site of Lithiation of 3-(Aminomethyl)pyridine Derivatives. *Synthesis-Stuttgart* 45: 3426-3434.
- Smith, MR; Blake, AJ; Hayes, CJ; Stevens, MFG; Moody, CJ. (2009). Carbene Reactivity of 4-Diazo-4H-imidazoles toward Nucleophiles and Aromatic Compounds. *J Org Chem* 74: 9372-9380.
- Smith, RK. (1993). Handbook of environmental analysis. Smith, R-K Handbook of Environmental Analysis Viii+193p Genium Publishing Corp: Schenectady, New York, USA isbn 0-931690-55-2; 0 (0) 1993 Viii+193p.
- Smolskaite, L; Venskutonis, PR; Talou, T. (2015). Comprehensive evaluation of antioxidant and antimicrobial properties of different mushroom species. *Lwt-Food Science and Technology* 60: 462-471.
- Sniady, A; Durham, A; Morreale, MS; Marcinek, A; Szafert, S; Lis, T; Brzezinska, KR; Iwasaki, T; Ohshima, T; Mashima, K; Dembinski, R. (2008). Zinc-catalyzed cycloisomerizations. Synthesis of substituted furans and furopyrimidine nucleosides. *J Org Chem* 73: 5881-5889.
- Snyder, FF; Drummond, GI. (1978). Activation and stabilization of cardiac adenylate cyclase by GTP analog and fluoride. *Archives of Biochemistry and Biophysics* 185: 116-125.
- Snyder, RW; Mishel, HS; Christensen, GC, 3rd. (1992). Pulmonary toxicity following exposure to methylene chloride and its combustion product, phosgene. *Chest* 101: 860-861. [Chest].
- Snyder-Conn, E. (1993). In-situ toxicity testing with locally collected daphnia. *U S Fish Wildl Serv Biol Rep* 0: 1-14.
- Soares, AT; da Costa, DC; Silva, BF; Lopes, RG; Derner, RB; Antoniosi, NR. (2014). Comparative Analysis of the Fatty Acid Composition of Microalgae Obtained by Different Oil Extraction Methods and Direct Biomass Transesterification. *BioEnergy Res* 7: 1035-1044.
- Soares, PK; Bruns, RE; Scarmenio, IS. (2009). Statistical mixture design investigation of fractionated and total extracts from *Erythrina speciosa* Andrews leaves. *J Sep Sci* 32: 644-652.
- Sochacka, E. (2001). Efficient assessment of modified nucleoside stability under conditions of automated oligonucleotide synthesis: Characterization of the oxidation and oxidative desulfurization of 2-thiouridine. *Nucleosides Nucleotides & Nucleic Acids* 20: 1871-1879.
- Sokeng, SD; Rokeya, B; Hannan, JMA; Junaida, K; Zitech, P; Ali, L; Ngounou, G; Lontsi, D; Kamtchouing, P. (2007). Inhibitory effect of *Ipomoea aquatica* extracts on glucose absorption using a perfused rat intestinal preparation. *Fitoterapia* 78: 526-529.
- Sokol, E; Edwards, KE; Qian, K; Cooks, RG. (2008). Rapid hydrocarbon analysis using a miniature rectilinear ion trap mass spectrometer. *Analyst* 133: 1064-1071.
- Sokolove, PM; Brenza, JM; Shamo, AE. (1983). Ca<sup>2+</sup>-cardiolipin interaction in a model system Selectivity and apparent high affinity. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 732: 41-47.
- Solari, P; Dierickx, PJ. (1994). Correlation between fish lethality data and the cytotoxicity to cultured fish cells of lipophilic solvents emulsified by ultrasonication. *Chemosphere* 28: 1495-1501.
- Soleimani, E; Zainali, M. (2011). Isocyanide-Based Multicomponent Reactions: Synthesis of Alkyl-2-(1-(alkylcarbamoyl)-2,2-dicyanoethyl)benzoate and Isochromeno 3,4-b pyrrole Derivatives. *J Org Chem* 76: 10306-10311.
- Solodukhin, NN; Borisova, NE; Churakov, AV; Zaitsev, KV. (2016). Substituted 4-(1H-1,2,3-triazol-1-yl)-tetrafluorobenzoates: Selective synthesis and structure. *Journal of Fluorine Chemistry* 187: 15-23.
- Solujic, S; Sukdolac, S; Comic, L; Krstic, LJ. (1997). Biochemical reactions in vitro of certain fungi to the presence of hypericin. *Acta Veterinaria-Beograd* 47: 331-343.
- Some, S; Xu, Y; Kim, Y; Yoon, Y; Qin, H; Kulkarni, A; Kim, T; Lee, H. (2013). Highly sensitive and selective gas sensor using hydrophilic and hydrophobic graphenes. *Sci Rep* 2013; 3:1868 [Scientific reports].
- Son, KC; Severson, RF; Kays, SJ. A rapid method for screening sweetpotato genotypes for oviposition stimulants to the sweetpotato weevil. *HortScience* Apr 1991. v. 26 (4): 409-410.
- Sonchik, SM. (1986). The analysis of polychlorinated biphenyls in methylene chloride using column switching. *J Chromatogr Sci* 24: 22-25.

## Environmental Hazard Literature Search Results

### Off Topic

- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta* 74: 1265-1270. [Talanta].
- Song, JH; Yang, TC; Chang, KW; Han, SK; Yi, HK; Jeon, JG. (2006). In vitro anti-cariogenic activity of dichloromethane fraction from *Rheum undulatum* L. root. *Arch Pharm Res* 29: 490-496.
- Song, P; Chan, C-Y; Geng, F; Yu, Q; Guo, Y; Yu, L. (2012). Elevated mixing ratios and sources of methyl chloride: Results from a survey in the Yangtze River Delta region of China. *Atmos Res* 104-105: 172-181.
- Song, P; Geng, FH; Sang, XF; Chan, CY; Chan, LY; Yu, Q. (2012). Characteristics and sources of non-methane hydrocarbons and halocarbons in wintertime urban atmosphere of Shanghai, China. *Environ Monit Assess* 184: 5957-5970.
- Song, QS; Yang, DR; Zhang, GM; Yang, CR. (2001). Volatiles from *Ficus hispida* and their attractiveness to fig wasps. *J Chem Ecol* 27: 1929-1942.
- Song, RJ; Liu, YY; Wu, JC; Liu, Y; Deng, GB; Qi, XX; Xie, YX; Gong, LB; Liu, W; Li, JH. (2012). Synthesis of 2,4-Bis(aryloxy)-1,5-diarylpentane-1,5-diones by Base-Mediated Tandem Reaction. *Synthesis-Stuttgart* 44: 2919-2925.
- Song, XR; Zhao, Y; Wu, WB; Bi, YQ; Cai, Z; Chen, QH; Li, YB; Hou, SX. (2008). PLGA nanoparticles simultaneously loaded with vincristine sulfate and verapamil hydrochloride: Systematic study of particle size and drug entrapment efficiency. *Int J Pharm* 350: 320-329.
- Song, YF; Jing, X; Fleischmann, S; Wilke, BM. (2002). Comparative study of extraction methods for the determination of PAHs from contaminated soils and sediments. *Chemosphere* 48: 993-1001.
- Song, Z; Su, X; Huang, K; Lin, H; Liu, F; Tang, J. (2011). Epoxidation of surface-bound polynorbornene films on silicon: Preventing degradation via solvent effect. *Polymer* 52: 4456-4462.
- Sonnen, HD; Klingebiel, S. (1988). Experienced gained with a soil-decontamination system in Berlin West Germany. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 883-890.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res* 6: 1-8.
- Sorbera, LA; Leeson, PA; Silvestre, J; Castaner, J. (2001). Pagonclone - Anxiolytic GABA-A/BZD site partial agonist. *Drugs of the Future* 26: 651-657.
- Soreide, JE; Tamelander, T; Hop, H; Hobson, KA; Johansen, I. (2006). Sample preparation effects on stable C and N isotope values: a comparison of methods in Arctic marine food web studies. *Mar Ecol Prog Ser* 328: 17-28.
- Sorenson, RJ. (2000). Selective N-arylation of aminobenzanilides under mild conditions using triaryl bismuthanes. *J Org Chem* 65: 7747-7749.
- Sosa, A; Fusco, MR; Rossomando, P; Juarez, A; Robles, S; Petenatti, E; Pelzer, L. (2011). Anti-inflammatory properties from isolated compounds of *Cyclolepis genistoides*. *Pharmaceutical Biology* 49: 675-678.
- Sousa, ZL; de Oliveira, FF; da Conceição, AO; Silva, LA; Rossi, MH; Santos, Jda, S; Andrioli, JL. (2012). Biological activities of extracts from *Chenopodium ambrosioides* Lineu and *Kielmeyera neglecta* Saddi. *Ann Clin Microbiol Antimicrob* 2012; 11:20 [Annals of clinical microbiology and antimicrobials].
- Souza, MLR; Hoch, AL; Gasparino, E; Scapinello, C; Dourado, DM; Da Silva, SCC; Lala, B. (2016). COMPOSITIONAL ANALYSIS AND PHYSICO-CHEMICAL AND MECHANICAL TESTING OF TANNED RABBIT SKINS. *World Rabbit Science* 24: 233-238.
- Sparagana, M; Kucera, L; Phillips, G; Hoffmann, C. (1970). Automated determination of urinary corticosteroids. *Steroids* 15: 353-371.
- Sparg, SG; van Staden, J; Jager, AK. (2002). Pharmacological and phytochemical screening of two Hyacinthaceae species: *Scilla natalensis* and *Ledebouria ovatifolia*. *J Ethnopharmacol* 80: 95-101.
- Spartz, ML; Witkowski, MR; Fateley, JH; Hammaker, RM; Fateley, WG; Carter, RE; Thomas, M; Lane, DD; Marotz, GA; al., e. (1990). Comparison of long path ft-ir data to whole air canister data from a controlled upwind point source. US Environmental Protection Agency's Atmospheric Research and Exposure Assessment Laboratory and Air and Waste Management Association Measurement of Toxic and Related Air Pollutants INTERNATIONAL SYMPOSIUM, RALEIGH, NORTH CAROLINA, USA, MAY 1-4, 1990. XXI+1097P. AIR AND WASTE MANAGEMENT ASSOCIATION: PITTSBURGH, PENNSYLVANIA, USA. ILLUS. MAPS. PAPER.; 0: 685-692.
- Spaulding, RS; Charles, MJ. (2002). Comparison of methods for extraction, storage, and silylation of pentafluorobenzyl derivatives of carbonyl compounds and multi-functional carbonyl compounds. *Anal Bioanal Chem* 372: 808-816. [Analytical and bioanalytical chemistry].
- Specklin, S; Bertus, P; Weibel, JM; Pale, P. (2008). A versatile and highly stereoselective access to vinyl triflates derived from 1,3-dicarbonyl and related compounds. *J Org Chem* 73: 7845-7848.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials* 40: 1350-1363.
- Spenlehauer, G; Veillard, M; Benoît, JP. (1986). Formation and Characterization of Cisplatin Loaded Poly(D,L-Lactide) Microspheres for Chemoembolization. *J Pharm Sci* 75: 750-755.
- Sporst, I, S; Gj, S, N; Carlberg, GE. (1983). Extraction efficiencies for organic compounds found in aquatic sediments. *Anal Chim Acta* 151: 231-235.
- Sporst, I, S; Lichtenthaler, RG; Orelid, Fy. (1985). Extraction efficiencies for hydrocarbons from sediments polluted by oily drill cuttings. *Anal Chim Acta* 169: 343-347.
- Squillante, E; Needham, T; Zia, H. (1997). Solubility and in vitro transdermal permeation of nifedipine. *Int J Pharm* 159: 171-180.
- Srujan, M; Chandrashekar, V; Reddy, RC; Prabhakar, R; Sreedhar, B; Chaudhuri, A. (2011). The influence of the structural orientation of amide linkers on the serum compatibility and lung transfection properties of cationic amphiphiles. *Biomaterials* 32: 5231-5240.
- Srut, M; Traven, L; Stambuk, A; Kralj, S; Zaja, R; Micovic, V; Klobucar, GIV. (2011). Genotoxicity of marine sediments in the fish hepatoma cell line PLHC-1 as assessed by the Comet assay. *Toxicol In Vitro* 25: 308-314.



## Environmental Hazard Literature Search Results

### Off Topic

- Staccioli, G; McMillan, NJ; Meli, A; Bartolini, G. (2002). Chemical characterisation of a 45 million year bark from geodetic hills fossil forest, Axel Heiberg Island, Canada. *Wood Science and Technology* 36: 419-427.
- Staccioli, G; Sturaro, A; Parvoli, G. (1998). Investigation on the DCM extractives of Canadian Arctic fossil woods: the Resolute sample. *Wood Science and Technology* 32: 375-380.
- Stahr, HM; Imerman, PM; Schrunk, D. An improved method for monensin in feeds. *Journal of veterinary diagnostic investigation : official publication of the American Association of Veterinary Laboratory Diagnosticians, Inc* Jan 1996. v. 8 (1): 140-142.
- St-Amand, AD; Girard, L. (2004). Determination of acephate and its degradation product methamidophos in soil and water by solid-phase extraction (SPE) and GC-MS. *Int J Environ Anal Chem* 84: 739-748.
- Stanger, KJ; Lee, JJ; Smith, BD. (2007). Dramatic acceleration of the Menschutkin reaction and distortion of halide leaving-group order. *J Org Chem* 72: 9663-9668.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol* 19: 643-666.
- Starobrat, A; Jaroš, T; Grochala, W. (2015). Synthesis and characterization of a series of mixed-cation borohydrides of scandium: [Cat][Sc(BH<sub>4</sub>)<sub>4</sub>], [Cat] = [Me<sub>4</sub>N], [n-Bu<sub>4</sub>N], and [Ph<sub>4</sub>P]. *Inorganica Chimica Acta* 437: 70-73.
- Staudinger, J; Knocke, WR; Randall, CW. (1990). Evaluating the Onda mass transfer correlation for the design of packed-column air stripping. *Am Water Works Assoc J* 82: 73-79.
- Staudinger, J; Roberts, PV. (1996). A critical review of Henry's law constants for environmental applications. *Critical Reviews in Environmental Science and Technology* 26: 205-297.
- Steckel, H; Brandes, HG. (2004). A novel spray-drying technique to produce low density particles for pulmonary delivery. *Int J Pharm* 278: 187-195.
- Steckel, H; Thies, J; Mäßler, BW. (1997). Micronizing of steroids for pulmonary delivery by supercritical carbon dioxide. *Int J Pharm* 152: 99-110.
- Stefanescu, EA. (2010). Influence of key parameters on the morphology of ethylcellulose microcapsules prepared via room-temperature spray drying. *Cellulose* 17: 617-626.
- Stefanescu, EA; Stefanescu, C; Negulescu, I. (2011). Biodegradable polymeric capsules obtained via room temperature spray drying: preparation and characterization. *J Biomater Appl* 25: 825-849. [Journal of biomaterials applications].
- Steichen, J; Koelliker, J; Grosh, D; Heiman, A; Yearout, R; Robbins, V. (1988). Contamination of farmstead wells by pesticides volatile organics and inorganic chemicals in Kansas USA. *Ground Water Monit Rev* 8: 153-160.
- Steinbeck, MJ; Khan, AU; Karnovsky, MJ. (1993). Extracellular production of singlet oxygen by stimulated macrophages quantified using 9,10-diphenylanthracene and perylene in a polystyrene film. *J Biol Chem* 268: 15649-15654. [The Journal of biological chemistry].
- Stepnowski, P; Siedlecka, EM; Behrend, P; Jastorff, B. (2002). Enhanced photo-degradation of contaminants in petroleum refinery wastewater. *Water Res* 36: 2167-2172.
- Stevens, JL; Ratnayake, JH; Anders, MW. (1980). Metabolism of dihalomethanes to carbon monoxide: IV. Studies in isolated rat hepatocytes. *Toxicol Appl Pharmacol* 55: 484-489.
- Stevens, RH; Cole, DA; Lindholm, PA; Liu, PT; Gourlay, ML; Cheng, HF. (1985). Identification of carcinogens by measurement of cell-mediated immunity vs. antitumor immunity in rats to halogen-containing organic compounds. Jolley, R L Et Al (Ed) *Water Chlorination, Vol 5 Chemistry, Environmental Impact and Health Effects Fifth Conference on Water Chlorination: Environmental Impact and Health Effects*, Williamsburg, Va, USA, June 3-8, 1984 Xx+1575p Lewis Publishers, Inc: Chelsea, Mich, USA Illus Maps Isbn 0-87371-005-3; 0 (0) 1985 251-264.
- Stewart, BD; Andrews, LG; Pelletier, BS; Daly Jr, CA; Boyd, JE. (2015). Porous PMMA-titania composites: A step towards more sustainable photocatalysis. *Journal of Water Process Engineering* 8: 179-185.
- Stewart, MP; Paradee, LM; Raabe, I; Trapp, N; Slattery, JS; Krossing, I; Geiger, WE. (2010). Anodic oxidation of organometallic sandwich complexes using [Al(OC(CF<sub>3</sub>)<sub>3</sub>)<sub>4</sub>]<sup>-</sup> or [AsF<sub>6</sub>]<sup>-</sup> as the supporting electrolyte anion. *Journal of Fluorine Chemistry* 131: 1091-1095.
- St-Gelais, A; Legault, J; Mshvildadze, V; Pichette, A. (2015). Dirchromones: Cytotoxic Organic Sulfur Compounds Isolated from *Dirca palustris*. *J Nat Prod* 78: 1904-1909.
- Stirling, MJ; Sweeney, G; MacRory, K; Blacker, AJ; Page, MI. (2016). The kinetics and mechanism of the organo-iridium-catalysed enantioselective reduction of imines. *Organic & Biomolecular Chemistry* 14: 3614-3622.
- Stokes, JD; Wilkinson, A; Reid, BJ; Jones, KC; Semple, KT. (2005). Prediction of polycyclic aromatic hydrocarbon biodegradation in contaminated soils using an aqueous hydroxypropyl-beta-cyclodextrin extraction technique. *Environ Toxicol Chem* 24: 1325-1330.
- Stolzenberg, AM; Cao, Y. (2001). Alkyl exchange reactions of organocobalt porphyrins. A bimolecular homolytic substitution reaction. *J Am Chem Soc* 123: 9078-9090.
- Stork, CM. (2014). Carbon Monoxide A2 - Wexler, Philip. *Encyclopedia of Toxicology (Third Edition)* Oxford 682-684.
- Stott, WT; McKenna, MJ. (1984). The comparative absorption and excretion of chemical vapors by the upper, lower, and intact respiratory tract of rats. *Fundam Appl Toxicol* 4: 594-602.
- Stott, WT; Ramsey, JC; McKenna, MJ. (1986). Absorption of chemical vapors by the upper respiratory tract of rats. Barrow, C S (Ed) *Chemical Industry Institute of Toxicology Series: Toxicology of the Nasal Passages; Seventh Ciit (Chemical Industry Institute Toxicology) Conference on Toxicology*, Raleigh, NC, USA, Feb 22-23, 1984 xvii+317p Hemisphere Publishing Corp: New York, NY, USA (Dist Outside the United States by McGraw-Hill International Book Co: Auckland, NZ, Australia) Isbn 0-89116-397-2; 0 (0) 1986 191-210.
- Stourman, NV; Rose, JH; Vuilleumier, S; Armstrong, RN. (2003). Catalytic mechanism of dichloromethane dehalogenase from *Methylophilus* sp strain DM11. *Biochemistry* 42: 11048-11056.

## Environmental Hazard Literature Search Results

### Off Topic

- Stout, PR; Claffey, DJ; Ruth, JA. (1998). Fentanyl in hair - Chemical factors involved in accumulation and retention of fentanyl in hair after external exposure or in vivo deposition. *Drug Metab Dispos* 26: 689-700.
- Strange, ED; Schaich, KM. (2000). Extraction of lipids from extruded corn-soy blends. *Journal of Food Lipids* 7: 217-224.
- Streeter, AJ. (1993). Toxicokinetics of chemical carcinogens. Welling, P G And F A De La Iglesia (Ed) *Drug and Chemical Toxicology*, Vol 9 Drug Toxicokinetics xviii+408p Marcel Dekker, Inc: New York, New York, USA; Basel, Switzerland Isbn 0-8247-9019-7; 9 (0) 1993 291-303.
- Stromeyer, SA; Winkelbauer, W; Kohler, H; Cook, AM; Leisinger, T. (1991). Dichloromethane utilized by an anaerobic mixed culture: acetogenesis and methanogenesis. *Biodegradation* 1991; 2(2):129-37 [Biodegradation].
- Stromnova, TA; Dayneko, MV; Churakov, AV; Kuzâ€™mina, LG; CÃ¼mpora, J; Palma, P; Carmona, E. (2006). Trinuclear palladium complexes containing terminal nitrosyl ligands: Behavior in solid state and in solution. X-ray structures of Pd3(NO)2(1/4-OCOCX3)4(1/2-ArH)2 (X = F, Cl; ArH = toluene or benzene). *Inorganica Chimica Acta* 359: 1613-1618.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res* 68: 1037-1044.
- Stucki, G. (1990). Biological decomposition of dichloromethane from a chemical process effluent. *Biodegradation* 1: 221-228.
- Studer, A; McAnulla, C; Buchele, R; Leisinger, T; Vuilleumier, S. (2002). Chloromethane-induced genes define a third C-1 utilization pathway in *Methylobacterium chloromethanicum* CM4. *J Bacteriol* 184: 3476-3484.
- Stull, JO; Herring, B. (1990). Selection and testing of a glove combination for use with the USA coast Guard's chemical response suit. *Am Ind Hyg Assoc J* 51: 378-383.
- Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. *AIHAJ* 63: 62-71.
- Su, F; Alam, R; Mei, Q; Tian, Y; Youngbull, C; Johnson, RH; Meldrum, DR. (2012). Nanostructured oxygen sensor--using micelles to incorporate a hydrophobic platinum porphyrin. *PLoS One* 2012; 7(3):e33390 [PLoS one].
- Su, GC. (1998). A comparison of statistical and empirical detection limits. *J AOAC Int* 81: 105-110.
- Subagayono, DJN; Marshall, M; Jackson, WR; Chaffee, AL. (2015). Pressurized thermal and hydrothermal decomposition of algae, wood chip residue, and grape marc: A comparative study. *Biomass & Bioenergy* 76: 141-157.
- Suchocki, P; Jakoniuk, D; Fitak, BA. (2003). Specific spectrophotometric method with trifluoroacetic acid for the determination of selenium(IV) in selenitetriglycerides. *J Pharm Biomed Anal* 32: 1029-1036.
- Suffet, IH; Baker, RJ; Yohe, TL. (1988). Pretreatment of drinking water to control organic contaminants and taste and odor. Hahn, H H And R Klute (Ed) *Pretreatment in Chemical Water and Wastewater Treatment; 3rd Gothenburg Symposium*, Gothenburg, Sweden, June 1-3, 1988 xi+356p Springer-Verlag New York, Inc: Secaucus, New Jersey, USA; Berlin, West Germany Illus Maps Isbn 0-387-19423-1; Isbn 3-540-19423-1; 0 (0) 1988 15-40.
- Suganya, T; Renganathan, S. (2012). Optimization and kinetic studies on algal oil extraction from marine macroalgae *Ulva lactuca*. *Bioresour Technol* 107: 319-326.
- Sugiura, T; Yajima, D; Shoji, K; Ohta, Y; Yokozawa, T. (2015). Control of chain ends of polyesters in polycondensation of AA and BB monomers by use of solidâ€ phase reagent. *Journal of polymer science* 53: 1379-1386.
- Sujbert, L; Racz, G; Szende, B; Schroder, HC; Muller, WEG; Torok, G. (2006). Genotoxic potential of by-products in drinking water in relation to water disinfection: Survey of pre-ozonated and post-chlorinated drinking water by Ames-test. *Toxicology* 219: 106-112.
- Sukhirun, N; Pluempanupat, W; Bullangpoti, V. (2010). Impact of *Alpinia galanga* rhizome extract on *Bactrocera dorsalis* population. *Commun Agric Appl Biol Sci* 2010; 75(3):399-403 [Communications in agricultural and applied biological sciences].
- Suleiman, MM; McGaw, LJ; Naidoo, V; Eloff, JN. (2010). Evaluation of several tree species for activity against the animal fungal pathogen *Aspergillus fumigatus*. *South African Journal of Botany* 76: 64-71.
- Sultana, T; Porter, NG; Savage, GP; McNeil, DL. (2003). Comparison of isothiocyanate yield from Wasabi rhizome tissues grown in soil or water. *J Agric Food Chem* 51: 3586-3591.
- Sumner, DD; Stevens, JT. (1994). Pharmacokinetic Factors Influencing Risk Assessment Saturation of Biochemical Processes and Cofactor Depletion. *Environ Health Perspect* 102: 13-22.
- Sun, CW; Chen, SC; Fang, TS. (2014). Substituent effects on the decomposition of chemiluminescent tricyclic aromatic dioxetanes. *Luminescence* 29: 445-450.
- Sun, H; Xu, H; Yang, X; Li, N; Liu, Z; Pan, W; Yuan, Y. (2011). Formulation of a stable and high-loaded quercetin injectable emulsion. *Pharm Dev Technol* 16: 609-615. [Pharmaceutical development and technology].
- Sun, HY; Wang, L; Liu, JW; Peng, M. (2009). Improved Production of Raw Starch Degrading Enzyme by *Aspergillus oryzae* F-30 Using Methyl Glucoside Sesqui-Stearate. *Appl Biochem Biotechnol* 159: 78-84.
- Sun, JD; McClellan, RO. (1984). Respiratory tract clearance of 14C-labeled diesel exhaust compounds associated with diesel particles or as a particle-free extract. *Fundam Appl Toxicol* 4: 388-393.
- Sun, MZ; Downes, S. (2009). Physicochemical characterisation of novel ultra-thin biodegradable scaffolds for peripheral nerve repair. *Journal of Materials Science-Materials in Medicine* 20: 1181-1192.
- Sun, P; Weavers, LK. (2006). Sonolytic reactions of phenanthrene in organic extraction solutions. *Chemosphere* 65: 2268-2274.
- Sun, P; Weavers, LK; Taerakul, P; Walker, HW. (2006). Characterization of polycyclic aromatic hydrocarbons (PAHs) on lime spray dryer (LSD) ash using different extraction methods. *Chemosphere* 62: 265-274.
- Sun, Q; Alexandrova, OA; Herckes, P; Allen, JO. (2009). Quantitative extraction of organic tracer compounds from ambient particulate matter collected on polymer substrates. *Talanta* 78: 1115-1121. [Talanta].

## Environmental Hazard Literature Search Results

### Off Topic

- Sun, R; Sun, XF; Xiao, B. Extraction and characterization of lipophilic extractives from rice straw. II. Spectroscopic and thermal analysis. *Journal of Wood Chemistry and Technology* 2002. v. 22 (1): 1-9.
- Sun, SW; Jeong, YI; Kim, SH. (2003). Surfactant-free microspheres of poly(epsilon-caprolactone)/Poly(ethylene glycol)/poly(epsilon-caprolactone) triblock copolymers as a protein carrier. *Arch Pharm Res* 26: 504-510.
- Sun, SW; Li, H; Zhou, WL; Liu, A; Zhu, H. (2014). Bacterial Quorum Sensing Inhibition Activity of the Traditional Chinese Herbs, *Ficus carica* L. and *Perilla frutescens*. *Chemotherapy* 60: 379-383.
- Sun, Y; Yang, Y; Wang, CH; Liu, JM; Shi, W; Zhu, XB; Lu, LJ; Li, QS. (2013). Cell Debris Self-Immobilized Thermophilic Lipase: a Biocatalyst for Synthesizing Aliphatic Polyesters. *Appl Biochem Biotechnol* 170: 399-405.
- Sun, Z; SchÄssler, W; Sengl, M; Niessner, R; Knopp, D. (2008). Selective trace analysis of diclofenac in surface and wastewater samples using solid-phase extraction with a new molecularly imprinted polymer. *Anal Chim Acta* 620: 73-81.
- Sundaravel, K; Suresh, E; Palaniandavar, M. (2010). Iron(III) complexes of tridentate N3 ligands as models for catechol dioxygenases: Stereoelectronic effects of pyrazole coordination. *Inorganica Chimica Acta* 363: 2768-2777.
- Sunderland, J; Lovering, AM; Tobin, CM; MacGowan, AP; Roe, JM; Delsol, AA. (2004). A reverse-phase HPLC assay for the simultaneous determination of enrofloxacin and ciprofloxacin in pig faeces. *Int J Antimicrob Agents* 23: 390-393.
- Sundstrom, DW; Weir, BA; Barber, TA; Klei, HE. (1992). Destruction of pollutants and microorganisms in water by uv light and hydrogen peroxide. Symposium on Advanced Oxidation Processes, June 14-15, 1990 *Wat Pollut Res J Can* 27: 57-68.
- Sunsandee, N; Ramakul, P; Pancharoen, U; Leepipatpiboon, N. (2013). Enantioseparation of (S)-amlodipine from pharmaceutical industry wastewater by stripping phase recovery via HFSLM: Polarity of diluent and membrane stability investigation. *Separation and Purification Technology* 116: 405-414.
- Sunthornvarabhas, J; Chatakanonda, P; Piyachomkwan, K; Sriroth, K. (2011). Electrospun polylactic acid and cassava starch fiber by conjugated solvent technique. *Mater Lett* 65: 985-987.
- Suntio, LR; Shiu, WY; Mackay, D. (1988). A review of the nature and properties of chemicals present in pulp mill effluents. *Chemosphere* 17: 1249-1290.
- Suraru, SL; Wuerthner, F. (2013). Regioselectivity in Sequential Nucleophilic Substitution of Tetrabromonaphthalene Diimides. *J Org Chem* 78: 5227-5238.
- Suter, GW, II. (1996). Toxicological benchmarks for screening contaminants of potential concern for effects on freshwater biota. *Environ Toxicol Chem* 15: 1232-1241.
- Sutton, LR; Scheloske, M; Pirner, KS; Hirsch, A; Guldi, DM; Gisselbrecht, JP. (2004). Unexpected change in charge transfer behavior in a cobalt(II) porphyrin-fullerene conjugate that stabilizes radical ion pair states. *J Am Chem Soc* 126: 10370-10381.
- Suwannahong, K; Liengcharernsit, W; Sanongraj, W; Kruenate, J. (2012). Application of Nano-TiO(2)/LDPE composite film on photocatalytic oxidation degradation of dichloromethane. *J Environ Biol* 33: 955-959.
- Suwatchara, D; Henstridge, MC; Rees, NV; Laborda, E; Compton, RG. (2012). Comparative evaluation of the symmetric and asymmetric Marcusâ€Hush formalisms of electrode kinetics â€ The one-electron oxidation of tetraphenylethylene in dichloromethane on platinum microdisk electrodes. *Journal of electroanalytical chemistry* 677-680: 120-126.
- Suzuki, H; Miyamoto, N; Masada, T; Hayakawa, E; Ito, K. (1996). Solid dispersions of benidipine hydrochloride .2. Investigation of the interactions among drug, polymer and solvent in preparations. *Chemical & Pharmaceutical Bulletin* 44: 372-377.
- Suzuki, M; Fullem, SI; Suzuki, IS; Wang, LY; Zhong, CJ. (2009). Observation of superspin-glass behavior in Fe3O4 nanoparticles. *Physical Review B* 79: 4418-4418.
- Suzuki, S; Hosoe, T; Nozawa, K; Kawai, K; Yaguchi, T; Udagawa, S. (2000). Antifungal substances against pathogenic fungi, *talaroconvolutins*, from *Talaromyces convolutus*. *J Nat Prod* 63: 768-772.
- Suzuki, T; Nezu, K; Sasaki, H; Miyazawa, T; Isono, H. (1994). Cytotoxicity of chlorinated hydrocarbons and lipid peroxidation in isolated rat hepatocytes. *Biological & Pharmaceutical Bulletin* 17: 82-86.
- Svetaz, L; Agüero, MB; Alvarez, S; Luna, L; Gabriela, F; Derita, M; Tapia, A; Zacchino, S. (2007). Antifungal activity of *Zuccagnia punctata* Cav.: Evidence for the mechanism of action. *Planta Med* 73: 1074-1080.
- Swami, G; Pooja, D; Kulhari, H; Kymonil, KM; Saraf, SA. (2013). Surface modification of poly (L-lactic acid) microspheres for site-specific delivery of ketoprofen for chronic inflammatory disease. *J Drug Target* 21: 232-239.
- Swartz, E; Stockburger, L. (2003). Recovery of semivolatile organic compounds during sample preparation: Implications for characterization of airborne particulate matter. *Environmental Science & Technology* 37: 597-605.
- Swindlehurst, RJ; Johnston, PA; Trondle, S; Stringer, RL; Stephenson, AD; Stone, IM. (1995). Regulation of toxic chemicals in the mediterranean the need for an adequate strategy. *Sci Total Environ* 171: 243-264.
- Sy, LK; Brown, GD. (1998). A seco-cycloartane from *Illicium verum*. *Phytochemistry* 48: 1169-1171.
- Sydnés, LK; Pedersen, GS; Holmelid, B; Sandberg, M. (2007). Chemistry of acylals, part IV: BF(3)-catalyzed formation of substituted alpha, alpha'-bis(arylmethylidene)cycloalkanones from acylals and 1-cycloalkenyl trimethylsilyl ethers. *Synthesis-Stuttgart* 3692-3696.
- Syintsakos, LM; Paone, DA. (1989). Degradation of chlorinated solvents by a dichloromethane utilizing microorganism isolated from an industrial waste site. 89th Annual Meeting of the American Society for Microbiology, New Orleans, Louisiana, USA, May 14-18, 1989 *Abstr Annu Meet Am Soc Microbiol* 89: 336.
- Sylvestre, M; Bertrand, JL; Viel, G. (1997). Feasibility study for the potential use of biocatalytic systems to destroy chlorofluorocarbons cfc's. *Critical Reviews in Environmental Science and Technology* 27: 87-111.

## Environmental Hazard Literature Search Results

### Off Topic

- SzÅ©kely, Gr; Bandarra, J; Heggie, W; Selligren, Br; Ferreira, FC. (2012). A hybrid approach to reach stringent low genotoxic impurity contents in active pharmaceutical ingredients: Combining molecularly imprinted polymers and organic solvent nanofiltration for removal of 1,3-diisopropylurea. *Separation and Purification Technology* 86: 79-87.
- Szmigielska, AM; Schoenau, JJ. (1999). Analysis of imazethapyr in agricultural soils by ion exchange membranes and a Canola bioassay. *Commun Soil Sci Plant Anal* 30: 1831-1846.
- Szmigielska, AM; Schoenau, JJ; Greer, K. (1998). Comparison of chemical extraction and bioassay for measurement of metsulfuron in soil. *Weed Sci* 46: 487-493.
- Szwajca, A; Krzywiecki, M; Koroniak, H. (2015). Self-assembled monolayers of partially fluorinated alcohols on Si(0 0 1): XPS and UV-photoemission study. *Journal of Fluorine Chemistry* 180: 248-256.
- Szymanski, W; Velema, WA; Feringa, BL. (2014). Photocaging of Carboxylic Acids: A Modular Approach. *Angewandte Chemie-International Edition* 53: 8682-8686.
- Tabak, M; Armon, R; Neeman, I. (1999). Cinnamon extracts' inhibitory effect on *Helicobacter pylori*. *J Ethnopharmacol* 67: 269-277.
- Tabak, M; Armon, R; Neeman, I. (1999). Cinnamon extracts's™ inhibitory effect on *Helicobacter pylori*. *J Ethnopharmacol* 67: 269-277.
- Tachibana, M; Iwaizumi, M. (1987). EPR and UV-visible spectroscopic studies of copper(II) and cobalt(II) complexes of hydroxyanthraquinones. *J Inorg Biochem* 30: 141-151.
- Tackenberg, MW; GeisthÄ¶vel, C; Marmann, A; Schuchmann, HP; Kleinebudde, P; Thommes, M. (2015). Mechanistic study of carvacrol processing and stabilization as glassy solid solution and microcapsule. *Int J Pharm* 478: 597-605.
- Taguchi, S; Goki, T; Kazashi, H; Kasahara, I. (1997). Effect of aromatic solvents dissolved in an aqueous phase on ion-pair solid-phase extraction. *Analyst* 122: 1319-1322.
- Taher, D; Walfort, B; Lang, H. (2006). Rigid-rod structured palladium complexes. *Inorganica Chimica Acta* 359: 1899-1906.
- Tahir, SF; Koh, CA. (1999). Catalytic destruction of volatile organic compound emissions by platinum based catalyst. *Chemosphere* 38: 2109-2116.
- Tai, CY; Chen, BH. (2000). Analysis and stability of carotenoids in the flowers of daylily (*Hemerocallis disticha*) as affected by various treatments. *J Agric Food Chem* 48: 5962-5968.
- Takada, M; Yoshioka, H; Tada, H; Matsushige, K. (2002). Electrical characteristics of phthalocyanine films prepared by electrophoretic deposition. *Japanese Journal of Applied Physics Part 2-Letters & Express Letters* 41: L73-L75.
- Takahashi, H; Nozawa, K; Kawai, K. (1996). Isolation and structures of dicyanide derivatives, epurpurins A to C, from *Emericella purpurea*. *Chemical & Pharmaceutical Bulletin* 44: 2227-2230.
- Takahashi, Y; Goto, S; Takagi, Y; Ishii, T; Lewtas, J; Matsushita, H. (1991). Mutagenicity of personal airborne particulate samples by ultramicro forward-mutation assay. 18th Annual Meeting of the Environmental Mutagen Society of Japan, Tokyo, Japan, November 21-23, 1989 *Mutat Res* 252: 111.
- Takanaga, H; Ohnishi, A; Matsuo, H; Sawada, Y. (1998). Inhibition of vinblastine efflux mediated by P-glycoprotein by grapefruit juice components in Caco-2 cells. *Biological & Pharmaceutical Bulletin* 21: 1062-1066.
- Takano, A; Fukuhara, H; Ohno, F; Kutsuma, M; Fujimoto, T; Shirai, H; Iriye, R; Kakehi, A; Yamamoto, I. (2003). Regioselective synthesis of phosphonylated sugars from reactions of glycals with diphenylphosphonium cation. *Journal of Carbohydrate Chemistry* 22: 443-457.
- Takatsuki, S; Nemoto, S; Sasaki, K; Maitani, T. (2003). Determination of acrylamide in processed foods by LC/MS using column switching. *Journal of the Food Hygienic Society of Japan* 44: 89-95.
- Takehito, T; Yoshifumi, M. (1988). Metabolism of dichloromethane and the subsequent binding of its product, carbon monoxide, to cytochrome P-450 in perfused rat liver. *Toxicol Lett* 40: 93-96.
- Takei, T; Yoshida, M; Hatate, Y; Shiomori, K; Kiyoyama, S. (2008). Lactic Acid Bacteria-Enclosing Poly(epsilon-Caprolactone) Microcapsules as Soil Bioamendment. *J Biosci Bioeng* 106: 268-272.
- Takei, T; Yoshida, M; Hatate, Y; Shiomori, K; Kiyoyama, S. (2008). Lactic acid bacteria-enclosing poly(μ-caprolactone) microcapsules as soil bioamendment. *J Biosci Bioeng* 106: 268-272.
- Talipov, SA; Ibragimov, BT; Nazarov, GB; Aripov, TF; Sadykov, AS. X-ray structural investigation of gossypol and its derivatives. III. Structure of the crystalline modification of gossypol grown from solution in methylene chloride. *Chemistry of Natural Compounds* Nov/Dec 1985 (pub. 1986). v. 21 (6): 797-798.
- Tamiaki, H; Kuno, M; Ohata, M. (2014). Self-aggregation of Synthetic Zinc Chlorophyll Derivatives Possessing 3(1)-Hydroxy or Methoxy Group and 13(1)-Mono- or Dicyanomethylene Moiety in Nonpolar Organic Solvents as Models of Chlorosomal Bacteriochlorophyll-d Aggregates. *Photochem Photobiol* 90: 1277-1286.
- Tamiaki, H; Takebe, H; Sasaki, S; Kataoka, Y. (2012). Synthesis of oligomethylene-strapped chlorophyll derivatives and optical properties of their stereoisomers in a solution. *Photosynth Res* 111: 1-8.
- Tamokou Jde, D; Kuate, JR; Gatsing, D; Efouet, AP; Njouendou, AJ. (2011). Antidermatophytic and Toxicological Evaluations of Dichloromethane-Methanol Extract, Fractions and Compounds Isolated from *Coula edulis*. *Iran J Med Sci* 36: 111-121. [Iranian journal of medical sciences].
- Tan, LK; Liem, AJ. (1996). Effect of hydrochloric acid on sampling and analysis of semivolatile organic compounds in incineration flue gas: 1. Chlorophenols. *Environmental Science & Technology* 30: 1053-1060.
- Tan, PV; Dimo, T; Dongo, E. (2000). Effects of methanol, cyclohexane and methylene chloride extracts of *Bidens pilosa* on various gastric ulcer models in rats. *J Ethnopharmacol* 73: 415-421.

## Environmental Hazard Literature Search Results

### Off Topic

- Tan, X; Hou, S; Jiang, J; Wang, M. (2007). Preparation of a new chiral stationary phase for HPLC based on the (R)- 1-phenyl-2-(4-methylphenyl)ethylamine amide derivative of (S)-valine and 2-chloro-3,5-dinitrobenzoic acid: enantioseparation of amino acid derivatives and pyrethroid insecticides. *J Sep Sci* 30: 1888-1892. [Journal of separation science].
- Tanaka, A; Kim, HJ; Oda, S; Shimizu, K; Kondo, R. (2011). Antibacterial activity of moso bamboo shoot skin (*Phyllostachys pubescens*) against *Staphylococcus aureus*. *J Wood Sci* 57: 542-544.
- Tanaka, K; Osuga, H; Kitahara, Y. (2002). Elongation and contraction of molecular springs. Synthesis, structures, and properties of bridged 7 thiaheterohelicenes. *J Org Chem* 67: 1795-1801.
- Tanaka, S; Haneda, M; Tanaka, M; Kimura, K; Seki, Y. (1996). Breakthrough times for vapors of organic solvents with low boiling points in steady-state and pulsating flows on respirator cartridges. *Ind Health* 34: 125-131.
- Tane, P; Akam, MT; Tsopmo, A; Ndi, CP; Sterner, O. (2004). Two labdane diterpenoids and a seco-tetranortriterpenoid from *Turreanthus africanus*. *Phytochemistry* 65: 3083-3087.
- Taneda, S; Hayashi, H; Sakushima, A; Seki, K; Suzuki, AK; Kamata, K; Sakata, M; Yoshino, S; Sagai, M; Mori, Y. (2002). Estrogenic and anti-estrogenic activities of two types of diesel exhaust particles. *Toxicology* 170: 153-161.
- Tang, GF; Huang, YM; Shi, WB. (2005). Reverse micelle-based chemiluminescence system for quinine sulphate. *Luminescence* 20: 181-186.
- Tang, WZ; Tassos, S. Oxidation kinetics and mechanisms of trihalomethanes by Fenton's reagent. *Water Res* May 1997. v. 31 (5): 1117-1125.
- Tang, XQ; Liao, XM; Piccirilli, JA. (1999). 2'-C-branched ribonucleosides: Synthesis of the phosphoramidite derivatives of 2'-C-beta-methylcytidine and their incorporation into oligonucleotides. *J Org Chem* 64: 747-754.
- Tanner, JW; Johansson, JS; Liebman, PA; Eckenhoff, RG. (2001). Predictability of weak binding from X-ray crystallography: Inhaled anesthetics and myoglobin. *Biochemistry* 40: 5075-5080.
- Tanongkankit, Y; Sablani, SS; Chiewchan, N; Devahastin, S. (2013). Microwave-assisted extraction of sulforaphane from white cabbages: Effects of extraction condition, solvent and sample pretreatment. *Journal of Food Engineering* 117: 151-157.
- Tao, S; Cui, YH; Cao, J; Xu, FL; Dawson, R; Li, BG. (2002). Determination of PAHs in wastewater irrigated agricultural soil using accelerated solvent extraction. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes* 37: 141-150.
- Tao, S; Xu, FL; Liu, WX; Cui, YH; Coveney, RM. (2006). A chemical extraction method for mimicking bioavailability of polycyclic aromatic hydrocarbons to wheat grown in soils containing various amounts of organic matter. *Environmental Science & Technology* 40: 2219-2224.
- Tatsimo, SJN; Tane, P; Srinivas, PV; Sondengam, BL; Melissa, J; Okunji, CO; Schuster, BM; Iwu, MM; Khan, IA. (2005). Novel antimicrobial diterpenoids from *Turraeanthus africanus*. *Planta Med* 71: 1145-1151.
- Taukoorah, U; Lall, N; Mahomoodally, F. (2016). Piper betle L. (betel quid) shows bacteriostatic, additive, and synergistic antimicrobial action when combined with conventional antibiotics. *South African Journal of Botany* 105: 133-140.
- Tavares Lde, C; Zanon, G; Weber, AD; Neto, AT; Mostardeiro, CP; Da Cruz, IB; Oliveira, RM; Ilha, V; Dalcol, I; Morel, AF. (2014). Structure-activity relationship of benzophenanthridine alkaloids from *Zanthoxylum rhoifolium* having antimicrobial activity. *PLoS One* 2014; 9(5):e97000 [PloS one].
- Tavendale, MH; Hannus, IM; Wilkins, AL; Langdon, AG; Mackie, KL; McFarlane, PN. (1996). Bile analyses of goldfish (*Crassius auratus*) resident in a New Zealand hydrolake receiving a bleached kraft mill discharge. *Chemosphere* 33: 2273-2289.
- Taw, FL; Mellows, H; White, PS; Hollander, FJ; Bergman, RG; Brookhart, M; Heinekey, DM. (2002). Synthesis and investigation of Cp\*(PMe(3))Rh(H)(H(2)) (+) and its partially deuterated and tritiated isotopomers: Evidence for a hydride/dihydrogen structure. *J Am Chem Soc* 124: 5100-5108.
- Taydakov, IV; Krasnoselskiy, SS. (2010). Direct Bromination of Ethyl 5-Alkylthiophene-2-carboxylates. *Synthesis-Stuttgart* 2965-2968.
- Taylor, GJ; Drew, RT; Loes Jr, EM; Clemmer, TA. (1976). Cardiac depression by haloalkane propellants, solvents, and inhalation anesthetics in rabbits. *Toxicol Appl Pharmacol* 38: 379-387.
- Taylor, MK; Stevenson, DE; Berlouis, LEA; Kennedy, AR; Reglinski, J. (2006). Modelling the impact of geometric parameters on the redox potential of blue copper proteins. *J Inorg Biochem* 100: 250-259.
- Taylor, PH; Dellinger, B. (1988). Thermal degradation characteristics of chloromethane mixtures. *Environ Sci Technol* 22: 438-447.
- Taylor, PH; Dellinger, B; Lee, CC. (1990). Development of a thermal stability based ranking of hazardous organic compound incinerability. *Environ Sci Technol* 24: 316-328.
- Taylor, PN; Lester, JN. (1996). Rapid extraction of isoproturon and diuron from granular activated carbon. *Chemosphere* 33: 1227-1240.
- Taylor, SL; Berg, CM; Shoptaugh, NH; Scott, VN. (1982). Lack of mutagens in deep-fat-fried foods obtained at the retail level. *Food Chem Toxicol* 20: 209-212.
- Taylor, SW; Lange, CR; Lesold, EA. Biofouling of contaminated ground-water recovery wells: characterization of microorganisms. *Ground Water* Nov/Dec 1997. v. 35 (6): 973-980.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment. *Res J Water Pollut Control Fed* 63: 84-89.
- Teffo, LS; Aderogba, MA; Eloff, JN. (2010). Antibacterial and antioxidant activities of four kaempferol methyl ethers isolated from *Dodonaea viscosa* Jacq. var. *angustifolia* leaf extracts. *South African Journal of Botany* 76: 25-29.
- Teicher, MH; Flaum, LE; Williams, M; Eckhart, SJ; Lumia, AR. (1978). Survival, growth and suckling behavior of neonatally bulbectomized rats. *Physiology & Behavior* 21: 553-561.
- Tejeda-Sartorius, O; Rodriguez-Gonzalez, MT. (2008). Weed and vegetable germination and growth inhibitors in amaranth (*Amaranthus hypochondriacus* L.) residues. *Agrociencia* 42: 415-423.

## Environmental Hazard Literature Search Results

### Off Topic

- Tekel, J; Tahotna, S; Pecnikova, K; Holla, M; Vaverkova, S. (1998). Multiresidual method for determination of the uracil herbicides in plant samples by GC/NPD. *Deutsche Lebensmittel-Rundschau* 94: 334-336.
- Tellers, DM; Yung, CM; Arndtsen, BA; Adamson, DR; Bergman, RG. (2002). Electronic and medium effects on the rate of arene C-H bond activation by cationic Ir(III) complexes. *J Am Chem Soc* 124: 1400-1410.
- ten Brink, GJ; Vis, JM; Arends, I; Sheldon, RA. (2001). Selenium-catalyzed oxidations with aqueous hydrogen peroxide. 2. Baeyer-Villiger reactions in homogeneous solution. *J Org Chem* 66: 2429-2433.
- Tenn, C; Niles, L. (1991). A novel and sensitive radioreceptor assay for serum melatonin levels. *Life Sci* 49: 1895-1900.
- Tepe, B; Daferera, D; Sokmen, M; Polissiou, M; Sokmen, A. (2004). The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of *Origanum syriacum* L var *bevanii*. *J Sci Food Agric* 84: 1389-1396.
- Terent'ev, AO; Krylov, IB; Ogibin, YN; Nikishin, GI. (2006). Chlorination of oximes with aqueous H<sub>2</sub>O<sub>2</sub>/HCl system: Facile synthesis of gem-chloronitroso- and gem-chloronitroalkanes, gem-chloronitroso- and gem-chloronitrocycloalkanes. *Synthesis-Stuttgart* 3819-3824.
- Teruhisa, U; Ryoji, H; Taisuke, I; Tatsuya, S; Fumihiro, M; Tatsuo, S. (1981). Use of saliva for monitoring unbound free cortisol levels in serum. *Clinica Chimica Acta* 110: 245-253.
- Tetty, C; Yang, I; Ocloo, A; Shin, H. (2015). VASORELAXANT AND ANTI-INFLAMMATORY ACTIVITIES OF THE METHYLENE CHLORIDE FRACTION OF FOENICULUM VULGARE FRUIT EXTRACT. *Journal of Food Biochemistry* 39: 55-63.
- Tetty, CO; Lincha, VR; Lee, DU; Yang, IJ; Shin, HM. (2016). Anti-Inflammatory Effects of the Flowers of *Prunus persica* var. *dauidiana*. *Journal of Food Biochemistry* 40: 227-234.
- Tetty, CO; Ocloo, A; Nagajyothi, PC; Lee, KD. (2014). Antioxidant Activity of Solvent Fractions of *Taraxacum officinale* (Dandelion) Leaves. *Journal of herbs, spices & medicinal plants* 20: 329-340.
- Tetty, CO; Yang, I; Ocloo, A; Shin, HM. (2015). Vasorelaxant and Anti-inflammatory Activities of the Methylene Chloride Fraction of *Foeniculum vulgare* Fruit Extract. *Journal of Food Biochemistry* 39: 55-63.
- Thaipong, K; Boonprakob, U; Crosby, K; Cisneros-Zevallos, L; Byrne, DH. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis* 19: 669-675.
- Thakkar, S; Manes, M. (1988). Adsorptive displacement analysis of many-component priority pollutants on activated carbon 2. extension to low parts per million based on carbon. *Environ Sci Technol* 22: 470-472.
- Thalhammer, T; Kaschnitz, R; Mittermayer, K; Haddad, P; Graf, Jr. (1993). Organic solvents increase membrane fluidity and affect bile flow and K<sup>+</sup> transport in rat liver. *Biochem Pharmacol* 46: 1207-1215.
- Thanigaivel, S; Hindu, SV; Vijayakumar, S; Mukherjee, A; Chandrasekaran, N; Thomas, J. (2015). Differential solvent extraction of two seaweeds and their efficacy in controlling *Aeromonas salmonicida* infection in *Oreochromis mossambicus*: A novel therapeutic approach. *Aquaculture* 443: 56-64.
- Thao, NP; Luyen, BT; Koo, JE; Kim, S; Koh, YS; Cuong, NX; Nam, NH; Van Kiem, P; Kim, YH; Van Minh, C. (2015). Anti-inflammatory components of the Vietnamese starfish *Protoreaster nodosus*. *Biol Res* 2015; 48:12 [Biological research].
- Thao, NP; Luyen, BTT; Kim, JH; Jo, AR; Yang, SY; Dat, NT; Minh, CV; Kim, Y. (2016). Soluble epoxide hydrolase inhibitory activity by rhizomes of *Kaempferia parviflora* Wall. ex Baker. *Medicinal Chemistry Research* 25: 704-711.
- Tharasawatpipat, C; Suwannahong, K; Krueate, J; Kreetachat, T. (2015). Removal of VOCs by photocatalytic oxidation using nano-TiO<sub>2</sub>/PLA biocomposite. *J Environ Biol* 36: 617-621.
- Thiansilakul, Y; Benjakul, S; Shahidi, F. (2007). Antioxidative activity of protein hydrolysate from round scad muscle using alcalase and flavourzyme. *Journal of Food Biochemistry* 31: 266-287.
- Thiel, PG. (1969). The effect of methane analogues on methanogenesis in anaerobic digestion. *Water Res* 3: 215-223.
- Thielen, DR; Olsen, GH; Dolan, JW. (1990). An evaluation of factors affecting alumina selectivity for the isomer specific determination of 2,3,7,8-tetrachlorodibenzodioxin. *Chemosphere* 20: 1363-1370.
- Thiery, D; Gabel, B; Farkas, P; Jarry, M. Egg dispersion in codling moth: influence of egg extract and of its fatty acid constituents. *J Chem Ecol* Dec 1995. v. 21 (12): 2015-2026.
- Thies, J; Müller, BW. (1998). Size controlled production of biodegradable microparticles with supercritical gases. *Eur J Pharm Biopharm* 45: 67-74.
- Thilagar, AK; Kumaroo, V. (1983). Induction of chromosome damage by methylene chloride in CHO cells. *Mutation Research/Genetic Toxicology* 116: 361-367.
- Thio, BJR; Meredith, JC. (2008). Quantification of E-coli adhesion to polyamides and polystyrene with atomic force microscopy. *Colloids and Surfaces B-Biointerfaces* 65: 308-312.
- Thofner, ICN; Liebhart, D; Hess, M; Schou, TW; Hess, C; Ivarsen, E; Frette, XC; Christensen, LP; Grevsen, K; Engberg, RM; Christensen, JP. (2012). Antihistomonal effects of artemisinin and *Artemisia annua* extracts in vitro could not be confirmed by in vivo experiments in turkeys and chickens. *Avian Pathol* 41: 487-496.
- Thomanetz, E. (1988). Development of extensive concepts for the treatment and purification of leachate contaminated partially by dioxins based on the example of the hazardous waste-landfill site malsch west germany. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 1241-1242.

## Environmental Hazard Literature Search Results

### Off Topic

- Thomas, JM; Athey, LA; Skalski, JR. (1990). Statistical approaches to screening hazardous waste sites for toxicity. Friedman, D (Ed) Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 140-162.
- Thomas, JM; Ward, CH. (1989). In situ bioremediation of organic contaminants in the subsurface. *Environ Sci Technol* 23: 760-766.
- Thomas, M; Gesson, JP; Papot, S. (2007). First O-Glycosylation of hydroxamic acids. *J Org Chem* 72: 4262-4264.
- Thomas, RS; Yang, RS; Morgan, DG; Moorman, MP; Kermani, HR; Sloane, RA; O'Connor, RW; Adkins, B, Jr.; Gargas, ML; Andersen, ME. (1996). PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure. *Environ Health Perspect* 104: 858-865. [Environmental health perspectives].
- Thomas, RS; Yang, RS; Morgan, DG; Moorman, MP; Kermani, HR; Sloane, RA; O'Connor, RW; Adkins, BJ; Gargas, ML; Andersen, ME. (1996). PBPK modeling/Monte Carlo simulation of methylene chloride kinetic changes in mice in relation to age and acute, subchronic, and chronic inhalation exposure. *Environ Health Perspect* 104: 858-865.
- Thomas, WH; Rossi, SS; Seibert, DLR. (1981). Effects of some representative petroleum refinery effluent compounds on photosynthesis and growth of natural marine phytoplankton assemblages: Part 1—cresols. *Mar Environ Res* 4: 203-215.
- Thomasi, C; Merkle, HP; Gander, B. (1998). Drug microencapsulation by PLA/PLGA coacervation in the light of thermodynamics. 2. Parameters determining microsphere formation. *J Pharm Sci* 87: 269-275.
- Thomasi, C; Merkle, HP; Gander, BA. (1997). Physico-chemical parameters governing protein microencapsulation into biodegradable polyesters by coacervation. *Int J Pharm* 147: 173-186.
- Thompson, M; Stubbley, EA. (1980). Ultraviolet photoelectron spectroscopy and oxidative electrochemistry of 8-hydroxyquinoline and its derivatives. *Anal Chim Acta* 119: 179-185.
- Thoms, SR; Lion, LW. (1992). Vapor-phase partitioning of volatile organic compounds: A regression approach. *Environ Toxicol Chem* 11: 1377-1388.
- Thongnast, S; Mahidol, C; Sutthivaiyakit, S; Ruchirawat, S. (2005). Oxygenated pimarane diterpenes from *Kaempferia marginata*. *J Nat Prod* 68: 1632-1636.
- Thorburn Burns, D; Chimpalee, D. (1992). Spectrophotometric determination of bismuth after extraction of 1-naphthylmethyltriphenylphosphonium tetraiodobismuthate(III) with microcrystalline benzophenone. *Anal Chim Acta* 256: 87-90.
- Thorburn Burns, D; Chimpalee, N; Harriott, M. (1989). Flow-injection extraction spectrophotometric determination of bismuth as tetraiodobismuthate(III) with the tetramethylenebis(triphenylphosphonium) cation. *Anal Chim Acta* 225: 449-453.
- Thosar, SS; Forbess, RA; Kemper, M; Shukla, AJ. (1999). Determination of copolymer ratios of poly(lactide-co-glycolide) using near-infrared spectroscopy. *J Pharm Biomed Anal* 20: 107-114.
- Thrall, KD; Callahan, PJ; Weitz, KK; Edwards, JA; Brinkman, MC; Kenny, DV. (2001). Design and evaluation of a breath-analysis system for biological monitoring of volatile compounds. *AIHAJ* 62: 28-35.
- Thring, RW. (1994). Alkaline degradation of ALCELL® lignin. *Biomass and Bioenergy* 7: 125-130.
- Tian, D; Zhang, X; Lu, C; Yuan, G; Zhang, W; Zhou, Z. (2014). Solvent-free synthesis of carboxylate-functionalized cellulose from waste cotton fabrics for the removal of cationic dyes from aqueous solutions. *Cellulose* 21: 473-484.
- Tichy, M. (1991). Qsar approach to estimation of the distribution of xenobiotics and the target organ in the body. Selected Papers from the 17th Symposium on Xenobiochemistry, Hradec Kralove, Czechoslovakia, June 22-23, 1991 *Drug Metab Drug Interact* 9: 191-200.
- Tiedemann, MA; Mandell, CL; Chan, BC; Nataro, C. (2014). X-ray structures and oxidative electrochemistry of phosphine sulfides and phosphine selenides. *Inorganica Chimica Acta* 422: 193-201.
- Tien, N-D; Hoa, T-P; Mochizuki, M; Saijo, K; Hasegawa, H; Sasaki, S; Sakurai, S. (2013). Higher-order crystalline structures of poly(oxyethylene) in poly(D,L-lactide)/poly(oxyethylene) blends. *Polymer* 54: 4653-4659.
- Tiess, D; Mennenga, H; Duty, J. (1990). Detection preservation and examination of traces of unusual environment poisoning. Symposium on Forensic Sciences Criminalistic Traces, Popowo, Poland, May 16-20, 1988 *Forensic Sci Int* 46: 19-22.
- Timmermann, BN; Hoffmann, JJ; Jolad, SD; Schram, KH. (1985). Grindelane diterpenoids from *grindelia squarrosa* and *G. Camporum*. *Phytochemistry* 24: 1031-1034.
- Timperley, CM; Arbon, RE; Saunders, SA; Waters, MJ. (2002). Fluorinated phosphorus compounds: Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates. *Journal of Fluorine Chemistry* 113: 65-78.
- Timperley, CM; Holden, I; Morton, IJ; Waters, MJ. (2000). Fluorinated phosphorus compounds: Part 3. The synthesis of symmetrical and unsymmetrical fluoroalkyl phosphates. *Journal of Fluorine Chemistry* 106: 153-161.
- Tingle, FC; Mitchell, ER. Attraction of *Heliopsis virescens* (F.) (Lepidoptera: Noctuidae) to volatiles from extracts of cotton flowers. *J Chem Ecol* June 1992. v. 18 (6): 907-914.
- Tir, R; Dutta, PC; Badjah-Hadj-Ahmed, AY. (2012). Effect of the extraction solvent polarity on the sesame seeds oil composition. *European Journal of Lipid Science and Technology* 114: 1427-1438.
- Tirunagari, M; Jangala, VR; Khagga, M; Gannu, R. (2010). Transdermal therapeutic system of isradipine: Effect of hydrophilic and hydrophobic matrix on In Vitro and Ex vivo characteristics. *Arch Pharm Res* 33: 1025-1033.
- Tito Mansilla, J; Broussalis, AM; Tarcaya, VP; Cufre, IM; Rivera, MC; Fabrizio, MC; Wright, ER. (2012). Efficiency of *Ovidia andina* extracts in the control of the plant pathogen *Rhizoctonia solani*. *Acta horticulturae* 547-552.
- Tobajas, M; Verdugo, V; Polo, AM; Rodriguez, JJ; Mohedano, AF. (2016). Assessment of toxicity and biodegradability on activated sludge of priority and emerging pollutants. *Environ Technol* 37: 713-721.

## Environmental Hazard Literature Search Results

### Off Topic

- Tobinaga, S; Sharma, MK; Aalbersberg, WGL; Watanabe, K; Iguchi, K; Narui, K; Sasatsu, M; Waki, S. (2009). Isolation and Identification of a Potent Antimalarial and Antibacterial Polyacetylene from *Bidens pilosa*. *Planta Med* 75: 624-628.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol* 29: 139-145.
- Todd, DF; Loscutoff, WV. (1993). An overview of carb-adopted source test methods for toxic compounds and results of testing natural gas-fired utility boilers. Chow, W And K K Connor (Ed) *Managing Hazardous Air Pollutants: State of the Art; First International Conference*, Washington, DC, USA, November 4-6, 1991 Xix+582p Lewis Publishers Inc: Chelsea, Michigan, USA Isbn 0-87371-866-6; 0 (0) 1993 66-72.
- Todescato, F; Fortunati, I; Carlotto, S; Ferrante, C; Grisanti, L; Sissa, C; Painelli, A; Colombo, A; Dragonetti, C; Roberto, D. (2011). Dimers of polar chromophores in solution: role of excitonic interactions in one- and two-photon absorption properties. *Phys Chem Chem Phys* 13: 11099-11109. [Physical chemistry chemical physics : PCCP].
- Toftgård, R; Nilsen, OG; Gustafsson, JA. (1982). Dose dependent induction of rat liver microsomal cytochrome P-450 and microsomal enzymatic activities after inhalation of toluene and dichloromethane. *Acta Pharmacol Toxicol (Copenh)* 51: 108-114. [Acta pharmacologica et toxicologica].
- Tokimatsu, H; strycharz, WA; Dahlberg, AE. (1981). Gel electrophoretic studies on ribosomal proteins L7L12 and the *Escherichia coli* 50 s subunit. *Journal of Molecular Biology* 152: 397-412.
- Toklu, HZ; Muller-Delp, J; Sakarya, Y; Oktay, S; Kirichenko, N; Matheny, M; Carter, CS; Morgan, D; Strehler, KYE; Tumer, N; Scarpace, PJ. (2016). HIGH DIETARY FRUCTOSE DOES NOT EXACERBATE THE DETRIMENTAL CONSEQUENCES OF HIGH FAT DIET ON BASILAR ARTERY FUNCTION. *J Physiol Pharmacol* 67: 205-216.
- Tokro, PG; Brossut, R; Sreng, L. Demonstration of the sex pheromone in females of *Blattella germanica* L. *Mise en evidence de la pheromone sexuelle chez les femelles de Blattella germanica* L. *Insect science and its application* Feb 1993. v. 14 (1): 115-126.
- Tolosa, J; Solntsev, KM; Tolbert, LM; Bunz, UHF. (2010). Unsymmetrical Cruciforms. *J Org Chem* 75: 523-534.
- Toma, HK; Yamada-Ogatta, SF; Brandao, A; Krieger, MA; Goldenberg, S; Fernandes, O. (2007). *Trypanosoma cruzi*: Subtractive hybridization as a molecular strategy to generate new targets to distinguish groups and hybrids. *Exp Parasitol* 117: 178-187.
- Toma, W; Gracioso, JD; de Andrade, FDP; Hiruma-Lima, CA; Vilegas, W; Brito, A. (2002). Antiulcerogenic activity of four extracts obtained from the bark wood of *Quassia amara* L. (Simaroubaceae). *Biological & Pharmaceutical Bulletin* 25: 1151-1155.
- Toma, W; Gracioso, JS; Hiruma-Lima, CA; Andrade, FDP; Vilegas, W; Brito, A. (2003). Evaluation of the analgesic and antiedematogenic activities of *Quassia amara* bark extract. *J Ethnopharmacol* 85: 19-23.
- Tomkins, BA; Caton, JE. (1990). Preparation of radioactive mixed waste samples for measurement of rcr organic compounds. Friedman, D (Ed) *Asm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 351-364.*
- Tomkins, GM. (1962). [67] Cortisone 5 $\beta$  reductase from rat liver. *Methods in Enzymology* 499-503.
- Tong, HHY; Wu, HB; Zheng, Y; Xi, J; Chow, AHL; Chan, CK. (2008). Physical characterization of oleanolic acid nonsolvate and solvates prepared by solvent recrystallization. *Int J Pharm* 355: 195-202.
- Topashka-Ancheva, M; Taskova, R; Handjieva, N; Mikhova, B; Duddeck, H. (2003). Clastogenic effect of *Carthamus lanatus* L. (Asteraceae). *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 58: 833-836.
- Topinka, J; Rossner, P; Milcova, A; Schmuczerova, J; Svecova, V; Sram, RJ. (2011). DNA adducts and oxidative DNA damage induced by organic extracts from PM2.5 in an acellular assay. *Toxicol Lett* 202: 186-192.
- Torgonskaya, ML; Doronina, NV; Hourcade, E; Trotsenko, YA; Vuilleumier, S. (2011). Chloride-associated adaptive response in aerobic methylotrophic dichloromethane-utilising bacteria. *J Basic Microbiol* 51: 296-303.
- Torralba, MC; Ovejero, P; Mayoral, MJ; Cano, M; Campo, JA; Heras, JV; Pinilla, E; Torres, MR. (2004). Silver and gold trinuclear complexes based on 3-substituted or 3,5-disubstituted pyrazolato ligands. X-ray crystal structure of cyclo-tris{ $\mu$ -3,5-bis(4-phenoxyphenyl)-1H-pyrazolato-kappa N(1):kappa N(2)}trigold dichloromethane (Au( $\mu$ -pz(pp2)) (3) center dot CH(2)Cl(2)). *Helvetica Chimica Acta* 87: 250-263.
- Torres, AI; Boisdron-Celle, M; Benoit, JP. (1996). Formulation of BCNU-loaded microspheres: influence of drug stability and solubility on the design of the microencapsulation procedure. *J Microencapsul* 13: 41-51. [Journal of microencapsulation].
- Torres, D; Boado, L; Blanco, D; Vila-Jato, JL. (1998). Comparison between aqueous and non-aqueous solvent evaporation methods for microencapsulation of drug-resin complexes. *Int J Pharm* 173: 171-182.
- Torres, D; Boado, L; Blanco, D; Vila-Jato, JL. (1998). Comparison between aqueous and non-aqueous solvent evaporation methods for microencapsulation of drug-resin complexes. *Int J Pharm* 173: 171-182.
- Torres, MEH; Gonzalez, FJE; Cano, MLC; Frias, MM; Vidal, JLM. (2002). Residues of methamidofos, malathion, and methiocarb in greenhouse crops. *J Agric Food Chem* 50: 1172-1177.
- Torres, SL; Monteiro, JCM; Arruda, MSP; Muller, AH; Arruda, AC. (1997). Two flavans from *Brosimum acutifolium*. *Phytochemistry* 44: 347-349.
- Torres-Santos, EC; Moreira, DL; Kaplan, MAC; Meirelles, MN; Rossi-Bergmann, B. (1999). Selective effect of 2',6'-dihydroxy-4'-methoxychalcone isolated from *Piper aduncum* on *Leishmania amazonensis*. *Antimicrob Agents Chemother* 43: 1234-1241.
- Torul, H; Tamer, U. (2011). Determination of Enantiomers of Atenolol and Propranolol in Pharmaceutical Formulations by HPLC. *J AOAC Int* 94: 833-838.
- Torz, M; Wietzes, P; Beschkov, V; Janssen, DB. (2007). Metabolism of mono- and dihalogenated C1 and C2 compounds by *Xanthobacter autotrophicus* growing on 1,2-dichloroethane. *Biodegradation* 18: 145-157.



## Environmental Hazard Literature Search Results

### Off Topic

- Tosato, ML; Chiorboli, C; Eriksson, L; Jonsson, J. (1991). Multivariate modelling of the rate constant of the gas-phase reaction of haloalkanes with the hydroxyl radical. Hermens, J L M And A Opperhuizen (Ed) Qsar (Quantitative Structure-Activity Relationships) in Environmental Toxicology-IV; Fourth International Workshop, Veldhoven, Netherlands, September 16-20, 1990 Xxi+705p Elsevier Science Publishers BV: Amsterdam, Netherlands; (Dist In the USA and Canada by Elsevier Science Publishing Co, Inc: New York, New York, USA) Illus Isbn 0-444-89471-3; 0 (0) 1991 307-325.
- Tourova, TP; Kuznetsov, BB; Doronina, NV; Trotsenko, YA. (2001). Phylogenetic analysis of dichloromethane-utilizing aerobic methylotrophic bacteria. *Microbiology* 70: 79-83.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of (14)C-phenanthrene and (14)C-benzo- a pyrene in soil. *Environ Pollut* 159: 706-715.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of <sup>14</sup>C-phenanthrene and <sup>14</sup>C-benzo-[a] pyrene in soil. *Environ Pollut* 159: 706-715.
- Traiphol, R; Potai, R; Charoenthai, N; Srihirin, T; Kercharoen, T; Osotchan, T. (2010). Effects of chain conformation and chain length on degree of aggregation in assembled particles of conjugated polymer in solvents-nonsolvent: A spectroscopic study. *Journal of polymer science* 48: 894-904.
- Trapp, S; Bräggemann, R; Månzer, B. (1990). Estimation of releases into rivers with the steady-state surface water model EXWAT using dichloromethane. *Ecotoxicol Environ Saf* 19: 72-80.
- Trauneker, J; Preuss, A; Diekert, G. (1991). Isolation and characterization of a methyl chloride utilizing, strictly anaerobic bacterium. *Arch Microbiol* 156: 416-421.
- Travis, CC. (1990). Tissue dosimetry for reactive metabolites. *Risk Anal* 10: 317-321. [Risk analysis : an official publication of the Society for Risk Analysis].
- Trenholm, A. (1998). Identification of PICs in hazardous waste combustion emissions. *Waste Manag* 18: 485-492.
- Trenkle, R. (1988). Fate simulation of organic substances in the atmospheric mixing layer. Grefen, K And J Loebel (Ed) *Environmental Meteorology; International Symposium, Wuerzburg, West Germany, September 29-October 1, 1987* Xi+661p Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-277-2697-3; 0 (0) 1988 631-648.
- Trevisan, G; Rossato, MF; Walker, CIB; Klafke, JZ; Rosa, F; Oliveira, SM; Tonello, R; Guerra, GP; Boligon, AA; Zanon, RB; Athayde, ML; Ferreira, J. (2012). Identification of the Plant Steroid alpha-Spinasterol as a Novel Transient Receptor Potential Vanilloid 1 Antagonist with Antinociceptive Properties. *J Pharmacol Exp Ther* 343: 258-269.
- Trevizo, C; Nirmalakhandan, N. (1999). Prediction of microbial toxicity of industrial organic chemicals. *Water Science and Technology* 39: 63-69.
- Triebig, G; Schaller, KH; Weltle, D. (1992). Neurotoxicity of solvent mixtures in spray painters: I. Study design, workplace exposure, and questionnaire. *Int Arch Occup Environ Health* 64: 353-359.
- Tripathi, PK; Khopade, AJ; Nagaich, S; Shrivastava, S; Jain, S; Jain, NK. (2002). Dendrimer grafts for delivery of 5-fluorouracil. *Pharmazie* 57: 261-264. [Die Pharmazie].
- Tripathi, PK; Khopade, AJ; Nagaich, S; Shrivastava, S; Jain, S; Jain, NK. (2002). Dendrimer grafts for delivery of 5-flurouracil. *Pharmazie* 57: 261-264.
- Troiani, A; Rosi, M; Garzoli, S; Salvitti, C; de Petris, G. (2015). Iron-Promoted C-C Bond Formation in the Gas Phase. *Angewandte Chemie-International Edition* 54: 14359-14362.
- Troshin, K; Schindele, C; Mayr, H. (2011). Electrophilicities of Symmetrically Substituted 1,3-Diaryllallyl Cations. *J Org Chem* 76: 9391-9408.
- Trotsenko, YA; Doronina, NV. (2003). The biology of methylotrophic bacteria capable of degrading halomethanes. *Microbiology* 72: 121-131.
- Trotsenko, YA; Torgonskaya, ML. (2009). The aerobic degradation of dichloromethane: Structural-functional aspects (a review). *Applied biochemistry and microbiology* 45: 233-247.
- Tsai, CC; Chien, CT; Chang, YC; Lin, HC; Yan, TH. (2005). New highly nucleophilic and practically accessible chlorocarbenoids for carbonyl olefination. *J Org Chem* 70: 5745-5747.
- Tsai, WT; Chang, CY. (1994). Surface chemistry of activated carbons and its relevance for effects of relative humidity on adsorption of chlorinated organic vapors. *Chemosphere* 29: 2507-2515.
- Tsai, WT; Chang, CY. (1995). Surface characterization and thermodynamics of adsorption of methylene chloride on activated carbons. *Journal of Environmental Science and Health Part a Environmental Science and Engineering & Toxic and Hazardous Substance Control* 30: 525-535.
- Tsai, YT; Choi, CH; Yang, EH. (2013). Low-voltage manipulation of an aqueous droplet in a microchannel via tunable wetting on PPy(DBS). *Lab on a Chip* 13: 302-309.
- Tsao, R; Romanchuk, FE; Peterson, CJ; Coats, JR. (2002). Plant growth regulatory effect and insecticidal activity of the extracts of the Tree of Heaven (*Ailanthus altissima* L.). *BMC Ecol* 2002; 2:1 [BMC ecology].
- Tshibangu, JN; Chifundera, K; Kaminsky, R; Wright, AD; Konig, GM. (2002). Screening of African medicinal plants for antimicrobial and enzyme inhibitory activity. *J Ethnopharmacol* 80: 25-35.
- Tsierkezos, NG. (2007). Investigation of electron-transfer kinetics for bis(benzene) chromium(1+/0) redox couple in acetonitrile/dichloromethane binary mixtures at 298.15 K. *Inorganica Chimica Acta* 360: 3626-3632.
- Tsierkezos, NG; Philippopoulos, AI. (2009). Conductometric and voltammetric studies on the bis(triphenyl phosphine) ruthenium(II) complex, cis-[RuCl<sub>2</sub>(L)(PPh<sub>3</sub>)<sub>2</sub>], where L: 2-(2- $\epsilon$ -pyridyl)quinoxaline. *Inorganica Chimica Acta* 362: 3079-3087.
- Tsiliyannis, CA. (1999). Report: Comparison of environmental impacts from solid waste treatment and disposal facilities. *Waste Management & Research* 17: 231-241.

## Environmental Hazard Literature Search Results

### Off Topic

- Tsoukatou, M; Hellio, C; Vagias, C; Harvala, C; Roussis, V. (2002). Chemical defense and antifouling activity of three Mediterranean sponges of the genus *Ircinia*. *Z Naturforsch C* 57: 161-171. [Zeitschrift fur Naturforschung. Teil C: Biochemie, Biophysik, Biologie, Virologie].
- Tsuneda, S; Ishihara, Y; Hamachi, M; Hirata, A. (2002). Inhibition effect of chlorine ion on hydroxyl radical generation in UV-H(2)O(2) process. *Water Science and Technology* 46: 33-38.
- Tucker, DJ; Wallis, IR; Bolton, JM; Marsh, KJ; Rosser, AA; Brereton, IM; Nicolle, D; Foley, WJ. (2010). A Metabolomic Approach to Identifying Chemical Mediators of Mammal-Plant Interactions. *J Chem Ecol* 36: 727-735.
- Tundis, R; Loizzo, MR; Bonesi, M; Menichini, F; Statti, GA; Menichini, F. (2008). In vitro cytotoxic activity of *Salsola oppositifolia* Desf. (Amaranthaceae) in a panel of tumour cell lines. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 63: 347-354.
- Tungprapa, S; Puangparn, T; Weerasombut, M; Jangchud, I; Fakum, P; Semongkol, S; Meechaisue, C; Supaphol, P. (2007). Electrospun cellulose acetate fibers: effect of solvent system on morphology and fiber diameter. *Cellulose* 14: 563-575.
- Turki, T; Guerfel, T; Bouachir, F. (2006). Synthesis, characterization and crystal structure of diamagnetic tetracoordinated chromium (II) complexes supported by  $\pm$ -diimine ligands. *Inorganic Chemistry Communications* 9: 1023-1025.
- Turner, AP; Cathcart, AJ; Parker, ME; Butterworth, C; Wilson, J; Ward, SA. (2006). Oxygen uptake and muscle desaturation kinetics during intermittent cycling. *Medicine and Science in Sports and Exercise* 38: 492-503.
- Tursman, JF; Cork, DJ. (1992). Subsurface contaminant bioremediation engineering. *Crit Rev Environ Control* 22: 1-26.
- Tuusa, SMR; Puska, MA; Lassila, LVJ; Vallittu, PK. (2005). Residual monomers released from glass-fibre-reinforced composite photopolymerised in contact with bone and blood. *Journal of Materials Science-Materials in Medicine* 16: 15-20.
- Ueno, Y; Yonemochi, E; Tozuka, Y; Yamamura, S; Oguchi, T; Yamamoto, K. (1998). Characterization of amorphous ursodeoxycholic acid prepared by spray-drying. *J Pharm Pharmacol* 50: 1213-1219.
- Ukkonen, K. Nonvolatile dichloromethane extractives of *Gmelina arborea*. *TAPPI; journal of the Technical Association of the Pulp and Paper Industry Feb 1982. v. 65 (2): 71.*
- Ukrainczyk, L; McBride, MB. (1993). Oxidation and dechlorination of chlorophenols in dilute aqueous suspensions of manganese oxides: Reaction products. *Environ Toxicol Chem* 12: 2015-2022.
- Uma Maheswari, P; Hartl, Fe; Quesada, M; Buda, F; Lutz, M; Spek, AL; Gamez, P; Reedijk, J. (2011). Spectro-electrochemical and DFT studies of a planar Cu(II)-phenolate complex active in the aerobic oxidation of primary alcohols. *Inorganica Chimica Acta* 374: 406-414.
- Umesha, B; Basavaraju, YB; Mahendra, C. (2015). Synthesis and biological screening of pyrazole moiety containing analogs of podophyllotoxin. *Medicinal Chemistry Research* 24: 142-151.
- Umetsu, M; Wang, ZY; Zhang, J; Ishii, T; Uehara, K; Inoko, Y; Kobayashi, M; Nozawa, T. (1999). How the formation process influences the structure of BChl c aggregates. *Photosynth Res* 60: 229-239.
- Umlauf, G; Hauk, H; Reissinger, M. The distribution of semivolatile organic compounds in conifer needles following gas phase contamination. *Chemosphere May 1994. v. 28 (9): 1689-1699.*
- Unterman, R. (1996). A history of pcb biodegradation. Crawford, R L And D L Crawford *Biotechnology Research Series, 6 Bioremediation: Principles and Applications Xii+400p Cambridge University Press: Cambridge, England, Uk; New York, New York, USA isbn 0-521-47041-2; 0 (6) 1996 209-253.*
- Uppu, RM; Pryor, WA. (1996). Synthesis of Peroxynitrite in a Two-Phase System Using Isoamyl Nitrite and Hydrogen Peroxide. *Anal Biochem* 236: 242-249.
- Urbanyi, T; Walter, A. (1971). IR Determination of Trace Quantities of Dicyandiamide and Cyanamide in Guanidine Sulfate. *J Pharm Sci* 60: 1699-1701.
- Urhahn, T; Ballschmitter, K. (2000). Analysis of halogenated C1/C2-trace compounds in marine atmosphere. *Fresenius J Anal Chem* 366: 365-367. [Fresenius' journal of analytical chemistry].
- Uriarte, N; Agrati, D; Banchemo, G; Gonzalez, A; Zuluaga, MJ; Cawen, E; Olivera, V; Alsina, M; Poindron, P; Ferreira, A. (2012). Different chemical fractions of fetal fluids account for their attractiveness at parturition and their repulsiveness during late-gestation in the ewe. *Physiology & Behavior* 107: 45-49.
- Usovich, Ba; Lipiec, J; Å ukowski, M; Marczewski, W; Usovich, J. (2016). The effect of biochar application on thermal properties and albedo of loess soil under grassland and fallow. *Soil Till Res* 164: 45-51.
- Utigkar, V; Govind, R; Shan, Y; Safferman, S; Brenner, RC. (1991). Biodegradation of volatile organic chemicals in a biofilter. Tedder, D W And F G Pohland (Ed) *Acs (American Chemical Society) Symposium Series, 468 Emerging Technologies in Hazardous Waste Management ii; Symposium, Atlantic City, New Jersey, USA, June 4-7, 1990 X+444p American Chemical Society: Washington, DC, USA isbn 0-8412-2102-2; 0 (0) 1991 233-260.*
- Uzair, M; Loothar, BA; Choudhary, BA. (2009). Biological screening of *Euphorbia helioscopia* L. *Pak J Pharm Sci* 22: 184-186. [Pakistan journal of pharmaceutical sciences].
- Vaculikova, E; Grunwaldova, V; Kral, V; Dohnal, J; Jampilek, J. (2012). Preparation of candesartan and atorvastatin nanoparticles by solvent evaporation. *Molecules* 2012; 17(11):13221-34 [Molecules (Basel, Switzerland)].
- Vairappan, CS; Suzuki, M; Abe, T; Masuda, M. (2001). Halogenated metabolites with antibacterial activity from the Okinawan *Laurencia* species. *Phytochemistry* 58: 517-523.
- Valderrama, K; Castellanos, L; Zea, S. (2010). Validation and evaluation of an HPLC methodology for the quantification of the potent antimetabolic compound (+)-discodermolide in the Caribbean marine sponge *Discodermia dissoluta*. *J Sep Sci* 33: 2316-2321.

## Environmental Hazard Literature Search Results

### Off Topic

- Vale, VV; Vilhena, TC; Trindade, RC; Ferreira, MR; Percário, S; Soares, LF; Pereira, WL; Brandão, GC; Oliveira, AB; Dolabela, MF; De Vasconcelos, F. (2015). Anti-malarial activity and toxicity assessment of *Himatanthus articulatus*, a plant used to treat malaria in the Brazilian Amazon. *Malar J* 2015; 14:132 [Malaria journal].
- Valent, GU; Sato, MI; Cristina, M; Coelho, LS; Coimbra, CA; Sanchez, PS. (1993). Monitoring Sao Paulo State river in Brazil for mutagenic activity using the Ames test. *Environ Toxicol Water Qual* 8: 371-381.
- Valle, B; Castaño, P; Olazar, M; Bilbao, J; Gayubo, AG. (2012). Deactivating species in the transformation of crude bio-oil with methanol into hydrocarbons on a HZSM-5 catalyst. *J Catal* 285: 304-314.
- Valsaraj, KT; Gupta, A; Thibodeaux, LJ; Harrison, DP. (1988). Partitioning of chloromethanes between aqueous and surfactant micellar phases. *Water Res* 22: 1173-1183.
- Van Berkel, GJ; McLuckey, SA; Glish, GL. (1992). Electrochemical origin of radical cations observed in electrospray ionization mass spectra. *Anal Chem* 64: 1586-1593.
- Van Brabandt, W; De Kimpe, N. (2005). Electrophile-induced ring expansions of beta-lactams toward gamma-lactams. *J Org Chem* 70: 8717-8722.
- Van der Vorst, G; Swart, P; Aelterman, W; Van Brecht, A; Graauwmans, E; Van Langenhove, H; Dewulf, J. (2010). Resource consumption of pharmaceutical waste solvent valorization alternatives. *Resources Conservation and Recycling* 54: 1386-1392.
- Van Der Wal, JF; Schulting, FL. (1987). On the performance of diffusive samplers for styrene acetone and methylene chloride. Berlin, A, R H Brown and K J Saunders (Ed) *Diffusive Sampling: An Alternative Approach to Workplace Air Monitoring*; Symposium, Luxembourg, September 22-26, 1986 xvi+484p Royal Society of Chemistry: London, England, Uk Illus Isbn 0-85186-343-4; 0 (0) 1987 277-281.
- Van Eekert, MHA; Schroder, TJ; Stams, AJM; Schraa, G; Field, JA. (1998). Degradation and fate of carbon tetrachloride in unadapted methanogenic granular sludge. *Appl Environ Microbiol* 64: 2350-2356.
- Van Eerdenbrugh, B; Baird, JA; Taylor, LS. (2010). Crystallization Tendency of Active Pharmaceutical Ingredients Following Rapid Solvent Evaporation—Classification and Comparison with Crystallization Tendency from Under cooled Melts. *J Pharm Sci* 99: 3826-3838.
- Van Eerdenbrugh, B; Baird, JA; Taylor, LS. (2010). Crystallization Tendency of Active Pharmaceutical Ingredients Following Rapid Solvent Evaporation-Classification and Comparison with Crystallization Tendency from Undercooled Melts. *J Pharm Sci* 99: 3826-3838.
- van Eijk, M; Haas, CGMD; Haagsman, HP. (1995). Quantitative Analysis of Pulmonary Surfactant Proteins B and C. *Anal Biochem* 232: 231-237.
- van Genderen, H; Van Lier, KL; de Beus, J. (1948). The determination of 4-methyl-2-thiouracil in animal tissue and blood. *Biochim Biophys Acta* 2: 482-486.
- van Hoorn, WP; Briels, WJ; van Duynhoven, JPM; van Veggel, F; Reinhoudt, DN. (1998). Conformational distribution of tetramethoxycalix 4 arenes by molecular modeling and NMR spectroscopy: A study of apolar solvation. *J Org Chem* 63: 1299-1308.
- van Hoorn, WP; Jorgensen, WL. (1999). Selective anion complexation by a calix 4 pyrrole investigated by Monte Carlo simulations. *J Org Chem* 64: 7439-7444.
- Van Leeuwen, CJ; Van Der Zandt, PT; Aldenberg, T; Verhaar, HJ; Hermens, JL. (1992). Application of QSARs, extrapolation and equilibrium partitioning in aquatic effects assessment: I. Narcotic industrial pollutants. *Environ Toxicol Chem* 11: 267-282.
- van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. *Indoor Air* 12: 92-97. [Indoor air].
- Vandenabeele, C; Bulou, S; Maurau, R; Siffer, F; Belmonte, T; Choquet, P. (2015). Organo-Chlorinated Thin Films Deposited by Atmospheric Pressure Plasma-Enhanced Chemical Vapor Deposition for Adhesion Enhancement between Rubber and Zinc-Plated Steel Monofilaments. *ACS Appl Mater Interfaces* 7: 14317-14327. [ACS applied materials & interfaces].
- Vanderberg, LA; Foreman, TM; Attrep, MJ; Brainard, JR; Sauer, NN. (1999). Treatment of heterogeneous mixed wastes: Enzyme degradation of cellulosic materials contaminated with hazardous organics and toxic and radioactive metals. *Environmental Science & Technology* 33: 1256-1262.
- Vanhooren, H; Verbrugge, T; Boeije, G; Demey, D; Vanrolleghem, PA. (2001). Adequate model complexity for scenario analysis of VOC stripping in a trickling filter. *Water Sci Technol* 2001; 43(7):29-38 [Water science and technology : a journal of the International Association on Water Pollution Research].
- Vanni, A; Gennaro, MC; Fedele, A; Piccone, G; Petronio, BM; Petruzzelli, G; Liberatori, A. (1994). Leachability of heavy metals in municipal sewage sludge particulate. *Environ Technol* 15: 71-78.
- Varanda, EA; Devienne, KF; Raddi, MSG; Furuya, EM; Vilegas, W. (2004). Mutagenicity of paepalantine dimer and glycoside derivatives from *Paepalanthus bromelioides*. *Toxicol In Vitro* 18: 109-114.
- Varaparth, S; Salyers, KL; Plotzke, KP; Nanavati, S. (1998). Extraction of octamethylcyclotetrasiloxane and its metabolites from biological matrices. *Anal Biochem* 256: 14-22.
- Vargas, C; Ahlert, RC. (1987). Anaerobic degradation of chlorinated solvents. *J Water Pollut Control Fed* 59: 964-968.
- Vargas, VMF; Horn, RC; Guidobono, RR; Mittelstaedt, AB; de Azevedo, IG. (1998). Mutagenic activity of airborne particulate matter from the urban area of Porto Alegre, Brazil. *Genet Mol Biol* 21: 247-253.
- Varshosaz, J; Dehkordi, AJ; Golafshan, S. (2006). Colon-specific delivery of mesalazine chitosan microspheres. *J Microencapsul* 23: 329-339.
- Varshosaz, J; Minayian, M; Moazen, E. (2010). Enhancement of oral bioavailability of pentoxifylline by solid lipid nanoparticles. *J Liposome Res* 20: 115-123.
- Varshosaz, J; Tabbakhian, M; Mohammadi, MY. (2010). Formulation and optimization of solid lipid nanoparticles of buspirone HCl for enhancement of its oral bioavailability. *J Liposome Res* 20: 286-296.

## Environmental Hazard Literature Search Results

### Off Topic

- Vartiainen, T; Liimatainen, A; Järvelin, S; Kauranen, P. (1987). Comparison of solvent extractions and resin adsorption for isolation of mutagenic compounds from chlorinated drinking water with high humus content. *Water Res* 21: 773-779.
- Vasconcelos, MAL; Royo, VA; Ferreira, DS; Crotti, AEM; Silva, M; Carvalho, JCT; Bastos, JK; Cunha, WR. (2006). In vivo analgesic and anti-inflammatory activities of ursolic acid and oleanolic acid from *Miconia albicans* (Melastomataceae). *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 61: 477-482.
- Vasil'ev, A; Engman, L. (2000). Novel preparation of alpha,beta-unsaturated aldehydes. Benzeneselenolate promotes elimination of HBr from alpha-bromoacetals. *J Org Chem* 65: 2151-2162.
- Vasudewa, NS; Abeytuga, DTU; Ratnasooriya, WD. (2008). Activity-directed fractionation of *Pleurotus ostreatus* in the search for analgesics. *Pharmaceutical Biology* 46: 295-301.
- Vaughn, SF; Berhow, MA. (1999). Allelochemicals isolated from tissues of the invasive weed garlic mustard (*Alliaria petiolata*). *J Chem Ecol* 25: 2495-2504.
- Vay, K; Scheler, S; Friess, W. (2011). Application of Hansen solubility parameters for understanding and prediction of drug distribution in microspheres. *Int J Pharm* 416: 202-209.
- Velayudham, S; Lee, CH; Xie, M; Blair, D; Bauman, N; Yap, YK; Green, SA; Liu, H. (2010). Noncovalent functionalization of boron nitride nanotubes with poly(p-phenylene-ethynylene)s and polythiophene. *ACS Appl Mater Interfaces* 2: 104-110. [ACS applied materials & interfaces].
- Veleirinho, B; Rei, MF; Lopes-Da-Silva, JA. (2008). Solvent and concentration effects on the properties of electrospun poly(ethylene terephthalate) nanofiber mats. *Journal of polymer science* 46: 460-471.
- Venkatahari, R; Peters, RW. (1993). Chemical oxidation technologies ultraviolet light-hydrogen peroxide fenton's reagent and titanium dioxide-assisted photocatalysis. *Hazard Waste Hazard Mater* 10: 107-149.
- Ventura, K; Dostal, M; Churacek, J. (1993). Retention characteristics of some volatile compounds on Tenax GR. *J Chromatogr* 642: 379-382.
- Venturini, CD; Andreass, J; Machado, VG; Machado, C. (2005). Solvent effects in the interaction of methyl-beta-cyclodextrin with solvatochromic merocyanine dyes. *Organic & Biomolecular Chemistry* 3: 1751-1756.
- Vera Kolb, M; Kolb, DK. (1988). Chapter 4 Teratogenic Chemicals in Undergraduate General Chemistry Laboratories. *Studies in Environmental Science* 247-255.
- Vereb, L; Kr, Iván, Bl. (2012). Cationic polymerization of styrene by the  $TiCl_4/N,N,N',N'$ -tetramethylethylenediamine (TMEDA) catalyst system in benzotrifluoride, an environmentally benign solvent, at room temperature. *Polymer* 53: 3426-3431.
- Verhaar, HJ; Van Leeuwen, CJ; Hermens, JL. (1992). Classifying environmental pollutants: Structure-activity relationships for prediction of aquatic toxicity. *Chemosphere* 25: 471-491.
- Verma, P; Patni, PA; Sunoj, RB. (2011). Mechanistic Insights on N-Heterocyclic Carbene-Catalyzed Annulations: The Role of Base-Assisted Proton Transfers. *J Org Chem* 76: 5606-5613.
- Verma, RK; Verma, GK; Shukla, G; Nagaraju, A; Singh, MS. (2012). 4-Dimethylamino Pyridine-Promoted One-Pot Three-Component Regioselective Synthesis of Highly Functionalized 4H-Thiopyrans via Heteroannulation of beta-Oxidithioesters. *ACS Combinatorial Science* 14: 224-230.
- Verschaeve, L; Kestens, V; Taylor, JLS; Elgorashi, EE; Maes, A; Van Puyvelde, L; De Kimpe, N; Van Staden, J. (2004). Investigation of the antimutagenic effects of selected South African medicinal plant extracts. *Toxicol In Vitro* 18: 29-35.
- Vervoort, HC; Pawlik, JR; Fenical, W. (1998). Chemical defense of the Caribbean ascidian *Didemnum conchyliatum*. *Mar Ecol Prog Ser* 164: 221-228.
- Verza, SS; Forti, LC; de Matos, CAO; Garcia, MG; Nagamoto, NS. (2006). Attractiveness of citrus pulp and orange albedo extracts to *Atta sexdens rubropilosa* (Hymenoptera : Formicidae). *Sociobiology* 47: 391-399.
- Vesovic, N; Curcic, S; Vujisic, L; Nenadic, M; Krstic, G; Peric-Mataruga, V; Milosavljevic, S; Antic, D; Mandic, B; Petkovic, M; Vuckovic, I; Markovic, D; Vrbica, M; Curcic, B; Makarov, S. (2015). Molecular Diversity of Compounds from Pygidial Gland Secretions of Cave-Dwelling Ground Beetles: The First Evidence. *J Chem Ecol* 41: 533-539.
- Vessigaud, S; Perrin-Ganier, C; Belkessam, L; Denys, S; Schiavon, M. (2007). Direct link between fluoranthene biodegradation and the mobility and sequestration of its residues during aging. *J Environ Qual* 36: 1412-1419.
- Vetro, J; Koutsogiannis, Z; Jones, DA; Canestra, J. (2012). A case of methylene chloride poisoning due to ingestion of home-distilled alcohol and potential new treatment with ethanol infusion. *Crit Care Resusc* 14: 60-63. [Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine].
- Vetter, RS; Rust, MK. (2010). Influence of Spider Silk on Refugia Preferences of the Recluse Spiders *Loxosceles reclusa* and *Loxosceles laeta* (Araneae: Sicariidae). *J Econ Entomol* 103: 808-815.
- Vialpando, M; Smulders, S; Bone, S; Jager, C; Vodak, D; Van Speybroeck, M; Verheyen, L; Backx, K; Boeykens, P; Brewster, ME; Ceulemans, J; Novoa de Armas, H; Van Geel, K; Kesselaers, E; Hillewaert, V; Lachau-Durand, S; Meurs, G; Psathas, P; Van Hove, B; Verreck, G; Voets, M; Weuts, I; Mackie, C. (2016). Evaluation of Three Amorphous Drug Delivery Technologies to Improve the Oral Absorption of Flubendazole. *J Pharm Sci* 105: 2782-2793.
- Vibhute, RG; Khopkar, SM. (1989). Liquid-liquid extraction of thallium(III) from sulphuric acid-iodide solutions with crown ethers. *Anal Chim Acta* 222: 215-219.
- Vicinelli, V; Ceroni, P; Maestri, M; Balzani, V; Gorka, M; Vogtle, F. (2002). Luminescent lanthanide ions hosted in a fluorescent polylysine dendrimer. Antenna-like sensitization of visible and near-infrared emission. *J Am Chem Soc* 124: 6461-6468.

## Environmental Hazard Literature Search Results

### Off Topic

- Vidal, V; Potterat, O; Louvel, S; Hamy, F; Mojarrab, M; Sanglier, JJ; Klimkait, T; Hamburger, M. (2012). Library-Based Discovery and Characterization of Daphnane Diterpenes as Potent and Selective HIV Inhibitors in *Daphne gnidium*. *J Nat Prod* 75: 414-419.
- Vidal-Ferran, A; Bampos, N; Moyano, A; Pericas, MA; Riera, A; Sanders, JKM. (1998). High catalytic activity of chiral amino alcohol ligands anchored to polystyrene resins. *J Org Chem* 63: 6309-6318.
- Vidya, R; Masilla, BRP; Saranya, J; Eganathan, P; Jithin, MM; Kumar, NPA. (2013). Antioxidant Activities of Wood and Leaf Extracts of *Hopea erosa*. *Journal of Biologically Active Products from Nature* 3: 154-160.
- Villalpando, A; Ayala, CE; Watson, CB; Kartika, R. (2013). Triphosgene-Amine Base Promoted Chlorination of Unactivated Aliphatic Alcohols. *J Org Chem* 78: 3989-3996.
- Villaverde, S; Fernandez-Polanco, F. (1999). Spatial distribution of respiratory activity in *Pseudomonas putida* 54G biofilms degrading volatile organic compounds (VOC). *Appl Microbiol Biotechnol* 51: 382-387.
- Vinaya, K; Kavitha, R; Kumar, CSA; Prasad, SBB; Chandrappa, S; Deepak, SA; Swamy, SN; Umesh, S; Rangappa, KS. (2009). Synthesis and antimicrobial activity of 1-benzhydryl-sulfonyl-4-(3-(piperidin-4-yl) propyl)piperidine derivatives against pathogens of *Lycopersicon esculentum*: A structure-activity evaluation study. *Arch Pharm Res* 32: 33-41.
- Vinitketkumnuen, U; Kalayanamitra, K; Chewonarin, T; Kamens, R. (2002). Particulate matter, PM 10 & PM 2.5 levels, and airborne mutagenicity in Chiang Mai, Thailand. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 519: 121-131.
- Vinitketkumnuen, U; Kalayanamitra, K; Chewonarin, T; Kamens, R. (2002). Particulate matter, PM 10 & PM 2.5 levels, and airborne mutagenicity in Chiang Mai, Thailand. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* 519: 121-131.
- Vinod Kumar, V; Chaudhuri, A. (2004). On the disulfide-linker strategy for designing efficacious cationic transfection lipids: an unexpected transfection profile. *FEBS Letters* 571: 205-211.
- Viragh, C; Kovach, IM; Pannell, L. (1999). Small molecular products of dealkylation in soman-inhibited electric eel acetylcholinesterase. *Biochemistry* 38: 9557-9561.
- Viraraghavan, T; Hashem, S. (1986). Trace organics in the septic tank effluent. *Water Air Soil Pollut* 28: 299-308.
- Visalli, JR. (1989). The similarity of environmental impacts from all methods of managing solid wastes. *J Environ Syst* 19: 155-170.
- Vishwakarma, S; Goyal, R; Gupta, V; Dhar, KL. (2016). GABAergic effect of valeric acid from *Valeriana wallichii* in amelioration of ICV STZ induced dementia in rats. *Revista Brasileira de Farmacognosia* 26: 484-489.
- Vivancos, A; Paneque, M; Poveda, ML; Alvarez, E. (2013). Building a Parent Iridabenzene Structure from Acetylene and Dichloromethane on an Iridium Center. *Angewandte Chemie-International Edition* 52: 10068-10071.
- Vivas, N; Pianet, I; Bourgeois, G; Vitry, C; Servens, C; Glories, Y. (1998). Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. *American Journal of Enology and Viticulture* 49: 49-55.
- Vivot, E; Munoz, JD; Cruanes, MD; Cruanes, MJ; Tapia, A; Hirschmann, GS; Martinez, E; Di Sapio, O; Gattuso, M; Zacchino, S. (2001). Inhibitory activity of xanthine-oxidase and superoxide scavenger properties of *Inga verna* subsp. *affinis*. Its morphological and micrographic characteristics. *J Ethnopharmacol* 76: 65-71.
- Vogt, C; Cotruvo, J. (1987). Drinking water standards their derivation and meaning. D'itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, USA Illus Isbn 0-87371-100-9; 0 (0) 1987 213-224.
- Vogt, FG; Cohen, DE; Bowman, JD; Spoor, GP; Zuber, GE; Trescher, GA; Dell'Orco, PC; Katrinic, LM; Debrosse, CW; Haltiwanger, RC. (2005). Structural analysis of polymorphism and solvation in tranilast. *J Pharm Sci* 94: 651-665.
- Vogtle, F; Gestermann, S; Kauffmann, C; Ceroni, P; Vicinelli, V; De Cola, L; Balzani, V. (1999). Poly(propylene amine) dendrimers with peripheral dansyl units: Protonation, absorption spectra, photophysical properties, intradendrimer quenching, and sensitization processes. *J Am Chem Soc* 121: 12161-12166.
- Voice, TC; Kolb, B. (1993). Static and dynamic headspace analysis of volatile organic compounds in soils. *Environ Sci Technol* 27: 709-713.
- Volbeda, AG; Kistemaker, HA; Overkleeft, HS; van der Marel, GA; Philippov, DV; Codee, JDC. (2015). Chemoselective Cleavage of p-Methoxybenzyl and 2-Naphthylmethyl Ethers Using a Catalytic Amount of HCl in Hexafluoro-2-propanol. *J Org Chem* 80: 8796-8806.
- Volet, GI; Deschamps, A-C; Amiel, C. (2010). Association of hydrophobically  $\pm$ 1%-end-capped poly(2-methyl-2-oxazoline) in water. *Journal of polymer science* 48: 2477-2485.
- Volonterio, A; de Arellano, CR; Zanda, M. (2005). Synthesis of 1,3,5-trisubstituted hydantoin by regiospecific domino condensation/aza-Michael/O-N acyl migration of carbodiimides with activated  $\alpha,\beta$ -unsaturated carboxylic acids. *J Org Chem* 70: 2161-2170.
- Voloshin, YZ; Varzatskii, OA; Kochubey, DI; Vorontsov, II; Bubnov, YN. (2009). Synthesis and structure of monoribbed-functionalized disulfide iron(II) clathrochelates and their coordination as the ligands toward platinum(II) and platinum(IV) ions. *Inorganica Chimica Acta* 362: 149-158.
- Volskay, VTJ; Grady, CPL. (1988). Toxicity of selected rcr compounds to activated sludge microorganisms. *J Water Pollut Control Fed* 60: 1850-1856.
- von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere* 39: 2479-2488.
- Vontron-Senecheau, C; Weniger, B; Ouattara, M; Bi, FT; Kamenan, A; Lobstein, A; Brun, R; Anton, R. (2003). In vitro antiplasmodial activity and cytotoxicity of ethnobotanically selected Ivorian plants. *J Ethnopharmacol* 87: 221-225.
- Voorman, R; Aust, SD. (1987). Specific binding of polyhalogenated aromatic hydrocarbon inducers of cytochrome P-450d to the cytochrome and inhibition of its estradiol 2-hydroxylase activity. *Toxicol Appl Pharmacol* 90: 69-78.
- Vorholt, JA. (2002). Cofactor-dependent pathways of formaldehyde oxidation in methylotrophic bacteria. *Archives of Microbiology* 178: 239-249.

## Environmental Hazard Literature Search Results

### Off Topic

- Voulgaridis, E; Passialis, C; Grigoriou, A. (2000). Anatomical characteristics and properties of kenaf stems (*Hibiscus cannabinus*). *Iawa Journal* 21: 435-442.
- Vrchotova, N; Sera, B; Krejcova, J. (2011). Allelopathic activity of extracts from *Impatiens* species. *Plant Soil Environ* 57: 57-60.
- Vuilleumier, S; Ivos, N; Dean, M; Leisinger, T. (2001). Sequence variation in dichloromethane dehalogenases/glutathione S-transferases. *Microbiology-Sgm* 147: 611-619.
- Vuilleumier, S; Leisinger, T. (1996). Protein engineering studies of dichloromethane dehalogenase/glutathione S-transferase from *Methylophilus* sp. strain DM11. Ser12 but not Tyr6 is required for enzyme activity. *Eur J Biochem* 239: 410-417. [European journal of biochemistry / FEBS].
- Vuilleumier, S; Pagni, M. (2002). The elusive roles of bacterial glutathione S-transferases: new lessons from genomes. *Appl Microbiol Biotechnol* 58: 138-146.
- Vuilleumier, S; Sorribas, H; Leisinger, T. (1997). Identification of a Novel Determinant of Glutathione Affinity in Dichloromethane Dehalogenases/GlutathioneS-Transferases. *Biochem Biophys Res Commun* 238: 452-456.
- Vyslou; il, J; Kejdu; scaron; ovÅ , M; Dvo; kov, K; VetchÃ-, D. (2013). Influence of formulation and process parameters on the characteristics of PLGA-based microparticles with controlled drug release. *Ceska Slov Farm* 62: 120-126. [Ceska a Slovenska farmacie : casopis Ceske farmaceuticke spolcnosti a Slovenske farmaceuticke spolcnosti].
- WachÃ©, Y; Bosser-DeRatul, A; Ly, H; Belin, J-M. (2002). Co-oxidation of Î²-carotene in biphasic media. *Journal of Molecular Catalysis B: Enzymatic* 19â€“20: 197-201.
- Wachter, GA; Hoffmann, JJ; Furbacher, T; Blake, ME; Timmermann, BN. (1999). Antibacterial and antifungal flavanones from *Eysenhardtia texana*. *Phytochemistry* 52: 1469-1471.
- Wackett, LP. (1995). Recruitment of co-metabolic enzymes for environmental detoxification of organohalides. *Environ Health Perspect* 103: 45-48.
- Wackett, LP. (1996). Co-metabolism is the emperor wearing any clothes? *Current Opinion in Biotechnology* 7: 321-325.
- Wackett, LP. (1997). Biocatalysis, biodegradation and bioinformatics. *Journal of Industrial Microbiology & Biotechnology* 19: 350-354.
- Wackett, LP. (2009). Questioning our perceptions about evolution of biodegradative enzymes. *Current Opinion in Microbiology* 12: 244-251.
- Wackett, LP; Logan, MS; Blocki, FA; Cai, BL. (1992). A mechanistic perspective on bacterial metabolism of chlorinated methanes. *Biodegradation* 3: 19-36.
- Wagdare, NA; Marcelis, ATM; Boom, RM; van Rijn, CJM. (2011). Microcapsules with a pH responsive polymer: Influence of the encapsulated oil on the capsule morphology. *Colloids and Surfaces B-Biointerfaces* 88: 175-180.
- Wagdare, NA; Marcelis, ATM; Boom, RM; van Rijn, CJM. (2011). Porous microcapsule formation with microsieve emulsification. *J Colloid Interface Sci* 355: 453-457.
- Wagner, KG; Krumme, M; Beckert, TE; Schmidt, PC. (2000). Development of disintegrating multiple-unit tablets on a high-speed rotary tablet press. *Eur J Pharm Biopharm* 50: 285-292.
- Wahab, A; KvapilovÃ¡, H; KlÃ¡ma, JÃ¡; Michl, J; LudvÃ¡k, JÃ¡. (2013). Isoflurane as a solvent for electrochemistry. Electrooxidation study of icosahedral carborane anions in four different solvents. *Journal of electroanalytical chemistry* 689: 257-261.
- Wahab, IRA; Wong, NSH; Boylan, F. (2012). Choisyaternatine, a New Alkaloid Isolated from *Choisya ternata*. *Planta Med* 78: 1597-1600.
- Wahl, JH; Colburn, HA. (2010). Extraction of chemical impurities for forensic investigations: A case study for indoor releases of a sarin surrogate. *Build Environ* 45: 1339-1345.
- Walker, BL; Cooper, CD. (1992). Air pollution emission factors for medical waste incinerators. *J Air Waste Manage Assoc* 42: 784-791.
- Walker, JD. (1987). Effects of chemicals on microorganisms. *J Water Pollut Control Fed* 59: 614-625.
- Walker, RJ. (1976). The action of kainic acid and quisqualic acid on the glutamate receptors of three identifiable neurones from the brain of the snail, *Helix aspersa*. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* 55: 61-67.
- Wallace, L; Buckley, T; Pellizzari, E; Gordon, S. (1996). Breath measurements as volatile organic compound biomarkers. *Environ Health Perspect* 104: 861-869.
- Walls, CL; Beal, EJ; Mushrush, GW. (1999). Nitrogen compound distribution in a heating oil. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 34: 31-51.
- Walsh, D; Wu, D; Chang, Y-T. (2003). Understanding the effects of the polymer support on reaction rates and kinetics: knowledge toward efficient synthetic design. *Curr Opin Chem Biol* 7: 353-361.
- Walter, FG; Chan, JT; Winegard, B; Chase, PB; Shirazi, F; Chow, YY; de Boer, M; Denninghoff, K. (2008). Hazmat disaster preparedness in Hong Kong: what are the hazardous materials on Lantau, Lamma, and Hong Kong Islands? *Am J Disaster Med* 3: 213-233. [American journal of disaster medicine].
- Walum, E. (1998). Acute oral toxicity. *Environ Health Perspect* 106: 497-503.
- Wan, F; Maltesen, MJ; Andersen, SK; Bjerregaard, S; Foged, C; Rantanen, J; Yang, MS. (2014). One-Step Production of Protein-Loaded PLGA Microparticles via Spray Drying Using 3-Fluid Nozzle. *Pharm Res* 31: 1967-1977.
- Wan, XK; Yuan, SF; Lin, ZW; Wang, QM. (2014). A Chiral Gold Nanocluster Au-20 Protected by Tetradentate Phosphine Ligands. *Angewandte Chemie-International Edition* 53: 2923-2926.
- Wang, AL; Cai, XD; Chi, J. (2012). Determination of Trace Phthalic Acid Monoesters in Sediments and Soils by GC-MS. *Soil & Sediment Contamination* 21: 996-1005.

## Environmental Hazard Literature Search Results

### Off Topic

- Wang, C; Zhang, X; Shao, C; Zhang, Y; Yang, J; Sun, P; Liu, X; Liu, H; Liu, Y; Xie, T; Wang, D. (2011). Rutile TiO<sub>2</sub>, nanowires on anatase TiO<sub>2</sub>, nanofibers: A branched heterostructured photocatalysts via interface-assisted fabrication approach. *J Colloid Interface Sci* 363: 157-164.
- Wang, DT; Meresz, O; Taguchi, VY; Jenkins, SW; Robinson, D. (1988). The formation of chlorinated and brominated artifacts during extraction of drinking water with dichloromethane. *Anal Lett* 21: 1749-1756.
- Wang, G; Fu, X; Huang, J; Wu, L; Deng, J. (2011). Synthesis, electrochemical and fluorescence properties of three new dithienylpyrroles bearing aromatic amine units. *Journal of electroanalytical chemistry* 661: 351-358.
- Wang, G; Yu, Y; Tu, Y; Li, Y; Tong, J; Zhang, C; Liu, Y; Li, A; Jiang, C; Wang, S; Tao, Y; Cai, X. (2015). Characterizing the thymic lesions in piglets infected with attenuated strains of highly pathogenic porcine reproductive and respiratory syndrome virus. *Veterinary Immunology and Immunopathology* 168: 258-261.
- Wang, H; George, JE, III; Ward, GK; Thoma, JJ; Harrison, RO; Young, BS. Rapid determination of dioxins in drinking water by enzyme immunoassay. *Immunochemical technology for environmental applications* /271-279.
- Wang, H; Jia, Y; Hu, W; Jiang, H; Zhang, J; Zhang, L. (2013). Effect of preparation conditions on the size and encapsulation properties of mPEG-PLGA nanoparticles simultaneously loaded with vincristine sulfate and curcumin. *Pharm Dev Technol* 18: 694-700. [Pharmaceutical development and technology].
- Wang, HH; Chen, YL; Cao, WG; Ding, H; Chen, J; Deng, HM; Shao, M. (2008). Highly Stereoselective Synthesis of trans-1,2-Cyclopropane Derivatives from Semistabilized Arsonium Ylides by Phase-Transfer-Catalysis Reactions. *Synthesis-Stuttgart* 3995-4001.
- Wang, J; Gao, P; Jiang, L; Ye, L; Zhang, A-y; Feng, Z-g. (2012). Poly(n-butyl methacrylate) end-capped polyrotaxanes via ATRP initiated with  $\beta$ -cyclodextrin and Pluronic 17R4 based inclusion complexes. *Polymer* 53: 2864-2872.
- Wang, J; Guo, R; Chen, J; Zhang, Q; Liang, X. (2005). Phenylurea herbicides-selective polymer prepared by molecular imprinting using N-(4-isopropylphenyl)-N<sup>ε</sup>-butyleneurea as dummy template. *Anal Chim Acta* 540: 307-315.
- Wang, J; Lin, DZ; Shi, JM; Ding, X; Zhang, L; Jiang, HL; Liu, H. (2010). Highly Enantio- and Diastereoselective Mannich Reaction of a Chiral Nickel(II) Glycinate with an alpha-Imino Ester for Asymmetric Synthesis of a 3-Aminoaspartate. *Synthesis-Stuttgart* 1205-1208.
- Wang, J; Wang, P-j; Ye, L; Zhang, A-y; Feng, Z-g. (2011). Residing states of  $\beta$ -cyclodextrins in solid-state polyrotaxanes comprising pluronic F127 and PNIPAAm. *Polymer* 52: 5362-5368.
- Wang, JJ; Zhao, ZM. (2003). Accumulation and utilization of triacylglycerol and polysaccharides in *Liposcelis bostrychophila* (Psocoptera, Liposcelididae) selected for resistance to carbon dioxide. *Journal of Applied Entomology* 127: 107-111.
- Wang, JJ; Zhao, ZM; Tsai, JH. (2000). Resistance and some enzyme activities in *Liposcelis bostrychophila* Badonnel (Psocoptera : Liposcelididae) in relation to carbon dioxide enriched atmospheres. *Journal of Stored Products Research* 36: 297-308.
- Wang, JK; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environmental Science & Technology* 38: 1576-1581.
- Wang, JL; Chew, C; Chen, SW; Kuo, S. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environmental Science & Technology* 34: 2243-2248.
- Wang, JW; Zhao, Q; Lawson, CM; Gray, GM. (2011). Nonlinear optical absorption and fluorescence of phosphine-substituted bithiophenes in the violet-blue spectral region. *Optics Communications* 284: 3090-3094.
- Wang, KY; Chen, C; Liu, JF; Wang, Q; Chang, J; Zhu, HJ; Li, C. (2012). Novel multifunctional organic semiconductor materials based on 4,8-substituted 1,5-naphthyridine: synthesis, single crystal structures, opto-electrical properties and quantum chemistry calculation. *Organic & Biomolecular Chemistry* 10: 6693-6704.
- Wang, L; Liu, PL; Chen, TX. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing* 36: 615-626.
- Wang, L; Sakurai, M; Kameyama, H. (2008). Catalytic oxidation of dichloromethane and toluene over platinum alumite catalyst. *J Hazard Mater* 154: 390-395.
- Wang, LC; Tang, KT; Kuo, CT; Ho, CL; Lin, SR; Sung, Y; Chang, CP. (2010). Portable electronic nose system with chemiresistor sensors to detect and distinguish chemical warfare agents. *Journal of Micro-Nanolithography Mems and Moems* 9: 31010-31010.
- Wang, Q; Terreaux, C; Marston, A; Tan, RX; Stoeckli-Evans, H; Hostettmann, K. (1999). A new 2-hydroxyflavanone from *Mosla soochouensis*. *Planta Med* 65: 729-731.
- Wang, S; Zhao, Y; Zhao, C; Liu, L; Yu, S. (2013). A colorimetric chemosensor for fluoride ions based on an indigo derivative. *Journal of Fluorine Chemistry* 156: 236-239.
- Wang, W; Liszewski, M; Buchmiller, R; Cherryholmes, K. (1995). Occurrence of active and inactive herbicide ingredients at selected sites in Iowa. *Water Air and Soil Pollution* 83: 21-35.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater* 161: 815-823.
- Wang, X; de Armas, HN; Blaton, N; Michoel, A; Van den Mooter, G. (2007). Phase characterization of indomethacin in binary solid dispersions with PVPVA64 or Myrj 52. *Int J Pharm* 345: 95-100.
- Wang, X; Michoel, A; Van den Mooter, G. (2005). Solid state characteristics of ternary solid dispersions composed of PVPVA64, Myrj 52 and itraconazole. *Int J Pharm* 303: 54-61.
- Wang, XH; Ohshima, T; Ushio, H; Koizumi, C. (1999). Proportion of geometrical hydroperoxide isomers generated by radical oxidation of methyl linoleate in homogeneous solution and in aqueous emulsion. *Lipids* 34: 675-679.

## Environmental Hazard Literature Search Results

### Off Topic

- Wang, XK; Jiang, XJ; Wang, YN; Sun, J; Wang, C; Shen, TT. (2014). Occurrence, distribution, and multi-phase partitioning of triclocarban and triclosan in an urban river receiving wastewater treatment plants effluent in China. *Environ Sci Pollut Res Int* 2014; 21(11):7065-74 [Environmental science and pollution research international].
- Wang, XQ; Lu, BH; Zhou, XX; Li, W. (2013). Evaluation of o-xylene and other volatile organic compounds removal using a xylene-acclimated biotrickling filter. *Environ Technol* 34: 2691-2699.
- Wang, Y; Hamburger, M; Gueho, J; Hostettmann, K. (1989). Antimicrobial flavonoids from *Psidia trinervia* and their methylated and acetylated derivatives. *Phytochemistry* 28: 2323-2327.
- Wang, Y; Kho, K; Cheow, WS; Hadinoto, K. (2012). A comparison between spray drying and spray freeze drying for dry powder inhaler formulation of drug-loaded lipid-polymer hybrid nanoparticles. *Int J Pharm* 424: 98-106.
- Wang, Y; Li, Q; Zhang, Z; Ma, J; Feng, Y. (2009). Solvent effects on the enantioselectivity of the thermophilic lipase QLM in the resolution of (R, S)-2-octanol and (R, S)-2-pentanol. *Journal of Molecular Catalysis B: Enzymatic* 56: 146-150.
- Wang, Y; Wang, ZJ; Liu, J; Ma, M; Belzile, N. (1999). Monitoring priority pollutants in the Yanghe River by dichloromethane extraction and semipermeable membrane device (SPMD). *Chemosphere* 39: 113-131.
- Wang, Y; Wang, ZJ; Ma, M; Wang, CX; Mo, Z. (2001). Monitoring priority pollutants in a sewage treatment process by dichloromethane extraction and triolein-semipermeable membrane device (SPMD). *Chemosphere* 43: 339-346.
- Wang, Y; Zhou, J; Tang, Y; Wei, Y; Gong, H; Li, X; Zhang, J. (2013). Nanocomplexation-assisted solubilization of pDNA in organic solvents for improved microencapsulation. *J Colloid Interface Sci* 394: 573-581.
- Wang, YN; Tian, WY; He, WH; Chen, GC; An, ML; Jia, B; Liu, L; Zhou, Y; Liu, SJ. (2015). *Methylophila henanense* sp nov., a novel methylotrophic bacterium isolated from tribenuron methyl-contaminated wheat soil. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 107: 329-336.
- Wang, YY; Marsden, PJ; Flessel, CP; Williams, LR. (1990). Evaluation and validation of protocols for measurement of the mutagenicity of environmental samples. Friedman, D (Ed) *Astm (American Society for Testing and Materials) Special Technical Publication, No 1062 Waste Testing and Quality Assurance: Second Volume Xix+459p Astm: Philadelphia, Pennsylvania, USA Illus Maps Isbn 0-8031-1293-9; 0 (0) 1990 176-196.*
- Wang, Z-W; Cao, Q-Y; Huang, X; Lin, S; Gao, X-C. (2010). Synthesis, structure and electronic spectra of new three-coordinated copper(II) complexes with tricyclohexylphosphine and diimine ligands. *Inorganica Chimica Acta* 363: 15-19.
- Wani, AH; Branion, RM; Lau, AK. (1997). Biofiltration: A promising and cost-effective control technology for odors, VOCs and air toxics. *Journal of Environmental Science and Health Part a Environmental Science and Engineering & Toxic and Hazardous Substance Control* 32: 2027-2055.
- Wanichecheva, N; Benco, JS; Lambert, CR; McGimpsey, WG. (2006). A highly selective bicyclic fluoroionophore for the detection of lithium ions. *Photochem Photobiol* 82: 268-273.
- Ward, DB; Tizaoui, C; Slater, MJ. (2005). Continuous extraction and destruction of chloro-organics in wastewater using ozone-loaded Volasiltrade mark 245 solvent. *J Hazard Mater* 125: 65-79. [Journal of hazardous materials].
- Ward, DE; Sales, M; Sasmal, PK. (2004). Syn-anti isomerization of aldols by enolization. *J Org Chem* 69: 4808-4815.
- Ward, RS; Williams, GM; Hills, CC. (1996). Changes in major and trace components of landfill gas during subsurface migration. *Waste Management & Research* 14: 243-261.
- Ware, GW; Kolb Dee, M. (1968). Evaluation of extraction and cleanup methods for analysis of DDT and DDE in green alfalfa. *Bull Environ Contam Toxicol* 3: 375-382. [Bulletin of environmental contamination and toxicology].
- Waridel, P; Wolfender, JL; Lachavanne, JB; Hostettmann, K. (2004). ent-Labdane glycosides from the aquatic plant *Potamogeton lucens* and analytical evaluation of the lipophilic extract constituents of various *Potamogeton* species. *Phytochemistry* 65: 945-954.
- Warner, DR; Okuya, S; Rebois, RV. (1996). Altered Gs1± N-terminus affects Gs activity and interaction with the G1²³ subunit complex in cell membranes but not in solution. *Cellular Signalling* 8: 43-53.
- Washington, JW. (1996). Gas partitioning of dissolved volatile organic compounds in the vadose zone: Principles, temperature effects and literature review. *Ground Water* 34: 709-718.
- Watanabe, K; Sasaki, T; Kawakami, K. (1998). Comparisons of chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study III and evaluation of the usefulness of these strains. *Mutat Res* 416: 169-181.
- Watanabe, Y; Fuji, T; Hioki, K; Tani, S; Kunishima, M. (2004). Development of a simple system for dehydrocondensation using solid-phase adsorption of a water-soluble dehydrocondensing reagent (DMT-MM). *Chemical & Pharmaceutical Bulletin* 52: 1223-1226.
- Waters, RD; Crutcher, MR; Parker, FL. (1993). Hazard ranking systems for chemical wastes and chemical waste sites. Saxena, J (Ed) *Hazard Assessment of Chemicals, Vol 8 Xii+332p Taylor & Francis Inc: Bristol, Pennsylvania, USA; London, England, Uk Isbn 1-56032-271-3; 0 (0) 1993 115-170.*
- Wauters, E; Lenelle, I. (1999). PAH measurements in Belgium: Experience and concentration levels. *Fresen Environ Bull* 8: 629-637.
- Weathers, LJ; Parkin, GF. (2000). Toxicity of chloroform biotransformation to methanogenic bacteria. *Environmental Science & Technology* 34: 2764-2767.
- Webster, RD. (2007). New insights into the oxidative electrochemistry of vitamin E. *Acc Chem Res* 40: 251-257.
- Wedgwood, JL; Kresinski, RA; Merry, S; Platt, AWG. (2003). The preparation, characterisation and in vitro cytotoxicity of potentially chemotherapeutic heterobimetallic complexes containing early and late transition metals. *J Inorg Biochem* 95: 149-156.



## Environmental Hazard Literature Search Results

### Off Topic

- Weerapol, Y; Tubtimsri, S; Jansakul, C; Sriamornsak, P. Improved dissolution of Kaemperia pariflora extract for oral administration by preparing solid dispersion via solvent evaporation. *Asian Journal of Pharmaceutical Sciences*.
- Wegener, R; Schulz, S; Meiners, T; Hadwich, K; Hilker, M. (2001). Analysis of volatiles induced by oviposition of elm leaf beetle *Xanthogaleruca luteola* on *Ulmus minor*. *J Chem Ecol* 27: 499-515.
- Wehner, FC; van Rensburg, SJ; Thiel, PG. (1980). Mutagenicity of marijuana and Transkei tobacco smoke condensates in the salmonella/microsome assay. *Mutation Research/Genetic Toxicology* 77: 135-142.
- Wei, CI; Kitamura, K; Shibamoto, T. (1981). Mutagenicity of Maillard browning products obtained from a starch-glycine model system. *Food Cosmet Toxicol* 19: 749-751.
- Wei, D; Zhu, Y; Zhang, C; Sun, D; Zhang, W; Tang, M. (2011). A DFT study on enantioselective synthesis of aza- $\beta$ -lactams via NHC-catalyzed [2+2] cycloaddition of ketenes with diazenedicarboxylates. *Journal of Molecular Catalysis* 334: 108-115.
- Wei, HX; Timmons, C; Farag, MA; Pare, PW; Li, GG. (2004). MgI<sub>2</sub>-catalyzed halo aldol reaction: a practical approach to (E)-beta-iodovinyl-beta<sup>1</sup>-hydroxyketones. *Organic & Biomolecular Chemistry* 2: 2893-2896.
- Wei, RD; Liu, GX; Yuan, CC; Ng, HT. (1984). Vaginal contents show in vitro mutagenic activity. *Proc Natl Sci Coun Repub China B* 8: 46-49. [Proceedings of the National Science Council, Republic of China. Part B, Life sciences].
- Wei, YH; Chang, KT; Chiang, PC; Chang, SC. (1991). Analysis and tracing of polycyclic aromatic hydrocarbons and mutagenicity of airborne particulates from the Taipei area. *Proc Natl Sci Coun Repub China B* 15: 53-62. [Proceedings of the National Science Council, Republic of China. Part B, Life sciences].
- Wei, YL; Lee, JH. (1999). Manganese sulfate effect on PAH formation from polystyrene pyrolysis. *Sci Total Environ* 228: 59-66.
- Wei, Z; Wang, C; Zou, S; Liu, H; Tong, Z. (2011). Fe<sub>3</sub>O<sub>4</sub> nanoparticles as particulate emulsifier: Preparation of magnetic and biocompatible PLGA microcapsules. *Colloids and surfaces* 392: 116-123.
- Wei, Z; Wang, C; Zou, S; Liu, H; Tong, Z. (2012). Chitosan nanoparticles as particular emulsifier for preparation of novel pH-responsive Pickering emulsions and PLGA microcapsules. *Polymer* 53: 1229-1235.
- Wei, Z; Wang, Q; Xu, J; Nie, Y; Du, Y; Xia, H. (2008). Facile electrosyntheses of high tensile strength alkyl-bridged dicarbazole polymer films and its fluorescence spectra. *Journal of polymer science* 46: 5232-5241.
- Wei, ZJ; Wang, CY; Liu, H; Zou, SW; Tong, Z. (2012). Facile fabrication of biocompatible PLGA drug-carrying microspheres by O/W pickering emulsions. *Colloids and Surfaces B-Biointerfaces* 91: 97-105.
- Weidner, J; Wehner, J. (1988). Elimination of anthropogenic substances from groundwater following the example of the groundwater decontamination on the airport of hamburg-fuhlsbuettel west germany. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 1187-1196.
- Weinstein, RS; Boyd, DD; Back, KC. (1972). Effects of continuous inhalation of dichloromethane in the mouse: Morphologic and functional observations. *Toxicol Appl Pharmacol* 23: 660-679.
- Weiss, HM; Touchette, KM; Andersen, F; Iskhakov, D. (2003). Regiochemical variation in the electrophilic addition of HBr to 1-phenylprop-1-yne. *Organic & Biomolecular Chemistry* 1: 2148-2151.
- Weldon, AJ; Tschumper, GS. (2006). Energetics of oxaspirocycle prototypes: 1,7-Dioxaspiro 5.5 undecane and 1,7,9-trioxadispiro 5.1.5.3 hexadecane. *J Org Chem* 71: 9212-9216.
- Wells, DE. (1988). Extraction clean-up and group separation techniques in organochlorine trace analysis. *Pure Appl Chem* 60: 1437-1448.
- Weng, ND; Hua, S; Roets, E; Hoogmartens, J. (2003). Assay and purity control of tetracycline, chlortetracycline and oxytetracycline in animal feeds and premixes by TLC densitometry with fluorescence detection. *J Pharm Biomed Anal* 33: 85-93.
- Weniger, B; Lagnika, L; Vonthron-Senecheau, C; Adjobimey, T; Gbenou, J; Moudachirou, M; Brun, R; Anton, R; Sanni, A. (2004). Evaluation of ethnobotanically selected Benin medicinal plants for their in vitro antiplasmodial activity. *J Ethnopharmacol* 90: 279-284.
- Weniger, B; Robledo, S; Arango, GJ; Deharo, E; Aragon, R; Munoz, V; Callapa, J; Lobstein, A; Anton, R. (2001). Antiprotozoal activities of Colombian plants. *J Ethnopharmacol* 78: 193-200.
- Wentworth, WE; D'Sa, ED; Cai, H; Stearns, S. (1992). Environmental applications of the pulsed-discharge electron-capture detector. *J Chromatogr Sci* 30: 478-485.
- Werner, I; Glasl, S; Presser, A; Haslinger, E; Jurenitsch, J. (2003). Sesquiterpenes from *Achillea pannonica* Scheele. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences* 58: 303-307.
- Wery, P; Micha, JC; Van Hove, C; Braekman, JC. (1987). Chemical relationships between *Azolla* and *Cichlasoma*. *Aquaculture* 61: 313-315.
- Westbom, R; Sparring, S; Cederberg, L; Linderoth, LO; Bj rklund, E. (2008). Selective pressurized liquid extraction of polychlorinated biphenyls in sediment. *Anal Sci* 24: 531-533. [Analytical sciences : the international journal of the Japan Society for Analytical Chemistry].
- Westerlund, D; Olof Borg, K. (1973). Fluorimetric determinations by ion-pair extraction : Part V. Studies on ion-pair extraction with the fluorescent anion 9,10-dimethoxyanthracene-2-sulphonate. *Anal Chim Acta* 67: 89-98.
- Weston, RJ. (1984). Composition of essential oil from leaves of *Eucalyptus delegatensis*. *Phytochemistry* 23: 1943-1945.
- Wetzel, A; Werner, D. Ecotoxicological Evaluation of Contaminated Soil using the Legume Root Nodule Symbiosis as Effect Parameter. *Environ Toxicol Water Qual* 10: 127-133.
- Wheeler, MH; Stipanovic, RD; Puckhaber, LS. (1999). Phytotoxicity of equisetin and epi-equisetin isolated from *Fusarium equiseti* and *F-pallidoroseum*. *Mycological Research* 103: 967-973.

## Environmental Hazard Literature Search Results

### Off Topic

- Whitaker, DA; Fortmann, RC; Lindstrom, AB. (1995). Development and testing of a whole-air sampler for measurement of personal exposure to volatile organic compounds. *J Expo Anal Environ Epidemiol* 5: 89-100. [Journal of exposure analysis and environmental epidemiology].
- White, DM; Irvine, RL. (1996). The bituminous material in Arctic peat: Implications for analyses of petroleum contamination. *J Hazard Mater* 49: 181-196.
- White, PA; Blaise, C; Rasmussen, JB. (1997). Detection of genotoxic substances in bivalve molluscs from the Saguenay Fjord (Canada), using the SOS chromotest1. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 392: 277-300.
- White, PA; Rasmussen, JB; Blaise, C. (1995). Comparing the presence potency and partitioning behaviour of genotoxins extracted from a broad range of industrial effluents. Twenty-First Annual Aquatic Toxicity Workshop, Sarnia, Ontario, Canada, October 3-5, 1994 Canadian Technical Report of Fisheries and Aquatic Sciences 0: 108-109.
- White, PA; Rasmussen, JB; Blaise, C. (1995). Genotoxicity of snow in the Montreal metropolitan area. *Water Air and Soil Pollution* 83: 315-334.
- Whiteman, M; Perry, A; Wood, ME. (2014). S3-1 H2S in inflammation: Time for resolution? *Nitric Oxide* 39, Supplement: S3.
- Whitney, JR; Collins, BT. Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloro-ethylene after I.V. administration in the rat. *J Environ Pathol Toxicol* June/July 1980. v. 3 (5/6): 313-332.
- Whittaker, H; Goulet, C. (1988). A review of countermeasures for the removal of volatile organic compounds from groundwater. Wolf, K, W J Van Den Brink and F J Colon (Ed) *Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15, 1988* Xxxvi+1009p(Vol 1); Xxv+683p(Vol 2) Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA Illus Maps Isbn 90-247-3714-1; 0 (0) 1988 1197-1206.
- Who. (1987). Who world health organization regional publications european series no. 23. air quality guidelines for europe. Who Who (World Health Organization) Regional Publications European Series, No 23 Air Quality Guidelines for Europe Xv+426p Who: Copenhagen, Denmark Illus Paper Isbn 92-890-1114-9; 0 (0) 1987 Xv+426p.
- Whong, WZ; Sorenson, WG; Elliott, JA; Stewart, J; Simpson, J; Piacitelli, L; McCawley, M; Ong, T. (1982). Mutagenicity of oil-shale ash. *Mutation Research Letters* 103: 5-12.
- Whong, WZ; Stewart, JD; Adamo, DC; Ong, T. (1983). Mutagenic detection of complex environmental mixtures using the Salmonella/arabinose-resistant assay system. *Mutation Research Letters* 120: 13-19.
- Wiat, C; Hannah, A; Yassim, M; Hamimah, H; Sulaiman, M. (2004). Antimicrobial activity of *Acalypha siamensis* Oliv. ex Gage. *J Ethnopharmacol* 95: 285-286.
- Wiat, C; Hannah, A; Yusof, M; Hamimah, H; Sulaiman, M. (2005). Growth inhibition of foodborne and nosocomial pathogens by aqueous fraction of bearded *Argostemma* (*Argostemma involucreatum* Hemsl., Rubiaceae). *J Herb Pharmacother* 2005; 5(3):97-102 [Journal of herbal pharmacotherapy].
- Widner, TE; Ripple, SR; Buddenbaum, JE. (1996). Identification and screening evaluation of key historical materials and emission sources at the Oak Ridge Reservation. *Health Phys* 71: 457-469.
- Wiederkehr, P. (1993). Control of hazardous air pollutants in oecd countries a comparative policy analysis. Chow, W And K K Connor (Ed) *Managing Hazardous Air Pollutants: State of the Art; First International Conference, Washington, DC, USA, November 4-6, 1991* Xix+582p Lewis Publishers Inc: Chelsea, Michigan, USA Isbn 0-87371-866-6; 0 (0) 1993 29-43.
- Wigilius, B; BorÅ©n, H; Carlberg, GE; Grimvall, A; MÅ¶ller, M. (1985). A comparison of methods for concentrating mutagens in drinking water - recovery aspects and their implications for the chemical character of major unidentified mutagens. *Sci Total Environ* 47: 265-272.
- Wikberg, JE; Hede, AR; Lindahl, M. (1985). Effect of general anaesthetics and organic solvents on alpha 1-adrenoceptors in the myometrium. *Acta Pharmacol Toxicol (Copenh)* 57: 53-59. [Acta pharmacologica et toxicologica].
- Wikberg, JE; Hede, AR; Post, C. (1987). Effects of halothane and other chlorinated hydrocarbons on alpha 2-adrenoceptors in the mouse cortex. *Pharmacol Toxicol* 61: 271-277. [Pharmacology & toxicology].
- Williams, PJ; Strauss, CR. Studies of volatile components in the dichloromethane extracts of Australian flor sherries: the identification of the isomeric ethylidene glycerols. *Journal of the Institute of Brewing* May/June 1978, 84 (3): 144-147.
- Williams, R; Perry, EE; Lewtas, J. (1986). Evaluation of techniques used in the preparation of diesel extract samples for mutagenicity studies. *Environ Int* 12: 625-633.
- Williams, RL; Chock, DP. (1981). Characterization of diesel particulate exposure. *Environ Int* 5: 199-209.
- Williamson, DA; Bowler, BE. (1998). Electron transfer through the hydrogen-bonded interface of a beta-turn-forming depsipeptide. *J Am Chem Soc* 120: 10902-10911.
- Willis, CE; Sacheti, S. (1996). Statistical evidence on the effectiveness of sewerage to protect groundwater from VOC contamination. *Environ Manage* 20: 257-262.
- Wilson, DD; Severson, RF; Son, KC; Kays, SJ. Oviposition stimulant in sweet potato periderm for the sweetpotato weevil, *Cylas formicarius elegantulus* (Coleoptera: Curculionidae). *Environ Entomol* Aug 1988. v. 17 (4): 691-693.
- Wilson, FD; Smith, CR, Jr. Pink bollworm (Lepidoptera: Gelechiidae) penetration into and survival in bolls of resistant and susceptible cotton lines. *J Agr Entomol* July 1992. v. 9 (3): 165-173.
- Wilson, JT. (1988). Degradation of halogenated hydrocarbons. Hollenberg, C P And H Sahm (Ed) *Biotec, Vol 2 Biosensors and Environmental Biotechnology* Viii+149p Vch Publishers, Inc: New York, New York, USA; Gustav Fischer Verlag: Stuttgart, West Germany Illus Paper Isbn 0-89574-264-0; Isbn 3-437-30579-4; 0 (0) 1988 75-78.

## Environmental Hazard Literature Search Results

### Off Topic

- Winder, C; Gonzalez-Calderon, D. (1998). Use of ec criteria for determining health and environmental hazards for classification of chemicals for environmental risk. *Regul Toxicol Pharmacol* 27: 38-46.
- Winkel, DR; Hendrick, SA. (1984). Detection Limits for a GC Determination of Methanol and Methylene Chloride Residues on Film-Coated Tablets. *J Pharm Sci* 73: 115-117.
- Winnik, FM. Fluorescence studies of cellulose ethers: synthesis, characterization, and spectroscopic properties of labeled polymers. *Advances in Chemistry Series* 1996. (248): 409-423.
- Wiosetek-Reske, AM; Wysocki, S; Bak, GW. (2005). Determination of dipole moment in the ground and excited state by experimental and theoretical methods of N-nonyl acridine orange. *Spectrochim Acta A Mol Biomol Spectrosc* 62: 1172-1178. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Wirkner, K; Damme, B; Pankow, D. (1996). Effect of long-term ethanol etoh pretreatment on the metabolism of dichloromethane dcm to carbon monoxide co in rats. Autumn Meeting of the Deutsche Gesellschaft Fuer Experimentelle Und Klinische Pharmakologie Und Toxikologie (German Society for Experimental and Clinical Pharmacology and Toxicology), Dresden, Germany, September 10-12, 1996 *Naunyn-Schmiedeberg's Archives of Pharmacology* 354: R21.
- Wirkner, K; Damme, B; Poelchen, W; Pankow, D. (1997). Effect of Long-Term Ethanol Pretreatment on the Metabolism of Dichloromethane to Carbon Monoxide in Rats. *Toxicol Appl Pharmacol* 143: 83-88.
- Wirth, P; Soupe, J; Tritsch, D; Biellmann, J-Fo. (1991). Chemical modification of horseradish peroxidase with ethanal-methoxypolyethylene glycol: Solubility in organic solvents, activity, and properties. *Bioorg Chem* 19: 133-142.
- Withey, JR; Karpinski, K. (1985). The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. *Biol Res Pregnancy Perinatol* 6: 79-88.
- Witkowska-Banaszczak, E; Bylka, Wa; MatÅawska, I; GoÅliÅska, O; MuszyÅski, Z. (2005). Antimicrobial activity of Viola tricolor herb. *Fitoterapia* 76: 458-461.
- Wittmann, C; Riedel, K; Schmid, RD. (1997). Microbial and enzyme sensors for environmental monitoring. Kress-Rogers, E (Ed) *Handbook of Biosensors and Electronic Noses: Medicine, Food, and the Environment* Xxi+695p Crc Press, Inc: Boca Raton, Florida, USA; London, England, Uk Isbn 0-8493-8905-4; 0 (0) 1997 299-332.
- Wohlfarth, G; Diekert, G. (1997). Anaerobic dehalogenases. *Current Opinion in Biotechnology* 8: 290-295.
- Wohnert, J; Brenn, J; Stoldt, M; Aleksiuk, O; Grynszpan, F; Thondorf, I; Biali, SE. (1998). Conformation and stereodynamics of monodioxamethylene calix 4 arene derivatives. *J Org Chem* 63: 3866-3874.
- Wolfe, GW; Condie, LW. (1994). Health effect studies on recycled drinking water from secondary wastewater au - lauer wc. Yang, R S H (Ed) *Toxicology of Chemical Mixtures: Case Studies, Mechanisms, and Novel Approaches* Xxiv+720p Academic Press, Inc: San Diego, California, USA; London, England, Uk Isbn 0-12-768350-X; 0 (0) 1994 63-81.
- Wolfe, NL. (1989). Abiotic transformations of toxic organic chemicals in the liquid phase and sediments. Gerstl, Z, Et Al (Ed) *Ecological Studies, Vol 73 Toxic Organic Chemicals in Porous Media; Second International Workshop on Behavior of Pollutants in Porous Media*, Bet Dagan, Israel, June 1987 Xiv+343p Springer-Verlag: Berlin, West Germany; New York, New York, USA Illus Isbn 3-540-50799-X; Isbn 0-387-50799-X; 0 (0) 1989 136-148.
- Wolna, P; Wuenscher, U; Damme, B. (1994). Toxicokinetics of accidental scenarios with dichloromethane. 35th Spring Meeting of the German Society for Experimental and Clinical Pharmacology and Toxicology, Mainz, Germany, March 15-17, 1994 *Naunyn-Schmiedeberg's Archives of Pharmacology* 349: R107.
- Wong, F; Bidleman, TF. (2010). Hydroxypropyl-beta-cyclodextrin as non-exhaustive extractant for organochlorine pesticides and polychlorinated biphenyls in muck soil. *Environ Pollut* 158: 1303-1310.
- Wong, F; Bidleman, TF. (2010). Hydroxypropyl- $\beta$ -cyclodextrin as non-exhaustive extractant for organochlorine pesticides and polychlorinated biphenyls in muck soil. *Environ Pollut* 158: 1303-1310.
- Wong, F; Kurt-Karakus, P; Bidleman, TF. (2012). Fate of Brominated Flame Retardants and Organochlorine Pesticides in Urban Soil: Volatility and Degradation. *Environmental Science & Technology* 46: 2668-2674.
- Wong, HF; Brown, GD. (2002). beta-methoxy-gamma-methylene-alpha,beta-unsaturated-gamma-butyrolactones from *Artabotrys hexapetalus*. *Phytochemistry* 59: 99-104.
- Wong, H-F; Brown, GD. (2002).  $\beta$ -Methoxy- $\hat{\beta}$ -methylene- $\hat{\alpha}$ , $\hat{\beta}$ -unsaturated- $\hat{\beta}$ -butyrolactones from *Artabotrys hexapetalus*. *Phytochemistry* 59: 99-104.
- Wong, KKW; Colfen, H; Whilton, NT; Douglas, T; Mann, S. (1999). Synthesis and characterization of hydrophobic ferritin proteins. *J Inorg Biochem* 76: 187-195.
- Woo, E-R; Kim, HJ; Kwak, JH; Lim, YK; Park, SK; Kim, HS; Lee, C-K; Park, H. (1997). Anti-herpetic activity of various medicinal plant extracts. *Arch Pharm Res* 20: 58-67.
- Wood, KN; Bishop, AL. (1992). Effluent guidelines compliance through waste minimization. Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control, Washington, DC, USA, May 24-30, 1992 *Water Sci Technol* 26: 301-307.
- Wood, PR; Demarco, J. (1987). Treatment of ground water with granular activated carbon. Meeting on Adsorption Techniques in Drinking Water Treatment Held at the North Atlantic Treaty Organization's Committee on the Challenges of Modern Society Symposium, Reston, Virginia, USA, April 30-May 2, 1979 *J Environ Pathol Toxicol Oncol* 7: 241-258.
- Wood, WF. (2005). A comparison of mandibular gland volatiles from ants of the bull horn acacia, *Acacia collinsii*. *Biochemical Systematics and Ecology* 33: 651-658.

## Environmental Hazard Literature Search Results

### Off Topic

- Wood, WF; Palmer, TM; Stanton, ML. (2002). A comparison of volatiles in mandibular glands from three *Crematogaster* ant symbionts of the whistling thorn acacia. *Biochemical Systematics and Ecology* 30: 217-222.
- Woodbury, N; Gries, G. (2013). Firebrats, *Thermobia domestica*, aggregate in response to the microbes *Enterobacter cloacae* and *Mycotypha microspora*. *Entomologia Experimentalis Et Applicata* 147: 154-159.
- Woods, S; Williamson, K; Ely, R; Gardner, K; Defarges, P. (1987). Use of submerged aerobic biofilm processes for degradation of halogenated organic compounds. 194th American Chemical Society National Meeting, New Orleans, Louisiana, USA, August 30-September 4, 1987 Abstr Pap Am Chem Soc 194: ENVR 15.
- Wormer, L; Carrasco, D; Cires, S; Quesada, A. (2009). Advances in solid phase extraction of the cyanobacterial toxin cylindrospermopsin. *Limnology and Oceanography-Methods* 7: 568-575.
- Wrede, M; Ganza, V; Kannenberg, G; Rominger, F; Straub, BF. (2011). Synthesis, structure, and unprecedented solubility of lipophilic borate salts. *Inorganica Chimica Acta* 369: 71-75.
- Wright, AD; Goclik, E; Konig, GM. (2003). Oxygenated analogues of gorgosterol and ergosterol from the soft coral *Capnella lacertiliensis*. *J Nat Prod* 66: 157-160.
- Wright, AD; Papendorf, O; Konig, GM; Oberemm, A. (2006). Effects of cyanobacterium *Fischerella ambigua* isolates and cell free culture media on zebrafish (*Danio rerio*) embryo development. *Chemosphere* 65: 604-608.
- Wright, DA; Sandler, SI; Devoll, D. (1992). Infinite dilution activity coefficients and solubilities of halogenated hydrocarbons in water at ambient temperatures. *Environ Sci Technol* 26: 1828-1831.
- Wright, NJD; Walker, RJ. (1984). The possible site of action of 5-hydroxytryptamine, 6-hydroxytryptamine, tryptamine and dopamine on identified neurons in the central nervous system of the snail, *Helix aspersa*. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology* 78: 217-225.
- Wrobel, K; Wrobel, K; Lopez-De-Alba, PL; Lopez-Martinez, L. (1997). Enhanced spectrophotometric determination of chromium (VI) with diphenylcarbazine using internal standard and derivative spectrophotometry. *Talanta* 44: 2129-2136.
- Wu, CY; Lin, HC; Wang, ZY; Wu, HJ. (2001). Synthesis of novel acetal thia-cage compounds. *J Org Chem* 66: 4610-4618.
- Wu, J; El Hamaoui, B; Li, J; Zhi, L; Kolb, U; MÅ Ilen, K. (2005). Solid-state synthesis of "bamboo-like" and straight carbon nanotubes by thermolysis of hexa-peri-hexabenzocoronene-cobalt complexes. *Small* 1: 210-212. [Small (Weinheim an der Bergstrasse, Germany)].
- Wu, J; Li, H-Y; Xu, Q-L; Zhu, Y-C; Tao, Y-M; Li, H-R; Zheng, Y-X; Zuo, J-L; You, X-Z. (2010). Synthesis and photoluminescent properties of series ternary lanthanide (Eu(III), Sm(III), Nd(III), Er(III), Yb(III)) complexes containing 4,4,4-trifluoro-1-(2-naphthyl)-1,3-butanedionate and carbazole-functionalized ligand. *Inorganica Chimica Acta* 363: 2394-2400.
- Wu, S; Zhang, Y; Li, Z; Shuang, S; Dong, C; Choi, MMF. (2009). Mode-filtered light methane gas sensor based on cryptophane A. *Anal Chim Acta* 633: 238-243.
- Wu, SJ; Hu, ZH; Zhang, LL; Yu, X; Chen, JM. (2009). A novel dichloromethane-degrading *Lysinibacillus sphaericus* strain wh22 and its degradative plasmid. *Appl Microbiol Biotechnol* 82: 731-740.
- Wu, SJ; Yu, X; Hu, ZH; Zhang, LL; Chen, JM. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci* 21: 1276-1283.
- Wu, SJ; Zhang, HX; Yu, X; Chen, JM. (2009). Identification and cloning of a gene encoding dichloromethane dehalogenase from a methylotrophic bacterium, *Bacillus circulans* WZ-12 CCTCC M 207006. *Bioprocess Biosyst Eng* 32: 845-852.
- Wu, SJ; Zhang, LL; Wang, JD; Chen, JM. (2007). *Bacillus circulans* WZ-12-a newly discovered aerobic dichloromethane-degrading methylotrophic bacterium. *Appl Microbiol Biotechnol* 76: 1289-1296.
- Wu, XC; Huan, Y; Zhao, Q; Yu, XP; Zhang, WJ. (2016). Fate and transport of DBPs in a deep confined aquifer during artificial recharge process. *Environ Earth Sci* 75: 7-7.
- Wube, AA; Bucar, F; Gibbons, S; Asres, K; Rattray, L; Croft, SL. (2010). Antiprotozoal Activity of Drimane and Coloratane Sesquiterpenes towards *Trypanosoma brucei rhodesiense* and *Plasmodium falciparum* In Vitro. *Phytother Res* 24: 1468-1472.
- Wurzinger, A; Delgado, J; Nurnberg, M; Valle Zarate, A; Stemmer, A; Ugarte, G; Solkner, J. (2006). Genetic and non-genetic factors influencing fibre quality of Bolivian llamas. *Small Ruminant Research* 61: 131-139.
- Wurzinger, M; Delgado, J; Nurnberg, M; Valle Zarate, A; Stemmer, A; Ugarte, G; Solkner, J. (2006). Genetic and non-genetic factors influencing fibre quality of Bolivian llamas. *Small ruminant research : the journal of the International Goat Association* 61: 131-139.
- Wyhowski de Bukanski, B; Degroodt, JM; Beernaert, H. (1991). Determination of thiabendazole residues in meat by HPLC using ultraviolet and fluorometric detection. *Z Lebensm Unters Forsch* 193: 130-133. [Zeitschrift fur Lebensmittel-Untersuchung und -Forschung].
- Xia, Q; Li, Z; Xiao, L; Zhang, Z; Xi, H. (2010). Effects of loading different metal ions on an activated carbon on the desorption activation energy of dichloromethane/trichloromethane. *J Hazard Mater* 179: 790-794.
- Xia, X; Zhai, Y; Dong, J. (2013). Contribution ratio of freely to total dissolved concentrations of polycyclic aromatic hydrocarbons in natural river waters. *Chemosphere* 90: 1785-1793.
- Xia, YJ; Ribeiro, PF; Pack, DW. (2013). Controlled protein release from monodisperse biodegradable double-wall microspheres of controllable shell thickness. *J Control Release* 172: 707-714.
- Xia, YJ; Xu, QX; Wang, CH; Pack, DW. (2013). Protein encapsulation in and release from monodisperse double-wall polymer microspheres. *J Pharm Sci* 102: 1601-1609.
- Xiao, CD; Shen, XC; Tao, L. (2013). Modified emulsion solvent evaporation method for fabricating core-shell microspheres. *Int J Pharm* 452: 227-232.

## Environmental Hazard Literature Search Results

### Off Topic

- Xiao, C-D; Shen, X-C; Tao, L. (2013). Modified emulsion solvent evaporation method for fabricating core-shell microspheres. *Int J Pharm* 452: 227-232.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *Journal of Environmental Engineering-Asce* 125: 647-652.
- Xiao, W; Hu, D; Peng, C; Chen, GZ. (2011). Interfacial synthesis: amphiphilic monomers assisted ultrarefining of mesoporous manganese oxide nanoparticles and the electrochemical implications. *ACS Appl Mater Interfaces* 3: 3120-3129. [ACS applied materials & interfaces].
- Xiao, WJ; Alper, H. (2001). First examples of enantioselective palladium-catalyzed thiocarbonylation of prochiral 1,3-conjugated dienes with thiols and carbon monoxide: Efficient synthesis of optically active beta,gamma-unsaturated thiol esters. *J Org Chem* 66: 6229-6233.
- Xie, Q; Chen, JW; Shao, JP; Chen, CE; Zhao, HX; Hao, C. (2009). Important role of reaction field in photodegradation of deca-bromodiphenyl ether: Theoretical and experimental investigations of solvent effects. *Chemosphere* 76: 1486-1490.
- Xie, YL; Sun, MR; Zhou, H; Cao, QW; Gao, KG; Niu, CL; Yang, H. (2013). Enantiospecific Total Synthesis of (+)-Tanikolide via a Key 2,3 - Meisenheimer Rearrangement with an Allylic Amine N-Oxide-Directed Epoxidation and a One-Pot Trichloroisocyanuric Acid N-Debenzylation and N-Chlorination. *J Org Chem* 78: 10251-10263.
- Xie, Z-L; Wei, Q-H; Zhang, L-Y; Chen, Z-N. (2007). Luminescent Au<sub>3</sub>Ag<sub>6</sub> heterononanuclear complex of 1-ethynylcyclopentanol. *Inorganic Chemistry Communications* 10: 1206-1209.
- Xiong, G; Tang, B; He, X; Zhao, M; Zhang, Z; Zhang, Z. (1999). Comparison of microwave-assisted extraction of triazines from soils using water and organic solvents as the extractants. *Talanta* 48: 333-339.
- Xu, C; Wu, K; Hu, S; Cui, D. (2002). Electrochemical detection of parathion at a glassy-carbon electrode modified with hexadecane. *Anal Bioanal Chem* 373: 284-288.
- Xu, DH; Savage, PE. (2014). Characterization of biocrudes recovered with and without solvent after hydrothermal liquefaction of algae. *Algal Research-Biomass Biofuels and Bioproducts* 6: 1-7.
- Xu, F; Cui, FZ; Jiao, YP; Meng, QY; Wang, XP; Cui, XY. (2009). Improvement of cytocompatibility of electrospinning PLLA microfibers by blending PVP. *Journal of Materials Science-Materials in Medicine* 20: 1331-1338.
- Xu, FF; Wang, Y; Xiong, DC; Ye, XS. (2014). Stereoselective Synthesis of the Trisaccharide Moiety of Ganglioside HLG-2. *J Org Chem* 79: 797-802.
- Xu, H-B; Zhang, L-Y; Chen, Z-N. (2007). Syntheses, characterization and luminescence of Pt<sup>II</sup>-M (M = Re, Ru, Gd) heteronuclear complexes with 5-ethynyl-2,2'-bipyridine. *Inorganica Chimica Acta* 360: 163-169.
- Xu, MY; Kinoshita, Y; Matsubara, S; Tamiaki, H. (2016). Synthesis of chlorophyll-c derivatives by modifying natural chlorophyll-a. *Photosynth Res* 127: 335-345.
- Xu, N; Lee, J; Powell, DR; Richter-Addo, GB. (2005). Synthesis, characterization, and redox behavior of six-coordinate (por)Ru(NO)Cl compounds (por = porphyrinato dianion). *Inorganica Chimica Acta* 358: 2855-2860.
- Xu, S; Nirmalakhandan, N. (1998). Use of QSAR models in predicting joint effects in multi-component mixtures of organic chemicals. *Water Res* 32: 2391-2399.
- Xu, WY; Gao, TY. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci* 19: 792-799.
- Xu, X; Chen, DJ; Wei, HX; Li, GG; Xiao, TL; Armstrong, DW. (2003). First asymmetric synthesis of chiral beta-iodo Baylis-Hillman esters via tandem 1,4-conjugate addition/carbonyl coupling reactions. *Chirality* 15: 139-142.
- Xu, YX; Skotak, M; Hanna, M. (2006). Electrospray encapsulation of water-soluble protein with polylactide. I. Effects of formulations and process on morphology and particle size. *J Microencapsul* 23: 69-78.
- Xue, CH; Jog, SP; Murthy, P; Liu, HY. (2006). Synthesis of highly water-soluble fluorescent conjugated glycopoly(p-phenylene)s for lectin and Escherichia coli. *Biomacromolecules* 7: 2470-2474.
- Xue, XS; Wang, Y; Li, M; Cheng, JP. (2016). Comprehensive Energetic Scale for Quantitatively Estimating the Fluorinating Potential of N-F Reagents in Electrophilic Fluorinations. *J Org Chem* 81: 4280-4289.
- Yadav, JS; Reddy, BVS; Maity, T; Kumar, G. (2008). Three-component coupling of aldehydes, homoallyl alcohols, and trimethylsilyl azide: A facile synthesis of 4-azidotetrahydropyrans via the prins cyclization. *Synthesis-Stuttgart* 2739-2742.
- Yadav, JS; Reddy, CA. Mineralization of 2,4-dichlorophenoxyacetic acid (2,4-D) and mixtures of 2,4-D and 2,4,5-trichlorophenoxyacetic acid by Phanerochaete chrysosporium. *Appl Environ Microbiol Sept* 1993. v. 59 (9): 2904-2908.
- Yakuphanoglu, F; Arslan, M. (2004). Determination of electrical conduction mechanism and optical band gap of a new charge transfer complex: TCNQ-PANT. *Solid State Communications* 132: 229-234.
- Yakura, T; Muramatsu, W; Uenishi, J. (2005). Stereoselective synthesis of C3-C12 dihydropyran portion of antitumor laulimalide using copper-catalyzed oxonium ylide formation- 2,3 shift. *Chemical & Pharmaceutical Bulletin* 53: 989-994.
- Yakura, T; Ueki, A; Morioka, Y; Kurata, T; Tanaka, K; Ikeda, M. (1998). Control of chemoselectivity in dirhodium(II)-catalyzed reaction of 5,6-dioxygenated 2-diazo-3-oxohexanoates: C-H insertion reaction versus oxonium ylide formation. *Chemical & Pharmaceutical Bulletin* 46: 1182-1183.
- Yamaguchi, T; Nishimura, M; Okamoto, R; Takeuchi, T; Yamamoto, K. (1992). Glass formation of 4-O-(4-methoxyphenyl) acetyltylosin and physicochemical stability of the amorphous solid. *Int J Pharm* 85: 87-96.
- Yamaguchi, Y; Seki, T. (1984). A fluorometric determination of urinary 17-hydroxycorticosteroids using benzamidine. *Anal Biochem* 142: 204-206.
- Yamamoto, H; Nagano, T; Hirobe, M. (1988). Carbon tetrachloride toxicity on escherichia-coli exacerbated by superoxide. *J Biol Chem* 263: 12224-12227.

## Environmental Hazard Literature Search Results

### Off Topic

- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut* 95: 135-143.
- Yamamoto, T; Fukushima, T; Yamamoto, Y; Kosaka, A; Jin, W; Ishii, N; Aida, T. (2006). Stabilization of a kinetically favored nanostructure: surface ROMP of self-assembled conductive nanocoils from a norbornene-appended hexa-peri-hexabenzocoronene. *J Am Chem Soc* 128: 14337-14340. [Journal of the American Chemical Society].
- Yamashita, K; Nakate, T; Okimoto, K; Ohike, A; Tokunaga, Y; Ibuki, R; Higaki, K; Kimura, T. (2003). Establishment of new preparation method for solid dispersion formulation of tacrolimus. *Int J Pharm* 267: 79-91.
- Yamazaki, S. (2012). Methyltrioxorhenium-Catalyzed Epoxidation of Homoallylic Alcohols with Hydrogen Peroxide. *J Org Chem* 77: 9884-9888.
- Yan, L; Wang, JD; Huang, ZH; Xu, HQ; Zhou, XT. (2002). Monitoring leaking gases by OP-FTIR remote sensing. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering* 37: 1453-1462.
- Yanagida, H; Okada, M; Masuda, M; Narama, I; Nakano, S; Kitao, S; Takakuda, K; Furuzono, T. (2011). Preparation and in vitro/in vivo evaluations of dimpled poly(L-lactic acid) fibers mixed/coated with hydroxyapatite nanocrystals. *J Artif Organs* 14: 331-341. [Journal of artificial organs : the official journal of the Japanese Society for Artificial Organs].
- Yang, B; Zhang, Y; Meng, JW; Gan, J; Shu, JNA. (2010). Heterogeneous Reactivity of Suspended Pirimiphos-Methyl Particles with Ozone. *Environmental Science & Technology* 44: 3311-3316.
- Yang, D; Wang, Q; Ke, L; Jiang, J; Ying, T. (2007). Antioxidant activities of various extracts of lotus (*Nelumbo nucifera Gaertn*) rhizome. *Asia Pac J Clin Nutr* 1: 158-163.
- Yang, F; Zhang, J; Chu, W; Yin, D; Templeton, MR. (2014). Haloactamides versus halomethanes formation and toxicity in chloraminated drinking water. *J Hazard Mater* 2014, Jun 15; 274:156-63 [Journal of hazardous materials].
- Yang, J; Li, W; Chai, X; Yuan, G; Fu, G; Wang, Y; Guo, X; Luo, M. (2013). Antifeedant activity of numb and salty taste compounds against the larvae of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Acta ecologica Sinica* 33: 7-11.
- Yang, J; Li, Y; Wang, J; Sun, X; Shah, SM; Cao, R; Chen, J. (2015). Novel sponge-like molecularly imprinted mesoporous silica material for selective isolation of bisphenol A and its analogues from sediment extracts. *Anal Chim Acta* 853: 311-319.
- Yang, J; Yang, JY; Zhou, Y; Wei, F; Lin, WG; Zhu, JH. (2010). Hierarchical functionalized MCM-22 zeolite for trapping tobacco specific nitrosamines (TSNAs) in solution. *J Hazard Mater* 179: 1031-1036.
- Yang, JS; Hwang, CY; Hsieh, CC; Chiou, SY. (2004). Spectroscopic correlations between supermolecules and molecules. Anatomy of the ion-modulated electronic properties of the nitrogen donor in monoazacrown-derived intrinsic fluoroionophores. *J Org Chem* 69: 719-726.
- Yang, K; Wang, XH; Chen, XD; Zhang, MQ. (2011). Conformational transition and its dynamics of naphthalene-labeled poly (octadecyl vinyl ether) chains in dichloromethane solution. *Polymer* 52: 3512-3517.
- Yang, LQ; Liu, L; Salam, N; Xiao, M; Kim, CJ; Hozzein, WN; Park, DJ; Li, WJ; Zhang, HW. (2016). *Chenggangzhangella methanolivorans* gen. nov., sp. nov., a member of the family Methylocystaceae, transfer of *Methylopilula helvetica* Doronina et al. 2000 to *Albibacter helveticus* comb. nov. and emended description of the genus *Albibacter*. *Int J Syst Evol Microbiol* 66: 2825-2830.
- Yang, Q; Reams, R; Owusu-Ababio, G. (1999). Effect of solvent composition during preparation on the characteristics of enoxacin microparticles. *J Pharm Pharmacol* 51: 659-665.
- Yang, RS. (1994). Toxicology of chemical mixtures derived from hazardous waste sites or application of pesticides and fertilizers. Yang, R S H (Ed) *Toxicology of Chemical Mixtures: Case Studies, Mechanisms, and Novel Approaches* xviv+720p Academic Press, Inc: San Diego, California, USA; London, England, UK ISBN 0-12-768350-X; 0 (0) 1994 99-117.
- Yang, RS; Goehl, TJ; Brown, RD; Chatham, AT; Arenson, DW; Buchanan, RC; Harris, RK. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: I. Chemistry development. *Fundam Appl Toxicol* 13: 366-376.
- Yang, RS; Hong, HL; Boorman, GA. (1989). Toxicology of chemical mixtures experimental approaches underlying concepts and some results. Meeting on Contemporary Initiatives in Quantitative Toxicology, Held at the 18th Conference on Toxicology, Dayton, Ohio, USA, November 1-3, 1988 *Toxicol Lett* 49: 183-198.
- Yang, RS; Rauckman, EJ. (1987). Toxicological studies of chemical mixtures of environmental concern at the national toxicology program health effects of groundwater contaminants. Symposium on Predictive Toxicology Held at the 16th Conference on Environmental Toxicology *Toxicology* 47: 15-34.
- Yang, SJ; Seth, J; Balasubramanian, T; Kim, D; Lindsey, JS; Holten, D; Bocian, DF. (1999). Interplay of orbital tuning and linker location in controlling electronic communication in porphyrin arrays. *J Am Chem Soc* 121: 4008-4018.
- Yang, SJ; Choe, JH; Abdildinova, A; Gong, YD. (2015). A Highly Efficient Diversification of 2-Amino/Amido-1,3,4-oxadiazole and 1,3,4-Thiadiazole Derivatives via Reagent-Based Cyclization of Thiosemicarbazide Intermediate on Solid-Phase. *Acs Combinatorial Science* 17: 732-741.
- Yang, SJ; Choe, JH; Gong, YD. (2016). Solid-Phase Synthesis of 1,3,4-Thiadiazole Derivatives via Desulfurative Cyclization of Thiosemicarbazide Intermediate Resin. *Acs Combinatorial Science* 18: 499-506.
- Yang, WL; Zhu, AN; Zhang, JB; Zhang, XF; Che, W. (2016). Assessing the backward Lagrangian stochastic model for determining ammonia emissions using a synthetic source. *Agricultural and Forest Meteorology* 216: 13-19.
- Yang, X; Cui, C; Tong, Z; Sabanayagam, CR; Jia, X. (2013). Poly( $\epsilon$ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. *Acta Biomater* 9: 8232-8244.
- Yang, X; Ge, M; Wang, T; Quan, D. (2012). Application of Langmuir-Blodgett film technology on studying the formulation of self-microemulsifying drug delivery system (SMEDDS). *Int J Pharm* 437: 100-102. [International journal of pharmaceuticals].
- Yang, X; Zhang, LH; Shi, CP; Shang, Y; Zhang, JL; Han, JM; Dong, JG. (2014). The Extraction, Isolation and Identification of Exudates from the Roots of *Flaveria bidentis*. *Journal of Integrative Agriculture* 13: 105-114.

## Environmental Hazard Literature Search Results

### Off Topic

- Yang, Y; Cheow, WS; Hadinoto, K. (2012). Dry powder inhaler formulation of lipid-polymer hybrid nanoparticles via electrostatically-driven nanoparticle assembly onto microscale carrier particles. *Int J Pharm* 434: 49-58.
- Yang, YC; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol* 20: 326-341.
- Yang, Y-H; Jeon, J-M; Yi, DH; Kim, J-H; Seo, H-M; Rha, C; Sinskey, AJ; Brigham, CJ. (2015). Application of a non-halogenated solvent, methyl ethyl ketone (MEK) for recovery of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) [P(HB-co-HV)] from bacterial cells. *Biotechnology and bioprocess engineering* 20: 291-297.
- Yano, T; Fujishima, T; Irie, R. (2010). Convenient Synthesis of meso-Cyclohexa-1,3-dienes by One-Pot Two-Step Deoxygenation of 7-Oxabicyclo 2.2.1 hept-2-enes. *Synthesis-Stuttgart* 818-822.
- Yasukawa, K; Akihisa, T; Yoshida, ZY; Takido, M. (2000). Inhibitory effect of euphol, a triterpene alcohol from the roots of *Euphorbia kansui*, on tumour promotion by 12-O-tetradecanoylphorbol-13-acetate in two-stage carcinogenesis in mouse skin. *J Pharm Pharmacol* 52: 119-124.
- Yasumoto, M; Yamawaki, I; Marunaka, T; Hashimoto, S. (1978). Studies on antitumor agents, 2. Syntheses and antitumor activities of 1-(tetrahydro-2-furanyl)-5-fluorouracil and 1,3-bis(tetrahydro-2-furanyl)-5-fluorouracil. *J Med Chem* 21: 738-741. [Journal of medicinal chemistry].
- Yati, I; Ozan Aydin, G; Bulbul Sonmez, H. (2016). Cross-linked poly(tetrahydrofuran) as promising sorbent for organic solvent/oil spill. *J Hazard Mater* 309: 210-218.
- Ye, B; Wang, L; Hu, X; Redshaw, C; Sun, W-H. (2013). 2-(1-Aryliminoethyl)cycloheptapyridylpalladium complexes: Synthesis, characterization and the use in the Heck-reaction. *Inorganica Chimica Acta* 407: 281-288.
- Ye, H-J; Shao, W-Z; Zhen, L. (2013). Tetradecylphosphonic acid modified BaTiO<sub>3</sub> nanoparticles and its nanocomposite. *Colloids and surfaces* 427: 19-25.
- Yen, GC; Lee, TC. (1988). Mutagenicity of Maillard browning reaction products from various nitrosated amino acid-glucose mixtures. *Proc Natl Sci Counc Repub China B* 12: 14-20. [Proceedings of the National Science Council, Republic of China. Part B, Life sciences].
- Yencho, GC; Renwick, JAA; Steffens, JC; Tingey, WM. Leaf surface extracts of *Solanum berthaultii* Hawkes Deter Colorado potato beetle feeding. *J Chem Ecol* May 1994. v. 20 (5): 991-1007.
- Yenisoy-Karakaş, S. (2006). Validation and uncertainty assessment of rapid extraction and clean-up methods for the determination of 16 organochlorine pesticide residues in vegetables. *Anal Chim Acta* 571: 298-307.
- Yenisoy-Karakaş, S; Gaga, EO. (2013). Validation of one-step cleanup and separation method of polychlorinated biphenyls, organochlorine pesticides, and polycyclic aromatic hydrocarbons from atmospheric gas- and particle-phase samples. *Talanta* 115: 150-158.
- Yeung, E; Chaw, CS. (2009). Cyclosporin-loaded poly(lactide) microparticles: Effect of TPGS. *J Microencapsul* 26: 9-17.
- Yi, C; Cao, Q-Y; Yang, C-J; Huang, L-Q; Wang, JH; Xu, M; Liu, J; Qiu, P; Gao, X-C; Li, Z-F; Wang, P. (2006). Synthesis, crystallography and photoluminescence of a new pyrazolonato iridium complex. *Inorganica Chimica Acta* 359: 4355-4359.
- Yi, X; Weis, RM. (2002). The receptor docking segment and S-adenosyl-L-homocysteine bind independently to the methyltransferase of bacterial chemotaxis. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology* 1596: 28-35.
- Yildiz, A; John, E; Åzsoy, Y; Araman, A; Birchall, JC; Broadley, KJ; Gumbleton, M. (2012). Inhaled extended-release microparticles of heparin elicit improved pulmonary pharmacodynamics against antigen-mediated airway hyper-reactivity and inflammation. *J Control Release* 162: 456-463.
- Yilmaz, G; Beyazit, S; Yagci, Y. (2011). Visible light induced free radical promoted cationic polymerization using thioxanthone derivatives. *Journal of polymer science* 49: 1591-1596.
- Yin, J; Wan, J; Xu, J; Wang, H; Zheng, X. (2011). Photodecay dynamics of octaethylporphine in the condensed phase explored via resonance Raman spectroscopy and density functional theory calculation. *Spectrochim Acta A Mol Biomol Spectrosc* 78: 1416-1423. [Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy].
- Yin, SX; Franchini, M; Chen, JL; Hsieh, A; Jen, S; Lee, T; Hussain, M; Smith, R. (2005). Bioavailability enhancement of a COX-2 inhibitor, BMS-347070, from a nanocrystalline dispersion prepared by spray-drying. *J Pharm Sci* 94: 1598-1607.
- Yokohama, N; Otaka, H; Nakata, M. (2007). Validation of methods for measuring polychlorinated dibenzo-p-dioxins and furans, and dioxin-like polychlorinated biphenyls in flue gas. *Int J Environ Anal Chem* 87: 177-194.
- Yokota, S; Ohara, N; Kobayashi, T. (2008). The effects of organic extract of diesel exhaust particles on ischemia/reperfusion-related arrhythmia and on pulmonary inflammation. *J Toxicol Sci* 33: 1-10. [The Journal of toxicological sciences].
- Yokota, S; Seki, T; Naito, Y; Tachibana, S; Hirabayashi, N; Nakasaka, T; Ohara, N; Kobayashi, H. (2008). Tracheal instillation of diesel exhaust particles component causes blood and pulmonary neutrophilia and enhances myocardial oxidative stress in mice. *J Toxicol Sci* 33: 609-620. [The Journal of toxicological sciences].
- Yoneda, R; Araki, L; Harusawa, S; Kurihara, T. (1998). Studies on the 2,3 -Meisenheimer rearrangement of 2-vinylazetidine N-oxides. *Chemical & Pharmaceutical Bulletin* 46: 853-856.
- Yonezumi, M; Okumoto, S; Kanaoka, S; Aoshima, S. (2008). Living cationic polymerization of amide-functional vinyl ethers: Specific properties of SnCl<sub>4</sub>-based initiating system. *Journal of polymer science* 46: 6129-6141.
- Yoo, HS. (2006). Preparation of biodegradable polymeric hollow microspheres using O/O/W emulsion stabilized by Labrafil (R). *Colloids and Surfaces B-Biointerfaces* 52: 47-51.
- Yoo, HS. (2006). Preparation of biodegradable polymeric hollow microspheres using O/O/W emulsion stabilized by Labrafil®. *Colloids Surf B Biointerfaces* 52: 47-51.

## Environmental Hazard Literature Search Results

### Off Topic

- Yoon, HJ; Seo, CR; Kim, M; Kim, YJ; Song, NJ; Jang, WS; Kim, BJ; Lee, J; Hong, JW; Nho, CW; Park, KW. (2013). Dichloromethane extracts of *Sophora japonica* L. stimulate osteoblast differentiation in mesenchymal stem cells. *Nutrition Research* 33: 1053-1062.
- Yoon, T; Cheon, MS; Lee, AY; Lee, DY; Moon, BC; Chun, JM; Choo, BK; Kim, HK. (2010). Anti-inflammatory Activity of Methylene Chloride Fraction From *Glehnia littoralis* Extract via Suppression of NF-kappa B and Mitogen-Activated Protein Kinase Activity. *J Pharmacol Sci* 112: 46-55.
- Yoon, YH; Nelson, JH. (1990). Contaminant breakthrough: a theoretical study of charcoal sampling tubes. *Am Ind Hyg Assoc J* 51: 319-325. [American Industrial Hygiene Association journal].
- Yordanov, ND; Dimitrova, A. (2005). Solvent effect on the ligand exchange between bis(diethyldithiocarbamate)copper(II) and bis(diethylselenocarbamate)copper(II). *Inorganic Chemistry Communications* 8: 113-116.
- Yoshida, M; Koumura, N; Misawa, Y; Tamaoki, N; Matsumoto, H; Kawanami, H; Kazaoui, S; Minami, N. (2007). Oligomeric electrolyte as a multifunctional gelator. *J Am Chem Soc* 129: 11039-11041. [Journal of the American Chemical Society].
- Yoshikawa, M; Zhang, M; Toyota, K. (2016). Enhancement and Biological Characteristics Related to Aerobic Biodegradation of Toluene with Co-Existence of Benzene. *Water Air and Soil Pollution* 227: 340-340.
- Yoshikura, T; Kitano, M; Nishio, T; Fukunaga, I; Masumoto, K; Inoue, S; Kuroda, K; Inoue, Z. (1992). Biological and chemical characterization of organic substances in water purification pond at sea-based solid waste disposal waste. Meeting on Hazard Assessment and Control of Environmental Contaminants in Water Held at the 1st lawprc (International Association on Water Pollution Research and Control), Otsu City, Shiga, Japan, November 25-28, 1991 *Water Sci Technol* 25: 425-432.
- Yoshimitsu, H; Kanazawa, A; Kanaoka, S; Aoshima, S. (2016). Cationic polymerization of vinyl ethers with alkyl or ionic side groups in ionic liquids. *Journal of polymer science* 54: 1774-1784.
- Yoshimura, Y; Suzuki, N. (1976). Solvent effects in the distribution of benzoylacetone between apolar solvents and water. *Anal Chim Acta* 85: 383-391.
- Yoshino, S; Hayashi, H; Taneda, S; Sagai, M; Mori, Y. (2002). Effect of diesel exhaust particle extracts on collagen-induced arthritis in mice. *Autoimmunity* 35: 57-61.
- Youm, I; Youan, BB. (2013). Uptake mechanism of furosemide-loaded pegylated nanoparticles by cochlear cell lines. *Hear Res* 304: 7-19.
- Young, TJ; Johnston, KP; Mishima, K; Tanaka, H. (1999). Encapsulation of lysozyme in a biodegradable polymer by precipitation with a vapor-over-liquid antisolvent. *J Pharm Sci* 88: 640-650.
- Yousefzadi, M; Sharifi, M; Chashmi, NA; Behmanesh, M; Ghasempour, A. (2010). Optimization of podophyllotoxin extraction method from *Linum album* cell cultures. *Pharmaceutical Biology* 48: 1421-1425.
- Yrieix, C; Gonzalez, C; Deroux, JM; Lacoste, C; Leybros, J. (1996). Countercurrent liquid/liquid extraction for analysis of organic water pollutants by GC./POISONING. *Water Res* 30: 1791-1800.
- Yrieix, C; Gonzalez, C; Deroux, JM; Lacoste, C; Leybros, J. (1996). Countercurrent liquid/liquid extraction for analysis of organic water pollutants by GC/MS. *Water Res* 30: 1791-1800.
- Yu, JM; Cai, WJ; Chen, JM; Feng, L; Jiang, YF; Cheng, ZW. (2012). Conversion characteristics and mechanism analysis of gaseous dichloromethane degraded by a VUV light in different reaction media. *J Environ Sci* 24: 1777-1784.
- Yu, JM; Cai, WJ; Cheng, ZW; Chen, JM. (2014). Degradation of dichloromethane by an isolated strain *Pandoraea promenusa* and its performance in a biotrickling filter. *J Environ Sci* 26: 1108-1117.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2015). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ* 511: 1-10.
- Yu, X; SuÃ¡rez-GonzÃ¡lez, D; Khalil, AS; Murphy, WL. (2015). How does the pathophysiological context influence delivery of bone growth factors? *Advanced Drug Delivery Reviews* 84: 68-84.
- Yu, Y; Xiong, DC; Mao, RZ; Ye, XS. (2016). Visible Light Photoredox-Catalyzed O-Sialylation Using Thiosialoside Donors. *J Org Chem* 81: 7134-7138.
- Yu, YL; Wu, JL; Stahler, M; Pestemer, W. (2007). Residual dynamics of thiacloprid in medical herbs marjoram, thyme, and camomile in soil. *J Environ Sci* 19: 205-209.
- Yu, Z; Smith, GB. (1995). Inhibition of chloroform dechlorination by bromoethanesulfonic acid and its reversal by coenzyme m. 95th General Meeting of the American Society for Microbiology, Washington, DC, USA, May 21-25, 1995 Abstracts of the General Meeting of the American Society for Microbiology 95: 415.
- Yu, Z; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res* 31: 1879-1886.
- Yu, Z; Smith, GB. (2000). Dechlorination of polychlorinated methanes by a sequential methanogenic-denitrifying bioreactor system. *Appl Microbiol Biotechnol* 53: 484-489.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C(1)- and C(2)-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem* 19: 2212-2217.
- Yuan, JP; Chen, F. (2001). Kinetics for the reversible isomerization reaction of trans-astaxanthin. *Food Chem* 73: 131-137.
- Yuan, JP; Cheng, F. (1999). Isomerization of trans-astaxanthin to cis-isomers in organic solvents. *J Agric Food Chem* 47: 3656-3660.
- Yuan, W; Wu, F; Guo, M; Jin, T. (2009). Development of protein delivery microsphere system by a novel S/O/O/W multi-emulsion. *Eur J Pharm Sci* 36: 212-218. [European journal of pharmaceutical sciences : official journal of the European Federation for Pharmaceutical Sciences].



## Environmental Hazard Literature Search Results

### Off Topic

- Yuan, WE; Geng, Y; Wu, F; Liu, YJ; Guo, MY; Zhao, H; Jin, T. (2009). Preparation of polysaccharide glassy microparticles with stabilization of proteins. *Int J Pharm* 366: 154-159.
- Yuan, WE; Wu, F; Geng, Y; Xu, SL; Jin, T. (2007). Preparation of dextran glassy particles through freezing-induced phase separation. *Int J Pharm* 339: 76-83.
- Yuan, Z; Tang, Q; Sreenath, K; Simmons, JT; Younes, AH; Jiang, DE; Zhu, L. (2015). Absorption and Emission Sensitivity of 2-(2'-Hydroxyphenyl)benzoxazole to Solvents and Impurities. *Photochem Photobiol* 91: 586-598.
- Yuan-Tang, J; Qin-Yao, C; Xiao-Fei, W; Yi, L; Hong-Mei, L. (1998). Prescreening teratogenic potential of chlorinated drinking water disinfection by-products by using Hydra regeneration assay. *Journal of Environmental Sciences (China)* 10: 110-112.
- Yun, J; Lee, H; Ko, HJ; Woo, E-R; Lee, DG. (2015). Fungicidal effect of isoquercitrin via inducing membrane disturbance. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 1848: 695-701.
- Yurow, HW; Sass, S. (1970). Bipotentiometry in organic redox systems: Oxidation of aromatic compounds in trifluoroacetic acid. *Anal Chim Acta* 52: 537-544.
- Zabetakis, I; Koulentianos, A; Orruno, E; Boyes, I. (2000). The effect of high hydrostatic pressure on strawberry flavour compounds. *Food Chem* 71: 51-55.
- Zacchino, S; Santecchia, C; Lopez, S; Gattuso, S; Munoz, JD; Cruanes, A; Vivot, E; Cruanes, MD; Salinas, A; de Ruiz, RE; Ruiz, S. (1998). In vitro antifungal evaluation and studies on mode of action of eight selected species from the Argentine flora. *Phytomedicine* 5: 389-395.
- Zaghloul, AA. (2006). beta-Estradiol biodegradable microspheres: Effect of formulation parameters on encapsulation efficiency and in vitro release. *Pharmazie* 61: 775-779.
- Zaghloul, AA; Mustafa, F; Siddiqui, A; Khan, M. (2006). Response surface methodology to obtain beta-estradiol biodegradable microspheres for long-term therapy of osteoporosis. *Pharm Dev Technol* 11: 377-387.
- Zaitsev, V; Rosokha, SV; Head-Gordon, M; Kochi, JK. (2006). Steric modulations in the reversible dimerizations of phenalenyl radicals via unusually weak carbon-centered pi- and sigma-bonds. *J Org Chem* 71: 520-526.
- Zakavi, S; Mokary Yazdeli, T. (2013). Stereoelectronic effects of the meso-substituents on the catalytic performance of iron(III) meso-tetraarylporphyrins: Pyridyl and N-methylated pyridyl groups compared to phenyl, 4-methoxyphenyl and 4-sulfonatophenyl ones. *Journal of Molecular Catalysis* 367: 108-115.
- Zamani, I; Bouzari, M; Emtiazi, G; Fanaei, M. (2015). Rapid quantitative estimation of chlorinated methane utilizing bacteria in drinking water and the effect of nanosilver on biodegradation of the trichloromethane in the environment. *Jundishapur J Microbiol* 8: e14965. [Jundishapur journal of microbiology].
- Zamani, M; Morshed, M; Varshosaz, J; Jannesari, M. (2010). Controlled release of metronidazole benzoate from poly epsilon-caprolactone electrospun nanofibers for periodontal diseases. *Eur J Pharm Biopharm* 75: 179-185.
- Zamani, M; Morshed, M; Varshosaz, J; Jannesari, M. (2010). Controlled release of metronidazole benzoate from poly ̂-capolactone electrospun nanofibers for periodontal diseases. *Eur J Pharm Biopharm* 75: 179-185.
- Zamani, M; Prabhakaran, MP; Thian, ES; Ramakrishna, S. (2014). Protein encapsulated core-shell structured particles prepared by coaxial electrospaying: Investigation on material and processing variables. *Int J Pharm* 473: 134-143.
- Zanetti, F; Stampi, S; De Luca, G; Varoli, O; Tonelli, E. (1996). Comparative disinfection of secondary-treated sewage with chlorine dioxide and bromine chloride. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 567-579.
- Zanoni, KPS; Sanematsu, MS; Murakami Iha, NY. (2014). Photophysical characterization of [Ir(ppy)2(dmb)][PF6] towards application in light-emitting electrochemical cells (LECs). *Inorganic Chemistry Communications* 43: 162-164.
- Zappoli, S; Andracchio, A; Morselli, L. (1997). Dissolved organic matter and pH affect the extraction efficiency of PCBs from aqueous samples. *Chemosphere* 35: 1729-1736.
- Zaroogian, G; Heltshe, JF; Johnson, M. (1985). Estimation of toxicity to marine species with structure-activity models developed to estimate toxicity to freshwater fish. *Aquat Toxicol (Amst)* 6: 251-270.
- Zarrabaitia, MT; Ortega, C; Altuzarra, E; Martinez, MA; Mazarrasa, O; Calvet, R. (2001). Accidental dichloromethane fatality: a case report. *J Forensic Sci* 46: 726-727. [Journal of forensic sciences].
- Zeff, JD; Barich, JT. (1992). Uv-oxidation of organic contaminants in ground waste and leachate waters. Symposium on Advanced Oxidation Processes, June 14-15, 1990 *Wat Pollut Res J Can* 27: 139-150.
- Zeiger, E. (1990). Mutagenicity of 42 chemicals in Salmonella. *Environ Mol Mutagen Suppl* 0: 32-54.
- Zeinali, M; Jamalán, M. (2012). Biocatalytic activity of methyl-modified microperoxidase-11 in transformation of nickel- and vanadium-porphyrins. *Journal of molecular catalysis* 79: 21-26.
- Zelano, V; Rizzi, S; Gastaldi, D; Ginepro, M; Ostacoli, G. (1998). Volatile organic compounds in drinking water. *Ann Chim* 88: 449-460.
- Zelikoff, JT; Daisey, JM; Traul, KA; Kneip, TJ. (1985). Balbc/3T3 cell transformation response to extracts of organic air samples as seen by their survival in aggregate form. *Mutat Res* 144: 107-116. [Mutation research].
- Zemtsov, AA; Levin, VV; Dilman, AD; Struchkova, MI; Tartakovsky, VA. (2011). Reactions of fluorinated silanes with 2-nitrocinnamates. *Journal of Fluorine Chemistry* 132: 378-381.
- Zeng, CH; Yang, YY; Zhu, YM; Wang, HM; Chu, TS; Ng, SW. (2012). A New Luminescent Terbium 4-methylsalicylate Complex as a Novel Sensor for Detecting the Purity of Methanol. *Photochem Photobiol* 88: 860-866.
- Zeng, F; Cui, KY; Fu, JM; Sheng, GY; Yang, HF. (2002). Biodegradability of di(2-ethylhexyl) phthalate by *Pseudomonas fluorescens* FS1. *Water Air and Soil Pollution* 140: 297-305.

## Environmental Hazard Literature Search Results

### Off Topic

- Zgheib, S; Moilleron, R; Saad, M; Chebbo, G. (2011). Partition of pollution between dissolved and particulate phases: What about emerging substances in urban stormwater catchments? *Water Res* 45: 913-925.
- Zhai, LY; Shukla, R; Wadumethrige, SH; Rathore, R. (2010). Probing the Arenium-Ion (Proton Transfer) versus the Cation-Radical (Electron Transfer) Mechanism of Scholl Reaction Using DDQ as Oxidant. *J Org Chem* 75: 4748-4760.
- Zhai, YB; Li, P; Zhu, Y; Xu, BB; Chen, HM; Zeng, GM. (2016). Effects of Solvent and Time on Extraction Efficiency of Ultrasonic Extraction for Polycyclic Aromatic Hydrocarbons from Atmospheric Particulate Matter. *Environ Eng Sci* 33: 591-600.
- Zhang, C; Hollocher, TC. (1993). Interaction of dichloromethane (methylene chloride) with the nitrous oxide reductase from *Wolinella succinogenes*. *World J Microbiol Biotechnol* 9: 479-482.
- Zhang, CI; Lee, JB. (2001). Stock assessment and management implications of horse mackerel (*Trachurus japonicus*) in Korean waters, based on the relationships between recruitment and the ocean environment. *Progress in Oceanography* 49: 513-537.
- Zhang, C-P; Wang, Z-L; Chen, Q-Y; Zhang, C-T; Xiao, J-C. (2010). One-pot synthesis of arylfluoroalkylsulfoxides and study of their anomalous <sup>19</sup>F NMR behavior. *Journal of Fluorine Chemistry* 131: 433-438.
- Zhang, GC; Rogers, RE; French, WT; Lao, WJ. (2007). Investigation of microbial influences on seafloor gas-hydrate formations. *Marine Chemistry* 103: 359-369.
- Zhang, J; Yan, CG. (2016). Rapid Synthesis of Functionalized (1-Benzo d thiazol-2-ylimidazolidin-4-ylidene)acetates and (1-Thiazol-2-ylimidazolidin-4-ylidene)acetates via a Three-Component Reaction. *Synthesis-Stuttgart* 48: 535-540.
- Zhang, JC; Zeng, GM; Chen, YN; Liang, J; Zhang, C; Huang, BB; Sun, WM; Chen, M; Yu, M; Huang, HL; Zhu, Y. (2014). *Phanerochaete chrysosporium* inoculation shapes the indigenous fungal communities during agricultural waste composting. *Biodegradation* 25: 669-680.
- Zhang, K; Wang, X; Jing, D; Yang, Y; Zhu, M. (2009). Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. *Biomed Mater* 4: 035004. [Biomedical materials (Bristol, England)].
- Zhang, K; Wang, X; Yang, Y; Wang, L; Zhu, M; Hsiao, BS; Chu, B. (2010). Aligned and molecularly oriented semihollow ultrafine polymer fiber yarns by a facile method. *Journal of polymer science* 48: 1118-1125.
- Zhang, LJ; Ying, GG; Chen, F; Zhao, JL; Wang, L; Fang, YX. (2012). Development and application of whole- $\epsilon$  sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386.
- Zhang, LJ; Ying, GG; Chen, F; Zhao, JL; Wang, L; Fang, YX. (2012). Development and application of whole-sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386.
- Zhang, M; Inamo, M; Kojima, M; Nakajima, K. (2007). Kinetic studies on the reversible ring opening-closure reaction of the triazine ligand and structural properties of palladium(II) complexes. *Inorganica Chimica Acta* 360: 3040-3046.
- Zhang, P; Polavarapu, PL; Huang, JM; Li, TY. (2007). Spectroscopic rationalization of the separation abilities of decaproline chiral selector in dichloromethane-isopropanol solvent mixture. *Chirality* 19: 99-105.
- Zhang, Q; Liang, T; Wang, LQ; Cao, HY. (2012). Determination of polycyclic aromatic hydrocarbons from soil samples using selective pressurized liquid extraction. *Analytical Methods* 4: 2441-2446.
- Zhang, R; Zhou, Y; Liang, YJ; Jiang, ZJ; Dong, DW. (2009). Ring-Opening/Recyclization Reactions of (Dimethylamino)propenoyl-Substituted Cyclopropanes: Facile Synthesis of Halogenated Pyridin-2(1H)-ones. *Synthesis-Stuttgart* 2497-2500.
- Zhang, SY; Zhang, QA; Darisaw, S; Ehie, O; Wang, GD. (2007). Simultaneous quantification of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), and pharmaceuticals and personal care products (PPCPs) in Mississippi river water, in New Orleans, Louisiana, USA. *Chemosphere* 66: 1057-1069.
- Zhang, W; Li, L; Li, BZ; Lin, KF; Lu, SG; Fu, RB; Zhu, J; Cui, XH. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *Journal of Environmental Engineering-Asce* 139: 803-809.
- Zhang, X; Wang, H; Zhang, T; Zhou, X; Wu, B. (2014). Exploring the potential of self-assembled mixed micelles in enhancing the stability and oral bioavailability of an acid-labile drug. *Eur J Pharm Sci* 62: 301-308.
- Zhang, X; Zhu, L; Wang, X; Shi, Z; Lin, Q. (2016). Mechano-induced multi-functional optical switches based on chiral cyclometalated platinum(II) complexes. *Inorganica Chimica Acta* 442: 56-63.
- Zhang, Y; Jin, XY; Jiang, XZ; Wang, R. (1999). Analysis of impulse electric field effect on organic exhaust gas decomposition. *Journal of Environmental Sciences (China)* 11: 57-62.
- Zhang, Y; Zhang, X; Zhou, J; Song, B; Bhadury, PS; Hu, D; Yang, S. (2011). Analytical and semi-preparative HPLC enantioseparation of novel pyridazin-3(2H)-one derivatives with  $\hat{\epsilon}$ -aminophosphonate moiety using immobilized polysaccharide chiral stationary phases. *J Sep Sci* 34: 402-408.
- Zhang, Y-Z; Liao, X-M; Yin, G-F; Yuan, P; Huang, Z-B; Gu, J-W; Yao, Y-D; Chen, X-C. (2012). Preparation of water soluble drugs-loaded microparticles using modified solution enhanced dispersion by supercritical CO<sub>2</sub>. *Powder Technology* 221: 343-350.
- Zhang, ZY; Wang, XY; Wu, YH; Liu, YF; Zhen, WQ; Wang, K. (2000). Preparation of (186)Re and (188)Re with high specific activity by the Szilard-Chalmers effect. *Journal of Labelled Compounds & Radiopharmaceuticals* 43: 55-64.
- Zhao, GL; Yan, WD; Cao, D. (2007). Simultaneous determination of betulin and betulinic acid in white birch bark using RP-HPLC. *J Pharm Biomed Anal* 43: 959-962.
- Zhao, H; Yuan, WZ; Mei, J; Tang, L; Liu, XQ; Yan, JM; Shen, XY; Sun, JZ; Qin, A; Tang, BZ. (2009). Enhanced dispersion of nanotubes in organic solvents by donor-acceptor interaction between functionalized poly(phenylacetylene) chains and carbon nanotube walls. *Journal of polymer science* 47: 4995-5005.

## Environmental Hazard Literature Search Results

### Off Topic

- Zhao, J; Liu, CS; Yuan, Y; Tao, XY; Shan, XQ; Sheng, Y; Wu, F. (2007). Preparation of hemoglobin-loaded nano-sized particles with porous structure as oxygen carriers. *Biomaterials* 28: 1414-1422.
- Zhao, Q; Li, PJ; Stagnitti, F; Ye, J; Dong, DB; Zhang, YQ; Li, P. (2009). Effects of aging and freeze-thawing on extractability of pyrene in soil. *Chemosphere* 76: 447-452.
- Zhao, Q; Weise, L; Li, P; Yang, K; Zhang, Y; Dong, D; Li, P; Li, X. (2010). Ageing behavior of phenanthrene and pyrene in soils: A study using sodium dodecylbenzenesulfonate extraction. *J Hazard Mater* 183: 881-887.
- Zhao, Y; Chen, H-j; Li, C-G; Wang, H; Liu, H-J; Ji, X-S. (2016). An optimized group mating design and determination of the admixture rate in Nile tilapia families. *Aquaculture Reports* 3: 45-50.
- Zhao, YH; Wang, LS; Gao, H; Zhang, Z. (1993). Quantitative structure--activity relationships: Relationship between toxicity of organic chemicals to fish and to photobacterium phosphoreum. *Chemosphere* 26: 1971-1979.
- Zhao, YL; Chen, XL; Chen, TQ; Zhou, YB; Yin, SF; Han, LB. (2015). Catalyst-Free and Selective C-N Bond Functionalization: Stereospecific Three-Component Coupling of Amines, Dichloromethane, and >P(O)H Species Affording alpha-Aminophosphorus Compounds. *J Org Chem* 80: 62-69.
- Zhao, YQ; Martens, S; Puskar, MA; Lee, KL. (2000). Stability of methylene chloride spiked passive samplers: An international shipping and transportation study. *Am Ind Hyg Assoc J* 61: 394-397.
- Zheng, CJ; Deng, XH; Wu, Y; Jiang, YP; Zhu, JY; Qin, LP. (2014). Antiinflammatory Effects and Chemical Constituents of *Veronicastrum axillare*. *Phytother Res* 28: 1561-1566.
- Zheng, J-Y; Wang, Z; Zhu, Q; Zhang, Y-J; Yan, H-D. (2009). Resolution of biotin intermediate lactone by enzyme-catalyzed stereoselective lactonization in organic solvent. *Journal of Molecular Catalysis B: Enzymatic* 56: 20-23.
- Zheng, W; Wang, BB; Li, CH; Zhang, JX; Wan, CZ; Huang, JH; Liu, J; Shen, Z; You, XZ. (2015). Asymmetric Donor-pi-Acceptor-Type Benzo-Fused Aza-BODIPYs: Facile Synthesis and Colorimetric Properties. *Angewandte Chemie-International Edition* 54: 9070-9074.
- Zhong, LR; Cantrell, K; Mitroshkov, A; Shewell, J. (2014). Mobilization and transport of organic compounds from reservoir rock and caprock in geological carbon sequestration sites. *Environ Earth Sci* 71: 4261-4272.
- Zhong, MH; Nowak, I; Robins, MJ. (2006). Regiospecific and highly stereoselective coupling of 6-(Substituted-imidazol-1-yl)purines with 2-deoxy-3,5-di-o-(p-toluoyl)-alpha-d-erythro-pentofuranosyl chloride. Sodium-salt glycosylation in binary solvent mixtures: Improved synthesis of cladribine. *J Org Chem* 71: 7773-7779.
- Zhong, S; Nieger, M; Bihlmeier, A; Shi, M; Brase, S. (2014). Asymmetric organocatalytic synthesis of 4,6-bis-(1H-indole-3-yl)-piperidine-2-carboxylates. *Organic & Biomolecular Chemistry* 12: 3265-3270.
- Zhou, F; Fu, HL; Ong, WQ; Ye, RJ; Yuan, WX; Lu, YJ; Huo, YP; Zhang, K; Su, HB; Zeng, HQ. (2012). Locking high energy 1D chain of dichloromethane molecules containing abnormally short Cl center dot center dot center dot Cl contacts of 2.524 angstrom inside organic crystals. *Organic & Biomolecular Chemistry* 10: 5525-5528.
- Zhou, GQ; Lim, D; Fang, F; Coltart, DM. (2009). A Practical Synthesis of beta-Keto Thioesters by Direct Crossed-Claisen Coupling of Thioesters and N-Acylbenzotriazoles. *Synthesis-Stuttgart* 3350-3352.
- Zhou, GQ; Yost, JM; Coltart, DM. (2007). A direct aldol addition of simple thioesters employing soft enolization. *Synthesis-Stuttgart* 478-482.
- Zhou, HY; Lengsfeld, C; Claffey, DJ; Ruth, JA; Hybertson, B; Randolph, TW; Ng, KY; Manning, MC. (2002). Hydrophobic ion pairing of isoniazid using a prodrug approach. *J Pharm Sci* 91: 1502-1511.
- Zhou, J; Tong, J; Su, X; Ren, L. (2016). Hydrophobic starch nanocrystals preparations through crosslinking modification using citric acid. *Int J Biol Macromol* 91: 1186-1193.
- Zhou, N; Luo, HD; Li, N; Jia, YZ; Li, YQ. (2011). Highly sensitive and selective spectrofluorimetric approach for the rapid determination of trace benzo alpha pyrene in drinking water and in solutions leached from disposable paper cups. *Luminescence* 26: 35-43.
- Zhou, QX; Wu, W; Xie, GH; Huang, YR. (2014). Enrichment and analysis of typically persistent organic pollutants at trace level using micro-solid phase extraction based on titanium dioxide nanotube arrays. *Analytical Methods* 6: 295-301.
- Zhou, S; Mao, S-Y; Xie, Z-X; Zheng, L-S. (2011). Preparation and gas sensing properties of Fe-doped yttrium manganate nanoparticles. *Sensors & Actuators: B* 156: 23-27.
- Zhou, YY; Uyeda, C. (2016). Reductive Cyclopropanations Catalyzed by Dinuclear Nickel Complexes. *Angewandte Chemie-International Edition* 55: 3171-3175.
- Zhou, Z; Li, W; Hao, X; Redshaw, C; Chen, L; Sun, W-H. (2012). 6-Benzhydryl-4-methyl-2-(1H-benzoimidazol-2-yl)phenol ligands and their zinc complexes: Syntheses, characterization and photoluminescence behavior. *Inorganica Chimica Acta* 392: 345-353.
- Zhou, Z; Li, W; Hou, X; Chen, L; Hao, X; Redshaw, C; Sun, W-H. (2012). Synthesis, structure and photophysical properties of 2-benzhydryl-4-methyl-6-(aryliminomethyl)phenol ligands and the zinc complexes thereof. *Inorganica Chimica Acta* 392: 292-299.
- Zhu, DQ; Herbert, BE; Schlautman, MA. (2003). Molecular-level investigation of monoaromatic compound sorption to suspended soil particles by deuterium nuclear magnetic resonance. *J Environ Qual* 32: 232-239.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER. (2004). Characterization of cation-pi interactions in aqueous solution using deuterium nuclear magnetic resonance spectroscopy. *J Environ Qual* 33: 276-284.
- Zhu, DQ; Herbert, BE; Schlautman, MA; Carraway, ER; Hur, J. (2004). Cation-pi bonding: A new perspective on the sorption of polycyclic aromatic hydrocarbons to mineral surfaces. *J Environ Qual* 33: 1322-1330.
- Zhu, H; Ai, S; He, Q; Cui, Y; Li, J. (2007). Fabrication of polystyrene/gold nanotubes and nanostructure-controlled growth of aluminate. *J Nanosci Nanotechnol* 7: 2361-2365. [Journal of nanoscience and nanotechnology].

## Environmental Hazard Literature Search Results

### Off Topic

- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *Journal of the Air & Waste Management Association* 47: 1259-1267.
- Zhu, JH; Yan, D; Xai, J; Ma, LL; Shen, B. (2001). Attempt to adsorb N-nitrosamines in solution by use of zeolites. *Chemosphere* 44: 949-956.
- Zhu, QZ; DeGermann, P; Niessner, R; Knopp, D. (2002). Selective trace analysis of sulfonylurea herbicides in water and soil samples based on solid-phase extraction using a molecularly imprinted polymer. *Environmental Science & Technology* 36: 5411-5420.
- Zhu, Q-Z; Haupt, K; Knopp, D; Niessner, R. (2002). Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides. *Anal Chim Acta* 468: 217-227.
- Zhu, X; Suidan, MT; Alonso, C; Yu, T; Kim, BJ; Kim, BR. (2001). Biofilm structure and mass transfer in a gas phase trickle-bed biofilter. *Water Science and Technology* 43: 285-293.
- Zhu, XM; Schmidt, RR. (2004). Glycosylthiomethyl chloride: A new species for S-neoglycoconjugate synthesis. Synthesis of 1-N-glycosylthiomethyl-1,2,3-triazoles. *J Org Chem* 69: 1081-1085.
- Zhu, XP; Heunks, LMA; Ennen, L; Machiels, HA; Dekhuijzen, PNR. (2003). Role of nitric oxide in isometric contraction properties of rat diaphragm during hypoxia. *European Journal of Applied Physiology* 88: 417-426.
- Zhu, XQ; Alonso, C; Suidan, MT; Cao, HW; Kim, BJ; Kim, BR. (1998). The effect of liquid phase on VOC removal in trickle-bed biofilters. *Water Science and Technology* 38: 315-322.
- Zhu, Z; Kojima, M; Nakajima, K. (2005). Reversible ring opening and closure reactions of the triazine ligands derived from 1-phenylazo-2-naphthylamine and pyridine-2-aldehyde or quinoline-2-aldehyde  $\hat{a}$ € structure and reactivity of the palladium (II) complexes. *Inorganica Chimica Acta* 358: 476-488.
- Zidorn, C; Ellmerer-Müller, EP; Stuppner, H. (1999). Guaianolides from *Calycocorsus stipitatus* and *Crepis tingitanafn1*. *Phytochemistry* 50: 1061-1062.
- Zidorn, C; Ellmerer-Muller, EP; Stuppner, H. (1998). Guaian-5,12-olides from *Leontodon hispidus*. *Phytochemistry* 49: 797-800.
- Zidorn, C; Ellmerer-Muller, EP; Stuppner, H. (1999). Guaianolides from *Calycocorsus stipitatus* and *Crepis tingitana*. *Phytochemistry* 50: 1061-1062.
- Zielenska, M; Ahmed, A; Pienkowska, M; Anderson, M; Glickman, BW. (1993). Mutational specificities of environmental carcinogens in the lacI gene of *Escherichia coli*. VI: Analysis of methylene chloride-induced mutational distribution in Uvr+ and UvrB- strains. *Carcinogenesis* 14: 789-794. [Carcinogenesis].
- Zikos, C; Livaniou, E; Leondiadis, L; Ferderigos, N; Ithakissios, DS; Evangelatos, GP. (2003). Comparative evaluation of four trityl-type amidomethyl polystyrene resins in Fmoc solid phase peptide synthesis. *J Pept Sci* 9: 419-429.
- Zilli, M; Converti, A; Fava, F; Nicoletta, C. (2007). Control of 2-chlorophenol vapour emissions by a trickling biofilter. *J Biotechnol* 128: 654-658.
- Zimmer, KD; Shoemaker, R; Ruminski, RR. (2006). Synthesis and characterization of a fluxional Re(I) carbonyl complex fac-[Re(CO)<sub>3</sub>(dpop $\hat{a}$ €<sup>2</sup>)Cl] with the nominally tri-dentate ligand dipyrido(2,3-a:3 $\hat{a}$ €<sup>2</sup>,2 $\hat{a}$ €<sup>2</sup>-j)phenazine (dpop $\hat{a}$ €<sup>2</sup>). *Inorganica Chimica Acta* 359: 1478-1484.
- Zimmerman, JB; Kibbey, TC; Cowell, MA; Hayes, KF. (1998). Partitioning of ethoxylated nonionic surfactants into nonaqueous-phase organic liquids: Influence on solubilization behavior. *Environmental Science & Technology* 33: 169-176.
- Zingue, S; Nde, CB; Njamen, D. (2015). The methanol-soluble fraction of *Millettia macrophylla* (Fabaceae) stem bark endowed with estrogenic properties has adverse effects on the male reproductive system of Wistar rats. *J Basic Clin Physiol Pharmacol* 26: 53-64. [Journal of basic and clinical physiology and pharmacology].
- Zingue, S; Njamen, D; Tchoumtchoua, J; Halabalaki, M; Simpson, E; Clyne, C; Nde, CBM. (2013). Effects of *Millettia macrophylla* (Fabaceae) Extracts on Estrogen Target Organs of Female Wistar Rat. *J Pharmacol Sci* 123: 120-131.
- Zitko, V. (1999). Qualitative determination of 10,10'-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (1999). Qualitative determination of 10,10 $\hat{a}$ €<sup>2</sup>-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (1999). Qualitative determination of 10,10'-oxybisphenoxarsine and decarbromodiphenyl ether in plastics. *Chemosphere* 38: 629-632.
- Zitko, V. (2001). Analytical chemistry in monitoring the effects of aquaculture: one laboratory's perspective. *ICES J Mar Sci* 58: 486-491.
- Zitomer, DH; Speece, RE. (1995). Methanethiol in nonacclimated sewage sludge after addition of chloroform and other toxicants. *Environmental Science & Technology* 29: 762-768.
- Ziyatdinova, G; Ziganshina, E; Budnikov, H. (2012). Voltammetric determination of  $\hat{I}$ <sup>2</sup>-carotene in raw vegetables and berries in Triton X100 media. *Talanta* 99: 1024-1029.
- Zmirou, D; Deloraine, A; Saviuc, P; Tillier, C; Boucharlat, A; Maury, N. (1994). Short-term health effects of an industrial toxic waste landfill: A retrospective follow-up study in Montchanin, France. *Arch Environ Health* 49: 228-238.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environmental Science & Technology* 34: 1751-1757.
- Zuccaccia, C; Bellachioma, G; Cardaci, G; Macchioni, A. (2001). Solution structure investigation of Ru(II) complex ion pairs: Quantitative NOE measurements and determination of average interionic distances. *J Am Chem Soc* 123: 11020-11028.
- Zuloaga, O; Fitzpatrick, LJ; Etxebarria, N; Dean, J. (2000). Influence of solvent and soil type on the pressurised fluid extraction of PAHs. *J Environ Monit* 2: 634-638.
- Zuo, G-M; Cheng, Z-X; Chen, H; Li, G-W; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater* 128: 158-163.
- Zyakun, AM; Doronina, NV; Zakharchenko, VN; Trotsenko, YA. (2003). The fractionation of chlorine isotopes by the aerobic methylotrophic bacterium *Methylobacterium dichloromethanicum* grown on dichloromethane. *Microbiology* 72: 347-351.

## Human Health Hazard Literature Search Results

### On Topic

- Aiso, S; Take, M; Kasai, T; Senoh, H; Umeda, Y; Matsumoto, M; Fukushima, S. (2014). Inhalation carcinogenicity of dichloromethane in rats and mice. *Inhal Toxicol* 26: 435-451. <http://dx.doi.org/10.3109/08958378.2014.905660>.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Allen, J; Kligerman, A; Campbell, J; Westbrook-Collins, B; Erexson, G; Kari, F; Zeiger, E. (1990). Cytogenetic analyses of mice exposed to dichloromethane. *Environ Mol Mutagen* 15: 221-228. <http://dx.doi.org/10.1002/em.2850150409>.
- Anders, MW; Andersen, ME; Clewell, HJ; Gargas, ML; Guengerich, FP; Reitz, RH. (2010). Comment on M.V. Evans and J.C. Caldwell: evaluation of two different metabolic hypotheses for dichloromethane toxicity using physiologically based pharmacokinetic modeling of in vivo gas uptake data exposure in female B6C3F1 mice, *Toxicol. Appl. Pharmacol.*, 244, 280-290, 2010 [Letter]. *Toxicol Appl Pharmacol* 248: 63-64; author reply 65-67. <http://dx.doi.org/10.1016/j.taap.2010.07.012>.
- Anders, MW; Sunram, JM. (1982). Transplacental passage of dichloromethane and carbon monoxide. *Toxicol Lett* 12: 231-234. [http://dx.doi.org/10.1016/0378-4274\(82\)90245-4](http://dx.doi.org/10.1016/0378-4274(82)90245-4).
- Andersen, ME; Clewell, HJ, III; Gargas, ML; MacNaughton, MG; Reitz, RH; Nolan, RJ; McKenna, MJ. (1991). Physiologically based pharmacokinetic modeling with dichloromethane, its metabolite, carbon monoxide, and blood carboxyhemoglobin in rats and humans. *Toxicol Appl Pharmacol* 108: 14-27.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andrae, U; Wolff, T. (1983). Dichloromethane is not genotoxic in isolated rat hepatocytes. *Arch Toxicol* 52: 287-290. <http://dx.doi.org/10.1007/BF00316496>.
- Angelo, MJ; Pritchard, AB; Hawkins, DR; Waller, AR; Roberts, A. (1986). The pharmacokinetics of dichloromethane. I. Disposition in B6C3F1 mice following intravenous and oral administration. *Food Chem Toxicol* 24: 965-974. [http://dx.doi.org/10.1016/0278-6915\(86\)90325-X](http://dx.doi.org/10.1016/0278-6915(86)90325-X).
- Angelo, MJ; Pritchard, AB; Hawkins, DR; Waller, AR; Roberts, A. (1986). The pharmacokinetics of dichloromethane. II. Disposition in Fischer 344 rats following intravenous and oral administration. *Food Chem Toxicol* 24: 975-980. [http://dx.doi.org/10.1016/0278-6915\(86\)90326-1](http://dx.doi.org/10.1016/0278-6915(86)90326-1).
- Anthony, T. (1979). Methylene chloride. In M Grayson; D Eckroth (Eds.), (pp. 686-693). New York, NY: John Wiley & Sons.
- Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. *Int Arch Occup Environ Health* 65: 247-251. <http://dx.doi.org/10.1007/BF00381198>.
- Arakawa, S. (2013). Utilization of glutathione S-transferase Mu 1- and Theta 1-null mice as animal models for absorption, distribution, metabolism, excretion and toxicity studies [Review]. *Expert Opin Drug Metab Toxicol* 9: 725-736. <http://dx.doi.org/10.1517/17425255.2013.780027>.
- Arakawa, S; Fujimoto, K; Kato, A; Endo, S; Fukahori, A; Shinagawa, A; Fischer, T; Mueller, J; Takasaki, W. (2012). Evaluation of hepatic glutathione transferase Mu 1 and Theta 1 activities in humans and mice using genotype information. *Drug Metab Dispos* 40: 497-503. <http://dx.doi.org/10.1124/dmd.111.042911>.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6: 713-720. [http://dx.doi.org/10.1016/0272-0590\(86\)90184-3](http://dx.doi.org/10.1016/0272-0590(86)90184-3).
- Astrand, I; Ovrum, P; Carlsson, A. (1975). Exposure to methylene chloride: I. Its concentration in alveolar air and blood during rest and exercise and its metabolism. *Scand J Work Environ Health* 1: 78-94.
- ATSDR (Agency for Toxic Substances and Disease Registry). (2000). Toxicological profile for methylene chloride [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp14.pdf>.
- Bakinson, MA; Jones, RD. (1985). Gassings due to methylene chloride, xylene, toluene, and styrene reported to Her Majesty's Factory Inspectorate 1961-80. *Br J Ind Med* 42: 184-190.
- Bale, AS; Barone, S; Scott, CS; Cooper, GS. (2011). A review of potential neurotoxic mechanisms among three chlorinated organic solvents [Review]. *Toxicol Appl Pharmacol* 255: 113-126. <http://dx.doi.org/10.1016/j.taap.2011.05.008>.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bell, BP; Franks, P; Hildreth, N; Melius, J. (1991). Methylene chloride exposure and birthweight in Monroe County, New York. *Environ Res* 55: 31-39. [http://dx.doi.org/10.1016/S0013-9351\(05\)80138-0](http://dx.doi.org/10.1016/S0013-9351(05)80138-0).
- Benbrahim-Tallaa, L; Lauby-Secretan, B; Loomis, D; Guyton, KZ; Grosse, Y; El Ghissassi, F; Bouvard, V; Guha, N; Mattock, H; Straif, K. (2014). Carcinogenicity of perfluorooctanoic acid, tetrafluoroethylene, dichloromethane, 1,2-dichloropropane, and 1,3-propane sultone. *Lancet Oncol* 15: 924-925. [http://dx.doi.org/10.1016/S1470-2045\(14\)70316-X](http://dx.doi.org/10.1016/S1470-2045(14)70316-X).
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernier, UR; Kline, DL; Allan, SA; Barnard, DR. (2015). Laboratory Studies of *Aedes aegypti* Attraction to Ketones, Sulfides, and Primary Chloroalkanes Tested Alone and in Combination with L-Lactic Acid. *J Am Mosq Control Assoc* 31: 63-70. <http://dx.doi.org/10.2987/14-6452R.1>.
- Biesdorf, C; Cortez, DA; Audi, EA. (2012). Assessment of anxiolytic and panicolytic effects of dichloromethane fraction from stems of *Kielmeyera coriacea*. *Phytomedicine* 19: 374-377. <http://dx.doi.org/10.1016/j.phymed.2011.08.067>.

## Human Health Hazard Literature Search Results

### On Topic

- Bindu, PJ; Mahadevan, KM; Satyanarayan, ND; Ravikumar Naik, TR. (2012). Synthesis and DNA cleavage studies of novel quinoline oxime esters. 22: 898-900. <http://dx.doi.org/10.1016/j.bmcl.2011.12.037>.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blaschke, M; Mckinnon, R; Nguyen, CH; Holzner, S; Zehl, M; Atanasov, AG; Schelch, K; Krieger, S; Diaz, R; Frisch, R; Feistel, B; Jäger, W; Ecker, GF; Dirsch, VM; Grusch, M; Zupko, I; Urban, E; Kopp, B; Krupitza, G. (2015). A eudesmane-type sesquiterpene isolated from *Pluchea odorata* (L.) Cass. combats three hallmarks of cancer cells: Unrestricted proliferation, escape from apoptosis and early metastatic outgrowth in vitro. *Mutat Res* 777: 79-90. <http://dx.doi.org/10.1016/j.mrfmmm.2015.04.011>.
- Blocki, FA; Logan, MS; Baoli, C; Wackett, LP. (1994). Reaction of rat liver glutathione S-transferases and bacterial dichloromethane dehalogenase with dihalomethanes. *J Biol Chem* 269: 8826-8830.
- Boerleider, RZ; Olie, JDN; van Eijkeren, JCH; Bos, PMJ; Hof, BGH; de Vries, I; Bessems, JGM; Meulenbelt, J; Hunault, CC. (2015). Evaluation of three physiologically based pharmacokinetic (PBPK) modeling tools for emergency risk assessment after acute dichloromethane exposure. *Toxicol Lett* 232: 21-27. <http://dx.doi.org/10.1016/j.toxlet.2014.10.010>.
- Bogaards, JJ; van Ommen, B; van Bladeren, PJ. (1993). Interindividual differences in the in vitro conjugation of methylene chloride with glutathione by cytosolic glutathione S-transferase in 22 human liver samples. *Biochem Pharmacol* 45: 2166-2169.
- Bonfiglioli, R; Carnevali, L; Di Lello, M; Violante, FS. (2014). Bilateral hearing loss after dichloromethane poisoning: a case report. *Am J Ind Med* 57: 254-257. <http://dx.doi.org/10.1002/ajim.22257>.
- Bornschein, RL; Hastings, L; Manson, JM. (1980). Behavioral toxicity in the offspring of rats following maternal exposure to dichloromethane. *Toxicol Appl Pharmacol* 52: 29-37. [http://dx.doi.org/10.1016/0041-008X\(80\)90244-6](http://dx.doi.org/10.1016/0041-008X(80)90244-6).
- Boskabady, MH; Keyhanmanesh, R; Saadatloo, MA. (2008). Relaxant effects of different fractions from *Nigella sativa* L. on guinea pig tracheal chains and its possible mechanism(s). *Indian J Exp Biol* 46: 805-810.
- Boulinguez, B; Le Cloirec, P. (2009). Biogas pre-upgrading by adsorption of trace compounds onto granular activated carbons and an activated carbon fiber-cloth. *Water Sci Technol* 59: 935-944. <http://dx.doi.org/10.2166/wst.2009.070>.
- Bowen, SE; Batis, JC; Paez-Martinez, N; Cruz, SL. (2006). The last decade of solvent research in animal models of abuse: Mechanistic and behavioral studies [Review]. *Neurotoxicol Teratol* 28: 636-647. <http://dx.doi.org/10.1016/j.ntt.2006.09.005>.
- Brandt, SD; Martins, CP; Freeman, S; Dempster, N; Riby, PG; Gartz, J; Alder, JF. (2008). Halogenated solvent interactions with N,N-dimethyltryptamine: formation of quaternary ammonium salts and their artificially induced rearrangements during analysis. *Forensic Sci Int* 178: 162-170. <http://dx.doi.org/10.1016/j.forsciint.2008.03.013>.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Britt, D; Tranchemontagne, D; Yaghi, OM. (2008). Metal-organic frameworks with high capacity and selectivity for harmful gases. *Proc Natl Acad Sci USA* 105: 11623-11627. <http://dx.doi.org/10.1073/pnas.0804900105>.
- Briving, C; Hamberger, A; Kjellstrand, P; Rosengren, L; Karlsson, JE; Haglid, KG. (1986). Chronic effects of dichloromethane on amino acids, glutathione and phosphoethanolamine in gerbil brain. *Scand J Work Environ Health* 12: 216-220.
- Brown, JL; Kersey, DC; Freeman, EW; Wagener, T. (2010). Assessment of diurnal urinary cortisol excretion in Asian and African elephants using different endocrine methods. *Zoo Biology* 29: 274-283. <http://dx.doi.org/10.1002/zoo.20268>.
- Brown-Woodman, PDC; Hayes, LC; Huq, F; Herlihy, C; Picker, K; Webster, WS. (1998). In vitro assessment of the effect of halogenated hydrocarbons: Chloroform, dichloromethane, and dibromoethane on embryonic development of the rat. *Teratology* 57: 321-333. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199806\)57:6<321::AID-TERA5>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1096-9926(199806)57:6<321::AID-TERA5>3.0.CO;2-Z).
- Burek, JD; Nitschke, KD; Bell, TJ; Wackerle, DL; Childs, RC; Beyer, JE; Dittenber, DA; Rampy, LW; McKenna, MJ. (1984). Methylene chloride: A two-year inhalation toxicity and oncogenicity study in rats and hamsters. *Fundam Appl Toxicol* 4: 30-47. <http://dx.doi.org/10.1093/toxsci/4.1.30>.
- CA FACE. (2012). Fatality Assessment and Control Evaluation (FACE) Report for California: A Maintenance Worker Dies from Exposure to Dichloromethane (Methylene Chloride) While Stripping the Floor of a Baptismal Font in a Church, FACE-12-CA-002. 8.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res* 77: 55-63. [http://dx.doi.org/10.1016/0165-1218\(80\)90120-2](http://dx.doi.org/10.1016/0165-1218(80)90120-2).
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Carlsson, A; Hultengren, M. (1975). Exposure to methylene chloride: III metabolism of <sup>14</sup>C-labelled methylene chloride in rat. *Scand J Work Environ Health* 1: 104-108.
- Carton, M; Barul, C; Menvielle, G; Cyr, D; Sanchez, M; Pilorget, C; Trétarre, B; Stücker, I; Luce, D; Group, IS. (2017). Occupational exposure to solvents and risk of head and neck cancer in women: a population-based case-control study in France. *BMJ Open* 7: e012833. <http://dx.doi.org/10.1136/bmjopen-2016-012833>.
- Casanova, M; Bell, DA; Heck, H. (1997). Dichloromethane metabolism to formaldehyde and reaction of formaldehyde with nucleic acids in hepatocytes of rodents and humans with and without glutathione S-transferase T1 and M1 genes. *Fundam Appl Toxicol* 37: 168-180. <http://dx.doi.org/10.1093/toxsci/37.2.168>.

## Human Health Hazard Literature Search Results

### On Topic

- Casanova, M; Conolly, RB; Heck, H. (1996). DNA-protein cross-links (DPX) and cell proliferation in B6C3F1 mice but not Syrian golden hamsters exposed to dichloromethane: Pharmacokinetics and risk assessment with DPX as dosimeter. *Fundam Appl Toxicol* 31: 103-116. <http://dx.doi.org/10.1006/faat.1996.0081>.
- Casanova, M; Deyo, DF; Heck, H. (1992). Dichloromethane (methylene chloride): metabolism to formaldehyde and formation of DNA-protein cross-links in B6C3F1 mice and Syrian golden hamsters [Letter]. *Toxicol Appl Pharmacol* 114: 162-165. [http://dx.doi.org/10.1016/0041-008X\(92\)90109-6](http://dx.doi.org/10.1016/0041-008X(92)90109-6).
- CDC. (2012). Fatal exposure to methylene chloride among bathtub refinishers - United States, 2000-2011. *MMWR Morb Mortal Wkly Rep* 61: 119-122.
- Chaigne, B; Lasfargues, G; Marie, I; Hüttenberger, B; Lavigne, C; Marchand-Adam, S; Maillot, F; Diot, E. (2015). Primary Sjögren's syndrome and occupational risk factors: A case-control study. *J Autoimmun* 60: 80-85. <http://dx.doi.org/10.1016/j.jaut.2015.04.004>.
- Chang, YL; Yang, CC; Deng, JF; Ger, J; Tsai, WJ; Wu, ML; Liaw, HC; Liaw, SJ. (1999). Diverse manifestations of oral methylene chloride poisoning: Report of 6 cases. *J Toxicol Clin Toxicol* 37: 497-504.
- Chen, CY; Kao, CY; Lin, PJ; Shiesh, SC. (2013). Carbon monoxide may enhance bile secretion by increasing glutathione excretion and Mrp2 expression in rats. *J Chin Med Assoc* 76: 258-264. <http://dx.doi.org/10.1016/j.jcma.2013.02.001>.
- Cherry, N; Venables, H; Waldron, HA. (1983). The acute behavioural effects of solvent exposure. *Occup Med (Lond)* 33: 13-18. <http://dx.doi.org/10.1093/ocmed/33.1.13>.
- Cherry, N; Venables, H; Waldron, HA; Wells, GG. (1981). Some observations on workers exposed to methylene chloride. *Br J Ind Med* 38: 351-355.
- Clewell, HJ, III; Gearhart, JM; Andersen, ME. (1993). Analysis of the metabolism of methylene chloride in the B6C3F1 mouse and its implications for human carcinogenic risk. Washington, DC: U.S. Department of Labor.
- Clewell, RA; Clewell, HJ. (2008). Development and specification of physiologically based pharmacokinetic models for use in risk assessment [Review]. *Regul Toxicol Pharmacol* 50: 129-143. <http://dx.doi.org/10.1016/j.yrtph.2007.10.012>.
- Cocco, P; Heineman, EF; Dosemeci, M. (1999). Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am J Ind Med* 36: 70-74. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<70::AID-AJIM10>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<70::AID-AJIM10>3.0.CO;2-5).
- Condie, LW; Smallwood, CL; Laurie, RD. (1983). Comparative renal and hepatotoxicity of halomethanes: Bromodichloromethane, bromoform, chloroform, dibromochloromethane and methylene chloride. *Drug Chem Toxicol* 6: 563-578. <http://dx.doi.org/10.3109/01480548309017810>.
- Cooper, GS; Scott, CS; Bale, AS. (2011). Insights from epidemiology into dichloromethane and cancer risk [Review]. *Int J Environ Res Public Health* 8: 3380-3398. <http://dx.doi.org/10.3390/ijerph8083380>.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med* 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costantini, AS; Miligi, L; Kriebel, D; Ramazzotti, V; Rodella, S; Scarpi, E; Stagnaro, E; Tumino, R; Fontana, A; Masala, G; Viganò, C; Vindigni, C; Crosignani, P; Benvenuti, A; Vineis, P. (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. *Epidemiology* 12: 78-87.
- Crebelli, R; Benigni, R; Franekic, J; Conti, G; Conti, L; Carere, A. (1988). Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: Unspecific or specific mechanism? *Mutat Res* 201: 401-411. [http://dx.doi.org/10.1016/0027-5107\(88\)90027-9](http://dx.doi.org/10.1016/0027-5107(88)90027-9).
- Dankovic, DA; Bailer, AJ. (1994). The impact of exercise and intersubject variability on dose estimates for dichloromethane derived from a physiologically based pharmacokinetic model. *Fundam Appl Toxicol* 22: 20-25. <http://dx.doi.org/10.1006/faat.1994.1003>.
- David, RM; Clewell, HJ; Gentry, PR; Covington, TR; Morgott, DA; Marino, DJ. (2006). Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol* 45: 55-65. <http://dx.doi.org/10.1016/j.yrtph.2005.12.003>.
- Dell, LD; Mundt, KA; McDonald, M; Tritschler, JP; Mundt, DJ. (1999). Critical review of the epidemiology literature on the potential cancer risks of methylene chloride [Review]. *Int Arch Occup Environ Health* 72: 429-442. <http://dx.doi.org/10.1007/s004200050396>.
- Demarini, DM; Shelton, ML; Warren, SH; Ross, TM; Shim, JY; Richard, AM; Pegram, RA. (1997). Glutathione S-transferase-mediated induction of GC->AT transitions by halomethanes in *Salmonella*. *Environ Mol Mutagen* 30: 440-447. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)30:4<440::AID-EM9>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)30:4<440::AID-EM9>3.0.CO;2-M).
- Devereux, TR; Foley, JF; Maronpot, RR; Kari, F; Anderson, MW. (1993). Ras proto-oncogene activation in liver and lung tumors from B6C3F1 mice exposed chronically to methylene chloride. *Carcinogenesis* 14: 795-801. <http://dx.doi.org/10.1093/carcin/14.5.795>.
- Dillon, D; Edwards, I; Combes, R; Mcconville, M; Zeiger, E. (1992). The role of glutathione in the bacterial mutagenicity of vapour phase dichloromethane. *Environ Mol Mutagen* 20: 211-217. <http://dx.doi.org/10.1002/em.2850200310>.
- Divincenzo, GD; Kaplan, CJ. (1981). Uptake, metabolism, and elimination of methylene chloride vapor by humans. *Toxicol Appl Pharmacol* 59: 130-140. [http://dx.doi.org/10.1016/0041-008X\(81\)90460-9](http://dx.doi.org/10.1016/0041-008X(81)90460-9).
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1971). The gas chromatographic analysis of methylene chloride in breath, blood, and urine. *Am Ind Hyg Assoc J* 32: 387-391. <http://dx.doi.org/10.1080/0002889718506478>.
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1972). Human and canine exposures to methylene chloride vapor. *Am Ind Hyg Assoc J* 33: 125-135. <http://dx.doi.org/10.1080/0002889728506622>.

## Human Health Hazard Literature Search Results

### On Topic

- Doherty, AT; Ellard, S; Parry, EM; Parry, JM. (1996). An investigation into the activation and deactivation of chlorinated hydrocarbons to genotoxins in metabolically competent human cells. *Mutagenesis* 11: 247-274. <http://dx.doi.org/10.1093/mutage/11.3.247>.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med* 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology* 5: 124-127.
- Dulfer, K; Duppen, N; Kuipers, IM; Schokking, M; van Domburg, RT; Verhulst, FC; Helbing, WA; Utens, EM. (2014). Aerobic exercise influences quality of life of children and youngsters with congenital heart disease: a randomized controlled trial. 55: 65-72. <http://dx.doi.org/10.1016/j.jadohealth.2013.12.010>.
- Dumas, S; Parent, ME; Siemiatycki, J; Brisson, J. (2000). Rectal cancer and occupational risk factors: A hypothesis-generating, exposure-based case-control study. *Int J Cancer* 87: 874-879. [http://dx.doi.org/10.1002/1097-0215\(20000915\)87:6<874::AID-IJC18>3.0.CO;2-L](http://dx.doi.org/10.1002/1097-0215(20000915)87:6<874::AID-IJC18>3.0.CO;2-L).
- Dwivedi, P; Mishra, KB; Mishra, BB; Singh, N; Singh, RK; Tiwari, VK. (2015). Click inspired synthesis of antileishmanial triazolyl O-benzylquercetin glycoconjugates. *Glycoconjug J* 32: 127-140. <http://dx.doi.org/10.1007/s10719-015-9582-x>.
- Dzul-Caamal, R; Olivares-Rubio, HF; López-Tapia, P; Vega-López, A. (2013). Pro-oxidant and antioxidant response elicited by CH<sub>2</sub>Cl<sub>2</sub>, CHCl<sub>3</sub> and BrCHCl<sub>2</sub> in *Goodea gracilis* using non-invasive methods. *Comp Biochem Physiol A Mol Integr Physiol* 165: 515-527. <http://dx.doi.org/10.1016/j.cbpa.2013.03.005>.
- Ehler, E; Latta, J; Eichlerová, A; Mrklovský, M; Urban, P. (2011). Exposure to iodomethane and dichloromethane associated with a confusional state. *Neurotoxicology* 32: 307-311. <http://dx.doi.org/10.1016/j.neuro.2011.02.003>.
- El-Masri, HA; Bell, DA; Portier, CJ. (1999). Effects of glutathione transferase theta polymorphism on the risk estimates of dichloromethane to humans. *Toxicol Appl Pharmacol* 158: 221-230. <http://dx.doi.org/10.1006/taap.1999.8715>.
- Engström, J; Bjurström, R. (1977). Exposure to methylene chloride: Content in subcutaneous adipose tissue. *Scand J Work Environ Health* 3: 215-224.
- Enoch, SJ; Cronin, MT. (2012). Development of new structural alerts suitable for chemical category formation for assigning covalent and non-covalent mechanisms relevant to DNA binding. *Mutat Res* 743: 10-19. <http://dx.doi.org/10.1016/j.mrgentox.2011.12.029>.
- Evans, MV; Caldwell, JC. (2010). Evaluation of two different metabolic hypotheses for dichloromethane toxicity using physiologically based pharmacokinetic modeling for in vivo inhalation gas uptake data exposure in female B6C3F1 mice. *Toxicol Appl Pharmacol* 244: 280-290. <http://dx.doi.org/10.1016/j.taap.2010.01.018>.
- Fajemiroye, JO; Martins, JL; Ghedini, PC; Galdino, PM; de Paula, JA; Realino de Paula, J; Da Rocha, FF; Costa, EA. (2013). Antidepressive-Like Property of Dichloromethane Fraction of *Pimenta pseudocaryophyllus* and Relevance of Monoamine Metabolic Enzymes. *eCAM* 2013: 659391. <http://dx.doi.org/10.1155/2013/659391>.
- Fechner, G; Ortmann, C; Du Chesne, A; Köhler, H. (2001). Fatal intoxication due to excessive dichloromethane inhalation. *Forensic Sci Int* 122: 69-72. [http://dx.doi.org/10.1016/S0379-0738\(01\)00468-6](http://dx.doi.org/10.1016/S0379-0738(01)00468-6).
- Firsova, I, uE; Fedorov, DN; Trotsenko, I, uA. (2011). [3' Flanking region analysis of the dichloromethane dehalogenase gene of DCMA *Methylobacterium dichloromethanicum* DM4]. *Mikrobiologiya* 80: 796-802.
- Firsova, YE; Trotsenko, YA. (2014). [Functional activity of the modA, gene in *Methylobacterium dichloromethanicum* DM4]. *Mikrobiologiya* 83: 295-301.
- Foley, JF; Tuck, PD; Ton, TV; Frost, M; Kari, F; Anderson, MW; Maronpot, RR. (1993). Inhalation exposure to a hepatocarcinogenic concentration of methylene chloride does not induce sustained replicative DNA synthesis in hepatocytes of female B6C3F1 mice. *Carcinogenesis* 14: 811-817. <http://dx.doi.org/10.1093/carcin/14.5.811>.
- Forster, HV; Graff, S; Hake, CL; Soto, R; Stewart, RD. (1974). Pulmonary-hematologic studies on humans during exposure to methylene chloride (pp. 099-072). (NIOSH-MCOW-ENVM-MC-74-4). Milwaukee, WI: Medical College of Wisconsin, Department of Environmental Medicine.
- Foster, JR; Green, T; Smith, LL; Lewis, RW; Hext, PM; Wyatt, I. (1992). Methylene chloride--an inhalation study to investigate pathological and biochemical events occurring in the lungs of mice over an exposure period of 90 days. *Fundam Appl Toxicol* 18: 376-388. <http://dx.doi.org/10.1093/toxsci/18.3.376>.
- Foster, JR; Green, T; Smith, LL; Tittensor, S; Wyatt, I. (1994). Methylene chloride: an inhalation study to investigate toxicity in the mouse lung using morphological, biochemical and Clara cell culture techniques. *Toxicology* 91: 221-234. [http://dx.doi.org/10.1016/0300-483X\(94\)90011-6](http://dx.doi.org/10.1016/0300-483X(94)90011-6).
- Friedlander, BR; Hearne, T; Hall, S. (1978). Epidemiologic investigation of employees chronically exposed to methylene chloride: Mortality analysis. *J Occup Environ Med* 20: 657-666.
- Fujimoto, K; Arakawa, S; Watanabe, T; Yasumo, H; Ando, Y; Takasaki, W; Manabe, S; Yamoto, T; Oda, S. (2007). Generation and functional characterization of mice with a disrupted glutathione S-transferase, theta 1 gene. *Drug Metab Dispos* 35: 2196-2202. <http://dx.doi.org/10.1124/dmd.107.017905>.
- Fuxe, K; Andersson, K; Hansson, T; Agnati, LF; Eneroth, P; Gustafsson, JA. (1984). Central catecholamine neurons and exposure to dichloromethane. Selective changes in amine levels and turnover in tel- and diencephalic DA and NA nerve terminal systems and in the secretion of anterior pituitary hormones in the male rat. *Toxicology* 29: 293-305. [http://dx.doi.org/10.1016/0300-483X\(84\)90161-6](http://dx.doi.org/10.1016/0300-483X(84)90161-6).
- Gamberale, F; Annwall, G; Hultengren, M. (1975). Exposure to methylene chloride: II. Psychological functions. *Scand J Work Environ Health* 1: 95-103.



## Human Health Hazard Literature Search Results

### On Topic

- Gargas, ML; Clewell, HJ, III; Andersen, ME. (1986). Metabolism of inhaled dihalomethanes in vivo: Differentiation of kinetic constants for two independent pathways. *Toxicol Appl Pharmacol* 82: 211-223. [http://dx.doi.org/10.1016/0041-008X\(86\)90196-1](http://dx.doi.org/10.1016/0041-008X(86)90196-1).
- Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemical paint-remover hazards. *Arch Mal Prof Environ* 71: 30-37. <http://dx.doi.org/10.1016/j.admp.2009.12.009>.
- Garrett, NE; Lewtas, J. (1983). Cellular toxicity in Chinese hamster ovary cell cultures: I. Analysis of cytotoxicity endpoints for twenty-nine priority pollutants. *Environ Res* 32: 455-465. [http://dx.doi.org/10.1016/0013-9351\(83\)90125-1](http://dx.doi.org/10.1016/0013-9351(83)90125-1).
- Gehlhaus, MW, III; Gift, JS; Hogan, KA; Kopylev, L; Schlosser, PM; Kadry, AR. (2011). Approaches to cancer assessment in EPA's Integrated Risk Information System [Review]. *Toxicol Appl Pharmacol* 254: 170-180. <http://dx.doi.org/10.1016/j.taap.2010.10.019>.
- General Electric Company. (1976). Dichloromethane: Reproduction and ninety day oral toxicity study in rats. (878210710). Mattawan, MI: International Research and Development Corporation.
- Gibbons, CF. (2011). Dichloromethane: A Case Study for the Interpretation of Genetic Toxicity Data by IARC and the IRIS Program. *Environ Mol Mutagen* 52: S33-S33.
- Gibbs, GW. (1992). The mortality of workers employed at a cellulose acetate and triacetate fibers plant in Cumberland, Maryland: A "1970" cohort followed 1970–1989. Winterburn, Canada: Safety Health Environment International Consultants.
- Gibbs, GW; Amsel, J; Soden, K. (1996). A cohort mortality study of cellulose triacetate-fiber workers exposed to methylene chloride. *J Occup Environ Med* 38: 693-697.
- Glatzel, W; Tietze, K; Gutewort, R; Pankow, D. (1987). Interaction of dichloromethane and ethanol in rats: Toxicokinetics and nerve conduction velocity. *Alcohol Clin Exp Res* 11: 450-452. <http://dx.doi.org/10.1111/j.1530-0277.1987.tb01921.x>.
- Gocke, E; King, MT; Eckhardt, K; Wild, D. (1981). Mutagenicity of cosmetics ingredients licensed by the European communities. *Mutat Res* 90: 91-109. [http://dx.doi.org/10.1016/0165-1218\(81\)90072-0](http://dx.doi.org/10.1016/0165-1218(81)90072-0).
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Golsteyn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Goullé, JP; Lacroix, C; Vaz, E; Rouvier, P; Proust, B. (1999). Fatal case of dichloromethane poisoning. *J Anal Toxicol* 23: 380-383.
- Graves, RJ; Callander, RD; Green, T. (1994). The role of formaldehyde and S-chloromethylglutathione in the bacterial mutagenicity of methylene chloride. *Mutat Res* 320: 235-243. [http://dx.doi.org/10.1016/0165-1218\(94\)90050-7](http://dx.doi.org/10.1016/0165-1218(94)90050-7).
- Graves, RJ; Coutts, C; Eytton-Jones, H; Green, T. (1994). Relationship between hepatic DNA damage and methylene chloride-induced hepatocarcinogenicity in B6C3F1 mice. *Carcinogenesis* 15: 991-996. <http://dx.doi.org/10.1093/carcin/15.5.991>.
- Graves, RJ; Coutts, C; Green, T. (1995). Methylene chloride-induced DNA damage: An interspecies comparison. *Carcinogenesis* 16: 1919-1926. <http://dx.doi.org/10.1093/carcin/16.8.1919>.
- Graves, RJ; Green, T. (1996). Mouse liver glutathione S-transferase mediated metabolism of methylene chloride to a mutagen in the CHO/HPRT assay. *Mutat Res Genet Toxicol* 367: 143-150. [http://dx.doi.org/10.1016/0165-1218\(95\)00087-9](http://dx.doi.org/10.1016/0165-1218(95)00087-9).
- Graves, RJ; Trueman, P; Jones, S; Green, T. (1996). DNA sequence analysis of methylene chloride-induced HPRT mutations in Chinese hamster ovary cells: Comparison with the mutation spectrum obtained for 1,2-dibromoethane and formaldehyde. *Mutagenesis* 11: 229-233. <http://dx.doi.org/10.1093/mutage/11.3.229>.
- Green, T. (1983). The metabolic activation of dichloromethane and chlorofluoromethane in a bacterial mutation assay using *Salmonella typhimurium*. *Mutat Res Genet Toxicol* 118: 227-288. [http://dx.doi.org/10.1016/0165-1218\(83\)90211-2](http://dx.doi.org/10.1016/0165-1218(83)90211-2).
- Green, T. (1997). Methylene chloride induced mouse liver and lung tumours: An overview of the role of mechanistic studies in human safety assessment [Review]. *Hum Exp Toxicol* 16: 3-13. <http://dx.doi.org/10.1177/0960327197016001021>.
- Guengerich, FP. (1997). Mechanisms of mutagenicity of DNA adducts derived from alkyl and vinyl halides. *JTTE* 43: 69-82.
- Haber, LT; Maier, A; Gentry, PR; Clewell, HJ; Dourson, ML. (2002). Genetic polymorphisms in assessing interindividual variability in delivered dose [Review]. *Regul Toxicol Pharmacol* 35: 177-197. <http://dx.doi.org/10.1006/rtp.2001.1517>.
- Hall, AH; Rumack, BH. (1990). Methylene chloride exposure in furniture-stripping shops: Ventilation and respirator use practices. *J Occup Med* 32: 33-37.
- Hallier, E; Schröder, KR; Asmuth, K; Dommermuth, A; Aust, B; Goergens, HW. (1994). Metabolism of dichloromethane (methylene chloride) to formaldehyde in human erythrocytes: Influence of polymorphism of glutathione transferase theta (GST T1-1). *Arch Toxicol* 68: 423-427. <http://dx.doi.org/10.1007/s002040050092>.
- Hardin, BD; Manson, JM. (1980). Absence of dichloromethane teratogenicity with inhalation exposure in rats. *Toxicol Appl Pharmacol* 52: 22-28. [http://dx.doi.org/10.1016/0041-008X\(80\)90243-4](http://dx.doi.org/10.1016/0041-008X(80)90243-4).
- Hashmi, M; Dechert, S; Dekant, W; Anders, MW. (1994). Bioactivation of [<sup>13</sup>C]dichloromethane in mouse, rat, and human liver cytosol: <sup>13</sup>C nuclear magnetic resonance spectroscopic studies. *Chem Res Toxicol* 7: 291-296. <http://dx.doi.org/10.1021/tx00039a004>.
- Haun, CC; Harris, ES; Darmer, KI, Jr. (1971). Continuous animal exposure to methylene chloride (pp. 125-135). (AMRL-TR-71-120, paper no. 10). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=AD751432>.
- Haun, CC; Vernet, EH; Darmer, KI, Jr; Diamond, SS. (1972). Continuous animal exposure to low levels of dichloromethane (pp. 199-208). (AMRL-TR-72-130, paper no. 12). Wright-Patterson AFB, OH: Aerospace Medical Research Laboratory.
- Hayes, WD. (2008). Putting the squeeze on methylene chloride emissions. *Occup Health Saf* 77: 57-58.

## Human Health Hazard Literature Search Results

### On Topic

- Hazleton Laboratories. (1983). 24-month oncogenicity study of methylene chloride in mice: Final report. (45-8303005). New York, NY: National Coffee Association. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0505606>.
- Hearne, FT; Grose, F; Pifer, JW; Friedlander, BR; Raleigh, RL. (1987). Methylene chloride mortality study: Dose-response characterization and animal model comparison. *J Occup Med* 29: 217-228.
- Hearne, FT; Pifer, JW. (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. *J Occup Environ Med* 41: 1154-1169.
- Hearne, FT; Pifer, JW; Grose, F. (1990). Absence of adverse mortality effects in workers exposed to methylene chloride: An update. *J Occup Med* 32: 234-240. <http://dx.doi.org/10.1097/00043764-199003000-00010>.
- Hegi, ME; Söderkvist, P; Foley, JF; Schoonhoven, R; Swenberg, JA; Kari, F; Maronpot, R; Anderson, MW; Wiseman, RW. (1993). Characterization of p53 mutations in methylene chloride-induced lung tumors from B6C3F1 mice. *Carcinogenesis* 14: 803-810. <http://dx.doi.org/10.1093/carcin/14.5.803>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heppel, LA; Neal, PA. (1944). Toxicology of dichloromethane (methylene chloride): II: Its effect upon running activity in the male rat. *J Ind Hyg Toxicol* 26: 17-21.
- Heppel, LA; Neal, PA; Perrin, TL; Orr, ML; Porterfield, VT. (1944). Toxicology of dichloromethane (methylene chloride): I: Studies on effects of daily inhalation. *J Ind Hyg Toxicol* 26: 8-16.
- Herr, DW; Boyes, WK. (1997). A comparison of the acute neuroactive effects of dichloromethane, 1,3-dichloropropane, and 1,2-dichlorobenzene on rat flash evoked potentials (FEPs). *Fundam Appl Toxicol* 35: 31-48. <http://dx.doi.org/10.1006/faat.1996.2255>.
- Hirata, T; Cho, YM; Toyoda, T; Akagi, JI; Suzuki, I; Nishikawa, A; Ogawa, K. (2016). Lack of in vivo mutagenicity of 1,2-dichloropropane and dichloromethane in the livers of gpt delta rats administered singly or in combination. *J Appl Toxicol*. <http://dx.doi.org/10.1002/jat.3416>.
- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Hosseini, BA; Pasdaran, A; Kazemi, T; Shanebandi, D; Karami, H; Orangi, M; Baradaran, B. (2015). Dichloromethane fractions of *Scrophularia oxysepala* extract induce apoptosis in MCF-7 human breast cancer cells. *Bosn J Basic Med Sci* 15: 26-32.
- Hsieh, RL; Lee, WC; Lo, MT; Liao, WC. (2013). Postural stability in patients with knee osteoarthritis: comparison with controls and evaluation of relationships between postural stability scores and International Classification of Functioning, Disability and Health components. *Arch Phys Med Rehabil* 94: 340-346. <http://dx.doi.org/10.1016/j.apmr.2012.09.022>.
- Hu, Y; Kabler, SL; Tennant, AH; Townsend, AJ; Kligerman, AD. (2006). Induction of DNA-protein crosslinks by dichloromethane in a V79 cell line transfected with the murine glutathione-S-transferase theta 1 gene. *Mutat Res Genet Toxicol Environ Mutagen* 607: 231-239. <http://dx.doi.org/10.1016/j.mrgentox.2006.04.013>.
- Hughes, NJ; Tracey, JA. (1993). A case of methylene chloride (nitromors) poisoning, effects on carboxyhaemoglobin levels. *Hum Exp Toxicol* 12: 159-160.
- Hutchinson, K; Dilks, L; Duvall, T; Ashworth, B; Bourassa, J; Cimo, A; Moore, M; Hays, S. (2013). The Long Term Neuropsychological Consequences of Chronic Exposure to Dichloromethane. *J Head Trauma Rehabil* 28: E57-E58.
- IARC (International Agency for Research on Cancer). (1999). Dichloromethane [IARC Monograph]. In IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (pp. 251-315). Lyon, France: World Health Organization. <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-10.pdf>.
- Infante-Rivard, C; Siemiatycki, J; Lakhani, R; Nadon, L. (2005). Maternal exposure to occupational solvents and childhood leukemia. *Environ Health Perspect* 113: 787-792. <http://dx.doi.org/10.1289/ehp.7707>.
- Iowa FACE (Iowa Fatality Assessment and Control Evaluation Program). (2012). Fatality Assessment and Control Evaluation (FACE) Report for Iowa: Bathtub Refinishing Technician Died from Inhalation of Paint Stripper Vapors (pp. 15). (NTIS/13520087).
- Ito, Y; Nakaya, T; Ioka, A; Nakayama, T; Tsukuma, H; Uehara, S; Kogawa Sato, K; Endo, G; Hayashi, T. (2016). Investigation of Spatial Clustering of Biliary Tract Cancer Incidence in Osaka, Japan: Neighborhood Effect of a Printing Factory. *J Epidemiol* 26: 459-463. <http://dx.doi.org/10.2188/jea.JE20150116>.
- Jacobovich, RM; Landau, D; Bar Dayan, Y; Zilberberg, M; Goldstein, L. (2005). Facial nerve palsy after acute exposure to dichloromethane. *Am J Ind Med* 48: 389-392. <http://dx.doi.org/10.1002/ajim.20215>.
- Jongen, WMF; Alink, GM; Koeman, JH. (1978). Mutagenic effect of dichloromethane on *Salmonella typhimurium*. *Mutat Res-Fundam Mol Mech Mutagen* 56: 245-248. [http://dx.doi.org/10.1016/0027-5107\(78\)90191-4](http://dx.doi.org/10.1016/0027-5107(78)90191-4).
- Jongen, WMF; Harmsen, EGM; Alink, GM; Koeman, JH. (1982). The effect of glutathione conjugation and microsomal oxidation on the mutagenicity of dichloromethane in *S. typhimurium*. *Mutat Res-Fundam Mol Mech Mutagen* 95: 183-189. [http://dx.doi.org/10.1016/0027-5107\(82\)90256-1](http://dx.doi.org/10.1016/0027-5107(82)90256-1).
- Jongen, WMF; Lohman, PHM; Kottenhagen, MJ; Alink, GM; Berends, F; Koeman, JH. (1981). Mutagenicity testing of dichloromethane in short-term mammalian test systems. *Mutat Res-Fundam Mol Mech Mutagen* 81: 203-213. [http://dx.doi.org/10.1016/0027-5107\(81\)90035-X](http://dx.doi.org/10.1016/0027-5107(81)90035-X).

## Human Health Hazard Literature Search Results

### On Topic

- Jonsson, F; Bois, F; Johanson, G. (2001). Physiologically based pharmacokinetic modeling of inhalation exposure of humans to dichloromethane during moderate to heavy exercise. *Toxicol Sci* 59: 209-218. <http://dx.doi.org/10.1093/toxsci/59.2.209>.
- Jonsson, F; Johanson, G. (2001). A Bayesian analysis of the influence of GSTT1 polymorphism on the cancer risk estimate for dichloromethane. *Toxicol Appl Pharmacol* 174: 99-112. <http://dx.doi.org/10.1006/taap.2001.9206>.
- Jonville, MC; Kodja, H; Humeau, L; Fournel, J; De Mol, P; Cao, M; Angenot, L; Frédérick, M. (2008). Screening of medicinal plants from Reunion Island for antimalarial and cytotoxic activity. *J Ethnopharmacol* 120: 382-386. <http://dx.doi.org/10.1016/j.jep.2008.09.005>.
- Jung, HW; Oh, TW; Jung, JK; Lee, JH; Shin, GJ; Park, YK. (2012). Inhibitory Effects of the Methylene Chloride Fraction of JP05 on the Production of Inflammatory Mediators in LPS-activated BV2 Microglia. *Inflammation* 35: 332-341. <http://dx.doi.org/10.1007/s10753-011-9323-7>.
- Kaefferlein, HU; Ruehl, R; Bruening, T. (2011). Dichloromethane and paint stripping. *Gefahrst Reinhalt Luft* 71: 255-263.
- Kalkbrenner, AE; Daniels, JL; Chen, JC; Poole, C; Emch, M; Morrissey, J. (2010). Perinatal exposure to hazardous air pollutants and autism spectrum disorders at age 8. *Epidemiology* 21: 631-641. <http://dx.doi.org/10.1097/EDE.0b013e3181e65d76>.
- Kalkbrenner, AE; Schmidt, RJ; Penlesky, AC. (2014). Environmental chemical exposures and autism spectrum disorders: A review of the epidemiological evidence [Review]. *Curr Probl Pediatr Adolesc Health Care* 44: 277-318. <http://dx.doi.org/10.1016/j.cppeds.2014.06.001>.
- Kanada, M; Miyagawa, M; Sato, M; Hasegawa, H; Honma, T. (1994). Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats (1) Effects of oral administration on brain contents of biogenic amines and metabolites. *Ind Health* 32: 145-164. <http://dx.doi.org/10.2486/indhealth.32.145>.
- Kanno, J; Foley, JF; Kari, F; Anderson, MW; Maronpot, RR. (1993). Effect of methylene chloride inhalation on replicative DNA synthesis in the lungs of female B6C3F1 mice. *Environ Health Perspect* 101: 271-276.
- Kari, FW; Foley, JF; Seilkop, SK; Maronpot, RR; Anderson, MW. (1993). Effect of varying exposure regimens on methylene chloride-induced lung and liver tumors in female B6C3F1 mice. *Carcinogenesis* 14: 819-826. <http://dx.doi.org/10.1093/carcin/14.5.819>.
- Karlsson, JE; Rosengren, LE; Kjellstrand, P; Haglid, KG. (1987). Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain [Comment]. *Scand J Work Environ Health* 13: 453-458.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawasaki, Y; Tsuboi, C; Yagi, K; Morizane, M; Masaoka, Y; Esumi, S; Kitamura, Y; Sendo, T. (2014). Photoinitiators enhanced 1,2-dichloropropane-induced cytotoxicity in human normal embryonic lung fibroblasts cells in vitro. *Environ Sci Pollut Res Int* 22: 4763-4770. <http://dx.doi.org/10.1007/s11356-014-3939-8>.
- Kayser, MF; Vuilleumier, S. (2001). Dehalogenation of dichloromethane by dichloromethane dehalogenase/glutathione S-transferase leads to formation of DNA adducts. *J Bacteriol* 183: 5209-5212.
- Kelly, M. (1988). Case reports of individuals with oligospermia and methylene chloride exposures. *Reprod Toxicol* 2: 13-17. [http://dx.doi.org/10.1016/S0890-6238\(88\)80004-2](http://dx.doi.org/10.1016/S0890-6238(88)80004-2).
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kim, C; Kim, MC; Kim, SM; Nam, D; Choi, SH; Kim, SH; Ahn, KS; Lee, EH; Jung, SH; Ahn, KS. (2013). Chrysanthemum indicum L. extract induces apoptosis through suppression of constitutive STAT3 activation in human prostate cancer DU145 cells. *27: 30-38*. <http://dx.doi.org/10.1002/ptr.4689>.
- Kim, C; Manning, RO; Brown, RP; Bruckner, JV. (1996). Use the vial equilibration technique for determination of metabolic rate constants for dichloromethane. *Toxicol Appl Pharmacol* 139: 243-251.
- Kim, EY; Lee, MY; Hwang, SY; Kang, I, nC. (2010). Biomarker analysis of rat livers exposed to different toxic pollutants (VOCs and PAHs) using an antibody array. *BioChip Journal* 4: 173-178. <http://dx.doi.org/10.1007/s13206-010-4302-x>.
- Kim, H. (2008). A case of acute toxic hepatitis after suicidal chloroform and dichloromethane ingestion. *Am J Emerg Med* 26: 1073.e1073-1073.e1076. <http://dx.doi.org/10.1016/j.ajem.2008.03.050>.
- Kim, H; Kim, KB; Ku, HY; Park, SJ; Park, SJ; Choi, H; Moon, JK; Park, BS; Kim, JH; Yea, SS; Lee, CH; Lee, HS; Shin, JG; Liu, KH. (2008). Identification and characterization of potent CYP2B6 inhibitors in Woohwangcheongsimwon suspension, an herbal preparation used in the treatment and prevention of apoplexy in Korea and China. *Drug Metab Dispos* 36: 1010-1015. <http://dx.doi.org/10.1124/dmd.107.019612>.
- Kim, HY; Choi, TW; Kim, HJ; Kim, SM; Park, KR; Jang, HJ; Lee, EH; Kim, CY; Jung, SH; Shim, BS; Ahn, KS. (2011). A methylene chloride fraction of *Saururus chinensis* induces apoptosis through the activation of caspase-3 in prostate and breast cancer cells. *Phytomedicine* 18: 567-574. <http://dx.doi.org/10.1016/j.phymed.2010.10.013>.
- Kim, I; Yoo, K, iY; Park, JH, a; Yan, BC; Ahn, J, iH; Lee, J; Kwon, H; Kim, J; Kim, YM; You, SG; Kang, I; Won, M. (2014). Comparison of neuroprotective effects of extract and fractions from *Agarum clathratum* against experimentally induced transient cerebral ischemic damage. *Pharmaceutical Biology* 52: 335-343. <http://dx.doi.org/10.3109/13880209.2013.837074>.
- Kim, JE; Kim, HJ; Pandit, S; Chang, KW; Jeon, JG. (2011). Inhibitory effect of a bioactivity-guided fraction from *Rheum undulatum* on the acid production of *Streptococcus mutans* biofilms at sub-MIC levels. *Fitoterapia* 82: 352-356. <http://dx.doi.org/10.1016/j.fitote.2010.11.005>.

## Human Health Hazard Literature Search Results

### On Topic

- Kim, JK; Eun, JW; Bae, HJ; Shen, Q; Park, SJ; Kim, HS; Park, S; Ahn, YM; Park, WS; Lee, JY; Nam, SW. (2013). Characteristic molecular signatures of early exposure to volatile organic compounds in rat liver. *Biomarkers* 18: 706-715. <http://dx.doi.org/10.3109/1354750X.2013.847121>.
- Kim, JK; Jung, KH; Noh, JH; Eun, JW; Bae, HJ; Xie, HJ; Jang, JJ; Ryu, JC; Park, WS; Lee, JY; Nam, SW. (2011). Identification of characteristic molecular signature for volatile organic compounds in peripheral blood of rat. *Toxicol Appl Pharmacol* 250: 162-169. <http://dx.doi.org/10.1016/j.taap.2010.10.009>.
- Kim, SK; Kim, YC. (1996). Effect of a single administration of benzene, toluene or m-xylene on carboxyhaemoglobin elevation and metabolism of dichloromethane in rats. *J Appl Toxicol* 16: 437-444. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199609\)16:5<437::AID-JAT371>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1099-1263(199609)16:5<437::AID-JAT371>3.0.CO;2-2).
- Kirschman, JC; Brown, NM; Coots, RH; Morgareidge, K. (1986). Review of investigations of dichloromethane metabolism and subchronic oral toxicity as the basis for the design of chronic oral studies in rats and mice. *Food Chem Toxicol* 24: 943-949. [http://dx.doi.org/10.1016/0278-6915\(86\)90322-4](http://dx.doi.org/10.1016/0278-6915(86)90322-4).
- Kitchin, KT; Brown, JL. (1989). Biochemical effects of three carcinogenic chlorinated methanes in rat liver. *Teratog Carcinog Mutagen* 9: 61-69. <http://dx.doi.org/10.1002/tcm.1770090108>.
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Mansson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology* 35: 35-46. [http://dx.doi.org/10.1016/0300-483X\(85\)90130-1](http://dx.doi.org/10.1016/0300-483X(85)90130-1).
- Kobayashi, A; Ando, A; Tagami, N; Kitagawa, M; Kawai, E, mi; Akioka, M; Arai, E; Nakatani, T; Nakano, S; Matsui, Y; Matsumura, M. (2008). Severe Optic Neuropathy Caused by Dichloromethane Inhalation. *J Ocul Pharmacol Ther* 24: 607-612. <http://dx.doi.org/10.1089/jop.2007.0100>.
- Kolodner, K; Cameron, L; Gittlesohn, A. (1990). Morbidity study of occupational exposure to methylene chloride using a computerized surveillance system (final report) with cover sheets and letter dated 041190. (86900000421). Baltimore, MD: Johns Hopkins School of Hygiene and Public Health. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0522984>.
- Konaté, K; Souza, A; Coulibaly, AY; Meda, NT; Kiendrebeogo, M; Lamien-Meda, A; Millogo-Rasolodimby, J; Lamidi, M; Nacoulma, OG. (2010). In vitro antioxidant, lipoxigenase and xanthine oxidase inhibitory activities of fractions from *Cienfuegosia digitata* Cav., *Sida alba* L. and *Sida acuta* Burn f. (Malvaceae). *Pak J Biol Sci* 13: 1092-1098.
- Kubo, S; Kinoshita, M; Takemura, S; Tanaka, S; Shinkawa, H; Nishioka, T; Hamano, G; Ito, T; Abue, M; Aoki, M; Nakagawa, K; Unno, M; Hijioka, S; Fujiyoshi, T; Shimizu, Y; Mizuguchi, T; Shirabe, K; Nishie, A; Oda, Y; Takenaka, K; Kobarai, T; Hisano, T; Saiura, A; Numao, H; Toda, M; Kuwae, Y; Nakanuma, Y; Endo, G. (2014). Characteristics of printing company workers newly diagnosed with occupational cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 21: 809-817. <http://dx.doi.org/10.1002/jhbp.137>.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kubo, S; Nakanuma, Y; Takemura, S; Sakata, C; Urata, Y; Nozawa, A; Nishioka, T; Kinoshita, M; Hamano, G; Terajima, H; Tachiyama, G; Matsumura, Y; Yamada, T; Tanaka, H; Nakamori, S; Arimoto, A; Kawada, N; Fujikawa, M; Fujishima, H; Sugawara, Y; Tanaka, S; Toyokawa, H; Kuwae, Y; Ohsawa, M; Uehara, S; Sato, KK; Hayashi, T; Endo, G. (2014). Case series of 17 patients with cholangiocarcinoma among young adult workers of a printing company in Japan. *J Hepatobiliary Pancreat Sci* 21: 479-488. <http://dx.doi.org/10.1002/jhbp.86>.
- Kubo, S; Takemura, S; Sakata, C; Urata, Y; Tanaka, S; Nakanuma, Y; Endo, G. (2013). [Cholangiocarcinoma developing in printing company workers: a new type of occupational cancer]. *Gan To Kagaku Ryoho* 40: 1451-1454.
- Kubo, S; Takemura, S; Tanaka, S; Shinkawa, H; Kinoshita, M; Hamano, G; Ito, T; Koda, M; Aota, T; Yamamoto, T; Terajima, H; Tachiyama, G; Yamada, T; Nakamori, S; Arimoto, A; Fujikawa, M; Tomimaru, Y; Sugawara, Y; Nakagawa, K; Unno, M; Mizuguchi, T; Takenaka, K; Kimura, K; Shirabe, K; Saiura, A; Uesaka, K; Taniguchi, H; Fukuda, A; Chong, JM; Kuwae, Y; Ohsawa, M; Sato, Y; Nakanuma, Y. (2016). Outcomes after resection of occupational cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 23: 556-564. <http://dx.doi.org/10.1002/jhbp.373>.
- Kubulus, D; Mathes, A; Pradarutti, S; Raddatz, A; Heiser, J; Pavlidis, D; Wolf, B; Bauer, I; Rensing, H. (2008). Hemin arginate-induced heme oxygenase 1 expression improves liver microcirculation and mediates an anti-inflammatory cytokine response after hemorrhagic shock. *Shock* 29: 583-590. <http://dx.doi.org/10.1097/SHK.0b013e318157e526>.
- Kumagai, S. (2014). [Cholangiocarcinoma among printing workers]. *Nippon Rinsho* 72: 306-309.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health* 56: 164-168.
- Kumagai, S; Kurumatani, N; Arimoto, A; Ichihara, G. (2013). Cholangiocarcinoma among offset colour proof-printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *Occup Environ Med* 70: 508-510. <http://dx.doi.org/10.1136/oemed-2012-101246>.
- Kumagai, S; Sobue, T; Makiuchi, T; Kubo, S; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2016). Relationship between cumulative exposure to 1,2-dichloropropane and incidence risk of cholangiocarcinoma among offset printing workers. *Occup Environ Med* 73: 545-552. <http://dx.doi.org/10.1136/oemed-2015-103427>.
- Landi, S; Naccarati, A; Ross, MK; Hanley, NM; Dailey, L; Devlin, RB; Vasquez, M; Pegram, RA; DeMarini, DM. (2003). Induction of DNA strand breaks by trihalomethanes in primary human lung epithelial cells. *Mutat Res Genet Toxicol Environ Mutagen* 538: 41-50. [http://dx.doi.org/10.1016/S1383-5718\(03\)00086-X](http://dx.doi.org/10.1016/S1383-5718(03)00086-X).
- Landry, TD; Ramsey, JC; Mckenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lanes, SF; Cohen, A; Rothman, KJ; Dreyer, NA; Soden, KJ. (1990). Mortality of cellulose fiber production workers. *Scand J Work Environ Health* 16: 247-251.

## Human Health Hazard Literature Search Results

### On Topic

- Lanes, SF; Rothman, KJ; Dreyer, NA; Soden, KJ. (1993). Mortality update of cellulose fiber production workers. *Scand J Work Environ Health* 19: 426-428.
- Lash, AA; Becker, CE; So, Y; Shore, M. (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? *Occup Environ Med* 48: 418-426.
- Lehnebach, A; Kuhn, C; Pankow, D. (1995). Dichloromethane as an inhibitor of cytochrome c oxidase in different tissues of rats. *Arch Toxicol* 69: 180-184. <http://dx.doi.org/10.1007/s002040050155>.
- Leikin, JB; Kaufman, D; Lipscomb, JW; Burda, AM; Hryhorczuk, DO. (1990). Methylene chloride: Report of five exposures and two deaths. *Am J Emerg Med* 8: 534-537. [http://dx.doi.org/10.1016/0735-6757\(90\)90158-V](http://dx.doi.org/10.1016/0735-6757(90)90158-V).
- Leuschner, F; Neumann, BW; Huebscher, F. (1984). Report on subacute toxicological studies with dichloromethane in rats and dogs by inhalation. *Arzneimittelforschung* 34: 1772-1774.
- Li, F; Yang, Z; Wang, H. (2015). [The influence of dichloromethane on oxiditive stress in mouse liver]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 274-275.
- Liang, J; He, J; Zhu, S; Zhao, W; Zhang, Y; Ito, Y; Sun, W. (2013). Preparative isolation and purification of iridoid glycosides from *Fructus Corni* by high-speed countercurrent chromatography. *Journal of Liquid Chromatography and Related Technologies* 36: 983-999. <http://dx.doi.org/10.1080/10826076.2012.683914>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Lucas, D; Ferrara, R; Gonzales, E; Albores, A; Manno, M; Berthou, F. (2001). Cytochrome CYP2E1 phenotyping and genotyping in the evaluation of health risks from exposure to polluted environments [Review]. *Toxicol Lett* 124: 71-81. [http://dx.doi.org/10.1016/S0378-4274\(00\)00287-3](http://dx.doi.org/10.1016/S0378-4274(00)00287-3).
- Lupo, PJ; Lee, LJ; Okcu, MF; Bondy, ML; Scheurer, ME. (2012). An exploratory case-only analysis of gene-hazardous air pollutant interactions and the risk of childhood medulloblastoma. *Pediatr Blood Cancer* 59: 605-610. <http://dx.doi.org/10.1002/pbc.24105>.
- Macisaac, J; Harrison, R; Krishnaswami, J; McNary, J; Suchard, J; Boysen-Osborn, M; Cierpich, H; Styles, L; Shusterman, D. (2013). Fatalities due to dichloromethane in paint strippers: a continuing problem. *Am J Ind Med* 56: 907-910. <http://dx.doi.org/10.1002/ajim.22167>.
- Mahmood, I; Sahajwalla, C. (2002). Interspecies scaling of biliary excreted drugs. *J Pharm Sci* 91: 1908-1914. <http://dx.doi.org/10.1002/jps.10174>.
- Mahmud, M; Kales, SN. (1999). Methylene chloride poisoning in a cabinet worker. *Environ Health Perspect* 107: 769-772.
- Mainwaring, GM; Williams, SM; Foster, JR; Tugwood, J; T, G. (1996). The distribution of theta-class glutathione S-transferases in the liver and lung of mouse, rat and human. *Biochem J* 318: 297-303.
- Maltoni, C; Cotti, G; Perino, G. (1988). Long-term carcinogenicity bioassays on methylene chloride administered by ingestions to Sprague-Dawley rats and Swiss mice and by inhalation to Sprague-Dawley rats. *Ann N Y Acad Sci* 534: 352-366. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30122.x>.
- Mangal, P; Khare, P; Jagtap, S; Bishnoi, M; Kondepudi, KK; Bhutani, KK. (2016). Screening of six Ayurvedic medicinal plants for anti-obesity potential: An investigation on bioactive constituents from *Oroxylum indicum* (L.) Kurz bark. *J Ethnopharmacol*. <http://dx.doi.org/10.1016/j.jep.2016.07.070>.
- Manno, M; Rügge, M; Cocheo, V. (1992). Double fatal inhalation of dichloromethane. *Hum Exp Toxicol* 11: 540-545. <http://dx.doi.org/10.1177/096032719201100617>.
- Marino, DJ; Clewell, HJ; Gentry, PR; Covington, TR; Hack, CE; David, RM; Morgott, DA. (2006). Revised assessment of cancer risk to dichloromethane: Part I Bayesian PBPK and dose-response modeling in mice. *Regul Toxicol Pharmacol* 45: 44-54. <http://dx.doi.org/10.1016/j.yrtph.2005.12.007>.
- Maronpot, RR; Devereux, TR; Hegi, M; Foley, JF; Kanno, J; Wiseman, R; Anderson, MW. (1995). Hepatic and pulmonary carcinogenicity of methylene chloride in mice: A search for mechanisms. *Toxicology* 102: 73-81. [http://dx.doi.org/10.1016/0300-483X\(95\)03037-G](http://dx.doi.org/10.1016/0300-483X(95)03037-G).
- Marrelli, M; Menichini, F; Statti, GA; Bonesi, M; Duez, P; Menichini, F; Conforti, F. (2012). Changes in the phenolic and lipophilic composition, in the enzyme inhibition and antiproliferative activity of *Ficus carica* L. cultivar Dottato fruits during maturation. *Food Chem Toxicol* 50: 726-733. <http://dx.doi.org/10.1016/j.fct.2011.12.025>.
- Marsch, GA; Botta, S; Martin, MV; McCormick, WA; Guengerich, FP. (2004). Formation and mass spectrometric analysis of DNA and nucleoside adducts by S-(1-acetoxymethyl)glutathione and by glutathione S-transferase-mediated activation of dihalomethanes. *Chem Res Toxicol* 17: 45-54. <http://dx.doi.org/10.1021/tx034156z>.
- Martins, GG; Lívero, FA; Stolf, AM; Kopruszinski, CM; Cardoso, CC; Beltrame, OC; Queiroz-Telles, JE; Strapasson, RL; Stefanello, MÉ; Oude-Elferink, R; Acco, A. (2015). Sesquiterpene lactones of *Moquiniastrum polymorphum* subsp. *floccosum* have antineoplastic effects in Walker-256 tumor-bearing rats. *Chem Biol Interact* 228: 46-56. <http://dx.doi.org/10.1016/j.cbi.2015.01.018>.
- Mattei, F; Guida, F; Matrat, M; Cené, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattsson, JL; Albee, RR; Eisenbrandt, DL. (1990). Neurotoxicologic evaluation of rats after 13 weeks of inhalation exposure to dichloromethane or carbon monoxide. *Pharmacol Biochem Behav* 36: 671-681. [http://dx.doi.org/10.1016/0091-3057\(90\)90273-K](http://dx.doi.org/10.1016/0091-3057(90)90273-K).
- Mcdermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol* 32: 136-145. <http://dx.doi.org/10.1177/1091581813482006>.

## Human Health Hazard Literature Search Results

### On Topic

- Mckenna, MJ; Zempel, JA. (1981). The dose-dependent metabolism of [14C]methylene chloride following oral administration to rats. *Food Chem Toxicol* 19: 73-78.
- McKenna, MJ; Zempel, JA; Braun, WH. (1982). The pharmacokinetics of inhaled methylene chloride in rats. *Toxicol Appl Pharmacol* 65: 1-10. [http://dx.doi.org/10.1016/0041-008X\(82\)90356-8](http://dx.doi.org/10.1016/0041-008X(82)90356-8).
- Mclean, D; Fleming, S; Turner, MC; Kincl, L; Richardson, L; Benke, G; Schlehofer, B; Schlaefer, K; Parent, ME; Hours, M; Krewski, D; van Tongeren, M; Sadetzki, S; Siemiatacki, J; Cardis, E. (2014). Occupational solvent exposure and risk of meningioma: results from the INTEROCC multicentre case-control study. *Occup Environ Med* 71: 253-258. <http://dx.doi.org/10.1136/oemed-2013-101780>.
- Menear, JH; McConnell, EE; Huff, JE; Renne, RA; Giddens, E. (1988). Inhalation toxicology and carcinogenesis studies of methylene chloride (dichloromethane) in F344/N rats and B6C3F1 mice. *Ann N Y Acad Sci* 534: 343-351. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30121.x>.
- Meyer, DJ; Coles, B; Pemble, SE; Gilmore, KS; Fraser, GM; Ketterer, B. (1991). Theta, a new class of glutathione transferases purified from rat and man. *Biochem J* 274: 409-414.
- Miligi, L; Costantini, AS; Benvenuti, A; Kriebel, D; Bolejack, V; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, GA; Mendico, I; Vineis, P. (2006). Occupational exposure to solvents and the risk of lymphomas. *Epidemiology* 17: 552-561. <http://dx.doi.org/10.1097/01.ede.0000231279.30988.4d>.
- Mimaki, S; Totsuka, Y; Suzuki, Y; Nakai, C; Goto, M; Kojima, M; Arakawa, H; Takemura, S; Tanaka, S; Marubashi, S; Kinoshita, M; Matsuda, T; Shibata, T; Nakagama, H; Ochiai, A; Kubo, S; Nakamori, S; Esumi, H; Tsuchihara, K. (2016). Hypermutation and unique mutational signatures of occupational cholangiocarcinoma in printing workers exposed to haloalkanes. *Carcinogenesis* 37: 817-826. <http://dx.doi.org/10.1093/carcin/bgw066>.
- Min, B; Kim, G; Kang, T; Yoon, C; Cho, SI; Paek, D. (2016). IgA nephropathy in a laboratory worker that progressed to end-stage renal disease: a case report. 28: 35. <http://dx.doi.org/10.1186/s40557-016-0118-z>.
- Mirsalis, JC; Tyson, CK; Steinmetz, KL; Loh, EK; Hamilton, CM; Bakke, JP; Spalding, JW. (1989). Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14: 155-164. <http://dx.doi.org/10.1002/em.2850140305>.
- Miyagami, S; Koide, K; Sekizawa, A; Ventura, W; Yotsumoto, J; Oishi, S; Okai, T. (2013). Physiological changes in the pattern of placental gene expression early in the first trimester. *Reproductive Sciences* 20: 710-714. <http://dx.doi.org/10.1177/1933719112466309>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Nagy, L; Nagy, T; Deák, G; Kuki, Á; Purgel, M; Narmandakh, M; Iván, B; Zsuga, M; Kéki, S. (2016). Can Nonpolar Polyisobutylenes be Measured by Electrospray Ionization Mass Spectrometry? Anion-Attachment Proved to be an Appropriate Method. *J Am Soc Mass Spectrom* 27: 432-442. <http://dx.doi.org/10.1007/s13361-015-1307-7>.
- Nájera-Martínez, M; García-Latorre, EA; Reyes-Maldonado, E; Domínguez-López, ML; Vega-López, A. (2012). Halomethane-induced cytotoxicity and cell proliferation in human lung MRC-5 fibroblasts and NL20-TA epithelial cells. *Inhal Toxicol* 24: 762-773. <http://dx.doi.org/10.3109/08958378.2012.716871>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- NIOSH (National Institute for Occupational Safety and Health). (1986). Current intelligence bulletin 46: methylene chloride. Cincinnati, OH. [http://www.cdc.gov/niosh/86114\\_46.html](http://www.cdc.gov/niosh/86114_46.html).
- NIOSH. (2011). Fatality Assessment and Control Evaluation (FACE) Report for Michigan: Tub Refinisher Died Due to Methylene Chloride Overexposure While Stripping a Bathtub. 21.
- Nitschke, KD; Burek, JD; BellTJ; Kociba, RJ; Rampy, LW; Mckenna, MJ. (1988). Methylene chloride: A 2-year inhalation toxicity and oncogenicity study in rats. *Fundam Appl Toxicol* 11: 48-59. [http://dx.doi.org/10.1016/0272-0590\(88\)90269-2](http://dx.doi.org/10.1016/0272-0590(88)90269-2).
- Nitschke, KD; Eisenbrandt, DL; Lomax, LG; Rao, KS. (1988). Methylene chloride: Two-generation inhalation reproductive study in rats. *Fundam Appl Toxicol* 11: 60-67. [http://dx.doi.org/10.1016/0272-0590\(88\)90270-9](http://dx.doi.org/10.1016/0272-0590(88)90270-9).
- Niu, ZG; Xu, SY; Gong, QC. (2014). Health risk assessment of odors emitted from urban wastewater pump stations in Tianjin, China. *Environ Sci Pollut Res Int* 21: 10349-10360. <http://dx.doi.org/10.1007/s11356-014-2984-7>.
- Norman, WC, III; Boggs, P. (1996). Flawed estimates of methylene chloride exposures [Letter]. *Am J Ind Med* 30: 504-509. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<504::AID-AJIM19>3.0.CO;2-8](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<504::AID-AJIM19>3.0.CO;2-8).
- NTP. (1986). NTP Toxicology and Carcinogenesis Studies of Dichloromethane (Methylene Chloride) (CAS No. 75-09-2) in F344/N Rats and B6C3F1 Mice (Inhalation Studies). 306: 1-208.
- NTP. (2011). Dichloromethane. 12: 148-150.
- Nuhn, P; Mitkus, T; Ceyhan, GO; Künzli, BM; Bergmann, F; Fischer, L; Giese, N; Friess, H; Berberat, PO. (2013). Heme oxygenase 1-generated carbon monoxide and biliverdin attenuate the course of experimental necrotizing pancreatitis. *Pancreas* 42: 265-271. <http://dx.doi.org/10.1097/MPA.0b013e318264cc8b>.

## Human Health Hazard Literature Search Results

### On Topic

- Oda, Y; Yamazaki, H; Thier, R; Ketterer, B; Guengerich, FP; Shimada, T. (1996). A new Salmonella typhimurium NM5004 strain expressing rat glutathione S-transferase 5-5: Use in detection of genotoxicity of dihaloalkanes using an SOS/umu test system. *Carcinogenesis* 17: 297-302. <http://dx.doi.org/10.1093/carcin/17.2.297>.
- Oh, SJ; Kim, SK; Kim, YC. (2002). Role of glutathione in metabolic degradation of dichloromethane in rats. *Toxicol Lett* 129: 107-114. [http://dx.doi.org/10.1016/S0378-4274\(01\)00523-9](http://dx.doi.org/10.1016/S0378-4274(01)00523-9).
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Olvera-Bello, AE; Estrada-Muñiz, E; Elizondo, G; Vega, L. (2010). Susceptibility to the cytogenetic effects of dichloromethane is related to the glutathione S-transferase theta phenotype. *Toxicol Lett* 199: 218-224. <http://dx.doi.org/10.1016/j.toxlet.2010.09.002>.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR; Gallipeau, JR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals: Methylene chloride. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed.). Whitehouse Station, NJ: Merck & Co., Inc.
- Osterman-Golkar, S; Hussain, S; Walles, S; Anderstam, B; Sigvardsson, K. (1983). Chemical reactivity and mutagenicity of some dihalomethanes. *Chem Biol Interact* 46: 121-130. [http://dx.doi.org/10.1016/0009-2797\(83\)90011-X](http://dx.doi.org/10.1016/0009-2797(83)90011-X).
- Ott, MG; Carlo, GL; Steinberg, S; Bond, GG. (1985). Mortality among employees engaged in chemical manufacturing and related activities. *Am J Epidemiol* 122: 311-322.
- Ott, MG; Skory, LK; Holder, BB; Bronson, JM; Williams, PR. (1983). Health evaluation of employees occupationally exposed to methylene chloride. *Scand J Work Environ Health* 9: 1-38.
- Pang, Q; Dou, L; Pan, X; Zeng, S; He, J; Xu, W; Zeng, Y. (2010). Methylene chloride protects against cecal ligation and puncture-induced acute lung injury by modulating inflammatory mediators. *Int Immunopharmacol* 10: 929-932. <http://dx.doi.org/10.1016/j.intimp.2010.05.004>.
- Pankow, D. (1988). Enhancement of dichloromethane-induced carboxyhemoglobinemia by isoniazid pretreatment. *Biomed Biochim Acta* 47: 293-295.
- Pankow, D; Hoffmann, P. (1989). Dichloromethane metabolism to carbon monoxide can be induced by isoniazid, acetone and fasting. *Arch Toxicol Suppl* 13: 302-303.
- Pankow, D; Jagielki, S. (1993). Effect of methanol or modifications of the hepatic glutathione concentration on the metabolism of dichloromethane to carbon monoxide in rats. *Hum Exp Toxicol* 12: 227-231.
- Pankow, D; Kretschmer, S; Weise, M. (1991). Effect of pyrazole on dichloromethane metabolism to carbon monoxide. *Arch Toxicol* 14: 246-248.
- Pankow, D; Matschiner, F; Weigmann, HJ. (1991). Influence of aromatic hydrocarbons on the metabolism of dichloromethane to carbon monoxide in rats. *Toxicology* 68: 89-100. [http://dx.doi.org/10.1016/0300-483X\(91\)90064-8](http://dx.doi.org/10.1016/0300-483X(91)90064-8).
- Park, H, yeWon; Kim, SJ, un; Oh, MJ, u; Wang, SJ, un; Cho, H; Park, C; Han, J; Kim, YJ; Nam, S, ukWoo; Ryu, J, aeC; Hwang, SY. (2009). Gene expression pattern analysis of PAHs and VOCs in rat blood using hazchem rat array. *BioChip Journal* 3: 333-338. <http://dx.doi.org/10.1007/s13206-010-4206-9>.
- Park, HW; Kim, SJ; Oh, MJ; Youn, JP; Ha, JM; Paul, S; Kim, YJ; Ryu, JC; Hwang, SY. (2009). Gene expression patterns of environmental chemicals in human cell lines using hazchem human array. *BioChip Journal* 3: 65-70.
- Park, SK; Lee, MY. (2014). Profiling of the dichloromethane-induced proteome expression changes. *J Environ Biol* 35: 377-382.
- Parton, JW; Yount, DJ. (1995). Improved sensitivity of the unscheduled DNA synthesis assay in primary rat hepatocytes following culture in serum-free defined media. *Environ Mol Mutagen* 26: 147-154. <http://dx.doi.org/10.1002/em.2850260208>.
- Perocco, P; Prodi, G. (1981). DNA damage by haloalkanes in human lymphocytes cultured in vitro. *Cancer Lett* 13: 213-218. [http://dx.doi.org/10.1016/0304-3835\(81\)90020-3](http://dx.doi.org/10.1016/0304-3835(81)90020-3).
- Plaa, GL; Hewitt, WR. (1998). *Toxicology of the liver* (2 ed.). Washington, DC: Taylor and Francis.
- Preisser, AM; Budnik, LT; Hampel, E; Baur, X. (2011). Surprises perilous: toxic health hazards for employees unloading fumigated shipping containers. *Sci Total Environ* 409: 3106-3113. <http://dx.doi.org/10.1016/j.scitotenv.2011.04.053>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Purdue, MP; Stewart, PA; Friesen, MC; Colt, JS; Locke, SJ; Hein, MJ; Waters, MA; Graubard, BI; Davis, F; Ruterbusch, J; Schwartz, K; Chow, WH; Rothman, N; Hofmann, JN. (2016). Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. *Occup Environ Med*. <http://dx.doi.org/10.1136/oemed-2016-103849>.
- Putz, VR; Johnson, BL; Setzer, JV. (1979). A comparative study of the effects of carbon monoxide and methylene chloride on human performance. *J Environ Pathol Toxicol* 2: 97-112.
- Quintero, N; Stashenko, EE; Fuentes, JL. (2012). The influence of organic solvents on estimates of genotoxicity and antigenotoxicity in the SOS chromotest. *Genet Mol Biol* 35: 503-514. <http://dx.doi.org/10.1590/S1415-47572012000300018>.

## Human Health Hazard Literature Search Results

### On Topic

- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Raje, R; Basso, M; Tolen, T; Greening, M. (1988). Evaluation of in vivo mutagenicity of low-dose methylene chloride in mice. *Int J Toxicol* 7: 699-703. <http://dx.doi.org/10.3109/10915818809019544>.
- Raphael, M; Nadiras, P; Flacke-Vordos, N. (2002). Acute methylene chloride intoxication--a case report on domestic poisoning. *Eur J Emerg Med* 9: 57-59.
- Rebert, CS; Matteucci, MJ; Pryor, GT. (1989). Acute effects of inhaled dichloromethane on the EEG and sensory-evoked potentials of Fischer-344 rats. *Pharmacol Biochem Behav* 34: 619-629. [http://dx.doi.org/10.1016/0091-3057\(89\)90568-6](http://dx.doi.org/10.1016/0091-3057(89)90568-6).
- Reitz, RH. (1991). Estimating the risk of human cancer associated with exposure to methylene chloride. *Ann Ist Super Sanita* 27: 609-614.
- Reitz, RH; Hays, SM; Gargas, ML. (1997). Addressing priority data needs for methylene chloride with physiologically based pharmacokinetic modeling. Washington, DC: Halogenated Solvents Industry Alliance.
- Reitz, RH; Mendrala, AL; Guengerich, FP. (1989). In vitro metabolism of methylene chloride in human and animal tissues: Use in physiologically based pharmacokinetic models. *Toxicol Appl Pharmacol* 97: 230-246. [http://dx.doi.org/10.1016/0041-008X\(89\)90328-1](http://dx.doi.org/10.1016/0041-008X(89)90328-1).
- Reitz, RH; Mendrala, AL; Park, CN; Andersen, ME; Guengerich, FP. (1988). Incorporation of in vitro enzyme data into the physiologically-based pharmacokinetic (PB-PK) model for methylene chloride: implications for risk assessment. *Toxicol Lett* 43: 97-116. [http://dx.doi.org/10.1016/0378-4274\(88\)90023-9](http://dx.doi.org/10.1016/0378-4274(88)90023-9).
- Reitz, RH; Smith, FA; Andersen, ME; Clewell, HJ, III; Gargas, ML. (1989). Use of physiological pharmacokinetics in cancer risk assessments: A study of methylene chloride. In DJ Paustenbach (Ed.), (pp. 238-265). New York, NY: John Wiley & Sons.
- Rhomberg, L. (1995). Use of quantitative modelling in methylene chloride risk assessment [Review]. *Toxicology* 102: 95-114. [http://dx.doi.org/10.1016/0300-483X\(95\)03039-1](http://dx.doi.org/10.1016/0300-483X(95)03039-1).
- Riley, EC; Fassett, DW; Sutton, WL. (1966). Methylene chloride vapor in expired air of human subjects. *Am Ind Hyg Assoc J* 27: 341-348. <http://dx.doi.org/10.1080/00028896609342839>.
- Rioux, JP; Myers, RA. (1988). Methylene chloride poisoning: a paradigmatic review [Review]. *J Emerg Med* 6: 227-238.
- Roberts, AL; Lyall, K; Hart, JE; Laden, F; Just, AC; Bobb, JF; Koenen, KC; Ascherio, A; Weisskopf, MG. (2013). Perinatal Air Pollutant Exposures and Autism Spectrum Disorder in the Children of Nurses' Health Study II Participants. *Environ Health Perspect* 121: 978-984. <http://dx.doi.org/10.1289/ehp.1206187>.
- Rodkey, FL; Collison, HA. (1977). Effect of dihalogenated methanes on the in vivo production of carbon monoxide and methane by rats. *Toxicol Appl Pharmacol* 40: 39-47. [http://dx.doi.org/10.1016/0041-008X\(77\)90114-4](http://dx.doi.org/10.1016/0041-008X(77)90114-4).
- Rodriguez-Arnaiz, R. (1998). Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. *Environ Mol Mutagen* 31: 390-401. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)31:4<390::AID-EM12>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)31:4<390::AID-EM12>3.0.CO;2-7).
- Roldán-Arjona, T; Pueyo, C. (1993). Mutagenic and lethal effects of halogenated methanes in the Ara test of *Salmonella typhimurium*: Quantitative relationship with chemical reactivity. *Mutagenesis* 8: 127-131. <http://dx.doi.org/10.1093/mutage/8.2.127>.
- Rosengren, LE; Kjellstrand, P; Aurell, A; Haglid, KG. (1986). Irreversible effects of dichloromethane on the brain after long term exposure: A quantitative study of DNA and the glial cell marker proteins S-100 and GFA. *Br J Ind Med* 43: 291-299.
- Roth, RP; Drew, RT; Lo, RJ; Fouts, JR. (1975). Dichloromethane inhalation, carboxyhemoglobin concentrations, and drug metabolizing enzymes in rabbits. *Toxicol Appl Pharmacol* 33: 427-437. [http://dx.doi.org/10.1016/0041-008X\(75\)90069-1](http://dx.doi.org/10.1016/0041-008X(75)90069-1).
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Sakai, T; Morita, Y; Wakui, C. (2002). Biological monitoring of workers exposed to dichloromethane, using head-space gas chromatography. *Journal of Chromatography B* 778: 245-250. [http://dx.doi.org/10.1016/S0378-4347\(01\)00450-9](http://dx.doi.org/10.1016/S0378-4347(01)00450-9).
- Sallmén, M; Neto, M; Mayan, ON. (2008). Reduced fertility among shoe manufacturing workers. *Occup Environ Med* 65: 518-524. <http://dx.doi.org/10.1136/oem.2007.032839>.
- Sarma, SN; Han, T; Ryu, J, aeC; Kim, YJ. (2012). Genome-wide analysis of dichloromethane-regulated genes in human promyelocytic leukemia HL-60 cells. *BioChip Journal* 6: 65-72. <http://dx.doi.org/10.1007/s13206-012-6109-4>.
- Sarma, SN; Kim, YJ; Ryu, J. (2010). Gene expression profiles of human promyelocytic leukemia cell lines exposed to volatile organic compounds. *Toxicology* 271: 122-130. <http://dx.doi.org/10.1016/j.tox.2010.03.014>.
- Sasaki, YF; Saga, A; Akasaka, M; Ishibasi, S; Yoshida, K; Su, QY; Matsusaka, N; Tsuda, S. (1998). Detection of in vivo genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutat Res Genet Toxicol Environ Mutagen* 419: 13-20. [http://dx.doi.org/10.1016/S1383-5718\(98\)00114-4](http://dx.doi.org/10.1016/S1383-5718(98)00114-4).
- Sato, Y; Kubo, S; Takemura, S; Sugawara, Y; Tanaka, S; Fujikawa, M; Arimoto, A; Harada, K; Sasaki, M; Nakanuma, Y. (2014). Different carcinogenic process in cholangiocarcinoma cases epidemically developing among workers of a printing company in Japan. *Int J Clin Exp Pathol* 7: 4745-4754.
- Savolainen, H; Kurppa, K; Pfaffli, P; Kivisto, H. (1981). Dose-related effects of dichloromethane on rat brain in short-term inhalation exposure. *Chem Biol Interact* 34: 315-322. [http://dx.doi.org/10.1016/0009-2797\(81\)90103-4](http://dx.doi.org/10.1016/0009-2797(81)90103-4).
- Savolainen, H; Pfaffli, P; Tengén, M; Vainio, H. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachlorethylene and dichlormethane. *J Neuropathol Exp Neurol* 36: 941-949.



## Human Health Hazard Literature Search Results

### On Topic

- Schlosser, PM; Bale, AS; Gibbons, CF; Wilkins, A; Cooper, GS. (2015). Human Health Effects of Dichloromethane: Key Findings and Scientific Issues [Review]. *Environ Health Perspect* 123: 114-119. <http://dx.doi.org/10.1289/ehp.1308030>.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Searles, J; McPhail, HA. (1949). Methylene chloride, CH<sub>2</sub>Cl<sub>2</sub>. In RE Kirk; DF Othmer (Eds.), (pp. 747-751). New York, NY: Interscience Encyclopedia.
- Seidler, A; Möhner, M; Berger, J; Mester, B; Deeg, E; Elsner, G; Nieters, A; Becker, N. (2007). Solvent exposure and malignant lymphoma: A population-based case-control study in Germany. *J Occup Med Toxicol* 2: 2. <http://dx.doi.org/10.1186/1745-6673-2-2>.
- Serota, DG; Thakur, AK; Ulland, BM; Kirschman, JC; Brown, NM; Coots, RH; Morgareidge, K. (1986). A two-year drinking-water study of dichloromethane in rodents: I. Rats. *Food Chem Toxicol* 24: 951-958. [http://dx.doi.org/10.1016/0278-6915\(86\)90323-6](http://dx.doi.org/10.1016/0278-6915(86)90323-6).
- Serota, DG; Thakur, AK; Ulland, BM; Kirschman, JC; Brown, NM; Coots, RH; Morgareidge, K. (1986). A two-year drinking-water study of dichloromethane in rodents: II. Mice. *Food Chem Toxicol* 24: 959-963. [http://dx.doi.org/10.1016/0278-6915\(86\)90324-8](http://dx.doi.org/10.1016/0278-6915(86)90324-8).
- Sheldon, T; Richardson, CR; Elliott, BM. (1987). Inactivity of methylene chloride in the mouse bone marrow micronucleus assay. *Mutagenesis* 2: 57-59.
- Sherratt, P; Williams, S; Foster, J; Kernohan, N; Green, T; Hayes, J. (2002). Direct comparison of the nature of mouse and human GST T1-1 and the implications on dichloromethane carcinogenicity. *Toxicol Appl Pharmacol* 179: 89-97. <http://dx.doi.org/10.1006/taap.2002.9348>.
- Sherratt, PJ; Pulford, DJ; Harrison, DJ; Green, T; Hayes, JD. (1997). Evidence that human class Theta glutathione S-transferase T1-1 can catalyse the activation of dichloromethane, a liver and lung carcinogen in the mouse: Comparison of the tissue distribution of GST T1-1 with that of classes Alpha, Mu and Pi GST in human. *Biochem J* 326: 837-846.
- Shusterman, D; Quinlan, P; Lowengart, R; Cone, J. (1990). Methylene chloride intoxication in a furniture refinisher: A comparison of exposure estimates utilizing workplace air sampling and blood carboxyhemoglobin measurements. *J Occup Environ Med* 32: 451-454.
- Simula, TP; Glancey, MJ; Wolf, CR. (1993). Human glutathione S-transferase-expressing *Salmonella typhimurium* tester strains to study the activation/detoxification of mutagenic compounds: Studies with halogenated compounds, aromatic amines and aflatoxin B1. *Carcinogenesis* 14: 1371-1376. <http://dx.doi.org/10.1093/carcin/14.7.1371>.
- Sobue, T; Utada, M; Makiuchi, T; Ohno, Y; Uehara, S; Hayashi, T; Sato, KK; Endo, G. (2015). Risk of bile duct cancer among printing workers exposed to 1,2-dichloropropane and/or dichloromethane. *J Occup Health* 57: 230-236. <http://dx.doi.org/10.1539/joh.14-0116-OA>.
- Soden, KJ. (1993). An evaluation of chronic methylene chloride exposure. *J Occup Med* 35: 282-286.
- Soden, KJ; Marras, G; Amsel, J. (1996). Carboxyhemoglobin levels in methylene chloride-exposed employees. *J Occup Environ Med* 38: 367-371. SRC (Syracuse Research Corporation). (1989). A review of in vitro test methodology for assessment of hepatotoxicity with a view to application to chemical mixtures. (SRC TR-89-205). Washington, DC: U.S. Environmental Protection Agency.
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Carboxyhemoglobin elevation after exposure to dichloromethane. *Science* 176: 295-296.
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Experimental human exposure to methylene chloride. *Arch Environ Occup Health* 25: 342-348.
- Stopponi, R; Tacconi, C; Folletti, I; Calisti, R; Siracusa, A. (2016). Upper airway and eye involvement in polyurethane shoe sole production workers. *G Ital Med Lav Ergon* 38: 89-95.
- Stott, WT; Mckenna, MJ. (1984). The comparative absorption and excretion of chemical vapors by the upper, lower, and intact respiratory tract of rats. *Fundam Appl Toxicol* 4: 594-602. [http://dx.doi.org/10.1016/0272-0590\(84\)90049-6](http://dx.doi.org/10.1016/0272-0590(84)90049-6).
- Suzuki, T; Yanagiba, Y; Suda, M; Wang, RS. (2014). Assessment of the genotoxicity of 1,2-dichloropropane and dichloromethane after individual and co-exposure by inhalation in mice. *J Occup Health* 56: 205-214.
- Sweeney, LM; Himmelstein, MW; Schlosser, PM; Medinsky, MA. (1996). Physiologically based pharmacokinetic modeling of blood and tissue epoxide measurements for butadiene. *Toxicology* 113: 318-321.
- Sweeney, LM; Kirman, CR; Morgott, DA; Gargas, ML. (2004). Estimation of interindividual variation in oxidative metabolism of dichloromethane in human volunteers. *Toxicol Lett* 154: 201-216. <http://dx.doi.org/10.1016/j.toxlet.2004.08.002>.
- Takamura, K; Ogi, T; Yamamoto, M; Kikuchi, K. (2016). Three simultaneous cases of hypersensitivity pneumonitis and acute lung injury caused by dichloromethane. 4: e00193. <http://dx.doi.org/10.1002/rcr2.193>.
- Takeshita, H; Mogi, K; Yasuda, T; Mori, S; Nakashima, Y; Nakajima, T; Akuzawa, H; Nakajo, S; Hirota, Y; Kishi, K. (2000). Postmortem absorption of dichloromethane: a case study and animal experiments. *Int J Legal Med* 114: 96-100. <http://dx.doi.org/10.1007/s004140000141>.
- Talbott, EO; Marshall, LP; Rager, JR; Arena, VC; Sharma, RK; Stacy, SL. (2015). Air toxics and the risk of autism spectrum disorder: the results of a population based case-control study in southwestern Pennsylvania. *Environ Health* 14: 80. <http://dx.doi.org/10.1186/s12940-015-0064-1>.
- Tan, B; Wang, TY; Pang, B; Zhu, ZY; Wang, DH; Lü, YL. (2013). [Pollution characteristics and health risk assessment of atmospheric volatile organic compounds (VOCs) in pesticide factory]. *Huanjing Kexue* 34: 4577-4584.
- Tang, WZ; Yang, ZZ; Sun, F; Wang, SP; Yang, F; Lin, HW. (2016). Leucanone A and naamine J, glycerol ether lipid and imidazole alkaloid from the marine sponge *Leucandra* sp. *J Asian Nat Prod Res* 1-6. <http://dx.doi.org/10.1080/10286020.2016.1240171>.
- Taskinen, H; Lindbohm, ML; Hemminki, K. (1986). Spontaneous abortions among women working in the pharmaceutical industry. *Br J Ind Med* 43: 199-205.
- Tay, P; Tan, KT; Sam, CT. (1995). Fatal gassing due to methylene chloride - a case report. *Singapore Med J* 36: 444-445.

## Human Health Hazard Literature Search Results

### On Topic

- Thier, R; Taylor, JB; Pemble, SE; Humphreys, WG; Persmark, M; Ketterer, B; Guengerich, FP. (1993). Expression of mammalian glutathione S-transferase 5-5 in *Salmonella typhimurium* TA1535 leads to base-pair mutations upon exposure to dihalomethanes. *Proc Natl Acad Sci USA* 90: 8576-8580.
- Thier, R; Wiebel, FA; Hinkel, A; Burger, A; Brüning, T; Morgenroth, K; Senge, T; Wilhelm, M; Schulz, TG. (1998). Species differences in the glutathione transferase GSTT1-1 activity towards the model substrates methyl chloride and dichloromethane in liver and kidney. *Arch Toxicol* 72: 622-629. <http://dx.doi.org/10.1007/s002040050552>.
- Thilagar, AK; Back, AM; Kirby, PE; Kumaroo, PV; Pant, KJ; Clarke, JJ; Knight, R; Haworth, SR. (1984). Evaluation of dichloromethane in short term in vitro genetic toxicity assays [Abstract]. *Environ Mutagen* 6: 418-419.
- Thilagar, AK; Kumaroo, V. (1983). Induction of chromosome damage by methylene chloride in CHO cells. *DNA Repair* 116: 361-367. [http://dx.doi.org/10.1016/0165-1218\(83\)90074-5](http://dx.doi.org/10.1016/0165-1218(83)90074-5).
- Thomas, AA; Pinkerton, MK; Warden, JA. (1972). Effects of low level dichloromethane exposure on the spontaneous activity of mice (pp. 223-226). (AMRLTR72130). Wright-Patterson AFB, OH: Aerospace Medical Research Lab. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=AD773766>.
- Thomas, RS; Bao, W; Chu, TM; Bessarabova, M; Nikolskaya, T; Nikolsky, Y; Andersen, ME; Wolfinger, RD. (2009). Use of short-term transcriptional profiles to assess the long-term cancer-related safety of environmental and industrial chemicals. *Toxicol Sci* 112: 311-321. <http://dx.doi.org/10.1093/toxsci/kfp233>.
- Tomenson, JA. (2011). Update of a cohort mortality study of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Int Arch Occup Environ Health* 84: 889-897. <http://dx.doi.org/10.1007/s00420-011-0621-z>.
- Tomimaru, Y; Kobayashi, S; Wada, H; Hama, N; Kawamoto, K; Eguchi, H; Kira, T; Morii, E; Doki, Y; Mori, M; Nagano, H. (2014). Intrahepatic cholangiocarcinoma in a worker at an offset color proof-printing company: An autopsy case report. *Hepatology Research Jun*: 488-493. <http://dx.doi.org/10.1111/hepr.12363>.
- Trueman, RW; Ashby, J. (1987). Lack of UDS activity in the livers of mice and rats exposed to dichloromethane. *Environ Mol Mutagen* 10: 189-195. <http://dx.doi.org/10.1002/em.2850100209>.
- Tsugane, S. (2013). [Environmental carcinogenic agents and cancer prevention: risk assessment and management]. *Gan To Kagaku Ryoho* 40: 1436-1440.
- U.S. EPA (U.S. Environmental Protection Agency). (1987). Technical analysis of new methods and data regarding dichloromethane hazard assessments [EPA Report]. (EPA/600/8-87/029A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GAN.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1987). Update to the health assessment document and addendum for dichloromethane (methylene chloride): Pharmacokinetics, mechanism of action, and epidemiology [EPA Report]. (EPA/600/8-87/030A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GFH.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). The impact of pharmacokinetics on the risk assessment of dichloromethane [EPA Report]. (EPA/600/D-88/219). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg<sup>3</sup>/4/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (2011). Toxicological Review of Dichloromethane (Methylene Chloride) (CAS No. 75-09-2) in Support of Summary Information on the Integrated Risk Information System (IRIS). 567.
- Uraga-Tovar, DI; Domínguez-López, ML; Madera-Sandoval, RL; Nájera-Martínez, M; García-Latorre, E; Vega-López, A. (2014). Generation of oxyradicals (O<sub>2</sub> and H<sub>2</sub>O<sub>2</sub>), mitochondrial activity and induction of apoptosis of PBMC of *Cyprinus carpio carpio* treated in vivo with halomethanes and with recombinant HSP60 kDa and with LPS of *Klebsiella pneumoniae*. *Immunopharmacol Immunotoxicol* 36: 329-340. <http://dx.doi.org/10.3109/08923973.2014.947034>.
- Valcke, M; Haddad, S. (2015). Assessing human variability in kinetics for exposures to multiple environmental chemicals: a physiologically based pharmacokinetic modeling case study with dichloromethane, benzene, toluene, ethylbenzene, and m-xylene. *J Toxicol Environ Health A* 78: 409-431. <http://dx.doi.org/10.1080/15287394.2014.971477>.
- Vetro, J; Koutsogiannis, Z; Jones, DA; Canestra, J. (2012). A case of methylene chloride poisoning due to ingestion of home-distilled alcohol and potential new treatment with ethanol infusion. *Crit Care Resusc* 14: 60-63.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol* 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Warbrick, EV; Kilgour, JD; Dearman, RJ; Kimber, I; Dugard, PH. (2003). Inhalation exposure to methylene chloride does not induce systemic immunotoxicity in rats. *J Toxicol Environ Health A* 66: 1207-1219. <http://dx.doi.org/10.1080/15287390306410>.
- Warholm, M; Alexandrie, AK; Hogberg, J; Sigvardsson, K; Rannug, A. (1994). Polymorphic distribution of glutathione transferase activity with methyl chloride in human blood. *Pharmacogenetics* 4: 307-311.
- Watanabe, K; Guengerich, FP. (2006). Limited reactivity of formyl chloride with glutathione and relevance to metabolism and toxicity of dichloromethane. *Chem Res Toxicol* 19: 1091-1096. <http://dx.doi.org/10.1021/tx060087n>.
- Watanabe, K; Liberman, RG; Skipper, PL; Tannenbaum, SR; Guengerich, FP. (2007). Analysis of DNA adducts formed in vivo in rats and mice from 1,2-dibromoethane, 1,2-dichloroethane, dibromomethane, and dichloromethane using HPLC/accelerator mass spectrometry and relevance to risk estimates. *Chem Res Toxicol* 20: 1594-1600. <http://dx.doi.org/10.1021/tx700125p>.

## Human Health Hazard Literature Search Results

### On Topic

- Weinstein, RS; Boyd, DD; Back, KC. (1972). Effects of continuous inhalation of dichloromethane in the mouse: morphologic and functional observations. *Toxicol Appl Pharmacol* 23: 660-679. [http://dx.doi.org/10.1016/0041-008X\(72\)90107-X](http://dx.doi.org/10.1016/0041-008X(72)90107-X).
- Wells, VE; Schrader, SM; McCammon, CS; Ward, EM; Turner, TW; Thun, MJ; Halperin, WE. (1989). Letter to the editor: Cluster of oligospermia among four men occupationally exposed to methylene chloride (MeCl) [Letter]. *Reprod Toxicol* 3: 281-282. [http://dx.doi.org/10.1016/0890-6238\(89\)90025-7](http://dx.doi.org/10.1016/0890-6238(89)90025-7).
- Westbrook-Collins, B; Allen, JW; Sharief, Y; Campbell, J. (1990). Further evidence that dichloromethane does not induce chromosome damage. *J Appl Toxicol* 10: 79-81. <http://dx.doi.org/10.1002/jat.2550100203>.
- Winneke, G. (1974). Behavioral effects of methylene chloride and carbon monoxide as assessed by sensory and psychomotor performance. In C Xintaras; BL Johnson; I De Groot (Eds.), (pp. 130-144). Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health.
- Wirkner, K; Damme, B; Poelchen, W; Pankow, D. (1997). Effect of long-term ethanol pretreatment on the metabolism of dichloromethane to carbon monoxide in rats. *Toxicol Appl Pharmacol* 143: 83-88. <http://dx.doi.org/10.1006/taap.1996.8077>.
- Withey, JR; Collins, BT; Collins, PG. (1983). Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *J Appl Toxicol* 3: 249-253. <http://dx.doi.org/10.1002/jat.2550030506>.
- Withey, JR; Karpinski, K. (1985). The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. *Biol Res Pregnancy Perinatol* 6: 79-88.
- Yamada, K; Kumagai, S; Endo, G. (2015). Chemical exposure levels in printing workers with cholangiocarcinoma (second report). *J Occup Health* 57: 245-252. <http://dx.doi.org/10.1539/joh.14-0239-OA>.
- Yamada, K; Kumagai, S; Kubo, S; Endo, G. (2015). Chemical exposure levels in printing and coating workers with cholangiocarcinoma (third report). *J Occup Health* 57: 565-571. <http://dx.doi.org/10.1539/joh.15-0170-OA>.
- Yamada, K; Kumagai, S; Nagoya, T; Endo, G. (2014). Chemical exposure levels in printing workers with cholangiocarcinoma. *J Occup Health* 56: 332-338. <http://dx.doi.org/10.1539/joh.14-0073-OA>.
- Yanagiba, Y; Suda, M; Toyooka, T; Wang, RS. (2016). Chemical management and occupational cholangiocarcinoma among workers in printing industry. *Sangyo Eiseigaku Zasshi* 58: 78-83. <http://dx.doi.org/10.1539/sangyoeisei.wadai15005>.
- Yang, F; Zhang, J; Chu, W; Yin, D; Templeton, MR. (2014). Haloactamides versus halomethanes formation and toxicity in chloraminated drinking water. *J Hazard Mater* 274: 156-163. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.008>.
- Zamysłowska-Szmytko, E; Sliwinska-Kowalska, M. (2011). Vestibular and balance findings in nonsymptomatic workers exposed to styrene and dichloromethane. *Int J Audiol* 50: 815-822. <http://dx.doi.org/10.3109/14992027.2011.599872>.
- Zarrabaitia, MT; Ortega, C; Altuzarra, E; Martinez, MA; Mazarrasa, O; Calvet, R. (2001). Accidental dichloromethane fatality: A case report. *J Forensic Sci* 46: 726-727.
- Zeiger, E. (1990). Mutagenicity of 42 chemicals in Salmonella. *Environ Mol Mutagen* 16: 32-54. <http://dx.doi.org/10.1002/em.2850160504>.
- Zeljezic, D; Mladinic, M; Kopjar, N; Radulovic, AH. (2016). Evaluation of genome damage in subjects occupationally exposed to possible carcinogens. *Toxicol Ind Health* 32: 1570-1580. <http://dx.doi.org/10.1177/0748233714568478>.
- Zhang, Y; Wang, XY; Gao, S. (2013). [Health risk assessment of VOCs from a furniture mall in Tianjin]. *Huanjing Kexue* 34: 4565-4570.
- Zhao, X; Liu, B; Wang, Y; Zhang, M; Zhang, W. (2014). [Effects of dichloromethane exposure on neuro-behavior, neurotransmitter, and biochemical indices]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 32: 280-281.
- Zielenska, M; Ahmed, A; Pienkowska, M; Anderson, M; Glickman, BW. (1993). Mutational specificities of environmental carcinogens in the lacI gene of Escherichia coli. VI: Analysis of methylene chloride-induced mutational distribution in Uvr+ and UvrB- strains. *Carcinogenesis* 14: 789-794.

## Human Health Hazard Literature Search Results

### Off Topic

- Aamir, MN; Ahmad, M; Murtaza, G; Akhtar, N; Khan, SA; Usman, M. (2010). Synthesis of Biodegradable Microspheres of Tramadol by Simple Phase Separation Technique and their In Vitro Evaluation. *Lat Am J Pharm* 29: 1152-1158.
- Ababneh-Khasawneh, M; Fortier-McGill, BE; Occhionorelli, ME; Bain, AD. (2011). Solvent effects on chemical exchange in a push-pull ethylene as studied by NMR and electronic structure calculations. *J Phys Chem A* 115: 7531-7537. <http://dx.doi.org/10.1021/jp201885q>.
- Abarca-Vargas, R; Peña Malacara, CF; Petricevich, VL. (2016). Characterization of Chemical Compounds with Antioxidant and Cytotoxic Activities in Bougainvillea x buttiana Holttum and Standl, (var. Rose) Extracts. 5. <http://dx.doi.org/10.3390/antiox5040045>.
- Abay, G; Altun, M; Karakoç, ÖC; Gül, F; Demirtas, I. (2013). Insecticidal activity of fatty acid-rich Turkish bryophyte extracts against Sitophilus granarius (Coleoptera: Curculionidae). *Comb Chem High Throughput Screen* 16: 806-816.
- Abay, G; Altun, M; Koldaş, S; Tüfekçi, AR; Demirtas, I. (2015). Determination of Antiproliferative Activities of Volatile Contents and HPLC Profiles of Dicranum scoparium (Dicranaceae, Bryophyta). *Comb Chem High Throughput Screen* 18: 453-463.
- Abbas, G; Shahzad, M; Saddiqe, Z; Hassan, MJ; Saba, S; Rafique, J; Malik, R; Hussain, H. (2015). Various fractions of Hypericum x moserianum and Hypericum ericoides possess antiglycation, anti-lipid peroxidation, antioxidative activities and non-toxic effects in vitro. *Pak J Pharm Sci* 28: 933-938.
- Abbas, K; Niaz, U; Hussain, T; Saeed, MA; Javaid, Z; Idrees, A; Rasool, S. (2014). Antimicrobial activity of fruits of Solanum nigrum and Solanum xanthocarpum. *Acta Pol Pharm* 71: 415-421.

## Human Health Hazard Literature Search Results

### Off Topic

- Abd Allah, Z; Whitehead, JC; Martin, P. (2014). Remediation of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) using non-thermal, atmospheric pressure plasma generated in a packed-bed reactor. *Environ Sci Technol* 48: 558-565. <http://dx.doi.org/10.1021/es402953z>.
- Abdala, S; Martín-Herrera, D; Benjumea, D; Gutiérrez, SD. (2012). Diuretic activity of some *Smilax canariensis* fractions. *J Ethnopharmacol* 140: 277-281. <http://dx.doi.org/10.1016/j.jep.2012.01.017>.
- Abdel Aziz, AA; Badr, IH; El-Sayed, IS. (2012). Synthesis, spectroscopic, photoluminescence properties and biological evaluation of novel Zn(II) and Al(III) complexes of NOON tetradentate Schiff bases. *Spectrochim Acta A Mol Biomol Spectrosc* 97: 388-396. <http://dx.doi.org/10.1016/j.saa.2012.06.023>.
- Abdel-Ghany, MF; Hussein, LA; El Azab, NF; El-Khatib, AH; Linscheid, MW. (2016). Simultaneous determination of eight neonicotinoid insecticide residues and two primary metabolites in cucumbers and soil by liquid chromatography-tandem mass spectrometry coupled with QuEChERS. *J Chromatogr B Analyt Technol Biomed Life Sci* 1031: 15-28. <http://dx.doi.org/10.1016/j.jchromb.2016.06.020>.
- Abdel-Mawgoud, AM; Aboulwafa, MM; Hassouna, NA. (2008). Characterization of surfactin produced by *Bacillus subtilis* isolate BS5. *Appl Biochem Biotechnol* 150: 289-303. <http://dx.doi.org/10.1007/s12010-008-8153-z>.
- Abdissa, N; Heydenreich, M; Midiwo, JO; Ndakala, A; Majer, Z; Neumann, B; Stammler, HG; Sewald, N; Yenesew, A. (2014). A xanthone and a phenylanthraquinone from the roots of *Bulbine frutescens*, and the revision of six seco-anthraquinones into xanthenes. *Phytochemistry Letters* 9: 67-73. <http://dx.doi.org/10.1016/j.phytol.2014.04.004>.
- Abdissa, N; Pan, F; Gruhonjic, A; Gräfenstein, J; Fitzpatrick, PA; Landberg, G; Rissanen, K; Yenesew, A; Erdélyi, M. (2016). Naphthalene Derivatives from the Roots of *Pentas parvifolia* and *Pentas bussei*. *J Nat Prod* 79: 2181-2187. <http://dx.doi.org/10.1021/acs.jnatprod.6b00178>.
- Abdo, M; Knapp, S. (2012). Mechanism of a redox coupling of seleninic acid with thiol. *J Org Chem* 77: 3433-3438. <http://dx.doi.org/10.1021/jo300156x>.
- Abdolshahi, A; Majd, MH; Rad, JS; Taheri, M; Shabani, A; Teixeira da Silva, JA. (2015). Choice of solvent extraction technique affects fatty acid composition of pistachio (*Pistacia vera* L.) oil. *J Food Sci Tech* 52: 2422-2427. <http://dx.doi.org/10.1007/s13197-013-1183-8>.
- Abdulmalek, E; Arumugam, M; Rahman, MBA; Basri, M; Salleh, A, buB. (2012). Enzyme-facilitated synthesis of 1-nonene oxide and simple GC-MS SIM method for rapid screening of epoxidation processes. *Biocatalysis and Biotransformation* 30: 476-484. <http://dx.doi.org/10.3109/10242422.2012.743121>.
- Abdul-Wahab, IR; Guilhaon, CC; Fernandes, PD; Boylan, F. (2012). Anti-nociceptive activity of *Pereskia bleo* Kunth. (Cactaceae) leaves extracts. *J Ethnopharmacol* 144: 741-746. <http://dx.doi.org/10.1016/j.jep.2012.10.029>.
- Abed, RM; Dobretsov, S; Al-Fori, M; Gunasekera, SP; Sudesh, K; Paul, VJ. (2013). Quorum-sensing inhibitory compounds from extremophilic microorganisms isolated from a hypersaline cyanobacterial mat. *J Ind Microbiol Biotechnol* 40: 759-772. <http://dx.doi.org/10.1007/s10295-013-1276-4>.
- Abeysekera, WKS, M; Premakumara, GAS; Dar, A; Choudhary, MI; Ratnasooriya, WD; Kashif, M; Mudassar, C; Ali, SR, SR; Chandrasekharan, NV. (2015). Growth Inhibition and Cytotoxicity in Human Lung and Cervical Cancer Cell Lines and Glutathione S-Transferase Inhibitory Activity of Selected Sri Lankan Traditional Red Rice (*Oryza Sativa*L.) Brans. *Journal of Food Biochemistry* 39: 585-593. <http://dx.doi.org/10.1111/jfbc.12162>.
- Abidin, L; Mujeeb, M; Mir, SR; Khan, SA; Ahmad, A. (2014). Comparative assessment of extraction methods and quantitative estimation of luteolin in the leaves of *Vitex negundo* Linn. by HPLC. *Asian Pacific Journal of Tropical Medicine* 7S1: S289-S293. [http://dx.doi.org/10.1016/S1995-7645\(14\)60248-0](http://dx.doi.org/10.1016/S1995-7645(14)60248-0).
- Abidin, MH; Abdullah, N; Abidin, NZ. (2016). Protective Effect of Antioxidant Extracts from Grey Oyster Mushroom, *Pleurotus pulmonarius* (Agaricomycetes), Against Human Low-Density Lipoprotein Oxidation and Aortic Endothelial Cell Damage. *Int J Med Mushrooms* 18: 109-121. <http://dx.doi.org/10.1615/IntJMedMushrooms.v18.i2.20>.
- Abou-Elwafa Abdallah, M; Drage, D; Harrad, S. (2013). A one-step extraction/clean-up method for determination of PCBs, PBDEs and HBCDs in environmental solid matrices. *Environ Sci Process Impacts* 15: 2279-2287. <http://dx.doi.org/10.1039/c3em00395g>.
- Abou-El-Wafa, GS; Shaaban, M; Shaaban, KA; El-Naggar, ME; Maier, A; Fiebig, HH; Laatsch, H. (2013). Pachydictyols B and C: new diterpenes from *Dictyota dichotoma* Hudson. *Mar Drugs* 11: 3109-3123. <http://dx.doi.org/10.3390/md11093109>.
- Abrantes, M; Mil-Homens, T; Duarte, N; Lopes, D; Cravo, P; Madureira, M; Ferreira, MJ. (2008). Antiplasmodial activity of lignans and extracts from *Pycnanthus angolensis*. *Planta Med* 74: 1408-1412. <http://dx.doi.org/10.1055/s-2008-1081317>.
- Abreu, M; Pazetti, R; Almeida, FM; Correia, AT; Parra, ER; Silva, LP; Vieira, R; Pêgo-Fernandes, PM; Jatene, FB. (2014). Methylene blue attenuates ischemia-reperfusion injury in lung transplantation. *J Surg Res* 192: 635-641. <http://dx.doi.org/10.1016/j.jss.2014.07.043>.
- Abtahi, M; Naddafi, K; Mesdaghinia, A; Yaghmaeian, K; Nabizadeh, R; Jaafarzadeh, N; Rastkari, N; Nazmara, S; Saeedi, R. (2014). Removal of dichloromethane from waste gas streams using a hybrid bubble column/biofilter bioreactor. *12: 22*. <http://dx.doi.org/10.1186/2052-336X-12-22>.
- Abutaha, N. (2015). In vitro antiproliferative activity of partially purified *Withania somnifera* fruit extract on different cancer cell lines. *J BUON* 20: 625-630.
- Abutaha, N; Mashaly, AMA; Farooq, M; Wadaan, MA. (2015). Apoptotic Potential of *Artemisia sieberia* Besser (Asteraceae) Fraction against Human Cancer Cell Lines. *Tropical Journal of Pharmaceutical Research* 14: 1779-1785. <http://dx.doi.org/10.4314/tjpr.v14i10.7>.
- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices Dichloromethane. Cincinnati, OH.

## Human Health Hazard Literature Search Results

### Off Topic

- Achiraman, S; Archunan, G; Abirami, B; Kokilavani, P; Suriyakalaa, U; Sankarganesh, D; Kamalakkannan, S; Kannan, S; Habara, Y; Sankar, R. (2011). Increased squalene concentrations in the clitoral gland during the estrous cycle in rats: an estrus-indicating scent mark? *Theriogenology* 76: 1676-1683. <http://dx.doi.org/10.1016/j.theriogenology.2011.06.033>.
- Achkar, R; Chiba, AK; Zampieri-Filho, JP; Pestana, JO; Bordin, JO. (2011). Hemolytic anemia after kidney transplantation: a prospective analysis. *Transfusion* 51: 2495-2499. <http://dx.doi.org/10.1111/j.1537-2995.2011.03192.x>.
- Acquaviva, R; Di Giacomo, C; Vanella, L; Santangelo, R; Sorrenti, V; Barbagallo, I; Genovese, C; Mastrojeni, S; Ragusa, S; Iauk, L. (2013). Antioxidant activity of extracts of *Momordica foetida* Schumacher et Thonn. *Molecules* 18: 3241-3249. <http://dx.doi.org/10.3390/molecules18033241>.
- Acter, T; Cho, Y; Kim, S; Ahmed, A; Kim, B; Kim, S. (2015). Optimization and Application of APCI Hydrogen-Deuterium Exchange Mass Spectrometry (HDX MS) for the Speciation of Nitrogen Compounds. 26: 1522-1531. <http://dx.doi.org/10.1007/s13361-015-1166-2>.
- Acter, T; Kim, D; Ahmed, A; Jin, JM; Yim, UH; Shim, WJ; Kim, YH; Kim, S. (2016). Optimization and application of atmospheric pressure chemical and photoionization hydrogen-deuterium exchange mass spectrometry for speciation of oxygen-containing compounds. *Anal Bioanal Chem* 408: 3281-3293. <http://dx.doi.org/10.1007/s00216-016-9399-x>.
- Adebajo, AC; Iwalewa, EO; Obuotor, EM; Ibikunle, GF; Omisore, NO; Adewunmi, CO; Obaparusi, OO; Klaes, M; Adetogun, GE; Schmidt, TJ; Verspohl, EJ. (2009). Pharmacological properties of the extract and some isolated compounds of *Clausena lansium* stem bark: anti-trichomonal, antidiabetic, anti-inflammatory, hepatoprotective and antioxidant effects. *J Ethnopharmacol* 122: 10-19. <http://dx.doi.org/10.1016/j.jep.2008.11.015>.
- Adefuye, AO; Samie, A; Ndip, RN. (2011). In-vitro evaluation of the antimicrobial activity of extracts of *Bridelia micrantha* on selected bacterial pathogens. *Journal of Medicinal Plant Research* 5: 5116-5122.
- Aderbauer, B; Clausen, PH; Kershaw, O; Melzig, MF. (2008). In vitro and in vivo trypanocidal effect of lipophilic extracts of medicinal plants from Mali and Burkina Faso. *J Ethnopharmacol* 119: 225-231. <http://dx.doi.org/10.1016/j.jep.2008.06.024>.
- Adewoye, EO; Ige, AO. (2013). Anti-diabetic property of Methanol extract of *Musa sapientum* leaves and its fractions in alloxan-induced diabetic rats. *Niger J Physiol Sci* 28: 91-97.
- Adhami, HR; Farsam, H; Krenn, L. (2011). Screening of medicinal plants from Iranian traditional medicine for acetylcholinesterase inhibition. *Phytother Res* 25: 1148-1152. <http://dx.doi.org/10.1002/ptr.3409>.
- Adhami, HR; Linder, T; Kaehlig, H; Schuster, D; Zehl, M; Krenn, L. (2012). Catechol alkenyls from *Semecarpus anacardium*: acetylcholinesterase inhibition and binding mode predictions. *J Ethnopharmacol* 139: 142-148. <http://dx.doi.org/10.1016/j.jep.2011.10.032>.
- Adhami, HR; Lutz, J; Kählig, H; Zehl, M; Krenn, L. (2013). Compounds from gum ammoniacum with acetylcholinesterase inhibitory activity. *Scientia Pharmaceutica* 81: 793-805. <http://dx.doi.org/10.3797/scipharm.1306-16>.
- Adhami, HR; Scherer, U; Kaehlig, H; Hettich, T; Schlotterbeck, G; Reich, E; Krenn, L. (2013). Combination of bioautography with HPTLC-MS/NMR: a fast identification of acetylcholinesterase inhibitors from *galbanum*(†). 24: 395-400. <http://dx.doi.org/10.1002/pca.2422>.
- Adhikary, P; Mukherjee, A; Barik, A. (2015). Attraction of *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae) to four varieties of *Lathyrus sativus* L. seed volatiles. *Bull Entomol Res* 105: 187-201. <http://dx.doi.org/10.1017/S000748531400087X>.
- Ado, MA; Abas, F; Ismail, IS; Ghazali, HM; Shaari, K. (2015). Chemical profile and antiacetylcholinesterase, antityrosinase, antioxidant and  $\alpha$ -glucosidase inhibitory activity of *Cynometra cauliflora* L. leaves. *J Sci Food Agric* 95: 635-642. <http://dx.doi.org/10.1002/jsfa.6832>.
- Aeppli, C; Berg, M; Hofstetter, TB; Kipfer, R; Schwarzenbach, RP. (2008). Simultaneous quantification of polar and non-polar volatile organic compounds in water samples by direct aqueous injection-gas chromatography/mass spectrometry. *J Chromatogr A* 1181: 116-124. <http://dx.doi.org/10.1016/j.chroma.2007.12.043>.
- Afolayan, FI; Adegbolagun, OM; Irungu, B; Kangethe, L; Orwa, J; Anumudu, CI. (2016). Antimalarial actions of *Lawsonia inermis*, *Tithonia diversifolia* and *Chromolaena odorata* in combination. *J Ethnopharmacol* 191: 188-194. <http://dx.doi.org/10.1016/j.jep.2016.06.045>.
- Afshar, FH; Delazar, A; Janneh, O; Nazemiyeh, H; Pasdaran, A; Nahar, L; Sarker, SD. (2011). Evaluation of antimalarial, free-radical-scavenging and insecticidal activities of *Artemisia scoparia* and *A. spicigera*, Asteraceae. *Revista Brasileira de Farmacognosia* 21: 986-990. <http://dx.doi.org/10.1590/S0102-695X2011005000144>.
- Afyoncu, E; Yilmaz, G; Yilmaz, FM; Yücel, D. (2013). Performance of different screening methods for the determination of urinary glycosaminoclycans. *Clin Chem Lab Med* 51: 347-350. <http://dx.doi.org/10.1515/cclm-2012-0471>.
- Afzal, MK; Uzair, M; Chaudhry, BA. (2015). Anticancer activity of *Ruellia squarrosa* against human prostate cancer cell line. *Bangladesh J Pharmacol* 10: 97-99. <http://dx.doi.org/10.3329/bjpp.v10i1.21211>.
- Afzal, S; Chaudhary, BA; Ahmad, A; Afzali, K. (2015). PRELIMINARY PHYTOCHEMICAL ANALYSIS AND ANTIFUNGAL ACTIVITIES OF CRUDE EXTRACTS OF *ZALEYA PENTANDRA* AND *CORCHORUS DEPRESSUS* LINN. *Acta Pol Pharm* 72: 329-334.
- Agarwala, H; Scherer, TM; Mobin, SM; Kaim, W; Lahiri, GK. (2014). Bidirectional non-innocence of the  $\beta$ -diketonato ligand 9-oxidophenalenone (L-) in  $[Ru([9]aneS3)(L)(dmsO)_n]$ ,  $[9]aneS3 = 1,4,7$ -trithiacyclononane. *Dalton Transactions (Online)* 43: 3939-3948. <http://dx.doi.org/10.1039/c3dt53069h>.
- Aggarwal, N; Kupfer, Y; Seneviratne, C; Tessler, S. (2013). Methylene blue reverses recalcitrant shock in  $\beta$ -blocker and calcium channel blocker overdose. *B M J Case Reports* 2013. <http://dx.doi.org/10.1136/bcr-2012-007402>.
- Aghbali, A; Moradi Abbasabadi, F; Delazar, A; Vosough Hosseini, S; Zare Shahneh, F; Baradaran, B; Janani, M. (2014). Induction of Apoptosis and Cytotoxic Activities of Iranian Orthodox Black Tea Extract (BTE) Using in vitro Models. 4: 255-260. <http://dx.doi.org/10.5681/apb.2014.037>.
- Agostino, FJ; Evenhuis, CJ; Krylov, SN. (2011). Milli-free flow electrophoresis: I. Fast prototyping of mFFE devices. *J Sep Sci* 34: 556-564. <http://dx.doi.org/10.1002/jssc.201000758>.

## Human Health Hazard Literature Search Results

### Off Topic

- Aguilar, D; Contel, M; Urriolabeitia, EP. (2010). Mechanistic insights into the one-pot synthesis of propargylamines from terminal alkynes and amines in chlorinated solvents catalyzed by gold compounds and nanoparticles. *Chemistry* 16: 9287-9296. <http://dx.doi.org/10.1002/chem.201000587>.
- Aguilera-Sigalat, J; Sanchez-Sanmartín, J; Agudelo-Morales, CE; Zaballos, E; Galian, RE; Pérez-Prieto, J. (2012). Further insight into the photostability of the pyrene fluorophore in halogenated solvents. *Chemphyschem* 13: 835-844. <http://dx.doi.org/10.1002/cphc.201100843>.
- Agunu, A; Ahmadu, AA; Afolabi, SO; Yaro, AU; Ehinmidu, JO; Mohammed, Z. (2011). Evaluation of the Antibacterial and Antidiarrhoeal activities of *Heeria Insignis* O. Ktze. *Indian J Pharmaceut Sci* 73: 328-332. <http://dx.doi.org/10.4103/0250-474X.93513>.
- Ahamad, SR; Alhaider, AQ; Raish, M; Shakeel, F. (2017). Metabolomic and elemental analysis of camel and bovine urine by GC-MS and ICP-MS. *Saudi J Biol Sci* 24: 23-29. <http://dx.doi.org/10.1016/j.sjbs.2015.09.001>.
- Ahmad, F; Dent, M; Yunus, N. (2009). Shear bond strength of two chemically different denture base polymers to reline materials. 18: 596-602. <http://dx.doi.org/10.1111/j.1532-849X.2009.00481.x>.
- Ahmad, N; Fazal, H; Abbasi, BH; Iqbal, M. (2011). In vitro larvicidal potential against *Anopheles stephensi* and antioxidative enzyme activities of *Ginkgo biloba*, *Stevia rebaudiana* and *Parthenium hysterophorus*. *Asian Pacific Journal of Tropical Medicine* 4: 169-175. [http://dx.doi.org/10.1016/S1995-7645\(11\)60063-1](http://dx.doi.org/10.1016/S1995-7645(11)60063-1).
- Ahmad, S; Bashir, MT; Khaliq, FH; Mannan, A; Mukhtar, MF. (2014). Antimicrobial and toxicological studies of *Ochthochloa compressa* plant. *Pak J Pharm Sci* 27: 1209-1213.
- Ahmadu, AA; Tarimaladei, P; Onanuga, A. (2013). Triterpenoids from *Gutenbergia nigritana*(Benth). *Oliv and Hiern. African Journal of Traditional, Complementary and Alternative Medicines* 10: 405-409.
- Ahmed, AR; Elkharraz, K; Irfan, M; Bodmeier, R. (2012). Reduction in burst release after coating poly(D,L-lactide-co-glycolide) (PLGA) microparticles with a drug-free PLGA layer. 17: 66-72. <http://dx.doi.org/10.3109/10837450.2010.513989>.
- Ahmed, AS; Mcgaw, LJ; Elgorashi, EE; Naidoo, V; Eloff, JN. (2014). Polarity of extracts and fractions of four *Combretum* (Combretaceae) species used to treat infections and gastrointestinal disorders in southern African traditional medicine has a major effect on different relevant in vitro activities. *J Ethnopharmacol* 154: 339-350. <http://dx.doi.org/10.1016/j.jep.2014.03.030>.
- Ahmed, AS; Mcgaw, LJ; Eloff, JN. (2013). Evaluation of pharmacological activities, cytotoxicity and phenolic composition of four *Maytenus* species used in southern African traditional medicine to treat intestinal infections and diarrhoeal diseases. *BMC Complement Altern Med* 13: 100. <http://dx.doi.org/10.1186/1472-6882-13-100>.
- Ahmed, D; Kumar, V; Verma, A; Gupta, PS; Kumar, H; Dhingra, V; Mishra, V; Sharma, M. (2014). Antidiabetic, renal/hepatic/pancreas/cardiac protective and antioxidant potential of methanol/dichloromethane extract of *Albizzia Lebbeck* Benth. stem bark (ALEx) on streptozotocin induced diabetic rats. *BMC Complement Altern Med* 14: 243. <http://dx.doi.org/10.1186/1472-6882-14-243>.
- Ahmed Hamdi, OA; Syed Abdul Rahman, SN; Awang, K; Abdul Wahab, N; Looi, CY; Thomas, NF; Abd Malek, SN. (2014). Cytotoxic constituents from the rhizomes of *Curcuma zedoaria*. *ScientificWorldJournal* 2014: 321943. <http://dx.doi.org/10.1155/2014/321943>.
- Ahmed, HH; Hegazi, MM; Abd-Alla, HI; Eskander, EF; Ellithy, MS. (2011). Antitumour and antioxidant activity of some Red Sea seaweeds in Ehrlich ascites carcinoma in vivo. *Z Naturforsch C Biosci* 66: 367-376.
- Ahmed, M; Laing, MD; Nsahlai, IV. (2013). In vitro anthelmintic activity of crude extracts of selected medicinal plants against *Haemonchus contortus* from sheep. *J Helminthol* 87: 174-179. <http://dx.doi.org/10.1017/S0022149X1200020X>.
- Ahmed, MM; Auda, SH; Abd El-Rasoul, S; Saleh, KI; Zayed, GM. (2010). PREPARATION AND EVALUATION OF DICLOFENAC SODIUM-CELLULOSE ACETATE MICROCAPSULES USING SOLVENT EVAPORATION TECHNIQUE. *Bulletin of Pharmaceutical Sciences* 33: 43-49.
- Ahmed, N; Konduru, NK. (2012). Efficient, highly diastereoselective MS 4 Å-promoted one-pot, three-component synthesis of 2,6-disubstituted-4-tosyloxytetrahydropyrans via Prins cyclization. *Beilstein Journal of Organic Chemistry* 8: 177-185. <http://dx.doi.org/10.3762/bjoc.8.19>.
- Ahmed, Y; Sohrab, MH; Al-Reza, SM; Tareq, FS; Hasan, CM; Sattar, MA. (2010). Antimicrobial and cytotoxic constituents from leaves of *Sapium baccatum*. *Food Chem Toxicol* 48: 549-552. <http://dx.doi.org/10.1016/j.fct.2009.11.030>.
- Ahmed, Z; Iftikhar, K. (2013). Sensitization of visible and NIR emitting lanthanide(III) ions in noncentrosymmetric complexes of hexafluoroacetylacetone and unsubstituted monodentate pyrazole. *J Phys Chem A* 117: 11183-11201. <http://dx.doi.org/10.1021/jp403668j>.
- Ahn, SY; Lee, HS; Ha, Y. (2011). New blue phosphorescent iridium complexes containing phenylpyridine and triazole ligands: synthesis and luminescence studies. *J Nanosci Nanotechnol* 11: 4414-4418.
- Ahoua, AR; Konan, AG; Bonfoh, B; Koné, MW. (2015). Antimicrobial potential of 27 plants consumed by chimpanzees (*Pan troglodytes* versus *Blumenbach*) in Ivory Coast. *BMC Complement Altern Med* 15: 383. <http://dx.doi.org/10.1186/s12906-015-0918-7>.
- Ahrens, MJ; Depree, CV. (2010). A source mixing model to apportion PAHs from coal tar and asphalt binders in street pavements and urban aquatic sediments. *Chemosphere* 81: 1526-1535. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.030>.
- Aiken, ML; Painter, RG; Zhou, Y; Wang, G. (2012). Chloride transport in functionally active phagosomes isolated from Human neutrophils. *Free Radic Biol Med* 53: 2308-2317. <http://dx.doi.org/10.1016/j.freeradbiomed.2012.10.542>.
- Ajaegbu, EE; Danga, SP; Chijoke, IU; Okoye, FB. (2016). Mosquito adulticidal activity of the leaf extracts of *Spondias mombin* L. against *Aedes aegypti* L. and isolation of active principles. *J Vector Borne Dis* 53: 17-22.
- Akcilar, R; Akcilar, A; Savran, B; Ayada, C; Koçak, C; Koçak, FE; Genç, O. (2015). Effects of ukrain in rats with intestinal ischemia and reperfusion. *J Surg Res* 195: 67-73. <http://dx.doi.org/10.1016/j.jss.2014.12.040>.

## Human Health Hazard Literature Search Results

### Off Topic

- Akendengué, B; Champy, P; Nzamba, J; Roblot, F; Loiseau, PM; Bories, C. (2009). Antifungal and anthelmintic activities of *Cleistopholis patens* (Annonaceae) [Letter]. *Planta Med* 75: 1143-1145. <http://dx.doi.org/10.1055/s-0029-1185510>.
- Akindele, AJ; Mahajan, G; Wani, ZA; Sharma, S; Satti, NK; Adeyemi, OO; Mondhe, DM; Saxena, AK. (2015). Anticancer activity of the phytomedicine DAS-77. *Integr Cancer Ther* 14: 57-64. <http://dx.doi.org/10.1177/1534735414555807>.
- Akindele, AJ; Wani, Z; Mahajan, G; Sharma, S; Aigbe, FR; Satti, N; Adeyemi, OO; Mondhe, DM. (2015). Anticancer activity of *Aristolochia ringens* Vahl. (Aristolochiaceae). 5: 35-41. <http://dx.doi.org/10.1016/j.jtcme.2014.05.001>.
- Akkol, EK; Yalçın, FN; Kaya, D; Caliş, I; Yesilada, E; Ersöz, T. (2008). In vivo anti-inflammatory and antinociceptive actions of some *Lamium* species. *J Ethnopharmacol* 118: 166-172. <http://dx.doi.org/10.1016/j.jep.2008.04.001>.
- Akter, K; Barnes, EC; Loa-Kum-Cheung, WL; Yin, P; Kichu, M; Brophy, JJ; Barrow, RA; Imchen, I; Vemulpad, S. R.; Jamie, JF. (2016). Antimicrobial and antioxidant activity and chemical characterisation of *Erythrina stricta* Roxb. (Fabaceae). *J Ethnopharmacol* 185: 171-181. <http://dx.doi.org/10.1016/j.jep.2016.03.011>.
- Akyüz, M; Ata, Ş. (2013). Seasonal variations of particle-associated nitrosamines by gas chromatography-mass spectrometry in the atmospheric environment of Zonguldak, Turkey. *Environ Sci Pollut Res Int* 20: 7398-7412. <http://dx.doi.org/10.1007/s11356-013-1758-y>.
- Al Ati, HY; Fawzy, GA; El Gamal, AA; Khalil, AT; El Din El Tahir, K; Abdel-Kader, MS; Gilani, AH. (2015). Phytochemical and biological evaluation of *Buddleja polystachya* growing in Saudi Arabia. *Pak J Pharm Sci* 28: 1533-1540.
- Aladedunye, FA; Okorie, DA; Ighodaro, OM. (2008). Anti-inflammatory and antioxidant activities and constituents of *Platostoma africanum* P. Beauv. *Nat Prod Res* 22: 1067-1073. <http://dx.doi.org/10.1080/14786410802264004>.
- Alafeefy, AM; Abdel-Aziz, HA; Vullo, D; Al-Tamimi, AM; Al-Jaber, NA; Capasso, C; Supuran, CT. (2014). Inhibition of carbonic anhydrases from the extremophilic bacteria *Sulfurihydrogenibium yellostonense* (SspCA) and *S. azorensis* (SazCA) with a new series of sulfonamides incorporating aroylhydrazones-, [1,2,4]triazolo[3,4-b][1,3,4]thiadiazinyl- or 2-(cyanophenylmethylene)-1,3,4-thiadiazol-3(2H)-yl moieties. *Bioorg Med Chem* 22: 141-147. <http://dx.doi.org/10.1016/j.bmc.2013.11.042>.
- Alajmi, MF; Alam, P. (2014). Anti-inflammatory activity and qualitative analysis of different extracts of *Maytenus obscura* (A. Rich.) Cuf. by high performance thin layer chromatography method. 4: 152-157. [http://dx.doi.org/10.1016/S2221-1691\(14\)60224-0](http://dx.doi.org/10.1016/S2221-1691(14)60224-0).
- Alam, KD; Ali, MS; Mahjabeen, S; Parvin, S; Akbar, MA; Ahamed, R. (2010). Report: analgesic activities of ethanol extract of leaf, stem and their different fractions of *Swertia chirata*. *Pak J Pharm Sci* 23: 455-457.
- Alam, KD; Ali, MS; Parvin, S; Mahjabeen, S; Akbar, MA; Ahamed, R. (2009). In vitro antimicrobial activities of different fractions of *Swertia chirata* ethanolic extract. *Pak J Biol Sci* 12: 1334-1337.
- Alam, M; Ahmad, S; Malik, A. (2009). Genotoxic and mutagenic potential of agricultural soil irrigated with tannery effluents at Jajmau (Kanpur), India. *Arch Environ Contam Toxicol* 57: 463-476. <http://dx.doi.org/10.1007/s00244-009-9284-0>.
- Alam, MM; Chattopadhyaya, M; Chakrabarti, S; Rizzo, A. (2014). On the origin of the very strong two-photon activity of squaraine dyes--a standard/damped response theory study. *Phys Chem Chem Phys* 16: 8030-8035. <http://dx.doi.org/10.1039/c3cp55485f>.
- Alam, P; Al-Anezi, M; Siddiqui, NA; Alajmi, MF; Al-Rehaily, AJ; Haque, A; Ali, M. (2015). Isolation and characterization of a new oxygenated homoditerpenoid from leaves of *Centaurothamnus maximus* with antimicrobial potential. *Pak J Pharm Sci* 28: 1091-1095.
- Alarcos, N; Cohen, B; Douhal, A. (2016). A slowing down of proton motion from HPTS to water adsorbed on the MCM-41 surface. *Phys Chem Chem Phys* 18: 2658-2671. <http://dx.doi.org/10.1039/c5cp04548g>.
- Alarcos, N; Gutierrez, M; Liras, M; Sanchez, F; Moreno, M; Douhal, A. (2015). Direct observation of breaking of the intramolecular H-bond, and slowing down of the proton motion and tuning its mechanism in an HBO derivative. *Phys Chem Chem Phys* 17: 14569-14581. <http://dx.doi.org/10.1039/c5cp01437a>.
- Alarif, WM; Al-Lihaibi, SS; Ghandourah, MA; Orif, MI; Basaif, SA; Ayyad, SN. (2015). Cytotoxic scalarane-type sesterterpenes from the Saudi Red Sea sponge *Hyrtios erectus*. *J Asian Nat Prod Res* 18: 1-7. <http://dx.doi.org/10.1080/10286020.2015.1115019>.
- Alasbahi, R; Melzig, MF. (2008). Screening of some Yemeni medicinal plants for inhibitory activity against peptidases. *Pharmazie* 63: 86-88.
- Alayo, MA; Femi-Oyewo, MN; Bakre, LG; Fashina, AO. (2015). LARVICIDAL POTENTIAL AND MOSQUITO REPELLENT ACTIVITY OF CASSIA MIMOSOIDES EXTRACTS. *Southeast Asian J Trop Med Public Health* 46: 596-601.
- Al-Azzawi, A; Alguboori, A; Hachim, MY; Najat, M; Al Shaimaa, A; Sad, M. (2012). Preliminary phytochemical and antibacterial screening of *Sesuvium portulacastrum* in the United Arab Emirates. *Pharmacognosy Res* 4: 219-224. <http://dx.doi.org/10.4103/0974-8490.102269>.
- Albaladejo, MJ; Alonso, F; Yus, M. (2013). Synthesis of indolizines and heterocyclic chalcones catalyzed by supported copper nanoparticles. *Chemistry* 19: 5242-5245. <http://dx.doi.org/10.1002/chem.201204305>.
- Al-Balushi, RA; Haque, A; Jayapal, M; Al-Suti, MK; Husband, J; Khan, MS; Koentjoro, OF; Molloy, KC; Skelton, JM; Raithby, PR. (2016). Experimental and Theoretical Investigation for the Level of Conjugation in Carbazole-Based Precursors and Their Mono-, Di-, and Polynuclear Pt(II) Complexes. *Inorg Chem* 55: 6465-6480. <http://dx.doi.org/10.1021/acs.inorgchem.6b00523>.
- Al-Balushi, RA; Haque, A; Jayapal, M; Al-Suti, MK; Husband, J; Khan, MS; Skelton, JM; Molloy, KC; Raithby, PR. (2016). Impact of the Alkyne Substitution Pattern and Metalation on the Photoisomerization of Azobenzene-Based Platinum(II) Diynes and Polyynes. *Inorg Chem* 55: 10955-10967. <http://dx.doi.org/10.1021/acs.inorgchem.6b01509>.
- Alber, JM; Bernhardt, JM; Stellefson, M; Weiler, RM; Anderson-Lewis, C; Miller, MD; Macinnes, J. (2015). Designing and Testing an Inventory for Measuring Social Media Competency of Certified Health Education Specialists. *J Med Internet Res* 17: e221. <http://dx.doi.org/10.2196/jmir.4943>.
- Albernaz, LC; de Paula, JE; Romero, GA; Silva, M; Grellier, P; Mambu, L; Espindola, LS. (2010). Investigation of plant extracts in traditional medicine of the Brazilian Cerrado against protozoans and yeasts. *J Ethnopharmacol* 131: 116-121. <http://dx.doi.org/10.1016/j.jep.2010.06.011>.

## Human Health Hazard Literature Search Results

### Off Topic

- Albertin, G; Antoniutti, S; Bonaldo, L; Botter, A; Castro, J. (2013). Azo complexes of osmium(II): preparation and reactivity of organic azide and hydrazine derivatives. *Inorg Chem* 52: 2870-2879. <http://dx.doi.org/10.1021/ic302483e>.
- Albuerne, IG; Alvarez, MA; García, ME; García-Vivó, D; Ruiz, MA. (2017). Chemistry of CS<sub>2</sub>- and SCNPh-adducts of the pyramidal phosphinidene-bridged complex [Mo<sub>2</sub>Cp(μ-κ(1):κ(1),η(5)-PC<sub>5</sub>H<sub>4</sub>)(CO)<sub>2</sub>(η(6)-HMes\*)(PMe<sub>3</sub>)]. *Dalton Transactions (Online)*. <http://dx.doi.org/10.1039/c7dt00132k>.
- Alcantara, KF; Rocha, AB; Gomes, AH; Wolff, W; Sigaud, L; Santos, AC. (2016). Kinetic Energy Release of the Singly and Doubly Charged Methylene Chloride Molecule: The Role of Fast Dissociation. *J Phys Chem A* 120: 6728-6737. <http://dx.doi.org/10.1021/acs.jpca.6b05368>.
- Aldana, J; Téllez, N; Gamboa, F. (2013). Antimicrobial activity of fractions and subfractions of *Elaeagia utilis* against microorganisms of importance in dental caries. *Acta Odontol Latinoam* 26: 104-111.
- Aldib, I; Gelbcke, M; Soubhye, J; Prévost, M; Furtmüller, PG; Obinger, C; Elfving, B; Alard, IC; Roos, G; Delporte, C; Berger, G; Dufour, D; Zouaoui Boudjeltia, K; Nève, J; Dufresne, F; Van Antwerpen, P. (2016). Novel bis-arylalkylamines as myeloperoxidase inhibitors: Design, synthesis, and structure-activity relationship study. *Eur J Med Chem* 123: 746-762. <http://dx.doi.org/10.1016/j.ejmech.2016.07.053>.
- Al-Dujaili, EA; Mullins, LJ; Bailey, MA; Andrew, R; Kenyon, CJ. (2009). Physiological and pathophysiological applications of sensitive ELISA methods for urinary deoxycorticosterone and corticosterone in rodents. *Steroids* 74: 938-944. <http://dx.doi.org/10.1016/j.steroids.2009.06.009>.
- Alebouyeh, M; Amini, H. (2015). Rapid determination of lamivudine in human plasma by high-performance liquid chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 975: 40-44. <http://dx.doi.org/10.1016/j.jchromb.2014.11.004>.
- Alegria, EC; Guedes da Silva, MF; Kuznetsov, ML; Cunha, SM; Martins, LM; Pombeiro, AJ. (2012). Acylated cyanoimido-complexes trans-[Mo(NCN){NCNC(O)R}(dppe)(2)]Cl and their reactions with electrophiles: chemical, electrochemical and theoretical study. *Dalton Transactions (Online)* 41: 13876-13890. <http://dx.doi.org/10.1039/c2dt30867c>.
- Alejandro-García, I; Álvarez, L; Cardoso-Taketa, A; González-Maya, L; Antúnez, M; Salas-Vidal, E; Díaz, JF; Marquina-Bahena, S; Villarreal, ML. (2015). Cytotoxic Activity and Chemical Composition of the Root Extract from the Mexican Species *Linum scaberrimum*: Mechanism of Action of the Active Compound 6-Methoxydopodophyllotoxin. *eCAM* 2015: 298463. <http://dx.doi.org/10.1155/2015/298463>.
- Alencar, DB; Melo, AA; Silva, GC; Lima, RL; Pires-Cavalcante, KM; Carneiro, RF; Rabelo, AS; Sousa, OV; Vieira, RH; Viana, FA; Sampaio, AH; Saker-Sampaio, S. (2015). Antioxidant, hemolytic, antimicrobial, and cytotoxic activities of the tropical Atlantic marine zoanthid *Palythoa caribaeorum*. *An Acad Bras Cienc* 87: 1113-1123. <http://dx.doi.org/10.1590/0001-3765201520140370>.
- Alexander, BE; Coles, SJ; Fox, BC; Khan, TF; Maliszewski, J; Perry, A; Pitak, MB; Whiteman, M; Wood, ME. (2015). Investigating the generation of hydrogen sulfide from the phosphoramidodithioate slow-release donor GYY4137. *6: 1649-1655*. <http://dx.doi.org/10.1039/c5md00170f>.
- Alexander, BM; Baxter, CS. (2016). Flame-retardant contamination of firefighter personal protective clothing - A potential health risk for firefighters. *J Occup Environ Hyg* 13: D148-D155. <http://dx.doi.org/10.1080/15459624.2016.1183016>.
- Alexander, H. (2008). Calcium Sulfate Based Bioactive Bone Graft.
- Alexander, H. (2009). Calcium Sulfate Based Bioactive Bone Graft.
- Alexandrova, LA; Efremenkova, OV; Andronova, VL; Galegov, GA; Solyev, PN; Karpenko, IL; Kochetkov, SN. (2016). 5-(4-alkyl-1,2,3-triazol-1-yl)methyl derivatives of 2'-deoxyuridine as inhibitors of viral and bacterial growth. *Russian Journal of Bioorganic Chemistry* 42: 677-684. <http://dx.doi.org/10.1134/S1068162016050022>.
- Al-Fatimi, M; Schröder, G; Kreisel, H; Lindequist, U. (2013). Biological activities of selected basidiomycetes from Yemen. *Pharmazie* 68: 221-226.
- Al-Fatimi, M; Wurster, M; Schroder, G; Lindequist, U. (2010). In vitro Antimicrobial, Cytotoxic and Radical Scavenging Activities and Chemical Constituents of the Endemic *Thymus laevigatus* (Vahl). *Records of Natural Products* 4: 49-63.
- Algarra, AG; Basallote, MG; Feliz, M; Fernández-Trujillo, MJ; Llusar, R; Safont, VS. (2010). The role of solvent on the mechanism of proton transfer to hydride complexes: the case of the [W(3)PdS(4)H(3)(dmpe)(3)(CO)](+) cubane cluster. *Chemistry* 16: 1613-1623. <http://dx.doi.org/10.1002/chem.200902233>.
- Algarra, AG; Braunstein, P; Macgregor, SA. (2013). Computational study of the double C-Cl bond activation of dichloromethane and phosphine alkylation at [CoCl(PR<sub>3</sub>)<sub>3</sub>]. *Dalton Transactions (Online)* 42: 4208-4217. <http://dx.doi.org/10.1039/c2dt32272b>.
- Algarra, M; Rodríguez-Borges, JE; Esteves da Silva, JC. (2010). LC-MS identification of derivatized free fatty acids from adipocere in soil samples. *J Sep Sci* 33: 143-154. <http://dx.doi.org/10.1002/jssc.200900614>.
- Al-Harrasi, A; Ali, L; Ceniviva, E; Al-Rawahi, A; Hussain, J; Hussain, H; Rehman, NU, r; Abbas, G; Al-Harrasi, R. (2013). Antiglycation and Antioxidant Activities and HPTLC Analysis of *Boswellia sacra* Oleogum Resin: The Sacred Frankincense. *Tropical Journal of Pharmaceutical Research* 12: 597-602. <http://dx.doi.org/10.4314/tjpr.v12i4.23>.
- Alhassan, S; Robinson, TN. (2008). Objectively measured physical activity and cardiovascular disease risk factors in African American girls. *Ethn Dis* 18: 421-426.
- Ali, A; Barman, SK; Mukherjee, R. (2015). Palladium(II) Complex of a Redox-Active Amidophenolate-Based O,N,S,N Ligand: Its Monocation and Dication and Reactivity with PPh<sub>3</sub>. *Inorg Chem* 54: 5182-5194. <http://dx.doi.org/10.1021/ic503103e>.
- Ali, A; Dhar, D; Barman, SK; Lloret, F; Mukherjee, R. (2016). Nickel(II) Complex of a Hexadentate Ligand with Two o-Iminosemiquinonato(1-) π-Radical Units and Its Monocation and Dication. *Inorg Chem* 55: 5759-5771. <http://dx.doi.org/10.1021/acs.inorgchem.5b02688>.
- Ali, I; Al-Othman, ZA; Aboul-Enein, HY. (2013). Chiral separations by HPLC on immobilized polysaccharide chiral stationary phases. *Methods Mol Biol* 970: 127-135. [http://dx.doi.org/10.1007/978-1-62703-263-6\\_7](http://dx.doi.org/10.1007/978-1-62703-263-6_7).



## Human Health Hazard Literature Search Results

### Off Topic

- Ali, S; Huang, Z; Ren, S. (2010). The role of diamondback moth cuticle surface compounds in pre-penetration growth of the entomopathogen *Isaria fumosoroseus*. *J Basic Microbiol* 50: 411-419. <http://dx.doi.org/10.1002/jobm.201000014>.
- Alim, A; Goze, I; Goze, HM; Tepe, B. (2009). In vitro antimicrobial and antiviral activities of the essential oil and various extracts of *Salvia cedronella* Boiss. *Journal of Medicinal Plant Research* 3: 413-419.
- Aliyu, AB; Koorbanally, NA; Moodley, B; Singh, P; Chenia, HY. (2016). Quorum sensing inhibitory potential and molecular docking studies of sesquiterpene lactones from *Vernonia blumeoides*. *Phytochemistry* 126: 23-33. <http://dx.doi.org/10.1016/j.phytochem.2016.02.012>.
- Aljaber, AS; Nour, e. (2008). Spectroscopic investigation of the donor-acceptor interaction between o-phenylenediamine and tetracyanoethylene in dichloromethane. *Spectrochim Acta A Mol Biomol Spectrosc* 70: 997-1000. <http://dx.doi.org/10.1016/j.saa.2007.08.026>.
- Al-Ja'fari, AH; Vila, R; Freixa, B; Costa, J; Canigual, S. (2013). Antifungal Compounds from the Rhizome and Roots of *Ferula hermonis*. *Phytother Res* 27: 911-915. <http://dx.doi.org/10.1002/ptr.4806>.
- Allemand, A; Leonardi, BF; Zimmer, AR; Moreno, S; Romão, PR; Gosmann, G. (2016). Red Pepper (*Capsicum baccatum*) Extracts Present Anti-Inflammatory Effects In Vivo and Inhibit the Production of TNF- $\alpha$  and NO In Vitro. *J Med Food* 19: 759-767. <http://dx.doi.org/10.1089/jmf.2015.0101>.
- Allen, FH; Wood, PA; Galek, PT. (2013). Role of chloroform and dichloromethane solvent molecules in crystal packing: an interaction propensity study. *69: 379-388*. <http://dx.doi.org/10.1107/S2052519213015078>.
- Alleti, R; Vagner, J; Dehigaspitiya, DC; Moberg, VE; Elshan, NG; Tafreshi, NK; Brabez, N; Weber, CS; Lynch, RM; Hruby, VJ; Gillies, RJ; Morse, DL; Mash, EA. (2013). Synthesis and characterization of time-resolved fluorescence probes for evaluation of competitive binding to melanocortin receptors. *Bioorg Med Chem* 21: 5029-5038. <http://dx.doi.org/10.1016/j.bmc.2013.06.052>.
- Allison, BJ; Allenby, MC; Bryant, SS; Min, JE; Hieromnimon, M; Joyner, PM. (2017). Antibacterial activity of fractions from three Chumash medicinal plant extracts and in vitro inhibition of the enzyme enoyl reductase by the flavonoid jaceosidin. *Nat Prod Res* 31: 707-712. <http://dx.doi.org/10.1080/14786419.2016.1217201>.
- Allocati, N; Federici, L; Masulli, M; Di Ilio, C. (2009). Glutathione transferases in bacteria [Review]. *FEBS J* 276: 58-75. <http://dx.doi.org/10.1111/j.1742-4658.2008.06743.x>.
- Almanza, GR; Quispe, R; Mollinedo, P; Rodrigo, G; Fukushima, O; Villagomez, R; Akesson, B; Sterner, O. (2011). Antioxidant and antimutagenic polyisoprenylated benzophenones and xanthenes from *Rheedia acuminata*. *Natural Product Communications* 6: 1269-1274.
- Al-Massarani, S; El-Dib, R. (2015). In vitro evaluation of cytotoxic and antimicrobial potentials of the Saudi traditional plant *Alhagi graecorum* boiss. *Pak J Pharm Sci* 28: 1079-1086.
- Al-Massarani, SM; El Gamal, AA; Al-Musayeb, NM; Mothana, RA; Basudan, OA; Al-Rehaily, AJ; Farag, M; Assaf, MH; El Tahir, KH; Maes, L. (2013). Phytochemical, antimicrobial and antiprotozoal evaluation of *Garcinia mangostana* pericarp and  $\alpha$ -mangostin, its major xanthone derivative. *Molecules* 18: 10599-10608. <http://dx.doi.org/10.3390/molecules180910599>.
- Almeida, LM; Farani, PG; Tosta, LA; Silvério, MS; Sousa, OV; Mattos, AC; Coelho, PM; Vasconcelos, EG; Faria-Pinto, P. (2012). In vitro evaluation of the schistosomicidal potential of *Eremanthus erythropappus* (DC) McLeisch (Asteraceae) extracts. *Nat Prod Res* 26: 2137-2143. <http://dx.doi.org/10.1080/14786419.2011.631135>.
- Almodóvar, J; Kipper, MJ. (2011). Coating electrospun chitosan nanofibers with polyelectrolyte multilayers using the polysaccharides heparin and N,N,N-trimethyl chitosan. *Macromol Biosci* 11: 72-76. <http://dx.doi.org/10.1002/mabi.201000261>.
- Alnajjar, AO; El-Zaria, ME. (2008). Synthesis and characterization of novel azo-morphine derivatives for possible use in abused drugs analysis. *Eur J Med Chem* 43: 357-363. <http://dx.doi.org/10.1016/j.ejmech.2007.03.034>.
- Al-Naqeb, G; Rousová, J; Kubátová, A; Picklo, MJ. (2016). *Pulicaria jaubertii* E. Gamal-Eldin reduces triacylglyceride content and modifies cellular antioxidant pathways in 3T3-L1 adipocytes. *Chem Biol Interact* 253: 48-59. <http://dx.doi.org/10.1016/j.cbi.2016.05.013>.
- Al-Noaimi, M; Abdel-Rahman, OS; Fafous, II; El-Khateeb, M; Awwadi, FF; Warad, I. (2014). Ruthenium(II) bipyridine complexes bearing quinoline-azoimine (NN'N") tridentate ligands: Synthesis, spectral characterization, electrochemical properties and single-crystal X-ray structure analysis. *Spectrochim Acta A Mol Biomol Spectrosc* 125: 375-383. <http://dx.doi.org/10.1016/j.saa.2014.01.075>.
- Al-Noaimi, M; Awwadi, FF; Mansi, A; Abdel-Rahman, OS; Hammoudeh, A; Warad, I. (2015). Ruthenium(II) bipyridine complexes bearing keto-enol azoimine ligands: synthesis, structure, electrochemistry and DFT calculations. *Spectrochim Acta A Mol Biomol Spectrosc* 135: 828-839. <http://dx.doi.org/10.1016/j.saa.2014.07.080>.
- Al-Noaimi, M; Nafady, A; Warad, I; Alshwafy, R; Husein, A; Talib, WH; Hadda, TB. (2014). Heterotrimetallic Ru(II)/Pd(II)/Ru(II) complexes: synthesis, crystalstructure, spectral characterization, DFT calculation and antimicrobial study. *Spectrochim Acta A Mol Biomol Spectrosc* 122: 273-282. <http://dx.doi.org/10.1016/j.saa.2013.11.052>.
- Al-Othman, ZA; Ali, I; Asim, M; Khan, TA. (2012). Recent trends in chiral separations on immobilized polysaccharides CSPs [Review]. *Comb Chem High Throughput Screen* 15: 339-346.
- Alqasoumi, SI; Basudan, OA; Alam, P; Abdel-Kader, MS. (2016). Antioxidant study of flavonoid derivatives from the aerial parts of *Rhus natalensis* growing in Saudi Arabia. *Pak J Pharm Sci* 29: 97-103.
- Al-Shorbagy, MY; Nassar, NN. (2016). Octreotide ameliorates inflammation and apoptosis in acute and kindled murine PTZ paradigms. *Naunyn Schmiedebergs Arch Pharmacol* 390: 61-68. <http://dx.doi.org/10.1007/s00210-016-1303-x>.
- Alsulays, BB; Park, JB; Alshehri, SM; Morott, JT; Alshahrani, SM; Tiwari, RV; Alshetaili, AS; Majumdar, S; Langley, N; Kolter, K; Gryczke, A; Repka, MA. (2015). Influence of Molecular Weight of Carriers and Processing Parameters on the Extrudability, Drug Release, and Stability of Fenofibrate Formulations Processed by Hot-Melt Extrusion. *Journal of Drug Delivery Science and Technology* 29: 189-198. <http://dx.doi.org/10.1016/j.jddst.2015.07.011>.

## Human Health Hazard Literature Search Results

### Off Topic

- Althaus, JB; Jerz, G; Winterhalter, P; Kaiser, M; Brun, R; Schmidt, TJ. (2014). Antiprotozoal activity of Buxus sempervirens and activity-guided isolation of O-tigloylcycloviobuxeine-B as the main constituent active against Plasmodium falciparum. *Molecules* 19: 6184-6201. <http://dx.doi.org/10.3390/molecules19056184>.
- Althaus, JB; Kaiser, M; Brun, R; Schmidt, TJ. (2014). Antiprotozoal activity of Achillea ptarmica (Asteraceae) and its main alkalamide constituents. *Molecules* 19: 6428-6438. <http://dx.doi.org/10.3390/molecules19056428>.
- Alurappa, R; Bojegovda, MR; Kumar, V; Mallesh, NK; Chowdappa, S. (2014). Characterisation and bioactivity of oosporein produced by endophytic fungus Cochliobolus kusanoi isolated from Nerium oleander L. *Nat Prod Res* 28: 2217-2220. <http://dx.doi.org/10.1080/14786419.2014.924933>.
- Alvarez, AF; Malpica, R; Contreras, M; Escamilla, E; Georgellis, D. (2010). Cytochrome d but not cytochrome o rescues the toluidine blue growth sensitivity of arc mutants of Escherichia coli. *J Bacteriol* 192: 391-399. <http://dx.doi.org/10.1128/JB.00881-09>.
- Álvarez-Ruiz, R; Andrés-Costa, MJ; Andreu, V; Picó, Y. (2015). Simultaneous determination of traditional and emerging illicit drugs in sediments, sludges and particulate matter. *J Chromatogr A* 1405: 103-115. <http://dx.doi.org/10.1016/j.chroma.2015.05.062>.
- Alves, C; Pinteus, S; Horta, A; Pedrosa, R. (2016). High cytotoxicity and anti-proliferative activity of algae extracts on an in vitro model of human hepatocellular carcinoma. 5: 1339. <http://dx.doi.org/10.1186/s40064-016-2938-2>.
- Alves Costa Pacheco, A; Sherwood, J; Zhenova, A; Mcelroy, CR; Hunt, AJ; Parker, HL; Farmer, TJ; Constantinou, A; De Bruyn, M; Whitwood, AC; Raverty, W; Clark, JH. (2016). Intelligent Approach to Solvent Substitution: The Identification of a New Class of Levoglucosone Derivatives. *ChemSusChem* 9: 3503-3512. <http://dx.doi.org/10.1002/cssc.201600795>.
- Alves, DS; Machado, AR; Campos, VA; Oliveira, DF; Carvalho, GA. (2016). Selection of Annonaceae Species for the Control of Spodoptera frugiperda (Lepidoptera: Noctuidae) and Metabolic Profiling of Duguetia lanceolata Using Nuclear Magnetic Resonance Spectroscopy. *J Econ Entomol* 109: 649-659. <http://dx.doi.org/10.1093/jee/tov396>.
- Alves, M, de; Silva Moura, AK; Costa, LM; Ferreira de Araujo, EJ; de Sousa, GM; de Jesus Costa, ND; Pinheiro Ferreira, PM; Silva, J, doN; Pessoa, C; de Lima, SG; Das Gracas Lopes Cito, AM. (2014). Phenols, flavonoids and antioxidant and cytotoxic activity of leaves, fruits, peel of fruits and seeds of Piptadenia moniliformis Benth (Leguminosae - Mimosoideae). 13: 466-476.
- Alves Passos, CL; Rodríguez, R; Ferreira, C; Costa Soares, D; Vieira Somner, G; Hamerski, L; da Cunha Pinto, A; Moraes Rezende, C; Saraiva, EM. (2017). Anti-Leishmania amazonensis activity of Serjania lethalis A. St.-Hil. *Parasitol Int* 66: 940-947. <http://dx.doi.org/10.1016/j.parint.2016.10.018>.
- Alves, R; Preto, M; Vasconcelos, V; Oliveira, RS; Martins, R. (2015). Cytotoxicity Induced by Extracts of Pisolithus tinctorius Spores on Human Cancer and Normal Cell Lines-Evaluation of the Anticancer Potential. *J Toxicol Environ Health A* 78: 840-847. <http://dx.doi.org/10.1080/15287394.2015.1051176>.
- Al-Zikri, PN, urh; Taher, M; Susanti, D; Rezali, MF; Read, RW; Sohrab, M, dH; Hasan, CM; Ahmad, F. (2014). Cytotoxic tirucallane triterpenes from the stem of Luvunga scandens. *Revista Brasileira de Farmacognosia* 24: 561-564. <http://dx.doi.org/10.1016/j.bjp.2014.10.003>.
- Amarillo, AC; Tavera Busso, I; Carreras, H. (2014). Exposure to polycyclic aromatic hydrocarbons in urban environments: Health risk assessment by age groups. *Environ Pollut* 195: 157-162. <http://dx.doi.org/10.1016/j.envpol.2014.08.027>.
- Amato, ME; Ballistreri, FP; Pappalardo, A; Tomaselli, GA; Toscano, RM; Sfrassetto, GT. (2013). Selective oxidation reactions of natural compounds with hydrogen peroxide mediated by methyltrioxorhenium. *Molecules* 18: 13754-13768. <http://dx.doi.org/10.3390/molecules181113754>.
- Ambrosek, D; Marciniak, H; Lochbrunner, S; Tatchen, J; Li, XQ; Würthner, F; Kühn, O. (2011). Photophysical and quantum chemical study on a J-aggregate forming perylene bisimide monomer. *Phys Chem Chem Phys* 13: 17649-17657. <http://dx.doi.org/10.1039/c1cp21624d>.
- Ambrósio, SR; Oki, Y; Heleno, VC; Chaves, JS; Nascimento, PG; Lichston, JE; Constantino, MG; Varanda, EM; Da Costa, FB. (2008). Constituents of glandular trichomes of Tithonia diversifolia: relationships to herbivory and antifeedant activity. *Phytochemistry* 69: 2052-2060. <http://dx.doi.org/10.1016/j.phytochem.2008.03.019>.
- Amini, M; Arab, A; Derakhshandeh, PG; Bagherzadeh, M; Ellern, A; Woo, LK. (2014). A novel iron complex containing an N,O-type bidentate oxazoline ligand: Synthesis, X-ray studies, DFT calculations and catalytic activity. *Spectrochim Acta A Mol Biomol Spectrosc* 133: 432-438. <http://dx.doi.org/10.1016/j.saa.2014.06.012>.
- Amini-Fazl, MS; Mobedi, H; Barzin, J. (2014). Investigation of aqueous stability of taxol in different release media. *Drug Dev Ind Pharm* 40: 519-526. <http://dx.doi.org/10.3109/03639045.2013.771646>.
- Amir, A; Sayer, AH; Zagalsky, R; Shimon, LJ; Fischer, B. (2013). O,O'-Diester methylenediphosphonotetrathioate: synthesis, characterization, and potential applications. *J Org Chem* 78: 270-277. <http://dx.doi.org/10.1021/jo301786m>.
- Amiri, A; Baghayeri, M; Nori, S. (2015). Magnetic solid-phase extraction using poly(para-phenylenediamine) modified with magnetic nanoparticles as adsorbent for analysis of monocyclic aromatic amines in water and urine samples. *J Chromatogr A* 1415: 20-26. <http://dx.doi.org/10.1016/j.chroma.2015.08.046>.
- Amiri, F; Vafa, M; Gonder-Frederick, L. (2015). Glycemic Control, Self-Efficacy and Fear of Hypoglycemia Among Iranian Children with Type 1 Diabetes. *Canadian Journal of Diabetes* 39: 302-307. <http://dx.doi.org/10.1016/j.jcjd.2014.12.011>.
- Amjad, MW; Amin, MC; Katas, H; Butt, AM. (2012). Doxorubicin-loaded cholic acid-polyethyleneimine micelles for targeted delivery of antitumor drugs: synthesis, characterization, and evaluation of their in vitro cytotoxicity. *Nanoscale Res Lett* 7: 687. <http://dx.doi.org/10.1186/1556-276X-7-687>.
- Ammar, HO; Ghorab, M; Kamel, R; Salama, AH. (2016). Design and optimization of gastro-retentive microballoons for enhanced bioavailability of cinnarizine. 6: 210-224. <http://dx.doi.org/10.1007/s13346-016-0280-4>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ammer, J; Sailer, CF; Riedle, E; Mayr, H. (2012). Photolytic generation of benzhydryl cations and radicals from quaternary phosphonium salts: how highly reactive carbocations survive their first nanoseconds. *J Am Chem Soc* 134: 11481-11494. <http://dx.doi.org/10.1021/ja3017522>.
- Amoo, SO; Finnie, JF; Van Staden, J. (2012). Acetylcholinesterase inhibition, antioxidant, antiinflammatory, antimicrobial and phytochemical properties of *Huernia hystrix*. 26: 639-645. <http://dx.doi.org/10.1002/ptr.3614>.
- Amornrit, W; Santiyanont, R. (2015). Effect of *Amaranthus* on Advanced Glycation End-Products Induced Cytotoxicity and Proinflammatory Cytokine Gene Expression in SH-SY5Y Cells. *Molecules* 20: 17288-17308. <http://dx.doi.org/10.3390/molecules200917288>.
- Amornrit, W; Santiyanont, R. (2016). Neuroprotective effect of *Amaranthus lividus* and *Amaranthus tricolor* and their effects on gene expression of RAGE during oxidative stress in SH-SY5Y cells. *Genet Mol Res* 15. <http://dx.doi.org/10.4238/gmr.15027562>.
- Amritphale, D; Ramakrishna, P; Singh, B; Sharma, SK. (2010). Solute permeation across the apoplastic barrier in the perisperm-endosperm envelope in cucumber seeds. *Planta* 231: 1483-1494. <http://dx.doi.org/10.1007/s00425-010-1146-5>.
- Anand Raghunath, S; Nandibeoor Mathada, K. (2014). Synthesis and biological evaluation of aminonaphthols incorporated indole derivatives. 2014: 673206. <http://dx.doi.org/10.1155/2014/673206>.
- Anarjan, N; Nehdi, IA; Tan, CP. (2013). Influence of astaxanthin, emulsifier and organic phase concentration on physicochemical properties of astaxanthin nanodispersions. *Chemistry Central Journal* 7: 127. <http://dx.doi.org/10.1186/1752-153X-7-127>.
- Anarjan, N; Tan, CP; Ling, TC; Lye, KL; Malmiri, HJ; Nehdi, IA; Cheah, YK; Mirhosseini, H; Baharin, BS. (2011). Effect of organic-phase solvents on physicochemical properties and cellular uptake of astaxanthin nanodispersions. *J Agric Food Chem* 59: 8733-8741. <http://dx.doi.org/10.1021/jf201314u>.
- Anbalagan, C; Lafayette, I; Antoniou-Kourouniotti, M; Gutierrez, C; Martin, JR; Chowdhuri, DK; De Pomerai, DI. (2013). Use of transgenic GFP reporter strains of the nematode *Caenorhabditis elegans* to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. *Ecotoxicology* 22: 72-85. <http://dx.doi.org/10.1007/s10646-012-1004-2>.
- Anbazhagan, V; Kalaiselvan, A; Jaccob, M; Venuvanalingam, P; Renganathan, R. (2008). Investigations on the fluorescence quenching of 2,3-diazabicyclo[2.2.2]oct-2-ene by certain flavonoids. *J Photochem Photobiol B* 91: 143-150. <http://dx.doi.org/10.1016/j.jphotobiol.2008.03.003>.
- Anders, MW. (2008). Chemical toxicology of reactive intermediates formed by the glutathione-dependent bioactivation of halogen-containing compounds [Review]. *Chem Res Toxicol* 21: 145-159. <http://dx.doi.org/10.1021/tx700202w>.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Clark, SB; Madson, MR; Gieseker, CA; Miller, RA; Rummel, NG; Reimschuessel, R. (2008). Determination and confirmation of melamine residues in catfish, trout, tilapia, salmon, and shrimp by liquid chromatography with tandem mass spectrometry. *J Agric Food Chem* 56: 4340-4347. <http://dx.doi.org/10.1021/jf800295z>.
- Andersen, WC; Turnipseed, SB; Karbiwnyk, CM; Evans, E; Hasbrouck, N; Mayer, TD; Gieseker, CM; Nochetto, C; Stine, CB; Reimschuessel, R. (2011). Bioaccumulation of melamine in catfish muscle following continuous, low-dose, oral administration. *J Agric Food Chem* 59: 3111-3117. <http://dx.doi.org/10.1021/jf104385d>.
- Anderson, RA; Ariffin, MM; Cormack, PA; Miller, EI. (2008). Comparison of molecularly imprinted solid-phase extraction (MISPE) with classical solid-phase extraction (SPE) for the detection of benzodiazepines in post-mortem hair samples. *Forensic Sci Int* 174: 40-46. <http://dx.doi.org/10.1016/j.forsciint.2007.03.002>.
- Anding, JE; Röhrle, B; Grieshop, M; Schücking, B; Christiansen, H. (2016). Couple comorbidity and correlates of postnatal depressive symptoms in mothers and fathers in the first two weeks following delivery. *J Affect Disord* 190: 300-309. <http://dx.doi.org/10.1016/j.jad.2015.10.033>.
- Ando, K. (2010). Mechanistic study on the gold-catalyzed C-S bond formation of  $\alpha$ -thioallenes to form 2,5-dihydrothiophenes. *J Org Chem* 75: 8516-8521. <http://dx.doi.org/10.1021/jo101883j>.
- Andrade, JM; Maurmann, N; Pranke, P; Turatti, IC; Lopes, NP; Henriques, AT. (2017). Identification of compounds from non-polar fractions of *Blechnum* spp and a multitarget approach involving enzymatic modulation and oxidative stress. *J Pharm Pharmacol* 69: 89-98. <http://dx.doi.org/10.1111/jphp.12653>.
- Andrade, LR; Fritsche Neto, R; Granato, ÍS; Sant'Ana, GC; Morais, PP; Borém, A. (2016). Genetic Vulnerability and the Relationship of Commercial Germplasm of Maize in Brazil with the Nested Association Mapping Parents. *PLoS ONE* 11: e0163739. <http://dx.doi.org/10.1371/journal.pone.0163739>.
- Andrade, MV; Maia, AC; Cardoso, CS; Alkmim, MB; Ribeiro, AL. (2011). Cost-benefit of the telecardiology service in the state of Minas Gerais: Minas Telecardio Project. *Arq Bras Cardiol* 97: 307-316.
- Andreev, SV; Zverev, SA; Zamilatskov, IA; Kurochkina, NM; Ponomarev, GV; Fitch, AN; Chernyshev, VV. (2017). Polymeric structure of a coproporphyrin I ruthenium(II) complex: a powder diffraction study. 73: 47-51. <http://dx.doi.org/10.1107/S2053229616019422>.
- Andreiadis, ES; Imbert, D; Pécaut, J; Calborean, A; Ciofini, I; Adamo, C; Demadrille, R; Mazzanti, M. (2011). Phosphorescent binuclear iridium complexes based on terpyridine-carboxylate: an experimental and theoretical study. *Inorg Chem* 50: 8197-8206. <http://dx.doi.org/10.1021/ic200704s>.
- Anfossi, L; Calderara, M; Baggiani, C; Giovannoli, C; Arletti, E; Giraudi, G. (2008). Development and application of solvent-free extraction for the detection of aflatoxin M1 in dairy products by enzyme immunoassay. *J Agric Food Chem* 56: 1852-1857. <http://dx.doi.org/10.1021/jf073133d>.
- Anger, F; Scholz, R; Gerlach, A; Schreiber, F. (2015). Vibrational modes and changing molecular conformation of perfluororubrene in thin films and solution. *J Chem Phys* 142: 224703. <http://dx.doi.org/10.1063/1.4922052>.

## Human Health Hazard Literature Search Results

### Off Topic

- Angin, D; Altintig, E; Köse, TE. (2013). Influence of process parameters on the surface and chemical properties of activated carbon obtained from biochar by chemical activation. *Bioresour Technol* 148: 542-549. <http://dx.doi.org/10.1016/j.biortech.2013.08.164>.
- Anish, C; Upadhyay, AK; Sehgal, D; Panda, AK. (2014). Influences of process and formulation parameters on powder flow properties and immunogenicity of spray dried polymer particles entrapping recombinant pneumococcal surface protein A. *Int J Pharm* 466: 198-210. <http://dx.doi.org/10.1016/j.ijpharm.2014.03.025>.
- Anitha, N; Palaniandavar, M. (2011). Mononuclear iron(III) complexes of 3N ligands in organized assemblies: spectral and redox properties and attainment of regioselective extradiol dioxygenase activity. *Dalton Transactions (Online)* 40: 1888-1901. <http://dx.doi.org/10.1039/c0dt01012j>.
- Antalick, G; Perello, MC; de Revel, G. (2010). Development, validation and application of a specific method for the quantitative determination of wine esters by headspace-solid-phase microextraction-gas chromatography-mass spectrometry. *Food Chem* 121: 1236-1245. <http://dx.doi.org/10.1016/j.foodchem.2010.01.011>.
- Antia, BS; Ita, BN; Udo, UE. (2015). Nutrient Composition and In Vitro Antioxidant Properties of Harungana madagascariensis Stembark Extracts. *J Med Food* 18: 609-614. <http://dx.doi.org/10.1089/jmf.2014.0084>.
- Antoine, C; Pimienta, V. (2013). Mass-spring model of a self-pulsating drop. *Langmuir* 29: 14935-14946. <http://dx.doi.org/10.1021/la403678r>.
- Antoniadis, CD; D'Oria, E; Karamertzanis, PG; Tocher, DA; Florence, AJ; Price, SL; Jones, AG. (2010). A computationally inspired investigation of the solid forms of (R)-1-phenylethylammonium-(S)-2-phenylbutyrate. *Chirality* 22: 447-455. <http://dx.doi.org/10.1002/chir.20761>.
- Antony, J; Saikia, M; Vinod, V; Nath, LR; Katiki, MR; Murty, MS; Paul, A; Shabna, A; Chandran, H; Joseph, SM; Nishanth, KS; Panakkal, EJ; Sriramya, I; Sridivya, I; Ran, S; Sankar, S; Rajan, E; Anto, RJ. (2015). DW-F5: A novel formulation against malignant melanoma from *Wrightia tinctoria*. *Sci Rep* 5: 11107. <http://dx.doi.org/10.1038/srep11107>.
- Antu, KA; Riya, MP; Mishra, A; Anilkumar, KS; Chandrakanth, CK; Tamrakar, AK; Srivastava, AK; Raghu, KG. (2014). Antidiabetic property of *Symplocos cochinchinensis* is mediated by inhibition of alpha glucosidase and enhanced insulin sensitivity. *PLoS ONE* 9: e105829. <http://dx.doi.org/10.1371/journal.pone.0105829>.
- Antunes, N; Cavalli, RC; Marques, MP; Lanchote, VL. (2013). Stereoselective determination of metoprolol and its metabolite  $\alpha$ -hydroxymetoprolol in plasma by LC-MS/MS: application to pharmacokinetics during pregnancy. *Chirality* 25: 1-7. <http://dx.doi.org/10.1002/chir.22102>.
- Anugraha, G; Madhumathi, J; Jeya Prita, PJ; Kaliraj, P. (2015). Biodegradable poly-L-lactide based microparticles as controlled release delivery system for filarial vaccine candidate antigens. *Eur J Pharmacol* 747: 174-180. <http://dx.doi.org/10.1016/j.ejphar.2014.12.004>.
- Anwar, MA; Vorkas, PA; Li, JV; Shalhoub, J; Want, EJ; Davies, AH; Holmes, E. (2015). Optimization of metabolite extraction of human vein tissue for ultra performance liquid chromatography-mass spectrometry and nuclear magnetic resonance-based untargeted metabolic profiling. *Analyst* 140: 7586-7597. <http://dx.doi.org/10.1039/c5an01041a>.
- Anwer, M, dK. (2015). Dissolution Thermodynamics and Solubility of Atenolol in Seven Different Solvents Useful in Dosage Form Design. *Lat Am J Pharm* 34: 1571-1575.
- Aotake, T; Suzuki, M; Tahara, K; Kuzuhara, D; Aratani, N; Tamai, N; Yamada, H. (2015). An Optically and Thermally Switchable Electronic Structure Based on an Anthracene-BODIPY Conjugate. *Chemistry* 21: 4966-4974. <http://dx.doi.org/10.1002/chem.201406384>.
- Aouiche, A; Bijani, C; Zitouni, A; Mathieu, F; Sabaou, N. (2014). Antimicrobial activity of saquayamycins produced by *Streptomyces* spp. PAL114 isolated from a Saharan soil. *Journal de Mycologie Medicale* 24: e17-e23. <http://dx.doi.org/10.1016/j.mycmed.2013.09.001>.
- Apak, R; Güçlü, K; Ozyürek, M; Bektaşoğlu, B; Bener, M. (2010). Cupric ion reducing antioxidant capacity assay for antioxidants in human serum and for hydroxyl radical scavengers. *Methods Mol Biol* 594: 215-239. [http://dx.doi.org/10.1007/978-1-60761-411-1\\_15](http://dx.doi.org/10.1007/978-1-60761-411-1_15).
- Apinan, R; Choemung, A; Na-Bangchang, K. (2010). A sensitive HPLC-ESI-MS-MS method for the determination of cotinine in urine. *J Chromatogr Sci* 48: 460-465.
- Appadath Beeran, A; Maliyakkal, N; Rao, CM; Udupa, N. (2014). The enriched fraction of *Vernonia cinerea* L. induces apoptosis and inhibits multi-drug resistance transporters in human epithelial cancer cells. *J Ethnopharmacol* 158 Pt A: 33-42. <http://dx.doi.org/10.1016/j.jep.2014.10.010>.
- Aqil, F; Jeyabalan, J; Kausar, H; Bansal, SS; Sharma, RJ; Singh, IP; Vadhanam, MV; Gupta, RC. (2012). Multi-layer polymeric implants for sustained release of chemopreventives. *Cancer Lett* 326: 33-40. <http://dx.doi.org/10.1016/j.canlet.2012.07.017>.
- Aquino, AA; Borges, I; Nieman, R; Köhn, A; Lischka, H. (2014). Intermolecular interactions and charge transfer transitions in aromatic hydrocarbon-tetracyanoethylene complexes. *Phys Chem Chem Phys* 16: 20586-20597. <http://dx.doi.org/10.1039/c4cp02900c>.
- Ara, K; Kaiser, MA; Rahman, MS; Chowdhury, SR; Islam, F; Rashid, MA. (2012). Antimicrobial Constituents from *Garuga pinnata* Roxb. *Lat Am J Pharm* 31: 1071-1073.
- Aral, H; Aral, T; Ziyadanoğulları, B; Ziyadanoğulları, R. (2013). Development of a novel amide-silica stationary phase for the reversed-phase HPLC separation of different classes of phytohormones. *Talanta* 116: 155-163. <http://dx.doi.org/10.1016/j.talanta.2013.05.007>.
- Aranyi, A; Ilisz, I; Peter, A; Fueleop, F; West, C. (2015). Exploring the enantioseparation of amino-naphthol analogues by supercritical fluid chromatography. *J Chromatogr A* 1387: 123-133. <http://dx.doi.org/10.1016/j.chroma.2015.01.084>.
- Araújo, CR; Silva, RR; Silva, TM; Takahashi, JA; Sales-Junior, PA; Dessimoni-Pinto, NA; Souza-Fagundes, EM; Romanha, AJ; Murta, SM; Alcântara, AF. (2016). Constituents from stem barks of *Luehea ochrophylla* Mart and evaluation of their antiparasitic, antimicrobial, and antioxidant activities. *Nat Prod Res* 1-6. <http://dx.doi.org/10.1080/14786419.2016.1266346>.
- Araújo, PV; Teixeira, KI; Lanza, LD; Cortes, ME; Poletto, LT. (2009). In vitro lethal photosensitization of *S. mutans* using methylene blue and toluidine blue O as photosensitizers. *Acta Odontol Latinoam* 22: 93-97.

## Human Health Hazard Literature Search Results

### Off Topic

- Arbeláez, P; Borrull, F; Maria Marcé, R; Pocurull, E. (2014). Simultaneous determination of drugs of abuse and their main metabolites using pressurized liquid extraction and liquid chromatography-tandem mass spectrometry. *Talanta* 125: 65-71. <http://dx.doi.org/10.1016/j.talanta.2014.02.053>.
- Arcís-Castillo, Z; Muñoz, MC; Molnár, G; Bousseksou, A; Real, JA. (2013). [Fe(TPT)(2/3){M(I)(CN)2}2]-nSolv (M(I) = Ag, Au): new bimetallic porous coordination polymers with spin-crossover properties. *Chemistry* 19: 6851-6861. <http://dx.doi.org/10.1002/chem.201203559>.
- Arcus-Arth, A; Blaisdell, RJ. (2007). Statistical distributions of daily breathing rates for narrow age groups of infants and children. *Risk Anal* 27: 97-110. <http://dx.doi.org/10.1111/j.1539-6924.2006.00862.x>.
- Ardalan, MR; Estakhri, R; Hajipour, B; Ansarin, K; Asl, NA; Nasirizade, MR; Azar, AN; Ghorbanihaghjou, A; Vatankhah, AM; Esmaili, HA. (2013). Erythropoietin ameliorates oxidative stress and tissue injury following renal ischemia/reperfusion in rat kidney and lung. *22*: 70-74. <http://dx.doi.org/10.1159/000340060>.
- Areche, C; Rojas-Alvarez, F; Campos-Briones, C; Lima, C; Pérez, EG; Sepúlveda, B. (2013). Further mulinane diterpenoids from *Azorella compacta*. *J Pharm Pharmacol* 65: 1231-1238. <http://dx.doi.org/10.1111/jphp.12083>.
- Aremu, AO; Amoo, SO; Ndhlala, AR; Finnie, JF; Van Staden, J. (2011). Antioxidant activity, acetylcholinesterase inhibition, iridoid content and mutagenic evaluation of *Leucosidea sericea*. *Food Chem Toxicol* 49: 1122-1128. <http://dx.doi.org/10.1016/j.fct.2011.02.003>.
- Aremu, AO; Fawole, OA; Chukwujekwu, JC; Light, ME; Finnie, JF; Van Staden, J. (2010). In vitro antimicrobial, anthelmintic and cyclooxygenase-inhibitory activities and phytochemical analysis of *Leucosidea sericea*. *J Ethnopharmacol* 131: 22-27. <http://dx.doi.org/10.1016/j.jep.2010.05.043>.
- Ares, AM; Nozal, MJ; Bernal, J. (2013). Extraction, chemical characterization and biological activity determination of broccoli health promoting compounds [Review]. *J Chromatogr A* 1313: 78-95. <http://dx.doi.org/10.1016/j.chroma.2013.07.051>.
- Argemí, A; Vega, A; Subra-Paternault, P; Saurina, J. (2009). Characterization of azacytidine/poly(L-lactic) acid particles prepared by supercritical antisolvent precipitation. *J Pharm Biomed Anal* 50: 847-852. <http://dx.doi.org/10.1016/j.jpba.2009.07.006>.
- Ariafard, A; Hyland, CJ; Canty, AJ; Sharma, M; Yates, BF. (2011). Theoretical investigation into the mechanism of reductive elimination from bimetallic palladium complexes. *Inorg Chem* 50: 6449-6457. <http://dx.doi.org/10.1021/ic102323s>.
- Arihara, R; Kakita, K; Suzuki, N; Nakamura, S; Hashimoto, S. (2015). Glycosylation with 2-Acetamido-2-deoxyglycosyl Donors at a Low Temperature: Scope of the Non-Oxazoline Method. *J Org Chem* 80: 4259-4277. <http://dx.doi.org/10.1021/acs.joc.5b00138>.
- Aristimuño Ficooseco, ME; Vattuone, MA; Audenaert, K; Catalán, CA; Sampietro, DA. (2014). Antifungal and antimycotoxigenic metabolites in *Anacardiaceae* species from northwest Argentina: isolation, identification and potential for control of *Fusarium* species. *J Appl Microbiol* 116: 1262-1273. <http://dx.doi.org/10.1111/jam.12436>.
- Arjona-Esteban, A; Stolte, M; Würthner, F. (2016). Conformational Switching of  $\pi$ -Conjugated Junctions from Merocyanine to Cyanine States by Solvent Polarity. *Angew Chem Int Ed Engl* 55: 2470-2473. <http://dx.doi.org/10.1002/anie.201510620>.
- Arnold, A; Limberg, C; Metzinger, R. (2012). Chiral tripodal ligand containing three N-heterocyclic donor functions and its copper complexes: crystallization of [LCu(I)]<sub>2</sub>(2+)/[L<sub>2</sub>Cu(II)](2+) stereoisomers and tyrosinase activity. *Inorg Chem* 51: 12210-12217. <http://dx.doi.org/10.1021/ic301391s>.
- Arriaga, AMC; Feitosa, EMA; Lemos, TLG; Santiago, GMP; Lima, JQ; de Oliveira, MCF; Vasconcelos, JN, e; Rodrigues, FEA; Gomes, TBM; Braz Filho, R. (2008). Chemical Constituents and Insecticidal Activity of *Rollinia leptopetala* (Annonaceae). *Natural Product Communications* 3: 1687-1688.
- Arrowsmith, RL; Atkin, AJ; Botchway, SW; Fairlamb, I; Lynam, JM; Moir, JWB; Pascu, SI; Ward, JS; Zhang, W. (2015). Confocal and fluorescence lifetime imaging sheds light on the fate of a pyrene-tagged carbon monoxide-releasing Fischer carbene chromium complex. *Dalton Trans* 44: 4957-4962. <http://dx.doi.org/10.1039/c4dt03312d>.
- Arroyo, J; Bonilla, P; Moreno-Exebio, L; Ronceros, G; Tomás, G; Huamán, J; Ruez, E; Quino, M; Rodríguez-Calzado, J. (2013). [Gastroprotective and antisecretory effect of a phytochemical made from matico leaves (*Piper aduncum*)]. *Rev Peru Med Exp Salud Publica* 30: 608-615.
- Asakawa, Y; Takahashi, H; Kobayashi, M; Iwasaki, N. (2013). Effect of components and surface treatments of fiber-reinforced composite posts on bond strength to composite resin. *Journal of the Mechanical Behavior of Biomedical Materials* 26: 23-33. <http://dx.doi.org/10.1016/j.jmbbm.2013.05.022>.
- Asano, K; Matsubara, S. (2009). Amphiphilic organocatalyst for Schotten-Baumann-type tosylation of alcohols under organic solvent free condition. *Org Lett* 11: 1757-1759. <http://dx.doi.org/10.1021/ol900125y>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Asensio-Ramos, M; Hernández-Borges, J; Ravelo-Pérez, LM; Rodríguez-Delgado, MA. (2008). Simultaneous determination of seven pesticides in waters using multi-walled carbon nanotube SPE and NACE. *Electrophoresis* 29: 4412-4421. <http://dx.doi.org/10.1002/elps.200800254>.
- Asgeirsdottir, GH; Sigurdardottir, V; Gunnarsdottir, S; Sigurbjörnsson, E; Traustadottir, R; Kelly, E; Young, T; Vivat, B. (2015). Spiritual well-being and quality of life among Icelanders receiving palliative care: data from Icelandic pilot-testing of a provisional measure of spiritual well-being from the European Organisation for Research and Treatment of Cancer. *European Journal of Cancer Care Online*. <http://dx.doi.org/10.1111/ecc.12394>.

## Human Health Hazard Literature Search Results

### Off Topic

- Asghar, N; Naqvi, SA; Hussain, Z; Rasool, N; Khan, ZA; Shahzad, SA; Sherazi, TA; Janjua, MR; Nagra, SA; Zia-Ul-Haq, M; Jaafar, HZ. (2016). Compositional difference in antioxidant and antibacterial activity of all parts of the *Carica papaya* using different solvents. *Chemistry Central Journal* 10: 5. <http://dx.doi.org/10.1186/s13065-016-0149-0>.
- Ashafa, AOT; Afolayan, AJ. (2009). Screening the root extracts from *Biden pilosa* L. var. *radiata* (Asteraceae) for antimicrobial potentials. *Journal of Medicinal Plant Research* 3: 568-572.
- Ashalatha, K; Venkateswarlu, Y; Priya, AM; Lalitha, P; Krishnaveni, M; Jayachandran, S. (2010). Anti inflammatory potential of *Decalepis hamiltonii* (Wight and Arn) as evidenced by down regulation of pro inflammatory cytokines-TNF-alpha and IL-2. *J Ethnopharmacol* 130: 167-170. <http://dx.doi.org/10.1016/j.jep.2010.04.022>.
- Ashidi, JS; Houghton, PJ; Hylands, PJ; Efferth, T. (2010). Ethnobotanical survey and cytotoxicity testing of plants of South-western Nigeria used to treat cancer, with isolation of cytotoxic constituents from *Cajanus cajan* Millsp. leaves. *J Ethnopharmacol* 128: 501-512. <http://dx.doi.org/10.1016/j.jep.2010.01.009>.
- Ashok Kumar, D; Palanichamy, V; Roopan, SM. (2014). Photocatalytic action of AgCl nanoparticles and its antibacterial activity. *J Photochem Photobiol B* 138: 302-306. <http://dx.doi.org/10.1016/j.jphotobiol.2014.06.011>.
- Ashour, ML; El-Readi, MZ; Hamoud, R; Eid, SY; El Ahmady, SH; Nibret, E; Herrmann, F; Youns, M; Tahrani, A; Kaufmann, D; Wink, M. (2014). Anti-infective and cytotoxic properties of *Bupleurum marginatum*. *Chinese Medicine* 9: 4. <http://dx.doi.org/10.1186/1749-8546-9-4>.
- Ashour, ML; El-Readi, MZ; Tahrani, A; Eid, SY; Wink, M. (2012). A novel cytotoxic aryltetraline lactone from *Bupleurum marginatum* (Apiaceae). *Phytochemistry Letters* 5: 387-392. <http://dx.doi.org/10.1016/j.phytol.2012.03.009>.
- Ashraf-Khorassani, M; Yan, Q; Akin, A; Riley, F; Aurigemma, C; Taylor, LT. (2015). Feasibility of correlating separation of ternary mixtures of neutral analytes via thin layer chromatography with supercritical fluid chromatography in support of green flash separations. *J Chromatogr A* 1418: 210-217. <http://dx.doi.org/10.1016/j.chroma.2015.09.025>.
- Asikoglu, M; Durak, FG. (2009). The rabbit biodistribution of a therapeutic dose of zoledronic acid labeled with Tc-99m. *67: 1616-1621*. <http://dx.doi.org/10.1016/j.apradiso.2009.04.009>.
- Asim, M; Hussien, H; Poveda, L; Arnason, JT; Durst, T. (2010). Triterpenoids from the bark of *Ruptiliocarpon caracolito*. *Phytochemistry* 71: 1418-1422. <http://dx.doi.org/10.1016/j.phytochem.2010.04.020>.
- Asiri, AM; Ahmed, SA; El-Daly, SA; Hussein, MA; Al-Solimy, AM; Osman, OI; Shaaban, MR; Althagafi, II. (2015). Synthesis, Spectral Characteristics and DFT Studies of the New Dye 2,7-diacetyl-9-((dimethylamino)methylene)-9H-fluorene (DMMF) in Different Solvents. *J Fluoresc* 25: 1303-1314. <http://dx.doi.org/10.1007/s10895-015-1618-x>.
- Asker, E; Masnovi, J. (2009). Charge-transfer complexations of 1,n-di(9-ethylcarbazol-3-yl)alkanes with tetracyanoethylene and tetranitromethane. *Spectrochim Acta A Mol Biomol Spectrosc* 71: 1973-1978. <http://dx.doi.org/10.1016/j.saa.2008.07.034>.
- Aslanidis, P; Cox, PJ; Tsiapis, AC. (2010). Structural and electronic properties of luminescent copper(I) halide complexes of bis[2-(diphenylphosphano)phenyl] ether (DPEphos). Crystal structure of [CuCl(DPEphos)(dmpymtH)]. *Dalton Transactions (Online)* 39: 10238-10248. <http://dx.doi.org/10.1039/c0dt00286k>.
- Aslantas, M; Tümer, M; Sahin, E. (2008). Spectroscopic, thermal and voltammetric studies of crystalline complex trans-N,N'-bis(salicylidene)-1',2'-cyclohexanediamine with Cu(II). *Spectrochim Acta A Mol Biomol Spectrosc* 71: 263-268. <http://dx.doi.org/10.1016/j.saa.2007.12.015>.
- Asnaashari, S; Heshmati Afshar, F; Bamdad Moghadam, S; Delazar, A. (2016). Evaluation of In Vitro Antimalarial Activity of Different Extracts of *Eremostachys azerbaijanica* Rech.f. *Iranian Journal of Pharmaceutical Research* 15: 523-529.
- Asnaashari, S; Heshmati Afshar, F; Ebrahimi, A; Bamdad Moghadam, S; Delazar, A. (2015). In vitro antimalarial activity of different extracts of *Eremostachys macrophylla* Montbr. & Auch. *5: 135-140*. <http://dx.doi.org/10.15171/bi.2015.17>.
- Aspée, A; Alarcon, E; Pino, E; Gorelsky, SI; Scaiano, JC. (2012). Coumarin 314 free radical cation: formation, properties, and reactivity toward phenolic antioxidants. *J Phys Chem A* 116: 199-206. <http://dx.doi.org/10.1021/jp207100q>.
- Assayag, M; Gerstenblith, G; Stern, MD; Horowitz, M. (2010). Long- but not short-term heat acclimation produces an apoptosis-resistant cardiac phenotype: a lesson from heat stress and ischemic/reperfusion insults. *Cell Stress Chaperones* 15: 651-664. <http://dx.doi.org/10.1007/s12192-010-0178-x>.
- Assayag, M; Saada, A; Gerstenblith, G; Canaana, H; Shlomai, R; Horowitz, M. (2012). Mitochondrial performance in heat acclimation--a lesson from ischemia/reperfusion and calcium overload insults in the heart. *Am J Physiol Regul Integr Comp Physiol* 303: R870-R881. <http://dx.doi.org/10.1152/ajpregu.00155.2012>.
- Atanasov, AG; Blunder, M; Fakhruddin, N; Liu, X; Noha, SM; Malainer, C; Kramer, MP; Cocic, A; Kunert, O; Schinkovitz, A; Heiss, EH; Schuster, D; Dirsch, VM; Bauer, R. (2013). Polyacetylenes from *Notopterygium incisum*--new selective partial agonists of peroxisome proliferator-activated receptor-gamma. *PLoS ONE* 8: e61755. <http://dx.doi.org/10.1371/journal.pone.0061755>.
- Ateschrang, A; Albrecht, D; Schröter, S; Hirt, B; Weise, K; Dolderer, JH. (2011). Septic arthritis of the knee: presentation of a novel irrigation-suction system tested in a cadaver study. *BMC Musculoskelet Disord* 12: 180. <http://dx.doi.org/10.1186/1471-2474-12-180>.
- Athanasakis, G; Aliagannis, N; Gonou-Zagou, Z; Skaltsounis, AL; Fokialakis, N. (2013). Antioxidant properties of the wild edible mushroom *Lactarius salmonicolor*. *J Med Food* 16: 760-764. <http://dx.doi.org/10.1089/jmf.2012.0297>.
- Atjanasuppat, K; Wongkham, W; Meepowpan, P; Kittakooop, P; Sobhon, P; Bartlett, A; Whitfield, PJ. (2009). In vitro screening for anthelmintic and antitumour activity of ethnomedicinal plants from Thailand. *J Ethnopharmacol* 123: 475-482. <http://dx.doi.org/10.1016/j.jep.2009.03.010>.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data* 1: 1-246.

## Human Health Hazard Literature Search Results

### Off Topic

- Atsafack, SS; Kuate, J. R.; Mouokeu, RS; Koanga Mogtomo, ML; Tchinda, AT; De Dieu, TJ; Magnifouet Nana, H; Ebelle Etame, RM; Biyiti, L; Ngono Ngane, RA. (2015). Toxicological studies of stem bark extract from *Schefflera barteri* Harms (Araliaceae). *BMC Complement Altern Med* 15: 44. <http://dx.doi.org/10.1186/s12906-015-0581-z>.
- Atsbeha, T; Mohammed, AM; Redi-Abshiro, M. (2010). Excitation wavelength dependence of dual fluorescence of DMABN in polar solvents. *J Fluoresc* 20: 1241-1248. <http://dx.doi.org/10.1007/s10895-010-0675-4>.
- Attioua, B; Yeo, D; Lagnika, L; Harisol, R; Antheaume, C; Weniger, B; Kaiser, M; Lobstein, A; Vonthron-Senecheau, C. (2012). In vitro antileishmanial, antiplasmodial and cytotoxic activities of a new ventiloquinone and five known triterpenes from *Parinari excelsa*. *Pharmaceutical Biology* 50: 801-806. <http://dx.doi.org/10.3109/13880209.2011.633270>.
- Au, VK; Tsang, DP; Wong, KM; Chan, MY; Zhu, N; Yam, VW. (2013). Functionalized bis-cyclometalated alkynylgold(III) complexes: synthesis, characterization, electrochemistry, photophysics, photochemistry, and electroluminescence studies. *Inorg Chem* 52: 12713-12725. <http://dx.doi.org/10.1021/ic4019212>.
- Au, VK; Wong, KM; Zhu, N; Yam, VW. (2009). Luminescent cyclometalated N-heterocyclic carbene-containing organogold(III) complexes: synthesis, characterization, electrochemistry, and photophysical studies. *J Am Chem Soc* 131: 9076-9085. <http://dx.doi.org/10.1021/ja9027692>.
- Au, VK; Wong, KM; Zhu, N; Yam, VW. (2011). Luminescent cyclometalated dialkynylgold(III) complexes of 2-phenylpyridine-type derivatives with readily tunable emission properties. *Chemistry* 17: 130-142. <http://dx.doi.org/10.1002/chem.201001965>.
- Audhya, A; Bhattacharya, K; Maity, M; Chaudhury, M. (2010). Building metallacrown topology around a discrete [M(3)(mu(3)-O)] (M = Ni(II) and Pd(II)) core using oximate oxygen linkers: synthesis, structures, and spectroscopic characterization of a new family of compounds with an inverse-9-MC-3 motif. *Inorg Chem* 49: 5009-5015. <http://dx.doi.org/10.1021/ic100179q>.
- Avelar, FF; Bianchi, ML; Goncalves, M; da Mota, EG. (2010). The use of piassava fibers (*Attalea funifera*) in the preparation of activated carbon. *Bioresour Technol* 101: 4639-4645. <http://dx.doi.org/10.1016/j.biortech.2010.01.103>.
- Awale, S; Ueda, JY; Athikomkulchai, S; Abdelhamed, S; Yokoyama, S; Saiki, I; Miyatake, R. (2012). Antiausterity agents from *Uvaria dac* and their preferential cytotoxic activity against human pancreatic cancer cell lines in a nutrient-deprived condition. *J Nat Prod* 75: 1177-1183. <http://dx.doi.org/10.1021/np300295h>.
- Awang, K; Abdullah, NH; Hadi, AH; Fong, YS. (2012). Cardiovascular activity of labdane diterpenes from *Andrographis paniculata* in isolated rat hearts. *J Biomed Biotechnol* 2012: 876458. <http://dx.doi.org/10.1155/2012/876458>.
- Awasthi, R; Kulkarni, GT; Pawar, VK; Garg, G. (2012). Optimization Studies on Gastroretentive Floating System Using Response Surface Methodology. *AAPS PharmSciTech* 13: 85-93. <http://dx.doi.org/10.1208/s12249-011-9730-y>.
- Awe, EO; Adeloye, A; Idowu, T; Olajide, OA; Makinde, J. (2008). Antinociceptive effect of *Russelia equisetiformis* leave extracts: identification of its active constituents. *Phytomedicine* 15: 301-305. <http://dx.doi.org/10.1016/j.phymed.2007.03.012>.
- Aydin, GO; Sonmez, HB. (2015). Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. *Mar Pollut Bull* 96: 155-164. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.033>.
- Aydogan, E; Comoglu, T; Pehlivanoglu, B; Dogan, M; Comoglu, S; Dogan, A; Basci, N. (2015). Process and formulation variables of pregabalin microspheres prepared by w/o/o double emulsion solvent diffusion method and their clinical application by animal modeling studies. *Drug Dev Ind Pharm* 41: 1311-1320. <http://dx.doi.org/10.3109/03639045.2014.948452>.
- Aydoğmuş, Z; Sari, F; Ulu, ST. (2012). Spectrofluorimetric determination of aliskiren in tablets and spiked human plasma through derivatization with dansyl chloride. *J Fluoresc* 22: 549-556. <http://dx.doi.org/10.1007/s10895-011-0988-y>.
- Ayhan, MM; Altınbaş Özpınar, G; Durmuş, M; Gürek, AG. (2013). Effects of position ( $\alpha$  or  $\beta$ ) and linker heteroatom (O or S) of substituent on the photophysicochemical behavior of poly(oxyethylene) substituted ZnPcs and assessment of J-aggregation or protonation using TD-DFT computations. *Dalton Transactions (Online)* 42: 14892-14904. <http://dx.doi.org/10.1039/c3dt51549d>.
- Ayissi Owona, B; Njyou, NF; Laufer, S; Moundipa, PF; Schluesener, HJ. (2013). A fraction of stem bark extract of *Entada africana* suppresses lipopolysaccharide-induced inflammation in RAW 264.7 cells. *J Ethnopharmacol* 149: 162-168. <http://dx.doi.org/10.1016/j.jep.2013.06.016>.
- Aymamí, N; Granero, R; Penelo, E; Fernández-Aranda, F; Krug, I; Gunnard, K; Santamaría, JJ; Bueno, B; Jaurrieta, N; Gómez-Peña, M; Álvarez-Moya, E; Claes, L; Fagundo, AB; Menchón, JM; Jiménez-Murcia, S. (2014). Anger in pathological gambling: clinical, psychopathological, and personality correlates. *Span J Psychol* 17: E39. <http://dx.doi.org/10.1017/sjp.2014.40>.
- Azadi, P. (2008). In-gel digestion and o-linked oligosaccharide profiling of two samples.
- Azadi, P. (2008). Linkage analysis of n-linked oligosaccharide of glycoprotein 1317042.
- Azadi, P. (2008). Oligosaccharide profiling of jurkat cell pellets.
- Azadi, P. (2008). Oligosaccharide profiling of membrane protein from *tetrahymena thermophila*.
- Azadi, P. (2008). O-linked oligosaccharide profiling and linkage analysis of one sample.
- Azadi, P. (2008). O-linked oligosaccharide profiling of 3 samples.
- Azadi, P. (2008). O-linked oligosaccharide profiling of six samples.
- Azadi, P. (2008). O-linked oligosaccharide profiling of two samples.
- Azadi, P. (2008). Structural analysis of n-linked oligosaccharides.
- Azadi, P. (2008). Structural analysis of n-linked oligosaccharides in 1317046 glycoprotein.
- Azadi, P. (2008). Structural analysis of n-linked oligosaccharides in 1317046 glycoprotein.
- Azadi, P. (2008). Structural analysis of oligosaccharides in cmf 21b glycoprotein.
- Azadi, P. (2008). Structural analysis of o-linked oligosaccharides.

## Human Health Hazard Literature Search Results

### Off Topic

- Azadi, P. (2008). Structural analysis of n-linked oligosacchrides.
- Azadi, P. (2009). Oligosaccharide profiling of human milk fraction 2.
- Azam, F; Qadir, MI; Uzair, M; Ahmad, B. (2013). Evaluation of Antibacterial and Antifungal Activity of *Ficus carica* and *Cassia fistula*. *Lat Am J Pharm* 32: 1412-1414.
- Azambuja, MI; Foppa, M; Maranhão, MF; Achutti, AC. (2008). Economic burden of severe cardiovascular diseases in Brazil: an estimate based on secondary data. *Arq Bras Cardiol* 91: 148-155, 163-171.
- Azarian, A; Iraj Zad, A; Dolati, A; Ghorbani, M. (2008). Surface plasmon resonance of two-segmented Au-Cu nanorods. *Nanotechnology* 19: 415705. <http://dx.doi.org/10.1088/0957-4484/19/41/415705>.
- Azerang, P; Sardari, S. (2012). Antifungal activity of enynediesters and acetylenic compounds obtained by synthesis and in silico prediction pattern. *Journal de Mycologie Medicale* 22: 230-236. <http://dx.doi.org/10.1016/j.mycmed.2012.06.001>.
- Azevedo, L; Faqueti, L; Kritsanida, M; Efsthathiou, A; Smirlis, D; Franchi, GC; Genta-Jouve, G; Michel, S; Sandjo, LP; Grougnet, R; Biavatti, MW. (2016). Three new trixane glycosides obtained from the leaves of *Jungia sellowii* Less. using centrifugal partition chromatography. *Beilstein Journal of Organic Chemistry* 12: 674-683. <http://dx.doi.org/10.3762/bjoc.12.68>.
- Aziz, AN; Ibrahim, H; Rosmy Syamsir, D; Mohtar, M; Vejayam, J; Awang, K. (2013). Antimicrobial compounds from *Alpinia conchigera*. *J Ethnopharmacol* 145: 798-802. <http://dx.doi.org/10.1016/j.jep.2012.12.024>.
- Aziz, S; Aziz, S; Rehman, HU; Andleeb, S. (2015). Biological screening of *Elaeagnus umbellata* Thunb. *Pak J Pharm Sci* 28: 65-70.
- Azizi, M; Chizzola, R; Ghani, A; Oroojalian, F. (2010). Composition at Different Development Stages of the Essential Oil of Four *Achillea* Species Grown in Iran. *Natural Product Communications* 5: 283-290.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Azuma, T; Kayano, S, i; Matsumura, Y; Konishi, Y; Tanaka, Y; Kikuzaki, H. (2011). Antimutagenic and  $\alpha$ -glucosidase inhibitory effects of constituents from *Kaempferia parviflora*. *Food Chem* 125: 471-475. <http://dx.doi.org/10.1016/j.foodchem.2010.09.033>.
- Azzam, F; Siqueira, E; Fort, S; Hassaini, R; Pignon, F; Travelet, C; Putaux, JL; Jean, B. (2016). Tunable Aggregation and Gelation of Thermoresponsive Suspensions of Polymer-Grafted Cellulose Nanocrystals. *Biomacromolecules* 17: 2112-2119. <http://dx.doi.org/10.1021/acs.biomac.6b00344>.
- Azzouzi, S; Zaabat, N; Medjroubi, K; Akkal, S; Benlabeled, K; Smati, F; Dijoux-Franca, MG. (2014). Phytochemical and biological activities of *Bituminaria bituminosa* L. (Fabaceae). *Asian Pacific Journal of Tropical Medicine* 7: S481-S484. [http://dx.doi.org/10.1016/S1995-7645\(14\)60278-9](http://dx.doi.org/10.1016/S1995-7645(14)60278-9).
- Baba, H; Usifoh, CO; Igbinauwu, PO. (2014). Synthesis, Anti-inflammatory and Anti-nociceptive Evaluation of Palmitoyl Benzamides. *Tropical Journal of Pharmaceutical Research* 13: 1127-1132. <http://dx.doi.org/10.4314/tjpr.v13i7.17>.
- Babak, VG; Baros, F; Boury, F; Desbrieres, J. (2008). Dilational viscoelasticity and relaxation properties of interfacial electrostatic complexes between oppositely charged hydrophobic and hydrophilic polyelectrolytes. *Colloids Surf B Biointerfaces* 65: 43-49. <http://dx.doi.org/10.1016/j.colsurfb.2008.02.019>.
- Babchishin, KM; Nunes, KL; Hermann, CA. (2013). The Validity of Implicit Association Test (IAT) measures of sexual attraction to children: a meta-analysis. *Arch Sex Behav* 42: 487-499. <http://dx.doi.org/10.1007/s10508-012-0022-8>.
- Babij, C; Farrar, DH; Poë, AJ; Tunik, SP. (2008). Kinetic study of the reaction of  $[Rh(6)(CO)(16)]$  with  $NO(2)(-)$ : insertion of the nitrogen atom into a Rh(6) cluster core. *Dalton Trans* 5922-5929. <http://dx.doi.org/10.1039/b808666d>.
- Babu, DSR; Neeharika, V; Pallavi, V; Reddy, BM. (2009). Antidiarrheal activity of *Cynodon Dactylon*. *pers. Pharmacognosy Magazine* 5: 23-27.
- Babu, MA; Shukla, R; Nath, C; Kaskhedikar, SG. (2012). Synthesis and biological evaluation of ester derivatives of indomethacin as selective COX-2 inhibitors. *Medicinal Chemistry Research* 21: 2223-2228. <http://dx.doi.org/10.1007/s00044-011-9747-5>.
- Bacelli, C; Martinsen, A; Morel, N; Quetin-Leclercq, J. (2010). Vasorelaxant activity of essential oils from *Croton zambesicus* and some of their constituents. *Planta Med* 76: 1506-1511. <http://dx.doi.org/10.1055/s-0030-1249820>.
- Bachman, RE; Zuccherro, AJ; Robinson, JL. (2012). General approach to low-molecular-weight metallogelators via the coordination-induced gelation of an L-glutamate-based lipid. *Langmuir* 28: 27-30. <http://dx.doi.org/10.1021/la203569y>.
- Backe, WJ; Yingling, V; Johnson, T. (2014). The determination of acrylamide in environmental and drinking waters by large-volume injection - hydrophilic-interaction liquid chromatography and tandem mass spectrometry. *J Chromatogr A* 1334: 72-78. <http://dx.doi.org/10.1016/j.chroma.2014.02.005>.
- Backhouse, N; Rosales, L; Apablaza, C; Goity, L; Erazo, S; Negrete, R; Theodoluz, C; Rodríguez, J; Delporte, C. (2008). Analgesic, anti-inflammatory and antioxidant properties of *Buddleja globosa*, *Buddlejaceae*. *J Ethnopharmacol* 116: 263-269. <http://dx.doi.org/10.1016/j.jep.2007.11.025>.
- Badawi, JK. (2012). [Radionuclide therapy for the treatment of skeletal metastases of urological malignancies: a forgotten therapy?] [Review]. *Dtsch Med Wochenschr* 137: 1645-1649. <http://dx.doi.org/10.1055/s-0032-1305201>.
- Badawy, MA; Kamel, AO; Sasmour, OA. (2016). Use of biorelevant media for assessment of a poorly soluble weakly basic drug in the form of liquid compact: in vitro and in vivo study. *Drug Deliv* 23: 818-827. <http://dx.doi.org/10.3109/10717544.2014.917442>.
- Baddeley, TC; Mccaffrey, J; Storey, JM; Cheung, JK; Melis, V; Horsley, D; Harrington, CR; Wischik, CM. (2015). Complex disposition of methylthioninium redox forms determines efficacy in tau aggregation inhibitor therapy for Alzheimer's disease. *J Pharmacol Exp Ther* 352: 110-118. <http://dx.doi.org/10.1124/jpet.114.219352>.
- Badens, E; Majerik, V; Horváth, G; Szokonya, L; Bosc, N; Teillaud, E; Charbit, G. (2009). Comparison of solid dispersions produced by supercritical antisolvent and spray-freezing technologies. *Int J Pharm* 377: 25-34. <http://dx.doi.org/10.1016/j.ijpharm.2009.04.047>.



## Human Health Hazard Literature Search Results

### Off Topic

- Bader, A; Martini, F; Schinella, GR; Rios, JL; Prieto, JM. (2015). Modulation of Cox-1, 5-, 12- and 15-Lox by popular herbal remedies used in southern Italy against psoriasis and other skin diseases. 29: 108-113. <http://dx.doi.org/10.1002/ptr.5234>.
- Badin, AL; Faure, P; Bedell, JP; Delolme, C. (2008). Distribution of organic pollutants and natural organic matter in urban storm water sediments as a function of grain size. *Sci Total Environ* 403: 178-187. <http://dx.doi.org/10.1016/j.scitotenv.2008.05.022>.
- Badr, H; Paxton, RJ; Ater, JL; Urbauer, D; Demark-Wahnefried, W. (2011). Health behaviors and weight status of childhood cancer survivors and their parents: similarities and opportunities for joint interventions. 111: 1917-1923. <http://dx.doi.org/10.1016/j.jada.2011.09.004>.
- Badr, JM; Bamane, FH; El-Shaer, NS. (2012). APPLICATION OF HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHY FOR DETERMINATION OF NICOTINE IN DIFFERENT BRANDS OF CIGARETTES. *Journal of Liquid Chromatography and Related Technologies* 35: 1213-1221. <http://dx.doi.org/10.1080/10826076.2011.619031>.
- Bagalkotkar, G; Chuan, TS; Khalivulla, SI; Hamzah, AS; Shaari, K; Lajis, NH; Saad, MS; Stanslas, J. (2011). Isolation and cytotoxicity of triterpenes from the roots of *Phyllanthus pulcher* Wall. ex Mull. *Arg. (Euphorbiaceae)*. 5: 183-188.
- Bagatela, BS; Lopes, AP; Fonseca, FL; Andreo, MA; Nanayakkara, DN; Bastos, JK; Perazzo, FF. (2013). Evaluation of antimicrobial and antimalarial activities of crude extract, fractions and 4-nerolidylcatechol from the aerial parts of *Piper umbellata* L. (Piperaceae). *Nat Prod Res* 27: 2202-2209. <http://dx.doi.org/10.1080/14786419.2013.821123>.
- Baghdikian, B; Mahiou-Leddet, V; Bory, S; Bun, S; Dumetre, A; Mabrouki, F; Hutter, S; Azas, N; Ollivier, E. (2013). New antiplasmodial alkaloids from *Stephania rotunda*. *J Ethnopharmacol* 145: 381-385. <http://dx.doi.org/10.1016/j.jep.2012.10.052>.
- Bagherifam, S; Griffiths, GW; Mælandsmo, GM; Nyström, B; Hasirci, V; Hasirci, N. (2015). Poly(sebacic anhydride) nanocapsules as carriers: effects of preparation parameters on properties and release of doxorubicin. *J Microencapsul* 32: 166-174. <http://dx.doi.org/10.3109/02652048.2014.973073>.
- Bagla, VP; Mcgaw, LJ; Eloff, JN. (2012). The antiviral activity of six South African plants traditionally used against infections in ethnoveterinary medicine. *Vet Microbiol* 155: 198-206. <http://dx.doi.org/10.1016/j.vetmic.2011.09.015>.
- Bahrami, G; Mohammadi, B. (2008). Enhancement of Fluorescence Intensity of Tramadol and Its Main Metabolites in LC Using Pre-Column Derivatization with 9-Fluorenylmethyl Chloroformate. *Chromatographia* 68: 935-940. <http://dx.doi.org/10.1365/s10337-008-0806-0>.
- Bahremand, A; Nasrabad, SE; Ziai, P; Rahimian, R; Hedayat, T; Payandemehr, B; Dehpour, AR. (2010). Involvement of nitric oxide-cGMP pathway in the anticonvulsant effects of lithium chloride on PTZ-induced seizure in mice. *Epilepsy Res* 89: 295-302. <http://dx.doi.org/10.1016/j.eplepsyres.2010.02.001>.
- Bai, G; Yu, C; Cheng, C; Hao, E; Wei, Y; Mu, X; Jiao, L. (2014). Syntheses and photophysical properties of BF<sub>2</sub> complexes of curcumin analogues. *Org Biomol Chem* 12: 1618-1626. <http://dx.doi.org/10.1039/c3ob42201a>.
- Bai, J; Liu, S; Xie, F; Liu, H; Xia, Q. (2010). [Analysis of volatile and semi-volatile compounds in tobacco using off-line combination of liquid chromatography and capillary gas chromatography-mass spectrometry]. *Sepu* 28: 608-614.
- Bai, MK; Guo, Y; Bian, BD; Dong, H; Wang, T; Luo, F; Wen, FQ; Cui, CY. (2011). [Integripetal rhodiola herb attenuates high altitude-induced pulmonary arterial remodeling and expression of vascular endothelial growth factor in rats]. *Sheng Li Xue Bao* 63: 143-148.
- Bai, N; Cui, XY; Wang, J; Sun, CG; Mei, HK; Liang, BB; Cai, Y; Song, XJ; Gu, JK; Wang, R. (2013). Determination of thalidomide concentration in human plasma by liquid chromatography-tandem mass spectrometry. *Exp Ther Med* 5: 626-630. <http://dx.doi.org/10.3892/etm.2012.847>.
- Bailey, BM; Fei, R; Munoz-Pinto, D; Hahn, MS; Grunlan, MA. (2012). PDMS(star)-PEG hydrogels prepared via solvent-induced phase separation (SIPS) and their potential utility as tissue engineering scaffolds. *Acta Biomater* 8: 4324-4333. <http://dx.doi.org/10.1016/j.actbio.2012.07.034>.
- Bailey, BM; Hui, V; Fei, R; Grunlan, MA. (2011). Tuning PEG-DA hydrogel properties via solvent-induced phase separation (SIPS)(). *J Mater Chem* 21: 18776-18782. <http://dx.doi.org/10.1039/C1JM13943F>.
- Bailón, L; Nikolausz, M; Kästner, M; Veiga, MC; Kennes, C. (2009). Removal of dichloromethane from waste gases in one- and two-liquid-phase stirred tank bioreactors and biotrickling filters. *Water Res* 43: 11-20. <http://dx.doi.org/10.1016/j.watres.2008.09.031>.
- Bak, JP; Cho, YM; Kim, I; Park, DW; Kwon, JE; Jeong, YJ; Kwak, JH; Kang, SC. (2016). Inhibitory effects of norlignans isolated from *Anemarrhena asphodeloides* on degranulation of rat basophilic leukemia- 2H3Cells. *Biomed Pharmacother* 84: 1061-1066. <http://dx.doi.org/10.1016/j.biopha.2016.10.039>.
- Bakalbassiz, EG; Malamidou-Xenikaki, E; Spyroudis, S; Xantheas, SS. (2010). Dimerization of indanedione ketene to spiro-oxetanone: a theoretical study. *J Org Chem* 75: 5499-5504. <http://dx.doi.org/10.1021/jo100500u>.
- Bakardjiev, M; Štíbr, B; Holub, J; Padělková, Z; Růžička, A. (2013). Carbon insertion into arachno-6,9-C<sub>2</sub>B<sub>8</sub>H<sub>14</sub> via acyl chlorides. skeletal alkylcarbonation (SAC) reactions: a new route for tricarbolides. *Inorg Chem* 52: 9087-9093. <http://dx.doi.org/10.1021/ic401293g>.
- Bakas, I; Ouji, NB; Moczko, E; Istamboulie, G; Piletsky, S; Piletska, E; Ait-Addi, E; Ait-Ichou, I; Noguer, T; Rouillon, R. (2013). Computational and experimental investigation of molecular imprinted polymers for selective extraction of dimethoate and its metabolite omethoate from olive oil. *J Chromatogr A* 1274: 13-18. <http://dx.doi.org/10.1016/j.chroma.2012.11.061>.
- Bakht, J; Shaheen, S; Shafi, M. (2014). Antimicrobial potentials of *Mentha longifolia* by disc diffusion method. *Pak J Pharm Sci* 27: 939-945.
- Bakir, M; Lawrence, MA; Mcbean, S. (2015). Spectroscopic and electrochemical properties of group 12 acetates of di-2-pyridylketone thiophene-2-carboxylic acid hydrazone (dpkthc-H) complexes. The structure of [Cd(η<sup>3</sup>-N,N,O-dpkthc-H)<sub>2</sub>]. *Spectrochim Acta A Mol Biomol Spectrosc* 146: 323-330. <http://dx.doi.org/10.1016/j.saa.2015.03.079>.
- Bakoma, B; Berké, B; Eklu-Gadegbeku, K; Agbonon, A; Aklikokou, K; Gbeassor, M; Moore, N. (2014). Effect of *Bridelia ferruginea* Benth (Euphorbiaceae) ethyl acetate and acetone fractions on insulin resistance in fructose drinking mice. *J Ethnopharmacol* 153: 896-899. <http://dx.doi.org/10.1016/j.jep.2014.03.065>.

## Human Health Hazard Literature Search Results

### Off Topic

- Balagurova, EV; Pisareva, IV; Smol'yakov, AF; Dolgushin, FM; Godovikov, IA; Chizhevsky, IT. (2016). Distorted com-mo-Cobaltacarboranes Based on the 5,6-Dicarba-nido-decaborane(12): The First Bimetal Cobalt-Copper Zwitterion-Containing Cluster with Four (B-H)4...Cu Bonds Not Showing Fluxional Behavior in Solution. *Inorg Chem* 55: 11193-11200. <http://dx.doi.org/10.1021/acs.inorgchem.6b01823>.
- Balakrishna, MS; Venkateswaran, R; Mague, JT. (2010). Transition metal chemistry of cyclodiphosphanes containing phosphine and amide-phosphine functionalities: formation of a stable dipalladium(II) complex containing a Pd-P  $\sigma$ -bond. *Dalton Transactions (Online)* 39: 11149-11162. <http://dx.doi.org/10.1039/c0dt00614a>.
- Balamurugan, M; Mayilmurugan, R; Suresh, E; Palaniandavar, M. (2011). Nickel(II) complexes of tripodal 4N ligands as catalysts for alkane oxidation using m-CPBA as oxidant: ligand stereoelectronic effects on catalysis. *Dalton Transactions (Online)* 40: 9413-9424. <http://dx.doi.org/10.1039/c1dt10902b>.
- Balamurugan, M; Suresh, E; Palaniandavar, M. (2016). Non-heme  $\mu$ -Oxo- and bis( $\mu$ -carboxylato)-bridged diiron(III) complexes of a 3N ligand as catalysts for alkane hydroxylation: stereoelectronic factors of carboxylate bridges determine the catalytic efficiency. *Dalton Transactions (Online)* 45: 11422-11436. <http://dx.doi.org/10.1039/c6dt01059h>.
- Balasanthiran, V; Chisholm, MH; Choojun, K; Durr, CB. (2014). Ethyl 2-hydroxy-2-methylpropanoate derivatives of magnesium and zinc. The effect of chelation on the homo- and copolymerization of lactide and  $\epsilon$ -caprolactone. *Dalton Transactions (Online)* 43: 2781-2788. <http://dx.doi.org/10.1039/c3dt52553h>.
- Balboa, EM; Li, YX; Ahn, BN; Eom, SH; Domínguez, H; Jiménez, C; Rodríguez, J. (2015). Photodamage attenuation effect by a tetraprenyltoluquinol chromane meroterpenoid isolated from *Sargassum muticum*. *J Photochem Photobiol B* 148: 51-58. <http://dx.doi.org/10.1016/j.jphotobiol.2015.03.026>.
- Baldé, ES; Megalizzi, V; Traoré, MS; Cos, P; Maes, L; Decaestecker, C; Pieters, L; Baldé, AM. (2010). In vitro antiprotozoal, antimicrobial and antitumor activity of *Pavetta crassipes* K. Schum leaf extracts. *J Ethnopharmacol* 130: 529-535. <http://dx.doi.org/10.1016/j.jep.2010.05.042>.
- Balderas, JL; Reza, V; Ugalde, M; Guzmán, L; Serrano, MI; Aguilar, A; Navarrete, A. (2008). Pharmacodynamic interaction of the sedative effects of *Ternstroemia pringlei* (Rose) Standl. with six central nervous system depressant drugs in mice. *J Ethnopharmacol* 119: 47-52. <http://dx.doi.org/10.1016/j.jep.2008.05.035>.
- Balevičius, V; Gdaniec, Z; Džiaugys, L; Kuliešius, F; Maršalka, A. (2011). <sup>1</sup>H, <sup>13</sup>C NMR and DFT Study of Hydrogen Bonding in Imidazolium-based Ionic Liquids. *Acta Chim Slov* 58: 458-464.
- Balint, E; Kallai, M; Kovacs, O; Boelcskei, H; Keglevich, G. (2014). O-Arylation of Iodophenols with 2-Fluorobenzaldehyde Under Microwave Conditions. *Letters in Drug Design & Discovery* 11: 114-120.
- Ballester, P; Gil-Ramírez, G. (2009). Molecular recognition and self-assembly special feature: Self-assembly of dimeric tetraurea calix[4]pyrrole capsules. *Proc Natl Acad Sci USA* 106: 10455-10459. <http://dx.doi.org/10.1073/pnas.0809612106>.
- Bandara, KA; Kumar, V; Ninkovic, V; Ahmed, E; Pettersson, J; Glinwood, R. (2009). Can leek interfere with bean plant-bean fly interaction? Test of ecological pest management in mixed cropping. *J Econ Entomol* 102: 999-1008.
- Bandari, S; Gannu, R; Naidu, KVS; Yamsani, MR, ao. (2008). High performance liquid chromatographic determination of fenoverine in human serum: Application to pharmacokinetic study. *Journal of Liquid Chromatography and Related Technologies* 31: 2101-2112. <http://dx.doi.org/10.1080/10826070802225379>.
- Bandounas, L; Pinkse, M; de Winde, JH; Ruijsenaars, HJ. (2013). Identification of a quinone dehydrogenase from a *Bacillus* sp. involved in the decolourization of the lignin-model dye, Azure B. *N Biotechnol* 30: 196-204. <http://dx.doi.org/10.1016/j.nbt.2012.04.003>.
- Banerji, N; Bhosale, SV; Petkova, I; Langford, SJ; Vauthey, E. (2011). Ultrafast excited-state dynamics of strongly coupled porphyrin/core-substituted-naphthalenediimide dyads. *Phys Chem Chem Phys* 13: 1019-1029. <http://dx.doi.org/10.1039/c0cp01544j>.
- Banger, KK; Foster, JR; Lock, EA; Reed, CJ. (1994). Immunohistochemical localisation of six glutathione S-transferases within the nasal cavity of the rat. *Arch Toxicol* 69: 91-98.
- Baniadam, S; Rahiminejad, MR; Ghannadian, M; Saeidi, H; Ayatollahi, AM; Aghaei, M. (2014). Cycloartane Triterpenoids from *Euphorbia Macrostegia* with their Cytotoxicity against MDA-MB48 and MCF-7 Cancer Cell Lines. *Iranian Journal of Pharmaceutical Research* 13: 135-141.
- Banjerdpongchai, R; Wuotiwai, B; Sringarm, K. (2014). Cytotoxic and apoptotic-inducing effects of purple rice extracts and chemotherapeutic drugs on human cancer cell lines. *Asian Pac J Cancer Prev* 14: 6541-6548.
- Bansal, T; Awasthi, A; Jaggi, M; Khar, RK; Talegaonkar, S. (2008). Development and validation of reversed phase liquid chromatographic method utilizing ultraviolet detection for quantification of irinotecan (CPT-11) and its active metabolite, SN-38, in rat plasma and bile samples: application to pharmacokinetic studies. *Talanta* 76: 1015-1021. <http://dx.doi.org/10.1016/j.talanta.2008.04.058>.
- Bao, D; Millare, B; Xia, W; Steyer, BG; Gerasimenko, AA; Ferreira, A; Contreras, A; Vullev, VI. (2009). Electrochemical oxidation of ferrocene: a strong dependence on the concentration of the supporting electrolyte for nonpolar solvents. *J Phys Chem A* 113: 1259-1267. <http://dx.doi.org/10.1021/jp809105f>.
- Bapela, MJ; Meyer, JJ; Kaiser, M. (2014). In vitro antiplasmodial screening of ethnopharmacologically selected South African plant species used for the treatment of malaria. *J Ethnopharmacol* 156: 370-373. <http://dx.doi.org/10.1016/j.jep.2014.09.017>.
- Baratelli, T, deG; Candido Gomes, AC; Wessjohann, LA; Kuster, RM; Simas, NK. (2012). Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). *Biochemical Systematics and Ecology* 41: 119-125. <http://dx.doi.org/10.1016/j.bse.2011.12.008>.
- Barati, K; Clegg, W; Habibi, MH; Harrington, RW; Lalegani, A; Montazerzohori, M. (2016). Synthesis and crystal structure of the dinuclear copper(II) Schiff base complex  $\mu$ -hydroxido- $\mu$ -chlorido-bis{[bis(trans-2-nitrocinnamaldehyde)ethylenediamine]chloridocopper(II)} dichloromethane sesquisolvate. *72: 239-242*. <http://dx.doi.org/10.1107/S2053229616003144>.

## Human Health Hazard Literature Search Results

### Off Topic

- Baratta, W; Barbato, C; Magnolia, S; Siega, K; Rigo, P. (2010). Chiral and nonchiral [OsX<sub>2</sub>(diphosphane)(diamine)] (X: Cl, OCH<sub>2</sub>CF<sub>3</sub>) complexes for fast hydrogenation of carbonyl compounds. *Chemistry* 16: 3201-3206. <http://dx.doi.org/10.1002/chem.200902809>.
- Barbosa, AF; Sangiorgi, BB; Galdino, SL; Barral-Netto, M; Pitta, IR; Pinheiro, AL. (2012). Photodynamic antimicrobial chemotherapy (PACT) using phenothiazine derivatives as photosensitizers against *Leishmania braziliensis*. *Lasers Surg Med* 44: 850-855. <http://dx.doi.org/10.1002/lsm.22099>.
- Barbosa, AF; Silva, KCB; de Oliveira, MCC; de Carvalho, MG; Srur, AUO, S. (2016). Effects of *Acmella oleracea* methanolic extract and fractions on the tyrosinase enzyme. *Revista Brasileira de Farmacognosia* 26: 321-325. <http://dx.doi.org/10.1016/j.bjp.2016.01.004>.
- Barboza, TJ; Ferreira, AF; Ignacio, AC; Albarello, N. (2015). Antimicrobial activity of *Anonna mucosa* (Jacq.) grown in vivo and obtained by in vitro culture. *Brazilian Journal of Microbiology* 46: 785-789. <http://dx.doi.org/10.1590/S1517-838246320140468>.
- Barcellona, MN; Johnson, N; Bernards, MT. (2015). Characterizing Drug Release from Nonfouling Polyampholyte Hydrogels. *Langmuir* 31: 13402-13409. <http://dx.doi.org/10.1021/acs.langmuir.5b03597>.
- Barenbaum, E; Smith, T. (2016). Social support as a protective factor for children impacted by HIV/AIDS across varying living environments in southern Africa. *AIDS Care* 28 Suppl 2: 92-99. <http://dx.doi.org/10.1080/09540121.2016.1176683>.
- Barnes, SC. (2013). Measurement of aldosterone in blood. *Methods Mol Biol* 1065: 227-234. [http://dx.doi.org/10.1007/978-1-62703-616-0\\_14](http://dx.doi.org/10.1007/978-1-62703-616-0_14).
- Barreto, HM; Coelho, BR; Menezes-Silva, SM; Siqueira-Júnior, JP; Coutinho, HD; Lemos, IC; Sousa, TO; Silva, RA; Medeiros, M, d; Citó, AM; Lopes, JA. (2014). Light-mediated antibacterial activity of *Lippia origanoides* H.B.K. in vitro. *Photochem Photobiol Sci* 13: 1650-1654. <http://dx.doi.org/10.1039/c4pp00334a>.
- Barrett, AM; Dehghani, F; Foster, NR. (2008). Increasing the dissolution rate of itraconazole processed by gas antisolvent techniques using polyethylene glycol as a carrier. *Pharm Res* 25: 1274-1289. <http://dx.doi.org/10.1007/s11095-007-9479-x>.
- Bartolomé, C; Ramiro, Z; Pérez-Galán, P; Bour, C; Raducan, M; Echavarren, AM; Espinet, P. (2008). Gold(I) complexes with hydrogen-bond supported heterocyclic carbenes as active catalysts in reactions of 1,6-enynes. *Inorg Chem* 47: 11391-11397. <http://dx.doi.org/10.1021/ic801446v>.
- Barut, F; Ozacmak, VH; Turan, I; Sayan-Ozacmak, H; Aktunc, E. (2016). Reduction of Acute Lung Injury by Administration of Spironolactone After Intestinal Ischemia and Reperfusion in Rats. *Clinical and Investigative Medicine (Online)* 39: E15-E24.
- Basavaiah, K; Abdulrahman, SA. (2012). Application of ion-pair complexation reaction for the spectrophotometric determination of bupropion hydrochloride in pharmaceuticals. *Drug Testing and Analysis* 4: 486-492. <http://dx.doi.org/10.1002/dta.266>.
- Baše, T; Bastl, Z; Havránek, V; Macháček, J; Langecker, J; Malina, V. (2012). Carboranedithiols: building blocks for self-assembled monolayers on copper surfaces. *Langmuir* 28: 12518-12526. <http://dx.doi.org/10.1021/la302334x>.
- Basiri, K; Etemadifar, M; Derakhshan, F; Ashtari, F; Shaygannejad, V; Fatehi, Z; Maghzi, AH; Fatehi, F. (2012). Interferon-beta in pediatric multiple sclerosis patients: safety in short-term prescription. *Acta Medica Iranica* 50: 97-100.
- Baskar, GV; Narayanan, N; Gaikwad, R; Abdul, S. (2010). Formulation and Evaluation of Gastro-retentive Floating Multi-particulate System of Metoprolol Tartarate. *Tropical Journal of Pharmaceutical Research* 9: 181-186.
- Baskar, R; Subramanian, K. (2011). Synthesis, characterization and fluorescence studies of novel bi-phenyl based acrylate and methacrylate. *Spectrochim Acta A Mol Biomol Spectrosc* 79: 1992-1997. <http://dx.doi.org/10.1016/j.saa.2011.05.105>.
- Basnett, CR; Hanish, MJ; Wheeler, TJ; Miriovsky, DJ; Danielson, EL; Barr, JB; Grindstaff, TL. (2013). Ankle dorsiflexion range of motion influences dynamic balance in individuals with chronic ankle instability. *8*: 121-128.
- Başoğlu, A; Parlayan, S; Ocak, M; Alp, H; Kantekin, H; Ozdemir, M; Ocak, U. (2009). Selective recognition of cobalt (II) ion by a new cryptand compound with N<sub>2</sub>O<sub>2</sub>S<sub>2</sub> donor atom possessing 2-hydroxy-1-naphthylidene Schiff base moiety. *J Fluoresc* 19: 655-662. <http://dx.doi.org/10.1007/s10895-008-0458-3>.
- Basu, M; Sinha, AK; Pradhan, M; Sarkar, S; Negishi, Y; Pal, T. (2010). Evolution of hierarchical hexagonal stacked plates of CuS from liquid-liquid interface and its photocatalytic application for oxidative degradation of different dyes under indoor lighting. *Environ Sci Technol* 44: 6313-6318. <http://dx.doi.org/10.1021/es101323w>.
- Bataineh, SM; Saadoun, I; Hameed, KM; Ababneh, Q. (2008). Screening for soil streptomycetes from North Jordan that can produce herbicidal compounds. *Pol J Microbiol* 57: 297-305.
- Batista, R; Brandao, GC; Braga, FC; Oliveira, AB. (2009). Cytotoxicity of *Wedelia paludosa* DC extracts and constituents. *Revista Brasileira de Farmacognosia* 19: 36-40.
- Batke, S; Kothe, T; Haas, M; Wadepohl, H; Ballmann, J. (2016). Diamidophosphines with six-membered chelates and their coordination chemistry with group 4 metals: development of a trimethylene-methane-tethered [PN<sub>2</sub>]-type "molecular claw". *Dalton Transactions (Online)* 45: 3528-3540. <http://dx.doi.org/10.1039/c5dt04911c>.
- Batovska, DI; Todorova, IT; Nedelcheva, DV; Parushev, SP; Atanassov, AI; Hvarleva, TD; Djakova, GJ; Bankova, VS; Popov, SS. (2008). Preliminary study on biomarkers for the fungal resistance in *Vitis vinifera* leaves. *J Plant Physiol* 165: 791-795. <http://dx.doi.org/10.1016/j.jplph.2007.09.005>.
- Battistel, D; Piazza, R; Argiriadis, E; Marchiori, E; Radaelli, M; Barbante, C. (2015). GC-MS method for determining faecal sterols as biomarkers of human and pastoral animal presence in freshwater sediments. *Anal Bioanal Chem* 407: 8505-8514. <http://dx.doi.org/10.1007/s00216-015-8998-2>.
- Bauer, S; Singhuber, J; Seelinger, M; Unger, C; Viola, K; Vonach, C; Giessrigl, B; Madlener, S; Stark, N; Wallnofer, B; Wagner, KH; Fritzer-Szekeres, M; Szekeres, T; Diaz, R; Tut, F; Frisch, R; Feistel, B; Kopp, B; Krupitza, G; Popescu, R. (2011). Separation of anti-neoplastic activities by fractionation of a *Pluchea odorata* extract. *Frontiers in Bioscience (Elite Edition)* 3: 1326-1336.

## Human Health Hazard Literature Search Results

### Off Topic

- Baumgartner, L; Sosa, S; Atanasov, AG; Bodensieck, A; Fakhrudin, N; Bauer, J; Favero, GD; Ponti, C; Heiss, EH; Schwaiger, S; Ladurner, A; Widowitz, U; Loggia, RD; Rollinger, JM; Werz, O; Bauer, R; Dirsch, VM; Tubaro, A; Stuppner, H. (2011). Lignan derivatives from *Krameria lappacea* roots inhibit acute inflammation in vivo and pro-inflammatory mediators in vitro. *J Nat Prod* 74: 1779-1786. <http://dx.doi.org/10.1021/np200343t>.
- Baxter, DC; Faarinen, M; Österlund, H; Rodushkin, I; Christensen, M. (2011). Serum/plasma methylmercury determination by isotope dilution gas chromatography-inductively coupled plasma mass spectrometry. *Anal Chim Acta* 701: 134-138. <http://dx.doi.org/10.1016/j.aca.2011.06.012>.
- Bayram, T; Yilmaz, AH; Demir, M; Sonmez, B. (2011). Radiation dose to technologists per nuclear medicine examination and estimation of annual dose. *J Nucl Med Technol* 39: 55-59. <http://dx.doi.org/10.2967/jnmt.110.080358>.
- Bayramoglu, G; Altintas, B; Yilmaz, M; Arica, MY. (2011). Immobilization of chloroperoxidase onto highly hydrophilic polyethylene chains via bio-conjugation: catalytic properties and stabilities. *Bioresour Technol* 102: 475-482. <http://dx.doi.org/10.1016/j.biortech.2010.08.056>.
- Bazanov, B; Haas, Y. (2015). Solution photochemistry of [p-(dimethylamino)phenyl]pentazole (DMAPP) at 193 and 300 nm. *J Phys Chem A* 119: 2661-2671. <http://dx.doi.org/10.1021/jp509815y>.
- Beattie, C; North, M; Villuendas, P. (2011). Proline-catalysed amination reactions in cyclic carbonate solvents. *Molecules* 16: 3420-3432. <http://dx.doi.org/10.3390/molecules16043420>.
- Beaucham, CC; Fent, K; Wiegand, D; Seaton, M. (2016). Hazard Evaluation Report: HHE-2012-0238-3257, August 2016. Evaluation of Forensic Crime Lab Employees' Chemical Exposures, Job Stress, and Work-Related Health Concerns.
- Bebia, Z; Buch, SC; Wilson, JW; Frye, RF; Romkes, M; Cecchetti, A; Chaves-Gnecco, D; Branch, RA. (2004). Bioequivalence revisited: Influence of age and sex on CYP enzymes. *Clin Pharmacol Ther* 76: 618-627. <http://dx.doi.org/10.1016/j.clpt.2004.08.021>.
- Becalski, A; Stadler, R; Hayward, S; Kotello, S; Krakalovich, T; Lau, BP; Roscoe, V; Schroeder, S; Trelka, R. (2010). Antioxidant capacity of potato chips and snapshot trends in acrylamide content in potato chips and cereals on the Canadian market. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 27: 1193-1198. <http://dx.doi.org/10.1080/19440049.2010.483692>.
- Becouze, C; Wiest, L; Baudot, R; Bertrand-Krajewski, JL; Cren-Olivé, C. (2011). Optimisation of pressurised liquid extraction for the ultra-trace quantification of 20 priority substances from the European Water Framework Directive in atmospheric particles by GC-MS and LC-FLD-MS/MS. *Anal Chim Acta* 693: 47-53. <http://dx.doi.org/10.1016/j.aca.2011.03.008>.
- Beer, MF; Frank, FM; Germán Elso, O; Ernesto Bivona, A; Cerny, N; Giberti, G; Luis Malchiodi, E; Susana Martino, V; Alonso, MR; Patricia Sülsen, V; Cazorla, SI. (2016). Trypanocidal and leishmanicidal activities of flavonoids isolated from *Stevia satureiifolia* var. *satueiifolia*. *Pharmaceutical Biology* 54: 1-8. <http://dx.doi.org/10.3109/13880209.2016.1150304>.
- Beeran, AA; Maliyakkal, N; Rao, CM; Udupa, N. (2015). The enriched fraction of *Elephantopus scaber* Triggers apoptosis and inhibits multi-drug resistance transporters in human epithelial cancer cells. *Pharmacognosy Magazine* 11: 257-268. <http://dx.doi.org/10.4103/0973-1296.153077>.
- Beffagna, N; Riva, MA. (2011). Fusicoccin-induced catalase inhibitor is produced independently of H<sup>+</sup>-ATPase activation and behaves as an organic acid. *Physiol Plant* 142: 144-156. <http://dx.doi.org/10.1111/j.1399-3054.2011.01455.x>.
- Begum, NA; Mondal, S; Basu, S; Laskar, RA; Mandal, D. (2009). Biogenic synthesis of Au and Ag nanoparticles using aqueous solutions of Black Tea leaf extracts. *Colloids Surf B Biointerfaces* 71: 113-118. <http://dx.doi.org/10.1016/j.colsurfb.2009.01.012>.
- Behera, A; Sahoo, SK. (2012). Preparation and Evaluation of Glibenclamide-Loaded Biodegradable Nanoparticles. *Tropical Journal of Pharmaceutical Research* 11: 345-350. <http://dx.doi.org/10.4314/tjpr.v11i3.2>.
- Behzad, S; Ebrahim, K; Mosaddegh, M; Haeri, A. (2016). *Primula auriculata* Extracts Exert Cytotoxic and Apoptotic Effects against HT-29 Human Colon Adenocarcinoma Cells. *Iranian Journal of Pharmaceutical Research* 15: 311-322.
- Bejugam, N; Dengale, SJ; Shetty, R; Musmade, PB. (2014). New liquid chromatographic method for simultaneous quantification of Atovaquone and Proguanil with its active metabolite Cycloguanil in human plasma. *48: 83-92*. <http://dx.doi.org/10.5530/ijper.48.4s.11>.
- Bekir, J; Mars, M; Souchard, JP; Bouajila, J. (2013). Assessment of antioxidant, anti-inflammatory, anti-cholinesterase and cytotoxic activities of pomegranate (*Punica granatum*) leaves. *Food Chem Toxicol* 55: 470-475. <http://dx.doi.org/10.1016/j.fct.2013.01.036>.
- Bekrater-Bodmann, R; Chung, BY; Foell, J; Gescher, DM; Bohus, M; Flor, H. (2016). Body plasticity in borderline personality disorder: A link to dissociation. *Compr Psychiatry* 69: 36-44. <http://dx.doi.org/10.1016/j.comppsy.2016.05.002>.
- Belay, A. (2010). Measurement of integrated absorption cross-section, oscillator strength and number density of caffeine in coffee beans by integrated absorption coefficient technique. *Food Chem* 121: 585-590. <http://dx.doi.org/10.1016/j.foodchem.2009.12.052>.
- Belay, A; Ture, K; Redi, M; Asfaw, A. (2008). Measurement of caffeine in coffee beans with UV/vis spectrometer. *Food Chem* 108: 310-315. <http://dx.doi.org/10.1016/j.foodchem.2007.10.024>.
- Belemnaba, L; Ouédraogo, S; Auger, C; Chataigneau, T; Traore, A; Guissou, IP; Lugnier, C; Schini-Kerth, VB; Bucher, B. (2013). Endothelium-independent and endothelium-dependent vasorelaxation by a dichloromethane fraction from *Anogeissus leiocarpus* (DC) Guill. Et Perr. (Combretaceae): possible involvement of cyclic nucleotide phosphodiesterase inhibition. *African Journal of Traditional, Complementary and Alternative Medicines* 10: 173-179.
- Belguith-Hadriche, O; Bouaziz, M; Jamoussi, K; Simmonds, MS; El Feki, A; Makni-Ayedi, F. (2013). Comparative study on hypocholesterolemic and antioxidant activities of various extracts of fenugreek seeds. *Food Chem* 138: 1448-1453. <http://dx.doi.org/10.1016/j.foodchem.2012.11.003>.
- Bell, JR; Porrello, ER; Huggins, CE; Harrap, SB; Delbridge, LM. (2008). The intrinsic resistance of female hearts to an ischemic insult is abrogated in primary cardiac hypertrophy. *Am J Physiol Heart Circ Physiol* 294: H1514-H1522. <http://dx.doi.org/10.1152/ajpheart.01283.2007>.

## Human Health Hazard Literature Search Results

### Off Topic

- Bello, I; Usman, NS; Mahmud, R; Asmawi, MZ. (2015). Mechanisms underlying the antihypertensive effect of *Alstonia scholaris*. *J Ethnopharmacol* 175: 422-431. <http://dx.doi.org/10.1016/j.jep.2015.09.031>.
- Belmont, J; Molina, E; Lopez, A; Serrano, L; Martinez, A; Montero, R; Coballase, E; Cardenas, N; Huerta, B. (2010). Genotoxic damage, oxidative stress and xenobiotic metabolism changes produced by the exposure of the complex mixture of toluene, chloroform and methylene chloride. *Toxicol Lett* 196: S165-S166. <http://dx.doi.org/10.1016/j.toxlet.2010.03.567>.
- Belmont, JA; Lopez, AP; Molina, E; Serrano, L; Coballase, E; Cardenas, N; Medina, P; Montero, R. (2011). Co-Exposure to Chloroform, Dichloromethane and Toluene Induced Oxidative Stress and Xenobiotic Metabolism Changes but Not Genotoxic Damage. *Environ Mol Mutagen* 52: S79-S79.
- Belmont, JA; Serrano, L; Fanjul, ML; Prieto, J; Montero, RD. (2008). Study of genotoxicity and oxidative stress biomarkers in rats exposed to toluene, chloroform, methylene chloride and a mixture of them [Abstract]. *Environ Mol Mutagen* 49: 571.
- Belmont-Díaz, J; López-Gordillo, AP; Molina Garduño, E; Serrano-García, L; Coballase-Urrutia, E; Cárdenas-Rodríguez, N; Arellano-Aguilar, O; Montero-Montoya, RD. (2014). Micronuclei in bone marrow and liver in relation to hepatic metabolism and antioxidant response due to coexposure to chloroform, dichloromethane, and toluene in the rat model. *BioMed Res Int* 2014: 425070. <http://dx.doi.org/10.1155/2014/425070>.
- Ben Kahla-Nakbi, A; Haouas, N; El Ouaer, A; Guerbej, H; Ben Mustapha, K; Babba, H. (2010). Screening of antileishmanial activity from marine sponge extracts collected off the Tunisian coast. *Parasitol Res* 106: 1281-1286. <http://dx.doi.org/10.1007/s00436-010-1818-x>.
- Benabdallah, H; Gharzouli, K. (2015). Effects of flavone on the contractile activity of the circular smooth muscle of the rabbit middle colon in vitro. *Eur J Pharmacol* 760: 20-26. <http://dx.doi.org/10.1016/j.ejphar.2015.04.007>.
- Benchennouf, A; Grigorakis, S; Loupassaki, S; Kokkalou, E. (2017). Phytochemical analysis and antioxidant activity of *Lycium barbarum* (Goji) cultivated in Greece. *Pharmaceutical Biology* 55: 596-602. <http://dx.doi.org/10.1080/13880209.2016.1265987>.
- Bendera, M; Ekesi, S; Ndung'u, M; Srinivasan, R; Torto, B. (2015). A major host plant volatile, 1-octen-3-ol, contributes to mating in the legume pod borer, *Maruca vitrata* (Fabricius) (Lepidoptera: Crambidae). *Naturwissenschaften* 102: 47. <http://dx.doi.org/10.1007/s00114-015-1297-0>.
- Benedetti, E; Kocsis, LS; Brummond, KM. (2012). Synthesis and photophysical properties of a series of cyclopenta[b]naphthalene solvatochromic fluorophores. *J Am Chem Soc* 134: 12418-12421. <http://dx.doi.org/10.1021/ja3055029>.
- Bennett, MA; Bhargava, SK; Mirzadeh, N; Privér, SH; Wagler, J; Willis, AC. (2009). Synthesis and interconversions of digold(I), tetragold(I), digold(II), gold(I)-gold(III) and digold(III) complexes of fluorine-substituted aryl carbanions. *Dalton Transactions (Online)* 7537-7551. <http://dx.doi.org/10.1039/b906769h>.
- Benouagueni, S; Ranque, S; Gacemi Kirane, D. (2015). A non-polyenic antifungal produced by a *Streptomyces yatisensis* strain isolated from Mellah Lake in El Kala, North-East of Algeria. *Journal de Mycologie Medicale* 25: 2-10. <http://dx.doi.org/10.1016/j.mycmed.2014.10.002>.
- Benowitz, NL; Peng, M; Jacob, P. (2003). Effects of cigarette smoking and carbon monoxide on chlorzoxazone and caffeine metabolism. *Clin Pharmacol Ther* 74: 468-474. <http://dx.doi.org/10.1016/j.clpt.2003.07.001>.
- Bensenane, B; Asfari, Z; Platas-Iglesias, C; Esteban-Gómez, D; Djafri, F; Elhabiri, M; Charbonnière, LJ. (2016). Sulphur-rich functionalized calix[4]arenes for selective complexation of Hg(2+) over Cu(2+), Zn(2+) and Cd(2). *Dalton Transactions (Online)* 45: 15211-15224. <http://dx.doi.org/10.1039/c6dt02628a>.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Benvenuti, DF; Della Monache, F; Cechinel Filho, V; de Andrade, SF; Niero, R. (2016). Phytochemical Analysis and Gastroprotective Activity of the Root Bark from *Maytenus robusta*. *Natural Product Communications* 11: 597-599.
- Bera, S; Maity, S; Weyhermüller, T; Ghosh, P. (2016). Arylamino radical complexes of ruthenium and osmium: dual radical counter in a molecule. *Dalton Transactions (Online)* 45: 19428-19440. <http://dx.doi.org/10.1039/c6dt03728c>.
- Bera, S; Maity, S; Weyhermüller, T; Ghosh, P. (2016). Radical non-radical states of the [Ru(PIQ)] core in complexes (PIQ = 9,10-phenanthreneiminoquinone). *Dalton Transactions (Online)* 45: 8236-8247. <http://dx.doi.org/10.1039/c6dt00091f>.
- Berberich, M; Natali, M; Spent, P; Chiorboli, C; Scandola, F; Würthner, F. (2012). Nondestructive photoluminescence read-out by intramolecular electron transfer in a perylene bisimide-diarylethene dyad. *Chemistry* 18: 13651-13664. <http://dx.doi.org/10.1002/chem.201201484>.
- Berenguer, JR; Lalinde, E; Martín, A; Moreno, MT; Sánchez, S; Shahsavari, HR. (2016). Binuclear Complexes and Extended Chains Featuring Pt(II)-TI(I) Bonds: Influence of the Pyridine-2-Thiolate and Cyclometalated Ligands on the Self-Assembly and Luminescent Behavior. *Inorg Chem* 55: 7866-7878. <http://dx.doi.org/10.1021/acs.inorgchem.6b00699>.
- Bergamini, G; Ceroni, P; Balzani, V; Kandre, R; Lukin, O. (2009). Dendrimers with a pentaphenylene core: a photophysical study. *Chemphyschem* 10: 265-269. <http://dx.doi.org/10.1002/cphc.200800597>.
- Berger, I; Speare, R; Marantelli, G; Skerratt, LF. (2009). A zoospore inhibition technique to evaluate the activity of antifungal compounds against *Batrachochytrium dendrobatidis* and unsuccessful treatment of experimentally infected green tree frogs (*Litoria caerulea*) by fluconazole and benzalkonium chloride. *Res Vet Sci* 87: 106-110. <http://dx.doi.org/10.1016/j.rvsc.2008.11.005>.
- Bergeron, ZL; Chun, JB; Baker, MR; Sandall, DW; Peigneur, S; Yu, PY; Thapa, P; Milisen, JW; Tytgat, J; Livett, BG; Bingham, JP. (2013). A 'convenomic' analysis of the milked venom from the mollusk-hunting cone snail *Conus textile*--the pharmacological importance of post-translational modifications. *Peptides* 49: 145-158. <http://dx.doi.org/10.1016/j.peptides.2013.09.004>.
- Beristain-Montiel, E; Villalobos-Pietrini, R; Arias-Loaiza, GE; Gómez-Arroyo, SL; Amador-Muñoz, O. (2016). An innovative ultrasound assisted extraction micro-scale cell combined with gas chromatography/mass spectrometry in negative chemical ionization to determine

## Human Health Hazard Literature Search Results

### Off Topic

- persistent organic pollutants in air particulate matter. *J Chromatogr A* 1477: 100-107.  
<http://dx.doi.org/10.1016/j.chroma.2016.11.043>.
- Bernardo, M; Lapa, N; Gonçães, M; Barbosa, R; Mendes, B; Pinto, F; Gulyurtlu, I. (2010). Toxicity of char residues produced in the co-pyrolysis of different wastes. *Waste Manag In Press*, Corrected Proof: 628-635. <http://dx.doi.org/10.1016/j.wasman.2009.10.015>.
- Bernardo, MS; Lapa, N; Barbosa, R; Goncalves, M; Mendes, B; Pinto, F; Gulyurtlu, I. (2009). Chemical and ecotoxicological characterization of solid residues produced during the co-pyrolysis of plastics and pine biomass. *J Hazard Mater* 166: 309-317.  
<http://dx.doi.org/10.1016/j.jhazmat.2008.11.031>.
- Bernauer, U; Vieth, B; Ellrich, R; Heinrich-Hirsch, B; Janig, GR; Gundert-Remy, U. (2000). CYP2E1 expression in bone marrow and its intra- and interspecies variability: Approaches for a more reliable extrapolation from one species to another in the risk assessment of chemicals. *Arch Toxicol* 73: 618-624.
- Bero, J; Beaufay, C; Hannaert, V; Hérent, MF; Michels, PA; Quetin-Leclercq, J. (2013). Antitrypanosomal compounds from the essential oil and extracts of *Keetia leucantha* leaves with inhibitor activity on *Trypanosoma brucei* glyceraldehyde-3-phosphate dehydrogenase. *Phytomedicine* 20: 270-274. <http://dx.doi.org/10.1016/j.phymed.2012.10.010>.
- Bero, J; Ganfon, H; Jonville, MC; Frédéric, M; Gbaguidi, F; Demol, P; Moudachirou, M; Quetin-Leclercq, J. (2009). In vitro antiplasmodial activity of plants used in Benin in traditional medicine to treat malaria. *J Ethnopharmacol* 122: 439-444.  
<http://dx.doi.org/10.1016/j.jep.2009.02.004>.
- Bero, J; Hannaert, V; Chataigné, G; Hérent, MF; Quetin-Leclercq, J. (2011). In vitro antitrypanosomal and antileishmanial activity of plants used in Benin in traditional medicine and bio-guided fractionation of the most active extract. *J Ethnopharmacol* 137: 998-1002.  
<http://dx.doi.org/10.1016/j.jep.2011.07.022>.
- Bero, J; Hérent, MF; Schmeda-Hirschmann, G; Frédéric, M; Quetin-Leclercq, J. (2013). In vivo antimalarial activity of *Keetia leucantha* twigs extracts and in vitro antiplasmodial effect of their constituents. *J Ethnopharmacol* 149: 176-183.  
<http://dx.doi.org/10.1016/j.jep.2013.06.018>.
- Bertocco, P; Derendorf, J; Jenne, C; Kirsch, C. (2017). Improving the Solubility of Halogenated 1-Ammonio-closo-dodecaborate Anions. *Inorg Chem*. <http://dx.doi.org/10.1021/acs.inorgchem.6b03006>.
- Bertol, E; Vaiano, F; Di Milia, MG; Mari, F. (2015). In vivo detection of the new psychoactive substance AM-694 and its metabolites. *Forensic Sci Int* 256: 21-27. <http://dx.doi.org/10.1016/j.forsciint.2015.07.018>.
- Bessette, A; Ferreira, JG; Giguère, M; Bélanger, F; Désilets, D; Hanan, GS. (2012). Azadipyrromethene Dye Derivatives in Coordination Chemistry: the Structure-Property Relationship in Homoleptic Metal(II) Complexes. *Inorg Chem* 51: 12132-12141.  
<http://dx.doi.org/10.1021/ic300872m>.
- Bestani, B; Benderdouche, N; Benstaali, B; Belhakem, M; Addou, A. (2008). Methylene blue and iodine adsorption onto an activated desert plant. *Bioresour Technol* 99: 8441-8444. <http://dx.doi.org/10.1016/j.biortech.2008.02.053>.
- Bezerra, GP; Góis, RW; de Brito, TS; de Lima, FJ; Bandeira, MA; Romero, NR; Magalhães, PJ; Santiago, GM. (2013). Phytochemical study guided by the myorelaxant activity of the crude extract, fractions and constituent from stem bark of *Hymenaea courbaril* L. *J Ethnopharmacol* 149: 62-69. <http://dx.doi.org/10.1016/j.jep.2013.05.052>.
- Bhatia, SK; Mehta, PK; Bhatia, RK; Bhalla, TC. (2014). Optimization of arylacetoneitrilase production from *Alcaligenes* sp. MTCC 10675 and its application in mandelic acid synthesis. *Appl Microbiol Biotechnol* 98: 83-94. <http://dx.doi.org/10.1007/s00253-013-5288-9>.
- Bhatt, NM; Chavada, VD; Sanyal, M; Shrivastav, PS. (2017). Design of experiment assisted concurrent enantioseparation of bupropion and hydroxybupropion by high-performance thin-layer chromatography. *Chirality* 29: 80-88. <http://dx.doi.org/10.1002/chir.22673>.
- Bhattacharya, S; Haldar, PK. (2010). Evaluation of in vitro cytotoxic effect of *Trichosanthes dioica* root. *Pharmacognosy Res* 2: 355-358.  
<http://dx.doi.org/10.4103/0974-8490.75454>.
- Bhattacharya, S; Haldar, PK; Ghosh, AK. (2010). Paralytic and lethal effects of *Trichosanthes dioica* root extracts in experimental worms. *Pharmaceutical Biology* 48: 960-965. <http://dx.doi.org/10.3109/13880200903311144>.
- Bhattacharya, S; Sasmal, S; Carrella, L; Rentschler, E; Mohanta, S. (2014). Syntheses, crystal structures and magnetic properties of a series of  $\mu$ -phenoxo- $\mu$ 1,1-carboxylato- $\mu$ 1,3-carboxylato trinickel(II) compounds. *Dalton Transactions (Online)* 43: 12065-12076.  
<http://dx.doi.org/10.1039/c4dt00862f>.
- Bhaumik, U; Ghosh, A; Mandal, U; Chatterjee, B; Sarkar, AK; Bose, A; Ray, KK; Pal, TK. (2008). Determination of Drospirenone in Human Plasma by LC-Tandem-MS. *Chromatographia* 68: 713-720. <http://dx.doi.org/10.1365/s10337-008-0768-2>.
- Bhushan, R; Agarwal, C. (2008). Direct TLC Resolution of (+/-)-Ketamine and (+/-)-Lisinopril by Use of (+)-Tartaric Acid or (-)-Mandelic Acid as Impregnating Reagents or Mobile Phase Additives. Isolation of the Enantiomers. *Chromatographia* 68: 1045-1051.  
<http://dx.doi.org/10.1365/s10337-008-0856-3>.
- Bi, D; El-Zohry, AM; Hagfeldt, A; Boschloo, G. (2014). Improved morphology control using a modified two-step method for efficient perovskite solar cells. 6: 18751-18757. <http://dx.doi.org/10.1021/am504320h>.
- Bi, FHT; Kone, MW; Kouame, NF. (2008). Antifungal activity of *Erigeron floribundus* (Asteraceae) from Cote d'Ivoire, West Africa. *Tropical Journal of Pharmaceutical Research* 7: 975-979.
- Bi, W; Tian, M; Zhou, J; Row, KH. (2010). Task-specific ionic liquid-assisted extraction and separation of astaxanthin from shrimp waste. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2243-2248. <http://dx.doi.org/10.1016/j.jchromb.2010.06.034>.
- Bian, X; Chen, Z; Feng, L; Sun, B; Xiang, S; Liu, Y; Li, G; Chen, X. (2017). An Analytical Method for Determining Residual Lactide in Polylactide by Gas Chromatography. *Anal Sci* 33: 235-238. <http://dx.doi.org/10.2116/analsci.33.235>.

## Human Health Hazard Literature Search Results

### Off Topic

- Bianchi, E; Lessing, G; Brina, KR; Angeli, L; Andriguetti, NB; Peruzzo, J. R.; Do Nascimento, CA; Spilki, FR; Ziulkoski, AL; da Silva, LB. (2017). Monitoring the Genotoxic and Cytotoxic Potential and the Presence of Pesticides and Hydrocarbons in Water of the Sinos River Basin, Southern Brazil. *Arch Environ Contam Toxicol*. <http://dx.doi.org/10.1007/s00244-016-0334-0>.
- Biesiada, M; Kourkoumelis, N; Kubicki, M; Owczarzak, AM; Balas, V; Hadjikakou, SK. (2014). Fundamental chemistry of iodine. The reaction of diiodine towards thiourea and its methyl-derivative: formation of aminothiazoles and aminothiadiazoles through dicationic disulfides. *Dalton Transactions (Online)* 43: 4790-4806. <http://dx.doi.org/10.1039/c3dt53302f>.
- Bile, J; Bolzinger, MA; Vigne, C; Boyron, O; Valour, JP; Fessi, H; Chevalier, Y. (2015). The parameters influencing the morphology of poly( $\epsilon$ -caprolactone) microspheres and the resulting release of encapsulated drugs. *Int J Pharm* 494: 152-166. <http://dx.doi.org/10.1016/j.ijpharm.2015.07.068>.
- Billet, A; Luo, Y; Balghi, H; Hanrahan, JW. (2013). Role of tyrosine phosphorylation in the muscarinic activation of the cystic fibrosis transmembrane conductance regulator (CFTR). *J Biol Chem* 288: 21815-21823. <http://dx.doi.org/10.1074/jbc.M113.479360>.
- Billig, E. (2001). Butyl alcohols. In RE Kirk; DF Othmer (Eds.), (4th, Online ed., pp. 393-402). New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.0221202502091212.a01.pub2>.
- Bilski, PJ; Wolak, MA; Zhang, V; Moore, DE; Chignell, CF. (2009). Photochemical reactions involved in the phototoxicity of the anticonvulsant and antidepressant drug lamotrigine (Lamictal). *Photochem Photobiol* 85: 1327-1335. <http://dx.doi.org/10.1111/j.1751-1097.2009.00590.x>.
- Birari, R; Javia, V; Bhutani, KK. (2010). Antiobesity and lipid lowering effects of *Murraya koenigii* (L.) Spreng leaves extracts and mahanimbine on high fat diet induced obese rats. *Fitoterapia* 81: 1129-1133. <http://dx.doi.org/10.1016/j.fitote.2010.07.013>.
- Biruk, LN; Moretton, J; Fabrizio de Iorio, A; Weigandt, C; Etcheverry, J; Filippetto, J; Magdaleno, A. (2017). Toxicity and genotoxicity assessment in sediments from the Matanza-Riachuelo river basin (Argentina) under the influence of heavy metals and organic contaminants. *Ecotoxicol Environ Saf* 135: 302-311. <http://dx.doi.org/10.1016/j.ecoenv.2016.09.024>.
- Biscarini, A; Benvenuti, P; Botti, FM; Brunetti, A; Brunetti, O; Pettorossi, VE. (2014). Voluntary enhanced cocontraction of hamstring muscles during open kinetic chain leg extension exercise: its potential unloading effect on the anterior cruciate ligament. *Am J Sports Med* 42: 2103-2112. <http://dx.doi.org/10.1177/0363546514536137>.
- Bishi, DK; Guhathakurta, S; Venugopal, JR; Cherian, KM; Ramakrishna, S. (2014). Low frequency magnetic force augments hepatic differentiation of mesenchymal stem cells on a biomagnetic nanofibrous scaffold. *J Mater Sci Mater Med* 25: 2579-2589. <http://dx.doi.org/10.1007/s10856-014-5267-4>.
- Bisio, A; Schito, AM; Parricchi, A; Mele, G; Romussi, G; Malafronte, N; Oliva, P; De Tommasi, N. (2015). Antibacterial activity of constituents from *Salvia buchananii* Hedge (Lamiaceae). *Phytochemistry Letters* 14: 170-177. <http://dx.doi.org/10.1016/j.phytol.2015.10.005>.
- Biswas, J; Ganguly, J; Paul, AK. (2015). Partial characterization of an extracellular polysaccharide produced by the moderately halophilic bacterium *Halomonas xianhensis* SUR308. *Biofouling* 31: 735-744. <http://dx.doi.org/10.1080/08927014.2015.1106479>.
- Biswas, MK; Patra, SC; Maity, AN; Ke, SC; Weyhermüller, T; Ghosh, P. (2013). 9,10-phenanthrenesemiquinone radical complexes of ruthenium(III), osmium(III) and rhodium(III) and redox series. *Dalton Transactions (Online)* 42: 6538-6552. <http://dx.doi.org/10.1039/c3dt00038a>.
- Biswas, R; Diaz, C; Bauzá, A; Frontera, A; Ghosh, A. (2013). Synthesis, crystal structure, magnetic property and DFT calculations of an unusual dinuclear  $\mu_2$ -alkoxido bridged iron(III) complex. *Dalton Transactions (Online)* 42: 12274-12283. <http://dx.doi.org/10.1039/c3dt51153g>.
- Biswas, S; Pardeshi, R; Reddy, ND; Shoja, MH; Nayak, PG; Setty, MM; Pai, KS. (2016). *Bulbophyllum* sterile petroleum ether fraction induces apoptosis in vitro and ameliorates tumor progression in vivo. *Biomed Pharmacother* 84: 1419-1427. <http://dx.doi.org/10.1016/j.biopha.2016.10.005>.
- Blackburn, OA; Coe, BJ; Fielden, J; Helliwell, M; Mcdouall, JJ; Hutchings, MG. (2010). Nickel(II) and palladium(II) complexes of azobenzene-containing ligands as dichroic dyes. *Inorg Chem* 49: 9136-9150. <http://dx.doi.org/10.1021/ic1000842>.
- Blagojevic, V; Chramow, A; Schneider, BB; Covey, TR; Bohme, DK. (2011). Differential mobility spectrometry of isomeric protonated dipeptides: modifier and field effects on ion mobility and stability. *Anal Chem* 83: 3470-3476. <http://dx.doi.org/10.1021/ac200100s>.
- Blanco-Rodríguez, AM; Kvapilová, H; Sýkora, J; Towrie, M; Nervi, C; Volpi, G; Záliš, S; Vlček, A. (2014). Photophysics of singlet and triplet intraligand excited states in [ReCl(CO)<sub>3</sub>(1-(2-pyridyl)-imidazo[1,5- $\alpha$ ]pyridine)] complexes. *J Am Chem Soc* 136: 5963-5973. <http://dx.doi.org/10.1021/ja413098m>.
- Blank, B; Glatz, G; Kempe, R. (2009). Single and double C-Cl-activation of methylene chloride by P,N-ligand coordinated rhodium complexes. *Chem Asian J* 4: 321-327. <http://dx.doi.org/10.1002/asia.200800359>.
- Blažević, I; Radonić, A; Skočibušić, M; De Nicola, GR; Montaut, S; Iori, R; Rollin, P; Mastelić, J; Zekić, M; Maravić, A. (2011). Glucosinolate profiling and antimicrobial screening of *Aurinia leucadea* (Brassicaceae). *8*: 2310-2321. <http://dx.doi.org/10.1002/cbdv.201100169>.
- Blázquez-Castro, A; Stockert, JC; Sanz-Rodríguez, F; Zamarrón, A; Juarranz, A. (2009). Differential photodynamic response of cultured cells to methylene blue and toluidine blue: role of dark redox processes. *Photochem Photobiol Sci* 8: 371-376. <http://dx.doi.org/10.1039/b818585a>.
- Blendea, L; Balalau, D; Gutu, CM; Ilie, M; Baconi, DL. (2009). QUALITATIVE AND SEMIQUANTITATIVE TLC ANALYSIS OF CERTAIN PHENOTHIAZINES IN HUMAN PLASMA. *57*: 542-548.
- Blevins, T. (2011). Control of postprandial glucose levels with insulin in type 2 diabetes [Review]. *Postgrad Med* 123: 135-147. <http://dx.doi.org/10.3810/pgm.2011.07.2313>.

## Human Health Hazard Literature Search Results

### Off Topic

- Bocato, MZ; de Lima Moreira, F; de Albuquerque, NC; de Gaitani, CM; de Oliveira, AR. (2016). In vitro enantioselective human liver microsomal metabolism and prediction of in vivo pharmacokinetic parameters of tetrabenazine by DLLME-CE. *J Pharm Biomed Anal* 128: 528-537. <http://dx.doi.org/10.1016/j.jpba.2016.06.028>.
- Boccardi, M; Bocchetta, M; Aronen, HJ; Repo-Tiihonen, E; Vaurio, O; Thompson, PM; Tiihonen, J; Frisoni, GB. (2013). Atypical nucleus accumbens morphology in psychopathy: another limbic piece in the puzzle. *Int J Law Psychiatry* 36: 157-167. <http://dx.doi.org/10.1016/j.ijlp.2013.01.008>.
- Bodin, N; Budzinski, H; Le Menach, K; Tapie, N. (2009). ASE extraction method for simultaneous carbon and nitrogen stable isotope analysis in soft tissues of aquatic organisms. *Anal Chim Acta* 643: 54-60. <http://dx.doi.org/10.1016/j.aca.2009.03.048>.
- Boehrer, H; Trapp, N; Himmel, D; Schleep, M; Krossing, I. (2015). From unsuccessful H-2-activation with FLPs containing B(OHfp)(3) to a systematic evaluation of the Lewis acidity of 33 Lewis acids based on fluoride, chloride, hydride and methyl ion affinities. *Dalton Trans* 44: 7489-7499. <http://dx.doi.org/10.1039/c4dt02822h>.
- Boža, M; Hacıbekiroğlu, I; Kolak, U. (2011). Antioxidant and anticholinesterase activities of eleven edible plants. *Pharmaceutical Biology* 49: 290-295. <http://dx.doi.org/10.3109/13880209.2010.517539>.
- Bogdan, C; Kiss, B; Pop, A; Loghin, F. (2012). A COMPARATIVE STUDY ON FLUNITRAZEPAM AND 7-AMINOFLUNITRAZEPAM ISOLATION FROM HUMAN PLASMA BY LIQUID-LIQUID EXTRACTION AND SOLID PHASE EXTRACTION. 60: 544-555.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Bohin, R; Žitnik, M; Bučar, K; Kavčič, M; Carniato, S; Journel, L; Guillemin, R; Marchenko, T; Kawerk, E; Simon, M; Cao, W. (2016). Structural and dynamical properties of chlorinated hydrocarbons studied with resonant inelastic x-ray scattering. *J Chem Phys* 144: 134309. <http://dx.doi.org/10.1063/1.4945402>.
- Böhm, A; Bach, T. (2016). Radical Reactions Induced by Visible Light in Dichloromethane Solutions of Hünig's Base: Synthetic Applications and Mechanistic Observations. *Chemistry* 22: 15921-15928. <http://dx.doi.org/10.1002/chem.201603303>.
- Bojan, RV; Czerwieńiec, R; Laguna, A; Lasanta, T; López-De-Luzuriaga, JM; Monge, M; Olmos, ME; Yersin, H. (2013). Luminescent gold-silver complexes derived from neutral bis(perfluoroaryl)diphosphine gold(I) precursors. *Dalton Transactions (Online)* 42: 4267-4277. <http://dx.doi.org/10.1039/c2dt32973e>.
- Boldbaatar, D; El-Seedi, HR; Findakly, M; Jabri, S; Javzan, B; Choidash, B; Göransson, U; Hellman, B. (2014). Antigenotoxic and antioxidant effects of the Mongolian medicinal plant *Leptopyrum fumarioides* (L): an in vitro study. *J Ethnopharmacol* 155: 599-606. <http://dx.doi.org/10.1016/j.jep.2014.06.005>.
- Bolderman, RW; Hermans, JJ; Maessen, JG. (2009). Determination of the class III antiarrhythmic drugs dronedarone and amiodarone, and their principal metabolites in plasma and myocardium by high-performance liquid chromatography and UV-detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 1727-1731. <http://dx.doi.org/10.1016/j.jchromb.2009.04.029>.
- Boldrin, P; Resende, F; Höhne, A; de Camargo, M; Espanha, L; Nogueira, C; Melo, M; Vilegas, W; Varanda, E. (2013). Estrogenic and mutagenic activities of *Crotalaria pallida* measured by recombinant yeast assay and Ames test. *BMC Complement Altern Med* 13: 216. <http://dx.doi.org/10.1186/1472-6882-13-216>.
- Boligon, AA; Brum, TF; Zadra, M; Piana, M; Alves, CF; Fausto, VP; Júnior, V; Vaucher, R; Santos, RC; Athayde, ML. (2013). Antimicrobial activity of *Scutia buxifolia* against the honeybee pathogen *Paenibacillus* larvae. *J Invertebr Pathol* 112: 105-107. <http://dx.doi.org/10.1016/j.jip.2012.11.009>.
- Boligon, AA; Janovik, V; Feltrin, AC; Machado, MM; Frohlich, JK; Athayde, ML. (2010). Phytoconstituents Isolated from Dichloromethane Fraction of *Scutia buxifolia* Reissek Stem Bark. *Lat Am J Pharm* 29: 450-453.
- Boligon, AA; Janovik, V; Frohlich, JK; Spader, TB; Froeder, AL; Alves, SH; Athayde, ML. (2012). Antimicrobial and cytotoxic activities of leaves, twigs and stem bark of *Scutia buxifolia* Reissek. *Nat Prod Res* 26: 939-944. <http://dx.doi.org/10.1080/14786419.2010.535151>.
- Boligon, AA; Piana, M; Kubica, TF; Mario, DN; Dalmolin, TV; Bonez, PC; Weiblen, R; Lovato, L; Alves, SH; Campos, MMA; Athayde, ML. (2015). HPLC analysis and antimicrobial, antimycobacterial and antiviral activities of *Tabernaemontana catharinensis* A. DC. *J Appl Biomed* 13: 7-18. <http://dx.doi.org/10.1016/j.jab.2014.01.004>.
- Boligon, AA; Piana, M; Schawnz, TG; Pereira, RP; Rocha, JB; Athayde, ML. (2014). Chromatographic analysis and antioxidant capacity of *Tabernaemontana catharinensis*. *Natural Product Communications* 9: 61-64.
- Bond, JW. (2013). Development of latent fingerprints on thermal paper by the controlled application of heat. *J Forensic Sci* 58: 767-771. <http://dx.doi.org/10.1111/1556-4029.12132>.
- Bondarchuk, SV; Minaev, BF. (2014). Theoretical study of relationships between structural, optical, energetic, and magnetic properties and reactivity parameters of benzidine and its oxidized forms. *J Phys Chem A* 118: 8872-8882. <http://dx.doi.org/10.1021/jp507479p>.
- Bonduelle, C; Martín-Vaca, B; Cossío, FP; Bourissou, D. (2008). Monomer versus alcohol activation in the 4-dimethylaminopyridine-catalyzed ring-opening polymerization of lactide and lactic O-carboxylic anhydride. *Chemistry* 14: 5304-5312. <http://dx.doi.org/10.1002/chem.200800346>.
- Bonetti, D; Johnston, M. (2008). Perceived control predicting the recovery of individual-specific walking behaviours following stroke: testing psychological models and constructs. *Br J Health Psychol* 13: 463-478. <http://dx.doi.org/10.1348/135910707X216648>.
- Bongiovanni, G; Cantero, J; Eynard, A; Goleniowski, M. (2008). Organic extracts of *Larrea divaricata* Cav. induced apoptosis on tumoral MCF7 cells with a higher cytotoxicity than nordihydroguaiaretic acid or paclitaxel. *J Exp Ther Oncol* 7: 1-7.
- Bonnechère, A; Hanot, V; Van Loco, J. (2011). A rapid and environmental friendly determination of the dithiocarbamate metabolites ethylenethiourea and propylenethiourea in fruit and vegetables by ultra high performance liquid chromatography tandem mass spectrometry. *J Chromatogr A* 1218: 4627-4631. <http://dx.doi.org/10.1016/j.chroma.2011.04.083>.



## Human Health Hazard Literature Search Results

### Off Topic

- Bonnet, A; Bréjard, V; Pasquier, A; Pedinielli, JL. (2012). [Affectivity and alexithymia: two dimensions explicative of the relationship between anxiety and depressive symptoms]. *Encephale* 38: 187-193. <http://dx.doi.org/10.1016/j.encep.2011.03.006>.
- Bonnet, M; Flanagan, JU; Chan, DA; Giaccia, AJ; Hay, MP. (2014). Identifying novel targets in renal cell carcinoma: design and synthesis of affinity chromatography reagents. *Bioorg Med Chem* 22: 711-720. <http://dx.doi.org/10.1016/j.bmc.2013.12.028>.
- Boonman, N; Wiyakrutta, S; Sriulomas, N; Dharmkrong-At Chusattayanond, A. (2008). Acanthamoebicidal activity of *Fusarium* sp. Tlau3, an endophytic fungus from *Thunbergia laurifolia* Lindl. *Parasitol Res* 103: 1083-1090. <http://dx.doi.org/10.1007/s00436-008-1096-z>.
- Boonnak, N; Chantrapromma, S; Tewtrakul, S; Sudsai, T. (2014). Inhibition of nitric oxide production in lipopolysaccharide-activated RAW264.7 macrophages by isolated xanthenes from the roots of *Cratoxylum formosum* ssp. *pruniflorum*. *Arch Pharm Res* 37: 1329-1335. <http://dx.doi.org/10.1007/s12272-014-0338-0>.
- Boonsai, P; Phuwapraisirisan, P; Chanchao, C. (2014). Antibacterial activity of a cardanol from Thai *Apis mellifera* propolis. *Int J Med Sci* 11: 327-336. <http://dx.doi.org/10.7150/ijms.7373>.
- Boonsri, S; Karalai, C; Ponglimanont, C; Chantrapromma, S; Kanjana-Opas, A. (2008). Cytotoxic and antibacterial sesquiterpenes from *Thespesia populnea*. *J Nat Prod* 71: 1173-1177. <http://dx.doi.org/10.1021/np800055q>.
- Boozari, M; Mohammadi, A; Asili, J; Emami, SA; Tayarani-Najaran, Z. (2015). Growth inhibition and apoptosis induction by *Scutellaria pinnatifida* A. Ham. on HL-60 and K562 leukemic cell lines. *Environ Toxicol Pharmacol* 39: 307-312. <http://dx.doi.org/10.1016/j.etap.2014.12.002>.
- Bordes, C; Fréville, V; Ruffin, E; Marote, P; Gauvrit, JY; Briançon, S; Lantéri, P. (2010). Determination of poly(epsilon-caprolactone) solubility parameters: application to solvent substitution in a microencapsulation process. *Int J Pharm* 383: 236-243. <http://dx.doi.org/10.1016/j.ijpharm.2009.09.023>.
- Borges, FR; Silva, MD; Córdova, MM; Schambach, TR; Pizzolatti, MG; Santos, AR. (2014). Anti-inflammatory action of hydroalcoholic extract, dichloromethane fraction and steroid  $\alpha$ -spinasterol from *Polygala sabulosa* in LPS-induced peritonitis in mice. *J Ethnopharmacol* 151: 144-150. <http://dx.doi.org/10.1016/j.jep.2013.10.009>.
- Borges, NC; Rezende, VM; Santana, JM; Moreira, RP; Moreira, RF; Moreno, P; Borges, DC; Donato, JL; Moreno, RA. (2011). Chlorpromazine quantification in human plasma by UPLC-electrospray ionization tandem mass spectrometry. Application to a comparative pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 3728-3734. <http://dx.doi.org/10.1016/j.jchromb.2011.10.020>.
- Born, FS; Bianco, EM; da Camara, CA. (2012). Acaricidal and repellent activity of terpenoids from seaweeds Collected in Pernambuco, Brazil. *Natural Product Communications* 7: 463-466.
- Borodina, TN; Grigoriev, DO; Andreeva, DV; Möhwald, H; Shchukin, DG. (2009). Polyelectrolyte multilayered nanofilms as a novel approach for the protection of hydrogen storage materials. *ACS Applied Materials & Interfaces* 1: 996-1001. <http://dx.doi.org/10.1021/am8002236>.
- Borrás, E; Sánchez, P; Muñoz, A; Tortajada-Genaro, LA. (2011). Development of a gas chromatography-mass spectrometry method for the determination of pesticides in gaseous and particulate phases in the atmosphere. *Anal Chim Acta* 699: 57-65. <http://dx.doi.org/10.1016/j.aca.2011.05.009>.
- Borroto, J; Salazar, R; Pérez, A; Quiros, Y; Hernandez, M; Waksman, N; Trujillo, R. (2010). Antimicrobial activity of the dichloromethane extract from in vitro cultured roots of *Morinda royoc* and its main constituents. *Natural Product Communications* 5: 809-810.
- Bortoluzzi, M; Bresciani, G; Marchetti, F; Pampaloni, G; Zacchini, S. (2015). MoCl<sub>5</sub> as an effective chlorinating agent towards  $\alpha$ -amino acids: synthesis of  $\alpha$ -ammonium-acylchloride salts and  $\alpha$ -amino-acylchloride complexes. *Dalton Transactions (Online)* 44: 10030-10037. <http://dx.doi.org/10.1039/c5dt01002k>.
- Bortoluzzi, M; Evangelisti, C; Marchetti, F; Pampaloni, G; Piccinelli, F; Zacchini, S. (2016). Synthesis of a highly reactive form of WO<sub>2</sub>Cl<sub>2</sub>, its conversion into nanocrystalline mono-hydrated WO<sub>3</sub> and coordination compounds with tetramethylurea. *Dalton Transactions (Online)* 45: 15342-15349. <http://dx.doi.org/10.1039/c6dt02997c>.
- Bortoluzzi, M; Hayatifar, M; Marchetti, F; Pampaloni, G; Zacchini, S. (2015). Synthesis of  $\alpha$ -amino acidato derivatives of niobium and tantalum pentahalides and their conversion into iminium salts. *Inorg Chem* 54: 4047-4055. <http://dx.doi.org/10.1021/acs.inorgchem.5b00286>.
- Bortoluzzi, M; Marchetti, F; Murrall, MG; Pampaloni, G; Zacchini, S. (2015). The chlorinating behaviour of WCl<sub>6</sub> towards  $\alpha$ -aminoacids. *Dalton Transactions (Online)* 44: 8729-8738. <http://dx.doi.org/10.1039/c5dt00518c>.
- Bortoluzzi, M; Marchetti, F; Pampaloni, G; Pinzino, C; Zacchini, S. (2016). Oxidative Dimerization of Triarylamines Promoted by WCl<sub>6</sub>, Including the Solid State Isolation and the Crystallographic Characterization of a Triphenylammonium Salt. *Inorg Chem* 55: 887-893. <http://dx.doi.org/10.1021/acs.inorgchem.5b02392>.
- Bortoluzzi, M; Marchetti, F; Pampaloni, G; Zacchini, S. (2014). Tribenzylamine C-H activation and intermolecular hydrogen transfer promoted by WCl<sub>6</sub>. *Inorg Chem* 53: 3832-3838. <http://dx.doi.org/10.1021/ic5001683>.
- Borzi, V; Benroubi, M; Gumprecht, J; Kawamori, R; Ligthelm, R; Shaban, J; Shah, S; Shestakova, M; Wenying, Y; Valensi, P; Panel, ISE. (2013). Predictors of postprandial blood glucose response to biphasic insulin analogue therapy. *Prim Care Diabetes* 7: 63-67. <http://dx.doi.org/10.1016/j.pcd.2012.09.002>.
- Bos, AR; Gumanao, GS; van Katwijk, MM; Mueller, B; Saceda, MM; Tejada, RL. (2011). Ontogenetic habitat shift, population growth, and burrowing behavior of the Indo-Pacific beach star, *Archaster typicus* (Echinodermata; Asteroidea). *Mar Biol* 158: 639-648. <http://dx.doi.org/10.1007/s00227-010-1588-0>.
- Bos, PM; Zeilmaker, MJ; van Eijkeren, JC. (2006). Application of physiologically based pharmacokinetic modeling in setting acute exposure guideline levels for methylene chloride. *Toxicol Sci* 91: 576-585. <http://dx.doi.org/10.1093/toxsci/kfj176>.
- Bosca, F; Tormos, R. (2013). Behavior of drug excited states within macromolecules: binding of colchicine and derivatives to albumin. *J Phys Chem B* 117: 7528-7534. <http://dx.doi.org/10.1021/jp402489j>.

## Human Health Hazard Literature Search Results

### Off Topic

- Boscencu, R; Ilie, M; Socoteanu, R; Oliveira, AS; Constantin, C; Neagu, M; Manda, G; Ferreira, LF. (2010). Microwave synthesis, basic spectral and biological evaluation of some copper (II) mesoporphyrinic complexes. *Molecules* 15: 3731-3743. <http://dx.doi.org/10.3390/molecules15053731>.
- Boschi, A; Cazzola, E; Uccelli, L; Pasquali, M; Ferretti, V; Bertolasi, V; Duatti, A. (2012). Rhenium(V) and technetium(V) nitrido complexes with mixed tridentate  $\pi$ -donor and monodentate  $\pi$ -acceptor ligands. *Inorg Chem* 51: 3130-3137. <http://dx.doi.org/10.1021/ic202605z>.
- Bossers, LCA, M; Paul, R; Berry, AJ; Kingston, R; Middendorp, C; Guwy, AJ. (2014). An evaluation of washing and extraction techniques in the analysis of ethyl glucuronide and fatty acid ethyl esters from hair samples. *Journal of Chromatography B* 953: 115-119. <http://dx.doi.org/10.1016/j.jchromb.2014.01.049>.
- Botch-Jones, S; Foss, J; Barajas, D; Kero, F; Young, C; Weisenseel, J. (2016). The detection of NBOMe designer drugs on blotter paper by high resolution time-of-flight mass spectrometry (TOFMS) with and without chromatography. *Forensic Sci Int* 267: 89-95. <http://dx.doi.org/10.1016/j.forsciint.2016.08.008>.
- Botero, LR; Mougin, C; Peñuela, G; Barriuso, E. (2017). Formation of 2,4-D bound residues in soils: New insights into microbial metabolism. *Sci Total Environ*. <http://dx.doi.org/10.1016/j.scitotenv.2017.01.105>.
- Botero-Coy, AM; Ibáñez, M; Sancho, JV; Hernández, F. (2013). Direct liquid chromatography-tandem mass spectrometry determination of underivatized glyphosate in rice, maize and soybean. *J Chromatogr A* 1313: 157-165. <http://dx.doi.org/10.1016/j.chroma.2013.07.037>.
- Botezat, O; van Leusen, J; Kravtsov, VC; Kögerler, P; Baca, SG. (2017). Ultralarge 3d/4f Coordination Wheels: From Carboxylate/Amino Alcohol-Supported {Fe<sub>4</sub>Ln<sub>2</sub>} to {Fe<sub>18</sub>Ln<sub>6</sub>} Rings. *Inorg Chem*.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Boucher, AA; Edeoga, C; Ebenibo, S; Wan, J; Dagogo-Jack, S. (2012). Leukocyte count and cardiometabolic risk among healthy participants with parental type 2 diabetes: the Pathobiology of Prediabetes in a Biracial Cohort study. *Ethn Dis* 22: 445-450.
- Boudouda, HB; Zeghib, A; Karioti, A; Bilia, AR; Öztürk, M; Aouni, M; Kabouche, A; Kabouche, Z. (2015). Antibacterial, antioxidant, anti-cholinesterase potential and flavonol glycosides of *Biscutella raphanifolia* (Brassicaceae). *Pak J Pharm Sci* 28: 153-158.
- Bouidida, e; Alaoui, K; Cherrah, Y; Chammache, M; Il Idrissi, A. (2008). [Analgesic activity of different nonvolatile extracts of *Nepeta atlantica* Ball and *Nepeta Tuberosa* L. ssp. *reticulata* (Desf.) Maire]. *Therapie* 63: 333-338. <http://dx.doi.org/10.2515/therapie:2008048>.
- Boulououar, N; Marouf, A; Cheriti, A. (2011). Antifungal activity and phytochemical screening of extracts from *Phoenix dactylifera* L. cultivars. *Nat Prod Res* 25: 1999-2002. <http://dx.doi.org/10.1080/14786419.2010.536765>.
- Bourdin, CM; Lebreton, J; Mathé-Allainmat, M; Thany, SH. (2015). Pharmacological profile of zacopride and new quaternarized fluorobenzamide analogues on mammalian  $\alpha 7$  nicotinic acetylcholine receptor. *25*: 3184-3188. <http://dx.doi.org/10.1016/j.bmcl.2015.05.094>.
- Bourgeois, B; Owens, JW. (2014). The influence of Hurricanes Katrina and Rita on the inflammatory cytokine response and protein expression in A549 cells exposed to PM<sub>2.5</sub> collected in the Baton Rouge-Port Allen industrial corridor of Southeastern Louisiana in 2005. *Toxicol Mech Meth* 24: 220-242. <http://dx.doi.org/10.3109/15376516.2014.881945>.
- Bouri, M; Salghi, R; Bazzi, L; Zarrouk, A; Rios, A; Zougagh, M. (2012). Pesticide residue levels in green beans cultivated in Souss Masa valley (Morocco) after multiple applications of bifenthrin and  $\lambda$ -cyhalothrin. *Bull Environ Contam Toxicol* 89: 638-643. <http://dx.doi.org/10.1007/s00128-012-0722-8>.
- Bournine, L; Bensalem, S; Peixoto, P; Gonzalez, A; Maiza-Benabdesselam, F; Bedjou, F; Wauters, JN; Tits, M; Frédéric, M; Castronovo, V; Bellahcène, A. (2013). Revealing the anti-tumoral effect of Algerian *Glaucium flavum* roots against human cancer cells. *Phytomedicine* 20: 1211-1218. <http://dx.doi.org/10.1016/j.phymed.2013.06.007>.
- Boutegrabet, L; Kanawati, B; Gebefügi, I; Peyron, D; Cayot, P; Gougeon, RD; Schmitt-Kopplin, P. (2012). Attachment of chloride anion to sugars: mechanistic investigation and discovery of a new dopant for efficient sugar ionization/detection in mass spectrometers. *Chemistry* 18: 13059-13067. <http://dx.doi.org/10.1002/chem.201103788>.
- Boutier-Pischon, A; Auger, F; Noël, JM; Almario, A; Frapart, YM. (2015). EPR and electrochemical quantification of oxygen using newly synthesized para-silylated triarylmethyl radicals. *Free Radic Res* 49: 236-243. <http://dx.doi.org/10.3109/10715762.2014.995183>.
- Bowden, JA; Ford, DA. (2011). An examination of pentafluorobenzoyl derivatization strategies for the analysis of fatty alcohols using gas chromatography/electron capture negative ion chemical ionization-mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 1375-1383. <http://dx.doi.org/10.1016/j.jchromb.2010.10.031>.
- Boyette, LL; Korver-Nieberg, N; Meijer, C; de Haan, L; Risk, G; Investigators, OoP. (2014). Quality of life in patients with psychotic disorders: impact of symptoms, personality, and attachment. *J Nerv Ment Dis* 202: 64-69. <http://dx.doi.org/10.1097/NMD.000000000000071>.
- Bozic-Weber, B; Brauchli, SY; Constable, EC; Fürer, SO; Housecroft, CE; Malzner, FJ; Wright, IA; Zampese, JA. (2013). Improving the photoresponse of copper(i) dyes in dye-sensitized solar cells by tuning ancillary and anchoring ligand modules. *Dalton Transactions (Online)* 42: 12293-12308. <http://dx.doi.org/10.1039/c3dt51416a>.
- Bozkurt, SS; Cavdar, IK; Kurtbay, HM; Merdivan, M. (2010). DETERMINATION OF TRACE METAL IONS USING PORPHYRINS AS CHELATING AGENTS BY HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHY-DENSITOMETRY. *Journal of Liquid Chromatography and Related Technologies* 33: 748-760. <http://dx.doi.org/10.1080/10826071003684018>.
- Bradley, EL; Burden, RA; Bentayeb, K; Driffield, M; Harmer, N; Mortimer, DN; Speck, DR; Ticha, J; Castle, L. (2013). Exposure to phthalic acid, phthalate diesters and phthalate monoesters from foodstuffs: UK total diet study results. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 30: 735-742. <http://dx.doi.org/10.1080/19440049.2013.781684>.

## Human Health Hazard Literature Search Results

### Off Topic

- Braga, LKA; de Macedo, AKC; Cunha, AA; Silva, JMF, L; Santos, FAV; Souza, CES; Coutinho, HDM; Almeida, TS; Costa, JGM; Matias, EFF. (2011). Potentiation of in vitro antibiotic activity by *Ocimum gratissimum* L. 5: 2145-2149. <http://dx.doi.org/10.5897/AJPP11.414>.
- Brambilla, LZS; Endo, EH; Cortez, DAG; Dias Filho, BP. (2017). Anti-biofilm activity against *Staphylococcus aureus* MRSA and MSSA of neolignans and extract of *Piper regnellii*. *Revista Brasileira de Farmacognosia* 27: 112-117. <http://dx.doi.org/10.1016/j.bjp.2016.08.008>.
- Bramouille, Y; Puech, F; Saba, W; Valette, H; Bottlaender, M; George, P; Dolle, F. (2008). Radiosynthesis of (S)-5-methoxymethyl-3-[6-(4,4,4-trifluorobutoxy)benzo[d]isoxazol-3-yl]oxazolidin-2-[(11)C]one ([11C]SL25.1188), a novel radioligand for imaging monoamine oxidase-B with PET. *J Labelled Comp Radiopharm* 51: 153-158. <http://dx.doi.org/10.1002/jlcr.1492>.
- Brandt, SD; Martins, CP; Freeman, S; Dempster, N; Wainwright, M; Riby, PG; Alder, JF. (2008). N,N-Dimethyltryptamine and dichloromethane: rearrangement of quaternary ammonium salt product during GC-EL and CI-MS-MS analysis. *J Pharm Biomed Anal* 47: 207-212. <http://dx.doi.org/10.1016/j.jpba.2007.12.024>.
- Braverman, ER; Oscar-Berman, M; Kreuk, F; Kerner, M; Dushaj, K; Li, M; Stratton, D; Trudesdell, C; Blum, K. (2013). Preliminary Hormonal Correlations in Female Patients as a Function of Somatic and Neurological Symptom Clusters: An Exploratory Development of a Multi-Hormonal Map for Bio-Identical Replacement Therapy (MHRT). 4. <http://dx.doi.org/10.4172/2157-7412.1000206>.
- Breiten, B; Jordan, M; Taura, D; Zalibera, M; Griesser, M; Confortin, D; Boudon, C; Gisselbrecht, JP; Schweizer, WB; Gescheidt, G; Diederich, F. (2013). Donor-substituted octacyano[4]dendralenes: investigation of  $\pi$ -electron delocalization in their radical ions. *J Org Chem* 78: 1760-1767. <http://dx.doi.org/10.1021/jo301194y>.
- Brennan, AA; You, J; Lydy, MJ. (2009). Comparison of cleanup methods for fipronil and its degradation products in sediment extracts. *Talanta* 78: 1408-1413. <http://dx.doi.org/10.1016/j.talanta.2009.02.034>.
- Brenzan, MA; Nakamura, CV; Dias Filho, BP; Ueda-Nakamura, T; Young, MC; Côrrea, AG; Alvim, J; dos Santos, AO; Cortez, DA. (2008). Structure-activity relationship of (-) mamea A/BB derivatives against *Leishmania amazonensis*. *Biomed Pharmacother* 62: 651-658. <http://dx.doi.org/10.1016/j.biopha.2008.08.024>.
- Brenzan, MA; Nakamura, CV; Filho, BPD; Ueda-Nakamura, T; Young, MCM; Mitsui, ML; Cortez, DAG. (2010). QUANTITATIVE AND QUALITATIVE ANALYSIS OF (-) MAMMEA A/BB COUMARIN IN EXTRACTS OF CALOPHYLLUM BRASILIENSE CAMBESS (CLUSIACEAE) BY HPLC. *Journal of Liquid Chromatography and Related Technologies* 33: 283-295. <http://dx.doi.org/10.1080/10826070903442444>.
- Brenzan, MA; Piloto Ferreira, IC; Campana Lonardon, MV; Honda, PA; Rodrigues Filho, E; Nakamura, CV; Dias Filho, BP; Ueda-Nakamura, T; Garcia Cortez, DA. (2008). Activity of extracts and coumarins from the leaves of *Calophyllum brasiliense* on *Leishmania braziliensis*. *Pharmaceutical Biology* 46: 380-386. <http://dx.doi.org/10.1080/13880200802055818>.
- Brenzan, MA; Santos, AO; Nakamura, CV; Filho, BP; Ueda-Nakamura, T; Young, MC; Côrrea, AG; Júnior, JA; Morgado-Díaz, JA; Cortez, DA. (2012). Effects of (-) mamea A/BB isolated from *Calophyllum brasiliense* leaves and derivatives on mitochondrial membrane of *Leishmania amazonensis*. *Phytomedicine* 19: 223-230. <http://dx.doi.org/10.1016/j.phymed.2011.10.008>.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Scientific Publications. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Brêtas, JM; César, IC; Brêtas, CM; Teixeira, LS; Bellorio, KB; Mundim, IM; Pianetti, GA. (2016). Development and validation of an LC-ESI-MS/MS method for the simultaneous quantification of naproxen and sumatriptan in human plasma: application to a pharmacokinetic study. *Anal Bioanal Chem* 408: 3981-3992. <http://dx.doi.org/10.1007/s00216-016-9488-x>.
- Breugst, M; Grée, R; Houk, KN. (2013). Synergistic effects between Lewis and Brønsted acids: application to the Prins cyclization. *J Org Chem* 78: 9892-9897. <http://dx.doi.org/10.1021/jo401628e>.
- Brglez, P; Holobar, A; Pivec, A; Nataša, B; Kolar, M. (2012). Determination of Oxygen by Means of a Biogas and Gas - Interference Study Using an Optical Tris (4,7-Diphenyl-1,10-Phenanthroline) Ruthenium(II) Dichloride Complex Sensor. *Acta Chim Slov* 59: 50-58.
- Brimblecombe, R; Bond, AM; Dismukes, GC; Swiegers, GF; Spiccia, L. (2009). Electrochemical investigation of Mn4O4-cubane water-oxidizing clusters. *Phys Chem Chem Phys* 11: 6441-6449. <http://dx.doi.org/10.1039/b901419e>.
- Brimioule, R; Guo, H; Bach, T. (2012). Enantioselective intramolecular [2+2] photocycloaddition reactions of 4-substituted coumarins catalyzed by a chiral Lewis acid. *Chemistry* 18: 7552-7560. <http://dx.doi.org/10.1002/chem.201104032>.
- Brkljača, R; Urban, S. (2014). Chemical profiling (HPLC-NMR & HPLC-MS), isolation, and identification of bioactive meroditerpenoids from the southern Australian marine brown alga *Sargassum paradoxum*. *Mar Drugs* 13: 102-127. <http://dx.doi.org/10.3390/md13010102>.
- Brkljača, R; Urban, S. (2015). HPLC-NMR and HPLC-MS investigation of antimicrobial constituents in *Cystophora monilifera* and *Cystophora subfarinata*. *Phytochemistry* 117: 200-208. <http://dx.doi.org/10.1016/j.phytochem.2015.06.014>.
- Brkljača, R; Urban, S. (2015). HPLC-NMR and HPLC-MS Profiling and Bioassay-Guided Identification of Secondary Metabolites from the Australian Plant *Haemodorum spicatum*. *J Nat Prod* 78: 1486-1494. <http://dx.doi.org/10.1021/np500905g>.
- Brocks, JJ; Hope, JM. (2014). Tailing of chromatographic peaks in GC-MS caused by interaction of halogenated solvents with the ion source. *J Chromatogr Sci* 52: 471-475. <http://dx.doi.org/10.1093/chromsci/bmt068>.
- Brod, M; Valensi, P; Shaban, JA; Bushnell, DM; Christensen, TL. (2010). Patient treatment satisfaction after switching to NovoMix® 30 (BIAsp 30) in the IMPROVE™ study: an analysis of the influence of prior and current treatment factors. 19: 1285-1293. <http://dx.doi.org/10.1007/s11136-010-9699-0>.
- Brodeur, JC; Poliserpi, MB; D'Andrea, MF; Sanchez, M. (2014). Synergy between glyphosate- and cypermethrin-based pesticides during acute exposures in tadpoles of the common South American Toad *Rhinella arenarum*. *Chemosphere* 112: 70-76. <http://dx.doi.org/10.1016/j.chemosphere.2014.02.065>.

## Human Health Hazard Literature Search Results

### Off Topic

- Broeckaert, L; Moens, J; Roos, G; De Proft, F; Geerlings, P. (2008). Intrinsic nucleofugality scale within the framework of density functional reactivity theory. *J Phys Chem A* 112: 12164-12171. <http://dx.doi.org/10.1021/jp802846q>.
- Broecker, S; Herre, S; Wüst, B; Zweigenbaum, J; Pragst, F. (2011). Development and practical application of a library of CID accurate mass spectra of more than 2,500 toxic compounds for systematic toxicological analysis by LC-QTOF-MS with data-dependent acquisition. *Anal Bioanal Chem* 400: 101-117. <http://dx.doi.org/10.1007/s00216-010-4450-9>.
- Brown, CE; McNulty, J; Bordón, C; Yolken, R; Jones-Brando, L. (2016). Enol ethers as carbonyl surrogates in a modification of the Povarov synthesis of 3-aryl quinolines and their anti-Toxoplasma activity. *Org Biomol Chem* 14: 5951-5955. <http://dx.doi.org/10.1039/c6ob01083k>.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Browning, BB; Ventimiglia, AV; Dixit, A; Illical, E; Urban, WP; Jauregui, JJ. (2016). Does the saline load test still have a role in the orthopaedic world? A systematic review of the literature [Review]. *Acta Orthop Traumatol Turc* 50: 597-600. <http://dx.doi.org/10.1016/j.aott.2016.01.004>.
- Bruce, EN; Bruce, MC; Erupaka, K. (2008). Prediction of the rate of uptake of carbon monoxide from blood by extravascular tissues. *Respir Physiol Neurobiol* 161: 142-159.
- Brudnik, K; Twarda, M; Sarzyński, D; Jodkowski, JT. (2013). Theoretical study of the kinetics of chlorine atom abstraction from chloromethanes by atomic chlorine. *J Mol Model* 19: 4181-4193. <http://dx.doi.org/10.1007/s00894-013-1779-y>.
- Bruhn, C; Brockmüller, J; Kerb, R; Roots, I; Borchert, HH. (1998). Concordance between enzyme activity and genotype of glutathione S-transferase theta (GSTT1). *Biochem Pharmacol* 56: 1189-1193.
- Bruni, FM; Piacentini, GL; Peroni, DG; Bodini, A; Fasoli, E; Boner, AL. (2009). Cow's milk allergic children can present sensitisation to probiotics. *Acta Paediatr* 98: 321-323. <http://dx.doi.org/10.1111/j.1651-2227.2008.01064.x>.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289: 1648-1653.
- Bucchini, A; Ricci, D; Messina, F; Marcotullio, MC; Curini, M; Giamperi, L. (2015). Antioxidant and antifungal activity of different extracts obtained from aerial parts of *Inula crithmoides* L. *Nat Prod Res* 29: 1173-1176. <http://dx.doi.org/10.1080/14786419.2014.983102>.
- Buchanan, MS; Carroll, AR; Wessling, D; Jobling, M; Avery, VM; Davis, RA; Feng, Y; Xue, Y; Oster, L; Fex, T; Deinum, J; Hooper, JN; Quinn, RJ. (2008). Clavadinone A, a natural product with selective recognition and irreversible inhibition of factor XIa. *J Med Chem* 51: 3583-3587. <http://dx.doi.org/10.1021/jm800314b>.
- Bücker, A; Falcão-Bücker, NC; Nunez, CV; Pinheiro, CC; Tadei, WP. (2013). Evaluation of larvicidal activity and brine shrimp toxicity of rhizome extracts of *Zingiber zerumbet* (L.) Smith. 46: 377-380. <http://dx.doi.org/10.1590/0037-8682-1309-2013>.
- Budaev, AS; Mikhailova, LR; Spirikhin, LV; Baltina, LA. (2016). OZONOLYSIS OF METHYL 3 beta-HYDROXYOLEAN-9(11), 12(13)-DIEN-30-OATE. *Chemistry of Natural Compounds* 52: 448-451. <http://dx.doi.org/10.1007/s10600-016-1670-z>.
- Budzák, Š; Mach, P; Medved', M; Kysel', O. (2015). Critical analysis of spectral solvent shifts calculated by the contemporary PCM approaches of a representative series of charge-transfer complexes between tetracyanoethylene and methylated benzenes. *Phys Chem Chem Phys* 17: 17618-17627. <http://dx.doi.org/10.1039/c5cp01614b>.
- Bugoni, S; Merlini, V; Porta, A; Gaillard, S; Zanoni, G; Nolan, SP; Vidari, G. (2015). Competitive Gold-Promoted Meyer-Schuster and oxy-Cope Rearrangements of 3-Acyloxy-1,5-enynes: Selective Catalysis for the Synthesis of (+)-(S)- $\gamma$ -Ionone and (-)-(2S,6 R)-cis- $\gamma$ -Irone. *Chemistry* 21: 14068-14074. <http://dx.doi.org/10.1002/chem.201502382>.
- Bui, HH; Leohr, JK; Kuo, MS. (2012). Analysis of sphingolipids in extracted human plasma using liquid chromatography electrospray ionization tandem mass spectrometry. *Anal Biochem* 423: 187-194. <http://dx.doi.org/10.1016/j.ab.2012.01.027>.
- Bukhari, SB; Iqbal, S; Bhangar, MI. (2009). Antioxidant potential of commercially available cumin (*Cuminum cyminum* L.) in Pakistan. *Int J Food Sci Nutr* 60: 240-247. <http://dx.doi.org/10.1080/09637480701695583>.
- Burci, LM; Pereira, IT; da Silva, LM; Rodrigues, RV; Facundo, VA; Militão, JS; Santos, AR; Marques, MC; Baggio, CH; Werner, MF. (2013). Antiulcer and gastric antisecretory effects of dichloromethane fraction and piperazine obtained from fruits of *Piper tuberculatum* Jacq. in rats. *J Ethnopharmacol* 148: 165-174. <http://dx.doi.org/10.1016/j.jep.2013.04.006>.
- Busaidy, NL; Lorusso, P; Lawhorn, K; Hess, KR; Habra, MA; Fu, S; Hong, DS; Chen, HX; Doyle, LA; Kurzrock, R; Naing, A. (2015). The Prevalence and Impact of Hyperglycemia and Hyperlipidemia in Patients With Advanced Cancer Receiving Combination Treatment With the Mammalian Target of Rapamycin Inhibitor Temsirolimus and Insulin Growth Factor-Receptor Antibody Cixutumumab. *Oncologist* 20: 737-741. <http://dx.doi.org/10.1634/theoncologist.2015-0065>.
- Butassi, E; Svetaz, LA; Ivancovich, JJ; Feresin, GE; Tapia, A; Zacchino, SA. (2015). Synergistic mutual potentiation of antifungal activity of *Zuccagnia punctata* Cav. and *Larrea nitida* Cav. extracts in clinical isolates of *Candida albicans* and *Candida glabrata*. *Phytomedicine* 22: 666-678. <http://dx.doi.org/10.1016/j.phymed.2015.04.004>.
- Butler, RS; Cohn, P; Tenzel, P; Abboud, KA; Castellano, RK. (2009). Synthesis, photophysical behavior, and electronic structure of push-pull purines. *J Am Chem Soc* 131: 623-633. <http://dx.doi.org/10.1021/ja806348z>.
- Buwalda, SJ; Perez, LB; Teixeira, S; Calucci, L; Forte, C; Feijen, J; Dijkstra, PJ. (2011). Self-assembly and photo-cross-linking of eight-armed PEG-PTMC star block copolymers. *Biomacromolecules* 12: 2746-2754. <http://dx.doi.org/10.1021/bm200515h>.
- Büyükköroğlu, G; Şenel, B; Başaran, E; Yenilmez, E; Yazan, Y. (2016). Preparation and in vitro evaluation of vaginal formulations including siRNA and paclitaxel-loaded SLNs for cervical cancer. 109: 174-183. <http://dx.doi.org/10.1016/j.ejpb.2016.10.017>.

## Human Health Hazard Literature Search Results

### Off Topic

- Byeon, JH. (2016). Multifunctional metal-polymer nanoagglomerates from single-pass aerosol self-assembly. *Sci Rep* 6: 31329. <http://dx.doi.org/10.1038/srep31329>.
- Byrne, R; Coleman, S; Fraser, KJ; Raduta, A; Macfarlane, DR; Diamond, D. (2009). Photochromism of nitrobenzospiropyran in phosphonium based ionic liquids. *Phys Chem Chem Phys* 11: 7286-7291. <http://dx.doi.org/10.1039/b903772a>.
- Caamal-Fuentes, EE; Peraza-Sánchez, SR; Torres-Tapia, LW; Moo-Puc, RE. (2015). Isolation and Identification of Cytotoxic Compounds from *Aeschynomene fascicularis*, a Mayan Medicinal Plant. *Molecules* 20: 13563-13574. <http://dx.doi.org/10.3390/molecules200813563>.
- Cabarcos, P; Ángel Cocho, J; Moreda, A; Míguez, M; Jesús Tabernero, M; Fernández, P; María Bermejo, A. (2013). Application of dispersive liquid-liquid microextraction for the determination of phosphatidylethanol in blood by liquid chromatography tandem mass spectrometry. *Talanta* 111: 189-195. <http://dx.doi.org/10.1016/j.talanta.2013.03.008>.
- Cabrera, VJ; Farmakiotis, D; Aggarwal, V. (2011). Methylene chloride intoxication treated with hyperbaric oxygen therapy [Letter]. *Am J Med* 124: e3-e4. <http://dx.doi.org/10.1016/j.amjmed.2010.12.010>.
- Cacioppa, G; Carlotti, B; Elisei, F; Gentili, PL; Marrocchi, A; Spalletti, A. (2016). Unexpected multiple activated steps in the excited state decay of some bis(phenylethynyl)-fluorenes and -anthracenes. *Phys Chem Chem Phys* 18: 285-294. <http://dx.doi.org/10.1039/c5cp06025g>.
- Cade, EA; Petenuci, J; Hoffmann, MM. (2016). Aggregation Behavior of Several Ionic Liquids in Molecular Solvents of Low Polarity--Indication of a Bimodal Distribution. *Chemphyschem* 17: 520-529. <http://dx.doi.org/10.1002/cphc.201500990>.
- Cagiano, R; Ancona, D; Cassano, T; Tattoli, M; Trabace, L; Cuomo, V. (1998). Effects of prenatal exposure to low concentrations of carbon monoxide on sexual behaviour and mesolimbic dopaminergic function in rat offspring. *Br J Pharmacol* 125: 909-915. <http://dx.doi.org/10.1038/sj.bjp.0702143>.
- Caglayan, A; Kocer-Gumusel, B; Erkekoglu, P; Hincal, F. (2016). The effects of fenvalerate on hepatic and cerebral xenobiotic metabolizing enzymes in selenium and/or iodine deficient rats. *Iranian Journal of Basic Medical Sciences* 19: 1040-1048.
- Cai, J; Wang, S; Su, Q. (2008). Analysis of polycyclic aromatic hydrocarbons formed during off-line pyrolysis of ergosterol by GC-MS-SIM. *Chromatographia* 68: 357-363. <http://dx.doi.org/10.1365/s10337-008-0720-5>.
- Cai, K, ai; Zhang, Y, uP; Bhadury, PS; Liu, B, in; Hu, D, eYu; Xu, W. (2010). Derivatization and Determination of MCPA in Soil by GC. *Chromatographia* 72: 933-939. <http://dx.doi.org/10.1365/s10337-010-1737-0>.
- Cai, W; Zhang, Y; Li, J; Wang, J. (2014). [ $\kappa$ -opioid receptor agonist U50, 488H attenuates myocardial ischemia-reperfusion via modulating Toll-like receptor 4/nuclear factor- $\kappa$ B signaling in rat]. *Zhonghua Xin Xue Guan Bing Za Zhi* 42: 866-872.
- Cai, XM; Zimmermann, TK; Pöthig, A; Kühn, FE. (2015). Synthesis and Electrochemical Properties of cis- and trans-[Mo<sub>2</sub>(O<sub>2</sub>C-Fc)<sub>2</sub>(DArF)<sub>2</sub>] (O<sub>2</sub>C-Fc = Ferrocenecarboxylate; DArF = N,N'-Diarylformamidinate). *Inorg Chem* 54: 6631-6640. <http://dx.doi.org/10.1021/acs.inorgchem.5b00964>.
- Cai, Z; Cai, J; Li, S; Zhang, W; Shi, S, ai; Zhu, X. (2014). Biosynthesis of myristyl serinate by immobilized *Candida antarctica* lipase in two-phase system. *Journal of Molecular Catalysis B: Enzymatic* 108: 118-122. <http://dx.doi.org/10.1016/j.molcatb.2014.07.008>.
- Cakmak, YS; Kaya, M; Asan-Ozusaglam, M. (2014). Biochemical composition and bioactivity screening of various extracts from *Dunaliella salina*, a green microalga. *EXCLI Journal* 13: 679-690.
- Cala, AC; Ferreira, JF; Chagas, AC; Gonzalez, JM; Rodrigues, RA; Foglio, MA; Oliveira, MC; Sousa, IM; Magalhães, PM; Barioni Júnior, W. (2014). Anthelmintic activity of *Artemisia annua* L. extracts in vitro and the effect of an aqueous extract and artemisinin in sheep naturally infected with gastrointestinal nematodes. *Parasitol Res* 113: 2345-2353. <http://dx.doi.org/10.1007/s00436-014-3891-z>.
- Calderón, AI; Hodel, A; Wolfender, JL; Gupta, MP; Correa, M; Hostettmann, K. (2013). LC-DAD-MS-based metabolite profiling of three species of *Justicia* (Acanthaceae). *Nat Prod Res* 27: 1335-1342. <http://dx.doi.org/10.1080/14786419.2012.738207>.
- Calkovska, A; Uhliarova, B; Joskova, M; Franova, S; Kolomaznik, M; Calkovsky, V; Smolarova, S. (2015). Pulmonary surfactant in the airway physiology: a direct relaxing effect on the smooth muscle. *Respir Physiol Neurobiol* 209: 95-105. <http://dx.doi.org/10.1016/j.resp.2015.01.004>.
- Callewaert, M; Millot, JM; Lesage, J; Laurent-Maquin, D; Edwards-Levy, F. (2009). Serum albumin-alginate coated microspheres: Role of the inner gel in binding and release of the KRFLK peptide. *Int J Pharm* 366: 103-110. <http://dx.doi.org/10.1016/j.ijpharm.2008.09.011>.
- Caltran, MP; Freitas, NO; Dantas, RA; Farina, JA; Rossi, LA. (2016). Satisfaction With Appearance Scale-SWAP: Adaptation and validation for Brazilian burn victims. *42: 1331-1339*. <http://dx.doi.org/10.1016/j.burns.2016.03.025>.
- Campone, L; Piccinelli, AL; Ostman, C; Rastrelli, L. (2010). Determination of organophosphorous flame retardants in fish tissues by matrix solid-phase dispersion and gas chromatography. *Anal Bioanal Chem* 397: 799-806. <http://dx.doi.org/10.1007/s00216-010-3548-4>.
- Campos, MS; Garcia-Jalon, E; Gilleen, JK; David, AS; Peralta, VM; Cuesta, MJ. (2011). Premorbid personality and insight in first-episode psychosis. *Schizophr Bull* 37: 52-60. <http://dx.doi.org/10.1093/schbul/sbq119>.
- Canales, N; Montenegro, I; Parraga, M; Olguín, Y; Godoy, P; Werner, E; Madrid, A. (2016). In Vitro Antimicrobial Activity of *Embothrium coccineum* Used as Traditional Medicine in Patagonia against Multiresistant Bacteria. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21111441>.
- Canales-Flores, RA; Prieto-García, F. (2016). Activation Methods of Carbonaceous Materials Obtained from Agricultural Waste [Review]. *13: 261-268*. <http://dx.doi.org/10.1002/cbdv.201500039>.
- Caneva, C; Alfei, S; De Maria, M; Ibba, C; Delogu, I; Spallarossa, A; Loddò, R. (2015). Synthesis and biological evaluation of (acyl)hydrazones and thiosemicarbazones obtained via in situ condensation of iminium salts with nitrogen-containing nucleophiles. *Mol Divers* 19: 669-684. <http://dx.doi.org/10.1007/s11030-015-9597-z>.

## Human Health Hazard Literature Search Results

### Off Topic

- Cañon-Mancisidor, W; Spodine, E; Venegas-Yazigi, D; Rojas, D; Manzur, J; Alvarez, S. (2008). Electrochemical behavior of copper complexes with substituted polypyridinic ligands: an experimental and theoretical study. *Inorg Chem* 47: 3687-3692. <http://dx.doi.org/10.1021/ic702104u>.
- Cao, DK; Wei, RH; Li, XX; Chen, JF; Ward, MD. (2015). Heteroleptic Ir(III) complexes based on 2-(2,4-difluorophenyl)-pyridine and bithienylethene: structures, luminescence and photochromic properties. *Dalton Transactions (Online)* 44: 4289-4296. <http://dx.doi.org/10.1039/c4dt03973d>.
- Cao, H, ui; Chen, JW, en; Tang, B; Xu, M. (2008). Effect of ethyl acetate extract from *Marchantia convoluta* on inhibition of human liver carcinoma HepG2 cells. *Nat Prod Res* 22: 454-460.
- Cao, Q; Wu, H; Zhu, L; Wu, D; Zhu, Y; Zhu, Z; Cui, J. (2011). Preparation and evaluation of zanamivir-loaded solid lipid nanoparticles. *J Control Release* 152 Suppl 1: e2-e4. <http://dx.doi.org/10.1016/j.jconrel.2011.08.085>.
- Cao, S; Wang, H; Yu, F; Shi, M; Chen, S; Weng, X; Liu, Y; Wu, Z. (2016). Catalyst performance and mechanism of catalytic combustion of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) over Ce doped TiO<sub>2</sub>. *J Colloid Interface Sci* 463: 233-241. <http://dx.doi.org/10.1016/j.jcis.2015.10.061>.
- Cao, W; Liu, Y; Jiang, G; Wu, T. (2014). [A comparison of methods for identifying mast cells of *Cyprinus carpio*]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi* 30: 872-874, 877.
- Cao, W; Suzuki, T; Elsayed-Ali, HE; Abdel-Fattah, TM. (2015). Synthesis of Cerium-Doped Titania Nanoparticles and Nanotubes. *J Nanosci Nanotechnol* 15: 2508-2513. <http://dx.doi.org/10.1166/jnn.2015.10299>.
- Capobianco, A; Caruso, T; Celentano, M; La Rocca, MV; Peluso, A. (2013). Proton transfer in oxidized adenosine self-aggregates. *J Chem Phys* 139: 145101. <http://dx.doi.org/10.1063/1.4823495>.
- Cappelle, D; Neels, H; Yegles, M; Fransen, E; Dueffels, K, ai; Bremenfeld, S; Maudens, KE; van Nuijs, ALN; Covaci, A; Crunelle, CL. (2016). Ethyl glucuronide in nails: method validation, influence of decontamination and pulverization, and particle size evaluation. *Forensic Toxicology* 34: 158-165. <http://dx.doi.org/10.1007/s11419-015-0302-9>.
- Caravaggio, F; Chung, JK; Gerretsen, P; Fervaha, G; Nakajima, S; Plitman, E; Iwata, Y; Wilson, A; Graff-Guerrero, A. (2017). Exploring the relationship between social attachment and dopamine D<sub>2/3</sub> receptor availability in the brains of healthy humans using [(11)C]-(+)-PHNO. *Soc Neurosci* 12: 163-173. <http://dx.doi.org/10.1080/17470919.2016.1152997>.
- Cardoso, BM; De Mello, TF; Lera, DS; Brenzan, MA; Cortez, DA; Donatti, L; Silveira, TG; Lonardoní, MV. (2017). Antileishmanial Activity of a *Calophyllum brasiliense* Leaf Extract. *Planta Med* 83: 57-62. <http://dx.doi.org/10.1055/s-0042-107673>.
- Cardoso Vilela, F; Soncini, R; Giusti-Paiva, A. (2009). Anxiolytic-like effect of *Sonchus oleraceus* L. in mice. *J Ethnopharmacol* 124: 325-327. <http://dx.doi.org/10.1016/j.jep.2009.04.029>.
- Cardozo, VF; Oliveira, AG; Nishio, EK; Perugini, MR; Andrade, CG; Silveira, WD; Durán, N; Andrade, G; Kobayashi, RK; Nakazato, G. (2013). Antibacterial activity of extracellular compounds produced by a *Pseudomonas* strain against methicillin-resistant *Staphylococcus aureus* (MRSA) strains. *Ann Clin Microbiol Antimicrob* 12: 12. <http://dx.doi.org/10.1186/1476-0711-12-12>.
- Carletti, E; Aurbek, N; Gillon, E; Loiodice, M; Nicolet, Y; Fontecilla-Camps, JC; Masson, P; Thiermann, H; Nachon, F; Worek, F. (2009). Structure-activity analysis of aging and reactivation of human butyrylcholinesterase inhibited by analogues of tabun. *Biochem J* 421: 97-106. <http://dx.doi.org/10.1042/BJ20090091>.
- Carletti, E; Endogan, T; Hasirci, N; Hasirci, V; Maniglio, D; Motta, A; Migliaresi, C. (2011). Microfabrication of PDLLA scaffolds. *J Tissue Eng Regen Med* 5: 569-577. <http://dx.doi.org/10.1002/term.349>.
- Carlier, M; Stove, V; Roberts, JA; Van de Velde, E; De Waele, JJ; Verstraete, AG. (2012). Quantification of seven  $\beta$ -lactam antibiotics and two  $\beta$ -lactamase inhibitors in human plasma using a validated UPLC-MS/MS method. *Int J Antimicrob Agents* 40: 416-422. <http://dx.doi.org/10.1016/j.ijantimicag.2012.06.022>.
- Carneiro, SM; Carvalho, FA; Santana, LC; Sousa, AP; Neto, JM; Chaves, MH. (2012). The cytotoxic and antileishmanial activity of extracts and fractions of leaves and fruits of *Azadirachta indica* (A. Juss.). *Biol Res* 45: 111-116. <http://dx.doi.org/10.4067/S0716-97602012000200002>.
- Carofiglio, T; Lubian, E; Menegazzo, I; Saielli, G; Varotto, A. (2009). Melamine-bridged bis(porphyrin-Zn(II)) receptors: molecular recognition properties. *J Org Chem* 74: 9034-9043. <http://dx.doi.org/10.1021/jo901749w>.
- Carotenuto, A; Cipolletta, E; Gomez-Monterrey, I; Sala, M; Vernieri, E; Limatola, A; Bertamino, A; Musella, S; Sorriento, D; Grieco, P; Trimarco, B; Novellino, E; Iaccarino, G; Campiglia, P. (2013). Design, synthesis and efficacy of novel G protein-coupled receptor kinase 2 inhibitors. *Eur J Med Chem* 69: 384-392. <http://dx.doi.org/10.1016/j.ejmech.2013.08.039>.
- Carpes, RM; Fleury, BG; Lages, BG; Pinto, AC; Aiub, CA; Felzenszwalb, I. (2013). Mutagenicity, genotoxicity, and scavenging activities of extracts from the soft coral *Chromonephthea braziliensis*: a possibility of new bioactive compounds. *Genet Mol Res* 12: 3575-3587. <http://dx.doi.org/10.4238/2013.September.13.2>.
- Carpinteiro, I; Abuin, B; Ramil, M; Rodríguez, I; Cela, R. (2012). Matrix solid-phase dispersion followed by gas chromatography tandem mass spectrometry for the determination of benzotriazole UV absorbers in sediments. *Anal Bioanal Chem* 402: 519-527. <http://dx.doi.org/10.1007/s00216-011-5386-4>.
- Carpinteiro, I; Abuín, B; Rodríguez, I; Ramil, M; Cela, R. (2010). Pressurized solvent extraction followed by gas chromatography tandem mass spectrometry for the determination of benzotriazole light stabilizers in indoor dust. *J Chromatogr A* 1217: 3729-3735. <http://dx.doi.org/10.1016/j.chroma.2010.04.022>.
- Carrara, VS; Vieira, SC; de Paula, RG; Rodrigues, V; Magalhães, LG; Cortez, DA; Da Silva Filho, AA. (2014). In vitro schistosomicidal effects of aqueous and dichloromethane fractions from leaves and stems of *Piper* species and the isolation of an active amide from *P. amalago* L. (Piperaceae). *J Helminthol* 88: 321-326. <http://dx.doi.org/10.1017/S0022149X13000205>.

## Human Health Hazard Literature Search Results

### Off Topic

- Carvalho, FB; Boligon, AA; Athayde, ML; Rubin, MA; Ferreira, J; Trevisan, G. (2016). Inhibitory effect of *Scutia buxifolia* extracts, fractions, and ursolic acid on Na(+), K(+)-ATPase activity in vitro in membranes purified from rat hearts. *J Ethnopharmacol* 179: 45-54. <http://dx.doi.org/10.1016/j.jep.2015.12.035>.
- Carvalho, GG; Felipe, MP; Costa, MS. (2009). The photodynamic effect of methylene blue and toluidine blue on *Candida albicans* is dependent on medium conditions. *J Microbiol* 47: 619-623. <http://dx.doi.org/10.1007/s12275-009-0059-0>.
- Carvalho, JCB; Almeida, H, dosS; Revoredo Lobo, JF; Pinto Ferreira, JL; Oliveira, AP; Rocha, L. (2013). Pyrrolizidine alkaloids in two endemic capeverdian *Echium* species. *Biochemical Systematics and Ecology* 50: 1-6. <http://dx.doi.org/10.1016/j.bse.2013.03.026>.
- Casero, C; Estévez-Braun, A; Ravelo, AG; Demo, M; Méndez-Álvarez, S; Machín, F. (2013). Achyrofuran is an antibacterial agent capable of killing methicillin-resistant vancomycin-intermediate *Staphylococcus aureus* in the nanomolar range. *Phytomedicine* 20: 133-138. <http://dx.doi.org/10.1016/j.phymed.2012.11.003>.
- Casey, BM; Eakin, CA; Jiao, J; Sadasivam, DV; Flowers, RA. (2009). Solvent-dependent oxidative coupling of 1-aryl-1,3-dicarbonyls and styrene. *Tetrahedron* 65: 10762-10768. <http://dx.doi.org/10.1016/j.tet.2009.06.118>.
- Casey, BM; Eakin, CA; Jiao, J; Sadasivam, DV; Flowers, RA. (2010). Corrigendum to Solvent-dependent oxidative coupling of 1-aryl-1,3-dicarbonyls and styrene. *Tetrahedron* 66: 5720-5726. <http://dx.doi.org/10.1016/j.tet.2010.05.063>.
- Castaño Pérez, GA; Calderón Vallejo, GA; Berbesi Fernández, DY. (2013). [Use of Emerging Drugs in Medellín, Colombia]. *Revista Colombiana de Psiquiatria* 42: 248-256. [http://dx.doi.org/10.1016/S0034-7450\(13\)70017-9](http://dx.doi.org/10.1016/S0034-7450(13)70017-9).
- Castellar, A; Coelho, TS; Silva, PEA; Ramos, DF; Lourenco, MCS; Lage, CLS; Juliao, LS; Barbosa, YG; Leitao, SG. (2011). The activity of flavones and oleanolic acid from *Lippia lacunosa* against susceptible and resistant *Mycobacterium tuberculosis* strains. *Revista Brasileira de Farmacognosia* 21: 835-840. <http://dx.doi.org/10.1590/S0102-695X2011005000076>.
- Castillo, DT; Joseph, JS; Sharp, AT; C'de Baca, J; Torres-Sena, LM; Qualls, C; Miller, MW. (2014). Externalizing and internalizing subtypes of posttraumatic psychopathology and anger expression. *J Trauma Stress* 27: 108-111. <http://dx.doi.org/10.1002/jts.21886>.
- Castro, A; Coll, J; Arfan, M. (2011). neo-Clerodane diterpenoids from *Ajuga bracteosa*. *J Nat Prod* 74: 1036-1041. <http://dx.doi.org/10.1021/np100929u>.
- Castro, C; Laura, A; Schiborr, C; Bosy-Westphal, A; Frank, J, an. (2015). Investigations on the oral bioavailability of trans-resveratrol and trans-epsilon-viniferin from native and micellar Vineatrol (R) 30 grapevine-shoot extract in healthy volunteers. *Free Radic Biol Med* 86: S9-S9. <http://dx.doi.org/10.1016/j.freeradbiomed.2015.07.043>.
- Castro, JP; Ocampo, YC; Franco, LA. (2014). In vivo and in vitro anti-inflammatory activity of *Cryptostegia grandiflora* Roxb. ex R. Br. leaves. *Biol Res* 47: 32. <http://dx.doi.org/10.1186/0717-6287-47-32>.
- Castro-Ruiz, JE; Rojas-Molina, A; Luna-Vázquez, FJ; Rivero-Cruz, F; García-Gasca, T; Ibarra-Alvarado, C. (2017). Affinin (*Spilanthol*), Isolated from *Heliopsis longipes*, Induces Vasodilation via Activation of Gasotransmitters and Prostacyclin Signaling Pathways. *International Journal of Molecular Sciences* 18. <http://dx.doi.org/10.3390/ijms18010218>.
- Catalán, J. (2014). Can the dipolarity of the medium induce the formation of charge transfer structures? An unexpected finding in the photophysics of DMABN. *Phys Chem Chem Phys* 16: 7734-7740. <http://dx.doi.org/10.1039/c4cp00177j>.
- Cattani, D; de Liz Oliveira Cavalli, VL; Heinz Rieg, CE; Domingues, JT; Dal-Cim, T; Tasca, CI; Mena Barreto Silva, FR; Zamoner, A. (2014). Mechanisms underlying the neurotoxicity induced by glyphosate-based herbicide in immature rat hippocampus: involvement of glutamate excitotoxicity. *Toxicology* 320: 34-45. <http://dx.doi.org/10.1016/j.tox.2014.03.001>.
- Cavallari, C; Santos, BP; Fini, A. (2013). Olanzapine solvates. *J Pharm Sci* 102: 4046-4056. <http://dx.doi.org/10.1002/jps.23714>.
- Cayot, N; Lafarge, C; Bou-Maroun, E; Cayot, P. (2016). Substitution of carcinogenic solvent dichloromethane for the extraction of volatile compounds in a fat-free model food system. *J Chromatogr A* 1456: 77-88. <http://dx.doi.org/10.1016/j.chroma.2016.06.015>.
- Cazorla-Reyes, R; Fernández-Moreno, JL; Romero-González, R; Frenich, AG; Vidal, JL. (2011). Single solid phase extraction method for the simultaneous analysis of polar and non-polar pesticides in urine samples by gas chromatography and ultra high pressure liquid chromatography coupled to tandem mass spectrometry. *Talanta* 85: 183-196. <http://dx.doi.org/10.1016/j.talanta.2011.03.048>.
- Cebollada, A; Vellé, A; Sanz Miguel, PJ. (2016). Hirshfeld and DFT analysis of the N-heterocyclic carbene proligand methylenebis(N-butylimidazolium) as the acetonitrile-solvated diiodide salt. *J Mol Liq* 72: 456-459. <http://dx.doi.org/10.1107/S2053229616006781>.
- Cecilia Guedes, EA; dos Santos Araujo, MA; Pinheiro Souza, AK; Oliveira de Souza, LI; de Barros, LD; de Albuquerque Maranhao, FC; Goulart Sant'Ana, AE. (2012). Antifungal Activities of Different Extracts of Marine Macroalgae Against Dermatophytes and *Candida* Species. *Mycopathologia* 174: 223-232. <http://dx.doi.org/10.1007/s11046-012-9541-z>.
- Cehak, A; Burmester, M; Geburek, F; Feige, K; Breves, G. (2009). Electrophysiological characterization of electrolyte and nutrient transport across the small intestine in horses. *Journal of Animal Physiology and Animal Nutrition (Online)* 93: 287-294. <http://dx.doi.org/10.1111/j.1439-0396.2008.00882.x>.
- Celano, R; Piccinelli, AL; Campone, L; Rastrelli, L. (2014). Ultra-preconcentration and determination of selected pharmaceutical and personal care products in different water matrices by solid-phase extraction combined with dispersive liquid-liquid microextraction prior to ultra high pressure liquid chromatography tandem mass spectrometry analysis. *J Chromatogr A* 1355: 26-35. <http://dx.doi.org/10.1016/j.chroma.2014.06.009>.
- Celenligil-Cetin, R; Paraskevopoulou, P; Dinda, R; Staples, RJ; Sinn, E; Rath, NP; Stavropoulos, P. (2008). Synthesis, characterization, and reactivity of iron trisamidoamine complexes that undergo both metal- and ligand-centered oxidative transformations. *Inorg Chem* 47: 1165-1172. <http://dx.doi.org/10.1021/ic702154z>.
- Celik, S; Ergun, Y; Alp, S. (2009). Synthesis and spectroscopic studies of 3,6-diphenyl-2,5-dihydropyrrolo[3,4-c]pyrrole-1,4-dione's N,N'-dialkyl derivatives. *J Fluoresc* 19: 829-835. <http://dx.doi.org/10.1007/s10895-009-0480-0>.

## Human Health Hazard Literature Search Results

### Off Topic

- Celik, SE; Ozyürek, M; Güçlü, K; Apak, R. (2010). Solvent effects on the antioxidant capacity of lipophilic and hydrophilic antioxidants measured by CUPRAC, ABTS/persulphate and FRAP methods. *Talanta* 81: 1300-1309. <http://dx.doi.org/10.1016/j.talanta.2010.02.025>.
- Çelik, SE; Ozyürek, M; Güçlü, K; Apak, R. (2012). Differences in responsivity of original cupric reducing antioxidant capacity and cupric-bathocuproine sulfonate assays to antioxidant compounds. *Anal Biochem* 423: 36-38. <http://dx.doi.org/10.1016/j.ab.2012.01.011>.
- Centlow, M; Hansson, SR; Welinder, C. (2010). Differential proteome analysis of the preeclamptic placenta using optimized protein extraction. *J Biomed Biotechnol* 2010: 458748. <http://dx.doi.org/10.1155/2010/458748>.
- Cequier-Sánchez, E; Rodríguez, C; Ravelo, AG; Zárate, R. (2008). Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples of different natures. *J Agric Food Chem* 56: 4297-4303. <http://dx.doi.org/10.1021/jf073471e>.
- Cerda, JF; Koder, RL; Lichtenstein, BR; Moser, CM; Miller, AF; Dutton, PL. (2008). Hydrogen bond-free flavin redox properties: managing flavins in extreme aprotic solvents. *Org Biomol Chem* 6: 2204-2212. <http://dx.doi.org/10.1039/b801952e>.
- Cerda, JF; Malloy, MC; Werkheiser, BO; Stockhausen, AT; Gallagher, MF; Lawler, AC. (2014). Evaluation of heme peripheral group interactions in extremely low-dielectric constant media and their contributions to the heme reduction potential. *Inorg Chem* 53: 182-188. <http://dx.doi.org/10.1021/ic401986n>.
- Cerqueira, NF; Hussni, CA; Yoshida, WB; Sequeira, JL; Padovani, CR. (2008). Effects of pentoxifylline and n-acetylcysteine on injuries caused by ischemia and reperfusion of splanchnic organs in rats. *Int Angiol* 27: 512-521.
- Cesari, I; Hoerlé, M; Simoes-Pires, C; Grisoli, P; Queiroz, EF; Dacarro, C; Marcourt, L; Moundipa, PF; Carrupt, PA; Cuendet, M; Caccialanza, G; Wolfender, JL; Brusotti, G. (2013). Anti-inflammatory, antimicrobial and antioxidant activities of *Diospyros bipindensis* (Gürke) extracts and its main constituents. *J Ethnopharmacol* 146: 264-270. <http://dx.doi.org/10.1016/j.jep.2012.12.041>.
- Ceylan, Y; Usta, K; Kunduracioglu, A; Usta, A; Cetinkaya, B. (2016). Identification of radical structures on 1-pentamethylbenzyl-3-ethylimidazoliumsilver(I)bromide and 1,3-bis(pentamethylbenzyl)-4,5-dimethylbenzimidazoliumsilver(I)bromide exposed to gamma rays: an EPR study. *54: 864-869*. <http://dx.doi.org/10.1002/mrc.4479>.
- Chahal, MK; Sankar, M. (2016). Switching between porphyrin, porphodimethene and porphyrinogen using cyanide and fluoride ions mimicking volatile molecular memory and the 'NOR' logic gate. *Dalton Transactions (Online)* 45: 16404-16412. <http://dx.doi.org/10.1039/c6dt02506d>.
- Chakinala, AG; Gogate, PR; Chand, R; Bremner, DH; Ri, M; Burgess, AE. (2008). Intensification of oxidation capacity using chloroalkanes as additives in hydrodynamic and acoustic cavitation reactors. *Ultrason Sonochem* 15: 164-170. <http://dx.doi.org/10.1016/j.ultsonch.2007.02.008>.
- Chakraborty, K; Joseph, D; Praveen, NK. (2015). Antioxidant activities and phenolic contents of three red seaweeds (Division: Rhodophyta) harvested from the Gulf of Mannar of Peninsular India. *J Food Sci Tech* 52: 1924-1935. <http://dx.doi.org/10.1007/s13197-013-1189-2>.
- Chakraborty, K; Lipton, AP; Raj, RP; Vijayan, KK. (2010). Antibacterial labdane diterpenoids of *Ulva fasciata* Delile from southwestern coast of the Indian Peninsula. *Food Chem* 119: 1399-1408. <http://dx.doi.org/10.1016/j.foodchem.2009.09.019>.
- Chakraborty, K; Paulraj, R. (2010). Sesquiterpenoids with free-radical-scavenging properties from marine macroalga *Ulva fasciata* Delile. *Food Chem* 122: 31-41. <http://dx.doi.org/10.1016/j.foodchem.2010.02.012>.
- Chan, AK; Lam, ES; Tam, AY; Tsang, DP; Lam, WH; Chan, MY; Wong, WT; Yam, VW. (2013). Synthesis and characterization of luminescent cyclometalated platinum(II) complexes of 1,3-bis-hetero-azolybenzenes with tunable color for applications in organic light-emitting devices through extension of  $\pi$  conjugation by variation of the heteroatom. *Chemistry* 19: 13910-13924. <http://dx.doi.org/10.1002/chem.201301586>.
- Chan, AK; Wong, KM; Yam, VW. (2015). Supramolecular assembly of isocyanorhodium(I) complexes: an interplay of rhodium(I)···rhodium(I) interactions, hydrophobic-hydrophobic interactions, and host-guest chemistry. *J Am Chem Soc* 137: 6920-6931. <http://dx.doi.org/10.1021/jacs.5b03396>.
- Chan, C; Lee, SC; Chan, W; Ho, K; Tian, L; Lai, S; Li, Y; Huang, Y, u. (2011). Characterisation of Volatile Organic Compounds at Hotels in Southern China. *Indoor Built Environ* 20: 420-429. <http://dx.doi.org/10.1177/1420326X11409458>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by *Dehalobacter* Cultures. *Environ Sci Technol* 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, CT; Sobey, CG; Lieu, M; Ferens, D; Kett, MM; Diep, H; Kim, HA; Krishnan, SM; Lewis, CV; Salimova, E; Tipping, P; Vinh, A; Samuel, CS; Peter, K; Guzik, TJ; Kyaw, TS; Toh, BH; Bobik, A; Drummond, GR. (2015). Obligatory Role for B Cells in the Development of Angiotensin II-Dependent Hypertension. *Hypertension* 66: 1023-1033. <http://dx.doi.org/10.1161/HYPERTENSIONAHA.115.05779>.
- Chan, LL; George, S; Ahmad, I; Gosangari, SL; Abbasi, A; Cunningham, BT; Watkin, KL. (2011). Cytotoxicity Effects of *Amoora rohituka* and *chittagonga* on Breast and Pancreatic Cancer Cells. *eCAM* 2011: 860605. <http://dx.doi.org/10.1155/2011/860605>.
- Chandini, SK; Ganesan, P; Bhaskar, N. (2008). In vitro antioxidant activities of three selected brown seaweeds of India. *Food Chem* 107: 707-713. <http://dx.doi.org/10.1016/j.foodchem.2007.08.081>.
- Chandra, T; Broderick, WE; Broderick, JB. (2009). Chemoselective deprotection of triethylsilyl ethers. *Nucleosides Nucleotides Nucleic Acids* 28: 1016-1029. <http://dx.doi.org/10.1080/15257770903362172>.
- Chang, CH; Wen, ZH; Wang, SK; Duh, CY. (2008). Capnellenes from the Formosan soft coral *Capnella imbricata*. *J Nat Prod* 71: 619-621. <http://dx.doi.org/10.1021/np0706116>.
- Chang, CH; Wen, ZH; Wang, SK; Duh, CY. (2008). New anti-inflammatory steroids from the Formosan soft coral *Clavularia viridis*. *Steroids* 73: 562-567. <http://dx.doi.org/10.1016/j.steroids.2008.01.007>.



## Human Health Hazard Literature Search Results

### Off Topic

- Chang, CM; Kulkarni, MV; Chen, CH; Wang, CH; Sun, CM. (2008). Parallel synthesis of 2-sulphonylated bis-benzimidazoles on soluble polymer support. *J Comb Chem* 10: 466-474. <http://dx.doi.org/10.1021/cc7002045>.
- Chang, GF; Wang, CH; Lu, HC; Kan, LS; Chao, I; Chen, WH; Kumar, A; Lo, L; Dela Rosa, MA; Hung, CH. (2011). Factors that regulate the conformation of m-benziporphodimethene complexes: agostic metal-arene interaction, hydrogen bonding, and  $\eta^2, \pi$  coordination. *Chemistry* 17: 11332-11343. <http://dx.doi.org/10.1002/chem.201100780>.
- Chang, HW; Sung, Y; Kim, KH; Nam, YD; Roh, SW; Kim, MS; Jeon, CO; Bae, JW. (2008). Development of microbial genome-probing microarrays using digital multiple displacement amplification of uncultivated microbial single cells. *Environ Sci Technol* 42: 6058-6064. <http://dx.doi.org/10.1021/es8006029>.
- Chang, R; Pilo-Veloso, D; Morais, SAL; Nascimento, EA. (2008). Analysis of a Brazilian green propolis from *Baccharis dracunculifolia* by HPLC-APCI-MS and GC-MS. *Revista Brasileira de Farmacognosia* 18: 549-556.
- Chang, Y, ouJin; Lee, DU, ng; Nam, J, ooH; Kim, W, ooK. (2016). Inhibitory Effect of Agrimonia Pilosa Leaf Extract on the UV-Induced Photoaging-Related Ion Channel, ORA1, and the Enzymes Tyrosinase and Elastase. *Journal of Food Biochemistry* 40: 2-9. <http://dx.doi.org/10.1111/jfbc.12171>.
- Chang, YJ; Hsieh, BT. (2012). Effect of composition interactions on the dose response of an N-isopropylacrylamide gel dosimeter. *PLoS ONE* 7: e44905. <http://dx.doi.org/10.1371/journal.pone.0044905>.
- Chantarudee, A; Phuwapraisirisan, P; Kimura, K; Okuyama, M; Mori, H; Kimura, A; Chanchao, C. (2012). Chemical constituents and free radical scavenging activity of corn pollen collected from *Apis mellifera* hives compared to floral corn pollen at Nan, Thailand. *BMC Complement Altern Med* 12: 45. <http://dx.doi.org/10.1186/1472-6882-12-45>.
- Chao, A; Schlinger, BA; Remage-Healey, L. (2011). Combined liquid and solid-phase extraction improves quantification of brain estrogen content. *Frontiers in Neuroanatomy* 5: 57. <http://dx.doi.org/10.3389/fnana.2011.00057>.
- Chaouki, W; Leger, DY; Liagre, B; Cherrah, Y; Beneytout, JL; Hmamouchi, M. (2009). Roots of *Daphne gnidium* L. inhibit cell proliferation and induce apoptosis in the human breast cancer cell line MCF-7. *Pharmazie* 64: 542-546.
- Chapuis, C; Skuy, D; de Saint Laumer, JY; Brauchli, R. (2014). endo/exo stereoselectivity in Diels-Alder reactions of  $\alpha, \beta$ -dialkylated conjugated enals to cyclic 1,3-dienes: intermediates in the synthesis of (-)- $\beta$ -santalol and its analogs. 11: 1470-1516. <http://dx.doi.org/10.1002/cbdv.201400060>.
- Charreteur, K; Kdider, M; Capon, JF; Gloaguen, F; Pétillon, FY; Schollhammer, P; Talarmin, J. (2010). Effect of electron-withdrawing dithiolate bridge on the electron-transfer steps in diiron molecules related to [2Fe](H) subsite of the [FeFe]-hydrogenases. *Inorg Chem* 49: 2496-2501. <http://dx.doi.org/10.1021/ic902401k>.
- Chary, NS; Fernandez-Alba, AR. (2012). Determination of volatile organic compounds in drinking and environmental waters. *Trends Analyt Chem* 32: 60-75. <http://dx.doi.org/10.1016/j.trac.2011.08.011>.
- Chatterton, C; Kintz, P. (2014). Hair analysis to demonstrate administration of amitriptyline, temazepam, tramadol and dihydrocodeine to a child in a case of kidnap and false imprisonment. *J Forensic Leg Med* 23: 26-31. <http://dx.doi.org/10.1016/j.jflm.2014.01.005>.
- Chaudhary, GR; Singh, P; Kaur, G; Mehta, SK; Kumar, S; Dilbaghi, N. (2015). Multifaceted approach for the fabrication of metallomicelles and metallic nanoparticles using solvophobic bisdodecylaminepalladium (II) chloride as precursor. *Inorg Chem* 54: 9002-9012. <http://dx.doi.org/10.1021/acs.inorgchem.5b01171>.
- Chauhan, HP; Bhatiya, S. (2012). Synthesis, spectroscopic, thermal and antimicrobial studies of toluene-3,4-dithiolatoarsenic(III) derivatives with some oxygen and sulphur donor ligands. *Spectrochim Acta A Mol Biomol Spectrosc* 97: 1133-1139. <http://dx.doi.org/10.1016/j.saa.2012.07.086>.
- Chauhan, HP; Bhatiya, S; Bakshi, A. (2009). Synthesis and characterization of toluene-3,4-dithiolatoantimony(III) derivatives with some oxygen and/or sulphur donor ligands. *Spectrochim Acta A Mol Biomol Spectrosc* 74: 67-73. <http://dx.doi.org/10.1016/j.saa.2009.05.006>.
- Chaurasiya, ND; Ibrahim, MA; Muhammad, I; Walker, LA; Tekwani, BL. (2014). Monoamine oxidase inhibitory constituents of propolis: kinetics and mechanism of inhibition of recombinant human MAO-A and MAO-B. *Molecules* 19: 18936-18952. <http://dx.doi.org/10.3390/molecules191118936>.
- Chavan, SS; Sawant, VA; Jadhav, AN. (2014). Copper(II) complexes of N-(2-((2E)-2-(2-Hydroxy-(5-substituted)-benzylidene)-hydrazino)carbonyl)phenyl)benzamide ligands and heterocyclic coligands. *Spectrochim Acta A Mol Biomol Spectrosc* 117: 360-365. <http://dx.doi.org/10.1016/j.saa.2013.07.082>.
- Chavre, SN; Choo, H; Lee, JK; Pae, AN; Kim, Y; Cho, YS. (2008). 5- And 6-exocyclic products, cis-2,3,5-trisubstituted tetrahydrofurans, and cis-2,3,6-trisubstituted tetrahydropyrans via Prins-type cyclization. *J Org Chem* 73: 7467-7471. <http://dx.doi.org/10.1021/jo800967p>.
- Chedea, VS; Choueiri, L; Jisaka, M; Kefalas, P. (2012). o-Quinone involvement in the prooxidant tendency of a mixture of quercetin and caffeic acid. *Food Chem* 135: 1999-2004. <http://dx.doi.org/10.1016/j.foodchem.2012.06.094>.
- Cheenpracha, S; Karalai, C; Ponglimanont, C; Kanjana-Opas, A. (2009). Candenatenins A-F, phenolic compounds from the heartwood of *Dalbergia candenatensis*. *J Nat Prod* 72: 1395-1398. <http://dx.doi.org/10.1021/np900077h>.
- Chelakkot, R; Winkler, RG; Gompper, G. (2011). Semiflexible polymer conformation, distribution and migration in microcapillary flows. *J Phys Condens Matter* 23: 184117. <http://dx.doi.org/10.1088/0953-8984/23/18/184117>.
- Chellaram, C; Anand, TP; Shailaja, NR; Kesavan, D. (2012). Herbicidal Effects of Marine Animal, *Trochus tentorium* from Gulf of Mannar, Southeastern India. 7: 250-255. <http://dx.doi.org/10.3923/ajava.2012.250.255>.
- Chemate, SB; Sekar, N. (2015). Novel Iminocoumarin Derivatives: Synthesis, Spectroscopic and Computational Studies. *J Fluoresc* 25: 1615-1628. <http://dx.doi.org/10.1007/s10895-015-1648-4>.

## Human Health Hazard Literature Search Results

### Off Topic

- Chen, AZ; Yang, YM; Wang, SB; Wang, GY; Liu, YG; Sun, QQ. (2013). Preparation of methotrexate-loaded, large, highly-porous PLLA microspheres by a high-voltage electrostatic antisolvent process. *J Mater Sci Mater Med* 24: 1917-1925. <http://dx.doi.org/10.1007/s10856-013-4942-1>.
- Chen, B; Ma, S. (2013). Tandem Michael addition/cyclization reaction of 2,3-allenoates with organozincs: facile synthesis of isocoumarins. *Org Lett* 15: 3884-3887. <http://dx.doi.org/10.1021/ol401625t>.
- Chen, C; Luo, S; Jordan, RF. (2008). Multiple insertion of a silyl vinyl ether by ( $\alpha$ -diimine)PdMe<sup>+</sup> species. *J Am Chem Soc* 130: 12892-12893. <http://dx.doi.org/10.1021/ja8056858>.
- Chen, CC; Chen, CM; Wu, MJ. (2014). Transition metal-catalyzed cascade cyclization of aryldiynes to halogenated benzo[b]naphtho[2,1-d]thiophene derivatives. *J Org Chem* 79: 4704-4711. <http://dx.doi.org/10.1021/jo500377v>.
- Chen, D; Ouyang, D, uJ; Liu, H; Chen, J; Zhuang, QF; Chen, JM. (2014). Effective utilization of dichloromethane by a newly isolated strain *Methylobacterium rhodesianum* H13. *Environ Sci Pollut Res Int* 21: 1010-1019. <http://dx.doi.org/10.1007/s11356-013-1972-7>.
- Chen, DZ; Miao, XP; Ouyang, DJ; Ye, JX; Chen, JM. (2015). [Removal of Waste Gas Containing Mixed Chlorinated Hydrocarbons by the Biotrickling Filter]. *Huanjing Kexue* 36: 3168-3174.
- Chen, F; Chen, L; Wang, Q; Zhou, J; Xue, X; Zhao, J. (2009). Determination of organochlorine pesticides in propolis by gas chromatography-electron capture detection using double column series solid-phase extraction. *Anal Bioanal Chem* 393: 1073-1079. <http://dx.doi.org/10.1007/s00216-008-2474-1>.
- Chen, G; Li, J; Sun, Z; Zhang, S; Li, G; Song, C; Suo, Y; You, J. (2014). Rapid and sensitive ultrasonic-assisted derivatisation microextraction (UDME) technique for bitter taste-free amino acids (FAA) study by HPLC-FLD. *Food Chem* 143: 97-105. <http://dx.doi.org/10.1016/j.foodchem.2013.07.099>.
- Chen, G; Zhu, L; Liu, Y; Zhou, Q; Chen, H; Yang, J. (2009). Isoliquiritigenin, a flavonoid from licorice, plays a dual role in regulating gastrointestinal motility in vitro and in vivo. *Phytother Res* 23: 498-506. <http://dx.doi.org/10.1002/ptr.2660>.
- Chen, H; Li, S; Wang, P; Yan, S; Hu, L; Pan, X; Yang, C; Leung, GP. (2014). Endothelium-dependent and -independent relaxation of rat aorta induced by extract of *Schizophyllum commune*. *Phytomedicine* 21: 1230-1236. <http://dx.doi.org/10.1016/j.phymed.2014.06.008>.
- Chen, IC; Ho, SM; Chen, YC; Lin, CY; Hu, CH; Tu, CY; Datta, A; Huang, JH; Lin, CH. (2009). Deprotonation and reductive addition reactions of hypervalent aluminium dihydride compounds containing substituted pyrrolyl ligands with phenols, ketones, and aldehydes. *Dalton Transactions (Online)* 8631-8643. <http://dx.doi.org/10.1039/b908164j>.
- Chen, J; Chen, SH; Lai, G. (2012). Preparation and characterization of biomimetic silk fibroin/chitosan composite nanofibers by electrospinning for osteoblasts culture. *Nanoscale Res Lett* 7: 1-11. <http://dx.doi.org/10.1186/1556-276X-7-170>.
- Chen, J; Zhang, J; Wang, K; Lin, X; Huang, L; Chen, G. (2008). Electrochemical biosensor for detection of BCR/ABL fusion gene using locked nucleic acids on 4-aminobenzenesulfonic acid-modified glassy carbon electrode. *Anal Chem* 80: 8028-8034. <http://dx.doi.org/10.1021/ac801040e>.
- Chen, J; Zhu, X. (2016). Magnetic solid phase extraction using ionic liquid-coated core-shell magnetic nanoparticles followed by high-performance liquid chromatography for determination of Rhodamine B in food samples. *Food Chem* 200: 10-15. <http://dx.doi.org/10.1016/j.foodchem.2016.01.002>.
- Chen, JJ; Jin, MX; Zhu, SL; Li, F; Xing, Y. (2014). The Synthesis and characteristic study of transferrin-conjugated liposomes carrying brain-derived neurotrophic factor. *Biomed Mater Eng* 24: 2089-2099. <http://dx.doi.org/10.3233/BME-141019>.
- Chen, JL; Cao, XF; Wang, JY; He, LH; Liu, ZY; Wen, HR; Chen, ZN. (2013). Synthesis, characterization, and photophysical properties of heteroleptic copper(I) complexes with functionalized 3-(2'-pyridyl)-1,2,4-triazole chelating ligands. *Inorg Chem* 52: 9727-9740. <http://dx.doi.org/10.1021/ic4002829>.
- Chen, JL; Guo, ZH; Yu, HG; He, LH; Liu, SJ; Wen, HR; Wang, JY. (2016). Luminescent dinuclear copper(I) complexes bearing 1,4-bis(diphenylphosphino)butane and functionalized 3-(2'-pyridyl)pyrazole mixed ligands. *Dalton Transactions (Online)* 45: 696-705. <http://dx.doi.org/10.1039/c5dt03451e>.
- Chen, K; Lu, CY, i; Cheng, HJ; Chen, SJ; Hu, C; Wu, A. (2010). A pyrenyl-appended triazole-based ribose as a fluorescent sensor for Hg<sub>2</sub><sup>+</sup> ion. *Carbohydr Res* 345: 2557-2561. <http://dx.doi.org/10.1016/j.carres.2010.09.010>.
- Chen, KY; Chang, CW. (2014). Highly Soluble Monoamino-Substituted Perylene Tetracarboxylic Dianhydrides: Synthesis, Optical and Electrochemical Properties. *International Journal of Molecular Sciences* 15: 22642-22660. <http://dx.doi.org/10.3390/ijms151222642>.
- Chen, KY; Yang, TC; Chang, SY. (2012). Determination of macrolide antibiotics using dispersive liquid-liquid microextraction followed by surface-assisted laser desorption/ionization mass spectrometry. 23: 1157-1160. <http://dx.doi.org/10.1007/s13361-012-0371-5>.
- Chen, L; Li, S; Wang, Z; Chang, R; Su, J; Han, B. (2012). Protective effect of recombinant staphylococcal enterotoxin A entrapped in polylactic-co-glycolic acid microspheres against *Staphylococcus aureus* infection. *Vet Res* 43: 20. <http://dx.doi.org/10.1186/1297-9716-43-20>.
- Chen, L; Liang, K; Li, J; Wu, D; Zhou, X; Li, J. (2013). Regeneration of biomimetic hydroxyapatite on etched human enamel by anionic PAMAM template in vitro. *Arch Oral Biol* 58: 975-980. <http://dx.doi.org/10.1016/j.archoralbio.2013.03.008>.
- Chen, L; Wang, P; Chen, Y. (2013). High efficiency of poly(3-hexylthiophene)/[6,6]-phenyl C61 butyric acid methyl ester bulk heterojunction solar cells through precrystallining of poly(3-hexylthiophene) based layer. 5: 5986-5993. <http://dx.doi.org/10.1021/am401863r>.
- Chen, N; Rioux, RM; Barbosa, LA; Ribeiro, FH. (2010). Kinetic and theoretical study of the hydrodechlorination of CH(4-x)Cl(x) (x = 1-4) compounds on palladium. *Langmuir* 26: 16615-16624. <http://dx.doi.org/10.1021/la1020753>.
- Chen, Q; Yang, L; Han, M; Cai, E; Zhao, Y. (2016). Synthesis and pharmacological activity evaluation of arctigenin monoester derivatives. *Biomed Pharmacother* 84: 1792-1801. <http://dx.doi.org/10.1016/j.biopha.2016.10.093>.

## Human Health Hazard Literature Search Results

### Off Topic

- Chen, S; Qin, Z; Liu, T; Wu, X; Li, Y; Liu, H; Song, Y; Li, Y. (2013). Aggregation-induced emission on benzothiadiazole dyads with large third-order optical nonlinearity. *Phys Chem Chem Phys* 15: 12660-12666. <http://dx.doi.org/10.1039/c3cp51273h>.
- Chen, T; Delgado, AG; Yavuz, BM; Maldonado, J; Zuo, Y; Kamath, R; Westerhoff, P; Krajmalnik-Brown, R; Rittmann, BE. (2017). Interpreting Interactions between Ozone and Residual Petroleum Hydrocarbons in Soil. *Environ Sci Technol* 51: 506-513. <http://dx.doi.org/10.1021/acs.est.6b04534>.
- Chen, TT; Chen, YS; Chang, YH; Wang, JC; Tsai, YF; Lee, GH; Kuo, TS; Hsu, HF. (2013). Activation of dichloromethane by a V(III) thiolate complex: an example of S-based nucleophilic reactivity in an early transition metal thiolate. *Chem Commun (Camb)* 49: 1109-1111. <http://dx.doi.org/10.1039/c2cc37801a>.
- Chen, W; Meng, F; Li, F; Ji, SJ; Zhong, Z. (2009). pH-responsive biodegradable micelles based on acid-labile polycarbonate hydrophobe: synthesis and triggered drug release. *Biomacromolecules* 10: 1727-1735. <http://dx.doi.org/10.1021/bm900074d>.
- Chen, X; Jia, W; Guo, R; Graham, TW; Gullons, MA; Abdur-Rashid, K. (2009). Highly active iridium catalysts for the hydrogenation of ketones and aldehydes. *Dalton Trans* 1407-1410.
- Chen, X; Yang, H; Ge, Y; Feng, L; Jia, J; Wang, J. (2012). Synthesis, X-ray crystal structure and optical properties of novel 2-aryl-3-ethoxycarbonyl-4-phenylpyrido[1,2-a]benzimidazoles. *Luminescence* 27: 382-389. <http://dx.doi.org/10.1002/bio.1362>.
- Chen, X; Zhang, F; Wang, Q; Han, X; Li, X; Liu, J; Lin, H; Qu, F. (2015). The synthesis of ZnO/SnO<sub>2</sub> porous nanofibers for dye adsorption and degradation. *Dalton Transactions (Online)* 44: 3034-3042. <http://dx.doi.org/10.1039/c4dt03382e>.
- Chen, XK; Zou, LY; Ren, AM; Fan, JX. (2011). How dual bridging atoms tune structural and optoelectronic properties of ladder-type heterotetracenes?--a theoretical study. *Phys Chem Chem Phys* 13: 19490-19498. <http://dx.doi.org/10.1039/c1cp22227a>.
- Chen, XM; Dai, Y; Kitts, DD. (2016). Detection of Maillard Reaction Product [5-(5,6-Dihydro-4H-pyridin-3-ylidenemethyl)furan-2-yl]methanol (F3-A) in Breads and Demonstration of Bioavailability in Caco-2 Intestinal Cells. *J Agric Food Chem* 64: 9072-9077. <http://dx.doi.org/10.1021/acs.jafc.6b04367>.
- Chen, XT; Pitis, P; Liu, G; Yuan, C; Gotchev, D; Cowan, CL; Rominger, DH; Koblisch, M; Dewire, SM; Crombie, AL; Violin, JD; Yamashita, DS. (2013). Structure-activity relationships and discovery of a G protein biased  $\mu$  opioid receptor ligand, [(3-methoxythiophen-2-yl)methyl]({2-[(9R)-9-(pyridin-2-yl)-6-oxaspiro-[4.5]decan-9-yl]ethyl})amine (TRV130), for the treatment of acute severe pain. *J Med Chem* 56: 8019-8031. <http://dx.doi.org/10.1021/jm4010829>.
- Chen, XW; Ke, MR; Li, XS; Lan, WL; Zhang, MF; Huang, JD. (2013). Synthesis, supramolecular behavior, and in vitro photodynamic activities of novel zinc(II) phthalocyanines "side-strapped" with crown ether bridges. *Chem Asian J* 8: 3063-3070. <http://dx.doi.org/10.1002/asia.201300594>.
- Chen, Y; Cai, S; Cai, C; Cui, X; Chen, Z. (2012). High-resolution NMR spectroscopy in inhomogeneous fields via Hadamard-encoded intermolecular double-quantum coherences. *NMR Biomed* 25: 1088-1094. <http://dx.doi.org/10.1002/nbm.2773>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res* 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, YH; Chang, CY; Ding, WH. (2016). Vortex-homogenized matrix solid-phase dispersion for the extraction of short chain chlorinated paraffins from indoor dust samples. *J Chromatogr A* 1472: 129-133. <http://dx.doi.org/10.1016/j.chroma.2016.10.048>.
- Chen, ZF; Wei, JH; Liu, YC; Liu, M; Gu, YQ; Huang, KB; Wang, M; Liang, H. (2013). High antitumor activity of 5,7-dihalo-8-quinolinolato cerium complexes. *Eur J Med Chem* 68: 454-462. <http://dx.doi.org/10.1016/j.ejmech.2013.08.007>.
- Chen, ZG; Wang, Y; Wei, JF; Zhao, PF; Shi, XY. (2010). K<sub>3</sub>PO<sub>4</sub>-catalyzed regioselective aminobromination of beta-nitrostyrene derivatives with N-bromoacetamide as aminobrominating agent. *J Org Chem* 75: 2085-2088. <http://dx.doi.org/10.1021/jo9026879>.
- Cheng, C; Cheung, SF; Chio, JH; Chan, MP. (2013). Cultural meaning of perceived control: a meta-analysis of locus of control and psychological symptoms across 18 cultural regions. *Psychol Bull* 139: 152-188. <http://dx.doi.org/10.1037/a0028596>.
- Cheng, CY; Yuan, CH; Cheng, SC; Huang, MZ; Chang, HC; Cheng, TL; Yeh, CS; Shiea, J. (2008). Electrospray-assisted laser desorption/ionization mass spectrometry for continuously monitoring the states of ongoing chemical reactions in organic or aqueous solution under ambient conditions. *Anal Chem* 80: 7699-7705. <http://dx.doi.org/10.1021/ac800952e>.
- Cheng, L; Zhang, M; Zhang, P; Song, Z; Ma, Z; Qu, H. (2008). Silver complexation and tandem mass spectrometry for differentiation of triterpenoid saponins from the roots of *Pulsatilla chinensis* (Bunge) Regel. *Rapid Commun Mass Spectrom* 22: 3783-3790. <http://dx.doi.org/10.1002/rcm.3801>.
- Cheng, L; Zhang, X; Zhang, M; Zhang, P; Song, Z; Ma, Z; Cheng, Y; Qu, H. (2009). Characterization of chemopreventive agents from the dichloromethane extract of *Eurycorymbus cavaleriei* by liquid chromatography-ion trap mass spectrometry. *J Chromatogr A* 1216: 4859-4867. <http://dx.doi.org/10.1016/j.chroma.2009.04.031>.
- Cheng, M; Yang, X; Zhao, J; Chen, C; Tan, Q; Zhang, F; Sun, L. (2013). Efficient organic dye-sensitized solar cells: molecular engineering of donor-acceptor-acceptor cationic dyes. *ChemSusChem* 6: 2322-2329. <http://dx.doi.org/10.1002/cssc.201300481>.
- Cheng, SY; Wang, CM; Cheng, HL; Chen, HJ; Hsu, YM; Lin, YC; Chou, CH. (2013). Biological activity of oleanane triterpene derivatives obtained by chemical derivatization. *Molecules* 18: 13003-13019. <http://dx.doi.org/10.3390/molecules181013003>.
- Cheng, X; Li, Q; Qin, J; Li, Z. (2010). A new approach to design ratiometric fluorescent probe for mercury(II) based on the Hg(2+)-promoted deprotection of thioacetals. *ACS Applied Materials & Interfaces* 2: 1066-1072. <http://dx.doi.org/10.1021/am900840q>.
- Cheng, Y; Li, G; Liu, Y; Shi, Y; Gao, G; Wu, D; Lan, J; You, J. (2016). Unparalleled Ease of Access to a Library of Biheteroaryl Fluorophores via Oxidative Cross-Coupling Reactions: Discovery of Photostable NIR Probe for Mitochondria. *J Am Chem Soc* 138: 4730-4738. <http://dx.doi.org/10.1021/jacs.5b09241>.

## Human Health Hazard Literature Search Results

### Off Topic

- Chenia, HY. (2013). Anti-quorum sensing potential of crude *Kigelia africana* fruit extracts. *Sensors* 13: 2802-2817. <http://dx.doi.org/10.3390/s130302802>.
- Cheong, MW; Chong, ZS; Liu, SQ; Zhou, W; Curran, P; Bin Yu, P. (2012). Characterisation of calamansi (*Citrus microcarpa*). Part I: volatiles, aromatic profiles and phenolic acids in the peel. *Food Chem* 134: 686-695. <http://dx.doi.org/10.1016/j.foodchem.2012.02.162>.
- Cheong, MW; Zhu, D; Sng, J; Liu, SQ; Zhou, W; Curran, P; Yu, B. (2012). Characterisation of calamansi (*Citrus microcarpa*). Part II: volatiles, physicochemical properties and non-volatiles in the juice. *Food Chem* 134: 696-703. <http://dx.doi.org/10.1016/j.foodchem.2012.02.139>.
- Chernov'yants, MS; Khohlov, EV; Bondarenko, GI; Burykin, IV. (2011). Estimation of  $\sigma$ - and  $\pi$ -donor properties of heterocyclic thioamides by spectroscopic and magnetic resonance methods. *Spectrochim Acta A Mol Biomol Spectrosc* 81: 640-644. <http://dx.doi.org/10.1016/j.saa.2011.06.067>.
- Cheun, Y; Koag, MC; Kou, Y; Warnken, Z; Lee, S. (2012). Transesterification-mediated E-ring opening and stereoselective "Red-Ox" modification of furostan. *Steroids* 77: 276-281. <http://dx.doi.org/10.1016/j.steroids.2011.12.015>.
- Chew, YL; Chan, EW; Tan, PL; Lim, YY; Stanslas, J; Goh, JK. (2011). Assessment of phytochemical content, polyphenolic composition, antioxidant and antibacterial activities of Leguminosae medicinal plants in Peninsular Malaysia. *BMC Complement Altern Med* 11: 12. <http://dx.doi.org/10.1186/1472-6882-11-12>.
- Chèze, M; Lenoan, A; Deveaux, M; Pépin, G. (2008). Determination of ibogaine and noribogaine in biological fluids and hair by LC-MS/MS after Tabernanthe iboga abuse Iboga alkaloids distribution in a drowning death case. *Forensic Sci Int* 176: 58-66. <http://dx.doi.org/10.1016/j.forsciint.2007.08.013>.
- Chhikara, BS; Tiwari, R; Parang, K. (2012). N-Myristoylglutamic Acid Derivative of 3'-Fluoro-3'-Deoxythymidine as an Organogel. *Tetrahedron Lett* 53: 5335-5337. <http://dx.doi.org/10.1016/j.tetlet.2012.07.101>.
- Chi, B; Park, SJ; Park, MH; Lee, SY; Jeong, B. (2010). Oligopeptide delivery carrier for osteoclast precursors. *Bioconjug Chem* 21: 1473-1478. <http://dx.doi.org/10.1021/bc100066k>.
- Chi, S; Wu, D; Sun, J; Ye, R; Wang, X. (2014). [Simultaneous determination of seven residual solvents in bovis calculus artifactus by headspace gas chromatography]. *Sepu* 32: 553-557.
- Chi, Y; Wang, B; Yan, J; Ni, M. (2009). Influence of chlorine on methane oxidation. *J Environ Sci* 21: 1315-1320. [http://dx.doi.org/10.1016/s1001-0742\(08\)62420-1](http://dx.doi.org/10.1016/s1001-0742(08)62420-1).
- Chiang, CH; Tzeng, YW; Yang, CI; Nakano, M; Wan, WL; Lai, LL; Lee, GH. (2017). The synthesis of three new Cu<sub>5</sub>, Cu<sub>8</sub> and Cu<sub>12</sub> clusters via the use of a semi-flexible aminotriazine-based bis-methylpyridine ligand. *Dalton Transactions (Online)* 46: 1237-1248. <http://dx.doi.org/10.1039/c6dt04236h>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chin, YW; Jung, HA; Chai, H; Keller, WJ; Kinghorn, AD. (2008). Xanthenes with quinone reductase-inducing activity from the fruits of *Garcinia mangostana* (Mangosteen). *Phytochemistry* 69: 754-758. <http://dx.doi.org/10.1016/j.phytochem.2007.09.023>.
- Ching, CT; Chou, MY; Jiang, SJ; Huang, SH; Sun, TP; Liu, WH; Liu, CM. (2011). Tissue electrical properties monitoring for the prevention of pressure sore. *Prosthet Orthot Int* 35: 386-394. <http://dx.doi.org/10.1177/0309364611424614>.
- Chiou, BH; Tsai, YT; Wang, CM. (2014). Phenothiazine-modified electrodes: a useful platform for protein adsorption study. *Langmuir* 30: 1550-1556. <http://dx.doi.org/10.1021/la4039057>.
- Chiririwa, H; Muller, A. (2012). Dichlorido{N-[2-(diphenyl-phosphan-yl)benzyl-idene]-2-(thio-phen-2-yl)ethan-amine- $\kappa$ P,N}platinum(II) dichloro-methane hemisolvate. *Acta Crystallographica Section E: Structure Reports Online* 68: m116-m117. <http://dx.doi.org/10.1107/S1600536811056108>.
- Chitescu, CL; Nicolau, AI; Csuma, A; Moisoiu, C. (2011). Simultaneous analysis of four sulfonamides in chicken muscle tissue by HPLC. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 28: 1013-1020. <http://dx.doi.org/10.1080/19440049.2011.577098>.
- Chithambo, B; Noundou, XS; Krause, RW. (2017). Anti-malarial synergy of secondary metabolites from *Morinda lucida* Benth. *J Ethnopharmacol*. <http://dx.doi.org/10.1016/j.jep.2017.01.051>.
- Chiu, HY; Lin, YH; Wang, CC; Chen, WY; Chang, HC; Lin, MC. (2016). [Exploration of the Care Needs of Post-Chemotherapy Lung Cancer Patients and Related Factors]. *Hu Li Za Zhi* 63: 62-72.
- Chiu, NL; Kaiser, B; Nguyen, YV; Welbourne, S; Lall, C; Cramer, SC. (2016). The Volume of the Spleen and Its Correlates after Acute Stroke. *25: 2958-2961*. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2016.08.012>.
- Chizzola, R; Michitsch, H; Franz, C. (2008). Antioxidative properties of *Thymus vulgaris* leaves: comparison of different extracts and essential oil chemotypes. *J Agric Food Chem* 56: 6897-6904. <http://dx.doi.org/10.1021/jf800617g>.
- Cho, CS; McLean, AJ; Rivory, LP; Gatenby, PA; Hardman, DT; Le Couteur, DG. (2001). Carbon monoxide wash-in method to determine gas transfer in vascular beds: application to rat hindlimb. *Am J Physiol Heart Circ Physiol* 280: H1802-H1806.
- Cho, JH; Kwon, J; Cho, Y; Kim, I; Kang, S, eC. (2015). Anti-Inflammatory Effect of *Angelica gigas* via Heme Oxygenase (HO)-1 Expression. *Nutrients* 7: 4862-4874. <http://dx.doi.org/10.3390/nu7064862>.
- Cho, S; Lee, S; Kang, M; Ye, J; Choi, Y; Hong, SW; Lee, J; Choi, YW. (2009). Enhanced Immune Response after Subcutaneous Injection of Diphtheria Toxoid-Loaded Bioerodible Microspheres. *6: 1166-1171*.
- Choemunng, A; Na-Bangchang, K. (2010). AN ALTERNATIVE LIQUID CHROMATOGRAPHY-MASS SPECTROMETRIC METHOD FOR THE DETERMINATION OF AZITHROMYCIN IN HUMAN PLASMA AND ITS APPLICATION TO PHARMACOKINETIC STUDY. *Journal of Liquid Chromatography and Related Technologies* 33: 1516-1528. <http://dx.doi.org/10.1080/10826076.2010.489009>.

## Human Health Hazard Literature Search Results

### Off Topic

- Choemunng, A; Na-Bangchang, K. (2010). An alternative liquid chromatography-mass spectrometric method for the determination of azithromycin in human plasma and its application to pharmacokinetic study of patients with malaria. *Southeast Asian J Trop Med Public Health* 41: 1048-1058.
- Choi, J; Cha, DS; Jeon, H. (2012). Anti-inflammatory and anti-nociceptive properties of *Prunus padus*. *J Ethnopharmacol* 144: 379-386. <http://dx.doi.org/10.1016/j.jep.2012.09.023>.
- Choi, JG; Kang, OH; Brice, OO; Lee, YS; Chae, HS; Oh, YC; Sohn, DH; Park, H; Choi, HG; Kim, SG; Shin, DW; Kwon, DY. (2010). Antibacterial activity of *Ecklonia cava* against methicillin-resistant *Staphylococcus aureus* and *Salmonella* spp. *Foodborne Pathog Dis* 7: 435-441. <http://dx.doi.org/10.1089/fpd.2009.0434>.
- Choi, M; Kim, Y, eJ; Lee, I, nS; Choi, H. (2014). Development of a one-step integrated pressurized liquid extraction and cleanup method for determining polycyclic aromatic hydrocarbons in marine sediments. *J Chromatogr A* 1340: 8-14. <http://dx.doi.org/10.1016/j.chroma.2014.03.015>.
- Choi, M; Lee, I, nS; Jung, R. (2016). Rapid determination of organochlorine pesticides in fish using selective pressurized liquid extraction and gas chromatography-mass spectrometry. *Food Chem* 205: 1-8. <http://dx.doi.org/10.1016/j.foodchem.2016.02.156>.
- Choi, S; Choi, J, iY; Lee, J; Lee, S; Cho, E. (2015). Tartary buckwheat on nitric oxide-induced inflammation in RAW264.7 macrophage cells. 6: 2664-2670. <http://dx.doi.org/10.1039/c5fo00639b>.
- Choi, YH, ee; Suh, JH, wa; Lee, J, ooH; Cho, I, IH; Lee, CK, yu; Lee, MG. (2009). LC-UV Analysis of N-{3-(2,4-Dioxo-1,4-dihydro-2H-quinazolin-3-yl)propyl}-N-[4-{3-(2,4-dioxo-1,4-dihydro-2H-quinazolin-3-yl)propyl-amino}butyl]acetamide (SP-8203) in Rat Plasma, Urine, and Gastrointestinal Tract Samples. *Chromatographia* 70: 1435-1439. <http://dx.doi.org/10.1365/s10337-009-1327-1>.
- Choi, YJ; Yin, HQ; Park, EJ; Park, K; Kim, DS; Lee, BH. (2010). Gene expression analysis of so called asian dust extracts in human acute myeloid leukemia cells. *Toxicological Research* 26: 21-28. <http://dx.doi.org/10.5487/TR.2010.26.1.021>.
- Choi, YK; Poudel, BK; Marasini, N; Yang, KY; Kim, JW; Kim, JO; Choi, HG; Yong, CS. (2012). Enhanced solubility and oral bioavailability of itraconazole by combining membrane emulsification and spray drying technique. *Int J Pharm* 434: 264-271. <http://dx.doi.org/10.1016/j.ijpharm.2012.05.039>.
- Choi, YS; Shim, JK; Yoon, DH; Jeon, DH; Lee, JY; Kwak, YL. (2008). Effect of ramosetron on patient-controlled analgesia related nausea and vomiting after spine surgery in highly susceptible patients: comparison with ondansetron. *Spine* 33: E602-E606. <http://dx.doi.org/10.1097/BRS.0b013e31817c6bde>.
- Chong, D; Laws, DR; Nafady, A; Costa, PJ; Rheingold, AL; Calhorda, MJ; Geiger, WE. (2008). [Re(eta(5)-C5H5)(CO)3]+ family of 17-electron compounds: monomer/dimer equilibria and other reactions. *J Am Chem Soc* 130: 2692-2703. <http://dx.doi.org/10.1021/ja710513n>.
- Chong, D; Stewart, M; Geiger, WE. (2009). Cycloaddition reactions of unactivated olefins catalyzed by an organorhenium electron-transfer mediator. *J Am Chem Soc* 131: 7968-7969. <http://dx.doi.org/10.1021/ja9032296>.
- Cho-Ngwa, F; Abongwa, M; Ngemenya, MN; Nyongbela, KD. (2010). Selective activity of extracts of *Margaritaria discoidea* and *Homalium africanum* on *Onchocerca ochengi*. *BMC Complement Altern Med* 10: 62. <http://dx.doi.org/10.1186/1472-6882-10-62>.
- Cho-Ngwa, F; Monya, E; Azantsa, BK; Manfo, FP; Babiaka, SB; Mbah, JA; Samje, M. (2016). Filaricidal activities on *Onchocerca ochengi* and *Loa loa*, toxicity and phytochemical screening of extracts of *Tragia benthami* and *Piper umbellatum*. *BMC Complement Altern Med* 16: 326. <http://dx.doi.org/10.1186/s12906-016-1319-2>.
- Choomuenwai, V; Andrews, KT; Davis, RA. (2012). Synthesis and antimalarial evaluation of a screening library based on a tetrahydroanthraquinone natural product scaffold. *Bioorg Med Chem* 20: 7167-7174. <http://dx.doi.org/10.1016/j.bmc.2012.09.052>.
- Chopra, A. (2004). Molecular Imaging and Contrast Agent Database (MICAD)3,7-bis(dimethylamino)-phenothiazin-5-ium chloride. Bethesda (MD): National Center for Biotechnology Information (US).
- Chopra, I; Kumari, B. (2009). Dissipation of fipronil in water under laboratory conditions. *Bull Environ Contam Toxicol* 83: 828-831. <http://dx.doi.org/10.1007/s00128-009-9790-9>.
- Choudhari, VP; Nikalje, AP. (2009). Stability-Indicating TLC Method for the Determination of Dutasteride in Pharmaceutical Dosage Forms. *Chromatographia* 70: 309-313. <http://dx.doi.org/10.1365/s10337-009-1108-x>.
- Choudhari, VP; Nikalje, APG. (2009). Stability-Indicating HPTLC Method for the Determination of Tamsulosin in Pharmaceutical Dosage Forms. *Chromatographia* 69: 1463-1467. <http://dx.doi.org/10.1365/s10337-009-1060-9>.
- Choudhury, M; Mohanty, S; Nayak, S. (2015). Effect of Different Solvents in Solvent Casting of Porous PLA Scaffolds-In Biomedical and Tissue Engineering Applications. 5: 1-9. <http://dx.doi.org/10.1166/jbt.2015.1243>.
- Chougale, AD; Ghadyale, VA; Panaskar, SN; Arvindkar, AU. (2009). Alpha glucosidase inhibition by stem extract of *Tinospora cordifolia*. *J Enzyme Inhib Med Chem* 24: 998-1001. <http://dx.doi.org/10.1080/14756360802565346>.
- Chow, E; Herrmann, J; Barton, CS; Raguse, B; Wiczorek, L. (2009). Inkjet-printed gold nanoparticle chemiresistors: influence of film morphology and ionic strength on the detection of organics dissolved in aqueous solution. *Anal Chim Acta* 632: 135-142. <http://dx.doi.org/10.1016/j.aca.2008.10.070>.
- Chowdhury, A; Alam, MA; Rahman, MS; Hassan, MA; Rashid, MA. (2010). Antioxidant, Antimicrobial and Cytotoxic Activities of *Corypha taliera* Roxb. *Lat Am J Pharm* 29: 1231-1234.
- Chowdhury, SR; Islam, F; Quadery, TM; Shihan, MH; Rashid, MA. (2012). In vitro antioxidant, total phenolic content and preliminary toxicity studies of *Gmelina philippensis* chem. 6: 855-859. <http://dx.doi.org/10.5897/AJPP11.891>.
- Chowdhury, SS; Islam, MN; Jung, HA; Choi, JS. (2014). In vitro antidiabetic potential of the fruits of *Crataegus pinnatifida*. 9: 11-22.
- Christensen, H; Christiansen, MS; Petersen, J; Jensen, HH. (2008). Direct formation of beta-glycosides of N-acetyl glycosamines mediated by rare earth metal triflates. *Org Biomol Chem* 6: 3276-3283. <http://dx.doi.org/10.1039/b807064d>.

## Human Health Hazard Literature Search Results

### Off Topic

- Christensen, KB; Jørgensen, M; Kotowska, D; Petersen, RK; Kristiansen, K; Christensen, LP. (2010). Activation of the nuclear receptor PPAR $\gamma$  by metabolites isolated from sage (*Salvia officinalis* L.). *J Ethnopharmacol* 132: 127-133. <http://dx.doi.org/10.1016/j.jep.2010.07.054>.
- Christopher, R; Nyandoro, SS; Chacha, M; de Koning, CB. (2014). A new cinnamoyl glycoflavonoid, antimycobacterial and antioxidant constituents from *Heritiera littoralis* leaf extracts. *Nat Prod Res* 28: 351-358. <http://dx.doi.org/10.1080/14786419.2013.863202>.
- Chu, AH; Minciunescu, A; Bennett, CS. (2015). Aryl(trifluoroethyl)iodonium Triflimide and Nitrile Solvent Systems: A Combination for the Stereoselective Synthesis of Armed 1,2-trans- $\beta$ -Glycosides at Noncryogenic Temperatures. *Org Lett* 17: 6262-6265. <http://dx.doi.org/10.1021/acs.orglett.5b03282>.
- Chuang, JC; Van Emon, JM; Schrock, ME. (2009). High-throughput screening of dioxins in sediment and soil using selective pressurized liquid extraction with immunochemical detection. *Chemosphere* 77: 1217-1223. <http://dx.doi.org/10.1016/j.chemosphere.2009.09.010>.
- Chuang, JC; Van Emon, JM; Tefft, ME; Wilson, NK. (2010). Application of a permethrin immunosorbent assay method to residential soil and dust samples. *J Environ Sci Health B* 45: 516-523. <http://dx.doi.org/10.1080/03601234.2010.493479>.
- Chuang, JC; Van Emon, JM; Trejo, RM; Durnford, J. (2011). Biological monitoring of 3-phenoxybenzoic acid in urine by an enzyme-linked immunosorbent assay. *Talanta* 83: 1317-1323. <http://dx.doi.org/10.1016/j.talanta.2010.07.077>.
- Chuang, JC; Wilson, NK. (2011). Multi-residue analysis of organophosphate and pyrethroid pesticides in duplicate-diet solid food by pressurized liquid extraction. *J Environ Sci Health B* 46: 41-50. <http://dx.doi.org/10.1080/03601234.2010.515505>.
- Chuang, TW; Lin, DT; Lin, FH. (2008). Immobilization of NaIO<sub>4</sub>-treated heparin on PEG-modified 316L SS surface for high anti-thrombin-III binding. *J Biomed Mater Res A* 86: 648-661. <http://dx.doi.org/10.1002/jbm.a.31662>.
- Chukaew, A; Ponglimanont, C; Karalai, C; Tewtrakul, S. (2008). Potential anti-allergic acridone alkaloids from the roots of *Atalantia monophylla*. *Phytochemistry* 69: 2616-2620. <http://dx.doi.org/10.1016/j.phytochem.2008.08.007>.
- Chukwujekwu, JC; Amoo, SO; Van Staden, J. (2013). Antimicrobial, antioxidant, mutagenic and antimutagenic activities of *Distephanus angulifolius* and *Ormocarpum trichocarpum*. *J Ethnopharmacol* 148: 975-979. <http://dx.doi.org/10.1016/j.jep.2013.06.003>.
- Chung, CW; Kang, JY; Yoon, IS; Hwang, HD; Balakrishnan, P; Cho, HJ; Chung, KD; Kang, DH; Kim, DD. (2011). Interpenetrating polymer network (IPN) scaffolds of sodium hyaluronate and sodium alginate for chondrocyte culture. *Colloids Surf B Biointerfaces* 88: 711-716. <http://dx.doi.org/10.1016/j.colsurfb.2011.08.005>.
- Chung, IM; Yeo, MA; Kim, SJ; Kim, MJ; Park, DS; Moon, HI. (2011). Antilipidemic activity of organic solvent extract from *Sorghum bicolor* on rats with diet-induced obesity. *Hum Exp Toxicol* 30: 1865-1868. <http://dx.doi.org/10.1177/0960327110390066>.
- Ciere, Y; Visser, A; Lebbink, J; Sanderman, R; Fleer, J. (2016). Impaired Mood in Headache Clinic Patients: Associations With the Perceived Hindrance and Attainability of Personal Goals. *Headache* 56: 1022-1032. <http://dx.doi.org/10.1111/head.12843>.
- Cigáň, M; Gáplovský, A; Gajdoš, P; Magdolen, P; Zahradník, P; Vetríková, Z. (2010). Photophysical properties and photostability of novel benzothiazole-based D- $\pi$ -A- $\pi$ -D systems. *Spectrochim Acta A Mol Biomol Spectrosc* 77: 984-993. <http://dx.doi.org/10.1016/j.saa.2010.08.035>.
- Ciganek, M; Neca, J. (2008). Chemical characterization of volatile organic compounds on animal farms. *Veterinarni Medicina* 53: 641-651.
- Cimpoi, C; Hosu, A; Seserman, L; Sandru, M; Miclaus, V. (2010). Simultaneous determination of methylxanthines in different types of tea by a newly developed and validated TLC method. *J Sep Sci* 33: 3794-3799. <http://dx.doi.org/10.1002/jssc.201000554>.
- Cintra-Francischinelli, M; Silva, MG; Andreo-Filho, N; Cintra, ACO; Leite, GB; Cruz-Hofling, MA; Rodrigues-Simioni, L; Oshima-Franco, Y. (2008). Effects of Commonly Used Solubilizing Agents on a Model Nerve-Muscle Synapse. *Lat Am J Pharm* 27: 721-726.
- Cirimele, V; Villain, M; Salquebre, G; Staub, C; Kintz, P. (2008). Hair analysis to document a clinical case of TCDD over-exposure. *Forensic Sci Int* 176: 51-53. <http://dx.doi.org/10.1016/j.forsciint.2007.07.016>.
- Claassens, L; Terwee, CB; Deeg, DJ; Broese van Groenou, MI; Widdershoven, GA; Huisman, M. (2016). Development and validation of a questionnaire assessing the perceived control in health care among older adults with care needs in the Netherlands. *25: 859-870*. <http://dx.doi.org/10.1007/s11136-015-1124-2>.
- Clar, C; Velasco Garrido, M; Gericke, C; Busse, R. (2008). Interferons and natalizumab for multiple sclerosis. *G M S Health Technology Assessment* 4: Doc09.
- Clare, LA; Pham, AT; Magdaleno, F; Acosta, J; Woods, JE; Cooksy, AL; Smith, DK. (2013). Electrochemical evidence for intermolecular proton-coupled electron transfer through a hydrogen bond complex in a p-phenylenediamine-based urea. Introduction of the "wedge scheme" as a useful means to describe reactions of this type. *J Am Chem Soc* 135: 18930-18941. <http://dx.doi.org/10.1021/ja410061x>.
- Clark, GR; Lensink, C; Slade, AT; Wright, LJ. (2009). Bis[(1S\*,2S\*)-trans-1,2-bis-(diphenyl-phosphin-oxy)cyclo-hexa-ne]chlorido-ruthenium(II) trifluoro-methane-sulfonate dichloro-methane disolvate. *Acta Crystallographica Section E: Structure Reports Online* 65: m804-m805. <http://dx.doi.org/10.1107/S1600536809023034>.
- Clark, KK; Hoffland, LD. (2014). Screening samples for arsenic by inductively coupled plasma-mass spectrometry for treaty samples (pp. 32). (NTIS/11260013). Clark, KK; Hoffland, LD.
- Clark, ML; Diring, S; Retailleau, P; Mcmillin, DR; Ziessel, R. (2008). Spectroscopic properties of orthometalated platinum(II) bipyridine complexes containing various ethynylaryl groups. *Chemistry* 14: 7168-7179. <http://dx.doi.org/10.1002/chem.200701975>.
- Claudino, GP; Simoes, JB; Vieira, IJC; Braz, R; Mathias, L. (2009). Chemical constituents and lethality of *Paullinia weinmanniaefolia* (Sapindaceae) against *Artemia salina* Leach. *Revista Brasileira de Farmacognosia* 19: 26-28.
- Claudino, MA; Leiria, LO; da Silva, FH; Alexandre, EC; Renno, A; Mónica, FZ; de Nucci, G; Fertrin, KY; Antunes, E; Costa, FF; Franco-Penteado, CF. (2015). Urinary Bladder Dysfunction in Transgenic Sickle Cell Disease Mice. *PLoS ONE* 10: e0133996. <http://dx.doi.org/10.1371/journal.pone.0133996>.

## Human Health Hazard Literature Search Results

### Off Topic

- Claudio-Campos, K; Hernández-Rivera, J; Rivera-Gutierrez, J; Ortiz-Rivera, I; Carvajal-Vélez, A; Pérez-Torres, M; Pagán-Ortiz, M; Ospina-Millán, CA. (2015). Biological screening of select Puerto Rican plants for cytotoxic and antitumor activities. *Puerto Rico Health Sciences Journal* 34: 25-30.
- Clericuzio, M; Burlando, B; Gandini, G; Tinello, S; Ranzato, E; Martinotti, S; Cornara, L. (2014). Keratinocyte wound healing activity of galactoglycerolipids from the fern *Ophioglossum vulgatum* L. *Journal of Natural Medicines* 68: 31-37. <http://dx.doi.org/10.1007/s11418-013-0759-y>.
- Clewell, HJ; Andersen, ME; Blaauboer, BJ. (2008). On the incorporation of chemical-specific information in risk assessment [Review]. *Toxicol Lett* 180: 100-109. <http://dx.doi.org/10.1016/j.toxlet.2008.06.002>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clulow, AJ; Tao, C; Lee, KH; Velusamy, M; Mcewan, JA; Shaw, PE; Yamada, NL; James, M; Burn, PL; Gentle, IR; Meredith, P. (2014). Time-resolved neutron reflectometry and photovoltaic device studies on sequentially deposited PCDTBT-fullerene layers. *Langmuir* 30: 11474-11484. <http://dx.doi.org/10.1021/la5020779>.
- CMR (Chemical Marketing Reporter). (1973). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1979). Chemical profile on methylene chloride (pp. 9).
- CMR (Chemical Marketing Reporter). (1982). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (1997). Chemical profile on methylene chloride.
- CMR (Chemical Marketing Reporter). (2000). Chemical profile on methylene chloride. New York, NY: ICIS.
- Colangelo, A; Abada, A; Haws, C; Park, J; Niemeläinen, R; Gross, DP. (2016). Word Memory Test Predicts Recovery in Claimants With Work-Related Head Injury. *Arch Phys Med Rehabil* 97: 714-719. <http://dx.doi.org/10.1016/j.apmr.2015.12.019>.
- Colborn, T; Schultz, K; Herrick, L; Kwiatkowski, C. (2014). An exploratory study of air quality near natural gas operations. *Hum Ecol Risk Assess* 20: 86-105. <http://dx.doi.org/10.1080/10807039.2012.749447>.
- Coleman, J; Lowman, A. (2012). Biodegradable Nanoparticles for Protein Delivery: Analysis of Preparation Conditions on Particle Morphology and Protein Loading, Activity and Sustained Release Properties. *J Biomater Sci Polym Ed* 23: 1129-1151. <http://dx.doi.org/10.1163/092050611X576648>.
- Coleman, WM; Dube, MF; Gerardi, AR; Ashraf-Khorassani, M; Taylor, LT. (2012). Enhancement of volatile aglycone recovery facilitated by acid hydrolysis of glucosides from *Nicotiana* flower species. *J Agric Food Chem* 60: 11483-11490. <http://dx.doi.org/10.1021/jf302508v>.
- Collado Márquez, S; Vegas Jáudenes, I; Delgado Cortés, S; de Miguel Ballano, A; Escortell Mayor, E; Saá Requejo, C. (2008). [Diabetic autonomic neuropathy diagnosed in primary care in patients with type 2 diabetes]. *Aten Primaria* 40: 511-515.
- Collins, AS; Sumner, SCJ; Borghoff, SJ; Medinsky, MA. (1999). A physiological model for tert-amyl methyl ether and tert-amyl alcohol: Hypothesis testing of model structures. *Toxicol Sci* 49: 15-28. <http://dx.doi.org/10.1093/toxsci/49.1.15>.
- Collymore, C; Porelli, G; Lieggi, C; Lipman, NS. (2014). Evaluation of 5 cleaning and disinfection methods for nets used to collect zebrafish (*Danio rerio*). *J Am Assoc Lab Anim Sci* 53: 657-660.
- Colmer, HE; Howcroft, AW; Jackson, TA. (2016). Formation, Characterization, and O-O Bond Activation of a Peroxomanganese(III) Complex Supported by a Cross-Clamped Cyclam Ligand. *Inorg Chem* 55: 2055-2069. <http://dx.doi.org/10.1021/acs.inorgchem.5b02398>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colombo, E; Sangiovanni, E; D'Ambrosio, M; Bosisio, E; Ciocarlan, A; Fumagalli, M; Guerriero, A; Harghel, P; Dell'Agli, M. (2015). A Bio-Guided Fractionation to Assess the Inhibitory Activity of *Calendula officinalis* L. on the NF- $\kappa$ B Driven Transcription in Human Gastric Epithelial Cells. *eCAM* 2015: 727342. <http://dx.doi.org/10.1155/2015/727342>.
- Colonese, AC; Farrell, T; Lucquin, A; Firth, D; Charlton, S; Robson, HK; Alexander, M; Craig, OE. (2015). Archaeological bone lipids as palaeodietary markers. *Rapid Commun Mass Spectrom* 29: 611-618. <http://dx.doi.org/10.1002/rcm.7144>.
- Colonnesi, C; Draijer, EM; Jan J M Stams, G; Van Der Bruggen, CO; Bögels, SM; Noom, MJ. (2011). The relation between insecure attachment and child anxiety: a meta-analytic review. *40: 630-645*. <http://dx.doi.org/10.1080/15374416.2011.581623>.
- Columba-Palomares, MF; Villareal, DM; Acevedo Quiroz, MC; Marquina Bahena, MC; Álvarez Berber, DL; Rodríguez-López, DV. (2015). Anti-inflammatory and cytotoxic activities of *Bursera copallifera*. *Pharmacognosy Magazine* 11: S322-S328. <http://dx.doi.org/10.4103/0973-1296.166067>.
- Conforti, F; Loizzo, MR; Marrelli, M; Menichini, F; Statti, GA; Uzunov, D; Menichini, F. (2010). Quantitative determination of Amaryllidaceae alkaloids from *Galanthus reginae*-olgae subsp. *vernalis* and in vitro activities relevant for neurodegenerative diseases. *Pharmaceutical Biology* 48: 2-9. <http://dx.doi.org/10.3109/13880200903029308>.
- Conforti, F; Vaccaro, A; Loizzo, MR; Statti, GA; Autelitano, G; Menichini, F. (2008). Effects on free radicals and inhibition of alpha-amylase of *Cardamine battagliae* (Cruciferae), an apendemic Calabrian (southern Italy) plant. *Nat Prod Res* 22: 101-107. <http://dx.doi.org/10.1080/14786410600885612>.
- Congdon, EE; Wu, JW; Myeku, N; Figueroa, YH; Herman, M; Marinac, PS; Gestwicki, JE; Dickey, CA; Yu, WH; Duff, KE. (2012). Methylthionium chloride (methylene blue) induces autophagy and attenuates tauopathy in vitro and in vivo. *Autophagy* 8: 609-622. <http://dx.doi.org/10.4161/auto.19048>.
- Consiglio, G; Failla, S; Finocchiaro, P; Oliveri, IP; Purrello, R; Di Bella, S. (2010). Supramolecular aggregation/deaggregation in amphiphilic dipolar Schiff-base zinc(II) complexes. *Inorg Chem* 49: 5134-5142. <http://dx.doi.org/10.1021/ic100284r>.

## Human Health Hazard Literature Search Results

### Off Topic

- Constable, EC; Hostettler, N; Housecroft, CE; Murray, NS; Schönle, J; Soydaner, U; Walliser, RM; Zampese, JA. (2013). Monomer, dimer or cyclic helicate? Coordination diversity with hard-soft P,N-donor ligands. *Dalton Transactions (Online)* 42: 4970-4977. <http://dx.doi.org/10.1039/c3dt32560a>.
- Constable, EC; Housecroft, CE; Schneider, GE; Zampese, JA; Bolink, HJ; Pertegás, A; Roldan-Carmona, C. (2014). Red emitting [Ir(C<sup>^</sup>N)<sub>2</sub>(N<sup>^</sup>N)]<sup>+</sup> complexes employing bidentate 2,2':6',2''-terpyridine ligands for light-emitting electrochemical cells. *Dalton Transactions (Online)* 43: 4653-4667. <http://dx.doi.org/10.1039/c3dt53477d>.
- Constantinides, CP; Koutentis, PA; Krassos, H; Rawson, JM; Tasiopoulos, AJ. (2011). Characterization and magnetic properties of a &quot;super stable&quot; radical 1,3-diphenyl-7-trifluoromethyl-1,4-dihydro-1,2,4-benzotriazin-4-yl. *J Org Chem* 76: 2798-2806. <http://dx.doi.org/10.1021/jo200210s>.
- Cook, CM; Hallaråker, H; Sæbø, PC; Innis, SM; Kelley, KM; Sanoshy, KD; Berger, A; Maki, KC. (2016). Bioavailability of long chain omega-3 polyunsaturated fatty acids from phospholipid-rich herring roe oil in men and women with mildly elevated triacylglycerols. *Prostaglandins Leukot Essent Fatty Acids* 111: 17-24. <http://dx.doi.org/10.1016/j.plefa.2016.01.007>.
- Cook, G; Parker, C; Chua, S; Johnson, B; Aksnes, AK; Lewington, VJ. (2011). 18F-fluoride PET: changes in uptake as a method to assess response in bone metastases from castrate-resistant prostate cancer patients treated with 223Ra-chloride (Alpharadin). 1: 4. <http://dx.doi.org/10.1186/2191-219X-1-4>.
- Cook, MJ; Chambrier, I; White, GF; Fourie, E; Swarts, JC. (2009). Electrochemical and EPR studies of two substituted bis-cadmium tris-phthalocyanine complexes: elucidation of unexpectedly different free-radical character. *Dalton Trans* 1136-1144. <http://dx.doi.org/10.1039/b811451j>.
- Copley, G; Oh, J; Yoshida, K; Shimizu, D; Kim, D; Osuka, A. (2016). Intramolecular electron transfer reactions in meso-(4-nitrophenyl)-substituted subporphyrins. *Chem Commun (Camb)* 52: 1424-1427. <http://dx.doi.org/10.1039/c5cc09005a>.
- Corcos, AR; Berry, JF. (2016). Capturing the missing [AgF<sub>2</sub>]<sup>-</sup> anion within an Ru<sub>2</sub>(III/III) dimeric dumbbell complex. *Dalton Transactions (Online)* 45: 2386-2389. <http://dx.doi.org/10.1039/c5dt04875c>.
- Corlay, N; Lecsö-Bornet, M; Leborgne, E; Blanchard, F; Cachet, X; Bignon, J; Roussi, F; Butel, MJ; Awang, K; Litaudon, M. (2015). Antibacterial Labdane Diterpenoids from *Vitex vestita*. *J Nat Prod* 78: 1348-1356. <http://dx.doi.org/10.1021/acs.jnatprod.5b00206>.
- Cornejo, JJ; Daiguji, H; Takemura, F. (2011). Factors affecting the size and uniformity of hollow poly(lactic acid) microcapsules fabricated from microbubble templates. *J Phys Chem B* 115: 13828-13834. <http://dx.doi.org/10.1021/jp208056b>.
- Coronado-Aceves, EW; Sánchez-Escalante, JJ; López-Cervantes, J; Robles-Zepeda, RE; Velázquez, C; Sánchez-Machado, DI; Garibay-Escobar, A. (2016). Antimycobacterial activity of medicinal plants used by the Mayo people of Sonora, Mexico. *J Ethnopharmacol* 190: 106-115. <http://dx.doi.org/10.1016/j.jep.2016.05.064>.
- Coronas, MV; Horn, RC; Ducatti, A; Rocha, J; Vargas, VMF. (2008). Mutagenic activity of airborne particulate matter in a petrochemical industrial area. *Mutat Res Genet Toxicol Environ Mutagen* 650: 196-201. <http://dx.doi.org/10.1016/j.mrgentox.2007.12.002>.
- Coronas, MV; Pereira, TS; Rocha, JA; Lemos, AT; Fachel, JM; Salvadori, DM; Vargas, VM. (2009). Genetic biomonitoring of an urban population exposed to mutagenic airborne pollutants. *Environ Int* 35: 1023-1029. <http://dx.doi.org/10.1016/j.envint.2009.05.001>.
- Corrêa, AX; Cotellet, S; Millet, M; Somensi, CA; Wagner, TM; Radetski, CM. (2016). Genotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles using the in vivo *Vicia faba* L. micronucleus test. *Ecotoxicol Environ Saf* 127: 199-204. <http://dx.doi.org/10.1016/j.ecoenv.2016.01.026>.
- Corrêa, AX; Testolin, RC; Torres, MM; Cotellet, S; Schwartz, JJ; Millet, M; Radetski, CM. (2017). Ecotoxicity assessment of particulate matter emitted from heavy-duty diesel-powered vehicles: influence of leaching conditions. *Environ Sci Pollut Res Int*. <http://dx.doi.org/10.1007/s11356-017-8521-8>.
- Costa Júnior, JS; Ferraz, AB; Sousa, TO; Silva, RA; De Lima, SG; Feitosa, CM; Citó, AM; Melo Cavalcante, AA; Freitas, RM; Moura Sperotto, AR; Péres, VF; Moura, DJ; Saffi, J. (2013). Investigation of Biological Activities of Dichloromethane and Ethyl Acetate Fractions of *Platonia insignis* Mart. Seed. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online* 112: 34-41. <http://dx.doi.org/10.1111/j.1742-7843.2012.00924.x>.
- Costa, M; Garcia, M; Costa-Rodrigues, J; Costa, MS; Ribeiro, MJ; Fernandes, MH; Barros, P; Barreiro, A; Vasconcelos, V; Martins, R. (2013). Exploring bioactive properties of marine cyanobacteria isolated from the Portuguese coast: high potential as a source of anticancer compounds. *Mar Drugs* 12: 98-114. <http://dx.doi.org/10.3390/md12010098>.
- Costa, R; Ragusa, S; Russo, M; Certo, G; Franchina, FA; Zanutto, A; Grasso, E; Mondello, L; Germanò, MP. (2016). Phytochemical screening of *Artemisia arborescens* L. by means of advanced chromatographic techniques for identification of health-promoting compounds. *J Pharm Biomed Anal* 117: 499-509. <http://dx.doi.org/10.1016/j.jpba.2015.10.006>.
- Cottiglia, F; Casu, L; Leonti, M; Caboni, P; Floris, C; Busonera, B; Farci, P; Ouhtit, A; Sanna, G. (2012). Cytotoxic phloroglucinols from the leaves of *Myrtus communis*. *J Nat Prod* 75: 225-229. <http://dx.doi.org/10.1021/np2009219>.
- Coulthwaite, L; Verran, J. (2009). Evaluation of in vivo denture plaque assessment methods. *Br Dent J* 207: E12; discussion 282-E212; discussion 283. <http://dx.doi.org/10.1038/sj.bdj.2009.854>.
- Courty, B; Le Curieux, F; Belkessam, L; Laboudigue, A; Marzin, D. (2008). Mutagenic potency in *Salmonella typhimurium* of organic extracts of soil samples originating from urban, suburban, agricultural, forest and natural areas. *Mutat Res* 653: 1-5. <http://dx.doi.org/10.1016/j.mrgentox.2008.01.011>.
- Covarrubias, R; Chepurko, E; Reynolds, A; Huttinger, ZM; Huttinger, R; Stanfill, K; Wheeler, DG; Novitskaya, T; Robson, SC; Dwyer, KM; Cowan, PJ; Gumina, RJ. (2016). Role of the CD39/CD73 Purinergic Pathway in Modulating Arterial Thrombosis in Mice. *Arterioscler Thromb Vasc Biol* 36: 1809-1820. <http://dx.doi.org/10.1161/ATVBAHA.116.307374>.



## Human Health Hazard Literature Search Results

### Off Topic

- Creary, X; Losch, A. (2008). Hydroxy- $\beta$ -Thiolactams to Oxazole-2-thiones. A Novel DMSO-Promoted Oxidation. *Org Lett* 10: 4975-4978. <http://dx.doi.org/10.1021/ol802050a>.
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Crespo, R; Villaverde, ML; Girotti, JR; Güerci, A; Juárez, MP; de Bravo, MG. (2011). Cytotoxic and genotoxic effects of defence secretion of *Ulomoides dermestoides* on A549 cells. *J Ethnopharmacol* 136: 204-209. <http://dx.doi.org/10.1016/j.jep.2011.04.056>.
- Cretton, S; Breant, L; Pourrez, L; Ambuehl, C; Marcourt, L; Ebrahimi, SN; Hamburger, M; Perozzo, R; Karimou, S; Kaiser, M; Cuendet, M; Christen, P. (2014). Antitrypanosomal quinoline alkaloids from the roots of *Waltheria indica*. *J Nat Prod* 77: 2304-2311. <http://dx.doi.org/10.1021/np5006554>.
- Cretton, S; Bréant, L; Pourrez, L; Ambuehl, C; Perozzo, R; Marcourt, L; Kaiser, M; Cuendet, M; Christen, P. (2015). Chemical constituents from *Waltheria indica* exert in vitro activity against *Trypanosoma brucei* and *T. cruzi*. *Fitoterapia* 105: 55-60. <http://dx.doi.org/10.1016/j.fitote.2015.06.007>.
- Cretton, S; Dorsaz, S; Azzollini, A; Favre-Godal, Q; Marcourt, L; Ebrahimi, SN; Voinesco, F; Michellod, E; Sanglard, D; Gindro, K; Wolfender, JL; Cuendet, M; Christen, P. (2016). Antifungal Quinoline Alkaloids from *Waltheria indica*. *J Nat Prod* 79: 300-307. <http://dx.doi.org/10.1021/acs.jnatprod.5b00896>.
- Creusot, N; Dévier, MH; Budzinski, H; Ait-Aïssa, S. (2016). Evaluation of an extraction method for a mixture of endocrine disruptors in sediment using chemical and in vitro biological analyses. *Environ Sci Pollut Res Int* 23: 10349-10360. <http://dx.doi.org/10.1007/s11356-016-6062-1>.
- Cruz, PB; Barbosa, AF; Zeringóta, V; Melo, D; Novato, T; Fidelis, QC; Fabri, RL; de Carvalho, MG; Oliveira Sabaa-Srur, AU; Daemon, E; Monteiro, CM. (2016). Acaricidal activity of methanol extract of *Acmella oleracea* L. (Asteraceae) and spilanthol on *Rhipicephalus microplus* (Acari: Ixodidae) and *Dermacentor nitens* (Acari: Ixodidae). *Vet Parasitol* 228: 137-143. <http://dx.doi.org/10.1016/j.vetpar.2016.08.026>.
- Cruz, SM; Caceres, A; Alvarez, L; Morales, J; Apel, MA; Henriques, AT; Salamanca, E; Gimenez, A; Vasquez, Y; Gupta, MP. (2011). Chemical composition of essential oils of *Piper jacquemontianum* and *Piper variabile* from Guatemala and bioactivity of the dichloromethane and methanol extracts. *Revista Brasileira de Farmacognosia* 21: 587-593. <http://dx.doi.org/10.1590/S0102-695X2011005000110>.
- Cserjési, R; Vermeulen, N; Lénárd, L; Luminet, O. (2011). Reduced capacity in automatic processing of facial expression in restrictive anorexia nervosa and obesity. *Psychiatry Res* 188: 253-257. <http://dx.doi.org/10.1016/j.psychres.2010.12.008>.
- Csok, Z; Vechorkin, O; Harkins, SB; Scopelliti, R; Hu, XL. (2008). Nickel complexes of a pincer NN2 ligand: Multiple carbon-chloride activation of  $\text{CH}_2\text{Cl}_2$  and  $\text{CHCl}_3$  leads to selective carbon-carbon bond formation. *J Am Chem Soc* 130: 8156-+. <http://dx.doi.org/10.1021/ja8025938>.
- Cucinotta, D; Russo, GT. (2009). Biphasic insulin aspart in the treatment of type 2 diabetes mellitus [Review]. *Expert Opin Pharmacother* 10: 2905-2911. <http://dx.doi.org/10.1517/14656560903391714>.
- Cui, L; Miao, X; Xu, L; Hu, Y; Deng, W. (2015). Self-assembly polymorphism of 2,7-bis-nonyloxy-9-fluorenone: solvent induced the diversity of intermolecular dipole-dipole interactions. *Phys Chem Chem Phys* 17: 3627-3636. <http://dx.doi.org/10.1039/c4cp04773g>.
- Çulhaoğlu, B; Yapar, G; Dirmenci, T; Topçu, G. (2013). Bioactive constituents of *Salvia chrysophylla* Stapf. *Nat Prod Res* 27: 438-447. <http://dx.doi.org/10.1080/14786419.2012.734820>.
- Culleré, L; Escudero, A; Campo, E; Cacho, J; Ferreira, V. (2009). Multidimensional gas chromatography-mass spectrometry determination of 3-alkyl-2-methoxypyrazines in wine and must. A comparison of solid-phase extraction and headspace solid-phase extraction methods. *J Chromatogr A* 1216: 4040-4045. <http://dx.doi.org/10.1016/j.chroma.2009.02.072>.
- Cullere, L; Ferreira, V; Chevret, B; Venturini, ME; Sanchez-Gimeno, AC; Blanco, D. (2010). Characterisation of aroma active compounds in black truffles (*Tuber melanosporum*) and summer truffles (*Tuber aestivum*) by gas chromatography-olfactometry. *Food Chem* 122: 300-306. <http://dx.doi.org/10.1016/j.foodchem.2010.02.024>.
- Cunha, LCS; de Moraes, SAL; de Aquino, FJT; Chang, R; de Oliveira, A; Martins, MM; Martins, CHG; Sousa, LCF; Barros, TT; da Silva, CV; Do Nascimento, EA. (2017). Bioassay-guided fractionation and antimicrobial and cytotoxic activities of *Cassia bakeriana* extracts. *Revista Brasileira de Farmacognosia* 27: 91-98. <http://dx.doi.org/10.1016/j.bjp.2016.08.002>.
- Cunha, WR; de Matos, GX; Souza, MG; Tozatti, MG; Andrade e Silva, ML; Martins, CH; da Silva, R; Da Silva Filho, AA. (2010). Evaluation of the antibacterial activity of the methylene chloride extract of *Miconia ligustroides*, isolated triterpene acids, and ursolic acid derivatives. *Pharmaceutical Biology* 48: 166-169. <http://dx.doi.org/10.3109/13880200903062648>.
- Cunha, WR; dos Santos, FM; Peixoto, J, deA; Veneziani, RCS; Crotti, AEM; Silva, MLA; da Silva Filho, AA; Albuquerque, S; Turatti, ICC; Bastos, JK. (2009). Screening of plant extracts from the Brazilian Cerrado for their in vitro trypanocidal activity. *Pharmaceutical Biology* 47: 744-749. <http://dx.doi.org/10.1080/13880200902951361>.
- Cunico, MM; Trebien, HA; Galetti, FC; Miguel, OG; Miguel, MD; Auer, CG; Silva, CL; de Souza, AO. (2015). Investigation of local anesthetic and antimycobacterial activity of *Ottonia martiana* Miq. (Piperaceae). *An Acad Bras Cienc* 87: 1991-2000. <http://dx.doi.org/10.1590/0001-3765201520140090>.
- Czerwińska, ME; Ziarek, M; Bazyłko, A; Osińska, E; Kiss, AK. (2015). Quantitative Determination of Secoiridoids and Phenylpropanoids in Different Extracts of *Ligustrum Vulgare* L. Leaves by a Validated HPTLC-Photodensitometry Method. 26: 253-260. <http://dx.doi.org/10.1002/pca.2558>.

## Human Health Hazard Literature Search Results

### Off Topic

- da Costa, GA; Morais, MG; Saldanha, AA; Assis Silva, IC; Aleixo, ÁA; Ferreira, JM; Soares, AC; Duarte-Almeida, JM; Lima, LA. (2015). Antioxidant, Antibacterial, Cytotoxic, and Anti-Inflammatory Potential of the Leaves of *Solanum lycocarpum* A. St. Hil. (Solanaceae). *eCAM* 2015: 315987. <http://dx.doi.org/10.1155/2015/315987>.
- da Costa Júnior, JS; de Almeida, AA; Costa, JP; Das Graças Lopes Citó, AM; Saffi, J; de Freitas, RM. (2012). Superoxide dismutase and catalase activities in rat hippocampus pretreated with garcinielliptone FC from *Platonia insignis*. *Pharmaceutical Biology* 50: 453-457. <http://dx.doi.org/10.3109/13880209.2011.611146>.
- da Costa Junior, JS; Ferraz, A, deBF; Feitosa, CM; Das Graças Lopes Cito, AM; Saffi, J; de Freitas, RM. (2011). Evaluation of effects of dichloromethane fraction from *Platonia insignis* on pilocarpine-induced seizures. *Revista Brasileira de Farmacognosia* 21: 1104-1110. <http://dx.doi.org/10.1590/S0102-695X2011005000163>.
- da Cunha, US; Vendramim, JD; Rocha, WC; Vieira, PC. (2008). [Bioactivity of *Trichilia pallida* Swartz (Meliaceae) derived molecules on *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae)]. *Neotrop Entomol* 37: 709-715.
- da Fonseca, RR; Ortiz-Ramirez, FA; Cavalcanti, DN; Ramos, CJB; Teixeira, VL; da Silva Sousa Filho, AP. (2012). Allelopathic potential of extracts the from marine macroalga *Plocamium brasiliense* and their effects on pasture weed. *Revista Brasileira de Farmacognosia* 22: 850-853. <http://dx.doi.org/10.1590/S0102-695X2012005000065>.
- da Silva A Maciel, D; Freitas, VP; Conserva, GA; Alexandre, TR; Purisco, SU; Tempone, AG; Melhem, MS; Kato, MJ; Guimarães, EF; Lago, JH. (2016). Bioactivity-guided isolation of laevicarpin, an antitrypanosomal and anticryptococcal lactam from *Piper laevicarpum* (Piperaceae). *Fitoterapia* 111: 24-28. <http://dx.doi.org/10.1016/j.fitote.2016.04.005>.
- da Silva, BO; Amaral, A, naCF; Ferreira, JLP; Moreira Santiago, LJ; Louro, RP. (2013). Micropropagation and in vitro production of secondary metabolites of *Croton floribundus* Spreng. *In Vitro Cell Dev Biol Plant* 49: 366-372. <http://dx.doi.org/10.1007/s11627-013-9494-z>.
- da Silva, GA; Domingos, TF; Fonseca, RR; Sanchez, EF; Teixeira, VL; Fuly, AL. (2015). The red seaweed *Plocamium brasiliense* shows anti-snake venom toxic effects. *Journal of Venomous Animals and Toxins including Tropical Diseases* 21: 2. <http://dx.doi.org/10.1186/s40409-015-0002-2>.
- da Silva Góis, RW; de Sousa, LM; Santiago, GM; Romero, NR; Lemos, TL; Arriaga, AM; Braz-Filho, R. (2013). Larvicidal activity against *Aedes aegypti* of pacharin from *Bauhinia acuruana*. *Parasitol Res* 112: 2753-2757. <http://dx.doi.org/10.1007/s00436-013-3407-2>.
- da Silva, JB; Temponi, V; Gasparetto, CM; Fabri, RL; Aragão, DM; Pinto, N; Ribeiro, A; Scio, E; Del-Vechio-Vieira, G; de Sousa, OV; Alves, MS. (2013). *Vernonia condensata* Baker (Asteraceae): a promising source of antioxidants. *Oxid Med Cell Longev* 2013: 698018. <http://dx.doi.org/10.1155/2013/698018>.
- da Silva, LM; Burci, LM; Pereira, IT; Rodrigues, R; Santos, AR; Facundo, VA; Marques, MCA; Baggio, CH; Fernanda Werner, M. (2012). Effects of dichloromethane fraction from fruits of *Piper tuberculatum* Jacq on gastric ulcer and reflux esophagitis in rats. *Planta Med* 78: 1185-1185.
- da Silva Marques, DN; Silveira, JM; Marques, J. R.; Amaral, JA; Guilherme, NM; da Mata, AD. (2012). Kinetic release of hydrogen peroxide from different whitening products. *European Journal of Esthetic Dentistry* 7: 344-352.
- Dahech, I; Farah, W; Trigui, M; Ben Hssouna, A; Belghith, H; Belghith, KS; Ben Abdallah, F. (2013). Antioxidant and antimicrobial activities of *Lycium shawii* fruits extract. *Int J Biol Macromol* 60: 328-333. <http://dx.doi.org/10.1016/j.ijbiomac.2013.05.020>.
- Dahivelkar, PP; Bari, SB; Bhoir, S; Bhagwat, AM. (2009). High Performance Liquid Chromatographic Estimation of Drotaverine Hydrochloride and Mefenamic Acid in Human Plasma. *Iranian Journal of Pharmaceutical Research* 8: 209-215.
- Dahivelkar, PP; Bhoir, SI; Bari, SB; Surana, SJ; Bhagwat, AM. (2012). Simultaneous determination of diclofenac potassium and drotaverine hydrochloride in human plasma using reversed-phase high-performance liquid chromatography. *J Chromatogr Sci* 50: 694-701. <http://dx.doi.org/10.1093/chromsci/bms026>.
- Dai, B; Hu, Z; Li, H; Yan, C; Zhang, L. (2015). Simultaneous determination of six flavonoids from *Paulownia tomentosa* flower extract in rat plasma by LC-MS/MS and its application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 978-979: 54-61. <http://dx.doi.org/10.1016/j.jchromb.2014.11.021>.
- Dai, H; Jing, S; Wang, H; Ma, Y; Li, L; Song, W; Kan, H. (2017). VOC characteristics and inhalation health risks in newly renovated residences in Shanghai, China. *Sci Total Environ* 577: 73-83. <http://dx.doi.org/10.1016/j.scitotenv.2016.10.071>.
- Dai, JJ; Xu, WT; Wu, YD; Zhang, WM; Gong, Y; He, XP; Zhang, XQ; Xu, HJ. (2015). Silver-catalyzed C(sp<sup>2</sup>)-H functionalization/C-O cyclization reaction at room temperature. *J Org Chem* 80: 911-919. <http://dx.doi.org/10.1021/jo5024238>.
- Dai, T; Bil de Arce, VJ; Tegós, GP; Hamblin, MR. (2011). Blue dye and red light, a dynamic combination for prophylaxis and treatment of cutaneous *Candida albicans* infections in mice. *Antimicrob Agents Chemother* 55: 5710-5717. <http://dx.doi.org/10.1128/AAC.05404-11>.
- Daire, JL; Hyacinthe, JN; Tatar, I; Montet-Abou, K; Ivancevic, MK; Masterson, K; Jorge-Costa, M; Morel, DR; Vallée, JP. (2008). In vivo myocardial infarct area at risk assessment in the rat using manganese enhanced magnetic resonance imaging (MEMRI) at 1.5T. *Magn Reson Med* 59: 1422-1430. <http://dx.doi.org/10.1002/mrm.21493>.
- D'Aléo, A; Picot, A; Baldeck, PL; Andraud, C; Maury, O. (2008). Design of dipicolinic acid ligands for the two-photon sensitized luminescence of europium complexes with optimized cross-sections. *Inorg Chem* 47: 10269-10279. <http://dx.doi.org/10.1021/ic8012975>.
- Dall'Acqua, S; Maggi, F; Minesso, P; Salvagno, M; Papa, F; Vittori, S; Innocenti, G. (2010). Identification of non-alkaloid acetylcholinesterase inhibitors from *Ferulago campestris* (Besser) Grecescu (Apiaceae). *Fitoterapia* 81: 1208-1212. <http://dx.doi.org/10.1016/j.fitote.2010.08.003>.
- Dalmo, A; Sitenkov, AY; Cascone, S; Lamberti, G; Barba, AA; Moustafine, RI. (2017). Hydrophilic drug encapsulation in shell-core microcarriers by two stage polyelectrolyte complexation method. *Int J Pharm* 518: 50-58. <http://dx.doi.org/10.1016/j.ijpharm.2016.12.056>.

## Human Health Hazard Literature Search Results

### Off Topic

- D'Ambrosio, M; Ciocarlan, A; Colombo, E; Guerriero, A; Pizza, C; Sangiovanni, E; Dell'Agli, M. (2015). Structure and cytotoxic activity of sesquiterpene glycoside esters from *Calendula officinalis* L.: Studies on the conformation of viridiflorol. *Phytochemistry* 117: 1-9. <http://dx.doi.org/10.1016/j.phytochem.2015.05.005>.
- Damjanović, I; Stevanović, D; Vukićević, M; Vukićević, RD. (2011). Electrochemical bromochlorination of peracetylated glycals. *Carbohydr Res* 346: 2683-2687. <http://dx.doi.org/10.1016/j.carres.2011.09.016>.
- Damm, M; Kappe, CO. (2011). A high-throughput platform for low-volume high-temperature/pressure sealed vessel solvent extractions. *Anal Chim Acta* 707: 76-83. <http://dx.doi.org/10.1016/j.aca.2011.09.011>.
- Damte, D; Reza, MA; Lee, SJ; Jo, WS; Park, SC. (2011). Anti-inflammatory Activity of Dichloromethane Extract of *Auricularia auricula-judae* in RAW264.7 Cells. *Toxicological Research* 27: 11-14. <http://dx.doi.org/10.5487/TR.2011.27.1.011>.
- Dane, TG; Bartenstein, JE; Sironi, B; Mills, BM; Alexander Bell, O; Emyr Macdonald, J; Arnold, T; Faul, CF; Briscoe, WH. (2016). Influence of solvent polarity on the structure of drop-cast electroactive tetra(aniline)-surfactant thin films. *Phys Chem Chem Phys* 18: 24498-24505. <http://dx.doi.org/10.1039/c6cp05221e>.
- Dang, BT; Rouger, C; Litaudon, M; Richomme, P; Séraphin, D; Derbré, S. (2015). Identification of Minor Benzoylated 4-Phenylcoumarins from a *Mammea neurophylla* Bark Extract. *Molecules* 20: 17735-17746. <http://dx.doi.org/10.3390/molecules201017735>.
- Dang, PH; Nguyen, HX; Duong, TT; Tran, TK; Nguyen, PT; Vu, TK; Vuong, HC; Phan, NH; Nguyen, MT; Nguyen, NT; Awale, S. (2017).  $\alpha$ -Glucosidase Inhibitory and Cytotoxic Taxane Diterpenoids from the Stem Bark of *Taxus wallichiana*. *J Nat Prod*. <http://dx.doi.org/10.1021/acs.jnatprod.7b00006>.
- Daniewski, WM; Danikiewicz, W; Gołębiewski, WM; Gucma, M; Łysik, A; Grodner, J; Przybysz, E. (2012). Search for bioactive compounds from *Cantharellus cibarius*. *Natural Product Communications* 7: 917-918.
- Danilov, EO; Rachford, AA; Goeb, S; Castellano, FN. (2009). Evolution of the triplet excited state in Pt(II) peryleneimides. *J Phys Chem A* 113: 5763-5768. <http://dx.doi.org/10.1021/jp9012762>.
- Danko, M; Bures, F; Kulhanek, J; Hrdlovic, P. (2012). Spectral Properties of Y-Shaped Donor-Acceptor Push-Pull Imidazole-based Fluorophores: Comparison between Solution and Polymer Matrices. *J Fluoresc* 22: 1165-1176. <http://dx.doi.org/10.1007/s10895-012-1056-y>.
- Danumah, C; Beingessner, RL; Haque, A; Ban, F; Richards, JP; Kovalenko, A; Fenniri, H. (2009). Synthesis, properties, and mechanistic insight into the self-assembly of a lamellar fibrous superstructure from a synthetically simple discotic molecule. *Langmuir* 25: 11857-11861. <http://dx.doi.org/10.1021/la901511v>.
- Daramwar, PP; Srivastava, PL; Priyadarshini, B; Thulasiram, HV. (2012). Preparative separation of  $\alpha$ - and  $\beta$ -santalenes and (Z)- $\alpha$ - and (Z)- $\beta$ -santalols using silver nitrate-impregnated silica gel medium pressure liquid chromatography and analysis of sandalwood oil. *Analyst* 137: 4564-4570. <http://dx.doi.org/10.1039/c2an35575b>.
- Darbandi, M; Gilani, K; Najafabadi, AR; Barghi, M; Tajerzadeh, H. (2008). The effect of spray drying solvent on in vitro deposition profiles and pulmonary absorption of rifampicin microparticles. *Journal of Drug Delivery Science and Technology* 18: 203-208.
- Darbandi, MA; Rouholamini, NA; Gilani, K; Tajerzadeh, H. (2008). The effect of vehicles on spray drying of rifampicin inhalable microparticles: In vitro and in vivo evaluation. *DARU* 16: 128-135.
- Darbandi, MA; Zandkarimi, M. (2012). Inhalable sustained release rifampicin microparticles: preparation and evaluation of in vitro and in vivo deposition. *Journal of Drug Delivery Science and Technology* 22: 175-179.
- Darwish, KM; Salama, I; Mostafa, S; El-Sadek, M. (2012). Extractional spectrophotometric analysis of metronidazole, tinidazole, ornidazole and secnidazole bases through acid-dye complexation using bromothymol blue dye. *Pak J Pharm Sci* 25: 207-217.
- Darwood, RJ; Wheeler, JM; Borley, NR. (2008). Transanal endoscopic microsurgery is a safe and reliable technique even for complex rectal lesions. *Br J Surg* 95: 915-918. <http://dx.doi.org/10.1002/bjs.6018>.
- Das, MT; Budhraj, V; Mishra, M; Thakur, IS. (2012). Toxicological evaluation of paper mill sewage sediment treated by indigenous dibenzofuran-degrading *Pseudomonas* sp. *Bioresour Technol* 110: 71-78. <http://dx.doi.org/10.1016/j.biortech.2012.01.078>.
- Das Neves Costa, F; Hubert, J; Borie, N; Kotland, A; Hewitson, P; Ignatova, S; Renault, JH. (2017). *Schinus terebinthifolius* countercurrent chromatography (Part III): Method transfer from small CCC column to preparative CPC ones as a part of method development. *J Chromatogr A*. <http://dx.doi.org/10.1016/j.chroma.2016.11.051>.
- Das, R; Dan, S; Pal, TK. (2014). Method development and validation of liquid chromatography-tandem/mass spectrometry for aldosterone in human plasma: Application to drug interaction study of atorvastatin and olmesartan combination. 5: 108-114. <http://dx.doi.org/10.4103/2231-4040.137402>.
- Das, SC; Larson, I; Morton, DA; Stewart, PJ. (2011). Determination of the polar and total surface energy distributions of particulates by inverse gas chromatography. *Langmuir* 27: 521-523. <http://dx.doi.org/10.1021/la104135z>.
- Das, SC; Stewart, PJ. (2012). Characterising surface energy of pharmaceutical powders by inverse gas chromatography at finite dilution. *J Pharm Pharmacol* 64: 1337-1348. <http://dx.doi.org/10.1111/j.2042-7158.2012.01533.x>.
- Daschkraborty, S; Ranjit, B. (2011). Stokes shift dynamics in (ionic liquid + polar solvent) binary mixtures: composition dependence. *J Phys Chem B* 115: 4011-4024. <http://dx.doi.org/10.1021/jp200407m>.
- Dashevsky, A; Ahmed, AR; Mota, J; Irfan, M; Kolter, K; Bodmeier, RA. (2010). Effect of water-soluble polymers on the physical stability of aqueous polymeric dispersions and their implications on the drug release from coated pellets. *Drug Dev Ind Pharm* 36: 152-160. <http://dx.doi.org/10.3109/03639040903410334>.
- Dasilva, JO; Coes, B; Frey, L; Mergelsberg, I; McClain, R; Nogle, L; Welch, CJ. (2014). Evaluation of non-conventional polar modifiers on immobilized chiral stationary phases for improved resolution of enantiomers by supercritical fluid chromatography. *J Chromatogr A* 1328: 98-103. <http://dx.doi.org/10.1016/j.chroma.2013.12.073>.

## Human Health Hazard Literature Search Results

### Off Topic

- Davenport, JJ; Hickey, M; Phillips, JP; Kyriacou, PA. (2016). Fiber-optic fluorescence-quenching oxygen partial pressure sensor using platinum octaethylporphyrin. *Appl Opt* 55: 5603-5609.
- Davicino, R; Micucci, P; Zettler, G; Ferraro, G; Anesini, C. (2010). "In vivo" murine macrophages activation by a dichloromethane extract of *Tilia x viridiss*. *Immunopharmacol Immunotoxicol* 32: 473-480. <http://dx.doi.org/10.3109/08923970903520993>.
- Davicino, R; Zettler, G; Brizi, MR; Marrassini, C; Ferraro, G; Filip, R; Anesini, C. (2011). In vivo immunomodulatory effect of *Tilia x viridiss* extracts on normal lymphocyte proliferation: a direct and an indirect action. 25: 1342-1347. <http://dx.doi.org/10.1002/ptr.3432>.
- Davis, RA; Duffy, S; Fletcher, S; Avery, VM; Quinn, RJ. (2013). Thiaplakortones A-D: antimalarial thiazine alkaloids from the Australian marine sponge *Plakortis lita*. *J Org Chem* 78: 9608-9613. <http://dx.doi.org/10.1021/jo400988y>.
- Davis, WE; Li, Y. (2008). Analysis of hydrazine in drinking water by isotope dilution gas chromatography/tandem mass spectrometry with derivatization and liquid-liquid extraction. *Anal Chem* 80: 5449-5453. <http://dx.doi.org/10.1021/ac702536d>.
- Davtyan, TK; Melikyan, LA; Nikoyan, NA; Aleksanyan, HP; Grigoryan, NG. (2015). Development and Validation of Simple RP-HPLC Method for Intracellular Determination of Fluconazole Concentration and Its Application to the Study of *Candida albicans* Azole Resistance. *International Journal of Analytical Chemistry* 2015: 576250. <http://dx.doi.org/10.1155/2015/576250>.
- de A Carli, CB; Quilles, MB; Maia, DC; Lopes, FC; Santos, R; Pavan, FR; Fujimura Leite, CQ; Calvo, TR; Vilegas, W; Carlos, IZ. (2010). Antimycobacterial activity of *Indigofera suffruticosa* with activation potential of the innate immune system. *Pharmaceutical Biology* 48: 878-882. <http://dx.doi.org/10.3109/13880200903303471>.
- de Albuquerque Melo, GM; Silva, MC; Guimarães, TP; Pinheiro, KM; da Matta, CB; de Queiroz, AC; Pivatto, M; da Silva Bolzani, V; Alexandre-Moreira, MS; Viegas, C. (2014). Leishmanicidal activity of the crude extract, fractions and major piperidine alkaloids from the flowers of *Senna spectabilis*. *Phytomedicine* 21: 277-281. <http://dx.doi.org/10.1016/j.phymed.2013.09.024>.
- de Almeida, AE; Ribeiro de Souza, A, naL; Allegretti, SM; Frezza, TF; Pinto, MC; Ferreira, AG; Chung, M, anC. (2008). Synthesis and biological activity of 6-formyl-oxamniquine derivative. 44: 749-754.
- de Almeida Carlos, L; da Silva Amaral, KA; Curcino Vieira, IJ; Mathias, L; Braz-Filho, R; Silva Samarão, S; Vieira-Da-Motta, O. (2010). *Rauvolfia grandiflora* (apocynaceae) extract interferes with staphylococcal density, enterotoxin production and antimicrobial activity. *Brazilian Journal of Microbiology* 41: 612-620. <http://dx.doi.org/10.1590/S1517-83822010000300011>.
- de Andrade, CA; de Souza Carvalho, JL; Cunico, MM; Lacava Lordello, A, naL; Kataoka Higaskino, CE; da Cruz Almeida, SC; Gaspari Dias, J, deF; Kerber, VA; Miguel, MD; Miguel, OG. (2010). Antioxidant and antibacterial activity of extracts, fractions and isolated substances from the flowers of *Acacia podalyriifolia* A. Cunn. ex G. Don. *B J P S Brazilian Journal of Pharmaceutical Sciences* 46: 715-721.
- de Campos, LM; Leimann, FV; Pedrosa, RC; Ferreira, SR. (2008). Free radical scavenging of grape pomace extracts from Cabernet sauvignon (*Vitis vinifera*). *Bioresour Technol* 99: 8413-8420. <http://dx.doi.org/10.1016/j.biortech.2008.02.058>.
- de Carvalho, AD; Campos, R, ui. (2011). A systematic study of the brain base arteries in the turkey (*Meleagris gallopavo*). *Pesquisa Veterinaria Brasileira* 31: 39-46.
- de Carvalho, CA; da Silva, MB; de Oliveira, TG; Lima, J, deM; da Rosa, MB. (2008). Spectrometric study at different phenologic stages of the cabbage (*Brassica oleraceae* var. capitata). *Revista Brasileira de Farmacognosia* 18: 249-257.
- de Carvalho, CR; Vieira, M; Cantrell, CL; Wedge, DE; Alves, TM; Zani, CL; Pimenta, RS; Sales Junior, PA; Murta, SM; Romanha, AJ; Rosa, CA; Rosa, LH. (2016). Biological activities of ophiobolin K and 6-epi-ophiobolin K produced by the endophytic fungus *Aspergillus calidoustus*. *Nat Prod Res* 30: 478-481. <http://dx.doi.org/10.1080/14786419.2015.1022777>.
- de Castro, AT; Castro, AP; Silva, MS; de Souza, IM; Martins-Souza, RL; Chagas-Paula, DA; Coelho, LF; da Silva Bolzani, V; Pivatto, M; Viegas, C; Marques, MJ. (2016). In vitro evaluation of the schistosomicidal effect of the extracts, fractions and major 3-hydroxy-2,6-dialkyl-substituted piperidine alkaloids from the flowers of *Senna spectabilis* (Fabaceae). 26: 4197-4204. <http://dx.doi.org/10.1016/j.bmcl.2016.07.058>.
- de Castro, FA; Scatena, G; Rocha, OP; Marques, MP; Cass, QB; Simões, BP; Lanchote, VL. (2016). Enantioselective analysis of 4-hydroxycyclophosphamide in human plasma with application to a clinical pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 1011: 53-61. <http://dx.doi.org/10.1016/j.jchromb.2015.12.049>.
- de Felício, R; de Albuquerque, S; Young, MC; Yokoya, NS; Debonsi, HM. (2010). Trypanocidal, leishmanicidal and antifungal potential from marine red alga *Bostrychia tenella* J. Agardh (Rhodomelaceae, Ceramiales). *J Pharm Biomed Anal* 52: 763-769. <http://dx.doi.org/10.1016/j.jpba.2010.02.018>.
- de Hostos, EL; Choy, RK; Nguyen, T. (2011). Developing novel antisecretory drugs to treat infectious diarrhea [Review]. *Future Medicinal Chemistry* 3: 1317-1325. <http://dx.doi.org/10.4155/fmc.11.87>.
- de Jesus Antunes, N; Wichert-Ana, L; Coelho, EB; Della Pasqua, O; Alexandre, V; Takayanagui, OM; Tozatto, E; Lanchote, VL. (2013). Analysis of Oxcarbazepine and the 10-Hydroxycarbazepine Enantiomers in Plasma by LC-MS/MS: Application in a Pharmacokinetic Study. *Chirality* 25: 897-903. <http://dx.doi.org/10.1002/chir.22231>.
- de la Cruz, MN; Júnior, HM; Oliveira, DF; Costa-Lotufo, LV; Ferreira, AG; Alviano, DS; Rezende, CM. (2013). Chemical composition and biological activities of soldiers of the Brazilian termite species, *Nasutitermes macrocephalus* (Isoptera: Natutitermitinae). *Natural Product Communications* 8: 69-74.
- De Los Reyes, A; Augenstein, TM; Wang, M; Thomas, SA; Drabick, DA; Burgers, DE; Rabinowitz, J. (2015). The validity of the multi-informant approach to assessing child and adolescent mental health [Review]. *Psychol Bull* 141: 858-900. <http://dx.doi.org/10.1037/a0038498>.
- De Luca, V; Tharmaligam, S; Strauss, J; Kennedy, JL. (2008). 5-HT<sub>2C</sub> receptor and MAO-A interaction analysis: no association with suicidal behaviour in bipolar patients. *European Archives of Psychiatry and Clinical Neuroscience* 258: 428-433. <http://dx.doi.org/10.1007/s00406-008-0815-x>.

## Human Health Hazard Literature Search Results

### Off Topic

- de Mesquita, ML; de Paula, JE; Pessoa, C; de Moraes, MO; Costa-Lotufo, LV; Grougnet, R; Michel, S; Tillequin, F; Espindola, LS. (2009). Cytotoxic activity of Brazilian Cerrado plants used in traditional medicine against cancer cell lines. *J Ethnopharmacol* 123: 439-445. <http://dx.doi.org/10.1016/j.jep.2009.03.018>.
- de Mesquita Padilha, M; Vilela, FC; da Silva, MJ; dos Santos, MH; Alves-Da-Silva, G; Giusti-Paiva, A. (2009). Antinociceptive effect of the extract of *Morus nigra* leaves in mice. *J Med Food* 12: 1381-1385. <http://dx.doi.org/10.1089/jmf.2009.0012>.
- De Mey, E; De Maere, H; Dewulf, L; Paelinck, H; Sajewicz, M; Fraeye, I; Kowalska, T. (2014). APPLICATION OF ACCELERATED SOLVENT EXTRACTION (ASE) AND THIN LAYER CHROMATOGRAPHY (TLC) TO DETERMINATION OF PIPERINE IN COMMERCIAL SAMPLES OF PEPPER (*PIPER NIGRUM* L.). *Journal of Liquid Chromatography and Related Technologies* 37: 2980-2988. <http://dx.doi.org/10.1080/10739149.2014.907014>.
- De Mieri, M; Du, K; Neuburger, M; Saxena, P; Zietsman, PC; Hering, S; van der Westhuizen, JH; Hamburger, M. (2015). hERG Channel Inhibitory Daphnane Diterpenoid Orthoesters and Polycephalones A and B with Unprecedented Skeletons from *Gnidia polycephala*. *J Nat Prod* 78: 1697-1707. <http://dx.doi.org/10.1021/acs.jnatprod.5b00344>.
- De Mieri, M; Monteleone, G; Ismajili, I; Kaiser, M; Hamburger, M. (2017). Antiprotozoal Activity-Based Profiling of a Dichloromethane Extract from *Anthemis nobilis* Flowers. *J Nat Prod*. <http://dx.doi.org/10.1021/acs.jnatprod.6b00980>.
- de Miguel, G; Marchena, M; Zitnan, M; Pandey, SS; Hayase, S; Douhal, A. (2012). Femto to millisecond observations of indole-based squaraine molecules photodynamics in solution. *Phys Chem Chem Phys* 14: 1796-1805. <http://dx.doi.org/10.1039/c1cp22864a>.
- de Miguel, M; Alvaro, M; García, H. (2012). Graphene as a quencher of electronic excited states of photochemical probes. *Langmuir* 28: 2849-2857. <http://dx.doi.org/10.1021/la204023w>.
- de Miranda Neto, EG; da Silva, S, deTG; de Mendonca, CL; Drummond, A, naRF; Afonso, JAB. (2011). Clinical aspects and ruminal chemistry in goats with lactic acidosis and sodic monensin supplementation. *Pesquisa Veterinaria Brasileira* 31: 416-424.
- de Moraes, NV; Lauretti, GR; Filgueira, GC; Lopes, BC; Lanchote, VL. (2014). Analysis of rocuronium in human plasma by liquid chromatography-tandem mass spectrometry with application in clinical pharmacokinetics. *J Pharm Biomed Anal* 90: 180-185. <http://dx.doi.org/10.1016/j.jpba.2013.11.032>.
- de Moraes, WF; Galdino, PM; Nascimento, MV; Vanderlinde, FA; Bara, MT; Costa, EA; de Paula, JR. (2012). Triterpenes involved in the anti-inflammatory effect of ethanolic extract of *Pterodon emarginatus* Vogel stem bark. *Journal of Natural Medicines* 66: 202-207. <http://dx.doi.org/10.1007/s11418-011-0547-5>.
- de Morais, SR; Oliveira, TL; de Oliveira, LP; Tresvenzol, LM; da Conceição, EC; Rezende, MH; Fiuza, TS; Costa, EA; Ferri, PH; de Paula, JR. (2016). Essential Oil Composition, Antimicrobial and Pharmacological Activities of *Lippia sidoides* Cham. (Verbenaceae) From São Gonçalo do Abaeté, Minas Gerais, Brazil. *Pharmacognosy Magazine* 12: 262-270. <http://dx.doi.org/10.4103/0973-1296.192197>.
- de Oliveira, AP; de Sousa, JF; da Silva, MA; Hilário, F; Resende, FA; de Camargo, MS; Vilegas, W; Santos, LC; Varanda, EA. (2013). Estrogenic and chemopreventive activities of xanthenes and flavones of *Syngonanthus* (Eriocaulaceae). *Steroids* 78: 1053-1063. <http://dx.doi.org/10.1016/j.steroids.2013.07.002>.
- de Oliveira, CB; Comunello, LN; Lunardelli, A; Amaral, RH; Pires, MG; da Silva, GL; Manfredini, V; Vargas, CR; Gnoatto, SC; de Oliveira, JR; Gosmann, G. (2012). Phenolic enriched extract of *Baccharis trimera* presents anti-inflammatory and antioxidant activities. *Molecules* 17: 1113-1123. <http://dx.doi.org/10.3390/molecules17011113>.
- De Oliveira, EC; Fernandes, CP; Sanchez, EF; Rocha, L; Fuly, AL. (2014). Inhibitory effect of plant *Manilkara subsericea* against biological activities of *Lachesis muta* snake venom. *BioMed Res Int* 2014: 408068. <http://dx.doi.org/10.1155/2014/408068>.
- de Oliveira, RN; Rehder, VL; Oliveira, AS; Jeraldo, V; Linhares, AX; Allegretti, SM. (2014). Anthelmintic activity in vitro and in vivo of *Baccharis trimera* (Less) DC against immature and adult worms of *Schistosoma mansoni*. *Exp Parasitol* 139: 63-72. <http://dx.doi.org/10.1016/j.exppara.2014.02.010>.
- de Pascual, R; Colmena, I; de Los Rios, C; Rosa, JM; Correa-Leite, PE; Lima-Araujo, KG; Ferreira, VF; Rocha, DR; Gonzaga, DTG; Garcia, AG; Santos, WC; Gandia, L. (2012). Augmentation of catecholamine release elicited by an *Eugenia punicifolia* extract in chromaffin cells. *Revista Brasileira de Farmacognosia* 22: 1-12. <http://dx.doi.org/10.1590/S0102-695X2011005000191>.
- de Petris, G; Rosi, M; Ursini, O; Troiani, A. (2013). The oxidative mechanism in electrophilic C-H activation: the case of CH<sub>2</sub>F<sub>2</sub> and CH<sub>2</sub>Cl<sub>2</sub>. *Chem Asian J* 8: 588-595. <http://dx.doi.org/10.1002/asia.201201028>.
- De Pinho, PG; Gonçalves, RF; Valentão, P; Pereira, DM; Seabra, RM; Andrade, PB; Sottomayor, M. (2009). Volatile composition of *Catharanthus roseus* (L.) G. Don using solid-phase microextraction and gas chromatography/mass spectrometry. *J Pharm Biomed Anal* 49: 674-685. <http://dx.doi.org/10.1016/j.jpba.2008.12.032>.
- De Prá, SD; Ferro, PR; Milioli, AM; Rigo, FK; Chipindo, OJ; Camponogara, C; Casoti, R; Manfron, MP; de Oliveira, SM; Ferreira, J; Trevisan, G. (2017). Antinociceptive activity and mechanism of action of hydroalcoholic extract and dichloromethane fraction of *Amphilophium crucigerum* seeds in mice. *J Ethnopharmacol* 195: 283-297. <http://dx.doi.org/10.1016/j.jep.2016.11.032>.
- De Salvia, MA; Cagiano, R; Carratu, MR; Di Giovanni, V; Trabace, L; Cuomo, V. (1995). Irreversible impairment of active avoidance behavior in rats prenatally exposed to mild concentrations of carbon monoxide. *Psychopharmacology* 122: 66-71.
- de Souza, P; Boeing, T; Somensi, LB; Cechinel-Zanchett, CC; Bastos, JK; Petreanu, M; Niero, R; Cechinel-Filho, V; da Silva, LM; de Andrade, SF. (2016). Diuretic effect of extracts, fractions and two compounds 2 $\alpha$ ,3 $\beta$ ,19 $\alpha$ -trihydroxy-urs-12-en-28-oic acid and 5-hydroxy-3,6,7,8,4'-pentamethoxyflavone from *Rubus rosaefolius* Sm. (Rosaceae) leaves in rats. *Naunyn Schmiedebergs Arch Pharmacol*. <http://dx.doi.org/10.1007/s00210-016-1333-4>.

## Human Health Hazard Literature Search Results

### Off Topic

- de Souza, P; Crestani, S; da Silva, R; Gasparotto, F; Kassuya, CA; da Silva-Santos, JE; Gasparotto, A. (2013). Involvement of bradykinin and prostaglandins in the diuretic effects of *Achillea millefolium* L. (Asteraceae). *J Ethnopharmacol* 149: 157-161. <http://dx.doi.org/10.1016/j.jep.2013.06.015>.
- de Souza, P; Gasparotto, A; Crestani, S; Stefanello, MÉ; Marques, MC; da Silva-Santos, JE; Kassuya, CA. (2011). Hypotensive mechanism of the extracts and artemetin isolated from *Achillea millefolium* L. (Asteraceae) in rats. *Phytomedicine* 18: 819-825. <http://dx.doi.org/10.1016/j.phymed.2011.02.005>.
- de Souza, RR; Bretanha, LC; Dalmarco, EM; Pizzolatti, MG; Fröde, TS. (2015). Modulatory effect of *Senecio brasiliensis* (Spreng) Less. in a murine model of inflammation induced by carrageenan into the pleural cavity. *J Ethnopharmacol* 168: 373-379. <http://dx.doi.org/10.1016/j.jep.2015.03.032>.
- de Voogd, JN; Sanderman, R; Postema, K; van Sonderen, E; Wempe, JB. (2011). Relationship between anxiety and dyspnea on exertion in patients with chronic obstructive pulmonary disease. *Anxiety Stress Coping* 24: 439-449. <http://dx.doi.org/10.1080/10615806.2010.520081>.
- De-Almeida, MR; Ramos-Leal, IC; Ruela, HS; Justo-Araujo, M, d; Martins, TM; Pinto-Coelho, MG; Kuster, RM; Carvalho-Sabino, KC. (2013). Anti-tumor potential and acute toxicity of *Jacaranda puberula* Cham. (Bignoniaceae). *Pak J Pharm Sci* 26: 881-892.
- Dearfield, KL; Moore, MM. (2005). Use of genetic toxicology information for risk assessment. *Environ Mol Mutagen* 46: 236-245. <http://dx.doi.org/10.1002/em.20176>.
- Deb, T; Jensen, MP. (2015). Electrophilic alkylation of pseudotetrahedral nickel(II) arylthiolate complexes. *Inorg Chem* 54: 87-96. <http://dx.doi.org/10.1021/ic5018328>.
- Debonsi, HM; Miranda, JE; Murata, AT; de Bortoli, SA; Kato, MJ; Bolzani, VS; Furlan, M. (2009). Isobutyl amides--potent compounds for controlling *Diatraea saccharalis*. *Pest Manag Sci* 65: 47-51. <http://dx.doi.org/10.1002/ps.1643>.
- Decety, J; Chen, C; Harenski, C; Kiehl, KA. (2013). An fMRI study of affective perspective taking in individuals with psychopathy: imagining another in pain does not evoke empathy. *Frontiers in Human Neuroscience* 7: 489. <http://dx.doi.org/10.3389/fnhum.2013.00489>.
- Decety, J; Skelly, LR; Kiehl, KA. (2013). Brain response to empathy-eliciting scenarios involving pain in incarcerated individuals with psychopathy. *JAMA Psychiatry* 70: 638-645. <http://dx.doi.org/10.1001/jamapsychiatry.2013.27>.
- Decken, A; Knapp, C; Nikiforov, GB; Passmore, J; Rautiainen, JM; Wang, X; Zeng, X. (2009). Silver(I) complexes of the weakly coordinating solvents SO(2) and CH(2)Cl(2): crystal structures, bonding, and energetics of [Ag(OSO)]{Al{OC(CF(3))(3)}(4)}, [Ag(OSO)(2/2)]{SbF(6)}, and [Ag(CH(2)Cl(2))(2)]{SbF(6)}. *Chemistry* 15: 6504-6517. <http://dx.doi.org/10.1002/chem.200802498>.
- Deconinck, E; Canfyn, M; Sacre, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal* 70: 64-70. <http://dx.doi.org/10.1016/j.jpba.2012.05.022>.
- Deepakumari, HN; Revanasiddappa, HD. (2013). Use of the Charge Transfer Reactions for the Spectrophotometric Determination of Risperidone in Pure and in Dosage Forms. 2013: 792186. <http://dx.doi.org/10.1155/2013/792186>.
- Degen, GH; Hengstler, JG. (2008). Developments in industrial and occupational toxicology: REACH, toxicogenomics, mycotoxins, lead, asbestos, boron, bitumen, deletions polymorphisms and SNP interactions: meeting report of the 16th EUROTOX training and discussion session. *Arch Toxicol* 82: 483-487. <http://dx.doi.org/10.1007/s00204-008-0315-9>.
- Deghrigue, M; Festa, C; Ghribi, L; D'Auria, MV; De Marino, S; Ben Jannet, H; Bouraoui, A. (2015). Anti-inflammatory and analgesic activities with gastroprotective effect of semi-purified fractions and isolation of pure compounds from Mediterranean gorgonian *Eunicella singularis*. *Asian Pacific Journal of Tropical Medicine* 8: 606-611. <http://dx.doi.org/10.1016/j.apjtm.2015.07.019>.
- Deiana, S; Harrington, CR; Wischik, CM; Riedel, G. (2009). Methylthionium chloride reverses cognitive deficits induced by scopolamine: comparison with rivastigmine. *Psychopharmacology* 202: 53-65. <http://dx.doi.org/10.1007/s00213-008-1394-2>.
- Delarozza, F; Scarminio, IS. (2008). Mixture design optimization of extraction and mobile phase media for fingerprint analysis of *Bauhinia variegata* L. *J Sep Sci* 31: 1034-1041. <http://dx.doi.org/10.1002/jssc.200700389>.
- Delhomme, O; Raeppele, C; Briand, O; Millet, M. (2011). Analytical method for assessing potential dermal exposure to pesticides of a non-agricultural occupationally exposed population. *Anal Bioanal Chem* 399: 1325-1334. <http://dx.doi.org/10.1007/s00216-010-4434-9>.
- Della Marca, G; Frusciante, R; Dittoni, S; Vollono, C; Losurdo, A; Testani, E; Scarano, E; Colicchio, S; Iannaccone, E; Tonalì, PA; Ricci, E. (2010). Decreased Nocturnal Movements in Patients with Facioscapulohumeral Muscular Dystrophy. *J Clin Sleep Med* 6: 276-280.
- Delport, A; Harvey, BH; Petzer, A; Petzer, JP. (2014). Azure B and a synthetic structural analogue of methylene blue, ethylthionium chloride, present with antidepressant-like properties. *Life Sci* 117: 56-66. <http://dx.doi.org/10.1016/j.lfs.2014.10.005>.
- Demchuk, E; Ruiz, P; Wilson, JD; Scinicariello, F; Pohl, HR; Fay, M; Mumtaz, MM; Hansen, H; De Rosa, CT. (2008). Computational toxicology methods in public health practice. *Toxicol Mech Meth* 18: 119-135. <http://dx.doi.org/10.1080/15376510701857148>.
- Demir, S; Saral, A; Kuzu, SL. (2012). ASSESSMENT OF LEVELS AND ASSOCIATED RISKS OF EXPOSURE TO VOCs RELEASED FROM MSW LANDFILL SITES. *Fresen Environ Bull* 21: 781-788.
- Demirkaya-Miloglu, F; Kadioglu, Y; Senol, O; Yaman, ME. (2013). Spectrofluorimetric Determination of  $\alpha$ -Tocopherol in Capsules and Human Plasma. *Indian J Pharmaceut Sci* 75: 563-568.
- Demou, E; Hellweg, S; Hungerbuehler, K. (2011). An occupational chemical priority list for future life cycle assessments. *J Clean Prod* 19: 1339-1346. <http://dx.doi.org/10.1016/j.jclepro.2011.03.011>.
- Deng, A; Lin, Q; Yan, Y; Li, H; Ren, J; Liu, C; Sun, R. (2016). A feasible process for furfural production from the pre-hydrolysis liquor of corncob via biochar catalysts in a new biphasic system. *Bioresour Technol* 216: 754-760. <http://dx.doi.org/10.1016/j.biortech.2016.06.002>.

## Human Health Hazard Literature Search Results

### Off Topic

- Deng, F; Sun, W; Castellano, FN. (2014). Texaphyrin sensitized near-IR-to-visible photon upconversion. *Photochem Photobiol Sci* 13: 813-819. <http://dx.doi.org/10.1039/c4pp00037d>.
- Deng, L; Wang, Q; Zhang, Z; Tang, J. (2014). [Determination of thermodynamic parameters for ionic liquid 1-hexyl-3-methylimidazolium trifluoromethanesulfonate by inverse gas chromatography]. *Sepu* 32: 169-173.
- Deng, M; Nair, LS; Nukavarapu, SP; Kumbar, SG; Jiang, T; Krogman, NR; Singh, A; Allcock, HR; Laurencin, CT. (2008). Miscibility and in vitro osteocompatibility of biodegradable blends of poly[(ethyl alanato) (p-phenyl phenoxy) phosphazene] and poly(lactic acid-glycolic acid). *Biomaterials* 29: 337-349. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.029>.
- Deng, P; Chen, X; Zhang, G; Zhong, D. (2010). Bioanalysis of an oligonucleotide and its metabolites by liquid chromatography-tandem mass spectrometry. *J Pharm Biomed Anal* 52: 571-579. <http://dx.doi.org/10.1016/j.jpba.2010.01.040>.
- Deng, P; Zhong, D; Chen, X. (2009). Determination of tropisetron in human plasma by liquid chromatography-tandem mass spectrometry. *J Pharm Biomed Anal* 49: 848-852. <http://dx.doi.org/10.1016/j.jpba.2008.12.038>.
- Deng, Z; Hu, K; Zhang, Y; Zhao, W; Wang, F; Guo, L; Zhang, W; He, J; Huang, Y; Zhang, S. (2016). On-cartridge derivatisation using a calixarene solid-phase extraction sorbent for facile, sensitive and fast determination of formaldehyde in beer. *Food Chem* 211: 314-319. <http://dx.doi.org/10.1016/j.foodchem.2016.05.069>.
- Dennison, JB; Renbarger, JL; Walterhouse, DO; Jones, DR; Hall, SD. (2008). Quantification of vincristine and its major metabolite in human plasma by high-performance liquid chromatography/tandem mass spectrometry. *Ther Drug Monit* 30: 357-364. <http://dx.doi.org/10.1097/FTD.0b013e31816b92c9>.
- Denny, C; Zacharias, ME; Ruiz, AL; Do Carmo E do Amaral, M; Bittrich, V; Kohn, LK; de Oliveira Sousa, IM; Rodrigues, RA; de Carvalho, JE; Foglio, MA. (2008). Antiproliferative properties of polyketides isolated from *Viola sebifera* leaves. *Phytother Res* 22: 127-130. <http://dx.doi.org/10.1002/ptr.2251>.
- Depuey, EG; Ata, P; Wray, R; Friedman, M. (2012). Very low-activity stress/high-activity rest, single-day myocardial perfusion SPECT with a conventional sodium iodide camera and wide beam reconstruction processing. 19: 931-944. <http://dx.doi.org/10.1007/s12350-012-9596-8>.
- Dereese, S; Barasa, L; Akala, HM; Yusuf, AO; Kamau, E; Heydenreich, M; Yenesew, A. (2014). 4'-Prenyloxyderrone from the stem bark of *Millettia oblata* ssp *teitensis* and the antiplasmodial activities of isoflavones from some *Millettia* species. *Phytochemistry Letters* 8: 69-72. <http://dx.doi.org/10.1016/j.phytol.2014.02.001>.
- Dereymaker, A; Van Den Mooter, G. (2015). The peculiar behavior of the glass transition temperature of amorphous drug-polymer films coated on inert sugar spheres. *J Pharm Sci* 104: 1759-1766. <http://dx.doi.org/10.1002/jps.24395>.
- Derita, M; Zacchino, S. (2011). Validation of the ethnopharmacological use of *Polygonum persicaria* for its antifungal properties. *Natural Product Communications* 6: 931-933.
- Derksen, A; Kühn, J; Hafezi, W; Sendker, J; Ehrhardt, C; Ludwig, S; Hensel, A. (2016). Antiviral activity of hydroalcoholic extract from *Eupatorium perfoliatum* L. against the attachment of influenza A virus. *J Ethnopharmacol* 188: 144-152. <http://dx.doi.org/10.1016/j.jep.2016.05.016>.
- Derosa, CA; Kerr, C; Fan, Z; Kolpaczynska, M; Mathew, AS; Evans, RE; Zhang, G; Fraser, CL. (2015). Tailoring Oxygen Sensitivity with Halide Substitution in Difluoroboron Dibenzoylmethane Poly lactide Materials. 7: 23633-23643. <http://dx.doi.org/10.1021/acsami.5b07126>.
- Desire, O; Rivière, C; Razafindrazaka, R; Goossens, L; Moreau, S; Guillon, J; Uverg-Ratsimamanga, S; Andriamadio, P; Moore, N; Randriantsoa, A; Raharisololalao, A. (2010). Antispasmodic and antioxidant activities of fractions and bioactive constituent davidigenin isolated from *Mascarenhasia arborescens*. *J Ethnopharmacol* 130: 320-328. <http://dx.doi.org/10.1016/j.jep.2010.05.017>.
- Desmazières, B; Legros, V; Giuliani, A; Buchmann, W. (2014). Synthetic oligomer analysis using atmospheric pressure photoionization mass spectrometry at different photon energies. *Anal Chim Acta* 808: 220-230. <http://dx.doi.org/10.1016/j.aca.2013.11.036>.
- Devkota, KP; Wansi, JD; Lenta, BN; Khan, S; Choudhary, MI; Sewald, N. (2010). Bioactive steroidal alkaloids from *Sarcococca hookeriana* [Letter]. *Planta Med* 76: 1022-1025. <http://dx.doi.org/10.1055/s-0029-1240896>.
- Devrim, B; Bozkir, A; Canefe, K. (2011). Preparation and evaluation of PLGA microparticles as carrier for the pulmonary delivery of rhl-2 : I. Effects of some formulation parameters on microparticle characteristics. *J Microencapsul* 28: 582-594. <http://dx.doi.org/10.3109/02652048.2011.599438>.
- Dewir, YH; Singh, N; Mngomezulu, S; Omar, AMK. (2011). Micropropagation and detection of important triterpenes in in vitro and field grown plants of *Syzygium cordatum*. *Journal of Medicinal Plant Research* 5: 3078-3083.
- Dewoskin, RS; Thompson, CM. (2008). Renal clearance parameters for PBPK model analysis of early lifestage differences in the disposition of environmental toxicants [Review]. *Regul Toxicol Pharmacol* 51: 66-86. <http://dx.doi.org/10.1016/j.yrtph.2008.02.005>.
- Dey, S; Rath, SP. (2014). Syn-anti conformational switching in an ethane-bridged Co(II)bisporphyrin induced by external stimuli: effects of inter-macrocylic interactions, axial ligation and chemical and electrochemical oxidations. *Dalton Transactions (Online)* 43: 2301-2314. <http://dx.doi.org/10.1039/c3dt52784k>.
- Dey, SK; Mandal, B; Bhowmik, M; Gliosh, LK. (2009). Development and in vitro evaluation of Letrozole loaded biodegradable nanoparticles for breast cancer therapy. *B J P S Brazilian Journal of Pharmaceutical Sciences* 45: 585-591.
- Deyou, T; Gumula, I; Pang, F; Gruhonic, A; Mumo, M; Holleran, J; Duffy, S; Fitzpatrick, PA; Heydenreich, M; Landberg, G; Dereese, S; Avery, V; Rissanen, K; Erdélyi, M; Yenesew, A. (2015). Rotenoids, Flavonoids, and Chalcones from the Root Bark of *Millettia usaramensis*. *J Nat Prod* 78: 2932-2939. <http://dx.doi.org/10.1021/acs.jnatprod.5b00581>.
- D'Haese, J; De Keukeleire, T; Remory, I; Van Rompaey, K; Umbrain, V; Poelaert, J. (2013). Assessment of intraoperative microaspiration: does a modified cuff shape improve sealing? *Acta Anaesthesiol Scand* 57: 873-880. <http://dx.doi.org/10.1111/aas.12119>.

## Human Health Hazard Literature Search Results

### Off Topic

- Dharuman, J; Vasudhevan, M; Ajithlal, T. (2011). High performance liquid chromatographic method for the determination of cetirizine and ambroxol in human plasma and urine--a boxcar approach. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 2624-2631. <http://dx.doi.org/10.1016/j.jchromb.2011.07.024>.
- Di Giacomo, C; Vanella, L; Sorrenti, V; Santangelo, R; Barbagallo, I; Calabrese, G; Genovese, C; Mastrojeni, S; Ragusa, S; Acquaviva, R. (2015). Effects of *Tithonia diversifolia* (Hemsl.) A. Gray extract on adipocyte differentiation of human mesenchymal stem cells. *PLoS ONE* 10: e0122320. <http://dx.doi.org/10.1371/journal.pone.0122320>.
- Di Giorgio, C; Delmas, F; Tueni, M; Cheble, E; Khalil, T; Balansard, G. (2008). Alternative and complementary antileishmanial treatments: assessment of the antileishmanial activity of 27 Lebanese plants, including 11 endemic species. *J Altern Complement Med* 14: 157-162. <http://dx.doi.org/10.1089/acm.2007.7041>.
- Di Giorgio, C; Malleret, L; Gueydon-Morin, C; Rigaud, S; De Méo, M. (2011). Comparison of two extraction procedures for the assessment of sediment genotoxicity: implication of polar organic compounds. *Mutat Res* 725: 1-12. <http://dx.doi.org/10.1016/j.mrgentox.2011.05.012>.
- Di Nicola, FP; Lanzi, M; Marchetti, F; Pampaloni, G; Zacchini, S. (2015). Is bond stretch isomerism in mononuclear transition metal complexes a real issue? The misleading case of the MoCl<sub>5</sub>/tetrahydropyran reaction system. *Dalton Transactions (Online)* 44: 12653-12659. <http://dx.doi.org/10.1039/c5dt01378j>.
- di Nunzio, MR; Wang, Y; Douhal, A. (2012). Structural spectroscopy and dynamics of inter- and intramolecular H-bonding interactions of topotecan, a potent anticancer drug, in organic solvents and in aqueous solution. *J Phys Chem B* 116: 7522-7530. <http://dx.doi.org/10.1021/jp302923a>.
- Dias, DA; Urban, S. (2009). Application of HPLC-NMR for the rapid chemical profiling of a Southern Australian sponge, *Dactylospongia* sp. *J Sep Sci* 32: 542-548. <http://dx.doi.org/10.1002/jssc.200800548>.
- Diaw, PA; Mbaye, OM; Gaye-Seye, MD; Aaron, JJ; Coly, A; Tine, A; Oturan, N; Oturan, MA. (2014). Photochemically-induced fluorescence properties of two benzoyl- and phenylurea pesticides and determination in natural waters. *J Fluoresc* 24: 1319-1330. <http://dx.doi.org/10.1007/s10895-014-1418-8>.
- Dierickx, L; Van Snick, B; Monteyne, T; De Beer, T; Remon, JP; Vervaet, C. (2014). Co-extruded solid solutions as immediate release fixed-dose combinations. 88: 502-509. <http://dx.doi.org/10.1016/j.ejpb.2014.06.010>.
- Diesendruck, CE; Tzur, E; Ben-Asuly, A; Goldberg, I; Straub, BF; Lemcoff, NG. (2009). Predicting the cis-trans dichloro configuration of group 15-16 chelated ruthenium olefin metathesis complexes: a DFT and experimental study. *Inorg Chem* 48: 10819-10825. <http://dx.doi.org/10.1021/ic901444c>.
- Diev, VV; Schlenker, CW; Hanson, K; Zhong, Q; Zimmerman, JD; Forrest, SR; Thompson, ME. (2012). Porphyrins fused with unactivated polycyclic aromatic hydrocarbons. *J Org Chem* 77: 143-159. <http://dx.doi.org/10.1021/jo201490y>.
- Dimé, AK; Devillers, CH; Cattet, H; Lucas, D. (2014). Versatile redox reactivity of triaryl-meso-substituted Ni(II) porphyrin. *Dalton Transactions (Online)* 43: 14554-14564. <http://dx.doi.org/10.1039/c4dt00221k>.
- Dimitrova, A; Taseva, C; Yordanov, ND. (2008). EPR study on ligand-exchange reaction between bis(diethylselenocarbamate)copper(II) and some bis(acetylacetonato)copper(II) complexes. *Spectrochim Acta A Mol Biomol Spectrosc* 70: 953-957. <http://dx.doi.org/10.1016/j.saa.2007.09.031>.
- Din, IU, d; Rashid, A; Mahmood, T; Khalid, A. (2013). Effect of land use activities on PAH contamination in urban soils of Rawalpindi and Islamabad, Pakistan. *Environ Monit Assess* 185: 8685-8694. <http://dx.doi.org/10.1007/s10661-013-3204-5>.
- Ding, C; Zhao, S; He, J. (2014). A *Desulfitobacterium* sp. strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol* 16: 3387-3397. <http://dx.doi.org/10.1111/1462-2920.12387>.
- Ding, H; Peng, Z; Wang, J; Lu, P; Wang, Y. (2016). Preparation of 3-azoindoles and 3-hydrazonoindolin-2-imines as well as their applications as NNO pincer ligands for boron. *Org Biomol Chem* 14: 7114-7118. <http://dx.doi.org/10.1039/c6ob01247g>.
- Ding, Y; Li, T; Zhu, W; Xie, Y. (2012). Highly selective colorimetric sensing of cyanide based on formation of dipyrin adducts. *Org Biomol Chem* 10: 4201-4207. <http://dx.doi.org/10.1039/c2ob25297j>.
- Dinnimath, BM; Jalalpure, SS. (2015). In silico Antiuro lithiatic Screening of *Aerva lanata* (L) Isolated constituents. 49: 126-133. <http://dx.doi.org/10.5530/ijper.49.2.8>.
- Dinse, GE; Lagakos, SW. (1982). Nonparametric estimation of lifetime and disease onset distributions from incomplete observations. *Biometrics* 38: 921-932.
- Dirtu, AC; Roosens, L; Geens, T; Gheorghe, A; Neels, H; Covaci, A. (2008). Simultaneous determination of bisphenol A, triclosan, and tetrabromobisphenol A in human serum using solid-phase extraction and gas chromatography-electron capture negative-ionization mass spectrometry. *Anal Bioanal Chem* 391: 1175-1181. <http://dx.doi.org/10.1007/s00216-007-1807-9>.
- Dissanayake, DP; Abeyunga, DTU; Vasudewa, NS; Ratnasooriya, WD. (2009). Inhibition of lipid peroxidation by extracts of *Pleurotus ostreatus*. *Pharmacognosy Magazine* 5: 266-271.
- Dixit, M; Kini, AG; Kulkarni, PK. (2011). Enhancing Solubility and Dissolution of Celecoxib by Spray Drying using Pluronic F 127. 45: 346-352.
- Djedour, A; Boury, F; Grossiord, JL. (2009). Modulation of the release from a w/o/w multiple emulsion by controlling the viscoelastic properties of the two interfaces. *Journal of Drug Delivery Science and Technology* 19: 197-203.
- Djedovic, NK; Rainbow, SJ. (2011). Detection of synthetic glucocorticoids by liquid chromatography-tandem mass spectrometry in patients being investigated for Cushing's syndrome. *Ann Clin Biochem* 48: 542-549. <http://dx.doi.org/10.1258/acb.2011.010250>.
- Do, J; Kim, Y; Attias, AJ; Kreher, D; Kim, E. (2010). Patterning of pH sensitive fluorescent bipyridazine derivatives. *J Nanosci Nanotechnol* 10: 6874-6878.



## Human Health Hazard Literature Search Results

### Off Topic

- Do, L, an; Lundstedt, S; Haglund, P. (2013). Optimization of selective pressurized liquid extraction for extraction and in-cell clean-up of PCDD/Fs in soils and sediments. *Chemosphere* 90: 2414-2419. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.070>.
- Do Nascimento Pantaleão, L; Bismara Paranhos, BA; Yonamine, M. (2012). Hollow-fiber liquid-phase microextraction of amphetamine-type stimulants in human hair samples. *J Chromatogr A* 1254: 1-7. <http://dx.doi.org/10.1016/j.chroma.2012.07.014>.
- Dobos, A; Hidvégi, E; Somogyi, GP. (2012). Comparison of five derivatizing agents for the determination of amphetamine-type stimulants in human urine by extractive acylation and gas chromatography-mass spectrometry. *J Anal Toxicol* 36: 340-344. <http://dx.doi.org/10.1093/jat/bks026>.
- Dohoo, C; Read Guernsey, J; Gibson, MD; Vanleeuwen, J. (2015). Impact of biogas digesters on cookhouse volatile organic compound exposure for rural Kenyan farmwomen. *J Expo Sci Environ Epidemiol* 25: 167-174. <http://dx.doi.org/10.1038/jes.2013.42>.
- Dolci, S; Marchetti, F; Pampaloni, G; Zacchini, S. (2013). A crystallographic and spectroscopic study on the reactions of WCl<sub>6</sub> with carbonyl compounds. *Dalton Transactions (Online)* 42: 5635-5648. <http://dx.doi.org/10.1039/c2dt32771f>.
- Domene, X; Alcañiz, JM; Andrés, P. (2008). Comparison of solid-phase and eluate assays to gauge the ecotoxicological risk of organic wastes on soil organisms. *Environ Pollut* 151: 549-558. <http://dx.doi.org/10.1016/j.envpol.2007.04.007>.
- Domingues, RM; Oliveira, EL; Freire, CS; Couto, RM; Simões, PC; Neto, CP; Silvestre, AJ; Silva, CM. (2012). Supercritical fluid extraction of *Eucalyptus globulus* bark-A promising approach for triterpenoid production. *International Journal of Molecular Sciences* 13: 7648-7662. <http://dx.doi.org/10.3390/ijms13067648>.
- Domínguez, ME; Rezende, MC; Márquez, S. (2013). Theoretical study of the solvatochromism of a donor-acceptor bithiophene. *J Mol Model* 19: 689-696. <http://dx.doi.org/10.1007/s00894-012-1593-y>.
- Donalísio, M; Nana, HM; Ngane, RA; Gatsing, D; Tchinda, AT; Rovito, R; Cagno, V; Cagliero, C; Boyom, FF; Rubiolo, P; Bicchi, C; Lembo, D. (2013). In vitro anti-Herpes simplex virus activity of crude extract of the roots of *Nauclea latifolia* Smith (Rubiaceae). *BMC Complement Altern Med* 13: 266. <http://dx.doi.org/10.1186/1472-6882-13-266>.
- Donamaría, R; Gimeno, MC; Lippolis, V; López-De-Luzuriaga, JM; Monge, M; Olmos, ME. (2016). Tuning the Luminescent Properties of a Ag/Au Tetranuclear Complex Featuring Metallophilic Interactions via Solvent-Dependent Structural Isomerization. *Inorg Chem* 55: 11299-11310. <http://dx.doi.org/10.1021/acs.inorgchem.6b01819>.
- Dong, H; Yang, X; Xie, J; Xiang, L; Li, Y; Ou, M; Chi, T; Liu, Z; Yu, S; Gao, Y; Chen, J; Shao, J; Jia, L. (2015). UP12, a novel ursolic acid derivative with potential for targeting multiple signaling pathways in hepatocellular carcinoma. *Biochem Pharmacol* 93: 151-162. <http://dx.doi.org/10.1016/j.bcp.2014.11.014>.
- Dong, H; Zhang, L; Liu, W; Tian, Y. (2016). Label-Free Electrochemical Biosensor for Monitoring of Chloride Ion in an Animal Model of Alzheimer's Disease. *ACS Chemical Neuroscience*. <http://dx.doi.org/10.1021/acschemneuro.6b00296>.
- Dong, J; Li, F; Xie, K. (2012). Study on the source of polycyclic aromatic hydrocarbons (PAHs) during coal pyrolysis by PY-GC-MS. *J Hazard Mater* 243: 80-85. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.073>.
- Dong, L, inYi; Zhang, Y, unhui; Cao, X; Cheng, B, inF; Hou, YY; Wang, J; Bai, G; Luo, G, uoAn. (2012). Rapid and Global Identification of Potentially Bioactive Crude Extracts from Chinese Medicinal Formula Chuanbeipipa Dropping Pills. *Lat Am J Pharm* 31: 18-26.
- Dong, QF; Liu, JJ; Yu, RM. (2010). Taxol content comparison in different parts of *Taxus madia* and *Taxus chinensis* var. *mairei* by HPLC. *Zhong Yao Cai* 33: 1048-1051.
- Dong, X; Gu, H; Liu, F. (2012). Study of the surface-enhanced Raman spectroscopy of residual impurities in hydroxylamine-reduced silver colloid and the effects of anions on the colloid activity. *Spectrochim Acta A Mol Biomol Spectrosc* 88: 97-101. <http://dx.doi.org/10.1016/j.saa.2011.12.007>.
- Dong, Y; Liang, D; Huang, J; Zhang, P. (2009). Sesquiterpenes with quinone reductase-inducing activity from *Liriodendron chinense*. *Natural Product Communications* 4: 467-468.
- Dong, Y; Zhang, Z; Feng, SS. (2008). d-alpha-Tocopheryl polyethylene glycol 1000 succinate (TPGS) modified poly(L-lactide) (PLLA) films for localized delivery of paclitaxel. *Int J Pharm* 350: 166-171. <http://dx.doi.org/10.1016/j.ijpharm.2007.08.043>.
- Dor, A; Machkour-M'Rabet, S; Legal, L; Williams, T; Henaut, Y. (2008). Chemically mediated burrow recognition in the Mexican tarantula *Brachypelma vagans* female. *Naturwissenschaften* 95: 1189-1193. <http://dx.doi.org/10.1007/s00114-008-0441-5>.
- Dorman, HJ; Kosar, M; Baser, KH; Hiltunen, R. (2011). Iron(III) reducing and antiradical activities of three *Sideritis* from Turkey. *Pharmaceutical Biology* 49: 800-804. <http://dx.doi.org/10.3109/13880209.2010.550052>.
- Dorman, HJ; Koşar, M; Başer, KH; Hiltunen, R. (2009). Phenolic profile and antioxidant evaluation of *Mentha x piperita* L. (peppermint) extracts. *Natural Product Communications* 4: 535-542.
- Dornan, PK; Kou, KG; Houk, KN; Dong, VM. (2014). Dynamic kinetic resolution of allylic sulfoxides by Rh-catalyzed hydrogenation: a combined theoretical and experimental mechanistic study. *J Am Chem Soc* 136: 291-298. <http://dx.doi.org/10.1021/ja409824b>.
- Doronina, NV; Kaparullina, EN; Bykova, TV; Trotsenko, YA. (2013). *Methylophilus musalis* sp. nov., an aerobic, facultatively methylotrophic bacterium isolated from banana fruit. *Int J Syst Evol Microbiol* 63: 1847-1852. <http://dx.doi.org/10.1099/ijms.0.042028-0>.
- Dorsch, S; Ada, L; Canning, CG; Al-Zharani, M; Dean, C. (2012). The strength of the ankle dorsiflexors has a significant contribution to walking speed in people who can walk independently after stroke: an observational study. *Arch Phys Med Rehabil* 93: 1072-1076. <http://dx.doi.org/10.1016/j.apmr.2012.01.005>.
- dos Santos Aliança, AS; dos Anjos, KF; de Vasconcelos Reis, TN; Higino, TM; Brelaz-De-Castro, MC; Bianco, ÉM; de Figueiredo, RC. (2014). The in vitro biological activity of the Brazilian brown seaweed *Dictyota mertensii* against *Leishmania amazonensis*. *Molecules* 19: 14052-14065. <http://dx.doi.org/10.3390/molecules190914052>.

## Human Health Hazard Literature Search Results

### Off Topic

- Dos Santos Alves, CF; Bonez, PC; de Souza, ME; da Cruz, RC; Boligon, AA; Piana, M; Brum, TF; Rossi, GG; Jesus, RD; Grando, TH; Monteiro, SG; Anraku de Campos, MM; Giongo, JL; Vianna Santos, RC. (2016). Antimicrobial, antitrypanosomal and antibiofilm activity of *Equisetum hyemale*. *Microb Pathog* 101: 119-125. <http://dx.doi.org/10.1016/j.micpath.2016.11.008>.
- Dos Santos, AO; Veiga-Santos, P; Ueda-Nakamura, T; Filho, BP; Sudatti, DB; Bianco, EM; Pereira, RC; Nakamura, CV. (2010). Effect of elatol, isolated from red seaweed *Laurencia dendroidea*, on *Leishmania amazonensis*. *Mar Drugs* 8: 2733-2743. <http://dx.doi.org/10.3390/md8112733>.
- Dos Santos, DS; Oberger, JV; Niero, R; Wagner, T; Delle Monache, F; Cruz, AB; Martin-Quintal, Z; Cechinel Filho, V. (2014). Seasonal phytochemical study and antimicrobial potential of *Vetiveria zizanioides* roots. 64: 495-501. <http://dx.doi.org/10.2478/acph-2014-0040>.
- Dos Santos, FM; de Souza, MG; Crotti, AE; Martins, CH; Ambrósio, S. R.; Veneziani, RC; E Silva, ML; Cunha, WR. (2012). Evaluation of antimicrobial activity of extracts of *Tibouchina candolleana* (melastomataceae), isolated compounds and semi-synthetic derivatives against endodontic bacteria. *Brazilian Journal of Microbiology* 43: 793-799. <http://dx.doi.org/10.1590/S1517-83822012000200045>.
- Dotsikas, Y; Apostolou, C; Soumelas, S; Kolocouri, F; Ziaka, A; Kousoulos, C; Loukas, YL. (2010). Validation of a novel, fully automated high throughput high-performance liquid chromatographic/tandem mass Spectrometric method for quantification of pantoprazole in human plasma. *J AOAC Int* 93: 1129-1136.
- Doyle, C; Sergeant, GP; Hollywood, MA; Mchale, NG; Thornbury, KD. (2014). ATP evokes inward currents in corpus cavernosum myocytes. *J Sex Med* 11: 64-74. <http://dx.doi.org/10.1111/jsm.12364>.
- Doyle, KJ; Tran, H; Baldoni-Olivencia, M; Karabulut, M; Hoggard, PE. (2008). Photocatalytic degradation of dichloromethane by chlorocuprate(II) ions. *Inorg Chem* 47: 7029-7034. <http://dx.doi.org/10.1021/ic800684v>.
- Drewes, SE; van Vuuren, SF. (2008). Antimicrobial acylphloroglucinols and dibenzylxy flavonoids from flowers of *Helichrysum gymnocomum*. *Phytochemistry* 69: 1745-1749. <http://dx.doi.org/10.1016/j.phytochem.2008.02.022>.
- Dreyer, A; Temme, C; Sturm, R; Ebinghaus, R. (2008). Optimized method avoiding solvent-induced response enhancement in the analysis of volatile and semi-volatile polyfluorinated alkylated compounds using gas chromatography-mass spectrometry. *J Chromatogr A* 1178: 199-205. <http://dx.doi.org/10.1016/j.chroma.2007.11.050>.
- du Boullay, OT; Saffon, N; Diehl, JP; Martin-Vaca, B; Bourissou, D. (2010). Organo-catalyzed ring opening polymerization of a 1,4-dioxane-2,5-dione deriving from glutamic acid. *Biomacromolecules* 11: 1921-1929. <http://dx.doi.org/10.1021/bm100433c>.
- Du, J; Zhang, Y; Chen, Y; Liu, D; Chen, X; Zhong, D. (2014). Enantioselective HPLC determination and pharmacokinetic study of secnidazole enantiomers in rats. *J Chromatogr B Analyt Technol Biomed Life Sci* 965: 224-230. <http://dx.doi.org/10.1016/j.jchromb.2014.06.036>.
- Du, K; De Mieri, M; Saxena, P; Phungula, KV; Wilhelm, A; Hrubaru, MM; van Rensburg, E; Zietsman, PC; Hering, S; van der Westhuizen, JH; Hamburger, M. (2015). HPLC-Based Activity Profiling for hERG Channel Inhibitors in the South African Medicinal Plant *Galenia africana*. *Planta Med* 81: 1154-1162. <http://dx.doi.org/10.1055/s-0035-1545929>.
- Du, P; Jin, M; Yang, L; Chen, G, e; Zhang, C; Jin, F, en; Shao, H, ua; Yang, M, ao; Yang, X, in; She, Y; Wang, S; Zheng, L; Wang, J. (2016). Determination of astaxanthin in feeds using high performance liquid chromatography and an efficient extraction method. *Journal of Liquid Chromatography and Related Technologies* 39: 35-43. <http://dx.doi.org/10.1080/10826076.2015.1119160>.
- Du, P; Schneider, J; Brennessel, WW; Eisenberg, R. (2008). Synthesis and structural characterization of a new vapochromic Pt(II) complex based on the 1-terpyridyl-2,3,4,5,6-pentaphenylbenzene (TPPPB) ligand. *Inorg Chem* 47: 69-77. <http://dx.doi.org/10.1021/ic700947g>.
- Du, Z; Chen, Y; Chen, W; Qiao, S; Wen, S; Liu, Q; Zhu, D; Sun, M; Yang, R. (2014). Development of new two-dimensional small molecules based on benzodifuran for efficient organic solar cells. *Chem Asian J* 9: 2621-2627. <http://dx.doi.org/10.1002/asia.201402467>.
- Duan, H; Yuan, Y; Zhang, L; Qin, S; Zhang, K; Buchanan, TW; Wu, J. (2013). Chronic stress exposure decreases the cortisol awakening response in healthy young men. 16: 630-637. <http://dx.doi.org/10.3109/10253890.2013.840579>.
- Duan, L; Palanisami, T; Liu, Y; Dong, Z; Mallavarapu, M; Kuchel, T; Semple, KT; Naidu, R. (2014). Effects of ageing and soil properties on the oral bioavailability of benzo[a]pyrene using a swine model. *Environ Int* 70: 192-202. <http://dx.doi.org/10.1016/j.envint.2014.05.017>.
- Duan, XE; Tong, HB; Wei, XH; Shi, HP; Bai, SD; Bai, T; Zhang, J; Zhang, YB; Liu, DS. (2016). Coordination reactions of 2-pyridinecarboxaldehyde-phenylhydrazonolithium with selected transition metal (Zn, Sn, Fe, Co, Ni and Zr) chlorides and its coupling reaction with dichloromethane. *Dalton Transactions (Online)* 45: 11061-11070. <http://dx.doi.org/10.1039/c6dt01183g>.
- Dub, PA; Belkova, NV; Filippov, OA; Daran, JC; Epstein, LM; Lledós, A; Shubina, ES; Poli, R. (2010). Solvent-dependent dihydrogen/dihydride stability for [Mo(CO)(Cp\*)H(2)(PMe(3))(2)](+) [BF(4)](-) determined by multiple solvent...anion...cation non-covalent interactions. *Chemistry* 16: 189-201. <http://dx.doi.org/10.1002/chem.200901613>.
- Dube, TS; Ranpise, NS; Ranade, AN. (2014). Formulation and evaluation of gastroretentive microballoons containing baclofen for a floating oral controlled drug delivery system. *Curr Drug Deliv* 11: 805-816.
- Duc, TP; Thien, TVN; Jossang, A; Kim, PPN; Grellier, P; Jaureguiberry, G; That, QT. (2016). New wedelolides, (9R)-eudesman-9,12-olide delta-lactones, from *Wedelia trilobata*. *Phytochemistry Letters* 17: 304-309. <http://dx.doi.org/10.1016/j.phytol.2016.06.001>.
- Duca, RC; Hardy, E; Salquère, G; Appenzeller, BM. (2014). Hair decontamination procedure prior to multi-class pesticide analysis. *Drug Testing and Analysis* 6 Suppl 1: 55-66. <http://dx.doi.org/10.1002/dta.1649>.
- Duca, RC; Salquebre, G; Hardy, E; Appenzeller, BM. (2014). Comparison of solid phase- and liquid/liquid-extraction for the purification of hair extract prior to multi-class pesticides analysis. *J Chromatogr B Analyt Technol Biomed Life Sci* 955-956: 98-107. <http://dx.doi.org/10.1016/j.jchromb.2014.02.035>.
- Duewer, DL; Schantz, MM; Parris, RM. (2008). Evaluation of performance characteristics of multistep analytical methods from collaborative study of linked samples. *Anal Chem* 80: 7327-7335. <http://dx.doi.org/10.1021/ac8009966>.

## Human Health Hazard Literature Search Results

### Off Topic

- Dunning, GT; Glowacki, DR; Preston, TJ; Greaves, SJ; Greetham, GM; Clark, IP; Towrie, M; Harvey, JN; Orr-Ewing, AJ. (2015). Reaction dynamics. Vibrational relaxation and microsolvation of DF after F-atom reactions in polar solvents. *Science* 347: 530-533. <http://dx.doi.org/10.1126/science.aaa0103>.
- Duplaine, C; Jacquet, F; Fontana, L. (2011). Inventory of chemical substances classified as carcinogenic, mutagen, toxic to reproduction in 40 companies. *Arch Mal Prof Environ* 72: 451-457. <http://dx.doi.org/10.1016/j.admp.2011.09.001>.
- Dupont, N; Ran, YF; Jia, HP; Grilj, J; Ding, J; Liu, SX; Decurtins, S; Hauser, A. (2011). Effect of the addition of a fused donor-acceptor ligand on a Ru(II) complex: synthesis, characterization, and photoinduced electron transfer reactions of [Ru(TTF-dppz)<sub>2</sub>(Aqphen)]<sup>2+</sup>. *Inorg Chem* 50: 3295-3303. <http://dx.doi.org/10.1021/ic101951n>.
- Dupont, N; Ran, YF; Liu, SX; Grilj, J; Vauthey, E; Decurtins, S; Hauser, A. (2013). A donor-acceptor tetrathiafulvalene ligand complexed to iron(II): synthesis, electrochemistry, and spectroscopy of [Fe(phen)<sub>2</sub>(TTF-dppz)](PF<sub>6</sub>)<sub>2</sub>. *Inorg Chem* 52: 306-312. <http://dx.doi.org/10.1021/ic3019277>.
- Durán Guerrero, E; Chinnici, F; Natali, N; Marín, RN; Riponi, C. (2008). Solid-phase extraction method for determination of volatile compounds in traditional balsamic vinegar. *J Sep Sci* 31: 3030-3036. <http://dx.doi.org/10.1002/jssc.200800307>.
- Durán-Peña, MJ; Botubol-Ares, JM; Hanson, JR; Hernández-Galán, R; Collado, IG. (2016). Efficient O-Acylation of Alcohols and Phenol Using Cp<sub>2</sub>TiCl<sub>4</sub> as a Reaction Promoter. *European Journal of Organic Chemistry* 2016: 3584-3591. <http://dx.doi.org/10.1002/ejoc.201600496>.
- Durot, S; Flamigni, L; Taesch, J; Dang, TT; Heitz, V; Ventura, B. (2014). Synthesis and solution studies of silver(I)-assembled porphyrin coordination cages. *Chemistry* 20: 9979-9990. <http://dx.doi.org/10.1002/chem.201402047>.
- Durran, SE; Elsegood, MR; Hammond, SR; Smith, MB. (2010). Flexible kappa<sup>4</sup>-PNN'O-tetradentate ligands: synthesis, complexation and structural studies. *Dalton Transactions (Online)* 39: 7136-7146. <http://dx.doi.org/10.1039/c0dt00200c>.
- Duvivier, WF; Peeters, RJ; van Beek, TA; Nielen, MW. (2016). Evidence based decontamination protocols for the removal of external Δ<sup>9</sup>-tetrahydrocannabinol (THC) from contaminated hair. *Forensic Sci Int* 259: 110-118. <http://dx.doi.org/10.1016/j.forsciint.2015.12.014>.
- Duvivier, WF; van Beek, TA; Pennings, EJ; Nielen, MW. (2014). Rapid analysis of Δ<sup>9</sup>-tetrahydrocannabinol in hair using direct analysis in real time ambient ionization orbitrap mass spectrometry. *Rapid Commun Mass Spectrom* 28: 682-690. <http://dx.doi.org/10.1002/rcm.6831>.
- Dvininov, E; Ignat, M; Barvinschi, P; Smithers, MA; Popovici, E. (2010). New SnO<sub>2</sub>/MgAl-layered double hydroxide composites as photocatalysts for cationic dyes bleaching. *J Hazard Mater* 177: 150-158. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.011>.
- Dyab, AK; Yones, DA; Ibraheim, ZZ; Hassan, TM. (2016). Anti-giardial therapeutic potential of dichloromethane extracts of *Zingiber officinale* and *Curcuma longa* in vitro and in vivo. *Parasitol Res* 115: 2637-2645. <http://dx.doi.org/10.1007/s00436-016-5010-9>.
- Dyke, J; Levason, W; Light, ME; Pugh, D; Reid, G; Bhakhoa, H; Ramasami, P; Rhyman, L. (2015). Aza-macrocyclic complexes of the Group 1 cations - synthesis, structures and density functional theory study. *Dalton Transactions (Online)* 44: 13853-13866. <http://dx.doi.org/10.1039/c5dt01865j>.
- Dziurkowska, E; Wesolowski, M. (2009). Evaluation of Two Techniques for Extraction of Cortisol from Human Saliva. *Chromatographia* 70: 769-774. <http://dx.doi.org/10.1365/s10337-009-1239-0>.
- Dziurkowska, E; Wesolowski, M; Dziurkowski, M. (2013). Salivary cortisol in women with major depressive disorder under selective serotonin reuptake inhibitors therapy. *Arch Womens Ment Health* 16: 139-147. <http://dx.doi.org/10.1007/s00737-013-0329-z>.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eberle, B; Damjanović, M; Enders, M; Leingang, S; Pfisterer, J; Krämer, C; Hübner, O; Kaifer, E; Himmel, HJ. (2016). Radical Monocationic Guanidino-Functionalized Aromatic Compounds (GFAs) as Bridging Ligands in Dinuclear Metal Acetate Complexes: Synthesis, Electronic Structure, and Magnetic Coupling. *Inorg Chem* 55: 1683-1696. <http://dx.doi.org/10.1021/acs.inorgchem.5b02614>.
- Ebrahimnejad, P; Dinarvand, R; Sajadi, SA; Atyabi, F; Ramezani, F; Jaafari, MR. (2009). Preparation and characterization of poly lactide-co-glycolide nanoparticles of SN-38. *PDA J Pharm Sci Technol* 63: 512-520.
- Ebrahimnezhad Darzi, S; Amirghofran, Z. (2013). Dichloromethane fraction of *Melissa officinalis* induces apoptosis by activation of intrinsic and extrinsic pathways in human leukemia cell lines. *Immunopharmacol Immunotoxicol* 35: 313-320. <http://dx.doi.org/10.3109/08923973.2013.768268>.
- Edlund, A; Esguerra, JL; Wendt, A; Flodström-Tullberg, M; Eliasson, L. (2014). CFTR and Anoctamin 1 (ANO1) contribute to cAMP amplified exocytosis and insulin secretion in human and murine pancreatic beta-cells. *BMC Med* 12: 87. <http://dx.doi.org/10.1186/1741-7015-12-87>.
- Edokpayi, JN; Odiyo, JO; Popoola, OE; Msagati, TA. (2016). Determination and Distribution of Polycyclic Aromatic Hydrocarbons in Rivers, Sediments and Wastewater Effluents in Vhembe District, South Africa. *Int J Environ Res Public Health* 13: 387. <http://dx.doi.org/10.3390/ijerph13040387>.
- Efferth, T; Herrmann, F; Tahrani, A; Wink, M. (2011). Cytotoxic activity of secondary metabolites derived from *Artemisia annua* L. towards cancer cells in comparison to its designated active constituent artemisinin. *Phytomedicine* 18: 959-969. <http://dx.doi.org/10.1016/j.phymed.2011.06.008>.
- Effiong, IA; Basse, FI; Iwegbue, CM; Ekpa, OD; Williams, SA; Oguntunde, FC; Osabor, VN; Martincigh, BS. (2016). Polycyclic aromatic hydrocarbons in three commercially available fish species from the Bonny and Cross River estuaries in the Niger Delta, Nigeria. *Environ Monit Assess* 188: 508. <http://dx.doi.org/10.1007/s10661-016-5479-9>.

## Human Health Hazard Literature Search Results

### Off Topic

- Efiom Okokon, J; Dar Farooq, A; Choudhary, MI. (2013). Cellular antioxidative, cytotoxic, and antileishmanial activities of *Homalium letestui*. *Avicenna Journal of Phytomedicine* 3: 35-44.
- Egea, MB; Pereira-Netto, AB; Cacho, J; Ferreira, V; Lopez, R. (2014). Comparative analysis of aroma compounds and sensorial features of strawberry and lemon guavas (*Psidium cattleianum* Sabine). *Food Chem* 164: 272-277. <http://dx.doi.org/10.1016/j.foodchem.2014.05.028>.
- Egger, G; Roetzer, KM; Noor, A; Lionel, AC; Mahmood, H; Schwarzbraun, T; Boright, O; Mikhailov, A; Marshall, CR; Windpassinger, C; Petek, E; Scherer, SW; Kaschnitz, W; Vincent, JB. (2014). Identification of risk genes for autism spectrum disorder through copy number variation analysis in Austrian families. *Neurogenetics* 15: 117-127. <http://dx.doi.org/10.1007/s10048-014-0394-0>.
- Ehrlich, R. (1980). Interaction between environmental pollutants and respiratory infections. *Environ Health Perspect* 35: 89-99.
- Ehtesham-Gharaee, M; Eshaghi, A; Shojaee, S; Asili, J; Emami, SA; Behravan, J; Mosaffa, F. (2015). Protective effects of *Scutellaria lindbergii* root extract against oxidative-induced cell and DNA damage in mouse fibroblast-like cells. *Drug Chem Toxicol* 38: 293-299. <http://dx.doi.org/10.3109/01480545.2014.954047>.
- Eibl, C; Munoz, L; Tomassoli, I; Stokes, C; Papke, RL; Gündisch, D. (2013). The 3,7-diazabicyclo[3.3.1]nonane scaffold for subtype selective nicotinic acetylcholine receptor ligands. Part 2: carboxamide derivatives with different spacer motifs. *Bioorg Med Chem* 21: 7309-7329. <http://dx.doi.org/10.1016/j.bmc.2013.09.060>.
- Eibl, C; Tomassoli, I; Munoz, L; Stokes, C; Papke, RL; Gündisch, D. (2013). The 3,7-diazabicyclo[3.3.1]nonane scaffold for subtype selective nicotinic acetylcholine receptor (nAChR) ligands. Part 1: the influence of different hydrogen bond acceptor systems on alkyl and (hetero)aryl substituents. *Bioorg Med Chem* 21: 7283-7308. <http://dx.doi.org/10.1016/j.bmc.2013.09.059>.
- Ekanem, EE; Nabavi, SA; Vladislavjević, GT; Gu, S. (2015). Structured Biodegradable Polymeric Microparticles for Drug Delivery Produced Using Flow Focusing Glass Microfluidic Devices. *7: 23132-23143*. <http://dx.doi.org/10.1021/acsami.5b06943>.
- Ekklesia, E; Shanahan, P; Chua, LH; Eikaas, HS. (2015). Associations of chemical tracers and faecal indicator bacteria in a tropical urban catchment. *Water Res* 75: 270-281. <http://dx.doi.org/10.1016/j.watres.2015.02.037>.
- El Babili, F; Roques, C; Haddioui, L; Bellvert, F; Bertrand, C; Chatelain, C. (2012). *Velamo do campo*: its volatile constituents, secretory elements, and biological activity. *J Med Food* 15: 671-676. <http://dx.doi.org/10.1089/jmf.2011.0252>.
- El Bouzidi, L; Larhsini, M; Markouk, M; Abbad, A; Hassani, L; Bekkouche, K. (2011). Antioxidant and antimicrobial activities of *Withania frutescens*. *Natural Product Communications* 6: 1447-1450.
- El Bouzidi, L; Mahiou-Leddet, V; Bun, S; Larhsini, M; Abbad, A; Markouk, M; Fathi, M; Boudon, M; Ollivier, E; Bekkouche, K. (2013). Cytotoxic withanolides from the leaves of Moroccan *Withania frutescens*. *Pharmaceutical Biology* 51: 1040-1046. <http://dx.doi.org/10.3109/13880209.2013.775162>.
- El Hajaji, H; Lachkar, N; Alaoui, K; Cherrah, Y; Farah, A; Ennabili, A; El Bali, B; Lachkar, M. (2010). Antioxidant Properties and Total Phenolic Content of Three Varieties of Carob Tree Leaves from Morocco. *Records of Natural Products* 4: 193-204.
- El Omar, AK; Schmidhammer, U; Pernot, P; Murata, S; Mostafavi, M. (2012). Picosecond pulse radiolysis study on the distance dependent reaction of the solvated electron with organic molecules in ethylene glycol. *J Phys Chem A* 116: 11989-11996. <http://dx.doi.org/10.1021/jp308387s>.
- El Wahidi, M; El Amraoui, B; El Amraoui, M; Bamhaoud, T. (2015). Screening of antimicrobial activity of macroalgae extracts from the Moroccan Atlantic coast. *Ann Pharm Fr* 73: 190-196. <http://dx.doi.org/10.1016/j.pharma.2014.12.005>.
- El-Alfy, AT; Joseph, S; Brahmabhatt, A; Akati, S; Abourashed, EA. (2016). Indirect modulation of the endocannabinoid system by specific fractions of nutmeg total extract. *Pharmaceutical Biology* 54: 2933-2938. <http://dx.doi.org/10.1080/13880209.2016.1194864>.
- El-Alfy, AT; Wilson, L; Elsohly, MA; Abourashed, EA. (2009). Towards a better understanding of the psychopharmacology of nutmeg: Activities in the mouse tetrad assay. *J Ethnopharmacol* 126: 280-286. <http://dx.doi.org/10.1016/j.jep.2009.08.026>.
- El-Bassuony, AA; Kabbash, AM. (2008). Biological activity of Coumarins from *Launaea resedifolia*. *Pharmacognosy Magazine* 4: 249-253.
- El-Didamony, AM. (2008). Spectrophotometric determination of benzydamine HCl, levamisole HCl and mebeverine HCl through ion-pair complex formation with methyl orange. *Spectrochim Acta A Mol Biomol Spectrosc* 69: 770-775. <http://dx.doi.org/10.1016/j.saa.2007.04.032>.
- Elena Sanchez-Mendoza, M; Cruz-Antonio, L; Arrieta-Baez, D; Maria Olivares-Corichi, I; Rojas-Martinez, R; Martinez-Cabrera, D; Arrieta, J. (2015). Gastroprotective Activity of Methyleugenol from *Peperomia hispida* on Ethanol-Induced Gastric Lesions in Rats. *International Journal of Pharmacology* 11: 697-704. <http://dx.doi.org/10.3923/ijp.2015.697.704>.
- El-Gendy, MM; El-Bondkly, AM. (2011). Genome shuffling of marine derived bacterium *Nocardia* sp. ALAA 2000 for improved ayamycin production. *Antonie Van Leeuwenhoek* 99: 773-780. <http://dx.doi.org/10.1007/s10482-011-9551-8>.
- El-Ghorab, A; Shaaban, HA; El-Massry, KF; Shibamoto, T. (2008). Chemical composition of volatile extract and biological activities of volatile and less-volatile extracts of juniper berry (*Juniperus drupacea* L.) fruit. *J Agric Food Chem* 56: 5021-5025. <http://dx.doi.org/10.1021/jf8001747>.
- El-Gindy, A; Sallam, S; Abdel-Salam, RA. (2008). HPLC method for the simultaneous determination of atenolol and chlorthalidone in human breast milk. *J Sep Sci* 31: 677-682. <http://dx.doi.org/10.1002/jssc.200700317>.
- El-Houri, RB; Kotowska, D; Christensen, KB; Bhattacharya, S; Oksbjerg, N; Wolber, G; Kristiansen, K; Christensen, LP. (2015). Polyacetylenes from carrots (*Daucus carota*) improve glucose uptake in vitro in adipocytes and myotubes. *6: 2135-2144*. <http://dx.doi.org/10.1039/c5fo00223k>.
- El-Houri, RB; Kotowska, D; Olsen, LC; Bhattacharya, S; Christensen, LP; Grevsen, K; Oksbjerg, N; Færgeman, N; Kristiansen, K; Christensen, KB. (2014). Screening for bioactive metabolites in plant extracts modulating glucose uptake and fat accumulation. *eCAM* 2014: 156398. <http://dx.doi.org/10.1155/2014/156398>.

## Human Health Hazard Literature Search Results

### Off Topic

- Elie, CR; David, G; Schmitzer, AR. (2015). Strong antibacterial properties of anion transporters: a result of depolarization and weakening of the bacterial membrane. *J Med Chem* 58: 2358-2366. <http://dx.doi.org/10.1021/jm501979f>.
- Elkady, EF; Mahrouse, MA. (2011). Reversed-Phase Ion-Pair HPLC and TLC-Densitometric Methods for the Simultaneous Determination of Ciprofloxacin Hydrochloride and Metronidazole in Tablets. *Chromatographia* 73: 297-305. <http://dx.doi.org/10.1007/s10337-010-1898-x>.
- El-Kommos, ME; Mohamed, NA; Hakiem, AF. (2013). Extractive spectrophotometric determination of some nonsteroidal anti-inflammatory drugs using methylene blue. *J AOAC Int* 96: 737-744.
- Elmasri, WA; Hegazy, ME; Aziz, M; Koksai, E; Amor, W; Mechref, Y; Hamood, AN; Cordes, DB; Paré, PW. (2014). Biofilm blocking sesquiterpenes from *Teucrium polium*. *Phytochemistry* 103: 107-113. <http://dx.doi.org/10.1016/j.phytochem.2014.03.029>.
- Elmasri, WA; Yang, T; Tran, P; Hegazy, ME; Hamood, AN; Mechref, Y; Paré, PW. (2015). *Teucrium polium* phenylethanol and iridoid glycoside characterization and flavonoid inhibition of biofilm-forming *Staphylococcus aureus*. *J Nat Prod* 78: 2-9. <http://dx.doi.org/10.1021/np5004092>.
- El-Massry, KF; El-Ghorab, AH; Shaaban, HA; Shibamoto, T. (2009). Chemical compositions and antioxidant/antimicrobial activities of various samples prepared from *Schinus terebinthifolius* leaves cultivated in Egypt. *J Agric Food Chem* 57: 5265-5270. <http://dx.doi.org/10.1021/jf900638c>.
- El-Naggar, N; Almansari, A; Khudada, K; Salman, S; Mariswamy, N; Abdelfattah, W; Hashim, F. (2013). The A1 chieve study - an observational non-interventional study of patients with type 2 diabetes mellitus initiating or switched to insulin analogue therapy: subgroup analysis of the Gulf population. *Int J Clin Pract* 67: 128-138. <http://dx.doi.org/10.1111/ijcp.12078>.
- Elnaghy, AM; Elsaka, SE. (2014). Effect of surface treatments on the flexural properties and adhesion of glass fiber-reinforced composite post to self-adhesive luting agent and radicular dentin. *Odontology* 104: 60-67. <http://dx.doi.org/10.1007/s10266-014-0184-z>.
- Elobeid, M, aiA; Almarhoon, ZM; Virk, P; Hassan, ZK; Omer, SA; Elamin, M; Daghestani, MH; Alolayan, EM. (2012). Bisphenol A Detection in Various Brands of Drinking Bottled Water in Riyadh, Saudi Arabia Using Gas Chromatography/Mass Spectrometer. *Tropical Journal of Pharmaceutical Research* 11: 455-459. <http://dx.doi.org/10.4314/tjpr.v11i3.15>.
- Elokely, KM; Eldawy, MA; Elkersh, MA; El-Moselhy, TF. (2011). Fluorescence Spectrometric Determination of Drugs Containing  $\alpha$ -Methylene Sulfone/Sulfonamide Functional Groups Using N-Methylnicotinamide Chloride as a Fluorogenic Agent. *International Journal of Analytical Chemistry* 2011: 840178. <http://dx.doi.org/10.1155/2011/840178>.
- El-On, J; Ozer, L; Gopas, J; Sneir, R; Golan-Goldhirsh, A. (2009). *Nuphar lutea*: in vitro anti-leishmanial activity against *Leishmania major* promastigotes and amastigotes. *Phytomedicine* 16: 788-792. <http://dx.doi.org/10.1016/j.phymed.2009.01.011>.
- El-Rayes, BF; Ali, S; Heilbrun, LK; Lababidi, S; Bouwman, D; Visscher, D; Philip, PA. (2003). Cytochrome p450 and glutathione transferase expression in human breast cancer. *Clin Cancer Res* 9: 1705-1709.
- El-Ries, MA; Khaled, E; Zidane, FI; Ibrahim, SA; Abd-Elmonem, MS. (2012). Catalytic spectrophotometric determination of iodide in pharmaceutical preparations and edible salt. *Drug Testing and Analysis* 4: 129-135. <http://dx.doi.org/10.1002/dta.253>.
- Elsaka, SE. (2013). Influence of chemical surface treatments on adhesion of fiber posts to composite resin core materials. *Dent Mater* 29: 550-558. <http://dx.doi.org/10.1016/j.dental.2013.03.004>.
- Elsaka, SE; Swain, MV. (2011). Effect of surface treatments on adhesion of low-fusing porcelain to titanium as determined by strain energy release rate. *Dent Mater* 27: 1213-1220. <http://dx.doi.org/10.1016/j.dental.2011.08.002>.
- El-Say, KM; Ahmed, OA; Aljaeid, BM; Zidan, AS. (2015). Matrix-type transdermal films to enhance simvastatin ex vivo skin permeability. 1-8. <http://dx.doi.org/10.3109/10837450.2015.1102279>.
- El-Sayed Ali, T. (2009). Synthesis of some novel pyrazolo[3,4-b]pyridine and pyrazolo[3,4-d]pyrimidine derivatives bearing 5,6-diphenyl-1,2,4-triazine moiety as potential antimicrobial agents. *Eur J Med Chem* 44: 4385-4392. <http://dx.doi.org/10.1016/j.ejmech.2009.05.031>.
- El-Sayed, WM; Hussin, WA; Mahmoud, AA; Alfredan, MA. (2013). The *Conyza triloba* extracts with high chlorophyll content and free radical scavenging activity had anticancer activity in cell lines. *BioMed Res Int* 2013: 945638. <http://dx.doi.org/10.1155/2013/945638>.
- El-Sayed, YS. (2011). Spectrophotometric and fluorescence quenching studies of the charge transfer complexation of (4-dimethylamino-benzylidene)-(4,6-dimethyl-pyrimidin-2-yl)-amine with some organic acceptors. *Spectrochim Acta A Mol Biomol Spectrosc* 78: 1227-1233. <http://dx.doi.org/10.1016/j.saa.2010.11.034>.
- El-Shazly, A; El-Sayed, A; Fikrey, E. (2012). Bioactive secondary metabolites from *Salix tetrasperma* Roxb. *Z Naturforsch C Biosci* 67: 353-359.
- El-Sheikh, AH; Alzawahreh, AM; Sweileh, JA. (2011). Preparation of an efficient sorbent by washing then pyrolysis of olive wood for simultaneous solid phase extraction of chloro-phenols and nitro-phenols from water. *Talanta* 85: 1034-1042. <http://dx.doi.org/10.1016/j.talanta.2011.05.016>.
- El-Sheikh, AH; Newman, AP; Said, AJ; Alzawahreh, AM; Abu-Helal, MM. (2013). Improving the adsorption efficiency of phenolic compounds into olive wood biosorbents by pre-washing with organic solvents: Equilibrium, kinetic and thermodynamic aspects. *J Environ Manage* 118: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2013.01.009>.
- Elvine, NMP; Theophile, D; Benoit, NT; Bertrand, DA; Pierre, K; Albert, K. (2010). RENAL AND BLOOD PRESSURE LOWERING EFFECTS OF THE METHYLENE CHLORIDE-METHANOL EXTRACT OF THE STEM BARK OF *MAMMEA AFRICANA* SABINE (GUTTIFERAE). *Am J Trop Med Hyg* 83: 24-24.
- El-Zanan, HS; Zielinska, B; Mazzoleni, LR; Hansen, DA. (2009). Analytical Determination of the Aerosol Organic Mass-to-Organic Carbon Ratio. *J Air Waste Manag Assoc* 59: 58-69. <http://dx.doi.org/10.3155/1047-3289.59.1.58>.

## Human Health Hazard Literature Search Results

### Off Topic

- Emami, J; Reza zadeh, M. (2016). A simple and sensitive high-performance liquid chromatography method for determination of ciprofloxacin in bioavailability studies of conventional and gastroretentive prolonged-release formulations. 5: 163. <http://dx.doi.org/10.4103/2277-9175.190995>.
- Emami, SA; Asili, J; Hossein Nia, S; Yazdian-Robati, R; Sahranavard, M; Tayarani-Najaran, Z. (2016). Growth Inhibition and Apoptosis Induction of Essential Oils and Extracts of *Nepeta cataria* L. on Human Prostatic and Breast Cancer Cell Lines. *Asian Pac J Cancer Prev* 17 Spec No.: 125-130.
- Emanuelsson, MA; Osuna, MB; Ferreira Jorge, RM; Castro, PM. (2009). Isolation of a *Xanthobacter* sp. degrading dichloromethane and characterization of the gene involved in the degradation. *Biodegradation* 20: 235-244. <http://dx.doi.org/10.1007/s10532-008-9216-0>.
- Emanuelsson, MA; Osuna, MB; Sipma, J; Castro, PM. (2008). Treatment of halogenated organic compounds and monitoring of microbial dynamics in up-flow fixed bed reactors under sequentially alternating pollutant scenarios. *Biotechnol Bioeng* 99: 800-810. <http://dx.doi.org/10.1002/bit.21630>.
- Emídio, ES; Prata, V; Dórea, HS. (2010). Validation of an analytical method for analysis of cannabinoids in hair by headspace solid-phase microextraction and gas chromatography-ion trap tandem mass spectrometry. *Anal Chim Acta* 670: 63-71. <http://dx.doi.org/10.1016/j.aca.2010.04.023>.
- Emoto, MC; Sato, S; Fujii, HG. (2016). Development of nitroxide-based theranostic compounds that act both as anti-inflammatory drugs and brain redox imaging probes in MRI. *Magn Reson Chem* 54: 705-711. <http://dx.doi.org/10.1002/mrc.4431>.
- Empl, MT; Macke, S; Winterhalter, P; Puff, C; Lapp, S; Stoica, G; Baumgärtner, W; Steinberg, P. (2014). The growth of the canine glioblastoma cell line D-GBM and the canine histiocytic sarcoma cell line DH82 is inhibited by the resveratrol oligomers hopeaphenol and r2-viniferin. *Vet Comp Oncol* 12: 149-159. <http://dx.doi.org/10.1111/j.1476-5829.2012.00349.x>.
- Emptage, RP; Pemble, CW; York, JD; Raetz, CR; Zhou, P. (2013). Mechanistic characterization of the tetraacyldisaccharide-1-phosphate 4'-kinase LpxK involved in lipid A biosynthesis. *Biochemistry* 52: 2280-2290. <http://dx.doi.org/10.1021/bi400097z>.
- Endale, M; Alao, JP; Akala, HM; Rono, NK; Eyase, FL; Derese, S; Ndakala, A; Mbugua, M; Walsh, DS; Sunnerhagen, P; Erdelyi, M; Yenesew, A. (2012). Antiplasmodial quinones from *Pentas longiflora* and *Pentas lanceolata*. *Planta Med* 78: 31-35. <http://dx.doi.org/10.1055/s-0031-1280179>.
- Endogan, T; Ozyaylali, I; Kulacoglu, H; Serbetci, K; Kiyak, G; Hasirci, N. (2013). EFFECTS OF ETHYLENE OXIDE RESTERILISATION AND IN-VITRO DEGRADATION ON MECHANICAL PROPERTIES OF PARTIALLY ABSORBABLE COMPOSITE HERNIA MESHES. *East Afr Med J* 90: 195-201.
- Engelberth, MJ; Engelberth, J. (2009). Monitoring plant hormones during stress responses. *J Vis Exp*. <http://dx.doi.org/10.3791/1127>.
- Ennajar, M; Bouajila, J; Lebrihi, A; Mathieu, F; Abderraba, M; Raies, A; Romdhane, M. (2009). Chemical composition and antimicrobial and antioxidant activities of essential oils and various extracts of *Juniperus phoenicea* L. (Cupressaceae). *J Food Sci* 74: M364-M371. <http://dx.doi.org/10.1111/j.1750-3841.2009.01277.x>.
- Ensafi, AA; Nasr-Esfahani, P; Heydari-Bafrooei, E; Rezaei, B. (2014). Redox targeting of DNA anchored to MWCNTs and TiO<sub>2</sub> nanoparticles dispersed in poly dialyldimethylammonium chloride and chitosan. *Colloids Surf B Biointerfaces* 121: 99-105. <http://dx.doi.org/10.1016/j.colsurfb.2014.05.040>.
- EPA, US. (2014). National Air Toxics Program: The Second Integrated Urban Air Toxics Report to Congress. 139.
- Erdem, SA; Arihan, O; Mitaine-Offer, AC; Iskit, AB; Kartal, M; Lacaille-Dubois, MA. (2016). Antinociceptive Effects of Turkish Endemic *Eryngium kotschyi* Boiss. Roots by Bioactivity Guided Fractionation. *Records of Natural Products* 10: 168-175.
- Erdogan Orhan, I; Senol, FS; Aslan Erdem, S; Tatli, II; Kartal, M; Alp, S. (2015). Tyrosinase and Cholinesterase Inhibitory Potential and Flavonoid Characterization of *Viola odorata* L. (Sweet Violet). <http://dx.doi.org/10.1002/ptr.5378>.
- Erickson, B. (2014). TOXICS EPA assessment of methylene chloride in paint strippers identifies health risks. *Chem Eng News* 92: 7-7.
- Ernst, S; Haberhauer, G. (2009). A unidirectional open-close mechanism of metal-ion-driven molecular hinges with adjustable amplitude. *Chemistry* 15: 13406-13416. <http://dx.doi.org/10.1002/chem.200901940>.
- Ertl, CD; Momblona, C; Pertegás, A; Junquera-Hernández, JM; La-Placa, MG; Prescimone, A; Ortí, E; Housecroft, CE; Constable, EC; Bolink, HJ. (2017). Highly Stable Red-Light-Emitting Electrochemical Cells. *J Am Chem Soc* 139: 3237-3248. <http://dx.doi.org/10.1021/jacs.6b13311>.
- Erukainure, OL; Ebuehi, OA; Iqbal Chaudhary, M; MESAİK, MA; Shukralla, A; Muhammad, A; Zaruwa, MZ; Elemo, GN. (2016). Orange Peel Extracts: Chemical Characterization, Antioxidant, Antioxidative Burst, and Phytotoxic Activities. *Journal of Dietary Supplements* 13: 585-594. <http://dx.doi.org/10.3109/19390211.2016.1150932>.
- Erukainure, OL; MESAİK, AM; Muhammad, A; Chukwuma, CI; Manhas, N; Singh, P; Aremu, OS; Islam, MS. (2016). Flowers of *Clerodendrum volubile* exacerbate immunomodulation by suppressing phagocytic oxidative burst and modulation of COX-2 activity. *Biomed Pharmacother* 83: 1478-1484. <http://dx.doi.org/10.1016/j.biopha.2016.09.002>.
- Escobedo-Hinojosa, WI; Del Carpio, JD; Palacios-Espinosa, JF; Romero, I. (2012). Contribution to the ethnopharmacological and anti-*Helicobacter pylori* knowledge of *Cyrtocarpa procerca* Kunth (Anacardiaceae). *J Ethnopharmacol* 143: 363-371. <http://dx.doi.org/10.1016/j.jep.2012.07.001>.
- Esen, H; Demirkiran, O; Yagar, H; Topcu, G. (2011). MAO Inhibitory Activity of Xanthenes from Dichloromethane Extract of *Polygala supina*. *Planta Med* 77: 1355-1355.
- Eskandani, M; Abdolalizadeh, J; Hamishehkar, H; Nazemiyeh, H; Barar, J. (2015). Galbanic acid inhibits HIF-1 $\alpha$  expression via EGFR/HIF-1 $\alpha$  pathway in cancer cells. *Fitoterapia* 101: 1-11. <http://dx.doi.org/10.1016/j.fitote.2014.12.003>.
- Esmaili, A; Khakpoor, M. (2012). Biological activities and chemical composition of solvent extracts of *Stoechospermum marginatum* (C. Agardh). *Acta Biochim Pol* 59: 581-585.

## Human Health Hazard Literature Search Results

### Off Topic

- Espineli, DL; Agoo, EMG; del Fierro, RS; Shen, CC; Ragasa, CY. (2014). Cytotoxic and Antimicrobial Compounds from *Cinnamomum cebuense* Kosterm. (Lauraceae). *Pharmaceutical Chemistry Journal* 48: 598-602. <http://dx.doi.org/10.1007/s11094-014-1157-9>.
- Espinosa-Rivero, J; Rendón-Huerta, E; Romero, I. (2015). Inhibition of *Helicobacter pylori* growth and its colonization factors by *Parthenium hysterophorus* extracts. *J Ethnopharmacol* 174: 253-260. <http://dx.doi.org/10.1016/j.jep.2015.08.021>.
- Espósito, G; Bourguet-Kondracki, ML; Mai, LH; Longeon, A; Teta, R; Meijer, L; Van Soest, R; Mangoni, A; Costantino, V. (2016). Chloromethylhalicyclamine B, a Marine-Derived Protein Kinase CK1δ/ε Inhibitor. *J Nat Prod* 79: 2953-2960. <http://dx.doi.org/10.1021/acs.jnatprod.6b00939>.
- Esfafili, MD; Vakili, M; Solimannejad, M. (2014). Characterization of halogen...halogen interactions in crystalline dihalomethane compounds (CH<sub>2</sub>Cl<sub>2</sub>, CH<sub>2</sub>Br<sub>2</sub> and CH<sub>2</sub>I<sub>2</sub>): a theoretical study. *J Mol Model* 20: 2102. <http://dx.doi.org/10.1007/s00894-014-2102-2>.
- Essumang, DK; Kowalski, K; Sogaard, EG. (2011). Levels, distribution and source characterization of polycyclic aromatic hydrocarbons (PAHs) in topsoils and roadside soils in Esbjerg, Denmark. *Bull Environ Contam Toxicol* 86: 438-443. <http://dx.doi.org/10.1007/s00128-011-0232-0>.
- Esteghamati, A; Rajabian, R; Amini, M; Bahrami, A; Khamseh, ME; Afkhami-Ardekani, M; Rizi, EP. (2010). The safety and efficacy of biphasic insulin aspart 30 (BIAsp 30) in Iranians with type 2 diabetes: an open-label, non-randomised, multi-centre observational study--the Iran subgroup of the IMPROVE™ study. *Endokrynol Pol* 61: 364-370.
- Esteves, PF; Kuster, RM; Barbi, N, dos; Menezes, F, deS. (2010). Chemical Composition and Cytotoxic Activity of *Lepechinia speciosa* (St. Hill) Epling. *Lat Am J Pharm* 29: 38-44.
- Estill, CF; Spencer, AB. (1996). Case study: Control of methylene chloride exposures during furniture stripping. *Am Ind Hyg Assoc J* 57: 43-49. <http://dx.doi.org/10.1080/15428119691015205>.
- Estrada-Soto, S; Arteaga-Gonzalez, V; Castillo-Espana, P; Molina-Salinas, GM; Said-Fernandez, S; Navarrete-Vazquez, G. (2009). Anti-mycobacterial Activity of Extracts from Plants used in Mexico for the Treatment of Infectious Diseases. *Pharmacognosy Magazine* 5: 106-110.
- Ethel Garcia-Martinez, L; Elena Sanchez-Mendoza, M; Arrieta-Baez, D; Cruz-Antonio, L; Miguel Mejia-Barradas, C; Ruth Soto-Perulero, C; Arrieta, J. (2016). Gastroprotection of 2,3-epoxyjuanislinamin, Isolated from *Calea urticifolia*, Against Ethanol-induced Gastric Lesions in Wistar Rats. *International Journal of Pharmacology* 12: 893-900. <http://dx.doi.org/10.3923/ijp.2016.893.900>.
- Evens, AM; Kanakry, JA; Sehn, LH; Kritharis, A; Feldman, T; Kroll, A; Gascoyne, RD; Abramson, JS; Petrich, AM; Hernandez-Ilizaliturri, FJ; Al-Mansour, Z; Adeimy, C; Hemminger, J; Bartlett, NL; Mato, A; Caimi, PF; Advani, RH; Klein, AK; Nabhan, C; Smith, SM; Fabregas, JC; Lossos, IS; Press, OW; Fenske, TS; Friedberg, JW; Vose, JM; Blum, KA. (2015). Gray zone lymphoma with features intermediate between classical Hodgkin lymphoma and diffuse large B-cell lymphoma: characteristics, outcomes, and prognostication among a large multicenter cohort. *Am J Hematol* 90: 778-783. <http://dx.doi.org/10.1002/ajh.24082>.
- Eylert, E; Herrmann, V; Jules, M; Gillmaier, N; Lautner, M; Buchrieser, C; Eisenreich, W; Heuner, K. (2010). Isotopologue profiling of *Legionella pneumophila*: role of serine and glucose as carbon substrates. *J Biol Chem* 285: 22232-22243. <http://dx.doi.org/10.1074/jbc.M110.128678>.
- Eze, EA; Danga, SP; Okoye, FB. (2014). Larvicidal activity of the leaf extracts of *Spondias mombin* Linn. (Anacardiaceae) from various solvents against malarial, dengue and filarial vector mosquitoes (Diptera: Culicidae). *J Vector Borne Dis* 51: 300-306.
- Ezenyi, IC; Salawu, OA; Kulkarni, R; Emeje, M. (2014). Antiplasmodial activity-aided isolation and identification of quercetin-4'-methyl ether in *Chromolaena odorata* leaf fraction with high activity against chloroquine-resistant *Plasmodium falciparum*. *Parasitol Res* 113: 4415-4422. <http://dx.doi.org/10.1007/s00436-014-4119-y>.
- Ezike, AC; Akah, PA; Nnamani, EM; Okoli, CO; Ojike, FU; Eze, FS; Chime, CE; Azosiri, JJ. (2011). Studies on the antiulcer and gastrointestinal effects of stem bark extract of *Bridelia ferruginea*. *Journal of Complementary & Integrative Medicine* 8.
- Ezzaher, S; Capon, JF; Gloaguen, F; Pétilion, FY; Schollhammer, P; Talarmin, J. (2009). Influence of a pendant amine in the second coordination sphere on proton transfer at a dissymmetrically disubstituted diiron system related to the [2Fe]H subsite of [FeFe]H<sub>2</sub>ase. *Inorg Chem* 48: 2-4. <http://dx.doi.org/10.1021/ic801369u>.
- Fabiańska, M; Kozielska, B; Bielaczyc, P; Woodburn, J; Koniecznyński, J. (2016). Geochemical markers and polycyclic aromatic hydrocarbons in solvent extracts from diesel engine particulate matter. *Environ Sci Pollut Res Int* 23: 6999-7011. <http://dx.doi.org/10.1007/s11356-015-5996-z>.
- Fabri, RL; Grazul, RM; Carvalho, LO; Coimbra, ES; Cardoso, GM; Souza-Fagundes, EM; Silva, AD; Scio, E. (2012). Antitumor, antibiotic and antileishmanial properties of the Pyranonaphthoquinone Psychorubrin from *Mitracarpus frigidus*. *An Acad Bras Cienc* 84: 1081-1090.
- Fadaeinasab, M; Hadi, AH; Kia, Y; Basiri, A; Murugaiyah, V. (2013). Cholinesterase enzymes inhibitors from the leaves of *Rauvolfia reflexa* and their molecular docking study. *Molecules* 18: 3779-3788. <http://dx.doi.org/10.3390/molecules18043779>.
- Fahrenholtz, S; Hühnerfuss, H; Baur, X; Budnik, LT. (2010). Determination of phosphine and other fumigants in air samples by thermal desorption and 2D heart-cutting gas chromatography with synchronous SIM/Scan mass spectrometry and flame photometric detection. *J Chromatogr A* 1217: 8298-8307. <http://dx.doi.org/10.1016/j.chroma.2010.10.085>.
- Fajemiroye, JO; Galdino, PM; Alves, SF; de Paula, JA; de Paula, JR; Ghedini, PC; Costa, EA. (2012). Involvement of 5-HT<sub>1A</sub> in the anxiolytic-like effect of dichloromethane fraction of *Pimenta pseudocaryophyllus*. *J Ethnopharmacol* 141: 872-877. <http://dx.doi.org/10.1016/j.jep.2012.03.043>.
- Falavigna, A; Scheverin, N; Righesso, O; Teles, AR; Gullo, MC; Cheng, JS; Riew, KD. (2016). Economic value of treating lumbar disc herniation in Brazil. *J Neurosurg Spine* 24: 608-614. <http://dx.doi.org/10.3171/2015.7.SPINE15441>.

## Human Health Hazard Literature Search Results

### Off Topic

- Fall, D; Sambou, B; Seck, M; Wélé, A; Ndoye, I; Gleye, C; Laurens, A. (2008). [Enhancing the anthelmintic activity roots of *Annona senegalensis*]. *Bulletin Soc Med Afr Noire Lang Fr* 53: 61-67.
- Fan, X; Liu, ZT; Liu, ZW. (2010). Preparation and application of cellulose triacetate microspheres. *J Hazard Mater* 177: 452-457. <http://dx.doi.org/10.1016/j.jhazmat.2009.12.054>.
- Fang, B; Li, XM; Sun, XJ; Bao, NR; Ren, XY; Lv, HW; Ma, H. (2013). Ischemic preconditioning protects against spinal cord ischemia-reperfusion injury in rabbits by attenuating blood spinal cord barrier disruption. *International Journal of Molecular Sciences* 14: 10343-10354. <http://dx.doi.org/10.3390/ijms140510343>.
- Fang, G; Gao, J; Liu, C, un; Dionysiou, DD; Wang, Y, u; Zhou, D. (2014). Key Role of Persistent Free Radicals in Hydrogen Peroxide Activation by Biochar: Implications to Organic Contaminant Degradation. *Environ Sci Technol* 48: 1902-1910. <http://dx.doi.org/10.1021/es4048126>.
- Fang, H, ua; Hu, X; Wang, M; Wan, W; Yang, Q; Sun, X; Gu, Q; Gao, X; Wang, Z; Gu, L; Chen, CYO; Wei, X. (2015). Anti-osmotic and antioxidant activities of gigantol from *Dendrobium aurantiacum* var. *denneanum* against cataractogenesis in galactosemic rats. *J Ethnopharmacol* 172: 238-246. <http://dx.doi.org/10.1016/j.jep.2015.06.034>.
- Fang, Q; Yan, X; Li, S; Sun, Y; Xu, L; Shi, Z; Wu, M; Lu, Y; Dong, L; Liu, R; Yuan, F; Yang, SH. (2016). Methylene Blue Ameliorates Ischemia/Reperfusion-Induced Cerebral Edema: An MRI and Transmission Electron Microscope Study. *Acta Neurochir Suppl* 121: 227-236. [http://dx.doi.org/10.1007/978-3-319-18497-5\\_41](http://dx.doi.org/10.1007/978-3-319-18497-5_41).
- Fang, Y; Gorbunova, YG; Chen, P; Jiang, X; Manowong, M; Sinelshchikova, AA; Enakieva, YY; Martynov, AG; Tsvadze, AY; Bessmertnykh-Lemeune, A; Stern, C; Guilard, R; Kadish, KM. (2015). Electrochemical and spectroelectrochemical studies of diphosphorylated metalloporphyrins. Generation of a phlorin anion product. *Inorg Chem* 54: 3501-3512. <http://dx.doi.org/10.1021/acs.inorgchem.5b00067>.
- Fang, Z; Jeong, SY; Jung, HA; Choi, JS; Min, BS; Woo, MH. (2010). Anticholinesterase and antioxidant constituents from *Gloiopeltis furcata*. *Chem Pharm Bull (Tokyo)* 58: 1236-1239.
- Fang, Z; Yang Jeong, S; Ah Jung, H; Sue Choi, J; Sun Min, B; Hee Woo, M. (2012). Capsofulvesins A-C, cholinesterase inhibitors from *Capsosiphon fulvescens*. *Chem Pharm Bull (Tokyo)* 60: 1351-1358.
- Faqueti, LG; Farias, IV; Sabedot, EC; Delle Monache, F; San Feliciano, A; Schuquel, IT; Cechinel-Filho, V; Cruz, AB; Meyre-Silva, C. (2015). Macrocarpal-like Compounds from *Eugenia umbelliflora* Fruits and Their Antibacterial Activity. *J Agric Food Chem* 63: 8151-8155. <http://dx.doi.org/10.1021/acs.jafc.5b03562>.
- Farajzadeh, MA; Khoshmaram, L. (2015). Development of dispersive liquid-liquid microextraction technique using ternary solvents mixture followed by heating for the rapid and sensitive analysis of phthalate esters and di(2-ethylhexyl) adipate. *J Chromatogr A* 1379: 24-33. <http://dx.doi.org/10.1016/j.chroma.2014.12.049>.
- Farid, NF; Abdelwahab, NS. (2016). Stability-Indicating HPTLC Method for Studying Stress Degradation Behavior of Sulbutiamine HCl. *J Chromatogr Sci* 54: 609-617. <http://dx.doi.org/10.1093/chromsci/bmv226>.
- Farnum, BH; Gardner, JM; Marton, A; Narducci-Sarjeant, AA; Meyer, GJ. (2011). Influence of ion pairing on the oxidation of iodide by MLCT excited states. *Dalton Transactions (Online)* 40: 3830-3838. <http://dx.doi.org/10.1039/c0dt01447h>.
- Farooq, S; Shakeel-U-Rehman, S; Dangroo, NA; Priya, D; Banday, JA; Sangwan, PL; Qurishi, MA; Koul, S; Saxena, AK. (2014). Isolation, cytotoxicity evaluation and HPLC-quantification of the chemical constituents from *Prangos pabularia*. *PLoS ONE* 9: e108713. <http://dx.doi.org/10.1371/journal.pone.0108713>.
- Farris-Trimble, A; McMurray, B. (2013). Test-retest reliability of eye tracking in the visual world paradigm for the study of real-time spoken word recognition. *J Speech Lang Hear Res* 56: 1328-1345. [http://dx.doi.org/10.1044/1092-4388\(2012/12-0145\)](http://dx.doi.org/10.1044/1092-4388(2012/12-0145)).
- Fatmawati, S; Ersam, T; Shimizu, K. (2015). The inhibitory activity of aldose reductase in vitro by constituents of *Garcinia mangostana* Linn. *Phytomedicine* 22: 49-51. <http://dx.doi.org/10.1016/j.phymed.2014.11.001>.
- Fauq, AH; Maharvi, GM; Sinha, D. (2010). A convenient synthesis of (Z)-4-hydroxy-N-desmethyltamoxifen (endoxifen). *20: 3036-3038*. <http://dx.doi.org/10.1016/j.bmcl.2010.03.117>.
- Favero, L; Marchetti, F; Pampaloni, G; Zacchini, S. (2014). The interaction of molybdenum pentachloride with O- and S-heterocycles. *Dalton Transactions (Online)* 43: 495-504. <http://dx.doi.org/10.1039/c3dt52271g>.
- Favre, J; Gao, J; Henry, JP; Remy-Jouet, I; Fourquaux, I; Billon-Gales, A; Thuillez, C; Arnal, JF; Lenfant, F; Richard, V. (2010). Endothelial Estrogen Receptor alpha Plays an Essential Role in the Coronary and Myocardial Protective Effects of Estradiol in Ischemia/Reperfusion. *Arterioscler Thromb Vasc Biol* 30: 2562-2567. <http://dx.doi.org/10.1161/ATVBAHA.110.213637>.
- Favre-Godal, Q; Dorsaz, S; Queiroz, EF; Marcourt, L; Ebrahimi, SN; Allard, PM; Voinesco, F; Hamburger, M; Gupta, MP; Gindro, K; Sanglard, D; Wolfender, JL. (2015). Anti-Candida Cassane-Type Diterpenoids from the Root Bark of *Swartzia simplex*. *J Nat Prod* 78: 2994-3004. <http://dx.doi.org/10.1021/acs.jnatprod.5b00744>.
- Favrole, P; Jehel, L; Levy, P; Descombes, S; Muresan, IP; Manificier, MJ; Alamowitch, S. (2013). Frequency and predictors of post-traumatic stress disorder after stroke: a pilot study. *J Neurol Sci* 327: 35-40. <http://dx.doi.org/10.1016/j.jns.2013.02.001>.
- Fawcett, J; Harding, DA; Hope, EG; Singh, K; Solan, GA. (2009). N-Heterocyclic carbene-containing ruthenium difluoro complexes and their reactivity towards BF(3). *Dalton Transactions (Online)* 6861-6870. <http://dx.doi.org/10.1039/b906321h>.
- Fawole, OA; Amoo, SO; Ndhlala, AR; Light, ME; Finnie, JF; Van Staden, J. (2010). Anti-inflammatory, anticholinesterase, antioxidant and phytochemical properties of medicinal plants used for pain-related ailments in South Africa. *J Ethnopharmacol* 127: 235-241. <http://dx.doi.org/10.1016/j.jep.2009.11.015>.



## Human Health Hazard Literature Search Results

### Off Topic

- Fawole, OA; Ndhala, AR; Amoo, SO; Finnie, JF; Van Staden, J. (2009). Anti-inflammatory and phytochemical properties of twelve medicinal plants used for treating gastro-intestinal ailments in South Africa. *J Ethnopharmacol* 123: 237-243. <http://dx.doi.org/10.1016/j.jep.2009.03.012>.
- Fawver, JN; Duong, KT; Wise-Scira, O; Petrofes Chapa, R; Schall, HE; Coskuner, O; Zhu, X; Colom, LV; Murray, IV. (2012). Probing and trapping a sensitive conformation: amyloid- $\beta$  fibrils, oligomers, and dimers. *J Alzheimers Dis* 32: 197-215. <http://dx.doi.org/10.3233/JAD-2012-120880>.
- Fawzy, GA; El Gamal, A, liAli; Al Ati, HY. (2013). Antimicrobial and cytotoxic potentials of *Buddleja polystachya* extracts. *Bangladesh J Pharmacol* 8: 136-141. <http://dx.doi.org/10.3329/bjpv.v8i2.13844>.
- Feás, X; Ye, L; Regal, P; Fente, CA; Hosseini, SV; Cepeda, A. (2009). Application of dummy molecularly imprinted solid-phase extraction in the analysis of cyproheptadine in bovine urine. *J Sep Sci* 32: 1740-1747. <http://dx.doi.org/10.1002/jssc.200800726>.
- Feathers, T; Stinner, D; Kirk, K; Kirby, J; Hsu, J. R.; Consortium, STR; Center, BAM. (2011). Effectiveness of the saline load test in diagnosis of traumatic elbow arthrotomies. *J Trauma* 71: E110-E113. <http://dx.doi.org/10.1097/TA.0b013e3182127840>.
- Fechter, LD. (1987). Neurotoxicity of prenatal carbon monoxide exposure (pp. 3-22). (ISSN 1041-5505; Report no. 12). Cambridge, MA: Health Effects Institute. <http://pubs.healtheffects.org/view.php?id=246>.
- Félix, JS; Alfaro, P; Nerín, C. (2011). Pros and cons of analytical methods to quantify surrogate contaminants from the challenge test in recycled polyethylene terephthalate. *Anal Chim Acta* 687: 67-74. <http://dx.doi.org/10.1016/j.aca.2010.12.013>.
- Felter, SP; Conolly, RB; Bercu, JP; Bolger, PM; Boobis, AR; Bos, PMJ; Carthew, P; Doerrer, NG; Goodman, J, ayl; Harrouk, WA; Kirkland, DJ; Lau, SS; Llewellyn, GC; Preston, RJ; Schoeny, R; Schnatter, AR; Tritscher, A; van Velsen, F; Williams, GM. (2011). A proposed framework for assessing risk from less-than-lifetime exposures to carcinogens. *Crit Rev Toxicol* 41: 507-544. <http://dx.doi.org/10.3109/10408444.2010.552063>.
- Feng, M; Pointillart, F; Le Guennic, B; Lefevre, B; Golhen, S; Cadot, O; Maury, O; Ouahab, L. (2014). Unprecedented sensitization of visible and near-infrared lanthanide luminescence by using a tetrathiafulvalene-based chromophore. *Chem Asian J* 9: 2814-2825. <http://dx.doi.org/10.1002/asia.201402385>.
- Feng, M; Pointillart, F; Lefevre, B; Dorcet, V; Golhen, S; Cadot, O; Ouahab, L. (2015). Multiple single-molecule magnet behaviors in dysprosium dinuclear complexes involving a multiple functionalized tetrathiafulvalene-based ligand. *Inorg Chem* 54: 4021-4028. <http://dx.doi.org/10.1021/acs.inorgchem.5b00272>.
- Feng, XZ; Han, GC; Qin, J; Yin, SM; Chen, Z. (2016). Determination of Residual Solvents in Linezolid by Static Headspace GC. *J Chromatogr Sci* 54: 487-491. <http://dx.doi.org/10.1093/chromsci/bmv175>.
- Feng, Y; Davis, RA; Sykes, ML; Avery, VM; Quinn, RJ. (2012). Iotrochamides A and B, antitypanosomal compounds from the Australian marine sponge *Iotrochota* sp. 22: 4873-4876. <http://dx.doi.org/10.1016/j.bmcl.2012.05.029>.
- Feng, YJ; Lai, YH; Lin, YC; Huang, SL; Liu, YH. (2014). Reactions of aromatic S- and O-enynes with two methyl substituents on the olefinic unit assisted by a ruthenium complex: tandem cyclization and product selectivity. *Chem Asian J* 9: 602-611. <http://dx.doi.org/10.1002/asia.201301264>.
- Feng, Z; Zhang, J; Li, X; Yu, J. (2015). [Determination of the four generic fractions of aged bitumen by thin-layer chromatography with flame ionization detection]. *Sepu* 33: 195-200.
- Fennell, CJ; Li, L; Dill, KA. (2012). Simple liquid models with corrected dielectric constants. *J Phys Chem B* 116: 6936-6944. <http://dx.doi.org/10.1021/jp3002383>.
- Fennell, TR; Morgan, DL; Watson, SL; Dhungana, S; Waidyanatha, S. (2015). Systemic uptake, albumin and hemoglobin binding of [(14)C]2,3-butanedione administered by intratracheal instillation in male Harlan Sprague Dawley rats and oropharyngeal aspiration in male B6C3F1/N mice. *Chem Biol Interact* 227: 112-119. <http://dx.doi.org/10.1016/j.cbi.2014.12.029>.
- Fernandes, DL; Gomes, MT. (2008). Development of an electronic nose to identify and quantify volatile hazardous compounds. *Talanta* 77: 77-83. <http://dx.doi.org/10.1016/j.talanta.2008.05.042>.
- Fernández, P; González, M; Regenjo, M; Ares, AM; Fernández, AM; Lorenzo, RA; Carro, AM. (2017). Analysis of drugs of abuse in human plasma using microextraction by packed sorbents and ultra-high-performance liquid chromatography. *J Chromatogr A* 1485: 8-19. <http://dx.doi.org/10.1016/j.chroma.2017.01.021>.
- Fernández, P; Lago, M; Lorenzo, RA; Carro, AM; Bermejo, AM; Tabernero, MJ. (2009). Optimization of a rapid microwave-assisted extraction method for the simultaneous determination of opiates, cocaine and their metabolites in human hair. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 1743-1750. <http://dx.doi.org/10.1016/j.jchromb.2009.04.035>.
- Fernández, P; Seoane, S; Vázquez, C; Bermejo, AM; Carro, AM; Lorenzo, RA. (2011). A rapid analytical method based on microwave-assisted extraction for the determination of drugs of abuse in vitreous humor. *Anal Bioanal Chem* 401: 2177-2186. <http://dx.doi.org/10.1007/s00216-011-5279-6>.
- Fernández, P; Seoane, S; Vázquez, C; Tabernero, MJ; Carro, AM; Lorenzo, RA. (2013). Chromatographic determination of drugs of abuse in vitreous humor using solid-phase extraction. *J Appl Toxicol* 33: 740-745. <http://dx.doi.org/10.1002/jat.2722>.
- Fernández-Dacosta, C; Posada, JA; Kleerebezem, R; Cuellar, MC; Ramirez, A. (2015). Microbial community-based polyhydroxyalkanoates (PHAs) production from wastewater: Techno-economic analysis and ex-ante environmental assessment. *Bioresour Technol* 185: 368-377. <http://dx.doi.org/10.1016/j.biortech.2015.03.025>.
- Fernández-Fernández, M; Sanromán, MÁ; Moldes, D. (2013). Recent developments and applications of immobilized laccase [Review]. *Biotechnol Adv* 31: 1808-1825. <http://dx.doi.org/10.1016/j.biotechadv.2012.02.013>.

## Human Health Hazard Literature Search Results

### Off Topic

- Fernandez-Torres, R; Bello Lopez, MA; Olias Consentino, M; Callejon Mochon, M; Perez-Bernal, JL. (2010). Application of enzymatic probe sonication extraction for the determination of selected veterinary antibiotics and their main metabolites in fish and mussel samples. *Anal Chim Acta* 675: 156-164. <http://dx.doi.org/10.1016/j.aca.2010.07.026>.
- Fernandez-Torres, R; Lopez, MA; Consentino, MO; Mochon, MC; Payan, MR. (2011). Enzymatic-microwave assisted extraction and high-performance liquid chromatography-mass spectrometry for the determination of selected veterinary antibiotics in fish and mussel samples. *J Pharm Biomed Anal* 54: 1146-1156. <http://dx.doi.org/10.1016/j.jpba.2010.12.002>.
- Ferreira, EA; Reigada, JB; Correia, MV; Young, MC; Guimarães, EF; Franchi, GC; Nowill, AE; Lago, JH; Yamaguchi, LF; Kato, MJ. (2014). Antifungal and cytotoxic 2-acylcyclohexane-1,3-diones from *Peperomia alata* and *P. trineura*. *J Nat Prod* 77: 1377-1382. <http://dx.doi.org/10.1021/np500130x>.
- Ferreira, FP; Morais, SR; Bara, MT; Conceição, EC; Paula, JR; Carvalho, TC; Vaz, BG; Costa, HB; Romão, W; Rezende, MH. (2014). *Eugenia calycina* Cambess extracts and their fractions: Their antimicrobial activity and the identification of major polar compounds using electrospray ionization FT-ICR mass spectrometry. *J Pharm Biomed Anal* 99: 89-96. <http://dx.doi.org/10.1016/j.jpba.2014.07.003>.
- Ferreira, IM; Meira, EB; Rosset, IG; Porto, ALM. (2015). Chemoselective biohydrogenation of alpha,beta- and alpha,beta,gamma,delta-unsaturated ketones by the marine-derived fungus *Penicillium citrinum* CBMAI 1186 in a biphasic system. *Journal of Molecular Catalysis B: Enzymatic* 115: 59-65. <http://dx.doi.org/10.1016/j.molcatb.2015.01.017>.
- Ferreira, MA; Carvalho, TC; Turatti, ICC; Furtado, NAJ, C; Martins, CHG; Lopes, NP; Cunha, WR; Crotti, AEM. (2010). Antimicrobial activity of *Aegiphila sellowiana* Cham., Lamiaceae, against oral pathogens. *Revista Brasileira de Farmacognosia* 20: 246-249.
- Ferreira, MC; Cantrell, CL; Duke, SO; Ali, A; Rosa, LH. (2017). New Pesticidal Diterpenoids from *Vellozia gigantea* (Velloziaceae), an Endemic Neotropical Plant Living in the Endangered Brazilian Biome Rupestrian Grasslands. *Molecules* 22. <http://dx.doi.org/10.3390/molecules22010175>.
- Ferreira Rodrigues, RA; de Carvalho, JE; de Oliveira Sousa, IM; Antonio, MA; Pizao, PE; Kohn, LK; Estanislau do Amaral, M, doC; Bittrich, V; Foglio, MA, nn. (2011). Antiproliferative activity, isolation and identification of active compound from *Gaylussacia brasiliensis*. *Revista Brasileira de Farmacognosia* 21: 622-626. <http://dx.doi.org/10.1590/S0102-695X2011005000116>.
- Ferreira, WJ; Amaro, R; Cavalcanti, DN; de Rezende, CM; da Silva, VA; Barbosa, JE; Paixão, IC; Teixeira, VL. (2010). Anti-herpetic activities of chemical components from the Brazilian red alga *Plocamium brasiliense*. *Natural Product Communications* 5: 1167-1170.
- Ferrins, L; Rahmani, R; Sykes, ML; Jones, AJ; Avery, VM; Teston, E; Almohaywi, B; Yin, J; Smith, J; Hyland, C; White, KL; Ryan, E; Campbell, M; Charman, SA; Kaiser, M; Baell, JB. (2013). 3-(Oxazolo[4,5-b]pyridin-2-yl)anilides as a novel class of potent inhibitors for the kinetoplastid *Trypanosoma brucei*, the causative agent for human African trypanosomiasis. *Eur J Med Chem* 66: 450-465. <http://dx.doi.org/10.1016/j.ejmech.2013.05.007>.
- Feyera, T; Terefe, G; Shibeshi, W. (2014). Evaluation of in vivo antitrypanosomal activity of crude extracts of *Artemisia abyssinica* against a *Trypanosoma congolense* isolate. *BMC Complement Altern Med* 14: 117. <http://dx.doi.org/10.1186/1472-6882-14-117>.
- Figueiredo, RA; Anami, LC; Mello, I; Carvalho, E; Habitante, SM; Raldi, DP. (2014). Tooth discoloration induced by endodontic phenothiazine dyes in photodynamic therapy. *Photomed Laser Surg* 32: 458-462. <http://dx.doi.org/10.1089/pho.2014.3722>.
- Filby, PS; Rayat, S. (2015). Mechanistic Investigation on the Formation of 2-Halo-3-aryl-4(3H)-quinazolinium Halides from Heteroenyne-allenes: A Computational Study. *J Org Chem* 80: 4299-4305. <http://dx.doi.org/10.1021/jo502664s>.
- Filgueira, GC; Filgueira, OA; Carvalho, DM; Marques, MP; Moisés, EC; Duarte, G; Lanchote, VL; Cavalli, RC. (2015). Analysis of nifedipine in human plasma and amniotic fluid by liquid chromatography-tandem mass spectrometry and its application to clinical pharmacokinetics in hypertensive pregnant women. *J Chromatogr B Analyt Technol Biomed Life Sci* 993-994: 20-25. <http://dx.doi.org/10.1016/j.jchromb.2015.04.030>.
- Filho, VC; Meyre-Silva, C; Niero, R; Bolda Mariano, LN; Gomes do Nascimento, F; Vicente Farias, I; Gazoni, VF; Dos Santos Silva, B; Giménez, A; Gutierrez-Yapu, D; Salamanca, E; Malheiros, A. (2013). Evaluation of antileishmanial activity of selected Brazilian plants and identification of the active principles. *eCAM* 2013: 265025. <http://dx.doi.org/10.1155/2013/265025>.
- Firsova, I, uE; Doronina, NV; Trotsenko, I, uA. (2010). [Key functional genes of aerobic methylotrophic bacteria capable of degrading dichloromethane]. *Mikrobiologiya* 79: 72-78.
- Firsova, I; Fedorov, D; Trotsenko, I. (2012). [Functional analysis of the genome fragment involved in aerobic dichloromethane degradation by methylotrophic bacterium *dichloromethanicum* DM4]. *Prikl Biokhim Mikrobiol* 48: 516-521.
- Firsova, J; Doronina, N; Lang, E; Spröer, C; Vuilleumier, S; Trotsenko, Y. (2009). *Ancylobacter dichloromethanicus* sp. nov.--a new aerobic facultatively methylotrophic bacterium utilizing dichloromethane. *Syst Appl Microbiol* 32: 227-232. <http://dx.doi.org/10.1016/j.syapm.2009.02.002>.
- Firsova, YE; Torgonskaya, ML; Trotsenko, YA. (2015). [Functionality of the *xoxF* Gene in *Methylobacterium dichloromethanicum* DM4]. *Mikrobiologiya* 84: 697-704.
- Firuzi, O; Miri, R; Asadollahi, M; Eslami, S; Jassbi, AR. (2013). Cytotoxic, Antioxidant and Antimicrobial Activities and Phenolic Contents of Eleven *Salvia* Species from Iran. *Iranian Journal of Pharmaceutical Research* 12: 801-810.
- Fischbeck, S; Zimmer, S; Laufenberg-Feldmann, R; Laubach, W. (2014). [Question prompt list for premedication consultation : Patient-oriented information on anesthesia]. *Anaesthesist* 63: 832-838. <http://dx.doi.org/10.1007/s00101-014-2387-7>.
- Fiselier, K; Fiorini, D; Grob, K. (2009). Activated aluminum oxide selectively retaining long chain n-alkanes: Part II. Integration into an on-line high performance liquid chromatography-liquid chromatography-gas chromatography-flame ionization detection method to remove plant paraffins for the determination of mineral paraffins in foods and environmental samples. *Anal Chim Acta* 634: 102-109. <http://dx.doi.org/10.1016/j.aca.2008.12.011>.

## Human Health Hazard Literature Search Results

### Off Topic

- Fisher, JT; Tyler, SR; Zhang, Y; Lee, BJ; Liu, X; Sun, X; Sui, H; Liang, B; Luo, M; Xie, W; Yi, Y; Zhou, W; Song, Y; Keiser, N; Wang, K; de Jonge, HR; Engelhardt, JF. (2013). Bioelectric characterization of epithelia from neonatal CFTR knockout ferrets. *Am J Respir Cell Mol Biol* 49: 837-844. <http://dx.doi.org/10.1165/rcmb.2012-0433OC>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Flachsbarth, B; Fritzsche, M; Weldon, PJ; Schulz, S. (2009). Composition of the cloacal gland secretion of tuatara, *Sphenodon punctatus*. 6: 1-37. <http://dx.doi.org/10.1002/cbdv.200800265>.
- Flanagan, JU; Atwell, GJ; Heinrich, DM; Brooke, DG; Silva, S; Rigoreau, LJ; Trivier, E; Turnbull, AP; Raynham, T; Jamieson, SM; Denny, WA. (2014). Morpholylureas are a new class of potent and selective inhibitors of the type 5 17- $\beta$ -hydroxysteroid dehydrogenase (AKR1C3). *Bioorg Med Chem* 22: 967-977. <http://dx.doi.org/10.1016/j.bmc.2013.12.050>.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Flesar, J; Havlik, J; Kloucek, P; Rada, V; Titera, D; Bednar, M; Stropnický, M; Kokoska, L. (2010). In vitro growth-inhibitory effect of plant-derived extracts and compounds against *Paenibacillus* larvae and their acute oral toxicity to adult honey bees. *Vet Microbiol* 145: 129-133. <http://dx.doi.org/10.1016/j.vetmic.2010.03.018>.
- Fliedel, C; Rosa, V; Alves, FM; Martins, AM; Avilés, T; Dagorne, S. (2015). P,O-Phosphinophenolate zinc(II) species: synthesis, structure and use in the ring-opening polymerization (ROP) of lactide,  $\epsilon$ -caprolactone and trimethylene carbonate. *Dalton Transactions (Online)* 44: 12376-12387. <http://dx.doi.org/10.1039/c5dt00458f>.
- Floch, M; Shinkaruk, S; Darriet, P; Pons, A. (2016). Identification and Organoleptic Contribution of Vanillylthiol in Wines. *J Agric Food Chem* 64: 1318-1325. <http://dx.doi.org/10.1021/acs.jafc.5b05733>.
- Flores, AC; Pamphile, JA; Sarragiotto, MH; Clemente, E. (2013). Production of 3-nitropropionic acid by endophytic fungus *Phomopsis longicolla* isolated from *Trichilia elegans* A. JUSS ssp. *elegans* and evaluation of biological activity. *World J Microbiol Biotechnol* 29: 923-932. <http://dx.doi.org/10.1007/s11274-013-1251-2>.
- Flores, N; Jimenez, IA; Gimenez, A; Ruiz, G; Gutierrez, D; Bourdy, G; Bazzocchi, IL. (2009). Antiparasitic activity of prenylated benzoic acid derivatives from *Piper* species. *Phytochemistry* 70: 621-627. <http://dx.doi.org/10.1016/j.phytochem.2009.03.010>.
- Flores-Flores, A; Hernández-Abreu, O; Rios, MY; León-Rivera, I; Aguilar-Guadarrama, B; Castillo-España, P; Perea-Arango, I; Estrada-Soto, S. (2016). Vasorelaxant mode of action of dichloromethane-soluble extract from *Agastache mexicana* and its main bioactive compounds. *Pharmaceutical Biology* 54: 2807-2813. <http://dx.doi.org/10.1080/13880209.2016.1184690>.
- Fodor, GG; Prajsnar, D; Schlipkoter, HW. (1973). Endogenous CO formation by incorporated halogenated hydrocarbons of the methane series. *Gefahrst Reinhalt Luft* 33: 260-261.
- Fonseca, AS; Moreira, TO; Paixão, DL; Farias, FM; Guimarães, OR; de Paoli, S; Geller, M; de Paoli, F. (2010). Effect of laser therapy on DNA damage. *Lasers Surg Med* 42: 481-488. <http://dx.doi.org/10.1002/lsm.20921>.
- Fonseca, DF; Salvador, ÂC; Santos, SA; Vilela, C; Freire, CS; Silvestre, AJ; Rocha, SM. (2015). Bioactive Phytochemicals from Wild *Arbutus unedo* L. Berries from Different Locations in Portugal: Quantification of Lipophilic Components. *International Journal of Molecular Sciences* 16: 14194-14209. <http://dx.doi.org/10.3390/ijms160614194>.
- Fonseca, RR; Filho, AP; Villaça, RC; Teixeira, VL. (2013). Inhibitory effects against pasture weeds in Brazilian Amazonia of natural products from the marine brown alga *Dictyota menstrualis*. *Natural Product Communications* 8: 1669-1672.
- Fontana, AR; Camargo, A; Martinez, LD; Altamirano, JC. (2011). Dispersive solid-phase extraction as a simplified clean-up technique for biological sample extracts. Determination of polybrominated diphenyl ethers by gas chromatography-tandem mass spectrometry. *J Chromatogr A* 1218: 2490-2496. <http://dx.doi.org/10.1016/j.chroma.2011.02.058>.
- Fonte, P; Lino, PR; Seabra, V; Almeida, AJ; Reis, S; Sarmento, B. (2016). Annealing as a tool for the optimization of lyophilization and ensuring of the stability of protein-loaded PLGA nanoparticles. *Int J Pharm* 503: 163-173. <http://dx.doi.org/10.1016/j.ijpharm.2016.03.011>.
- Foo, JB; Saiful Yazan, L; Tor, YS; Wibowo, A; Ismail, N; Armania, N; Cheah, YK; Abdullah, R. (2016). *Dillenia suffruticosa* dichloromethane root extract induced apoptosis towards MDA-MB-231 triple-negative breast cancer cells. *J Ethnopharmacol* 187: 195-204. <http://dx.doi.org/10.1016/j.jep.2016.04.048>.
- Foo, JB; Saiful Yazan, L; Tor, YS; Wibowo, A; Ismail, N; How, CW; Armania, N; Loh, SP; Ismail, IS; Cheah, YK; Abdullah, R. (2015). Induction of cell cycle arrest and apoptosis by betulinic acid-rich fraction from *Dillenia suffruticosa* root in MCF-7 cells involved p53/p21 and mitochondrial signalling pathway. *J Ethnopharmacol* 166: 270-278. <http://dx.doi.org/10.1016/j.jep.2015.03.039>.
- Foo, JB; Yazan, LS; Tor, YS; Armania, N; Ismail, N; Imam, MU; Yeap, SK; Cheah, YK; Abdullah, R; Ismail, M. (2014). Induction of cell cycle arrest and apoptosis in caspase-3 deficient MCF-7 cells by *Dillenia suffruticosa* root extract via multiple signalling pathways. *BMC Complement Altern Med* 14: 197. <http://dx.doi.org/10.1186/1472-6882-14-197>.
- Forberg, SI; Støren, O; Fredriksen, PM. (2012). Blood pressure during leg extension in children. *Int J Sports Med* 33: 802-806. <http://dx.doi.org/10.1055/s-0032-1304589>.
- Forbes, WM; Gallimore, WA; Mansingh, A; Reese, PB; Robinson, RD. (2014). Eryngial (trans-2-dodecenal), a bioactive compound from *Eryngium foetidum*: its identification, chemical isolation, characterization and comparison with ivermectin in vitro. *Parasitology* 141: 269-278. <http://dx.doi.org/10.1017/S003118201300156X>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ford, JB; Sutter, ME; Owen, KP; Albertson, TE. (2014). Volatile substance misuse: an updated review of toxicity and treatment [Review]. *Clin Rev Allergy Immunol* 46: 19-33. <http://dx.doi.org/10.1007/s12016-013-8371-1>.
- Ford, JD; Gelernter, J; Devoe, JS; Zhang, W; Weiss, RD; Brady, K; Farrer, L; Kranzler, HR. (2009). Association of psychiatric and substance use disorder comorbidity with cocaine dependence severity and treatment utilization in cocaine-dependent individuals. *Drug Alcohol Depend* 99: 193-203. <http://dx.doi.org/10.1016/j.drugalcdep.2009.07.004>.
- Forníes, J; Giménez, N; Ibáñez, S; Lalinde, E; Martín, A; Moreno, MT. (2015). An Extended Chain and Trinuclear Complexes Based on Pt(II)-M (M = Tl(I), Pb(II)) Bonds: Contrasting Photophysical Behavior. *Inorg Chem* 54: 4351-4363. <http://dx.doi.org/10.1021/acs.inorgchem.5b00083>.
- Fortage, J; Boixel, J; Blart, E; Becker, HC; Odobel, F. (2009). Very fast single-step photoinduced charge separation in zinc porphyrin bridged to a gold porphyrin by a bisethynyl quaterthiophene. *Inorg Chem* 48: 518-526. <http://dx.doi.org/10.1021/ic800727e>.
- Fortage, J; Boixel, J; Blart, E; Hammarström, L; Becker, HC; Odobel, F. (2008). Single-step electron transfer on the nanometer scale: ultra-fast charge shift in strongly coupled zinc porphyrin-gold porphyrin dyads. *Chemistry* 14: 3467-3480. <http://dx.doi.org/10.1002/chem.200701335>.
- Fortage, J; Scarpaci, A; Viau, L; Pellegrin, Y; Blart, E; Falkenström, M; Hammarström, L; Asselberghs, I; Kellens, R; Libaers, W; Clays, K; Eng, MP; Odobel, F. (2009). Charge-transfer state and large first hyperpolarizability constant in a highly electronically coupled zinc and gold porphyrin dyad. *Chemistry* 15: 9058-9067. <http://dx.doi.org/10.1002/chem.200900262>.
- Fossen, T; Yahorau, A; Yahorava, S; Raharinjato, F; Razafimahefa, S; Rasoanaivo, P; Wikberg, JE. (2016). New Polyfunctional Phragmalin Limonoids from *Neobegonia mahafalensis*. *Planta Med* 82: 1087-1095. <http://dx.doi.org/10.1055/s-0042-108741>.
- Fotso, AF; Longo, F; Djomeni, PD; Kouam, SF; Spiteller, M; Dongmo, AB; Savineau, JP. (2014). Analgesic and antiinflammatory activities of the ethyl acetate fraction of *Bidens pilosa* (Asteraceae). *Inflammopharmacology* 22: 105-114. <http://dx.doi.org/10.1007/s10787-013-0196-2>.
- Fouad, EA; El-Badry, M; Mahrous, GM; Alanazi, FK; Neau, SH; Alsarra, IA. (2011). The use of spray-drying to enhance celecoxib solubility. *Drug Dev Ind Pharm* 37: 1463-1472. <http://dx.doi.org/10.3109/03639045.2011.587428>.
- Frailé, JM; Mayoral, JA; Salvatella, L. (2014). Theoretical study on the BF<sub>3</sub>-catalyzed Meinwald rearrangement reaction. *J Org Chem* 79: 5993-5999. <http://dx.doi.org/10.1021/jo5003888>.
- Francielli de Oliveira, P; Acésio, NO; Leandro, LF; Cunha, NL; Uchôa, CJ; Januário, AH; Tavares, DC. (2014). Antigenotoxicity of *Roupala montana* extract in the mouse micronucleus and comet assays. *Drug Chem Toxicol* 37: 93-99. <http://dx.doi.org/10.3109/01480545.2013.834346>.
- Franco, LA; Macareno, JL; Ocampo, YC; Pajaro, IB; Gaitan, R. (2012). Marine Sponges of the Genus *Neopetrosia* with Anti-Inflammatory Activity. *Lat Am J Pharm* 31: 976-983.
- Franco, P; Zhang, T. (2008). Common approaches for efficient method development with immobilised polysaccharide-derived chiral stationary phases. *Journal of Chromatography B* 875: 48-56. <http://dx.doi.org/10.1016/j.jchromb.2008.06.051>.
- Frankowski, KJ; Liu, R; Milligan, GL; Moeller, KD; Aubé, J. (2015). Practical Electrochemical Anodic Oxidation of Polycyclic Lactams for Late Stage Functionalization. *Angew Chem Int Ed Engl* 54: 10555-10558. <http://dx.doi.org/10.1002/anie.201504775>.
- Frasier, CR; Sloan, RC; Bostian, PA; Gonzon, MD; Kurowicki, J; Lopresto, SJ; Anderson, EJ; Brown, DA. (2011). Short-term exercise preserves myocardial glutathione and decreases arrhythmias after thiol oxidation and ischemia in isolated rat hearts. *J Appl Physiol* 111: 1751-1759. <http://dx.doi.org/10.1152/jappphysiol.01214.2010>.
- Frazão, B; Martins, R; Vasconcelos, V. (2010). Are known cyanotoxins involved in the toxicity of picoplanktonic and filamentous North Atlantic marine cyanobacteria? *Mar Drugs* 8: 1908-1919. <http://dx.doi.org/10.3390/md8061908>.
- Freeman, F; Lau, DJ; Patel, AR; Pavia, PR; Willey, JD. (2008). Substituent effects on singlet-triplet gaps and mechanisms of 1,2-rearrangements of 1,3-oxazol-2-ylidenes to 1,3-oxazoles. *J Phys Chem A* 112: 8775-8784. <http://dx.doi.org/10.1021/jp8030286>.
- Freeman, JL; Zhao, Q; Zhang, Y; Wang, J; Lawson, CM; Gray, GM. (2013). Synthesis, linear and nonlinear optical properties of phosphonato-substituted bithiophenes derived from 2,2'-biphenol. *Dalton Transactions (Online)* 42: 14281-14297. <http://dx.doi.org/10.1039/c3dt51499d>.
- Freeman, JS. (2010). Are analogue insulins superior to human insulin in clinical practice? *Curr Diab Rep* 10: 176-183. <http://dx.doi.org/10.1007/s11892-010-0104-8>.
- Freires, IA; Queiroz, VC; Furlletti, VF; Ikegaki, M; de Alencar, SM; Duarte, MC; Rosalen, PL. (2016). Chemical composition and antifungal potential of Brazilian propolis against *Candida* spp. *Journal de Mycologie Medicale* 26: 122-132. <http://dx.doi.org/10.1016/j.mycmed.2016.01.003>.
- Freitas-Lima, P; Santi Ferreira, FI; Bertucci, C; Alexandre Junior, V; Carvalho Dreossi, SA; Leira Pereira, LR; Sakamoto, AC; Costa Queiroz, RH. (2015). Stir bar-sorptive extraction, solid phase extraction and liquid-liquid extraction for levetiracetam determination in human plasma: comparing recovery rates. *B J P S Brazilian Journal of Pharmaceutical Sciences* 51: 393-401. <http://dx.doi.org/10.1590/S1984-82502015000200017>.
- Freysdottir, J; Sigurpalsson, MB; Omarsdottir, S; Olafsdottir, ES; Vikingsson, A; Hardardottir, I. (2011). Ethanol extract from birch bark (*Betula pubescens*) suppresses human dendritic cell mediated Th1 responses and directs it towards a Th17 regulatory response in vitro. *Immunol Lett* 136: 90-96. <http://dx.doi.org/10.1016/j.imlet.2010.12.009>.
- Friedrich, C; Port, A; Ring, A; Graefe-Mody, U; Giessmann, T; Iovino, M; Woerle, HJ. (2011). Effect of multiple oral doses of linagliptin on the steady-state pharmacokinetics of a combination oral contraceptive in healthy female adults: an open-label, two-period, fixed-sequence, multiple-dose study. *Clin Drug Investig* 31: 643-653. <http://dx.doi.org/10.2165/11590240-000000000-00000>.

## Human Health Hazard Literature Search Results

### Off Topic

- Frischholz, EJ; Spiegel, D; Trentalange, MJ; Spiegel, H. (2015). The hypnotic induction profile and absorption. *Am J Clin Hypn* 57: 122-128. <http://dx.doi.org/10.1080/00029157.2015.967065>.
- Frison, G; Favretto, D; Vogliardi, S; Terranova, C; Ferrara, SD. (2008). Quantification of citalopram or escitalopram and their demethylated metabolites in neonatal hair samples by liquid chromatography-tandem mass spectrometry. *Ther Drug Monit* 30: 467-473. <http://dx.doi.org/10.1097/FTD.0b013e31817c6bc4>.
- Frizzarin, RM; Maya, F; Estela, JM; Cerdà, V. (2016). Fully-automated in-syringe dispersive liquid-liquid microextraction for the determination of caffeine in coffee beverages. *Food Chem* 212: 759-767. <http://dx.doi.org/10.1016/j.foodchem.2016.06.032>.
- Fröhlich, JK; Froeder, AL; Janovik, V; Venturini, TP; Pereira, RP; Boligon, AA; de Brum, TF; Alves, SH; da Rocha, JB; Athayde, ML. (2013). Antioxidant capacity, antimicrobial activity and triterpenes isolated from *Jatropha isabellae* Müll Arg. *Nat Prod Res* 27: 1049-1059. <http://dx.doi.org/10.1080/14786419.2012.706296>.
- Frost, S; Brown, M; Stirling, V; Vignarajan, J; Prentice, D; Kanagasigam, Y. (2016). Utility of Ward-Based Retinal Photography in Stroke Patients. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2016.11.112>.
- Frye, JM; Anastos, HI; Gutierrez, F. (2012). Analysis of Vapors from Methylene Chloride Extracts Of Nuclear Grade Hepa Filter Fiberglass Samples (pp. 21). (NTIS/13100065). Frye, JM; Anastos, HI; Gutierrez, F.
- Frye, RE; Hasan, K; Malmberg, B; Desouza, L; Swank, P; Smith, K; Landry, S. (2010). Superior longitudinal fasciculus and cognitive dysfunction in adolescents born preterm and at term. *Dev Med Child Neurol* 52: 760-766. <http://dx.doi.org/10.1111/j.1469-8749.2010.03633.x>.
- Fu, SC; Tzing, SH; Chen, HC; Wang, YC; Ding, WH. (2012). Dispersive micro-solid phase extraction combined with gas chromatography-chemical ionization mass spectrometry for the determination of N-nitrosamines in swimming pool water samples. *Anal Bioanal Chem* 402: 2209-2216. <http://dx.doi.org/10.1007/s00216-011-5681-0>.
- Fu, ZH; Xu, JN; Yu, WL; Wang, QK; Wang, AN; Tan, F. (2013). [Method for determining brodifacoum in workplace air by high-performance liquid chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 625-626.
- Fujii, S; Okada, M; Sawa, H; Furuzono, T; Nakamura, Y. (2009). Hydroxyapatite nanoparticles as particulate emulsifier: fabrication of hydroxyapatite-coated biodegradable microspheres. *Langmuir* 25: 9759-9766. <http://dx.doi.org/10.1021/la901100z>.
- Fujisawa, K; Kuboniwa, A; Kiss, M; Szilagyi, RK. (2016). Mono- and binuclear tris(3-tert-butyl-2-sulfanylidene-1H-imidazol-1-yl)hydroborate bismuth(III) dichloride complexes: a soft scorpionate ligand can coordinate to p-block elements. *72*: 768-776. <http://dx.doi.org/10.1107/S2053229616010615>.
- Fujiwara, R; Horito, S. (2011). Solvent-induced anomeric diastereoselectivity switching using a single glycosyl donor. *Carbohydr Res* 346: 2098-2103. <http://dx.doi.org/10.1016/j.carres.2011.06.026>.
- Fuku, S; Al-Azzawi, AM; Madamombe-Manduna, IT; Mashele, S. (2013). Phytochemistry and Free Radical Scavenging Activity of *Asparagus laricinus*. *International Journal of Pharmacology* 9: 312-317. <http://dx.doi.org/10.3923/ijp.2013.312.317>.
- Fukuhara, G; Okazaki, T; Lessi, M; Nishijima, M; Yang, C; Mori, T; Mele, A; Bellina, F; Chiappe, C; Inoue, Y. (2011). Chiral ionic liquid-mediated photochirogenesis. Enantiodifferentiating photocyclodimerization of 2-anthracenecarboxylic acid. *Org Biomol Chem* 9: 7105-7112. <http://dx.doi.org/10.1039/c1ob05716b>.
- Fullmer, TM; Pei, S; Zhu, Y; Sloan, C; Manzanares, R; Henrie, B; Pires, KM; Cox, JE; Abel, ED; Boudina, S. (2013). Insulin suppresses ischemic preconditioning-mediated cardioprotection through Akt-dependent mechanisms. *J Mol Cell Cardiol* 64: 20-29. <http://dx.doi.org/10.1016/j.yjmcc.2013.08.005>.
- Fumanal, M; Capdevila-Cortada, M; Ribas-Arino, J; Novoa, JJ. (2015). Electronic excitation energies in dimers between radical ions presenting long, multicenter bonding. *Journal of Chemical Theory and Computation* 11: 2651-2660. <http://dx.doi.org/10.1021/acs.jctc.5b00381>.
- Funabiki, K; Furuno, Y; Yano, Y; Sakaida, Y; Kubota, Y; Matsui, M. (2015). A Direct, Concise, and Enantioselective Synthesis of 2-Substituted 4,4,4-Trifluorobutane-1,3-diols Based on the Organocatalytic In Situ Generation of Unstable Trifluoroacetaldehyde. *Chem Asian J* 10: 2701-2707. <http://dx.doi.org/10.1002/asia.201500607>.
- Funk, JL; Frye, JB; Oyarzo, JN; Timmermann, BN. (2009). Comparative effects of two gingerol-containing *Zingiber officinale* extracts on experimental rheumatoid arthritis. *J Nat Prod* 72: 403-407. <http://dx.doi.org/10.1021/np8006183>.
- Furgal, JC; Goodson, T; Laine, RM. (2016). D5h [PhSiO1.5]10 synthesis via F(-) catalyzed rearrangement of [PhSiO1.5]n. An experimental/computational analysis of likely reaction pathways. *Dalton Transactions (Online)* 45: 1025-1039. <http://dx.doi.org/10.1039/c5dt04182a>.
- Furnham, A. (2008). Relationship among four Big Five measures of different length. *Psychol Rep* 102: 312-316. <http://dx.doi.org/10.2466/pr0.102.1.312-316>.
- Furukawa, S; Kobayashi, J; Kawashima, T. (2010). Application of the sila-Friedel-Crafts reaction to the synthesis of  $\pi$ -extended silole derivatives and their properties. *Dalton Transactions (Online)* 39: 9329-9336. <http://dx.doi.org/10.1039/c0dt00136h>.
- Furuta, H; Nanami, H; Morimoto, T; Ogawa, T; Král, V; Sessler, JL; Lynch, V. (2008). Halide anion mediated dimerization of a meso-unsubstituted N-confused porphyrin. *Chem Asian J* 3: 592-599. <http://dx.doi.org/10.1002/asia.200700130>.
- Furuyama, T; Satoh, K; Kushiya, T; Kobayashi, N. (2014). Design, synthesis, and properties of phthalocyanine complexes with main-group elements showing main absorption and fluorescence beyond 1000 nm. *J Am Chem Soc* 136: 765-776. <http://dx.doi.org/10.1021/ja411016f>.
- Gabriela, GC; Javier, AA; Elisa, VA; Gonzalo, VP; Herlinda, BJ. (2012). Antidepressant-like effect of *Tagetes lucida* Cav. extract in rats: involvement of the serotonergic system. *Am J Chin Med* 40: 753-768. <http://dx.doi.org/10.1142/S0192415X12500565>.
- Gachet, MS; Kunert, O; Kaiser, M; Brun, R; Muñoz, RA; Bauer, R; Schühly, W. (2010). Jacaranone-derived glucosidic esters from *Jacaranda glabra* and their activity against *Plasmodium falciparum*. *J Nat Prod* 73: 553-556. <http://dx.doi.org/10.1021/np900528m>.

## Human Health Hazard Literature Search Results

### Off Topic

- Gachet, MS; Kunert, O; Kaiser, M; Brun, R; Zehl, M; Keller, W; Muñoz, RA; Bauer, R; Schuehly, W. (2011). Antiparasitic compounds from *Cupania cinerea* with activities against *Plasmodium falciparum* and *Trypanosoma brucei rhodesiense*. *J Nat Prod* 74: 559-566. <http://dx.doi.org/10.1021/np100415m>.
- Galaction, AI; Caşcaval, D. (2008). [Comparative study on separation of p-aminobenzoic and p-hydroxy-benzoic acids by reactive extraction]. *Rev Med Chir Soc Med Nat Iasi* 112: 1110-1114.
- Galaction, AI; Nicuță, N; Cascaval, D. (2009). [Separation of erythromycin by direct pertraction from simulated broths]. *Rev Med Chir Soc Med Nat Iasi* 113: 619-624.
- Galani, BR; Sahuc, ME; Sass, G; Njayou, FN; Loscher, C; Mkounga, P; Deloison, G; Brodin, P; Rouillé, Y; Tiegs, G; Séron, K; Moundipa, PF. (2016). *Khaya grandifoliola* C.DC: a potential source of active ingredients against hepatitis C virus in vitro. *Arch Virol* 161: 1169-1181. <http://dx.doi.org/10.1007/s00705-016-2771-5>.
- Galani Tietcheu, BR; Sass, G; Njayou, NF; Mkounga, P; Tiegs, G; Moundipa, PF. (2014). Anti-hepatitis C virus activity of crude extract and fractions of *Entada africana* in genotype 1b replicon systems. *Am J Chin Med* 42: 853-868. <http://dx.doi.org/10.1142/S0192415X14500542>.
- Galaridon, E; Tomas, A; Selkti, M; Roussel, P; Artaud, I. (2009). Synthesis, characterization, and reactivity of alkyldisulfanido zinc complexes. *Inorg Chem* 48: 5921-5927. <http://dx.doi.org/10.1021/ic900238v>.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta* 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallien, AK; Schaniel, D; Woike, T; Klüfers, P. (2014). NO-binding in {Ru(NO)<sub>2</sub>}<sub>8</sub>-type [Ru(NO)<sub>2</sub>(PR<sub>3</sub>)<sub>2</sub>X]BF<sub>4</sub> compounds. *Dalton Transactions (Online)* 43: 13278-13292. <http://dx.doi.org/10.1039/c4dt01506a>.
- Gallimore, WA. (2013). Bioactive brominated metabolites from the natural habitat and tank-maintained cuttings of the Jamaican sponge *Aplysina fistularis*. 10: 1055-1060. <http://dx.doi.org/10.1002/cbdv.201200206>.
- Gallimore, WA; Cabral, C; Kelly, M; Scheuer, PJ. (2008). A novel D-ring unsaturated A-nor sterol from the Indonesian sponge, *Axinella carteri* Dendy. *Nat Prod Res* 22: 1339-1343. <http://dx.doi.org/10.1080/14786410601132279>.
- Gallo, A; Fong, A; Szeto, KC; Rieb, J; Delevoye, L; Gauvin, RM; Taoufik, M; Peters, B; Scott, SL. (2016). Ligand Exchange-Mediated Activation and Stabilization of a Re-Based Olefin Metathesis Catalyst by Chlorinated Alumina. *J Am Chem Soc* 138: 12935-12947. <http://dx.doi.org/10.1021/jacs.6b06953>.
- Gamal-Eldeen, AM; Hegazy, ME. (2010). A crystal lapiferin derived from *Ferula vesceritensis* induces apoptosis pathway in MCF-7 breast cancer cells. *Nat Prod Res* 24: 246-257. <http://dx.doi.org/10.1080/14786410802685398>.
- Gañán, J; Pérez-Quintanilla, D; Morante-Zarcelo, S; Sierra, I. (2013). Comparison of different mesoporous silicas for off-line solid phase extraction of 17β-estradiol from waters and its determination by HPLC-DAD. *J Hazard Mater* 260: 609-617. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.016>.
- Gandhimathi, R; Seghal Kiran, G; Hema, TA; Selvin, J; Rajeetha Raviji, T; Shanmughapriya, S. (2009). Production and characterization of lipopeptide biosurfactant by a sponge-associated marine actinomycetes *Nocardiaopsis alba* MSA10. *Bioprocess Biosyst Eng* 32: 825-835. <http://dx.doi.org/10.1007/s00449-009-0309-x>.
- Ganesan, P; Kumar, CS; Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresour Technol* 99: 2717-2723. <http://dx.doi.org/10.1016/j.biortech.2007.07.005>.
- Gangopadhyay, M; Maity, A; Dey, A; Das, A. (2016). [2]Pseudorotaxane Formation with FRET Based Luminescence Response: Demonstration of Boolean Operations through Self-Sorting on Solid Surface. *J Org Chem* 81: 8977-8987. <http://dx.doi.org/10.1021/acs.joc.6b01631>.
- Gannu, R; Yamsani, SK; Palem, CR; Yamsani, VV; Kotagiri, H; Yamsani, MR. (2009). Development of high performance liquid chromatography method for buspirone in rabbit serum: Application to pharmacokinetic study. *Anal Chim Acta* 647: 226-230. <http://dx.doi.org/10.1016/j.aca.2009.06.005>.
- Gao, A; Zhang, P; Zhao, M; Liu, J. (2015). Photoisomerization mechanism of 1,1'-dimethyl-2,2'-pyridocyanine in the gas phase and in solution. *Spectrochim Acta A Mol Biomol Spectrosc* 136 Pt B: 1157-1166. <http://dx.doi.org/10.1016/j.saa.2014.10.001>.
- Gao, B; Yang, Y; Wang, J; Zhang, Y. (2008). Preparation and adsorption characteristic of polymeric microsphere with strong adsorbability for creatinine. *J Biochem Mol Toxicol* 22: 166-174. <http://dx.doi.org/10.1002/jbt.20221>.
- Gao, D; Zhang, L; Dhillon, R; Hong, TT; Shaw, RM; Zhu, J. (2013). Dynasore protects mitochondria and improves cardiac lusitropy in Langendorff perfused mouse heart. *PLoS ONE* 8: e60967. <http://dx.doi.org/10.1371/journal.pone.0060967>.
- Gao, F; Yu, M; Chen, QH; Wang, FP. (2012). A selective intramolecular transacylation of taxoids accompanying with the oxetane ring opening. *Chem Pharm Bull (Tokyo)* 60: 415-418.
- Gao, F; Zhang, M; Cui, X; Wang, Z; Sun, Y; Gu, J. (2010). Simultaneous quantitation of hydrochlorothiazide and metoprolol in human plasma by liquid chromatography-tandem mass spectrometry. *J Pharm Biomed Anal* 52: 149-154. <http://dx.doi.org/10.1016/j.jpba.2009.12.012>.
- Gao, J; Song, QW; He, LN; Yang, ZZ; Dou, XY. (2012). Efficient iron(III)-catalyzed three-component coupling reaction of alkynes, CH<sub>2</sub>Cl<sub>2</sub> and amines to propargylamines. *Chem Commun (Camb)* 48: 2024-2026. <http://dx.doi.org/10.1039/c2cc17616e>.
- Gao, JJ; Qin, YB; Zhou, T; Cao, DD; Xu, P; Hochstetter, D; Wang, YF. (2013). Adsorption of methylene blue onto activated carbon produced from tea (*Camellia sinensis* L.) seed shells: kinetics, equilibrium, and thermodynamics studies. *J Zhejiang Univ Sci B* 14: 650-658. <http://dx.doi.org/10.1631/jzus.B12a0225>.
- Gao, L; Li, J; Wu, Y; Yu, M; Chen, T; Shi, Z; Zhou, X; Sun, Z. (2016). Determination of novel brominated flame retardants and polybrominated diphenyl ethers in serum using gas chromatography-mass spectrometry with two simplified sample preparation procedures. *Anal Bioanal Chem* 408: 7835-7844. <http://dx.doi.org/10.1007/s00216-016-9887-z>.

## Human Health Hazard Literature Search Results

### Off Topic

- Gao, R. (2011). Light-induced dna base excitation, deactivation and oxidation.
- Gao, W; Chen, G; Chen, Y; Zhang, X; Yin, Y; Hu, Z. (2011). Application of single drop liquid-liquid-liquid microextraction for the determination of fluoroquinolones in human urine by capillary electrophoresis. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 291-295. <http://dx.doi.org/10.1016/j.jchromb.2010.11.040>.
- Gao, W; Wang, S; Xiao, Y; Li, X. (2012). Synthesis and properties of new luminescent hole transporting materials containing triphenylamine and carbazole units. *Spectrochim Acta A Mol Biomol Spectrosc* 98: 215-221. <http://dx.doi.org/10.1016/j.saa.2012.07.124>.
- Gao, X; Zhang, H; Belmadani, S; Wu, J; Xu, X; Elford, H; Potter, BJ; Zhang, C. (2008). Role of TNF-alpha-induced reactive oxygen species in endothelial dysfunction during reperfusion injury. *Am J Physiol Heart Circ Physiol* 295: H2242-H2249. <http://dx.doi.org/10.1152/ajpheart.00587.2008>.
- Gao, X; Zhang, N; Wei, TD; Su, HN; Xie, BB; Dong, CC; Zhang, XY; Chen, XL; Zhou, BC; Wang, ZX; Wu, JW; Zhang, YZ. (2011). Crystal structure of the N-terminal domain of linker L(R) and the assembly of cyanobacterial phycobilisome rods. *Mol Microbiol* 82: 698-705. <http://dx.doi.org/10.1111/j.1365-2958.2011.07844.x>.
- Gao, Y; Guo, XH; Vaz, JA; Group, PS. (2009). Biphasic insulin aspart 30 treatment improves glycaemic control in patients with type 2 diabetes in a clinical practice setting: Chinese PRESENT study. *Diabetes Obes Metab* 11: 33-40. <http://dx.doi.org/10.1111/j.1463-1326.2008.00904.x>.
- Gao, Y; Sun, S; Han, K. (2009). Electronic structures and spectroscopic properties of rhenium (I) tricarbonyl photosensitizer: [Re(4,4'-(COOEt)2-2,2'-bpy)(CO)3py]PF6. *Spectrochim Acta A Mol Biomol Spectrosc* 71: 2016-2022. <http://dx.doi.org/10.1016/j.saa.2008.07.044>.
- Garakyaraghi, S; Crapps, PD; Mccusker, CE; Castellano, FN. (2016). Cuprous Phenanthroline MLCT Chromophore Featuring Synthetically Tailored Photophysics. *Inorg Chem* 55: 10628-10636. <http://dx.doi.org/10.1021/acs.inorgchem.6b01880>.
- Garakyaraghi, S; Danilov, EO; Mccusker, CE; Castellano, FN. (2015). Transient absorption dynamics of sterically congested Cu(I) MLCT excited states. *J Phys Chem A* 119: 3181-3193. <http://dx.doi.org/10.1021/acs.jpca.5b00901>.
- Garala, K; Patel, J; Patel, A; Raval, M; Dharamsi, A. (2012). Influence of excipients and processing conditions on the development of agglomerates of racecadotril by crystallo-co-agglomeration. 2: 189-200. <http://dx.doi.org/10.4103/2230-973X.106996>.
- García, C; Pruzzo, M; Rodríguez-Unda, N; Contreras, C; Lagos, N. (2010). First evidence of Okadaic acid acyl-derivative and Dinophysistoxin-3 in mussel samples collected in Chiloe Island, Southern Chile. *J Toxicol Sci* 35: 335-344.
- Garcia, E; de Oliveira, MA; Dourado, LP; de Souza, DG; Teixeira, MM; Braga, FC. (2016). In Vitro TNF- $\alpha$  Inhibition Elicited by Extracts from *Echinodorus grandiflorus* Leaves and Correlation with Their Phytochemical Composition. *Planta Med* 82: 337-343. <http://dx.doi.org/10.1055/s-0035-1558290>.
- Garcia, E; de Oliveira, MA; Godin, AM; Ferreira, WC; Bastos, LF; Coelho, M; Braga, FC. (2010). Antiedematogenic activity and phytochemical composition of preparations from *Echinodorus grandiflorus* leaves. *Phytomedicine* 18: 80-86. <http://dx.doi.org/10.1016/j.phymed.2010.05.008>.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- García, MÁ; Santaeufemia, M; Melgar, MJ. (2012). Triazine residues in raw milk and infant formulas from Spanish northwest, by a diphasic dialysis extraction. *Food Chem Toxicol* 50: 503-510. <http://dx.doi.org/10.1016/j.fct.2011.11.019>.
- Garcia P, G; Garcia S, E; Martinez G, I; Scior, TRF; Salvador, JL; Martinez P, MM; del Rio, RE. (2011). Analgesic effect of leaf extract from *Ageratina glabrata* in the hot plate test. *Revista Brasileira de Farmacognosia* 21: 928-935. <http://dx.doi.org/10.1590/S0102-695X2011005000158>.
- Garcia, R; Martins, N; Carreiro, EP; Simões, M; Carrott, MM; Carrott, PJ; Burke, AJ; Cabrita, MJ. (2015). Development of a selective sorbent for the solid-phase extraction of terbuthylazine in olive oil samples: a molecular imprinting strategy. *J Sep Sci* 38: 1204-1212. <http://dx.doi.org/10.1002/jssc.201401263>.
- Garcia, VG; Longo, M; Gualberto Júnior, EC; Bosco, AF; Nagata, MJ; Ervolino, E; Theodoro, LH. (2014). Effect of the concentration of phenothiazine photosensitizers in antimicrobial photodynamic therapy on bone loss and the immune inflammatory response of induced periodontitis in rats. *J Periodontol Res* 49: 584-594. <http://dx.doi.org/10.1111/jre.12138>.
- García, VP; Bermejo, J; Rubio, S; Quintana, J; Estévez, F. (2011). Pregnane steroidal glycosides and their cytostatic activities. *Glycobiology* 21: 619-624. <http://dx.doi.org/10.1093/glycob/cwq203>.
- García-Carpintero, EG; Sánchez-Palomo, E; Gómez Gallego, MA; González-Viñas, MA. (2011). Effect of cofermentation of grape varieties on aroma profiles of la Mancha red wines. *J Food Sci* 76: C1169-C1180. <http://dx.doi.org/10.1111/j.1750-3841.2011.02374.x>.
- García-De la Cruz, L; Galvan-Goiz, Y; Caballero-Caballero, S; Zamudio, S; Alfaro, A; Navarrete, A. (2013). *Hypericum silenoides* Juss. and *Hypericum philonotis* Cham. & Schlecht. extracts: in-vivo hypolipidaemic and weight-reducing effects in obese rats. *J Pharm Pharmacol* 65: 591-603. <http://dx.doi.org/10.1111/jphp.12015>.
- Garcia-Rodriguez, RV; Cevallos, GC; Siordia, G; Jimenez-Arellanes, MA; Chavez-Soto, MA; Meckes-Fischer, M. (2012). *Sphaeralcea angustifolia* (Cav.) G. Don extract, a potential phytomedicine to treat chronic inflammation. 11: 454-463.
- Gardana, C; Scaglianti, M; Simonetti, P. (2010). Evaluation of steviol and its glycosides in *Stevia rebaudiana* leaves and commercial sweetener by ultra-high-performance liquid chromatography-mass spectrometry. *J Chromatogr A* 1217: 1463-1470. <http://dx.doi.org/10.1016/j.chroma.2009.12.036>.
- Gardner, AW; Parker, DE. (2010). Association between arterial compliance and age in participants 9 to 77 years old. *Angiology* 61: 37-41. <http://dx.doi.org/10.1177/0003319709339588>.

## Human Health Hazard Literature Search Results

### Off Topic

- Garnett, JP; Hickman, E; Tunkamnerdthai, O; Cuthbert, AW; Gray, MA. (2013). Protein phosphatase 1 coordinates CFTR-dependent airway epithelial HCO<sub>3</sub><sup>-</sup> secretion by reciprocal regulation of apical and basolateral membrane Cl<sup>-</sup>-HCO<sub>3</sub><sup>-</sup> exchangers. *Br J Pharmacol* 168: 1946-1960. <http://dx.doi.org/10.1111/bph.12085>.
- Garolla, A; Pizzol, D; Bertoldo, A; Ghezzi, M; Carraro, U; Ferlin, A; Foresta, C. (2012). Testicular cancer and HPV semen infection. *Front Endocrinol (Lausanne)* 3: 172. <http://dx.doi.org/10.3389/fendo.2012.00172>.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev* 10: 1239-1248.
- Gaspar, H; Cutignano, A; Grauso, L; Neng, N; Cachatra, V; Fontana, A; Xavier, J; Cerejo, M; Vieira, H; Santos, S. (2016). Erylusamides: Novel Atypical Glycolipids from *Erylus cf. deficiens*. *Mar Drugs* 14. <http://dx.doi.org/10.3390/md14100179>.
- Gasparini, G; Kosvintsev, SR; Stillwell, MT; Holdich, RG. (2008). Preparation and characterization of PLGA particles for subcutaneous controlled drug release by membrane emulsification. *Colloids Surf B Biointerfaces* 61: 199-207. <http://dx.doi.org/10.1016/j.colsurfb.2007.08.011>.
- Gass, IA; Tewary, S; Rajaraman, G; Asadi, M; Lupton, DW; Moubaraki, B; Chastanet, G; Létard, JF; Murray, KS. (2014). Solvate-dependent spin crossover and exchange in cobalt(II) oxazolidine nitroxide chelates. *Inorg Chem* 53: 5055-5066. <http://dx.doi.org/10.1021/ic5001057>.
- Gatellier, P; Santé-Lhoutellier, V; Portanguen, S; Kondjoyan, A. (2009). Use of meat fluorescence emission as a marker of oxidation promoted by cooking. *Meat Science* 83: 651-656. <http://dx.doi.org/10.1016/j.meatsci.2009.07.015>.
- Gaul, S; Vetter, W. (2009). Production of mixed halogenated congeners of the natural product heptachloro-1'-methyl-1,2'-bipyrrrole (Q1) by photolysis in the presence of bromine. *J Chromatogr A* 1216: 6433-6440. <http://dx.doi.org/10.1016/j.chroma.2009.07.033>.
- Gaulier, JM; Maublanc, J; Lamballais, F; Bargel, S; Lachâtre, G. (2012). LSD in pubic hair in a fatality. *Forensic Sci Int* 218: 25-27. <http://dx.doi.org/10.1016/j.forsciint.2011.10.021>.
- Gauthier, S; Feldman, HH; Schneider, LS; Wilcock, GK; Frisoni, GB; Hardlund, JH; Moebius, HJ; Bentham, P; Kook, KA; Wischik, DJ; Schelter, BO; Davis, CS; Staff, RT; Bracoud, L; Shamsi, K; Storey, JM; Harrington, CR; Wischik, CM. (2016). Efficacy and safety of tau-aggregation inhibitor therapy in patients with mild or moderate Alzheimer's disease: a randomised, controlled, double-blind, parallel-arm, phase 3 trial. *Lancet* 388: 2873-2884. [http://dx.doi.org/10.1016/S0140-6736\(16\)31275-2](http://dx.doi.org/10.1016/S0140-6736(16)31275-2).
- Ge, JY; Cui, L; Li, J; Yu, F; Song, Y; Zhang, YQ; Zuo, JL; Kurmoo, M. (2017). Modulating Single-Molecule Magnetic Behavior of a Dinuclear Erbium(III) Complex by Solvent Exchange. *Inorg Chem* 56: 336-343. <http://dx.doi.org/10.1021/acs.inorgchem.6b02243>.
- Ge, YQ; Gong, XY; Song, GJ; Cao, XQ; Wang, JW. (2015). The synthesis, characterization and optical properties of novel 2-acyl 6-arylindolizines. *Spectrochim Acta A Mol Biomol Spectrosc* 135: 7-13. <http://dx.doi.org/10.1016/j.saa.2014.06.146>.
- Ge, YQ; Jia, J; Wang, T; Sun, HW; Duan, GY; Wang, JW. (2014). The synthesis, characterization and optical properties of novel 5-(3-aryl-1H-pyrazol-5-yl)-2-(3-butyl-1-chloroimidazo[1,5-a]pyridin-7-yl)-1,3,4-oxadiazole. *Spectrochim Acta A Mol Biomol Spectrosc* 123: 336-341. <http://dx.doi.org/10.1016/j.saa.2013.12.016>.
- Ge, YQ; Li, FR; Zhang, YJ; Bi, YS; Cao, XQ; Duan, GY; Wang, JW; Liu, ZL. (2014). Synthesis, crystal structure, optical properties and antibacterial evaluation of novel imidazo[1, 5-a]pyridine derivatives bearing a hydrazone moiety. *Luminescence* 29: 293-300. <http://dx.doi.org/10.1002/bio.2547>.
- Geiselhardt, S; Otte, T; Hilker, M. (2009). The Role of Cuticular Hydrocarbons in Male Mating Behavior of the Mustard Leaf Beetle, *Phaedon cochleariae* (F.). *J Chem Ecol* 35: 1162-1171. <http://dx.doi.org/10.1007/s10886-009-9704-7>.
- Geleta, B; Makonnen, E; Debellia, A; Abebe, A; Fekadu, N. (2016). In vitro vasodilatory activity and possible mechanisms of the crude extracts and fractions of *Moringa stenopetala* (Baker f.) Cufod. leaves in isolated thoracic aorta of guinea pigs. 8: 35-42. <http://dx.doi.org/10.2147/JEP.S117545>.
- Gemma, M; Piccioni, LO; Gioia, L; Beretta, L; Bussi, M. (2009). Ropivacaine peritonsillar infiltration for analgesia after adenotonsillectomy in children: a randomized, double-blind, placebo-controlled study. *Ann Otol Rhinol Laryngol* 118: 227-231.
- Genest, S; Kerr, C; Shah, A; Rahman, MM; Saif-E-Naser, GMM; Nigam, P; Nahar, L; Sarker, SD. (2008). Comparative bioactivity studies on two *Mimosa* species. 7: 38-43.
- Geng, TM; Wang, X; Jiang, H; Song, W; Ni, RF; Chen, J; Wang, Y. (2016). Fluorescent Polyamide-Based Rhodamine Hydrazone Moieties with Oxethyl as Spacer for Detection of Cr(3+), Fe(3+), and Hg(2+) Ions in Water. *J Fluoresc* 26: 977-985. <http://dx.doi.org/10.1007/s10895-016-1785-4>.
- Geng, Y; Yuan, W; Wu, F; Chen, J; He, M; Jin, T. (2008). Formulating erythropoietin-loaded sustained-release PLGA microspheres without protein aggregation. *J Control Release* 130: 259-265. <http://dx.doi.org/10.1016/j.jconrel.2008.06.011>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- George, R; Lobb, M; Haywood, A; Khan, S; Hardy, J; Good, P; Hennig, S; Norris, R. (2016). Quantitative determination of the enantiomers of methadone in human plasma and saliva by chiral column chromatography coupled with mass spectrometric detection. *Talanta* 149: 142-148. <http://dx.doi.org/10.1016/j.talanta.2015.11.044>.
- Gervais, G; Brosillon, S; Laplanche, A; Helen, C. (2008). Ultra-pressure liquid chromatography-electrospray tandem mass spectrometry for multiresidue determination of pesticides in water. *J Chromatogr A* 1202: 163-172. <http://dx.doi.org/10.1016/j.chroma.2008.07.006>.



## Human Health Hazard Literature Search Results

### Off Topic

- Ghanadian, M; Saeidi, H; Aghaei, M; Rahiminejad, MR; Ahmadi, E; Ayatollahi, SM; Choudhary, MI; Bahmani, B. (2015). New jatrophone diterpenes from *Euphorbia osyridea* with proapoptotic effects on ovarian cancer cells. *Phytochemistry Letters* 12: 302-307. <http://dx.doi.org/10.1016/j.phytol.2015.04.011>.
- Ghanem, A; Aboul-Enein, MN; El-Azzouny, A; El-Behairy, MF. (2009). Solvent Versatility of Immobilized Amylose and Cellulose-Based Chiral Stationary Phases in Enantioselective LC Separation and Monitoring of Bio-Catalyzed Resolutions of Acidic Drugs in Non-Standard Organic Solvents. *Chromatographia* 70: 349-363. <http://dx.doi.org/10.1365/s10337-009-1201-1>.
- Ghanem, A; Bados, P; Perreau, F; Benabdallah, R; Plagellat, C; de Alencastro, LF; Einhorn, J. (2008). Multiresidue analysis of atrazine, diuron and their degradation products in sewage sludge by liquid chromatography tandem mass spectrometry. *Anal Bioanal Chem* 391: 345-352. <http://dx.doi.org/10.1007/s00216-008-2007-y>.
- Ghareib, SA; El-Bassossy, HM; Elberry, AA; Azhar, A; Watson, ML; Banjar, ZM. (2015). 6-Gingerol alleviates exaggerated vasoconstriction in diabetic rat aorta through direct vasodilation and nitric oxide generation. *Drug Design, Development and Therapy* 9: 6019-6026. <http://dx.doi.org/10.2147/DDDT.S94346>.
- Ghareib, SA; El-Bassossy, HM; Elberry, AA; Azhar, A; Watson, ML; Banjar, ZM; Alahdal, AM. (2016). Protective effect of zingerone on increased vascular contractility in diabetic rat aorta. *Eur J Pharmacol* 780: 174-179. <http://dx.doi.org/10.1016/j.ejphar.2016.03.046>.
- Ghembaza, N; Belyagoubi-Benhammou, N; Atik Bekkara, F. (2016). Separation and identification of bioactive compounds in *Anabasis articulata* (Forsk) Moq. roots. *Nat Prod Res* 30: 857-859. <http://dx.doi.org/10.1080/14786419.2015.1065490>.
- Ghirotti, M; Chiorboli, C; You, CC; Würthner, F; Scandola, F. (2008). Photoinduced energy and electron-transfer processes in porphyrin-perylene bisimide symmetric triads. *J Phys Chem A* 112: 3376-3385. <http://dx.doi.org/10.1021/jp7109516>.
- Ghoghari, A; Dash, R; Bhatt, C; Singh, K; Jha, A; Patel, H; Gupta, R; Kansagra, K; Srinivas, NR. (2016). Quantitative determination of saroglitazar, a predominantly PPAR alpha agonist, in human plasma by a LC-MS/MS method utilizing electrospray ionization in a positive mode. *Biomed Chromatogr* 30: 1900-1907. <http://dx.doi.org/10.1002/bmc.3760>.
- Ghorbal, SK; Chatti, A; Sethom, MM; Maalej, L; Mihoub, M; Kefacha, S; Feki, M; Landoulsi, A; Hassen, A. (2013). Changes in membrane fatty acid composition of *Pseudomonas aeruginosa* in response to UV-C radiations. *Curr Microbiol* 67: 112-117. <http://dx.doi.org/10.1007/s00284-013-0342-5>.
- Ghosh, M; Biswas, P; Flörke, U; Nag, K. (2008). Halogen exchange and scrambling between C-X and M-X' bonds in copper, nickel, and cobalt complexes of 6,6'-bis(bromo/chloromethyl)-2,2'-bipyridine. structural, electrochemical, and photochemical studies. *Inorg Chem* 47: 281-296. <http://dx.doi.org/10.1021/ic7014786>.
- Ghosh, R; Hageman, KJ; Björklund, E. (2011). Selective pressurized liquid extraction of three classes of halogenated contaminants in fish. *J Chromatogr A* 1218: 7242-7247. <http://dx.doi.org/10.1016/j.chroma.2011.08.052>.
- Ghosh, S; Das Mahapatra, R; Dey, J. (2014). Thermoreversible as well as thermoirreversible organogel formation by L-cysteine-based amphiphiles with poly(ethylene glycol) tail. *Langmuir* 30: 1677-1685. <http://dx.doi.org/10.1021/la404258v>.
- Ghosh, SK; Ojeda, AS; Guerrero-Leal, J; Bhuvanesh, N; Gladysz, JA. (2013). New media for classical coordination chemistry: phase transfer of Werner and related polycations into highly nonpolar fluoruous solvents. *Inorg Chem* 52: 9369-9378. <http://dx.doi.org/10.1021/ic400945u>.
- Gi, M; Fujioka, M; Yamano, S; Shimomura, E; Ishii, N; Kakehashi, A; Takeshita, M; Wanibuchi, H. (2015). Determination of hepatotoxicity and its underlying metabolic basis of 1,2-dichloropropane in male Syrian hamsters and B6C3F1 mice. *Toxicol Sci* 145: 196-208. <http://dx.doi.org/10.1093/toxsci/kfv045>.
- Gi, M; Fujioka, M; Yamano, S; Shimomura, E; Kanki, M; Kawachi, S; Tachibana, H; Tatsumi, K; Fang, H; Ishii, N; Kakehashi, A; Wanibuchi, H. (2015). Modifying effects of 1,2-dichloropropane on N-nitrosobis(2-oxopropyl)amine-induced cholangiocarcinogenesis in male Syrian hamsters. *J Toxicol Sci* 40: 647-656. <http://dx.doi.org/10.2131/jts.40.647>.
- Giansante, C; Ceroni, P; Venturi, M; Sakamoto, J; Schlüter, AD. (2009). A chemical system that mimics decoding operations. *Chemphyschem* 10: 495-498. <http://dx.doi.org/10.1002/cphc.200800793>.
- Gidden, J; Denson, J; Liyanage, R; Ivey, DM; Lay, JO. (2009). Lipid Compositions in *Escherichia coli* and *Bacillus subtilis* During Growth as Determined by MALDI-TOF and TOF/TOF Mass Spectrometry. *Int J Mass Spectrom* 283: 178-184. <http://dx.doi.org/10.1016/j.ijms.2009.03.005>.
- Gil, B; Cooke, GA; Nolan, D; Ó Máille, GM; Varughese, S; Wang, L; Draper, SM. (2011). A dinuclear extension to constrained heteroleptic Cu(I) systems. *Dalton Transactions (Online)* 40: 8320-8327. <http://dx.doi.org/10.1039/c1dt10275c>.
- Gilbert, DL; Isaacs, KM; Augusta, M; Macneil, LK; Mostofsky, SH. (2011). Motor cortex inhibition: a marker of ADHD behavior and motor development in children. *Neurology* 76: 615-621. <http://dx.doi.org/10.1212/WNL.0b013e31820c2ebd>.
- Gilchrist, SE; Letchford, K; Burt, HM. (2012). The solid-state characterization of fusidic acid. *Int J Pharm* 422: 245-253. <http://dx.doi.org/10.1016/j.ijpharm.2011.11.005>.
- Gingras, M; Placide, V; Raimundo, JM; Bergamini, G; Ceroni, P; Balzani, V. (2008). Polysulfurated Pyrene-Cored Dendrimers: Luminescent and Electrochromic Properties. *Chemistry* 14: 10357-10363. <http://dx.doi.org/10.1002/chem.200801198>.
- Ginovska, B; Autrey, T, om; Parab, K; Bowden, ME; Potter, RG; Camaioni, DM. (2015). Heterolysis of H-2 Across a Classical Lewis Pair, 2,6-LutidineBCl(3): Synthesis, Characterization, and Mechanism. *Chemistry* 21: 15713-15719. <http://dx.doi.org/10.1002/chem.201501899>.
- Giorgi, M; Meizler, A; Mills, PC. (2012). Quantification of tapentadol in canine plasma by HPLC with spectrofluorimetric detection: development and validation of a new methodology. *J Pharm Biomed Anal* 67-68: 148-153. <http://dx.doi.org/10.1016/j.jpba.2012.04.020>.
- Giraldo, SE; Rincon, J; Guerrero, MF; Lopez, I; Jimenez, IA; Marder, M; Wasowski, C; Vergel, NE. (2013). Valepotriate Hydrines Isolated from an Anticonvulsant Fraction of *Valeriana pavnii* Poepp. & Endl. *Lat Am J Pharm* 32: 1224-1230.

## Human Health Hazard Literature Search Results

### Off Topic

- Giraudet, S; Pr e, P; Le Cloirec, P. (2009). Modeling the heat and mass transfers in temperature-swing adsorption of volatile organic compounds onto activated carbons. *Environ Sci Technol* 43: 1173-1179. <http://dx.doi.org/10.1021/es801494a>.
- Giri, NG; Chauhan, SM. (2009). Spectroscopic and spectrometric studies of anion recognition with calix[4]pyrroles in different reaction conditions. *Spectrochim Acta A Mol Biomol Spectrosc* 74: 297-304. <http://dx.doi.org/10.1016/j.saa.2009.06.019>.
- Giurgescu, C; Zenk, SN; Templin, TN; Engeland, CG; Kavanaugh, K; Misra, DP. (2016). The Impact of Neighborhood Conditions and Psychological Distress on Preterm Birth in African-American Women. *Public Health Nursing*. <http://dx.doi.org/10.1111/phn.12305>.
- Giustarini, D; Dalle-Donne, I; Milzani, A; Fanti, P; Rossi, R. (2013). Analysis of GSH and GSSG after derivatization with N-ethylmaleimide. *Nat Protoc* 8: 1660-1669. <http://dx.doi.org/10.1038/nprot.2013.095>.
- Giustino, A; Cagiano, R; Carratu, MR; Cassano, T; Tattoli, M; Cuomo, V. (1999). Prenatal exposure to low concentrations of carbon monoxide alters habituation and non-spatial working memory in rat offspring. *Brain Res* 844: 201-205. [http://dx.doi.org/10.1016/S0006-8993\(99\)01832-6](http://dx.doi.org/10.1016/S0006-8993(99)01832-6).
- Gkinis, G; Ioannou, E; Quesada, A; Vagias, C; Tzakou, O; Roussis, V. (2008). Parnapimarol and nepetaparnone from *Nepeta parnassica*. *J Nat Prod* 71: 926-928. <http://dx.doi.org/10.1021/np800043b>.
- Gkinis, G; Michaelakis, A; Koliopoulos, G; Ioannou, E; Tzakou, O; Roussis, V. (2014). Evaluation of the repellent effects of *Nepeta parnassica* extract, essential oil, and its major nepetalactone metabolite against mosquitoes. *Parasitol Res* 113: 1127-1134. <http://dx.doi.org/10.1007/s00436-013-3750-3>.
- Glavnik, V; Vovk, I; Albrecht, A. (2017). High performance thin-layer chromatography-mass spectrometry of Japanese knotweed flavan-3-ols and proanthocyanidins on silica gel plates. *J Chromatogr A* 1482: 97-108. <http://dx.doi.org/10.1016/j.chroma.2016.12.059>.
- Glotzbach, C; G odeke, N; Fr ohlich, R; Daniliuc, CG; Saito, S; Yamaguchi, S; W urthwein, EU. (2015). Fluorescent benzene-centered mono-, bis- and tris-triazapentadiene-boron complexes. *Dalton Transactions (Online)* 44: 9659-9671. <http://dx.doi.org/10.1039/c5dt00908a>.
- Glowacki, DR; Rose, RA; Greaves, SJ; Orr-Ewing, AJ; Harvey, JN. (2011). Ultrafast energy flow in the wake of solution-phase bimolecular reactions. *Nature Chemistry* 3: 850-855. <http://dx.doi.org/10.1038/nchem.1154>.
- G lowka, FK; Kosicka, K; Kara zniewicz-Łada, M. (2010). HPLC method for determination of fluorescence derivatives of cortisol, cortisone and their tetrahydro- and allo-tetrahydro-metabolites in biological fluids. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 283-289. <http://dx.doi.org/10.1016/j.jchromb.2009.11.016>.
- G lowka, FK; Roma nski, M; Te zyk, A; Zaba, C; Wr obel, T. (2012). HPLC method for determination of biologically active epoxy-transformers of treosulfan in human plasma: pharmacokinetic application. *J Pharm Biomed Anal* 62: 105-113. <http://dx.doi.org/10.1016/j.jpba.2011.12.021>.
- Gnabre, J; Unlu, I; Chang, TC; Lisseck, P; Bourne, B; Scolnik, R; Jacobsen, NE; Bates, R; Huang, RC. (2010). Isolation of lignans from *Schisandra chinensis* with anti-proliferative activity in human colorectal carcinoma: Structure-activity relationships. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2693-2700. <http://dx.doi.org/10.1016/j.jchromb.2010.08.005>.
- Gobbi, E; Elliot, C; Varnier, M; Carraro, A. (2016). Psychometric Properties of the Physical Activity Questionnaire for Older Children in Italy: Testing the Validity among a General and Clinical Pediatric Population. *PLoS ONE* 11: e0156354. <http://dx.doi.org/10.1371/journal.pone.0156354>.
- Gobert De Paepe, E; Munteanu, G; Schischmanoff, PO; Porquet, D. (2008). [Haemolysis and turbidity influence on three analysis methods of quantitative determination of total and conjugated bilirubin on ADVIA 1650]. *Ann Biol Clin (Paris)* 66: 175-182. <http://dx.doi.org/10.1684/abc.2008.0198>.
- Goh, SH; Alitheen, NB; Yusoff, FM; Yap, SK; Loh, SP. (2014). Crude ethyl acetate extract of marine microalga, *Chaetoceros calcitrans*, induces Apoptosis in MDA-MB-231 breast cancer cells. *Pharmacognosy Magazine* 10: 1-8. <http://dx.doi.org/10.4103/0973-1296.126650>.
- G okbulut, A; Kaiser, M; Brun, R; Sarer, E; Schmidt, TJ. (2012). 9 -hydroxyparthenolide esters from *Inula montbretiana* and their antiprotozoal activity. *Planta Med* 78: 225-229. <http://dx.doi.org/10.1055/s-0031-1280371>.
- Goldberg, AA; Titorenko, VI; Beach, A; Abdelbaqi, K; Safe, S; Sanderson, JT. (2014). Ring-substituted analogs of 3,3'-diindolylmethane (DIM) induce apoptosis and necrosis in androgen-dependent and -independent prostate cancer cells. *Invest New Drugs* 32: 25-36. <http://dx.doi.org/10.1007/s10637-013-9979-y>.
- Goldstein, J, ayA; Gurge, RM. (2008). Casereports: Treatment of hyperkeratosis with kerafoam emollient foam (30% urea) to assess effectiveness and safety within a clinical setting: A case study report. *J Drugs Dermatol* 7: 159-162.
- Goldwirt, L; Barrail-Tran, A; Da Cruz, M; Taburet, AM; Furlan, V. (2010). Quantification of raltegravir (MK0518) in human plasma by high-performance liquid chromatography with photodiode array detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 456-460. <http://dx.doi.org/10.1016/j.jchromb.2009.10.029>.
- Go eblowski, M; Bogu s, MI; Paszkiewicz, M; Stepnowski, P. (2010). The composition of the free fatty acids from *Dendrolimus pini* exuviae. *J Insect Physiol* 56: 391-397. <http://dx.doi.org/10.1016/j.jinsphys.2009.11.009>.
- Go eblowski, M; Dawgul, M; Kamysz, W; Bogu s, MI; Wieloch, W; W l oka, E; Paszkiewicz, M; Przybysz, E; Stepnowski, P. (2012). Antimicrobial activity of alcohols from *Musca domestica*. *J Exp Biol* 215: 3419-3428. <http://dx.doi.org/10.1242/jeb.073155>.
- Golnak, R; Xiao, J; Pohl, M; Schwanke, C; Neubauer, A; Lange, KM; Atak, K; Aziz, EF. (2016). Influence of the Outer Ligands on Metal-to-Ligand Charge Transfer in Solvated Manganese Porphyrins. *Inorg Chem* 55: 22-28. <http://dx.doi.org/10.1021/acs.inorgchem.5b01585>.
- Golshan, A; Amini, E; Emami, SA; Asili, J; Jalali, Z; Sabouri-Rad, S; Sanjar-Mousavi, N; Tayarani-Najaran, Z. (2016). Cytotoxic evaluation of different fractions of *Salvia chorassanica* Bunge on MCF-7 and DU 145 cell lines. *11: 73-80*.

## Human Health Hazard Literature Search Results

### Off Topic

- Golub, IE; Filippov, OA; Belkova, NV; Epstein, LM; Rossin, A; Peruzzini, M; Shubina, ES. (2016). Two pathways of proton transfer reaction to (triphos)Cu(eta(1)-BH4) via a dihydrogen bond [triphos=1,1,1-tris(diphenylphosphinomethyl)ethane]. *Dalton Trans* 45: 9127-9135. <http://dx.doi.org/10.1039/c6dt01104g>.
- Gómez, MR. (1996). Exposure determinants needed to improve the assessment of exposure [Letter]. *Am J Ind Med* 29: 569-570. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<569::AID-AJIM18>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<569::AID-AJIM18>3.0.CO;2-Z).
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gómez-Betancur, I; Benjumea, D; Patiño, A; Jiménez, N; Osorio, E. (2014). Inhibition of the toxic effects of *Bothrops asper* venom by pinostrobin, a flavanone isolated from *Renalemia alpinia* (Rottb.) MAAS. *J Ethnopharmacol* 155: 1609-1615. <http://dx.doi.org/10.1016/j.jep.2014.08.002>.
- Gómez-Betancur, I; Cortés, N; Benjumea, D; Osorio, E; León, F; Cutler, SJ. (2015). Antinociceptive activity of extracts and secondary metabolites from wild growing and micropropagated plants of *Renalemia alpinia*. *J Ethnopharmacol* 165: 191-197. <http://dx.doi.org/10.1016/j.jep.2015.02.012>.
- Gómez-Canela, C; Lacorte, S. (2016). Comprehensive characterization of anticoagulant rodenticides in sludge by liquid chromatography-tandem mass spectrometry. *Environ Sci Pollut Res Int* 23: 15739-15748. <http://dx.doi.org/10.1007/s11356-016-6743-9>.
- Gómez-Canela, C; Vázquez-Chica, A; Lacorte, S. (2014). Comprehensive characterization of rodenticides in wastewater by liquid chromatography-tandem mass spectrometry. *Anal Bioanal Chem* 406: 345-358. <http://dx.doi.org/10.1007/s00216-013-7449-1>.
- Gómez-Gaete, C; Bustos, GL; Godoy, RR; Saez, CK; Novoa, GP; Fernández, EM; Tsapis, N; Fattal, E. (2013). Successful factorial design for the optimization of methylprednisolone encapsulation in biodegradable nanoparticles. *Drug Dev Ind Pharm* 39: 310-320. <http://dx.doi.org/10.3109/03639045.2012.676049>.
- Gómez-González, S; Ruiz-Jiménez, J; Priego-Capote, F; Luque de Castro, MD. (2010). Qualitative and Quantitative Sugar Profiling in Olive Fruits, Leaves, and Stems by Gas Chromatography-Tandem Mass Spectrometry (GC-MS/MS) after Ultrasound-Assisted Leaching. *J Agric Food Chem* 58: 12292-12299. <http://dx.doi.org/10.1021/jf102350s>.
- Gomig, F; Pietrowski, EF; Guedes, A; Dalmarco, EM; Calderari, MT; Guimarães, CL; Pinheiro, RM; Cabrini, DA; Otuki, MF. (2008). Topical anti-inflammatory activity of *Serjania erecta* Radlk (Sapindaceae) extracts. *J Ethnopharmacol* 118: 220-224. <http://dx.doi.org/10.1016/j.jep.2008.03.017>.
- Gonçalves, AP; Ogliari, A; Jardim, P; Moraes, RR. (2013). Chemical cleaning agents and bonding to glass-fiber posts. *Brazilian Oral Research* 27: 70-72.
- Gonçalves, IS; Lopes, AD; Amarante, TR; Almeida Paz, FA; Silva, NJ; Pillinger, M; Gago, S; Palacio, F; Kühn, FE; Romão, CC. (2009). Heterometallic complexes involving iron(II) and rhenium(VII) centers connected by mu-oxido bridges. *Dalton Transactions (Online)*10199-10207. <http://dx.doi.org/10.1039/b913687h>.
- Gonçalves, RM; Lemos, CO; Leal, IC; Nakamura, CV; Cortez, DA; da Silva, EA; Cabral, VF; Cardozo-Filho, L. (2013). Comparing conventional and supercritical extraction of (-)-mammea A/BB and the antioxidant activity of *Calophyllum brasiliense* extracts. *Molecules* 18: 6215-6229. <http://dx.doi.org/10.3390/molecules18066215>.
- Gong, L; Chen, Z; Lin, Y; He, X; Wen, TB; Xu, X; Xia, H. (2009). Osmabenzenes from osmacycles containing an eta2-coordinated olefin. *Chemistry* 15: 6258-6266. <http://dx.doi.org/10.1002/chem.200900214>.
- Gong, ZL; Zhong, YW. (2016). H2PO4(-) and Solvent-Induced Polymorphism of an Amide-Functionalized [Pt(N^C^N)Cl] Complex. *Inorg Chem* 55: 10143-10151. <http://dx.doi.org/10.1021/acs.inorgchem.6b01059>.
- Gonzales, FP; da Silva, SH; Roberts, DW; Braga, GU. (2010). Photodynamic inactivation of conidia of the fungi *Metarhizium anisopliae* and *Aspergillus nidulans* with methylene blue and toluidine blue. *Photochem Photobiol* 86: 653-661. <http://dx.doi.org/10.1111/j.1751-1097.2009.00689.x>.
- Gonzalez, B; Vogel, H; Razmilic, I; San Martin, J; Doll, U. (2012). Biomass, resin and essential oil content and their variability in natural populations of the Chilean crude drug "bailahuen" (*Haplopappus* spp.). 11: 66-73.
- Gonzalez, C; Kavooosi, S; Sanchez, A; Wnuk, SF. (2016). Reduction of sugar lactones to hemiacetals with lithium triethylborohydride. *Carbohydr Res* 432: 17-22. <http://dx.doi.org/10.1016/j.carres.2016.06.002>.
- González-Antuña, A; Rodríguez-González, P; Lavandera, I; Centineo, G; Gotor, V; García Alonso, JI. (2012). Development of a routine method for the simultaneous confirmation and determination of clenbuterol in urine by minimal labeling isotope pattern deconvolution and GC-El-MS. *Anal Bioanal Chem* 402: 1879-1888. <http://dx.doi.org/10.1007/s00216-011-5611-1>.
- González-Cortazar, M; Herrera-Ruiz, M; Zamilpa, A; Jiménez-Ferrer, E; Marquina, S; Alvarez, L; Tortoriello, J. (2014). Anti-inflammatory activity and chemical profile of *Galphimia glauca*. *Planta Med* 80: 90-96. <http://dx.doi.org/10.1055/s-0033-1360150>.
- González-Dominguez, R; García-Barrera, T; Gómez-Ariza, JL. (2012). Iberian ham typification by direct infusion electrospray and photospray ionization mass spectrometry fingerprinting. *Rapid Commun Mass Spectrom* 26: 835-844. <http://dx.doi.org/10.1002/rcm.6155>.
- González-Gago, A; Marchante-Gayón, JM; Ferrero, M; Garcia Alonso, JI. (2010). Synthesis of 81Br-labeled polybrominated diphenyl ethers and their characterization using GC(El)MS and GC(ICP)MS. *Anal Chem* 82: 2879-2887. <http://dx.doi.org/10.1021/ac902889u>.
- González-Hernández, I; Ruiz-Olmedo, MI; Cárdenas, G; Jung-Cook, H. (2012). A simple LC-MS/MS method to determine plasma and cerebrospinal fluid levels of albendazole metabolites (albendazole sulfoxide and albendazole sulfone) in patients with neurocysticercosis. *Biomed Chromatogr* 26: 267-272. <http://dx.doi.org/10.1002/bmc.1659>.
- Goodman, DG; Maronpot, RR; Newberne, PM; Popp, JA; Squire, RA. (1994). Proliferative and selected other lesions in the liver of rats. Washington, DC: Society of Toxicologic Pathologists. <http://www.toxpath.org/ssdnc/LiverProliferativeRat.pdf>.

## Human Health Hazard Literature Search Results

### Off Topic

- Goodwin, JA; Coor, JL; Kavanagh, DF; Sabbagh, M; Howard, JW; Adamec, JR; Parmley, DJ; Tarsis, EM; Kurtikyan, TS; Hovhannisyanyan, AA; Desrochers, PJ; Standard, JM. (2008). Catalytic dioxygen activation by (nitro)(meso-tetrakis(2-n-methylpyridyl)porphyrinato)cobalt(III) cation derivatives electrostatically immobilized in nafion films: an experimental and DFT investigation. *Inorg Chem* 47: 7852-7862. <http://dx.doi.org/10.1021/ic8000762>.
- Gooty, AR; Katreddi, HR; S, RR; Hunnur, RK; Sharma, HK; Masani, NK. (2016). Simultaneous Determination of Genotoxic Impurities in Fudosteine Drugs by GC-MS. *J Chromatogr Sci* 54: 1277-1281. <http://dx.doi.org/10.1093/chromsci/bmw070>.
- Gopal Reddy, NB; Murali Krishna, P; Kottam, N. (2015). Novel metal-organic photocatalysts: synthesis, characterization and decomposition of organic dyes. *Spectrochim Acta A Mol Biomol Spectrosc* 137: 371-377. <http://dx.doi.org/10.1016/j.saa.2014.08.045>.
- Gordo, J; Máximo, P; Cabrita, E; Lourenço, A; Oliva, A; Almeida, J; Filipe, M; Cruz, P; Barcia, R; Santos, M; Cruz, H. (2012). *Thymus mastichina*: chemical constituents and their anti-cancer activity. *Natural Product Communications* 7: 1491-1494.
- Górecki, Ł; Berlicki, Ł; Mucha, A; Kafarski, P; Ślepokura, K; Rudzińska-Szostak, E. (2012). Phosphorylation as a method of tuning the enantiodiscrimination potency of quinine--an NMR study. *Chirality* 24: 318-328. <http://dx.doi.org/10.1002/chir.22000>.
- Gorges, TM; Stein, A; Quidde, J; Hauch, S; Röck, K; Riethdorf, S; Joosse, SA; Pantel, K. (2016). Improved Detection of Circulating Tumor Cells in Metastatic Colorectal Cancer by the Combination of the CellSearch® System and the AdnaTest®. *PLoS ONE* 11: e0155126. <http://dx.doi.org/10.1371/journal.pone.0155126>.
- Göring, B; Bräse, S; Luy, B. (2016). NMR Chemical Shift Ranges of Urine Metabolites in Various Organic Solvents. 6. <http://dx.doi.org/10.3390/metabo6030027>.
- Görner, H; Miskolczy, Z; Megyesi, M; Biczók, L. (2011). Photoreduction and ketone-sensitized reduction of alkaloids. *Photochem Photobiol* 87: 284-291. <http://dx.doi.org/10.1111/j.1751-1097.2010.00880.x>.
- Görner, H; Wolff, T. (2008). Lewis-acid-catalyzed Photodimerization of Coumarins and N-methyl-2-quinolone. *Photochem Photobiol* 84: 1224-1230. <http://dx.doi.org/10.1111/j.1751-1097.2008.00339.x>.
- Gorzalczy, S; López, P; Acevedo, C; Ferraro, G. (2011). Anti-inflammatory effect of *Lithrea molleoides* extracts and isolated active compounds. *J Ethnopharmacol* 133: 994-998. <http://dx.doi.org/10.1016/j.jep.2010.11.031>.
- Gorzalczy, S; Rosella, MA; Spegazzini, ED; Acevedo, C; Debenedetti, SL. (2009). Anti-inflammatory activity of *Heterotheca subaxillar* var. *latifolia* (Buckley) Gandhi & RD Thomas, Asteraceae. *Revista Brasileira de Farmacognosia* 19: 876-879.
- Goswami, T; Kumar, SK; Dutta, A; Goswami, D. (2009). Probing the ultrafast solution dynamics of a cyanine dye in an organic solvent interfaced with water. *J Phys Chem B* 113: 16332-16336. <http://dx.doi.org/10.1021/jp903753u>.
- Goucher, E; Kicman, A; Smith, N; Jickells, S. (2009). The detection and quantification of lorazepam and its 3-O-glucuronide in fingerprint deposits by LC-MS/MS. *J Sep Sci* 32: 2266-2272. <http://dx.doi.org/10.1002/jssc.200900097>.
- Goussous, SA; Casford, MT; Johnson, SA; Davies, PB. (2017). A structural and temporal study of the surfactants behenyltrimethylammonium methosulfate and behenyltrimethylammonium chloride adsorbed at air/water and air/glass interfaces using sum frequency generation spectroscopy. *J Colloid Interface Sci* 488: 365-372. <http://dx.doi.org/10.1016/j.jcis.2016.10.092>.
- Govinden-Soulang, J; Marie, D; Kauroo, S; Beesoo, R; Ramanjooloo, A. (2014). Antibacterial Properties of Marine Sponges from Mauritius Waters. *Tropical Journal of Pharmaceutical Research* 13: 249-254. <http://dx.doi.org/10.4314/tjpr.v13i2.13>.
- Göz, E; Karakeçili, A. (2016). Effect of emulsification-diffusion parameters on the formation of poly (3-hydroxybutyrate-co-3-hydroxyvalerate) particles. 44: 226-234. <http://dx.doi.org/10.3109/21691401.2014.937869>.
- Graça, VC; Barros, L; Calhelha, RC; Dias, MI; Carvalho, AM; Santos-Buelga, C; Ferreira, IC; Santos, PF. (2016). Chemical characterization and bioactive properties of *Geranium molle* L.: from the plant to the most active extract and its phytochemicals. 7: 2204-2212. <http://dx.doi.org/10.1039/c5fo01479d>.
- Graidist, P; Martla, M; Sukpondma, Y. (2015). Cytotoxic activity of *Piper cubeba* extract in breast cancer cell lines. *Nutrients* 7: 2707-2718. <http://dx.doi.org/10.3390/nu7042707>.
- Grandi, C; Martorina, F; Lora, S; Dalzoppo, D; Amistà, P; Sartore, L; Di Liddo, R; Conconi, MT; Parnigotto, PP. (2011). ECM-based triple layered scaffolds for vascular tissue engineering. *Int J Mol Med* 28: 947-952. <http://dx.doi.org/10.3892/ijmm.2011.776>.
- Grando, R; Antônio, MA; Araújo, CE; Soares, C; Medeiros, MA; de Carvalho, JE; Lourenço, AM; Lopes, LC. (2008). Antineoplastic 31-norcytoartanones from *Solanum cernuum* vell. *Z Naturforsch C Biosci* 63: 507-514.
- Granja, RH; Niño, AM; Rabone, F; Salerno, AG. (2008). A reliable high-performance liquid chromatography with ultraviolet detection for the determination of sulfonamides in honey. *Anal Chim Acta* 613: 116-119. <http://dx.doi.org/10.1016/j.aca.2008.02.048>.
- Grasso, P. (2002). *Essentials of pathology for toxicologists*. London: Taylor and Francis.
- Grecco, SS; Reimão, JQ; Tempone, AG; Sartorelli, P; Romoff, P; Ferreira, MJ; Fávero, OA; Lago, JH. (2010). Isolation of an antileishmanial and antitrypanosomal flavanone from the leaves of *Baccharis retusa* DC. (Asteraceae). *Parasitol Res* 106: 1245-1248. <http://dx.doi.org/10.1007/s00436-010-1771-8>.
- Gregory, KE; Bird, SS; Gross, VS; Marur, VR; Lazarev, AV; Walker, WA; Kristal, BS. (2013). Method development for fecal lipidomics profiling. *Anal Chem* 85: 1114-1123. <http://dx.doi.org/10.1021/ac303011k>.
- Gressler, V; Fujii, MT; Colepicolo, P, io; Pinto, E. (2012). Characterization of volatile composition of *Laurencia dendroidea* by gas chromatography-mass spectrometry. *Revista Brasileira de Farmacognosia* 22: 805-812. <http://dx.doi.org/10.1590/S0102-695X2012005000069>.
- Grice, ID; Rogers, KL; Griffiths, LR. (2011). Isolation of Bioactive Compounds That Relate to the Anti-Platelet Activity of *Cymbopogon ambiguus*. *eCAM* 2011: 467134. <http://dx.doi.org/10.1093/ecam/nep213>.

## Human Health Hazard Literature Search Results

### Off Topic

- Gridling, M; Stark, N; Madlener, S; Lackner, A; Popescu, R; Benedek, B; Diaz, R; Tut, FM; Nha Vo, TP; Huber, D; Gollinger, M; Saiko, P; Ozmen, A; Mosgoeller, W; De Martin, R; Eytner, R; Wagner, KH; Grusch, M; Fritzer-Szekeres, M; Szekeres, T; Kopp, B; Frisch, R; Krupitza, G. (2009). In vitro anti-cancer activity of two ethno-pharmacological healing plants from Guatemala *Pluchea odorata* and *Phlebodium decumanum*. *Int J Oncol* 34: 1117-1128.
- Grimmett, PE; Munch, JW. (2009). Method development for the analysis of 1,4-dioxane in drinking water using solid-phase extraction and gas chromatography-mass spectrometry. *J Chromatogr Sci* 47: 31-39.
- Groppa, F; Coin, A; De Rosa, G; Granziera, S; Alexopoulos, C; Pamio, MV; Padriani, R. (2016). Monitoring Plasma Levels of Donepezil, 5-O-Desmethyl-Donepezil, 6-O-Desmethyl-Donepezil, and Donepezil-N-Oxide by a Novel HPLC Method in Patients With Alzheimer Disease. *Ther Drug Monit* 38: 108-113. <http://dx.doi.org/10.1097/FTD.0000000000000246>.
- Gros, E; Al-Mourabit, A; Martin, MT; Sorres, J; Vacelet, J; Frederich, M; Aknin, M; Kashman, Y; Gauvin-Bialecki, A. (2014). Netamines H-N, tricyclic alkaloids from the marine sponge *Biemna laboutei* and their antimalarial activity. *J Nat Prod* 77: 818-823. <http://dx.doi.org/10.1021/np4009283>.
- Gross, DE; Schmidtchen, FP; Antonius, W; Gale, PA; Lynch, VM; Sessler, JL. (2008). Cooperative binding of calix[4]pyrrole-anion complexes and alkylammonium cations in halogenated solvents. *Chemistry* 14: 7822-7827. <http://dx.doi.org/10.1002/chem.200800899>.
- Grosterm, A; Duhamel, M; Dworatzek, S; Edwards, EA. (2010). Chloroform respiration to dichloromethane by a *Dehalobacter* population. *Environ Microbiol* 12: 1053-1060. <http://dx.doi.org/10.1111/j.1462-2920.2009.02150.x>.
- Gruca, M; Yu, W; Amoateng, P; Nielsen, MA; Poulsen, TB; Balslev, H. (2015). Ethnomedicinal survey and in vitro anti-plasmodial activity of the palm *Borassus aethiopicum* Mart. *J Ethnopharmacol* 175: 356-369. <http://dx.doi.org/10.1016/j.jep.2015.09.010>.
- Gu, B; Huang, L; Mi, N; Yin, P; Zhang, Y; Tu, X; Luo, X; Luo, S; Yao, S. (2015). An ES IPT-based fluorescent probe for highly selective and ratiometric detection of mercury(II) in solution and in cells. *Analyst* 140: 2778-2784. <http://dx.doi.org/10.1039/c5an00273g>.
- Gu, L; Liu, R; Shi, H; Wang, Q; Song, G; Zhu, X; Yuan, S; Zhu, H. (2016). Synthesis, Luminescent Properties of aza-Boron-Diquinomethene Difluoride Complexes and Their Application for Fluorescent Security Inks. *J Fluoresc* 26: 407-412. <http://dx.doi.org/10.1007/s10895-015-1727-6>.
- Gu, SY; Li, YQ; Liu, CQ; Yang, XQ; Li, L; Ma, SJ; Yang, GH. (2008). [Detecting nicotine and its metabolite cotinine in human hair with capillary gas chromatography]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 39: 133-136.
- Gu, X; Zhang, Z; Wan, X; Ning, J; Yao, C; Shao, W. (2009). Simultaneous Distillation Extraction of Some Volatile Flavor Components from Pu-erh Tea Samples-Comparison with Steam Distillation-Liquid/Liquid Extraction and Soxhlet Extraction. *International Journal of Analytical Chemistry* 2009: 276713. <http://dx.doi.org/10.1155/2009/276713>.
- Gu, ZY; Zhang, JX; Xing, GW. (2012). N-acetyl-5-N,4-O-oxazolidinone-protected sialyl sulfoxide: an  $\alpha$ -selective sialyl donor with Tf2O/(Tol)2SO in dichloromethane. *Chem Asian J* 7: 1524-1528. <http://dx.doi.org/10.1002/asia.201200172>.
- Guan, J; Yang, J; Li, J; Li, X; Li, F. (2009). Determination of tenatoprazole enantiomers and their enantioselective pharmacokinetics in rats. *Chirality* 21: 613-618. <http://dx.doi.org/10.1002/chir.20657>.
- Guan, J; Zhang, C; Wang, Y; Guo, Y; Huang, P; Zhao, L. (2016). Simultaneous determination of 12 pharmaceuticals in water samples by ultrasound-assisted dispersive liquid-liquid microextraction coupled with ultra-high performance liquid chromatography with tandem mass spectrometry. *Anal Bioanal Chem* 408: 8099-8109. <http://dx.doi.org/10.1007/s00216-016-9913-1>.
- Gudro, I; Valeika, V; Sirvaitytė, J. (2014). Short term preservation of hide using vacuum: influence on properties of hide and of processed leather. *PLoS ONE* 9: e112783. <http://dx.doi.org/10.1371/journal.pone.0112783>.
- Guedes, EA; de Carvalho, CM; Ribeiro Junior, KA; Lisboa Ribeiro, TF; de Barros, LD; de Lima, MR; Prado Moura, F; Goulart Sant'ana, AE. (2014). Larvicidal Activity against *Aedes aegypti* and Molluscicidal Activity against *Biomphalaria glabrata* of Brazilian Marine Algae. *Journal of Parasitology Research* 2014: 501328. <http://dx.doi.org/10.1155/2014/501328>.
- Guedes, EAC; da Silva, TG; Aguiar, JS; de Barros, LD; Pinotti, LM; Sant'Ana, AEG. (2013). Cytotoxic activity of marine algae against cancerous cells. *Revista Brasileira de Farmacognosia* 23: 668-673. <http://dx.doi.org/10.1590/S0102-695X2013005000060>.
- Guerra, P; Eljarrat, E; Barceló, D. (2010). Simultaneous determination of hexabromocyclododecane, tetrabromobisphenol A, and related compounds in sewage sludge and sediment samples from Ebro River basin (Spain). *Anal Bioanal Chem* 397: 2817-2824. <http://dx.doi.org/10.1007/s00216-010-3670-3>.
- Guerrero, EI; Morán-Pinzón, JA; López-Pérez, JL; Olmedo, D; Gupta, MP. (2009). Vasorelaxant properties of acid and neutral fractions of *Dimerocostus strobilaceus* Kuntze used by Kuna Indians of Panama. *J Ethnopharmacol* 124: 159-161.
- Gujral, RS; Haque, SM; Shanker, P. (2009). A novel spectrophotometric method for the determination oxacillin sodium. *International Journal of Biomedical Science* 5: 373-379.
- Gułajski, L; Michrowska, A; Naroznik, J; Kaczmarska, Z; Rupnicki, L; Grela, K. (2008). A highly active aqueous olefin metathesis catalyst bearing a quaternary ammonium group. *ChemSusChem* 1: 103-109. <http://dx.doi.org/10.1002/cssc.200700111>.
- Gumprecht, J; Benroubi, M; Borzi, V; Kawamori, R; Shaban, J; Shah, S; Shestakova, M; Wenying, Y; Ligthelm, R; Valensi, P; Panel, ISGE. (2009). Intensification to biphasic insulin aspart 30/70 (BIAsp 30, NovoMix((R)) 30) can improve glycaemic control in patients treated with basal insulins: a subgroup analysis of the IMPROVE (TM) observational study. *Int J Clin Pract* 63: 966-972. <http://dx.doi.org/10.1111/j.1742-1241.2009.02064.x>.
- Gumprecht, J; Hansen, J, esB; Borzi, V. (2008). Improved glycemic control with NovoMix (R) 30 (BIAsp 30) in insulin-naive patients with type 2 diabetes: Subgroup analysis from the IMPROVE (TM) study. *Diabetes* 57: A577-A577.
- Gungor, S; Okyar, A; Erturk-Toker, S; Baktir, G; Ozsoy, Y. (2010). Ondansetron-loaded biodegradable microspheres as a nasal sustained delivery system: in vitro/in vivo studies. *15: 258-265*. <http://dx.doi.org/10.3109/10837450903148257>.

## Human Health Hazard Literature Search Results

### Off Topic

- Guo, C; Yu, C; Li, L; Wang, Y; Wang, S; Wang, W; Hu, H; Xu, S; Yu, L; Jiang, H; Zeng, S. (2012). Rapid determination of isocorydine in rat plasma and tissues using liquid chromatography--tandem mass spectrometry and its applications to pharmacokinetics and tissue distribution. *Xenobiotica* 42: 466-476. <http://dx.doi.org/10.3109/00498254.2011.640965>.
- Guo, D; Shi, Q; He, B; Yuan, X. (2011). Different solvents for the regeneration of the exhausted activated carbon used in the treatment of coking wastewater. *J Hazard Mater* 186: 1788-1793. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.068>.
- Guo, H; Zhang, P; Wang, J; Zheng, J. (2014). Determination of amitraz and its metabolites in whole blood using solid-phase extraction and liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 951-952: 89-95. <http://dx.doi.org/10.1016/j.jchromb.2014.01.027>.
- Guo, Q; Aly, A; Schein, O; Trexler, MM; Elisseeff, JH. (2012). Moxifloxacin in situ gelling microparticles-bioadhesive delivery system. 2: 66-71. <http://dx.doi.org/10.1016/j.rinphs.2012.09.002>.
- Guo, RZ; Wan, YJ; Wu, CJ; Zhang, Y; Huang, QH; Li, HX; Wang, X; Cao, ZH; Mao, YH; Shen, J; Xia, W; Li, YY; Xu, SQ. (2013). [Determination of volatile nitrosamines in urine through gas chromatography-mass spectrometry]. *Zhonghua Yufang Yixue Zazhi* 47: 270-273.
- Guo, S; Feng, B; Zhu, R; Ma, J; Wang, W. (2011). Preparative isolation of three anthraquinones from *Rumex japonicus* by high-speed counter-current chromatography. *Molecules* 16: 1201-1210. <http://dx.doi.org/10.3390/molecules16021201>.
- Guo, X; Mayr, H. (2013). Manifestation of polar reaction pathways of 2,3-dichloro-5,6-dicyano-p-benzoquinone. *J Am Chem Soc* 135: 12377-12387. <http://dx.doi.org/10.1021/ja405890d>.
- Guo, X; Zipse, H; Mayr, H. (2014). Mechanisms of hydride abstractions by quinones. *J Am Chem Soc* 136: 13863-13873. <http://dx.doi.org/10.1021/ja507598y>.
- Guo, Y; Lingala, SG; Zhu, Y; Lebel, RM; Nayak, KS. (2016). Direct estimation of tracer-kinetic parameter maps from highly undersampled brain dynamic contrast enhanced MRI. *Magn Reson Med*. <http://dx.doi.org/10.1002/mrm.26540>.
- Guo, Y; Zhang, Z; Kim, DH; Li, W; Nicolai, J; Procissi, D; Huan, Y; Han, G; Omary, RA; Larson, AC. (2013). Photothermal ablation of pancreatic cancer cells with hybrid iron-oxide core gold-shell nanoparticles. *International Journal of Nanomedicine (Online)* 8: 3437-3446. <http://dx.doi.org/10.2147/IJN.S47585>.
- Gupta, D; Bhardwaj, R; Gupta, RK. (2011). IN VITRO ANTIOXIDANT ACTIVITY OF EXTRACTS FROM THE LEAVES OF ABIES PINDROW ROYLE. *African Journal of Traditional, Complementary and Alternative Medicines* 8: 391-397. <http://dx.doi.org/10.4314/ajtcam.v8i4.8>.
- Gupta, D; Bleakley, B; Gupta, RK. (2011). Phytochemical analysis and antioxidant activity of herbal plant *Doronicum hookeri* Hook f. (Asteraceae). *Journal of Medicinal Plant Research* 5: 2736-2742.
- Gupta, R; Pathak, K. (2008). Optimization studies on floating multiparticulate gastroretentive drug delivery system of famotidine. *Drug Dev Ind Pharm* 34: 1201-1208. <http://dx.doi.org/10.1080/03639040802005016>.
- Gupta, S. (2010). Effect of surface treatment on the flexural strength of denture base resin and tensile strength of autopolymerizing silicone based denture liner bonded to denture base resin: an in vitro study. 10: 208-212. <http://dx.doi.org/10.1007/s13191-011-0050-4>.
- Gupta, S; Purwar, M; Chakrabarti, SK; Singh, S. (2012). Influence of drying of biosludge on organochlorine compounds from pulp and paper industry. *J Environ Biol* 33: 85-88.
- Gupta, VK; Al Khayat, M; Singh, AK; Pal, MK. (2009). Nano level detection of Cd(II) using poly(vinyl chloride) based membranes of Schiff bases. *Anal Chim Acta* 634: 36-43. <http://dx.doi.org/10.1016/j.aca.2008.11.065>.
- Gurnani, C; Hector, AL; Jager, E; Levason, W; Pugh, D; Reid, G. (2013). Tin(II) fluoride vs. tin(II) chloride--a comparison of their coordination chemistry with neutral ligands. *Dalton Transactions (Online)* 42: 8364-8374. <http://dx.doi.org/10.1039/c3dt50743b>.
- Gururajan, P; Gurumurthy, P; Nayar, P; Chockalingam, M; Bhuvaneshwari, S; Babu, S; Sarasabharati, A; Victor, D; Cherian, KM. (2010). Lipid profile and non-enzymic antioxidant status in patients with acute coronary syndrome in South India. *Heart, Lung & Circulation (Online)* 19: 75-80. <http://dx.doi.org/10.1016/j.hlc.2009.07.003>.
- Gururajan, P; Gurumurthy, P; Victor, D; Srinivasa Nageswara Rao, G; Sai Babu, R; Sarasa Bharati, A; Cherian, KM. (2011). Plasma total nitric oxide and endothelial constitutive nitric oxide synthase (eNOS) gene polymorphism: a study in a South Indian population. *Biochem Genet* 49: 96-103. <http://dx.doi.org/10.1007/s10528-010-9391-7>.
- Gut, F; Schiek, W; Haefeli, WE; Walter-Sack, I; Burhenne, J. (2008). Cation exchange resins as pharmaceutical carriers for methylene blue: binding and release. *Eur J Pharm Biopharm* 69: 582-587. <http://dx.doi.org/10.1016/j.ejpb.2007.12.016>.
- Gutierrez, M; Cohen, B; Sánchez, F; Douhal, A. (2016). Photochemistry of Zr-based MOFs: ligand-to-cluster charge transfer, energy transfer and excimer formation, what else is there? *Phys Chem Chem Phys* 18: 27761-27774. <http://dx.doi.org/10.1039/c6cp03791g>.
- Güvenç, A; Küpeli Akkol, E; Süntar, I; Keleş, H; Yıldız, S; Çalış, I. (2012). Biological activities of *Pseudevernia furfuracea* (L.) Zopf extracts and isolation of the active compounds. *J Ethnopharmacol* 144: 726-734. <http://dx.doi.org/10.1016/j.jep.2012.10.021>.
- Guzmán-Gutiérrez, SL; Navarrete, A. (2009). Pharmacological exploration of the sedative mechanism of hesperidin identified as the active principle of *Citrus sinensis* flowers. *Planta Med* 75: 295-301. <http://dx.doi.org/10.1055/s-0029-1185306>.
- Gyuris, A; Szlávik, L; Minárovits, J; Vasas, A; Molnár, J; Hohmann, J. (2009). Antiviral activities of extracts of *Euphorbia hirta* L. against HIV-1, HIV-2 and SIVmac251. *In Vivo* 23: 429-432.
- Habartová, A; Hormain, L; Pluhařová, E; Briquez, S; Monnerville, M; Toubin, C; Roeselová, M. (2015). Molecular Simulations of Halomethanes at the Air/Ice Interface. *J Phys Chem A* 119: 10052-10059. <http://dx.doi.org/10.1021/acs.jpca.5b06071>.
- Hacıbekiroğlu, I; Yılmaz, PK; Haşimi, N; Kılınç, E; Tolun, V; Kolak, U. (2015). In vitro biological activities and fatty acid profiles of *Pistacia terebinthus* fruits and *Pistacia khinjuk* seeds. *Nat Prod Res* 29: 444-446. <http://dx.doi.org/10.1080/14786419.2014.947492>.

## Human Health Hazard Literature Search Results

### Off Topic

- Haddad, AZ; Kumar, D; Ouch Sampson, K; Matzner, AM; Mashuta, MS; Grapperhaus, CA. (2015). Proposed Ligand-Centered Electrocatalytic Hydrogen Evolution and Hydrogen Oxidation at a Noninnocent Mononuclear Metal-Thiolate. *J Am Chem Soc* 137: 9238-9241. <http://dx.doi.org/10.1021/jacs.5b05561>.
- Hadjizadeh, A; Savoji, H; Aiji, A. (2016). A Facile Approach for the Mass Production of Submicro/Micro Poly (Lactic Acid) Fibrous Mats and Their Cytotoxicity Test towards Neural Stem Cells. *BioMed Res Int* 2016: 8921316. <http://dx.doi.org/10.1155/2016/8921316>.
- Hafezi Ghahestani, Z; Alebooye Langroodi, F; Mokhtarzadeh, A; Ramezani, M; Hashemi, M. (2016). Evaluation of anti-cancer activity of PLGA nanoparticles containing crocetin. 1-6. <http://dx.doi.org/10.1080/21691401.2016.1198359>.
- Hafner, M; Sulyok, M; Schuhmacher, R; Crews, C; Krska, R. (2008). Stability and epimerisation behaviour of ergot alkaloids in various solvents. *World Mycotoxin Journal* 1: 67-78.
- Hagan, JB; Taylor, RL; Kita, H; Singh, RJ. (2011). Analysis of fluticasone propionate in induced sputum by mass spectrometry. *Allergy Asthma Proc* 32: 18-21. <http://dx.doi.org/10.2500/aap.2011.32.3454>.
- Hage, S; Kienlen-Campard, P; Octave, JN; Quetin-Leclercq, J. (2010). In vitro screening on  $\beta$ -amyloid peptide production of plants used in traditional medicine for cognitive disorders. *J Ethnopharmacol* 131: 585-591. <http://dx.doi.org/10.1016/j.jep.2010.07.044>.
- Haggie, PM; Verkman, AS. (2009). Unimpaired lysosomal acidification in respiratory epithelial cells in cystic fibrosis. *J Biol Chem* 284: 7681-7686. <http://dx.doi.org/10.1074/jbc.M809161200>.
- Hahin, R; Larsen, J; Gasser, K. (2008). Predictions of the EC50 for action potential block for aliphatic solutes. *J Membr Biol* 221: 73-85. <http://dx.doi.org/10.1007/s00232-007-9087-z>.
- Hahirwa, I; Charlier, C; Karangwa, C; Denooz, R. (2015). Determination of blood concentration levels of psychotropic medications in Rwandan patients. *Acta Clin Belg* 70: 425-431. <http://dx.doi.org/10.1179/2295333715Y.0000000055>.
- Hajjar, L; Hicks, RG; Zeng, T. (2016). A Computational Study of the Protoisomerization of Indigo and Its Imine Derivatives. *J Phys Chem A* 120: 7569-7576. <http://dx.doi.org/10.1021/acs.jpca.6b07838>.
- Hajji, M; Jarraya, R; Lassoued, I; Masmoudi, O; Damak, M; Nasri, M. (2010). GC/MS and LC/MS analysis, and antioxidant and antimicrobial activities of various solvent extracts from *Mirabilis jalapa* tubers. *Process Biochemistry* 45: 1486-1493. <http://dx.doi.org/10.1016/j.procbio.2010.05.027>.
- Halabalaki, M; Bertrand, S; Stefanou, A; Gindro, K; Kostidis, S; Mikros, E; Skaltsounis, LA; Wolfender, JL. (2014). Sample preparation issues in NMR-based plant metabolomics: optimisation for *Vitis* wood samples. 25: 350-356. <http://dx.doi.org/10.1002/pca.2497>.
- Haleyur, N; Shahsavari, E; Mansur, AA; Koshlaf, E; Morrison, PD; Osborn, AM; Ball, AS. (2016). Comparison of rapid solvent extraction systems for the GC-MS/MS characterization of polycyclic aromatic hydrocarbons in aged, contaminated soil. 3: 364-370. <http://dx.doi.org/10.1016/j.mex.2016.04.007>.
- Halim, R; Scammells, PJ; Flynn, BL. (2008). Alternating iodonium-mediated reaction cascades giving indole- and quinoline-containing polycycles. *Org Lett* 10: 1967-1970. <http://dx.doi.org/10.1021/ol800202u>.
- Halldorsson, JA; Little, SJ; Diamond, D; Spinks, G; Wallace, G. (2009). Controlled transport of droplets using conducting polymers. *Langmuir* 25: 11137-11141. <http://dx.doi.org/10.1021/la900835w>.
- Hamasaki, T. (2013). Simultaneous determination of organotin compounds in textiles by gas chromatography-flame photometry following liquid/liquid partitioning with tert-butyl ethyl ether after reflux-extraction. *Talanta* 115: 374-380. <http://dx.doi.org/10.1016/j.talanta.2013.04.041>.
- Hamdan, D; El-Readi, MZ; Tahrani, A; Herrmann, F; Kaufmann, D; Farrag, N; El-Shazly, A; Wink, M. (2011). Chemical composition and biological activity of *Citrus jambhiri* Lush. *Food Chem* 127: 394-403. <http://dx.doi.org/10.1016/j.foodchem.2010.12.129>.
- Hamdan, D; El-Readi, MZ; Tahrani, A; Herrmann, F; Kaufmann, D; Farrag, N; El-Shazly, A; Wink, M. (2011). Secondary metabolites of *Ponderosa* lemon (*Citrus pyriformis*) and their antioxidant, anti-inflammatory, and cytotoxic activities. *Z Naturforsch C Biosci* 66: 385-393.
- Hamdy, NA; Abdel-Aziz, HA; Kamel, GM; Fakhr, IMI. (2013). CONVENIENT SYNTHESIS, ANTI-INFLAMMATORY, ANALGESIC AND ULCEROGENIC ACTIVITIES OF SOME NEW BIS-HYDRAZONES AND PYRAZOLE DERIVATIVES. *Acta Pol Pharm* 70: 469-480.
- Hamedi, A; Ghanbari, A; Razavipour, R; Saeidi, V; Zarshenas, MM; Sohrabpour, M; Azari, H. (2015). *Alyssum homolocarpum* seeds: phytochemical analysis and effects of the seed oil on neural stem cell proliferation and differentiation. *Journal of Natural Medicines* 69: 387-396. <http://dx.doi.org/10.1007/s11418-015-0905-9>.
- Hameury, S; de Frémont, P; Breuil, PA; Olivier-Bourbigou, H; Braunstein, P. (2014). Synthesis and characterization of palladium(II) and nickel(II) alcoholate-functionalized NHC complexes and of mixed nickel(II)-lithium(I) complexes. *Inorg Chem* 53: 5189-5200. <http://dx.doi.org/10.1021/ic500349t>.
- Hamid, RA; Kee, TH; Othman, F. (2013). Anti-inflammatory and anti-hyperalgesic activities of *Acanthopanax trifoliatum* (L) Merr leaves. *Pharmacognosy Res* 5: 129-133. <http://dx.doi.org/10.4103/0974-8490.110544>.
- Hammami, H; Mezghani-Jarraya, R; Damak, M; Ayadi, A. (2011). Molluscicidal activity of various solvent extracts from *Solanum nigrum* var. *villosum* L. aerial parts against *Galba truncatula*. *Parasite* 18: 63-70.
- Hammerich, O; Hansen, T; Thorvildsen, A; Christensen, JB. (2009). Electrochemical one-electron oxidation of low-generation polyamidoamine-type dendrimers with a 1,4-phenylenediamine core. *Chemphyschem* 10: 1805-1824. <http://dx.doi.org/10.1002/cphc.200900233>.
- Hamzeloo-Moghadam, M; Khalaj, A; Malekmohammadi, M. (2015). Cytotoxic Activity and Apoptosis Induction of *Hypericum scabrum* L. 17: e19453. <http://dx.doi.org/10.5812/ircmj.19453>.
- Han, D; Row, KH. (2011). Separation and purification of sulforaphane from broccoli by solid phase extraction. *International Journal of Molecular Sciences* 12: 1854-1861. <http://dx.doi.org/10.3390/ijms12031854>.

## Human Health Hazard Literature Search Results

### Off Topic

- Han, D; Tang, B; Row, KH, o. (2013). DETERMINATION OF DIURETIC DRUGS IN HUMAN URINE USING DISPERSIVE LIQUID-LIQUID MICROEXTRACTION BY HIGH PERFORMANCE LIQUID CHROMATOGRAPHY. *Journal of Liquid Chromatography and Related Technologies* 36: 2069-2081. <http://dx.doi.org/10.1080/10826076.2012.712931>.
- Han, J; Jiang, S; Cui, X; Sun, Y; Li, G; Zhang, J; Fawcett, JP; Gu, J. (2009). Quantitation of the tacrine analogue octahydroaminoacridine in human plasma by liquid chromatography-tandem mass spectrometry. *J Pharm Biomed Anal* 50: 171-174. <http://dx.doi.org/10.1016/j.jpba.2009.03.022>.
- Han, JM; Xu, M; Wang, B; Wu, N; Yang, X; Yang, H; Salter, BJ; Zang, L. (2014). Low dose detection of  $\gamma$  radiation via solvent assisted fluorescence quenching. *J Am Chem Soc* 136: 5090-5096. <http://dx.doi.org/10.1021/ja500262n>.
- Han, W; Wang, S; Huang, H; Luo, L; Zhang, S. (2013). Simultaneous determination of brominated phenols in soils. *J Environ Sci* 25: 2306-2312. [http://dx.doi.org/10.1016/S1001-0742\(12\)60298-8](http://dx.doi.org/10.1016/S1001-0742(12)60298-8).
- Han, Y, uRan; Ali, M, dY; Woo, M, iHee; Jung, HA, h; Choi, J, aeSue. (2015). Anti-Diabetic and Anti-Inflammatory Potential of the Edible Brown Alga *Hizikia Fusiformis*. *Journal of Food Biochemistry* 39: 417-428. <http://dx.doi.org/10.1111/jfbc.12138>.
- Han, Y; Bu, J; Zhang, Y; Tong, W; Gao, C. (2012). Encapsulation of photosensitizer into multilayer microcapsules by combination of spontaneous deposition and heat-induced shrinkage for photodynamic therapy. *Macromol Biosci* 12: 1436-1442. <http://dx.doi.org/10.1002/mabi.201200191>.
- Hanba, Y; Oura, M; Negi, S; Shigematsu, T. (2008). [Basic and clinical aspects of calcimimetics. The clinical effect and usefulness of Cinacalcet as a calcimimetics on three CKD-5D patients undergoing hemodialysis with refractory secondary hyperparathyroidism]. *Clin Calcium* 18: 81-88. <http://dx.doi.org/CliCa08018188>.
- Hande, SM; Kawai, N; Uenishi, J. (2009). An efficient synthesis of 2- and 2,6-substituted piperidines using Pd(II)-catalyzed 1,3-chirality transfer reaction. *J Org Chem* 74: 244-253. <http://dx.doi.org/10.1021/jo801926g>.
- Hankache, J; Hanss, D; Wenger, OS. (2012). Hydrogen-bond strengthening upon photoinduced electron transfer in ruthenium-anthraquinone dyads interacting with hexafluoroisopropanol or water. *J Phys Chem A* 116: 3347-3358. <http://dx.doi.org/10.1021/jp300090n>.
- Hankache, J; Niemi, M; Lemmetyinen, H; Wenger, OS. (2012). Hydrogen-bonding effects on the formation and lifetimes of charge-separated states in molecular triads. *J Phys Chem A* 116: 8159-8168. <http://dx.doi.org/10.1021/jp302790j>.
- Hankache, J; Wenger, OS. (2012). Photoinduced electron transfer in covalent ruthenium-anthraquinone dyads: relative importance of driving-force, solvent polarity, and donor-bridge energy gap. *Phys Chem Chem Phys* 14: 2685-2692. <http://dx.doi.org/10.1039/c2cp23240e>.
- Hanke, I; Singer, H; Hollender, J. (2008). Ultratrace-level determination of glyphosate, aminomethylphosphonic acid and glufosinate in natural waters by solid-phase extraction followed by liquid chromatography-tandem mass spectrometry: performance tuning of derivatization, enrichment and detection. *Anal Bioanal Chem* 391: 2265-2276. <http://dx.doi.org/10.1007/s00216-008-2134-5>.
- Hanley, A; Garland, EL; Black, DS. (2014). Use of mindful reappraisal coping among meditation practitioners. *J Clin Psychol* 70: 294-301. <http://dx.doi.org/10.1002/jclp.22023>.
- Hanna, MM; George, RF. (2012). Facile Synthesis and Quantitative Structure-Activity Relationship Study of Antitumor Active 2-(4-Oxo-thiazolidin-2-ylidene)-3-oxo-propionitriles. *Chem Pharm Bull (Tokyo)* 60: 1195-1206.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, Electronic, and Steric Constants. In ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hansson, EB; Odziemkowski, MS; Gillham, RW. (2008). Influence of Na<sub>2</sub>S on the degradation kinetics of CCl<sub>4</sub> in the presence of very pure iron. *J Contam Hydrol* 98: 128-134. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.00>.
- Hantal, G; Darvas, M; Pártay, LB; Horvai, G; Jedlovszky, P. (2010). Molecular level properties of the free water surface and different organic liquid/water interfaces, as seen from ITIM analysis of computer simulation results. *J Phys Condens Matter* 22: 284112. <http://dx.doi.org/10.1088/0953-8984/22/28/284112>.
- Hao, H; Sun, J; Dai, J. (2012). Preliminary analysis of several attractants and spatial repellents for the mosquito, *Aedes albopictus* using an olfactometer. *J Insect Sci* 12: 76. <http://dx.doi.org/10.1673/031.012.7601>.
- Happi, EN; Tcho, AT; Sirri, JC, hi; Wansi, JD; Neumann, B; Stammer, HG; Wandji, J; Sewald, N. (2012). Tirucallane triterpenoids from the stem bark of *Araliopsis synopsis*. *Phytochemistry Letters* 5: 423-426. <http://dx.doi.org/10.1016/j.phytol.2012.03.014>.
- Hardie, DWF. (1964). Kirk-Othmer encyclopedia of chemical technology Methylene chloride (2nd ed.). New York, NY: John Wiley & Sons.
- Hardin Narayan, AR; Sarpong, R. (2010). Remarkable facilitation of hetero-cycloisomerizations with water and other polar protic solvents: metal-free synthesis of indolizines. *Green Chem* 12: 1556-1559. <http://dx.doi.org/10.1039/C0GC00198H>.
- Hardwick, HC; Royal, DS; Helliwell, M; Pope, SJ; Ashton, L; Goodacre, R; Sharrad, CA. (2011). Structural, spectroscopic and redox properties of uranyl complexes with a maleonitrile containing ligand. *Dalton Transactions (Online)* 40: 5939-5952. <http://dx.doi.org/10.1039/c0dt01580f>.
- Harel, D; Khalid, SA; Kaiser, M; Brun, R; Wünsch, B; Schmidt, TJ. (2011). Encecalol angelate, an unstable chromene from *Ageratum conyzoides* L.: total synthesis and investigation of its antiprotozoal activity. *J Ethnopharmacol* 137: 620-625. <http://dx.doi.org/10.1016/j.jep.2011.06.015>.
- Harnafi, H; Caid, HS; Bouanani, N, elH; Aziz, M; Amrani, S. (2008). Hypolipemic activity of polyphenol-rich extracts from *Ocimum basilicum* in Triton WR-1339-induced hyperlipidemic mice. *Food Chem* 108: 205-212. <http://dx.doi.org/10.1016/j.foodchem.2007.10.062>.
- Harrington, CR; Storey, JM; Clunas, S; Harrington, KA; Horsley, D; Ishaq, A; Kemp, SJ; Larch, CP; Marshall, C; Nicoll, SL; Rickard, JE; Simpson, M; Sinclair, JP; Storey, LJ; Wischik, CM. (2015). Cellular Models of Aggregation-dependent Template-directed Proteolysis to Characterize Tau Aggregation Inhibitors for Treatment of Alzheimer Disease. *J Biol Chem* 290: 10862-10875. <http://dx.doi.org/10.1074/jbc.M114.616029>.



## Human Health Hazard Literature Search Results

### Off Topic

- Harthé, C; Rinaldi, S; Achaintre, D; de Ravel, MR; Mappus, E; Pugeat, M; Déchaud, H. (2012). Bisphenol A-glucuronide measurement in urine samples. *Talanta* 100: 410-413. <http://dx.doi.org/10.1016/j.talanta.2012.07.099>.
- Hartikka, J; Bozoukova, V; Yang, CK; Ye, M; Rusalov, D; Shlapobersky, M; Vilalta, A; Wei, Q; Rolland, A; Smith, LR. (2009). Vaxfectin, a cationic lipid-based adjuvant for protein-based influenza vaccines. *Vaccine* 27: 6399-6403. <http://dx.doi.org/10.1016/j.vaccine.2009.06.014>.
- Hartimath, SV; Khayum, MA; van Waarde, A; Dierckx, RA; de Vries, EF. (2016). N-[(11)C]Methyl-AMD3465 PET as a Tool for In Vivo Measurement of Chemokine Receptor 4 (CXCR4) Occupancy by Therapeutic Drugs. *Mol Imaging*. <http://dx.doi.org/10.1007/s11307-016-1028-8>.
- Hasebe, Y; Wang, Y; Fukuoka, K. (2011). Electropolymerized poly(Toluidine blue)-modified carbon felt for highly sensitive amperometric determination of NADH in flow injection analysis. *J Environ Sci* 23: 1050-1056.
- Hashimoto, T; Ohata, H; Nobe, K; Honda, K. (2009). Comparative study of calcium ion dynamics and contractile response in rat middle cerebral and basilar arteries. *J Pharmacol Sci* 109: 546-555.
- Hata, T; Sujaku, S; Hirone, N; Nakano, K; Imoto, J; Imade, H; Urabe, H. (2011). Iron-mediated and -catalyzed metalative cyclization of electron-withdrawing-group-substituted alkynes and alkenes with Grignard reagents. *Chemistry* 17: 14593-14602. <http://dx.doi.org/10.1002/chem.201101273>.
- Hata, Y; De Mieri, M; Ebrahimi, SN; Mokoka, T; Fouche, G; Kaiser, M; Brun, R; Potterat, O; Hamburger, M. (2014). Identification of two new phenanthrenones and a saponin as antiprotozoal constituents of *Drypetes gerrardii*. *Phytochemistry Letters* 10: CXXXIII-cxl. <http://dx.doi.org/10.1016/j.phytol.2014.05.005>.
- Hata, Y; Raith, M; Ebrahimi, SN; Zimmermann, S; Mokoka, T; Naidoo, D; Fouche, G; Maharaj, V; Kaiser, M; Brun, R; Hamburger, M. (2013). Antiprotozoal isoflavan quinones from *Abrus precatorius* ssp. *africanus*. *Planta Med* 79: 492-498. <http://dx.doi.org/10.1055/s-0032-1328298>.
- Hatami, M; Farhadi, K; Abdollahpour, A. (2011). Using dispersive liquid-liquid microextraction and liquid chromatography for determination of guaifenesin enantiomers in human urine. *J Sep Sci* 34: 2933-2939. <http://dx.doi.org/10.1002/jssc.201100520>.
- Hatami, T; Emami, SA; Miraghaee, SS; Mojarrab, M. (2014). Total Phenolic Contents and Antioxidant Activities of Different Extracts and Fractions from the Aerial Parts of *Artemisia biennis* Willd. *Iranian Journal of Pharmaceutical Research* 13: 551-559.
- Hatta, T; Narita, K; Naria, K; Yanagihara, K; Ishiguro, H; Murayama, T; Yokode, M. (2016). Measuring motivation for medical treatment: confirming the factor structure of the Achievement Motivation Index for Medical Treatment (AMI-MeT). *BMC Med Inform Decis Mak* 16: 22. <http://dx.doi.org/10.1186/s12911-016-0260-0>.
- Hau, FK; Yam, VW. (2016). Synthesis and cation-binding studies of gold(I) complexes bearing oligoether isocyanide ligands with ester and amide as linkers. *Dalton Transactions (Online)* 45: 300-306. <http://dx.doi.org/10.1039/c5dt03321g>.
- Haufroid, V; Ligoocka, D; Buyschaert, M; Horsmans, Y; Lison, D. (2003). Cytochrome P4502E1 (CYP2E1) expression in peripheral blood lymphocytes: Evaluation in hepatitis C and diabetes. *Eur J Clin Pharmacol* 59: 29-33. <http://dx.doi.org/10.1007/s00228-003-0566-6>.
- Haun, MW; Sklenarova, H; Winkler, EC; Huber, J; Thomas, M; Siminoff, LA; Woll, M; Brechtel, A; Herzog, W; Hartmann, M. (2014). Assessing patient-caregiver communication in cancer--a psychometric validation of the Cancer Communication Assessment Tool (CCAT-PF) in a German sample. *Support Care Cancer* 22: 2473-2478. <http://dx.doi.org/10.1007/s00520-014-2241-0>.
- Havlik, J; Gonzalez de la Huebra, R; Hejtmankova, K; Fernandez, J; Simonova, J; Melich, M; Rada, V. (2010). Xanthine oxidase inhibitory properties of Czech medicinal plants. *J Ethnopharmacol* 132: 461-465. <http://dx.doi.org/10.1016/j.jep.2010.08.044>.
- Hawrył, A; Ziobro, A; Świeboda, R; Hawrył, M; Waksmundzka-Hajnos, M. (2016). TLC Profiles of Selected *Cirsium* Species with Chemometrics in Construction of Their Fingerprints. *J Chromatogr Sci* 54: 1096-1104. <http://dx.doi.org/10.1093/chromsci/bmw064>.
- Hayes, AW. (2001). Principles and methods of toxicology (4 ed.). Philadelphia, PA: Taylor and Francis.
- Hazari, AS; Das, A; Ray, R; Agarwala, H; Maji, S; Mobin, SM; Lahiri, GK. (2015). Tunable Electrochemical and Catalytic Features of BIAN- and BIAO-Derived Ruthenium Complexes. *Inorg Chem* 54: 4998-5012. <http://dx.doi.org/10.1021/acs.inorgchem.5b00615>.
- He, C; Jin, X; Ma, PX. (2014). Calcium phosphate deposition rate, structure and osteoconductivity on electrospun poly(L-lactic acid) matrix using electrodeposition or simulated body fluid incubation. *Acta Biomater* 10: 419-427. <http://dx.doi.org/10.1016/j.actbio.2013.08.041>.
- He, H; Wang, P; Cai, C; Yang, R; Tang, X. (2015). VB12-coated Gel-Core-SLN containing insulin: Another way to improve oral absorption. *Int J Pharm* 493: 451-459. <http://dx.doi.org/10.1016/j.ijpharm.2015.08.004>.
- He, H; Zhang, X; Sheng, Y. (2014). Enteric-coated capsule containing  $\beta$ -galactosidase-loaded polylactic acid nanocapsules: enzyme stability and milk lactose hydrolysis under simulated gastrointestinal conditions. *J Dairy Res* 81: 479-484. <http://dx.doi.org/10.1017/S0022029914000491>.
- He, Q; Halm, ST; Zhang, J; Halm, DR. (2011). Activation of the basolateral membrane Cl<sup>-</sup> conductance essential for electrogenic K<sup>+</sup> secretion suppresses electrogenic Cl<sup>-</sup> secretion. *Exp Physiol* 96: 305-316. <http://dx.doi.org/10.1113/expphysiol.2010.055038>.
- He, W; Fang, T; Zhang, K; Tu, P. (2009). [Vasorelaxation effects of homoisoflavonoids from *Caesalpinia sappan* in rat thoracic aortic rings]. *Zhongguo Zhong Yao Za Zhi* 34: 731-734.
- He, X; Herranz, F; Cheng, EC; Vilar, R; Yam, VW. (2010). Design, synthesis, photophysics, and anion-binding studies of bis(dicyclohexylphosphino)methane-containing dinuclear gold(I) thiolate complexes with urea receptors. *Chemistry* 16: 9123-9131. <http://dx.doi.org/10.1002/chem.201000647>.
- He, X; Zhu, N; Yam, VW. (2011). Design and synthesis of luminescence chemosensors based on alkynyl phosphine gold(I)-copper(I) aggregates. *Dalton Transactions (Online)* 40: 9703-9710. <http://dx.doi.org/10.1039/c1dt10197h>.
- Headley, JV; Barrow, MP; Peru, KM; Derrick, PJ. (2011). Salting-out effects on the characterization of naphthenic acids from Athabasca oil sands using electrospray ionization. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 844-854. <http://dx.doi.org/10.1080/10934529.2011.579857>.

## Human Health Hazard Literature Search Results

### Off Topic

- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Hedouin-Langlet, C; Loizeau, M; Mercier, JL; Thiery, R. (2015). Paint strippers and prevention of occupational risks during building facelift: Where do we stand? *Arch Mal Prof Environ* 76: 337-344. <http://dx.doi.org/10.1016/j.admp.2014.12.011>.
- Heffron, B; Taddei, L; Benoit, M; Negrusz, A. (2013). Quantification of several acidic drugs in equine serum using LC-MS-MS. *J Anal Toxicol* 37: 600-604. <http://dx.doi.org/10.1093/jat/bkt069>.
- Hegazi, MA; Soliman, OE; Hasaneen, BM; El-Arman, M; El-Galel, NA; El-Deek, BS. (2012). Growth hormone/insulin-like growth factor-1 axis: a possible non-nutritional factor for growth retardation in children with cerebral palsy. *J Pediatr (Rio J)* 88: 267-274. <http://dx.doi.org/doi:http://dx.doi.org/10.2223/JPED.2197>.
- Hegazy, AK; Ezzat, SM; Qasem, IB; Ali-Shtayah, MS; Basalah, MO; Ali, HM; Hatamleh, AA. (2015). Diversity of active constituents in *Cichorium endivia* and *Cynara cornigera* extracts. *Acta Biol Hung* 66: 103-118. <http://dx.doi.org/10.1556/ABiol.66.2015.1.9>.
- Hegazy, ME; El-Hamd H Mohamed, A; El-Halawany, AM; Djemgou, PC; Shahat, AA; Paré, PW. (2011). Estrogenic activity of chemical constituents from *Tephrosia candida*. *J Nat Prod* 74: 937-942. <http://dx.doi.org/10.1021/np100378d>.
- Hegazy, ME; Matsuda, H; Nakamura, S; Hussein, TA; Yoshikawa, M; Paré, PW. (2014). Chemical constituents and their antibacterial and antifungal activity from the Egyptian herbal medicine *Chiliadenus montanus*. *Phytochemistry* 103: 154-161. <http://dx.doi.org/10.1016/j.phytochem.2014.03.027>.
- Hegazy, ME; Matsuda, H; Nakamura, S; Yabe, M; Matsumoto, T; Yoshikawa, M. (2012). Sesquiterpenes from an Egyptian Herbal Medicine, *Pulicaria undulate*, with Inhibitory Effects on Nitric Oxide Production in RAW264.7 Macrophage Cells. *Chem Pharm Bull (Tokyo)* 60: 363-370.
- Hegazy, MEF; Abdel-Lateff, A; Gamal-Eldeen, AM; Turkey, F; Hirata, T; Pare, PW; Karchesy, J; Kamel, MS; Ahmed, AA. (2008). Anti-inflammatory activity of new guaiane acid derivatives from *Achillea coarctata*. *Natural Product Communications* 3: 851-856.
- Hegazy, MEF; Nakamura, S; Tawfik, WA; Abdel-Azim, NS; Abdel-Lateff, A; Matsuda, H; Pare, PW. (2015). Rare hydroperoxyl guaianolide sesquiterpenes from *Pulicaria undulata*. *Phytochemistry Letters* 12: 177-181. <http://dx.doi.org/10.1016/j.phytol.2015.03.019>.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Gomez, MR; Dosemeci, M; Cocco, P. (1996). Methylene chloride and brain cancer: Interpreting a new study in light of existing literature [Letter]. *Am J Ind Med* 30: 506-507. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<506::AID-AJIM20>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<506::AID-AJIM20>3.0.CO;2-7).
- Heiss, EH; Baumgartner, L; Schwaiger, S; Heredia, RJ; Atanasov, AG; Rollinger, JM; Stuppner, H; Dirsch, VM. (2012). *Ratanhiaphenol III* from *Ratanhia radix* is a PTP1B inhibitor [Letter]. *Planta Med* 78: 678-681. <http://dx.doi.org/10.1055/s-0031-1298242>.
- Hekmatara, T; Gelperina, S; Vogel, V; Yang, SR; Kreuter, J. (2009). Encapsulation of water-insoluble drugs in poly(butyl cyanoacrylate) nanoparticles. *J Nanosci Nanotechnol* 9: 5091-5098. <http://dx.doi.org/10.1166/jnn.2009.GR05>.
- Helaleh, MIH; Al-Rashdan, A; Ibtisam, A. (2012). Simultaneous analysis of organochlorinated pesticides (OCPs) and polychlorinated biphenyls (PCBs) from marine samples using automated pressurized liquid extraction (PLE) and Power Prep (TM) clean-up. *Talanta* 94: 44-49. <http://dx.doi.org/10.1016/j.talanta.2012.02.031>.
- Hellmold, H; Rylander, T; Magnusson, M; Reihner, E; Warner, M; Gustafsson, JA. (1998). Characterization of cytochrome P450 enzymes in human breast tissue from reduction mammoplasties. *J Clin Endocrinol Metab* 83: 886-895. <http://dx.doi.org/10.1210/jc.83.3.886>.
- Helvacı, S; Kökdil, G; Kawai, M; Duran, N; Duran, G; Güvenç, A. (2010). Antimicrobial activity of the extracts and physalin D from *Physalis alkekengi* and evaluation of antioxidant potential of physalin D. *Pharmaceutical Biology* 48: 142-150. <http://dx.doi.org/10.3109/13880200903062606>.
- Hempenstall, A; Grant, GD; Anoopkumar-Dukie, S; Johnson, PJ. (2015). Pyocyanin inhibits both nitric oxide-dependent and -independent relaxation in porcine coronary arteries. *Clin Exp Pharmacol Physiol* 42: 186-191. <http://dx.doi.org/10.1111/1440-1681.12340>.
- Henics, T; Wheatley, DN. (1999). Cytoplasmic vacuolation, adaptation and cell death: a view on new perspectives and features [Review]. *Biol Cell* 91: 485-498. [http://dx.doi.org/10.1016/S0248-4900\(00\)88205-2](http://dx.doi.org/10.1016/S0248-4900(00)88205-2).
- Hennion, C; Jonasson, KJ; Wendt, OF; Roodt, A. (2013). Kinetic and mechanistic investigation of the substitution reactions of four and five coordinated rhodium stibine complexes with a bulky phosphite. *Dalton Transactions (Online)* 42: 14134-14139. <http://dx.doi.org/10.1039/c3dt51757h>.
- Heo, JC; Son, M; Woo, SU; Kweon, MA; Yoon, EK; Lee, HK; Choi, WS; Cho, KJ; Lee, SH. (2008). A fraction of methylene chloride from *Geum japonicum* Thunberg inhibits tumor metastatic and angiogenic potential. *Oncol Rep* 19: 1399-1403.
- Hernández-Eguía, LP; Escudero-Adán, EC; Pintre, IC; Ventura, B; Flamigni, L; Ballester, P. (2011). Supramolecular inclusion complexes of two cyclic zinc bisporphyrins with C60 and C70: structural, thermodynamic, and photophysical characterization. *Chemistry* 17: 14564-14577. <http://dx.doi.org/10.1002/chem.201101511>.
- Hernández-Villegas, MM; Borges-Argáez, R; Rodríguez-Vivas, RI; Torres-Acosta, JF; Méndez-Gonzalez, M; Cáceres-Farfan, M. (2011). Ovicidal and larvicidal activity of the crude extracts from *Phytolacca icosandra* against *Haemonchus contortus*. *Vet Parasitol* 179: 100-106. <http://dx.doi.org/10.1016/j.vetpar.2011.02.019>.
- Herrenkohl, TI; Klika, JB; Herrenkohl, RC; Russo, MJ; Dee, T. (2012). A prospective investigation of the relationship between child maltreatment and indicators of adult psychological well-being. *Violence and Victims* 27: 764-776.
- Herrera-Herrera, AV; Hernández-Borges, J; Afonso, MM; Palenzuela, JA; Rodríguez-Delgado, MÁ. (2013). Comparison between magnetic and non magnetic multi-walled carbon nanotubes-dispersive solid-phase extraction combined with ultra-high performance liquid

## Human Health Hazard Literature Search Results

### Off Topic

- chromatography for the determination of sulfonamide antibiotics in water samples. *Talanta* 116: 695-703. <http://dx.doi.org/10.1016/j.talanta.2013.07.060>.
- Herrera-Ruiz, M; Gabriela Rojas-Bibriesca, M; Nunez, Z; Eda Dominguez-Mendoza, B; Aviles-Folres, M; Fuentes-Mata, M; Tortoriello, J; Zamilpa, A. (2015). Anti-inflammatory Extracts and Coumaroyl Ursolic Acid Derivatives from *Distictis buccinatoria*. *International Journal of Pharmacology* 11: 852-857. <http://dx.doi.org/10.3923/ijp.2015.852.857>.
- Herrero, JL; Lozano, J; Santos, JP; Suárez, JI. (2016). On-line classification of pollutants in water using wireless portable electronic noses. *Chemosphere* 152: 107-116. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.106>.
- Hibino, S; Nagai, T; Yamakawa, S; Ito, H; Tanaka, K; Uemura, O. (2017). Pharmacokinetics of mycophenolic acid in children with clinically stable idiopathic nephrotic syndrome receiving cyclosporine. *Clin Exp Nephrol* 21: 152-158. <http://dx.doi.org/10.1007/s10157-016-1267-7>.
- Hierrezuelo, J; Romero, V; Benavente, J; Rico, R; López-Romero, JM. (2014). Membrane surface functionalization via theophylline derivative coating and streptavidin immobilization. *Colloids Surf B Biointerfaces* 113: 176-181. <http://dx.doi.org/10.1016/j.colsurfb.2013.09.007>.
- Hight, LM; Mcguire, MC; Zhang, Y; Bork, MA; Fanwick, PE; Wasserman, A; Mcmillin, DR. (2013).  $\pi$  donation and its effects on the excited-state lifetimes of luminescent platinum(II) terpyridine complexes in solution. *Inorg Chem* 52: 8476-8482. <http://dx.doi.org/10.1021/ic4004643>.
- Hildenbrand, ZL; Carlton, DD; Fontenot, BE; Meik, JM; Walton, JL; Thacker, JB; Korlie, S; Shelor, CP; Kadjo, AF; Clark, A; Usenko, S; Hamilton, JS; Mach, PM; Verbeck, GF; Hudak, P; Schug, KA. (2016). Temporal variation in groundwater quality in the Permian Basin of Texas, a region of increasing unconventional oil and gas development. *Sci Total Environ* 562: 906-913. <http://dx.doi.org/10.1016/j.scitotenv.2016.04.144>.
- Hill, LMR; Taylor, MK; Ng, V; Young, CG. (2008). Toward multifunctional Mo(VI-IV) complexes: cis-dioxomolybdenum(VI) complexes containing hydrogen-bond acceptors or donors. *Inorg Chem* 47: 1044-1052. <http://dx.doi.org/10.1021/ic701957b>.
- Himmel, D; Goll, SK; Leito, I, vo; Krossing, I. (2011). Anchor Points for the Unified Bronsted Acidity Scale: The rCCC Model for the Calculation of Standard Gibbs Energies of Proton Solvation in Eleven Representative Liquid Media. *Chemistry* 17: 5808-5826. <http://dx.doi.org/10.1002/chem.201003164>.
- Hines, RN. (2007). Ontogeny of human hepatic cytochromes P450 [Review]. *J Biochem Mol Toxicol* 21: 169-175. <http://dx.doi.org/10.1002/jbt.20179>.
- Hinkel, R; El-Aouni, C; Olson, T; Horstkotte, J; Mayer, S; Müller, S; Willhauck, M; Spitzweg, C; Gildehaus, FJ; Münzing, W; Hannappel, E; Bock-Marquette, I; Dimaio, JM; Hatzopoulos, AK; Boekstegers, P; Kupatt, C. (2008). Thymosin beta4 is an essential paracrine factor of embryonic endothelial progenitor cell-mediated cardioprotection. *Circulation* 117: 2232-2240. <http://dx.doi.org/10.1161/CIRCULATIONAHA.107.758904>.
- Hinoue, M; Ishimatsu, S; Fueta, Y; Hori, H. (2017). A new desorption method for removing organic solvents from activated carbon using surfactant. *J Occup Health*. <http://dx.doi.org/10.1539/joh.16-0214-OA>.
- Hinrichs, M; Keith, MA. (2014). Cold acid elution (ELU Kit II). *Immunohematology* 30: 113-116.
- Hintermann, L; Perseghini, M; Togni, A. (2011). Development of the titanium-TADDOLate-catalyzed asymmetric fluorination of  $\beta$ -ketoesters. *Beilstein Journal of Organic Chemistry* 7: 1421-1435. <http://dx.doi.org/10.3762/bjoc.7.166>.
- Hirasawa, K; Yuge, H; Miyamoto, TK. (2008). Enantiomorphs of a carbene-ruthenium(II)-porphyrin complex with four 'chiral pillars'. *Acta Crystallogr C* 64: m97-100. <http://dx.doi.org/10.1107/S0108270107068059>.
- Hirotsu, M; Kuwamura, N; Kinoshita, I; Kojima, M; Yoshikawa, Y; Ueno, K. (2009). Steric, geometrical and solvent effects on redox potentials in salen-type copper(II) complexes. *Dalton Transactions (Online)* 7678-7683. <http://dx.doi.org/10.1039/b906013h>.
- Hiroyoshi, T; Tsuchida, M; Uchiyama, K; Fujikawa, K; Komatsu, T; Kanaoka, Y; Matsuyama, H. (2012). Splenectomy protects the kidneys against ischemic reperfusion injury in the rat. *Transpl Immunol* 27: 8-11. <http://dx.doi.org/10.1016/j.trim.2012.03.005>.
- Hirschmann, CB; Koivikko, NS; Raittila, J; Tenhunen, J; Ojala, S; Rahkamaa-Tolonen, K; Marbach, R; Hirschmann, S; Keiski, RL. (2011). FT-IR-cPAS--new photoacoustic measurement technique for analysis of hot gases: a case study on VOCs. *Sensors* 11: 5270-5289. <http://dx.doi.org/10.3390/s110505270>.
- Hmida, D; Abderrabba, M; Tchaplá, A; Héron, S; Moussa, F. (2015). Comparison of iso-elutotropic mobile phases at different temperatures for the separation of triacylglycerols in Non-Aqueous Reversed Phase Liquid Chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 990: 45-51. <http://dx.doi.org/10.1016/j.jchromb.2015.03.007>.
- Ho, ML; Fu, YC; Wang, GJ; Chen, HT; Chang, JK; Tsai, TH; Wang, CK. (2008). Controlled release carrier of BSA made by W/O/W emulsion method containing PLGA and hydroxyapatite. *J Control Release* 128: 142-148. <http://dx.doi.org/10.1016/j.jconrel.2008.02.012>.
- Ho, NH; Inbaraj, BS; Chen, BH. (2016). Utilization of Microemulsions from *Rhinacanthus nasutus* (L.) Kurz to Improve Carotenoid Bioavailability. *Sci Rep* 6: 25426. <http://dx.doi.org/10.1038/srep25426>.
- Hoffman, MD; Stuempfle, KJ; Rogers, IR; Weschler, LB; Hew-Butler, T. (2012). Hyponatremia in the 2009 161-km Western States Endurance Run. *Int J Sports Physiol Perform* 7: 6-10.
- Hoffmann, EJ; Vandervoort, C; Wise, JC. (2009). Curative activity of insecticides against plum curculio (Coleoptera: Curculionidae) in tart cherries. *J Econ Entomol* 102: 1864-1873.
- Höfling, JF; Anibal, PC; Obando-Pereda, GA; Peixoto, IA; Furletti, VF; Foglio, MA; Gonçalves, RB. (2010). Antimicrobial potential of some plant extracts against *Candida* species. *Braz J Biol* 70: 1065-1068.
- Hofman, J; Rhodes, A; Semple, KT. (2008). Fate and behaviour of phenanthrene in the natural and artificial soils. *Environ Pollut* 152: 468-475. <http://dx.doi.org/10.1016/j.envpol.2007.05.034>.

## Human Health Hazard Literature Search Results

### Off Topic

- Holbrook, MT. (2003). Methylene chloride. In RE Kirk; DF Othmer (Eds.), (4th, online ed., pp. 371-380). New York, NY: Wiley.  
<http://dx.doi.org/10.1002/0471238961.1305200808151202.a02.pub2>.
- Honda, H; Matsumoto, T; Sakamoto, M; Kobayashi, A; Chang, HC; Kato, M. (2013). Integration of alkyl-substituted bipyridyl benzenedithiolato platinum(II) complexes with cadmium(II) ion via selective dative bond formation. *Inorg Chem* 52: 4324-4334.  
<http://dx.doi.org/10.1021/ic302352k>.
- Honda, M; Takahashi, N; Kuwa, T; Takehara, M; Inoue, Y; Kumagai, T. (2015). Spectral characterisation of Z-isomers of lycopene formed during heat treatment and solvent effects on the E/Z isomerisation process. *Food Chem* 171: 323-329.  
<http://dx.doi.org/10.1016/j.foodchem.2014.09.004>.
- Honda, PA; Ferreira, IC; Cortez, DA; Amado, CA; Silveira, TG; Brenzan, MA; Lonardoni, MV. (2010). Efficacy of components from leaves of *Calophyllum brasiliense* against *Leishmania (Leishmania) amazonensis*. *Phytomedicine* 17: 333-338.  
<http://dx.doi.org/10.1016/j.phymed.2009.08.011>.
- Hongnak, S; Jongaramruong, J; Khumkratok, S; Siriphong, P; Tip-Pyang, S. (2015). Chemical constituents and derivatization of melodorinol from the roots of *Melodorum fruticosum*. *Natural Product Communications* 10: 633-636.
- Hori, H; Ishidao, T; Ishimatsu, S. (2010). Thermal reconditioning characteristics of a respirator cartridge for organic vapors using humid air as the desorption gas. *J Occup Health* 52: 125-131.
- Horlacher, N; Schwack, W. (2016). Determination of 2-Aminoacetophenone in wine by high-performance thin-layer chromatography-fluorescence detection. *J Chromatogr A* 1432: 140-144. <http://dx.doi.org/10.1016/j.chroma.2015.12.081>.
- Horne, TK; Cronjé, MJ. (2014). Novel porphyrazine derivatives show promise for photodynamic therapy despite restrictions in hydrophilicity. *Photochem Photobiol* 90: 648-658. <http://dx.doi.org/10.1111/php.12231>.
- Horta, A; Pinteus, S; Alves, C; Fino, N; Silva, J; Fernandez, S; Rodrigues, A; Pedrosa, R. (2014). Antioxidant and antimicrobial potential of the *Bifurcaria bifurcata* epiphytic bacteria. *Mar Drugs* 12: 1676-1689. <http://dx.doi.org/10.3390/md12031676>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hoshino, D; Yoshida, Y; Holloway, GP; Lally, J; Hatta, H; Bonen, A. (2012). Clenbuterol, a  $\beta_2$ -adrenergic agonist, reciprocally alters PGC-1  $\alpha$  and RIP140 and reduces fatty acid and pyruvate oxidation in rat skeletal muscle. *Am J Physiol Regul Integr Comp Physiol* 302: R373-R384. <http://dx.doi.org/10.1152/ajpregu.00183.2011>.
- Hosoya, T; Takano, T; Kosma, P; Rosenau, T. (2014). Theoretical foundation for the presence of oxacarbenium ions in chemical glycoside synthesis. *J Org Chem* 79: 7889-7894. <http://dx.doi.org/10.1021/jo501012s>.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Harrison, JJ; von Glasow, R; Sommariva, R; Atlas, E; Navarro, M; Montzka, SA; Feng, W; Dhomse, S; Harth, C; Muehle, J; Lunder, C; O'Doherty, S; Young, D; Reimann, S; Vollmer, MK; Krummel, PB; Bernath, PF. (2015). Growth in stratospheric chlorine from short-lived chemicals not controlled by the Montreal Protocol. *Geophys Res Lett* 42: 4573-4580.  
<http://dx.doi.org/10.1002/2015GL063783>.
- Hossen, F; Ahasan, R; Haque, MR; Begum, B; Hasan, CM. (2016). Crispene A, B, C and D, Four New Clerodane Type Furanoid Diterpenes from *Tinospora crispa* (L.). *Pharmacognosy Magazine* 12: S37-S41. <http://dx.doi.org/10.4103/0973-1296.176116>.
- Hou, KY; Rehman, A; Zeng, X. (2011). Study of ionic liquid immobilization on polyvinyl ferrocene substrates for gas sensor arrays. *Langmuir* 27: 5136-5146. <http://dx.doi.org/10.1021/la104191n>.
- Hou, XZ; Liu, W; Fan, HT; Liu, B; Pang, B; Xin, T; Xu, SC; Pang, Q. (2010). Expression of hepatocyte growth factor and its receptor c-Met in human pituitary adenomas. *Neuro Oncol* 12: 799-803. <http://dx.doi.org/10.1093/neuonc/noq024>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houël, E; Bertani, S; Bourdy, G; Deharo, E; Jullian, V; Valentin, A; Chevalley, S; Stien, D. (2009). Quassinoid constituents of *Quassia amara* L. leaf herbal tea. Impact on its antimalarial activity and cytotoxicity. *J Ethnopharmacol* 126: 114-118.  
<http://dx.doi.org/10.1016/j.jep.2009.07.037>.
- Houghton, L; Jones, Q; Wathen, C. (2013). An unusual complication of cocaine toxicity. *Acute Medicine* 12: 96-97.
- Hounjet, LJ; Bierenstiel, M; Ferguson, MJ; Mcdonald, R; Cowie, M. (2010). Coordinatively diverse ortho-phosphinoaniline complexes of ruthenium and isolation of a putative intermediate in ketone transfer hydrogenation catalysis. *Inorg Chem* 49: 4288-4300.  
<http://dx.doi.org/10.1021/ic100165t>.
- Hroch, M; Mičuda, S; Cermanová, J; Chládek, J; Tomšík, P. (2013). Development of an HPLC fluorescence method for determination of boldine in plasma, bile and urine of rats and identification of its major metabolites by LC-MS/MS. *J Chromatogr B Analyt Technol Biomed Life Sci* 936: 48-56. <http://dx.doi.org/10.1016/j.jchromb.2013.07.009>.
- HSDB (Hazardous Substances Data Bank). (2003). Dichloromethane [Database]. Bethesda, MD: National Library of Medicine.
- Hsia, CC; Huang, FL; Hung, GU; Shen, LH; Chen, CL; Wang, HE. (2011). The biological characterization of (99m)Tc-BnAO-NI as a SPECT probe for imaging hypoxia in a sarcoma-bearing mouse model. *99: 649-655*. <http://dx.doi.org/10.1016/j.apradiso.2010.12.009>.
- Hsieh, YC; Yeh, HJ; Lin, SF; Hsu, YW; Huang, JL; Lin, TC; Ting, CT; Wu, TJ. (2011). Short-duration therapeutic hypothermia causes prompt connexin43 gap junction remodeling in isolated rabbit hearts. *Circ J* 75: 1706-1716.
- Hsu, BY; Pu, YS; Inbaraj, BS; Chen, BH. (2012). An improved high performance liquid chromatography-diode array detection-mass spectrometry method for determination of carotenoids and their precursors phytoene and phytofluene in human serum. *Journal of Chromatography B* 899: 36-45. <http://dx.doi.org/10.1016/j.jchromb.2012.04.034>.
- Hsu, HY; Ji, L; Ahn, HS; Zhao, J; Yu, ET; Bard, AJ. (2015). A Liquid Junction Photoelectrochemical Solar Cell Based on p-Type MeNH<sub>3</sub>PbI<sub>3</sub> Perovskite with 1.05 V Open-Circuit Photovoltage. *J Am Chem Soc* 137: 14758-14764. <http://dx.doi.org/10.1021/jacs.5b09758>.

## Human Health Hazard Literature Search Results

### Off Topic

- Hu, B; Song, W; Xie, L; Shao, T. (2008). [Determination of 33 pesticides in tea by accelerated solvent extraction-gel permeation and solid-phase extraction purification-gas chromatography-mass spectrometry]. *Sepu* 26: 22-28.
- Hu, CC; Lin, JT; Lu, FJ; Chou, FP; Yang, DJ. (2008). Determination of carotenoids in *Dunaliella salina* cultivated in Taiwan and antioxidant capacity of the algal carotenoid extract. *Food Chem* 109: 439-446. <http://dx.doi.org/10.1016/j.foodchem.2007.12.043>.
- Hu, J; Xu, K; Jia, Y; Lv, Y; Li, Y; Hou, X. (2008). Oxidation of ethyl ether on borate glass: chemiluminescence, mechanism, and development of a sensitive gas sensor. *Anal Chem* 80: 7964-7969. <http://dx.doi.org/10.1021/ac800748m>.
- Hu, JY; Hu, YQ; Zhen, ZH; Deng, ZB. (2011). Residue Analysis of Fluroxypyr-meptyl in Wheat and Soil by GC-ECD. *Chromatographia* 74: 291-296. <http://dx.doi.org/10.1007/s10337-011-2050-2>.
- Hu, LF; Li, Y; Neo, KL; Yong, QC; Lee, SW; Tan, BK; Bian, JS. (2011). Hydrogen sulfide regulates Na<sup>+</sup>/H<sup>+</sup> exchanger activity via stimulation of phosphoinositide 3-kinase/Akt and protein kinase G pathways. *J Pharmacol Exp Ther* 339: 726-735. <http://dx.doi.org/10.1124/jpet.111.184754>.
- Hu, M; Zhao, M; An, C; Yang, M; Li, Q; Zhang, Y; Suetsugu, A; Tome, Y; Yano, S; Fu, Y; Hoffman, RM; Hu, K. (2012). Real-time imaging of apoptosis induction of human breast cancer cells by the traditional Chinese medicinal herb tubeimu. *Anticancer Res* 32: 2509-2514.
- Hu, SH; Liang, ZC; Lien, JL; Hsieh, SL; Wang, JC; Chang, SJ. (2009). Antioxidant and Antigenotoxicity Activities of Extracts from Liquid Submerged Culture of Culinary-Medicinal *Ferula Oyster Mushroom*, *Pleurotus eryngii* (DC.) Quel. var. *ferulae* (Lanzi) Sacc. (Agaricomycetidae). *Int J Med Mushrooms* 11: 395-408.
- Hu, W; Wu, L; Qiang, Q; Ji, L; Wang, X; Luo, H; Wu, H; Jiang, Y; Wang, G; Shen, T. (2016). The dichloromethane fraction from *Mahonia bealei* (Fort.) Carr. leaves exerts an anti-inflammatory effect both in vitro and in vivo. *J Ethnopharmacol* 188: 134-143. <http://dx.doi.org/10.1016/j.jep.2016.05.013>.
- Hu, X; Jin, H; Xu, W; Zhang, W, ei; Liu, X; Yan, S; Chen, M; Li, J; Zhang, W. (2008). Anti-inflammatory and analgesic effects of *Daphne retusa* Hemsl. *J Ethnopharmacol* 120: 118-122. <http://dx.doi.org/10.1016/j.jep.2008.07.010>.
- Huang, CY; Song, M; Gu, ZY; Wang, HF; Yan, XP. (2011). Probing the adsorption characteristic of metal-organic framework MIL-101 for volatile organic compounds by quartz crystal microbalance. *Environ Sci Technol* 45: 4490-4496. <http://dx.doi.org/10.1021/es200256q>.
- Huang, F; Wu, X; Yu, Y; Lu, Y; Chen, Q. (2017). Acylation of cellulose nanocrystals with acids/trifluoroacetic anhydride and properties of films from esters of CNCs. *Carbohydr Polymer* 155: 525-534. <http://dx.doi.org/10.1016/j.carbpol.2016.09.010>.
- Huang, MC; Chen, HC; Fu, SC; Ding, WH. (2013). Determination of volatile N-nitrosamines in meat products by microwave-assisted extraction coupled with dispersive micro solid-phase extraction and gas chromatography-chemical ionisation mass spectrometry. *Food Chem* 138: 227-233. <http://dx.doi.org/10.1016/j.foodchem.2012.09.119>.
- Huang, PW; Liu, HT; Hsiong, CH; Pao, LH; Lu, CC; Ho, ST; Hu, OY. (2013). Simultaneous determination of nalbuphine and its prodrug sebacolyl nalbuphine ester in human plasma by ultra-performance liquid chromatography-tandem mass spectrometry and its application to pharmacokinetic study in humans. *Biomed Chromatogr* 27: 831-837. <http://dx.doi.org/10.1002/bmc.2867>.
- Huang, R; Liu, Y; Chen, Z; Pan, D; Li, Z; Wu, M; Shek, CH; Wu, CM; Lai, JK. (2015). Fe-species-loaded mesoporous MnO<sub>2</sub> superstructural requirements for enhanced catalysis. *7*: 3949-3959. <http://dx.doi.org/10.1021/am505989j>.
- Huang, R; Mcphedran, KN; Gamal El-Din, M. (2015). Ultra Performance Liquid Chromatography Ion Mobility Time-of-Flight Mass Spectrometry Characterization of Naphthenic Acids Species from Oil Sands Process-Affected Water. *Environ Sci Technol* 49: 11737-11745. <http://dx.doi.org/10.1021/acs.est.5b03178>.
- Huang, R; Mcphedran, KN; Sun, N; Chelme-Ayala, P; Gamal El-Din, M. (2016). Investigation of the impact of organic solvent type and solution pH on the extraction efficiency of naphthenic acids from oil sands process-affected water. *Chemosphere* 146: 472-477. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.054>.
- Huang, S; Hang, Y. (2010). [Simultaneous determination of bisphenol A and tetrabromobisphenol A in plastic products using high performance liquid chromatography-mass spectrometry]. *Sepu* 28: 863-866.
- Huang, S; Shao, M; Lu, SH. (2008). [Identification of air toxics from indoor and outdoor measurements of volatile organic compounds in one elementary school in Beijing]. *Huanjing Kexue* 29: 3326-3330.
- Huang, SW; Hsieh, MM; Chang, SY. (2012). Sensitive determination of sertraline by capillary electrophoresis with dispersive liquid-liquid microextraction and field-amplified sample stacking. *Talanta* 101: 460-464. <http://dx.doi.org/10.1016/j.talanta.2012.09.060>.
- Huang, WJ; Lee, HJ; Chen, HL; Fan, PC; Ku, YL; Chiou, LC. (2015). Hispidulin, a constituent of *Clerodendrum inerme* that remitted motor tics, alleviated methamphetamine-induced hyperlocomotion without motor impairment in mice. *J Ethnopharmacol* 166: 18-22. <http://dx.doi.org/10.1016/j.jep.2015.03.001>.
- Huang, WY; Chuang, SJ; Chunag, NT; Hsiao, CS; Datta, A; Chen, SJ; Hu, CH; Huang, JH; Lee, TY; Lin, CH. (2011). Aluminium complexes containing bidentate and symmetrical tridentate pincer type pyrrolyl ligands: synthesis, reactions and ring opening polymerization. *Dalton Transactions (Online)* 40: 7423-7433. <http://dx.doi.org/10.1039/c1dt10442j>.
- Huang, X; Peng, K; Feng, Y; Liu, J; Lu, L. (2013). Separation and characterization of effective demulsifying substances from surface of *Alcaligenes* sp. S-XJ-1 and its application in water-in-kerosene emulsion. *Bioresour Technol* 139: 257-264. <http://dx.doi.org/10.1016/j.biortech.2013.04.043>.
- Huang, Z; Zhang, J; Zhang, P; Wang, H; Pan, Z; Wang, L. (2016). Analysis of volatile organic compounds in pleural effusions by headspace solid-phase microextraction coupled with cryotrap gas chromatography and mass spectrometry. *J Sep Sci* 39: 2544-2552. <http://dx.doi.org/10.1002/jssc.201600279>.
- Huber, G; Garg, U. (2010). Quantitation of ibuprofen in blood using gas chromatography-mass spectrometry (GC-MS). *Methods Mol Biol* 603: 289-296. [http://dx.doi.org/10.1007/978-1-60761-459-3\\_27](http://dx.doi.org/10.1007/978-1-60761-459-3_27).

## Human Health Hazard Literature Search Results

### Off Topic

- Hubicka, U; Krzek, J, an; Stankiewicz, M. (2009). Chromatographic-densitometric Method for Determination of Clopamide and 4-chlorobenzoic, and 4-chloro-3-sulfamoylbenzoic Acids in Tablets. *Current Pharmaceutical Analysis* 5: 408-415.
- Hubinger, JC. (2009). Determination of retinol, retinyl palmitate, and retinoic acid in consumer cosmetic products. *J Cosmet Sci* 60: 485-500.
- Hubschman, JP; Coffee, RE; Bourges, JL; Yu, F; Schwartz, SD. (2010). Experimental model of intravitreal injection techniques. 30: 167-173. <http://dx.doi.org/10.1097/IAE.0b013e3181b094cf>.
- Huczynski, A; Janczak, J; Lowicki, D; Brzezinski, B. (2012). Monensin A acid complexes as a model of electrogenic transport of sodium cation. *Biochim Biophys Acta* 1818: 2108-2119. <http://dx.doi.org/10.1016/j.bbame.2012.04.017>.
- Huczynski, A; Ratajczak-Sitarz, M; Stefańska, J; Katrusiak, A; Brzezinski, B; Bartl, F. (2011). Reinvestigation of the structure of monensin A phenylurethane sodium salt based on X-ray crystallographic and spectroscopic studies, and its activity against hospital strains of methicillin-resistant *S. epidermidis* and *S. aureus*. *J Antibiot (Tokyo)* 64: 249-256. <http://dx.doi.org/10.1038/ja.2010.167>.
- Hugon-Chapuis, F; Mullot, JU; Tuffal, G; Hennion, MC; Pichon, V. (2008). Selective and automated sample pretreatment by molecularly imprinted polymer for the analysis of the basic drug alfuzosin from plasma. *J Chromatogr A* 1196-1197: 73-80. <http://dx.doi.org/10.1016/j.chroma.2008.04.038>.
- Hui, Y; Chng, EL; Chng, CY; Poh, HL; Webster, RD. (2009). Hydrogen-bonding interactions between water and the one- and two-electron-reduced forms of vitamin K1: applying quinone electrochemistry to determine the moisture content of non-aqueous solvents. *J Am Chem Soc* 131: 1523-1534. <http://dx.doi.org/10.1021/ja8080428>.
- Hui, Y; Webster, RD. (2011). Absorption of water into organic solvents used for electrochemistry under conventional operating conditions. *Anal Chem* 83: 976-981. <http://dx.doi.org/10.1021/ac102734a>.
- Hull, R; Marshall, R; Tatnell, L; Moss, SR. (2008). Herbicide-resistance to mesosulfuron + iodosulfuron in *Alopecurus myosuroides* (black-grass). *Commun Agric Appl Biol Sci* 73: 903-912.
- Hun Son, K; Young Heo, M. (2013). Inhibitory effects of Korean indigenous plants on tyrosinase and melanogenesis. *J Cosmet Sci* 64: 145-158.
- Hunter, L; Gordge, L; Dargan, PI; Wood, DM. (2011). Methaemoglobinaemia associated with the use of cocaine and volatile nitrites as recreational drugs: a review [Review]. *Br J Clin Pharmacol* 72: 18-26. <http://dx.doi.org/10.1111/j.1365-2125.2011.03950.x>.
- Hunyadi, A; Veres, K; Danko, B; Kele, Z; Weber, E; Hetenyi, A; Zupko, I; Hsieh, TJ. (2013). In vitro Anti-diabetic Activity and Chemical Characterization of an Apolar Fraction of *Morus alba* Leaf Water Extract. *Phytother Res* 27: 847-851. <http://dx.doi.org/10.1002/ptr.4803>.
- Hur, DY; Park, TJ; Shin, EJ. (2014). Synthesis and solvent-dependent photochromic reactions of porphyrin-spiropyran hybrid compounds. *Spectrochim Acta A Mol Biomol Spectrosc* 117: 541-547. <http://dx.doi.org/10.1016/j.saa.2013.08.005>.
- Hussain, J; Ruan, Z; Nascimento, IA; Liu, Y; Liao, W. (2014). Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods. *Bioresour Technol* 169: 768-772. <http://dx.doi.org/10.1016/j.biortech.2014.06.074>.
- Hussain, M; Raza, SM; Janbaz, KH. (2014). Pharmacological evaluation and validation for the folkloric use of *Oligochaeta ramosa* in constipation and diarrhea. *Bangladesh J Pharmacol* 9: 617-623. <http://dx.doi.org/10.3329/bjp.v9i4.20566>.
- Hussein, LA; Azab, NF; Abdel-Ghany, MF. (2016). Multiresidue Analysis of Five Neonicotinoid Insecticides and Their Primary Metabolite in Cucumbers and Soil Using High-Performance Liquid Chromatography with Diode-Array Detection. *J AOAC Int*. <http://dx.doi.org/10.5740/jaoacint.16-0162>.
- Hussien, NA; Mohammed, AM; Tessema, M; Dejene, FB; Redi-Abshiro, M. (2012). Solvent polarity and excitation wavelength dependence of the dual fluorescence in *N,N*-diethyl-4-nitrosoaniline. *J Fluoresc* 22: 451-456. <http://dx.doi.org/10.1007/s10895-011-0978-0>.
- Hwang, JH; Jin, Q; Woo, ER; Lee, DG. (2013). Antifungal property of hibicuslide C and its membrane-active mechanism in *Candida albicans*. *Biochimie* 95: 1917-1922. <http://dx.doi.org/10.1016/j.biochi.2013.06.019>.
- Hwang, K; Woo, S; Choi, J; Kim, M. (2012). Survey of polycyclic aromatic hydrocarbons in marine products in Korea using GC/MS. *Food Addit Contam Part B Surveill* 5: 1-7. <http://dx.doi.org/10.1080/19393210.2011.611897>.
- Hyltdgaard, MG; Purup, S; Bond, AD; Fretté, XC; Qu, H; Jensen, KT; Christensen, LP. (2015). Guaianolides and a seco-Eudesmane from the Resinous Exudates of Cushion Bush (*Leucophyta brownii*) and Evaluation of Their Cytostatic and Anti-inflammatory Activity. *J Nat Prod* 78: 1877-1885. <http://dx.doi.org/10.1021/acs.jnatprod.5b00208>.
- Hyun, SK; Lee, WH; Jeong, d; Kim, Y; Choi, JS. (2008). Inhibitory effects of kurarinol, kuraridinol, and trifolirhizin from *Sophora flavescens* on tyrosinase and melanin synthesis. *Biol Pharm Bull* 31: 154-158.
- Iafisco, M; Palazzo, B; Ito, T; Otsuka, M; Senna, M; Delgado-Lopez, JM; Gomez-Morales, J; Tampieri, A; Prat, M; Rimondini, L. (2012). Preparation of core-shell poly(L-lactic) acid-nanocrystalline apatite hollow microspheres for bone repairing applications. *J Mater Sci Mater Med* 23: 2659-2669. <http://dx.doi.org/10.1007/s10856-012-4732-1>.
- Iasilli, G; Martini, F; Minei, P; Ruggeri, G; Pucci, A. (2016). Vapochromic features of new luminogens based on julolidine-containing styrene copolymers. *Faraday Discuss*. <http://dx.doi.org/10.1039/c6fd00151c>.
- Ibarra, AA; Wrobel, K; Escobosa, AR; Elguera, JC; Garay-Sevilla, ME; Wrobel, K. (2015). Determination of putrescine, cadaverine, spermidine and spermine in different chemical matrices by high performance liquid chromatography-electrospray ionization-ion trap tandem mass spectrometry (HPLC-ESI-ITMS/MS). *J Chromatogr B Analyt Technol Biomed Life Sci* 1002: 176-184. <http://dx.doi.org/10.1016/j.jchromb.2015.08.036>.
- Ibrahim, H; Sim, KS; Syamsir, DR; Nor, NRM; Nurestri, AMS; Awang, K. (2010). Cytotoxic activity of leaf and rhizome extracts of *Alpinia scabra* (Blume) Naves, a wild ginger from Peninsular Malaysia. 4: 708-711.

## Human Health Hazard Literature Search Results

### Off Topic

- Ida, A; Cohen, B; Asaka, T; Kawai, A; Organero, JA; Shibuya, K; Douhal, A. (2011). Isomerization dynamics of the 2-phenylazo-1,3-dimethylimidazolium cation photoexcited to the S2 ( $\pi, \pi^*$ ) state as studied by transient absorption spectroscopy in the time domain of 10(-13) to 10(3) seconds. *Phys Chem Chem Phys* 13: 20318-20325. <http://dx.doi.org/10.1039/c1cp22095k>.
- Ikeda, K; Ikawa, K; Kozumi, T; Yokoshige, S; Horikawa, S; Morikawa, N. (In Press) Development and validation of a GC-El-MS method with reduced adsorption loss for the quantification of olanzapine in human plasma. *Anal Bioanal Chem*. <http://dx.doi.org/10.1007/s00216-012-5802-4>.
- Im, J; Semrau, JD. (2011). Pollutant degradation by a Methylocystis strain SB2 grown on ethanol: bioremediation via facultative methanotrophy. *FEMS Microbiol Lett* 318: 137-142. <http://dx.doi.org/10.1111/j.1574-6968.2011.02249.x>.
- Im, K; Lee, J, iY; Byeon, H; Hwang, KW, oo; Kang, W; Whang, W, anK; Min, H. (2016). In Vitro antioxidative and anti-inflammatory activities of the ethanol extract of eggplant (*Solanum melongena*) stalks in macrophage RAW 264.7 cells. *Food and Agricultural Immunology* 27: 758-771. <http://dx.doi.org/10.1080/09540105.2016.1150427>.
- Imen, S; Christian, M; Virginie, D; Colette, R. (2015). Intraspecific Signals Inducing Aggregation in *Periplaneta americana* (Insecta: Dictyoptera). *Environ Entomol* 44: 713-723. <http://dx.doi.org/10.1093/ee/nvv035>.
- Imfeld, G; Kopinke, FD; Fischer, A; Richnow, HH. (2014). Carbon and hydrogen isotope fractionation of benzene and toluene during hydrophobic sorption in multistep batch experiments. *Chemosphere* 107: 454-461. <http://dx.doi.org/10.1016/j.chemosphere.2014.01.063>.
- Imoto, H; Kizaki, K; Naka, K. (2015). A Mechanochromic Luminescent Dye Exhibiting On/Off Switching by Crystalline-Amorphous Transitions. *Chem Asian J* 10: 1698-1702. <http://dx.doi.org/10.1002/asia.201500499>.
- Imramovský, A; Jorda, R; Pauk, K; Rezníčková, E; Dušek, J; Hanusek, J; Kryštof, V. (2013). Substituted 2-hydroxy-N-(arylalkyl)benzamides induce apoptosis in cancer cell lines. *Eur J Med Chem* 68: 253-259. <http://dx.doi.org/10.1016/j.ejmech.2013.08.009>.
- Inami, K; Mine, Y; Tatsuzaki, J; Mori, C; Mochizuki, M. (2017). Isolation and characterization of antimutagenic components of *Glycyrrhiza aspera* against N-methyl-N-nitrosourea. 39: 5. <http://dx.doi.org/10.1186/s41021-016-0068-2>.
- Inbaraj, BS; Lu, H; Hung, CF; Wu, WB; Lin, CL; Chen, BH. (2008). Determination of carotenoids and their esters in fruits of *Lycium barbarum* Linnaeus by HPLC-DAD-APCI-MS. *J Pharm Biomed Anal* 47: 812-818. <http://dx.doi.org/10.1016/j.jpba.2008.04.001>.
- Indelli, MT; Chiorboli, C; Ghirotti, M; Orlandi, M; Scandola, F; Kim, HJ; Kim, HJ. (2010). Photoinduced electron transfer in ruthenium(II)/Tin(IV) multiporphyrin arrays. *J Phys Chem B* 114: 14273-14282. <http://dx.doi.org/10.1021/jp9107798>.
- Indelli, MT; Chiorboli, C; Scandola, F; Iengo, E; Osswald, P; Würthner, F. (2010). Photoinduced processes in self-assembled porphyrin/perylene bisimide metallosupramolecular boxes. *J Phys Chem B* 114: 14495-14504. <http://dx.doi.org/10.1021/jp101849m>.
- Ingelman-Sundberg, M. (2004). Human drug metabolising cytochrome P450 enzymes: Properties and polymorphisms [Review]. *Naunyn Schmiedeberg's Arch Pharmacol* 369: 89-104. <http://dx.doi.org/10.1007/s00210-003-0819-z>.
- Innocent, E; Joseph, CC; Gikonyo, NK; Moshi, MJ; Nkunya, MH; Hassanali, A. (2008). Mosquito larvicidal constituents from *Lantana viburnoides* sp *viburnoides* var *kisi* (A. rich) Verdc (Verbenaceae). *J Vector Borne Dis* 45: 240-244.
- Inokuma, Y; Yoshioka, S; Ariyoshi, J; Arai, T; Fujita, M. (2014). Preparation and guest-uptake protocol for a porous complex useful for 'crystal-free' crystallography. *Nat Protoc* 9: 246-252. <http://dx.doi.org/10.1038/nprot.2014.007>.
- Inose, T; Tanaka, D; Tanaka, H; Ivasenko, O; Nagata, T; Ohta, Y; De Feyter, S; Ishikawa, N; Ogawa, T. (2014). Switching of single-molecule magnetic properties of TblII -porphyrin double-decker complexes and observation of their supramolecular structures on a carbon surface. *Chemistry* 20: 11362-11369. <http://dx.doi.org/10.1002/chem.201402669>.
- Inoue Andrade, F; Purgato, GA; de Faria Maia, T; Pais Siqueira, R; Lima, S; Diaz, G; Diaz, MA. (2015). Chemical Constituents and an Alternative Medicinal Veterinary Herbal Soap Made from *Senna macranthera*. *eCAM* 2015: 217598. <http://dx.doi.org/10.1155/2015/217598>.
- Inoue, K; Sugibayashi, K. (2012). In vivo enhancement of transdermal absorption of ketotifen by supersaturation generated by amorphous form of the drug. *Eur J Pharm Sci* 47: 228-234. <http://dx.doi.org/10.1016/j.ejps.2012.06.006>.
- Ioannou, PV; Tsigoulis, GM. (2010). A high yield procedure for the preparation of arsonolipids (2,3-diacloxypropylarsonic acids). *Chem Phys Lipids* 163: 51-55. <http://dx.doi.org/10.1016/j.chemphyslip.2009.10.008>.
- Iparraguirre, A; Rodil, R; Quintana, JB; Bizkarguenaga, E; Prieto, A; Zuloaga, O; Cela, R; Fernández, LA. (2014). Matrix solid-phase dispersion of polybrominated diphenyl ethers and their hydroxylated and methoxylated analogues in lettuce, carrot and soil. *J Chromatogr A* 1360: 57-65. <http://dx.doi.org/10.1016/j.chroma.2014.07.079>.
- Iqbal, M; Ezzeldin, E; Al-Rashod, KA; Shakeel, F. (2015). A validated UPLC-MS/MS assay using negative ionization mode for high-throughput determination of pomalidomide in rat plasma. *J Chromatogr B Analyt Technol Biomed Life Sci* 983-984: 76-82. <http://dx.doi.org/10.1016/j.jchromb.2014.12.036>.
- Irakli, M; Chatzopoulou, P; Kadoglidou, K; Tselivika, N. (2016). Optimization and development of a high-performance liquid chromatography method for the simultaneous determination of vitamin E and carotenoids in tomato fruits. *J Sep Sci* 39: 3348-3356. <http://dx.doi.org/10.1002/jssc.201600491>.
- Irakli, MN; Samanidou, VF; Papadoyannis, IN. (2011). Development and validation of an HPLC method for the simultaneous determination of tocopherols, tocotrienols and carotenoids in cereals after solid-phase extraction. *J Sep Sci* 34: 1375-1382. <http://dx.doi.org/10.1002/jssc.201100077>.
- Iranshahi, M; Barthomeuf, C; Bayet-Robert, M; Chollet, P; Davoodi, D; Piacente, S; Rezaee, R; Sahebkar, A. (2014). Drimane-Type Sesquiterpene Coumarins from *Ferula gummosa* Fruits Enhance Doxorubicin Uptake in Doxorubicin-Resistant Human Breast Cancer Cell Line. 4: 118-125. <http://dx.doi.org/10.4103/2225-4110.126181>.

## Human Health Hazard Literature Search Results

### Off Topic

- Irié-N'guessan, G; Champy, P; Kouakou-Siransy, G; Koffi, A; Kablan, BJ; Leblais, V. (2011). Tracheal relaxation of five Ivorian anti-asthmatic plants: role of epithelium and K<sup>+</sup> channels in the effect of the aqueous-alcoholic extract of *Dichrostachys cinerea* root bark. *J Ethnopharmacol* 138: 432-438. <http://dx.doi.org/10.1016/j.jep.2011.09.016>.
- Isa, AI; Awouafack, MD; Dzoyem, JP; Aliyu, M; Magaji, RA; Ayo, JO; Eloff, JN. (2014). Some *Strychnos spinosa* (Loganiaceae) leaf extracts and fractions have good antimicrobial activities and low cytotoxicities. *BMC Complement Altern Med* 14: 456. <http://dx.doi.org/10.1186/1472-6882-14-456>.
- Isabel Elvira, M; Molina Galdeano, M; Gilardi, P; Garcia-Luque, I; Teresa Serra, M. (2008). Proteomic analysis of pathogenesis-related proteins (PRs) induced by compatible and incompatible interactions of pepper mild mottle virus (PMMoV) in *Capsicum chinense* L-3 plants. *J Exp Bot* 59: 1253-1265. <http://dx.doi.org/10.1093/jxb/ern032>.
- Isago, H; Kagaya, Y; Oyama, Y; Fujita, H; Sugimori, T. (2012). The syntheses of amphiphilic antimony(V)-phthalocyanines and spectral investigation on their aggregation behaviors in aqueous and non-aqueous solutions. *J Inorg Biochem* 111: 91-98. <http://dx.doi.org/10.1016/j.jinorgbio.2012.02.021>.
- Isago, H; Miura, K; Oyama, Y. (2008). Synthesis and properties of a highly soluble dihydroxo(tetra-tert-butylphthalocyaninato)antimony(V) complex as a precursor toward water-soluble phthalocyanines. *J Inorg Biochem* 102: 380-387. <http://dx.doi.org/10.1016/j.jinorgbio.2007.10.022>.
- Isaia, F; Aragoni, MC; Arca, M; Caltagirone, C; Castellano, C; Demartin, F; Garau, A; Lippolis, V; Pintus, A. (2011). Oxidative properties of iodine-adducts of propylthiouracil and methimazole: direct synthesis of mercury(II) complexes from the reaction with liquid mercury. *Dalton Transactions (Online)* 40: 4505-4513. <http://dx.doi.org/10.1039/c0dt01409e>.
- Ishihara, A; Rahman, FB; Leelawatwattana, L; Prapunpoj, P; Yamauchi, K. (2009). In vitro thyroid hormone-disrupting activity in effluents and surface waters in Thailand. *Environ Toxicol Chem* 28: 586-594. <http://dx.doi.org/10.1897/08-120.1>.
- Ishimatsu, R; Edura, T; Adachi, C; Nakano, K; Imato, T. (2016). Photophysical Properties and Efficient, Stable, Electrogenerated Chemiluminescence of Donor-Acceptor Molecules Exhibiting Thermal Spin Upconversion. *Chemistry* 22: 4889-4898. <http://dx.doi.org/10.1002/chem.201600077>.
- Ishimatsu, R; Matsunami, S; Shizu, K; Adachi, C; Nakano, K; Imato, T. (2013). Solvent effect on thermally activated delayed fluorescence by 1,2,3,5-tetrakis(carbazol-9-yl)-4,6-dicyanobenzene. *J Phys Chem A* 117: 5607-5612. <http://dx.doi.org/10.1021/jp404120s>.
- Islam, MN; Choi, SH; Moon, HE; Park, JJ; Jung, HA; Woo, MH; Woo, HC; Choi, JS. (2014). The inhibitory activities of the edible green alga *Capsosiphon fulvescens* on rat lens aldose reductase and advanced glycation end products formation. *Eur J Nutr* 53: 233-242. <http://dx.doi.org/10.1007/s00394-013-0521-y>.
- Islam, MN; Ishita, IJ; Jin, SE; Choi, RJ; Lee, CM; Kim, YS; Jung, HA; Choi, JS. (2013). Anti-inflammatory activity of edible brown alga *Saccharina japonica* and its constituents pheophorbide a and pheophytin a in LPS-stimulated RAW 264.7 macrophage cells. *Food Chem Toxicol* 55: 541-548. <http://dx.doi.org/10.1016/j.fct.2013.01.054>.
- Islam, SM; Ahmed, K; hT; Manik, MK; Wahid, MA; Kamal, CS; Al Mahmud, Z. (2013). A comparative study of the antioxidant, antimicrobial, cytotoxic and thrombolytic potential of the fruits and leaves of *Spondias dulcis*. 3: 682-691. [http://dx.doi.org/10.1016/S2221-1691\(13\)60139-2](http://dx.doi.org/10.1016/S2221-1691(13)60139-2).
- Islam, Z; Shinozuka, J; Harkema, JR; Pestka, JJ. (2009). Purification and comparative neurotoxicity of the trichothecenes satratoxin G and roridin L2 from *Stachybotrys chartarum*. *J Toxicol Environ Health A* 72: 1242-1251. <http://dx.doi.org/10.1080/15287390903129234>.
- Ismail, OA; Jenkins, RG; Karnes, HT. (2013). Investigation of endogenous blood lipids components that contribute to matrix effects in dried blood spot samples by liquid chromatography-tandem mass spectrometry. *Drug Testing and Analysis* 5: 710-715. <http://dx.doi.org/10.1002/dta.1421>.
- Ismail, M; Bagalkotkar, G; Iqbal, S; Adamu, HA. (2012). Anticancer properties and phenolic contents of sequentially prepared extracts from different parts of selected medicinal plants indigenous to Malaysia. *Molecules* 17: 5745-5756. <http://dx.doi.org/10.3390/molecules17055745>.
- Ismail, N; Akhtar, MN; Ismail, M; Zareen, S; Shah, SA; Lajis, NH; Tajuddin, SN. (2015). Neuroprotective effect from stem bark extracts of *Knema laurina* against H<sub>2</sub>O<sub>2</sub>- and A $\beta$ (1-42)-induced cell death in human SH-SY5Y cells. *Nat Prod Res* 29: 1571-1574. <http://dx.doi.org/10.1080/14786419.2014.985676>.
- Ito, F; Honnami, H; Kawakami, H; Kanamura, K; Makino, K. (2008). Preparation and properties of PLGA microspheres containing hydrophilic drugs by the SPG (shirasu porous glass) membrane emulsification technique. *Colloids Surf B Biointerfaces* 67: 20-25. <http://dx.doi.org/10.1016/j.colsurfb.2008.07.008>.
- Ito, Y; Seki, M; Nishioka, Y; Kimura, M; Yasuda, A; Kirimoto, T; Yasuda, T; Yamada, S. (2009). Pharmacological effects of Hachi-mi-jio-gan extract (Harcare) on the contractile response and on pharmacologically relevant receptors in the rat bladder. *Yakugaku Zasshi* 129: 957-964.
- Itoh, N; Aoyagi, Y; Takatsu, A; Yarita, T. (2009). Certified reference material for quantification of polycyclic aromatic hydrocarbons in sediment from the National Metrology Institute of Japan. *Anal Bioanal Chem* 393: 2039-2049. <http://dx.doi.org/10.1007/s00216-009-2675-2>.
- Ivarsen, E; Fretté, XC; Christensen, KB; Christensen, LP; Engberg, RM; Grevsen, K; Kjaer, A. (2014). Bioassay-Guided Chromatographic Isolation and Identification of Antibacterial Compounds from *Artemisia annua* L. That Inhibit *Clostridium perfringens* Growth. *J AOAC Int* 97: 1282-1290. <http://dx.doi.org/10.5740/jaoacint.SGElvarsen>.
- Ivey, FM; Hafer-Macko, CE; Ryan, AS; Macko, RF. (2010). Impaired leg vasodilatory function after stroke: adaptations with treadmill exercise training. *Stroke* 41: 2913-2917. <http://dx.doi.org/10.1161/STROKEAHA.110.599977>.
- Iwalewa, EO; Suleiman, MM; Mdee, LK; Eloff, JN. (2009). Antifungal and antibacterial activities of different extracts of *Harungana madagascariensis* stem bark. *Pharmaceutical Biology* 47: 878-885. <http://dx.doi.org/10.1080/13880200903029316>.



## Human Health Hazard Literature Search Results

### Off Topic

- Iwamoto, H; Tafuku, S; Sato, Y; Takizawa, W; Katagiri, W; Tayama, E; Hasegawa, E; Fukazawa, Y; Haino, T. (2016). Synthesis of linear [5]catenanes via olefin metathesis dimerization of pseudorotaxanes composed of a [2]catenane and a secondary ammonium salt. *Chem Commun (Camb)* 52: 319-322. <http://dx.doi.org/10.1039/c5cc07562a>.
- Iwamoto, LH; Vendramini-Costa, DB; Monteiro, PA; Ruiz, AL; Sousa, IM; Foglio, MA; de Carvalho, JE; Rodrigues, RA. (2015). Anticancer and Anti-Inflammatory Activities of a Standardized Dichloromethane Extract from Piper umbellatum L. Leaves. *eCAM* 2015: 948737. <http://dx.doi.org/10.1155/2015/948737>.
- Iwegbue, A., CM. (2016). CONCENTRATIONS AND HAZARDS OF POLYCYCLIC AROMATIC HYDROCARBONS IN HAWKED BAKED READY-TO-EAT FOODS IN NIGERIA. *Acta Alimentaria* 45: 175-181. <http://dx.doi.org/10.1556/AAlim.2015.0004>.
- Iwegbue, CM; Edeme, JN; Tesi, GO; Bassey, FI; Martincigh, BS; Nwajei, GE. (2014). Polycyclic aromatic hydrocarbon concentrations in commercially available infant formulae in Nigeria: estimation of dietary intakes and risk assessment. *Food Chem Toxicol* 72: 221-227. <http://dx.doi.org/10.1016/j.fct.2014.06.026>.
- Iyapparaj, P; Revathi, P; Ramasubburayan, R; Prakash, S; Palavesam, A; Immanuel, G; Anantharaman, P; Sautreau, A; Hellio, C. (2014). Antifouling and toxic properties of the bioactive metabolites from the seagrasses *Syringodium isoetifolium* and *Cymodocea serrulata*. *Ecotoxicol Environ Saf* 103: 54-60. <http://dx.doi.org/10.1016/j.ecoenv.2014.02.009>.
- Izzet, G; Zeitouny, J; Akdas-Killig, H; Frapart, Y; Ménage, S; Douziech, B; Jabin, I; Le Mest, Y; Reinaud, O. (2008). Dioxygen activation at a mononuclear Cu(I) center embedded in the calix[6]arene-tren core. *J Am Chem Soc* 130: 9514-9523. <http://dx.doi.org/10.1021/ja8019406>.
- Jacinto, SD; Chun, EA; Montuno, AS; Shen, CC; Espineli, DL; Ragasa, CY. (2011). Cytotoxic cardenolide and sterols from *Calotropis gigantea*. *Natural Product Communications* 6: 803-806.
- Jacobson, D; Monforte, AR; Silva Ferreira, AC. (2013). Untangling the chemistry of port wine aging with the use of GC-FID, multivariate statistics, and network reconstruction. *J Agric Food Chem* 61: 2513-2521. <http://dx.doi.org/10.1021/jf3046544>.
- Jadhav, HP; Chaudhari, GG; Patil, DD; Jadhav, RB; Reddy, NM; Shirkhedkar, AA; Goyal, SN; Patil, CR. (2016). Standardization of homeopathic mother tincture of *Toxicodendron pubescens* and correlation of its flavonoid markers with the biological activity. 105: 48-54. <http://dx.doi.org/10.1016/j.homp.2015.08.003>.
- Jagtap, YM; Bhujbal, RK; Ranade, AN; Ranpise, NS. (2012). Effect of various polymers concentrations on physicochemical properties of floating microspheres. *Indian J Pharmaceut Sci* 74: 512-520. <http://dx.doi.org/10.4103/0250-474X.110578>.
- Jahan, I; Rahman, MS; Rahman, MZ; Kaiser, MA; Islam, MS; Wahab, A; Rashid, MA. (2010). Chemical and biological investigations of *Delonix regia* (Bojer ex Hook.) Raf. 60: 207-215. <http://dx.doi.org/10.2478/v10007-010-0018-7>.
- Jain, D; Athawale, R; Bajaj, A; Shrikhande, S. (2014). Double-salting out assisted liquid-liquid extraction (SALLE) HPLC method for estimation of temozolomide from biological samples. *J Chromatogr B Analyt Technol Biomed Life Sci* 970: 86-94. <http://dx.doi.org/10.1016/j.jchromb.2014.02.031>.
- Jain, D; Basniwal, PK. (2013). Forced degradation and impurity profiling: Recent trends in analytical perspectives [Review]. *J Pharm Biomed Anal* 86: 11-35. <http://dx.doi.org/10.1016/j.jpba.2013.07.013>.
- Jain, G; Palekar, U; Awinashe, V; Mishra, SK; Kawadkar, A; Rahangdale, T. (2014). The effect of different chemical surface treatments of denture teeth on shear bond strength: a comparative study. 8: ZC15-ZC18. <http://dx.doi.org/10.7860/JCDR/2014/8420.4474>.
- Jaklenec, A; Hinckfuss, A; Bilgen, B; Ciombor, DM; Aaron, R; Mathiowitz, E. (2008). Sequential release of bioactive IGF-I and TGF-beta 1 from PLGA microsphere-based scaffolds. *Biomaterials* 29: 1518-1525. <http://dx.doi.org/10.1016/j.biomaterials.2007.12.004>.
- Jaklenec, A; Wan, E; Murray, ME; Mathiowitz, E. (2008). Novel scaffolds fabricated from protein-loaded microspheres for tissue engineering. *Biomaterials* 29: 185-192. <http://dx.doi.org/10.1016/j.biomaterials.2007.09.017>.
- Jakob, M; Berg, A; Rubin, R; Levanon, H; Li, K; Schuster, DI. (2009). Photoinduced electron transfer in porphyrin- and fullerene/porphyrin-based rotaxanes as studied by time-resolved EPR spectroscopy. *J Phys Chem A* 113: 5846-5854. <http://dx.doi.org/10.1021/jp900331j>.
- Jakubikova, E; Chen, W; Dattelbaum, DM; Rein, FN; Rocha, RC; Martin, RL; Batista, ER. (2009). Electronic structure and spectroscopy of [Ru(tpy)(2)](2+), [Ru(tpy)(bpy)(H(2)O)](2+), and [Ru(tpy)(bpy)(Cl)](+). *Inorg Chem* 48: 10720-10725. <http://dx.doi.org/10.1021/ic901477m>.
- Jalal, TK; Ahmed, IA; Mikail, M; Momand, L; Draman, S; Isa, ML; Abdull Rasad, MS; Nor Omar, M; Ibrahim, M; Abdul Wahab, R. (2015). Evaluation of antioxidant, total phenol and flavonoid content and antimicrobial activities of *Artocarpus altilis* (breadfruit) of underutilized tropical fruit extracts. *Appl Biochem Biotechnol* 175: 3231-3243. <http://dx.doi.org/10.1007/s12010-015-1499-0>.
- Jameson, HS; Pinol, RA; Mendelowitz, D. (2008). Purinergic P2X receptors facilitate inhibitory GABAergic and glycinergic neurotransmission to cardiac vagal neurons in the nucleus ambiguus. *Brain Res* 1224: 53-62. <http://dx.doi.org/10.1016/j.brainres.2008.06.012>.
- Jamila, N; Khairuddean, M; Khan, SN; Khan, N; Osman, H. (2014). Phytochemicals from the Bark of *Garcinia hombroniana* and Their Biological Activities. *Records of Natural Products* 8: 312-316.
- Jamila, N; Khairuddean, M; Yaacob, NS; Kamal, NN; Osman, H; Khan, SN; Khan, N. (2014). Cytotoxic benzophenone and triterpene from *Garcinia hombroniana*. *Bioorg Chem* 54: 60-67. <http://dx.doi.org/10.1016/j.bioorg.2014.04.003>.
- Jamila, N; Khairuddean, M; Yeong, KK; Osman, H; Murugaiyah, V. (2015). Cholinesterase inhibitory triterpenoids from the bark of *Garcinia hombroniana*. *J Enzyme Inhib Med Chem* 30: 133-139. <http://dx.doi.org/10.3109/14756366.2014.895720>.
- Jamila, N; Khan, N; Khan, I; Khan, AA; Khan, SN. (2016). A bioactive cycloartane triterpene from *Garcinia hombroniana*. *Nat Prod Res* 30: 1388-1397. <http://dx.doi.org/10.1080/14786419.2015.1060594>.
- Janairo, JR; Janairo, GC; Ragasa, CY; Bowden, BF. (2008). A marine verticillane diterpenoid from *Cespitularia erecta*. *Nat Prod Res* 22: 48-52. <http://dx.doi.org/10.1080/14786410701589725>.

## Human Health Hazard Literature Search Results

### Off Topic

- Janbaz, KH; Qayyum, A; Saqib, F; Imran, I; Zia-Ul-Haq, M; de Feo, V. (2014). Bronchodilator, vasodilator and spasmolytic activities of *Cymbopogon martinii*. *J Physiol Pharmacol* 65: 859-866.
- Janbaz, KH; Saqib, F. (2015). Pharmacological evaluation of *Dactyloctenium aegyptium*: An indigenous plant used to manage gastrointestinal ailments. *Bangladesh J Pharmacol* 10: 295-302. <http://dx.doi.org/10.3329/bjp.v10i2.21811>.
- Jang, HC; Guler, S; Shestakova, M; Group, PS. (2008). When glycaemic targets can no longer be achieved with basal insulin in type 2 diabetes, can simple intensification with a modern premixed insulin help? Results from a subanalysis of the PRESENT study. *Int J Clin Pract* 62: 1013-1018. <http://dx.doi.org/10.1111/j.1742-1241.2008.01792.x>.
- Jang, HC; Lee, SR; Vaz, JA. (2009). Biphasic insulin aspart 30 in the treatment of elderly patients with type 2 diabetes: a subgroup analysis of the PRESENT Korea NovoMixstudy. *Diabetes Obes Metab* 11: 20-26. <http://dx.doi.org/10.1111/j.1463-1326.2008.00891.x>.
- Jang, HW; Moon, JK; Shibamoto, T. (2015). Analysis and Antioxidant Activity of Extracts from Broccoli (*Brassica oleracea* L.) Sprouts. *J Agric Food Chem* 63: 1169-1174. <http://dx.doi.org/10.1021/jf504929m>.
- Jang, J; Sah, H. (2011). Nonhalogenated solvent-based solvent evaporation process useful in preparation of PLGA microspheres. *J Microencapsul* 28: 490-498. <http://dx.doi.org/10.3109/02652048.2011.586066>.
- Jang, JY; Lee, JH; Kang, BW; Chung, KT; Choi, YH; Choi, BT. (2009). Dichloromethane fraction of *Cimicifuga heracleifolia* decreases the level of melanin synthesis by activating the ERK or AKT signaling pathway in B16F10 cells. *Experimental Dermatology Online* 18: 232-237. <http://dx.doi.org/10.1111/j.1600-0625.2008.00794.x>.
- Jang, SW; Kang, MJ. (2014). Improved oral absorption and chemical stability of everolimus via preparation of solid dispersion using solvent wetting technique. *Int J Pharm* 473: 187-193. <http://dx.doi.org/10.1016/j.ijpharm.2014.06.006>.
- Janovik, V; Boligon, AA; Frohlich, JK; Schwanz, TG; Pozzebon, TV; Alves, SH; Athayde, ML. (2012). Isolation and chromatographic analysis of bioactive triterpenoids from the bark extract of *Cariniana domestica* (Mart) Miers. *Nat Prod Res* 26: 66-71. <http://dx.doi.org/10.1080/14786419.2010.535160>.
- Jansakul, C; Yorsin, S; Kanokwirun, K. (2014). EFFECTS OF THE CHRONIC ORAL ADMINISTRATION OF *KAEMPHERIA PARVIFLORA* RHIZOMES DICHLOROMETHANE EXTRACT ON VASCULAR REACTIVITY IN MIDDLE-AGED MALE RATS. *Basic Clin Pharmacol Toxicol* 115: 24-25.
- Jansen, O; Angenot, L; Tits, M; Nicolas, JP; De Mol, P; Nikiéma, JB; Frédéricich, M. (2010). Evaluation of 13 selected medicinal plants from Burkina Faso for their antiplasmodial properties. *J Ethnopharmacol* 130: 143-150. <http://dx.doi.org/10.1016/j.jep.2010.04.032>.
- Jansen, O; Tits, M; Angenot, L, uc; Nicolas, JP; De Mol, P; Nikiema, JB; Frederich, M. (2012). Anti-plasmodial activity of *Dicoma tomentosa* (Asteraceae) and identification of urospermal A-15-O-acetate as the main active compound. *Malar J* 11: 289. <http://dx.doi.org/10.1186/1475-2875-11-289>.
- Janssens, S; Anné, M; Rombaut, P; Van den Mooter, G. (2009). Spray drying from complex solvent systems broadens the applicability of Kollicoat IR as a carrier in the formulation of solid dispersions. *Eur J Pharm Sci* 37: 241-248. <http://dx.doi.org/10.1016/j.ejps.2009.02.020>.
- Janssens, W; Vandenbrande, P; Hardeman, E; De Langhe, E; Philips, T; Troosters, T; Decramer, M. (2008). Inspiratory flow rates at different levels of resistance in elderly COPD patients. *Eur Respir J* 31: 78-83. <http://dx.doi.org/10.1183/09031936.00024807>.
- Jarrin, DC; Chen, IY; Ivers, H; Lamy, M; Vallières, A; Morin, CM. (2016). Nocturnal heart rate variability in patients treated with cognitive-behavioral therapy for insomnia. 35: 638-641. <http://dx.doi.org/10.1037/hea0000347>.
- Jarzemska, KN; Chen, Y; Nasca, JN; Trzop, E; Watson, DF; Coppens, P. (2014). Relating structure and photoelectrochemical properties: electron injection by structurally and theoretically characterized transition metal-doped phenanthroline-polyoxotitanate nanoparticles. *Phys Chem Chem Phys* 16: 15792-15795. <http://dx.doi.org/10.1039/c4cp02509a>.
- Jaser, SS; Linsky, R; Grey, M. (2014). Coping and psychological distress in mothers of adolescents with type 1 diabetes. *Matern Child Health J* 18: 101-108. <http://dx.doi.org/10.1007/s10995-013-1239-4>.
- Jassbi, AR; Firuzi, O; Miri, R; Salhei, S; Zare, S; Zare, M; Masroorbabanari, M; Chandran, JN; Schneider, B; Baldwin, IT. (2016). Cytotoxic activity and chemical constituents of *Anthemis mirheydari*. *Pharmaceutical Biology* 54: 2044-2049. <http://dx.doi.org/10.3109/13880209.2016.1141220>.
- Jassbi, AR; Miri, R; Asadollahi, M; Javanmardi, N; Firuzi, O. (2014). Cytotoxic, antioxidant and antimicrobial effects of nine species of woundwort (*Stachys*) plants. *Pharmaceutical Biology* 52: 62-67. <http://dx.doi.org/10.3109/13880209.2013.810650>.
- Jassbi, AR; Mirzaei, Y; Firuzi, O; Chandran, JN; Schneider, B. (2016). Bioassay guided purification of cytotoxic natural products from a red alga *Dichotomaria obtusata*. *Revista Brasileira de Farmacognosia* 26: 705-709. <http://dx.doi.org/10.1016/j.bjp.2016.06.008>.
- Javiya, C; Jonnalagadda, S. (2016). Physicochemical characterization of spray-dried PLGA/PEG microspheres, and preliminary assessment of biological response. *Drug Dev Ind Pharm* 42: 1504-1514. <http://dx.doi.org/10.3109/03639045.2016.1151030>.
- Jayaprakasan, K; Deb, S; Batcha, M; Hopkisson, J; Johnson, I; Campbell, B; Raine-Fenning, N. (2010). The cohort of antral follicles measuring 2-6 mm reflects the quantitative status of ovarian reserve as assessed by serum levels of anti-Müllerian hormone and response to controlled ovarian stimulation. *Fertil Steril* 94: 1775-1781. <http://dx.doi.org/10.1016/j.fertnstert.2009.10.022>.
- Jayatilaka, NK; Angela Montesano, M; Whitehead, RD; Schloth, SJ; Needham, LL; Barr, DB. (2011). High-throughput sample preparation for the quantitation of acephate, methamidophos, omethoate, dimethoate, ethylenethiourea, and propylenethiourea in human urine using 96-well-plate automated extraction and high-performance liquid chromatography-tandem mass spectrometry. *Arch Environ Contam Toxicol* 61: 59-67. <http://dx.doi.org/10.1007/s00244-010-9593-3>.
- Jelvehgari, M; Barar, J; Valizadeh, H; Heidari, N. (2010). Preparation and Evaluation of Poly (epsilon-caprolactone) Nanoparticles-in-Microparticles by W/O/W Emulsion Method. *Iranian Journal of Basic Medical Sciences* 13: 85-96.
- Jelvehgari, M; Dastmalch, S; Nazila, D. (2012). Theophylline-ethylcellulose microparticles: screening of the process and formulation variables for preparation of sustained release particles. *Iranian Journal of Basic Medical Sciences* 15: 608-624.

## Human Health Hazard Literature Search Results

### Off Topic

- Jensen, PK; Wujcik, CE; Mcguire, MK; Mcguire, MA. (2016). Validation of reliable and selective methods for direct determination of glyphosate and aminomethylphosphonic acid in milk and urine using LC-MS/MS. *J Environ Sci Health B* 51: 254-259. <http://dx.doi.org/10.1080/03601234.2015.1120619>.
- Jeon, HH; Youn, YH; Rhee, K; Kim, JH; Park, H; Conklin, JL. (2014). For patients with primary achalasia the clinical success of pneumatic balloon dilatation can be predicted from the residual fraction of radionuclide during esophageal transit scintigraphy. *Dig Dis Sci* 59: 375-382. <http://dx.doi.org/10.1007/s10620-013-2906-4>.
- Jeon, HS; Choi, CH; Kang, SM; Kwon, HK; Kim, BI. (2015). Chlorhexidine-releasing orthodontic elastomers. *Dent Mater J* 34: 321-326. <http://dx.doi.org/10.4012/dmj.2014-216>.
- Jeong, JH; Ryu, DS; Suk, DH; Lee, DS. (2011). Anti-inflammatory effects of ethanol extract from *Orostachys japonicus* on modulation of signal pathways in LPS-stimulated RAW 264.7 cells. *BMB Rep* 44: 399-404. <http://dx.doi.org/10.5483/BMBRep.2011.44.6.399>.
- Jerković, I; Obradović, M; Kuš, PM; Sarolić, M. (2013). Bioorganic diversity of rare *Coriandrum sativum* L. honey: unusual chromatographic profiles containing derivatives of linalool/oxygenated methoxybenzene. 10: 1549-1558. <http://dx.doi.org/10.1002/cbdv.201300074>.
- Jermain, JD; Evans, HK. (2009). Analyzing salvia divinorum and its active ingredient salvinorin a utilizing thin layer chromatography and gas chromatography/mass spectrometry. *J Forensic Sci* 54: 612-616. <http://dx.doi.org/10.1111/j.1556-4029.2009.00999.x>.
- Jeronimo de Souza Lima, MC; Oliveira Bitencourt, MA; Furtado, AA; Oliveira Rocha, HA; Oliveira, RM; da Silva-Junior, AA; Tabosa do Egito, ES; Tambourgi, DV; Zucolotto, SM; Fernandes-Pedrosa, M. (2014). *Ipomoea asarifolia* neutralizes inflammation induced by *Tityus serrulatus* scorpion venom. *J Ethnopharmacol* 153: 890-895. <http://dx.doi.org/10.1016/j.jep.2014.03.060>.
- Jeyasankar, A; Premalatha, S; Elumalai, K. (2012). Biological activities of *Solanum pseudocapsicum* (Solanaceae) against cotton bollworm, *Helicoverpa armigera* Hübner and armyworm, *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae). 2: 981-986. [http://dx.doi.org/10.1016/S2221-1691\(13\)60010-6](http://dx.doi.org/10.1016/S2221-1691(13)60010-6).
- Jeyaseelan, EC; Jenothiny, S; Pathmanathan, MK; Jeyadevan, JP. (2012). Antibacterial activity of sequentially extracted organic solvent extracts of fruits, flowers and leaves of *Lawsonia inermis* L. from Jaffna. 2: 798-802. [http://dx.doi.org/10.1016/S2221-1691\(12\)60232-9](http://dx.doi.org/10.1016/S2221-1691(12)60232-9).
- Ji, HY; Sohn, JH; Lee, HS. (2012). Hydrophilic interaction chromatography-electrospray ionization tandem mass spectrometric analysis of anastrozole in human plasma and its application to a pharmacokinetic study. *Biomed Chromatogr* 26: 261-266. <http://dx.doi.org/10.1002/bmc.1658>.
- Ji, L; Yuan, Y; Luo, L; Chen, Z; Ma, X; Ma, Z; Cheng, L. (2012). Physalins with anti-inflammatory activity are present in *Physalis alkekengi* var. *franchetii* and can function as Michael reaction acceptors. *Steroids* 77: 441-447. <http://dx.doi.org/10.1016/j.steroids.2011.11.016>.
- Ji, L; Yuan, Y; Ma, Z; Chen, Z; Gan, L; Ma, X; Huang, D. (2013). Induction of quinone reductase (QR) by withanolides isolated from *Physalis pubescens* L. (Solanaceae). *Steroids* 78: 860-865. <http://dx.doi.org/10.1016/j.steroids.2013.05.008>.
- Ji, X; Yang, W; Wang, T; Mao, C; Guo, L; Xiao, J; He, N. (2013). Coaxially electrospun core/shell structured poly(L-lactide) acid/chitosan nanofibers for potential drug carrier in tissue engineering. *Journal of Biomedical Nanotechnology* 9: 1672-1678. <http://dx.doi.org/10.1166/jbn.2013.1665>.
- Jiang, ES; Xue, M; Liu, YQ; Wang, YF. (2009). [Toxicity of *Vitex negundo* extract to aphids and its co-toxicity with imidacloprid]. *Ying Yong Sheng Tai Xue Bao* 20: 686-690.
- Jiang, H; Cao, H; Zhang, Y; Fast, DM. (2012). Systematic evaluation of supported liquid extraction in reducing matrix effect and improving extraction efficiency in LC-MS/MS based bioanalysis for 10 model pharmaceutical compounds. *J Chromatogr B Analyt Technol Biomed Life Sci* 891-892C: 71-80. <http://dx.doi.org/10.1016/j.jchromb.2012.02.031>.
- Jiang, H; Shi, J; Li, Y. (2011). Screening for compounds with aromatase inhibiting activities from *Atractylodes macrocephala* Koidz. *Molecules* 16: 3146-3151. <http://dx.doi.org/10.3390/molecules16043146>.
- Jiang, Y; Wang, MH. (2015). Different Solvent Fractions of *Acanthopanax senticosus* Harms Exert Antioxidant and Anti-Inflammatory Activities and Inhibit the Human Kv1.3 Channel. *J Med Food* 18: 468-475. <http://dx.doi.org/10.1089/jmf.2014.3182>.
- Jiang, Z; Pang, Y; Yu, X; Zhou, S; Qian, J; Zheng, N; Dong, H; Shi, Q; Kuo, M; Jia, L. (2016). The paradigm-shifting idea and its practice: from traditional abortion Chinese medicine *Murraya paniculata* to safe and effective cancer metastatic chemopreventives. *Onct* 7: 21699-21712. <http://dx.doi.org/10.18632/oncotarget.7932>.
- Jiang, Z; Shi, R; Zhang, H; Li, Y. (2014). SEPARATION AND PURIFICATION OF ANTIOXIDANT GLYCOGLYCEROLIPIDS FROM FRUIT OF CUCURBITA MOSCHATA BY HIGH-SPEED COUNTER-CURRENT CHROMATOGRAPHY COUPLED WITH PREPARATIVE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY. *Journal of Liquid Chromatography and Related Technologies* 37: 974-987. <http://dx.doi.org/10.1080/10826076.2013.765452>.
- Jiang, ZJ; Liu, JT; Lv, HS; Zhao, BX. (2012). Synthesis, X-ray crystal structure and optical properties of novel 5-(3-aryl-1H-pyrazol-5-yl)-2-(6-methoxy-3-methylbenzofuran-2-yl)-1,3,4-oxadiazole. *Spectrochim Acta A Mol Biomol Spectrosc* 86: 181-186. <http://dx.doi.org/10.1016/j.saa.2011.10.021>.
- Jianming, Y; Wei, L; Zhuowei, C; Yifeng, J; Wenji, C; Jianmeng, C. (2014). Dichloromethane removal and microbial variations in a combination of UV pretreatment and biotrickling filtration. *J Hazard Mater* 268: 14-22. <http://dx.doi.org/10.1016/j.jhazmat.2013.12.068>.
- Jima, L; Xuezhi, H; Zhonguang, H; Jun, L; Zongmei, Z; Qinfu, F; Zefen, X; Dongfu, C; Hongxing, Z; Lyuhua, W. (2014). Prognosis of R1-resection at the bronchial stump in patients with non-small cell lung cancer. *Chin Med J* 127: 2918-2923. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20140980>.
- Jiménez, AJ; Grimm, B; Gunderson, VL; Vagnini, MT; Krick Calderon, S; Rodríguez-Morgade, MS; Wasielewski, MR; Guldi, DM; Torres, T. (2011). Synthesis, characterization, and photoinduced energy and electron transfer in a supramolecular tetrakis (ruthenium(II) phthalocyanine) perylenediimide pentad. *Chemistry* 17: 5024-5032. <http://dx.doi.org/10.1002/chem.201002963>.

## Human Health Hazard Literature Search Results

### Off Topic

- Jimenez, PC; Wilke, DV; Takeara, R; Lotufo, TM; Pessoa, C; de Moraes, MO; Lopes, NP; Costa-Lotufo, LV. (2008). Cytotoxic activity of a dichloromethane extract and fractions obtained from *Eudistoma vancouveri* (Tunicata: Ascidiacea). *Comp Biochem Physiol A Mol Integr Physiol* 151: 391-398. <http://dx.doi.org/10.1016/j.cbpa.2007.02.018>.
- Jiménez-Tenorio, M; Carmen Puerta, M; Salcedo, I; Valerga, P; de Los Ríos, I; Mereiter, K. (2009). Oligomerization of styrenes mediated by cationic allyl nickel complexes containing triphenylstibine or triphenylarsine. *Dalton Trans*1842-1852. <http://dx.doi.org/10.1039/b818784c>.
- Jin, F; Hu, J; Liu, J; Yang, M; Wang, F; Wang, H. (2008). Sequestration of nonylphenol in sediment from Bohai Bay, North China. *Environ Sci Technol* 42: 746-751. <http://dx.doi.org/10.1021/es071522i>.
- Jin, KS; Oh, YN; Hyun, SK; Kwon, HJ; Kim, BW. (2014). *Vitis amurensis* Ruprecht root inhibited  $\alpha$ -melanocyte stimulating hormone-induced melanogenesis in B16F10 cells. *Nutrition Research and Practice* 8: 509-515. <http://dx.doi.org/10.4162/nrp.2014.8.5.509>.
- Jin, Q; Lee, C; Lee, JW; Yeon, ET; Lee, D; Han, SB; Hong, JT; Kim, Y; Lee, MK; Hwang, BY. (2014). 2-Phenoxychromones and Prenylflavonoids from *Epimedium koreanum* and Their Inhibitory Effects on LPS-Induced Nitric Oxide and Interleukin-1 $\beta$  Production. *J Nat Prod* 77: 1724-1728. <http://dx.doi.org/10.1021/np400831p>.
- Jin, W; Shi, Q; Hong, C; Cheng, Y; Ma, Z; Qu, H. (2008). Cytotoxic properties of thiophenes from *Echinops grijissi* Hance. *Phytomedicine* 15: 768-774. <http://dx.doi.org/10.1016/j.phymed.2007.10.007>.
- Jin, Z; Wu, J; Wang, C; Dai, G; Liu, S; Lu, J; Jiang, H. (2014). Novel fluorescent 1,8-naphthalimide derivatives containing thiophene and pyrazole moieties: synthesis by direct C-H arylation and evaluation of photophysical and electrochemical properties. *Spectrochim Acta A Mol Biomol Spectrosc* 117: 527-534. <http://dx.doi.org/10.1016/j.saa.2013.07.073>.
- Jinfeng, EC; Mohamad Rafi, MI; Chai Hoon, K; Kok Lian, H; Yoke Kqueen, C. (2017). Analysis of chemical constituents, antimicrobial and anticancer activities of dichloromethane extracts of *Sordariomycetes* sp. endophytic fungi isolated from *Strobilanthes crispus*. *World J Microbiol Biotechnol* 33: 5. <http://dx.doi.org/10.1007/s11274-016-2175-4>.
- Jo, J, inC; Kim, HK. (2016). Production of cinnamoyl lipids using immobilized *Proteus vulgaris* K80 lipase and an evaluation of their antioxidant activity. *Journal of Molecular Catalysis B: Enzymatic* 129: 54-60. <http://dx.doi.org/10.1016/j.molcatb.2016.04.008>.
- Joa, H; Vogl, S; Atanasov, AG; Zehl, M; Nakel, T; Fakhrudin, N; Heiss, EH; Picker, P; Urban, E; Wawrosch, C; Saukel, J; Reznicek, G; Kopp, B; Dirsch, VM. (2011). Identification of ostruthin from *Peucedanum ostruthium* rhizomes as an inhibitor of vascular smooth muscle cell proliferation. *J Nat Prod* 74: 1513-1516. <http://dx.doi.org/10.1021/np200072a>.
- Joe, JH; Lee, WM; Park, YJ; Joe, KH; Oh, DH; Seo, YG; Woo, JS; Yong, CS; Choi, HG. (2010). Effect of the solid-dispersion method on the solubility and crystalline property of tacrolimus. *Int J Pharm* 395: 161-166. <http://dx.doi.org/10.1016/j.ijpharm.2010.05.023>.
- Jogia, H; Sola, SP; Garg, LK; Arutla, S; Reddy, AM; Venkateswarlu, V. (2014). A Simple, Safe, and Environmentally Friendly Method of FaSSiF and FeSSiF Preparation Without Methylene Chloride. *21*: 45-48.
- Jogunola, O; Eta, V; Hedenström, M; Sundman, O; Salmi, T; Mikkola, JP. (2016). Ionic liquid mediated technology for synthesis of cellulose acetates using different co-solvents. *Carbohydr Polymer* 135: 341-348. <http://dx.doi.org/10.1016/j.carbpol.2015.08.092>.
- John, A; Shaikh, MM; Butcher, RJ; Ghosh, P. (2010). Highly efficient palladium precatalysts of homoscorpionate bispyrazolyl ligands for the more challenging Suzuki-Miyaura cross-coupling of aryl chlorides. *Dalton Transactions (Online)* 39: 7353-7363. <http://dx.doi.org/10.1039/c003174g>.
- Johnson, LL; Garg, U. (2010). Quantitation of amobarbital, butalbital, pentobarbital, phenobarbital, and secobarbital in urine, serum, and plasma using gas chromatography-mass spectrometry (GC-MS). *Methods Mol Biol* 603: 65-74. [http://dx.doi.org/10.1007/978-1-60761-459-3\\_7](http://dx.doi.org/10.1007/978-1-60761-459-3_7).
- Johnson, PJ; Skornia, SL; Stabenfeldt, SE; Willits, RK. (2008). Maintaining bioactivity of NGF for controlled release from PLGA using PEG. *J Biomed Mater Res A* 86: 420-427. <http://dx.doi.org/10.1002/jbm.a.31635>.
- Johnson, TA; Sohn, J; Inman, WD; Bjeldanes, LF; Rayburn, K. (2013). Lipophilic stinging nettle extracts possess potent anti-inflammatory activity, are not cytotoxic and may be superior to traditional tinctures for treating inflammatory disorders. *Phytomedicine* 20: 143-147. <http://dx.doi.org/10.1016/j.phymed.2012.09.016>.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Joly, HA; Newton, T; Myre, M. (2012). Activation of C-Cl by ground-state aluminum atoms: an EPR and DFT investigation. *Phys Chem Chem Phys* 14: 367-374. <http://dx.doi.org/10.1039/c1cp22398d>.
- Jonassaint, CR; Boyle, SH; Kuhn, CM; Siegler, IC; Copeland, WE; Williams, R. (2010). Personality and inflammation: the protective effect of openness to experience. *Ethn Dis* 20: 11-14.
- Jones, CM; Donnelly, PE; Schwartz, J. (2010). A nanoscale interface improves attachment of cast polymers to glass [Letter]. *ACS Applied Materials & Interfaces* 2: 2185-2188. <http://dx.doi.org/10.1021/am1004893>.
- Jones, LF; Barrett, SA; Kilner, CA; Halcrow, MA. (2008). Ammonium, alkylammonium, and amino acid complexes of a hexacopper fluorometallacrown cavitand. *Chemistry* 14: 223-233. <http://dx.doi.org/10.1002/chem.200701318>.
- Jonnalagadda, SB; Shezi, MN. (2009). Kinetics and mechanism of the oxidation of methylene violet by bromate at acidic pH and the dual role of bromide ion. *J Phys Chem A* 113: 5540-5549. <http://dx.doi.org/10.1021/jp810015p>.
- Jonsson, F; Johanson, G. (2003). The Bayesian population approach to physiological toxicokinetic-toxicodynamic models - an example using the MCSim software [Review]. *Toxicol Lett* 138: 143-150. [http://dx.doi.org/10.1016/S0378-4274\(02\)00369-7](http://dx.doi.org/10.1016/S0378-4274(02)00369-7).

## Human Health Hazard Literature Search Results

### Off Topic

- Jonville, MC; Kodja, H; Strasberg, D; Pichette, A; Ollivier, E; Frédéric, M; Angenot, L; Legault, J. (2011). Antiplasmodial, anti-inflammatory and cytotoxic activities of various plant extracts from the Mascarene Archipelago. *J Ethnopharmacol* 136: 525-531. <http://dx.doi.org/10.1016/j.jep.2010.06.013>.
- Jorge, VG; Ángel, JR; Adrián, TS; Francisco, AC; Anuar, SG; Samuel, ES; Ángel, SO; Emmanuel, HN. (2013). Vasorelaxant activity of extracts obtained from *Apium graveolens*: possible source for vasorelaxant molecules isolation with potential antihypertensive effect. 3: 776-779. [http://dx.doi.org/10.1016/S2221-1691\(13\)60154-9](http://dx.doi.org/10.1016/S2221-1691(13)60154-9).
- Jose, J; Gamage, SA; Harvey, MG; Voss, LJ; Sleigh, JW; Denny, WA. (2013). Structure-activity relationships for ketamine esters as short-acting anaesthetics. *Bioorg Med Chem* 21: 5098-5106. <http://dx.doi.org/10.1016/j.bmc.2013.06.047>.
- Jouyban, A; Sorouraddin, MH; Farajzadeh, MA; Somi, MH; Fazeli-Bakhtiyari, R. (2015). Determination of five antiarrhythmic drugs in human plasma by dispersive liquid-liquid microextraction and high-performance liquid chromatography. *Talanta* 134: 681-689. <http://dx.doi.org/10.1016/j.talanta.2014.12.008>.
- Ju, XH; Shi, Y; Liu, N; Guo, DM; Cui, X. (2010). Determination and pharmacokinetics of gastrodin in human plasma by HPLC coupled with photodiode array detector. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 1982-1986. <http://dx.doi.org/10.1016/j.jchromb.2010.05.03>.
- Ju, XH; Shi, Y; Liu, N; Guo, RC; Wang, BJ; Cui, X. (2009). Determination of 2,3-dimercaptosuccinic acid in mice blood and tissues by HPLC with fluorescence detection. *Journal of Chromatography B* 877: 1621-1626. <http://dx.doi.org/10.1016/j.jchromb.2009.04.009>.
- Juan, Y; Ke-Qiang, Q. (2009). Preparation of activated carbon by chemical activation under vacuum. *Environ Sci Technol* 43: 3385-3390.
- Juca, TL; Ramos, MV; Mendes Batista Moreno, FB; Viana de Matos, MP; Barreto Marinho-Filho, JD; Moreira, RA; de Oliveira Monteiro-Moreira, A. (2013). Insights on the Phytochemical Profile (Cyclopeptides) and Biological Activities of *Calotropis procera* Latex Organic Fractions. *ScientificWorldJournal* 2013: 615454. <http://dx.doi.org/10.1155/2013/615454>.
- Juhascik, M; Gleba, J; Jenkins, A. (2012). Formation of benzoylecgonine isopropyl ester following solid-phase extraction. *J Anal Toxicol* 36: 141-143. <http://dx.doi.org/10.1093/jat/bks001>.
- Jung, HA; Jeong, DM; Chung, HY; Lim, HA; Kim, JY; Yoon, NY; Choi, JS. (2008). Re-evaluation of the antioxidant prenylated flavonoids from the roots of *Sophora flavescens*. *Biol Pharm Bull* 31: 908-915. <http://dx.doi.org/10.1248/bpb.31.908>.
- Jung, HA; Jin, SE; Ahn, BR; Lee, CM; Choi, JS. (2013). Anti-inflammatory activity of edible brown alga *Eisenia bicyclis* and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages. *Food Chem Toxicol* 59: 199-206. <http://dx.doi.org/10.1016/j.fct.2013.05.061>.
- Jung, HA; Jung, HJ; Jeong, HY; Kwon, HJ; Ali, MY; Choi, JS. (2014). Phlorotannins isolated from the edible brown alga *Ecklonia stolonifera* exert anti-adipogenic activity on 3T3-L1 adipocytes by downregulating C/EBP $\alpha$  and PPAR $\gamma$ . *Fitoterapia* 92: 260-269. <http://dx.doi.org/10.1016/j.fitote.2013.12.003>.
- Jung, HA; Jung, HJ; Jeong, HY; Kwon, HJ; Kim, MS; Choi, JS. (2014). Anti-adipogenic activity of the edible brown alga *Ecklonia stolonifera* and its constituent fucosterol in 3T3-L1 adipocytes. *Arch Pharm Res* 37: 713-720. <http://dx.doi.org/10.1007/s12272-013-0237-9>.
- Jung, HA; Karki, S; Kim, JH; Choi, JS. (2014). BACE1 and cholinesterase inhibitory activities of *Nelumbo nucifera* embryos. *Arch Pharm Res* 38: 1178-1187. <http://dx.doi.org/10.1007/s12272-014-0492-4>.
- Jung, HA; Yokozawa, T; Kim, BW; Jung, JH; Choi, JS. (2010). Selective inhibition of prenylated flavonoids from *Sophora flavescens* against BACE1 and cholinesterases. *Am J Chin Med* 38: 415-429. <http://dx.doi.org/10.1142/S0192415X10007944>.
- Jung, M, iH; Kim, H, aR; Park, Y; Park, DS; Chung, K; Oh, S. (2012). Genotoxic effects and oxidative stress induced by organic extracts of particulate matter (PM10) collected from a subway tunnel in Seoul, Korea. *Mutat Res Genet Toxicol Environ Mutagen* 749: 39-47. <http://dx.doi.org/10.1016/j.mrgentox.2012.08.002>.
- Jung, MY; Choi, DS; Park, KH; Lee, B; Min, DB. (2011). Luminescence spectroscopic observation of singlet oxygen formation in extra virgin olive oil as affected by irradiation light wavelengths, 1,4-diazabicyclo[2.2.2]octane, irradiation time, and oxygen bubbling. *J Food Sci* 76: C59-C63. <http://dx.doi.org/10.1111/j.1750-3841.2010.01883.x>.
- Jung, S; Seo, J; Shin, SK. (2010). Noncovalent binding between fullerenes and protonated porphyrins in the gas phase. *J Phys Chem A* 114: 11376-11385. <http://dx.doi.org/10.1021/jp1033855>.
- Jung, SR; Kim, YJ; Gwon, AR; Lee, J; Jo, DG; Jeon, TJ; Hong, JW; Park, KM; Park, KW. (2011). Genistein mediates the anti-adipogenic actions of *Sophora japonica* L. extracts. *J Med Food* 14: 360-368. <http://dx.doi.org/10.1089/jmf.2010.1324>.
- Junghaenel, DU; Schneider, S; Broderick, JE. (2017). Linguistic Indicators of Pain Catastrophizing in Patients with Chronic Musculoskeletal Pain. <http://dx.doi.org/10.1016/j.jpain.2017.01.001>.
- Junyaprasert, VB; Manwiwattanakul, G. (2008). Release profile comparison and stability of diltiazem-resin microcapsules in sustained release suspensions. *Int J Pharm* 352: 81-91. <http://dx.doi.org/10.1016/j.ijpharm.2007.10.018>.
- Junyaprasert, VB; Pornsuwannapha, S. (2008). Floating properties and release characteristics of hollow microspheres of acyclovir. *Drug Deliv* 15: 331-341. <http://dx.doi.org/10.1080/10717540802035335>.
- Jurgens, CY; Hoke, L; Byrnes, J; Riegel, B. (2009). Why do elders delay responding to heart failure symptoms? *Nurs Res* 58: 274-282. <http://dx.doi.org/10.1097/NNR.0b013e3181ac1581>.
- Juronen, E; Tasa, G; Uusküla, M; Pooga, M; Mikelsaar, AV. (1996). Purification, characterization and tissue distribution of human class theta glutathione S-transferase T1-1. *Biochem Mol Biol Int* 39: 21-29. <http://dx.doi.org/10.1080/15216549600201021>.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.

## Human Health Hazard Literature Search Results

### Off Topic

- Justicia-Leon, SD; Ritalahti, KM; Mack, EE; Löffler, FE. (2012). Dichloromethane fermentation by a *Dehalobacter* sp. in an enrichment culture derived from pristine river sediment. *Appl Environ Microbiol* 78: 1288-1291. <http://dx.doi.org/10.1128/AEM.07325-11>.
- Jyot, G; Singh, B. (2017). Development and Validation of an HPLC Method for Determination of Thiamethoxam and Its Metabolites in Cotton Leaves and Soil. *J AOAC Int*. <http://dx.doi.org/10.5740/jaoacint.16-0206>.
- Kabbash, A; Shoeib, N. (2012). Chemical and biological investigation of some secondary metabolites in *Atriplex halimus* growing in Egypt. *Natural Product Communications* 7: 1465-1468.
- Kabir, MH; Abd El-Aty, AM; Rahman, MM; Kim, SW; Choi, JH; Lee, YJ; Truong, LT; Lee, KB; Kim, MR; Shin, HC; Shim, JH. (2016). The disappearance rate and risk assessment of thiocloprid residues in Asian pear using liquid chromatography confirmed with tandem mass spectrometry. *Biomed Chromatogr*. <http://dx.doi.org/10.1002/bmc.3861>.
- Kadan, S; Saad, B; Sasson, Y; Zaid, H. (2016). In vitro evaluation of anti-diabetic activity and cytotoxicity of chemically analysed *Ocimum basilicum* extracts. *Food Chem* 196: 1066-1074. <http://dx.doi.org/10.1016/j.foodchem.2015.10.044>.
- Kado, S; Furui, A; Akiyama, Y; Nakahara, Y; Kimura, K. (2009). Application of gold nanoparticles to spectrophotometric sensing of hydrophilic anions based on molecular recognition by urea derivative. *Anal Sci* 25: 261-265.
- Kaewpiboon, C; Lirdprapamongkol, K; Srisomsap, C; Winayanuwattikun, P; Yongvanich, T; Puwaprisrisan, P; Svasti, J; Assavalapsakul, W. (2012). Studies of the in vitro cytotoxic, antioxidant, lipase inhibitory and antimicrobial activities of selected Thai medicinal plants. *BMC Complement Altern Med* 12: 217. <http://dx.doi.org/10.1186/1472-6882-12-217>.
- Kaewpiboon, C; Winayanuwattikun, P; Yongvanich, T; Phuwaprisrisan, P; Assavalapsakul, W. (2014). Effect of three fatty acids from the leaf extract of *Tiliacora triandra* on P-glycoprotein function in multidrug-resistant A549RT-eto cell line. *Pharmacognosy Magazine* 10: S549-S556. <http://dx.doi.org/10.4103/0973-1296.139779>.
- Kagan, M; Chlenov, M; Melnikov, S; Greenfield, A; Gross, J; Bernotas, RC. (2008). Optimization of normal-phase chromatographic separation of compounds with primary, secondary and tertiary amino groups. *J Chromatogr A* 1194: 80-89. <http://dx.doi.org/10.1016/j.chroma.2008.04.052>.
- Kageyama, A; Fujino, T; Taki, Y; Kato, Y; Nozawa, Y; Ito, Y; Yamada, S. (2008). Alteration of muscarinic and purinergic receptors in urinary bladder of rats with cyclophosphamide-induced interstitial cystitis. *Neurosci Lett* 436: 81-84. <http://dx.doi.org/10.1016/j.neulet.2008.02.065>.
- Kahnt, A; Heiniger, LP; Liu, SX; Tu, X; Zheng, Z; Hauser, A; Decurtins, S; Guldi, DM. (2010). An electrochemical and photophysical study of a covalently linked inorganic-organic dyad. *Chemphyschem* 11: 651-658. <http://dx.doi.org/10.1002/cphc.200900728>.
- Kalaji, N; Deloge, A; Sheibat-Othman, N; Boyron, O; About, I; Fessi, H. (2010). Controlled release carriers of growth factors FGF-2 and TGFbeta1: synthesis, characterization and kinetic modelling. *Journal of Biomedical Nanotechnology* 6: 106-116.
- Kalantarian, P; Najafabadi, AR; Haririan, I; Vatanara, A; Yamini, Y; Darabi, M; Gilani, K. (2010). Preparation of 5-fluorouracil nanoparticles by supercritical antisolvents for pulmonary delivery. *International Journal of Nanomedicine (Online)* 5: 763-770. <http://dx.doi.org/10.2147/IJN.S12415>.
- Kalita, H; Lee, WZ; Ravikanth, M. (2013). Synthesis, structure, spectral and electrochemical properties of B(OR)<sub>2</sub>-smaragdyrin complexes. *Dalton Transactions (Online)* 42: 14537-14544. <http://dx.doi.org/10.1039/c3dt51539g>.
- Kaloğlu, M; Kaloğlu, N; Özdemir, İ; Günel, S; Özdemir, İ. (2016). Novel benzimidazol-2-ylidene carbene precursors and their silver(I) complexes: Potential antimicrobial agents. *Bioorg Med Chem* 24: 3649-3656. <http://dx.doi.org/10.1016/j.bmc.2016.06.004>.
- Kama-Kama, F; Midiwo, J; Nganga, J; Maina, N; Schiek, E; Omosa, LK; Osanjo, G; Naessens, J. (2016). Selected ethno-medicinal plants from Kenya with in vitro activity against major African livestock pathogens belonging to the "Mycoplasma mycoides cluster". *J Ethnopharmacol* 192: 524-534. <http://dx.doi.org/10.1016/j.jep.2016.09.034>.
- Kamali, M; Khosroyar, S; Kamali, H; Ahmadzadeh Sani, T; Mohammadi, A. (2016). Phytochemical screening and evaluation of antioxidant activities of *Dracocephalum kotschyi* and determination of its luteolin content. *Avicenna Journal of Phytomedicine* 6: 425-433.
- Kamau, RW; Juma, BF; Baraza, LD. (2016). Antimicrobial compounds from root, stem bark and seeds of *Melia volkensii*. *Nat Prod Res* 30: 1984-1987. <http://dx.doi.org/10.1080/14786419.2015.1101104>.
- Kamecka, A; Suwińska, K; Kapturkiewicz, A. (2016). Heteroleptic [Os(H)(CO)(N(Λ)N)(tpp)<sub>2</sub>]<sup>+</sup> and [Os(Cl)(CO)(N(Λ)N)(tpp)<sub>2</sub>]<sup>+</sup> complexes - comparative studies of their luminescence properties. *Phys Chem Chem Phys* 18: 28982-28996. <http://dx.doi.org/10.1039/c6cp05856f>.
- Kammoun, M; Koubaa, I; Ben Ali, Y; Jarraya, R; Gargouri, Y; Damak, M; Bezzine, S. (2010). Inhibition of pro-inflammatory secreted phospholipase A2 by extracts from *Cynara cardunculus* L. *Appl Biochem Biotechnol* 162: 662-670. <http://dx.doi.org/10.1007/s12010-009-8849-8>.
- Kan, X, in; Lin, Z; Xiong, J; Yang, J; Lin, Y; Li, H, ao; Chen, D; Wang, S. (2014). Validation of a HPLC Method for the Determination of Metformin in Human Plasma and its Application to a Bioequivalence Study. *Lat Am J Pharm* 33: 835-840.
- Kanamori-Kataoka, M; Seto, Y. (2009). Paraoxonase activity against nerve gases measured by capillary electrophoresis and characterization of human serum paraoxonase (PON1) polymorphism in the coding region (Q192R). *Anal Biochem* 385: 94-100. <http://dx.doi.org/10.1016/j.ab.2008.09.044>.
- Kanat, Z; Dinçer, H. (2014). The synthesis and characterization of nonperipherally tetra terminal alkynyl substituted phthalocyanines and glycoconjugation via the click reaction. *Dalton Transactions (Online)* 43: 8654-8663. <http://dx.doi.org/10.1039/c4dt00238e>.
- Kandil, F; Chebani, MK; Al Zoubi, W. (2012). Synthesis of macrocyclic bis-hydrazone and their use in metal cations extraction. 2012: 208284. <http://dx.doi.org/10.5402/2012/208284>.
- Kane, CM; Banisafar, A; Dougherty, TP; Barbour, LJ; Holman, KT. (2016). Enclathration and Confinement of Small Gases by the Intrinsically OD Porous Molecular Solid, Me<sub>4</sub>HSiMe<sub>2</sub>. *J Am Chem Soc* 138: 4377-4392. <http://dx.doi.org/10.1021/jacs.5b11395>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kang, BM; An, BK; Jung, WS; Jung, HK; Cho, JH; Cho, HW; Jang, SJ; Yun, YB; Kuk, YI. (2016). Anti-inflammatory effect of tricin isolated from *Alopecurus aequalis* Sobol. on the LPS-induced inflammatory response in RAW 264.7 cells. *Int J Mol Med* 38: 1614-1620. <http://dx.doi.org/10.3892/ijmm.2016.2765>.
- Kang, H; Ouyang, S; Lin, L; Yue, Z; Shen, J. (2012). [Determination of three estrogens in animal liver and kidney tissues by liquid chromatography-tandem mass spectrometry]. *Sepu* 30: 986-990.
- Kang, HJ; Noh, TH; Jin, JS; Jung, OS. (2008). Cyclodimers versus cyclotrimers via solvent or temperature effects on metallacyclization. *Inorg Chem* 47: 5528-5530. <http://dx.doi.org/10.1021/ic800436n>.
- Kang, HY; Yoon, TJ; Lee, GJ. (2011). Whitening effects of marine pseudomonas extract. *Annals of Dermatology* 23: 144-149. <http://dx.doi.org/10.5021/ad.2011.23.2.144>.
- Kang, J; Wu, F; Cai, Y; Xu, M; He, M; Yuan, W. (2014). Development of Recombinant Human Growth Hormone (rhGH) sustained-release microspheres by a low temperature aqueous phase/aqueous phase emulsion method. *Eur J Pharm Sci* 62: 141-147. <http://dx.doi.org/10.1016/j.ejps.2014.05.027>.
- Kang, JY; Khan, MN; Park, NH; Cho, JY; Lee, MC; Fujii, H; Hong, YK. (2008). Antipyretic, analgesic, and anti-inflammatory activities of the seaweed *Sargassum fulvellum* and *Sargassum thunbergii* in mice. *J Ethnopharmacol* 116: 187-190. <http://dx.doi.org/10.1016/j.jep.2007.10.032>.
- Kang, SC; Lee, CM; Choung, ES; Bak, JP; Bae, JJ; Yoo, HS; Kwak, JH; Zee, OP. (2008). Anti-proliferative effects of estrogen receptor-modulating compounds isolated from *Rheum palmatum*. *Arch Pharm Res* 31: 722-726. <http://dx.doi.org/10.1007/s12272-001-1218-1>.
- Kang, SC; Lim, SY; Song, YJ. (2013). Lupeol is one of active components in the extract of *Chrysanthemum indicum* Linne that inhibits LMP1-induced NF- $\kappa$ B activation. *PLoS ONE* 8: e82688. <http://dx.doi.org/10.1371/journal.pone.0082688>.
- Kang, SW; Jang, HJ; Moore, VS; Park, JY; Kim, KA; Youm, JR; Han, SB. (2010). Enantioselective determination of cetirizine in human plasma by normal-phase liquid chromatography-atmospheric pressure chemical ionization-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 3351-3357. <http://dx.doi.org/10.1016/j.jchromb.2010.10.019>.
- Kang, YK; Park, HS. (2015). Hairpin formation promoted by the heterochiral dipeptidic acid segment: A DFT study. *Biopolymers* 103: 609-617. <http://dx.doi.org/10.1002/bip.22687>.
- Kang, YK; Yoo, IK. (2016). Propensities of peptides containing the Asn-Gly segment to form  $\beta$ -turn and  $\beta$ -hairpin structures. *Biopolymers* 105: 653-664. <http://dx.doi.org/10.1002/bip.22863>.
- Kania-Korwel, I; Zhao, H; Norstrom, K; Li, X; Hornbuckle, KC; Lehmler, HJ. (2008). Simultaneous extraction and clean-up of polychlorinated biphenyls and their metabolites from small tissue samples using pressurized liquid extraction. *J Chromatogr A* 1214: 37-46. <http://dx.doi.org/10.1016/j.chroma.2008.10.089>.
- Kantarli, IC; Yanik, J. (2010). Activated carbon from leather shaving wastes and its application in removal of toxic materials. *J Hazard Mater* 179: 348-356. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.012>.
- Kao, TH; Chen, CJ; Chen, BH. (2011). Carotenoid composition in *Rhinacanthus nasutus* (L.) Kurz as determined by HPLC-MS and affected by freeze-drying and hot-air-drying. *Analyst* 136: 3194-3202. <http://dx.doi.org/10.1039/c1an15090a>.
- Kaouech, E; Kallel, K; Anane, S; Belhadj, S; Abdellatif, S; Mnif, K; Ben Othmane, T; Ben Lakhal, S; Kilani, B; Ben Châabane, T; Chaker, E. (2009). [Pneumocystis jiroveci pneumonia: Comparison between conventional PCR and staining techniques]. *57: 373-377*. <http://dx.doi.org/10.1016/j.patbio.2008.09.013>.
- Kar, G; Privér, SH; Jones, LA; Guo, SX; Torriero, AA; Bond, AM; Bennett, MA; Bhargava, SK. (2015). Cyclopalladated complexes containing 2-C6R4PPh2 ligands (R = H, F): one-electron electrochemical reduction leading to metal-carbon  $\sigma$ -bond cleavage via palladium(I). *Dalton Transactions (Online)* 44: 3367-3377. <http://dx.doi.org/10.1039/c4dt03268c>.
- Karadag, K; Yati, I; Bulbul Sonmez, H. (2016). Effective clean-up of organic liquid contaminants including BTEX, fuels, and organic solvents from the environment by poly(alkoxysilane) sorbents. *J Environ Manage* 174: 45-54. <http://dx.doi.org/10.1016/j.jenvman.2016.01.043>.
- Karagama, YG; Rashid, M; Lancaster, JL; Karkanevatos, A; William, RS. (2011). Intranasal delivery of drugs to eustachian tube orifice. *J Laryngol Otol* 125: 934-939. <http://dx.doi.org/10.1017/S0022215111001125>.
- Karageorgi, S; Prescott, J; Wong, JY; Lee, IM; Buring, JE; De Vivo, I. (2011). GSTM1 and GSTT1 copy number variation in population-based studies of endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev* 20: 1447-1452. <http://dx.doi.org/10.1158/1055-9965.EPI-11-0190>.
- Karakas, FP; Yildirim, AB; Bayram, R; Yavuz, MZ; Gepdiremen, A; Turker, AU. (2015). Antiproliferative Activity of Some Medicinal Plants on Human Breast and Hepatocellular Carcinoma Cell Lines and their Phenolic Contents. *Tropical Journal of Pharmaceutical Research* 14: 1787-1795. <http://dx.doi.org/10.4314/tjpr.v14i10.8>.
- Karakus, E; Pekyardimchi, S, h; Kilich, E. (2013). [Potentiometric glucose determination in human serum samples with glucose oxidase biosensor based on iodide electrode]. *Prikl Biokhim Mikrobiol* 49: 209-214.
- Karataş, A; Algan, AH; Pekel-Bayramgil, N; Turhan, F; Altanlar, N. (2016). Ofloxacin Loaded Electrospun Fibers for Ocular Drug Delivery: Effect of Formulation Variables on Fiber Morphology and Drug Release. *Curr Drug Deliv* 13: 433-443.
- Karataş, MO; Olgundeniz, B; Günel, S; Özdemir, I; Alıcı, B; Çetinkaya, E. (2016). Synthesis, characterization and antimicrobial activities of novel silver(I) complexes with coumarin substituted N-heterocyclic carbene ligands. *Bioorg Med Chem* 24: 643-650. <http://dx.doi.org/10.1016/j.bmc.2015.12.032>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Karker, M; Falleh, H; Msaada, K; Smaoui, A; Abdelly, C; Legault, J; Ksouri, R. (2016). Antioxidant, anti-inflammatory and anticancer activities of the medicinal halophyte *Reaumuria vermiculata*. *EXCLI Journal* 15: 297-307. <http://dx.doi.org/10.17179/excli2016-187>.

## Human Health Hazard Literature Search Results

### Off Topic

- Karlicky, F; Otyepkova, E; Lo, R; Pitonak, M; Jurecka, P; Pykal, M; Hobza, P; Otyepka, M. (2017). Adsorption of Organic Molecules to van der Waals Materials: Comparison of Fluorographene and Fluorographite with Graphene and Graphite. *Journal of Chemical Theory and Computation*. <http://dx.doi.org/10.1021/acs.jctc.6b01130>.
- Karmase, A; Birari, R; Bhutani, KK. (2013). Evaluation of anti-obesity effect of Aegle marmelos leaves. *Phytomedicine* 20: 805-812. <http://dx.doi.org/10.1016/j.phymed.2013.03.014>.
- Karmase, A; Jagtap, S; Bhutani, KK. (2013). Anti adipogenic activity of Aegle marmelos Correa. *Phytomedicine* 20: 1267-1271. <http://dx.doi.org/10.1016/j.phymed.2013.07.011>.
- Karolczak, K; Kamysz, W; Karafova, A; Drzewoski, J; Watala, C. (2013). Homocysteine is a novel risk factor for suboptimal response of blood platelets to acetylsalicylic acid in coronary artery disease: A randomized multicenter study. *Pharmacol Res* 74: 7-22. <http://dx.doi.org/10.1016/j.phrs.2013.04.010>.
- Karpas, Z; Guamán, AV; Calvo, D; Pardo, A; Marco, S. (2012). The potential of ion mobility spectrometry (IMS) for detection of 2,4,6-trichloroanisole (2,4,6-TCA) in wine. *Talanta* 93: 200-205. <http://dx.doi.org/10.1016/j.talanta.2012.02.012>.
- Karthikeyan, D; Karthikeyan, M. (2010). Development of a new single dose extended release formulation of cefpodoxime proxetil. *Asian Pacific Journal of Tropical Medicine* 3: 117-120.
- Kartoğlu, U; Nelaj, E; Maire, D. (2010). Improving temperature monitoring in the vaccine cold chain at the periphery: an intervention study using a 30-day electronic refrigerator temperature logger (Fridge-tag). *Vaccine* 28: 4065-4072. <http://dx.doi.org/10.1016/j.vaccine.2010.03.076>.
- Karunanithi, D; Radhakrishna, A; Sivaraman, KP; Biju, VM. (2014). Quantitative determination of melatonin in milk by LC-MS/MS. *J Food Sci Tech* 51: 805-812. <http://dx.doi.org/10.1007/s13197-013-1221-6>.
- Kashanian, S; Javanmardi, S; Chitsazan, A; Paknejad, M; Omidfar, K. (2012). Fluorometric study of fluoxetine DNA binding. *J Photochem Photobiol B* 113: 1-6. <http://dx.doi.org/10.1016/j.jphotobiol.2012.04.002>.
- Kashanian, S; Shahabadi, N; Roshanfekr, H; Shalmashi, K; Omidfar, K. (2008). DNA binding studies of PdCl<sub>2</sub>(LL) (LL = chelating diamine ligand: N,N-dimethyltrimethylenediamine) complex. *Biochemistry (Mosc)* 73: 929-936.
- Kashef, N; Ravaei Sharif Abadi, G; Djavid, GE. (2012). Photodynamic inactivation of primary human fibroblasts by methylene blue and toluidine blue O. *Photodiagnosis and Photodynamic Therapy* 9: 355-358. <http://dx.doi.org/10.1016/j.pdpdt.2012.05.001>.
- Kashef, N; Ravaei Sharif Abadi, G; Djavid, GE. (2012). Phototoxicity of phenothiazinium dyes against methicillin-resistant *Staphylococcus aureus* and multi-drug resistant *Escherichia coli*. *Photodiagnosis and Photodynamic Therapy* 9: 11-15. <http://dx.doi.org/10.1016/j.pdpdt.2011.11.004>.
- Kasimova, KR; Sadasivam, M; Landi, G; Sarna, T; Hamblin, MR. (2014). Potentiation of photoinactivation of Gram-positive and Gram-negative bacteria mediated by six phenothiazinium dyes by addition of azide ion. *Photochem Photobiol Sci* 13: 1541-1548. <http://dx.doi.org/10.1039/c4pp00021h>.
- Kassuya, CA; Cremonese, A; Barros, LF; Simas, AS; Lapa, F; Mello-Silva, R; Stefanello, ME; Zampronio, AR. (2009). Antipyretic and anti-inflammatory properties of the ethanolic extract, dichloromethane fraction and costunolide from *Magnolia ovata* (Magnoliaceae). *J Ethnopharmacol* 124: 369-376. <http://dx.doi.org/10.1016/j.jep.2009.06.003>.
- Kate, AS; Pearson, JK; Ramanathan, B; Richard, K; Kerr, RG. (2009). Isolation, biomimetic synthesis, and cytotoxic activity of bis(pseudopterae) amines. *J Nat Prod* 72: 1331-1334. <http://dx.doi.org/10.1021/np8008144>.
- Kathiravan, G; Sureban, SM. (2009). Effect of taxol from *Pestalotiopsis mangiferae* on A549 cells-In vitro study. *Journal of Basic and Clinical Pharmacy* 1: 1-9.
- Kathmann, SM; Cho, H; Chang, TM; Schenter, GK; Parab, K; Autrey, T. (2014). Experimental and theoretical study of molecular response of amine bases in organic solvents. *J Phys Chem B* 118: 4883-4888. <http://dx.doi.org/10.1021/jp500821u>.
- Katsuta, S; Yamaguchi, N; Ogawa, R; Kudo, Y; Takeda, Y. (2008). Distribution of 1-alkyl-3-methylimidazolium ions and their ion pairs between dichloromethane and water. *Anal Sci* 24: 1261-1267.
- Kaucikas, M; Barber, J; Van Thor, JJ. (2013). Polarization sensitive ultrafast mid-IR pump probe micro-spectrometer with diffraction limited spatial resolution. *Optics Express* 21: 8357-8370.
- Kaufmann, D; Kaur Dogra, A; Tahrani, A; Herrmann, F; Wink, M. (2016). Extracts from Traditional Chinese Medicinal Plants Inhibit Acetylcholinesterase, a Known Alzheimer's Disease Target. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21091161>.
- Kaur, H; Anand, M; Goyal, D. (2011). Extraction of tylophorine from in vitro raised plants of *Tylophora indica*. *Journal of Medicinal Plant Research* 5: 729-734.
- Kaushik, P; Chauhan, A. (2008). In vitro antibacterial activity of laboratory grown culture of *Spirulina platensis*. *Indian J Microbiol* 48: 348-352. <http://dx.doi.org/10.1007/s12088-008-0043-0>.
- Kavanagh, SA; Piccinini, A; Connon, SJ. (2013). The asymmetric synthesis of terminal aziridines by methylene transfer from sulfonium ylides to imines. *Org Biomol Chem* 11: 3535-3540. <http://dx.doi.org/10.1039/c3ob27271k>.
- Kavouras, IG; Dubois, DW; Nikolich, G; Etyemezian, V, ic. (2015). Monitoring, Source Identification and Health Risks of Air Toxics in Albuquerque, New Mexico, USA. *Aerosol Air Qual Res* 15: 556-571. <http://dx.doi.org/10.4209/aaqr.2014.04.0075>.
- Kawamura, M; Kikura-Hanajiri, R; Goda, Y. (2011). Simple and Rapid Screening for Methamphetamine and 3,4-Methylenedioxymethamphetamine (MDMA) and Their Metabolites in Urine Using Direct Analysis in Real Time (DART)-TOFMS. *Yakugaku Zasshi* 131: 827-833.



## Human Health Hazard Literature Search Results

### Off Topic

- Kazmierczak-Baranska, J; Pietkiewicz, A; Janicka, M; Wei, Y; Turrin, CO; Majoral, JP; Nawrot, B; Caminade, AM. (2010). Synthesis of a fluorescent cationic phosphorus dendrimer and preliminary biological studies of its interaction with DNA. 29: 155-167. <http://dx.doi.org/10.1080/15257771003708462>.
- Kchaou, M; Ben Salah, H; Mhiri, R; Allouche, N. (2016). Anti-oxidant and anti-acetylcholinesterase activities of *Zygophyllum album*. *Bangladesh J Pharmacol* 11: 54-62. <http://dx.doi.org/10.3329/bjp.v11i1.25463>.
- Ke, H; Zhao, L; Guo, Y; Tang, J. (2012). Syntheses, structures, and magnetic analyses of a family of heterometallic hexanuclear [Ni<sub>4</sub>M<sub>2</sub>] (M = Gd, Dy, Y) compounds: observation of slow magnetic relaxation in the Dy(III) derivative. *Inorg Chem* 51: 2699-2705. <http://dx.doi.org/10.1021/ic202699k>.
- Keawwangchai, T; Wanno, B; Morakot, N; Keawwangchai, S. (2013). Optical chemosensors for Cu(II) ion based on BODIPY derivatives: an experimental and theoretical study. *J Mol Model* 19: 4239-4249. <http://dx.doi.org/10.1007/s00894-013-1862-4>.
- Keck-Wilhelm, A; Kratz, E; Mildau, G; Ilse, M; Schlee, C; Lachenmeier, DW. (2015). Chemical analysis and risk assessment of prohibited colouring agents in face paint with special regard to CI 15585 (D&C Red No. 9, Pigment Red 53:1). *Int J Cosmet Sci* 37: 187-195. <http://dx.doi.org/10.1111/ics.12181>.
- Kelly, AM; Hecke, A; Wirnsberger, B; Wiesbrock, F. (2011). Synthesis of poly(2-oxazoline)-based hydrogels with tailor-made swelling degrees capable of stimuli-triggered compound release. *Macromol Rapid Comm* 32: 1815-1819. <http://dx.doi.org/10.1002/marc.201100409>.
- Kelly, M; Trudel, S; Brouillard, F; Bouillaud, F; Colas, J; Nguyen-Khoa, T; Ollero, M; Edelman, A; Fritsch, J. (2010). Cystic fibrosis transmembrane regulator inhibitors CFTR(inh)-172 and GlyH-101 target mitochondrial functions, independently of chloride channel inhibition. *J Pharmacol Exp Ther* 333: 60-69. <http://dx.doi.org/10.1124/jpet.109.162032>.
- Kelly, S, ue; Davies, E; Fearn, S; Mckinnon, C; Carter, R; Gerlinger, C; Smithers, A. (2010). Effects of Oral Contraceptives Containing Ethinylestradiol with Either Drospirenone or Levonorgestrel on Various Parameters Associated with Well-Being in Healthy Women A Randomized, Single-Blind, Parallel-Group, Multicentre Study. *Clin Drug Investig* 30: 325-336.
- Kennedy, MT; Ali-Reynolds, A; Farrier, C; Burke, PA. (2008). Atomizing into a chilled extraction solvent eliminates liquid gas from a spray-freeze drying microencapsulation process. *J Pharm Sci* 97: 4459-4472. <http://dx.doi.org/10.1002/jps.21290>.
- Kern, ME; Watson, DF. (2012). Influence of Solvation and the Persistence of Adsorbed Linkers on the Attachment of CdSe Quantum Dots to TiO<sub>2</sub> via Linker-Assisted Assembly. *Langmuir* 28: 15598-15605. <http://dx.doi.org/10.1021/la303504u>.
- Keter, FK; Guzei, IA; Nell, M; Zyl, WE; Darkwa, J. (2014). Phosphinogold(I) dithiocarbamate complexes: effect of the nature of phosphine ligand on anticancer properties. *Inorg Chem* 53: 2058-2067. <http://dx.doi.org/10.1021/ic4025926>.
- Keyhanmanesh, R; Boskabad, MH. (2012). Relaxant effects of different fractions from *Tymus vulgaris* on guinea-pig tracheal chains. *Biol Res* 45: 67-73. <http://dx.doi.org/10.4067/S0716-97602012000100009>.
- Khalaf, MS; Oakley, SH; Coles, MP; Hitchcock, PB. (2010). Coordination of neutral, methylene bridged bis-guanidyls at palladium. *Dalton Transactions (Online)* 39: 1635-1642. <http://dx.doi.org/10.1039/b916520g>.
- Khaled, E; El-Ries, MA; Zidane, FI; Ibrahim, SA; Abd-Elmonem, MS. (2011). Kinetic catalytic determination of trace levels of iodide based on the oxidation of basic dyes with hydrogen peroxide monitored potentiometrically using simple PVC electrodes. *Talanta* 83: 1538-1543. <http://dx.doi.org/10.1016/j.talanta.2010.11.065>.
- Khan, A; Iqbal, Z; Watson, DG; Khan, A; Khan, I; Muhammad, N; Muhammad, S; Nasib, HA; Iqbal, N; Faiz-Ur-Rehman, N; Kashif, M. (2011). Simultaneous determination of lipoic acid (LA) and dihydrolipoic acid (DHLA) in human plasma using high-performance liquid chromatography coupled with electrochemical detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 1725-1731. <http://dx.doi.org/10.1016/j.jchromb.2011.04.017>.
- Khan, A; Khan, MI; Iqbal, Z; Ahmad, L; Shah, Y; Watson, DG. (2010). Determination of lipoic acid in human plasma by HPLC-ECD using liquid-liquid and solid-phase extraction: Method development, validation and optimization of experimental parameters. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2782-2788. <http://dx.doi.org/10.1016/j.jchromb.2010.08.022>.
- Khan, A; Khan, MI; Iqbal, Z; Shah, Y; Ahmad, L; Watson, DG. (2010). An optimized and validated RP-HPLC/UV detection method for simultaneous determination of all-trans-retinol (vitamin A) and alpha-tocopherol (vitamin E) in human serum: comparison of different particulate reversed-phase HPLC columns. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2339-2347. <http://dx.doi.org/10.1016/j.jchromb.2010.07.009>.
- Khan, AM; Ahmad, FJ; Panda, AK; Talegaonkar, S. (2016). Investigation of imatinib loaded surface decorated biodegradable nanocarriers against glioblastoma cell lines: Intracellular uptake and cytotoxicity studies. *Int J Pharm* 507: 61-71. <http://dx.doi.org/10.1016/j.ijpharm.2016.05.008>.
- Khan, AV; Ahmed, QU; Shukla, I; Khan, AA. (2012). Antibacterial activity of leaves extracts of *Trifolium alexandrinum* Linn. against pathogenic bacteria causing tropical diseases. 2: 189-194. [http://dx.doi.org/10.1016/S2221-1691\(12\)60040-9](http://dx.doi.org/10.1016/S2221-1691(12)60040-9).
- Khan, IU; Ranjha, NM; Mehmood, HQ. (2010). Development of ethylcellulose-polyethylene glycol and ethylcellulose-polyvinyl pyrrolidone blend oral microspheres of ibuprofen. *Journal of Drug Delivery Science and Technology* 20: 439-444.
- Khan, MA; Kim, SW; Rao, RA; Abou-Shanab, RA; Bhatnagar, A; Song, H; Jeon, BH. (2010). Adsorption studies of Dichloromethane on some commercially available GACs: Effect of kinetics, thermodynamics and competitive ions. *J Hazard Mater* 178: 963-972. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.032>.
- Khan, MI; Khan, A; Iqbal, Z; Ahmad, L; Shah, Y. (2010). Optimization and Validation of RP-LC/UV-VIS Detection Method for Simultaneous Determination of Fat-Soluble Anti-Oxidant Vitamins, all-trans-Retinol and alpha-Tocopherol in Human Serum: Effect of Experimental Parameters. *Chromatographia* 71: 577-586. <http://dx.doi.org/10.1365/s10337-010-1486-0>.

## Human Health Hazard Literature Search Results

### Off Topic

- Khan, MR; Omoloso, AD. (2008). Antibacterial and antifungal activities of *Angiopteris evecta*. *Fitoterapia* 79: 366-369. <http://dx.doi.org/10.1016/j.fitote.2008.02.007>.
- Khan, MR; Omoloso, AD. (2008). Antibacterial and antifungal activities of *Breynia cernua*. *Fitoterapia* 79: 370-373. <http://dx.doi.org/10.1016/j.fitote.2008.02.008>.
- Khan, R; Malik, A; Adhikari, A; Qadir, MI; Choudhary, MI. (2009). Conferols A and B, new anti-inflammatory 4-hydroxyisoflavones from *Caragana conferta*. *Chem Pharm Bull (Tokyo)* 57: 415-417.
- Khan, S; Abbas, G; Ahmed, FS; Rahman, A; Dar, A. (2014). Effect of dichloromethane fraction of *Areca catechu* nut on monoamines associated behaviors and tyramine pressor sensitivity in rodents. *Pak J Pharm Sci* 27: 303-307.
- Khan, SB; Khan, MTH; Jang, E; Akhtar, K; Seo, J; Han, H. (2010). Tyrosinase inhibitory effect of benzoic acid derivatives and their structure-activity relationships. *J Enzyme Inhib Med Chem* 25: 812-817. <http://dx.doi.org/10.3109/14756366.2010.482529>.
- Khanal, R; Furumai, H; Nakajima, F. (2015). Characterization of toxicants in urban road dust by Toxicity Identification Evaluation using ostracod *Heterocypris incongruens* direct contact test. *Sci Total Environ* 530: 96-102. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.090>.
- Khanavi, M; Taheri, M; Rajabi, A; Fallah-Bonekohal, S; Baeeri, M; Mohammadirad, A; Amin, G; Abdollahi, M. (2012). Stimulation of Hepatic Glycogenolysis and Inhibition of Gluconeogenesis are the Mechanisms of Antidiabetic Effect of *Centaurea bruguierana* ssp *belangerana*. 7: 1166-1174. <http://dx.doi.org/10.3923/ajava.2012.1166.1174>.
- Khatoon, M; Islam, E; Islam, R; Rahman, AA; Alam, AH; Khondkar, P; Rashid, M; Parvin, S. (2013). Estimation of total phenol and in vitro antioxidant activity of *Albizia procera* leaves. *BMC Research Notes* 6: 121. <http://dx.doi.org/10.1186/1756-0500-6-121>.
- Khatoon, MM; Khatun, MH; Islam, ME; Parvin, MS. (2014). Analgesic, antibacterial and central nervous system depressant activities of *Albizia procera* leaves. 4: 279-284. <http://dx.doi.org/10.12980/APJTB.4.2014C348>.
- Khay, M; Toeng, P; Mahiou-Leddet, V; Mabrouki, F; Sothea, K; Ollivier, E; Elias, R; Bun, SS. (2012). HPLC analysis and cytotoxic activity of *Vernonia cinerea*. *Natural Product Communications* 7: 1259-1262.
- Khedr, A; Hegazy, M; Kamal, A; Shehata, MA. (2015). Profiling of esterified fatty acids as biomarkers in the blood of dengue fever patients using a microliter-scale extraction followed by gas chromatography and mass spectrometry. *J Sep Sci* 38: 316-324. <http://dx.doi.org/10.1002/jssc.201400749>.
- Khodaparast, A; Sayyah, M; Sardari, S. (2012). Anticonvulsant Activity of Hydroalcoholic Extract and Aqueous Fraction of *Ebenus stellata* in Mice. *Iranian Journal of Basic Medical Sciences* 15: 811-819.
- Khodarahmi, GA; Ghasemi, N; Hassanzadeh, F; Safaie, M. (2011). Cytotoxic Effects of Different Extracts and Latex of *Ficus carica* L. on HeLa cell Line. *Iranian Journal of Pharmaceutical Research* 10: 273-277.
- Khoei, S; Yaghoobian, M. (2009). An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin-G in double emulsion. *Eur J Med Chem* 44: 2392-2399. <http://dx.doi.org/10.1016/j.ejmech.2008.09.045>.
- Khuroo, T; Verma, D; Talegaonkar, S; Padhi, S; Panda, AK; Iqbal, Z. (2014). Topotecan-tamoxifen duple PLGA polymeric nanoparticles: investigation of in vitro, in vivo and cellular uptake potential. *Int J Pharm* 473: 384-394. <http://dx.doi.org/10.1016/j.ijpharm.2014.07.022>.
- Khurram, M; Hameed, A; Amin, MU; Gul, A; Ullah, N; Hassan, M; Qayum, A; Chishti, KA; Manzoor, W. (2011). Phytochemical screening and in vitro evaluation of anticandidal activity of *Dodonaea viscosa* (L.) Jaeq. (Sapindaceae). 5: 1422-1426.
- Khurram, M; Hameed, A; Amin, MU; Manzoor, W; Ullah, N; Chishti, KA; Khayyam, SU; Hassan, M; Qayum, A. (2011). Evaluation of anticandidal potential of *Quercus baloot* Griff. using contact bioautography technique. 5: 1538-1542.
- Khurram, M; Khan, MA; Hameed, A; Abbas, N; Qayum, A; Inayat, H. (2009). Antibacterial activities of *Dodonaea viscosa* using contact bioautography technique. *Molecules* 14: 1332-1341. <http://dx.doi.org/10.3390/molecules14031332>.
- Khutsoane, D; Sharma, SK; Almstafa, M; Jang, HC; Azar, ST; Danciulescu, R; Shestakova, M; Ayad, NM; Guler, S; Bech, OM; Group, PS. (2008). Biphasic insulin aspart 30 treatment improves glycaemic control in patients with type 2 diabetes in a clinical practice setting: experience from the PRESENT study. *Diabetes Obes Metab* 10: 212-222. <http://dx.doi.org/10.1111/j.1463-1326.2007.00826.x>.
- Khuwijitjaru, P; Yuenyong, T; Pongsawatmanit, R; Adachi, S. (2011). Effects of ferric chloride on thermal degradation of gamma-oryzanol and oxidation of rice bran oil. *European Journal of Lipid Science and Technology* 113: 652-657. <http://dx.doi.org/10.1002/ejlt.201000485>.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kilinc, N; Atilla, D; Gurek, AG; Ozturk, ZZ; Ahsen, V. (2009). Volatile organic compounds sensing properties of tetrakis(alkylthio)-substituted lutetium(III) bisphthalocyanines thin films. *Talanta* 80: 263-268. <http://dx.doi.org/10.1016/j.talanta.2009.06.064>.
- Kilonzo, M; Ndakidemi, PA; Chacha, M. (2016). In vitro antifungal and cytotoxicity activities of selected Tanzanian medicinal plants. *Tropical Journal of Pharmaceutical Research* 15: 2121-2130. <http://dx.doi.org/10.4314/tjpr.v15i10.10>.
- Kim, BS; Kim, YC; Zadeh, H; Park, YJ; Pi, SH; Shin, HS; You, HK. (2011). Effects of the dichloromethane fraction of *Dipsaci Radix* on the osteoblastic differentiation of human alveolar bone marrow-derived mesenchymal stem cells. *Biosci Biotechnol Biochem* 75: 13-19. <http://dx.doi.org/10.1271/bbb.100379>.
- Kim, D; Lynch, VM; Nielsen, KA; Johnsen, C; Jeppesen, J; Sessler, JL. (2009). A chloride-anion insensitive colorimetric chemosensor for trinitrobenzene and picric acid. *Anal Bioanal Chem* 395: 393-400. <http://dx.doi.org/10.1007/s00216-009-2819-4>.
- Kim, EJ; Gray, GR. (2009). Use of ionically tagged glycosyl donors in the synthesis of oligosaccharide libraries. 19: 6679-6681. <http://dx.doi.org/10.1016/j.bmcl.2009.10.002>.
- Kim, HJ; Seol, TK; Lee, HJ; Yaksh, TL; Jun, JH. (2011). The effect of intrathecal mu, delta, kappa, and alpha-2 agonists on thermal hyperalgesia induced by mild burn on hind paw in rats. *J Anesth* 25: 884-891. <http://dx.doi.org/10.1007/s00540-011-1240-2>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kim, HK; Yun, WS; Kim, MB; Kim, JY; Bae, YS; Lee, J; Jeong, NC. (2015). A Chemical Route to Activation of Open Metal Sites in the Copper-Based Metal-Organic Framework Materials HKUST-1 and Cu-MOF-2. *J Am Chem Soc* 137: 10009-10015. <http://dx.doi.org/10.1021/jacs.5b06637>.
- Kim, HU; Park, JB; Hwang, DH. (2016). Dibenzothiophene-Substituted Fullerene Derivative as Electron Acceptor for Polymer Solar Cells. *J Nanosci Nanotechnol* 16: 5017-5023. <http://dx.doi.org/10.1166/jnn.2016.12222>.
- Kim, J; Ok, J; Kim, S; Choi, W; Lee, PH. (2014). Mild copper-TBAF-catalyzed N-arylation of sulfoximines with aryl siloxanes. *Org Lett* 16: 4602-4605. <http://dx.doi.org/10.1021/ol502174n>.
- Kim, J; Qiu, J. (2014). Quantitation of low concentrations of polysorbates in high protein concentration formulations by solid phase extraction and cobalt-thiocyanate derivatization. *Anal Chim Acta* 806: 144-151. <http://dx.doi.org/10.1016/j.aca.2013.11.005>.
- Kim, JA; Lau, E; Tay, D; De Blanco, EJ. (2011). Antioxidant and NF- $\kappa$ B inhibitory constituents isolated from *Morchella esculenta*. *Nat Prod Res* 25: 1412-1417. <http://dx.doi.org/10.1080/14786410802425746>.
- Kim, JC; Kim, KS; Kim, DS; Jin, SG; Kim, DW; Kim, YI; Park, JH; Kim, JO; Yong, CS; Youn, YS; Woo, JS; Choi, HG. (2016). Effect of HM30181 mesylate salt-loaded microcapsules on the oral absorption of paclitaxel as a novel P-glycoprotein inhibitor. *Int J Pharm* 506: 93-101. <http://dx.doi.org/10.1016/j.ijpharm.2016.04.034>.
- Kim, JY; Kim, HJ; Kim, SM; Park, KR; Jang, HJ; Lee, EH; Jung, SH; Ahn, KS. (2011). Methylene chloride fraction of the leaves of *Thuja orientalis* inhibits in vitro inflammatory biomarkers by blocking NF- $\kappa$ B and p38 MAPK signaling and protects mice from lethal endotoxemia. *J Ethnopharmacol* 133: 687-695. <http://dx.doi.org/10.1016/j.jep.2010.10.051>.
- Kim, KH; Susaya, JP; Park, CG; Uhm, JH; Hur, J. (2013). Comprehensive monitoring of drinking well water quality in Seoul metropolitan city, Korea. *Environ Monit Assess* 185: 6353-6378. <http://dx.doi.org/10.1007/s10661-012-3030-1>.
- Kim, M, inSun; Seo, J, iY; Kim, M, iHye; Woo, J, iEun; Kang, S, uJin; Jo, GR, ae; Ji, HK; Erdenebileg, Z; Jang, J, inHo; Kim, J, aeSik; Suh, H, wajin; Kim, JS. (2015). Neuroprotective effects of hexane- and methylene chloride-soluble fractions of *Salicornia herbacea* L. in mouse hippocampal HT22 cells. *FASEB J* 29.
- Kim, MH; Kim, JN; Han, SN; Kim, HK. (2015). Ursolic acid isolated from guava leaves inhibits inflammatory mediators and reactive oxygen species in LPS-stimulated macrophages. *Immunopharmacol Immunotoxicol* 37: 1-8. <http://dx.doi.org/10.3109/08923973.2015.1021355>.
- Kim, MS; Seo, JY; Oh, J; Jang, YK; Lee, CH; Kim, JS. (2017). Neuroprotective Effect of Halophyte *Salicornia herbacea* L. Is Mediated by Activation of Heme Oxygenase-1 in Mouse Hippocampal HT22 Cells. *J Med Food* 20: 140-151. <http://dx.doi.org/10.1089/jmf.2016.3829>.
- Kim, RB; O'Shea, D. (1995). Interindividual variability of chlorzoxazone 6-hydroxylation in men and women and its relationship to CYP2E1 genetic polymorphisms. *Clin Pharmacol Ther* 57: 645-655. [http://dx.doi.org/10.1016/0009-9236\(95\)90227-9](http://dx.doi.org/10.1016/0009-9236(95)90227-9).
- Kim, SG; Jung, SL; Lee, GH; Gong, YD. (2013). Novel solid-phase parallel synthesis of N-substituted-2-aminobenzo [d]thiazole derivatives via cyclization reactions of 2-iodophenyl thiourea intermediate resin. *15: 29-40*. <http://dx.doi.org/10.1021/co300112b>.
- Kim, SH; Jung, Y; Kim, SH. (2013). A biocompatible tissue scaffold produced by supercritical fluid processing for cartilage tissue engineering. *Tissue Engineering, Part C: Methods* 19: 181-188. <http://dx.doi.org/10.1089/ten.TEC.2012.0170>.
- Kim, SJ; Lee, MY; Kwon, d; Kim, SY; Kim, YC. (2009). Alteration in metabolism and toxicity of acetaminophen upon repeated administration in rats. *J Pharmacol Sci* 111: 175-181. <http://dx.doi.org/10.1254/jphs.09151FP>.
- Kim, SR; Wipfli, H; Avila-Tang, E; Samet, JM; Breyse, PN. (2009). Method validation for measurement of hair nicotine level in nonsmokers. *Biomed Chromatogr* 23: 273-279. <http://dx.doi.org/10.1002/bmc.1110>.
- Kim, SY; An, SY; Lee, JS; Heo, JS. (2015). Zanthoxylum schinifolium enhances the osteogenic potential of periodontal ligament stem cells. *In Vitro Cellular and Developmental Biology* 51: 165-173. <http://dx.doi.org/10.1007/s11626-014-9824-4>.
- Kim, SY; Cho, YJ; Lee, AR; Son, HJ; Han, WS; Cho, DW; Kang, SO. (2016). Influence of  $\pi$ -conjugation structural changes on intramolecular charge transfer and photoinduced electron transfer in donor- $\pi$ -acceptor dyads. *Phys Chem Chem Phys* 19: 426-435. <http://dx.doi.org/10.1039/c6cp06566j>.
- Kim, SY; Song, I, ID; Kim, HJ, in; Park, Y, ooSin; Kim, SH, ee; Kang, M, inA; Kim, D, oWan; Kang, J, uS. (2015). Quantification of Ciprofloxacin in Human Plasma by Validated LC-MS/MS Using Ofloxacin as an Internal Standard and its Clinical Application. *Current Pharmaceutical Analysis* 11: 239-247. <http://dx.doi.org/10.2174/1573412911666150331224024>.
- Kimura, K; Sekine, Y; Furukawa, S; Takahashi, M; Oikawa, D. (2016). Measurement of 2-nonenal and diacetyl emanating from human skin surface employing passive flux sampler-GCMS system. *J Chromatogr B Analyt Technol Biomed Life Sci* 1028: 181-185. <http://dx.doi.org/10.1016/j.jchromb.2016.06.021>.
- Kimura, R; Sawayama, Y; Nakazaki, A; Miyamoto, K; Uchiyama, M; Nishikawa, T. (2015). Unexpected metal-free transformation of gem-Dibromomethylenes to ketones under acetylation conditions. *Chem Asian J* 10: 1035-1041. <http://dx.doi.org/10.1002/asia.201403277>.
- Kinani, S; Bouchonnet, S; Abjean, J; Campargue, C. (2008). Determination of polybromodiphenyl ethers (PBDEs) in milk cream by gas chromatography-mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 25: 1007-1014. <http://dx.doi.org/10.1080/02652030701881843>.
- Kinard, LA; Kasper, FK; Mikos, AG. (2012). Synthesis of oligo(poly(ethylene glycol) fumarate). *Nat Protoc* 7: 1219-1227. <http://dx.doi.org/10.1038/nprot.2012.055>.
- King, RB; Hartke, RJ; Houle, TT. (2010). Patterns of relationships between background characteristics, coping, and stroke caregiver outcomes. *Top Stroke Rehabil* 17: 308-317. <http://dx.doi.org/10.1310/tsr1704-308>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kinoshita, M; Kubo, S; Nakanuma, Y; Sato, Y; Takemura, S; Tanaka, S; Hamano, G; Ito, T; Terajima, H; Yamada, T; Nakamori, S; Arimoto, A; Fujikawa, M; Sugawara, Y; Yamamoto, T; Abue, M; Nakagawa, K, ei; Unno, M; Mizuguchi, T; Takenaka, K; Shirabe, K, en; Shibata, T. (2016). Pathological spectrum of bile duct lesions from chronic bile duct injury to invasive cholangiocarcinoma corresponding to bile duct imaging findings of occupational cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 23: 92-101. <http://dx.doi.org/10.1002/jhbp.305>.
- Kinoshita, Y; Yamamoto, Y; Tamiaki, H. (2013). Synthesis, structure, and optical and redox properties of chlorophyll derivatives directly coordinating ruthenium bisbipyridine at the peripheral  $\beta$ -diketonate moiety. *Inorg Chem* 52: 9275-9283. <http://dx.doi.org/10.1021/ic400509q>.
- Kintz, P. (2012). Hair analysis for doxylamine. *Forensic Toxicology* 30: 173-178. <http://dx.doi.org/10.1007/s11419-012-0143-8>.
- Kintz, P. (2012). Segmental hair analysis can demonstrate external contamination in postmortem cases. *Forensic Sci Int* 215: 73-76. <http://dx.doi.org/10.1016/j.forsciint.2011.01.041>.
- Kintz, P; Evans, J; Villain, M; Chatterton, C; Cirimele, V. (2009). Hair analysis to demonstrate administration of sildenafil to a woman in a case of drug-facilitated sexual assault. *J Anal Toxicol* 33: 553-556.
- Kintz, P; Evans, J; Villain, M; Cirimele, V. (2009). Smoking cessation with varenicline: a suicidal fatality. *J Anal Toxicol* 33: 118-120.
- Kintz, P; Evans, J; Villain, M; Cirimele, V. (2010). Interpretation of hair findings in children after methadone poisoning. *Forensic Sci Int* 196: 51-54. <http://dx.doi.org/10.1016/j.forsciint.2009.12.033>.
- Kintz, P; Villain, M. (2010). Violence under the influence of methylphenidate as determined by hair analysis. *Forensic Toxicology* 28: 115-118. <http://dx.doi.org/10.1007/s11419-010-0093-y>.
- Kintz, P; Villain, M; Vallet, E; Etter, M; Salquebre, G; Cirimele, V. (2008). Ethyl glucuronide: unusual distribution between head hair and pubic hair. *Forensic Sci Int* 176: 87-90. <http://dx.doi.org/10.1016/j.forsciint.2007.08.012>.
- Kiplimo, JJ; Islam, MS; Koorbanally, NA. (2011). A novel flavonoid and furoquinoline alkaloids from *Vepris glomerata* and their antioxidant activity. *Natural Product Communications* 6: 1847-1850.
- Kirkland, D; Speit, G. (2008). Evaluation of the ability of a battery of three in vitro genotoxicity tests to discriminate rodent carcinogens and non-carcinogens III. Appropriate follow-up testing in vivo. *Mutat Res Genet Toxicol Environ Mutagen* 654: 114-132. <http://dx.doi.org/10.1016/j.mrgentox.2008.05.002>.
- Kisangau, DP; Hosea, K, enM; Lyaruu, HVM; Joseph, CC; Mbwambo, ZH; Masimba, P, axJ; Gwandu, CB; Bruno, LN; Devkota, KP; Sewald, N. (2009). Screening of traditionally used Tanzanian medicinal plants for antifungal activity. *Pharmaceutical Biology* 47: 708-716. <http://dx.doi.org/10.1080/13880200902933039>.
- Kisseih, E; Lechtenberg, M; Petereit, F; Sendker, J; Zacharski, D; Brandt, S; Agyare, C; Hensel, A. (2015). Phytochemical characterization and in vitro wound healing activity of leaf extracts from *Combretum mucronatum* Schum. & Thonn.: Oligomeric procyanidins as strong inducers of cellular differentiation. *J Ethnopharmacol* 174: 628-636. <http://dx.doi.org/10.1016/j.jep.2015.06.008>.
- Kitagawa, T; Yokoyama, Y; Kokuryo, T; Nagino, M. (2013). Protective effects of branched-chain amino acids on hepatic ischemia-reperfusion-induced liver injury in rats: a direct attenuation of Kupffer cell activation. *Am J Physiol Gastrointest Liver Physiol* 304: G346-G355. <http://dx.doi.org/10.1152/ajpgi.00391.2012>.
- Kitamoto, Y; Suzuki, K; Morohashi, N; Sakai, K; Hattori, T. (2013). Switching of the diastereomer deposited during the crystallization of N-[(S)-1-phenylethyl]-2'-carbamoyl-1,1'-binaphthalene-2-carboxylic acid: investigation of the mechanism of dielectrically controlled resolution. *J Org Chem* 78: 597-605. <http://dx.doi.org/10.1021/jo3024285>.
- Kitamura, F; Sawaguchi, K; Mori, A; Takagi, S; Suzuki, T; Kobayashi, A; Kato, M; Nakajima, K. (2015). Coordination Structure Conversion of Hydrazone-Palladium(II) Complexes in the Solid State and in Solution. *Inorg Chem* 54: 8436-8448. <http://dx.doi.org/10.1021/acs.inorgchem.5b01128>.
- Kitchen, JA; Larsen, DS; Brooker, S. (2010). Alkylations of N(4)-(4-pyridyl)-3,5-di(2-pyridyl)-1,2,4-triazole: first observation of room-temperature rearrangement of an N(4)-substituted triazole to the N(1) analogue. *Chem Asian J* 5: 910-918. <http://dx.doi.org/10.1002/asia.200900485>.
- Kitonde, CK; Fidahusein, DS; Likhoba, CW; Jumba, MM. (2012). Antimicrobial activity and phytochemical study of *Vernonia glabra* (Steetz) Oliv. & Hiern. in Kenya. *African Journal of Traditional, Complementary and Alternative Medicines* 10: 149-157.
- Kittirattanapiboon, K; Krisnangkura, K. (2008). Separation of acylglycerols, FAME and FFA in biodiesel by size exclusion chromatography. *European Journal of Lipid Science and Technology* 110: 422-427. <http://dx.doi.org/10.1002/ejlt.200700164>.
- Klaes, M; Ellendorff, T; Schmidt, TJ. (2010). 6-methoxypodophyllotoxin-7-O-n-hexanoate, a new aryltetralin lignan ester from seeds of *Linum flavum* [Letter]. *Planta Med* 76: 719-721. <http://dx.doi.org/10.1055/s-0029-1240674>.
- Klamerth, N; Moreira, J; Li, C; Singh, A; Mcphedran, KN; Chelme-Ayala, P; Belosevic, M; Gamal El-Din, M. (2015). Effect of ozonation on the naphthenic acids' speciation and toxicity of pH-dependent organic extracts of oil sands process-affected water. *Sci Total Environ* 506-507: 66-75. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.103>.
- Klees, M; Bogatzki, C; Hiester, E. (2016). Selective pressurized liquid extraction for the analysis of polychlorinated biphenyls, polychlorinated dibenzo-p-dioxins and dibenzofurans in soil. *J Chromatogr A* 1468: 10-16. <http://dx.doi.org/10.1016/j.chroma.2016.09.029>.
- Kleim, B; Griffith, JW; Gäbler, I; Schützwohl, M; Maercker, A. (2013). The impact of imprisonment on overgeneral autobiographical memory in former political prisoners. *J Trauma Stress* 26: 626-630. <http://dx.doi.org/10.1002/jts.21849>.
- Klein, JB; Nowill, AE; Franchi, GC; Biavatti, MW; Quintão, NL; de Freitas, RA. (2013). Cytotoxic, antitumour and antimetastatic activity of two new polyacetylenes isolated from *Vernonia scorpioides* (Lam.) Pers. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online* 113: 307-315. <http://dx.doi.org/10.1111/bcpt.12098>.

## Human Health Hazard Literature Search Results

### Off Topic

- Klein, YM; Willgert, M; Prescimone, A; Constable, EC; Housecroft, CE. (2016). Positional isomerism makes a difference: phosphonic acid anchoring ligands with thienyl spacers in copper(i)-based dye-sensitized solar cells. *Dalton Transactions (Online)* 45: 4659-4672. <http://dx.doi.org/10.1039/c6dt00166a>.
- Kleinegris, DM; van Es, MA; Janssen, M; Brandenburg, WA; Wijffels, RH. (2011). Phase toxicity of dodecane on the microalga *Dunaliella salina*. *J Appl Phycol* 23: 949-958. <http://dx.doi.org/10.1007/s10811-010-9615-6>.
- Klein-Júnior, LC; Viaene, J; Salton, J; Koetz, M; Gasper, AL; Henriques, AT; Vander Heyden, Y. (2016). The use of chemometrics to study multifunctional indole alkaloids from *Psychotria nemorosa* (*Palicourea comb. nov.*). Part I: Extraction and fractionation optimization based on metabolic profiling. *J Chromatogr A* 1463: 60-70. <http://dx.doi.org/10.1016/j.chroma.2016.07.030>.
- Kleinschmidt, M; van Wüllen, C; Marian, CM. (2015). Intersystem-crossing and phosphorescence rates in fac-Ir(III)(ppy)<sub>3</sub>: a theoretical study involving multi-reference configuration interaction wavefunctions. *J Chem Phys* 142: 094301. <http://dx.doi.org/10.1063/1.4913513>.
- Klima, DW; Anderson, C; Samrah, D; Patel, D; Chui, K; Newton, R. (2016). Standing from the Floor in Community-Dwelling Older Adults. *J Aging Phys Act* 24: 207-213. <http://dx.doi.org/10.1123/japa.2015-0081>.
- Klimakow, M; Leiterer, J; Kneipp, J; Rössler, E; Panne, U; Rademann, K; Emmerling, F. (2010). Combined synchrotron XRD/Raman measurements: in situ identification of polymorphic transitions during crystallization processes. *Langmuir* 26: 11233-11237. <http://dx.doi.org/10.1021/la100540q>.
- Klimkowicz-Pawlas, A; Maliszewska-Kordybach, B. (2008). [Effect of the selected organic solvents on the activity of soil microorganisms]. *Rocznik Państw Zakł Hig* 59: 83-96.
- Kline, CE; Crowley, EP; Ewing, GB; Burch, JB; Blair, SN; Durstine, JL; Davis, JM; Youngstedt, SD. (2013). Blunted heart rate recovery is improved following exercise training in overweight adults with obstructive sleep apnea. *Int J Cardiol* 167: 1610-1615. <http://dx.doi.org/10.1016/j.ijcard.2012.04.108>.
- Klupinski, TP; Strozier, ED; Friedenberg, DA; Brinkman, MC; Gordon, SM; Clark, PI. (2016). Identification of New and Distinctive Exposures from Little Cigars. *Chem Res Toxicol* 29: 162-168. <http://dx.doi.org/10.1021/acs.chemrestox.5b00371>.
- Kluska, M. (2008). An application of aryl stationary phases for separation of select organogermanium compounds. *Journal of Liquid Chromatography and Related Technologies* 31: 210-218. <http://dx.doi.org/10.1080/10826070701738845>.
- Kluska, M; Liepinsh, E; Pypowski, K; Chrascik, I; Michel, M; Erchak, N. (2008). Separation of selected derivatives of hoszczawa-silanates, taking advantage of pi-pi interactions. *Journal of Liquid Chromatography and Related Technologies* 31: 2812-2820. <http://dx.doi.org/10.1080/10826070802388466>.
- Kluska, M; Pypowski, K; Chrascik, I; Gadzala-Kopciuch, R; Michel, M; Liepinsh, E; Erchak, N. (2008). High performance liquid chromatography of benzyl derivatives of ES-silanates. *Journal of Liquid Chromatography and Related Technologies* 31: 1195-1203. <http://dx.doi.org/10.1080/10826070802000749>.
- Knapp, K; Górecki, M; Frelek, J; Luboradzki, R; Hollósi, M; Majer, Z; Vass, E. (2014). Comprehensive chiroptical study of proline-containing diamide compounds. *Chirality* 26: 228-242. <http://dx.doi.org/10.1002/chir.22305>.
- Knight, JL; Sleeth, DK; Larson, RR; Pahler, LF. (2013). An analysis of OSHA inspections assessing contaminant exposures in general medical and surgical hospitals. 61: 153-160. <http://dx.doi.org/10.3928/21650799-20130318-27>.
- Knollmann, D; Winz, OH; Meyer, PT; Raptis, M; Krohn, T; Koch, KC; Schaefer, WM. (2008). Gated myocardial perfusion SPECT: algorithm-specific influence of reorientation on calculation of left ventricular volumes and ejection fraction. *J Nucl Med* 49: 1636-1642. <http://dx.doi.org/10.2967/jnumed.108.050484>.
- Knowles, KE; Malicki, M; Weiss, EA. (2012). Dual-time scale photoinduced electron transfer from PbS quantum dots to a molecular acceptor. *J Am Chem Soc* 134: 12470-12473. <http://dx.doi.org/10.1021/ja3060222>.
- Koa, EY; Kim, D; Roh, SW; Yoonc, WJ; Jeon, YJ; Ahn, G; Kim, KN. (2015). Evaluation on antioxidant properties of sixteen plant species from Jeju Island in Korea. *EXCLI Journal* 14: 133-145. <http://dx.doi.org/10.17179/excli2014-589>.
- Koay, Y, enC; Wong, KC; Osman, H; Eldeen, IMS; Asmawi, MZ. (2013). Chemical Constituents and Biological Activities of *Strobilanthes crispus* L. *Records of Natural Products* 7: 59-64.
- Kobayashi, A; Oizumi, S; Shigeta, Y; Yoshida, M; Kato, M. (2016). Proton-switchable vapochromic behaviour of a platinum(ii)-carboxy-terpyridine complex. *Dalton Transactions (Online)* 45: 17485-17494. <http://dx.doi.org/10.1039/c6dt03189g>.
- Kobayashi, K; Niikura, K; Takeuchi, C; Sekiguchi, S; Ninomiya, T; Hagiwara, K; Mitomo, H; Ito, Y; Osada, Y; Ijiro, K. (2014). Enhanced cellular uptake of amphiphilic gold nanoparticles with ester functionality. *Chem Commun (Camb)* 50: 1265-1267. <http://dx.doi.org/10.1039/c3cc48532c>.
- Kobayashi, N; Odaka, K; Uehara, T; Imanaka-Yoshida, K; Kato, Y; Oyama, H; Tadokoro, H; Akizawa, H; Tanada, S; Hiroe, M; Fukumura, T; Komuro, I; Arano, Y; Yoshida, T; Irie, T. (2011). Toward in vivo imaging of heart disease using a radiolabeled single-chain Fv fragment targeting tenascin-C. *Anal Chem* 83: 9123-9130. <http://dx.doi.org/10.1021/ac202159p>.
- Koca, U; Küpeli-Akkol, E; Sekeroglu, N. (2011). Evaluation of in vivo and in vitro biological activities of different extracts of *Cuscuta arvensis*. *Natural Product Communications* 6: 1433-1436.
- Kochem, A; Kanso, H; Baptiste, B; Arora, H; Philouze, C; Jarjays, O; Vezin, H; Luneau, D; Orio, M; Thomas, F. (2012). Ligand contributions to the electronic structures of the oxidized cobalt(II) salen complexes. *Inorg Chem* 51: 10557-10571. <http://dx.doi.org/10.1021/ic300763t>.
- Kohler, I; Schappler, J; Sierro, T; Rudaz, S. (2013). Dispersive liquid-liquid microextraction combined with capillary electrophoresis and time-of-flight mass spectrometry for urine analysis. *J Pharm Biomed Anal* 73: 82-89. <http://dx.doi.org/10.1016/j.jpba.2012.03.036>.
- Kohoude, MJ; Gbaguidi, F; Agbani, P; Ayedoun, MA; Cazaux, S; Bouajila, J. (2017). Chemical composition and biological activities of extracts and essential oil of *Boswellia dalzielii* leaves. *Pharmaceutical Biology* 55: 33-42. <http://dx.doi.org/10.1080/13880209.2016.1226356>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kolay, S; Wadawale, A; Das, D; Kisan, HK; Sunoj, RB; Jain, VK. (2013). Cyclopalladation of dimesityl selenide: synthesis, reactivity, structural characterization, isolation of an intermediate complex with C-H...Pd intra-molecular interaction and computational studies. *Dalton Transactions (Online)* 42: 10828-10837. <http://dx.doi.org/10.1039/c3dt50935d>.
- Kolik, LG; Garibova, TL; Litvinova, SA; Kuznetsova, AL; Kapitsa, IG; Kadnikov, IA; Konstantinopol'skiĭ, MA; Gudasheva, TA; Voronina, TA; Seredenin, SB. (2011). [The absence of tolerance and withdrawal syndrome after the treatment with the new L-tryptophane-containing dipeptide anxiolytic GB-115]. *Vestn Ross Akad Med Nauk* 37-42.
- Kolobow, T; Cressoni, M; Epp, M; Corti, I; Cadringer, P; Zanella, A. (2011). Comparison of a novel lycra endotracheal tube cuff to standard polyvinyl chloride cuff and polyurethane cuff for fluid leak prevention. *Respir Care* 56: 1095-1099. <http://dx.doi.org/10.4187/respcare.01099>.
- Kolter, K; Dashevsky, A; Irfan, M; Bodmeier, R. (2013). Polyvinyl acetate-based film coatings [Review]. *Int J Pharm* 457: 470-479. <http://dx.doi.org/10.1016/j.ijpharm.2013.08.077>.
- Kolundzic, MD; Grozdanic, ND; Stanojkovic, TP; Milenkovic, MT; Dinic, MR; Golic, NE; Kojic, M; Kundakovic, TD. (2016). Antimicrobial and Cytotoxic Activities of the Sulphur Shelf Medicinal Mushroom, *Laetiporus sulphureus* (Agaricomycetes), from Serbia. *Int J Med Mushrooms* 18: 469-476. <http://dx.doi.org/10.1615/IntJMedMushrooms.v18.i6.10>.
- Kolwzan, B. (2009). EFFECT OF BIOREMEDIATION ON GENOTOXICITY OF SOIL CONTAMINATED WITH DIESEL OIL. *Environ Protect Eng* 35: 95-103.
- Kommavarapu, P; Maruthapillai, A; Palanisamy, K; Koya, RT. (2016). Physical characterization and dissolution performance assessment of Etravirine solid dispersions prepared by spray drying process. *Pak J Pharm Sci* 29: 2023-2031.
- Kondo, H; Nakamura, T; Tanaka, S. (2014). A significant role of Arg41 residue in the enzymatic reaction of haloacid dehalogenase L-DEX YL studied by QM/MM method. *Journal of Molecular Catalysis B: Enzymatic* 110: 23-31. <http://dx.doi.org/10.1016/j.molcatb.2014.09.006>.
- Kong, Y; Zhang, J; Wang, T; Qiu, X; Wang, Y. (2014). Preparation and characterization of paclitaxel-loaded poly lactic acid-co-glycolic acid coating tracheal stent. *Chin Med J* 127: 2236-2240.
- Kongkiatpaiboon, S; Keeratinijakal, V; Gritsanapan, W. (2013). TLC-Image Analysis of Non-Chromophoric Tuberostemonine Alkaloid Derivatives in *Stemona* Species. *Natural Product Communications* 8: 1065-1068.
- Konidaris, KF; Dalkas, GA; Katsoulakou, E; Pairas, G; Raptopoulou, CP; Lamari, FN; Spyroulias, GA; Manessi-Zoupa, E. (2014). Zn(II)/pyridyloxime complexes as potential reactivators of OP-inhibited acetylcholinesterase: in vitro and docking simulation studies. *J Inorg Biochem* 134: 12-19. <http://dx.doi.org/10.1016/j.jinorgbio.2013.12.011>.
- Konieczna, L; Roszkowska, A; Niedźwiecki, M; Bączek, T. (2016). Hydrophilic interaction chromatography combined with dispersive liquid-liquid microextraction as a preconcentration tool for the simultaneous determination of the panel of underivatized neurotransmitters in human urine samples. *J Chromatogr A* 1431: 111-121. <http://dx.doi.org/10.1016/j.chroma.2015.12.062>.
- Koninti, RK; Palvai, S; Satpathi, S; Basu, S; Hazra, P. (2016). Loading of an anti-cancer drug into mesoporous silica nano-channels and its subsequent release to DNA. *Nanoscale* 8: 18436-18445. <http://dx.doi.org/10.1039/c6nr06285g>.
- Koo, HJ; Yoon, WJ; Sohn, E; Ham, Y; Jang, SA; Kwon, J; Jeong, YJ; Kwak, JH; Sohn, E; Park, S; Jang, K; Namkoong, S; Han, H; Jung, YH; Kang, S, eC. (2014). The analgesic and anti-inflammatory effects of *Litsea japonica* fruit are mediated via suppression of NF-kappa B and JNK/p38 MAPK activation. *Int Immunopharmacol* 22: 84-97. <http://dx.doi.org/10.1016/j.intimp.2014.06.007>.
- Koponen, J; Rantakokko, P; Airaksinen, R; Kiviranta, H. (2013). Determination of selected perfluorinated alkyl acids and persistent organic pollutants from a small volume human serum sample relevant for epidemiological studies. *J Chromatogr A* 1309: 48-55. <http://dx.doi.org/10.1016/j.chroma.2013.07.064>.
- Koroishi, AM; Sehn, E; Baesso, ML; Ueda-Nakamura, T; Nakamura, CV; Cortez, DA; Dias Filho, BP. (2010). Antifungal activity and nail permeation of nail lacquer containing *Piper regnellii* (Miq.) C. CD. var. *pallenscens* (C. DC.) Yunck (Piperaceae) leave extracts and derivatives. *Molecules* 15: 3920-3931. <http://dx.doi.org/10.3390/molecules15063920>.
- Korpi-Steiner, NL; Netzel, BC; Seegmiller, JC; Hagan, JB; Singh, RJ. (2010). Liquid chromatography-tandem mass spectrometry analysis of urinary fluticasone propionate-17beta-carboxylic acid for monitoring compliance with inhaled-fluticasone propionate therapy. *Steroids* 75: 77-82. <http://dx.doi.org/10.1016/j.steroids.2009.10.009>.
- Korzekwa, KR; Krishnamachary, N; Shou, M; Ogai, A; Parise, RA; Rettie, AE; Gonzalez, FJ; Tracy, TS. (1998). Evaluation of atypical cytochrome P450 kinetics with two-substrate models: Evidence that multiple substrates can simultaneously bind to cytochrome P450 active sites. *Biochemistry* 37: 4137-4147. <http://dx.doi.org/10.1021/bi9715627>.
- Kosaka, W; Yamagishi, K; Hori, A; Sato, H; Matsuda, R; Kitagawa, S; Takata, M; Miyasaka, H. (2013). Selective NO trapping in the pores of chain-type complex assemblies based on electronically activated paddlewheel-type [Ru<sub>2</sub>(II,II)]/[Rh<sub>2</sub>(II,II)] dimers. *J Am Chem Soc* 135: 18469-18480. <http://dx.doi.org/10.1021/ja4076056>.
- Koskimäki, J; Tarkia, M; Ahtola-Sättilä, T; Saloranta, L; Laakso, A; Frantzén, J. (2016). Absorption, elimination and cerebrospinal fluid concentrations of nimodipine in healthy beagle dogs receiving human intravenous and oral formulation. *European Journal of Drug Metabolism and Pharmacokinetics* 41: 295-300. <http://dx.doi.org/10.1007/s13318-015-0258-5>.
- Koster, RA; Alffenaar, JW; Greijdanus, B; Vandernagel, JE; Uges, DR. (2014). Fast and highly selective LC-MS/MS screening for THC and 16 other abused drugs and metabolites in human hair to monitor patients for drug abuse. *Ther Drug Monit* 36: 234-243. <http://dx.doi.org/10.1097/FTD.0b013e3182a377e8>.
- Kotagiri, H; Gannu, R; Palem, CR; Yamsani, SK; Yamsani, VV; Yamsani, MR. (2011). SIMULTANEOUS DETERMINATION OF GLIMEPIRIDE AND ATORVASTATIN IN HUMAN SERUM BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY: APPLICATION TO PHARMACOKINETIC

## Human Health Hazard Literature Search Results

### Off Topic

- STUDY. *Journal of Liquid Chromatography and Related Technologies* 34: 2420-2432. <http://dx.doi.org/10.1080/10826076.2011.591023>.
- Kotila, OA; Olaniyi, OO; Adegoke, AO; Babalola, CP. (2013). Experimental determination of the physicochemical properties of lumefantrine. *Afr J Med Med Sci* 42: 209-214.
- Kotowska, D; El-Houri, RB; Borkowski, K; Petersen, RK; Fretté, XC; Wolber, G; Grevsen, K; Christensen, KB; Christensen, LP; Kristiansen, K. (2014). Isomeric C12-alkamides from the roots of *Echinacea purpurea* improve basal and insulin-dependent glucose uptake in 3T3-L1 adipocytes. *Planta Med* 80: 1712-1720. <http://dx.doi.org/10.1055/s-0034-1383252>.
- Kowalska, J; Jeżewska, A. (2016). [Method for determining 1,2:3,4-Diepoxybutane in workplace air]. *Med Pr* 67: 645-652. <http://dx.doi.org/10.13075/mp.5893.00415>.
- Kowalski, CJ; Łebkowska-Wieruszewska, B; Osypiuk, M. (2009). High performance liquid chromatography determination of sulphachloropyrazine residues in broiler and turkey edible tissues. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 1787-1791. <http://dx.doi.org/10.1016/j.jchromb.2009.04.019>.
- Kowalski, J; Lotowski, Z; Morzycki, JW; Płoszyńska, J; Sobkowiak, A; Wilczewska, AZ. (2008). Unusual electrochemical oxidation of cholesterol. *Steroids* 73: 543-548. <http://dx.doi.org/10.1016/j.steroids.2008.01.014>.
- Koyanagi, Y; Kimura, Y; Matano, Y. (2016). Effects of boryl, phosphino, and phosphonio substituents on optical, electrochemical, and photophysical properties of 2,5-dithienylphospholes and 2-phenyl-5-thienylphospholes. *Dalton Transactions (Online)* 45: 2190-2200. <http://dx.doi.org/10.1039/c5dt03362d>.
- Koziej, D; Fischer, F; Kränzlin, N; Caseri, WR; Niederberger, M. (2009). Nonaqueous TiO<sub>2</sub> nanoparticle synthesis: a versatile basis for the fabrication of self-supporting, transparent, and UV-absorbing composite films. *ACS Applied Materials & Interfaces* 1: 1097-1104. <http://dx.doi.org/10.1021/am9000584>.
- Kozioł, E; Orhan, IE; Senol, FS; Alipieva, K; Georgiev, M; Skalicka-Wozniak, K. (2016). Development of an Efficient Protocol for Cimifugin Isolation from *Peucedanum schottii* and Evaluation of Enzyme Inhibitory Activity. *Natural Product Communications* 11: 1107-1110.
- Kozyra, M; Biernasiuk, A; Malm, A; Chowaniec, M. (2015). Chemical compositions and antibacterial activity of extracts obtained from the inflorescences of *Cirsium canum* (L.) all. *Nat Prod Res* 29: 2059-2063. <http://dx.doi.org/10.1080/14786419.2015.1030341>.
- Krag, J; Christiansen, MS; Petersen, JG; Jensen, HH. (2010). Direct chemical glycosylation with pentenyl- and thioglycoside donors of N-acetylglucosamine. *Carbohydr Res* 345: 872-879. <http://dx.doi.org/10.1016/j.carres.2010.02.013>.
- Kraikrathok, C; Ngamsaengi, S; Bullangpoti, V; Pluempunapat, W; Koul, O. (2013). Bio efficacy of some piperaceae plant extracts against *Plutella xylostella* L. (Lepidoptera: Plutellidae). *Commun Agric Appl Biol Sci* 78: 305-309.
- Krajian, H; Odeh, A. (2013). Polycyclic aromatic hydrocarbons in medicinal plants from Syria. *Toxicol Environ Chem* 95: 942-953. <http://dx.doi.org/10.1080/02772248.2013.840375>.
- Kramers, PGN; Mout, HCA; Bissumbhar, B; Mulder, CR. (1991). Inhalation exposure in *Drosophila* mutagenesis assays: Experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. *Mutat Res* 252: 17-33. [http://dx.doi.org/10.1016/0165-1161\(91\)90248-7](http://dx.doi.org/10.1016/0165-1161(91)90248-7).
- Krepesky, PB; Cervelin, M, deO; Porath, D; Peters, RR; Ribeiro-Do-Valle, RM; Farias, MR. (2009). High performance liquid chromatography determination of cucurbitacins in the roots of *Wilbrandia ebracteata* Cogn. *Revista Brasileira de Farmacognosia* 19: 715-719.
- Kretschmer, N; Blunder, M; Kunert, O; Rechberger, GN; Bauer, R; Schuehly, W. (2011). Cytotoxic furanogermacranolides from the flowers of *Helianthus angustifolius*. *Planta Med* 77: 1912-1915. <http://dx.doi.org/10.1055/s-0031-1279994>.
- Krishnan, N; Ramanathan, S; Sasidharan, S; Murugaiyah, V; Mansor, SM. (2010). Antimicrobial Activity Evaluation of *Cassia spectabilis* Leaf Extracts. *International Journal of Pharmacology* 6: 510-514.
- Krivokuća, M; Niketić, M; Milenković, M; Golić, N; Masia, C; Scaltrito, MM; Sisto, F; Kundaković, T. (2015). Anti-*Helicobacter pylori* Activity of Four *Alchemilla* Species (Rosaceae). *Natural Product Communications* 10: 1369-1371.
- Kríz, J; Dybal, J; Makrlík, E; Budka, J. (2008). Cooperative interaction of H<sub>3</sub>O<sup>+</sup> with 1,3-alternate tetrapropoxycalix[4]arene: NMR and theoretical study. *46: 235-243*. <http://dx.doi.org/10.1002/mrc.2169>.
- Kríz, J; Dybal, J; Makrlík, E; Budka, J. (2008). Interaction of hydronium ion with dibenzo-18-crown-6: NMR, IR, and theoretical study. *J Phys Chem A* 112: 10236-10243. <http://dx.doi.org/10.1021/jp805757d>.
- Krstić, NM; Bjelaković, MS; Pavlović, VD; Robeyns, K; Juranić, ZD; Matić, I; Novaković, I; Sladić, DM. (2012). New androst-4-en-17-spiro-1,3,2-oxathiaphospholanes. Synthesis, assignment of absolute configuration and in vitro cytotoxic and antimicrobial activities. *Steroids* 77: 558-565. <http://dx.doi.org/10.1016/j.steroids.2012.01.021>.
- Krupenya, DV; Snegurov, PA; Grachova, EV; Gurzhiy, VV; Tunik, SP; Melnikov, AS; Serdobintsev, PY; Vlakh, EG; Sinityna, ES; Tennikova, TB. (2013). New supramolecular Au(I)-Cu(I) complex as potential luminescent label for proteins. *Inorg Chem* 52: 12521-12528. <http://dx.doi.org/10.1021/ic401569n>.
- Krzek, J, an; Zuromska-Witek, B; Hubicka, U; Kaczmarska, M. (2015). Chromatographic-Densitometric Analysis of Chosen Fluoroquinolones on TLC Plates Using Mobile Phases with Different Viscosity. *Journal of Liquid Chromatography and Related Technologies* 38: 1113-1120. <http://dx.doi.org/10.1080/10826076.2015.1028290>.
- Ksouri, WM; Medini, F; Mkadmini, K; Legault, J; Magné, C; Abdelly, C; Ksouri, R. (2013). LC-ESI-TOF-MS identification of bioactive secondary metabolites involved in the antioxidant, anti-inflammatory and anticancer activities of the edible halophyte *Zygophyllum album* Desf. *Food Chem* 139: 1073-1080. <http://dx.doi.org/10.1016/j.foodchem.2013.01.047>.
- Ku, WS; Cho, HJ; Yoon, IS; Kim, JH; Cha, BJ; Kim, JS; Kim, KM; Kang, SK; Chung, SJ; Shim, CK; Kim, DD. (2011). Rapid and sensitive determination of udenafil in plasma by LC-MS/MS for intranasal pharmacokinetic study in rats. *Chem Pharm Bull (Tokyo)* 59: 1083-1088.

## Human Health Hazard Literature Search Results

### Off Topic

- Kubo, S. (2015). Re: Occupational cholangiocarcinoma [Letter]. *J Hepatobiliary Pancreat Sci* 22: E2-E3. <http://dx.doi.org/10.1002/jhbp.191>.
- Kucharska, A; Covaci, A; Vanermen, G; Voorspoels, S. (2014). Development of a broad spectrum method for measuring flame retardants - overcoming the challenges of non-invasive human biomonitoring studies. *Anal Bioanal Chem* 406: 6665-6675. <http://dx.doi.org/10.1007/s00216-014-8106-z>.
- Kucharska, A; Covaci, A; Vanermen, G; Voorspoels, S. (2014). Non-invasive biomonitoring for PFRs and PBDEs: New insights in analysis of human hair externally exposed to selected flame retardants. *Sci Total Environ* 505C: 1062-1071. <http://dx.doi.org/10.1016/j.scitotenv.2014.10.043>.
- Kudahewa, DD; Abeytunga, DTU; Ratnasooriya, WD. (2008). Antinociceptive activity of *Pleurotus cystidiosus*, an edible mushroom in rats. *Pharmacognosy Magazine* 4: 37-41.
- Kuen, DS; Feierabend, KJ. (2014). Cavity-enhanced overtone spectroscopy of methanol in aprotic solvents: probing solute-solvent interactions and self-associative behavior. *J Phys Chem A* 118: 2942-2951. <http://dx.doi.org/10.1021/jp502465j>.
- Kuennen, LP; Siegel, JP. (2015). Measure your septa release ratios: pheromone release ratio variability affected by rubber septa and solvent. *J Chem Ecol* 41: 303-310. <http://dx.doi.org/10.1007/s10886-015-0557-y>.
- Kuete, V; Nono, EC; Mkounga, P; Marat, K; Hultin, PG; Nkengfack, AE. (2011). Antimicrobial activities of the CH<sub>2</sub>Cl<sub>2</sub>-CH<sub>3</sub>OH (1:1) extracts and compounds from the roots and fruits of *Pycnanthus angolensis* (Myristicaceae). *Nat Prod Res* 25: 432-443. <http://dx.doi.org/10.1080/14786419.2010.522577>.
- Kuete, V; Sandjo, LP; Wiench, B; Efferth, T. (2013). Cytotoxicity and modes of action of four Cameroonian dietary spices ethno-medically used to treat cancers: *Echinops giganteus*, *Xylopia aethiopica*, *Imperata cylindrica* and *Piper capense*. *J Ethnopharmacol* 149: 245-253. <http://dx.doi.org/10.1016/j.jep.2013.06.029>.
- Kühn, C; Arapogianni, NE; Halabalaki, M; Hempel, J; Hunger, N; Wober, J; Skaltsounis, AL; Vollmer, G. (2011). Constituents from *Cistus salvifolius* (Cistaceae) activate peroxisome proliferator-activated receptor- $\gamma$  but not  $-\delta$  and stimulate glucose uptake by adipocytes. *Planta Med* 77: 346-353. <http://dx.doi.org/10.1055/s-0030-1250382>.
- Kuir, D; Guillemineau, M; Auzanneau, FI. (2015). Aggregation of a Tetrasaccharide Acceptor Observed by NMR: Synthesis of Pentasaccharide Fragments of the Le(a)Le(x) Tumor-Associated Hexasaccharide Antigen. *J Org Chem* 80: 5004-5013. <http://dx.doi.org/10.1021/acs.joc.5b00405>.
- Kukula-Koch, W; Mroczek, T. (2015). Application of hydrostatic CCC-TLC-HPLC-ESI-TOF-MS for the bioguided fractionation of anticholinesterase alkaloids from *Argemone mexicana* L. roots. *Anal Bioanal Chem* 407: 2581-2589. <http://dx.doi.org/10.1007/s00216-015-8468-x>.
- Kuligowski, J; Quintás, G; Esteve-Turrillas, FA; Garrigues, S; de la Guardia, M. (2008). On-line gel permeation chromatography-attenuated total reflectance-Fourier transform infrared determination of lecithin and soybean oil in dietary supplements. *J Chromatogr A* 1185: 71-77. <http://dx.doi.org/10.1016/j.chroma.2008.01.048>.
- Kuligowski, J; Quintás, G; Garrigues, S; de la Guardia, M. (2008). Determination of lecithin and soybean oil in dietary supplements using partial least squares-Fourier transform infrared spectroscopy. *Talanta* 77: 229-234. <http://dx.doi.org/10.1016/j.talanta.2008.06.029>.
- Kulkarni, SK; Dhir, A. (2008). On the mechanism of antidepressant-like action of berberine chloride. *Eur J Pharmacol* 589: 163-172. <http://dx.doi.org/10.1016/j.ejphar.2008.05.043>.
- Kulwicki, A; Ballout, S; Kilgore, C; Hammad, A; Dervartanian, H. (2015). Intimate partner violence, depression, and barriers to service utilization in Arab American women. *26: 24-30*. <http://dx.doi.org/10.1177/1043659614524000>.
- Kumagai, S; Kubo, S. (2016). Photoinitiators enhanced 1,2-dichloropropane-induced cytotoxicity in human normal embryonic lung fibroblasts cells in vitro, Yoichi Kawasaki, Chiaki Tsuboi, Kenta Yagi, Miwa Morizane, Yasuyuki Masaoka, Satoru Esumi, Yoshihisa Kitamura, Toshiaki Sendo (2014) *Environ Sci Pollut Res* 22: 4763-4770 ; DOI: 10.1007/s11356-014-3939-8 [Letter]. *Environ Sci Pollut Res Int* 23: 7067-7068. <http://dx.doi.org/10.1007/s11356-016-6165-8>.
- Kumagai, T; Katoh, T; Nix, DB; Tiemeyer, M; Aoki, K. (2013). In-Gel beta-Elimination and Aqueous-Organic Partition for Improved O- and Sulfoglycomics. *Anal Chem* 85: 8692-8699. <http://dx.doi.org/10.1021/ac4015935>.
- Kumagai, Y; Kawada, K; Yamazaki, S; Iida, M; Odajima, H; Ochiai, T; Kawano, T; Takubo, K. (2012). Current status and limitations of the newly developed endocytoscope GIF-Y0002 with reference to its diagnostic performance for common esophageal lesions. *Journal of Digestive Diseases (Online)* 13: 393-400. <http://dx.doi.org/10.1111/j.1751-2980.2012.00612.x>.
- Kumar, A; Pundle, A. (2009). Effect of organic solvents on cell-bound penicillin V acylase activity of *Erwinia aroideae* (DSMZ 30186): A permeabilization effect. *Journal of Molecular Catalysis B: Enzymatic* 57: 67-71. <http://dx.doi.org/10.1016/j.molcatb.2008.06.018>.
- Kumar, B; Park, YT; Castro, M; Grunlan, JC; Feller, JF. (2012). Fine control of carbon nanotubes-polyelectrolyte sensors sensitivity by electrostatic layer by layer assembly (eLBL) for the detection of volatile organic compounds (VOC). *Talanta* 88: 396-402. <http://dx.doi.org/10.1016/j.talanta.2011.11.006>.
- Kumar, D; Karmase, A; Jagtap, S; Shekhar, R; Bhutani, KK. (2013). Pancreatic lipase inhibitory activity of cassiamin A, a bianthraquinone from *Cassia siamea*. *Natural Product Communications* 8: 195-198.
- Kumar, D; Mishra, KB; Mishra, BB; Mondal, S; Tiwari, VK. (2014). Click chemistry inspired highly facile synthesis of triazolyl ethisterone glycoconjugates. *Steroids* 80: 71-79. <http://dx.doi.org/10.1016/j.steroids.2013.11.022>.
- Kumar, H; Savaliya, M; Biswas, S; Nayak, PG; Maliyakkal, N; Manjunath Setty, M; Gourishetti, K; Pai, KS. (2016). Assessment of the in vitro cytotoxicity and in vivo anti-tumor activity of the alcoholic stem bark extract/fractions of *Mimusops elengi* Linn. *Cytotechnology* 68: 861-877. <http://dx.doi.org/10.1007/s10616-014-9839-4>.



## Human Health Hazard Literature Search Results

### Off Topic

- Kumar, K; Pant, NC; Ahmad, S; Fateh, MV; Rai, AK; Verma, B; Chaurasia, H. (2016). Development and evaluation of floating microspheres of curcumin in alloxan-induced diabetic rats. *Tropical Journal of Pharmaceutical Research* 15: 1819-1825. <http://dx.doi.org/10.4314/tjpr.v15i9.1>.
- Kumar, K; Rai, AK. (2012). Development and Evaluation of Floating Microspheres of Curcumin. *Tropical Journal of Pharmaceutical Research* 11: 713-719. <http://dx.doi.org/10.4314/tjpr.v11i5.3>.
- Kumar, KS; Patnaik, A. (2010). Intramolecular electronic communication in a dimethylaminoazobenzene-fullerene C60 dyad: an experimental and TD-DFT study. *J Comput Chem* 31: 1182-1194. <http://dx.doi.org/10.1002/jcc.21404>.
- Kumar, KS; Patnaik, A. (2010). Tunable electronic properties of a proton-responsive N,N-dimethylaminoazobenzene fullerene (C60) dyad. *Chemphyschem* 11: 3645-3655. <http://dx.doi.org/10.1002/cphc.201000564>.
- Kumar, M; Kumar, V; Gupta, GK. (2015). Synthesis, antibacterial evaluation, and SAR study of some novel 3-aryl/heteroaryl-9-methyl-1,2,4-triazolo-[4,3-a]-quinoline derivatives. *Medicinal Chemistry Research* 24: 1857-1868. <http://dx.doi.org/10.1007/s00044-014-1254-z>.
- Kumar, M; Tomar, RS; Lade, H; Paul, D. (2016). Methylotrophic bacteria in sustainable agriculture [Review]. *World J Microbiol Biotechnol* 32: 120. <http://dx.doi.org/10.1007/s11274-016-2074-8>.
- Kumar, PH; Prashanthi, S; Bangal, PR. (2011). Role of hydrogen bonding in the photophysical properties of isomeric tetrapyrrolylporphyrins in aprotic solvent. *J Phys Chem A* 115: 631-642. <http://dx.doi.org/10.1021/jp1045782>.
- Kumar, PH; Venkatesh, Y; Siva, D; Ramakrishna, B; Bangal, PR. (2015). Ultrafast relaxation dynamics of 5,10,15,20-meso-tetrakis pentafluorophenyl porphyrin studied by fluorescence up-conversion and transient absorption spectroscopy. *J Phys Chem A* 119: 1267-1278. <http://dx.doi.org/10.1021/jp512137a>.
- Kumar, PS; Raj, JP; Duraipandiyar, V; Ignacimuthu, S. (2012). Antibacterial activity of some actinomycetes from Tamil Nadu, India. 2: 936-943. [http://dx.doi.org/10.1016/S2221-1691\(13\)60003-9](http://dx.doi.org/10.1016/S2221-1691(13)60003-9).
- Kumar, R; Nair, RR; Dhiman, SS; Sharma, J; Prakash, O. (2009). Organoiodine (III)-mediated synthesis of 3-aryl/heteroaryl-5,7-dimethyl-1,2,4-triazolo[4,3-c]pyrimidines as antibacterial agents. *Eur J Med Chem* 44: 2260-2264. <http://dx.doi.org/10.1016/j.ejmech.2008.06.004>.
- Kumar, S; Chawla, G; Bansal, AK. (2008). Spherical crystallization of mebendazole to improve processability. *Pharm Dev Technol* 13: 559-568. <http://dx.doi.org/10.1080/10837450802310180>.
- Kumar, S; Linehan, B; Tseng, YC. (2014). A new combination approach of CI jet and QESD to formulate pH-susceptible amorphous solid dispersions. *Int J Pharm* 466: 368-374. <http://dx.doi.org/10.1016/j.ijpharm.2014.03.042>.
- Kumar, S; Rai, AK; Mishra, MN; Shukla, M; Singh, PK; Tripathi, AK. (2012). RpoH2 sigma factor controls the photooxidative stress response in a non-photosynthetic rhizobacterium, *Azospirillum brasilense* Sp7. 158: 2891-2902. <http://dx.doi.org/10.1099/mic.0.062380-0>.
- Kumar, S; Wahi, AK; Singh, R. (2011). Synthesis and Preliminary Pharmacological Evaluation of 2-[4-(Aryl substituted) piperazin-1-yl]-N-phenylacetamides: Potential Antipsychotics. *Tropical Journal of Pharmaceutical Research* 10: 265-272. <http://dx.doi.org/10.4314/tjpr.v10i3.6>.
- Kumar, V; Kothiyal, NC. (2012). Distribution behavior and carcinogenic level of some polycyclic aromatic hydrocarbons in roadside soil at major traffic intercepts within a developing city of India. *Environ Monit Assess* 184: 6239-6252. <http://dx.doi.org/10.1007/s10661-011-2416-9>.
- Kumaran, N; Bragadeeswaran, S; Balasubramanian, T; Meenakshi, VK. (2012). Bioactivity potential of extracts from ascidian *Lissoclinum fragile*. 6: 1854-1859. <http://dx.doi.org/10.5897/AJPP12.277>.
- Kumari, P; Reddy, CR; Jha, B. (2011). Comparative evaluation and selection of a method for lipid and fatty acid extraction from macroalgae. *Anal Biochem* 415: 134-144. <http://dx.doi.org/10.1016/j.ab.2011.04.010>.
- Kunacheva, C; Le, C; Soh, YN; Stuckey, DC. (2017). Chemical Characterization of Low Molecular Weight (MW <math>\leq 580\text{ Da}</math>) Soluble Microbial Products (SMPs) in an Anaerobic Membrane Bioreactor. *Environ Sci Technol*. <http://dx.doi.org/10.1021/acs.est.6b05791>.
- Kundu, S; Banerjee, A; De, A; Khan, AY; Kumar, GS; Bhadra, R; Ghosh, P. (2015). Synthesis, Fluorescence Spectra, Redox Property and the DNA Binding Studies of 7-phenylacenaphtho[1,2-b]quinoxalin-7-ium chloride: Evidences of the Formation of Neutral Radical Analogue. *J Fluoresc* 25: 1645-1654. <http://dx.doi.org/10.1007/s10895-015-1651-9>.
- Kundu, S; Maity, S; Saha Sardar, P; Ghosh, S; Ghosh, P. (2013). Mono- and di-nuclear photoluminescent complexes of zinc(ii), cadmium(ii) and mercury(ii) of a chiral diimine ligand. *Dalton Transactions (Online)* 42: 13026-13035. <http://dx.doi.org/10.1039/c3dt51348c>.
- Kundu, SK; Yagihara, S; Yoshida, M; Shibayama, M. (2009). Microwave dielectric study of an oligomeric electrolyte gelator by time domain reflectometry. *J Phys Chem B* 113: 10112-10116. <http://dx.doi.org/10.1021/jp901043h>.
- Kuno, S; Takahashi, A; Ogawa, S. (2011). Transformation of quercitols into 4-methylenecyclohex-5-ene-1,2,3-triol derivatives, precursors for the chemical chaperones N-octyl-4-epi- $\beta$ -valienamine (NOEV) and N-octyl- $\beta$ -valienamine (NOV). 21: 7189-7192. <http://dx.doi.org/10.1016/j.bmcl.2011.09.067>.
- Kunsorn, P; Ruangrunsi, N; Lipipun, V; Khanboon, A; Rungsihirunrat, K; Chaijaroenkul, W. (2013). The identities and anti-herpes simplex virus activity of *Clinacanthus nutans* and *Clinacanthus siamensis*. 3: 284-290. [http://dx.doi.org/10.1016/S2221-1691\(13\)60064-7](http://dx.doi.org/10.1016/S2221-1691(13)60064-7).
- Kupczewska-Dobecka, M; Soćko, R. (2008). [Admissible concentration in biological material: an index of exposure to dichloromethane] [Review]. *Med Pr* 59: 187-195.
- Kuppusamy, P; Yusoff, MM; Parine, NR; Govindan, N. (2015). Evaluation of in-vitro antioxidant and antibacterial properties of *Commelina nudiflora* L. extracts prepared by different polar solvents. *Saudi J Biol Sci* 22: 293-301. <http://dx.doi.org/10.1016/j.sjbs.2014.09.016>.
- Kurahashi, T; Fujii, H. (2013). Unique ligand-radical character of an activated cobalt salen catalyst that is generated by aerobic oxidation of a cobalt(II) salen complex. *Inorg Chem* 52: 3908-3919. <http://dx.doi.org/10.1021/ic302677f>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kurata, R; Kaneda, K; Ito, A. (2017). Luminescent Superbenzene with Diarylamino and Diarylboryl Groups. *Org Lett* 19: 392-395. <http://dx.doi.org/10.1021/acs.orglett.6b03596>.
- Kur'ianov, VO; Lushchik, AA; Chupakhina, TA. (2013). [Glycosylated derivatives of substituted hydroxylamine. II. Phase transfer synthesis and investigation of glycosyl transfer reaction of glucosaminides of substituted hydroxylamine]. *Bioorg Khim* 39: 477-485.
- Kurtovic, S; Shokeer, A; Mannervik, B. (2008). Diverging catalytic capacities and selectivity profiles with haloalkane substrates of chimeric alpha class glutathione transferases. *Protein Eng Des Sel* 21: 329-341. <http://dx.doi.org/10.1093/protein/gzn010>.
- Kurtulmus, H; Kumbuloglu, O; Ozcan, M; Ozdemir, G; Vural, C. (2010). *Candida albicans* adherence on silicone elastomers: effect of polymerisation duration and exposure to simulated saliva and nasal secretion. *Dent Mater* 26: 76-82. <http://dx.doi.org/10.1016/j.dental.2009.09.001>.
- Kurtulmus-Yilmaz, S; Cengiz, E; Ozan, O; Ramoglu, S; Yilmaz, HG. (2014). The effect of Er,Cr:YSGG laser application on the micropush-out bond strength of fiber posts to resin core material. *Photomed Laser Surg* 32: 574-581. <http://dx.doi.org/10.1089/pho.2014.3780>.
- Kuryanov, VO; Luschtshyk, AA; Chupakhina, TA. (2013). Glycosylated derivatives of substituted hydroxylamine. II. The phase transfer synthesis and the study of the glycosyl transfer reaction of glucosaminides of substituted hydroxylamine. *Russian Journal of Bioorganic Chemistry* 39: 426-433. <http://dx.doi.org/10.1134/S1068162013030084>.
- Kuś, PM; Jerković, I; Tuberoso, CI; Marijanović, Z; Congiu, F. (2014). Cornflower (*Centaurea cyanus* L.) honey quality parameters: chromatographic fingerprints, chemical biomarkers, antioxidant capacity and others. *Food Chem* 142: 12-18. <http://dx.doi.org/10.1016/j.foodchem.2013.07.050>.
- Kuś, PM; Jerković, I; Tuberoso, CI; Šarolić, M. (2013). The volatile profiles of a rare apple (*Malus domestica* Borkh.) honey: shikimic acid-pathway derivatives, terpenes, and others. *Chem Biodivers* 10: 1638-1652. <http://dx.doi.org/10.1002/cbdv.201200404>.
- Kus, PM; Jerkovic, I; Tuberoso, CI; Marijanovic, Z; Sarolic, M. (2013). GC-MS Fingerprints and Other Physico-chemical Characteristics of Rare Unifloral *Prunus cerasus* L. Honey. *Natural Product Communications* 8: 651-654.
- Kuss-Petermann, M; Wenger, OS. (2013). Photoacid behavior versus proton-coupled electron transfer in phenol-Ru(bpy)<sub>3</sub>(2+) dyads. *J Phys Chem A* 117: 5726-5733. <http://dx.doi.org/10.1021/jp402567m>.
- Kuznetsov, ML; Kukushkin, VY; Pombeiro, AJ. (2008). Reactivity of Pt- and Pd-bound nitriles towards nitrile oxides and nitrones: substitution vs. cycloaddition. *Dalton Trans* 1312-1322. <http://dx.doi.org/10.1039/b713425h>.
- Kuzuhara, D; Xue, Z; Mori, S; Okujima, T; Uno, H; Aratani, N; Yamada, H. (2013). Synthesis and properties of boron complexes of [14]triphyrins(2.1.1). *Chem Commun (Camb)* 49: 8955-8957. <http://dx.doi.org/10.1039/c3cc44788j>.
- Kwak, CS; Son, D; Chung, YS; Kwon, Y. (2015). Antioxidant activity and anti-inflammatory activity of ethanol extract and fractions of Doenjang in LPS-stimulated RAW 264.7 macrophages. *Nutrition Research and Practice* 9: 569-578. <http://dx.doi.org/10.4162/nrp.2015.9.6.569>.
- Kwon, HC; Cha, JW; Park, JS; Chun, YS; Moodley, N; Maharaj, VJ; Youn, SH; Chung, S; Yang, HO. (2011). Rapid Identification of Bioactive Compounds Reducing the Production of Amyloid beta-Peptide (A beta) from South African Plants Using an Automated HPLC/SPE/HPLC Coupling System. *PLoS One* 6: 1-9. <http://dx.doi.org/10.4062/biomolther.2011.19.1.090>.
- Kwon, JH; Lee, HK; Kwon, JW; Kim, K; Park, E; Kang, MH; Kim, YH. (2008). Mutagenic activity of river water from a river near textile industrial complex in Korea. *Environ Monit Assess* 142: 289-296. <http://dx.doi.org/10.1007/s10661-007-9928-3>.
- Kwon, SM; Shin, HS. (2014). Sensitive determination of fluoride in biological samples by gas chromatography-mass spectrometry after derivatization with 2-(bromomethyl)naphthalene. *Anal Chim Acta* 852: 162-167. <http://dx.doi.org/10.1016/j.aca.2014.09.035>.
- Kyadari, M; Fatma, T; Azad, R; Velpandian, T. (2013). Evaluation of antiangiogenic and antiproliferative potential of the organic extract of green algae *Chlorella pyrenoidosa*. *Indian J Pharmacol* 45: 569-574. <http://dx.doi.org/10.4103/0253-7613.121366>.
- Kyadari, M; Fatma, T; Velpandian, T; Malliga, P; Bharat, N; Fareha, B. (2014). Antiangiogenic and antiproliferative assessment of cyanobacteria. *Indian J Exp Biol* 52: 835-842.
- Kycia, AH; Koczur, K; Leitch, JJ; Lipkowski, J; Zamlynnny, V; Petryk, MW. (2013). Application of PM-IRRAS to study thin films on industrial and environmental samples. *Anal Bioanal Chem* 405: 1537-1546. <http://dx.doi.org/10.1007/s00216-012-6469-6>.
- la Torre Fabiola, VD; Ralf, K; Gabriel, B; Victor Ermilo, AA; Martha, MG; Mirbella, CF; Rocio, BA. (2016). Anti-inflammatory and immunomodulatory effects of *Crotonia aromatisans* leaves: Downregulation of pro-inflammatory cytokines. *J Ethnopharmacol* 190: 174-182. <http://dx.doi.org/10.1016/j.jep.2016.06.006>.
- Labib, RM; Ebada, SS; Youssef, FS; Ashour, ML; Ross, SA. (2016). Ursolic Acid, a Natural Pentacyclic Triterpene from *Ochrosia elliptica* and Its Role in The Management of Certain Neglected Tropical Diseases. *Pharmacognosy Magazine* 12: 319-325. <http://dx.doi.org/10.4103/0973-1296.192207>.
- Laborde-Castérot, H; Rosenberg, N; Dupont, P; Garnier, R. (2014). Is the incidence of aliphatic amine-induced occupational rhinitis and asthma underestimated? *Am J Ind Med* 57: 1303-1310. <http://dx.doi.org/10.1002/ajim.22373>.
- Lacey, S; Alexander, BM; Baxter, CS. (2014). Plasticizer contamination of firefighter personal protective clothing - a potential factor in increased health risks in firefighters. *J Occup Environ Hyg* 11: D43-D48. <http://dx.doi.org/10.1080/15459624.2013.877142>.
- Laffey, AO; Krigbaum, J; Zimmerman, AR. (2017). A protocol for pressurized liquid extraction and processing methods to isolate modern and ancient bone cholesterol for compound-specific stable isotope analysis. *Rapid Commun Mass Spectrom* 31: 235-244. <http://dx.doi.org/10.1002/rcm.7786>.
- Lagnika, L; Amoussa, AMO; Adjileye, RAA; Laleye, A; Sanni, A. (2016). Antimicrobial, antioxidant, toxicity and phytochemical assessment of extracts from *Acmella uliginosa*, a leafy-vegetable consumed in Benin, West Africa. *BMC Complement Altern Med* 16: 34. <http://dx.doi.org/10.1186/s12906-016-1014-3>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lago, JHG; Ito, AT; Fernandes, CM; Young, MCM; Kato, MJ. (2012). Secondary metabolites isolated from Piper chimonantifolium and their antifungal activity. *Nat Prod Res* 26: 770-773. <http://dx.doi.org/10.1080/14786419.2011.561435>.
- Lagunas-Allué, L; Sanz-Asensio, J; Martínez-Soria, MT. (2010). Response surface optimization for determination of pesticide residues in grapes using MSPD and GC-MS: assessment of global uncertainty. *Anal Bioanal Chem* 398: 1509-1523. <http://dx.doi.org/10.1007/s00216-010-4046-4>.
- Lahoum, A; Aouiche, A; Bouras, N; Verheecke, C; Klenk, HP; Sabaou, N; Mathieu, F. (2016). Antifungal activity of a Saharan strain of *Actinomyces* sp. ACD1 against toxigenic fungi and other pathogenic microorganisms. *Journal de Mycologie Medicale* 26: 193-200. <http://dx.doi.org/10.1016/j.mycmed.2016.02.017>.
- Lai, CS; Mas, RH; Nair, NK; Majid, MI; Mansor, SM; Navaratnam, V. (2008). Typhonium flagelliforme inhibits cancer cell growth in vitro and induces apoptosis: an evaluation by the bioactivity guided approach. *J Ethnopharmacol* 118: 14-20. <http://dx.doi.org/10.1016/j.jep.2008.02.034>.
- Lai, L, iK; Abidin, NZ; Abdullah, N; Sabaratnam, V. (2010). Anti-Human Papillomavirus (HPV) 16 E6 Activity of Ling Zhi or Reishi Medicinal Mushroom, *Ganoderma lucidum* (W. Curt.: Fr.) P. Karst. (Aphyllophoromycetideae) Extracts. *Int J Med Mushrooms* 12: 279-286.
- Lajili, S; Deghrigue, M; Bel Haj Amor, H; Muller, CD; Bouraoui, A. (2016). In vitro immunomodulatory activity and in vivo anti-inflammatory and analgesic potential with gastroprotective effect of the Mediterranean red alga *Laurencia obtusa*. *Pharmaceutical Biology* 54: 2486-2495. <http://dx.doi.org/10.3109/13880209.2016.1160937>.
- Lake, ST; Altman, PM; Vaisman, J; Addison, RS. (2010). Validated LC-MS/MS assay for the quantitative determination of vardenafil in human plasma and its application to a pharmacokinetic study. *Biomed Chromatogr* 24: 846-851. <http://dx.doi.org/10.1002/bmc.1375>.
- Lakhdar, N; Ben Saad, H; Denguezli, M; Zaouali, M; Zbidi, A; Tabka, Z; Bouassida, A. (2013). Effects of intense cycling training on plasma leptin and adiponectin and its relation to insulin resistance. *Neuro Endocrinol Lett* 34: 229-235.
- Lakhdar, S; Terrier, F; Vichard, D; Berionni, G; El Guesmi, N; Goumont, R; Boubaker, T. (2010). The Diels-Alder reaction of 4,6-dinitrobenzofuroxan with 1-trimethylsilyloxybuta-1,3-diene: a case example of a stepwise cycloaddition. *Chemistry* 16: 5681-5690. <http://dx.doi.org/10.1002/chem.200903008>.
- Lakkisto, P; Kytö, V; Forsten, H; Siren, JM; Segersvärd, H; Voipio-Pulkki, LM; Laine, M; Pulkki, K; Tikkanen, I. (2010). Heme oxygenase-1 and carbon monoxide promote neovascularization after myocardial infarction by modulating the expression of HIF-1 $\alpha$ , SDF-1 $\alpha$  and VEGF-B. *Eur J Pharmacol* 635: 156-164. <http://dx.doi.org/10.1016/j.ejphar.2010.02.050>.
- Lakshmi, V; Lee, WZ; Ravikanth, M. (2014). Synthesis, structure and spectral and electrochemical properties of 3-pyrrolyl BODIPY-metal dipyrin complexes. *Dalton Transactions (Online)* 43: 16006-16014. <http://dx.doi.org/10.1039/c4dt01970a>.
- Lam, C; Grage, A; Schulz, D; Schulte, A; Harder, T. (2008). Extracts of North Sea macroalgae reveal specific activity patterns against attachment and proliferation of benthic diatoms: a laboratory study. *Biofouling* 24: 59-66. <http://dx.doi.org/10.1080/08927010701827646>.
- Lam, K; Geiger, WE. (2013). Anodic oxidation of disulfides: detection and reactions of disulfide radical cations. *J Org Chem* 78: 8020-8027. <http://dx.doi.org/10.1021/jo401263z>.
- Lam, RY; Lin, ZX; Sviderskaya, E; Cheng, CH. (2010). Application of a combined sulphorhodamine B and melanin assay to the evaluation of Chinese medicines and their constituent compounds for hyperpigmentation treatment. *J Ethnopharmacol* 132: 274-279. <http://dx.doi.org/10.1016/j.jep.2010.08.027>.
- Lambert, JE; Engh, R; Hasbun, A; Holzer, J. (2012). Impact of posttraumatic stress disorder on the relationship quality and psychological distress of intimate partners: a meta-analytic review [Review]. *26: 729-737*. <http://dx.doi.org/10.1037/a0029341>.
- Lambert, KM; Bobbitt, JM; Eldirany, SA; Wiberg, KB; Bailey, WF. (2014). Facile oxidation of primary amines to nitriles using an oxoammonium salt. *Org Lett* 16: 6484-6487. <http://dx.doi.org/10.1021/ol503345h>.
- Lambertucci, C; Sundukova, M; Kachare, DD; Panmand, DS; Dal Ben, D; Buccioni, M; Marucci, G; Marchenkova, A; Thomas, A; Nistri, A; Cristalli, G; Volpini, R. (2013). Evaluation of adenine as scaffold for the development of novel P2X3 receptor antagonists. *Eur J Med Chem* 65: 41-50. <http://dx.doi.org/10.1016/j.ejmech.2013.04.037>.
- Lamie, NT; Monir, HH. (2016). Simultaneous Determination of Cinnarizine and Dimenhydrinate in Binary Mixture Using Chromatographic Methods. *J Chromatogr Sci* 54: 36-42. <http://dx.doi.org/10.1093/chromsci/bmv103>.
- Lamien-Meda, A; Zitterl-Eglseer, K; Fuchs, H; Franz, C. (2008). Traceability of Secondary Metabolites in Eucalyptus and Fagus Wood derived Pulp and Fiber. *Natural Product Communications* 3: 2089-2093.
- Lammer, EJ; Shaw, GM; Iovannisci, DM; Finnell, RH. (2005). Maternal smoking, genetic variation of glutathione s-transferases, and risk for orofacial clefts. *Epidemiology* 16: 698-701.
- Lamula, SQN; Ashafa, AOT, om. (2014). Antimicrobial and cytotoxic potential of *Dianthus basuticus* used in Basotho traditional practice. *Bangladesh J Pharmacol* 9: 105-111. <http://dx.doi.org/10.3329/bjpv9i1.17530>.
- Landa, P; Skalova, L; Bousova, I; Kutil, Z; Langhansova, L; Lou, JD; Vanek, T. (2014). In vitro anti-proliferative and anti-inflammatory activity of leaf and fruit extracts from *Vaccinium bracteatum* Thunb. *Pak J Pharm Sci* 27: 103-106.
- Landin-Olsson, M; Haglund, M; Petruckievitch, A, nn; Berntorp, K. (2009). Initiation of NovoMix (R) 30 (BIAsp 30) in Insulin-Naive Patients with Type 2 Diabetes Aged 75 and above in a Swedish Primary Care-Based Setting. *Diabetes* 58: A528-A529.
- Landreau, A; Bertrand, S; Simoes-Pires, C; Marcourt, L; Tai, DB; Litaudon, M; Guilet, D; Richomme, P; Carrupt, PA; Wolfender, JL. (2016). Normal phase HPLC-based activity profiling of non-polar crude plant extracts - acetylcholinesterase inhibiting guttiferones from *Montrouzieria cauliflora* as a case study. *Nat Prod Res* 1-6. <http://dx.doi.org/10.1080/14786419.2016.1154054>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lang, KL; Silva, IT; Zimmermann, LA; Lhullier, C; Mañalich Arana, MV; Palermo, JA; Falkenberg, M; Simões, CM; Schenkel, EP; Durán, FJ. (2012). Cytotoxic activity of semi-synthetic derivatives of elatol and isoobtusol. *Mar Drugs* 10: 2254-2264. <http://dx.doi.org/10.3390/md10102254>.
- Lange, I; Moschny, J; Tamanyan, K; Khutsishvili, M; Atha, D; Borris, RP; Koomoa, DL. (2016). *Scrophularia orientalis* extract induces calcium signaling and apoptosis in neuroblastoma cells. *Int J Oncol* 48: 1608-1616. <http://dx.doi.org/10.3892/ijo.2016.3373>.
- Langley, SK; Chilton, NF; Massi, M; Moubaraki, B; Berry, KJ; Murray, KS. (2010). Synthesis and characterization of homo- and heterovalent tetra- hexa- hepta- and decanuclear manganese clusters using pyridyl functionalized beta-diketone, carboxylate and triethanolamine ligands. *Dalton Transactions (Online)* 39: 7236-7249. <http://dx.doi.org/10.1039/c0dt00054j>.
- Langseth, E; Nova, A; Tråseth, EA; Rise, F; Øien, S; Heyn, RH; Tilset, M. (2014). A gold exchange: a mechanistic study of a reversible, formal ethylene insertion into a gold(III)-oxygen bond. *J Am Chem Soc* 136: 10104-10115. <http://dx.doi.org/10.1021/ja504554u>.
- Lao, W. (2013). [Analysis of toxaphene and its eight congeners in sediment and fish tissue by gas chromatography-negative ion mass spectrometry]. *Sepu* 31: 667-673.
- Lao, W; Gan, J. (2012). Enantioselective degradation of warfarin in soils. *Chirality* 24: 54-59. <http://dx.doi.org/10.1002/chir.21023>.
- Lapar, DJ; Laubach, VE; Emamina, A; Crosby, IK; Hajzus, VA; Sharma, AK; Sumner, HM; Webb, DV; Lau, CL; Kron, IL. (2011). Pretreatment strategy with adenosine A2A receptor agonist attenuates reperfusion injury in a preclinical porcine lung transplantation model. *J Thorac Cardiovasc Surg* 142: 887-894. <http://dx.doi.org/10.1016/j.jtcvs.2011.06.015>.
- Lapin, B; Yao, K; Song, DH; Sisco, M. (2014). A NSQIP analysis of 30-day complications after bilateral versus unilateral mastectomy with immediate reconstruction. *J Clin Oncol* 32: 62. [http://dx.doi.org/10.1200/jco.2014.32.26\\_suppl.62](http://dx.doi.org/10.1200/jco.2014.32.26_suppl.62).
- Lapresta-Fernández, A; Cywinski, PJ; Moro, AJ; Mohr, GJ. (2009). Fluorescent polyacrylamide nanoparticles for naproxen recognition. *Anal Bioanal Chem* 395: 1821-1830. <http://dx.doi.org/10.1007/s00216-009-3007-2>.
- Lapuerta, I; Vera, S; Oiarbide, M; Palomo, C. (2016). Development of a syn-Selective Mannich Reaction of Aldehydes with Propargylic Imines by Dual Catalysis: Asymmetric Synthesis of Functionalized Propargylic Amines. *Chemistry* 22: 7229-7237. <http://dx.doi.org/10.1002/chem.201600635>.
- Lash, TD; Lammer, AD; Idate, AS; Colby, DA; White, K. (2012). Preparation of Azulene-Derived Fulvenedialdehydes and Their Application to the Synthesis of Stable adj-Dicarbaporphyrinoids. *J Org Chem* 77: 2368-2381. <http://dx.doi.org/10.1021/jo2026977>.
- Lategan, C; Kellerman, T; Afolayan, AF; Mann, MG; Antunes, EM; Smith, PJ; Bolton, JJ; Beukes, DR. (2009). Antiplasmodial and antimicrobial activities of South African marine algal extracts. *Pharmaceutical Biology* 47: 408-413. <http://dx.doi.org/10.1080/13880200902758832>.
- Lathiff, SM; Jemaon, N; Abdullah, SA; Jamil, S. (2015). Flavonoids from *Artocarpus anisophyllus* and their bioactivities. *Natural Product Communications* 10: 393-396.
- Latronico, M; Mastroilli, P; Gallo, V; Dell'Anna, MM; Creati, F; Re, N; Englert, U. (2011). Hydrido phosphanido bridged polynuclear complexes obtained by protonation of a phosphinito bridged Pt(II) complex with HBF<sub>4</sub> and HF. *Inorg Chem* 50: 3539-3558. <http://dx.doi.org/10.1021/ic102475e>.
- Lauer, FT; Mitchell, LA; Bedrick, E; McDonald, JD; Lee, WY; Li, WW; Olvera, H; Amaya, MA; Berwick, M; Gonzales, M; Currey, R; Pingitore, NE; Burchiel, SW. (2009). Temporal-spatial analysis of U.S.-Mexico border environmental fine and coarse PM air sample extract activity in human bronchial epithelial cells. *Toxicol Appl Pharmacol* 238: 1-10. <http://dx.doi.org/10.1016/j.taap.2009.04.021>.
- Lautie, E; Rozet, E; Hubert, P; Leclercq, JQ. (2012). Quantification of rotenone in seeds of different species of yam bean (*Pachyrhizus* sp.) by a SPE HPLC-UV method. *Food Chem* 131: 1531-1538. <http://dx.doi.org/10.1016/j.foodchem.2011.09.125>.
- Lavaud, A; Richomme, P; Litaudon, M; Andriantsitohaina, R; Guilet, D. (2013). Antiangiogenic tocotrienol derivatives from *Garcinia amplexicaulis*. *J Nat Prod* 76: 2246-2252. <http://dx.doi.org/10.1021/np400598y>.
- Lavrič, Z; Pirnat, J; Lužnik, J; Puc, U; Trontelj, Z; Srčič, S. (2015). (14) N nuclear quadrupole resonance study of piroxicam: confirmation of new polymorphic form V. *J Pharm Sci* 104: 1909-1918. <http://dx.doi.org/10.1002/jps.24421>.
- Lawrence, EJ; Oganessian, VS; Wildgoose, GG; Ashley, AE. (2013). Exploring the fate of the tris(pentafluorophenyl)borane radical anion in weakly coordinating solvents. *Dalton Transactions (Online)* 42: 782-789. <http://dx.doi.org/10.1039/c2dt31622f>.
- Lax, NC; Ahmed, KT; Ignatz, CM; Spadafora, C; Kolber, BJ; Tidgewell, KJ. (2016). Marine cyanobacteria-derived serotonin receptor 2C active fraction induces psychoactive behavioral effects in mice. *Pharmaceutical Biology* 54: 2723-2731. <http://dx.doi.org/10.1080/13880209.2016.1181659>.
- Lazar, P; Karlicky, F; Jurecka, P; Kocman, M; Otyepkova, E, va; Safarova, K; Otyepka, M. (2013). Adsorption of Small Organic Molecules on Graphene. *J Am Chem Soc* 135: 6372-6377. <http://dx.doi.org/10.1021/ja403162r>.
- Lazzaro, DP; McGuire, R; Mcmillin, DR. (2011). Regiospecific quenching of a photoexcited platinum(II) complex at acidic and basic sites. *Inorg Chem* 50: 4437-4444. <http://dx.doi.org/10.1021/ic2000359>.
- Le Bozec, G; Giraudet, S; Le Polles, L; Le Cloirec, P. (2017). 1H NMR investigations of activated carbon loaded with volatile organic compounds: quantification, mechanisms and diffusivity determination. *Langmuir*. <http://dx.doi.org/10.1021/acs.langmuir.6b03608>.
- Le, CM; Sperger, T; Fu, R; Hou, X; Lim, YH; Schoenebeck, F; Lautens, M. (2016). Stereoselective Synthesis of Methylene Oxindoles via Palladium(II)-Catalyzed Intramolecular Cross-Coupling of Carbamoyl Chlorides. *J Am Chem Soc* 138: 14441-14448. <http://dx.doi.org/10.1021/jacs.6b08925>.
- Le Grand, R; Saint-Marcoux, F; Dulaurent, S; Sauvage, FL; Moesch, C; Lachâtre, G. (2011). Determination of dodine in fruit samples by liquid chromatography electrospray ionization-tandem mass spectrometry. *J AOAC Int* 94: 300-306.
- Le, HV; Ganem, B. (2011). Trifluoroacetic anhydride-catalyzed oxidation of isonitriles by DMSO: a rapid, convenient synthesis of isocyanates. *Org Lett* 13: 2584-2585. <http://dx.doi.org/10.1021/ol200695y>.

## Human Health Hazard Literature Search Results

### Off Topic

- Le Mai Hoang, K; Liu, XW. (2014). The intriguing dual-directing effect of 2-cyanobenzyl ether for a highly stereospecific glycosylation reaction. *Nature Communications* 5: 5051. <http://dx.doi.org/10.1038/ncomms6051>.
- Le Moigne, C; Picaud, T; Boussac, A; Loock, B; Momenteau, M; Desbois, A. (2009). Redox effects on the coordination geometry and heme conformation of bis(N-methylimidazole) complexes of superstructured Fe-porphyrins. A spectroscopic study. *Inorg Chem* 48: 10084-10092. <http://dx.doi.org/10.1021/ic9010604>.
- Leal, IC; dos Santos, KR; Júnior, IJ; Antunes, OA; Porzel, A; Wessjohann, L; Kuster, RM. (2010). Ceanothane and lupane type triterpenes from *Zizyphus joazeiro* - an anti-staphylococcal evaluation. *Planta Med* 76: 47-52. <http://dx.doi.org/10.1055/s-0029-1185947>.
- Leardkamolkarn, V; Thongthep, W; Suttiarporn, P; Kongkachuichai, R; Wongpornchai, S; Wanavijitr, A. (2011). Chemopreventive properties of the bran extracted from a newly-developed Thai rice: The Riceberry. *Food Chem* 125: 978-985. <http://dx.doi.org/10.1016/j.foodchem.2010.09.093>.
- Lebel, H; Piras, H. (2015). Stereoselective synthesis of chiral sulfilimines from N-mesyloxycarbamates: metal-nitrenes versus metal-nitrenoids species. *J Org Chem* 80: 3572-3585. <http://dx.doi.org/10.1021/acs.joc.5b00256>.
- Lebogo, KW; Mokgotho, MP; Bagla, VP; Matsebalela, TM; Mbazima, V; Shai, LJ; Mampuru, L. (2014). Semi-purified extracts of *Commelina benghalensis* (Commelinaceae) induce apoptosis and cell cycle arrest in Jurkat-T cells. *BMC Complement Altern Med* 14: 65. <http://dx.doi.org/10.1186/1472-6882-14-65>.
- Lebouf, RF; Stefaniak, AB; Virji, MA. (2012). Validation of evacuated canisters for sampling volatile organic compounds in healthcare settings. *J Environ Monit* 14: 977-983. <http://dx.doi.org/10.1039/c2em10896h>.
- Ledet, GA; Graves, RA; Glotser, EY; Mandal, TK; Bostanian, LA. (2015). Preparation and in vitro evaluation of hydrophilic fenretinide nanoparticles. *Int J Pharm* 479: 329-337. <http://dx.doi.org/10.1016/j.ijpharm.2014.12.052>.
- Lee, BK; Dong, TT. (2010). Effects of road characteristics on distribution and toxicity of polycyclic aromatic hydrocarbons in urban road dust of Ulsan, Korea. *J Hazard Mater* 175: 540-550. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.039>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lee, CG, i; Kim, J, inH. (2015). Improved drying method for removal of residual solvents from paclitaxel by pre-treatment with ethanol and water. *Process Biochemistry* 50: 1031-1036. <http://dx.doi.org/10.1016/j.procbio.2015.02.018>.
- Lee, CL; Chang, FR; Hsieh, PW; Chiang, MY; Wu, CC; Huang, ZY; Lan, YH; Chen, M; Lee, KH; Yen, HF; Hung, WC; Wu, YC. (2008). Cytotoxic ent-abietane diterpenes from *Gelonium aequoreum*. *Phytochemistry* 69: 276-287. <http://dx.doi.org/10.1016/j.phytochem.2007.07.005>.
- Lee, D; Kang, KS; Lee, S; Cho, EJ; Kim, HY. (2016). Cytotoxic Effects of Strawberry, Korean Raspberry, and Mulberry Extracts on Human Ovarian Cancer A2780 Cells. 21: 384-388. <http://dx.doi.org/10.3746/pnf.2016.21.4.384>.
- Lee, EG; Harper, M; Bowen, RB; Slaven, J. (2009). Evaluation of COSHH essentials: methylene chloride, isopropanol, and acetone exposures in a small printing plant. *Ann Occup Hyg* 53: 463-474. <http://dx.doi.org/10.1093/annhyg/mep023>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, H; Kim, E; Lee, JH; Sung, JH; Choi, H; Kim, JH. (2014). Analysis of cyazofamid and its metabolite in the environmental and crop samples using LC-MS/MS. *Bull Environ Contam Toxicol* 93: 586-590. <http://dx.doi.org/10.1007/s00128-014-1369-4>.
- Lee, HS; Kim, EJ; Kim, SH. (2015). Ethanol extract of *Innotus obliquus* (Chaga mushroom) induces G1 cell cycle arrest in HT-29 human colon cancer cells. *Nutrition Research and Practice* 9: 111-116. <http://dx.doi.org/10.4162/nrp.2015.9.2.111>.
- Lee, HS; Lee, GS; Kim, SH; Kim, HK; Suk, DH; Lee, DS. (2014). Anti-oxidizing effect of the dichloromethane and hexane fractions from *Orostachys japonicus* in LPS-stimulated RAW 264.7 cells via upregulation of Nrf2 expression and activation of MAPK signaling pathway. *BMB Rep* 47: 98-103.
- Lee, HS; Ryu, DS; Lee, GS; Lee, DS. (2012). Anti-inflammatory effects of dichloromethane fraction from *Orostachys japonicus* in RAW 264.7 cells: Suppression of NF-kappa B activation and MAPK signaling. *J Ethnopharmacol* 140: 271-276. <http://dx.doi.org/10.1016/j.jep.2012.01.016>.
- Lee, HW; Ji, HY; Kim, HY; Park, ES; Lee, KC; Lee, HS. (2009). Determination of metoclopramide in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 1716-1720. <http://dx.doi.org/10.1016/j.jchromb.2009.04.027>.
- Lee, J; Chang, HT; An, H; Ahn, S; Shim, J; Kim, JM. (2013). A protective layer approach to solvatochromic sensors. *Nature Communications* 4: 2461. <http://dx.doi.org/10.1038/ncomms3461>.
- Lee, J, iY; Kim, J, inH. (2013). Removal of residual methylene chloride from homoharringtonine by pre-treatment with ethanol. *Process Biochemistry* 48: 1809-1813. <http://dx.doi.org/10.1016/j.procbio.2013.08.002>.
- Lee, J; Lee, JT; Watts, WL; Barendt, J; Yan, TQ; Huang, Y; Riley, F; Hardink, M; Bradow, J; Franco, P. (2014). On the method development of immobilized polysaccharide chiral stationary phases in supercritical fluid chromatography using an extended range of modifiers. *J Chromatogr A* 1374: 238-246. <http://dx.doi.org/10.1016/j.chroma.2014.11.044>.
- Lee, JW; Lee, C; Jin, Q; Lee, MS; Kim, Y; Hong, JT; Lee, MK; Hwang, BY. (2014). Chemical constituents from *Belamcanda chinensis* and their inhibitory effects on nitric oxide production in RAW 264.7 macrophage cells. *Arch Pharm Res* 38: 991-997. <http://dx.doi.org/10.1007/s12272-014-0529-8>.
- Lee, JY; Bae, KH; Kim, JS; Nam, YS; Park, TG. (2011). Intracellular delivery of paclitaxel using oil-free, shell cross-linked HSA--multi-armed PEG nanocapsules. *Biomaterials* 32: 8635-8644. <http://dx.doi.org/10.1016/j.biomaterials.2011.07.063>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lee, JY; Heon Nam, D; Oh, MH; Kim, Y; Choi, HS; Jeon, DY; Park, CB; Nam, YS. (2014). Serum-stable quantum dot-protein hybrid nanocapsules for optical bio-imaging. *Nanotechnology* 25: 175702. <http://dx.doi.org/10.1088/0957-4484/25/17/175702>.
- Lee, JY; Lee, MS; Choi, JW; Shin, TS; Woo, HC; Kim, HR. (2012). Dichloromethane fraction of *Laminaria japonica* ethanolic extract inhibits lipopolysaccharide-induced nitric oxide synthase and cyclooxygenase-2 expression in RAW 264.7 cells via NF- $\kappa$ B pathway. *Inflammation* 35: 1650-1658. <http://dx.doi.org/10.1007/s10753-012-9481-2>.
- Lee, JY; Lee, YH. (2016). Solid-Phase Extraction of Sulfur Mustard Metabolites Using an Activated Carbon Fiber Sorbent. *J Anal Toxicol* 40: 64-71. <http://dx.doi.org/10.1093/jat/bkv112>.
- Lee, K; Wei, H; Blake, AV; Donahue, CM; Keith, JM; Daly, SR. (2016). Ligand K-edge XAS, DFT, and TDDFT analysis of pincer linker variations in Rh(i) PNP complexes: reactivity insights from electronic structure. *Dalton Transactions (Online)* 45: 9774-9785. <http://dx.doi.org/10.1039/c6dt00200e>.
- Lee, KA; Lozan, V; Langford, SJ; Kersting, B. (2009). Ternary complexes composed of naphthalene diimides and binucleating metallocavitands: preparation, characterisation and structure of [(Ni2L)2(NDI)][BPh4]2. *Dalton Transactions (Online)* 7481-7485. <http://dx.doi.org/10.1039/b907785e>.
- Lee, KH; Kim, SO; Seo, JH; Kim, YK; Yoon, SS. (2011). 5-Isobutryryl-2-phenylpyridine-derived iridium complexes for red phosphorescent light-emitting diodes. *J Nanosci Nanotechnol* 11: 4471-4475.
- Lee, KJ; Song, NY; Oh, YC; Cho, WK; Ma, JY. (2014). Isolation and Bioactivity Analysis of Ethyl Acetate Extract from *Acer tegmentosum* Using In Vitro Assay and On-Line Screening HPLC-ABTS(+) System. 2014: 150509. <http://dx.doi.org/10.1155/2014/150509>.
- Lee, KJ; Woo, JH; Kim, E; Xiao, Y; Su, X; Mazur, LM; Attias, AJ; Fages, F; Cregut, O; Barsella, A; Mathevet, F; Mager, L; Wu, JW; D'Aleo, A; Ribierre, JC. (2016). Electronic energy and electron transfer processes in photoexcited donor-acceptor dyad and triad molecular systems based on triphenylene and perylene diimide units. *Phys Chem Chem Phys* 18: 7875-7887. <http://dx.doi.org/10.1039/c5cp06279a>.
- Lee, M; Low, A; Zemb, O; Koenig, J; Michaelsen, A; Manefield, M. (2012). Complete chloroform dechlorination by organochlorine respiration and fermentation. *Environ Microbiol* 14: 883-894. <http://dx.doi.org/10.1111/j.1462-2920.2011.02656.x>.
- Lee, M; Wells, E; Wong, YK; Koenig, J; Richnow, HH; Manefield, M. (2015). Relative contributions of Dehalobacter and zerovalent iron in the degradation of chlorinated methanes. *Environ Sci Technol* 49: 4481-4489. <http://dx.doi.org/10.1021/es5052364>.
- Lee, MW; Kwon, JE; Lee, YJ; Jeong, YJ; Kim, I; Cho, YM; Kim, YM; Kang, SC. (2016). Prunus mume leaf extract lowers blood glucose level in diabetic mice. *Pharmaceutical Biology* 54: 2135-2140. <http://dx.doi.org/10.3109/13880209.2016.1147052>.
- Lee, S, unHee; Lee, I; Kim, M, inH; Go, J, iSu; Lee, SH, o; Hwang, H, yeJin; Hyun, SK; Kang, KH, wa; Kim, BW, oo; Kim, CM, in; Chung, KT, ae; Lee, JH. (2016). An extract of *Ulmus macrocarpa* improves cellular immunity in immuno-suppressed models. *Animal Cells and Systems* 20: 353-362. <http://dx.doi.org/10.1080/19768354.2016.1230556>.
- Lee, SA; Hwang, JS; Han, XH; Lee, C; Lee, MH; Choe, SG; Hong, SS; Lee, D; Lee, MK; Hwang, BY. (2008). Methylpiperate derivatives from *Piper longum* and their inhibition of monoamine oxidase. *Arch Pharm Res* 31: 679-683. <http://dx.doi.org/10.1007/s12272-001-1212-7>.
- Lee, SH; Chan, CT; Wong, KM; Lam, WH; Kwok, WM; Yam, VW. (2014). Design and synthesis of bipyridine platinum(II) bisalkynyl fullerene donor-chromophore-acceptor triads with ultrafast charge separation. *J Am Chem Soc* 136: 10041-10052. <http://dx.doi.org/10.1021/ja5040073>.
- Lee, SH; Chan, CT; Wong, KM; Lam, WH; Kwok, WM; Yam, VW. (2014). Synthesis and photoinduced electron transfer in platinum(II) bis(N-(4-ethynylphenyl)carbazole)bipyridine fullerene complexes. *Dalton Transactions (Online)* 43: 17624-17634. <http://dx.doi.org/10.1039/c4dt01397b>.
- Lee, SH; Sung, K; Chung, TM; Lee, SG; Min, KD; Koo, S; Kim, CG. (2008). Preparation of silver nanoparticles and antibiotic test of its polycarbonate films composite. *J Nanosci Nanotechnol* 8: 4734-4737. <http://dx.doi.org/10.1166/jnn.2008.IC55>.
- Lee, SN; Park, J; Lim, M; Joo, T. (2014). Identification of an emitting molecular species by time-resolved fluorescence applied to the excited state dynamics of pigment yellow 101. *Phys Chem Chem Phys* 16: 9394-9402. <http://dx.doi.org/10.1039/c3cp54546f>.
- Lee, SS; Lin, HC; Chen, CK. (2008). Acylated flavonol monorhamnosides, alpha-glucosidase inhibitors, from *Machilus philippinensis*. *Phytochemistry* 69: 2347-2353. <http://dx.doi.org/10.1016/j.phytochem.2008.06.006>.
- Lee, VA; Cardenas, HL; Rawls, HR. (2010). Rubber-toughening of dimethacrylate dental composite resin. *J Biomed Mater Res B Appl Biomater* 94: 447-454. <http://dx.doi.org/10.1002/jbm.b.31674>.
- Lee, Y; Choe, E. (2008). Singlet Oxygen Quenching Effects of Phosphatidylcholine in Emulsion Containing Sunflower Oil. *J Food Sci* 73: C506-C511. <http://dx.doi.org/10.1111/j.1750-3841.2008.00852.x>.
- Lee, YS; Kim, YH; Shin, EK; Kim, DH; Lim, SS; Lee, JY; Kim, JK. (2010). Anti-angiogenic activity of methanol extract of *Phellinus linteus* and its fractions. *J Ethnopharmacol* 131: 56-62. <http://dx.doi.org/10.1016/j.jep.2010.05.064>.
- Leeladee, P; Jameson, GN; Siegler, MA; Kumar, D; de Visser, SP; Goldberg, DP. (2013). Generation of a high-valent iron imido corrolazine complex and NR group transfer reactivity. *Inorg Chem* 52: 4668-4682. <http://dx.doi.org/10.1021/ic400280x>.
- Legassie, J; Zibrowski, EM; Goldszmidt, MA. (2008). Measuring resident well-being: impostorism and burnout syndrome in residency. *J Gen Intern Med* 23: 1090-1094. <http://dx.doi.org/10.1007/s11606-008-0536-x>.
- Legault, J; Perron, T; Mshvildadze, V; Girard-Lalancette, K; Perron, S; Laprise, C; Sirois, P; Pichette, A. (2011). Antioxidant and anti-inflammatory activities of quercetin 7-O- $\beta$ -D-glucopyranoside from the leaves of *Brasenia schreberi*. *J Med Food* 14: 1127-1134. <http://dx.doi.org/10.1089/jmf.2010.0198>.
- Legette, LL; Reed, RL; Murty, L; Maier, CS; Stevens, JF. (2013). Application of Paper Strip Extraction in Combination with LC-MS-MS in Pharmacokinetics. 39: s18-s25.

## Human Health Hazard Literature Search Results

### Off Topic

- Lehmann, E; El-Tantawy, WH; Ocker, M; Bartenschlager, R; Lohmann, V; Hashemolhosseini, S; Tiegs, G; Sass, G. (2010). The heme oxygenase 1 product biliverdin interferes with hepatitis C virus replication by increasing antiviral interferon response. *Hepatology* 51: 398-404. <http://dx.doi.org/10.1002/hep.23339>.
- Lehmann, L; Wagner, J. (2008). Gene expression of 17beta-estradiol-metabolizing isozymes: Comparison of normal human mammary gland to normal human liver and to cultured human breast adenocarcinoma cells. *Adv Exp Med Biol* 617: 617-624. [http://dx.doi.org/10.1007/978-0-387-69080-3\\_64](http://dx.doi.org/10.1007/978-0-387-69080-3_64).
- Leigh, M; Kloefer, B; Schaich, M. (2013). Comparison of the Solubility and Dissolution of Drugs in Fasted-State Biorelevant Media (FaSSIF and FaSSIF-V2). 20: 44-50.
- Leigh, V; Carleton, DJ; Olguin, J; Mueller-Bunz, H; Wright, LJ; Albrecht, M. (2014). Solvent-dependent switch of ligand donor ability and catalytic activity of ruthenium(II) complexes containing pyridinylidene amide (PYA) N-heterocyclic carbene hybrid ligands. *Inorg Chem* 53: 8054-8060. <http://dx.doi.org/10.1021/ic501026k>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leiria, LO; Mónica, FZ; Carvalho, FD; Claudino, MA; Franco-Penteado, CF; Schenka, A; Grant, AD; De Nucci, G; Antunes, E. (2011). Functional, morphological and molecular characterization of bladder dysfunction in streptozotocin-induced diabetic mice: evidence of a role for L-type voltage-operated Ca<sup>2+</sup> channels. *Br J Pharmacol* 163: 1276-1288. <http://dx.doi.org/10.1111/j.1476-5381.2011.01311.x>.
- Leiria, LO; Sollon, C; Calixto, MC; Lintomen, L; Monica, FZ; Anhe, GF; De Nucci, G; Zanesco, A; Grant, AD; Antunes, E. (2012). Role of PKC and CaV1.2 in Detrusor Overactivity in a Model of Obesity Associated with Insulin Resistance in Mice. *PLoS ONE* 7: e48507. <http://dx.doi.org/10.1371/journal.pone.0048507>.
- Leitao, MM; White, P; Cracchiolo, B. (2008). Cervical cancer in patients infected with the human immunodeficiency virus. *Cancer* 112: 2683-2689. <http://dx.doi.org/10.1002/cncr.23504>.
- Leitão, P; Rossetti, S; Nouws, HP; Danko, AS; Majone, M; Aulenta, F. (2015). Bioelectrochemically-assisted reductive dechlorination of 1,2-dichloroethane by a Dehalococcoides-enriched microbial culture. *Bioresour Technol* 195: 78-82. <http://dx.doi.org/10.1016/j.biortech.2015.06.027>.
- Leitao, SG; dos Santos, TC; Delle Monache, F; Matheus, ME; Fernandes, PD; Marinho, BG. (2011). Phytochemical profile and analgesic evaluation of *Vitex cymosa* leaf extracts. *Revista Brasileira de Farmacognosia* 21: 874-883. <http://dx.doi.org/10.1590/S0102-695X2011005000160>.
- Leite, NF; Peralta-Zamora, P; Grassi, MT. (2008). Multifactorial optimization approach for the determination of polycyclic aromatic hydrocarbons in river sediments by gas chromatography-quadrupole ion trap selected ion storage mass spectrometry. *J Chromatogr A* 1192: 273-281. <http://dx.doi.org/10.1016/j.chroma.2008.03.067>.
- Leite, PE; de Almeida, KB; Lagrota-Candido, J; Trindade, P; da Silva, RF; Ribeiro, MG; Lima-Araújo, KG; Santos, WC; Quirico-Santos, T. (2010). Anti-inflammatory activity of *Eugenia punicifolia* extract on muscular lesion of mdx dystrophic mice. *J Cell Biochem* 111: 1652-1660. <http://dx.doi.org/10.1002/jcb.22906>.
- Lekana-Douki, JB; Bongui, JB; Oyegue Liabagui, SL; Zang Edou, SE; Zatra, R; Bisvigou, U; Druilhe, P; Lebibi, J; Toure Ndouo, FS; Kombila, M. (2011). In vitro antiplasmodial activity and cytotoxicity of nine plants traditionally used in Gabon. *J Ethnopharmacol* 133: 1103-1108. <http://dx.doi.org/10.1016/j.jep.2010.11.056>.
- Lekana-Douki, JB; Oyegue Liabagui, SL; Bongui, JB; Zatra, R; Lebibi, J; Toure-Ndouo, FS. (2011). In vitro antiplasmodial activity of crude extracts of *Tetrapleura tetraptera* and *Copaifera religiosa*. *BMC Research Notes* 4: 506. <http://dx.doi.org/10.1186/1756-0500-4-506>.
- Leme, MS; Souza Barbosa, T, d; Gavião, MB. (2013). Relationship among oral habits, orofacial function and oral health-related quality of life in children. *Brazilian Oral Research* 27: 272-278. <http://dx.doi.org/10.1590/S1806-83242013000300006>.
- Lemke, J; Pinto, A; Niehoff, P; Vasylyeva, V; Metzler-Nolte, N. (2009). Synthesis, structural characterisation and anti-proliferative activity of NHC gold amino acid and peptide conjugates. *Dalton Transactions (Online)* 7063-7070. <http://dx.doi.org/10.1039/b906140a>.
- Lemus, L; Ferraudi, G; Lappin, AG. (2013). A single- and double-flash flash photolysis study of the sequential biphotonic photoprocesses of Cu(II) phenanthrolines. Comparison of the helicate complex, [Cu<sub>2</sub>(1,3-bis(9-methyl-1,10-phenanthroline-2-yl)propane)<sub>2</sub>]<sup>2+</sup>, and [Cu(2,9-dimethyl-1,10-phenanthroline)<sub>2</sub>]<sup>2+</sup> photoprocesses. *Dalton Transactions (Online)* 42: 8637-8643. <http://dx.doi.org/10.1039/c3dt50258a>.
- Lendoiro, E; Quintela, O; de Castro, A; Cruz, A; López-Rivadulla, M; Concheiro, M. (2012). Target screening and confirmation of 35 licit and illicit drugs and metabolites in hair by LC-MSMS. *Forensic Sci Int* 217: 207-215. <http://dx.doi.org/10.1016/j.forsciint.2011.11.006>.
- Lenik, J. (2014). Preparation and characterization of a sulindac sensor based on PVC/TOA-SUL membrane. *Mater Sci Eng C* 37: 383-389. <http://dx.doi.org/10.1016/j.msec.2014.01.030>.
- Lenz, L; Di Sena, V; Nakao, FS; Andrade, GP; Rohr, MR; Ferrari Jr, AP. (2010). Comparative results of gastric submucosal injection with hydroxypropyl methylcellulose, carboxymethylcellulose and normal saline solution in a porcine model. *Arq Gastroenterol* 47: 184-187.
- León, J; Aponte, JJ; Rojas, R; Cuadra, D; Ayala, N; Tomás, G; Guerrero, M. (2011). [Study of marine actinomycetes isolated from the central coast of Peru and their antibacterial activity against methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant *Enterococcus faecalis*]. *Rev Peru Med Exp Salud Publica* 28: 237-246.
- Leonard, RC; Kreckmann, KH; Lineker, GA; Marsh, G; Buchanich, J; Youk, A. (2007). Comparison of standardized mortality ratios (SMRs) obtained from use of reference populations based on company-wide registry cohort to SMRs calculated against local and national rates. *Chem Biol Interact* 166: 317-322. <http://dx.doi.org/10.1016/j.cbi.2006.09.001>.

## Human Health Hazard Literature Search Results

### Off Topic

- Leporati, M; Bergoglio, M; Capra, P; Bozzetta, E; Abete, MC; Vincenti, M. (2014). Development, validation and application to real samples of a multiresidue LC-MS/MS method for determination of  $\beta$ 2 -agonists and anabolic steroids in bovine hair. *J Mass Spectrom* 49: 936-946. <http://dx.doi.org/10.1002/jms.3467>.
- Lerum, MF; Chen, W. (2009). Acute degradation of surface-bound unsaturated polyolefins in common solvents under ambient conditions. *Langmuir* 25: 11250-11254. <http://dx.doi.org/10.1021/la902340z>.
- Leskey, TC; Wright, SE; Anger, W; Chouinard, G; Cormier, D; Pichette, A; Zhan, AJ. (2009). Electroantennogram Technique for Conotrachelus nenuphar (Coleoptera: Curculionidae). *Environ Entomol* 38: 870-878.
- Lessa, EF; Gualarte, MS; Garcia, ES; Fajardo, AR. (2017). Orange waste: A valuable carbohydrate source for the development of beads with enhanced adsorption properties for cationic dyes. *Carbohydr Polymer* 157: 660-668. <http://dx.doi.org/10.1016/j.carbpol.2016.10.019>.
- Leung, BO; Hitchcock, AP; Brash, JL; Scholl, A; Doran, A. (2010). An X-ray spectromicroscopy study of protein adsorption to polystyrene-poly(ethylene oxide) blends. *Langmuir* 26: 14759-14765. <http://dx.doi.org/10.1021/la102432g>.
- Leung, MY; Leung, SY; Wu, D; Yu, T; Yam, VW. (2016). Synthesis, Electrochemistry, and Photophysical Studies of Ruthenium(II) Polypyridine Complexes with D- $\pi$ -A- $\pi$ -D Type Ligands and Their Application Studies as Organic Memories. *Chemistry* 22: 14013-14021. <http://dx.doi.org/10.1002/chem.201602228>.
- Levine, B; Phipps, RJ; Naso, C; Fahie, K; Fowler, D. (2010). Tissue distribution of newer anticonvulsant drugs in postmortem cases. *J Anal Toxicol* 34: 506-509.
- Levrier, C; Balastrier, M; Beattie, KD; Carroll, AR; Martin, F; Choomuenwai, V; Davis, RA. (2013). Pyridocoumarin, aristolactam and aporphine alkaloids from the Australian rainforest plant *Goniothalamus australis*. *Phytochemistry* 86: 121-126. <http://dx.doi.org/10.1016/j.phytochem.2012.09.019>.
- Levy, Y; Paz, A; Yosef, RB; Corn, BW; Vaisman, B; Shuhut, S; Domb, AJ. (2009). Biodegradable inflatable balloon for reducing radiation adverse effects in prostate cancer. *J Biomed Mater Res B Appl Biomater* 91: 855-867. <http://dx.doi.org/10.1002/jbm.b.31467>.
- Lewis, NA; Marzilli, PA; Fronczek, FR; Marzilli, LG. (2014). Models for B12-conjugated radiopharmaceuticals. Cobaloxime binding to new fac-[Re(CO)3(Me2bipyridine)(amidine)]BF4 complexes having an exposed pyridyl nitrogen. *Inorg Chem* 53: 11096-11107. <http://dx.doi.org/10.1021/ic5016675>.
- Lewis, RJ. (1997). *Hawley's condensed chemical dictionary* (13 ed.). New York, NY: John Wiley & Sons, Inc.
- Li, B; Ou, Z; Meng, D; Tang, J; Fang, Y; Liu, R, ui; Kadish, KM. (2014). Cobalt triarylcorroles containing one, two or three nitro groups. Effect of NO2 substitution on electrochemical properties and catalytic activity for reduction of molecular oxygen in acid media. *J Inorg Biochem* 136: 130-139. <http://dx.doi.org/10.1016/j.jinorgbio.2013.12.014>.
- Li, B; Wang, ZW; Lin, QB; Hu, CY. (2016). Study of the Migration of Stabilizer and Plasticizer from Polyethylene Terephthalate into Food Simulants. *J Chromatogr Sci* 54: 939-951. <http://dx.doi.org/10.1093/chromsci/bmw025>.
- Li, CC; Farn, SS; Yeh, YH; Lin, WJ; Shen, LH. (2011). Development and validation of an anion-exchange HPLC method for the determination of fluoride content and radiochemical purity in [18F]NaF. *Nucl Med Biol* 38: 605-612. <http://dx.doi.org/10.1016/j.nuclmedbio.2010.10.008>.
- Li, F; Snow-Davis, C; Du, C; Bondarev, ML; Saulsbury, MD; Heyliger, SO. (2016). Preparation and Characterization of Lipophilic Doxorubicin Pro-drug Micelles. *J Vis Exp*. <http://dx.doi.org/10.3791/54338>.
- Li, G; Yang, F; Liu, M; Su, X; Zhao, M; Zhao, L. (2016). Development and application of a UPLC-MS/MS method for simultaneous determination of fenofibric acid and berberine in rat plasma: application to the drug-drug pharmacokinetic interaction study of fenofibrate combined with berberine after oral administration in rats. *Biomed Chromatogr* 30: 1075-1082. <http://dx.doi.org/10.1002/bmc.3652>.
- Li, H; Xiao, J; Gao, YQ; Tang, JJ; Zhang, AL; Gao, JM. (2014). Chaetoglobosins from *Chaetomium globosum*, an endophytic fungus in *Ginkgo biloba*, and their phytotoxic and cytotoxic activities. *J Agric Food Chem* 62: 3734-3741. <http://dx.doi.org/10.1021/jf500390h>.
- Li, H; Yang, L; Liu, J; Wang, C; Gao, F; Zhang, S. (2011). Two-photon optical properties of novel branched conjugated derivatives carrying benzophenone moiety with various electron donor-acceptor substituent groups. *J Fluoresc* 21: 393-407. <http://dx.doi.org/10.1007/s10895-010-0728-8>.
- Li, HM; Hwang, SH; Kang, BG; Hong, JS; Lim, SS. (2014). Inhibitory effects of *Colocasia esculenta* (L.) Schott constituents on aldose reductase. *Molecules* 19: 13212-13224. <http://dx.doi.org/10.3390/molecules190913212>.
- Li, HY; Wu, J; Zhou, XH; Kang, LC; Li, DP; Sui, Y; Zhou, YH; Zheng, YX; Zuo, JL; You, XZ. (2009). Synthesis, structural characterization and photoluminescence properties of rhenium(II) complexes based on bipyridine derivatives with carbazole moieties. *Dalton Transactions* (Online)10563-10569. <http://dx.doi.org/10.1039/b912823a>.
- Li, J; Hu, G; Wang, N; Hu, T, ao; Wen, Q; Lu, P; Wang, Y. (2013). Oligo(3,6-phenanthrene ethynylenes): Synthesis, Characterization, and Photoluminescence. *J Org Chem* 78: 3001-3008. <http://dx.doi.org/10.1021/jo302825r>.
- Li, J; Jiang, Z; Li, X; Hou, Y; Liu, F; Li, N; Liu, X; Yang, L. (2015). Natural therapeutic agents for neurodegenerative diseases from a traditional herbal medicine *Pongamia pinnata* (L.) Pierre. *Bioorg Med Chem Lett* 25: 53-58. <http://dx.doi.org/10.1016/j.bmcl.2014.11.015>.
- Li, J; Lam, AT; Toh, JP; Reuveny, S; Oh, SK; Birch, WR. (2015). Fabrication of uniform-sized poly- $\epsilon$ -caprolactone microspheres and their applications in human embryonic stem cell culture. *Biomed Microdevices* 17: 105. <http://dx.doi.org/10.1007/s10544-015-0010-6>.
- Li, J; Lam, AT; Toh, JP; Reuveny, S; Oh, SK; Birch, WR. (2017). Tunable Volumetric Density and Porous Structure of Spherical Poly- $\epsilon$ -caprolactone Microcarriers, as Applied in Human Mesenchymal Stem Cell Expansion. *Langmuir*. <http://dx.doi.org/10.1021/acs.langmuir.7b00125>.
- Li, J; Wang, H; Song, CL; Zhang, C; Zhang, JP; Hao, YY; Xu, BS. (2011). [Research on synthesis and luminous mechanism of a soluble blue-light luminescence material derived from carbazole]. *Guang Pu Xue Yu Guang Pu Fen Xi* 31: 2071-2075. [http://dx.doi.org/10.3964/j.issn.1000-0593\(2011\)08-2071-05](http://dx.doi.org/10.3964/j.issn.1000-0593(2011)08-2071-05).



## Human Health Hazard Literature Search Results

### Off Topic

- Li, J; Zhang, D; Wu, X. (2011). Synthesis and biological evaluation of novel exo-methylene cyclopentanone tetracyclic diterpenoids as antitumor agents. 21: 130-132. <http://dx.doi.org/10.1016/j.bmcl.2010.11.055>.
- Li, J; Zhang, H; Wu, F; Nan, Y; Ma, H; Guo, W; Wang, H; Ren, J; Das, UN; Gao, F. (2008). Insulin inhibits tumor necrosis factor-alpha induction in myocardial ischemia/reperfusion: role of Akt and endothelial nitric oxide synthase phosphorylation. *Crit Care Med* 36: 1551-1558. <http://dx.doi.org/10.1097/CCM.0b013e3181782335>.
- Li, JG; Li, H; Liu, T. (2008). [Pumpless individual sampling gas chromatography for determination of dichloromethane in air of working places]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 26: 108-109.
- Li, JH; Ai, SY; Shi, WJ; Yin, HS; Du, HX. (2009). [Study on the interaction of cobalt (II) polyamidomine dendrimer with DNA by spectrometry techniques]. *Guang Pu Xue Yu Guang Pu Fen Xi* 29: 726-729.
- Li, JJ; Shan, HB; He, LJ; Wang, TD; Xiong, H; Chen, LM; Li, XH; Huang, XX; Luo, GY; Li, Y; Xu, GL. (2014). Extrasophageal saline enhances endoscopic ultrasonography to differentiate esophagus and adjacent organs. *World J Gastroenterol* 20: 12551-12558. <http://dx.doi.org/10.3748/wjg.v20.i35.12551>.
- Li, JT; Liu, XR; Wang, WF. (2009). An efficient oxidation of benzoin to benzil by ACC/silica gel under ultrasound irradiation. *Ultrason Sonochem* 16: 331-333. <http://dx.doi.org/10.1016/j.ultsonch.2008.10.005>.
- Li, L; Fu, J; Gao, H; Ren, H; Lou, X; Guan, L. (2010). [Determination of amitrole in agricultural products by high performance liquid chromatography-tandem mass spectrometry]. *Sepu* 28: 301-304.
- Li, L; Gomes, CS; Gomes, PT; Duarte, MT; Fan, Z. (2011). New tetradentate N,N,N,N-chelating  $\alpha$ -diimine ligands and their corresponding zinc and nickel complexes: synthesis, characterisation and testing as olefin polymerisation catalysts. *Dalton Transactions (Online)* 40: 3365-3380. <http://dx.doi.org/10.1039/c0dt01308k>.
- Li, L; Zhang, X; Zhang, W; Li, W, en; Sun, W; Redshaw, C. (2014). Zinc 2-((2-(benzoimidazol-2-yl)quinolin-8-ylimino)methyl)phenolates: Synthesis, characterization and photoluminescence behavior. *Spectrochim Acta A Mol Biomol Spectrosc* 118: 1047-1055. <http://dx.doi.org/10.1016/j.saa.2013.09.106>.
- Li, L; Zheng, JW; Hang, BJ; Doronina, NV; Trotsenko, YA; He, J; Li, SP. (2011). *Methylophila jiangsuensis* sp. nov., an aerobic, facultatively methylotrophic bacterium. *Int J Syst Evol Microbiol* 61: 1561-1566. <http://dx.doi.org/10.1099/ijs.0.020925-0>.
- Li, M; Liu, X; Cai, H; Shen, Z; Xu, L; Li, W; Wu, L; Duan, J; Chen, Z. (2016). Validation and Application of an Ultra High-Performance Liquid Chromatography Tandem Mass Spectrometry Method for Yuanhuacine Determination in Rat Plasma after Pulmonary Administration: Pharmacokinetic Evaluation of a New Drug Delivery System. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21121733>.
- Li, M; Yamato, K; Ferguson, JS; Singarapu, KK; Szyperski, T; Gong, B. (2008). Sequence-specific, dynamic covalent crosslinking in aqueous media. *J Am Chem Soc* 130: 491-500. <http://dx.doi.org/10.1021/ja072567m>.
- Li, N; Sun, BG; Zheng, FP; Chen, HT; Liu, SY; Gu, C; Song, ZY. (2012). Identification of volatile components in yak butter using SAFE, SDE and HS-SPME-GC/MS. *Nat Prod Res* 26: 778-784. <http://dx.doi.org/10.1080/14786419.2011.561492>.
- Li, N; Wang, Q; Guo, J; Wang, S; Tian, W; Wu, Z. (2010). [Development of standard gas mixture of chlorinated hydrocarbons in nitrogen]. *Sepu* 28: 521-524.
- Li, NC; Ye, ZQ; Na, YQ; Group, CTIIS. (2013). Efficacy of immediate instillation combined with regular instillations of pirarubicin for Ta and T1 transitional cell bladder cancer after transurethral resection: a prospective, randomized, multicenter study. *Chin Med J* 126: 2805-2809.
- Li, P; Amirjalayer, S; Hartl, F; Lutz, M; de Bruin, B; Becker, R; Woutersen, S; Reek, JN. (2014). Direct probing of photoinduced electron transfer in a self-assembled biomimetic [2Fe2S]-hydrogenase complex using ultrafast vibrational spectroscopy. *Inorg Chem* 53: 5373-5383. <http://dx.doi.org/10.1021/ic500777d>.
- Li, P; Han, H; Zhai, X; He, W; Sun, L; Hou, J. (2012). Simultaneous HPLC-UV determination of ketamine, xylazine, and midazolam in canine plasma. *J Chromatogr Sci* 50: 108-113. <http://dx.doi.org/10.1093/chromsci/bmr036>.
- Li, PH; Chiu, YP; Shih, CC; Wen, ZH; Ibetto, LK; Huang, SH; Chiu, CC; Ma, DL; Leung, CH; Chang, YN; Wang, HM. (2016). Biofunctional Activities of *Equisetum ramosissimum* Extract: Protective Effects against Oxidation, Melanoma, and Melanogenesis. *Oxid Med Cell Longev* 2016: 2853543. <http://dx.doi.org/10.1155/2016/2853543>.
- Li, Q; Li, G; Ma, F; Zhang, Z; Zheng, B; Feng, Y, an. (2011). Highly efficient ring-opening polymerization of epsilon-caprolactone catalyzed by a recombinant *Escherichia coli* whole-cell biocatalyst. *Process Biochemistry* 46: 477-481. <http://dx.doi.org/10.1016/j.procbio.2010.09.020>.
- Li, Q; Lu, J; Boas, JF; Traore, DA; Wilce, MC; Martin, LL; Ueda, T; Bond, AM. (2014). Spontaneous redox synthesis and characterization of the tetrathiafulvalene-vanadium-substituted polyoxometalate charge-transfer material TTF4[SVW11040]: comparison with the Mo analogue. *Inorg Chem* 53: 10996-11006. <http://dx.doi.org/10.1021/ic501431c>.
- Li, Q; Yang, Y, an; Shi, G; Zhang, J, ie; Li, G; Sui, Y, in; Tang, Y; Gu, J. (2016). Simultaneous Quantification of Simvastatin and Simvastatin Acid in Human Plasma with a Highly Sensitive LC-ESI-MS/MS Method: Application to a Pharmacokinetic Study in Healthy Chinese Volunteers with a Fixed Dose of Simvastatin and Extended-Release Niacin Combination Tablet. *Current Pharmaceutical Analysis* 12: 96-106. <http://dx.doi.org/10.2174/1573412911666150630182218>.
- Li, S; Chou, G; Hseu, Y; Yang, H; Kwan, H; Yu, Z. (2013). Isolation of anticancer constituents from flos genkwa (*Daphne genkwa* Sieb.et Zucc.) through bioassay-guided procedures. *Chemistry Central Journal* 7: 159. <http://dx.doi.org/10.1186/1752-153X-7-159>.
- Li, S; Tang, Y; Liu, C; Li, J; Guo, L; Zhang, Y. (2015). Development of a method to screen and isolate potential xanthine oxidase inhibitors from *Panax japonicus* var via ultrafiltration liquid chromatography combined with counter-current chromatography. *Talanta* 134: 665-673. <http://dx.doi.org/10.1016/j.talanta.2014.12.005>.

## Human Health Hazard Literature Search Results

### Off Topic

- Li, S; Tang, Y; Liu, C; Zhang, Y. (2015). Development of a method to screen and isolate potential alpha-glucosidase inhibitors from *Panax japonicus* CA Meyer by ultrafiltration, liquid chromatography, and counter-current chromatography. *J Sep Sci* 38: 2014-2023. <http://dx.doi.org/10.1002/jssc.201500064>.
- Li, S; Zhao, M; Li, Y; Sui, Y; Yao, H; Huang, L; Lin, X. (2014). Preparative isolation of six anti-tumour biflavonoids from *Selaginella doederleinii* Hieron by high-speed counter-current chromatography. 25: 127-133. <http://dx.doi.org/10.1002/pca.2478>.
- Li, SL; Song, JZ; Han, QB; Qiao, CF; Xu, HX. (2008). Improved high-performance liquid chromatographic method for simultaneous determination of 12 cytotoxic caged xanthenes in gamboges, a potential anticancer resin from *Garcinia hanburyi*. *Biomed Chromatogr* 22: 637-644. <http://dx.doi.org/10.1002/bmc.981>.
- Li, X; Cui, Z; Chen, X; Wu, D; Qi, Z; Ji, M. (2013). Synthesis of 2-acyloxycyclohexylsulfonamides and evaluation on their fungicidal activity. *International Journal of Molecular Sciences* 14: 22544-22557. <http://dx.doi.org/10.3390/ijms141122544>.
- Li, X; Fan, R; Tong, A; Yang, M; Deng, J; Zhou, L; Zhang, X; Guo, G. (2015). In situ gel-forming AP-57 peptide delivery system for cutaneous wound healing. *Int J Pharm* 495: 560-571. <http://dx.doi.org/10.1016/j.ijpharm.2015.09.005>.
- Li, X; Markandeya, N; Jonusauskas, G; Mcclenaghan, ND; Maurizot, V; Denisov, SA; Huc, I. (2016). Photoinduced Electron Transfer and Hole Migration in Nanosized Helical Aromatic Oligoamide Foldamers. *J Am Chem Soc*. <http://dx.doi.org/10.1021/jacs.6b05668>.
- Li, X; Wang, Q; Li, L; Ding, Y. (2015). [Determination of the thermodynamic parameters of ionic liquid 1-hexyl-3-methylimidazolium tetrafluoroborate by inverse gas chromatography]. *Sepe* 33: 58-64.
- Li, X; Xu, J; Gao, Y; Fang, H; Tang, G; Zhao, Y. (2015). Cascade arylalkylation of activated alkenes: synthesis of chloro- and cyano-containing oxindoles. *J Org Chem* 80: 2621-2626. <http://dx.doi.org/10.1021/jo502777b>.
- Li, X; Yi, W; Jin, A; Duan, Y; Min, S. (2015). Effects of sequentially released BMP-2 and BMP-7 from PELA microcapsule-based scaffolds on the bone regeneration. 7: 1417-1428.
- Li, X; Zhu, B; Wu, J. (2015). [Solvent desorption gas chromatography for determination of allyl chloride in workplace atmosphere]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 141-143.
- Li, XL; Chen, CL; Han, LF; Liu, CM; Song, Y; Yang, XG; Fang, SM. (2013). First one-dimensional homochiral stairway-like Cu(II) chains: crystal structures, circular dichroism (CD) spectra, ferroelectricity and antiferromagnetic properties. *Dalton Transactions (Online)* 42: 5036-5041. <http://dx.doi.org/10.1039/c2dt32578k>.
- Li, XL; Min, FY; Wang, C; Lin, SY; Liu, Z; Tang, J. (2015). [Ln(III)-Mn(II)-Ln(III)] heterometallic compounds: rare linear SMMs with divalent manganese ions. *Dalton Transactions (Online)* 44: 3430-3438. <http://dx.doi.org/10.1039/c4dt03713h>.
- Li, XN; Wu, ZJ; Si, ZJ; Zhang, HJ; Zhou, L; Liu, XJ. (2009). Injection, transport, absorption and phosphorescence properties of a series of blue-emitting Ir(III) emitters in OLEDs: a DFT and time-dependent DFT study. *Inorg Chem* 48: 7740-7749. <http://dx.doi.org/10.1021/ic900585p>.
- Li, Y; Dandu, N; Liu, R; Hu, L; Kilina, S; Sun, W. (2013). Nonlinear absorbing cationic iridium(III) complexes bearing benzothiazolylfluorene motif on the bipyridine (NAN) ligand: synthesis, photophysics and reverse saturable absorption. 5: 6556-6570. <http://dx.doi.org/10.1021/am401133p>.
- Li, Y; Du, X; Wang, Y; Tai, H; Qiu, D; Lin, Q; Jiang, Y. (2014). High-separation efficiency micro-fabricated multi-capillary gas chromatographic columns for simulants of the nerve agents and blister agents. *Nanoscale Res Lett* 9: 224. <http://dx.doi.org/10.1186/1556-276X-9-224>.
- Li, Y; He, J; Khankhoje, V; Herdtweck, E; Köhler, K; Storcheva, O; Cokoja, M; Kühn, FE. (2011). Copper(II) complexes incorporating poly/perfluorinated alkoxyaluminate-type weakly coordinating anions: syntheses, characterization and catalytic application in stereoselective olefin aziridination. *Dalton Transactions (Online)* 40: 5746-5754. <http://dx.doi.org/10.1039/c1dt10280j>.
- Li, Y; Hu, J; Tang, L; He, Y; Wu, X; Hou, X; Lv, Y. (2008). Miniaturized dielectric barrier discharge induced chemiluminescence for detection of volatile chlorinated hydrocarbons separated by gas chromatography. *J Chromatogr A* 1192: 194-197. <http://dx.doi.org/10.1016/j.chroma.2008.03.07>.
- Li, Y; Plitzko, I; Zaugg, J; Hering, S; Hamburger, M. (2010). HPLC-based activity profiling for GABA(A) receptor modulators: a new dihydroisocoumarin from *Haloxylon scoparium*. *J Nat Prod* 73: 768-770. <http://dx.doi.org/10.1021/np900803w>.
- Li, Y; Wang, ZM; Song, S; Xu, ZR; Xu, MZ; Xu, WL. (2014). [Emission characteristics and hazard assessment analysis of volatile organic compounds from chemical synthesis pharmaceutical industry]. *Huanjing Kexue* 35: 3663-3668.
- Li, Z; Pittman, EN; Trinidad, DA; Romanoff, LC; Mulholland, J; Sjodin, A. (2010). Determination of 43 polycyclic aromatic hydrocarbons in air particulate matter by use of direct elution and isotope dilution gas chromatography/mass spectrometry. *Anal Bioanal Chem* 396: 1321-1330. <http://dx.doi.org/10.1007/s00216-009-3297-4>.
- Li, Z; Song, L; Li, C. (2013). Silver-catalyzed radical aminofluorination of unactivated alkenes in aqueous media. *J Am Chem Soc* 135: 4640-4643. <http://dx.doi.org/10.1021/ja400124t>.
- Li, Z; Sun, W. (2013). Synthesis, photophysics, and reverse saturable absorption of platinum complexes bearing extended  $\pi$ -conjugated C<sup>N</sup>N ligands. *Dalton Transactions (Online)* 42: 14021-14029. <http://dx.doi.org/10.1039/c3dt51430g>.
- Li, Z; Wang, B; Ge, S; Yan, L; Liu, Y; Li, Z; Ren, A. (2016). A simultaneous analysis method of polycyclic aromatic hydrocarbons, nicotine, cotinine and metals in human hair. *Environ Pollut* 219: 66-71. <http://dx.doi.org/10.1016/j.envpol.2016.09.045>.
- Li, Z; Wu, T; Li, Q; Zhang, B; Wang, W; Li, J. (2010). Characterization of racemization of chiral pesticides in organic solvents and water. *J Chromatogr A* 1217: 5718-5723. <http://dx.doi.org/10.1016/j.chroma.2010.07.016>.
- Li, Z; Xu, C; Shu, J; Yang, B; Zou, Y. (2017). Doping-assisted low-pressure photoionization mass spectrometry for the real-time detection of lung cancer-related volatile organic compounds. *Talanta* 165: 98-106. <http://dx.doi.org/10.1016/j.talanta.2016.12.039>.

## Human Health Hazard Literature Search Results

### Off Topic

- Li, ZL; Ma, QM; Cheng, HO; Xu, SQ. (2011). [Normal alkanes characteristic parameters of Jinzhou Bay surface sediments]. *Huanjing Kexue* 32: 3300-3304.
- Lian, F; Liu, C; Li, GG; Liu, YF; Li, Y; Zhu, LY. (2012). [Adsorption and desorption of dyes by waste-polymer-derived activated carbons]. *Huanjing Kexue* 33: 147-155.
- Lian, F; Xing, B; Zhu, L. (2011). Comparative study on composition, structure, and adsorption behavior of activated carbons derived from different synthetic waste polymers. *J Colloid Interface Sci* 360: 725-730. <http://dx.doi.org/10.1016/j.jcis.2011.04.103>.
- Lian, S; Liu, J, inT; Zheng, LW, en; Liu, W, eiY; Zhao, B, aoX. (2011). Synthesis, Structure Characterization, and X-ray Crystallography of Novel 1-Benzyl-3-phenyl-1H-pyrazole-5-carboxylate Derivatives with a Carbohydrate Moiety. *Journal of Carbohydrate Chemistry* 30: 1-15. <http://dx.doi.org/10.1080/07328303.2011.583371>.
- Lian, WQ; Gong, AQ; Wang, L; Zhu, XS. (2014). [Determination of clopidogrel sulfate in pharmaceutical formulation and biological fluids by extraction spectrofluorimetric method]. *Guang Pu Xue Yu Guang Pu Fen Xi* 34: 3030-3033.
- Liang, C; Cheng, L; Shen, J; Zhang, Y; Zhang, S. (2009). [Determination of 5 polyether antibiotics in chicken tissues by liquid chromatography-electrospray ionization tandem mass spectrometry]. *Sepu* 27: 815-819.
- Liang, J; Tsui, V; Van Abbema, A; Bao, L; Barrett, K; Beresini, M; Berezhevskiy, L; Blair, WS; Chang, C; Driscoll, J; Eigenbrot, C; Ghilardi, N; Gibbons, P; Halladay, J; Johnson, A; Kohli, PB; Lai, Y; Lilmatta, M; Mantik, P; Menghrajani, K; Murray, J; Sambrone, A; Xiao, Y; Shia, S; Shin, Y; Smith, J; Sohn, S; Stanley, M; Ultsch, M; Zhang, B; Wu, LC; Magnuson, S. (2013). Lead identification of novel and selective TYK2 inhibitors. *Eur J Med Chem* 67: 175-187. <http://dx.doi.org/10.1016/j.ejmech.2013.03.070>.
- Liang, J; Zhuang, W; Wei, D; Ou, Y; Gong, Z. (2012). [Simultaneous determination of 19 phthalate esters in cosmetics using gas chromatography-mass spectrometry]. *Sepu* 30: 273-279.
- Liang, N; Huang, P; Hou, X; Li, Z; Tao, L; Zhao, L. (2016). Solid-phase extraction in combination with dispersive liquid-liquid microextraction and ultra-high performance liquid chromatography-tandem mass spectrometry analysis: the ultra-trace determination of 10 antibiotics in water samples. *Anal Bioanal Chem* 408: 1701-1713. <http://dx.doi.org/10.1007/s00216-015-9284-z>.
- Liao, C; Cao, Y; Wu, L; Huang, J; Gao, F. (2010). An updating meta-analysis of the glutathione S-transferase T1 polymorphisms and colorectal cancer risk: a HuGE review. *Int J Colorectal Dis* 25: 25-37. <http://dx.doi.org/10.1007/s00384-009-0805-0>.
- Liao, DX; Qin, YP; Gong, XL; Liang, MZ; Yu, Q; Nan, F; Xiang, J. (2009). [Determination of lovastatin and its active metabolites in human plasma with high performance liquid chromatography-tandem mass spectrometry]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 40: 730-733.
- Liao, N; Ao, M; Zhang, P; Yu, L. (2012). Extracts of *Lycoris aurea* induce apoptosis in murine sarcoma S180 cells. *Molecules* 17: 3723-3735. <http://dx.doi.org/10.3390/molecules17043723>.
- Liao, W; Ghabour, M; Draper, WM; Chandrasena, E. (2016). Lowering detection limits for 1,2,3-trichloropropane in water using solid phase extraction coupled to purge and trap sample introduction in an isotope dilution GC-MS method. *Chemosphere* 158: 171-176. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.061>.
- Liberato, MS; Kogikoski, S; Silva, ER; Coutinho-Neto, MD; Scott, LP; Silva, RH; Oliveira, VX; Ando, RA; Alves, WA. (2013). Self-assembly of Arg-Phe nanostructures via the solid-vapor phase method. *J Phys Chem B* 117: 733-740. <http://dx.doi.org/10.1021/jp307716y>.
- Liebold, T; Straubinger, RK; Rauwald, HW. (2011). Growth inhibiting activity of lipophilic extracts from *Dipsacus sylvestris* Huds. roots against *Borrelia burgdorferi* s. s. in vitro. *Pharmazie* 66: 628-630.
- Ligthelm, RJ. (2011). Insulin analogues: how observational studies provide key insights into management of patients with type 2 diabetes mellitus [Review]. *Curr Med Res Opin* 27: 2343-2355. <http://dx.doi.org/10.1185/03007995.2011.630998>.
- Liguori, L; Bjorsvik, HR. (2012). Extraction, isolation, and purification of analytes from samples of marine origin - A multivariate task. *Journal of Chromatography B* 910: 46-53. <http://dx.doi.org/10.1016/j.jchromb.2012.06.038>.
- Lim, DY. (2009). Inhibitory effect of methylene chloride fraction extracted from *Rubus coreanus* on catecholamine secretion from the perfused rat adrenal medulla. *Int J Cardiol* 137: S112-S112. <http://dx.doi.org/10.1016/j.ijcard.2009.09.379>.
- Lim, H, yoS; Lee, KG. (2011). Development and validation of analytical methods for ethyl carbamate in various fermented foods. *Food Chem* 126: 1373-1379. <http://dx.doi.org/10.1016/j.foodchem.2010.11.110>.
- Lim, HH; Shin, HS. (2014). A new derivatization approach with D-cysteine for the sensitive and simple analysis of acrylamide in foods by liquid chromatography-tandem mass spectrometry. *J Chromatogr A* 1361: 117-124. <http://dx.doi.org/10.1016/j.chroma.2014.07.094>.
- Lim, JM; Kwon, JY; Xu, F; Kim, HU; Hwang, DH. (2013). Pure red phosphorescent organic light-emitting diodes made of iridium(III) complex with thiophene-quinoline ligand. *J Nanosci Nanotechnol* 13: 8007-8010. <http://dx.doi.org/10.1166/jnn.2013.8152>.
- Lim, W; Kim, O; Jung, J; Ko, Y; Ha, J; Oh, H; Lim, H; Kwon, H; Kim, I; Kim, J; Kim, M; Kim, S; Kim, BK; Kim, S; Kang, BC; Choi, H; Kim, O. (2010). Dichloromethane fraction from *Gardenia jasminoides*: DNA topoisomerase 1 inhibition and oral cancer cell death induction. *Pharmaceutical Biology* 48: 1354-1360. <http://dx.doi.org/10.3109/13880209.2010.483246>.
- Lima, RM; Ferreira, MA; Ponte, TM; Marques, MP; Takayanagui, OM; Garcia, HH; Coelho, EB; Bonato, PS; Lanchote, VL. (2009). Enantioselective analysis of praziquantel and trans-4-hydroxypraziquantel in human plasma by chiral LC-MS/MS: Application to pharmacokinetics. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 3083-3088. <http://dx.doi.org/10.1016/j.jchromb.2009.07.036>.
- Lin, B; Liu, M; Ye, Z; Ding, J; Wu, H; Cheng, J. (2009). Copper-TBAF catalyzed arylation of amines and amides with aryl trimethoxysilane. *Org Biomol Chem* 7: 869-873. <http://dx.doi.org/10.1039/b819510b>.
- Lin, CC; Chen, SJ; Huang, KL; Lee, WJ; Lin, WY; Tsai, JH; Chung, HC. (2008). PAHs, PAH-induced carcinogenic potency, and particle-extract-Induced cytotoxicity of traffic-related nano/ultrafine particles. *Environ Sci Technol* 42: 4229-4235.
- Lin, CC; Hsieh, CC; Yu, YC; Lai, CH; Huang, CN; Kuo, PY; Lin, CH; Yang, DY; Chou, PT. (2009). Dual fluorescent photochromic colorants bearing pyrano[3,2-c]chromen-5-one moiety. *J Phys Chem A* 113: 9321-9328. <http://dx.doi.org/10.1021/jp904076s>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lin, CH; Chen, JR; Yang, DY. (2010). Syntheses of quaternary carbon-containing oxazatricycle and spiropyran libraries via multicomponent reactions and their molecular switching properties. *J Comb Chem* 12: 119-124. <http://dx.doi.org/10.1021/cc900127g>.
- Lin, CH; Liao, JL; Wu, YS; Liao, KY; Chi, Y; Chen, CL; Lee, GH; Chou, PT. (2015). A new insight into the chemistry of iridium(III) complexes bearing phenyl phenylphosphonite cyclometalate and chelating pyridyl triazolates: the excited-state proton transfer tautomerism via an interligand PO-H...N hydrogen bond. *Dalton Transactions (Online)* 44: 8406-8418. <http://dx.doi.org/10.1039/c4dt02922d>.
- Lin, CK; Wang, YF; Cheng, YC; Yang, JS. (2013). A Multi-Site Constrained Model of trans-4-(N,N-Dimethylamino)-4'-nitrostilbene for Structural Elucidation of the Radiative and Nonradiative Excited States. *J Phys Chem A* 117: 3158-3164. <http://dx.doi.org/10.1021/jp310770s>.
- Lin, MC; Shen, YF; Lin, G. (2011). Synthesis and Pseudomonas lipase inhibition study of stereoisomers of decahydro-2-naphthyl-N-n-butylcarbamate. *Protein Pept Lett* 18: 1168-1176.
- Lin, PC; Adak, AK; Ueng, SH; Huang, LD; Huang, KT; Ho, JA; Lin, CC. (2009). DAST-mediated regioselective anomeric group migration in saccharides. *J Org Chem* 74: 4041-4048. <http://dx.doi.org/10.1021/jo900516r>.
- Lin, SL; Fuh, MR. (2010). Orthogonal array optimization of ultrasound-assisted emulsification-microextraction for the determination of chlorinated phenoxyacetic acids in river water. *J Chromatogr A* 1217: 3467-3472. <http://dx.doi.org/10.1016/j.chroma.2010.03.039>.
- Lin, WC; Yang, DY. (2013). Photochromism of o-nitrophenyl-substituted oxazabicycles. *J Org Chem* 78: 11798-11806. <http://dx.doi.org/10.1021/jo401838n>.
- Lin, WG; Wei, F; Gu, FN; Dong, X; Gao, L; Zhuang, TT; Yue, MB; Zhu, JH. (2010). Adsorption of nitrosamines by mesoporous zeolite. *J Colloid Interface Sci* 348: 621-627. <http://dx.doi.org/10.1016/j.jcis.2010.05.012>.
- Lin, Y; Vermeer, MA; Trautwein, EA. (2011). Triterpenic Acids Present in Hawthorn Lower Plasma Cholesterol by Inhibiting Intestinal ACAT Activity in Hamsters. *eCAM* 2011: 801272. <http://dx.doi.org/10.1093/ecam/nep007>.
- Lin, Y; Zheng, Z; Hogen-Esch, TE; Ling, J; Shen, Z. (2013). Well-defined novel fluorene-containing polymers: synthesis, fluorescent properties, and micellar nanoparticles. *J Colloid Interface Sci* 390: 105-113. <http://dx.doi.org/10.1016/j.jcis.2012.09.055>.
- Lin, YC; Chou, PT; Koshevoy, IO; Pakkanen, TA. (2009). Studies of two-photon property of intensely luminescent alkynyl-phosphine gold(I)-copper(I) complexes. *J Phys Chem A* 113: 9270-9276. <http://dx.doi.org/10.1021/jp9040452>.
- Lin, Z; Sun, R; Zhang, L; Zou, X; Chen, M; Tu, F; Ma, Y; Jiang, W. (2008). [Simultaneous determination of 14 phthalate ester residues in animal innards by gas chromatography-mass spectrometry with electron impact ionization]. *Sepu* 26: 280-284.
- Lind, A; Wängberg, B; Ellegård, L. (2016). Vitamin D and vitamin B12 deficiencies are common in patients with midgut carcinoid (SI-NET). *Eur J Clin Nutr* 70: 990-994. <http://dx.doi.org/10.1038/ejcn.2016.40>.
- Lindahl, S; Gundersen, CB; Lundanes, E. (2014). A review of available analytical technologies for qualitative and quantitative determination of nitramines [Review]. *Environ Sci Process Impacts* 16: 1825-1840. <http://dx.doi.org/10.1039/c4em00095a>.
- Lindner, G; Dalmolin, LF; Khalil, NM; Mainardes, RM. (2015). Influence of the Formulation Parameters on the Particle Size and Encapsulation Efficiency of Resveratrol in PLA and PLA-PEG Blend Nanoparticles: A Factorial Design. *J Nanosci Nanotechnol* 15: 10173-10182. <http://dx.doi.org/10.1166/jnn.2015.11687>.
- Lindstedt, SL; Schaeffer, PJ. (2002). Use of allometry in predicting anatomical and physiological parameters of mammals. *Lab Anim* 36: 1-19. <http://dx.doi.org/10.1258/0023677021911731>.
- Link, P; Roth, K; Sporer, F; Wink, M. (2016). *Carlina acaulis* Exhibits Antioxidant Activity and Counteracts A $\beta$  Toxicity in *Caenorhabditis elegans*. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21070871>.
- Linton, KE; Fox, MA; Palsson, LO; Bryce, MR. (2015). Oligo(p-phenyleneethynylene) (OPE) Molecular Wires: Synthesis and Length Dependence of Photoinduced Charge Transfer in OPEs with Triarylamine and Diaryloxadiazole End Groups. *Chemistry* 21: 3997-4007. <http://dx.doi.org/10.1002/chem.201406080>.
- Liolios, CC; Sotiroidis, GT; Chinou, I. (2009). Fatty acids, sterols, phenols and antioxidant activity of Phoenix theophrasti fruits growing in Crete, Greece. *Plant Foods Hum Nutr* 64: 52-61. <http://dx.doi.org/10.1007/s11130-008-0100-1>.
- Lipczynska-Kochany, E; Kochany, J. (2008). Effect of humic substances on the Fenton treatment of wastewater at acidic and neutral pH. *Chemosphere* 73: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.02>.
- Lipeeva, AV; Pokrovsky, MA; Baev, DS; Shakirov, MM; Bagryanskaya, IY; Tolstikova, TG; Pokrovsky, AG; Shults, EE. (2015). Synthesis of 1H-1,2,3-triazole linked aryl(arylamidomethyl) - dihydrofurocoumarin hybrids and analysis of their cytotoxicity. *Eur J Med Chem* 100: 119-128. <http://dx.doi.org/10.1016/j.ejmech.2015.05.016>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lipscomb, JC; Haddad, S; Poet, T; Krishnan, K. (2012). Physiologically-based pharmacokinetic (PBPK) models in toxicity testing and risk assessment [Review]. *Adv Exp Med Biol* 745: 76-95.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Lipshutz, BH; Bošković, Z; Crowe, CS; Davis, VK; Whittemore, HC; Vosburg, DA; Wenzel, AG. (2013). "Click" and Olefin Metathesis Chemistry in Water at Room Temperature Enabled by Biodegradable Micelles. *J Chem Educ* 90. <http://dx.doi.org/10.1021/ed300893u>.
- Lisbeth, M; Consuelo, P; Glenda, C; Elena, C; Carlos, RJ; Alejandro, R; Maria, GY. (2013). Evaluation of the effect of nimodipine o.d. (extended release) vs nimodipine t.i.d. in the treatment of peripheral vertigo. *Curr Drug Deliv* 10: 343-347.

## Human Health Hazard Literature Search Results

### Off Topic

- Listorti, A; Accorsi, G; Rio, Y; Armaroli, N; Moudam, O; Gégout, A; Deiavaux-Nicot, B; Holler, M; J-Fo, N. (2008). Heteroleptic Copper(II) Complexes Coupled with Methano[60]fullerene: Synthesis, Electrochemistry, and Photophysics. *Inorg Chem* 47: 6254-6261. <http://dx.doi.org/10.1021/ic800315e>.
- Litterst, CL; Mimnaugh, EG; Reagan, RL; Gram, TE. (1975). Comparison of in vitro drug metabolism by lung, liver, and kidney of several common laboratory species. *Drug Metab Dispos* 3: 259-265.
- Litvić, M; Regović, M; Smic, K; Lovrić, M; Filipan-Litvić, M. (2012). Remarkably fast and selective aromatization of Hantzsch esters with MoOCl<sub>4</sub> and MoCl<sub>5</sub>: a chemical model for possible biologically relevant properties of molybdenum-containing enzymes. *22*: 3676-3681. <http://dx.doi.org/10.1016/j.bmcl.2012.04.043>.
- Liu, A; Han, S; Che, H; Hua, L. (2010). Fluorescent hybrid with electron acceptor methylene viologen units inside the pore walls of mesoporous MCM-48 silica. *Langmuir* 26: 3555-3561. <http://dx.doi.org/10.1021/la904052k>.
- Liu, B; Chen, C; Wu, D; Su, Q. (2008). Enantiomeric analysis of anatabine, nornicotine and anabasine in commercial tobacco by multi-dimensional gas chromatography and mass spectrometry. *Journal of Chromatography B* 865: 13-17. <http://dx.doi.org/10.1016/j.jchromb.2008.01.034>.
- Liu, C; Pan, J; Li, S; Zhao, Y; Wu, LY; Berkman, CE; Whorton, AR; Xian, M. (2011). Capture and visualization of hydrogen sulfide by a fluorescent probe. *Angew Chem Int Ed Engl* 50: 10327-10329. <http://dx.doi.org/10.1002/anie.201104305>.
- Liu, C; Yang, N; Song, Y; Wang, L; Zi, J; Zhang, S; Dunkin, D; Busse, P; Weir, D; Tversky, J; Miller, RL; Goldfarb, J; Zhan, J; Li, XM. (2015). Ganoderic acid C1 isolated from the anti-asthma formula, ASHMI™ suppresses TNF- $\alpha$  production by mouse macrophages and peripheral blood mononuclear cells from asthma patients. *Int Immunopharmacol* 27: 224-231. <http://dx.doi.org/10.1016/j.intimp.2015.05.018>.
- Liu, CL; Cheng, L; Kwok, HF; Ko, CH; Lau, TW; Koon, CM; Zhao, M; Lau, CP; Lau, KM; Wong, CW; Leung, PC; Fung, KP; Lau, CB. (2011). Bioassay-guided isolation of norviburtinal from the root of *Rehmannia glutinosa*, exhibited angiogenesis effect in zebrafish embryo model. *J Ethnopharmacol* 137: 1323-1327. <http://dx.doi.org/10.1016/j.jep.2011.07.060>.
- Liu, G; Xu, D; Jiang, M; Yuan, W. (2012). Preparation of bioactive interferon alpha-loaded polysaccharide nanoparticles using a new approach of temperature-induced water phase/water-phase emulsion. *International Journal of Nanomedicine (Online)* 7: 4841-4848. <http://dx.doi.org/10.2147/IJN.S35502>.
- Liu, H; Gu, L. (2012). Phlorotannins from brown algae (*Fucus vesiculosus*) inhibited the formation of advanced glycation endproducts by scavenging reactive carbonyls. *J Agric Food Chem* 60: 1326-1334. <http://dx.doi.org/10.1021/jf204112f>.
- Liu, H; Jia, H; Wang, L; Wu, Y; Zhan, C; Fu, H; Yao, J. (2012). Intermolecular electron transfer promoted by directional donor-acceptor attractions in self-assembled diketopyrrolopyrrole-thiophene films. *Phys Chem Chem Phys* 14: 14262-14269. <http://dx.doi.org/10.1039/c2cp41288h>.
- Liu, H; Xu, X; Peng, H; Chang, X; Fu, X; Li, Q; Yin, S; Blanchard, GJ; Fang, Y. (2016). New solvatochromic probes: performance enhancement via regulation of excited state structures. *Phys Chem Chem Phys* 18: 25210-25220. <http://dx.doi.org/10.1039/c6cp04293g>.
- Liu, H; Zhuang, X; Turson, M; Zhang, M; Dong, X. (2008). Enrofloxacin-imprinted monolithic columns synthesized using reversible addition-fragmentation chain transfer polymerization. *J Sep Sci* 31: 1694-1701. <http://dx.doi.org/10.1002/jssc.200700602>.
- Liu, HC; Liu, RH; Lin, DL. (2015). Simultaneous quantitation of amphetamines and opiates in human hair by liquid chromatography-tandem mass spectrometry. *J Anal Toxicol* 39: 183-191. <http://dx.doi.org/10.1093/jat/bku174>.
- Liu, HX; Zhu, RY; Ouyang, DJ; Zhuang, QF; Chen, DZ; Chen, JM. (2013). [Isolation and degradation characteristics of dichloromethane-degradation bacterial strain by *Methylobacterium rhodesianum* H13]. *Huanjing Kexue* 34: 3613-3619.
- Liu, J; Chen, X; Zhang, Y; Miao, H; Liu, K; Li, L; Zhong, D. (2011). Derivatization of (5R)-hydroxytryptolide from benzylamine to enhance mass spectrometric detection: application to a Phase I pharmacokinetic study in humans. *Anal Chim Acta* 689: 69-76. <http://dx.doi.org/10.1016/j.aca.2011.01.016>.
- Liu, J; Jacob, C; Sheridan, KJ; Al-Mosule, F; Heaton, BT; Iggo, JA; Matthews, M; Pelletier, J; Whyman, R; Bickley, JF; Steiner, A. (2010). The synthesis of, and characterization of the dynamic processes occurring in Pd(II) chelate complexes of 2-pyridyldiphenylphosphine. *Dalton Transactions (Online)* 39: 7921-7935. <http://dx.doi.org/10.1039/b918162h>.
- Liu, JQ; Si, N; Yang, J; Zhao, HY; Bian, BL; Wang, HJ. (2014). [Identification of bufadienolides profiling in cinobufacino by HPLC-DAD-FT-ICR-MS method]. *Yao Xue Xue Bao* 49: 244-248.
- Liu, K; Zhong, D; Chen, X. (2010). Enantioselective determination of doxazosin in human plasma by liquid chromatography-tandem mass spectrometry using ovomucoid chiral stationary phase. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2415-2420. <http://dx.doi.org/10.1016/j.jchromb.2010.07.027>.
- Liu, KP; Chan, CC. (2014). Pilot randomized controlled trial of self-regulation in promoting function in acute poststroke patients. *Arch Phys Med Rehabil* 95: 1262-1267. <http://dx.doi.org/10.1016/j.apmr.2014.03.018>.
- Liu, L; Yang, JP; Ju, XJ; Xie, R; Yang, L; Liang, B; Chu, LY. (2009). Microfluidic preparation of monodisperse ethyl cellulose hollow microcapsules with non-toxic solvent. *J Colloid Interface Sci* 336: 100-106. <http://dx.doi.org/10.1016/j.jcis.2009.03.050>.
- Liu, LY; Salamova, A; He, K; Hites, RA. (2015). Analysis of polybrominated diphenyl ethers and emerging halogenated and organophosphate flame retardants in human hair and nails. *J Chromatogr A* 1406: 251-257. <http://dx.doi.org/10.1016/j.chroma.2015.06.003>.
- Liu, M; Xu, M; Loh, XJ; Abe, H; Tsumuraya, T; Fujii, I; Li, J; Son, TI; Ito, Y. (2011). PEGylated antibody in organic media. *J Biosci Bioeng* 111: 564-568. <http://dx.doi.org/10.1016/j.jbiosc.2011.01.001>.
- Liu, Q; Shi, J; Sun, J; Wang, T; Zeng, L; Zhu, N; Jiang, G. (2011). Graphene-assisted matrix solid-phase dispersion for extraction of polybrominated diphenyl ethers and their methoxylated and hydroxylated analogs from environmental samples. *Anal Chim Acta* 708: 61-68. <http://dx.doi.org/10.1016/j.aca.2011.09.017>.

## Human Health Hazard Literature Search Results

### Off Topic

- Liu, R; Azenkeng, A; Zhou, D; Li, Y; Glusac, KD; Sun, W. (2013). Tuning photophysical properties and improving nonlinear absorption of Pt(II) diimine complexes with extended  $\pi$ -conjugation in the acetylide ligands. *J Phys Chem A* 117: 1907-1917. <http://dx.doi.org/10.1021/jp309841x>.
- Liu, R; Heiss, EH; Sider, N; Schinkovitz, A; Gröblacher, B; Guo, D; Bucar, F; Bauer, R; Dirsch, VM; Atanasov, AG. (2015). Identification and characterization of [6]-shogaol from ginger as inhibitor of vascular smooth muscle cell proliferation. *Mol Nutr Food Res* 59: 843-852. <http://dx.doi.org/10.1002/mnfr.201400791>.
- Liu, R; Li, Y; Chang, J; Waclawik, ER; Sun, W. (2014). Pt(II) bipyridyl complexes bearing substituted fluorenyl motif on the bipyridyl and acetylide ligands: synthesis, photophysics, and reverse saturable absorption. *Inorg Chem* 53: 9516-9530. <http://dx.doi.org/10.1021/ic500646r>.
- Liu, R; Ruan, T; Song, S; Lin, Y; Jiang, G. (2015). Determination of synthetic phenolic antioxidants and relative metabolites in sewage treatment plant and recipient river by high performance liquid chromatography-electrospray tandem mass spectrometry. *J Chromatogr A* 1381: 13-21. <http://dx.doi.org/10.1016/j.chroma.2014.11.042>.
- Liu, R; Wang, Y; Li, X; Bao, W; Xia, G; Chen, W; Cheng, J; Xu, Y; Guo, L; Chen, B. (2015). Synthesis and characterization of tumor-targeted copolymer nanocarrier modified by transferrin. *Drug Design, Development and Therapy* 9: 2705-2719. <http://dx.doi.org/10.2147/DDDT.S80948>.
- Liu, S; Bian, Z; Yang, F; Li, Z; Fan, Z; Zhang, H; Wang, Y; Zhang, Y; Tang, G. (2015). Determination of multiresidues of three acid herbicides in tobacco by liquid chromatography/tandem mass spectrometry. *J AOAC Int* 98: 472-476. <http://dx.doi.org/10.5740/jaoacint.14-089>.
- Liu, S; Peloso, R; Braunstein, P. (2010). Palladium and iridium complexes with a N,P,N-bis(pyridine)phenylphosphine ligand. *Dalton Transactions (Online)* 39: 2563-2572. <http://dx.doi.org/10.1039/b919679j>.
- Liu, S; Peng, W; Sun, H; Wang, S. (2014). Physical and chemical activation of reduced graphene oxide for enhanced adsorption and catalytic oxidation. *Nanoscale* 6: 766-771. <http://dx.doi.org/10.1039/c3nr04282k>.
- Liu, T; Wang, CJ; Xie, HQ; Mu, Q. (2013). Guaiol—a naturally occurring insecticidal sesquiterpene. *Natural Product Communications* 8: 1353-1354.
- Liu, T; Zhang, HX; Zhou, X; Zheng, QC; Xia, BH; Pan, QJ. (2008). Mechanism of Ir(ppy)<sub>2</sub>(N--N)+ (N--N = 2-phenyl-1H-imidazo[4,5-f][1,10]phenanthroline) sensor for F-, CF<sub>3</sub>COOH, and CH<sub>3</sub>COO-: density functional theory and time-dependent density functional theory studies. *J Phys Chem A* 112: 8254-8262. <http://dx.doi.org/10.1021/jp803996y>.
- Liu, W; Di Giorgio, C; Lamidi, M; Elias, R; Ollivier, E; De Méo, MP. (2011). Genotoxic and clastogenic activity of saponins extracted from *Nauclea* bark as assessed by the micronucleus and the comet assays in Chinese Hamster Ovary cells. *J Ethnopharmacol* 137: 176-183. <http://dx.doi.org/10.1016/j.jep.2011.05.005>.
- Liu, W; Groves, JT. (2010). Manganese porphyrins catalyze selective C-H bond halogenations. *J Am Chem Soc* 132: 12847-12849. <http://dx.doi.org/10.1021/ja105548x>.
- Liu, W; Huang, C; Jin, X. (2015). Electrospinning of Grooved Polystyrene Fibers: Effect of Solvent Systems. *Nanoscale Res Lett* 10: 949. <http://dx.doi.org/10.1186/s11671-015-0949-5>.
- Liu, WY; Xie, YS; Zhao, BX; Lian, S; Lv, HS; Gong, ZL; Shin, DS. (2010). The synthesis, X-ray crystal structure and optical properties of novel 1-ferrocenyl-2-(3-phenyl-1H-1,2,4-triazol-5-ylthio)ethanone derivatives. *Spectrochim Acta A Mol Biomol Spectrosc* 76: 531-536. <http://dx.doi.org/10.1016/j.saa.2010.04.019>.
- Liu, X; Dong, F; Qin, D; Zheng, Y. (2010). Residue analysis of kresoxim-methyl and boscalid in fruits, vegetables and soil using liquid-liquid extraction and gas chromatography-mass spectrometry. *Biomed Chromatogr* 24: 367-373. <http://dx.doi.org/10.1002/bmc.1301>.
- Liu, X; Nan, H; Sun, W; Zhang, Q; Zhan, M; Zou, L; Xie, Z; Li, X; Lu, C; Cheng, Y. (2012). Synthesis and characterisation of neutral mononuclear cuprous complexes based on dipyrin derivatives and phosphine mixed-ligands. *Dalton Transactions (Online)* 41: 10199-10210. <http://dx.doi.org/10.1039/c2dt30618b>.
- Liu, X; Okada, M; Maeda, H; Fujii, S; Furuzono, T. (2011). Hydroxyapatite/biodegradable poly(L-lactide-co- $\epsilon$ -caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. *Acta Biomater* 7: 821-828. <http://dx.doi.org/10.1016/j.actbio.2010.08.023>.
- Liu, X; Tao, S; hu, Yu, X; in; Liu, G; Zhang, N, a; Xu, W, ei; Wang, W; Xie, Y; Zhu, Y; Xie, J; Wu, W. (2009). Effects of cetyltrimethylammonium chloride on uptake of pyrene by fish gills. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 791-798. <http://dx.doi.org/10.1080/10934520902928610>.
- Liu, X; Zhou, S; Zhu, Q; Ye, Y; Chen, H. (2014). Ultra preconcentration of polycyclic aromatic hydrocarbons in smoked bacon by a combination of SPE and DLLME. *J Chromatogr Sci* 52: 932-937. <http://dx.doi.org/10.1093/chromsci/bmt119>.
- Liu, XC; Liu, YP; Di, X; Wang, X; Zhang, CH; Liu, CX. (2011). Determination of 20(R)-25-Methoxyl-dammarane-3,12,20-triol and Its Active Metabolite in Beagle Dog Plasma by LC-MS-MS and Its Application to Pharmacokinetics Studies. *Chromatographia* 73: 1105-1110. <http://dx.doi.org/10.1007/s10337-011-2000-z>.
- Liu, XG; Sun, W. (2014). Synthesis, photophysics, and reverse saturable absorption of bipyridyl platinum(II) bis(acetylide) complexes bearing aromatic electron-withdrawing substituents on the acetylide ligands. *J Phys Chem A* 118: 10318-10325. <http://dx.doi.org/10.1021/jp500397g>.
- Liu, Y; Chen, J; Li, W; Shen, D; Zhao, Y; Pal, M; Yu, H; Tu, B; Zhao, D. (2016). Carbon functionalized mesoporous silica-based gas sensors for indoor volatile organic compounds. *J Colloid Interface Sci* 477: 54-63. <http://dx.doi.org/10.1016/j.jcis.2016.05.040>.
- Liu, Y; Chen, Z; Shek, CH; Wu, CM; Lai, JK. (2014). Hierarchical mesoporous MnO<sub>2</sub> superstructures synthesized by soft-interface method and their catalytic performances. *6: 9776-9784*. <http://dx.doi.org/10.1021/am502191k>.
- Liu, Y; Crittenden, JC; Wang, L; Liu, P. (2016). Dechlorination and decomposition of chloroform induced by glow discharge plasma in an aqueous solution. *J Hazard Mater* 308: 84-90. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.013>.

## Human Health Hazard Literature Search Results

### Off Topic

- Liu, Y; Evans, AS; Toscano, JP. (2012). Nanosecond time-resolved IR study of thiobenzoylnitrene. *Phys Chem Chem Phys* 14: 10438-10444. <http://dx.doi.org/10.1039/c2cp40327g>.
- Liu, Y; Guan, Y; Mizuno, T; Tsuno, H; Zhu, W. (2009). A Pretreatment Method for GC-MS Determination of Endocrine Disrupting Chemicals in Mollusk Tissues. *Chromatographia* 69: 65-71. <http://dx.doi.org/10.1365/s10337-008-0852-7>.
- Liu, Y; Li, X; Yang, C; Tai, S; Zhang, X; Liu, G. (2013). UPLC-MS-MS method for simultaneous determination of caffeine, tolbutamide, metoprolol, and dapson in rat plasma and its application to cytochrome P450 activity study in rats. *J Chromatogr Sci* 51: 26-32. <http://dx.doi.org/10.1093/chromsci/bms100>.
- Liu, Y, i; Yang, M; Wang, XB; Li, TX; Kong, LY, i. (2016). Caryophyllene sesquiterpenoids from the endophytic fungus, *Pestalotiopsis* sp. *Fitoterapia* 109: 119-124. <http://dx.doi.org/10.1016/j.fitote.2015.12.003>.
- Liu, Y; Yang, X; Liu, L; Wang, H; Bi, S. (2015). Mechanistic insight into water-modulated cycloisomerization of enynyl esters using an Au(I) catalyst. *Dalton Transactions (Online)* 44: 5354-5363. <http://dx.doi.org/10.1039/c4dt03453h>.
- Liu, YH; Chen, C; Yang, LM. (2008). trans-(4-Acetyl-naphth-yl)chlorido-bis(triphenyl-phosphine-κP)nickel(II) dichloro-methane solvate. *Acta Crystallographica Section E: Structure Reports Online* 64: m1225. <http://dx.doi.org/10.1107/S1600536808027621>.
- Liu, YJ; Shieh, PC; Lee, JC; Chen, FA; Lee, CH; Kuo, SC; Ho, CT; Kuo, DH; Huang, LJ; Way, TD. (2014). Hypolipidemic activity of *Taraxacum mongolicum* associated with the activation of AMP-activated protein kinase in human HepG2 cells. 5: 1755-1762. <http://dx.doi.org/10.1039/c4fo00183d>.
- Liu, YN; Li, Y; Dong, J; Zhang, JL; Wang, PS; Ding, WL. (2015). [Study on standard of safe application of thiamethoxam on GAP of *Lonicera japonica*]. *Zhongguo Zhong Yao Za Zhi* 40: 3538-3542.
- Liu, YN; Pang, MD; Xie, X; Xie, KZ; Cui, LL; Gao, Q; Liu, JY; Wang, B; Zhang, YY; Wang, R; Zhang, GX; Dai, GJ; Wang, JY. (2016). Residue depletion of amoxicillin and its major metabolites in eggs. *Journal of Veterinary Pharmacology and Therapeutics Online*. <http://dx.doi.org/10.1111/jvp.12363>.
- Liu, Z; Guo, P; Wang, Y; Zhan, C; Zuo, H. (2009). [Determination of fenbutatin oxide residue in orange products by gas chromatography]. *Sepu* 27: 760-763.
- Liu, Z; Wan, L; Yue, Y; Xiao, Z; Zhang, Y; Wang, Y; Chen, C; Min, Q; Chen, J. (2013). Hypoglycemic Activity and Antioxidative Stress of Extracts and Corymbiferin from *Swertia bimaculata* In Vitro and In Vivo. *eCAM* 2013: 125416. <http://dx.doi.org/10.1155/2013/125416>.
- Llewellyn, BA; Slater, AG; Goretzki, G; Easun, TL; Sun, XZ; Davies, ES; Argent, SP; Lewis, W; Beeby, A; George, MW; Champness, NR. (2014). Photophysics and electrochemistry of a platinum-acetylide disubstituted perylene diimide. *Dalton Transactions (Online)* 43: 85-94. <http://dx.doi.org/10.1039/c3dt50874a>.
- Lo Fiego, MJ; Silbestri, GF; Chopa, AB; Lockhart, MT. (2011). Selective synthetic routes to sterically hindered unsymmetrical diaryl ketones via arylstannanes. *J Org Chem* 76: 1707-1714. <http://dx.doi.org/10.1021/jo102366q>.
- Lobo, DS; Kennedy, JL. (2009). Genetic aspects of pathological gambling: a complex disorder with shared genetic vulnerabilities [Review]. *Addiction* 104: 1454-1465. <http://dx.doi.org/10.1111/j.1360-0443.2009.02671.x>.
- Lobo, JFR; Castro, ES; Gouvea, DR; Fernandes, CP; de Almeida, FB; de Amorim, LMF; Burth, P; Rocha, L; Santos, MG; Harmerski, L; Lopes, NP; Pinto, AC. (2012). Antiproliferative activity of *Eremanthus crotonoides* extracts and centratherin demonstrated in brain tumor cell lines. *Revista Brasileira de Farmacognosia* 22: 1295-1300. <http://dx.doi.org/10.1590/S0102-695X2012005000131>.
- Loeppky, RN; Shi, J; Barnes, CL; Geddam, S. (2008). A diazonium ion cascade from the nitrosation of tolazoline, an imidazoline-containing drug. *Chem Res Toxicol* 21: 295-307. <http://dx.doi.org/10.1021/tx700317g>.
- Loh, SP; Hadira, O. (2011). In vitro inhibitory potential of selected Malaysian plants against key enzymes involved in hyperglycemia and hypertension. *Malaysian Journal of Nutrition* 17: 77-86.
- Lollato, G; Scarminio, IS; Moreira, EG. (2010). Behavioral effects of aqueous and dichloromethane extracts of *Erythrina speciosa* Andrews, Fabaceae, leaves in mice. *Revista Brasileira de Farmacognosia* 20: 939-944. <http://dx.doi.org/10.1590/S0102-695X2010005000048>.
- Lomonaco, T; Ghimenti, S; Piga, I; Biagini, D; Onor, M; Fuoco, R; Di Francesco, F. (2014). Influence of sampling on the determination of warfarin and warfarin alcohols in oral fluid. *PLoS ONE* 9: e114430. <http://dx.doi.org/10.1371/journal.pone.0114430>.
- Lone, SH; Bhat, KA. (2015). Phytosterols as precursors for the synthesis of aromatase inhibitors: Hemisynthesis of testolactone and testolactone. *Steroids* 96: 164-168. <http://dx.doi.org/10.1016/j.steroids.2015.02.011>.
- Longato, GB; Rizzo, LY; Sousa, IM; Tinti, SV; Possenti, A; Figueira, GM; Ruiz, AL; Foglio, MA; de Carvalho, JE. (2011). In vitro and in vivo anticancer activity of extracts, fractions, and eupomatenoid-5 obtained from *Piper regnellii* leaves. *Planta Med* 77: 1482-1488. <http://dx.doi.org/10.1055/s-0030-1270889>.
- Loo, AY; Jain, K; Darah, I. (2008). Antioxidant activity of compounds isolated from the pyroligneous acid, *Rhizophora apiculata*. *Food Chem* 107: 1151-1160. <http://dx.doi.org/10.1016/j.foodchem.2007.09.044>.
- Lopes, AP; Bagatela, BS; Rosa, PC; Nanayakkara, DN; Tavares Carvalho, JC; Maistro, EL; Bastos, JK; Perazzo, FF. (2013). Antioxidant and cytotoxic effects of crude extract, fractions and 4-nerolidylcathecol from aerial parts of *Pothomorphe umbellata* L. (Piperaceae). *BioMed Res Int* 2013: 206581. <http://dx.doi.org/10.1155/2013/206581>.
- Lopes, LC; de Carvalho, JE; Kakimore, M; Vendramini-Costa, DB; Medeiros, MA; Spindola, HM; Ávila-Román, J; Lourenço, AM; Motilva, V. (2014). Pharmacological characterization of *Solanum cernuum* Vell.: 31-norcycloartanones with analgesic and anti-inflammatory properties. *Inflammopharmacology* 22: 179-185. <http://dx.doi.org/10.1007/s10787-013-0182-8>.
- Lopes, M; Alves, CT; Rama Raju, B; Gonçalves, MS; Coutinho, PJ; Henriques, M; Belo, I. (2014). Application of benzo[a]phenoxazinium chlorides in Antimicrobial Photodynamic Therapy of *Candida albicans* biofilms. *J Photochem Photobiol B* 141: 93-99. <http://dx.doi.org/10.1016/j.jphotobiol.2014.09.006>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lopes, N; Hawkins, SA; Jegier, P; Menn, FM; Saylor, GS; Ripp, S. (2012). Detection of dichloromethane with a bioluminescent (lux) bacterial bioreporter. *J Ind Microbiol Biotechnol* 39: 45-53. <http://dx.doi.org/10.1007/s10295-011-0997-5>.
- Lopez Garcia-Gallo, C; García Fadul, C; Laporta, R; Portero, F; Millan, I; Ussetti, P. (2015). Cytomegalovirus Immunoglobulin for Prophylaxis and Treatment of Cytomegalovirus Infection in the (Val)Ganciclovir Era: A Single-Center Experience. *Ann Transplant* 20: 661-666.
- Lopez, MN; Pierce, RS; Gardner, RD; Hanson, RW. (2013). Standardized Beck Depression Inventory-II scores for male veterans coping with chronic pain. 10: 257-263. <http://dx.doi.org/10.1037/a0027920>.
- López, P; Ferraro, G; Anesini, C. (2011). Comparative antioxidant activity of an extract of *Lithraea molleoides* and an isolated 5-alkyl resorcinol derivative. Effects on the proliferation of normal and tumoral lymphocytes. *Phytother Res* 25: 271-276. <http://dx.doi.org/10.1002/ptr.3256>.
- Lopez, P; Gorzalczy, S; Acevedo, C; Alonso, R; Ferraro, G. (2012). Chemical study and anti-inflammatory activity of *Capsicum chacoense* and *C. baccatum*. *Revista Brasileira de Farmacognosia* 22: 455-458. <http://dx.doi.org/10.1590/S0102-695X2011005000187>.
- López, R; Gracia-Moreno, E; Cacho, J; Ferrreira, V. (2011). Development of a mixed-mode solid phase extraction method and further gas chromatography mass spectrometry for the analysis of 3-alkyl-2-methoxypyrazines in wine. *J Chromatogr A* 1218: 842-848. <http://dx.doi.org/10.1016/j.chroma.2010.12.048>.
- Lopez, V; Akerreta, S; Casanova, E; Garcia-Mina, JM; Cavero, RY; Calvo, MI. (2008). Screening of spanish medicinal plants for antioxidant and antifungal activities. *Pharmaceutical Biology* 46: 602-609. <http://dx.doi.org/10.1080/13880200802179634>.
- López-Días, V; Borrego, AG; Blanco, CG; Arboleya, M; López-Sáez, JA; López-Merino, L. (2010). Biomarkers in a peat deposit in Northern Spain (Huelga de Bayas, Asturias) as proxy for climate variation. *J Chromatogr A* 1217: 3538-3546. <http://dx.doi.org/10.1016/j.chroma.2010.03.038>.
- López-Jiménez, L; Fusté, E; Martínez-Garriga, B; Arnabat-Domínguez, J; Vinuesa, T; Viñas, M. (2015). Effects of photodynamic therapy on *Enterococcus faecalis* biofilms. *Lasers Med Sci* 30: 1519-1526. <http://dx.doi.org/10.1007/s10103-015-1749-y>.
- Lorenz, J; Glatt, HR; Fleischmann, R; Ferlinz, R; Oesch, F. (1984). Drug metabolism in man and its relationship to that in three rodent species: Monooxygenase, epoxide hydrolase, and glutathione S-transferase activities in subcellular fractions of lung and liver. *Biochem Med* 32: 43-56. [http://dx.doi.org/10.1016/0006-2944\(84\)90007-3](http://dx.doi.org/10.1016/0006-2944(84)90007-3).
- Lorenz, P; Conrad, J; Stintzing, FC. (2013). Metabolic fate of depsides and alkaloid constituents in aqueous extracts from *Mercurialis perennis* L. during fermentation. 10: 1706-1723. <http://dx.doi.org/10.1002/cbdv.201200424>.
- Lorenz, P; Duckstein, S; Conrad, J; Knödler, M; Meyer, U; Stintzing, FC. (2012). An approach to the chemotaxonomic differentiation of two European dog's mercury species: *Mercurialis annua* L. and *M. perennis* L. 9: 282-297. <http://dx.doi.org/10.1002/cbdv.201100341>.
- Lorenz, P; Knödler, M; Bertrams, J; Berger, M; Meyer, U; Stintzing, FC. (2010). n-Alkylresorcinol occurrence in *Mercurialis perennis* L. (Euphorbiaceae). *Z Naturforsch C Biosci* 65: 174-179.
- Losada, S; Santos, FJ; Galceran, MT. (2009). Selective pressurized liquid extraction of polybrominated diphenyl ethers in fish. *Talanta* 80: 839-845. <http://dx.doi.org/10.1016/j.talanta.2009.08.002>.
- Loss, RA; Pereira, GN; Boschetto, DL; Aguiar, GS; Machado, JR; Chaves, LM; Silva, MJ; Oliveira, D; Oliveira, JV. (2016). Encapsulation of eugenyl acetate in PHBV using SEDS technique and in vitro release evaluation. *J Food Sci Tech* 53: 3859-3864. <http://dx.doi.org/10.1007/s13197-016-2362-1>.
- Lotfy, SN; Fadel, HH; El-Ghorab, AH; Shaheen, MS. (2015). Stability of encapsulated beef-like flavourings prepared from enzymatically hydrolysed mushroom proteins with other precursors under conventional and microwave heating. *Food Chem* 187: 7-13. <http://dx.doi.org/10.1016/j.foodchem.2015.04.027>.
- Lotulung, PD; Fajriah, S; Hanafi, M; Filaila, E. (2008). Identification of cytotoxic compound from *Artocarpus communis* leaves against P-388 cells. *Pak J Biol Sci* 11: 2517-2520.
- Lourenço, EC; Ventura, MR. (2011). The synthesis of compatible solute analogues-solvent effects on selective glycosylation. *Carbohydr Res* 346: 163-168. <http://dx.doi.org/10.1016/j.carres.2010.08.007>.
- Lowenfels, AB; Maisonneuve, P. (2005). Risk factors for pancreatic cancer [Review]. *J Cell Biochem* 95: 649-656. <http://dx.doi.org/10.1002/jcb.20461>.
- Lü, C; Huang, C; Chen, M; Xie, W; Chen, X. (2012). [Determination of free formaldehyde in cosmetics by pre-column derivatization, extraction inhibition and high performance liquid chromatography]. *Sepu* 30: 1287-1291.
- Lu, CH; Tsai, CH; Chang, FC; Jeong, KU; Kuo, SW. (2011). Self-assembly behavior and photoluminescence property of bispyrenyl-POSS nanoparticle hybrid. *J Colloid Interface Sci* 358: 93-101. <http://dx.doi.org/10.1016/j.jcis.2011.03.003>.
- Lu, M; Ding, C. (2012). CFTR-mediated Cl<sup>-</sup> transport in the acinar and duct cells of rabbit lacrimal gland. *Curr Eye Res* 37: 671-677. <http://dx.doi.org/10.3109/02713683.2012.675613>.
- Lu, M; Dong, K; Egan, ME; Giebisch, GH; Boulpaep, EL; Hebert, SC. (2010). Mouse cystic fibrosis transmembrane conductance regulator forms cAMP-PKA-regulated apical chloride channels in cortical collecting duct. *Proc Natl Acad Sci USA* 107: 6082-6087. <http://dx.doi.org/10.1073/pnas.0902661107>.
- Lu, M; Zhang, Y; Zhao, C; Zhou, P; Yu, L. (2010). Analysis and identification of astaxanthin and its carotenoid precursors from *Xanthophyllomyces dendrorhous* by high-performance liquid chromatography. *Z Naturforsch C Biosci* 65: 489-494.
- Lu, M; Zhang, Z; Qiao, W; Guan, Y; Xiao, M; Peng, C. (2010). Removal of residual contaminants in petroleum-contaminated soil by Fenton-like oxidation. *J Hazard Mater* 179: 604-611. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.046>.



## Human Health Hazard Literature Search Results

### Off Topic

- Lu, M; Zhang, Z; Qiao, W; Wei, X; Guan, Y; Ma, Q; Guan, Y. (2010). Remediation of petroleum-contaminated soil after composting by sequential treatment with Fenton-like oxidation and biodegradation. *Bioresour Technol* 101: 2106-2113. <http://dx.doi.org/10.1016/j.biortech.2009.11.002>.
- Lu, MZ; Loh, TP. (2014). Iron-catalyzed cascade carbocyclomethylation of activated alkenes: highly efficient access to chloro-containing oxindoles. *Org Lett* 16: 4698-4701. <http://dx.doi.org/10.1021/o1502411c>.
- Lu, T; Piao, XL; Zhang, Q; Wang, D; Piao, XS; Kim, SW. (2010). Protective effects of *Forsythia suspensa* extract against oxidative stress induced by diquat in rats. *Food Chem Toxicol* 48: 764-770. <http://dx.doi.org/10.1016/j.fct.2009.12.018>.
- Lu, XY; Chen, L; Cai, XL; Yang, HT. (2008). Overexpression of heat shock protein 27 protects against ischaemia/reperfusion-induced cardiac dysfunction via stabilization of troponin I and T. *Cardiovasc Res* 79: 500-508. <http://dx.doi.org/10.1093/cvr/cvn091>.
- Lu, Y; Jin, M; Park, SJ; Son, KH; Son, JK; Chang, HW. (2011). Batatasin I, a naturally occurring phenanthrene derivative, isolated from tuberous roots of *Dioscorea batatas* suppresses eicosanoids generation and degranulation in bone marrow derived-mast cells. *Biol Pharm Bull* 34: 1021-1025.
- Lu, Y; Sun, Z; Zhang, Y; Chen, X; Zhong, D. (2013). Simultaneous quantification of 22R and 22S epimers of budesonide in human plasma by ultra-high-performance liquid chromatography-tandem mass spectrometry: application in a stereoselective pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 921-922: 27-34. <http://dx.doi.org/10.1016/j.jchromb.2013.01.015>.
- Lu, Y; Wang, Q; Melzig, MF; Jenett-Siems, K. (2009). Extracts of *Cynomorium songaricum* protect human neuroblastoma cells from beta-amyloid(25-35) and superoxide anion induced injury. *Pharmazie* 64: 609-612.
- Lu, Y; Wang, Q; Melzig, MF; Jenett-Siems, K. (2009). Extracts of *Cynomorium songaricum* protect SK-N-SH human neuroblastoma cells against staurosporine-induced apoptosis potentially through their radical scavenging activity. *23: 257-261*. <http://dx.doi.org/10.1002/ptr.2605>.
- Lucarini, R; Magalhaes, LG; Rodrigues, V; Souza, JM; Tozatti, MG; Pires, RH; Cunha, WR; Martins, CHG. (2016). Antiprotozoal and Antihelminthic Evaluation of the Hydroalcoholic Extract, Fractions and Compounds of *Gochnatia pulchra*. *Lat Am J Pharm* 35: 762-767.
- Lucas, D; Ferrara, R; Gonzalez, E; Bodenez, P; Albores, A; Manno, M; Berthou, F. (1999). Chlorzoxazone, a selective probe for phenotyping CYP2E1 in humans. *Pharmacogenetics* 9: 377-388.
- Lucchesi, C; Ferreira, BM; Duek, EA; Santos, AR; Joazeiro, PP. (2008). Increased response of Vero cells to PHBV matrices treated by plasma. *J Mater Sci Mater Med* 19: 635-643. <http://dx.doi.org/10.1007/s10856-007-0169-3>.
- Luchita, G; Bondar, MV; Yao, S; Mikhailov, IA; Yanez, CO; Przhonska, OV; Masunov, AE; Belfield, KD. (2011). Efficient photochromic transformation of a new fluorenyl diarylethene: one- and two-photon absorption spectroscopy. *3: 3559-3567*. <http://dx.doi.org/10.1021/am200783c>.
- Ludovico-Martins, H; Silva, C; Teodoro, WR; Martini Filho, D; Noronha, IL. (2009). Analysis of different staining techniques for c4d detection in renal allograft biopsies. *Transplant Proc* 41: 862-865. <http://dx.doi.org/10.1016/j.transproceed.2009.01.073>.
- Ludwig, G; Kaluđerović, GN; Bette, M; Block, M; Paschke, R; Steinborn, D. (2012). Highly active neutral ruthenium(II) arene complexes: synthesis, characterization, and investigation of their anticancer properties. *J Inorg Biochem* 113: 77-82. <http://dx.doi.org/10.1016/j.jinorgbio.2012.04.003>.
- Lugoboni, B; Gazzotti, T; Zironi, E; Barbarossa, A; Pagliuca, G. (2011). Development and validation of a liquid chromatography/tandem mass spectrometry method for quantitative determination of amoxicillin in bovine muscle. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 1980-1986. <http://dx.doi.org/10.1016/j.jchromb.2011.05.038>.
- Lugsomya, K; Tummaruk, P; Hampson, DJ; Prapasarakul, N. (2012). Development of a modified selective medium to enhance the recovery rate of *Brachyspira hyodysenteriae* and other porcine intestinal spirochaetes from faeces. *Lett Appl Microbiol* 54: 330-335. <http://dx.doi.org/10.1111/j.1472-765X.2012.03213.x>.
- Luna-Vazquez, FJ; Ibarra-Alvarado, C; Rojas-Molina, A; Romo-Mancillas, A; Lopez-Vallejo, FH; Solis-Gutierrez, M; Rojas-Molina, JI; Rivero-Cruz, F. (2016). Role of Nitric Oxide and Hydrogen Sulfide in the Vasodilator Effect of Ursolic Acid and Uvaol from Black Cherry *Prunus serotina* Fruits. *Molecules* 21: 78. <http://dx.doi.org/10.3390/molecules21010078>.
- Lund, M; Duedahl-Olesen, L; Christensen, J. (2009). Extraction of polycyclic aromatic hydrocarbons from smoked fish using pressurized liquid extraction with integrated fat removal. *Talanta* 79: 10-15. <http://dx.doi.org/10.1016/j.talanta.2009.02.048>.
- Luo, C; Guo, Z; Sun, J. (2010). [Determination of phthalate esters in sediment by accelerated solvent extraction and gas chromatography-triple quadrupole mass spectrometry]. *Sepu* 28: 487-490.
- Luo, H; Cheng, H; Du, W; Wang, S; Wang, C; Chang, S; Dong, S; Xu, C; Zhang, J. (2013). Optimization extraction process of aroma components in tobacco. *J Chromatogr Sci* 51: 250-257. <http://dx.doi.org/10.1093/chromsci/bms136>.
- Luo, L; Chen, H; Zhang, L; Xu, K; Lv, Y. (2009). A cataluminescence gas sensor for carbon tetrachloride based on nanosized ZnS. *Anal Chim Acta* 635: 183-187. <http://dx.doi.org/10.1016/j.aca.2009.01.020>.
- Luo, LP; Cheng, FQ; Ji, L; Yu, HY. (2015). [Chemical constituents of *Physalis pubescens*]. *Zhongguo Zhong Yao Za Zhi* 40: 4424-4427.
- Luo, W; Li, YP; Tan, JH; Gu, LQ; Huang, ZS. (2011). Synthesis and biological evaluation of novel N,N'-bis-methylenedioxybenzyl-alkylenediamines as bivalent anti-Alzheimer disease ligands. *J Enzyme Inhib Med Chem* 26: 706-711. <http://dx.doi.org/10.3109/14756366.2010.548329>.
- Luo, X; Pires, D; Aínsa, JA; Gracia, B; Mulhovo, S; Duarte, A; Anes, E; Ferreira, MJ. (2011). Antimycobacterial evaluation and preliminary phytochemical investigation of selected medicinal plants traditionally used in Mozambique. *J Ethnopharmacol* 137: 114-120. <http://dx.doi.org/10.1016/j.jep.2011.04.062>.
- Luo, YL; Wang, YL; Li, NL; Zheng, TZ; Zhang, L; She, YL; Hu, SM. (2009). Actions of genistein on contractile response of smooth muscle isolated from guinea pig gallbladder. *Hepatobiliary Pancreat Dis Int* 8: 614-619.

## Human Health Hazard Literature Search Results

### Off Topic

- Luque, NB; Vélez, P; Pötting, K; Santos, E. (2012). Ab initio studies of the electronic structure of L-cysteine adsorbed on Ag(111). *Langmuir* 28: 8084-8099. <http://dx.doi.org/10.1021/la301107k>.
- Lusakibanza, M; Mesia, G; Tona, G; Karemere, S; Lukuka, A; Tits, M; Angenot, L; Frédérick, M. (2010). In vitro and in vivo antimalarial and cytotoxic activity of five plants used in congolese traditional medicine. *J Ethnopharmacol* 129: 398-402. <http://dx.doi.org/10.1016/j.jep.2010.04.007>.
- Lv, G; Guo, L; Qiu, L; Yang, H; Wang, T; Liu, H; Lin, J. (2015). Lipophilicity-dependent ruthenium N-heterocyclic carbene complexes as potential anticancer agents. *Dalton Transactions (Online)* 44: 7324-7331. <http://dx.doi.org/10.1039/c5dt00169b>.
- Lyons, MA; Reisfeld, B; Yang, RS; Lenaerts, AJ. (2013). A physiologically based pharmacokinetic model of rifampin in mice. *Antimicrob Agents Chemother* 57: 1763-1771. <http://dx.doi.org/10.1128/AAC.01567-12>.
- Lyu, J; Hao, X; Hui, Z; Liang, J; Zhou, Z; Feng, Q; Xiao, Z; Chen, D; Zhang, H; Wang, L. (2014). Prognosis of R1-resection at the bronchial stump in patients with non-small cell lung cancer. *Chin Med J* 127: 2918-2923.
- Ma, C; Chan, CT; To, WP; Kwok, WM; Che, CM. (2015). Deciphering Photoluminescence Dynamics and Reactivity of the Luminescent Metal-Metal-Bonded Excited State of a Binuclear Gold(I) Phosphine Complex Containing Open Coordination Sites. *Chemistry* 21: 13888-13893. <http://dx.doi.org/10.1002/chem.201503045>.
- Ma, C; Li, W; Zu, Y; Yang, L; Li, J. (2014). Antioxidant properties of pyroligneous acid obtained by thermochemical conversion of *Schisandra chinensis* Baill. *Molecules* 19: 20821-20838. <http://dx.doi.org/10.3390/molecules191220821>.
- Ma, CJ; Kim, YC; Sung, SH. (2009). Compounds with neuroprotective activity from the medicinal plant *Machilus thunbergii*. *J Enzyme Inhib Med Chem* 24: 1117-1121. <http://dx.doi.org/10.1080/14756360802632971>.
- Ma, H; Kermasha, S; Gao, J; Morales Borges, R; Yu, X. (2009). Laccase-catalyzed oxidation of phenolic compounds in organic media. *Journal of Molecular Catalysis B: Enzymatic* 57: 89-95. <http://dx.doi.org/10.1016/j.molcatb.2008.07.006>.
- Ma, H; Li, Y; Zhang, H; Shah, SM; Chen, J. (2014). Salt-assisted dispersive liquid-liquid microextraction coupled with programmed temperature vaporization gas chromatography-mass spectrometry for the determination of haloacetoneitriles in drinking water. *J Chromatogr A* 1358: 14-19. <http://dx.doi.org/10.1016/j.chroma.2014.06.021>.
- Ma, H; Wang, Y; Guo, T; He, Z; Chang, X; Pu, X. (2009). Simultaneous determination of tetrahydropalmatine, protopine, and palmatine in rat plasma by LC-ESI-MS and its application to a pharmacokinetic study. *J Pharm Biomed Anal* 49: 440-446. <http://dx.doi.org/10.1016/j.jpba.2008.11.019>.
- Ma, J; Chen, X; Duan, X; Deng, P; Wang, H; Zhong, D. (2008). Validated LC-MS/MS method for quantitative determination of rasagiline in human plasma and its application to a pharmacokinetic study. *Journal of Chromatography B* 873: 203-208. <http://dx.doi.org/10.1016/j.jchromb.2008.08.024>.
- Ma, J; Schmidt, BM; Poulev, A; Raskin, I. (2008). Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reversed-phase high-performance liquid chromatography. *J Chromatogr A* 119: 348-352. <http://dx.doi.org/10.1002/pca.1059>.
- Ma, L; Yuan, R; Chai, Y; Chen, S. (2009). Amperometric hydrogen peroxide biosensor based on the immobilization of HRP on DNA-silver nanohybrids and PDPA-protected gold nanoparticles. *Journal of Molecular Catalysis B: Enzymatic* 56: 215-220. <http://dx.doi.org/10.1016/j.molcatb.2008.05.007>.
- Ma, X; Green, SA. (2008). Fractionation and Spectroscopic Properties of Fulvic Acid and its Extract. *Chemosphere* 72: 1425. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.029>.
- Ma, X; Ran, Y; Gong, J; Chen, D. (2010). Sequential accelerated solvent extraction of polycyclic aromatic hydrocarbons with different solvents: performance and implication. *J Environ Qual* 39: 2072-2079. <http://dx.doi.org/10.2134/jeq2010.0163>.
- Ma, X; Wang, E; Lu, Y; Wang, Y; Ou, S; Yan, R. (2015). Acylation of Antioxidant of Bamboo Leaves with Fatty Acids by Lipase and the Acylated Derivatives' Efficiency in the Inhibition of Acrylamide Formation in Fried Potato Crisps. *PLoS ONE* 10: e0130680. <http://dx.doi.org/10.1371/journal.pone.0130680>.
- Ma, X; Wang, Q; Li, X; Tang, J; Zhang, Z. (2015). Determination of the solubility parameter of ionic liquid 1-butyl-3-methylimidazolium tetrafluoroborate by inverse gas chromatography. *Sepu* 33: 1192-1198.
- Ma, Y; Liang, J; Sun, H; Wu, L; Dang, Y; Wu, Y. (2012). Honeycomb micropatterning of proteins on polymer films through the inverse microemulsion approach. *Chemistry* 18: 526-531. <http://dx.doi.org/10.1002/chem.201102337>.
- Ma, Y; Liu, S; Yang, H; Zeng, Y; She, P; Zhu, N; Ho, CL; Zhao, Q; Huang, W; Wong, WY. (2017). Luminescence Color Tuning by Regulating Electrostatic Interaction in Light-Emitting Devices and Two-Photon Excited Information Decryption. *Inorg Chem*. <http://dx.doi.org/10.1021/acs.inorgchem.6b02319>.
- Ma, Z; Wei, L; Alegria, EC; Martins, LM; Guedes da Silva, MF; Pombeiro, AJ. (2014). Synthesis and characterization of copper(II) 4'-phenyl-terpyridine compounds and catalytic application for aerobic oxidation of benzylic alcohols. *Dalton Transactions (Online)* 43: 4048-4058. <http://dx.doi.org/10.1039/c3dt53054j>.
- Maas, M; Deters, AM; Hensel, A. (2011). Anti-inflammatory activity of *Eupatorium perfoliatum* L. extracts, eupafolin, and dimeric guaianolide via iNOS inhibitory activity and modulation of inflammation-related cytokines and chemokines. *J Ethnopharmacol* 137: 371-381. <http://dx.doi.org/10.1016/j.jep.2011.05.040>.
- Maas, M; Hensel, A; Costa, FB; Brun, R; Kaiser, M; Schmidt, TJ. (2011). An unusual dimeric guaianolide with antiprotozoal activity and further sesquiterpene lactones from *Eupatoriumperfoliatum*. *Phytochemistry* 72: 635-644. <http://dx.doi.org/10.1016/j.phytochem.2011.01.025>.
- Mabho, N; Bergers, K; Flock, J; Telgheder, U. (2010). Determination of diffusible and total hydrogen concentration in coated and uncoated steel using melt and solid extraction techniques: Part I. *Talanta* 82: 1298-1305. <http://dx.doi.org/10.1016/j.talanta.2010.06.045>.

## Human Health Hazard Literature Search Results

### Off Topic

- Macabeo, AP; Avila, JA; Alejandro, GJ; Franzblau, SG; Kouam, SF; Hussain, H; Krohn, K. (2012). Villarinol, a new alkenoxyalkenol derivative from the endemic Philippine Rubiaceae species *Villaria odorata*. *Natural Product Communications* 7: 779-780.
- Machado, AR; Ferreira, S. R.; da Silva Medeiros, F; Fujiwara, RT; de Souza Filho, JD; Pimenta, LP. (2015). Nematicidal activity of *Annona crassiflora* leaf extract on *Caenorhabditis elegans*. *Parasites and Vectors* 8: 113. <http://dx.doi.org/10.1186/s13071-015-0708-6>.
- Machado, FR; Trevisol, TC; Boschetto, DL; Burkert, JF; Ferreira, SR; Oliveira, JV; Burkert, CA. (2016). Technological process for cell disruption, extraction and encapsulation of astaxanthin from *Haematococcus pluvialis*. *J Biotechnol* 218: 108-114. <http://dx.doi.org/10.1016/j.jbiotec.2015.12.004>.
- Machado, I; Marino, LB; Demoro, B; Echeverría, GA; Piro, OE; Leite, CQ; Pavan, FR; Gambino, D. (2014). Bioactivity of pyridine-2-thiolato-1-oxide metal complexes: Bi(III), Fe(III) and Ga(III) complexes as potent anti-*Mycobacterium tuberculosis* prospective agents. *Eur J Med Chem* 87: 267-273. <http://dx.doi.org/10.1016/j.ejmech.2014.09.067>.
- Machado, KE; Cechinel, V; Cruz, RCB; Meyre-Silva, C; Cruz, AB. (2009). Antifungal Activity of *Eugenia umbelliflora* Against Dermatophytes. *Natural Product Communications* 4: 1181-1184.
- Machumi, F; Yenesew, A; Midiwo, JO; Heydenreich, M; Kleinpeter, E; Tekwani, BL; Khan, SI; Walker, LA; Muhammad, I. (2012). Antiparasitic and anticancer carvotacetone derivatives of *Sphaeranthus bullatus*. *Natural Product Communications* 7: 1123-1126.
- Mackova, A; Mucaji, P; Widowitz, U, te; Bauer, R. (2013). In vitro Anti-inflammatory Activity of *Ligustrum vulgare* Extracts and Their Analytical Characterization. *Natural Product Communications* 8: 1509-1512.
- MacLennan, MS; Tie, C; Kovalchik, K; Peru, KM; Zhang, X; Headley, JV; Chen, DD. (2016). Potential of capillary electrophoresis mass spectrometry for the characterization and monitoring of amine-derivatized naphthenic acids from oil sands process-affected water. *J Environ Sci* 49: 203-212. <http://dx.doi.org/10.1016/j.jes.2016.06.019>.
- Madan, S; Singh, GN; Kumar, Y; Kohli, K; Singh, RM; Mir, SR; Ahmad, S. (2008). A New Flavanone from *Flemingia strobilifera* (Linn) R. Br. and its Antimicrobial Activity. *Tropical Journal of Pharmaceutical Research* 7: 921-927.
- Madani Mousavi, SN; Delazar, A; Nazemiyeh, H; Khodaie, L. (2015). Biological Activity and Phytochemical Study of *Scutellaria platystegia*. *Iranian Journal of Pharmaceutical Research* 14: 215-223.
- Madani, SH; Silvestre-Albero, A; Biggs, MJ; Rodríguez-Reinoso, F; Pendleton, P. (2015). Immersion Calorimetry: Molecular Packing Effects in Micropores. *Chemphyschem* 16: 3984-3991. <http://dx.doi.org/10.1002/cphc.201500580>.
- Madhaiyan, M; Poonguzhali, S; Senthilkumar, M; Lee, JS; Lee, KC. (2012). *Methylobacterium gossipiicola* sp. nov., a pink-pigmented, facultatively methylotrophic bacterium isolated from the cotton phyllosphere. *Int J Syst Evol Microbiol* 62: 162-167. <http://dx.doi.org/10.1099/ijs.0.030148-0>.
- Madiga, MC; Cockeran, R; Mokgotho, MP; Anderson, R; Mampuru, LJ. (2009). Dichloromethane extract of *Dicerocaryum senecioides* leaves exhibits remarkable anti-inflammatory activity in human T-lymphocytes. *Nat Prod Res* 23: 998-1006. <http://dx.doi.org/10.1080/14786410802394140>.
- Madikizela, B; Aderogba, MA; Finnie, JF; Van Staden, J. (2014). Isolation and characterization of antimicrobial compounds from *Terminalia phanerophlebia* Engl. & Diels leaf extracts. *J Ethnopharmacol* 156: 228-234. <http://dx.doi.org/10.1016/j.jep.2014.09.003>.
- Madikizela, B; Aderogba, MA; Van Staden, J. (2013). Isolation and characterization of antimicrobial constituents of *Searsia chirindensis* L. (Anacardiaceae) leaf extracts. *J Ethnopharmacol* 150: 609-613. <http://dx.doi.org/10.1016/j.jep.2013.09.016>.
- Madikizela, B; Ndhkala, AR; Finnie, JF; Staden, JV. (2013). In vitro antimicrobial activity of extracts from plants used traditionally in South Africa to treat tuberculosis and related symptoms. *eCAM* 2013: 840719. <http://dx.doi.org/10.1155/2013/840719>.
- Madikizela, B; Ndhkala, AR; Finnie, JF; Van Staden, J. (2012). Ethnopharmacological study of plants from Pondoland used against diarrhoea. *J Ethnopharmacol* 141: 61-71. <http://dx.doi.org/10.1016/j.jep.2012.01.053>.
- Madikizela, B; Ndhkala, AR; Finnie, JF; Van Staden, J. (2014). Antimycobacterial, anti-inflammatory and genotoxicity evaluation of plants used for the treatment of tuberculosis and related symptoms in South Africa. *J Ethnopharmacol* 153: 386-391. <http://dx.doi.org/10.1016/j.jep.2014.02.034>.
- Madji Hounoum, B; Blasco, H; Nadal-Desbarats, L; Diémé, B; Montigny, F; Andres, CR; Emond, P; Mavel, S. (2015). Analytical methodology for metabolomics study of adherent mammalian cells using NMR, GC-MS and LC-HRMS. *Anal Bioanal Chem* 407: 8861-8872. <http://dx.doi.org/10.1007/s00216-015-9047-x>.
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; McQueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Madsen, CG; Skov, A; Baldursdottir, S; Rades, T; Jorgensen, L; Medlicott, NJ. (2015). Simple measurements for prediction of drug release from polymer matrices - Solubility parameters and intrinsic viscosity. *J Pharm Biopharm* 92: 1-7. <http://dx.doi.org/10.1016/j.ejpb.2015.02.001>.
- Madsen, SR; Overgaard, J; Stalke, D; Iversen, BB. (2015). High-pressure single crystal X-ray diffraction study of the linear metal chain compound  $\text{Co}_3(\text{dpa})_4\text{Br}_2\cdot\text{CH}_2\text{Cl}_2$ . *Dalton Transactions (Online)* 44: 9038-9043. <http://dx.doi.org/10.1039/c5dt00447k>.
- Madureira, AM; Ramalhete, C; Mulhovo, S; Duarte, A; Ferreira, MJ. (2012). Antibacterial activity of some African medicinal plants used traditionally against infectious diseases. *Pharmaceutical Biology* 50: 481-489. <http://dx.doi.org/10.3109/13880209.2011.615841>.
- Mady, MS; Mohyeldin, MM; Ebrahim, HY; Elsayed, HE; Houssen, WE; Haggag, EG; Soliman, RF; El Sayed, KA. (2016). The indole alkaloid meleagrins, from the olive tree endophytic fungus *Penicillium chrysogenum*, as a novel lead for the control of c-Met-dependent breast cancer proliferation, migration and invasion. *Bioorg Med Chem* 24: 113-122. <http://dx.doi.org/10.1016/j.bmc.2015.11.038>.
- Maeda, H; Okada, M; Fujii, S; Nakamura, Y; Furuzono, T. (2010). Pickering-type water-in-oil-in-water multiple emulsions toward multihollow nanocomposite microspheres. *Langmuir* 26: 13727-13731. <http://dx.doi.org/10.1021/la102529d>.

## Human Health Hazard Literature Search Results

### Off Topic

- Magalhães, HI; Ferreira, PM; Moura, ES; Torres, MR; Alves, AP; Pessoa, OD; Costa-Lotufo, LV; Moraes, MO; Pessoa, C. (2010). In vitro and in vivo antiproliferative activity of *Calotropis procera* stem extracts. *An Acad Bras Cienc* 82: 407-416.
- Magee, KD; Wright, PJ; Muzzioli, S; Siedlovskas, CM; Raiteri, P; Baker, MV; Brown, DH; Stagni, S; Massi, M. (2013). Enhanced deep-blue emission from Pt(II) complexes bound to 2-pyridyltetrazolate and an ortho-xylene-linked bis(NHC)cyclophane. *Dalton Transactions (Online)* 42: 4233-4236. <http://dx.doi.org/10.1039/c3dt50225b>.
- Maghsoodi, M. (2009). Physicochemical Properties of Naproxen-Loaded Microparticles Prepared from Eudragit L100. *AAPS PharmSciTech* 10: 120-128. <http://dx.doi.org/10.1208/s12249-009-9186-5>.
- Maghsoodi, M; Hajipour, A. (2014). Effect of binder liquid type on spherical crystallization. *Drug Dev Ind Pharm* 40: 1468-1475. <http://dx.doi.org/10.3109/03639045.2013.828227>.
- Maghsoodi, M; Hemati, E; Qadermazi, B; Yari, Z. (2011). Hollow microspheres for gastroretentive floating- pulsatile drug delivery: preparation and in vitro evaluation. 1: 55-61. <http://dx.doi.org/10.5681/apb.2011.008>.
- Mahamodo, S; Rivière, C; Neut, C; Abedini, A; Ranarivelo, H; Duhai, N; Roumy, V; Hennebelle, T; Sahpaz, S; Lemoine, A; Razafimahefa, D; Razanamahefa, B; Bailleul, F; Andriamihaja, B. (2014). Antimicrobial prenylated benzoylphloroglucinol derivatives and xanthenes from the leaves of *Garcinia goudotiana*. *Phytochemistry* 102: 162-168. <http://dx.doi.org/10.1016/j.phytochem.2014.03.006>.
- Maharaj, R; Maharaj, V; Crouch, NR; Bhagwandin, N; Folb, PI; Pillay, P; Gayaram, R. (2012). Screening of selected ethnomedicinal plants from South Africa for larvicidal activity against the mosquito *Anopheles arabiensis*. *Malar J* 11: 320. <http://dx.doi.org/10.1186/1475-2875-11-320>.
- Mahatmanto, T; Poth, AG; Mylne, JS; Craik, DJ. (2014). A comparative study of extraction methods reveals preferred solvents for cystine knot peptide isolation from *Momordica cochinchinensis* seeds. *Fitoterapia* 95: 22-33. <http://dx.doi.org/10.1016/j.fitote.2014.02.016>.
- Maher, K; Yassine, BA; Sofiane, B. (2015). Anti-inflammatory and antioxidant properties of *Eriobotrya japonica* leaves extracts. *Afr Health Sci* 15: 613-620. <http://dx.doi.org/10.4314/ahs.v15i2.39>.
- Mahlke, JD; Boligon, AA; Machado, MM; Athayde, ML. (2012). In vitro toxicity, antiplatelet and acetylcholinesterase inhibition of *Buddleja thyrsoides* Lam. leaves. *Nat Prod Res* 26: 2223-2226. <http://dx.doi.org/10.1080/14786419.2011.643884>.
- Mahmood, I. (2005). Interspecies pharmacokinetic scaling: Principles and application of allometric scaling. Rockville, MD: Pine House Publishers.
- Mahmoud, A; Attia, R; Said, S; Ibraheim, Z. (2014). Ginger and cinnamon: can this household remedy treat giardiasis? *Parasitological and histopathological studies. Iranian Journal of Parasitology* 9: 530-540.
- Mahmoud, MF; Hamdan, DI; Wink, M; El-Shazly, AM. (2014). Hepatoprotective effect of limonin, a natural limonoid from the seed of *Citrus aurantium* var. *bigaradia*, on D-galactosamine-induced liver injury in rats. *Naunyn Schmiedebergs Arch Pharmacol* 387: 251-261. <http://dx.doi.org/10.1007/s00210-013-0937-1>.
- Mahomoodally, FM; Subratty, AH; Gurib-Fakim, A; Choudhary, MI. (2012). Antioxidant, antiglycation and cytotoxicity evaluation of selected medicinal plants of the Mascarene Islands. *BMC Complement Altern Med* 12: 165. <http://dx.doi.org/10.1186/1472-6882-12-165>.
- Maier, TS; Kuhn, J; Müller, C. (2010). Proposal for field sampling of plants and processing in the lab for environmental metabolic fingerprinting. *Plant Methods* 6: 6. <http://dx.doi.org/10.1186/1746-4811-6-6>.
- Maingot, L; Elbakali, J; Dumont, J; Bosc, D; Cousaert, N; Urban, A; Deglane, G; Villoutreix, B; Nagase, H; Sperandio, O; Leroux, F; Deprez, B; Deprez-Poulain, R. (2013). AggreCANase-2 inhibitors based on the acylthiosemicarbazide zinc-binding group. *Eur J Med Chem* 69: 244-261. <http://dx.doi.org/10.1016/j.ejmech.2013.08.027>.
- Maiore, L; Aragoni, MC; Deiana, C; Cinellu, MA; Isaia, F; Lippolis, V; Pintus, A; Serratrice, M; Arca, M. (2014). Structure-activity relationships in cytotoxic Au(I)/Au(III) complexes derived from 2-(2'-pyridyl)benzimidazole. *Inorg Chem* 53: 4068-4080. <http://dx.doi.org/10.1021/ic500022a>.
- Maison, T; Ruttanaphan, T; Pipattanaporn, P; Chuawong, P; Bullangpoti, V; Pluempanupat, W. (2014). ANTIFEEEDANT ACTIVITY OF CRUDE EXTRACTS FROM STEMS AND LEAVES OF *TADEHAGI TRIQUETRUM* (L.) OHASHI AND SEEDS OF *PHASEOLUS LATHYROIDES* AGAINST *HELICOVERPA ARMIGERA HÜBNER* (LEPIDOPTERA: NOCTUIDAE). *Commun Agric Appl Biol Sci* 79: 233-238.
- Maiti, D; Narducci Sarjeant, AA; Itoh, S; Karlin, KD. (2008). Suggestion of an organometallic intermediate in an intramolecular dechlorination reaction involving copper(I) and a  $\text{ArCH}_2\text{Cl}$  moiety. *J Am Chem Soc* 130: 5644-5645. <http://dx.doi.org/10.1021/ja800795b>.
- Maitrani, C; Heyes, DJ; Hay, S; Arumugam, S; Popik, VV; Phillips, RS. (2012). Preparation and photophysical properties of a caged kynurenine. 22: 2734-2737. <http://dx.doi.org/10.1016/j.bmcl.2012.02.097>.
- Maity, D; Das, S; Mardanya, S; Baitalik, S. (2013). Synthesis, structural characterization, and photophysical, spectroelectrochemical, and anion-sensing studies of heteroleptic ruthenium(II) complexes derived from 4'-polyaromatic-substituted terpyridine derivatives and 2,6-bis(benzimidazol-2-yl)pyridine. *Inorg Chem* 52: 6820-6838. <http://dx.doi.org/10.1021/ic3022326>.
- Maity, S; Kundu, S; Weyhermüller, T; Ghosh, P. (2015). Tris(2,2'-azobispyridine) complexes of copper(II): X-ray structures, reactivities, and the radical nonradical bis(ligand) analogues. *Inorg Chem* 54: 1300-1313. <http://dx.doi.org/10.1021/ic502750u>.
- Majewski, MA; Hong, Y; Lis, T; Gregoliński, J; Chmielewski, PJ; Cybińska, J; Kim, D; Stepień, M. (2016). Octulene: A Hyperbolic Molecular Belt that Binds Chloride Anions. *Angew Chem Int Ed Engl* 55: 14072-14076. <http://dx.doi.org/10.1002/anie.201608384>.
- Maji, RC; Barman, SK; Roy, S; Chatterjee, SK; Bowles, FL; Olmstead, MM; Patra, AK. (2013). Copper complexes relevant to the catalytic cycle of copper nitrite reductase: electrochemical detection of  $\text{NO}(\text{g})$  evolution and flipping of  $\text{NO}_2$  binding mode upon  $\text{Cu}(\text{II}) \rightarrow \text{Cu}(\text{I})$  reduction. *Inorg Chem* 52: 11084-11095. <http://dx.doi.org/10.1021/ic401295t>.
- Major, D; Zhang, Q; Wang, G; Wang, H, e. (2012). Oil-dispersant mixtures: understanding chemical composition and its relation to human toxicity. *Toxicol Environ Chem* 94: 1832-1845. <http://dx.doi.org/10.1080/02772248.2012.730202>.

## Human Health Hazard Literature Search Results

### Off Topic

- Majumdar, P; Cui, X; Xu, K; Zhao, J. (2015). Switching of the photophysical properties of Bodipy-derived trans bis(tributylphosphine) Pt(II) bisacetylides complexes with rhodamine as the acid-activatable unit. *Dalton Transactions (Online)* 44: 4032-4045. <http://dx.doi.org/10.1039/c4dt03373f>.
- Majumdar, P; Zhao, J. (2015). 2-(2-hydroxyphenyl)-benzothiazole (HBT)-rhodamine dyad: acid-switchable absorption and fluorescence of excited-state intramolecular proton transfer (ESIPT). *J Phys Chem B* 119: 2384-2394. <http://dx.doi.org/10.1021/jp5068507>.
- Makarov, SE; Curčić, BP; Vujisić, LV; Jadranin, MB; Tešević, VV; Vučković, IM; Sekulić, TL; Curčić, SB; Mitić, BM. (2011). Defensive secretions in *Callipodella fasciata* (Latzel, 1882; Diplopoda, Callipodida, Schizopetalidae). *Chem Biodivers* 8: 1284-1289. <http://dx.doi.org/10.1002/cbdv.201000377>.
- Makogon, O; Flyunt, R; Tobien, T; Naumov, S; Bonifacic, M. (2008). Dimethylselenide as a probe for reactions of halogenated alkoxy radicals in aqueous solution. Degradation of dichloro- and dibromomethane. *J Phys Chem A* 112: 5908-5916. <http://dx.doi.org/10.1021/jp711894k>.
- Makropoulou, M; Aligiannis, N; Gonou-Zagou, Z; Pratsinis, H; Skaltsounis, AL; Fokialakis, N. (2012). Antioxidant and cytotoxic activity of the wild edible mushroom *Gomphus clavatus*. *J Med Food* 15: 216-221. <http://dx.doi.org/10.1089/jmf.2011.0107>.
- Malachova, K; Kukutschova, J; Rybkova, Z; Sezimova, H; Placha, D; Cabanova, K; Filip, P. (2016). Toxicity and mutagenicity of low-metallic automotive brake pad materials. *Ecotoxicol Environ Saf* 131: 37-44. <http://dx.doi.org/10.1016/j.ecoenv.2016.05.003>.
- Malakootian, M; Fatehizadeh, A. (2010). COLOR REMOVAL FROM WATER BY COAGULATION/CAUSTIC SODA AND LIME. *Iranian Journal of Environmental Health Science and Engineering* 7: 267-272.
- Malani, MH; Dholakiya, BZ. (2013). Synthesis, characterization and in vitro screening on bacterial, fungal and malarial strain of piperazine cyanobiphenyl based compounds. *Bioorg Chem* 51: 16-23. <http://dx.doi.org/10.1016/j.bioorg.2013.09.001>.
- Malecki, E; Knies, C; Wertz, E; Rosemeyer, H. (2013). Mitsunobu reactions of 5-fluorouridine with the terpenols phytol and nerol: DNA building blocks for a biomimetic lipophilization of nucleic acids. *10: 2209-2220*. <http://dx.doi.org/10.1002/cbdv.201300107>.
- Maleki, H; Gharehaghaji, AA; Moroni, L; Dijkstra, PJ. (2013). Influence of the solvent type on the morphology and mechanical properties of electrospun PLLA yarns. *Biofabrication* 5: 035014. <http://dx.doi.org/10.1088/1758-5082/5/3/035014>.
- Malik, P; Nagaich, U; Malik, RK; Gulati, N. (2013). Pentoxifylline Loaded Floating Microballoons: Design, Development and Characterization. 2013: 107291. <http://dx.doi.org/10.1155/2013/107291>.
- Malik, U; Karmakar, A; Barik, A. (2016). Attraction of the potential biocontrol agent *Galerucella placida* (Coleoptera: Chrysomelidae) to the volatiles of *Polygonum orientale* (Polygonaceae) weed leaves. *Chemoecology* 26: 45-58. <http://dx.doi.org/10.1007/s00049-015-0206-5>.
- Maliyakkal, N; Appadath Beeran, A; Balaji, SA; Udupa, N; Ranganath Pai, S; Rangarajan, A. (2015). Effects of *Withania somnifera* and *Tinospora cordifolia* extracts on the side population phenotype of human epithelial cancer cells: toward targeting multidrug resistance in cancer. *Integr Cancer Ther* 14: 156-171. <http://dx.doi.org/10.1177/1534735414564423>.
- Mallick, MN; Akhtar, MS; Najm, MZ; Tamboli, ET; Ahmad, S; Husain, SA. (2015). Evaluation of anticancer potential of *Bacopa monnieri* L. against MCF-7 and MDA-MB 231 cell line. *7: 325-328*. <http://dx.doi.org/10.4103/0975-7406.168038>.
- Mallick, MN; Singh, M; Parveen, R; Khan, W; Ahmad, S; Zeeshan Najm, M; Husain, SA. (2015). HPTLC Analysis of Bioactivity Guided Anticancer Enriched Fraction of Hydroalcoholic Extract of *Picrorhiza kurroa*. *BioMed Res Int* 2015: 513875. <http://dx.doi.org/10.1155/2015/513875>.
- Malzert-Fréon, A; Benoît, JP; Boury, F. (2008). Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions: a study of interfacial properties. *Eur J Pharm Biopharm* 69: 835-843. <http://dx.doi.org/10.1016/j.ejpb.2008.01.021>.
- Malzert-Fréon, A; Schönhammer, K; Benoît, JP; Boury, F. (2009). Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions. 2. Conditions required to obtain spontaneous emulsification allowing the formation of bioresorbable poly(D,L lactic acid) microparticles. *73: 66-73*. <http://dx.doi.org/10.1016/j.ejpb.2009.04.011>.
- Mamat, NA; See, HH. (2015). Development and evaluation of electromembrane extraction across a hollow polymer inclusion membrane. *J Chromatogr A* 1406: 34-39. <http://dx.doi.org/10.1016/j.chroma.2015.06.020>.
- Mamatha, T; Rao, JV; Mukkanti, K; Ramesh, G. (2010). Development of matrix type transdermal patches of lercanidipine hydrochloride: physicochemical and in-vitro characterization. *DARU* 18: 9-16.
- Mamun, MI; Park, JH; Choi, JH; Kim, HK; Choi, WJ; Han, SS; Hwang, K; Jang, NI; Assayed, ME; El-Dib, MA; Shin, HC; Abd El-Aty, AM; Shim, JH. (2009). Development and validation of a multiresidue method for determination of 82 pesticides in water using GC. *J Sep Sci* 32: 559-574. <http://dx.doi.org/10.1002/jssc.200800606>.
- Mancilha, FS; Barloy, L; Rodembusch, FS; Dupont, J; Pfeffer, M. (2011). Cyclopalladated complexes of 4-aryl-2,1,3-benzothiadiazoles: new emitters in solution at room temperature. *Dalton Transactions (Online)* 40: 10535-10544. <http://dx.doi.org/10.1039/c1dt10666j>.
- Mandal, AK; Suresh, M; Das, P; Das, A. (2012). Restricted conformational flexibility of a triphenylamine derivative on the formation of host-guest complexes with various macrocyclic hosts. *Chemistry* 18: 3906-3917. <http://dx.doi.org/10.1002/chem.201103079>.
- Mandal, PK; Turnbull, WB. (2011). Studies on the synthesis of Lewis-γ oligosaccharides. *Carbohydr Res* 346: 2113-2120. <http://dx.doi.org/10.1016/j.carres.2011.07.002>.
- Mandal, SK; Paira, M; Roy, SC. (2008). Titanocene(III) chloride mediated radical-induced addition to Baylis-Hillman adducts: synthesis of (E)- and (Z)-trisubstituted alkenes and alpha-methylene/arylidene delta-lactones. *J Org Chem* 73: 3823-3827. <http://dx.doi.org/10.1021/jo800049p>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mandić, BM; Vlajić, MD; Trifunović, SS; Simić, MR; Vujisić, LV; Vučković, IM; Novaković, MM; Nikolić-Mandić, SD; Tešević, VV; Vajs, VV; Milosavljević, SM. (2015). Optimisation of isolation procedure for pyrrolizidine alkaloids from *Rindera umbellata* Bunge. *Nat Prod Res* 29: 887-890. <http://dx.doi.org/10.1080/14786419.2014.991929>.
- Mandoj, F; Nardis, S; Pomarico, G; Stefanelli, M; Schiaffino, L; Ercolani, G; Prodi, L; Genovese, D; Zaccheroni, N; Fronczek, FR; Smith, KM; Xiao, X; Shen, J; Kadish, KM; Paolesse, R. (2009). 6-Azahemiporphycene: a new member of the porphyrinoid family. *Inorg Chem* 48: 10346-10357. <http://dx.doi.org/10.1021/ic9014866>.
- Maneechai, S; Likhitwitayawuid, K; Sritularak, B; Palanuvej, C; Ruangrunsi, N; Sirisa-Ard, P. (2009). Quantitative analysis of oxyresveratrol content in *Artocarpus lakoocha* and 'Puag-Haad'. 18: 223-227. <http://dx.doi.org/10.1159/000204354>.
- Manfio, JL; Dos Santos, MB; Favreto, WA; Hoffmann, FI; Mertin, AC. (2009). Validation of a liquid chromatographic/tandem mass spectrometric method for the determination of scopolamine butylbromide in human plasma: application of the method to a bioequivalence study. *J AOAC Int* 92: 1366-1372.
- Manfio, JL; dos Santos, MB; Favreto, WA; Weich, A; Pugens, AM; Donaduzzi, CM. (2010). Bioequivalence study of two formulations of 100 mg capsule of itraconazole. Quantification by tandem mass spectrometry. *Arzneimittelforschung* 60: 157-161. <http://dx.doi.org/10.1055/s-0031-1296265>.
- Mangwala Kimpende, P; Lusakibanza, M; Mesia, K; Tona, L; Tits, M; Angenot, L; Frédéricich, M; Van Meervelt, L. (2013). Isolation, pharmacological activity and structure determination of physalin B and 5 $\beta$ ,6 $\beta$ -epoxyphysalin B isolated from Congolese *Physalis angulata* L. *Acta Crystallogr C* 69: 1557-1562. <http://dx.doi.org/10.1107/S010827011303117X>.
- Maninang, JS; Lizada, M, aCC; Gemma, H. (2009). Inhibition of aldehyde dehydrogenase enzyme by Durian (*Durio zibethinus* Murray) fruit extract. *Food Chem* 117: 352-355. <http://dx.doi.org/10.1016/j.foodchem.2009.03.106>.
- Mannocchi, G; Pantano, F; Tittarelli, R; Catanese, M; Umani Ronchi, F; Busardò, FP. (2015). Development and Validation of a GC-MS Method for the Detection and Quantification of Clotiapine in Blood and Urine Specimens and Application to a Postmortem Case. *International Journal of Analytical Chemistry* 2015: 972480. <http://dx.doi.org/10.1155/2015/972480>.
- Manolopoulou, J; Bielohuby, M; Caton, SJ; Gomez-Sanchez, CE; Renner-Mueller, I; Wolf, E; Lichtenauer, UD; Beuschlein, F; Hoeflich, A; Bidlingmaier, M. (2008). A highly sensitive immunofluorometric assay for the measurement of aldosterone in small sample volumes: validation in mouse serum. *J Endocrinol* 196: 215-224. <http://dx.doi.org/10.1677/JOE-07-0134>.
- Manson, J; Dixon, D. (2012). The influence of solvent processing on polyester bioabsorbable polymers. *J Biomater Appl* 26: 623-634. <http://dx.doi.org/10.1177/0885328210376997>.
- Manuele, MG; Ferraro, G; Anesini, C. (2008). Effect of *Tilia x viridis* flower extract on the proliferation of a lymphoma cell line and on normal murine lymphocytes: contribution of monoterpenes, especially limonene. 22: 1520-1526. <http://dx.doi.org/10.1002/ptr.2524>.
- Manyin, T; Rowe, CL. (2010). Reproductive and life stage-specific effects of aqueous copper on the grass shrimp, *Palaemonetes pugio*. *Mar Environ Res* 69: 152-157. <http://dx.doi.org/10.1016/j.marenvres.2009.09.006>.
- Marcela Aragon, D; Eduardo Rosas, J; Martinez, F. (2010). Thermodynamic study of the solubility of ibuprofen in acetone and dichloromethane. *B J P S Brazilian Journal of Pharmaceutical Sciences* 46: 227-235.
- Marchal, L; Mojaat-Guemir, M; Foucault, A; Pruvost, J. (2013). Centrifugal partition extraction of  $\beta$ -carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. *Bioresour Technol* 134: 396-400. <http://dx.doi.org/10.1016/j.biortech.2013.02.019>.
- Marchand, G; Roy, H; Mendive-Tapia, D; Jacquemin, D. (2015). N-confused porphyrin tautomers: lessons from density functional theory. *Phys Chem Chem Phys* 17: 5290-5297. <http://dx.doi.org/10.1039/c4cp05158k>.
- Marchand, P; Cremont, M; Lamare, S; Goubet, I. (2009). Dehalogenation of a gaseous effluent by dehydrated whole cells in a solid/gas reactor: A study of catalyst stability. *Biocatalysis and Biotransformation* 27: 195-203. <http://dx.doi.org/10.1080/10242420902811071>.
- Marchetti, GM; Silva, KA; Santos, AN; Sousa, IM; Tinti, SV; Figueira, GM; Foglio, MA; Carvalho, JE. (2012). The anticancer activity of dichloromethane crude extract obtained from *Calea pinnatifida*. 4: 157-162. <http://dx.doi.org/10.2147/JEP.S37135>.
- Marco-Medina, A; Casas, JL. (2013). RAPD and phytochemical analysis of *Thymus moroderi* plantlets after cryopreservation. *Cryo Letters* 34: 119-127.
- Marcondes, MF; Alves, FM; Assis, DM; Hirata, IY; Juliano, L; Oliveira, V; Juliano, MA. (2015). Substrate specificity of mitochondrial intermediate peptidase analysed by a support-bound peptide library. 5: 429-436. <http://dx.doi.org/10.1016/j.fob.2015.05.004>.
- Marcotullio, MC; Loizzo, MR; Messina, F; Temperini, A; Tundis, R; Menichini, F; Curini, M. (2015). Bioassay-guided fractionation of *Euphrasia pectinata* Ten. and isolation of iridoids with antiproliferative activity. *Phytochemistry Letters* 12: 252-256. <http://dx.doi.org/10.1016/j.phytol.2015.04.022>.
- Maree, JE; Khondkar, P; Kwapong, A, woA; Oyedemi, BM; Aljarba, TM; Stapleton, P; Viljoen, AM; Gibbons, S. (2014). Bioactive acetophenones from *Plectranthus venteri*. *Phytochemistry Letters* 10: CXLII-cxlv. <http://dx.doi.org/10.1016/j.phytol.2014.10.021>.
- Maresca, M; Micheli, L; Di Cesare Mannelli, L; Tenci, B; Innocenti, M; Khatib, M; Mulinacci, N; Ghelardini, C. (2016). Acute effect of *Capparis spinosa* root extracts on rat articular pain. *J Ethnopharmacol* 193: 456-465. <http://dx.doi.org/10.1016/j.jep.2016.09.032>.
- Marghade, S; Musmade, PB; Moorkoth, S. (2012). High-performance liquid chromatographic assay for ziprasidone in plasma samples: application to pharmacokinetic studies in rats. *J Chromatogr Sci* 50: 902-908. <http://dx.doi.org/10.1093/chromsci/bms088>.
- Mari, A; Imperatori, P; Marchegiani, G; Pilloni, L; Mezzi, A; Kaciulis, S; Cannas, C; Meneghini, C; Mobilio, S; Suber, L. (2010). High yield synthesis of pure alkanethiolate-capped silver nanoparticles. *Langmuir* 26: 15561-15566. <http://dx.doi.org/10.1021/la102062p>.
- Mariani, M; Colombo, F; Assennato, SM; Frugoni, C; Cattaneo, A; Trombetta, E; Rebullia, P; Porretti, L. (2014). Evaluation of an easy and affordable flow cytometer for volumetric haematopoietic stem cell counting. *Blood Transfus* 12: 416-420. <http://dx.doi.org/10.2450/2014.0198-13>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mariani, MB; D'Aiuto, V; Giannetti, V. (2010). Multiresidue method for the determination of organophosphorus pesticides in cereal matrixes. *J AOAC Int* 93: 999-1006.
- Marie-Magdeleine, C; Hoste, H; Mahieu, M; Varo, H; Archimede, H. (2009). In vitro effects of Cucurbita moschata seed extracts on Haemonchus contortus. *Vet Parasitol* 161: 99-105. <http://dx.doi.org/10.1016/j.vetpar.2008.12.008>.
- Marie-Magdeleine, C; Mahieu, M; D'Alexis, S; Philibert, L; Archimede, H. (2010). In vitro effects of Tabernaemontana citrifolia extracts on Haemonchus contortus. *Res Vet Sci* 89: 88-92. <http://dx.doi.org/10.1016/j.rvsc.2010.01.002>.
- Marie-Magdeleine, C; Udino, L; Philibert, L; Bocage, B; Archimede, H. (2010). In vitro effects of Cassava (Manihot esculenta) leaf extracts on four developmental stages of Haemonchus contortus. *Vet Parasitol* 173: 85-92. <http://dx.doi.org/10.1016/j.vetpar.2010.06.017>.
- Marie-Magdeleine, C; Udino, L; Philibert, L; Bocage, B; Archimede, H. (2014). In vitro effects of Musa x paradisiaca extracts on four developmental stages of Haemonchus contortus. *Res Vet Sci* 96: 127-132. <http://dx.doi.org/10.1016/j.rvsc.2013.12.004>.
- Marin-Loaiza, JC; Avila, JG; Canales, M; Hernandez, T; Cespedes, CL. (2008). Antifungal and Antibacterial Activities of Endemic Pittocaulon spp. from Mexico. *Pharmaceutical Biology* 46: 66-71. <http://dx.doi.org/10.1080/13880200701734505>.
- Marín-Loaiza, JC; Nieto-Camacho, A; Céspedes, CL. (2013). Antioxidant and anti-inflammatory activities of Pittocaulon species from México. *Pharmaceutical Biology* 51: 260-266. <http://dx.doi.org/10.3109/13880209.2012.718352>.
- Marino, DJ. (2012). AGE-SPECIFIC ABSOLUTE AND RELATIVE ORGAN WEIGHT DISTRIBUTIONS FOR B6C3F1 MICE. *J Toxicol Environ Health A* 75: 76-99. <http://dx.doi.org/10.1080/15287394.2011.625548>.
- Mark, H; Rubinovitz, R; Heaps, D; Gemperline, P; Dahm, D; Dahm, K. (2010). Comparison of the use of volume fractions with other measures of concentration for quantitative spectroscopic calibration using the classical least squares method. *Appl Spectrosc* 64: 995-1006. <http://dx.doi.org/10.1366/000370210792434314>.
- Marklevitz, SAC; Almeida, E; Flemming, J; Hellou, J. (2008). Determining the bioavailability of contaminants and assessing the quality of sediments. *Journal of Soils and Sediments* 8: 86-91. <http://dx.doi.org/10.1065/jss2008.02.275.1>.
- Markwiese, JT; Tiller, B; Rytli, RT; Bauer, R. (2008). Using artificial burrows to evaluate inhalation risks to burrowing mammals. *Integr Environ Assess Manag* 4: 425-430. [http://dx.doi.org/10.1897/IEAM\\_2008-013.1](http://dx.doi.org/10.1897/IEAM_2008-013.1).
- Marques, NF; Stefanello, ST; Froeder, ALF; Busanello, A; Boligon, AA; Athayde, ML; Soares, FAA; Fachineto, R. (2015). Centella asiatica and Its Fractions Reduces Lipid Peroxidation Induced by Quinolinic Acid and Sodium Nitroprusside in Rat Brain Regions. *Neurochem Res* 40: 1197-1210. <http://dx.doi.org/10.1007/s11064-015-1582-5>.
- Marquette, S; Peerboom, C; Yates, A; Denis, L; Goole, J; Amighi, K. (2014). Encapsulation of immunoglobulin G by solid-in-oil-in-water: effect of process parameters on microsphere properties. *86: 393-403*. <http://dx.doi.org/10.1016/j.ejpb.2013.10.013>.
- Marquez, DM; Marquez, ME; Martinez, A; Thomas, OP. (2011). Isolation of a Bromotyrosine Derivative Compound of a Bioactive Fraction from the Marine Sponge Iotrochota birotulata from the Uraba Gulf (Colombia). *Lat Am J Pharm* 30: 392-396.
- Marquez, DM; Thomas, O; Martinez, A; Marquez, EJ. (2011). Antiproliferative Effect of Extracts and Fractions from the Calcareous Sponge Leucetta aff. floridana from the Colombian Caribbean. *Lat Am J Pharm* 30: 683-689.
- Marriott, HM; Dockrell, DH. (2007). The role of the macrophage in lung disease mediated by bacteria [Review]. *Exp Lung Res* 33: 493-505. <http://dx.doi.org/10.1080/01902140701756562>.
- Marrouchi, R; Dziri, F; Belayouni, N; Hamza, A; Benoit, E; Molgó, J; Kharrat, R. (2010). Quantitative determination of gymnodimine-A by high performance liquid chromatography in contaminated clams from Tunisia coastline. *Mar Biotechnol* 12: 579-585. <http://dx.doi.org/10.1007/s10126-009-9245-7>.
- Marsch, GA; Mundkowsky, RG; Morris, BJ; Manier, ML; Hartman, MK; Guengerich, FP. (2001). Characterization of nucleoside and DNA adducts formed by S-(1-acetoxymethyl)glutathione and implications for dihalomethane-glutathione conjugates. *Chem Res Toxicol* 14: 600-608. <http://dx.doi.org/10.1021/tx010006h>.
- Martin, C; Cohen, B; Navarro, MT; Corma, A; Douhal, A. (2016). Unraveling the ultrafast behavior of Nile red interacting with aluminum and titanium co-doped MCM41 materials. *Phys Chem Chem Phys* 18: 2152-2163. <http://dx.doi.org/10.1039/c5cp05855d>.
- Martin, M; Muller, JF; Turner, K; Duez, M; Cirimele, V. (2012). Evidence of mephedrone chronic abuse through hair analysis using GC/MS. *Forensic Sci Int* 218: 44-48. <http://dx.doi.org/10.1016/j.forsciint.2011.10.016>.
- Martin, N; Burkus, Z; Mceachern, P; Yu, T. (2014). Naphthenic acids quantification in organic solvents using fluorescence spectroscopy. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 294-306. <http://dx.doi.org/10.1080/10934529.2014.846631>.
- Martin, P; Gillen, M; Ritter, J; Mathews, D; Brealey, C; Surry, D; Oliver, S; Holmes, V; Severin, P; Elsby, R. (2016). Effects of Fostamatinib on the Pharmacokinetics of Oral Contraceptive, Warfarin, and the Statins Rosuvastatin and Simvastatin: Results From Phase I Clinical Studies. *16: 93-107*. <http://dx.doi.org/10.1007/s40268-015-0120-x>.
- Martinez, J; Garcia, C; Durango, D. (2017). Antifungal activity against Colletotrichum acutatum and Colletotrichum gloeosporioides of the major constituents from wood sawdust of Platymiscium gracile Benth. *16: 14-25*.
- Martinez, ML; Noel Campagna, M; Ratti, MS; Nocito, I; Serra, E; Gattuso, S; Gattuso, MA. (2009). Trypanocide activity of Castela coccinea Griseb. extracts. *8: 211-218*.
- Martínez-García, H; Morales, D; Pérez, J; Puerto, M; del Río, I. (2014). Interaction between anions and cationic metal complexes containing tridentate ligands with exo-C-H groups: complex stability and hydrogen bonding. *Chemistry* 20: 5821-5834. <http://dx.doi.org/10.1002/chem.201303653>.
- Martinez-Moral, MP; Tena, MT. (2011). Focused ultrasound solid-liquid extraction and selective pressurized liquid extraction to determine bisphenol A and alkylphenols in sewage sludge by gas chromatography-mass spectrometry. *J Sep Sci* 34: 2513-2522. <http://dx.doi.org/10.1002/jssc.201100159>.

## Human Health Hazard Literature Search Results

### Off Topic

- Martín-Herrera, D; Abdala, S; Benjumea, D; Gutiérrez-Luis, J. (2008). Diuretic activity of some *Withania aristata* Ait. fractions. *J Ethnopharmacol* 117: 496-499. <http://dx.doi.org/10.1016/j.jep.2008.03.004>.
- Martins, D; Carrion, LL; Ramos, DF; Salomé, KS; da Silva, PE; Barison, A; Nunez, CV. (2013). Triterpenes and the antimycobacterial activity of *Duroia macrophylla* Huber (Rubiaceae). *BioMed Res Int* 2013: 605831. <http://dx.doi.org/10.1155/2013/605831>.
- Martins, ML; Donato, FF; Prestes, OD; Adaime, MB; Zanella, R. (2013). Determination of pesticide residues and related compounds in water and industrial effluent by solid-phase extraction and gas chromatography coupled to triple quadrupole mass spectrometry. *Anal Bioanal Chem* 405: 7697-7709. <http://dx.doi.org/10.1007/s00216-013-7235-0>.
- Marugán, J; van Grieken, R; Pablos, C. (2010). Kinetics and influence of water composition on photocatalytic disinfection and photocatalytic oxidation of pollutants. *Environ Technol* 31: 1435-1440. <http://dx.doi.org/10.1080/09593331003646653>.
- Marzouk, AM. (2009). Hepatoprotective triterpenes from hairy root cultures of *Ocimum basilicum* L. *Z Naturforsch C Biosci* 64: 201-209.
- Masala, S; Ahmed, T; Bergvall, C; Westerholm, R. (2011). Improved efficiency of extraction of polycyclic aromatic hydrocarbons (PAHs) from the National Institute of Standards and Technology (NIST) Standard Reference Material Diesel Particulate Matter (SRM 2975) using accelerated solvent extraction. *Anal Bioanal Chem* 401: 3305-3315. <http://dx.doi.org/10.1007/s00216-011-5446-9>.
- Masih, A; Saini, R; Singhvi, R; Taneja, A. (2010). Concentrations, sources, and exposure profiles of polycyclic aromatic hydrocarbons (PAHs) in particulate matter (PM(10)) in the north central part of India. *Environ Monit Assess* 163: 421-431. <http://dx.doi.org/10.1007/s10661-009-0846-4>.
- Masoko, P; Mabusa, IH; Howard, RL. (2016). Isolation of alpha-linolenic acid from *Sutherlandia frutescens* and its inhibition of *Mycobacterium tuberculosis* shikimate kinase enzyme. *BMC Complement Altern Med* 16: 366. <http://dx.doi.org/10.1186/s12906-016-1344-1>.
- Masoko, P; Makgapeetja, DM. (2015). Antibacterial, antifungal and antioxidant activity of *Olea africana* against pathogenic yeast and nosocomial pathogens. *BMC Complement Altern Med* 15: 409. <http://dx.doi.org/10.1186/s12906-015-0941-8>.
- Masoko, P; Nxumalo, KM. (2013). Validation of antimycobacterial plants used by traditional healers in three districts of the Limpopo province (South Africa). *eCAM* 2013: 586247. <http://dx.doi.org/10.1155/2013/586247>.
- Masondo, NA; Finnie, JF; Van Staden, J. (2014). Pharmacological potential and conservation prospect of the genus *Eucomis* (Hyacinthaceae) endemic to southern Africa [Review]. *J Ethnopharmacol* 151: 44-53. <http://dx.doi.org/10.1016/j.jep.2013.11.002>.
- Masood, F; Malik, A. (2013). Cytotoxic and genotoxic potential of tannery waste contaminated soils. *Sci Total Environ* 444: 153-160. <http://dx.doi.org/10.1016/j.scitotenv.2012.11.049>.
- Masood, F; Malik, A. (2013). Mutagenicity and genotoxicity assessment of industrial wastewaters. *Environ Sci Pollut Res Int* 20: 7386-7397. <http://dx.doi.org/10.1007/s11356-013-1756-0>.
- Masserdotti, C. (2013). Proportion of mast cells in normal canine hepatic cytologic specimens: comparison of 2 staining methods. *Vet Clin Pathol* 42: 522-525. <http://dx.doi.org/10.1111/vcp.12086>.
- Massey, PM; Boansi, RK; Gipson, JD; Adams, RM; Riess, H; Dieng, T; Prelip, ML; Glik, DC. (2017). Human papillomavirus (HPV) awareness and vaccine receptivity among Senegalese adolescents. *Trop Med Int Health* 22: 113-121. <http://dx.doi.org/10.1111/tmi.12798>.
- Masson, P; Alves, AC; Ebbels, TM; Nicholson, JK; Want, EJ. (2010). Optimization and evaluation of metabolite extraction protocols for untargeted metabolic profiling of liver samples by UPLC-MS. *Anal Chem* 82: 7779-7786. <http://dx.doi.org/10.1021/ac101722e>.
- Mastovska, K; Sorenson, WR; Hajslova, J. (2015). Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Seafood Using Gas Chromatography-Mass Spectrometry: Collaborative Study. *J AOAC Int* 98: 477-505. <http://dx.doi.org/10.5740/jaoacint.15-032>.
- Mataranga-Popa, LN; Torje, I; Ghosh, T; Leitl, MJ; Späth, A; Novianti, ML; Webster, RD; König, B. (2015). Synthesis and electronic properties of  $\pi$ -extended flavins. *Org Biomol Chem* 13: 10198-10204. <http://dx.doi.org/10.1039/c5ob01418b>.
- Matatagui, D; Fontecha, J; Fernández, MJ; Aleixandre, M; Gràcia, I; Cané, C; Horrillo, MC. (2011). Array of Love-wave sensors based on quartz/Novolac to detect CWA simulants. *Talanta* 85: 1442-1447. <http://dx.doi.org/10.1016/j.talanta.2011.06.033>.
- Mathew, N; Karunan, T; Srinivasan, L; Muthuswamy, K. (2010). Synthesis and Screening of Substituted 1,4-Naphthoquinones (NPQs) as Antifilarial Agents. *Drug Dev Res* 71: 188-196. <http://dx.doi.org/10.1002/ddr.20357>.
- Mathew, S; Zakaria, ZA; Musa, N. (2015). Antioxidant property and chemical profile of pyrolygneous acid from pineapple plant waste biomass. *Process Biochemistry* 50: 1985-1992. <http://dx.doi.org/10.1016/j.procbio.2015.07.007>.
- Mathews, JM; Raymer, JH; Etheridge, AS; Velez, GR; Bucher, JR. (1997). Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo. *Toxicol Appl Pharmacol* 146: 255-260. <http://dx.doi.org/10.1006/taap.1997.8257>.
- Matic, IZ; Aljancic, I; Vajs, V; Jadranin, M; Milosavljevic, S; Juranic, ZD. (2013). Cancer-Suppressive Potential of Extracts of Endemic Plant *Helichrysum zivojinii*: Effects on Cell Migration, Invasion and Angiogenesis. *Natural Product Communications* 8: 1291-1296.
- Matić, IZ; Aljančić, I; Žižak, Ž; Vajs, V; Jadranin, M; Milosavljević, S; Juranic, ZD. (2013). In vitro antitumor actions of extracts from endemic plant *Helichrysum zivojinii*. *BMC Complement Altern Med* 13: 36. <http://dx.doi.org/10.1186/1472-6882-13-36>.
- Matioszek, D; Dufils, PE; Vinas, J; Destarac, M. (2015). Selective and Quantitative Oxidation of Xanthate End-Groups of RAFT Poly(n-butyl acrylate) Latexes by Ozonolysis. *Macromol Rapid Comm* 36: 1354-1361. <http://dx.doi.org/10.1002/marc.201500115>.
- Matkowski, A; Tasarz, P; Szypula, E. (2008). Antioxidant activity of herb extracts from five medicinal plants from Lamiaceae, subfamily Lamioideae. *Journal of Medicinal Plant Research* 2: 321-330.
- Matlock, JV; Svejstrup, TD; Songara, P; Overington, S; McGarrigle, EM; Aggarwal, VK. (2015). Synthesis of 6- and 7-Membered N-Heterocycles Using  $\alpha$ -Phenylvinylsulfonium Salts. *Org Lett* 17: 5044-5047. <http://dx.doi.org/10.1021/acs.orglett.5b02516>.
- Matos, AP; Leite, AC; Batista-Pereira, LG; Vieira, PC; Fernandes, JB; da Silva, MF. (2009). Effects of limonoids from *Cipadessa fruticosa* on fall armyworm. *Z Naturforsch C Biosci* 64: 441-446.



## Human Health Hazard Literature Search Results

### Off Topic

- Matos, CR; Miranda, FS; Carneiro, JW; Pinheiro, CB; Ronconi, CM. (2013). The effect of the molecular structures of dicyanomethylene compounds on their supramolecular assembly, photophysical and electrochemical properties. *Phys Chem Chem Phys* 15: 13013-13023. <http://dx.doi.org/10.1039/c3cp51957k>.
- Matsumoto, A; Matsukawa, Y; Nishioka, Y; Harada, M; Horikiri, Y; Yamahara, H. (2008). A new method of preparing TRH derivative-loaded poly(dl-lactide-coglycolide) microspheres based on a solid solution system. 2: 45-51.
- Matsumoto, F; Moriwaki, K; Takao, Y; Ohno, T. (2008). Synthesis of thienyl analogues of PCBM and investigation of morphology of mixtures in P3HT. *Beilstein Journal of Organic Chemistry* 4: 33. <http://dx.doi.org/10.3762/bjoc.4.33>.
- Matsumoto, K; Miyamoto, Y; Shimada, K; Morisawa, Y; Zipse, H; Suga, S; Yoshida, J; Kashimura, S; Wakabayashi, T. (2015). Low temperature in situ Raman spectroscopy of an electro-generated arylbis(arylthio)sulfonium ion. *Chem Commun (Camb)* 51: 13106-13109. <http://dx.doi.org/10.1039/c5cc03585f>.
- Matsumoto, T; Tostes, RC; Webb, RC. (2012). Alterations in vasoconstrictor responses to the endothelium-derived contracting factor uridine adenosine tetraphosphate are region specific in DOCA-salt hypertensive rats. *Pharmacol Res* 65: 81-90. <http://dx.doi.org/10.1016/j.phrs.2011.09.005>.
- Matsumoto, Y; Ito, A; Uesugi, M; Kittaka, A. (2016). Efficient N-Acyl Dopamine Synthesis. *Chem Pharm Bull (Tokyo)* 64: 935-940. <http://dx.doi.org/10.1248/cpb.c16-00162>.
- Matsunaga, Y; Yang, JS. (2015). Multicolor Fluorescence Writing Based on Host-Guest Interactions and Force-Induced Fluorescence-Color Memory. *Angew Chem Int Ed Engl* 54: 7985-7989. <http://dx.doi.org/10.1002/anie.201503406>.
- Matsushima, S; Kuroda, J; Ago, T; Zhai, P; Ikeda, Y; Oka, S; Fong, GH; Tian, R; Sadoshima, J. (2013). Broad Suppression of NADPH Oxidase Activity Exacerbates Ischemia/Reperfusion Injury Through Inadvertent Downregulation of HIF-1 and Upregulation of PPAR $\alpha$ . *Circ Res* 112: 1135-1149. <http://dx.doi.org/10.1161/CIRCRESAHA.111.300171>.
- Mattos, JC; Matos, VC; Rodrigues, MP; Oliveira, MB; Dantas, FJ; Santos-Filho, SD; Bernardo-Filho, M; Caldeira-De-Araujo, A. (2012). Evaluation of deoxyribonucleic acid toxicity induced by the radiopharmaceutical 99mTechnetium-Methylenediphosphonic acid and by stannous chloride in Wistar rats. *Molecules* 17: 12974-12983. <http://dx.doi.org/10.3390/molecules171112974>.
- Matucci, R; Nesi, M; Martino, MV; Bellucci, C; Manetti, D; Ciuti, E; Mazzolari, A; Dei, S; Guandalini, L; Teodori, E; Vistoli, G; Romanelli, MN. (2016). Carbachol dimers as homobivalent modulators of muscarinic receptors. *Biochem Pharmacol* 108: 90-101. <http://dx.doi.org/10.1016/j.bcp.2016.03.012>.
- Maublanc, J; Dulaurent, S; Morichon, J; Lachâtre, G; Gaulier, JM. (2015). Identification and quantification of 35 psychotropic drugs and metabolites in hair by LC-MS/MS: application in forensic toxicology. *Int J Legal Med* 129: 259-268. <http://dx.doi.org/10.1007/s00414-014-1005-1>.
- Maudens, KE; Stove, CP; Cocquyt, VF; Denys, H; Lambert, WE. (2009). Development and validation of a liquid chromatographic method for the simultaneous determination of four anthracyclines and their respective 13-S-dihydro metabolites in plasma and saliva. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 3907-3915. <http://dx.doi.org/10.1016/j.jchromb.2009.09.044>.
- Mavundza, EJ; Maharaj, R; Chukwujekwu, JC; Finnie, JF; Van Staden, J. (2014). Screening for adulticidal activity against *Anopheles arabiensis* in ten plants used as mosquito repellent in South Africa. *Malar J* 13: 173. <http://dx.doi.org/10.1186/1475-2875-13-173>.
- Mawn, MP; Kurtz, K; Stahl, D; Chalfant, RL; Koban, ME; Dawson, BJ. (2013). Analytical method validation for the determination of 2,3,3,3-tetrafluoropropene in air samples using gas chromatography with flame ionization detection. *J Occup Environ Hyg* 10: 583-589. <http://dx.doi.org/10.1080/15459624.2013.818226>.
- Mayaka, RK; Langat, MK; Omolo, JO; Cheplogoi, PK. (2012). Antimicrobial Prenylated Acetophenones from Berries of *Harrisonia abyssinica* [Letter]. *Planta Med* 78: 383-386. <http://dx.doi.org/10.1055/s-0031-1298143>.
- Mayer-Helm, B. (2009). Method development for the determination of 52 pesticides in tobacco by liquid chromatography-tandem mass spectrometry. *J Chromatogr A* 1216: 8953-8959. <http://dx.doi.org/10.1016/j.chroma.2009.10.077>.
- Mayoral, MJ; Ovejero, P; Cano, M; Orellana, G. (2011). Alkoxy-substituted difluoroboron benzoyl methanes for photonics applications: a photophysical and spectroscopic study. *Dalton Transactions (Online)* 40: 377-383. <http://dx.doi.org/10.1039/c0dt00588f>.
- Mazzucchelli, I; Rapetti, M; Fattore, C; Franco, V; Gatti, G; Perucca, E. (2011). Development and validation of an HPLC-UV detection assay for the determination of rufinamide in human plasma and saliva. *Anal Bioanal Chem* 401: 1013-1021. <http://dx.doi.org/10.1007/s00216-011-5126-9>.
- Mbah, JA; Gatsing, D; Efang, SMN. (2010). ANTIBACTERIAL AGENTS FROM THE SEEDS OF PEUCEDANUM ZENKERI L. (UMBELLIFERAE). *Pakistan Journal of Medical Sciences online* 26: 314-318.
- Mbah, JA; Ngemenya, MN; Abawah, AL; Babiaka, SB; Nubed, LN; Nyongbela, KD; Lemuh, ND; Efang, SM. (2012). Bioassay-guided discovery of antibacterial agents: in vitro screening of *Peperomia vulcanica*, *Peperomia fernandopoioana* and *Scleria striatinux*. *Ann Clin Microbiol Antimicrob* 11: 10. <http://dx.doi.org/10.1186/1476-0711-11-10>.
- Mbaya, AW; Ogwiji, M. (2014). In-vivo and In-vitro activities of medicinal plants on ecto, endo and haemoparasitic infections: a review [Review]. *Curr Clin Pharmacol* 9: 271-282.
- Mbaye, M; Gaye Seye, MD; Coly, A; Tine, A; Aaron, JJ. (2009). Usefulness of cyclodextrin media for the determination of alpha-cypermethrin by photochemically induced fluorescence: analytical applications to natural waters. *Anal Bioanal Chem* 394: 1089-1098. <http://dx.doi.org/10.1007/s00216-009-2611-5>.
- Mbunde, MV; Innocent, E; Mabiki, F; Andersson, PG. (2017). Ethnobotanical survey and toxicity evaluation of medicinal plants used for fungal remedy in the Southern Highlands of Tanzania. 6: 84-96. <http://dx.doi.org/10.5455/jice.20161222103956>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mcbride, OM; Joshi, NV; Robson, JM; Macgillivray, TJ; Gray, CD; Fletcher, AM; Dweck, MR; van Beek, EJ; Rudd, JH; Newby, DE; Semple, SI. (2016). Positron Emission Tomography and Magnetic Resonance Imaging of Cellular Inflammation in Patients with Abdominal Aortic Aneurysms. 51: 518-526. <http://dx.doi.org/10.1016/j.ejvs.2015.12.018>.
- Mccall, RL; Sirianni, RW. (2013). PLGA nanoparticles formed by single- or double-emulsion with vitamin E-TPGS. J Vis Exp51015. <http://dx.doi.org/10.3791/51015>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. J Pharmacol Exp Ther 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccusker, CE; Castellano, FN. (2015). Efficient Visible to Near-UV Photochemical Upconversion Sensitized by a Long Lifetime Cu(I) MLCT Complex. Inorg Chem 54: 6035-6042. <http://dx.doi.org/10.1021/acs.inorgchem.5b00907>.
- Mcdonald, JG; Smith, DD; Stiles, AR; Russell, DW. (2012). A comprehensive method for extraction and quantitative analysis of sterols and secosteroids from human plasma. J Lipid Res 53: 1399-1409. <http://dx.doi.org/10.1194/jlr.D022285>.
- Mcevoy, MD; Taylor, AG; Zavadzkas, JA; Mains, IM; Ford, RL; Stroud, RE; Jeffords, LB; Beck, CU; Reeves, ST; Spinale, FG. (2008). Aprotinin exerts differential and dose-dependent effects on myocardial contractility, oxidative stress, and cytokine release after ischemia-reperfusion. Ann Thorac Surg 86: 568-575. <http://dx.doi.org/10.1016/j.athoracsur.2008.04.025>.
- Mcgaw, LJ; Bagla, VP; Steenkamp, PA; Fouche, G; Olivier, J; Eloff, JN; Myer, MS. (2013). Antifungal and antibacterial activity and chemical composition of polar and non-polar extracts of *Athrixia phyllicoides* determined using bioautography and HPLC. BMC Complement Altern Med 13: 356. <http://dx.doi.org/10.1186/1472-6882-13-356>.
- Mcgill, SL; Gutierrez-Nibeyro, SD; Schaeffer, DJ; Hartman, SK; O'Brien, RT; Joslyn, SK. (2015). SALINE ARTHROGRAPHY OF THE DISTAL INTERPHALANGEAL JOINT FOR LOW-FIELD MAGNETIC RESONANCE IMAGING OF THE EQUINE PODOTROCHLEAR BURSA: FEASIBILITY STUDY. 56: 417-424. <http://dx.doi.org/10.1111/vru.12255>.
- Mcginley, EL; Fleming, GJ; Moran, GP. (2011). Development of a discriminatory biocompatibility testing model for non-precious dental casting alloys. Dent Mater 27: 1295-1306. <http://dx.doi.org/10.1016/j.dental.2011.09.013>.
- Mcgrath, TJ; Morrison, PD; Ball, AS; Clarke, BO. (2016). Selective pressurized liquid extraction of replacement and legacy brominated flame retardants from soil. J Chromatogr A 1458: 118-125. <http://dx.doi.org/10.1016/j.chroma.2016.06.021>.
- Mcguire, R; Wilson, MH; Nash, JJ; Fanwick, PE; Mcmillin, DR. (2008). Lewis acid and base sensing by platinum(II) polypyridines. Inorg Chem 47: 2946-2948. <http://dx.doi.org/10.1021/ic800220r>.
- Mcintosh, GJ; Russell, DK. (2013). Molecular Mechanisms in the Pyrolysis of Unsaturated Chlorinated Hydrocarbons: Formation of Benzene Rings. 2. Experimental and Kinetic Modeling Studies. J Phys Chem A 117: 4198-4213. <http://dx.doi.org/10.1021/jp3120385>.
- Mckean, DC; Craig, NC; Law, MM. (2008). Vibrational anharmonicity and harmonic force fields for dichloromethane from quantum-chemical calculations. J Phys Chem A 112: 10006-10016. <http://dx.doi.org/10.1021/jp803881c>.
- Mclennan, PL; Abeywardena, MY; Dallimore, JA; Raederstorff, D. (2012). Dietary fish oil preserves cardiac function in the hypertrophied rat heart. Br J Nutr 108: 645-654. <http://dx.doi.org/10.1017/S0007114511005915>.
- Mcleod, S; Crowe, K; Shahaeian, A. (2015). Intelligibility in Context Scale: Normative and Validation Data for English-Speaking Preschoolers. Lang Speech Hear Serv Sch 46: 266-276. [http://dx.doi.org/10.1044/2015\\_LSHSS-14-0120](http://dx.doi.org/10.1044/2015_LSHSS-14-0120).
- Mcpartland, TJ; Patil, RA; Malone, MF; Roberts, SC. (2012). Liquid-liquid extraction for recovery of paclitaxel from plant cell culture: solvent evaluation and use of extractants for partitioning and selectivity. Biotechnol Prog 28: 990-997. <http://dx.doi.org/10.1002/btpr.1562>.
- Mcwhinney, RD; Badali, K; Liggio, J; Li, SM; Abbatt, JP. (2013). Filterable redox cycling activity: a comparison between diesel exhaust particles and secondary organic aerosol constituents. Environ Sci Technol 47: 3362-3369. <http://dx.doi.org/10.1021/es304676x>.
- Meccia, G; Quintero, P; Rojas, LB; Usubillaga, A; Velasco, J; Diaz, T; Diaz, C; Velásquez, J; Toro, M. (2013). Chemical composition of the essential oil from the leaves of *Carapa guianensis* collected from Venezuelan Guayana and the antimicrobial activity of the oil and crude extracts. Natural Product Communications 8: 1641-1642.
- Mechri, B; Tekaya, M; Cheheb, H; Hammami, M. (2015). Determination of mannitol sorbitol and myo-inositol in olive tree roots and rhizospheric soil by gas chromatography and effect of severe drought conditions on their profiles. J Chromatogr Sci 53: 1631-1638. <http://dx.doi.org/10.1093/chromsci/bmv066>.
- Meda, NT; Lamien-Meda, A; Kiendrebeogo, M; Lamien, CE; Coulibaly, AY; Millogo-Rasolodimby, J; Nacoulma, OG. (2010). In vitro antioxidant, xanthine oxidase and acetylcholinesterase inhibitory activities of *Balanites aegyptiaca* (L.) Del. (Balanitaceae). Pak J Biol Sci 13: 362-368.
- Medeiros Barreto, H; Cerqueira Fontinele, F; Pereira de Oliveira, A; Arcanjo, DD; Cavalcanti Dos Santos, BH; de Abreu, AP; Douglas Melo Coutinho, H; Alves Carvalho da Silva, R; Oliveira de Sousa, T; Freire de Medeiros, M, d; Lopes Citó, AM; Dantas Lopes, JA. (2014). Phytochemical prospection and modulation of antibiotic activity in vitro by *Lippia organoides* H.B.K. in methicillin resistant *Staphylococcus aureus*. BioMed Res Int 2014: 305610. <http://dx.doi.org/10.1155/2014/305610>.
- Medeiros, PM; Simoneit, BR. (2008). Source profiles of organic compounds emitted upon combustion of green vegetation from temperate climate forests. Environ Sci Technol 42: 8310-8316. <http://dx.doi.org/10.1021/es801533b>.
- Medinskaia, K; Vakh, C; Aseeva, D; Andruch, V; Moskvina, L; Bulatov, A. (2016). A fully automated effervescence assisted dispersive liquid-liquid microextraction based on a stepwise injection system. Determination of antipyrine in saliva samples. Anal Chim Acta 902: 129-134. <http://dx.doi.org/10.1016/j.aca.2015.11.017>.
- Megerle, U; Selmaier, F; Lambert, C; Riedle, E; Lochbrunner, S. (2008). Symmetry-dependent solvation of donor-substituted triarylboranes. Phys Chem Chem Phys 10: 6245-6251. <http://dx.doi.org/10.1039/b806131a>.

## Human Health Hazard Literature Search Results

### Off Topic

- Megiatto, JD; Li, K; Schuster, DI; Palkar, A; Herranz, MÁ; Echegoyen, L; Abwandner, S; de Miguel, G; Guldi, DM. (2010). Convergent synthesis and photoinduced processes in multi-chromophoric rotaxanes. *J Phys Chem B* 114: 14408-14419. <http://dx.doi.org/10.1021/jp101154k>.
- Mehta, SK; Chaudhary, S; Bhasin, KK. (2008). Self-assembly of cetylpyridinium chloride in water-DMF binary mixtures: A spectroscopic and physicochemical approach. *J Colloid Interface Sci* 321: 426-433. <http://dx.doi.org/10.1016/j.jcis.2008.02.043>.
- Mei, L; Mochizuki, M; Hasegawa, N. (2012). Protective effect of Pycnogenol® on ovariectomy-induced bone loss in rats. 26: 153-155. <http://dx.doi.org/10.1002/ptr.3541>.
- Meira Quintao, NL; Rocha, LW; Silva, GF; Reichert, S; Claudino, VD; Lucinda-Silva, RM; Malheiros, A; De Souza, MM; Cechinel Filho, V; Belle Bresolin, TM; Machado, M; Wagner, TM; Meyre-Silva, C. (2014). Contribution of alpha,beta-Amyrenone to the Anti-Inflammatory and Antihypersensitivity Effects of *Aleurites moluccana* (L.) Willd. *BioMed Res Int* 2014: 636839. <http://dx.doi.org/10.1155/2014/636839>.
- Melis, N; Tauc, M; Coughon, M; Bendahhou, S; Giuliano, S; Rubera, I; Duranton, C. (2014). Revisiting CFTR inhibition: a comparative study of CFTRinh -172 and GlyH-101 inhibitors. *Br J Pharmacol* 171: 3716-3727. <http://dx.doi.org/10.1111/bph.12726>.
- Melis, V; Magbagbeolu, M; Rickard, JE; Horsley, D; Davidson, K; Harrington, KA; Goatman, K; Goatman, EA; Deiana, S; Close, SP; Zabke, C; Stamer, K; Dietze, S; Schwab, K; Storey, JM; Harrington, CR; Wischik, CM; Theuring, F; Riedel, G. (2015). Effects of oxidized and reduced forms of methylthionium in two transgenic mouse tauopathy models. *Behav Pharmacol* 26: 353-368. <http://dx.doi.org/10.1097/FBP.000000000000133>.
- Melka, AE; Makonnen, E; Debella, A; Fekadu, N; Geleta, B. (2016). Diuretic activity of the aqueous crude extract and solvent fractions of the leaves of *Thymus serrulatus* in mice. 8: 61-67. <http://dx.doi.org/10.2147/JEP.S121133>.
- Mellaerts, R; Jammaer, JA; Van Speybroeck, M; Chen, H; Van Humbeeck, J; Augustijns, P; Van den Mooter, G; Martens, JA. (2008). Physical state of poorly water soluble therapeutic molecules loaded into SBA-15 ordered mesoporous silica carriers: a case study with itraconazole and ibuprofen. *Langmuir* 24: 8651-8659. <http://dx.doi.org/10.1021/la801161g>.
- Mello, JC; Guimarães, NS; Gonzalez, MV; Paiva, JS; Prieto, T; Nascimento, OR; Rodrigues, T. (2012). Hydroxyl scavenging activity accounts for differential antioxidant protection of *Plantago major* against oxidative toxicity in isolated rat liver mitochondria. *J Pharm Pharmacol* 64: 1177-1187. <http://dx.doi.org/10.1111/j.2042-7158.2012.01496.x>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melwanki, MB; Chen, WS; Bai, HY; Lin, TY; Fuh, MR. (2009). Determination of 7-aminoflunitrazepam in urine by dispersive liquid-liquid microextraction with liquid chromatography-electrospray-tandem mass spectrometry. *Talanta* 78: 618-622. <http://dx.doi.org/10.1016/j.talanta.2008.12.021>.
- Memariani, T; Hosseini, T; Kamali, H; Mohammadi, A; Ghorbani, M; Shakeri, A; Spandidos, DA; Tsatsakis, AM; Shahsavand, S. (2016). Evaluation of the cytotoxic effects of *Cyperus longus* extract, fractions and its essential oil on the PC3 and MCF7 cancer cell lines. 11: 1353-1360. <http://dx.doi.org/10.3892/ol.2015.4050>.
- Men, J; Wang, R; Li, H; Li, X; Yang, S; Liu, H; Gao, B. (2017). Preparation of crosslinked poly (acryloyloxyethyltrimethyl ammonium chloride) microsphere and its adsorption and mechanism towards shikimic acid. *Mater Sci Eng C* 71: 167-175. <http://dx.doi.org/10.1016/j.msec.2016.09.076>.
- Mendes, FD; Chen, LS; Borges, A; Babadópulos, T; Ilha, JO; Alkharfy, KM; Mendes, GD; De Nucci, G. (2011). Ciprofibrate quantification in human plasma by high-performance liquid chromatography coupled with electrospray tandem mass spectrometry for pharmacokinetic studies. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 2361-2368. <http://dx.doi.org/10.1016/j.jchromb.2011.05.055>.
- Mendes, G; Gonçalves, VN; Souza-Fagundes, EM; Kohlhoff, M; Rosa, CA; Zani, CL; Cota, BB; Rosa, LH; Johann, S. (2016). Antifungal activity of extracts from Atacama Desert fungi against *Paracoccidioides brasiliensis* and identification of *Aspergillus felis* as a promising source of natural bioactive compounds. *Mem Inst Oswaldo Cruz* 111: 209-217. <http://dx.doi.org/10.1590/0074-02760150451>.
- Mendes, G; Oliveira, D, deM; Kohlhoff, M; Rosa, CA; Alves, TM, deA; Zani, CL; Rosa, LH; Johann, S; Cota, BB. (2016). Alkaloidal metabolites from *Aspergillus felis* and their activities against *Paracoccidioides brasiliensis*. *Phytochemistry Letters* 17: 28-35. <http://dx.doi.org/10.1016/j.phytol.2016.06.006>.
- Mendes, GD; Arruda, A; Chen, LS; de Almeida Magalhães, JC; Alkharfy, KM; De Nucci, G. (2012). Quantification of cyproheptadine in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry in a bioequivalence study. *Biomed Chromatogr* 26: 129-136. <http://dx.doi.org/10.1002/bmc.1618>.
- Mendoza-Cantú, A; Castorena-Torres, F; Bermudez, M; Martínez-Hernández, R; Ortega, A; Salinas, JE; Albores, A. (2004). Genotype and allele frequencies of polymorphic cytochromes P450 CYP1A2 and CYP2E1 in Mexicans. *Cell Biochem Funct* 22: 29-34. <http://dx.doi.org/10.1002/cbf.1049>.
- Meneguetti, MG; Auxiliadora-Martins, M; Nunes, AA. (2016). Cost-Effectiveness Analysis of Heat and Moisture Exchangers in Mechanically Ventilated Critically Ill Patients. 6: e32602. <http://dx.doi.org/10.5812/aapm.32602>.
- Menezes, MF; Barbosa, SP; De Andrade, CA; Menani, JV; De Paula, PM. (2011). Purinergic mechanisms of lateral parabrachial nucleus facilitate sodium depletion-induced NaCl intake. *Brain Res* 1372: 49-58. <http://dx.doi.org/10.1016/j.brainres.2010.11.075>.
- Meng, LG; Cai, P; Guo, Q; Xue, S. (2008). Cycloaddition of alkynyl ketones with N-tosylimines catalyzed by Bu3P and DMAP: synthesis of highly functionalized pyrrolidines and azetidines. *J Org Chem* 73: 8491-8496. <http://dx.doi.org/10.1021/jo801687v>.
- Meng, Q; Hou, M; Liu, H; Song, J; Han, B. (2017). Synthesis of ketones from biomass-derived feedstock. *Nature Communications* 8: 14190. <http://dx.doi.org/10.1038/ncomms14190>.

## Human Health Hazard Literature Search Results

### Off Topic

- Meng, X; Matson, JB; Edgar, KJ. (2014). Olefin cross-metathesis as a source of polysaccharide derivatives: cellulose  $\omega$ -carboxyalkanoates. *Biomacromolecules* 15: 177-187. <http://dx.doi.org/10.1021/bm401447v>.
- Meng, Y; Sun, S; Li, J; Nan, K; Lan, B; Jin, Y; Chen, H; Cheng, L. (2014). Sustained release of triamcinolone acetonide from an episcleral plaque of multilayered poly- $\epsilon$ -caprolactone matrix. *Acta Biomater* 10: 126-133. <http://dx.doi.org/10.1016/j.actbio.2013.09.022>.
- Mengesha, AE; Youan, BB. (2010). Anticancer activity and nutritional value of extracts of the seed of *Glinus lotoides*. *J Nutr Sci Vitaminol* 56: 311-318.
- Menghini, L; Epifano, F; Leporini, L; Pagiotti, R; Tirillini, B. (2008). Phytochemical investigation on leaf extract of *Cordia salicifolia* Cham. *J Med Food* 11: 193-194. <http://dx.doi.org/10.1089/jmf.2007.583>.
- Menikpurage, IP; Abeytunga, DT; Jacobsen, NE; Wijesundara, RL. (2009). An oxidized ergosterol from *Pleurotus cystidiosus* active against anthracnose causing *Colletotrichum gloeosporioides*. *Mycopathologia* 167: 155-162. <http://dx.doi.org/10.1007/s11046-008-9158-4>.
- Mennickent, S; Fierro, R; Vega, M; de Diego, M; Godoy, CG. (2009). Instrumental planar chromatographic method for determination of carbamazepine in human serum. *J Sep Sci* 32: 1454-1458. <http://dx.doi.org/10.1002/jssc.200800675>.
- Ment, D; Gindin, G; Rot, A; Soroker, V; Glazer, I; Barel, S; Samish, M. (2010). Novel technique for quantifying adhesion of *Metarhizium anisopliae* conidia to the tick cuticle. *Appl Environ Microbiol* 76: 3521-3528. <http://dx.doi.org/10.1128/AEM.02596-09>.
- Ment, D; Gindin, G; Soroker, V; Glazer, I; Rot, A; Samish, M. (2010). *Metarhizium anisopliae* conidial responses to lipids from tick cuticle and tick mammalian host surface. *J Invertebr Pathol* 103: 132-139. <http://dx.doi.org/10.1016/j.jip.2009.12.010>.
- Menzies, V; Lyon, DE; Elswick, RK; Montpetit, AJ; McCain, NL. (2013). Psychoneuroimmunological relationships in women with fibromyalgia. *Biol Res Nurs* 15: 219-225. <http://dx.doi.org/10.1177/1099800411424204>.
- Mereshchenko, AS; Olshin, PK; Karabaeva, KE; Panov, MS; Wilson, RM; Kochemirovsky, VA; Skripkin, MY; Tveryanovich, YS; Tarnovsky, AN. (2015). Mechanism of Formation of Copper(II) Chloro Complexes Revealed by Transient Absorption Spectroscopy and DFT/TDDFT Calculations. *J Phys Chem B* 119: 8754-8763. <http://dx.doi.org/10.1021/acs.jpcc.5b03889>.
- Merghoub, N; Benbacer, L; El Btaouri, H; Ait Benhassou, H; Terryn, C; Attaleb, M; Madoulet, C; Benjouad, A; El Mzibri, M; Morjani, H; Amzazi, S. (2011). In vitro antiproliferative effect and induction of apoptosis by *Retama monosperma* L. extract in human cervical cancer cells. *Cell Mol Biol (Noisy-le-grand)* 57 Suppl: OL1581-OL1591.
- Merghoub, N; El Btaouri, H; Benbacer, L; Gmouh, S; Trentesaux, C; Brassart, B; Terryn, C; Attaleb, M; Madoulet, C; Benjouad, A; Amzazi, S; El Mzibri, M; Morjani, H. (2016). *Inula Viscosa* Extracts Induces Telomere Shortening and Apoptosis in Cancer Cells and Overcome Drug Resistance. *Nutr Cancer* 68: 131-143. <http://dx.doi.org/10.1080/01635581.2016.1115105>.
- Merkel, PB; Luo, P; Dinnocenzo, JP; Farid, S. (2009). Accurate oxidation potentials of benzene and biphenyl derivatives via electron-transfer equilibria and transient kinetics. *J Org Chem* 74: 5163-5173. <http://dx.doi.org/10.1021/jo9011267>.
- Merlen, C; Farhat, N; Luo, X; Chatenet, D; Tadevosyan, A; Villeneuve, LR; Gillis, MA; Nattel, S; Thorin, E; Fournier, A; Allen, BG. (2013). Intracrine endothelin signaling evokes IP3-dependent increases in nucleoplasmic  $Ca^{2+}$  in adult cardiac myocytes. *J Mol Cell Cardiol* 62: 189-202. <http://dx.doi.org/10.1016/j.yjmcc.2013.05.021>.
- Metre, RK; Mohapatra, C; Sahoo, D; Chandrasekhar, V. (2014). Assembly of hexa- and trinuclear monoorganostannoxanes: hemi-labile nature of intramolecular N $\rightarrow$ Sn coordination in  $R_2SnCl_3$  ( $R = 2$ -phenylazophenyl). *Dalton Transactions (Online)* 43: 3364-3371. <http://dx.doi.org/10.1039/c3dt53050g>.
- Metuge, JA; Nyongbela, KD; Mbah, JA; Samje, M; Fotso, G; Babiaka, SB; Cho-Ngwa, F. (2014). Anti-Onchocerca activity and phytochemical analysis of an essential oil from *Cyperus articulatus* L. *BMC Complement Altern Med* 14: 223. <http://dx.doi.org/10.1186/1472-6882-14-223>.
- Meulenbeld, HJ; van Werkhoven, ED; Coenen, JLL, M; Creemers, GJ; Loosveld, OJL; de Jong, PC; ten Tije, AJ; Fossa, SD; Polee, M; Gerritsen, W; Dalesio, O; de Wit, R. (2012). Randomised phase II/III study of docetaxel with or without risnedronate in patients with metastatic Castration Resistant Prostate Cancer (CRPC), the Netherlands Prostate Study (NePro). *Eur J Cancer* 48: 2993-3000. <http://dx.doi.org/10.1016/j.ejca.2012.05.014>.
- Meyer, LV; Schönfeld, F; Zurawski, A; Mai, M; Feldmann, C; Müller-Buschbaum, K. (2015). A blue luminescent MOF as a rapid turn-off/turn-on detector for  $H_2O$ ,  $O_2$  and  $CH_2Cl_2$ , MeCN:  $\infty^3[Ce(Im)_3ImH] \cdot ImH$ . *Dalton Transactions (Online)* 44: 4070-4079. <http://dx.doi.org/10.1039/c4dt03578j>.
- Meyer, W; Seiler, TB; Schwarzbauer, J, an; Puettmann, W; Hollert, H; Achten, C. (2014). Polar polycyclic aromatic compounds from different coal types show varying mutagenic potential, EROD induction and bioavailability depending on coal rank. *Sci Total Environ* 494: 320-328. <http://dx.doi.org/10.1016/j.scitotenv.2014.06.140>.
- Meylan, C; McMaster, T; Cronin, J; Mohammad, NI; Rogers, C; Deklerk, M. (2009). Single-leg lateral, horizontal, and vertical jump assessment: reliability, interrelationships, and ability to predict sprint and change-of-direction performance. *J Strength Cond Res* 23: 1140-1147. <http://dx.doi.org/10.1519/JSC.0b013e318190f9c2>.
- Miao, C; Ye, C; Zhu, T; Lou, Z; Yuan, H; Zhu, N. (2014). Preparation of activated carbon from wet sludge by electrochemical- $NaClO$  activation. *Environ Technol* 35: 2685-2691. <http://dx.doi.org/10.1080/09593330.2014.918181>.
- Miao, P; Wang, B; Yu, Z; Zhao, J; Tang, Y. (2015). Ultrasensitive electrochemical detection of microRNA with star trigon structure and endonuclease mediated signal amplification. *63*: 365-370. <http://dx.doi.org/10.1016/j.bios.2014.07.075>.
- Michałowicz, J; Bukowska, B; Duda, W. (2008). The differences in phenolic content in rivers exposed and non-exposed to anthropogenic contamination. *Chemosphere* 71: 735-741. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.017>.
- Michener, JK. (2013). Experimental evolution recapitulating adaptation after horizontal gene transfer.
- Michener, JK. (2014). Experimental evolution recapitulating adaptation after horizontal gene transfer.

## Human Health Hazard Literature Search Results

### Off Topic

- Michener, JK. (2015). Experimental evolution recapitulating adaptation after horizontal gene transfer.
- Michener, JK; Camargo Neves, AA; Vuilleumier, S; Bringel, F; Marx, CJ. (2014). Effective use of a horizontally-transferred pathway for dichloromethane catabolism requires post-transfer refinement. *Elife* 3. <http://dx.doi.org/10.7554/eLife.04279>.
- Michener, JK; Vuilleumier, S; Bringel, F; Marx, CJ. (2014). Phylogeny poorly predicts the utility of a challenging horizontally transferred gene in *Methylobacterium* strains. *J Bacteriol* 196: 2101-2107. <http://dx.doi.org/10.1128/JB.00034-14>.
- Michener, JK; Vuilleumier, S; Bringel, F; Marx, CJ. (2016). Transfer of a Catabolic Pathway for Chloromethane in *Methylobacterium* Strains Highlights Different Limitations for Growth with Chloromethane or with Dichloromethane. *FMICB* 7: 1116. <http://dx.doi.org/10.3389/fmicb.2016.01116>.
- Michielin, EM; Salvador, AA; Riehl, CA; Smânia, A; Smânia, EF; Ferreira, SR. (2009). Chemical composition and antibacterial activity of *Cordia verbenacea* extracts obtained by different methods. *Bioresour Technol* 100: 6615-6623. <http://dx.doi.org/10.1016/j.biortech.2009.07.061>.
- Miclescu, AA; Svahn, M; Gordh, TE. (2015). Evaluation of the protein biomarkers and the analgesic response to systemic methylene blue in patients with refractory neuropathic pain: a double-blind, controlled study. *Journal of Pain Research* 8: 387-397. <http://dx.doi.org/10.2147/JPR.S84685>.
- Miguel Bianco, É; Martins Francisco, T; Basílio Pinheiro, C; Bagueira de Vasconcellos Azeredo, R; Laneuville Teixeira, V; Crespo Pereira, R. (2015). 4 $\alpha$ -Acetoxyamijidictyol - A New Antifeeding Dolastane Diterpene from the Brazilian Brown Alga *Canistrocarpus cervicornis*. 12: 1665-1677. <http://dx.doi.org/10.1002/cbdv.201400410>.
- Miguita, CH; Barbosa, C; Hamerski, L; Sarmiento, UC; Nascimento, JN; Garcez, WS; Garcez, FR. (2014). 3 $\beta$ -O-tigloylmeleanol from *Guarea kunthiana*: a new potential agent to control *Rhipicephalus (Boophilus) microplus*, a cattle tick of veterinary significance. *Molecules* 20: 111-126. <http://dx.doi.org/10.3390/molecules20010111>.
- Mihajilov-Krstev, TM; Denić, MS; Zlatković, BK; Stankov-Jovanović, VP; Mitić, VD; Stojanović, GS; Radulović, NS. (2015). Inferring the origin of rare fruit distillates from compositional data using multivariate statistical analyses and the identification of new flavour constituents. *J Sci Food Agric* 95: 1217-1235. <http://dx.doi.org/10.1002/jsfa.6810>.
- Mijuskovic, A, na; Kokic, AN; Dusic, ZO; Slavic, M; Spasic, MB; Blagojevic, D. (2015). Chloride channels mediate sodium sulphide-induced relaxation in rat uteri. *Br J Pharmacol* 172: 3671-3686. <http://dx.doi.org/10.1111/bph.13161>.
- Mika, A; Gołebowski, M; Szafranek, J; Rokicki, J; Stepnowski, P. (2010). Identification of lipids in the cuticle of the parasitic nematode *Anisakis simplex* and the somatic tissues of the Atlantic cod *Gadus morhua*. *Exp Parasitol* 124: 334-340. <http://dx.doi.org/10.1016/j.exppara.2009.11.013>.
- Mikail, HG; Karvouni, H; Kotsiou, A; Tesseromatis, C; Magiatis, P. (2015). New alkylresorcinols from a lipophilic extract of *Urginea indica* L. bulbs showing experimental trauma healing activity. *Fitoterapia* 101: 41-45. <http://dx.doi.org/10.1016/j.fitote.2014.12.008>.
- Miksys, S; Tyndale, RF. (2004). The unique regulation of brain cytochrome P450 2 (CYP2) family enzymes by drugs and genetics [Review]. *Drug Metab Rev* 36: 313-333. <http://dx.doi.org/10.1081/DMR-120034149>.
- Milano, G; Abruzzo, PM; Bolotta, A; Marini, M; Terraneo, L; Ravara, B; Gorza, L; Vitadello, M; Burattini, S; Curzi, D; Falcieri, E; von Segesser, LK; Samaja, M. (2013). Impact of the phosphatidylinositol 3-kinase signaling pathway on the cardioprotection induced by intermittent hypoxia. *PLoS ONE* 8: e76659. <http://dx.doi.org/10.1371/journal.pone.0076659>.
- Miller, A; Pietsch, B; Faccin, N; Schierle, J; Waysek, EH. (2008). Method for the determination of lycopene in supplements and raw material by reversed-phase liquid chromatography: single-laboratory validation. *J AOAC Int* 91: 1284-1297.
- Miller, L. (2012). Evaluation of non-traditional modifiers for analytical and preparative enantioseparations using supercritical fluid chromatography. *J Chromatogr A* 1256: 261-266. <http://dx.doi.org/10.1016/j.chroma.2012.07.079>.
- Miller, L. (2014). Use of dichloromethane for preparative supercritical fluid chromatographic enantioseparations. *J Chromatogr A* 1363: 323-330. <http://dx.doi.org/10.1016/j.chroma.2014.06.041>.
- Milz, B; Spangenberg, B. (2013). 2D-THIN LAYER CHROMATOGRAPHY (2D-TLC) FLASH TEST OF 17-ETHINYLESTRADIOL AND RELATED STEROIDS DETECTED BY FLUORESCENCE DENSITOMETRY. *Journal of Liquid Chromatography and Related Technologies* 36: 2378-2386. <http://dx.doi.org/10.1080/10826076.2013.790763>.
- Min, BK; Hyun, DG; Jeong, SY; Kim, YH; Ma, ES; Woo, MH. (2011). A new cytotoxic coumarin, 7-[(E)-3',7'-dimethyl-6'-oxo-2',7'-octadienyl] oxy coumarin, from the leaves of *Zanthoxylum schinifolium*. *Arch Pharm Res* 34: 723-726. <http://dx.doi.org/10.1007/s12272-011-0504-6>.
- Mioso, R; Marante, FJ; Laguna, IH. (2015). Chemical constituents of the fermentation broth of the marine-derived fungus *Penicillium roqueforti*. *Rev Iberoam Micol* 32: 147-152. <http://dx.doi.org/10.1016/j.riam.2014.01.004>.
- Miranda-Bermudez, E; Harp, BP; Barrows, JN. (2014). Qualitative identification of permitted and non-permitted color additives in cosmetics. *J AOAC Int* 97: 1039-1047.
- Miró Sabaté, C; Delalu, H. (2015). Synthesis and characterization of secondary nitrosamines from secondary amines using sodium nitrite and p-toluenesulfonic acid. *Chem Asian J* 10: 674-678. <http://dx.doi.org/10.1002/asia.201403182>.
- Mironov, VF; Dimukhametov, MN; Efimov, SV; Aminova, RM; Karataeva, FK, h; Krivolapov, DB; Mironova, EV; Klochkov, VV. (2016). Stereoselective PCO/POC-Rearrangement of P-C-Cage Phosphorane in the Reaction of 4,5-Dimethyl-2-(2-oxo-1,2-diphenyl)ethoxy-1,3,2-dioxaphospholane with Hexafluoroacetone. *J Org Chem* 81: 5837-5850. <http://dx.doi.org/10.1021/acs.joc.6b00356>.
- Mishra, MN; Kumar, S; Gupta, N; Kaur, S; Gupta, A; Tripathi, AK. (2011). An extracytoplasmic function sigma factor cotranscribed with its cognate anti-sigma factor confers tolerance to NaCl, ethanol and methylene blue in *Azospirillum brasilense* Sp7. 157: 988-999. <http://dx.doi.org/10.1099/mic.0.046672-0>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mishra, S; Pani, SR; Sahoo, S. (2014). Anti-nephrotoxic activity of some medicinal plants from tribal rich pockets of Odisha. *Pharmacognosy Res* 6: 210-217. <http://dx.doi.org/10.4103/0974-8490.132598>.
- Miskam, M; Abu Bakar, NK; Mohamad, S. (2014). Determination of polar aromatic amines using newly synthesized sol-gel titanium (IV) butoxide cyanopropyltriethoxysilane as solid phase extraction sorbent. *Talanta* 120: 450-455. <http://dx.doi.org/10.1016/j.talanta.2013.12.037>.
- Miskolczy, Z; Biczók, L. (2013). Effect of hydrogen bonding and complexation with metal ions on the fluorescence of luotonin A. *Photochem Photobiol Sci* 12: 936-943. <http://dx.doi.org/10.1039/c3pp50011j>.
- Misra, BB; Dey, S. (2012). Comparative phytochemical analysis and antibacterial efficacy of in vitro and in vivo extracts from East Indian sandalwood tree (*Santalum album* L.). *Lett Appl Microbiol* 55: 476-486. <http://dx.doi.org/10.1111/lam.12005>.
- Mito, T; Suzuki, T; Kobayashi, T; Zheng, X; Hayashi, Y; Shiraishi, A; Ohashi, Y. (2012). Effect of photodynamic therapy with methylene blue on Acanthamoeba in vitro. *Invest Ophthalmol Vis Sci* 53: 6305-6313. <http://dx.doi.org/10.1167/iovs.12-9828>.
- Mitra, A; Joshi, S; Arjun, C; Kulkarni, S; Rajan, R. (2014). *Limulus* ameobocyte lysate testing: adapting it for determination of bacterial endotoxin in <sup>99m</sup>Tc-labeled radiopharmaceuticals at a hospital radiopharmacy. *J Nucl Med Technol* 42: 278-282. <http://dx.doi.org/10.2967/jnmt.114.146779>.
- Mitra, J; Pal, K; Sarkar, S. (2013). Second order non-linear optical activity of arsenic and antimony dithiolene complexes. *Dalton Transactions (Online)* 42: 13905-13911. <http://dx.doi.org/10.1039/c3dt51585k>.
- Mittal, A; Malhotra, D; Jain, P; Kalia, A; Shunmugaperumal, T. (2016). Studies on Aspirin Crystals Generated by a Modified Vapor Diffusion Method. *AAPS PharmSciTech* 17: 988-994. <http://dx.doi.org/10.1208/s12249-015-0432-8>.
- Miura, H; Kanebako, M; Shirai, H; Nakao, H; Inagi, T; Terada, K. (2010). Enhancement of dissolution rate and oral absorption of a poorly water-soluble drug, K-832, by adsorption onto porous silica using supercritical carbon dioxide. 76: 215-221. <http://dx.doi.org/10.1016/j.ejpb.2010.06.016>.
- Miura, M; Inami, K; Yoshida, M; Yamaguchi, K; Mashino, T; Mochizuki, M. (2011). Isolation and structural identification of a direct-acting mutagen derived from N-nitroso-N-methylpentylamine and Fenton's reagent with copper ion. *Bioorg Med Chem* 19: 5693-5697. <http://dx.doi.org/10.1016/j.bmc.2011.07.012>.
- Miyake, K; Suzuki, A; Morita, C; Goto, M; Newman, DJ; O'Keefe, BR; Morris-Natschke, SL; Lee, KH; Nakagawa-Goto, K. (2016). Acetophenone Monomers from *Acronychia trifoliolata*. *J Nat Prod* 79: 2883-2889. <http://dx.doi.org/10.1021/acs.jnatprod.6b00645>.
- Miyake, Y; Kobayashi, T; Inaba, K; Watabe, I; Kasuya, N; Kameya, T. (2010). Comparison of observed and estimated concentrations of volatile organic compounds using a Gaussian dispersion model in the vicinity of factories: an estimation approach to determine annual average concentrations and human health risks. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 45: 527-533. <http://dx.doi.org/10.1080/10934521003594954>.
- Miyamoto, K; Sakai, Y; Goda, S; Ochiai, M. (2012). A catalytic version of hypervalent aryl- $\lambda$ 3-iodane-induced Hofmann rearrangement of primary carboxamides: iodobenzene as an organocatalyst and m-chloroperbenzoic acid as a terminal oxidant. *Chem Commun (Camb)* 48: 982-984. <http://dx.doi.org/10.1039/c2cc16360h>.
- Miyamoto, K; Yokota, Y; Suefuji, T; Yamaguchi, K; Ozawa, T; Ochiai, M. (2014). Reactivity of hydroxy- and aquo(hydroxy)- $\lambda$ 3-iodane-crown ether complexes. *Chemistry* 20: 5447-5453. <http://dx.doi.org/10.1002/chem.201304961>.
- Miyan, L, al; Khan, IM; Ahmad, A. (2015). Synthesis, and spectroscopic studies of charge transfer complex of 1,2-dimethylimidazole as an electron donor with pi-acceptor 2,4-dinitro-1-naphthol in different polar solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 146: 240-248. <http://dx.doi.org/10.1016/j.saa.2015.02.060>.
- Mizuno, M; Yamada, A; Fukunaga, K; Kojima, H. (2015). Far-infrared spectroscopy of salt penetration into a collagen fiber scaffold. *Journal of Biological Physics* 41: 293-301. <http://dx.doi.org/10.1007/s10867-015-9379-y>.
- Mmushi, T; Masoko, P; Mdee, L; Mokgotho, M; Mampuru, L, j; Howard, R. (2009). Antimycobacterial evaluation of fifteen medicinal plants in South Africa. *African Journal of Traditional, Complementary and Alternative Medicines* 7: 34-39.
- Mo, Z; Shao, M, in; Lu, S; Qu, H; Zhou, M; Sun, J, in; Gou, B, in. (2015). Process-specific emission characteristics of volatile organic compounds (VOCs) from petrochemical facilities in the Yangtze River Delta, China. *Sci Total Environ* 533: 422-431. <http://dx.doi.org/10.1016/j.scitotenv.2015.06.089>.
- Moazedi, AA; Dabir, N; Naseri, MK; Zadkarami, MR. (2010). The role of NO and cGMP in antispasmodic activity of *Ruta chalepensis* leaf extract on rat ileum. *Pak J Biol Sci* 13: 83-87.
- Modelli, A; Jones, D. (2009). Empty level structure and dissociative electron attachment cross sections in bromo and chloro dihaloalkanes. *J Phys Chem A* 113: 7795-7801. <http://dx.doi.org/10.1021/jp903507j>.
- Moebus, K; Siepmann, J; Bodmeier, R. (2009). Alginate-ploxamer microparticles for controlled drug delivery to mucosal tissue. *Eur J Pharm Biopharm* 72: 42-53. <http://dx.doi.org/10.1016/j.ejpb.2008.12.004>.
- Moebus, K; Siepmann, J; Bodmeier, R. (2012). Novel preparation techniques for alginate-ploxamer microparticles controlling protein release on mucosal surfaces. *Eur J Pharm Sci* 45: 358-366. <http://dx.doi.org/10.1016/j.ejps.2011.12.004>.
- Mohamed, AA; Ali, SI; El-Baz, FK. (2013). Antioxidant and antibacterial activities of crude extracts and essential oils of *Syzygium cumini* leaves. *PLoS ONE* 8: e60269. <http://dx.doi.org/10.1371/journal.pone.0060269>.
- Mohamed, AE; Mohamed, NS; Hamed, AR; Hegazy, MF. (2016). Anti-inflammatory activity of highly oxygenated terpenoids from *Achillea biebersteinii* Afan. *Z Naturforsch C Biosci* 71: 429-432. <http://dx.doi.org/10.1515/znc-2016-0098>.
- Mohamed, KM; Steenkamp, V. (2016). Application of a LC-MS/MS method developed for the determination of p-phenylenediamine, N-acetyl-p-phenylenediamine and N,N-diacetyl-p-phenylenediamine in human urine specimens. *Biomed Chromatogr* 30: 1922-1927. <http://dx.doi.org/10.1002/bmc.3767>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mohammadi, A; Mansoori, B; Aghapour, M; Baradaran, B. (2016). *Urtica dioica* dichloromethane extract induce apoptosis from intrinsic pathway on human prostate cancer cells (PC3). *Cell Mol Biol (Noisy-le-grand)* 62: 78-83.
- Mohammadi, A; Mansoori, B; Aghapour, M; Baradaran, PC; Shajari, N; Davudian, S; Salehi, S; Baradaran, B. (2016). The Herbal Medicine *Urtica Dioica* Inhibits Proliferation of Colorectal Cancer Cell Line by Inducing Apoptosis and Arrest at the G2/M Phase. *J Gastrointest Cancer* 47: 187-195. <http://dx.doi.org/10.1007/s12029-016-9819-3>.
- Mohammadi, A; Mansoori, B; Aghapour, M; Shirjang, S; Nami, S; Baradaran, B. (2016). The *Urtica dioica* extract enhances sensitivity of paclitaxel drug to MDA-MB-468 breast cancer cells. *Biomed Pharmacother* 83: 835-842. <http://dx.doi.org/10.1016/j.biopha.2016.07.056>.
- Mohammadi, A; Mansoori, B; Goldar, S; Shanebandi, D; Khaze, V; Mohammadnejad, L; Baghbani, E; Baradaran, B. (2016). Effects of *Urtica dioica* dichloromethane extract on cell apoptosis and related gene expression in human breast cancer cell line (MDA-MB-468). *Cell Mol Biol (Noisy-le-grand)* 62: 62-67.
- Mohammed, MM; Christensen, LP; Colla, PL. (2014). Isolation and anti-HIV-1 activity of a new sesquiterpene lactone from *Calocephalus brownii* F. Muell. *Nat Prod Res* 28: 221-229. <http://dx.doi.org/10.1080/14786419.2012.755970>.
- Mohammed, MS; Khalid, HS; Muddathir, AE; El-Tahir, K; Khan, AA; Algadir, HA; Osman, WJ; Siddiqui, NA. (2015). Effect of some plants' extracts used in Sudanese folkloric medicines on carrageenan-induced inflammation. *Pak J Pharm Sci* 28: 159-165.
- Mohan, S; Abdul, AB; Abdelwahab, SI; Al-Zubairi, AS; Aspollah Sukari, M; Abdullah, R; Taha, MM; Beng, NK; Isa, NM. (2010). *Typhonium flagelliforme* inhibits the proliferation of murine leukemia WEHI-3 cells in vitro and induces apoptosis in vivo. *Leuk Res* 34: 1483-1492. <http://dx.doi.org/10.1016/j.leukres.2010.04.023>.
- Mohan, S; Bustamam, A; Ibrahim, S; Al-Zubairi, AS; Aspollah, M; Abdullah, R; Elhassan, MM. (2011). In Vitro Ultramorphological Assessment of Apoptosis on CEMss Induced by Linoleic Acid-Rich Fraction from *Typhonium flagelliforme* Tuber. *eCAM* 2011: 421894. <http://dx.doi.org/10.1093/ecam/neq010>.
- Mohd Abd Razak, MR; Afzan, A; Ali, R; Amir Jalaluddin, NF; Wasiman, MI; Shiekh Zahari, SH; Abdullah, NR; Ismail, Z. (2014). Effect of selected local medicinal plants on the asexual blood stage of chloroquine resistant *Plasmodium falciparum*. *BMC Complement Altern Med* 14: 492. <http://dx.doi.org/10.1186/1472-6882-14-492>.
- Mohn, T; Plitzko, I; Hamburger, M. (2009). A comprehensive metabolite profiling of *Isatis tinctoria* leaf extracts. *Phytochemistry* 70: 924-934. <http://dx.doi.org/10.1016/j.phytochem.2009.04.019>.
- Mohsen, SM; Ammar, ASM. (2009). Total phenolic contents and antioxidant activity of corn tassel extracts. *Food Chem* 112: 595-598. <http://dx.doi.org/10.1016/j.foodchem.2008.06.014>.
- Moirangthem, DS; Talukdar, NC; Bora, U; Kasoju, N; Das, RK. (2013). Differential effects of *Oroxylum indicum* bark extracts: antioxidant, antimicrobial, cytotoxic and apoptotic study. *Cytotechnology* 65: 83-95. <http://dx.doi.org/10.1007/s10616-012-9463-0>.
- Mojarrab, M; Delazar, A; Moghadam, SB; Nazemiyeh, H; Nahar, L; Kumarasamy, Y; Asnaashari, S; Hadjiakhoondi, A; Sarker, SD. (2011). Armenin and isoarmenin--two prenylated coumarins from the aerial parts of *Artemisia armeniaca*. 8: 2097-2103. <http://dx.doi.org/10.1002/cbdv.201000284>.
- Mojarrab, M; Jamshidi, M; Ahmadi, F; Alizadeh, E; Hosseinzadeh, L. (2013). Extracts of *Artemisia ciniformis* Protect Cytotoxicity Induced by Hydrogen Peroxide in H9c2 Cardiac Muscle Cells through the Inhibition of Reactive Oxygen Species. *Adv Pharmacol Sci* 2013: 141683. <http://dx.doi.org/10.1155/2013/141683>.
- Mojarrab, M; Lagzian, MS; Emami, SA; Asili, J; Tayarani-Najaran, Z. (2013). In vitro anti-proliferative and apoptotic activity of different fractions of *Artemisia armeniaca*. *Revista Brasileira de Farmacognosia* 23: 783-788.
- Mojarrab, M; Naderi, R; Heshmati Afshar, F. (2015). Screening of different extracts from *artemisia* species for their potential antimalarial activity. *Iranian Journal of Pharmaceutical Research* 14: 603-608.
- Mojarrab, M; Shiravand, A; Delazar, A; Heshmati Afshar, F. (2014). Evaluation of in vitro antimalarial activity of different extracts of *Artemisia aucheri* Boiss. and *A. armeniaca* Lam. and fractions of the most potent extracts. *ScientificWorldJournal* 2014: 825370. <http://dx.doi.org/10.1155/2014/825370>.
- Mok, H; Park, TG. (2008). Direct plasmid DNA encapsulation within PLGA nanospheres by single oil-in-water emulsion method. *Eur J Pharm Biopharm* 68: 105-111. <http://dx.doi.org/10.1016/j.ejpb.2007.04.022>.
- Mok, H; Park, TG. (2008). Water-free microencapsulation of proteins within PLGA microparticles by spray drying using PEG-assisted protein solubilization technique in organic solvent. *Eur J Pharm Biopharm* 70: 137-144. <http://dx.doi.org/10.1016/j.ejpb.2008.04.006>.
- Mokoka, TA; Mcgaw, LJ; Eloff, JN. (2010). Antifungal efficacy of ten selected South African plant species against *Cryptococcus neoformans*. *Pharmaceutical Biology* 48: 397-404. <http://dx.doi.org/10.3109/13880200903150393>.
- Mokoka, TA; Mcgaw, LJ; Mdee, LK; Bagla, VP; Iwalewa, EO; Eloff, JN. (2013). Antimicrobial activity and cytotoxicity of triterpenes isolated from leaves of *Maytenus undata* (Celastraceae). *BMC Complement Altern Med* 13: 111. <http://dx.doi.org/10.1186/1472-6882-13-111>.
- Mollinedo, P; Vila, JL; Arando, H; Sauvain, M; Deharo, E; Bravo, JA. (2015). Anti-infective assessment of *Senecio smithioides* (Asteraceae) and isolation of 9-oxoeryopsin, a furanoeremophilane-type sesquiterpene with antiplasmodial activity. *Nat Prod Res* 1-4. <http://dx.doi.org/10.1080/14786419.2015.1115994>.
- Molnárné Guricza, L; Schrader, W. (2015). Electrospray ionization for determination of non-polar polyaromatic hydrocarbons and polyaromatic heterocycles in heavy crude oil asphaltenes. *J Mass Spectrom* 50: 549-557. <http://dx.doi.org/10.1002/jms.3561>.
- Momeni, J; Djialeu Ntchatchoua, WP; Fadimatou, WP; Akam, MT; Ngassoum, MB. (2010). Antioxidant activities of some cameroonian plants extracts used in the treatment of intestinal and infectious diseases. *Indian J Pharmaceut Sci* 72: 140-144. <http://dx.doi.org/10.4103/0250-474X.62236>.

## Human Health Hazard Literature Search Results

### Off Topic

- Momtaz, S; Lall, N; Hussein, A; Ostad, SN; Abdollahi, M. (2010). Investigation of the possible biological activities of a poisonous South African plant; *Hyaenanche globosa* (Euphorbiaceae). *Pharmacognosy Magazine* 6: 34-41. <http://dx.doi.org/10.4103/0973-1296.59964>.
- Momtaz, S; Mapunya, BM; Houghton, PJ; Edgerly, C; Hussein, A; Naidoo, S; Lall, N. (2008). Tyrosinase inhibition by extracts and constituents of *Sideroxylon inerme* L. stem bark, used in South Africa for skin lightening. *J Ethnopharmacol* 119: 507-512. <http://dx.doi.org/10.1016/j.jep.2008.06.006>.
- Monção, NB; Araújo, BQ; Silva, J; Lima, DJ; Ferreira, PM; Airoidi, FP; Pessoa, C; Citó, AM. (2015). Assessing chemical constituents of *Mimosa caesalpiniiifolia* stem bark: possible bioactive components accountable for the cytotoxic effect of *M. caesalpiniiifolia* on human tumour cell lines. *Molecules* 20: 4204-4224. <http://dx.doi.org/10.3390/molecules20034204>.
- Mondal, KC; Samuel, PP; Tretiakov, M; Singh, AP; Roesky, HW; Stückl, AC; Niepötter, B; Carl, E; Wolf, H; Herbst-Irmer, R; Stalke, D. (2013). Easy access to silicon(0) and silicon(II) compounds. *Inorg Chem* 52: 4736-4743. <http://dx.doi.org/10.1021/ic400357p>.
- Mone, MK; Chandrasekhar, KB. (2011). Development of liquid chromatographic enantiomer separation methods and validation for the estimation of (R)-enantiomer in eslicarbazepine acetate. *J Pharm Biomed Anal* 54: 248-251. <http://dx.doi.org/10.1016/j.jpba.2010.08.015>.
- Monroe, KS. (2016). The relationship between assessment methods and self-directed learning readiness in medical education. 7: 75-80. <http://dx.doi.org/10.5116/ijme.56bd.b282>.
- Montazeri, N; Oliveira, AC; Himelbloom, BH; Leigh, MB; Crapo, CA. (2013). Chemical characterization of commercial liquid smoke products. 1: 102-115. <http://dx.doi.org/10.1002/fsn3.9>.
- Monteiro, CS; Miguel, OG; Eugênia, BM; Penteadó, PT; Haracemiv, SM. (2009). Extraction of lycopene from tomato sauce with mushrooms (*Agaricus brasiliensis*), determined by high-performance liquid chromatography. *Int J Food Sci Nutr* 60 Suppl 1: 72-78. <http://dx.doi.org/10.1080/09637480802090445>.
- Monteiro, FM; Ferreira, MM; Potiens, JR; Eberhardt, BG; Trinca, LA; Barros, CM. (2010). Influence of superovulatory protocols on in vitro production of Nellore (*Bos indicus*) embryos. *Reproduction in Domestic Animals* 45: 860-864. <http://dx.doi.org/10.1111/j.1439-0531.2009.01399.x>.
- Montes, A; Baldauf, E; Gordillo, MD; Pereyra, CM; Martínez de la Ossa, EJ. (2014). Polymer encapsulation of amoxicillin microparticles by SAS process. *J Microencapsul* 31: 16-22. <http://dx.doi.org/10.3109/02652048.2013.799242>.
- Mooibroek, TJ; Wenker, EC; Smit, W; Mutikainen, I; Lutz, M; Bouwman, E. (2013). Homogeneous Hydrogenation and Isomerization of 1-Octene Catalyzed by Nickel(II) Complexes with Bidentate Diarylphosphane Ligands. *Inorg Chem* 52: 8190-8201. <http://dx.doi.org/10.1021/ic400973t>.
- Moon, JK; Shibamoto, T. (2009). Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans. *J Agric Food Chem* 57: 5823-5831. <http://dx.doi.org/10.1021/jf901136e>.
- Moo-Puc, R; Robledo, D; Freile-Pelegrin, Y. (2011). Enhanced Antitumoral Activity of Extracts Derived from Cultured *Udotea flabellum* (Chlorophyta). *eCAM* 2011: 969275. <http://dx.doi.org/10.1155/2011/969275>.
- Moore, AD; Downs, ME; Lee, SM; Feiveson, AH; Knudsen, P; Ploutz-Snyder, L. (2014). Peak exercise oxygen uptake during and following long-duration spaceflight. *J Appl Physiol* 117: 231-238. <http://dx.doi.org/10.1152/jappphysiol.01251.2013>.
- Moore, AD; Lynn, PA; Feiveson, AH. (2015). The First 10 Years of Aerobic Exercise Responses to Long-Duration ISS Flights. 86: A78-A86. <http://dx.doi.org/10.3357/AMHP.EC10.2015>.
- Moore, RC; Viglione, DJ; Rosenfarb, IS; Patterson, TL; Mausbach, BT. (2013). Rorschach measures of cognition relate to everyday and social functioning in schizophrenia. *Psychol Assess* 25: 253-263. <http://dx.doi.org/10.1037/a0030546>.
- Mora-Diez, N; Keller, S; Alvarez-Idaboy, JR. (2009). The Baeyer-Villiger reaction: solvent effects on reaction mechanisms. *Org Biomol Chem* 7: 3682-3690. <http://dx.doi.org/10.1039/b906058h>.
- Moragas Solà, T; Lewis, W; Bettigeri, SV; Stockman, RA; Forbes, DC. (2010). (2S)-2-[(2S\*,5R\*,6R\*)-5,6-Dimethoxy-5,6-dimethyl-1,4-dioxan-2-yl]-1-[(S)-1,1-dimethyl-ethylsulfon-yl]aziridine. *Acta Crystallographica Section E: Structure Reports Online* 66: o3335. <http://dx.doi.org/10.1107/S1600536810048816>.
- Morais, MG; da Costa, GA; Aleixo, AA; de Oliveira, GT; Alves, LF; Duarte-Almeida, JM; Siqueira Ferreira, JM; Lima, LA. (2015). Antioxidant, antibacterial and cytotoxic potential of the ripe fruits of *Solanum lycocarpum* A. St. Hil. (Solanaceae). *Nat Prod Res* 29: 480-483. <http://dx.doi.org/10.1080/14786419.2014.951930>.
- Morais-Braga, MFB; Souza, TM; Santos, KKA; Guedes, GMM; Andrade, JC; Tintino, SR; Costa, JGM; Menezes, IRA; Saraiva, AAF; Coutinho, HDM. (2013). Antibacterial, antifungal and antimicrobial modulatory activities of fractions from *Lygodium venustum* SW. 12: 38-43.
- Morales, D; Puerto, M; del Río, I; Pérez, J; López, R. (2012). Interaction between anions and molybdenum allyl dicarbonyl complexes of 1,4,7-trithiacyclononane. *Chemistry* 18: 16186-16195. <http://dx.doi.org/10.1002/chem.201201327>.
- Morales, G; Paredes, A. (2014). Antioxidant activities of *Lampaya medicinalis* extracts and their main chemical constituents. *BMC Complement Altern Med* 14: 259. <http://dx.doi.org/10.1186/1472-6882-14-259>.
- Moran, J; Bekker, H; Latchford, G. (2008). Everyday use of patient-centred, motivational techniques in routine consultations between doctors and patients with diabetes. *Patient Educ Couns* 73: 224-231. <http://dx.doi.org/10.1016/j.pec.2008.07.006>.
- Morante-Zarcelero, S; del Hierro, I; Fajardo, M; Sierra, I. (2009). HPLC with polysaccharide chiral stationary phase in polar-organic phase mode: Application to the asymmetric epoxidation of allylic alcohols. *J Sep Sci* 32: 3055-3063. <http://dx.doi.org/10.1002/jssc.200900170>.
- More, AB; Mula, S; Thakare, S; Sekar, N; Ray, AK; Chattopadhyay, S. (2014). Masking and demasking strategies for the BF2-BODIPYs as a tool for BODIPY fluorophores. *J Org Chem* 79: 10981-10987. <http://dx.doi.org/10.1021/jo502028g>.



## Human Health Hazard Literature Search Results

### Off Topic

- Moreira, I; Scarminio, IS. (2013). Chemometric discrimination of genetically modified *Coffea arabica* cultivars using spectroscopic and chromatographic fingerprints. *Talanta* 107: 416-422. <http://dx.doi.org/10.1016/j.talanta.2013.01.053>.
- Moreira, ÍJA; Moreno, MPN; Fernandes, MFG; Fernandes, JB; Moreira, FV; Antonioli, ÂR; Santos, MRV. (2010). Vasorelaxant effect of *Hyptis fruticosa* Salzm. ex Benth., Lamiaceae, dichloromethane extract on rat mesenteric artery. *Revista Brasileira de Farmacognosia* 20: 762-765. <http://dx.doi.org/10.1590/S0102-695X2010005000003>.
- Moreira, L; Calbo, J; Aragó, J; Illescas, BM; Nierengarten, I; Delavaux-Nicot, B; Ortí, E; Martín, N; Nierengarten, JF. (2016). Conjugated Porphyrin Dimers: Cooperative Effects and Electronic Communication in Supramolecular Ensembles with C60. *J Am Chem Soc* 138: 15359-15367. <http://dx.doi.org/10.1021/jacs.6b07250>.
- Moreira, MR; Souza, AB; Moreira, MA; Bianchi, TC; Carneiro, LJ; Estrela, FT; dos Santos, RA; Januario, A, naH; Martins, CHG; Ambrosio, SR; Veneziani, RCS. (2013). RP-HPLC analysis of manool-rich *Salvia officinalis* extract and its antimicrobial activity against bacteria associated with dental caries. *Revista Brasileira de Farmacognosia* 23: 870-876.
- Moreira, PL; Lopez, P; Martin, J. (2008). Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (*Lacerta monticola*). *Acta Ethologica* 11: 26-33. <http://dx.doi.org/10.1007/s10211-007-0038-6>.
- Moreno, A; Pregosin, PS; Veiros, LF; Albinati, A; Rizzato, S. (2008). PGSE NMR diffusion overhauser studies on [Ru(Cp\*)(eta6-arene)]PF6, plus a variety of transition-metal, inorganic, and organic salts: an overview of ion pairing in dichloromethane [Review]. *Chemistry* 14: 5617-5629. <http://dx.doi.org/10.1002/chem.200800222>.
- Moreno, RA; Oliveira-Silva, D; Sverdlhoff, CE; Borges, BC; Rebelo Galvinas, PA; Astigarraga, RB; Borges, NC. (2010). Determination of chlorpheniramine in human plasma by HPLC-ESI-MS/MS: application to a dexchlorpheniramine comparative bioavailability study. *Biomed Chromatogr* 24: 774-781. <http://dx.doi.org/10.1002/bmc.1362>.
- Moreno-Anzúrez, NE; Marquina, S; Alvarez, L; Zamilpa, A; Castillo-España, P; Perea-Arango, I; Torres, PN; Herrera-Ruiz, M; Díaz García, ER; García, JT; Arellano-García, J. (2017). A Cytotoxic and Anti-inflammatory Campesterol Derivative from Genetically Transformed Hairy Roots of *Lopezia racemosa* Cav. (Onagraceae). *Molecules* 22. <http://dx.doi.org/10.3390/molecules22010118>.
- Moreno-Villoslada, I; Flores, ME; Marambio, OG; Pizarro, G; Nishide, H. (2010). Polyaromatic-anion behavior of different polyelectrolytes containing benzenecarboxylate units. *J Phys Chem B* 114: 7753-7759. <http://dx.doi.org/10.1021/jp101684w>.
- Moretton, C; Crétier, G; Nigay, H; Rocca, JL. (2011). Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). *J Agric Food Chem* 59: 3544-3550. <http://dx.doi.org/10.1021/jf104464f>.
- Morgan, B; Hansgen, R; Hawthorne, W; Miller, SL. (2015). Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *Journal of the Air and Waste Management Association* 65: 1127-1140. <http://dx.doi.org/10.1080/10962247.2015.1064833>.
- Morimoto, M; Cantrell, CL; Libous-Bailey, L; Duke, SO. (2009). Phytotoxicity of constituents of glandular trichomes and the leaf surface of camphorweed, *Heterotheca subaxillaris*. *Phytochemistry* 70: 69-74. <http://dx.doi.org/10.1016/j.phytochem.2008.09.026>.
- Morini, L; Vignali, C; Polla, M; Sponta, A; Groppi, A. (In Press) Comparison of extraction procedures for benzodiazepines determination in hair by LC-MS/MS. *Forensic Sci Int*. <http://dx.doi.org/10.1016/j.forsciint.2011.10.013>.
- Morini, L; Zucchella, A; Poletti, A; Politi, L; Groppi, A. (2010). Effect of bleaching on ethyl glucuronide in hair: An in vitro experiment. *Forensic Sci Int In Press, Corrected Proof*: 23-27. <http://dx.doi.org/10.1016/j.forsciint.2009.11.005>.
- Morita, MR; Berton, D; Boldin, R; Barros, FA; Meurer, EC; Amarante, AR; Campos, DR; Calafatti, SA; Pereira, R; Abib, E; Pedrazolli, J. (2008). Determination of levocetirizine in human plasma by liquid chromatography-electrospray tandem mass spectrometry: application to a bioequivalence study. *Journal of Chromatography B* 862: 132-139. <http://dx.doi.org/10.1016/j.jchromb.2007.11.028>.
- Moriyama, T; Kanmura, Y; Lindahl, SGE. (2016). Atrial natriuretic peptide attenuation of renal ischemia-reperfusion injury after major surgery. *J Surg Res* 201: 213-218. <http://dx.doi.org/10.1016/j.jss.2015.10.036>.
- Morozova, AA; Sumbatian, NV; Lezina, VP; Akparov, VK, h; Korshunova, GA; Gudasheva, TA. (2008). [Synthesis of cyclic analogues of the nerve growth factor loop 4]. *Bioorg Khim* 34: 617-629.
- Morozova, AA; Sumbatian, NV; Lezina, VP; Akparov, VK, h; Korshunova, GA; Gudasheva, TA. (2008). Synthesis of cyclic analogues of loop 4 of nerve growth factor. *Russian Journal of Bioorganic Chemistry* 34: 550-562. <http://dx.doi.org/10.1134/S106816200805004X>.
- Morrison, JA; Glueck, CJ; Umar, M; Daniels, S; Dolan, LM; Wang, P. (2011). Hyperinsulinemia and metabolic syndrome at mean age of 10 years in black and white schoolgirls and development of impaired fasting glucose and type 2 diabetes mellitus by mean age of 24 years. *Metabolism* 60: 24-31. <http://dx.doi.org/10.1016/j.metabol.2009.12.013>.
- Moshi, MJ; Innocent, E; Magadula, JJ; Otieno, DF; Weisheit, A; Mbabazi, PK; Nondo, RS. (2010). Brine shrimp toxicity of some plants used as traditional medicines in Kagera Region, north western Tanzania. *Tanzan J Health Res* 12: 63-67.
- Moshi, MJ; Innocent, E; Masimba, PJ; Otieno, DF; Weisheit, A; Mbabazi, P; Lynes, M; Meachem, K; Hamilton, A; Urassa, I. (2009). Antimicrobial and brine shrimp toxicity of some plants used in traditional medicine in Bukoba District, north-western Tanzania. *Tanzan J Health Res* 11: 23-28.
- Moshi, MJ; Nondo, RS; Haule, EE; Mahunnah, RL; Kidukuli, AW. (2014). Antimicrobial activity, acute toxicity and cytoprotective effect of *Crassocephalum vitellinum* (Benth.) S. Moore extract in a rat ethanol-HCl gastric ulcer model. *BMC Research Notes* 7: 91. <http://dx.doi.org/10.1186/1756-0500-7-91>.
- Mostardeiro, CP; Mostardeiro, MA; Morel, AF; Oliveira, RM; Machado, AK; Ledur, P; Cadoná, FC; da Silva, UF; Mânica da Cruz, IB. (2014). The *Pavonia xanthogloea* (Ekman, Malvaceae): Phenolic compounds quantification, anti-oxidant and cytotoxic effect on human lymphocytes cells. *Pharmacognosy Magazine* 10: S630-S638. <http://dx.doi.org/10.4103/0973-1296.139804>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mota, EF; Rosario, DM; Silva Veiga, AS; Barros Brasil, D; Silveira, FT; Dolabela, MF. (2016). Biological activities of *Croton palanostigma* Klotzsch. *Pharmacognosy Magazine* 12: S96-S101. <http://dx.doi.org/10.4103/0973-1296.176109>.
- Mota, EF; Rosario, DM; Silva Veiga, AS; Brasil, D; Silveira, FT; Dolabela, MF. (2015). Biological activities of *Croton palanostigma* Klotzsch. *Pharmacognosy Magazine* 11: 601-606. <http://dx.doi.org/10.4103/0973-1296.160449>.
- Motaez, M; Emami, SA; Tayarani-Najaran, Z. (2015). Growth inhibition and apoptosis induction of *Scutellaria luteo-coerulea* Bornm. & Sint. on leukemia cancer cell lines K562 and HL-60. *Avicenna Journal of Phytomedicine* 5: 553-559.
- Motta, LB; Furlan, CM; Santos, DYA, C; Salatino, MLF; Duarte-Almeida, JM; Negri, G; de Carvalho, JE; Ruiz, ALT, G; Cordeiro, I; Salatino, A. (2011). Constituents and antiproliferative activity of extracts from leaves of *Croton macrobothrys*. *Revista Brasileira de Farmacognosia* 21: 972-977. <http://dx.doi.org/10.1590/S0102-695X2011005000174>.
- Moujir, L; Seca, AM; Silva, AM; Barreto, MC. (2008). Cytotoxic activity of diterpenes and extracts of *Juniperus brevifolia*. *Planta Med* 74: 751-753. <http://dx.doi.org/10.1055/s-2008-1074529>.
- Moukas, A; Thomaidis, NS; Calokerinos, AC. (2014). Determination of polychlorinated biphenyls by liquid chromatography-atmospheric pressure photoionization-mass spectrometry. *J Mass Spectrom* 49: 1096-1107. <http://dx.doi.org/10.1002/jms.3427>.
- Moura de Carvalho Vicentini, FT; Georgetti, SR; Lopes Badra Bentley, MV; Vieira Fonseca, MJ. (2009). Assessment of in vitro methodologies to determine topical and transdermal delivery of the flavonoid quercetin. *B J P S Brazilian Journal of Pharmaceutical Sciences* 45: 357-364.
- Mousavi, SH; Motaez, M; Zamiri-Akhlaghi, A; Emami, SA; Tayarani-Najaran, Z. (2014). In-vitro Evaluation of Cytotoxic and Apoptogenic Properties of *Sophora Pachycarpa*. *Iranian Journal of Pharmaceutical Research* 13: 665-673.
- Mousnier, L; Huang, N; Morvan, E; Fattal, E; Tsapis, N. (2014). Influence of polymer end-chemistry on the morphology of perfluorohexane polymeric microcapsules intended as ultrasound contrast agents. *Int J Pharm* 471: 10-17. <http://dx.doi.org/10.1016/j.ijpharm.2014.05.012>.
- Moustafa, AM; Khodair, AI; Saleh, MA. (2011). Potato disc bioassay and cytotoxic effect of *Leptadenia pyrotechnica*: comparative study of diverse extracts. *Pak J Biol Sci* 14: 882-886.
- Movahhedini, N; Barar, J; Fathi Azad, F; Barzegari, A; Nazemiyeh, H. (2014). Phytochemistry and biologic activities of *caulerpa peltata* native to oman sea. *Iranian Journal of Pharmaceutical Research* 13: 515-521.
- Moyo, M; Ndhlala, AR; Finnie, JF; Van Staden, J. (2010). Phenolic composition, antioxidant and acetylcholinesterase inhibitory activities of *Sclerocarya birrea* and *Harpephyllum caffrum* (Anacardiaceae) extracts. *Food Chem* 123: 69-76. <http://dx.doi.org/10.1016/j.foodchem.2010.03.130>.
- Mphahlele, MJ; Paumo, HK; Rhyman, L; Ramasami, P. (2015). Synthesis and Photophysical Properties of Polycarbo-Substituted Quinazolines Derived from the 2-Aryl-4-chloro-6-iodoquinazolines. *Molecules* 20: 14656-14683. <http://dx.doi.org/10.3390/molecules200814656>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Muehlgassner, G; Bartel, C; Schmid, WF; Jakupec, MA; Arion, VB; Keppler, BK. (2012). Biological activity of ruthenium and osmium arene complexes with modified paullones in human cancer cells. *J Inorg Biochem* 116: 180-187. <http://dx.doi.org/10.1016/j.jinorgbio.2012.06.003>.
- Mueller, C; Ullmann, K; Wilkens, A; Winterhalter, P; Toyokuni, S; Steinberg, P. (2009). Potent Antioxidative Activity of Vineatrol (R) 30 Grapevine-shoot Extract. *Biosci Biotechnol Biochem* 73: 1831-1836. <http://dx.doi.org/10.1271/bbb.90213>.
- Mueller, D; Davis, RA; Duffy, S; Avery, VM; Camp, D; Quinn, RJ. (2009). Antimalarial activity of azafluorenone alkaloids from the Australian tree *Mitrephora diversifolia*. *J Nat Prod* 72: 1538-1540. <http://dx.doi.org/10.1021/np900247f>.
- Muganga, R; Angenot, L; Tits, M; Frédérick, M. (2010). Antiplasmodial and cytotoxic activities of Rwandan medicinal plants used in the treatment of malaria. *J Ethnopharmacol* 128: 52-57. <http://dx.doi.org/10.1016/j.jep.2009.12.023>.
- Muganga, R; Angenot, L; Tits, M; Frédérick, M. (2014). In vitro and in vivo antiplasmodial activity of three Rwandan medicinal plants and identification of their active compounds. *Planta Med* 80: 482-489. <http://dx.doi.org/10.1055/s-0034-1368322>.
- Mukherjee, A; Lloret, F; Mukherjee, R. (2008). Synthesis and properties of diphenoxo-bridged Co-II, Ni-II, Cu-II, and Zn-II complexes of a new tripodal ligand: Generation and properties of M-II-coordinated phenoxy radical species. *Inorg Chem* 47: 4471-4480. <http://dx.doi.org/10.1021/ic701283b>.
- Mukhopadhyay, HK; Das, SK; Bhowmik, M; Ray, S; Rajabalaya, R; Ghosh, L; Gupta, BK. (2014). PREPARATION AND CHARACTERIZATION OF POLYMETHACRYLATE-BASED MATRIX MICROSPHERES OF CARBAMAZEPINE USING SOLVENT EVAPORATION METHOD. 62: 137-158.
- Mukhopadhyay, S; Pandey, R; Das, PK; Ramasesha, S. (2011). Geometry and quadratic nonlinearity of charge transfer complexes in solution: a theoretical study. *J Chem Phys* 134: 044534. <http://dx.doi.org/10.1063/1.3526748>.
- Mukungu, N; Abuga, K; Okalebo, F; Ingwela, R; Mwangi, J. (2016). Medicinal plants used for management of malaria among the Luhya community of Kakamega East sub-County, Kenya. *J Ethnopharmacol* 194: 98-107. <http://dx.doi.org/10.1016/j.jep.2016.08.050>.
- Mukuta, T; Simpson, PV; Vaughan, JG; Skelton, BW; Stagni, S; Massi, M; Koike, K; Ishitani, O; Onda, K. (2017). Photochemical Processes in a Rhenium(II) Tricarbonyl N-Heterocyclic Carbene Complex Studied by Time-Resolved Measurements. *Inorg Chem*. <http://dx.doi.org/10.1021/acs.inorgchem.6b02936>.
- Mulabagal, V; Calderon, AI. (2012). Liquid chromatography/mass spectrometry based fingerprinting analysis and mass profiling of *Euterpe oleracea* (acai) dietary supplement raw materials. *Food Chem* 134: 1156-1164. <http://dx.doi.org/10.1016/j.foodchem.2012.02.123>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mulaudzi, RB; Ndhkala, AR; Kulkarni, MG; Finnie, JF; Van Staden, J. (2011). Antimicrobial properties and phenolic contents of medicinal plants used by the Venda people for conditions related to venereal diseases. *J Ethnopharmacol* 135: 330-337. <http://dx.doi.org/10.1016/j.jep.2011.03.022>.
- Mulaudzi, RB; Ndhkala, AR; Kulkarni, MG; Van Staden, J. (2012). Pharmacological properties and protein binding capacity of phenolic extracts of some Venda medicinal plants used against cough and fever. *J Ethnopharmacol* 143: 185-193. <http://dx.doi.org/10.1016/j.jep.2012.06.022>.
- Muller, A; Otto, S. (2011). trans-Carbonylchloridobis(ferrocenyldiphenylphosphane-κP)rhodium(I) dichloromethane monosolvate and trans-carbonylchloridobis(ferrocenyldiphenylphosphane-κP)iridium(I) dichloromethane monosolvate. *Acta Crystallogr C* 67: m165-m168. <http://dx.doi.org/10.1107/S0108270111014107>.
- Müller, C; Ullmann, K; Steinberg, P. (2011). The grapevine-shoot extract Vineatrol30 inhibits the chemically induced malignant transformation of BALB/c-3T3 cells. *J Med Food* 14: 34-39. <http://dx.doi.org/10.1089/jmf.2010.0022>.
- Muller, EE; Bringel, F; Vuilleumier, S. (2011). Dichloromethane-degrading bacteria in the genomic age. *Res Microbiol* 162: 869-876. <http://dx.doi.org/10.1016/j.resmic.2011.01.008>.
- Muller, EE; Hourcade, E; Louhichi-Jelail, Y; Hammann, P; Vuilleumier, S; Bringel, F. (2011). Functional genomics of dichloromethane utilization in *Methylobacterium extorquens* DM4. *Environ Microbiol* 13: 2518-2535. <http://dx.doi.org/10.1111/j.1462-2920.2011.02524.x>.
- Müller, T; Scherließ, R; Schiewe, J; Smal, R; Weiler, C; Steckel, H. (2015). Applicability of the one-step DVS method for the determination of amorphous amounts for further different hydrophilic and hydrophobic drugs. *Eur J Pharm Biopharm* 94: 333-341. <http://dx.doi.org/10.1016/j.ejpb.2015.06.004>.
- Mumford, TV; Van Iddekinge, CH; Morgeson, FP; Campion, MA. (2008). The team role test: development and validation of a team role knowledge situational judgment test. *J Appl Psychol* 93: 250-267. <http://dx.doi.org/10.1037/0021-9010.93.2.250>.
- Mungkornasawakul, P; Chaiyong, S; Sastraruji, T; Jatisatienr, A; Jatisatienr, C; Pyne, SG; Ung, AT; Korth, J; Lie, W. (2009). Alkaloids from the roots of *Stemona aphylla*. *J Nat Prod* 72: 848-851. <http://dx.doi.org/10.1021/np900030y>.
- Muñoz, O; Christen, P; Cretton, S; Backhouse, N; Torres, V; Correa, O; Costa, E; Miranda, H; Delporte, C. (2011). Chemical study and anti-inflammatory, analgesic and antioxidant activities of the leaves of *Aristolelia chilensis* (Mol.) Stuntz, Elaeocarpaceae. *J Pharm Pharmacol* 63: 849-859. <http://dx.doi.org/10.1111/j.2042-7158.2011.01280.x>.
- Muñoz-Losa, A; Fdez Galván, I; Aguilar, MA; Martín, ME. (2013). Simultaneous Solvent and Counterion Effects on the Absorption Properties of a Model of the Rhodopsin Chromophore. *Journal of Chemical Theory and Computation* 9: 1548-1556. <http://dx.doi.org/10.1021/ct301090v>.
- Murata, T; Yamauchi, K. (2008). 3,3',5'-Triiodo-L-thyronine-like activity in effluents from domestic sewage treatment plants detected by in vitro and in vivo bioassays. *Toxicol Appl Pharmacol* 226: 309-317. <http://dx.doi.org/10.1016/j.taap.2007.09.003>.
- Muratsugu, S; Kishida, MA; Sakamoto, R; Nishihara, H. (2013). Comparative study of photochromic ferrocene-conjugated dimethyldihydropyrene derivatives. *Chemistry* 19: 17314-17327. <http://dx.doi.org/10.1002/chem.201303456>.
- Murillo Pulgarin, JA; Garcia Bermejo, LF; Sanchez-Ferrer Robles, I; Becedas Rodriguez, S. (2012). Simultaneous Determination of Plant Growth Regulators 1-Naphthylacetic Acid and 2-Naphthoxyacetic Acid in Fruit and Vegetable Samples by Room Temperature Phosphorescence. *Phytochem Anal* 23: 214-221. <http://dx.doi.org/10.1002/pca.1345>.
- Murphy, DJ; Amssoms, K; Pille, G; Clarke, A; O'Hara, M; van Roey, J; Malcolm, RK. (2016). Sustained release of the candidate antiretroviral peptides T-1249 and JNJ54310516-AFP from a rod insert vaginal ring. *6*: 234-242. <http://dx.doi.org/10.1007/s13346-015-0273-8>.
- Murthy, RK; Ravi, K; Balaiya, S; Brar, VS; Chalam, KV. (2014). Lutein protects retinal pigment epithelium from cytotoxic oxidative stress. *Cutan Ocul Toxicol* 33: 132-137. <http://dx.doi.org/10.3109/15569527.2013.812108>.
- Musah, RA; Vuong, AL; Henck, C; Shepard, JR. (2012). Detection of the spermicide nonoxynol-9 via GC-MS. *23*: 996-999. <http://dx.doi.org/10.1007/s13361-012-0353-7>.
- Musharraf, SG; Shoab, M; Kumar, D; Najam-Ul-Haq, M. (2012). Validated TLC-densitometry method for the simultaneous analysis of pyrethroid insecticides in agricultural and domestic products. *Chemistry Central Journal* 6: 93. <http://dx.doi.org/10.1186/1752-153X-6-93>.
- Mushrush, GW; Quintana, MA; Bauserman, JW; Willauer, HD. (2011). Post-refining removal of organic nitrogen compounds from diesel fuels to improve environmental quality. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 176-180. <http://dx.doi.org/10.1080/10934529.2011.532433>.
- Musman, M. (2010). Toxicity of *Barringtonia racemosa* (L.) Kernel Extract on *Pomacea canaliculata* (Ampullariidae). *21*: 41-50.
- Musuyu Muganza, D; Fruth, BI; Nzunzu Lami, J; Cos, P; Cimanga Kanyanga, R; Maes, L; Pieters, L. (2015). In vitro antiprotozoal activity and cytotoxicity of extracts and fractions from the leaves, root bark and stem bark of *Isolona hexaloba*. *J Ethnopharmacol* 174: 187-194. <http://dx.doi.org/10.1016/j.jep.2015.07.034>.
- Mutai, C; Bii, C; Vagias, C; Abatis, D; Roussis, V. (2009). Antimicrobial activity of *Acacia mellifera* extracts and lupane triterpenes. *J Ethnopharmacol* 123: 143-148. <http://dx.doi.org/10.1016/j.jep.2009.02.007>.
- Mutlu, E; Warren, SH; Matthews, PP; King, C; Walsh, L; Kligerman, AD; Schmid, JE; Janek, D; Kooter, IM; Linak, WP; Gilmour, MI; Demarini, DM. (2015). Health effects of soy-biodiesel emissions: mutagenicity-emission factors. *Inhal Toxicol* 27: 585-596. <http://dx.doi.org/10.3109/08958378.2015.1080771>.
- Mwangi, MT; Runge, MB; Hoak, KM; Schulz, MD; Bowden, NB. (2008). A materials approach to site-isolation of Grubbs catalysts from incompatible solvents and m-chloroperoxybenzoic acid. *Chemistry* 14: 6780-6788. <http://dx.doi.org/10.1002/chem.200800094>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mzik, M; Korabecny, J; Nepovimova, E; Voříšek, V; Palička, V; Kuca, K; Zdarova Karasova, J. (2016). An HPLC-MS method for the quantification of new acetylcholinesterase inhibitor PC 48 (7-MEOTA-donepezil like compound) in rat plasma: Application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 1020: 85-89. <http://dx.doi.org/10.1016/j.jchromb.2016.02.038>.
- Na, B; Nguyen, PH; Zhao, BT; Vo, QH; Min, BS; Woo, MH. (2016). Protein tyrosine phosphatase 1B (PTP1B) inhibitory activity and glucosidase inhibitory activity of compounds isolated from *Agrimonia pilosa*. *Pharmaceutical Biology* 54: 474-480. <http://dx.doi.org/10.3109/13880209.2015.1048372>.
- Na, G; Liu, C; Wang, Z; Ge, L; Ma, X; Yao, Z. (2011). Distribution and characteristic of PAHs in snow of Fildes Peninsula. *J Environ Sci* 23: 1445-1451. [http://dx.doi.org/10.1016/S1001-0742\(10\)60605-5](http://dx.doi.org/10.1016/S1001-0742(10)60605-5).
- Nader, M; Vicente, G; da Rosa, JS; Lima, TC; Barbosa, AM; Santos, AD; Barison, A; Dalmarco, EM; Biavatti, MW; Fröde, TS. (2014). *Jungia sellowii* suppresses the carrageenan-induced inflammatory response in the mouse model of pleurisy. *Inflammopharmacology* 22: 351-365. <http://dx.doi.org/10.1007/s10787-014-0210-3>.
- Nafissi-Varcheh, N; Erfan, M; Aboofazeli, R. (2008). An approach to the design of a particulate system for oral protein delivery. I. In vitro stability of various poly (alpha-hydroxy acids)-microspheres in simulated gastrointestinal fluids. *J Microencapsul* 25: 584-592. <http://dx.doi.org/10.1080/02652040802485485>.
- Nag, S; Qin, JJ; Patil, S; Deokar, H; Buolamwini, JK; Wang, W; Zhang, R. (2014). A quantitative LC-MS/MS method for determination of SP-141, a novel pyrido[b]indole anticancer agent, and its application to a mouse PK study. *J Chromatogr B Analyt Technol Biomed Life Sci* 969: 235-240. <http://dx.doi.org/10.1016/j.jchromb.2014.08.030>.
- Nagamatsu, K; Kudo, K; Usumoto, Y; Tsuji, A; Nishi, H; Ikeda, N. (2012). Rapid screening of 18 nonsteroidal anti-inflammatory drugs (NSAIDs) using novel NAGINATA (TM) gas chromatography-mass spectrometry software. *Forensic Toxicology* 30: 11-18. <http://dx.doi.org/10.1007/s11419-011-0121-6>.
- Nagamatsu, LS; Hsu, CL; Davis, JC; Best, JR; Liu-Ambrose, T. (2016). White Matter Volume Mediates the Relationship Between Self-Efficacy and Mobility in Older Women. *Exp Aging Res* 42: 460-470. <http://dx.doi.org/10.1080/0361073X.2016.1224657>.
- Nagraj, N; Slocik, JM; Phillips, DM; Kelley-Loughnane, N; Naik, RR; Potyrailo, RA. (2013). Selective sensing of vapors of similar dielectric constants using peptide-capped gold nanoparticles on individual multivariable transducers. *Analyst* 138: 4334-4339. <http://dx.doi.org/10.1039/c3an00088e>.
- Naguib, IA; Abdelkawy, M. (2010). Development and validation of stability indicating HPLC and HPTLC methods for determination of sulphuride and mebeverine hydrochloride in combination. *Eur J Med Chem* 45: 3719-3725. <http://dx.doi.org/10.1016/j.ejmech.2010.05.021>.
- Nagy, PI. (2015). Theoretical in-Solution Conformational/Tautomeric Analyses for Chain Systems with Conjugated Double Bonds Involving Nitrogen(s). *International Journal of Molecular Sciences* 16: 10767-10796. <http://dx.doi.org/10.3390/ijms160510767>.
- Nagy, PI. (2016). Replacement of Oxygen by Sulfur in Small Organic Molecules. 3. Theoretical Studies on the Tautomeric Equilibria of the 2OH and 4OH-Substituted Oxazole and Thiazole and the 3OH and 4OH-Substituted Isoxazole and Isothiazole in the Isolated State and in Solution. *International Journal of Molecular Sciences* 17. <http://dx.doi.org/10.3390/ijms17071094>.
- Nagy, PI; Messer, WS. (2011). Theoretical studies of the in-solution isomeric protonation of non-aromatic six-member rings with two nitrogens. *J Phys Chem B* 115: 4758-4767. <http://dx.doi.org/10.1021/jp202241m>.
- Nagy, V; Czifrák, K; Bényei, A; Somsák, L. (2009). Synthesis of some O-, S- and N-glycosides of hept-2-uloopyranosonamides. *Carbohydr Res* 344: 921-927. <http://dx.doi.org/10.1016/j.carres.2009.02.011>.
- Nahar, L; Sarker, SD. (2012). Supercritical fluid extraction in natural products analyses. *Methods Mol Biol* 864: 43-74. [http://dx.doi.org/10.1007/978-1-61779-624-1\\_3](http://dx.doi.org/10.1007/978-1-61779-624-1_3).
- Naidoo, D; van Vuuren, SF; van Zyl, RL; de Wet, H. (2013). Plants traditionally used individually and in combination to treat sexually transmitted infections in northern Maputaland, South Africa: antimicrobial activity and cytotoxicity. *J Ethnopharmacol* 149: 656-667. <http://dx.doi.org/10.1016/j.jep.2013.07.018>.
- Nair, JJ; van Staden, J. (2013). Pharmacological and toxicological insights to the South African Amaryllidaceae [Review]. *Food Chem Toxicol* 62: 262-275. <http://dx.doi.org/10.1016/j.fct.2013.08.042>.
- Nairat, M; Lozovoy, VV; Dantus, M. (2016). Order of Magnitude Dissociative Ionization Enhancement Observed for Pulses with High Order Dispersion. *J Phys Chem A* 120: 8529-8536. <http://dx.doi.org/10.1021/acs.jpca.6b08659>.
- Najjaa, H; Zouari, S; Ammar, E; Neffati, M. (2011). PHYTOCHEMICAL SCREENING AND ANTIBACTERIAL PROPERTIES OF ALLIUM ROSEUM L., A WILD EDIBLE SPECIES IN NORTH AFRICA. *Journal of Food Biochemistry* 35: 699-714. <http://dx.doi.org/10.1111/j.1745-4514.2010.00411.x>.
- Nakamura, T; Iwanaga, K; Murata, T; Hori, M; Ozaki, H. (2011). ATP induces contraction mediated by the P2Y(2) receptor in rat intestinal subepithelial myofibroblasts. *Eur J Pharmacol* 657: 152-158. <http://dx.doi.org/10.1016/j.ejphar.2011.01.047>.
- Nakano, H; Schrader, KK; Mamonov, LK; Kustova, TS; Mursaliyeva, VK; Cantrell, CL. (2012). Isolation and identification of *Flavobacterium columnare* and *Streptococcus iniae* antibacterial compounds from the terrestrial plant *Atraphaxis laetevirens*. *J Agric Food Chem* 60: 10415-10419. <http://dx.doi.org/10.1021/jf304155n>.
- Nakonechny, F; Firer, MA; Nitzan, Y; Nisnevitch, M. (2010). Intracellular antimicrobial photodynamic therapy: a novel technique for efficient eradication of pathogenic bacteria. *Photochem Photobiol* 86: 1350-1355. <http://dx.doi.org/10.1111/j.1751-1097.2010.00804.x>.
- Naksen, W; Prapamontol, T; Mangklabruks, A; Chantara, S; Thavornuyutikarn, P; Robson, MG; Ryan, PB; Barr, DB; Panuwet, P. (2016). A single method for detecting 11 organophosphate pesticides in human plasma and breastmilk using GC-FPD. *J Chromatogr B Analyt Technol Biomed Life Sci* 1025: 92-104. <http://dx.doi.org/10.1016/j.jchromb.2016.04.045>.

## Human Health Hazard Literature Search Results

### Off Topic

- Nalbantsoy, A; Karis, M; Karakaya, L; Akgul, Y. (2016). Antioxidant, cytotoxic and iNOS activity of *Liquidambar orientalis* Mill. resin extracts. *Türk Biyokimya Dergisi* 41: 198-205. <http://dx.doi.org/10.1515/tjb-2016-0030>.
- Nalesso, A; Viel, G; Cecchetto, G; Frison, G; Ferrara, SD. (2010). Analysis of the alcohol biomarker phosphatidylethanol by NACE with on-line ESI-MS. *Electrophoresis* 31: 1227-1233. <http://dx.doi.org/10.1002/elps.200900430>.
- Nam, Y; Lee, D. (2014). Ameliorating effects of constituents from *Cortex Acanthopanax Radicis* on memory impairment in mice induced by scopolamine. 34: 57-62.
- Nambiar, AK; Younis, A; Khan, ZA; Hildrup, I; Emery, SJ; Lucas, MG. (2016). Alkalinized lidocaine versus lidocaine gel as local anesthesia prior to intra-vesical botulinum toxin (BoNTA) injections: A prospective, single center, randomized, double-blind, parallel group trial of efficacy and morbidity. *NeuroUrol Urodyn* 35: 522-527. <http://dx.doi.org/10.1002/nau.22750>.
- Nana, P; Asongalem, EA; Foyet, HS; Folefoc, GN; Dimo, T; Kamtchouing, P. (2008). Maternal and developmental toxicity evaluation of *Acanthus montanus* leaves extract administered orally to Wistar pregnant rats during organogenesis. *J Ethnopharmacol* 116: 228-233. <http://dx.doi.org/10.1016/j.jep.2007.11.021>.
- Nanyonga, SK; Opoku, AR; Lewu, FB; Oyediji, OO; Singh, M; Oyediji, AO. (2013). Antioxidant Activity and Cytotoxicity of the Leaf and Bark Extracts of *Tarconanthus camphorates*. *Tropical Journal of Pharmaceutical Research* 12: 377-383. <http://dx.doi.org/10.4314/tjpr.v12i3.16>.
- Napagoda, M; Gerstmeier, J; Wesely, S; Popella, S; Lorenz, S; Scheubert, K; Svatoš, A; Werz, O. (2014). Inhibition of 5-lipoxygenase as anti-inflammatory mode of action of *Plectranthus zeylanicus* Benth and chemical characterization of ingredients by a mass spectrometric approach. *J Ethnopharmacol* 151: 800-809. <http://dx.doi.org/10.1016/j.jep.2013.11.004>.
- Naqvi, KR; Li, H; Melø, TB; Webster, RD. (2010). Spectroscopic characterization of neutral and cation radicals of  $\alpha$ -tocopherol and related molecules: a satisfactory denouement. *J Phys Chem A* 114: 10795-10802. <http://dx.doi.org/10.1021/jp106736x>.
- Nardin, RA; Fogerson, PM; Nie, R; Rutkove, SB. (2010). Foot temperature in healthy individuals: effects of ambient temperature and age. *J Am Podiatr Med Assoc* 100: 258-264.
- Nardone, G; Compare, D; Liguori, E; Di Mauro, V; Rocco, A; Barone, M; Napoli, A; Lapi, D; Iovene, MR; Colantuoni, A. (2010). Protective effects of *Lactobacillus paracasei* F19 in a rat model of oxidative and metabolic hepatic injury. *Am J Physiol Gastrointest Liver Physiol* 299: G669-G676. <http://dx.doi.org/10.1152/ajpgi.00188.2010>.
- Nascimento, EA; Chang, R; Morais, SAL; Pilo-Veloso, D; Reis, DC. (2008). An easily detectable chemical marker for the *Baccharis dracunculifolia* propolis. *Revista Brasileira de Farmacognosia* 18: 379-386.
- Nascimento, FG; Faqueti, A; Wilhelm, JF; Wittkowski, C; Tomczak, FD; Borges, SL; Yunes, RA; Franchi, GC, Jr; Nowill, AE; Cechinel Filho, V; Machado, M, daS; de Freitas, RA; Malheiros, A. (2014). Seasonal influence and cytotoxicity of extracts, fractions and major compounds from *Allamanda schottii*. *Revista Brasileira de Farmacognosia* 24: 545-552. <http://dx.doi.org/10.1016/j.bjp.2014.08.005>.
- Naseri, MK; Arabian, M; Badavi, M; Ahangarpour, A. (2008). Vasorelaxant and hypotensive effects of *Allium cepa* peel hydroalcoholic extract in rat. *Pak J Biol Sci* 11: 1569-1575.
- Nasrin, S; Masuda, E; Kugaya, H; Osano, A; Ito, Y; Yamada, S. (2014). Effects of Saw Palmetto Extract on Urodynamic Parameters, Bladder Muscarinic and Purinergic Receptors and Urinary Cytokines in Rats with Cyclophosphamide-Induced Cystitis. 6: 57-63. <http://dx.doi.org/10.1111/luts.12015>.
- Nasrullah, AA; Zahari, A; Mohamad, J; Awang, K. (2013). Antiplasmodial alkaloids from the bark of *Cryptocarya nigra* (Lauraceae). *Molecules* 18: 8009-8017. <http://dx.doi.org/10.3390/molecules18078009>.
- Nasveschuk, CG; Rovis, T. (2008). A diastereoselective ring contraction of 1,3-dioxepins to 2,3,4-trisubstituted and tetrasubstituted tetrahydrofurans. *J Org Chem* 73: 612-617. <http://dx.doi.org/10.1021/jo702071v>.
- Nath, B; Nath, LK; Mazumder, B; Kumar, P; Sharma, N; Sahu, BP. (2010). Preparation and Characterization of Salbutamol Sulphate Loaded Ethyl Cellulose Microspheres using Water-in-Oil-Oil Emulsion Technique. *Iranian Journal of Pharmaceutical Research* 9: 97-105.
- Nath, SD; Son, S; Sadiasa, A; Min, YK; Lee, BT. (2013). Preparation and characterization of PLGA microspheres by the electrospraying method for delivering simvastatin for bone regeneration. *Int J Pharm* 443: 87-94. <http://dx.doi.org/10.1016/j.ijpharm.2012.12.037>.
- Navarro-Garcia, VM; Alvarez-Fitz, P; Rodriguez-Flores, TA; Salinas-Sanchez, DO. (2015). Antibacterial Activity of Some Compounds Isolated from *Aristolochia brevipes* and One Derivative of 9-methoxytariacuripyronone, Against Multiresistant Methicillin-Susceptible *Staphylococcus aureus* (MR-MSSA). *International Journal of Pharmacology* 11: 62-66. <http://dx.doi.org/10.3923/ijp.2015.62.66>.
- Navarro-García, VM; Luna-Herrera, J; Rojas-Bribiesca, MG; Álvarez-Fitz, P; Ríos, MY. (2011). Antibacterial activity of *Aristolochia brevipes* against multidrug-resistant *Mycobacterium tuberculosis*. *Molecules* 16: 7357-7364. <http://dx.doi.org/10.3390/molecules16097357>.
- Nayar, S; Nayar, PG; Cherian, K. (2008). Angiosarcoma presenting as syncope. *Asian Cardiovasc Thorac Ann* 16: 154-156. <http://dx.doi.org/10.1177/021849230801600216>.
- Nayeem, A; Elkhodair, S; Jaiganesh, T. (2010). Barbicidal overdose. *International Journal of Emergency Medicine (Online)* 3: 465-468. <http://dx.doi.org/10.1007/s12245-010-0250-4>.
- Nayek, HP; Niedermeyer, H; Dehen, S. (2009). Synthesis and properties of the tetranuclear palladium chalcogenolato-acetato complex [Pd(SePh)(OOCCH<sub>3</sub>)<sub>4</sub> with Pd-Pd bonding: an experimental and theoretical study. *Dalton Trans* 4208-4212. <http://dx.doi.org/10.1039/b901126a>.
- Naz, T; Packer, J; Yin, P; Brophy, JJ; Wohlmuth, H; Renshaw, DE; Smith, J; Elders, YC; Vemulapad, SR; Jamie, JF. (2015). Bioactivity and chemical characterisation of *Lophostemon suaveolens* - an endemic Australian Aboriginal traditional medicinal plant. *Nat Prod Res* 30: 1-4. <http://dx.doi.org/10.1080/14786419.2015.1038260>.

## Human Health Hazard Literature Search Results

### Off Topic

- Nazato, VS; Rubem-Mauro, L; Vieira, NA; Rocha-Junior, D; Silva, MG; Lopes, PS; Dal-Belo, CA; Cogo, JC; dos Santos, MG; da Cruz-Höfling, MA; Oshima-Franco, Y. (2010). In vitro antiophidian properties of *Dipteryx alata* Vogel bark extracts. *Molecules* 15: 5956-5970. <http://dx.doi.org/10.3390/molecules15095956>.
- Nchu, F; Magano, SR; Eloff, JN. (2016). Repellent activities of dichloromethane extract of *Allium sativum* (garlic) (Liliaceae) against *Hyalomma rufipes* (Acari). 87: e1-e5. <http://dx.doi.org/10.4102/jsava.v87i1.1356>.
- Nciki, S; Vuuren, S; van Eyk, A; de Wet, H. (2016). Plants used to treat skin diseases in northern Maputaland, South Africa: antimicrobial activity and in vitro permeability studies. *Pharmaceutical Biology* 54: 2420-2436. <http://dx.doi.org/10.3109/13880209.2016.1158287>.
- Ncube, B; Ngunge, VN; Finnie, JF; Van Staden, J. (2011). A comparative study of the antimicrobial and phytochemical properties between outdoor grown and micropropagated *Tulbaghia violacea* Harv. plants. *J Ethnopharmacol* 134: 775-780. <http://dx.doi.org/10.1016/j.jep.2011.01.039>.
- Ndemangou, B; Sielinou, VT; Vardamides, JC; Ali, MS; Lateef, M; Iqbal, L; Afza, N; Nkengfack, AE. (2013). Urease inhibitory isoflavonoids from different parts of *Calopogonium mucunoides* (Fabaceae). *J Enzyme Inhib Med Chem* 28: 1156-1161. <http://dx.doi.org/10.3109/14756366.2012.719025>.
- Ndhkala, AR; Amoo, SO; Stafford, GI; Finnie, JF; Van Staden, J. (2009). Antimicrobial, anti-inflammatory and mutagenic investigation of the South African tree aloe (*Aloe barberae*). *J Ethnopharmacol* 124: 404-408. <http://dx.doi.org/10.1016/j.jep.2009.05.037>.
- Ndhkala, AR; Finnie, JF; Van Staden, J. (2011). Plant composition, pharmacological properties and mutagenic evaluation of a commercial Zulu herbal mixture: *Imbiza ephuzwato*. *J Ethnopharmacol* 133: 663-674. <http://dx.doi.org/10.1016/j.jep.2010.10.053>.
- Nebot, C; Regal, P; Miranda, J; Cepeda, A; Fente, C. (2012). Simultaneous determination of sulfonamides, penicillins and coccidiostats in pork by high-performance liquid chromatography-tandem mass spectrometry. *J Chromatogr Sci* 50: 414-425. <http://dx.doi.org/10.1093/chromsci/bms021>.
- Nedd, S; Alexandrova, AN. (2015). The mechanism of the Pd-catalyzed formation of coumarins: a theoretical study. *Phys Chem Chem Phys* 17: 1347-1353. <http://dx.doi.org/10.1039/c4cp03418j>.
- Nedialkov, PT; Momekov, G; Kokanova-Nedialkova, ZK; Heilmann, J. (2015). Polyprenylated Phloroglucinols from *Hypericum maculatum*. *Natural Product Communications* 10: 1231-1235.
- Nedialkov, PT; Zheleva-Dimitrova, D; Momekov, G; Karlov, K; Girreser, U; Kitanov, GM. (2011). Elegaphenone and 7-epi-clusianone, the major cytotoxic constituents of *Hypericum elegans*. *Nat Prod Res* 25: 1743-1750. <http://dx.doi.org/10.1080/14786419.2010.524647>.
- Neelgund, GM; Magadam, SR; Budni, ML. (2011). Electron donor-acceptor interaction of 3,4-dimethylaniline with 2,3-dicyano-1,4-naphthoquinone. *Spectrochim Acta A Mol Biomol Spectrosc* 78: 480-487. <http://dx.doi.org/10.1016/j.saa.2010.11.013>.
- Negoro, S; Shimohata, T; Hatayama, S; Sato, Y; Matsumoto, M; Iba, H; Aihara, M; Uebanso, T; Hamada, Y; Nishikawa, Y; Yamasaki, S; Mawatari, K; Takahashi, A. (2014). *Campylobacter jejuni* infection suppressed Cl<sup>-</sup> secretion induced by CFTR activation in T-84 cells. *J Infect Chemother* 20: 682-688. <http://dx.doi.org/10.1016/j.jiac.2014.07.007>.
- Negreira, N; Rodríguez, I; Rubí, E; Cela, R. (2011). Optimization of pressurized liquid extraction and purification conditions for gas chromatography-mass spectrometry determination of UV filters in sludge. *J Chromatogr A* 1218: 211-217. <http://dx.doi.org/10.1016/j.chroma.2010.11.028>.
- Nejad, M; Injev, VP; Miller, KM. (2012). Laboratory analysis of phacoemulsifier compliance and capacity. *J Cataract Refract Surg* 38: 2019-2028. <http://dx.doi.org/10.1016/j.jcrs.2012.05.046>.
- Nekipelova, TD; Khodot, EN; Klimovich Lygo, ON; Kurkovskaya, LN; Levina, II; Kuzmin, VA. (2016). Novel hetarylazo dyes containing tetrazole and hydroquinoline moieties: spectral characteristics, solvatochromism and photochemistry. *Photochem Photobiol Sci* 15: 1558-1566. <http://dx.doi.org/10.1039/c6pp00251j>.
- Nelsen, SF; Schultz, KP. (2009). Charge distribution in arylhydrazine-centered mixed valence compounds with smaller bridges (five to nine bonds between closest nitrogens). *J Phys Chem A* 113: 5324-5332. <http://dx.doi.org/10.1021/jp810645q>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis* 16: 1243-1245.
- Nelson, TJ. (2011). Fluorescent high-performance liquid chromatography assay for lipophilic alcohols. *Anal Biochem* 419: 40-45. <http://dx.doi.org/10.1016/j.ab.2011.07.036>.
- Nembo, EN; Dimo, T; Bopda, OS; Hescheler, J; Nguemo, F. (2014). The proliferative and chronotropic effects of *Brillantaisia nitens* Lindau (Acanthaceae) extracts on pluripotent stem cells and their cardiomyocytes derivatives. *J Ethnopharmacol* 156: 73-81. <http://dx.doi.org/10.1016/j.jep.2014.07.046>.
- Nemudzivhadi, V; Masoko, P. (2014). In Vitro Assessment of Cytotoxicity, Antioxidant, and Anti-Inflammatory Activities of *Ricinus communis* (Euphorbiaceae) Leaf Extracts. *eCAM* 2014: 625961. <http://dx.doi.org/10.1155/2014/625961>.
- Nepomnyashchii, AB; Bröring, M; Ahrens, J; Bard, AJ. (2011). Synthesis, photophysical, electrochemical, and electrogenerated chemiluminescence studies. Multiple sequential electron transfers in BODIPY monomers, dimers, trimers, and polymer. *J Am Chem Soc* 133: 8633-8645. <http://dx.doi.org/10.1021/ja2010219>.
- Nepomnyashchii, AB; Pistner, AJ; Bard, AJ; Rosenthal, J. (2013). Synthesis, Photophysics, Electrochemistry and Electrogenerated Chemiluminescence of PEG-Modified BODIPY dyes in Organic and Aqueous Solutions. *J Phys Chem C* 117: 5599-5609. <http://dx.doi.org/10.1021/jp312166w>.
- Netto-Ferreira, JC; Bernardes, B; Ferreira, AB; Miranda, MA. (2008). Laser flash photolysis study of the triplet reactivity of beta-lapachones. *Photochem Photobiol Sci* 7: 467-473. <http://dx.doi.org/10.1039/b716104b>.

## Human Health Hazard Literature Search Results

### Off Topic

- Neumann, D; Merkwirth, C; Lamprecht, A. (2010). Nanoparticle design characterized by in silico preparation parameter prediction using ensemble models. *J Pharm Sci* 99: 1982-1996. <http://dx.doi.org/10.1002/jps.21941>.
- Neumann, H; Vieth, M; Neurath, MF; Atreya, R. (2013). Endocytosis allows accurate in vivo differentiation of mucosal inflammatory cells in IBD: a pilot study. *Inflamm Bowel Dis* 19: 356-362. <http://dx.doi.org/10.1002/ibd.23025>.
- Neves, DV; Vieira, CP; Coelho, EB; Marques, MP; Lanchote, VL. (2013). Stereoselective analysis of nebivolol isomers in human plasma by high-performance liquid chromatography-tandem mass spectrometry: application in pharmacokinetics. *J Chromatogr B Analyt Technol Biomed Life Sci* 940: 47-52. <http://dx.doi.org/10.1016/j.jchromb.2013.09.031>.
- Newman, AE; Chin, EH; Schmidt, KL; Bond, L; Wynne-Edwards, KE; Soma, KK. (2008). Analysis of steroids in songbird plasma and brain by coupling solid phase extraction to radioimmunoassay. *Gen Comp Endocrinol* 155: 503-510. <http://dx.doi.org/10.1016/j.ygcen.2007.08.007>.
- Ng, AM; Chan, CM; Guo, MY; Leung, YH; Djurišić, AB; Hu, X; Chan, WK; Leung, FC; Tong, SY. (2013). Antibacterial and photocatalytic activity of TiO<sub>2</sub> and ZnO nanomaterials in phosphate buffer and saline solution. *Appl Microbiol Biotechnol* 97: 5565-5573. <http://dx.doi.org/10.1007/s00253-013-4889-7>.
- Ng, CO; Cheng, SC; Chu, WK; Tang, KM; Yiu, SM; Ko, CC. (2016). Luminescent Rhenium(II) Pyridyldiaminocarbene Complexes: Photophysics, Anion-Binding, and CO<sub>2</sub>-Capturing Properties. *Inorg Chem* 55: 7969-7979. <http://dx.doi.org/10.1021/acs.inorgchem.6b01017>.
- Ng, HK; Poh, TF; Lam, SK; Hoe, SZ. (2013). Potassium channel openers and prostacyclin play a crucial role in mediating the vasorelaxant activity of *Gynura procumbens*. *BMC Complement Altern Med* 13: 188. <http://dx.doi.org/10.1186/1472-6882-13-188>.
- Ng, XW; Huang, Y; Chen, HH; Burnett, JC; Boey, FY; Venkatraman, SS. (2013). Cenderitide-eluting film for potential cardiac patch applications. *PLoS ONE* 8: e68346. <http://dx.doi.org/10.1371/journal.pone.0068346>.
- Ng, XW; Huang, Y; Liu, KL; Boey, FY; Venkatraman, SS. (2014). Investigation of cenderitide controlled release platforms for potential local treatment of cardiovascular pathology. *J Pharm Sci* 103: 1400-1410. <http://dx.doi.org/10.1002/jps.23910>.
- Ngamgwe, RF; Yankam, R; Chouna, JR; Lanz, C; Furrer, J; Schürch, S; Kaiser, M; Lenta, BN; Ngouela, S; Tsamo, E; Brenneisen, R. (2014). Procerenone: a Fatty Acid Triterpenoid from the Fruit Pericarp of *Omphalocarpum procerum* (Sapotaceae). *Iranian Journal of Pharmaceutical Research* 13: 1425-1430.
- Ngombe, NK; Kalenda, DT; Quetin-Leclercq, J; Morel, N. (2010). Vasoconstrictor and inotropic effects induced by the root bark extracts of *Anthocleista schweinfurthii*. *Natural Product Communications* 5: 369-372.
- Nguelefack, TB; Dutra, RC; Paszcuk, AF; de Andrade, EL; Calixto, JB. (2015). TRPV1 channel inhibition contributes to the antinociceptive effects of *Croton macrostachyus* extract in mice. *BMC Complement Altern Med* 15: 293. <http://dx.doi.org/10.1186/s12906-015-0816-z>.
- Nguelefack-Mbuyo, EP; Dimo, T; Nguelefack, TB; Dongmo, AB; Kamtchouing, P; Kamanyi, A. (2010). Renal effects of *Mammea africana* Sabine (Guttiferae) stem bark methanol/methylene chloride extract on L-NAME hypertensive rats. *Indian J Pharmacol* 42: 208-213. <http://dx.doi.org/10.4103/0253-7613.68418>.
- Nguelefack-Mbuyo, PE; Nguelefack, TB; Dongmo, AB; Afkir, S; Azebaze, AG; Dimo, T; Legssyer, A; Kamanyi, A; Ziyat, A. (2008). Anti-hypertensive effects of the methanol/methylene chloride stem bark extract of *Mammea africana* in L-NAME-induced hypertensive rats. *J Ethnopharmacol* 117: 446-450. <http://dx.doi.org/10.1016/j.jep.2008.02.028>.
- Nguemfo, EL; Dimo, T; Dongmo, AB; Azebaze, AG; Alaoui, K; Asongalem, AE; Cherrah, Y; Kamtchouing, P. (2009). Anti-oxidative and anti-inflammatory activities of some isolated constituents from the stem bark of *Allanblackia monticola* Staner L.C (Guttiferae). *Inflammopharmacology* 17: 37-41. <http://dx.doi.org/10.1007/s10787-008-8039-2>.
- N'Guessan, BB; Dosso, K; Gnanogoran, BN; Amoateng, P; Asiedu-Gyekye, IJ; Yapo, AP. (2015). Antibacterial and antispasmodic activities of a dichloromethane fraction of an ethanol extract of stem bark of *Piliostigma reticulatum*. 7: 128-135. <http://dx.doi.org/10.4103/0975-7406.154439>.
- Ngure, P; Ng'ang'a, Z; Kimutai, A; Kepha, S; Mong'are, S; Ingonga, J; Tonui, W. (2014). Immunostimulatory responses to crude extracts of *Warburgia ugandensis* (Sprague) subsp *ugandensis* (Canellaceae) by BALB/c mice infected with *Leishmania major*. *Pan African Medical Journal* 17 Suppl 1: 15. <http://dx.doi.org/10.11694/pamj.suppl.2014.17.1.3638>.
- Ngure, PK; Ng'ang'a, Z; Ingonga, J; Rukunga, G; Tonui, WK. (2009). In vivo efficacy of oral and intraperitoneal administration of extracts of *Warburgia ugandensis* (Canellaceae) in experimental treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*. *African Journal of Traditional, Complementary and Alternative Medicines* 6: 207-212.
- Ngure, PK; Tonui, WK; Ingonga, J; Mutai, C; Kigonda, E; Ng'ang'a, Z; Rukunga, G; Kimutai, A. (2009). In vitro antileishmanial activity of extracts of *Warburgia ugandensis* (Canellaceae), a Kenyan medicinal plant. *Journal of Medicinal Plant Research* 3: 61-66.
- Nguyen, AL; Bobadova-Parvanova, P; Hopfinger, M; Fronczek, FR; Smith, KM; Vicente, MG. (2015). Synthesis and reactivity of 4,4-Dialkoxy-BODIPYs: an experimental and computational study. *Inorg Chem* 54: 3228-3236. <http://dx.doi.org/10.1021/ic502821m>.
- Nguyen, PT; Bui, TT; Chau, ND; Bui, HT; Kim, EJ; Kang, HK; Lee, SH; Jang, HD; Nguyen, TC; Nguyen, VT; Nguyen, XC; Nguyen, HN; Chau, VM; Kim, YH. (2015). In vitro evaluation of the antioxidant and cytotoxic activities of constituents of the mangrove *Lumnitzera racemosa* Willd. *Arch Pharm Res* 38: 446-455. <http://dx.doi.org/10.1007/s12272-014-0429-y>.
- Nguyen, VT; Piersoel, V; El Mahi, T. (2012). Urine iodide determination by ion-pair reversed-phase high performance liquid chromatography and pulsed amperometric detection. *Talanta* 99: 532-537. <http://dx.doi.org/10.1016/j.talanta.2012.06.028>.
- Ni, J; Wu, YH; Zhang, X; Li, B; Zhang, LY; Chen, ZN. (2009). Luminescence vapochromism of a platinum(II) complex for detection of low molecular weight halohydrocarbon. *Inorg Chem* 48: 10202-10210. <http://dx.doi.org/10.1021/ic9011982>.
- Ni, Z; Shores, MP. (2009). Magnetic observation of anion binding in iron coordination complexes: toward spin-switching chemosensors. *J Am Chem Soc* 131: 32-33. <http://dx.doi.org/10.1021/ja807379a>.

## Human Health Hazard Literature Search Results

### Off Topic

- Niazmand, S; Harandizadeh, F; Mahmoudabady, M; Hosseini, M; Hasanzadeh, M; Fereidouni, E. (2014). Mechanism of vasorelaxation induced by *Achillea wilhelmsii* in rat isolated thoracic aorta. 3: 91. <http://dx.doi.org/10.4103/2277-9175.128470>.
- Nibret, E; Ashour, ML; Rubanza, CD; Wink, M. (2010). Screening of some Tanzanian medicinal plants for their trypanocidal and cytotoxic activities. *Phytother Res* 24: 945-947. <http://dx.doi.org/10.1002/ptr.3066>.
- Nibret, E; Sporer, F; Asres, K; Wink, M. (2009). Antitrypanosomal and cytotoxic activities of pyrrolizidine alkaloid-producing plants of Ethiopia. *J Pharm Pharmacol* 61: 801-808. <http://dx.doi.org/10.1211/jpp/61.06.0014>.
- Nibret, E; Wink, M. (2010). Volatile components of four Ethiopian *Artemisia* species extracts and their in vitro antitrypanosomal and cytotoxic activities. *Phytomedicine* 17: 369-374. <http://dx.doi.org/10.1016/j.phymed.2009.07.016>.
- Nibret, E; Wink, M. (2011). Trypanocidal and cytotoxic effects of 30 Ethiopian medicinal plants. *Z Naturforsch C Biosci* 66: 541-546.
- Nica, S; Rudolph, M; Lippold, I; Buchholz, A; Görls, H; Plass, W. (2015). Vanadium(V) complex with Schiff-base ligand containing a flexible amino side chain: Synthesis, structure and reactivity. *J Inorg Biochem* 147: 193-203. <http://dx.doi.org/10.1016/j.jinorgbio.2015.02.009>.
- Nicolas, G; Jankowski, CK; Lucas-Lamouroux, C; Bresson, C. (2011). Development of normal phase-high performance liquid chromatography-atmospherical pressure chemical ionization-mass spectrometry method for the study of 6,6'-bis-(5,5,8,8-tetramethyl-5,6,7,8-tetrahydro-benzo[1,2,4]-triazin-3-yl)-[2,2']-bipyridine hydrolytic degradation. *J Chromatogr A* 1218: 6369-6378. <http://dx.doi.org/10.1016/j.chroma.2011.07.003>.
- Nicole M, F; Gleidy Aa, S; Karine N, C; Magali G, S; José C, C; Cháriston A Dal, B; Márcio G Dos, S; Francisco C, G; Yoko, OF. (2011). Inhibition of *Bothrops jararacussu* venom activities by *Plathymenia reticulata* Benth extracts. 2: 52-58.
- Nicu, VP; Baerends, EJ; Polavarapu, PL. (2012). Understanding solvent effects in vibrational circular dichroism spectra: [1,1'-binaphthalene]-2,2'-diol in dichloromethane, acetonitrile, and dimethyl sulfoxide solvents. *J Phys Chem A* 116: 8366-8373. <http://dx.doi.org/10.1021/jp303891x>.
- Nielsen, MC; Larsen, AF; Abdikadir, FH; Ulven, T. (2014). Phenanthroline-2,9-bistriazoles as selective G-quadruplex ligands. *Eur J Med Chem* 72: 119-126. <http://dx.doi.org/10.1016/j.ejmech.2013.11.027>.
- Nieto, D; González-Vadillo, AM; Bruña, S; Pastor, CJ; Ríos-Luci, C; León, LG; Padrón, JM; Navarro-Ranninger, C; Cuadrado, I. (2012). Heterometallic platinum(II) compounds with  $\beta$ -aminoethylferrocenes: synthesis, electrochemical behaviour and anticancer activity. *Dalton Transactions (Online)* 41: 432-441. <http://dx.doi.org/10.1039/c1dt11358e>.
- Nila, MV; Sudhir, MR; Cinu, TA; Aleykutty, NA; Jose, S. (2014). Floating microspheres of carvedilol as gastro retentive drug delivery system: 3(2) full factorial design and in vitro evaluation. *Drug Deliv* 21: 110-117. <http://dx.doi.org/10.3109/10717544.2013.834414>.
- Ning, L; Fu-Ping, Z; Hai-Tao, C; Si-Yuan, L; Chen, G; Zhen-Yang, S; Bao-Guo, S. (2011). Identification of volatile components in Chinese Sinkiang fermented camel milk using SAFE, SDE, and HS-SPME-GC/MS. *Food Chem* 129: 1242-1252. <http://dx.doi.org/10.1016/j.foodchem.2011.03.115>.
- Ning-chen, L; Zhang-qun, Y; Yan-qun, N; Instillations, CTI. (2013). Efficacy of immediate instillation combined with regular instillations of pirarubicin for Ta and T1 transitional cell bladder cancer after transurethral resection: a prospective, randomized, multicenter study. *Chin Med J* 126: 2805-2809. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20131042>.
- Niño, J; Correa, YM; Cardona, GD; Mosquera, OM. (2011). Antioxidant and antitopoisomerase activities in plant extracts of some Colombian flora from La Marcada Natural Regional Park. *Rev Biol Trop* 59: 1089-1097.
- Niño, J; Mosquera, OM; Correa, YM. (2012). Antibacterial and antifungal activities of crude plant extracts from Colombian biodiversity. *Rev Biol Trop* 60: 1535-1542.
- Nirogi, R; Kandikere, V; Komarneni, P; Aleti, R; Padala, N; Kalaikadiban, I. (2011). Quantification of cinacalcet by LC-MS/MS using liquid-liquid extraction from 50  $\mu$ L of plasma. *J Pharm Biomed Anal* 56: 373-381. <http://dx.doi.org/10.1016/j.jpba.2011.05.032>.
- Nishida, S; Fukui, K; Morita, Y. (2014). Hydrogen-bonding effect on spin-center transfer of tetrathiafulvalene-linked 6-oxophenalenoxyl evaluated using temperature-dependent cyclic voltammetry and theoretical calculations. *Chem Asian J* 9: 500-505. <http://dx.doi.org/10.1002/asia.201301188>.
- Nishimura, M; Yaguti, H; Yoshitsugu, H; Naito, S; Satoh, T. (2003). Tissue distribution of mRNA expression of human cytochrome P450 isoforms assessed by high-sensitivity real-time reverse transcription PCR. *Yakugaku Zasshi* 123: 369-375.
- Nishiwaki, A; Watanabe, A; Higashi, K; Tozuka, Y; Moribe, K; Yamamoto, K. (2009). Molecular states of prednisolone dispersed in folded sheet mesoporous silica (FSM-16). *Int J Pharm* 378: 17-22. <http://dx.doi.org/10.1016/j.ijpharm.2009.05.023>.
- Nishizawa, N; Takahashi, K. (2011). Time-domain near-infrared spectroscopy using a wavelength-tunable narrow-linewidth source by spectral compression of ultrashort soliton pulses. *Opt Lett* 36: 3780-3782.
- Nistor, C; Ranetti, AE; Ciuche, A; Pantile, D; Constantin, LM; Brincoveanu, R. (2014). BETADINE (R) IN CHEMICAL PLEURODESIS. 62: 897-906.
- Nita, LE; Chiriac, AP; Nistor, MT; Tartau, L. (2014). Upon some multi-membrane hydrogels based on poly(N,N-dimethyl-acrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro (5.5) undecane): preparation, characterization and in vivo tests. *J Mater Sci Mater Med* 25: 1757-1768. <http://dx.doi.org/10.1007/s10856-014-5205-5>.
- Nitanan, T; Akkaramongkolporn, P; Rojanarata, T; Ngawhirunpat, T; Opanasopit, P. (2014). Fabrication of Cationic Exchange Polystyrene Nanofibers for Drug Delivery. *Tropical Journal of Pharmaceutical Research* 13: 191-197. <http://dx.doi.org/10.4314/tjpr.v13i2.4>.
- Niu, Z; Zhang, H; Xu, Y; Liao, X; Xu, L; Chen, J. (2012). Pollution characteristics of volatile organic compounds in the atmosphere of Haicang District in Xiamen City, Southeast China. *J Environ Monit* 14: 1145-1152. <http://dx.doi.org/10.1039/c2em10884d>.
- Njamen, D; Djigoue, S; Zingue, S; Mvondo, MA; Nkeh-Chungag, BN. (2013). In vivo and in vitro estrogenic activity of extracts from *Erythrina poeppigiana* (Fabaceae). *Journal of Complementary & Integrative Medicine* 10. <http://dx.doi.org/10.1515/jcim-2013-0018>.



## Human Health Hazard Literature Search Results

### Off Topic

- Njateng, GS; Du, Z; Gatsing, D; Mouokeu, RS; Liu, Y; Zang, HX; Gu, J; Luo, X; Kuate, JR. (2017). Antibacterial and antioxidant properties of crude extract, fractions and compounds from the stem bark of *Polyscias fulva* Hiern (Araliaceae). *BMC Complement Altern Med* 17: 99. <http://dx.doi.org/10.1186/s12906-017-1572-z>.
- Njateng, GS; Du, Z; Gatsing, D; Nanfack Donfack, AR; Feussi Talla, M; Kamdem Wabo, H; Tane, P; Mouokeu, RS; Luo, X; Kuate, J. R. (2015). Antifungal properties of a new terpenoid saponin and other compounds from the stem bark of *Polyscias fulva* Hiern (Araliaceae). *BMC Complement Altern Med* 15: 25. <http://dx.doi.org/10.1186/s12906-015-0541-7>.
- Njateng, GS; Gatsing, D; Mouokeu, RS; Lunga, PK; Kuate, JR. (2013). In vitro and in vivo antidermatophytic activity of the dichloromethane-methanol (1:1 v/v) extract from the stem bark of *Polyscias fulva* Hiern (Araliaceae). *BMC Complement Altern Med* 13: 95. <http://dx.doi.org/10.1186/1472-6882-13-95>.
- Njyou, FN; Amongou, AM; Fouemene Tsayem, R; Njikam Manjia, J; Rudraiah, S; Bradley, B; Manautou, JE; Fewou Moundipa, P. (2015). Antioxidant fractions of *Khaya grandifoliola* C.DC. and *Entada africana* Guill. et Perr. induce nuclear translocation of Nrf2 in HC-04 cells. *Cell Stress Chaperones* 20: 991-1000. <http://dx.doi.org/10.1007/s12192-015-0628-6>.
- Njyou, FN; Kouam, AF; Simo, BF; Tchana, AN; Moundipa, PF. (2016). Active chemical fractions of stem bark extract of *Khaya grandifoliola* C.DC and *Entada africana* Guill. et Perr. synergistically protect primary rat hepatocytes against paracetamol-induced damage. *BMC Complement Altern Med* 16: 190. <http://dx.doi.org/10.1186/s12906-016-1169-y>.
- Njeh, F; Feki, H; Koubaa, I; Hamed, N; Damak, M; Ayadi, A; Hammami, H; Mezghani-Jarraya, R. (2016). Molluscicidal activity of *Solanum elaeagnifolium* seeds against *Galba truncatula* intermediate host of *Fasciola hepatica*: Identification of  $\beta$ -solamarine. *Pharmaceutical Biology* 54: 726-731. <http://dx.doi.org/10.3109/13880209.2015.1073332>.
- Njeh, F; Hamed, N; Ayadi, A, li; Damak, M; Hammami, H; Mezghani-Jarraya, R. (2015). Molluscicidal and larvicidal activities of *Capparis spinosa* aerial parts against *Galba truncatula* intermediate host of *Fasciola hepatica*. 49: S12-S20. <http://dx.doi.org/10.5530/ijper.49.4s.2>.
- Njeru, SN; Obonyo, MA; Nyambati, SO; Ngari, SM. (2015). Antimicrobial and cytotoxicity properties of the crude extracts and fractions of *Premna resinosa* (Hochst.) Schauer (Compositae): Kenyan traditional medicinal plant. *BMC Complement Altern Med* 15: 295. <http://dx.doi.org/10.1186/s12906-015-0811-4>.
- Njomen, GBS, N; Kamgang, R; Oyono, JLE; Njikam, N. (2008). Antioxidant potential of the methanol-methylene chloride extract of *Terminalia glaucescens* leaves on mice liver in streptozotocin-induced stress. *Indian J Pharmacol* 40: 266-270. <http://dx.doi.org/10.4103/0253-7613.45153>.
- Njomen, GBS, N; Kamgang, R; Soua, PRN; Oyono, JLE; Njikam, N. (2009). Protective effect of methanol-methylene chloride extract of *Terminalia glaucescens* leaves on streptozotocin-induced diabetes in mice. *Tropical Journal of Pharmaceutical Research* 8: 19-26.
- Nkomo, MM; Katerere, DD; Vismer, HH; Cruz, TT; Balayssac, SS; Malet-Martino, MM; Makunga, NN. (2014). *Fusarium* inhibition by wild populations of the medicinal plant *Salvia africana-lutea* L. linked to metabolomic profiling. *BMC Complement Altern Med* 14: 99. <http://dx.doi.org/10.1186/1472-6882-14-99>.
- Nóbrega, IC; Pereira, GE; Silva, M; Pereira, EV; Medeiros, MM; Telles, DL; Albuquerque, EC; Oliveira, JB; Lachenmeier, DW. (2015). Improved sample preparation for GC-MS-SIM analysis of ethyl carbamate in wine. *Food Chem* 177: 23-28. <http://dx.doi.org/10.1016/j.foodchem.2014.12.031>.
- Nöckler, K; Reckinger, S; Szabó, I; Maddox-Hyttel, C; Pozio, E; van der Giessen, J; Vallée, J; Boireau, P. (2009). Comparison of three artificial digestion methods for detection of non-encapsulated *Trichinella pseudospiralis* larvae in pork. *Vet Parasitol* 159: 341-344. <http://dx.doi.org/10.1016/j.vetpar.2008.10.075>.
- Noe, J; Petrusca, D; Rush, N; Deng, P; Vandemark, M; Berdyshev, E; Gu, Y; Smith, P; Schweitzer, K; Pilewsky, J; Natarajan, V; Xu, Z, ao; Obukhov, AG; Petrache, I. (2009). CFTR Regulation of Intracellular pH and Ceramides Is Required for Lung Endothelial Cell Apoptosis. *Am J Respir Cell Mol Biol* 41: 314-323. <http://dx.doi.org/10.1165/rcmb.2008-0264OC>.
- Noel, A; Delpech, B; Crich, D. (2012). Highly stereoselective synthesis of primary, secondary, and tertiary  $\alpha$ -S-sialosides under Lewis acidic conditions. *Org Lett* 14: 4138-4141. <http://dx.doi.org/10.1021/ol301779e>.
- Noël, JM; Latus, A; Lagrost, C; Volanschi, E; Hapiot, P. (2012). Evidence for OH radical production during electrocatalysis of oxygen reduction on Pt surfaces: consequences and application. *J Am Chem Soc* 134: 2835-2841. <http://dx.doi.org/10.1021/ja211663t>.
- Noël, JM; Zigah, D; Simonet, J; Hapiot, P. (2010). Synthesis and immobilization of Ag(0) nanoparticles on diazonium modified electrodes: SECM and cyclic voltammetry studies of the modified interfaces. *Langmuir* 26: 7638-7643. <http://dx.doi.org/10.1021/la904413h>.
- Nogueira, MS; Da Costa, FB; Brun, R; Kaiser, M; Schmidt, TJ. (2016). ent-Pimarane and ent-Kaurane Diterpenes from *Aldama discolor* (Asteraceae) and Their Antiprotozoal Activity. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21091237>.
- Nolan, JA; Mcevoy, JP; Koenig, HG; Hooten, EG; Whetten, K; Pieper, CF. (2012). Religious coping and quality of life among individuals living with schizophrenia. *Psychiatric Services* 63: 1051-1054. <http://dx.doi.org/10.1176/appi.ps.201000208>.
- Noman, L; Oke-Altuntas, F; Zellagui, A; Sahin Yaglioglu, A; Demirtas, I; M Cardoso, S; Akkal, S; Gherraf, N; Rhouati, S. (2017). A novel benzimidazole and other constituents with antiproliferative and antioxidant properties from *Thymelaea microphylla* Coss. et Dur. *Nat Prod Res* 1-10. <http://dx.doi.org/10.1080/14786419.2016.1274888>.
- Nondo, RS; Erasto, P; Moshi, MJ; Zacharia, A; Masimba, PJ; Kidukuli, AW. (2016). In vivo antimalarial activity of extracts of Tanzanian medicinal plants used for the treatment of malaria. 7: 59-63. <http://dx.doi.org/10.4103/2231-4040.179748>.
- Nondo, RS; Mbwambo, ZH; Kidukuli, AW; Innocent, EM; Mihale, MJ; Erasto, P; Moshi, MJ. (2011). Larvicidal, antimicrobial and brine shrimp activities of extracts from *Cissampelos mucronata* and *Tephrosia villosa* from coast region, Tanzania. *BMC Complement Altern Med* 11: 33. <http://dx.doi.org/10.1186/1472-6882-11-33>.

## Human Health Hazard Literature Search Results

### Off Topic

- Norimatsu, Y; Ivetac, A; Alexander, C; O'Donnell, N; Frye, L; Sansom, MS; Dawson, DC. (2012). Locating a plausible binding site for an open-channel blocker, GlyH-101, in the pore of the cystic fibrosis transmembrane conductance regulator. *Mol Pharmacol* 82: 1042-1055. <http://dx.doi.org/10.1124/mol.112.080267>.
- Norli, HR; Christiansen, A; Holen, B. (2010). Independent evaluation of a commercial deconvolution reporting software for gas chromatography mass spectrometry analysis of pesticide residues in fruits and vegetables. *J Chromatogr A* 1217: 2056-2064. <http://dx.doi.org/10.1016/j.chroma.2010.01.022>.
- North, M; Omedes-Pujol, M. (2010). Kinetics and mechanism of vanadium catalysed asymmetric cyanohydrin synthesis in propylene carbonate. *Beilstein Journal of Organic Chemistry* 6: 1043-1055. <http://dx.doi.org/10.3762/bjoc.6.119>.
- Noufou, O; Wamtinga, SR; André, T; Christine, B; Marius, L; Emmanuelle, HA; Jean, K; Marie-Geneviève, D; Pierre, GI. (2012). Pharmacological properties and related constituents of stem bark of *Pterocarpus erinaceus* Poir. (Fabaceae). *Asian Pacific Journal of Tropical Medicine* 5: 46-51. [http://dx.doi.org/10.1016/S1995-7645\(11\)60244-7](http://dx.doi.org/10.1016/S1995-7645(11)60244-7).
- Nour, AM; Khalid, SA; Kaiser, M; Brun, R; Abdalla, WE; Schmidt, TJ. (2010). The antiprotozoal activity of methylated flavonoids from *Ageratum conyzoides* L. *J Ethnopharmacol* 129: 127-130. <http://dx.doi.org/10.1016/j.jep.2010.02.015>.
- Nour, AM; Khalid, SA; Kaiser, M; Brun, R; Abdallah, WE; Schmidt, TJ. (2009). The antiprotozoal activity of sixteen asteraceae species native to Sudan and bioactivity-guided isolation of xanthanolides from *Xanthium brasiliicum*. *Planta Med* 75: 1363-1368. <http://dx.doi.org/10.1055/s-0029-1185676>.
- Nour, SG; Goldberg, SN; Wacker, FK; Rafie, S; Paul, S; Heidenreich, JO; Rodgers, M; Abdul-Karim, FW; Duerk, JL; Lewin, JS. (2010). MR monitoring of NaCl-enhanced radiofrequency ablations: observations on low- and high-field-strength MR images with pathologic correlation. *Radiology* 254: 449-459. <http://dx.doi.org/10.1148/radiol.253180614>.
- Novitchi, G; Riblet, F; Scopelliti, R; Helm, L; Gulea, A; Merbach, AE. (2008). Mechanism of pyridine-ligand exchanges at the different labile sites of 3d heterometallic and mixed valence mu<sub>3</sub>-oxo trinuclear clusters. *Inorg Chem* 47: 10587-10599. <http://dx.doi.org/10.1021/ic801206m>.
- Noya, Y; Seki, KI; Asano, H; Mai, Y; Horinouchi, T; Higashi, T; Terada, K; Hatate, C; Hoshi, A; Nepal, P; Horiguchi, M; Kuge, Y; Miwa, S. (2013). Identification of stable cytotoxic factors in the gas phase extract of cigarette smoke and pharmacological characterization of their cytotoxicity. *Toxicology* 314: 1-10. <http://dx.doi.org/10.1016/j.tox.2013.08.015>.
- Noysang, C; Mahringer, A; Zeino, M; Saeed, M; Luanratana, O; Fricker, G; Bauer, R; Efferth, T. (2014). Cytotoxicity and inhibition of P-glycoprotein by selected medicinal plants from Thailand. *J Ethnopharmacol* 155: 633-641. <http://dx.doi.org/10.1016/j.jep.2014.06.001>.
- NRC (National Research Council). (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC (National Research Council). (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- Nseir, S; Zerimech, F; Jaillette, E; Artru, F; Balduyck, M. (2011). Microaspiration in intubated critically ill patients: diagnosis and prevention [Review]. *Infect Disord Drug Targets* 11: 413-423.
- Ntalli, NG; Cottiglia, F; Bueno, CA; Alché, LE; Leonti, M; Vargiu, S; Bifulco, E; Menkissoglu-Spiroudi, U; Caboni, P. (2010). Cytotoxic tirucallane triterpenoids from *Melia azedarach* fruits. *Molecules* 15: 5866-5877. <http://dx.doi.org/10.3390/molecules15095866>.
- NTP (National Toxicology Program). (2011). *NTP Technical Report on the Toxicology and Carcinogenesis Studies of 1-Bromopropane (CAS No. 106-94-5) in F344/N Rats and B6C3F1 Mice (Inhalation Studies)* (pp. 195).
- NTP (National Toxicology Program). (2011). *Toxicology and carcinogenesis studies of 1-bromopropane (CAS No. 106-94-5) in F344/N rats and B6C3F1 mice (inhalation studies) [NTP]* (pp. 1-190). (ISSN 0888-8051; NTP TR 564; NIH Publication No. 11-5906). Research Triangle Park, NC. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/TR564.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/TR564.pdf).
- Ntutela, S; Smith, P; Matika, L; Mukinda, J; Arendse, H; Allie, N; Estes, DM; Mabusela, W; Folb, P; Steyn, L; Johnson, Q; Folk, WR; Syce, J; Jacobs, M. (2009). Efficacy of *Artemisia afra* phytotherapy in experimental tuberculosis. *Tuberculosis (Edinb)* 89 Suppl 1: S33-S40. [http://dx.doi.org/10.1016/S1472-9792\(09\)70009-5](http://dx.doi.org/10.1016/S1472-9792(09)70009-5).
- Nugitrangson, P; Puthong, S; Iempridee, T; Pimtong, W; Pornpakakul, S; Chanchao, C. (2016). In vitro and in vivo characterization of the anticancer activity of Thai stingless bee (*Tetragonula laeviceps*) cerumen. *Exp Biol Med* 241: 166-176. <http://dx.doi.org/10.1177/1535370215600102>.
- Núñez, SC; Garcez, AS; Kato, IT; Yoshimura, TM; Gomes, L; Baptista, MS; Ribeiro, MS. (2014). Effects of ionic strength on the antimicrobial photodynamic efficiency of methylene blue. *Photochem Photobiol Sci* 13: 595-602. <http://dx.doi.org/10.1039/c3pp50325a>.
- Núñez, SC; Yoshimura, TM; Ribeiro, MS; Junqueira, HC; Maciel, C; Coutinho-Neto, MD; Baptista, MS. (2015). Urea enhances the photodynamic efficiency of methylene blue. *J Photochem Photobiol B* 150: 31-37. <http://dx.doi.org/10.1016/j.jphotobiol.2015.03.018>.
- Nunez-Acuna, G; Valenzuela-Munoz, V; Gallardo-Escarate, C. (2014). High-throughput SNP discovery and transcriptome expression profiles from the salmon louse *Caligus rogercresseyi* (Copepoda: Caligidae). *Comp Biochem Physiol Part D Genomics Proteomics* 10: 9-21. <http://dx.doi.org/10.1016/j.cbd.2014.01.003>.
- Nuss, G; Saischek, G; Harum, BN; Volpe, M; Belaj, F; Mösch-Zanetti, NC. (2011). Pyridazine based scorpionate ligand in a copper boratrane compound. *Inorg Chem* 50: 12632-12640. <http://dx.doi.org/10.1021/ic201666w>.
- Nwodo, N; Okoye, F; Lai, D; Debbab, A; Kaiser, M; Brun, R; Proksch, P. (2015). Evaluation of the in vitro trypanocidal activity of methylated flavonoid constituents of *Vitex simplicifolia* leaves. *BMC Complement Altern Med* 15: 82. <http://dx.doi.org/10.1186/s12906-015-0562-2>.

## Human Health Hazard Literature Search Results

### Off Topic

- Nworu, CS; Akah, PA; Okoye, FB; Esimone, CO. (2012). Inhibition of pro-inflammatory cytokines and inducible nitric oxide by extract of *Emilia sonchifolia* L. aerial parts. *Immunopharmacol Immunotoxicol* 34: 925-931. <http://dx.doi.org/10.3109/08923973.2012.696202>.
- Nworu, CS; Nwuke, HC; Akah, PA; Okoye, FB; Esimone, CO. (2013). Extracts of *Ficus exasperata* leaf inhibit topical and systemic inflammation in rodents and suppress LPS-induced expression of mediators of inflammation in macrophages. *J Immunotoxicol* 10: 302-310. <http://dx.doi.org/10.3109/1547691X.2012.732121>.
- Nyongbela, K; Ndjoko, KI; Brun, R; Wittlin, S; Mbah, J; Makolo, F; Akam, M; Wirmum, C; Efange, S; Hostettmann, K. (2009). Occurrence of sesquiterpene derivatives in *Scleria striatonux* de wild (Cyperaceae). *Natural Product Communications* 4: 5-8.
- Oakley, LD; Kanter, JW; Taylor, JY; Duguid, M. (2012). The self-stigma of depression for women. *Int J Soc Psychiatry* 58: 512-520. <http://dx.doi.org/10.1177/0020764011409820>.
- Obaidat, RM; Alkhamis, KA; Salem, MS. (2010). Determination of factors affecting kinetics of solid-state transformation of fluconazole polymorph II to polymorph I using diffuse reflectance Fourier transform spectroscopy. *Drug Dev Ind Pharm* 36: 570-580. <http://dx.doi.org/10.3109/03639040903358181>.
- Obata, A; Tokuda, S; Kasuga, T. (2009). Enhanced in vitro cell activity on silicon-doped vaterite/poly(lactic acid) composites. *Acta Biomater* 5: 57-62. <http://dx.doi.org/10.1016/j.actbio.2008.08.004>.
- Obici, S; Carrara, MA; Sela, VRS; Cortez, DAG; Audi, EA; Batista, MR; Bazotte, RB. (2008). Effect of dichloromethane extract of *Kielmeyera coriacea* stems on hepatic catabolism of L-alanine in rats. *Lat Am J Pharm* 27: 431-435.
- Obici, S; Otobone, FJ; da Silva Sela, VR; Ishida, K; da Silva, JC; Nakamura, CV; Garcia Cortez, DA; Audi, EA. (2008). Preliminary toxicity study of dichloromethane extract of *Kielmeyera coriacea* stems in mice and rats. *J Ethnopharmacol* 115: 131-139. <http://dx.doi.org/10.1016/j.jep.2007.09.013>.
- Obistioiu, D; Cristina, RT; Schmerold, I; Chizzola, R; Stolze, K; Nichita, I; Chiurciu, V. (2014). Chemical characterization by GC-MS and in vitro activity against *Candida albicans* of volatile fractions prepared from *Artemisia dracunculus*, *Artemisia abrotanum*, *Artemisia absinthium* and *Artemisia vulgaris*. *Chemistry Central Journal* 8: 6. <http://dx.doi.org/10.1186/1752-153X-8-6>.
- O'Brien, ZJ; Karlen, SD; Khan, S; Garcia-Garibay, MA. (2010). Solid-state molecular rotors with perdeuterated stators: mechanistic insights from biphenylene rotational dynamics in ordered and disordered crystal forms. *J Org Chem* 75: 2482-2491. <http://dx.doi.org/10.1021/jo9025176>.
- Ochiai, M; Naito, M; Miyamoto, K; Hayashi, S; Nakanishi, W. (2010). Imination of sulfides and sulfoxides with sulfonylimino-lambda3-bromane under mild, metal-free conditions. *Chemistry* 16: 8713-8718. <http://dx.doi.org/10.1002/chem.201000759>.
- Ochiai, M; Yoshimura, A; Hoque, MM; Okubo, T; Saito, M; Miyamoto, K. (2011). Oxidation of primary aliphatic and aromatic aldehydes with difluoro(aryl)-lambda3-bromane. *Org Lett* 13: 5568-5571. <http://dx.doi.org/10.1021/ol202248x>.
- Odhiambo, JA; Siboe, GM; Lukhoba, CW; Dossaji, SF. (2010). Antifungal activity of crude extracts of *gladiolus dalenii* van geel (iridaceae). *African Journal of Traditional, Complementary and Alternative Medicines* 7: 53-58.
- Odontuya, G; Banzragchgarav, O; Murata, T; Batkhuu, J; Sasaki, K; Yoshizaki, F. (2015). Antibacterially active phenolic lipid derivatives from *Comarum salesovianum* (Steph.) Aschers. et Gr. *Phytochemistry Letters* 13: 360-364. <http://dx.doi.org/10.1016/j.phytol.2015.07.020>.
- Ofodile, LN; Uma, N; Grayer, RJ; Ogundipe, OT; Simmonds, MS. (2012). Antibacterial compounds from the mushroom *Ganoderma colossum* from Nigeria. 26: 748-751. <http://dx.doi.org/10.1002/ptr.3598>.
- Oftadeh, M; Kabiri, A. (2013). Charge transfer in some complexes of crown ether and of thiocrown ether with dihalogens: DFT study. *Acta Chim Slov* 60: 790-796.
- Ognenovski, VM; Marder, W; Somers, EC; Johnston, CM; Farrehi, JG; Selvaggi, SM; McCune, WJ. (2004). Increased incidence of cervical intraepithelial neoplasia in women with systemic lupus erythematosus treated with intravenous cyclophosphamide. *J Rheumatol* 31: 1763-1767.
- Ogoda, M; Ito, Y; Fuchihata, Y; Onoue, S; Yamada, S. (2016). Characterization of muscarinic and P2X receptors in the urothelium and detrusor muscle of the rat bladder. *J Pharmacol Sci* 131: 58-63. <http://dx.doi.org/10.1016/j.jphs.2016.04.020>.
- Ogunbodede, O; Mccombs, D; Trout, K; Daley, P; Terry, M. (2010). New mescaline concentrations from 14 taxa/cultivars of *Echinopsis* spp. (Cactaceae) "San Pedro" and their relevance to shamanic practice. *J Ethnopharmacol* 131: 356-362. <http://dx.doi.org/10.1016/j.jep.2010.07.021>.
- Ogungbe, IV; Hill, GM; Crouch, RA; Vogler, B; Nagarkoti, M; Haber, WA; Setzer, WN. (2011). Prenylated isoflavonoids from *Rhynchosia edulis*. *Natural Product Communications* 6: 1637-1644.
- Ogura, T; Akai, N; Shibuya, K; Kawai, A. (2013). Charge-transfer electronic absorption spectra of 1-ethylpyridinium cation and halogen anion pairs in dichloromethane and as neat ionic liquids. *J Phys Chem B* 117: 8547-8554. <http://dx.doi.org/10.1021/jp402329v>.
- Oh, DH; Balakrishnan, P; Oh, YK; Kim, DD; Yong, CS; Choi, HG. (2011). Effect of process parameters on nanoemulsion droplet size and distribution in SPG membrane emulsification. *Int J Pharm* 404: 191-197. <http://dx.doi.org/10.1016/j.ijpharm.2010.10.045>.
- Oh, JA; Park, JH; Shin, HS. (2013). Sensitive determination of hydrazine in water by gas chromatography-mass spectrometry after derivatization with ortho-phthalaldehyde. *Anal Chim Acta* 769: 79-83. <http://dx.doi.org/10.1016/j.aca.2013.01.036>.
- Oh, JA; Shin, HS. (2012). Determination of ortho-phthalaldehyde in water by high performance liquid chromatography and gas chromatography-mass spectrometry after hydrazine derivatization. *J Chromatogr A* 1247: 99-103. <http://dx.doi.org/10.1016/j.chroma.2012.05.065>.
- Oh, S; Shin, WS; Ham, J; Lee, S. (2010). Acid-catalyzed synthesis of 10-substituted triazolyl artemisinins and their growth inhibitory activity against various cancer cells. 20: 4112-4115. <http://dx.doi.org/10.1016/j.bmcl.2010.05.074>.
- Oh, SM; Ryu, BT; Chung, KH. (2008). Identification of estrogenic and antiestrogenic activities of respirable diesel exhaust particles by bioassay-directed fractionation. *Arch Pharm Res* 31: 75-82. <http://dx.doi.org/10.1007/s12272-008-1123-8>.

## Human Health Hazard Literature Search Results

### Off Topic

- Oh, TW; Jung, HW; Shin, GJ; Park, YK. (2014). Effects of the methylene chloride fraction from modified Boyang-Hwan-o-Tang, a polyherbal medicine on transient middle cerebral artery occlusion-induced ischemia in rats. *Chin J Integr Med*. <http://dx.doi.org/10.1007/s11655-013-1554-z>.
- Ohmae, E; Miyashita, Y; Tate, S; Gekko, K; Kitazawa, S; Kitahara, R; Kuwajima, K. (2013). Solvent environments significantly affect the enzymatic function of *Escherichia coli* dihydrofolate reductase: comparison of wild-type protein and active-site mutant D27E. *Biochim Biophys Acta* 1834: 2782-2794. <http://dx.doi.org/10.1016/j.bbapap.2013.09.024>.
- Ohshita, J; Hayashi, Y; Murakami, K; Enoki, T; Ooyama, Y. (2016). Single oxygen generation sensitized by spiro(dipyridinogermole)(dithienogermole)s. *Dalton Transactions (Online)* 45: 15679-15683. <http://dx.doi.org/10.1039/c6dt02767a>.
- Oiestad, EL; Johansen, U; Stokke Opdal, M; Bergan, S; Christophersen, AS. (2009). Determination of digoxin and digitoxin in whole blood. *J Anal Toxicol* 33: 372-378.
- Ok, SH; Han, JY; Sung, HJ; Yang, SM; Park, J; Kwon, SC; Choi, MJ; Sohn, JT. (2013). Ropivacaine-induced contraction is attenuated by both endothelial nitric oxide and voltage-dependent potassium channels in isolated rat aortae. *BioMed Res Int* 2013: 565271. <http://dx.doi.org/10.1155/2013/565271>.
- Ok, YS; Usman, AR; Lee, SS; Abd El-Azeem, SA; Choi, B; Hashimoto, Y; Yang, JE. (2011). Effects of rapeseed residue on lead and cadmium availability and uptake by rice plants in heavy metal contaminated paddy soil. *Chemosphere* 85: 677-682. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.073>.
- Okada, M; Maeda, H; Fujii, S; Nakamura, Y; Furuzono, T. (2012). Formation of Pickering emulsions stabilized via interaction between nanoparticles dispersed in aqueous phase and polymer end groups dissolved in oil phase. *Langmuir* 28: 9405-9412. <http://dx.doi.org/10.1021/la3015964>.
- Okamoto, R; Souma, S; Kajihara, Y. (2008). Efficient synthesis of MUC4 sialylglycopeptide through the new sialylation using 5-acetamidoneuraminamide donors. *J Org Chem* 73: 3460-3466. <http://dx.doi.org/10.1021/jo702609p>.
- Okeke, NC; Udeani, TK; Onyebuchi, UL. (2016). Wound-healing and antimicrobial properties of dichloromethane fraction of *Dialium guineense* (Wild) fruit coat. 11: 219-226.
- Okokon, JE; Nwafor, PA; Charles, U; Dar, A; Choudhary, MI. (2013). Antioxidative burst and hepatoprotective effects of ethanol root extract of *Hippocratea africana* against paracetamol-induced liver injury. *Pharmaceutical Biology* 51: 872-880. <http://dx.doi.org/10.3109/13880209.2013.768273>.
- Okokon, JE; Okokon, PJ; Farooq, A; Choudhary, MI. (2013). Anti-inflammatory and antinociceptive activities of *Homalium letestui*. *Pharmaceutical Biology* 51: 1459-1466. <http://dx.doi.org/10.3109/13880209.2013.799707>.
- Okoye, TC; Akah, PA; Ezike, AC; Okoye, MO; Onyeto, CA; Ndukwu, F; Ohaegbulam, E; Ikele, L. (2012). Evaluation of the acute and sub acute toxicity of *Annona senegalensis* root bark extracts. *Asian Pacific Journal of Tropical Medicine* 5: 277-282. [http://dx.doi.org/10.1016/S1995-7645\(12\)60039-X](http://dx.doi.org/10.1016/S1995-7645(12)60039-X).
- Okoye, TC; Akah, PA; Okoli, CO; Ezike, AC; Omeje, EO; Odoh, UE. (2012). Antimicrobial Effects of a Lipophilic Fraction and Kaurenoic Acid Isolated from the Root Bark Extracts of *Annona senegalensis*. *eCAM* 2012: 831327. <http://dx.doi.org/10.1155/2012/831327>.
- Okoye, TC; Akah, PA; Omeje, EO; Okoye, FB; Nworu, CS. (2013). Anticonvulsant effect of kaurenoic acid isolated from the root bark of *Annona senegalensis*. *Pharmacol Biochem Behav* 109: 38-43. <http://dx.doi.org/10.1016/j.pbb.2013.05.001>.
- Okusa, PN; Rasamiravaka, T; Vandeputte, O; Stévigny, C; Jaziri, ME; Duez, P. (2014). Extracts of *Cordia gillettii* de wild (Boraginaceae) quench the quorum sensing of *Pseudomonas aeruginosa* PAO1. 3: 138-143. <http://dx.doi.org/10.5455/jice.20140710031312>.
- Olaokun, OO; Mcgaw, LJ; Janse van Rensburg, I; Eloff, JN; Naidoo, V. (2016). Antidiabetic activity of the ethyl acetate fraction of *Ficus lutea* (Moraceae) leaf extract: comparison of an in vitro assay with an in vivo obese mouse model. *BMC Complement Altern Med* 16: 110. <http://dx.doi.org/10.1186/s12906-016-1087-z>.
- Olędzka, I; Kowalski, P; Dziomba, S; Szmudanowski, P; Bączek, T. (2013). Optimization of a pre-MEKC separation SPE procedure for steroid molecules in human urine samples. *Molecules* 18: 14013-14032. <http://dx.doi.org/10.3390/molecules181114013>.
- Oledzka, I; Kulińska, Z; Prah, A; Bączek, T. (2015). Simultaneous Separation of Eight Benzodiazepines in Human Urine Using Field-Amplified Sample Stacking Micellar Electrokinetic Chromatography. *J Anal Toxicol* 39: 436-443. <http://dx.doi.org/10.1093/jat/bkv042>.
- Olek, M; Baron, J; Zukowski, W. (2013). Thermal decomposition of selected chlorinated hydrocarbons during gas combustion in fluidized bed. *Chemistry Central Journal* 7: 2. <http://dx.doi.org/10.1186/1752-153X-7-2>.
- Oleszczuk, P. (2009). The Tenax fraction of PAHs relates to effects in sewage sludges. *Ecotoxicol Environ Saf* 72: 1320-1325. <http://dx.doi.org/10.1016/j.ecoenv.2008.10.004>.
- Olivares, M; Vallejo, A; Irazola, M; Murelaga, X; Baceta, JI; Tarrío, A; Etxebarria, N. (2010). Optimisation of focused ultrasound extraction (FUSE) and microwave-assisted extraction (MAE) of hydrocarbons in geological chert samples. *Talanta* 83: 605-612. <http://dx.doi.org/10.1016/j.talanta.2010.10.004>.
- Oliveira, AC; Britto, AC; Henriques, RM; Cardoso, GM; Anjos, CS; Jesus, AM; Costa, EV; Moraes, VR; Nogueira, PC; Bezerra, DP. (2013). In vivo growth inhibition of sarcoma 180 by *Kielmeyera rugosa* Choisy (Calophyllaceae). *Nat Prod Res* 27: 2248-2250. <http://dx.doi.org/10.1080/14786419.2013.819505>.
- Oliveira, AP; Cruz, RAS; Botas, G, daS; Kuster, RM; Rocha, L. (2013). Bio-Assay Guided Isolation and Structural Identification of Acetylcholinesterase Inhibitors from *Sideroxylon obtusifolium* (Roem. & Schult.) TD Penn. *Lat Am J Pharm* 32: 765-768.
- Oliveira, DF; Santos Júnior, HM; Nunes, AS; Campos, VP; Pinho, RS; Gajo, GC. (2014). Purification and identification of metabolites produced by *Bacillus cereus* and *B. subtilis* active against *Meloidogyne exigua*, and their in silico interaction with a putative phosphoribosyltransferase from *M. incognita*. *An Acad Bras Cienc* 0: 0.

## Human Health Hazard Literature Search Results

### Off Topic

- Oliveira, E; Baptista, RM; Costa, SP; Raposo, MM; Lodeiro, C. (2014). Synthesis and solvatochromism studies of novel bis(indolyl)methanes bearing functionalized arylthiophene groups as new colored materials. *Photochem Photobiol Sci* 13: 492-498. <http://dx.doi.org/10.1039/c3pp50352f>.
- Oliveira, IS; Lima, JCS; Silva, RM; Martins, DTO. (2008). In vitro screening of antibacterial activity of the latex and extracts from *Croton urucurana* Bullion. *Revista Brasileira de Farmacognosia* 18: 587-593.
- Oliveira, LC; Pereira, E; Guimaraes, IR; Vallone, A; Pereira, M; Mesquita, JP; Sapag, K. (2009). Preparation of activated carbons from coffee husks utilizing FeCl<sub>3</sub> and ZnCl<sub>2</sub> as activating agents. *J Hazard Mater* 165: 87-94. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.064>.
- Oliveira, M; Sales Junior, PA; Rodrigues, MJ; Dellagrecia, M; Barreira, L; Murta, SM; Romanha, AJ; Custódio, L. (2016). Unlocking the in vitro anti-Trypanosoma cruzi activity of halophyte plants from the southern Portugal. *Asian Pacific Journal of Tropical Medicine* 9: 735-741. <http://dx.doi.org/10.1016/j.apjtm.2016.06.015>.
- Olivella, MÀ; Jové, P; Bianchi, A; Bazzicalupi, C; Cano, L. (2013). An integrated approach to understanding the sorption mechanism of phenanthrene by cork. *Chemosphere* 90: 1939-1944. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.035>.
- Oliveri, IP; Di Bella, S. (2011). Sensitive Fluorescent Detection and Lewis Basicity of Aliphatic Amines. *J Phys Chem A* 115: 14325-14330. <http://dx.doi.org/10.1021/jp2066265>.
- Oliveri, IP; Failla, S; Colombo, A; Dragonetti, C; Righetto, S; Di Bella, S. (2014). Synthesis, characterization, optical absorption/fluorescence spectroscopy, and second-order nonlinear optical properties of aggregate molecular architectures of unsymmetrical Schiff-base zinc(II) complexes. *Dalton Transactions (Online)* 43: 2168-2175. <http://dx.doi.org/10.1039/c3dt53072h>.
- Olivier, M. (2015). Modeling mutational landscapes of primary cancers using an in vitro cell immortalization assay.
- Olmedo, DA; López-Pérez, JL; del Olmo, E; Vázquez, Y; San Feliciano, A; Gupta, MP. (2008). A new cytotoxic friedelane acid--pluricostatic acid-- and other compounds from the leaves of *Marila pluricostata*. *Molecules* 13: 2915-2924. <http://dx.doi.org/10.3390/molecules13112915>.
- Olson, GM; Meyer, BM; Portier, RJ. (2014). Adaptation of Sonication-Assisted Matrix Solid Phase Dispersion of Tissues for the Subsequent Extraction of Polycyclic Aromatic Hydrocarbons from Gulf Menhaden (*Brevoortia patronus*). *Biochemistry Research International* 2014: 925684. <http://dx.doi.org/10.1155/2014/925684>.
- Olswang, LB; Dowden, P; Feuerstein, J; Greenslade, K; Pinder, GL; Fleming, K. (2014). Triadic gaze intervention for young children with physical disabilities. *J Speech Lang Hear Res* 57: 1740-1753. [http://dx.doi.org/10.1044/2014\\_JSLHR-L-13-0058](http://dx.doi.org/10.1044/2014_JSLHR-L-13-0058).
- Olukunle, OI; Okonkwo, OJ; Kefeni, KK; Lupankwa, M. (2012). Determination of brominated flame retardants in Jukskei River catchment area in Gauteng, South Africa. *Water Sci Technol* 65: 743-749. <http://dx.doi.org/10.2166/wst.2012.894>.
- Omar Cevallos-Verdesoto, D; Jaramillo-Jaramillo, C; Cuesta-Rubio, O; Zaldua, J; Garcia-Simon, G; Rojas de Astudillo, L. (2016). Chemical composition, healing activity and toxicity of *Croton lechleri* latex. *Universidad del Zulia Facultad de Ciencias Veterinarias Revista Científica* 26: 95-103.
- Omary, MA; Elbjeirami, O; Gamage, CS; Sherman, KM; Dias, HV. (2009). Sensitization of naphthalene monomer phosphorescence in a sandwich adduct with an electron-poor trinuclear silver(i) pyrazolate complex. *Inorg Chem* 48: 1784-1786. <http://dx.doi.org/10.1021/ic8021326>.
- Omoriege, SN; Omoruyi, FO; Wright, VF; Jones, L; Zimba, PV. (2013). Antiproliferative activities of lesser galangal (*Alpinia officinarum* Hance Jam1), turmeric (*Curcuma longa* L.), and ginger (*Zingiber officinale* Rosc.) against acute monocytic leukemia. *J Med Food* 16: 647-655. <http://dx.doi.org/10.1089/jmf.2012.0254>.
- Omosa, LK; Midiwo, JO; Masila, VM; Gisacho, BM; Munayi, R; Francisca-Kamakama, R; Chemutai, KP; Elhaboob, G; Saeed, ME; Hamdoun, S; Kuete, V; Efferth, T. (2016). Cytotoxicity of 91 Kenyan indigenous medicinal plants towards human CCRF-CEM leukemia cells. *J Ethnopharmacol* 179: 177-196. <http://dx.doi.org/10.1016/j.jep.2015.12.028>.
- Omura, S; Koike, E; Kobayashi, T. (2009). Microarray analysis of gene expression in rat alveolar epithelial cells exposed to fractionated organic extracts of diesel exhaust particles. *Toxicology* 262: 65-72. <http://dx.doi.org/10.1016/j.tox.2009.05.012>.
- Onasanwo, SA; Fabiyi, TD; Oluwole, FS; Olaleye, SB. (2012). Analgesic and anti-inflammatory properties of the leaf extracts of *Anacardium occidentale* in the laboratory rodents. *Niger J Physiol Sci* 27: 65-71.
- Onasanwo, SA; Singh, N; Olaleye, SB; Mishra, V; Palit, G. (2010). Anti-ulcer & antioxidant activities of *Hedranthera barteri* (Hook F.) Pichon with possible involvement of H<sup>+</sup>, K<sup>+</sup> ATPase inhibitory activity. *Indian J Med Res* 132: 442-449.
- Önder, FC; Ay, M; Sarker, SD. (2013). Comparative study of antioxidant properties and total phenolic content of the extracts of *Humulus lupulus* L. and quantification of bioactive components by LC-MS/MS and GC-MS. *J Agric Food Chem* 61: 10498-10506. <http://dx.doi.org/10.1021/jf4031508>.
- Ondo, JP; Lekana-Douki, JB; Bongui, JB; Zang Edou, ES; Zatra, R; Toure-Ndouo, FS; Elomri, A; Lebibi, J; Seguin, E. (In Press) In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of *Vitex madiensis*, medicinal plant of Gabon. *Trop Med Int Health*. <http://dx.doi.org/10.1111/j.1365-3156.2011.02922.x>.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR, Jr; Gallipeau, JAR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed.). Whitehouse Station, NJ: Merck & Co., Inc. <http://dx.doi.org/10.1021/ci700022n>.
- Ong, KS; Aw, YK; Lee, LH; Yule, CM; Cheow, YL; Lee, SM. (2016). *Burkholderia paludis* sp. nov., an Antibiotic-Siderophore Producing Novel *Burkholderia cepacia* Complex Species, Isolated from Malaysian Tropical Peat Swamp Soil. *FMICB* 7: 2046. <http://dx.doi.org/10.3389/fmicb.2016.02046>.
- Ongun, MZ; Ertekin, K; Nadeem, S; Birel, O. (2016). Polyoxy-Derivatized Perylenediimide as Selective Fluorescent Ag (I) Chemosensor. *J Fluoresc* 26: 2311-2320. <http://dx.doi.org/10.1007/s10895-016-1927-8>.

## Human Health Hazard Literature Search Results

### Off Topic

- Orady, ME; Karim Nawfal, A; Wegienka, G. (2011). Does size matter? The effect of uterine weight on robot-assisted total laparoscopic hysterectomy outcomes. *Journal of Robotic Surgery* 5: 267-272. <http://dx.doi.org/10.1007/s11701-011-0271-x>.
- Orecchio, S; Gianguzza, A; Culotta, L. (2008). Absorption of polycyclic aromatic hydrocarbons by Pinus bark: Analytical method and use for environmental pollution monitoring in the Palermo area (Sicily, Italy). *Environ Res* 107: 371-379. <http://dx.doi.org/10.1016/j.envres.2008.02.010>.
- Orhan, I; Senol, FS; Gülpinar, AR; Kartal, M; Sekeroglu, N; Deveci, M; Kan, Y; Sener, B. (2009). Acetylcholinesterase inhibitory and antioxidant properties of *Cyclotrichium niveum*, *Thymus praecox* subsp. *caucasicus* var. *caucasicus*, *Echinacea purpurea* and *E. pallida*. *Food Chem Toxicol* 47: 1304-1310. <http://dx.doi.org/10.1016/j.fct.2009.03.004>.
- Orhan, IE; Senol, FS; Ozturk, N; Celik, SA; Pulur, A; Kan, Y. (2013). Phytochemical contents and enzyme inhibitory and antioxidant properties of *Anethum graveolens* L. (dill) samples cultivated under organic and conventional agricultural conditions. *Food Chem Toxicol* 59: 96-103. <http://dx.doi.org/10.1016/j.fct.2013.05.053>.
- Orhan, IE; Suntar, IP; Akkol, EK. (2011). In vitro neuroprotective effects of the leaf and fruit extracts of *Juglans regia* L. (walnut) through enzymes linked to Alzheimer's disease and antioxidant activity. *Int J Food Sci Nutr* 62: 781-786. <http://dx.doi.org/10.3109/09637486.2011.585964>.
- Orland, A; Knapp, K; König, GM; Ulrich-Merzenich, G; Knöb, W. (2014). Combining metabolomic analysis and microarray gene expression analysis in the characterization of the medicinal plant *Chelidonium majus* L. *Phytomedicine* 21: 1587-1596. <http://dx.doi.org/10.1016/j.phymed.2014.07.012>.
- Ornelas-Megiatto, C; Shah, PN; Wich, PR; Cohen, JL; Tagaev, JA; Smolen, JA; Wright, BD; Panzner, MJ; Youngs, WJ; Fréchet, JM; Cannon, CL. (2012). Aerosolized antimicrobial agents based on degradable dextran nanoparticles loaded with silver carbene complexes. *Mol Pharm* 9: 3012-3022. <http://dx.doi.org/10.1021/mp3004379>.
- Orrego, R; Milestone, CB; Hewitt, LM; Guchardi, J; Heid-Furley, T; Slade, A; Maclatchy, DL; Holdway, D. (2016). Evaluating the potential of effluent extracts from pulp and paper mills in Canada, Brazil, and New Zealand to affect fish reproduction: Estrogenic effects in fish. *Environ Toxicol Chem*. <http://dx.doi.org/10.1002/etc.3675>.
- Ortuño, MA; Vidossich, P; Ujaque, G; Conejero, S; Lledós, A. (2013). Solution dynamics of agostic interactions in T-shaped Pt(II) complexes from ab initio molecular dynamics simulations. *Dalton Transactions (Online)* 42: 12165-12172. <http://dx.doi.org/10.1039/c3dt50761k>.
- OSHA. (1997). Occupational exposure to methylene chloride. *Fed Reg* 62: 1493-1619.
- Oshovsky, GV; Rago, G; Day, JP; Soudijn, ML; Rock, W; Parekh, SH; Ciancaleoni, G; Reek, JN; Bonn, M. (2013). Coherent anti-Stokes Raman scattering microspectroscopic kinetic study of fast hydrogen bond formation in microfluidic devices. *Anal Chem* 85: 8923-8927. <http://dx.doi.org/10.1021/ac402233n>.
- Osman, CP; Ismail, NH; Ahmad, R; Ahmat, N; Awang, K; Jaafar, FM. (2010). Anthraquinones with antiplasmodial activity from the roots of *Rennellia elliptica* Korth. (Rubiaceae). *Molecules* 15: 7218-7226. <http://dx.doi.org/10.3390/molecules15107218>.
- Osman, KA; Ibrahim, GH; Askar, AI; Alkhail, ARA, Aba. (2008). Biodegradation kinetics of dicofol by selected microorganisms. *Pestic Biochem Physiol* 91: 180-185. <http://dx.doi.org/10.1016/j.pestbp.2008.03.012>.
- Osman, OI. (2017). DFT Study of the Structure, Reactivity, Natural Bond Orbital and Hyperpolarizability of Thiazole Azo Dyes. *International Journal of Molecular Sciences* 18. <http://dx.doi.org/10.3390/ijms18020239>.
- Osman, SM; El-Haddad, AE; El-Raey, MA; Abd El-Khalik, SM; Koheil, MA; Wink, M. (2016). A New Octadecenoic Acid Derivative from *Caesalpinia gilliesii* Flowers with Potent Hepatoprotective Activity. *Pharmacognosy Magazine* 12: S332-S336. <http://dx.doi.org/10.4103/0973-1296.185752>.
- Ostrovsky, SM; Reu, OS; Palii, AV; Clemente-León, M; Coronado, E; Waerenborgh, JC; Klokishner, SI. (2013). Modeling the magnetic properties and Mössbauer spectra of multifunctional magnetic materials obtained by insertion of a spin-crossover Fe(III) complex into bimetallic oxalate-based ferromagnets. *Inorg Chem* 52: 13536-13545. <http://dx.doi.org/10.1021/ic401997w>.
- Osuna, MB; Sipma, J; Emanuelsson, MA; Carvalho, MF; Castro, PM. (2008). Biodegradation of 2-fluorobenzoate and dichloromethane under simultaneous and sequential alternating pollutant feeding. *Water Res* 42: 3857-3869. <http://dx.doi.org/10.1016/j.watres.2008.05.011>.
- Oter, O; Ertekin, K; Dayan, O; Cetinkaya, B. (2008). Photocharacterization of novel ruthenium dyes and their utilities as oxygen sensing materials in presence of perfluorochemicals. *J Fluoresc* 18: 269-276. <http://dx.doi.org/10.1007/s10895-007-0258-1>.
- Otero, P; Saha, SK; Moane, S; Barron, J; Clancy, G; Murray, P. (2015). Improved method for rapid detection of phthalates in bottled water by gas chromatography-mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 997: 229-235. <http://dx.doi.org/10.1016/j.jchromb.2015.05.036>.
- Ou, Z; Khoury, T; Fang, Y; Zhu, W; Sintic, PJ; Crossley, MJ; Kadish, KM. (2013). Gold(III) porphyrins containing two, three, or four  $\beta, \beta'$ -fused quinoxalines. Synthesis, electrochemistry, and effect of structure and acidity on electroreduction mechanism. *Inorg Chem* 52: 2474-2483. <http://dx.doi.org/10.1021/ic302380z>.
- Ou, Z; Meng, D; Yuan, M; Huang, W; Fang, Y; Kadish, KM. (2013). Deprotonation reactions and electrochemistry of substituted open-chain pentapyrroles and saphyrins in basic nonaqueous media. *J Phys Chem B* 117: 13646-13657. <http://dx.doi.org/10.1021/jp408905a>.
- Oueslati, S; Ksouri, R; Falleh, H; Pichette, A; Abdelly, C; Legault, J. (2012). Phenolic content, antioxidant, anti-inflammatory and anticancer activities of the edible halophyte *Suaeda fruticosa* Forssk. *Food Chem* 132: 943-947. <http://dx.doi.org/10.1016/j.foodchem.2011.11.072>.
- Oughlissi-Dehak, K; Lawton, P; Michalet, S; Bayet, C; Darbour, N; Hadj-Mahammed, M; Badjah-Hadj-Ahmed, YA; Dijoux-Franca, MG; Guilet, D. (2008). Sesquiterpenes from aerial parts of *Ferula vesceritensis*. *Phytochemistry* 69: 1933-1938. <http://dx.doi.org/10.1016/j.phytochem.2008.03.010>.

## Human Health Hazard Literature Search Results

### Off Topic

- Oum, K; Lohse, PW; Flender, O; Klein, JR; Scholz, M; Lenzer, T; Du, J; Oekermann, T. (2012). Ultrafast dynamics of the indoline dye D149 on electrodeposited ZnO and sintered ZrO<sub>2</sub> and TiO<sub>2</sub> thin films. *Phys Chem Chem Phys* 14: 15429-15437. <http://dx.doi.org/10.1039/c2cp42961f>.
- Oum, K; Lohse, PW; Klein, JR; Flender, O; Scholz, M; Hagfeldt, A; Boschloo, G; Lenzer, T. (2013). Photoinduced ultrafast dynamics of the triphenylamine-based organic sensitizer D35 on TiO<sub>2</sub>, ZrO<sub>2</sub> and in acetonitrile. *Phys Chem Chem Phys* 15: 3906-3916. <http://dx.doi.org/10.1039/c3cp44095h>.
- Ovalle-Magallanes, B; Medina-Campos, ON; Pedraza-Chaverri, J; Mata, R. (2015). Hypoglycemic and antihyperglycemic effects of phytopreparations and limonoids from *Swietenia humilis*. *Phytochemistry* 110: 111-119. <http://dx.doi.org/10.1016/j.phytochem.2014.11.004>.
- Owona, BA; Njayou, NF; Laufer, SA; Schluesener, HJ; Moundipa, PF. (2013). Entada africana fraction CH<sub>2</sub>Cl<sub>2</sub>/MEOH 5% inhibits inducible nitric oxide synthase and pro-inflammatory cytokines gene expression induced by lipopolysaccharide in microglia. *BMC Complement Altern Med* 13: 254. <http://dx.doi.org/10.1186/1472-6882-13-254>.
- Owoyele, BV; Oguntoye, SO; Dare, K; Ogunbiyi, BA; Aruboula, EA; Soladoye, AO. (2008). Analgesic, anti-inflammatory and antipyretic activities from flavonoid fractions of *Chromolaena odorata*. *Journal of Medicinal Plant Research* 2: 219-225.
- Oyediji, O; Oziegbe, M; Taiwo, FO. (2011). Antibacterial, antifungal and phytochemical analysis of crude extracts from the leaves of *Ludwigia abyssinica* A. Rich. and *Ludwigia decurrens* Walter. *Journal of Medicinal Plant Research* 5: 1192-1199.
- Oz, F; Colak, A; Ozel, A; Ertunga, NS; Sesli, E. (2013). PURIFICATION AND CHARACTERIZATION OF A MUSHROOM POLYPHENOL OXIDASE AND ITS ACTIVITY IN ORGANIC SOLVENTS. *Journal of Food Biochemistry* 37: 36-44. <http://dx.doi.org/10.1111/j.1745-4514.2011.00604.x>.
- Ozcan, B; Esen, M; Caliskan, M; Mothana, RA; Cihan, AC; Yolcu, H. (2011). Antimicrobial and antioxidant activities of the various extracts of *Verbascum pinetorum* Boiss. O. Kuntze (Scrophulariaceae). *Eur Rev Med Pharmacol Sci* 15: 900-905.
- Ozdemir, I; Temelli, N; Günal, S; Demir, S. (2010). Gold(I) complexes of N-heterocyclic carbene ligands containing benzimidazole: synthesis and antimicrobial activity. *Molecules* 15: 2203-2210. <http://dx.doi.org/10.3390/molecules15042203>.
- Ozel, A; Colak, A; Arslan, O; Yildirim, M. (2010). Purification and characterisation of a polyphenol oxidase from *Boletus erythropus* and investigation of its catalytic efficiency in selected organic solvents. *Food Chem* 119: 1044-1049. <http://dx.doi.org/10.1016/j.foodchem.2009.08.011>.
- Ozkirimli, S; Aboul-Enein, HY; Cesur, N. (2011). ENANTIOSELECTIVE QUANTIFICATION OF DOXYLAMINE IN HUMAN PLASMA BY HPLC. *Journal of Liquid Chromatography and Related Technologies* 34: 671-678. <http://dx.doi.org/10.1080/10826076.2011.560700>.
- Ozmen, A; Bauer, S; Gridling, M; Singhuber, J; Krasteva, S; Madlener, S; Vo, TPN; Stark, N; Saiko, P; Fritzer-Szekeres, M; Szekeres, T; Askin-Celik, T; Krenn, L; Krupitza, G. (2009). In vitro anti-neoplastic activity of the ethno-pharmaceutical plant *Hypericum adenotrichum* Spach endemic to Western Turkey. *Oncol Rep* 22: 845-852.
- Ozmen, A; Madlener, S; Bauer, S; Krasteva, S; Vonach, C; Giessrigl, B; Gridling, M; Viola, K; Stark, N; Saiko, P; Michel, B; Fritzer-Szekeres, M; Szekeres, T; Askin-Celik, T; Krenn, L; Krupitza, G. (2010). In vitro anti-leukemic activity of the ethno-pharmacological plant *Scutellaria orientalis* ssp. *carica* endemic to western Turkey. *Phytomedicine* 17: 55-62. <http://dx.doi.org/10.1016/j.phymed.2009.06.001>.
- Ozyazici, M; Sevgi, F; Pekcetin, C; Sarpas, B; Sayin, S. (2012). Sustained release spherical agglomerates of polymethacrylates containing mefenamic acid: in vitro release, micromeritic properties and histological studies. *17*: 483-493. <http://dx.doi.org/10.3109/10837450.2010.550621>.
- Padilha, MM; Vilela, FC; Rocha, CQ; Dias, MJ; Soncini, R; dos Santos, MH; Alves-Da-Silva, G; Giusti-Paiva, A. (2010). Antiinflammatory properties of *Morus nigra* leaves. *24*: 1496-1500. <http://dx.doi.org/10.1002/ptr.3134>.
- Padla, EP; Solis, LT; Ragasa, CY. (2012). Antibacterial and antifungal properties of ent-kaurenoic acid from *Smallanthus sonchifolius*. *Chin J Nat Med* 10: 408-414. <http://dx.doi.org/10.3724/SP.J.1009.2012.00408>.
- Padwa, A; Zou, Y. (2015). Solvent and ligand effects associated with the Rh(II)-catalyzed reactions of  $\alpha$ -diazo-substituted amido esters. *J Org Chem* 80: 1802-1808. <http://dx.doi.org/10.1021/jo502725d>.
- Pagning, ALN; Tamokouc, J, deD; Lateef, M; Tapondjou, LA; Kuate, JR; Ngnokam, D; Ali, MS. (2016). New triterpene and new flavone glucoside from *Rhynchospora corymbosa* (Cyperaceae) with their antimicrobial, tyrosinase and butyrylcholinesterase inhibitory activities. *Phytochemistry Letters* 16: 121-128. <http://dx.doi.org/10.1016/j.phytol.2016.03.011>.
- Pahomi, G; Corlan, G; Anuta, V; Sandulovici, R; Mircioiu, I. (2012). STUDY OF TILE INFLUENCE OF BILE SALTS AND LECITHIN ON DISTRIBUTION OF KETOCONAZOLE BETWEEN PLASMA AND METHYLENE CHLORIDE. *60*: 809-821.
- Pailee, P; Prachyawarakorn, V; Ruchirawat, S; Mahidol, C. (2015). Bioactive cardinane sesquiterpenes from the stems of *Alangium salviifolium*. *Chem Asian J* 10: 910-914. <http://dx.doi.org/10.1002/asia.201403253>.
- Paine, JB. (2008). Esters of pyromellitic acid. Part I. Esters of achiral alcohols: regioselective synthesis of partial and mixed pyromellitate esters, mechanism of transesterification in the quantitative esterification of the pyromellitate system using orthoformate esters, and a facile synthesis of the ortho pyromellitate diester substitution pattern. *J Org Chem* 73: 4929-4938. <http://dx.doi.org/10.1021/jo800543w>.
- Paine, JB. (2008). Esters of pyromellitic acid. Part II. Esters of chiral alcohols: para pyromellitate diesters as a novel class of resolving agents and use of pyromellitates as duplicands for chiral purification. *J Org Chem* 73: 4939-4948. <http://dx.doi.org/10.1021/jo8005446>.
- Palem, CR; Gannu, R; Yamsani, SK; Yamsani, VV; Yamsani, MR. (2011). Development of a high-performance liquid chromatography method for simultaneous determination of pioglitazone and felodipine in pig serum: application to pharmacokinetic study. *Biomed Chromatogr* 25: 952-958. <http://dx.doi.org/10.1002/bmc.1553>.

## Human Health Hazard Literature Search Results

### Off Topic

- Paletta, J; Erffmeier, K; Theisen, C; Hussain, D; Wendorff, JH; Greiner, A; Fuchs-Winkelmann, S; Schofer, MD. (2009). Influence of poly-(L-lactic acid) nanofiber functionalization on maximum load, Young's modulus, and strain of nanofiber scaffolds before and after cultivation of osteoblasts: an in vitro study. *ScientificWorldJournal* 9: 1382-1393. <http://dx.doi.org/10.1100/tsw.2009.149>.
- Palkovits, R; von Malotki, C; Baumgarten, M; Mullen, K; Baltés, C; Antonietti, M; Kuhn, P; Weber, J; Thomas, A; Schuth, F. (2010). Development of Molecular and Solid Catalysts for the Direct Low-Temperature Oxidation of Methane to Methanol. *ChemSusChem* 3: 277-282. <http://dx.doi.org/10.1002/cssc.200900123>.
- Pallmann, T; Jonas, U; Wagner, M; Thevis, M; Kaefenstein, H; Rothschild, MA; Bender, K. (2010). Enzyme-assisted synthesis and structural characterization of pure benzodiazepine glucuronide epimers. *Eur J Pharm Sci* 39: 233-240. <http://dx.doi.org/10.1016/j.ejps.2009.12.005>.
- Palmas, P; Klingenfus, J; Vedeau, B; Girard, E; Montmeat, P; Hairault, L; Pradier, CM; Méthivier, C. (2013). A simple thermodynamic approach to predict responses from polymer-coated quartz crystal microbalance sensors exposed to organic vapors. *Talanta* 115: 616-623. <http://dx.doi.org/10.1016/j.talanta.2013.06.017>.
- Palumbo, F; Bosca, F; Morera, IM; Andreu, I; Miranda, MA. (2016). Biradical vs singlet oxygen photogeneration in suprofen-cholesterol systems. *Beilstein Journal of Organic Chemistry* 12: 1196-1202. <http://dx.doi.org/10.3762/bjoc.12.115>.
- Pamujula, S; Graves, RA; Moiseyev, R; Bostanian, LA; Kishore, V; Mandal, TK. (2008). Preparation of polylactide-co-glycolide and chitosan hybrid microcapsules of amifostine using coaxial ultrasonic atomizer with solvent evaporation. *J Pharm Pharmacol* 60: 283-289. <http://dx.doi.org/10.1211/jpp.60.3.0002>.
- Pamula, E; Menaszek, E. (2008). In vitro and in vivo degradation of poly(L-lactide-co-glycolide) films and scaffolds. *J Mater Sci Mater Med* 19: 2063-2070. <http://dx.doi.org/10.1007/s10856-007-3292-2>.
- Pan, E; Zhang, Q; Yang, F; Hu, W; Xu, Q; Liang, C; He, Y; Wang, C. (2014). [Study on of the current status of volatile organic compounds pollution in typical rural drinking water and the relationship between its concentration and health of the population, in Huai'an, Jiangsu]. *Zhonghua Liu Xing Bing Xue Za Zhi* 35: 1105-1108.
- Pan, X; Du, H; Yan, H. (2013). [Determination of 15 kinds of pesticides in blood by gas chromatography-mass spectrometry]. *Wei Sheng Yan Jiu* 42: 514-519.
- Pan, Y; Abd-Rashid, BA; Ismail, Z; Ismail, R; Mak, JW; Pook, PC; Er, HM; Ong, CE. (2010). In vitro modulatory effects on three major human cytochrome P450 enzymes by multiple active constituents and extracts of *Centella asiatica*. *J Ethnopharmacol* 130: 275-283. <http://dx.doi.org/10.1016/j.jep.2010.05.002>.
- Pan, Y; Abd-Rashid, BA; Ismail, Z; Ismail, R; Mak, JW; Pook, PC; Er, HM; Ong, CE. (2011). In vitro effects of active constituents and extracts of *Orthosiphon stamineus* on the activities of three major human cDNA-expressed cytochrome P450 enzymes. *Chem Biol Interact* 190: 1-8. <http://dx.doi.org/10.1016/j.cbi.2011.01.022>.
- Pan, Y; Abd-Rashid, BA; Ismail, Z; Ismail, R; Mak, JW; Pook, PC; Er, HM; Ong, CE. (2011). In vitro modulatory effects of *Andrographis paniculata*, *Centella asiatica* and *Orthosiphon stamineus* on cytochrome P450 2C19 (CYP2C19). *J Ethnopharmacol* 133: 881-887. <http://dx.doi.org/10.1016/j.jep.2010.11.026>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ* 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Pan, Y; Tiong, KH; Abd-Rashid, BA; Ismail, Z; Ismail, R; Mak, JW; Ong, CE. (2012). Inhibitory effects of cytochrome P450 enzymes CYP2C8, CYP2C9, CYP2C19 and CYP3A4 by *Labisia pumila* extracts. *J Ethnopharmacol* 143: 586-591. <http://dx.doi.org/10.1016/j.jep.2012.07.024>.
- Panahi, F; Sadraie, SH; Khoshmohabat, H; Shahram, E; Kaka, G; Hosseinalipour, M. (2012). Macroscopic and pathological assessment of methylene blue and normal saline on postoperative adhesion formation in a rat cecum model. *10*: 537-541. <http://dx.doi.org/10.1016/j.ijsu.2012.08.009>.
- Pandey, RR; Srivastava, A; Malasoni, R; Naqvi, A; Jain, A; Maikhuri, JP; Paliwal, S; Gupta, G; Dwivedi, AK. (2012). Synthesis of 3-(1-alkyl-aminoalkyl-3-vinyl-piperidin-4-yl)-1-(quinolin-4-yl)-propan-1-ones and their 2-methylene derivatives as potential spermicidal and microbicidal agents. *22*: 5735-5738. <http://dx.doi.org/10.1016/j.bmcl.2012.06.062>.
- Pandey, S; Patil, AT. (2014). Preparation, Evaluation and Need of Spherical Crystallization in Case of High Speed Direct Tableting. *Curr Drug Deliv* 11: 179-190.
- Pandey, SK; Singh, A; Singh, A; Nizamuddin, A. (2009). Antimicrobial studies of some novel quinazolinones fused with [1,2,4]-triazole, [1,2,4]-triazine and [1,2,4,5]-tetrazine rings. *Eur J Med Chem* 44: 1188-1197. <http://dx.doi.org/10.1016/j.ejmech.2008.05.033>.
- Panigrahi, M; Dash, S; Patel, S; Mishra, BK. (2011). Preferential solvation of styrylpyridinium dyes in binary mixtures of alcohols with hexane, dioxane, and dichloromethane. *J Phys Chem B* 115: 99-108. <http://dx.doi.org/10.1021/jp108002e>.
- Panusa, A; Orioli, M; Aldini, G; Carini, M. (2010). A rapid and sensitive LC-ESI-MS/MS method for detection and quantitation of methylprednisolone and methylprednisolone acetate in rat plasma after intra-articular administration. *J Pharm Biomed Anal* 51: 691-697. <http://dx.doi.org/10.1016/j.jpba.2009.09.041>.
- Panza, F; Solfrizzi, V; Seripa, D; Imbimbo, BP; Lozupone, M; Santamato, A; Zecca, C; Barulli, MR; Bellomo, A; Pilotto, A; Daniele, A; Greco, A; Logroscino, G. (2016). Tau-Centric Targets and Drugs in Clinical Development for the Treatment of Alzheimer's Disease [Review]. *BioMed Res Int* 2016: 3245935. <http://dx.doi.org/10.1155/2016/3245935>.
- Panzella, L; Eidenberger, T; Napolitano, A; D'Ischia, M. (2012). Black sesame pigment: DPPH assay-guided purification, antioxidant/antinitrosating properties, and identification of a degradative structural marker. *J Agric Food Chem* 60: 8895-8901. <http://dx.doi.org/10.1021/jf2053096>.



## Human Health Hazard Literature Search Results

### Off Topic

- Papaspyridi, LM; Aligiannis, N; Topakas, E; Christakopoulos, P; Skaltsounis, AL; Fokialakis, N. (2012). Submerged Fermentation of the Edible Mushroom *Pleurotus ostreatus* in a Batch Stirred Tank Bioreactor as a Promising Alternative for the Effective Production of Bioactive Metabolites. *Molecules* 17: 2714-2724. <http://dx.doi.org/10.3390/molecules17032714>.
- Papoutsis, I; Nikolaou, P; Spiliopoulou, C; Pistos, C; Stefanidou, M; Athanaselis, S. (2012). A simple and sensitive GC/MS method for the determination of atropine during therapy of anticholinesterase poisoning in serum samples. *Drug Testing and Analysis* 4: 229-234. <http://dx.doi.org/10.1002/dta.343>.
- Paproski, RE; Liang, C; Lucy, CA. (2011). High temperature normal phase liquid chromatography of aromatic hydrocarbons on bare zirconia. *J Chromatogr A* 1218: 7948-7955. <http://dx.doi.org/10.1016/j.chroma.2011.08.087>.
- Parente, LM; Andrade, MA; Brito, LA; Moura, VM; Miguel, MP; Lino-Júnior, R; Tresvenzol, LF; Paula, J. R.; Paulo, NM. (2011). Angiogenic activity of *Calendula officinalis* flowers L. in rats. *Acta Cir Bras* 26: 19-24.
- Parente, LM; Lino Júnior, R; Tresvenzol, LM; Vinaud, MC; de Paula, J. R.; Paulo, NM. (2012). Wound Healing and Anti-Inflammatory Effect in Animal Models of *Calendula officinalis* L. Growing in Brazil. *eCAM* 2012: 375671. <http://dx.doi.org/10.1155/2012/375671>.
- Paria, S; Ohta, T; Morimoto, Y; Ogura, T; Sugimoto, H; Fujieda, N; Goto, K; Asano, K; Suzuki, T; Itoh, S. (2015). Generation, Characterization, and Reactivity of a Cu(II)-Alkylperoxide/Anilino Radical Complex: Insight into the O-O Bond Cleavage Mechanism. *J Am Chem Soc* 137: 10870-10873. <http://dx.doi.org/10.1021/jacs.5b04104>.
- Parigoridi, IE; Corban, GJ; Hadjikakou, SK; Hadjiliadis, N; Kourkoumelis, N; Kostakis, G; Psycharis, V; Raptopoulou, CP; Kubicki, M. (2008). Structural motifs of diiodine complexes with amides and thioamides. *Dalton Trans* 5159-5165. <http://dx.doi.org/10.1039/b805825c>.
- Parizek, M; Douglas, TE; Novotna, K; Kromka, A; Brady, MA; Renzing, A; Voss, E; Jarosova, M; Palatinus, L; Tesarek, P; Ryparova, P; Lisa, V; dos Santos, AM; Warnke, PH; Bacakova, L. (2012). Nanofibrous poly(lactide-co-glycolide) membranes loaded with diamond nanoparticles as promising substrates for bone tissue engineering. *International Journal of Nanomedicine (Online)* 7: 1931-1951. <http://dx.doi.org/10.2147/IJN.S26665>.
- Park, BM; Hong, SS; Lee, C; Lee, MS; Kang, SJ; Shin, YS; Jung, JK; Hong, JT; Kim, Y; Lee, MK; Hwang, BY. (2010). Naphthoquinones from *Catalpa ovata* and their inhibitory effects on the production of nitric oxide. *Arch Pharm Res* 33: 381-385. <http://dx.doi.org/10.1007/s12272-010-0306-2>.
- Park, CH; Chung, MY; Unnithan, AR; Kim, CS. (2015). Creation of a functional graded nanobiomembrane using a new electrospinning system for drug release control and an in vitro validation of drug release behavior of the coating membrane. *Mater Sci Eng C* 50: 133-140. <http://dx.doi.org/10.1016/j.msec.2015.02.001>.
- Park, H; Ko, W. (2015). Preparation of C-60 Nanowhiskers-SnO<sub>2</sub> Nanocomposites and Photocatalytic Degradation of Organic Dyes. *J Nanosci Nanotechnol* 15: 8125-8132. <http://dx.doi.org/10.1166/jnn.2015.11249>.
- Park, J; Yoon, C; Byun, H; Kim, Y; Park, D; Ha, K; Lee, SM; Park, S; Chung, E. (In Press) Evaluation of Workers Exposed to Ethylene Glycol Monomethyl Ether and Ethylene Glycol Monomethyl Ether Acetate. *J Occup Health*.
- Park, JH; Mamun, MI; Abd El-Aty, AM; Na, TW; Choi, JH; Ghafar, MW; Choi, WJ; Kim, KS; Kim, SD; Shim, JH. (2011). Simultaneous multiresidue determination of 48 pesticides in Yeongsan and Sumjin River water using GC-NPD and confirmation via GC-MS. *Biomed Chromatogr* 25: 155-163. <http://dx.doi.org/10.1002/bmc.1537>.
- Park, KM; Kim, DW; Lee, SH. (2015). Extract of *Allium tuberosum* Rottler ex Spreng Promoted the Hair Growth through Regulating the Expression of IGF-1. *eCAM* 2015: 413538. <http://dx.doi.org/10.1155/2015/413538>.
- Park, M; Mendes, PV; Zampieri, FG; Azevedo, LC; Costa, EL; Antoniali, F; Ribeiro, GC; Caneo, LF; da Cruz Neto, LM; Carvalho, CR; Trindade, EM; group, Er; Libanês, EgHS; Paulo, HdCdS. (2014). The economic effect of extracorporeal membrane oxygenation to support adults with severe respiratory failure in Brazil: a hypothetical analysis. *Revista Brasileira de Terapia Intensiva* 26: 253-262.
- Park, MH; Kim, JH; Jeon, JW; Park, JK; Lee, BJ; Suh, GH; Cho, CW. (2015). Preformulation Studies of Bee Venom for the Preparation of Bee Venom-Loaded PLGA Particles. *Molecules* 20: 15072-15083. <http://dx.doi.org/10.3390/molecules200815072>.
- Park, PI; Makoid, M; Jonnalagadda, S. (2011). The design of flexible ciprofloxacin-loaded PLGA implants using a reversed phase separation/coacervation method. *77: 233-239*. <http://dx.doi.org/10.1016/j.ejpb.2010.11.014>.
- Park, SH; Chi, GY; Eom, HS; Kim, GY; Hyun, JW; Kim, WJ; Lee, SJ; Yoo, YH; Choi, YH. (2012). Role of autophagy in apoptosis induction by methylene chloride extracts of *Mori cortex* in NCI-H460 human lung carcinoma cells. *Int J Oncol* 40: 1929-1940. <http://dx.doi.org/10.3892/ijo.2012.1386>.
- Park, SH; Chung, EK; Yi, GY; Chung, KJ; Shin, JA; Lee, IS. (2010). A study for health hazard evaluation of methylene chloride evaporated from the tear gas mixture. *Saf Health Work* 1: 98-101. <http://dx.doi.org/10.5491/SHAW.2010.1.1.98>.
- Park, SY; Kim, EJ; Choi, HJ; Seon, MR; Lim, SS; Kang, YH; Choi, MS; Lee, KW; Yoon Park, JH. (2014). Anti-carcinogenic effects of non-polar components containing licochalcone A in roasted licorice root. *Nutrition Research and Practice* 8: 257-266. <http://dx.doi.org/10.4162/nrp.2014.8.3.257>.
- Park, Y; Lee, C; Lee, H; Pyo, J; Jo, J; Lee, J; Choi, H; Kim, S; Hong, R, anS; Park, Y; Hwang, BY; Choe, S; Jung, J, eeH. (2013). Identification of a new synthetic cannabinoid in a herbal mixture: 1-butyl-3-(2-methoxybenzoyl)indole. *Forensic Toxicology* 31: 187-196. <http://dx.doi.org/10.1007/s11419-012-0173-2>.
- Park, YM; Jeon, HH; Park, JJ; Kim, JH; Youn, YH; Park, H. (2015). Correlation Between Timed Barium Esophagogram and Esophageal Transit Scintigraphy Results in Achalasia. *Dig Dis Sci* 60: 2390-2397. <http://dx.doi.org/10.1007/s10620-015-3659-z>.
- Parkinson, EI; Jason Hatfield, M; Tsurkan, L; Hyatt, JL; Edwards, CC; Hicks, LD; Yan, B; Potter, PM. (2011). Requirements for mammalian carboxylesterase inhibition by substituted ethane-1,2-diones. *Bioorg Med Chem* 19: 4635-4643. <http://dx.doi.org/10.1016/j.bmc.2011.06.012>.

## Human Health Hazard Literature Search Results

### Off Topic

- Parmene, J; Ivanović-Burmazović, I; Tilset, M; van Eldik, R. (2009). Combined low temperature rapid scan and <sup>1</sup>H NMR mechanistic study of the protonation and subsequent benzene elimination from a (diimine)platinum(II) diphenyl complex relevant to arene C-H activation. *Inorg Chem* 48: 9092-9103. <http://dx.doi.org/10.1021/ic9005746>.
- Parsaee, H; Asili, J; Mousavi, SH; Soofi, H; Emami, SA; Tayarani-Najaran, Z. (2013). Apoptosis Induction of *Salvia chorassanica* Root Extract on Human Cervical Cancer Cell Line. *Iranian Journal of Pharmaceutical Research* 12: 75-83.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshin, AM; Gunyakov, VA; Zyryanov, VY; Shabanov, VF. (2013). Domain structures in nematic liquid crystals on a polycarbonate surface. *International Journal of Molecular Sciences* 14: 16303-16320. <http://dx.doi.org/10.3390/ijms140816303>.
- Parshintsev, J; Nurmi, J; Kilpeläinen, I; Hartonen, K; Kulmala, M; Riekkola, ML. (2008). Preparation of  $\text{C}_{60}$ -caryophyllene oxidation products and their determination in ambient aerosol samples. *Anal Bioanal Chem* 390: 913-919. <http://dx.doi.org/10.1007/s00216-007-1755-4>.
- Parvin, MN; Rahman, MS; Islam, MS; Rashid, MA. (2009). Chemical and biological investigations of *Dillenia indica* Linn. *Bangladesh J Pharmacol* 4: 122-125. <http://dx.doi.org/10.3329/bjp.v4i2.2758>.
- Pasche, SC; Garner, M; Baldwin, DS; Sinclair, JM. (2013). "Craving": exploring the components of the Desires for Alcohol Questionnaire (DAQ) and the relation to the severity of alcohol problems. *J Stud Alcohol Drugs* 74: 950-955.
- Pasquet, V; Morisset, P; Ihammouine, S; Chepied, A; Aumailley, L; Berard, JB; Serive, B; Kaas, R; Lanneluc, I; Thiery, V; Lafferriere, M; Piot, JM; Patrice, T; Cadoret, JP; Picot, L. (2011). Antiproliferative activity of violaxanthin isolated from bioguided fractionation of *Dunaliella tertiolecta* extracts. *Mar Drugs* 9: 819-831. <http://dx.doi.org/10.3390/md9050819>.
- Passalía, C; Nocetti, E; Alfano, O; Brandi, R. (2016). Coated mesh photocatalytic reactor for air treatment applications: comparative study of support materials. *Environ Sci Pollut Res Int*. <http://dx.doi.org/10.1007/s11356-016-7057-7>.
- Passari, LM; Scarminio, IS; Bruns, RE. (2014). Experimental designs characterizing seasonal variations and solvent effects on the quantities of coumarin and related metabolites from *Mikania laevigata*. *Anal Chim Acta* 821: 89-96. <http://dx.doi.org/10.1016/j.aca.2014.03.003>.
- Passavanti, G; Bragaglia, A; Paolini, R. (2009). From methylene blue (methylthionine chloride) to Al-Ghorab procedure: the therapy of priapism (our experience). *Arch Ital Urol Androl* 81: 242-244.
- Pastino, GM; Conolly, RB. (2000). Application of a physiologically based pharmacokinetic model to estimate the bioavailability of ethanol in male rats: distinction between gastric and hepatic pathways of metabolic clearance. *Toxicol Sci* 55: 256-265. <http://dx.doi.org/10.1093/toxsci/55.2.256>.
- Paszkievicz, M; Caban, M; Bielicka-Giełdoń, A; Stepnowski, P. (2017). Optimization of a procedure for the simultaneous extraction of polycyclic aromatic hydrocarbons and metal ions by functionalized and non-functionalized carbon nanotubes as effective sorbents. *Talanta* 165: 405-411. <http://dx.doi.org/10.1016/j.talanta.2016.10.049>.
- Patalay, P; Deighton, J; Fonagy, P; Vostanis, P; Wolpert, M. (2014). Clinical validity of the Me and My School questionnaire: a self-report mental health measure for children and adolescents. *Child and Adolescent Psychiatry and Mental Health* 8: 17. <http://dx.doi.org/10.1186/1753-2000-8-17>.
- Patel, JR; Pethani, TM; Vachhani, AN; Sheth, NR; Dudhrejiya, AV. (2014). Development and validation of bioanalytical method for simultaneous estimation of ramipril and hydrochlorothiazide in human plasma using liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 970: 53-59. <http://dx.doi.org/10.1016/j.jchromb.2014.08.023>.
- Patel, NK; Khan, MS; Bhutani, KK. (2015). INVESTIGATIONS ON LEUCAS CEPHALOTES (ROTH.) SPRENG. FOR INHIBITION OF LPS-INDUCED PRO-INFLAMMATORY MEDIATORS IN MURINE MACROPHAGES AND IN RAT MODEL. *EXCLI Journal* 14: 508-516. <http://dx.doi.org/10.17179/excli2014-667>.
- Patel, NK; Pulipaka, S; Dubey, SP; Bhutani, KK. (2014). Pro-inflammatory cytokines and nitric oxide inhibitory constituents from *Cassia occidentalis* roots. *Natural Product Communications* 9: 661-664.
- Patel, NK; Ramandeep, NK; Bhutani, KK. (2014). Activity-guided fractionation of *Ipomea fistulosa* leaves for pro-inflammatory cytokines and nitric oxide inhibitory constituents. *Natural Product Communications* 9: 1749-1750.
- Pathomwachaiwat, T; Ochareon, P; Soonthornchareonnon, N; Ali, Z; Khan, IA; Prathanturug, S. (2015). Alkaline phosphatase activity-guided isolation of active compounds and new dammarane-type triterpenes from *Cissus quadrangularis* hexane extract. *J Ethnopharmacol* 160: 52-60. <http://dx.doi.org/10.1016/j.jep.2014.11.026>.
- Patil, PC; Luzzio, FA. (2016). Synthesis of Extended Oxazoles III: Reactions of 2-(Phenylsulfonyl)methyl-4,5-diaxloxazoles. *J Org Chem* 81: 10521-10526. <http://dx.doi.org/10.1021/acs.joc.6b01280>.
- Patil, S; Dash, RP; Anandjiwala, S; Nivsarkar, M. (2012). Simultaneous quantification of berberine and lysergol by HPLC-UV: evidence that lysergol enhances the oral bioavailability of berberine in rats. *Biomed Chromatogr* 26: 1170-1175. <http://dx.doi.org/10.1002/bmc.2674>.
- Patil, S; Deally, A; Gleeson, B; Müller-Bunz, H; Paradisi, F; Tacke, M. (2011). Novel benzyl-substituted N-heterocyclic carbene-silver acetate complexes: synthesis, cytotoxicity and antibacterial studies. *Metallomics* 3: 74-88. <http://dx.doi.org/10.1039/c0mt00034e>.
- Patil, SB; Dongare, VR; Kulkarni, CR; Joglekar, MM; Arvindekar, AU. (2013). Antidiabetic activity of *Kalanchoe pinnata* in streptozotocin-induced diabetic rats by glucose independent insulin secretagogue action. *Pharmaceutical Biology* 51: 1411-1418. <http://dx.doi.org/10.3109/13880209.2013.794364>.
- Patil, SV; Patil, CD; Salunkhe, RB; Salunke, BK. (2010). Larvicidal activities of six plants extracts against two mosquito species, *Aedes aegypti* and *Anopheles stephensi*. *Trop Biomed* 27: 360-365.

## Human Health Hazard Literature Search Results

### Off Topic

- Patiño, AC; López, J; Aristizábal, M; Quintana, JC; Benjumea, D. (2012). [Evaluation of the inhibitory effect of extracts from leaves of *Renealmia alpinia* Rottb. Maas (Zingiberaceae) on the venom of *Bothrops asper* (mapaná)]. *Biomedica* 32: 365-374. <http://dx.doi.org/10.1590/S0120-41572012000300007>.
- Patlolla, A; Arinze, TL. (2014). Evaluating apatite formation and osteogenic activity of electrospun composites for bone tissue engineering. *Biotechnol Bioeng* 111: 1000-1017. <http://dx.doi.org/10.1002/bit.25146>.
- Patlolla, A; Collins, G; Arinze, TL. (2010). Solvent-dependent properties of electrospun fibrous composites for bone tissue regeneration. *Acta Biomater* 6: 90-101. <http://dx.doi.org/10.1016/j.actbio.2009.07.028>.
- Patomchaivivat, V; Paeratakul, O; Kulvanich, P. (2008). Formation of inhalable rifampicin-poly(L-lactide) microparticles by supercritical anti-solvent process. *AAPS PharmSciTech* 9: 1119-1129. <http://dx.doi.org/10.1208/s12249-008-9152-7>.
- Patschinski, P; Zhang, C; Zipse, H. (2014). The Lewis base-catalyzed silylation of alcohols--a mechanistic analysis. *J Org Chem* 79: 8348-8357. <http://dx.doi.org/10.1021/jo5016568>.
- Pattacini, R; Jie, S; Braunstein, P. (2009). Facile dichloromethane activation and phosphine methylation. Isolation of unprecedented zwitterionic organozinc and organocobalt intermediates. *Chem Commun (Camb)* 890-892. <http://dx.doi.org/10.1039/b817728g>.
- Pattnaik, S; Swain, K; Mallick, S; Lin, Z. (2011). Effect of casting solvent on crystallinity of ondansetron in transdermal films. *Int J Pharm* 406: 106-110. <http://dx.doi.org/10.1016/j.ijpharm.2011.01.009>.
- Paudel, A; Van den Mooter, G. (2012). Influence of solvent composition on the miscibility and physical stability of naproxen/PVP K 25 solid dispersions prepared by cosolvent spray-drying. *Pharm Res* 29: 251-270. <http://dx.doi.org/10.1007/s11095-011-0539-x>.
- Paulsen, E; Christensen, LP; Hindsén, M; Andersen, KE. (2013). Contact sensitization to calocephalin, a sesquiterpene lactone of the guaianolide type from cushion bush (*Leucophyta brownii*, Compositae). *Contact Derm* 69: 303-310. <http://dx.doi.org/10.1111/cod.12096>.
- Paulsen, E; El-Houri, RB; Andersen, KE; Christensen, LP. (2015). Sunflower seeds as eliciting agents of Compositae dermatitis. *Contact Derm* 72: 172-177. <http://dx.doi.org/10.1111/cod.12326>.
- Pawar, AA; Chen, DR; Venkataraman, C. (2012). Influence of precursor solvent properties on matrix crystallinity and drug release rates from nanoparticle aerosol lipid matrices. *Int J Pharm* 430: 228-237. <http://dx.doi.org/10.1016/j.ijpharm.2012.03.030>.
- Pawar, AP; Gholap, AP; Kuchekar, AB; Bothiraja, C; Mali, AJ. (2015). Formulation and evaluation of optimized oxybenzone microsphere gel for topical delivery. 2015: 261068. <http://dx.doi.org/10.1155/2015/261068>.
- Paysant, J; Sansilvestri-Morel, P; Bouskela, E; Verbeuren, TJ. (2008). Different flavonoids present in the micronized purified flavonoid fraction (Daflon 500 mg) contribute to its anti-hyperpermeability effect in the hamster cheek pouch microcirculation. *Int Angiol* 27: 81-85.
- Pearce, JN; Burns, BG; van de Riet, JM; Casey, MD; Potter, RA. (2009). Determination of fluoroquinolones in aquaculture products by ultra-performance liquid chromatography-tandem mass spectrometry (UPLC-MS/MS). *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 26: 39-46. <http://dx.doi.org/10.1080/02652030802189757>.
- Pederson, AW; Haraf, DJ; Blair, EA; Stenson, KM; Witt, ME; Vokes, EE; Salama, JK. (2010). Chemoreirradiation for recurrent salivary gland malignancies. 95: 308-311. <http://dx.doi.org/10.1016/j.radonc.2010.03.006>.
- Pedras, MS; Abdoli, A; Chumala, PB; Saha, P; Schatte, G. (2013). Unprecedented spirocyclization of 3-methyleneindoline-2-thiones during hydrolysis of the phytoalexin cyclobrassinin. 23: 484-487. <http://dx.doi.org/10.1016/j.bmcl.2012.11.042>.
- Pedrini, N; Ortiz-Urquiza, A; Huarte-Bonnet, C; Fan, Y; Juárez, MP; Keyhani, NO. (2015). Tenebrionid secretions and a fungal benzoquinone oxidoreductase form competing components of an arms race between a host and pathogen. *Proc Natl Acad Sci USA* 112: E3651-E3660. <http://dx.doi.org/10.1073/pnas.1504552112>.
- Pegram, RA; Andersen, ME; Warren, SH; Ross, TM; Claxton, LD. (1997). Glutathione S-transferase-mediated mutagenicity of trihalomethanes in *Salmonella typhimurium*: contrasting results with bromodichloromethane off chloroform. *Toxicol Appl Pharmacol* 144: 183-188. <http://dx.doi.org/10.1006/taap.1997.8123>.
- Pei, C; Cui, P; McCreese, C; Kilina, S; Burda, C; Sun, W. (2015). Heteroleptic cationic iridium(III) complexes bearing naphthalimidyl substituents: synthesis, photophysics and reverse saturable absorption. *Dalton Transactions (Online)* 44: 2176-2190. <http://dx.doi.org/10.1039/c4dt02384f>.
- Peixoto-Plácido, C; Soares, MJ; Pereira, AT; Macedo, A. (2015). Perfectionism and disordered eating in overweight woman. *Eat Behav* 18: 76-80. <http://dx.doi.org/10.1016/j.eatbeh.2015.03.009>.
- Pejin, B; Talevski, A; Ciric, A; Glamoclija, J; Nikolic, M; Talevski, T; Sokovic, M. (2014). In vitro evaluation of antimicrobial activity of the freshwater sponge *Ochridaspongia rotunda* (Arndt, 1937). *Nat Prod Res* 28: 1489-1494. <http://dx.doi.org/10.1080/14786419.2014.911297>.
- Pelto, JM; Virtanen, S; Munter, T; Larismaa, J; Jämsä, S; Nikkola, J. (2014). Encapsulation of 3-iodo-2-propynyl N-butylcarbamate (IPBC) in polystyrene-polycaprolactone (PS/PCL) blends. *J Microencapsul* 31: 415-421. <http://dx.doi.org/10.3109/02652048.2013.843599>.
- Peltre, C; Dignac, MF; Derenne, S; Houot, S. (2010). Change of the chemical composition and biodegradability of the Van Soest soluble fraction during composting: a study using a novel extraction method. *Waste Manag* 30: 2448-2460. <http://dx.doi.org/10.1016/j.wasman.2010.06.021>.
- Pelzer, S; Neumann, B; Stammler, HG; Ignat'ev, N; Hoge, B. (2016). The Bis(pentafluoroethyl)germylene Trimethylphosphane Adduct (C2 F5 )2 Ge-PMe3 : Characterization, Ligand Properties, and Reactivity. *Angew Chem Int Ed Engl* 55: 6088-6092. <http://dx.doi.org/10.1002/anie.201601468>.
- Pena-Abaurrea, M; Ramos, JJ; Gonzalez, MJ; Ramos, L. (2013). Miniaturized selective pressurized liquid extraction of polychlorinated biphenyls and polybrominated diphenyl ethers from feedstuffs. *J Chromatogr A* 1273: 18-25. <http://dx.doi.org/10.1016/j.chroma.2012.11.066>.

## Human Health Hazard Literature Search Results

### Off Topic

- Pena-Mercado, E; Garcia-Lorenzana, M; Arechaga, E; La Rosa, CHG, d; Beltran, NE. (2016). Gastric mucosa injury quantification in an ischemia — Reperfusion experimental model. 2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)2303-2306.
- Penduka, D; Okoh, A, I. (2011). In-vitro antagonistic activities of crude dichloromethane extracts of *Garcinia kola* (Heckel) seeds against potentially pathogenic *Vibrio* species. *Journal of Medicinal Plant Research* 5: 2071-2077.
- Penecilla, GL; Magno, CP. (2011). Antibacterial activity of extracts of twelve common medicinal plants from the Philippines. *Journal of Medicinal Plant Research* 5: 3975-3981.
- Penfold, TJ; Karlsson, S; Capano, G; Lima, FA; Rittmann, J; Reinhard, M; Rittmann-Frank, MH; Braem, O; Baranoff, E; Abela, R; Tavernelli, I; Rothlisberger, U; Milne, CJ; Chergui, M. (2013). Solvent-induced luminescence quenching: static and time-resolved X-ray absorption spectroscopy of a copper(I) phenanthroline complex. *J Phys Chem A* 117: 4591-4601. <http://dx.doi.org/10.1021/jp403751m>.
- Peng, Q; Tang, T; Yu, S; Sun, Y; Lei, W; Wang, F; Zhang, W; Li, T. (2014). [Determination of N-nitrosodimethylamine in beer by frozen zone melting liquid-liquid extraction/gas chromatography]. *Sepu* 32: 433-437.
- Peng, W; Liu, YJ; Wu, N; Sun, T; He, XY; Gao, YX; Wu, CJ. (2015). Areca catechu L. (Arecaceae): a review of its traditional uses, botany, phytochemistry, pharmacology and toxicology [Review]. *J Ethnopharmacol* 164: 340-356. <http://dx.doi.org/10.1016/j.jep.2015.02.010>.
- Penny, C; Gruffaz, C; Nadalig, T; Cauchie, HM; Vuilleumier, S; Bringel, F. (2015). Tetrachloromethane-Degrading Bacterial Enrichment Cultures and Isolates from a Contaminated Aquifer. 3: 327-343. <http://dx.doi.org/10.3390/microorganisms3030327>.
- Percino, MJ; Cerón, M; Rodríguez, O; Soriano-Moro, G; Castro, ME; Chapela, VM; Siegler, MA; Pérez-Gutiérrez, E. (2016). Conformational and Molecular Structures of  $\alpha,\beta$ -Unsaturated Acrylonitrile Derivatives: Photophysical Properties and Their Frontier Orbitals. *Molecules* 21: 389. <http://dx.doi.org/10.3390/molecules21040389>.
- Pereira, AC; Pereira, AB; Moreira, CC; Botion, LM; Lemos, VS; Braga, FC; Cortes, SF. (2015). *Hancornia speciosa* Gomes (Apocynaceae) as a potential anti-diabetic drug. *J Ethnopharmacol* 161: 30-35. <http://dx.doi.org/10.1016/j.jep.2014.11.050>.
- Pereira, CA; Romeiro, RL; Costa, AC; Machado, AK; Junqueira, JC; Jorge, AO. (2011). Susceptibility of *Candida albicans*, *Staphylococcus aureus*, and *Streptococcus mutans* biofilms to photodynamic inactivation: an in vitro study. *Lasers Med Sci* 26: 341-348. <http://dx.doi.org/10.1007/s10103-010-0852-3>.
- Pereira, CS; Barros, PR; Silva, PM; Rodrigues, DP. (2009). Pathogens isolated from gastrointestinal tract of healthy dogs in Rio de Janeiro. *Arquivo Brasileiro de Medicina Veterinária e Zootecnia* 61: 1000-1001.
- Pereira, DF; Kappel, VD; Cazarolli, LH; Boligon, AA; Athayde, ML; Guesser, SM; Da Silva, EL; Silva, FR. (2012). Influence of the traditional Brazilian drink *Ilex paraguariensis* tea on glucose homeostasis. *Phytomedicine* 19: 868-877. <http://dx.doi.org/10.1016/j.phymed.2012.05.008>.
- Pereira, DF; Zanon, RB; Dos Santos, M; Boligon, AA; Athayde, ML. (2013). Antioxidant activities and triterpenoids isolated from *Alternanthera brasiliana* (L.) Kuntze leaves. *Nat Prod Res* 27: 1660-1663. <http://dx.doi.org/10.1080/14786419.2012.750313>.
- Pereira, JC; Sajid, M; Kehr, G; Wright, AM; Schirmer, B; Qu, ZW; Grimme, S; Erker, G; Ford, PC. (2014). Reaction of a bridged frustrated Lewis pair with nitric oxide: a kinetics study. *J Am Chem Soc* 136: 513-519. <http://dx.doi.org/10.1021/ja4118335>.
- Pereira, LA; Rath, S. (2009). Molecularly imprinted solid-phase extraction for the determination of fenitrothion in tomatoes. *Anal Bioanal Chem* 393: 1063-1072. <http://dx.doi.org/10.1007/s00216-008-2511-0>.
- Pereira, SL; Kummerle, AE; Fraga, CA; Barreiro, EJ; Rocha, N; Ferraz, EB; Do Nascimento, JH; Sudo, RT; Zapata-Sudo, G. (2013). A novel Ca<sup>2+</sup> channel antagonist reverses cardiac hypertrophy and pulmonary arteriolar remodeling in experimental pulmonary hypertension. *Eur J Pharmacol* 702: 316-322. <http://dx.doi.org/10.1016/j.ejphar.2013.01.050>.
- Pereira, SL; Kummerle, AE; Manssour Fraga, CA; Barreiro, EJ; Sudo, RT; Zapata-Sudo, G. (2014). Vasodilator and antihypertensive effects of a novel N-acylhydrazone derivative mediated by the inhibition of L-type Ca<sup>2+</sup> channels. *Fundam Clin Pharmacol* 28: 29-41. <http://dx.doi.org/10.1111/j.1472-8206.2012.01076.x>.
- Pereira, TM; Silva, V; Ribeiro Neto, JA; Alves, SN; Lima, LA. (2014). Larvicidal activity of the methanol extract and fractions of the green fruits of *Solanum lycocarpum* (Solanaceae) against the vector *Culex quinquefasciatus* (Diptera: Culicidae). 47: 646-648.
- Perera, DM; Pandey, B; Ito, T. (2011). Electrochemical impedance spectroscopy studies of organic-solvent-induced permeability changes in nanoporous films derived from a cylinder-forming diblock copolymer. *Langmuir* 27: 11111-11117. <http://dx.doi.org/10.1021/la202005n>.
- Perez, JM; Robledo, S; Cardona, W; Alzate, F; Munoz, D; Herrera, A. (2016). Leishmanicidal and cytotoxic activity of extracts and saponins from *Ilex laurina* (Aquifoliaceae). *Tropical Journal of Pharmaceutical Research* 15: 973-979. <http://dx.doi.org/10.4314/tjpr.v15i5.11>.
- Pérez-Hernández, J; González-Cortazar, M; Marquina, S; Herrera-Ruiz, M; Meckes-Fischer, M; Tortoriello, J; Cruz-Sosa, F; Nicasio-Torres, M. (2014). Sphaeralcic acid and tomentin, anti-inflammatory compounds produced in cell suspension cultures of *Sphaeralcea angustifolia*. *Planta Med* 80: 209-214. <http://dx.doi.org/10.1055/s-0033-1360302>.
- Pérez-Ortuño, R; Martínez-Sánchez, JM; Fernández, E; Pascual, JA. (2015). High-throughput wide dynamic range procedure for the simultaneous quantification of nicotine and cotinine in multiple biological matrices using hydrophilic interaction liquid chromatography-tandem mass spectrometry. *Anal Bioanal Chem* 407: 8463-8473. <http://dx.doi.org/10.1007/s00216-015-8993-7>.
- Pérez-Ortuño, R; Martínez-Sánchez, JM; Fu, M; Ballbè, M; Quirós, N; Fernández, E; Pascual, JA. (2016). Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. *Environ Res* 151: 635-641. <http://dx.doi.org/10.1016/j.envres.2016.08.036>.
- Pernod, G; Albaladejo, P; Godier, A; Samama, CM; Susen, S; Gruel, Y; Blais, N; Fontana, P; Cohen, A; Llau, JV; Rosencher, N; Schved, JF; de Maistre, E; Samama, MM; Mismetti, P; Sié, P; Haemostasis, WGoP. (2013). Management of major bleeding complications and emergency surgery in patients on long-term treatment with direct oral anticoagulants, thrombin or factor-Xa inhibitors: proposals of

## Human Health Hazard Literature Search Results

### Off Topic

- the working group on perioperative haemostasis (GIHP) - March 2013. *Arch Cardiovasc Dis* 106: 382-393. <http://dx.doi.org/10.1016/j.acvd.2013.04.009>.
- Perruchas, S; Boubekeur, K; Canadell, E; Misaki, Y; Auban-Senzier, P; Pasquier, C; Batail, P. (2008). Modulating the framework negative charge density in the system [BDT-TTP\*+]/[Re6S5Cl9(1-)]/[Re6(S/Se)6Cl8(2-)]/[Re6S7Cl7(3-)]: templating by isosteric cluster anions of identical symmetry and shape, variations of incommensurate band filling, and electronic structure in 2D metals. *J Am Chem Soc* 130: 3335-3348. <http://dx.doi.org/10.1021/ja074774s>.
- Pervaiz, F; Ahmad, M; Minhas, MU; Sohail, M. (2015). Development and Validation of Reverse Phase High Performance Chromatography Method for Determination of Olanzapine in Microsample Rat Plasma: Application to Preclinical Pharmacokinetic Study. *Tropical Journal of Pharmaceutical Research* 14: 141-147. <http://dx.doi.org/10.4314/tjpr.v14i1.20>.
- Perveen, S; Yousaf, M; Zahoor, AF; Rasool, N; Jabber, A. (2014). Extraction, isolation, and identification of various environment friendly components from cock's comb (*Celosia argentea*) leaves for allelopathic potential. *Toxicol Environ Chem* 96: 1523-1534. <http://dx.doi.org/10.1080/02772248.2015.1031457>.
- Peter, O; Magiri, E; Auma, J; Magoma, G; Imbuga, M; Murilla, G. (2009). Evaluation of in vivo antitrypanosomal activity of selected medicinal plant extracts. *Journal of Medicinal Plant Research* 3: 849-854.
- Peters, TL; Kamel, F; Lundholm, C; Feychting, M; Weibull, CE; Sandler, DP; Wiebert, P; Sparén, P; Ye, W; Fang, F. (2017). Occupational exposures and the risk of amyotrophic lateral sclerosis. *Occup Environ Med* 74: 87-92. <http://dx.doi.org/10.1136/oemed-2016-103700>.
- Peterson, RK; Preftakes, CJ; Bodin, JL; Brown, CR; Piccolomini, AM; Schleier, JJ. (2016). Determinants of acute mortality of *Hippodamia convergens* (Coleoptera: Coccinellidae) to ultra-low volume permethrin used for mosquito management. *Peer J* 4: e2167. <http://dx.doi.org/10.7717/peerj.2167>.
- Petkari, E; Pietschnig, J. (2015). Associations of Quality of Life with Service Satisfaction in Psychotic Patients: A Meta-Analysis [Review]. *PLoS ONE* 10: e0135267. <http://dx.doi.org/10.1371/journal.pone.0135267>.
- Petreanu, M; Ferreira, EK; Sagaz, AP; Vendramini-Costa, DB; Ruiz, AL; De Carvalho, JE; Campos, A; Cechinel Filho, V; Delle Monache, F; Niero, R. (2015). Uncommon Trimethoxylated Flavonol Obtained from *Rubus rosaefolius* Leaves and Its Antiproliferative Activity. *eCAM* 2015: 341216. <http://dx.doi.org/10.1155/2015/341216>.
- Petrović, J; Glamočlija, J; Stojković, DS; Ćirić, A; Nikolić, M; Bukvički, D; Guerzoni, ME; Soković, MD. (2013). *Laetiporus sulphureus*, edible mushroom from Serbia: investigation on volatile compounds, in vitro antimicrobial activity and in situ control of *Aspergillus flavus* in tomato paste. *Food Chem Toxicol* 59: 297-302. <http://dx.doi.org/10.1016/j.fct.2013.06.021>.
- Pettit, GR; Thornhill, AJ; Moser, BR; Hogan, F. (2008). Antineoplastic agents. 552. oxidation of combretastatin A-1: trapping the o-quinone intermediate considered the metabolic product of the corresponding phosphate prodrug. *J Nat Prod* 71: 1561-1563. <http://dx.doi.org/10.1021/np800179g>.
- Pfeifer, CS; Shelton, ZR; Braga, RR; Windmoller, D; Machado, JC; Stansbury, JW. (2011). Characterization of dimethacrylate polymeric networks: A study of the crosslinked structure formed by monomers used in dental composites. *European Polymer Journal* 47: 162-170. <http://dx.doi.org/10.1016/j.eurpolymj.2010.11.007>.
- Phadungkit, M; Rattarom, R; Rattana, S. (2010). Phytochemical screening, antioxidant, antibacterial and cytotoxic activities of *Knema angustifolia* extracts. *Journal of Medicinal Plant Research* 4: 1269-1272.
- Phaechamud, T; Chitrattha, S. (2016). Pore formation mechanism of porous poly(DL-lactic acid) matrix membrane. *Mater Sci Eng C* 61: 744-752. <http://dx.doi.org/10.1016/j.msec.2016.01.014>.
- Pham, DD, uy; Fattal, E; Tsapis, N. (2015). Pyrazinamide-loaded poly(lactide-co-glycolide) nanoparticles: Optimization by experimental design. *Journal of Drug Delivery Science and Technology* 30: 384-390. <http://dx.doi.org/10.1016/j.jddst.2015.07.006>.
- Phankaen, Y; Pluemanapat, W; Mourad, AK; Bullangpoti, V. (2014). BIOEFFICACY OF PIPER RIBESIOIDES (PIPERACEAE) EXTRACTS AGAINST NILAPARVATA LUGENS STAL. (HOMOPTERA: DELPHACIDAE). *Commun Agric Appl Biol Sci* 79: 229-232.
- Phatangare, KR; Lanke, SK; Sekar, N. (2014). Fluorescent coumarin derivatives with viscosity sensitive emission--synthesis, photophysical properties and computational studies. *J Fluoresc* 24: 1263-1274. <http://dx.doi.org/10.1007/s10895-014-1410-3>.
- Philip Jacob, P; Madhumitha, G; Mary Saral, A. (2011). Free radical scavenging and reducing power of *Lawsonia inermis* L. seeds. *Asian Pacific Journal of Tropical Medicine* 4: 457-461. [http://dx.doi.org/10.1016/S1995-7645\(11\)60125-9](http://dx.doi.org/10.1016/S1995-7645(11)60125-9).
- Phutane, P; Shidhaye, S; Lotlikar, V; Ghule, A; Sutar, S; Kadam, V. (2010). In vitro Evaluation of Novel Sustained Release Microspheres of Glipizide Prepared by the Emulsion Solvent Diffusion-Evaporation Method. 2: 35-41. <http://dx.doi.org/10.4103/0975-1483.62210>.
- Piacham, T; Nantasenamat, C; Isarankura-Na-Ayudhya, C; Prachayasittikul, V. (2013). Synthesis and computational investigation of molecularly imprinted nanospheres for selective recognition of alpha-tocopherol succinate. *EXCLI Journal* 12: 701-718.
- Piao, GC; Li, YX; Yuan, HD; Jin, GZ. (2012). Cytotoxic fraction from *Artemisia sacrorum* Ledeb. against three human cancer cell lines and separation and identification of its compounds. *Nat Prod Res* 26: 1483-1491. <http://dx.doi.org/10.1080/14786419.2011.565473>.
- Piao, XL; Cho, EJ; Cho, EJ; Jang, MH; Cui, J. (2009). Cytoprotective effect of lignans from *Forsythia suspensa* against peroxynitrite-induced LLC-PK1 cell damage. *Phytother Res* 23: 938-942. <http://dx.doi.org/10.1002/ptr.2834>.
- Pícha, J; Vaněk, V; Buděšínský, M; Mládková, J; Garrow, TA; Jiráček, J. (2013). The development of a new class of inhibitors for betaine-homocysteine S-methyltransferase. *Eur J Med Chem* 65: 256-275. <http://dx.doi.org/10.1016/j.ejmech.2013.04.039>.
- Pickard, S; Becker, I; Merz, KH; Richling, E. (2013). Determination of the alky pyrazine composition of coffee using stable isotope dilution-gas chromatography-mass spectrometry (SIDA-GC-MS). *J Agric Food Chem* 61: 6274-6281. <http://dx.doi.org/10.1021/jf401223w>.
- Pico, J; Nozal, MJ; Gómez, M; Bernal, JL. (2016). An alternative method based on enzymatic fat hydrolysis to quantify volatile compounds in wheat bread crumb. *Food Chem* 206: 110-118. <http://dx.doi.org/10.1016/j.foodchem.2016.03.054>.

## Human Health Hazard Literature Search Results

### Off Topic

- Piekarska, K. (2010). Mutagenicity of airborne particulates assessed by salmonella assay and the SOS chromotest in Wrocław, Poland. *Journal of the Air and Waste Management Association* 60: 993-1001.
- Pieper, B; Templin, TN; Birk, TJ; Kirsner, RS. (2008). The standing heel-rise test: relation to chronic venous disorders and balance, gait, and walk time in injection drug users. *Ostomy Wound Manage* 54: 18-22, 24, 26-30 passim.
- Pietrovski, EF; Magina, MD; Gomig, F; Pietrovski, CF; Micke, GA; Barcellos, M; Pizzolatti, MG; Cabrini, DA; Brighente, IM; Otuki, MF. (2008). Topical anti-inflammatory activity of *Eugenia brasiliensis* Lam. (Myrtaceae) leaves. *J Pharm Pharmacol* 60: 479-487. <http://dx.doi.org/10.1211/jpp.60.4.0011>.
- Pilar Martinez, M; David Carrillo, J; Teresa Tena, M. (2010). Determination of brominated diphenyl ethers (from mono- to hexa- congeners) in indoor dust by pressurised liquid extraction with in-cell clean-up and gas chromatography-mass spectrometry. *Anal Bioanal Chem* 397: 257-267. <http://dx.doi.org/10.1007/s00216-009-3333-4>.
- Pilařová, V; Gottvald, T; Svoboda, P; Novák, O; Benešová, K; Běláková, S; Nováková, L. (2016). Development and optimization of ultra-high performance supercritical fluid chromatography mass spectrometry method for high-throughput determination of tocopherols and tocotrienols in human serum. *Anal Chim Acta* 934: 252-265. <http://dx.doi.org/10.1016/j.aca.2016.06.008>.
- Pilarski, R; Filip, B; Wietrzyk, J; Kuraś, M; Gulewicz, K. (2010). Anticancer activity of the *Uncaria tomentosa* (Willd.) DC. preparations with different oxindole alkaloid composition. *Phytomedicine* 17: 1133-1139. <http://dx.doi.org/10.1016/j.phymed.2010.04.013>.
- Pilissao, C; Carvalho, P; Nascimento, M. (2009). Enantioselective acylation of (RS)-phenylethylamine catalysed by lipases. *Process Biochemistry* 44: 1352-1357. <http://dx.doi.org/10.1016/j.procbio.2009.07.012>.
- Pinheiro, MM; Bessa, SO; Fingolo, CE; Kuster, RM; Matheus, ME; Menezes, FS; Fernandes, PD. (2010). Antinociceptive activity of fractions from *Couropita guianensis* Aubl. leaves. *J Ethnopharmacol* 127: 407-413. <http://dx.doi.org/10.1016/j.jep.2009.10.025>.
- Pinheiro, MM; Boylan, F; Fernandes, PD. (2012). Antinociceptive effect of the *Orbignya speciosa* Mart. (Babassu) leaves: evidence for the involvement of apigenin. *Life Sci* 91: 293-300. <http://dx.doi.org/10.1016/j.lfs.2012.06.013>.
- Pintado-Herrera, MG; González-Mazo, E; Lara-Martín, PA. (2014). Determining the distribution of triclosan and methyl triclosan in estuarine settings. *Chemosphere* 95: 478-485. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.101>.
- Pintado-Herrera, MG; González-Mazo, E; Lara-Martín, PA. (2016). In-cell clean-up pressurized liquid extraction and gas chromatography-tandem mass spectrometry determination of hydrophobic persistent and emerging organic pollutants in coastal sediments. *J Chromatogr A* 1429: 107-118. <http://dx.doi.org/10.1016/j.chroma.2015.12.040>.
- Pinteus, S; Alves, C; Monteiro, H; Araújo, E; Horta, A; Pedrosa, R. (2015). *Asparagopsis armata* and *Sphaerococcus coronopifolius* as a natural source of antimicrobial compounds. *World J Microbiol Biotechnol* 31: 445-451. <http://dx.doi.org/10.1007/s11274-015-1797-2>.
- Pinteus, S; Silva, J; Alves, C; Horta, A; Fino, N; Rodrigues, AI; Mendes, S; Pedrosa, R. (2017). Cytoprotective effect of seaweeds with high antioxidant activity from the Peniche coast (Portugal). *Food Chem* 218: 591-599. <http://dx.doi.org/10.1016/j.foodchem.2016.09.067>.
- Pintha, K; Yodkeeree, S; Pitchakarn, P; Limtrakul, P. (2014). Anti-invasive activity against cancer cells of phytochemicals in red jasmine rice (*Oryza sativa* L.). *Asian Pac J Cancer Prev* 15: 4601-4607.
- Pinto da Silva, L; Esteves da Silva, JC. (2013). Interstate crossing-induced chemiexcitation as the reason for the chemiluminescence of dioxetanones. *Chemphyschem* 14: 1071-1079. <http://dx.doi.org/10.1002/cphc.201200872>.
- Pinto, M; Costa, PM; Louro, H; Costa, MH; Lavinha, J; Caeiro, S; Silva, MJ. (2014). Human hepatoma cells exposed to estuarine sediment contaminant extracts permitted the differentiation between cytotoxic and pro-mutagenic fractions. *Environ Pollut* 185: 141-148. <http://dx.doi.org/10.1016/j.envpol.2013.10.034>.
- Pintre, IC; Pierrefixe, S; Hamilton, A; Valderrey, V; Bo, C; Ballester, P. (2012). Influence of the solvent and metal center on supramolecular chirality induction with bisporphyrin tweezer receptors. Strong metal modulation of effective molarity values. *Inorg Chem* 51: 4620-4635. <http://dx.doi.org/10.1021/ic202515v>.
- Piornedo, R; de Souza, P; Stefanello, ME; Strapasson, RL; Zamprônio, AR; Kassuya, CA. (2011). Anti-inflammatory activity of extracts and 11,13-dihydrozaluzanin C from *Gochnatia polymorpha* ssp. *floccosa* trunk bark in mice. *J Ethnopharmacol* 133: 1077-1084. <http://dx.doi.org/10.1016/j.jep.2010.11.040>.
- Pipattanaporn, P; Tharamak, S; Temyarasilp, P; Bullangpoti, V; Pluempanupat, W. (2015). TOXICITY OF THE SEEDS OF PHASEOLUS LATHYROIDES (LEGUMINOSAE) AGAINST SPODOPTERA LITURA (LEPIDOPTERA: NOCTUIDAE). *Commun Agric Appl Biol Sci* 80: 193-198.
- Pires, CT; Brenzan, MA; Scodro, RB; Cortez, DA; Lopes, LD; Siqueira, VL; Cardoso, RF. (2014). Anti-Mycobacterium tuberculosis activity and cytotoxicity of *Calophyllum brasiliense* Cambess (Clusiaceae). *Mem Inst Oswaldo Cruz* 109: 324-329.
- Pires, LR; Guarino, V; Oliveira, MJ; Ribeiro, CC; Barbosa, MA; Ambrosio, L; Pêgo, AP. (2016). Ibuprofen-loaded poly(trimethylene carbonate-co-ε-caprolactone) electrospun fibres for nerve regeneration. *J Tissue Eng Regen Med* 10: E154-E166. <http://dx.doi.org/10.1002/term.1792>.
- Pisani, E; Fattal, E; Paris, J; Ringard, C; Rosilio, V; Tsapis, N. (2008). Surfactant dependent morphology of polymeric capsules of perfluorooctyl bromide: influence of polymer adsorption at the dichloromethane-water interface. *J Colloid Interface Sci* 326: 66-71. <http://dx.doi.org/10.1016/j.jcis.2008.07.013>.
- Pizarro, N; Duque, M; Chamorro, E; Nonell, S; Manzur, J; de la Fuente, JR; Günther, G; Cepeda-Plaza, M; Vega, A. (2015). Dual Emission of a Novel (P,N) Re(I) Complex: A Computational and Experimental Study on [P,N-((C6H5)2(C5H4N)P)Re(CO)3Br]. *J Phys Chem A* 119: 3929-3935. <http://dx.doi.org/10.1021/jp512614w>.
- Pizzolatti, MG; Mendes, BG; Cunha, A, Jr; Soldi, C; Koga, AH; Eger, I; Grisard, EC; Steindel, M. (2008). Trypanocidal activity of coumarins and styryl-2-pyrone from *Polygala sabulosa* AW Bennett (Polygalaceae). *Revista Brasileira de Farmacognosia* 18: 177-182.

## Human Health Hazard Literature Search Results

### Off Topic

- Plekhanova, I, uV; Firsova, I, uE; Doronina, NV; Trotsenko, I, uA; Reshetilov, AN. (2013). [Aerobic methylobacteria as the basis for a biosensor for dichloromethane detection]. *Prikl Biokhim Mikrobiol* 49: 203-208.
- Plenis, A; Frolow, A; Rekowski, N; Ołędzka, I; Kowalski, P; Bień, E; Krawczyk, MA; Adamkiewicz-Drożynska, E; Bączek, T. (2016). Determination of Bendamustine in Human Plasma and Urine by LC-FL Methods: Application in a Drug Monitoring. *Chromatographia* 79: 861-873. <http://dx.doi.org/10.1007/s10337-016-3103-3>.
- Plioukas, M; Gabrieli, C; Lazari, D; Kokkalou, E. (2015). Phytochemical analysis with the antioxidant and aldose reductase inhibitory capacities of *Tephrosia humilis* aerial parts' extracts. *Nat Prod Res* 30: 1-7. <http://dx.doi.org/10.1080/14786419.2015.1057729>.
- Poddutoori, PK; Bregles, LP; Lim, GN; Boland, P; Kerr, RG; D'Souza, F. (2015). Modulation of Energy Transfer into Sequential Electron Transfer upon Axial Coordination of Tetrathiafulvalene in an Aluminum(III) Porphyrin-Free-Base Porphyrin Dyad. *Inorg Chem* 54: 8482-8494. <http://dx.doi.org/10.1021/acs.inorgchem.5b01190>.
- Poddutoori, PK; Zarrabi, N; Moiseev, AG; Gumbau-Brisa, R; Vassiliev, S; van der Est, A. (2013). Long-lived charge separation in novel axial donor-porphyrin-acceptor triads based on tetrathiafulvalene, aluminum(III) porphyrin and naphthalenediimide. *Chemistry* 19: 3148-3161. <http://dx.doi.org/10.1002/chem.201202995>.
- Poet, TS; Wu, H; Corley, RA; Thrall, KD. (2009). In vitro glutathione conjugation of methyl iodide in rat, rabbit, and human blood and tissues. *Inhal Toxicol* 21: 524-530. <http://dx.doi.org/10.1080/08958370802598203>.
- Poineau, F; Sattelberger, AP; Conradson, SD; Czerwinski, KR. (2008). Octachloro- and octabromoditechnetate(III) and their rhenium(III) congeners. *Inorg Chem* 47: 1991-1999. <http://dx.doi.org/10.1021/ic701453k>.
- Poirier, JM; Robidou, P; Jaillon, P. (2008). Quantification of the HIV-integrase inhibitor raltegravir (MK-0518) in human plasma by high-performance liquid chromatography with fluorescence detection. *Journal of Chromatography B* 867: 277-281. <http://dx.doi.org/10.1016/j.jchromb.2008.03.026>.
- Pojchajjongdee, N; Sotanaphun, U; Limsirichaikul, S; Poobrasert, O. (2010). Geraniinic acid derivative from the leaves of *Phyllanthus reticulatus*. *Pharmaceutical Biology* 48: 740-744. <http://dx.doi.org/10.3109/13880200903273898>.
- Pokhodnya, KI; Dokukin, V; Miller, JS. (2008). Synthesis and magnetic properties of a [Ni(II)(TCNE)(NCMe)<sub>2</sub>-delta][BF<sub>4</sub>] magnet (T<sub>c</sub> = 40 K). *Inorg Chem* 47: 2249-2251. <http://dx.doi.org/10.1021/ic702336j>.
- Polasek, J; Queiroz, EF; Marcourt, L; Meligova, AK; Halabalaki, M; Skaltsounis, AL; Alexis, MN; Prajogo, B; Wolfender, JL; Hostettmann, K. (2013). Peltogynoids and 2-phenoxychromones from *Peltophorum pterocarpum* and evaluation of their estrogenic activity. *Planta Med* 79: 480-486. <http://dx.doi.org/10.1055/s-0032-1328299>.
- Policegoudra, RS; Saikia, S; Das, J; Chattopadhyay, P; Singh, L; Veer, V. (2012). Phenolic Content, Antioxidant Activity, Antibacterial Activity and Phytochemical Composition of *Garcinia lancifolia*. *Indian J Pharmaceut Sci* 74: 268-271. <http://dx.doi.org/10.4103/0250-474X.106075>.
- Politi, M; Braca, A; Altinier, G; Sosa, S; Ndjoko, K; Wolfender, JL, uc; Hostettmann, K; Jimenez-Barbero, J. (2008). Different approaches to study the traditional remedy of 'hierba del canto', *Sisymbrium officinale* (L.) Scop. 7: 30-37.
- Pollock, L; Else, L; Poerksen, G; Molyneux, E; Moons, P; Walker, S; Fraser, W; Back, D; Khoo, S. (2009). Pharmacokinetics of nevirapine in HIV-infected children with and without malnutrition receiving divided adult fixed-dose combination tablets. *J Antimicrob Chemother* 64: 1251-1259. <http://dx.doi.org/10.1093/jac/dkp358>.
- Popovska, M; Spasovski, G; Orovcane, N; Cekovska, S; Simonceva, M; Bexeti-Zendeli, L; Masin-Spasovska, E; Atanasovska-Stojanovska, A; Radojkova-Nikolovska, V; Mitic, K. (2013). Oral findings in end-stage renal disease. 34: 85-91.
- Poreba, K; Wietrzyk, J. (2012). The synthesis of 3,5,6,7-tetrasubstituted isoxazolo[4,5-b]pyridines and an evaluation of their in vitro antiproliferative activity. 21: 563-571.
- Pornprasertpol, A; Sereemasun, A; Sooklert, K; Satirapipatkul, C; Sukrong, S. (2015). Anticancer activity of selected *Colocasia gigantia* fractions. *J Med Assoc Thai* 98 Suppl 1: S98-106.
- Porter, TR; Capita, D; Kaminsky, W; Qian, Z; Mayer, JM. (2016). Synthesis, Radical Reactivity, and Thermochemistry of Monomeric Cu(II) Alkoxide Complexes Relevant to Cu/Radical Alcohol Oxidation Catalysis. *Inorg Chem* 55: 5467-5475. <http://dx.doi.org/10.1021/acs.inorgchem.6b00491>.
- Portet-Koltalo, F; Oukebdane, K; Dionnet, F; Desbène, PL. (2008). Optimisation of the extraction of polycyclic aromatic hydrocarbons and their nitrated derivatives from diesel particulate matter using microwave-assisted extraction. *Anal Bioanal Chem* 390: 389-398. <http://dx.doi.org/10.1007/s00216-007-1684-2>.
- Portet-Koltalo, F; Oukebdane, K; Dionnet, F; Desbène, PL. (2009). Optimisation of supercritical fluid extraction of polycyclic aromatic hydrocarbons and their nitrated derivatives adsorbed on highly sorptive diesel particulate matter. *Anal Chim Acta* 651: 48-56. <http://dx.doi.org/10.1016/j.aca.2009.07.038>.
- Portier, K; Tolson, JK; Roberts, SM. (2007). Body weight distributions for risk assessment. *Risk Anal* 27: 11-26. <http://dx.doi.org/10.1111/j.1539-6924.2006.00856.x>.
- Porto, TS; Furtado, NA; Heleno, VC; Martins, CH; Da Costa, FB; Severiano, ME; Silva, AN; Veneziani, RC; Ambrósio, SR. (2009). Antimicrobial ent-pimarane diterpenes from *Viguiera arenaria* against Gram-positive bacteria. *Fitoterapia* 80: 432-436. <http://dx.doi.org/10.1016/j.fitote.2009.06.003>.
- Portolés, T; Ibáñez, M; Sancho, JV; López, FJ; Hernández, F. (2009). Combined use of GC-TOF MS and UHPLC-(Q)TOF MS to investigate the presence of nontarget pollutants and their metabolites in a case of honeybee poisoning. *J Agric Food Chem* 57: 4079-4090. <http://dx.doi.org/10.1021/jf900099u>.
- Posada, JA; Cardona, CA; Gonzalez, R. (2012). Analysis of the production process of optically pure D-lactic acid from raw glycerol using engineered *Escherichia coli* strains. *Appl Biochem Biotechnol* 166: 680-699. <http://dx.doi.org/10.1007/s12010-011-9458-x>.

## Human Health Hazard Literature Search Results

### Off Topic

- Potai, R; Traiphol, R. (2013). Controlling chain organization and photophysical properties of conjugated polymer nanoparticles prepared by reprecipitation method: the effect of initial solvent. *J Colloid Interface Sci* 403: 58-66. <http://dx.doi.org/10.1016/j.jcis.2013.04.022>.
- Poteet, E; Choudhury, GR; Winters, A; Li, W; Ryou, MG; Liu, R; Tang, L; Ghorpade, A; Wen, Y; Yuan, F; Keir, ST; Yan, H; Bigner, DD; Simpkins, JW; Yang, SH. (2013). Reversing the Warburg effect as a treatment for glioblastoma. *J Biol Chem* 288: 9153-9164. <http://dx.doi.org/10.1074/jbc.M112.440354>.
- Pothitirat, W; Chomnawang, MT; Gritsanapan, W. (2010). Anti-acne-inducing bacterial activity of mangosteen fruit rind extracts. 19: 281-286. <http://dx.doi.org/10.1159/000312714>.
- Poudyal, D; Le, PM; Davis, T, ia; Hofseth, AB; Chumanevich, A; Chumanevich, AA; Wargovich, MJ; Nagarkatti, M; Nagarkatti, PS; Windust, A; Hofseth, LJ. (2012). A Hexane Fraction of American Ginseng Suppresses Mouse Colitis and Associated Colon Cancer: Anti-inflammatory and Proapoptotic Mechanisms. *Cancer Prev Res (Phila Pa)* 5: 685-696. <http://dx.doi.org/10.1158/1940-6207.CAPR-11-0421>.
- Prabhakaran, MP; Zamani, M; Felice, B; Ramakrishna, S. (2015). Electrospraying technique for the fabrication of metronidazole contained PLGA particles and their release profile. *Mater Sci Eng C* 56: 66-73. <http://dx.doi.org/10.1016/j.msec.2015.06.018>.
- Prachayasittikul, S; Buraparungsang, P; Worachartcheewan, A; Isarankura-Na-ayudhya, C; Ruchirawat, S; Prachayasittikul, V. (2008). Antimicrobial and Antioxidative Activities of Bioactive Constituents from *Hydnophytum formicarum* Jack. *Molecules* 13: 904-921. <http://dx.doi.org/10.3390/molecules13040904>.
- Pradhan, TK; Lin, CC; Mong, KK. (2014). Preparation of a protected 3-deoxy-D-manno-oct-2-ulosonate glycol donor for the synthesis of  $\beta$ -KDO-containing oligosaccharides. *Org Lett* 16: 1474-1477. <http://dx.doi.org/10.1021/ol500275j>.
- Prajapati, PB; Chotalia, J; Bodiwala, KB; Marolia, BP; Shah, SA. (2016). Development and Validation of Stability-Indicating HPTLC Method for Estimation of Naratriptan Hydrochloride in Its Pharmaceutical Dosage Form and Its Content Uniformity Testing. *J Chromatogr Sci* 54: 1129-1136. <http://dx.doi.org/10.1093/chromsci/bmw080>.
- Prajapati, SK; Tripathi, BD. (2008). Biomonitoring seasonal variation of urban air polycyclic aromatic hydrocarbons (PAHs) using *Ficus benghalensis* leaves. *Environ Pollut* 151: 543-548. <http://dx.doi.org/10.1016/j.envpol.2007.04.013>.
- Prakash, O; Kumar, M; Kumar, R; Sharma, C; Aneja, KR. (2010). Hypervalent iodine(III) mediated synthesis of novel unsymmetrical 2,5-disubstituted 1,3,4-oxadiazoles as antibacterial and antifungal agents. *Eur J Med Chem* 45: 4252-4257. <http://dx.doi.org/10.1016/j.ejmech.2010.06.023>.
- Prashanthi, S; Bangal, PR. (2009). Reductive quenching of pyridine linked porphyrins by phenol: a case of proton coupled electron transfer. *Chem Commun (Camb)* 1757-1759. <http://dx.doi.org/10.1039/b818892k>.
- Prashanthi, S; Kumar, PH; Wang, L; Perepogu, AK; Bangal, PR. (2010). Reductive fluorescence quenching of the photoexcited free base meso-tetrakis (pentafluorophenyl) porphyrin by amines. *J Fluoresc* 20: 571-580. <http://dx.doi.org/10.1007/s10895-009-0582-8>.
- Pratsch, G; Lackner, GL; Overman, LE. (2015). Constructing Quaternary Carbons from N-(Acyloxy)phthalimide Precursors of Tertiary Radicals Using Visible-Light Photocatalysis. *J Org Chem* 80: 6025-6036. <http://dx.doi.org/10.1021/acs.joc.5b00795>.
- Predes, FS; Ruiz, AL; Carvalho, JE; Foglio, MA; Dolder, H. (2011). Antioxidative and in vitro antiproliferative activity of *Arctium lappa* root extracts. *BMC Complement Altern Med* 11: 25. <http://dx.doi.org/10.1186/1472-6882-11-25>.
- Preftakes, CJ; Schleier, JJ; Peterson, RK. (2011). Bystander exposure to ultra-low-volume insecticide applications used for adult mosquito management. *Int J Environ Res Public Health* 8: 2142-2152. <http://dx.doi.org/10.3390/ijerph8062142>.
- Pretorius, E; Bester, J; Vermeulen, N; Lipinski, B. (2013). Oxidation inhibits iron-induced blood coagulation. *Curr Drug Targets* 14: 13-19.
- Prieto-Blanco, MC; Iglesias, MP; Lopez-Mahia, P; Lorenzo, SM; Rodriguez, DP. (2010). Simultaneous determination of carbonyl compounds and polycyclic aromatic hydrocarbons in atmospheric particulate matter by liquid chromatography-diode array detection-fluorescence detection. *Talanta* 80: 2083-2092. <http://dx.doi.org/10.1016/j.talanta.2009.11.009>.
- Prior, SJ; Ryan, AS; Blumenthal, JB; Watson, JM; Katzel, LI; Goldberg, AP. (2016). Sarcopenia Is Associated With Lower Skeletal Muscle Capillarization and Exercise Capacity in Older Adults. *J Gerontol A Biol Sci Med Sci* 71: 1096-1101. <http://dx.doi.org/10.1093/gerona/glw017>.
- Pripdeevech, P; Chukeatirote, E. (2010). Chemical compositions, antifungal and antioxidant activities of essential oil and various extracts of *Melodorum fruticosum* L. flowers. *Food Chem Toxicol* 48: 2754-2758. <http://dx.doi.org/10.1016/j.fct.2010.07.002>.
- Privas, E; Navard, P. (2013). Preparation, processing and properties of lignosulfonate-flax composite boards. *Carbohydr Polymer* 93: 300-306. <http://dx.doi.org/10.1016/j.carbpol.2012.04.060>.
- Priya, VS; Philip, L. (2013). Biodegradation of Dichloromethane Along with Other VOCs from Pharmaceutical Wastewater. *Appl Biochem Biotechnol* 169: 1197-1218. <http://dx.doi.org/10.1007/s12010-012-0005-1>.
- Procentese, A; Raganati, F; Olivieri, G; Russo, ME; Salatino, P; Marzocchella, A. (2015). Continuous xylose fermentation by *Clostridium acetobutylicum*--Assessment of solventogenic kinetics. *Bioresour Technol* 192: 142-148. <http://dx.doi.org/10.1016/j.biortech.2015.05.041>.
- Prus, W; Fabiańska, MJ; Tabno, R. (2015). Geochemical markers of soil anthropogenic contaminants in polar scientific stations nearby (Antarctica, King George Island). *Sci Total Environ* 518-519: 266-279. <http://dx.doi.org/10.1016/j.scitotenv.2015.02.096>.
- Przybylowski, P; Malyszko, J; Malyszko, JS. (2010). Copeptin in heart transplant recipients depends on kidney function and intraventricular septal thickness. *Transplant Proc* 42: 1808-1811. <http://dx.doi.org/10.1016/j.transproceed.2010.03.138>.
- Pschenitzka, M; Hackenberg, R; Niessner, R; Knopp, D. (2014). Analysis of benzo[a]pyrene in vegetable oils using molecularly imprinted solid phase extraction (MISPE) coupled with enzyme-linked immunosorbent assay (ELISA). *Sensors* 14: 9720-9737. <http://dx.doi.org/10.3390/s140609720>.



## Human Health Hazard Literature Search Results

### Off Topic

- Ptáček, P; Klíma, J; Macek, J. (2009). Optimized method for the determination of itopride in human plasma by high-performance liquid chromatography with fluorimetric detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 842-846. <http://dx.doi.org/10.1016/j.jchromb.2009.02.023>.
- Puangsomchit, A; Bullangpoti, V; Pluemanapat, W. (2014). TOXICITY OF ALPINIA GALANGA (ZINGIBERACEAE) RHIZOME EXTRACTS AGAINST SPODOPTERA LITURA (LEPIDOPTERA: NOCTUIDAE). *Commun Agric Appl Biol Sci* 79: 145-149.
- Puapermpoonsiri, U; Spencer, J; van der Walle, CF. (2009). A freeze-dried formulation of bacteriophage encapsulated in biodegradable microspheres. *72*: 26-33. <http://dx.doi.org/10.1016/j.ejpb.2008.12.001>.
- Pulido-Martos, M; Lopez-Zafra, E; Estévez-López, F; Augusto-Landa, JM. (2016). The Moderator Role of Perceived Emotional Intelligence in the Relationship between Sources of Stress and Mental Health in Teachers. *Span J Psychol* 19: E7. <http://dx.doi.org/10.1017/sjp.2016.8>.
- Pundeer, R; Sushma; Kiran, V; Sharma, C; Aneja, KR; Prakash, O, m. (2013). Synthesis and evaluation of antibacterial and antifungal activities of new (Z)-3-bromo-4-(1,3-diaryl-1H-pyrazol-4-yl)but-3-en-2-ones and 4-(3-methyl-1-phenyl-1H-pyrazol-5-yl)-1,3-diaryl-1H-pyrazoles. *Medicinal Chemistry Research* 22: 4715-4726. <http://dx.doi.org/10.1007/s00044-013-0480-0>.
- Pupo, YM; Gomes, GM; Santos, EB; Chaves, L; Michel, MD; Kozłowski, VA; Gomes, OM; Gomes, JC. (2011). Susceptibility of *Candida albicans* to photodynamic therapy using methylene blue and toluidine blue as photosensitizing dyes. *Acta Odontol Latinoam* 24: 188-192.
- Qaisar, MN; Chaudhary, BA; Sajid, MU; Hussain, N. (2014). Evaluation of alpha-Glucosidase Inhibitory Activity of Dichloromethane and Methanol Extracts of *Croton bonplandianum* Baill. *Tropical Journal of Pharmaceutical Research* 13: 1833-1836. <http://dx.doi.org/10.4314/tjpr.v13i11.9>.
- Qaisar, MN; Uzair, M; Imran, M; Chaudhary, BA; Hussain, SN. (2016). New alpha-Glucosidase inhibitors from *Croton bonplandianum* *Croton bonplandianum* Baill (Euphorbiaceae). *Tropical Journal of Pharmaceutical Research* 15: 319-326. <http://dx.doi.org/10.4314/tjpr.v15i2.14>.
- Qaralleh, HN; Abboud, MM; Khleifat, KM; Tarawneh, KA; Althunibat, OY. (2009). ANTIBACTERIAL ACTIVITY IN VITRO OF THYMUS CAPITATUS FROM JORDAN. *Pak J Pharm Sci* 22: 247-251.
- Qayum, M; Nisar, M; Khan, BA, I; Akhtar, M; Kaleem, WA; Khan, MI; Mahmood, T; Shahid, SA; Zia-Ul-Haq, M. (2011). Nematicidal potential of *Impatiens bicolor* Royle. *Journal of Medicinal Plant Research* 5: 5138-5141.
- Qi, C; Chen, Y; Huang, JH; Jin, QZ; Wang, XG. (2012). Preparation and characterization of catalase-loaded solid lipid nanoparticles based on soybean phosphatidylcholine. *J Sci Food Agric* 92: 787-793. <http://dx.doi.org/10.1002/jsfa.4646>.
- Qi, C; Chen, Y; Jing, QZ; Wang, XG. (2011). Preparation and characterization of catalase-loaded solid lipid nanoparticles protecting enzyme against proteolysis. *International Journal of Molecular Sciences* 12: 4282-4293. <http://dx.doi.org/10.3390/ijms12074282>.
- Qi, H; Ye, Z; Ren, H; Chen, N; Zeng, Q; Wu, X; Lu, T. (2016). Bioactivity assessment of PLLA/PCL/HAP electrospun nanofibrous scaffolds for bone tissue engineering. *Life Sci* 148: 139-144. <http://dx.doi.org/10.1016/j.lfs.2016.02.040>.
- Qi, SH; Su, GC; Wang, YF; Liu, QY; Gao, CH. (2009). Alkaloids from the South China Sea Black Coral *Antipathes dichotoma*. *Chem Pharm Bull (Tokyo)* 57: 87-88.
- Qi, X; Hao, QJ; Ji, DS; Zhang, JK; Liu, ZR; Hu, B; Wang, YS; Jiang, CS. (2014). [Composition characteristics of atmospheric volatile organic compounds in the urban area of Beibei District, Chongqing]. *Huanjing Kexue* 35: 3293-3301.
- Qi, X; Ignatova, S; Luo, G; Liang, Q; Jun, FW; Wang, Y; Sutherland, I. (2010). Preparative isolation and purification of ginsenosides Rf, Re, Rd and Rb1 from the roots of *Panax ginseng* with a salt-containing solvent system and flow step-gradient by high performance counter-current chromatography coupled with an evaporative light scattering detector. *J Chromatogr A* 1217: 1995-2001. <http://dx.doi.org/10.1016/j.chroma.2010.01.057>.
- Qian, Z; Wu, Z; Huang, L; Qiu, H; Wang, L; Li, L; Yao, L; Kang, K; Qu, J; Wu, Y; Luo, J; Liu, JJ; Yang, Y; Yang, W; Gou, D. (2015). Mulberry fruit prevents LPS-induced NF- $\kappa$ B/pERK/MAPK signals in macrophages and suppresses acute colitis and colorectal tumorigenesis in mice. *Sci Rep* 5: 17348. <http://dx.doi.org/10.1038/srep17348>.
- Qiao, B; Sengupta, A; Liu, Y; McDonald, KP; Pink, M; Anderson, J. R.; Raghavachari, K; Flood, AH. (2015). Electrostatic and Allosteric Cooperativity in Ion-Pair Binding: A Quantitative and Coupled Experiment-Theory Study with Aryl-Triazole-Ether Macrocycles. *J Am Chem Soc* 137: 9746-9757. <http://dx.doi.org/10.1021/jacs.5b05839>.
- Qin, W; Leen, V; Rohand, T; Dehaen, W; Dedecker, P; Van der Auweraer, M; Robeyns, K; Van Meervelt, L; Beljonne, D; Van Averbeke, B; Clifford, JN; Driesen, K; Binnemans, K; Boens, N. (2009). Synthesis, spectroscopy, crystal structure, electrochemistry, and quantum chemical and molecular dynamics calculations of a 3-anilino difluoroboron dipyrromethene dye. *J Phys Chem A* 113: 439-447. <http://dx.doi.org/10.1021/jp8077584>.
- Qiu, D; Li, M; Zhao, Q; Wang, H; Yang, C. (2015). Cyclometalated Platinum(II) Terpyridylacetylides with a Bis(arylamine) Donor as a Proton-Triggered Luminescence Chemosensor for Zn(2+). *Inorg Chem* 54: 7774-7782. <http://dx.doi.org/10.1021/acs.inorgchem.5b00756>.
- Qiu, D, an; Wu, Y; Zhu, W; Yin, H; Yi, L. (2012). Identification of Geometrical Isomers and Comparison of Different Isomeric Samples of Astaxanthin. *J Food Sci* 77: C934-C940. <http://dx.doi.org/10.1111/j.1750-3841.2012.02842.x>.
- Qu, J; Liao, W; Chen, H; Masuda, T. (2009). Cellulose derivatives carrying triphenylamine (TPA) moieties: synthesis and electro-optical properties. *Macromol Biosci* 9: 563-567. <http://dx.doi.org/10.1002/mabi.200800253>.
- Qu, JH; Qu, JY; He, XB; Li, HF; Luo, Y; Yin, YL; Zhai, HC; Cai, JP. (2013). *Sediminococcus rosea* gen. nov. sp. nov., isolated from the sediment of a eutrophic lake. *J Gen Appl Microbiol* 59: 463-468.
- Qu, X; Cao, Y; Chen, C; Die, X; Kang, Q. (2014). A poly (lactide-co-glycolide) film loaded with abundant bone morphogenetic protein-2: A substrate promoting osteoblast attachment, proliferation and differentiation in bone tissue engineering. *J Biomed Mater Res A*. <http://dx.doi.org/10.1002/jbma.35379>.

## Human Health Hazard Literature Search Results

### Off Topic

- Qu, X; Cao, Y; Chen, C; Die, X; Kang, Q. (2015). A poly(lactide-co-glycolide) film loaded with abundant bone morphogenetic protein-2: A substrate-promoting osteoblast attachment, proliferation, and differentiation in bone tissue engineering. *J Biomed Mater Res A* 103: 2786-2796. <http://dx.doi.org/10.1002/jbm.a.35379>.
- Quartarolo, AD; Chiodo, SG; Russo, N. (2010). A Theoretical Study of Brominated Porphycenes: Electronic Spectra and Intersystem Spin-Orbit Coupling. *Journal of Chemical Theory and Computation* 6: 3176-3189. <http://dx.doi.org/10.1021/ct100287g>.
- Queiroz, SC; Cantrell, CL; Duke, SO; Wedge, DE; Nandula, VK; Moraes, RM; Cerdeira, AL. (2012). Bioassay-directed isolation and identification of phytotoxic and fungitoxic acetylenes from *Conyza canadensis*. *J Agric Food Chem* 60: 5893-5898. <http://dx.doi.org/10.1021/jf3010367>.
- Quindry, JC; Schreiber, L; Hosick, P; Wrieden, J; Irwin, JM; Hoyt, E. (2010). Mitochondrial KATP channel inhibition blunts arrhythmia protection in ischemic exercised hearts. *Am J Physiol Heart Circ Physiol* 299: H175-H183. <http://dx.doi.org/10.1152/ajpheart.01211.2009>.
- Quintela, O; Lendoiro, E; Cruz, A; de Castro, A; Quevedo, A; Jurado, C; López-Rivadulla, M. (2010). Hydrophilic interaction liquid chromatography-tandem mass spectrometry (HILIC-MS/MS) determination of cocaine and its metabolites benzoylecgonine, ecgonine methyl ester, and cocaethylene in hair samples. *Anal Bioanal Chem* 396: 1703-1712. <http://dx.doi.org/10.1007/s00216-009-3393-5>.
- Quinten, T; De Beer, T; Onofre, FO; Mendez-Montealvo, G; Wang, YJ; Remon, JP; Vervaet, C. (2011). Sustained-release and swelling characteristics of xanthan gum/ethylcellulose-based injection moulded matrix tablets: in vitro and in vivo evaluation. *J Pharm Sci* 100: 2858-2870. <http://dx.doi.org/10.1002/jps.22480>.
- Quintero, A; Caldera, A; Milano, B; Odreman, I; Hurtado, A; Manzanares, L; Villamizar, J. (2009). Validation of an HPLC method for sildenafil citrate analysis in human plasma samples. *Pharmazie* 64: 796-799.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Rabaã, H; Taubert, S; Sundholm, D. (2013). Computational studies of the electronic absorption spectrum of [(2,2';6',2''-terpyridine)-Pt(II)-OH] [7,7,8,8-tetracyanoquinodimethane] complex. *J Phys Chem A* 117: 12363-12373. <http://dx.doi.org/10.1021/jp408747d>.
- Rabito, MF; Britta, EA; Pelegrini, BL; Scariot, DB; Almeida, MB; Nixdorf, SL; Nakamura, CV; Ferreira, IC. (2014). In vitro and in vivo antileishmania activity of sesquiterpene lactone-rich dichloromethane fraction obtained from *Tanacetum parthenium* (L.) Schultz-Bip. *Exp Parasitol* 143: 18-23. <http://dx.doi.org/10.1016/j.exppara.2014.04.014>.
- Racette, BA. (2014). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Racette, BA. (2015). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Rachford, AA; Goeb, S; Ziesel, R; Castellano, FN. (2008). Ligand localized triplet excited states in platinum(II) bipyridyl and terpyridyl peryleneacetylenes. *Inorg Chem* 47: 4348-4355. <http://dx.doi.org/10.1021/ic702454k>.
- Rachford, AA; Hua, F, ei; Adams, CJ; Castellano, FN. (2009). [Pt(mesBIAN)(tda)]: A near-infrared emitter and singlet oxygen sensitizer. *Dalton Trans* 3950-3954. <http://dx.doi.org/10.1039/b818177b>.
- Rachmawati, H; Yanda, YL; Rahma, A; Mase, N. (2016). Curcumin-Loaded PLA Nanoparticles: Formulation and Physical Evaluation. *Scientia Pharmaceutica* 84: 191-202. <http://dx.doi.org/10.3797/scipharm.ISP.2015.10>.
- Radhakrishnan, RS; Radhakrishnan, GL; Radhakrishnan, HR; Xue, H; Adams, SD; Moore-Olufemi, SD; Harting, MT; Cox, CS; Kone, BC. (2008). Pretreatment with bone morphogenetic protein-7 (BMP-7) mimics ischemia preconditioning following intestinal ischemia/reperfusion injury in the intestine and liver. *Shock* 30: 532-536. <http://dx.doi.org/10.1097/SHK.0b013e31816f20f1>.
- Radisic, M; Grujic, S; Vasiljevic, T; Lausevic, M. (2009). Determination of selected pesticides in fruit juices by matrix solid-phase dispersion and liquid chromatography-tandem mass spectrometry. *Food Chem* 113: 712-719. <http://dx.doi.org/10.1016/j.foodchem.2008.07.103>.
- Radtke, AL; Anderson, KL; Davis, MJ; Dimagno, MJ; Swanson, JA; O'Riordan, MX. (2011). *Listeria monocytogenes* exploits cystic fibrosis transmembrane conductance regulator (CFTR) to escape the phagosome. *Proc Natl Acad Sci USA* 108: 1633-1638. <http://dx.doi.org/10.1073/pnas.1013262108>.
- Rafferty, S; Alcolado, N; Norez, C; Chappe, F; Pelzer, S; Becq, F; Chappe, V. (2009). Rescue of functional F508del cystic fibrosis transmembrane conductance regulator by vasoactive intestinal peptide in the human nasal epithelial cell line JME/CF15. *J Pharmacol Exp Ther* 331: 2-13. <http://dx.doi.org/10.1124/jpet.109.155341>.
- Rafi, M; Singh, SM; Kanchan, V; Anish, CK; Panda, AK. (2010). Controlled release of bioactive recombinant human growth hormone from PLGA microparticles. *J Microencapsul* 27: 552-560. <http://dx.doi.org/10.3109/02652048.2010.489974>.
- Raga, DD; Espiritu, RA; Shen, CC; Ragasa, CY. (2011). A bioactive sesquiterpene from *Bixa orellana*. *Journal of Natural Medicines* 65: 206-211. <http://dx.doi.org/10.1007/s11418-010-0459-9>.
- Raga, DD; Herrera, AA; Ragasa, CY. (2013). Angio-suppressive triterpenoids from *Ardisia cf. elliptica* (subgenus *Tinus*) on duck (*Anas platyrhynchos* L.) chorioallantoic membrane. *Chin J Nat Med* 11: 128-138. [http://dx.doi.org/10.1016/S1875-5364\(13\)60039-4](http://dx.doi.org/10.1016/S1875-5364(13)60039-4).
- Ragàs, X; Dai, T; Tegos, GP; Agut, M; Nonell, S; Hamblin, MR. (2010). Photodynamic inactivation of *Acinetobacter baumannii* using phenothiazinium dyes: in vitro and in vivo studies. *Lasers Surg Med* 42: 384-390. <http://dx.doi.org/10.1002/lsm.20922>.
- Ragasa, CY; Alimboyoguen, AB; Urban, S; Raga, DD. (2008). A Bioactive Diterpene from *Smallanthus sonchifolius*. *Natural Product Communications* 3: 1663-1666.
- Ragasa, CY; Cabrera, EC; Torres, OB; Buluran, AI; Espineli, DL; Raga, DD; Shen, CC. (2015). Chemical constituents and bioactivities of *Glinus oppositifolius*. *Pharmacognosy Res* 7: 138-147. <http://dx.doi.org/10.4103/0974-8490.150520>.
- Ragasa, CY; Espineli, DL; Shen, CC. (2014). Cytotoxic Triterpene from *Barringtonia asiatica*. *Pharmaceutical Chemistry Journal* 48: 529-533. <http://dx.doi.org/10.1007/s11094-014-1144-1>.
- Ragasa, CY; Galian, RAF; Ebajo, VD, Jr; Aguda, RM; Cervancia, CR; Shen, CC. (2015). Propolis and glyasperin A from stingless bee nests. *Revista Brasileira de Farmacognosia* 25: 177-179. <http://dx.doi.org/10.1016/j.bjp.2015.03.006>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ragasa, CY; Lim, KF; Shen, CC; Raga, DD. (2013). Hypoglycemic Potential of Triterpenes from *Alstonia scholaris*. *Pharmaceutical Chemistry Journal* 47: 54-57. <http://dx.doi.org/10.1007/s11094-013-0896-3>.
- Ragasa, CY; Torres, OB; Bernardo, LO; Mandia, EH; Don, MJ, aw; Shen, CC. (2013). Glabretal-type triterpenoids from *Dysoxylum mollissimum*. *Phytochemistry Letters* 6: 514-518. <http://dx.doi.org/10.1016/j.phytol.2013.06.010>.
- Ragasa, CY; Tsai, PW; Galvez, CT; Shen, CC. (2010). New carvotanacetone derivatives from *Sphaeranthus africanus*. *Planta Med* 76: 146-151. <http://dx.doi.org/10.1055/s-0029-1186031>.
- Rahmalia, W; Fabre, JF; Usman, T; Mouloungui, Z. (2014). Aprotic solvents effect on the UV-visible absorption spectra of bixin. *Spectrochim Acta A Mol Biomol Spectrosc* 131: 455-460. <http://dx.doi.org/10.1016/j.saa.2014.03.119>.
- Rahman, A; Rahman, A; Alil, G; Rahman, SU, r. (2016). Hypocholesterolic effect of spent black tea leaves replaced with wheat bran in broiler ration. *Pak J Pharm Sci* 29: 445-452.
- Rahman, MA; Abdullah, N; Aminudin, N. (2014). Inhibitory Effect on In Vitro LDL Oxidation and HMG Co-A Reductase Activity of the Liquid-Liquid Partitioned Fractions of *Hericium erinaceus* (Bull.) Persoon (Lion's Mane Mushroom). *BioMed Res Int* 2014: 828149. <http://dx.doi.org/10.1155/2014/828149>.
- Rahman, MA; Abdullah, N; Aminudin, N. (2015). Antioxidative Effects and Inhibition of Human Low Density Lipoprotein Oxidation In Vitro of Polyphenolic Compounds in *Flammulina velutipes* (Golden Needle Mushroom). *Oxid Med Cell Longev* 2015: 403023. <http://dx.doi.org/10.1155/2015/403023>.
- Rahman, N; Rahman, H. (2011). Quantitative analysis of perindopril erbumine in pharmaceutical preparations by spectrophotometry via ternary complex formation with Zn(II) and eosin and charge transfer complexation with iodine. *Spectroscopy* 25: 123-136. <http://dx.doi.org/10.3233/SPE-2011-0502>.
- Rahman, Z; Zidan, AS; Habib, MJ; Khan, MA. (2010). Understanding the quality of protein loaded PLGA nanoparticles variability by Plackett-Burman design. *Int J Pharm* 389: 186-194. <http://dx.doi.org/10.1016/j.ijpharm.2009.12.040>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Räikkönen, J; Crockett, JC; Rogers, MJ; Mönkkönen, H; Auriola, S; Mönkkönen, J. (2009). Zoledronic acid induces formation of a pro-apoptotic ATP analogue and isopentenyl pyrophosphate in osteoclasts in vivo and in MCF-7 cells in vitro. *Br J Pharmacol* 157: 427-435. <http://dx.doi.org/10.1111/j.1476-5381.2009.00160.x>.
- Raimondi, S; Paracchini, V; Autrup, H; Barros-Dios, JM; Benhamou, S; Boffetta, P; Cote, ML; Dialyna, IA; Dolzan, V; Filiberti, R; Garte, S; Hirvonen, A; Husgafvel-Pursiainen, K; Imyanitov, EN; Kalina, I; Kang, D; Kiyohara, C; Kohno, T; Kremers, P; Lan, Q; London, S; Povey, AC; Rannug, A; Reszka, E; Risch, A; Romkes, M; Schneider, J; Seow, A; Shields, PG; Sobti, RC; Sørensen, M; Spinola, M; Spitz, MR; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Tokudome, S; Yang, P; Yuan, JM; Warholm, M; Taioli, E. (2006). Meta- and pooled analysis of GSTT1 and lung cancer: a HuGE-GSEC review. *Am J Epidemiol* 164: 1027-1042. <http://dx.doi.org/10.1093/aje/kwj321>.
- Raizaday, A; Yadav, HK; Kumar, SH; Kasina, S; Navya, M; Tashi, C. (2015). Development of pH sensitive microparticles of Karaya gum: By response surface methodology. *Carbohydr Polymer* 134: 353-363. <http://dx.doi.org/10.1016/j.carbpol.2015.08.002>.
- Raja, N; Ramesh, R. (2010). Mononuclear ruthenium(III) complexes containing chelating thiosemicarbazones: synthesis, characterization and catalytic property. *Spectrochim Acta A Mol Biomol Spectrosc* 75: 713-718. <http://dx.doi.org/10.1016/j.saa.2009.11.044>.
- Rajagopal, M; Thomas, SV; Kathpalia, PP; Chen, Y; Pao, AC. (2014). Prostaglandin E2 induces chloride secretion through crosstalk between cAMP and calcium signaling in mouse inner medullary collecting duct cells. *Am J Physiol Cell Physiol* 306: C263-C278. <http://dx.doi.org/10.1152/ajpcell.00381.2012>.
- Rajaonson, S; Vandeputte, OM; Vereecke, D; Kiendrebeogo, M; Ralambofetra, E; Stévigny, C; Duez, P; Rabemanantsoa, C; Mol, A; Diallo, B; Baucher, M; El Jaziri, M. (2011). Virulence quenching with a prenylated isoflavanone renders the Malagasy legume *Dalbergia peruviale* resistant to *Rhodococcus fascians*. *Environ Microbiol* 13: 1236-1252. <http://dx.doi.org/10.1111/j.1462-2920.2011.02424.x>.
- Rajati, F; Feizi, A; Tavakol, K; Mostafavi, F; Sadeghi, M; Sharifirad, G. (2016). Comparative Evaluation of Health-Related Quality of Life Questionnaires in Patients With Heart Failure Undergoing Cardiac Rehabilitation: A Psychometric Study. *Arch Phys Med Rehabil* 97: 1953-1962. <http://dx.doi.org/10.1016/j.apmr.2016.05.010>.
- Rajbongshi, KK; Saikia, I; Chanu, LD; Roy, S; Phukan, P. (2016). A Metal-Free Protocol for Aminofunctionalization of Olefins Using TsNBr<sub>2</sub>. *J Org Chem* 81: 5423-5432. <http://dx.doi.org/10.1021/acs.joc.6b00785>.
- Rajca, A; Vale, M; Rajca, S. (2008). Diaryl nitroxide diradicals: low-temperature oxidation of diarylamines to nitroxides. *J Am Chem Soc* 130: 9099-9105. <http://dx.doi.org/10.1021/ja8016335>.
- Rajemiarimiraho, M; Banzouzi, JT; Nicolau-Travers, ML; Ramos, S; Cheikh-Ali, Z; Bories, C; Rakotonandrasana, OL; Rakotonandrasana, S; Andrianary, PA; Benoit-Vical, F. (2014). Antiprotozoal activities of *Millettia richardiana* (Fabaceae) from Madagascar. *Molecules* 19: 4200-4211. <http://dx.doi.org/10.3390/molecules19044200>.
- Rajendra Reddy, G; Ravindra Reddy, P; Siva Jyothi, P. (2015). Development of a Stability-Indicating Stereoselective Method for Quantification of the Enantiomer in the Drug Substance and Pharmaceutical Dosage Form of Rosuvastatin Calcium by an Enhanced Approach. *Scientia Pharmaceutica* 83: 279-296. <http://dx.doi.org/10.3797/scipharm.1410-09>.
- Rajić, Z; Končić, MZ; Miloloža, K; Perković, I; Butula, I; Bucar, F; Zorc, B. (2010). Primaquine-NSAID twin drugs: Synthesis, radical scavenging, antioxidant and Fe<sup>2+</sup> chelating activity. 60: 325-337. <http://dx.doi.org/10.2478/v10007-010-0024-9>.
- Rajkumar, R; Ilayaraja, R; Mucignat, C; Cavaggioni, A; Archunan, G. (2009). Identification of alpha<sub>2u</sub>-globulin and bound volatiles in the Indian common house rat (*Rattus rattus*). *Indian J Biochem Biophys* 46: 319-324.

## Human Health Hazard Literature Search Results

### Off Topic

- Rajput, A; Sharma, AK; Barman, SK; Koley, D; Steinert, M; Mukherjee, R. (2014). Neutral, cationic, and anionic low-spin iron(III) complexes stabilized by amidophenolate and iminobenzosemiquinonate radical in N,N,O ligands. *Inorg Chem* 53: 36-48. <http://dx.doi.org/10.1021/ic401985d>.
- Rajput, N; Lakhani, A. (2009). Measurements of polycyclic aromatic hydrocarbons at an industrial site in India. *Environ Monit Assess* 150: 273-284. <http://dx.doi.org/10.1007/s10661-008-0229-2>.
- Rajput, N; Pyari, AA; Saini, MK; Kumari, KM; Lakhani, A. (2010). Assessment of PAH toxicity and mutagenicity in emissions from coal and biofuel combustion. *52*: 185-192.
- Rallis, GN; Sakkas, VA; Boumba, VA; Vougiouklakis, T; Albanis, TA. (2012). Determination of organochlorine pesticides and polychlorinated biphenyls in post-mortem human lung by matrix solid-phase dispersion with the aid of response surface methodology and desirability function. *J Chromatogr A* 1227: 1-9. <http://dx.doi.org/10.1016/j.chroma.2011.12.083>.
- Ramadevi Mani, S; Lakshmi, BS. (2010). G1 arrest and caspase-mediated apoptosis in HL-60 cells by dichloromethane extract of *Centrosema pubescens*. *Am J Chin Med* 38: 1143-1159. <http://dx.doi.org/10.1142/S0192415X10008536>.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater* 261: 362-371. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.048>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Different families of volatile organic compounds pollution control by microporous carbons in temperature swing adsorption processes. *J Hazard Mater* 221-222: 242-247. <http://dx.doi.org/10.1016/j.jhazmat.2012.04.037>.
- Ramalingam, SG; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Baudouin, O; Déchelotte, S. (2012). Recovery comparisons--hot nitrogen Vs steam regeneration of toxic dichloromethane from activated carbon beds in oil sands process. *J Hazard Mater* 205-206: 222-228. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.062>.
- Ramalingam, SG; Saussac, J; Pré, P; Giraudet, S; Le Coq, L; Le Cloirec, P; Nicolas, S; Baudouin, O; Déchelotte, S; Medevielle, A. (2011). Hazardous dichloromethane recovery in combined temperature and vacuum pressure swing adsorption process. *J Hazard Mater* 198: 95-102. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.019>.
- Ramazani, A; Zakeri, S; Sardari, S; Khodakarim, N; Djadid, ND. (2010). In vitro and in vivo anti-malarial activity of *Boerhavia elegans* and *Solanum surattense*. *Malar J* 9: 124. <http://dx.doi.org/10.1186/1475-2875-9-124>.
- Ramazani, F; Chen, W; Van Nostrum, CF; Storm, G; Kiessling, F; Lammers, T; Hennink, WE; Kok, RJ. (2015). Formulation and characterization of microspheres loaded with imatinib for sustained delivery. *Int J Pharm* 482: 123-130. <http://dx.doi.org/10.1016/j.ijpharm.2015.01.043>.
- Ramazani, F; Hiemstra, C; Steendam, R; Kazazi-Hyseni, F; Van Nostrum, CF; Storm, G; Kiessling, F; Lammers, T; Hennink, WE; Kok, RJ. (2015). Sunitinib microspheres based on [PDLLA-PEG-PDLLA]-b-PLLA multi-block copolymers for ocular drug delivery. *95*: 368-377. <http://dx.doi.org/10.1016/j.ejpb.2015.02.011>.
- Ramesh, G; Vamshi Vishnu, Y; Chinna Reddy, P; Shravan Kumar, Y; Madhusudan Rao, Y. (2009). Development of high performance liquid chromatography method for lacidipine in rabbit serum: application to pharmacokinetic study. *Anal Chim Acta* 632: 278-283. <http://dx.doi.org/10.1016/j.aca.2008.11.018>.
- Ramirez, CE; Wang, C; Gardinali, PR. (2014). Fully automated trace level determination of parent and alkylated PAHs in environmental waters by online SPE-LC-APPI-MS/MS. *Anal Bioanal Chem* 406: 329-344. <http://dx.doi.org/10.1007/s00216-013-7436-6>.
- Ramírez Fernández, M; Wille, SM; di Fazio, V; Kummer, N; Hill, V; Samyn, N. (2015). Detection of Benzodiazepines and z-Drugs in Hair Using an UHPLC-MS/MS Validated Method: Application to Workplace Drug Testing. *Ther Drug Monit* 37: 600-608. <http://dx.doi.org/10.1097/FTD.000000000000188>.
- Ramírez, WA; Domene, X; Andrés, P; Alcañiz, JM. (2008). Phytotoxic effects of sewage sludge extracts on the germination of three plant species. *Ecotoxicology* 17: 834-844. <http://dx.doi.org/10.1007/s10646-008-0246-5>.
- Ramírez-Cisneros, MÁ; Rios, MY; Déciga-Campos, M; Aguilar-Guadarrama, AB. (2012). Phytochemical study and anti-inflammatory, antidiabetic and free radical scavenger evaluations of *Krameria pauciflora* methanol extract. *Molecules* 17: 861-872. <http://dx.doi.org/10.3390/molecules17010861>.
- Ramírez-Cisneros, MA; Rios, MY; Ríos-Gómez, R; Aguilar-Guadarrama, AB. (2012). Cycloartanes from *Krameria pauciflora* and their in vitro PLA<sub>2</sub>, COX-1, and COX-2 enzyme inhibitory activities. *Planta Med* 78: 1942-1948. <http://dx.doi.org/10.1055/s-0032-1327882>.
- Ramos, AC; Neves, FS; Vega, MR; Maria, EJ; Oliveira, RR. (2014). Methodology for porphyrin isolation by high-performance countercurrent chromatography. *Natural Product Communications* 9: 841-842.
- Ramos da Silva, JM; Nascimento, M, daG. (2012). Chemoenzymatic epoxidation of citronellol catalyzed by lipases. *Process Biochemistry* 47: 517-522. <http://dx.doi.org/10.1016/j.procbio.2011.12.019>.
- Ramozzi, R; Morokuma, K. (2015). Revisiting the Passerini reaction mechanism: existence of the nitrilium, organocatalysis of its formation, and solvent effect. *J Org Chem* 80: 5652-5657. <http://dx.doi.org/10.1021/acs.joc.5b00594>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ranby, KW; Lewis, MA; Toll, BA; Rohrbaugh, MJ; Lipkus, IM. (2013). Perceptions of smoking-related risk and worry among dual-smoker couples. *15*: 734-738. <http://dx.doi.org/10.1093/ntr/nts210>.
- Rane, BR; Gujarathi, NA; Patel, JK. (2012). Biodegradable anionic acrylic resin based hollow microspheres of moderately water soluble drug rosiglitazone maleate: preparation and in vitro characterization. *Drug Dev Ind Pharm* 38: 1460-1469. <http://dx.doi.org/10.3109/03639045.2011.653811>.

## Human Health Hazard Literature Search Results

### Off Topic

- Rankovic, K; Filipic, S; Nikolic, K; Agbaba, D. (2012). TLC DETERMINATION OF TIAPRIDE HYDROCHLORIDE AND ITS IMPURITIES IN PHARMACEUTICALS. *Journal of Liquid Chromatography and Related Technologies* 35: 1336-1345. <http://dx.doi.org/10.1080/10826076.2012.675870>.
- Rao, BP; Mathews, R; Krishna, KP; Baby, B; Poornima, B. (2013). Spray-dried gastroretentive floating microparticles: preparation and in vitro evaluation. *Pak J Pharm Sci* 26: 707-713.
- Rao, KV; Samikkannu, T; Dakshayani, KB; Zhang, X; Sathaye, SS; Indap, MA; Nair, MP. (2012). Chemopreventive potential of an ethyl acetate fraction from *Curcuma longa* is associated with upregulation of p57(kip2) and Rad9 in the PC-3M prostate cancer cell line. *Asian Pac J Cancer Prev* 13: 1031-1038. <http://dx.doi.org/10.7314/APJCP.2012.13.3.1031>.
- Rao, SK; Rao, PS. (2010). Alteration in the radiosensitivity of HeLa cells by dichloromethane extract of guduchi (*Tinospora cordifolia*). *Integr Cancer Ther* 9: 378-384. <http://dx.doi.org/10.1177/1534735410387598>.
- Rao, SK; Rao, PS; Rao, BN. (2008). Preliminary investigation of the radiosensitizing activity of guduchi (*Tinospora cordifolia*) in tumor-bearing mice. 22: 1482-1489. <http://dx.doi.org/10.1002/ptr.2508>.
- Raelison, G, uyE; Rafamantanana, MH; Razafindrazaka, R; Randriantsoa, A; Urverg-Ratsimamanga, S; Morel, N; Quetin-Leclercq, J. (2013). Vasorelaxant Alkaloids from *Spirospermum penduliflorum* (Menispermaceae), a Plant Used to Treat Hypertension in Malagasy Traditional Medicine. *Natural Product Communications* 8: 575-578.
- Rapakousiou, A; Deraedt, C; Irigoyen, J; Wang, Y; Pinaud, N; Salmon, L; Ruiz, J; Moya, S; Astruc, D. (2015). Synthesis and redox activity of &quot;clicked&quot; triazolylbiferrocenyl polymers, network encapsulation of gold and silver nanoparticles and anion sensing. *Inorg Chem* 54: 2284-2299. <http://dx.doi.org/10.1021/ic5028916>.
- Rashed, K; Ciric, A, na; Glamoclija, J; Calhelha, RC; Ferreira, ICF, R; Sokovic, M. (2014). Antimicrobial and cytotoxic activities of *Alnus rugosa* L. aerial parts and identification of the bioactive components. *Ind Crop Prod* 59: 189-196. <http://dx.doi.org/10.1016/j.indcrop.2014.05.017>.
- Rashid, R; Mukhtar, F; Khan, A. (2014). Antifungal and cytotoxic activities of *Nannorrhops ritchiana* roots extract. *Acta Pol Pharm* 71: 789-793.
- Rasool, F; Ahmad, M; Murtaza, G; Khan, HMS; Khan, SA. (2010). Metoprolol Tartrate-Ethylcellulose Tableted Microparticles: Formulation and In Vitro Evaluation. *Lat Am J Pharm* 29: 984-990.
- Rassaf, T; Totzeck, M; Hendgen-Cotta, UB; Shiva, S; Heusch, G; Kelm, M. (2014). Circulating Nitrite Contributes to Cardioprotection by Remote Ischemic Preconditioning. *Circ Res* 114: 1601-1610. <http://dx.doi.org/10.1161/CIRCRESAHA.114.303822>.
- Ratnayake, R; Ratnayake Bandara, BM; Wijesundara, S; Macleod, JK; Simmonds, P; Karunaratne, V. (2008). Bioactivity and chemistry of the genus *Hortonia*. *Nat Prod Res* 22: 1393-1402. <http://dx.doi.org/10.1080/14786410701722433>.
- Rausch, MH; Lehmann, J; Leipertz, A; Fröba, AP. (2011). Mutual diffusion in binary mixtures of ionic liquids and molecular liquids by dynamic light scattering (DLS). *Phys Chem Chem Phys* 13: 9525-9533. <http://dx.doi.org/10.1039/c1cp20208a>.
- Raval, PB; Puranik, M; Wadher, SJ; Yeole, PG. (2008). A Validated HPTLC Method for Determination of Ondansetron in Combination with Omeprazole or Rabeprazole in Solid Dosage Form. *Indian J Pharmaceut Sci* 70: 386-390. <http://dx.doi.org/10.4103/0250-474X.43011>.
- Ravi, R; Philip, L; Swaminathan, T. (2014). Modified rotating biological contactor for removal of dichloromethane vapours. *Environ Technol* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.953553>.
- Ravikumara, NR; Bharadwaj, M; Madhusudhan, B. (2016). Tamoxifen citrate-loaded poly(D,L) lactic acid nanoparticles: Evaluation for their anticancer activity in vitro and in vivo. *J Biomater Appl* 31: 755-772. <http://dx.doi.org/10.1177/0885328216670561>.
- Rawat, A; Burgess, DJ. (2010). Effect of ethanol as a processing co-solvent on the PLGA microsphere characteristics. *Int J Pharm* 394: 99-105. <http://dx.doi.org/10.1016/j.ijpharm.2010.05.013>.
- Rawat, P; Singh, RN; Ranjan, A; Ahmad, S; Saxena, R. (2017). Antimycobacterial, antimicrobial activity, experimental (FT-IR, FT-Raman, NMR, UV-Vis, DSC) and DFT (transition state, chemical reactivity, NBO, NLO). *Spectrochim Acta A Mol Biomol Spectrosc* 179: 1-10. <http://dx.doi.org/10.1016/j.saa.2017.02.021>.
- Rawat, VS; Bathini, T; Govardan, S; Sreedhar, B. (2014). Catalyst-free activation of methylene chloride and alkynes by amines in a three-component coupling reaction to synthesize propargylamines. *Org Biomol Chem* 12: 6725-6729. <http://dx.doi.org/10.1039/c4ob00986j>.
- Razavi, SM; Imanzadeh, G; Jahed, FS; Zarrini, G. (2013). Pyranocoumarins from *Zosima absinthifolia* (Vent) Link roots. *Bioorg Khim* 39: 244-246.
- Razavi, SM; Janani, M. (2015). A new ester coumarin from *Ferula Persica* wild, indigenous to Iran. *Nat Prod Res* 29: 717-721. <http://dx.doi.org/10.1080/14786419.2014.982650>.
- Razavi, SM; Nahar, L; Talischi, H; Sarker, SD. (2016). Ferulone A and ferulone B: two new coumarin esters from *Ferula orientalis* L. roots. *Nat Prod Res* 30: 2183-2189. <http://dx.doi.org/10.1080/14786419.2016.1155574>.
- Razavi, SM; Ravansalar, A; Mirinejad, S. (2015). The investigation on phytochemicals from *Ferulago angulata* (Schlecht) Boiss, indigenous to central parts of Iran. *Nat Prod Res* 29: 2037-2040. <http://dx.doi.org/10.1080/14786419.2015.1017725>.
- Razavi, SM; Zarrini, G; Molavi, G; Ghasemi, G. (2011). Bioactivity of *Malva Sylvestris* L., a Medicinal Plant from Iran. *Iranian Journal of Basic Medical Sciences* 14: 574-579.
- Razavi, SM; Zarrini, G; Zahri, S; Mohammadi, S. (2010). Biological activity of *Prangos uloptera* DC. roots, a medicinal plant from Iran. *Nat Prod Res* 24: 797-803. <http://dx.doi.org/10.1080/14786410802588667>.
- Razwinani, M; Tshikalange, TE; Motaung, SC. (2014). Antimicrobial and anti-inflammatory activities of *Pleurostyliya capensis* Turcz (Loes) (celastraceae). *African Journal of Traditional, Complementary and Alternative Medicines* 11: 452-457.
- Reddy, BV; Venkateswarlu, A; Borkar, P; Yadav, JS; Kanakaraju, M; Kunwar, AC; Sridhar, B. (2013). Thia-prins bicyclization approach for the stereoselective synthesis of dithia- and azathia-bicycles. *J Org Chem* 78: 6303-6308. <http://dx.doi.org/10.1021/jo400680w>.

## Human Health Hazard Literature Search Results

### Off Topic

- Reddy, ER; Trivedi, R; Sarma, AV; Sridhar, B; Anantaraju, HS; Sriram, D; Yogeewari, P; Nagesh, N. (2015). Sugar-boronate ester scaffold tethered pyridyl-imine palladium(II) complexes: synthesis and their in vitro anticancer evaluation. *Dalton Transactions (Online)* 44: 17600-17616. <http://dx.doi.org/10.1039/c5dt03266k>.
- Reddy, MS; Thirupathi, N; Babu, MH; Puri, S. (2013). Synthesis of substituted 3-iodocoumarins and 3-iodobutenolides via electrophilic iodocyclization of ethoxyalkyne diols. *J Org Chem* 78: 5878-5888. <http://dx.doi.org/10.1021/jo400499r>.
- Regnier-Delplace, C; Thillaye du Boullay, O; Siepmann, F; Martin-Vaca, B; Demonchaux, P; Jentzer, O; Danède, F; Descamps, M; Siepmann, J; Bourissou, D. (2013). PLGAs bearing carboxylated side chains: novel matrix formers with improved properties for controlled drug delivery. *J Control Release* 166: 256-267. <http://dx.doi.org/10.1016/j.jconrel.2012.12.024>.
- Rehman, NU; Gilani, AH; Khan, A; Nazneen, M; El Gamal, AA; Fawzy, GA; Al-Ati, HY; Abdel-Kader, MS. (2015). Antidiarrheal and Antispasmodic Activities of Buddleja polystachya are Mediated Through Dual Inhibition of Ca(++) Influx and Phosphodiesterase Enzyme. *29: 1211-1218*. <http://dx.doi.org/10.1002/ptr.5367>.
- Reid-Adam, J; Yang, N; Song, Y; Cravedi, P; Li, XM; Heeger, P. (2013). Immunosuppressive effects of the traditional Chinese herb Qu Mai on human alloreactive T cells. *American Journal of Transplantation (Online)* 13: 1159-1167. <http://dx.doi.org/10.1111/ajt.12180>.
- Reimer, T; Hohberg, C; Pfützner, AH; Jørgensen, C; Jensen, KH; Pfützner, A. (2008). Intuitiveness, instruction time, and patient acceptance of a prefilled insulin delivery device and a reusable insulin delivery device in a randomized, open-label, crossover handling study in patients with type 2 diabetes. *Clin Ther* 30: 2252-2262. <http://dx.doi.org/10.1016/j.clinthera.2008.12.004>.
- Reininger, E; Bauer, R. (2008). Inhibition of PGHS-1 and PGHS-2 by Triterpenoid Acids from *Chaenomelis fructus*. *Natural Product Communications* 3: 1991-1994.
- Reis, M; Trinca, A; Ferreira, MJ; Monsalve-Puello, AR; Grácio, MA. (2010). *Toxocara canis*: potential activity of natural products against second-stage larvae in vitro and in vivo. *Exp Parasitol* 126: 191-197. <http://dx.doi.org/10.1016/j.exppara.2010.04.023>.
- Ren, X; Zhao, X; Turcotte, F; Deschênes, JS; Tremblay, R; Jolicoeur, M. (2017). Current lipid extraction methods are significantly enhanced adding a water treatment step in *Chlorella protothecoides*. *Microbial Cell Factories* 16: 26. <http://dx.doi.org/10.1186/s12934-017-0633-9>.
- Ren, Y; Vanschoiack, A; Chai, HB; Goetz, M; Kinghorn, AD. (2015). Cytotoxic Barrigenol-like Triterpenoids from an Extract of *Cyrilla racemiflora* Housed in a Repository. *J Nat Prod* 78: 2440-2446. <http://dx.doi.org/10.1021/acs.jnatprod.5b00532>.
- Ren, Y; Yuan, C; Qian, Y; Chai, HB; Chen, X; Goetz, M; Kinghorn, AD. (2014). Constituents of an extract of *Cryptocarya rubra* housed in a repository with cytotoxic and glucose transport inhibitory effects. *J Nat Prod* 77: 550-556. <http://dx.doi.org/10.1021/np400809w>.
- Renou, R; Szymczyk, A; Maurin, G; Malfreyt, P; Ghoufi, A. (2015). Superpermittivity of nanoconfined water. *J Chem Phys* 142: 184706. <http://dx.doi.org/10.1063/1.4921043>.
- Resende, M; Hochman, B; Gragnani, A; Viegas, DF; Damasceno, C; Juliano, Y; Ferreira, L. (2012). Tap Water has No Influence on Microbial Colonization of Skin Wounds in Rats. *Wounds* 24: 275-282.
- Resende, MM; Rocha, CA; Corrêa, NF; Veiga, RR; Passos, SJ; Novo, NF; Juliano, Y; Damasceno, CA. (2016). Tap water versus sterile saline solution in the colonisation of skin wounds. *Int Wound J* 13: 526-530. <http://dx.doi.org/10.1111/iwj.12470>.
- Retter, J; Collet, PH; Böcker, U; Singer, MV; Kähler, G. (2010). [Toluidin blue in gastrointestinal endoscopy]. *Z Gastroenterol* 48: 1117-1119. <http://dx.doi.org/10.1055/s-0028-1110032>.
- Reuillon, T; Bertoli, A; Griffin, RJ; Miller, DC; Golding, BT. (2012). Efficacious N-protection of O-aryl sulfamates with 2,4-dimethoxybenzyl groups. *Org Biomol Chem* 10: 7610-7617. <http://dx.doi.org/10.1039/c2ob26057c>.
- Reyes-Chilpa, R; Gómez-Cansino, R; Guzmán-Gutiérrez, SL; Hernández-Ortega, S; Campos-Lara, M; Vega-Avila, E; Nieto-Camacho, A. (2014). Anthraquinones from *Vismia mexicana*. *Z Naturforsch C Biosci* 69: 29-34.
- Reynolds, AN; Duncan, A; Kruimer, D; Venn, BJ. (2016). Glycated albumin is associated with body mass index in euglycemic adults but is not predictive of postprandial blood glucose response. *J Clin Lab Anal*. <http://dx.doi.org/10.1002/jcla.22085>.
- Reza, A; Choi, MJ; Damte, D; Jo, WS; Lee, SJ; Lee, JS; Park, SC. (2011). Comparative Antitumor Activity of Different Solvent Fractions from an *Auricularia auricula-judae* Ethanol Extract in P388D1 and Sarcoma 180 Cells. *Toxicological Research* 27: 77-83. <http://dx.doi.org/10.5487/TR.2011.27.2.077>.
- Reza, MA; Hossain, MA; Lee, SJ; Yohannes, SB; Damte, D; Rhee, MH; Jo, WS; Suh, JW; Park, SC. (2014). Dichloromethane extract of the jelly ear mushroom *Auricularia auricula-judae* (higher Basidiomycetes) inhibits tumor cell growth in vitro. *Int J Med Mushrooms* 16: 37-47.
- Rezabeigi, E; Wood-Adams, PM; Drew, RA. (2016). Morphological examination of highly porous polylactic acid/Bioglass(®) scaffolds produced via nonsolvent induced phase separation. *J Biomed Mater Res B Appl Biomater*. <http://dx.doi.org/10.1002/jbm.b.33784>.
- Rial, D; Vázquez, JA; Mendiña, A; García, AM; González, MP; Mirón, J; Murado, MA. (2013). Toxicity of binary mixtures of oil fractions to sea urchin embryos. *J Hazard Mater* 263 Pt 2: 431-440. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.059>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ribeiro de Souza, EB; da Silva, RR; Afonso, S; Scarmínio, IS. (2009). Enhanced extraction yields and mobile phase separations by solvent mixtures for the analysis of metabolites in *Annona muricata* L. leaves. *J Sep Sci* 32: 4176-4185. <http://dx.doi.org/10.1002/jssc.200900375>.
- Ribeiro, EA; Sidooski, T; Nandi, LG; Machado, VG. (2011). Interaction of protonated merocyanine dyes with amines in organic solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 81: 745-753. <http://dx.doi.org/10.1016/j.saa.2011.07.020>.
- Ribeiro, LP; Vendramim, JD; Andrade, MS; Bicalho, KU; Silva, MF; Vieira, PC; Fernandes, JB. (2014). Tropical Plant Extracts as Sources of Grain-Protectant Compounds Against *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae). *Neotrop Entomol* 43: 470-482. <http://dx.doi.org/10.1007/s13744-014-0233-x>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ribeiro, SM; Rogers, R; Rubem, AC; Da Gama, BA; Muricy, G; Pereira, RC. (2013). Antifouling activity of twelve demosponges from Brazil. *Braz J Biol* 73: 501-506. <http://dx.doi.org/10.1590/S1519-69842013000300006>.
- Ribi, K; Bernhard, J; Schuller, JC; Weder, W; Bodis, S; Jörgler, M; Betticher, D; Schmid, RA; Stupp, R; Ris, HB; Stahel, RA; SAKK, SGfCCR. (2008). Individual versus standard quality of life assessment in a phase II clinical trial in mesothelioma patients: feasibility and responsiveness to clinical changes. *Lung Cancer* 61: 398-404. <http://dx.doi.org/10.1016/j.lungcan.2008.01.013>.
- Riblet, F; Novitchi, G; Scopelliti, R; Helm, L; Gulea, A; Merbach, AE. (2010). Isomerization mechanisms of stereolabile tris- and bis-bidentate octahedral cobalt(II) complexes: X-ray structure and variable temperature and pressure NMR kinetic investigations. *Inorg Chem* 49: 4194-4211. <http://dx.doi.org/10.1021/ic902494j>.
- Rievaj, J; Davidson, C; Nadeem, A; Hollenberg, M; Duszyk, M; Vliagoftis, H. (2012). Allergic sensitization enhances anion current responsiveness of murine trachea to PAR-2 activation. *Pflugers Arch* 463: 497-509. <http://dx.doi.org/10.1007/s00424-011-1064-9>.
- Righi, AA; Motta, LB; Klafke, GM; Pohl, PC; Furlan, CM; Santos, DY; Salatino, ML; Negri, G; Labruna, MB; Salatino, A. (2013). Chemical composition and efficacy of dichloromethane extract of *Croton sphaerogynus* Bail. (Euphorbiaceae) against the cattle tick *Rhipicephalus microplus* (Acari: Ixodidae). *Vet Parasitol* 192: 292-295. <http://dx.doi.org/10.1016/j.vetpar.2012.11.005>.
- Riisö, A; Väisänen, A; Sillanpää, R. (2013). Uranyl complexes of alkyl-bridged ditopic diaminotetraphenol ligands and their use as uranyl ion extractors. *Inorg Chem* 52: 8591-8600. <http://dx.doi.org/10.1021/ic400663y>.
- Riley, LE; Chan, AP; Taylor, J; Man, WY; Ellis, D; Rosair, GM; Welch, AJ; Sivaev, IB. (2016). Unprecedented flexibility of the 1,1'-bis(o-carborane) ligand: catalytically-active species stabilised by B-agostic B-H→Ru interactions. *Dalton Transactions (Online)* 45: 1127-1137. <http://dx.doi.org/10.1039/c5dt03417e>.
- Ringer, SK; Portier, KG; Fourel, I; Bettschart-Wolfensberger, R. (2012). Development of a romifidine constant rate infusion with or without butorphanol for standing sedation of horses. *Vet Anaesth Analg* 39: 12-20. <http://dx.doi.org/10.1111/j.1467-2995.2011.00681.x>.
- Risso, WE; Scarminio, IS; Moreira, EG. (2010). Antinociceptive and acute toxicity evaluation of *Vernonia condensata* Baker leaves extracted with different solvents and their mixtures. *Indian J Exp Biol* 48: 811-816.
- Rizk, DE; Osman, NA; Shafiullah, MM; Nagelkerke, NJ; Fahim, MA. (2009). Effect of human chorionic gonadotrophin on in vitro contractions of stimulated detrusor muscle strips of female rats. *Journal of Obstetrics and Gynaecology Research (Online)* 35: 835-841. <http://dx.doi.org/10.1111/j.1447-0756.2009.01052.x>.
- Robbins, SL; Angell, M. (1976). *Basic Pathology Disease at the cellular level* (2 ed.). Toronto: Saunders Company.
- Robert, S; Baccelli, C; Devel, P; Dogné, JM; Quetin-Leclercq, J. (2010). Effects of leaf extracts from *Croton zambesicus* Müell. Arg. on hemostasis. *J Ethnopharmacol* 128: 641-648. <http://dx.doi.org/10.1016/j.jep.2010.02.007>.
- Robinson, EM; Trumble, SJ; Subedi, B; Sanders, R; Usenko, S. (2013). Selective pressurized liquid extraction of pesticides, polychlorinated biphenyls and polybrominated diphenyl ethers in a whale earplug (earwax): A novel method for analyzing organic contaminants in lipid-rich matrices. *J Chromatogr A* 1319: 14-20. <http://dx.doi.org/10.1016/j.chroma.2013.10.023>.
- Robles Camargo, JE; Tellez Alfonso, AN; Rojas-Rozo, RA; de Castro, C; de Murcia, TR. (2010). In vitro cytotoxicity of extracts and fractions of *Bursera tomentosa* (Jacq.) Triana & Planch., Burseraceae, against human tumor cell. *Revista Brasileira de Farmacognosia* 20: 588-593.
- Robles-Molina, J; Gilbert-López, B; García-Reyes, JF; Molina-Díaz, A. (2013). Comparative evaluation of liquid-liquid extraction, solid-phase extraction and solid-phase microextraction for the gas chromatography-mass spectrometry determination of multiclass priority organic contaminants in wastewater. *Talanta* 117: 382-391. <http://dx.doi.org/10.1016/j.talanta.2013.09.040>.
- Robles-Zepeda, RE; Coronado-Aceves, EW; Velázquez-Contreras, CA; Ruiz-Bustos, E; Navarro-Navarro, M; Garibay-Escobar, A. (2013). In vitro anti-mycobacterial activity of nine medicinal plants used by ethnic groups in Sonora, Mexico. *BMC Complement Altern Med* 13: 329. <http://dx.doi.org/10.1186/1472-6882-13-329>.
- Robottom, BJ; Gruber-Baldini, AL; Anderson, KE; Reich, SG; Fishman, PS; Weiner, WJ; Shulman, LM. (2012). What determines resilience in patients with Parkinson's disease? 18: 174-177. <http://dx.doi.org/10.1016/j.parkreldis.2011.09.021>.
- Roca-López, D; Tejero, T; Caramella, P; Merino, P. (2014). [2n2π + 2n2π] cycloadditions: an alternative to forbidden [4π + 4π] processes. The case of nitrene dimerization. *Org Biomol Chem* 12: 517-525. <http://dx.doi.org/10.1039/c3ob42014k>.
- Roch, T; Schulz, C; Jung, F; Ma, N; Lendlein, A. (2014). Interaction of poly(ether imide) films with early immune mechanisms. *Clin Hemorheol Microcirc* 57: 203-212. <http://dx.doi.org/10.3233/CH-141831>.
- Rocha Martins, LR; Brenzan, MA; Nakamura, CV; Dias Filho, BP; Nakamura, TU; Ranieri Cortez, LE; Garcia Cortez, DA. (2011). In vitro antiviral activity from *Acanthospermum australe* on herpesvirus and poliovirus. *Pharmaceutical Biology* 49: 26-31. <http://dx.doi.org/10.3109/13880209.2010.493177>.
- Rocha, OP; De Felício, R; Rodrigues, AH; Ambrósio, DL; Cicarelli, RM; De Albuquerque, S; Young, MC; Yokoya, NS; Debonsi, HM. (2011). Chemical profile and biological potential of non-polar fractions from *Centroceras clavulatum* (C. Agardh) Montagne (Ceramilales, Rhodophyta). *Molecules* 16: 7105-7114. <http://dx.doi.org/10.3390/molecules16087105>.
- Rochester, DL; Develay, S; Zális, S; Williams, JA. (2009). Localised to intraligand charge-transfer states in cyclometalated platinum complexes: an experimental and theoretical study into the influence of electron-rich pendants and modulation of excited states by ion binding. *Dalton Trans* 1728-1741. <http://dx.doi.org/10.1039/b816375h>.
- Rochford, J; Galoppini, E. (2008). Zinc(II) tetraarylporphyrins anchored to TiO<sub>2</sub>, ZnO, and ZrO<sub>2</sub> nanoparticle films through rigid-rod linkers. *Langmuir* 24: 5366-5374. <http://dx.doi.org/10.1021/la703845u>.
- Rodić, Z; Simonovska, B; Albreht, A; Vovk, I. (2012). Determination of lutein by high-performance thin-layer chromatography using densitometry and screening of major dietary carotenoids in food supplements. *J Chromatogr A* 1231: 59-65. <http://dx.doi.org/10.1016/j.chroma.2012.01.085>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ródio, C; da Rocha Vianna, D; Kowalski, KP; Panatieri, LF; von Poser, G; Rott, MB. (2008). In vitro evaluation of the amebicidal activity of *Pterocaulon polystachyum* (Asteraceae) against trophozoites of *Acanthamoeba castellanii*. *Parasitol Res* 104: 191-194. <http://dx.doi.org/10.1007/s00436-008-1186-y>.
- Rodrigues, ER; Nogueira, NG; Zocolo, GJ; Leite, FS; Januario, AH; Fusco-Almeida, AM; Fachin, AL; de Marchi, MR; dos Santos, AG; Pietro, RC. (2012). *Pothomorphe umbellata*: antifungal activity against strains of *Trichophyton rubrum*. *Journal de Mycologie Medicale* 22: 265-269. <http://dx.doi.org/10.1016/j.mycmed.2012.05.005>.
- Rodrigues, RV; Lanznaster, D; Balbinot, DTL; Gadotti, VD; Facundo, VA; Santos, ARS. (2009). Antinociceptive Effect of Crude Extract, Fractions and Three Alkaloids Obtained from Fruits of *Piper tuberculatum*. *Biol Pharm Bull* 32: 1809-1812.
- Rodrigues, SM; Vale, P; Botelho, MJ; Gomes, SS. (2009). Extraction recoveries and stability of diarrhetic shellfish poisoning (DSP) toxins in naturally contaminated samples. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 26: 229-235. <http://dx.doi.org/10.1080/02652030802290530>.
- Rodriguez, AD. (2010). New Leads Against Cancer and Infectious Diseases from Puerto Rican Reef Species.
- Rodriguez, AD. (2011). New Leads Against Cancer and Infectious Diseases from Puerto Rican Reef Species.
- Rodriguez, AD. (2012). New Leads Against Cancer and Infectious Diseases from Puerto Rican Reef Species.
- Rodriguez, AD. (2013). New Leads Against Cancer and Infectious Diseases from Puerto Rican Reef Species.
- Rodríguez, AM; Prieto, P; de la Hoz, A; Díaz-Ortiz, A; García, JI. (2014). The issue of 'molecular radiators' in microwave-assisted reactions. Computational calculations on ring closing metathesis (RCM). *Org Biomol Chem* 12: 2436-2445. <http://dx.doi.org/10.1039/c3ob42536c>.
- Rodríguez-Bencomo, JJ; Cabrera-Valido, HM; Pérez-Trujillo, JP; Cacho, J. (2011). Bound aroma compounds of Gual and Listán blanco grape varieties and their influence in the elaborated wines. *Food Chem* 127: 1153-1162. <http://dx.doi.org/10.1016/j.foodchem.2011.01.117>.
- Rodriguez-Bencomo, JJ; Méndez-Siverio, JJ; Pérez-Trujillo, JP; Cacho, J. (2008). Effect of skin contact on bound aroma and free volatiles of Listán blanco wine. *Food Chem* 110: 214-225. <http://dx.doi.org/10.1016/j.foodchem.2008.01.037>.
- Rodríguez-Cabo, B; Rodríguez-Palmeiro, I; Corchero, R; Rodil, R; Rodil, E; Arce, A; Soto, A. (2017). Photocatalytic degradation of methyl orange, methylene blue and rhodamine B with AgCl nanocatalyst synthesised from its bulk material in the ionic liquid [P6 6 6 14]Cl. *Water Sci Technol* 75: 128-140. <http://dx.doi.org/10.2166/wst.2016.499>.
- Rodríguez-Ramos, F; Navarrete, A; González-Andrade, M; Alarcón, C; Aguilera-Cruz, A; Reyes-Ramírez, A. (2013). Synthesis, docking study and relaxant effect of 2-alkyl and 2-naphthylchromones on rat aorta and guinea-pig trachea through phosphodiesterase inhibition. *Bioorg Chem* 50: 17-25. <http://dx.doi.org/10.1016/j.bioorg.2013.07.001>.
- Rodriguez-Saona, CR. (2011). Herbivore-induced blueberry volatiles and intra-plant signaling. *J Vis Exp*. <http://dx.doi.org/10.3791/3440>.
- Roh, HJ; Noh, HJ; Na, CS; Kim, CS; Kim, KH; Hong, CY; Lee, KR. (2015). Phenolic Compounds from the Leaves of *Stewartia pseudocamellia* Maxim. and their Whitening Activities. 23: 283-289. <http://dx.doi.org/10.4062/biomolther.2014.140>.
- Rojas, J; Velasco, J; Morales, A; Diaz, T; Meccia, G. (2008). Evaluation of antibacterial activity on different solvent extracts of *Euphorbia caracasana* Boiss and *Euphorbia cotinifolia* L. (Euphorbiaceae) collected in Venezuela. 7: 199-202.
- Rojas, JC; Bruchey, AK; Gonzalez-Lima, F. (2012). Neurometabolic mechanisms for memory enhancement and neuroprotection of methylene blue [Review]. *Prog Neurobiol* 96: 32-45. <http://dx.doi.org/10.1016/j.pneurobio.2011.10.007>.
- Rojas, JC; Simola, N; Kermath, BA; Kane, JR; Schallert, T; Gonzalez-Lima, F. (2009). Striatal neuroprotection with methylene blue. *Neuroscience* 163: 877-889. <http://dx.doi.org/10.1016/j.neuroscience.2009.07.012>.
- Rojas-Martínez, R; Arrieta, J; Cruz-Antonio, L; Arrieta-Baez, D; Velázquez-Méndez, AM; Sánchez-Mendoza, ME. (2013). Dillapiole, isolated from *Peperomia pellucida*, shows gastroprotector activity against ethanol-induced gastric lesions in Wistar rats. *Molecules* 18: 11327-11337. <http://dx.doi.org/10.3390/molecules180911327>.
- Rojsanga, P; Sukhthankar, M; Krisanapun, C; Gritsanapan, W; Lawson, DB; Baek, SJ. (2010). In vitro anti-proliferative activity of alcoholic stem extract of *Coscinium fenestratum* in human colorectal cancer cells. *Exp Ther Med* 1: 181-186. [http://dx.doi.org/10.3892/etm\\_00000029](http://dx.doi.org/10.3892/etm_00000029).
- Rolim, JP; De-Melo, MA; Guedes, SF; Albuquerque-Filho, FB; de Souza, J. R.; Nogueira, NA; Zanin, IC; Rodrigues, LK. (2012). The antimicrobial activity of photodynamic therapy against *Streptococcus mutans* using different photosensitizers. *J Photochem Photobiol B* 106: 40-46. <http://dx.doi.org/10.1016/j.jphotobiol.2011.10.001>.
- Romagnoli, R; Baraldi, PG; Carrion, MD; Cruz-Lopez, O; Cara, CL; Saponaro, G; Preti, D; Tabrizi, MA; Baraldi, S; Moorman, AR; Vincenzi, F; Borea, PA; Varani, K. (2014). Synthesis and biological evaluation of novel 2-amino-3-aryl-4-neopentyl-5-substituted thiophene derivatives as allosteric enhancers of the A<sub>1</sub> adenosine receptor. *Bioorg Med Chem* 22: 148-166. <http://dx.doi.org/10.1016/j.bmc.2013.11.043>.
- Römpf, A; Guenther, S; Takats, Z; Spengler, B. (2011). Mass spectrometry imaging with high resolution in mass and space (HR(2) MSI) for reliable investigation of drug compound distributions on the cellular level. *Anal Bioanal Chem* 401: 65-73. <http://dx.doi.org/10.1007/s00216-011-4990-7>.
- Römpf, A; Spengler, B. (2013). Mass spectrometry imaging with high resolution in mass and space [Review]. *Histochem Cell Biol* 139: 759-783. <http://dx.doi.org/10.1007/s00418-013-1097-6>.
- Rosa, LP; da Silva, FC; Nader, SA; Meira, GA; Viana, MS. (2015). Antimicrobial photodynamic inactivation of *Staphylococcus aureus* biofilms in bone specimens using methylene blue, toluidine blue ortho and malachite green: An in vitro study. *Arch Oral Biol* 60: 675-680. <http://dx.doi.org/10.1016/j.archoralbio.2015.02.010>.



## Human Health Hazard Literature Search Results

### Off Topic

- Rosanova, MT; Tramonti, N; Taicz, M; Martiren, S; Basílico, H; Signorelli, C; Buchovsky, A; Ledo, R. (2015). Assessment of C-reactive protein and procalcitonin levels to predict infection and mortality in burn children. *Arch Argent Pediatr* 113: 36-41. <http://dx.doi.org/10.5546/aap.2015.36>.
- Rose, RA; Greaves, SJ; Oliver, TA; Clark, IP; Greetham, GM; Parker, AW; Towrie, M; Orr-Ewing, AJ. (2011). Vibrationally quantum-state-specific dynamics of the reactions of CN radicals with organic molecules in solution. *J Chem Phys* 134: 244503. <http://dx.doi.org/10.1063/1.3603966>.
- Rosella, MA; Duran, RR; Aquila, SV; Del Valle, ME; Spegazzini, ED; Debenedetti, SL. (2010). In Vitro Antimycobacterial Activity of *Gaillardia cabrerae* y *G. megapotamica* var. *scabiosoides* (Asteraceae). *Lat Am J Pharm* 29: 816-819.
- Rosendahl, P; Hippler, J; Schmitz, OJ; Hoffmann, O; Rusch, P. (2016). Cyclic volatile methylsiloxanes in human blood as markers for ruptured silicone gel-filled breast implants. *Anal Bioanal Chem* 408: 3309-3317. <http://dx.doi.org/10.1007/s00216-016-9401-7>.
- Rosokha, SV; Korotchenko, V; Stern, CL; Zaitsev, V; Ritzert, JT. (2012). Substituent-induced switch of the role of charge-transfer complexes in the Diels-Alder reactions of o-chloranil and styrenes. *J Org Chem* 77: 5971-5981. <http://dx.doi.org/10.1021/jo300614k>.
- Rosokha, SV; Lu, J; Rosokha, TY; Kochi, JK. (2009). Counter-ion modulation of long-distance pi-bonding of the open-shell p-benzoquinone anions. *Phys Chem Chem Phys* 11: 324-332. <http://dx.doi.org/10.1039/b811816g>.
- Rosselli, S; Bruno, M; Raimondo, FM; Spadaro, V; Varol, M; Koparal, AT; Maggio, A. (2012). Cytotoxic effect of eudesmanolides isolated from flowers of *Tanacetum vulgare* ssp. *siculum*. *Molecules* 17: 8186-8195. <http://dx.doi.org/10.3390/molecules17078186>.
- Roszol, L; Lawson, T; Koncz, V; Noszticzus, Z; Wittmann, M; Sarkadi, T; Koppa, P. (2010). Micropatterned polyvinyl butyral membrane for acid-base diodes. *J Phys Chem B* 114: 13718-13725. <http://dx.doi.org/10.1021/jp106773y>.
- Rothman, KJ; Greenland, S. (1998). Precision and validity in epidemiologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 115-134). Philadelphia, PA: Lippincott Williams & Wilkins.
- Roudsari, MT; Bahrami, AR; Dehghani, H. (2012). Bracken-fern extracts induce cell cycle arrest and apoptosis in certain cancer cell lines. *Asian Pac J Cancer Prev* 13: 6047-6053.
- Rouhollahi, E; Moghadamtousi, SZ; Al-Henhena, N; Kunasegaran, T; Hasanpourghadi, M; Looi, CY; Abd Malek, SN; Awang, K; Abdulla, MA; Mohamed, Z. (2015). The chemopreventive potential of *Curcuma purpurascens* rhizome in reducing azoxymethane-induced aberrant crypt foci in rats. *Drug Design, Development and Therapy* 9: 3911-3922. <http://dx.doi.org/10.2147/DDDT.S84560>.
- Rouhollahi, E; Moghadamtousi, SZ; Baig, S; Looi, CY; Abdulla, MA; Mohamed, Z. (2015). Dichloromethane *Curcuma purpurascens* BI Rhizome Extract Prevents Thioacetamide-Induced Liver Cirrhosis in Rats. *Public Health Genomics* 18: 33-33.
- Rouhollahi, E; Zorofchian Moghadamtousi, S; Paydar, M; Fadaeinasab, M; Zahedifard, M; Hajrezaie, M; Ahmed Hamdi, OA; Looi, CY; Abdulla, MA; Awang, K; Mohamed, Z. (2015). Inhibitory effect of *Curcuma purpurascens* BI. rhizome on HT-29 colon cancer cells through mitochondrial-dependent apoptosis pathway. *BMC Complement Altern Med* 15: 15. <http://dx.doi.org/10.1186/s12906-015-0534-6>.
- Rua, Z; Tang, H; Liu, D; Zhu, H; Pan, J; Zou, W; Qian, Y. (2016). [Determination of volatile organic compounds in workplace by portable gas-chromatography]. *Wei Sheng Yan Jiu* 45: 268-272.
- Ruamrungsri, N; Siengdee, P; Sringarm, K; Chomdej, S; Ongchai, S; Nganvongpanit, K. (2016). In vitro cytotoxic screening of 31 crude extracts of Thai herbs on a chondrosarcoma cell line and primary chondrocytes and apoptotic effects of selected extracts. *In Vitro Cellular and Developmental Biology* 52: 434-444. <http://dx.doi.org/10.1007/s11626-016-0006-4>.
- Ruan, Z; Tang, HF; Liu, DH; Zhu, HB; Wang, H; Qian, YL. (2013). [Determination of oxide, furan, dichloromethane by portable gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 868-870.
- Rubach, M; Lang, R; Skupin, C; Hofmann, T; Somoza, V. (2010). Activity-guided fractionation to characterize a coffee beverage that effectively down-regulates mechanisms of gastric acid secretion as compared to regular coffee. *J Agric Food Chem* 58: 4153-4161. <http://dx.doi.org/10.1021/jf904493f>.
- Rubera, I; Duranton, C; Melis, N; Coughon, M; Mograbi, B; Tauc, M. (2013). Role of CFTR in oxidative stress and suicidal death of renal cells during cisplatin-induced nephrotoxicity. *Cell Death & Disease* 4: e817. <http://dx.doi.org/10.1038/cddis.2013.355>.
- Rubim, JC; Aroca, RF. (2008). The observation of high order overtones and combinations in the SERRS spectra of a perylene dye spin coated onto silver island films. *Phys Chem Chem Phys* 10: 5412-5418. <http://dx.doi.org/10.1039/b804950e>.
- Rudine, AB; Walter, MG; Wamser, CC. (2010). Reaction of dichloromethane with pyridine derivatives under ambient conditions. *J Org Chem* 75: 4292-4295. <http://dx.doi.org/10.1021/jo100276m>.
- Rueda, DC; De Mieri, M; Hering, S; Hamburger, M. (2014). HPLC-based activity profiling for GABAA receptor modulators in *Adenocarpus cinnatus*. *J Nat Prod* 77: 640-649. <http://dx.doi.org/10.1021/np500016z>.
- Rueda, DC; Schöffmann, A; De Mieri, M; Raith, M; Jähne, EA; Hering, S; Hamburger, M. (2014). Identification of dihydrostilbenes in *Pholidota chinensis* as a new scaffold for GABAA receptor modulators. *Bioorg Med Chem* 22: 1276-1284. <http://dx.doi.org/10.1016/j.bmc.2014.01.008>.
- Rufer, ES; Hacker, TA; Flentke, GR; Drake, VJ; Brody, MJ; Lough, J; Smith, SM. (2010). Altered cardiac function and ventricular septal defect in avian embryos exposed to low-dose trichloroethylene. *Toxicol Sci* 113: 444-452. <http://dx.doi.org/10.1093/toxsci/kfp269>.
- Rühlig, K; Mothes, R; Aliabadi, A; Kataev, V; Büchner, B; Buschbeck, R; Rüffer, T; Lang, H. (2015). Cu(II) bis(oxamato) end-grafted poly(amidoamine) dendrimers. *Dalton Transactions (Online)* 45: 7960-7979. <http://dx.doi.org/10.1039/c5dt03416g>.
- Ruiu, S; Anzani, N; Orrù, A; Floris, C; Caboni, P; Alcaro, S; Maccioni, E; Distinto, S; Cottiglia, F. (2015). Methoxyflavones from *Stachys glutinosa* with binding affinity to opioid receptors: in silico, in vitro, and in vivo studies. *J Nat Prod* 78: 69-76. <http://dx.doi.org/10.1021/np500671v>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ruiz, J; Villa, MD; Cutillas, N; Lopez, G; de Haro, C; Bautista, D; Moreno, V; Valencia, L. (2008). Palladium(II) and platinum(II) organometallic complexes with 4,7-dihydro-5-methyl-7-oxo[1,2,4]triazolo[1,5-a]pyrimidine. Antitumor activity of the platinum compounds. *Inorg Chem* 47: 4490-4505. <http://dx.doi.org/10.1021/ic701873b>.
- Ruiz, SP; Anjos, MM; Carrara, VS; Delima, JN; Cortez, DA; Nakamura, TU; Nakamura, CV; de Abreu Filho, BA. (2013). Evaluation of the antibacterial activity of Piperaceae extracts and nisin on *Alicyclobacillus acidoterrestris*. *J Food Sci* 78: M1772-M1777. <http://dx.doi.org/10.1111/1750-3841.12283>.
- Rumalla, CS; Avula, B; Shukla, YJ; Wang, YH; Pawar, RS; Smillie, TJ; Khan, IA. (2008). Chemical fingerprint of Hoodia species, dietary supplements, and related genera by using HPTLC. *J Sep Sci* 31: 3959-3964. <http://dx.doi.org/10.1002/jssc.200800441>.
- Rumlova, L; Dolezalova, J. (2012). A new biological test utilising the yeast *Saccharomyces cerevisiae* for the rapid detection of toxic substances in water. *Environ Toxicol Pharmacol* 33: 459-464. <http://dx.doi.org/10.1016/j.etap.2012.01.008>.
- Rummery, NM; Tripovic, D; Mclachlan, EM; Brock, JA. (2010). Sympathetic vasoconstriction is potentiated in arteries caudal but not rostral to a spinal cord transection in rats. *J Neurotrauma* 27: 2077-2089. <http://dx.doi.org/10.1089/neu.2010.1468>.
- Rushdi, AI; Al-Mutlaq, KF; El-Mubarak, AH; Al-Saleh, MA; El-Otaibi, MT; Ibrahim, SMM; Simoneit, BRT. (2016). Occurrence and sources of natural and anthropogenic lipid tracers in surface soils from arid urban areas of Saudi Arabia. *Environ Pollut* 208: 696-703. <http://dx.doi.org/10.1016/j.envpol.2015.10.049>.
- Russell, MA; Laws, AP; Atherton, JH; Page, MI. (2009). The kinetics and mechanism of the acid-catalysed detritylation of nucleotides in non-aqueous solution. *Org Biomol Chem* 7: 52-57. <http://dx.doi.org/10.1039/b816235b>.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health* 49: 126-132.
- Ruttoh, EK; Tarus, PK; Bii, CC; Machocho, AK; Karimie, LK; Okemo, PO. (2009). Antibacterial activity of *Tabernaemontana stapfiana* britten (*Apocynaceae*) extracts. *African Journal of Traditional, Complementary and Alternative Medicines* 6: 186-194.
- Ryu, DS; Lee, HS; Lee, GS; Lee, DS. (2012). Effects of the Ethylacetate Extract of *Orostachys japonicus* on Induction of Apoptosis through the p53-Mediated Signaling Pathway in Human Gastric Cancer Cells. *Biol Pharm Bull* 35: 660-665.
- Ryu, GY; Lee, SG; Shin, SE; Park, JJ; Park, S; Shin, DM. (2010). Substituent effect on color tuning of red light emission in photoluminescence and electroluminescence of red fluorophore. *J Nanosci Nanotechnol* 10: 6805-6810. <http://dx.doi.org/10.1166/jnn.2010.2962>.
- Saaby, L; Jäger, AK; Moesby, L; Hansen, EW; Christensen, SB. (2011). Isolation of immunomodulatory triterpene acids from a standardized rose hip powder (*Rosa canina* L.). 25: 195-201. <http://dx.doi.org/10.1002/ptr.3241>.
- Saadullah, M; Chaudary, BA; Uzair, M. (2016). Antioxidant, Phytotoxic and Antiurease Activities, and Total Phenolic and Flavonoid Contents of *Conocarpus lancifolius* (*Combretaceae*). *Tropical Journal of Pharmaceutical Research* 15: 555-561. <http://dx.doi.org/10.4314/tjpr.v15i3.17>.
- Saavedra, MJ; Aires, A; Dias, C; Almeida, JA; De Vasconcelos, MC; Santos, P; Rosa, EA. (2015). Evaluation of the potential of squash pumpkin by-products (seeds and shell) as sources of antioxidant and bioactive compounds. *J Food Sci Tech* 52: 1008-1015. <http://dx.doi.org/10.1007/s13197-013-1089-5>.
- Sabbagh, MJ; Looper, JM; Zavadzkas, JA; Stroud, RE; Ford, RL; Rivers, WT; Koval, CN; Mcevoy, MD; Reeves, ST; Spinale, FG. (2008). Aprotinin exacerbates left ventricular dysfunction after ischemia/reperfusion in mice lacking tumor necrosis factor receptor I. *J Cardiovasc Pharmacol* 52: 355-362. <http://dx.doi.org/10.1097/FJC.0b013e3181893659>.
- Sabiah, S; Varghese, B; Murthy, NN. (2009). Mononuclear [(BP)(2)MX](n+) (M = Cu(2+), Co(2+), Zn(2+); X = OH(2), Cl(-)) complexes with a new biphenyl appended N-bidentate ligand: structural, spectroscopic, solution equilibrium and ligand dynamic studies. *Dalton Transactions (Online)* 9770-9780. <http://dx.doi.org/10.1039/b910519k>.
- Sabino, BD; Torraca, TG; Moura, CM; Rozenbaum, HF; de Castro Faria, MV. (2010). Development of a simple and low-cost enzymatic methodology for quantitative analysis of carbamates in meat samples of forensic interest. *J Forensic Sci* 55: 808-812. <http://dx.doi.org/10.1111/j.1556-4029.2010.01340.x>.
- Sabounchei, SJ; Akhlaghi Bagherjeri, F; Mozafari, Z; Boskovic, C; Gable, RW; Karamian, R; Asadbegy, M. (2013). Synthesis and characterization of novel simultaneous C and O-coordinated and nitrate-bridged complexes of silver(I) with carbonyl-stabilized sulfonium ylides and their antibacterial activities. *Dalton Transactions (Online)* 42: 2520-2529. <http://dx.doi.org/10.1039/c2dt31902k>.
- Sachin, JP; Selvasundaram, R; Babu, A; Muraleedharan, N. (2008). Behavioral and electroantennographic responses of the tea mosquito, *Helopeltis theivora*, to female sex pheromones. *Environ Entomol* 37: 1416-1421.
- Sacoman, JL; Monteiro, KM; Possenti, A; Figueira, GM; Foglio, MA; Carvalho, JE. (2008). Cytotoxicity and antitumoral activity of dichloromethane extract and its fractions from *Pothomorphe umbellata*. 41: 411-415.
- Sadaoka, K; Kashimura, S; Saga, Y. (2011). Effects of molecular structures on reduction properties of formyl groups in chlorophylls and pheophytins prepared from oxygenic photosynthetic organisms. *Bioorg Med Chem* 19: 3901-3905. <http://dx.doi.org/10.1016/j.bmc.2011.05.039>.
- Sadgrove, NJ; Jones, GL. (2013). Chemical and biological characterisation of solvent extracts and essential oils from leaves and fruit of two Australian species of *Pittosporum* (*Pittosporaceae*) used in aboriginal medicinal practice. *J Ethnopharmacol* 145: 813-821. <http://dx.doi.org/10.1016/j.jep.2012.12.019>.
- Sæves, I; Vethe, NT; Bergan, S. (2011). Quantification of 6 glucocorticoids in human plasma by liquid chromatography tandem mass spectrometry: method development, validation, and assessment of matrix effects. *Ther Drug Monit* 33: 402-410. <http://dx.doi.org/10.1097/FTD.0b013e3182241799>.

## Human Health Hazard Literature Search Results

### Off Topic

- Saez, V; Ramón, JA; Caballero, L; Aldana, R; Cruz, E; Peniche, C; Paez, R. (2013). Extraction of PLGA-microencapsulated proteins using a two-immiscible liquid phases system containing surfactants. *Pharm Res* 30: 606-615. <http://dx.doi.org/10.1007/s11095-012-0916-0>.
- Safaei, HR; Shekouhy, M; Shirinfeshan, A; Rahmanpur, S. (2012). CaCl<sub>2</sub> as a bifunctional reusable catalyst: diversity-oriented synthesis of 4H-pyran library under ultrasonic irradiation. *Mol Divers* 16: 669-683. <http://dx.doi.org/10.1007/s11030-012-9392-z>.
- Safin, DA; Babashkina, MG; Kubisiak, P; Mitoraj, MP; Robeyns, K; Goovaerts, E; Garcia, Y. (2013). Complexation properties of N-thiophosphorylated thiourea 2-PyNHC(S)NHP(S)(OiPr)<sub>2</sub> towards Ni(II). *Dalton Transactions (Online)* 42: 5252-5257. <http://dx.doi.org/10.1039/c3dt32886d>.
- Saga, Y; Ishitani, A; Takahashi, N; Kawamura, K. (2015). Production of bacteriopurpurin-18 phytol ester from bacteriopheophytin a via allomerization by contact with titanium oxides in the presence of molecular oxygen. *Bioorg Med Chem Lett* 25: 639-641. <http://dx.doi.org/10.1016/j.bmcl.2014.12.002>.
- Sagi, S; Avula, B; Wang, YH; Zhao, J; Khan, IA. (2014). Quantitative determination of seven chemical constituents and chemo-type differentiation of chamomiles using high-performance thin-layer chromatography. *J Sep Sci* 37: 2797-2804. <http://dx.doi.org/10.1002/jssc.201400646>.
- Sah, SP; Mathela, CS; Chopra, K. (2011). Antidepressant effect of *Valeriana wallichii* patchouli alcohol chemotype in mice: Behavioural and biochemical evidence. *J Ethnopharmacol* 135: 197-200. <http://dx.doi.org/10.1016/j.jep.2011.02.018>.
- Saha, S; Mandal, MK; Nonami, H; Hiraoka, K. (2014). Direct analysis of anabolic steroids in urine using Leidenfrost phenomenon assisted thermal desorption-dielectric barrier discharge ionization mass spectrometry. *Anal Chim Acta* 839: 1-7. <http://dx.doi.org/10.1016/j.aca.2014.05.009>.
- Sahana, DK; Mittal, G; Bhardwaj, V; Kumar, MN. (2008). PLGA nanoparticles for oral delivery of hydrophobic drugs: influence of organic solvent on nanoparticle formation and release behavior in vitro and in vivo using estradiol as a model drug. *J Pharm Sci* 97: 1530-1542. <http://dx.doi.org/10.1002/jps.21158>.
- Sahoo, C; Gupta, AK. (2015). Characterization and photocatalytic performance evaluation of various metal ion-doped microstructured TiO<sub>2</sub> under UV and visible light. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 50: 659-668. <http://dx.doi.org/10.1080/10934529.2015.1011958>.
- Sahoo, RK; Kumar, M; Sukla, LB; Subudhi, E. (2016). Bioprospecting hot spring metagenome: lipase for the production of biodiesel. *Environ Sci Pollut Res Int*. <http://dx.doi.org/10.1007/s11356-016-8118-7>.
- Sahu, PK; Das, SK; Sarkar, M. (2014). Fluorescence response of a dipolar organic solute in a dicationic ionic liquid (IL): is the behavior of dicationic IL different from that of usual monocationic IL? *Phys Chem Chem Phys* 16: 12918-12928. <http://dx.doi.org/10.1039/c4cp01053a>.
- Saio, V; Syiem, D; Sharma, R; Dkhar, J. (2016). Amelioration of age-dependent increase in oxidative stress markers in male mice by extract of *Potentilla fulgens*. *Redox Rep* 21: 130-138. <http://dx.doi.org/10.1179/1351000215Y.0000000006>.
- Saiyisitpanich, P; Keener, TC; Lu, MM; Liang, FY; Khang, SJ. (2008). Control of Diesel Gaseous and Particulate Emissions with a Tube-Type Wet Electrostatic Precipitator. *Journal of the Air and Waste Management Association* 58: 1311-1317. <http://dx.doi.org/10.3155/1047-3289.58.10.1311>.
- Sajewicz, M; Kronenbach, D; Staszek, D; Wrobel, M; Grygierczyk, G; Kowalska, T. (2008). Experimental investigation of the oscillatory transesterification of L-tyrosine. *Journal of Liquid Chromatography and Related Technologies* 31: 2006-2018. <http://dx.doi.org/10.1080/10826070802197693>.
- Sakai, H; Li, B; Lim, WL; Iga, Y. (2014). Red blood cells donate electrons to methylene blue mediated chemical reduction of methemoglobin compartmentalized in liposomes in blood. *Bioconjug Chem* 25: 1301-1310. <http://dx.doi.org/10.1021/bc500153x>.
- Sakamoto, H; Ishikawa, J; Osuga, H; Doi, K; Wada, H. (2010). Highly silver ion selective fluorescence ionophore: fluorescent properties of polythiazalkane derivatives bearing 8-(7-hydroxy-4-methyl)coumarinyl moiety in aqueous solution and in liquid-liquid extraction systems. *Analyst* 135: 550-558. <http://dx.doi.org/10.1039/b920625f>.
- Sakamoto, R; Iwashima, T; Kögel, JF; Kusaka, S; Tsuchiya, M; Kitagawa, Y; Nishihara, H. (2016). Dissymmetric Bis(dipyrrinato)zinc(II) Complexes: Rich Variety and Bright Red to Near-Infrared Luminescence with a Large Pseudo-Stokes Shift. *J Am Chem Soc* 138: 5666-5677. <http://dx.doi.org/10.1021/jacs.6b02128>.
- Sakandé, J; Rouet-Benzineb, P; Devaud, H; Nikiema, JB; Lompo, M; Nacoulma, OG; Guissou, IP; Bado, A. (2011). Dichloromethane-methanol extract from *Borassus aethiopicum* mart. (Arecaceae) induces apoptosis of human colon cancer HT-29 cells. *Pak J Biol Sci* 14: 578-583.
- Sakaue, H; Ishii, K. (2010). A dipping duration study for optimization of anodized-aluminum pressure-sensitive paint. *Sensors* 10: 9799-9807. <http://dx.doi.org/10.3390/s101109799>.
- Sakee, U; Maneerat, S; Cushnie, TP; De-Eknamkul, W. (2011). Antimicrobial activity of *Blumea balsamifera* (Lin.) DC. extracts and essential oil. *Nat Prod Res* 25: 1849-1856. <http://dx.doi.org/10.1080/14786419.2010.485573>.
- Sakrana, AA; Özcan, M. (2017). Effect of chemical etching solutions versus air abrasion on the adhesion of self-adhesive resin cement to IPS e.max ZirCAD with and without aging. *J Biomed Mater Res Part B: Appl Biomater* 12: 72-85.
- Sařaga, M; Kowalczuk, A; Zielinska, M; Błazewicz, A; Fichna, J. (2015). *Calea zacatechichi* dichloromethane extract exhibits antidiarrheal and antinociceptive effects in mouse models mimicking irritable bowel syndrome. *Naunyn Schmiedebergs Arch Pharmacol* 388: 1069-1077. <http://dx.doi.org/10.1007/s00210-015-1142-1>.
- Salahdeen, HM; Adebare, AO; Murtala, BA; Alada, AR. (2015). Potassium channels and prostacyclin contribute to vasorelaxant activities of *Tridax procumbens* crude aqueous leaf extract in rat superior mesenteric arteries. *Afr J Med Med Sci* 44: 5-19.
- Salaita, K; Amarnath, A; Higgins, TB; Mirkin, CA. (2010). The effects of organic vapor on alkanethiol deposition via dip-pen nanolithography. *Scanning* 32: 9-14. <http://dx.doi.org/10.1002/sca.20179>.

## Human Health Hazard Literature Search Results

### Off Topic

- Salas, FJ; Méndez-Maldonado, GA; Núñez-Rojas, E; Aguilar-Pineda, GE; Domínguez, H; Alejandre, J. (2015). Systematic procedure to parametrize force fields for molecular fluids. *Journal of Chemical Theory and Computation* 11: 683-693. <http://dx.doi.org/10.1021/ct500853q>.
- Salazar, C; Lach, J; Rückerl, F; Baumann, D; Schimmel, S; Knupfer, M; Kersting, B; Büchner, B; Hess, C. (2016). STM Study of Au(111) Surface-Grafted Paramagnetic Macrocyclic Complexes [Ni<sub>2</sub>L(Hmba)](+) via Ambidentate Coligands. *Langmuir* 32: 4464-4471. <http://dx.doi.org/10.1021/acs.langmuir.6b00772>.
- Saldías, M; Manzur, J; Palacios, RE; Gómez, ML; Fuente, J; Günther, G; Pizarro, N; Vega, A. (2017). The binuclear dual emitter [Br(CO)<sub>3</sub>Re(PN)(NP)Re(CO)<sub>3</sub>Br] (PN): 3-chloro-6-(4-diphenylphosphinyl)butoxypyridazine, a new bridging P,N-bidentate ligand resulting from the ring opening of tetrahydrofuran. *Dalton Transactions (Online)* 46: 1567-1576. <http://dx.doi.org/10.1039/c6dt04158b>.
- Saleem, H; Ahmad, I; Ashraf, M; Gill, MSA, li; Nadeem, MF; Shahid, MN; Barkat, K. (2016). In vitro Studies on Anti-diabetic and Anti-ulcer Potentials of *Jatropha gossypifolia* (Euphorbiaceae). *Tropical Journal of Pharmaceutical Research* 15: 121-125. <http://dx.doi.org/10.4314/tjpr.v15i1.17>.
- Saleem, H; Ahmad, I; Shahid, MN; Gill, MS; Nadeem, MF; Mahmood, W; Rashid, I. (2016). IN VITRO ACETYLCHOLINESTERASE AND BUTYRYLCHOLINESTERASE INHIBITORY POTENTIALS OF JATROPHA GOSSYPIFOLIA PLANT EXTRACTS. *Acta Pol Pharm* 73: 419-423.
- Salem, AA; Wasfi, IA; Al-Nassibi, SS. (2012). Trace determination of beta-blockers and beta(2)-agonists in distilled and waste-waters using liquid chromatography-tandem mass spectrometry and solid-phase extraction. *Journal of Chromatography B* 908: 27-38. <http://dx.doi.org/10.1016/j.jchromb.2012.09.026>.
- Salgado, F; Areche, C; Sepúlveda, B; Simirgiotis, MJ; Cáceres, F; Quispe, C; Quispe, L; Cano, T. (2014). A new mulinane diterpenoid from the cushion shrub *Azorella compacta* growing in Perú. *Pharmacognosy Magazine* 10: S543-S548. <http://dx.doi.org/10.4103/0973-1296.139807>.
- Salgaonkar, BB; Mani, K; Braganca, JM. (2013). Characterization of polyhydroxyalkanoates accumulated by a moderately halophilic salt pan isolate *Bacillus megaterium* strain H16. *J Appl Microbiol* 114: 1347-1356. <http://dx.doi.org/10.1111/jam.12135>.
- Salih, B; Sipahi, T; Dönmez, EO. (2009). Ancient *nigella* seeds from Boyali Höyük in north-central Turkey. *J Ethnopharmacol* 124: 416-420. <http://dx.doi.org/10.1016/j.jep.2009.05.039>.
- Salinas-Sánchez, DO; Herrera-Ruiz, M; Pérez, S; Jiménez-Ferrer, E; Zamilpa, A. (2012). Anti-inflammatory activity of hautriwaic acid isolated from *Dodonaea viscosa* leaves. *Molecules* 17: 4292-4299. <http://dx.doi.org/10.3390/molecules17044292>.
- Salmon, AG; Roth, LA. (2010). Cancer risk based on an individual tumor type or summing of tumors. In CH Hsu; T Stedeford (Eds.), (pp. 29.21-29.25). Hoboken, NJ: John Wiley & Sons.
- Samadi, A; Silva, D; Chioua, M; Infantes, L; Soriano, E; Marco-Contelles, J. (2015). The reaction of 2-amino-4H-pyrans with N-bromosuccinimide. *Mol Divers* 19: 103-122. <http://dx.doi.org/10.1007/s11030-014-9560-4>.
- Samburova, V; Connolly, J; Gyawali, M; Yatavelli, RL; Watts, AC; Chakrabarty, RK; Zielinska, B; Moosmüller, H; Khlystov, A. (2016). Polycyclic aromatic hydrocarbons in biomass-burning emissions and their contribution to light absorption and aerosol toxicity. *Sci Total Environ* 568: 391-401. <http://dx.doi.org/10.1016/j.scitotenv.2016.06.026>.
- Samonina-Kosicka, J; Derosa, CA; Morris, WA; Fan, Z; Fraser, CL. (2014). Dual-Emissive Difluoroboron Naphthyl-Phenyl β-Diketonate Poly lactide Materials: Effects of Heavy Atom Placement and Polymer Molecular Weight. *Macromolecules* 47: 3736-3746. <http://dx.doi.org/10.1021/ma5006606>.
- Samoylenko, V; Jacob, MR; Khan, SI; Zhao, J; Tekwani, BL; Midiwo, JO; Walker, LA; Muhammad, I. (2009). Antimicrobial, antiparasitic and cytotoxic spermine alkaloids from *Albizia schimperiana*. *Natural Product Communications* 4: 791-796.
- Sampaio, KL; Biasoto, AC; Da Silva, MA. (2015). Comparison of techniques for the isolation of volatiles from cashew apple juice. *J Sci Food Agric* 95: 299-312. <http://dx.doi.org/10.1002/jsfa.6718>.
- Sampaio, KL; Garruti, DS; Franco, MR; Janzantti, NS; Da Silva, MA. (2011). Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *J Sci Food Agric* 91: 1801-1809. <http://dx.doi.org/10.1002/jsfa.4385>.
- Samsonia, M; Lesiovskaia, E; Ghibradze, O; Kandelaki, M. (2015). [Study of bioavailability of paclitaxel after sublingual administration]. *Georgian Med News* 59-64.
- Sana, A; Saleem, R; Faizi, S. (2015). Hypotensive Activity of *Moringa oleifera* Lam (Moringaceae) Root Extracts and its Volatile Constituents. *Tropical Journal of Pharmaceutical Research* 14: 823-830. <http://dx.doi.org/10.4314/tjpr.v14i5.12>.
- Sanches-Silva, A; Ribeiro, T; Albuquerque, TG; Paseiro, P; Sendon, R; Bernaldo de Quiros, A; Lopez-Cervantes, J; Sanchez-Machado, DI; Soto Valdez, H; Angulo, I; Aurrekoetxea, GP; Costa, HS. (2013). Ultra-high pressure LC for astaxanthin determination in shrimp by-products and active food packaging. *Biomed Chromatogr* 27: 757-764. <http://dx.doi.org/10.1002/bmc.2856>.
- Sancheti, S; Sancheti, S; Seo, S. (2010). EVALUATION OF ANTIGLYCOSIDASE AND ANTICHOLINESTERASE ACTIVITIES OF BOEHMERIA NIVEA. *Pak J Pharm Sci* 23: 236-240.
- Sánchez, FJ; Bocklandt, S; Vilain, E. (2013). The relationship between help-seeking attitudes and masculine norms among monozygotic male twins discordant for sexual orientation. *32*: 52-56. <http://dx.doi.org/10.1037/a0029529>.
- Sánchez-Brunete, C; Miguel, E; Tadeo, JL. (2008). Determination of organochlorine pesticides in sewage sludge by matrix solid-phase dispersion and gas chromatography-mass spectrometry. *Talanta* 74: 1211-1217. <http://dx.doi.org/10.1016/j.talanta.2007.08.025>.
- Sánchez-González, J; García-Carballal, S; Cabarcos, P; Tabernero, MJ; Bermejo-Barrera, P; Moreda-Piñeiro, A. (2016). Determination of cocaine and its metabolites in plasma by porous membrane-protected molecularly imprinted polymer micro-solid-phase extraction and liquid chromatography-tandem mass spectrometry. *J Chromatogr A* 1451: 15-22. <http://dx.doi.org/10.1016/j.chroma.2016.05.003>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sánchez-González, J; Jesús Tabernero, M; María Bermejo, A; Bermejo-Barrera, P; Moreda-Piñeiro, A. (2016). Development of magnetic molecularly imprinted polymers for solid phase extraction of cocaine and metabolites in urine before high performance liquid chromatography - tandem mass spectrometry. *Talanta* 147: 641-649. <http://dx.doi.org/10.1016/j.talanta.2015.10.034>.
- Sánchez-Mendoza, ME; Castillo-Henkel, C; Navarrete, A. (2008). Relaxant action mechanism of berberine identified as the active principle of *Argemone ochroleuca* Sweet in guinea-pig tracheal smooth muscle. *J Pharm Pharmacol* 60: 229-236. <http://dx.doi.org/10.1211/jpp.60.2.0012>.
- Sánchez-Mendoza, ME; Reyes-Ramírez, A; Cruz Antonio, L; Martínez Jiménez, L; Rodríguez-Silverio, J; Arrieta, J. (2011). Bioassay-guided isolation of an anti-ulcer compound, tagitinin C, from *Tithonia diversifolia*: role of nitric oxide, prostaglandins and sulfhydryls. *Molecules* 16: 665-674. <http://dx.doi.org/10.3390/molecules16010665>.
- Sánchez-Mendoza, ME; Reyes-Trejo, B; De La rosa, L; Rodríguez-Silverio, J; Castillo-Henkel, C; Arrieta, J. (2008). Polyalthic Acid Isolated from *Croton reflexifolius* has Relaxing Effect in Guinea Pig Tracheal Smooth Muscle. *Pharmaceutical Biology* 46: 800-807. <http://dx.doi.org/10.1080/13880200802315881>.
- Sánchez-Recillas, A; Mantecón-Reyes, P; Castillo-España, P; Villalobos-Molina, R; Ibarra-Barajas, M; Estrada-Soto, S. (2014). Tracheal relaxation of five medicinal plants used in Mexico for the treatment of several diseases. *Asian Pacific Journal of Tropical Medicine* 7: 179-183. [http://dx.doi.org/10.1016/S1995-7645\(14\)60017-1](http://dx.doi.org/10.1016/S1995-7645(14)60017-1).
- Sandhu, AK; Mandal, K; Singh, B. (2015). Estimation and Validation of Propanil Residues in Rice and Soil Samples by Gas Liquid Chromatography with Electron Capture Detector. *Bull Environ Contam Toxicol* 95: 368-372. <http://dx.doi.org/10.1007/s00128-015-1610-9>.
- Sandoval-Mojica, AF; Capinera, JL. (2011). Antifeedant effect of commercial chemicals and plant extracts against *Schistocerca americana* (Orthoptera: Acrididae) and *Diaprepes abbreviatus* (Coleoptera: Curculionidae). *Pest Manag Sci* 67: 860-868. <http://dx.doi.org/10.1002/ps.2125>.
- Sanford, M; Lyseng-Williamson, KA. (2011). Subcutaneous recombinant interferon- $\beta$ -1a (Rebif®): a review of its use in the treatment of relapsing multiple sclerosis [Review]. *Drugs* 71: 1865-1891. <http://dx.doi.org/10.2165/11207540-000000000-00000>.
- Sanganalmath, PU; Nagaraju, PM; Mohan, BM. (2013). HPTLC method for the assay of thiopental in post-mortem blood in a fatal case of suicide. *J Pharm Biomed Anal* 80: 89-93. <http://dx.doi.org/10.1016/j.jpba.2013.02.042>.
- Sanguanpong, U; Hummel, HE. (2008). Toxicity of *Stemona* root against onion cutworm by using different contacting methods and solvents. *Commun Agric Appl Biol Sci* 73: 459-467.
- Sankam, P; Punvittayagul, C; Sringam, K; Chaiyasut, C; Wongpoomchai, R. (2013). Antimutagenicity and anticlastogenicity of glutinous purple rice hull using in vitro and in vivo testing systems. *Mol Cell Toxicol* 9: 169-176. <http://dx.doi.org/10.1007/s13273-013-0021-4>.
- Sankaralingam, M; Balamurugan, M; Palaniandavar, M; Vadivelu, P; Suresh, CH. (2014). Nickel(II) Complexes of Pentadentate N5 Ligands as Catalysts for Alkane Hydroxylation by Using m-CPBA as Oxidant: A Combined Experimental and Computational Study. *Chemistry* 20: 11346-11361. <http://dx.doi.org/10.1002/chem.201402391>.
- Sankarganesh, D; Ramachandran, R; Muniasamy, S; Saravanakumar, VR; Suriyakalaa, U; Kannan, S; Archunan, G; Achiraman, S. (2014). A correlation of fecal volatiles and steroid hormone profiles with behavioral expression during estrous cycle of goat, *Capra hircus*. *Gen Comp Endocrinol* 206: 178-183. <http://dx.doi.org/10.1016/j.ygcen.2014.07.028>.
- Sanna, ML; Maccioni, E; Vigo, S; Faggi, C; Cirilli, R. (2010). Application of an immobilised amylose-based chiral stationary phase to the development of new monoamine oxidase B inhibitors. *Talanta* 82: 426-431. <http://dx.doi.org/10.1016/j.talanta.2010.04.039>.
- Sannino, A; Bolzoni, L. (2013). GC/CI-MS/MS method for the identification and quantification of volatile N-nitrosamines in meat products. *Food Chem* 141: 3925-3930. <http://dx.doi.org/10.1016/j.foodchem.2013.06.070>.
- Santana, LC; Carneiro, SM; Caland-Neto, LB; Arcanjo, DD; Moita-Neto, JM; Citó, AM; Carvalho, FA. (2014). Brazilian brown propolis elicits antileishmanial effect against promastigote and amastigote forms of *Leishmania amazonensis*. *Nat Prod Res* 28: 340-343. <http://dx.doi.org/10.1080/14786419.2013.856904>.
- Santander-Ortega, MJ; Stauner, T; Loretz, B; Ortega-Vinuesa, JL; Bastos-González, D; Wenz, G; Schaefer, UF; Lehr, CM. (2010). Nanoparticles made from novel starch derivatives for transdermal drug delivery. *J Control Release* 141: 85-92. <http://dx.doi.org/10.1016/j.jconrel.2009.08.012>.
- Santin, GC; Oliveira, DS; Galo, R; Borsatto, MC; Corona, SA. (2014). Antimicrobial photodynamic therapy and dental plaque: a systematic review of the literature [Review]. *ScientificWorldJournal* 2014: 824538. <http://dx.doi.org/10.1155/2014/824538>.
- Santos, FV; Tubaldini, FR; Cólus, IM; Andréo, MA; Bauab, TM; Leite, CQ; Vilegas, W; Varanda, EA. (2008). Mutagenicity of *Mouriri pusa* Gardner and *Mouriri elliptica* Martius. *Food Chem Toxicol* 46: 2721-2727. <http://dx.doi.org/10.1016/j.fct.2008.04.028>.
- Santos, MG; Almeida, VG; Avelar-Freitas, BA; Graef, CFF; Gregorio, LE; Pereira, WF; Brito-Melo, GEA. (2016). Phytochemical screening of the dichloromethaneethanolic extract of *Eriosema campestre* var. *macrophyllum* roots and its antiproliferative effect on human peripheral blood lymphocytes. *Revista Brasileira de Farmacognosia* 26: 464-470. <http://dx.doi.org/10.1016/j.bjp.2015.08.009>.
- Sapozhnikova, Y; Pennington, P; Wirth, E; Fulton, M. (2009). Fate and transport of Irgarol 1051 in a modular estuarine mesocosm. *J Environ Monit* 11: 808-814. <http://dx.doi.org/10.1039/b818273f>.
- Saputra, MA; Ngo, L; Kartika, R. (2015). Synthesis of Vinyl Chlorides via Triphosgene-Pyridine Activation of Ketones. *J Org Chem* 80: 8815-8820. <http://dx.doi.org/10.1021/acs.joc.5b01137>.
- Saqib, F; Janbaz, KH. (2016). Rationalizing ethnopharmacological uses of *Alternanthera sessilis*: A folk medicinal plant of Pakistan to manage diarrhea, asthma and hypertension. *J Ethnopharmacol* 182: 110-121. <http://dx.doi.org/10.1016/j.jep.2016.02.017>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sarafian, MH; Gaudin, M; Lewis, MR; Martin, FP; Holmes, E; Nicholson, JK; Dumas, ME. (2014). Objective set of criteria for optimization of sample preparation procedures for ultra-high throughput untargeted blood plasma lipid profiling by ultra performance liquid chromatography-mass spectrometry. *Anal Chem* 86: 5766-5774. <http://dx.doi.org/10.1021/ac500317c>.
- Saragih Turnip, S; Sörbom, D; Hauff, E. (2016). Predicting positive mental health in internally displaced persons in Indonesia: the roles of economic improvement and exposure to violent conflict. *Psychol Health Med* 21: 286-294. <http://dx.doi.org/10.1080/13548506.2015.1051554>.
- Saravanakumar, DEM; Folb, PI; Campbell, BW; Smith, P. (2008). Antimycobacterial activity of the red alga *Polysiphonia virgata*. *Pharmaceutical Biology* 46: 254-260. <http://dx.doi.org/10.1080/13880200701739413>.
- Sardari, S; Amiri, M; Rahimi, H; Kamalinejad, M; Narenjkar, J; Sayyah, M. (2015). Anticonvulsant effect of *Cicer arietinum* seed in animal models of epilepsy: introduction of an active molecule with novel chemical structure. *Iran Biomed J* 19: 45-50.
- Sardenne, F; Ménard, F; Degroote, M; Fouché, E; Guillou, G; Lebreton, B; Hollanda, SJ; Bodin, N. (2015). Methods of lipid-normalization for multi-tissue stable isotope analyses in tropical tuna. *Rapid Commun Mass Spectrom* 29: 1253-1267. <http://dx.doi.org/10.1002/rcm.7215>.
- Sarikurkcu, C; Arisoy, K; Tepe, B; Cakir, A; Abali, G; Mete, E. (2009). Studies on the antioxidant activity of essential oil and different solvent extracts of *Vitexagnuscastus* L. fruits from Turkey. *Food Chem Toxicol* 47: 2479-2483. <http://dx.doi.org/10.1016/j.fct.2009.07.005>.
- Saritha, D; Bose, PSC; Reddy, PS; Madhuri, G; Nagaraju, R. (2012). Improved dissolution and micromeritic properties of naproxen from spherical agglomerates: preparation, in vitro and in vivo characterization. *B J P S Brazilian Journal of Pharmaceutical Sciences* 48: 667-676.
- Sarkar, K; Tarafder, P; Paul, G. (2015). Bisphenol A inhibits duodenal movement ex vivo of rat through nitric oxide-mediated soluble guanylyl cyclase and  $\alpha$ -adrenergic signaling pathways. *J Appl Toxicol* 36: 131-139. <http://dx.doi.org/10.1002/jat.3154>.
- Sarkar, N; Karmakar, A; Barik, A. (2016). Volatiles of *Solena amplexicaulis* (Lam.) Gandhi Leaves Influencing Attraction of Two Generalist Insect Herbivores. *J Chem Ecol* 42: 1004-1015. <http://dx.doi.org/10.1007/s10886-016-0757-0>.
- Sarkar, R; Mondal, P; Rajak, KK. (2014). Synthesis, structure and spectroscopic properties of Re(I) complexes incorporating 5-aryloxy-8-hydroxyquinoline: a density functional theory/time-dependent density functional theory investigation. *Dalton Transactions (Online)* 43: 2859-2877. <http://dx.doi.org/10.1039/c3dt52630e>.
- Sarma, M; Chatterjee, T; Bodapati, R; Krishnakanth, KN; Hamad, S; Rao, SV; Das, SK. (2016). Cyclometalated Iridium(III) Complexes Containing 4,4'- $\pi$ -Conjugated 2,2'-Bipyridine Derivatives as the Ancillary Ligands: Synthesis, Photophysics, and Computational Studies. *Inorg Chem* 55: 3530-3540. <http://dx.doi.org/10.1021/acs.inorgchem.5b02999>.
- Sarmah, AK; Northcott, GL; Scherr, FF. (2008). Retention of estrogenic steroid hormones by selected New Zealand soils. *Environ Int* 34: 749-755. <http://dx.doi.org/10.1016/j.envint.2007.12.017>.
- Sarpe, VA; Kulkarni, SS. (2013). Desymmetrization of trehalose via regioselective DIBAL reductive ring opening of benzylidene and substituted benzylidene acetals. *Org Biomol Chem* 11: 6460-6465. <http://dx.doi.org/10.1039/c3ob41389f>.
- Sarr, M; Ngom, S; Kane, MO; Wele, A; Diop, D; Sarr, B; Gueye, L; Andriantsitohaina, R; Diallo, AS. (2009). In vitro vasorelaxation mechanisms of bioactive compounds extracted from *Hibiscus sabdariffa* on rat thoracic aorta. *Nutrition and Metabolism* 6: 45. <http://dx.doi.org/10.1186/1743-7075-6-45>.
- Sarr, SO; Perrotey, S; Fall, I; Ennahar, S; Zhao, M; Diop, YM; Candolfi, E; Marchioni, E. (2011). *Icacina senegalensis* (Icacinaceae), traditionally used for the treatment of malaria, inhibits in vitro *Plasmodium falciparum* growth without host cell toxicity. *Malar J* 10: 85. <http://dx.doi.org/10.1186/1475-2875-10-85>.
- Sartorelli, P; Carvalho, CS; Reimão, JQ; Ferreira, MJ; Tempone, AG. (2009). Antiparasitic activity of biochanin A, an isolated isoflavone from fruits of *Cassia fistula* (Leguminosae). *Parasitol Res* 104: 311-314. <http://dx.doi.org/10.1007/s00436-008-1193-z>.
- Sasaki, T; Matsubara, H; Hayakawa, S. (2008). Differences between collisionally activated and electron-transfer dissociations found for  $\text{CH}_2\text{X}(\text{X} = \text{Cl}, \text{Br}, \text{and I})$  by using alkali-metal targets. *J Mass Spectrom* 43: 1679-1685. <http://dx.doi.org/10.1002/jms.1458>.
- Sasanya, JJ; Hall, C; Wolf-Hall, C. (2008). Analysis of deoxynivalenol, masked deoxynivalenol, and *Fusarium graminearum* pigment in wheat samples, using liquid chromatography-UV-mass spectrometry. *J Food Prot* 71: 1205-1213.
- Sass, DC; Jager, AV; Tonin, FG; Rosim, RE; Constantino, MG; Fernandes Oliveira, CA. (2015). Synthesis and purification of the aflatoxin B-1-lysine adduct. *Toxin Reviews* 34: 53-59. <http://dx.doi.org/10.3109/15569543.2014.994132>.
- Sathish, V; Ramdass, A; Lu, ZZ; Velayudham, M; Thanasekaran, P; Lu, KL; Rajagopal, S. (2013). Aggregation-Induced Emission Enhancement in Alkoxy-Bridged Binuclear Rhenium(I) Complexes: Application as Sensor for Explosives and Interaction with Microheterogeneous Media. *J Phys Chem B* 117: 14358-14366. <http://dx.doi.org/10.1021/jp407939j>.
- Sato, A; Tamura, H. (2015). High anti-allergic activity of 5,6,4'-trihydroxy-7,8,3'-trimethoxyflavone and 5,6-dihydroxy-7,8,3',4'-tetramethoxyflavone from eau de cologne mint (*Mentha piperita* citrata). *Fitoterapia* 102: 74-83. <http://dx.doi.org/10.1016/j.fitote.2015.02.003>.
- Sauchelli, S; Jiménez-Murcia, S; Sánchez, I; Riesco, N; Custal, N; Fernández-García, JC; Garrido-Sánchez, L; Tinahones, FJ; Steiger, H; Israel, M; Baños, RM; Botella, C; de la Torre, R; Fernández-Real, JM; Ortega, FJ; Frühbeck, G; Granero, R; Tárrega, S; Crujeiras, AB; Rodríguez, A; Estivill, X; Beckmann, JS; Casanueva, FF; Menchón, JM; Fernández-Aranda, F. (2016). Orexin and sleep quality in anorexia nervosa: Clinical relevance and influence on treatment outcome. *Psychoneuroendocrinology* 65: 102-108. <http://dx.doi.org/10.1016/j.psyneuen.2015.12.014>.
- Saunders, JE; Sanders, C; Chen, H; Loock, HP. (2016). Refractive indices of common solvents and solutions at 1550 nm. *Appl Opt* 55: 947-953. <http://dx.doi.org/10.1364/AO.55.000947>.

## Human Health Hazard Literature Search Results

### Off Topic

- Savasci, S; Akçay, M; Ergül, S. (2010). Thin-layer chromatographic specification and separation of Cu(1+), Cu(2+), Ni(2+), and Co(2+) cations. *J Chromatogr Sci* 48: 473-477.
- Sawada, H; Izumi, S; Sasazawa, K; Yoshida, M. (2012). Coloring-decoloring behavior of amphiphilic fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide-acryloylmorpholine cooligomer/fluorescein nanocomposites in protic and aprotic solvents. *J Colloid Interface Sci* 377: 76-80. <http://dx.doi.org/10.1016/j.jcis.2012.03.017>.
- Sayyah, M; Khodaparast, A; Yazdi, A; Sardari, S. (2011). Screening of the anticonvulsant activity of some plants from Fabaceae family in experimental seizure models in mice. 19: 301-305.
- Scheeren, MB; Sabik, H; Gariépy, C; Terra, NN; Arul, J. (2015). Determination of N-nitrosamines in processed meats by liquid extraction combined with gas chromatography-methanol chemical ionisation/mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 32: 1436-1447. <http://dx.doi.org/10.1080/19440049.2015.1066037>.
- Scheinfeld, N. (2013). Treatment of hidradenitis suppurativa associated pain with nonsteroidal anti-inflammatory drugs, acetaminophen, celecoxib, gabapentin, pregabalin, duloxetine, and venlafaxine [Review]. *Dermatol Online J* 19: 20616.
- Schinella, G; Aquila, S; Dade, M; Giner, R; Recio, M; Spezzazzini, E; de Buschiazzo, P; Tournier, H; Ríos, JL. (2008). Anti-inflammatory and apoptotic activities of pomolic acid isolated from *Cecropia pachystachya*. *Planta Med* 74: 215-220. <http://dx.doi.org/10.1055/s-2008-1034301>.
- Schinkovitz, A; Stavri, M; Gibbons, S; Bucar, F. (2008). Antimycobacterial polyacetylenes from *Levisticum officinale*. 22: 681-684. <http://dx.doi.org/10.1002/ptr.2408>.
- Schmidt, HC; Reuter, LG; Hamacek, J; Wenger, OS. (2011). Multistage complexation of fluoride ions by a fluorescent triphenylamine bearing three dimesitylboryl groups: controlling intramolecular charge transfer. *J Org Chem* 76: 9081-9085. <http://dx.doi.org/10.1021/jo2019152>.
- Schmidt, TJ; Alfermann, AW; Fuss, E. (2008). High-performance liquid chromatography/mass spectrometric identification of dibenzylbutyrolactone-type lignans: insights into electrospray ionization tandem mass spectrometric fragmentation of lign-7-eno-9,9'-lactones and application to the lignans of *Linum usitatissimum* L. (Common Flax). *Rapid Commun Mass Spectrom* 22: 3642-3650. <http://dx.doi.org/10.1002/rcm.3783>.
- Schmidt, TJ; Kaiser, M; Brun, R. (2011). Complete structural assignment of serratal, a cembrane-type diterpene from *Boswellia serrata*, and evaluation of its antiprotozoal activity [Letter]. *Planta Med* 77: 849-850. <http://dx.doi.org/10.1055/s-0030-1250612>.
- Schmidt, TJ; Klaes, M; Sendker, J. (2012). Lignans in seeds of *Linum* species. *Phytochemistry* 82: 89-99. <http://dx.doi.org/10.1016/j.phytochem.2012.07.004>.
- Schmidt, TJ; Rzeppa, S; Kaiser, M; Brun, R. (2012). *Larrea tridentata*-Absolute configuration of its epoxy lignans and investigations on its antiprotozoal activity. *Phytochemistry Letters* 5: 632-638. <http://dx.doi.org/10.1016/j.phytol.2012.06.011>.
- Schmiedl, S; Fischer, R; Ibanez, L; Fortuny, J; Thürmann, P; Ballarin, E; Ferrer, P; Sabaté, M; Rottenkolber, D; Gerlach, R; Tauscher, M; Reynolds, R; Hasford, J; Rottenkolber, M. (2016). Tiotropium Respimat(®) vs. HandiHaler(®): real-life usage and TIOSPIR trial generalizability. *Br J Clin Pharmacol* 81: 379-388. <http://dx.doi.org/10.1111/bcp.12808>.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging* 18: 837-851.
- Schneidenbach, D; Ammermann, S; Debeaux, M; Freund, A; Zöllner, M; Daniliuc, C; Jones, PG; Kowalsky, W; Johannes, HH. (2010). Efficient and long-time stable red iridium(III) complexes for organic light-emitting diodes based on quinoxaline ligands. *Inorg Chem* 49: 397-406. <http://dx.doi.org/10.1021/ic9009898>.
- Scholz, M; Džedić, R; Breitenbach, T; Hála, J. (2013). Singlet oxygen-sensitized delayed fluorescence of common water-soluble photosensitizers. *Photochem Photobiol Sci* 12: 1873-1884. <http://dx.doi.org/10.1039/c3pp50170a>.
- Schott, S; Röss, L; Hrušák, J; Nuernberger, P; Brixner, T. (2016). Identification of photofragmentation patterns in trihalide anions by global analysis of vibrational wavepacket dynamics in broadband transient absorption data. *Phys Chem Chem Phys* 18: 33287-33302. <http://dx.doi.org/10.1039/c6cp06729h>.
- Schuehly, W; Voith, W; Teppner, H; Kunert, O. (2010). Substituted dineolignans from *Magnolia garrettii*. *J Nat Prod* 73: 1381-1384. <http://dx.doi.org/10.1021/np100263e>.
- Schumann, J; Fuhrmann, H. (2010). Impairment of NFκB activity by unsaturated fatty acids. *Int Immunopharmacol* 10: 978-984. <http://dx.doi.org/10.1016/j.intimp.2010.05.011>.
- Schummer, C; Appenzeller, BM; Millet, M; Wennig, R. (2009). Determination of hydroxylated metabolites of polycyclic aromatic hydrocarbons in human hair by gas chromatography-negative chemical ionization mass spectrometry. *J Chromatogr A* 1216: 6012-6019. <http://dx.doi.org/10.1016/j.chroma.2009.05.068>.
- Schuur, B; Blahušiak, M; Vitasari, CR; Gramblička, M; De Haan, AB; Visser, TJ. (2015). Selector screening for enantioseparation of DL-α-methyl phenylglycine amide by liquid-liquid extraction. *Chirality* 27: 123-130. <http://dx.doi.org/10.1002/chir.22400>.
- Schwabe, T. (2015). Assessing Molecular Dynamics Simulations with Solvatochromism Modeling. *J Phys Chem B* 119: 10693-10700. <http://dx.doi.org/10.1021/acs.jpcc.5b05206>.
- Schwack, W; Zeisler, T; Stiefel, C. (2009). Determination of dialkyl phosphates as breakdown products of organophosphorus insecticides in fruit juices by HPTLC with fluorescence detection. *J AOAC Int* 92: 691-698.
- Scott, HS; Ross, TM; Chilton, NF; Gass, IA; Moubaraki, B; Chastanet, G; Paradis, N; Létard, JF; Vignesh, KR; Rajaraman, G; Batten, SR; Murray, KS. (2013). Crown-linked dipyrindylamino-triazine ligands and their spin-crossover iron(II) derivatives: magnetism, photomagnetism and cooperativity. *Dalton Transactions (Online)* 42: 16494-16509. <http://dx.doi.org/10.1039/c3dt51839f>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sears, RB; Joyce, LE; Ojaimi, M; Gallucci, JC; Thummel, RP; Turro, C. (2013). Photoinduced ligand exchange and DNA binding of cis-[Ru(phpy)(phen)(CH<sub>3</sub>CN)(2)](+) with long wavelength visible light. *J Inorg Biochem* 121: 77-87. <http://dx.doi.org/10.1016/j.jinorgbio.2012.12.003>.
- Seddigi, ZS; Gondal, MA; Baig, U; Ahmed, SA; Abdulaziz, MA; Danish, EY; Khaled, MM; Lais, A. (2017). Facile synthesis of light harvesting semiconductor bismuth oxychloride nano photo-catalysts for efficient removal of hazardous organic pollutants. *PLoS ONE* 12: e0172218. <http://dx.doi.org/10.1371/journal.pone.0172218>.
- Seeka, C; Sutthivaiyakit, S. (2010). Cytotoxic Cardenolides from the Leaves of *Calotropis gigantea*. *Chem Pharm Bull (Tokyo)* 58: 725-728.
- Seema, H; Christian Kemp, K; Chandra, V; Kim, KS. (2012). Graphene-SnO<sub>2</sub> composites for highly efficient photocatalytic degradation of methylene blue under sunlight. *Nanotechnology* 23: 355705. <http://dx.doi.org/10.1088/0957-4484/23/35/355705>.
- Segura, J; Calvo, L; Óvilo, C; González-Bulnes, A; Olivares, A; Cambero, MI; López-Bote, CJ. (2015). Alternative method for intramuscular fat analysis using common laboratory equipment. *Meat Science* 103: 24-27. <http://dx.doi.org/10.1016/j.meatsci.2014.12.011>.
- Seidl, C; Correia, BL; Stinghen, AE; Santos, CA. (2010). Acetylcholinesterase inhibitory activity of uleine from *Himatanthus lancifolius*. *Z Naturforsch C Biosci* 65: 440-444.
- Seigel, A; Schrock, A; Hauser, R; Spangenberg, B. (2011). SENSITIVE QUANTIFICATION OF DICLOFENAC AND IBUPROFEN USING THIN LAYER CHROMATOGRAPHY COUPLED WITH A VIBRIO FISHERI BIOLUMINESCENCE ASSAY. *Journal of Liquid Chromatography and Related Technologies* 34: 817-828. <http://dx.doi.org/10.1080/10826076.2011.571149>.
- Seito, LN; Ruiz, AL; Vendramini-Costa, D; Tinti, SV; de Carvalho, JE; Bastos, JK; Di Stasi, LC. (2011). Antiproliferative activity of three methoxylated flavonoids isolated from *Zeyheria montana* Mart. (Bignoniaceae) leaves. 25: 1447-1450. <http://dx.doi.org/10.1002/ptr.3438>.
- Seito, LN; Sforcin, JM; Bastos, JK; Di Stasi, LC. (2015). *Zeyheria montana* Mart. (Bignoniaceae) as source of antioxidant and immunomodulatory compounds with beneficial effects on intestinal inflammation. *J Pharm Pharmacol* 67: 597-604. <http://dx.doi.org/10.1111/jphp.12354>.
- Seke, M; Markelic, M; Morina, A; Jovic, D; Korac, A; Milicic, D; Djordjevic, A. (2016). Synergistic mitotoxicity of chloromethanes and fullerene C<sub>60</sub> nanoaggregates in *Daphnia magna* midgut epithelial cells. *Protoplasma*. <http://dx.doi.org/10.1007/s00709-016-1049-9>.
- Sekiguchi, R; Takahashi, K; Kawakami, J; Sakai, A; Ikeda, H; Ishikawa, A; Ohta, K; Ito, S. (2015). Preparation of a cyclic polyphenylene array for a zigzag-type carbon nanotube segment. *J Org Chem* 80: 5092-5110. <http://dx.doi.org/10.1021/acs.joc.5b00485>.
- Sela, VR; Hattanda, I; Albrecht, CM; De Almeida, CB; Obici, S; Cortez, DA; Audi, EA. (2010). Effect of xanthone from *Kielmeyera coriacea* stems on serotonergic neurons of the median raphe nucleus. *Phytomedicine* 17: 274-278. <http://dx.doi.org/10.1016/j.phymed.2009.07.002>.
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A* 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol* 7: 350-356. <http://dx.doi.org/10.3109/1547691X.2010.520139>.
- Sellem, I; Kaaniche, F; Mtibaa, AC; Mellouli, L. (2016). Anti-oxidant, antimicrobial and anti-acetylcholinesterase activities of organic extracts from aerial parts of three Tunisian plants and correlation with polyphenols and flavonoids contents. *Bangladesh J Pharmacol* 11: 531-544. <http://dx.doi.org/10.3329/bjp.v11i2.26001>.
- Selli, S; Canbas, A; Varlet, V; Kelebek, H; Prost, C; Serot, T. (2008). Characterization of the most odor-active volatiles of orange wine made from a Turkish cv. Kozan (*Citrus sinensis* L. Osbeck). *J Agric Food Chem* 56: 227-234. <http://dx.doi.org/10.1021/jf072231w>.
- Semalty, A; Semalty, M; Singh, D; Rawat, MS. (2009). Development and physicochemical evaluation of pharmacosomes of diclofenac. 59: 335-344. <http://dx.doi.org/10.2478/v10007-009-0023-x>.
- Senapati, S; Srivastava, SK; Singh, SB. (2012). Synthesis, characterization and photocatalytic activity of magnetically separable hexagonal Ni/ZnO nanostructure. *Nanoscale* 4: 6604-6612. <http://dx.doi.org/10.1039/c2nr31831h>.
- Senejoux, F; Demougeot, C; Cuciureanu, M; Miron, A; Cuciureanu, R; Berthelot, A; Girard-Thernier, C. (2013). Vasorelaxant effects and mechanisms of action of *Heracleum sphondylium* L. (Apiaceae) in rat thoracic aorta. *J Ethnopharmacol* 147: 536-539. <http://dx.doi.org/10.1016/j.jep.2013.03.030>.
- Senejoux, F; Girard, C; Kerram, P; Aisa, HA; Berthelot, A; Bévalot, F; Demougeot, C. (2010). Mechanisms of vasorelaxation induced by *Ziziphora clinopodioides* Lam. (Lamiaceae) extract in rat thoracic aorta. *J Ethnopharmacol* 132: 268-273. <http://dx.doi.org/10.1016/j.jep.2010.08.028>.
- Seng, EK; Klepper, JE. (2017). Development of the Cogniphobia Scale for Headache Disorders (CS-HD): A Pilot Study. *Psychol Assess*. <http://dx.doi.org/10.1037/pas0000432>.
- Sengoku, T; Murata, Y; Aso, Y; Kawakami, A; Inuzuka, T; Sakamoto, M; Takahashi, M; Yoda, H. (2015). Indium-Catalyzed Amide Allylation of N-Carbonyl Imides: Formation of Azaspiro- $\gamma$ -lactones via Ring Opening-Reclosure. *Org Lett* 17: 5846-5849. <http://dx.doi.org/10.1021/acs.orglett.5b03021>.
- Şenkuytu, E; Cebesoy, Z; Çiftçi, GY; Eçik, ET. (2016). Study on the Synthesis, Photophysical Properties and Singlet Oxygen Generation Behavior of Bodipy-Functionalized Cyclotriphosphazenes. *J Fluoresc*. <http://dx.doi.org/10.1007/s10895-016-1987-9>.
- Senol, FS; Orhan, I; Celep, F; Kahraman, A; Dogan, M; Yilmaz, G; Sener, B. (2010). Survey of 55 Turkish *Salvia* taxa for their acetylcholinesterase inhibitory and antioxidant activities. *Food Chem* 120: 34-43. <http://dx.doi.org/10.1016/j.foodchem.2009.09.066>.
- Senol, FS; Orhan, IE; Erdem, SA; Kartal, M; Sener, B; Kan, Y; Celep, F; Kahraman, A; Dogan, M. (2011). Evaluation of Cholinesterase Inhibitory and Antioxidant Activities of Wild and Cultivated Samples of Sage (*Salvia fruticosa*) by Activity-Guided Fractionation. *J Med Food* 14: 1476-1483. <http://dx.doi.org/10.1089/jmf.2010.0158>.



## Human Health Hazard Literature Search Results

### Off Topic

- Senol, FS; Tuzun, CY; Toker, G; Orhan, IE. (2012). An in vitro perspective to cholinesterase inhibitory and antioxidant activity of five Gentiana species and *Gentianella caucasea*. *Int J Food Sci Nutr* 63: 802-812. <http://dx.doi.org/10.3109/09637486.2012.676031>.
- Seo, SW; Han, HK; Chun, MK; Choi, HK. (2012). Preparation and pharmacokinetic evaluation of curcumin solid dispersion using Solutol® HS15 as a carrier. *Int J Pharm* 424: 18-25. <http://dx.doi.org/10.1016/j.ijpharm.2011.12.051>.
- Sepulveda, AR; Whitney, J; Hankins, M; Treasure, J. (2008). Development and validation of an Eating Disorders Symptom Impact Scale (EDSIS) for carers of people with eating disorders. *Health Qual Life Outcomes* 6: 28. <http://dx.doi.org/10.1186/1477-7525-6-28>.
- Serbetci, T; Demirci, B; Guzel, CB; Kultur, S; Erguven, M; Baser, K. (2010). Essential Oil Composition, Antimicrobial and Cytotoxic Activities of Two Endemic *Stachys cretica* Subspecies (Lamiaceae) from Turkey. *Natural Product Communications* 5: 1369-1374.
- Serebryanskaya, TV; Novikov, AS; Gushchin, PV; Zolotarev, AA; Gurzhiy, VV; Kukushkin, VY. (2015). Coupling of platinated triguanides with platinum-activated nitriles as a novel strategy for generation of dimetallic systems. *Dalton Transactions (Online)* 44: 6003-6011. <http://dx.doi.org/10.1039/c4dt03870c>.
- Seripa, D; Solfrizzi, V; Imbimbo, BP; Daniele, A; Santamato, A; Lozupone, M; Zuliani, G; Greco, A; Logroscino, G; Panza, F. (2016). Tau-directed approaches for the treatment of Alzheimer's disease: focus on leuco-methylthioninium [Review]. *Expert Rev Neurother* 16: 259-277. <http://dx.doi.org/10.1586/14737175.2016.1140039>.
- Serrano, M; Bartolomé, M; Bravo, JC; Paniagua, G; Gañan, J; Gallego-Picó, A; Garcinuño, RM. (2017). On-line flow injection molecularly imprinted solid phase extraction for the preconcentration and determination of 1-hydroxypyrene in urine samples. *Talanta* 166: 375-382. <http://dx.doi.org/10.1016/j.talanta.2016.01.048>.
- Serrano-Díaz, J; Estevan, C; Sogorb, MÁ; Carmona, M; Alonso, GL; Vilanova, E. (2014). Cytotoxic effect against 3T3 fibroblasts cells of saffron floral bio-residues extracts. *Food Chem* 147: 55-59. <http://dx.doi.org/10.1016/j.foodchem.2013.09.130>.
- Services, TDoSH. (2009). Letter Health Consultation. Review of Vapor Intrusion Sampling Data. Bandera Road Groundwater Plume, Leon Valley, Bexar County, Texas. EPA Facility ID: TXN000606565. GRA and I: 16.
- Šestáková, N; Theurillat, R; Sendi, P; Thormann, W. (2017). Monitoring of cefepime in human serum and plasma by micellar electrokinetic capillary chromatography: Improvement of sample preparation and validation by liquid chromatography coupled to mass spectrometry. *J Sep Sci*. <http://dx.doi.org/10.1002/jssc.201601446>.
- Seth, P; Ghosh, S; Figuerola, A; Ghosh, A. (2014). Trinuclear heterometallic Cu(II)-Mn(II) complexes of a salen type Schiff base ligand: anion dependent variation of phenoxido bridging angles and magnetic coupling. *Dalton Transactions (Online)* 43: 990-998. <http://dx.doi.org/10.1039/c3dt52012a>.
- Seto, K; Nakayama, T; Uno, B. (2013). Formal redox potentials of organic molecules in ionic liquids on the basis of quaternary nitrogen cations as adiabatic electron affinities. *J Phys Chem B* 117: 10834-10845. <http://dx.doi.org/10.1021/jp402457k>.
- Sevda, S; Sreekrishnan, TR. (2012). Effect of salt concentration and mediators in salt bridge microbial fuel cell for electricity generation from synthetic wastewater. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47: 878-886. <http://dx.doi.org/10.1080/10934529.2012.665004>.
- Severino, VG; da Silva, MF; Lucarini, R; Montanari, LB; Cunha, WR; Vinholis, AH; Martins, CH. (2009). Determination of the antibacterial activity of crude extracts and compounds isolated from *Hortia oreadica* (Rutaceae) against oral pathogens. *Brazilian Journal of Microbiology* 40: 535-540. <http://dx.doi.org/10.1590/S1517-838220090003000015>.
- Sevimli-Gur, C; Akgun, IH; Deliloglu-Gurhan, I; Korkmaz, KS; Bedir, E. (2010). Cytotoxic naphthoquinones from *Alkanna cappadocica* (perpendicular). *J Nat Prod* 73: 860-864. <http://dx.doi.org/10.1021/np900778j>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shaabani, A; Soleimani, E; Sarvary, A; Rezayan, AH. (2008). A simple and efficient approach to the synthesis of 4H-furo[3,4-b]pyrans via a three-component reaction of isocyanides. 18: 3968-3970. <http://dx.doi.org/10.1016/j.bmcl.2008.06.014>.
- Shaala, LA; Youssef, DT; Ibrahim, SR; Mohamed, GA. (2016). Callyptide A, a new cytotoxic peptide from the Red Sea marine sponge *Callyspongia* species. *Nat Prod Res* 1-8. <http://dx.doi.org/10.1080/14786419.2016.1155577>.
- Shaala, LA; Youssef, DT; Ibrahim, SR; Mohamed, GA; Badr, JM; Risinger, AL; Mooberry, SL. (2014). Didemnaketals f and g, new bioactive spiroketals from a red sea ascidian didemnum species. *Mar Drugs* 12: 5021-5034. <http://dx.doi.org/10.3390/md12095021>.
- Shaban, J; Hansen, J, esB; Wenying, Y. (2008). NovoMix (R) 30 (BIAsp 30) improves glycemic control in type 2 diabetes: Results from the IMPROVE (TM) study. *Diabetes* 57: A582-A582.
- Shah, GR; Ghosh, C; Thaker, BT. (2010). Determination of pregabalin in human plasma by electrospray ionisation tandem mass spectroscopy. 1: 354-357. <http://dx.doi.org/10.4103/0110-5558.72423>.
- Shah, I; Petroczi, A; Uvacsek, M; Ránky, M; Naughton, DP. (2014). Hair-based rapid analyses for multiple drugs in forensics and doping: application of dynamic multiple reaction monitoring with LC-MS/MS. *Chemistry Central Journal* 8: 73. <http://dx.doi.org/10.1186/s13065-014-0073-0>.
- Shah, J; Jan, MR; Muhammad, M; Shehzad, F, unN. (2011). Development of a complex-based flow injection spectrophotometric method for determination of the herbicide pinoxaden in environmental samples. *Toxicol Environ Chem* 93: 1547-1556. <http://dx.doi.org/10.1080/02772248.2011.604323>.
- Shah, NH; Thomas, E; Jose, R; Peedicayil, J. (2013). Tramadol inhibits the contractility of isolated human myometrium. *Autonomic null Pharmacology Online* 33: 1-5. <http://dx.doi.org/10.1111/aap.12003>.

## Human Health Hazard Literature Search Results

### Off Topic

- Shah, PA; Shah, GB. (2015). Uricosuric activity of *Tinospora cordifolia*. *Bangladesh J Pharmacol* 10: 884-890. <http://dx.doi.org/10.3329/bjp.v10i4.25160>.
- Shah, S; Benroubi, M; Borzi, V; Gumprecht, J; Kawamori, R; Shaban, J; Shestakova, M; Wenying, Y; Valensi, P; Panel, ISGE. (2009). Safety and effectiveness of biphasic insulin aspart 30/70 (NovoMix 30) when switching from human premix insulin in patients with type 2 diabetes: subgroup analysis from the 6-month IMPROVE observational study. *Int J Clin Pract* 63: 574-582. <http://dx.doi.org/10.1111/j.1742-1241.2009.02012.x>.
- Shah, S; Orskov, C; Kawamori, R. (2008). Switching to NovoMix (R) 30 (BIAsp 30) improves glycemic control in patients with type 2 diabetes previously treated with insulin: Subgroup analysis from the IMPROVE (TM) study. *Diabetes* 57: A592-A592.
- Shahabadi, N; Kashanian, S; Purfoulad, M. (2009). DNA interaction studies of a platinum(II) complex, PtCl<sub>2</sub>(NN) (NN=4,7-dimethyl-1,10-phenanthroline), using different instrumental methods. *Spectrochim Acta A Mol Biomol Spectrosc* 72: 757-761. <http://dx.doi.org/10.1016/j.saa.2008.11.022>.
- Shaheen, N; Lu, Y; Geng, P; Shao, Q; Wei, Y. (2017). Isolation of four phenolic compounds from *Mangifera indica* L. flowers by using normal phase combined with elution extrusion two-step high speed countercurrent chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 1046: 211-217. <http://dx.doi.org/10.1016/j.jchromb.2017.01.018>.
- Shahid, M; Mazhar, M; O'Brien, P; Afzaal, M; Raftery, J. (2009). catena-Poly[dieth-yl(2-hydroxy-ethyl)-ammonium [[tetra-μ-acetato-κO:O'-dicuprate(II)(Cu-Cu)]-μ-acetato-κO:O'] dichloro-methane solvate]. *Acta Crystallographica Section E: Structure Reports Online* 65: m163-m164. <http://dx.doi.org/10.1107/S1600536808044048>.
- Shahlaei, M; Bahrami, G; Abdolmaleki, S; Sadrjavadi, K; Majnooni, MB. (2015). Application of unfolded principal component analysis-radial basis function neural network for determination of celecoxib in human serum by three-dimensional excitation-emission matrix fluorescence spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc* 138: 675-683. <http://dx.doi.org/10.1016/j.saa.2014.12.007>.
- Shahpoury, P; Hageman, KJ. (2013). Pressurized liquid extraction of polycyclic aromatic hydrocarbons from silicone rubber passive samplers. *J Chromatogr A* 1314: 1-6. <http://dx.doi.org/10.1016/j.chroma.2013.08.092>.
- Shahriza, A; Safa, KD; Esmati, S. (2014). Synthesis, spectroscopic and DFT studies of novel fluorescent dyes: 3-aminoimidazo[1,2-a]pyridines possessing 4-pyrone moieties. *Spectrochim Acta A Mol Biomol Spectrosc* 117: 614-621. <http://dx.doi.org/10.1016/j.saa.2013.09.056>.
- Shahtalebi, MA; Ghanadian, M; Farzan, A; Shiri, N; Shokri, D; Fatemi, SA. (2013). Deodorant effects of a sage extract stick: Antibacterial activity and sensory evaluation of axillary deodorancy. *Journal of Research in Medical Sciences* 18: 833-839.
- Shahverdi, AR; Ostad, SN; Khodae, S; Bitarafan, L; Monsef-Esfahani, HR; Jamalifar, H; Nikavar, B; Mohseni, M. (2008). Antimicrobial and cytotoxicity potential of *Peganum harmala* smoke. *Pharmacognosy Magazine* 4: 236-240.
- Shai, LJ; Bizimenyera, ES; Bagla, V; Mcgaw, LJ; Eloff, JN. (2009). *Curtisia dentata* (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes. *Onderstepoort J Vet Res* 76: 249-256.
- Shan, H; Wang, H; Yu, R; Jacob, P; Freedman, DL. (2014). Biodegradation of high concentrations of halomethanes by a fermentative enrichment culture. 4: 48. <http://dx.doi.org/10.1186/s13568-014-0048-5>.
- Shankar, R; Jain, A; Kociok-Köhn, G; Molloy, KC. (2011). Diorganotin-based coordination polymers derived from sulfonate/phosphonate/phosphonocarboxylate ligands. *Inorg Chem* 50: 1339-1350. <http://dx.doi.org/10.1021/ic1018423>.
- Shanmugam, M; Jayavel, R. (2015). Synthesis of Graphene-Tin Oxide Nanocomposite and Its Photocatalytic Properties for the Degradation of Organic Pollutants Under Visible Light. *J Nanosci Nanotechnol* 15: 7195-7201. <http://dx.doi.org/10.1166/jnn.2015.10562>.
- Shao, GK; Zhao, M; Wei, Z; Ma, JP; Guo, DS. (2015). Two novel ferrocenyl dipeptide-like compounds generated via the Ugi four-component reaction. 71: 667-672. <http://dx.doi.org/10.1107/S2053229615012322>.
- Shao, J; Chen, J; Xie, Q; Wang, Y; Li, X; Hao, C. (2010). Electron-accepting potential of solvents determines photolysis rates of polycyclic aromatic hydrocarbons: experimental and density functional theory study. *J Hazard Mater* 179: 173-177. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.075>.
- Shao, J; Qiao, Y; Lin, H; Lin, H. (2009). Rational design of novel benzimidazole-based sensor molecules that display positive and negative fluorescence responses to anions. *J Fluoresc* 19: 183-188. <http://dx.doi.org/10.1007/s10895-008-0400-8>.
- Sharifi, S; Shafieyan, Y; Mirzadeh, H; Bagheri-Khoulenjani, S; Rabiee, SM; Imani, M; Atai, M; Shokrgozar, MA; Hatampoor, A. (2011). Hydroxyapatite scaffolds infiltrated with thermally crosslinked polycaprolactone fumarate and polycaprolactone itaconate. *J Biomed Mater Res A* 98: 257-267. <http://dx.doi.org/10.1002/jbm.a.33108>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, D; Singh, SB. (2012). Persistence of bifenthrin in sandy loam soil as affected by microbial community. *Bull Environ Contam Toxicol* 88: 906-908. <http://dx.doi.org/10.1007/s00128-012-0618-7>.
- Sharma, DC; Shukla, R; Ali, J; Sharma, S; Bajpai, P; Pathak, N. (2016). Phytochemical evaluation, antioxidant assay, antibacterial activity and determination of cell viability (J774 and THP1 alpha cell lines) of *P. sylvestris* leaf crude and methanol purified fractions. *EXCLI Journal* 15: 85-94. <http://dx.doi.org/10.17179/excli2015-689>.
- Sharma, H; Jain, VK; Khan, ZH. (2013). Use of constant wavelength synchronous spectrofluorimetry for identification of polycyclic aromatic hydrocarbons in air particulate samples. *Spectrochim Acta A Mol Biomol Spectrosc* 108: 268-273. <http://dx.doi.org/10.1016/j.saa.2013.01.079>.
- Sharma, I; Khan, W; Ahmad, S. (2017). In vitro and ex vivo approach for anti-urolithiatic potential of bioactive fractions of gokhru with simultaneous HPLC analysis of six major metabolites and their exploration in rat plasma. *Pharmaceutical Biology* 55: 701-711. <http://dx.doi.org/10.1080/13880209.2016.1266671>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sharma, I; Wurst, JM; Tan, DS. (2014). Solvent-dependent divergent functions of Sc(OTf)<sub>3</sub> in stereoselective epoxide-opening spiroketalizations. *Org Lett* 16: 2474-2477. <http://dx.doi.org/10.1021/ol500853q>.
- Sharma, S; Mandal, K; Singh, B. (2014). Sensitive methodology for simultaneous determination of residues of imidacloprid and its metabolites in sugarcane leaves and soil. *J AOAC Int* 97: 1183-1188.
- Sharma, SK; Yeo, JP; Garber, A. (2008). Lessons in initiating insulin in clinical practice [Review]. *Diabetes Res Clin Pract* 81 Suppl 1: S16-S22. <http://dx.doi.org/10.1016/j.diabres.2008.06.009>.
- Shavaleev, NM; Davies, ES; Adams, H; Best, J; Weinstein, JA. (2008). Platinum(II) diimine complexes with catecholate ligands bearing imide electron-acceptor groups: synthesis, crystal structures, (spectro)electrochemical and EPR studies, and electronic structure. *Inorg Chem* 47: 1532-1547. <http://dx.doi.org/10.1021/ic701821d>.
- Shavaleev, NM; Eliseeva, SV; Scopelliti, R; Bünzli, JC. (2010). N-aryl chromophore ligands for bright europium luminescence. *Inorg Chem* 49: 3927-3936. <http://dx.doi.org/10.1021/ic100129r>.
- Shavaleev, NM; Eliseeva, SV; Scopelliti, R; Bünzli, JC. (2014). Tridentate benzimidazole-pyridine-tetrazolates as sensitizers of europium luminescence. *Inorg Chem* 53: 5171-5178. <http://dx.doi.org/10.1021/ic500267b>.
- Shavaleev, NM; Eliseeva, SV; Scopelliti, R; Bünzli, JC. (2015). Influence of symmetry on the luminescence and radiative lifetime of nine-coordinate europium complexes. *Inorg Chem* 54: 9166-9173. <http://dx.doi.org/10.1021/acs.inorgchem.5b01580>.
- Shawky, E. (2014). Determination of synephrine and octopamine in bitter orange peel by HPTLC with densitometry. *J Chromatogr Sci* 52: 899-904. <http://dx.doi.org/10.1093/chromsci/bmt113>.
- She, C; Rachford, AA; Wang, X; Goeb, S; El-Ballouli, AO; Castellano, FN; Hupp, JT. (2009). Solvent-induced configuration mixing and triplet excited-state inversion: insights from transient absorption and transient dc photoconductivity measurements. *Phys Chem Chem Phys* 11: 8586-8591. <http://dx.doi.org/10.1039/b908977b>.
- Shehzad, O; Kim, HP; Kim, YS. (2012). State-of-the-art separation of ginsenosides from Korean white and red ginseng by countercurrent chromatography. *Anal Bioanal Chem* 405: 4523-4530. <http://dx.doi.org/10.1007/s00216-012-6609-z>.
- Sheibani, E; Duncan, SE; Kuhn, DD; Dietrich, AM; O'Keefe, SF. (2016). SDE and SPME Analysis of Flavor Compounds in Jin Xuan Oolong Tea. *J Food Sci* 81: C348-C358. <http://dx.doi.org/10.1111/1750-3841.13203>.
- Shen, B; Li, J; Gao, L; Zhang, J; Yang, B. (2013). Role of CC-chemokine receptor 5 on myocardial ischemia-reperfusion injury in rats. *Mol Cell Biochem* 378: 137-144. <http://dx.doi.org/10.1007/s11010-013-1604-z>.
- Shen, CP; Luo, JG; Yang, MH; Kong, LY. (2015). Anticoagulant flavonoid oligomers from the rhizomes of *Alpinia platyichilus*. *Fitoterapia* 106: 153-157. <http://dx.doi.org/10.1016/j.fitote.2015.09.010>.
- Shen, G; Hu, X; Hu, Y. (2009). Kinetic study of the degradation of the insecticide pymetrozine in a vegetable-field ecosystem. *J Hazard Mater* 164: 497-501. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.020>.
- Shen, M; Zhu, XH; Bard, AJ. (2013). Electrogenerated chemiluminescence of solutions, films, and nanoparticles of dithienylbenzothiadiazole-based donor-acceptor-donor red fluorophore. Fluorescence quenching study of organic nanoparticles. *J Am Chem Soc* 135: 8868-8873. <http://dx.doi.org/10.1021/ja312189k>.
- Sher, P; Ingavle, G; Ponrathnam, S; Benson, JR; Li, NH; Pawar, AP. (2009). Novel/conceptual floating pulsatile system using high internal phase emulsion based porous material intended for chronotherapy. *AAPS PharmSciTech* 10: 1368-1380. <http://dx.doi.org/10.1208/s12249-009-9331-1>.
- Sherwani, MA; Tufail, S; Khan, AA; Owais, M. (2015). Gold Nanoparticle-Photosensitizer Conjugate Based Photodynamic Inactivation of Biofilm Producing Cells: Potential for Treatment of *C. albicans* Infection in BALB/c Mice. *PLoS ONE* 10: e0131684. <http://dx.doi.org/10.1371/journal.pone.0131684>.
- Sheshala, R; Khan, N; Darwis, Y. (2012). Validated high performance liquid chromatography (HPLC) method for the determination of sumatriptan in rabbit plasma: Application to pharmacokinetic study. 6: 98-107. <http://dx.doi.org/10.5897/AJPP11.436>.
- Sheshala, R; Peh, KK; Darwis, Y. (2009). Preparation, characterization, and in vivo evaluation of insulin-loaded PLA-PEG microspheres for controlled parenteral drug delivery. *Drug Dev Ind Pharm* 35: 1364-1374. <http://dx.doi.org/10.3109/03639040902939213>.
- Shestakova, M; Bech, OM; Momani, MS. (2008). Study design and baseline characteristics of patients in the PRESENT study [Review]. *Diabetes Res Clin Pract* 81 Suppl 1: S3-S9. <http://dx.doi.org/10.1016/j.diabres.2008.06.008>.
- Shestakova, M; Sillanpää, M. (2013). Removal of dichloromethane from ground and wastewater: a review [Review]. *Chemosphere* 93: 1258-1267. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.022>.
- Shi, H; Wang, H; Wang, M; Li, X. (2009). Antioxidant activity and chemical composition of *Torreya grandis* cv. *Merrillii* seed. *Natural Product Communications* 4: 1565-1570.
- Shi, HP; Cheng, Y; Jing, WJ; Chao, JB; Fang, L; Dong, X; Dong, C. (2010). Experimental and theoretical study of a new carbazole derivative having terminal benzimidazole rings. *Spectrochim Acta A Mol Biomol Spectrosc* 75: 525-532. <http://dx.doi.org/10.1016/j.saa.2009.11.003>.
- Shi, J; Zhang, X; Ma, Z; Zhang, M; Sun, F. (2010). Characterization of aromatase binding agents from the dichloromethane extract of *Corydalis yanhusuo* using ultrafiltration and liquid chromatography tandem mass spectrometry. *Molecules* 15: 3556-3566. <http://dx.doi.org/10.3390/molecules15053556>.
- Shi, M; Christensen, K; Weinberg, CR; Romitti, P; Bathum, L; Lozada, A; Morris, RW; Lovett, M; Murray, JC. (2007). Orofacial cleft risk is increased with maternal smoking and specific detoxification-gene variants. *Am J Hum Genet* 80: 76-90. <http://dx.doi.org/10.1086/510518>.
- Shi, M; Yang, Y; Zhou, X; Cai, L; Fang, C; Wang, C; Sun, H; Sun, Y; Gao, Y; Gu, J; Fawcett, JP. (2015). Determination of thymopentin in beagle dog blood by liquid chromatography with tandem mass spectrometry and its application to a preclinical pharmacokinetic study. *J Sep Sci* 38: 1351-1357. <http://dx.doi.org/10.1002/jssc.201401198>.

## Human Health Hazard Literature Search Results

### Off Topic

- Shi, Q; Sun, YW; Meng, D. (2017). Phytochemical and cytotoxic studies on the roots of *Euphorbia fischeriana*. 27: 266-270. <http://dx.doi.org/10.1016/j.bmcl.2016.11.063>.
- Shi, Y; Liu, X; Zhang, J; Shao, B. (2013). Analysis of triclosan and triclocarban in human nails using isotopic dilution liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 934: 97-101. <http://dx.doi.org/10.1016/j.jchromb.2013.07.003>.
- Shibata, Y; Chiba, M. (2015). The role of extrahepatic metabolism in the pharmacokinetics of the targeted covalent inhibitors afatinib, ibrutinib, and neratinib. *Drug Metab Dispos* 43: 375-384. <http://dx.doi.org/10.1124/dmd.114.061424>.
- Shieh, M; Miu, CY; Hsing, KJ; Jang, LF; Lin, CN. (2015). Copper-incorporated mono- and di-TeRu5 metal carbonyl complexes: syntheses, structures, and an unusual skeletal arrangement. *Dalton Transactions (Online)* 44: 6526-6536. <http://dx.doi.org/10.1039/c5dt00546a>.
- Shim, IK; Jung, MR; Kim, KH; Seol, YJ; Park, YJ; Park, WH; Lee, SJ. (2010). Novel three-dimensional scaffolds of poly(L-lactic acid) microfibers using electrospinning and mechanical expansion: Fabrication and bone regeneration. *J Biomed Mater Res B Appl Biomater* 95: 150-160. <http://dx.doi.org/10.1002/jbm.b.31695>.
- Shim, IK; Lee, SY; Park, YJ; Lee, MC; Lee, SH; Lee, JY; Lee, SJ. (2008). Homogeneous chitosan-PLGA composite fibrous scaffolds for tissue regeneration. *J Biomed Mater Res A* 84: 247-255. <http://dx.doi.org/10.1002/jbm.a.31464>.
- Shim, IK; Yook, YJ; Lee, SY; Lee, SH; Park, KD; Lee, MC; Lee, SJ. (2008). Healing of articular cartilage defects treated with a novel drug-releasing rod-type implant after microfracture surgery. *J Control Release* 129: 187-191. <http://dx.doi.org/10.1016/j.jconrel.2008.04.003>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther* 270: 414-423.
- Shimamura, H; Hirota, M; Miyazawa, M; Kinjo, N; Mineshita, S. (2010). Contractile and extensile effects of red and white wine on rat and Mongolian gerbil gastrointestinal smooth muscle. *J Oleo Sci* 59: 143-150.
- Shimizu, D; Oh, J; Furukawa, K; Kim, D; Osuka, A. (2015). Triarylporphyrin meso-Oxy Radicals: Remarkable Chemical Stabilities and Oxidation to Oxophlorin  $\pi$ -Cations. *J Am Chem Soc* 137: 15584-15594. <http://dx.doi.org/10.1021/jacs.5b11223>.
- Shimizu, H; Kakigi, M; Fujii, J; Tsue, F; Takahashi, Y. (2008). Effect of surface preparation using ethyl acetate on the shear bond strength of repair resin to denture base resin. 17: 451-455. <http://dx.doi.org/10.1111/j.1532-849X.2008.00326.x>.
- Shimizu, H; Kawaguchi, T; Yoshida, K; Tsue, F; Takahashi, Y. (2009). Effect of surface preparation on the failure load of a highly filled composite resin bonded to a denture base resin. 18: 684-687. <http://dx.doi.org/10.1111/j.1532-849X.2009.00496.x>.
- Shimizu, H; Mori, N; Takahashi, Y. (2008). Use of metal conditioner on reinforcement wires to improve denture repair strengths. *New York State Dental Journal* 74: 26-28.
- Shimizu, H; Takahashi, Y. (2012). Review of adhesive techniques used in removable prosthodontic practice [Review]. *J Oral Sci* 54: 205-211.
- Shin, HS; Oh, JA. (2012). Simultaneous determination of non-steroidal anti-inflammatory drugs in river water by gas chromatography-mass spectrometry. *J Sep Sci* 35: 541-547. <http://dx.doi.org/10.1002/jssc.201100574>.
- Shin, JH; Ahn, YG; Jung, JH; Woo, SH; Kim, HH; Gorinstein, S; Boo, HO. (2016). Identification and Characterization of Diploid and Tetraploid in *Platycodon grandiflorum*. *Plant Foods Hum Nutr*. <http://dx.doi.org/10.1007/s11130-016-0589-7>.
- Shin, JH; Na, YC; Chung, JH; Gorinstein, S; Ahn, YG. (2014). Quantitative analysis of heterocyclic amines in urine by liquid chromatography coupled with tandem mass spectrometry. *Anal Biochem* 447: 169-176. <http://dx.doi.org/10.1016/j.ab.2013.11.012>.
- Shin, WS. (2008). Competitive sorption of anionic and cationic dyes onto cetylpyridinium-modified montmorillonite. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 43: 1459-1470. <http://dx.doi.org/10.1080/10934520802232337>.
- Shinde, SL; Junne, SB; Wadje, SS; Baig, MM. (2009). The diversity of antibacterial compounds of *Terminalia* species (Combretaceae). *Pak J Biol Sci* 12: 1483-1486.
- Shindo, K; Saito, E; Sekiya, M; Matsui, T; Koike, Y. (2008). Antioxidative activity of the flower of *Torenia fournieri*. *Journal of Natural Medicines* 62: 247-248. <http://dx.doi.org/10.1007/s11418-007-0207-y>.
- Shinyashiki, M; Eiguren-Fernandez, A; Schmitz, DA; Di Stefano, E; Li, N; Linak, WP; Cho, SH; Froines, JR; Cho, AK. (2009). Electrophilic and redox properties of diesel exhaust particles. *Environ Res* 109: 239-244. <http://dx.doi.org/10.1016/j.envres.2008.12.008>.
- Shiohira, H; Yasui-Furukori, N; Tateishi, T; Uno, T. (2011). Chiral assay of omeprazole and metabolites and its application to a pharmacokinetics related to CYP2C19 genotypes. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 2465-2470. <http://dx.doi.org/10.1016/j.jchromb.2011.06.046>.
- Shishkin, OV; Zubatyuk, RI; Dyakonenko, VV; Lepetit, C; Chauvin, R. (2011). The C-Cl... $\pi$  interactions inside supramolecular nanotubes of hexaethynylhexamethoxy[6]pericyclyne. *Phys Chem Chem Phys* 13: 6837-6848. <http://dx.doi.org/10.1039/c0cp02666b>.
- Shiu, WK; Gibbons, S. (2009). Dibenzofuran and pyranone metabolites from *Hypericum revolutum* ssp. *revolutum* and *Hypericum choisianum*. *Phytochemistry* 70: 403-406. <http://dx.doi.org/10.1016/j.phytochem.2008.12.016>.
- Shmigol, IV; Alekseev, SA; Lavrynenko, OY; Vasyliieva, NS; Zaitsev, VN; Barbier, D; Pokrovsky, VA. (2009). Chemically modified porous silicon for laser desorption/ionization mass spectrometry of ionic dyes. *J Mass Spectrom* 44: 1234-1240. <http://dx.doi.org/10.1002/jms.1604>.
- Shoemaker, JD. (2010). One-step metabolomics: carbohydrates, organic and amino acids quantified in a single procedure. *J Vis Exp*. <http://dx.doi.org/10.3791/2014>.
- Shojaee, S; Parhiz, H; Eshaghi, A; Emami, SA; Asili, J; Behravan, J; Mosaffa, F. (2014). In vitro protective effects of *Scutellaria litwinowii* root extract against H<sub>2</sub>O<sub>2</sub>-induced DNA damage and cytotoxicity. *Journal of Complementary & Integrative Medicine* 11: 121-127. <http://dx.doi.org/10.1515/jcim-2014-0009>.

## Human Health Hazard Literature Search Results

### Off Topic

- Shokri, A; Wang, XB; Wang, Y; O'Doherty, GA; Kass, S. R. (2016). Flexible Acyclic Polyol-Chloride Anion Complexes and Their Characterization by Photoelectron Spectroscopy and Variable Temperature Binding Constant Determinations. *J Phys Chem A* 120: 1661-1668. <http://dx.doi.org/10.1021/acs.jpca.5b12286>.
- Shokri, N; Akbari Javar, H; Fouladdel, S, h; Khalaj, A; Khoshayand, M; Dinarvand, R; Atyabi, F; Nomani, A; Azizi, E. (2011). Preparation and evaluation of poly (caprolactone fumarate) nanoparticles containing doxorubicin HCl. *19*: 12-22.
- Shour, S; Iranshahy, M; Pham, N; Quinn, RJ; Iranshahi, M. (2016). Dereplication of cytotoxic compounds from different parts of *Sophora pachycarpa* using an integrated method of HPLC, LC-MS and (1)H-NMR techniques. *Nat Prod Res* 1-7. <http://dx.doi.org/10.1080/14786419.2016.1239095>.
- Shrestha, NK; Kohn, H; Imamura, M; Irie, K; Ogihara, H; Saji, T. (2010). Electrophoretic deposition of phthalocyanine in organic solutions containing trifluoroacetic acid. *Langmuir* 26: 17024-17027. <http://dx.doi.org/10.1021/la102172t>.
- Shu, H; Hayashida, M; Huang, W; An, K; Chiba, S; Hanaoka, K; Arita, H. (2008). The comparison of effects of processed *Aconiti tuber*, U50488H and MK-801 on the antinociceptive tolerance to morphine. *J Ethnopharmacol* 117: 158-165. <http://dx.doi.org/10.1016/j.jep.2008.01.029>.
- Shu, J; Zou, Y; Xu, C; Li, Z; Sun, W; Yang, B; Zhang, H; Zhang, P; Ma, P. (2016). Protonation enhancement by dichloromethane doping in low-pressure photoionization. *Sci Rep* 6: 36820. <http://dx.doi.org/10.1038/srep36820>.
- Shundo, A; Ishihara, S; Labuta, J; Onuma, Y; Sakai, H; Abe, M; Ariga, K; Hill, JP. (2013). Colorimetric visualization of acid-base equilibria in non-polar solvent. *Chem Commun (Camb)* 49: 6870-6872. <http://dx.doi.org/10.1039/c3cc42859a>.
- Shushni, MA; Azam, F; Lindequist, U. (2013). Oxasetin from *Lophiostoma* sp. of the Baltic Sea: identification, in silico binding mode prediction and antibacterial evaluation against fish pathogenic bacteria. *Natural Product Communications* 8: 1223-1226.
- Shyaula, SL; Tamang, T; Ghouri, N; Adhikari, A; Marasini, S; Bajracharya, GB; Manandhar, MD; Choudhary, MI. (2015). Antileishmanial diterpenoid alkaloids from *Aconitum spicatum* (Bruhl) Stapf. *Nat Prod Res* 1-4. <http://dx.doi.org/10.1080/14786419.2015.1114941>.
- Sibali, LL; Okonkwo, JO; Zvinowanda, C. (2009). Determination of DDT and Metabolites in Surface Water and Sediment Using LLE, SPE, ACE and SE. *Bull Environ Contam Toxicol* 83: 885-891. <http://dx.doi.org/10.1007/s00128-009-9851-0>.
- Sibandze, GF; van Zyl, RL; van Vuuren, SF. (2010). The anti-diarrhoeal properties of *Breonadia salicina*, *Syzygium cordatum* and *Ozoroa sphaerocarpa* when used in combination in Swazi traditional medicine. *J Ethnopharmacol* 132: 506-511. <http://dx.doi.org/10.1016/j.jep.2010.08.050>.
- Sibiya, P; Chimuka, L; Cukrowska, E; Tutu, H. (2013). Development and application of microwave assisted extraction (MAE) for the extraction of five polycyclic aromatic hydrocarbons in sediment samples in Johannesburg area, South Africa. *Environ Monit Assess* 185: 5537-5550. <http://dx.doi.org/10.1007/s10661-012-2965-6>.
- Siddiqui, NA; Alam, P; Al-Rehaily, AJ; Al-Oqail, MM; Parvez, MK. (2015). Simultaneous quantification of biomarkers bergenin and menisdaurin in the methanol extract of aerial parts of *Flueggea virosa* by validated HPTLC densitometric method. *J Chromatogr Sci* 53: 824-829. <http://dx.doi.org/10.1093/chromsci/bmu231>.
- Siddiqui, SM; Salahuddin, A; Azam, A. (2013). Pyrazolo[3,4-d]pyrimidine analogues: synthesis, characterization and their in vitro antiamebic activity. *Medicinal Chemistry Research* 22: 775-781. <http://dx.doi.org/10.1007/s00044-012-0070-6>.
- Siegel, PD; Law, BF; Fowler, JF; Fowler, LM. (2010). Disproportionated rosin dehydroabiatic acid in neoprene surgical gloves. *21*: 157-159.
- Sikk, L; Tammiku-Taul, J; Burk, P; Kotschy, A. (2012). Computational study of the Sonogashira cross-coupling reaction in the gas phase and in dichloromethane solution. *J Mol Model* 18: 3025-3033. <http://dx.doi.org/10.1007/s00894-011-1311-1>.
- Sikorska, J; Parker-Nance, S; Davies-Coleman, MT; Vining, OB; Sikora, AE; Mcphail, KL. (2012). Antimicrobial rubrolides from a South African species of *Synoicum* tunicate. *J Nat Prod* 75: 1824-1827. <http://dx.doi.org/10.1021/np300580z>.
- Silkina, A; Bazes, A; Mouget, JL; Bourgougnon, N. (2012). Comparative efficiency of macroalgal extracts and booster biocides as antifouling agents to control growth of three diatom species. *Mar Pollut Bull* 64: 2039-2046. <http://dx.doi.org/10.1016/j.marpolbul.2012.06.028>.
- Sills, RC; Hailey, JR; Neal, J; Boorman, GA; Haseman, JK; Melnick, RL. (1999). Examination of low-incidence brain tumor responses in F344 rats following chemical exposures in National Toxicology Program carcinogenicity studies. *Toxicol Pathol* 27: 589-599. <http://dx.doi.org/10.1177/019262339902700513>.
- Silva, AF; Richter, WE; Bassi, AB; Bruns, RE. (2015). Dynamic atomic contributions to infrared intensities of fundamental bands. *Phys Chem Chem Phys* 17: 30378-30388. <http://dx.doi.org/10.1039/c5cp04949k>.
- Silva, AFS; de Andrade, JP; Machado, KRB; Rocha, AB; Apel, MA; Sobral, MEG; Henriques, AT; Zuanazzi, JAS. (2008). Screening for cytotoxic activity of extracts and isolated alkaloids from bulbs of *Hippeastrum vittatum*. *Phytomedicine* 15: 882-885. <http://dx.doi.org/10.1016/j.phymed.2007.12.001>.
- Silva, AH; Fonseca, FN; Pimenta, AT; Lima, MS; Silveira, ER; Viana, GS; Vasconcelos, SM; Leal, LK. (2016). Pharmacognostical Analysis and Protective Effect of Standardized Extract and Rizonic Acid from *Erythrina velutina* against 6-Hydroxydopamine-Induced Neurotoxicity in SH-SY5Y Cells. *Pharmacognosy Magazine* 12: 307-312. <http://dx.doi.org/10.4103/0973-1296.192200>.
- Silva da Silva, C; Rossato, JM; Vaz Rocha, JA; Vargas, VM. (2015). Characterization of an area of reference for inhalable particulate matter (PM2.5) associated with genetic biomonitoring in children. *Mutat Res Genet Toxicol Environ Mutagen* 778: 44-55. <http://dx.doi.org/10.1016/j.mrgentox.2014.11.006>.
- Silva, FB; Vanco, WE; da Silva Goncalves, FA; Bissochi, CA, Jr; de Carvalho, DP; Guimaraes, GC. (2016). A proposal for the study of voltage sag in isolated synchronous generators caused by induction motor start-up. *Electric Power Systems Research* 140: 776-785. <http://dx.doi.org/10.1016/j.epsr.2016.05.008>.

## Human Health Hazard Literature Search Results

### Off Topic

- Silva, FM; Donega, MA; Cerdeira, AL; Corniani, N; Velini, ED; Cantrell, CL; Dayan, FE; Coelho, MN; Shea, K; Duke, SO. (2014). Roots of the invasive species *Carduus nutans* L. and *C. acanthoides* L. produce large amounts of aplotaxene, a possible allelochemical. *J Chem Ecol* 40: 276-284. <http://dx.doi.org/10.1007/s10886-014-0390-8>.
- Silva, FS; Menezes, PM; de Sá, PG; Oliveira, AL; Souza, EA; Bamberg, VM; de Oliveira, HR; de Oliveira, SA; Araújo, RE; Uetanabaro, AP; Silva, TR; Almeida, JR; Lucchese, AM. (2015). Pharmacological Basis for Traditional Use of the *Lippia thymoides*. *eCAM* 2015: 463248. <http://dx.doi.org/10.1155/2015/463248>.
- Silva, GB; Garvin, JL. (2009). Extracellular ATP inhibits transport in medullary thick ascending limbs: role of P2X receptors [Editorial]. *Am J Physiol Renal Physiol* 297: F1168-F1173. <http://dx.doi.org/10.1152/ajprenal.00325.2009>.
- Silva, JS; Andreo, MA; Tubaldini, FR; Varanda, EA; Rocha, LR; Brito, AR; Vilegas, W; Hiruma-Lima, CA. (2008). Differences in gastroprotective and mutagenic actions between polar and apolar extracts of *Ananas ananassoides*. *J Med Food* 11: 160-168. <http://dx.doi.org/10.1089/jmf.2007.508>.
- Silva Junior, IF; Cechinel Filho, V; Zacchino, SA; Lima, JC, daS; Martins, DT, deO. (2009). Antimicrobial screening of some-medicinal plants from Mato Grosso Cerrado. *Revista Brasileira de Farmacognosia* 19: 242-248.
- Silveira, ACO; Claudino, VD; Yunes, RA; Cechinel-Filho, V; Malheiros, A; Cordova, CMM; Cruz, AB. (2012). Antibacterial Activity and Toxicity of *Drimys brasiliensis*. *Lat Am J Pharm* 31: 935-940.
- Sim, KS; Ibrahim, H; Malek, SN; Syamsir, DR; Awang, K. (2014). Cytotoxic activity of *Alpinia murdochii* Ridl.: A mountain ginger species from Peninsular Malaysia. *Pharmacognosy Magazine* 10: 70-72. <http://dx.doi.org/10.4103/0973-1296.126666>.
- Simas, NK; Lima Dellamora, E, daC; Schripsema, J, an; Salgueiro Lage, CL; de Oliveira Filho, AM; Wessjohann, L; Porzel, A; Kuster, RM. (2013). Acetylenic 2-phenylethylamides and new isobutylamides from *Acmella oleracea* (L.) R. K. Jansen, a Brazilian spice with larvicidal activity on *Aedes aegypti*. *Phytochemistry Letters* 6: 67-72. <http://dx.doi.org/10.1016/j.phytol.2012.10.016>.
- Simon, M; McClain, SA; Zimmerman, T. (2008). Keratinocyte Spray Technology for the Improved Healing of Cutaneous Sulfur Mustard Injuries. 17.
- Simonoska Crcarevska, M; Dimitrovska, A; Sibinovska, N; Mladenovska, K; Slavevska Raicki, R; Glavas Dodov, M. (2015). Implementation of quality by design principles in the development of microsponges as drug delivery carriers: Identification and optimization of critical factors using multivariate statistical analyses and design of experiments studies. *Int J Pharm* 489: 58-72. <http://dx.doi.org/10.1016/j.ijpharm.2015.04.038>.
- Simonov, AN; Kemppinen, P; Pozo-Gonzalo, C; Boas, JF; Bilic, A; Scully, AD; Attia, A; Nafady, A; Mashkina, EA; Winzenberg, KN; Watkins, SE; Bond, AM. (2014). Aggregation of a Dibenzo[b,def]chrysene Based Organic Photovoltaic Material in Solution. *J Phys Chem B* 118: 6839-6849. <http://dx.doi.org/10.1021/jp501220v>.
- Simón-Yarza, T; Tamayo, E; Benavides, C; Lana, H; Formiga, FR; Grama, CN; Ortiz-De-Solorzano, C; Kumar, MN; Prosper, F; Blanco-Prieto, MJ. (2013). Functional benefits of PLGA particulates carrying VEGF and CoQ10 in an animal of myocardial ischemia. *Int J Pharm* 454: 784-790. <http://dx.doi.org/10.1016/j.ijpharm.2013.04.015>.
- Simpson, B; Claudie, D; Smith, N; Wang, J; Mckinnon, R; Semple, S. (2010). Evaluation of the anti-inflammatory properties of *Dodonaea polyandra*, a Kaanju traditional medicine. *J Ethnopharmacol* 132: 340-343. <http://dx.doi.org/10.1016/j.jep.2010.07.012>.
- Siner, A; Ahmad, FB; Davis, TM; Singh, B; Cox-Singh, J. (2008). IN VITRO ACTIVITY OF A DICHLOROMETHANE FRACTION OF *LANSIUM DOMESTICUM* LEAVES AGAINST *PLASMODIUM FALCIPARUM* CLONE 3D7. *Am J Trop Med Hyg* 79: 278-278.
- Singh, B; Sahu, PM; Sharma, RA. (2017). Flavonoids from *Heliotropium subulatum* exudate and their evaluation for antioxidant, antineoplastic and cytotoxic activities II. *Cytotechnology* 69: 103-115. <http://dx.doi.org/10.1007/s10616-016-0041-8>.
- Singh, B; Sharma, RA. (2015). Anti-Inflammatory and Antimicrobial Properties of Flavonoids from *Heliotropium subulatum* Exudate. 14: 125-132.
- Singh, DK; Asthana, BP; Srivastava, SK. (2012). Modeling the weak hydrogen bonding of pyrrole and dichloromethane through Raman and DFT study. *J Mol Model* 18: 3541-3552. <http://dx.doi.org/10.1007/s00894-012-1355-x>.
- Singh, N; Khan, IM; Ahmad, A. (2010). Spectrophotometric and spectroscopic studies of charge transfer complexes of p-toluidine as an electron donor with picric acid as an electron acceptor in different solvents. *Spectrochim Acta A Mol Biomol Spectrosc* 75: 1347-1353. <http://dx.doi.org/10.1016/j.saa.2009.12.085>.
- Singh, R. (2009). Antihyperglycemic effect of ethanolic extract and fractions of *anacardium occidentale* L. Stem bark in streptozotocin-induced diabetic rats. *Journal of Basic and Clinical Pharmacy* 1: 16-19.
- Singh, R; Panda, G. (2011). Application of Nazarov type electrocyclization to access [6,5,6] and [6,5,5] core embedded new polycycles: an easy entry to tetrahydrofluorene scaffolds related to Taiwaniaquinoids and C-nor-D homosteroids. *Org Biomol Chem* 9: 4782-4790. <http://dx.doi.org/10.1039/c0ob00892c>.
- Singh, RB; Elimban, V; Dhalla, NS. (2008). Differences in ischemia-reperfusion-induced endothelial changes in hearts perfused at constant flow and constant pressure. *J Appl Physiol* 105: 1779-1787. <http://dx.doi.org/10.1152/jappphysiol.00076.2008>.
- Singh, S; Battu, RS. (2012). Dissipation kinetics of spinosad in cabbage (*Brassica oleracea* L.var. capitata). *Toxicol Environ Chem* 94: 319-326. <http://dx.doi.org/10.1080/02772248.2011.639774>.
- Singh, TP; Bhattarcharya, S; Singh, OM. (2013). Indium/TFA-catalyzed synthesis of tetracyclic [6,5,5,6] indole ring, via a tandem cycloannulation of  $\beta$ -oxodithioester with tryptamine. *Org Lett* 15: 1974-1977. <http://dx.doi.org/10.1021/ol400644m>.
- Singh, V; Chaudhary, AK. (2011). Preparation of Eudragit E100 microspheres by modified solvent evaporation method. *Acta Pol Pharm* 68: 975-980.

## Human Health Hazard Literature Search Results

### Off Topic

- Singha Hazari, A; Ray, R; Hoque, MA; Lahiri, GK. (2016). Electronic Structure and Multicatalytic Features of Redox-Active Bis(arylimino)acenaphthene (BIAN)-Derived Ruthenium Complexes. *Inorg Chem* 55: 8160-8173. <http://dx.doi.org/10.1021/acs.inorgchem.6b01280>.
- Sinha, VR; Trehan, A. (2008). Development, characterization, and evaluation of ketorolac tromethamine-loaded biodegradable microspheres as a depot system for parenteral delivery. *Drug Deliv* 15: 365-372. <http://dx.doi.org/10.1080/10717540500398092>.
- Sinha, W; Deibel, N; Agarwala, H; Garai, A; Schweinfurth, D; Purohit, CS; Lahiri, GK; Sarkar, B; Kar, S. (2014). Synthesis, Spectral Characterization, Structures, and Oxidation State Distributions in [(corrolato)Fe-III(NO)](n) (n=0,+1,-1) Complexes. *Inorg Chem* 53: 1417-1429. <http://dx.doi.org/10.1021/ic402304e>.
- Siódmiak, T; Mangelings, D; Vander Heyden, Y; Ziegler-Borowska, M; Marszał, MP. (2015). High enantioselective Novozym 435-catalyzed esterification of (R,S)-flurbiprofen monitored with a chiral stationary phase. *Appl Biochem Biotechnol* 175: 2769-2785. <http://dx.doi.org/10.1007/s12010-014-1455-4>.
- Sirisangtragul, W; Sripanidkulchai, B. (2013). Modulatory effect of Thai traditional medicine (Yahom Tultavai) on hepatic cytochrome P450 enzymes and pentobarbital-induced sleeping in mice. *African Journal of Traditional, Complementary and Alternative Medicines* 10: 128-136.
- Sirisangtrakul, W; Sripanidkulchai, B. (2011). Interference of Thai traditional medicine (Yahom Ampanthong) on hepatic cytochrome P450 enzymes and pentobarbital-induced sleeping in mice. *Pak J Biol Sci* 14: 91-98.
- Sivashanthini, K; Reval, SV; Thavaranjit, AC. (2012). Comparative Study on Organoleptic, Microbiological and Biochemical Qualities of Commercially and Experimentally Prepared Salted and Sun Dried Talang Queen Fish, *Scomberoides commersonianus*. 7: 1279-1289. <http://dx.doi.org/10.3923/ajava.2012.1279.1289>.
- Skalicka-Wozniak, K; Mendel, M; Chlopecka, M; Dziekan, N. (2016). Isolation and evaluation of the myorelaxant effect of bergapten on isolated rat jejunum. *Pharmaceutical Biology* 54: 48-54. <http://dx.doi.org/10.3109/13880209.2015.1014570>.
- Skarmoutsos, I; Dellis, D; Matthews, RP; Welton, T; Hunt, PA. (2012). Hydrogen bonding in 1-butyl- and 1-ethyl-3-methylimidazolium chloride ionic liquids. *J Phys Chem B* 116: 4921-4933. <http://dx.doi.org/10.1021/jp209485y>.
- Skidan, I; Grunwald, J; Thekkedath, R; Degterev, A; Torchilin, V. (2011). A HPLC method for the quantitative determination of N-(2-hydroxy-5-nitrophenylcarbamothioyl)-3,5-dimethylbenzamide in biological samples. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 1610-1616. <http://dx.doi.org/10.1016/j.jchromb.2011.03.055>.
- Skołucka-Szary, K; Ramięga, A; Piaskowska, W; Janicki, B; Grala, M; Rieske, P; Stoczyńska-Fidelus, E; Piaskowski, S. (2015). Chitin dipentanoate as the new technologically usable biomaterial. *Mater Sci Eng C* 55: 50-60. <http://dx.doi.org/10.1016/j.msec.2015.05.051>.
- Slaughter, V; Imuta, K; Peterson, CC; Henry, JD. (2015). Meta-Analysis of Theory of Mind and Peer Popularity in the Preschool and Early School Years. *Child Dev*. <http://dx.doi.org/10.1111/cdev.12372>.
- Ślota, R; Dyrda, G; Hofer, M; Mele, G; Bloise, E; del Sole, R. (2012). Novel lipophilic lanthanide bis-phthalocyanines functionalized by pentadecylphenoxy groups: synthesis, characterization and UV-photostability. *Molecules* 17: 10738-10753. <http://dx.doi.org/10.3390/molecules170910738>.
- Słowik-Borowiec, M; Szyrka, E; Walorczyk, S. (2012). Analysis of pesticide residues in fresh peppermint, *Mentha piperita* L., using the quick easy cheap effective rugged and safe method (QuEChERS) followed by gas chromatography with electron capture and nitrogen phosphorus detection. *Bull Environ Contam Toxicol* 89: 633-637. <http://dx.doi.org/10.1007/s00128-012-0717-5>.
- Slusarczyk, S; Hajnos, M; Skalicka-Wozniak, K; Matkowski, A. (2009). Antioxidant activity of polyphenols from *Lycopus lucidus* Turcz. *Food Chem* 113: 134-138. <http://dx.doi.org/10.1016/j.foodchem.2008.07.037>.
- Slusarczyk, S; Zimmermann, S; Kaiser, M; Matkowski, A; Hamburger, M; Adams, M. (2011). Antiplasmodial and antitrypanosomal activity of tanshinone-type diterpenoids from *Salvia miltiorrhiza*. *Planta Med* 77: 1594-1596. <http://dx.doi.org/10.1055/s-0030-1270933>.
- Smee, D; Pumpa, K; Falchi, M; Lithander, FE. (2015). The Relationship between Diet Quality and Falls Risk, Physical Function and Body Composition in Older Adults. *J Nutr Health Aging* 19: 1037-1042. <http://dx.doi.org/10.1007/s12603-015-0542-8>.
- Smith, AA; Glickfield, I. (2011). De-staining and re-staining mucins in formalin fixed paraffin sections. 86: 98-103. <http://dx.doi.org/10.3109/10520290903430504>.
- Smith, MR; Blake, AJ; Hayes, CJ; Stevens, MF; Moody, CJ. (2009). Carbene reactivity of 4-diazo-4H-imidazoles toward nucleophiles and aromatic compounds. *J Org Chem* 74: 9372-9380. <http://dx.doi.org/10.1021/jo902165w>.
- Smith, S; Burden, H; Persad, R; Whittington, K; de Lacy Costello, B; Ratcliffe, NM; Probert, CS. (2008). A comparative study of the analysis of human urine headspace using gas chromatography-mass spectrometry. *J Breath Res* 2: 037022. <http://dx.doi.org/10.1088/1752-7155/2/3/037022>.
- Smith-Hansen, L; Constantino, MJ; Piselli, A; Remen, AL. (2011). Preliminary results of a video-assisted psychotherapist workshop in alliance strategies. 48: 148-162. <http://dx.doi.org/10.1037/a0022184>.
- Snider, TH; Wilhelm, CM; Babin, MC; Platoff, GE; Yeung, DT. (2015). Assessing the therapeutic efficacy of oxime therapies against percutaneous organophosphorus pesticide and nerve agent challenges in the Hartley guinea pig. *J Toxicol Sci* 40: 759-775. <http://dx.doi.org/10.2131/jts.40.759>.
- Sniegocki, T; Gbylik-Sikorska, M; Posyniak, A; Zmudzki, J. (2014). Determination of carbadox and olaquinox metabolites in swine muscle by liquid chromatography/mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 944: 25-29. <http://dx.doi.org/10.1016/j.jchromb.2013.09.039>.

## Human Health Hazard Literature Search Results

### Off Topic

- So, YM; Chiu, WH; Cheung, WM; Ng, HY; Lee, HK; Sung, HH; Williams, ID; Leung, WH. (2015). Heterobimetallic rhenium nitrido complexes containing the Kläui tripod ligand [Co( $\eta$ (5)-C<sub>5</sub>H<sub>5</sub>){P(O)(OEt)<sub>2</sub>}]<sup>-</sup>. *Dalton Transactions (Online)* 44: 5479-5487. <http://dx.doi.org/10.1039/c5dt00093a>.
- Soares, DX; Scarminio, IS; Bruns, RE. (2011). Mixture designs for exploring class diversity and metabolite fingerprinting: an efficient column chromatographic strategy. *Anal Chim Acta* 702: 288-294. <http://dx.doi.org/10.1016/j.aca.2011.06.056>.
- Soares, ER; da Silva, FM; de Almeida, RA; de Lima, BR; da Silva Filho, FA; Barison, A; Koolen, HH; Pinheiro, ML; de Souza, AD. (2015). Direct infusion ESI-IT-MSn alkaloid profile and isolation of tetrahydroharman and other alkaloids from *Bocageopsis pleiosperma* maas (Annonaceae). 26: 339-345. <http://dx.doi.org/10.1002/pca.2568>.
- Soares, PK; Bruns, RE; Scarminio, IS. (2008). Statistical mixture design--varimax factor optimization for selective compound extraction from plant material. *Anal Chim Acta* 613: 48-55. <http://dx.doi.org/10.1016/j.aca.2008.02.051>.
- Soares, PK; Bruns, RE; Scarminio, IS. (2009). Statistical mixture design investigation of fractionated and total extracts from *Erythrina speciosa* Andrews leaves. *J Sep Sci* 32: 644-652. <http://dx.doi.org/10.1002/jssc.200800534>.
- Soares, PK; Bruns, RE; Scarminio, IS. (2012). Principal component and Tucker3 analyses of high performance liquid chromatography with diode-array detection fingerprints of crude extracts of *Erythrina speciosa* Andrews leaves. *Anal Chim Acta* 736: 36-44. <http://dx.doi.org/10.1016/j.aca.2012.05.037>.
- Soares, PK; Scarminio, IS. (2008). Multivariate chromatographic fingerprint preparation and authentication of plant material from the genus *Bauhinia*. *Phytochem Anal* 19: 78-85. <http://dx.doi.org/10.1002/pca.1020>.
- Sobral, IS; Souza-Neta, LC; Costa, GAN; Guedes, MLS; Martins, D; Cruz, FG. (2009). Xanthenes, triterpenes and antibacterial activity of dichloromethane extract of *Kielmeyera cuspidata* Saggi, Clusiaceae. *Revista Brasileira de Farmacognosia* 19: 686-689.
- Sofidiya, MO; Orisaremi, CO; Sansaliyu, I; Adetunde, TO. (2015). Gastroprotective and antioxidant potentials of ethanolic stem bark extract of *Margaritaria discoidea* (Euphorbiaceae) in rats. *J Ethnopharmacol* 171: 240-246. <http://dx.doi.org/10.1016/j.jep.2015.05.059>.
- Sohail, M; Yao-Feng, W; Qi, W; Chen, FX. (2013). 7-Iodo-3,3-diphenyl-octa-hydro-benzo-furan. *Acta Crystallographica Section E: Structure Reports Online* 69: o585. <http://dx.doi.org/10.1107/S1600536813007563>.
- Sohrabnezhad, S, h; Pourahmad, A. (2012). As-synthesis of nanostructure AgCl/Ag/MCM-41 composite. *Spectrochim Acta A Mol Biomol Spectrosc* 86: 271-275. <http://dx.doi.org/10.1016/j.saa.2011.10.035>.
- Sohrabnezhad, S, h; Zanjanchi, MA; Razavi, M. (2014). Plasmon-assisted degradation of methylene blue with Ag/AgCl/montmorillonite nanocomposite under visible light. *Spectrochim Acta A Mol Biomol Spectrosc* 130: 129-135. <http://dx.doi.org/10.1016/j.saa.2014.02.188>.
- Soldera, S; Sebastianutto, N; Bortolomeazzi, R. (2008). Composition of phenolic compounds and antioxidant activity of commercial aqueous smoke flavorings. *J Agric Food Chem* 56: 2727-2734. <http://dx.doi.org/10.1021/jf072117d>.
- Soler, M; Mccusker, JK. (2008). Distinguishing between Dexter and rapid sequential electron transfer in covalently linked donor-acceptor assemblies. *J Am Chem Soc* 130: 4708-4724. <http://dx.doi.org/10.1021/ja077096i>.
- Soltani, A; Argani, H; Soleimani, F; Rahimpour, H; Akbarzadeh-Baghban, A; Azizi, T; Kazerouni, F; Farshchian, F. (2015). Evaluation of Serum Oxidized Low-Density Lipoprotein in Renal Transplant Recipients and Hemodialysis Patients and Relation With Involved Variables. 13: 524-528. <http://dx.doi.org/10.6002/ect.2014.0221>.
- Soltani, RD; Jorfi, S; Ramezani, H; Purfadakari, S. (2016). Ultrasonically induced ZnO-biosilica nanocomposite for degradation of a textile dye in aqueous phase. *Ultrason Sonochem* 28: 69-78. <http://dx.doi.org/10.1016/j.ultsonch.2015.07.002>.
- Some, S; Xu, Y; Kim, Y; Yoon, Y; Qin, H; Kulkarni, A; Kim, T; Lee, H. (2013). Highly Sensitive and Selective Gas Sensor Using Hydrophilic and Hydrophobic Graphenes. *Sci Rep* 3: 1868. <http://dx.doi.org/10.1038/srep01868>.
- Somuramasami, J; Wei, YC; Soliman, EF; Rustum, AM. (2011). Static headspace gas chromatographic method for the determination of low and high boiling residual solvents in Betamethasone valerate. *J Pharm Biomed Anal* 54: 242-247. <http://dx.doi.org/10.1016/j.jpba.2010.08.003>.
- Son, JK; Jung, SJ; Jung, JH; Fang, Z; Lee, CS; Seo, CS; Moon, DC; Min, BS; Kim, MR; Woo, MH. (2008). Anticancer constituents from the roots of *Rubia cordifolia* L. *Chem Pharm Bull (Tokyo)* 56: 213-216.
- Sonawane, ND; Verkman, AS. (2008). Thiazolidinone CFTR inhibitors with improved water solubility identified by structure-activity analysis. *Bioorg Med Chem* 16: 8187-8195. <http://dx.doi.org/10.1016/j.bmc.2008.07.044>.
- Sondhia, S; Duke, SO; Green, S; Gemejiyeva, NG; Mamonov, LK; Cantrell, CL. (2012). Phytotoxic furanocoumarins from the shoots of *Semenovia transiliensis*. *Natural Product Communications* 7: 1327-1330.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta* 74: 1265-1270. <http://dx.doi.org/10.1016/j.talanta.2007.08.04>.
- Song, JF; Li, DJ; Pang, HL; Liu, CQ. (2015). Effect of ultrasonic waves on the stability of all-trans lutein and its degradation kinetics. *Ultrason Sonochem* 27: 602-608. <http://dx.doi.org/10.1016/j.ultsonch.2015.04.020>.
- Song, JH; Doo, SW; Yang, WJ; Song, YS; Kim, GW; Ku, JH; Lee, CH. (2011). Value and Safety of Midazolam Anesthesia during Transrectal Ultrasound-Guided Prostate Biopsy. 52: 216-220. <http://dx.doi.org/10.4111/kju.2011.52.3.216>.
- Song, I; Chen, J; Zhu, LH; Xia, J; Yang, J. (2011). Modification in structure, phase transition, and magnetic property of metallic gallium driven by atom-molecule interactions. *Inorg Chem* 50: 7988-7996. <http://dx.doi.org/10.1021/ic200137f>.
- Song, L; Dykstra, AB; Yao, H; Bartmess, JE. (2009). Ionization mechanism of negative ion-direct analysis in real time: a comparative study with negative ion-atmospheric pressure photoionization. *J Am Soc Mass Spectrom* 20: 42-50. <http://dx.doi.org/10.1016/j.jasms.2008.09.016>.



## Human Health Hazard Literature Search Results

### Off Topic

- Song, N; Zhang, S; Li, Q; Liu, C. (2009). Liquid chromatographic/mass spectrometry assay of bromotetrandrine in rat plasma and its application to pharmacokinetic study. *Biomed Chromatogr* 23: 623-629. <http://dx.doi.org/10.1002/bmc.1163>.
- Song, X; Zhao, Y, u; Hou, S; Xu, F; Zhao, R; He, J; Cai, Z; Li, Y; Chen, Q. (2008). Dual agents loaded PLGA nanoparticles: Systematic study of particle size and drug entrapment efficiency. *Eur J Pharm Biopharm* 69: 445-453. <http://dx.doi.org/10.1016/j.ejpb.2008.01.013>.
- Song, X; Zhao, Y; Wu, W; Bi, Y; Cai, Z; Chen, Q; Li, Y; Hou, S. (2008). PLGA nanoparticles simultaneously loaded with vincristine sulfate and verapamil hydrochloride: systematic study of particle size and drug entrapment efficiency. *Int J Pharm* 350: 320-329. <http://dx.doi.org/10.1016/j.ijpharm.2007.08.034>.
- Song, Y; Xu, B; Cai, W. (2013). Active substances and in vitro anti-diabetic effects of a traditional folk remedy Bian-Que Triple-Bean Soup as affected by the boiling time. 4: 635-643. <http://dx.doi.org/10.1039/c3fo30303a>.
- Songkram, C; Ohta, K; Yamaguchi, K; Pichierri, F; Endo, Y. (2010). Conformational control of benzyl-o-carboranylbenzene derivatives and molecular encapsulation of acetone in the dynamically formed space of 1,3,5-tris(2-benzyl-o-carboran-1-yl)benzene. *Inorg Chem* 49: 11174-11183. <http://dx.doi.org/10.1021/ic101862n>.
- Sookvanichsilp, N; Soonthornchareonnon, N; Boonleang, C. (2008). Estrogenic activity of the dichloromethane extract from *Pueraria mirifica*. *Fitoterapia* 79: 509-514. <http://dx.doi.org/10.1016/j.fitote.2008.05.006>.
- Sørensen, L; Silva, MS; Booth, AM; Meier, S. (2016). Optimization and comparison of miniaturized extraction techniques for PAHs from crude oil exposed Atlantic cod and haddock eggs. *Anal Bioanal Chem* 408: 1023-1032. <http://dx.doi.org/10.1007/s00216-015-9225-x>.
- Soria, EA; Goleniowski, ME; Cantero, JJ; Bongiovanni, GA. (2008). Antioxidant activity of different extracts of Argentinian medicinal plants against arsenic-induced toxicity in renal cells. *Hum Exp Toxicol* 27: 341-346. <http://dx.doi.org/10.1177/0960327108092192>.
- Sosa, A; Fusco, MR; Rossomando, P; Juárez, A; Robles, S; Petenatti, E; Pelzer, L. (2011). Anti-inflammatory properties from isolated compounds of *Cyclolepis genistoides*. *Pharmaceutical Biology* 49: 675-678. <http://dx.doi.org/10.3109/13880200903431467>.
- Sospedra, I; Soler, C; Mañes, J; Soriano, JM. (2011). Analysis of staphylococcal enterotoxin A in milk by matrix-assisted laser desorption/ionization-time of flight mass spectrometry. *Anal Bioanal Chem* 400: 1525-1531. <http://dx.doi.org/10.1007/s00216-011-4906-6>.
- Sotiroudis, G; Melliou, E; Sotiroudis, TG; Chinou, I. (2010). CHEMICAL ANALYSIS, ANTIOXIDANT AND ANTIMICROBIAL ACTIVITY OF THREE GREEK CUCUMBER (*CUCUMIS SATIVUS*) CULTIVARS. *Journal of Food Biochemistry* 34: 61-78. <http://dx.doi.org/10.1111/j.1745-4514.2009.00296.x>.
- Sottani, C; Leoni, E; Porro, B; Montagna, B; Amatu, A; Sottotetti, F; Quaretti, P; Poggi, G; Minoia, C. (2009). Validation of an LC-MS/MS method for the determination of epirubicin in human serum of patients undergoing Drug Eluting Microsphere-Transarterial Chemoembolization (DEM-TACE). *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 3543-3548. <http://dx.doi.org/10.1016/j.jchromb.2009.08.054>.
- Sousa, LMA; Monte Neto, RL; Navarro Schmidt, DF; Oliveira, MR. (2009). Anti-mitotic activity towards sea urchin eggs of dichloromethane fraction obtained from *Allamanda schottii* Pohl (Apocynaceae). *Revista Brasileira de Farmacognosia* 19: 349-352.
- Sousa, OV; Del-Vechio-Vieira, G; Pinho, JRR, G; Alves, MS; Kaplan, MAC. (2011). Pharmacological Effects of the Hexane and Dichloromethane Fractions from *Annona coriacea* Mart. (Annonaceae) Leaves. *Lat Am J Pharm* 30: 868-873.
- Sousa, ZL; de Oliveira, FF; da Conceição, AO; Silva, LA; Rossi, MH; Santos, JS; Andrioli, JL. (2012). Biological activities of extracts from *Chenopodium ambrosioides* lineu and *Kielmeyera neglecta* saddi. *Ann Clin Microbiol Antimicrob* 11: 20. <http://dx.doi.org/10.1186/1476-0711-11-20>.
- Souza Domingos, TF; Ortiz-Ramirez, FA; Villaca, RC; Cavalcanti, DN; Sanchez, EF; Teixeira, VL; Fuly, AL. (2012). Inhibitory effect of a Brazilian marine brown alga *Spatoglossum schroederi* on biological activities of *Lachesis muta* snake venom. *Revista Brasileira de Farmacognosia* 22: 741-747. <http://dx.doi.org/10.1590/S0102-695X2012005000049>.
- Souza, FH; Polanczyk, CA. (2013). Is Age-targeted full-field digital mammography screening cost-effective in emerging countries? A micro simulation model. 2: 366. <http://dx.doi.org/10.1186/2193-1801-2-366>.
- Souza, LC; Brito, PRR; Machado de Oliveira, JC; Alves, FRF; Moreira, EJJ; Sampaio-Filho, HR; Rocas, IN; Siqueira, JF, Jr. (2010). Photodynamic Therapy with Two Different Photosensitizers as a Supplement to Instrumentation/Irrigation Procedures in Promoting Intracanal Reduction of *Enterococcus faecalis*. *J Endod* 36: 292-296. <http://dx.doi.org/10.1016/j.joen.2009.09.041>.
- Souza, RC; Junqueira, JC; Rossoni, RD; Pereira, CA; Munin, E; Jorge, AO. (2010). Comparison of the photodynamic fungicidal efficacy of methylene blue, toluidine blue, malachite green and low-power laser irradiation alone against *Candida albicans*. *Lasers Med Sci* 25: 385-389. <http://dx.doi.org/10.1007/s10103-009-0706-z>.
- Spaiuc, D; Spac, A; Agoroaei, L; Butnaru, E. (2014). NICOTINE DETERMINATION FROM TABACCO BY GC/MS. 62: 982-990.
- Speck, K; Karaghiosoff, K; Magauer, T. (2015). Sequential O-H/C-H bond insertion of phenols initiated by the gold(I)-catalyzed cyclization of 1-bromo-1,5-enynes. *Org Lett* 17: 1982-1985. <http://dx.doi.org/10.1021/acs.orglett.5b00738>.
- Spent, P; Young, RM; Phelan, BT; Keller, M; Dostál, J; Brixner, T; Wasielewski, MR; Würthner, F. (2017). Solvent-Templated Folding of Perylene Bisimide Macrocycles into Coiled Double-String Ropes with Solvent-Sensitive Optical Signatures. *J Am Chem Soc*. <http://dx.doi.org/10.1021/jacs.6b11973>.
- Sperling, S; Kühbandner, S; Engel, KC; Steiger, S; Stökl, J; Ruther, J. (2015). Size Exclusion High Performance Liquid Chromatography: Re-Discovery of a Rapid and Versatile Method for Clean-Up and Fractionation in Chemical Ecology. *J Chem Ecol* 41: 574-583. <http://dx.doi.org/10.1007/s10886-015-0584-8>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sperlingová, I; Dabrowská, L; Stránský, V; Dusková, S; Kucera, J; Tvrdíková, M; Tichy, M. (2010). Determination of butoxyacetic acid (biomarker of ethylene glycol monobutyl ether exposure) in human urine candidate reference material. *Anal Bioanal Chem* 397: 433-438. <http://dx.doi.org/10.1007/s00216-009-3148-3>.
- Spiandore, M; Piram, A; Lacoste, A; Josse, D; Doumenq, P. (2014). Hair analysis as a useful procedure for detection of vapour exposure to chemical warfare agents: simulation of sulphur mustard with methyl salicylate. *Drug Testing and Analysis* 6 Suppl 1: 67-73. <http://dx.doi.org/10.1002/dta.1659>.
- Spillane, M; Schwarz, N; Leddy, S; Correa, T; Minter, M; Longoria, V; Willoughby, DS. (2011). Effects of 28 days of resistance exercise while consuming commercially available pre- and post-workout supplements, NO-Shotgun® and NO-Synthesize® on body composition, muscle strength and mass, markers of protein synthesis, and clinical safety markers in males. *Nutrition and Metabolism* 8: 78. <http://dx.doi.org/10.1186/1743-7075-8-78>.
- Spindola, KCV, W; Simas, NK; dos Santos, CE; da Silva, A, ryG; Romao, W; Vanini, G; da Silva, SRC; Borges, GR; de Souza, FG; Kuster, RM. (2016). *Dendranthema grandiflorum*, a hybrid ornamental plant, is a source of larvicidal compounds against *Aedes aegypti* larvae. *Revista Brasileira de Farmacognosia* 26: 342-346. <http://dx.doi.org/10.1016/j.bjp.2016.01.003>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sridhar, A; Subramanyan, R; Premsekar, R; Chidambaram, S; Agarwal, R; Manohar, SR; Cherian, KM. (2014). Hybrid intraoperative pulmonary artery stenting in redo congenital cardiac surgeries. *Indian Heart J* 66: 45-51. <http://dx.doi.org/10.1016/j.ihj.2013.12.018>.
- Srinivasan, P; Sarmah, AK; Manley-Harris, M; Wilkins, AL. (2012). Development of an HPLC method to analyze four veterinary antibiotics in soils and aqueous media and validation through fate studies. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47: 2120-2132. <http://dx.doi.org/10.1080/10934529.2012.696005>.
- Srisawat, T; Chumkaew, P; Heed-Chim, W; Sukpondma, Y; Kanokwiroon, K. (2013). Phytochemical Screening and Cytotoxicity of Crude Extracts of *Vatica diospyroides* Symington Type LS. *Tropical Journal of Pharmaceutical Research* 12: 71-76. <http://dx.doi.org/10.4314/tjpr.v12i1.12>.
- Srivastava, P; Tiwari, N; Yadav, AK; Kumar, V; Shanker, K; Verma, RK; Gupta, MM; Gupta, AK; Khanuja, SP. (2008). Simultaneous quantification of withanolides in *Withania somnifera* by a validated high-performance thin-layer chromatographic method. *J AOAC Int* 91: 1154-1161.
- Srivastava, R; Kumar, D; Pathak, K. (2012). Colonic luminal surface retention of meloxicam microsponges delivered by erosion based colon-targeted matrix tablet. *Int J Pharm* 427: 153-162. <http://dx.doi.org/10.1016/j.ijpharm.2012.01.036>.
- Sriwiriyan, S; Ninpesh, T; Sukpondma, Y; Nasomyon, T; Graidist, P. (2014). Cytotoxicity Screening of Plants of Genus *Piper* in Breast Cancer Cell Lines. *Tropical Journal of Pharmaceutical Research* 13: 921-928. <http://dx.doi.org/10.4314/tjpr.v13i6.14>.
- Šrut, M; Traven, L; Štambuk, A; Kralj, S; Žaja, R; Mićović, V; Klobučar, GI. (2011). Genotoxicity of marine sediments in the fish hepatoma cell line PLHC-1 as assessed by the Comet assay. *Toxicol In Vitro* 25: 308-314. <http://dx.doi.org/10.1016/j.tiv.2010.09.015>.
- Stack, C; Jainuddin, S; Elipenahli, C; Gerges, M; Starkova, N; Starkov, AA; Jové, M; Portero-Otin, M; Launay, N; Pujol, A; Kaidery, NA; Thomas, B; Tampellini, D; Beal, MF; Dumont, M. (2014). Methylene blue upregulates Nrf2/ARE genes and prevents tau-related neurotoxicity. *Hum Mol Genet* 23: 3716-3732. <http://dx.doi.org/10.1093/hmg/ddu080>.
- Stahl, M; Stahl, K; Brubacher, MB; Forrest, JN. (2012). Divergent CFTR orthologs respond differently to the channel inhibitors CFTRinh-172, glibenclamide, and GlyH-101. *Am J Physiol Cell Physiol* 302: C67-C76. <http://dx.doi.org/10.1152/ajpcell.00225.2011>.
- Stan, CD; Stefanache, A; Tântaru, G; Poiată, A; Dumitrache, M; Diaconu, DE; Profire, L. (2008). [Erythromycin ethylsuccinate obtaining possibilities]. *Rev Med Chir Soc Med Nat Iasi* 112: 1104-1109.
- Stanford, SC; Stanford, BJ; Gillman, PK. (2010). Risk of severe serotonin toxicity following co-administration of methylene blue and serotonin reuptake inhibitors: an update on a case report of post-operative delirium [Review]. *J Psychopharmacol* 24: 1433-1438. <http://dx.doi.org/10.1177/0269881109105450>.
- Stark, MA; Miller, MG. (2009). Barriers to the use of hydrotherapy in labor. *J Obstet Gynecol Neonatal Nurs* 38: 667-675. <http://dx.doi.org/10.1111/j.1552-6909.2009.01065.x>.
- Stark, MA; Miller, MG. (2010). Development and testing of nurses' perceptions of the use of hydrotherapy in labor questionnaire. *J Nurs Meas* 18: 36-48.
- Stark, N; Gridling, M; Madlener, S; Bauer, S; Lackner, A; Popescu, R; Diaz, R; Tut, FM; Vo, TP; Vonach, C; Giessrigl, B; Saiko, P; Grusch, M; Fritzer-Szekeres, M; Szekeres, T; Kopp, B; Frisch, R; Krupitza, G. (2009). A polar extract of the Maya healing plant *Anthurium schlechtendalii* (Aracea) exhibits strong in vitro anticancer activity. *Int J Mol Med* 24: 513-521.
- Stefanello, MEA; Salvador, MJ; Ito, IY; Montoia, A; Silva, CJF; Barros, LFL. (2009). Phytochemical Study and Antimicrobial Activity Evaluation of *Talauma ovata*. *Lat Am J Pharm* 28: 270-274.
- Stefanescu, EA; Stefanescu, C; Negulescu, II. (2011). Biodegradable polymeric capsules obtained via room temperature spray drying: preparation and characterization. *J Biomater Appl* 25: 825-849. <http://dx.doi.org/10.1177/0885328210366489>.
- Steiner, E; Mathew, R; Zimmermann, I; Brotin, T; Edén, M; Kowalewski, J. (2015). Investigation of chloromethane complexes of cryptophane-A analogue with butoxy groups using <sup>13</sup>C NMR in the solid state and solution along with single crystal X-ray diffraction. 53: 596-602. <http://dx.doi.org/10.1002/mrc.4265>.
- Steiner, I; Brauers, G; Temme, O; Daldrup, T. (2016). A sensitive method for the determination of hordenine in human serum by ESI<sup>+</sup> UPLC-MS/MS for forensic toxicological applications. *Anal Bioanal Chem* 408: 2285-2292. <http://dx.doi.org/10.1007/s00216-016-9324-3>.

## Human Health Hazard Literature Search Results

### Off Topic

- Steinmann, J; Huelsewede, J; Buer, J; Rath, PM. (2011). Comparison and evaluation of a novel bioassay and high-performance liquid chromatography for the clinical measurement of serum voriconazole concentrations. *Mycoses* 54: e421-e428. <http://dx.doi.org/10.1111/j.1439-0507.2010.01938.x>.
- Stenblom, EL; Weström, B; Linninge, C; Bonn, P; Farrell, M; Rehfeld, JF; Montelius, C. (2016). Dietary green-plant thylakoids decrease gastric emptying and gut transit, promote changes in the gut microbial flora, but does not cause steatorrhea. 13: 67. <http://dx.doi.org/10.1186/s12986-016-0128-4>.
- Stenholm, A; Göransson, U; Bohlin, L. (2013). Bioassay-guided supercritical fluid extraction of cyclooxygenase-2 inhibiting substances in *Plantago major* L. 24: 176-183. <http://dx.doi.org/10.1002/pca.2398>.
- Stenson, PA; Board, A; Marin-Becerra, A; Blake, AJ; Davies, ES; Wilson, C; McMaster, J; Schröder, M. (2008). Molecular and electronic structures of one-electron oxidized Ni(II)-(dithiosalicylidenediamine) complexes: Ni(III)-thiolate versus Ni(II)-thiyl radical states. *Chemistry* 14: 2564-2576. <http://dx.doi.org/10.1002/chem.2007011108>.
- Stephens, DE; Nguyen, VT; Chhetri, B; Clark, ER; Arman, HD; Larionov, OV. (2016). Organocatalytic Synthesis of Methylene-Bridged N-Heterobiaryls. *Org Lett* 18: 5808-5811. <http://dx.doi.org/10.1021/acs.orglett.6b02719>.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics* 4: 185-192.
- Stetsenko, DA; Apukhtina, VS; Chelobanov, BP; Palladino, P. (2016). Removal of acid-labile protecting or anchoring groups in the presence of polyfluorinated alcohol: Application to solid-phase peptide synthesis. *Russian Journal of Bioorganic Chemistry* 42: 143-152. <http://dx.doi.org/10.1134/S106816201602014X>.
- Stewart, AK; Yamamoto, A; Nakakuki, M; Kondo, T; Alper, SL; Ishiguro, H. (2009). Functional coupling of apical Cl<sup>-</sup>/HCO<sub>3</sub><sup>-</sup> exchange with CFTR in stimulated HCO<sub>3</sub><sup>-</sup> secretion by guinea pig interlobular pancreatic duct. *Am J Physiol Gastrointest Liver Physiol* 296: G1307-G1317. <http://dx.doi.org/10.1152/ajpgi.90697.2008>.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med* 48: 531-537.
- St-Gelais, A; Legault, J; Mshvildadze, V; Pichette, A. (2015). Dirchromones: Cytotoxic Organic Sulfur Compounds Isolated from *Dirca palustris*. *J Nat Prod* 78: 1904-1909. <http://dx.doi.org/10.1021/acs.jnatprod.5b00227>.
- Štíbr, B; Holub, J; Bakardjiev, M; Lane, PD; Mckee, ML; Wann, DA; Hnyk, D. (2016). Unusual Cage Rearrangements in 10-Vertex nido-5,6-Dicarbaborane Derivatives: An Interplay between Theory and Experiment. *Inorg Chem* 56: 852-860. <http://dx.doi.org/10.1021/acs.inorgchem.6b02320>.
- Stice, E; Sysko, R; Roberto, CA; Allison, S. (2010). Are dietary restraint scales valid measures of dietary restriction? Additional objective behavioral and biological data suggest not. *Appetite* 54: 331-339. <http://dx.doi.org/10.1016/j.appet.2009.12.009>.
- Stiles, RL; Balasubramanian, R; Feldberg, SW; Murray, RW. (2008). Anion-induced adsorption of ferrocenated nanoparticles. *J Am Chem Soc* 130: 1856-1865. <http://dx.doi.org/10.1021/ja074161f>.
- Stirling, MJ; Sweeney, G; Macrory, K; Blacker, AJ; Page, MI. (2016). The kinetics and mechanism of the organo-iridium-catalysed enantioselective reduction of imines. *Org Biomol Chem* 14: 3614-3622. <http://dx.doi.org/10.1039/c6ob00245e>.
- Stivaktakis, PD; Kavvalakis, MP; Tzatzarakis, MN; Alegakis, AK; Panagiotakis, MN; Fragkiadaki, P; Vakonaki, E; Ozcagli, E; Hayes, WA; Rakitskii, VN; Tsatsakis, AM. (2016). Long-term exposure of rabbits to imidacloprid as quantified in blood induces genotoxic effect. *Chemosphere* 149: 108-113. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.040>.
- Stoyanov, ES. (2016). The salts of chloronium ions R-Cl<sup>(+)</sup>-R (R = CH<sub>3</sub> or CH<sub>2</sub>Cl): formation, thermal stability, and interaction with chloromethanes. *Phys Chem Chem Phys* 18: 12896-12904. <http://dx.doi.org/10.1039/c6cp00946h>.
- Strange, R; Howie, A; Hume, R; Matharoo, B; Bell, J; Hiley, C; Jones, P; Beckett, G. (1989). The development expression of alpha-, mu- and pi-class glutathione S-transferases in human liver. *Biochim Biophys Acta* 993: 186-190.
- Stratis, EA; Lecavalier, L. (2015). Informant agreement for youth with autism spectrum disorder or intellectual disability: a meta-analysis. *J Autism Dev Disord* 45: 1026-1041. <http://dx.doi.org/10.1007/s10803-014-2258-8>.
- Strojek, K; Bebakar, W, anMW; Khutsoane, DT; Pesic, M; Smahelova, A; Thomsen, HF; Kalra, S. (2009). Once-Daily Initiation with NovoMix (R) 30 (BIAsp 30) vs Insulin Glargine in Patients with Type 2 Diabetes Inadequately Controlled with Oral Drugs: A Randomized Controlled Trial. *Diabetes* 58: A146-A146.
- Strum, M; Scheffe, R. (2015). National review of ambient air toxics observations. *Journal of the Air and Waste Management Association* 66: 120-133. <http://dx.doi.org/10.1080/10962247.2015.1076538>.
- Suares, D; Prabhakar, B. (2017). Cuboidal lipid polymer nanoparticles of rosuvastatin for oral delivery. *Drug Dev Ind Pharm* 43: 213-224. <http://dx.doi.org/10.1080/03639045.2016.1232726>.
- Suárez, SA; Fonticelli, MH; Rubert, AA; de la Llave, E; Scherlis, D; Salvarezza, RC; Martí, MA; Doctorovich, F. (2010). A surface effect allows HNO/NO discrimination by a cobalt porphyrin bound to gold. *Inorg Chem* 49: 6955-6966. <http://dx.doi.org/10.1021/ic1007022>.
- Subba Reddy, BV; Muralikrishna, K; Yadav, JS; Jagdeesh Babu, N; Sirisha, K; Sarma, AV. (2015). Tandem Prins/Wagner/Ritter process for the stereoselective synthesis of (3-oxabicyclo[4.2.0]octanyl)amide and (1-(5-aryltetrahydrofuran-3-yl)cyclobutyl)amide derivatives. *Org Biomol Chem* 13: 5532-5536. <http://dx.doi.org/10.1039/c5ob00031a>.
- Subba Reddy, BV; Prudhvi Raju, N; Someswarao, B; Mohan Reddy, BJ; Sridhar, B; Marumudi, K; Kunwar, AC. (2015). A novel domino cyclization for the stereoselective synthesis of indeno[2,1-c]pyran and cyclopenta[c]pyran derivatives. *Org Biomol Chem* 13: 4733-4736. <http://dx.doi.org/10.1039/c5ob00376h>.

## Human Health Hazard Literature Search Results

### Off Topic

- Subedi, B; Usenko, S. (2012). Enhanced pressurized liquid extraction technique capable of analyzing polychlorodibenzo-p-dioxins, polychlorodibenzofurans, and polychlorobiphenyls in fish tissue. *J Chromatogr A* 1238: 30-37. <http://dx.doi.org/10.1016/j.chroma.2012.03.037>.
- Subedi, RK; Ryoo, JP; Moon, C; Choi, HK. (2011). Influence of formulation variables in transdermal drug delivery system containing zolmitriptan. *Int J Pharm* 419: 209-214. <http://dx.doi.org/10.1016/j.ijpharm.2011.08.002>.
- Subramaniam, G; Achike, FI; Mustafa, MR. (2009). Characterizing the mechanisms of insulin vasodilatation of normal and streptozotocin-induced diabetic rat aorta. *J Cardiovasc Pharmacol* 53: 333-340. <http://dx.doi.org/10.1097/FJC.0b013e31819fd4a7>.
- Subramaniam, G; Achike, FI; Mustafa, MR. (2009). Effect of acidosis on the mechanism(s) of insulin-induced vasorelaxation in normal Wistar-Kyoto (WKY) rat aorta. *Regulatory Peptides* 155: 70-75. <http://dx.doi.org/10.1016/j.regpep.2009.04.008>.
- Suenaga, EM; Val, LC; Tominaga, M; Souza Filho, JH; Soares, G; Vioto, M; Nakaie, CR. (2016). A fast and sensitive UHPLC-MS/MS method for the determination of N-butylscopolamine in human plasma: application in a bioequivalence study. *Biomed Chromatogr*. <http://dx.doi.org/10.1002/bmc.3823>.
- Suetsugu, S; Nishiguchi, H; Tsukano, C; Takemoto, Y. (2014). Asymmetric synthesis of (-)-aurantioclavine via palladium-catalyzed intramolecular allylic amination. *Org Lett* 16: 996-999. <http://dx.doi.org/10.1021/ol4037314>.
- Sugawara, S; Hirata, Y; Kojima, S; Yamamoto, Y; Miyazaki, E; Takimiya, K; Matsukawa, S; Hashizume, D; Mack, J; Kobayashi, N; Fu, Z; Kadish, KM; Sung, YM; Kim, KS; Kim, D. (2012). Synthesis, characterization, and spectroscopic analysis of antiaromatic benzofused metalloporphyrins. *Chemistry* 18: 3566-3581. <http://dx.doi.org/10.1002/chem.201101846>.
- Suh, SE; Chenoweth, DM. (2016). Aryne Compatible Solvents are not Always Innocent. *Org Lett* 18: 4080-4083. <http://dx.doi.org/10.1021/acs.orglett.6b01977>.
- Sukhirun, N; Pluempanupat, W; Bullangpoti, V. (2010). Impact of *Alpinia galanga* rhizome extract on *Bactrocera dorsalis* population. *Commun Agric Appl Biol Sci* 75: 399-403.
- Sule, A; Ahmed, QU; Latip, J; Samah, O; Omar, M; Umar, A; Dogarai, BBS. (2012). Antifungal activity of *Andrographis paniculata* extracts and active principles against skin pathogenic fungal strains in vitro. *Pharmaceutical Biology* 50: 850-856. <http://dx.doi.org/10.3109/13880209.2011.641021>.
- Sule, A; Ahmed, QU; Samah, OA; Omar, MN. (2011). Bacteriostatic and bactericidal activities of *Andrographis paniculata* extracts on skin disease causing pathogenic bacteria. *Journal of Medicinal Plant Research* 5: 7-14.
- Suleimana, MM; Mcgaw, LJ; Naidoo, V; Eloff, JN. (2010). Detection of antimicrobial compounds by bioautography of different extracts of leaves of selected South African tree species. *African Journal of Traditional, Complementary and Alternative Medicines* 7: 64-78.
- Summers, PA; Dawson, J; Ghiotto, F; Hanson-Heine, MW; Vuong, KQ; Davies, ES; Sun, XZ; Besley, NA; McMaster, J; George, MW; Schröder, M. (2014). Photochemical dihydrogen production using an analogue of the active site of [NiFe] hydrogenase. *Inorg Chem* 53: 4430-4439. <http://dx.doi.org/10.1021/ic500089b>.
- Summerscales, OT; Stull, JA; Scott, BL; Gordon, JC. (2015). Syntheses and Reactivity Studies of Square-Planar Diamido-Pyridine Complexes Based on Earth-Abundant First-Row Transition Elements. *Inorg Chem* 54: 6885-6890. <http://dx.doi.org/10.1021/acs.inorgchem.5b00779>.
- Sun, B; Ou, Z; Yang, S; Meng, D; Lu, G; Fang, Y; Kadish, KM. (2014). Synthesis and electrochemistry of  $\beta$ -pyrrole nitro-substituted cobalt(II) porphyrins. The effect of the NO<sub>2</sub> group on redox potentials, the electron transfer mechanism and catalytic reduction of molecular oxygen in acidic media. *Dalton Transactions (Online)* 43: 10809-10815. <http://dx.doi.org/10.1039/c4dt01072h>.
- Sun, C; Chen, S; Fang, T. (2014). Substituent effects on the decomposition of chemiluminescent tricyclic aromatic dioxetanes. *Luminescence* 29: 445-450. <http://dx.doi.org/10.1002/bio.2568>.
- Sun, H; Wang, J; Sun, Y; Peng, W; Sun, L; Yang, Y; Gu, J. (2016). Rapid and sensitive liquid chromatography with tandem mass spectrometry method for the simultaneous quantification of yonkenafil and its major metabolites in rat plasma. *J Sep Sci* 39: 3700-3708. <http://dx.doi.org/10.1002/jssc.201600445>.
- Sun, H; Xu, H; Yang, X; Li, N; Liu, Z; Pan, W; Yuan, Y. (2011). Formulation of a stable and high-loaded quercetin injectable emulsion. *16*: 609-615. <http://dx.doi.org/10.3109/10837450.2010.502899>.
- Sun, LP; Xu, X; Hwang, HH; Wang, X; Su, KY; Chen, YL. (2016). Dichloromethane extracts of propolis protect cell from oxygen-glucose deprivation-induced oxidative stress via reducing apoptosis. *60*: 30081. <http://dx.doi.org/10.3402/fnr.v60.30081>.
- Sun, M; Downes, S. (2009). Physicochemical characterisation of novel ultra-thin biodegradable scaffolds for peripheral nerve repair. *J Mater Sci Mater Med* 20: 1181-1192. <http://dx.doi.org/10.1007/s10856-008-3671-3>.
- Sun, S; Li, H; Zhou, W; Liu, A; Zhu, H. (2014). Bacterial Quorum Sensing Inhibition Activity of the Traditional Chinese Herbs, *Ficus carica* L. and *Perilla frutescens*. *Chemotherapy* 60: 379-383. <http://dx.doi.org/10.1159/000440946>.
- Sun, X; Wang, X; Wang, GD; Xia, Y; Liu, S; Qu, M; Needleman, BJ; Mikami, DJ; Melvin, WS; Bohn, LM; Ueno, R; Wood, JD. (2011). Lubiprostone reverses the inhibitory action of morphine on mucosal secretion in human small intestine. *Dig Dis Sci* 56: 330-338. <http://dx.doi.org/10.1007/s10620-010-1515-8>.
- Sun, Y; Liu, D; Chen, J; Ye, X; Yu, D. (2011). Effects of different factors of ultrasound treatment on the extraction yield of the all-trans- $\beta$ -carotene from citrus peels. *Ultrason Sonochem* 18: 243-249. <http://dx.doi.org/10.1016/j.ultsonch.2010.05.014>.
- Sun, Y; Liu, M; Zhang, J; Jiang, Y; Yu, W; Fawcett, JP; Gu, J. (2009). Rapid and sensitive assay for trantinterol, a novel beta(2)-adrenoceptor agonist, in human plasma using liquid chromatography-tandem mass spectrometry. *J Pharm Biomed Anal* 49: 1056-1059. <http://dx.doi.org/10.1016/j.jpba.2009.01.012>.

## Human Health Hazard Literature Search Results

### Off Topic

- Sun, Y; Sun, Y; Chen, H; Hao, Z; Wang, J; Guan, Y; Zhang, Y; Feng, W; Zheng, X. (2014). Isolation of two new prenylated flavonoids from *Sinopodophyllum emodi* fruit by silica gel column and high-speed counter-current chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 969: 190-198. <http://dx.doi.org/10.1016/j.jchromb.2014.08.017>.
- Sun, Y; Yang, Y; Wang, C; Liu, J; Shi, W; Zhu, X; Lu, L; Li, Q. (2013). Cell debris self-immobilized thermophilic lipase: a biocatalyst for synthesizing aliphatic polyesters. *Appl Biochem Biotechnol* 170: 399-405. <http://dx.doi.org/10.1007/s12010-013-0152-z>.
- Sun, YB; Wen, YG; Yan, Y; Li, GF. (2011). Determination of Rhodamine 123 in rat plasma utilizing liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 879: 3943-3948. <http://dx.doi.org/10.1016/j.jchromb.2011.11.008>.
- Sun, Z; Cheng, Z; Wang, L; Lou, Z; Zhu, N; Zhou, X; Feng, L. (2017). The typical MSW odorants identification and the spatial odorants distribution in a large-scale transfer station. *Environ Sci Pollut Res Int*. <http://dx.doi.org/10.1007/s11356-017-8455-1>.
- Sun, Z; Schüssler, W; Sengl, M; Niessner, R; Knopp, D. (2008). Selective trace analysis of diclofenac in surface and wastewater samples using solid-phase extraction with a new molecularly imprinted polymer. *Anal Chim Acta* 620: 73-81. <http://dx.doi.org/10.1016/j.aca.2008.05.020>.
- Sundar, BS; Suneetha, A. (2010). Development and Validation of HPTLC Method for the Estimation of Rizatriptan Benzoate in Bulk and Tablets. *Indian J Pharmaceut Sci* 72: 798-U172. <http://dx.doi.org/10.4103/0250-474X.84601>.
- Sundaravel, K; Dhanalakshmi, T; Suresh, E; Palaniandavar, M. (2008). Synthesis, structure, spectra and reactivity of iron(III) complexes of facially coordinating and sterically hindering 3N ligands as models for catechol dioxygenases. *Dalton Trans* 7012-7025. <http://dx.doi.org/10.1039/b809142k>.
- Sundaravel, K; Suresh, E; Saminathan, K; Palaniandavar, M. (2011). Iron(III) complexes of N2O and N3O donor ligands as functional models for catechol dioxygenase enzymes: ether oxygen coordination tunes the regioselectivity and reactivity. *Dalton Transactions (Online)* 40: 8092-8107. <http://dx.doi.org/10.1039/c0dt01598a>.
- Sung, YY; Lee, AY; Kim, H, oK. (2016). *Forsythia suspensa* fruit extracts and the constituent matairesinol confer anti-allergic effects in an allergic dermatitis mouse model. *J Ethnopharmacol* 187: 49-56. <http://dx.doi.org/10.1016/j.jep.2016.04.015>.
- Suntar, I; Akkol, EK; Keles, H; Yesilada, E; Sarker, S; Baykal, T. (2014). *Daphne oleoides* Schreber ssp *oleoides* Exhibits Potent Wound Healing Effect: Isolation of the Active Components and Elucidation of the Activity Mechanism. *Records of Natural Products* 8: 93-109.
- Süntar, I; Küpeli Akkol, E; Keles, H; Yesilada, E; Sarker, SD; Baykal, T. (2012). Comparative evaluation of traditional prescriptions from *Cichorium intybus* L. for wound healing: stepwise isolation of an active component by in vivo bioassay and its mode of activity. *J Ethnopharmacol* 143: 299-309. <http://dx.doi.org/10.1016/j.jep.2012.06.036>.
- Suqi, L; Cáceres, LA; Caceres, L; Schieck, K; Mcgarvey, BD; Booker, CJ; Mcgarvey, BM; Yeung, KK; Pariente, S; Briens, C; Berruti, F; Scott, IM. (2014). Insecticidal activity of bio-oil from the pyrolysis of straw from *Brassica* spp. *J Agric Food Chem* 62: 3610-3618. <http://dx.doi.org/10.1021/jf500048t>.
- Suresh, M; Iyapparaj, P; Anantharaman, P. (2016). Antifouling Activity of Lipidic Metabolites Derived from *Padina tetrastrum*. *Appl Biochem Biotechnol* 179: 805-818. <http://dx.doi.org/10.1007/s12010-016-2032-9>.
- Sussman, JL; Tawfik, DS. (2014). Structural Biology and Protein Engineering Approach to the Development of Antidotes against the Inhibition of Human Acetylcholinesterase by OP-based Nerve Agents. 24.
- Sussman, JL; Tawfik, DS. (2015). ural Biology and Protein Engineering Approach to the Development of Antidotes Against the Inhibition of Human Acetylcholinesterase by OP-based Nerve Agents.
- Sutthivaiyakit, S; Thongnak, O; Lhinhatrakool, T; Yodchun, O; Srimark, R; Dowtaisong, P; Chuankamnerdkarn, M. (2009). Cytotoxic and antimycobacterial prenylated flavonoids from the roots of *Eriosema chinense*. *J Nat Prod* 72: 1092-1096. <http://dx.doi.org/10.1021/np900021h>.
- Suwannahong, K; Liengcharernsit, W; Sanongraj, W; Kruenate, J. (2012). Application of Nano-TiO<sub>2</sub>/LDPE composite film on photocatalytic oxidation degradation of dichloromethane. *J Environ Biol* 33: 955-959.
- Suzuki, K; Satake, M; Suwada, J; Oshikiri, S; Ashino, H; Dozono, H; Hino, A; Kasahara, H; Minamizawa, T. (2011). Synthesis and evaluation of a novel 68Ga-chelate-conjugated bisphosphonate as a bone-seeking agent for PET imaging. *Nucl Med Biol* 38: 1011-1018. <http://dx.doi.org/10.1016/j.nuclmedbio.2011.02.015>.
- Suzuki, Y; Saito, Y; Goto, M; Newman, DJ; O'Keefe, BR; Lee, KH; Nakagawa-Goto, K. (2017). (-)-Neocaryachine, an Antiproliferative Pamine Alkaloid from *Cryptocarya laevigata*, Induces DNA Double-Strand Breaks. *J Nat Prod* 80: 220-224. <http://dx.doi.org/10.1021/acs.jnatprod.6b01153>.
- Swami, G; Pooja, D; Kulhari, H; Kymonil, KM; Saraf, SA. (2012). Surface modification of poly (l-lactic acid) microspheres for site-specific delivery of ketoprofen for chronic inflammatory disease. *J Drug Target*. <http://dx.doi.org/10.3109/1061186X.2012.741137>.
- Swamy, N; Basavaiah, K. (2014). Simple and rapid spectrophotometric assay of albendazole in pharmaceuticals using iodine and picric acid as CT complexing agents. *B J P S Brazilian Journal of Pharmaceutical Sciences* 50: 839-850. <http://dx.doi.org/10.1590/S1984-82502014000400019>.
- Swarts, JC; Nafady, A; Roudebush, JH; Trupia, S; Geiger, WE. (2009). One-electron oxidation of ruthenocene: reactions of the ruthenocenium ion in gentle electrolyte media. *Inorg Chem* 48: 2156-2165. <http://dx.doi.org/10.1021/ic802105b>.
- Sweiss, KI; Beri, R; Shord, SS. (2008). Encephalopathy after high-dose Ifosfamide: a retrospective cohort study and review of the literature [Review]. *Drug Saf* 31: 989-996.
- Swider, P; Nowak-Król, A; Voloshchuk, R; Lewtak, JP; Gryko, DT; Danikiewicz, W. (2010). Mass spectrometry studies on meso-substituted corroles and their photochemical decomposition products. *J Mass Spectrom* 45: 1443-1451. <http://dx.doi.org/10.1002/jms.1860>.

## Human Health Hazard Literature Search Results

### Off Topic

- Syad, AN; Kasi, PD. (2014). Assessment of mutagenic effect of *G. acerosa* and *S. wightii* in *S. typhimurium* (TA 98, TA 100, and TA 1538 strains) and evaluation of their cytotoxic and genotoxic effect in human mononuclear cells: a non-clinical study. *BioMed Res Int* 2014: 313942. <http://dx.doi.org/10.1155/2014/313942>.
- Syad, AN; Shunmugiah, KP; Kasi, PD. (2013). Antioxidant and anti-cholinesterase activity of *Sargassum wightii*. *Pharmaceutical Biology* 51: 1401-1410. <http://dx.doi.org/10.3109/13880209.2013.793721>.
- Syamala, US; Kumar, RS; Pushkarajan, TA; Gowthamarajan, K. (2014). Assessment of formulation factors on the release behaviour of BCS Class II drug from tablet dosage form using DoE. *Curr Drug Deliv* 11: 511-520.
- Szacoń, E; Rządowska, M; Kaczor, AA; Kędzierska, E; Fidecka, S; Matosiuk, D. (2015). Synthesis, central nervous system activity and structure-activity relationships of novel 1-(1-Alkyl-4-aryl-4,5-dihydro-1H-imidazo)-3-substituted urea derivatives. *Molecules* 20: 3821-3840. <http://dx.doi.org/10.3390/molecules20033821>.
- Szacoń, E; Rządowska, M; Kaczor, AA; Kędzierska, E; Orzelska-Górka, J; Fidecka, S; Matosiuk, D. (2016). Synthesis and Pharmacological Evaluation of Novel 1-(1,4-Alkylaryl-disubstituted-4,5-dihydro-1H-imidazo)-3-substituted Urea Derivatives. *Molecules* 21. <http://dx.doi.org/10.3390/molecules21050582>.
- Szyc, Ł; Guo, J; Yang, M; Dreyer, J; Tolstoy, PM; Nibbering, ET; Czarnik-Matusewicz, B; Elsaesser, T; Limbach, HH. (2010). The hydrogen-bonded 2-pyridone dimer model system. 1. Combined NMR and FT-IR spectroscopy study. *J Phys Chem A* 114: 7749-7760. <http://dx.doi.org/10.1021/jp103630w>.
- Szymanowski, B; Duchnowska, R; Bilski, M; Łapińska, G; Hryciuk, B; Kamiński, G; Szczylik, C. (2016). Problems of diagnostic assessment in advanced pancreatic neuroendocrine neoplasm and treatment implications: a case report and literature review. 19: 54-57. <http://dx.doi.org/10.5603/NMR.2016.0011>.
- Tacal, O; Li, B; Lockridge, O; Schopfer, LM. (2013). Resistance of human butyrylcholinesterase to methylene blue-catalyzed photoinactivation; mass spectrometry analysis of oxidation products. *Photochem Photobiol* 89: 336-348. <http://dx.doi.org/10.1111/php.12016>.
- Tackenberg, MW; Geithövel, C; Marmann, A; Schuchmann, HP; Kleinebudde, P; Thommes, M. (2015). Mechanistic study of carvacrol processing and stabilization as glassy solid solution and microcapsule. *Int J Pharm* 478: 597-605. <http://dx.doi.org/10.1016/j.ijpharm.2014.12.012>.
- Tadesse, B; Terefe, G; Kebede, N; Shibeshi, W. (2015). In Vivo anti-trypanosomal activity of dichloromethane and methanol crude leaf extracts of *Dovyalis abyssinica* (Salicaceae) against *Trypanosoma congolense*. *BMC Complement Altern Med* 15: 278. <http://dx.doi.org/10.1186/s12906-015-0809-y>.
- Taechakulwanijya, N; Weerapreeyakul, N; Barusrux, S; Siriamornpun, S. (2016). Apoptosis-inducing effects of jujube (*Zǎo*) seed extracts on human Jurkat leukemia T cells. *Chinese Medicine* 11: 15. <http://dx.doi.org/10.1186/s13020-016-0085-x>.
- Taghizadeh Rabe, SZ; Mahmoudi, M; Ahi, A; Emami, SA. (2011). Antiproliferative effects of extracts from Iranian *Artemisia* species on cancer cell lines. *Pharmaceutical Biology* 49: 962-969. <http://dx.doi.org/10.3109/13880209.2011.559251>.
- Tagne, RS; Telefo, BP; Nyemb, JN; Yemele, DM; Njina, SN; Goka, SM; Lienou, LL; Nwabo Kamdje, AH; Moundipa, PF; Farooq, AD. (2014). Anticancer and antioxidant activities of methanol extracts and fractions of some Cameroonian medicinal plants. *Asian Pacific Journal of Tropical Medicine* 7S1: S442-S447. [http://dx.doi.org/10.1016/S1995-7645\(14\)60272-8](http://dx.doi.org/10.1016/S1995-7645(14)60272-8).
- Tahara, K; Akita, T; Katao, S; Kikuchi, J. (2014). Construction of di- and tetra-ferrocenyl spiroborate complexes from catechol building blocks and their redox behaviors. *Dalton Transactions (Online)* 43: 1368-1379. <http://dx.doi.org/10.1039/c3dt52503a>.
- Taher, A; Elalfy, M; El-Beshlawy, A; Zhou, D; Chan, L; Li, C; Lin, K; Porter, J; Sutcharitcharan, P; Habr, D; Domokos, G; Roubert, B; Cappellini, M. (2009). Deferasirox (Exjade)  $\geq$  30 Mg/Kg/Day Is Effective in Reducing Iron Burden in Thalassemia Major Patients Previously Chelated with Monotherapy or Combination Therapy. *Blood* 114: 4058.
- Takacs, Z; Brotin, T; Dutasta, JP; Lang, J; Todde, G; Kowalewski, J. (2012). Inclusion of chloromethane guests affects conformation and internal dynamics of cryptophane-D host. *J Phys Chem B* 116: 7898-7913. <http://dx.doi.org/10.1021/jp303469x>.
- Takahashi, A; Kurahashi, T; Fujii, H. (2011). Redox potentials of oxoiron(IV) porphyrin  $\pi$ -cation radical complexes: participation of electron transfer process in oxygenation reactions. *Inorg Chem* 50: 6922-6928. <http://dx.doi.org/10.1021/ic102564e>.
- Takahashi, HT; Novello, CR; Ueda-Nakamura, T; Filho, BP; Palazzo de Mello, JC; Nakamura, CV. (2011). Thiophene derivatives with antileishmanial activity isolated from aerial parts of *Porophyllum ruderale* (Jacq.) Cass. *Molecules* 16: 3469-3478. <http://dx.doi.org/10.3390/molecules16053469>.
- Takahashi, M; Shibamoto, T. (2008). Chemical compositions and antioxidant/anti-inflammatory activities of steam distillate from freeze-dried onion (*Allium cepa* L.) sprout. *J Agric Food Chem* 56: 10462-10467. <http://dx.doi.org/10.1021/jf801220b>.
- Takano, E, ri; Tanaka, F; Ooya, T; Takeuchi, T. (2012). Molecularly Imprinted Microspheres for Bisphenol A Prepared Using a Microfluidic Device. *Anal Sci* 28: 457-461.
- Takayama, Y; Uta, D; Furue, H; Tominaga, M. (2015). Pain-enhancing mechanism through interaction between TRPV1 and anoctamin 1 in sensory neurons. *Proc Natl Acad Sci USA* 112: 5213-5218. <http://dx.doi.org/10.1073/pnas.1421507112>.
- Takei, T; Kishihara, N; Ijima, H; Kawakami, K. (2012). Fabrication of capillary-like network in a matrix of water-soluble polymer using poly(methyl methacrylate) microfibers. *Artificial Cells, Blood Substitutes, and Biotechnology* 40: 66-69. <http://dx.doi.org/10.3109/10731199.2011.592492>.
- Takei, T; Yoshida, M; Hatate, Y; Shiomori, K; Kiyoyama, S. (2008). Lactic acid bacteria-enclosing poly(epsilon-caprolactone) microcapsules as soil bioamendment. *J Biosci Bioeng* 106: 268-272. <http://dx.doi.org/10.1263/jbb.106.268>.
- Takizawa, SY; Ikuta, N; Zeng, F; Komaru, S; Sebata, S; Murata, S. (2016). Impact of Substituents on Excited-State and Photosensitizing Properties in Cationic Iridium(III) Complexes with Ligands of Coumarin 6. *Inorg Chem* 55: 8723-8735. <http://dx.doi.org/10.1021/acs.inorgchem.6b01279>.

## Human Health Hazard Literature Search Results

### Off Topic

- Talini, D; Novelli, F; Bacci, E; de Santis, M; Paggiaro, PL. (2010). Sequential sensitization to different occupational compounds in a young woman. *Med Lav* 101: 49-54.
- Taluja, A; Bae, YH. (2008). Role of a novel multifunctional excipient poly(ethylene glycol)-block-oligo(vinyl sulfadimethoxine) in controlled release of lysozyme from PLGA microspheres. *Int J Pharm* 358: 50-59. <http://dx.doi.org/10.1016/j.ijpharm.2008.02.010>.
- Talukder, MA; Elnakish, MT; Yang, F; Nishijima, Y; Alhaj, MA; Velayutham, M; Hassanain, HH; Zweier, JL. (2013). Cardiomyocyte-specific overexpression of an active form of Rac predisposes the heart to increased myocardial stunning and ischemia-reperfusion injury. *Am J Physiol Heart Circ Physiol* 304: H294-H302. <http://dx.doi.org/10.1152/ajpheart.00367.2012>.
- Tamasi, G; Curci, M; Berrettini, F; Justice, N; Sega, A; Chiasserini, L; Cini, R. (2008). [RuII(NO+)]<sub>3</sub>-core complexes with 4-methyl-pyrimidine and ethyl-isonicotinate: synthesis, X-ray structure, spectroscopy, and computational and NO-release studies upon UVA irradiation. *J Inorg Biochem* 102: 1874-1884. <http://dx.doi.org/10.1016/j.jinorgbio.2008.06.011>.
- Tambe, SR; Shinde, RH; Gupta, LR; Pareek, V; Bhalarao, SB. (2010). DEVELOPMENT OF LLE AND SPE PROCEDURES AND ITS APPLICATIONS FOR DETERMINATION OF OLMESARTAN IN HUMAN PLASMA USING RP-HPLC AND HPTLC. *Journal of Liquid Chromatography and Related Technologies* 33: 423-430. <http://dx.doi.org/10.1080/10826070903571358>.
- Tamiaki, H; Isoda, Y; Tanaka, T; Machida, S. (2014). Synthesis of chlorophyll-amino acid conjugates as models for modification of proteins with chromo/fluorophores. *Bioorg Med Chem* 22: 1421-1428. <http://dx.doi.org/10.1016/j.bmc.2013.12.059>.
- Tamiaki, H; Kotegawa, Y; Mizutani, K. (2008). Rotational deviation of 3-acetyl group from cyclic tetrapyrrole pi-plane in synthetic bacteriochlorophyll-a analogs by 20-substitution. *18: 6037-6040*. <http://dx.doi.org/10.1016/j.bmcl.2008.10.031>.
- Tamiaki, H; Kuno, M; Ohata, M. (2014). Self-aggregation of synthetic zinc chlorophyll derivatives possessing 3(1)-hydroxy or methoxy group and 13(1)-mono- or dicyanomethylene moiety in nonpolar organic solvents as models of chlorosomal bacteriochlorophyll-d aggregates. *Photochem Photobiol* 90: 1277-1286. <http://dx.doi.org/10.1111/php.12327>.
- Tamiaki, H; Nagai, T; Tanaka, T; Tatebe, T. (2015). Synthesis and optical properties of chlorin monomer, dimer and trimer on an amino nitrogen atom. *Bioorg Med Chem* 23: 5972-5978. <http://dx.doi.org/10.1016/j.bmc.2015.06.052>.
- Tamiaki, H; Takebe, H; Sasaki, S; Kataoka, Y. (2012). Synthesis of oligomethylene-strapped chlorophyll derivatives and optical properties of their stereoisomers in a solution. *Photosynth Res* 111: 1-8. <http://dx.doi.org/10.1007/s11120-010-9616-y>.
- Tamokou, J; Kuate, J. R.; Gatsing, D; Efouet, AP; Njouendou, AJ. (2011). Antidermatophytic and Toxicological Evaluations of Dichloromethane-Methanol Extract, Fractions and Compounds Isolated from *Coula edulis*. *Iranian Journal of Medical Sciences* 36: 111-121.
- Tan, CS; Sing Ch'ng, Y; Loh, YC; Zaini Asmawi, M; Ahmad, M; Yam, MF. (2017). Vasorelaxation effect of *Glycyrrhizae uralensis* through the endothelium-dependent Pathway. *J Ethnopharmacol*. <http://dx.doi.org/10.1016/j.jep.2017.02.001>.
- Tan, J; Qi, H; Ni, J. (2015). Extracts of endophytic fungus xkc-s03 from *Prunella vulgaris* L. spica inhibit gastric cancer in vitro and in vivo. *9: 945-949*. <http://dx.doi.org/10.3892/ol.2014.2722>.
- Tan, NJ; Daim, LD; Jamil, AA; Mohtarrudin, N; Thilakavathy, K. (2016). An effective placental cotyledons proteins extraction method for 2D gel electrophoresis. *Electrophoresis*. <http://dx.doi.org/10.1002/elps.201600377>.
- Tan, S; Sun, X; Williams, CT. (2011). In situ ATR-IR study of prochiral 2-methyl-2-pentenoic acid adsorption on Al<sub>2</sub>O<sub>3</sub> and Pd/Al<sub>2</sub>O<sub>3</sub>. *Phys Chem Chem Phys* 13: 19573-19579. <http://dx.doi.org/10.1039/c1cp21660k>.
- Tan, X; Yang, D; Yang, G; Chen, J; Dong, W; Shi, J; Jia, A. (2015). The investigation of inhibiting quorum sensing and methicillin-resistant *Staphylococcus aureus* biofilm formation from *Liriodendron* hybrid. *Pak J Pharm Sci* 28: 903-908.
- Tan, YS; Chen, S; Hong, WM; Kan, JM; Kwek, ES; Lim, SY; Lim, ZH; Tessensohn, ME; Zhang, Y; Webster, RD. (2011). The role of low levels of water in the electrochemical oxidation of  $\alpha$ -tocopherol (vitamin E) and other phenols in acetonitrile. *Phys Chem Chem Phys* 13: 12745-12754. <http://dx.doi.org/10.1039/c1cp20579j>.
- Tan, YS; Urbančok, D; Webster, RD. (2014). Contrasting voltammetric behavior of different forms of vitamin A in aprotic organic solvents. *J Phys Chem B* 118: 8591-8600. <http://dx.doi.org/10.1021/jp505456q>.
- Tan, YS; Webster, RD. (2011). Electron-transfer reactions between the diamagnetic cation of  $\alpha$ -tocopherol (vitamin E) and  $\beta$ -carotene. *J Phys Chem B* 115: 4244-4250. <http://dx.doi.org/10.1021/jp2000333>.
- Tanaka, H; Ando, H; Ishihara, H; Koketsu, M. (2008). Sialylation reactions with 5-N,7-O-carbonyl-protected sialyl donors: unusual stereoselectivity with nitrile solvent assistance. *Carbohydr Res* 343: 1585-1593. <http://dx.doi.org/10.1016/j.carres.2008.05.005>.
- Tanaka, N; Ogawa, I; Yoshigase, S; Nokami, J. (2008). Regioselective ring opening of benzylidene acetal protecting group(s) of hexopyranoside derivatives by DIBAL-H. *Carbohydr Res* 343: 2675-2679. <http://dx.doi.org/10.1016/j.carres.2008.07.017>.
- Tanaka, S; Mashima, K. (2011). Interaction of ferrocene moieties across a square Pt<sub>4</sub> unit: synthesis, characterization, and electrochemical properties of carboxylate-bridged bimetallic Pt<sub>4</sub>Fe(n) (n = 2, 3, and 4) complexes. *Inorg Chem* 50: 11384-11393. <http://dx.doi.org/10.1021/ic201012m>.
- Tanaka, T; Ishitobi, M; Aoyama, T; Matsumoto, S. (2016). Highly Oriented J-Aggregates of Nitroazo Dye and Its Surface-Induced Chromism. *Langmuir* 32: 4710-4718. <http://dx.doi.org/10.1021/acs.langmuir.6b00289>.
- Tang, C; Tan, J; Wang, C; Peng, X. (2014). Determination of perfluorooctanoic acid and perfluorooctane sulfonate in cooking oil and pig adipose tissue using reversed-phase liquid-liquid extraction followed by high performance liquid chromatography tandem mass spectrometry. *J Chromatogr A* 1341: 50-56. <http://dx.doi.org/10.1016/j.chroma.2014.03.032>.
- Tang, EL; Rajarajeswaran, J; Fung, S; Kanthimathi, MS. (2015). *Petroselinum crispum* has antioxidant properties, protects against DNA damage and inhibits proliferation and migration of cancer cells. *J Sci Food Agric* 95: 2763-2771. <http://dx.doi.org/10.1002/jsfa.7078>.
- Tang, EL; Rajarajeswaran, J; Fung, SY; Kanthimathi, MS. (2013). Antioxidant activity of *Coriandrum sativum* and protection against DNA damage and cancer cell migration. *BMC Complement Altern Med* 13: 347. <http://dx.doi.org/10.1186/1472-6882-13-347>.

## Human Health Hazard Literature Search Results

### Off Topic

- Tang, H; Mayersohn, M. (2005). A novel model for prediction of human drug clearance by allometric scaling. *Drug Metab Dispos* 33: 1297-1303. <http://dx.doi.org/10.1124/dmd.105.004143>.
- Tao, DL; Li, HZ; Cui, YM; Jia, YL; Liu, SX; Xu, YZ; Wang, YZ; Chen, JT; Shi, RJ; Zhang, WB; Qiao, XL; Sun, WZ; Zhang, H. (2012). [Study on preparations and fluorescent properties of rare earth complex with property of fluorescence sensor]. *Guang Pu Xue Yu Guang Pu Fen Xi* 32: 2473-2476.
- Tapas, A; Kawtikwar, P; Sakarkar, D. (2012). An improvement in physicochemical properties of carvedilol through spherically agglomerated solid dispersions with PVP K30. *Acta Pol Pharm* 69: 299-308.
- Tarbell, SE; Shaltout, HA; Wagoner, AL; Diz, DI; Fortunato, JE. (2014). Relationship among nausea, anxiety, and orthostatic symptoms in pediatric patients with chronic unexplained nausea. *Exp Brain Res* 232: 2645-2650. <http://dx.doi.org/10.1007/s00221-014-3981-2>.
- Tardivo, JP; Adami, F; Correa, JA; Pinhal, MA; Baptista, MS. (2014). A clinical trial testing the efficacy of PDT in preventing amputation in diabetic patients. *Photodiagnosis and Photodynamic Therapy* 11: 342-350. <http://dx.doi.org/10.1016/j.pdpdt.2014.04.007>.
- Tardivo, JP; Wainwright, M; Baptista, M. (2015). Small scale trial of photodynamic treatment of onychomycosis in São Paulo. *J Photochem Photobiol B* 150: 66-68. <http://dx.doi.org/10.1016/j.jphotobiol.2015.03.015>.
- Tarselli, MA; Zuccarello, JL; Lee, SJ; Gagné, MR. (2009). Gold(I)-catalyzed cascade cyclization of allenyl epoxides. *Org Lett* 11: 3490-3492. <http://dx.doi.org/10.1021/ol901391s>.
- Tasdemir, D; Tierney, M; Sen, R; Bergonzi, MC; Demirci, B; Bilia, AR; Baser, KH; Brun, R; Chatterjee, M. (2015). Antiprotozoal Effect of Artemisia indica Extracts and Essential Oil. *Planta Med* 81: 1029-1037. <http://dx.doi.org/10.1055/s-0035-1546125>.
- Taupitz, T; Dressman, JB; Klein, S. (2013). New formulation approaches to improve solubility and drug release from fixed dose combinations: case examples pioglitazone/glimepiride and ezetimibe/simvastatin. 84: 208-218. <http://dx.doi.org/10.1016/j.ejpb.2012.11.027>.
- Tavakkoli, M; Miri, R; Jassbi, AR; Erfani, N; Asadollahi, M; Ghasemi, M; Saso, L; Firuzi, O. (2014). Carthamus, Salvia and Stachys species protect neuronal cells against oxidative stress-induced apoptosis. *Pharmaceutical Biology* 52: 1550-1557. <http://dx.doi.org/10.3109/13880209.2014.908394>.
- Tavares, L; Zanon, G; Weber, AD; Neto, AT; Mostardeiro, CP; Da Cruz, IB; Oliveira, RM; Ilha, V; Dalcol, II; Morel, AF. (2014). Structure-activity relationship of benzophenanthridine alkaloids from *Zanthoxylum rhoifolium* having antimicrobial activity. *PLoS ONE* 9: e97000. <http://dx.doi.org/10.1371/journal.pone.0097000>.
- Tayarani-Najaran, Z; Akaberi, M; Vatani, M; Emami, SA. (2016). Evaluation of antioxidant and anti-melanogenic activities of different extracts from aerial parts of *Nepeta binaludensis* Jamzad in murine melanoma B16F10 cells. *Iranian Journal of Basic Medical Sciences* 19: 662-669.
- Tayarani-Najaran, Z; Asili, J; Aioubi, E; Emami, SA. (2013). Growth Inhibition and Apoptosis Induction of *Salvia chloroleuca* on MCF-7 Breast Cancer Cell Line. *Iranian Journal of Pharmaceutical Research* 12: 789-799.
- Tayarani-Najaran, Z; Emami, SA; Asili, J; Mirzaei, A; Mousavi, SH. (In Press) Analyzing Cytotoxic and Apoptogenic Properties of *Scutellaria litwinowii* Root Extract on Cancer Cell Lines. <http://dx.doi.org/10.1093/ecam/nep214>.
- Tayarani-Najaran, Z; Hajian, Z; Mojarrab, M; Emami, SA. (2014). Cytotoxic and apoptotic effects of extracts of *Artemisia ciniformis* Krasch. and *Popov ex Poljakov* on K562 and HL-60 cell lines. *Asian Pac J Cancer Prev* 15: 7055-7059.
- Tayarani-Najaran, Z; Mousavi, SH; Asili, J; Emami, SA. (2010). Growth-inhibitory effect of *Scutellaria lindbergii* in human cancer cell lines. *Food Chem Toxicol* 48: 599-604. <http://dx.doi.org/10.1016/j.fct.2009.11.038>.
- Tayarani-Najaran, Z; Sareban, M; Gholami, A; Emami, SA; Mojarrab, M. (2013). Cytotoxic and apoptotic effects of different extracts of *Artemisia turanica* Krasch. on K562 and HL-60 cell lines. *ScientificWorldJournal* 2013: 628073. <http://dx.doi.org/10.1155/2013/628073>.
- Taylor, A; Oyedeji, OO; Aremu, O; Oyemitan, I; Gwebu, ET; Oyedeji, AO; Nkeh-Chungag, BN. (2016). Assessment of the analgesic, anti-inflammatory and sedative effects of the dichloromethanol extract of *Schinus molle*. *Eur Rev Med Pharmacol Sci* 20: 372-380.
- Tchoum Tchoua, J; Njamen, D; Mbanya, JC; Skaltsounis, AL; Halabalaki, M. (2013). Structure-oriented UHPLC-LTQ Orbitrap-based approach as a dereplication strategy for the identification of isoflavonoids from *Amphimas pterocarpoides* crude extract. *J Mass Spectrom* 48: 561-575. <http://dx.doi.org/10.1002/jms.3167>.
- Tchoupang, EN; Ateba, SB; Zingue, S; Zehl, M; Krenn, L; Njamen, D. (2016). Estrogenic properties of spices of the traditional Cameroonian dish "Nkui" in ovariectomized Wistar rats. *Journal of Complementary & Integrative Medicine* 13: 151-162. <http://dx.doi.org/10.1515/jcim-2015-0096>.
- Tee, BH; Hoe, SZ; Cheah, SH; Lam, SK. (2016). First Report of *Eurycoma longifolia* Jack Root Extract Causing Relaxation of Aortic Rings in Rats. *BioMed Res Int* 2016: 1361508. <http://dx.doi.org/10.1155/2016/1361508>.
- Tee, BH; Hoe, SZ; Cheah, SH; Lam, SK. (2017). Effects of Root Extracts of *Eurycoma longifolia* Jack on Corpus Cavernosum of Rat. <http://dx.doi.org/10.1159/000464363>.
- Teerasripreecha, D; Phuwapraisirisan, P; Puthong, S; Kimura, K; Okuyama, M; Mori, H; Kimura, A; Chanchao, C. (2012). In vitro antiproliferative/cytotoxic activity on cancer cell lines of a cardanol and a cardol enriched from Thai *Apis mellifera* propolis. *BMC Complement Altern Med* 12: 27. <http://dx.doi.org/10.1186/1472-6882-12-27>.
- Tegos, GP; Masago, K; Aziz, F; Higginbotham, A; Stermitz, FR; Hamblin, MR. (2008). Inhibitors of bacterial multidrug efflux pumps potentiate antimicrobial photoinactivation. *Antimicrob Agents Chemother* 52: 3202-3209. <http://dx.doi.org/10.1128/AAC.00006-08>.
- Teich, V; Piha, T; Fahham, L; Squiassi, HB; Paloni, E; Miranda, P; Araújo, DV. (2015). Acute Coronary Syndrome Treatment Costs from the Perspective of the Supplementary Health System. *Arq Bras Cardiol* 105: 339-344. <http://dx.doi.org/10.5935/abc.20150129>.
- Tejel, C; Ciriano, MA; Passarelli, V; López, JA; de Bruin, B. (2008). Intervalent bis( $\mu$ -aziridinato)M(II)-M(I) complexes (M=Rh,Ir): delocalized metallo-radicals or delocalized aminyl radicals? *Chemistry* 14: 10985-10998. <http://dx.doi.org/10.1002/chem.200801615>.



## Human Health Hazard Literature Search Results

### Off Topic

- Tekgul, ZT; Pektas, S; Yildirim, U; Karaman, Y; Cakmak, M; Ozkarakas, H; Gonullu, M. (2015). A prospective randomized double-blind study on the effects of the temperature of irrigation solutions on thermoregulation and postoperative complications in percutaneous nephrolithotomy. *J Anesth* 29: 165-169. <http://dx.doi.org/10.1007/s00540-014-1888-5>.
- Télléz, N; Télléz, M; Perdomo, M; Alvarado, A; Gamboa, F. (2010). Anticariogenic activity of the active fraction from *Isertia laevis* against *S. mutans* and *S. sobrinus*: comparison of two extraction methods. *Acta Odontol Latinoam* 23: 188-195.
- Temel, F; Tabakci, M. (2016). Calix[4]arene coated QCM sensors for detection of VOC emissions: Methylene chloride sensing studies. *Talanta* 153: 221-227. <http://dx.doi.org/10.1016/j.talanta.2016.03.026>.
- Teo, P; Liu, D. (2013). Determination of biotin in Antarctic krill (*Euphausia superba*) by high-performance TLC with different post-chromatographic derivatizations. *J Sep Sci* 36: 2703-2708. <http://dx.doi.org/10.1002/jssc.201300121>.
- Tep-Areena, P; Sawasdee, P. (2011). The Vasorelaxant Effects of *Anaxagorea luzonensis* A. Grey in the Rat Aorta. *International Journal of Pharmacology* 7: 119-124. <http://dx.doi.org/10.3923/ijp.2011.119.124>.
- Terada, Y; Ogura, J; Tsujimoto, T; Kuwayama, K; Koizumi, T; Sasaki, S; Maruyama, H; Kobayashi, M; Yamaguchi, H; Iseki, K, en. (2014). Intestinal P-glycoprotein Expression is Multimodally Regulated by Intestinal Ischemia-Reperfusion. *J Pharm Pharm Sci* 17: 266-276.
- Terry, CA; Fernández, MJ; Gude, L; Lorente, A; Grant, KB. (2011). Physiologically relevant concentrations of NaCl and KCl increase DNA photocleavage by an N-substituted 9-aminomethylantracene dye. *Biochemistry* 50: 10375-10389. <http://dx.doi.org/10.1021/bi200972c>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Tetty, CO; Lincha, VR; Lee, DU, ng; Yang, I, nJun; Shin, HM. (2016). Anti-Inflammatory Effects of the Flowers of *Prunus persica* var.  *davidiana*. *Journal of Food Biochemistry* 40: 227-234. <http://dx.doi.org/10.1111/jfbc.12206>.
- Tetty, CO; Yang, I; Ocloo, A; Shin, HM. (2015). VASORELAXANT AND ANTI-INFLAMMATORY ACTIVITIES OF THE METHYLENE CHLORIDE FRACTION OF FOENICULUM VULGARE FRUIT EXTRACT. *Journal of Food Biochemistry* 39: 55-63. <http://dx.doi.org/10.1111/jfbc.12105>.
- Tewtrakul, S; Cheenpracha, S; Karalai, C. (2009). Nitric oxide inhibitory principles from *Derris trifoliata* stems. *Phytomedicine* 16: 568-572. <http://dx.doi.org/10.1016/j.phymed.2008.12.015>.
- Tewtrakul, S; Tansakul, P; Daengrot, C; Ponglimanont, C; Karalai, C. (2010). Anti-inflammatory principles from *Heritiera littoralis* bark. *Phytomedicine* 17: 851-855. <http://dx.doi.org/10.1016/j.phymed.2010.02.011>.
- Thaete, LG; Khan, S; Neerhof, MG. (2016). Endothelin Receptor A Antagonism Prevents Damage to Glycogen-Rich Placental Cells Following Uterine Ischemia-Reperfusion in the Rat. *Reproductive Sciences* 23: 1518-1525. <http://dx.doi.org/10.1177/1933719116645190>.
- Thai, QD; Tchoumthoua, J; Makropoulou, M; Boulaka, A; Meligova, AK; Mitsiou, DJ; Mitakou, S; Michel, S; Halabalaki, M; Alexis, MN; Skaltsounis, LA. (2016). Phytochemical study and biological evaluation of chemical constituents of *Platanus orientalis* and *Platanus x acerifolia* buds. *Phytochemistry* 130: 170-181. <http://dx.doi.org/10.1016/j.phytochem.2016.04.006>.
- Thallmair, S; Roos, MK; de Vivie-Riedle, R. (2016). Molecular features in complex environment: Cooperative team players during excited state bond cleavage. 3: 043205. <http://dx.doi.org/10.1063/1.4941600>.
- Thani, W; Vallisuta, O; Siripong, P; Ruangwises, N. (2010). Anti-proliferative and antioxidative activities of Thai noni/Yor (*Morinda citrifolia* Linn.) leaf extract. *Southeast Asian J Trop Med Public Health* 41: 482-489.
- Thao, NP; Cuong, NX; Luyen, BT; Nam, NH; Cuong, PV; Thanh, NV; Nhiem, NX; Hanh, TT; Kim, EJ; Kang, HK; Kiem, PV; Minh, CV; Kim, YH. (2013). Steroidal constituents from the starfish *Astropecten polyacanthus* and their anticancer effects. *Chem Pharm Bull (Tokyo)* 61: 1044-1051.
- Thao, NP; Kim, JH; Thuy Luyen, BT; Dat, NT; Kim, YH. (2017). In silico investigation of cycloartane triterpene derivatives from *Cimicifuga dahurica* (Turcz.) Maxim. roots for the development of potent soluble epoxide hydrolase inhibitors. *Int J Biol Macromol* 98: 526-534. <http://dx.doi.org/10.1016/j.ijbiomac.2017.02.023>.
- Thao, NP; Luyen, BT; Kim, EJ; Kang, JI; Kang, HK; Cuong, NX; Nam, NH; Kiem, PV; Minh, CV; Kim, YH. (2015). Steroidal constituents from the edible sea urchin *Diadema savignyi* Michelin induce apoptosis in human cancer cells. *J Med Food* 18: 45-53. <http://dx.doi.org/10.1089/jmf.2013.3105>.
- Thao, NP; Luyen, BT; Koo, JE; Kim, S; Koh, YS; Cuong, NX; Nam, NH; Van Kiem, P; Kim, YH; Van Minh, C. (2015). Anti-inflammatory components of the Vietnamese starfish *Protoreaster nodosus*. *Biol Res* 48: 12. <http://dx.doi.org/10.1186/s40659-015-0002-2>.
- Thao, NP; Luyen, BT; Tai, BH; Yang, SY; Jo, SH; Cuong, NX; Nam, NH; Kwon, YI; Minh, CV; Kim, YH. (2014). Rat intestinal sucrase inhibition of constituents from the roots of *Rosa rugosa* Thunb. 24: 1192-1196. <http://dx.doi.org/10.1016/j.bmcl.2013.12.098>.
- Thao, NP; Luyen, BTT; Kim, JH; Jo, A, hR; Yang, S, eoY; Dat, NT; Minh, CV, an; Kim, YH, o. (2016). Soluble epoxide hydrolase inhibitory activity by rhizomes of *Kaempferia parviflora* Wall. ex Baker. *Medicinal Chemistry Research* 25: 704-711. <http://dx.doi.org/10.1007/s00044-016-1525-y>.
- Thembo, KM; Vismar, HF; Nyazema, NZ; Gelderblom, WC; Katerere, DR. (2010). Antifungal activity of four weedy plant extracts against selected mycotoxigenic fungi. *J Appl Microbiol* 109: 1479-1486. <http://dx.doi.org/10.1111/j.1365-2672.2010.04776.x>.
- Theurillat, R; Zimmerli, S; Thormann, W. (2010). Determination of voriconazole in human serum and plasma by micellar electrokinetic chromatography. *J Pharm Biomed Anal* 53: 1313-1318. <http://dx.doi.org/10.1016/j.jpba.2010.05.015>.
- Thibeault, D; Su, H; Macnamara, E; Schipper, HM. (2009). Isocratic rapid liquid chromatographic method for simultaneous determination of carotenoids, retinol, and tocopherols in human serum. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 1077-1083. <http://dx.doi.org/10.1016/j.jchromb.2009.02.051>.

## Human Health Hazard Literature Search Results

### Off Topic

- Thier, R; Delbanco, EH; Wiebel, FA; Hallier, E; Bolt, HM. (1998). Determination of glutathione transferase (GSTT1-1) activities in different tissues based on formation of radioactive metabolites using 35S-glutathione. *Arch Toxicol* 72: 811-815. <http://dx.doi.org/10.1007/s002040050578>.
- Thitikornpong, W; Phadungcharoen, T; Sukrong, S. (2011). Pharmacognostic evaluations of Lagerstroemia speciosa leaves. *Journal of Medicinal Plant Research* 5: 1330-1337.
- Thofner, ICN; Liebhart, D; Hess, M; Schou, TW; Hess, C; Ivarsen, E; Frette, XC; Christensen, LP; Grevsen, K; Engberg, RM; Christensen, JP. (2012). Antihistomonal effects of artemisinin and Artemisia annua extracts in vitro could not be confirmed by in vivo experiments in turkeys and chickens. *Avian Pathol* 41: 487-496. <http://dx.doi.org/10.1080/03079457.2012.714459>.
- Thomas, S; Sutton, A; Garg, U. (2010). Quantitation of indomethacin in serum and plasma using gas chromatography-mass spectrometry (GC-MS). *Methods Mol Biol* 603: 297-305. [http://dx.doi.org/10.1007/978-1-60761-459-3\\_28](http://dx.doi.org/10.1007/978-1-60761-459-3_28).
- Thomas, T; Petrie, K; Shim, J; Abildskov, KM; Westhoff, CL; Cremers, S. (2013). A UPLC-MS/MS method for therapeutic drug monitoring of etonogestrel. *Ther Drug Monit* 35: 844-848. <http://dx.doi.org/10.1097/FTD.0b013e31829a10fa>.
- Thompson, CM; Sonawane, B; Barton, HA; Dewoskin, RS; Lipscomb, JC; Schlosser, P; Chiu, WA; Krishnan, K. (2008). Approaches for applications of physiologically based pharmacokinetic models in risk assessment [Review]. *J Toxicol Environ Health B Crit Rev* 11: 519-547. <http://dx.doi.org/10.1080/10937400701724337>.
- Thompson, LB; Schimpf, K; Baugh, S. (2013). Determination of vitamins A and E in infant formula and adult/pediatric nutritional formula by HPLC with UV and fluorescence detection: First Action 2012.09. *J AOAC Int* 96: 1407-1413. <http://dx.doi.org/10.5740/jaoacint.13-203>.
- Thompson, MN; Gallimore, WA; Townsend, MM; Chambers, NA; Williams, LA. (2010). Bioactivity of amphitoxin, the major constituent of the Jamaican sponge Amphimedon compressa. *J Nat Prod* 73: 1904-1910. <http://dx.doi.org/10.1002/cbdv.201000015>.
- Thongnest, S; Boonsombat, J; Prawat, H; Mahidol, C; Ruchirawat, S. (2017). Ailanthusins A-G and nor-lupane triterpenoids from Ailanthus triphysa. *Phytochemistry* 134: 98-105. <http://dx.doi.org/10.1016/j.phytochem.2016.11.007>.
- Thongrakard, V; Ruangrunsi, N; Ekkapongpisit, M; Isidoro, C; Tencomnao, T. (2014). Protection from UVB Toxicity in Human Keratinocytes by Thailand Native Herbs Extracts. *Photochem Photobiol* 90: 214-224. <http://dx.doi.org/10.1111/php.12153>.
- Thuesen, CA; Pedersen, KS; Schau-Magnussen, M; Evangelisti, M; Vibenholt, J; Piligkos, S; Weihe, H; Bendix, J. (2012). Fluoride-bridged [Ln2Cr2] polynuclear complexes from semi-labile mer-[CrF3(py)3] and [Ln(hfac)3(H2O)2]. *Dalton Transactions (Online)* 41: 11284-11292. <http://dx.doi.org/10.1039/c2dt31302b>.
- Thuijs, AE; King, P; Abboud, KA; Christou, G. (2015). New structural types of Mn16 single-molecule magnets: W-shaped topology from reductive aggregation. *Inorg Chem* 54: 9127-9137. <http://dx.doi.org/10.1021/acs.inorgchem.5b01553>.
- Thuy, L; Hung, I; Danh, PT; Na-Bangchang, K. (2008). Development and validation of a liquid chromatography-mass spectrometry method for the simultaneous quantification of artesunate and dihydroartemisinin in human plasma. *Southeast Asian J Trop Med Public Health* 39: 963-977.
- Tian, G; Tang, P; Xie, R; Cheng, L; Yuan, Q; Hu, J. (2016). The stability and degradation mechanism of sulforaphene in solvents. *Food Chem* 199: 301-306. <http://dx.doi.org/10.1016/j.foodchem.2015.12.018>.
- Tian, LW; Feng, Y; Tran, TD; Shimizu, Y; Pfeifer, T; Forster, PI; Quinn, RJ. (2015). Tyrosyl-DNA Phosphodiesterase I Inhibitors from the Australian Plant Macropteranthes leichhardtii. *J Nat Prod* 78: 1756-1760. <http://dx.doi.org/10.1021/acs.jnatprod.5b00211>.
- Tian, M; Liu, BS; Hammonds, M; Wang, N; Sarre, PJ; Cheung, AS. (2013). Catalytic conversion of acetylene to polycyclic aromatic hydrocarbons over particles of pyroxene and alumina. *Philos Transact A Math Phys Eng Sci* 371: 20110590. <http://dx.doi.org/10.1098/rsta.2011.0590>.
- Tietze, LF; Kinzel, T; Schmatz, S. (2008). Determination of the origin of stereoselectivity in multiple-transition-state reactions using DFT calculations: enantioselective synthesis of homoallylic alcohols from aliphatic methyl ketones via an auxiliary-mediated allylation. *J Am Chem Soc* 130: 4386-4395. <http://dx.doi.org/10.1021/ja078032a>.
- Tikkanen, R; Auvinen-Lintunen, L; Ducci, F; Sjöberg, RL; Goldman, D; Tiihonen, J; Ojansuu, I; Virkkunen, M. (2011). Psychopathy, PCL-R, and MAOA genotype as predictors of violent reconvictions. *Psychiatry Res* 185: 382-386. <http://dx.doi.org/10.1016/j.psychres.2010.08.026>.
- Tillmann, J; Meyer, L; Schweizer, JI; Bolte, M; Lerner, HW; Wagner, M; Holthausen, MC. (2014). Chloride-induced aufbau of perchlorinated cyclohexasilanes from Si2Cl6: a mechanistic scenario. *Chemistry* 20: 9234-9239. <http://dx.doi.org/10.1002/chem.201402655>.
- Tilve, MJ; Gallo-Rodriguez, C. (2011). Glycosylation studies on conformationally restricted 3,5-O-(di-tert-butylsilylene)-D-galactofuranosyl trichloroacetimidate donors for 1,2-cis  $\alpha$ -D-galactofuranosylation. *Carbohydr Res* 346: 2838-2848. <http://dx.doi.org/10.1016/j.carres.2011.10.004>.
- Tilve, MJ; Gallo-Rodriguez, C. (2014). Conformationally restricted 3,5-O-(di-tert-butylsilylene)-D-galactofuranosyl thioglycoside donor for 1,2-cis  $\alpha$ -D-galactofuranosylation. *Carbohydr Res* 397: 7-17. <http://dx.doi.org/10.1016/j.carres.2014.07.024>.
- Ting, M; Yue-Si, W; Jie, J; Fang-Kun, W; Mingxing, W. (2008). The vertical distributions of VOCs in the atmosphere of Beijing in autumn. *Sci Total Environ* 390: 97-108. <http://dx.doi.org/10.1016/j.scitotenv.2007.08.035>.
- Tiong, SH; Looi, CY; Hazni, H; Arya, A; Paydar, M; Wong, WF; Cheah, SC; Mustafa, MR; Awang, K. (2013). Antidiabetic and antioxidant properties of alkaloids from Catharanthus roseus (L.) G. Don. *Molecules* 18: 9770-9784. <http://dx.doi.org/10.3390/molecules18089770>.
- Tir, R; Dutta, PC; Badjah-Hadj-Ahmed, AY. (2012). Effect of the extraction solvent polarity on the sesame seeds oil composition. *European Journal of Lipid Science and Technology* 114: 1427-1438. <http://dx.doi.org/10.1002/ejlt.201200129>.
- Tirunagari, M; Jangala, VR; Khagga, M; Gannu, R. (2010). Transdermal therapeutic system of isradipine: effect of hydrophilic and hydrophobic matrix on in vitro and ex vivo characteristics. *Arch Pharm Res* 33: 1025-1033. <http://dx.doi.org/10.1007/s12272-010-0708-1>.

## Human Health Hazard Literature Search Results

### Off Topic

- Tirunagari, M; Jangala, VR, ao; Nandagopal, A. (2013). Development and Physicochemical, In Vitro and In Vivo Evaluation of Transdermal Patches of Zaleplon. 47: 49-58. <http://dx.doi.org/10.5530/ijper.47.4.7>.
- Titov, DV; Gening, ML; Gerbst, AG; Chizhov, AO; Tsvetkov, YE; Nifantiev, NE. (2013). Stereochemistry of intramolecular cyclization of tetra- $\beta$ -(1 $\rightarrow$ 6)-D-glucosamines and related tetrasaccharides: the role of the conformational stereocontrol and the neighboring group participation. *Carbohydr Res* 381: 161-178. <http://dx.doi.org/10.1016/j.carres.2012.12.005>.
- Tiuman, TS; Brenzan, MA; Ueda-Nakamura, T; Filho, BP; Cortez, DA; Nakamura, CV. (2012). Intramuscular and topical treatment of cutaneous leishmaniasis lesions in mice infected with *Leishmania amazonensis* using coumarin (-) mammea A/BB. *Phytomedicine* 19: 1196-1199. <http://dx.doi.org/10.1016/j.phymed.2012.08.001>.
- Tiwari, AK; Souza, RP; Muller, DJ. (2009). Pharmacogenetics of anxiolytic drugs [Review]. *Journal of Neural Transmission* 116: 667-677. <http://dx.doi.org/10.1007/s00702-009-0229-6>.
- Tiwari, N; Yadav, D; Singh, SC; Gupta, MM. (2011). A MARKER-BASED STABILITY INDICATING HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHIC METHOD FOR VITEX TRIFOLIA. *Journal of Liquid Chromatography and Related Technologies* 34: 1925-1937. <http://dx.doi.org/10.1080/10826076.2011.582213>.
- Tobajas, M; Verdugo, V; Polo, AM; Rodriguez, JJ; Mohedano, AF. (2016). Assessment of toxicity and biodegradability on activated sludge of priority and emerging pollutants. *Environ Technol* 37: 713-721. <http://dx.doi.org/10.1080/09593330.2015.1079264>.
- Tobinaga, S; Sharma, MK; Aalbersberg, WG; Watanabe, K; Iguchi, K; Narui, K; Sasatsu, M; Waki, S. (2009). Isolation and identification of a potent antimalarial and antibacterial polyacetylene from *Bidens pilosa*. *Planta Med* 75: 624-628. <http://dx.doi.org/10.1055/s-0029-1185377>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tobiszewski, M; Namieśnik, J. (2011). Determination of chlorinated solvents in industrial water and wastewater by DAI-GC-ECD. *Anal Bioanal Chem* 399: 3565-3572. <http://dx.doi.org/10.1007/s00216-011-4676-1>.
- Todescato, F; Fortunati, I; Carlotto, S; Ferrante, C; Grisanti, L; Sissa, C; Painelli, A; Colombo, A; Dragonetti, C; Roberto, D. (2011). Dimers of polar chromophores in solution: role of excitonic interactions in one- and two-photon absorption properties. *Phys Chem Chem Phys* 13: 11099-11109. <http://dx.doi.org/10.1039/c0cp02736g>.
- Toker, A; Ziypak, T; Orsal, E; Laloglu, E; Bedir, F; Aksoy, Y. (2013). Is urinary kidney injury molecule-1 a noninvasive marker for renal scarring in children with vesicoureteral reflux? *Urology* 81: 168-172. <http://dx.doi.org/10.1016/j.urology.2012.09.004>.
- Tolardo, R; Zetterman, L; Bitencourt, DR; Mora, TC; de Oliveira, FL; Biavatti, MW; Amoah, SK; Bürger, C; de Souza, MM. (2010). Evaluation of behavioral and pharmacological effects of *Hedyosmum brasiliense* and isolated sesquiterpene lactones in rodents. *J Ethnopharmacol* 128: 63-70. <http://dx.doi.org/10.1016/j.jep.2009.12.026>.
- Toledo Netto, P; Teixeira Júnior, OJ; de Camargo, JL; Lúcia Ribeiro, M; de Marchi, MR. (2012). A rapid, environmentally friendly, and reliable method for pesticide analysis in high-fat samples. *Talanta* 101: 322-329. <http://dx.doi.org/10.1016/j.talanta.2012.09.034>.
- Tölgyesi, A; Sharma, VK; Kovacsics, L; Fekete, J. (2010). Quantification of corticosteroids in bovine urine using selective solid phase extraction and reversed-phase liquid chromatography/tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 1471-1479. <http://dx.doi.org/10.1016/j.jchromb.2010.03.041>.
- Tolosa, J; Solntsev, KM; Tolbert, LM; Bunz, UHF. (2009). Unsymmetrical Cruciforms. *J Org Chem* 75: 523-534. <http://dx.doi.org/10.1021/jo901961a>.
- Tom, EN, goL; Girard, C; Bevalot, F; Dimo, T; Berthelot, A; Demougeot, C. (2011). Effect of the methylene chloride extract of *Terminalia superba* Engler & Diels in spontaneously hypertensive rats. *Fundam Clin Pharmacol* 25: 38-38.
- Tom, EN; Girard, C; Dimo, T; Mbafor, JT; Berthelot, A; Demougeot, C. (2010). Vasorelaxant effects of extracts of the stem bark of *Terminalia superba* Engler & Diels (Combretaceae). *J Ethnopharmacol* 127: 335-340. <http://dx.doi.org/10.1016/j.jep.2009.10.036>.
- Tom, EN; Girard-Thernier, C; Martin, H; Dimo, T; Alvergnas, M; Nappey, M; Berthelot, A; Demougeot, C. (2014). Treatment with an extract of *Terminalia superba* Engler & Diels decreases blood pressure and improves endothelial function in spontaneously hypertensive rats. *J Ethnopharmacol* 151: 372-379. <http://dx.doi.org/10.1016/j.jep.2013.10.057>.
- Tomar, P; Giri, N; Karwasara, VS; Pandey, RS; Dixit, VK. (2012). "Prevention of structural perturbation and aggregation of hepatitis B surface antigen: screening of various additives" 17: 421-428. <http://dx.doi.org/10.3109/10837450.2010.546408>.
- Tomassoli, I; Gündisch, D. (2016). Bispidine as a Privileged Scaffold [Review]. *Curr Top Med Chem* 16: 1314-1342.
- Tong, GS; Kui, SC; Chao, HY; Zhu, N; Che, CM. (2009). The (3) $\sigma$  emissions of linear silver(I) and gold(I) chains with bridging phosphine ligands. *Chemistry* 15: 10777-10789. <http://dx.doi.org/10.1002/chem.200901757>.
- Tong, GS; Law, YC; Kui, SC; Zhu, N; Leung, KH; Phillips, DL; Che, CM. (2010). Ligand-to-ligand charge-transfer transitions of platinum(II) complexes with acylacetylidate ligands with different chain lengths: spectroscopic characterization, effect of molecular conformations, and density functional theory calculations. *Chemistry* 16: 6540-6554. <http://dx.doi.org/10.1002/chem.200903046>.
- Tong, HH; Wu, HB; Zheng, Y; Xi, J; Chow, AH; Chan, CK. (2008). Physical characterization of oleanolic acid nonsolvate and solvates prepared by solvent recrystallization. *Int J Pharm* 355: 195-202. <http://dx.doi.org/10.1016/j.ijpharm.2007.12.005>.
- Tong, L; Liao, X; Chen, J; Xiao, H; Xu, L; Zhang, F; Niu, Z; Yu, J. (2013). Pollution characteristics of ambient volatile organic compounds (VOCs) in the southeast coastal cities of China. *Environ Sci Pollut Res Int* 20: 2603-2615. <http://dx.doi.org/10.1007/s11356-012-1187-3>.
- Topcu Sulak, M; Erhan, E; Keskinler, B. (2010). Amperometric phenol biosensor based on horseradish peroxidase entrapped PVF and PPy composite film coated GC electrode. *Appl Biochem Biotechnol* 160: 856-867. <http://dx.doi.org/10.1007/s12010-009-8534-y>.
- Topinka, J; Rossner, P; Milcova, A; Schmuczerova, J; Svecova, V; Sram, RJ. (2011). DNA adducts and oxidative DNA damage induced by organic extracts from PM<sub>2.5</sub> in an acellular assay. *Toxicol Lett* 202: 186-192. <http://dx.doi.org/10.1016/j.toxlet.2011.02.005>.

## Human Health Hazard Literature Search Results

### Off Topic

- Torgonskaya, ML; Doronina, NV; Hourcade, E; Trotsenko, YA; Vuilleumier, S. (2011). Chloride-associated adaptive response in aerobic methylophilic dichloromethane-utilising bacteria. *J Basic Microbiol* 51: 296-303. <http://dx.doi.org/10.1002/jobm.201000280>.
- Torres, LG; Belloc, C; Vaca, M; Iturbe, R; Bandala, ER. (2009). Coagulation-flocculation process applied to wastewaters generated in hydrocarbon-contaminated soil washing: Interactions among coagulant and flocculant concentrations and pH value. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 1449-1456. <http://dx.doi.org/10.1080/10934520903217716>.
- Torres, RC; Garbo, AG; Walde, RZ. (2015). Characterization and bioassay for larvicidal activity of *Anacardium occidentale* (cashew) shell waste fractions against dengue vector *Aedes aegypti*. *Parasitol Res* 114: 3699-3702. <http://dx.doi.org/10.1007/s00436-015-4598-5>.
- Torres-Garcia, C; Diaz, M; Blasi, D; Farras, I; Fernandez, I; Ariza, X; Farras, J; Lloyd-Williams, P; Royo, M; Nicolas, E. (2012). Side Chain Anchoring of Tryptophan to Solid Supports Using a Dihydropyranil Handle: Synthesis of Brevianamide F. *International Journal of Peptide Research and Therapeutics* 18: 7-19. <http://dx.doi.org/10.1007/s10989-011-9274-8>.
- Torul, H; Tamer, U. (2011). Determination of enantiomers of atenolol and propranolol in pharmaceutical formulations by HPLC. *J AOAC Int* 94: 833-838.
- Tosti, T; Segan, S; Milic, D; Radoicic, A; Tesic, Z; Milojkovic-Opsenica, D. (2015). Estimation of Lipophilicity of Some Polyoxygenated Steroids by the Means of Normal-Phase Thin-Layer Chromatography. *Journal of Liquid Chromatography and Related Technologies* 38: 1097-1103. <http://dx.doi.org/10.1080/10826076.2015.1028287>.
- Tóth, B; Chang, FR; Hwang, TL; Szappanos, Á; Mándi, A; Hunyadi, A; Kurtán, T; Jakab, G; Hohmann, J; Vasas, A. (2017). Screening of *Luzula* species native to the Carpathian Basin for anti-inflammatory activity and bioactivity-guided isolation of compounds from *Luzula luzuloides* (Lam.) Dandy & Wilmott. *Fitoterapia* 116: 131-138. <http://dx.doi.org/10.1016/j.fitote.2016.12.004>.
- Towell, MG; Browne, LA; Paton, GI; Semple, KT. (2011). Impact of carbon nanomaterials on the behaviour of 14C-phenanthrene and 14C-benzo[a] pyrene in soil. *Environ Pollut* 159: 706-715. <http://dx.doi.org/10.1016/j.envpol.2010.11.040>.
- Toyang, NJ; Ateh, EN; Davis, H; Tane, P; Sondengam, LB; Bryant, J; Verpoorte, R. (2013). In vivo antiprostata tumor potential of *Vernonia guineensis* Benth. (Asteraceae) tuber extract (VGDE) and the cytotoxicity of its major compound pentaisovaleryl sucrose. *J Ethnopharmacol* 150: 724-728. <http://dx.doi.org/10.1016/j.jep.2013.09.028>.
- Toyang, NJ; Ateh, EN; Keiser, J; Vargas, M; Bach, H; Tane, P; Sondengam, LB; Davis, H; Bryant, J; Verpoorte, R. (2012). Toxicity, antimicrobial and anthelmintic activities of *Vernonia guineensis* Benth. (Asteraceae) crude extracts. *J Ethnopharmacol* 144: 700-704. <http://dx.doi.org/10.1016/j.jep.2012.10.016>.
- Toyang, NJ; Krause, MA; Fairhurst, RM; Tane, P; Bryant, J; Verpoorte, R. (2013). Antiplasmodial activity of sesquiterpene lactones and a sucrose ester from *Vernonia guineensis* Benth. (Asteraceae). *J Ethnopharmacol* 147: 618-621. <http://dx.doi.org/10.1016/j.jep.2013.03.051>.
- Toyang, NJ; Wabo, HK; Ateh, EN; Davis, H; Tane, P; Kimbu, SF; Sondengam, L; Bryant, J. (2012). In vitro anti-prostate cancer and ex vivo antiangiogenic activity of *Vernonia guineensis* Benth. (Asteraceae) tuber extracts. *J Ethnopharmacol* 141: 866-871. <http://dx.doi.org/10.1016/j.jep.2012.03.021>.
- Toyoda, R; Tsuchiya, M; Sakamoto, R; Matsuoka, R; Wu, KH; Hattori, Y; Nishihara, H. (2015). Heteroleptic bis(dipyrrinato)copper(II) and nickel(II) complexes. *Dalton Transactions (Online)* 44: 15103-15106. <http://dx.doi.org/10.1039/c5dt00724k>.
- Traa, MJ; De Vries, J; Roukema, JA; Den Oudsten, BL. (2016). The association between patient's and partner's fatigue in couples coping with colorectal cancer: a longitudinal study. *Support Care Cancer* 24: 4113-4121. <http://dx.doi.org/10.1007/s00520-016-3226-y>.
- Tran, MH; Nguyen, MT; Nguyen, HD; Nguyen, TD; Phuong, TT. (2015). Cytotoxic constituents from the seeds of Vietnamese *Caesalpinia sappan*. *Pharmaceutical Biology* 53: 1549-1554. <http://dx.doi.org/10.3109/13880209.2014.986686>.
- Tran, TV; Malainer, C; Schwaiger, S; Hung, T; Atanasov, AG; Heiss, EH; Dirsch, VM; Stuppner, H. (2015). Screening of Vietnamese medicinal plants for NF- $\kappa$ B signaling inhibitors: assessing the activity of flavonoids from the stem bark of *Oroxylum indicum*. *J Ethnopharmacol* 159: 36-42. <http://dx.doi.org/10.1016/j.jep.2014.10.012>.
- Traunmuller, F; Mauric, O; Popovic, M; Joukhadar, C. (2010). Rapid and sensitive determination of the antibiotic linezolid in low plasma volumes by high-performance liquid chromatography. *J Chromatogr Sci* 48: 325-327.
- Travaini, ML; Sosa, GM; Ceccarelli, EA; Walter, H; Cantrell, CL; Carrillo, NJ; Dayan, FE; Meepagala, KM; Duke, SO. (2016). Khellin and Visnagin, Furanochromones from *Ammi visnaga* (L.) Lam., as Potential Bioherbicides. *J Agric Food Chem* 64: 9475-9487. <http://dx.doi.org/10.1021/acs.jafc.6b02462>.
- Treluyer, JM; Cheron, G; Sonnier, M; Cresteil, T. (1996). Cytochrome P-450 expression in sudden infant death syndrome. *Biochem Pharmacol* 52: 497-504. [http://dx.doi.org/10.1016/0006-2952\(96\)00253-5](http://dx.doi.org/10.1016/0006-2952(96)00253-5).
- Tresvenzol, LMF; Fiuza, TS; Pimenta, FC; Zatta, DT; Bara, MTF; Ferri, PH; Lima, A, naBM; Paula, JR. (2009). Chemical Composition of the Essential Oil and Antimicrobial Activity of *Memora nodosa* (Bignoniaceae). *Lat Am J Pharm* 28: 513-519.
- Trevisan, G; Rossato, MF; Walker, CI; Klafke, JZ; Rosa, F; Oliveira, SM; Tonello, R; Guerra, GP; Boligon, AA; Zanon, RB; Athayde, ML; Ferreira, J. (2012). Identification of the plant steroid  $\alpha$ -spinasterol as a novel transient receptor potential vanilloid 1 antagonist with antinociceptive properties. *J Pharmacol Exp Ther* 343: 258-269. <http://dx.doi.org/10.1124/jpet.112.195909>.
- Treyvaud Amiguet, V; Jewell, LE; Mao, H; Sharma, M; Hudson, JB; Durst, T; Allard, M; Rochefort, G; Arnason, JT. (2011). Antibacterial properties of a glycolipid-rich extract and active principle from Nunavik collections of the macroalgae *Fucus evanescens* C. Agardh (Fucaceae). *Can J Microbiol* 57: 745-749. <http://dx.doi.org/10.1139/w11-065>.
- Trimarchi, H; Dicugno, M; Muryan, A; Lombi, F; Iturbe, L; Raña, MS; Young, P; Nau, K; Iriarte, R; Pomeranz, V; Forrester, M; Karl, A; Alonso, M. (2013). Pro-calcitonin and inflammation in chronic hemodialysis. *Medicina (B Aires)* 73: 411-416.
- Tripathi, RR; Agarwal, R; Premsekar, R. (2012). Late surgical removal of an embolized patent ductus arteriosus device causing erosion of the aortic wall. *Pediatric Cardiology* 33: 1453-1455. <http://dx.doi.org/10.1007/s00246-012-0272-1>.

## Human Health Hazard Literature Search Results

### Off Topic

- Troiani, A; Rosi, M; Garzoli, S; Salvitti, C; de Petris, G. (2015). Iron-Promoted C-C Bond Formation in the Gas Phase. *Angew Chem Int Ed Engl* 54: 14359-14362. <http://dx.doi.org/10.1002/anie.201506932>.
- Trueba-Santiso, A; Parladé, E; Rosell, M; Lliros, M; Mortan, SH; Martínez-Alonso, M; Gaju, N; Martín-González, L; Vicent, T; Marco-Urrea, E. (2017). Molecular and carbon isotopic characterization of an anaerobic stable enrichment culture containing *Dehalobacterium* sp. during dichloromethane fermentation. *Sci Total Environ*. <http://dx.doi.org/10.1016/j.scitotenv.2016.12.174>.
- Truong, H; Lomnicki, S; Dellinger, B. (2010). Potential for Misidentification of Environmentally Persistent Free Radicals as Molecular Pollutants in Particulate Matter. *Environ Sci Technol* 44: 1933-1939. <http://dx.doi.org/10.1021/es902648t>.
- Tsai, CY; Cheng, FY; Lu, KY; Wu, JT; Huang, BH; Chen, WA; Lin, CC; Ko, BT. (2016). Dinuclear and Trinuclear Nickel Complexes as Effective Catalysts for Alternating Copolymerization on Carbon Dioxide and Cyclohexene Oxide. *Inorg Chem* 55: 7843-7851. <http://dx.doi.org/10.1021/acs.inorgchem.6b00478>.
- Tsai, MJ; Wu, JY; Chiang, MH; Huang, CH; Kuo, MY; Lai, LL. (2012). Infinite Copper(II) Coordination Architectures from a Resonative Aminotriazine-Derived Tripodal Ligand: Synthesis, Structures, and Magnetic Properties. *Inorg Chem* 51: 12360-12371. <http://dx.doi.org/10.1021/ic3016854>.
- Tsai, PW; De Castro-Cruz, KA; Shen, CC; Chiou, CT; Ragasa, CY. (2012). Chemical constituents of *Ficus odorata*. *Pharmaceutical Chemistry Journal* 46: 225-227. <http://dx.doi.org/10.1007/s11094-012-0767-3>.
- Tsai, WH; Huang, TC; Chen, HH; Wu, YW; Huang, JJ; Chuang, HY. (2010). Determination of sulfonamides in swine muscle after salting-out assisted liquid extraction with acetonitrile coupled with back-extraction by a water/acetonitrile/dichloromethane ternary component system prior to high-performance liquid chromatography. *J Chromatogr A* 1217: 250-255. <http://dx.doi.org/10.1016/j.chroma.2009.11.035>.
- Tsai, YM; Jan, WC; Chien, CF; Lee, WC; Lin, LC; Tsai, TH. (2011). Optimised nano-formulation on the bioavailability of hydrophobic polyphenol, curcumin, in freely-moving rats. *Food Chem* 127: 918-925. <http://dx.doi.org/10.1016/j.foodchem.2011.01.059>.
- Tsai, YT; Choi, CH; Gao, N; Yang, EH. (2011). Tunable wetting mechanism of polypyrrole surfaces and low-voltage droplet manipulation via redox. *Langmuir* 27: 4249-4256. <http://dx.doi.org/10.1021/la104403w>.
- Tsao, YC; Lai, YC; Liu, HC; Liu, RH; Lin, DL. (2016). Simultaneous Determination and Quantitation of Paraquat, Diquat, Glufosinate and Glyphosate in Postmortem Blood and Urine by LC-MS-MS. *J Anal Toxicol* 40: 427-436. <http://dx.doi.org/10.1093/jat/bkw042>.
- Tsasi, G; Samara, P; Tsitsilonis, O; Juergenliemk, G; Skaltsa, H. (2016). Isolation, Identification and Cytotoxic Activity of Triterpenes and Flavonoids from Green Walnut (*Juglans regia* L.) Pericarps. *Records of Natural Products* 10: 83-92.
- Tshisekedi Tshibangu, P; Mutwale Kapepula, P; Kabongo Kapinga, MJ; Tujibikila Mukuta, A; Kalenda, DT; Tchinda, AT; Mouithys-Mickalad, AA; Jansen, O; Ciekiewicz, E; Tits, M; Angenot, L; Frédéric, M. (2017). Antiplasmodial activity of *Heinsia crinita* (Rubiaceae) and identification of new iridoids. *J Ethnopharmacol* 196: 261-266. <http://dx.doi.org/10.1016/j.jep.2016.11.041>.
- Tsouh Fokou, PV; Appiah-Opong, R; Yeboah-Manu, D; Kissi-Twum, AA; Yamthe, LR; Mokale Kognou, AL; Addo, P; Boyom, FF; Nyarko, AK. (2016). Antimycobacterial potency and cytotoxicity study of three medicinal plants. *5 Suppl 1: S206-S207*. <http://dx.doi.org/10.1016/j.ijmyco.2016.10.012>.
- Tsouh Fokou, PV; Kissi-Twum, AA; Yeboah-Manu, D; Appiah-Opong, R; Addo, P; Yamthe, LR; Mfopa, AN; Boyom, FF; Nyarko, AK. (2016). Antimycobacterial ingredients from plants used in traditional medicine to treat Buruli ulcer. *5 Suppl 1: S204-S205*. <http://dx.doi.org/10.1016/j.ijmyco.2016.11.025>.
- Tsukahara, T; Miyauchi, H; Kuwada, D; Kikuchi, T; Tsuda, Y; Yanagiba, Y; Arito, H; Nomiya, T. (2016). Control banding assessment of exposure of offset printing workers to organic solvents. *J Occup Health* 58: 314-319. <http://dx.doi.org/10.1539/joh.15-0324-BR>.
- Tsukazaki, Y; Senda, N; Kubo, K; Yamada, S; Kugoh, H; Kazuki, Y; Oshimura, M. (2016). Development of a High-Sensitivity Quantitation Method for Arginine Vasopressin by High-Performance Liquid Chromatography Tandem Mass Spectrometry, and Comparison with Quantitative Values by Radioimmunoassay. *Anal Sci* 32: 153-159. <http://dx.doi.org/10.2116/analsci.32.153>.
- Tsupreva, VN; Titov, AA; Filippov, OA; Bilyachenko, AN; Smol'yakov, AF; Dolgushin, FM; Agapkin, DV; Godovikov, IA; Epstein, LM; Shubina, ES. (2011). Peculiarities of the complexation of copper and silver adducts of a 3,5-bis(trifluoromethyl)pyrazolate ligand with organoiron compounds. *Inorg Chem* 50: 3325-3331. <http://dx.doi.org/10.1021/ic102132v>.
- Tubek, B; Mitula, P; Niezgoda, N; Kempnińska, K; Wietrzyk, J; Wawrzęczyk, C. (2013). Synthesis and cytotoxic activity of new betulin and betulinic acid esters with conjugated linoleic acid (CLA). *Natural Product Communications* 8: 435-438.
- Tudose, A; Celia, C; Belu, I; Borisova, S; Paolino, D. (2014). EFFECT OF THREE MONOGLYCERIDE BASED CUBOSOMES SYSTEMS ON THE VIABILITY OF HUMAN KERATINOCYTES. *62: 777-790*.
- Tuekaew, J; Siriwatanametanon, N; Wongkrajang, Y; Temsiririrkkul, R; Jantan, I. (2014). Evaluation of the Antioxidant Activities of Ya-hom Intajak, a Thai Herbal Formulation, and its Component Plants. *Tropical Journal of Pharmaceutical Research* 13: 1477-1485. <http://dx.doi.org/10.4314/tjpr.v13i9.14>.
- Tumen, I; Senol, FS; Orhan, IE. (2012). Evaluation of possible in vitro neurobiological effects of two varieties of *Cupressus sempervirens* (Mediterranean cypress) through their antioxidant and enzyme inhibition actions. *Türk Biyokimya Dergisi* 37: 5-13. <http://dx.doi.org/10.5505/tjb.2012.92400>.
- Tumen, I; Senol, FS; Orhan, IE. (2012). Inhibitory potential of the leaves and berries of *Myrtus communis* L. (myrtle) against enzymes linked to neurodegenerative diseases and their antioxidant actions. *Int J Food Sci Nutr* 63: 387-392. <http://dx.doi.org/10.3109/09637486.2011.629178>.

## Human Health Hazard Literature Search Results

### Off Topic

- Tuncel, S; Kaya, EN; Durmuş, M; Basova, T; Gürek, AG; Ahsen, V; Banimuslem, H; Hassan, A. (2014). Distribution of single-walled carbon nanotubes in pyrene containing liquid crystalline asymmetric zinc phthalocyanine matrix. *Dalton Transactions (Online)* 43: 4689-4699. <http://dx.doi.org/10.1039/c3dt52736k>.
- Tundis, R; Bonesi, M; Pugliese, A; Nadjafi, F; Menichini, F; Loizzo, MR. (2015). Tyrosinase, Acetyl- and Butyryl-Cholinesterase Inhibitory Activity of *Stachys lavandulifolia* Vahl (Lamiaceae) and Its Major Constituents. *Records of Natural Products* 9: 81-93.
- Tundis, R; Loizzo, MR; Bonesi, M; Menichini, F; Statti, GA; Menichini, F. (2008). In vitro cytotoxic activity of *Salsola oppositifolia* Desf. (Amaranthaceae) in a panel of tumour cell lines. *Z Naturforsch C Biosci* 63: 347-354.
- Tundis, R; Loizzo, MR; Menichini, F; Bonesi, M; Colica, C; Menichini, F. (2011). In vitro cytotoxic activity of extracts and isolated constituents of *Salvia leriifolia* Benth. against a panel of human cancer cell lines. 8: 1152-1162. <http://dx.doi.org/10.1002/cbdv.201000311>.
- Turner, T; Burri, BJ. (2012). Rapid Isocratic HPLC Method and Sample Extraction Procedures for Measuring Carotenoid, Retinoid, and Tocopherol Concentrations in Human Blood and Breast Milk for Intervention Studies. *Chromatographia* 75: 241-252. <http://dx.doi.org/10.1007/s10337-012-2193-9>.
- Turpeinen, U; Hämäläinen, E; Stenman, UH. (2008). Determination of aldosterone in serum by liquid chromatography-tandem mass spectrometry. *Journal of Chromatography B* 862: 113-118. <http://dx.doi.org/10.1016/j.jchromb.2007.11.005>.
- Turpeinen, U; Välimäki, MJ; Hämäläinen, E. (2009). Determination of salivary cortisol by liquid chromatography-tandem mass spectrometry. *Scand J Clin Lab Invest* 69: 592-597. <http://dx.doi.org/10.1080/00365510902890331>.
- Tye, JW; Weng, Z; Johns, AM; Incarvito, CD; Hartwig, JF. (2008). Copper complexes of anionic nitrogen ligands in the amidation and imidation of aryl halides. *J Am Chem Soc* 130: 9971-9983. <http://dx.doi.org/10.1021/ja076668w>.
- Tzeng, CW; Tzeng, WS; Lin, LT; Lee, CW; Yen, MH; Yen, FL; Lin, CC. (2015). *Artocarpus communis* Induces Autophagic Instead of Apoptotic Cell Death in Human Hepatocellular Carcinoma Cells. *Am J Chin Med* 43: 559-579. <http://dx.doi.org/10.1142/S0192415X15500354>.
- Tzeng, CW; Yen, FL; Lin, LT; Lee, CW; Yen, MH; Tzeng, WS; Lin, CC. (2014). Antihepatoma activity of *Artocarpus communis* is higher in fractions with high artocarpin content. *ScientificWorldJournal* 2014: 978525. <http://dx.doi.org/10.1155/2014/978525>.
- Tziouris, PA; Tsiafoulis, CG; Vlasious, M; Miras, HN; Sigalas, MP; Keramidias, AD; Kabanos, TA. (2014). Interaction of Chromium(III) with a N,N'-Disubstituted Hydroxylamine-(diamido) Ligand: A Combined Experimental and Theoretical Study. *Inorg Chem* 53: 11404-11414. <http://dx.doi.org/10.1021/ic501778d>.
- U.S. Coast Guard. (1999). Dichloromethane. CHRIS: Hazardous chemical data. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=22567>.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.

## Human Health Hazard Literature Search Results

### Off Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- Uddin, SJ; Grice, ID; Tiralongo, E. (In Press) Cytotoxic Effects of Bangladeshi Medicinal Plant Extracts. <http://dx.doi.org/10.1093/ecam/nep111>.
- Uddin, Z; Macdermid, JC; Woodhouse, LJ; Triano, JJ; Galea, V; Gross, AR. (2014). The effect of pressure pain sensitivity and patient factors on self-reported pain-disability in patients with chronic neck pain. *The Open Orthopaedics Journal* 8: 302-309. <http://dx.doi.org/10.2174/1874325001408010302>.
- Ueta, I; Mitsumori, T; Suzuki, Y; Kawakubo, S; Saito, Y. (2015). Determination of very volatile organic compounds in water samples by purge and trap analysis with a needle-type extraction device. *J Chromatogr A* 1397: 27-31. <http://dx.doi.org/10.1016/j.chroma.2015.04.016>.
- Ugliano, M; Henschke, PA. (2010). Comparison of three methods for accurate quantification of hydrogen sulfide during fermentation. *Anal Chim Acta In Press, Corrected Proof*: 87-91. <http://dx.doi.org/10.1016/j.aca.2009.09.049>.
- Ugwu, KE; Ukoha, PO. (2017). Polycyclic aromatic hydrocarbons (PAHs) in surface sediments near a mining site in Okobo-Enjema, Nigeria: concentrations, source apportionment and risk assessment. *Environ Geochem Health*. <http://dx.doi.org/10.1007/s10653-017-9916-7>.
- Ukrainets, IV; Shishkina, SV; Baumer, VN; Gorokhova, OV; Petrushova, LA; Sim, G. (2016). Two pseudo-enantiomeric forms of N-benzyl-4-hydroxy-1-methyl-2,2-dioxo-1H-2λ(6),1-benzothiazine-3-carboxamide and their analgesic properties. *72*: 411-415. <http://dx.doi.org/10.1107/S2053229616005453>.
- Ullah, F; Malik, SA; Ahmed, J; Ullah, F; Shah, SM; Ayaz, M; Hussain, S; Khatoon, L. (2012). Investigation of the Genetic Basis of Tetracycline Resistance in *Staphylococcus aureus* from Pakistan. *Tropical Journal of Pharmaceutical Research* 11: 925-931. <http://dx.doi.org/10.4314/tjpr.v11i6.8>.
- Umadevi, M; Kumari, MV; Bharathi, MS; Vanelle, P; Terme, T. (2011). Investigations of preferential solvation on 1,4-dimethoxy-3-methyl anthracene-9,10-dione. *Spectrochim Acta A Mol Biomol Spectrosc* 78: 122-127. <http://dx.doi.org/10.1016/j.saa.2010.09.008>.
- Umadevi, M; Vanelle, P; Terme, T; Rajkumar, BJ; Ramakrishnan, V. (2008). Spectral investigations of solvatochromism and preferential solvation on 1,4-dihydroxy-2,3-dimethyl-9,10-anthraquinone. *J Fluoresc* 18: 1139-1149. <http://dx.doi.org/10.1007/s10895-008-0364-8>.
- Umar, A; Abaker, M; Faisal, M; Hwang, SW; Baskoutas, S; Al-Sayari, SA. (2011). High-yield synthesis of well-crystalline alpha-Fe<sub>2</sub>O<sub>3</sub> nanoparticles: structural, optical and photocatalytic properties. *J Nanosci Nanotechnol* 11: 3474-3480. <http://dx.doi.org/10.1166/jnn.2011.4148>.
- Umbuzeiro, GA; Franco, A; Martins, MH; Kummrow, F; Carvalho, L; Schmeiser, HH; Leykauf, J; Stiborova, M; Claxton, LD. (2008). Mutagenicity and DNA adduct formation of PAH, nitro-PAH, and oxy-PAH fractions of atmospheric particulate matter from Sao Paulo, Brazil. *Mutat Res Genet Toxicol Environ Mutagen* 652: 72-80. <http://dx.doi.org/10.1016/j.mrgentox.2007.12.007>.
- Umeda, M; Tsuno, A; Okagami, Y; Tsuchiya, F; Izumi, Y; Ishikawa, I. (2011). Bactericidal effects of a high-power, red light-emitting diode on two periodontopathic bacteria in antimicrobial photodynamic therapy in vitro. *Journal of Investigative and Clinical Dentistry* 2: 268-274. <http://dx.doi.org/10.1111/j.2041-1626.2011.00071.x>.
- Umesha, B; Basavaraju, YB; Mahendra, C. (2015). Synthesis and biological screening of pyrazole moiety containing analogs of podophyllotoxin. *Medicinal Chemistry Research* 24: 142-151. <http://dx.doi.org/10.1007/s00044-014-1100-3>.
- Unger, C; Kiss, I; Vasas, A; Lajter, I; Kramer, N; Atanasov, AG; Nguyen, CH; Chatuphonprasert, W; Brenner, S; Krieger, S; Mckinnon, R; Peschel, A; Kain, R; Saiko, P; Szekeres, T; Kenner, L; Hassler, MR; Diaz, R; Frisch, R; Dirsch, VM; Jäger, W; de Martin, R; Bochkov, VN; Passreiter, CM; Peter-Vörösmarty, B; Mader, RM; Grusch, M; Dolznig, H; Kopp, B; Zupko, I; Hohmann, J; Krupitza, G. (2015). The germacranolide sesquiterpene lactone neuroleolin B of the medicinal plant *Neurolaena lobata* (L.) R.Br. ex Cass inhibits NPM/ALK-driven cell expansion and NF-κB-driven tumour intravasation. *Phytomedicine* 22: 862-874. <http://dx.doi.org/10.1016/j.phymed.2015.06.003>.
- Unger, C; Popescu, R; Giessrigl, B; Laimer, D; Heider, S; Seelinger, M; Diaz, R; Wallnöfer, B; Egger, G; Hassler, M; Knöfler, M; Saleh, L; Sahin, E; Grusch, M; Fritzer-Szekeres, M; Dolznig, H; Frisch, R; Kenner, L; Kopp, B; Krupitza, G. (2013). The dichloromethane extract of the ethnomedicinal plant *Neurolaena lobata* inhibits NPM/ALK expression which is causal for anaplastic large cell lymphomagenesis. *Int J Oncol* 42: 338-348. <http://dx.doi.org/10.3892/ijo.2012.1690>.
- Unjaroen, D; Swart, M; Browne, WR. (2017). Electrochemical Polymerization of Iron(III) Polypyridyl Complexes through C-C Coupling of Redox Non-innocent Phenolato Ligands. *Inorg Chem* 56: 470-479. <http://dx.doi.org/10.1021/acs.inorgchem.6b02378>.
- Uppal, BS; Booth, RK; Ali, N; Lockwood, C; Rice, CR; Elliott, PI. (2011). Synthesis and characterisation of luminescent rhenium tricarbonyl complexes with axially coordinated 1,2,3-triazole ligands. *Dalton Transactions (Online)* 40: 7610-7616. <http://dx.doi.org/10.1039/c1dt10634a>.

## Human Health Hazard Literature Search Results

### Off Topic

- Uriarte, N; Agrati, D; Banchero, G; González, A; Zuluaga, MJ; Cawen, E; Olivera, V; Alsina, M; Poindron, P; Ferreira, A. (2012). Different chemical fractions of fetal fluids account for their attractiveness at parturition and their repulsiveness during late-gestation in the ewe. *Physiol Behav* 107: 45-49. <http://dx.doi.org/10.1016/j.physbeh.2012.05.020>.
- Uriarte Pueyo, I; Calvo, MI. (2009). Phytochemical Study and Evaluation of Antioxidant, Neuroprotective and Acetylcholinesterase Inhibitor Activities of *Galeopsis ladanum* L. extracts. *Pharmacognosy Magazine* 5: 287-290.
- Usacheva, MN; Teichert, MC; Usachev, YM; Sievert, CE; Biel, MA. (2008). Interaction of the photobactericides methylene blue and toluidine blue with a fluorophore in *Pseudomonas aeruginosa* cells. *Lasers Surg Med* 40: 55-61. <http://dx.doi.org/10.1002/lsm.20593>.
- Usha, AN; Mutalik, S; Reddy, MS; Ranjith, AK; Kushtagi, P; Udupa, N. (2008). Preparation and, in vitro, preclinical and clinical studies of aceclofenac spherical agglomerates. *Eur J Pharm Biopharm* 70: 674-683. <http://dx.doi.org/10.1016/j.ejpb.2008.06.010>.
- Ushakova, NA; Brodskii, ES; Kovalenko, AA; Bastrakov, AI; Kozlova, AA; Pavlov, DS. (2016). Characteristics of lipid fractions of larvae of the black soldier fly *Hermetia illucens*. *Dokl Biochem Biophys* 468: 209-212. <http://dx.doi.org/10.1134/S1607672916030145>.
- Usui, K; Hayashizaki, Y; Okubo, Y; Hashiyada, M; Funayama, M. (2011). A case of death after ingestion of an agrochemical spreading agent. *Forensic Sci Int* 210: 117-121. <http://dx.doi.org/10.1016/j.forsciint.2011.02.017>.
- Uzair, M; Loothar, BA; Choudhary, BA. (2009). Biological screening of *Euphorbia helioscopia* L. *Pak J Pharm Sci* 22: 184-186.
- Vaccaro, A; Patten, SA; Ciura, S; Maios, C; Therrien, M; Drapeau, P; Kabashi, E; Parker, JA. (2012). Methylene blue protects against TDP-43 and FUS neuronal toxicity in *C. elegans* and *D. rerio*. *PLoS ONE* 7: e42117. <http://dx.doi.org/10.1371/journal.pone.0042117>.
- Vaccher, C; Decaudin, B; Sautou, V; Lecoœur, M. (2014). Analysis of non-phthalates plasticizers on porous graphitic carbon by supercritical fluid chromatography using evaporative light scattering detection. *J Chromatogr A* 1359: 277-286. <http://dx.doi.org/10.1016/j.chroma.2014.07.036>.
- Vaculikova, E; Grunwaldova, V; Kral, V; Dohnal, J; Jampilek, J. (2012). Preparation of Candesartan and Atorvastatin Nanoparticles by Solvent Evaporation. *Molecules* 17: 13221-13234. <http://dx.doi.org/10.3390/molecules171113221>.
- Vad, MS; Nielsen, A; Lennartson, A; Bond, AD; Mcgrady, JE; Mckenzie, CJ. (2011). Switching on oxygen activation by cobalt complexes of pentadentate ligands. *Dalton Transactions (Online)* 40: 10698-10707. <http://dx.doi.org/10.1039/c1dt10594a>.
- Vahur, S; Teearu, A; Haljasorg, T; Burk, P; Leito, I; Kaljurand, I. (2012). Analysis of dammar resin with MALDI-FT-ICR-MS and APCI-FT-ICR-MS. *J Mass Spectrom* 47: 392-409. <http://dx.doi.org/10.1002/jms.2971>.
- Vaiano, F; Mari, F; Busardò, FP; Bertol, E. (2014). Enhancing the sensitivity of the LC-MS/MS detection of propofol in urine and blood by azo-coupling derivatization. *Anal Bioanal Chem* 406: 3579-3587. <http://dx.doi.org/10.1007/s00216-013-7573-y>.
- Vaiano, F; Serpelloni, G; Focardi, M; Fioravanti, A; Mari, F; Bertol, E. (2015). LC-MS/MS and GC-MS methods in propofol detection: Evaluation of the two analytical procedures. *Forensic Sci Int* 256: 1-6. <http://dx.doi.org/10.1016/j.forsciint.2015.07.013>.
- Vaidyanathan, K; Agarwal, R; Johari, R; Cherian, KM. (2010). Tricuspid valve replacement with a fresh antibiotic preserved tricuspid homograft. *Interact Cardiovasc Thorac Surg* 10: 1061-1062. <http://dx.doi.org/10.1510/icvts.2010.234757>.
- Vaidyanathan, KR; Sankar, MN; Cherian, KM. (2008). Endoscopic vs conventional vein harvesting: a prospective analysis. *Asian Cardiovasc Thorac Ann* 16: 134-138. <http://dx.doi.org/10.1177/021849230801600211>.
- Vaidyanathan, KR; Vaijyanath, P; Betigeri, A; Cherian, KM. (2009). Left ventricular epicardial hydatid cyst compressing the left circumflex artery. *J Card Surg* 24: 483-484. <http://dx.doi.org/10.1111/j.1540-8191.2008.00742.x>.
- Vaijyanath, P; Sasirekha, D; Thomas, JM; Palma, JH; Gaia, D; Baeta, C; Cherian, KM. (2011). Off-pump trans-apical trans-catheter aortic valve implantation: first successful case report in India. *Indian Heart J* 63: 470-472.
- Valderrama, K; Castellanos, L; Zea, S. (2010). Validation and evaluation of an HPLC methodology for the quantification of the potent antimicrobial compound (+)-discodermolide in the Caribbean marine sponge *Discodermia dissoluta*. *J Sep Sci* 33: 2316-2321. <http://dx.doi.org/10.1002/jssc.200900852>.
- Valdez, CA; Leif, RN; Alcaraz, A. (2016). Effective methylation of phosphonic acids related to chemical warfare agents mediated by trimethyloxonium tetrafluoroborate for their qualitative detection and identification by gas chromatography-mass spectrometry. *Anal Chim Acta* 933: 134-143. <http://dx.doi.org/10.1016/j.aca.2016.05.034>.
- Vale, VV; Vilhena, TC; Trindade, RC; Ferreira, MR; Percário, S; Soares, LF; Pereira, WL; Brandão, GC; Oliveira, AB; Dolabela, MF; De Vasconcelos, F. (2015). Anti-malarial activity and toxicity assessment of *Himatanthus articulatus*, a plant used to treat malaria in the Brazilian Amazon. *Malar J* 14: 132. <http://dx.doi.org/10.1186/s12936-015-0643-1>.
- Valensi, P; Benroubi, M; Borzi, V; Gumprecht, J; Kawamori, R; Shaban, J; Shah, S; Shestakova, M; Wenying, Y; Panel, ISGE. (2009). Initiating insulin therapy with, or switching existing insulin therapy to, biphasic insulin aspart 30/70 (NovoMix 30) in routine care: safety and effectiveness in patients with type 2 diabetes in the IMPROVE observational study. *Int J Clin Pract* 63: 522-531. <http://dx.doi.org/10.1111/j.1742-1241.2009.02002.x>.
- Valente, M; Sousa, SF; Magalhães, AL; Freire, C. (2011). Complexation of alkali metal cations by crown-ether type podands with applications in solvent extraction: insights from quantum chemical calculations. *J Mol Model* 17: 3275-3288. <http://dx.doi.org/10.1007/s00894-011-1004-9>.
- Valente, M; Sousa, SF; Magalhães, AL; Freire, C. (2012). Dehydration of a polyether type extraction agent and of the corresponding K<sup>+</sup> complex: insights into liquid-liquid extraction mechanisms by quantum chemical methods. *J Mol Model* 18: 4909-4915. <http://dx.doi.org/10.1007/s00894-012-1491-3>.
- Valenzuela-Barra, G; Castro, C; Figueroa, C; Barriga, A; Silva, X; de Las Heras, B; Hortelano, S; Delporte, C. (2015). Anti-inflammatory activity and phenolic profile of propolis from two locations in Región Metropolitana de Santiago, Chile. *J Ethnopharmacol* 168: 37-44. <http://dx.doi.org/10.1016/j.jep.2015.03.050>.



## Human Health Hazard Literature Search Results

### Off Topic

- Valiyari, S; Baradaran, B; Delazar, A; Pasdaran, A; Zare, F. (2012). Dichloromethane and Methanol Extracts of *Scrophularia oxypsepala* Induces Apoptosis in MCF-7 Human Breast Cancer Cells. 2: 223-231. <http://dx.doi.org/10.5681/apb.2012.034>.
- Valiyari, S; Jahanban-Esfahlan, R; Shahneh, FZ; Yaripour, S; Baradaran, B; Delazar, A. (2013). Cytotoxic and apoptotic activity of *Scrophularia oxypsepala* in MCF-7 human breast cancer cells. *Toxicol Environ Chem* 95: 1208-1220. <http://dx.doi.org/10.1080/02772248.2013.854362>.
- Vallecillos, L; Pocurull, E; Borrull, F. (2015). Influence of pre-treatment process on matrix effect for the determination of musk fragrances in fish and mussel. *Talanta* 134: 690-698. <http://dx.doi.org/10.1016/j.talanta.2014.12.010>.
- van Der Salm, H; Larsen, CB; Mclay, J. R.; Fraser, MG; Lucas, NT; Gordon, KC. (2014). Stretching the phenazine MO in dppz: the effect of phenyl and phenyl-ethynyl groups on the photophysics of Re(I) dppz complexes. *Dalton Transactions (Online)* 43: 17775-17785. <http://dx.doi.org/10.1039/c4dt01415d>.
- Van Eerdenbrugh, B; Baird, JA; Taylor, LS. (2010). Crystallization tendency of active pharmaceutical ingredients following rapid solvent evaporation--classification and comparison with crystallization tendency from undercooled melts. *J Pharm Sci* 99: 3826-3838. <http://dx.doi.org/10.1002/jps.22214>.
- Van Emon, JM; Chuang, JC. (2012). Development of a simultaneous extraction and cleanup method for pyrethroid pesticides from indoor house dust samples. *Anal Chim Acta* 745: 38-44. <http://dx.doi.org/10.1016/j.aca.2012.07.031>.
- Van Emon, JM; Chuang, JC; Bronshtein, A; Altstein, M. (2013). Determination of polychlorinated biphenyls in soil and sediment by selective pressurized liquid extraction with immunochemical detection. *Sci Total Environ* 463-464: 326-333. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.020>.
- Van Pamel, E; Vlaemyck, G; Heyndrickx, M; Herman, L; Verbeken, A; Daeseleire, E. (2011). Mycotoxin production by pure fungal isolates analysed by means of an uhplc-ms/ms multi-mycotoxin method with possible pitfalls and solutions for patulin-producing isolates. *Mycotoxin Research* 27: 37-47. <http://dx.doi.org/10.1007/s12550-010-0073-4>.
- van Rooij, IA; Wegerif, MJ; Roelofs, HM; Peters, WH; Kuijpers-Jagtman, AM; Zielhuis, GA; Merkus, HM; Steegers-Theunissen, RP. (2001). Smoking, genetic polymorphisms in biotransformation enzymes, and nonsyndromic oral clefting: A gene-environment interaction. *Epidemiology* 12: 502-507.
- van Vuuren, SF; Naidoo, D. (2010). An antimicrobial investigation of plants used traditionally in southern Africa to treat sexually transmitted infections. *J Ethnopharmacol* 130: 552-558. <http://dx.doi.org/10.1016/j.jep.2010.05.045>.
- van Vuuren, SF; Nkwanyana, MN; de Wet, H. (2015). Antimicrobial evaluation of plants used for the treatment of diarrhoea in a rural community in northern Maputaland, KwaZulu-Natal, South Africa. *BMC Complement Altern Med* 15: 53. <http://dx.doi.org/10.1186/s12906-015-0570-2>.
- Vandamme, K; Naert, I; Vander Sloten, J; Puers, R; Duyck, J. (2008). Effect of implant surface roughness and loading on peri-implant bone formation. *J Periodontol* 79: 150-157. <http://dx.doi.org/10.1902/jop.2008.060413>.
- Vandenabeele, C; Bulou, S; Maurau, R; Siffer, F; Belmonte, T; Choquet, P. (2015). Organo-Chlorinated Thin Films Deposited by Atmospheric Pressure Plasma-Enhanced Chemical Vapor Deposition for Adhesion Enhancement between Rubber and Zinc-Plated Steel Monofilaments. 7: 14317-14327. <http://dx.doi.org/10.1021/acsami.5b02887>.
- Vanderlinde, FA; Rocha, FF; Malvar, DC; Ferreira, RT; Costa, EA; Florentino, IF; Guilhon, GMS, P; de Lima, TCM. (2012). Anti-inflammatory and opioid-like activities in methanol extract of *Mikania lindleyana*, *sururiju*. *Revista Brasileira de Farmacognosia* 22: 150-156. <http://dx.doi.org/10.1590/S0102-695X2011005000190>.
- Vanduchova, A; Tomankova, V; Anzenbacher, P; Anzenbacherova, E. (2016). Influence of Sulforaphane Metabolites on Activities of Human Drug-Metabolizing Cytochrome P450 and Determination of Sulforaphane in Human Liver Cells. *J Med Food* 19: 1141-1146. <http://dx.doi.org/10.1089/jmf.2016.0063>.
- Vannozzi, L; Ricotti, L; Alyassi, S; Bearzi, C; Gargioli, C; Rizzi, R; Khalaf, K; Dario, P; Mencias, A. (2015). Microgrooved ultra-thin films as building blocks of future bio-hybrid actuators. *Conf Proc IEEE Eng Med Biol Soc* 2015: 354-357. <http://dx.doi.org/10.1109/EMBC.2015.7318372>.
- Vardini, MT; Mashayekhi, HA, I; Saber-Tehrani, M. (2012). DISPERSIVE LIQUID-LIQUID MICROEXTRACTION FOLLOWED BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY AS AN EFFICIENT AND SENSITIVE TECHNIQUE FOR THE SIMULTANEOUS DETERMINATION OF ALPRAZOLAM, OXAZEPAM, AND DIAZEPAM IN HUMAN URINE SAMPLES. *Journal of Liquid Chromatography and Related Technologies* 35: 988-999. <http://dx.doi.org/10.1080/10826076.2011.637277>.
- Varol, M; Bruno, M; Koparal, AT; Rosselli, S; Maggio, A. (2011). Cytotoxic effect of sesquiterpenes isolated from dichloromethane (DCM) extract of *Tanacetum vulgare* subsp *sicilum* (Guss.). *FEBS J* 278: 339-339.
- Varshosaz, J; Minayian, M; Moazen, E. (2010). Enhancement of oral bioavailability of pentoxifylline by solid lipid nanoparticles. *J Liposome Res* 20: 115-123. <http://dx.doi.org/10.3109/08982100903161456>.
- Varshosaz, J; Tabbakhian, M; Mohammadi, MY. (2010). Formulation and optimization of solid lipid nanoparticles of buspirone HCl for enhancement of its oral bioavailability. *J Liposome Res* 20: 286-296. <http://dx.doi.org/10.3109/08982100903443065>.
- Varshosaz, J; Tavakoli, N; Salamat, FA. (2011). Enhanced dissolution rate of simvastatin using spherical crystallization technique. *Pharm Dev Technol* 16: 529-535. <http://dx.doi.org/10.3109/10837450.2010.502175>.
- Vasconcellos, CLC; Vitorio, KCD; Andrade, PA; Cambui, EVF; Lira, AF; Cavalcante, SCH; Estevam, CS; Antonioli, AR; Thomazzi, SM. (2009). Antinociceptive, anti-inflammatory, and antioxidant properties of *Phoradendron piperoides* leaves. *Pharmaceutical Biology* 47: 645-652. <http://dx.doi.org/10.1080/13880200902917065>.
- Vashistha, VK; Bhushan, R. (2015). Preparative enantioseparation of (RS)-baclofen: determination of molecular dissymmetry. *Chirality* 27: 299-305. <http://dx.doi.org/10.1002/chir.22428>.

## Human Health Hazard Literature Search Results

### Off Topic

- Vasudewa, NS; Abeytunga, DTU; Ratnasooriya, WD. (2008). Activity-directed fractionation of pleurotus ostreatus in the search for analgesics. *Pharmaceutical Biology* 46: 295-301. <http://dx.doi.org/10.1080/13880200801887047>.
- Vay, K; Scheler, S; Friess, W. (2011). Application of Hansen solubility parameters for understanding and prediction of drug distribution in microspheres. *Int J Pharm* 416: 202-209. <http://dx.doi.org/10.1016/j.ijpharm.2011.06.047>.
- Vazdar, K; Vojta, D; Margetić, D; Vazdar, M. (2017). Reaction Mechanism of Covalent Modification of Phosphatidylethanolamine Lipids by Reactive Aldehydes 4-hydroxy-2-nonenal and 4-oxo-2-nonenal. *Chem Res Toxicol*. <http://dx.doi.org/10.1021/acs.chemrestox.6b00443>.
- Veeraraghavan, S; Viswanadha, S; Thappali, S; Govindarajulu, B; Vakkalanka, S; Rangasamy, M. (2015). Simultaneous quantification of lenalidomide, ibrutinib and its active metabolite PCI-45227 in rat plasma by LC-MS/MS: application to a pharmacokinetic study. *J Pharm Biomed Anal* 107: 151-158. <http://dx.doi.org/10.1016/j.jpba.2014.11.041>.
- Veerbeek, MA; Oude Voshaar, RC; Pot, AM. (2013). Psychometric properties of the Dutch version of the Health of the Nation Outcome Scales for older adults (HoNOS 65+) in daily care. *Int J Nurs Stud* 50: 1711-1719. <http://dx.doi.org/10.1016/j.ijnurstu.2013.05.004>.
- Velayudham, S; Lee, CH; Xie, M; Blair, D; Bauman, N; Yap, YK; Green, SA; Liu, H. (2010). Noncovalent functionalization of boron nitride nanotubes with poly(p-phenylene-ethynylene)s and polythiophene. *ACS Applied Materials & Interfaces* 2: 104-110. <http://dx.doi.org/10.1021/am900613j>.
- Velazquez-Moyado, JA; Martinez-Gonzalez, A; Linares, E; Bye, R; Mata, R; Navarrete, A. (2015). Gastroprotective effect of diligustilide isolated from roots of *Ligusticum porteri* coult. & rose (Apiaceae) on ethanol-induced lesions in rats. *J Ethnopharmacol* 174: 403-409. <http://dx.doi.org/10.1016/j.jep.2015.08.030>.
- Veldman, K; Reijneveld, SA; Lahr, MM; Uittenbroek, RJ; Wynia, K. (2016). The Partners in Health scale for older adults: design and examination of its psychometric properties in a Dutch population of older adults. *Health Expect*. <http://dx.doi.org/10.1111/hex.12488>.
- Velian, A; Lin, S; Miller, AJ; Day, MW; Agapie, T. (2010). Synthesis and C-C coupling reactivity of a dinuclear Ni(i)-Ni(ii) complex supported by a terphenyl diphosphine. *J Am Chem Soc* 132: 6296-6297. <http://dx.doi.org/10.1021/ja101699a>.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Venkataraman, R; Vaidyanathan, KR; Sankar, MN; Cherian, KM. (2009). Late dissection of pulmonary autograft treated by valve-sparing aortic root replacement. *J Card Surg* 24: 443-445. <http://dx.doi.org/10.1111/j.1540-8191.2008.00764.x>.
- Venkatasubbaiah, K; Doshi, A; Nowik, I; Herber, RH; Rheingold, AL; Jäkle, F. (2008). Examination of the mixed-valence state of the doubly boron-bridged ferrocene cation [(FeCp)<sub>2</sub>(μ-C<sub>10</sub>H<sub>6</sub>(BPh)<sub>2</sub>)]<sup>+</sup>. *Chemistry* 14: 444-458. <http://dx.doi.org/10.1002/chem.200701219>.
- Venkatesh, Y; Munisamy, V; Ramakrishna, B; Kumar, PH; Mandal, H; Bangal, PR. (2017). Photoinduced bimolecular electron transfer from aromatic amines to pentafluorophenyl porphyrin combined with ultrafast charge recombination persistence with Marcus inverted region. *Phys Chem Chem Phys* 19: 5658-5673. <http://dx.doi.org/10.1039/c6cp08520b>.
- Venkatesh, Y; Venkatesan, M; Ramakrishna, B; Bangal, PR. (2016). Ultrafast Time-Resolved Emission and Absorption Spectra of meso-Pyridyl Porphyrins upon Soret Band Excitation Studied by Fluorescence Up-Conversion and Transient Absorption Spectroscopy. *J Phys Chem B* 120: 9410-9421. <http://dx.doi.org/10.1021/acs.jpcc.6b05767>.
- Ventura, B; Barigelletti, F; Durolo, F; Flamigni, L; Sauvage, JP; Wenger, OS. (2008). Fe(II), Ru(II) and Re(I) complexes of endotopic, sterically non-hindering, U-shaped 8,8'-disubstituted-3,3'-biisoquinoline ligands: syntheses and spectroscopic properties. *Dalton Trans* 491-498. <http://dx.doi.org/10.1039/b712834g>.
- Venugopal, J. R.; Giri Dev, VR; Senthilram, T; Sathiskumar, D; Gupta, D; Ramakrishna, S. (2011). Osteoblast mineralization with composite nanofibrous substrate for bone tissue regeneration. *Cell Biol Int* 35: 73-80. <http://dx.doi.org/10.1042/CBI20090066>.
- Vera-Candioti, L; Olivieri, AC; Goicoechea, HC. (2010). Development of a novel strategy for preconcentration of antibiotic residues in milk and their quantitation by capillary electrophoresis. *Talanta* 82: 213-221. <http://dx.doi.org/10.1016/j.talanta.2010.04.023>.
- Vera-Candioti, L; Teglia, CM; Cámara, MS. (2016). Dispersive liquid-liquid microextraction of quinolones in porcine blood: Optimization of extraction procedure and CE separation using experimental design. *Electrophoresis* 37: 2670-2677. <http://dx.doi.org/10.1002/elps.201600103>.
- Véras, LM; Cunha, VR; Lima, FC; Guimarães, MA; Vieira, MM; Campelo, YD; Sakai, VY; Lima, DF; Carvalho, PS; Ellena, JA; Silva, PR; Vasconcelos, LC; Godejohann, M; Petrilli, HM; Constantino, VR; Mascarenhas, YP; de Souza de Almeida Leite, J. R. (2013). Industrial Scale Isolation, Structural and Spectroscopic Characterization of Epiisopiloturine from *Pilocarpus microphyllus* Stapf Leaves: A Promising Alkaloid against Schistosomiasis. *PLoS ONE* 8: e66702. <http://dx.doi.org/10.1371/journal.pone.0066702>.
- Vergeiner, S; Schafferer, L; Haas, H; Müller, T. (2014). Improved MALDI-TOF microbial mass spectrometry imaging by application of a dispersed solid matrix. *Anal Bioanal Chem* 406: 1498-1501. <http://dx.doi.org/10.1007/s13361-014-0923-y>.
- Verhaak, C; de Laat, P; Koene, S; Tibosch, M; Rodenburg, R; de Groot, I; Knoop, H; Janssen, M; Smeitink, J. (2016). Quality of life, fatigue and mental health in patients with the m.3243A & G mutation and its correlates with genetic characteristics and disease manifestation. *Orphanet J Rare Dis* 11: 25. <http://dx.doi.org/10.1186/s13023-016-0403-5>.
- Verma, A; Hartonen, K; Riekkola, ML. (2008). Optimisation of supercritical fluid extraction of indole alkaloids from *Catharanthus roseus* using experimental design methodology--comparison with other extraction techniques. *Phytochem Anal* 19: 52-63. <http://dx.doi.org/10.1002/pca.1015>.
- Verma, AK; Rustagi, V; Aggarwal, T; Singh, AP. (2010). Iodine-mediated solvent-controlled selective electrophilic cyclization and oxidative esterification of o-alkynyl aldehydes: an easy access to pyranoquinolines, pyranoquinolinones, and isocumarins. *J Org Chem* 75: 7691-7703. <http://dx.doi.org/10.1021/jo101526b>.

## Human Health Hazard Literature Search Results

### Off Topic

- Verma, D; Verma, SK; Deb, MK. (2009). Single-drop micro-extraction and diffuse reflectance Fourier transform infrared spectroscopic determination of chromium in biological fluids. *Talanta* 78: 270-277. <http://dx.doi.org/10.1016/j.talanta.2008.11.020>.
- Verma, P; Patni, PA; Sunoj, RB. (2011). Mechanistic insights on N-heterocyclic carbene-catalyzed annulations: the role of base-assisted proton transfers. *J Org Chem* 76: 5606-5613. <http://dx.doi.org/10.1021/jo200560t>.
- Verma, RK; Verma, GK; Shukla, G; Nagaraju, A; Singh, MS. (2012). 4-Dimethylamino pyridine-promoted one-pot three-component regioselective synthesis of highly functionalized 4H-thiopyrans via heteroannulation of  $\beta$ -oxodithioesters. *14*: 224-230. <http://dx.doi.org/10.1021/co200203e>.
- Verma, V; Tripathi, AC; Saraf, SK. (2016). Bioactive non-sterol triterpenoid from *Streblus asper*: microwave-assisted extraction, HPTLC profiling, computational studies and neuro-pharmacological evaluation in BALB/c mice. *Pharmaceutical Biology* 54: 2454-2464. <http://dx.doi.org/10.3109/13880209.2016.1160132>.
- Verschaeve, L; Van Staden, J. (2008). Mutagenic and antimutagenic properties of extracts from South African traditional medicinal plants. *J Ethnopharmacol* 119: 575-587. <http://dx.doi.org/10.1016/j.jep.2008.06.007>.
- Vesović, N; Ćurčić, S; Vujisić, L; Nenadić, M; Krstić, G; Perić-Mataruga, V; Milosavljević, S; Antić, D; Mandić, B; Petković, M; Vučković, I; Marković, Đ; Vrbica, M; Ćurčić, B; Makarov, S. (2015). Molecular Diversity of Compounds from Pygidial Gland Secretions of Cave-Dwelling Ground Beetles: The First Evidence. *J Chem Ecol* 41: 533-539. <http://dx.doi.org/10.1007/s10886-015-0593-7>.
- Vetter, AJ; Rieth, RD; Brennessel, WW; Jones, WD. (2009). Selective C-H activation of haloalkanes using a rhodiumtrispyrazolylborate complex. *J Am Chem Soc* 131: 10742-10752. <http://dx.doi.org/10.1021/ja9002316>.
- Vetter, RS; Rust, MK. (2010). Influence of spider silk on refugia preferences of the recluse spiders *Loxosceles reclusa* and *Loxosceles laeta* (Araneae: Sicariidae). *J Econ Entomol* 103: 808-815.
- Viana de Carvalho, PH; Prata, V; Alves, PB; Navickiene, S. (2009). Determination of Six Pesticides in the Medicinal Herb *Cordia salicifolia* by Matrix Solid-Phase Dispersion and Gas Chromatography/Mass Spectrometry. *J AOAC Int* 92: 1184-1189.
- Vidal, SA; Samico, IC; Frias, PG; Hartz, ZM. (2011). An exploratory study of the costs and consequences of prenatal care in the Family Health Program. *Rev Saude Publica* 45: 467-474.
- Vidal, V; Potterat, O; Louvel, S; Hamy, F; Mojarrab, M; Sanglier, JJ; Klimkait, T; Hamburger, M. (2012). Library-based discovery and characterization of daphnane diterpenes as potent and selective HIV inhibitors in *Daphne gnidium*. *J Nat Prod* 75: 414-419. <http://dx.doi.org/10.1021/np200855d>.
- Vieira, JG; Kunii, IS; Ohe, MN; Carvalho, AB. (2009). Heterogeneity of carboxyl-terminal parathyroid hormone circulating forms in patients with hyperparathyroidism due to end stage renal disease. *Arq Bras Endocrinol Metabol* 53: 1074-1078.
- Vieira, MN; Costa, F; Leitao, GG; Garrard, I, an; Hewitson, P; Ignatova, S; Winterhalter, P; Jerz, G. (2015). *Schinus terebinthifolius* scale-up countercurrent chromatography (Part I): High performance countercurrent chromatography fractionation of triterpene acids with off-line detection using atmospheric pressure chemical ionization mass spectrometry. *J Chromatogr A* 1389: 39-48. <http://dx.doi.org/10.1016/j.chroma.2015.02.005>.
- Vigerelli, H; Sciani, JM; Jared, C; Antoniazzi, MM; Caporale, GM; da Silva, A; Pimenta, DC. (2014). Bufotenine is able to block rabies virus infection in BHK-21 cells. *Journal of Venomous Animals and Toxins including Tropical Diseases* 20: 45. <http://dx.doi.org/10.1186/1678-9199-20-45>.
- Vigil de Mello, SV; da Rosa, JS; Facchin, BM; Luz, AB; Vicente, G; Faqueti, LG; Rosa, DW; Biavatti, MW; Fröde, TS. (2016). Beneficial effect of *Ageratum conyzoides* Linn (Asteraceae) upon inflammatory response induced by carrageenan into the mice pleural cavity. *J Ethnopharmacol* 194: 337-347. <http://dx.doi.org/10.1016/j.jep.2016.09.003>.
- Vijaya Bhaskar Reddy, A; Yusop, Z; Jaafar, J; Bin Aris, A; Abdul Majid, Z; Umar, K; Talib, J. (2016). Simultaneous determination of three organophosphorus pesticides in different food commodities by gas chromatography with mass spectrometry. *J Sep Sci* 39: 2276-2283. <http://dx.doi.org/10.1002/jssc.201600155>.
- Vikhe, YS; Hande, SM; Kawai, N; Uenishi, J. (2009). Stereochemistry of Intermolecular Oxypalladation: Pd-II-Catalyzed 1,3-Chirality Transfer Reaction of Chiral Allylic Alcohol with Methanol. *J Org Chem* 74: 5174-5180. <http://dx.doi.org/10.1021/jo9011464>.
- Vikingsson, S; Almer, S; Peterson, C; Carlsson, B; Josefsson, M. (2013). Monitoring of thiopurine metabolites - a high-performance liquid chromatography method for clinical use. *J Pharm Biomed Anal* 75: 145-152. <http://dx.doi.org/10.1016/j.jpba.2012.11.027>.
- Vilela, FC; de Mesquita Padilha, M; Dos Santos-E-Silva, L; Alves-Da-Silva, G; Giusti-Paiva, A. (2009). Evaluation of the antinociceptive activity of extracts of *Sonchus oleraceus* L. in mice. *J Ethnopharmacol* 124: 306-310. <http://dx.doi.org/10.1016/j.jep.2009.04.037>.
- Vilela, SF; Junqueira, JC; Barbosa, JO; Majewski, M; Munin, E; Jorge, AO. (2012). Photodynamic inactivation of *Staphylococcus aureus* and *Escherichia coli* biofilms by malachite green and phenothiazine dyes: an in vitro study. *Arch Oral Biol* 57: 704-710. <http://dx.doi.org/10.1016/j.archoralbio.2011.12.002>.
- Villaflores, OB; Macabeo, AP; Gehle, D; Krohn, K; Franzblau, SG; Aguinaldo, AM. (2010). Phytoconstituents from *Alpinia purpurata* and their in vitro inhibitory activity against *Mycobacterium tuberculosis*. *Pharmacognosy Magazine* 6: 339-344. <http://dx.doi.org/10.4103/0973-1296.71785>.
- Villano, SM; Eyt, N; Lineberger, WC; Bierbaum, VM. (2008). Gas-phase carbene radical anions: new mechanistic insights. *J Am Chem Soc* 130: 7214-7215. <http://dx.doi.org/10.1021/ja801819b>.
- Villaverde-De-Saa, E; Valls-Cantenys, C; Benito Quintana, J; Rodil, R; Cela, R. (2013). Matrix solid-phase dispersion combined with gas chromatography-mass spectrometry for the determination of fifteen halogenated flame retardants in mollusks. *J Chromatogr A* 1300: 85-94. <http://dx.doi.org/10.1016/j.chroma.2013.05.064>.

## Human Health Hazard Literature Search Results

### Off Topic

- Vilsinski, BH; Gerola, AP; Enumo, JA; Campanholi, K; Pereira, PC; Braga, G; Hioka, N; Kimura, E; Tessaro, AL; Caetano, W. (2015). Formulation of Aluminum Chloride Phthalocyanine in Pluronic<sup>™</sup> P-123 and F-127 Block Copolymer Micelles: Photophysical properties and Photodynamic Inactivation of Microorganisms. *Photochem Photobiol* 91: 518-525. <http://dx.doi.org/10.1111/php.12421>.
- Vinay, KB; Revanasiddappa, HD; Rajendraprasad, N. (2009). Development and Validation of Spectrophotometric Methods for the Sensitive and Selective Determination of Lamotrigine in Pharmaceuticals Using Bromocresol Purple. *J Food Drug Anal* 17: 424-433.
- Vinay, KB; Revannasiddappa, HD; Rajendraprasad, N; Ramesh, PJ; Xavier, CM; Basavaiah, K. (2012). Use of two sulfonhalein dyes in the extraction-free spectrophotometric assay of tramadol in dosage forms and in spiked human urine based on ion-pair reaction. *Drug Testing and Analysis* 4: 116-122. <http://dx.doi.org/10.1002/dta.247>.
- Vinaya, K; Kavitha, R; Ananda Kumar, CS; Benaka Prasad, SB; Chandrappa, S; Deepak, SA; Nanjunda Swamy, S; Umesha, S; Rangappa, KS. (2009). Synthesis and antimicrobial activity of 1-benzhydryl-sulfonyl-4-(3-(piperidin-4-yl) propyl)piperidine derivatives against pathogens of *Lycopersicon esculentum*: a structure-activity evaluation study. *Arch Pharm Res* 32: 33-41. <http://dx.doi.org/10.1007/s12272-009-1115-3>.
- Vinciguerra, B; Cao, L; Cannon, JR; Zavalij, PY; Fenselau, C; Isaacs, L. (2012). Synthesis and self-assembly processes of monofunctionalized cucurbit[7]uril. *J Am Chem Soc* 134: 13133-13140. <http://dx.doi.org/10.1021/ja3058502>.
- Viota, JL; Lopez-Viota, M; Saake, B; Stana-Kleinschek, K; Delgado, AV. (2010). Organoclay particles as reinforcing agents in polysaccharide films. *J Colloid Interface Sci* 347: 74-78. <http://dx.doi.org/10.1016/j.jcis.2010.03.009>.
- Virag, JAI; Anderson, EJ; Kent, SD; Blanton, HD; Johnson, TL; Moukdar, F; Deantonio, JH; Thayne, K; Ding, JM; Lust, RM. (2013). Cardioprotection via preserved mitochondrial structure and function in the mPer2-mutant mouse myocardium. *Am J Physiol Heart Circ Physiol* 305: H477-H483. <http://dx.doi.org/10.1152/ajpheart.00914.2012>.
- Vishwakarma, S; Goyal, R; Gupta, V; Dhar, KL, al. (2016). GABAergic effect of valeric acid from *Valeriana wallichii* in amelioration of ICV STZ induced dementia in rats. *Revista Brasileira de Farmacognosia* 26: 484-489. <http://dx.doi.org/10.1016/j.bjp.2016.02.008>.
- Visnevschi-Necrasov, T; Cunha, SC; Nunes, E; Oliveira, MB. (2009). Optimization of matrix solid-phase dispersion extraction method for the analysis of isoflavones in *Trifolium pratense*. *J Chromatogr A* 1216: 3720-3724. <http://dx.doi.org/10.1016/j.chroma.2009.02.081>.
- Visvaganesan, K; Suresh, E; Palaniandavar, M. (2009). Highly selective hydroxylation of alkanes catalyzed by (micro-oxo)bis(micro-carboxylato)-bridged diiron(III) complexes: involvement of mononuclear iron(III) species in catalysis. *Dalton Trans* 3814-3823. <http://dx.doi.org/10.1039/b901508f>.
- Vivancos, Á; Paneque, M; Poveda, ML; Álvarez, E. (2013). Building a parent iridabenzene structure from acetylene and dichloromethane on an iridium center. *Angew Chem Int Ed Engl* 52: 10068-10071. <http://dx.doi.org/10.1002/anie.201305319>.
- Vivas, MG; De Boni, L; Cooper, TM; Mendonca, CR. (2014). Understanding the two-photon absorption spectrum of PE2 platinum acetylide complex. *J Phys Chem A* 118: 5608-5613. <http://dx.doi.org/10.1021/jp503318u>.
- Vivas, MG; Diaz, C; Echevarria, L; Mendonca, CR; Hernández, FE; De Boni, L. (2013). Two-photon circular-linear dichroism of perylene in solution: a theoretical-experimental study. *J Phys Chem B* 117: 2742-2747. <http://dx.doi.org/10.1021/jp311065n>.
- Vladislavjević, GT; Duncanson, WJ; Shum, HC; Weitz, DA. (2012). Emulsion templating of poly(lactic acid) particles: droplet formation behavior. *Langmuir* 28: 12948-12954. <http://dx.doi.org/10.1021/la302092f>.
- Vo, QV; Trenerry, C; Rochfort, S; Wadeson, J; Leyton, C; Hughes, AB. (2013). Synthesis and anti-inflammatory activity of aromatic glucosinolates. *Bioorg Med Chem* 21: 5945-5954. <http://dx.doi.org/10.1016/j.bmc.2013.07.049>.
- Vo, QV; Trenerry, C; Rochfort, S; Wadeson, J; Leyton, C; Hughes, AB. (2014). Synthesis and anti-inflammatory activity of indole glucosinolates. *Bioorg Med Chem* 22: 856-864. <http://dx.doi.org/10.1016/j.bmc.2013.12.003>.
- Vogel, M; Bertram, N; Wasmuth, JC; Emmelkamp, J; Rockstroh, JK; Reichel, C. (2010). Determination of nevirapine in plasma by GC-MS. *J Chromatogr Sci* 48: 91-94.
- Vogliardi, S; Favretto, D; Tucci, M; Stocchero, G; Ferrara, SD. (2011). Simultaneous LC-HRMS determination of 28 benzodiazepines and metabolites in hair. *Anal Bioanal Chem* 400: 51-67. <http://dx.doi.org/10.1007/s00216-011-4742-8>.
- Voineskos, D; De Luca, V; Macgregor, S; Likhodi, O; Miller, L; Voineskos, AN; Kennedy, JL. (2009). Neuregulin 1 and age of onset in the major psychoses. *Journal of Neural Transmission* 116: 479-486. <http://dx.doi.org/10.1007/s00702-008-0182-9>.
- Völter, C; Strobach, T; Aichert, DS; Wöstmann, N; Costa, A; Möller, HJ; Schubert, T; Ettinger, U. (2012). Schizotypy and behavioural adjustment and the role of neuroticism. *PLoS ONE* 7: e30078. <http://dx.doi.org/10.1371/journal.pone.0030078>.
- von Eschwege, KG; Conradie, J; Kuhn, A. (2011). Dithizone and its oxidation products: a DFT, spectroscopic, and X-ray structural study. *J Phys Chem A* 115: 14637-14646. <http://dx.doi.org/10.1021/jp208212e>.
- Vos, J; Menko, F; Jansen, AM; van Asperen, CJ; Stiggelbout, AM; Tibben, A. (2011). A whisper-game perspective on the family communication of DNA-test results: a retrospective study on the communication process of BRCA1/2-test results between proband and relatives. *Fam Cancer* 10: 87-96. <http://dx.doi.org/10.1007/s10689-010-9385-y>.
- Vu, VT; Lee, BK; Kim, JT; Lee, CH; Kim, IH. (2011). Assessment of carcinogenic risk due to inhalation of polycyclic aromatic hydrocarbons in PM10 from an industrial city: a Korean case-study. *J Hazard Mater* 189: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.043>.
- Vuilleumier, S; Chistoserdova, L; Lee, MC; Bringel, F; Lajus, A; Zhou, Y; Gourion, B; Barbe, V; Chang, J; Cruveiller, S; Dossat, C; Gillett, W; Gruffaz, C; Haugen, E; Hourcade, E; Levy, R; Mangenot, S; Muller, E; Nadalig, T; Pagni, M; Penny, C; Peyraud, R; Robinson, DG; Roche, D; Rouy, Z; Saenampechek, C; Salvignol, G; Vallenet, D; Wu, Z; Marx, CJ; Vorholt, JA; Olson, MV; Kaul, R; Weissenbach, J; Médigue, C; Lidstrom, ME. (2009). *Methylobacterium* genome sequences: a reference blueprint to investigate microbial metabolism of C1 compounds from natural and industrial sources. *PLoS ONE* 4: e5584. <http://dx.doi.org/10.1371/journal.pone.0005584>.

## Human Health Hazard Literature Search Results

### Off Topic

- Vujisić, LV; Antić, DŽ; Vučković, IM; Sekulić, TL, J; Tomić, VT; Mandić, BM; Tešević, VV; Ćurčić, BP; Vajs, VE; Makarov, SE. (2014). Chemical defense in millipedes (Myriapoda, Diplopoda): do representatives of the family Blaniulidae belong to the 'quinone' clade? *Chem Biodivers* 11: 483-490. <http://dx.doi.org/10.1002/cbdv.201300355>.
- Vuorinen, AM; Dyer, SR; Vallittu, PK; Lassila, LV. (2010). Bonding of composite resin to dentin using rigid rod polymer modified primers. *J Adhes Dent* 12: 175-182. <http://dx.doi.org/10.3290/j.jad.a17538>.
- Vuorinen, AM; Dyer, SR; Vallittu, PK; Lassila, LV. (2011). Effect of water storage on the microtensile bond strength of composite resin to dentin using experimental rigid rod polymer modified primers. *J Adhes Dent* 13: 333-340. <http://dx.doi.org/10.3290/j.jad.a19653>.
- Vyas, S; Hadad, CM; Modarelli, DA. (2008). A computational study of the ground and excited state structure and absorption spectra of free-base N-confused porphine and free-base N-confused tetraphenylporphyrin. *J Phys Chem A* 112: 6533-6549. <http://dx.doi.org/10.1021/jp802094r>.
- Vysloužil, J; Doležel, P; Kejdušová, M; Košťál, V; Beneš, L; Dvořáčková, K. (2016). Long-term controlled release of PLGA microparticles containing antidepressant mirtazapine. 21: 214-221. <http://dx.doi.org/10.3109/10837450.2014.991874>.
- Vysloužil, J; Doležel, P; Kejdušová, M; Mašková, E; Mašek, J; Lukáč, R; Košťál, V; Vetchý, D; Dvořáčková, K. (2014). Influence of different formulations and process parameters during the preparation of drug-loaded PLGA microspheres evaluated by multivariate data analysis. 64: 403-417. <http://dx.doi.org/10.2478/acph-2014-0032>.
- Vysloužil, J; Kejdušová, M; Dvořáčková, K; Vetchý, D. (2013). Influence of formulation and process parameters on the characteristics of PLGA-based microparticles with controlled drug release. *Ceska Slov Farm* 62: 120-126.
- Wade, PA; Pipic, A; Zeller, M; Tsetsakos, P. (2013). Sequential Diels-Alder/[3,3]-sigmatropic rearrangement reactions of  $\beta$ -nitrostyrene with 3-methyl-1,3-pentadiene. *Beilstein Journal of Organic Chemistry* 9: 2137-2146. <http://dx.doi.org/10.3762/bjoc.9.251>.
- Wagdare, NA; Marcelis, AT; Boom, RM; van Rijn, CJ. (2011). Porous microcapsule formation with microsieve emulsification. *J Colloid Interface Sci* 355: 453-457. <http://dx.doi.org/10.1016/j.jcis.2010.12.053>.
- Wahab, SIA; Abdul, AB; Mohan, SM; Al-Zubairi, AS; Elhassan, MM; Ibrahim, MY. (2009). Biological Activities of *Pereskia bleo* Extracts. *International Journal of Pharmacology* 5: 71-75.
- Wahyuni, FS; Shaari, K; Stanslas, J; Lajis, NH; Hamidi, D. (2016). Cytotoxic Properties and Complete Nuclear Magnetic Resonance Assignment of Isolated Xanthenes from the Root of *Garcinia cowa* Roxb. *Pharmacognosy Magazine* 12: S52-S56. <http://dx.doi.org/10.4103/0973-1296.176115>.
- Wainwright, M; O'Kane, C; Rawthore, S. (2016). Phenothiazinium photosensitisers XI. Improved toluidine blue photoantimicrobials. *J Photochem Photobiol B* 160: 68-71. <http://dx.doi.org/10.1016/j.jphotobiol.2016.03.035>.
- Wainwright, M; Stanforth, A; Jones, R; Loughran, C; Megan, K. (2010). Photoantimicrobials as a potential local approach to geriatric UTIs. *Lett Appl Microbiol* 50: 486-492. <http://dx.doi.org/10.1111/j.1472-765X.2010.02825.x>.
- Walbaum, C; Pantenburg, I; Meyer, G. (2008). Bis(benzo-15-crown-5- $\kappa$ O)strontium bis-(triiodide). *Acta Crystallographica Section E: Structure Reports Online* 64: m747. <http://dx.doi.org/10.1107/S1600536808012373>.
- Walia, S; Sharma, RK; Parmar, BS. (2009). Isolation and simultaneous LC analysis of thiram and its less toxic transformation product in DS formulation. *Bull Environ Contam Toxicol* 83: 363-368. <http://dx.doi.org/10.1007/s00128-009-9754-0>.
- Walker, CIB; Zanotto, CZ; Ceron, CS; Pozzatti, P; Alves, SH; Manfron, MP. (2009). Pharmacology Activity and Quercetin content of *Mirabilis jalapa* L. *Lat Am J Pharm* 28: 241-246.
- Walker, DJ; Elliott, J; Syme, HM. (2009). Urinary cortisol/cortisone ratios in hypertensive and normotensive cats. *J Feline Med Surg* 11: 442-448. <http://dx.doi.org/10.1016/j.jfms.2008.10.004>.
- Walter, FG; Chan, JT; Winegard, B; Chase, PB; Shirazi, F; Chow, YY; de Boer, M; Denninghoff, K. (2008). Hazmat disaster preparedness in Hong Kong: what are the hazardous materials on Lantau, Lamma, and Hong Kong Islands? *Am J Disaster Med* 3: 213-233.
- Walters, GD. (2014). The latent structure of psychopathy in male adjudicated delinquents: a cross-domain taxometric analysis. 5: 348-355. <http://dx.doi.org/10.1037/per0000088>.
- Wampfler, B; Ramsauer, T; Rezzonico, S; Hischier, R; Köhling, R; Thöny-Meyer, L; Zinn, M. (2010). Isolation and purification of medium chain length poly(3-hydroxyalkanoates) (mcl-PHA) for medical applications using nonchlorinated solvents. *Biomacromolecules* 11: 2716-2723. <http://dx.doi.org/10.1021/bm1007663>.
- Wan, F; Maltesen, MJ; Andersen, SK; Bjerregaard, S; Foged, C; Rantanen, J; Yang, M. (2014). One-step production of protein-loaded PLGA microparticles via spray drying using 3-fluid nozzle. *Pharm Res* 31: 1967-1977. <http://dx.doi.org/10.1007/s11095-014-1299-1>.
- Wan Nor Hafiza, WA; Yazan, LS; Tor, YS; Foo, JB; Armania, N; Rahman, HS. (2016). Endoplasmic reticulum stress-induced apoptotic pathway and mitochondrial dysregulation in HeLa cells treated with dichloromethane extract of *Dillenia suffruticosa*. *Pharmacognosy Magazine* 12: S86-S95. <http://dx.doi.org/10.4103/0973-1296.176107>.
- Wang, A; Gan, Y; Yu, H; Liu, Y; Zhang, M; Cheng, B; Wang, F; Wang, H; Yan, J. (2012). Improvement of the cytocompatibility of electrospun poly[(R)-3-hydroxybutyrate-co-(R)-3-hydroxyvalerate] mats by Ecoflex. *J Biomed Mater Res A* 100: 1505-1511. <http://dx.doi.org/10.1002/jbm.a.34034>.
- Wang, A; Sun, J, in; Feng, H; Gao, S; He, Z. (2008). Simultaneous determination of paracetamol and caffeine in human plasma by LC-ESI-MS. *Chromatographia* 67: 281-285. <http://dx.doi.org/10.1365/s10337-007-0493-2>.
- Wang, C; Anbaei, P; Pu, L. (2016). Highly Enantioselective Fluorescent Recognition of Both Unfunctionalized and Functionalized Chiral Amines by a Facile Amide Formation from a Perfluoroalkyl Ketone. *Chemistry* 22: 7255-7261. <http://dx.doi.org/10.1002/chem.201600238>.
- Wang, C; Shao, C; Liu, Y; Li, X. (2009). Water-dichloromethane interface controlled synthesis of hierarchical rutile TiO<sub>2</sub> superstructures and their photocatalytic properties. *Inorg Chem* 48: 1105-1113. <http://dx.doi.org/10.1021/ic8018138>.

## Human Health Hazard Literature Search Results

### Off Topic

- Wang, C; Wang, Y; Wang, Y; Fan, M; Luo, F; Qian, Z. (2011). Characterization, pharmacokinetics and disposition of novel nanoscale preparations of paclitaxel. *Int J Pharm* 414: 251-259. <http://dx.doi.org/10.1016/j.ijpharm.2011.05.014>.
- Wang, C; Zhang, X; Shao, C; Zhang, Y; Yang, J; Sun, P; Liu, X; Liu, H; Liu, Y; Xie, T; Wang, D. (2011). Rutile TiO<sub>2</sub> nanowires on anatase TiO<sub>2</sub> nanofibers: A branched heterostructured photocatalysts via interface-assisted fabrication approach. *J Colloid Interface Sci* 363: 157-164. <http://dx.doi.org/10.1016/j.jcis.2011.07.035>.
- Wang, D; Han, L; Guo, Z. (2011). Quinone reductase inducing activity of the dichloromethane /ethanol extract of the roots of *Pulsatilla chinensis*. *Natural Product Communications* 6: 799-802.
- Wang, D, an; Huang, W, ei; Shi, Q; Hong, C; Cheng, Y; Ma, Z; Qu, H. (2008). Isolation and cytotoxic activity of compounds from the root tuber of *Curcuma wenyujin*. *Natural Product Communications* 3: 861-864.
- Wang, D; Meng, F; Yu, L, in; Sun, L, u; Sun, L; Guo, J. (2015). A sensitive LC-MS/MS method for quantifying capsaicin and dihydrocapsaicin in rabbit plasma and tissue: application to a pharmacokinetic study. *Biomed Chromatogr* 29: 496-503. <http://dx.doi.org/10.1002/bmc.3302>.
- Wang, D; Miao, X; Li, Q. (2008). Analysis of Organochlorine Pesticides in Coral (*Porites evermanni*) Samples Using Accelerated Solvent Extraction and Gas Chromatography/Ion Trap Mass Spectrometry. *Arch Environ Contam Toxicol* 54: 211-218. <http://dx.doi.org/10.1007/s00244-007-9016-2>.
- Wang, D; Wang, D; Qin, F; Chen, L; Li, F. (2008). Determination of lovastatin in human plasma by ultra-performance liquid chromatography/electrospray ionization tandem mass spectrometry. *Biomed Chromatogr* 22: 511-518. <http://dx.doi.org/10.1002/bmc.962>.
- Wang, DJ; Kang, YF; Xu, BP; Zheng, J; Wei, XH. (2013). Synthesis, characterization and fluorescence properties of boron difluoride pyridyl- $\beta$ -diketonate derivatives. *Spectrochim Acta A Mol Biomol Spectrosc* 104: 419-422. <http://dx.doi.org/10.1016/j.saa.2012.11.102>.
- Wang, DW; Lin, HY; He, B; Wu, FX; Chen, T; Chen, Q; Yang, WC; Yang, GF. (2016). An Efficient One-Pot Synthesis of 2-(Aryloxyacetyl)cyclohexane-1,3-diones as Herbicidal 4-Hydroxyphenylpyruvate Dioxygenase Inhibitors. *J Agric Food Chem* 64: 8986-8993. <http://dx.doi.org/10.1021/acs.jafc.6b04110>.
- Wang, DY; Chen, J; Cai, BC. (2013). [Optimization and application of method to determine plasma concentration of brucine]. *Zhongguo Zhong Yao Za Zhi* 38: 1075-1078.
- Wang, G; Guo, J; Meng, F; Song, X; Zhong, B; Zhao, Y. (2012). Development of a sensitive liquid chromatography/tandem mass spectrometry method for the determination of fenofibric acid in rat plasma. *Biomed Chromatogr* 26: 497-501. <http://dx.doi.org/10.1002/bmc.1693>.
- Wang, G; Sung, HHY; Dai, FR; Chiu, W; Wong, W; Williams, I; Leung, W, aH. (2013). Heterometallic Cerium(IV) Perrhenate, Permanganate, and Molybdate Complexes Supported by the Imidodiphosphinate Ligand [N(i-Pr<sub>2</sub>PO)(2)](-). *Inorg Chem* 52: 2556-2563. <http://dx.doi.org/10.1021/ic302567e>.
- Wang, GF; Ji, RH; Cao, MX; Tang, WZ; Yu, HB; Gu, BB; Ding, LJ; Peng, S; Jiao, WH; Sun, F; Lin, HW; Piao, SJ; Yang, F. (2015). New Metabolites from the South China Sea Sponge *Diacarnus megaspinothabdosia*. *Chem Pharm Bull (Tokyo)* 63: 438-442. <http://dx.doi.org/10.1248/cpb.c15-00022>.
- Wang, GM; Dai, H; Li, YG; Li, XL; Zhang, JZ; Zhang, L; Fu, YY; Li, ZG. (2010). Simultaneous determination of residues of trichlorfon and dichlorvos in animal tissues by LC-MS/MS. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 27: 983-988. <http://dx.doi.org/10.1080/19440041003671270>.
- Wang, H; Jia, Y; Hu, W; Jiang, H; Zhang, J; Zhang, L. (2013). Effect of preparation conditions on the size and encapsulation properties of mPEG-PLGA nanoparticles simultaneously loaded with vincristine sulfate and curcumin. 18: 694-700. <http://dx.doi.org/10.3109/10837450.2012.696267>.
- Wang, H; Liu, J; Xu, Y; Han, Y. (2013). Fibrillar morphology of derivatives of poly(3-alkylthiophene)s by solvent vapor annealing: effects of conformational transition and conjugate length. *J Phys Chem B* 117: 5996-6006. <http://dx.doi.org/10.1021/jp402039g>.
- Wang, H; Xue, Q; Tao, L; Ye, X; Liang, S; Li, Y; Niu, Z. (2013). [Determination of hexabromocyclododecane in coatings by gas chromatography-mass spectrometry]. *Sepu* 31: 791-794.
- Wang, HY; Wang, JS; Wei, DD; Wang, XB; Luo, J; Yang, MH; Kong, LY. (2012). Bioactivity-guided isolation of antiproliferative diterpenoids from *Euphorbia kansui*. 26: 853-859. <http://dx.doi.org/10.1002/ptr.3640>.
- Wang, J; Gardinali, PR. (2012). Analysis of selected pharmaceuticals in fish and the fresh water bodies directly affected by reclaimed water using liquid chromatography-tandem mass spectrometry. *Anal Bioanal Chem* 404: 2711-2720. <http://dx.doi.org/10.1007/s00216-012-6139-8>.
- Wang, J; Liu, K; Yan, L; Wang, A; Bai, S; Yan, X. (2016). Trace Solvent as a Predominant Factor To Tune Dipeptide Self-Assembly. *ACS Nano* 10: 2138-2143. <http://dx.doi.org/10.1021/acs.nano.5b06567>.
- Wang, J; Ouyang, J; Liu, Y; Jia, X; You, S; He, X; Di, X. (2014). Development of a sensitive LC-MS/MS method for the determination of bilobalide in rat plasma with special consideration of ex vivo bilobalide stability: application to a preclinical pharmacokinetic study. *J Pharm Biomed Anal* 95: 238-244. <http://dx.doi.org/10.1016/j.jpba.2014.03.003>.
- Wang, J; Su, Z; Yang, N; Hu, C. (2016). Mechanistic Study of the Asymmetric Carbonyl-Ene Reaction between Alkyl Enol Ethers and Isatin Catalyzed by the N,N'-Dioxide-Mg(OTf)<sub>2</sub> Complex. *J Org Chem* 81: 6444-6456. <http://dx.doi.org/10.1021/acs.joc.6b01071>.
- Wang, J; Wang, S; Wang, G; Zhang, J; Yu, XQ. (2012). Iron-mediated direct arylation with arylboronic acids through an aryl radical transfer pathway. *Chem Commun (Camb)* 48: 11769-11771. <http://dx.doi.org/10.1039/c2cc35468c>.
- Wang, J; Zhao, G; Li, Y; Zhu, H; Peng, X; Gao, X. (2014). One-step fabrication of functionalized magnetic adsorbents with large surface area and their adsorption for dye and heavy metal ions. *Dalton Transactions (Online)* 43: 11637-11645. <http://dx.doi.org/10.1039/c4dt00694a>.

## Human Health Hazard Literature Search Results

### Off Topic

- Wang, JB; Lu, LP; Liu, JY; Li, YS. (2014). [ONN]-type amine pyridine(s) phenolate-based oxovanadium(V) catalysts for ethylene homo- and copolymerization. *Dalton Transactions (Online)* 43: 12926-12934. <http://dx.doi.org/10.1039/c4dt01166j>.
- Wang, JM; Li, ZM; Wang, QR; Tao, FG. (2013). A DFT study on the mechanisms for the cycloaddition reactions between 1-aza-2-azoniaallene cations and acetylenes. *J Mol Model* 19: 83-95. <http://dx.doi.org/10.1007/s00894-012-1521-1>.
- Wang, K; Xu, F; Sun, R. (2010). Molecular Characteristics of Kraft-AQ Pulping Lignin Fractionated by Sequential Organic Solvent Extraction. *International Journal of Molecular Sciences* 11: 2988-3001. <http://dx.doi.org/10.3390/ijms11082988>.
- Wang, KY; Chen, C; Liu, JF; Wang, Q; Chang, J; Zhu, HJ; Li, C. (2012). Novel multifunctional organic semiconductor materials based on 4,8-substituted 1,5-naphthyridine: synthesis, single crystal structures, opto-electrical properties and quantum chemistry calculation. *Org Biomol Chem* 10: 6693-6704. <http://dx.doi.org/10.1039/c2ob25926e>.
- Wang, L; Hashidoko, Y; Hashimoto, M. (2016). Cosolvent-Promoted O-Benzoylation with Silver(I) Oxide: Synthesis of 1'-Benzylated Sucrose Derivatives, Mechanistic Studies, and Scope Investigation. *J Org Chem* 81: 4464-4474. <http://dx.doi.org/10.1021/acs.joc.6b00144>.
- Wang, L; Qin, YP; Gong, XL; Nan, F; Xiang, J; Yu, Q; Liang, MZ. (2010). [Determination of nicotinic acid and its metabolites in human plasma by HPLC-MS/MS]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 41: 1051-1054.
- Wang, L; Sakurai, M; Kameyama, H. (2008). Catalytic oxidation of dichloromethane and toluene over platinum alumite catalyst. *J Hazard Mater* 154: 390-395. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.036>.
- Wang, N; Fu, Y; Lim, LT. (2011). Feasibility study on chemometric discrimination of roasted Arabica coffees by solvent extraction and Fourier transform infrared spectroscopy. *J Agric Food Chem* 59: 3220-3226. <http://dx.doi.org/10.1021/jf104980d>.
- Wang, N; Sun, J; Shi, L; Ji, G; Chen, G. (2013). [Determination of chlorpyrifos' main metabolite 3,5,6-trichloro-2-pyridinol in human urine by ultra performance liquid chromatography coupled with tandem mass spectrometry]. *Sepu* 31: 903-907.
- Wang, Q; Ma, F; Tian, H; Song, Y; Xu, W; Tang, J. (2011). [Characterization of surface properties of polybutadiene rubber by inverse gas chromatography]. *Sepu* 29: 462-465.
- Wang, S; Guan, X; Zhong, X; Yang, Z; Huang, W; Jia, B; Cui, T. (2016). Simultaneous determination of cucurbitacin IIa and cucurbitacin IIb of *Hemsleya amabilis* by HPLC-MS/MS and their pharmacokinetic study in normal and indomethacin-induced rats. *Biomed Chromatogr* 30: 1632-1640. <http://dx.doi.org/10.1002/bmc.3733>.
- Wang, S; Li, C; Wang, H; Zhong, X; Zhao, J; Zhou, Y. (2016). A process optimization study on ultrasonic extraction of paclitaxel from *Taxus cuspidata*. 46: 274-280. <http://dx.doi.org/10.1080/10826068.2015.1031384>.
- Wang, SK; Duh, CY. (2012). New cytotoxic cembranolides from the soft coral *Lobophytum michaelae*. *Mar Drugs* 10: 306-318. <http://dx.doi.org/10.3390/md10020306>.
- Wang, SM; Yu, ML; Ding, J; Tung, CH; Wu, LZ. (2008). Photoinduced triplet-triplet energy transfer via the 2-ureido-4[1H]-pyrimidinone self-complementary quadruple hydrogen-bonded module. *J Phys Chem A* 112: 3865-3869. <http://dx.doi.org/10.1021/jp711807s>.
- Wang, SQ; Gao, Y; Wang, HY; Zheng, XX; Shen, SL; Zhang, YR; Zhao, BX. (2013). Synthesis, X-ray crystal structure and optical properties of novel 1,3,5-triarylpyrazoline derivatives and the fluorescent sensor for Cu<sup>2+</sup>. *Spectrochim Acta A Mol Biomol Spectrosc* 106: 110-117. <http://dx.doi.org/10.1016/j.saa.2012.12.062>.
- Wang, T; Ma, W; Sun, Y; Yang, Y; Zhang, W; Fawcett, JP; Du, H; Gu, J. (2013). Ultra-sensitive assay for paclitaxel in intracellular compartments of A549 cells using liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 912: 93-97. <http://dx.doi.org/10.1016/j.jchromb.2012.10.033>.
- Wang, W; Liu, H; Wang, Z; Qi, J; Yuan, S; Zhang, W; Chen, H; Finley, JW; Gu, L; Jia, AQ. (2016). Phytochemicals from *Camellia nitidissima* Chi inhibited the formation of advanced glycation end-products by scavenging methylglyoxal. *Food Chem* 205: 204-211. <http://dx.doi.org/10.1016/j.foodchem.2016.03.019>.
- Wang, W; Liu, MD; Yan, YY; Ye, Y; Zhao, JH; Xiong, H; Xiao, M; Liao, LC. (2013). [Determination of cinobufagin and resibufogenin in liver tissue by HPLC-MS/MS]. *Fa Yi Xue Za Zhi* 29: 268-272.
- Wang, WK; Chen, YY; Wang, H; Zhang, DW; Liu, Y; Li, ZT. (2014). Tetrathiafulvalene-based macrocycles formed by radical cation dimerization: the role of intramolecular hydrogen bonding and solvent. *Chem Asian J* 9: 1039-1044. <http://dx.doi.org/10.1002/asia.201301729>.
- Wang, X; Bai, J; Xue, Q; Song, XF; Qiu, CM; Li, XC; Pei, HF. (2016). [Tumor necrosis factor- $\alpha$  inhibitor protects against myocardial ischemia/reperfusion injury via Notch1 mediated inhibition of oxidative/nitrative stress in traumatic mice]. *Zhonghua Xin Xue Guan Bing Za Zhi* 44: 156-160.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Dong, S; Hou, T; Liu, L; Liu, X; Li, F. (2016). Exonuclease I-aided homogeneous electrochemical strategy for organophosphorus pesticide detection based on enzyme inhibition integrated with a DNA conformational switch. *Analyst* 141: 1830-1836. <http://dx.doi.org/10.1039/c5an02374b>.
- Wang, X; Gronchi, F; Bensimon, M; Mercier, T; Decosterd, LA; Wagnières, G; Debeve, E; Ris, HB; Letovanec, I; Peters, S; Perentes, JY. (2015). Treatment of pleural malignancies by photo-induction combined to systemic chemotherapy: Proof of concept on rodent lung tumors and feasibility study on porcine chest cavities. *Lasers Surg Med* 47: 807-816. <http://dx.doi.org/10.1002/lsm.22422>.
- Wang, X; Lin, Y; Zeng, Y; Sun, X; Gong, T; Zhang, Z. (2013). Effects of mycophenolic acid-glucosamine conjugates on the base of kidney targeted drug delivery. *Int J Pharm* 456: 223-234. <http://dx.doi.org/10.1016/j.ijpharm.2013.07.064>.
- Wang, X; Qin, F; Jing, L; Zhu, Q; Li, F; Xiong, Z. (2013). Development and validation of UPLC-MS/MS method for determination of domperidone in human plasma and its pharmacokinetic application. *Biomed Chromatogr* 27: 371-376. <http://dx.doi.org/10.1002/bmc.2801>.

## Human Health Hazard Literature Search Results

### Off Topic

- Wang, X; Zhang, YF; Yu, B; Yang, S; Luan, J; Liu, X; Yang, H. (2013). Dehydrocostuslactone, a sesquiterpene lactone activates wild-type and  $\Delta$ F508 mutant CFTR chloride channel. *J Asian Nat Prod Res* 15: 855-866. <http://dx.doi.org/10.1080/10286020.2013.804814>.
- Wang, X; Zhu, H; Zhang, X; Liu, Y; Chen, J; Medvedovic, M; Li, H; Weiss, MJ; Ren, X; Fan, GC. (2012). Loss of the miR-144/451 cluster impairs ischaemic preconditioning-mediated cardioprotection by targeting Rac-1. *Cardiovasc Res* 94: 379-390. <http://dx.doi.org/10.1093/cvr/cvs096>.
- Wang, XJ; Zhang, L; Byrne, D; Nummy, L; Weber, D; Krishnamurthy, D; Yee, N; Senanayake, CH. (2014). Efficient synthesis of Empagliflozin, an inhibitor of SGLT-2, utilizing an AlCl<sub>3</sub>-promoted silane reduction of a  $\beta$ -glycopyranoside. *Org Lett* 16: 4090-4093. <http://dx.doi.org/10.1021/ol501755h>.
- Wang, XK; Jiang, XJ; Wang, YN; Sun, J; Wang, C; Shen, TT. (2014). Occurrence, distribution, and multi-phase partitioning of triclocarban and triclosan in an urban river receiving wastewater treatment plants effluent in China. *Environ Sci Pollut Res Int* 21: 7065-7074. <http://dx.doi.org/10.1007/s11356-014-2617-1>.
- Wang, XQ; Lu, BH; Zhou, XX; Li, W. (2013). Evaluation of o-xylene and other volatile organic compounds removal using a xylene-acclimated biotrickling filter. *Environ Technol* 34: 2691-2699. <http://dx.doi.org/10.1080/09593330.2013.786136>.
- Wang, Y; Chen, L. (2015). Analysis of malachite green in aquatic products by carbon nanotube-based molecularly imprinted - matrix solid phase dispersion. *J Chromatogr B Analyt Technol Biomed Life Sci* 1002: 98-106. <http://dx.doi.org/10.1016/j.jchromb.2015.08.002>.
- Wang, Y; Han, T; Zhu, Y; Zheng, CJ; Ming, QL; Rahman, K; Qin, LP. (2010). Antidepressant properties of bioactive fractions from the extract of *Crocus sativus* L. *Journal of Natural Medicines* 64: 24-30. <http://dx.doi.org/10.1007/s11418-009-0360-6>.
- Wang, Y; Li, Q; Zhang, Z; Ma, J; Feng, Y, an. (2009). Solvent effects on the enantioselectivity of the thermophilic lipase QLM in the resolution of (R, S)-2-octanol and (R, S)-2-pentanol. *Journal of Molecular Catalysis B: Enzymatic* 56: 146-150. <http://dx.doi.org/10.1016/j.molcatb.2008.01.010>.
- Wang, Y; Pang, L; Wu, M; Ou, N. (2009). A validated LC-MS/MS method for determination of sertaconazole nitrate in human plasma. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 4047-4050. <http://dx.doi.org/10.1016/j.jchromb.2009.09.032>.
- Wang, Y; Wu, S; Chen, Z; Zhang, H; Zhao, W. (2015). Inhibitory effects of cytochrome P450 enzymes CYP1A2, CYP2A6, CYP2E1 and CYP3A4 by extracts and alkaloids of *Gelsemium elegans* roots. *J Ethnopharmacol* 166: 66-73. <http://dx.doi.org/10.1016/j.jep.2015.03.002>.
- Wang, Y; Xu, F; Feng, X; Macarthur, RL. (2015). Modulation of *Actinidia arguta* fruit ripening by three ethylene biosynthesis inhibitors. *Food Chem* 173: 405-413. <http://dx.doi.org/10.1016/j.foodchem.2014.10.044>.
- Wang, Y; Zhang, L; Zhou, H; Guo, X; Wu, S. (2017). K-targeted strategy for isolation of phenolic alkaloids of *Nelumbo nucifera* Gaertn by counter-current chromatography using lysine as a pH regulator. *J Chromatogr A* 1490: 115-125. <http://dx.doi.org/10.1016/j.chroma.2017.02.022>.
- Wang, Y; Zhou, J; Tang, Y; Wei, Y; Gong, H; Li, X; Zhang, J. (2013). Nanocomplexation-assisted solubilization of pDNA in organic solvents for improved microencapsulation. *J Colloid Interface Sci* 394: 573-581. <http://dx.doi.org/10.1016/j.jcis.2012.12.021>.
- Wang, YJ; Jia, J; Gu, ZY; Liang, FF; Li, RC; Huang, MH; Xu, CS; Zhang, JX; Men, Y; Xing, GW. (2011). Tunable stereoselectivity during sialylation using an N-acetyl-5-N,4-O-oxazolidinone-protected p-toluene 2-thio-sialoside donor with Tf(2)O/Ph(2)SO/TTBPy. *Carbohydr Res* 346: 1271-1276. <http://dx.doi.org/10.1016/j.carres.2011.04.029>.
- Wang, Z; Xu, J; Lu, B; Zhang, S; Qin, L; Mo, D; Zhen, S. (2014). Poly(thieno[3,4-b]-1,4-oxathiane): medium effect on electropolymerization and electrochromic performance. *Langmuir* 30: 15581-15589. <http://dx.doi.org/10.1021/la503948f>.
- Wang, Z; Zhao, C; Pan, Z. (2015). Porous bead-on-string poly(lactic acid) fibrous membranes for air filtration. *J Colloid Interface Sci* 441: 121-129. <http://dx.doi.org/10.1016/j.jcis.2014.11.041>.
- Wangchuk, P; Keller, PA; Pyne, SG; Taweechotipatr, M. (2013). Inhibition of TNF- $\alpha$  production in LPS-activated THP-1 monocytic cells by the crude extracts of seven Bhutanese medicinal plants. *J Ethnopharmacol* 148: 1013-1017. <http://dx.doi.org/10.1016/j.jep.2013.05.055>.
- Wangthong, S; Palaga, T; Rengpipat, S; Wanichwecharungruang, SP; Chanchaisak, P; Heinrich, M. (2010). Biological activities and safety of *Thanaka* (*Hesperethusa crenulata*) stem bark. *J Ethnopharmacol* 132: 466-472. <http://dx.doi.org/10.1016/j.jep.2010.08.046>.
- Wani, TA; Khalil, NY; Darwish, I; Iqbal, M; Bakheit, AH. (2014). Highly Sensitive and Simple Validated Ultra-performance Liquid Chromatography/Tandem Mass Spectrometry Method for the Determination of Cinacalcet in Human Plasma. *Current Pharmaceutical Analysis* 10: 51-57.
- Wansi, JD; Tcho, AT; Toze, FAA; Nahar, L; Martin, C; Sarker, SD, ey. (2016). Cytotoxic acridone and indoloquinazoline alkaloids from *Zanthoxylum poggei*. *Phytochemistry Letters* 17: 293-298. <http://dx.doi.org/10.1016/j.phytol.2016.08.010>.
- Warad, I; Al-Noaimi, M; Abdel-Rahman, OS; Awwadi, FF; Hammouti, B; Hadda, TB. (2014). Trans/cis isomerization of [RuCl<sub>2</sub>{H<sub>2</sub>C=C(CH<sub>2</sub>PPH<sub>2</sub>)<sub>2</sub>}(diamine)] complexes: synthesis, spectral, crystal structure and DFT calculations and catalytic activity in the hydrogenation of  $\alpha, \beta$ -unsaturated ketones. *Spectrochim Acta A Mol Biomol Spectrosc* 117: 250-258. <http://dx.doi.org/10.1016/j.saa.2013.08.030>.
- Ward, PM. (2012). Brown and black grease suitability for incorporation into feeds and suitability for biofuels. *J Food Prot* 75: 731-737. <http://dx.doi.org/10.4315/0362-028X.JFP-11-221>.
- Ward, WM; Farnum, BH; Siegler, M; Meyer, GJ. (2013). Chloride ion-pairing with Ru(II) polypyridyl compounds in dichloromethane. *J Phys Chem A* 117: 8883-8894. <http://dx.doi.org/10.1021/jp404838z>.
- Waskitho, D; Lukitaningsih, E; Sudjadi, E; Rohman, A. (2016). Analysis of Lard in Lipstick Formulation Using FTIR Spectroscopy and Multivariate Calibration: A Comparison of Three Extraction Methods. *J Oleo Sci* 65: 815-824. <http://dx.doi.org/10.5650/jos.ess15294>.



## Human Health Hazard Literature Search Results

### Off Topic

- Watanabe, J; Oki, T; Takebayashi, J; Takano-Ishikawa, Y. (2014). Extraction efficiency of hydrophilic and lipophilic antioxidants from lyophilized foods using pressurized liquid extraction and manual extraction. *J Food Sci* 79: C1665-C1671. <http://dx.doi.org/10.1111/1750-3841.12570>.
- Watanabe, K; Honda, G, o; Miyagi, T; Kanai, M; Usami, N; Yamaori, S; Iwamuro, Y; Chinaka, S; Aramaki, H; Yamamoto, I. (2017). The Duquenois reaction revisited: mass spectrometric estimation of chromophore structures derived from major phytocannabinoids. *Forensic Toxicology* 35: 185-189. <http://dx.doi.org/10.1007/s11419-016-0337-6>.
- Way, TD; Tsai, SJ; Wang, CM; Ho, CT; Chou, CH. (2014). Chemical constituents of *Rhododendron formosanum* show pronounced growth inhibitory effect on non-small-cell lung carcinoma cells. *J Agric Food Chem* 62: 875-884. <http://dx.doi.org/10.1021/jf404243p>.
- Weber, L; Eickhoff, D; Werner, V; Böhling, L; Schwedler, S; Chrostowska, A; Dargelos, A; Maciejczyk, M; Stammler, HG; Neumann, B. (2011). Syntheses, crystal structures, photophysical and theoretical studies of 1,3,2-benzodiazaborolyl-functionalized diphenylacetylenes. *Dalton Transactions (Online)* 40: 4434-4446. <http://dx.doi.org/10.1039/c0dt01410a>.
- Weber, L; Kuitz, H; Böhling, L; Brockhinke, A; Chrostowska, A; Dargelos, A; Mazière, A; Stammler, HG; Neumann, B. (2012). Syntheses of rod-shaped fluorescent 1,3,2-benzodiazaboroles with phosphonium, and phosphane chalcogenide acceptor functions. *Dalton Transactions (Online)* 41: 10440-10452. <http://dx.doi.org/10.1039/c2dt30666b>.
- Wei, G; Lunt, RR; Sun, K; Wang, S; Thompson, ME; Forrest, SR. (2010). Efficient, ordered bulk heterojunction nanocrystalline solar cells by annealing of ultrathin squaraine thin films. *Nano Lett* 10: 3555-3559. <http://dx.doi.org/10.1021/nl1018194>.
- Wei, M; Chao, RC; Tsai, PC; Botello-Zamarron, R. (2012). The Concerns about Counseling Racial Minority Clients scale. *Journal of Counseling Psychology* 59: 107-119. <http://dx.doi.org/10.1037/a0026239>.
- Wei, P; Huo, HL; Ma, QH; Li, HC; Xing, XF; Tan, XM; Luo, JB. (2014). Pharmacokinetic comparisons of five ephedrine alkaloids following oral administration of four different Mahuang-Guizhi herb-pair aqueous extracts ratios in rats. *J Ethnopharmacol* 155: 642-648. <http://dx.doi.org/10.1016/j.jep.2014.05.065>.
- Wei, Y; Wang, Y; Zhang, H; Zhou, W; Ma, G. (2016). A novel strategy for the preparation of porous microspheres and its application in peptide drug loading. *J Colloid Interface Sci* 478: 46-53. <http://dx.doi.org/10.1016/j.jcis.2016.05.045>.
- Wei, Y; Xie, Q; Fisher, D; Sutherland, IA. (2011). Separation of patuletin-3-O-glucoside, astragaloside, quercetin, kaempferol and isorhamnetin from *Flaveria bidentis* (L.) Kuntze by elution-pump-out high-performance counter-current chromatography. *J Chromatogr A* 1218: 6206-6211. <http://dx.doi.org/10.1016/j.chroma.2011.01.058>.
- Wei, Z; Wang, C; Liu, H; Zou, S; Tong, Z. (2012). Facile fabrication of biocompatible PLGA drug-carrying microspheres by O/W pickering emulsions. *Colloids Surf B Biointerfaces* 91: 97-105. <http://dx.doi.org/10.1016/j.colsurfb.2011.10.044>.
- Weil, TN; Inglehart, MR. (2012). Three- to 21-year-old patients with autism spectrum disorders: parents' perceptions of severity of symptoms, oral health, and oral health-related behavior. *Pediatr Dent* 34: 473-479.
- Wen, HM; Wu, YH; Fan, Y; Zhang, LY; Chen, CN; Chen, ZN. (2010). Spectroscopic and luminescence studies on square-planar platinum(II) complexes with anionic tridentate 3-bis(2-pyridylimino)isoindoline derivatives. *Inorg Chem* 49: 2210-2221. <http://dx.doi.org/10.1021/ic902019s>.
- Wen, HM; Wu, YH; Xu, LJ; Zhang, LY; Chen, CN; Chen, ZN. (2011). Luminescent square-planar platinum(II) complexes with tridentate 3-bis(2-pyridylimino)isoindoline and monodentate N-heterocyclic ligands. *Dalton Transactions (Online)* 40: 6929-6938. <http://dx.doi.org/10.1039/c1dt10385g>.
- Wen, N, a; Xu, F; Feng, Y; Du, S. (2011). A new cumulene diiron complex related to the active site of Fe-only hydrogenases and its phosphine substituted derivatives: Synthesis, electrochemistry and structural characterization. *J Inorg Biochem* 105: 1123-1130. <http://dx.doi.org/10.1016/j.jinorgbio.2011.05.019>.
- Wen, XG; Liu, R; Cai, Q; Wan, M; Tang, LR; Chen, LJ. (2012). [Implementation of an electronic nose for rapid detection of volatile chloroalkane and chloroalkene]. *Huanjing Kexue* 33: 4012-4017.
- Wen, YG; Ni, XJ; Zhang, M; Liu, X; Shang, DW. (2012). Simultaneous determination of blonanserin and its metabolite in human plasma and urine by liquid chromatography-tandem mass spectrometry: application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 903: 46-52. <http://dx.doi.org/10.1016/j.jchromb.2012.06.037>.
- Wenhai, C; Tengfei, C; Erdeng, D; Deng, Y; Yingqing, G; Naiyun, G. (2016). Increased formation of halomethanes during chlorination of chloramphenicol in drinking water by UV irradiation, persulfate oxidation, and combined UV/persulfate pre-treatments. *Ecotoxicol Environ Saf* 124: 147-154. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.016>.
- Wentrup-Byrne, E; Suzuki, S; Suwanasilp, JJ; Grøndahl, L. (2010). Novel phosphate-grafted ePTFE copolymers for optimum in vitro mineralization. *Biomed Mater* 5: 045010. <http://dx.doi.org/10.1088/1748-6041/5/4/045010>.
- Wenzig, EM; Widowitz, U; Kunert, O; Chrubasik, S; Bucar, F; Knauder, E; Bauer, R. (2008). Phytochemical composition and in vitro pharmacological activity of two rose hip (*Rosa canina* L.) preparations. *Phytomedicine* 15: 826-835. <http://dx.doi.org/10.1016/j.phymed.2008.06.012>.
- Wercholuk, AN; Thuman, JM; Stanley, JL; Sargent, AL; Anderson, ES; Allen, WE. (2016). Incorporation of fluorophore-cholesterol conjugates into liposomal and mycobacterial membranes. *Bioorg Med Chem* 24: 1045-1049. <http://dx.doi.org/10.1016/j.bmc.2016.01.030>.
- Werneck, AS; Filho, TM; Dardenne, LE. (2008). General methodology to optimize damping functions to account for charge penetration effects in electrostatic calculations using multicentered multipolar expansions. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory* 112: 268-280. <http://dx.doi.org/10.1021/jp075566p>.

## Human Health Hazard Literature Search Results

### Off Topic

- Werner, AC; Ferraz, MC; Yoshida, EH; Tribuiani, N; Gautuz, JA; Santana, MN; Dezzotti, BA; de Miranda, VG; Foramilgio, AL; Rostelato-Ferreira, S; da Silva Tavares, RV; Hyslop, S; Oshima-Franco, Y. (2015). The Facilitatory Effect of *Casearia sylvestris* Sw. (guaçatonga) Fractions on the Contractile Activity of Mammalian and Avian Neuromuscular Apparatus. *Curr Pharm Biotechnol* 16: 468-481.
- Werner, JA; Oliveira, SM; Martins, DF; Mazzardo, L; Dias, J; Lordello, AL; Miguel, OG; Royes, LF; Ferreira, J; Santos, AR. (2009). Evidence for a role of 5-HT(1A) receptor on antinociceptive action from *Geissospermum vellosii*. *J Ethnopharmacol* 125: 163-169. <http://dx.doi.org/10.1016/j.jep.2009.05.026>.
- Werrett, MV; Chartrand, D; Gale, JD; Hanan, GS; Maclellan, JG; Massi, M; Muzzioli, S; Raiteri, P; Skelton, BW; Silberstein, M; Stagni, S. (2011). Synthesis, Structural, and Photophysical Investigation of Diimine Triscarbonyl Re(I) Tetrazolato Complexes. *Inorg Chem* 50: 1229-1241. <http://dx.doi.org/10.1021/ic1015516>.
- Weske, S; Schoop, R; Koszinowski, K. (2016). The Role of Ate Complexes in the Copper-Mediated Trifluoromethylation of Alkynes. *Chemistry* 22: 11310-11316. <http://dx.doi.org/10.1002/chem.201601261>.
- West, R; Zeng, X. (2008). Controlled electrochemical synthesis of polypyrrole nanoparticle thin film and its redox transition to a highly conductive and stable polypyrrole variant. *Langmuir* 24: 11076-11081. <http://dx.doi.org/10.1021/la800774z>.
- Westbom, R; Sparring, S; Cederberg, L; Linderöth, LO; Björklund, E. (2008). Selective pressurized liquid extraction of polychlorinated biphenyls in sediment. *Anal Sci* 24: 531-533.
- Westphal, GA; Krahl, J; Bruning, T; Hallier, E; Bunger, J. (2010). Ether oxygenate additives in gasoline reduce toxicity of exhausts. *Toxicology* 268: 198-203. <http://dx.doi.org/10.1016/j.tox.2009.12.016>.
- Whang, CZ; Bister, D; Sherriff, M. (2011). An in vitro investigation of peak insertion torque values of six commercially available mini-implants. *Eur J Orthod* 33: 660-666. <http://dx.doi.org/10.1093/ejo/cjq129>.
- Wharton, S; Schroeder, M; Bible, K, en; Falk, M; Paw U, K. (2009). Stand-level gas-exchange responses to seasonal drought in very young versus old Douglas-fir forests of the Pacific Northwest, USA. *Tree Physiol* 29: 959-974. <http://dx.doi.org/10.1093/treephys/tpq039>.
- Whitfield, DM. (2012). Plausible Transition States for glycosylation reactions. *Carbohydr Res* 356: 180-190. <http://dx.doi.org/10.1016/j.carres.2012.03.040>.
- Whitfield, DM; Yu, SH; Dicaire, CJ; Sprott, GD. (2010). Development of new glycosylation methodologies for the synthesis of archaeal-derived glycolipid adjuvants. *Carbohydr Res In Press, Corrected Proof*: 214-229. <http://dx.doi.org/10.1016/j.carres.2009.10.011>.
- Wibowo, M; Levrier, C; Sadowski, MC; Nelson, CC; Wang, Q; Holst, J; Healy, PC; Hofmann, A; Davis, RA. (2016). Bioactive Dihydro- $\beta$ -agarofuran Sesquiterpenoids from the Australian Rainforest Plant *Maytenus bilocularis*. *J Nat Prod* 79: 1445-1453. <http://dx.doi.org/10.1021/acs.jnatprod.6b00190>.
- Wickramasinghe, LA; Sharp, PR. (2014). Photoreduction of Pt(IV) halo-hydroxo complexes: possible hypohalous acid elimination. *Inorg Chem* 53: 1430-1442. <http://dx.doi.org/10.1021/ic402358s>.
- Widiretnani, D; Wahyuni, SI; Kartinasari, F; Indrayanto, G. (2009). Simultaneous Determination of Pyriothiazine Theoclate and Pyridoxine HCl by TLC-Densitometry in Commercial Tablets: Validation of the Method. *Journal of Liquid Chromatography and Related Technologies* 32: 154-165. <http://dx.doi.org/10.1080/10826070802548762>.
- Wiegand, T; Lüdeker, D; Brunklaus, G; Bussmann, K; Kehr, G; Erker, G; Eckert, H. (2014). Polymorphism in P,P-[3]ferrocenophanes: insights from an NMR crystallographic approach. *Dalton Transactions (Online)* 43: 12639-12647. <http://dx.doi.org/10.1039/c4dt01071j>.
- Wiester, MJ; Winsett, DW; Richards, JH; Doerfler, DL; DL, C. (2002). Partitioning of benzene in blood: Influence of hemoglobin type in humans and animals. *Environ Health Perspect* 110: 255-261.
- Wilkinson, LA; Mcneill, L; Scattergood, PA; Patmore, NJ. (2013). Hydrogen bonding and electron transfer between dimetal paddlewheel compounds containing pendant 2-pyridone functional groups. *Inorg Chem* 52: 9683-9691. <http://dx.doi.org/10.1021/ic401555g>.
- Willard, MA; Mcguffin, VL; Smith, RW. (2012). Forensic analysis of *Salvia divinorum* using multivariate statistical procedures. Part I: discrimination from related *Salvia* species. *Anal Bioanal Chem* 402: 833-842. <http://dx.doi.org/10.1007/s00216-011-5479-0>.
- Williams, JR; Hirsch, ES; Anderson, K; Bush, AL; Goldstein, SR; Grill, S; Lehmann, S; Little, JT; Margolis, RL; Palanci, J; Pontone, G; Weiss, H; Rabins, P; Marsh, L. (2012). A comparison of nine scales to detect depression in Parkinson disease: which scale to use? *Neurology* 78: 998-1006. <http://dx.doi.org/10.1212/WNL.0b013e31824d587f>.
- Williamson, KE; Jakobson, LS; Saunders, DR; Troje, NF. (2015). Local and global aspects of biological motion perception in children born at very low birth weight. *Child Neuropsychol* 21: 603-628. <http://dx.doi.org/10.1080/09297049.2014.945407>.
- Wischik, CM; Harrington, CR; Storey, JM. (2014). Tau-aggregation inhibitor therapy for Alzheimer's disease [Review]. *Biochem Pharmacol* 88: 529-539. <http://dx.doi.org/10.1016/j.bcp.2013.12.008>.
- Wischke, C; Zhang, Y; Mittal, S; Schwendeman, SP. (2010). Development of PLGA-based injectable delivery systems for hydrophobic fenretinide. *Pharm Res* 27: 2063-2074. <http://dx.doi.org/10.1007/s11095-010-0202-y>.
- Wisnivesky, JP; Lorenzo, J; Feldman, JM; Leventhal, H; Halm, EA. (2010). The Relationship between Perceived Stress and Morbidity among Adult Inner-City Asthmatics. *J Asthma* 47: 100-104. <http://dx.doi.org/10.3109/02770900903426989>.
- Wittayalai, S; Mahidol, C; Prachyawarakorn, V; Prawat, H; Ruchirawat, S. (2014). Terpenoids from the roots of *Drypetes hoensis* and their cytotoxic activities. *Phytochemistry* 99: 121-126. <http://dx.doi.org/10.1016/j.phytochem.2013.12.017>.
- Wiwatanaratnabutr, I; Allan, S; Linthicum, K; Kittayapong, P. (2010). Strain-specific differences in mating, oviposition, and host-seeking behavior between *Wolbachia*-infected and uninfected *Aedes albopictus*. *J Am Mosq Control Assoc* 26: 265-273. <http://dx.doi.org/10.2987/09-5937.1>.
- Wojcik, A; Nicolaescu, R; Kamat, PV; Chandrasekaran, Y; Patil, S. (2010). Photochemistry of far red responsive tetrahydroquinoxaline-based squaraine dyes. *J Phys Chem A* 114: 2744-2750. <http://dx.doi.org/10.1021/jp9118887>.

## Human Health Hazard Literature Search Results

### Off Topic

- Womack, ED; Sparks, DL; Brown, AE. (2016). Aflatoxin M-1 in milk and milk products: a short review. *World Mycotoxin Journal* 9: 305-315. <http://dx.doi.org/10.3920/WMJ2014.1867>.
- Won, J; Kim, JE, un; Choi, DH, wa; Han, M, inWoo; Lee, D, ooH; Kang, S, eC; Song, YJ, ae. (2016). Effects of compounds isolated from a *Litsea japonica* fruit extract on the TNF-alpha signaling pathway and cell viability. *Mol Cell Toxicol* 12: 37-44. <http://dx.doi.org/10.1007/s13273-016-0006-1>.
- Wong, C; Griffin, RJ; Hardcastle, IR; Northen, JS; Wang, LZ; Golding, BT. (2010). Synthesis of sulfonamide-based kinase inhibitors from sulfonates by exploiting the abrogated SN2 reactivity of 2,2,2-trifluoroethoxysulfonates. *Org Biomol Chem* 8: 2457-2464. <http://dx.doi.org/10.1039/b922717b>.
- Wong, F; Kurt-Karakus, P; Bidleman, TF. (2012). Fate of brominated flame retardants and organochlorine pesticides in urban soil: volatility and degradation. *Environ Sci Technol* 46: 2668-2674. <http://dx.doi.org/10.1021/es203287x>.
- Wong, HM; Yeung, KW; Lam, KO; Tam, V; Chu, PK; Luk, KD; Cheung, KM. (2010). A biodegradable polymer-based coating to control the performance of magnesium alloy orthopaedic implants. *Biomaterials* 31: 2084-2096. <http://dx.doi.org/10.1016/j.biomaterials.2009.11.111>.
- Wong, MC; Lee, A; Ngai, KL; Chor, JC; Chan, PK. (2013). Knowledge, attitude, practice and barriers on vaccination against human papillomavirus infection: a cross-sectional study among primary care physicians in Hong Kong. *PLoS ONE* 8: e71827. <http://dx.doi.org/10.1371/journal.pone.0071827>.
- Wong, MY; Xie, G; Tourbillon, C; Sandroni, M; Cordes, DB; Slawin, AM; Samuel, ID; Zysman-Colman, E. (2015). Formylated chloro-bridged iridium(III) dimers as OLED materials: opening up new possibilities. *Dalton Transactions (Online)* 44: 8419-8432. <http://dx.doi.org/10.1039/c4dt03127j>.
- Wong, RP; Flematti, GR; Davis, TM. (2012). Investigation of volatile organic biomarkers derived from *Plasmodium falciparum* in vitro. *Malar J* 11: 314. <http://dx.doi.org/10.1186/1475-2875-11-314>.
- Wong, SK; Lim, YY; Abdullah, NR; Nordin, FJ. (2011). Antiproliferative and phytochemical analyses of leaf extracts of ten Apocynaceae species. *Pharmacognosy Res* 3: 100-106. <http://dx.doi.org/10.4103/0974-8490.81957>.
- Wong, SK; Lim, YY; Abdullah, NR; Nordin, FJ. (2011). Assessment of antiproliferative and antiplasmodial activities of five selected Apocynaceae species. *BMC Complement Altern Med* 11: 3. <http://dx.doi.org/10.1186/1472-6882-11-3>.
- Wong, SK; Lim, YY; Ling, SK; Chiang Chan, EW. (2014). Antiproliferative activity of *Vallisneria spiralis* (Apocynaceae). *Pharmacognosy Magazine* 10: S232-S239. <http://dx.doi.org/10.4103/0973-1296.133238>.
- Wong, YK; Holland, SI; Ertan, H; Manefield, M; Lee, M. (2016). Isolation and characterization of *Dehalobacter* sp. strain UNSWDHB capable of chloroform and chlorinated ethane respiration. *Environ Microbiol* 18: 3092-3105. <http://dx.doi.org/10.1111/1462-2920.13287>.
- Wongwattanasathien, O; Kangsadalampai, K; Tongyong, L. (2010). Antimutagenicity of some flowers grown in Thailand. *Food Chem Toxicol* 48: 1045-1051. <http://dx.doi.org/10.1016/j.fct.2010.01.018>.
- Woo, CM; Gholap, SL; Lu, L; Kaneko, M; Li, Z; Ravikumar, PC; Herzon, SB. (2012). Development of enantioselective synthetic routes to (-)-kinamycin F and (-)-lomaiviticin aglycon. *J Am Chem Soc* 134: 17262-17273. <http://dx.doi.org/10.1021/ja307497h>.
- Woods, BL; Walker, RA. (2013). pH effects on molecular adsorption and solvation of p-nitrophenol at silica/aqueous interfaces. *J Phys Chem A* 117: 6224-6233. <http://dx.doi.org/10.1021/jp400482v>.
- Woods, JE; Ge, Y; Smith, DK. (2008). Electrochemically controlled hydrogen bonding. Electrolyte effects in an oxidation-based arylurea-amide system. *J Am Chem Soc* 130: 10070-10071. <http://dx.doi.org/10.1021/ja803453e>.
- Woolcott, CG; Dishman, RK; Motl, RW; Matthai, CH; Nigg, CR. (2013). Physical activity and fruit and vegetable intake: correlations between and within adults in a longitudinal multiethnic cohort. *Am J Clin Nutr* 97: 71-79. <http://dx.doi.org/10.4278/ajhp.100917-QUAN-312>.
- Wrede, M; Ganza, V; Bucher, J; Straub, BF. (2012). Polyelectrolyte Gels Comprising a Lipophilic, Cost-Effective Aluminate as Fluorine-Free Absorbents for Chlorinated Hydrocarbons and Diesel Fuel. *ACS Applied Materials & Interfaces* 4: 3453-3458. <http://dx.doi.org/10.1021/am300496a>.
- Wright, AD; Lang-Unnasch, N. (2009). Diterpene formamides from the tropical marine sponge *Cymbastela hooperi* and their antimalarial activity in vitro. *J Nat Prod* 72: 492-495. <http://dx.doi.org/10.1021/np800654w>.
- Wright, AD; Nielson, JL; Tapiolas, DM; Motti, CA; Ovenden, SP; Kearns, PS; Liptrot, CH. (2009). Detailed NMR, including 1,1-ADEQUATE, and anticancer studies of compounds from the echinoderm *Colobometra perspinosa*. *Mar Drugs* 7: 565-575. <http://dx.doi.org/10.3390/md7040565>.
- Wright, AM; Zaman, HT; Wu, G; Hayton, TW. (2014). Mechanistic Insights into the Formation of N2O by a Nickel Nitrosyl Complex. *Inorg Chem* 53: 3108-3116. <http://dx.doi.org/10.1021/ic403038e>.
- Wu, D; Nedev, GK; Lucy, CA. (2014). Retention mechanism of hypercrosslinked polystyrene silica hybrid phase in normal phase chromatography. *J Chromatogr A* 1370: 50-55. <http://dx.doi.org/10.1016/j.chroma.2014.10.018>.
- Wu, D; Zhou, J; Wang, X; Cui, B; An, R; Shi, H; Yuan, J; Hu, Z. (2011). Traditional Chinese formula, lubricating gut pill, stimulates cAMP-dependent Cl(-) secretion across rat distal colonic mucosa. *J Ethnopharmacol* 134: 406-413. <http://dx.doi.org/10.1016/j.jep.2010.12.031>.
- Wu, DL; Wang, HW; Fan, JH; Ma, LM. (2008). [Catalytic reduction of CCl4 in water by Fe0 and amended Fe0]. *Huanjing Kexue* 29: 3433-3438.
- Wu, DQ; Chu, CC; Chen, FA. (2008). Cationic poly(VCL-AETA) hydrogels and ovalbumin (OVA) release in vitro. *J Mater Sci Mater Med* 19: 3593-3601. <http://dx.doi.org/10.1007/s10856-008-3523-1>.
- Wu, DR; Yip, SH; Li, P; Sun, D; Mathur, A. (2016). From analytical methods to large scale chiral supercritical fluid chromatography using chlorinated chiral stationary phases. *J Chromatogr A* 1432: 122-131. <http://dx.doi.org/10.1016/j.chroma.2015.12.072>.

## Human Health Hazard Literature Search Results

### Off Topic

- Wu, J; Chen, T; Luo, X; Han, D; Wang, Z; Wu, J. (2014). TG/FTIR analysis on co-pyrolysis behavior of PE, PVC and PS. *Waste Manag* 34: 676-682. <http://dx.doi.org/10.1016/j.wasman.2013.12.005>.
- Wu, J; Lu, J; Wilson, C; Lin, Y; Lu, H. (2010). Effective liquid-liquid extraction method for analysis of pyrethroid and phenylpyrazole pesticides in emulsion-prone surface water samples. *J Chromatogr A* 1217: 6327-6333. <http://dx.doi.org/10.1016/j.chroma.2010.08.004>.
- Wu, N; Lang, S; Zhang, H; Ding, M; Zhang, J. (2014). Solvent-induced crystallization behaviors of PLLA ultrathin films investigated by RAIR spectroscopy and AFM measurements. *J Phys Chem B* 118: 12652-12659. <http://dx.doi.org/10.1021/jp506840e>.
- Wu, P, aoChu; Huang, Y, awBin; Chang, CK, ai; Chen, Y, ehL; Tzeng, CC; Tsai, Y, ih. (2009). Highly Sensitive Quantitative Analysis of 1-[3-(Furo[3,2-c]quinolin-4-ylamino)phenyl]ethanone Oxime, a New Antitumor Agent, in Rat Plasma by LC with Electrochemical Detection. *Chromatographia* 70: 265-269. <http://dx.doi.org/10.1365/s10337-009-1155-3>.
- Wu, Q; Chen, X; Xu, Y; Han, L. (2010). Dissipation and residues of nicosulfuron in corn and soil under field conditions. *Bull Environ Contam Toxicol* 85: 79-82. <http://dx.doi.org/10.1007/s00128-010-0041-x>.
- Wu, Q; Zhao, Z; Sun, H; Zhang, Y; Hao, YL; Sun, YW. (2009). [The cardioprotection of estrogen on solated global myocardial ischemia/reperfusion injury in ovariectomized rats]. *Zhongguo Ying Yong Sheng Li Xue Za Zhi* 25: 355-360.
- Wu, S; Yu, X; Hu, Z; Zhang, L; Chen, J. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci* 21: 1276-1283.
- Wu, S; Zhang, H; Yu, X; Chen, J. (2009). Identification and cloning of a gene encoding dichloromethane dehalogenase from a methylotrophic bacterium, *Bacillus circulans* WZ-12 CCTCC M 207006. *Bioprocess Biosyst Eng* 32: 845-852. <http://dx.doi.org/10.1007/s00449-009-0311-3>.
- Wu, S; Zhang, H; Yu, X; Qiu, L. (2014). Toxicological Responses of *Chlorella vulgaris* to Dichloromethane and Dichloroethane. *Environ Eng Sci* 31: 9-17. <http://dx.doi.org/10.1089/ees.2013.0038>.
- Wu, SJ; Hu, ZH; Zhang, LL; Yu, X; Chen, JM. (2009). A novel dichloromethane-degrading *Lysinibacillus sphaericus* strain wh22 and its degradative plasmid. *Appl Microbiol Biotechnol* 82: 731-740. <http://dx.doi.org/10.1007/s00253-009-1873-3>.
- Wu, SJ; Yu, X; Wu, EM; Chen, JM. (2010). [Toxic effects of dichloromethane and dichloroethane to *Chlorella pyrenoidosa*]. *Huanjing Kexue* 31: 1655-1661.
- Wu, SJ; Zhang, HX; Hu, ZH; Chen, JM. (2009). [Gene cloning and overexpression of dichloromethane dehalogenase from *Bacillus circulans* WZ-12]. *Huanjing Kexue* 30: 2479-2484.
- Wu, X; Chen, X; Xiao, H; Liu, B. (2015). [Simultaneous determination of glyphosate and glufosinate-ammonium residues in tea by ultra performance liquid chromatography-tandem mass spectrometry coupled with pre-column derivatization]. *Seppu* 33: 1090-1096.
- Wu, XW; Wu, WF; Yin, S; Ma, JP. (2015). Syntheses and structures of one CuI-containing coordination polymer and two macrocyclic supramolecular complexes based on flexible 1,3,4-oxadiazole-containing ligands. *71*: 683-689. <http://dx.doi.org/10.1107/S2053229615012929>.
- Wu, XW; Zhang, D; Ma, JP. (2014). Two different one-dimensional supramolecular chains formed from the reaction of 2-[1-(pyridin-4-ylmethyl)-1H-benzimidazol-2-yl]quinoline with two different precursors,  $\text{Co}(\text{NO}_3)_2$  and  $\text{CoCl}_2$ . *Acta Crystallogr C* 70: 522-527. <http://dx.doi.org/10.1107/S2053229614009000>.
- Wu, Y; Tan, X; Tian, J; Liu, X; Wang, Y; Zhao, H; Yan, Z; Liu, H; Ma, X. (2017). PPAR $\gamma$  Agonist Ameliorates the Impaired Fluidity of the Myocardial Cell Membrane and Cardiac Injury in Hypercholesterolemic Rats. *Cardiovasc Toxicol* 17: 25-34. <http://dx.doi.org/10.1007/s12012-015-9352-9>.
- Wu, Y; Wang, F; Ai, Y; Ma, W; Bian, Q; Lee, DY; Dai, R. (2015). Simultaneous determination of seven coumarins by UPLC-MS/MS: Application to a comparative pharmacokinetic study in normal and arthritic rats after oral administration of Huo Luo Xiao Ling Dan or single-herb extract. *J Chromatogr B Analyt Technol Biomed Life Sci* 991: 108-117. <http://dx.doi.org/10.1016/j.jchromb.2015.04.017>.
- Wu, Y; Xia, ZY; Dou, J; Zhang, L; Xu, JJ; Zhao, B; Lei, S; Liu, HM. (2011). Protective effect of ginsenoside Rb1 against myocardial ischemia/reperfusion injury in streptozotocin-induced diabetic rats. *Mol Biol Rep* 38: 4327-4335. <http://dx.doi.org/10.1007/s11033-010-0558-4>.
- Wu, Y; Young, RM; Frascioni, M; Schneebeli, ST; Spent, P; Gardner, DM; Brown, KE; Wuerthner, F; Stoddart, JF; Wasielewski, MR. (2015). Ultrafast Photoinduced Symmetry-Breaking Charge Separation and Electron Sharing in Peryleneimide Molecular Triangles. *J Am Chem Soc* 137: 13236-13239. <http://dx.doi.org/10.1021/jacs.5b08386>.
- Wu, YB; Ni, ZY; Huo, CH; Su, J; Dong, M; Sauriol, F; Shi, QW; Gu, YC; Kiyota, H. (2013). Xylomexicanins C and D, new mexicanolide-type limonoids from *Xylocarpus granatum*. *Biosci Biotechnol Biochem* 77: 736-740. <http://dx.doi.org/10.1271/bbb.120815>.
- Wube, AA; Bucar, F; Gibbons, S; Asres, K; Rattray, L; Croft, SL. (2010). Antiprotozoal activity of drimane and coloratane sesquiterpenes towards *Trypanosoma brucei rhodesiense* and *Plasmodium falciparum* in vitro. *24*: 1468-1472. <http://dx.doi.org/10.1002/ptr.3126>.
- Wulkan, M; Sá, AJ; Alonso, N. (2012). Modified technique to increase nostril cross-sectional area after using rib and septal cartilage graft over alar nasal cartilages. *Acta Cir Bras* 27: 713-719.
- Wyer, JA; Brøndsted Nielsen, S. (2010). Absorption in the Q-band region by isolated ferric heme+ and heme+(histidine) in vacuo. *J Chem Phys* 133: 084306. <http://dx.doi.org/10.1063/1.3474998>.
- Xia, N; Yang, J; Wu, Z. (2015). Fast, high-yield synthesis of amphiphilic Ag nanoclusters and the sensing of Hg(2+) in environmental samples. *Nanoscale* 7: 10013-10020. <http://dx.doi.org/10.1039/c5nr00705d>.
- Xia, Q; Li, Z; Xiao, L; Zhang, Z; Xi, H. (2010). Effects of loading different metal ions on an activated carbon on the desorption activation energy of dichloromethane/trichloromethane. *J Hazard Mater* 179: 790-794. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.073>.

## Human Health Hazard Literature Search Results

### Off Topic

- Xia, Y; Ribeiro, PF; Pack, DW. (2013). Controlled protein release from monodisperse biodegradable double-wall microspheres of controllable shell thickness. *J Control Release* 172: 707-714. <http://dx.doi.org/10.1016/j.jconrel.2013.08.009>.
- Xia, Y; Xu, Q; Wang, CH; Pack, DW. (2013). Protein encapsulation in and release from monodisperse double-wall polymer microspheres. *J Pharm Sci* 102: 1601-1609. <http://dx.doi.org/10.1002/jps.23511>.
- Xiang, Z; Chen, N; Xu, Y; Wu, J; Liu, YJ; Tan, C; Ji, YB; Li, WL. (2016). New flavonoid from *Patrinia villosa*. *Pharmaceutical Biology* 54: 1219-1222. <http://dx.doi.org/10.3109/13880209.2015.1064449>.
- Xiao, CD; Shen, XC; Tao, L. (2013). Modified emulsion solvent evaporation method for fabricating core-shell microspheres. *Int J Pharm* 452: 227-232. <http://dx.doi.org/10.1016/j.ijpharm.2013.05.020>.
- Xiao, D; Zhang, D; Chen, B; Xie, D; Xiang, Y; Li, X; Jin, W. (2015). Size-selective recognition by a tubular assembly of phenylene-pyrimidinylene alternated macrocycle through hydrogen-bonding interactions. *Langmuir* 31: 10649-10655. <http://dx.doi.org/10.1021/acs.langmuir.5b02273>.
- Xiao, H; Rao Ravu, R; Tekwani, BL; Li, W; Liu, WB; Jacob, MR; Khan, SI; Cai, X; Peng, CY; Khan, IA; Li, XC; Wang, W. (2016). Biological evaluation of phytoconstituents from *Polygonum hydropiper*. *Nat Prod Res* 1-5. <http://dx.doi.org/10.1080/14786419.2016.1269094>.
- Xiao, J; Fu, Y; Lin, S; Zhang, S. (2011). [Determination of tetrabromobisphenol-A in electronic products by gas chromatography-mass spectrometry]. *Sepu* 29: 168-171.
- Xiao, J; Golnak, R; Atak, K; Pflüger, M; Pohl, M; Suljoti, E; Winter, B; Aziz, EF. (2014). Assistance of the iron porphyrin ligands to the binding interaction between the Fe center and small molecules in solution. *J Phys Chem B* 118: 9371-9377. <http://dx.doi.org/10.1021/jp5023339>.
- Xiao, J; Shi, C; Zheng, H; Shi, Z; Jiang, D; Li, Y; Huang, Q. (2016). Kafirin Protein Based Electrospun Fibers with Tunable Mechanical Property, Wettability, and Release Profile. *J Agric Food Chem* 64: 3226-3233. <http://dx.doi.org/10.1021/acs.jafc.6b00388>.
- Xiao, J; Song, C; Song, M; Dong, W; Li, C; Yin, Y. (2016). Preparation and Gas Sensing Properties of Hollow ZnS Microspheres. *J Nanosci Nanotechnol* 16: 3026-3029. <http://dx.doi.org/10.1166/jnn.2016.10765>.
- Xiao, W; Hu, D; Peng, C; Chen, GZ. (2011). Interfacial synthesis: amphiphilic monomers assisted ultrarefining of mesoporous manganese oxide nanoparticles and the electrochemical implications. *ACS Applied Materials & Interfaces* 3: 3120-3129. <http://dx.doi.org/10.1021/am200625p>.
- Xie, J; Wang, S; Sun, B; Zheng, F. (2008). Preparative separation and purification of beta-caryophyllene from leaf oil of *Vitex negundo* L. var. *heterophylla* (Franch.) Rehd. by high speed countercurrent chromatography. *Journal of Liquid Chromatography and Related Technologies* 31: 2621-2631. <http://dx.doi.org/10.1080/10826070802352876>.
- Xie, K; Xiang, J; Yu, Q; Liang, MZ; Nan, F; Qin, YP. (2012). [Determination of probucol in human plasma by HPLC-MS/MS]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 43: 775-778.
- Xie, K; Zhao, M; Guo, H; Zhang, X; Sun, Y; Li, A; Xie, X; Zhang, G; Dai, G; Wang, J. (2013). Determination and depletion of amoxicillin residues in eggs. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 30: 670-677. <http://dx.doi.org/10.1080/19440049.2013.775710>.
- Xie, LW; Atanasov, AG; Guo, DA; Malainer, C; Zhang, JX; Zehl, M; Guan, SH; Heiss, EH; Urban, E; Dirsch, VM; Kopp, B. (2014). Activity-guided isolation of NF- $\kappa$ B inhibitors and PPAR $\gamma$  agonists from the root bark of *Lycium chinense* Miller. *J Ethnopharmacol* 152: 470-477. <http://dx.doi.org/10.1016/j.jep.2014.01.029>.
- Xie, M; Wang, L; Liu, F; Zhang, D; Gao, J. (2016). Dynamic Conversion Between Se-N Covalent and Noncovalent Interactions. *J Phys Chem A* 120: 9081-9088. <http://dx.doi.org/10.1021/acs.jpca.6b08003>.
- Xie, Q; Chen, J; Shao, J; Chen, C; Zhao, H; Hao, C. (2009). Important role of reaction field in photodegradation of deca-bromodiphenyl ether: theoretical and experimental investigations of solvent effects. *Chemosphere* 76: 1486-1490. <http://dx.doi.org/10.1016/j.chemosphere.2009.06.054>.
- Xie, Y; Ling, T; Han, Y; Liu, K; Zheng, Q; Huang, L; Yuan, X; He, Z; Hu, B; Fang, L; Shen, Z; Yang, Q; Shen, W. (2008). Carbon monoxide enhances salt tolerance by nitric oxide-mediated maintenance of ion homeostasis and up-regulation of antioxidant defence in wheat seedling roots. *Plant Cell Environ* 31: 1864-1881. <http://dx.doi.org/10.1111/j.1365-3040.2008.01888.x>.
- Xie, Y; Sun, M; Zhou, H; Cao, Q; Gao, K; Niu, C; Yang, H. (2013). Enantiospecific total synthesis of (+)-tanikolide via a key [2,3]-Meisenheimer rearrangement with an allylic amine N-oxide-directed epoxidation and a one-pot trichloroisocyanuric acid N-debenzylation and N-chlorination. *J Org Chem* 78: 10251-10263. <http://dx.doi.org/10.1021/jo4016437>.
- Xin, WB; Mao, ZJ; Jin, GL; Qin, LP. (2011). Two new xanthenes from *Hypericum sampsonii* and biological activity of the isolated compounds. 25: 536-539. <http://dx.doi.org/10.1002/ptr.3291>.
- Xin, XL; Chen, M; Ai, YB; Yang, FL; Li, XL; Li, F. (2014). Aggregation-induced emissive copper(I) complexes for living cell imaging. *Inorg Chem* 53: 2922-2931. <http://dx.doi.org/10.1021/ic402685u>.
- Xiong, H; Bi, H; Wen, Y; Hu, J; Zhong, G; Ou, T; Huang, Z; Liao, R; Zhao, M; Qin, X; Huang, M, in. (2011). Determination of SYUIQ-F5, a Novel Telomerase Inhibitor and Anti-tumor Lead-Compound, in Tissues and Plasma Samples by LC-MS-MS: Application to a Tissue Distribution Study in Rat. *Chromatographia* 73: 1073-1080. <http://dx.doi.org/10.1007/s10337-011-1998-2>.
- Xiong, J; Bui, VB; Liu, XH; Hong, ZL; Yang, GX; Hu, JF. (2014). Lignans from the stems of *Clematis armandii* (&quot;Chuan-Mu-Tong&quot;) and their anti-neuroinflammatory activities. *J Ethnopharmacol* 153: 737-743. <http://dx.doi.org/10.1016/j.jep.2014.03.036>.
- Xiong, Z; Zhang, Y; Qin, F; Qin, T; Yang, S; Li, F. (2010). Hydrophilic interaction liquid chromatography-tandem mass spectrometry for the determination of adefovir in human plasma and its application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2111-2116. <http://dx.doi.org/10.1016/j.jchromb.2010.06.024>.

## Human Health Hazard Literature Search Results

### Off Topic

- Xu, C; Jia, HY; Zuo, B; Liao, ZX; Ji, LJ; Sun, HF; Wang, Q. (2016). Chemical Constituents of the Aerial Parts of *Euphorbia nematocarpa*. *Natural Product Communications* 11: 177-178.
- Xu, F; Cui, FZ; Jiao, YP; Meng, QY; Wang, XP; Cui, XY. (2009). Improvement of cytocompatibility of electrospinning PLLA microfibers by blending PVP. *J Mater Sci Mater Med* 20: 1331-1338. <http://dx.doi.org/10.1007/s10856-008-3686-9>.
- Xu, F; Zhang, Z; Bian, Z; Tian, Y; Jiao, H; Liu, Y. (2008). Azithromycin quantitation in human plasma by high-performance liquid chromatography coupled to electrospray mass spectrometry: application to bioequivalence study. *J Chromatogr Sci* 46: 479-484.
- Xu, HB; Zhang, LY; Ni, J; Chao, HY; Chen, ZN. (2008). Conformation changes and luminescent properties of Au-Ln (Ln = Nd, Eu, Er, Yb) arrays with 5-ethynyl-2,2'-bipyridine. *Inorg Chem* 47: 10744-10752. <http://dx.doi.org/10.1021/ic800733x>.
- Xu, J; Luo, J; Kong, L. (2011). Single-Step Preparative Extraction of Artemisinin from *Artemisia annua* by Charcoal Column Chromatography. *Chromatographia* 74: 471-475. <http://dx.doi.org/10.1007/s10337-011-2075-6>.
- Xu, J; Singh, V; Yin, X; Singh, P; Wu, L; Xu, X; Guo, T; Sun, L; Gui, S; Zhang, J. (2016). Solvents effects on crystallinity and dissolution of  $\beta$ -artemether(). *Drug Dev Ind Pharm* 1-7. <http://dx.doi.org/10.1080/03639045.2016.1253728>.
- Xu, J; Wu, G; Wang, Z; Zhang, X. (2013). Growth mechanisms of 2D organic assemblies generated from dialkylated melaminium derivatives: the length difference of the two alkyl chains that matters. *Langmuir* 29: 10959-10963. <http://dx.doi.org/10.1021/la402622j>.
- Xu, J; Xiao, S; Dong, W; Sui, K; Cao, J; Diao, W; Zhang, J. (2012). [Determination of levamisole residue in animal livers by two liquid-liquid extraction steps-gas chromatography-mass spectrometry]. *Sepu* 30: 922-925.
- Xu, J; Zhang, Q; Zhao, L; Wang, Y; Xue, L; Han, T; Zheng, C; Qin, L. (2012). Quantitative determination and pharmacokinetic study of casticin in rat plasma by liquid chromatography-mass spectrometry. *J Pharm Biomed Anal* 61: 242-246. <http://dx.doi.org/10.1016/j.jpba.2011.11.006>.
- Xu, M; Davis, RA; Feng, Y; Sykes, ML; Shelper, T; Avery, VM; Camp, D; Quinn, RJ. (2012). Ianthelliformisamines A-C, antibacterial bromotyrosine-derived metabolites from the marine sponge *Suberea ianthelliformis*. *J Nat Prod* 75: 1001-1005. <http://dx.doi.org/10.1021/np300147d>.
- Xu, M; Kinoshita, Y; Matsubara, S; Tamiaki, H. (2016). Synthesis of chlorophyll-c derivatives by modifying natural chlorophyll-a. *Photosynth Res* 127: 335-345. <http://dx.doi.org/10.1007/s11120-015-0190-1>.
- Xu, M; Rao, Z; Dou, W; Jin, J; Xu, Z. (2012). Site-directed mutagenesis studies on the L-arginine-binding sites of feedback inhibition in N-acetyl-L-glutamate kinase (NAGK) from *Corynebacterium glutamicum*. *Curr Microbiol* 64: 164-172. <http://dx.doi.org/10.1007/s00284-011-0042-y>.
- Xu, S; Evans, RE; Liu, T; Zhang, G; Demas, JN; Trindle, CO; Fraser, CL. (2013). Aromatic difluoroboron  $\beta$ -diketonate complexes: effects of  $\pi$ -conjugation and media on optical properties. *Inorg Chem* 52: 3597-3610. <http://dx.doi.org/10.1021/ic300077g>.
- Xu, T; Lv, Y; Cheng, T; Li, X. (2014). Using comprehensive GC  $\times$  GC to study PAHs and n-alkanes associated with PM2.5 in urban atmosphere. *Environ Sci Pollut Res Int* 22: 5253-5262. <http://dx.doi.org/10.1007/s11356-014-3695-9>.
- Xu, T; Yang, Q; Li, D; Dong, J; Yu, Z; Li, Y. (2010). Iron(III)-Catalyzed Cyclization of Alkynyl Aldehyde Acetals: Experimental and Computational Studies. *Chemistry* 16: 9264-9272. <http://dx.doi.org/10.1002/chem.201000686>.
- Xu, W; He, J; Wu, G; Xiong, F; Du, H; Wang, G. (2015). Stabilization and immune response of HBsAg encapsulated within poly(lactic-co-glycolic acid) microspheres using HSA as a stabilizer. *Int J Pharm* 496: 332-341. <http://dx.doi.org/10.1016/j.ijpharm.2015.10.004>.
- Xu, W; Wang, X; Cai, Z. (2013). Analytical chemistry of the persistent organic pollutants identified in the Stockholm Convention: A review. *Anal Chim Acta* 790: 1-13. <http://dx.doi.org/10.1016/j.aca.2013.04.026>.
- Xu, W; Xu, J; Li, X; Tian, Y; Choi, CH; Yang, EH. (2016). Lateral actuation of an organic droplet on conjugated polymer electrodes via imbalanced interfacial tensions. *Soft Matter* 12: 6902-6909. <http://dx.doi.org/10.1039/c6sm01223j>.
- Xu, WJ; Liu, SJ; Zhao, XY; Sun, S; Cheng, S; Ma, TC; Sun, HB; Zhao, Q; Huang, W. (2010). Cationic iridium(III) complex containing both triarylboron and carbazole moieties as a ratiometric fluoride probe that utilizes a switchable triplet-singlet emission. *Chemistry* 16: 7125-7133. <http://dx.doi.org/10.1002/chem.201000362>.
- Xu, X; Cang, H; Li, C; Zhao, ZK; Li, H. (2009). Quartz crystal microbalance sensor array for the detection of volatile organic compounds. *Talanta* 78: 711-716. <http://dx.doi.org/10.1016/j.talanta.2008.12.031>.
- Xu, X; Wang, P; Zou, X; Li, D; Fang, L; Gong, K; Lin, Q. (2010). The effects of sympathetic outflow on upregulation of vanilloid receptors TRPV(1) in primary afferent neurons evoked by intradermal capsaicin. *Exp Neurol* 222: 93-107. <http://dx.doi.org/10.1016/j.expneurol.2009.12.011>.
- Xu, Y; Lou, Z; Yi, P; Chen, J; Ma, X; Wang, Y; Li, M, i; Chen, W, en; Liu, Q; Zhou, J; Zhang, J, ia; Qian, G. (2014). Improving abiotic reducing ability of hydrothermal biochar by low temperature oxidation under air. *Bioresour Technol* 172: 212-218. <http://dx.doi.org/10.1016/j.biortech.2014.09.018>.
- Xu, Y; Si, D; Liu, C. (2009). Determination of strychnine and brucine in rat plasma using liquid chromatography electrospray ionization mass spectrometry. *J Pharm Biomed Anal* 49: 487-491. <http://dx.doi.org/10.1016/j.jpba.2008.10.020>.
- Xu, YH; Li, D; Liu, XY; Li, YZ; Lu, J. (2010). High performance liquid chromatography assay with ultraviolet detection for moxifloxacin: validation and application to a pharmacokinetic study in Chinese volunteers. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 3437-3441. <http://dx.doi.org/10.1016/j.jchromb.2010.10.024>.
- Xu, YJ; Tian, XH; Zhang, XZ; Gong, XH; Liu, HH; Zhang, HJ; Huang, H; Zhang, LM. (2012). Simultaneous determination of malachite green, crystal violet, methylene blue and the metabolite residues in aquatic products by ultra-performance liquid chromatography with electrospray ionization tandem mass spectrometry. *J Chromatogr Sci* 50: 591-597. <http://dx.doi.org/10.1093/chromsci/bms054>.

## Human Health Hazard Literature Search Results

### Off Topic

- Xu, Z; Wang, X; Dai, Y; Kong, L; Wang, F; Xu, H; Lu, D; Song, J; Hou, Z. (2010). (+/-)-Praeruptorin A enantiomers exert distinct relaxant effects on isolated rat aorta rings dependent on endothelium and nitric oxide synthesis. *Chem Biol Interact* 186: 239-246. <http://dx.doi.org/10.1016/j.cbi.2010.04.024>.
- Xu, ZR; Wang, ZM; Xu, MZ; He, HF. (2013). [Health risk assessment and ozone formation potentials of volatile organic compounds from pharmaceutical industry in Zhejiang Province]. *Huanjing Kexue* 34: 1864-1870.
- Xue, R; Lei, S; Xia, ZY; Wu, Y; Meng, Q; Zhan, L; Su, W; Liu, H; Xu, J; Liu, Z; Zhou, B; Xia, Z. (2016). Selective inhibition of PTEN preserves ischaemic post-conditioning cardioprotection in STZ-induced Type 1 diabetic rats: role of the PI3K/Akt and JAK2/STAT3 pathways. *Clin Sci (Lond)* 130: 377-392. <http://dx.doi.org/10.1042/CS20150496>.
- Xue, X; Huang, M; Xiao, H; Qin, X; Huang, L; Zhong, G; Bi, H. (2011). Rapid and simultaneous measurement of midazolam, 1'-hydroxymidazolam and digoxin by liquid chromatography/tandem mass spectrometry: application to an in vivo study to simultaneously measure P-glycoprotein and cytochrome P450 3A activity. *J Pharm Biomed Anal* 55: 187-193. <http://dx.doi.org/10.1016/j.jpba.2011.01.018>.
- Yaacob, NS; Hamzah, N; Nik Mohamed Kamal, NN; Zainal Abidin, SA; Lai, CS; Navaratnam, V; Norazmi, MN. (2010). Anticancer activity of a sub-fraction of dichloromethane extract of *Strobilanthes crispus* on human breast and prostate cancer cells in vitro. *BMC Complement Altern Med* 10: 42. <http://dx.doi.org/10.1186/1472-6882-10-42>.
- Yaacob, NS; Kamal, NNN, ikM; Lai, CS; Navaratnam, V; Norazmi, MN. (2010). A dichloromethane fraction of *Strobilanthes crispus* induces apoptosis and promotes the effect of tamoxifen in MCF-7 and MDA-MB-231 cells. 8: 67-67.
- Yaacob, NS; Yankuzo, HM; Devaraj, S; Wong, JK; Lai, CS. (2015). Anti-Tumor Action, Clinical Biochemistry Profile and Phytochemical Constituents of a Pharmacologically Active Fraction of *S. crispus* in NMU-Induced Rat Mammary Tumour Model. *PLoS ONE* 10: e0126426. <http://dx.doi.org/10.1371/journal.pone.0126426>.
- Yadav, A; Jain, DK. (2010). In-vitro characterization of gastroretentive microballoons prepared by the emulsion solvent diffusion method. 1: 56-67.
- Yadav, M; Contractor, P; Upadhyay, V; Gupta, A; Guttikar, S; Singhal, P; Goswami, S; Shrivastav, PS. (2008). Automated liquid-liquid extraction based on 96-well plate format in conjunction with ultra-performance liquid chromatography tandem mass spectrometry (UPLC-MS/MS) for the quantitation of methoxsalen in human plasma. *Journal of Chromatography B* 872: 167-171. <http://dx.doi.org/10.1016/j.jchromb.2008.06.058>.
- Yadav, M; Gupta, A; Singhal, P; Shrivastav, PS. (2010). Development and validation of a selective and rapid LC-MS-MS method for the quantification of abacavir in human plasma. *J Chromatogr Sci* 48: 654-662.
- Yadav, M; Patel, C; Patel, M; Mishra, T; Baxi, GA; Singhal, P; Shrivastav, PS. (2011). Development and validation of a sensitive and rapid method to determine naratriptan in human plasma by LC-ESI-MS-MS: application to a bioequivalence study. *J Chromatogr Sci* 49: 101-107.
- Yadav, VB; Yadav, AV. (2009). Polymeric Recrystallized Agglomerates of Cefuroxime Axetil Prepared by Emulsion Solvent Diffusion Technique. *Tropical Journal of Pharmaceutical Research* 8: 361-369.
- Yadav, VK; Verma, AK; Kumar, P; Hulikal, V. (2014). 2-Arylcyclopropylmethanol as a substitute for homoallyl aryl alcohol in the construction of cis-2,6-disubstituted tetrahydropyran: synthesis of ( $\pm$ )-centrolobine. *Chem Commun (Camb)* 50: 15457-15460. <http://dx.doi.org/10.1039/c4cc07796b>.
- Yam, MF; Tan, CS; Ahmad, M; Ruan, S. (2016). Vasorelaxant Action of the Chloroform Fraction of *Orthosiphon stamineus* via NO/cGMP Pathway, Potassium and Calcium Channels. *Am J Chin Med* 44: 1413-1439. <http://dx.doi.org/10.1142/S0192415X16500798>.
- Yam, MF; Tan, CS; Ahmad, M; Shibao, R. (2016). Mechanism of vasorelaxation induced by eupatorin in the rats aortic ring. *Eur J Pharmacol* 789: 27-36. <http://dx.doi.org/10.1016/j.ejphar.2016.06.047>.
- Yamada, K; Nakano, M; Maekawa, M; Akindele, T; Tomioka, K. (2008). Tin-free radical addition of acyloxymethyl to imines. *Org Lett* 10: 3805-3808. <http://dx.doi.org/10.1021/ol8014978>.
- Yamaguchi, C; Lee, WY. (2010). A cost effective, sensitive, and environmentally friendly sample preparation method for determination of polycyclic aromatic hydrocarbons in solid samples. *J Chromatogr A* 1217: 6816-6823. <http://dx.doi.org/10.1016/j.chroma.2010.08.055>.
- Yamamoto, R; Nozaki, J; Ma, L; Shima, M; Hatayama, F. (2008). Determination of gaseous organic compounds in Hyogo Prefecture, Japan. *Southeast Asian J Trop Med Public Health* 39: 1155-1163.
- Yamanaka, M; Fujii, H. (2009). Chloroalkane gel formations by tris-urea low molecular weight gelator under various conditions. *J Org Chem* 74: 5390-5394. <http://dx.doi.org/10.1021/jo900894>.
- Yamsani, VV; Gannu, R; Yamsani, MR; Veerabrahma, K. (2010). High-performance liquid chromatography determination of carvedilol in pig serum. *J Chromatogr Sci* 48: 348-352.
- Yan, D; Fan, G; Guan, Y; Meng, Q; Li, C; Wang, J. (2013). Tuning solid-state blue and red luminescence by the formation of solvate crystals. *Phys Chem Chem Phys* 15: 19845-19852. <http://dx.doi.org/10.1039/c3cp53929f>.
- Yan, DB; Zhang, DP; Li, M; Liu, WY; Feng, F; Di, B; Guo, QL; Xie, N. (2014). Synthesis and cytotoxic activity of 3, 4, 11-trihydroxyl modified derivatives of bergenin. *Chin J Nat Med* 12: 929-936. [http://dx.doi.org/10.1016/S1875-5364\(14\)60136-9](http://dx.doi.org/10.1016/S1875-5364(14)60136-9).
- Yan, H; Wang, Y; Zhang, M. (2015). [Determination of dichloromethane in urine by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 478-480.
- Yan, M; Zhu, YG; Li, HD; Chen, BM; Ma, N; Lei, YQ; Liu, YP. (2009). Quantification of prochlorperazine maleate in human plasma by liquid chromatography-mass spectrometry: Application to a bioequivalence study. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 3243-3247. <http://dx.doi.org/10.1016/j.jchromb.2009.07.038>.

## Human Health Hazard Literature Search Results

### Off Topic

- Yan, MX; Mao, WJ; Liu, X; Wang, SY; Xia, Z; Cao, SJ; Li, J; Qin, L; Xian, HL. (2016). Extracellular polysaccharide with novel structure and antioxidant property produced by the deep-sea fungus *Aspergillus versicolor* N2bc. *Carbohydr Polymer* 147: 272-281. <http://dx.doi.org/10.1016/j.carbpol.2016.03.090>.
- Yan, T; Li, H; Deng, L; Guo, Y; Yu, W; Fawcett, JP; Zhang, D; Cui, Y; Gu, J. (2008). Liquid chromatographic-tandem mass spectrometric method for the simultaneous quantitation of telmisartan and hydrochlorothiazide in human plasma. *J Pharm Biomed Anal* 48: 1225-1229. <http://dx.doi.org/10.1016/j.jpba.2008.08.021>.
- Yan, TQ; Orihuela, C; Preston, JP; Xia, F. (2010). Supercritical fluid chromatography and steady-state recycling: phase appropriate technologies for the resolutions of pharmaceutical intermediates in the early drug development stage. *Chirality* 22: 922-928. <http://dx.doi.org/10.1002/chir.20861>.
- Yan, W; Zhang, F; Zhang, R; Zhang, X; Wang, Y; Zhou, F; Xia, Y; Liu, P; Gao, C; Wang, H; Zhang, L; Zhou, J; Gao, F; Gao, E; Koch, WJ; Wang, H; Cheng, H; Qu, Y; Tao, L. (2014). Adiponectin regulates SR Ca(2+) cycling following ischemia/reperfusion via sphingosine 1-phosphate-CaMKII signaling in mice. *J Mol Cell Cardiol* 74: 183-192. <http://dx.doi.org/10.1016/j.yjmcc.2014.05.010>.
- Yan, X; Wang, M; Cook, TR; Zhang, M; Saha, ML; Zhou, Z; Li, X; Huang, F; Stang, PJ. (2016). Light-Emitting Superstructures with Anion Effect: Coordination-Driven Self-Assembly of Pure Tetraphenylethylene Metallacycles and Metallacages. *J Am Chem Soc* 138: 4580-4588. <http://dx.doi.org/10.1021/jacs.6b00846>.
- Yan, X; Xi, C. (2015). Conversion of zirconacyclopentadienes into metalloles: Fagan-Nugent reaction and beyond. *Acc Chem Res* 48: 935-946. <http://dx.doi.org/10.1021/ar500429f>.
- Yan, ZE; Huo, RP; Guo, LH; Zhang, X. (2016). The mechanisms for N-heterocyclic olefin-catalyzed formation of cyclic carbonate from CO<sub>2</sub> and propargylic alcohols. *J Mol Model* 22: 94. <http://dx.doi.org/10.1007/s00894-016-2959-3>.
- Yanagida, H; Okada, M; Masuda, M; Narama, I; Nakano, S; Kitao, S; Takakuda, K; Furuzono, T. (2011). Preparation and in vitro/in vivo evaluations of dimpled poly(L-lactic acid) fibers mixed/coated with hydroxyapatite nanocrystals. *J Artif Organs* 14: 331-341. <http://dx.doi.org/10.1007/s10047-011-0594-4>.
- Yang, CI; Wernsdorfer, W; Tsai, YJ; Chung, G; Kuo, TS; Lee, GH; Shieh, M; Tsai, HL. (2008). Mixed-valence tetra- and hexanuclear manganese complexes from the flexibility of pyridine-containing beta-diketone ligands. *Inorg Chem* 47: 1925-1939. <http://dx.doi.org/10.1021/ic7013368>.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, DH; Zhang, H; Huang, Y; Zhou, J. (2009). [Effect of methylene chloride upon hepatic ischemic reperfusion injury]. *Chung Hua Hsueh Tsa Chih* 89: 3299-3303.
- Yang, EJ; Lim, SH; Song, KS; Han, HS; Lee, J. (2013). Identification of active compounds from *Aurantii Immatri Pericarpium* attenuating brain injury in a rat model of ischemia-reperfusion. *Food Chem* 138: 663-670. <http://dx.doi.org/10.1016/j.foodchem.2012.09.137>.
- Yang, EJ; Moon, JY; Lee, JS; Koh, J; Lee, NH; Hyun, CG. (2010). *Acanthopanax koreanum* fruit waste inhibits lipopolysaccharide-induced production of nitric oxide and prostaglandin E<sub>2</sub> in RAW 264.7 macrophages. *J Biomed Biotechnol* 2010: 715739. <http://dx.doi.org/10.1155/2010/715739>.
- Yang, F; Wei, S; Chen, CA; Xi, P; Yang, L; Lan, J; Gau, HM; You, J. (2008). A new strategy for designing non-C<sub>2</sub>-symmetric monometallic bifunctional catalysts and their application in enantioselective cyanation of aldehydes. *Chemistry* 14: 2223-2231. <http://dx.doi.org/10.1002/chem.200701660>.
- Yang, H; Gabbai, FP. (2014). Solution and solid-state photoreductive elimination of chlorine by irradiation of a [PtSb](VII) complex. *J Am Chem Soc* 136: 10866-10869. <http://dx.doi.org/10.1021/ja5056164>.
- Yang, H; Sun, M; Zhao, S; Zhu, M; Xie, Y; Niu, C; Li, C. (2013). Construction of chiral tertiary alcohol stereocenters via the [2,3]-Wittig rearrangement: enantioselective synthesis of the side-chain acids of homoharringtonine and harringtonine. *J Org Chem* 78: 339-346. <http://dx.doi.org/10.1021/jo302203g>.
- Yang, J; Wang, Y; Pan, L; Li, N; Lu, X; Guan, J; Cheng, M; Li, F. (2009). Enantioselective determination of trantinterol in rat plasma by ultra performance liquid chromatography-electrospray ionization mass spectrometry after derivatization. *Talanta* 79: 1204-1208. <http://dx.doi.org/10.1016/j.talanta.2009.03.036>.
- Yang, J; Wang, Z; Zhou, T; Song, X; Liu, Q; Zhang, Y; He, L. (2015). Determination of cyproheptadine in feeds using molecularly imprinted solid-phase extraction coupled with HPLC. *J Chromatogr B Analyt Technol Biomed Life Sci* 990: 39-44. <http://dx.doi.org/10.1016/j.jchromb.2015.03.009>.
- Yang, J; Yang, J; Zhou, Y, u; Wei, F; Lin, W; Zhu, J. (2010). Hierarchical functionalized MCM-22 zeolite for trapping tobacco specific nitrosamines (TSNAs) in solution. *J Hazard Mater* 179: 1031-1036. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.108>.
- Yang, L; Gong, D; Tang, J; Luo, J; Ding, C. (2012). [Simultaneous determination of bensulfuron-methyl and mefenacet residues in paddy field using high performance liquid chromatography]. *Sepu* 30: 71-75.
- Yang, L; Li, H; Miao, H; Zeng, F; Li, R; Chen, H; Zhao, Y; Wu, Y. (2011). [High throuput analysis of organophosphorus pesticide residues and their metabolites in animal original foods by dual gas chromatography-dual pulse flame photometric detection]. *Sepu* 29: 1010-1019.
- Yang, L; Wei, DD; Chen, Z; Wang, JS; Kong, LY. (2011). Reversal effects of traditional Chinese herbs on multidrug resistance in cancer cells. *Nat Prod Res* 25: 1885-1889. <http://dx.doi.org/10.1080/14786419.2010.541395>.
- Yang, N; Liang, B; Srivastava, K; Zeng, J; Zhan, J; Brown, L; Sampson, H; Goldfarb, J; Emala, C; Li, XM. (2013). The *Sophora flavescens* flavonoid compound trifolirhizin inhibits acetylcholine induced airway smooth muscle contraction. *Phytochemistry* 95: 259-267. <http://dx.doi.org/10.1016/j.phytochem.2013.07.023>.



## Human Health Hazard Literature Search Results

### Off Topic

- Yang, S; Yu, B; Zhang, YF; Wang, X; Yang, H. (2013). [The activation effect of nobiletin on cystic fibrosis transmembrane conductance regulator chloride channel]. *Yao Xue Xue Bao* 48: 848-854.
- Yang, SJ; Choe, JH; Abdildinova, A; Gong, YD. (2015). A Highly Efficient Diversification of 2-Amino/Amido-1,3,4-oxadiazole and 1,3,4-Thiadiazole Derivatives via Reagent-Based Cyclization of Thiosemicarbazide Intermediate on Solid-Phase. 17: 732-741. <http://dx.doi.org/10.1021/acscombsci.5b00140>.
- Yang, SJ; Choe, JH; Gong, YD. (2016). Solid-Phase Synthesis of 1,3,4-Thiadiazole Derivatives via Desulfurative Cyclization of Thiosemicarbazide Intermediate Resin. 18: 499-506. <http://dx.doi.org/10.1021/acscombsci.6b00071>.
- Yang, T; Zhang, W; Du, M; Jiao, K. (2008). A PDDA/poly(2,6-pyridinedicarboxylic acid)-CNTs composite film DNA electrochemical sensor and its application for the detection of specific sequences related to PAT gene and NOS gene. *Talanta* 75: 987-994. <http://dx.doi.org/10.1016/j.talanta.2007.12.049>.
- Yang, TC; Chao, HF; Shi, LS; Chang, TC; Lin, HC; Chang, WL. (2014). Alkaloids from *Coptis chinensis* root promote glucose uptake in C2C12 myotubes. *Fitoterapia* 93: 239-244. <http://dx.doi.org/10.1016/j.fitote.2014.01.008>.
- Yang, WD; Ouyang, YJ; Liu, JS. (2008). [Inhibitory effects and chemical basis of cornstalk on the growth of *Alexandrium tamarense*]. *Huanjing Kexue* 29: 2470-2474.
- Yang, X; Cui, C; Tong, Z; Sabanayagam, CR; Jia, X. (2013). Poly( $\epsilon$ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. *Acta Biomater* 9: 8232-8244. <http://dx.doi.org/10.1016/j.actbio.2013.06.005>.
- Yang, X; Ge, M; Wang, T; Quan, D. (2012). Application of Langmuir-Blodgett film technology on studying the formulation of self-microemulsifying drug delivery system (SMEDDS). *Int J Pharm* 437: 100-102. <http://dx.doi.org/10.1016/j.ijpharm.2012.07.044>.
- Yang, X; Wang, J; Luo, J, un; Kong, L. (2012). ONE-STEP LARGE-SCALE PREPARATIVE ISOLATION OF ISOQUINOLINE ALKALOIDS FROM RHIZOMA COPTIDIS CHINENSIS BY POLYAMIDE COLUMN CHROMATOGRAPHY AND THEIR QUANTITATIVE STRUCTURE-RETENTION RELATIONSHIP ANALYSIS. *Journal of Liquid Chromatography and Related Technologies* 35: 1842-1852. <http://dx.doi.org/10.1080/10826076.2011.627605>.
- Yang, XY; Igarashi, K; Tang, N; Lin, JM; Wang, W; Kameda, T; Toriba, A; Hayakawa, K. (2010). Indirect- and direct-acting mutagenicity of diesel, coal and wood burning-derived particulates and contribution of polycyclic aromatic hydrocarbons and nitropolycyclic aromatic hydrocarbons. *Mutat Res* 695: 29-34. <http://dx.doi.org/10.1016/j.mrgentox.2009.10.010>.
- Yang, Y; Chen, M; Kuang, Y; Ye, L; Zhang, W. (2013). [Determination of atracurium and laudanosine in dog plasma during cardiopulmonary bypass by high performance liquid chromatography with fluorometric detection]. *Sepu* 31: 572-576.
- Yang, Y, in; De Cian, MC; Nsikabaka, S; Tomi, P; Silou, T; Costa, J; Paolini, J. (2013). Volatile Fraction Composition and Total Phenolic and Flavonoid Contents of *Elionurus hensii*-Antioxidant Activities of Essential Oils and Solvent Extracts. *Natural Product Communications* 8: 655-661.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yang, Y; Zhao, J; Li, Y. (2016). Theoretical Study of the ESIPT Process for a New Natural Product Quercetin. *Sci Rep* 6: 32152. <http://dx.doi.org/10.1038/srep32152>.
- Yao, L, i; Zheng, S; Guan, Y; Yang, J, un; Liu, B; Wang, W; Zhu, X. (2013). Development of a rapid method for the simultaneous separation and determination of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol and its N- and O-glucuronides in human urine by liquid chromatography-tandem mass spectrometry. *Anal Chim Acta* 788: 61-67. <http://dx.doi.org/10.1016/j.aca.2013.06.034>.
- Yao, X; Liu, X. (2014). One-pot synthesis of ternary  $Ag_2CO_3/Ag/AgCl$  photocatalyst in natural geothermal water with enhanced photocatalytic activity under visible light irradiation. *J Hazard Mater* 280: 260-268. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.079>.
- Yao, Y; Cheng, X; Wang, L; Wang, S; Ren, G. (2011). A determination of potential  $\alpha$ -glucosidase inhibitors from Azuki Beans (*Vigna angularis*). *International Journal of Molecular Sciences* 12: 6445-6451. <http://dx.doi.org/10.3390/ijms12106445>.
- Yao, Y; Cheng, X; Wang, L; Wang, S; Ren, G. (2012). Mushroom tyrosinase inhibitors from mung bean (*Vigna radiatae* L.) extracts. *Int J Food Sci Nutr* 63: 358-361. <http://dx.doi.org/10.3109/09637486.2011.629177>.
- Yarkovsky, N; Timmons Fritz, PA. (2014). Attachment style, early sexual intercourse, and dating aggression victimization. *J Interpers Violence* 29: 279-298. <http://dx.doi.org/10.1177/0886260513505143>.
- Yati, I; Ozan Aydin, G; Bulbul Sonmez, H. (2016). Cross-linked poly(tetrahydrofuran) as promising sorbent for organic solvent/oil spill. *J Hazard Mater* 309: 210-218. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.014>.
- Yazdi, A; Sardari, S; Sayyah, M; Ezzati, MH. (2011). Evaluation of the Anticonvulsant Activity of the Leaves of *Glycyrrhiza glabra* var. *glandulifera* Grown in Iran, as a Possible Renewable Source for Anticonvulsant Compounds. *Iranian Journal of Pharmaceutical Research* 10: 75-81.
- Ye, S; Tang, Q; Yang, J; Zhang, K; Zhao, J. (2016). Interfacial diffusion of a single cyclic polymer chain. *Soft Matter* 12: 9520-9526. <http://dx.doi.org/10.1039/c6sm02103d>.
- Ye, X; Patil, H; Feng, X; Tiwari, RV; Lu, J; Gryczke, A; Kolter, K; Langley, N; Majumdar, S; Neupane, D; Mishra, SR; Repka, MA. (2016). Conjugation of Hot-Melt Extrusion with High-Pressure Homogenization: a Novel Method of Continuously Preparing Nanocrystal Solid Dispersions. *AAPS PharmSciTech* 17: 78-88. <http://dx.doi.org/10.1208/s12249-015-0389-7>.
- Ye, X; Peng, Y; Niu, Z; Gao, Y; Luo, X; Zou, L. (2015). [Determination of free carcinogenic aromatic amines in textiles by ultra-performance liquid chromatography-linear ion trap/orbitrap high resolution mass spectrometry]. *Sepu* 33: 377-382.
- Ye, YL; Yang, XM. (2008). [Determination of residual solvents in ranolazine by headspace gas chromatography]. *Nan Fang Yi Ke Da Xue Xue Bao* 28: 134-135.

## Human Health Hazard Literature Search Results

### Off Topic

- Yen, CL; Cheng, CP. (2013). Researcher effects on mortality salience research: a meta-analytic moderator analysis. *Death Stud* 37: 636-652. <http://dx.doi.org/10.1080/07481187.2012.682290>.
- Yeo, JL; Tan, BTC; Achike, FI. (2010). Exploring the mechanism of endothelial involvement in acidosis-induced vasodilatation of aortic tissues from normal and diabetic rats. *Eur J Pharmacol* 642: 99-106. <http://dx.doi.org/10.1016/j.ejphar.2010.05.040>.
- Yeo, RA; Gangestad, SW; Liu, J; Calhoun, VD; Hutchison, KE. (2011). Rare copy number deletions predict individual variation in intelligence. *PLoS ONE* 6: e16339. <http://dx.doi.org/10.1371/journal.pone.0016339>.
- Yerlikaya, F; Ozgen, A; Vural, I; Guven, O; Karaagaoglu, E; Khan, MA; Capan, Y. (2013). Development and evaluation of paclitaxel nanoparticles using a quality-by-design approach. *J Pharm Sci* 102: 3748-3761. <http://dx.doi.org/10.1002/jps.23686>.
- Yesil-Celiktas, O; Otto, F; Gruener, S; Parlar, H. (2009). Determination of extractability of pine bark using supercritical CO<sub>2</sub> extraction and different solvents: optimization and prediction. *J Agric Food Chem* 57: 341-347. <http://dx.doi.org/10.1021/jf8026414>.
- Yeung, E; Chaw, CS. (2009). Ciclosporin-loaded poly(lactide) microparticles: effect of TPGS. *J Microencapsul* 26: 9-17. <http://dx.doi.org/10.1080/02652040802094402>.
- Yildiz, H; Durmus, AS; Simsek, H; Yaman, I. (2011). The comparison of methylene blue and vitamin E in prevention of abdominal postoperative adhesion formation in rat uterine horn models: Biochemical and histopathologic evaluation. *Acta Cir Bras* 26: 51-57.
- Yilmaz, A; Boga, M; Topcu, G. (2016). Novel Terpenoids with Potential Anti-Alzheimer Activity from *Nepeta obtusica*. *Records of Natural Products* 10: 530-541.
- Yilmaz, A; Çağlar, P; Dirmenci, T; Gören, N; Topçu, G. (2012). A novel isopimarane diterpenoid with acetylcholinesterase inhibitory activity from *Nepeta sorgerae*, an endemic species to the Nemrut Mountain. *Natural Product Communications* 7: 693-696.
- Yilmaz, VT; Gocmen, E; Icel, C; Cengiz, M; Susluer, SY; Buyukgungor, O. (2014). Di- and polynuclear silver(I) saccharinate complexes of tertiary diphosphane ligands: synthesis, structures, in vitro DNA binding, and antibacterial and anticancer properties. *J Biol Inorg Chem* 19: 29-44. <http://dx.doi.org/10.1007/s00775-013-1052-y>.
- Yin, CQ; He, BJ; Li, SR; Liu, YQ; Bai, ZW. (2009). Immobilization of (1S,2R)-(+)-2-amino-1,2-diphenylethanol derivatives on aminated silica gel with different linkages as chiral stationary phases and their enantioseparation evaluation by HPLC. *Chirality* 21: 442-448. <http://dx.doi.org/10.1002/chir.20618>.
- Yin, J; Kwon, Y; Kim, D; Lee, D; Kim, G; Hu, Y; Ryu, JH; Yoon, J. (2015). Preparation of a cyanine-based fluorescent probe for highly selective detection of glutathione and its use in living cells and tissues of mice. *Nat Protoc* 10: 1742-1754. <http://dx.doi.org/10.1038/nprot.2015.109>.
- Yin, J; Wan, J; Xu, J; Wang, H; Zheng, X. (2011). Photodecay dynamics of octaethylporphine in the condensed phase explored via resonance Raman spectroscopy and density functional theory calculation. *Spectrochim Acta A Mol Biomol Spectrosc* 78: 1416-1423. <http://dx.doi.org/10.1016/j.saa.2011.01.020>.
- Yin, L; Meng, X; Zhou, X; Zhang, T; Sun, H; Yang, Z; Yang, B; Xiao, N; Fawcett, JP; Yang, Y; Gu, J. (2015). Simultaneous determination of carboprost methylate and its active metabolite carboprost in dog plasma by liquid chromatography-tandem mass spectrometry with positive/negative ion-switching electrospray ionization and its application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 998-999: 8-14. <http://dx.doi.org/10.1016/j.jchromb.2015.05.039>.
- Yin, M; Tao, Y; Zhu, D; Zhang, HB. (2014). [GC/MS-based dynamic analysis of *Eucalyptus camaldulensis* extract on correlation of chromatography-activity against *Oncomelania hupensis*]. *Zhongguo Xuexichongbing Fangzhi Zazhi* 26: 141-147.
- Ying, J; Pu, L. (2016). Regiospecific Hydration of N-(Diphenylphosphinoyl)propargyl Amines: Synthesis of  $\beta$ -Amino Ketones by Au(III) Catalysis. *J Org Chem* 81: 8135-8141. <http://dx.doi.org/10.1021/acs.joc.6b01111>.
- Ying, X; Xu, X; Chen, M; Ouyang, Y; Zhu, Z; Min, J. (2010). [Determination of 2-acetyl-1-pyrroline in aroma rice using gas chromatography-mass spectrometry]. *Sepeu* 28: 782-785.
- Yingying, K; Jie, Z; Ting, W; Xiaoqian, Q; Yuling, W. (2014). Preparation and characterization of paclitaxel-loaded poly lactic acid-co-glycolic acid coating tracheal stent. *Chin Med J* 127: 2236-2240. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20133090>.
- Yiu, SM; Man, WL; Lau, TC. (2008). Efficient catalytic oxidation of alkanes by Lewis acid/[Os(VI)(N)Cl<sub>4</sub>]- using peroxides as terminal oxidants. Evidence for a metal-based active intermediate. *J Am Chem Soc* 130: 10821-10827. <http://dx.doi.org/10.1021/ja802625e>.
- Yodsaoue, O; Cheenpracha, S; Karalai, C; Ponglimanont, C; Tewtrakul, S. (2009). Anti-allergic activity of principles from the roots and heartwood of *Caesalpinia sappan* on antigen-induced beta-hexosaminidase release. *Phytother Res* 23: 1028-1031. <http://dx.doi.org/10.1002/ptr.2670>.
- Yokota, S; Ohara, N; Kobayashi, T. (2008). The effects of organic extract of diesel exhaust particles on ischemia/reperfusion-related arrhythmia and on pulmonary inflammation. *J Toxicol Sci* 33: 1-10.
- Yokota, S; Seki, T; Naito, Y; Tachibana, S; Hirabayashi, N; Nakasaka, T; Ohara, N; Kobayashi, H. (2008). Tracheal instillation of diesel exhaust particles component causes blood and pulmonary neutrophilia and enhances myocardial oxidative stress in mice. *J Toxicol Sci* 33: 609-620.
- Yompakdee, C; Thunyaharn, S; Phaechamud, T. (2012). Bactericidal Activity of Methanol Extracts of Crabapple Mangrove Tree (*Sonneratia caseolaris* Linn.) Against Multi-Drug Resistant Pathogens. *Indian J Pharmaceut Sci* 74: 230-236. <http://dx.doi.org/10.4103/0250-474X.106065>.
- Yoo, H; Washington, JW; Jenkins, TM; Ellington, JJ. (2011). Quantitative determination of perfluorochemicals and fluorotelomer alcohols in plants from biosolid-amended fields using LC/MS/MS and GC/MS. *Environ Sci Technol* 45: 7985-7990. <http://dx.doi.org/10.1021/es102972m>.

## Human Health Hazard Literature Search Results

### Off Topic

- Yoon, HJ; Seo, CR; Kim, M; Kim, YJ; Song, NJ; Jang, WS; Kim, BJ; Lee, J; Hong, JW; Nho, CW; Park, KW. (2013). Dichloromethane extracts of *Sophora japonica* L. stimulate osteoblast differentiation in mesenchymal stem cells. 33: 1053-1062. <http://dx.doi.org/10.1016/j.nutres.2013.08.004>.
- Yoon, T; Cheon, MS; Lee, AY; Lee, DY; Moon, BC; Chun, JM; Choo, BK; Kim, HK. (2010). Anti-inflammatory Activity of Methylene Chloride Fraction From *Glehnia littoralis* Extract via Suppression of NF- $\kappa$ B and Mitogen-Activated Protein Kinase Activity. *J Pharmacol Sci* 112: 46-55. <http://dx.doi.org/10.1254/jphs.09168FP>.
- Yoon, WJ; Ham, Y; Kim, K; Park, S; Lee, N; Hyun, CG, u; Lee, W. (2009). Anti-inflammatory activity of brown alga *Dictyota dichotoma* in murine macrophage RAW 264.7 cells. *Journal of Medicinal Plant Research* 3: 1-8.
- Yoon, WJ; Kim, D; Yang, E; Moon, J, iY; Kim, M; Lee, W; Lee, N; Hyun, CG, u. (2010). Inhibitory Effects of *Enteromorpha prolifera* on the Production of Nitric Oxide, Prostaglandin E-2, and Pro-inflammatory Cytokines in RAW 264.7 Cells. *Lat Am J Pharm* 29: 165-170.
- Yoon, Y; Mukherjee, A; Belk, KE; Scanga, JA; Smith, GC; Sofos, JN. (2009). Effect of tenderizers combined with organic acids on *Escherichia coli* O157:H7 thermal resistance in non-intact beef. *Int J Food Microbiol* 133: 78-85. <http://dx.doi.org/10.1016/j.ijfoodmicro.2009.05.004>.
- Yoon, ZS; Cho, DG; Kim, KS; Sessler, JL; Kim, D. (2008). Nonlinear optical properties as a guide to aromaticity in congeneric pentapyrrolic expanded porphyrins: pentaphyrin, sapphyrin, isosmaragdyrin, and orangarin. *J Am Chem Soc* 130: 6930-6931. <http://dx.doi.org/10.1021/ja801395y>.
- York, T; van Vuuren, SF; de Wet, H. (2012). An antimicrobial evaluation of plants used for the treatment of respiratory infections in rural Maputaland, KwaZulu-Natal, South Africa. *J Ethnopharmacol* 144: 118-127. <http://dx.doi.org/10.1016/j.jep.2012.08.038>.
- Yorsin, S; Jansakul, C; Radenamad, N. (2014). EFFECTS OF 6 WEEKS ORAL GAVAGE OF A DICHLOROMETHANE EXTRACT OF *KAEMPHERIA PARVIFLORA* RHIZOMES ON THE BLOOD CHEMISTRY, LIPID ACCUMULATION AND BLOOD PRESSURE IN MIDDLE-AGED MALE RATS. *Basic Clin Pharmacol Toxicol* 115: 22-22.
- Yorsin, S; Kanokwiroon, K; Radenahmad, N; Jansakul, C. (2014). Effects of *Kaempferia parviflora* rhizomes dichloromethane extract on vascular functions in middle-aged male rat. *J Ethnopharmacol* 156: 162-174. <http://dx.doi.org/10.1016/j.jep.2014.08.020>.
- Yoshida, A; Kageyama, A; Fujino, T; Nozawa, Y; Yamada, S. (2010). Loss of muscarinic and purinergic receptors in urinary bladder of rats with hydrochloric acid-induced cystitis. *Urology* 76: 1017.e1017-1012. <http://dx.doi.org/10.1016/j.urology.2010.05.012>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Youchret-Zalleg, OB; Besbes-Hentati, S; Bouvet, M; Said, H. (2014). Electrochemical and spectral studies of auto-assembled arrays of calix[4]arenequinhydrone charge-transfer complex on indium-tin oxide (ITO) glass. *J Incl Phenom Macrocycl Chem* 79: 383-390. <http://dx.doi.org/10.1007/s10847-013-0361-7>.
- Youkwan, J; Sutthivaiyakit, S; Sutthivaiyakit, P. (2010). Citrusosides A-D and furanocoumarins with cholinesterase inhibitory activity from the fruit peels of *Citrus hystrix*. *J Nat Prod* 73: 1879-1883. <http://dx.doi.org/10.1021/np100531x>.
- Youm, I; Youan, BB. (2013). Uptake mechanism of furosemide-loaded pegylated nanoparticles by cochlear cell lines. *Hear Res* 304: 7-19. <http://dx.doi.org/10.1016/j.heares.2013.05.010>.
- Youn, UJ; Park, EJ; Kondratyuk, TP; Sripisut, T; Laphookhieo, S; Pezzuto, JM; Chang, LC. (2016). Anti-inflammatory triterpenes from the apical bud of *Gardenia sotoepensis*. *Fitoterapia* 114: 92-97. <http://dx.doi.org/10.1016/j.fitote.2016.08.012>.
- Young, A; Anzures-Cabrera, J; Derks, M. (2012). No clinically relevant drug-drug interactions when dalcetrapib is co-administered with a monophasic oral contraceptive (Microgynon® 30). *Int J Clin Pharmacol Ther* 50: 248-256.
- Youngster, I; Arcavi, L; Schechmaster, R; Akayzen, Y; Popliski, H; Shimonov, J; Beig, S; Berkovitch, M. (2010). Medications and glucose-6-phosphate dehydrogenase deficiency: an evidence-based review [Review]. *Drug Saf* 33: 713-726. <http://dx.doi.org/10.2165/11536520-000000000-00000>.
- Yousefzadi, M; Sharifi, M; Chashmi, NA; Behmanesh, M; Ghasempour, A. (2010). Optimization of podophyllotoxin extraction method from *Linum album* cell cultures. *Pharmaceutical Biology* 48: 1421-1425. <http://dx.doi.org/10.3109/13880209.2010.489564>.
- Yow, CM; Fung, K; Wong, KC. (2011). Photodynamic inactivation of multi-drug resistant pathogens in Hong Kong. *Hong Kong Med J* 17 Suppl 2: 24-28.
- Yu, B; Jiang, T; Li, J; Su, Y; Pan, X; She, X. (2009). A novel Prins cyclization through benzylic/allylic C-H activation. *Org Lett* 11: 3442-3445. <http://dx.doi.org/10.1021/ol901291w>.
- Yu, B; Zhang, R; Liu, P; Zhang, Y; Zhang, Y; Bai, Y. (2015). Determination of nine hydroxylated polybrominated diphenyl ethers in water by precolumn derivatization-gas chromatography-mass spectrometry. *J Chromatogr A* 1419: 19-25. <http://dx.doi.org/10.1016/j.chroma.2015.09.081>.
- Yu, BS; Choi, MS; Lim, DY. (2014). Depressor action and vasorelaxation of methylene chloride fraction extracted from *Rubus coreanum*. 20: 6. <http://dx.doi.org/10.1186/s40885-014-0006-1>.
- Yu, C; Jiao, L; Li, T; Wu, Q; Miao, W; Wang, J; Wei, Y; Mu, X; Hao, E. (2015). Fusion and planarization of bisBODIPY: a new family of photostable near infrared dyes. *Chem Commun (Camb)* 51: 16852-16855. <http://dx.doi.org/10.1039/c5cc07304a>.
- Yu, CH, o; Zhu, X; Fan, Z. (2014). Spatial/Temporal Variations and Source Apportionment of VOCs Monitored at Community Scale in an Urban Area. *PLoS ONE* 9: e95734. <http://dx.doi.org/10.1371/journal.pone.0095734>.
- Yu, H; Chen, J; Lu, J; Bao, Y; Tu, Y; Zhang, L; Zhang, P; Jia, W. (2016). Decreased visceral fat area correlates with improved arterial stiffness after Roux-en-Y gastric bypass in Chinese obese patients with type 2 diabetes mellitus: a 12-month follow-up. 12: 550-555. <http://dx.doi.org/10.1016/j.soard.2015.09.003>.

## Human Health Hazard Literature Search Results

### Off Topic

- Yu, H; Gong, L; Wang, X; Wu, H; Zhao, T; Wang, K; Cui, X; Chen, L. (2016). Rabbit conjunctivae edema and release of NO, TNF- $\alpha$ , and IL-1 $\beta$  from macrophages induced by fractions and esculentosides isolated from *Phytolacca americana*. *Pharmaceutical Biology* 54: 98-104. <http://dx.doi.org/10.3109/13880209.2015.1016182>.
- Yu, J; Cai, W; Chen, J; Feng, L, i; Jiang, Y; Cheng, Z. (2012). Conversion characteristics and mechanism analysis of gaseous dichloromethane degraded by a VUV light in different reaction media. *J Environ Sci* 24: 1777-1784. [http://dx.doi.org/10.1016/S1001-0742\(11\)61021-8](http://dx.doi.org/10.1016/S1001-0742(11)61021-8).
- Yu, J; Cai, W; Cheng, Z; Chen, J. (2014). Degradation of dichloromethane by an isolated strain *Pandoraea pnomenus* and its performance in a biotrickling filter. *J Environ Sci* 26: 1108-1117. [http://dx.doi.org/10.1016/S1001-0742\(13\)60538-0](http://dx.doi.org/10.1016/S1001-0742(13)60538-0).
- Yu, M; Du, Z; Xue, J; Wang, K. (2011). [The study of absorbable sustained-release implants and animal experiments to prevent recurrence of bladder cancer]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi* 28: 322-325.
- Yu, Q; Liang, MZ; Xiang, J; Qin, YP; Nan, F. (2011). [Determination of biapenem in human plasma by high performance liquid chromatography]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 42: 564-566.
- Yu, Q; Zhou, N; Nan, Y; Zhang, L; Li, Y; Hao, X; Xiong, L; Lau, WB; Ma, XL; Wang, H; Gao, F. (2014). Effective glycaemic control critically determines insulin cardioprotection against ischaemia/reperfusion injury in anaesthetized dogs. *Cardiovasc Res* 103: 238-247. <http://dx.doi.org/10.1093/cvr/cvu132>.
- Yu, QJ; Si, R; Zhou, N; Zhang, HF; Guo, WY; Wang, HC; Gao, F. (2008). Insulin inhibits beta-adrenergic action in ischemic/reperfused heart: a novel mechanism of insulin in cardioprotection. *Apoptosis* 13: 305-317. <http://dx.doi.org/10.1007/s10495-007-0169-2>.
- Yu, S; Pu, L. (2010). Pseudoenantiomeric fluorescent sensors in a chiral assay. *J Am Chem Soc* 132: 17698-17700. <http://dx.doi.org/10.1021/ja1086408>.
- Yu, T; Tsang, DP; Au, VK; Lam, WH; Chan, MY; Yam, VW. (2013). Deep red to near-infrared emitting rhenium(III) complexes: synthesis, characterization, electrochemistry, photophysics, and electroluminescence studies. *Chemistry* 19: 13418-13427. <http://dx.doi.org/10.1002/chem.201301841>.
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, X; Zhan, C; Ding, X; Zhang, S; Zhang, X; Liu, H; Chen, L; Wu, Y; Fu, H; He, S; Huang, Y; Yao, J. (2013). Chromism based on supramolecular H-bonds. *Phys Chem Chem Phys* 15: 11960-11965. <http://dx.doi.org/10.1039/c3cp51268a>.
- Yu, Y; Wu, L; Zou, X; Dai, X; Liu, K; Su, H. (2013). Time-resolved and mechanistic study of the photochemical uncaging reaction of the o-hydroxycinnamic caged compound. *J Phys Chem A* 117: 7767-7775. <http://dx.doi.org/10.1021/jp403323h>.
- Yu, Y; Xiong, DC; Mao, RZ; Ye, XS. (2016). Visible Light Photoredox-Catalyzed O-Sialylation Using Thiosialoside Donors. *J Org Chem* 81: 7134-7138. <http://dx.doi.org/10.1021/acs.joc.6b00999>.
- Yu, Z; Wang, ZH; Yang, HT. (2009). Calcium/calmodulin-dependent protein kinase II mediates cardioprotection of intermittent hypoxia against ischemic-reperfusion-induced cardiac dysfunction. *Am J Physiol Heart Circ Physiol* 297: H735-H742. <http://dx.doi.org/10.1152/ajpheart.01164.2008>.
- Yu, ZH; Jing, M; Wang, XR; Chen, DY; Huang, YL. (2009). [Simultaneous determination of multi-organotin compounds in seawater by liquid-liquid extraction-high performance liquid chromatography-inductively coupled plasma mass spectrometry]. *Guang Pu Xue Yu Guang Pu Fen Xi* 29: 2855-2859.
- Yuan, H; Lu, X; Ma, Q; Li, D; Xu, G; Piao, G. (2016). Flavonoids from *Artemisia sacrorum* Ledeb. and their cytotoxic activities against human cancer cell lines. *Exp Ther Med* 12: 1873-1878. <http://dx.doi.org/10.3892/etm.2016.3556>.
- Yuan, LY; Sun, M; Mei, L; Wang, L; Zheng, LR; Gao, ZQ; Zhang, J; Zhao, YL; Chai, ZF; Shi, WQ. (2015). New insight of coordination and extraction of uranium(VI) with N-donating ligands in room temperature ionic liquids: N,N'-diethyl-N,N'-ditolyldipicolinamide as a case study. *Inorg Chem* 54: 1992-1999. <http://dx.doi.org/10.1021/ic502890w>.
- Yuan, W; Geng, Y; Wu, F; Liu, Y; Guo, M; Zhao, H; Jin, T. (2009). Preparation of polysaccharide glassy microparticles with stabilization of proteins. *Int J Pharm* 366: 154-159. <http://dx.doi.org/10.1016/j.ijpharm.2008.09.007>.
- Yuan, W; Wu, F; Guo, M; Jin, T. (2009). Development of protein delivery microsphere system by a novel S/O/O/W multi-emulsion. *Eur J Pharm Sci* 36: 212-218. <http://dx.doi.org/10.1016/j.ejps.2008.08.009>.
- Yuan, Z; Tang, Q; Sreenath, K; Simmons, JT; Younes, AH; Jiang, DE; Zhu, L. (2015). Absorption and Emission Sensitivity of 2-(2'-Hydroxyphenyl)benzoxazole to Solvents and Impurities. *Photochem Photobiol* 91: 586-598. <http://dx.doi.org/10.1111/php.12393>.
- Yue, Y; Zhang, R; Fan, W; Tang, F. (2008). High-performance thin-layer chromatographic analysis of selected organophosphorous pesticide residues in tea. *J AOAC Int* 91: 1210-1217.
- Yumrutas, O; Sokmen, A; Akpulat, HA; Ozturk, N; Daferera, D; Sokmen, M; Tepe, B. (2012). Phenolic acid contents, essential oil compositions and antioxidant activities of two varieties of *Salvia euphratica* from Turkey. *Nat Prod Res* 26: 1848-1851. <http://dx.doi.org/10.1080/14786419.2011.613386>.
- Yun, SH; Kannan, K. (2011). Distribution of mono- through hexa-chlorobenzenes in floodplain soils and sediments of the Tittabawassee and Saginaw Rivers, Michigan. *Environ Sci Pollut Res Int* 18: 897-907. <http://dx.doi.org/10.1007/s11356-010-0437-5>.
- Zaabat, N; Hay, AE; Michalet, S; Darbour, N; Bayet, C; Skandrani, I; Chekir-Ghedira, L; Akkal, S; Dijoux-Franca, MG. (2011). Antioxidant and antigenotoxic properties of compounds isolated from *Marrubium deserti* de Noé. *Food Chem Toxicol* 49: 3328-3335. <http://dx.doi.org/10.1016/j.fct.2011.08.026>.
- Zaater, MF; Tahboub, YR; Al Sayed, AN. (2014). Determination of phthalates in Jordanian bottled water using GC-MS and HPLC-UV: environmental study. *J Chromatogr Sci* 52: 447-452. <http://dx.doi.org/10.1093/chromsci/bmt059>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zafra-Gómez, A; Garballo, A; Ballesteros, O; Navalón, A; García-Ayuso, LE. (2008). Simultaneous determination of quinolone antibacterials in bovine milk by liquid chromatography-mass spectrometry. *Biomed Chromatogr* 22: 1186-1193. <http://dx.doi.org/10.1002/bmc.1041>.
- Zahari, A; Ablat, A; Sivasothy, Y; Mohamad, J; Choudhary, MI; Awang, K. (2016). In vitro antiplasmodial and antioxidant activities of bisbenzylisoquinoline alkaloids from *Alseodaphne corneri* Kosterm. *Asian Pacific Journal of Tropical Medicine* 9: 328-332. <http://dx.doi.org/10.1016/j.apjtm.2016.03.008>.
- Zahri, S; Razavi, SM; Niri, FH; Mohammadi, S. (2009). Induction of programmed cell death by *Prangos uloptera*, a medicinal plant. *Biol Res* 42: 517-522. <http://dx.doi.org/S0716-97602009000400013>.
- Zakaria, I; Ahmat, N; Jaafar, FM; Widyawaruyanti, A. (2012). Flavonoids with antiplasmodial and cytotoxic activities of *Macaranga triloba*. *Fitoterapia* 83: 968-972. <http://dx.doi.org/10.1016/j.fitote.2012.04.020>.
- Zakavi, S; Rahiminezhad, H; Alizadeh, R. (2010). Hydrogen bond controlled adduct formation of meso-tetra(4-sulfonatophenyl)porphyrin with protic acids: a UV-vis spectroscopic study. *Spectrochim Acta A Mol Biomol Spectrosc* 77: 994-997. <http://dx.doi.org/10.1016/j.saa.2010.08.036>.
- Zalewski, CA; Passero, LF; Melo, AS; Corbett, CE; Laurenti, MD; Toyama, MH; Toyama, DO; Romoff, P; Fávero, OA; Lago, JH. (2011). Evaluation of anti-inflammatory activity of derivatives from aerial parts of *Baccharis uncinella*. *Pharmaceutical Biology* 49: 602-607. <http://dx.doi.org/10.3109/13880209.2010.537828>.
- Zamani, I; Bouzari, M; Emtiazi, G; Fanaei, M. (2015). Rapid Quantitative Estimation of Chlorinated Methane Utilizing Bacteria in Drinking Water and the Effect of Nanosilver on Biodegradation of the Trichloromethane in the Environment. 8: e14965. <http://dx.doi.org/10.5812/jjm.14965>.
- Zamani, M; Morshed, M; Varshosaz, J; Jannesari, M. (2010). Controlled release of metronidazole benzoate from poly epsilon-caprolactone electrospun nanofibers for periodontal diseases. *Eur J Pharm Biopharm* 75: 179-185. <http://dx.doi.org/10.1016/j.ejpb.2010.02.002>.
- Zamani, M; Prabhakaran, MP; Thian, ES; Ramakrishna, S. (2014). Protein encapsulated core-shell structured particles prepared by coaxial electrospinning: investigation on material and processing variables. *Int J Pharm* 473: 134-143. <http://dx.doi.org/10.1016/j.ijpharm.2014.07.006>.
- Zamarreno, DV; Inkpen, R; May, E. (2009). Carbonate Crystals Precipitated by Freshwater Bacteria and Their Use as a Limestone Consolidant. *Appl Environ Microbiol* 75: 5981-5990. <http://dx.doi.org/10.1128/AEM.02079-08>.
- Zanini, S; Polissi, A; Maccagni, EA; Dell'Orto, EC; Liberatore, C; Riccardi, C. (2015). Development of antibacterial quaternary ammonium silane coatings on polyurethane catheters. *J Colloid Interface Sci* 451: 78-84. <http://dx.doi.org/10.1016/j.jcis.2015.04.007>.
- Zanon, RB; Pereira, DF; Boschetti, TK; dos Santos, M; Athayde, ML. (2008). Phytoconstituents isolated from dichloromethane fraction of *Vernonia tweediana* Baker leaves. *Revista Brasileira de Farmacognosia* 18: 226-229.
- Zanoni, M; Coleman, S; Fraser, KJ; Byrne, R; Wagner, K; Gambhir, S; Officer, DL; Wallace, GG; Diamond, D. (2012). Physicochemical study of spiropyran-terthiophene derivatives: photochemistry and thermodynamics. *Phys Chem Chem Phys* 14: 9112-9120. <http://dx.doi.org/10.1039/c2cp41137g>.
- Zapolski, TC; Smith, GT. (2013). Comparison of Parent versus Child-Report of Child Impulsivity Traits and Prediction of Outcome Variables. *Journal of Psychopathology and Behavioral Assessment* 35: 301-313. <http://dx.doi.org/10.1007/s10862-013-9349-2>.
- Zarei, SM; Ayatollahi, AM; Ghanadian, M; Kobarfard, F; Aghaei, M; Choudhary, MI; Fallahian, F. (2013). Unusual ingenoids from *Euphorbia erythradenia* Bioss. with pro-apoptotic effects. *Fitoterapia* 91: 87-94. <http://dx.doi.org/10.1016/j.fitote.2013.08.016>.
- Zarzycki, PK; Zarzycka, MB. (2008). Application of temperature-controlled micro planar chromatography for separation and quantification of testosterone and its derivatives. *Anal Bioanal Chem* 391: 2219-2225. <http://dx.doi.org/10.1007/s00216-008-1919-x>.
- Zarzycki, PK; Zarzycka, MB. (2008). Evaluation of the water and organic liquids extraction efficiency of *Spirulina maxima* dyes using thermostated micro thin-layer chromatography. *J AOAC Int* 91: 1196-1202.
- Zeng, CH; Yang, YY; Zhu, YM; Wang, HM; Chu, TS; Ng, SW. (2012). A New Luminescent Terbium 4-methylsalicylate Complex as a Novel Sensor for Detecting the Purity of Methanol. *Photochem Photobiol* 88: 860-866. <http://dx.doi.org/10.1111/j.1751-1097.2012.01123.x>.
- Zgheib, S; Moilleron, R; Saad, M; Chebbo, G. (2011). Partition of pollution between dissolved and particulate phases: what about emerging substances in urban stormwater catchments? *Water Res* 45: 913-925. <http://dx.doi.org/10.1016/j.watres.2010.09.032>.
- Zhai, L; Shukla, R; Wadumethrige, SH; Rathore, R. (2010). Probing the arenium-ion (protontransfer) versus the cation-radical (electron transfer) mechanism of Scholl reaction using DDQ as oxidant. *J Org Chem* 75: 4748-4760. <http://dx.doi.org/10.1021/jo100611k>.
- Zhang, C; Li, Z; Zhu, L; Yu, L; Wang, Z; Li, C. (2013). Silver-catalyzed radical phosphonofluorination of unactivated alkenes. *J Am Chem Soc* 135: 14082-14085. <http://dx.doi.org/10.1021/ja408031s>.
- Zhang, C; Wang, L; Yang, W; Wang, X; Fawcett, JP; Sun, Y; Gu, J. (2009). Validated LC-MS/MS assay for the determination of felbinac: Application to a preclinical pharmacokinetics study of felbinac trometamol injection in rat. *J Pharm Biomed Anal* 50: 41-45. <http://dx.doi.org/10.1016/j.jpba.2009.03.019>.
- Zhang, CP; He, HM; Yu, JZ; Hu, XQ; Zhu, YH; Wang, Q. (2016). Residues of carbosulfan and its metabolites carbofuran and 3-hydroxy carbofuran in rice field ecosystem in China. *J Environ Sci Health B* 51: 351-357. <http://dx.doi.org/10.1080/03601234.2015.1120606>.
- Zhang, D; Martín, V; García-Moreno, I; Costela, A; Pérez-Ojeda, ME; Xiao, Y. (2011). Development of excellent long-wavelength BODIPY laser dyes with a strategy that combines extending  $\pi$ -conjugation and tuning ICT effect. *Phys Chem Chem Phys* 13: 13026-13033. <http://dx.doi.org/10.1039/c1cp21038f>.
- Zhang, D; Tian, YM; Sun, WB; Li, HF; Chen, P; Zhang, YQ; Yan, PF. (2016). A family of tetranuclear quinolinolate Dy(III)-based single-molecule magnets: effects of periphery ligand replacement on their magnetic relaxation. *Dalton Transactions (Online)* 45: 2674-2680. <http://dx.doi.org/10.1039/c5dt04362j>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zhang, DF; Fang, JY; Ye, JX; Qiu, SK; Qian, DS; Dai, QZ; Chen, DZ. (2013). [Removal of mixed waste gases by the biotrickling filter]. *Huanjing Kexue* 34: 2116-2120.
- Zhang, F; Rick, DL; Kan, LH; Perala, AW; Geter, DR; Lebaron, MJ; Bartels, MJ. (2011). Simultaneous quantitation of testosterone and estradiol in human cell line (H295R) by liquid chromatography/positive atmospheric pressure photoionization tandem mass spectrometry. *Rapid Commun Mass Spectrom* 25: 3123-3130. <http://dx.doi.org/10.1002/rcm.5208>.
- Zhang, G; Kim, SH; Evans, RE; Kim, BH; Demas, JN; Fraser, CL. (2009). Luminescent donor-acceptor beta-diketones: modulation of emission by solvent polarity and group II metal binding. *J Fluoresc* 19: 881-889. <http://dx.doi.org/10.1007/s10895-009-0487-6>.
- Zhang, H; Chang, L; Wang, N; Xuan, X. (2013). 1-Carboxymethyl-3-methyl-1H-imidazol-3-ium chloride 2-(3-methyl-1H-imidazol-3-ium-1-yl)acetate monohydrate: a crystal stabilized by imidazolium zwitterions. *Acta Crystallogr C* 69: 1173-1176. <http://dx.doi.org/10.1107/S0108270113023676>.
- Zhang, H; Crews, P; Tenney, K; Valeriote, FA. (2016). Cytotoxic Phyllactone Analogs from the Marine Sponge *Phyllospongia papyracea*. *Med Chem*.
- Zhang, H; Sasaki, Y; Zhang, Y, i; Ye, S; Osawa, M; Abe, M; Uosaki, K. (2014). Synthesis and Properties of the Cyano Complex of Oxo-Centered Triruthenium Core [Ru-3(mu(3)-O)(mu-CH3COO)(6)(pyridine)(2)(CN)]. *Inorg Chem* 53: 1288-1294. <http://dx.doi.org/10.1021/ic4012197>.
- Zhang, H; Zhong, D; Zhang, Z; Dai, X; Chen, X. (2009). Liquid chromatography/tandem mass spectrometry method for the quantification of deserpidine in human plasma: Application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 3221-3225. <http://dx.doi.org/10.1016/j.jchromb.2009.06.005>.
- Zhang, HB; Lin, AJ; Liu, S; Qiao, M; Feng, L; Shim, H; Jin, JH. (2010). [Identification of pyrene degrading strains and the degrading characteristics research]. *Huanjing Kexue* 31: 243-248.
- Zhang, HL; Zhang, Z; Jiang, H; Gu, YC; Hong, K; Tang, WH; Zhao, LM; Liu, DF; Mao, JM; Yang, YZ. (2016). [Impact of the CFTR chloride channel on the cytoskeleton of mouse Sertoli cells]. *Zhonghua Nan Ke Xue* 22: 110-115.
- Zhang, J; Song, HJ; Bu, FL; Wei, CM; Yuan, GY; Liu, XY; Wang, BJ; Guo, RC. (2010). Bioequivalence of nifedipine softgel and capsule in healthy Chinese volunteers by liquid chromatography-mass spectrometry. *European Journal of Drug Metabolism and Pharmacokinetics* 35: 67-73.
- Zhang, J; Wong, KL; Wong, WK; Mak, NK; Kwong, DW; Tam, HL. (2011). Two-photon induced luminescence, singlet oxygen generation, cellular uptake and photocytotoxic properties of amphiphilic Ru(II) polypyridyl-porphyrin conjugates as potential bifunctional photodynamic therapeutic agents. *Org Biomol Chem* 9: 6004-6010. <http://dx.doi.org/10.1039/c1ob05415e>.
- Zhang, J; Zhang, B, o; Zhou, J; Chen, H; Li, J; Yang, G; Wang, Z; Tang, J, ie. (2013). A Facile H2SO4-SiO2-Catalyzed Ferrier Rearrangement of 3,4,6-Tri-O-benzyl-D-glucal. *Journal of Carbohydrate Chemistry* 32: 380-391. <http://dx.doi.org/10.1080/07328303.2013.809093>.
- Zhang, J; Zhao, SL; Li, JG; Zhang, WC. (2012). [Detecting 2-butoxy ethanol in the air of workplaces by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 30: 389-390.
- Zhang, JX; Liu, D; Sun, L; Wei, R; Zhang, G; Wu, H; Zhang, H; Zhao, C. (2008). Potential chemosignals in the anogenital gland secretion of giant pandas, *Ailuropoda melanoleuca*, associated with sex and individual identity. *J Chem Ecol* 34: 398-407. <http://dx.doi.org/10.1007/s10886-008-9441-3>.
- Zhang, K, ai; Wang, X; Jing, D; Yang, Y, in; Zhu, M. (2009). Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. *Biomed Mater* 4: 035004. <http://dx.doi.org/10.1088/1748-6041/4/3/035004>.
- Zhang, L; Dong, L; Ren, L; Shi, S; Zhou, L; Zhang, T; Huang, Y. (2012). Concentration and source identification of polycyclic aromatic hydrocarbons and phthalic acid esters in the surface water of the Yangtze River Delta, China. *J Environ Sci* 24: 335-342. [http://dx.doi.org/10.1016/S1001-0742\(11\)60782-1](http://dx.doi.org/10.1016/S1001-0742(11)60782-1).
- Zhang, L, i; Ying, G; Chen, F; Zhao, JL; Wang, L, i; Fang, Y, iX. (2012). Development and application of whole-sediment toxicity test using immobilized freshwater microalgae *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 31: 377-386. <http://dx.doi.org/10.1002/etc.734>.
- Zhang, L; Zong, C; Ichihara, S; Naito, H; Toyokuni, S; Kumagai, S; Ichihara, G. (2015). A trial to find appropriate animal models of dichloropropane-induced cholangiocarcinoma based on the hepatic distribution of glutathione S-transferases. *J Occup Health* 57: 548-554. <http://dx.doi.org/10.1539/joh.15-0085-OA>.
- Zhang, LY; Xu, L; Wang, JY; Zeng, XC; Chen, ZN. (2017). Photoluminescence and electroluminescence of cationic PtAu2 heterotrimeric complexes with aromatic acetylides. *Dalton Transactions (Online)* 46: 865-874. <http://dx.doi.org/10.1039/c6dt04249j>.
- Zhang, M; E, W; Ohkubo, K; Sanchez-Garcia, D; Yoon, DW; Sessler, JL; Fukuzumi, S; Kadish, KM. (2008). Electron-transfer and acid-base properties of a two-electron oxidized form of quaterpyrrole that acts as both an electron donor and an acceptor. *J Phys Chem A* 112: 1633-1642. <http://dx.doi.org/10.1021/jp0766306>.
- Zhang, M; Huang, J; Zeng, J; Yu, J. (2014). Ultrasonic-assisted drop-to-drop solvent microextraction in a capillary tube coupled with GC-FID for trace analysis of phthalate esters. *J Chromatogr Sci* 52: 739-744. <http://dx.doi.org/10.1093/chromsci/bmt083>.
- Zhang, M; Ignatova, S; Hu, P; Liang, Q; Wang, Y; Luo, G; Wu Jun, F; Sutherland, I. (2011). Development of a strategy and process parameters for a green process in counter-current chromatography: purification of tanshinone IIA and cryptotanshinone from *Salvia miltiorrhiza* Bunge as a case study. *J Chromatogr A* 1218: 6031-6037. <http://dx.doi.org/10.1016/j.chroma.2010.12.118>.
- Zhang, M; Shi, G; Sui, Y; An, Y; Yan, M; Tang, Y. (2013). The application of an LC-MS/MS method in a pharmacokinetic study for the determination of the concentration of nifekalant in human plasma. *J Chromatogr B Analyt Technol Biomed Life Sci* 938: 105-110. <http://dx.doi.org/10.1016/j.jchromb.2013.09.003>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zhang, M, in; Song, Z; Wang, D, an; Cheng, L, in; Jin, W; Zhang, P; Huo, Y; Ma, Z. (2008). The anti-tumor effect of the light petroleum extract from *Pulsatilla chinensis* (Bunge) Regel. *Natural Product Communications* 3: 819-822.
- Zhang, M; Wang, AJ; Li, JM; Song, N; Song, Y; He, R. (2017). Factors influencing the stability and type of hydroxyapatite stabilized Pickering emulsion. *Mater Sci Eng C* 70: 396-404. <http://dx.doi.org/10.1016/j.msec.2016.09.007>.
- Zhang, MQ; Li, FM; Wu, QY; Hu, HY. (2013). [Optimization of solid-phase extraction for enrichment of toxic organic compounds in water samples]. *Huanjing Kexue* 34: 1851-1856.
- Zhang, N; Jiang, J; Liu, M; Taniguchi, M; Mandal, AK; Evans-Storms, RB; Pitner, JB; Bocian, DF; Holten, D; Lindsey, JS. (2016). Bioconjugatable, PEGylated Hydroporphyrins for Photochemistry and Photomedicine. Narrow-Band, Near-Infrared-Emitting Bacteriochlorins. *New J Chem* 40: 7750-7767. <http://dx.doi.org/10.1039/C6NJ01155A>.
- Zhang, P; Guo, J; Meng, F; Sun, L; Zhong, B; Zhao, Y. (2012). Determination of alamifovir disoproxil fumarate and its active metabolite 602076 in rat plasma by LC-MS/MS: application to a pharmacokinetic study. *J Pharm Biomed Anal* 61: 70-77. <http://dx.doi.org/10.1016/j.jpba.2011.11.031>.
- Zhang, P; Ling, G; Sun, J; Sun, Y; Pu, X; Wang, Z; He, Z. (2010). Determination of mitoxantrone in rat plasma by liquid chromatography-tandem mass spectrometry method: Application to a pharmacokinetic study. *J Chromatogr B Analyt Technol Biomed Life Sci* 878: 2260-2265. <http://dx.doi.org/10.1016/j.jchromb.2010.06.016>.
- Zhang, Q; Chen, L; Hu, L; Liu, WY; Feng, F; Qu, W. (2016). Two new ortho benzoquinones from *Uncaria rhynchophylla*. *Chin J Nat Med* 14: 232-235. [http://dx.doi.org/10.1016/S1875-5364\(16\)30021-8](http://dx.doi.org/10.1016/S1875-5364(16)30021-8).
- Zhang, Q; Cui, C; Chen, CQ; Hu, XL; Liu, YH; Fan, YH; Meng, WH; Zhao, QC. (2015). Anti-proliferative and pro-apoptotic activities of *Alpinia oxyphylla* on HepG2 cells through ROS-mediated signaling pathway. *J Ethnopharmacol* 169: 99-108. <http://dx.doi.org/10.1016/j.jep.2015.03.073>.
- Zhang, Q; Sun, J; Lu, T; Zhang, J; Wu, C; Li, L; He, Z; Zhao, Y; Liu, X. (2015). A rapid and sensitive LC-MS/MS method for evaluation of the absolute oral bioavailability of a novel c-Met tyrosine kinase inhibitor QBH-196 in rats. *Biomed Chromatogr* 29: 1650-1656. <http://dx.doi.org/10.1002/bmc.3474>.
- Zhang, RZ; Feng, X; Liu, Y; Wang, SQ; Liu, JT; Zhao, BX. (2015). Synthesis of novel boron chelate complexes and proposed mechanism of new rearrangement. *Spectrochim Acta A Mol Biomol Spectrosc* 139: 165-170. <http://dx.doi.org/10.1016/j.saa.2014.11.106>.
- Zhang, S; Demoustier-Champagne, S; Jonas, AM. (2015). Quantitative Collection and Enzymatic Activity of Glucose Oxidase Nanotubes Fabricated by Templated Layer-by-Layer Assembly. *Biomacromolecules* 16: 2382-2393. <http://dx.doi.org/10.1021/acs.biomac.5b00628>.
- Zhang, S; Lindsey, JS. (2017). Construction of the Bacteriochlorin Macrocyclic with Concomitant Nazarov Cyclization To Form the Annulated Isocyclic Ring: Analogues of Bacteriochlorophyll a. *J Org Chem* 82: 2489-2504. <http://dx.doi.org/10.1021/acs.joc.6b02878>.
- Zhang, S; Yang, F; Guo, B; Chen, Y; Wu, X; Liang, W; Shi, Y; Zhang, J. (2016). Development of an Liquid Chromatography-Tandem Mass Spectrometry Method for the Determination of Amoxicillin in Broth Medium and its Application to an In Vitro Pharmacokinetic and Pharmacodynamic Model. *J Chromatogr Sci* 54: 230-236. <http://dx.doi.org/10.1093/chromsci/bmv139>.
- Zhang, TX; Niu, CQ; Hu, JM; Liu, H; Jing, HE. (2008). [Vasorelaxational effects of procyanidins on rabbit aorta in vitro and decreasing arterial blood pressure in vivo]. *Zhongguo Zhong Yao Za Zhi* 33: 1720-1723.
- Zhang, W; Abdel-Rahman, FH; Saleh, MA. (2011). Natural resistance of rose petals to microbial attack. *J Environ Sci Health B* 46: 381-393. <http://dx.doi.org/10.1080/03601234.2011.572502>.
- Zhang, X; Cheng, L; Wu, X; Tang, Y; Wu, Y. (2015). Activated carbon coated palygorskite as adsorbent by activation and its adsorption for methylene blue. *J Environ Sci* 33: 97-105. <http://dx.doi.org/10.1016/j.jes.2015.01.014>.
- Zhang, X; Ma, Z. (2010). Characterization of bioactive thiophenes from the dichloromethane extract of *Echinops grijisii* as Michael addition acceptors. *Anal Bioanal Chem* 397: 1975-1984. <http://dx.doi.org/10.1007/s00216-010-3729-1>.
- Zhang, X; Wang, H; Zhang, T; Zhou, X; Wu, B. (2014). Exploring the potential of self-assembled mixed micelles in enhancing the stability and oral bioavailability of an acid-labile drug. *Eur J Pharm Sci* 62: 301-308. <http://dx.doi.org/10.1016/j.ejps.2014.06.008>.
- Zhang, X; Yuan, Y; Shan, X; Sheng, Y; Zhao, J; Liu, C. (2008). [Preparation of bovine hemoglobin-loaded nanoparticles used as blood substitutes and establishment of reduction system]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi* 25: 1332-1337.
- Zhang, X; Zhang, Y. (2016). Reinforcement effect of poly(butylene succinate) (PBS)-grafted cellulose nanocrystal on toughened PBS/polylactic acid blends. *Carbohydr Polymer* 140: 374-382. <http://dx.doi.org/10.1016/j.carbpol.2015.12.073>.
- Zhang, Y; Wang, X; Li, L; Li, W; Zhang, F; Du, T; Chu, X. (2013). Simultaneous determination of 23 flavor additives in tobacco products using gas chromatography-triple quadrupole mass spectrometry. *J Chromatogr A* 1306: 72-79. <http://dx.doi.org/10.1016/j.chroma.2013.07.059>.
- Zhang, Y; Zhang, X; Zhou, J; Song, B; Bhadury, PS; Hu, D; Yang, S. (2011). Analytical and semi-preparative HPLC enantioseparation of novel pyridazin-3(2H)-one derivatives with  $\alpha$ -aminophosphonate moiety using immobilized polysaccharide chiral stationary phases. *J Sep Sci* 34: 402-408. <http://dx.doi.org/10.1002/jssc.201000705>.
- Zhang, Y; Zhao, J; Li, R; Lau, WB; Yuan, YX; Liang, B; Li, R; Gao, EH; Koch, WJ; Ma, XL; Wang, YJ. (2015). AdipoRon, the first orally active adiponectin receptor activator, attenuates postischemic myocardial apoptosis through both AMPK-mediated and AMPK-independent signalings. *Am J Physiol Endocrinol Metab* 309: E275-E282. <http://dx.doi.org/10.1152/ajpendo.00577.2014>.
- Zhang, YM; Meng, F; Tang, JH; Wang, Y; You, C; Tan, H; Liu, Y; Zhong, YW; Su, S; Zhu, W. (2016). Achieving near-infrared emission in platinum(II) complexes by using an extended donor-acceptor-type ligand. *Dalton Transactions (Online)* 45: 5071-5080. <http://dx.doi.org/10.1039/c5dt04793e>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zhang, Z; Ohiozebau, E; Rhind, SM. (2011). Simultaneous extraction and clean-up of polybrominated diphenyl ethers and polychlorinated biphenyls from sheep liver tissue by selective pressurized liquid extraction and analysis by gas chromatography-mass spectrometry. *J Chromatogr A* 1218: 1203-1209. <http://dx.doi.org/10.1016/j.chroma.2010.12.098>.
- Zhang, Z; Rhind, SM. (2011). Optimized determination of polybrominated diphenyl ethers and polychlorinated biphenyls in sheep serum by solid-phase extraction-gas chromatography-mass spectrometry. *Talanta* 84: 487-493. <http://dx.doi.org/10.1016/j.talanta.2011.01.042>.
- Zhang, Z; Wang, Z; Haehnel, M; Eichhorn, A; Edkins, RM; Steffen, A; Krueger, A; Lin, Z; Marder, TB. (2016). Synthesis and fluxional behaviour of novel chloroborole dimers. *Chem Commun (Camb)* 52: 9707-9710. <http://dx.doi.org/10.1039/c6cc04831e>.
- Zhang, Z; Xu, W; Manicke, NE; Cooks, RG; Ouyang, Z. (2012). Silica coated paper substrate for paper-spray analysis of therapeutic drugs in dried blood spots. *Anal Chem* 84: 931-938. <http://dx.doi.org/10.1021/ac202058w>.
- Zhang, Z; Zhang, T; Li, J; Ji, Z; Zhou, H; Zhou, X; Gu, N. (2014). Preparation of poly(L-lactic acid)-modified polypropylene mesh and its antiadhesion in experimental abdominal wall defect repair. *J Biomed Mater Res B Appl Biomater* 102: 12-21. <http://dx.doi.org/10.1002/jbm.b.32947>.
- Zhang, ZL; Shanmugam, M; Rhind, SM. (2010). PLE and GC-MS Determination of Polybrominated Diphenyl Ethers in Soils. *Chromatographia* 72: 535-543. <http://dx.doi.org/10.1365/s10337-010-1693-8>.
- Zhao, H; Liu, H; Yan, Z. (2014). [Analysis of sulfonamide residues in pork and chicken by high performance liquid chromatography coupled with solid-phase extraction using multiwalled carbon nanotubes as adsorbent]. *Sepeu* 32: 294-298.
- Zhao, H; Song, Z; Cowins, JV; Olubajo, O. (2008). Microwave-assisted esterification of N-acetyl-L-phenylalanine using modified Mukaiyama's reagents: A new approach involving ionic liquids. *International Journal of Molecular Sciences* 9: 33-44.
- Zhao, H; Wang, RZ; Wang, F; Zhang, YH; Chen, XW; Li, XR; Liu, Y; Li, GL; Wei, JJ; Feng, M; Kong, YG; Li, SF. (2009). [Preparation of brain targeted immunoliposomes]. *Yao Xue Xue Bao* 44: 1285-1290.
- Zhao, J; Evangelopoulos, D; Bhakta, S; Gray, AI; Seidel, V. (2014). Antitubercular activity of *Arctium lappa* and *Tussilago farfara* extracts and constituents. *J Ethnopharmacol* 155: 796-800. <http://dx.doi.org/10.1016/j.jep.2014.06.034>.
- Zhao, K; Ding, Z; Xue, L; Han, Y. (2010). Crystallization-Induced Phase Segregation Based on Double-Crystalline Blends of Poly(3-hexylthiophene) and Poly(ethylene glycol)s. *Macromol Rapid Comm* 31: 532-538. <http://dx.doi.org/10.1002/marc.200900770>.
- Zhao, L; Li, H; Jiang, Y; Piao, R; Li, P; Gu, J. (2008). Determination of ranolazine in human plasma by liquid chromatographic-tandem mass spectrometric assay. *J Chromatogr Sci* 46: 697-700.
- Zhao, LF; Xu, YJ; Ma, ZQ; Deng, ZS; Shan, CJ; Wei, GH. (2013). Colonization and plant growth promoting characterization of endophytic *Pseudomonas chlororaphis* strain Zong1 isolated from *Sophora alopecuroides* root nodules. *Brazilian Journal of Microbiology* 44: 623-631. <http://dx.doi.org/10.1590/S1517-83822013000200043>.
- Zhao, M; Yang, F; Xue, Y; Xiao, D; Guo, Y. (2014). A time-dependent DFT study of the absorption and fluorescence properties of graphene quantum dots. *Chemphyschem* 15: 950-957. <http://dx.doi.org/10.1002/cphc.201301137>.
- Zhao, Q; Li, P; Stagnitti, F; Ye, J; Dong, D; Zhang, Y; Li, P. (2009). Effects of aging and freeze-thawing on extractability of pyrene in soil. *Chemosphere* 76: 447-452. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.068>.
- Zhao, W; Gao, W; Wei, J; Wang, Y; Huang, L; Xiao, P. (2011). Steroid Saponins and Other Constituents from the Rhizome of *Trillium tschonoskii* Maxim and Their Cytotoxic Activity. *Lat Am J Pharm* 30: 1702-1708.
- Zhao, W; Xu, D; Yan, W; Wang, Y; Zhang, N. (2016). Development and validation of a UPLC-MS/MS method for the determination of cucurbitacin B in rat plasma and application to a pharmacokinetic study. *Biomed Chromatogr* 30: 503-507. <http://dx.doi.org/10.1002/bmc.3571>.
- Zhao, XR; Wu, YJ; Han, J; Shen, QJ; Jin, WJ. (2013). Theoretical study of the triangular bonding complex formed by carbon tetrabromide, a halide, and a solvent molecule in the gas phase. *J Mol Model* 19: 299-304. <http://dx.doi.org/10.1007/s00894-012-1518-9>.
- Zhao, YL; Aprahamian, I; Trabolsi, A; Erina, N; Stoddart, JF. (2008). Organogel formation by a cholesterol-stoppered bistable [2]rotaxane and its dumbbell precursor. *J Am Chem Soc* 130: 6348-6350. <http://dx.doi.org/10.1021/ja800731k>.
- Zheng, CJ; Deng, XH; Wu, Y; Jiang, YP; Zhu, JY; Qin, LP. (2014). Antiinflammatory effects and chemical constituents of *Veronicastrum axillare*. 28: 1561-1566. <http://dx.doi.org/10.1002/ptr.5168>.
- Zheng, CJ; Huang, BK; Wang, Y; Ye, Q; Han, T; Zhang, QY; Zhang, H; Qin, LP. (2010). Anti-inflammatory diterpenes from the seeds of *Vitex negundo*. *Bioorg Med Chem* 18: 175-181. <http://dx.doi.org/10.1016/j.bmc.2009.11.004>.
- Zheng, J; Xiang, J; Miao, J; Yu, Q; Hu, C; Qin, YP; Shu, SQ; Nan, F; Wang, Y; Zhu, XH. (2016). [Bioequivalence of Ubenimex Capsules in Healthy Volunteers]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 47: 85-89, 92.
- Zheng, JY; Wang, Z; Zhu, Q; Zhang, Y; Yan, HD, e. (2009). Resolution of biotin intermediate lactone by enzyme-catalyzed stereoselective lactonization in organic solvent. *Journal of Molecular Catalysis B: Enzymatic* 56: 20-23. <http://dx.doi.org/10.1016/j.molcatb.2008.04.004>.
- Zheng, W; Wang, BB; Li, CH; Zhang, JX; Wan, CZ; Huang, JH; Liu, J; Shen, Z; You, XZ. (2015). Asymmetric Donor- $\pi$ -Acceptor-Type Benzo-Fused Aza-BODIPYs: Facile Synthesis and Colorimetric Properties. *Angew Chem Int Ed Engl* 54: 9070-9074. <http://dx.doi.org/10.1002/anie.201501984>.
- Zheng, XC; Wang, SH. (2009). Determination of asiatic acid in beagle dog plasma after oral administration of *Centella asiatica* extract by precolumn derivatization RP-HPLC. *Journal of Chromatography B* 877: 477-481. <http://dx.doi.org/10.1016/j.jchromb.2008.11.045>.
- Zhong, JS; Wan, JZ; Ding, WJ; Wu, XF; Xie, ZY. (2014). One-step separation and purification of two chromones and one pyrone from *Aloe barbadensis* Miller: a comparison between reversed-phase flash chromatography and high-speed counter current chromatography. 25: 282-288. <http://dx.doi.org/10.1002/pca.2504>.



## Human Health Hazard Literature Search Results

### Off Topic

- Zhong, LY; Zhang, Y; Huo, HJ; Gong, QF. (2011). [Study on the composition and pharmacological function change of rhizoma polygonati before and after processing]. *Zhong Yao Cai* 34: 1508-1511.
- Zhong, Q; Ngim, KK; Sun, M; Li, J; Deese, A; Chetwyn, NP. (2012). Strategies for the analysis of highly reactive pinacolboronate esters. *J Chromatogr A* 1229: 216-222. <http://dx.doi.org/10.1016/j.chroma.2012.01.050>.
- Zhong, R; Xu, S; Wang, J; Zhao, F; Xia, H; Wang, Y. (2016). Experimental and theoretical investigations on spectroscopic properties of the imidazole-fused phenanthroline and its derivatives. *Spectrochim Acta A Mol Biomol Spectrosc* 161: 27-32. <http://dx.doi.org/10.1016/j.saa.2016.02.019>.
- Zhong, Y; Si, L; He, H; Sykes, AG. (2011). BODIPY chromophores as efficient green light sensitizers for lanthanide-induced near-infrared emission. *Dalton Transactions (Online)* 40: 11389-11395. <http://dx.doi.org/10.1039/c1dt11137j>.
- Zhou, J; Tong, J; Su, X; Ren, L. (2016). Hydrophobic starch nanocrystals preparations through crosslinking modification using citric acid. *Int J Biol Macromol* 91: 1186-1193. <http://dx.doi.org/10.1016/j.ijbiomac.2016.06.082>.
- Zhou, JY; Zhao, XY; Dai, CC. (2014). Antagonistic mechanisms of endophytic *Pseudomonas fluorescens* against *Athelia rolfsii*. *J Appl Microbiol* 117: 1144-1158. <http://dx.doi.org/10.1111/jam.12586>.
- Zhou, L; He, B; Huang, J. (2013). One-step synthesis of robust amine- and vinyl-capped magnetic iron oxide nanoparticles for polymer grafting, dye adsorption, and catalysis. 5: 8678-8685. <http://dx.doi.org/10.1021/am402334f>.
- Zhou, N; Luo, H; Zhu, B. (2015). [Determination of the migration of 16 PAHs from paper cups into food stimulants]. *Wei Sheng Yan Jiu* 44: 303-306.
- Zhou, N; Luo, HD; Li, N; Jia, YZ; Li, YQ. (2011). Highly sensitive and selective spectrofluorimetric approach for the rapid determination of trace benzo[ $\alpha$ ]pyrene in drinking water and in solutions leached from disposable paper cups. *Luminescence* 26: 35-43. <http://dx.doi.org/10.1002/bio.1183>.
- Zhou, Q; Liu, Y; Wang, X; Di, X. (2013). A sensitive and selective liquid chromatography-tandem mass spectrometry method for simultaneous determination of five isoquinoline alkaloids from *Chelidonium majus* L. in rat plasma and its application to a pharmacokinetic study. *J Mass Spectrom* 48: 111-118. <http://dx.doi.org/10.1002/jms.3133>.
- Zhou, XH; Ban, LP; Iovinella, I; Zhao, LJ; Gao, Q; Felicioli, A; Sagona, S; Pieraccini, G; Pelosi, P; Zhang, L; Dani, FR. (2013). Diversity, abundance, and sex-specific expression of chemosensory proteins in the reproductive organs of the locust *Locusta migratoria manilensis*. *Biol Chem* 394: 43-54. <http://dx.doi.org/10.1515/hsz-2012-0114>.
- Zhou, Y; Gao, H; Wang, X; Qi, H. (2015). Electrogenerated chemiluminescence from heteroleptic iridium(III) complexes with multicolor emission. *Inorg Chem* 54: 1446-1453. <http://dx.doi.org/10.1021/ic502444k>.
- Zhu, B; Zhao, L; Chen, A; Hua, Y; Luan, C. (2009). [Analysis of solvent residues in raw material drug of glimepiride by head-space sampling-capillary gas chromatography]. *Sepu* 27: 755-759.
- Zhu, C; Rives, A; Duhayon, C; Maraval, V; Chauvin, R. (2017). Lipidic Carbo-benzenes: Molecular Probes of Magnetic Anisotropy and Stacking Properties of  $\alpha$ -Graphyne. *J Org Chem* 82: 925-935. <http://dx.doi.org/10.1021/acs.joc.6b02397>.
- Zhu, P; Wen, YG; Chen, JM; Zhuang, J; Zhou, ZL; Zheng, SY; Wu, RB; Xiao, XJ; Lu, C; Fan, RX; Guo, HM; Fan, XP. (2011). Determination of olprinone in human plasma utilizing liquid chromatography tandem mass spectrometry. *J Pharm Biomed Anal* 54: 198-202. <http://dx.doi.org/10.1016/j.jpba.2010.07.016>.
- Zhu, P; Wen, YG; Fan, XP; Zhou, ZL; Fan, RX; Chen, JM; Huang, KL; Zhu, XL; Chen, YF; Zhuang, J. (2011). A rapid and sensitive liquid chromatography-tandem mass spectrometry method for determination of olopatadine concentration in human plasma. *J Anal Toxicol* 35: 113-118.
- Zhu, T; Li, J; Wu, Q. (2011). Construction of TiO<sub>2</sub> hierarchical nanostructures from nanocrystals and their photocatalytic properties. 3: 3448-3453. <http://dx.doi.org/10.1021/am2006838>.
- Zhu, X; Dent, S; Paquet, L; Zhang, T; Graham, N; Song, X. (2014). Factors influencing Oncotype DX use in the management of early breast cancer: a single centre experience. *Eur J Cancer* 50: 2544-2549. <http://dx.doi.org/10.1016/j.ejca.2014.07.010>.
- Zhu, X; Liu, M. (2011). Self-assembly and morphology control of new L-glutamic acid-based amphiphilic random copolymers: giant vesicles, vesicles, spheres, and honeycomb film. *Langmuir* 27: 12844-12850. <http://dx.doi.org/10.1021/la202680j>.
- Zhu, X; Wang, S; Liu, Q; Xu, Q; Xu, S; Chen, H. (2009). Determination of residues of cyromazine and its metabolite, melamine, in animal-derived food by gas chromatography-mass spectrometry with derivatization. *J Agric Food Chem* 57: 11075-11080. <http://dx.doi.org/10.1021/jf902771q>.
- Zhu, X; Zhu, X; Niu, X; Pei, J; Xiong, L; Chen, S; Lu, SY; Wei, J; Xing, B; Liu, L; Mei, Q; Zhu, M; Kaye, AD. (2008). Inhibition of cardiomyocyte contractile/relaxation by MN9202 and mechanisms involved. *Arch Med Res* 39: 489-495. <http://dx.doi.org/10.1016/j.arcmed.2008.02.010>.
- Ziarrusta, H; Olivares, M; Delgado, A; Posada-Ureta, O; Zuloaga, O; Etxebarria, N. (2015). Multiscreening determination of organic pollutants in molluscs using matrix solid phase dispersion. *J Chromatogr A* 1391: 18-30. <http://dx.doi.org/10.1016/j.chroma.2015.02.072>.
- Ziegenbalg, S; Hornig, D; Görls, H; Plass, W. (2016). Cobalt(II)-Based Single-Ion Magnets with Distorted Pseudotetrahedral [N<sub>2</sub>O<sub>2</sub>] Coordination: Experimental and Theoretical Investigations. *Inorg Chem* 55: 4047-4058. <http://dx.doi.org/10.1021/acs.inorgchem.6b00373>.
- Zielinska, S; Kolniak-Ostek, J; Dziadas, M; Oszmianski, J, an; Matkowski, A. (2016). Characterization of polyphenols in *Agastache rugosa* leaves and inflorescences by UPLC-qTOF-MS following FCPC separation. *Journal of Liquid Chromatography and Related Technologies* 39: 209-219. <http://dx.doi.org/10.1080/10826076.2016.1147461>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ziemniak, M; Kowalska, J; Lukaszewicz, M; Zuberek, J; Wnek, K; Darzynkiewicz, E; Jemielity, J. (2015). Phosphate-modified analogues of m(7)GTP and m(7)Gppppm(7)G-Synthesis and biochemical properties. *Bioorg Med Chem* 23: 5369-5381. <http://dx.doi.org/10.1016/j.bmc.2015.07.052>.
- Zilberstein, G; Maor, U; Baskin, E; Righetti, PG. (2016). Maestro, Marguerite, morphine: The last years in the life of Mikhail Bulgakov. *J Proteomics* 131: 199-204. <http://dx.doi.org/10.1016/j.jprot.2015.11.002>.
- Ziliotto, L; Pinheiro, F; Barbisan, LF; Rodrigues, MA. (2009). Screening for in vitro and in vivo antitumor activities of the mushroom *Agaricus blazei*. *Nutr Cancer* 61: 245-250. <http://dx.doi.org/10.1080/01635580802395717>.
- Zimmer, M. (2014). History of anaesthesia: early forms of local anaesthesia. *Eur J Anaesthesiol* 31: 1-12. <http://dx.doi.org/10.1097/EJA.0b013e328365ad7c>.
- Zingue, S; Cisolotto, J; Tueche, AB; Bishayee, A; Mefegue, FA; Sandjo, LP; Magne Nde, CB; Winter, E; Michel, T; Ndinteh, DT; Awounfack, CF; Silihe, KK; Melachio Tanekou, TT; Creczynski-Pasa, TB; Njamen, D. (2016). *Crateva adansonii* DC, an African ethnomedicinal plant, exerts cytotoxicity in vitro and prevents experimental mammary tumorigenesis in vivo. *J Ethnopharmacol* 190: 183-199. <http://dx.doi.org/10.1016/j.jep.2016.06.004>.
- Zingue, S; Magne Nde, CB; Clyne, C; Njamen, D. (2014). Elucidation of Underlying Mechanisms by Which *Millettia macrophylla* Benth Induces Its Estrogenic Activity. 2014: 763781. <http://dx.doi.org/10.1155/2014/763781>.
- Zingue, S; Nde, CB; Njamen, D. (2015). The methanol-soluble fraction of *Millettia macrophylla* (Fabaceae) stem bark endowed with estrogenic properties has adverse effects on the male reproductive system of Wistar rats. *J Basic Clin Physiol Pharmacol* 26: 53-64. <http://dx.doi.org/10.1515/jbcpp-2013-0136>.
- Zingue, S; Njamen, D; Tchoumtchoua, J; Halabalaki, M; Simpson, E; Clyne, C; Magne Nde, CB. (2013). Effects of *Millettia macrophylla* (Fabaceae) extracts on estrogen target organs of female wistar rat. *J Pharmacol Sci* 123: 120-131.
- Ziółek, M; Tacchini, I; Martínez, MT; Yang, X; Sun, L; Douhal, A. (2011). A photo-induced electron transfer study of an organic dye anchored on the surfaces of TiO<sub>2</sub> nanotubes and nanoparticles. *Phys Chem Chem Phys* 13: 4032-4044. <http://dx.doi.org/10.1039/c0cp01898h>.
- Ziółek, M; Yang, X; Sun, L; Douhal, A. (2010). Interrogating the ultrafast dynamics of an efficient dye for sunlight conversion. *Phys Chem Chem Phys* 12: 8098-8107. <http://dx.doi.org/10.1039/c002338h>.
- Ziyatdinova, G; Ziganshina, E; Budnikov, H. (2012). Voltammetric determination of  $\beta$ -carotene in raw vegetables and berries in Triton X100 media. *Talanta* 99: 1024-1029. <http://dx.doi.org/10.1016/j.talanta.2012.07.093>.
- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A* 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zolotarskaya, OY, u; Wagner, AF; Beckta, JM; Valeriu, K; Wynne, KJ; Yang, H, u. (2012). Synthesis of Water-Soluble Camptothecin-Polyoxetane Conjugates via Click Chemistry. *Mol Pharm* 9: 3403-3408. <http://dx.doi.org/10.1021/mp3005066>.
- Zongo, F; Ribuot, C; Boumendjel, A; Guissou, I. (2014). Bioguidage search of active compounds from *Waltheria indica* L. (Malvaceae) used for asthma and inflammation treatment in Burkina Faso. *Fundam Clin Pharmacol* 28: 323-330. <http://dx.doi.org/10.1111/fcp.12037>.
- Zou, H, ao; Gao, S; Chen, W; Zhong, Y; Jiang, X; Pei, Y. (2008). Simultaneous quantitation of paracetamol, pseudoephedrine and chlorpheniramine in dog plasma by LC-MS-MS. *Chromatographia* 68: 251-257. <http://dx.doi.org/10.1365/s10337-008-0682-7>.
- Zou, X; Lin, Z; Peng, S; Chen, Z. (2009). [Determination of 29 pesticide residues in tobacco by gas chromatography-electron impact ionization mass spectrometry]. *Sepu* 27: 169-175.
- Zou, Y; Xu, L; Chen, W; Zhu, Y; Chen, T; Fu, Y; Li, L; Ma, L; Xiong, B; Wang, X; Li, J; He, J; Zhang, H; Xu, Y; Li, J; Shen, J. (2013). Discovery of pyrazole as C-terminus of selective BACE1 inhibitors. *Eur J Med Chem* 68: 270-283. <http://dx.doi.org/10.1016/j.ejmech.2013.06.027>.
- Zoubi, WA; Kandil, F; Chebani, MK. (2011). The synthesis of (N<sub>2</sub>O<sub>2</sub>S<sub>2</sub>)-Schiff base ligands and investigation of their ion extraction capability from aqueous media. *Spectrochim Acta A Mol Biomol Spectrosc* 79: 1909-1914. <http://dx.doi.org/10.1016/j.saa.2011.05.087>.
- Zriba, R; Gandon, V; Aubert, C; Fensterbank, L; Malacria, M. (2008). Alkyne versus allene activation in platinum- and gold-catalyzed cycloisomerization of hydroxylated 1,5-allenynes. *Chemistry* 14: 1482-1491. <http://dx.doi.org/10.1002/chem.200701522>.
- Zubair, A; Pappoe, M; James, LA; Hawboldt, K. (2015). Development, optimization, validation and application of faster gas chromatography - flame ionization detector method for the analysis of total petroleum hydrocarbons in contaminated soils. *J Chromatogr A* 1425: 240-248. <http://dx.doi.org/10.1016/j.chroma.2015.10.003>.
- Zubair Alam, M; Ahmad, S; Malik, A; Ahmad, M. (2010). Mutagenicity and genotoxicity of tannery effluents used for irrigation at Kanpur, India. *Ecotoxicol Environ Saf* 73: 1620-1628. <http://dx.doi.org/10.1016/j.ecoenv.2010.07.009>.
- Zuccherro, AJ; Tolosa, J; Tolbert, LM; Bunz, UH. (2009). Bis(4'-dibutylaminostyryl)benzene: spectroscopic behavior upon protonation or methylation. *Chemistry* 15: 13075-13081. <http://dx.doi.org/10.1002/chem.200900608>.
- Zucker, FH; Stewart, C; Dela Rosa, J; Kim, J; Zhang, L; Xiao, L; Ross, J; Napuli, AJ; Mueller, N; Castaneda, LJ; Nakazawa Hewitt, S. R.; Arakaki, TL; Larson, ET; Subramanian, E; Verlinde, CL; Fan, E; Buckner, FS; Van Voorhis, WC; Merritt, EA; Hol, WG. (2010). Prediction of protein crystallization outcome using a hybrid method. *J Struct Biol* 171: 64-73. <http://dx.doi.org/10.1016/j.jsb.2010.03.016>.
- Zuo, J; Ji, CL; Xia, Y; Li, X; Chen, JW. (2014). Xanthones as  $\alpha$ -glucosidase inhibitors from the antihyperglycemic extract of *Securidaca inappendiculata*. *Pharmaceutical Biology* 52: 898-903. <http://dx.doi.org/10.3109/13880209.2013.872673>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zuo, J; Xia, Y; Li, X; Chen, JW. (2014). Therapeutic effects of dichloromethane fraction of *Securidaca inappendiculata* on adjuvant-induced arthritis in rat. *J Ethnopharmacol* 153: 352-358. <http://dx.doi.org/10.1016/j.jep.2014.02.015>.
- Zuo, J; Xia, Y; Li, X; Ou-Yang, Z; Chen, JW. (2015). Selective modulation of MAPKs contribute to the anti-proliferative and anti-inflammatory activities of 1,7-dihydroxy-3,4-dimethoxyxanthone in rheumatoid arthritis-derived fibroblast-like synoviocyte MH7A cells. *J Ethnopharmacol* 168: 248-254. <http://dx.doi.org/10.1016/j.jep.2015.03.069>.
- Zuo, J; Xia, Y; Mao, KJ; Li, X; Chen, JW. (2014). Xanthone-rich dichloromethane fraction of *Securidaca inappendiculata*, the possible antirheumatic material base with anti-inflammatory, analgesic, and immunodepressive effects. *Pharmaceutical Biology* 52: 1367-1373. <http://dx.doi.org/10.3109/13880209.2014.892143>.
- Zuo, J; Zhang, W, en; Xia, Y, an; Li, X; Luan, J, iajie; Chen, J, wei. (2015). PEGylated Niosomes as Delivery Systems Efficiently Prolonged the Clearance Time of 2-Hydroxy-1,7-Dimethoxyxanthone In Vivo. *Lat Am J Pharm* 34: 1808-1814.

## OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

### OPPT Risk Assessment, Problem Formulation or Scope Document

#### On Topic

- Abt (Abt Associates Inc.). (1992). Methylene chloride consumer products use survey findings. Bethesda, MD: U.S. Consumer Product Safety Commission.
- Abt (Abt Associates Inc.). (2017). Draft use and market profile for methylene chloride and NMP. (Contract # EP-W-16-009, WA #1-01). Bethesda, MD.
- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices Dichloromethane. Cincinnati, OH.
- Alexander, HC; Mccarty, WM; Bartlett, EA. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>
- Allred, EN; Bleecker, ER; Chaitman, BR; Dahms, TE; Gottlieb, SO; Hackney, JD; Hayes, D; Pagano, M; Selvester, RH; Walden, SM; Warren, J. (1989). Acute effects of carbon monoxide exposure on individuals with coronary artery disease (pp. 1-79). (ISSN 1041-5505). Boston, MA: Health Effects Institute.
- Allred, EN; Bleecker, ER; Chaitman, BR; Dahms, TE; Gottlieb, SO; Hackney, JD; Pagano, M; Selvester, RH; Walden, SM; Warren, J. (1989). Short-term effects of carbon monoxide exposure on the exercise performance of subjects with coronary artery disease. *N Engl J Med* 321: 1426-1432.
- Allred, EN; Bleecker, ER; Chaitman, BR; Dahms, TE; Gottlieb, SO; Hackney, JD; Pagano, M; Selvester, RH; Walden, SM; Warren, J. (1991). Effects of carbon monoxide on myocardial ischemia. *Environ Health Perspect* 91: 89-132.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; MacNaughton, MG; Reitz, RH; Nolan, RJ; McKenna, MJ. (1991). Physiologically based pharmacokinetic modeling with dichloromethane, its metabolite, carbon monoxide, and blood carboxyhemoglobin in rats and humans. *Toxicol Appl Pharmacol* 108: 14-27.
- Anderson, EW; Andelman, RJ; Strauch, JM; Fortuin, NJ; Knelson, JH. (1973). Effect of low-level carbon monoxide exposure on onset and duration of angina pectoris: a study in ten patients with ischemic heart disease. *Ann Intern Med* 79: 46-50.
- Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. *Int Arch Occup Environ Health* 73: 561-569.
- Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. *Int Arch Occup Environ Health* 65: 247-251. <http://dx.doi.org/10.1007/BF00381198>
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6: 713-720. [http://dx.doi.org/10.1016/0272-0590\(86\)90184-3](http://dx.doi.org/10.1016/0272-0590(86)90184-3)
- Aronow, WS; Harris, CN; Isbell, MW; Rokaw, SN; Imparato, B. (1972). Effect of freeway travel on angina pectoris. *Ann Intern Med* 77: 669-676.
- Ash, M; Ash, I. (2009). Specialty Chemicals Monographs Methylene chloride. Endicott, NY: Synapse Information Resources, Inc.
- ASTM (American Society for Testing and Materials). (1997). Standard Practice for Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets. (Designation: D 6178-97 (Reapproved 2008)). West Conshohocken, PA: ASTM International. <https://www.astm.org/Standards/D6178.htm>
- Astrand, I; Ovrum, P; Carlsson, A. (1975). Exposure to methylene chloride: I. Its concentration in alveolar air and blood during rest and exercise and its metabolism. *Scand J Work Environ Health* 1: 78-94.

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- ATSDR (Agency for Toxic Substances and Disease Registry). (1990). Methylene chloride toxicity. Case studies in environmental medicine. (PB 85-241529). Atlanta, GA: Agency for Toxic Substances and Disease Registry, U.S. Department of Health and Human Services.
- ATSDR (Agency for Toxic Substances and Disease Registry). (2000). Toxicological profile for methylene chloride [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp14.pdf>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2010). Addendum to the toxicological profile for methylene chloride [ATSDR Tox Profile]. Atlanta, GA. [http://www.atsdr.cdc.gov/toxprofiles/methylene\\_chloride\\_addendum.pdf](http://www.atsdr.cdc.gov/toxprofiles/methylene_chloride_addendum.pdf)
- Barone, S, Jr; Das, KP; Lassiter, TL; White, LD. (2000). Vulnerable processes of nervous system development: A review of markers and methods [Review]. *Neurotoxicology* 21: 15-36.
- Barr, WM; Company. (2008). Material Safety Data Sheet: Klean-Strip Color Change Stripper. Memphis, TN: W.M. Barr and Company. <http://www.wmbarr.com/ProductFiles/GKCC00326.pdf>
- Barr, WM; Company. (2009). Material Safety Data Sheet. Klean Strip Aircraft Remover. Memphis, TN: W.M. Barr and Company. <http://www.wmbarr.com/ProductFiles/3404.11.pdf>
- Barr, WM; Company. (2009). Material Safety Data Sheet. Klean Strip Klean Kutter. Memphis, TN: W.M. Barr and Company. [http://www.wmbarr.com/ProductFiles/130%20\(Klean%20Kutter\).pdf](http://www.wmbarr.com/ProductFiles/130%20(Klean%20Kutter).pdf)
- Barr, WM; Company. (2010). Material Safety Data Sheet. Klean-Strip Naked Gun Spray Gun Paint Remover. Memphis, TN: W.M. Barr and Company. <http://www.centralstatesbus.com/MSDS/WM%20Barr%20Klean%20Strip%20Naked%20Gun%20Spray%20Gun%20Paint%20Remover.pdf>
- Barr, WM; Company. (2010). Material Safety Data Sheet. Klean-Strip Peeler. Memphis, TN: W.M. Barr and Company. [http://www.wmbarr.com/ProductFiles/KS%20Peeler%20\(A223.2\)%207-23-10.pdf](http://www.wmbarr.com/ProductFiles/KS%20Peeler%20(A223.2)%207-23-10.pdf)
- Barr, WM; Company. (2011). Material Safety Data Sheet. Klean Strip Adhesive Remover/Klean Strip Premium Stripper. Memphis, TN: W.M. Barr and Company. [http://www.wmbarr.com/ProductFiles/KS%20Adhesive%20Remover%20\(4015-26\)%205-17-11.pdf](http://www.wmbarr.com/ProductFiles/KS%20Adhesive%20Remover%20(4015-26)%205-17-11.pdf)
- Barr, WM; Company. (2011). Material Safety Data Sheet. Klean-Strip Premium Sprayable Stripper. Memphis, TN: W.M. Barr and Company. <http://www.wmbarr.com/ProductFiles/MSWRPTM.pdf>
- Barr, WM; Company. (2011). Material Safety Data Sheet. Klean-Strip Strip X Stripper. Memphis, TN: W.M. Barr and Company. [http://www.wmbarr.com/productfiles/ks%20strip%20x%20\(105.25\)%205-16-11.pdf](http://www.wmbarr.com/productfiles/ks%20strip%20x%20(105.25)%205-16-11.pdf)
- Barr, WM; Company. (2012). Material Safety Data Sheet. Premium Stripper. Memphis, TN: W.M. Barr and Company. <http://www.wmbarr.com/ProductFiles/KS%20Premium%20Stripper%203%2028%202012.pdf>
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>
- Bornschein, RL; Hastings, L; Manson, JM. (1980). Behavioral toxicity in the offspring of rats following maternal exposure to dichloromethane. *Toxicol Appl Pharmacol* 52: 29-37. [http://dx.doi.org/10.1016/0041-008X\(80\)90244-6](http://dx.doi.org/10.1016/0041-008X(80)90244-6)
- Bos, PM; Zeilmaker, MJ; van Eijkeren, JC. (2006). Application of physiologically based pharmacokinetic modeling in setting acute exposure guideline levels for methylene chloride. *Toxicol Sci* 91: 576-585. <http://dx.doi.org/10.1093/toxsci/kfj176>
- Bringmann, G; Meinck, F. (1964). *Wassertoxikologische Beurteilung von Industrieabwassern* (pp. 229-260). AQUA, Unspecified.
- Brown, J. (2012). Formulations spreadsheet file. Washington, DC: U.S. Environmental Protection Agency.
- Buccafusco, RJ; Eells, SJ; Leblanc, GA. (1981). Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). *Bull Environ Contam Toxicol* 26: 446-452. <http://dx.doi.org/10.1007/BF01622118>
- Burek, JD; Nitschke, KD; Bell, TJ; Wackerle, DL; Childs, RC; Beyers, JE; Dittenber, DA; Rampy, LW; McKenna, MJ. (1984). Methylene chloride: A two-year inhalation toxicity and oncogenicity study in rats and hamsters. *Fundam Appl Toxicol* 4: 30-47. <http://dx.doi.org/10.1093/toxsci/4.1.30>
- Cal/EPA (California Environmental Protection Agency). (2014). Chemicals known to the state to cause cancer or reproductive toxicity, May 2, 2014. Proposition 65 list. Sacramento, CA: Office of Environmental Health Hazard Assessment. [http://oehha.ca.gov/prop65/prop65\\_list/041814P65list.html](http://oehha.ca.gov/prop65/prop65_list/041814P65list.html)
- Carlsson, A; Hultengren, M. (1975). Exposure to methylene chloride: III metabolism of 14C-labelled methylene chloride in rat. *Scand J Work Environ Health* 1: 104-108.
- CDC (Centers for Disease Control and Prevention). (2009). Fourth national report on human exposure to environmental chemicals. Atlanta, GA. <http://www.cdc.gov/exposurereport/>
- CDC (CDC Research Inc). (2012). Fatal exposure to methylene chloride among bathtub refinishers - United States, 2000-2011. *MMWR Morb Mortal Wkly Rep* 61: 119-122.
- CDHS/EPA (California Department of Health Services/U.S. Environmental Protection Agency). (2006). Assessment, development and demonstration of alternatives for five emerging solvents. California Department of Health Services/U.S. Environmental Protection Agency. [www.cdph.ca.gov/programs/hesis/Documents/emergingsolvents.pdf](http://www.cdph.ca.gov/programs/hesis/Documents/emergingsolvents.pdf)
- Chen, Q; Xu, W. (1998). A zero-equation turbulence model for indoor airflow simulation. *Energy and Buildings* 28: 137-144. [http://dx.doi.org/10.1016/S0378-7788\(98\)00020-6](http://dx.doi.org/10.1016/S0378-7788(98)00020-6)
- Cheng, K; Acevedo-Bolton, V; Jiang, R; Klepeis, NE; Ott, WR; Fringer, OB; Hildemann, LM. (2011). Modeling Exposure Close to Air Pollution Sources in Naturally Ventilated Residences: Association of Turbulent Diffusion Coefficient with Air Change Rate. *Environ Sci Technol* 45: 4016-4022. <http://dx.doi.org/10.1021/es103080p>

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Cherrie, JW; Maccalman, L; Fransman, W; Tielemans, E; Tischer, M; Van Tongeren, M. (2011). Revisiting the effect of room size and general ventilation on the relationship between near- and far-field air concentrations. *Ann Occup Hyg* 55: 1006-1015.  
<http://dx.doi.org/10.1093/annhyg/mer092>
- Cherry, N; Venables, H; Waldron, HA. (1983). The acute behavioural effects of solvent exposure. *Occup Med (Lond)* 33: 13-18.  
<http://dx.doi.org/10.1093/occm/33.1.13>
- Cherry, N; Venables, H; Waldron, HA; Wells, GG. (1981). Some observations on workers exposed to methylene chloride. *Br J Ind Med* 38: 351-355.
- CPSC (U.S. Consumer Product Safety Commission). (1987). Statement of policy for methylene chloride. Available online at <http://www.cpsc.gov/en/newsroom/news-releases/1987/statement-of-policy-for-methylene-chloride/>
- DHHS (Department of Health and Human Services). (2012). Household products database. Available online at <http://householdproducts.nlm.nih.gov/>
- Dill, DC; Murphy, PG; Mayes, MA. (1987). TOXICITY OF METHYLENE-CHLORIDE TO LIFE STAGES OF THE FATHEAD MINNOW, PIMEPHALES-PROMELAS RAFINESQUE. *Bull Environ Contam Toxicol* 39: 869-876.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol* 9: 833-838.  
<http://dx.doi.org/10.1021/es60107a008>
- Divincenzo, GD; Kaplan, CJ. (1981). Uptake, metabolism, and elimination of methylene chloride vapor by humans. *Toxicol Appl Pharmacol* 59: 130-140. [http://dx.doi.org/10.1016/0041-008X\(81\)90460-9](http://dx.doi.org/10.1016/0041-008X(81)90460-9)
- Divincenzo, GD; Yanno, FJ; Astill, BD. (1972). Human and canine exposures to methylene chloride vapor. *Am Ind Hyg Assoc J* 33: 125-135.  
<http://dx.doi.org/10.1080/0002889728506622>
- Dow Chemical Company. (1999). Alternatives to chlorinated solvents (pp. 1-4). (4).  
[http://msdssearch.dow.com/PublishedLiteratureDOWCOM/dh\\_0033/0901b803800334ca.pdf?filepath=gco/pdfs/noreg/100-06917.pdf&fromPage=GetDoc](http://msdssearch.dow.com/PublishedLiteratureDOWCOM/dh_0033/0901b803800334ca.pdf?filepath=gco/pdfs/noreg/100-06917.pdf&fromPage=GetDoc)
- DTSC (California Department of Toxic Control Substances). (2010). Candidate chemicals lists. Available online at <https://dtsc.ca.gov/SCP/CandidateChemicals.cfm>
- EC (European Commission). (2004). Effectiveness of vapour retardants in reducing risks to human health from paint strippers containing dichloromethane. Brussels, Belgium. [http://ec.europa.eu/health/ph\\_risk/committees/04\\_scher/docs/scher\\_o\\_006.pdf](http://ec.europa.eu/health/ph_risk/committees/04_scher/docs/scher_o_006.pdf)
- EC (European Commission). (2010). Commission Regulation (EU) No 276/2010 of 31 March 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards Annex XVII (dichloromethane, lamp oils and grill lighter fluids and organostannic compounds). <http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32010R0276&from=EN>
- ECB (European Chemicals Bureau). (2000). IUCLID dataset for Dichloromethane. Helsinki, Finland: European Chemicals Bureau, European Chemical Substances Information System, Joint Research Centre, Institute for Health and Consumer Protection.
- ECCC (Environment and Climate Change Canada). (2003). Code of practice for the reduction of dichloromethane emissions from the use of paint strippers in commercial furniture refinishing and other stripping applications. (EPS 1/CC/4). Ottawa, Canada.  
<http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=B7812356-1>
- ECCC (Environment and Climate Change Canada). (2003). Notice requiring the preparation and implementation of pollution prevention plans in respect of dichloromethane, November 29, 2003. Ottawa, Canada. <http://www.ec.gc.ca/planp2-p2plan/default.asp?lang=En&n=540C2673-1>
- ECHA (European Chemicals Agency). (2012). Annex XV dossier. Proposal for identification of a substance as CMR 1A or 1B, PBT, vPvB or a substance of equivalent level of concern. Substance name: 1-bromopropane. Helsinki, Finland.  
<http://echa.europa.eu/documents/10162/d7d30eaa-86a3-4fd1-a85e-122a96c29c3f>
- Enander, RT; Cohen, HJ; Gute, DM; Brown, LC; Desmaris, AM; Missaghian, R. (2004). Lead and methylene chloride exposures among automotive repair technicians. *J Occup Environ Hyg* 1: 119-125. <http://dx.doi.org/10.1080/15459620490275911>
- Estill, CF; Spencer, AB. (1996). Case study: Control of methylene chloride exposures during furniture stripping. *Am Ind Hyg Assoc J* 57: 43-49.  
<http://dx.doi.org/10.1080/15428119691015205>
- EU (European Union). (2007). Impact assessment of potential restrictions on the marketing and use of dichloromethane in paint strippers. Revised final report-Annexes. European Commission, Directorate-General Enterprise and Industry. <http://docplayer.net/35027991-Impact-assessment-of-potential-restrictions-on-the-marketing-and-use-of-dichloromethane-in-paint-strippers-revised-final-report-annexes.html>
- FDA (U.S. Food and Drug Administration). (1989). 21 CFR700.19: Use of methylene chloride as an ingredient of cosmetic products. Washington, DC. <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=700.19>
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>
- Forster, P; Ramaswamy, V; Artaxo, P; Bernsten, T; Betts, R; Fahey, DW; Haywood, J; Lean, J; Lowe, DC; Myhre, G; Nganga, J; Prinn, R; Raga, G; Schultz, M; Van Dorland, R. (2007). Changes in atmospheric constituents and in radiative forcing (pp. 129-234). Cambridge, United Kingdom: Cambridge University Press. <http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-chapter2.pdf>
- Frey, HC; Patil, SR. (2002). Identification and review of sensitivity analysis methods [Review]. *Risk Anal* 22: 553-578.  
<http://dx.doi.org/10.1111/0272-4332.00039>

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Furtaw, EJ, Jr; Pandian, MD; Nelson, DR; Behar, JV. (1996). Modeling indoor air concentrations near emission sources in imperfectly mixed rooms. *J Air Waste Manag Assoc* 46: 861-868.
- Gamberale, F; Annwall, G; Hultengren, M. (1975). Exposure to methylene chloride: II. Psychological functions. *Scand J Work Environ Health* 1: 95-103.
- Garte, S; Crosti, F. (1999). A nomenclature system for metabolic gene polymorphisms. In W Ryder (Ed.), (pp. 5-12). Lyon, France: International Agency for Research on Cancer. [internal-pdf://Garte and Crosti 1999-2900171776/Garte and Crosti 1999.pdf](http://internal-pdf://Garte and Crosti 1999-2900171776/Garte and Crosti 1999.pdf)
- Geiger, DL; Poirier, SH; Brooke, LT; eds, CD. (1986). Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*): volume III (pp. 328 p.). AQUA.
- Girman, JR; Hodgson, AT. (1986). Source characterization and personal exposure to methylene chloride from consumer products.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2011). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med* 68: 391-399.
- Grevenkamp, A; Safety, O; Administration, H. (2007). Overexposure and control of methylene chloride in a furniture stripping operation. *J Occup Environ Hyg* 4: D39-D41. <http://dx.doi.org/10.1080/15459620701246372>
- Hall, RM; Martinez, KF; Jensen, PA. (1995). Control of Methylene Chloride—Furniture Stripping Dip Tank. *Appl Occup Environ Hyg* 10: 188-195.
- Hardin, BD; Manson, JM. (1980). Absence of dichloromethane teratogenicity with inhalation exposure in rats. *Toxicol Appl Pharmacol* 52: 22-28. [http://dx.doi.org/10.1016/0041-008X\(80\)90243-4](http://dx.doi.org/10.1016/0041-008X(80)90243-4)
- Haskell Laboratories. (1982). Inhalation approximate lethal concentration of methylene chloride. (88-920009163). Newark, DE: Haskell Laboratory.
- Hazleton Laboratories. (1983). 24-month oncogenicity study of methylene chloride in mice: Final report. (45-8303005). New York, NY: National Coffee Association. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0505606>
- Hearne, FT; Pifer, JW. (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. *J Occup Environ Med* 41: 1154-1169.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>
- Heitmuller, PT; Hollister, TA; Parrish, PR. (1981). Acute toxicity of 54 industrial chemicals to sheepshead minnows (*Cyprinodon variegatus*). *Bull Environ Contam Toxicol* 27: 596-604. <http://dx.doi.org/10.1007/BF01611069>
- Heppel, LA; Neal, PA. (1944). Toxicology of dichloromethane (methylene chloride): II: Its effect upon running activity in the male rat. *J Ind Hyg Toxicol* 26: 17-21.
- Heppel, LA; Neal, PA; Perrin, TL; Orr, ML; Porterfield, VT. (1944). Toxicology of dichloromethane (methylene chloride): I: Studies on effects of daily inhalation. *J Ind Hyg Toxicol* 26: 8-16.
- HSDB (Hazardous Substances Data Bank). (2012). Dichloromethane. Available online at <https://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~w1qCJ9:1>
- HSE (Health and Safety Executive). (2001). Health risks during furniture stripping using dichloromethane (DCM). (Woodworking Sheet No 19 (Revised)). United Kingdom. [www.hse.gov.uk/pubns/wis19.pdf](http://www.hse.gov.uk/pubns/wis19.pdf)
- HSIA (Halogenated Solvents Industry Alliance). (2008). White paper on methylene chloride. Arlington, VA: Halogenated Solvents Industry Alliance, Inc.
- HSIA (Halogenated Solvents Industry Alliance). (2010). Toxicological review of dichloromethane (methylene chloride). Arlington, VA: Halogenated Solvents Industry Alliance, Inc. <http://www.hsia.org/news/MeCl2%20IRIS%20HSIA%20Comments%202010-05.pdf>
- IAQUK (Indoor Air Quality UK). (2014). IAQUK resources: Methylene chloride. Available online at <http://www.iaquk.org.uk/ResourcesMethylene.html>
- IARC (International Agency for Research on Cancer). (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Proceedings of the IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. Lyon, France, 17-24 February 1998 (pp. 1-315).
- IARC (International Agency for Research on Cancer). (2010). Occupational exposure as a painter. Lyon, France: International Agency for Research on Cancer, World Health Organization. <http://monographs.iarc.fr/ENG/Monographs/vol98/mono98-6.pdf>
- IARC (International Agency for Research on Cancer). (2016). Dichloromethane [IARC Monograph]. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol110/mono110-04.pdf>
- ICIS. (2007). Chemical profile: Methylene chloride. <https://www.icis.com/resources/news/2005/12/02/580954/chemical-profile-methylene-chloride/>
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Mansson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology* 35: 35-46. [http://dx.doi.org/10.1016/0300-483X\(85\)90130-1](http://dx.doi.org/10.1016/0300-483X(85)90130-1)
- Kleinman, MT; Davidson, DM; Vandagriff, RB; Caiozzo, VJ; Whittenberger, JL. (1989). Effects of short-term exposure to carbon monoxide in subjects with coronary artery disease. *Arch Environ Occup Health* 44: 361-369.
- Kleinman, MT; Leaf, DA; Kelly, E; Caiozzo, V; Osann, K; O'Niell, T. (1998). Urban angina in the mountains: effects of carbon monoxide and mild hypoxemia on subjects with chronic stable angina. *Arch Environ Occup Health* 53: 388-397. <http://dx.doi.org/10.1080/00039899809605726>
- Kuhn, R; Pattard, M; Pernak, KD; Winter, A. (1989). Results of the harmful effects of selected water pollutants (anilines, phenols, aliphatic compounds) to *Daphnia magna*. *Water Res* 23: 495-499. [http://dx.doi.org/10.1016/0043-1354\(89\)90141-3](http://dx.doi.org/10.1016/0043-1354(89)90141-3)

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Lanes, SF; Cohen, A; Rothman, KJ; Dreyer, NA; Soden, KJ. (1990). Mortality of cellulose fiber production workers. *Scand J Work Environ Health* 16: 247-251.
- Lanes, SF; Rothman, KJ; Dreyer, NA; Soden, KJ. (1993). Mortality update of cellulose fiber production workers. *Scand J Work Environ Health* 19: 426-428.
- Lash, AA; Becker, CE; So, Y; Shore, M. (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? *Occup Environ Med* 48: 418-426.
- LBL (Lawrence Berkeley Laboratory). (1987). Exposure to Methylene Chloride from Controlled Use of a Paint Remover in Residences. (LBL-23078). Berkeley, CA: LBL.
- Leblanc, GA. (1980). Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bull Environ Contam Toxicol* 24: 684-691. <http://dx.doi.org/10.1007/BF01608174>
- Lide, DR. (2001). CRC Handbook of Chemistry and Physics Physical constants of organic compounds. Boca Raton, FL: Taylor and Francis. [https://ay12-14.moodle.wisc.edu/prod/pluginfile.php/101330/mod\\_resource/content/1/CRC\\_organic\\_chemical\\_properties.pdf](https://ay12-14.moodle.wisc.edu/prod/pluginfile.php/101330/mod_resource/content/1/CRC_organic_chemical_properties.pdf)
- Mannsville Chemical Products Corp. (1999). Chemical products synopsis: Methylene chloride. Adams, NY: Mannsville Chemical Products Corp. <http://mannsvillechemical.com/synopsis/>
- Matthews, TG; Thompson, CV; Wilson, DL; Hawthorne, AR; Mage, DT. (1989). Air velocities inside domestic environments: an important parameter in the study of indoor air quality and climate. *Environ Int* 15: 545-550.
- McCammon, CS, Jr; Glaser, RA; Wells, VE; Phipps, FC; Halperin, WE. (1991). Exposure of workers engaged in furniture stripping to methylene chloride as determined by environmental and biological monitoring. *Appl Occup Environ Hyg* 6: 371-379.
- Mccammon, CS; Goldfield, J. (1993). Health Hazard Evaluation Report HETA 92-0360-2372, Ackerman and Sons, Littleton, Colorado. (NTIS/02989953\_2). Mccammon, CS; Goldfield, J.
- MDH (Minnesota Department of Health). (2013). Chemicals of High Concern list (July 1, 2013). Available online at <http://www.health.state.mn.us/divs/eh/hazardous/topics/toxfreekids/chclist/mdhchc2013.pdf>
- Menear, JH; McConnell, EE; Huff, JE; Renne, RA; Giddens, E. (1988). Inhalation toxicology and carcinogenesis studies of methylene chloride (dichloromethane) in F344/N rats and B6C3F1 mice. *Ann N Y Acad Sci* 534: 343-351. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30121.x>
- Merlin, G; Thiebaud, H; Blake, G; Sembiring, S; Alary, J. (1992). MESOCOSMS AND MICROCOSMS UTILIZATION FOR ECOTOXICITY EVALUATION OF DICHLOROMETHANE, A CHLORINATED SOLVENT. *Chemosphere* 24: 37-50.
- Miligi, L; Costantini, AS; Benvenuti, A; Kriebel, D; Bolejack, V; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, GA; Mendico, I; Vineis, P. (2006). Occupational exposure to solvents and the risk of lymphomas. *Epidemiology* 17: 552-561. <http://dx.doi.org/10.1097/01.ede.0000231279.30988.4d>
- Musy, M; Wurtz, E; Nataf, JM. (1999). An intermediate model to predict thermal comfort and air quality in a building (pp. 685). Edinburgh, Scotland: Musy, M; Wurtz, E; Nataf, JM. <http://www.aivc.org/resource/intermediate-model-predict-thermal-comfort-and-air-quality-building>
- NAC/AEGL (National Advisory Committee for Acute Exposure Guideline Levels for Hazardous Substances). (2008). Carbon monoxide - acute exposure guideline levels (AEGLs). Washington, DC: National Advisory Committee for Acute Exposure Guideline Levels.
- NAC/AEGL (National Advisory Committee for Acute Exposure Guideline Levels for Hazardous Substances). (2008). Methylene chloride - interim acute exposure guideline levels (AEGLs). Washington, DC: National Advisory Committee for Acute Exposure Guideline Levels. [http://www.epa.gov/oppt/aegl/pubs/methylene\\_chloride\\_interim\\_dec\\_2008\\_v1.pdf](http://www.epa.gov/oppt/aegl/pubs/methylene_chloride_interim_dec_2008_v1.pdf)
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). (2016). Human health Tier II assessment for methane, dichloro. <https://www.nicnas.gov.au/search?query=75-09-2&collection=nicnas-meta&f.IMAP+assessment+Tier%7CB=Tier+II>
- NIH (National Institutes of Health). (2005). Substance profiles for dichloromethane. Bethesda, MD.
- NIOSH (National Institute for Occupational Safety and Health). (1990). Walk-through survey report: Control of methylene chloride in furniture stripping at Colonial Furniture Stripping. (ECTB number: 170-14a). Cincinnati, OH: National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services. [www.cdc.gov/niosh/surveyreports/pdfs/170-14a.pdf](http://www.cdc.gov/niosh/surveyreports/pdfs/170-14a.pdf)
- NIOSH (National Institute for Occupational Safety and Health). (1991). In-depth survey report. The control of methylene chloride in furniture stripping at Association for Retarded Citizens Washington County Chapter, Inc. (ECTB number: 170-18a). Cincinnati, OH: National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering. <http://www.cdc.gov/niosh/surveyreports/pdfs/170-18a.pdf>
- NIOSH (National Insitute for Occupational Safety and Health). (2011). Fatality Assessment and Control Evaluation (FACE) Report for Michigan: Tub Refinisher Died Due to Methylene Chloride Overexposure While Stripping a Bathtub. 21.
- NIOSH (National Institute for Occupational Safety and Health). (2011). NIOSH pocket guide to chemical hazards: Introduction. Available online at <http://www.cdc.gov/niosh/npg/pgintrod.html>
- NIOSH (National Institute for Occupational Safety and Health). (2011). NIOSH pocket guide to chemical hazards: Methylene chloride. Available online at <http://www.cdc.gov/niosh/npg/npgd0414.html>
- NITE (National Institute of Technology and Evaluation). (2002). Biodegradation and bioaccumulation of the existing chemical substances under the Chemical Substances Control Law. Japan. [http://www.nite.go.jp/en/chem/qsar/cscl\\_data.html](http://www.nite.go.jp/en/chem/qsar/cscl_data.html)
- Nitschke, KD; Burek, JD; BellTJ; Kociba, RJ; Rampy, LW; Mckenna, MJ. (1988). Methylene chloride: A 2-year inhalation toxicity and oncogenicity study in rats. *Fundam Appl Toxicol* 11: 48-59. [http://dx.doi.org/10.1016/0272-0590\(88\)90269-2](http://dx.doi.org/10.1016/0272-0590(88)90269-2)

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Nitschke, KD; Eisenbrandt, DL; Lomax, LG; Rao, KS. (1988). Methylene chloride: Two-generation inhalation reproductive study in rats. *Fundam Appl Toxicol* 11: 60-67. [http://dx.doi.org/10.1016/0272-0590\(88\)90270-9](http://dx.doi.org/10.1016/0272-0590(88)90270-9)
- NRC (National Research Council). (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>
- NRC (National Research Council). (1992). *Guidelines for developing spacecraft maximum allowable concentrations for space station contaminants*. National Academy Press, Washington, DC. <https://www.nap.edu/read/21636/chapter/1>
- NRC (National Research Council). (1996). *Spacecraft maximum allowable concentrations for selected airborne contaminants*. Washington, D.C.: National Academy Press. <http://dx.doi.org/10.17226/5170>
- NRC (National Research Council). (2001). *Standing operating procedures for developing acute exposure guideline levels (AELs) for hazardous chemicals*. Washington, DC: National Academy Press. <http://www.epa.gov/oppt/aegl/pubs/sop.pdf>
- NRC (National Research Council). (2008). *Spacecraft maximum allowable concentrations for selected airborne contaminants: Volume 5*. Washington, DC: National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=12529](http://www.nap.edu/catalog.php?record_id=12529)
- NTP (National Toxicology Program). (1986). *NTP Toxicology and Carcinogenesis Studies of Dichloromethane (Methylene Chloride) (CAS No. 75-09-2) in F344/N Rats and B6C3F1 Mice (Inhalation Studies)*. 306: 1-208.
- OECD (Organisation for Economic Co-operation and Development). (2011). *Emission scenario document on coating application via spray painting in the automotive refinishing industry (Draft Final)*. Paris, France: Organization for Economic Co-operation and Development. [http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono\(2004\)22/rev1&doclanguage=en](http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono(2004)22/rev1&doclanguage=en)
- OECD (Organisation for Economic Co-operation and Development). (2011). *SIDS Initial Assessment Profile for Methylene Chloride. (CoCAM 1, October 10-12, 2011)*. Paris, France: Organization for Economic Co-operation and Development. <http://webnet.oecd.org/hpv/UI/handler.axd?id=B8EA971C-0C2C-4976-8706-A9A68033DAA0>
- OEHHA (California Office of Environmental Health Hazard Assessment). (1999). *Air toxics hot spots program risk assessment guidelines: Part I: The determination of acute reference exposure levels for airborne toxicants*. Sacramento, CA. <http://oehha.ca.gov/air/pdf/acutereel.pdf>
- OEHHA (California Office of Environmental Health Hazard Assessment). (2000). *Public health goals for chemicals in drinking water: Dichloromethane (methylene chloride, DCM)*. Sacramento, CA: California Environmental Protection Agency. [https://oehha.ca.gov/media/downloads/water/chemicals/phg/dcm\\_0.pdf](https://oehha.ca.gov/media/downloads/water/chemicals/phg/dcm_0.pdf)
- OEHHA (California Office of Environmental Health Hazard Assessment). (2001). *Methylene chloride: Prioritization of toxic air contamination under the Children's Environmental Health Protection Act*. Sacramento, CA: Office of Environmental Health Hazard Assessment, State of California Environmental Protection Agency. <https://oehha.ca.gov/media/downloads/air/report/sb2520tac20prioritization.pdf>
- OEHHA (California Office of Environmental Health Hazard Assessment). (2008). *Acute reference exposure level (REL) and toxicity summary for methylene chloride*. Sacramento, CA: Office of Environmental Health Hazard Assessment, State of California Environmental Protection Agency. [http://oehha.ca.gov/air/hot\\_spots/2008/AppendixD2\\_final.pdf#page=187](http://oehha.ca.gov/air/hot_spots/2008/AppendixD2_final.pdf#page=187)
- OEHHA (California Office of Environmental Health Hazard Assessment). (2014). *Chemicals Biomonitored in California*. Available online at <http://www.biomonitoring.ca.gov/chemicals/chemicals-biomonitored-california>
- Okawa, MT; Keith, W. (1977). *Health Hazard Evaluation Determination, Report No. HHE-75-195-396, United Airlines Maintenance Base, San Francisco International Airport, Burlingame, California (pp. 75-195)*. (NIOSH/00070666). Okawa, MT; Keith, W.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR; Gallipeau, JR; D'Arecca, MA. (2001). *The Merck index: An encyclopedia of chemicals, drugs, and biologicals: Methylene chloride*. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed.). Whitehouse Station, NJ: Merck & Co., Inc.
- OSHA (Occupational Safety & Health Administration). (1997). *Occupational exposure to methylene chloride*. Fed Reg 62: 1493-1619.
- OSHA (Occupational Safety & Health Administration). (1997). *Substance safety data sheet and technical guidance for methylene chloride*. (29 CFR 1910.1052 App. A). Washington, DC: Occupational Safety and Health Administration. [https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=STANDARDS&p\\_id=10095](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10095)
- OSHA (Occupational Safety & Health Administration). (2010). *Regulatory review of 29 CFR 1910.1052: Methylene chloride*. Washington, DC: Occupational Safety & Health Administration, Directorate of Evaluation and Analysis, Office of Evaluations and Audit Analysis. <https://www.osha.gov/dea/lookback/MC-lookback-Feb-2010-final-for-publication-May-2010.pdf>
- OSHA (Occupational Safety & Health Administration). (2012). *Integrated Management Information System (IMIS): Methylene chloride (CASRN 75-09-2)*. Washington, DC: Occupational Safety and Health Administration.
- OSHA (Occupational Safety & Health Administration). (2012). *Safety and health topics: Methylene chloride*. Available online at <http://www.osha.gov/SLTC/methylenechloride/>
- OSHA (Occupational Safety & Health Administration). (2017). *Chemical Exposure Health Data (CEHD) provided by OSHA to EPA*. U.S. Occupational Safety and Health Administration.
- Pauli, R. (1996). *Alternative Processes to Methylene Chloride*. Pauli, R. <http://www.nmfr.org/pdf/pf0697b.htm>
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). *Purgeable organic compounds in mother's milk*. *Bull Environ Contam Toxicol* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>
- Peterson, JE. (1978). *Modeling the uptake, metabolism and excretion of dichloromethane by man*. *Am Ind Hyg Assoc J* 39: 41-47. <http://dx.doi.org/10.1080/0002889778507711>
- Pollacknelson, C. (1995). *ANALYSIS OF METHYLENE-CHLORIDE PRODUCT LABELING*. *Ergonomics* 38: 2176-2187.



## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Processing Magazine. (2015). Global methylene chloride market value to reach \$892.9m by 2020. <http://www.processingmagazine.com/global-methylene-chloride-market-value-reach-892-9m-2020/>
- Putz, VR; Johnson, BL; Setzer, JV. (1979). A comparative study of the effects of carbon monoxide and methylene chloride on human performance. *J Environ Pathol Toxicol* 2: 97-112.
- Raje, R; Basso, M; Tolen, T; Greening, M. (1988). Evaluation of in vivo mutagenicity of low-dose methylene chloride in mice. *Int J Toxicol* 7: 699-703. <http://dx.doi.org/10.3109/10915818809019544>
- Ratney, RS; Wegman, DH; Elkins, HB. (1974). In vivo conversion of methylene chloride to carbon monoxide. *Arch Environ Occup Health* 28: 223-226.
- Rebert, CS; Matteucci, MJ; Pryor, GT. (1989). Acute effects of inhaled dichloromethane on the EEG and sensory-evoked potentials of Fischer-344 rats. *Pharmacol Biochem Behav* 34: 619-629. [http://dx.doi.org/10.1016/0091-3057\(89\)90568-6](http://dx.doi.org/10.1016/0091-3057(89)90568-6)
- RI DEM (Rhode Island Department of Environmental Management). (2014). Certification Workbook for Auto Body Repair Facilities. Providence, RI. <http://www.dem.ri.gov/programs/benviron/assist/abdycert/workbook.pdf>
- Rice, D; Barone, S, Jr. (2000). Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models [Review]. *Environ Health Perspect* 108: 511-533. <http://dx.doi.org/10.2307/3454543>
- Riley, DM; Fischhoff, B; Small, MJ; Fischbeck, P. (2001). Evaluating the effectiveness of risk-reduction strategies for consumer chemical products. *Risk Anal* 21: 357-369.
- Riley, EC; Fassett, DW; Sutton, WL. (1966). Methylene chloride vapor in expired air of human subjects. *Am Ind Hyg Assoc J* 27: 341-348. <http://dx.doi.org/10.1080/00028896609342839>
- Roederer, G. (1990). *Testung wassergefährdender Stoffe als Grundlage fuer Wasserqualitaetsstandards* (pp. 79). 5948 Schmallenberg, UFOPLAN-Nr. 116 08 071/01: Roederer, G.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0)
- Seidler, A; Möhner, M; Berger, J; Mester, B; Deeg, E; Elsner, G; Nieters, A; Becker, N. (2007). Solvent exposure and malignant lymphoma: A population-based case-control study in Germany. *J Occup Med Toxicol* 2: 2. <http://dx.doi.org/10.1186/1745-6673-2-2>
- Serota, DG; Thakur, AK; Ulland, BM; Kirschman, JC; Brown, NM; Coots, RH; Morgareidge, K. (1986). A two-year drinking-water study of dichloromethane in rodents: II. Mice. *Food Chem Toxicol* 24: 959-963. [http://dx.doi.org/10.1016/0278-6915\(86\)90324-8](http://dx.doi.org/10.1016/0278-6915(86)90324-8)
- Sheps, DS; Adams, KF, Jr; Bromberg, PA; Goldstein, GM; O'Neil, JJ; Horstman, D; Koch, G. (1987). Lack of effect of low levels of carboxyhemoglobin on cardiovascular function in patients with ischemic heart disease. *Arch Environ Occup Health* 42: 108-116. <http://dx.doi.org/10.1080/00039896.1987.9935805>
- Sills, RC; Hailey, JR; Neal, J; Boorman, GA; Haseman, JK; Melnick, RL. (1999). Examination of low-incidence brain tumor responses in F344 rats following chemical exposures in National Toxicology Program carcinogenicity studies. *Toxicol Pathol* 27: 589-599. <http://dx.doi.org/10.1177/019262339902700513>
- Smithsonian Museum Conservation Institute. (2012). Does my painting need to be cleaned? Available online at [http://si.edu/mci/english/learn\\_more/taking\\_care/painting\\_clean.html](http://si.edu/mci/english/learn_more/taking_care/painting_clean.html)
- Smithsonian Museum Conservation Institute. (2012). What does it mean to have a painting restored and how do I pick a conservator? Available online at [http://si.edu/mci/english/learn\\_more/taking\\_care/conservation\\_meaning.html](http://si.edu/mci/english/learn_more/taking_care/conservation_meaning.html)
- SRC (Syracuse Research Corporation). (1978). Results of continuous exposure of fathead minnow embryo to 21 priority pollutants. (OTS#0511060). Springfield, VA.
- SRRP (Source Reduction Research Partnership). (1992). Source reduction and recycling of halogenated solvents in the adhesives industry. Pasadena, CA: Source Reduction Research Partnership. <http://infohouse.p2ric.org/ref/03/02978.pdf>
- Stewart, RD; Fisher, TN; Hosko, MJ; Peterson, JE; Baretta, ED; Dodd, HC. (1972). Experimental human exposure to methylene chloride. *Arch Environ Occup Health* 25: 342-348.
- Stewart, RD; Hake, CL; Wu, A. (1976). Use of breath analysis to monitor methylene chloride exposure. *Scand J Work Environ Health* 2: 57-70.
- Tabak, HH; Quave, SA; Mashni, CI; Barth, EF. (1981). Biodegradability studies with organic priority pollutant compounds. *Water Environment and Technology* 53: 1503-1518.
- Tomenson, JA. (2011). Update of a cohort mortality study of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. *Int Arch Occup Environ Health* 84: 889-897. <http://dx.doi.org/10.1007/s00420-011-0621-z>
- Tukker, A; Simons, ILP. (1999). Methylene chloride: advantages and drawbacks of possible market restrictions in the EU: Final report. (STB – 99-53 Final). Brussels, Belgium: DG III of the European Commission.
- U.S. DOC (U.S. Department of Commerce). (2007). American FactFinder: 2007 Economic Census. Washington, DC: U.S. Department of Commerce. Retrieved from <http://factfinder2.census.gov/faces/nav/jsf/pages/programs.xhtml?program=econ>
- U.S. DOC (U.S. Department of Commerce). (2007). North American Industry Classification System (NAICS): 2007 NAICS index file. Washington, DC: U.S. Department of Commerce. Retrieved from <http://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2007>
- U.S. EPA (U.S. Environmental Protection Agency). (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 9 p. (PUBL IN PART AS 5175, 5184, 5590, 9953, 10366, 20456, 83925, 120941).
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Acquisition and chemical analysis of mother's milk for select toxic substances [EPA Report]. (EPA-560/13-80-029). Washington, DC.

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (1985). Identification and listing of hazardous waste. (40CFR261). Washington, DC: Code of Federal Regulations, Government Printing Office
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures. Fed Reg 51: 34014-34025.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>
- U.S. EPA (U.S. Environmental Protection Agency). (1992). Classification criteria for environmental toxicity and fate of industrial chemical. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (1993). Draft guidance on LADDs and APDRs. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (1993). Locating and estimating air emissions from sources of methylene chloride. (EPA-454/R-93-006). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=000033SP.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Consumer exposure to paint stripper solvents. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Consumer/small shop paint stripping use cluster. Draft risk assessment report: Engineering assessment. Washington, DC: U.S. Environmental Protection Agency, Chemical Engineering Branch, Economics, Exposure and Technology Division.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Office of Research and Development. 600-608.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). OPPT chemical fact sheet. Chemicals in the environment: Methylene chloride (dichloromethane) (CAS No. 75-09-2). (EPA 749-F-94-018). Washington, DC. [www.epa.gov/chemfact/f\\_dcm.txt](http://www.epa.gov/chemfact/f_dcm.txt)
- U.S. EPA (U.S. Environmental Protection Agency). (1995). Estimation of distributions for residential air exchange rates: Final report. (Document No. 600R95180). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://nepis.epa.gov/Exe/ZyNET.exe/910063GS.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1995+Thru+1999&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C95thru99%5Ctxt%5C00000025%5C910063GS.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL>
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment. Fed Reg 61: 56274-56322.
- U.S. EPA (U.S. Environmental Protection Agency). (1997). Use of Small Chamber Data to Estimate and Model Chemical Emissions from Latex and Alkyd Paints. Prepared by GEOMET Technologies, Inc., under EPA contract# 68-D3-0013 for the Office of Pollution Prevention and Toxics, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Environmental Protection Agency). Guidelines for neurotoxicity risk assessment. Federal Register 63(93):26926â 26954.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Methods for exposure-response analysis for acute inhalation exposure to chemicals: Development of the acute reference exposure [external review draft] [EPA Report]. (EPA/600/R-98/051). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1999). Category for persistent, bioaccumulative, and toxic new chemical substances (pp. 60194-60204). (213). Federal Register. <https://www.gpo.gov/fdsys/pkg/FR-1999-11-04/pdf/99-28888.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Air quality criteria for carbon monoxide [EPA Report]. (EPA/600/P-99/001F). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727)
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2000). Supplementary guidance for conducting health risk assessment of chemical mixtures (pp. 1-209). (EPA/630/R-00/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=20533>
- U.S. EPA (U.S. Environmental Protection Agency). (2001). Risk Assessment Guidance for Superfund: Volume 3 -Part a, Process for Conducting Probabilistic Risk Assessment. (EPA/540-R-02002). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>
- U.S. EPA (U.S. Environmental Protection Agency). (2003). Source ranking database, volume 1: Guide and documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. [https://www.epa.gov/sites/production/files/2015-05/documents/srd\\_doc.pdf](https://www.epa.gov/sites/production/files/2015-05/documents/srd_doc.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). Proposed test rule for certain chemicals on the ATSDR/EPA CERCLA priority list of hazardous substances (pp. 61926-61944). (2003). Federal Register. <http://www.gpo.gov/fdsys/pkg/FR-2006-12-18/pdf/E6-21494.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2007). Technical Support Document for Proposed Rule: National Emission Standards for Hazardous Air Pollutants: Paint Stripping Operations at Area Sources. Research Triangle Park, NC. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-OAR-20050526-0019>
- U.S. EPA (U.S. Environmental Protection Agency). (2008). National emission standards for hazardous air pollutants: Paint stripping and miscellaneous surface coating operations at area sources (pp. 1738-1768). (6). Federal Register. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-OAR-2005-0526-0159>
- U.S. EPA (U.S. Environmental Protection Agency). (2009). National primary drinking water regulations. Available online at <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2009). Risk assessment guidance for superfund volume I: Human health evaluation manual (Part F, supplemental guidance for inhalation risk assessment): Final [EPA Report]. (EPA/540/R-070/002). Washington, DC. <https://www.epa.gov/risk/risk-assessment-guidance-superfund-rags-part-f>
- U.S. EPA (U.S. Environmental Protection Agency). (2010). Multi-chamber concentration and exposure model (MCCEM) version 1.2. Available online at <https://www.epa.gov/tsca-screening-tools/multi-chamber-concentration-and-exposure-model-mccec-version-12>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure Factors Handbook. (EPA/600R-090052F). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment, Office of Research and Development. <http://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Integrated risk information system (IRIS): Glossary. Available online at [http://www.epa.gov/iris/help\\_gloss.htm](http://www.epa.gov/iris/help_gloss.htm)
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Toxicological review of Dichloromethane (Methylene Chloride) (CASRN 75-09-2) in support of summary information on the Integrated Risk Information System (IRIS) [EPA Report]. (EPA/635/R-10/003F). Washington, D.C. <http://www.epa.gov/iris/toxreviews/0070tr.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). TRI.NET. Available online at <https://www.epa.gov/toxics-release-inventory-tri-program/trinet>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). TSCA inventory update modifications: Chemical data reporting (pp. 50816-50879). (158). Federal Register. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-OPPT-2009-0187-0393>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Benchmark dose technical guidance. (EPA/100/R-12/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/benchmark-dose-technical-guidance>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface (EPI) Suite™ for Microsoft® Windows (Version 4.11). Washington D.C.: Environmental Protection Agency. Retrieved from <http://www.epa.gov/opptintr/exposure/pubs/episuite.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface Suite, Version 4.10. Washington, DC: Office of Pollution Prevention and Toxics. <https://www.epa.gov/tsca-screening-tools/epi-suitetm-estimation-program-interface>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Peer Review Handbook. 3rd Edition.

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2012). TSCA work plan chemicals: Methods document. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. [https://www.epa.gov/sites/production/files/2014-03/documents/work\\_plan\\_methods\\_document\\_web\\_final.pdf](https://www.epa.gov/sites/production/files/2014-03/documents/work_plan_methods_document_web_final.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2013). 2012 Chemical data reporting results. Available online at <https://www.epa.gov/chemical-data-reporting/2012-chemical-data-reporting-results#access>
- U.S. EPA (U.S. Environmental Protection Agency). (2014). 40 CFR 372.65: Toxic chemical release reporting: Community right-to-know. Washington, DC. <http://www.ecfr.gov/cgi-bin/text-id?SID=b158171a5134cffd39c8ab183e07670a&mc=true&node=pt40.30.372&rgn=div5>
- U.S. EPA (U.S. Environmental Protection Agency). (2014). TSCA work plan chemical risk assessment methylene chloride: Paint stripping use CASRN: 75-09-2. (740-R1-4003). Office of Chemical Safety and Pollution Prevention. [https://www.epa.gov/sites/production/files/2015-09/documents/dcm\\_opptworkplanra\\_final.pdf](https://www.epa.gov/sites/production/files/2015-09/documents/dcm_opptworkplanra_final.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary information on manufacturing, processing, distribution, use, and disposal: Methylene chloride.
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>
- Van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. *Indoor Air* 12: 92-97.
- Vincent, R; Poirot, P; Subra, I; Rieger, B; Cicolella, A. (1994). Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. *Int Arch Occup Environ Health* 65: 377-380. <http://dx.doi.org/10.1007/BF00383247>
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol* 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>
- Weinstein, RS; Boyd, DD; Back, KC. (1972). Effects of continuous inhalation of dichloromethane in the mouse: morphologic and functional observations. *Toxicol Appl Pharmacol* 23: 660-679. [http://dx.doi.org/10.1016/0041-008X\(72\)90107-X](http://dx.doi.org/10.1016/0041-008X(72)90107-X)
- Westat. (1987). Household solvent products: A national usage survey. Washington, DC: Battelle Columbus Division, U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88132881>
- Winneke, G. (1974). Behavioral effects of methylene chloride and carbon monoxide as assessed by sensory and psychomotor performance. In C Xintaras; BL Johnson; I De Groot (Eds.), (pp. 130-144). Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health.
- Wollbrinck, T. (2013). The Composition of Proprietary Paint Strippers. *J Am Inst Conservat* 32: 43-57.
- Wong, KL. (1990). Spacecraft maximum allowable concentrations for selected airborne contaminants Carbon monoxide. Washington, D.C. (as cited in NRC 1996): National Academy Press.
- WSDE (Washington State Department of Ecology). (2013). Chemicals of High Concern to Children. Available online at <http://www.ecy.wa.gov/programs/hwtr/RTT/cspa/chcc.html>
- Xu, JQ; Kochanek, KD; Murphy, SL; Tejada-Vera, B. (2010). Deaths: Final Data for 2007. In *National Vital Statistics Reports*. Hyattsville, MD: National Center for Health Statistics. [http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58\\_19.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_19.pdf)

## Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for *on topic* gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: Methylene Chloride (DCM)*.

*Note: Gray Lit Results provided as a second PDF.*

### Legend for Gray Literature Bibliography Columns

<b>Source</b>		A brief description of the gray literature source that was searched	
<b>General Information About Result</b>	<b>URL</b>	The web address of the search result URL	
	<b>Annotation</b>	An brief description of the search result	
<b>Subject-Matter Tags</b>	<b>Engineering</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	<b>Fate</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the fate topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the fate topic area
	<b>Exposure</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the exposure topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the exposure topic area
	<b>Human Health</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the human health topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the human health topic area
<b>Notes</b>		Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: EPA Clean Water Act	<a href="https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants">https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants</a>	DCM along with primary release mechanisms		X		X	X			X	
Drinking Water Standards and Health Advisories	<a href="https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf">https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf</a>	2012 drinking water standards and health advisories		X		X	X			X	
Office of Water: STORET and WQX	<a href="https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange">https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange</a>	Data downloaded from STORET database		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/198908_voc_epa450_3-89-030_halogenated_solvent_cleaners.pdf">https://www3.epa.gov/airquality/cta_act/198908_voc_epa450_3-89-030_halogenated_solvent_cleaners.pdf</a>	Document - Halogenated Solvent Cleaners	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/198403_voc_epa450_3-83-006_leaks_polymer_manufacturing.pdf">https://www3.epa.gov/airquality/cta_act/198403_voc_epa450_3-83-006_leaks_polymer_manufacturing.pdf</a>	Equipment Leaks from Synthetic and Organic Polymer Manufacturing	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/199308_voc_epa450_4-91-031_reactor_distillation_sooms.pdf">https://www3.epa.gov/airquality/cta_act/199308_voc_epa450_4-91-031_reactor_distillation_sooms.pdf</a>	Emissions from Reactor Processes in the Synthetic Organic Chemical	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/200809_voc_epa453_1-08-004_fiberglass_boat_manufacturing_materials.pdf">https://www3.epa.gov/airquality/cta_act/200809_voc_epa453_1-08-004_fiberglass_boat_manufacturing_materials.pdf</a>	Control Techniques for Fiberglass Boat Manufacturing Materials	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf">https://www3.epa.gov/airquality/cta_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf</a>	Control of Volatile Organic Emissions from Solvent Metal Cleaning	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197812_voc_epa450_2-78-020_pharmaceutical_products.pdf">https://www3.epa.gov/airquality/cta_act/197812_voc_epa450_2-78-020_pharmaceutical_products.pdf</a>	from Manufacture of Synthesized Pharmaceutical Products	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/blackcarbon/2012report/AcronymsGlossary.pdf">https://www3.epa.gov/airquality/blackcarbon/2012report/AcronymsGlossary.pdf</a>	Acronym Glossary		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/199404_voc_(nrd)_industrial_wastewater(aci).pdf">https://www3.epa.gov/airquality/cta_act/199404_voc_(nrd)_industrial_wastewater(aci).pdf</a>	Industrial Wastewater Alternative Control Technology	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/199402_voc_epa453_r-93-017_batch_processes.pdf">https://www3.epa.gov/airquality/cta_act/199402_voc_epa453_r-93-017_batch_processes.pdf</a>	Organic Emissions from Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197705_voc_epa450_2-77-008_surface_coatings(v2).pdf">https://www3.epa.gov/airquality/cta_act/197705_voc_epa450_2-77-008_surface_coatings(v2).pdf</a>	Control of Volatile Organic Emissions from Existing Stationary Sources	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	<a href="https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table">https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table</a>	Quality Criteria - Human Health Criteria Table	X			X		X		X	
Office of Air: NESHAP	<a href="http://www.epa.gov/technical-air-pollution-resources">www.epa.gov/technical-air-pollution-resources</a>	N/A		X		X		X		X	
Office of Air: TRI	<a href="https://www.epa.gov/trinationalanalysis/waste-management-parent-company-2015-tri-national-analysis">https://www.epa.gov/trinationalanalysis/waste-management-parent-company-2015-tri-national-analysis</a>	Waste Management by Parent Company in the 2015 TRI		X		X		X		X	
OPPT: TSCA Analog Identification Methodology (AIM)	<a href="http://www.epa.gov/tscs-screening-tools/analog-identification-methodology-aim-tool">http://www.epa.gov/tscs-screening-tools/analog-identification-methodology-aim-tool</a>	List and information about analogs from AIM tool		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Significant New Alternatives Policy (SNAP)	<a href="https://www.epa.gov/snap/substitutes-integral-skin-polyurethane">https://www.epa.gov/snap/substitutes-integral-skin-polyurethane</a>	Substitutes in Integral Skin Polyurethane		X		X		X		X	
Significant New Alternatives Policy (SNAP)	<a href="https://www.epa.gov/snap/snap-regulations">https://www.epa.gov/snap/snap-regulations</a>	SNAP Regulations		X		X		X		X	
Safer Choice	<a href="https://www.epa.gov/saferchoice/spray-polyurethane-foam-spf-insulation-and-how-use-it-more-safely">https://www.epa.gov/saferchoice/spray-polyurethane-foam-spf-insulation-and-how-use-it-more-safely</a>	Spray Polyurethane Foam (SPF) Insulation fact sheet		X		X		X		X	
Pesticide Chemical Search	<a href="https://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1">https://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1</a>	Office of Pesticides search	X			X		X		X	
Pesticide Ingredients	<a href="http://www.epa.gov/ingredients-used-pesticide-products">www.epa.gov/ingredients-used-pesticide-products</a>	N/A		X		X		X		X	
Superfund chemical data matrix	<a href="https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query">https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query</a>	Superfund matrix section		X	X			X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/ccontinfo.cfm?id=0200739">https://cumulis.epa.gov/supercpad/cursites/ccontinfo.cfm?id=0200739</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0100108">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0100108</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0505180">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0505180</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0200499">https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0200499</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101014">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101014</a>	Superfund Site Profile		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Overview Page		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Summary Page		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Toxicological Review		X		X	X		X		
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Chemical test rule data		X		X		X		X	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Substantial risk reports submitted by companies		X		X		X	X		
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Chemical data reporting	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	TRI Release and Disposal information	X			X		X		X	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Pollution prevention information about change in releases	X			X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-production-and-fabrication-national">https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-production-and-fabrication-national</a>	NESHAP: Flexible Polyurethane Foam Production and Fabrication		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/aerospace-manufacturing-and-rework-facilities-national-emission">https://www.epa.gov/stationary-sources-air-pollution/aerospace-manufacturing-and-rework-facilities-national-emission</a>	NESHAP: Aerospace Manufacturing and Rework Facilities		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/fact-sheet-proposed-air-toxics-rule-pharmaceuticals-production">https://www.epa.gov/stationary-sources-air-pollution/fact-sheet-proposed-air-toxics-rule-pharmaceuticals-production</a>	Fact Sheet: Proposed Air Toxics Rule for Pharmaceuticals Production		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emission-standards-hazardous">https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emission-standards-hazardous</a>	NESHAP: Halogenated Solvent Cleaning background documents	X			X	X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/paper-and-other-web-coating-national-emission-standards-hazardous">https://www.epa.gov/stationary-sources-air-pollution/paper-and-other-web-coating-national-emission-standards-hazardous</a>	NEHSAP: Paper and Other Web Coating		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/built-up-structures-and-miscellaneous-surface-coating-operations">https://www.epa.gov/stationary-sources-air-pollution/built-up-structures-and-miscellaneous-surface-coating-operations</a>	Miscellaneous Surface Coating Operations		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/paints-and-allied-products-manufacturing-national-emission">https://www.epa.gov/stationary-sources-air-pollution/paints-and-allied-products-manufacturing-national-emission</a>	NESHAP: Paints and Allied Products Manufacturing		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/pharmaceuticals-production-industry-national-emission-standards">https://www.epa.gov/stationary-sources-air-pollution/pharmaceuticals-production-industry-national-emission-standards</a>	NEHSAP: Pharmaceuticals Production Industry	X			X	X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/reinforced-plastic-composites-production-national-emission">https://www.epa.gov/stationary-sources-air-pollution/reinforced-plastic-composites-production-national-emission</a>	NESHAP: Reinforced Plastic Composites Production		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-production-national-emission-standards">https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-production-national-emission-standards</a>	NESHAP: Flexible Polyurethane Foam Production	X			X	X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/wood-preserving-area-sources-national-emission-standards-hazardous">https://www.epa.gov/stationary-sources-air-pollution/wood-preserving-area-sources-national-emission-standards-hazardous</a>	NESHAP: Wood Preserving Area Sources		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-fabrication-operations-national-emission">https://www.epa.gov/stationary-sources-air-pollution/flexible-polyurethane-foam-fabrication-operations-national-emission</a>	NESHAP: Flexible Polyurethane Foam Fabrication Operations		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/boat-manufacturing-national-emission-standards-hazardous-air">https://www.epa.gov/stationary-sources-air-pollution/boat-manufacturing-national-emission-standards-hazardous-air</a>	NESHAP: Boat Manufacturing		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/miscellaneous-organic-chemical-manufacturing-national-emission">https://www.epa.gov/stationary-sources-air-pollution/miscellaneous-organic-chemical-manufacturing-national-emission</a>	NESHAP: Miscellaneous Organic Chemical Manufacturing		X		X		X		X	
Asbestos	<a href="http://www.epa.gov/asbestos/">www.epa.gov/asbestos/</a>	N/A		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Economic and cost assessment	<a href="http://www.epa.gov/economic-and-cost-analysis-air-pollution-regulations">www.epa.gov/economic-and-cost-analysis-air-pollution-regulations</a>	N/A		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF</a>	Methylene Chloride (Dichloromethane) (CAS NO. 75-09-2)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF</a>	Methylene Chloride (Dichloromethane) (CAS NO. 75-09-2)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000NFNF.PDF?Dockey=2000NFNF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000NFNF.PDF?Dockey=2000NFNF.PDF</a>	1990 Urban Air Toxics Monitoring Program		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LQE.PDF?Dockey=10000LQE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LQE.PDF?Dockey=10000LQE.PDF</a>	Waste Minimization Increased Profits and Productivity, Harris Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LQK.PDF?Dockey=10000LQK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LQK.PDF?Dockey=10000LQK.PDF</a>	Releases of Chlorinated Solvents, Ford Motor Company		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91014GGY.PDF?Dockey=91014GGY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91014GGY.PDF?Dockey=91014GGY.PDF</a>	Releases of Chlorinated Solvents: 1991	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LW1.PDF?Dockey=20009LW1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LW1.PDF?Dockey=20009LW1.PDF</a>	Reducing Risk in Paint Stripping		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WXK.PDF?Dockey=30003WXK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WXK.PDF?Dockey=30003WXK.PDF</a>	Replace Freon for the Determination of Oil and Grease		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUT.PDF?Dockey=P1006PUT.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUT.PDF?Dockey=P1006PUT.PDF</a>	Halogenated Hydrocarbons: A VOST Test at a Chemical Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DED8.PDF?Dockey=P100DED8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DED8.PDF?Dockey=P100DED8.PDF</a>	Dioxin and Furan Analytical Service for Superfund (DLM02.2)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/000033SP.PDF?Dockey=000033SP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/000033SP.PDF?Dockey=000033SP.PDF</a>	Dioxin and Furan Analytical Service for Superfund (DLM02.2)	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPW2.PDF?Dockey=P100GPW2.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPW2.PDF?Dockey=P100GPW2.PDF</a>	from Sources of Methylene Chloride: 1993	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100KP13.PDF?Dockey=9100KP13.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100KP13.PDF?Dockey=9100KP13.PDF</a>	Chemical Summary for Methylene Chloride (Dichloromethane)	X		X			X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WG8.PDF?Dockey=30003WG8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WG8.PDF?Dockey=30003WG8.PDF</a>	and Evaluation of Paint Application Equipment and Alternatives to		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHW.PDF?Dockey=30003WHW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHW.PDF?Dockey=30003WHW.PDF</a>	Field Test of Generic Method for Halogenated Hydrocarbons		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF</a>	SemiVOST for Halogenated Hydrocarbons from the Clean Air Act		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NNXH.PDF?Dockey=9100NNXH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NNXH.PDF?Dockey=9100NNXH.PDF</a>	in Public Water Systems Related to Class V Injection Wells		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F8HU.PDF?Dockey=2000F8HU.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F8HU.PDF?Dockey=2000F8HU.PDF</a>	Organic Compounds From Various Solid Matrices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BVZ1.PDF?Dockey=P100BVZ1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BVZ1.PDF?Dockey=P100BVZ1.PDF</a>	Method Validation At A Coal-fired Boiler		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NKM.H.PDF?Dockey=P100NKM.H.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NKM.H.PDF?Dockey=P100NKM.H.PDF</a>	Reducing Air Pollution from:Paint and Coating Stripping Operations		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QAQE.PDF?Dockey=P100QAQE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QAQE.PDF?Dockey=P100QAQE.PDF</a>	Aquatic Life Ambient Water Quality Criteria Cadmium 2016		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100G6IF.PDF?Dockey=P100G6IF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100G6IF.PDF?Dockey=P100G6IF.PDF</a>	Amphibian Toxicity Data for Water Quality Criteria Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E50.PDF?Dockey=10002E50.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E50.PDF?Dockey=10002E50.PDF</a>	Amphibian Toxicity Data for Water Quality Criteria Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WTV.PDF?Dockey=20000WTV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WTV.PDF?Dockey=20000WTV.PDF</a>	What You Should Know About Using Paint Strippers		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF</a>	CWM PO*WW*ER Evaporation-Catalytic Oxidation Technology		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30004QBQ.PDF?Dockey=30004QBQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30004QBQ.PDF?Dockey=30004QBQ.PDF</a>	Compounds in Soils Using Equilibrium Headspace Analysis and Capillary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V8O.PDF?Dockey=30003V8O.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V8O.PDF?Dockey=30003V8O.PDF</a>	Pollution Prevention in the Slabstock and Molded Flexible Polyurethane	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000Z31.PDF?Dockey=10000Z31.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000Z31.PDF?Dockey=10000Z31.PDF</a>	Options for a Manufacturer of Commercial Refrigeration Units		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF</a>	Updating AP42 Section 2.4 for Estimating Emissions from Municipal	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2001871N.PDF?Dockey=2001871N.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2001871N.PDF?Dockey=2001871N.PDF</a>	Updating AP42 Section 2.4 for Estimating Emissions from Municipal	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Z8JK.PDF?Dockey=9101Z8JK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Z8JK.PDF?Dockey=9101Z8JK.PDF</a>	Eliminating Chlorofluorocarbons In Flexible Polyurethane Foams: 1991	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ADOO.PDF?Dockey=P100ADOO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ADOO.PDF?Dockey=P100ADOO.PDF</a>	Integrity of VOA-VIAL Seals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000U7W.PDF?Dockey=P1000U7W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000U7W.PDF?Dockey=P1000U7W.PDF</a>	Optimization, Clare Water Supply Superfund Site, Permeable Reactive		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002CRI.PDF?Dockey=P1002CRI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002CRI.PDF?Dockey=P1002CRI.PDF</a>	Optimization Clare Water Supply Superfund Site Permeable Reactive		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF</a>	Products: Laboratory Analyses of Shelf Products and National Survey of		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/60000OW7.PDF?Dockey=60000OW7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/60000OW7.PDF?Dockey=60000OW7.PDF</a>	PESTICIDES IN WASTEWATER,SOIL, SLUDGE,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXTP.PDF?Dockey=P100EXTP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXTP.PDF?Dockey=P100EXTP.PDF</a>	Destruction of Organic Contaminants in Air Using Advanced Ultraviolet		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000L6GN.PDF?Dockey=2000L6GN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000L6GN.PDF?Dockey=2000L6GN.PDF</a>	CONTAMINANTS IN AIR USING ADVANCED ULTRAVIOLET		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F98W.PDF?Dockey=P100F98W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F98W.PDF?Dockey=P100F98W.PDF</a>	Subject To Reporting Under The Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BL4U.PDF?Dockey=P100BL4U.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BL4U.PDF?Dockey=P100BL4U.PDF</a>	Replacement of Charcoal Sorbent in the VOST		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10096KC.PDF?Dockey=P10096KC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10096KC.PDF?Dockey=P10096KC.PDF</a>	DISCHARGES SUBJECT TO EFFLUENT LIMITATIONS AND		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300024KJ.PDF?Dockey=300024KJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300024KJ.PDF?Dockey=300024KJ.PDF</a>	NITROSAMINES IN DRINKING WATER BY SOLID PHASE		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/901H0D00.PDF?Dockey=901H0D00.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/901H0D00.PDF?Dockey=901H0D00.PDF</a>	Manufacturer of Outdoor Illuminated Signs	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E6G.PDF?Dockey=10002E6G.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E6G.PDF?Dockey=10002E6G.PDF</a>	Final Quantification of Toxicological Effects for Dichloromethane: 1992		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10002383.PDF?Dockey=10002383.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10002383.PDF?Dockey=10002383.PDF</a>	CONTAMINANTS IN AIR USING ADVANCED ULTRAVIOLET		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300023C7.PDF?Dockey=300023C7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300023C7.PDF?Dockey=300023C7.PDF</a>	Drinking Water with Low Level Detection by Electrospray-mass		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000EBFF.PDF?Dockey=2000EBFF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000EBFF.PDF?Dockey=2000EBFF.PDF</a>	Common Chemicals Found at Superfund Sites		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91020DVF.PDF?Dockey=91020DVF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91020DVF.PDF?Dockey=91020DVF.PDF</a>	1997 Urban Air Toxics Monitoring Program (UATMP)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006KPL.PDF?Dockey=P1006KPL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006KPL.PDF?Dockey=P1006KPL.PDF</a>	Nonconventional Pesticides In Municipal And Industrial Wastewater		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30002SGO.PDF?Dockey=30002SGO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30002SGO.PDF?Dockey=30002SGO.PDF</a>	(ETU) in Water Using Gas Chromatography with a Nitrogen-		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CDHH.PDF?Dockey=9100CDHH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CDHH.PDF?Dockey=9100CDHH.PDF</a>	Emissions From Burning Cabinet Making Scraps		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000GYZK.PDF?Dockey=2000GYZK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000GYZK.PDF?Dockey=2000GYZK.PDF</a>	Emissions from Burning Cabinet Making Scraps:		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VLW.PDF?Dockey=30003VLW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VLW.PDF?Dockey=30003VLW.PDF</a>	Criteria Documents For The Protection Of Human Health		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NNWA.PDF?Dockey=9100NNWA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NNWA.PDF?Dockey=9100NNWA.PDF</a>	Continuous Liquid/Liquid Extraction of Aqueous Samples for Semivolatile	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WQ45.PDF?Dockey=2000WQ45.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WQ45.PDF?Dockey=2000WQ45.PDF</a>	Continuous Liquid/ of Aqueous Samples for Semivolatile Organics		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006B7P.PDF?Dockey=P1006B7P.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006B7P.PDF?Dockey=P1006B7P.PDF</a>	of Chemicals Subject to the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006BJG.PDF?Dockey=P1006BJG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006BJG.PDF?Dockey=P1006BJG.PDF</a>	Toxicological Review of Methyl Chloride (CAS No. 74-87-3)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DED3.PDF?Dockey=P100DED3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DED3.PDF?Dockey=P100DED3.PDF</a>	Chlorinated Biphenyl Congeners Analytical Service for Superfund		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GNT5.PDF?Dockey=P100GNT5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GNT5.PDF?Dockey=P100GNT5.PDF</a>	VOST Charcoal Specification Study Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100HG9U.PDF?Dockey=9100HG9U.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100HG9U.PDF?Dockey=9100HG9U.PDF</a>	Composition and Pollutant Emission Rates at Fresh Kills Landfill, Volume I,	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91012JKQ.PDF?Dockey=91012JKQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91012JKQ.PDF?Dockey=91012JKQ.PDF</a>	of Chemicals Subject to the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BVYR.PDF?Dockey=P100BVYR.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BVYR.PDF?Dockey=P100BVYR.PDF</a>	Reducing Air Pollution from:Paint and Coating Stripping Operations		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C7CZ.PDF?Dockey=P100C7CZ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C7CZ.PDF?Dockey=P100C7CZ.PDF</a>	of Methamphetamine Production Process By-Products: Report To		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009NRZ.PDF?Dockey=20009NRZ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009NRZ.PDF?Dockey=20009NRZ.PDF</a>	Reportable Quantities 9-92 Guidance Bill Swietlik 260-9529		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200001C1.PDF?Dockey=200001C1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200001C1.PDF?Dockey=200001C1.PDF</a>	3: How to Obtain Information from the Office of Pesticide Programs (OPP)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006TGL.PDF?Dockey=P1006TGL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006TGL.PDF?Dockey=P1006TGL.PDF</a>	Assessment for the Ogden Railyard Site Ogden Utah Final		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910177ML.PDF?Dockey=910177ML.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910177ML.PDF?Dockey=910177ML.PDF</a>	Assessment of Zinc in Surface Waters of the Chesapeake Bay Watershed:		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000TUHC.PDF?Dockey=2000TUHC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000TUHC.PDF?Dockey=2000TUHC.PDF</a>	Halogenated Hydrocarbons: A VOST Test at a Chemical Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91002HV7.PDF?Dockey=91002HV7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91002HV7.PDF?Dockey=91002HV7.PDF</a>	Superfund Record of Decision: Jasco Chemical, CA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002CPW.PDF?Dockey=P1002CPW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002CPW.PDF?Dockey=P1002CPW.PDF</a>	Pesticides in Wastewater, Soil, Sludge, Sediment and Tissue by		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100MYW3.PDF?Dockey=9100MYW3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100MYW3.PDF?Dockey=9100MYW3.PDF</a>	Osborne Landfill, Grove City, PA (12/30/1997)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200034X5.PDF?Dockey=200034X5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200034X5.PDF?Dockey=200034X5.PDF</a>	Comparison of VOA Compositing Procedures		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF</a>	Assessment Screening Studies to Support the Urban Area Source		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QHRA.PDF?Dockey=P100QHRA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QHRA.PDF?Dockey=P100QHRA.PDF</a>	Byproducts: Review of Current Activities		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LZ5.PDF?Dockey=20009LZ5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LZ5.PDF?Dockey=20009LZ5.PDF</a>	Nonconventional Pesticides In Municipal And Industrial Wastewater		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/100026VW.PDF?Dockey=100026VW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/100026VW.PDF?Dockey=100026VW.PDF</a>	Report: Clor-N-Soil PCB Test Kit, Dexsil Corp.		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300037B5.PDF?Dockey=300037B5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300037B5.PDF?Dockey=300037B5.PDF</a>	Simulation in Industrial Pollution Prevention		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GNU6.PDF?Dockey=P100GNU6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GNU6.PDF?Dockey=P100GNU6.PDF</a>	SemiVOST Methods for Selected CAAA Organic Compounds at a Coal-		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LPA.PDF?Dockey=10000LPA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LPA.PDF?Dockey=10000LPA.PDF</a>	Waste Minimization Increased Profits and Productivity, HADCO Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10003SSL.PDF?Dockey=10003SSL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10003SSL.PDF?Dockey=10003SSL.PDF</a>	of Chemicals Subject to the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003TYM.PDF?Dockey=30003TYM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003TYM.PDF?Dockey=30003TYM.PDF</a>	from Municipal Wastewater Sludge Incinerators	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000L596.PDF?Dockey=2000L596.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000L596.PDF?Dockey=2000L596.PDF</a>	Of Chemicals Subject To The Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007520.PDF?Dockey=P1007520.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007520.PDF?Dockey=P1007520.PDF</a>	Chemicals Subject to the Emergency Planning and Community Right- To-		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WEM.PDF?Dockey=30003WEM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WEM.PDF?Dockey=30003WEM.PDF</a>	Formation in CFC-12 Incineration. Project Summary: 1993		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000L7T.PDF?Dockey=10000L7T.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000L7T.PDF?Dockey=10000L7T.PDF</a>	Simplifies Land Disposal Restrictions by Establishing a Set of Universal		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000M40.PDF?Dockey=10000M40.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000M40.PDF?Dockey=10000M40.PDF</a>	RCRA in Focus Motor Freight and Railroad Transportation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200121XT.PDF?Dockey=200121XT.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200121XT.PDF?Dockey=200121XT.PDF</a>	(NMOC) And Speciated Nonmethane Organics Compounds SNMOC)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009A7C.PDF?Dockey=P1009A7C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009A7C.PDF?Dockey=P1009A7C.PDF</a>	Approach for Air Toxics Monitoring Data Sets Version 2		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006S46.PDF?Dockey=P1006S46.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006S46.PDF?Dockey=P1006S46.PDF</a>	Technologies Nanticoke Pennsylvania 18634		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WWM.PDF?Dockey=30003WWM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WWM.PDF?Dockey=30003WWM.PDF</a>	Halogenated Hydrocarbons a VOST Test at a Chemical Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ELAF.PDF?Dockey=P100ELAF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ELAF.PDF?Dockey=P100ELAF.PDF</a>	Report for Gas Imaging Technology, LLC Sherlock VOC		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101W9JG.PDF?Dockey=9101W9JG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101W9JG.PDF?Dockey=9101W9JG.PDF</a>	List of Pesticide Product Inert Ingredients: 1992		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CWTO.PDF?Dockey=9100CWTO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CWTO.PDF?Dockey=9100CWTO.PDF</a>	Chemicals for Human Monitoring Studies		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URB.PDF?Dockey=10001URB.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URB.PDF?Dockey=10001URB.PDF</a>	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXT8.PDF?Dockey=P100EXT8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXT8.PDF?Dockey=P100EXT8.PDF</a>	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000NRFN.PDF?Dockey=2000NRFN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000NRFN.PDF?Dockey=2000NRFN.PDF</a>	Coating, and Dyeing Of Fabrics and Other Textiles, Proposed NESHAP		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004HA3.PDF?Dockey=P1004HA3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004HA3.PDF?Dockey=P1004HA3.PDF</a>	Assessment Case Studies: Upholstered Furniture Alternatives to		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF</a>	Update #2 to Removal Action Levels		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QQLW.PDF?Dockey=P100QQLW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QQLW.PDF?Dockey=P100QQLW.PDF</a>	Carwash Wells Without Undercarriage Washing or Engine Cleaning		X	X			X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/901Q0A00.PDF?Dockey=901Q0A00.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/901Q0A00.PDF?Dockey=901Q0A00.PDF</a>	Pharmaceutical Manufacturing Point Source Category (40 CFR Part 439)	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PEIN.PDF?Dockey=P100PEIN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PEIN.PDF?Dockey=P100PEIN.PDF</a>	obtained from a different source		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009L9W.PDF?Dockey=20009L9W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009L9W.PDF?Dockey=20009L9W.PDF</a>	EPA's 33-50 Program Company Profile Aladdin Industries Inc		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FSH.PDF?Dockey=20001FSH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FSH.PDF?Dockey=20001FSH.PDF</a>	EPA's 33/50 Program Company Profile: Eaton		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FZ9C.PDF?Dockey=P100FZ9C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FZ9C.PDF?Dockey=P100FZ9C.PDF</a>	Reporting Forms and Instructions, Revised 2012 Version	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/901H0D00.PDF?Dockey=901H0D00.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/901H0D00.PDF?Dockey=901H0D00.PDF</a>	Quantification of Toxicological Effects for Dichloromethane : Final		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKH.PDF?Dockey=91013VKH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKH.PDF?Dockey=91013VKH.PDF</a>	EPA's 33/50 Program Company Profile: Anchor Fence, Inc		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FKR.PDF?Dockey=20001FKR.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FKR.PDF?Dockey=20001FKR.PDF</a>	EPA's 33/50 Program Company Profile: Eastman Kodak Company		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendices		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLO.PDF?Dockey=91013VLO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLO.PDF?Dockey=91013VLO.PDF</a>	EPA's 33/50 Program Company Profile: Johnson & Johnson		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF</a>	(UATMP and NATTS) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910022JF.PDF?Dockey=910022JF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910022JF.PDF?Dockey=910022JF.PDF</a>	Superfund Record of Decision: Syntex Facility, MO		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF</a>	2006 Urban Air Toxics Monitoring Program (UATMP) Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D920.PDF?Dockey=9101D920.PDF</a>	Methylene Chloride (Dichloromethane) (CAS NO. 75-09-2)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BO.PDF?Dockey=600012BO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BO.PDF?Dockey=600012BO.PDF</a>	National Primary Drinking Water Regulations: Dichloromethane: 1995		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendices September		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FTF.PDF?Dockey=20001FTF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FTF.PDF?Dockey=20001FTF.PDF</a>	EPA's 33/50 Program Company Profile Reduction Highlights, Volume 2		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300023BO.PDF?Dockey=300023BO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300023BO.PDF?Dockey=300023BO.PDF</a>	Levels in Drinking Water by Ion-Pair Extraction with Electrospray Ionization		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001RXX.PDF?Dockey=20001RXX.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001RXX.PDF?Dockey=20001RXX.PDF</a>	Fact Sheet: The Phase V Rule, Updated, January 1995		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPO.PDF?Dockey=P100HAPO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPO.PDF?Dockey=P100HAPO.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendix		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Volume 2: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLX.PDF?Dockey=91013VLX.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLX.PDF?Dockey=91013VLX.PDF</a>	EPA's 33/50 Program Company Profile: Olin Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F972.PDF?Dockey=P100F972.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F972.PDF?Dockey=P100F972.PDF</a>	Brownfields 2004 Grant Fact Sheet Griswold, CT		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF</a>	Programs (UATMP, NATTS, and CSATAM) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WIWA.PDF?Dockey=2000WIWA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WIWA.PDF?Dockey=2000WIWA.PDF</a>	Analysis Of Coating and Ink Samples By Reference Methods 24 and 24a		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100D3DI.PDF?Dockey=P100D3DI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100D3DI.PDF?Dockey=P100D3DI.PDF</a>	obtained from a different source		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF</a>	Update: 1992 Interim Reduction Goal Exceeded		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100P6SN.PDF?Dockey=P100P6SN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100P6SN.PDF?Dockey=P100P6SN.PDF</a>	Acetonitrile Emissions from Stationary Sources		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKV.PDF?Dockey=91013VKV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKV.PDF?Dockey=91013VKV.PDF</a>	EPA's 33/50 Program Company Profile: Dexter Shoe Company		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF</a>	EPA's 33/50 Program Seventh Progress Report: 33/50 Hits the Mark!		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91014EWC.PDF?Dockey=91014EWC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91014EWC.PDF?Dockey=91014EWC.PDF</a>	the Toxic Chemical Release Inventory System (TRIS): Section 313 of the		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF</a>	Drinking Water Strategy Contaminant Groups Effort		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101RO3N.PDF?Dockey=9101RO3N.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101RO3N.PDF?Dockey=9101RO3N.PDF</a>	Government-Owned, Contractor-Operated Federal Facilities : Under		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100IVKB.PDF?Dockey=P100IVKB.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100IVKB.PDF?Dockey=P100IVKB.PDF</a>	More up-to-date version available		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF</a>	US EPA, 33/50 Program: The Final Record	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VM5.PDF?Dockey=91013VM5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VM5.PDF?Dockey=91013VM5.PDF</a>	EPA's 33/50 Program Company Profile: Parker Hannifin Corporation		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CXE1.PDF?Dockey=P100CXE1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CXE1.PDF?Dockey=P100CXE1.PDF</a>	obtained from a different source		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100UU8S.PDF?Dockey=9100UU8S.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100UU8S.PDF?Dockey=9100UU8S.PDF</a>	Measurements of VOCs From the TAMS Network		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF</a>	EPA's 33-50 Program 4th Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006TGL.PDF?Dockey=P1006TGL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006TGL.PDF?Dockey=P1006TGL.PDF</a>	Assessment for the Ogden Railyard Site Ogden Utah Final		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FNP.PDF?Dockey=20001FNP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FNP.PDF?Dockey=20001FNP.PDF</a>	EPA's 33/50 Program Company Profile: Unisys		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000A5KC.PDF?Dockey=2000A5KC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000A5KC.PDF?Dockey=2000A5KC.PDF</a>	activated Cellulose Technology Thorneco Inc		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100IVK4.PDF?Dockey=P100IVK4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100IVK4.PDF?Dockey=P100IVK4.PDF</a>	Preconcentrator for Analysis of VOCS in Air Using Gas Chromatography-		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F7JV.PDF?Dockey=2000F7JV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F7JV.PDF?Dockey=2000F7JV.PDF</a>	Intercomparison Quality Assurance Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF</a>	Update: Continuing Progress Toward Ultimate Reduction Goal		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F17C.PDF?Dockey=P100F17C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F17C.PDF?Dockey=P100F17C.PDF</a>	Post-Katrina Air Quality Monitoring Report		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300023CF.PDF?Dockey=300023CF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300023CF.PDF?Dockey=300023CF.PDF</a>	(Tamarix Ramosissima) in the Las Vegas Wash Riparian Ecosystem		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VME.PDF?Dockey=91013VME.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VME.PDF?Dockey=91013VME.PDF</a>	EPA's 33/50 Program Company Profile: Printed Circuit Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BI72.PDF?Dockey=P100BI72.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BI72.PDF?Dockey=P100BI72.PDF</a>	Guidance for Total Organics Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF</a>			X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF</a>	Public Water Systems Related to Class V Injection Wells [Draft]		X	X			X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007AVI.PDF?Dockey=P1007AVI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007AVI.PDF?Dockey=P1007AVI.PDF</a>	Quantitation Levels for the Second Six-year Review of National Primary		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHK.PDF?Dockey=30003WHK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHK.PDF?Dockey=30003WHK.PDF</a>	for Total Nonmethane Volatile Organic Carbon Emissions from Stationary		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF</a>	Feasibility Support Document for Chemical Contaminants for the	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KYSM.PDF?Dockey=P100KYSM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KYSM.PDF?Dockey=P100KYSM.PDF</a>	Document for Category 1 Contaminants for the Second Six-Year		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10003BPA.PDF?Dockey=10003BPA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10003BPA.PDF?Dockey=10003BPA.PDF</a>	Toxics in the Community: National and Local Perspectives		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101PKY4.PDF?Dockey=9101PKY4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101PKY4.PDF?Dockey=9101PKY4.PDF</a>	[3rd ed., June 1991 & 2nd ed. , April 1990]		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GOSS.PDF?Dockey=P100GOSS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GOSS.PDF?Dockey=P100GOSS.PDF</a>	Method for Measuring Exempt Volatile Organic Compounds and Carbon		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910086BP.PDF?Dockey=910086BP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910086BP.PDF?Dockey=910086BP.PDF</a>	Methylene Chloride (Dichloromethane) (CAS NO. 75-09-2)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10086BP.PDF?Dockey=P10086BP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10086BP.PDF?Dockey=P10086BP.PDF</a>	(UATMP and NATTS) Volume I: Main Content		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91003IPD.PDF?Dockey=91003IPD.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91003IPD.PDF?Dockey=91003IPD.PDF</a>	Compounds: Using Capillary Column Gas Chromatography/Mass		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100KP13.PDF?Dockey=9100KP13.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100KP13.PDF?Dockey=9100KP13.PDF</a>	Chemical Summary for Methylene Chloride (Dichloromethane)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QOD5.PDF?Dockey=P100QOD5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QOD5.PDF?Dockey=P100QOD5.PDF</a>	EPA's Third Six-Year Review of Existing Drinking Water Standards		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPW9.PDF?Dockey=P100GPW9.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPW9.PDF?Dockey=P100GPW9.PDF</a>	Selected Semivolatile Phenols in Dust and Soil Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF</a>	Update #2 to Removal Action Levels		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FM7.PDF?Dockey=20001FM7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FM7.PDF?Dockey=20001FM7.PDF</a>	Profile: Bristol-Myers Squibb Company		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000I6H.PDF?Dockey=P1000I6H.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000I6H.PDF?Dockey=P1000I6H.PDF</a>	Solvent-Based to Waterbased Adhesive-Coated Substrate Retrofit		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007TNX.PDF?Dockey=P1007TNX.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007TNX.PDF?Dockey=P1007TNX.PDF</a>	National Primary Drinking Water Regulations Announcement of the		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NQE7.PDF?Dockey=9101NQE7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NQE7.PDF?Dockey=9101NQE7.PDF</a>	Toxics Assessment Project Report v.4.--Indoor Air		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VMK.PDF?Dockey=91013VMK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VMK.PDF?Dockey=91013VMK.PDF</a>	EPA's 33/50 Program Company Profile: Raytheon Company		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91023TNA.PDF?Dockey=91023TNA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91023TNA.PDF?Dockey=91023TNA.PDF</a>	Fact Sheet / National Primary Drinking Water Standards.		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000JJ24.PDF?Dockey=2000JJ24.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000JJ24.PDF?Dockey=2000JJ24.PDF</a>	NHATS Comparability Study: 1992		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KK0J.PDF?Dockey=P100KK0J.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KK0J.PDF?Dockey=P100KK0J.PDF</a>	Verification of Methods for Selected Chemical Warfare Agents (CWAs)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001S3O.PDF?Dockey=20001S3O.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001S3O.PDF?Dockey=20001S3O.PDF</a>	Regulations: Contaminant Specific Fact Sheets, Volatile Organic		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WTV.PDF?Dockey=20000WTV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WTV.PDF?Dockey=20000WTV.PDF</a>	What You Should Know About Using Paint Strippers		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006WXQ.PDF?Dockey=P1006WXQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006WXQ.PDF?Dockey=P1006WXQ.PDF</a>	Air Toxic Emissions in the City		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001S4Y.PDF?Dockey=20001S4Y.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001S4Y.PDF?Dockey=20001S4Y.PDF</a>	Regulations: Contaminant Specific Fact Sheets, Volatile Organic		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JZXE.PDF?Dockey=P100JZXE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JZXE.PDF?Dockey=P100JZXE.PDF</a>	Retransmittal of the Latest Superfund Removal Action Levels		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100J6YK.PDF?Dockey=P100J6YK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100J6YK.PDF?Dockey=P100J6YK.PDF</a>	OPPTS 830.7050 UV/Visible Absorption		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001K0E.PDF?Dockey=20001K0E.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001K0E.PDF?Dockey=20001K0E.PDF</a>	Toxics Release Inventory Public Data Release Executive Summary, 1993		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLF.PDF?Dockey=91013VLF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLF.PDF?Dockey=91013VLF.PDF</a>	EPA's 33/50 Program Company Profile: HADCO Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10033JS.PDF?Dockey=P10033JS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10033JS.PDF?Dockey=P10033JS.PDF</a>	Program (UATMP) Final Report Volume I Main Content		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003EL3.PDF?Dockey=P1003EL3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003EL3.PDF?Dockey=P1003EL3.PDF</a>	Ambient Air Quality After Hurricane Katrina		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QCPR.PDF?Dockey=P100QCPR.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QCPR.PDF?Dockey=P100QCPR.PDF</a>	Development of Aerobic Biofilter Design Criteria for Treating VOCs		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001R5F.PDF?Dockey=20001R5F.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001R5F.PDF?Dockey=20001R5F.PDF</a>	Fact Sheet: National Primary Drinking Water Standards		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001GXJ.PDF?Dockey=20001GXJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001GXJ.PDF?Dockey=20001GXJ.PDF</a>	Toxics Release Inventory: Public Data Release, 1991		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101320Y.PDF?Dockey=9101320Y.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101320Y.PDF?Dockey=9101320Y.PDF</a>	Program: Forging an Alliance for Pollution Prevention		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910101KD.PDF?Dockey=910101KD.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910101KD.PDF?Dockey=910101KD.PDF</a>	Evaluation of Air Emissions Trends Using TRI Data: 1992		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NPRZ.PDF?Dockey=9101NPRZ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NPRZ.PDF?Dockey=9101NPRZ.PDF</a>	Toxics Assessment Project Report v.3., Part A--Results and Discussion		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10004785.PDF?Dockey=10004785.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10004785.PDF?Dockey=10004785.PDF</a>	National Primary Drinking Water Standards: 1995		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001WJA.PDF?Dockey=20001WJA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001WJA.PDF?Dockey=20001WJA.PDF</a>	Feasibility Support Document for Chemical Contaminants in Support of		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF</a>	33/50 Program Company Profiles: Reduction Highlights		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002SS6.PDF?Dockey=P1002SS6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002SS6.PDF?Dockey=P1002SS6.PDF</a>	Contaminants Health Effects Technical Support Document		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100OL7C.PDF?Dockey=P100OL7C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100OL7C.PDF?Dockey=P100OL7C.PDF</a>	Preservation Study for Ultra-Dilute VX Standards		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FORM.PDF?Dockey=P100FORM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FORM.PDF?Dockey=P100FORM.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Volume 1: Main		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MH7O.PDF?Dockey=P100MH7O.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MH7O.PDF?Dockey=P100MH7O.PDF</a>	Assessment Methylene Chloride: Paint Stripping Use CASRN: 75-09-2	X		X		X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20002IEW.PDF?Dockey=20002IEW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20002IEW.PDF?Dockey=20002IEW.PDF</a>	Effluent Limitations Guidelines and Standards for the Pharmaceutical		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91023Y6C.PDF?Dockey=91023Y6C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91023Y6C.PDF?Dockey=91023Y6C.PDF</a>	Recognized Tribal Lands of Pollutant Sources and Air Monitors		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X6A.PDF?Dockey=30003X6A.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X6A.PDF?Dockey=30003X6A.PDF</a>	Coated and Laminated Substrate Manufacturing Industry, Phase II.		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FN3.PDF?Dockey=20001FN3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FN3.PDF?Dockey=20001FN3.PDF</a>	EPA's 33/50 Program Company Profile: Inland Steel		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/50000TF6.PDF?Dockey=50000TF6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/50000TF6.PDF?Dockey=50000TF6.PDF</a>	Performance Evaluation Study, Study Number WS040		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003XBA.PDF?Dockey=30003XBA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003XBA.PDF?Dockey=30003XBA.PDF</a>	Alternatives to Chlorinated Solvents for Metal Cleaning: 1997		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	<a href="https://www.epa.gov/opa/legals/efectofederalism.html?OpenDocument&amp;Count=500&amp;Resort=Descending">https://www.epa.gov/opa/legals/efectofederalism.html?OpenDocument&amp;Count=500&amp;Resort=Descending</a>	Rulemakings by Effect: Federalism		X		X		X		X	
"List of Lists"	<a href="https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf">https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf</a>	Subject to the Emergency Planning and Community Right- To-Know Act	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCATS 2.0	<a href="https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform">https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform</a>	TSCATS Low Detail Report		X	X			X			X	
HPV challenge submissions	<a href="http://cfpub.epa.gov/hpv-s/">cfpub.epa.gov/hpv-s/</a>	N/A		X		X			X		X	
Office of Air: AQS	<a href="http://aqsd1.epa.gov/aqsweb/aqstmp/airdata/download_files.html#Annual">http://aqsd1.epa.gov/aqsweb/aqstmp/airdata/download_files.html#Annual</a>	Full file of 2016 AQS data; dichloromethane data included		X		X		X			X	
OPPT Monitoring Database	<a href="#">Monitoring database</a>	Monitoring database data		X		X		X			X	
TSCA Use Dossiers and Public Comments	<a href="https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/evaluating-risk-existing-chemicals-under-tsca#table">https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/evaluating-risk-existing-chemicals-under-tsca#table</a>	Posting Memo										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027</a>	submitted by Christine Ernst, Earthjustice										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056</a>	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046</a>	submitted by the Environmental Defense Fund (EDF)										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066</a>	submitted by Stephanie Fox-Rawlings, National Center for Health Research										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060</a>	submitted by Susan Inglis, Executive Director, Sustainable Furnishings										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068</a>	submitted by Juleen Lam, PhD, Associate Researcher, University of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022</a>	submitted by Christina Franz, Senior Director, Regulatory & Technical										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020</a>	submitted by Elizabeth Hitchcock, Government Affairs Director and										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025</a>	submitted by Ruthann Rudel, Kathryn Rodgers, Silent Spring Institute										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0026">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0026</a>	submitted by Breast Cancer Prevention Partners (BCCP)										TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019</a>	submitted by Adhesive and Sealant Council et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010</a>	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024</a>	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016</a>	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0003">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0003</a>	Manufacturing, Processing, Distribution, Use, and Disposal:									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030</a>	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021</a>	submitted by Anthony Schatz, Ph.D, Director Occupational Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007</a>	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009</a>	submitted by Learning Disabilities Association of America (LDA)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027</a>	submitted by Richard Krock, Vice President, Regulatory and Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019</a>	submitted by Kim Cox, Environmental Policy Manager, City of Portland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016</a>	submitted by Kevin Fay, Executive Director, Alliance for Responsible									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0016</a>	submitted by Rebecca J. Bernstein, Senior Director, Product Safety &									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0007">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0007</a>	submitted by the Center for Environmental Health (CEH)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0020</a>	submitted by James Cooper, Senior Petrochemical Advisor, American Fuel									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018</a>	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0034">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0034</a>	submitted by Joseph M. Zabel, Manager, NA RM & Substance									TSCA public comments are not tagged to specific discipline



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0014">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0014</a>	submitted by Leslie Riegler, Director of Environmental Policy, Aerospace									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026</a>	Campaign sponsored by Earthjustice (web)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0035">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0035</a>	submitted by Chip Wildes, Environmental Manager, Saft America									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0009">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0009</a>	submitted by Gerhard Haas, Vice President Research & Development,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0013">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0013</a>	submitted by Jonathan M. Gerber, Advanced Regulatory Specialist, 3M									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0019</a>	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0017">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0017</a>	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0033">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0033</a>	submitted by Kate Ryan, Manager, Health and Safety, ITW Polymers									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0025">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0025</a>	submitted by Raleigh Davis, Assistant Director, Environmental Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013</a>	submitted by Timothy A. Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0015">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0015</a>	submitted by Mary Miller, Celeste Monforton, Joe Zaroni, American									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0036">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0036</a>	submitted by Lee French, Associate Regulatory Manager, The Dow									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0038">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0038</a>	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006</a>	submitted by Chris Trahan Cain, Director of Safety and Health, North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021</a>	submitted by Lindsay McCormick, Chemicals and Health Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017</a>	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014</a>	Campaign sponsored by Earthjustice (web) (Revised)										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.epa.gov/sites/production/files/2015-09/documents/dcm_copthworkplanra_final.pdf">https://www.epa.gov/sites/production/files/2015-09/documents/dcm_copthworkplanra_final.pdf</a>	Assessment: Methylene Chloride - Paint Stripping Use - Final Draft										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0042">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0042</a>	submitted by Richard A. Denison, PhD., Senior Scientist and Rachel										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0041">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0041</a>	submitted by Richard A. Denison, Ph.D., Senior Scientist and Rachel										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0034">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0034</a>	submitted by Winslow Sargeant, Ph.D., Chief Counsel for Advocacy										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0033">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0033</a>	submitted by Annette Guiseppi-Elie, Ph.D., Principal Consultant, Risk										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0008">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0008</a>	Public Comment - Comment submitted by L. Costa										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0011">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0011</a>	submitted by Richard Denison, Environmental Defense Fund and										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0026">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0026</a>	submitted by Sarah E. Amick, Senior Counsel, Rubber Manufacturers										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0025">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0025</a>	submitted by Faye Graul, Executive Director, Halogenated Solvents										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0015">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0015</a>	Public Comment - Comment submitted by P. Fenner-Crisp										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0016</a>	submitted by Andy Nong, PhD, Research Scientist, Environmental										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.epa.gov/sites/production/files/2015-09/documents/dcm_responsecomments_final.pdf">https://www.epa.gov/sites/production/files/2015-09/documents/dcm_responsecomments_final.pdf</a>	Work Plan Risk Assessment - Summary of External Peer Review										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0020</a>	submitted by Kyle Pitsor, Vice President, Government Relations,										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0012">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0012</a>	submitted by Pamela Williams, E Risk Sciences, LLP										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0005">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0005</a>	Public Comment - Comment submitted by R. Harrison										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0014">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0014</a>	submitted by Kathleen M. Roberts, Manager, N-Methylpyrrolidone (NMP)										TSCA public comments are not tagged to specific discipline



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0009">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0009</a>	Public Comment - Comment submitted by J. Kissel									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0022">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0022</a>	submitted by Alexandra Whittaker, Esq., Counsel, Government Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0007">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0007</a>	submitted by Harvey J. Clewell, Director, Center for Human Health									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0013">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0013</a>	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0021</a>	Public Comment - Comment submitted by J. Quint Ph.D.									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0023">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0023</a>	submitted by Jennifer Sass, Ph.D., Senior Scientist, Natural Resources									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0047">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0047</a>	submitted by Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0010">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0010</a>	submitted by Miyoung Yoon, Ph.D., The Hamner Institutes for Health									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0024">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0024</a>	submitted by Nancy Beck and Christina Franz, Senior Director,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0006">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0006</a>	Public Comment - Comment submitted by T. Durrani									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.epa.gov/pesticide-production/files/2017-02/documents/fact_sheet_methylene_chloride_or_dichloromethane_dcm.pdf">https://www.epa.gov/pesticide-production/files/2017-02/documents/fact_sheet_methylene_chloride_or_dichloromethane_dcm.pdf</a>	Fact Sheet: Methylene Chloride or Dichloromethane (DCM)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.epa.gov/pesticide-production/files/2016-09/documents/om_consultated_peer_review_comments_december_31_2013.pdf">https://www.epa.gov/pesticide-production/files/2016-09/documents/om_consultated_peer_review_comments_december_31_2013.pdf</a>	Draft Risk Assessment Final Comments									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002</a>	Assessment: Peer Review Draft, 1 Bromopropane: Spray Adhesives, Dry									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0048">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0048</a>	submitted by American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0062">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0062</a>	submitted by Kathleen M. Roberts, Manager, N-Methylpyrrolidone									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0063">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0063</a>	submitted by Dr. Nancy Beck, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0049">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0049</a>	submitted by Dennis Shusterman, MD, MPH, Section Chief, HESIS,									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0043">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0043</a>	submitted by Christina Franz, American Chemistry Council (ACC)										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0044">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0044</a>	submitted by Kathleen M. Roberts, NMP Producers Group Manager, N-										TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	<a href="http://chem.sis.nlm.nih.gov/chemidplus/">http://chem.sis.nlm.nih.gov/chemidplus/</a>	searches, govt regulatory documents, consumer product databases, etc.		x		x		x			x	
NIH PubChem Compound Database	<a href="https://www.ncbi.nlm.nih.gov/pccompound">https://www.ncbi.nlm.nih.gov/pccompound</a>	pubmed, products, MSDS, Fate summaries, effluent conc, human	x		x		x			x		
NIH HazMap	<a href="http://hazmap.nlm.nih.gov/index.html">http://hazmap.nlm.nih.gov/index.html</a>	Contains links to HSDB, CHemID Plus, pubmed	x			x	x				x	
NIH Household Products Database	<a href="http://householdproducts.nlm.nih.gov/">http://householdproducts.nlm.nih.gov/</a>	containing ingredient, NLM databases HSB, TOXNET, ChemID Plus,		x		x	x				x	
NIH Hazardous Substance Data Bank (HSDB)	<a href="https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm">https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm</a>	Contains excerpts from peer reviewed lit in the same manner as pubchem	x		x		x			x		
NIH NLM Drug Information Portal	<a href="https://druginfo.nlm.nih.gov/drugportal/">https://druginfo.nlm.nih.gov/drugportal/</a>	DailyMed, Clinicaltrials.gov, HSDB, Medline/PubMed, Toxline, PubChem,		x		x	x				x	
NTP Report on Carcinogens (RoC)	<a href="https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#C">https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#C</a>	Carcinogens; 2 to 4 pages in length. This is a summary of the information	x			x	x			x		
CDC ATSDR Tox Profiles	<a href="http://www.atsdr.cdc.gov/toxprofiles/index.asp">http://www.atsdr.cdc.gov/toxprofiles/index.asp</a>	The pdf contains the ATSDR profile	x		x		x				x	
CDC ATSDR	<a href="https://www.atsdr.cdc.gov/toxprofiles/methylene_chloride_addendum.pdf?tid=1161&amp;tid=42">https://www.atsdr.cdc.gov/toxprofiles/methylene_chloride_addendum.pdf?tid=1161&amp;tid=42</a>	addendum to ToxProfile DCM	x		x		x			x		
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	Table 2 of PHA Sunflower Army Ammunition Plant		x		x	x				x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Wells G and H, Woburn MA		x		x	x				x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Philip Services Corp, Seattle, WA		x		x	x				x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC V&L Stripping, Green Bay, WI		x		x	x				x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	Letter HC Oxford NC		x		x	x				x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC Sutton Brook City of Tewksbury, MA		x		x	x				x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1008&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1008&amp;pg=1</a>	HC Fort Valley, GA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1118&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1118&amp;pg=4</a>	List of HCs and PHA's for IA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=418&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=418&amp;pg=4</a>	PHA Alpena, MI appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/BaghurstDriveNPLSite/Baghurst_Drive_NPL_Site_HC_03-08-2016_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/BaghurstDriveNPLSite/Baghurst_Drive_NPL_Site_HC_03-08-2016_508.pdf</a>	HC for Baghurst Dr NPL, PA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf">https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf</a>	HC North Indian Bend, Scottsdale AZ		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf">http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf</a>	HC North Indian Bend Area 7, Scottsdale, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1373&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1373&amp;pg=1</a>	HC 781 Airways Blvd., Jackson TN		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1141&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1141&amp;pg=2</a>	PHA Addendum Fort Lawn, NC		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1193&amp;pg=2">https://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1193&amp;pg=2</a>	PHA Milford, NH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=520&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=520&amp;pg=4</a>	List of HCs and PHA's for IL		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1314&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1314&amp;pg=4</a>	PHA Pierce County, MI appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=889&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=889&amp;pg=3</a>	PHA Indianapolis, IN		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/stateofarizona-silvercreeksuch/silvercreekhcfinal060305.pdf">https://www.atsdr.cdc.gov/hac/pha/stateofarizona-silvercreeksuch/silvercreekhcfinal060305.pdf</a>	HC Silver Creek Subdivision- Tucson AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1314&amp;pg=2">https://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1314&amp;pg=2</a>	PHA Pierce County, WA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=197&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=197&amp;pg=3</a>	PHA North Hempstead, NY appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/CloverdaleEvaluation/Evaluation/PotentialExposuretoContaminantsinPhreaticWater12-10-2009.pdf">https://www.atsdr.cdc.gov/HAC/pha/CloverdaleEvaluation/Evaluation/PotentialExposuretoContaminantsinPhreaticWater12-10-2009.pdf</a>	HC Cloverdale CA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=687&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=687&amp;pg=2</a>	PHA Oak Grove Township, conclusions		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/villageofwellington031705-oh/villageofwellington031705-oh.pdf">https://www.atsdr.cdc.gov/hac/pha/villageofwellington031705-oh/villageofwellington031705-oh.pdf</a>	HC Lorain County, OH		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=983&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=983&amp;pg=2</a>	List of HCs and PHA's for CT		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/newtonmonitoring-revised09-03-2009/newtonmonitoring09-03-2009.pdf">https://www.atsdr.cdc.gov/hac/pha/newtonmonitoring-revised09-03-2009/newtonmonitoring09-03-2009.pdf</a>	HC Nex Perce, NM		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1130&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1130&amp;pg=1</a>	HC Baker, WV		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=650&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=650&amp;pg=4</a>	List of HCs and PHA's for OH		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=266&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=266&amp;pg=4</a>	HC Fresh Kills Landfills, Staten Island NY tables		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=672&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=672&amp;pg=1</a>	PHA Cedar, MN		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Duwamish_Valley/Duwamish_Valley_%20HC%207-14-2008.pdf">https://www.atsdr.cdc.gov/HAC/pha/Duwamish_Valley/Duwamish_Valley_%20HC%207-14-2008.pdf</a>	PHA Duwamish Valley, Seattle WA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/NogalesWash/NogalesWashHC082106.pdf">https://www.atsdr.cdc.gov/HAC/pha/NogalesWash/NogalesWashHC082106.pdf</a>	HC Nogales, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/FormerCookevilleCleaners/FormerCookevilleCleanersHC082808.pdf">https://www.atsdr.cdc.gov/hac/pha/FormerCookevilleCleaners/FormerCookevilleCleanersHC082808.pdf</a>	HC Cookeville, TN		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=251&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=251&amp;pg=2</a>	HC City of Glen Clove, NY		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=295&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=295&amp;pg=2</a>	List of HCs and PHA's for PA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf">https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf</a>	PHA Great Neck, NY		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=984&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=984&amp;pg=2</a>	List of HCs and PHA's for CT		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=217&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=217&amp;pg=2</a>	PHA Huntington Landfill, NY Appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=3</a>	HC Northhampton, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=3</a>	HC Natick, MA conclusions		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=295&amp;pg=5">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=295&amp;pg=5</a>	List of HCs and PHA's for PA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/MeadowAvenuePCESite/MeadowAvePCESiteHC2-17-2009.pdf">https://www.atsdr.cdc.gov/hac/pha/MeadowAvenuePCESite/MeadowAvePCESiteHC2-17-2009.pdf</a>	HC Scranton PA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=304&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=304&amp;pg=2</a>	List of HCs and PHA's for PA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/NCESLandfill/NCES%20HC%2012-08-2008.pdf">https://www.atsdr.cdc.gov/hac/pha/NCESLandfill/NCES%20HC%2012-08-2008.pdf</a>	HC Bethlehem, NH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=220&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=220&amp;pg=4</a>	HC Hauppauge, NY appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=569&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=569&amp;pg=4</a>	List of HCs and PHA's for IL		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=20&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=20&amp;pg=3</a>	List of HCs and PHA's for CA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=92&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=92&amp;pg=1</a>	PHA Freeport, TX		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/LebanonRoad/LebanonRoadand#%20HC%206-10-2008.pdf">https://www.atsdr.cdc.gov/hac/pha/LebanonRoad/LebanonRoadand#%20HC%206-10-2008.pdf</a>	HC Lebanon Road Nashville, TN		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1194&amp;pg=4">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1194&amp;pg=4</a>	PHA Somersorth, NH appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=235&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=235&amp;pg=3</a>	PHA Central Islip, NY appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=420&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=420&amp;pg=2</a>	PHA Wynadotte, MI		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1312&amp;pg=7">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1312&amp;pg=7</a>	PHA Lower Duwamish Waterway, WA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/bmwillagedendicott/bm-historicaloutdoorairhc11.17.06.pdf">https://www.atsdr.cdc.gov/hac/pha/bmwillagedendicott/bm-historicaloutdoorairhc11.17.06.pdf</a>	HC Endicott, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=46&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=46&amp;pg=2</a>	PHA Point Comfort, TX		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Midlothian/AirQuality/Midlothian_VOCs_and_Metal_Exposures_HC_Final_11-17-2016_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/Midlothian/AirQuality/Midlothian_VOCs_and_Metal_Exposures_HC_Final_11-17-2016_508.pdf</a>	HC Midlothian, TX		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=876&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=876&amp;pg=1</a>	PHA Spencer, IN		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Reading070804HC-PA/appendicesA-8.pdf">https://www.atsdr.cdc.gov/HAC/pha/Reading070804HC-PA/appendicesA-8.pdf</a>	Appendix Comparison Values		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=257&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=257&amp;pg=2</a>	PHA Rampo Landfill, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/FronteraCreek/Appendix%20E_508.pdf">https://www.atsdr.cdc.gov/hac/pha/FronteraCreek/Appendix%20E_508.pdf</a>	Appendix E Summary of Environmental samples		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/SouthsideHighSchool/Southside%20High%20School_HC_Sep%202003_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/SouthsideHighSchool/Southside%20High%20School_HC_Sep%202003_508.pdf</a>	HC Southside High School, Elmira, NY		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/northindianbendwash93006/northindianbendwashhc093006.pdf">https://www.atsdr.cdc.gov/hac/pha/northindianbendwash93006/northindianbendwashhc093006.pdf</a>	HC North Indian Bend, Scottsdale AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf">https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf</a>	HC Ann Arbor, MI		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&amp;pg=5">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&amp;pg=5</a>	PHA Fairchild Air Force Base, WA appendices		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Riverfront-Evaluation093003-MO/Riverfront-Evaluation_HC093003.pdf">https://www.atsdr.cdc.gov/HAC/pha/Riverfront-Evaluation093003-MO/Riverfront-Evaluation_HC093003.pdf</a>	HC New Haven, MO		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/DWRChemicalSite071304-WV/DWRChemicalSite073104-WV_pt1.pdf">https://www.atsdr.cdc.gov/hac/pha/DWRChemicalSite071304-WV/DWRChemicalSite073104-WV_pt1.pdf</a>	HC Pennsboro, WV		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=391&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=391&amp;pg=2</a>	PHA Cinnaminson, NJ appendices		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/chillumPerc112404HC-MD/chillumPerc112404HC-MD.pdf">https://www.atsdr.cdc.gov/hac/pha/chillumPerc112404HC-MD/chillumPerc112404HC-MD.pdf</a>	HC, Chillum, Prince Gorge's, MD		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12finalhc032805.pdf">http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12finalhc032805.pdf</a>	HC, North Indian Bend Wash Area 12 Treatment Facility		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf">https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf</a>	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf">http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf</a>	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf">https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf</a>	ATSDR		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Norfolk Naval Base, VA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Fairchild Air Force Base, WA		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - SRG Global, GA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - IBM, NY	X			X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Cabo Rojo Ground Water Contamination Site, Puerto Rico		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=377&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=377&amp;pg=2</a>	PHA- Benedix Corp/Allied Automotic, St. Joseph, MI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Verona Well Field, MI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Duwamish Valley, WA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Chanute Air Force Base, IL		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Concord Naval Weapons Station, CA		X		X	X			X	
CDC Biomonitoring Tables	<a href="https://www.cdc.gov/exposurereport/index.html">https://www.cdc.gov/exposurereport/index.html</a>	NHANES Tables, Compiled		X		X	X			X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/81-123/pdfs/0414.pdf">https://www.cdc.gov/niosh/docs/81-123/pdfs/0414.pdf</a>	Occupational Safety and Health Guideline for Methylene Chloride	X		X			X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/81-123/pdfs/0414.pdf">https://www.cdc.gov/niosh/docs/81-123/pdfs/0414.pdf</a>			X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nppt/topics/respirators/disp_part/respsource3end.html">http://www.cdc.gov/niosh/nppt/topics/respirators/disp_part/respsource3end.html</a>	Ancillary Respirator Information- not relevant		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20024301.html">http://www.cdc.gov/niosh/nioshtic-2/20024301.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00093143.html">http://www.cdc.gov/niosh/nioshtic-2/00093143.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/00226066.html">https://www.cdc.gov/niosh/nioshtic-2/00226066.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/20042969.html">https://www.cdc.gov/niosh/nioshtic-2/20042969.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/pgms/worknotify/methylene_chloride_study.html">http://www.cdc.gov/niosh/pgms/worknotify/methylene_chloride_study.html</a>	Worker Health Study Summaries- Methylene Chloride	X			X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00120691.html">http://www.cdc.gov/niosh/nioshtic-2/00120691.html</a>	Exposures of Methylene Chloride Vapor; controlled human exposures		x		x	x		x		
CDC NIOSH	<a href="https://www.cdc.gov/niosh/face/pdfs/11CA009.pdf">https://www.cdc.gov/niosh/face/pdfs/11CA009.pdf</a>	Case report on exposure		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/00046813.html">https://www.cdc.gov/niosh/nioshtic-2/00046813.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20022850.html">http://www.cdc.gov/niosh/nioshtic-2/20022850.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00102914.html">http://www.cdc.gov/niosh/nioshtic-2/00102914.html</a>	Extent of exposure survey of methylene chloride.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00241812.html">http://www.cdc.gov/niosh/nioshtic-2/00241812.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/20035720.html">https://www.cdc.gov/niosh/nioshtic-2/20035720.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00182224.html">http://www.cdc.gov/niosh/nioshtic-2/00182224.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/00135142.html">https://www.cdc.gov/niosh/nioshtic-2/00135142.html</a>	biologic standard for the industrial worker by breath analysis.		x		x		x	x		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00222713.html">http://www.cdc.gov/niosh/nioshtic-2/00222713.html</a>	Links to EPA document		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20030242.html">http://www.cdc.gov/niosh/nioshtic-2/20030242.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1005.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1005.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20024303.html">http://www.cdc.gov/niosh/nioshtic-2/20024303.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00218742.html">http://www.cdc.gov/niosh/nioshtic-2/00218742.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00194793.html">http://www.cdc.gov/niosh/nioshtic-2/00194793.html</a>	of Methylene Chloride in Furniture Stripping at Colonial Furniture	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/170-11a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/170-11a.pdf</a>	methylene chloride in furniture stripping at Strip-Ease Co. of	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/face/pdfs/12ca002.pdf">https://www.cdc.gov/niosh/face/pdfs/12ca002.pdf</a>	Case report on exposure		x		x		x		x	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00050088.html">http://www.cdc.gov/niosh/nioshtic-2/00050088.html</a>	Methods for detection		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/face/stateface/mi/10mi013.html">http://www.cdc.gov/niosh/face/stateface/mi/10mi013.html</a>	Case report on exposure		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20032245.html">http://www.cdc.gov/niosh/nioshtic-2/20032245.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/topics/methylethylketone/">https://www.cdc.gov/niosh/topics/methylethylketone/</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/ipcsnfrn/nfrn0058.html">http://www.cdc.gov/niosh/ipcsnfrn/nfrn0058.html</a>	French version of the ICSC doc already recovered		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-23a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-23a.pdf</a>	furniture strippers in reducing the risk from methylene chloride stripping	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/00145125.html">https://www.cdc.gov/niosh/nioshtic-2/00145125.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-17a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-17a.pdf</a>	methylene chloride in furniture stripping at the J. M. Murray Center,	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0199-2033.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0199-2033.pdf</a>	Enseco, Inc., Rocky Mountain Analytical Laboratory, Arvada,	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20041433.html">http://www.cdc.gov/niosh/nioshtic-2/20041433.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00200546.html">http://www.cdc.gov/niosh/nioshtic-2/00200546.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1018-1.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1018-1.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1984-0214-1633.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1984-0214-1633.pdf</a>	HHE Report No. HETA-84-214-1633, Sheldahl, Inc., Northfield, Minnesota.	X			X		X	X		
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0130-1775.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0130-1775.pdf</a>	Owens-Illinois Glass Container Division, Hapeville, Georgia.	X			X		X	X		
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2522.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2522.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-16b.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-170-16b.pdf</a>	methylene chloride in furniture stripping at Kwick Kleen Industrial	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1001.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1001.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/20022408.html">https://www.cdc.gov/niosh/nioshtic-2/20022408.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00193258.html">http://www.cdc.gov/niosh/nioshtic-2/00193258.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0300-2208.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0300-2208.pdf</a>	L-Tec Welding and Cutting Systems Corporation, Florence, South	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/face/pdfs/12ia009.pdf">https://www.cdc.gov/niosh/face/pdfs/12ia009.pdf</a>	Case report on exposure		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/00059540.html">https://www.cdc.gov/niosh/nioshtic-2/00059540.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1404.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1404.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2535.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2535.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2520.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2520.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1606.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1606.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1613.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1613.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1017.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1017.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/170-19a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/170-19a.pdf</a>	methylene chloride in furniture stripping at Jet Strip, Boulder,	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2540-2.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2540-2.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00122402.html">http://www.cdc.gov/niosh/nioshtic-2/00122402.html</a>	Celanese Fibers Company, Celriver Plant, Rock Hill, South Carolina.	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/5006.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/5006.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/3800.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/3800.pdf</a>	Methods for detection		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1453.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1453.pdf</a>	Not chemical of interest		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1024.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1024.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/2027.pdf">https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/2027.pdf</a>	Methods for detection		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/9106.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/9106.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20020787.html">http://www.cdc.gov/niosh/nioshtic-2/20020787.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/79-141-711.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/79-141-711.pdf</a>	141-711, Fischer and Porter Company, Warminster, Pennsylvania.	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2540.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2540.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2014-151/pdfs/bud/5524_bud.pdf">https://www.cdc.gov/niosh/docs/2014-151/pdfs/bud/5524_bud.pdf</a>	Methods for detection; not chem of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/5018.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/5018.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/81-123/pdfs/0203.pdf">https://www.cdc.gov/niosh/docs/81-123/pdfs/0203.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2542.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2542.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2554.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2554.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1403.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1403.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2005-139/pdfs/2005-139.pdf">https://www.cdc.gov/niosh/docs/2005-139/pdfs/2005-139.pdf</a>	Contact lens use in chemical environment		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/npg/nengapdx.html">https://www.cdc.gov/niosh/npg/nengapdx.html</a>	Requirements for Selected Chemicals; Occupational control	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/5524.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/5524.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf</a>	Kraft General Foods, Inc., Maxwell House Coffee, Co., Houston, Texas.	X			X		X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0176-3215.pdf">http://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0176-3215.pdf</a>	evaluation of exposure to chemicals at a polymer additive manufacturing	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/firefighters/structthaz.html">http://www.cdc.gov/niosh/firefighters/structthaz.html</a>	covered in human health evaluation manual search		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/5525.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/5525.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/87-104/">https://www.cdc.gov/niosh/docs/87-104/</a>	Organic Solvent Neurotoxicity; secondary source, no new quantitative	X		X			X	X		
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf</a>	HETA-90-172-2076, Bussmann/Cooper Industries,	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf</a>	80-49-808, Superior Tube Company, Collegetown, Pennsylvania.	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/npg/npgdcas.html">http://www.cdc.gov/niosh/npg/npgdcas.html</a>	Exposure limit	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Source page for NIOSH resources on DCM (links captured below)	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	hazards- name (including synonyms/trade names),	X		X			X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Methylene Chloride Hazards for Bathtub Refinishers	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Questions and Answers: Methylene Chloride Control in Furniture Stripping	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Current Intelligence Bulletin 46- DCM	X			X		X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Standard: Occupational Exposure to Methylene Chloride	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0300-2993.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0300-2993.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0151-2475.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0151-2475.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf</a>	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2006-0059-3009.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2006-0059-3009.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0608-2423.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0608-2423.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0130-1775.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0130-1775.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0185-2675.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0185-2675.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0199-2033.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0199-2033.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0263-2817.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0263-2817.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0250-1888.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0250-1888.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="http://www.cdc.gov/niosh/hhe/reports/pdfs/78-48-622.pdf">http://www.cdc.gov/niosh/hhe/reports/pdfs/78-48-622.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="http://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0185-2675.pdf">http://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0185-2675.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0350-2084.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0350-2084.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1999-0144-2797.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1999-0144-2797.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0190-2491.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0190-2491.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0125-2021.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0125-2021.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0001-2436.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0001-2436.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0356-2851.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0356-2851.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2001-0303-2893.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2001-0303-2893.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0101-2341.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0101-2341.pdf</a>	Not chemical of interest	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2005-0201-3080.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2005-0201-3080.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0360-2372.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0360-2372.pdf</a>	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0262-2833.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0262-2833.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0011-2801.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0011-2801.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0075-1988.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0075-1988.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0123-2082.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0123-2082.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-18-691.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-18-691.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-7-985.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-7-985.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf</a>	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0206-1744.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0206-1744.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0083-2134.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0083-2134.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/72-84-31.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/72-84-31.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Immediately Dangerous to Life or Health	<a href="https://www.cdc.gov/niosh/idlh/75092.html">https://www.cdc.gov/niosh/idlh/75092.html</a>	health concentrations of DCM; occupational exposure limits, animal	X			X		X		X	
CDC NIOSH International Chemical Safety Cards (ICSC)	<a href="https://www.cdc.gov/niosh/ipcsneng/nengcas.html">https://www.cdc.gov/niosh/ipcsneng/nengcas.html</a>	properties, routes of exposure, occupational exposure limits	X		X			X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/drugs/development/CDER/CDERregulatoryinformation/guidances/ucm073395.pdf">http://www.fda.gov/downloads/drugs/development/CDER/CDERregulatoryinformation/guidances/ucm073395.pdf</a>	Guidance for Industry (Q3C)- Tables and List (Revision 2, 2012)	X			X	X			X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071574.htm">http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071574.htm</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/06e0516/06e-0516-app0001-02-vol1.pdf">http://www.fda.gov/ohrms/dockets/dockets/06e0516/06e-0516-app0001-02-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm111516.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm111516.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/OHRMS/DOCKETS/98fr/032800E.txt">http://www.fda.gov/OHRMS/DOCKETS/98fr/032800E.txt</a>	Federal Register		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/95s0316/rpt0047_01.pdf">http://www.fda.gov/ohrms/dockets/dockets/95s0316/rpt0047_01.pdf</a>	Example quality protocol testing for trace DCM		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BioLogics/Blood/Vaccines/GuidanceComplianceRegulatoryInformation/ucm331329.htm">http://www.fda.gov/BioLogics/Blood/Vaccines/GuidanceComplianceRegulatoryInformation/ucm331329.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/98fr/01b-0431-gdl0001.pdf">http://www.fda.gov/ohrms/dockets/98fr/01b-0431-gdl0001.pdf</a>	(Q3C)- has guidance levels on levels, classification		X		X	X			X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/95s0316/rpt0047_01.pdf">http://www.fda.gov/ohrms/dockets/dockets/95s0316/rpt0047_01.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dailys/00/jun00/061900/rpt0065_tab8.pdf">http://www.fda.gov/ohrms/dockets/dailys/00/jun00/061900/rpt0065_tab8.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/drugs/newsevents/ucm422379.pdf">http://www.fda.gov/downloads/drugs/newsevents/ucm422379.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/98fr/051999A.txt">http://www.fda.gov/ohrms/dockets/98fr/051999A.txt</a>	Federal Register		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071537.htm">http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071537.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/06/briefing/2006-4254b_07_05_KP%20Oncarabazine.pdf">http://www.fda.gov/ohrms/dockets/ac/06/briefing/2006-4254b_07_05_KP%20Oncarabazine.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AboutFDA/WhatWeDo/History/Oral-Histories/SelectedOral-History-Transcripts/UCM300423.pdf">http://www.fda.gov/downloads/AboutFDA/WhatWeDo/History/Oral-Histories/SelectedOral-History-Transcripts/UCM300423.pdf</a>	Talk on history of FDA, mentions DCM		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ICECI/ComplianceManuals/CompliancePolicyGuidanceManual/ucm074468.htm">http://www.fda.gov/ICECI/ComplianceManuals/CompliancePolicyGuidanceManual/ucm074468.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ScienceResearch/FieldScience/ucm173343.htm">http://www.fda.gov/ScienceResearch/FieldScience/ucm173343.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113651.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113651.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-04-CP246-Mentor.pdf">http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-04-CP246-Mentor.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DrugSafety/InformationbyDrugClass/UCM168869.pdf">http://www.fda.gov/downloads/Drugs/DrugSafety/InformationbyDrugClass/UCM168869.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071511.htm">http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071511.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dailys/00/feb00/022900/c000002.pdf">http://www.fda.gov/ohrms/dockets/dailys/00/feb00/022900/c000002.pdf</a>	Public Comment, not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/OHRMS/DOCKETS/98fr/131675ea.pdf">http://www.fda.gov/OHRMS/DOCKETS/98fr/131675ea.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071796.htm">http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071796.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/98fr/01e-0365-prc0001-03-exhibit-02-vol1.pdf">http://www.fda.gov/ohrms/dockets/98fr/01e-0365-prc0001-03-exhibit-02-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Animal/Veterinary/GuidanceComplianceEnforcement/GuidanceofIndustry/ucm052441.pdf">http://www.fda.gov/downloads/Animal/Veterinary/GuidanceComplianceEnforcement/GuidanceofIndustry/ucm052441.pdf</a>	residual solvents in new veterinary medicinal products, active substances	X			X	X			X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113662.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113662.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/00/reports/3657_rpt1_DOC">http://www.fda.gov/ohrms/dockets/ac/00/reports/3657_rpt1_DOC</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm463539.htm">http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm463539.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113702.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113702.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/OHRMS/DOCKETS/98fr/03-32101.htm">http://www.fda.gov/OHRMS/DOCKETS/98fr/03-32101.htm</a>	Federal Register		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0274-24-Miki-vol210.pdf">http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0274-24-Miki-vol210.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/05e0255/05e-0255-app0001-02-Exhibit-A-vol1.pdf">http://www.fda.gov/ohrms/dockets/dockets/05e0255/05e-0255-app0001-02-Exhibit-A-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm09213.pdf">http://www.fda.gov/downloads/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm09213.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM069093">http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM069093</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/OHRMS/DOCKETS/98fr/04d-0002-qd10001.pdf">http://www.fda.gov/OHRMS/DOCKETS/98fr/04d-0002-qd10001.pdf</a>	Not relevant		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dailys/04/jul/04/071504/04e-0314-app0001-E Exhibit-B-vol1.pdf">http://www.fda.gov/ohrms/dockets/dailys/04/jul/04/071504/04e-0314-app0001-E Exhibit-B-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/medicaldevices/deviceregulationandguidance/guidancedocuments/ucm071233.pdf">http://www.fda.gov/downloads/medicaldevices/deviceregulationandguidance/guidancedocuments/ucm071233.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/05p0487/05p-0487-cp00001-01-vol1.pdf">http://www.fda.gov/ohrms/dockets/dockets/05p0487/05p-0487-cp00001-01-vol1.pdf</a>	Petition about other chemicals (not DCM) to be banned from nail polish		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/08/briefing/2008-4344b1_03_06_Topof%20X1%20Label.pdf">http://www.fda.gov/ohrms/dockets/ac/08/briefing/2008-4344b1_03_06_Topof%20X1%20Label.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/98n0182/nom003b.pdf">http://www.fda.gov/ohrms/dockets/dockets/98n0182/nom003b.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticesInventory/ucm337464.pdf">http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticesInventory/ucm337464.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/07p0072/07p-0072-cp00001-03-Attachment-02-vol1.pdf">http://www.fda.gov/ohrms/dockets/dockets/07p0072/07p-0072-cp00001-03-Attachment-02-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/MedicalDevices/ProductionandMedicalProcedure/GeneralHospitalDevicesandSupplies/ucm298118.htm">http://www.fda.gov/MedicalDevices/ProductionandMedicalProcedure/GeneralHospitalDevicesandSupplies/ucm298118.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/07p0150/07p-0150-bkg0001-01-vol1.pdf">http://www.fda.gov/ohrms/dockets/dockets/07p0150/07p-0150-bkg0001-01-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/01/slides/3763e1_13_11fa-lpac-rs%20public%20speaker.pdf">http://www.fda.gov/ohrms/dockets/ac/01/slides/3763e1_13_11fa-lpac-rs%20public%20speaker.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072159">http://www.fda.gov/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072159</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/ScienceResearch/FieldScience/UCM173832">http://www.fda.gov/downloads/ScienceResearch/FieldScience/UCM173832</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/98fr/070698a.pdf">http://www.fda.gov/ohrms/dockets/98fr/070698a.pdf</a>	Federal Register		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/04/briefing/2004-4083b1_02_executive%20summary.pdf">http://www.fda.gov/ohrms/dockets/ac/04/briefing/2004-4083b1_02_executive%20summary.pdf</a>	DCM noted as being used in synthesis of PEG ester	X			X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-02-Appendix-01-Mentor.pdf">http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-02-Appendix-01-Mentor.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/.../Guidances/UCM073401.pdf">http://www.fda.gov/downloads/Drugs/.../Guidances/UCM073401.pdf</a>	Solvents (mentions human health tox study data, PDE for humans)		X		X	X		X		
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072163.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072163.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072165.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072165.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/GRAS/GRASPackaging/ucm072401.htm">http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/GRAS/GRASPackaging/ucm072401.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm111512.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm111512.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/ucm063114.pdf">http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/ucm063114.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ucm/groups/fda-gov-public/@fda-gov-av-gen/documents/document/ucm072217.pdf">http://www.fda.gov/ucm/groups/fda-gov-public/@fda-gov-av-gen/documents/document/ucm072217.pdf</a>	DCM used as solvent		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072167.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072167.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072342.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072342.pdf</a>	DCM used as solvent		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072093.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072093.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm153708.htm">http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm153708.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071549.htm">http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm071549.htm</a>	not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ucm/groups/fda-gov-public/@fda-gov-av-gen/documents/document/ucm072090.pdf">http://www.fda.gov/ucm/groups/fda-gov-public/@fda-gov-av-gen/documents/document/ucm072090.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm153934.htm">http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm153934.htm</a>	DCM used as solvent		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/NewsEvents/Testimony/ucm297215.htm">http://www.fda.gov/NewsEvents/Testimony/ucm297215.htm</a>	Mentions DCM not allowed in cosmetics, info covered elsewhere		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DrugSafety/InformationbyDrugClass/UCM168868.pdf">http://www.fda.gov/downloads/Drugs/DrugSafety/InformationbyDrugClass/UCM168868.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm269005.pdf">http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm269005.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrtms/dockets/oc/05/briefing/2005-4101b1_Tab-1_fda-Mentor%20Panel%20Memo.pdf">http://www.fda.gov/ohrtms/dockets/oc/05/briefing/2005-4101b1_Tab-1_fda-Mentor%20Panel%20Memo.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Cosmetics/GuidanceRegulation/GuidanceDocuments/ucm353046.htm">http://www.fda.gov/Cosmetics/GuidanceRegulation/GuidanceDocuments/ucm353046.htm</a>	cosmetics (21 CFR 700.19); already covered in other doc		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0243-30-Othman-vol178.pdf">http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0243-30-Othman-vol178.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072266.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072266.pdf</a>	DCM used in livestock drug production process	X			X		X		X	
FDA Food and Drug Administration	<a href="https://www.fda.gov/Cosmetics/GuidanceRegulation/LawsRegulations/ucm127406.htm">https://www.fda.gov/Cosmetics/GuidanceRegulation/LawsRegulations/ucm127406.htm</a>	Prohibited and Restricted Ingredients in Cosmetics-		X		X	X			X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/ScienceResearch/UCM220209.pdf">http://www.fda.gov/downloads/ScienceResearch/UCM220209.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072267.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072267.pdf</a>	Mentions OSHA limits of DCM exposure		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM030762.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM030762.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072264.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM072264.pdf</a>	methylene chloride used as solvent		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113642.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm113642.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ucm/groups/fda.gov-public/@fda.gov-av-gen/documents/document/ucm072265.pdf">http://www.fda.gov/ucm/groups/fda.gov-public/@fda.gov-av-gen/documents/document/ucm072265.pdf</a>	Lab protocol (DCM solvent disposal mentioned briefly)		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0236-12-Turjuman-vol170.pdf">http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0236-12-Turjuman-vol170.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRA/NoticeInventory/ucm263805.pdf">http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRA/NoticeInventory/ucm263805.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-04-CP411-Mentor.pdf">http://www.fda.gov/ohrms/dockets/ac/05/briefing/2005-4101B1-01-04-CP411-Mentor.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM218910.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM218910.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dockets/99n1174/ts00020.pdf">http://www.fda.gov/ohrms/dockets/dockets/99n1174/ts00020.pdf</a>	Written testimony, mentions DCM (human health)		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/daily/04/aug04/081704/87c-0023-bkg0001-ref0001-vol1.pdf">http://www.fda.gov/ohrms/dockets/daily/04/aug04/081704/87c-0023-bkg0001-ref0001-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM071990.pdf">http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM071990.pdf</a>	Not relevant, DCM used in extract of other chemical for mutagenicity test		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/LawsActsandRules/ucm085214.pdf">http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/LawsActsandRules/ucm085214.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ucm/groups/foodgov-public/@fda.gov-av-gen/documents/document/ucm072316.pdf">http://www.fda.gov/ucm/groups/foodgov-public/@fda.gov-av-gen/documents/document/ucm072316.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/ohrms/dockets/dailys/03/Feb03/020703/8004db32.pdf">http://www.fda.gov/ohrms/dockets/dailys/03/Feb03/020703/8004db32.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/food/ingredientspackaginglabeling/GRAS/NotifiedIngredients/ucm268161.pdf">http://www.fda.gov/downloads/food/ingredientspackaginglabeling/GRAS/NotifiedIngredients/ucm268161.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=173.255">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=173.255</a>	Code of Federal Regulations, 21CFR173.255		X		X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020966s017s018s020bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020966s017s018s020bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020083s040s041s044bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020083s040s041s044bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/applletter/2011/020591s012lir.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/applletter/2011/020591s012lir.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=73.1">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=73.1</a>	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=177.1630">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=177.1630</a>	Code of Federal Regulations, 21CFR177.1630		X		X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020657s025bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020657s025bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/020822a_admindocs_corres_P3.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/020822a_admindocs_corres_P3.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/018303s033bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/018303s033bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21346_Risperidol%20Constat%20Liq_Activity%20Injection_chemr_PDF">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21346_Risperidol%20Constat%20Liq_Activity%20Injection_chemr_PDF</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf15/K152978.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf15/K152978.pdf</a>	DCM in product, no levels reported		X		X	X			X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=177.1580">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=177.1580</a>	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=700.19">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=700.19</a>	Code of Federal Regulations, CFR700.19		X		X	X			X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?CFRPart=700">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?CFRPart=700</a>	Federal regulation, no quantitative amounts		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/021287s011lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/021287s011lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/021008a_phrmr.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/021008a_phrmr.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/201023s000ChemR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/201023s000ChemR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022256s000_ChemR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022256s000_ChemR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.104&amp;SearchTerm=acetyl%20butyryl%20choline">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.104&amp;SearchTerm=acetyl%20butyryl%20choline</a>	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/20749s1r004_lamisil_lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/20749s1r004_lamisil_lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/cms_ia/importalert_131.html">http://www.accessdata.fda.gov/cms_ia/importalert_131.html</a>	Warning alert for public		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021704Orig1s008lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021704Orig1s008lbl.pdf</a>	Product label for drug with DCM, no quantitative amounts		X		X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.104&amp;SearchTerm=acetyl%20butyryl%20choline">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.104&amp;SearchTerm=acetyl%20butyryl%20choline</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=27974">http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=27974</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2007/021742s000_ChemR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2007/021742s000_ChemR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/19796s8s15lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/19796s8s15lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/ScienceForums/forum96/A-19.htm">http://www.accessdata.fda.gov/ScienceForums/forum96/A-19.htm</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/207631Orig1s000lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/207631Orig1s000lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2004/20539s1r012_lamisil_lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2004/20539s1r012_lamisil_lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.560">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.560</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.560">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfFRSearch.cfm?fr=172.560</a>	Code of Federal Regulations, 21CFR172.560		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022377Orig1s000MedR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022377Orig1s000MedR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=4879">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=4879</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/1999/20966lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/1999/20966lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/017963s068lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/017963s068lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/019834s025lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/019834s025lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020599s013lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020599s013lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/020528s024lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/020528s024lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020528s020_020591s020lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020528s020_020591s020lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/21385_Ertaczo_lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/21385_Ertaczo_lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020757s056lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020757s056lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/018303s032lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/018303s032lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/021431s013lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/021431s013lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021526s002lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021526s002lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/021704s007lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/021704s007lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/cdrh_docs/pdf6/P060028b.pdf">http://www.accessdata.fda.gov/cdrh_docs/pdf6/P060028b.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/020528s012lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/020528s012lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/19881s009_0ynazole_lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/19881s009_0ynazole_lbl.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020757s055bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020757s055bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/019906s039bl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/019906s039bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2011/020757s064bl.pdf">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2011/020757s064bl.pdf</a>	DCM listed as ingredient in drug		X		X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/019962s036bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/019962s036bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/020591s026bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/020591s026bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020667s025bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020667s025bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2014/020757s064bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2014/020757s064bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021956s003bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021956s003bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/019962s038bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/019962s038bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2008/022325s000_ChemR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2008/022325s000_ChemR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/017963s062_018704s021bl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/017963s062_018704s021bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/018704s025bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/018704s025bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2001/20726S006LBL.PDF">http://www.accessdata.fda.gov/drugsatfda_docs/label/2001/20726S006LBL.PDF</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2008/017963s062_018704s021bl.pdf">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2008/017963s062_018704s021bl.pdf</a>	Federal regulation, not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2008/017963s062_018704s021bl.pdf">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdrugsatfda_docs/label/2008/017963s062_018704s021bl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-323.pdf_Lexapro_AdminCorres_P2.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-323.pdf_Lexapro_AdminCorres_P2.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/019962s032bl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/019962s032bl.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/021566s005lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/021566s005lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2004/020726s011lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2004/020726s011lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/20272s-26-27-20588s-17-18-2144s-2-3_risperdal_lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/20272s-26-27-20588s-17-18-2144s-2-3_risperdal_lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/019668s021lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/019668s021lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020591s018lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/020591s018lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/203858s000lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/203858s000lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/019906s037lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/019906s037lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?fref=177.1585">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?fref=177.1585</a>	21CFR177.1585, regulatory levels permitted in resin		X		X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/020406s064_021281s021_021428s012lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/020406s064_021281s021_021428s012lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2005/021014s013lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2005/021014s013lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/019906s34lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/019906s34lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/021999lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/021999lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022268s000_ChemR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022268s000_ChemR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2004/20083s034_035lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2004/20083s034_035lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/050757s017lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/050757s017lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020657s027lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020657s027lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/050757s015lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/050757s015lbl.pdf</a>	Not relevant		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/50757slr006.008_prevpac_lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/50757slr006.008_prevpac_lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/cfrsearch.cfm?fr=177.1640">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/cfrsearch.cfm?fr=177.1640</a>	DCM used as solvent		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020839s044lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020839s044lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020657s011s018s019s021lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020657s011s018s019s021lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2007/020726s014lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2007/020726s014lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=182">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=182</a>	Not chemical of interest		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021346s015lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021346s015lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020083s048s049s050lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020083s048s049s050lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?fr=177.1520">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?fr=177.1520</a>	Not chemical of interest		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/020657s032lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/020657s032lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/020372s013lbl.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/020372s013lbl.pdf</a>	Not relevant		X		X		X		X	
FDA Everything Added to Food in the United States (EAFUS)	<a href="http://www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/ucm115326.htm">http://www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/ucm115326.htm</a>	includes use info and short notations on use limitations for each additive.		X		X	X			X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/organic/org080/org080.html">https://www.osha.gov/dts/sltc/methods/organic/org080/org080.html</a>	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/osha3144.html">https://www.osha.gov/Publications/osha3144.html</a>	Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/data/CH_253450.html">https://www.osha.gov/dts/chemicalsampling/data/CH_253450.html</a>	Chemical Sampling Information   Methylene Chloride   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/osta/otm/otm_ii/otm_ii_2.html">https://www.osha.gov/dts/osta/otm/otm_ii/otm_ii_2.html</a>	OSHA Technical Manual (OTM)   Section II: Chapter 2 - Surface ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/hazards.html">https://www.osha.gov/SLTC/methylenechloride/hazards.html</a>	duplicate; links to other agency websites		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/OSHA3883.pdf">https://www.osha.gov/Publications/OSHA3883.pdf</a>	Lethal Exposure to Methylene Chloride during Bathtub Refinishing	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno3.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno3.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno7.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno7.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=29475">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=29475</a>	2016 - 01/27/2016 - Worker deglazing bathtub in public housing ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno1.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno1.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno6.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno6.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/solutions.html">https://www.osha.gov/SLTC/methylenechloride/solutions.html</a>	links to other agency websites		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/exposure.html">https://www.osha.gov/SLTC/methylenechloride/exposure.html</a>	links to other agency websites		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/">https://www.osha.gov/SLTC/methylenechloride/</a>	Safety and Health Topics   Methylene Chloride   Occupational Safety ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13852">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13852</a>	Methylene Chloride; Final Rule. - 63:50711-50732   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13600">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13600</a>	Occupational Exposure to Methylene Chloride - 62:1494-1619 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13194">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13194</a>	Occupational Exposure to Methylene Chloride - 56:57036 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&amp;p_id=2262">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&amp;p_id=2262</a>	CPL 2-2.68 - Inspection Procedures for Occupational Exposure to ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10904">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10904</a>	Methylene Chloride. - 1926.1152   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno2.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno2.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/most_freq_cited_1910-1052.html">https://www.osha.gov/SLTC/methylenechloride/most_freq_cited_1910-1052.html</a>	Safety and Health Topics   Methylene Chloride - Most Frequently ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication.athruz?pType=Industry&amp;pID=139">https://www.osha.gov/pls/publications/publication.athruz?pType=Industry&amp;pID=139</a>	duplicate		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno10.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/mcfsno10.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/additionalinformation.html">https://www.osha.gov/SLTC/methylenechloride/additionalinformation.html</a>	Safety and Health Topics   Methylene Chloride - Additional Information		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10094">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10094</a>	Methylene Chloride. - 1910.1052   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10097">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10097</a>	links to other agency websites		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10327">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10327</a>	Methylene Chloride. - 1915.1052		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6505">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6505</a>	1218-AC23 - Methylene Chloride (Section 610 Review ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=29211">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=29211</a>	Workers exposed to high levels of methylene chloride, multiple ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22436">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22436</a>	06/27/1997 - OSHA's Methylene Chloride Standard   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22526">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22526</a>	02/06/1998 - Partial Stay of Methylene Chloride Standard ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=24566">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=24566</a>	Determination of airborne concentrations of methylene chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=17594">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=17594</a>	OSHA's Methylene Chloride standard ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dna/lookback/MC-lookback-Feb-2010-final-for-publication-May-2010.pdf">https://www.osha.gov/dna/lookback/MC-lookback-Feb-2010-final-for-publication-May-2010.pdf</a>	Regulatory Review of	X			X		X	X		
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/mis/AccidentSearch.search?acc_keyword=%22Methylene%20Chloride%22&amp;keyword_list=on">https://www.osha.gov/pls/mis/AccidentSearch.search?acc_keyword=%22Methylene%20Chloride%22&amp;keyword_list=on</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/hazardalerts/methylene_chloride_hazard_alert.html">https://www.osha.gov/dts/hazardalerts/methylene_chloride_hazard_alert.html</a>	HAZARD ALERT - Methylene Chloride Hazards for Bathtub ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&amp;p_id=13359">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&amp;p_id=13359</a>	Occupational Exposure to Methylene Chloride - 59:11567-11569 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22444">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22444</a>	07/03/1997 - OSHA's Methylene Chloride Standard.   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22655">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22655</a>	11/20/1998 - Amendments to methylene chloride standard ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=25037">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=25037</a>	Activities; Submission for OMB Review		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=24945">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=24945</a>	Methylene Chloride Standard; Extension of the Office of ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22423">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22423</a>	06/05/1997 - OSHA's Methylene Chloride Standard.   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13718">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13718</a>	Methylene Chloride; Amendment; Extension of Start-up Dates - 62 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-02-070.pdf">https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-02-070.pdf</a>	CPL 02-02-070 - CPL 2-2.70 - Inspection Procedures for ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6436">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6436</a>	1218-AC23 - 1830. METHYLENE CHLORIDE (SECTION 610 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13743">http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13743</a>	Methylene Chloride; Partial Stay - 62:66275-66277   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/organic/org059/org059.html">https://www.osha.gov/dts/sltc/methods/organic/org059/org059.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=23424">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=23424</a>	07/07/1997 - Petition for modification of OSHA's Methylene Chloride ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=21467">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=21467</a>	Notice of Availability of the Regulatory Flexibility Act Review of the ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13696">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13696</a>	Methylene Chloride; Approval of Information Collection Requirements		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13710">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13710</a>	Methylene Chloride; Amendment; Extension of Start-Up Date. - 62 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22630">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=22630</a>	provisions of the Methylene Chloride standard.		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="http://osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6375">http://osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=6375</a>	1218-AC23 - 2133. &#8226; METHYLENE CHLORIDE ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=12960">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=12960</a>	Methylene Chloride - 51:42257-66   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=23358">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=23358</a>	Activities; Submission for OMB Review		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=20362">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=20362</a>	Methylene Chloride Standard; Extension of the Office of ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&amp;p_id=19693">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&amp;p_id=19693</a>	Regulatory Flexibility Act Review of the Methylene Chloride Standard	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10096">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10096</a>	Medical Surveillance for Methylene Chloride. - 1910.1052 App B ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=20240">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=20240</a>	Regulatory Flexibility Act Review of the Methylene Chloride Standard		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=16656">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=16656</a>	Methylene Chloride Standard (29 CFR 1910.1052); Extension of the ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10096">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10096</a>	1910.1052 - Methylene Chloride.		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998</a>	Intro to 29 CFR Parts 1910, 1915 and 1926, Occupational Exposure ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=998</a>	Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1000">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1000</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1001">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1001</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=999">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=999</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1002">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1002</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1003">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1003</a>	Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1004">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1004</a>	Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005</a>	Methylene Chloride		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1007">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1007</a>	Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008</a>	Methylene Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/plis/mis/accidentsearch/accident_detail?id=202456232">https://www.osha.gov/plis/mis/accidentsearch/accident_detail?id=202456232</a>	NA		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=20403">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=20403</a>	2011 - 08/01/2011 - US Labor Department's OSHA cites Georgia ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Accident Search Results Page   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/plis/mis/generalsearch/citation_detail?id=314662677&amp;cit_id=01025C">https://www.osha.gov/plis/mis/generalsearch/citation_detail?id=314662677&amp;cit_id=01025C</a>	Citation 314662677/01025C   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Federal Registers Results   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/factsheets/meth_facts.html">https://www.osha.gov/SLTC/methylenechloride/factsheets/meth_facts.html</a>	Safety and Health Topics   Methylene Chloride - Small Entity ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/as/opa/quicktakes/qt081516.html">https://www.osha.gov/as/opa/quicktakes/qt081516.html</a>	OSHA QuickTakes - Bi-Weekly E-News Memo   Occupational Safety ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2140/pv2140.html">https://www.osha.gov/dts/sltc/methods/partial/pv2140/pv2140.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/as/opa/quicktakes/qt03012012.html">https://www.osha.gov/as/opa/quicktakes/qt03012012.html</a>	OSHA QuickTakes - March 1, 2012   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2101-01-8802-ch/pv2101-01-8802-ch.html">https://www.osha.gov/dts/sltc/methods/partial/pv2101-01-8802-ch/pv2101-01-8802-ch.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19399">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19399</a>	03/12/1986 - Hazard evaluation requirements under the Hazard ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=26997">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=26997</a>	2014 - 11/13/2014 - New OSHA program will focus on Nebraska ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=25809">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=25809</a>	1910.1052   Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=25809">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=25809</a>	2014 - 04/02/2014 - US Department of Labor's OSHA cites cabinetry ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1009">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1009</a>	Section 9 - IX. Environmental Impact   Occupational Safety and ...	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/organic/orq080/orq080.html">https://www.osha.gov/dts/sltc/methods/organic/orq080/orq080.html</a>	detection method	X			X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Federal Registers Results   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13690">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13690</a>	Federal Registers Results   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration		Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=938">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=938</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=748">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=748</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=777">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=777</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=768">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=768</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=857">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=857</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=933">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=933</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=742">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=742</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1002">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1002</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1007">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1007</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=849">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=849</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1055">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1055</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1006">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1006</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X	X			X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1000">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1000</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1053">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1053</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1005</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=770">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=770</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1003">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1003</a>	Regulations (Preambles to Final Rules) Results   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1004">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1004</a>	Regulations (Preambles to Final Rules) Results   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch/accident_detail?id=734673">https://www.osha.gov/pls/imis/accidentsearch/accident_detail?id=734673</a>	NA	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2013/2013.html">https://www.osha.gov/dts/sltc/methods/partial/pv2013/2013.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/etools/shipyard/ship_breaking/surfaceprep/index_sp.html">https://www.osha.gov/SLTC/etools/shipyard/ship_breaking/surfaceprep/index_sp.html</a>	Shipyard Employment eTool > Shipbreaking: Surface Preparation ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/studies/skc575/skc575.html">https://www.osha.gov/dts/sltc/methods/studies/skc575/skc575.html</a>	Sampling and Analytical Methods   Determination of the Sampling ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication.html">https://www.osha.gov/pls/publications/publication.html</a>	OSHA Publications   Occupational Safety and Health Administration	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/data/CH_245800.html">https://www.osha.gov/dts/chemicalsampling/data/CH_245800.html</a>	Chemical Sampling Information   Hexylene Glycol		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=27813">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=27813</a>	2015 - 04/20/2015 - Follow up OSHA inspections identify new and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/annotated-pels/tablez-1.html">https://www.osha.gov/dsg/annotated-pels/tablez-1.html</a>	OSHA Annotated PELs   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/methylenechloride/standards.html">https://www.osha.gov/SLTC/methylenechloride/standards.html</a>	Safety and Health Topics   Methylene Chloride - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=1008</a>	Section 8 - VIII. Summary of the Final Economic Analysis ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=19980">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=19980</a>	2011 - 06/09/2011 - US Department of Labor's OSHA cites ...	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=20238">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=20238</a>	04/08/1991 - Use of Blood Carboxyhemoglobin to Document ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=26514">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&amp;p_id=26514</a>	2014 - 10/02/2014 - Somerville, New Jersey, company fined ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/hazardoustoxicsubstances/requirements.html">https://www.osha.gov/SLTC/hazardoustoxicsubstances/requirements.html</a>	Safety and Health Topics   Chemical Hazards and Toxic Substances ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2106-01-9106-cht-pv2106-01-9106-ch.html">https://www.osha.gov/dts/sltc/methods/partial/pv2106-01-9106-cht-pv2106-01-9106-ch.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/organic/org083/org083.html">https://www.osha.gov/dts/sltc/methods/organic/org083/org083.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=200534865">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=200534865</a>	NA	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=200851608">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=200851608</a>	NA	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/organic/org018/org018.html">https://www.osha.gov/dts/sltc/methods/organic/org018/org018.html</a>	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10095">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10095</a>	Technical Guidelines for Methylene Chloride	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;id=13600">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;id=13600</a>	DOL summary of DCM final rule	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/hazardalerts/methylene_chloride_hazard_alert.html">https://www.osha.gov/dts/hazardalerts/methylene_chloride_hazard_alert.html</a>	HAZARD ALERT - Methylene Chloride Hazards for Bathtub ...	X			X		X		X	
OSHA Chemical Exposure Health Data	<a href="https://www.osha.gov/openqov/healthsamples.html">https://www.osha.gov/openqov/healthsamples.html</a>	OSHA PELs and general information	X			X		X		X	
NIST	<a href="https://www.nist.gov/node/735136">https://www.nist.gov/node/735136</a>	Peer reviewed		X		X		X		X	
NIST	<a href="https://www.nist.gov/programs-projects/web-force-field-webff">https://www.nist.gov/programs-projects/web-force-field-webff</a>	Project page		X		X		X		X	
NIST	<a href="https://www.nist.gov/programs-projects/polymer-microspheres-co-flow-extrusion-homeland-security">https://www.nist.gov/programs-projects/polymer-microspheres-co-flow-extrusion-homeland-security</a>	Polymer Microspheres by Co-Flow Extrusion for Homeland Security ...		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-11688">https://www.nist.gov/document-11688</a>	Raman Antenna Effect in Semiconducting Nanowires*		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-15604">https://www.nist.gov/document-15604</a>	New NIST SRMs		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/2%20Part%20General%20Facility%20Conditions.pdf">https://energy.gov/sites/prod/files/2015/06/f23/2%20Part%20General%20Facility%20Conditions.pdf</a>	PART 2 - GENERAL FACILITY CONDITIONS		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/em/2001_Agreements/Order2005-0022CleanupSLAC.pdf">https://energy.gov/sites/prod/files/em/2001_Agreements/Order2005-0022CleanupSLAC.pdf</a>	QUALITY CONTROL BOARD SAN FRANCISCO BAY REGION		X		X	X			X	
Department of Energy	<a href="https://energy.gov/eere/amo/improved-methods-production-polyurethane-foam">https://energy.gov/eere/amo/improved-methods-production-polyurethane-foam</a>	PRODUCTION OF POLYURETHANE FOAM: NEW SURFACTANTS		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/09/f18/ATLDOE-VPLPletterReportFINALFeb2014.pdf">https://energy.gov/sites/prod/files/2014/09/f18/ATLDOE-VPLPletterReportFINALFeb2014.pdf</a>	NA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f22/IntegSum%20Report%20FINAL.pdf">https://energy.gov/sites/prod/files/2015/06/f22/IntegSum%20Report%20FINAL.pdf</a>	Integrated Summary Report		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/4%20Part%20Geologic%20Repository%20Disposal.pdf">https://energy.gov/sites/prod/files/2015/06/f23/4%20Part%20Geologic%20Repository%20Disposal.pdf</a>	Part 4 - Geologic Repository Disposal		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/11/f34/Appendix%20South%20Air%20Quality_PRINT%20READY_2016_10.04.pdf">https://energy.gov/sites/prod/files/2016/11/f34/Appendix%20South%20Air%20Quality_PRINT%20READY_2016_10.04.pdf</a>	Appendix E South Air Quality_PRINT READY_2016.10.04.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/napl_juhlin05_04.pdf">https://energy.gov/sites/prod/files/napl_juhlin05_04.pdf</a>	Thermal NAPL Remediation at the Young-Rainey Star Center		X	X			X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/RS1128_Att.%20G.20.pdf">https://energy.gov/sites/prod/files/2015/06/f23/RS1128_Att.%20G.20.pdf</a>	attachment g.20 technical area 55, building 4, room b05 indoor ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EA-1157-FEA-1996_0.pdf">https://energy.gov/sites/prod/files/EA-1157-FEA-1996_0.pdf</a>	Chloride via Oxyhydrochlorination of Methane	X		X			X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f10/PuttingtheABackinJHA.pdf">https://energy.gov/sites/prod/files/2014/03/f10/PuttingtheABackinJHA.pdf</a>	(VPPPA) - Putting the A back in JHA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/em/articles/agencies-decide-dig-contaminated-soil-hanford-site-federal-and-state">https://energy.gov/em/articles/agencies-decide-dig-contaminated-soil-hanford-site-federal-and-state</a>	Agencies Decide to Dig Up Contaminated Soil at Hanford Site ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/05/f31/algae_bagwell_9615.pdf">https://energy.gov/sites/prod/files/2016/05/f31/algae_bagwell_9615.pdf</a>	algae_bagwell_9615.pdf (11.47 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/mirant_012006_b.pdf">https://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/mirant_012006_b.pdf</a>	Final Report: Particulate Emissions Testing, Unit 1, Potomac River ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/12/f27/EA%20TargetedReview%20of%20WPC%20and%20OSAF%20and%20ANI.pdf">https://energy.gov/sites/prod/files/2015/12/f27/EA%20TargetedReview%20of%20WPC%20and%20OSAF%20and%20ANI.pdf</a>	Office of Enterprise Assessments Targeted Review of Work Planning ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/06/f32/es168_krumdick_2016_o_web.pdf">https://energy.gov/sites/prod/files/2016/06/f32/es168_krumdick_2016_o_web.pdf</a>	es168_krumdick_2016_o_web.pdf (1.23 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/05/f23/Chemical%20and%20Biological%20Samples%20R-15%20C-5.pdf">https://energy.gov/sites/prod/files/2015/05/f23/Chemical%20and%20Biological%20Samples%20R-15%20C-5.pdf</a>	Analyses of WIPP Samples R-15 C-5 ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/05/f22/Sampling%20Report%20for%20Parent%20Drum%20S856793%20(LN).pdf">https://energy.gov/sites/prod/files/2015/05/f22/Sampling%20Report%20for%20Parent%20Drum%20S856793%20(LN).pdf</a>	Sampling Report for Parent Drum S855793 (5.12 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/10/f3/Portsmouth_Parkway_Construction_Workers_NeedsAssessment.pdf">https://energy.gov/sites/prod/files/2013/10/f3/Portsmouth_Parkway_Construction_Workers_NeedsAssessment.pdf</a>	Construction Workers Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/10/f3/INEEL_NeedsAssessment.pdf">https://energy.gov/sites/prod/files/2013/10/f3/INEEL_NeedsAssessment.pdf</a>	Assessment Medical Surveillance. Report the results and analysis of	X			X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/09/f18/CHPRCDOE-VPPFINALReportJan2014.pdf">https://energy.gov/sites/prod/files/2014/09/f18/CHPRCDOE-VPPFINALReportJan2014.pdf</a>	NA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/P5-AMO%202015%20final_0.pdf">https://energy.gov/sites/prod/files/2015/06/f23/P5-AMO%202015%20final_0.pdf</a>	Poster - An Industrial Membrane System Suitable for Distributed ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f22/Waters%20by%20SRNL%20Samples%20by%20SRNL%20Jan%202014.pdf">https://energy.gov/sites/prod/files/2015/06/f22/Waters%20by%20SRNL%20Samples%20by%20SRNL%20Jan%202014.pdf</a>	(WIPP) Samples by the Savannah River National Laboratory (SRNL)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EA-0821-FEA-1995_02.pdf">https://energy.gov/sites/prod/files/EA-0821-FEA-1995_02.pdf</a>	EA-0821-FEA-1995_02.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f9/2005_deer_wallace.pdf">https://energy.gov/sites/prod/files/2014/03/f9/2005_deer_wallace.pdf</a>	2005_deer_wallace.pdf (390.77 KB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2004_ORT_Conference_paper.pdf">https://energy.gov/sites/prod/files/2004_ORT_Conference_paper.pdf</a>	SUCCESSFUL FIELD-SCALE IN SITU THERMAL NAPL ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EIS-0407-DEIS-02-2009.pdf">https://energy.gov/sites/prod/files/EIS-0407-DEIS-02-2009.pdf</a>	EIS-0407-DEIS-02-2009.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f12/membrane_wrk_grp_mt.pdf">https://energy.gov/sites/prod/files/2014/03/f12/membrane_wrk_grp_mt.pdf</a>	membrane_wrk_grp_mt.pdf (587.66 KB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EIS-0281-FEIS_Vol2-1999.pdf">https://energy.gov/sites/prod/files/EIS-0281-FEIS_Vol2-1999.pdf</a>	EIS-0281-FEIS_Vol2-1999.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EIS-0290-FEIS-02-1999.pdf">https://energy.gov/sites/prod/files/EIS-0290-FEIS-02-1999.pdf</a>	Advanced Mixed Waste Treatment Project	X			X	X			X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/09/f18/BEADOE-VPPFinalReportSept2013.pdf">https://energy.gov/sites/prod/files/2014/09/f18/BEADOE-VPPFinalReportSept2013.pdf</a>	NA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/dnapl_heron05_04.pdf">https://energy.gov/sites/prod/files/dnapl_heron05_04.pdf</a>	FOR DNAPL REMEDIATION: FULL-SCALE SITE RESTORATION AT		X	X			X		X	
Department of Energy	<a href="https://energy.gov/fm/articles/florida-department-environmental-protection-issues-completion-orders-two-pinellas-sites">https://energy.gov/fm/articles/florida-department-environmental-protection-issues-completion-orders-two-pinellas-sites</a>	Florida Department of Environmental Protection Issues Completion ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/EA-1157-FONSI-1996.pdf">https://energy.gov/sites/prod/files/EA-1157-FONSI-1996.pdf</a>	EA-1157-FONSI-1996.pdf		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/em/articles/hanford-site-200-zp-1">https://energy.gov/em/articles/hanford-site-200-zp-1</a>	Hanford Site - 200-ZP-1   Department of Energy		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="https://www.pnnl.gov/about/environmental_reports/2014_SiteAnnualEnvironmentalReport.pdf">https://www.pnnl.gov/about/environmental_reports/2014_SiteAnnualEnvironmentalReport.pdf</a>	2014 PNNL Annual Site Environmental Report	X		X		X			X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21862.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21862.pdf</a>	used as an extraction		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-19845.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-19845.pdf</a>	used as an extraction		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22354.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22354.pdf</a>	impacts		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23053.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23053.pdf</a>	Listed as an ingredient of a bio-oil		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-25275.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-25275.pdf</a>	Analysis of Pharmaceutical and Personal Care Compounds in ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23655.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23655.pdf</a>	Non-Perchnetate Technetium Sensor Research and Development		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-25254Rev1.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-25254Rev1.pdf</a>	used as an extraction		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21802.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21802.pdf</a>	used as an extraction		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21549.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21549.pdf</a>	Listed as an ingredient of a bio-oil		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23730.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23730.pdf</a>	Source Water from an experiment		X	X		X			X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21843_SVEET_1.0.0.xls">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21843_SVEET_1.0.0.xls</a>	sweet		X	X		X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70022502">https://pubs.er.usgs.gov/publication/70022502</a>	chlorotriazine pesticides from natural waters and sediment samples using		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri20014186">https://pubs.er.usgs.gov/publication/wri20014186</a>	Geological Survey National Water Quality Laboratory - Determination of		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70030202">https://pubs.er.usgs.gov/publication/70030202</a>	characterizing carbonaceous aerosol with an application to wintertime		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr9743">https://pubs.er.usgs.gov/publication/ofr9743</a>	bromoallyl alcohol and dibromopropene in ground water		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20131297">https://pubs.er.usgs.gov/publication/ofr20131297</a>	organic wastewater compounds in filtered and unfiltered water samples		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr96498">https://pubs.er.usgs.gov/publication/ofr96498</a>	U.S. Coast Guard Support Center Kodiak, Alaska, 1987-89		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr90367">https://pubs.er.usgs.gov/publication/ofr90367</a>	ground water at the Idaho National Engineering Laboratory, Idaho; 1988		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70029450">https://pubs.er.usgs.gov/publication/70029450</a>	water/isopropanol coupled with solid-phase extraction cleanup for industrial		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr03453">https://pubs.er.usgs.gov/publication/ofr03453</a>	of CO2-Coal Interactions During Sequestration		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125139">https://pubs.er.usgs.gov/publication/sir20125139</a>	compound (VOC) blank data and application of study reporting levels to	x			x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr96459">https://pubs.er.usgs.gov/publication/ofr96459</a>	major degradation products in soil pore water by solid-phase extraction,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr95719">https://pubs.er.usgs.gov/publication/ofr95719</a>	Geological Survey National Water Quality Laboratory; determination of		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034293">https://pubs.er.usgs.gov/publication/wri034293</a>	Geological Survey National Water Quality Laboratory : determination of		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70020097">https://pubs.er.usgs.gov/publication/70020097</a>	volatile organic compounds in ambient air using multisorbent		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70021457">https://pubs.er.usgs.gov/publication/70021457</a>	associated with suspended sediments in the San Joaquin River, California,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034139">https://pubs.er.usgs.gov/publication/wri034139</a>	Geological Survey National Water Quality Laboratory : determination of		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri854088">https://pubs.er.usgs.gov/publication/wri854088</a>	ground water beneath recharge basins on Long Island, New York		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70112470">https://pubs.er.usgs.gov/publication/70112470</a>	solubility theory to discern hydrocarbon associations in coal, with		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70133241">https://pubs.er.usgs.gov/publication/70133241</a>	certain water soluble volatile organic compounds in urban streams		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70156641">https://pubs.er.usgs.gov/publication/70156641</a>	petrographic thin sections of rocks of the Samlii area, western Turkey		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034175">https://pubs.er.usgs.gov/publication/wri034175</a>	Quality Data for Wells in the Crumpton Creek Area near Arnold Air		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/tm5B3">https://pubs.er.usgs.gov/publication/tm5B3</a>	semivolatile organic compounds and polycyclic aromatic hydrocarbons in		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70020806">https://pubs.er.usgs.gov/publication/70020806</a>	sediments from estuarine ecosystems: A new tandem in vitro		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024222">https://pubs.er.usgs.gov/publication/wri024222</a>	Geological Survey National Water Quality Laboratory : determination of		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/1002946">https://pubs.er.usgs.gov/publication/1002946</a>	chromatography/mass spectrometry procedure for confirmation of para-		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70017267">https://pubs.er.usgs.gov/publication/70017267</a>	chloride preservative in environmental water samples: Determination of		X		X		X		X	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/70026832">http://pubs.er.usgs.gov/publication/70026832</a>	Fate of Volatile Organic Compounds in Constructed Wastewater ...		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/2000012">https://pubs.er.usgs.gov/publication/2000012</a>	Detection and measurement of organic lampricide residues		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70012279">https://pubs.er.usgs.gov/publication/70012279</a>	phenolic compounds from water and sediment		X		X		X		X	
European Commission	<a href="http://ec.europa.eu/social/BlobServlet?docId=6408&amp;langId=en">http://ec.europa.eu/social/BlobServlet?docId=6408&amp;langId=en</a>	HH review, brief paragraph on use in the EU. Limited occupational	X			X		X		X	
European Commission	<a href="http://ec.europa.eu">ec.europa.eu</a>	Substitution of DCM in adhesives	X			X		X		X	
European Commission	<a href="http://ec.europa.eu/DocsRoom/documents/13039/attachments/1/translations/en/renditions/native">http://ec.europa.eu/DocsRoom/documents/13039/attachments/1/translations/en/renditions/native</a>	Analysis of impact of market restrictions in EU	X			X		X		X	
European Commission	<a href="http://ec.europa.eu/smart-regulation/impact/ia_carried_out/docs/ia_2008/sec_2008_0192_en.pdf">http://ec.europa.eu/smart-regulation/impact/ia_carried_out/docs/ia_2008/sec_2008_0192_en.pdf</a>		X			X		X		X	
European Commission	<a href="http://ec.europa.eu/environment/water/water-framework/groundwater/pdf/com_swd_annex_iii.pdf">http://ec.europa.eu/environment/water/water-framework/groundwater/pdf/com_swd_annex_iii.pdf</a>	Groundwater threshold values		X		X	X			X	
European Commission	<a href="http://www.epo.org/patents/publications/epo/epo-patent-procedure.html#epo-patent-procedure">http://www.epo.org/patents/publications/epo/epo-patent-procedure.html#epo-patent-procedure</a>	Notification of dangerous product - origin US	X			X	X			X	
European Commission	<a href="http://ec.europa.eu/environment/industry/stationary/eper/pdf/Final%20report_20120605.pdf">http://ec.europa.eu/environment/industry/stationary/eper/pdf/Final%20report_20120605.pdf</a>	EPER Pollutant release data for EU countries	X			X		X		X	
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/100.000.763">https://echa.europa.eu/registration-dossier/-/registered-dossier/100.000.763</a>	profile	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/4#</a>	photo deg		X	X			X		X	information contained in REACH registration dossiers



Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/3/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/3/2#</a>	biodegradation in water		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/3/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/3/4#</a>	biodegradation in soil		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/4/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/4/2#</a>	bioaccumulation		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/2#</a>	sorption		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/3#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/3#</a>	vap pressure		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/5/4#</a>	distribution		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/9#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/9#</a>	safe use	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/brief-profile/-/briefprofile/100.000.763">https://echa.europa.eu/brief-profile/-/briefprofile/100.000.763</a>	brief profile of chemical	X		X			X		X		information contained in REACH registration dossiers
ECHA Documents	<a href="#">links in excel file</a>	Links to registration dossiers	X		X			X		X		information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/4">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/4</a>	uses	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/5#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/5#</a>	uses	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/6#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/3/1/6#</a>	uses	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/7#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/7#</a>	vap pressure		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/8#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/8#</a>	partition coef		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/9#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/4/9#</a>	solubility		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/2#</a>	photo transformation in air ir		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/3#">https://echa.europa.eu/registration-dossier/-/registered-dossier/15182/5/2/3#</a>	hydrolysis		X	X				X		X	information contained in REACH registration dossiers



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OECD HPV Programme	<a href="http://webnet.oecd.org/hpv/ui/AllChemicals.aspx">http://webnet.oecd.org/hpv/ui/AllChemicals.aspx</a>	SIDS Initial Assessment	X		X		X		X		
IARC Monograph	<a href="http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php">http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php</a>	Volume 110	X			X	X		X		
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf">http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf</a>	Protecting Groundwater for Health		X	X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/38695">http://apps.who.int/iris/handle/10665/38695</a>	Methylene chloride: Electronic version not yet available		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/39958/1/9241510889_eng.pdf">http://apps.who.int/iris/bitstream/10665/39958/1/9241510889_eng.pdf</a>	PHENOL HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/63844/1/WHO_EOS_98.1.pdf">http://apps.who.int/iris/bitstream/10665/63844/1/WHO_EOS_98.1.pdf</a>	Guidelines for drinking-water quality		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/38695?locale=ru&amp;mode=full">http://apps.who.int/iris/handle/10665/38695?locale=ru&amp;mode=full</a>	WHO IRIS: Methylene chloride		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/66101/1/WHO_SDE_PHE_FOS_99.8.pdf">http://apps.who.int/iris/bitstream/10665/66101/1/WHO_SDE_PHE_FOS_99.8.pdf</a>	GEMS/Food Analytical Quality Assurance Study 1999		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/37953">http://apps.who.int/iris/handle/10665/37953</a>	Chlorure de mthylne		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/59836/1/WHO_PSA_90.5.pdf">http://apps.who.int/iris/bitstream/10665/59836/1/WHO_PSA_90.5.pdf</a>	Substance Abuse		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/53376/1/bulletin_1994_72(4)_615-620.pdf">http://apps.who.int/iris/bitstream/10665/53376/1/bulletin_1994_72(4)_615-620.pdf</a>	Establishment of an Appropriate Laboratory in Swaziland		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/63285/1/WHO_PCS_DS_96.84.pdf">http://apps.who.int/iris/bitstream/10665/63285/1/WHO_PCS_DS_96.84.pdf</a>	Factsheets on pesticides		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/73378/1/19_2_2005.pdf">http://apps.who.int/iris/bitstream/10665/73378/1/19_2_2005.pdf</a>	WHO Drug Information		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/63284/1/WHO_PCS_DS_96.83.pdf">http://apps.who.int/iris/bitstream/10665/63284/1/WHO_PCS_DS_96.83.pdf</a>	Factsheets on pesticides		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/37953?locale=ar">http://apps.who.int/iris/handle/10665/37953?locale=ar</a>	WHO IRIS: Chlorure de mthylne / publi sous la triple gide du ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/44584/1/9789241548151_eng.pdf">http://apps.who.int/iris/bitstream/10665/44584/1/9789241548151_eng.pdf</a>	Guidelines for Drinking-water Quality		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/162002/1/WHA39_8_eng.pdf">http://apps.who.int/iris/bitstream/10665/162002/1/WHA39_8_eng.pdf</a>	Infant and Child Nutrition		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/73213/1/18_4_2004.pdf">http://apps.who.int/iris/bitstream/10665/73213/1/18_4_2004.pdf</a>	WHO Drug Information		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/63279/1/WHO_PHARM_96_589.pdf">http://apps.who.int/iris/bitstream/10665/63279/1/WHO_PHARM_96_589.pdf</a>	View/Open		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/63723/1/WHO_CTD_WHOPE5_97_7.pdf">http://apps.who.int/iris/bitstream/10665/63723/1/WHO_CTD_WHOPE5_97_7.pdf</a>	Interim specification for pesticides used in human health		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/64881/1/WHO_PHARM_98_606.pdf">http://apps.who.int/iris/bitstream/10665/64881/1/WHO_PHARM_98_606.pdf</a>	International Pharmacopoeia		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/160546/1/WHA36_Inf.Doc-10_eng.pdf">http://apps.who.int/iris/bitstream/10665/160546/1/WHA36_Inf.Doc-10_eng.pdf</a>	Health Conditions of Arab Population		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/175250/1/EB77_26_fre.pdf">http://apps.who.int/iris/bitstream/10665/175250/1/EB77_26_fre.pdf</a>	View/Open		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/160589/1/EB73_20_eng.pdf">http://apps.who.int/iris/bitstream/10665/160589/1/EB73_20_eng.pdf</a>	Progress report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/72570/1/18_1_2004.pdf">http://apps.who.int/iris/bitstream/10665/72570/1/18_1_2004.pdf</a>	WHO Drug Information		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf">http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf</a>	Protecting Groundwater for Health		X	X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/42900/3/ICD_10_1957_eng_v2b.pdf">http://apps.who.int/iris/bitstream/10665/42900/3/ICD_10_1957_eng_v2b.pdf</a>	Diseases and nature of injury		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/112733/1/WHO_TRS_986_eng.pdf">http://apps.who.int/iris/bitstream/10665/112733/1/WHO_TRS_986_eng.pdf</a>	WHO Expert Committee on Specifications for Pharmaceutical ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/205165/1/9789241655316_eng.pdf">http://apps.who.int/iris/bitstream/10665/205165/1/9789241655316_eng.pdf</a>	Pesticide residues in food 2015 Toxicological evaluations		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43997/1/TRS951_eng.pdf">http://apps.who.int/iris/bitstream/10665/43997/1/TRS951_eng.pdf</a>	Tobacco product regulation		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/39969?mode=full">http://apps.who.int/iris/handle/10665/39969?mode=full</a>	WHO IRIS: Cloruro de metileno : gu'ia para la salud y la seguridad		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/51674/1/bulletin_1987_65(5)_615-623.pdf">http://apps.who.int/iris/bitstream/10665/51674/1/bulletin_1987_65(5)_615-623.pdf</a>	chromatographic methods for field assay ...		X		X		X		X	
World Health Organization- Regional Office for Europe	<a href="http://www.euro.who.int/en/home">www.euro.who.int/en/home</a>	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/methylene-chloride-in-paint-stripping">https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/methylene-chloride-in-paint-stripping</a>	Chemical profile (paint stripping)	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0012/20460/NA174FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0012/20460/NA174FR.docx</a>	NA/174		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0018/20493/NA633FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0018/20493/NA633FR.docx</a>	NA/633		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0012/20181/NA428FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0012/20181/NA428FR.docx</a>	NA/428		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0019/34813/PEC6-2-butoxyethanol.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0019/34813/PEC6-2-butoxyethanol.docx</a>	2-Butoxyethanol in cleaning products - PEC6 [WORD 483 KB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0004/19885/NA635FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0004/19885/NA635FR.docx</a>	NA/635		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0008/20204/NA627FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0008/20204/NA627FR.docx</a>	Comments on Physico-Chemical Properties		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0006/20400/NA7FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0006/20400/NA7FR.docx</a>	NA/7		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0018/18423/STD1025FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0018/18423/STD1025FR.docx</a>	STD/1025		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0020/18434/STD-1038-FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0020/18434/STD-1038-FR.docx</a>	11. material safety data sheet		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/factsheets?result_30847_result_page=M">https://www.nicnas.gov.au/chemical-information/factsheets?result_30847_result_page=M</a>	Fact sheets - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0007/9538/PLC136FR.PDF">https://www.nicnas.gov.au/_data/assets/pdf_file/0007/9538/PLC136FR.PDF</a>	Kerocom ES 3489		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0008/6767/LTD1534FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0008/6767/LTD1534FR.docx</a>	LTD/1534		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0010/20017/NA634FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0010/20017/NA634FR.docx</a>	ASTER DATA (all calculated)		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0019/9550/PLC147FR.PDF">https://www.nicnas.gov.au/_data/assets/pdf_file/0019/9550/PLC147FR.PDF</a>	Kerocom ES 3364		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0005/19292/LTD1428FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0005/19292/LTD1428FR.docx</a>	LTD/1428		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0010/19288/LTD1453FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0010/19288/LTD1453FR.docx</a>	LTD/1453		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0010/19891/NA892FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0010/19891/NA892FR.docx</a>	FULL PUBLIC REPORT Chemical in OLOA 224		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0006/18366/STD1323FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0006/18366/STD1323FR.docx</a>	Appendix A: Physical and Chemical Properties		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0007/20140/NA337FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0007/20140/NA337FR.docx</a>	NA/337		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0009/19917/NA597FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0009/19917/NA597FR.docx</a>	Potassium Ferrite (K 2 Fe 10 O 16 )		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0003/9228/NA45FR.PDF">https://www.nicnas.gov.au/_data/assets/pdf_file/0003/9228/NA45FR.PDF</a>	NA/45		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0020/20387/NA835FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0020/20387/NA835FR.docx</a>	FULL PUBLIC REPORT t-amyl peroxyoctoate (Luperox 575)		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0010/20044/NA861FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0010/20044/NA861FR.docx</a>	9. evaluation of toxicological data		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0010/10342/SN5FR.pdf">https://www.nicnas.gov.au/_data/assets/pdf_file/0010/10342/SN5FR.pdf</a>	Notified Chemical in Mortrace MP		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0010/19747/NA630FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0010/19747/NA630FR.docx</a>	Chemical Abstracts Service (CAS) Registry No.		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0011/20063/NA668FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0011/20063/NA668FR.docx</a>	9.4 Overall Assessment of Toxicological Data		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0014/20246/NA949FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0014/20246/NA949FR.docx</a>	9. evaluation of toxicological data		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0018/18531/STD1308FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0018/18531/STD1308FR.docx</a>	STD/1308		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0012/20037/NA866FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0012/20037/NA866FR.docx</a>	9. evaluation of toxicological data		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0006/18258/STD1318FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0006/18258/STD1318FR.docx</a>	Appendix C: Environmental Fate and Ecotoxicological Investigations		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0004/9813/PLC53FR.PDF">https://www.nicnas.gov.au/_data/assets/pdf_file/0004/9813/PLC53FR.PDF</a>	PLC/53		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0020/35057/STD1582-Final-FR.DOCX">https://www.nicnas.gov.au/_data/assets/word_doc/0020/35057/STD1582-Final-FR.DOCX</a>	STD/1582		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0019/6661/NICNAS_AHV/ICL_2006_PDF.pdf">https://www.nicnas.gov.au/_data/assets/pdf_file/0019/6661/NICNAS_AHV/ICL_2006_PDF.pdf</a>	Chemical uses	X			X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0009/18396/STD1353FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0009/18396/STD1353FR.docx</a>	Appendix A: Physical and Chemical Properties		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0017/18251/Std1035-FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0017/18251/Std1035-FR.docx</a>	11. material safety data sheet		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0004/18427/STD1007FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0004/18427/STD1007FR.docx</a>	12. material safety data sheet		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0020/18443/STD1048FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0020/18443/STD1048FR.docx</a>	STD/1048		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0007/7000/STD1403FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0007/7000/STD1403FR.docx</a>	Appendix A: Physical and Chemical Properties		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0017/12239/LTD1729-FR-Day90.DOCX">https://www.nicnas.gov.au/_data/assets/word_doc/0017/12239/LTD1729-FR-Day90.DOCX</a>	LTD/1729		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0016/7153/EX140-FR-Final.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0016/7153/EX140-FR-Final.docx</a>	EX/140		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0007/18583/STD947FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0007/18583/STD947FR.docx</a>	STD/947		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0004/18256/STD1002FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0004/18256/STD1002FR.docx</a>	12. material safety data sheet		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0003/34824/PEC17-trisphosphates.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0003/34824/PEC17-trisphosphates.docx</a>	Trisphosphates - PEC17 [WORD 267 KB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0006/18771/LTD1817-FR-FINAL.DOCX">https://www.nicnas.gov.au/_data/assets/word_doc/0006/18771/LTD1817-FR-FINAL.DOCX</a>	LTD/1817		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0019/18262/STD-1372-FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0019/18262/STD-1372-FR.docx</a>	STD/1372		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0014/20255/NA161FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0014/20255/NA161FR.docx</a>	NA/161		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0017/20375/NA216FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0017/20375/NA216FR.docx</a>	NA/216		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0018/20178/NA672FR.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0018/20178/NA672FR.docx</a>	Comments on Physico-Chemical Properties		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf">http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf</a>	Canada priority carcinogens-environmental	X			X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf">http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf</a>	Canada priority carcinogens-occupational	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/dichloromethane/">http://www.carexcanada.ca/en/dichloromethane/</a>	Dichloromethane		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CAREX Canada	<a href="http://www.carexcanada.ca/en/dichloromethane/occupational_estimate/">http://www.carexcanada.ca/en/dichloromethane/occupational_estimate/</a>	Occupational Estimate		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/dichloromethane/environmental_estimate/">http://www.carexcanada.ca/en/dichloromethane/environmental_estimate/</a>	Environmental Estimate		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/bromodichloromethane/">http://www.carexcanada.ca/en/bromodichloromethane/</a>	Bromodichloromethane		X		X		X		X	
GESTIS Database	<a href="http://limitvalue.ifa.dguv.de/">http://limitvalue.ifa.dguv.de/</a>	List of international regulatory limits	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1996/eae25000000010.html">https://www.env.go.jp/en/wpaper/1996/eae25000000010.html</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/0930a-01.pdf">https://www.env.go.jp/en/press/2005/0930a-01.pdf</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/press/2004/0910a-01.pdf">http://www.env.go.jp/en/press/2004/0910a-01.pdf</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2004/1216c-01.pdf">https://www.env.go.jp/en/press/2004/1216c-01.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/sp.html">https://www.env.go.jp/en/water/soil/sp.html</a>	Environmental quality standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf">http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf</a>	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/chemi/prtr/manual/pdf/mat02-5.pdf">http://www.env.go.jp/en/chemi/prtr/manual/pdf/mat02-5.pdf</a>	Calculation manual	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex433.xls">http://www.env.go.jp/en/statistics/data/e11ex433.xls</a>	Air pollutant monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/recycle/manage/sv.html">https://www.env.go.jp/en/recycle/manage/sv.html</a>	Haz waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/dioxins/dioxin-exp/exp-01.pdf">https://www.env.go.jp/en/chemi/dioxins/dioxin-exp/exp-01.pdf</a>	Detailed Study of the Dioxin Exposure:1999		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/water/wq/wemi/water.html">http://www.env.go.jp/en/water/wq/wemi/water.html</a>	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/headline/628.html">https://www.env.go.jp/en/headline/628.html</a>	FY 2006 Monitoring Results for Hazardous Air Pollutants Released ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/headline/247.html">https://www.env.go.jp/en/headline/247.html</a>	(ETV) in the Field of VOC Treatment Technologies		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/gw/gwp.html">https://www.env.go.jp/en/water/gw/gwp.html</a>	Environmental quality standards for groundwater		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex616.xls">http://www.env.go.jp/en/statistics/data/e11ex616.xls</a>	Release info	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex615.xls">http://www.env.go.jp/en/statistics/data/e11ex615.xls</a>	Chemical release/movement	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/aq.html">https://www.env.go.jp/en/air/aq/aq.html</a>	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf</a>	Emission factors	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/press/2003/1127b-01.pdf">http://www.env.go.jp/en/press/2003/1127b-01.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/ed/eeds/TextP001-008.pdf">https://www.env.go.jp/en/chemi/ed/eeds/TextP001-008.pdf</a>	Page 001-008		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/rep_pp/ch1.html">https://www.env.go.jp/en/chemi/prtr/rep_pp/ch1.html</a>	Manual for PRTR Release Estimation Methods - Chapter 1 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/wq/wemi/soil.html">https://www.env.go.jp/en/water/wq/wemi/soil.html</a>	Environmental standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/contami_cm.pdf">https://www.env.go.jp/en/water/soil/contami_cm.pdf</a>	Soil contamination standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/pops/eaws/background04-06.pdf">https://www.env.go.jp/en/chemi/pops/eaws/background04-06.pdf</a>	Persistent Organic Pollutants in East ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/2016/pdf/07.pdf">https://www.env.go.jp/en/wpaper/2016/pdf/07.pdf</a>	Front and Back Cover photos [PDF 1004KB]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/water/wq/wemi/water2.html">http://www.env.go.jp/en/water/wq/wemi/water2.html</a>	Environmental quality standards/survey		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat01-3.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat01-3.pdf</a>	1. Significance of PRTR System		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-4.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-4.pdf</a>	Calculation manual	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/dioxins/manual.pdf">https://www.env.go.jp/en/chemi/dioxins/manual.pdf</a>	Manual on Determination of Dioxins in Ambient Air		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/recycle/manage/waste.html">https://www.env.go.jp/en/recycle/manage/waste.html</a>	Hazardous waste standards		X	X			X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/dioxins/fiscal2000/brominated.pdf">https://www.env.go.jp/en/chemi/dioxins/fiscal2000/brominated.pdf</a>	Findings of the Fiscal 2000 Survey on Brominated Dioxins		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/chemi/pops/Appendix07-MOE-Introduction/19.pdf">http://www.env.go.jp/en/chemi/pops/Appendix07-MOE-Introduction/19.pdf</a>	19.pdf 267kB		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/result/2004_summary.pdf">https://www.env.go.jp/en/water/soil/result/2004_summary.pdf</a>	Soil contamination survey		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/wg/nes.html">https://www.env.go.jp/en/water/wg/nes.html</a>	National effluent standards	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/recycle/02.pdf">https://www.env.go.jp/en/laws/recycle/02.pdf</a>	Waste mgmt		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/chemi/pops/Appendix03-CIE/chapter2.pdf">http://www.env.go.jp/en/chemi/pops/Appendix03-CIE/chapter2.pdf</a>	DCM profile	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/pops/rep2002-2004.pdf">https://www.env.go.jp/en/chemi/pops/rep2002-2004.pdf</a>	(POPs) in Japan 2002-2004		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-13.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-13.pdf</a>	7. Index		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/recycle/03.pdf">https://www.env.go.jp/en/laws/recycle/03.pdf</a>	Waste mgmt regulations		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/chemicals/profile_erac/profile11/pt1-16.pdf">https://www.env.go.jp/en/chemi/chemicals/profile_erac/profile11/pt1-16.pdf</a>	Benzyl alcohol Chemical Substances Control Law Reference No.		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1995/eae240000000035.html">https://www.env.go.jp/en/wpaper/1995/eae240000000035.html</a>	Environmental quality standards	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/1114a.html">https://www.env.go.jp/en/press/2003/1114a.html</a>	Air quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b-02.pdf">https://www.env.go.jp/en/press/2005/1220b-02.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1996/eae250000000015.html">https://www.env.go.jp/en/wpaper/1996/eae250000000015.html</a>	Effluent standards	X		X		X			X	
Substances in Preparations in Nordic Countries (SPIN) Database	<a href="http://www.spin2000.net/spinmyphp/">http://www.spin2000.net/spinmyphp/</a>	Summary by chemical	X			X	X			X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/case-study-5.php">http://www.sustainableproduction.org/case-study-5.php</a>	Case Study 5: Regulating methylene chloride: a cautionary tale ...		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/RClappIndustrialCarcinogens.pdf">http://www.sustainableproduction.org/downloads/RClappIndustrialCarcinogens.pdf</a>	INDUSTRIAL CARCINOGENS: A NEED FOR ACTION	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/Lessons.php">http://www.sustainableproduction.org/Lessons.php</a>	Lessons Learned: Solutions for Workplace Safety and Health		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/CleaninginHealthcareFacilities.pdf">http://www.sustainableproduction.org/downloads/CleaninginHealthcareFacilities.pdf</a>	Cleaning in Healthcare Facilities		X		X		X		X	
Lowell Center for Sustainable Production	<a href="https://www.sustainableproduction.org/downloads/PhthalateAlternatives-January2011.pdf">https://www.sustainableproduction.org/downloads/PhthalateAlternatives-January2011.pdf</a>	Phthalates and Their Alternatives: Health and Environmental ...		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/proj_shos.abou.php/case-study-5.php">http://www.sustainableproduction.org/proj_shos.abou.php/case-study-5.php</a>	Hospital		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/case-study-three.php">http://www.sustainableproduction.org/case-study-three.php</a>	LCSP Our Work: Lessons: Lessons Learned: Case Study 3: The ...		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/case-study-6.php">http://www.sustainableproduction.org/case-study-6.php</a>	LCSP Our Work: Lessons: Lessons Learned: Case Study 6: Safe ...		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/StateoftheScienceFinalDownloadable_000.pdf">http://www.sustainableproduction.org/downloads/StateoftheScienceFinalDownloadable_000.pdf</a>	Download PDF	X			X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/LessonsLearned-ExecSummary.pdf">http://www.sustainableproduction.org/downloads/LessonsLearned-ExecSummary.pdf</a>	Download PDF		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/Case-study-one.php">http://www.sustainableproduction.org/Case-study-one.php</a>	LCSP Our Work: Lessons: Lessons Learned: Case Study 1: Floor ...		X		X		X		X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en</a>	New Zealand		X		X		X		X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en</a>	Results from Canadian Domestic Substance List		X	X			X		X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pageID=0&amp;request_locale=en</a>	Environment Canada Screening Assessment	X		X		X		X		
Toxicology Excellence for Risk Assessment	<a href="http://www.tera.org">http://www.tera.org</a>	ITER peer Review on DCM, Cd, and Perchlorate		X		X		X		X	
Consumer Products Information Database (CPID)	<a href="https://www.whatsinproducts.com/chemicals/index/1">https://www.whatsinproducts.com/chemicals/index/1</a>	Products containing chemical		X		X	X			X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00633.pdf">http://infohouse.p2ric.org/ref/01/00633.pdf</a>	An Investigation of the Reduction of Methylene Chloride Volatility in ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/05/04254.htm">http://infohouse.p2ric.org/ref/05/04254.htm</a>	Eliminating Methylene Chloride Adhesives Increases Production		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_1.html">http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_1.html</a>	5-1 PAINT STRIPPING USING SODIUM BICARBONATE MEDIUM		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/37/36907.pdf">http://infohouse.p2ric.org/ref/37/36907.pdf</a>	Oxidation And Hydrolysis Of Acetic Acid And Methylene Chloride In ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14644.htm">http://infohouse.p2ric.org/ref/15/14644.htm</a>	Methylene chloride: pollution prevention and the new standard		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24821.pdf">http://infohouse.p2ric.org/ref/25/24821.pdf</a>	Development of a Low-Temperature Methylene-Chloride-Free Paint ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24733.pdf">http://infohouse.p2ric.org/ref/25/24733.pdf</a>	Bix Stripper: An Alternative to Methylene Chloride		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/08/07256.pdf">http://infohouse.p2ric.org/ref/08/07256.pdf</a>	An Air Force Decision Matrix for Selecting Alternatives for Methylene ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00990.htm">http://infohouse.p2ric.org/ref/01/00990.htm</a>	PF Online Feature Article: Alternative Processes to Methylene Chloride		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/18/17020.pdf">http://infohouse.p2ric.org/ref/18/17020.pdf</a>	Projected feasible control methods to limit workers' exposure to ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/34/33215.pdf">http://infohouse.p2ric.org/ref/34/33215.pdf</a>	Process Change in the Pharmaceutical Industry		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_9.html">http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_9.html</a>	5-9 BENZYL ALCOHOL PAINT STRIPPING		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/05/04256.htm">http://infohouse.p2ric.org/ref/05/04256.htm</a>	Eyeglass Manufacturer Eliminates Use of Hazardous Chemicals		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/07/06131.pdf">http://infohouse.p2ric.org/ref/07/06131.pdf</a>	CASE STUDY: Hickory Springs Manufacturing Company		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00155.pdf">http://infohouse.p2ric.org/ref/01/00155.pdf</a>	Success Story - Merck & Company Inc. - Cherokee Plant		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03419.htm">http://infohouse.p2ric.org/ref/04/03419.htm</a>	Non-methylene Chloride Paint Strippers		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/38/37179.htm">http://infohouse.p2ric.org/ref/38/37179.htm</a>	8-i-10 ultrasonic cleaning processes as a solvent alternative		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19157.htm">http://infohouse.p2ric.org/ref/20/19157.htm</a>	NBEN - OTA Case Study: Crest Foam		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03148.htm">http://infohouse.p2ric.org/ref/04/03148.htm</a>	TS-014 Farnam Sealing Systems Division, Coltec Industries		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29267.pdf">http://infohouse.p2ric.org/ref/30/29267.pdf</a>	Methylene Chloride Free Paint Strippers		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00277.htm">http://infohouse.p2ric.org/ref/01/00277.htm</a>	Solvent Management Team Formed ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03438.htm">http://infohouse.p2ric.org/ref/04/03438.htm</a>	Reduce Toxicity of Methylene Chloride and Orthodichlorobenzene ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/33/32968.pdf">http://infohouse.p2ric.org/ref/33/32968.pdf</a>	Aircraft Depainting: Alternatives for Environmental Compliance		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03773/casestudy/foxboro.htm">http://infohouse.p2ric.org/ref/04/03773/casestudy/foxboro.htm</a>	foxboro		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/44/43027.pdf">http://infohouse.p2ric.org/ref/44/43027.pdf</a>	New Techniques For Solvent Recovery And Elimination Of ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_10.html">http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_10.html</a>	5-10 N-METHYL PYRROLIDONE		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/42/41893.pdf">http://infohouse.p2ric.org/ref/42/41893.pdf</a>	HADCO Corporation		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16558.pdf">http://infohouse.p2ric.org/ref/17/16558.pdf</a>	HSIA Methylene Chloride - White Paper		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10976.htm">http://infohouse.p2ric.org/ref/11/10976.htm</a>	paint stripping		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10896.htm">http://infohouse.p2ric.org/ref/11/10896.htm</a>	printed circuit board		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/%5C03/02473.pdf">http://infohouse.p2ric.org/ref/%5C03/02473.pdf</a>	Plant Sets 95% Goal to Reduce TRI Releases		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/07/06364.pdf">http://infohouse.p2ric.org/ref/07/06364.pdf</a>	Pollution Prevention Demonstration and Evaluation of Paint ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00632.pdf">http://infohouse.p2ric.org/ref/01/00632.pdf</a>	Woodfinisher's Pride: An Alternative to Current Chemical Paint ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29522.pdf">http://infohouse.p2ric.org/ref/30/29522.pdf</a>	Clearing the air at KODAK		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24094.pdf">http://infohouse.p2ric.org/ref/25/24094.pdf</a>	Solvent Recovery Beneficial for Haworth		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/16/15052.pdf">http://infohouse.p2ric.org/ref/16/15052.pdf</a>	General Motors Columbus Inland Fisher Guide Plant		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/39/38151.htm">http://infohouse.p2ric.org/ref/39/38151.htm</a>	Characteristics and Leachability of Spent ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/29/28897.pdf">http://infohouse.p2ric.org/ref/29/28897.pdf</a>	Biodegradation of Methylene Chloride		X	X				X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=dbe&amp;cat=gi.htm">http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=dbe&amp;cat=gi.htm</a>	Dibasic Esters - General Information		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/09/08723.htm">http://infohouse.p2ric.org/ref/09/08723.htm</a>	Paint Stripping: Reducing Waste & Finding Less Hazardous Materials		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/28/27645.pdf">http://infohouse.p2ric.org/ref/28/27645.pdf</a>	Aqueous Processing - Eliminating Solvent-based Dry-film Resist ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10159/mmo4993.htm">http://infohouse.p2ric.org/ref/11/10159/mmo4993.htm</a>	Maintenance Management Order		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03622/">http://infohouse.p2ric.org/ref/04/03622/</a>	Cleaner Production - QANTAS AIRWAYS LIMITED		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00635.pdf">http://infohouse.p2ric.org/ref/01/00635.pdf</a>	Current Practices and Processes for Paint Stripping in Professional ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24143.pdf">http://infohouse.p2ric.org/ref/25/24143.pdf</a>	Paint Stripping with Nontoxic Chemicals		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00613.htm">http://infohouse.p2ric.org/ref/01/00613.htm</a>	STRIPPING USING SPONGE BLASTING		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/34/33176.pdf">http://infohouse.p2ric.org/ref/34/33176.pdf</a>	Sum04 - Say Goodbye to Methylene Chloride		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14258.pdf">http://infohouse.p2ric.org/ref/15/14258.pdf</a>	Federal Environmental Regulations Potentially Affecting the ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/msds/3vc1.pdf">http://infohouse.p2ric.org/ref/20/19926/msds/3vc1.pdf</a>	Lord Chemical Products: MSDS		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00944.htm">http://infohouse.p2ric.org/ref/01/00944.htm</a>	PF Online Feature Article: Using Carbon and Zeolite For VOC ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26441.pdf">http://infohouse.p2ric.org/ref/27/26441.pdf</a>	Surface Tension Modification of NMP-Based Paint Strippers		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10459.htm">http://infohouse.p2ric.org/ref/11/10459.htm</a>	An Industry Overview of Furniture/Wood Manufacturing and ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/12/11559.pdf">http://infohouse.p2ric.org/ref/12/11559.pdf</a>	Biofilter Testing Using Composting For Styrene And Methyl Ethyl ...		X		X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00601.pdf">http://infohouse.p2ric.org/ref/01/00601.pdf</a>	pollution prevention opportunity data sheet		X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10203.pdf">http://infohouse.p2ric.org/ref/11/10203.pdf</a>	Evaluate Alternative Paint Stripping Technologies used in Aircraft ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/23/22308.pdf">http://infohouse.p2ric.org/ref/23/22308.pdf</a>	Vapor Recovery and Recycling of Methylene Chloride from Paint ...		X	X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00611.pdf">http://infohouse.p2ric.org/ref/01/00611.pdf</a>	Plastic Media Blasting (PMB)		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/29/28195.pdf">http://infohouse.p2ric.org/ref/29/28195.pdf</a>	Vapor Degreasing		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00627.pdf">http://infohouse.p2ric.org/ref/01/00627.pdf</a>	Waste Minimization Assessment for a Manufacturer of Outdoor ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26940.pdf">http://infohouse.p2ric.org/ref/27/26940.pdf</a>	Arconate 1000 Propylene Carbonate Cleaning/Flushing Agent		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/43/42031.htm">http://infohouse.p2ric.org/ref/43/42031.htm</a>	Source newsletter spring 1997		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/29/28031.pdf">http://infohouse.p2ric.org/ref/29/28031.pdf</a>	Cryogenic Recovery of VOC Emissions		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24382.pdf">http://infohouse.p2ric.org/ref/25/24382.pdf</a>	Flexible Foam Manufacturer's Experience In Substituting CFC ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01736.pdf">http://infohouse.p2ric.org/ref/02/01736.pdf</a>	Evaluation of Alternative Chemical Paint Strippers		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/19/18161/alt_cs.cfm-id=ab&amp;cat=cs.htm">http://infohouse.p2ric.org/ref/19/18161/alt_cs.cfm-id=ab&amp;cat=cs.htm</a>	SAGE -- Abrasives - Case Studies		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_7.html">http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_7.html</a>	5-7 PAINT STRIPPING USING WHEAT STARCH BLASTING		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26451.pdf">http://infohouse.p2ric.org/ref/27/26451.pdf</a>	Biodegradation of Methylene Chloride		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/33/32961.pdf">http://infohouse.p2ric.org/ref/33/32961.pdf</a>	Eliminating VOCs and CFCs at the AT&T Printed-Circuit Board ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/44/43031.pdf">http://infohouse.p2ric.org/ref/44/43031.pdf</a>	Paint Stripping with Nontoxic Chemicals		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/21/20214.pdf">http://infohouse.p2ric.org/ref/21/20214.pdf</a>	Mechanical Paint Stripping: Corpus Christi Army Depot		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00628.pdf">http://infohouse.p2ric.org/ref/01/00628.pdf</a>	Carbon Dioxide Pellet Blasting Paint Removal For Potential ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01512.pdf">http://infohouse.p2ric.org/ref/02/01512.pdf</a>	Flexible Polyurethane Foam Manufacture		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26457.pdf">http://infohouse.p2ric.org/ref/27/26457.pdf</a>	Formulating PUR Foam Catalyst Systems for the CFC-Free Era		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26226.pdf">http://infohouse.p2ric.org/ref/27/26226.pdf</a>	Biotreatment of Methylene Chloride Cuts Effluent Levels Below 5 PPM		X	X			X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24001.pdf">http://infohouse.p2ric.org/ref/25/24001.pdf</a>	Wastewater Reduction Option For GE Medium Transformer Plant ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/27/26453.pdf">http://infohouse.p2ric.org/ref/27/26453.pdf</a>	In-Situ System Slashes Soil Cleanup Costs by Two-Thirds		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/23/22533.pdf">http://infohouse.p2ric.org/ref/23/22533.pdf</a>	Design for the Environment		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30516.pdf">http://infohouse.p2ric.org/ref/31/30516.pdf</a>	Paint Stripping Guide		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/13/12360.pdf">http://infohouse.p2ric.org/ref/13/12360.pdf</a>	Definition of Electrically Conductive Adhesives for the Replacement ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/38/37097.htm">http://infohouse.p2ric.org/ref/38/37097.htm</a>	5-5 PLASTIC MEDIA BLASTING (PMB) PAINT STRIPPING		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_11.html">http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_11.html</a>	5-11 LASER DECOATING		X		X		X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>			X	X			X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>		X			X		X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>	manufacturing process diagram	X			X		X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>	manufacture, economic aspects, transport/handling, specifications,	X		X			X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>	DCM and NMP in paint and finish removers	X			X		X		X	
Kirk Othemer Encyclopedia	<a href="#">Book</a>	production info, consumption,	X			X		X		X	
Ashford's Dictionary of Industrial Chemicals, 2001	<a href="#">Book</a>		X			X		X		X	





Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://oehha.ca.gov/proposition-65/proposition-65-list">https://oehha.ca.gov/proposition-65/proposition-65-list</a>	List of chemicals in Prop 65, California		X		X	X			X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb-face/Documents/paintstripper.pdf">https://www.cdph.ca.gov/programs/ohb-face/Documents/paintstripper.pdf</a>	Worker Fatality Alert: Methylene chloride linked to worker death in tank		X		X		X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb/Pages/Publications.aspx">https://www.cdph.ca.gov/programs/ohb/Pages/Publications.aspx</a>	Occupational Health Branch Publications		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane">https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane</a>	Summary page about dichloromethane		X		X	X			X	
State sites	<a href="http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/CT_ETPH_METHOD.pdf">http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/CT_ETPH_METHOD.pdf</a>	Petroleum Hydrocarbons (ETPH) Using ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane">https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane</a>	Numbers Developed to Aid Estimation of Cleanup Costs for Contaminated		X	X			X		X	
State sites	<a href="http://www.deq.utah.gov/Pollutants/H/haps/hazardous-air-pollutants-study-2015.htm">http://www.deq.utah.gov/Pollutants/H/haps/hazardous-air-pollutants-study-2015.htm</a>	Utah DEQ: Pollutants: Hazardous Air Pollutants (HAPS) Study 2015		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane">https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane</a>	Cancer Potency Factors: Methodologies for derivation, listing of		X		X	X		X		
State sites	<a href="https://www.cdph.ca.gov/programs/ohb-face/Documents/MeClChurch.pdf">https://www.cdph.ca.gov/programs/ohb-face/Documents/MeClChurch.pdf</a>	Worker Fatality Alert Methylene Chloride Linked to Worker Death ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane">https://oehha.ca.gov/chemicals/methylene-chloride-dichloromethane</a>	Public Health Goal for Dichloromethane in Drinking Water		X	X			X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb/Documents/PPEChart.pdf">https://www.cdph.ca.gov/programs/ohb/Documents/PPEChart.pdf</a>	Minimum Personal Protective Equipment Required for Paint ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/cmr/notice-adoption-air-toxics-hot-spots-program-risk-assessment-guidelines-part-ii-and-22">https://oehha.ca.gov/air/cmr/notice-adoption-air-toxics-hot-spots-program-risk-assessment-guidelines-part-ii-and-22</a>	Notice of Adoption of Air Toxics "Hot Spots" Program Risk ...		X		X		X		X	
State sites	<a href="http://des.nh.gov/organization/commissioner/pip/factsheets/ard/documents/ard-ehp-28.pdf">http://des.nh.gov/organization/commissioner/pip/factsheets/ard/documents/ard-ehp-28.pdf</a>	Methylene Chloride (Dichloromethane)		X		X		X		X	
State sites	<a href="http://www.cdph.ca.gov/StripPaintSafely">http://www.cdph.ca.gov/StripPaintSafely</a>	GUIDE TO CHOOSING PAINT STRIPPING PRODUCTS: SAFETY ...		X		X		X		X	
State sites	<a href="http://www.scoSHA.llnonline.com/index.asp?file=scovp/list2.htm">http://www.scoSHA.llnonline.com/index.asp?file=scovp/list2.htm</a>	Training Classes		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/proposition-65/general-info/proposition-65-plain-language">https://oehha.ca.gov/proposition-65/general-info/proposition-65-plain-language</a>	Proposition 65 in Plain Language   OEHHA		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/srp/guidance/vaporintrusion/nije.htm">http://www.nj.gov/dep/srp/guidance/vaporintrusion/nije.htm</a>	NJDEP SRP - Guidance: New Jersey Johnson & Ettinger ...		X		X	X			X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb-face/Pages/FACEReports.aspx">https://www.cdph.ca.gov/programs/ohb-face/Pages/FACEReports.aspx</a>	Investigation Reports	X			X	X			X	
State sites	<a href="https://dtsc.ca.gov/ECL/upload/ECL-Report_Meth-Wipes.pdf">https://dtsc.ca.gov/ECL/upload/ECL-Report_Meth-Wipes.pdf</a>	Analysis of Methamphetamine on Wipes by GC/MS-SIM Mode or GC ...		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/indoorair/voc/">http://www.health.state.mn.us/divs/eh/indoorair/voc/</a>	Volatile Organic Compounds (VOCs) in Your Home - EH: Minnesota ...		X		X		X		X	
State sites	<a href="http://osha.oregon.gov/OSHAPubs/putitinwriting/putitinwriting.html">http://osha.oregon.gov/OSHAPubs/putitinwriting/putitinwriting.html</a>	Put it in writing! Your guide to Oregon OSHA's required written ...		X		X		X		X	
State sites	<a href="http://ehc.health.oregon.gov/Health/EmergencyHealth/Neighborhood/Towr/Substances/Pages/Childrens-chemicals-of-concern.aspx">http://ehc.health.oregon.gov/Health/EmergencyHealth/Neighborhood/Towr/Substances/Pages/Childrens-chemicals-of-concern.aspx</a>	Chemicals of Concern for Children's Health		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/srp/guidance/rs/partition_equation.pdf">http://www.nj.gov/dep/srp/guidance/rs/partition_equation.pdf</a>	Soil-Water Partition Equation Modification		X		X	X			X	
State sites	<a href="http://www.ecy.wa.gov/programs/hwtr/RTT/cspa/chcc.html">http://www.ecy.wa.gov/programs/hwtr/RTT/cspa/chcc.html</a>	Chemicals of High Concern to Children (CHCC)   Children's Safe ...		X		X		X		X	
State sites	<a href="http://www.deq.texas.gov/about/DIVISIONS/Permits/Engineering/Permitting/EmissionsInventory/Homepage/NonVOCCompounds.aspx">http://www.deq.texas.gov/about/DIVISIONS/Permits/Engineering/Permitting/EmissionsInventory/Homepage/NonVOCCompounds.aspx</a>	Definition of Non-VOC Compounds		X		X		X		X	
State sites	<a href="http://www.in.gov/idem/cleanwater/2387.htm">http://www.in.gov/idem/cleanwater/2387.htm</a>	IDEM OWQ: Maximum Contaminant Levels for Drinking Water		X		X		X		X	
State sites	<a href="https://deq.nc.gov/about/divisions/air-quality/air-quality-rules/area-sources/paint-autobody-rule-6h">https://deq.nc.gov/about/divisions/air-quality/air-quality-rules/area-sources/paint-autobody-rule-6h</a>	NC DEQ: Paint & Autobody Rule (6H)		X		X		X		X	
State sites	<a href="http://www.ca.gov/documents/propubs/prop/525.2-1-determination-of-organic-compounds-in-drinking-water-by-...">http://www.ca.gov/documents/propubs/prop/525.2-1-determination-of-organic-compounds-in-drinking-water-by-...</a>	525.2-1 determination of organic compounds in drinking water by ...		X		X		X		X	
State sites	<a href="http://www.mass.gov/eea/agencies/massdep/toxics/sources/air-guideline-values.html">http://www.mass.gov/eea/agencies/massdep/toxics/sources/air-guideline-values.html</a>	Ambient Air Toxics Guidelines   MassDEP		X		X	X			X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb/Documents/PaintRemovalPoster.pdf">https://www.cdph.ca.gov/programs/ohb/Documents/PaintRemovalPoster.pdf</a>	Paint Stripping Products: Safer, Less Toxic Choices		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/water/factsheet/com/voc_soc.html">http://www.health.state.mn.us/divs/eh/water/factsheet/com/voc_soc.html</a>	Contaminants: Volatile and Synthetic ...		X		X		X		X	
State sites	<a href="https://www.dep.state.il.us/waste/pharm/documents/hazardous_waste_determination_guidance.pdf">https://www.dep.state.il.us/waste/pharm/documents/hazardous_waste_determination_guidance.pdf</a>	Hazardous Waste Determination Guidance		X		X		X		X	
State sites	<a href="http://www.cdph.ca.gov/programs/ohb/pages/methylenechloride.aspx">http://www.cdph.ca.gov/programs/ohb/pages/methylenechloride.aspx</a>	Preventing worker deaths from methylene chloride		X		X		X		X	
State sites	<a href="http://www.cdph.ca.gov/programs/ohb-face/pages/stories.aspx">http://www.cdph.ca.gov/programs/ohb-face/pages/stories.aspx</a>	FACE Program Digital Stories		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="http://www.nj.gov/dep/srp/guidance/scc/">http://www.nj.gov/dep/srp/guidance/scc/</a>	NJDEP SRP - Guidance: Soil Cleanup Criteria		X		X	X			X	
State sites	<a href="https://www.dtsc.ca.gov/PublicationsForms/upload/PEA_Guidance_Manual.pdf">https://www.dtsc.ca.gov/PublicationsForms/upload/PEA_Guidance_Manual.pdf</a>	PEA Guidance Manual Final-October2015-PEA		X		X		X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/hesis/Documents/tce.pdf">https://www.cdph.ca.gov/programs/hesis/Documents/tce.pdf</a>	Trichloroethylene (TCE)		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/proposition-65/proposed-repeal-article-6-and-adoption-new-article-6-proposition-65-clear-air">https://oehha.ca.gov/proposition-65/proposed-repeal-article-6-and-adoption-new-article-6-proposition-65-clear-air</a>	Proposed Repeal of Article 6 and Adoption of New Article 6 ...		X		X		X		X	
State sites	<a href="https://www.env.nm.gov/HWB/guidance.html">https://www.env.nm.gov/HWB/guidance.html</a>	guidance.html		X		X		X		X	
State sites	<a href="https://www.dtsc.ca.gov/ECL/upload/ECL_Presentation_Tackling-Toxics.pdf">https://www.dtsc.ca.gov/ECL/upload/ECL_Presentation_Tackling-Toxics.pdf</a>	ECL Presentation: Tackling Toxics: The "Six Classes" Approach ...		X		X		X		X	
State sites	<a href="http://www.deq.state.ok.us/aqdnw/">http://www.deq.state.ok.us/aqdnw/</a>	Welcome to the Air Quality Division		X		X		X		X	
State sites	<a href="http://www.cdph.ca.gov/programs/ohb-face">http://www.cdph.ca.gov/programs/ohb-face</a>	California Fatality Assessment and Control Evaluation (FACE)		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/proposition-65/general-info/regsart7.pdf">https://oehha.ca.gov/media/downloads/proposition-65/general-info/regsart7.pdf</a>	Title 27, California Code of Regulations, Article 7		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/general-info/toxic-air-contaminant-list-staff-reports/executive-summaries">https://oehha.ca.gov/air/general-info/toxic-air-contaminant-list-staff-reports/executive-summaries</a>	Toxic Air Contaminant List with Staff Reports/Executive Summaries ...		X		X	X		X		
State sites	<a href="http://www.nj.gov/dep/rules/rules/njac7_26d.pdf">http://www.nj.gov/dep/rules/rules/njac7_26d.pdf</a>	Remediation Standard N.J.A.C. 7:26D		X		X	X			X	
State sites	<a href="http://www.mass.gov/eea/agencies/massdep/air/quality/toxic-air-pollutants.html">http://www.mass.gov/eea/agencies/massdep/air/quality/toxic-air-pollutants.html</a>	Toxic Air Pollutants   MassDEP		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/bts/pdf/Techmanuals/njatm3.pdf">http://www.nj.gov/dep/bts/pdf/Techmanuals/njatm3.pdf</a>	Air Test Method 3		X		X		X		X	
State sites	<a href="https://deq.utah.gov/Divisions/daq/sections/atlas/index.htm">https://deq.utah.gov/Divisions/daq/sections/atlas/index.htm</a>	Utah DEQ: DAQ: ATLAS		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/proposition-65/safeharborlevels10072016.pdf">https://oehha.ca.gov/media/downloads/proposition-65/safeharborlevels10072016.pdf</a>	Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens ...		X		X		X		X	
State sites	<a href="http://www.nclabor.com/osha/etta/indguide/ig49.pdf">http://www.nclabor.com/osha/etta/indguide/ig49.pdf</a>	OSHA General Industry Standards Requiring Programs		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/sites/default/files/ea-s1-34.pdf">https://www.pca.state.mn.us/sites/default/files/ea-s1-34.pdf</a>	Audit Checklist - Solvents - form		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="http://www.epa.illinois.gov/topics/air-quality/planning-reporting/annual-emission-reports/tables/definitions/index">http://www.epa.illinois.gov/topics/air-quality/planning-reporting/annual-emission-reports/tables/definitions/index</a>	Definitions		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/rules/rules/njac7_10.pdf">http://www.nj.gov/dep/rules/rules/njac7_10.pdf</a>	NJDEP-N.J.A.C. 7:10-Safe Drinking Water Act Rules		X		X		X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohsep/Documents/MeCIRetailSurvey.pdf">https://www.cdph.ca.gov/programs/ohsep/Documents/MeCIRetailSurvey.pdf</a>	Dichloromethane (methylene chloride) in paint strippers: Survey of ...		X		X	X			X	
State sites	<a href="https://www.tceq.texas.gov/publications/rg/rg-234.html#at_download/file">https://www.tceq.texas.gov/publications/rg/rg-234.html#at_download/file</a>	Industrial and Hazardous Waste: Rules and Regulations for Small ...		X		X		X		X	
State sites	<a href="http://www.kdheks.gov/waste/forms/hazwaste/gen700-HWGenHandbook.pdf">http://www.kdheks.gov/waste/forms/hazwaste/gen700-HWGenHandbook.pdf</a>	Hazardous Waste Generator Handbook (.pdf)		X		X		X		X	
State sites	<a href="http://www.dep.state.fl.us/waste/quick_topics/publications/pop/procedures/Priority_Pollutants-11Aug10.pdf">http://www.dep.state.fl.us/waste/quick_topics/publications/pop/procedures/Priority_Pollutants-11Aug10.pdf</a>	Priority Pollutant Volatile and Extractable Organics		X		X		X		X	
State sites	<a href="http://osha.oregon.gov/pubs/newsletters/Pages/construction-depot.aspx">http://osha.oregon.gov/pubs/newsletters/Pages/construction-depot.aspx</a>	State of Oregon: Newsletters - Construction Depot		X		X		X		X	
State sites	<a href="http://www.nclabor.com/osha/etta/indguide/ig40.pdf">http://www.nclabor.com/osha/etta/indguide/ig40.pdf</a>	A Guide to Emergency Action Planning		X		X		X		X	
State sites	<a href="http://www.idph.state.il.us/public/press09/6/24.09Bradley_HeightsWellTesting.htm">http://www.idph.state.il.us/public/press09/6/24.09Bradley_HeightsWellTesting.htm</a>	IDPH recommends water well testing for Bradley Heights ...		X		X		X		X	
State sites	<a href="http://www.idph.state.il.us/public/press09/7/27.09AntiochWellWater.htm">http://www.idph.state.il.us/public/press09/7/27.09AntiochWellWater.htm</a>	IDPH recommends water well testing for Antioch Area		X		X		X		X	
State sites	<a href="https://deq.utah.gov/state-of-environment/air-quality.html">https://deq.utah.gov/state-of-environment/air-quality.html</a>	Division of Air Quality - 2016 State of our Environment Report - Utah ...		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/sites/default/files/ea-s1-39.pdf">https://www.pca.state.mn.us/sites/default/files/ea-s1-39.pdf</a>	Audit Checklist - Towels/Wipes/Sorbents- form		X		X		X		X	
State sites	<a href="http://www.dtsc.ca.gov/SCP/Paint_Stripper.cfm">http://www.dtsc.ca.gov/SCP/Paint_Stripper.cfm</a>	Paint Stripper with Methylene Chloride	X		X		X		X		
State sites	<a href="http://www.dec.ny.gov/chemical/108370.html">http://www.dec.ny.gov/chemical/108370.html</a>	Bethlehem Steel Plant Fire Air Monitoring Results - NYS Dept. of ...		X		X	X			X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb/Pages/Programs.aspx">https://www.cdph.ca.gov/programs/ohb/Pages/Programs.aspx</a>	Occupational Health Branch Programs and Activities		X		X		X		X	
State sites	<a href="http://www.ct.gov/dph/lib/dph/environmental_health/turf/artificial_turf_menichini_2011.pdf">http://www.ct.gov/dph/lib/dph/environmental_health/turf/artificial_turf_menichini_2011.pdf</a>	Artificial-turf playing fields: Contents of metals, PAHs, PCBs, PCDDs ...		X		X		X		X	
State sites	<a href="http://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/business/Paint_and_Body8_09.pdf">http://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/business/Paint_and_Body8_09.pdf</a>	504409 Paint and Body.indd		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://oehha.ca.gov/media/downloads/risk-assessment/document/artguidelinesoc2014.pdf">https://oehha.ca.gov/media/downloads/risk-assessment/document/artguidelinesoc2014.pdf</a>	Art and Craft Materials in Schools: Guidelines for Purchasing and ...		X		X		X		X	
State sites	<a href="http://www.ecy.wa.gov/programs/hwtr/shoptalkonline/current_issue/story_four.html">http://www.ecy.wa.gov/programs/hwtr/shoptalkonline/current_issue/story_four.html</a>	Automated Tools can Help Companies Avoid Regrettable ...		X		X		X		X	
State sites	<a href="http://www.ecy.wa.gov/programs/hwtr/waste-report/waste_codes.htm">http://www.ecy.wa.gov/programs/hwtr/waste-report/waste_codes.htm</a>	Waste Codes		X		X		X		X	
State sites	<a href="http://dnr.wi.gov/topic/Brownfields/documents/kipp/arcadisSVE0315.pdf">http://dnr.wi.gov/topic/Brownfields/documents/kipp/arcadisSVE0315.pdf</a>	Soil Vapor Extraction (SVE) System Progress Report		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/media/downloads/water/report/rscposter2.pdf">https://oehha.ca.gov/media/downloads/water/report/rscposter2.pdf</a>	Risk Assessment for Chemicals in Drinking Water: Estimation of ...		X		X	X			X	
State sites	<a href="http://www.tceq.texas.gov/assets/public/implementation/tow/dsd/final/june11/methylene_chloride.pdf">http://www.tceq.texas.gov/assets/public/implementation/tow/dsd/final/june11/methylene_chloride.pdf</a>	Development Support Document for Methylene Chloride		X		X	X		X		
State sites	<a href="https://www.adeq.state.ar.us/techsvs/env_multi_lab/water_quality_station.aspx">https://www.adeq.state.ar.us/techsvs/env_multi_lab/water_quality_station.aspx</a>	Water Quality Monitoring Data   ADEQ		X		X	X			X	
State sites	<a href="http://dnr.wi.gov/topic/Brownfields/documents/kipp/ArcadisSVEreport0814.pdf">http://dnr.wi.gov/topic/Brownfields/documents/kipp/ArcadisSVEreport0814.pdf</a>	Soil Vapor Extraction (SVE) System Progress Report		X		X	X			X	
State sites	<a href="http://www.epa.illinois.gov/topics/small-business/publications/parts-washer-wastes/index">http://www.epa.illinois.gov/topics/small-business/publications/parts-washer-wastes/index</a>	Parts-Washer-Wastes		X		X		X		X	
State sites	<a href="http://www.michigan.gov/deq/0,4561,7-135-3310_70317-11404--,00.html">http://www.michigan.gov/deq/0,4561,7-135-3310_70317-11404--,00.html</a>	DEQ - Solvent Degreasing		X		X		X		X	
State sites	<a href="http://www.michigan.gov/deq/0,4561,7-135-3310_70317-192582--,00.html">http://www.michigan.gov/deq/0,4561,7-135-3310_70317-192582--,00.html</a>	DEQ - Paint Stripping and Miscellaneous Surface Coating ...		X		X		X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/ohb/Pages/OHWAarchive.aspx">https://www.cdph.ca.gov/programs/ohb/Pages/OHWAarchive.aspx</a>	Occupational Health Watch Archive		X		X		X		X	
State sites	<a href="https://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/AutoR/AutomotiveHandbook_2012.pdf">https://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/AutoR/AutomotiveHandbook_2012.pdf</a>	Florida Department of Environmental Protection		X		X		X		X	
State sites	<a href="http://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/business/labs03.pdf">http://www.dep.state.fl.us/waste/quick_topics/publications/shw/hazardous/business/labs03.pdf</a>	Florida's Laboratories		X		X		X		X	
State sites	<a href="http://deq.utah.gov/businesses/A/atk/docs/promontory/2014/02Feb/Attachment_4.pdf">http://deq.utah.gov/businesses/A/atk/docs/promontory/2014/02Feb/Attachment_4.pdf</a>	MANAGEMENT Contingency Plan and ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/cnr/appendixd3final.pdf">https://oehha.ca.gov/media/downloads/cnr/appendixd3final.pdf</a>	explanation of non cancer endpoints by summary of studies	X			X	X			X	
Trade Associations	<a href="http://acmanet.org/conferences-and-training/certification/2-uncategorized">http://acmanet.org/conferences-and-training/certification/2-uncategorized</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_95/1995-15.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_95/1995-15.pdf</a>	used in cleaning resins	X			X		X		X	
Trade Associations	<a href="http://www.acmanet.org/silica">http://www.acmanet.org/silica</a>			X		X		X		X	
Trade Associations	<a href="http://www.acmanet.org/silica">http://www.acmanet.org/silica</a>	OSHA standard		X		X	X			X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_92/1992-03.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_92/1992-03.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_91/1991-07.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_91/1991-07.pdf</a>	talks about using Dichloromethane as a chemical scrubber	X			X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_93/1993-18.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_93/1993-18.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_90/1990-17.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_90/1990-17.pdf</a>	used DCM for chemical etching	X			X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_99/17-01.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_99/17-01.pdf</a>	used DCM in preparing a plastic	X			X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_91/1991-06.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_91/1991-06.pdf</a>	removed unreacted resin		X		X		X		X	
Trade Associations	<a href="http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_94/1994-15.pdf">http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_94/1994-15.pdf</a>	system of recycling contaminated glass fibers that was already in use	X			X		X		X	
Trade Associations	<a href="http://www.aiaa-aerospace.org/wp-content/uploads/2016/06/PLANES-JULY-1959.pdf">http://www.aiaa-aerospace.org/wp-content/uploads/2016/06/PLANES-JULY-1959.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.americanchemistry.com/ProductsTechnology/Phosgene/Safe-Practice-Guidelines/Phosgene-Monitoring.pdf">http://www.americanchemistry.com/ProductsTechnology/Phosgene/Safe-Practice-Guidelines/Phosgene-Monitoring.pdf</a>	review of phosgene monitor/analyzer equipment- section 6.9		X		X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LifeCycleInventory-of-9-Plastics-Resins-and-4-Polyurethane-Precursors-Rpt-Only">https://plastics.americanchemistry.com/LifeCycleInventory-of-9-Plastics-Resins-and-4-Polyurethane-Precursors-Rpt-Only</a>	emissions from cardle to gate life cycle assessment		X	X			X		X	
Trade Associations	<a href="https://www.epa.gov/air-quality-criteria-substance/air-quality-criteria-substance-summaries">https://www.epa.gov/air-quality-criteria-substance/air-quality-criteria-substance-summaries</a>	modifications for air sampling method		X		X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LCI-Summary-for-4-Half-Gallon-Milk-Containers/">https://plastics.americanchemistry.com/LCI-Summary-for-4-Half-Gallon-Milk-Containers/</a>	summary of four half-gallon milk containers		X	X			X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LifeCycleInventory-of-Plastics-From-Beached-and-Composted-Paperboard-Foodservice-Products">https://plastics.americanchemistry.com/LifeCycleInventory-of-Plastics-From-Beached-and-Composted-Paperboard-Foodservice-Products</a>	life cycle inventory of polystyrene foam and other food service products	X			X	X			X	
Trade Associations	<a href="https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf">https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf</a>	review of economic benefits of chlorine	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="https://plastics.americanchemistry.com/Life-Cycle-Assessment-for-Three-Types-of-Grocery-Bags.pdf">https://plastics.americanchemistry.com/Life-Cycle-Assessment-for-Three-Types-of-Grocery-Bags.pdf</a>	life cycle inventory of grocery bags	X			X	X			X	
Trade Associations	<a href="http://pubs.uspharm.gov/ehp/resources-and-document-library/guidance-for-the-selection-of-protective-clothing-for-TDI-users.pdf">http://pubs.uspharm.gov/ehp/resources-and-document-library/guidance-for-the-selection-of-protective-clothing-for-TDI-users.pdf</a>	guidance for protective clothing for TDI		X		X		X		X	
Trade Associations	<a href="https://polyurethane.americanchemistry.com/Resources-and-Documents-Library/10311.pdf">https://polyurethane.americanchemistry.com/Resources-and-Documents-Library/10311.pdf</a>	guidelines of polyurethane disposal		X		X		X		X	
Trade Associations	<a href="http://ehpnet1.americanchemistry.com/EHPnet/docs/Research/Science/Health-and-Safety/Materials/Handling-Guide-Hydrogen-Bonded-Silicon-Compounds.pdf">http://ehpnet1.americanchemistry.com/EHPnet/docs/Research/Science/Health-and-Safety/Materials/Handling-Guide-Hydrogen-Bonded-Silicon-Compounds.pdf</a>	handling guide for hydrogen bonded silicon compounds		X		X		X		X	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_66.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_66.pdf</a>	hemotoxins in bone marrow - DCM mentioned as exposure but no data		X		X		X		X	
Trade Associations	<a href="https://www.americanchemistry.com/Policy/Chemical-Safety/TSCA/ACC-Comments-on-EPA-Work-Plan-Chemical-Assessments.pdf">https://www.americanchemistry.com/Policy/Chemical-Safety/TSCA/ACC-Comments-on-EPA-Work-Plan-Chemical-Assessments.pdf</a>	assessments -DCM only mentioned in footnotes		X		X		X		X	
Trade Associations	<a href="http://pubs.uspharm.gov/ehp/resources-and-document-library/research-report-for-measuring-emissions-from-spray-polyurethane-foam.pdf">http://pubs.uspharm.gov/ehp/resources-and-document-library/research-report-for-measuring-emissions-from-spray-polyurethane-foam.pdf</a>	report for measuring emissions from spray polyurethane foam		X		X		X		X	
Trade Associations	<a href="http://pubs.uspharm.gov/ehp/resources-and-document-library/life-cycle-inventory-methodology.pdf">http://pubs.uspharm.gov/ehp/resources-and-document-library/life-cycle-inventory-methodology.pdf</a>	life cycle inventory methodology		X		X		X		X	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_128.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_128.pdf</a>	conference meeting poster reviews		X		X		X		X	
Trade Associations	<a href="https://chlorine.americanchemistry.com/Background-Natural-chlorine-You-bet/">https://chlorine.americanchemistry.com/Background-Natural-chlorine-You-bet/</a>	short discussion on how DCM is created	X			X		X		X	
Trade Associations	<a href="http://www.osha-slc.com/Emergency-Health-and-Safety/Other-Resources/Health-and-Safety/OSHA-Air-Sampling-Methods-for-Hazardous-Gases-in-Confined-Spaces.pdf">http://www.osha-slc.com/Emergency-Health-and-Safety/Other-Resources/Health-and-Safety/OSHA-Air-Sampling-Methods-for-Hazardous-Gases-in-Confined-Spaces.pdf</a>	OSHA air sampling methods;	X			X		X		X	
Trade Associations	<a href="http://archive.americanchemistry.com/chlor-alkali">http://archive.americanchemistry.com/chlor-alkali</a>	Figure of various chlorine uses		X		X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LCI-Summary-for-6-Tuna-Packaging-Systems/">https://plastics.americanchemistry.com/LCI-Summary-for-6-Tuna-Packaging-Systems/</a>	Tuna packaging system report; DCM emissions reported in 1 table	X			X	X			X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LCI-Summary-for-8-Coffee-Packaging-Systems/">https://plastics.americanchemistry.com/LCI-Summary-for-8-Coffee-Packaging-Systems/</a>	coffee packing system report	X			X	X			X	
Trade Associations	<a href="https://chlorine.americanchemistry.com/Chlorine/Chlorine-Glossary/">https://chlorine.americanchemistry.com/Chlorine/Chlorine-Glossary/</a>	glossary of chlorinated terms		X		X		X		X	
Trade Associations	<a href="http://www.americanchemistry.com/Emergency-Health-and-Safety/Other-Resources/Health-and-Safety/OSHA-Air-Sampling-Methods-for-Hazardous-Gases-in-Confined-Spaces.pdf">http://www.americanchemistry.com/Emergency-Health-and-Safety/Other-Resources/Health-and-Safety/OSHA-Air-Sampling-Methods-for-Hazardous-Gases-in-Confined-Spaces.pdf</a>	DCM used in procedure to develop filter coating system		X		X		X		X	
Trade Associations	<a href="http://www.asphaltroofing.org/sites/default/files/AIM_presentation_ARMA_Aug2505_Toronto.pdf">http://www.asphaltroofing.org/sites/default/files/AIM_presentation_ARMA_Aug2505_Toronto.pdf</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.asphaltroofing.org/sites/default/files/03%20-%20AF%20Sampson%20AF%20over%20Regulatory%20Presentation.pdf">http://www.asphaltroofing.org/sites/default/files/03%20-%20AF%20Sampson%20AF%20over%20Regulatory%20Presentation.pdf</a>	warning markers on products that are sold with DCM		x		x	x			x	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	<a href="http://members.canadianchemistry.ca/Portals/0/Revised%202012%20Stewardship%20Guide.pdf">http://members.canadianchemistry.ca/Portals/0/Revised%202012%20Stewardship%20Guide.pdf</a>	emissions were reduced by switch cleaning systems	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf">http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf</a>	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf">http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf</a>	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf">http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf</a>	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf">http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf</a>	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf">http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf</a>	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	<a href="http://cefic-efra.com">cefic-efra.com</a>			x		x		x		x	
Trade Associations	<a href="http://cspa.org">cspa.org</a>			x		x		x		x	
Trade Associations	<a href="http://ebfrip.org">ebfrip.org</a>			x		x		x		x	
Trade Associations	<a href="http://jpma.org">jpma.org</a>			x		x		x		x	
Trade Associations	<a href="http://documents.nam.org/erp/NAM_Pfizer_Sustainability_091513.pptx">http://documents.nam.org/erp/NAM_Pfizer_Sustainability_091513.pptx</a>	Pfizer's green chemistry, moving people away from using solvents	x			x		x		x	
Trade Associations	<a href="http://documents.nam.org/erp/NAM_Pfizer_Sustainability_091513.pptx">http://documents.nam.org/erp/NAM_Pfizer_Sustainability_091513.pptx</a>	Pfizer's green chemistry, moving people away from using solvents	x			x		x		x	
Trade Associations	<a href="http://www.nam.org/Microsites/TheCenterforLegalAction/Releases/2015NAMIndustryBrieftoAmericanPetroleumIndustryEPA/DC-CG.pdf">http://www.nam.org/Microsites/TheCenterforLegalAction/Releases/2015NAMIndustryBrieftoAmericanPetroleumIndustryEPA/DC-CG.pdf</a>			x		x		x		x	
Trade Associations	<a href="http://pinfa.org">pinfa.org</a>			x		x		x		x	
Trade Associations	<a href="http://sips.org">sips.org</a>			x		x		x		x	
Trade Associations	<a href="http://www.acmanet.org/silica/2-uncategorized">http://www.acmanet.org/silica/2-uncategorized</a>	review of OSHA standards		x		x		x		x	
Trade Associations	<a href="http://www.afma.org/f-tutor/triacetate.htm">http://www.afma.org/f-tutor/triacetate.htm</a>	link won't open		x		x		x		x	
Trade Associations	<a href="http://www.afsinc.org/files/1411%202012%20hap%20method%20val%20-%202012%20eobe%20public.pdf">http://www.afsinc.org/files/1411%202012%20hap%20method%20val%20-%202012%20eobe%20public.pdf</a>	method validation report		x		x		x		x	
Trade Associations	<a href="http://www.afsinc.org/files/ep%20311%20emission%20measurement%20procedure%202sec.pdf">http://www.afsinc.org/files/ep%20311%20emission%20measurement%20procedure%202sec.pdf</a>	emission report		x	x			x		x	
Trade Associations	<a href="http://www.afsinc.org/files/1412-319%20method%20comparison%20pm%20public_1383851885452_6.pdf">http://www.afsinc.org/files/1412-319%20method%20comparison%20pm%20public_1383851885452_6.pdf</a>	method comparison report - no data on DCM		x		x		x		x	
Trade Associations	<a href="http://www.afsinc.org/files/201410-319%20method%20comparison%20pm%20public_1383851885452_6.pdf">http://www.afsinc.org/files/201410-319%20method%20comparison%20pm%20public_1383851885452_6.pdf</a>	method comparison report - no data on DCM		x		x		x		x	
Trade Associations	<a href="http://www.afsinc.org/files/0001-002%20CERPMexicoBaseline.pdf">http://www.afsinc.org/files/0001-002%20CERPMexicoBaseline.pdf</a>	method report		x		x		x		x	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.afsinc.org/files/EHS-Conference-Speaker-Washington-Update-Health-and-Safety-Salmon.pdf">http://www.afsinc.org/files/EHS-Conference-Speaker-Washington-Update-Health-and-Safety-Salmon.pdf</a>	PowerPoint on OSHA updates - no DCM related data		X		X		X		X	
Trade Associations	<a href="http://www.afsinc.org/files/AFS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf">http://www.afsinc.org/files/AFS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf</a>	risk assessment		X		X		X		X	
Trade Associations	<a href="http://www.aga.org">www.aga.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf">http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf</a>	products of motor burnout report		X		X		X		X	
Trade Associations	<a href="http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf">http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf</a>	ARTI refrigerant database		X		X		X		X	
Trade Associations	<a href="http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf">http://www.afsinc.org/files/EHS/Marketing/sfs%20pair%20document%20peer%20review%20trial%200509.pdf</a>	report on effects of temperature on refrigerants and lubricants		X		X		X		X	
Trade Associations	<a href="http://www.aluminum.org">www.aluminum.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/93Q5A1.pdf">http://www.ame.org/sites/default/files/target_articles/93Q5A1.pdf</a>	pollution prevention	X			X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/93Q5U4.pdf">http://www.ame.org/sites/default/files/documents/93Q5U4.pdf</a>	review of companies pollution reduction ratings		X		X		X		X	
Trade Associations	<a href="http://www.ansi.org">www.ansi.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AerobicBiodegRateConstantRpt1998.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AerobicBiodegRateConstantRpt1998.pdf</a>	report on anaerobic biodegradation of chemicals in groundwater		X	X			X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/policy/hydrofracturing/pavillion-review/api-report-on-pavillion-wy.pdf">http://www.api.org/~media/Files/policy/hydrofracturing/pavillion-review/api-report-on-pavillion-wy.pdf</a>	API's review of EPA's pavillion		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AerobicBiodegRateConstantRpt17.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AerobicBiodegRateConstantRpt17.pdf</a>	aerobic biodegradation of organic materials		X	X			X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/16_Bull.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/16_Bull.pdf</a>	report on soil gas vapors to indoor air		X	X			X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Health_and_Safety/2011/OSHA_Regulatory_Summary_Webpage.pdf">http://www.api.org/~media/Files/EHS/Health_and_Safety/2011/OSHA_Regulatory_Summary_Webpage.pdf</a>	OSHA regulatory summary		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/Certification/Engine-Oil-Diesel/Publications/1_CA-of-Used-Oil-Mgmt-ERM-10012017.pdf">http://www.api.org/~media/Files/Certification/Engine-Oil-Diesel/Publications/1_CA-of-Used-Oil-Mgmt-ERM-10012017.pdf</a>	life cycle assessment of used oil management	X			X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/Ground_Water_Quality/4695_17.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/Ground_Water_Quality/4695_17.pdf</a>	applications for petroleum facility discharge permits		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.api.org/~media/files/ehs/climate-change/2009_ghg_compendium.ashx">http://www.api.org/~media/files/ehs/climate-change/2009_ghg_compendium.ashx</a>	methodologies -DCM in one paragraph but no data		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Duro-NDReport-13-Feb-22.pdf">http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Duro-NDReport-13-Feb-22.pdf</a>	retrospective case study site characterization		X		X	X			X	
Trade Associations	<a href="http://www.ascouncil.org/resource/resmgr/Docs/asc-issue-briefs-compendium.pdf">http://www.ascouncil.org/resource/resmgr/Docs/asc-issue-briefs-compendium.pdf</a>	council issue briefs		X		X	X			X	
Trade Associations	<a href="http://www.awc.org">www.awc.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.cancentral.com">www.cancentral.com</a>			X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/methylene-chloride-dcm">http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/methylene-chloride-dcm</a>	Methylene chloride (DCM)	X		X			X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/glossary">http://www.chlorinated-solvents.eu/index.php/glossary</a>	Glossary	X			X	X			X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/sustainability/innovation">http://www.chlorinated-solvents.eu/index.php/sustainability/innovation</a>	Innovation		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/sustainability/ecsa-sustainability-program">http://www.chlorinated-solvents.eu/index.php/sustainability/ecsa-sustainability-program</a>	ECSA Sustainability Program		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/sustainability/hazard-risk-assessments/oeed-hpv-dossiers">http://www.chlorinated-solvents.eu/index.php/sustainability/hazard-risk-assessments/oeed-hpv-dossiers</a>	OECD HPV Dossiers		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/sustainability/ecsa-sustainability-program/value-chain-engagement">http://www.chlorinated-solvents.eu/index.php/sustainability/ecsa-sustainability-program/value-chain-engagement</a>	Value chain engagement		X		X		X		X	
Trade Associations	<a href="http://ecsa.cefic.org/images/Documents/Sustainability/dcm_Marine_Risk_Assessment.pdf">http://ecsa.cefic.org/images/Documents/Sustainability/dcm_Marine_Risk_Assessment.pdf</a>	Marine Risk assessments; Changed URL to actual link from site	X		X		X			X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf</a>	Guidance on Storage and Handling of Chlorinated Solvents	X			X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf</a>	Product Safety Summary on Dichloromethane	X		X		X		X		
Trade Associations	<a href="http://www.chlorinated-solvents.eu/toolbox/print-report.asp?op=107">http://www.chlorinated-solvents.eu/toolbox/print-report.asp?op=107</a>	ECSA Help and Guidance		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/2015/Booklet_Safety_Summary_2015PS21/2020/2020booklet%202015.pdf</a>	Health Profile on Dichloromethane	X		X		X		X		
Trade Associations	<a href="http://www.chlorinated-solvents.eu/toolbox/">http://www.chlorinated-solvents.eu/toolbox/</a>	ECSA Product & Application Toolbox	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.cleaninginstitute.org/assets/1/Page/GHS%20Implementation%209282006.attachment.pdf">http://www.cleaninginstitute.org/assets/1/Page/GHS%20Implementation%209282006.attachment.pdf</a>	chemicals in children's products; States "To reduce the risk of exposure		X		X		X		X	
Trade Associations	<a href="http://www.copper.org">www.copper.org</a>			X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/Brian_Karnofsky_Haz_Waste_Mgt.pdf">https://www.flexpack.org/assets/1/6/Brian_Karnofsky_Haz_Waste_Mgt.pdf</a>	presentation on hazardous waste management		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/Tom_Devine_MACT_Implementation.pdf">https://www.flexpack.org/assets/1/6/Tom_Devine_MACT_Implementation.pdf</a>	MACT implementation presentations		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/Kathy_Blanton.pdf">https://www.flexpack.org/assets/1/6/Kathy_Blanton.pdf</a>	management of solvent contaminated wipes		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/Charlotte_Mooney.pdf">https://www.flexpack.org/assets/1/6/Charlotte_Mooney.pdf</a>	presentation solid waste and wipes		X		X		X		X	
Trade Associations	<a href="http://www.gasketfab.com">www.gasketfab.com</a>			X		X		X		X	
Trade Associations	<a href="http://www.globalautomakers.org">www.globalautomakers.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.gmaonline.org">www.gmaonline.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/">http://www.hsia.org/</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Comments%20on%20EPA's%20Work%20Plan.pdf">http://www.hsia.org/news/HsIA%20Comments%20on%20EPA's%20Work%20Plan.pdf</a>	Industry Comment on OPPT & IRIS Assessments	X			X	X			X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Jan%20%20Jan%20Feb%202014.pdf">http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Jan%20%20Jan%20Feb%202014.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20July%20%20Aug%20%202014.pdf">http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20July%20%20Aug%20%202014.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Nov%20%20Dec%20%202014.pdf">http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Nov%20%20Dec%20%202014.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Mar%20%20Apr%20%202013.pdf">http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Mar%20%20Apr%20%202013.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Q1%202016.pdf">http://www.hsia.org/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Q1%202016.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Jan%20%20Feb%202013.pdf">http://www.hsia.org/news/HsIA%20Solvents%20News%20You%20Can%20Use%20%20Jan%20%20Feb%202013.pdf</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Trade Associations	<a href="http://www.hsia.org/solvents-backgrounders.asp">http://www.hsia.org/solvents-backgrounders.asp</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications.asp">http://www.hsia.org/applications.asp</a>	links to outside sources, internal links caught in results		X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20March%202012.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20March%202012.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/OTC%20Comments.pdf">http://www.hsia.org/news/OTC%20Comments.pdf</a>	industry comment on model rule	X			X			X		X	
Trade Associations	<a href="http://www.hsia.org/news/DCM%20Workplan%20comments.pdf">http://www.hsia.org/news/DCM%20Workplan%20comments.pdf</a>	industry comment	X			X			X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Public%20Comment.pdf">http://www.hsia.org/news/HSA%20Public%20Comment.pdf</a>	industry comment		X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/McCl%20IRIS%20HSA%20Comments%202010-05.pdf">http://www.hsia.org/news/McCl%20IRIS%20HSA%20Comments%202010-05.pdf</a>	Industry comment on IRIS		X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20July%20K%20Aug%202012.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20July%20K%20Aug%202012.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/Paint%20Remover%20Manufacturers%20Complete%20Ventilation%20Project.pdf">http://www.hsia.org/applications/Paint%20Remover%20Manufacturers%20Complete%20Ventilation%20Project.pdf</a>	Describes an engineering control to reduce occ exposure	X				X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20October%202012.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20October%202012.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20March%208%20April%202014.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20March%208%20April%202014.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/vd%20brochure.pdf">http://www.hsia.org/applications/vd%20brochure.pdf</a>	Solvents used in surface cleaning brochure	X			X			X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20Nov%205%202011.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20Nov%205%202011.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/FR.pdf">http://www.hsia.org/news/FR.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/NYBill%20HSA%20Memo%20of%20Opposition.pdf">http://www.hsia.org/news/NYBill%20HSA%20Memo%20of%20Opposition.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20Oct%205%202011.pdf">http://www.hsia.org/news/HSA%20Solvents%20News%20You%20Can%20Use%20-%20Oct%205%202011.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/foam%20imp.pdf">http://www.hsia.org/applications/foam%20imp.pdf</a>			X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.hsia.org/applications/paint%20stripping%20code%20of%20practice.pdf">http://www.hsia.org/applications/paint%20stripping%20code%20of%20practice.pdf</a>	Code of practice to reduce emissions of paint strippers etc	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/ODS%20report.pdf">http://www.hsia.org/applications/ODS%20report.pdf</a>	deleting substances in solvent cleaning industry	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/TCE%20TCE%20Profile%20Update%20HSLA%20Comments%20031615.pdf">http://www.hsia.org/news/TCE%20TCE%20Profile%20Update%20HSLA%20Comments%20031615.pdf</a>	Industry comment on ATRDR		X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/TCE%20Workplan%20Comments.pdf">http://www.hsia.org/news/TCE%20Workplan%20Comments.pdf</a>	TSCA Comments from HSIA	X			X	X			X	
Trade Associations	<a href="http://www.hsia.org/news/TCE%20SAB%20draft%20response%20report%202010-08-25.pdf">http://www.hsia.org/news/TCE%20SAB%20draft%20response%20report%202010-08-25.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/EPA-SAB-%20TCE.pdf">http://www.hsia.org/news/EPA-SAB-%20TCE.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSLA%20SAB%20draft%20response%20report%202010-08-25.pdf">http://www.hsia.org/news/HSLA%20SAB%20draft%20response%20report%202010-08-25.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSLA%20Solvents%20News%20You%20Can%20Use%20Dec%202011.pdf">http://www.hsia.org/news/HSLA%20Solvents%20News%20You%20Can%20Use%20Dec%202011.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/paint-hsia.pdf">http://www.hsia.org/applications/paint-hsia.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/CPSC%20Labeling%20-%20Methylene%20Chloride.pdf">http://www.hsia.org/news/CPSC%20Labeling%20-%20Methylene%20Chloride.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/uses.asp">http://www.hsia.org/uses.asp</a>	very general uses		X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news.asp">http://www.hsia.org/news.asp</a>	presentations for OPPT, ATSDR, and IRIS with links to presentations	X			X		X		X	
Trade Associations	<a href="http://www.inda.org/BIO/hm2015_1023.pdf">http://www.inda.org/BIO/hm2015_1023.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.inda.org/BIO/hm2015_1024.pdf">http://www.inda.org/BIO/hm2015_1024.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.inda.org/subscrip/inj04_4/p39-45-qibson.pdf">http://www.inda.org/subscrip/inj04_4/p39-45-qibson.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/TM/2.3.4.3.pdf">https://www.ipc.org/TM/2.3.4.3.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.ipc.org/3.0_Industry/3.4_EHS/2010/CERCLA-FA-Reg-Comments.pdf">http://www.ipc.org/3.0_Industry/3.4_EHS/2010/CERCLA-FA-Reg-Comments.pdf</a>	comments to superfund docket	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="https://www.ipc.org/files-history/HistoryBook_web.pdf">https://www.ipc.org/files-history/HistoryBook_web.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.ipc.org/3.0_Industry/3.4_EHS/NODA/DCN%2036014S.pdf">http://www.ipc.org/3.0_Industry/3.4_EHS/NODA/DCN%2036014S.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/TM/2.3.23.pdf">https://www.ipc.org/TM/2.3.23.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/TM/2.3.4.2.pdf">https://www.ipc.org/TM/2.3.4.2.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/TM/2.3.36.pdf">https://www.ipc.org/TM/2.3.36.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/TM/2.3.30a.pdf">https://www.ipc.org/TM/2.3.30a.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/test-methods.aspx">https://www.ipc.org/test-methods.aspx</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/ContentPage.aspx?pageid=CHEMICAL-TEST-METHODS">https://www.ipc.org/ContentPage.aspx?pageid=CHEMICAL-TEST-METHODS</a>			X		X		X		X	
Trade Associations	<a href="http://www.ipc.org/3.0_Industry/3.4_EHS/2009/APEXPO-EHS-Presentations/OSHA-Update.ppt">http://www.ipc.org/3.0_Industry/3.4_EHS/2009/APEXPO-EHS-Presentations/OSHA-Update.ppt</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/3.0_Industry/3.4_EHS/osharecordguide.pdf">https://www.ipc.org/3.0_Industry/3.4_EHS/osharecordguide.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.ipc.org/docs/default-source/safety-management-program/hazard-communication-2012-qtz-overview.pdf?sfvrsid=">http://www.ipc.org/docs/default-source/safety-management-program/hazard-communication-2012-qtz-overview.pdf?sfvrsid=</a>			X		X		X		X	
Trade Associations	<a href="https://www.issa.com/vocsum">https://www.issa.com/vocsum</a>	List of banned uses	X			X		X		X	
Trade Associations	<a href="http://www.issa.com/regulatory/regulatory-publications/formulator-news/formulator-news-december-15-2016.html">http://www.issa.com/regulatory/regulatory-publications/formulator-news/formulator-news-december-15-2016.html</a>			X		X		X		X	
Trade Associations	<a href="http://www.jpma.org">www.jpma.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.nasf.org">www.nasf.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.nema.org">www.nema.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.ngsa.org">www.ngsa.org</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Trade Associations	<a href="http://www.nmpgroup.com/pdf/021202.pdf">http://www.nmpgroup.com/pdf/021202.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.nmpgroup.com/pdf/00198878.pdf">http://www.nmpgroup.com/pdf/00198878.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.pei.org">www.pei.org</a>			X			X		X		X	
Trade Associations	<a href="http://www.personalcarecouncil.org">www.personalcarecouncil.org</a>			X			X		X		X	
Trade Associations	<a href="http://www.pmpa.org/docs/reference/2012_tri_guidance_and_training_for_webinar.pdf?sfvrsn=2">http://www.pmpa.org/docs/reference/2012_tri_guidance_and_training_for_webinar.pdf?sfvrsn=2</a>			X			X		X		X	
Trade Associations	<a href="http://www.powertoolinstitute.com">www.powertoolinstitute.com</a>			X			X		X		X	
Trade Associations	<a href="http://www.printing.org/page/3396">http://www.printing.org/page/3396</a>			X			X		X		X	
Trade Associations	<a href="http://www.printing.org/page/11694">http://www.printing.org/page/11694</a>			X			X		X		X	
Trade Associations	<a href="https://www.pstc.org/files/public/McAlees.pdf">https://www.pstc.org/files/public/McAlees.pdf</a>			X			X		X		X	
Trade Associations	<a href="https://www.pstc.org/files/public/Stoeffler.pdf">https://www.pstc.org/files/public/Stoeffler.pdf</a>			X			X		X		X	
Trade Associations	<a href="http://www.roofcoatings.org/pdf/2006_09_coatings_feat.pdf">http://www.roofcoatings.org/pdf/2006_09_coatings_feat.pdf</a>			X			X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2015/15/opa-takes-first-step-to-restrict-degreasers-and-paint-strippers">https://www.sema.org/sema-enews/2015/15/opa-takes-first-step-to-restrict-degreasers-and-paint-strippers</a>			X			X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2015/15/full">https://www.sema.org/sema-enews/2015/15/full</a>			X			X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2007/39/full">https://www.sema.org/sema-enews/2007/39/full</a>			X			X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2013/4/full">https://www.sema.org/sema-enews/2013/4/full</a>			X			X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2015/4/full">https://www.sema.org/sema-enews/2015/4/full</a>			X			X		X		X	
Trade Associations	<a href="http://www.sema.org/sema-enews/2013/04/opa-access-to-chemicals-found-in-flame-retardant-paint-strips-deno">http://www.sema.org/sema-enews/2013/04/opa-access-to-chemicals-found-in-flame-retardant-paint-strips-deno</a>			X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="https://www.sema.org/sema-news/2015/07/law-and-order">https://www.sema.org/sema-news/2015/07/law-and-order</a>			X		X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-news/2015/12/law-and-order">https://www.sema.org/sema-news/2015/12/law-and-order</a>			X		X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews/2015/04/california-rulemaking-to-alter-requirements-for-chemical-warnings">https://www.sema.org/sema-enews/2015/04/california-rulemaking-to-alter-requirements-for-chemical-warnings</a>			X		X		X		X	
Trade Associations	<a href="https://www.sema.org/sema-enews-categories/law-order?page=139">https://www.sema.org/sema-enews-categories/law-order?page=139</a>			X		X		X		X	
Trade Associations	<a href="https://www.sme.org/WorkArea/DownloadAsset.aspx?id=73825">https://www.sme.org/WorkArea/DownloadAsset.aspx?id=73825</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org">www.tcata.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/sites/default/files/uploads/documents/trsa_shop_towel_rule.pdf">http://www.trsa.org/sites/default/files/uploads/documents/trsa_shop_towel_rule.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.xpsa.com">www.xpsa.com</a>			X		X		X		X	
OPPT Hazard Characterizations	<a href="https://olmpub.epa.gov/oppt/hpv_hc_characterization_get_report_by_cas?doctype=2">https://olmpub.epa.gov/oppt/hpv_hc_characterization_get_report_by_cas?doctype=2</a>	OPPT Hazard Characterizations		X		X		X		X	
EHPV Program Submissions - Supporting Information	<a href="https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020">https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020</a>	EHPV Program Submissions - Supporting Information		X		X		X		X	
OPPT Risk-Based Prioritizations	<a href="https://iaspub.epa.gov/oppt/hpv/existchem_hpv_prioritizations.report">https://iaspub.epa.gov/oppt/hpv/existchem_hpv_prioritizations.report</a>	OPPT Risk-Based Prioritizations		X		X		X		X	
NIH LACTMED	<a href="https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm">https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm</a>	NIH LACTMED		X		X		X		X	